

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any tobacco product	All	20.1%	27.1%	45.7%	54.3%
	Grade 7	9.8%	14.0%	29.5%	70.5%
	Grade 8	14.8%	20.6%	38.1%	61.9%
	Grade 9	19.4%	27.0%	46.3%	53.7%
	Grade 10	24.4%	33.0%	52.6%	47.4%
	Grade 11	26.4%	34.9%	55.7%	44.3%
	Grade 12	31.6%	39.2%	58.9%	41.1%
Cigarettes	All	19.6%	26.6%	45.4%	54.6%
	Grade 7	9.1%	13.4%	29.0%	71.0%
	Grade 8	14.1%	19.9%	37.4%	62.6%
	Grade 9	18.9%	26.7%	46.1%	53.9%
	Grade 10	23.9%	32.6%	52.3%	47.7%
	Grade 11	25.8%	34.3%	55.4%	44.6%
	Grade 12	31.2%	38.9%	58.9%	41.1%
Smokeless tobacco	All	3.1%	4.5%	7.7%	92.3%
	Grade 7	2.0%	3.1%	4.9%	95.1%
	Grade 8	3.0%	4.2%	7.0%	93.0%
	Grade 9	2.9%	4.2%	7.7%	92.3%
	Grade 10	4.0%	5.8%	9.0%	91.0%
	Grade 11	3.5%	5.0%	8.7%	91.3%
	Grade 12	3.1%	5.2%	10.2%	89.8%

Table T-2: How often do you normally use...

Any tobacco product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	59.7%	2.8%	4.7%	6.7%	8.3%	7.4%	10.2%
Grade 7	75.3%	0.7%	2.6%	3.9%	5.0%	5.6%	7.0%
Grade 8	66.6%	1.2%	3.6%	5.1%	7.4%	6.9%	9.2%
Grade 9	58.5%	2.2%	4.8%	6.7%	8.9%	8.2%	10.7%
Grade 10	53.8%	3.5%	5.2%	8.4%	9.0%	8.8%	11.3%
Grade 11	50.9%	4.5%	6.1%	8.5%	10.2%	7.8%	12.1%
Grade 12	46.9%	6.9%	7.4%	9.2%	10.5%	7.2%	11.8%

Cigarettes?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	59.5%	2.8%	4.7%	6.8%	8.4%	7.4%	10.3%
Grade 7	75.4%	0.7%	2.5%	3.8%	5.0%	5.6%	7.0%
Grade 8	66.8%	1.1%	3.5%	5.1%	7.5%	6.8%	9.3%
Grade 9	58.1%	2.2%	4.8%	6.8%	9.0%	8.2%	10.8%
Grade 10	53.4%	3.4%	5.1%	8.5%	9.2%	8.9%	11.5%
Grade 11	50.5%	4.5%	6.2%	8.5%	10.4%	7.8%	12.2%
Grade 12	46.3%	6.9%	7.4%	9.3%	10.5%	7.3%	12.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Smokeless tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.4%	0.3%	0.6%	0.8%	1.2%	1.3%	2.3%
Grade 7	96.0%	0.1%	0.5%	0.6%	0.6%	0.8%	1.3%
Grade 8	94.1%	0.2%	0.8%	0.8%	1.1%	1.1%	1.9%
Grade 9	92.8%	0.3%	0.7%	0.9%	1.4%	1.7%	2.3%
Grade 10	93.0%	0.5%	0.7%	0.8%	1.2%	1.4%	2.5%
Grade 11	92.7%	0.3%	0.5%	1.1%	1.2%	1.4%	2.8%
Grade 12	91.0%	0.3%	0.8%	0.9%	1.6%	1.6%	3.8%

Table T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	>1 But <10 Per Day	>10 But <1 Pack Per Day	>1 Pack But <2 Packs/Day	>2 Packs Per Day
All	79.7%	12.5%	5.6%	1.2%	0.6%	0.3%
Grade 7	88.0%	8.6%	2.4%	0.5%	0.2%	0.3%
Grade 8	85.4%	9.7%	3.7%	0.7%	0.4%	0.2%
Grade 9	80.1%	12.1%	5.7%	1.2%	0.6%	0.4%
Grade 10	76.7%	14.2%	6.3%	1.4%	1.2%	0.3%
Grade 11	74.4%	14.9%	7.9%	1.7%	0.8%	0.3%
Grade 12	68.7%	18.1%	9.3%	2.6%	0.9%	0.3%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.9	11.5	12.2	12.9	13.5	14.2

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	13.9%	12.0%	4.7%	8.8%	19.7%	40.9%
Grade 7	24.8%	23.5%	7.6%	9.5%	16.1%	18.6%
Grade 8	17.2%	17.4%	6.3%	11.0%	20.4%	27.8%
Grade 9	13.8%	10.3%	4.9%	10.0%	21.9%	39.2%
Grade 10	9.4%	8.0%	3.7%	9.1%	23.1%	46.6%
Grade 11	7.7%	5.8%	2.7%	6.6%	20.4%	56.9%
Grade 12	7.4%	3.6%	1.8%	4.2%	13.6%	69.3%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Smokeless Tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	32.2%	17.7%	7.0%	11.3%	12.8%	19.0%
Grade 7	41.4%	29.4%	8.7%	8.7%	6.1%	5.8%
Grade 8	34.6%	24.5%	9.1%	11.8%	10.0%	9.9%
Grade 9	33.7%	16.8%	7.6%	12.9%	13.9%	15.1%
Grade 10	29.4%	12.7%	5.9%	13.5%	16.0%	22.5%
Grade 11	26.4%	10.5%	5.3%	10.9%	18.0%	28.8%
Grade 12	23.4%	7.6%	3.8%	8.7%	13.9%	42.5%

Table T-6: About how many of your close friends...

Use any tobacco product?

	Never heard None	A Few	Some	Most	All
All	34.9%	33.9 %	17.7%	10.6%	2.9%
Grade 7	57.8%	26.7 %	9.5%	4.5%	1.5%
Grade 8	46.6%	32.2 %	13.0%	6.2%	2.1%
Grade 9	32.2%	36.0 %	18.1%	10.8%	2.9%
Grade 10	24.6%	36.7 %	22.7%	12.2%	3.7%
Grade 11	22.1%	37.3 %	22.2%	14.8%	3.5%
Grade 12	18.5%	34.8 %	23.6%	18.7%	4.4%

Smoke cigarettes?

	Never heard None	A Few	Some	Most	All
All	35.4%	34.5 %	17.1%	10.3%	2.7%
Grade 7	58.8%	27.4 %	8.6%	3.9%	1.3%
Grade 8	47.2%	32.6 %	12.5%	5.9%	1.9%
Grade 9	32.7%	36.6 %	17.6%	10.4%	2.7%
Grade 10	25.2%	37.2 %	22.0%	12.0%	3.6%
Grade 11	22.4%	37.9 %	21.7%	14.7%	3.3%
Grade 12	18.4%	35.5 %	23.2%	18.6%	4.3%

Use a smokeless tobacco product?

	Never heard None	A Few	Some	Most	All
All	78.9%	13.0 %	5.3%	1.9%	1.0%
Grade 7	85.5%	8.7 %	3.7%	1.5%	0.6%
Grade 8	82.2%	11.1 %	4.2%	1.8%	0.8%
Grade 9	78.1%	13.5 %	5.4%	2.0%	1.0%
Grade 10	74.9%	15.0 %	6.7%	1.8%	1.6%
Grade 11	76.7%	15.0 %	5.4%	2.0%	0.9%
Grade 12	73.7%	16.2 %	6.8%	2.4%	0.9%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	70.2%	9.6%	6.0%	1.2%	1.0%	11.9%
Grade 7	71.3%	5.3%	2.5%	0.8%	1.2%	18.9%
Grade 8	74.1%	5.8%	3.7%	1.1%	1.1%	14.2%
Grade 9	72.3%	8.4%	5.4%	0.9%	1.0%	11.9%
Grade 10	69.6%	12.2%	7.2%	1.1%	0.9%	9.1%
Grade 11	68.9%	12.9%	8.4%	1.5%	0.8%	7.5%
Grade 12	61.6%	16.2%	10.9%	2.5%	1.0%	7.8%

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	52.9%	26.3%	10.3%	2.7%	7.8%
Grade 7	65.3%	18.1%	6.4%	1.5%	8.8%
Grade 8	57.8%	24.2%	7.9%	2.0%	8.1%
Grade 9	51.4%	27.3%	10.5%	2.6%	8.2%
Grade 10	46.4%	30.3%	11.7%	3.4%	8.2%
Grade 11	47.1%	29.2%	13.2%	3.8%	6.7%
Grade 12	46.2%	30.1%	14.0%	3.6%	6.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product	All	38.3%	49.4%	70.2%	29.8%
	Grade 7	20.9%	27.6%	53.0%	47.0%
	Grade 8	30.0%	39.8%	63.9%	36.1%
	Grade 9	39.0%	50.6%	71.9%	28.1%
	Grade 10	45.5%	59.8%	77.6%	22.4%
	Grade 11	48.7%	61.9%	80.0%	20.0%
Grade 12	53.1%	65.2%	80.2%	19.8%	
Beer	All	27.4%	36.7%	54.6%	45.4%
	Grade 7	13.7%	18.8%	38.0%	62.0%
	Grade 8	19.3%	26.9%	47.1%	52.9%
	Grade 9	28.1%	37.6%	55.5%	44.5%
	Grade 10	32.8%	45.7%	62.3%	37.7%
	Grade 11	36.1%	47.5%	64.3%	35.7%
Grade 12	41.0%	51.4%	66.4%	33.6%	
Wine coolers	All	26.3%	37.6%	56.1%	43.9%
	Grade 7	14.4%	20.6%	38.4%	61.6%
	Grade 8	21.3%	30.2%	50.0%	50.0%
	Grade 9	27.0%	38.6%	57.5%	42.5%
	Grade 10	31.9%	45.8%	64.2%	35.8%
	Grade 11	32.3%	47.0%	66.3%	33.7%
Grade 12	35.7%	49.5%	65.9%	34.1%	
Wine	All	18.7%	28.3%	46.4%	53.6%
	Grade 7	9.9%	14.4%	30.4%	69.6%
	Grade 8	14.7%	22.9%	40.8%	59.2%
	Grade 9	19.6%	29.7%	48.8%	51.2%
	Grade 10	23.3%	35.0%	52.7%	47.3%
	Grade 11	23.2%	35.2%	54.6%	45.4%
Grade 12	24.9%	37.5%	55.6%	44.4%	
Liquor	All	23.5%	32.2%	45.5%	54.5%
	Grade 7	7.7%	11.1%	20.6%	79.4%
	Grade 8	14.7%	21.4%	34.0%	66.0%
	Grade 9	23.2%	32.5%	46.9%	53.1%
	Grade 10	30.1%	41.3%	55.6%	44.4%
	Grade 11	34.9%	46.3%	61.6%	38.4%
Grade 12	38.4%	50.3%	64.8%	35.2%	

Table A-2: How often do you normally use...

Any alcohol product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	36.7%	0.9%	8.5%	16.9%	15.6%	11.9%	9.5%
Grade 7	56.7%	0.8%	4.9%	7.7%	9.2%	10.9%	9.9%
Grade 8	44.3%	0.9%	6.6%	11.6%	13.1%	12.7%	10.9%
Grade 9	35.4%	0.8%	9.1%	16.6%	16.7%	12.3%	9.1%
Grade 10	27.5%	0.7%	9.8%	21.0%	19.8%	12.4%	8.8%
Grade 11	25.3%	1.0%	10.5%	23.9%	18.3%	11.6%	9.4%
Grade 12	24.0%	1.3%	11.9%	25.4%	17.6%	11.4%	8.3%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Beer?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	47.7%	0.6%	7.0%	13.6%	12.8%	9.2%	9.1%
Grade 7	66.6%	0.4%	3.4%	6.2%	6.9%	7.9%	8.5%
Grade 8	55.6%	0.5%	5.2%	8.9%	10.4%	9.5%	10.0%
Grade 9	46.5%	0.5%	7.0%	13.1%	14.2%	9.9%	8.7%
Grade 10	38.8%	0.5%	8.4%	16.8%	16.9%	9.0%	9.5%
Grade 11	37.0%	0.7%	9.2%	19.7%	14.8%	9.4%	9.1%
Grade 12	34.7%	1.0%	10.7%	20.5%	14.6%	9.4%	9.1%

Wine coolers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	47.0%	0.3%	5.4%	12.7%	13.9%	11.8%	8.8%
Grade 7	67.2%	0.4%	3.6%	5.8%	7.5%	8.3%	7.2%
Grade 8	54.2%	0.4%	4.8%	9.1%	11.3%	10.9%	9.3%
Grade 9	45.6%	0.3%	6.3%	12.9%	14.8%	11.7%	8.4%
Grade 10	37.6%	0.1%	6.3%	15.9%	17.1%	14.2%	8.7%
Grade 11	35.8%	0.3%	5.8%	17.8%	16.9%	13.4%	10.0%
Grade 12	34.8%	0.3%	5.9%	17.9%	18.1%	13.4%	9.5%

Wine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	56.5%	0.2%	3.7%	8.5%	9.9%	12.2%	9.1%
Grade 7	75.4%	0.2%	2.0%	3.7%	4.4%	8.1%	6.2%
Grade 8	63.5%	0.2%	3.1%	5.9%	7.5%	11.1%	8.8%
Grade 9	54.2%	0.2%	4.4%	9.1%	10.7%	12.5%	8.9%
Grade 10	48.9%	0.2%	4.3%	10.4%	13.1%	13.8%	9.3%
Grade 11	46.2%	0.1%	4.0%	11.9%	12.4%	14.3%	11.0%
Grade 12	44.7%	0.2%	4.7%	12.0%	13.1%	14.3%	11.2%

Liquor?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.2%	0.3%	4.6%	11.0%	10.8%	8.7%	6.4%
Grade 7	83.0%	0.2%	2.0%	3.2%	3.8%	4.2%	3.6%
Grade 8	69.7%	0.2%	3.3%	6.1%	7.2%	7.2%	6.3%
Grade 9	57.4%	0.3%	5.2%	10.6%	10.2%	9.6%	6.6%
Grade 10	47.9%	0.2%	5.6%	14.8%	14.0%	10.5%	7.0%
Grade 11	41.9%	0.2%	6.0%	16.9%	16.4%	10.8%	7.8%
Grade 12	38.0%	0.4%	6.4%	19.0%	17.2%	11.5%	7.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

Beer

	Never	Ever	5 or More	1 to 4	Less Than 1
All	45.0%	55.0%	17.5%	25.6%	11.9%
Grade 7	61.2%	38.8%	6.0%	20.5%	12.4%
Grade 8	52.0%	48.0%	10.1%	24.2%	13.7%
Grade 9	43.3%	56.7%	18.0%	27.5%	11.1%
Grade 10	37.6%	62.4%	22.4%	28.9%	11.1%
Grade 11	35.9%	64.1%	25.9%	26.8%	11.3%
Grade 12	35.4%	64.6%	27.6%	25.3%	11.7%

Wine Coolers

	Never	Ever	5 or More	1 to 4	Less Than 1
All	42.6%	57.4%	16.7%	32.3%	8.4%
Grade 7	60.8%	39.2%	8.1%	21.8%	9.3%
Grade 8	49.3%	50.7%	12.3%	28.7%	9.7%
Grade 9	40.7%	59.3%	18.6%	32.8%	7.9%
Grade 10	34.6%	65.4%	21.7%	36.3%	7.3%
Grade 11	32.7%	67.3%	20.7%	38.2%	8.4%
Grade 12	32.8%	67.2%	20.6%	39.0%	7.6%

Wine

	Never	Ever	5 or More	1 to 4	Less Than 1
All	53.2%	46.8%	7.4%	26.1%	13.3%
Grade 7	70.5%	29.5%	3.1%	15.9%	10.5%
Grade 8	59.3%	40.7%	4.8%	22.6%	13.3%
Grade 9	50.2%	49.8%	8.1%	28.2%	13.4%
Grade 10	45.8%	54.2%	11.1%	29.8%	13.3%
Grade 11	44.9%	55.1%	8.9%	31.5%	14.7%
Grade 12	44.8%	55.2%	9.6%	30.3%	15.3%

Liquor

	Never	Ever	5 or More	1 to 4	Less Than 1
All	54.1%	45.9%	12.3%	24.1%	9.4%
Grade 7	79.5%	20.5%	3.1%	11.2%	6.2%
Grade 8	65.8%	34.2%	6.1%	18.1%	10.0%
Grade 9	53.4%	46.6%	12.0%	24.5%	10.1%
Grade 10	42.8%	57.2%	16.9%	31.0%	9.3%
Grade 11	38.2%	61.8%	19.1%	31.9%	10.8%
Grade 12	35.5%	64.5%	21.4%	32.7%	10.3%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

Beer					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	63.7%	36.3%	5.4%	17.6%	13.3%
Grade 7	78.9%	21.1%	2.5%	8.4%	10.2%
Grade 8	71.8%	28.2%	3.7%	11.8%	12.7%
Grade 9	63.2%	36.8%	5.4%	17.8%	13.6%
Grade 10	56.3%	43.7%	7.3%	21.3%	15.0%
Grade 11	53.7%	46.3%	7.2%	24.9%	14.2%
Grade 12	52.2%	47.8%	7.8%	25.7%	14.3%
Wine Coolers					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	61.4%	38.6%	4.6%	18.7%	15.3%
Grade 7	76.1%	23.9%	3.4%	9.2%	11.3%
Grade 8	67.6%	32.4%	4.0%	14.3%	14.1%
Grade 9	60.5%	39.5%	5.0%	19.8%	14.8%
Grade 10	54.8%	45.2%	5.7%	22.1%	17.4%
Grade 11	52.5%	47.5%	4.7%	24.5%	18.4%
Grade 12	52.2%	47.8%	4.8%	25.9%	17.1%
Wine					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	68.9%	31.1%	2.8%	12.4%	15.9%
Grade 7	82.7%	17.3%	1.4%	6.0%	10.0%
Grade 8	74.6%	25.4%	2.1%	9.2%	14.1%
Grade 9	67.4%	32.6%	3.1%	13.3%	16.2%
Grade 10	63.1%	36.9%	4.0%	15.2%	17.6%
Grade 11	61.3%	38.7%	3.1%	16.3%	19.2%
Grade 12	60.1%	39.9%	3.1%	16.3%	20.5%
Liquor					
	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	66.7%	33.3%	3.8%	16.3%	13.3%
Grade 7	86.6%	13.4%	1.4%	5.5%	6.6%
Grade 8	77.1%	22.9%	2.5%	9.7%	10.7%
Grade 9	66.4%	33.6%	4.0%	16.0%	13.6%
Grade 10	58.3%	41.7%	5.5%	20.5%	15.7%
Grade 11	53.3%	46.7%	5.2%	24.4%	17.1%
Grade 12	50.5%	49.5%	4.8%	26.5%	18.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.7	11.3	12.3	12.9	13.5	14.2

Table A-6: If you wanted some, how difficult would it be to get...

Beer?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	12.4%	10.2%	5.0%	10.3%	21.0%	41.2%
Grade 7	23.4%	20.3%	7.7%	11.0%	16.0%	21.6%
Grade 8	15.2%	14.6%	6.7%	11.4%	19.8%	32.3%
Grade 9	12.0%	8.3%	4.3%	11.1%	22.9%	41.4%
Grade 10	8.1%	5.8%	4.0%	9.9%	22.1%	50.1%
Grade 11	6.4%	4.8%	3.2%	9.1%	21.7%	54.7%
Grade 12	6.3%	4.5%	2.9%	7.7%	24.5%	54.1%

Wine coolers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	14.3%	10.0%	4.8%	10.3%	21.0%	39.6%
Grade 7	26.1%	19.9%	7.0%	11.4%	16.9%	18.8%
Grade 8	17.4%	14.8%	6.5%	11.8%	19.7%	29.8%
Grade 9	13.9%	8.3%	4.9%	11.4%	21.8%	39.6%
Grade 10	9.3%	5.9%	3.7%	8.6%	23.0%	49.5%
Grade 11	8.0%	4.3%	3.1%	8.7%	22.2%	53.7%
Grade 12	7.5%	3.9%	2.6%	8.2%	23.7%	54.1%

Wine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	16.1%	12.9%	6.8%	12.2%	18.7%	33.1%
Grade 7	28.2%	24.2%	9.1%	11.2%	13.2%	14.1%
Grade 8	19.2%	18.5%	9.2%	12.7%	16.6%	23.7%
Grade 9	15.6%	11.4%	7.2%	13.1%	20.2%	32.5%
Grade 10	11.8%	8.0%	5.1%	12.6%	20.3%	42.1%
Grade 11	9.3%	6.4%	4.8%	12.2%	20.6%	46.6%
Grade 12	9.3%	5.4%	4.0%	10.7%	22.9%	47.6%

Liquor?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	16.1%	14.0%	7.4%	11.0%	17.0%	34.5%
Grade 7	29.9%	26.7%	10.6%	9.7%	10.9%	12.2%
Grade 8	19.8%	20.5%	9.5%	12.0%	14.5%	23.7%
Grade 9	15.4%	12.2%	7.9%	12.1%	18.3%	34.1%
Grade 10	11.0%	8.1%	6.2%	10.5%	19.1%	45.0%
Grade 11	8.3%	6.9%	4.8%	10.7%	19.3%	49.9%
Grade 12	8.0%	5.6%	3.5%	10.3%	21.8%	50.9%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table A-7: Since school began in the fall, on how many days (if any) have you..

Attended class while drunk on alcohol?

	None	1-3 Days	4-9 Days	10+ Days
All	90%	7.6%	1.4%	1.1%
Grade 7	93%	5.5%	0.9%	0.7%
Grade 8	91%	7.3%	1.1%	0.8%
Grade 9	90%	7.6%	1.5%	1.4%
Grade 10	90%	7.2%	2.0%	1.3%
Grade 11	89%	9.0%	1.3%	1.1%
Grade 12	87%	9.9%	1.9%	1.3%

Gotten into trouble with teachers because of your drinking?

	None	1-3 Days	4-9 Days	10+ Days
All	98%	1.1%	0.3%	0.2%
Grade 7	99%	0.8%	0.2%	0.2%
Grade 8	98%	1.1%	0.4%	0.2%
Grade 9	98%	1.2%	0.3%	0.3%
Grade 10	99%	1.0%	0.4%	0.1%
Grade 11	98%	1.0%	0.2%	0.3%
Grade 12	98%	1.6%	0.3%	0.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons:

Alcohol Users:	4.5 days per student
Alcohol Non-users:	3.1 days per student

Average days conduct problems reported:

Alcohol Users:	3.3 days per student
Alcohol Non-users:	1.1 days per student

Table A-9: During the past twelve months, how many times have you...

Driven a car when you've had a good bit to drink?

	None	1-3 Times	4-9 Times	10+ Times
All	84.3%	11.7%	2.4%	1.7%
Grade 9	90.7%	7.3%	1.3%	0.7%
Grade 10	86.9%	10.4%	1.7%	1.1%
Grade 11	79.7%	15.3%	3.0%	2.0%
Grade 12	74.8%	16.8%	4.4%	4.0%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Gotten into trouble with the police because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	96.1%	3.0%	0.5%	0.3%
Grade 7	98.0%	1.3%	0.3%	0.3%
Grade 8	96.9%	2.3%	0.4%	0.3%
Grade 9	96.3%	2.7%	0.5%	0.4%
Grade 10	95.9%	3.2%	0.5%	0.4%
Grade 11	94.9%	4.1%	0.6%	0.3%
Grade 12	93.7%	5.6%	0.5%	0.2%

Table A-10: About how many of your close friends use...

Any alcohol product?

	Never heard				
	None	A Few	Some	Most	All
All	20.6%	25.3 %	17.7%	22.5%	13.9%
Grade 7	42.6%	28.9 %	13.6%	9.8%	5.1%
Grade 8	29.3%	30.8 %	16.7%	14.9%	8.3%
Grade 9	16.8%	25.5 %	19.7%	23.6%	14.5%
Grade 10	10.8%	22.6 %	19.5%	28.3%	18.7%
Grade 11	9.4%	21.2 %	19.3%	30.7%	19.4%
Grade 12	9.3%	19.6 %	16.9%	33.0%	21.3%

Beer?

	Never heard				
	None	A Few	Some	Most	All
All	25.9%	25.3 %	18.2%	19.9%	10.6%
Grade 7	51.8%	26.3 %	11.5%	7.4%	3.1%
Grade 8	37.2%	29.6 %	16.3%	11.7%	5.2%
Grade 9	21.3%	27.0 %	20.5%	20.8%	10.5%
Grade 10	14.4%	23.5 %	21.4%	25.4%	15.2%
Grade 11	12.9%	21.6 %	21.1%	28.6%	15.7%
Grade 12	11.1%	20.8 %	18.8%	31.5%	17.8%

Wine coolers?

	Never heard				
	None	A Few	Some	Most	All
All	31.1%	25.7 %	17.8%	16.5%	8.8%
Grade 7	53.9%	24.2 %	10.5%	7.4%	3.8%
Grade 8	40.3%	27.4 %	14.8%	11.3%	6.1%
Grade 9	27.6%	25.8 %	19.4%	17.6%	9.7%
Grade 10	21.7%	26.6 %	20.1%	19.5%	12.1%
Grade 11	18.9%	25.5 %	22.6%	22.0%	11.0%
Grade 12	18.2%	24.0 %	20.8%	25.1%	11.9%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Wine?

	Never heard				
	None	A Few	Some	Most	All
All	45.7%	23.7 %	14.1%	10.4%	6.1%
Grade 7	67.2%	19.0 %	7.2%	4.6%	2.0%
Grade 8	55.3%	22.8 %	11.3%	6.8%	3.8%
Grade 9	42.0%	24.4 %	16.0%	10.8%	6.9%
Grade 10	35.4%	25.5 %	16.9%	13.2%	9.0%
Grade 11	34.7%	25.8 %	17.2%	14.5%	7.9%
Grade 12	33.8%	25.3 %	17.2%	15.3%	8.5%

Liquor?

	Never heard				
	None	A Few	Some	Most	All
All	41.0%	20.6 %	14.8%	14.9%	8.8%
Grade 7	71.0%	15.9 %	6.8%	4.4%	2.0%
Grade 8	55.5%	20.6 %	11.4%	8.0%	4.5%
Grade 9	37.0%	23.0 %	16.8%	14.5%	8.6%
Grade 10	28.5%	21.0 %	18.2%	19.3%	13.0%
Grade 11	23.6%	21.3 %	19.5%	22.9%	12.8%
Grade 12	20.7%	21.4 %	17.2%	25.6%	15.1%

Table A-11: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.5%	6.4%	0.7%	0.3%
Grade 7	95.5%	3.8%	0.3%	0.3%
Grade 8	94.0%	5.1%	0.6%	0.3%
Grade 9	91.5%	7.4%	0.8%	0.4%
Grade 10	92.3%	6.6%	0.7%	0.3%
Grade 11	91.3%	7.4%	0.9%	0.4%
Grade 12	89.9%	8.7%	1.0%	0.4%

Been criticized by someone you were dating because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	92.8%	5.8%	0.9%	0.5%
Grade 7	96.7%	2.4%	0.7%	0.2%
Grade 8	94.8%	4.3%	0.6%	0.4%
Grade 9	92.5%	6.2%	0.8%	0.6%
Grade 10	92.5%	6.3%	0.6%	0.6%
Grade 11	90.1%	7.9%	1.3%	0.6%
Grade 12	88.6%	8.5%	1.9%	1.0%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table A-12: Thinking of parties you attended this school year, how often was

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Didn't Attend
All	32%	10.2%	8.2%	14.8%	23.2%	2.6%	9.1%
Grade 7	59%	10.8%	7.6%	7.1%	3.8%	3.7%	8.3%
Grade 8	45%	14.7%	9.7%	10.8%	8.6%	3.4%	8.3%
Grade 9	28%	11.1%	9.5%	18.2%	21.9%	2.4%	9.1%
Grade 10	20%	8.6%	8.5%	18.9%	31.9%	2.2%	9.5%
Grade 11	17%	7.1%	6.8%	17.2%	39.6%	1.9%	10.2%
Grade 12	17%	6.6%	5.5%	16.9%	42.8%	1.7%	9.4%

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

	Do Not Drink	Never	Seldom	Most of the time	Always
All	43.7%	30.1%	18.1%	6.2%	1.9%
Grade 7	57.0%	23.0%	13.1%	5.7%	1.2%
Grade 8	48.8%	26.6%	16.5%	6.4%	1.6%
Grade 9	43.9%	30.0%	18.1%	6.3%	1.7%
Grade 10	37.3%	34.6%	19.6%	6.0%	2.4%
Grade 11	36.1%	34.7%	20.6%	6.5%	2.1%
Grade 12	34.7%	34.1%	22.1%	6.7%	2.5%

From friends

	Do Not Drink	Never	Seldom	Most of the time	Always
All	34.3%	15.6%	16.5%	22.3%	11.3%
Grade 7	55.4%	22.7%	9.1%	10.1%	2.8%
Grade 8	43.4%	21.2%	15.2%	15.2%	5.1%
Grade 9	32.0%	15.5%	18.8%	23.6%	10.1%
Grade 10	24.9%	11.9%	19.8%	26.5%	16.9%
Grade 11	23.1%	10.3%	17.8%	31.4%	17.4%
Grade 12	21.3%	8.8%	18.5%	30.9%	20.4%

From a store

	Do Not Drink	Never	Seldom	Most of the time	Always
All	37.1%	37.2%	10.2%	9.7%	5.9%
Grade 7	56.8%	36.1%	3.3%	2.6%	1.1%
Grade 8	45.7%	41.3%	6.2%	4.8%	2.0%
Grade 9	36.2%	39.3%	11.0%	8.5%	5.0%
Grade 10	27.4%	38.4%	12.8%	13.1%	8.3%
Grade 11	25.9%	34.2%	14.3%	15.5%	10.0%
Grade 12	24.2%	30.4%	15.9%	17.7%	11.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

At parties

	Do Not Drink	Never	Seldom	Most of the time	Always
All	32.4%	11.5%	12.9%	20.3%	22.8%
Grade 7	50.8%	16.8%	12.0%	13.6%	6.8%
Grade 8	39.8%	15.1%	14.8%	17.8%	12.5%
Grade 9	31.0%	10.7%	13.6%	20.8%	23.8%
Grade 10	23.7%	9.4%	13.1%	23.4%	30.3%
Grade 11	22.9%	7.6%	11.6%	23.8%	34.2%
Grade 12	21.3%	7.8%	11.3%	24.0%	35.7%

Other source

	Do Not Drink	Never	Seldom	Most of the time	Always
All	39.0%	22.2%	14.5%	11.8%	12.5%
Grade 7	56.5%	22.3%	9.4%	7.5%	4.4%
Grade 8	45.9%	23.3%	13.3%	9.8%	7.7%
Grade 9	38.2%	22.6%	14.5%	12.2%	12.6%
Grade 10	31.0%	22.1%	16.6%	13.8%	16.4%
Grade 11	29.2%	21.4%	16.9%	14.3%	18.1%
Grade 12	27.6%	20.3%	18.2%	14.5%	19.4%

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	63.4%	13.6%	7.9%	2.6%	1.2%	11.3%
Grade 7	67.3%	7.9%	3.5%	1.4%	1.4%	18.5%
Grade 8	67.9%	9.8%	5.1%	2.0%	1.2%	13.9%
Grade 9	64.5%	12.8%	8.0%	2.1%	1.2%	11.4%
Grade 10	61.1%	16.2%	9.8%	3.2%	1.0%	8.7%
Grade 11	60.5%	17.7%	10.7%	3.4%	1.1%	6.6%
Grade 12	55.5%	20.3%	11.7%	4.3%	1.2%	6.9%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	45.8%	30.8%	14.3%	3.6%	5.4%
Grade 7	54.4%	23.9%	11.9%	3.0%	6.8%
Grade 8	46.6%	29.2%	14.0%	3.9%	6.3%
Grade 9	44.3%	30.7%	15.5%	4.2%	5.3%
Grade 10	40.6%	33.6%	16.7%	4.0%	5.2%
Grade 11	44.6%	33.9%	14.0%	3.5%	3.9%
Grade 12	43.9%	35.8%	13.5%	2.8%	4.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	13.4%	19.2%	29.4%	70.6%
	Grade 7	6.2%	8.6%	14.4%	85.6%
	Grade 8	10.2%	14.2%	22.4%	77.6%
	Grade 9	13.7%	19.7%	29.6%	70.4%
	Grade 10	17.5%	25.2%	36.4%	63.6%
	Grade 11	17.2%	25.2%	38.9%	61.1%
	Grade 12	18.3%	26.2%	40.8%	59.2%
Cocaine?	All	6.0%	8.6%	13.3%	86.7%
	Grade 7	2.2%	3.0%	5.1%	94.9%
	Grade 8	3.7%	5.3%	8.5%	91.5%
	Grade 9	6.5%	9.3%	13.8%	86.2%
	Grade 10	8.2%	11.7%	17.3%	82.7%
	Grade 11	7.7%	11.6%	18.5%	81.5%
	Grade 12	8.9%	12.6%	20.5%	79.5%
Crack?	All	1.5%	2.4%	4.0%	96.0%
	Grade 7	0.9%	1.4%	2.5%	97.5%
	Grade 8	1.6%	2.4%	3.7%	96.3%
	Grade 9	1.8%	2.8%	4.5%	95.5%
	Grade 10	2.5%	3.6%	5.2%	94.8%
	Grade 11	1.2%	2.0%	4.0%	96.0%
	Grade 12	1.2%	2.0%	4.2%	95.8%
Hallucinogens?	All	0.9%	1.5%	2.6%	97.4%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.1%	1.7%	98.3%
	Grade 9	1.0%	1.6%	2.7%	97.3%
	Grade 10	1.0%	2.0%	3.3%	96.7%
	Grade 11	1.1%	2.1%	3.7%	96.3%
	Grade 12	1.0%	1.7%	4.1%	95.9%
Uppers?	All	2.3%	3.3%	5.2%	94.8%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.8%	2.5%	3.7%	96.3%
	Grade 9	2.3%	3.5%	5.2%	94.8%
	Grade 10	3.8%	5.2%	7.3%	92.7%
	Grade 11	2.8%	4.4%	7.1%	92.9%
	Grade 12	2.6%	3.9%	7.0%	93.0%
Downers?	All	2.6%	3.8%	5.9%	94.1%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	2.0%	2.7%	4.0%	96.0%
	Grade 9	2.7%	4.3%	6.0%	94.0%
	Grade 10	4.3%	5.9%	8.4%	91.6%
	Grade 11	3.3%	4.9%	7.8%	92.2%
	Grade 12	3.1%	4.7%	8.5%	91.5%
Rohypnol?	All	4.4%	6.7%	10.9%	89.1%
	Grade 7	2.4%	3.5%	5.7%	94.3%
	Grade 8	4.2%	6.1%	9.6%	90.4%
	Grade 9	5.6%	8.6%	12.6%	87.4%
	Grade 10	6.4%	9.3%	13.9%	86.1%
	Grade 11	4.1%	6.6%	12.3%	87.7%
	Grade 12	3.2%	5.8%	11.8%	88.2%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

		Past Month	School Year	Ever Used	Never Used
Steroids?	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.5%	0.9%	1.7%	98.3%
	Grade 8	0.8%	1.1%	1.9%	98.1%
	Grade 9	0.6%	0.9%	1.6%	98.4%
	Grade 10	0.6%	1.1%	1.8%	98.2%
	Grade 11	0.8%	1.2%	2.2%	97.8%
	Grade 12	0.8%	1.2%	2.3%	97.7%
Ecstasy?	All	2.6%	4.0%	6.3%	93.7%
	Grade 7	1.1%	1.6%	2.8%	97.2%
	Grade 8	2.3%	3.2%	5.1%	94.9%
	Grade 9	2.7%	4.1%	6.6%	93.4%
	Grade 10	2.7%	4.7%	6.9%	93.1%
	Grade 11	3.5%	5.4%	8.4%	91.6%
	Grade 12	3.3%	6.0%	9.4%	90.6%
Heroin?	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.7%	0.9%	2.2%	97.8%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	0.7%	1.1%	2.4%	97.6%
	Grade 10	0.5%	0.7%	1.3%	98.7%
	Grade 11	0.6%	0.7%	1.4%	98.6%
	Grade 12	0.4%	0.7%	1.7%	98.3%

Table D-2: How often do you normally use...

Marijuana?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	74.8%	2.5%	3.6%	4.7%	4.9%	4.5%	5.2%
Grade 7	87.5%	1.2%	2.2%	2.7%	2.6%	2.0%	1.9%
Grade 8	80.4%	1.8%	3.3%	3.6%	4.0%	3.4%	3.5%
Grade 9	74.2%	2.7%	4.1%	5.2%	4.6%	4.6%	4.6%
Grade 10	68.4%	2.9%	4.6%	6.1%	6.2%	5.2%	6.7%
Grade 11	66.7%	3.3%	3.5%	6.1%	6.2%	6.5%	7.7%
Grade 12	66.3%	3.4%	4.1%	5.0%	6.8%	5.9%	8.5%

Cocaine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.1%	0.3%	1.4%	2.4%	2.3%	2.0%	2.4%
Grade 7	95.7%	0.2%	0.7%	0.7%	1.1%	0.9%	0.6%
Grade 8	93.0%	0.2%	1.0%	1.4%	1.7%	1.4%	1.4%
Grade 9	88.6%	0.4%	1.6%	2.5%	2.6%	2.2%	2.0%
Grade 10	85.6%	0.4%	1.5%	4.2%	3.0%	2.1%	3.2%
Grade 11	84.8%	0.5%	1.6%	3.0%	3.0%	3.5%	3.7%
Grade 12	84.3%	0.3%	2.1%	3.3%	3.2%	2.5%	4.2%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Crack?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.7%	0.1%	0.4%	0.6%	0.6%	0.8%	0.8%
Grade 7	98.0%	0.1%	0.4%	0.3%	0.4%	0.5%	0.3%
Grade 8	97.0%	0.1%	0.5%	0.6%	0.7%	0.6%	0.6%
Grade 9	96.1%	0.1%	0.4%	0.7%	0.8%	0.8%	1.1%
Grade 10	96.2%	0.0%	0.4%	1.0%	0.6%	1.2%	0.6%
Grade 11	96.6%	0.0%	0.3%	0.5%	0.5%	0.9%	1.1%
Grade 12	96.5%	0.2%	0.2%	0.6%	0.4%	0.8%	1.2%

Hallucinogens?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.8%	0.0%	0.1%	0.2%	0.5%	0.7%	0.6%
Grade 7	99.2%	0.0%	0.1%	0.1%	0.2%	0.2%	0.1%
Grade 8	98.8%	0.0%	0.1%	0.2%	0.4%	0.2%	0.3%
Grade 9	98.0%	0.0%	0.2%	0.3%	0.5%	0.5%	0.5%
Grade 10	96.9%	0.0%	0.1%	0.2%	0.9%	1.2%	0.7%
Grade 11	96.9%	* %	0.1%	0.3%	0.4%	1.3%	1.0%
Grade 12	96.6%	* %	0.1%	0.2%	0.6%	1.1%	1.4%

Uppers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.3%	0.1%	0.4%	0.8%	1.2%	1.1%	1.1%
Grade 7	98.1%	0.1%	0.4%	0.3%	0.4%	0.4%	0.4%
Grade 8	96.7%	0.0%	0.5%	0.6%	0.9%	0.7%	0.5%
Grade 9	95.1%	0.1%	0.5%	0.7%	1.5%	1.1%	1.0%
Grade 10	93.2%	0.1%	0.4%	1.5%	2.0%	1.3%	1.5%
Grade 11	93.9%	0.1%	0.4%	1.0%	1.2%	1.6%	1.8%
Grade 12	93.8%	0.1%	0.3%	0.7%	1.2%	1.5%	2.3%

Downers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.9%	0.2%	0.5%	0.9%	1.2%	1.2%	1.2%
Grade 7	98.2%	0.1%	0.4%	0.3%	0.4%	0.4%	0.3%
Grade 8	96.6%	0.1%	0.5%	0.7%	0.9%	0.7%	0.6%
Grade 9	94.5%	0.1%	0.5%	0.9%	1.6%	1.3%	1.1%
Grade 10	92.7%	0.7%	0.5%	1.5%	1.6%	1.5%	1.5%
Grade 11	93.3%	0.1%	0.5%	1.0%	1.4%	1.9%	1.8%
Grade 12	93.3%	0.0%	0.3%	1.2%	1.2%	1.6%	2.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Rohypnol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	90.7%	0.2%	1.0%	1.7%	2.1%	2.0%	2.3%
Grade 7	95.1%	0.1%	0.9%	1.0%	1.0%	0.7%	1.0%
Grade 8	91.9%	0.2%	1.1%	1.6%	2.0%	1.8%	1.5%
Grade 9	88.8%	0.2%	1.4%	2.5%	2.5%	2.5%	2.1%
Grade 10	88.1%	0.6%	0.9%	2.4%	2.8%	2.5%	2.8%
Grade 11	89.8%	0.2%	0.7%	1.2%	2.3%	2.4%	3.4%
Grade 12	90.0%	0.1%	0.7%	1.0%	2.1%	2.3%	3.8%

Steroids?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.7%	0.1%	0.1%	0.2%	0.2%	0.3%	0.4%
Grade 7	98.9%	0.1%	0.2%	0.2%	0.2%	0.2%	0.3%
Grade 8	98.6%	0.1%	0.1%	0.2%	0.3%	0.3%	0.4%
Grade 9	99.0%	0.1%	0.1%	0.2%	0.2%	0.2%	0.3%
Grade 10	98.7%	0.1%	0.2%	0.2%	0.1%	0.3%	0.4%
Grade 11	98.3%	0.0%	0.1%	0.2%	0.3%	0.5%	0.5%
Grade 12	98.3%	0.1%	0.2%	0.1%	0.4%	0.4%	0.5%

Ecstasy?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.5%	0.1%	0.4%	0.8%	1.4%	1.5%	1.3%
Grade 7	97.5%	0.1%	0.3%	0.5%	0.6%	0.6%	0.5%
Grade 8	95.6%	0.1%	0.5%	0.8%	1.0%	1.0%	1.0%
Grade 9	94.1%	0.1%	0.3%	1.1%	1.4%	1.6%	1.3%
Grade 10	93.9%	0.1%	0.3%	0.8%	1.8%	1.7%	1.4%
Grade 11	92.6%	0.0%	0.3%	1.0%	2.0%	2.2%	1.9%
Grade 12	92.0%	0.1%	0.4%	0.8%	1.8%	2.4%	2.5%

Heroin?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.6%	0.0%	0.1%	0.2%	0.2%	0.4%	0.5%
Grade 7	98.6%	0.0%	0.2%	0.2%	0.2%	0.4%	0.4%
Grade 8	98.5%	0.0%	0.1%	0.2%	0.3%	0.4%	0.4%
Grade 9	98.2%	0.1%	0.1%	0.2%	0.3%	0.7%	0.5%
Grade 10	98.9%	0.0%	0.1%	0.1%	0.1%	0.3%	0.5%
Grade 11	99.0%	0.0%	0.1%	0.1%	0.2%	0.2%	0.5%
Grade 12	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.5	12.3	12.9	13.7	14.3	14.9
Cocaine	11.9	12.8	13.7	14.6	15.2	15.8
Crack	11.7	12.5	13.4	14.2	15.3	15.7
Hallucinogens	11.3	12.4	13.3	14.3	15.1	15.7
Uppers	11.7	12.6	13.3	14.3	14.7	15.2
Downers	11.7	12.5	13.5	14.2	14.6	15.1
Rohypnol	11.7	12.7	13.5	14.3	14.7	15.2
Steroids	11.7	12.6	13.1	14.3	15.4	16.0
Ecstasy	11.9	12.9	14.0	15.0	15.7	16.3
Heroin	11.9	12.7	13.5	14.1	15.3	14.9

Table D-4: Age of first use of marijuana by family situation:

Two parent family

	Never	9/Under	10-11	12-13	14-15	16-17	18/Over
All	72.5%	1.0%	2.7%	9.1%	9.8%	4.3%	0.5%
Grade 7	87.6%	1.1%	3.5%	7.4%	0.4%	0.0%	0.0%
Grade 8	80.4%	1.2%	3.2%	11.8%	3.4%	0.0%	0.0%
Grade 9	73.1%	1.3%	2.9%	10.9%	11.2%	0.6%	0.1%
Grade 10	66.2%	0.8%	2.6%	9.7%	16.6%	4.0%	0.1%
Grade 11	62.7%	0.8%	1.9%	7.2%	15.4%	11.6%	0.4%
Grade 12	59.0%	0.6%	2.0%	5.7%	14.1%	15.2%	3.4%

Other family situation

	Never	9/Under	10-11	12-13	14-15	16-17	18/Over
All	60.0%	2.3%	5.6%	13.6%	13.0%	5.0%	0.6%
Grade 7	77.9%	2.6%	8.4%	10.5%	0.5%	0.0%	* %
Grade 8	68.0%	2.7%	5.8%	17.8%	5.4%	* %	0.3%
Grade 9	56.8%	3.5%	6.4%	15.0%	17.1%	1.1%	0.1%
Grade 10	50.2%	1.9%	4.8%	14.6%	22.0%	6.2%	0.2%
Grade 11	50.3%	1.3%	3.2%	11.5%	20.6%	12.6%	0.6%
Grade 12	52.2%	0.5%	3.5%	10.0%	14.5%	15.8%	3.6%

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.0%	18.6%	7.1%	9.9%	15.4%	31.1%
Grade 7	28.8%	32.6%	9.4%	7.3%	8.9%	13.0%
Grade 8	20.6%	25.8%	8.7%	9.9%	13.2%	21.7%
Grade 9	17.9%	16.3%	7.3%	10.6%	16.1%	31.9%
Grade 10	13.5%	13.1%	5.4%	10.6%	17.8%	39.6%
Grade 11	12.2%	10.4%	4.9%	10.8%	19.2%	42.4%
Grade 12	11.8%	8.9%	5.8%	10.0%	18.9%	44.7%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Cocaine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.5%	22.8%	10.0%	11.8%	13.0%	19.8%
Grade 7	33.2%	36.9%	10.3%	6.5%	6.4%	6.7%
Grade 8	25.5%	31.1%	11.5%	10.7%	9.5%	11.7%
Grade 9	22.7%	21.1%	10.3%	12.8%	12.9%	20.2%
Grade 10	18.4%	17.4%	9.2%	13.2%	15.9%	26.0%
Grade 11	16.3%	13.8%	8.7%	14.6%	17.7%	28.7%
Grade 12	15.9%	11.9%	8.9%	14.1%	18.0%	31.1%

Crack?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.5%	24.2%	11.7%	12.9%	10.4%	13.2%
Grade 7	38.2%	35.9%	10.4%	6.2%	4.2%	5.0%
Grade 8	28.9%	32.1%	11.9%	10.4%	8.0%	8.7%
Grade 9	27.9%	22.7%	12.1%	13.2%	10.5%	13.5%
Grade 10	23.3%	18.9%	11.5%	15.6%	12.8%	17.9%
Grade 11	22.1%	16.5%	11.7%	16.9%	14.4%	18.4%
Grade 12	21.7%	14.8%	12.5%	17.4%	14.8%	18.9%

Hallucinogens?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.5%	19.6%	10.2%	9.4%	5.9%	7.4%
Grade 7	59.6%	25.1%	7.1%	3.5%	2.3%	2.4%
Grade 8	51.9%	24.1%	8.4%	6.7%	4.2%	4.8%
Grade 9	47.9%	19.6%	10.2%	9.4%	5.6%	7.3%
Grade 10	44.0%	16.3%	10.9%	11.4%	7.5%	9.9%
Grade 11	39.0%	15.8%	12.4%	13.7%	8.6%	10.5%
Grade 12	37.9%	13.7%	13.8%	14.3%	8.7%	11.6%

Uppers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.2%	16.7%	7.7%	8.9%	8.3%	11.2%
Grade 7	60.8%	23.0%	6.5%	3.5%	2.9%	3.3%
Grade 8	53.4%	20.6%	7.2%	6.5%	5.4%	6.8%
Grade 9	47.7%	16.8%	7.9%	8.8%	7.9%	11.0%
Grade 10	41.3%	13.2%	8.1%	10.7%	11.4%	15.1%
Grade 11	37.7%	12.6%	8.3%	13.0%	12.2%	16.1%
Grade 12	36.7%	10.9%	8.8%	12.6%	12.6%	18.4%

Downers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	46.6%	16.7%	7.6%	8.9%	8.4%	11.8%
Grade 7	60.3%	23.4%	6.3%	3.6%	2.8%	3.6%
Grade 8	53.1%	20.7%	7.1%	6.5%	5.6%	7.1%
Grade 9	46.8%	16.8%	7.9%	8.9%	7.9%	11.7%
Grade 10	41.6%	13.2%	7.9%	10.4%	11.2%	15.6%
Grade 11	36.8%	12.3%	8.3%	13.1%	12.3%	17.2%
Grade 12	35.7%	10.7%	8.5%	12.6%	13.4%	19.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Rohypnol?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.6%	17.7%	7.3%	8.8%	10.8%	19.9%
Grade 7	49.4%	25.7%	6.8%	5.0%	5.7%	7.5%
Grade 8	39.0%	23.3%	7.3%	7.8%	8.7%	14.0%
Grade 9	34.7%	16.8%	7.3%	9.0%	10.8%	21.5%
Grade 10	29.7%	13.4%	7.0%	9.8%	13.3%	26.8%
Grade 11	28.9%	12.5%	7.4%	11.0%	14.3%	26.0%
Grade 12	28.6%	11.0%	8.3%	11.3%	13.7%	27.0%

Steroids?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.5%	23.5%	10.9%	12.0%	8.9%	11.2%
Grade 7	45.3%	32.6%	8.8%	5.4%	3.7%	4.3%
Grade 8	36.0%	30.5%	10.7%	9.2%	6.3%	7.3%
Grade 9	33.6%	23.6%	11.0%	12.6%	8.5%	10.8%
Grade 10	29.6%	18.7%	12.0%	14.5%	11.8%	13.5%
Grade 11	26.3%	16.5%	11.1%	16.6%	12.9%	16.6%
Grade 12	26.3%	14.5%	12.6%	15.7%	12.3%	18.6%

Ecstasy?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.1%	20.9%	9.3%	10.2%	10.2%	15.2%
Grade 7	49.8%	29.2%	7.5%	4.7%	4.4%	4.4%
Grade 8	38.6%	27.4%	9.4%	8.0%	7.0%	9.6%
Grade 9	33.1%	20.4%	10.5%	10.7%	10.5%	14.9%
Grade 10	29.2%	16.9%	8.6%	12.3%	12.6%	20.5%
Grade 11	25.4%	14.7%	9.9%	13.9%	13.8%	22.3%
Grade 12	23.7%	12.9%	10.1%	13.2%	15.6%	24.6%

Heroin?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.1%	27.1%	12.9%	10.8%	6.9%	9.2%
Grade 7	43.0%	35.8%	8.7%	4.4%	3.7%	4.4%
Grade 8	34.8%	33.5%	11.8%	7.7%	5.4%	6.9%
Grade 9	33.4%	26.3%	12.7%	10.5%	7.3%	9.9%
Grade 10	29.5%	23.2%	13.6%	14.8%	7.4%	11.5%
Grade 11	27.9%	20.7%	15.6%	15.1%	9.4%	11.3%
Grade 12	27.0%	19.0%	17.0%	14.5%	9.6%	12.9%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table D-6: Since school began in the fall, on how many days (if any) have you..

Attended class while high from marijuana use?

	None	1-3 Days	4-9 Days	10+ Days
All	89%	6.4%	1.9%	2.4%
Grade 7	93%	4.7%	1.2%	0.9%
Grade 8	91%	5.5%	1.8%	1.6%
Grade 9	88%	6.9%	2.3%	2.8%
Grade 10	87%	7.4%	2.2%	3.2%
Grade 11	88%	7.4%	2.0%	2.9%
Grade 12	88%	7.0%	1.9%	3.5%

Attended class while high from use of some other drug?

	None	1-3 Days	4-9 Days	10+ Days
All	92%	4.9%	1.3%	1.4%
Grade 7	95%	3.7%	0.9%	0.7%
Grade 8	93%	4.8%	1.1%	0.9%
Grade 9	91%	5.8%	1.6%	1.7%
Grade 10	91%	5.5%	1.7%	1.7%
Grade 11	93%	4.6%	1.2%	1.7%
Grade 12	93%	4.4%	1.5%	1.4%

Gotten into trouble with teachers because of your drug use?

	None	1-3 Days	4-9 Days	10+ Days
All	98%	1.8%	0.3%	0.3%
Grade 7	98%	1.3%	0.3%	0.4%
Grade 8	97%	2.0%	0.4%	0.3%
Grade 9	97%	2.2%	0.4%	0.3%
Grade 10	97%	2.2%	0.3%	0.2%
Grade 11	98%	1.2%	0.2%	0.3%
Grade 12	98%	1.3%	0.3%	0.2%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 4.9 days per student
Marijuana Non-users: 3.6 days per student

Average days conduct problems reported:

Marijuana Users: 5.0 days per student
Marijuana Non-users: 1.5 days per student

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

	None	1-3 Times	4-9 Times	10+ Times
All	89.3%	6.7%	1.9%	2.1%
Grade 9	92.5%	5.0%	1.2%	1.3%
Grade 10	90.3%	5.8%	2.0%	1.9%
Grade 11	87.2%	8.2%	2.2%	2.4%
Grade 12	84.9%	9.1%	2.9%	3.2%

Gotten into trouble with the police because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	96.9%	2.4%	0.4%	0.4%
Grade 7	97.8%	1.5%	0.3%	0.3%
Grade 8	97.1%	2.2%	0.4%	0.4%
Grade 9	96.3%	2.8%	0.5%	0.4%
Grade 10	96.7%	2.7%	0.3%	0.3%
Grade 11	96.9%	2.3%	0.4%	0.4%
Grade 12	96.3%	2.9%	0.5%	0.3%

Table D-9: About how many of your close friends use marijuana?

	Never heard None	A Few	Some	Most	All
All	47.7%	21.0 %	13.3%	11.8%	6.2%
Grade 7	68.2%	15.7 %	6.8%	6.1%	3.2%
Grade 8	54.6%	19.7 %	10.6%	9.8%	5.3%
Grade 9	44.9%	21.2 %	13.8%	12.8%	7.3%
Grade 10	38.6%	22.6 %	16.4%	14.5%	7.8%
Grade 11	38.1%	23.8 %	16.5%	14.7%	6.8%
Grade 12	36.5%	24.3 %	17.9%	14.5%	6.8%

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	93.2%	5.4%	0.9%	0.4%
Grade 7	95.3%	3.7%	0.8%	0.3%
Grade 8	93.0%	5.6%	0.9%	0.5%
Grade 9	92.0%	6.1%	1.3%	0.6%
Grade 10	92.5%	6.4%	0.8%	0.3%
Grade 11	93.6%	5.2%	0.8%	0.4%
Grade 12	93.4%	5.3%	0.9%	0.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Been criticized by someone you were dating because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	94.1%	4.5%	0.8%	0.6%
Grade 7	97.2%	2.1%	0.4%	0.4%
Grade 8	94.7%	4.0%	0.8%	0.5%
Grade 9	93.3%	4.9%	1.1%	0.8%
Grade 10	93.2%	5.6%	0.7%	0.6%
Grade 11	93.3%	5.1%	0.9%	0.7%
Grade 12	92.2%	5.6%	1.3%	0.9%

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Didn't Attend
All	45%	10.7%	8.0%	9.8%	13.0%	4.1%	9.0%
Grade 7	70%	7.0%	4.0%	4.1%	3.3%	3.7%	8.1%
Grade 8	59%	10.0%	6.3%	6.5%	6.6%	3.5%	8.3%
Grade 9	42%	12.0%	9.2%	10.5%	12.8%	3.9%	9.1%
Grade 10	35%	11.5%	10.5%	11.8%	17.4%	4.3%	9.4%
Grade 11	30%	11.5%	9.5%	13.0%	21.0%	4.6%	10.2%
Grade 12	29%	12.3%	9.0%	14.5%	20.6%	5.0%	9.4%

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	71.7%	7.5%	4.7%	8.0%	6.5%	1.5%
Grade 7	83.7%	4.4%	4.2%	3.3%	2.7%	1.6%
Grade 8	77.5%	6.4%	4.1%	5.7%	4.7%	1.7%
Grade 9	70.7%	7.6%	5.1%	7.9%	7.0%	1.7%
Grade 10	65.5%	8.3%	5.6%	10.7%	8.8%	1.1%
Grade 11	65.6%	9.4%	4.7%	10.4%	8.4%	1.4%
Grade 12	65.7%	9.7%	4.5%	11.3%	7.6%	1.2%

Blunts?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	79.5%	7.3%	4.8%	3.9%	3.0%	1.7%
Grade 7	89.9%	2.9%	2.1%	2.1%	1.4%	1.5%
Grade 8	85.5%	4.8%	3.7%	2.4%	1.9%	1.7%
Grade 9	78.1%	7.3%	4.7%	4.6%	3.5%	1.8%
Grade 10	74.7%	8.8%	6.9%	3.9%	4.0%	1.8%
Grade 11	74.0%	10.2%	5.6%	5.0%	3.6%	1.7%
Grade 12	73.3%	10.7%	6.0%	5.2%	3.4%	1.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Bongs or water pipes?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	81.7%	6.9%	4.5%	3.1%	2.4%	1.4%
Grade 7	91.3%	3.2%	1.6%	1.3%	1.2%	1.5%
Grade 8	87.1%	4.6%	3.0%	2.1%	1.6%	1.5%
Grade 9	81.0%	6.2%	4.6%	3.4%	3.0%	1.8%
Grade 10	76.8%	8.8%	6.5%	4.2%	2.8%	1.0%
Grade 11	76.4%	9.4%	5.9%	3.8%	3.1%	1.4%
Grade 12	76.2%	10.4%	5.4%	3.7%	3.0%	1.2%

Pipes?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	81.8%	7.1%	4.2%	3.1%	2.4%	1.4%
Grade 7	90.6%	3.3%	1.9%	1.6%	1.2%	1.4%
Grade 8	86.5%	5.0%	3.1%	2.4%	1.4%	1.5%
Grade 9	80.8%	6.7%	4.4%	3.4%	2.9%	1.8%
Grade 10	77.3%	9.4%	5.7%	3.6%	2.7%	1.2%
Grade 11	77.4%	9.5%	5.1%	3.6%	3.1%	1.4%
Grade 12	76.9%	9.3%	5.4%	4.0%	3.2%	1.2%

Some other way?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	85.0%	6.0%	1.8%	1.7%	2.4%	3.0%
Grade 7	90.7%	2.7%	1.2%	1.1%	1.7%	2.7%
Grade 8	88.4%	4.3%	1.7%	1.6%	1.5%	2.5%
Grade 9	83.4%	5.9%	2.2%	2.1%	3.2%	3.1%
Grade 10	82.1%	7.6%	1.9%	2.4%	3.0%	3.1%
Grade 11	82.7%	7.7%	2.0%	1.7%	2.4%	3.6%
Grade 12	82.7%	8.5%	2.0%	1.3%	2.4%	3.1%

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	80.1%	3.9%	3.0%	0.8%	1.3%	10.9%
Grade 7	75.7%	2.3%	1.8%	0.6%	1.5%	18.1%
Grade 8	78.8%	3.1%	2.5%	0.9%	1.5%	13.2%
Grade 9	79.8%	3.9%	3.2%	0.7%	1.4%	11.0%
Grade 10	81.4%	4.8%	3.6%	1.2%	1.2%	7.8%
Grade 11	83.9%	4.3%	3.6%	0.8%	1.2%	6.3%
Grade 12	81.9%	5.6%	3.7%	0.7%	1.0%	7.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table D-14: How dangerous do you think it is for kids your age to use...

Marijuana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	63.4%	17.0%	9.0%	5.6%	5.0%
Grade 7	74.8%	11.7%	4.4%	2.9%	6.3%
Grade 8	68.9%	14.7%	6.9%	3.9%	5.7%
Grade 9	62.3%	17.7%	9.1%	6.0%	4.9%
Grade 10	57.1%	19.6%	11.4%	7.5%	4.3%
Grade 11	57.2%	19.5%	11.8%	7.3%	4.2%
Grade 12	57.1%	20.3%	11.6%	6.7%	4.3%

Cocaine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	80.8%	10.0%	2.4%	1.2%	5.6%
Grade 7	82.9%	7.4%	1.6%	1.1%	7.1%
Grade 8	80.7%	9.8%	2.0%	1.3%	6.2%
Grade 9	79.2%	10.6%	2.7%	1.6%	5.9%
Grade 10	79.2%	11.8%	3.1%	1.0%	4.9%
Grade 11	81.1%	10.7%	2.7%	1.1%	4.4%
Grade 12	82.8%	9.8%	2.2%	0.8%	4.5%

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	83.7%	7.8%	1.4%	0.9%	6.3%
Grade 7	83.4%	6.5%	1.3%	1.1%	7.7%
Grade 8	81.7%	8.7%	1.6%	1.1%	6.9%
Grade 9	82.3%	8.3%	1.9%	1.1%	6.6%
Grade 10	83.6%	8.9%	1.3%	0.7%	5.5%
Grade 11	85.4%	7.4%	1.2%	0.8%	5.3%
Grade 12	87.7%	5.9%	0.9%	0.3%	5.1%

Ecstasy?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	79.2%	9.1%	2.5%	1.3%	7.9%
Grade 7	80.6%	6.1%	1.5%	1.2%	10.6%
Grade 8	78.9%	8.6%	1.9%	1.4%	9.2%
Grade 9	78.3%	9.6%	3.0%	1.6%	7.5%
Grade 10	76.9%	11.0%	3.3%	1.1%	7.7%
Grade 11	80.1%	9.9%	3.0%	1.3%	5.6%
Grade 12	80.9%	9.9%	2.6%	0.9%	5.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Steroids?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.2%	11.4%	3.1%	1.2%	8.0%
Grade 7	78.4%	8.1%	2.4%	1.2%	9.9%
Grade 8	75.8%	10.8%	2.9%	1.3%	9.2%
Grade 9	75.1%	12.0%	3.3%	1.4%	8.2%
Grade 10	74.1%	13.3%	3.9%	1.3%	7.4%
Grade 11	76.9%	12.0%	3.4%	1.2%	6.4%
Grade 12	77.5%	12.9%	2.5%	0.7%	6.4%

Heroin?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	85.5%	5.4%	1.0%	0.8%	7.3%
Grade 7	83.9%	5.3%	1.0%	1.1%	8.7%
Grade 8	83.5%	6.1%	1.2%	0.9%	8.3%
Grade 9	84.6%	5.9%	1.1%	0.9%	7.5%
Grade 10	85.5%	6.0%	1.1%	0.5%	7.0%
Grade 11	88.3%	4.6%	0.7%	0.8%	5.6%
Grade 12	89.4%	3.9%	0.7%	0.4%	5.6%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?	All	7.8%	10.5%	18.4%	81.6%
	Grade 7	10.4%	13.2%	21.7%	78.3%
	Grade 8	10.4%	13.4%	21.7%	78.3%
	Grade 9	8.3%	11.7%	19.9%	80.1%
	Grade 10	6.8%	9.2%	16.7%	83.3%
	Grade 11	4.6%	6.8%	14.0%	86.0%
	Grade 12	4.2%	6.2%	13.4%	86.6%
Liquid or spray paint	All	2.3%	3.5%	8.2%	91.8%
	Grade 7	3.3%	4.7%	9.5%	90.5%
	Grade 8	3.1%	4.7%	10.1%	89.9%
	Grade 9	2.3%	3.8%	9.2%	90.8%
	Grade 10	2.4%	3.5%	7.2%	92.8%
	Grade 11	1.2%	1.9%	6.0%	94.0%
	Grade 12	0.9%	1.6%	5.4%	94.6%
Whiteout, correction fld	All	2.5%	3.7%	7.9%	92.1%
	Grade 7	4.3%	6.1%	11.7%	88.3%
	Grade 8	3.4%	5.4%	10.4%	89.6%
	Grade 9	2.4%	3.7%	8.3%	91.7%
	Grade 10	2.0%	2.5%	6.4%	93.6%
	Grade 11	1.0%	1.4%	4.3%	95.7%
	Grade 12	1.0%	1.5%	3.8%	96.2%
Gasoline?	All	1.4%	2.1%	4.3%	95.7%
	Grade 7	2.0%	2.7%	5.4%	94.6%
	Grade 8	2.0%	2.7%	5.0%	95.0%
	Grade 9	1.4%	2.2%	4.9%	95.1%
	Grade 10	1.4%	1.9%	3.7%	96.3%
	Grade 11	0.7%	1.1%	3.0%	97.0%
	Grade 12	0.9%	1.3%	2.9%	97.1%
Freon?	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	0.8%	1.4%	2.3%	97.7%
	Grade 9	0.9%	1.4%	2.5%	97.5%
	Grade 10	0.6%	0.9%	1.5%	98.5%
	Grade 11	0.5%	0.7%	1.5%	98.5%
	Grade 12	0.5%	0.9%	1.6%	98.4%
Poppers, Locker Room	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	1.1%	1.5%	2.5%	97.5%
	Grade 8	0.9%	1.4%	2.6%	97.4%
	Grade 9	1.0%	1.5%	2.4%	97.6%
	Grade 10	0.7%	1.0%	1.7%	98.3%
	Grade 11	0.5%	0.7%	1.3%	98.7%
	Grade 12	0.6%	1.0%	1.6%	98.4%
Glue?	All	1.2%	2.0%	4.1%	95.9%
	Grade 7	2.1%	3.2%	6.3%	93.7%
	Grade 8	1.7%	2.4%	5.0%	95.0%
	Grade 9	1.4%	2.2%	4.5%	95.5%
	Grade 10	0.5%	1.8%	3.6%	96.4%
	Grade 11	0.5%	0.7%	2.1%	97.9%
	Grade 12	0.7%	1.0%	2.2%	97.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

		Past Month	School Year	Ever Used	Never Used
Paint, lacquer thinner	All	1.7%	2.4%	4.4%	95.6%
	Grade 7	2.6%	3.5%	5.7%	94.3%
	Grade 8	2.0%	2.9%	5.3%	94.7%
	Grade 9	1.5%	2.6%	4.6%	95.4%
	Grade 10	2.3%	2.7%	4.6%	95.4%
	Grade 11	0.7%	1.1%	2.6%	97.4%
	Grade 12	0.6%	1.1%	2.4%	97.6%
Nitrous oxide	All	1.8%	2.9%	5.0%	95.0%
	Grade 7	1.5%	2.2%	4.4%	95.6%
	Grade 8	1.9%	2.8%	4.6%	95.4%
	Grade 9	1.7%	2.7%	4.6%	95.4%
	Grade 10	1.6%	3.0%	4.7%	95.3%
	Grade 11	2.0%	3.3%	6.0%	94.0%
	Grade 12	2.1%	3.6%	6.4%	93.6%
Octane booster?	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	0.8%	1.2%	1.8%	98.2%
	Grade 9	0.8%	1.1%	1.8%	98.2%
	Grade 10	0.3%	0.6%	1.0%	99.0%
	Grade 11	0.4%	0.5%	0.8%	99.2%
	Grade 12	0.5%	0.7%	1.0%	99.0%
Other sprays?	All	1.6%	2.4%	4.4%	95.6%
	Grade 7	2.7%	4.0%	7.0%	93.0%
	Grade 8	2.4%	3.3%	5.8%	94.2%
	Grade 9	1.7%	2.7%	4.9%	95.1%
	Grade 10	0.8%	1.3%	2.8%	97.2%
	Grade 11	0.8%	1.1%	2.4%	97.6%
	Grade 12	0.6%	0.9%	1.9%	98.1%
Other inhalants?	All	3.7%	5.2%	9.1%	90.9%
	Grade 7	4.6%	6.4%	11.3%	88.7%
	Grade 8	4.8%	6.8%	11.4%	88.6%
	Grade 9	4.3%	6.0%	10.3%	89.7%
	Grade 10	3.6%	4.7%	8.7%	91.3%
	Grade 11	2.2%	3.2%	5.9%	94.1%
	Grade 12	1.9%	2.9%	5.2%	94.8%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.5%	0.2%	0.5%	0.9%	1.3%	1.4%	2.3%
Grade 7	91.3%	0.4%	1.1%	1.3%	1.8%	1.7%	2.3%
Grade 8	91.0%	0.3%	0.9%	1.1%	2.0%	1.9%	2.9%
Grade 9	93.8%	0.1%	0.4%	0.9%	1.3%	1.3%	2.2%
Grade 10	94.0%	0.1%	0.2%	0.9%	1.1%	1.5%	2.2%
Grade 11	95.7%	0.1%	0.2%	0.3%	0.7%	0.9%	2.2%
Grade 12	96.4%	0.1%	0.2%	0.5%	0.5%	0.6%	1.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table I-3: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	84.2%	6.5%	5.4%	3.9%
Grade 7	81.1%	6.7%	6.8%	5.4%
Grade 8	81.2%	7.0%	7.0%	4.8%
Grade 9	83.2%	6.7%	6.1%	4.0%
Grade 10	86.4%	5.8%	4.4%	3.5%
Grade 11	87.7%	6.2%	3.8%	2.2%
Grade 12	88.2%	6.1%	3.3%	2.5%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	11.7	12.3	12.8	13.4	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Days	4-9 Days	10+ Days
All	97%	2.0%	0.6%	0.4%
Grade 7	96%	2.7%	0.6%	0.5%
Grade 8	96%	2.7%	0.6%	0.5%
Grade 9	97%	2.1%	0.6%	0.6%
Grade 10	97%	1.3%	0.9%	0.3%
Grade 11	98%	1.3%	0.2%	0.4%
Grade 12	98%	1.4%	0.4%	0.4%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users: 4.6 days per student
Inhalants Non-users: 3.7 days per student

Average days conduct problems reported:

Inhalants Users: 4.9 days per student
Inhalants Non-users: 1.8 days per student

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table I-7: About how many of your close friends use inhalants?

	Never heard None	A Few	Some	Most	All
All	81.3%	11.8 %	4.4%	1.6%	0.9%
Grade 7	78.7%	12.8 %	5.1%	2.1%	1.3%
Grade 8	78.7%	13.1 %	5.0%	2.3%	0.9%
Grade 9	80.5%	12.1 %	4.8%	1.9%	0.7%
Grade 10	81.9%	11.8 %	4.0%	1.1%	1.3%
Grade 11	85.6%	9.7 %	3.1%	1.0%	0.7%
Grade 12	84.9%	10.3 %	3.4%	0.7%	0.6%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.8%	13.1%	3.1%	1.2%	6.8%
Grade 7	75.6%	11.4%	3.4%	1.5%	8.1%
Grade 8	73.6%	13.8%	3.9%	1.3%	7.5%
Grade 9	74.7%	14.0%	3.0%	1.4%	6.9%
Grade 10	75.3%	14.0%	3.2%	1.3%	6.2%
Grade 11	78.4%	12.6%	2.3%	0.9%	5.9%
Grade 12	79.3%	12.3%	2.1%	0.7%	5.6%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

Health class

	No	Yes
All	44.4%	55.6%
Grade 7	51.0%	49.0%
Grade 8	45.4%	54.6%
Grade 9	42.9%	57.1%
Grade 10	41.5%	58.5%
Grade 11	40.9%	59.1%
Grade 12	45.9%	54.1%

An assembly program

	No	Yes
All	51.3%	48.7%
Grade 7	52.4%	47.6%
Grade 8	44.8%	55.2%
Grade 9	51.5%	48.5%
Grade 10	52.9%	47.1%
Grade 11	53.5%	46.5%
Grade 12	54.3%	45.7%

Guidance counselor

	No	Yes
All	63.6%	36.4%
Grade 7	54.9%	45.1%
Grade 8	51.3%	48.7%
Grade 9	65.1%	34.9%
Grade 10	68.6%	31.4%
Grade 11	72.2%	27.8%
Grade 12	72.4%	27.6%

Science class

	No	Yes
All	65.9%	34.1%
Grade 7	53.7%	46.3%
Grade 8	59.6%	40.4%
Grade 9	64.7%	35.3%
Grade 10	71.6%	28.4%
Grade 11	74.1%	25.9%
Grade 12	74.8%	25.2%

Social studies class

	No	Yes
All	81.4%	18.6%
Grade 7	77.9%	22.1%
Grade 8	80.1%	19.9%
Grade 9	81.2%	18.8%
Grade 10	84.7%	15.3%
Grade 11	81.6%	18.4%
Grade 12	83.2%	16.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Student group session

	No	Yes
All	78.3%	21.7%
Grade 7	78.2%	21.8%
Grade 8	75.6%	24.4%
Grade 9	77.8%	22.2%
Grade 10	80.9%	19.1%
Grade 11	80.0%	20.0%
Grade 12	78.0%	22.0%

An invited school guest

	No	Yes
All	55.4%	44.6%
Grade 7	54.0%	46.0%
Grade 8	46.7%	53.3%
Grade 9	56.2%	43.8%
Grade 10	59.5%	40.5%
Grade 11	57.9%	42.1%
Grade 12	59.5%	40.5%

Some other school source

	No	Yes
All	59.9%	40.1%
Grade 7	59.5%	40.5%
Grade 8	55.2%	44.8%
Grade 9	59.8%	40.2%
Grade 10	62.2%	37.8%
Grade 11	61.7%	38.3%
Grade 12	61.9%	38.1%

Any school source

	No	Yes
All	37.3%	62.7%
Grade 7	44.0%	56.0%
Grade 8	35.9%	64.1%
Grade 9	36.6%	63.4%
Grade 10	35.4%	64.6%
Grade 11	33.7%	66.3%
Grade 12	38.7%	61.3%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

	No	Yes
All	59.4%	40.6%
Grade 7	49.2%	50.8%
Grade 8	55.7%	44.3%
Grade 9	60.1%	39.9%
Grade 10	64.2%	35.8%
Grade 11	64.8%	35.2%
Grade 12	64.8%	35.2%

Another adult in school (such as a nurse or teacher)

	No	Yes
All	62.1%	37.9%
Grade 7	58.4%	41.6%
Grade 8	60.9%	39.1%
Grade 9	63.2%	36.8%
Grade 10	64.8%	35.2%
Grade 11	62.6%	37.4%
Grade 12	62.7%	37.3%

A counselor or program outside of school

	No	Yes
All	61.3%	38.7%
Grade 7	59.2%	40.8%
Grade 8	60.6%	39.4%
Grade 9	61.7%	38.3%
Grade 10	62.4%	37.6%
Grade 11	61.8%	38.2%
Grade 12	62.8%	37.2%

Your parents

	No	Yes
All	41.2%	58.8%
Grade 7	35.4%	64.6%
Grade 8	40.1%	59.9%
Grade 9	42.0%	58.0%
Grade 10	44.1%	55.9%
Grade 11	43.6%	56.4%
Grade 12	42.9%	57.1%

A medical doctor

	No	Yes
All	58.7%	41.3%
Grade 7	53.7%	46.3%
Grade 8	57.6%	42.4%
Grade 9	59.9%	40.1%
Grade 10	61.6%	38.4%
Grade 11	59.5%	40.5%
Grade 12	60.4%	39.6%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Your friends

	No	Yes
All	31.1%	68.9%
Grade 7	40.6%	59.4%
Grade 8	33.9%	66.1%
Grade 9	30.9%	69.1%
Grade 10	27.9%	72.1%
Grade 11	24.6%	75.4%
Grade 12	26.2%	73.8%

Another adult (a relative, clergyman, or other family friend)

	No	Yes
All	40.0%	60.0%
Grade 7	40.4%	59.6%
Grade 8	39.8%	60.2%
Grade 9	40.1%	59.9%
Grade 10	41.3%	58.7%
Grade 11	37.1%	62.9%
Grade 12	41.8%	58.2%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

	No	Yes
All	89.0%	11.0%
Grade 7	87.9%	12.1%
Grade 8	87.6%	12.4%
Grade 9	88.1%	11.9%
Grade 10	89.2%	10.8%
Grade 11	90.9%	9.1%
Grade 12	91.6%	8.4%

Table X-4: About how many of your friends:

Feel close to their parents?

	None	A Few	Some	Most	All
All	7.4%	31.4%	25.2%	26.6%	9.3%
Grade 7	10.1%	30.1%	22.4%	24.1%	13.2%
Grade 8	8.9%	31.2%	24.8%	24.8%	10.3%
Grade 9	8.2%	32.4%	25.4%	25.9%	8.1%
Grade 10	6.8%	31.7%	27.2%	26.9%	7.4%
Grade 11	4.8%	30.7%	25.8%	30.8%	7.8%
Grade 12	3.9%	32.3%	26.2%	29.2%	8.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Sometimes carry weapons?

	None	A Few	Some	Most	All
All	70.9%	17.1%	8.0%	2.6%	1.4%
Grade 7	79.0%	12.1%	6.0%	1.8%	1.1%
Grade 8	70.8%	17.4%	7.8%	2.8%	1.3%
Grade 9	69.3%	18.1%	8.1%	2.8%	1.7%
Grade 10	68.7%	17.6%	8.9%	3.0%	1.9%
Grade 11	69.2%	18.5%	8.5%	2.9%	1.0%
Grade 12	67.7%	19.6%	9.0%	2.6%	1.1%

Care about making good grades?

	None	A Few	Some	Most	All
All	4.2%	18.1%	24.2%	34.4%	19.2%
Grade 7	5.5%	19.1%	21.4%	29.4%	24.7%
Grade 8	4.5%	18.6%	23.8%	32.4%	20.7%
Grade 9	5.0%	20.4%	25.0%	32.3%	17.3%
Grade 10	3.4%	17.2%	26.1%	35.9%	17.3%
Grade 11	2.6%	16.2%	24.6%	39.6%	17.0%
Grade 12	3.1%	14.8%	24.3%	40.0%	17.7%

Belong/want to belong to a gang?

	None	A Few	Some	Most	All
All	70.3%	15.5%	8.1%	4.2%	2.0%
Grade 7	66.8%	18.2%	7.8%	4.7%	2.5%
Grade 8	63.5%	18.2%	9.7%	6.0%	2.6%
Grade 9	66.6%	16.3%	9.9%	5.0%	2.2%
Grade 10	72.9%	14.3%	7.5%	3.4%	1.9%
Grade 11	77.9%	12.7%	5.9%	2.3%	1.1%
Grade 12	79.8%	10.9%	6.0%	2.4%	0.9%

Wish they could drop out of school?

	None	A Few	Some	Most	All
All	56.2%	27.6%	9.9%	3.8%	2.4%
Grade 7	62.5%	22.1%	9.2%	3.6%	2.6%
Grade 8	58.7%	24.9%	10.0%	3.9%	2.6%
Grade 9	50.4%	29.6%	11.2%	5.4%	3.4%
Grade 10	53.1%	31.2%	10.4%	3.5%	1.9%
Grade 11	55.6%	29.8%	9.8%	2.9%	1.9%
Grade 12	58.8%	28.5%	8.4%	2.8%	1.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table X-5: How safe do you feel when you are:

in your home

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	78.5%	17.9%	1.5%	0.5%	1.6%
Grade 7	76.7%	18.1%	1.7%	0.6%	3.0%
Grade 8	74.8%	20.8%	2.1%	0.6%	1.7%
Grade 9	78.2%	17.7%	1.6%	0.6%	1.9%
Grade 10	79.3%	18.2%	1.2%	0.3%	0.9%
Grade 11	81.8%	16.1%	0.9%	0.4%	0.8%
Grade 12	82.4%	15.3%	1.2%	0.5%	0.7%

out in your neighbourhood

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	31.7%	49.5%	12.9%	3.2%	2.7%
Grade 7	27.1%	46.2%	18.1%	4.1%	4.5%
Grade 8	27.9%	50.0%	15.2%	3.5%	3.5%
Grade 9	29.9%	51.0%	12.7%	3.6%	2.8%
Grade 10	33.2%	51.1%	11.5%	2.6%	1.5%
Grade 11	37.4%	49.4%	9.5%	2.1%	1.6%
Grade 12	38.8%	48.3%	8.6%	2.8%	1.6%

at school

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe At All	Do not Know
All	32.7%	48.1%	11.3%	4.5%	3.3%
Grade 7	39.5%	41.1%	11.0%	3.8%	4.7%
Grade 8	35.8%	45.6%	10.1%	4.9%	3.6%
Grade 9	29.3%	48.7%	12.9%	5.2%	3.8%
Grade 10	28.1%	53.3%	11.6%	4.6%	2.5%
Grade 11	29.4%	52.7%	11.4%	4.0%	2.5%
Grade 12	34.2%	48.5%	10.5%	4.5%	2.3%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B1: Prevalence and recency of use of selected substances by grade
--> All students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	20.1%	27.1%	45.7%	54.3%
	Grade 7	9.8%	14.0%	29.5%	70.5%
	Grade 8	14.8%	20.6%	38.1%	61.9%
	Grade 9	19.4%	27.0%	46.3%	53.7%
	Grade 10	24.4%	33.0%	52.6%	47.4%
	Grade 11	26.4%	34.9%	55.7%	44.3%
	Grade 12	31.6%	39.2%	58.9%	41.1%
Alcohol	All	38.3%	49.4%	70.2%	29.8%
	Grade 7	20.9%	27.6%	53.0%	47.0%
	Grade 8	30.0%	39.8%	63.9%	36.1%
	Grade 9	39.0%	50.6%	71.9%	28.1%
	Grade 10	45.5%	59.8%	77.6%	22.4%
	Grade 11	48.7%	61.9%	80.0%	20.0%
	Grade 12	53.1%	65.2%	80.2%	19.8%
Inhalants	All	7.8%	10.5%	18.4%	81.6%
	Grade 7	10.4%	13.2%	21.7%	78.3%
	Grade 8	10.4%	13.4%	21.7%	78.3%
	Grade 9	8.3%	11.7%	19.9%	80.1%
	Grade 10	6.8%	9.2%	16.7%	83.3%
	Grade 11	4.6%	6.8%	14.0%	86.0%
	Grade 12	4.2%	6.2%	13.4%	86.6%
Any Illicit Drug	All	16.2%	22.0%	32.3%	67.7%
	Grade 7	7.8%	10.2%	16.4%	83.6%
	Grade 8	12.7%	16.7%	25.4%	74.6%
	Grade 9	17.1%	23.2%	33.2%	66.8%
	Grade 10	20.7%	28.3%	39.7%	60.3%
	Grade 11	20.5%	28.5%	41.5%	58.5%
	Grade 12	21.0%	28.9%	43.7%	56.3%
Marijuana	All	13.4%	19.2%	29.4%	70.6%
	Grade 7	6.2%	8.6%	14.4%	85.6%
	Grade 8	10.2%	14.2%	22.4%	77.6%
	Grade 9	13.7%	19.7%	29.6%	70.4%
	Grade 10	17.5%	25.2%	36.4%	63.6%
	Grade 11	17.2%	25.2%	38.9%	61.1%
	Grade 12	18.3%	26.2%	40.8%	59.2%
Marijuana Only	All	4.1%	6.5%	12.1%	87.9%
	Grade 7	2.2%	3.1%	6.2%	93.8%
	Grade 8	3.5%	5.0%	9.9%	90.1%
	Grade 9	4.1%	6.4%	11.8%	88.2%
	Grade 10	5.1%	8.5%	14.7%	85.3%
	Grade 11	5.2%	8.8%	16.0%	84.0%
	Grade 12	5.4%	8.7%	16.2%	83.8%
Cocaine or Crack	All	6.3%	8.9%	13.8%	86.2%
	Grade 7	2.6%	3.5%	5.7%	94.3%
	Grade 8	4.3%	5.9%	9.2%	90.8%
	Grade 9	6.9%	9.8%	14.3%	85.7%
	Grade 10	8.4%	11.8%	17.5%	82.5%
	Grade 11	7.8%	11.7%	18.7%	81.3%
	Grade 12	9.0%	12.8%	20.7%	79.3%
Cocaine	All	6.0%	8.6%	13.3%	86.7%
	Grade 7	2.2%	3.0%	5.1%	94.9%
	Grade 8	3.7%	5.3%	8.5%	91.5%
	Grade 9	6.5%	9.3%	13.8%	86.2%
	Grade 10	8.2%	11.7%	17.3%	82.7%
	Grade 11	7.7%	11.6%	18.5%	81.5%
	Grade 12	8.9%	12.6%	20.5%	79.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B1 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.5%	2.4%	4.0%	96.0%
	Grade 7	0.9%	1.4%	2.5%	97.5%
	Grade 8	1.6%	2.4%	3.7%	96.3%
	Grade 9	1.8%	2.8%	4.5%	95.5%
	Grade 10	2.5%	3.6%	5.2%	94.8%
	Grade 11	1.2%	2.0%	4.0%	96.0%
	Grade 12	1.2%	2.0%	4.2%	95.8%
Hallucinogens	All	0.9%	1.5%	2.6%	97.4%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.1%	1.7%	98.3%
	Grade 9	1.0%	1.6%	2.7%	97.3%
	Grade 10	1.0%	2.0%	3.3%	96.7%
	Grade 11	1.1%	2.1%	3.7%	96.3%
	Grade 12	1.0%	1.7%	4.1%	95.9%
Uppers	All	2.3%	3.3%	5.2%	94.8%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.8%	2.5%	3.7%	96.3%
	Grade 9	2.3%	3.5%	5.2%	94.8%
	Grade 10	3.8%	5.2%	7.3%	92.7%
	Grade 11	2.8%	4.4%	7.1%	92.9%
	Grade 12	2.6%	3.9%	7.0%	93.0%
Downers	All	2.6%	3.8%	5.9%	94.1%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	2.0%	2.7%	4.0%	96.0%
	Grade 9	2.7%	4.3%	6.0%	94.0%
	Grade 10	4.3%	5.9%	8.4%	91.6%
	Grade 11	3.3%	4.9%	7.8%	92.2%
	Grade 12	3.1%	4.7%	8.5%	91.5%
Rohypnol	All	4.4%	6.7%	10.9%	89.1%
	Grade 7	2.4%	3.5%	5.7%	94.3%
	Grade 8	4.2%	6.1%	9.6%	90.4%
	Grade 9	5.6%	8.6%	12.6%	87.4%
	Grade 10	6.4%	9.3%	13.9%	86.1%
	Grade 11	4.1%	6.6%	12.3%	87.7%
	Grade 12	3.2%	5.8%	11.8%	88.2%
Steroids	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.5%	0.9%	1.7%	98.3%
	Grade 8	0.8%	1.1%	1.9%	98.1%
	Grade 9	0.6%	0.9%	1.6%	98.4%
	Grade 10	0.6%	1.1%	1.8%	98.2%
	Grade 11	0.8%	1.2%	2.2%	97.8%
	Grade 12	0.8%	1.2%	2.3%	97.7%
Ecstasy	All	2.6%	4.0%	6.3%	93.7%
	Grade 7	1.1%	1.6%	2.8%	97.2%
	Grade 8	2.3%	3.2%	5.1%	94.9%
	Grade 9	2.7%	4.1%	6.6%	93.4%
	Grade 10	2.7%	4.7%	6.9%	93.1%
	Grade 11	3.5%	5.4%	8.4%	91.6%
	Grade 12	3.3%	6.0%	9.4%	90.6%
Heroin	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.7%	0.9%	2.2%	97.8%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	0.7%	1.1%	2.4%	97.6%
	Grade 10	0.5%	0.7%	1.3%	98.7%
	Grade 11	0.6%	0.7%	1.4%	98.6%
	Grade 12	0.4%	0.7%	1.7%	98.3%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B2: Prevalence and recency of use of selected substances by grade
--> Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	22.5%	29.6%	48.6%	51.4%
	Grade 7	10.7%	14.8%	32.8%	67.2%
	Grade 8	14.8%	20.8%	39.3%	60.7%
	Grade 9	20.3%	28.2%	47.8%	52.2%
	Grade 10	27.9%	36.4%	55.6%	44.4%
	Grade 11	31.3%	39.8%	59.3%	40.7%
	Grade 12	36.7%	45.0%	63.8%	36.2%
Alcohol	All	39.6%	49.7%	69.1%	30.9%
	Grade 7	20.4%	26.8%	51.9%	48.1%
	Grade 8	28.8%	38.1%	62.3%	37.7%
	Grade 9	38.8%	49.2%	69.9%	30.1%
	Grade 10	48.9%	61.3%	76.8%	23.2%
	Grade 11	52.5%	63.9%	78.9%	21.1%
	Grade 12	57.1%	68.5%	80.9%	19.1%
Inhalants	All	8.0%	10.8%	19.2%	80.8%
	Grade 7	9.4%	11.9%	20.5%	79.5%
	Grade 8	10.0%	12.8%	20.7%	79.3%
	Grade 9	8.1%	11.7%	19.7%	80.3%
	Grade 10	8.1%	10.8%	19.2%	80.8%
	Grade 11	5.6%	8.4%	17.1%	82.9%
	Grade 12	5.2%	7.9%	17.1%	82.9%
Any Illicit Drug	All	19.1%	25.5%	36.9%	63.1%
	Grade 7	8.1%	11.1%	18.1%	81.9%
	Grade 8	13.3%	17.4%	27.0%	73.0%
	Grade 9	18.9%	25.3%	36.8%	63.2%
	Grade 10	25.8%	33.8%	45.6%	54.4%
	Grade 11	26.7%	35.8%	49.9%	50.1%
	Grade 12	25.7%	35.3%	51.9%	48.1%
Marijuana	All	16.5%	23.2%	35.1%	64.9%
	Grade 7	7.1%	10.2%	17.3%	82.7%
	Grade 8	11.9%	16.1%	25.6%	74.4%
	Grade 9	16.0%	23.0%	34.8%	65.2%
	Grade 10	22.1%	30.5%	43.2%	56.8%
	Grade 11	22.9%	32.2%	47.9%	52.1%
	Grade 12	22.6%	32.1%	49.2%	50.8%
Marijuana Only	All	5.3%	8.3%	15.1%	84.9%
	Grade 7	2.9%	4.3%	8.8%	91.2%
	Grade 8	4.6%	6.8%	12.7%	87.3%
	Grade 9	5.5%	8.6%	15.7%	84.3%
	Grade 10	6.9%	10.5%	17.5%	82.5%
	Grade 11	6.8%	10.9%	19.2%	80.8%
	Grade 12	5.9%	9.9%	18.8%	81.2%
Cocaine or Crack	All	7.6%	10.8%	16.2%	83.8%
	Grade 7	2.5%	3.3%	5.6%	94.4%
	Grade 8	4.3%	5.9%	9.6%	90.4%
	Grade 9	7.5%	10.6%	15.3%	84.7%
	Grade 10	10.5%	14.6%	20.7%	79.3%
	Grade 11	10.8%	16.0%	24.1%	75.9%
	Grade 12	12.5%	17.6%	27.5%	72.5%
Cocaine	All	7.3%	10.4%	15.9%	84.1%
	Grade 7	2.1%	2.9%	5.0%	95.0%
	Grade 8	3.8%	5.3%	8.8%	91.2%
	Grade 9	7.1%	10.0%	15.0%	85.0%
	Grade 10	10.3%	14.5%	20.5%	79.5%
	Grade 11	10.7%	15.8%	24.0%	76.0%
	Grade 12	12.5%	17.5%	27.3%	72.7%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B2 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.8%	2.9%	4.8%	95.2%
	Grade 7	0.9%	1.2%	2.4%	97.6%
	Grade 8	1.6%	2.5%	3.8%	96.2%
	Grade 9	2.1%	3.4%	5.2%	94.8%
	Grade 10	2.8%	4.5%	6.1%	93.9%
	Grade 11	1.6%	2.7%	5.5%	94.5%
	Grade 12	1.9%	3.1%	6.2%	93.8%
Hallucinogens	All	1.1%	2.0%	3.4%	96.6%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.9%	1.3%	1.8%	98.2%
	Grade 9	1.2%	1.8%	3.4%	96.6%
	Grade 10	1.6%	3.1%	4.8%	95.2%
	Grade 11	1.5%	2.9%	5.2%	94.8%
	Grade 12	1.2%	2.3%	5.2%	94.8%
Uppers	All	2.5%	3.5%	5.4%	94.6%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.5%	2.1%	3.1%	96.9%
	Grade 9	2.2%	3.1%	4.7%	95.3%
	Grade 10	4.2%	5.8%	8.0%	92.0%
	Grade 11	3.6%	5.0%	8.4%	91.6%
	Grade 12	3.5%	4.7%	8.1%	91.9%
Downers	All	3.0%	4.2%	6.4%	93.6%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.8%	2.4%	3.5%	96.5%
	Grade 9	2.7%	3.9%	5.6%	94.4%
	Grade 10	5.4%	7.1%	9.8%	90.2%
	Grade 11	4.1%	6.0%	9.6%	90.4%
	Grade 12	4.2%	5.9%	10.3%	89.7%
Rohypnol	All	4.5%	6.7%	10.5%	89.5%
	Grade 7	2.0%	3.1%	5.3%	94.7%
	Grade 8	3.0%	4.5%	7.5%	92.5%
	Grade 9	4.9%	7.4%	10.9%	89.1%
	Grade 10	7.7%	10.6%	14.8%	85.2%
	Grade 11	5.0%	7.8%	13.3%	86.7%
	Grade 12	4.2%	7.3%	12.7%	87.3%
Steroids	All	1.0%	1.5%	2.7%	97.3%
	Grade 7	0.7%	1.0%	2.1%	97.9%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	0.9%	1.3%	2.0%	98.0%
	Grade 10	1.0%	1.7%	2.9%	97.1%
	Grade 11	1.1%	1.8%	3.4%	96.6%
	Grade 12	1.3%	2.0%	3.9%	96.1%
Ecstasy	All	2.9%	4.5%	6.8%	93.2%
	Grade 7	0.9%	1.4%	2.6%	97.4%
	Grade 8	2.0%	2.6%	4.1%	95.9%
	Grade 9	2.5%	3.9%	6.4%	93.6%
	Grade 10	3.4%	6.1%	8.2%	91.8%
	Grade 11	4.7%	7.0%	10.4%	89.6%
	Grade 12	4.6%	7.3%	11.1%	88.9%
Heroin	All	0.8%	1.1%	2.1%	97.9%
	Grade 7	0.6%	1.0%	1.9%	98.1%
	Grade 8	0.9%	1.2%	2.0%	98.0%
	Grade 9	0.9%	1.3%	2.5%	97.5%
	Grade 10	0.6%	0.9%	1.5%	98.5%
	Grade 11	0.8%	1.0%	2.2%	97.8%
	Grade 12	0.7%	1.2%	2.9%	97.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B3: Prevalence and recency of use of selected substances by grade
--> Female students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.9%	24.8%	43.1%	56.9%
	Grade 7	8.9%	13.3%	26.5%	73.5%
	Grade 8	14.9%	20.4%	37.0%	63.0%
	Grade 9	18.5%	26.0%	44.9%	55.1%
	Grade 10	21.1%	29.8%	49.7%	50.3%
	Grade 11	21.5%	30.0%	52.1%	47.9%
	Grade 12	26.6%	33.5%	54.2%	45.8%
Alcohol	All	37.0%	49.1%	71.2%	28.8%
	Grade 7	21.4%	28.3%	54.0%	46.0%
	Grade 8	31.2%	41.3%	65.4%	34.6%
	Grade 9	39.2%	51.7%	73.7%	26.3%
	Grade 10	42.3%	58.3%	78.3%	21.7%
	Grade 11	45.0%	59.9%	81.0%	19.0%
	Grade 12	49.3%	62.1%	79.6%	20.4%
Inhalants	All	7.6%	10.2%	17.6%	82.4%
	Grade 7	11.2%	14.5%	22.7%	77.3%
	Grade 8	10.7%	14.0%	22.6%	77.4%
	Grade 9	8.4%	11.6%	20.0%	80.0%
	Grade 10	5.6%	7.7%	14.3%	85.7%
	Grade 11	3.6%	5.2%	10.9%	89.1%
	Grade 12	3.1%	4.6%	9.9%	90.1%
Any Illicit Drug	All	13.4%	18.6%	27.9%	72.1%
	Grade 7	7.5%	9.2%	14.7%	85.3%
	Grade 8	12.2%	16.0%	23.9%	76.1%
	Grade 9	15.5%	21.1%	29.8%	70.2%
	Grade 10	15.8%	23.0%	34.1%	65.9%
	Grade 11	14.4%	21.3%	33.3%	66.7%
	Grade 12	16.3%	22.6%	35.7%	64.3%
Marijuana	All	10.5%	15.4%	24.0%	76.0%
	Grade 7	5.4%	7.0%	11.7%	88.3%
	Grade 8	8.7%	12.4%	19.6%	80.4%
	Grade 9	11.6%	16.6%	24.7%	75.3%
	Grade 10	13.1%	20.1%	30.1%	69.9%
	Grade 11	11.6%	18.3%	30.1%	69.9%
	Grade 12	14.2%	20.5%	32.6%	67.4%
Marijuana Only	All	3.0%	4.8%	9.2%	90.8%
	Grade 7	1.5%	2.0%	3.8%	96.2%
	Grade 8	2.5%	3.4%	7.3%	92.7%
	Grade 9	2.8%	4.4%	8.2%	91.8%
	Grade 10	3.5%	6.6%	12.1%	87.9%
	Grade 11	3.7%	6.7%	12.9%	87.1%
	Grade 12	4.8%	7.5%	13.6%	86.4%
Cocaine or Crack	All	5.0%	7.1%	11.4%	88.6%
	Grade 7	2.7%	3.5%	5.8%	94.2%
	Grade 8	4.2%	5.8%	9.0%	91.0%
	Grade 9	6.3%	9.1%	13.3%	86.7%
	Grade 10	6.3%	9.0%	14.4%	85.6%
	Grade 11	4.8%	7.5%	13.4%	86.6%
	Grade 12	5.5%	8.1%	14.2%	85.8%
Cocaine	All	4.6%	6.8%	11.0%	89.0%
	Grade 7	2.3%	3.1%	5.0%	95.0%
	Grade 8	3.6%	5.2%	8.3%	91.7%
	Grade 9	6.0%	8.7%	12.7%	87.3%
	Grade 10	6.1%	8.9%	14.2%	85.8%
	Grade 11	4.7%	7.4%	13.2%	86.8%
	Grade 12	5.3%	7.8%	14.0%	86.0%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B3 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.3%	1.9%	3.3%	96.7%
	Grade 7	0.9%	1.5%	2.7%	97.3%
	Grade 8	1.5%	2.2%	3.6%	96.4%
	Grade 9	1.4%	2.3%	3.9%	96.1%
	Grade 10	2.2%	2.8%	4.3%	95.7%
	Grade 11	0.8%	1.3%	2.6%	97.4%
	Grade 12	0.5%	0.9%	2.3%	97.7%
Hallucinogens	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.6%	1.0%	1.5%	98.5%
	Grade 9	0.7%	1.4%	2.1%	97.9%
	Grade 10	0.5%	0.9%	2.0%	98.0%
	Grade 11	0.8%	1.3%	2.1%	97.9%
	Grade 12	0.8%	1.2%	3.1%	96.9%
Uppers	All	2.1%	3.2%	4.9%	95.1%
	Grade 7	0.9%	1.2%	2.0%	98.0%
	Grade 8	2.1%	2.8%	4.3%	95.7%
	Grade 9	2.3%	3.8%	5.7%	94.3%
	Grade 10	3.4%	4.6%	6.6%	93.4%
	Grade 11	2.1%	3.6%	5.7%	94.3%
	Grade 12	1.8%	3.0%	5.9%	94.1%
Downers	All	2.3%	3.5%	5.3%	94.7%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	2.2%	2.9%	4.4%	95.6%
	Grade 9	2.8%	4.6%	6.4%	93.6%
	Grade 10	3.3%	4.7%	7.0%	93.0%
	Grade 11	2.4%	3.8%	6.1%	93.9%
	Grade 12	2.0%	3.5%	6.7%	93.3%
Rohypnol	All	4.3%	6.8%	11.2%	88.8%
	Grade 7	2.7%	3.8%	5.9%	94.1%
	Grade 8	5.3%	7.5%	11.5%	88.5%
	Grade 9	6.2%	9.7%	14.2%	85.8%
	Grade 10	5.1%	8.0%	13.0%	87.0%
	Grade 11	3.2%	5.5%	11.3%	88.7%
	Grade 12	2.2%	4.3%	10.9%	89.1%
Steroids	All	0.4%	0.6%	1.1%	98.9%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	0.3%	0.5%	1.1%	98.9%
	Grade 10	0.2%	0.5%	0.8%	99.2%
	Grade 11	0.5%	0.7%	1.0%	99.0%
	Grade 12	0.3%	0.3%	0.7%	99.3%
Ecstasy	All	2.3%	3.6%	5.9%	94.1%
	Grade 7	1.2%	1.8%	3.0%	97.0%
	Grade 8	2.7%	3.8%	6.1%	93.9%
	Grade 9	2.9%	4.2%	6.8%	93.2%
	Grade 10	2.2%	3.4%	5.7%	94.3%
	Grade 11	2.3%	3.9%	6.5%	93.5%
	Grade 12	2.2%	4.6%	7.8%	92.2%
Heroin	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.7%	0.9%	2.5%	97.5%
	Grade 8	0.8%	1.3%	2.1%	97.9%
	Grade 9	0.6%	1.0%	2.3%	97.7%
	Grade 10	0.4%	0.6%	1.2%	98.8%
	Grade 11	0.3%	0.4%	0.8%	99.2%
	Grade 12	0.2%	0.2%	0.6%	99.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B4: Prevalence and recency of use of selected substances by grade
--> White students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	21.5%	29.6%	46.5%	53.5%
	Grade 7	5.9%	10.0%	23.0%	77.0%
	Grade 8	9.7%	15.5%	29.4%	70.6%
	Grade 9	20.1%	28.2%	48.3%	51.7%
	Grade 10	23.8%	32.0%	53.8%	46.2%
	Grade 11	29.6%	41.5%	57.1%	42.9%
	Grade 12	42.0%	52.3%	67.7%	32.3%
Alcohol	All	38.4%	48.9%	69.0%	31.0%
	Grade 7	13.9%	18.7%	45.6%	54.4%
	Grade 8	23.1%	31.3%	55.0%	45.0%
	Grade 9	36.2%	48.8%	72.2%	27.8%
	Grade 10	48.2%	61.2%	78.0%	22.0%
	Grade 11	51.3%	64.8%	78.5%	21.5%
	Grade 12	59.2%	69.0%	84.1%	15.9%
Inhalants	All	9.5%	12.4%	20.8%	79.2%
	Grade 7	10.7%	13.7%	19.4%	80.6%
	Grade 8	6.7%	9.4%	15.4%	84.6%
	Grade 9	9.2%	12.7%	21.4%	78.6%
	Grade 10	16.0%	17.9%	25.9%	74.1%
	Grade 11	6.9%	9.4%	19.2%	80.8%
	Grade 12	6.3%	10.5%	22.5%	77.5%
Any Illicit Drug	All	16.9%	24.4%	34.8%	65.2%
	Grade 7	5.4%	7.3%	12.7%	87.3%
	Grade 8	9.4%	13.5%	17.7%	82.3%
	Grade 9	17.4%	22.2%	31.2%	68.8%
	Grade 10	18.7%	33.7%	45.3%	54.7%
	Grade 11	24.0%	32.5%	48.0%	52.0%
	Grade 12	26.9%	38.2%	55.8%	44.2%
Marijuana	All	15.1%	22.7%	33.2%	66.8%
	Grade 7	3.3%	5.3%	11.1%	88.9%
	Grade 8	8.7%	12.1%	16.2%	83.8%
	Grade 9	15.7%	21.1%	28.7%	71.3%
	Grade 10	16.1%	31.3%	44.4%	55.6%
	Grade 11	22.6%	31.1%	45.9%	54.1%
	Grade 12	24.9%	35.7%	54.4%	45.6%
Marijuana Only	All	4.8%	8.0%	14.6%	85.4%
	Grade 7	0.7%	1.5%	6.0%	94.0%
	Grade 8	3.7%	5.5%	8.1%	91.9%
	Grade 9	5.1%	8.1%	13.3%	86.7%
	Grade 10	3.8%	6.9%	14.8%	85.2%
	Grade 11	7.1%	11.1%	20.0%	80.0%
	Grade 12	8.5%	15.8%	26.8%	73.2%
Cocaine or Crack	All	4.0%	6.5%	10.3%	89.7%
	Grade 7	1.3%	3.0%	3.6%	96.4%
	Grade 8	3.5%	4.5%	5.3%	94.7%
	Grade 9	3.7%	4.8%	7.0%	93.0%
	Grade 10	4.3%	7.3%	12.5%	87.5%
	Grade 11	5.8%	10.6%	16.7%	83.3%
	Grade 12	5.7%	9.6%	17.9%	82.1%
Cocaine	All	3.9%	6.3%	10.0%	90.0%
	Grade 7	1.0%	2.9%	3.3%	96.7%
	Grade 8	2.9%	3.7%	4.5%	95.5%
	Grade 9	3.7%	4.8%	6.8%	93.2%
	Grade 10	4.2%	7.2%	12.4%	87.6%
	Grade 11	5.8%	10.3%	16.1%	83.9%
	Grade 12	5.8%	9.7%	18.2%	81.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B4 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.9%	1.6%	3.2%	96.8%
	Grade 7	0.5%	1.4%	1.9%	98.1%
	Grade 8	1.3%	2.3%	2.3%	97.7%
	Grade 9	0.7%	1.1%	3.0%	97.0%
	Grade 10	1.1%	1.7%	4.9%	95.1%
	Grade 11	0.4%	1.3%	2.8%	97.2%
	Grade 12	1.6%	2.0%	4.5%	95.5%
Hallucinogens	All	1.3%	4.4%	6.9%	93.1%
	Grade 7	0.2%	0.6%	1.5%	98.5%
	Grade 8	0.8%	1.7%	2.0%	98.0%
	Grade 9	1.4%	3.0%	4.8%	95.2%
	Grade 10	2.1%	12.4%	14.7%	85.3%
	Grade 11	2.0%	4.7%	6.7%	93.3%
	Grade 12	0.9%	3.1%	11.7%	88.3%
Uppers	All	3.9%	5.6%	8.5%	91.5%
	Grade 7	1.4%	1.6%	3.4%	96.6%
	Grade 8	2.0%	2.9%	3.8%	96.2%
	Grade 9	4.9%	7.1%	8.8%	91.2%
	Grade 10	4.2%	6.4%	9.6%	90.4%
	Grade 11	6.5%	9.4%	12.9%	87.1%
	Grade 12	4.4%	6.2%	12.6%	87.4%
Downers	All	3.3%	5.0%	7.4%	92.6%
	Grade 7	0.7%	1.2%	2.5%	97.5%
	Grade 8	1.2%	1.6%	2.5%	97.5%
	Grade 9	4.7%	6.4%	7.5%	92.5%
	Grade 10	3.1%	6.2%	9.0%	91.0%
	Grade 11	5.2%	7.7%	10.6%	89.4%
	Grade 12	4.9%	6.1%	12.2%	87.8%
Rohypnol	All	3.0%	4.5%	8.0%	92.0%
	Grade 7	1.5%	2.8%	3.5%	96.5%
	Grade 8	1.5%	2.7%	3.5%	96.5%
	Grade 9	4.5%	5.5%	7.2%	92.8%
	Grade 10	4.3%	6.0%	10.9%	89.1%
	Grade 11	1.5%	3.9%	10.5%	89.5%
	Grade 12	4.6%	6.2%	12.8%	87.2%
Steroids	All	0.6%	0.9%	2.1%	97.9%
	Grade 7	0.2%	0.2%	1.5%	98.5%
	Grade 8	0.2%	0.8%	2.1%	97.9%
	Grade 9	1.0%	1.5%	2.0%	98.0%
	Grade 10	0.9%	1.1%	1.7%	98.3%
	Grade 11	1.0%	1.0%	3.2%	96.8%
	Grade 12	* %	0.6%	2.0%	98.0%
Ecstasy	All	3.1%	4.6%	7.8%	92.2%
	Grade 7	1.5%	1.7%	2.2%	97.8%
	Grade 8	1.8%	2.3%	3.6%	96.4%
	Grade 9	2.8%	4.8%	7.5%	92.5%
	Grade 10	4.0%	5.9%	10.7%	89.3%
	Grade 11	4.8%	6.3%	10.5%	89.5%
	Grade 12	3.6%	7.0%	12.6%	87.4%
Heroin	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.1%	0.7%	2.0%	98.0%
	Grade 8	0.7%	1.0%	1.2%	98.8%
	Grade 9	1.5%	1.9%	2.6%	97.4%
	Grade 10	0.2%	0.3%	1.7%	98.3%
	Grade 11	0.2%	0.2%	0.9%	99.1%
	Grade 12	0.9%	1.1%	3.2%	96.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B5: Prevalence and recency of use of selected substances by grade
--> Black students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	22.6%	28.0%	44.2%	55.8%
	Grade 7	7.8%	10.5%	27.0%	73.0%
	Grade 8	21.0%	23.0%	38.8%	61.2%
	Grade 9	32.2%	44.2%	61.4%	38.6%
	Grade 10	27.3%	33.6%	57.9%	42.1%
	Grade 11	41.7%	50.4%	68.1%	31.9%
	Grade 12	23.8%	28.6%	34.4%	65.6%
Alcohol	All	34.3%	45.1%	62.1%	37.9%
	Grade 7	16.6%	30.5%	41.6%	58.4%
	Grade 8	34.7%	42.4%	63.6%	36.4%
	Grade 9	41.6%	51.0%	72.5%	27.5%
	Grade 10	36.5%	56.0%	81.8%	18.2%
	Grade 11	62.3%	66.7%	83.8%	16.2%
	Grade 12	36.7%	44.5%	51.2%	48.8%
Inhalants	All	9.6%	13.8%	26.3%	73.7%
	Grade 7	7.2%	14.0%	26.5%	73.5%
	Grade 8	13.2%	14.1%	28.9%	71.1%
	Grade 9	10.0%	17.6%	28.3%	71.7%
	Grade 10	9.8%	11.5%	33.1%	66.9%
	Grade 11	11.5%	11.5%	16.0%	84.0%
	Grade 12	6.5%	12.1%	20.9%	79.1%
Any Illicit Drug	All	16.0%	21.9%	36.5%	63.5%
	Grade 7	9.8%	11.3%	19.9%	80.1%
	Grade 8	10.0%	15.0%	33.8%	66.2%
	Grade 9	20.7%	24.7%	41.4%	58.6%
	Grade 10	17.5%	38.0%	54.8%	45.2%
	Grade 11	30.3%	40.7%	61.5%	38.5%
	Grade 12	19.3%	20.8%	30.1%	69.9%
Marijuana	All	12.2%	19.2%	33.6%	66.4%
	Grade 7	6.8%	8.3%	18.5%	81.5%
	Grade 8	8.0%	14.2%	31.1%	68.9%
	Grade 9	18.3%	24.0%	39.2%	60.8%
	Grade 10	10.0%	29.6%	51.2%	48.8%
	Grade 11	28.0%	40.7%	57.4%	42.6%
	Grade 12	11.6%	15.1%	23.8%	76.2%
Marijuana Only	All	4.7%	6.7%	14.6%	85.4%
	Grade 7	3.1%	3.1%	6.9%	93.1%
	Grade 8	3.7%	4.7%	17.3%	82.7%
	Grade 9	4.1%	5.5%	15.9%	84.1%
	Grade 10	8.3%	19.4%	27.5%	72.5%
	Grade 11	6.3%	8.4%	19.7%	80.3%
	Grade 12	5.6%	5.6%	9.2%	90.8%
Cocaine or Crack	All	6.8%	7.9%	14.4%	85.6%
	Grade 7	4.3%	5.1%	6.6%	93.4%
	Grade 8	2.6%	2.6%	7.8%	92.2%
	Grade 9	8.2%	10.8%	13.4%	86.6%
	Grade 10	3.8%	3.8%	17.0%	83.0%
	Grade 11	16.8%	20.8%	41.7%	58.3%
	Grade 12	11.3%	11.3%	16.6%	83.4%
Cocaine	All	6.0%	6.6%	13.2%	86.8%
	Grade 7	3.3%	3.3%	5.6%	94.4%
	Grade 8	2.7%	2.7%	6.8%	93.2%
	Grade 9	8.9%	8.9%	11.7%	88.3%
	Grade 10	* %	1.7%	17.0%	83.0%
	Grade 11	17.1%	19.1%	40.5%	59.5%
	Grade 12	9.8%	11.3%	14.5%	85.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B5 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	2.0%	3.1%	6.1%	93.9%
	Grade 7	1.0%	1.8%	2.5%	97.5%
	Grade 8	1.5%	1.5%	3.7%	96.3%
	Grade 9	1.5%	5.5%	12.2%	87.8%
	Grade 10	3.8%	3.8%	6.9%	93.1%
	Grade 11	* %	2.4%	5.1%	94.9%
	Grade 12	5.0%	5.0%	9.1%	90.9%
Hallucinogens	All	1.5%	2.8%	4.8%	95.2%
	Grade 7	0.7%	0.7%	3.1%	96.9%
	Grade 8	* %	* %	* %	100.0%
	Grade 9	3.1%	7.2%	7.2%	92.8%
	Grade 10	* %	2.1%	8.6%	91.4%
	Grade 11	7.3%	9.6%	12.1%	87.9%
	Grade 12	* %	1.5%	3.2%	96.8%
Uppers	All	2.1%	3.6%	6.0%	94.0%
	Grade 7	1.4%	2.2%	3.8%	96.2%
	Grade 8	1.5%	1.5%	1.5%	98.5%
	Grade 9	2.9%	4.4%	8.4%	91.6%
	Grade 10	* %	4.0%	11.2%	88.8%
	Grade 11	9.3%	11.5%	13.9%	86.1%
	Grade 12	* %	1.7%	3.2%	96.8%
Downers	All	2.9%	3.8%	6.8%	93.2%
	Grade 7	* %	0.8%	2.1%	97.9%
	Grade 8	3.3%	3.3%	6.2%	93.8%
	Grade 9	3.0%	3.0%	8.2%	91.8%
	Grade 10	4.5%	6.1%	11.6%	88.4%
	Grade 11	10.1%	12.5%	15.1%	84.9%
	Grade 12	1.6%	3.3%	4.7%	95.3%
Rohypnol	All	5.4%	7.3%	12.0%	88.0%
	Grade 7	1.9%	1.9%	3.4%	96.6%
	Grade 8	2.3%	6.0%	11.4%	88.6%
	Grade 9	10.8%	10.8%	17.1%	82.9%
	Grade 10	4.1%	7.2%	19.6%	80.4%
	Grade 11	11.9%	17.2%	21.7%	78.3%
	Grade 12	6.1%	7.9%	7.9%	92.1%
Steroids	All	2.1%	2.1%	2.9%	97.1%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	* %	* %	2.8%	97.2%
	Grade 9	2.8%	2.8%	2.8%	97.2%
	Grade 10	3.8%	3.8%	3.8%	96.2%
	Grade 11	4.8%	4.8%	7.1%	92.9%
	Grade 12	3.4%	3.4%	3.4%	96.6%
Ecstasy	All	4.9%	6.1%	9.4%	90.6%
	Grade 7	5.1%	5.1%	7.6%	92.4%
	Grade 8	1.5%	2.7%	5.6%	94.4%
	Grade 9	2.9%	5.6%	9.9%	90.1%
	Grade 10	5.0%	8.3%	8.3%	91.7%
	Grade 11	9.2%	9.2%	18.1%	81.9%
	Grade 12	9.3%	9.3%	11.4%	88.6%
Heroin	All	0.7%	1.5%	3.9%	96.1%
	Grade 7	* %	1.2%	3.8%	96.2%
	Grade 8	* %	1.0%	1.0%	99.0%
	Grade 9	2.9%	2.9%	8.5%	91.5%
	Grade 10	* %	* %	6.9%	93.1%
	Grade 11	* %	* %	* %	100.0%
	Grade 12	1.6%	3.6%	3.6%	96.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	20.1%	27.1%	45.8%	54.2%
	Grade 7	10.0%	14.4%	30.0%	70.0%
	Grade 8	15.0%	20.9%	38.5%	61.5%
	Grade 9	19.3%	27.0%	46.2%	53.8%
	Grade 10	24.5%	33.2%	52.5%	47.5%
	Grade 11	26.2%	34.6%	55.6%	44.4%
	Grade 12	31.4%	38.8%	58.9%	41.1%
Alcohol	All	38.5%	49.6%	70.5%	29.5%
	Grade 7	21.4%	28.1%	53.7%	46.3%
	Grade 8	30.4%	40.2%	64.4%	35.6%
	Grade 9	39.2%	50.9%	72.0%	28.0%
	Grade 10	45.7%	60.0%	77.7%	22.3%
	Grade 11	48.6%	61.8%	80.1%	19.9%
	Grade 12	53.4%	65.6%	80.5%	19.5%
Inhalants	All	7.7%	10.4%	18.3%	81.7%
	Grade 7	10.4%	13.2%	21.7%	78.3%
	Grade 8	10.5%	13.6%	21.9%	78.1%
	Grade 9	8.3%	11.6%	19.8%	80.2%
	Grade 10	6.3%	8.8%	16.2%	83.8%
	Grade 11	4.4%	6.6%	13.7%	86.3%
	Grade 12	4.0%	5.9%	12.8%	87.2%
Any Illicit Drug	All	16.2%	21.9%	32.3%	67.7%
	Grade 7	7.9%	10.3%	16.6%	83.4%
	Grade 8	12.9%	16.9%	25.6%	74.4%
	Grade 9	17.2%	23.3%	33.3%	66.7%
	Grade 10	20.9%	28.0%	39.5%	60.5%
	Grade 11	20.3%	28.3%	41.2%	58.8%
	Grade 12	20.9%	28.7%	43.5%	56.5%
Marijuana	All	13.4%	19.1%	29.3%	70.7%
	Grade 7	6.3%	8.8%	14.6%	85.4%
	Grade 8	10.3%	14.3%	22.7%	77.3%
	Grade 9	13.7%	19.7%	29.7%	70.3%
	Grade 10	17.6%	24.9%	36.1%	63.9%
	Grade 11	17.0%	24.9%	38.6%	61.4%
	Grade 12	18.2%	26.0%	40.5%	59.5%
Marijuana Only	All	4.1%	6.5%	12.0%	88.0%
	Grade 7	2.2%	3.2%	6.2%	93.8%
	Grade 8	3.5%	5.0%	9.9%	90.1%
	Grade 9	4.1%	6.4%	11.8%	88.2%
	Grade 10	5.2%	8.6%	14.7%	85.3%
	Grade 11	5.1%	8.7%	15.8%	84.2%
	Grade 12	5.3%	8.4%	15.9%	84.1%
Cocaine or Crack	All	6.4%	9.1%	14.0%	86.0%
	Grade 7	2.7%	3.5%	5.8%	94.2%
	Grade 8	4.3%	6.0%	9.4%	90.6%
	Grade 9	7.0%	10.1%	14.6%	85.4%
	Grade 10	8.6%	12.1%	17.8%	82.2%
	Grade 11	7.9%	11.8%	18.8%	81.2%
	Grade 12	9.2%	13.1%	21.2%	78.8%
Cocaine	All	6.1%	8.7%	13.6%	86.4%
	Grade 7	2.3%	3.0%	5.1%	94.9%
	Grade 8	3.8%	5.4%	8.8%	91.2%
	Grade 9	6.7%	9.6%	14.2%	85.8%
	Grade 10	8.4%	12.0%	17.5%	82.5%
	Grade 11	7.8%	11.7%	18.7%	81.3%
	Grade 12	9.1%	12.9%	20.9%	79.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B6 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.6%	2.4%	4.1%	95.9%
	Grade 7	0.9%	1.4%	2.6%	97.4%
	Grade 8	1.6%	2.4%	3.8%	96.2%
	Grade 9	1.8%	2.9%	4.5%	95.5%
	Grade 10	2.5%	3.7%	5.3%	94.7%
	Grade 11	1.2%	2.0%	4.1%	95.9%
	Grade 12	1.1%	1.9%	4.2%	95.8%
Hallucinogens	All	0.8%	1.3%	2.4%	97.6%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.7%	1.1%	1.7%	98.3%
	Grade 9	0.9%	1.5%	2.6%	97.4%
	Grade 10	1.0%	1.4%	2.7%	97.3%
	Grade 11	1.0%	1.9%	3.4%	96.6%
	Grade 12	1.0%	1.6%	3.7%	96.3%
Uppers	All	2.2%	3.2%	5.0%	95.0%
	Grade 7	0.8%	1.3%	1.9%	98.1%
	Grade 8	1.8%	2.5%	3.7%	96.3%
	Grade 9	2.2%	3.3%	5.1%	94.9%
	Grade 10	3.8%	5.1%	7.1%	92.9%
	Grade 11	2.6%	4.0%	6.7%	93.3%
	Grade 12	2.6%	3.8%	6.8%	93.2%
Downers	All	2.6%	3.8%	5.8%	94.2%
	Grade 7	0.9%	1.2%	1.9%	98.1%
	Grade 8	2.1%	2.7%	4.0%	96.0%
	Grade 9	2.7%	4.2%	5.9%	94.1%
	Grade 10	4.4%	5.9%	8.3%	91.7%
	Grade 11	3.1%	4.7%	7.6%	92.4%
	Grade 12	3.0%	4.7%	8.4%	91.6%
Rohypnol	All	4.5%	6.9%	11.1%	88.9%
	Grade 7	2.4%	3.6%	5.8%	94.2%
	Grade 8	4.4%	6.3%	9.9%	90.1%
	Grade 9	5.6%	8.7%	12.8%	87.2%
	Grade 10	6.5%	9.6%	14.1%	85.9%
	Grade 11	4.2%	6.7%	12.3%	87.7%
	Grade 12	3.1%	5.8%	11.9%	88.1%
Steroids	All	0.7%	1.0%	1.8%	98.2%
	Grade 7	0.6%	0.9%	1.7%	98.3%
	Grade 8	0.8%	1.1%	1.9%	98.1%
	Grade 9	0.6%	0.8%	1.5%	98.5%
	Grade 10	0.5%	1.0%	1.8%	98.2%
	Grade 11	0.8%	1.2%	2.1%	97.9%
	Grade 12	0.8%	1.2%	2.3%	97.7%
Ecstasy	All	2.5%	3.9%	6.2%	93.8%
	Grade 7	1.0%	1.5%	2.8%	97.2%
	Grade 8	2.4%	3.3%	5.2%	94.8%
	Grade 9	2.7%	4.0%	6.5%	93.5%
	Grade 10	2.6%	4.5%	6.7%	93.3%
	Grade 11	3.4%	5.3%	8.2%	91.8%
	Grade 12	3.3%	5.9%	9.3%	90.7%
Heroin	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.7%	0.9%	2.2%	97.8%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	0.7%	1.1%	2.3%	97.7%
	Grade 10	0.5%	0.8%	1.3%	98.7%
	Grade 11	0.6%	0.7%	1.5%	98.5%
	Grade 12	0.4%	0.7%	1.6%	98.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B7: Prevalence and recency of use of selected substances by grade
--> Students reporting A and B grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.1%	23.5%	41.9%	58.1%
	Grade 7	7.3%	11.1%	25.5%	74.5%
	Grade 8	11.1%	16.1%	32.7%	67.3%
	Grade 9	15.7%	22.2%	41.3%	58.7%
	Grade 10	20.6%	29.4%	49.5%	50.5%
	Grade 11	23.3%	31.2%	52.1%	47.9%
	Grade 12	29.5%	36.4%	56.7%	43.3%
Alcohol	All	35.2%	46.7%	68.4%	31.6%
	Grade 7	18.0%	24.9%	50.3%	49.7%
	Grade 8	26.1%	36.0%	61.3%	38.7%
	Grade 9	34.8%	46.7%	69.7%	30.3%
	Grade 10	41.3%	56.6%	75.9%	24.1%
	Grade 11	45.7%	59.0%	78.7%	21.3%
	Grade 12	51.9%	64.2%	79.3%	20.7%
Inhalants	All	6.2%	8.5%	15.4%	84.6%
	Grade 7	8.7%	11.3%	19.1%	80.9%
	Grade 8	8.3%	10.8%	18.0%	82.0%
	Grade 9	6.4%	9.0%	15.8%	84.2%
	Grade 10	5.1%	7.1%	13.3%	86.7%
	Grade 11	4.1%	6.0%	12.3%	87.7%
	Grade 12	3.8%	5.6%	12.4%	87.6%
Any Illicit Drug	All	12.9%	18.0%	27.8%	72.2%
	Grade 7	5.8%	7.6%	13.0%	87.0%
	Grade 8	9.1%	12.3%	19.8%	80.2%
	Grade 9	12.3%	17.2%	26.4%	73.6%
	Grade 10	16.2%	23.3%	35.0%	65.0%
	Grade 11	17.6%	25.2%	37.7%	62.3%
	Grade 12	18.9%	26.1%	40.9%	59.1%
Marijuana	All	10.7%	15.6%	25.1%	74.9%
	Grade 7	4.6%	6.4%	11.2%	88.8%
	Grade 8	7.3%	10.2%	17.1%	82.9%
	Grade 9	9.7%	14.4%	23.2%	76.8%
	Grade 10	13.4%	20.3%	31.5%	68.5%
	Grade 11	14.9%	22.3%	35.1%	64.9%
	Grade 12	16.8%	24.0%	38.3%	61.7%
Marijuana Only	All	3.5%	5.8%	11.2%	88.8%
	Grade 7	1.9%	2.7%	5.3%	94.7%
	Grade 8	2.7%	4.0%	8.1%	91.9%
	Grade 9	3.2%	5.1%	10.1%	89.9%
	Grade 10	4.1%	7.8%	14.3%	85.7%
	Grade 11	4.8%	8.2%	15.5%	84.5%
	Grade 12	5.1%	8.5%	16.0%	84.0%
Cocaine or Crack	All	4.5%	6.7%	10.9%	89.1%
	Grade 7	1.6%	2.2%	3.9%	96.1%
	Grade 8	2.7%	3.8%	6.4%	93.6%
	Grade 9	4.6%	6.7%	10.2%	89.8%
	Grade 10	5.7%	8.7%	14.0%	86.0%
	Grade 11	5.9%	9.5%	15.6%	84.4%
	Grade 12	7.9%	10.6%	18.2%	81.8%
Cocaine	All	4.3%	6.4%	10.5%	89.5%
	Grade 7	1.3%	1.9%	3.4%	96.6%
	Grade 8	2.2%	3.3%	5.7%	94.3%
	Grade 9	4.3%	6.4%	9.9%	90.1%
	Grade 10	5.6%	8.6%	13.7%	86.3%
	Grade 11	5.9%	9.4%	15.5%	84.5%
	Grade 12	7.8%	10.4%	18.0%	82.0%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B7 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.9%	1.6%	2.9%	97.1%
	Grade 7	0.6%	1.0%	1.8%	98.2%
	Grade 8	1.0%	1.6%	2.6%	97.4%
	Grade 9	1.0%	1.6%	2.7%	97.3%
	Grade 10	1.1%	2.3%	3.6%	96.4%
	Grade 11	0.9%	1.6%	3.3%	96.7%
	Grade 12	1.0%	1.6%	3.6%	96.4%
Hallucinogens	All	0.7%	1.1%	2.1%	97.9%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.8%	1.2%	98.8%
	Grade 9	0.7%	1.1%	2.0%	98.0%
	Grade 10	0.8%	1.2%	2.3%	97.7%
	Grade 11	1.0%	1.8%	3.1%	96.9%
	Grade 12	0.9%	1.4%	3.8%	96.2%
Uppers	All	1.7%	2.6%	4.2%	95.8%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.7%	2.6%	97.4%
	Grade 9	1.5%	2.5%	3.9%	96.1%
	Grade 10	2.7%	3.9%	5.7%	94.3%
	Grade 11	2.3%	3.8%	6.2%	93.8%
	Grade 12	2.2%	3.5%	6.3%	93.7%
Downers	All	1.9%	2.9%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	1.3%	1.7%	2.8%	97.2%
	Grade 9	1.6%	2.7%	4.0%	96.0%
	Grade 10	3.1%	4.5%	6.6%	93.4%
	Grade 11	2.7%	4.1%	6.4%	93.6%
	Grade 12	2.7%	4.2%	7.7%	92.3%
Rohypnol	All	3.1%	4.9%	8.5%	91.5%
	Grade 7	1.6%	2.4%	4.0%	96.0%
	Grade 8	2.8%	4.3%	7.2%	92.8%
	Grade 9	3.6%	5.7%	8.9%	91.1%
	Grade 10	4.2%	6.5%	10.8%	89.2%
	Grade 11	3.4%	5.7%	10.5%	89.5%
	Grade 12	2.6%	5.0%	10.7%	89.3%
Steroids	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.6%	1.0%	1.6%	98.4%
	Grade 11	0.8%	1.1%	2.0%	98.0%
	Grade 12	0.6%	1.0%	1.8%	98.2%
Ecstasy	All	2.0%	3.2%	5.3%	94.7%
	Grade 7	0.8%	1.2%	2.2%	97.8%
	Grade 8	1.6%	2.3%	4.0%	96.0%
	Grade 9	1.8%	2.7%	4.8%	95.2%
	Grade 10	2.2%	4.0%	6.0%	94.0%
	Grade 11	3.0%	4.8%	7.2%	92.8%
	Grade 12	2.9%	5.2%	8.7%	91.3%
Heroin	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.8%	98.2%
	Grade 8	0.5%	0.8%	1.3%	98.7%
	Grade 9	0.5%	0.7%	1.8%	98.2%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.3%	0.4%	1.1%	98.9%
	Grade 12	0.2%	0.4%	1.2%	98.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B8: Prevalence and recency of use of selected substances by grade
--> Students reporting C, D, and F grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	29.2%	38.0%	57.3%	42.7%
	Grade 7	16.9%	22.5%	41.1%	58.9%
	Grade 8	25.1%	32.8%	52.8%	47.2%
	Grade 9	28.8%	39.5%	59.5%	40.5%
	Grade 10	35.4%	43.8%	61.7%	38.3%
	Grade 11	37.3%	47.8%	68.5%	31.5%
	Grade 12	40.7%	50.9%	68.3%	31.7%
Alcohol	All	47.9%	57.9%	76.1%	23.9%
	Grade 7	28.9%	35.4%	61.1%	38.9%
	Grade 8	41.3%	50.4%	71.5%	28.5%
	Grade 9	50.1%	61.1%	78.8%	21.2%
	Grade 10	58.1%	69.5%	82.8%	17.2%
	Grade 11	59.8%	72.1%	84.8%	15.2%
	Grade 12	58.5%	69.4%	83.8%	16.2%
Inhalants	All	12.3%	16.4%	27.3%	72.7%
	Grade 7	15.0%	18.8%	29.1%	70.9%
	Grade 8	16.1%	20.7%	31.7%	68.3%
	Grade 9	12.9%	18.2%	30.0%	70.0%
	Grade 10	11.9%	15.4%	26.8%	73.2%
	Grade 11	6.5%	9.5%	20.0%	80.0%
	Grade 12	5.8%	8.9%	17.8%	82.2%
Any Illicit Drug	All	26.3%	34.1%	45.9%	54.1%
	Grade 7	13.5%	17.4%	26.2%	73.8%
	Grade 8	22.9%	29.0%	40.9%	59.1%
	Grade 9	29.9%	38.7%	51.0%	49.0%
	Grade 10	33.9%	43.2%	53.8%	46.2%
	Grade 11	30.7%	40.2%	54.8%	45.2%
	Grade 12	29.9%	40.8%	55.7%	44.3%
Marijuana	All	21.8%	30.1%	42.4%	57.6%
	Grade 7	10.7%	15.1%	23.5%	76.5%
	Grade 8	18.5%	25.2%	37.3%	62.7%
	Grade 9	24.3%	33.7%	46.4%	53.6%
	Grade 10	29.4%	39.3%	50.8%	49.2%
	Grade 11	25.6%	35.5%	52.0%	48.0%
	Grade 12	25.2%	36.4%	51.5%	48.5%
Marijuana Only	All	6.1%	8.8%	14.9%	85.1%
	Grade 7	3.2%	4.5%	8.8%	91.2%
	Grade 8	5.7%	8.1%	14.9%	85.1%
	Grade 9	6.6%	9.9%	16.4%	83.6%
	Grade 10	8.0%	10.6%	15.9%	84.1%
	Grade 11	6.9%	11.1%	17.9%	82.1%
	Grade 12	6.7%	9.8%	17.3%	82.7%
Cocaine or Crack	All	11.5%	15.8%	22.5%	77.5%
	Grade 7	5.5%	7.0%	11.0%	89.0%
	Grade 8	8.8%	11.7%	17.3%	82.7%
	Grade 9	12.8%	18.0%	24.7%	75.3%
	Grade 10	16.1%	20.9%	28.0%	72.0%
	Grade 11	14.3%	19.5%	29.1%	70.9%
	Grade 12	13.5%	21.9%	32.0%	68.0%
Cocaine	All	11.0%	15.2%	21.9%	78.1%
	Grade 7	4.9%	6.2%	9.7%	90.3%
	Grade 8	7.9%	10.6%	16.5%	83.5%
	Grade 9	12.3%	17.1%	24.1%	75.9%
	Grade 10	15.8%	20.7%	27.8%	72.2%
	Grade 11	14.0%	19.3%	28.8%	71.2%
	Grade 12	13.5%	22.0%	31.9%	68.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B8 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	3.4%	4.8%	7.4%	92.6%
	Grade 7	1.7%	2.4%	4.6%	95.4%
	Grade 8	3.1%	4.5%	6.8%	93.2%
	Grade 9	3.8%	6.2%	9.1%	90.9%
	Grade 10	6.7%	7.6%	10.1%	89.9%
	Grade 11	2.1%	3.3%	6.6%	93.4%
	Grade 12	2.2%	3.5%	6.6%	93.4%
Hallucinogens	All	1.4%	2.6%	4.2%	95.8%
	Grade 7	0.8%	0.9%	1.5%	98.5%
	Grade 8	1.3%	2.0%	2.9%	97.1%
	Grade 9	1.6%	2.8%	4.5%	95.5%
	Grade 10	1.5%	4.2%	6.5%	93.5%
	Grade 11	1.5%	3.2%	5.6%	94.4%
	Grade 12	1.4%	3.0%	5.4%	94.6%
Uppers	All	4.1%	5.6%	8.2%	91.8%
	Grade 7	1.5%	2.2%	3.2%	96.8%
	Grade 8	3.4%	4.7%	6.7%	93.3%
	Grade 9	4.3%	6.3%	8.9%	91.1%
	Grade 10	6.9%	9.0%	11.8%	88.2%
	Grade 11	4.7%	6.2%	10.1%	89.9%
	Grade 12	4.5%	5.6%	9.8%	90.2%
Downers	All	4.8%	6.7%	9.7%	90.3%
	Grade 7	1.5%	2.3%	3.4%	96.6%
	Grade 8	4.1%	5.2%	7.4%	92.6%
	Grade 9	5.8%	8.4%	11.2%	88.8%
	Grade 10	7.7%	10.1%	13.6%	86.4%
	Grade 11	5.0%	7.6%	12.6%	87.4%
	Grade 12	4.9%	6.6%	11.7%	88.3%
Rohypnol	All	8.5%	12.3%	18.1%	81.9%
	Grade 7	4.7%	6.6%	10.1%	89.9%
	Grade 8	8.1%	11.1%	16.4%	83.6%
	Grade 9	11.0%	16.2%	22.3%	77.7%
	Grade 10	12.7%	17.6%	23.3%	76.7%
	Grade 11	6.4%	9.9%	18.5%	81.5%
	Grade 12	5.5%	9.4%	16.8%	83.2%
Steroids	All	1.1%	1.7%	2.9%	97.1%
	Grade 7	0.9%	1.5%	2.7%	97.3%
	Grade 8	1.7%	2.3%	3.4%	96.6%
	Grade 9	1.2%	1.6%	2.5%	97.5%
	Grade 10	0.7%	1.2%	2.4%	97.6%
	Grade 11	0.9%	1.7%	2.9%	97.1%
	Grade 12	1.4%	1.9%	4.0%	96.0%
Ecstasy	All	4.3%	6.5%	9.5%	90.5%
	Grade 7	1.7%	2.6%	4.7%	95.3%
	Grade 8	4.4%	5.9%	8.3%	91.7%
	Grade 9	5.2%	7.7%	11.4%	88.6%
	Grade 10	4.2%	6.8%	9.3%	90.7%
	Grade 11	5.3%	7.8%	12.5%	87.5%
	Grade 12	5.4%	9.2%	12.5%	87.5%
Heroin	All	1.3%	1.9%	3.5%	96.5%
	Grade 7	1.1%	1.6%	3.5%	96.5%
	Grade 8	1.8%	2.5%	3.9%	96.1%
	Grade 9	1.5%	2.3%	4.1%	95.9%
	Grade 10	0.8%	1.3%	2.2%	97.8%
	Grade 11	1.3%	1.4%	2.8%	97.2%
	Grade 12	1.6%	2.1%	3.8%	96.2%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B9: Prevalence and recency of use of selected substances by grade
--> Students living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.4%	24.8%	42.7%	57.3%
	Grade 7	8.2%	12.0%	27.2%	72.8%
	Grade 8	13.0%	17.9%	34.4%	65.6%
	Grade 9	16.6%	23.9%	42.2%	57.8%
	Grade 10	23.1%	31.1%	49.6%	50.4%
	Grade 11	24.7%	32.6%	53.2%	46.8%
	Grade 12	31.0%	38.2%	56.9%	43.1%
Alcohol	All	36.9%	47.6%	68.2%	31.8%
	Grade 7	19.6%	26.2%	50.8%	49.2%
	Grade 8	28.0%	37.1%	61.6%	38.4%
	Grade 9	37.3%	48.2%	69.7%	30.3%
	Grade 10	44.4%	58.5%	76.1%	23.9%
	Grade 11	47.9%	60.6%	78.5%	21.5%
	Grade 12	52.3%	63.8%	78.1%	21.9%
Inhalants	All	7.1%	9.7%	17.1%	82.9%
	Grade 7	9.2%	11.8%	20.4%	79.6%
	Grade 8	9.5%	12.3%	19.9%	80.1%
	Grade 9	7.4%	10.6%	18.0%	82.0%
	Grade 10	6.6%	8.9%	16.0%	84.0%
	Grade 11	4.2%	6.2%	12.8%	87.2%
	Grade 12	4.0%	6.1%	12.8%	87.2%
Any Illicit Drug	All	14.2%	19.5%	28.6%	71.4%
	Grade 7	6.1%	8.1%	13.6%	86.4%
	Grade 8	10.6%	14.1%	21.2%	78.8%
	Grade 9	14.5%	19.6%	28.5%	71.5%
	Grade 10	18.8%	25.9%	35.3%	64.7%
	Grade 11	19.0%	26.3%	38.2%	61.8%
	Grade 12	19.3%	27.5%	41.5%	58.5%
Marijuana	All	11.9%	17.0%	25.8%	74.2%
	Grade 7	4.7%	6.6%	11.8%	88.2%
	Grade 8	8.5%	11.9%	18.8%	81.2%
	Grade 9	11.2%	16.4%	24.8%	75.2%
	Grade 10	16.4%	23.4%	32.3%	67.7%
	Grade 11	16.2%	23.1%	35.5%	64.5%
	Grade 12	17.4%	25.3%	38.9%	61.1%
Marijuana Only	All	3.8%	6.0%	10.9%	89.1%
	Grade 7	1.7%	2.5%	5.2%	94.8%
	Grade 8	3.0%	4.4%	8.5%	91.5%
	Grade 9	3.5%	5.5%	10.2%	89.8%
	Grade 10	5.1%	8.2%	13.2%	86.8%
	Grade 11	5.4%	8.5%	15.2%	84.8%
	Grade 12	5.1%	8.8%	16.0%	84.0%
Cocaine or Crack	All	5.3%	7.8%	12.1%	87.9%
	Grade 7	1.8%	2.5%	4.7%	95.3%
	Grade 8	3.8%	5.0%	7.9%	92.1%
	Grade 9	5.7%	8.2%	12.0%	88.0%
	Grade 10	6.9%	10.2%	15.3%	84.7%
	Grade 11	6.8%	10.7%	17.2%	82.8%
	Grade 12	8.2%	12.1%	19.5%	80.5%
Cocaine	All	5.0%	7.5%	11.7%	88.3%
	Grade 7	1.4%	2.1%	4.0%	96.0%
	Grade 8	3.3%	4.4%	7.2%	92.8%
	Grade 9	5.4%	7.8%	11.6%	88.4%
	Grade 10	6.7%	10.2%	15.1%	84.9%
	Grade 11	6.7%	10.6%	17.1%	82.9%
	Grade 12	8.2%	12.0%	19.4%	80.6%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B9 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.3%	2.1%	3.5%	96.5%
	Grade 7	0.8%	1.2%	2.2%	97.8%
	Grade 8	1.4%	1.9%	3.2%	96.8%
	Grade 9	1.5%	2.3%	3.6%	96.4%
	Grade 10	2.0%	3.3%	4.7%	95.3%
	Grade 11	1.2%	1.9%	3.3%	96.7%
	Grade 12	0.9%	1.8%	4.0%	96.0%
Hallucinogens	All	0.7%	1.3%	2.2%	97.8%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.3%	98.7%
	Grade 9	0.7%	1.2%	1.9%	98.1%
	Grade 10	1.0%	2.0%	3.1%	96.9%
	Grade 11	0.8%	1.8%	2.9%	97.1%
	Grade 12	0.9%	1.6%	3.9%	96.1%
Uppers	All	1.9%	2.9%	4.3%	95.7%
	Grade 7	0.8%	1.1%	1.7%	98.3%
	Grade 8	1.5%	2.1%	3.0%	97.0%
	Grade 9	1.8%	2.7%	4.1%	95.9%
	Grade 10	3.2%	4.5%	6.1%	93.9%
	Grade 11	2.4%	3.8%	6.1%	93.9%
	Grade 12	2.4%	3.4%	6.3%	93.7%
Downers	All	2.2%	3.2%	4.8%	95.2%
	Grade 7	0.7%	1.0%	1.6%	98.4%
	Grade 8	1.6%	2.0%	3.1%	96.9%
	Grade 9	2.2%	3.4%	4.7%	95.3%
	Grade 10	3.4%	4.8%	6.7%	93.3%
	Grade 11	3.0%	4.4%	6.7%	93.3%
	Grade 12	2.8%	4.2%	7.8%	92.2%
Rohypnol	All	3.9%	6.0%	9.4%	90.6%
	Grade 7	2.0%	3.0%	4.7%	95.3%
	Grade 8	3.5%	5.0%	7.7%	92.3%
	Grade 9	5.0%	7.3%	10.7%	89.3%
	Grade 10	5.8%	8.3%	12.1%	87.9%
	Grade 11	3.8%	6.3%	10.9%	89.1%
	Grade 12	3.0%	5.6%	11.0%	89.0%
Steroids	All	0.6%	1.0%	1.7%	98.3%
	Grade 7	0.5%	0.9%	1.6%	98.4%
	Grade 8	0.7%	1.0%	1.7%	98.3%
	Grade 9	0.6%	0.8%	1.5%	98.5%
	Grade 10	0.5%	1.0%	1.7%	98.3%
	Grade 11	0.8%	1.2%	2.0%	98.0%
	Grade 12	0.8%	1.0%	2.0%	98.0%
Ecstasy	All	2.2%	3.6%	5.4%	94.6%
	Grade 7	0.8%	1.2%	2.3%	97.7%
	Grade 8	1.9%	2.6%	4.2%	95.8%
	Grade 9	2.3%	3.5%	5.3%	94.7%
	Grade 10	2.4%	4.4%	6.0%	94.0%
	Grade 11	3.1%	4.9%	7.1%	92.9%
	Grade 12	3.2%	6.0%	9.2%	90.8%
Heroin	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.7%	0.9%	2.2%	97.8%
	Grade 8	0.7%	1.0%	1.7%	98.3%
	Grade 9	0.5%	0.8%	1.8%	98.2%
	Grade 10	0.3%	0.6%	1.1%	98.9%
	Grade 11	0.5%	0.7%	1.2%	98.8%
	Grade 12	0.4%	0.7%	1.5%	98.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B10: Prevalence and recency of use of selected substances by grade
--> Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	24.2%	32.5%	52.9%	47.1%
	Grade 7	13.5%	19.0%	35.3%	64.7%
	Grade 8	19.2%	26.8%	46.6%	53.4%
	Grade 9	25.6%	34.0%	55.2%	44.8%
	Grade 10	27.8%	38.0%	60.1%	39.9%
	Grade 11	30.2%	40.2%	61.5%	38.5%
	Grade 12	32.9%	41.1%	63.2%	36.8%
Alcohol	All	41.5%	53.7%	74.9%	25.1%
	Grade 7	24.0%	31.2%	58.4%	41.6%
	Grade 8	34.8%	46.0%	69.4%	30.6%
	Grade 9	42.8%	55.8%	76.7%	23.3%
	Grade 10	48.4%	63.2%	81.5%	18.5%
	Grade 11	50.6%	64.9%	83.7%	16.3%
	Grade 12	55.0%	68.4%	84.7%	15.3%
Inhalants	All	9.3%	12.5%	21.5%	78.5%
	Grade 7	13.2%	16.7%	24.8%	75.2%
	Grade 8	12.5%	16.2%	26.0%	74.0%
	Grade 9	10.3%	14.1%	24.1%	75.9%
	Grade 10	7.2%	10.1%	18.3%	81.7%
	Grade 11	5.6%	8.2%	16.9%	83.1%
	Grade 12	4.4%	6.4%	14.7%	85.3%
Any Illicit Drug	All	20.7%	27.6%	40.8%	59.2%
	Grade 7	11.8%	15.0%	23.0%	77.0%
	Grade 8	17.5%	22.6%	34.9%	65.1%
	Grade 9	22.8%	30.9%	43.3%	56.7%
	Grade 10	25.6%	34.3%	50.7%	49.3%
	Grade 11	23.9%	33.4%	49.1%	50.9%
	Grade 12	24.5%	31.8%	48.5%	51.5%
Marijuana	All	17.0%	24.1%	37.5%	62.5%
	Grade 7	9.9%	13.2%	20.6%	79.4%
	Grade 8	14.2%	19.1%	30.8%	69.2%
	Grade 9	19.2%	26.9%	40.0%	60.0%
	Grade 10	20.3%	29.5%	46.7%	53.3%
	Grade 11	19.6%	29.9%	46.8%	53.2%
	Grade 12	20.3%	28.2%	44.8%	55.2%
Marijuana Only	All	4.9%	7.7%	14.8%	85.2%
	Grade 7	3.4%	4.6%	8.7%	91.3%
	Grade 8	4.6%	6.4%	13.2%	86.8%
	Grade 9	5.4%	8.5%	15.3%	84.7%
	Grade 10	5.3%	9.3%	18.5%	81.5%
	Grade 11	4.9%	9.5%	18.0%	82.0%
	Grade 12	6.1%	8.6%	16.8%	83.2%
Cocaine or Crack	All	8.4%	11.5%	17.5%	82.5%
	Grade 7	4.5%	5.6%	8.2%	91.8%
	Grade 8	5.4%	7.9%	12.4%	87.6%
	Grade 9	9.3%	13.4%	19.1%	80.9%
	Grade 10	12.1%	15.6%	23.0%	77.0%
	Grade 11	10.0%	13.9%	22.1%	77.9%
	Grade 12	10.6%	14.0%	23.3%	76.7%
Cocaine	All	8.0%	11.0%	17.0%	83.0%
	Grade 7	4.1%	5.1%	7.6%	92.4%
	Grade 8	4.7%	7.1%	11.7%	88.3%
	Grade 9	8.9%	12.6%	18.6%	81.4%
	Grade 10	11.8%	15.4%	22.7%	77.3%
	Grade 11	10.0%	13.8%	21.7%	78.3%
	Grade 12	10.2%	13.7%	22.9%	77.1%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B10 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	2.0%	3.1%	5.3%	94.7%
	Grade 7	1.0%	1.8%	3.2%	96.8%
	Grade 8	2.1%	3.3%	4.9%	95.1%
	Grade 9	2.2%	3.9%	6.3%	93.7%
	Grade 10	3.6%	4.3%	6.6%	93.4%
	Grade 11	1.2%	2.4%	5.7%	94.3%
	Grade 12	1.8%	2.3%	4.7%	95.3%
Hallucinogens	All	1.3%	1.9%	3.6%	96.4%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	1.2%	1.8%	2.5%	97.5%
	Grade 9	1.6%	2.4%	4.4%	95.6%
	Grade 10	1.0%	1.8%	4.0%	96.0%
	Grade 11	1.8%	2.8%	5.4%	94.6%
	Grade 12	1.1%	1.9%	4.7%	95.3%
Uppers	All	3.1%	4.5%	7.1%	92.9%
	Grade 7	1.1%	1.8%	2.6%	97.4%
	Grade 8	2.5%	3.4%	5.4%	94.6%
	Grade 9	3.3%	5.1%	7.7%	92.3%
	Grade 10	5.2%	6.9%	10.2%	89.8%
	Grade 11	3.7%	5.5%	9.2%	90.8%
	Grade 12	3.1%	4.8%	8.4%	91.6%
Downers	All	3.6%	5.3%	8.2%	91.8%
	Grade 7	1.2%	1.9%	2.8%	97.2%
	Grade 8	3.1%	4.1%	6.1%	93.9%
	Grade 9	3.8%	6.0%	8.9%	91.1%
	Grade 10	6.6%	8.8%	12.7%	87.3%
	Grade 11	3.8%	6.1%	10.2%	89.8%
	Grade 12	3.6%	5.7%	10.0%	90.0%
Rohypnol	All	5.5%	8.6%	14.4%	85.6%
	Grade 7	3.2%	4.8%	7.8%	92.2%
	Grade 8	5.8%	8.4%	13.8%	86.2%
	Grade 9	6.9%	11.4%	16.9%	83.1%
	Grade 10	7.8%	11.8%	18.7%	81.3%
	Grade 11	4.6%	7.3%	15.5%	84.5%
	Grade 12	3.7%	6.3%	13.6%	86.4%
Steroids	All	0.8%	1.2%	2.2%	97.8%
	Grade 7	0.6%	0.8%	1.8%	98.2%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	0.6%	1.0%	1.7%	98.3%
	Grade 10	0.7%	1.1%	2.0%	98.0%
	Grade 11	0.9%	1.4%	2.6%	97.4%
	Grade 12	0.9%	1.5%	2.8%	97.2%
Ecstasy	All	3.4%	5.1%	8.4%	91.6%
	Grade 7	1.8%	2.5%	4.1%	95.9%
	Grade 8	3.4%	4.8%	7.3%	92.7%
	Grade 9	3.7%	5.4%	9.5%	90.5%
	Grade 10	3.6%	5.4%	9.0%	91.0%
	Grade 11	4.3%	6.7%	11.3%	88.7%
	Grade 12	3.8%	5.9%	10.0%	90.0%
Heroin	All	0.9%	1.2%	2.6%	97.4%
	Grade 7	0.7%	1.0%	2.2%	97.8%
	Grade 8	1.1%	1.7%	2.8%	97.2%
	Grade 9	1.2%	1.8%	3.7%	96.3%
	Grade 10	0.9%	1.1%	1.8%	98.2%
	Grade 11	0.6%	0.7%	2.0%	98.0%
	Grade 12	0.5%	0.7%	2.2%	97.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B11: Prevalence and recency of use of selected substances by grade

--> Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	18.4%	24.8%	43.5%	56.5%
	Grade 7	8.2%	12.2%	27.2%	72.8%
	Grade 8	12.7%	17.9%	35.7%	64.3%
	Grade 9	17.5%	24.4%	43.8%	56.2%
	Grade 10	21.9%	30.0%	49.4%	50.6%
	Grade 11	25.4%	33.4%	53.8%	46.2%
	Grade 12	29.8%	37.0%	57.2%	42.8%
Alcohol	All	36.4%	47.6%	69.2%	30.8%
	Grade 7	19.2%	25.5%	51.1%	48.9%
	Grade 8	27.7%	37.0%	62.2%	37.8%
	Grade 9	36.5%	48.4%	70.9%	29.1%
	Grade 10	42.7%	57.4%	76.5%	23.5%
	Grade 11	47.9%	61.1%	79.5%	20.5%
	Grade 12	51.8%	64.3%	80.2%	19.8%
Inhalants	All	6.7%	9.1%	16.2%	83.8%
	Grade 7	9.0%	11.6%	19.1%	80.9%
	Grade 8	8.8%	11.5%	19.1%	80.9%
	Grade 9	7.2%	10.2%	17.5%	82.5%
	Grade 10	5.2%	7.4%	13.9%	86.1%
	Grade 11	4.5%	6.3%	13.1%	86.9%
	Grade 12	3.8%	5.8%	12.3%	87.7%
Any Illicit Drug	All	14.0%	19.2%	29.3%	70.7%
	Grade 7	6.6%	8.5%	14.2%	85.8%
	Grade 8	10.7%	14.1%	22.0%	78.0%
	Grade 9	14.8%	20.0%	29.8%	70.2%
	Grade 10	17.1%	24.0%	35.3%	64.7%
	Grade 11	18.5%	26.3%	39.1%	60.9%
	Grade 12	18.1%	25.7%	40.6%	59.4%
Marijuana	All	11.5%	16.6%	26.4%	73.6%
	Grade 7	5.2%	7.2%	12.3%	87.7%
	Grade 8	8.3%	11.6%	19.3%	80.7%
	Grade 9	11.7%	16.7%	26.2%	73.8%
	Grade 10	14.4%	21.2%	32.1%	67.9%
	Grade 11	15.4%	22.9%	36.5%	63.5%
	Grade 12	16.1%	23.2%	37.6%	62.4%
Marijuana Only	All	3.7%	6.0%	11.5%	88.5%
	Grade 7	1.8%	2.6%	5.5%	94.5%
	Grade 8	2.8%	4.2%	8.7%	91.3%
	Grade 9	3.8%	5.8%	11.2%	88.8%
	Grade 10	4.6%	8.2%	14.6%	85.4%
	Grade 11	4.9%	8.5%	15.7%	84.3%
	Grade 12	4.9%	8.0%	15.8%	84.2%
Cocaine or Crack	All	5.3%	7.5%	12.0%	88.0%
	Grade 7	2.3%	3.0%	4.8%	95.2%
	Grade 8	3.7%	4.9%	7.8%	92.2%
	Grade 9	5.8%	8.2%	12.3%	87.7%
	Grade 10	6.4%	8.9%	14.1%	85.9%
	Grade 11	7.0%	10.7%	17.3%	82.7%
	Grade 12	7.5%	10.8%	18.6%	81.4%
Cocaine	All	5.0%	7.2%	11.6%	88.4%
	Grade 7	2.0%	2.6%	4.3%	95.7%
	Grade 8	3.1%	4.4%	7.2%	92.8%
	Grade 9	5.5%	7.6%	11.9%	88.1%
	Grade 10	6.2%	8.7%	13.9%	86.1%
	Grade 11	7.0%	10.6%	17.0%	83.0%
	Grade 12	7.5%	10.8%	18.5%	81.5%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B11 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.2%	1.8%	3.2%	96.8%
	Grade 7	0.8%	1.3%	2.0%	98.0%
	Grade 8	1.3%	1.9%	3.0%	97.0%
	Grade 9	1.3%	2.1%	3.5%	96.5%
	Grade 10	1.8%	2.3%	3.6%	96.4%
	Grade 11	0.9%	1.7%	3.6%	96.4%
	Grade 12	0.9%	1.5%	3.6%	96.4%
Hallucinogens	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.8%	1.3%	98.7%
	Grade 9	0.7%	1.2%	2.3%	97.7%
	Grade 10	0.6%	1.1%	2.1%	97.9%
	Grade 11	1.0%	1.7%	3.0%	97.0%
	Grade 12	1.0%	1.5%	3.3%	96.7%
Uppers	All	1.9%	2.8%	4.3%	95.7%
	Grade 7	0.7%	1.1%	1.6%	98.4%
	Grade 8	1.4%	2.0%	3.0%	97.0%
	Grade 9	1.8%	2.8%	4.2%	95.8%
	Grade 10	3.0%	4.3%	6.1%	93.9%
	Grade 11	2.5%	3.8%	6.2%	93.8%
	Grade 12	2.1%	3.2%	5.9%	94.1%
Downers	All	2.1%	3.1%	4.9%	95.1%
	Grade 7	0.7%	1.1%	1.5%	98.5%
	Grade 8	1.6%	2.1%	3.3%	96.7%
	Grade 9	2.2%	3.5%	4.9%	95.1%
	Grade 10	3.3%	4.7%	6.9%	93.1%
	Grade 11	2.8%	4.3%	6.7%	93.3%
	Grade 12	2.3%	3.6%	6.7%	93.3%
Rohypnol	All	3.7%	5.7%	9.6%	90.4%
	Grade 7	2.0%	2.8%	4.7%	95.3%
	Grade 8	3.7%	5.3%	8.5%	91.5%
	Grade 9	4.7%	7.1%	11.0%	89.0%
	Grade 10	4.8%	7.2%	11.5%	88.5%
	Grade 11	3.6%	6.1%	11.2%	88.8%
	Grade 12	2.7%	5.4%	11.2%	88.8%
Steroids	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.5%	0.9%	1.7%	98.3%
	Grade 11	0.8%	1.2%	2.0%	98.0%
	Grade 12	0.4%	0.8%	1.8%	98.2%
Ecstasy	All	2.1%	3.2%	5.3%	94.7%
	Grade 7	0.8%	1.2%	2.3%	97.7%
	Grade 8	1.9%	2.6%	4.3%	95.7%
	Grade 9	2.1%	3.1%	5.3%	94.7%
	Grade 10	2.4%	3.6%	5.7%	94.3%
	Grade 11	3.0%	4.7%	7.5%	92.5%
	Grade 12	2.4%	4.9%	8.2%	91.8%
Heroin	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.5%	0.8%	1.9%	98.1%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.8%	1.9%	98.1%
	Grade 10	0.4%	0.5%	1.0%	99.0%
	Grade 11	0.5%	0.5%	1.2%	98.8%
	Grade 12	0.3%	0.5%	1.3%	98.7%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B12: Prevalence and recency of use of selected substances by grade
--> Students who wouldn't seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	27.0%	36.0%	54.7%	45.3%
	Grade 7	17.1%	22.1%	40.8%	59.2%
	Grade 8	22.4%	30.1%	45.7%	54.3%
	Grade 9	25.9%	36.7%	54.8%	45.2%
	Grade 10	33.6%	43.8%	64.1%	35.9%
	Grade 11	30.2%	40.8%	62.3%	37.7%
	Grade 12	35.6%	44.3%	63.8%	36.2%
Alcohol	All	46.3%	57.7%	74.7%	25.3%
	Grade 7	28.0%	35.8%	60.3%	39.7%
	Grade 8	38.3%	49.3%	69.0%	31.0%
	Grade 9	48.1%	58.7%	75.6%	24.4%
	Grade 10	57.0%	70.5%	82.6%	17.4%
	Grade 11	52.9%	67.0%	81.7%	18.3%
	Grade 12	56.3%	68.1%	80.7%	19.3%
Inhalants	All	11.5%	15.0%	25.6%	74.4%
	Grade 7	15.6%	19.5%	31.7%	68.3%
	Grade 8	15.2%	19.1%	28.8%	71.2%
	Grade 9	12.5%	16.8%	28.7%	71.3%
	Grade 10	12.3%	15.5%	26.4%	73.6%
	Grade 11	5.1%	8.5%	17.5%	82.5%
	Grade 12	5.5%	7.3%	16.2%	83.8%
Any Illicit Drug	All	24.4%	32.3%	43.7%	56.3%
	Grade 7	12.1%	15.6%	24.1%	75.9%
	Grade 8	19.4%	25.5%	35.5%	64.5%
	Grade 9	25.8%	35.1%	45.6%	54.4%
	Grade 10	33.4%	43.6%	54.7%	45.3%
	Grade 11	28.1%	36.6%	51.1%	48.9%
	Grade 12	28.2%	37.8%	53.7%	46.3%
Marijuana	All	20.5%	28.8%	40.4%	59.6%
	Grade 7	9.8%	13.5%	21.8%	78.2%
	Grade 8	16.6%	22.4%	31.8%	68.2%
	Grade 9	21.1%	31.0%	41.8%	58.2%
	Grade 10	28.0%	38.9%	50.5%	49.5%
	Grade 11	24.2%	33.6%	48.0%	52.0%
	Grade 12	24.2%	34.5%	50.6%	49.4%
Marijuana Only	All	5.9%	8.9%	14.6%	85.4%
	Grade 7	3.5%	4.8%	8.7%	91.3%
	Grade 8	5.6%	7.6%	13.0%	87.0%
	Grade 9	5.7%	9.3%	14.8%	85.2%
	Grade 10	7.3%	9.9%	15.1%	84.9%
	Grade 11	6.3%	10.4%	17.6%	82.4%
	Grade 12	7.3%	11.9%	19.6%	80.4%
Cocaine or Crack	All	9.8%	14.1%	20.4%	79.6%
	Grade 7	3.9%	5.0%	8.9%	91.1%
	Grade 8	6.2%	9.4%	14.0%	86.0%
	Grade 9	10.6%	15.7%	21.5%	78.5%
	Grade 10	14.9%	22.3%	29.4%	70.6%
	Grade 11	10.7%	15.1%	24.0%	76.0%
	Grade 12	12.5%	17.4%	25.8%	74.2%
Cocaine	All	9.5%	13.8%	19.9%	80.1%
	Grade 7	3.5%	4.6%	7.9%	92.1%
	Grade 8	5.6%	8.4%	12.8%	87.2%
	Grade 9	10.4%	15.6%	21.2%	78.8%
	Grade 10	14.8%	22.2%	29.1%	70.9%
	Grade 11	10.7%	15.3%	24.0%	76.0%
	Grade 12	12.1%	16.7%	25.2%	74.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B12 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	2.7%	4.4%	6.8%	93.2%
	Grade 7	1.2%	1.7%	4.4%	95.6%
	Grade 8	2.5%	4.1%	6.3%	93.7%
	Grade 9	3.1%	4.9%	7.5%	92.5%
	Grade 10	4.6%	8.2%	10.6%	89.4%
	Grade 11	2.1%	3.1%	5.2%	94.8%
	Grade 12	2.1%	3.4%	5.9%	94.1%
Hallucinogens	All	1.5%	2.9%	4.7%	95.3%
	Grade 7	1.0%	1.1%	2.0%	98.0%
	Grade 8	1.5%	2.3%	2.9%	97.1%
	Grade 9	2.0%	3.1%	4.2%	95.8%
	Grade 10	1.9%	5.0%	7.3%	92.7%
	Grade 11	1.3%	3.5%	6.2%	93.8%
	Grade 12	1.1%	2.7%	6.4%	93.6%
Uppers	All	3.8%	5.3%	8.1%	91.9%
	Grade 7	1.4%	2.0%	3.0%	97.0%
	Grade 8	2.8%	4.3%	6.0%	94.0%
	Grade 9	4.0%	5.7%	8.4%	91.6%
	Grade 10	6.6%	8.5%	11.5%	88.5%
	Grade 11	3.8%	6.0%	10.1%	89.9%
	Grade 12	3.7%	5.6%	10.2%	89.8%
Downers	All	4.5%	6.2%	9.4%	90.6%
	Grade 7	1.5%	1.8%	3.1%	96.9%
	Grade 8	3.2%	4.4%	6.2%	93.8%
	Grade 9	4.3%	6.7%	9.1%	90.9%
	Grade 10	8.3%	10.4%	13.6%	86.4%
	Grade 11	5.0%	7.0%	11.9%	88.1%
	Grade 12	5.0%	7.1%	13.6%	86.4%
Rohypnol	All	7.0%	10.4%	15.7%	84.3%
	Grade 7	3.9%	5.7%	9.1%	90.9%
	Grade 8	5.4%	8.5%	12.9%	87.1%
	Grade 9	8.9%	13.8%	18.4%	81.6%
	Grade 10	12.5%	17.2%	22.9%	77.1%
	Grade 11	5.8%	8.9%	16.8%	83.2%
	Grade 12	3.7%	5.9%	12.0%	88.0%
Steroids	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.8%	1.2%	2.5%	97.5%
	Grade 8	1.2%	1.9%	2.9%	97.1%
	Grade 9	0.9%	1.3%	1.9%	98.1%
	Grade 10	0.9%	1.3%	2.2%	97.8%
	Grade 11	0.8%	1.5%	2.9%	97.1%
	Grade 12	1.2%	1.6%	3.3%	96.7%
Ecstasy	All	4.1%	6.7%	9.8%	90.2%
	Grade 7	1.9%	3.0%	5.0%	95.0%
	Grade 8	3.7%	5.6%	8.5%	91.5%
	Grade 9	5.3%	7.7%	10.8%	89.2%
	Grade 10	3.8%	8.3%	11.1%	88.9%
	Grade 11	4.8%	7.7%	11.8%	88.2%
	Grade 12	4.6%	7.8%	11.9%	88.1%
Heroin	All	1.2%	1.9%	3.4%	96.6%
	Grade 7	1.3%	1.7%	3.5%	96.5%
	Grade 8	1.6%	2.7%	3.9%	96.1%
	Grade 9	1.8%	2.6%	4.7%	95.3%
	Grade 10	0.9%	1.4%	2.4%	97.6%
	Grade 11	0.6%	0.8%	1.9%	98.1%
	Grade 12	0.9%	1.5%	3.0%	97.0%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B13: Prevalence and recency of use of selected substances by grade
--> Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	20.1%	26.6%	45.1%	54.9%
	Grade 7	11.1%	15.1%	29.9%	70.1%
	Grade 8	16.2%	22.1%	41.1%	58.9%
	Grade 9	20.6%	27.6%	46.5%	53.5%
	Grade 10	25.0%	34.0%	54.4%	45.6%
	Grade 11	27.0%	34.9%	56.5%	43.5%
	Grade 12	36.3%	42.9%	59.2%	40.8%
Alcohol	All	35.2%	45.3%	66.7%	33.3%
	Grade 7	21.6%	26.9%	52.2%	47.8%
	Grade 8	30.4%	39.2%	62.8%	37.2%
	Grade 9	35.9%	47.2%	67.7%	32.3%
	Grade 10	42.7%	55.7%	75.2%	24.8%
	Grade 11	46.7%	58.6%	77.8%	22.2%
	Grade 12	54.5%	69.6%	82.7%	17.3%
Inhalants	All	8.4%	11.3%	19.6%	80.4%
	Grade 7	11.2%	14.4%	21.8%	78.2%
	Grade 8	11.0%	14.5%	23.4%	76.6%
	Grade 9	8.6%	11.7%	21.3%	78.7%
	Grade 10	5.7%	8.0%	15.9%	84.1%
	Grade 11	4.9%	6.9%	13.7%	86.3%
	Grade 12	3.9%	6.1%	14.1%	85.9%
Any Illicit Drug	All	15.3%	20.7%	30.5%	69.5%
	Grade 7	9.2%	11.4%	17.1%	82.9%
	Grade 8	14.0%	18.2%	28.2%	71.8%
	Grade 9	15.7%	21.8%	30.5%	69.5%
	Grade 10	18.7%	24.9%	38.6%	61.4%
	Grade 11	20.0%	28.2%	40.8%	59.2%
	Grade 12	22.1%	30.9%	44.8%	55.2%
Marijuana	All	12.6%	18.1%	27.7%	72.3%
	Grade 7	7.5%	9.9%	15.0%	85.0%
	Grade 8	11.4%	16.1%	25.5%	74.5%
	Grade 9	12.5%	18.8%	27.2%	72.8%
	Grade 10	15.2%	21.9%	35.4%	64.6%
	Grade 11	16.7%	24.8%	37.9%	62.1%
	Grade 12	19.6%	28.7%	41.6%	58.4%
Marijuana Only	All	3.8%	6.0%	11.2%	88.8%
	Grade 7	2.4%	3.3%	6.1%	93.9%
	Grade 8	4.0%	5.8%	11.5%	88.5%
	Grade 9	3.7%	6.2%	10.9%	89.1%
	Grade 10	4.3%	7.0%	14.3%	85.7%
	Grade 11	4.5%	8.0%	15.0%	85.0%
	Grade 12	5.0%	8.4%	13.9%	86.1%
Cocaine or Crack	All	6.1%	8.5%	12.9%	87.1%
	Grade 7	3.7%	4.3%	6.6%	93.4%
	Grade 8	4.6%	6.1%	9.6%	90.4%
	Grade 9	7.0%	9.6%	13.4%	86.6%
	Grade 10	7.6%	10.7%	17.2%	82.8%
	Grade 11	7.1%	11.9%	18.2%	81.8%
	Grade 12	9.7%	13.7%	21.8%	78.2%
Cocaine	All	5.8%	8.0%	12.5%	87.5%
	Grade 7	3.1%	3.7%	5.9%	94.1%
	Grade 8	4.1%	5.5%	9.0%	91.0%
	Grade 9	6.8%	8.8%	12.8%	87.2%
	Grade 10	7.4%	10.6%	17.1%	82.9%
	Grade 11	7.0%	11.8%	18.1%	81.9%
	Grade 12	9.8%	13.7%	21.8%	78.2%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B13 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.6%	2.5%	4.1%	95.9%
	Grade 7	1.2%	1.6%	2.6%	97.4%
	Grade 8	1.6%	2.4%	3.8%	96.2%
	Grade 9	1.7%	3.1%	4.6%	95.4%
	Grade 10	1.8%	2.5%	4.2%	95.8%
	Grade 11	1.6%	2.8%	4.8%	95.2%
	Grade 12	1.5%	2.5%	7.0%	93.0%
Hallucinogens	All	1.0%	1.5%	2.9%	97.1%
	Grade 7	0.5%	0.5%	1.1%	98.9%
	Grade 8	0.8%	1.2%	1.8%	98.2%
	Grade 9	1.1%	1.7%	3.0%	97.0%
	Grade 10	1.4%	1.7%	3.5%	96.5%
	Grade 11	1.4%	2.8%	5.1%	94.9%
	Grade 12	0.6%	1.6%	6.0%	94.0%
Uppers	All	2.1%	3.1%	5.1%	94.9%
	Grade 7	1.1%	1.5%	2.4%	97.6%
	Grade 8	1.6%	2.6%	3.9%	96.1%
	Grade 9	2.2%	3.3%	5.1%	94.9%
	Grade 10	3.0%	4.1%	6.5%	93.5%
	Grade 11	2.7%	4.4%	7.4%	92.6%
	Grade 12	3.4%	4.8%	10.4%	89.6%
Downers	All	2.5%	3.5%	5.6%	94.4%
	Grade 7	1.2%	1.4%	2.5%	97.5%
	Grade 8	2.4%	3.1%	4.7%	95.3%
	Grade 9	2.5%	3.5%	5.4%	94.6%
	Grade 10	3.7%	5.3%	7.8%	92.2%
	Grade 11	3.1%	4.7%	7.8%	92.2%
	Grade 12	2.9%	4.4%	9.9%	90.1%
Rohypnol	All	4.3%	6.3%	10.5%	89.5%
	Grade 7	2.9%	3.9%	6.2%	93.8%
	Grade 8	4.6%	6.3%	10.3%	89.7%
	Grade 9	4.4%	7.1%	10.2%	89.8%
	Grade 10	5.4%	8.1%	13.7%	86.3%
	Grade 11	4.6%	6.9%	13.4%	86.6%
	Grade 12	3.3%	5.5%	12.3%	87.7%
Steroids	All	0.8%	1.2%	2.0%	98.0%
	Grade 7	0.7%	1.1%	1.7%	98.3%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	0.7%	1.0%	1.7%	98.3%
	Grade 10	0.6%	1.2%	1.8%	98.2%
	Grade 11	0.9%	1.5%	2.8%	97.2%
	Grade 12	0.7%	1.2%	2.0%	98.0%
Ecstasy	All	2.6%	3.8%	6.2%	93.8%
	Grade 7	1.5%	2.0%	3.2%	96.8%
	Grade 8	2.3%	3.3%	5.3%	94.7%
	Grade 9	2.5%	3.6%	6.1%	93.9%
	Grade 10	3.5%	4.8%	7.3%	92.7%
	Grade 11	3.9%	5.6%	9.0%	91.0%
	Grade 12	3.5%	5.5%	10.6%	89.4%
Heroin	All	0.9%	1.2%	2.3%	97.7%
	Grade 7	1.1%	1.3%	2.8%	97.2%
	Grade 8	1.2%	1.7%	2.6%	97.4%
	Grade 9	0.9%	1.2%	2.3%	97.7%
	Grade 10	0.8%	1.2%	1.8%	98.2%
	Grade 11	0.7%	0.8%	1.9%	98.1%
	Grade 12	0.5%	0.9%	2.2%	97.8%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B14: Prevalence and recency of use of selected substances by grade
--> Students living in town more than three years

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	20.2%	27.4%	46.1%	53.9%
	Grade 7	9.2%	13.6%	29.5%	70.5%
	Grade 8	14.4%	20.1%	37.0%	63.0%
	Grade 9	19.0%	27.0%	46.4%	53.6%
	Grade 10	24.2%	32.8%	52.0%	48.0%
	Grade 11	26.3%	35.0%	55.6%	44.4%
	Grade 12	30.9%	38.6%	58.8%	41.2%
Alcohol	All	39.6%	51.1%	71.7%	28.3%
	Grade 7	20.7%	28.2%	53.6%	46.4%
	Grade 8	30.0%	40.2%	64.6%	35.4%
	Grade 9	40.6%	52.3%	74.1%	25.9%
	Grade 10	46.6%	61.3%	78.7%	21.3%
	Grade 11	49.3%	62.9%	80.7%	19.3%
	Grade 12	53.0%	64.7%	79.9%	20.1%
Inhalants	All	7.5%	10.2%	18.0%	82.0%
	Grade 7	9.9%	12.7%	21.7%	78.3%
	Grade 8	10.1%	13.1%	21.0%	79.0%
	Grade 9	8.2%	11.6%	19.3%	80.7%
	Grade 10	7.1%	9.6%	17.0%	83.0%
	Grade 11	4.5%	6.7%	14.1%	85.9%
	Grade 12	4.2%	6.3%	13.4%	86.6%
Any Illicit Drug	All	16.6%	22.5%	33.1%	66.9%
	Grade 7	7.2%	9.6%	16.2%	83.8%
	Grade 8	12.3%	16.1%	24.4%	75.6%
	Grade 9	18.0%	24.0%	34.5%	65.5%
	Grade 10	21.5%	29.6%	40.2%	59.8%
	Grade 11	20.5%	28.4%	41.7%	58.3%
	Grade 12	20.8%	28.6%	43.5%	56.5%
Marijuana	All	13.8%	19.6%	30.1%	69.9%
	Grade 7	5.7%	8.1%	14.2%	85.8%
	Grade 8	9.8%	13.5%	21.3%	78.7%
	Grade 9	14.3%	20.2%	30.7%	69.3%
	Grade 10	18.3%	26.3%	36.8%	63.2%
	Grade 11	17.4%	25.3%	39.2%	60.8%
	Grade 12	18.1%	25.9%	40.7%	59.3%
Marijuana Only	All	4.3%	6.8%	12.4%	87.6%
	Grade 7	2.1%	3.1%	6.3%	93.7%
	Grade 8	3.3%	4.8%	9.3%	90.7%
	Grade 9	4.3%	6.5%	12.2%	87.8%
	Grade 10	5.4%	9.0%	14.8%	85.2%
	Grade 11	5.4%	9.0%	16.3%	83.7%
	Grade 12	5.5%	8.8%	16.6%	83.4%
Cocaine or Crack	All	6.4%	9.1%	14.2%	85.8%
	Grade 7	2.2%	3.1%	5.4%	94.6%
	Grade 8	4.1%	5.8%	9.1%	90.9%
	Grade 9	6.9%	10.1%	14.8%	85.2%
	Grade 10	8.6%	12.2%	17.7%	82.3%
	Grade 11	7.9%	11.5%	18.8%	81.2%
	Grade 12	8.9%	12.7%	20.7%	79.3%
Cocaine	All	6.1%	8.8%	13.8%	86.2%
	Grade 7	1.9%	2.7%	4.7%	95.3%
	Grade 8	3.5%	5.1%	8.4%	91.6%
	Grade 9	6.5%	9.7%	14.4%	85.6%
	Grade 10	8.5%	12.1%	17.4%	82.6%
	Grade 11	7.8%	11.5%	18.7%	81.3%
	Grade 12	8.8%	12.5%	20.4%	79.6%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

Table B14 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	1.5%	2.4%	4.0%	96.0%
	Grade 7	0.8%	1.3%	2.5%	97.5%
	Grade 8	1.6%	2.4%	3.8%	96.2%
	Grade 9	1.8%	2.8%	4.5%	95.5%
	Grade 10	2.7%	4.0%	5.6%	94.4%
	Grade 11	1.0%	1.7%	3.8%	96.2%
	Grade 12	1.2%	1.9%	3.9%	96.1%
Hallucinogens	All	0.8%	1.5%	2.5%	97.5%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.0%	1.6%	98.4%
	Grade 9	0.9%	1.6%	2.6%	97.4%
	Grade 10	0.9%	2.1%	3.3%	96.7%
	Grade 11	1.0%	1.8%	3.2%	96.8%
	Grade 12	1.1%	1.7%	3.9%	96.1%
Uppers	All	2.4%	3.4%	5.2%	94.8%
	Grade 7	0.8%	1.2%	1.8%	98.2%
	Grade 8	1.9%	2.5%	3.6%	96.4%
	Grade 9	2.3%	3.6%	5.3%	94.7%
	Grade 10	4.0%	5.6%	7.5%	92.5%
	Grade 11	2.8%	4.3%	6.9%	93.1%
	Grade 12	2.5%	3.7%	6.6%	93.4%
Downers	All	2.7%	4.0%	6.0%	94.0%
	Grade 7	0.7%	1.2%	1.7%	98.3%
	Grade 8	1.9%	2.5%	3.7%	96.3%
	Grade 9	2.8%	4.6%	6.3%	93.7%
	Grade 10	4.5%	6.2%	8.6%	91.4%
	Grade 11	3.3%	5.0%	7.7%	92.3%
	Grade 12	3.1%	4.7%	8.3%	91.7%
Rohypnol	All	4.5%	7.0%	11.1%	88.9%
	Grade 7	2.2%	3.4%	5.5%	94.5%
	Grade 8	4.1%	6.1%	9.3%	90.7%
	Grade 9	6.2%	9.3%	13.8%	86.2%
	Grade 10	6.8%	9.8%	14.1%	85.9%
	Grade 11	3.9%	6.5%	11.9%	88.1%
	Grade 12	3.2%	5.9%	11.7%	88.3%
Steroids	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.6%	1.0%	1.8%	98.2%
	Grade 11	0.8%	1.2%	2.0%	98.0%
	Grade 12	0.8%	1.2%	2.3%	97.7%
Ecstasy	All	2.5%	4.1%	6.4%	93.6%
	Grade 7	0.9%	1.4%	2.6%	97.4%
	Grade 8	2.4%	3.3%	5.1%	94.9%
	Grade 9	2.9%	4.3%	6.9%	93.1%
	Grade 10	2.5%	4.7%	6.8%	93.2%
	Grade 11	3.3%	5.4%	8.1%	91.9%
	Grade 12	3.3%	6.0%	9.3%	90.7%
Heroin	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.5%	0.8%	2.0%	98.0%
	Grade 8	0.7%	1.1%	1.8%	98.2%
	Grade 9	0.7%	1.1%	2.5%	97.5%
	Grade 10	0.4%	0.6%	1.2%	98.8%
	Grade 11	0.5%	0.6%	1.2%	98.8%
	Grade 12	0.4%	0.7%	1.6%	98.4%

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

GENDER

q1	Frequency	Percent
Female	127067.2	51.35
Male	120387.8	48.65

Frequency Missing = 634.10844952

GRADE

q2	Frequency	Percent
Grade 7	43234.46	17.43
Grade 8	46328.41	18.67
Grade 9	54129.99	21.82
Grade 10	38760.9	15.62
Grade 11	37304.12	15.04
Grade 12	28331.22	11.42

LIVE WITH BOTH PARENTS

q3	Frequency	Percent
No	74967.59	30.34
Yes	172120.5	69.66

Frequency Missing = 1001.0079834

AGE

q4	Frequency	Percent
11 or younger	222.7521	0.09
12	12436.05	5.02
13	38923.33	15.73
14	45221.03	18.27
15	46084.11	18.62
16	40402.18	16.32
17	37331.71	15.08
18	21564.32	8.71
19 or older	5302.601	2.14

Frequency Missing = 601.02545711

ETHNICITY

q5	Frequency	Percent
African/American	2402.029	0.97
Asian/American	1535.599	0.62
Mexican/American	230720.1	93.00
Native/American	481.8938	0.19
Other	3058.252	1.23
White	9891.188	3.99

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

ON AVERAGE WHAT GRADES DO YOU GET

q6	Frequency	Percent
Mostly A's	46161.69	18.87
Mostly B's	136518.1	55.80
Mostly C's	53920.99	22.04
Mostly D's	5534.336	2.26
Mostly F's	2532.998	1.04

Frequency Missing = 3421.0297064

LENGTH OF TIME IN THIS DISTRICT

q7	Frequency	Percent
<1 year	22535.32	9.25
2-3 years	42291.29	17.36
>4 years	178821	73.39

Frequency Missing = 4441.4909584

DO YOU HAVE A JOB

q8	Frequency	Percent
No	205585.8	83.93
Yes	39352.35	16.07

Frequency Missing = 3150.9032875

DO YOU GET AN ALLOWANCE

q9	Frequency	Percent
No	122249.2	50.55
Yes	119612.6	49.45

Frequency Missing = 6227.3350885

EITHER PARENT COLLEGE GRADUATE

q10	Frequency	Percent
Don't Know	48866.43	19.97
No	121231.8	49.55
Yes	74589.65	30.48

Frequency Missing = 3401.2382169

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

QUALIFY FOR FREE/REDUCED PRICE LUNCH

q11	Frequency	Percent
Don't Know	51662.68	21.20
No	29816.8	12.24
Yes	162160.6	66.56

Frequency Missing = 4449.0006128

PARTICIPATE IN ATHLETICS

q12a	Frequency	Percent
No	111123.7	49.50
Yes	113382.3	50.50

Frequency Missing = 23583.15915

PARTICIPATE IN BAND/ORCHESTRA

q12b	Frequency	Percent
No	156407.2	78.67
Yes	42416.71	21.33

Frequency Missing = 49265.20735

PARTICIPATE IN CHOIR

q12c	Frequency	Percent
No	168448.8	88.54
Yes	21804.35	11.46

Frequency Missing = 57835.969409

PARTICIPATE IN DRAMA/SPEECH

q12d	Frequency	Percent
No	165854.2	87.03
Yes	24722.7	12.97

Frequency Missing = 57512.196833

PARTICIPATE IN DRILL TEAM/CHEERLEADING

q12e	Frequency	Percent
No	175501.9	90.81
Yes	17762.74	9.19

Frequency Missing = 54824.486287

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

PARTICIPATE IN STUDENT GOVERNMENT

q12f	Frequency	Percent
No	183909	94.86
Yes	9960.537	5.14

Frequency Missing = 54219.564278

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK

q12g	Frequency	Percent
No	186051.5	93.81
Yes	12272.58	6.19

Frequency Missing = 49765.022152

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES

q12h	Frequency	Percent
No	169084.1	82.91
Yes	34861.69	17.09

Frequency Missing = 44143.281312

PARTICIPATE IN SERVICE CLUBS

q12i	Frequency	Percent
No	188143	92.07
Yes	16211.97	7.93

Frequency Missing = 43734.138949

PARTICIPATE IN VOE/DE/WORK-STUDY

q12j	Frequency	Percent
No	201300.8	97.07
Yes	6081.743	2.93

Frequency Missing = 40706.607357

PARTICIPATE IN OTHER CLUBS

q12k	Frequency	Percent
No	151679.7	69.72
Yes	65861.87	30.28

Frequency Missing = 30547.529399

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DO YOU FEEL SAFE IN YOUR HOME

q13a	Frequency	Percent
Very Safe	191378.8	78.48
Somewhat Safe	43676.13	17.91
Not Very Safe	3615.029	1.48
Not Safe At All	1241.307	0.51
Don't Know	3945.359	1.62

Frequency Missing = 4232.4893226

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

q13b	Frequency	Percent
Very Safe	76953.07	31.71
Somewhat Safe	119997.1	49.45
Not Very Safe	31394.73	12.94
Not Safe At All	7702.882	3.17
Don't Know	6593.882	2.72

Frequency Missing = 5447.3971623

DO YOU FEEL SAFE AT SCHOOL

q13c	Frequency	Percent
Very Safe	79542.65	32.66
Somewhat Safe	117190.7	48.11
Not Very Safe	27624.96	11.34
Not Safe At All	11061.06	4.54
Don't Know	8154.247	3.35

Frequency Missing = 4515.4873389

FRIENDS FEELING CLOSE TO THEIR PARENTS

q14a	Frequency	Percent
None	18093.89	7.44
A Few	76411.9	31.40
Some	61374.11	25.22
Most	64841.3	26.65
All	22617.32	9.29

Frequency Missing = 4750.5847551

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

HOW MANY FRIENDS CARRY WEAPONS

q14b	Frequency	Percent
None	170130	70.94
A Few	40974.11	17.08
Some	19091.16	7.96
Most	6336.154	2.64
All	3302.793	1.38

Frequency Missing = 8254.8584836

HOW MANY FRIENDS CARE ABOUT GOOD GRADES

q14c	Frequency	Percent
None	9888.85	4.17
A Few	42834.04	18.07
Some	57346.35	24.19
Most	81475.05	34.36
All	45559.77	19.22

Frequency Missing = 10985.041143

HOW MANY FRIENDS BELONG TO A GANG

q14d	Frequency	Percent
None	169951.3	70.27
A Few	37524.28	15.52
Some	19524.73	8.07
Most	10085.11	4.17
All	4762.636	1.97

Frequency Missing = 6241.0647383

FRIENDS WISHING TO DROP OUT OF SCHOOL

q14e	Frequency	Percent
None	136321.1	56.22
A Few	66889.89	27.59
Some	24117.85	9.95
Most	9287.415	3.83
All	5850.44	2.41

Frequency Missing = 5622.434797

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES

q15	Frequency	Percent
No	117074.9	51.93
Yes	108384.3	48.07

Frequency Missing = 22629.854371

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

EVER INHALED SPRAY PAINT FOR KICKS

q16a	Frequency	Percent
Never Heard/Used	216412.4	91.81
In Your Lifetime	10976.3	4.66
Since School Began	2905.812	1.23
In the Past Month	5431.903	2.30

Frequency Missing = 12362.666617

EVER INHALED WHITEOUT FOR KICKS

q16b	Frequency	Percent
Never Heard/Used	212688.1	92.14
In Your Lifetime	9664.687	4.19
Since School Began	2767.559	1.20
In the Past Month	5702.43	2.47

Frequency Missing = 17266.353524

EVER INHALED GASOLINE FOR KICKS

q16c	Frequency	Percent
Never Heard/Used	217793.6	95.69
In Your Lifetime	5087.143	2.24
Since School Began	1457.521	0.64
In the Past Month	3259.793	1.43

Frequency Missing = 20490.99856

EVER INHALED FREON FOR KICKS

q16d	Frequency	Percent
Never Heard/Used	222546.4	98.04
In Your Lifetime	1877.97	0.83
Since School Began	973.3584	0.43
In the Past Month	1589.662	0.70

Frequency Missing = 21101.739179

EVER INHALED POPPERS, ETC. FOR KICKS

q16e	Frequency	Percent
Never Heard/Used	223289	97.91
In Your Lifetime	1928.86	0.85
Since School Began	945.5881	0.41
In the Past Month	1882.054	0.83

Frequency Missing = 20043.625047

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

EVER INHALED GLUE FOR KICKS

q16f	Frequency	Percent
Never Heard/Used	219121.1	95.87
In Your Lifetime	4877.46	2.13
Since School Began	1745.218	0.76
In the Past Month	2820.972	1.23

Frequency Missing = 19524.356196

EVER INHALED PAINT THINNERS FOR KICKS

q16g	Frequency	Percent
Never Heard/Used	219750.4	95.64
In Your Lifetime	4411.174	1.92
Since School Began	1713.872	0.75
In the Past Month	3897.749	1.70

Frequency Missing = 18315.925324

EVER INHALED NITROUS OXIDE FOR KICKS

q16h	Frequency	Percent
Never Heard/Used	220114	94.99
In Your Lifetime	4940.325	2.13
Since School Began	2578.396	1.11
In the Past Month	4100.259	1.77

Frequency Missing = 16356.140371

EVER INHALED OCTANE BOOSTER FOR KICKS

q16i	Frequency	Percent
Never Heard/Used	229679.8	98.62
In Your Lifetime	1168.617	0.50
Since School Began	676.0148	0.29
In the Past Month	1365.235	0.59

Frequency Missing = 15199.435227

EVER INHALED OTHER SPRAYS FOR KICKS

q16j	Frequency	Percent
Never Heard/Used	225390.2	95.62
In Your Lifetime	4750.762	2.02
Since School Began	1800.636	0.76
In the Past Month	3772.898	1.60

Frequency Missing = 12374.590237

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

EVER INHALED OTHER INHALANTS FOR KICKS

q16k	Frequency	Percent
Never Heard/Used	215988	90.85
In Your Lifetime	9331.573	3.93
Since School Began	3540.725	1.49
In the Past Month	8869.854	3.73

Frequency Missing = 10358.95056

RECENT CIGARETTE USE

q17a	Frequency	Percent
Never Heard/Used	131552.2	54.62
In Your Lifetime	45196.83	18.77
Since School Began	16981.36	7.05
In the Past Month	47099.18	19.56

Frequency Missing = 7259.5104593

RECENT SMOKELESS TOBACCO USE

q17b	Frequency	Percent
Never Heard/Used	219827.9	92.27
In Your Lifetime	7720.452	3.24
Since School Began	3358.282	1.41
In the Past Month	7343.011	3.08

Frequency Missing = 9839.4628333

RECENT BEER USE

q17c	Frequency	Percent
Never Heard/Used	108038	45.44
In Your Lifetime	42460.86	17.86
Since School Began	22161.38	9.32
In the Past Month	65097.51	27.38

Frequency Missing = 10331.404274

RECENT WINE COOLER USE

q17d	Frequency	Percent
Never Heard/Used	104555.4	43.87
In Your Lifetime	44257.92	18.57
Since School Began	26820.69	11.25
In the Past Month	62682.33	26.30

Frequency Missing = 9772.7650567

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

RECENT WINE USE

q17e	Frequency	Percent
Never Heard/Used	128280.9	53.64
In Your Lifetime	43111.66	18.03
Since School Began	22924.18	9.59
In the Past Month	44814.61	18.74

Frequency Missing = 8957.7310653

RECENT LIQUOR USE

q17f	Frequency	Percent
Never Heard/Used	131710.3	54.46
In Your Lifetime	32176.72	13.31
Since School Began	21046.2	8.70
In the Past Month	56895.76	23.53

Frequency Missing = 6260.1369919

RECENT MARIJUANA USE

q18a	Frequency	Percent
Never Heard/Used	170488.8	70.63
In Your Lifetime	24611.44	10.20
Since School Began	13925.94	5.77
In the Past Month	32370.84	13.41

Frequency Missing = 6692.0553105

RECENT COCAINE USE

q18b	Frequency	Percent
Never Heard/Used	207475.3	86.65
In Your Lifetime	11451.96	4.78
Since School Began	6251.862	2.61
In the Past Month	14258.32	5.95

Frequency Missing = 8651.6252751

RECENT CRACK USE

q18c	Frequency	Percent
Never Heard/Used	227486.2	95.98
In Your Lifetime	3864.409	1.63
Since School Began	2014.01	0.85
In the Past Month	3646.592	1.54

Frequency Missing = 11077.94253

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

RECENT HALLUCINOGEN USE

q18e	Frequency	Percent
Never Heard/Used	231322.4	97.39
In Your Lifetime	2721.218	1.15
Since School Began	1427.789	0.60
In the Past Month	2050.873	0.86

Frequency Missing = 10566.811475

RECENT UPPER USE

q18f	Frequency	Percent
Never Heard/Used	224395.7	94.83
In Your Lifetime	4311.871	1.82
Since School Began	2502.895	1.06
In the Past Month	5420.639	2.29

Frequency Missing = 11457.952983

RECENT DOWNER USE

q18g	Frequency	Percent
Never Heard/Used	221550.9	94.15
In Your Lifetime	4719.528	2.01
Since School Began	2833.945	1.20
In the Past Month	6218.001	2.64

Frequency Missing = 12766.762152

RECENT ROHYPNOL USE

q18h	Frequency	Percent
Never Heard/Used	210430.2	89.08
In Your Lifetime	9849.216	4.17
Since School Began	5535.936	2.34
In the Past Month	10399.39	4.40

Frequency Missing = 11874.350612

RECENT STEROID USE

q18i	Frequency	Percent
Never Heard/Used	230896.8	98.15
In Your Lifetime	1922.045	0.82
Since School Began	839.393	0.36
In the Past Month	1595.378	0.68

Frequency Missing = 12835.452645

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

RECENT ECSTASY USE

q18j	Frequency	Percent
Never Heard/Used	221956.2	93.67
In Your Lifetime	5481.17	2.31
Since School Began	3444.454	1.45
In the Past Month	6069.523	2.56

Frequency Missing = 11137.800051

RECENT HEROIN USE

q18k	Frequency	Percent
Never Heard/Used	235230.4	98.09
In Your Lifetime	2336.489	0.97
Since School Began	708.2599	0.30
In the Past Month	1546.504	0.64

Frequency Missing = 8267.4589568

TOBACCO USE IN PAST MONTH

q19a	Frequency	Percent
Never Heard/Used	206844.4	86.72
1-2 times	13827.63	5.80
3-10 times	8920.953	3.74
11+ times	8916.351	3.74

Frequency Missing = 9579.8174781

ALCOHOL USE IN PAST MONTH

q19b	Frequency	Percent
Never Heard/Used	163966.3	68.78
1-2 times	35967.3	15.09
3-10 times	25854.25	10.84
11+ times	12611.74	5.29

Frequency Missing = 9689.5324087

INHALANT USE IN PAST MONTH

q19c	Frequency	Percent
Never Heard/Used	225799.5	95.35
1-2 times	7972.497	3.37
3-10 times	2269.927	0.96
11+ times	762.7343	0.32

Frequency Missing = 11284.484277

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

MARIJUANA USE IN PAST MONTH

q19d	Frequency	Percent
Never Heard/Used	205624.4	86.98
1-2 times	12495.05	5.29
3-10 times	9259.27	3.92
11+ times	9035.882	3.82

Frequency Missing = 11674.476063

COCAINE USE IN PAST MONTH

q19e	Frequency	Percent
Never Heard/Used	223809.5	94.48
1-2 times	6784.15	2.86
3-10 times	4069.852	1.72
11+ times	2212.094	0.93

Frequency Missing = 11213.507218

CRACK USE IN PAST MONTH

q19f	Frequency	Percent
Never Heard/Used	234931.9	98.45
1-2 times	2329.684	0.98
3-10 times	801.0145	0.34
11+ times	577.9684	0.24

Frequency Missing = 9448.5207186

CLOSE FRIENDS USE CIGARETTES

q20a	Frequency	Percent
Never heard/None	83020.5	35.37
A few	80863.05	34.46
Some	40136.34	17.10
Most	24235.74	10.33
All	6431.427	2.74

Frequency Missing = 13402.046104

CLOSE FRIENDS USE SMOKELESS TOBACCO

q20b	Frequency	Percent
Never heard/None	182200	78.87
A few	30058.23	13.01
Some	12154.5	5.26
Most	4374.228	1.89
All	2218.614	0.96

Frequency Missing = 17083.551484

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

CLOSE FRIENDS USE BEER

q20c	Frequency	Percent
Never heard/None	60364.97	25.92
A few	58848.05	25.27
Some	42455.23	18.23
Most	46452.72	19.95
All	24725.51	10.62

Frequency Missing = 15242.625649

CLOSE FRIENDS USE WINE COOLERS

q20d	Frequency	Percent
Never heard/None	72461.02	31.14
A few	59825.15	25.71
Some	41379.04	17.78
Most	38433.7	16.52
All	20589.97	8.85

Frequency Missing = 15400.227366

CLOSE FRIENDS USE WINE

q20e	Frequency	Percent
Never heard/None	106516.4	45.68
A few	55174.32	23.66
Some	32811.56	14.07
Most	24358.54	10.45
All	14303.78	6.13

Frequency Missing = 14924.502621

CLOSE FRIENDS USE LIQUOR

q20f	Frequency	Percent
Never heard/None	95762.48	41.02
A few	48056.8	20.58
Some	34466.57	14.76
Most	34694.94	14.86
All	20477.11	8.77

Frequency Missing = 14631.209036

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

CLOSE FRIENDS USE INHALANTS

q20g	Frequency	Percent
Never heard/None	190790.1	81.33
A few	27632.64	11.78
Some	10221.63	4.36
Most	3774.277	1.61
All	2155.427	0.92

Frequency Missing = 13515.032275

CLOSE FRIENDS USE MARIJUANA

q20h	Frequency	Percent
Never heard/None	113749.5	47.72
A few	49936.89	20.95
Some	31747.23	13.32
Most	28225.66	11.84
All	14700.46	6.17

Frequency Missing = 9729.3926937

DIFFICULT TO GET CIGARETTES

q21a	Frequency	Percent
Never heard of	32363.13	13.93
Impossible	27942.74	12.02
Very difficult	10987.87	4.73
Somewhat diff	20406.97	8.78
Somewhat easy	45665.46	19.65
Very easy	95016.86	40.89

Frequency Missing = 15706.083453

DIFFICULT TO GET SMOKELESS TOBACCO

q21b	Frequency	Percent
Never heard of	73516.07	32.20
Impossible	40492.75	17.74
Very difficult	16013.25	7.01
Somewhat diff	25759.08	11.28
Somewhat easy	29192.94	12.79
Very easy	43328.43	18.98

Frequency Missing = 19786.595314

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DIFFICULT TO GET BEER

q21c	Frequency	Percent
Never heard of	28288.9	12.41
Impossible	23155.18	10.16
Very difficult	11300.69	4.96
Somewhat diff	23403.43	10.27
Somewhat easy	47937.04	21.03
Very easy	93886.62	41.18

Frequency Missing = 20117.244373

DIFFICULT TO GET WINE COOLERS

q21d	Frequency	Percent
Never heard of	32583.73	14.27
Impossible	22880.54	10.02
Very difficult	11047.56	4.84
Somewhat diff	23432.98	10.27
Somewhat easy	48005.39	21.03
Very easy	90322.36	39.57

Frequency Missing = 19816.553569

DIFFICULT TO GET WINE

q21e	Frequency	Percent
Never heard of	36945.14	16.14
Impossible	29623.78	12.94
Very difficult	15614.83	6.82
Somewhat diff	27981.9	12.23
Somewhat easy	42863.66	18.73
Very easy	75861.15	33.14

Frequency Missing = 19198.637434

DIFFICULT TO GET LIQUOR

q21f	Frequency	Percent
Never heard of	37019.86	16.07
Impossible	32284.66	14.02
Very difficult	17054.42	7.40
Somewhat diff	25343.74	11.00
Somewhat easy	39183.21	17.01
Very easy	79440.48	34.49

Frequency Missing = 17762.736099

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DIFFICULT TO GET INHALANTS

q21g	Frequency	Percent
Never heard of	62771.27	27.84
Impossible	32222.15	14.29
Very difficult	9789.104	4.34
Somewhat diff	12841.3	5.69
Somewhat easy	22630.51	10.04
Very easy	85230.69	37.80

Frequency Missing = 22604.084961

DIFFICULT TO GET MARIJUANA

q21h	Frequency	Percent
Never heard of	40707.48	17.98
Impossible	42043.56	18.57
Very difficult	15995.6	7.07
Somewhat diff	22405.73	9.90
Somewhat easy	34864.58	15.40
Very easy	70339.46	31.07

Frequency Missing = 21732.712417

DIFFICULT TO GET COCAINE

q21i	Frequency	Percent
Never heard of	51016.25	22.51
Impossible	51763.86	22.84
Very difficult	22570.38	9.96
Somewhat diff	26848.21	11.85
Somewhat easy	29428.65	12.99
Very easy	44967.8	19.84

Frequency Missing = 21493.963523

DIFFICULT TO GET CRACK

q21j	Frequency	Percent
Never heard of	62297.57	27.49
Impossible	54933.69	24.24
Very difficult	26438.15	11.67
Somewhat diff	29284.56	12.92
Somewhat easy	23651.54	10.44
Very easy	29989.55	13.23

Frequency Missing = 21494.054278

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DIFFICULT TO GET HALLUCINOGENS

q21l	Frequency	Percent
Never heard of	106662.5	47.49
Impossible	44031.93	19.60
Very difficult	22884.45	10.19
Somewhat diff	21165.62	9.42
Somewhat easy	13227.76	5.89
Very easy	16634.05	7.41

Frequency Missing = 23482.8062

DIFFICULT TO GET UPPERS

q21m	Frequency	Percent
Never heard of	105955.4	47.21
Impossible	37435.85	16.68
Very difficult	17342.14	7.73
Somewhat diff	19880.48	8.86
Somewhat easy	18715.82	8.34
Very easy	25090.67	11.18

Frequency Missing = 23668.76258

DIFFICULT TO GET DOWNERS

q21n	Frequency	Percent
Never heard of	105983.1	46.65
Impossible	37897.98	16.68
Very difficult	17334.44	7.63
Somewhat diff	20123.62	8.86
Somewhat easy	19137.38	8.42
Very easy	26727.81	11.76

Frequency Missing = 20884.718472

DIFFICULT TO GET ROHYPNOL

q21o	Frequency	Percent
Never heard of	80498.56	35.59
Impossible	39926.89	17.65
Very difficult	16512.79	7.30
Somewhat diff	19852.67	8.78
Somewhat easy	24442.23	10.81
Very easy	44950.99	19.87

Frequency Missing = 21904.984496

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DIFFICULT TO GET STEROIDS

q21p	Frequency	Percent
Never heard of	75881.33	33.45
Impossible	53324.33	23.51
Very difficult	24760.34	10.92
Somewhat diff	27255.17	12.02
Somewhat easy	20131.23	8.88
Very easy	25465.63	11.23

Frequency Missing = 21271.077315

DIFFICULT TO GET ECSTASY

q21q	Frequency	Percent
Never heard of	78567.22	34.09
Impossible	48165.62	20.90
Very difficult	21505.19	9.33
Somewhat diff	23530.25	10.21
Somewhat easy	23561.72	10.22
Very easy	35131.81	15.24

Frequency Missing = 17627.286372

DIFFICULT TO GET HEROIN

q21r	Frequency	Percent
Never heard of	77299.4	33.08
Impossible	63265.56	27.08
Very difficult	30207.71	12.93
Somewhat diff	25151.13	10.76
Somewhat easy	16191.17	6.93
Very easy	21537.16	9.22

Frequency Missing = 14436.977022

AGE WHEN FIRST USED CIGARETTES

q22a	Frequency	Percent
9 or younger	14653.73	12.86
10 years old	10854.59	9.53
11 years old	11369.34	9.98
12 years old	17330.75	15.21
13 years old	17568.37	15.42
14 years old	16438.72	14.43
15 years old	12790.32	11.23
16 years old	7439.672	6.53
17 years old	3865.082	3.39
18 or older	1629.347	1.43

Frequency Missing = 134149.19178

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AGE WHEN FIRST USED SMOKELESS TOBACCO

q22b	Frequency	Percent
9 or younger	1933.932	10.41
10 years old	1382.736	7.44
11 years old	1899.282	10.23
12 years old	2325.884	12.52
13 years old	2645.891	14.25
14 years old	2945.763	15.86
15 years old	2405.883	12.95
16 years old	1573.172	8.47
17 years old	947.0343	5.10
18 or older	513.9347	2.77

Frequency Missing = 229515.5948

AGE WHEN FIRST USED BEER

q22c	Frequency	Percent
9 or younger	24140.01	17.35
10 years old	11202.08	8.05
11 years old	11134.55	8.00
12 years old	17166.49	12.34
13 years old	20842.33	14.98
14 years old	20867.33	15.00
15 years old	18565.66	13.34
16 years old	9195.598	6.61
17 years old	4072.06	2.93
18 or older	1935.299	1.39

Frequency Missing = 108967.68535

AGE WHEN FIRST USED WINE COOLERS

q22d	Frequency	Percent
9 or younger	11135.06	8.06
10 years old	10373.26	7.51
11 years old	12929.03	9.36
12 years old	19276.51	13.96
13 years old	24897.13	18.03
14 years old	23294.88	16.87
15 years old	19714.6	14.28
16 years old	10186.83	7.38
17 years old	4542.344	3.29
18 or older	1725.972	1.25

Frequency Missing = 110013.48732

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AGE WHEN FIRST USED WINE

q22e	Frequency	Percent
9 or younger	9548.654	8.35
10 years old	7647.621	6.69
11 years old	10057.85	8.79
12 years old	15479.41	13.53
13 years old	19087.08	16.68
14 years old	18921.17	16.54
15 years old	18957.69	16.57
16 years old	8666.525	7.58
17 years old	4105.997	3.59
18 or older	1927.694	1.69

Frequency Missing = 133689.41336

AGE WHEN FIRST USED LIQUOR

q22f	Frequency	Percent
9 or younger	6352.134	6.09
10 years old	5493.731	5.27
11 years old	6804.604	6.53
12 years old	12004.46	11.51
13 years old	17366.31	16.66
14 years old	18974.93	18.20
15 years old	19174.4	18.39
16 years old	11169.72	10.71
17 years old	4971.907	4.77
18 or older	1949.035	1.87

Frequency Missing = 143827.88375

AGE WHEN FIRST USED INHALANTS

q22g	Frequency	Percent
9 or younger	2618.287	12.59
10 years old	2142.972	10.31
11 years old	2723.005	13.10
12 years old	4088.487	19.66
13 years old	4118.576	19.81
14 years old	2540.771	12.22
15 years old	1328.607	6.39
16 years old	838.6785	4.03
17 years old	319.6161	1.54
18 or older	74.14419	0.36

Frequency Missing = 227295.96233

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AGE WHEN FIRST USED MARIJUANA

q22h	Frequency	Percent
9 or younger	3030.614	4.42
10 years old	3064.734	4.47
11 years old	4820.919	7.03
12 years old	9190.675	13.41
13 years old	13803.34	20.14
14 years old	12862.07	18.76
15 years old	10720.18	15.64
16 years old	6800.941	9.92
17 years old	3120.422	4.55
18 or older	1138.109	1.66

Frequency Missing = 179537.10459

AGE WHEN FIRST USED COCAINE

q22i	Frequency	Percent
9 or younger	354.6235	1.17
10 years old	620.4401	2.05
11 years old	1093.714	3.61
12 years old	2441.88	8.07
13 years old	4718.058	15.59
14 years old	5849.433	19.33
15 years old	6909.056	22.83
16 years old	4956.551	16.38
17 years old	2370.774	7.83
18 or older	949.3713	3.14

Frequency Missing = 217825.20497

AGE WHEN FIRST USED CRACK

q22j	Frequency	Percent
9 or younger	232.6312	2.66
10 years old	259.982	2.97
11 years old	546.3687	6.25
12 years old	991.6138	11.34
13 years old	1576.146	18.03
14 years old	1693.444	19.37
15 years old	1650.064	18.87
16 years old	1019.303	11.66
17 years old	535.1918	6.12
18 or older	239.1991	2.74

Frequency Missing = 239345.16287

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AGE WHEN FIRST USED HALLUCINOGENS

q22l	Frequency	Percent
9 or younger	110.7485	1.92
10 years old	171.298	2.98
11 years old	329.0486	5.72
12 years old	589.0006	10.23
13 years old	796.0383	13.83
14 years old	999.2288	17.35
15 years old	1094.132	19.00
16 years old	1081.409	18.78
17 years old	475.2682	8.25
18 or older	111.4209	1.94

Frequency Missing = 242331.51284

AGE WHEN FIRST USED UPPERS

q22m	Frequency	Percent
9 or younger	260.0331	2.04
10 years old	302.5329	2.38
11 years old	613.4288	4.82
12 years old	1252.768	9.85
13 years old	2315.428	18.21
14 years old	2916.101	22.93
15 years old	2707.432	21.29
16 years old	1643.836	12.93
17 years old	537.1621	4.22
18 or older	168.4477	1.32

Frequency Missing = 235371.9353

AGE WHEN FIRST USED DOWNERS

q22n	Frequency	Percent
9 or younger	310.1072	2.26
10 years old	285.7049	2.09
11 years old	647.8279	4.73
12 years old	1313.102	9.59
13 years old	2578.729	18.83
14 years old	3288.706	24.01
15 years old	2932.686	21.41
16 years old	1630.058	11.90
17 years old	579.7545	4.23
18 or older	128.5975	0.94

Frequency Missing = 234393.8317

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AGE WHEN FIRST USED ROHYPNOL

q22o	Frequency	Percent
9 or younger	472.5564	1.85
10 years old	572.1194	2.24
11 years old	1330.263	5.21
12 years old	2964.524	11.60
13 years old	4727.464	18.50
14 years old	5954.263	23.30
15 years old	5272.16	20.63
16 years old	3046.479	11.92
17 years old	928.5287	3.63
18 or older	283.201	1.11

Frequency Missing = 222537.54598

AGE WHEN FIRST USED STEROIDS

q22p	Frequency	Percent
9 or younger	245.6733	6.48
10 years old	175.4822	4.63
11 years old	167.8443	4.43
12 years old	372.615	9.83
13 years old	602.2648	15.89
14 years old	605.7237	15.98
15 years old	583.3406	15.39
16 years old	570.9152	15.06
17 years old	368.1436	9.71
18 or older	98.46587	2.60

Frequency Missing = 244298.63738

AGE WHEN FIRST USED ECSTASY

q22q	Frequency	Percent
9 or younger	290.4068	2.05
10 years old	248.6041	1.75
11 years old	425.5281	3.00
12 years old	859.6558	6.07
13 years old	1903.672	13.43
14 years old	2447.326	17.27
15 years old	2928.511	20.67
16 years old	2892.351	20.41
17 years old	1654.516	11.68
18 or older	519.0091	3.66

Frequency Missing = 233919.52584

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AGE WHEN FIRST USED HEROIN

q22r	Frequency	Percent
9 or younger	149.7314	3.87
10 years old	162.4353	4.19
11 years old	352.815	9.11
12 years old	592.2039	15.29
13 years old	659.0788	17.02
14 years old	755.5451	19.51
15 years old	549.7764	14.19
16 years old	382.1029	9.87
17 years old	201.8153	5.21
18 or older	67.67392	1.75

Frequency Missing = 244215.92797

HOW OFTEN NORMALLY USE CIGARETTES

q23a	Frequency	Percent
Every day	6674.84	2.80
Several times/wk	11273.23	4.72
Several times/mo	16147.84	6.77
About once/month	20138.3	8.44
About once/year	17760.28	7.44
< once/year	24658.38	10.33
Never used	142022.3	59.50

Frequency Missing = 9413.9033257

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO

q23b	Frequency	Percent
Every day	686.3245	0.28
Several times/wk	1555.27	0.65
Several times/mo	2037.867	0.85
About once/month	2803.872	1.16
About once/year	3189.823	1.32
< once/year	5597.856	2.32
Never used	225039.6	93.41

Frequency Missing = 7178.4658523

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

HOW OFTEN NORMALLY USE BEER

q23c	Frequency	Percent
Every day	1343.253	0.57
Several times/wk	16509.53	7.03
Several times/mo	31857.49	13.56
About once/month	30067.02	12.80
About once/year	21609.24	9.20
< once/year	21467.92	9.14
Never used	112037.2	47.70

Frequency Missing = 13197.463518

HOW OFTEN NORMALLY USE WINE COOLERS

q23d	Frequency	Percent
Every day	762.1449	0.33
Several times/wk	12751.22	5.44
Several times/mo	29865.09	12.74
About once/month	32673.81	13.93
About once/year	27636.64	11.79
< once/year	20593.24	8.78
Never used	110207.7	47.00

Frequency Missing = 13599.282253

HOW OFTEN NORMALLY USE WINE

q23e	Frequency	Percent
Every day	397.5429	0.17
Several times/wk	8679.805	3.69
Several times/mo	20041.29	8.51
About once/month	23340.52	9.92
About once/year	28635.25	12.17
< once/year	21326.66	9.06
Never used	132961.4	56.49

Frequency Missing = 12706.677841

HOW OFTEN NORMALLY USE LIQUOR

q23f	Frequency	Percent
Every day	594.0168	0.25
Several times/wk	10888.55	4.60
Several times/mo	26028.92	11.01
About once/month	25583.67	10.82
About once/year	20678.15	8.74
< once/year	15082.32	6.38
Never used	137652.4	58.20

Frequency Missing = 11581.101837

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

HOW OFTEN NORMALLY USE INHALANTS

q23g	Frequency	Percent
Every day	425.3029	0.18
Several times/wk	1239.746	0.51
Several times/mo	2108.566	0.88
About once/month	3147.832	1.31
About once/year	3291.654	1.37
< once/year	5544.606	2.30
Never used	225076.5	93.46

Frequency Missing = 7254.9272228

HOW OFTEN NORMALLY USE MARIJUANA

q23h	Frequency	Percent
Every day	5862.886	2.46
Several times/wk	8594.325	3.60
Several times/mo	11231.12	4.71
About once/month	11581.36	4.85
About once/year	10627.79	4.45
< once/year	12316.06	5.16
Never used	178412.9	74.77

Frequency Missing = 9462.6315826

HOW OFTEN NORMALLY USE COCAINE

q23i	Frequency	Percent
Every day	767.9818	0.32
Several times/wk	3326.147	1.39
Several times/mo	5785.594	2.41
About once/month	5621.709	2.35
About once/year	4903.625	2.05
< once/year	5664.522	2.36
Never used	213606.1	89.12

Frequency Missing = 8413.44762

HOW OFTEN NORMALLY USE CRACK

q23j	Frequency	Percent
Every day	207.5573	0.09
Several times/wk	898.9078	0.37
Several times/mo	1470.979	0.61
About once/month	1391.131	0.58
About once/year	1892.766	0.79
< once/year	1949.159	0.81
Never used	232096.6	96.74

Frequency Missing = 8181.9940957

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

HOW OFTEN NORMALLY USE HALLUCINOGENS

q23l	Frequency	Percent
Every day	36.76233	0.02
Several times/wk	285.1991	0.12
Several times/mo	527.5331	0.22
About once/month	1172.343	0.49
About once/year	1667.763	0.70
< once/year	1473.224	0.61
Never used	234799.6	97.85

Frequency Missing = 8126.6748094

HOW OFTEN NORMALLY USE UPPERS

q23m	Frequency	Percent
Every day	207.6266	0.09
Several times/wk	1017.533	0.43
Several times/mo	1904.885	0.80
About once/month	2831.691	1.18
About once/year	2563.408	1.07
< once/year	2738.784	1.15
Never used	227818.2	95.29

Frequency Missing = 9006.9491361

HOW OFTEN NORMALLY USE DOWNERS

q23n	Frequency	Percent
Every day	387.3793	0.16
Several times/wk	1105.198	0.46
Several times/mo	2124.669	0.89
About once/month	2828.165	1.18
About once/year	2845.489	1.19
< once/year	2828.799	1.18
Never used	226987.1	94.93

Frequency Missing = 8982.3535638

HOW OFTEN NORMALLY USE ROHYPNOL

q23o	Frequency	Percent
Every day	553.1786	0.23
Several times/wk	2357.674	0.99
Several times/mo	4013.688	1.69
About once/month	5033.637	2.12
About once/year	4806.728	2.02
< once/year	5442.408	2.29
Never used	215693.9	90.67

Frequency Missing = 10187.881507

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

HOW OFTEN NORMALLY USE STEROIDS

q23p	Frequency	Percent
Every day	192.9248	0.08
Several times/wk	347.1141	0.15
Several times/mo	429.4945	0.18
About once/month	566.4286	0.24
About once/year	739.5473	0.31
< once/year	908.9375	0.38
Never used	235367.7	98.67

Frequency Missing = 9536.9586367

HOW OFTEN NORMALLY USE ECSTASY

q23q	Frequency	Percent
Every day	221.9176	0.09
Several times/wk	847.4845	0.35
Several times/mo	2002.289	0.84
About once/month	3320.854	1.39
About once/year	3616.717	1.51
< once/year	3194.33	1.34
Never used	225849.5	94.48

Frequency Missing = 9035.9840668

HOW OFTEN NORMALLY USE HEROIN

q23r	Frequency	Percent
Every day	118.7601	0.05
Several times/wk	253.2162	0.10
Several times/mo	378.1237	0.16
About once/month	517.1797	0.21
About once/year	981.2611	0.41
< once/year	1106.743	0.46
Never used	238113.6	98.61

Frequency Missing = 6620.1817745

HOW MANY CIGARETTES IN PAST 30 DAYS

q24	Frequency	Percent
None	190105.2	79.73
Less than 1	29813.05	12.50
> 1 and < 10	13329.98	5.59
> 10 and < 1pk	2969.67	1.25
> 1pk and < 2pks	1534.995	0.64
More than 2pks	691.6215	0.29

Frequency Missing = 9644.5513598

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AMOUNT OF BEER AT ONE TIME

q25a	Frequency	Percent
Never drink this	105591.7	45.05
12+ drinks	14621.7	6.24
9-11 drinks	8967.111	3.83
5-8 drinks	17378.21	7.41
3-4 drinks	20712.94	8.84
2 drinks	18773.91	8.01
1 drink	20444.22	8.72
< 1 drink	27921.85	11.91

Frequency Missing = 13677.498441

AMOUNT OF WINE COOLERS AT ONE TIME

q25b	Frequency	Percent
Never drink this	98930.36	42.61
12+ drinks	10222.86	4.40
9-11 drinks	8561.397	3.69
5-8 drinks	19986.25	8.61
3-4 drinks	28541.58	12.29
2 drinks	23505.48	10.12
1 drink	22887.59	9.86
< 1 drink	19559.97	8.42

Frequency Missing = 15893.615002

AMOUNT OF WINE AT ONE TIME

q25c	Frequency	Percent
Never drink this	123538	53.24
12+ drinks	5195.776	2.24
9-11 drinks	4151.699	1.79
5-8 drinks	7861.348	3.39
3-4 drinks	14679.33	6.33
2 drinks	18326.5	7.90
1 drink	27472.48	11.84
< 1 drink	30831.14	13.29

Frequency Missing = 16032.813554

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

AMOUNT OF LIQUOR AT ONE TIME

q25d	Frequency	Percent
Never drink this	126311.7	54.07
12+ drinks	8306.228	3.56
9-11 drinks	6696.465	2.87
5-8 drinks	13813.67	5.91
3-4 drinks	20668.35	8.85
2 drinks	17073.59	7.31
1 drink	18667.6	7.99
< 1 drink	22073.63	9.45

Frequency Missing = 14477.883293

BEERS, FIVE OR MORE AT ONE TIME

q26a	Frequency	Percent
Never drink this	113521.2	48.76
Never 5+ at time	34688.43	14.90
Every day	1057.375	0.45
Several times/wk	11626.08	4.99
Several times/mo	22880.35	9.83
About once/month	18184.8	7.81
< once/month	13473.72	5.79
< once/year	17382.31	7.47

Frequency Missing = 15274.856867

WINE COOLERS, FIVE OR MORE AT ONE TIME

q26b	Frequency	Percent
Never drink this	106971.2	46.63
Never 5+ at time	33787.34	14.73
Every day	760.7795	0.33
Several times/wk	9806.052	4.27
Several times/mo	22796.89	9.94
About once/month	20193.73	8.80
< once/month	17278.72	7.53
< once/year	17793.86	7.76

Frequency Missing = 18700.522152

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

WINE, FIVE OR MORE AT ONE TIME

q26c	Frequency	Percent
Never drink this	127964.4	56.02
Never 5+ at time	29384.51	12.86
Every day	290.3007	0.13
Several times/wk	6013.655	2.63
Several times/mo	13467.55	5.90
About once/month	14887.9	6.52
< once/month	15840.3	6.93
< once/year	20575.86	9.01

Frequency Missing = 19664.614142

LIQUOR, FIVE OR MORE AT ONE TIME

q26d	Frequency	Percent
Never drink this	128171.8	55.68
Never 5+ at time	25345.23	11.01
Every day	760.0614	0.33
Several times/wk	7968.275	3.46
Several times/mo	20093.15	8.73
About once/month	17319.9	7.52
< once/month	15019.01	6.52
< once/year	15524.55	6.74

Frequency Missing = 17887.151315

GET ALCOHOLIC BEVERAGES FROM HOME

q27a	Frequency	Percent
Do not Drink	101051.1	43.71
Never	69642.11	30.12
Seldom	41748.26	18.06
Most of the Time	14443.69	6.25
Always	4315.17	1.87

Frequency Missing = 16888.741011

GET ALCOHOLIC BEVERAGES FROM FRIENDS

q27b	Frequency	Percent
Do not Drink	78418.39	34.33
Never	35700.75	15.63
Seldom	37613.47	16.46
Most of the Time	50849.26	22.26
Always	25866.22	11.32

Frequency Missing = 19641.012604

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

GET ALCOHOLIC BEVERAGES FROM A STORE

q27c	Frequency	Percent
Do not Drink	84181.45	37.05
Never	84531.64	37.21
Seldom	23113.13	10.17
Most of the Time	22045.23	9.70
Always	13323.09	5.86

Frequency Missing = 20894.555118

GET ALCOHOLIC BEVERAGES AT PARTIES

q27d	Frequency	Percent
Do not Drink	73835.55	32.45
Never	26277.61	11.55
Seldom	29363.81	12.90
Most of the Time	46136.55	20.28
Always	51931.42	22.82

Frequency Missing = 20544.166367

GET ALCOHOLIC BEVERAGES FROM OTHER

q27e	Frequency	Percent
Do not Drink	87792.57	39.01
Never	49861.06	22.15
Seldom	32688.37	14.52
Most of the Time	26531.47	11.79
Always	28188.69	12.52

Frequency Missing = 23026.955164

DANGEROUS FOR KIDS TO USE TOBACCO

q28a	Frequency	Percent
Very	122183.9	52.88
Somewhat	60671.18	26.26
Not very	23911.07	10.35
Not at all	6281.861	2.72
Don't know	18024.61	7.80

Frequency Missing = 17016.445335

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE ALCOHOL

q28b	Frequency	Percent
Very	103860.2	45.84
Somewhat	69820.04	30.81
Not very	32514	14.35
Not at all	8244.376	3.64
Don't know	12144.25	5.36

Frequency Missing = 21506.204484

DANGEROUS FOR KIDS TO USE INHALANTS

q28c	Frequency	Percent
Very	168364.1	75.82
Somewhat	29130.05	13.12
Not very	6781.833	3.05
Not at all	2677.014	1.21
Don't know	15094.85	6.80

Frequency Missing = 26041.246754

DANGEROUS FOR KIDS TO USE MARIJUANA

q28d	Frequency	Percent
Very	139662.4	63.40
Somewhat	37466.46	17.01
Not very	19799	8.99
Not at all	12323.79	5.59
Don't know	11019.7	5.00

Frequency Missing = 27817.755555

DANGEROUS FOR KIDS TO USE COCAINE

q28e	Frequency	Percent
Very	175570.7	80.78
Somewhat	21831.1	10.04
Not very	5215.044	2.40
Not at all	2589.782	1.19
Don't know	12149.02	5.59

Frequency Missing = 30733.428181

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE CRACK

q28f	Frequency	Percent
Very	183242.2	83.67
Somewhat	16974.24	7.75
Not very	3104.613	1.42
Not at all	1937.778	0.88
Don't know	13758.5	6.28

Frequency Missing = 29071.789555

DANGEROUS FOR KIDS TO USE ECSTASY

q28g	Frequency	Percent
Very	174725.4	79.15
Somewhat	20154.75	9.13
Not very	5626.217	2.55
Not at all	2874.403	1.30
Don't know	17362.29	7.87

Frequency Missing = 27345.993333

DANGEROUS FOR KIDS TO USE STEROIDS

q28h	Frequency	Percent
Very	170061.5	76.18
Somewhat	25536.13	11.44
Not very	6940.159	3.11
Not at all	2723.549	1.22
Don't know	17968.17	8.05

Frequency Missing = 24859.61843

DANGEROUS FOR KIDS TO USE HEROIN

q28i	Frequency	Percent
Very	194480.6	85.53
Somewhat	12343.23	5.43
Not very	2236.197	0.98
Not at all	1813.737	0.80
Don't know	16516.27	7.26

Frequency Missing = 20699.037928

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

USE MARIJUANA AS JOINTS

q29a	Frequency	Percent
Never	119600.6	71.67
Seldom	12588.85	7.54
Half the time	7846.905	4.70
Most of the time	13421.65	8.04
Always	10906.07	6.54
Don't know	2508.826	1.50

Frequency Missing = 81216.207386

USE MARIJUANA AS BLUNTS

q29b	Frequency	Percent
Never	130649.4	79.47
Seldom	11973.91	7.28
Half the time	7837.787	4.77
Most of the time	6333.235	3.85
Always	4878.592	2.97
Don't know	2729.674	1.66

Frequency Missing = 83686.538302

USE MARIJUANA IN BONGS OR WATER PIPES

q29c	Frequency	Percent
Never	133621.9	81.70
Seldom	11283.22	6.90
Half the time	7281.367	4.45
Most of the time	5019.049	3.07
Always	3988.993	2.44
Don't know	2351.396	1.44

Frequency Missing = 84543.203191

USE MARIJUANA IN PIPES

q29d	Frequency	Percent
Never	134151	81.76
Seldom	11613.26	7.08
Half the time	6922.971	4.22
Most of the time	5055.172	3.08
Always	3977.477	2.42
Don't know	2367.517	1.44

Frequency Missing = 84001.695447

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

USE MARIJUANA OTHER WAYS

q29e	Frequency	Percent
Never	141709.8	85.02
Seldom	9997.656	6.00
Half the time	3053.019	1.83
Most of the time	2909.408	1.75
Always	4001.113	2.40
Don't know	5005.112	3.00

Frequency Missing = 81413.043896

DAYS SKIPPED SINCE SEPTEMBER

q30a	Frequency	Percent
None	167567.7	72.86
1-3 days	41057.88	17.85
4-9 days	12943.34	5.63
10+ days	8424.135	3.66

Frequency Missing = 18096.087691

DAYS ILL SINCE SEPTEMBER

q30b	Frequency	Percent
None	72112.56	31.51
1-3 days	111346.7	48.66
4-9 days	35747.75	15.62
10+ days	9627.07	4.21

Frequency Missing = 19255.038586

OTHER DAYS MISSED SINCE SEPTEMBER

q30c	Frequency	Percent
None	93497.36	41.03
1-3 days	110682	48.57
4-9 days	18013.35	7.90
10+ days	5710.665	2.51

Frequency Missing = 20185.773905

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

q30d	Frequency	Percent
None	188421	82.49
1-3 days	29529.92	12.93
4-9 days	6557.923	2.87
10+ days	3911.283	1.71

Frequency Missing = 19669.013239

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

SOMEONE CALLED HOME SINCE SEPTEMBER

q30e	Frequency	Percent
None	192453.1	84.98
1-3 days	27201.87	12.01
4-9 days	4667.924	2.06
10+ days	2145.699	0.95

Frequency Missing = 21620.484709

IN TROUBLE FOR DRINKING SINCE SEPTEMBER

q30f	Frequency	Percent
None	222281.6	98.37
1-3 days	2519.378	1.11
4-9 days	672.7148	0.30
10+ days	481.9275	0.21

Frequency Missing = 22133.487766

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER

q30g	Frequency	Percent
None	222752.4	97.62
1-3 days	4013.903	1.76
4-9 days	735.3733	0.32
10+ days	680.2089	0.30

Frequency Missing = 19907.22924

DAYS SKIPPED IN PAST MONTH

q31a	Frequency	Percent
None	185095.3	81.82
1-3 days	32876.87	14.53
4-9 days	5709.638	2.52
10+ days	2533.533	1.12

Frequency Missing = 21873.717876

DAYS ILL IN PAST MONTH

q31b	Frequency	Percent
None	135481.9	60.22
1-3 days	77700.45	34.54
4-9 days	9280.883	4.13
10+ days	2516.799	1.12

Frequency Missing = 23109.108558

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

OTHER DAYS MISSED IN PAST MONTH

q31c	Frequency	Percent
None	143752.9	63.99
1-3 days	71949.86	32.03
4-9 days	6873	3.06
10+ days	2084.779	0.93

Frequency Missing = 23428.564743

SENT TO PRINCIPAL/DEAN IN PAST MONTH

q31d	Frequency	Percent
None	203489.2	90.38
1-3 days	17281.08	7.68
4-9 days	2768.472	1.23
10+ days	1616.785	0.72

Frequency Missing = 22933.596548

SOMEONE CALLED HOME IN PAST MONTH

q31e	Frequency	Percent
None	209656	92.54
1-3 days	13705.24	6.05
4-9 days	1991.303	0.88
10+ days	1211.611	0.53

Frequency Missing = 21524.989194

TROUBLE WITH FRIENDS BECAUSE OF DRINKING

q32a	Frequency	Percent
None	205677.4	92.53
1-3 times	14266.82	6.42
4-9 times	1590.861	0.72
10+ times	741.3407	0.33

Frequency Missing = 25812.668106

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

q32b	Frequency	Percent
None	193620.7	87.91
1-3 times	19957.95	9.06
4-9 times	3900.23	1.77
10+ times	2772.907	1.26

Frequency Missing = 27837.354184

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

CRITICIZED BY DATE BECAUSE OF DRINKING

q32c	Frequency	Percent
None	203843.8	92.79
1-3 times	12641.24	5.75
4-9 times	2041.202	0.93
10+ times	1153.13	0.52

Frequency Missing = 28409.780271

TROUBLE WITH POLICE BECAUSE OF DRINKING

q32d	Frequency	Percent
None	212037.3	96.13
1-3 times	6718.858	3.05
4-9 times	1079.813	0.49
10+ times	729.7483	0.33

Frequency Missing = 27523.360999

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

q32e	Frequency	Percent
None	200155	93.22
1-3 times	11637.1	5.42
4-9 times	1986.571	0.93
10+ times	944.3741	0.44

Frequency Missing = 33366.075685

DRIVEN A CAR WHILE HIGH FROM DRUGS

q32f	Frequency	Percent
None	197192.6	91.72
1-3 times	11365.56	5.29
4-9 times	3230.843	1.50
10+ times	3212.586	1.49

Frequency Missing = 33087.554281

CRITICIZED BY DATE BECAUSE OF DRUG USE

q32g	Frequency	Percent
None	205178.9	94.08
1-3 times	9752.568	4.47
4-9 times	1810.973	0.83
10+ times	1357.823	0.62

Frequency Missing = 29988.824229

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

TROUBLE WITH POLICE BECAUSE OF DRUG USE

q32h	Frequency	Percent
None	214192.8	96.85
1-3 times	5244.618	2.37
4-9 times	899.3188	0.41
10+ times	812.3323	0.37

Frequency Missing = 26939.998494

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

q33a	Frequency	Percent
None	202381.3	89.88
1-3 days	17138.4	7.61
4-9 days	3180.615	1.41
10+ days	2460.202	1.09

Frequency Missing = 22928.564247

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

q33b	Frequency	Percent
None	199783	89.23
1-3 days	14432.16	6.45
4-9 days	4259.704	1.90
10+ days	5426.455	2.42

Frequency Missing = 24187.829886

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

q33c	Frequency	Percent
None	217828.4	96.98
1-3 days	4474.414	1.99
4-9 days	1307.258	0.58
10+ days	998.8398	0.44

Frequency Missing = 23480.243249

CLASS DAYS HIGH ON OTHER DRUG(S)

q33d	Frequency	Percent
None	208920.6	92.43
1-3 days	10984.35	4.86
4-9 days	3026.569	1.34
10+ days	3093.408	1.37

Frequency Missing = 22064.219223

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

q34a	Frequency	Percent
Never	73236.06	31.99
Seldom	23304.04	10.18
Half the time	18705.69	8.17
Most of the time	33842.07	14.78
Always	53025.1	23.16
Don't know	5979.143	2.61
Didn't attend	20835.87	9.10

Frequency Missing = 19161.129921

DRUG USE AT PARTIES THIS SCHOOL YEAR

q34b	Frequency	Percent
Never	103948.4	45.48
Seldom	24382.28	10.67
Half the time	18319.41	8.02
Most of the time	22291.66	9.75
Always	29672.28	12.98
Don't know	9311.657	4.07
Didn't attend	20637.64	9.03

Frequency Missing = 19525.776085

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

q35	Frequency	Percent
No	185587.5	89.03
Yes	22868.67	10.97

Frequency Missing = 39632.972263

WOULD SEEK HELP FROM SCHOOL COUNSELOR

q36a	Frequency	Percent
No	132546.1	59.38
Yes	90666.46	40.62

Frequency Missing = 24876.52208

WOULD SEEK HELP OUTSIDE OF SCHOOL

q36b	Frequency	Percent
No	136243.1	62.06
Yes	83289.38	37.94

Frequency Missing = 28556.587368

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

WOULD SEEK HELP FROM OTHER COUNSELOR

q36c	Frequency	Percent
No	133466.7	61.33
Yes	84167.53	38.67

Frequency Missing = 30454.828439

WOULD SEEK HELP FROM PARENTS

q36d	Frequency	Percent
No	90270.65	41.24
Yes	128597.2	58.76

Frequency Missing = 29221.29996

WOULD SEEK HELP FROM A MEDICAL DOCTOR

q36e	Frequency	Percent
No	128414.2	58.71
Yes	90294.07	41.29

Frequency Missing = 29380.81953

WOULD SEEK HELP FROM FRIENDS

q36f	Frequency	Percent
No	68298.62	31.06
Yes	151583.8	68.94

Frequency Missing = 28206.638445

WOULD SEEK HELP FROM ANOTHER ADULT

q36g	Frequency	Percent
No	88795.27	40.03
Yes	133016.9	59.97

Frequency Missing = 26276.93689

WOULD NOT SEEK HELP

q36h	Frequency	Percent
No	174495.8	79.71
Yes	44425.35	20.29

Frequency Missing = 29168.000383

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DRUG/ALCOHOL INFO--HEALTH CLASS

q37a	Frequency	Percent
No	83782.97	44.44
Yes	104749.5	55.56

Frequency Missing = 59556.593089

DRUG/ALCOHOL INFO--ASSEMBLY PROGRAM

q37b	Frequency	Percent
No	95065.44	51.32
Yes	90181.64	48.68

Frequency Missing = 62842.026067

DRUG/ALCOHOL INFO--GUIDANCE COUNSELOR

q37c	Frequency	Percent
No	116962.8	63.60
Yes	66941.06	36.40

Frequency Missing = 64185.201063

DRUG/ALCOHOL INFO--SCIENCE CLASS

q37d	Frequency	Percent
No	121184.3	65.94
Yes	62604.6	34.06

Frequency Missing = 64300.202046

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

q37e	Frequency	Percent
No	150525.6	81.36
Yes	34493.42	18.64

Frequency Missing = 63070.069424

DRUG/ALCOHOL INFO--DRUG RAP SESSION

q37f	Frequency	Percent
No	144894.3	78.34
Yes	40053.7	21.66

Frequency Missing = 63141.075228

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

q37g	Frequency	Percent
No	103618	55.35
Yes	83575.65	44.65

Frequency Missing = 60895.407395

DRUG/ALCOHOL INFO--OTHER SCHOOL SOURCE

q37h	Frequency	Percent
No	113165.1	59.87
Yes	75859.78	40.13

Frequency Missing = 59064.257186

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

q38a	Frequency	Percent
Strong disapprove	156413	70.24
Mild disapprove	21452.5	9.63
Neither	13360.16	6.00
Mildly approve	2768.451	1.24
Strongly approve	2247.007	1.01
Don't know	26443.43	11.87

Frequency Missing = 25404.560249

PARENTS FEEL ABOUT KIDS DRINKING BEER

q38b	Frequency	Percent
Strong disapprove	140256.8	63.38
Mild disapprove	30150.48	13.63
Neither	17404.57	7.87
Mildly approve	5756.406	2.60
Strongly approve	2676.698	1.21
Don't know	25042.42	11.32

Frequency Missing = 26801.70302

PARENTS FEEL ABOUT KIDS USING MARIJUANA

q38c	Frequency	Percent
Strong disapprove	178136.9	80.06
Mild disapprove	8688.947	3.91
Neither	6740.887	3.03
Mildly approve	1792.235	0.81
Strongly approve	2949.896	1.33
Don't know	24198.24	10.88

Frequency Missing = 25581.950326

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border- Grades 7-12
Spring 2002 V2(9/13/02)

The FREQ Procedure

PURCHASED LOTTERY TICKET IN PAST YEAR

q39	Frequency	Percent
No	169126.5	74.66
Yes	57409.17	25.34

Frequency Missing = 21553.446455

NON-LOTTERY GAMBLING IN PAST YEAR

q40	Frequency	Percent
No	162771.7	71.92
Yes	63543.9	28.08

Frequency Missing = 21773.528336

MONEY SPENT ON GAMBLING IN PAST YEAR

q41	Frequency	Percent
\$0	144829.3	64.14
\$1 - \$10	37571.94	16.64
\$11 - \$50	21962.41	9.73
\$51 - \$100	9363.568	4.15
\$100+	12064.41	5.34

Frequency Missing = 22297.452333

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state