

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product	All	7.4%	4.1%	3.3%	92.6%
	Grade 4	3.8%	2.1%	1.7%	96.2%
	Grade 5	5.6%	3.0%	2.5%	94.4%
	Grade 6	14.1%	7.8%	6.3%	85.9%
Cigarettes	All	7.0%	3.8%	3.2%	93.0%
	Grade 4	3.4%	1.8%	1.6%	96.6%
	Grade 5	5.2%	2.7%	2.4%	94.8%
	Grade 6	13.4%	7.3%	6.1%	86.6%
Smokeless tobacco	All	1.0%	0.6%	0.4%	99.0%
	Grade 4	0.7%	0.3%	0.3%	99.3%
	Grade 5	0.8%	0.5%	0.3%	99.2%
	Grade 6	1.7%	1.0%	0.7%	98.3%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Lifetime
All	3.0	2.9
Grade 4	2.8	2.8
Grade 5	2.8	2.6
Grade 6	3.2	3.1

Cigarettes

	School Year	Lifetime
All	2.8	2.7
Grade 4	2.6	2.6
Grade 5	2.6	2.4
Grade 6	3.1	2.9

Smokeless tobacco

	School Year	Lifetime
All	3.0	2.7
Grade 4	3.4	2.9
Grade 5	2.8	2.5
Grade 6	2.9	2.7

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.5	9.1	9.9

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	93.6%	1.4%	0.8%	1.0%	1.3%	1.2%	0.8%
Grade 4	96.4%	1.1%	0.8%	1.0%	0.5%	0.1%	0.1%
Grade 5	95.1%	1.3%	0.5%	0.7%	1.4%	0.8%	0.2%
Grade 6	88.1%	1.8%	1.2%	1.4%	2.0%	3.1%	2.4%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	88.9%	2.2%	1.4%	1.7%	2.1%	2.1%	1.7%
Grade 4	94.5%	1.3%	1.2%	1.4%	1.2%	0.2%	0.1%
Grade 5	91.8%	2.0%	1.1%	1.3%	2.2%	1.2%	0.4%
Grade 6	79.8%	3.2%	1.8%	2.5%	2.9%	5.1%	4.7%

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	3.3%	80.0%	15.0%	1.7%
Grade 4	4.5%	85.9%	8.5%	1.1%
Grade 5	3.0%	82.6%	13.2%	1.2%
Grade 6	2.4%	69.2%	25.2%	3.2%

Cigarettes?

	Never Heard of	None	Some	Most
All	4.5%	79.7%	14.4%	1.5%
Grade 4	6.2%	84.9%	8.0%	0.9%
Grade 5	4.1%	82.1%	12.8%	1.0%
Grade 6	3.0%	69.9%	24.3%	2.7%

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	7.2%	88.3%	3.8%	0.7%
Grade 4	10.0%	87.5%	2.1%	0.4%
Grade 5	6.8%	90.1%	2.7%	0.5%
Grade 6	4.4%	86.8%	7.4%	1.4%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	3.9%	13.4%	82.6%
Grade 4	5.1%	8.7%	86.1%
Grade 5	3.6%	11.9%	84.5%
Grade 6	3.0%	21.1%	75.9%

Cigarettes?

	Never Heard of	Yes	No
All	4.9%	12.6%	82.6%
Grade 4	6.4%	7.8%	85.8%
Grade 5	4.6%	11.2%	84.2%
Grade 6	3.5%	20.1%	76.4%

Smokeless tobacco?

	Never Heard of	Yes	No
All	8.2%	3.5%	88.3%
Grade 4	10.8%	2.4%	86.8%
Grade 5	7.7%	2.7%	89.6%
Grade 6	5.6%	5.9%	88.5%

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.2%	75.6%	15.6%	1.0%	5.5%
Grade 4	2.8%	79.7%	11.5%	0.7%	5.3%
Grade 5	2.1%	79.0%	13.5%	0.7%	4.6%
Grade 6	1.7%	66.3%	23.2%	1.9%	6.8%

Cigarettes?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.2%	63.0%	25.0%	1.6%	7.2%
Grade 4	4.0%	69.9%	18.2%	0.8%	7.0%
Grade 5	3.2%	66.1%	23.6%	1.0%	6.2%
Grade 6	2.3%	51.1%	34.7%	3.2%	8.7%

Smokeless tobacco?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.3%	69.7%	16.2%	1.1%	7.7%
Grade 4	7.3%	73.1%	12.0%	0.7%	6.9%
Grade 5	5.0%	73.6%	14.0%	0.9%	6.5%
Grade 6	3.4%	60.9%	23.7%	1.9%	10.0%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product	All	23.6%	14.9%	8.7%	76.4%
	Grade 4	15.5%	9.8%	5.7%	84.5%
	Grade 5	21.9%	13.8%	8.0%	78.1%
	Grade 6	35.3%	22.4%	12.9%	64.7%
Beer	All	14.9%	8.6%	6.3%	85.1%
	Grade 4	10.3%	6.1%	4.3%	89.7%
	Grade 5	13.3%	7.5%	5.8%	86.7%
	Grade 6	22.2%	12.8%	9.5%	77.8%
Wine coolers	All	11.4%	7.0%	4.4%	88.6%
	Grade 4	5.2%	3.2%	2.0%	94.8%
	Grade 5	9.8%	6.1%	3.6%	90.2%
	Grade 6	20.8%	12.5%	8.3%	79.2%
Wine	All	10.3%	6.3%	4.1%	89.7%
	Grade 4	5.6%	3.4%	2.2%	94.4%
	Grade 5	9.2%	5.7%	3.5%	90.8%
	Grade 6	17.3%	10.3%	7.0%	82.7%
Liquor	All	4.9%	3.0%	1.9%	95.1%
	Grade 4	1.9%	1.2%	0.7%	98.1%
	Grade 5	3.7%	2.3%	1.5%	96.3%
	Grade 6	9.9%	5.9%	3.9%	90.1%

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Lifetime
All	4.3	4.5
Grade 4	3.4	3.5
Grade 5	3.8	3.9
Grade 6	5.3	5.6

Beer

	School Year	Lifetime
All	2.7	2.7
Grade 4	2.4	2.5
Grade 5	2.5	2.4
Grade 6	3.0	3.0

Liquor

	School Year	Lifetime
All	2.6	2.7
Grade 4	2.2	2.4
Grade 5	2.5	2.4
Grade 6	2.8	2.9

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Wine

	School Year	Lifetime
All	2.4	2.4
Grade 4	2.4	2.3
Grade 5	2.3	2.3
Grade 6	2.5	2.6

Wine coolers

	School Year	Lifetime
All	2.8	2.8
Grade 4	2.5	2.6
Grade 5	2.4	2.6
Grade 6	3.1	3.1

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

Beer?

	Never	1 Time	2 Times	3+ Times	Ever
All	86.1%	8.4%	2.9%	2.6%	13.9%
Grade 4	89.2%	7.0%	2.2%	1.5%	10.8%
Grade 5	87.6%	8.0%	2.4%	2.0%	12.4%
Grade 6	80.5%	10.5%	4.5%	4.5%	19.5%

Wine Coolers?

	Never	1 Time	2 Times	3+ Times	Ever
All	89.3%	5.6%	2.5%	2.6%	10.7%
Grade 4	94.7%	3.1%	1.2%	1.0%	5.3%
Grade 5	90.6%	5.3%	2.3%	1.8%	9.4%
Grade 6	81.5%	8.9%	4.3%	5.3%	18.5%

Wine?

	Never	1 Time	2 Times	3+ Times	Ever
All	90.1%	6.1%	2.1%	1.8%	9.9%
Grade 4	93.9%	4.0%	1.1%	0.9%	6.1%
Grade 5	91.1%	5.8%	1.8%	1.3%	8.9%
Grade 6	84.3%	8.8%	3.6%	3.2%	15.7%

Liquor?

	Never	1 Time	2 Times	3+ Times	Ever
All	95.5%	2.4%	0.9%	1.2%	4.5%
Grade 4	98.1%	1.1%	0.4%	0.4%	1.9%
Grade 5	96.6%	2.0%	0.7%	0.7%	3.4%
Grade 6	91.0%	4.5%	1.9%	2.7%	9.0%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.2	8.9	9.7
Beer	8.1	8.7	9.5
Wine Coolers	8.6	9.5	10.2
Wine	8.7	9.5	10.2
Liquor	8.7	9.7	10.4

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	78.9%	5.6%	2.8%	3.5%	4.2%	3.4%	1.6%
Grade 4	85.8%	5.6%	2.7%	3.6%	2.0%	0.3%	0.1%
Grade 5	80.4%	5.4%	2.5%	3.2%	5.1%	3.0%	0.4%
Grade 6	68.3%	6.0%	3.2%	3.7%	5.9%	7.9%	5.0%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	71.4%	7.5%	3.8%	4.2%	5.6%	4.7%	2.8%
Grade 4	81.9%	6.9%	3.5%	3.8%	3.5%	0.4%	0.0%
Grade 5	73.8%	7.3%	4.1%	3.8%	6.3%	3.9%	0.7%
Grade 6	57.9%	8.4%	3.9%	4.9%	6.9%	9.9%	8.1%

Table A-6 a: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	16.5%	61.8%	37.5%	66.1%

Table A-6 b: Past School Year prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Alcohol	10.5%	50.7%	27.1%	55.9%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	73.6%	8.8%	17.5%
Grade 4	77.6%	6.3%	16.1%
Grade 5	75.0%	8.1%	16.9%
Grade 6	67.1%	12.8%	20.1%

Friends?

	Don't Drink	Yes	No
All	74.0%	3.9%	22.1%
Grade 4	78.1%	1.6%	20.3%
Grade 5	75.4%	2.9%	21.7%
Grade 6	67.5%	7.9%	24.6%

Somewhere else?

	Don't Drink	Yes	No
All	72.5%	9.5%	18.0%
Grade 4	76.6%	5.6%	17.8%
Grade 5	73.8%	8.4%	17.8%
Grade 6	65.9%	15.6%	18.5%

Table A-8: About how many of your close friends use ...

Any alcohol product?

	Never Heard of	None	Some	Most
All	2.9%	71.7%	20.8%	4.7%
Grade 4	3.8%	79.4%	14.4%	2.4%
Grade 5	2.6%	74.0%	19.9%	3.5%
Grade 6	2.1%	59.3%	29.6%	9.0%

Beer?

	Never Heard of	None	Some	Most
All	3.2%	77.1%	16.7%	3.0%
Grade 4	4.3%	82.7%	11.5%	1.5%
Grade 5	2.9%	79.4%	15.6%	2.1%
Grade 6	2.2%	67.4%	24.6%	5.9%

Wine coolers?

	Never Heard of	None	Some	Most
All	12.5%	73.9%	11.1%	2.4%
Grade 4	17.1%	76.5%	5.5%	0.9%
Grade 5	12.3%	76.4%	9.6%	1.6%
Grade 6	7.2%	67.5%	20.0%	5.3%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Wine?

	Never Heard of	None	Some	Most
All	6.1%	82.5%	9.7%	1.7%
Grade 4	8.7%	85.1%	5.5%	0.8%
Grade 5	5.6%	84.3%	8.7%	1.3%
Grade 6	3.8%	76.9%	15.9%	3.4%

Liquor?

	Never Heard of	None	Some	Most
All	10.1%	82.3%	6.3%	1.4%
Grade 4	15.2%	81.4%	2.8%	0.6%
Grade 5	9.1%	84.9%	5.0%	0.9%
Grade 6	5.1%	79.8%	12.2%	3.0%

Table A-9: Have you ever been offered ...

Any alcohol product?

	Never Heard of	Yes	No
All	3.2%	23.0%	73.8%
Grade 4	4.0%	17.1%	78.9%
Grade 5	3.0%	21.3%	75.8%
Grade 6	2.4%	32.3%	65.3%

Beer?

	Never Heard of	Yes	No
All	3.5%	18.8%	77.7%
Grade 4	4.6%	14.3%	81.1%
Grade 5	3.3%	17.0%	79.7%
Grade 6	2.6%	26.4%	71.0%

Wine coolers?

	Never Heard of	Yes	No
All	13.0%	10.1%	77.0%
Grade 4	17.2%	4.9%	77.9%
Grade 5	12.8%	8.6%	78.6%
Grade 6	8.1%	18.2%	73.7%

Wine?

	Never Heard of	Yes	No
All	6.5%	9.3%	84.2%
Grade 4	8.6%	5.4%	86.1%
Grade 5	6.4%	8.1%	85.5%
Grade 6	4.2%	15.5%	80.3%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Liquor?

	Never Heard of	Yes	No
All	10.3%	5.5%	84.2%
Grade 4	15.0%	2.9%	82.1%
Grade 5	9.5%	4.3%	86.3%
Grade 6	5.7%	10.3%	84.0%

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	82.4%	1.9%	1.0%	14.7%
Grade 4	83.1%	1.6%	0.9%	14.4%
Grade 5	83.4%	1.6%	0.8%	14.1%
Grade 6	80.1%	2.8%	1.2%	15.9%

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.9%	69.4%	20.3%	2.4%	6.0%
Grade 4	2.2%	75.8%	14.8%	1.4%	5.8%
Grade 5	1.8%	72.4%	19.0%	1.6%	5.2%
Grade 6	1.5%	58.1%	28.4%	4.7%	7.3%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.0%	51.2%	32.4%	5.1%	9.2%
Grade 4	2.5%	58.7%	26.8%	3.1%	8.9%
Grade 5	1.9%	53.7%	32.2%	3.8%	8.4%
Grade 6	1.7%	39.6%	39.2%	9.0%	10.5%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	10.5%	47.6%	23.8%	6.5%	11.7%
Grade 4	13.9%	55.4%	17.2%	2.7%	10.8%
Grade 5	10.7%	50.0%	23.7%	4.7%	10.9%
Grade 6	6.3%	35.5%	31.3%	13.0%	13.9%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	4.4%	52.7%	26.4%	5.1%	11.3%
Grade 4	5.9%	61.2%	20.1%	2.7%	10.2%
Grade 5	4.4%	55.4%	26.0%	3.8%	10.5%
Grade 6	2.8%	39.7%	34.2%	9.6%	13.8%

Liquor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.5%	62.5%	19.2%	2.1%	8.7%
Grade 4	11.3%	67.2%	12.8%	1.0%	7.7%
Grade 5	7.1%	65.5%	18.2%	1.3%	8.0%
Grade 6	3.6%	53.5%	27.8%	4.3%	10.9%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table D-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Marijuana	All	2.5%	1.7%	0.7%	97.5%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.6%	1.0%	0.6%	98.4%
	Grade 6	5.6%	4.2%	1.4%	94.4%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.5	4.3
Grade 4	4.5	3.9
Grade 5	3.8	3.2
Grade 6	4.8	4.8

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.6	9.7	10.6

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	98.2%	0.3%	0.1%	0.2%	0.3%	0.5%	0.4%
Grade 4	99.4%	0.2%	0.1%	0.1%	0.1%	0.0%	0.0%
Grade 5	98.9%	0.2%	0.0%	0.2%	0.3%	0.3%	0.1%
Grade 6	95.9%	0.3%	0.1%	0.3%	0.7%	1.3%	1.4%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	96.0%	0.4%	0.3%	0.4%	0.6%	1.0%	1.2%
Grade 4	99.0%	0.2%	0.1%	0.3%	0.2%	0.1%	0.0%
Grade 5	97.5%	0.4%	0.3%	0.1%	0.6%	0.8%	0.3%
Grade 6	91.0%	0.7%	0.6%	1.0%	1.0%	2.1%	3.5%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table D-5 a: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.7%	20.9%	6.2%	24.7%

Table D-5 b: Past School Year prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.4%	19.0%	5.0%	22.3%

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
All	8.3%	82.1%	7.3%	2.3%
Grade 4	12.3%	83.9%	3.1%	0.8%
Grade 5	7.4%	86.0%	5.2%	1.4%
Grade 6	4.7%	74.8%	15.2%	5.3%

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	8.3%	7.4%	84.4%
Grade 4	11.6%	3.6%	84.7%
Grade 5	7.8%	5.6%	86.6%
Grade 6	4.8%	14.2%	80.9%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	85.4%	1.4%	0.6%	12.5%
Grade 4	84.7%	1.2%	0.6%	13.5%
Grade 5	86.3%	1.3%	0.5%	11.8%
Grade 6	85.0%	1.9%	0.8%	12.4%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.8%	78.5%	8.2%	1.3%	6.1%
Grade 4	8.3%	78.2%	6.7%	0.7%	6.0%
Grade 5	5.7%	80.8%	7.3%	1.0%	5.2%
Grade 6	3.1%	76.1%	11.2%	2.4%	7.2%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table I-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Inhalants	All	11.0%	8.0%	3.0%	89.0%
	Grade 4	9.5%	6.8%	2.7%	90.5%
	Grade 5	8.9%	6.5%	2.4%	91.1%
	Grade 6	15.4%	11.4%	4.0%	84.6%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

Correction Fluid/Whiteout

	Not Used	Used
All	96.1%	3.9%
Grade 4	97.8%	2.2%
Grade 5	97.4%	2.6%
Grade 6	92.5%	7.5%

Gasoline

	Not Used	Used
All	96.7%	3.3%
Grade 4	96.8%	3.2%
Grade 5	97.1%	2.9%
Grade 6	96.0%	4.0%

Glue

	Not Used	Used
All	96.6%	3.4%
Grade 4	96.4%	3.6%
Grade 5	97.1%	2.9%
Grade 6	96.0%	4.0%

Paint Thinner

	Not Used	Used
All	97.6%	2.4%
Grade 4	97.6%	2.4%
Grade 5	98.0%	2.0%
Grade 6	97.1%	2.9%

Spray Paint

	Not Used	Used
All	96.4%	3.6%
Grade 4	96.5%	3.5%
Grade 5	97.0%	3.0%
Grade 6	95.4%	4.6%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Other Inhalants

	Not Used	Used
All	95.3%	4.7%
Grade 4	96.3%	3.7%
Grade 5	96.5%	3.5%
Grade 6	92.8%	7.2%

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.3	3.2
Grade 4	3.0	2.9
Grade 5	2.9	3.0
Grade 6	3.6	3.4

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	89.7%	5.0%	4.1%	1.2%
Grade 4	91.2%	4.2%	3.6%	1.0%
Grade 5	91.7%	4.3%	3.1%	1.0%
Grade 6	85.4%	6.9%	6.0%	1.7%

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.4	9.2	10.2

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	95.6%	0.8%	0.5%	0.7%	0.9%	1.0%	0.6%
Grade 4	97.6%	0.8%	0.5%	0.7%	0.4%	0.0%	* %
Grade 5	96.5%	0.8%	0.4%	0.5%	0.9%	0.7%	0.1%
Grade 6	91.8%	1.0%	0.6%	0.8%	1.4%	2.5%	1.9%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	94.0%	1.0%	0.5%	0.8%	1.2%	1.7%	0.8%
Grade 4	97.4%	0.9%	0.5%	0.7%	0.3%	0.1%	0.0%
Grade 5	95.6%	0.9%	0.3%	0.8%	1.2%	1.1%	0.1%
Grade 6	88.7%	1.2%	0.8%	1.0%	2.1%	3.9%	2.5%

Table I-7 a: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	2.9%	23.4%	9.2%	25.6%

Table I-7 b: Past School Year prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	2.3%	19.7%	7.4%	21.5%

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
All	8.8%	81.7%	7.3%	2.1%
Grade 4	12.9%	83.2%	3.2%	0.8%
Grade 5	8.3%	84.6%	5.9%	1.3%
Grade 6	4.7%	76.1%	14.3%	4.9%

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	9.1%	5.9%	85.1%
Grade 4	13.1%	2.9%	84.1%
Grade 5	8.5%	4.3%	87.2%
Grade 6	5.0%	11.5%	83.4%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.9%	63.3%	17.9%	2.6%	9.4%
Grade 4	10.1%	66.1%	13.4%	1.3%	9.1%
Grade 5	6.6%	65.0%	17.8%	1.9%	8.7%
Grade 6	3.4%	58.1%	23.1%	4.9%	10.4%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	31.7%	68.3%
Grade 4	32.0%	68.0%
Grade 5	27.0%	73.0%
Grade 6	37.1%	62.9%

Guidance Counselor?

	No	Yes
All	25.1%	74.9%
Grade 4	22.7%	77.3%
Grade 5	17.7%	82.3%
Grade 6	37.2%	62.8%

Visitor to Class?

	No	Yes
All	36.2%	63.8%
Grade 4	37.4%	62.6%
Grade 5	32.0%	68.0%
Grade 6	40.1%	59.9%

Someone Else at School?

	No	Yes
All	47.6%	52.4%
Grade 4	50.2%	49.8%
Grade 5	45.0%	55.0%
Grade 6	48.0%	52.0%

Your Teacher?

	No	Yes
All	31.2%	68.8%
Grade 4	34.8%	65.2%
Grade 5	29.8%	70.2%
Grade 6	28.8%	71.2%

Any School Source?

	No	Yes
All	8.4%	91.6%
Grade 4	8.9%	91.1%
Grade 5	6.8%	93.2%
Grade 6	9.7%	90.3%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.4%	4.1%	3.3%	92.6%
	Grade 4	3.8%	2.1%	1.7%	96.2%
	Grade 5	5.6%	3.0%	2.5%	94.4%
	Grade 6	14.1%	7.8%	6.3%	85.9%
Alcohol	All	23.6%	14.9%	8.7%	76.4%
	Grade 4	15.5%	9.8%	5.7%	84.5%
	Grade 5	21.9%	13.8%	8.0%	78.1%
	Grade 6	35.3%	22.4%	12.9%	64.7%
Inhalants	All	11.0%	8.0%	3.0%	89.0%
	Grade 4	9.5%	6.8%	2.7%	90.5%
	Grade 5	8.9%	6.5%	2.4%	91.1%
	Grade 6	15.4%	11.4%	4.0%	84.6%
Marijuana	All	2.5%	1.7%	0.7%	97.5%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.6%	1.0%	0.6%	98.4%
	Grade 6	5.6%	4.2%	1.4%	94.4%

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	9.3%	5.1%	4.2%	90.7%
	Grade 4	5.4%	3.0%	2.5%	94.6%
	Grade 5	7.5%	3.9%	3.5%	92.5%
	Grade 6	16.2%	9.2%	7.0%	83.8%
Alcohol	All	26.8%	16.6%	10.2%	73.2%
	Grade 4	19.6%	12.2%	7.5%	80.4%
	Grade 5	25.6%	15.8%	9.7%	74.4%
	Grade 6	36.9%	22.8%	14.1%	63.1%
Inhalants	All	12.9%	9.3%	3.6%	87.1%
	Grade 4	11.8%	8.4%	3.4%	88.2%
	Grade 5	11.0%	8.0%	3.0%	89.0%
	Grade 6	16.6%	11.9%	4.7%	83.4%
Marijuana	All	3.3%	2.3%	1.1%	96.7%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	2.3%	1.5%	0.8%	97.7%
	Grade 6	7.6%	5.5%	2.1%	92.4%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table B3: Prevalence and recency of use of selected substances by grade
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	5.7%	3.1%	2.5%	94.3%
	Grade 4	2.2%	1.3%	0.9%	97.8%
	Grade 5	3.8%	2.2%	1.6%	96.2%
	Grade 6	12.1%	6.5%	5.6%	87.9%
Alcohol	All	20.6%	13.4%	7.2%	79.4%
	Grade 4	11.5%	7.4%	4.0%	88.5%
	Grade 5	18.4%	11.9%	6.5%	81.6%
	Grade 6	33.8%	22.1%	11.7%	66.2%
Inhalants	All	9.2%	6.9%	2.3%	90.8%
	Grade 4	7.3%	5.3%	2.0%	92.7%
	Grade 5	7.0%	5.1%	1.9%	93.0%
	Grade 6	14.2%	10.9%	3.3%	85.8%
Marijuana	All	1.6%	1.2%	0.4%	98.4%
	Grade 4	0.5%	0.2%	0.3%	99.5%
	Grade 5	0.9%	0.6%	0.3%	99.1%
	Grade 6	3.8%	3.0%	0.8%	96.2%

Table B4: Prevalence and recency of use of selected substances by grade
--> White Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.4%	3.4%	3.0%	93.6%
	Grade 4	3.8%	1.7%	2.2%	96.2%
	Grade 5	5.3%	3.3%	2.1%	94.7%
	Grade 6	10.8%	5.6%	5.2%	89.2%
Alcohol	All	21.7%	13.6%	8.1%	78.3%
	Grade 4	18.3%	12.3%	6.1%	81.7%
	Grade 5	17.5%	10.2%	7.4%	82.5%
	Grade 6	30.9%	19.2%	11.7%	69.1%
Inhalants	All	10.4%	7.4%	3.0%	89.6%
	Grade 4	10.8%	7.8%	2.9%	89.2%
	Grade 5	8.3%	5.7%	2.5%	91.7%
	Grade 6	12.3%	8.8%	3.5%	87.7%
Marijuana	All	2.1%	1.5%	0.6%	97.9%
	Grade 4	0.2%	0.2%	* %	99.8%
	Grade 5	1.5%	1.5%	* %	98.5%
	Grade 6	5.4%	3.3%	2.1%	94.6%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table B5: Prevalence and recency of use of selected substances by grade
--> African/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.1%	4.8%	2.4%	92.9%
	Grade 4	3.1%	1.7%	1.4%	96.9%
	Grade 5	4.2%	3.8%	0.4%	95.8%
	Grade 6	18.5%	11.7%	6.8%	81.5%
Alcohol	All	20.5%	13.7%	6.8%	79.5%
	Grade 4	12.2%	7.5%	4.7%	87.8%
	Grade 5	20.7%	14.4%	6.3%	79.3%
	Grade 6	35.1%	23.8%	11.3%	64.9%
Inhalants	All	13.3%	10.0%	3.3%	86.7%
	Grade 4	9.1%	6.3%	2.8%	90.9%
	Grade 5	14.2%	12.0%	2.2%	85.8%
	Grade 6	19.8%	14.2%	5.6%	80.2%
Marijuana	All	3.5%	2.3%	1.2%	96.5%
	Grade 4	2.1%	1.0%	1.0%	97.9%
	Grade 5	1.5%	0.9%	0.6%	98.5%
	Grade 6	8.7%	6.3%	2.4%	91.3%

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.5%	4.1%	3.4%	92.5%
	Grade 4	3.8%	2.1%	1.7%	96.2%
	Grade 5	5.6%	3.0%	2.6%	94.4%
	Grade 6	14.2%	7.9%	6.4%	85.8%
Alcohol	All	23.9%	15.1%	8.7%	76.1%
	Grade 4	15.4%	9.7%	5.7%	84.6%
	Grade 5	22.2%	14.1%	8.1%	77.8%
	Grade 6	35.7%	22.7%	13.0%	64.3%
Inhalants	All	11.0%	8.0%	3.0%	89.0%
	Grade 4	9.4%	6.7%	2.7%	90.6%
	Grade 5	8.8%	6.4%	2.4%	91.2%
	Grade 6	15.5%	11.5%	4.0%	84.5%
Marijuana	All	2.5%	1.7%	0.7%	97.5%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.6%	1.0%	0.6%	98.4%
	Grade 6	5.6%	4.2%	1.4%	94.4%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table B7: Prevalence and recency of use of selected substances by grade
--> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.3%	3.3%	3.1%	93.7%
	Grade 4	3.3%	1.6%	1.6%	96.7%
	Grade 5	4.8%	2.5%	2.2%	95.2%
	Grade 6	12.0%	6.2%	5.8%	88.0%
Alcohol	All	22.1%	13.7%	8.4%	77.9%
	Grade 4	14.7%	9.2%	5.5%	85.3%
	Grade 5	20.7%	12.7%	8.0%	79.3%
	Grade 6	32.7%	20.4%	12.3%	67.3%
Inhalants	All	9.8%	7.2%	2.6%	90.2%
	Grade 4	8.4%	6.1%	2.3%	91.6%
	Grade 5	7.9%	5.7%	2.2%	92.1%
	Grade 6	13.8%	10.3%	3.5%	86.2%
Marijuana	All	1.8%	1.3%	0.5%	98.2%
	Grade 4	0.6%	0.3%	0.3%	99.4%
	Grade 5	1.1%	0.7%	0.4%	98.9%
	Grade 6	4.1%	3.1%	1.0%	95.9%

Table B8: Prevalence and recency of use of selected substances by grade
--> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	10.9%	6.6%	4.3%	89.1%
	Grade 4	5.6%	3.6%	2.0%	94.4%
	Grade 5	8.1%	4.6%	3.5%	91.9%
	Grade 6	19.9%	12.1%	7.8%	80.1%
Alcohol	All	28.6%	18.9%	9.7%	71.4%
	Grade 4	18.8%	12.0%	6.8%	81.2%
	Grade 5	25.4%	17.2%	8.2%	74.6%
	Grade 6	42.7%	28.2%	14.5%	57.3%
Inhalants	All	14.8%	10.7%	4.1%	85.2%
	Grade 4	13.0%	9.0%	4.0%	87.0%
	Grade 5	12.0%	8.8%	3.2%	88.0%
	Grade 6	20.3%	14.8%	5.5%	79.7%
Marijuana	All	4.5%	3.1%	1.4%	95.5%
	Grade 4	1.0%	0.5%	0.5%	99.0%
	Grade 5	3.0%	1.9%	1.0%	97.0%
	Grade 6	10.2%	7.4%	2.8%	89.8%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table B9: Prevalence and recency of use of selected substances by grade
--> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.2%	3.3%	2.9%	93.8%
	Grade 4	3.2%	1.7%	1.4%	96.8%
	Grade 5	4.9%	2.5%	2.4%	95.1%
	Grade 6	11.7%	6.4%	5.4%	88.3%
Alcohol	All	21.6%	13.7%	7.9%	78.4%
	Grade 4	14.5%	9.1%	5.4%	85.5%
	Grade 5	20.2%	12.6%	7.5%	79.8%
	Grade 6	32.4%	20.9%	11.6%	67.6%
Inhalants	All	10.5%	7.7%	2.8%	89.5%
	Grade 4	9.5%	6.8%	2.7%	90.5%
	Grade 5	8.6%	6.3%	2.3%	91.4%
	Grade 6	14.2%	10.7%	3.6%	85.8%
Marijuana	All	1.8%	1.2%	0.6%	98.2%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	1.2%	0.7%	0.5%	98.8%
	Grade 6	4.2%	3.1%	1.1%	95.8%

Table B10: Prevalence and recency of use of selected substances by grade
--> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	10.9%	6.3%	4.7%	89.1%
	Grade 4	5.5%	3.1%	2.4%	94.5%
	Grade 5	7.7%	4.6%	3.2%	92.3%
	Grade 6	19.9%	11.3%	8.6%	80.1%
Alcohol	All	29.1%	18.4%	10.7%	70.9%
	Grade 4	18.3%	11.7%	6.6%	81.7%
	Grade 5	26.7%	17.2%	9.5%	73.3%
	Grade 6	42.4%	26.5%	15.9%	57.6%
Inhalants	All	12.5%	9.0%	3.5%	87.5%
	Grade 4	9.7%	6.9%	2.8%	90.3%
	Grade 5	9.9%	7.1%	2.8%	90.1%
	Grade 6	18.1%	13.2%	4.8%	81.9%
Marijuana	All	4.4%	3.1%	1.3%	95.6%
	Grade 4	1.2%	0.6%	0.6%	98.8%
	Grade 5	2.8%	1.9%	0.9%	97.2%
	Grade 6	9.3%	7.0%	2.3%	90.7%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

Table B11: Prevalence and recency of use of selected substances by grade
--> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.7%	4.3%	3.4%	92.3%
	Grade 4	3.8%	2.2%	1.6%	96.2%
	Grade 5	5.5%	3.0%	2.6%	94.5%
	Grade 6	14.6%	8.3%	6.4%	85.4%
Alcohol	All	24.3%	15.4%	8.9%	75.7%
	Grade 4	15.7%	9.9%	5.9%	84.3%
	Grade 5	22.3%	14.0%	8.2%	77.7%
	Grade 6	36.0%	23.0%	13.0%	64.0%
Inhalants	All	11.0%	8.1%	2.9%	89.0%
	Grade 4	9.5%	6.8%	2.7%	90.5%
	Grade 5	8.9%	6.5%	2.4%	91.1%
	Grade 6	15.4%	11.5%	3.9%	84.6%
Marijuana	All	2.5%	1.7%	0.7%	97.5%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	1.5%	0.9%	0.6%	98.5%
	Grade 6	5.6%	4.2%	1.4%	94.4%

Table B12: Prevalence and recency of use of selected substances by grade
--> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	7.1%	3.5%	3.6%	92.9%
	Grade 4	3.5%	1.6%	1.9%	96.5%
	Grade 5	6.1%	3.4%	2.8%	93.9%
	Grade 6	12.8%	6.0%	6.8%	87.2%
Alcohol	All	23.7%	14.8%	8.9%	76.3%
	Grade 4	17.5%	10.8%	6.7%	82.5%
	Grade 5	21.9%	13.8%	8.1%	78.1%
	Grade 6	33.6%	20.9%	12.7%	66.4%
Inhalants	All	11.6%	8.1%	3.4%	88.4%
	Grade 4	10.2%	6.9%	3.2%	89.8%
	Grade 5	9.7%	6.7%	3.0%	90.3%
	Grade 6	15.6%	11.4%	4.2%	84.4%
Marijuana	All	3.0%	2.1%	0.9%	97.0%
	Grade 4	1.2%	0.5%	0.7%	98.8%
	Grade 5	2.4%	1.8%	0.6%	97.6%
	Grade 6	6.2%	4.5%	1.7%	93.8%

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

GENDER

Q1	Frequency	Percent
Female	72140.17	51.23
Male	68687.41	48.77

Frequency Missing = 139.81496084

GRADE LEVEL

Q2	Frequency	Percent
Grade 4	48252.76	34.23
Grade 5	51811.85	36.75
Grade 6	40902.78	29.02

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
No	36611.58	26.21
Yes	103049.8	73.79

Frequency Missing = 1305.9784766

AGE

Q4	Frequency	Percent
8 or younger	91.21511	0.06
9	13362.6	9.51
10	43515.31	30.98
11	48024.36	34.19
12	31095.74	22.14
13 or older	4360.03	3.10

Frequency Missing = 518.14964652

ETHNICITY

Q5	Frequency	Percent
African/American	3255.969	2.31
Asian/American	729.3707	0.52
Mexican/American	128768.1	91.35
Native/American	554.5067	0.39
Other	1329.816	0.94
White	6329.605	4.49

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
Mostly A's	34531.33	25.04
Mostly B's	69178.07	50.17
Mostly C's	27350.01	19.83
Mostly D's	4423.679	3.21
Mostly F's	2416.349	1.75

Frequency Missing = 3067.9596473

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
Don't Know	12859.02	9.18
No	15502.55	11.07
Yes	111649.4	79.74

Frequency Missing = 956.40211289

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
Don't Know	62972.68	45.11
No	32059.02	22.96
Yes	44578.22	31.93

Frequency Missing = 1357.4761612

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?

Q9	Frequency	Percent
Don't Know	35809.14	26.19
No	14870.53	10.88
Yes	86027.84	62.93

Frequency Missing = 4259.8849848

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
No	48586.09	35.20
Yes	89429.87	64.80

Frequency Missing = 2951.4315666

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

EVER INHALED GASOLINE TO GET HIGH?

Q11a	Frequency	Percent
Not Used	131678.3	96.68
Used	4521.333	3.32

Frequency Missing = 4767.7210155

EVER INHALED PAINT THINNER TO GET HIGH?

Q11b	Frequency	Percent
Not Used	131105	97.58
Used	3255.795	2.42

Frequency Missing = 6606.5525708

EVER INHALED GLUE TO GET HIGH?

Q11c	Frequency	Percent
Not Used	129600	96.56
Used	4623.571	3.44

Frequency Missing = 6743.8199371

EVER INHALED WHITEOUT TO GET HIGH?

Q11d	Frequency	Percent
Not Used	128808.3	96.08
Used	5255.073	3.92

Frequency Missing = 6904.0493664

EVER INHALED SPRAY PAINT TO GET HIGH?

Q11e	Frequency	Percent
Not Used	129852.7	96.38
Used	4881.866	3.62

Frequency Missing = 6232.7880479

EVER USED OTHER INHALANTS TO GET HIGH?

Q11f	Frequency	Percent
Not Used	128820.9	95.35
Used	6285.96	4.65

Frequency Missing = 5860.5092529

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

CIGARETTE USE DURING LIFETIME

Q12a	Frequency	Percent
Never heard of	7937.369	5.79
Never used	120066.3	87.65
1-2 times	7326.189	5.35
3-10 times	1157.948	0.85
11+ times	492.5368	0.36

Frequency Missing = 3987.0800189

SNUFF/CHEWING TOBACCO USE IN LIFETIME

Q12b	Frequency	Percent
Never heard of	16544.24	12.29
Never used	117017.3	86.89
1-2 times	900.0672	0.67
3-10 times	145.9308	0.11
11+ times	62.35989	0.05

Frequency Missing = 6297.4742746

BEER USE DURING LIFETIME

Q12c	Frequency	Percent
Never heard of	3788.775	2.82
Never used	111457.3	82.98
1-2 times	15601.49	11.61
3-10 times	2440.724	1.82
11+ times	1034.727	0.77

Frequency Missing = 6644.3954831

WINE COOLER USE DURING LIFETIME

Q12d	Frequency	Percent
Never heard of	24398.05	18.18
Never used	95001.28	70.81
1-2 times	11743.79	8.75
3-10 times	2139.715	1.59
11+ times	887.5876	0.66

Frequency Missing = 6796.9744968

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

WINE USE DURING LIFETIME

Q12e	Frequency	Percent
Never heard of	10385.33	7.77
Never used	110107.2	82.41
1-2 times	11253.31	8.42
3-10 times	1287.073	0.96
11+ times	583.8058	0.44

Frequency Missing = 7350.645419

LIQUOR USE DURING LIFETIME

Q12f	Frequency	Percent
Never heard of	20413.2	15.19
Never used	107780.8	80.21
1-2 times	5026.452	3.74
3-10 times	802.4861	0.60
11+ times	353.3541	0.26

Frequency Missing = 6591.1413619

INHALANT USE DURING LIFETIME

Q12h	Frequency	Percent
Never heard of	16026.88	11.95
Never used	111691.7	83.29
1-2 times	4689.13	3.50
3-10 times	1193.494	0.89
11+ times	504.975	0.38

Frequency Missing = 6861.2586909

MARIJUANA USE DURING LIFETIME

Q12i	Frequency	Percent
Never heard of	15286.36	11.28
Never used	117068.3	86.40
1-2 times	1938.165	1.43
3-10 times	640.946	0.47
11+ times	557.4854	0.41

Frequency Missing = 5476.1228843

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

CIGARETTE USE IN PAST SCHOOL YEAR

Q13a	Frequency	Percent
Never heard of	6934.615	5.15
Never used	122611.8	90.98
1-2 times	4168.822	3.09
3-10 times	744.2019	0.55
11+ times	312.6586	0.23

Frequency Missing = 6195.2913374

SNUFF/CHEWING TOBACCO USE IN PAST YEAR

Q13b	Frequency	Percent
Never heard of	13636.2	10.26
Never used	118406.6	89.13
1-2 times	623.9556	0.47
3-10 times	124.0767	0.09
11+ times	59.2934	0.04

Frequency Missing = 8117.3178843

BEER USE IN PAST SCHOOL YEAR

Q13c	Frequency	Percent
Never heard of	3600.937	2.73
Never used	116488.2	88.33
1-2 times	9650.827	7.32
3-10 times	1593.708	1.21
11+ times	540.5963	0.41

Frequency Missing = 9093.1328002

WINE COOLER USE IN PAST SCHOOL YEAR

Q13d	Frequency	Percent
Never heard of	22512.5	17.06
Never used	99846	75.65
1-2 times	7686.558	5.82
3-10 times	1417.353	1.07
11+ times	516.1562	0.39

Frequency Missing = 8988.8250966

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

WINE USE IN PAST SCHOOL YEAR

Q13e	Frequency	Percent
Never heard of	9779.262	7.43
Never used	113269.7	86.03
1-2 times	7368.622	5.60
3-10 times	858.3679	0.65
11+ times	389.6715	0.30

Frequency Missing = 9301.7956019

LIQUOR USE IN PAST SCHOOL YEAR

Q13f	Frequency	Percent
Never heard of	18397.01	13.88
Never used	110064.8	83.05
1-2 times	3333.588	2.52
3-10 times	551.2254	0.42
11+ times	186.2454	0.14

Frequency Missing = 8434.5048907

INHALANT USE IN PAST SCHOOL YEAR

Q13h	Frequency	Percent
Never heard of	14808.8	11.18
Never used	112573.8	84.98
1-2 times	3611.398	2.73
3-10 times	1038.112	0.78
11+ times	435.8211	0.33

Frequency Missing = 8499.4358245

MARIJUANA USE IN PAST SCHOOL YEAR

Q13i	Frequency	Percent
Never heard of	14117.71	10.62
Never used	116400.6	87.59
1-2 times	1387.069	1.04
3-10 times	548.2378	0.41
11+ times	440.6905	0.33

Frequency Missing = 8073.1056222

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED CIGARETTES

Q14a	Frequency	Percent
7 or younger	1886.946	1.41
8 years old	1230.218	0.92
9 years old	1499.866	1.12
10 years old	1888.445	1.41
11 years old	1873.559	1.40
12 or older	1300.758	0.97
Never heard/used	123837.5	92.75

Frequency Missing = 7450.0769064

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14b	Frequency	Percent
7 or younger	289.951	0.22
8 years old	185.2945	0.14
9 years old	189.9129	0.14
10 years old	257.9887	0.20
11 years old	231.9091	0.18
12 or older	182.6929	0.14
Never heard/used	130361.4	98.98

Frequency Missing = 9268.2498941

AGE WHEN FIRST USED BEER

Q14c	Frequency	Percent
7 or younger	6317.607	4.81
8 years old	2486.908	1.90
9 years old	3119.215	2.38
10 years old	3378.454	2.57
11 years old	2751.54	2.10
12 or older	1533.692	1.17
Never heard/used	111645.3	85.07

Frequency Missing = 9734.6522051

AGE WHEN FIRST USED WINE COOLERS

Q14d	Frequency	Percent
7 or younger	1744.651	1.33
8 years old	1684.856	1.29
9 years old	2193.293	1.67
10 years old	3425.634	2.61
11 years old	3402.989	2.60
12 or older	1929.895	1.47
Never heard/used	116712.4	89.03

Frequency Missing = 9873.6307551

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

AGE WHEN FIRST USED WINE

Q14e	Frequency	Percent
7 or younger	1502.412	1.15
8 years old	1368.045	1.05
9 years old	2298.436	1.76
10 years old	3174.17	2.44
11 years old	2710.79	2.08
12 or older	1615.087	1.24
Never heard/used	117605.5	90.28

Frequency Missing = 10692.960433

AGE WHEN FIRST USED LIQUOR

Q14f	Frequency	Percent
7 or younger	606.7475	0.46
8 years old	514.8403	0.39
9 years old	745.6617	0.57
10 years old	1131.471	0.86
11 years old	1578.057	1.20
12 or older	1018.747	0.78
Never heard/used	125420.1	95.73

Frequency Missing = 9951.7804849

AGE WHEN FIRST USED INHALANTS

Q14h	Frequency	Percent
7 or younger	1159.322	0.89
8 years old	639.7361	0.49
9 years old	908.98	0.69
10 years old	1271.853	0.97
11 years old	1493.811	1.14
12 or older	811.048	0.62
Never heard/used	124693.9	95.20

Frequency Missing = 9988.7341376

AGE WHEN FIRST USED MARIJUANA

Q14i	Frequency	Percent
7 or younger	395.4962	0.30
8 years old	189.2004	0.14
9 years old	333.0096	0.25
10 years old	530.1722	0.40
11 years old	810.4264	0.62
12 or older	837.0676	0.64
Never heard/used	128498.5	97.65

Frequency Missing = 9373.5341276

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

CLOSE FRIENDS USE CIGARETTES

Q15a	Frequency	Percent
Never heard of	5991.688	4.52
None	105574.4	79.67
Some	19028.31	14.36
Most	1927.813	1.45

Frequency Missing = 8445.1711876

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15b	Frequency	Percent
Never heard of	9349.396	7.23
None	114152	88.28
Some	4916.185	3.80
Most	883.3092	0.68

Frequency Missing = 11666.532275

CLOSE FRIENDS USE BEER

Q15c	Frequency	Percent
Never heard of	4126.998	3.21
None	99238.77	77.13
Some	21479.35	16.69
Most	3814.379	2.96

Frequency Missing = 12307.898909

CLOSE FRIENDS USE WINE COOLERS

Q15d	Frequency	Percent
Never heard of	16116.78	12.51
None	95228.93	73.94
Some	14327.72	11.13
Most	3111.265	2.42

Frequency Missing = 12182.70313

CLOSE FRIENDS USE WINE

Q15e	Frequency	Percent
Never heard of	7880.752	6.13
None	106022.6	82.49
Some	12416.26	9.66
Most	2201.887	1.71

Frequency Missing = 12445.862032

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

CLOSE FRIENDS USE LIQUOR

Q15f	Frequency	Percent
Never heard of	13018.52	10.07
None	106369.8	82.27
Some	8115.055	6.28
Most	1789.445	1.38

Frequency Missing = 11674.544259

CLOSE FRIENDS USE INHALANTS

Q15h	Frequency	Percent
Never heard of	11438.58	8.83
None	105885.7	81.71
Some	9517.907	7.35
Most	2739.136	2.11

Frequency Missing = 11386.02792

CLOSE FRIENDS USE MARIJUANA

Q15i	Frequency	Percent
Never heard of	10832.45	8.32
None	106930.8	82.09
Some	9490.618	7.29
Most	3012.078	2.31

Frequency Missing = 10701.479832

EVER BEEN OFFERED CIGARETTES

Q16a	Frequency	Percent
Never heard of	6419.957	4.88
No	108648.8	82.56
Yes	16526.08	12.56

Frequency Missing = 9372.5322745

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16b	Frequency	Percent
Never heard of	10365.82	8.16
No	112187.2	88.34
Yes	4441.506	3.50

Frequency Missing = 13972.910414

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

EVER BEEN OFFERED BEER

Q16c	Frequency	Percent
Never heard of	4465.493	3.53
No	98371.66	77.70
Yes	23764.31	18.77

Frequency Missing = 14365.926276

EVER BEEN OFFERED WINE COOLERS

Q16d	Frequency	Percent
Never heard of	16428.53	12.96
No	97544.14	76.97
Yes	12762.4	10.07

Frequency Missing = 14232.320171

EVER BEEN OFFERED WINE

Q16e	Frequency	Percent
Never heard of	8270.088	6.49
No	107271	84.22
Yes	11827.5	9.29

Frequency Missing = 13598.835412

EVER BEEN OFFERED LIQUOR

Q16f	Frequency	Percent
Never heard of	13061.64	10.27
No	107118.4	84.22
Yes	7007.053	5.51

Frequency Missing = 13780.279638

EVER BEEN OFFERED INHALANTS

Q16h	Frequency	Percent
Never heard of	11617.05	9.07
No	108970.9	85.06
Yes	7522.07	5.87

Frequency Missing = 12857.354707

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	10738.98	8.27
No	109536.7	84.36
Yes	9563.896	7.37

Frequency Missing = 11127.813677

IS ALCOHOL OBTAINED FROM HOME

Q17a	Frequency	Percent
Do Not Drink	97738.7	73.64
No	23271.33	17.53
Yes	11715.45	8.83

Frequency Missing = 8241.909347

IS ALCOHOL OBTAINED FROM FRIENDS

Q17b	Frequency	Percent
Do Not Drink	96205.99	74.01
No	28684.57	22.07
Yes	5100.131	3.92

Frequency Missing = 10976.711015

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17c	Frequency	Percent
Do Not Drink	95302.09	72.46
No	23698.25	18.02
Yes	12524.14	9.52

Frequency Missing = 9442.910387

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18a	Frequency	Percent
Very dangerous	84395.55	63.02
Dangerous	33452.35	24.98
Not at all	2131.382	1.59
Don't know	9674.866	7.22
Never heard of	4263.849	3.18

Frequency Missing = 7049.4038896

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18b	Frequency	Percent
Very dangerous	91913.34	69.70
Dangerous	21326.02	16.17
Not at all	1478.825	1.12
Don't know	10137.89	7.69
Never heard of	7008.276	5.31

Frequency Missing = 9103.0517588

DANGEROUS FOR KIDS TO USE BEER

Q18c	Frequency	Percent
Very dangerous	67184.89	51.23
Dangerous	42529.74	32.43
Not at all	6697.071	5.11
Don't know	12046.68	9.19
Never heard of	2682.477	2.05

Frequency Missing = 9826.5425721

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18d	Frequency	Percent
Very dangerous	62224.84	47.57
Dangerous	31070.2	23.75
Not at all	8501.137	6.50
Don't know	15345.85	11.73
Never heard of	13675.67	10.45

Frequency Missing = 10149.691726

DANGEROUS FOR KIDS TO USE WINE

Q18e	Frequency	Percent
Very dangerous	69014.63	52.73
Dangerous	34551.45	26.40
Not at all	6704.54	5.12
Don't know	14839.48	11.34
Never heard of	5770.831	4.41

Frequency Missing = 10086.466385

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE LIQUOR

Q18f	Frequency	Percent
Very dangerous	82099.73	62.51
Dangerous	25222.02	19.20
Not at all	2719.611	2.07
Don't know	11491.79	8.75
Never heard of	9807.738	7.47

Frequency Missing = 9626.4996066

DANGEROUS FOR KIDS TO USE INHALANTS

Q18h	Frequency	Percent
Very dangerous	82944.4	63.31
Dangerous	23410.07	17.87
Not at all	3419.865	2.61
Don't know	12261.22	9.36
Never heard of	8978.531	6.85

Frequency Missing = 9953.3103311

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18i	Frequency	Percent
Very dangerous	104010.2	78.54
Dangerous	10919.68	8.25
Not at all	1777.438	1.34
Don't know	8029.322	6.06
Never heard of	7698.863	5.81

Frequency Missing = 8531.8625417

DRUG/ALCOHOL INFO FROM TEACHER

Q19a	Frequency	Percent
No	40244.66	31.17
Yes	88848.98	68.83

Frequency Missing = 11873.758111

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19b	Frequency	Percent
No	46192.75	36.22
Yes	81340.71	63.78

Frequency Missing = 13433.943891

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

DRUG/ALC INFO FROM ASSEMBLY PROGRAM

Q19c	Frequency	Percent
No	40389.06	31.67
Yes	87137.05	68.33

Frequency Missing = 13441.285455

DRUG/ALC INFO FROM GUIDE COUNSELOR

Q19d	Frequency	Percent
No	32383.54	25.09
Yes	96704.39	74.91

Frequency Missing = 11879.469963

DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL

Q19e	Frequency	Percent
No	60801.37	47.63
Yes	66839.75	52.37

Frequency Missing = 13326.273822

BEER, TWO OR MORE AT ONE TIME

Q20a	Frequency	Percent
Never	114696.5	86.10
1 time	11192.84	8.40
2 times	3906.863	2.93
3+ times	3419.342	2.57

Frequency Missing = 7751.8909393

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20b	Frequency	Percent
Never	116435.7	89.29
1 time	7355.221	5.64
2 times	3255.113	2.50
3+ times	3354.585	2.57

Frequency Missing = 10566.776172

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6
Spring 2004 V4(10/22/04)

The FREQ Procedure

WINE, TWO OR MORE AT ONE TIME

Q20c	Frequency	Percent
Never	117267	90.07
1 time	7918.53	6.08
2 times	2718.038	2.09
3+ times	2288.082	1.76

Frequency Missing = 10775.781453

LIQUOR, TWO OR MORE AT ONE TIME

Q20d	Frequency	Percent
Never	124858.1	95.48
1 time	3189.742	2.44
2 times	1197.049	0.92
3+ times	1523.257	1.16

Frequency Missing = 10199.270199

MISSED SCHOOL WITHOUT PARENT'S CONSENT

Q21	Frequency	Percent
No	130027.4	96.01
Yes	5398.181	3.99

Frequency Missing = 5541.780443

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	99377.05	73.35
Yes	36113.37	26.65

Frequency Missing = 5476.9774954

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
Don't like it	110983.4	82.35
Don't care	2598.922	1.93
Think it's O.K.	1314.286	0.98
Don't know	19871.9	14.75

Frequency Missing = 6198.9331043

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

Border: Grades 4-6

Spring 2004 V4(10/22/04)

The FREQ Procedure

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q24	Frequency	Percent
Don't like it	115171.8	85.40
Don't care	1930.714	1.43
Think it's O.K.	867.9847	0.64
Don't know	16895.66	12.53

Frequency Missing = 6101.2017096

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state