Texas School Survey of Drug and Alcohol Use: 2012 Border - Grades 7-12 Large

Table of Contents

1. General Substance Tables

| 1. General Substance Tables | Page 5 |
|---|----------|
| Tobacco Alcohol Drugs Inhalants Miscellaneous | |
| 2. Prevalence Tables | Page 53 |
| Table B1: All Students Table B2: Male Students Table B3: Female Students Table B4: White Students Table B5: African/American Students Table B6: Mexican/American Students Table B7: Students Reporting A Grades Table B8: Students Reporting Grades Lower Than an A Table B9: Students Living With 2 Parents Table B10: Students Not Living With 2 Parents Table B11: Students who would seek help from adults Table B12: Students who wouldn't seek help from adults Table B13: Students Living in Town 3 Years or Less Table Table B14: Students Living in Town More Than 3 Years | |
| 3. Margin Tables | Page 111 |

1. General Substance Tables

Table T-1: How recently, if ever, have you used ..

| | Past | School | Ever | Never |
|----------------------|-------|--------|-------|-------|
| | Month | Year | Used | Used |
| Any tobacco product? | | | | |
| All | 11.5% | 16.2% | 29.4% | 70.6% |
| Grade 7 | 4.2% | 5.3% | 11.8% | 88.2% |
| Grade 8 | 6.8% | 9.2% | 20.1% | 79.9% |
| Grade 9 | 10.6% | 15.7% | 29.8% | 70.2% |
| Grade 10 | 12.5% | 19.3% | 35.7% | 64.3% |
| Grade 11 | 15.5% | 22.3% | 39.3% | 60.7% |
| Grade 12 | 21.9% | 29.0% | 44.6% | 55.4% |
| Cigarettes? | | | | |
| All | 11.0% | 15.6% | 28.8% | 71.2% |
| Grade 7 | 3.7% | 4.9% | 11.3% | 88.7% |
| Grade 8 | 6.4% | 8.8% | 19.8% | 80.2% |
| Grade 9 | 10.4% | 15.2% | 29.0% | 71.0% |
| Grade 10 | 11.9% | 18.4% | 35.0% | 65.0% |
| Grade 11 | 14.8% | 21.5% | 38.5% | 61.5% |
| Grade 12 | 21.6% | 28.6% | 44.2% | 55.8% |
| Smokeless tobacco? | | | | |
| All | 2.8% | 4.0% | 7.4% | 92.6% |
| Grade 7 | 1.1% | 1.5% | 2.7% | 97.3% |
| Grade 8 | 2.2% | 3.1% | 5.4% | 94.6% |
| Grade 9 | 2.7% | 4.2% | 7.5% | 92.5% |
| Grade 10 | 3.2% | 4.7% | 8.6% | 91.4% |
| Grade 11 | 4.2% | 5.7% | 10.6% | 89.4% |
| Grade 12 | 4.0% | 5.7% | 11.0% | 89.0% |

Table T-2: How often do you normally use ..

| | , | | Several | Several | About | About | Less than |
|----------------------|-------|-------|---------|---------|--------|--------|-----------|
| | Never | Every | Times a | Times a | Once a | Once a | Once a |
| | Used | Day | Week | Month | Month | Year | Year |
| Any tobacco product? | | | | | | | |
| All | 73.7% | 1.3% | 2.8% | 4.2% | 5.8% | 4.6% | 7.5% |
| Grade 7 | 89.7% | 0.3% | 0.9% | 1.4% | 1.9% | 2.0% | 3.9% |
| Grade 8 | 82.8% | 0.2% | 1.9% | 2.7% | 3.8% | 3.4% | 5.2% |
| Grade 9 | 74.2% | 0.7% | 2.2% | 4.3% | 5.3% | 4.4% | 8.9% |
| Grade 10 | 68.4% | 1.1% | 3.2% | 4.9% | 7.1% | 6.8% | 8.5% |
| Grade 11 | 64.1% | 1.9% | 4.1% | 5.6% | 8.6% | 5.8% | 9.9% |
| Grade 12 | 58.6% | 4.0% | 5.5% | 7.1% | 9.3% | 6.2% | 9.3% |
| Cigarettes? | | | | | | | |
| All | 74.0% | 1.2% | 2.8% | 4.1% | 5.8% | 4.6% | 7.5% |
| Grade 7 | 90.0% | 0.2% | 0.8% | 1.2% | 1.9% | 2.1% | 3.8% |
| Grade 8 | 83.1% | 0.1% | 1.7% | 2.6% | 3.6% | 3.5% | 5.3% |
| Grade 9 | 74.4% | 0.7% | 2.2% | 4.3% | 5.3% | 4.3% | 8.8% |
| Grade 10 | 68.4% | 1.1% | 3.2% | 4.8% | 7.0% | 6.8% | 8.8% |
| Grade 11 | 64.5% | 1.9% | 4.0% | 5.5% | 8.8% | 5.4% | 10.0% |
| Grade 12 | 58.7% | 3.8% | 5.5% | 7.2% | 9.4% | 6.1% | 9.3% |
| Smokeless tobacco? | | | | | | | |
| All | 94.1% | 0.2% | 0.5% | 0.9% | 1.2% | 1.1% | 2.0% |
| Grade 7 | 98.0% | 0.1% | 0.2% | 0.5% | 0.4% | 0.2% | 0.7% |
| Grade 8 | 96.0% | 0.0% | 0.7% | 0.8% | 0.8% | 0.5% | 1.2% |
| Grade 9 | 94.0% | 0.1% | 0.3% | 0.9% | 1.6% | 1.0% | 2.1% |
| Grade 10 | 93.8% | 0.1% | 0.4% | 1.2% | 1.4% | 1.2% | 2.0% |
| Grade 11 | 90.8% | 0.4% | 0.8% | 1.0% | 1.5% | 2.2% | 3.3% |
| Grade 12 | 91.1% | 0.4% | 0.9% | 1.3% | 1.4% | 1.6% | 3.3% |

Table T-3: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------------|---------|---------|----------|----------|----------|
| Cigarettes | | | | | |
| 11.0 | 11.6 | 12.6 | 13.3 | 14.2 | 15.0 |
| Smokeless tob | acco | | | | |
| 11.6 | 11.9 | 13.2 | 13.7 | 14.5 | 15.2 |
| Any Tobacco | | | | | |
| 11.0 | 11.6 | 12.6 | 13.3 | 14.1 | 15.0 |

Table T-4: If you wanted some, how difficult would it be to get...

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Any tobacco product? | | - | | | <u> </u> | 3 3 |
| All | 24.4% | 17.1% | 5.3% | 9.3% | 16.6% | 27.2% |
| Grade 7 | 37.9% | 30.5% | 7.2% | 7.8% | 7.7% | 8.9% |
| Grade 8 | 29.8% | 23.2% | 6.4% | 10.2% | 14.4% | 16.0% |
| Grade 9 | 24.5% | 16.6% | 5.0% | 11.1% | 19.7% | 23.1% |
| Grade 10 | 18.2% | 13.2% | 5.3% | 11.2% | 20.8% | 31.3% |
| Grade 11 | 17.8% | 8.7% | 4.3% | 9.7% | 22.4% | 37.1% |
| Grade 12 | 14.6% | 7.3% | 3.2% | 5.5% | 15.5% | 53.9% |
| Cigarettes? | | | | | | |
| All | 24.8% | 17.3% | 5.2% | 9.5% | 16.5% | 26.7% |
| Grade 7 | 38.5% | 30.8% | 7.0% | 7.8% | 7.4% | 8.6% |
| Grade 8 | 30.5% | 23.2% | 6.3% | 10.3% | 14.3% | 15.3% |
| Grade 9 | 24.9% | 16.7% | 4.9% | 11.3% | 19.8% | 22.5% |
| Grade 10 | 18.6% | 13.2% | 5.4% | 11.2% | 21.0% | 30.6% |
| Grade 11 | 17.9% | 9.0% | 4.3% | 10.1% | 22.3% | 36.5% |
| Grade 12 | 14.8% | 7.2% | 3.2% | 5.7% | 15.3% | 53.7% |
| Smokeless Tobacco? | | | | | | |
| All | 39.2% | 20.6% | 6.9% | 9.4% | 10.2% | 13.6% |
| Grade 7 | 48.7% | 31.7% | 7.5% | 5.5% | 3.3% | 3.3% |
| Grade 8 | 41.9% | 28.1% | 7.4% | 8.1% | 7.2% | 7.3% |
| Grade 9 | 39.6% | 21.1% | 7.8% | 11.6% | 9.8% | 10.2% |
| Grade 10 | 36.1% | 17.7% | 7.8% | 12.2% | 12.4% | 13.8% |
| Grade 11 | 34.9% | 12.2% | 5.9% | 11.9% | 16.1% | 19.1% |
| Grade 12 | 31.9% | 9.2% | 4.3% | 7.0% | 14.7% | 32.9% |

Table T-5: About how many of your close friends...

| | None | A Few | Some | Most | ALL |
|---------------------------|---------|-------|-------|-------|------|
| Use any tobacco product? | | | | | |
| All | 46.4% | 30.0% | 15.0% | 6.9% | 1.8% |
| Grade 7 | 72.6% | 19.7% | 5.2% | 1.6% | 0.8% |
| Grade 8 | 56.7% | 27.6% | 10.9% | 3.5% | 1.2% |
| Grade 9 | 46.4% | 31.9% | 14.6% | 5.7% | 1.4% |
| Grade 10 | 38.2% | 31.7% | 19.3% | 8.5% | 2.3% |
| Grade 11 | 30.2% | 35.0% | 21.6% | 10.9% | 2.3% |
| Grade 12 | 28.1% | 35.4% | 20.4% | 13.1% | 2.9% |
| Smoke cigarettes? | | | | | |
| All | 47.7% | 30.0% | 14.1% | 6.6% | 1.7% |
| Grade 7 | 74.0% | 19.2% | 4.6% | 1.5% | 0.7% |
| Grade 8 | 58.6% | 27.1% | 10.0% | 3.2% | 1.1% |
| Grade 9 | 47.4% | 32.2% | 13.6% | 5.5% | 1.3% |
| Grade 10 | 39.7% | 31.8% | 18.3% | 8.1% | 2.1% |
| Grade 11 | 31.5% | 35.3% | 20.6% | 10.3% | 2.3% |
| Grade 12 | 28.6% | 36.1% | 19.9% | 12.5% | 2.9% |
| Use a smokeless tobacco p | roduct? | | | | |
| All | 76.4% | 14.8% | 6.0% | 2.1% | 0.8% |
| Grade 7 | 88.1% | 8.5% | 2.6% | 0.5% | 0.4% |
| Grade 8 | 79.9% | 12.9% | 5.1% | 1.5% | 0.6% |
| Grade 9 | 78.1% | 13.9% | 5.7% | 1.8% | 0.6% |
| Grade 10 | 73.5% | 16.0% | 7.2% | 2.5% | 0.8% |
| Grade 11 | 67.8% | 19.2% | 8.7% | 3.3% | 1.0% |
| Grade 12 | 67.9% | 20.0% | 7.5% | 3.3% | 1.4% |

Table T-6: How do your parents feel about kids your age using tobacco?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 78.5% | 5.5% | 4.4% | 0.9% | 0.9% | 9.7% |
| Grade 7 | 79.8% | 2.3% | 1.6% | 0.8% | 1.0% | 14.5% |
| Grade 8 | 81.7% | 3.2% | 1.9% | 0.7% | 0.8% | 11.6% |
| Grade 9 | 80.2% | 4.9% | 3.4% | 0.8% | 1.3% | 9.3% |
| Grade 10 | 79.6% | 6.6% | 4.8% | 0.6% | 1.0% | 7.4% |
| Grade 11 | 77.8% | 7.4% | 6.4% | 1.0% | 0.5% | 6.9% |
| Grade 12 | 70.4% | 9.3% | 9.9% | 1.8% | 0.9% | 7.8% |

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| | | | | | |
| All | 60.6% | 22.8% | 8.5% | 2.4% | 5.7% |
| Grade 7 | 77.8% | 13.1% | 3.0% | 0.8% | 5.3% |
| Grade 8 | 64.9% | 20.6% | 6.2% | 2.0% | 6.3% |
| Grade 9 | 59.7% | 22.8% | 9.0% | 2.5% | 5.9% |
| Grade 10 | 55.2% | 26.2% | 9.5% | 3.1% | 6.0% |
| Grade 11 | 51.3% | 28.0% | 12.3% | 2.9% | 5.5% |
| Grade 12 | 51.5% | 28.0% | 11.8% | 3.5% | 5.2% |

Table A-1: How recently, if ever, have you used...

| | Past Month | School Year | Ever Used | Never Used |
|----------------------|---------------|----------------|--------------|---------------|
| Any alcohol product? | | | | |
| All | 26.1% | 35.4% | 56.6% | 43.4% |
| Grade 7 | 11.3% | 14.3% | 32.5% | 67.5% |
| Grade 8 | 20.7% | 26.3% | 49.5% | 50.5% |
| Grade 9 | 27.9% | 36.7% | 58.8% | 41.2% |
| Grade 10 | 29.8% | 42.6% | 66.3% | 33.7% |
| Grade 11 | 32.8% | 46.6% | 67.7% | 32.3% |
| Grade 12 | 37.3% | 51.0% | 69.6% | 30.4% |
| Beer? | | | | |
| All | 18.3% | 26.0% | 45.0% | 55.0% |
| Grade 7 | 6.9% | 9.2% | 24.2% | 75.8% |
| Grade 8 | 12.9% | 17.8% | 38.0% | 62.0% |
| Grade 9 | 18.1% | 25.9% | 45.1% | 54.9% |
| Grade 10 | 21.4% | 31.9% | 54.8% | 45.2% |
| Grade 11 | 24.7% | 36.1% | 55.9% | 44.1% |
| Grade 12 | 28.9% | 39.6% | 56.8% | 43.2% |
| Wine coolers? | | | | |
| All | 16.5% | 23.9% | 39.0% | 61.0% |
| Grade 7 | 6.1% | 8.1% | 17.0% | 83.0% |
| Grade 8 | 13.0% | 17.6% | 31.9% | 68.1% |
| Grade 9 | 17.1% | 23.4% | 39.5% | 60.5% |
| Grade 10 | 19.1% | 29.1% | 47.4% | 52.6% |
| Grade 11 | 21.1% | 32.2% | 49.9% | 50.1% |
| Grade 12 | 24.7% | 37.0% | 53.3% | 46.79 |
| Wine? | | | | |
| All | 11.7% | 18.3% | 35.0% | 65.0% |
| Grade 7 | 5.5% | 7.4% | 18.2% | 81.8% |
| Grade 8 | 10.0% | 14.0% | 28.7% | 71.3% |
| Grade 9 | 13.4% | 19.7% | 37.3% | 62.79 |
| Grade 10 | 12.7% | 22.0% | 41.9% | 58.1% |
| Grade 11 | 13.1% | 22.8% | 42.4% | 57.6% |
| Grade 12 | 16.2% | 26.1% | 44.9% | 55.19 |
| Liquor? | | | | |
| All | 16.5% | 24.3% | 38.6% | 61.49 |
| Grade 7 | 4.3% | 6.1% | 12.8% | 87.29 |
| Grade 8 | 10.0% | 13.9% | 26.3% | 73.79 |
| Grade 9 | 17.1% | 24.7% | 39.0% | 61.09 |
| Grade 10 | 19.4% | 30.4% | 49.2% | 50.8% |
| Grade 11 | 23.8% | 35.3% | 53.2% | 46.8% |
| Grade 12 | 27.6% | 40.5% | 57.7% | 42.3% |

Table A-2: How often do you normally use...

| | Never | Every | Several Times a | Several Times a | About Once a | Once a | Less than Once a |
|----------------------|--------|-------|--------------------|--------------------|-----------------|--------|---------------------|
| Any alashal product? | Used | Day | Week | Month | Month | Year | Year |
| Any alcohol product? | EO 40/ | 0.50/ | 4 50/ | 10.00/ | 19.00/ | 11 10/ | 0.60/ |
| All | 50.4% | 0.5% | 4.5% | 10.9% | 12.9% | 11.1% | 9.6% |
| Grade 7 | 76.4% | 0.4% | 1.9% | 2.7% | 4.8% | 5.9% | 7.9% |
| Grade 8 | 58.8% | 0.3% | 4.1% | 6.1% | 9.8% | 10.7% | 10.3% |
| Grade 9 | 48.1% | 0.6% | 4.4% | 9.9% | 14.5% | 12.0% | 10.6% |
| Grade 10 | 41.7% | 0.8% | 5.0% | 13.4% | 15.8% | 13.1% | 10.0% |
| Grade 11 | 37.5% | 0.5% | 5.7% | 16.9% | 17.0% | 12.9% | 9.5% |
| Grade 12 | 35.2% | 0.5% | 6.7% | 19.1% | 17.1% | 12.4% | 8.9% |
| Beer? | | | | | | | |
| All | 58.0% | 0.3% | 3.6% | 8.8% | 11.2% | 9.1% | 8.9% |
| Grade 7 | 80.5% | 0.3% | 1.3% | 2.2% | 4.2% | 5.1% | 6.5% |
| Grade 8 | 65.9% | 0.2% | 2.8% | 4.8% | 8.6% | 8.2% | 9.6% |
| Grade 9 | 57.3% | 0.2% | 3.5% | 7.4% | 12.3% | 9.5% | 9.8% |
| Grade 10 | 48.9% | 0.3% | 4.4% | 10.8% | 14.0% | 11.2% | 10.4% |
| Grade 11 | 46.3% | 0.4% | 4.7% | 13.8% | 15.1% | 10.8% | 9.0% |
| Grade 12 | 45.0% | 0.4% | 5.5% | 16.1% | 14.6% | 10.3% | 8.0% |
| Wine coolers? | | | | | | | |
| All | 65.6% | 0.2% | 2.5% | 6.8% | 9.3% | 8.6% | 6.9% |
| Grade 7 | 88.7% | 0.1% | 0.8% | 1.4% | 2.1% | 3.1% | 3.8% |
| Grade 8 | 75.7% | 0.2% | 2.3% | 3.5% | 5.9% | 6.8% | 5.6% |
| Grade 9 | 64.9% | 0.1% | 2.7% | 6.4% | 10.3% | 8.6% | 7.0% |
| Grade 10 | 56.9% | 0.4% | 2.9% | 8.3% | 11.8% | 11.3% | 8.3% |
| Grade 11 | 53.3% | 0.1% | 3.2% | 10.5% | 13.8% | 10.7% | 8.3% |
| Grade 12 | 48.7% | 0.1% | 3.7% | 12.6% | 13.7% | 12.2% | 9.1% |
| Wine? | | | | | | | |
| All | 68.1% | 0.0% | 1.8% | 4.4% | 6.9% | 10.3% | 8.6% |
| Grade 7 | 86.8% | 0.1% | 0.7% | 1.2% | 2.3% | 4.1% | 4.8% |
| Grade 8 | 75.3% | 0.0% | 1.6% | 3.1% | 4.8% | 7.6% | 7.6% |
| Grade 9 | 65.7% | 0.0% | 2.0% | 4.5% | 7.9% | 11.3% | 8.6% |
| Grade 10 | 61.6% | 0.0% | 2.1% | 5.4% | 7.8% | 12.8% | 10.2% |
| Grade 11 | 60.3% | 0.0% | 2.1% | 5.6% | 9.2% | 12.6% | 10.1% |
| Grade 12 | 55.1% | 0.0% | 2.4% | 7.2% | 10.0% | 14.5% | 10.9% |
| Liquor? | | | | | | | |
| All | 64.5% | 0.2% | 2.8% | 7.6% | 9.4% | 9.0% | 6.5% |
| Grade 7 | 90.0% | 0.1% | 0.6% | 1.1% | 2.4% | 2.6% | 3.2% |
| Grade 8 | 77.5% | 0.1% | 1.9% | 3.4% | 4.7% | 6.8% | 5.6% |
| Grade 9 | 63.7% | 0.4% | 2.5% | 6.9% | 10.4% | 9.1% | 6.9% |
| Grade 10 | 55.0% | 0.3% | 3.4% | 9.6% | 11.8% | 12.0% | 7.9% |
| Grade 11 | 50.2% | 0.2% | 4.1% | 12.2% | 13.6% | 11.7% | 8.0% |
| Grade 12 | 44.9% | 0.0% | 4.7% | 14.6% | 15.1% | 12.8% | 7.8% |

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

| | Never | Ever Used | 5 or More | 1 to 4 | Less than 1 |
|--------------|-------|-----------|-----------|--------|-------------|
| Beer | | | | | |
| All | 53.9% | 46.1% | 12.7% | 21.7% | 11.7% |
| Grade 7 | 75.2% | 24.8% | 3.0% | 11.5% | 10.3% |
| Grade 8 | 60.5% | 39.5% | 6.5% | 19.2% | 13.7% |
| Grade 9 | 53.7% | 46.3% | 11.3% | 22.4% | 12.6% |
| Grade 10 | 44.7% | 55.3% | 15.8% | 26.9% | 12.6% |
| Grade 11 | 43.2% | 56.8% | 20.5% | 25.5% | 10.8% |
| Grade 12 | 42.0% | 58.0% | 22.3% | 25.9% | 9.8% |
| Wine Coolers | | | | | |
| All | 61.3% | 38.7% | 8.3% | 23.0% | 7.4% |
| Grade 7 | 85.2% | 14.8% | 1.9% | 7.0% | 5.9% |
| Grade 8 | 70.4% | 29.6% | 4.5% | 16.9% | 8.1% |
| Grade 9 | 61.2% | 38.8% | 8.2% | 22.7% | 7.9% |
| Grade 10 | 51.9% | 48.1% | 10.4% | 29.2% | 8.6% |
| Grade 11 | 48.3% | 51.7% | 12.1% | 32.0% | 7.6% |
| Grade 12 | 45.8% | 54.2% | 14.1% | 33.8% | 6.4% |
| Wine | | | | | |
| All | 64.0% | 36.0% | 4.0% | 19.3% | 12.7% |
| Grade 7 | 82.7% | 17.3% | 1.6% | 7.3% | 8.4% |
| Grade 8 | 70.8% | 29.2% | 2.5% | 14.8% | 11.9% |
| Grade 9 | 61.3% | 38.7% | 4.9% | 20.6% | 13.2% |
| Grade 10 | 57.1% | 42.9% | 5.4% | 22.6% | 14.9% |
| Grade 11 | 56.2% | 43.8% | 4.8% | 25.1% | 13.9% |
| Grade 12 | 52.5% | 47.5% | 5.3% | 27.7% | 14.5% |
| Liquor | | | | | |
| All | 61.0% | 39.0% | 10.4% | 20.7% | 7.9% |
| Grade 7 | 87.7% | 12.3% | 1.9% | 5.8% | 4.6% |
| Grade 8 | 73.9% | 26.1% | 4.9% | 13.4% | 7.8% |
| Grade 9 | 60.2% | 39.8% | 11.2% | 19.8% | 8.8% |
| Grade 10 | 50.1% | 49.9% | 12.0% | 28.0% | 9.9% |
| Grade 11 | 46.0% | 54.0% | 16.0% | 29.0% | 8.9% |
| Grade 12 | 42.0% | 58.0% | 18.4% | 31.8% | 7.8% |

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

| | Ne | ver/None | 1 day | 2 days | 3 to 5 days | 6 to 9 days | 10 or more days |
|---------|----------|----------|-------|--------|-------------|-------------|--------------------|
| Alcohol | | | | | | | |
| | All | 80.5% | 7.3% | 4.0% | 4.3% | 1.6% | 2.3% |
| | Grade 7 | 93.5% | 2.9% | 1.4% | 1.2% | 0.3% | 0.7% |
| | Grade 8 | 87.2% | 5.3% | 2.8% | 2.5% | 0.8% | 1.4% |
| | Grade 9 | 79.8% | 8.1% | 3.9% | 3.6% | 1.7% | 2.8% |
| | Grade 10 | 77.8% | 8.1% | 5.1% | 4.8% | 1.8% | 2.4% |
| | Grade 11 | 72.7% | 9.6% | 5.4% | 7.0% | 2.3% | 3.1% |
| | Grade 12 | 68.8% | 10.5% | 6.1% | 7.5% | 3.2% | 3.9% |

Table A-5: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|--------------|---------|---------|----------|----------|----------|
| Beer | | | | | |
| 10.7 | 11.4 | 12.4 | 13.2 | 13.9 | 14.5 |
| Wine Coolers | | | | | |
| 11.3 | 11.9 | 12.9 | 13.6 | 14.3 | 14.9 |
| Wine | | | | | |
| 11.2 | 11.8 | 12.8 | 13.4 | 14.3 | 14.9 |
| Liquor | | | | | |
| 11.5 | 12.2 | 13.2 | 14.0 | 14.7 | 15.4 |
| Any Alcohol | | | | | |
| 10.7 | 11.4 | 12.3 | 13.0 | 13.8 | 14.4 |

Table A-6: If you wanted some, how difficult would it be to get...

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Beer? | | | | | | |
| All | 21.7% | 14.2% | 5.3% | 11.6% | 18.6% | 28.6% |
| Grade 7 | 35.8% | 26.7% | 6.8% | 7.9% | 9.9% | 12.8% |
| Grade 8 | 26.3% | 18.1% | 6.0% | 12.2% | 15.6% | 21.8% |
| Grade 9 | 21.3% | 12.9% | 5.3% | 12.7% | 20.5% | 27.3% |
| Grade 10 | 15.0% | 9.9% | 5.4% | 13.1% | 20.3% | 36.3% |
| Grade 11 | 14.8% | 7.7% | 3.6% | 11.1% | 24.2% | 38.7% |
| Grade 12 | 13.9% | 7.2% | 4.6% | 13.1% | 22.3% | 38.9% |
| Wine coolers? | | | | | | |
| All | 28.0% | 15.4% | 5.8% | 11.3% | 16.3% | 23.3% |
| Grade 7 | 45.2% | 27.8% | 5.9% | 6.7% | 6.5% | 7.9% |
| Grade 8 | 33.6% | 20.3% | 7.0% | 9.8% | 12.6% | 16.8% |
| Grade 9 | 27.5% | 14.7% | 6.7% | 13.3% | 16.3% | 21.4% |
| Grade 10 | 20.6% | 11.2% | 5.5% | 13.2% | 19.8% | 29.6% |
| Grade 11 | 19.5% | 8.0% | 4.3% | 12.6% | 22.9% | 32.7% |
| Grade 12 | 17.9% | 7.3% | 4.6% | 12.4% | 22.0% | 35.8% |
| Wine? | | | | | | |
| All | 26.4% | 17.3% | 7.1% | 12.2% | 16.0% | 20.9% |
| Grade 7 | 40.2% | 30.9% | 7.2% | 7.3% | 7.0% | 7.5% |
| Grade 8 | 31.1% | 23.2% | 7.9% | 10.9% | 12.6% | 14.4% |
| Grade 9 | 25.6% | 15.7% | 8.2% | 14.5% | 16.1% | 20.0% |
| Grade 10 | 20.9% | 12.4% | 6.9% | 13.9% | 20.0% | 26.0% |
| Grade 11 | 19.6% | 9.5% | 6.3% | 14.0% | 21.4% | 29.2% |
| Grade 12 | 18.3% | 9.0% | 5.9% | 13.5% | 20.9% | 32.5% |
| Liquor? | | | | | | |
| All | 25.3% | 17.7% | 7.5% | 12.0% | 15.3% | 22.2% |
| Grade 7 | 42.5% | 31.0% | 8.0% | 6.4% | 5.7% | 6.4% |
| Grade 8 | 31.3% | 24.9% | 8.3% | 10.8% | 11.4% | 13.4% |
| Grade 9 | 24.5% | 16.8% | 7.8% | 14.1% | 15.5% | 21.3% |
| Grade 10 | 17.7% | 12.0% | 7.3% | 14.1% | 19.7% | 29.2% |
| Grade 11 | 16.4% | 9.4% | 6.3% | 14.1% | 21.1% | 32.7% |
| Grade 12 | 15.3% | 8.7% | 6.8% | 13.0% | 20.8% | 35.4% |
| Any alcohol product? | | | | | | |
| All | 20.2% | 12.4% | 5.0% | 10.5% | 18.5% | 33.4% |
| Grade 7 | 34.1% | 25.0% | 7.0% | 8.2% | 10.2% | 15.5% |
| Grade 8 | 24.6% | 16.0% | 6.1% | 11.1% | 16.3% | 26.0% |
| Grade 9 | 19.3% | 10.7% | 4.6% | 11.5% | 20.0% | 33.8% |
| Grade 10 | 14.2% | 8.1% | 4.6% | 10.8% | 20.6% | 41.7% |
| Grade 11 | 13.5% | 5.9% | 3.2% | 10.7% | 23.0% | 43.7% |
| Grade 12 | 12.6% | 6.5% | 3.8% | 10.9% | 22.2% | 43.9% |

Table A-7: Since school began in the fall, on how many days (if any) have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------|------------|----------------|-----------|-----------|
| Attended class while drunk or | alcohol? | | | |
| All | 93.3% | 5.1% | 0.9% | 0.8% |
| Grade 7 | 96.3% | 2.9% | 0.5% | 0.3% |
| Grade 8 | 93.7% | 5.1% | 0.5% | 0.6% |
| Grade 9 | 92.8% | 5.3% | 1.1% | 0.8% |
| Grade 10 | 92.2% | 5.6% | 1.1% | 1.1% |
| Grade 11 | 93.0% | 5.0% | 1.1% | 0.9% |
| Grade 12 | 91.2% | 6.7% | 1.0% | 1.2% |
| Gotten into trouble with teach | ners becau | se of your dri | inking? | |
| All | 98.8% | 0.8% | 0.2% | 0.2% |
| Grade 7 | 99.0% | 0.6% | 0.3% | 0.2% |
| Grade 8 | 98.9% | 0.9% | 0.2% | 0.1% |
| Grade 9 | 98.8% | 0.7% | 0.3% | 0.3% |
| Grade 10 | 98.8% | 0.6% | 0.3% | 0.2% |
| Grade 11 | 99.1% | 0.5% | 0.1% | 0.2% |
| Grade 12 | 98.3% | 1.3% | 0.2% | 0.2% |

Table A-8: School year use of alcohol by absences and conduct problems:

| | absent due to ther reasons | | | | |
|--------------------------------------|-------------------------------|--|--|--|--|
| Alcohol Users: | 4.0 | | | | |
| Alcohol Non-use | 2.8 | | | | |
| Average days conduct proble reported | | | | | |
| Alcohol Users: | 2.7 | | | | |
| Alcohol Non-use | | | | | |

Table A-9: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times | | | | | |
|---|------------|----------------|-----------|-----------|--|--|--|--|--|
| Driven a car when you've had a good bit to drink? | | | | | | | | | |
| All | 91.1% | 7.0% | 1.0% | 0.9% | | | | | |
| Grade 9 | 94.8% | 4.4% | 0.3% | 0.5% | | | | | |
| Grade 10 | 92.8% | 5.7% | 0.8% | 0.8% | | | | | |
| Grade 11 | 89.5% | 8.0% | 1.5% | 1.1% | | | | | |
| Grade 12 | 86.0% | 11.0% | 1.5% | 1.5% | | | | | |
| Gotten into trouble with the p | olice beca | ause of drinki | ng? | | | | | | |
| All | 97.7% | 1.8% | 0.3% | 0.1% | | | | | |
| Grade 7 | 98.9% | 0.7% | 0.2% | 0.2% | | | | | |
| Grade 8 | 98.8% | 0.9% | 0.2% | 0.1% | | | | | |
| Grade 9 | 97.9% | 1.8% | 0.1% | 0.2% | | | | | |
| Grade 10 | 96.9% | 2.4% | 0.3% | 0.4% | | | | | |
| Grade 11 | 97.2% | 2.3% | 0.4% | 0.1% | | | | | |
| Grade 12 | 96.2% | 3.2% | 0.5% | 0.1% | | | | | |

Table A-10: About how many of your close friends use...

| | None | A Few | Some | Most | ALL |
|----------------------|-------|-------|-------|-------|-------|
| Any alcohol product? | | | | | |
| All | 33.1% | 23.2% | 17.8% | 17.9% | 8.0% |
| Grade 7 | 64.4% | 20.5% | 8.5% | 4.8% | 1.8% |
| Grade 8 | 42.9% | 27.2% | 15.6% | 9.8% | 4.4% |
| Grade 9 | 31.1% | 26.2% | 19.0% | 17.3% | 6.5% |
| Grade 10 | 20.4% | 23.2% | 22.5% | 23.9% | 9.9% |
| Grade 11 | 16.6% | 19.8% | 22.8% | 28.2% | 12.6% |
| Grade 12 | 17.0% | 21.2% | 19.6% | 27.1% | 15.2% |
| Beer? | | | | | |
| All | 36.8% | 23.2% | 17.6% | 16.2% | 6.2% |
| Grade 7 | 68.5% | 18.9% | 7.4% | 4.2% | 1.0% |
| Grade 8 | 48.0% | 26.0% | 14.8% | 8.0% | 3.2% |
| Grade 9 | 35.1% | 26.0% | 18.9% | 15.1% | 4.9% |
| Grade 10 | 23.2% | 24.6% | 22.6% | 21.4% | 8.1% |
| Grade 11 | 19.2% | 20.9% | 23.0% | 27.2% | 9.7% |
| Grade 12 | 20.1% | 21.9% | 20.5% | 25.0% | 12.5% |
| Wine coolers? | | | | | |
| All | 51.3% | 18.9% | 14.3% | 10.9% | 4.6% |
| Grade 7 | 81.2% | 10.9% | 4.4% | 2.5% | 0.9% |
| Grade 8 | 64.0% | 18.6% | 9.6% | 5.4% | 2.5% |
| Grade 9 | 51.2% | 20.7% | 14.3% | 9.9% | 3.9% |
| Grade 10 | 39.1% | 21.8% | 18.6% | 14.6% | 5.9% |
| Grade 11 | 33.1% | 20.9% | 21.4% | 17.9% | 6.7% |
| Grade 12 | 31.8% | 21.3% | 19.7% | 18.1% | 9.0% |
| Wine? | | | | | |
| All | 58.7% | 20.8% | 11.5% | 6.2% | 2.7% |
| Grade 7 | 81.9% | 11.6% | 4.4% | 1.3% | 0.7% |
| Grade 8 | 68.6% | 18.1% | 8.0% | 3.7% | 1.6% |
| Grade 9 | 56.4% | 23.3% | 11.7% | 5.9% | 2.8% |
| Grade 10 | 50.2% | 23.5% | 15.0% | 8.0% | 3.3% |
| Grade 11 | 45.2% | 24.8% | 16.4% | 10.2% | 3.4% |
| Grade 12 | 44.8% | 25.2% | 15.3% | 9.4% | 5.2% |
| Liquor? | | | | | |
| All | 47.7% | 19.8% | 14.4% | 12.8% | 5.3% |
| Grade 7 | 81.8% | 11.0% | 4.2% | 2.1% | 1.0% |
| Grade 8 | 62.9% | 19.5% | 9.6% | 5.6% | 2.4% |
| Grade 9 | 45.3% | 24.0% | 15.3% | 11.2% | 4.3% |
| Grade 10 | 33.5% | 23.0% | 18.8% | 18.3% | 6.5% |
| Grade 11 | 28.0% | 21.2% | 20.8% | 21.4% | 8.6% |
| Grade 12 | 26.4% | 20.4% | 20.1% | 22.2% | 10.9% |

Table A-11: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------|-------------|---------------|---------------|-----------|
| II- 1 1:00:1+: 0 1-: 1 | | | | |
| Had difficulties of any kind w | ith your ir | ienas because | e or your arm | King? |
| All | 95.0% | 4.4% | 0.4% | 0.2% |
| Grade 7 | 97.5% | 2.1% | 0.3% | 0.2% |
| Grade 8 | 96.0% | 3.4% | 0.3% | 0.3% |
| Grade 9 | 95.0% | 4.4% | 0.4% | 0.3% |
| Grade 10 | 93.9% | 5.5% | 0.3% | 0.3% |
| Grade 11 | 93.2% | 5.8% | 0.8% | 0.3% |
| Grade 12 | 93.7% | 5.7% | 0.3% | 0.2% |
| Been criticized by someone y | ou were da | ting because | of drinking? | |
| All | 93.5% | 5.6% | 0.5% | 0.4% |
| Grade 7 | 97.8% | 1.7% | 0.4% | 0.1% |
| Grade 8 | 95.5% | 4.0% | 0.2% | 0.2% |
| Grade 9 | 93.6% | 5.6% | 0.4% | 0.4% |
| Grade 10 | 91.3% | 7.5% | 0.7% | 0.6% |
| Grade 11 | 91.1% | 7.6% | 0.8% | 0.6% |
| Grade 12 | 90.9% | 7.8% | 0.5% | 0.8% |

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|----------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 46.0% | 9.4% | 7.2% | 10.7% | 15.4% | 2.5% | 8.9% |
| Grade 7 | 74.0% | 7.3% | 4.1% | 3.2% | 1.8% | 2.5% | 7.1% |
| Grade 8 | 58.9% | 11.0% | 7.5% | 7.2% | 5.7% | 2.7% | 6.9% |
| Grade 9 | 43.9% | 11.3% | 8.7% | 12.8% | 11.1% | 2.8% | 9.3% |
| Grade 10 | 33.7% | 10.8% | 9.0% | 13.5% | 19.7% | 2.8% | 10.4% |
| Grade 11 | 29.5% | 8.3% | 7.6% | 14.9% | 27.8% | 2.3% | 9.6% |
| Grade 12 | 31.0% | 6.9% | 6.1% | 13.1% | 30.8% | 1.7% | 10.4% |

Table A-13: How often, if ever, do you get alcoholic beverages from..

| | Do Not Drink | Never | Seldom | Most of the Time | Always |
|---------------|-----------------|-------|--------|---------------------|--------|
| At home? | | | | | |
| All | 51.4% | 26.6% | 15.8% | 4.7% | 1.5% |
| Grade 7 | 66.9% | 23.4% | 6.7% | 2.4% | 0.6% |
| Grade 8 | 55.9% | 25.9% | 12.6% | 4.8% | 0.8% |
| Grade 9 | 50.5% | 25.2% | 18.1% | 4.7% | 1.5% |
| Grade 10 | 44.5% | 28.4% | 20.4% | 4.9% | 1.9% |
| Grade 11 | 43.9% | 30.5% | 18.1% | 5.6% | 1.9% |
| Grade 12 | 43.7% | 27.4% | 20.3% | 5.9% | 2.8% |
| From friends? | | | | | |
| All | 46.1% | 19.2% | 14.7% | 14.3% | 5.6% |
| Grade 7 | 66.6% | 23.6% | 5.4% | 3.3% | 1.1% |
| Grade 8 | 53.3% | 24.5% | 11.4% | 8.3% | 2.6% |
| Grade 9 | 46.1% | 20.2% | 14.7% | 14.5% | 4.5% |
| Grade 10 | 38.2% | 18.3% | 18.7% | 18.3% | 6.5% |
| Grade 11 | 34.8% | 15.0% | 18.9% | 22.4% | 8.9% |
| Grade 12 | 33.7% | 11.9% | 21.1% | 21.9% | 11.5% |
| From a store? | | | | | |
| All | 49.1% | 36.9% | 6.6% | 4.9% | 2.6% |
| Grade 7 | 66.8% | 29.3% | 2.3% | 1.2% | 0.4% |
| Grade 8 | 55.7% | 36.2% | 4.2% | 2.7% | 1.2% |
| Grade 9 | 49.7% | 38.8% | 6.3% | 3.6% | 1.6% |
| Grade 10 | 41.5% | 41.4% | 8.3% | 6.1% | 2.7% |
| Grade 11 | 38.9% | 39.8% | 9.1% | 7.7% | 4.5% |
| Grade 12 | 38.2% | 36.5% | 10.3% | 9.1% | 5.8% |
| At parties? | | | | | |
| All | 43.0% | 14.6% | 13.0% | 14.5% | 14.9% |
| Grade 7 | 62.0% | 19.9% | 8.7% | 6.0% | 3.4% |
| Grade 8 | 49.3% | 18.3% | 13.5% | 10.8% | 8.1% |
| Grade 9 | 42.0% | 14.2% | 15.0% | 16.6% | 12.3% |
| Grade 10 | 35.2% | 13.2% | 15.2% | 17.6% | 18.7% |
| Grade 11 | 33.5% | 10.4% | 12.7% | 19.6% | 23.9% |
| Grade 12 | 32.7% | 10.3% | 13.0% | 17.5% | 26.5% |
| Other source? | | | | | |
| All | 49.5% | 24.7% | 11.4% | 7.3% | 7.0% |
| Grade 7 | 66.0% | 23.5% | 6.0% | 2.8% | 1.6% |
| Grade 8 | 54.7% | 25.7% | 8.9% | 6.0% | 4.6% |
| Grade 9 | 49.7% | 25.2% | 11.0% | 7.3% | 6.8% |
| Grade 10 | 42.9% | 25.7% | 14.4% | 8.7% | 8.3% |
| Grade 11 | 40.1% | 25.2% | 14.3% | 10.1% | 10.3% |
| Grade 12 | 40.3% | 22.8% | 15.1% | 9.8% | 12.0% |

Table A-14: How do your parents feel about kids your age drinking alcohol?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 67.3% | 11.9% | 7.7% | 2.7% | 1.3% | 9.1% |
| Grade 7 | 75.3% | 5.8% | 2.4% | 1.4% | 1.2% | 13.8% |
| Grade 8 | 71.9% | 9.1% | 4.7% | 1.7% | 1.2% | 11.4% |
| Grade 9 | 67.2% | 12.2% | 7.4% | 2.6% | 1.6% | 9.0% |
| Grade 10 | 64.3% | 14.9% | 9.3% | 3.1% | 1.3% | 7.0% |
| Grade 11 | 63.6% | 14.2% | 11.0% | 4.2% | 0.8% | 6.1% |
| Grade 12 | 59.7% | 16.0% | 12.9% | 3.4% | 1.3% | 6.6% |

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| | | | | | |
| All | 52.7% | 26.9% | 12.9% | 3.2% | 4.4% |
| Grade 7 | 67.8% | 18.0% | 7.9% | 1.7% | 4.6% |
| Grade 8 | 52.7% | 24.3% | 14.3% | 4.0% | 4.8% |
| Grade 9 | 48.0% | 26.5% | 16.5% | 4.1% | 4.9% |
| Grade 10 | 47.7% | 30.5% | 13.6% | 3.9% | 4.4% |
| Grade 11 | 47.2% | 33.1% | 13.1% | 2.5% | 4.1% |
| Grade 12 | 52.2% | 30.5% | 11.4% | 2.6% | 3.3% |

Table D-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------|----------|---------------|----------------|--------------|---------------|
| Marijuana? | | | | | |
| | All | 11.2% | 15.9% | 26.6% | 73.4% |
| | Grade 7 | 3.3% | 4.3% | 8.1% | 91.9% |
| | Grade 8 | 6.9% | 9.5% | 16.5% | 83.5% |
| | Grade 9 | 12.2% | 16.6% | 27.0% | 73.0% |
| | Grade 10 | 14.0% | 20.6% | 34.7% | 65.3% |
| | Grade 11 | 16.0% | 23.2% | 38.0% | 62.0% |
| | Grade 12 | 16.8% | 24.5% | 40.5% | 59.5% |
| Cocaine? | | | | | |
| | All | 2.1% | 3.0% | 6.3% | 93.7% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 1.4% | 2.0% | 3.6% | 96.4% |
| | Grade 9 | 1.8% | 2.6% | 5.7% | 94.3% |
| | Grade 10 | 2.3% | 3.9% | 7.7% | 92.3% |
| | Grade 11 | 3.0% | 4.4% | 9.6% | 90.4% |
| | Grade 12 | 3.7% | 5.5% | 11.2% | 88.8% |
| Crack? | | | | | |
| | All | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 7 | 0.5% | 0.6% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 1.2% | 2.3% | 97.7% |
| | Grade 9 | 0.8% | 1.4% | 2.7% | 97.3% |
| | Grade 10 | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 11 | 0.6% | 0.9% | 1.9% | 98.1% |
| | Grade 12 | 0.5% | 0.9% | 1.8% | 98.2% |
| Hallucinogens? | | | | | |
| J | All | 1.3% | 1.9% | 3.9% | 96.1% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 1.0% | 1.4% | 2.3% | 97.7% |
| | Grade 9 | 1.7% | 2.1% | 3.7% | 96.3% |
| | Grade 10 | 1.4% | 2.1% | 4.8% | 95.2% |
| | Grade 11 | 1.7% | 2.7% | 6.1% | 93.9% |
| | Grade 12 | 1.7% | 2.9% | 6.8% | 93.2% |
| Uppers? | | | | | |
| FF | All | 2.0% | 3.0% | 5.4% | 94.6% |
| | Grade 7 | 0.4% | 0.4% | 0.9% | 99.1% |
| | Grade 8 | 1.4% | 1.5% | 2.6% | 97.4% |
| | Grade 9 | 2.4% | 3.4% | 5.8% | 94.2% |
| | Grade 10 | 2.3% | 3.7% | 6.8% | 93.2% |
| | Grade 11 | 2.8% | 4.5% | 8.3% | 91.7% |
| | Grade 12 | 3.0% | 4.7% | 9.0% | 91.0% |

Table D-1: How recently, if ever, have you used... (Continued)

| | | Past | School | Ever | Neve |
|-----------|----------------------|-------|--------|-------|-------|
| Downers? | | Month | Year | Used | Used |
| Downers: | All | 2.7% | 3.8% | 6.8% | 93.2% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 2.1% | 2.4% | 4.1% | 95.9% |
| | Grade 9 | 3.0% | 4.0% | 7.1% | 92.9% |
| | Grade 10 | 3.4% | 5.0% | 8.6% | 91.49 |
| | Grade 10 Grade 11 | 4.1% | 5.9% | 11.0% | 89.09 |
| | Grade 11 Grade 12 | | | 10.6% | |
| Dohumnol2 | Grade 12 | 3.6% | 5.9% | 10.6% | 89.49 |
| Rohypnol? | All | 1 70/ | 2 50/ | 4.60/ | 05 40 |
| | Grade 7 | 1.7% | 2.5% | 4.6% | 95.49 |
| | | 0.8% | 1.0% | 1.5% | 98.59 |
| | Grade 8 | 1.8% | 2.3% | 4.1% | 95.99 |
| | Grade 9 | 2.2% | 3.2% | 5.0% | 95.09 |
| | Grade 10 | 1.9% | 2.9% | 5.8% | 94.29 |
| | Grade 11 | 1.8% | 2.6% | 5.6% | 94.49 |
| | Grade 12 | 2.0% | 3.0% | 6.0% | 94.09 |
| Steroids? | | | | | |
| | All | 0.5% | 0.6% | 1.2% | 98.89 |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.99 |
| | Grade 8 | 0.3% | 0.4% | 1.0% | 99.09 |
| | Grade 9 | 0.4% | 0.4% | 1.0% | 99.09 |
| | Grade 10 | 0.6% | 0.7% | 1.3% | 98.79 |
| | Grade 11 | 0.7% | 0.9% | 1.5% | 98.5% |
| | Grade 12 | 0.7% | 1.0% | 1.6% | 98.49 |
| Ecstasy? | | | | | |
| | All | 2.6% | 3.9% | 8.1% | 91.99 |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.69 |
| | Grade 8 | 1.6% | 2.0% | 3.5% | 96.5% |
| | Grade 9 | 2.6% | 3.7% | 7.0% | 93.09 |
| | Grade 10 | 3.2% | 5.1% | 10.1% | 89.99 |
| | Grade 11 | 3.9% | 5.8% | 13.1% | 86.99 |
| | Grade 12 | 4.5% | 7.0% | 16.2% | 83.89 |
| Heroin? | | | | | |
| | All | 0.4% | 0.6% | 1.1% | 98.99 |
| | Grade 7 | 0.3% | 0.4% | 0.7% | 99.39 |
| | Grade 8 | 0.9% | 0.9% | 1.4% | 98.69 |
| | Grade 9 | 0.6% | 0.8% | 1.5% | 98.59 |
| | Grade 10 | 0.3% | 0.4% | 0.8% | 99.29 |
| | Grade 11 | 0.4% | 0.6% | 1.3% | 98.79 |
| | Grade 12 | 0.2% | 0.4% | 1.0% | 99.09 |

Table D-2: How often do you normally use...

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Marijuana? | | <u> </u> | | | | | |
| All | 76.0% | 3.0% | 3.5% | 4.4% | 4.3% | 4.0% | 4.9% |
| Grade 7 | 92.7% | 0.5% | 1.2% | 1.4% | 1.6% | 1.1% | 1.5% |
| Grade 8 | 84.7% | 1.5% | 2.8% | 2.7% | 3.0% | 2.3% | 3.0% |
| Grade 9 | 75.1% | 3.0% | 4.1% | 5.3% | 3.6% | 3.9% | 5.1% |
| Grade 10 | 68.9% | 3.5% | 4.0% | 5.7% | 6.0% | 5.6% | 6.2% |
| Grade 11 | 65.4% | 4.9% | 4.7% | 6.2% | 6.0% | 6.1% | 6.8% |
| Grade 12 | 65.2% | 5.4% | 4.6% | 5.3% | 6.3% | 5.7% | 7.6% |
| Cocaine? | | | | | | | |
| All | 94.9% | 0.2% | 0.6% | 0.8% | 1.1% | 0.9% | 1.5% |
| Grade 7 | 98.9% | 0.0% | 0.1% | 0.2% | 0.1% | 0.2% | 0.4% |
| Grade 8 | 97.1% | 0.1% | 0.7% | 0.3% | 0.5% | 0.5% | 0.9% |
| Grade 9 | 95.4% | 0.2% | 0.3% | 0.5% | 1.3% | 0.7% | 1.6% |
| Grade 10 | 93.4% | 0.2% | 1.1% | 1.0% | 1.4% | 0.9% | 2.0% |
| Grade 11 | 92.5% | 0.4% | 0.7% | 1.1% | 1.7% | 1.6% | 2.0% |
| Grade 12 | 91.2% | 0.3% | 0.7% | 1.7% | 2.0% | 1.9% | 2.3% |
| Crack? | | | | | | | |
| All | 98.4% | 0.1% | 0.1% | 0.2% | 0.3% | 0.3% | 0.5% |
| Grade 7 | 99.2% | 0.0% | 0.1% | 0.2% | 0.2% | 0.1% | 0.2% |
| Grade 8 | 98.0% | 0.0% | 0.2% | 0.3% | 0.4% | 0.5% | 0.7% |
| Grade 9 | 97.9% | 0.1% | 0.0% | 0.3% | 0.6% | 0.4% | 0.5% |
| Grade 10 | 98.4% | 0.0% | 0.1% | 0.0% | 0.4% | 0.5% | 0.5% |
| Grade 11 | 98.5% | 0.1% | 0.1% | 0.2% | 0.1% | 0.3% | 0.5% |
| Grade 12 | 98.5% | 0.0% | 0.1% | 0.3% | 0.3% | 0.2% | 0.6% |
| Hallucinogens? | | | | | | | |
| All | 96.8% | 0.0% | 0.1% | 0.4% | 0.6% | 1.0% | 1.0% |
| Grade 7 | 99.3% | 0.0% | 0.0% | 0.1% | 0.1% | 0.1% | 0.2% |
| Grade 8 | 98.3% | 0.0% | 0.1% | 0.4% | 0.4% | 0.4% | 0.3% |
| Grade 9 | 97.2% | 0.0% | 0.2% | 0.6% | 0.5% | 0.8% | 0.7% |
| Grade 10 | 95.9% | 0.0% | 0.2% | 0.3% | 0.7% | 1.2% | 1.7% |
| Grade 11 | 95.1% | 0.0% | 0.2% | 0.4% | 1.0% | 1.9% | 1.5% |
| Grade 12 | 94.3% | 0.0% | 0.1% | 0.5% | 1.3% | 1.6% | 2.1% |
| Uppers? | | | | | | | |
| All | 94.7% | 0.1% | 0.5% | 0.9% | 1.3% | 1.2% | 1.3% |
| Grade 7 | 99.1% | 0.0% | 0.2% | 0.2% | 0.1% | 0.2% | 0.2% |
| Grade 8 | 97.3% | 0.0% | 0.6% | 0.7% | 0.6% | 0.4% | 0.5% |
| Grade 9 | 93.8% | 0.2% | 0.5% | 1.1% | 1.4% | 1.5% | 1.4% |
| Grade 10 | 93.3% | 0.1% | 0.7% | 1.1% | 1.7% | 1.4% | 1.8% |
| Grade 11 | 91.9% | 0.2% | 0.5% | 1.5% | 2.0% | 2.0% | 2.0% |
| Grade 12 | 92.0% | 0.1% | 0.6% | 1.2% | 2.1% | 2.0% | 2.0% |

Table D-2: How often do you normally use... (Continued)

| | | Never | Every | Several Times a | Several Times a | About Once a | Once a | Less than Once a |
|--------------|----------------------|-----------|-------|--------------------|--------------------|-----------------|--------|---------------------|
| Downers? | | Used | Day | Week | Month | Month | Year | Year |
| Downers: | All | 93.8% | 0.1% | 0.7% | 1.2% | 1.3% | 1.5% | 1.4% |
| | Grade 7 | 99.1% | 0.1% | 0.7% | 0.2% | 0.2% | 0.2% | 0.2% |
| | Grade 8 | 96.2% | 0.0% | 0.2% | 0.2% | 0.2% | 0.2% | 0.5% |
| | Grade 9 | 92.9% | 0.1% | 0.7% | 1.5% | 1.7% | 1.8% | 1.4% |
| | Grade 10 | 91.8% | 0.1% | 0.7% | 1.8% | 1.6% | 1.7% | 2.2% |
| | Grade 10 Grade 11 | 90.2% | 0.1% | 0.6% | 1.9% | 2.2% | 2.5% | 2.2% |
| | Grade 12 | 91.4% | 0.2% | 0.9% | 1.4% | 1.7% | 2.0% | 2.4% |
| Rohypnol? | Grade 12 | 31.470 | 0.270 | 0.570 | 1.470 | 1.770 | 2.070 | ۵.470 |
| Rolly pilot: | All | 96.2% | 0.1% | 0.3% | 0.7% | 0.9% | 0.9% | 1.0% |
| | Grade 7 | 98.7% | 0.0% | 0.1% | 0.1% | 0.3% | 0.4% | 0.3% |
| | Grade 8 | 97.0% | 0.0% | 0.4% | 0.7% | 0.9% | 0.5% | 0.5% |
| | Grade 9 | 95.8% | 0.1% | 0.2% | 0.8% | 1.0% | 1.0% | 1.0% |
| | Grade 10 | 95.1% | 0.1% | 0.4% | 0.9% | 1.0% | 1.1% | 1.3% |
| | Grade 11 | 95.0% | 0.1% | 0.3% | 0.9% | 1.0% | 1.3% | 1.4% |
| | Grade 12 | 94.9% | 0.0% | 0.3% | 0.8% | 1.3% | 1.3% | 1.3% |
| Steroids? | Grade 12 | 0 1.0 / 0 | 0.070 | 0.070 | 0.070 | 11070 | 1.070 | 1.070 |
| | All | 99.2% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.3% |
| | Grade 7 | 99.2% | 0.0% | 0.2% | 0.1% | 0.0% | 0.2% | 0.2% |
| | Grade 8 | 99.2% | 0.1% | 0.0% | 0.1% | 0.1% | 0.1% | 0.4% |
| | Grade 9 | 99.5% | 0.0% | 0.0% | 0.1% | 0.0% | 0.1% | 0.3% |
| | Grade 10 | 99.2% | 0.1% | 0.1% | 0.1% | 0.2% | 0.1% | 0.3% |
| | Grade 11 | 99.2% | 0.1% | 0.0% | 0.2% | 0.2% | 0.1% | 0.3% |
| | Grade 12 | 98.9% | 0.1% | 0.2% | 0.3% | 0.2% | 0.1% | 0.2% |
| Ecstasy? | | | | | | | | |
| | All | 92.9% | 0.0% | 0.5% | 1.1% | 1.5% | 1.9% | 2.1% |
| | Grade 7 | 98.8% | 0.0% | 0.2% | 0.1% | 0.2% | 0.2% | 0.4% |
| | Grade 8 | 96.9% | 0.0% | 0.2% | 1.0% | 0.6% | 0.7% | 0.5% |
| | Grade 9 | 93.1% | 0.0% | 0.7% | 1.1% | 1.1% | 2.0% | 1.9% |
| | Grade 10 | 91.5% | 0.1% | 0.4% | 1.0% | 2.0% | 2.3% | 2.7% |
| | Grade 11 | 88.5% | 0.1% | 0.8% | 1.8% | 2.5% | 3.2% | 3.2% |
| | Grade 12 | 86.7% | 0.1% | 0.5% | 1.4% | 3.2% | 3.5% | 4.6% |
| Heroin? | | | | | | | | |
| | All | 99.2% | 0.0% | 0.0% | 0.1% | 0.1% | 0.2% | 0.4% |
| | Grade 7 | 99.6% | 0.0% | 0.0% | 0.0% | 0.0% | 0.2% | 0.2% |
| | Grade 8 | 99.2% | 0.0% | 0.0% | 0.1% | 0.2% | 0.3% | 0.1% |
| | Grade 9 | 99.1% | 0.1% | 0.1% | 0.0% | 0.1% | 0.2% | 0.4% |
| | Grade 10 | 99.2% | 0.0% | 0.0% | 0.1% | 0.1% | 0.3% | 0.3% |
| | Grade 11 | 98.9% | 0.0% | 0.1% | 0.0% | 0.2% | 0.2% | 0.5% |
| | Grade 12 | 99.1% | 0.0% | 0.1% | 0.1% | 0.0% | 0.0% | 0.7% |

Table D-3: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------------|---------|---------|----------|----------|----------|
| Marijuana | | | | | |
| 11.6 | 12.2 | 13.0 | 13.7 | 14.3 | 14.9 |
| Cocaine | | | | | |
| 11.8 | 12.4 | 13.5 | 14.2 | 15.1 | 15.7 |
| Crack | | | | | |
| 11.6 | 12.2 | 13.5 | 13.4 | 14.1 | 15.6 |
| Hallucinogens | | | | | |
| 11.5 | 12.2 | 13.1 | 14.3 | 14.8 | 15.7 |
| Uppers | | | | | |
| 11.9 | 12.5 | 13.2 | 14.1 | 14.6 | 15.2 |
| Downers | | | | | |
| 11.9 | 12.7 | 13.5 | 14.3 | 14.6 | 15.3 |
| Rohypnol | | | | | |
| 11.9 | 12.6 | 13.4 | 14.3 | 14.4 | 15.2 |
| Steroids | | | | | |
| 10.5 | 11.2 | 12.9 | 13.5 | 14.2 | 14.7 |
| Ecstasy | | | | | |
| 11.8 | 12.5 | 13.4 | 14.2 | 14.9 | 15.6 |
| Heroin | | | | | |
| 11.6 | 12.4 | 13.3 | 14.8 | 14.6 | 14.8 |

Table D-4: Age of first use of marijuana by family situation:

| | | 9/ | 10 to | 12 to | 14 to | 16 to | Over |
|------------------------|-------|-------|-------|-------|-------|-------|------|
| | Never | Under | 11 | 13 | 15 | 17 | 17 |
| Two parent family | | | | | | | |
| All | 78.3% | 0.9% | 1.8% | 5.6% | 9.0% | 3.9% | 0.4% |
| Grade 7 | 93.8% | 0.7% | 1.7% | 3.6% | 0.2% | 0.0% | 0.0% |
| Grade 8 | 87.4% | 1.0% | 2.1% | 7.2% | 2.4% | 0.0% | 0.0% |
| Grade 9 | 80.1% | 0.9% | 2.0% | 7.2% | 9.6% | 0.3% | 0.0% |
| Grade 10 | 72.0% | 1.1% | 2.0% | 6.4% | 15.8% | 2.8% | 0.0% |
| Grade 11 | 66.0% | 1.2% | 1.9% | 4.3% | 16.7% | 9.6% | 0.4% |
| Grade 12 | 64.4% | 0.9% | 1.1% | 4.7% | 12.2% | 14.2% | 2.4% |
| Other family situation | | | | | | | |
| All | 65.5% | 1.9% | 3.7% | 10.9% | 12.4% | 5.1% | 0.5% |
| Grade 7 | 88.9% | 1.3% | 3.3% | 6.0% | 0.3% | 0.0% | 0.1% |
| Grade 8 | 77.6% | 2.5% | 4.0% | 12.4% | 3.3% | 0.1% | 0.0% |
| Grade 9 | 63.8% | 2.4% | 3.4% | 15.2% | 14.2% | 1.0% | 0.0% |
| Grade 10 | 54.2% | 2.1% | 4.6% | 13.0% | 22.6% | 3.4% | 0.0% |
| Grade 11 | 54.8% | 1.9% | 2.8% | 10.8% | 17.5% | 12.1% | 0.2% |
| Grade 12 | 51.8% | 0.8% | 4.0% | 7.3% | 17.5% | 15.4% | 3.1% |

Table D-5: If you wanted some, how difficult would it be to get..

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---------------------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Marijuana? | | | | | | |
| $\mathbf{A}^{\mathbf{C}}$ | ll 27.0% | 21.6% | 6.5% | 8.4% | 12.2% | 24.3% |
| Grade | 7 41.2% | 36.3% | 6.8% | 4.2% | 4.8% | 6.8% |
| Grade | 8 32.0% | 28.5% | 7.5% | 8.1% | 8.9% | 15.0% |
| Grade | 9 26.1% | 20.8% | 6.4% | 9.6% | 13.6% | 23.5% |
| Grade 1 | 0 20.5% | 16.7% | 6.3% | 9.9% | 15.3% | 31.4% |
| Grade 1 | 1 19.8% | 12.3% | 5.1% | 9.2% | 16.8% | 36.8% |
| Grade 1 | 2 19.2% | 11.1% | 6.6% | 9.9% | 15.6% | 37.7% |
| Cocaine? | | | | | | |
| A | ll 34.7% | 28.0% | 9.9% | 9.8% | 7.1% | 10.4% |
| Grade | 7 46.4% | 38.0% | 6.6% | 3.4% | 2.1% | 3.4% |
| Grade | 8 39.1% | 33.9% | 9.3% | 7.1% | 4.9% | 5.7% |
| Grade | 9 34.1% | 28.1% | 10.7% | 11.1% | 7.0% | 9.1% |
| Grade 1 | 0 28.9% | 26.4% | 11.0% | 11.6% | 9.6% | 12.5% |
| Grade 1 | 1 29.6% | 19.6% | 10.6% | 14.0% | 10.2% | 16.1% |
| Grade 1 | 2 27.3% | 19.0% | 11.9% | 13.2% | 10.5% | 18.1% |
| Crack? | | | | | | |
| \mathbf{A} | ll 37.9% | 28.9% | 10.7% | 9.3% | 5.8% | 7.3% |
| Grade | 7 48.7% | 37.2% | 6.4% | 3.0% | 2.0% | 2.7% |
| Grade | 8 41.4% | 33.8% | 9.1% | 6.6% | 4.5% | 4.6% |
| Grade | 9 37.0% | 28.7% | 10.8% | 10.8% | 5.8% | 6.8% |
| Grade 1 | 0 33.2% | 27.2% | 12.7% | 11.3% | 7.0% | 8.6% |
| Grade 1 | 1 33.7% | 22.3% | 12.5% | 12.9% | 8.1% | 10.4% |
| Grade 1 | 2 30.7% | 21.7% | 13.9% | 12.7% | 8.3% | 12.7% |
| Hallucinogens? | | | | | | |
| A | ll 49.2% | 22.6% | 8.8% | 7.8% | 4.9% | 6.6% |
| Grade | 7 61.2% | 28.3% | 5.0% | 2.4% | 1.3% | 1.9% |
| Grade | | 26.2% | 6.6% | 4.8% | 2.8% | 3.5% |
| Grade | | 23.7% | 9.1% | 8.2% | 4.2% | 5.8% |
| Grade 1 | | 21.0% | 10.0% | 10.1% | 6.4% | 8.4% |
| Grade 1 | | 16.9% | 11.3% | 11.4% | 7.7% | 10.0% |
| Grade 1 | | 17.5% | 12.2% | 11.5% | 8.1% | 12.0% |
| Uppers? | | | | | | |
| A | ll 53.8% | 18.7% | 6.4% | 6.4% | 5.6% | 9.0% |
| Grade | | 23.9% | 4.0% | 2.4% | 1.0% | 1.9% |
| Grade | | 22.1% | 4.8% | 3.9% | 2.9% | 4.4% |
| Grade | | 18.6% | 7.2% | 7.2% | 5.5% | 7.3% |
| Grade 1 | | 17.8% | 7.3% | 7.8% | 8.5% | 11.2% |
| Grade 1 | | 13.8% | 7.7% | 8.7% | 9.2% | 14.9% |
| Grade 1 | | 14.4% | 8.1% | 9.4% | 8.0% | 17.1% |

Table D-5: If you wanted some, how difficult would it be to get..

Continued

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|-----------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Downers? | | | | | | | |
| | All | 53.1% | 18.6% | 6.5% | 6.5% | 5.8% | 9.6% |
| | Grade 7 | 66.4% | 23.9% | 4.4% | 2.4% | 0.9% | 2.0% |
| | Grade 8 | 60.5% | 22.4% | 4.8% | 3.9% | 3.2% | 5.2% |
| | Grade 9 | 53.5% | 18.3% | 7.1% | 7.4% | 5.7% | 8.0% |
| | Grade 10 | 46.9% | 17.3% | 7.6% | 7.7% | 8.6% | 11.9% |
| | Grade 11 | 44.8% | 13.5% | 7.5% | 8.7% | 9.1% | 16.3% |
| | Grade 12 | 42.5% | 14.3% | 8.3% | 9.7% | 8.5% | 16.8% |
| Rohypnol? | | | | | | | |
| | All | 49.5% | 21.9% | 7.7% | 7.1% | 5.4% | 8.4% |
| | Grade 7 | 63.7% | 26.2% | 4.3% | 2.4% | 1.4% | 2.0% |
| | Grade 8 | 55.5% | 25.1% | 6.3% | 4.2% | 4.0% | 4.8% |
| | Grade 9 | 49.2% | 21.4% | 7.9% | 8.5% | 5.5% | 7.5% |
| | Grade 10 | 44.0% | 21.7% | 8.1% | 8.7% | 6.8% | 10.6% |
| | Grade 11 | 42.6% | 17.0% | 10.1% | 9.0% | 8.2% | 13.0% |
| | Grade 12 | 38.6% | 18.9% | 10.2% | 10.6% | 7.3% | 14.4% |
| Steroids? | | | | | | | |
| | All | 41.1% | 30.0% | 9.7% | 8.0% | 5.2% | 6.0% |
| | Grade 7 | 50.1% | 36.8% | 5.5% | 3.6% | 1.8% | 2.2% |
| | Grade 8 | 44.8% | 34.6% | 7.2% | 6.1% | 3.6% | 3.8% |
| | Grade 9 | 41.5% | 30.5% | 10.0% | 8.3% | 5.3% | 4.4% |
| | Grade 10 | 37.0% | 29.0% | 11.7% | 9.4% | 6.3% | 6.6% |
| | Grade 11 | 36.5% | 23.5% | 12.8% | 10.6% | 7.3% | 9.3% |
| | Grade 12 | 34.2% | 23.4% | 12.1% | 10.8% | 8.1% | 11.5% |
| Ecstasy? | | | | | | | |
| J | All | 42.6% | 22.9% | 7.8% | 7.3% | 7.6% | 11.8% |
| | Grade 7 | 61.4% | 27.6% | 5.1% | 2.5% | 1.3% | 2.0% |
| | Grade 8 | 51.9% | 27.8% | 6.5% | 4.8% | 3.6% | 5.3% |
| | Grade 9 | 41.6% | 24.3% | 8.6% | 8.5% | 7.5% | 9.7% |
| | Grade 10 | 34.7% | 22.1% | 8.9% | 10.0% | 10.3% | 14.1% |
| | Grade 11 | 31.7% | 16.8% | 8.4% | 10.1% | 12.2% | 20.8% |
| | Grade 12 | 29.6% | 16.7% | 9.7% | 9.2% | 12.5% | 22.3% |
| Heroin? | | | | | | | |
| | All | 47.1% | 28.0% | 9.7% | 6.6% | 3.2% | 5.3% |
| | Grade 7 | 58.8% | 30.5% | 5.1% | 2.6% | 1.1% | 1.9% |
| | Grade 8 | 52.1% | 30.7% | 6.9% | 4.2% | 2.5% | 3.5% |
| | Grade 9 | 46.9% | 28.4% | 10.2% | 7.3% | 2.8% | 4.5% |
| | Grade 10 | 41.8% | 28.9% | 11.3% | 7.8% | 4.4% | 5.7% |
| | Grade 11 | 41.4% | 24.2% | 13.0% | 9.1% | 4.1% | 8.1% |
| | Grade 12 | 38.8% | 24.1% | 13.0% | 9.5% | 5.1% | 9.6% |

Table D-6: Since school began in the fall, on how many days (if any) have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|------------------------------|--------------|---------------|-----------|-----------|
| Attended class while high fr | om marijuai | na use? | | |
| All | 88.8% | 6.4% | 1.8% | 3.0% |
| Grade 7 | 96.0% | 2.6% | 0.7% | 0.6% |
| Grade 8 | 92.3% | 5.4% | 0.9% | 1.4% |
| Grade 9 | 88.2% | 6.9% | 1.7% | 3.2% |
| Grade 10 | 86.2% | 7.2% | 2.7% | 3.8% |
| Grade 11 | 84.8% | 8.6% | 2.7% | 3.9% |
| Grade 12 | 83.6% | 8.2% | 2.6% | 5.6% |
| Attended class while high fr | om use of so | ome other dru | ıg? | |
| All | 94.4% | 3.8% | 0.9% | 1.0% |
| Grade 7 | 97.5% | 1.7% | 0.5% | 0.3% |
| Grade 8 | 95.3% | 3.1% | 0.8% | 0.7% |
| Grade 9 | 92.9% | 5.3% | 0.8% | 1.0% |
| Grade 10 | 93.3% | 4.5% | 0.9% | 1.4% |
| Grade 11 | 93.4% | 4.4% | 1.3% | 1.0% |
| Grade 12 | 93.8% | 3.7% | 1.0% | 1.5% |
| Gotten into trouble with tea | ichers becau | se of your dr | ug use? | |
| All | 98.2% | 1.3% | 0.2% | 0.3% |
| Grade 7 | 98.8% | 0.7% | 0.3% | 0.2% |
| Grade 8 | 98.1% | 1.7% | 0.1% | 0.1% |
| Grade 9 | 98.3% | 1.0% | 0.2% | 0.5% |
| Grade 10 | 97.8% | 1.6% | 0.3% | 0.3% |
| Grade 11 | 98.0% | 1.6% | 0.2% | 0.3% |
| Grade 12 | 98.4% | 1.2% | 0.2% | 0.2% |

Table D-7: School year use of marijuana by absences and conduct problems:

| | _ |
|-------------------|------------------------------|
| | Average days absent due to |
| | illness or other reasons |
| | 4.0 |
| Marijuana Users: | 4.2 |
| Marijuana Non-use | 3.0 |
| | |
| A | verage days conduct problems |
| | reported |
| Marijuana Users: | 3.9 |
| Marijuana Non-use | 1.1 |

Table D-8: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times | | | | |
|--|------------|---------------|-----------|-----------|--|--|--|--|
| Driven a car when you've felt high from drugs? | | | | | | | | |
| All | 92.1% | 5.3% | 1.2% | 1.4% | | | | |
| Grade 9 | 96.1% | 2.8% | 0.7% | 0.3% | | | | |
| Grade 10 | 93.0% | 4.8% | 0.9% | 1.2% | | | | |
| Grade 11 | 90.4% | 6.6% | 1.4% | 1.6% | | | | |
| Grade 12 | 87.8% | 7.6% | 1.7% | 2.8% | | | | |
| Gotten into trouble with the p | olice beca | use of drug u | se? | | | | | |
| All | 97.6% | 1.9% | 0.4% | 0.2% | | | | |
| Grade 7 | 98.8% | 0.6% | 0.3% | 0.2% | | | | |
| Grade 8 | 97.8% | 1.9% | 0.1% | 0.2% | | | | |
| Grade 9 | 97.7% | 1.5% | 0.7% | 0.2% | | | | |
| Grade 10 | 96.7% | 2.7% | 0.3% | 0.3% | | | | |
| Grade 11 | 97.7% | 1.8% | 0.4% | 0.1% | | | | |
| Grade 12 | 96.4% | 3.1% | 0.3% | 0.2% | | | | |

Table D-9: About how many of your close friends use marijuana?

| _ | None | A Few | Some | Most | ALL |
|----------|-------|-------|-------|-------|------|
| | | | | | |
| All | 48.4% | 18.8% | 13.5% | 13.1% | 6.2% |
| Grade 7 | 76.6% | 12.3% | 5.2% | 4.1% | 1.8% |
| Grade 8 | 58.0% | 18.4% | 10.0% | 9.3% | 4.3% |
| Grade 9 | 47.4% | 20.5% | 13.0% | 13.7% | 5.4% |
| Grade 10 | 36.7% | 21.1% | 18.1% | 16.3% | 7.9% |
| Grade 11 | 32.1% | 20.2% | 19.1% | 19.5% | 9.1% |
| Grade 12 | 33.6% | 21.3% | 17.5% | 17.7% | 9.9% |

Table D-10: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------|-------------|---------------|----------------|-----------|
| Had difficulties of any kind w | ith your fr | iends because | e of your drug | g use? |
| All | 94.4% | 4.6% | 0.7% | 0.3% |
| Grade 7 | 97.7% | 1.8% | 0.4% | 0.1% |
| Grade 8 | 95.1% | 4.0% | 0.5% | 0.4% |
| Grade 9 | 93.2% | 5.7% | 0.7% | 0.4% |
| Grade 10 | 93.1% | 5.6% | 0.9% | 0.4% |
| Grade 11 | 92.5% | 6.1% | 1.1% | 0.3% |
| Grade 12 | 94.9% | 4.2% | 0.4% | 0.4% |
| Been criticized by someone ye | ou were da | ting because | of drug use? | |
| All | 93.2% | 5.5% | 0.7% | 0.6% |
| Grade 7 | 98.0% | 1.5% | 0.3% | 0.2% |
| Grade 8 | 95.2% | 3.9% | 0.4% | 0.4% |
| Grade 9 | 92.8% | 6.0% | 0.5% | 0.6% |
| Grade 10 | 90.4% | 7.7% | 1.1% | 0.8% |
| Grade 11 | 90.8% | 7.1% | 1.2% | 0.9% |
| Grade 12 | 90.9% | 7.7% | 1.0% | 0.4% |

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

| | D.T. | G 11 | Half | Most | A.1 | D 1: 1 | Didn't |
|----------|-------|--------|----------|-------------|--------|------------|--------|
| | Never | Seldom | the Time | of the Time | Always | Don't know | attend |
| All | 56.0% | 8.1% | 5.7% | 7.7% | 10.1% | 3.4% | 8.9% |
| Grade 7 | 81.1% | 3.6% | 2.2% | 2.1% | 1.6% | 2.2% | 7.2% |
| Grade 8 | 69.2% | 7.0% | 4.6% | 4.8% | 4.2% | 3.2% | 6.9% |
| Grade 9 | 55.8% | 9.9% | 5.9% | 7.4% | 7.6% | 4.1% | 9.4% |
| Grade 10 | 45.6% | 9.8% | 7.5% | 9.9% | 12.8% | 4.0% | 10.3% |
| Grade 11 | 40.0% | 9.2% | 7.8% | 12.1% | 17.8% | 3.5% | 9.5% |
| Grade 12 | 39.1% | 9.2% | 6.7% | 11.3% | 19.7% | 3.6% | 10.4% |

Table D-12: How often, if ever, do you smoke marijuana in..

| CATEGORY | | Never | Seldom | Half the Time | Most of the Time | Always | Don't know |
|-----------------------|----------|-------|--------|------------------|---------------------|--------|------------|
| Joints? | All | 78.4% | 7.0% | 4.5% | 4.7% | 4.1% | 1.3% |
| | Grade 7 | 92.1% | 2.5% | 1.9% | 1.3% | 0.9% | 1.3% |
| | Grade 8 | 84.8% | 4.0% | 3.6% | 3.1% | 3.3% | 1.1% |
| | Grade 9 | 77.7% | 7.6% | 4.3% | 4.7% | 4.3% | 1.4% |
| | Grade 10 | 72.3% | 9.3% | 5.4% | 6.7% | 4.7% | 1.5% |
| | Grade 11 | 71.0% | 9.7% | 6.0% | 6.5% | 5.6% | 1.2% |
| | Grade 12 | 69.2% | 10.0% | 6.8% | 6.6% | 6.2% | 1.2% |
| Blunts? | All | 80.5% | 6.5% | 4.1% | 4.0% | 3.7% | 1.2% |
| | Grade 7 | 93.1% | 2.1% | 1.3% | 1.3% | 0.8% | 1.5% |
| | Grade 8 | 86.7% | 3.8% | 3.0% | 2.8% | 2.8% | 0.9% |
| | Grade 9 | 80.7% | 6.3% | 3.9% | 4.3% | 3.7% | 1.2% |
| | Grade 10 | 75.1% | 9.3% | 4.7% | 5.1% | 4.5% | 1.3% |
| | Grade 11 | 73.2% | 9.1% | 6.3% | 5.3% | 5.0% | 1.1% |
| | Grade 12 | 71.1% | 9.7% | 6.2% | 6.0% | 5.7% | 1.4% |
| Bongs or water pipes? | All | 82.8% | 5.4% | 3.8% | 3.3% | 3.6% | 1.0% |
| | Grade 7 | 94.1% | 1.8% | 1.2% | 0.8% | 0.7% | 1.3% |
| | Grade 8 | 88.9% | 2.9% | 2.5% | 2.2% | 2.7% | 0.9% |
| | Grade 9 | 82.8% | 5.3% | 3.8% | 3.3% | 3.8% | 1.1% |
| | Grade 10 | 78.0% | 7.8% | 4.8% | 4.2% | 4.1% | 1.1% |
| | Grade 11 | 75.5% | 7.8% | 5.8% | 5.0% | 5.1% | 0.8% |
| | Grade 12 | 74.4% | 8.0% | 5.4% | 5.3% | 6.1% | 0.9% |
| Pipes? | All | 80.4% | 5.4% | 3.7% | 4.8% | 4.6% | 1.0% |
| | Grade 7 | 93.2% | 1.8% | 1.6% | 1.3% | 0.9% | 1.3% |
| | Grade 8 | 87.0% | 3.7% | 2.5% | 2.8% | 3.3% | 0.7% |
| | Grade 9 | 80.1% | 5.0% | 4.0% | 4.9% | 4.7% | 1.2% |
| | Grade 10 | 74.7% | 7.9% | 4.7% | 6.3% | 5.4% | 1.1% |
| | Grade 11 | 72.6% | 7.2% | 5.0% | 7.3% | 7.1% | 0.9% |
| | Grade 12 | 72.0% | 7.4% | 5.2% | 7.5% | 7.0% | 0.9% |
| Some other way? | All | 84.9% | 4.9% | 2.1% | 2.4% | 3.3% | 2.5% |
| | Grade 7 | 94.1% | 1.6% | 0.9% | 0.8% | 0.7% | 1.9% |
| | Grade 8 | 89.9% | 2.7% | 1.9% | 1.4% | 2.6% | 1.6% |
| | Grade 9 | 84.4% | 4.1% | 2.0% | 2.6% | 4.1% | 2.9% |
| | Grade 10 | 81.5% | 6.6% | 1.9% | 3.4% | 3.6% | 3.0% |
| | Grade 11 | 79.2% | 7.6% | 2.7% | 3.3% | 4.5% | 2.9% |
| | Grade 12 | 78.3% | 7.9% | 3.3% | 3.1% | 4.5% | 2.8% |

Table D-13: How do your parents feel about kids your age using marijuana?

| | Strongly | Mildly Disapprove | Neither | Mildly Approve | Strongly | Don't know |
|----------|----------|----------------------|---------|-------------------|----------|------------|
| All | 80.6% | 4.3% | 3.7% | 1.1% | 1.5% | 8.9% |
| | | | | | | |
| Grade 7 | 80.4% | 2.2% | 1.2% | 0.8% | 1.4% | 14.1% |
| Grade 8 | 82.0% | 3.1% | 2.3% | 1.0% | 1.1% | 10.5% |
| Grade 9 | 80.2% | 4.0% | 4.0% | 1.2% | 2.0% | 8.6% |
| Grade 10 | 80.6% | 5.3% | 4.6% | 1.3% | 1.3% | 7.0% |
| Grade 11 | 81.5% | 5.6% | 4.6% | 1.1% | 1.5% | 5.8% |
| Grade 12 | 78.4% | 5.8% | 6.2% | 1.3% | 1.5% | 6.7% |

Table D-14: How dangerous do you think it is for kids your age to use...

| | | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do No Knov |
|------------|----------|-------------------|-----------------------|-----------------------|-------------------------|---------------|
| Marijuana? | | . 8 | . 8 | 8 | 8 | |
| 3 | All | 61.8% | 14.4% | 9.9% | 9.3% | 4.6% |
| | Grade 7 | 81.4% | 8.2% | 3.3% | 2.4% | 4.8% |
| | Grade 8 | 70.7% | 12.6% | 6.2% | 5.8% | 4.79 |
| | Grade 9 | 60.4% | 14.7% | 10.0% | 9.8% | 5.19 |
| | Grade 10 | 53.4% | 17.8% | 12.3% | 12.3% | 4.29 |
| | Grade 11 | 49.1% | 17.4% | 15.8% | 13.1% | 4.69 |
| | Grade 12 | 51.9% | 16.2% | 13.4% | 14.1% | 4.39 |
| Cocaine? | | | | | | |
| | All | 83.2% | 8.5% | 2.0% | 1.0% | 5.3% |
| | Grade 7 | 86.9% | 5.7% | 1.1% | 0.8% | 5.49 |
| | Grade 8 | 82.5% | 8.7% | 2.2% | 1.0% | 5.5% |
| | Grade 9 | 80.5% | 10.0% | 2.5% | 1.3% | 5.79 |
| | Grade 10 | 82.5% | 8.9% | 2.2% | 1.2% | 5.19 |
| | Grade 11 | 82.7% | 9.4% | 1.9% | 1.0% | 5.09 |
| | Grade 12 | 84.4% | 8.2% | 2.1% | 0.7% | 4.69 |
| Crack? | | | | | | |
| | All | 84.8% | 7.3% | 1.4% | 0.9% | 5.69 |
| | Grade 7 | 87.0% | 5.5% | 1.0% | 0.8% | 5.79 |
| | Grade 8 | 83.2% | 7.8% | 1.8% | 1.1% | 6.19 |
| | Grade 9 | 82.7% | 8.4% | 1.9% | 1.1% | 6.09 |
| | Grade 10 | 84.0% | 7.6% | 1.7% | 1.2% | 5.59 |
| | Grade 11 | 85.7% | 7.4% | 1.2% | 0.5% | 5.29 |
| | Grade 12 | 87.1% | 6.9% | 0.6% | 0.5% | 4.99 |
| Ecstasy? | | | | | | |
| | All | 78.4% | 10.3% | 3.4% | 1.4% | 6.69 |
| | Grade 7 | 84.1% | 6.0% | 1.2% | 0.8% | 7.99 |
| | Grade 8 | 78.9% | 9.0% | 2.6% | 1.6% | 7.99 |
| | Grade 9 | 76.9% | 10.5% | 4.2% | 1.6% | 6.89 |
| | Grade 10 | 75.3% | 12.6% | 4.6% | 1.5% | 6.09 |
| | Grade 11 | 76.4% | 12.0% | 4.7% | 1.5% | 5.49 |
| | Grade 12 | 78.4% | 12.6% | 3.1% | 1.2% | 4.69 |
| Steroids? | | | | | | |
| | All | 77.9% | 10.9% | 3.3% | 1.3% | 6.59 |
| | Grade 7 | 82.4% | 8.5% | 2.1% | 0.8% | 6.29 |
| | Grade 8 | 77.3% | 11.1% | 3.2% | 1.4% | 7.09 |
| | Grade 9 | 76.9% | 10.9% | 3.9% | 1.5% | 6.99 |
| | Grade 10 | 75.6% | 12.6% | 3.5% | 1.7% | 6.59 |
| | Grade 11 | 76.3% | 12.0% | 3.9% | 1.4% | 6.59 |
| | Grade 12 | 78.9% | 10.8% | 3.4% | 1.2% | 5.79 |

Table D-14: How dangerous do you think it is for kids your age to use... (Continued)

| | | Very | Somewhat | Not very | Not at All | Do Not |
|---------|----------|-----------|-----------|-----------|------------|--------|
| | | Dangerous | Dangerous | Dangerous | Dangerous | Know |
| Heroin? | | | | | | |
| | All | 85.3% | 6.0% | 1.1% | 0.9% | 6.7% |
| | Grade 7 | 85.9% | 5.0% | 1.0% | 0.7% | 7.5% |
| | Grade 8 | 82.2% | 7.4% | 1.4% | 1.0% | 8.0% |
| | Grade 9 | 83.1% | 6.9% | 1.5% | 1.2% | 7.3% |
| | Grade 10 | 85.5% | 6.4% | 1.1% | 1.0% | 6.1% |
| | Grade 11 | 87.7% | 5.0% | 1.1% | 0.4% | 5.8% |
| | Grade 12 | 88.6% | 5.0% | 0.7% | 0.6% | 5.1% |

Table D-15: How recently, if ever, have you taken...

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|-------|---------------|----------------|--------------|---------------|
| Methamphetamine? | | | | | |
| | All | 0.7% | 1.3% | 2.4% | 97.6% |
| Gra | ide 7 | 0.6% | 0.9% | 1.7% | 98.3% |
| Gra | ide 8 | 0.9% | 1.4% | 2.4% | 97.6% |
| Gra | ide 9 | 0.8% | 1.4% | 2.7% | 97.3% |
| Grad | de 10 | 0.5% | 1.0% | 2.2% | 97.8% |
| Grad | de 11 | 0.8% | 1.3% | 2.0% | 98.0% |
| Grae | de 12 | 0.8% | 1.6% | 3.1% | 96.9% |

Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...

| | Past Month | School Year | Ever Used | Never Used |
|-------------------------------------|---------------|----------------|--------------|---------------|
| Codeine? | | | | |
| All | 4.1% | 6.6% | 9.9% | 90.1% |
| Grade 7 | 2.2% | 3.4% | 5.4% | 94.6% |
| Grade 8 | 3.9% | 5.8% | 8.1% | 91.9% |
| Grade 9 | 4.0% | 6.4% | 9.2% | 90.8% |
| Grade 10 | 4.5% | 7.3% | 11.1% | 88.9% |
| Grade 11 | 5.4% | 8.7% | 12.8% | 87.2% |
| Grade 12 | 5.0% | 8.5% | 13.8% | 86.2% |
| Oxycontin, Percodan, Percocet or C |)xycodone? | | | |
| All | 1.1% | 1.7% | 2.6% | 97.4% |
| Grade 7 | 0.4% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 0.8% | 1.1% | 1.5% | 98.5% |
| Grade 9 | 1.2% | 1.8% | 2.5% | 97.5% |
| Grade 10 | 0.9% | 1.5% | 2.4% | 97.6% |
| Grade 11 | 1.7% | 2.5% | 4.4% | 95.6% |
| Grade 12 | 1.5% | 3.1% | 4.9% | 95.19 |
| Vicodin, Lortab, Lorcet, or Hydroco | done? | | | |
| All | 1.8% | 2.9% | 4.4% | 95.6% |
| Grade 7 | 0.3% | 0.5% | 0.8% | 99.2% |
| Grade 8 | 1.1% | 1.5% | 1.9% | 98.1% |
| Grade 9 | 2.0% | 2.7% | 3.7% | 96.3% |
| Grade 10 | 1.8% | 3.3% | 4.8% | 95.29 |
| Grade 11 | 2.5% | 4.3% | 7.4% | 92.69 |
| Grade 12 | 3.2% | 5.5% | 8.9% | 91.19 |
| Valium or Diazepam? | | | | |
| All | 0.7% | 1.0% | 1.6% | 98.49 |
| Grade 7 | 0.3% | 0.4% | 0.6% | 99.4% |
| Grade 8 | 0.4% | 0.7% | 1.0% | 99.0% |
| Grade 9 | 1.2% | 1.5% | 2.2% | 97.89 |
| Grade 10 | 0.7% | 0.9% | 1.4% | 98.69 |
| Grade 11 | 0.7% | 1.0% | 1.9% | 98.19 |
| Grade 12 | 0.9% | 1.9% | 2.6% | 97.49 |
| Xanax or Alprazolam? | | | | |
| All | 1.5% | 2.2% | 3.4% | 96.69 |
| Grade 7 | 0.5% | 0.6% | 0.8% | 99.29 |
| Grade 8 | 1.1% | 1.4% | 1.8% | 98.29 |
| Grade 9 | 1.6% | 2.3% | 3.6% | 96.49 |
| Grade 10 | 1.5% | 2.1% | 3.1% | 96.9% |
| Grade 11 | 2.7% | 3.6% | 5.1% | 94.9% |
| Grade 12 | 2.1% | 3.5% | 6.5% | 93.5% |

Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------|----------|---------------|----------------|--------------|---------------|
| DXM, Triple C? | | | | | |
| | All | 1.9% | 2.8% | 4.6% | 95.4% |
| | Grade 7 | 1.4% | 1.9% | 2.8% | 97.2% |
| | Grade 8 | 2.4% | 3.1% | 4.8% | 95.2% |
| | Grade 9 | 2.0% | 3.2% | 5.2% | 94.8% |
| | Grade 10 | 1.9% | 2.6% | 4.6% | 95.4% |
| | Grade 11 | 2.0% | 3.4% | 5.2% | 94.8% |
| | Grade 12 | 1.4% | 2.7% | 4.7% | 95.3% |

Table I-1: How recently, if ever, have you used...

| | Past Month | School Year | Ever Used | Never Used |
|---------------------------------------|---------------|----------------|--------------|---------------|
| Spray paint? | | | | |
| All | 1.2% | 1.8% | 5.1% | 94.9% |
| Grade 7 | 1.6% | 2.1% | 4.1% | 95.9% |
| Grade 8 | 1.3% | 2.0% | 5.8% | 94.2% |
| Grade 9 | 1.4% | 2.1% | 6.1% | 93.9% |
| Grade 10 | 0.9% | 1.4% | 5.3% | 94.7% |
| Grade 11 | 1.0% | 1.4% | 4.8% | 95.2% |
| Grade 12 | 0.7% | 1.5% | 4.4% | 95.6% |
| Whiteout, correction fld? | | | | |
| All | 2.7% | 3.8% | 9.6% | 90.4% |
| Grade 7 | 4.2% | 5.7% | 11.1% | 88.9% |
| Grade 8 | 4.2% | 5.7% | 13.5% | 86.5% |
| Grade 9 | 3.1% | 4.3% | 11.3% | 88.7% |
| Grade 10 | 1.9% | 2.8% | 8.6% | 91.4% |
| Grade 11 | 1.6% | 2.4% | 7.0% | 93.0% |
| Grade 12 | 0.7% | 1.2% | 4.2% | 95.8% |
| Computer dusting sprays? | | | | |
| All | 1.4% | 2.3% | 5.0% | 95.0% |
| Grade 7 | 0.8% | 1.2% | 2.1% | 97.9% |
| Grade 8 | 1.4% | 2.1% | 3.3% | 96.7% |
| Grade 9 | 1.4% | 2.5% | 5.1% | 94.9% |
| Grade 10 | 1.6% | 2.7% | 5.8% | 94.2% |
| Grade 11 | 1.6% | 2.7% | 7.3% | 92.7% |
| Grade 12 | 1.4% | 2.9% | 6.9% | 93.1% |
| Helium, butane, propane, whippets, fr | reon? | | | |
| All | 3.1% | 4.5% | 9.4% | 90.6% |
| Grade 7 | 3.4% | 4.4% | 7.9% | 92.1% |
| Grade 8 | 3.8% | 4.8% | 10.3% | 89.7% |
| Grade 9 | 3.9% | 5.6% | 10.9% | 89.1% |
| Grade 10 | 2.5% | 4.3% | 8.8% | 91.2% |
| Grade 11 | 2.4% | 3.8% | 8.9% | 91.1% |
| Grade 12 | 2.5% | 3.9% | 9.6% | 90.4% |
| Glue? | | | | |
| All | 0.8% | 1.2% | 2.4% | 97.6% |
| Grade 7 | 1.2% | 1.8% | 3.2% | 96.8% |
| Grade 8 | 1.1% | 1.7% | 3.1% | 96.9% |
| Grade 9 | 0.7% | 0.9% | 2.3% | 97.7% |
| Grade 10 | 0.7% | 1.0% | 2.0% | 98.0% |
| Grade 11 | 0.6% | 0.9% | 2.2% | 97.8% |
| Grade 12 | 0.4% | 0.6% | 1.5% | 98.5% |

Table I-1: How recently, if ever, have you used... (Continued)

| | Past | School | Ever | Never |
|---------------------------------------|----------|--------|-------|-------|
| | Month | Year | Used | Used |
| Toluene, paint thinner, other solvent | | | | |
| All | 0.8% | 1.2% | 2.4% | 97.6% |
| Grade 7 | 0.6% | 1.0% | 1.8% | 98.2% |
| Grade 8 | 1.1% | 1.4% | 2.7% | 97.3% |
| Grade 9 | 1.0% | 1.4% | 2.8% | 97.2% |
| Grade 10 | 0.7% | 1.1% | 2.3% | 97.7% |
| Grade 11 | 0.6% | 0.9% | 2.5% | 97.5% |
| Grade 12 | 0.7% | 1.2% | 2.4% | 97.6% |
| Gasoline, octane booster, carburetor | cleaner? | | | |
| All | 1.3% | 1.7% | 3.7% | 96.3% |
| Grade 7 | 1.4% | 1.7% | 3.3% | 96.7% |
| Grade 8 | 2.0% | 2.3% | 4.8% | 95.2% |
| Grade 9 | 1.6% | 1.9% | 3.9% | 96.1% |
| Grade 10 | 1.2% | 1.8% | 3.8% | 96.2% |
| Grade 11 | 0.6% | 0.9% | 3.2% | 96.8% |
| Grade 12 | 1.1% | 1.6% | 2.9% | 97.1% |
| Other aerosols/sprays? | | | | |
| All | 1.4% | 2.0% | 3.9% | 96.1% |
| Grade 7 | 1.7% | 2.4% | 4.3% | 95.7% |
| Grade 8 | 2.1% | 2.8% | 4.9% | 95.1% |
| Grade 9 | 1.5% | 2.2% | 4.1% | 95.9% |
| Grade 10 | 1.1% | 1.8% | 3.9% | 96.1% |
| Grade 11 | 1.1% | 1.4% | 3.4% | 96.6% |
| Grade 12 | 0.7% | 1.0% | 2.3% | 97.7% |
| Any inhalant? | | | | |
| All | 6.7% | 9.1% | 18.9% | 81.1% |
| Grade 7 | 8.7% | 10.6% | 17.7% | 82.3% |
| Grade 8 | 9.5% | 12.2% | 22.0% | 78.0% |
| Grade 9 | 7.0% | 9.8% | 20.5% | 79.5% |
| Grade 10 | 5.0% | 7.9% | 18.6% | 81.4% |
| Grade 11 | 4.9% | 6.9% | 17.3% | 82.7% |
| Grade 12 | 4.2% | 6.4% | 16.5% | 83.5% |

Table I-2: How often do you normally use inhalants?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 93.9% | 0.1% | 0.6% | 0.7% | 1.1% | 1.4% | 2.3% |
| Grade 7 | 94.9% | 0.1% | 0.7% | 0.8% | 0.9% | 1.1% | 1.6% |
| Grade 8 | 93.2% | 0.2% | 0.8% | 1.0% | 1.3% | 1.4% | 2.1% |
| Grade 9 | 92.1% | 0.5% | 0.6% | 0.5% | 1.6% | 1.7% | 3.1% |
| Grade 10 | 94.1% | 0.1% | 0.6% | 0.7% | 0.9% | 1.4% | 2.3% |
| Grade 11 | 94.3% | 0.0% | 0.5% | 0.4% | 0.8% | 1.5% | 2.6% |
| Grade 12 | 95.2% | 0.0% | 0.2% | 0.3% | 1.0% | 1.1% | 2.1% |

I-3: Number of different kinds of inhalants used

| | | | Two to | |
|----------|-------|-------|--------|-----------|
| | None | One | Three | Four Plus |
| All | 81.2% | 9.2% | 6.6% | 3.0% |
| Grade 7 | 82.5% | 8.2% | 7.0% | 2.4% |
| Grade 8 | 78.1% | 10.6% | 7.6% | 3.6% |
| Grade 9 | 79.6% | 9.2% | 7.6% | 3.6% |
| Grade 10 | 81.5% | 9.4% | 6.0% | 3.0% |
| Grade 11 | 82.8% | 8.8% | 5.6% | 2.9% |
| Grade 12 | 83.7% | 8.8% | 5.3% | 2.3% |

Table I-4: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|-----------|---------|---------|----------|----------|----------|
| Inhalants | | | | | |
| 10.9 | 11.4 | 12.2 | 12.9 | 13.4 | 14.5 |

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| | | | | |
| All | 97.5% | 1.6% | 0.4% | 0.5% |
| Grade 7 | 97.8% | 1.6% | 0.2% | 0.4% |
| Grade 8 | 96.9% | 2.1% | 0.5% | 0.5% |
| Grade 9 | 97.2% | 1.6% | 0.5% | 0.8% |
| Grade 10 | 97.3% | 1.9% | 0.3% | 0.5% |
| Grade 11 | 98.3% | 1.3% | 0.2% | 0.2% |
| Grade 12 | 97.8% | 1.4% | 0.4% | 0.5% |

Table I-6: School year use of inhalants by absences and conduct problems:

| | Average days absent due to illness or other reasons | | | | |
|-------------------|---|--|--|--|--|
| Inhalants Users: | 4.1 | | | | |
| Inhalants Non-use | 3.1 | | | | |

| | Average days conduct problems reported |
|-------------------|--|
| Inhalants Users: | 3.9 |
| Inhalants Non-use | e 1.3 |

Table I-7: About how many of your close friends use inhalants?

| | None | A Few | Some | Most | ALL |
|----------|-------|-------|------|------|------|
| | | | | | |
| All | 79.2% | 13.0% | 4.9% | 2.1% | 0.9% |
| Grade 7 | 85.3% | 9.8% | 2.9% | 1.5% | 0.5% |
| Grade 8 | 78.6% | 13.0% | 5.6% | 1.9% | 0.9% |
| Grade 9 | 78.3% | 13.9% | 4.8% | 2.1% | 0.9% |
| Grade 10 | 77.0% | 13.4% | 6.1% | 2.5% | 1.1% |
| Grade 11 | 76.7% | 14.7% | 5.3% | 2.5% | 0.8% |
| Grade 12 | 79.0% | 13.4% | 4.6% | 1.9% | 1.1% |

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| | | | | | _ |
| All | 73.8% | 13.8% | 4.4% | 1.7% | 6.4% |
| Grade 7 | 78.9% | 10.7% | 3.3% | 1.4% | 5.8% |
| Grade 8 | 71.5% | 14.3% | 5.6% | 2.1% | 6.4% |
| Grade 9 | 70.2% | 14.8% | 5.6% | 2.4% | 7.0% |
| Grade 10 | 71.0% | 15.6% | 4.6% | 2.1% | 6.7% |
| Grade 11 | 74.0% | 14.8% | 3.6% | 1.2% | 6.4% |
| Grade 12 | 78.3% | 12.3% | 3.0% | 0.8% | 5.7% |

Table I-9: If you wanted some, how difficult would it be to get..

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|------------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Inhalants? | | | | | | | |
| | All | 37.3% | 17.7% | 4.5% | 6.3% | 8.7% | 25.5% |
| | Grade 7 | 46.9% | 26.5% | 4.2% | 4.5% | 4.4% | 13.6% |
| | Grade 8 | 40.1% | 23.0% | 4.1% | 5.7% | 7.1% | 19.9% |
| | Grade 9 | 36.5% | 16.6% | 4.8% | 6.4% | 9.1% | 26.7% |
| | Grade 10 | 32.9% | 15.0% | 4.8% | 7.4% | 10.7% | 29.2% |
| | Grade 11 | 32.6% | 12.6% | 4.0% | 8.5% | 10.8% | 31.6% |
| | Grade 12 | 32.7% | 10.5% | 5.1% | 6.0% | 11.0% | 34.8% |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| | CATEGORY | Yes |
|-----------------------|----------|-----------|
| A school health class | | All 51.1% |
| | Grade | 7 53.2% |
| | Grade | 8 52.8% |
| | Grade | 9 42.4% |
| | Grade | 10 55.0% |
| | Grade | 11 53.9% |
| | Grade | 12 50.6% |
| An assembly program | | All 50.8% |
| | Grade | 7 58.4% |
| | Grade | 8 59.9% |
| | Grade | 9 44.4% |
| | Grade | 10 49.2% |
| | Grade | 11 45.4% |
| | Grade | 12 46.4% |
| Guidance counselor | | All 40.8% |
| | Grade | 7 52.0% |
| | Grade | 8 53.1% |
| | Grade | 9 35.7% |
| | Grade | 10 36.3% |
| | Grade | 11 31.5% |
| | Grade | 12 34.0% |
| Science class | | All 34.1% |
| | Grade | 7 33.0% |
| | Grade | 8 29.4% |
| | Grade | 9 38.9% |
| | Grade | 10 35.9% |
| | Grade | 11 31.9% |
| | Grade | 12 34.9% |
| Social studies class | | All 21.9% |
| | Grade | 7 21.1% |
| | Grade | 8 22.4% |
| | Grade | 9 22.1% |
| | Grade | 10 22.0% |
| | Grade | 11 20.4% |
| | Grade | 12 23.2% |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

(Continued)

| CATEGO | ORY | Yes |
|--------------------------|----------|-------|
| Student group session | All | 22.8% |
| | Grade 7 | 23.9% |
| | Grade 8 | 22.0% |
| | Grade 9 | 21.9% |
| | Grade 10 | 22.8% |
| | Grade 11 | 22.3% |
| | Grade 12 | 24.5% |
| An invited school guest | All | 41.0% |
| | Grade 7 | 47.4% |
| | Grade 8 | 49.0% |
| | Grade 9 | 33.2% |
| | Grade 10 | 38.8% |
| | Grade 11 | 38.7% |
| | Grade 12 | 39.3% |
| Another source at school | All | 38.1% |
| | Grade 7 | 40.0% |
| | Grade 8 | 40.3% |
| | Grade 9 | 35.8% |
| | Grade 10 | 38.6% |
| | Grade 11 | 35.4% |
| | Grade 12 | 38.7% |
| Any school source | All | 61.1% |
| | Grade 7 | 60.2% |
| | Grade 8 | 63.0% |
| | Grade 9 | 59.5% |
| | Grade 10 | 62.8% |
| | Grade 11 | 61.3% |
| | Grade 12 | 59.7% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

| CATEGORY | | Yes |
|----------------------------------|----------|-------|
| Counselor/program in-school | All | 45.3% |
| | Grade 7 | 61.6% |
| | Grade 8 | 52.5% |
| | Grade 9 | 42.3% |
| | Grade 10 | 39.4% |
| | Grade 11 | 36.3% |
| | Grade 12 | 37.5% |
| Another adult in school | All | 46.7% |
| | Grade 7 | 58.2% |
| | Grade 8 | 49.3% |
| | Grade 9 | 44.6% |
| | Grade 10 | 43.0% |
| | Grade 11 | 43.2% |
| | Grade 12 | 40.9% |
| Counselor/program outside-school | All | 44.7% |
| | Grade 7 | 52.5% |
| | Grade 8 | 46.8% |
| | Grade 9 | 43.8% |
| | Grade 10 | 41.2% |
| | Grade 11 | 41.7% |
| | Grade 12 | 41.2% |
| Your parents | All | 64.7% |
| | Grade 7 | 74.7% |
| | Grade 8 | 65.7% |
| | Grade 9 | 62.3% |
| | Grade 10 | 61.9% |
| | Grade 11 | 61.9% |
| | Grade 12 | 61.3% |
| A medical doctor | All | 52.2% |
| | Grade 7 | 65.2% |
| | Grade 8 | 54.3% |
| | Grade 9 | 49.7% |
| | Grade 10 | 48.0% |
| | Grade 11 | 46.8% |
| | Grade 12 | 48.0% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

| | CATEGORY | | Yes |
|---------------|----------|----------|-------|
| Your friends | | All | 65.3% |
| | | Grade 7 | 55.1% |
| | | Grade 8 | 61.5% |
| | | Grade 9 | 66.4% |
| | | Grade 10 | 70.2% |
| | | Grade 11 | 70.8% |
| | | Grade 12 | 68.8% |
| Another adult | | All | 63.4% |
| | | Grade 7 | 65.5% |
| | | Grade 8 | 62.7% |
| | | Grade 9 | 62.4% |
| | | Grade 10 | 64.4% |
| | | Grade 11 | 64.7% |
| | | Grade 12 | 60.8% |

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

| | CATEGORY | | Yes |
|-----------|----------|----------|-------|
| Seek Help | | All | 11.5% |
| | | Grade 7 | 9.6% |
| | | Grade 8 | 11.5% |
| | | Grade 9 | 13.1% |
| | | Grade 10 | 11.6% |
| | | Grade 11 | 11.4% |
| | | Grade 12 | 11.8% |

Table X-4: About how many of your friends:

| | None | A Few | Some | Most | ALL |
|-----------------------------|-----------|-------|-------|-------|-------|
| Feel close to their parents | ? | | | | |
| All | 7.0% | 27.9% | 25.9% | 29.6% | 9.6% |
| Grade 7 | 10.4% | 25.5% | 22.6% | 26.8% | 14.7% |
| Grade 8 | 8.4% | 28.3% | 25.9% | 26.2% | 11.1% |
| Grade 9 | 7.1% | 28.1% | 25.6% | 30.6% | 8.7% |
| Grade 10 | 5.0% | 29.6% | 26.2% | 31.6% | 7.7% |
| Grade 11 | 5.6% | 27.3% | 28.5% | 31.7% | 6.9% |
| Grade 12 | 4.5% | 29.0% | 27.0% | 31.7% | 7.8% |
| Sometimes carry weapons | ? | | | | |
| All | 76.6% | 14.5% | 5.9% | 1.9% | 1.1% |
| Grade 7 | 85.1% | 10.4% | 3.2% | 0.9% | 0.5% |
| Grade 8 | 79.3% | 13.7% | 4.7% | 1.5% | 0.9% |
| Grade 9 | 75.9% | 15.0% | 6.0% | 1.7% | 1.4% |
| Grade 10 | 74.1% | 15.5% | 7.1% | 2.0% | 1.3% |
| Grade 11 | 71.6% | 16.7% | 7.7% | 2.5% | 1.6% |
| Grade 12 | 72.1% | 16.6% | 7.2% | 3.0% | 1.2% |
| Care about making good g | rades? | | | | |
| All | 3.3% | 15.3% | 24.3% | 37.4% | 19.7% |
| Grade 7 | 3.8% | 15.1% | 22.0% | 32.9% | 26.2% |
| Grade 8 | 3.7% | 16.1% | 24.3% | 34.6% | 21.4% |
| Grade 9 | 3.3% | 16.2% | 26.1% | 36.6% | 17.8% |
| Grade 10 | 2.4% | 15.5% | 25.6% | 38.9% | 17.5% |
| Grade 11 | 3.4% | 14.7% | 24.1% | 40.5% | 17.2% |
| Grade 12 | 3.1% | 13.5% | 23.1% | 42.8% | 17.5% |
| Belong/want to belong to | a gang? | | | | |
| All | 67.6% | 18.6% | 8.8% | 3.7% | 1.4% |
| Grade 7 | 73.6% | 16.4% | 6.3% | 3.0% | 0.7% |
| Grade 8 | 64.2% | 20.2% | 10.0% | 4.1% | 1.5% |
| Grade 9 | 64.4% | 20.2% | 9.7% | 4.1% | 1.5% |
| Grade 10 | 66.0% | 19.6% | 9.3% | 3.8% | 1.4% |
| Grade 11 | 66.0% | 18.5% | 10.0% | 4.0% | 1.6% |
| Grade 12 | 71.8% | 16.0% | 7.3% | 3.1% | 1.7% |
| Wish they could drop out of | of school | ? | | | |
| All | 59.2% | 25.6% | 9.9% | 3.4% | 1.9% |
| Grade 7 | 69.8% | 19.4% | 6.8% | 2.8% | 1.1% |
| Grade 8 | 60.2% | 25.7% | 8.9% | 3.4% | 1.8% |
| Grade 9 | 56.1% | 26.5% | 11.6% | 3.3% | 2.4% |
| Grade 10 | 54.6% | 26.9% | 13.0% | 3.6% | 1.8% |
| Grade 11 | 54.6% | 28.3% | 11.0% | 4.2% | 1.9% |
| Grade 12 | 58.6% | 27.2% | 8.4% | 3.3% | 2.5% |

Table X-5: How safe do you feel when you are:

| | | | | Not Very | | Don't |
|--------------------|---------|-------|---------|----------|--------|-------|
| | | Safe | at Safe | Safe | at All | Know |
| In your home? | | | | | | |
| | All | 84.7% | 13.2% | 0.8% | 0.3% | 0.9% |
| G | rade 7 | 85.5% | 12.2% | 1.0% | 0.2% | 1.1% |
| G | rade 8 | 83.6% | 14.0% | 1.1% | 0.2% | 1.1% |
| G | rade 9 | 83.9% | 13.8% | 0.7% | 0.5% | 1.1% |
| Gr | ade 10 | 84.2% | 14.3% | 0.6% | 0.2% | 0.7% |
| Gr | ade 11 | 85.3% | 13.0% | 0.9% | 0.2% | 0.6% |
| Gr | ade 12 | 86.0% | 12.1% | 0.6% | 0.6% | 0.7% |
| Out in your neighb | orhood? | | | | | |
| | All | 38.4% | 48.9% | 8.6% | 2.0% | 2.1% |
| G | rade 7 | 37.0% | 46.5% | 11.4% | 1.9% | 3.2% |
| G | rade 8 | 36.1% | 50.7% | 8.7% | 1.9% | 2.6% |
| G | rade 9 | 38.0% | 50.2% | 7.8% | 1.9% | 2.2% |
| Gr | ade 10 | 40.7% | 48.8% | 7.1% | 1.5% | 1.8% |
| Gr | ade 11 | 40.2% | 48.3% | 8.2% | 2.0% | 1.2% |
| Gr | ade 12 | 39.3% | 48.5% | 8.3% | 2.7% | 1.3% |
| At school? | | | | | | |
| | All | 43.0% | 43.0% | 7.9% | 3.4% | 2.8% |
| G | rade 7 | 51.5% | 36.2% | 6.9% | 2.3% | 3.1% |
| G | rade 8 | 49.6% | 38.5% | 6.1% | 2.9% | 2.9% |
| G | rade 9 | 41.5% | 43.8% | 7.7% | 3.1% | 3.9% |
| Gr | ade 10 | 37.4% | 46.9% | 8.7% | 4.9% | 2.2% |
| Gr | ade 11 | 37.1% | 47.2% | 9.4% | 4.1% | 2.2% |
| Gr | ade 12 | 38.3% | 47.1% | 8.8% | 3.5% | 2.2% |

2. Prevalence Tables

Table B1: Prevalence and recency of use of selected substances by grade All students

| | | Past Month | School Year | Ever Used | Neve Used |
|------------------|----------|---------------|----------------|--------------|--------------|
| Tobacco | | 141011611 | Tour | CSCG | |
| 100000 | All | 11.5% | 16.2% | 29.4% | 70.6% |
| | Grade 7 | 4.2% | 5.3% | 11.8% | 88.2% |
| | Grade 8 | 6.8% | 9.2% | 20.1% | 79.9% |
| | Grade 9 | 10.6% | 15.7% | 29.8% | 70.2% |
| | Grade 10 | 12.5% | 19.3% | 35.7% | 64.3% |
| | Grade 11 | 15.5% | 22.3% | 39.3% | 60.7% |
| | Grade 12 | 21.9% | 29.0% | 44.6% | 55.4% |
| Alcohol | | | | | |
| | All | 26.1% | 35.4% | 56.6% | 43.4% |
| | Grade 7 | 11.3% | 14.3% | 32.5% | 67.5% |
| | Grade 8 | 20.7% | 26.3% | 49.5% | 50.5% |
| | Grade 9 | 27.9% | 36.7% | 58.8% | 41.2% |
| | Grade 10 | 29.8% | 42.6% | 66.3% | 33.7% |
| | Grade 11 | 32.8% | 46.6% | 67.7% | 32.3% |
| | Grade 12 | 37.3% | 51.0% | 69.6% | 30.49 |
| Inhalants | | | | | |
| | All | 6.7% | 9.1% | 18.9% | 81.19 |
| | Grade 7 | 8.7% | 10.6% | 17.7% | 82.39 |
| | Grade 8 | 9.5% | 12.2% | 22.0% | 78.09 |
| | Grade 9 | 7.0% | 9.8% | 20.5% | 79.59 |
| | Grade 10 | 5.0% | 7.9% | 18.6% | 81.49 |
| | Grade 11 | 4.9% | 6.9% | 17.3% | 82.79 |
| | Grade 12 | 4.2% | 6.4% | 16.5% | 83.59 |
| Any Illicit Drug | | | | | |
| _ | All | 13.1% | 17.7% | 28.5% | 71.5% |
| | Grade 7 | 4.7% | 5.7% | 9.8% | 90.2% |
| | Grade 8 | 8.9% | 11.4% | 19.1% | 80.9% |
| | Grade 9 | 13.9% | 18.2% | 29.0% | 71.09 |
| | Grade 10 | 16.2% | 22.5% | 36.5% | 63.5% |
| | Grade 11 | 18.3% | 25.6% | 39.8% | 60.29 |
| | Grade 12 | 18.7% | 26.2% | 41.8% | 58.29 |
| Marijuana | | | | | |
| - | All | 11.2% | 15.9% | 26.6% | 73.49 |
| | Grade 7 | 3.3% | 4.3% | 8.1% | 91.99 |
| | Grade 8 | 6.9% | 9.5% | 16.5% | 83.5% |
| | Grade 9 | 12.2% | 16.6% | 27.0% | 73.09 |
| | Grade 10 | 14.0% | 20.6% | 34.7% | 65.39 |
| | Grade 11 | 16.0% | 23.2% | 38.0% | 62.09 |
| | Grade 12 | 16.8% | 24.5% | 40.5% | 59.5% |

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | WIGHT | Teur | OSCG | |
| man gaaria omy | All | 4.3% | 6.5% | 12.6% | 87.4% |
| | Grade 7 | 1.6% | 2.2% | 4.7% | 95.3% |
| | Grade 8 | 2.8% | 3.8% | 8.0% | 92.0% |
| | Grade 9 | 4.6% | 6.5% | 12.9% | 87.1% |
| | Grade 10 | 5.6% | 8.6% | 17.0% | 83.0% |
| | Grade 11 | 5.8% | 9.3% | 17.0% | 83.0% |
| | Grade 12 | 5.8% | 9.7% | 18.4% | 81.6% |
| Cocaine or Crack | | | | | |
| | All | 2.3% | 3.4% | 6.9% | 93.1% |
| | Grade 7 | 0.7% | 0.9% | 1.9% | 98.1% |
| | Grade 8 | 1.9% | 2.6% | 4.7% | 95.3% |
| | Grade 9 | 2.1% | 3.1% | 6.6% | 93.4% |
| | Grade 10 | 2.6% | 4.2% | 8.0% | 92.0% |
| | Grade 11 | 3.1% | 4.6% | 9.9% | 90.1% |
| | Grade 12 | 3.9% | 5.8% | 11.5% | 88.5% |
| Cocaine | | | | | |
| | All | 2.1% | 3.0% | 6.3% | 93.7% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 1.4% | 2.0% | 3.6% | 96.4% |
| | Grade 9 | 1.8% | 2.6% | 5.7% | 94.3% |
| | Grade 10 | 2.3% | 3.9% | 7.7% | 92.3% |
| | Grade 11 | 3.0% | 4.4% | 9.6% | 90.4% |
| | Grade 12 | 3.7% | 5.5% | 11.2% | 88.8% |
| Crack | | | | | |
| | All | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 7 | 0.5% | 0.6% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 1.2% | 2.3% | 97.7% |
| | Grade 9 | 0.8% | 1.4% | 2.7% | 97.3% |
| | Grade 10 | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 11 | 0.6% | 0.9% | 1.9% | 98.1% |
| | Grade 12 | 0.5% | 0.9% | 1.8% | 98.2% |
| Hallucinogens | | | | | |
| | All | 1.3% | 1.9% | 3.9% | 96.1% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 1.0% | 1.4% | 2.3% | 97.7% |
| | Grade 9 | 1.7% | 2.1% | 3.7% | 96.3% |
| | Grade 10 | 1.4% | 2.1% | 4.8% | 95.2% |
| | Grade 11 | 1.7% | 2.7% | 6.1% | 93.9% |
| | Grade 12 | 1.7% | 2.9% | 6.8% | 93.2% |

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WIGHT | Tear | OSCG | OSCO |
| - | All | 2.0% | 3.0% | 5.4% | 94.6% |
| | Grade 7 | 0.4% | 0.4% | 0.9% | 99.1% |
| | Grade 8 | 1.4% | 1.5% | 2.6% | 97.4% |
| | Grade 9 | 2.4% | 3.4% | 5.8% | 94.2% |
| | Grade 10 | 2.3% | 3.7% | 6.8% | 93.2% |
| | Grade 11 | 2.8% | 4.5% | 8.3% | 91.7% |
| | Grade 12 | 3.0% | 4.7% | 9.0% | 91.0% |
| Downers | | | | | |
| | All | 2.7% | 3.8% | 6.8% | 93.2% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 2.1% | 2.4% | 4.1% | 95.9% |
| | Grade 9 | 3.0% | 4.0% | 7.1% | 92.9% |
| | Grade 10 | 3.4% | 5.0% | 8.6% | 91.4% |
| | Grade 11 | 4.1% | 5.9% | 11.0% | 89.0% |
| | Grade 12 | 3.6% | 5.9% | 10.6% | 89.4% |
| Rohypnol | | | | | |
| | All | 1.7% | 2.5% | 4.6% | 95.4% |
| | Grade 7 | 0.8% | 1.0% | 1.5% | 98.5% |
| | Grade 8 | 1.8% | 2.3% | 4.1% | 95.9% |
| | Grade 9 | 2.2% | 3.2% | 5.0% | 95.0% |
| | Grade 10 | 1.9% | 2.9% | 5.8% | 94.2% |
| | Grade 11 | 1.8% | 2.6% | 5.6% | 94.4% |
| | Grade 12 | 2.0% | 3.0% | 6.0% | 94.0% |
| Steroids | | | | | |
| | All | 0.5% | 0.6% | 1.2% | 98.8% |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 9 | 0.4% | 0.4% | 1.0% | 99.0% |
| | Grade 10 | 0.6% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 0.7% | 0.9% | 1.5% | 98.5% |
| | Grade 12 | 0.7% | 1.0% | 1.6% | 98.4% |
| Ecstasy | | | | | |
| | All | 2.6% | 3.9% | 8.1% | 91.9% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 1.6% | 2.0% | 3.5% | 96.5% |
| | Grade 9 | 2.6% | 3.7% | 7.0% | 93.0% |
| | Grade 10 | 3.2% | 5.1% | 10.1% | 89.9% |
| | Grade 11 | 3.9% | 5.8% | 13.1% | 86.9% |
| | Grade 12 | 4.5% | 7.0% | 16.2% | 83.8% |

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 7 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 8 | 0.9% | 0.9% | 1.4% | 98.6% |
| | Grade 9 | 0.6% | 0.8% | 1.5% | 98.5% |
| | Grade 10 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 11 | 0.4% | 0.6% | 1.3% | 98.7% |
| | Grade 12 | 0.2% | 0.4% | 1.0% | 99.0% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 13.6% | 18.3% | 31.9% | 68.1% |
| | Grade 7 | 4.8% | 5.8% | 13.5% | 86.5% |
| | Grade 8 | 7.1% | 9.9% | 21.6% | 78.4% |
| | Grade 9 | 11.7% | 16.4% | 30.0% | 70.0% |
| | Grade 10 | 14.1% | 21.3% | 38.8% | 61.2% |
| | Grade 11 | 18.8% | 25.0% | 43.0% | 57.0% |
| | Grade 12 | 29.5% | 36.9% | 52.1% | 47.9% |
| Alcohol | | | | | |
| | All | 25.7% | 34.1% | 54.3% | 45.7% |
| | Grade 7 | 11.3% | 13.9% | 30.6% | 69.4% |
| | Grade 8 | 17.7% | 22.8% | 46.5% | 53.5% |
| | Grade 9 | 26.7% | 34.5% | 55.1% | 44.9% |
| | Grade 10 | 30.2% | 42.0% | 63.6% | 36.4% |
| | Grade 11 | 32.3% | 45.1% | 65.5% | 34.5% |
| | Grade 12 | 41.2% | 53.7% | 71.0% | 29.0% |
| Inhalants | | | | | |
| | All | 6.0% | 8.4% | 18.0% | 82.0% |
| | Grade 7 | 6.9% | 8.4% | 15.0% | 85.0% |
| | Grade 8 | 7.3% | 9.7% | 18.2% | 81.8% |
| | Grade 9 | 6.3% | 9.3% | 18.9% | 81.1% |
| | Grade 10 | 5.0% | 7.9% | 17.8% | 82.2% |
| | Grade 11 | 5.4% | 8.2% | 20.0% | 80.0% |
| | Grade 12 | 4.4% | 6.4% | 18.2% | 81.8% |
| Any Illicit Drug | | | | | |
| | All | 15.0% | 19.9% | 31.1% | 68.9% |
| | Grade 7 | 4.8% | 5.9% | 10.5% | 89.5% |
| | Grade 8 | 9.4% | 12.3% | 20.7% | 79.3% |
| | Grade 9 | 14.4% | 18.6% | 30.2% | 69.8% |
| | Grade 10 | 18.8% | 25.1% | 39.5% | 60.5% |
| | Grade 11 | 21.8% | 29.7% | 44.2% | 55.8% |
| | Grade 12 | 24.7% | 33.1% | 49.1% | 50.9% |
| Marijuana | | | | | |
| | All | 13.0% | 18.2% | 29.9% | 70.1% |
| | Grade 7 | 3.6% | 4.9% | 9.6% | 90.4% |
| | Grade 8 | 7.7% | 11.0% | 19.0% | 81.0% |
| | Grade 9 | 12.5% | 17.1% | 29.1% | 70.9% |
| | Grade 10 | 16.5% | 23.3% | 38.5% | 61.5% |
| | Grade 11 | 18.8% | 26.7% | 42.5% | 57.5% |
| | Grade 12 | 22.5% | 31.4% | 47.9% | 52.1% |

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | WIGHT | Teur | OSCG | OSCO |
| mai gaana omg | All | 5.3% | 7.8% | 14.7% | 85.3% |
| | Grade 7 | 1.8% | 2.6% | 5.9% | 94.1% |
| | Grade 8 | 4.0% | 5.1% | 10.7% | 89.3% |
| | Grade 9 | 5.5% | 7.9% | 15.2% | 84.8% |
| | Grade 10 | 6.7% | 9.9% | 19.0% | 81.0% |
| | Grade 11 | 7.3% | 11.2% | 19.2% | 80.8% |
| | Grade 12 | 7.4% | 12.0% | 21.1% | 78.9% |
| Cocaine or Crack | | | | | |
| | All | 3.2% | 4.3% | 8.2% | 91.8% |
| | Grade 7 | 0.8% | 0.9% | 1.8% | 98.2% |
| | Grade 8 | 1.8% | 2.4% | 4.8% | 95.2% |
| | Grade 9 | 2.5% | 3.4% | 6.5% | 93.5% |
| | Grade 10 | 3.7% | 5.3% | 10.3% | 89.7% |
| | Grade 11 | 5.0% | 6.7% | 13.1% | 86.9% |
| | Grade 12 | 6.4% | 8.5% | 15.5% | 84.5% |
| Cocaine | | | | | |
| | All | 2.8% | 3.9% | 7.7% | 92.3% |
| | Grade 7 | 0.5% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 1.4% | 1.8% | 3.6% | 96.4% |
| | Grade 9 | 2.1% | 2.9% | 6.0% | 94.0% |
| | Grade 10 | 3.3% | 5.0% | 10.1% | 89.9% |
| | Grade 11 | 4.7% | 6.4% | 12.9% | 87.1% |
| | Grade 12 | 6.0% | 8.1% | 15.1% | 84.9% |
| Crack | | | | | |
| | All | 0.8% | 1.1% | 2.2% | 97.8% |
| | Grade 7 | 0.5% | 0.7% | 1.1% | 98.9% |
| | Grade 8 | 0.6% | 0.8% | 2.0% | 98.0% |
| | Grade 9 | 1.1% | 1.4% | 2.7% | 97.3% |
| | Grade 10 | 1.1% | 1.2% | 2.5% | 97.5% |
| | Grade 11 | 0.8% | 1.1% | 2.4% | 97.6% |
| | Grade 12 | 1.0% | 1.3% | 2.5% | 97.5% |
| Hallucinogens | | | | | |
| | All | 1.6% | 2.3% | 4.8% | 95.2% |
| | Grade 7 | 0.3% | 0.5% | 1.2% | 98.8% |
| | Grade 8 | 1.0% | 1.3% | 2.4% | 97.6% |
| | Grade 9 | 2.3% | 2.8% | 4.7% | 95.3% |
| | Grade 10 | 2.0% | 2.5% | 5.7% | 94.3% |
| | Grade 11 | 2.2% | 3.3% | 7.1% | 92.9% |
| | Grade 12 | 2.1% | 3.5% | 9.1% | 90.9% |

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

| | | Past | School | Ever | Neve |
|----------|----------------------|--------------|--------------|----------------|----------------|
| Unnors | | Month | Year | Used | Used |
| Uppers | All | 2.2% | 3.1% | 5.6% | 94.49 |
| | Grade 7 | 0.2% | 0.3% | 0.8% | 99.29 |
| | Grade 7 | 1.2% | 1.4% | 2.2% | 97.89 |
| | Grade 9 | 2.6% | 3.3% | 5.6% | 94.49 |
| | Grade 10 | 2.5% | 3.7% | 6.8% | 93.29 |
| | Grade 10 Grade 11 | 3.5% | 5.1% | 9.6% | 90.49 |
| | Grade 11 Grade 12 | 3.8% | 5.8% | 10.4% | 89.69 |
| Downers | Grade 12 | 3.670 | J.6 /0 | 10.470 | 09.07 |
| Downers | All | 3.1% | 4.3% | 7.3% | 92.79 |
| | Grade 7 | 0.5% | 0.6% | 1.2% | 98.89 |
| | Grade 7 | 1.9% | 2.2% | 3.7% | 96.39 |
| | Grade 9 | 3.1% | 4.0% | 7.1% | 90.37 |
| | Grade 10 | 3.1% | 5.6% | 9.0% | 92.97 |
| | Grade 10 Grade 11 | | 7.1% | 9.0% 12.4% | 87.69 |
| | | 5.2% | | | |
| Dohumnal | Grade 12 | 5.0% | 7.5% | 12.3% | 87.79 |
| Rohypnol | All | 1.9% | 2.8% | 4.7% | 95.39 |
| | Grade 7 | 0.6% | 0.8% | 1.4% | 98.69 |
| | Grade 7 Grade 8 | 1.7% | 2.4% | 3.7% | 96.39 |
| | Grade 9 | 1.7% | 2.6% | 4.9% | 95.19 |
| | Grade 10 | 2.4% | 3.4% | 6.3% | 93.79 |
| | Grade 10 Grade 11 | 2.4% | 3.4% | 5.8% | 94.29 |
| | Grade 11 Grade 12 | | | | |
| Steroids | Grade 12 | 3.0% | 4.4% | 7.2% | 92.89 |
| Steroius | All | 0.7% | 0.8% | 1.6% | 98.49 |
| | Grade 7 | 0.7% | 0.4% | 1.3% | 98.79 |
| | Grade 7 | 0.4% | 0.4% | 1.2% | 98.89 |
| | Grade 9 | 0.3% | 0.4% | 0.6% | 99.49 |
| | Grade 10 | 1.0% | 1.2% | 2.1% | 97.99 |
| | Grade 10 Grade 11 | | | | 97.97 |
| | Grade 11 Grade 12 | 1.2% | 1.5% | 2.3% 2.4% | |
| Ecstasy | Grade 12 | 1.2% | 1.5% | 2.4/0 | 97.69 |
| Ecstasy | All | 2 8% | 3 0% | 8.0% | 02.00 |
| | Grade 7 | 2.8% 0.4% | 3.9% 0.6% | 1.2% | 92.09 98.89 |
| | Grade 7 Grade 8 | 0.4% 1.5% | 1.8% | 3.1% | |
| | Grade 9 | | | 5.6% | 96.99 |
| | Grade 9 Grade 10 | 2.1% | 2.8% 5.2% | | 94.49 |
| | Grade 10 Grade 11 | 3.7% | | 10.0% 13.5% | 90.09 |
| | Grade 11 Grade 12 | 4.1% 5.8% | 5.3% 9.0% | 13.5% | 86.59 81.99 |

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 7 | 0.2% | 0.4% | 0.7% | 99.3% |
| | Grade 8 | 0.6% | 0.6% | 1.1% | 98.9% |
| | Grade 9 | 0.5% | 0.6% | 1.2% | 98.8% |
| | Grade 10 | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 11 | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 12 | 0.2% | 0.3% | 1.0% | 99.0% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | | Past Month | School Year | Ever Used | Neve Used |
|------------------|----------|---------------|----------------|--------------|--------------|
| Tobacco | | William | Tour | CSCG | CBCC |
| 100000 | All | 9.4% | 14.3% | 27.0% | 73.0% |
| | Grade 7 | 3.5% | 4.9% | 10.2% | 89.8% |
| | Grade 8 | 6.4% | 8.4% | 18.7% | 81.3% |
| | Grade 9 | 9.8% | 15.3% | 29.8% | 70.29 |
| | Grade 10 | 10.9% | 17.3% | 32.8% | 67.29 |
| | Grade 11 | 12.4% | 19.8% | 35.6% | 64.49 |
| | Grade 12 | 14.9% | 21.9% | 37.9% | 62.19 |
| Alcohol | | | | | |
| | All | 26.5% | 36.6% | 58.8% | 41.29 |
| | Grade 7 | 11.3% | 14.7% | 34.5% | 65.59 |
| | Grade 8 | 23.8% | 29.6% | 52.4% | 47.69 |
| | Grade 9 | 29.3% | 38.9% | 62.4% | 37.6% |
| | Grade 10 | 29.6% | 43.4% | 69.1% | 30.99 |
| | Grade 11 | 32.9% | 47.8% | 69.6% | 30.49 |
| | Grade 12 | 33.7% | 48.4% | 68.2% | 31.89 |
| Inhalants | | | | | |
| | All | 7.4% | 9.8% | 19.8% | 80.29 |
| | Grade 7 | 10.5% | 12.8% | 20.6% | 79.49 |
| | Grade 8 | 11.4% | 14.3% | 25.5% | 74.59 |
| | Grade 9 | 7.7% | 10.2% | 22.1% | 77.99 |
| | Grade 10 | 5.0% | 7.8% | 19.5% | 80.59 |
| | Grade 11 | 4.2% | 5.6% | 14.5% | 85.5% |
| | Grade 12 | 4.2% | 6.5% | 15.1% | 84.99 |
| Any Illicit Drug | | | | | |
| _ | All | 11.3% | 15.6% | 26.0% | 74.09 |
| | Grade 7 | 4.6% | 5.5% | 9.1% | 90.99 |
| | Grade 8 | 8.5% | 10.6% | 17.7% | 82.39 |
| | Grade 9 | 13.7% | 18.0% | 28.0% | 72.09 |
| | Grade 10 | 13.6% | 19.7% | 33.5% | 66.59 |
| | Grade 11 | 14.8% | 21.6% | 35.5% | 64.59 |
| | Grade 12 | 13.3% | 20.1% | 35.3% | 64.79 |
| Marijuana | | | | | |
| - | All | 9.5% | 13.8% | 23.5% | 76.59 |
| | Grade 7 | 3.0% | 3.8% | 6.6% | 93.49 |
| | Grade 8 | 6.0% | 8.1% | 14.2% | 85.89 |
| | Grade 9 | 12.0% | 16.2% | 25.1% | 74.99 |
| | Grade 10 | 11.5% | 17.9% | 30.9% | 69.19 |
| | Grade 11 | 13.3% | 19.7% | 33.7% | 66.39 |
| | Grade 12 | 11.7% | 18.3% | 33.9% | 66.19 |

Table B3: Prevalence and recency of use of selected substances by grade Female students

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | 141011611 | Tour | CSCG | |
| mai gaana omg | All | 3.3% | 5.2% | 10.6% | 89.4% |
| | Grade 7 | 1.4% | 1.8% | 3.4% | 96.6% |
| | Grade 8 | 1.7% | 2.4% | 5.4% | 94.6% |
| | Grade 9 | 3.8% | 5.3% | 10.6% | 89.4% |
| | Grade 10 | 4.3% | 7.3% | 14.9% | 85.1% |
| | Grade 11 | 4.4% | 7.6% | 15.0% | 85.0% |
| | Grade 12 | 4.4% | 7.7% | 16.1% | 83.9% |
| Cocaine or Crack | | | | | |
| | All | 1.5% | 2.6% | 5.6% | 94.4% |
| | Grade 7 | 0.6% | 0.8% | 1.8% | 98.2% |
| | Grade 8 | 2.0% | 2.8% | 4.8% | 95.2% |
| | Grade 9 | 1.8% | 2.9% | 6.8% | 93.2% |
| | Grade 10 | 1.6% | 3.1% | 5.7% | 94.3% |
| | Grade 11 | 1.4% | 2.6% | 6.9% | 93.1% |
| | Grade 12 | 1.6% | 3.4% | 7.8% | 92.2% |
| Cocaine | | | | | |
| | All | 1.3% | 2.2% | 4.9% | 95.1% |
| | Grade 7 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 1.4% | 2.1% | 3.7% | 96.3% |
| | Grade 9 | 1.5% | 2.2% | 5.4% | 94.6% |
| | Grade 10 | 1.4% | 2.8% | 5.3% | 94.7% |
| | Grade 11 | 1.5% | 2.4% | 6.5% | 93.5% |
| | Grade 12 | 1.6% | 3.3% | 7.6% | 92.4% |
| Crack | | | | | |
| | All | 0.6% | 0.9% | 1.9% | 98.1% |
| | Grade 7 | 0.3% | 0.4% | 1.2% | 98.8% |
| | Grade 8 | 1.3% | 1.5% | 2.7% | 97.3% |
| | Grade 9 | 0.6% | 1.4% | 2.7% | 97.3% |
| | Grade 10 | 0.4% | 0.8% | 1.5% | 98.5% |
| | Grade 11 | 0.4% | 0.7% | 1.5% | 98.5% |
| | Grade 12 | 0.1% | 0.6% | 1.2% | 98.8% |
| Hallucinogens | | | | | |
| | All | 1.0% | 1.6% | 3.1% | 96.9% |
| | Grade 7 | 0.3% | 0.3% | 0.5% | 99.5% |
| | Grade 8 | 1.1% | 1.5% | 2.3% | 97.7% |
| | Grade 9 | 1.1% | 1.6% | 2.8% | 97.2% |
| | Grade 10 | 0.7% | 1.6% | 3.9% | 96.1% |
| | Grade 11 | 1.3% | 2.2% | 5.1% | 94.9% |
| | Grade 12 | 1.5% | 2.3% | 4.7% | 95.3% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WIGHT | Teur | OSCG | 0500 |
| - | All | 1.8% | 2.8% | 5.2% | 94.8% |
| | Grade 7 | 0.5% | 0.5% | 0.9% | 99.1% |
| | Grade 8 | 1.6% | 1.6% | 3.1% | 96.9% |
| | Grade 9 | 2.3% | 3.5% | 6.1% | 93.9% |
| | Grade 10 | 2.2% | 3.6% | 6.9% | 93.1% |
| | Grade 11 | 2.2% | 4.0% | 7.1% | 92.9% |
| | Grade 12 | 2.3% | 3.8% | 7.8% | 92.2% |
| Downers | | | | | |
| | All | 2.4% | 3.4% | 6.5% | 93.5% |
| | Grade 7 | 0.5% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 2.3% | 2.7% | 4.6% | 95.4% |
| | Grade 9 | 2.9% | 4.0% | 7.3% | 92.7% |
| | Grade 10 | 3.0% | 4.4% | 8.2% | 91.8% |
| | Grade 11 | 3.0% | 4.7% | 9.6% | 90.4% |
| | Grade 12 | 2.5% | 4.5% | 9.1% | 90.9% |
| Rohypnol | | | | | |
| | All | 1.6% | 2.3% | 4.4% | 95.6% |
| | Grade 7 | 1.0% | 1.2% | 1.7% | 98.3% |
| | Grade 8 | 1.9% | 2.3% | 4.5% | 95.5% |
| | Grade 9 | 2.5% | 3.7% | 5.2% | 94.8% |
| | Grade 10 | 1.4% | 2.5% | 5.4% | 94.6% |
| | Grade 11 | 1.1% | 1.8% | 5.1% | 94.9% |
| | Grade 12 | 1.2% | 1.9% | 4.8% | 95.2% |
| Steroids | | | | | |
| | All | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 7 | 0.5% | 0.5% | 1.0% | 99.0% |
| | Grade 8 | 0.3% | 0.3% | 0.8% | 99.2% |
| | Grade 9 | 0.6% | 0.6% | 1.4% | 98.6% |
| | Grade 10 | 0.1% | 0.2% | 0.5% | 99.5% |
| | Grade 11 | 0.3% | 0.3% | 0.8% | 99.2% |
| | Grade 12 | 0.3% | 0.6% | 0.9% | 99.1% |
| Ecstasy | | | | | |
| | All | 2.5% | 3.9% | 8.3% | 91.7% |
| | Grade 7 | 0.6% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 1.7% | 2.3% | 3.9% | 96.1% |
| | Grade 9 | 3.0% | 4.6% | 8.4% | 91.6% |
| | Grade 10 | 2.6% | 4.9% | 10.2% | 89.8% |
| | Grade 11 | 3.9% | 6.2% | 12.7% | 87.3% |
| | Grade 12 | 3.3% | 5.3% | 14.6% | 85.4% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 7 | 0.3% | 0.3% | 0.8% | 99.2% |
| | Grade 8 | 1.1% | 1.2% | 1.5% | 98.5% |
| | Grade 9 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 10 | 0.0% | 0.2% | 0.5% | 99.5% |
| | Grade 11 | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 12 | 0.3% | 0.6% | 1.1% | 98.9% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 12.6% | 16.7% | 29.4% | 70.6% |
| | Grade 7 | 5.3% | 6.3% | 12.3% | 87.7% |
| | Grade 8 | 4.7% | 7.1% | 19.5% | 80.5% |
| | Grade 9 | 6.1% | 9.5% | 26.4% | 73.6% |
| | Grade 10 | 14.3% | 20.1% | 30.0% | 70.0% |
| | Grade 11 | 18.6% | 24.0% | 39.5% | 60.5% |
| | Grade 12 | 23.2% | 29.3% | 44.8% | 55.2% |
| Alcohol | | | | | |
| | All | 26.3% | 34.7% | 54.3% | 45.7% |
| | Grade 7 | 9.1% | 12.4% | 29.5% | 70.5% |
| | Grade 8 | 16.9% | 21.9% | 41.4% | 58.6% |
| | Grade 9 | 24.6% | 30.6% | 54.8% | 45.2% |
| | Grade 10 | 27.7% | 37.6% | 60.0% | 40.0% |
| | Grade 11 | 35.0% | 48.1% | 66.7% | 33.3% |
| | Grade 12 | 41.0% | 53.5% | 70.9% | 29.1% |
| Inhalants | | | | | |
| | All | 6.0% | 8.3% | 16.2% | 83.8% |
| | Grade 7 | 8.4% | 9.5% | 16.4% | 83.6% |
| | Grade 8 | 8.9% | 12.2% | 17.5% | 82.5% |
| | Grade 9 | 4.4% | 8.3% | 16.0% | 84.0% |
| | Grade 10 | 7.9% | 11.6% | 17.8% | 82.2% |
| | Grade 11 | 6.6% | 7.6% | 16.2% | 83.8% |
| | Grade 12 | 1.5% | 3.3% | 14.3% | 85.7% |
| Any Illicit Drug | | | | | |
| | All | 12.6% | 16.3% | 25.7% | 74.3% |
| | Grade 7 | 3.9% | 4.6% | 7.7% | 92.3% |
| | Grade 8 | 4.7% | 7.3% | 10.1% | 89.9% |
| | Grade 9 | 12.0% | 15.2% | 23.6% | 76.4% |
| | Grade 10 | 17.3% | 23.6% | 34.2% | 65.8% |
| | Grade 11 | 17.4% | 23.6% | 37.0% | 63.0% |
| | Grade 12 | 19.1% | 23.3% | 39.5% | 60.5% |
| Marijuana | | | | | |
| | All | 11.2% | 15.2% | 24.5% | 75.5% |
| | Grade 7 | 2.9% | 3.4% | 6.9% | 93.1% |
| | Grade 8 | 4.4% | 7.0% | 9.9% | 90.1% |
| | Grade 9 | 9.8% | 13.5% | 21.6% | 78.4% |
| | Grade 10 | 15.0% | 22.3% | 32.3% | 67.7% |
| | Grade 11 | 15.6% | 21.6% | 35.9% | 64.1% |
| | Grade 12 | 18.2% | 22.6% | 38.1% | 61.9% |

Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)

| | | Past | School | Ever | Never |
|------------------|--------------------|-------|--------|--------|--------|
| M '' 0 1 | | Month | Year | Used | Used |
| Marijuana Only | A 11 | 4.00/ | 0.00/ | 11.00/ | 00.10/ |
| | All | 4.0% | 6.2% | 11.9% | 88.1% |
| | Grade 7 | 1.3% | 1.3% | 3.3% | 96.7% |
| | Grade 8 | 1.7% | 1.8% | 3.6% | 96.4% |
| | Grade 9 | 3.0% | 5.4% | 11.2% | 88.8% |
| | Grade 10 | 4.1% | 7.6% | 13.9% | 86.1% |
| | Grade 11 | 8.1% | 12.0% | 20.6% | 79.4% |
| | Grade 12 | 5.7% | 9.0% | 18.1% | 81.9% |
| Cocaine or Crack | | | | | |
| | All | 1.4% | 2.2% | 5.4% | 94.6% |
| | Grade 7 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 8 | 0.2% | 0.4% | 2.2% | 97.8% |
| | Grade 9 | 0.2% | 0.6% | 4.3% | 95.7% |
| | Grade 10 | 2.3% | 4.9% | 9.3% | 90.7% |
| | Grade 11 | 2.1% | 2.5% | 7.4% | 92.6% |
| | Grade 12 | 2.8% | 3.8% | 7.3% | 92.7% |
| Cocaine | | | | | |
| | All | 1.4% | 2.1% | 5.1% | 94.9% |
| | Grade 7 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 8 | 0.0% | 0.1% | 1.9% | 98.1% |
| | Grade 9 | 0.2% | 0.6% | 4.3% | 95.7% |
| | Grade 10 | 2.3% | 4.2% | 8.7% | 91.3% |
| | Grade 11 | 2.1% | 2.5% | 7.3% | 92.7% |
| | Grade 12 | 2.9% | 3.7% | 6.7% | 93.3% |
| Crack | | | | | |
| | All | 0.2% | 0.4% | 1.5% | 98.5% |
| | Grade 7 | 0.4% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 0.2% | 0.2% | 0.2% | 99.8% |
| | Grade 9 | 0.0% | 0.0% | 3.4% | 96.6% |
| | Grade 10 | 0.0% | 0.8% | 2.2% | 97.8% |
| | Grade 11 | 0.0% | 0.0% | 0.8% | 99.2% |
| | Grade 12 | 0.3% | 0.5% | 1.5% | 98.5% |
| Hallucinogens | Grade 12 | 0.570 | 0.370 | 1.570 | 30.370 |
| Handemogens | All | 0.8% | 1.8% | 4.6% | 95.4% |
| | Grade 7 | 0.8% | 0.7% | 1.7% | 98.3% |
| | Grade 7 Grade 8 | 0.7% | 2.6% | 3.3% | 96.3% |
| | Grade 8 Grade 9 | | | | |
| | | 0.0% | 0.2% | 4.9% | 95.1% |
| | Grade 10 | 1.1% | 2.1% | 4.2% | 95.8% |
| | Grade 11 | 1.3% | 2.1% | 5.3% | 94.7% |
| | Grade 12 | 1.0% | 2.7% | 7.4% | 92.6% |

Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WIGHT | Teur | OSCG | OSCO |
| - PP | All | 1.5% | 2.8% | 4.7% | 95.3% |
| | Grade 7 | 0.4% | 0.5% | 1.4% | 98.6% |
| | Grade 8 | 0.0% | 0.5% | 0.6% | 99.4% |
| | Grade 9 | 1.4% | 2.9% | 4.1% | 95.9% |
| | Grade 10 | 2.1% | 4.5% | 7.3% | 92.7% |
| | Grade 11 | 1.5% | 3.6% | 5.4% | 94.6% |
| | Grade 12 | 3.0% | 4.5% | 8.5% | 91.5% |
| Downers | | | | | |
| | All | 2.2% | 3.2% | 5.3% | 94.7% |
| | Grade 7 | 0.1% | 0.3% | 1.4% | 98.6% |
| | Grade 8 | 0.3% | 0.7% | 1.3% | 98.7% |
| | Grade 9 | 2.7% | 3.1% | 5.2% | 94.8% |
| | Grade 10 | 4.2% | 5.8% | 8.3% | 91.7% |
| | Grade 11 | 2.0% | 4.3% | 6.0% | 94.0% |
| | Grade 12 | 3.6% | 4.8% | 9.1% | 90.9% |
| Rohypnol | | | | | |
| | All | 1.0% | 2.0% | 3.4% | 96.6% |
| | Grade 7 | 0.5% | 0.5% | 1.8% | 98.2% |
| | Grade 8 | 0.0% | 1.8% | 1.9% | 98.1% |
| | Grade 9 | 0.3% | 2.1% | 3.3% | 96.7% |
| | Grade 10 | 1.8% | 3.6% | 4.5% | 95.5% |
| | Grade 11 | 2.4% | 2.6% | 3.2% | 96.8% |
| | Grade 12 | 1.2% | 2.1% | 5.3% | 94.7% |
| Steroids | | | | | |
| | All | 0.4% | 0.4% | 1.2% | 98.8% |
| | Grade 7 | 0.4% | 0.4% | 1.3% | 98.7% |
| | Grade 8 | 0.0% | 0.2% | 0.6% | 99.4% |
| | Grade 9 | 0.0% | 0.0% | 1.6% | 98.4% |
| | Grade 10 | 0.8% | 0.8% | 1.7% | 98.3% |
| | Grade 11 | 0.9% | 0.9% | 1.4% | 98.6% |
| | Grade 12 | 0.2% | 0.2% | 1.0% | 99.0% |
| Ecstasy | | | | | |
| | All | 2.1% | 3.8% | 8.3% | 91.7% |
| | Grade 7 | 0.7% | 0.8% | 2.0% | 98.0% |
| | Grade 8 | 0.5% | 0.5% | 0.9% | 99.1% |
| | Grade 9 | 1.1% | 2.5% | 5.9% | 94.1% |
| | Grade 10 | 4.6% | 8.9% | 12.6% | 87.4% |
| | Grade 11 | 2.5% | 5.0% | 10.9% | 89.1% |
| | Grade 12 | 3.2% | 5.3% | 15.4% | 84.6% |

Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | MOHUH | Teal | Useu | Useu |
| | All | 0.3% | 0.5% | 1.1% | 98.9% |
| | Grade 7 | 0.6% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 9 | 0.5% | 1.8% | 4.5% | 95.5% |
| | Grade 10 | 0.5% | 0.5% | 0.8% | 99.2% |
| | Grade 11 | 0.0% | 0.3% | 0.5% | 99.5% |
| | Grade 12 | 0.0% | 0.0% | 0.1% | 99.9% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | William | Tour | CSCG | |
| 100000 | All | 11.3% | 15.0% | 28.7% | 71.3% |
| | Grade 7 | 3.0% | 3.0% | 9.8% | 90.2% |
| | Grade 8 | 3.3% | 12.2% | 26.1% | 73.9% |
| | Grade 9 | 27.9% | 28.3% | 43.0% | 57.0% |
| | Grade 10 | 9.2% | 13.3% | 32.7% | 67.3% |
| | Grade 11 | 2.4% | 8.3% | 21.9% | 78.1% |
| | Grade 12 | 8.9% | 16.9% | 32.4% | 67.6% |
| Alcohol | | | | | |
| | All | 24.6% | 34.2% | 54.3% | 45.7% |
| | Grade 7 | 6.4% | 7.9% | 29.2% | 70.8% |
| | Grade 8 | 13.8% | 18.4% | 43.1% | 56.9% |
| | Grade 9 | 37.3% | 46.2% | 68.0% | 32.0% |
| | Grade 10 | 23.0% | 44.8% | 63.0% | 37.0% |
| | Grade 11 | 21.9% | 37.2% | 57.5% | 42.5% |
| | Grade 12 | 40.7% | 48.5% | 59.1% | 40.9% |
| Inhalants | | | | | |
| | All | 7.9% | 11.4% | 21.2% | 78.8% |
| | Grade 7 | 8.5% | 12.1% | 16.2% | 83.8% |
| | Grade 8 | 5.5% | 9.3% | 17.4% | 82.6% |
| | Grade 9 | 9.7% | 15.0% | 27.5% | 72.5% |
| | Grade 10 | 7.1% | 13.4% | 26.2% | 73.8% |
| | Grade 11 | 4.1% | 4.1% | 8.2% | 91.8% |
| | Grade 12 | 12.4% | 12.4% | 31.6% | 68.4% |
| Any Illicit Drug | | | | | |
| | All | 17.0% | 20.9% | 32.0% | 68.0% |
| | Grade 7 | 1.9% | 3.7% | 6.5% | 93.5% |
| | Grade 8 | 16.5% | 19.5% | 23.9% | 76.1% |
| | Grade 9 | 20.0% | 20.5% | 31.3% | 68.7% |
| | Grade 10 | 21.2% | 30.8% | 46.7% | 53.3% |
| | Grade 11 | 22.1% | 29.3% | 47.9% | 52.1% |
| | Grade 12 | 21.7% | 27.0% | 44.4% | 55.6% |
| Marijuana | | | | | |
| - | All | 16.0% | 19.9% | 31.4% | 68.6% |
| | Grade 7 | 1.1% | 2.9% | 6.6% | 93.4% |
| | Grade 8 | 16.5% | 19.5% | 23.9% | 76.1% |
| | Grade 9 | 19.6% | 20.1% | 31.1% | 68.9% |
| | Grade 10 | 21.2% | 30.8% | 46.7% | 53.3% |
| | Grade 11 | 17.5% | 25.1% | 44.8% | 55.2% |
| | Grade 12 | 22.1% | 27.5% | 45.2% | 54.8% |

Table B5: Prevalence and recency of use of selected substances by grade Black students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | | 1001 | | |
| Jan 1 J | All | 7.7% | 9.2% | 17.4% | 82.6% |
| | Grade 7 | 1.1% | 1.1% | 2.1% | 97.9% |
| | Grade 8 | 9.5% | 10.3% | 14.6% | 85.4% |
| | Grade 9 | 11.0% | 11.4% | 22.0% | 78.0% |
| | Grade 10 | 7.9% | 13.6% | 20.5% | 79.5% |
| | Grade 11 | 11.8% | 12.7% | 26.3% | 73.7% |
| | Grade 12 | 2.5% | 5.4% | 18.2% | 81.8% |
| Cocaine or Crack | | | | | |
| | All | 2.5% | 2.8% | 6.3% | 93.7% |
| | Grade 7 | 0.0% | 0.0% | 1.8% | 98.2% |
| | Grade 8 | 2.8% | 2.8% | 5.1% | 94.9% |
| | Grade 9 | 2.5% | 2.5% | 8.4% | 91.6% |
| | Grade 10 | 3.4% | 3.4% | 10.2% | 89.8% |
| | Grade 11 | 0.6% | 0.6% | 1.9% | 98.1% |
| | Grade 12 | 8.0% | 10.4% | 12.2% | 87.8% |
| Cocaine | | | | | |
| | All | 2.3% | 2.6% | 4.5% | 95.5% |
| | Grade 7 | 0.0% | 0.0% | 1.8% | 98.2% |
| | Grade 8 | 2.2% | 2.2% | 5.1% | 94.9% |
| | Grade 9 | 2.5% | 2.5% | 2.9% | 97.1% |
| | Grade 10 | 2.0% | 2.0% | 8.8% | 91.2% |
| | Grade 11 | 0.7% | 0.7% | 0.7% | 99.3% |
| | Grade 12 | 8.0% | 10.4% | 12.2% | 87.8% |
| Crack | | | | | |
| | All | 1.3% | 1.6% | 3.4% | 96.6% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 3.0% | 3.0% | 3.0% | 97.0% |
| | Grade 9 | 2.6% | 2.6% | 8.6% | 91.4% |
| | Grade 10 | 1.5% | 1.5% | 1.5% | 98.5% |
| | Grade 11 | 0.0% | 0.0% | 1.3% | 98.7% |
| | Grade 12 | 0.0% | 2.3% | 2.3% | 97.7% |
| Hallucinogens | | | | | |
| | All | 0.8% | 1.4% | 2.7% | 97.3% |
| | Grade 7 | 0.0% | 0.0% | 1.8% | 98.2% |
| | Grade 8 | 1.0% | 1.7% | 1.7% | 98.3% |
| | Grade 9 | 0.4% | 0.4% | 0.4% | 99.6% |
| | Grade 10 | 0.0% | 0.0% | 5.3% | 94.7% |
| | Grade 11 | 0.0% | 1.3% | 2.6% | 97.4% |
| | Grade 12 | 4.6% | 6.9% | 7.9% | 92.1% |

Table B5: Prevalence and recency of use of selected substances by grade Black students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WOITEH | Teal | USEU | USEC |
| Сррего | All | 1.8% | 2.5% | 6.3% | 93.7% |
| | Grade 7 | 0.0% | 0.0% | 2.1% | 97.9% |
| | Grade 8 | 4.0% | 4.0% | 4.0% | 96.0% |
| | Grade 9 | 0.0% | 0.0% | 5.9% | 94.1% |
| | Grade 10 | 0.0% | 3.9% | 11.5% | 88.5% |
| | Grade 11 | 0.0% | 0.0% | 3.3% | 96.7% |
| | Grade 12 | 10.6% | 11.6% | 14.1% | 85.9% |
| Downers | | | | | |
| | All | 2.5% | 3.3% | 7.0% | 93.0% |
| | Grade 7 | 0.8% | 0.8% | 0.8% | 99.2% |
| | Grade 8 | 4.3% | 4.3% | 5.0% | 95.0% |
| | Grade 9 | 0.0% | 0.0% | 6.5% | 93.5% |
| | Grade 10 | 4.9% | 8.8% | 13.9% | 86.1% |
| | Grade 11 | 3.1% | 3.1% | 7.4% | 92.6% |
| | Grade 12 | 4.6% | 6.7% | 11.8% | 88.2% |
| Rohypnol | | | | | |
| 31 | All | 0.9% | 3.2% | 3.6% | 96.4% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.7% | 3.1% | 96.9% |
| | Grade 9 | 0.9% | 6.6% | 6.6% | 93.4% |
| | Grade 10 | 4.7% | 4.7% | 4.7% | 95.3% |
| | Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 12 | 0.0% | 5.8% | 5.8% | 94.2% |
| Steroids | | | | | |
| | All | 2.1% | 2.4% | 3.5% | 96.5% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 1.9% | 1.9% | 1.9% | 98.1% |
| | Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 10 | 6.7% | 9.3% | 13.4% | 86.6% |
| | Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 12 | 7.6% | 7.6% | 12.3% | 87.7% |
| Ecstasy | | | | | |
| | All | 2.8% | 5.6% | 9.2% | 90.8% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 2.2% | 2.2% | 2.2% | 97.8% |
| | Grade 9 | 0.0% | 5.8% | 5.8% | 94.2% |
| | Grade 10 | 4.8% | 4.8% | 19.3% | 80.7% |
| | Grade 11 | 0.0% | 6.0% | 12.9% | 87.1% |
| | Grade 12 | 16.0% | 18.3% | 23.4% | 76.6% |

Table B5: Prevalence and recency of use of selected substances by grade Black students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Heroin | | MOHUH | rear | Useu | Usea |
| 11010111 | All | 0.9% | 0.9% | 1.3% | 98.7% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 2.2% | 2.2% | 2.2% | 97.8% |
| | Grade 9 | 0.4% | 0.4% | 0.4% | 99.6% |
| | Grade 10 | 0.0% | 0.0% | 2.6% | 97.4% |
| | Grade 11 | 3.0% | 3.0% | 3.0% | 97.0% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | | Past Month | School Year | Ever Used | Neve Used |
|------------------|----------|---------------|----------------|--------------|--------------|
| Tobacco | | | 1001 | | |
| | All | 11.4% | 16.3% | 29.6% | 70.4% |
| | Grade 7 | 4.2% | 5.4% | 11.9% | 88.1% |
| | Grade 8 | 6.9% | 9.2% | 20.0% | 80.0% |
| | Grade 9 | 10.4% | 15.6% | 29.7% | 70.3% |
| | Grade 10 | 12.5% | 19.5% | 36.3% | 63.7% |
| | Grade 11 | 15.8% | 22.7% | 39.9% | 60.1% |
| | Grade 12 | 21.9% | 29.4% | 45.0% | 55.0% |
| Alcohol | | | | | |
| | All | 26.2% | 35.6% | 56.9% | 43.1% |
| | Grade 7 | 11.6% | 14.6% | 32.9% | 67.1% |
| | Grade 8 | 21.1% | 26.6% | 50.0% | 50.0% |
| | Grade 9 | 28.1% | 36.9% | 58.8% | 41.2% |
| | Grade 10 | 30.2% | 43.0% | 66.9% | 33.1% |
| | Grade 11 | 33.1% | 47.0% | 68.2% | 31.8% |
| | Grade 12 | 36.9% | 50.9% | 70.0% | 30.0% |
| Inhalants | | | | | |
| | All | 6.7% | 9.1% | 19.0% | 81.0% |
| | Grade 7 | 8.8% | 10.7% | 17.9% | 82.1% |
| | Grade 8 | 9.5% | 12.1% | 22.2% | 77.8% |
| | Grade 9 | 7.2% | 9.8% | 20.5% | 79.5% |
| | Grade 10 | 4.8% | 7.5% | 18.5% | 81.5% |
| | Grade 11 | 4.9% | 7.1% | 17.7% | 82.3% |
| | Grade 12 | 4.3% | 6.5% | 16.5% | 83.5% |
| Any Illicit Drug | | | | | |
| | All | 13.1% | 17.8% | 28.7% | 71.3% |
| | Grade 7 | 4.8% | 5.9% | 10.0% | 90.0% |
| | Grade 8 | 9.0% | 11.5% | 19.5% | 80.5% |
| | Grade 9 | 13.9% | 18.3% | 29.3% | 70.7% |
| | Grade 10 | 16.1% | 22.3% | 36.6% | 63.49 |
| | Grade 11 | 18.5% | 25.9% | 39.8% | 60.29 |
| | Grade 12 | 18.6% | 26.5% | 42.0% | 58.0% |
| Marijuana | | | | | |
| | All | 11.2% | 16.0% | 26.7% | 73.3% |
| | Grade 7 | 3.4% | 4.5% | 8.2% | 91.89 |
| | Grade 8 | 6.9% | 9.5% | 16.7% | 83.39 |
| | Grade 9 | 12.2% | 16.7% | 27.3% | 72.79 |
| | Grade 10 | 13.8% | 20.3% | 34.7% | 65.3% |
| | Grade 11 | 16.2% | 23.5% | 38.1% | 61.9% |
| | Grade 12 | 16.6% | 24.6% | 40.6% | 59.4% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students (Continued)

| | | Past | School | Ever | Never |
|------------------|----------|-------|--------|--------|-------|
| N 0.1 | | Month | Year | Used | Used |
| Marijuana Only | 4.11 | 4.00/ | 0.70/ | 10.00/ | 07 40 |
| | All | 4.2% | 6.5% | 12.6% | 87.4% |
| | Grade 7 | 1.6% | 2.3% | 4.8% | 95.2% |
| | Grade 8 | 2.8% | 3.8% | 8.2% | 91.8% |
| | Grade 9 | 4.5% | 6.4% | 12.8% | 87.2% |
| | Grade 10 | 5.6% | 8.6% | 17.3% | 82.7% |
| | Grade 11 | 5.6% | 9.2% | 16.6% | 83.4% |
| | Grade 12 | 6.0% | 9.9% | 18.4% | 81.6% |
| Cocaine or Crack | | | | | |
| | All | 2.4% | 3.5% | 7.0% | 93.0% |
| | Grade 7 | 0.8% | 0.9% | 1.9% | 98.1% |
| | Grade 8 | 2.0% | 2.7% | 4.9% | 95.1% |
| | Grade 9 | 2.2% | 3.2% | 6.7% | 93.3% |
| | Grade 10 | 2.7% | 4.2% | 7.9% | 92.1% |
| | Grade 11 | 3.2% | 4.8% | 10.3% | 89.7% |
| | Grade 12 | 4.0% | 6.0% | 11.9% | 88.1% |
| Cocaine | | | | | |
| | All | 2.1% | 3.1% | 6.4% | 93.6% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 1.5% | 2.1% | 3.7% | 96.3% |
| | Grade 9 | 1.9% | 2.6% | 5.8% | 94.2% |
| | Grade 10 | 2.4% | 3.9% | 7.7% | 92.3% |
| | Grade 11 | 3.1% | 4.5% | 9.9% | 90.1% |
| | Grade 12 | 3.8% | 5.7% | 11.6% | 88.4% |
| Crack | | | | | |
| | All | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 7 | 0.5% | 0.6% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 1.2% | 2.4% | 97.6% |
| | Grade 9 | 0.8% | 1.4% | 2.5% | 97.5% |
| | Grade 10 | 0.8% | 1.0% | 2.0% | 98.0% |
| | Grade 11 | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 12 | 0.5% | 0.9% | 1.8% | 98.2% |
| Hallucinogens | | | | | |
| Ü | All | 1.3% | 1.9% | 3.9% | 96.1% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 1.0% | 1.3% | 2.2% | 97.8% |
| | Grade 9 | 1.8% | 2.3% | 3.7% | 96.3% |
| | Grade 10 | 1.4% | 2.0% | 4.7% | 95.3% |
| | Grade 11 | 1.8% | 2.8% | 6.2% | 93.8% |
| | Grade 12 | 1.7% | 2.7% | 6.6% | 93.4% |

Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|--------------------|---------------|----------------|--------------|---------------|
| Uppers | | WOHEH | Tear | <u> </u> | USEC |
| оррега | All | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| | | | | | |
| | Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 10 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 11 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| Downers | | | | | |
| | All | 2.8% | 3.9% | 7.0% | 93.0% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 2.1% | 2.5% | 4.3% | 95.7% |
| | Grade 9 | 3.1% | 4.2% | 7.3% | 92.7% |
| | Grade 10 | 3.4% | 4.9% | 8.5% | 91.5% |
| | Grade 11 | 4.2% | 6.0% | 11.4% | 88.6% |
| | Grade 12 | 3.6% | 6.0% | 10.8% | 89.2% |
| Rohypnol | | | | | |
| V 1 | All | 1.8% | 2.5% | 4.7% | 95.3% |
| | Grade 7 | 0.8% | 1.1% | 1.6% | 98.4% |
| | Grade 8 | 1.9% | 2.4% | 4.3% | 95.7% |
| | Grade 9 | 2.3% | 3.2% | 5.1% | 94.9% |
| | Grade 10 | 1.9% | 2.9% | 5.9% | 94.1% |
| | Grade 11 | 1.8% | 2.6% | 5.9% | 94.1% |
| | Grade 12 | 2.1% | 3.0% | 5.9% | 94.1% |
| Steroids | | | 2.070 | 2.070 | 3 2.2 / |

| | | Past Month | School Year | Ever Used | Never Used |
|---------|----------|---------------|----------------|--------------|---------------|
| | All | 0.5% | 0.6% | 1.2% | 98.8% |
| | Grade 7 | 0.4% | 0.5% | 1.2% | 98.8% |
| | Grade 8 | 0.2% | 0.3% | 1.0% | 99.0% |
| | Grade 9 | 0.4% | 0.5% | 1.0% | 99.0% |
| | Grade 10 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 11 | 0.8% | 0.9% | 1.6% | 98.4% |
| | Grade 12 | 0.6% | 1.0% | 1.5% | 98.5% |
| Ecstasy | | | | | |
| | All | 2.6% | 3.8% | 8.1% | 91.9% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 1.7% | 2.1% | 3.7% | 96.3% |
| | Grade 9 | 2.7% | 3.7% | 7.1% | 92.9% |
| | Grade 10 | 3.1% | 4.9% | 9.8% | 90.2% |
| | Grade 11 | 4.1% | 5.8% | 13.3% | 86.7% |
| | Grade 12 | 4.3% | 6.8% | 16.1% | 83.9% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 7 | 0.2% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.9% | 1.0% | 1.4% | 98.6% |
| | Grade 9 | 0.6% | 0.8% | 1.4% | 98.6% |
| | Grade 10 | 0.2% | 0.4% | 0.7% | 99.3% |
| | Grade 11 | 0.4% | 0.5% | 1.3% | 98.7% |
| | Grade 12 | 0.2% | 0.4% | 1.1% | 98.9% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades

| | | Past Month | School Year | Ever Used | Neve Used |
|------------------|----------|---------------|----------------|--------------|--------------|
| Tobacco | | | 1001 | | |
| | All | 4.7% | 7.9% | 17.1% | 82.9% |
| | Grade 7 | 1.6% | 2.0% | 5.0% | 95.0% |
| | Grade 8 | 2.3% | 3.3% | 10.9% | 89.1% |
| | Grade 9 | 3.8% | 5.9% | 14.2% | 85.8% |
| | Grade 10 | 5.7% | 11.8% | 22.0% | 78.0% |
| | Grade 11 | 6.7% | 10.8% | 24.6% | 75.4% |
| | Grade 12 | 8.9% | 15.4% | 29.4% | 70.6% |
| Alcohol | | | | | |
| | All | 17.7% | 26.5% | 48.2% | 51.8% |
| | Grade 7 | 5.9% | 7.9% | 24.9% | 75.19 |
| | Grade 8 | 14.7% | 18.4% | 38.6% | 61.49 |
| | Grade 9 | 21.1% | 27.6% | 48.7% | 51.3% |
| | Grade 10 | 18.4% | 31.4% | 59.3% | 40.79 |
| | Grade 11 | 21.2% | 37.7% | 62.1% | 37.9% |
| | Grade 12 | 27.2% | 41.1% | 61.5% | 38.5% |
| Inhalants | | | | | |
| | All | 4.4% | 6.2% | 12.8% | 87.29 |
| | Grade 7 | 5.5% | 7.5% | 13.3% | 86.79 |
| | Grade 8 | 6.8% | 9.6% | 15.3% | 84.79 |
| | Grade 9 | 4.1% | 6.0% | 11.9% | 88.19 |
| | Grade 10 | 2.9% | 4.4% | 12.7% | 87.39 |
| | Grade 11 | 3.5% | 4.8% | 13.3% | 86.79 |
| | Grade 12 | 2.9% | 3.9% | 10.0% | 90.09 |
| Any Illicit Drug | | | | | |
| _ | All | 6.6% | 10.0% | 16.3% | 83.79 |
| | Grade 7 | 2.9% | 3.5% | 5.0% | 95.09 |
| | Grade 8 | 4.0% | 5.4% | 9.9% | 90.19 |
| | Grade 9 | 4.4% | 7.3% | 11.6% | 88.49 |
| | Grade 10 | 7.6% | 12.3% | 20.2% | 79.89 |
| | Grade 11 | 10.4% | 16.6% | 27.1% | 72.99 |
| | Grade 12 | 11.6% | 17.0% | 27.9% | 72.19 |
| Marijuana | | | | | |
| - | All | 5.2% | 8.6% | 14.5% | 85.59 |
| | Grade 7 | 1.4% | 2.0% | 3.3% | 96.79 |
| | Grade 8 | 2.2% | 3.2% | 6.4% | 93.69 |
| | Grade 9 | 3.5% | 6.4% | 10.6% | 89.49 |
| | Grade 10 | 6.0% | 11.0% | 18.4% | 81.69 |
| | Grade 11 | 9.1% | 15.5% | 25.5% | 74.5% |
| | Grade 12 | 10.4% | 15.6% | 26.9% | 73.19 |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades (Continued)

| | | Past | School | Ever | Never |
|------------------|----------|-------|--------|-------|--------|
| N 0.1 | | Month | Year | Used | Used |
| Marijuana Only | 4.33 | 0.70/ | 4 70/ | 0.407 | 0.4.00 |
| | All | 2.5% | 4.5% | 8.4% | 91.6% |
| | Grade 7 | 0.8% | 1.2% | 2.3% | 97.7% |
| | Grade 8 | 0.9% | 1.4% | 3.5% | 96.5% |
| | Grade 9 | 1.3% | 2.7% | 6.0% | 94.0% |
| | Grade 10 | 3.5% | 6.3% | 10.5% | 89.5% |
| | Grade 11 | 4.5% | 8.6% | 15.1% | 84.9% |
| | Grade 12 | 4.7% | 8.0% | 15.1% | 84.9% |
| Cocaine or Crack | | | | | |
| | All | 1.0% | 1.6% | 2.9% | 97.1% |
| | Grade 7 | 0.1% | 0.3% | 0.7% | 99.3% |
| | Grade 8 | 0.7% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 0.4% | 0.7% | 2.4% | 97.6% |
| | Grade 10 | 1.6% | 2.4% | 4.1% | 95.9% |
| | Grade 11 | 1.3% | 1.9% | 3.5% | 96.5% |
| | Grade 12 | 2.1% | 3.4% | 5.7% | 94.3% |
| Cocaine | | | | | |
| | All | 1.0% | 1.5% | 2.7% | 97.3% |
| | Grade 7 | 0.0% | 0.1% | 0.5% | 99.5% |
| | Grade 8 | 0.5% | 0.8% | 1.4% | 98.6% |
| | Grade 9 | 0.4% | 0.7% | 1.9% | 98.1% |
| | Grade 10 | 1.6% | 2.4% | 4.1% | 95.9% |
| | Grade 11 | 1.3% | 1.9% | 3.6% | 96.4% |
| | Grade 12 | 2.2% | 3.5% | 5.5% | 94.5% |
| Crack | | | | | |
| | All | 0.3% | 0.3% | 0.7% | 99.3% |
| | Grade 7 | 0.1% | 0.3% | 0.5% | 99.5% |
| | Grade 8 | 0.7% | 0.8% | 1.2% | 98.8% |
| | Grade 9 | 0.0% | 0.0% | 0.8% | 99.2% |
| | Grade 10 | 0.3% | 0.3% | 0.5% | 99.5% |
| | Grade 11 | 0.1% | 0.1% | 0.3% | 99.7% |
| | Grade 12 | 0.3% | 0.4% | 1.2% | 98.8% |
| Hallucinogens | | | | | |
| S | All | 0.7% | 1.1% | 1.9% | 98.1% |
| | Grade 7 | 0.2% | 0.4% | 0.7% | 99.3% |
| | Grade 8 | 0.7% | 0.8% | 1.1% | 98.9% |
| | Grade 9 | 0.4% | 0.5% | 0.7% | 99.3% |
| | Grade 10 | 0.5% | 1.0% | 2.0% | 98.0% |
| | Grade 11 | 1.1% | 1.3% | 2.3% | 97.7% |
| | Grade 12 | 1.5% | 2.9% | 5.1% | 94.9% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WIGHT | Teur | OSCG | OSCO |
| - | All | 0.8% | 1.6% | 2.8% | 97.2% |
| | Grade 7 | 0.3% | 0.4% | 0.4% | 99.6% |
| | Grade 8 | 0.3% | 0.4% | 1.1% | 98.9% |
| | Grade 9 | 0.6% | 1.8% | 2.7% | 97.3% |
| | Grade 10 | 0.9% | 1.4% | 2.9% | 97.1% |
| | Grade 11 | 1.1% | 2.4% | 4.2% | 95.8% |
| | Grade 12 | 2.0% | 3.9% | 6.3% | 93.7% |
| Downers | | | | | |
| | All | 1.0% | 1.6% | 3.1% | 96.9% |
| | Grade 7 | 0.6% | 0.7% | 0.8% | 99.2% |
| | Grade 8 | 1.0% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 0.7% | 1.3% | 2.4% | 97.6% |
| | Grade 10 | 1.3% | 1.5% | 4.4% | 95.6% |
| | Grade 11 | 0.9% | 1.9% | 4.4% | 95.6% |
| | Grade 12 | 1.8% | 3.3% | 5.7% | 94.3% |
| Rohypnol | | | | | |
| | All | 0.7% | 1.1% | 2.0% | 98.0% |
| | Grade 7 | 1.1% | 1.1% | 1.1% | 98.9% |
| | Grade 8 | 0.4% | 0.5% | 1.9% | 98.1% |
| | Grade 9 | 0.8% | 1.3% | 1.8% | 98.2% |
| | Grade 10 | 0.5% | 1.1% | 2.5% | 97.5% |
| | Grade 11 | 0.7% | 1.1% | 2.3% | 97.7% |
| | Grade 12 | 1.0% | 1.7% | 2.8% | 97.2% |
| Steroids | | | | | |
| | All | 0.4% | 0.4% | 0.8% | 99.2% |
| | Grade 7 | 0.2% | 0.2% | 0.8% | 99.2% |
| | Grade 8 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 9 | 0.1% | 0.1% | 0.1% | 99.9% |
| | Grade 10 | 0.6% | 0.6% | 0.8% | 99.2% |
| | Grade 11 | 0.6% | 0.6% | 0.8% | 99.2% |
| | Grade 12 | 0.9% | 0.9% | 1.4% | 98.6% |
| Ecstasy | | | | | |
| | All | 1.4% | 2.2% | 4.3% | 95.7% |
| | Grade 7 | 0.2% | 0.5% | 0.7% | 99.3% |
| | Grade 8 | 0.7% | 0.7% | 1.6% | 98.4% |
| | Grade 9 | 1.0% | 1.4% | 2.2% | 97.8% |
| | Grade 10 | 1.2% | 2.6% | 5.1% | 94.9% |
| | Grade 11 | 1.9% | 3.3% | 7.1% | 92.9% |
| | Grade 12 | 3.6% | 5.6% | 10.4% | 89.6% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades (Continued)

| | | Past | School | Ever | Never |
|--------|----------|-------|--------|------|-------|
| | | Month | Year | Used | Used |
| Heroin | | | | | |
| | All | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 7 | 0.0% | 0.1% | 0.4% | 99.6% |
| | Grade 8 | 0.6% | 0.6% | 0.6% | 99.4% |
| | Grade 9 | 0.5% | 0.8% | 1.0% | 99.0% |
| | Grade 10 | 0.3% | 0.5% | 0.7% | 99.3% |
| | Grade 11 | 0.5% | 0.5% | 0.8% | 99.2% |
| | Grade 12 | 0.0% | 0.0% | 0.7% | 99.3% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 13.3% | 18.4% | 32.7% | 67.3% |
| | Grade 7 | 5.0% | 6.3% | 13.7% | 86.3% |
| | Grade 8 | 8.0% | 10.8% | 22.5% | 77.5% |
| | Grade 9 | 12.3% | 18.1% | 33.7% | 66.3% |
| | Grade 10 | 14.4% | 21.4% | 39.7% | 60.3% |
| | Grade 11 | 17.8% | 25.3% | 43.2% | 56.8% |
| | Grade 12 | 25.6% | 32.9% | 48.8% | 51.2% |
| Alcohol | | | | | |
| | All | 28.4% | 37.8% | 59.0% | 41.0% |
| | Grade 7 | 12.9% | 16.1% | 34.7% | 65.3% |
| | Grade 8 | 22.5% | 28.6% | 52.6% | 47.4% |
| | Grade 9 | 29.4% | 38.8% | 61.3% | 38.7% |
| | Grade 10 | 33.1% | 45.8% | 68.5% | 31.5% |
| | Grade 11 | 35.8% | 49.0% | 69.3% | 30.7% |
| | Grade 12 | 40.3% | 54.0% | 72.0% | 28.0% |
| Inhalants | | | | | |
| | All | 7.4% | 9.9% | 20.6% | 79.4% |
| | Grade 7 | 9.7% | 11.5% | 19.1% | 80.9% |
| | Grade 8 | 10.4% | 12.9% | 23.9% | 76.1% |
| | Grade 9 | 7.7% | 10.7% | 22.6% | 77.4% |
| | Grade 10 | 5.6% | 8.8% | 20.2% | 79.8% |
| | Grade 11 | 5.2% | 7.4% | 18.3% | 81.7% |
| | Grade 12 | 4.5% | 7.1% | 18.3% | 81.7% |
| Any Illicit Drug | | | | | |
| Ç G | All | 14.9% | 19.8% | 31.8% | 68.2% |
| | Grade 7 | 5.3% | 6.3% | 11.1% | 88.9% |
| | Grade 8 | 10.3% | 13.0% | 21.5% | 78.5% |
| | Grade 9 | 16.1% | 20.6% | 33.2% | 66.8% |
| | Grade 10 | 18.6% | 25.3% | 41.2% | 58.8% |
| | Grade 11 | 20.4% | 28.0% | 43.1% | 56.9% |
| | Grade 12 | 20.6% | 28.8% | 45.8% | 54.2% |
| Marijuana | | | | | |
| · · | All | 12.8% | 17.9% | 30.0% | 70.0% |
| | Grade 7 | 3.8% | 5.0% | 9.5% | 90.5% |
| | Grade 8 | 8.2% | 11.3% | 19.1% | 80.9% |
| | Grade 9 | 14.2% | 18.9% | 31.0% | 69.0% |
| | Grade 10 | 16.3% | 23.4% | 39.4% | 60.6% |
| | Grade 11 | 17.8% | 25.2% | 41.4% | 58.6% |
| | Grade 12 | 18.6% | 27.0% | 44.5% | 55.5% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | | Past | School | Ever | Neve |
|------------------|----------|-------|--------|--------|-------|
| N 0.1 | | Month | Year | Used | Used |
| Marijuana Only | A 11 | 4.00/ | 7.00/ | 10.00/ | 00.00 |
| | All | 4.8% | 7.0% | 13.8% | 86.2% |
| | Grade 7 | 1.9% | 2.5% | 5.4% | 94.6% |
| | Grade 8 | 3.4% | 4.4% | 9.2% | 90.8% |
| | Grade 9 | 5.3% | 7.4% | 14.6% | 85.4% |
| | Grade 10 | 6.2% | 9.4% | 19.1% | 80.9% |
| | Grade 11 | 6.2% | 9.4% | 17.5% | 82.5% |
| | Grade 12 | 6.2% | 10.3% | 19.4% | 80.6% |
| Cocaine or Crack | | 0.70/ | 2.201 | | |
| | All | 2.7% | 3.9% | 7.9% | 92.1% |
| | Grade 7 | 0.9% | 1.1% | 2.2% | 97.8% |
| | Grade 8 | 2.2% | 3.0% | 5.4% | 94.6% |
| | Grade 9 | 2.5% | 3.7% | 7.7% | 92.3% |
| | Grade 10 | 2.9% | 4.7% | 9.0% | 91.0% |
| | Grade 11 | 3.6% | 5.3% | 11.6% | 88.4% |
| | Grade 12 | 4.3% | 6.4% | 13.1% | 86.9% |
| Cocaine | | | | | |
| | All | 2.3% | 3.4% | 7.2% | 92.8% |
| | Grade 7 | 0.7% | 0.9% | 1.7% | 98.3% |
| | Grade 8 | 1.7% | 2.3% | 4.2% | 95.8% |
| | Grade 9 | 2.1% | 3.0% | 6.6% | 93.4% |
| | Grade 10 | 2.4% | 4.2% | 8.6% | 91.4% |
| | Grade 11 | 3.4% | 5.0% | 11.2% | 88.8% |
| | Grade 12 | 4.1% | 6.1% | 12.8% | 87.2% |
| Crack | | | | | |
| | All | 0.8% | 1.2% | 2.3% | 97.7% |
| | Grade 7 | 0.6% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 1.0% | 1.3% | 2.5% | 97.5% |
| | Grade 9 | 1.0% | 1.7% | 3.2% | 96.8% |
| | Grade 10 | 0.9% | 1.1% | 2.4% | 97.6% |
| | Grade 11 | 0.8% | 1.2% | 2.3% | 97.7% |
| | Grade 12 | 0.6% | 1.0% | 2.0% | 98.0% |
| Hallucinogens | | | | | |
| | All | 1.4% | 2.1% | 4.5% | 95.5% |
| | Grade 7 | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 8 | 1.1% | 1.7% | 2.7% | 97.3% |
| | Grade 9 | 2.0% | 2.6% | 4.4% | 95.6% |
| | Grade 10 | 1.6% | 2.3% | 5.4% | 94.6% |
| | Grade 11 | 1.9% | 3.1% | 7.2% | 92.8% |
| | Grade 12 | 1.9% | 2.9% | 7.3% | 92.7% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|-------|-------|
| | | Month | Year | Used | Used |
| Uppers | A 11 | 0.00/ | 0.00/ | 0.40/ | 00.00 |
| | All | 2.3% | 3.3% | 6.1% | 93.9% |
| | Grade 7 | 0.4% | 0.4% | 1.0% | 99.0% |
| | Grade 8 | 1.7% | 1.9% | 3.0% | 97.0% |
| | Grade 9 | 2.9% | 3.8% | 6.6% | 93.4% |
| | Grade 10 | 2.7% | 4.3% | 7.9% | 92.1% |
| | Grade 11 | 3.3% | 5.0% | 9.3% | 90.7% |
| | Grade 12 | 3.2% | 4.9% | 9.8% | 90.2% |
| Downers | | | | | |
| | All | 3.2% | 4.4% | 7.8% | 92.2% |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 2.4% | 2.8% | 4.8% | 95.2% |
| | Grade 9 | 3.5% | 4.6% | 8.3% | 91.7% |
| | Grade 10 | 4.1% | 5.9% | 9.7% | 90.3% |
| | Grade 11 | 4.9% | 6.9% | 12.8% | 87.2% |
| | Grade 12 | 4.1% | 6.5% | 11.9% | 88.1% |
| Rohypnol | | | | | |
| | All | 2.0% | 2.8% | 5.3% | 94.7% |
| | Grade 7 | 0.7% | 1.0% | 1.7% | 98.3% |
| | Grade 8 | 2.2% | 2.8% | 4.8% | 95.2% |
| | Grade 9 | 2.5% | 3.6% | 5.8% | 94.2% |
| | Grade 10 | 2.3% | 3.3% | 6.6% | 93.4% |
| | Grade 11 | 2.0% | 2.8% | 6.4% | 93.6% |
| | Grade 12 | 2.4% | 3.5% | 7.0% | 93.0% |
| Steroids | | | | | |
| | All | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 7 | 0.5% | 0.5% | 1.3% | 98.7% |
| | Grade 8 | 0.2% | 0.3% | 1.0% | 99.0% |
| | Grade 9 | 0.4% | 0.5% | 1.2% | 98.8% |
| | Grade 10 | 0.6% | 0.7% | 1.5% | 98.5% |
| | Grade 11 | 0.7% | 0.9% | 1.6% | 98.4% |
| | Grade 12 | 0.6% | 1.0% | 1.7% | 98.3% |
| Ecstasy | | | | | |
| J | All | 2.9% | 4.3% | 9.2% | 90.8% |
| | Grade 7 | 0.6% | 0.7% | 1.6% | 98.4% |
| | Grade 8 | 1.8% | 2.4% | 4.0% | 96.0% |
| | Grade 9 | 2.9% | 4.2% | 8.2% | 91.8% |
| | Grade 10 | 3.7% | 5.7% | 11.5% | 88.5% |
| | Grade 11 | 4.4% | 6.4% | 14.7% | 85.3% |
| | Grade 12 | 4.7% | 7.4% | 17.9% | 82.1% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 7 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 8 | 1.0% | 1.0% | 1.6% | 98.4% |
| | Grade 9 | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 10 | 0.2% | 0.4% | 0.8% | 99.2% |
| | Grade 11 | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grade 12 | 0.3% | 0.6% | 1.2% | 98.8% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | 1001 | | |
| | All | 9.9% | 14.1% | 25.8% | 74.2% |
| | Grade 7 | 3.8% | 4.7% | 9.7% | 90.3% |
| | Grade 8 | 5.9% | 8.0% | 17.8% | 82.2% |
| | Grade 9 | 8.0% | 12.3% | 25.0% | 75.0% |
| | Grade 10 | 10.5% | 16.5% | 30.6% | 69.4% |
| | Grade 11 | 14.9% | 21.3% | 37.0% | 63.0% |
| | Grade 12 | 20.1% | 26.6% | 41.1% | 58.9% |
| Alcohol | | | | | |
| | All | 24.0% | 32.3% | 52.7% | 47.3% |
| | Grade 7 | 10.1% | 12.7% | 28.5% | 71.5% |
| | Grade 8 | 19.2% | 23.8% | 45.9% | 54.1% |
| | Grade 9 | 24.8% | 32.8% | 53.8% | 46.2% |
| | Grade 10 | 27.0% | 38.8% | 62.8% | 37.2% |
| | Grade 11 | 32.3% | 44.7% | 65.4% | 34.6% |
| | Grade 12 | 35.1% | 47.8% | 66.3% | 33.7% |
| Inhalants | | | | | |
| | All | 6.4% | 8.3% | 17.0% | 83.0% |
| | Grade 7 | 8.5% | 10.0% | 15.9% | 84.1% |
| | Grade 8 | 9.1% | 11.0% | 19.7% | 80.3% |
| | Grade 9 | 6.4% | 8.8% | 18.3% | 81.7% |
| | Grade 10 | 4.3% | 6.6% | 16.5% | 83.5% |
| | Grade 11 | 4.6% | 6.4% | 16.5% | 83.5% |
| | Grade 12 | 4.3% | 6.0% | 14.0% | 86.0% |
| Any Illicit Drug | | | | | |
| | All | 10.8% | 14.8% | 24.0% | 76.0% |
| | Grade 7 | 4.0% | 5.0% | 8.1% | 91.9% |
| | Grade 8 | 7.9% | 9.8% | 16.2% | 83.8% |
| | Grade 9 | 10.4% | 14.0% | 22.4% | 77.6% |
| | Grade 10 | 12.1% | 17.9% | 30.1% | 69.9% |
| | Grade 11 | 16.2% | 22.5% | 36.3% | 63.7% |
| | Grade 12 | 16.5% | 23.9% | 37.5% | 62.5% |
| Marijuana | | | | | |
| | All | 9.1% | 13.3% | 22.2% | 77.8% |
| | Grade 7 | 2.9% | 3.8% | 6.4% | 93.6% |
| | Grade 8 | 5.6% | 7.9% | 13.6% | 86.4% |
| | Grade 9 | 9.1% | 12.8% | 20.6% | 79.4% |
| | Grade 10 | 10.5% | 16.5% | 28.7% | 71.3% |
| | Grade 11 | 14.0% | 20.2% | 33.9% | 66.1% |
| | Grade 12 | 14.8% | 22.4% | 35.9% | 64.1% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | WIGHT | Teur | OSCG | |
| mai gaana omg | All | 3.6% | 5.8% | 11.1% | 88.9% |
| | Grade 7 | 1.5% | 2.1% | 4.1% | 95.9% |
| | Grade 8 | 2.4% | 3.5% | 6.9% | 93.1% |
| | Grade 9 | 3.6% | 5.4% | 10.3% | 89.7% |
| | Grade 10 | 4.0% | 7.0% | 14.4% | 85.6% |
| | Grade 11 | 5.9% | 9.0% | 16.6% | 83.4% |
| | Grade 12 | 5.0% | 9.3% | 17.0% | 83.0% |
| Cocaine or Crack | | | | | |
| | All | 2.1% | 2.9% | 5.5% | 94.5% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 2.1% | 2.6% | 4.5% | 95.5% |
| | Grade 9 | 1.8% | 2.3% | 4.7% | 95.3% |
| | Grade 10 | 1.7% | 3.0% | 5.5% | 94.5% |
| | Grade 11 | 3.0% | 4.3% | 8.8% | 91.2% |
| | Grade 12 | 3.8% | 5.3% | 9.6% | 90.4% |
| Cocaine | | | | | |
| | All | 1.8% | 2.6% | 5.0% | 95.0% |
| | Grade 7 | 0.4% | 0.5% | 1.0% | 99.0% |
| | Grade 8 | 1.6% | 2.0% | 3.4% | 96.6% |
| | Grade 9 | 1.4% | 1.8% | 3.8% | 96.2% |
| | Grade 10 | 1.6% | 2.9% | 5.4% | 94.6% |
| | Grade 11 | 2.8% | 4.1% | 8.5% | 91.5% |
| | Grade 12 | 3.7% | 5.2% | 9.5% | 90.5% |
| Crack | | | | | |
| | All | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.4% | 0.5% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 1.1% | 2.0% | 98.0% |
| | Grade 9 | 0.8% | 1.0% | 2.3% | 97.7% |
| | Grade 10 | 0.5% | 0.6% | 1.4% | 98.6% |
| | Grade 11 | 0.7% | 0.9% | 1.7% | 98.3% |
| | Grade 12 | 0.4% | 0.6% | 1.1% | 98.9% |
| Hallucinogens | | | | | |
| | All | 1.0% | 1.5% | 3.0% | 97.0% |
| | Grade 7 | 0.3% | 0.3% | 0.7% | 99.3% |
| | Grade 8 | 0.8% | 0.9% | 1.7% | 98.3% |
| | Grade 9 | 1.2% | 1.7% | 2.9% | 97.1% |
| | Grade 10 | 1.0% | 1.5% | 3.5% | 96.5% |
| | Grade 11 | 1.3% | 2.1% | 4.2% | 95.8% |
| | Grade 12 | 1.7% | 3.2% | 6.3% | 93.7% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WIGHTEH | Tear | OSCU | |
| - P P | All | 1.5% | 2.3% | 4.3% | 95.7% |
| | Grade 7 | 0.3% | 0.3% | 0.5% | 99.5% |
| | Grade 8 | 1.2% | 1.4% | 2.3% | 97.7% |
| | Grade 9 | 1.4% | 2.3% | 4.2% | 95.8% |
| | Grade 10 | 1.4% | 2.6% | 5.4% | 94.6% |
| | Grade 11 | 2.6% | 4.0% | 6.7% | 93.3% |
| | Grade 12 | 2.2% | 3.7% | 7.8% | 92.2% |
| Downers | | | | | |
| | All | 2.1% | 3.0% | 5.5% | 94.5% |
| | Grade 7 | 0.3% | 0.4% | 0.5% | 99.5% |
| | Grade 8 | 1.8% | 2.0% | 3.4% | 96.6% |
| | Grade 9 | 1.6% | 2.6% | 4.9% | 95.1% |
| | Grade 10 | 2.9% | 4.1% | 7.6% | 92.4% |
| | Grade 11 | 3.3% | 5.0% | 8.6% | 91.4% |
| | Grade 12 | 3.2% | 5.0% | 9.8% | 90.2% |
| Rohypnol | | | | | |
| | All | 1.3% | 1.9% | 3.6% | 96.4% |
| | Grade 7 | 0.4% | 0.7% | 0.9% | 99.1% |
| | Grade 8 | 1.7% | 2.0% | 3.4% | 96.6% |
| | Grade 9 | 1.0% | 1.8% | 3.4% | 96.6% |
| | Grade 10 | 1.1% | 1.8% | 4.2% | 95.8% |
| | Grade 11 | 1.6% | 2.5% | 4.6% | 95.4% |
| | Grade 12 | 2.0% | 2.8% | 5.6% | 94.4% |
| Steroids | | | | | |
| | All | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 7 | 0.3% | 0.4% | 1.3% | 98.7% |
| | Grade 8 | 0.2% | 0.2% | 0.8% | 99.2% |
| | Grade 9 | 0.2% | 0.2% | 0.8% | 99.2% |
| | Grade 10 | 0.6% | 0.6% | 1.1% | 98.9% |
| | Grade 11 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 12 | 0.7% | 0.9% | 1.5% | 98.5% |
| Ecstasy | | | | | |
| | All | 2.0% | 2.9% | 6.2% | 93.8% |
| | Grade 7 | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 8 | 1.4% | 1.6% | 2.4% | 97.6% |
| | Grade 9 | 1.5% | 2.1% | 4.8% | 95.2% |
| | Grade 10 | 2.2% | 3.5% | 7.2% | 92.8% |
| | Grade 11 | 3.0% | 4.3% | 10.2% | 89.8% |
| | Grade 12 | 4.4% | 6.8% | 14.4% | 85.6% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.4% | 0.5% | 0.9% | 99.1% |
| | Grade 7 | 0.2% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.9% | 1.0% | 1.3% | 98.7% |
| | Grade 9 | 0.2% | 0.5% | 1.0% | 99.0% |
| | Grade 10 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 11 | 0.4% | 0.5% | 0.9% | 99.1% |
| | Grade 12 | 0.1% | 0.1% | 0.8% | 99.2% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents

| | | Past Month | School Year | Ever Used | Neve Used |
|------------------|----------|---------------|----------------|--------------|--------------|
| Tobacco | | | | | |
| | All | 14.1% | 19.9% | 35.6% | 64.4% |
| | Grade 7 | 5.0% | 6.7% | 15.9% | 84.1% |
| | Grade 8 | 8.4% | 11.5% | 24.6% | 75.4% |
| | Grade 9 | 15.1% | 21.6% | 37.6% | 62.4% |
| | Grade 10 | 15.8% | 23.9% | 44.6% | 55.4% |
| | Grade 11 | 16.5% | 24.1% | 43.0% | 57.0% |
| | Grade 12 | 24.5% | 32.8% | 49.9% | 50.1% |
| Alcohol | | | | | |
| | All | 29.9% | 40.8% | 63.4% | 36.6% |
| | Grade 7 | 13.9% | 17.4% | 40.1% | 59.9% |
| | Grade 8 | 23.9% | 31.1% | 55.8% | 44.2% |
| | Grade 9 | 33.2% | 43.3% | 67.2% | 32.8% |
| | Grade 10 | 35.0% | 49.4% | 72.4% | 27.6% |
| | Grade 11 | 33.7% | 49.9% | 71.7% | 28.3% |
| | Grade 12 | 40.5% | 55.8% | 74.5% | 25.5% |
| Inhalants | | | | | |
| | All | 7.3% | 10.5% | 22.2% | 77.8% |
| | Grade 7 | 9.1% | 11.7% | 21.1% | 78.9% |
| | Grade 8 | 10.4% | 14.2% | 26.1% | 73.9% |
| | Grade 9 | 7.9% | 11.4% | 24.4% | 75.6% |
| | Grade 10 | 6.4% | 10.1% | 22.3% | 77.7% |
| | Grade 11 | 5.3% | 7.9% | 18.6% | 81.4% |
| | Grade 12 | 4.0% | 6.9% | 20.0% | 80.0% |
| Any Illicit Drug | | | | | |
| ŷ G | All | 17.2% | 22.7% | 36.2% | 63.89 |
| | Grade 7 | 6.1% | 7.3% | 13.0% | 87.0% |
| | Grade 8 | 10.9% | 14.4% | 24.6% | 75.4% |
| | Grade 9 | 19.8% | 25.1% | 40.1% | 59.9% |
| | Grade 10 | 23.6% | 30.8% | 47.8% | 52.2% |
| | Grade 11 | 21.5% | 30.6% | 45.3% | 54.79 |
| | Grade 12 | 21.9% | 29.6% | 48.4% | 51.69 |
| Marijuana | | | | | |
| Ü | All | 14.9% | 20.6% | 34.4% | 65.6% |
| | Grade 7 | 4.0% | 5.5% | 11.3% | 88.7% |
| | Grade 8 | 9.3% | 12.7% | 22.0% | 78.0% |
| | Grade 9 | 17.3% | 22.7% | 37.4% | 62.6% |
| | Grade 10 | 20.3% | 27.9% | 45.2% | 54.8% |
| | Grade 11 | 19.1% | 28.0% | 44.8% | 55.2% |
| | Grade 12 | 19.8% | 27.6% | 47.4% | 52.6% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Marijuana Only | | | | |
| All | 5.4% | 7.7% | 15.3% | 84.7% |
| Grade 7 | 1.8% | 2.5% | 5.8% | 94.2% |
| Grade 8 | 3.7% | 4.4% | 10.1% | 89.9% |
| Grade 9 | 6.1% | 8.3% | 17.1% | 82.9% |
| Grade 10 | 8.4% | 11.6% | 21.7% | 78.3% |
| Grade 11 | 5.5% | 9.8% | 17.6% | 82.4% |
| Grade 12 | 7.0% | 10.4% | 20.5% | 79.5% |
| Cocaine or Crack | | | | |
| All | 2.8% | 4.3% | 9.3% | 90.7% |
| Grade 7 | 1.2% | 1.5% | 2.8% | 97.2% |
| Grade 8 | 1.5% | 2.5% | 5.2% | 94.8% |
| Grade 9 | 2.6% | 4.4% | 9.8% | 90.2% |
| Grade 10 | 4.3% | 6.3% | 12.1% | 87.9% |
| Grade 11 | 3.5% | 5.1% | 11.9% | 88.1% |
| Grade 12 | 4.1% | 6.5% | 14.3% | 85.7% |
| Cocaine | | | | |
| All | 2.5% | 3.8% | 8.5% | 91.5% |
| Grade 7 | 0.8% | 1.1% | 2.2% | 97.8% |
| Grade 8 | 1.1% | 2.0% | 4.0% | 96.0% |
| Grade 9 | 2.5% | 3.8% | 8.7% | 91.3% |
| Grade 10 | 3.6% | 5.6% | 11.7% | 88.3% |
| Grade 11 | 3.4% | 4.8% | 11.6% | 88.4% |
| Grade 12 | 3.7% | 6.0% | 13.7% | 86.3% |
| Crack | | | | |
| All | 0.8% | 1.3% | 2.7% | 97.3% |
| Grade 7 | 0.6% | 0.7% | 1.6% | 98.4% |
| Grade 8 | 1.0% | 1.3% | 2.9% | 97.1% |
| Grade 9 | 0.9% | 2.0% | 3.4% | 96.6% |
| Grade 10 | 1.2% | 1.7% | 3.1% | 96.9% |
| Grade 11 | 0.4% | 1.0% | 2.3% | 97.7% |
| Grade 12 | 0.6% | 1.3% | 2.8% | 97.2% |
| Hallucinogens | | | | |
| All | 1.8% | 2.6% | 5.5% | 94.5% |
| Grade 7 | 0.3% | 0.6% | 1.2% | 98.8% |
| Grade 8 | 1.3% | 2.4% | 3.5% | 96.5% |
| Grade 9 | 2.4% | 2.9% | 5.0% | 95.0% |
| Grade 10 | 2.1% | 3.2% | 7.1% | 92.9% |
| Grade 11 | 2.5% | 4.0% | 9.0% | 91.0% |
| Grade 12 | 1.8% | 2.4% | 7.4% | 92.6% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | - IVIOITEII | | <u> </u> | |
| Tr | All | 3.0% | 4.1% | 7.3% | 92.7% |
| | Grade 7 | 0.6% | 0.6% | 1.5% | 98.5% |
| | Grade 8 | 1.7% | 1.9% | 3.3% | 96.7% |
| | Grade 9 | 4.1% | 5.2% | 8.5% | 91.5% |
| | Grade 10 | 3.9% | 5.5% | 9.3% | 90.7% |
| | Grade 11 | 3.3% | 5.4% | 11.0% | 89.0% |
| | Grade 12 | 4.2% | 6.4% | 10.8% | 89.2% |
| Downers | | | | | |
| | All | 3.8% | 5.2% | 9.1% | 90.9% |
| | Grade 7 | 0.9% | 1.0% | 1.9% | 98.1% |
| | Grade 8 | 2.6% | 3.3% | 5.4% | 94.6% |
| | Grade 9 | 5.1% | 6.2% | 10.8% | 89.2% |
| | Grade 10 | 4.5% | 6.6% | 10.4% | 89.6% |
| | Grade 11 | 5.2% | 7.2% | 14.8% | 85.2% |
| | Grade 12 | 4.3% | 7.3% | 11.7% | 88.3% |
| Rohypnol | | | | | |
| | All | 2.5% | 3.6% | 6.4% | 93.6% |
| | Grade 7 | 1.5% | 1.7% | 2.7% | 97.3% |
| | Grade 8 | 1.9% | 2.9% | 5.4% | 94.6% |
| | Grade 9 | 4.1% | 5.5% | 7.7% | 92.3% |
| | Grade 10 | 3.3% | 4.9% | 8.8% | 91.2% |
| | Grade 11 | 2.1% | 2.8% | 7.1% | 92.9% |
| | Grade 12 | 2.1% | 3.4% | 6.5% | 93.5% |
| Steroids | | | | | |
| | All | 0.7% | 0.8% | 1.4% | 98.6% |
| | Grade 7 | 0.6% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 0.4% | 0.6% | 1.3% | 98.7% |
| | Grade 9 | 0.7% | 0.8% | 1.3% | 98.7% |
| | Grade 10 | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 11 | 1.2% | 1.2% | 1.8% | 98.2% |
| | Grade 12 | 0.6% | 1.2% | 1.8% | 98.2% |
| Ecstasy | | | | | |
| | All | 3.7% | 5.5% | 11.5% | 88.5% |
| | Grade 7 | 0.9% | 1.1% | 2.2% | 97.8% |
| | Grade 8 | 2.0% | 2.8% | 5.5% | 94.5% |
| | Grade 9 | 4.4% | 6.4% | 10.7% | 89.3% |
| | Grade 10 | 4.9% | 7.9% | 15.4% | 84.6% |
| | Grade 11 | 5.4% | 8.2% | 17.8% | 82.2% |
| | Grade 12 | 4.6% | 7.2% | 18.9% | 81.1% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.6% | 0.8% | 1.4% | 98.6% |
| | Grade 7 | 0.3% | 0.3% | 0.6% | 99.4% |
| | Grade 8 | 0.8% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 1.2% | 1.3% | 2.3% | 97.7% |
| | Grade 10 | 0.3% | 0.6% | 1.0% | 99.0% |
| | Grade 11 | 0.3% | 0.6% | 1.7% | 98.3% |
| | Grade 12 | 0.5% | 1.0% | 1.5% | 98.5% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 10.1% | 14.3% | 26.9% | 73.1% |
| | Grade 7 | 3.1% | 4.2% | 9.8% | 90.2% |
| | Grade 8 | 5.9% | 7.7% | 17.6% | 82.4% |
| | Grade 9 | 9.1% | 13.3% | 26.6% | 73.4% |
| | Grade 10 | 10.9% | 17.1% | 33.3% | 66.7% |
| | Grade 11 | 14.1% | 20.8% | 37.2% | 62.8% |
| | Grade 12 | 19.8% | 26.5% | 42.1% | 57.9% |
| Alcohol | | | | | |
| | All | 24.2% | 33.5% | 55.0% | 45.0% |
| | Grade 7 | 9.2% | 11.9% | 29.7% | 70.3% |
| | Grade 8 | 19.5% | 24.3% | 47.2% | 52.8% |
| | Grade 9 | 25.5% | 34.2% | 57.4% | 42.6% |
| | Grade 10 | 27.4% | 40.3% | 64.8% | 35.2% |
| | Grade 11 | 31.5% | 45.8% | 67.6% | 32.4% |
| | Grade 12 | 35.6% | 50.0% | 68.7% | 31.3% |
| Inhalants | | | | | |
| | All | 6.0% | 8.1% | 17.1% | 82.9% |
| | Grade 7 | 8.1% | 9.9% | 16.3% | 83.7% |
| | Grade 8 | 8.8% | 10.9% | 19.8% | 80.2% |
| | Grade 9 | 6.0% | 8.3% | 17.8% | 82.2% |
| | Grade 10 | 4.0% | 6.8% | 16.7% | 83.3% |
| | Grade 11 | 4.4% | 6.2% | 16.5% | 83.5% |
| | Grade 12 | 3.8% | 5.6% | 14.6% | 85.4% |
| Any Illicit Drug | | | | | |
| | All | 11.1% | 15.4% | 25.6% | 74.4% |
| | Grade 7 | 3.6% | 4.5% | 8.0% | 92.0% |
| | Grade 8 | 7.0% | 9.1% | 16.0% | 84.0% |
| | Grade 9 | 11.0% | 14.8% | 24.5% | 75.5% |
| | Grade 10 | 14.7% | 20.4% | 34.2% | 65.8% |
| | Grade 11 | 16.4% | 23.1% | 37.1% | 62.9% |
| | Grade 12 | 16.0% | 23.7% | 38.7% | 61.3% |
| Marijuana | | | | | |
| | All | 9.5% | 14.0% | 23.8% | 76.2% |
| | Grade 7 | 2.2% | 3.1% | 6.4% | 93.6% |
| | Grade 8 | 5.4% | 7.7% | 13.6% | 86.4% |
| | Grade 9 | 9.9% | 13.6% | 23.0% | 77.0% |
| | Grade 10 | 12.6% | 18.8% | 32.3% | 67.7% |
| | Grade 11 | 14.5% | 21.2% | 35.4% | 64.6% |
| | Grade 12 | 14.8% | 22.6% | 37.3% | 62.7% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | WIGHT | Teur | OSCG | |
| marijuana omj | All | 3.6% | 5.7% | 11.7% | 88.3% |
| | Grade 7 | 1.0% | 1.5% | 3.6% | 96.4% |
| | Grade 8 | 2.1% | 2.9% | 6.7% | 93.3% |
| | Grade 9 | 3.5% | 5.2% | 11.2% | 88.8% |
| | Grade 10 | 5.4% | 8.3% | 16.7% | 83.3% |
| | Grade 11 | 5.4% | 8.8% | 16.4% | 83.6% |
| | Grade 12 | 4.8% | 9.0% | 17.9% | 82.1% |
| Cocaine or Crack | | | | | |
| | All | 1.8% | 2.8% | 5.8% | 94.2% |
| | Grade 7 | 0.6% | 0.8% | 1.4% | 98.6% |
| | Grade 8 | 1.5% | 2.1% | 4.0% | 96.0% |
| | Grade 9 | 1.6% | 2.6% | 5.4% | 94.6% |
| | Grade 10 | 2.0% | 3.5% | 6.8% | 93.2% |
| | Grade 11 | 2.6% | 3.6% | 8.3% | 91.7% |
| | Grade 12 | 3.1% | 4.9% | 10.2% | 89.8% |
| Cocaine | | | | | |
| | All | 1.6% | 2.5% | 5.3% | 94.7% |
| | Grade 7 | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 1.1% | 1.6% | 3.2% | 96.8% |
| | Grade 9 | 1.5% | 2.1% | 4.6% | 95.4% |
| | Grade 10 | 1.7% | 3.2% | 6.5% | 93.5% |
| | Grade 11 | 2.5% | 3.5% | 8.1% | 91.9% |
| | Grade 12 | 2.9% | 4.7% | 9.9% | 90.1% |
| Crack | | | | | |
| | All | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 7 | 0.4% | 0.5% | 0.9% | 99.1% |
| | Grade 8 | 0.7% | 0.9% | 1.9% | 98.1% |
| | Grade 9 | 0.5% | 1.1% | 2.0% | 98.0% |
| | Grade 10 | 0.7% | 0.9% | 1.8% | 98.2% |
| | Grade 11 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 12 | 0.5% | 0.8% | 1.4% | 98.6% |
| Hallucinogens | | | | | |
| | All | 1.0% | 1.5% | 3.2% | 96.8% |
| | Grade 7 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 8 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 9 | 1.3% | 1.7% | 3.0% | 97.0% |
| | Grade 10 | 1.0% | 1.6% | 3.8% | 96.2% |
| | Grade 11 | 1.4% | 2.2% | 5.2% | 94.8% |
| | Grade 12 | 1.2% | 2.2% | 5.6% | 94.4% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Continued)

| Downers | All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 | Month 1.6% 0.3% 1.1% 1.7% 2.0% 2.2% 2.2% | Year 2.4% 0.3% 1.2% 2.8% 3.2% 3.6% 3.8% | Used 4.6% 0.7% 2.2% 4.7% 5.9% 7.2% 7.7% | 95.4% 99.3% 97.8% 95.3% 94.1% 92.8% 92.3% |
|----------|--|--|--|---|---|
| Downers | Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 | 0.3% 1.1% 1.7% 2.0% 2.2% 2.2% | 0.3% 1.2% 2.8% 3.2% 3.6% | 0.7% 2.2% 4.7% 5.9% 7.2% | 99.3% 97.8% 95.3% 94.1% 92.8% |
| Downers | Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 | 0.3% 1.1% 1.7% 2.0% 2.2% 2.2% | 0.3% 1.2% 2.8% 3.2% 3.6% | 0.7% 2.2% 4.7% 5.9% 7.2% | 99.3% 97.8% 95.3% 94.1% 92.8% |
| Downers | Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 | 1.1% 1.7% 2.0% 2.2% 2.2% | 1.2% 2.8% 3.2% 3.6% | 2.2% 4.7% 5.9% 7.2% | 97.8% 95.3% 94.1% 92.8% |
| Downers | Grade 9 Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 | 1.7% 2.0% 2.2% 2.2% | 2.8% 3.2% 3.6% | 4.7% 5.9% 7.2% | 95.3% 94.1% 92.8% |
| Downers | Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 | 2.0% 2.2% 2.2% 2.2% | 3.2% 3.6% | 5.9% 7.2% | 94.1% 92.8% |
| Downers | Grade 11 Grade 12 All Grade 7 Grade 8 | 2.2% 2.2% 2.2% | 3.6% | 7.2% | 92.8% |
| Downers | Grade 12 All Grade 7 Grade 8 | 2.2% | | | |
| Downers | All Grade 7 Grade 8 | 2.2% | 3.8% | 7.7% | 92.3% |
| | Grade 7 Grade 8 | | | | |
| | Grade 7 Grade 8 | | | | |
| | Grade 8 | | 3.2% | 5.8% | 94.2% |
| | | 0.4% | 0.4% | 0.9% | 99.1% |
| | | 1.6% | 1.9% | 3.2% | 96.8% |
| | Grade 9 | 2.5% | 3.5% | 6.1% | 93.9% |
| | Grade 10 | 3.1% | 4.1% | 7.2% | 92.8% |
| | Grade 11 | 3.4% | 5.1% | 9.7% | 90.3% |
| Rohypnol | Grade 12 | 2.7% | 4.9% | 9.2% | 90.8% |
| 0.1 | | | | | |
| | All | 1.4% | 2.1% | 4.0% | 96.0% |
| | Grade 7 | 0.8% | 1.1% | 1.5% | 98.5% |
| | Grade 8 | 1.5% | 2.0% | 3.6% | 96.4% |
| | Grade 9 | 1.8% | 2.6% | 4.1% | 95.9% |
| | Grade 10 | 1.5% | 2.4% | 5.2% | 94.8% |
| | Grade 11 | 1.5% | 2.3% | 5.0% | 95.0% |
| | Grade 12 | 1.6% | 2.4% | 5.0% | 95.0% |
| Steroids | | | | | |
| | All | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 7 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 8 | 0.2% | 0.3% | 0.9% | 99.1% |
| | Grade 9 | 0.1% | 0.2% | 0.5% | 99.5% |
| | Grade 10 | 0.3% | 0.5% | 0.9% | 99.1% |
| | Grade 11 | 0.6% | 0.7% | 1.2% | 98.8% |
| | Grade 12 | 0.5% | 0.8% | 1.3% | 98.7% |
| Ecstasy | Grade 12 | 0.370 | 0.070 | 1.370 | 30.77 |
| Leseasy | All | 2.1% | 3.2% | 7.0% | 93.0% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 1.1% | 1.4% | 2.8% | 97.2% |
| | Grade 9 | 2.1% | 3.2% | 5.8% | 94.2% |
| | Grade 10 | | | | |
| | Grade 10 Grade 11 | 2.4% 3.3% | 4.0% 4.9% | 8.7% 11.9% | 91.3% 88.1% |
| | CTCMOR II | J. 3% | | | |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Continued)

| | | Past | School | Ever | Never |
|--------|----------|-------|--------|------|-------|
| | | Month | Year | Used | Used |
| Heroin | | | | | |
| | All | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 7 | 0.2% | 0.3% | 0.6% | 99.4% |
| | Grade 8 | 0.6% | 0.6% | 1.0% | 99.0% |
| | Grade 9 | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 10 | 0.2% | 0.3% | 0.5% | 99.5% |
| | Grade 11 | 0.4% | 0.5% | 0.9% | 99.1% |
| | Grade 12 | 0.0% | 0.2% | 0.7% | 99.3% |

Table B12: Prevalence and recency of use of selected substances by grade Students would not seek help from adults for substance abuse problems

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 17.5% | 24.7% | 40.9% | 59.1% |
| | Grade 7 | 8.4% | 10.1% | 22.1% | 77.9% |
| | Grade 8 | 11.0% | 15.6% | 31.6% | 68.4% |
| | Grade 9 | 16.7% | 25.7% | 41.7% | 58.3% |
| | Grade 10 | 17.5% | 27.9% | 46.3% | 53.7% |
| | Grade 11 | 21.4% | 28.5% | 46.6% | 53.4% |
| | Grade 12 | 29.1% | 38.0% | 53.8% | 46.2% |
| Alcohol | | | | | |
| | All | 34.0% | 44.3% | 64.0% | 36.0% |
| | Grade 7 | 19.6% | 23.2% | 43.6% | 56.4% |
| | Grade 8 | 27.0% | 36.5% | 59.0% | 41.0% |
| | Grade 9 | 35.5% | 46.1% | 65.0% | 35.0% |
| | Grade 10 | 38.6% | 51.4% | 71.6% | 28.4% |
| | Grade 11 | 39.1% | 51.6% | 68.0% | 32.0% |
| | Grade 12 | 41.3% | 53.2% | 72.7% | 27.3% |
| Inhalants | | | | | |
| | All | 9.7% | 13.0% | 26.1% | 73.9% |
| | Grade 7 | 10.9% | 12.9% | 22.2% | 77.8% |
| | Grade 8 | 13.1% | 17.7% | 32.2% | 67.8% |
| | Grade 9 | 10.2% | 15.2% | 30.9% | 69.1% |
| | Grade 10 | 9.8% | 12.1% | 25.7% | 74.3% |
| | Grade 11 | 7.7% | 10.4% | 20.8% | 79.2% |
| | Grade 12 | 6.1% | 8.5% | 22.1% | 77.9% |
| Any Illicit Drug | | | | | |
| | All | 21.7% | 27.5% | 40.9% | 59.1% |
| | Grade 7 | 10.6% | 12.4% | 17.8% | 82.2% |
| | Grade 8 | 18.2% | 22.0% | 33.5% | 66.5% |
| | Grade 9 | 23.6% | 29.7% | 43.6% | 56.4% |
| | Grade 10 | 21.0% | 29.2% | 45.8% | 54.2% |
| | Grade 11 | 27.3% | 36.2% | 49.8% | 50.2% |
| | Grade 12 | 27.5% | 33.1% | 50.7% | 49.3% |
| Marijuana | | | | | |
| | All | 18.3% | 24.5% | 38.8% | 61.2% |
| | Grade 7 | 9.1% | 10.9% | 15.6% | 84.4% |
| | Grade 8 | 13.7% | 18.0% | 29.7% | 70.3% |
| | Grade 9 | 20.4% | 27.0% | 40.5% | 59.5% |
| | Grade 10 | 18.0% | 26.8% | 44.1% | 55.9% |
| | Grade 11 | 24.0% | 32.0% | 48.2% | 51.8% |
| | Grade 12 | 22.4% | 29.3% | 50.3% | 49.7% |

Table B12: Prevalence and recency of use of selected substances by grade Students would not seek help from adults for substance abuse problems (Continued)

| | | Past | School | Ever | Never |
|------------------|----------|-------|--------|--------|-------|
| | | Month | Year | Used | Used |
| Marijuana Only | | | | 10.001 | |
| | All | 7.3% | 9.8% | 16.9% | 83.1% |
| | Grade 7 | 5.0% | 6.0% | 9.3% | 90.7% |
| | Grade 8 | 6.3% | 7.9% | 13.6% | 86.4% |
| | Grade 9 | 8.7% | 11.2% | 19.0% | 81.0% |
| | Grade 10 | 5.5% | 9.2% | 18.1% | 81.9% |
| | Grade 11 | 8.4% | 12.3% | 19.8% | 80.2% |
| | Grade 12 | 9.0% | 11.7% | 19.9% | 80.1% |
| Cocaine or Crack | | | | | |
| | All | 4.2% | 5.7% | 11.2% | 88.8% |
| | Grade 7 | 1.2% | 1.5% | 3.7% | 96.3% |
| | Grade 8 | 3.5% | 4.4% | 7.7% | 92.3% |
| | Grade 9 | 3.9% | 4.9% | 10.7% | 89.3% |
| | Grade 10 | 4.6% | 6.0% | 12.4% | 87.6% |
| | Grade 11 | 4.9% | 7.8% | 15.5% | 84.5% |
| | Grade 12 | 6.8% | 9.3% | 16.3% | 83.7% |
| Cocaine | | | | | |
| | All | 3.7% | 5.1% | 10.1% | 89.9% |
| | Grade 7 | 0.9% | 1.2% | 2.3% | 97.7% |
| | Grade 8 | 2.7% | 3.6% | 5.5% | 94.5% |
| | Grade 9 | 3.1% | 4.0% | 9.2% | 90.8% |
| | Grade 10 | 4.5% | 5.9% | 12.3% | 87.7% |
| | Grade 11 | 4.3% | 6.9% | 14.4% | 85.6% |
| | Grade 12 | 6.6% | 9.0% | 16.1% | 83.9% |
| Crack | | | | | |
| | All | 1.4% | 1.9% | 4.2% | 95.8% |
| | Grade 7 | 0.7% | 0.9% | 2.7% | 97.3% |
| | Grade 8 | 1.9% | 2.0% | 3.9% | 96.1% |
| | Grade 9 | 2.1% | 2.5% | 5.9% | 94.1% |
| | Grade 10 | 0.7% | 1.4% | 2.9% | 97.1% |
| | Grade 11 | 1.9% | 2.9% | 6.0% | 94.0% |
| | Grade 12 | 0.7% | 1.5% | 3.3% | 96.7% |
| Hallucinogens | | | | | |
| | All | 2.8% | 3.8% | 7.2% | 92.8% |
| | Grade 7 | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 8 | 2.3% | 2.9% | 4.4% | 95.6% |
| | Grade 9 | 2.5% | 3.5% | 6.0% | 94.0% |
| | Grade 10 | 3.1% | 3.9% | 8.9% | 91.1% |
| | Grade 11 | 3.4% | 5.0% | 9.9% | 90.1% |
| | Grade 12 | 4.5% | 6.3% | 11.7% | 88.3% |

Table B12: Prevalence and recency of use of selected substances by grade Students would not seek help from adults for substance abuse problems (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | WIGHTEH | Tear | OSCU | |
| СРРСІЗ | All | 3.9% | 5.3% | 9.0% | 91.0% |
| | Grade 7 | 1.0% | 1.0% | 1.3% | 98.7% |
| | Grade 8 | 2.5% | 2.7% | 4.4% | 95.6% |
| | Grade 9 | 4.0% | 5.2% | 8.8% | 91.2% |
| | Grade 10 | 3.5% | 5.6% | 9.9% | 90.1% |
| | Grade 11 | 5.5% | 7.9% | 13.3% | 86.7% |
| | Grade 12 | 6.4% | 8.6% | 15.4% | 84.6% |
| Downers | | | | | |
| | All | 4.9% | 6.5% | 11.2% | 88.8% |
| | Grade 7 | 1.2% | 1.5% | 2.0% | 98.0% |
| | Grade 8 | 3.9% | 4.5% | 8.2% | 91.8% |
| | Grade 9 | 4.7% | 6.1% | 10.1% | 89.9% |
| | Grade 10 | 4.6% | 7.8% | 13.6% | 86.4% |
| | Grade 11 | 6.6% | 9.0% | 16.2% | 83.8% |
| | Grade 12 | 7.5% | 9.6% | 15.8% | 84.2% |
| Rohypnol | | | | | |
| | All | 3.2% | 4.5% | 7.9% | 92.1% |
| | Grade 7 | 0.8% | 1.2% | 2.1% | 97.9% |
| | Grade 8 | 3.1% | 3.6% | 6.8% | 93.2% |
| | Grade 9 | 3.8% | 6.1% | 9.6% | 90.4% |
| | Grade 10 | 3.9% | 5.5% | 8.8% | 91.2% |
| | Grade 11 | 2.9% | 3.8% | 8.3% | 91.7% |
| | Grade 12 | 4.1% | 5.4% | 9.8% | 90.2% |
| Steroids | | | | | |
| | All | 1.0% | 1.1% | 2.2% | 97.8% |
| | Grade 7 | 1.0% | 1.0% | 1.6% | 98.4% |
| | Grade 8 | 0.4% | 0.5% | 0.9% | 99.1% |
| | Grade 9 | 0.7% | 0.7% | 2.6% | 97.4% |
| | Grade 10 | 1.2% | 1.3% | 2.7% | 97.3% |
| | Grade 11 | 1.0% | 1.3% | 2.5% | 97.5% |
| | Grade 12 | 1.5% | 1.8% | 2.9% | 97.1% |
| Ecstasy | | | | | |
| | All | 4.8% | 6.6% | 12.7% | 87.3% |
| | Grade 7 | 0.6% | 0.8% | 2.8% | 97.2% |
| | Grade 8 | 3.8% | 4.9% | 6.7% | 93.3% |
| | Grade 9 | 3.7% | 5.3% | 11.2% | 88.8% |
| | Grade 10 | 6.3% | 8.8% | 15.2% | 84.8% |
| | Grade 11 | 5.7% | 8.0% | 17.6% | 82.4% |
| | Grade 12 | 8.4% | 11.3% | 21.4% | 78.6% |

Table B12: Prevalence and recency of use of selected substances by grade Students would not seek help from adults for substance abuse problems (Continued)

| | | Past | School | Ever | Never |
|--------|----------|-------|--------|------|-------|
| | | Month | Year | Used | Used |
| Heroin | | | | | |
| | All | 0.8% | 1.2% | 2.3% | 97.7% |
| | Grade 7 | 0.9% | 1.0% | 1.7% | 98.3% |
| | Grade 8 | 2.0% | 2.1% | 2.7% | 97.3% |
| | Grade 9 | 0.1% | 0.5% | 2.0% | 98.0% |
| | Grade 10 | 0.5% | 0.9% | 1.9% | 98.1% |
| | Grade 11 | 0.5% | 1.2% | 3.2% | 96.8% |
| | Grade 12 | 1.1% | 1.4% | 2.4% | 97.6% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 12.5% | 17.4% | 31.2% | 68.8% |
| | Grade 7 | 5.5% | 7.1% | 13.2% | 86.8% |
| | Grade 8 | 5.7% | 9.0% | 21.1% | 78.9% |
| | Grade 9 | 12.2% | 17.1% | 35.1% | 64.9% |
| | Grade 10 | 16.4% | 23.9% | 40.4% | 59.6% |
| | Grade 11 | 19.9% | 26.9% | 43.7% | 56.3% |
| | Grade 12 | 24.8% | 33.6% | 51.0% | 49.0% |
| Alcohol | | | | | |
| | All | 26.9% | 34.6% | 54.7% | 45.3% |
| | Grade 7 | 12.3% | 15.1% | 31.6% | 68.4% |
| | Grade 8 | 20.5% | 24.7% | 47.3% | 52.7% |
| | Grade 9 | 29.9% | 39.5% | 60.4% | 39.6% |
| | Grade 10 | 34.9% | 46.0% | 68.4% | 31.6% |
| | Grade 11 | 36.0% | 46.8% | 67.8% | 32.2% |
| | Grade 12 | 40.7% | 52.1% | 68.8% | 31.2% |
| Inhalants | | | | | |
| | All | 7.7% | 10.2% | 20.2% | 79.8% |
| | Grade 7 | 8.6% | 10.1% | 16.5% | 83.5% |
| | Grade 8 | 11.6% | 14.3% | 24.4% | 75.6% |
| | Grade 9 | 7.2% | 10.2% | 23.5% | 76.5% |
| | Grade 10 | 5.9% | 9.9% | 19.8% | 80.2% |
| | Grade 11 | 4.9% | 7.3% | 16.9% | 83.1% |
| | Grade 12 | 6.5% | 7.7% | 19.6% | 80.4% |
| Any Illicit Drug | | | | | |
| | All | 13.5% | 17.7% | 28.1% | 71.9% |
| | Grade 7 | 5.6% | 6.4% | 9.9% | 90.1% |
| | Grade 8 | 7.7% | 10.5% | 17.3% | 82.7% |
| | Grade 9 | 14.4% | 18.5% | 32.4% | 67.6% |
| | Grade 10 | 19.1% | 24.4% | 37.4% | 62.6% |
| | Grade 11 | 20.9% | 27.7% | 42.9% | 57.1% |
| | Grade 12 | 20.8% | 30.0% | 44.5% | 55.5% |
| Marijuana | | | | | |
| | All | 11.4% | 16.0% | 26.5% | 73.5% |
| | Grade 7 | 4.5% | 5.3% | 9.1% | 90.9% |
| | Grade 8 | 5.7% | 8.8% | 15.4% | 84.6% |
| | Grade 9 | 12.4% | 16.4% | 30.0% | 70.0% |
| | Grade 10 | 16.0% | 22.3% | 35.7% | 64.3% |
| | Grade 11 | 17.9% | 25.3% | 41.1% | 58.9% |
| | Grade 12 | 19.3% | 28.7% | 43.4% | 56.6% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Marijuana Only | | WIGHT | Tear | - OSCU | |
| Marijaana omy | All | 4.0% | 5.8% | 11.6% | 88.4% |
| | Grade 7 | 2.3% | 2.8% | 5.1% | 94.9% |
| | Grade 8 | 2.1% | 2.7% | 6.7% | 93.3% |
| | Grade 9 | 4.0% | 5.2% | 13.3% | 86.7% |
| | Grade 10 | 6.2% | 8.6% | 16.2% | 83.8% |
| | Grade 11 | 5.2% | 8.6% | 16.0% | 84.0% |
| | Grade 12 | 6.4% | 11.0% | 18.6% | 81.4% |
| Cocaine or Crack | | | | | |
| | All | 2.7% | 3.7% | 7.2% | 92.8% |
| | Grade 7 | 0.9% | 1.2% | 1.7% | 98.3% |
| | Grade 8 | 1.6% | 2.1% | 4.3% | 95.7% |
| | Grade 9 | 2.7% | 3.8% | 8.2% | 91.8% |
| | Grade 10 | 3.7% | 5.2% | 8.8% | 91.2% |
| | Grade 11 | 4.4% | 6.2% | 12.2% | 87.8% |
| | Grade 12 | 4.2% | 6.4% | 12.9% | 87.1% |
| Cocaine | | | | | |
| | All | 2.4% | 3.3% | 6.7% | 93.3% |
| | Grade 7 | 0.8% | 1.1% | 1.6% | 98.4% |
| | Grade 8 | 1.2% | 1.8% | 3.9% | 96.1% |
| | Grade 9 | 2.6% | 3.0% | 7.1% | 92.9% |
| | Grade 10 | 3.3% | 4.5% | 8.3% | 91.7% |
| | Grade 11 | 4.2% | 5.7% | 11.8% | 88.2% |
| | Grade 12 | 4.2% | 6.5% | 12.6% | 87.4% |
| Crack | | | | | |
| | All | 0.8% | 1.2% | 2.0% | 98.0% |
| | Grade 7 | 0.3% | 0.3% | 0.7% | 99.3% |
| | Grade 8 | 0.9% | 1.0% | 2.1% | 97.9% |
| | Grade 9 | 1.2% | 2.1% | 3.2% | 96.8% |
| | Grade 10 | 1.1% | 1.4% | 2.0% | 98.0% |
| | Grade 11 | 1.3% | 1.8% | 3.0% | 97.0% |
| | Grade 12 | 0.1% | 0.4% | 1.2% | 98.8% |
| Hallucinogens | | | | | |
| | All | 1.2% | 1.9% | 4.1% | 95.9% |
| | Grade 7 | 0.2% | 0.2% | 0.4% | 99.6% |
| | Grade 8 | 1.3% | 2.2% | 3.2% | 96.8% |
| | Grade 9 | 1.7% | 2.4% | 4.5% | 95.5% |
| | Grade 10 | 1.5% | 2.5% | 4.9% | 95.1% |
| | Grade 11 | 1.9% | 2.4% | 8.1% | 91.9% |
| | Grade 12 | 1.2% | 2.4% | 6.0% | 94.0% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------|----------|---------------|----------------|--------------|---------------|
| Uppers | | 1,1011011 | 1001 | | |
| TT | All | 2.1% | 2.9% | 5.4% | 94.6% |
| | Grade 7 | 0.3% | 0.3% | 1.1% | 98.9% |
| | Grade 8 | 1.2% | 1.4% | 2.7% | 97.3% |
| | Grade 9 | 2.4% | 3.7% | 7.0% | 93.0% |
| | Grade 10 | 3.4% | 4.6% | 7.2% | 92.8% |
| | Grade 11 | 2.9% | 4.6% | 8.6% | 91.4% |
| | Grade 12 | 3.8% | 5.3% | 9.6% | 90.4% |
| Downers | | | | | |
| | All | 3.0% | 4.2% | 7.3% | 92.7% |
| | Grade 7 | 0.4% | 0.5% | 1.2% | 98.8% |
| | Grade 8 | 1.6% | 2.1% | 4.1% | 95.9% |
| | Grade 9 | 3.5% | 4.7% | 9.0% | 91.0% |
| | Grade 10 | 4.3% | 6.3% | 9.8% | 90.2% |
| | Grade 11 | 5.4% | 7.5% | 12.9% | 87.1% |
| | Grade 12 | 4.6% | 6.8% | 11.2% | 88.8% |
| Rohypnol | | | | | |
| <i>J</i> 1 | All | 2.0% | 2.9% | 5.2% | 94.8% |
| | Grade 7 | 1.1% | 1.2% | 1.7% | 98.3% |
| | Grade 8 | 1.5% | 2.7% | 4.5% | 95.5% |
| | Grade 9 | 3.3% | 4.7% | 7.4% | 92.6% |
| | Grade 10 | 3.0% | 3.8% | 7.1% | 92.9% |
| | Grade 11 | 1.4% | 2.5% | 6.1% | 93.9% |
| | Grade 12 | 1.7% | 2.4% | 6.0% | 94.0% |
| Steroids | | | | | |
| | All | 0.4% | 0.6% | 1.6% | 98.4% |
| | Grade 7 | 0.6% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 9 | 0.2% | 0.3% | 1.9% | 98.1% |
| | Grade 10 | 0.3% | 0.6% | 1.6% | 98.4% |
| | Grade 11 | 0.6% | 0.6% | 1.8% | 98.2% |
| | Grade 12 | 0.0% | 0.3% | 1.3% | 98.7% |
| Ecstasy | | | | | |
| J | All | 2.4% | 3.5% | 7.8% | 92.2% |
| | Grade 7 | 0.8% | 0.9% | 1.4% | 98.6% |
| | Grade 8 | 1.4% | 1.9% | 4.2% | 95.8% |
| | Grade 9 | 2.4% | 3.2% | 7.0% | 93.0% |
| | Grade 10 | 3.5% | 5.7% | 9.9% | 90.1% |
| | Grade 11 | 4.2% | 5.5% | 14.6% | 85.4% |
| | Grade 12 | 4.1% | 6.1% | 16.6% | 83.4% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.3% | 0.6% | 1.3% | 98.7% |
| | Grade 7 | 0.4% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 9 | 0.3% | 0.9% | 2.4% | 97.6% |
| | Grade 10 | 0.3% | 0.6% | 0.9% | 99.1% |
| | Grade 11 | 0.3% | 0.5% | 1.3% | 98.7% |
| | Grade 12 | 0.0% | 0.2% | 0.3% | 99.7% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | | | | |
| | All | 11.1% | 15.9% | 28.9% | 71.1% |
| | Grade 7 | 3.7% | 4.6% | 11.3% | 88.7% |
| | Grade 8 | 6.9% | 9.1% | 19.6% | 80.4% |
| | Grade 9 | 10.2% | 15.4% | 28.1% | 71.9% |
| | Grade 10 | 11.1% | 17.6% | 34.0% | 66.0% |
| | Grade 11 | 14.0% | 20.8% | 37.8% | 62.2% |
| | Grade 12 | 21.4% | 28.3% | 43.7% | 56.3% |
| Alcohol | | | | | |
| | All | 25.9% | 35.8% | 57.4% | 42.6% |
| | Grade 7 | 11.0% | 14.2% | 33.5% | 66.5% |
| | Grade 8 | 20.8% | 26.9% | 50.1% | 49.9% |
| | Grade 9 | 27.4% | 35.9% | 58.3% | 41.7% |
| | Grade 10 | 28.3% | 41.6% | 65.7% | 34.3% |
| | Grade 11 | 31.8% | 46.8% | 67.7% | 32.3% |
| | Grade 12 | 36.7% | 50.9% | 69.8% | 30.2% |
| Inhalants | | | | | |
| | All | 6.5% | 8.8% | 18.6% | 81.4% |
| | Grade 7 | 8.9% | 10.9% | 18.6% | 81.4% |
| | Grade 8 | 8.9% | 11.5% | 21.2% | 78.8% |
| | Grade 9 | 7.0% | 9.7% | 19.7% | 80.3% |
| | Grade 10 | 4.7% | 7.2% | 18.1% | 81.9% |
| | Grade 11 | 5.0% | 6.9% | 17.5% | 82.5% |
| | Grade 12 | 3.9% | 6.2% | 16.0% | 84.0% |
| Any Illicit Drug | | | | | |
| | All | 13.0% | 17.8% | 28.7% | 71.3% |
| | Grade 7 | 4.3% | 5.5% | 9.8% | 90.2% |
| | Grade 8 | 9.3% | 11.6% | 19.5% | 80.5% |
| | Grade 9 | 13.7% | 18.1% | 28.1% | 71.9% |
| | Grade 10 | 15.3% | 21.7% | 36.0% | 64.0% |
| | Grade 11 | 17.5% | 25.0% | 38.7% | 61.3% |
| | Grade 12 | 18.4% | 25.7% | 41.5% | 58.5% |
| Marijuana | | | | | |
| | All | 11.2% | 16.0% | 26.8% | 73.2% |
| | Grade 7 | 2.8% | 4.0% | 7.7% | 92.3% |
| | Grade 8 | 7.1% | 9.7% | 16.7% | 83.3% |
| | Grade 9 | 12.0% | 16.6% | 26.2% | 73.8% |
| | Grade 10 | 13.4% | 20.0% | 34.1% | 65.9% |
| | Grade 11 | 15.4% | 22.5% | 37.0% | 63.0% |
| | Grade 12 | 16.4% | 23.9% | 40.2% | 59.8% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past | School | Ever | Neve |
|------------------|----------------------|--------------|--------------|--------------|----------------|
| | | Month | Year | Used | Used |
| Marijuana Only | | | | 40.004 | |
| | All | 4.3% | 6.7% | 13.0% | 87.0% |
| | Grade 7 | 1.3% | 2.0% | 4.5% | 95.5% |
| | Grade 8 | 3.0% | 4.1% | 8.4% | 91.6% |
| | Grade 9 | 4.7% | 6.9% | 12.8% | 87.2% |
| | Grade 10 | 5.4% | 8.5% | 17.2% | 82.8% |
| | Grade 11 | 6.1% | 9.5% | 17.3% | 82.7% |
| | Grade 12 | 5.8% | 9.6% | 18.5% | 81.5% |
| Cocaine or Crack | | | | | |
| | All | 2.2% | 3.3% | 6.8% | 93.2% |
| | Grade 7 | 0.7% | 0.8% | 2.0% | 98.0% |
| | Grade 8 | 2.0% | 2.7% | 4.7% | 95.3% |
| | Grade 9 | 1.9% | 2.8% | 6.1% | 93.9% |
| | Grade 10 | 2.2% | 3.9% | 7.7% | 92.3% |
| | Grade 11 | 2.7% | 4.0% | 9.2% | 90.8% |
| | Grade 12 | 3.9% | 5.7% | 11.3% | 88.7% |
| Cocaine | | | | | |
| | All | 1.9% | 2.9% | 6.1% | 93.9% |
| | Grade 7 | 0.4% | 0.5% | 1.4% | 98.6% |
| | Grade 8 | 1.5% | 2.0% | 3.5% | 96.5% |
| | Grade 9 | 1.5% | 2.3% | 5.2% | 94.8% |
| | Grade 10 | 1.9% | 3.6% | 7.4% | 92.6% |
| | Grade 11 | 2.6% | 3.9% | 8.9% | 91.1% |
| | Grade 12 | 3.6% | 5.4% | 11.0% | 89.0% |
| Crack | | | | | |
| | All | 0.6% | 0.9% | 2.0% | 98.0% |
| | Grade 7 | 0.5% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 1.0% | 1.2% | 2.2% | 97.8% |
| | Grade 9 | 0.8% | 1.2% | 2.6% | 97.4% |
| | Grade 10 | 0.6% | 0.8% | 2.0% | 98.0% |
| | Grade 11 | 0.4% | 0.6% | 1.6% | 98.4% |
| | Grade 12 | 0.6% | 1.0% | 1.9% | 98.1% |
| Hallucinogens | Grade 12 | 0.070 | 1.070 | 1.570 | 30.17 |
| Tanacinogens | All | 1.3% | 1.9% | 3.9% | 96.1% |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 0.4% | 1.2% | 2.0% | 98.0% |
| | Grade 9 | 1.7% | 2.1% | 3.5% | 96.5% |
| | Grade 9 Grade 10 | | | | |
| | Grade 10 Grade 11 | 1.3% | 1.9% | 4.7% | 95.3% |
| | Grade 11 Grade 12 | 1.7% 1.9% | 2.9% 3.0% | 5.3% 6.9% | 94.7% 93.1% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Uppers | | | 1001 | | |
| TT | All | 2.0% | 3.0% | 5.4% | 94.6% |
| | Grade 7 | 0.4% | 0.5% | 0.8% | 99.2% |
| | Grade 8 | 1.5% | 1.6% | 2.6% | 97.4% |
| | Grade 9 | 2.4% | 3.3% | 5.5% | 94.5% |
| | Grade 10 | 2.0% | 3.4% | 6.7% | 93.3% |
| | Grade 11 | 2.8% | 4.5% | 8.1% | 91.9% |
| | Grade 12 | 2.9% | 4.7% | 8.9% | 91.1% |
| Downers | | | | | |
| | All | 2.7% | 3.8% | 6.7% | 93.3% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 2.3% | 2.6% | 4.2% | 95.8% |
| | Grade 9 | 2.9% | 3.8% | 6.6% | 93.4% |
| | Grade 10 | 3.2% | 4.5% | 8.0% | 92.0% |
| | Grade 11 | 3.6% | 5.3% | 10.2% | 89.8% |
| | Grade 12 | 3.5% | 5.8% | 10.5% | 89.5% |
| Rohypnol | | | | | |
| | All | 1.7% | 2.4% | 4.4% | 95.6% |
| | Grade 7 | 0.6% | 1.0% | 1.5% | 98.5% |
| | Grade 8 | 1.9% | 2.2% | 4.0% | 96.0% |
| | Grade 9 | 1.9% | 2.7% | 4.4% | 95.6% |
| | Grade 10 | 1.6% | 2.6% | 5.4% | 94.6% |
| | Grade 11 | 1.9% | 2.6% | 5.4% | 94.6% |
| | Grade 12 | 2.1% | 3.2% | 6.0% | 94.0% |
| Steroids | | | | | |
| | All | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 7 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 8 | 0.2% | 0.2% | 0.9% | 99.1% |
| | Grade 9 | 0.4% | 0.5% | 0.7% | 99.3% |
| | Grade 10 | 0.7% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 0.8% | 1.0% | 1.4% | 98.6% |
| | Grade 12 | 0.8% | 1.1% | 1.7% | 98.3% |
| Ecstasy | | | | | |
| | All | 2.7% | 4.0% | 8.3% | 91.7% |
| | Grade 7 | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 1.7% | 2.1% | 3.2% | 96.8% |
| | Grade 9 | 2.6% | 3.9% | 7.1% | 92.9% |
| | Grade 10 | 3.1% | 4.8% | 10.1% | 89.9% |
| | Grade 11 | 3.9% | 5.9% | 12.6% | 87.4% |
| | Grade 12 | 4.5% | 7.1% | 16.1% | 83.9% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------|----------|---------------|----------------|--------------|---------------|
| Heroin | | | | | |
| | All | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 7 | 0.2% | 0.2% | 0.6% | 99.4% |
| | Grade 8 | 1.0% | 1.0% | 1.5% | 98.5% |
| | Grade 9 | 0.7% | 0.8% | 1.3% | 98.7% |
| | Grade 10 | 0.2% | 0.4% | 0.7% | 99.3% |
| | Grade 11 | 0.5% | 0.6% | 1.3% | 98.7% |
| | Grade 12 | 0.3% | 0.5% | 1.2% | 98.8% |

3. Margin Tables

| | | GENDER | | ET | HNICITY |
|-----------|---------------|------------|----------------|-------------|---------|
| q1 | Frequency | Percent | q5 | Frequency | Percent |
| Female | 152,734 | 50.9% | African/Americ | an 6,096 | 2.0% |
| Male | 147,444 | 49.1% | Asian/Americar | n 745 | 0.2% |
| Frequency | Missing = 200 | 08.6330661 | Mexican/Ameri | can 270,221 | 90.2% |
| | - | | Native/America | n 1,257 | 0.4% |
| | | | Other | 5,463 | 1.8% |
| | | CDADE | White | 15,741 | 5.3% |

| · · | DO YOU | GET AN |
|-----|-----------|---------|
| | ALL | OWANCE |
| q9 | Frequency | Percent |
| No | 182,609 | 61.9% |
| Yes | 112,302 | 38.1% |

| Frequency Missing = | 7274.9869042 |
|---------------------|--------------|
|---------------------|--------------|

EITHER PARENT COLLEGE

65,170

137,825

Frequency Percent

GRADUATE

46.1%

61.4%

| | | GRADE |
|----------|-----------|---------|
| q2 | Frequency | Percent |
| Grade 7 | 53,522 | 17.7% |
| Grade 8 | 54,812 | 18.1% |
| Grade 9 | 56,487 | 18.7% |
| Grade 10 | 47,630 | 15.8% |
| Grade 11 | 45,969 | 15.2% |
| Grade 12 | 43,768 | 14.5% |

| ON AVERAGE WHAT GRADES DO YOU GET | | | | |
|-----------------------------------|-----------|-------|--|--|
| q 6 | Frequency | | | |
| Mostly A's | 64,240 | 21.5% | | |
| Mostly B's | 172,301 | 57.7% | | |
| Mostly C's | 54,611 | 18.3% | | |
| Mostly D's | 5,814 | 1.9% | | |

Frequency Missing = 2663.3684863

| Yes | 95,699 | 32.0% |
|-----------------|-------------|--------|
| Frequency Missi | ng = 3492.6 | 202393 |

q10

No

Don't Know

| | LIVE WITH BOTH PARENTS | | | |
|-----|---------------------------|---------|--|--|
| q3 | Frequency | Percent | | |
| No | 110,516 | 36.9% | | |
| Yes | 189,139 | 63.1% | | |

| Frequency | | |
|-----------|--|--|
| | | |
| | | |

1,811

0.6%

Mostly F's

| QUALIFY FOR FREE/REDUCEL | | | |
|--------------------------|-------------|---------|--|
| | PRICE LUNCH | | |
| q11 | Frequency | Percent | |
| Don't Know | 69,829 | 23.5% | |
| No | 44,798 | 15.1% | |

Frequency Missing = 4891.7248

182,667

| Frequen | cy Missing | = 2531 | .3301113 |
|---------|------------|--------|----------|

| | D | ISTRICT |
|-----------|-----------|---------|
| q7 | Frequency | Percent |
| <1 year | 24,738 | 8.3% |
| 2-3 years | 49,691 | 16.6% |
| >4 years | 224,038 | 75.1% |

Frequency Missing = 3718.2881887

LENGTH OF TIME IN THIS

| PARTICIPATE IN | | | | | |
|------------------|-----------|---------|--|--|--|
| SCHOOL ATHLETICS | | | | | |
| (UIL, VARSITY, | | | | | |
| | JR V | ARSITY) | | | |
| q12a l | Frequency | Percent | | | |
| No | 144,260 | 51.9% | | | |
| Yes | 133,482 | 48.1% | | | |

| q4 | Frequency | Percent |
|---------------|-----------|---------|
| 11 or younger | 675 | 0.2% |
| 12 | 21,022 | 7.0% |
| 13 | 47,506 | 15.8% |
| 14 | 52,766 | 17.5% |
| 15 | 52,096 | 17.3% |
| 16 | 48,667 | 16.2% |
| 17 | 46,829 | 15.6% |
| 18 | 26,511 | 8.8% |
| 19 or older | 4,659 | 1.5% |
| | | 100- |

| q8 | Frequency | Percent |
|-----|-----------|---------|
| No | 267,076 | 89.3% |
| Yes | 32,134 | 10.7% |

DO YOU HAVE A JOB

Frequency Missing = 24444.711706

Frequency Missing = 1456.1754335

Frequency Missing = 2975.5329237

AGE

| PARTICIPATE IN SCHOOL BAND/ORCHESTRA | | | | | | |
|---|-----------|---------|--|--|--|--|
| q12b | Frequency | Percent | | | | |
| No | 209,962 | 80.7% | | | | |
| Yes | 50,310 | 19.3% | | | | |

Frequency Missing = 41913.433295

| PARTICIPATE IN SCHOOL CHOIR | PARTICIPATE IN ACADEMIC | PARTICIPATE IN OTHER CLUBS OR GROUPS |
|--|--------------------------------------|---|
| q12c Frequency Percent | CLUBS/SOCIETIES | OUTSIDE OF SCHOOL |
| No 229,933 91.4% | q12h Frequency Percent | q12m Frequency Percent |
| Yes 21,752 8.6% | No 209,740 82.3% | No 199,664 77.7% |
| Frequency Missing = 50501.643382 | Yes 45,180 17.7% | Yes 57,240 22.3% |
| Trequency wissing = 5000 1.040002 | Frequency Missing = 47266.250447 | Frequency Missing = 45282.214117 |
| PARTICIPATE IN | | |
| DRAMA/SPEECH/ART CLUBS | PARTICIPATE IN ACADEMIC | DO YOU FEEL SAFE IN YOUR HOME |
| q12d Frequency Percent | COMPETITION GROUPS | q13a Frequency Percent |
| No 202,806 79.5% | q12i Frequency Percent | Very Safe 253,952 84.7% |
| Yes 52,246 20.5% | No 221,942 87.2% | Somewhat Safe 39,682 13.2% |
| Frequency Missing = 47133.704969 | Yes 32,700 12.8% | Not Very Safe 2,497 0.8% |
| | Frequency Missing = 47544.11324 | Not Safe At All 946 0.3% |
| | | Don't Know 2,749 0.9% |
| DA DELGIDA EE IN DOUL | | Frequency Missing = 2360.8775823 |
| PARTICIPATE IN DRILL TEAM/CHEERLEADING q12e Frequency Percent No 233,125 92.2% | PARTICIPATE IN SCHOOL SERVICE CLUBS | |
| , | q12j Frequency Percent | DO YOU FEEL SAFE IN YOUR |
| Yes 19,804 7.8% | No 237,015 94.2% | NEIGHBORHOOD |
| Frequency Missing = 49256.73098 | Yes 14,673 5.8% | q13b Frequency Percent Very Safe 114,655 38.4% |
| | Frequency Missing = 50498.025882 | Somewhat Safe 145,920 48.9% |
| | | |
| PARTICIPATE IN | | Not Very Safe 25,666 8.6% Not Safe At All 5,854 2.0% |
| STUDENT GOVERNMENT | | |
| q12f Frequency Percent | PARTICIPATE IN OTHER SCHOOL CLUBS OR | |
| No 239,508 95.5% | GROUPS | Frequency Missing = 3800.9477538 |
| Yes 11,309 4.5% | q12k Frequency Percent | |
| Frequency Missing = 51368.681509 | No 196,839 77.1% | |
| | Yes 58,421 22.9% | DO YOU FEEL SAFE AT SCHOOL |
| | Frequency Missing = 46925.944303 | q13c Frequency Percent |
| DADTICIDATE IN CCHOOL | 3 3 3 | Very Safe 128,025 43.0% |
| PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK | | Somewhat Safe 128,165 43.0% |
| q12g Frequency Percent | | Not Very Safe 23,420 7.9% |
| No 234,064 93.2% | PARTICIPATE IN | Not Safe At All 10,158 3.4% |
| Yes 17,194 6.8% | ATHLETIC TEAMS OUTSIDE OF SCHOOL | Don't Know 8,310 2.8% |
| Frequency Missing = 50928.313697 | q12l Frequency Percent | Frequency Missing = 4108.2862867 |
| 1 10440110y Wildolling - 00020.0 10007 | No 175,899 67.3% | - 4 |
| | Yes 85,516 32.7% | |
| | Frequency Missing = 40771.52835 | |
| | 1 requericy missing - 4077 1.02000 | |

| | FRIENDS FEELING CLOSE FRIENDS WISHING TO TO THEIR PARENTS DROP OUT OF SCHOOL | | | RECENT INHALANT USE - COMPUTER DUSTING SPRAYS | | | | | |
|---------------|--|--------------|------------|---|-----------------|--------------------|----------------------------|---------------|---------|
| | requency | | | le Frequency | | | 0160 | Frequency | |
| None | 20,712 | 7.0% | Non | | | | Never Heard/Used | 278,352 | 95.0% |
| A Few | 83,148 | 27.9% | A Fe | | | | In Your Lifetime | 7,816 | 2.7% |
| Some | 77,048 | 25.9% | Som | , | | | Since School | 2,739 | 0.9% |
| Most | 88,159 | 29.6% | Mos | st 10,140 | 3.4 | % | Began | | |
| All | 28,700 | 9.6% | A | ll 5,748 | 3 1.9 | % _ | In the Past Month | 4,026 | 1.4% |
| Frequency I | Missing = 441 | 9.4066486 | Freguen | cy Missing = 5 | 132.0059 | 702 | Frequency Missing | = 9254.1160 | 743 |
| , , | J | | • | , , | | | | | |
| | | | | | | | | | |
| HO | OW MANY F | | | PARENTS | | | RECENT INHAL BUTANE, PR | | |
| 4.41 - | CARRY WI | | | PTA/SCHO | OL OPE HOUSE | | | RIGERANTS | |
| | requency | | a15 | Frequency | | | Q16D | Frequency | Percent |
| None | 224,848 | 76.6% | No | 145,769 | 54.79 | _ | Never Heard/Used | 267,173 | 90.6% |
| A Few | 42,556 | 14.5% | Yes | 120,797 | 45.39 | | In Your Lifetime | 14,446 | 4.9% |
| Some Most | 17,223 5,477 | 5.9% 1.9% | | cy Missing = 3 | | _ | Since School | 4,131 | 1.4% |
| All | 3,257 | 1.1% | | -,g | | | Began In the Past Month | 9.239 | 3.1% |
| | Missing = 882 | 6 2820716 | | | | - | | -, | |
| r requeriey r | viiooirig 002 | 0.20207 10 | - DEG | | NITE LIGHT | CDDAY | Frequency Missing | j = 7196.8969 | 374 |
| | | | REC | ENT INHALA | NT USE | - SPRAY PAINT | | | |
| — н | OW MANY F | RIFNDS | | Q16A Free | quency | Percent_ | DECEMBED II | | |
| | ARE ABOU | | Never Hea | rd/Used 2 | 282,560 | 94.9% | RECENT INI | | |
| | | GRADES | In Your | | 9,917 | 3.3% | | Frequency | |
| q14c F | requency | | Since | e School | 1,820 | 0.6% | Never Heard/Used | 285,295 | 97.6% |
| None | 9,631 | 3.3% | T (I D | Began | 0.407 | 1.00/ | In Your Lifetime | 3,671 | 1.3% |
| A Few | 44,517 | 15.3% | In the Pas | | 3,497 | 1.2% | Since School Began | 1,032 | 0.4% |
| Some | 70,735 | 24.3% | Frequen | cy Missing = 4 | 392.0134 | 653 | In the Past Month | 2,365 | 0.8% |
| Most | 109,198 | 37.4% | | | | - | Frequency Missing | | |
| All | 57,582 | 19.7% | | | | | r requeriey whoshig | , 0020.2000 | .010 |
| Frequency I | Missing = 105 | 23.360367 | | INHALANT U ON FLUID, M | | | | | |
| | | | 001112011 | Q16B Free | | _ | RECENT INHALA | NT USE - T | OLUENE. |
| | | | Never Hea | • | 267,357 | 90.4% | PAINT THINNER | | |
| | OW MANY F | | In Your | | 16,904 | 5.7% | Q16F | Frequency | Percent |
| | ELONG TO | | | e School | 3,298 | 1.1% | Never Heard/Used | 285,190 | 97.6% |
| None None | Frequency 200,563 | 67.6% | Siliev | Began | -, | | In Your Lifetime | 3,683 | 1.3% |
| A Few | 200,563 55,126 | 18.6% | In the Pas | t Month | 8,055 | 2.7% | Since School | 1,045 | 0.4% |
| A Few Some | 26,107 | 8.8% | Frequen | cy Missing = 6 | 572.6927 | 313 | Began | | |
| | | | - | - | | - | In the Past Month | 2,362 | 0.8% |
| Most | 10,944 | 3.7% | | | | | Frequency Missin | g = 9906.0610 | 024 |
| All | 4,104 | 1.4% | | | | | | | |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 5342.1249592

| | | | Of Ring | 2012 | | | | |
|--------------------------------------|---------------------|---------------|-----------------------|-----------------------|-----------|-----------------------|-------------|----------|
| RECENT INHALAN | T USE - GA | ASOLINE, | | RECENT BI | EER USE | RECI | ENT INHAL | ANT USE |
| (| OCTANE B | OOSTER, | | Frequency | | | Frequency | |
| | SURETOR C | | Never Heard/Used | 158,420 | 55.0% | Never Heard/Used | 269,886 | 92.5% |
| | Frequency | | In Your Lifetime | 54,910 | 19.1% | In Your Lifetime | 12,093 | 4.1% |
| Never Heard/Used In Your Lifetime | 281,835 5,711 | 96.3% 2.0% | Since School Began | 22,168 | 7.7% | Since School Began | 2,923 | 1.0% |
| Since School Began | 1,163 | 0.4% | In the Past Month | 52,685 | 18.3% | In the Past Month | 6,897 | 2.4% |
| In the Past Month | 3,930 | 1.3% | Frequency Missing | j = 14003.156 | 687 | Frequency Missing | = 10387.577 | 748 |
| Frequency Missing | = 9547.735 | 393 | | | | | | |
| | | | RECENT | WINE COO | LER USE | RECEN | T MARIJU | ANA USE |
| DECENIE DILLA | I AND LIGH | OFFICE | Q17D I | Frequency | Percent | Q18A I | Frequency | Percent |
| RECENT INHA | LANT USE EROSOLS | | Never Heard/Used | 177,777 | 61.0% | Never Heard/Used | 215,849 | 73.4% |
| | Frequency | | In Your Lifetime | 44,040 | 15.1% | In Your Lifetime | 31,473 | 10.7% |
| Never Heard/Used | 284,331 | 96.1% | Since School Began | 21,626 | 7.4% | Since School Began | 13,959 | 4.7% |
| In Your Lifetime | 5,622 | 1.9% | In the Past Month | 47,941 | 16.5% | In the Past Month | 32,974 | 11.2% |
| Since School Began | 1,683 | 0.6% | Frequency Missing | = 10801.979 | | Frequency Missing | = 7931.3564 | 972 |
| In the Past Month | 4,170 | 1.4% | 3 | | | 3 | | |
| Frequency Missing | | | | | | | | |
| , , , | | • | | RECENT W | TIME LICE | DE/ | CENT COCA | INE LICE |
| | | | | RECENT W Frequency | | | Frequency | |
| 2222 | | | Never Heard/Used | 185,368 | 65.0% | Never Heard/Used | 272,997 | 93.7% |
| | T CIGARE | | In Your Lifetime | 47,738 | 16.7% | In Your Lifetime | 9,430 | 3.2% |
| | Frequency | | Since School | 18,839 | 6.6% | Since School | 2,874 | 1.0% |
| Never Heard/Used | 209,695 | 71.2% | Began | 10,000 | 0.070 | Began | 2,011 | 1.070 |
| In Your Lifetime Since School | 38,864 13,533 | 13.2% 4.6% | In the Past Month | 33,302 | 11.7% | In the Past Month | 5,973 | 2.1% |
| Began | 13,333 | 4.0% | Frequency Missing | = 16938.641 | 075 | Frequency Missing | = 10912.603 | 544 |
| In the Past Month | 32,479 | 11.0% | | | | | | |
| Frequency Missing | = 7615.2473 | 975 | | | | | | |
| | | • | RE | ECENT LIQU | JOR USE | R | ECENT CRA | ACK USE |
| | | | Q17F I | Frequency | Percent | Q18C 1 | Frequency | Percent |
| RECENT SMOKEL | ESS TOBA | CCO USE | Never Heard/Used | 179,514 | 61.4% | Never Heard/Used | 283,533 | 98.0% |
| | Frequency | | In Your Lifetime | 41,781 | 14.3% | In Your Lifetime | 2,957 | 1.0% |
| Never Heard/Used | 269,004 | 92.6% | Since School Began | 22,855 | 7.8% | Since School Began | 875 | 0.3% |
| In Your Lifetime | 9,895 | 3.4% | In the Past Month | 48,180 | 16.5% | In the Past Month | 1,999 | 0.7% |
| Since School Began | 3,522 | 1.2% | Frequency Missing | | | Frequency Missing | | |
| | | | | | | | | |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

In the Past Month

8,196

Frequency Missing = 11569.719839

2.8%

| | | 0 | | | | | |
|------------------------|--|--|---|---|--|--|--|
| LLUCINO | GEN USE | REC | CENT STER | OID USE | ALCOHOL US | SE IN PAST | MONTH |
| requency | Percent | | | | q19b F | requency | Percent |
| 278,503 | 96.1% | Never Heard/Used | 284,572 | 98.8% | Never Heard/Used | 202,617 | 69.3% |
| 5,890 | 2.0% | In Your Lifetime | 1,824 | 0.6% | 1-2 times | 54,407 | 18.6% |
| 1,783 | 0.6% | Since School | 348 | 0.1% | 3-10 times | 25,324 | 8.7% |
| | | | | | 11+ times | 10,214 | 3.5% |
| | | | | | Frequency Missing | = 9624.5159 | 9711 |
| - 12292.260 |)573 | Frequency Missing | g = 14027.70 | 625 | | | |
| | | | | | INILIAI AMT IIC | E IN DACT | MONTU |
| ECENT UP | PER USE | REC | CENT ECST | ASY USE | | | |
| requency | Percent | Q18J 1 | Frequency | Percent | | | 96.5% |
| 272,643 | 94.6% | Never Heard/Used | 265,641 | | | , | 2.7% |
| 6,954 | 2.4% | In Your Lifetime | 12,309 | 4.3% | | | 0.5% |
| 2,715 | 0.9% | Since School | 3,631 | 1.3% | | | 0.3% |
| | | Began | | | | | |
| 5,795 | 2.0% | In the Past Month | 7,543 | 2.6% | r requericy missing | 1 – 11107. 4 0 | 070 |
| = 14079.267 | '901 | Frequency Missing | = 13061.286 | 6476 | | | |
| | | | | | | | |
| | | | | | | | |
| ENT DOW | NER USE | RF | CENT HER | OIN USE | | | |
| | | | | | | | 82.9% |
| | | | | | | | 7.9% |
| | | | | | | | 4.1% |
| | 1.1% | | 430 | | | | 5.1% |
| , | | Began | | | Frequency Missing | = 12074.660 | 0213 |
| 7,814 | 2.7% | In the Past Month | 1,308 | 0.4% | | | |
| = 14749.108 | 3124 | Frequency Missing | = 11445.622 | 2445 | | | |
| | | | | | | | |
| | | | | | COCAINE US | | |
| | | | | | q19e F | requency | |
| NT ROHYPI | NOL USE | TOBACCO US | SE IN PAST | MONTH | q19e F Never Heard/Used | | |
| VT ROHYP! 'requency | | | SE IN PAST Frequency | | q19e F Never Heard/Used 1-2 times | 280,906 6,891 | Percent 96.4% 2.4% |
| | Percent | | | | q19e F Never Heard/Used 1-2 times 3-10 times | 280,906 6,891 1,980 | Percent 96.4% 2.4% 0.7% |
| requency | Percent | q19a F | Frequency | Percent | q19e F Never Heard/Used 1-2 times 3-10 times 11+ times | 280,906 6,891 1,980 1,553 | Percent 96.4% 2.4% 0.7% 0.5% |
| requency 275,870 | Percent 95.4% | q19a F Never Heard/Used | Frequency 256,624 | Percent 87.7% | q19e F Never Heard/Used 1-2 times 3-10 times | 280,906 6,891 1,980 1,553 | Percent 96.4% 2.4% 0.7% 0.5% |
| | ECENT UP requency 272,643 6,954 2,715 5,795 14079.267 ENT DOW requency 267,785 8,617 3,221 7,814 | 5,890 2.0% 1,783 0.6% 3,717 1.3% = 12292.260573 ECENT UPPER USE frequency Percent 272,643 94.6% 6,954 2.4% 2,715 0.9% 5,795 2.0% = 14079.267901 ENT DOWNER USE frequency Percent 267,785 93.2% 8,617 3.0% 3,221 1.1% | Grequency Percent Q181 278,503 96.1% Never Heard/Used 5,890 2.0% In Your Lifetime 1,783 0.6% Since School Began 3,717 1.3% In the Past Month = 12292.260573 Frequency Missing ECENT UPPER USE Grequency RECENT Q18J 272,643 94.6% Never Heard/Used 6,954 2.4% In Your Lifetime 2,715 0.9% Since School Began 5,795 2.0% In the Past Month = 14079.267901 Frequency Missing ENT DOWNER USE Grequency RECENT Q18K 267,785 93.2% Never Heard/Used 8,617 3.0% In Your Lifetime 3,221 1.1% Since School Began 7,814 2.7% In the Past Month | requency Percent Q18I Frequency 278,503 96.1% Never Heard/Used 284,572 5,890 2.0% In Your Lifetime 1,824 1,783 0.6% Since School Began 348 3,717 1.3% In the Past Month 1,414 = 12292.260573 Frequency Missing = 14027.70 ECENT UPPER USE Frequency RECENT ECST Q18J Frequency 272,643 94.6% Never Heard/Used 265,641 6,954 2.4% In Your Lifetime 12,309 2,715 0.9% Since School Began 3,631 5,795 2.0% In the Past Month 7,543 = 14079.267901 Frequency Missing = 13061.286 ENT DOWNER USE Frequency RECENT HER Q18K Frequency 267,785 93.2% Never Heard/Used 287,466 8,617 3.0% In Your Lifetime 1,537 3,221 1.1% Since School Began 7,814 2.7% In the Past Month 1,308 | Percent Q18I Frequency Percent 278,503 96.1% Never Heard/Used 284,572 98.8% 5,890 2.0% In Your Lifetime 1,824 0.6% 1,783 0.6% Since School 348 0.1% Began 3,717 1.3% In the Past Month 1,414 0.5% ECENT UPPER USE RECENT ECSTASY USE Tequency Percent Q18J Frequency Percent Q18J Frequency Percent 272,643 94.6% Never Heard/Used 265,641 91.9% 6,954 2.4% In Your Lifetime 12,309 4.3% 2,715 0.9% Since School 3,631 1.3% Began 5,795 2.0% In the Past Month 7,543 2.6% ENT DOWNER USE RECENT HEROIN USE Tequency Percent Q18K Frequency Percent Q18K Percent Q18K Percent Q18K Percent Q1 | Trequency Percent Q181 Frequency Percent Q190 Frequency Percent Q181 Frequency Percent Q182 Frequency Percent Q183 Frequency Percent Q183 Frequency Percent Q183 Percent Percen | Percent Percent Q18I Frequency Percent Q18U Frequency Percent Q18U Frequency Percent Q18U Percent |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 9674.5583802

In the Past Month

5,013

Frequency Missing = 13036.121479

| | | | SPRING | 2012 ق | | | | |
|-------------------|--------------|---------|-------------------|--------------|--------------------|-----------------------|--------------|-----------------|
| CRACK US | SE IN PAST | MONTH | CLOSE FRIENDS U | SE WINE C | OOLERS | CLOSE FRIENI | DS USE MA | RIJUANA |
| q19f F | requency | Percent | | Frequency | | | Frequency | |
| Never Heard/Used | 290,011 | 98.9% | Never heard/None | 147,065 | 51.3% | Never heard/None | 139,005 | 48.4% |
| 1-2 times | 2,355 | 0.8% | A few | 54,132 | 18.9% | A few | 54,110 | 18.8% |
| 3-10 times | 388 | 0.1% | Some | 40,864 | 14.3% | Some | 38,814 | 13.5% |
| 11+ times | 351 | 0.1% | Most | 31,361 | 10.9% | Most | 37,601 | 13.1% |
| Frequency Missing | g = 9080.137 | 806 | All | 13,219 | 4.6% | All | 17,772 | 6.2% |
| | | | Frequency Missing | g = 15544.40 | 168 | Frequency Missing | g = 14884.43 | 9603 |
| CLOSE FRIENDS | S USE CIGA | RETTES | | | | | | |
| q20a F | requency | Percent | CLOSE I | FRIENDS U | SE WINE | DIFFICULT TO | GET CIGAL | RETTES |
| Never heard/None | 138,495 | 47.7% | g20e I | Frequency | Percent | g21a F | requency | Percent |
| A few | 86,996 | 30.0% | Never heard/None | 167,234 | 58.7% | Never heard of | 71,104 | 24.8% |
| Some | 40,923 | 14.1% | A few | 59,294 | 20.8% | Impossible | 49,493 | 17.3% |
| Most | 19,031 | 6.6% | Some | 32,780 | 11.5% | Very difficult | 15,057 | 5.2% |
| All | 4,817 | 1.7% | Most | 17,571 | 6.2% | Somewhat diff | 27,204 | 9.5% |
| Frequency Missing | = 11923.352 | 2115 | All | 7,809 | 2.7% | Somewhat easy | 47,472 | 16.5% |
| | | | Frequency Missing | = 17497.60 | 5088 | Very easy | 76,513 | 26.7% |
| | | | . 4 | | | Frequency Missing | g = 15342.63 | 2683 |
| CLOCE EDIEND | G LIGE GMG | WEL EGG | | | | | , | |
| CLOSE FRIENDS | | OBACCO | | | | | | |
| a20b F | requency | | CLOSE FRI | | | | | |
| Never heard/None | 219,131 | 76.4% | | Frequency | | DIFFICULT TO | | KELESS BACCO |
| A few | 42,406 | 14.8% | Never heard/None | 136,446 | 47.7% | a21h F | requency | |
| Some | 17,124 | 6.0% | A few | 56,632 | 19.8% | Never heard of | 111,332 | 39.2% |
| Most | 5,949 | 2.1% | Some | 41,216 | 14.4% | Impossible | 58,608 | 20.6% |
| All | 2,192 | 0.8% | Most | 36,700 | 12.8% | Very difficult | 19,504 | 6.9% |
| Frequency Missing | | | All | 15,263 | 5.3% | Somewhat diff | 26,596 | 9.4% |
| | | | Frequency Missing | g = 15929.76 | 5109 | Somewhat easy | 29,087 | 10.2% |
| | | | | | | Very easy | 38,724 | 13.6% |
| | | | | | | Frequency Missin | | |
| | RIENDS US | | CLOSE FRIENI | OS USE INF | HALANTS | r requeries ivilisair | g - 10004.90 | 0001 |
| | Frequency | | q20g I | Frequency | Percent | | | |
| Never heard/None | 105,580 | 36.8% | Never heard/None | 227,019 | 79.2% | | | |
| A few | 66,429 | 23.2% | A few | 37,212 | 13.0% | DIFFIC | ULT TO GE | T BEER |
| Some | 50,366 | 17.6% | Some | 14,002 | 4.9% | q21c F | requency | Percent |
| Most | 46,349 | 16.2% | Most | 5,884 | 2.1% | Never heard of | 61,219 | 21.7% |
| All | 17,899 | 6.2% | All | 2,447 | 0.9% | Impossible | 39,943 | 14.2% |
| Frequency Missing | = 15561.996 | 8913 | Frequency Missing | | | Very difficult | 15,010 | 5.3% |
| | | | | | · · · - | Somewhat diff | 32,850 | 11.6% |
| | | | | | | Somewhat easy | 52,364 | 18.6% |
| | | | | | | Very easy | 80,753 | 28.6% |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 20048.043628

| DIFFICULT TO 0 | GET WINE C | OOLERS |
|----------------|------------|---------|
| q21d | Frequency | Percent |
| Never heard of | 79,566 | 28.0% |
| Impossible | 43,648 | 15.4% |
| Very difficult | 16,410 | 5.8% |
| Somewhat diff | 31,996 | 11.3% |
| Somewhat easy | 46,191 | 16.3% |
| Very easy | 66,154 | 23.3% |

Frequency Missing = 18219.79978

| DIFFICULT T | O GET MAI | RIJUANA |
|----------------|-----------|---------|
| q21h I | Frequency | Percent |
| Never heard of | 76,173 | 27.0% |
| Impossible | 60,857 | 21.6% |
| Very difficult | 18,309 | 6.5% |
| Somewhat diff | 23,761 | 8.4% |
| Somewhat easy | 34,480 | 12.2% |
| Very easy | 68,636 | 24.3% |

Frequency Missing = 19971.267377

| DIFFIC | JLT TO GET | UPPERS |
|----------------|------------|---------|
| q21m | Frequency | Percent |
| Never heard of | 150,229 | 53.8% |
| Impossible | 52,208 | 18.7% |
| Very difficult | 17,943 | 6.4% |
| Somewhat diff | 17,914 | 6.4% |
| Somewhat easy | 15,738 | 5.6% |
| Very easy | 25,164 | 9.0% |

Frequency Missing = 22990.646801

| DIFF | ICULT TO G | ET WINE |
|----------------|------------|---------|
| q21e | Frequency | Percent |
| Never heard of | 74,253 | 26.4% |
| Impossible | 48,553 | 17.3% |
| Very difficult | 20,034 | 7.1% |
| Somewhat diff | 34,407 | 12.2% |
| Somewhat easy | 44,925 | 16.0% |
| Very easy | 58,863 | 20.9% |

Frequency Missing = 21151.820819

| DIFFICUI | LT TO GET (| COCAINE |
|----------------|-------------|---------|
| q21i | Frequency | Percent |
| Never heard of | 97,173 | 34.7% |
| Impossible | 78,523 | 28.0% |
| Very difficult | 27,766 | 9.9% |
| Somewhat diff | 27,550 | 9.8% |
| Somewhat easy | 20,009 | 7.1% |
| Very easy | 29,029 | 10.4% |

Frequency Missing = 22136.43572

| DIFFICULT ' | TO GET D | OWNERS |
|----------------|----------|---------|
| q21n F | requency | Percent |
| Never heard of | 147,850 | 53.1% |
| Impossible | 51,726 | 18.6% |
| Very difficult | 18,167 | 6.5% |
| Somewhat diff | 17,985 | 6.5% |
| Somewhat easy | 16,074 | 5.8% |
| Very easy | 26,737 | 9.6% |

Frequency Missing = 23647.665366

| DIFFIC | ULT TO GET | LIQUOR |
|----------------|------------|---------|
| q21f | Frequency | Percent |
| Never heard of | 71,784 | 25.3% |
| Impossible | 50,327 | 17.7% |
| Very difficult | 21,246 | 7.5% |
| Somewhat diff | 34,071 | 12.0% |
| Somewhat easy | 43,478 | 15.3% |
| Very easy | 63,195 | 22.2% |

Frequency Missing = 18084.094912

| DIFFIC | ULT TO GET | CRACK |
|----------------|------------|---------|
| q21j | Frequency | Percent |
| Never heard of | 105,766 | 37.9% |
| Impossible | 80,768 | 28.9% |
| Very difficult | 30,001 | 10.7% |
| Somewhat diff | 26,084 | 9.3% |
| Somewhat easy | 16,265 | 5.8% |
| Very easy | 20,525 | 7.3% |

Frequency Missing = 22776.967158

| DIFFICULT | TO GET RO | HYPNOL |
|----------------|-----------|---------|
| q21o | Frequency | Percent |
| Never heard of | 138,494 | 49.5% |
| Impossible | 61,324 | 21.9% |
| Very difficult | 21,472 | 7.7% |
| Somewhat diff | 19,749 | 7.1% |
| Somewhat easy | 15,088 | 5.4% |
| Very easy | 23,438 | 8.4% |

Frequency Missing = 22621.421854

| DIFFICULT | TO GET INF | HALANTS |
|----------------|------------|---------|
| q21g | Frequency | Percent |
| Never heard of | 105,231 | 37.3% |
| Impossible | 50,050 | 17.7% |
| Very difficult | 12,684 | 4.5% |
| Somewhat diff | 17,866 | 6.3% |
| Somewhat easy | 24,567 | 8.7% |
| Very easy | 71,874 | 25.5% |

Frequency Missing = 19914.68505

| | DIFFICULT HALLUCI | |
|----------------|----------------------|---------|
| q21l | Frequency | Percent |
| Never heard of | 138,145 | 49.2% |
| Impossible | 63,491 | 22.6% |
| Very difficult | 24,781 | 8.8% |
| Somewhat diff | 21,994 | 7.8% |
| Somewhat easy | 13,640 | 4.9% |
| Very easy | 18,602 | 6.6% |

Frequency Missing = 21532.682965

| DIFFICUL | T TO GET S | ΓEROIDS |
|----------------|------------|---------|
| q21p | Frequency | Percent |
| Never heard o | f 114,232 | 41.1% |
| Impossible | e 83,496 | 30.0% |
| Very difficult | t 27,030 | 9.7% |
| Somewhat dif | f 22,113 | 8.0% |
| Somewhat easy | 14,526 | 5.2% |
| Very easy | 16,719 | 6.0% |

Frequency Missing = 24070.240154

| DIFFICUI | T TO GET E | ECSTASY |
|----------------|------------|---------|
| q21q | Frequency | Percent |
| Never heard of | 118,891 | 42.6% |
| Impossible | 63,968 | 22.9% |
| Very difficult | 21,674 | 7.8% |
| Somewhat diff | 20,505 | 7.3% |
| Somewhat easy | 21,195 | 7.6% |
| Very easy | 32,819 | 11.8% |

Frequency Missing = 23133.532719

| DIFFICU | JLT TO GET | HEROIN |
|----------------|------------|---------|
| q21r | Frequency | Percent |
| Never heard of | 130,420 | 47.1% |
| Impossible | 77,606 | 28.0% |
| Very difficult | 26,934 | 9.7% |
| Somewhat diff | 18,186 | 6.6% |
| Somewhat easy | 8,997 | 3.2% |
| Very easy | 14,798 | 5.3% |

Frequency Missing = 25245.64132

| AGE WHEN FIRST USED CIGARETTES | | |
|-----------------------------------|-----------|---------|
| q22a | Frequency | Percent |
| 9 or younger | 8,319 | 9.6% |
| 10 years old | 5,380 | 6.2% |
| 11 years old | 5,899 | 6.8% |
| 12 years old | 9,197 | 10.6% |
| 13 years old | 13,291 | 15.4% |
| 14 years old | 13,096 | 15.2% |
| 15 years old | 14,264 | 16.5% |
| 16 years old | 9,026 | 10.4% |
| 17 years old | 5,335 | 6.2% |
| 18 or older | 2,593 | 3.0% |

Frequency Missing = 215788.138

| AGE WHEN FIRST USED | | |
|---------------------|-----------|---------|
| SM | OKELESS T | OBACCO |
| q22b | Frequency | Percent |
| 9 or younger | 1,064 | 5.7% |
| 10 years old | 764 | 4.1% |
| 11 years old | 1,131 | 6.1% |
| 12 years old | 1,611 | 8.7% |
| 13 years old | 2,864 | 15.5% |
| 14 years old | 3,380 | 18.3% |
| 15 years old | 3,426 | 18.5% |
| 16 years old | 2,409 | 13.0% |
| 17 years old | 1,285 | 6.9% |
| 18 or older | 576 | 3.1% |

Frequency Missing = 283676.50251

| AGE WHE | N FIRST US | ED WINE |
|---------------|---------------|---------|
| q22d | Frequency | Percent |
| 9 or younger | 6,881 | 6.4% |
| 10 years old | 5,800 | 5.4% |
| 11 years old | 7,191 | 6.7% |
| 12 years old | 11,774 | 10.9% |
| 13 years old | 18,346 | 17.0% |
| 14 years old | 19,423 | 18.0% |
| 15 years old | 18,617 | 17.3% |
| 16 years old | 12,108 | 11.2% |
| 17 years old | 5,676 | 5.3% |
| 18 or older | 1,964 | 1.8% |
| Frequency Mis | ssing = 19440 | 6.62866 |

| AGE WHEN FIRST USED BEER | | |
|--------------------------|-----------|---------|
| q22c | Frequency | Percent |
| 9 or younger | 20,320 | 14.7% |
| 10 years old | 10,195 | 7.4% |
| 11 years old | 9,482 | 6.9% |
| 12 years old | 15,404 | 11.2% |
| 13 years old | 20,717 | 15.0% |
| 14 years old | 21,767 | 15.8% |
| 15 years old | 20,731 | 15.0% |
| 16 years old | 11,523 | 8.3% |
| 17 years old | 5,772 | 4.2% |
| 18 or older | 2,236 | 1.6% |

Frequency Missing = 164038.50069

| AGE WHE | N FIRST US | ED WINE |
|--------------|------------|---------|
| q22e | Frequency | Percent |
| 9 or younger | 7,935 | 7.8% |
| 10 years old | 6,703 | 6.6% |
| 11 years old | 6,757 | 6.7% |
| 12 years old | 12,277 | 12.1% |
| 13 years old | 15,448 | 15.2% |
| 14 years old | 17,275 | 17.0% |
| 15 years old | 17,958 | 17.7% |
| 16 years old | 9,973 | 9.8% |
| 17 years old | 5,366 | 5.3% |
| 18 or older | 1,843 | 1.8% |

Frequency Missing = 200650.55155

| AGE WHEN FI | RST USED | LIQUOR |
|--------------|----------|---------|
| q22f F | requency | Percent |
| 9 or younger | 4,826 | 4.4% |
| 10 years old | 3,595 | 3.3% |
| 11 years old | 4,757 | 4.3% |
| 12 years old | 10,392 | 9.5% |
| 13 years old | 17,383 | 15.9% |
| 14 years old | 20,837 | 19.0% |
| 15 years old | 22,683 | 20.7% |
| 16 years old | 15,002 | 13.7% |
| 17 years old | 7,462 | 6.8% |
| 18 or older | 2,617 | 2.4% |

Frequency Missing = 192630.95229

| AGE WHEN FIRST USED | | |
|---------------------|-----------|---------|
| AGE | MARIJUANA | |
| q22h | Frequency | Percent |
| 9 or younger | 3,623 | 4.9% |
| 10 years old | 2,722 | 3.7% |
| 11 years old | 4,322 | 5.8% |
| 12 years old | 7,593 | 10.2% |
| 13 years old | 13,726 | 18.5% |
| 14 years old | 14,334 | 19.3% |
| 15 years old | 14,397 | 19.4% |
| 16 years old | 8,363 | 11.3% |
| 17 years old | 3,732 | 5.0% |
| 18 or older | 1,285 | 1.7% |

Frequency Missing = 228088.79994

| AGE WHEN | FIRST USED | CRACK |
|--------------|------------|---------|
| q22j | Frequency | Percent |
| 9 or younger | 293 | 6.0% |
| 10 years old | 298 | 6.1% |
| 11 years old | 323 | 6.6% |
| 12 years old | 472 | 9.6% |
| 13 years old | 824 | 16.8% |
| 14 years old | 1,207 | 24.7% |
| 15 years old | 630 | 12.9% |
| 16 years old | 336 | 6.9% |
| 17 years old | 478 | 9.8% |
| 18 or older | 33 | 0.7% |

Frequency Missing = 297291.51734

| AGE WHEN FIRST USED INHALANTS | | |
|----------------------------------|-----------|---------|
| q22g | Frequency | Percent |
| 9 or younger | 2,477 | 12.0% |
| 10 years old | 2,275 | 11.0% |
| 11 years old | 2,361 | 11.4% |
| 12 years old | 3,385 | 16.3% |
| 13 years old | 3,783 | 18.3% |
| 14 years old | 2,201 | 10.6% |
| 15 years old | 2,391 | 11.5% |
| 16 years old | 1,441 | 7.0% |
| 17 years old | 354 | 1.7% |
| 18 or older | 44 | 0.2% |

Frequency Missing = 281474.67042

| AGE | E WHEN FIR | ST USED |
|--------------|------------|---------|
| | (| COCAINE |
| q22i | Frequency | Percent |
| 9 or younger | 377 | 2.2% |
| 10 years old | 348 | 2.0% |
| 11 years old | 904 | 5.2% |
| 12 years old | 1,180 | 6.8% |
| 13 years old | 2,407 | 13.8% |
| 14 years old | 3,142 | 18.0% |
| 15 years old | 3,430 | 19.7% |
| 16 years old | 3,274 | 18.8% |
| 17 years old | 1,863 | 10.7% |
| 18 or older | 497 | 2.9% |

Frequency Missing = 284763.33379

| AGE | WHEN FIR: HALLUCI | |
|--------------|----------------------|---------|
| q22l | Frequency | Percent |
| 9 or younger | 192 | 2.0% |
| 10 years old | 240 | 2.6% |
| 11 years old | 418 | 4.5% |
| 12 years old | 730 | 7.8% |
| 13 years old | 1,285 | 13.7% |
| 14 years old | 1,590 | 17.0% |
| 15 years old | 2,241 | 23.9% |
| 16 years old | 1,723 | 18.4% |
| 17 years old | 715 | 7.6% |
| 18 or older | 235 | 2.5% |
| | | |

Frequency Missing = 292816.2077

| AGE WHEN FIR | ST USED | UPPERS |
|--------------|---------|---------|
| q22m Fr | equency | Percent |
| 9 or younger | 382 | 2.4% |
| 10 years old | 218 | 1.4% |
| 11 years old | 782 | 4.9% |
| 12 years old | 1,471 | 9.2% |
| 13 years old | 2,343 | 14.7% |
| 14 years old | 3,343 | 20.9% |
| 15 years old | 3,979 | 24.9% |
| 16 years old | 2,411 | 15.1% |
| 17 years old | 861 | 5.4% |
| 18 or older | 202 | 1.3% |

Frequency Missing = 286195.56228

| AGE WHEN FIRST USED ROHYPNOL | | | | | | | | |
|------------------------------|-----------|---------|--|--|--|--|--|--|
| q22o | Frequency | Percent | | | | | | |
| 9 or younger | 276 | 2.4% | | | | | | |
| 10 years old | 217 | 1.9% | | | | | | |
| 11 years old | 732 | 6.3% | | | | | | |
| 12 years old | 1,035 | 8.8% | | | | | | |
| 13 years old | 2,240 | 19.1% | | | | | | |
| 14 years old | 2,389 | 20.4% | | | | | | |
| 15 years old | 2,760 | 23.6% | | | | | | |
| 16 years old | 1,255 | 10.7% | | | | | | |
| 17 years old | 691 | 5.9% | | | | | | |
| 18 or older | 108 | 0.9% | | | | | | |

Frequency Missing = 290484.51595

| AGE | E WHEN FIR E | ST USED ECSTASY |
|--------------|-----------------|--------------------|
| q22q | Frequency | Percent |
| 9 or younger | 377 | 1.7% |
| 10 years old | 295 | 1.3% |
| 11 years old | 687 | 3.0% |
| 12 years old | 1,480 | 6.6% |
| 13 years old | 2,690 | 11.9% |
| 14 years old | 4,619 | 20.5% |
| 15 years old | 5,808 | 25.7% |
| 16 years old | 4,296 | 19.0% |
| 17 years old | 1,899 | 8.4% |
| 18 or older | 427 | 1.9% |

Frequency Missing = 279608.23046

| AGE WHEN FIRST USED DOWNERS | | | | | | |
|-----------------------------|-----------|---------|--|--|--|--|
| q22n | Frequency | Percent | | | | |
| 9 or younger | 342 | 1.8% | | | | |
| 10 years old | 213 | 1.1% | | | | |
| 11 years old | 759 | 4.1% | | | | |
| 12 years old | 1,537 | 8.3% | | | | |
| 13 years old | 2,595 | 14.0% | | | | |
| 14 years old | 4,151 | 22.3% | | | | |
| 15 years old | 4,918 | 26.5% | | | | |
| 16 years old | 2,719 | 14.6% | | | | |
| 17 years old | 1,207 | 6.5% | | | | |

Frequency Missing = 283597.78761

147

0.8%

18 or older

| AGE | WHEN FIRS | ST USED | | | | | | |
|--------------|-----------|---------|--|--|--|--|--|--|
| STEROIDS | | | | | | | | |
| q22p] | Frequency | Percent | | | | | | |
| 9 or younger | 509 | 19.4% | | | | | | |
| 10 years old | 247 | 9.4% | | | | | | |
| 11 years old | 237 | 9.0% | | | | | | |
| 12 years old | 282 | 10.7% | | | | | | |
| 13 years old | 287 | 10.9% | | | | | | |
| 14 years old | 192 | 7.3% | | | | | | |
| 15 years old | 328 | 12.5% | | | | | | |
| 16 years old | 368 | 14.0% | | | | | | |
| 17 years old | 138 | 5.3% | | | | | | |
| 18 or older | 41 | 1.5% | | | | | | |

Frequency Missing = 299558.18712

| AGE WHEN FIRST | USED | HEROIN |
|----------------|--------|---------|
| q22r Freq | luency | Percent |
| 9 or younger | 177 | 7.9% |
| 10 years old | 115 | 5.2% |
| 11 years old | 131 | 5.9% |
| 12 years old | 171 | 7.7% |
| 13 years old | 369 | 16.6% |
| 14 years old | 460 | 20.6% |
| 15 years old | 323 | 14.5% |
| 16 years old | 258 | 11.6% |
| 17 years old | 137 | 6.2% |
| 18 or older | 87 | 3.9% |

Frequency Missing = 299958.19406

| HOW OF | ΓΕΝ NORMA CIGΑ | LLY USE ARETTES |
|------------------|-------------------|--------------------|
| q23a | Frequency | Percent |
| Every day | 3,406 | 1.2% |
| Several times/wk | 7,935 | 2.8% |
| Several times/mo | 11,775 | 4.1% |
| About once/month | 16,535 | 5.8% |
| About once/year | 13,088 | 4.6% |
| < once/year | 21,523 | 7.5% |
| Never used | 210,841 | 74.0% |

Frequency Missing = 17082.919512

| | TEN NORMA OKELESS T | | HOW OFTEN NORMALLY USE WINE HOW OFTEN NORMAL q23e Frequency Percent MAR | | | LLY USE RIJUANA | | |
|------------------|------------------------|---------|---|---------|-------|--------------------|-----------|---------|
| q23b | Frequency | Percent | | 83 | 0.0% | q23h 1 | Frequency | Percent |
| Every day | 504 | 0.2% | Several times/wk | 4,985 | 1.8% | Every day | 8,293 | 3.0% |
| Several times/wk | 1,474 | 0.5% | Several times/mo | 12,222 | 4.4% | Several times/wk | 9,628 | 3.5% |
| Several times/mo | 2,606 | 0.9% | About once/month | 19,134 | 6.9% | Several times/mo | 11,887 | 4.4% |
| About once/month | 3,328 | 1.2% | About once/year | 28.605 | 10.3% | About once/month | 11,680 | 4.3% |
| About once/year | 2,996 | 1.1% | < once/year | 23,871 | 8.6% | About once/year | 10,851 | 4.0% |
| < once/year | 5,684 | 2.0% | Never used | 189,360 | 68.1% | < once/year | 13,357 | 4.9% |
| Never used | 263,504 | 94.1% | | | | Never used | 207,495 | 76.0% |

Frequency Missing = 22089.776699

Frequency Missing = 28993.814356

| | | | HOW OFTEN NORM | MALLY USE | LIQUOR | | | |
|------------------|-----------|---------|------------------|-----------|---------|------------------|-----------|---------|
| HOW OFTEN NO | DRMALLY U | SE BEER | q23f | Frequency | Percent | HOW OFTEN NORM | ALLY USE | COCAINE |
| q23c | Frequency | Percent | | 499 | 0.2% | q23i | Frequency | Percent |
| Every day | 748 | 0.3% | Several times/wk | 7,797 | 2.8% | Every day | 522 | 0.2% |
| Several times/wk | 10,166 | 3.6% | Several times/mo | 21,542 | 7.6% | Several times/wk | 1,614 | 0.6% |
| Several times/mo | 24,759 | 8.8% | About once/month | 26,551 | 9.4% | Several times/mo | 2,092 | 0.8% |
| About once/month | 31,568 | 11.2% | | 25,349 | 9.0% | About once/month | 3,048 | 1.1% |
| About once/year | 25,530 | 9.1% | | 18,332 | 6.5% | About once/year | 2,551 | 0.9% |
| < once/year | 24,994 | 8.9% | | 182,205 | 64.5% | < once/year | 4,042 | 1.5% |
| Never used | 162,884 | 58.0% | | | | Never used | 258,657 | 94.9% |

Frequency Missing = 21536.555252

Frequency Missing = 29660.140399

| | | | HOW OF | ΓEN NORMA | LLY USE | | | |
|------------------|----------|---------|-------------------|--------------|---------|-------------------|---------------|---------|
| HOW OFTEN NO | | | | INI | HALANTS | HOW OFTEN NOR | MALLY US | E CRACK |
| | | COOLERS | | Frequency | Percent | q23j | Frequency | Percent |
| q23d F | requency | Percent | Every day | 407 | 0.1% | Every day | 171 | 0.1% |
| Every day | 492 | 0.2% | Several times/wk | 1,548 | 0.6% | Several times/wk | 289 | 0.1% |
| Several times/wk | 7,174 | 2.5% | Several times/mo | 1,791 | 0.7% | Several times/mo | 630 | 0.2% |
| Several times/mo | 19,244 | 6.8% | About once/month | 2,989 | 1.1% | About once/month | 908 | 0.3% |
| About once/month | 26,283 | 9.3% | About once/year | 3,816 | 1.4% | About once/year | 941 | 0.3% |
| About once/year | 24,198 | 8.6% | < once/year | 6,294 | 2.3% | < once/year | 1,378 | 0.5% |
| < once/year | 19,410 | 6.9% | Never used | 258,024 | 93.9% | Never used | 268,854 | 98.4% |
| Never used | 184,558 | 65.6% | Frequency Missing | n = 27317 82 | 3562 | Frequency Missing | n = 29015 477 | 7341 |

Frequency Missing = 20827.055339

Frequency Missing = 27317.823562 Frequency Missing = 29015.477341

| HOW OF | HOW OFTEN NORMALLY USE | | | HOW OFTEN NORMALLY US | | | MALLY USE | HEROIN |
|------------------|------------------------|---------|------------------|-----------------------|---------|-------------------|---------------|---------|
| | HALLUCI | INOGENS | | RC | HYPNOL | q23r | Frequency | Percent |
| q231 | Frequency | Percent | q23o | Frequency | Percent | Every day | 100 | 0.0% |
| Every day | 41 | 0.0% | Every day | 175 | 0.1% | Several times/wk | 114 | 0.0% |
| Several times/wk | 380 | 0.1% | Several times/wk | 789 | 0.3% | Several times/mo | 160 | 0.1% |
| Several times/mo | 1,083 | 0.4% | Several times/mo | 1,919 | 0.7% | About once/month | 290 | 0.1% |
| About once/month | 1,770 | 0.6% | About once/month | 2,475 | 0.9% | About once/year | 590 | 0.2% |
| About once/year | 2,637 | 1.0% | About once/year | 2,542 | 0.9% | < once/year | 1,044 | 0.4% |
| < once/year | 2,822 | 1.0% | < once/year | 2,628 | 1.0% | Never used | 277,592 | 99.2% |
| Never used | 265,999 | 96.8% | Never used | 265,155 | 96.2% | Frequency Missing | ı = 22295 673 | 3104 |

Frequency Missing = 27455.149195

Frequency Missing = 26503.321406

| HOW OFTEN NORMAL | HOW OFTEN NORMALLY USE UPPERS | | | | | |
|----------------------|-------------------------------|---------------|-------------------|--|--|--|
| STE | Percent | Frequency | q23m | | | |
| q23p Frequency I | 0.1% | 290 | Every day | | | |
| Every day 163 | 0.5% | 1,367 | Several times/wk | | | |
| Several times/wk 216 | 0.9% | 2,580 | Several times/mo | | | |
| Several times/mo 363 | 1.3% | 3,411 | About once/month | | | |
| About once/month 293 | 1.2% | 3,269 | About once/year | | | |
| About once/year 322 | 1.3% | 3,468 | < once/year | | | |
| < once/year 787 | 94.7% | 257,300 | Never used | | | |
| Never used 271,398 | | | | | | |
| Never used £71,556 | ' 581 | ı = 30500.767 | Frequency Missing | | | |

Frequency Missing = 28644.021241

| AMOUNT OF | BEER AT O | NE TIME |
|------------------|-----------|---------|
| q24a | Frequency | Percent |
| Never drink this | 152,951 | 53.9% |
| 12+ drinks | 11,560 | 4.1% |
| 9-11 drinks | 7,687 | 2.7% |
| 5-8 drinks | 16,879 | 5.9% |
| 3-4 drinks | 20,937 | 7.4% |
| 2 drinks | 19,199 | 6.8% |
| 1 drink | 21,327 | 7.5% |
| < 1 drink | 33,242 | 11.7% |

Frequency Missing = 18404.305816

| HOW OF | ΓEN NORMA | LLY USE | | | |
|------------------|-----------|---------|------------------|-------------|---------|
| | D | OWNERS | HOW OFTEN NORM | IALLY USE E | ECSTASY |
| q23n | Frequency | Percent | q23q | Frequency | Percent |
| Every day | 333 | 0.1% | Every day | 120 | 0.0% |
| Several times/wk | 1,782 | 0.7% | Several times/wk | 1,255 | 0.5% |
| Several times/mo | 3,345 | 1.2% | Several times/mo | 2,923 | 1.1% |
| About once/month | 3,629 | 1.3% | About once/month | 4,235 | 1.5% |
| About once/year | 3,994 | 1.5% | About once/year | 5,275 | 1.9% |
| < once/year | 3,935 | 1.4% | < once/year | 5,844 | 2.1% |
| Never used | 255,690 | 93.8% | Never used | 256,807 | 92.9% |

Frequency Missing = 29478.024247

Frequency Missing = 25726.559511

| AMOUNT | OF WINE COO O | LERS AT NE TIME |
|----------------|------------------|--------------------|
| q24 | 4b Frequency | Percent |
| Never drink th | is 172,309 | 61.3% |
| 12+ drinl | ks 6,638 | 2.4% |
| 9-11 drin | ks 4,590 | 1.6% |
| 5-8 drin | ks 11,968 | 4.3% |
| 3-4 drin | ks 21,923 | 7.8% |
| 2 drinl | ks 21,790 | 7.8% |
| 1 drir | nk 20,957 | 7.5% |
| < 1 drir | nk 20,858 | 7.4% |

Frequency Missing = 21153.422395

| | | | SPRIN | G 2012 | | | | |
|-------------------|--------------|---------|-------------------|---------------|--------------------|-----------------------|------------------------|----------|
| AMOUNT OF V | VINE AT ON | NE TIME | GET ALCOHOLIC | BEVERAGE | | GET ALCOHOLIC | | |
| q24c F | requency | Percent | | | HOME | | OTHER S | |
| Never drink this | 178,757 | 64.0% | | Frequency | | | Frequency | |
| 12+ drinks | 4,354 | 1.6% | Do not Drink | 146,031 | 51.4% | Do not Drink | 138,950 | 49.5% |
| 9-11 drinks | 1,817 | 0.7% | Never | 75,745 | 26.6% | Never | 69,384 | 24.7% |
| 5-8 drinks | 5,054 | 1.8% | Seldom | 44,983 | 15.8% | Seldom | 31,948 | 11.4% |
| 3-4 drinks | 10,889 | 3.9% | Most of the Time | 13,288 | 4.7% | Most of the Time | 20,482 | 7.3% |
| 2 drinks | 17,215 | 6.2% | Always | 4,305 | 1.5% | Always | 19,697 | 7.0% |
| 1 drink | 25,834 | 9.2% | Frequency Missing | g = 17833.53 | 1382 | Frequency Missing | g = 21724.81 | 12911 |
| < 1 drink | 35,479 | 12.7% | | | | | | |
| Frequency Missing | g = 22786.43 | 4253 | | | | | | |
| | | | GET ALCOHOLIC | | ES FROM FRIENDS | | IJUANA AS Frequency | |
| AMOUNT OF LIO | LIOD ATLON | | q26b I | Frequency | Percent | Never | 222,684 | 78.4% |
| AMOUNT OF LIQ | | | Do not Drink | 129,743 | 46.1% | Seldom | 19,908 | 7.0% |
| | requency | | Never | 54,144 | 19.2% | Half the time | 12,925 | 4.5% |
| Never drink this | 171,484 | 61.0% | Seldom | 41,395 | 14.7% | Most of the time | 13,387 | 4.7% |
| 12+ drinks | 8,848 | 3.1% | Most of the Time | 40,369 | 14.3% | Always | 11,622 | 4.1% |
| 9-11 drinks | 6,291 | 2.2% | Always | 15,697 | 5.6% | Don't know | 3,668 | 1.3% |
| 5-8 drinks | 13,994 | 5.0% | Frequency Missing | g = 20836.62 | 3385 | Frequency Missing | | |
| 3-4 drinks | 21,113 | 7.5% | , , | , | | r requericy iviissing | y - 17992.34 | 12330 |
| 2 drinks | 18,431 | 6.6% | | | | | | |
| 1 drink | 18,606 | 6.6% | | | | | | |
| < 1 drink | 22,296 | 7.9% | GET ALCOHOLIC | | ES FROM A STORE | USE MARI | IJUANA AS | BLUNTS |
| Frequency Missing | g = 21122.97 | 4021 | a26a I | requency | | q27b I | Frequency | Percent |
| | | | Do not Drink | 137,407 | 49.1% | Never | 226,636 | 80.5% |
| | | | Never | 103,395 | 36.9% | Seldom | 18,354 | 6.5% |
| | HOW N | MANY 5+ | Seldom | 18,421 | 6.6% | Half the time | 11,582 | 4.1% |
| DRINKS | S IN PAST 3 | | Most of the Time | 13,624 | 4.9% | Most of the time | 11,328 | 4.0% |
| q25 F | requency | Percent | Always | 7,184 | 2.6% | Always | 10,317 | 3.7% |
| Never 5+ at time | 119,594 | 41.6% | | | | Don't know | 3,394 | 1.2% |
| None | 111,892 | 38.9% | Frequency Missing | j = 22 133.00 | 3200 | Frequency Missing | g = 20576.16 | 65781 |
| 1 day | 20,943 | 7.3% | | | | | | |
| 2 days | 11,598 | 4.0% | | | | | | |
| 3 to 5 days | 12,254 | 4.3% | GET ALCOHOL | | | HOEMARIH | TANA INI DA | NGG OD |
| 6 to 9 days | 4,711 | 1.6% | | | PARTIES | USE MARIJU | | ER PIPES |
| 10 or more days | 6,671 | 2.3% | | Frequency | | a27c I | Frequency | |
| Frequency Missing | g = 14522.32 | 9252 | Do not Drink | 121,292 | 43.0% | Never | 231,852 | 82.8% |
| | | | Never | 41,193 | 14.6% | Seldom | 15,229 | 5.4% |
| | | | Seldom | 36,744 | 13.0% | Half the time | 10,635 | 3.8% |
| | | | Most of the Time | 40,784 | 14.5% | Most of the time | 9,360 | 3.3% |
| | | | Always | 42,003 | 14.9% | Always | 10,185 | 3.6% |
| | | | Frequency Missing | g = 20169.45 | 1267 | Don't know | 2,911 | 1.0% |
| | | | | | | DOIL CKIOW | ۵,311 | 1.070 |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 22014.695321

| | RIJUANA II | | RECENT PI | | | TAKE | | LE CS, ETC |
|--|--|--|--|---|--|---|--|---|
| | requency | | | - OXYCON | | | | O GET HIGH |
| Never | 224,981 | 80.4% | Never heard/used | Frequency 271,610 | 97.4% | Never heard/us | | ncy Percent 177 95.4% |
| Seldom | 14,986 | 5.4% | At least | 2,950 | 1.1% | At lea | · · · · · · · · · · · · · · · · · · · | 253 1.9% |
| Half the time | 10,489 | 3.7% | once/month | 2,930 | 1.170 | once/mon | | 233 1.9% |
| Most of the time | 13,556 | 4.8% | At least once/year | 1,771 | 0.6% | At least once/ye | ar 2,6 | 643 0.9% |
| Always | 12,890 | 4.6% | At least once/life | 2,664 | 1.0% | At least once/li | | 324 1.7% |
| Don't know | 2,881 | 1.0% | Frequency Missing | | | Frequency Mis | | |
| Frequency Missing | = 22403.729 | 9718 | , , , | | | | Ü | |
| USE MARIJUA | ANA OTHEI | R WAYS | RECENT PI | RECRIPTIC JSE - VICC | | DANGEROUS | | TO USE OBACCO |
| | requency 1 | | q29c F | requency | Percent | q31a F | requency | Percent |
| Never | 237,427 | 84.9% | Never heard/used | 265,473 | 95.6% | Very | 169,347 | 60.6% |
| Seldom | 13,631 | 4.9% | At least | 4,873 | 1.8% | Somewhat | 63,790 | 22.8% |
| Half the time | 5,781 | 2.1% | once/month | | | Not very | 23,645 | 8.5% |
| Most of the time | 6,677 | 2.4% | At least once/year | 3,050 | 1.1% | Not at all | 6,799 | 2.4% |
| Always | 9,155 | 3.3% | At least once/life | 4,220 | 1.5% | Don't know | 15,986 | 5.7% |
| Don't know | 6,923 | 2.5% | Frequency Missing | = 24570.042 | 353 | Frequency Miss | sing = 22618 | 529899 |
| Frequency Missing | = 22592.643 | 3826 | | | | | g0.0 | |
| | | | RECENT PI | RECRIPTIC USE - VAL | | DANGEROUS | FOR KIDS | |
| USED METHAMPHE | TAMINE E | VEN ONE TIME | q29d F | USE - VAL Trequency | IUM ETC Percent | DANGEROUS | FOR KIDS | TO USE LCOHOL |
| USED METHAMPHE | TAMINE E | VEN ONE TIME Percent | | USE - VAL Frequency 272,860 | IUM ETC Percent 98.4% | DANGEROUS | FOR KIDS | TO USE LCOHOL |
| USED METHAMPHE q28 l Never heard/used | TAMINE EVERTE TRANSPORTER TO THE | VEN ONE TIME Percent 97.6% | q29d F Never heard/used At least | USE - VAL Trequency | IUM ETC Percent | DANGEROUS q31b F | FOR KIDS A | TO USE LCOHOL Percent |
| USED METHAMPHE q28 l Never heard/used At least | TAMINE E | VEN ONE TIME Percent | q29d F Never heard/used At least once/month | USE - VAL Frequency 272,860 1,955 | IUM ETC Percent 98.4% 0.7% | DANGEROUS q31b F Very | FOR KIDS Al requency 145,197 | TO USE LCOHOL Percent 52.7% |
| USED METHAMPHE q28 I Never heard/used At least once/month | TAMINE EVER TRANSPORT TO THE TRANSPORT T | VEN ONE TIME Percent 97.6% 0.7% | q29d F Never heard/used At least once/month At least once/year | USE - VAL Frequency 272,860 1,955 | IUM ETC Percent 98.4% 0.7% 0.3% | DANGEROUS q31b F Very Somewhat | FOR KIDS A Trequency 145,197 74,067 | TO USE LCOHOL Percent 52.7% 26.9% |
| used Methamphe q28 Never heard/used At least once/month At least once/year | TAMINE EVER TRANSPORT TO THE TRANSPORT T | VEN ONE TIME Percent 97.6% 0.7% | q29d F Never heard/used At least once/month At least once/year At least once/life | USE - VAL Frequency 272,860 1,955 934 1,542 | IUM ETC Percent 98.4% 0.7% 0.3% 0.6% | DANGEROUS q31b F Very Somewhat Not very | FOR KIDS All Trequency 145,197 74,067 35,553 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% |
| used Methamphe q28 d Never heard/used At least once/month At least once/year At least once/life | TAMINE EVENT TRAMINE EVENT TRAMINE EVENT E | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% | q29d F Never heard/used At least once/month At least once/year | USE - VAL Frequency 272,860 1,955 934 1,542 | IUM ETC Percent 98.4% 0.7% 0.3% 0.6% | DANGEROUS q31b F Very Somewhat Not very Not at all | FOR KIDS All Trequency 145,197 74,067 35,553 8,729 12,088 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% |
| USED METHAMPHE q28 Never heard/used At least once/month At least once/year | TAMINE EVENT TRAMINE EVENT TRAMINE EVENT E | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% | q29d F Never heard/used At least once/month At least once/year At least once/life Frequency Missing | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 | IUM ETC Percent 98.4% 0.7% 0.3% 0.6% 302 | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know | FOR KIDS All Trequency 145,197 74,067 35,553 8,729 12,088 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% |
| USED METHAMPHE q28 Never heard/used At least once/month At least once/year At least once/life Frequency Missing | TAMINE EVER TAMINE | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 1483 | q29d F Never heard/used At least once/month At least once/year At least once/life Frequency Missing | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIC USE - XA | 1UM ETC Percent 98.4% 0.7% 0.3% 0.6% 302 ON DRUG NAX ETC | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know | FOR KIDS All Frequency 145,197 74,067 35,553 8,729 12,088 sing = 26552 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% |
| Q28 DIVIDITION OF THE PROPERTY | TAMINE ET 279,185 2,090 1,583 3,053 = 16275.921 | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 1483 | q29d F Never heard/used At least once/month At least once/year At least once/life Frequency Missing RECENT Pl | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIC USE - XA | Percent 98.4% 0.7% 0.3% 0.6% 302 ON DRUGNAX ETC Percent | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know Frequency Miss | FOR KIDS All Frequency 145,197 74,067 35,553 8,729 12,088 sing = 26552 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% .158476 |
| q28 Dever heard/used At least once/month At least once/jear At least once/life Frequency Missing RECENT P | TAMINE ET 279,185 2,090 1,583 3,053 = 16275.921 RECRIPTIO USE - 0 | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 483 | q29d F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing of the properties of the properti | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIC USE - XA Frequency 268,847 | Percent 98.4% 0.7% 0.3% 0.6% 302 ON DRUG NAX ETC Percent 96.6% | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know Frequency Miss | FOR KIDS A1 Trequency 145,197 74,067 35,553 8,729 12,088 sing = 26552 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% .158476 |
| Q28 Never heard/used At least once/month At least once/jear At least once/life Frequency Missing RECENT P Q29a Never heard/used | Tramine Exercises Frequency 279,185 2,090 1,583 3,053 = 16275.921 RECRIPTION USE - 0 Frequency 253,763 | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 1483 ON DRUG CODEINE Percent 90.1% | q29d F Never heard/used At least once/month At least once/year At least once/life Frequency Missing RECENT Pl | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIC USE - XA | Percent 98.4% 0.7% 0.3% 0.6% 302 ON DRUGNAX ETC Percent | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know Frequency Miss DANGEROUS q31c F | FOR KIDS A Trequency 145,197 74,067 35,553 8,729 12,088 sing = 26552 FOR KIDS INH | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% .158476 TO USE ALANTS Percent |
| USED METHAMPHE q28 1 Never heard/used At least once/month At least once/year At least once/life Frequency Missing RECENT P | TAMINE ET 279,185 2,090 1,583 3,053 = 16275.921 RECRIPTIO USE - 0 | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 483 | q29d F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing RECENT PI q29e F Never heard/used At least once/month | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIC USE - XA Frequency 268,847 | Percent 98.4% 0.7% 0.3% 0.6% 302 ON DRUG NAX ETC Percent 96.6% | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know Frequency Miss DANGEROUS q31c F Very | FOR KIDS A1 Prequency 145,197 74,067 35,553 8,729 12,088 Sing = 26552 FOR KIDS INH Prequency 201,873 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% .158476 TO USE ALANTS Percent 73.8% |
| Q28 Never heard/used At least once/month At least once/jear At least once/life Frequency Missing RECENT P Q29a Never heard/used At least once/month | Tramine Exercises Frequency 279,185 2,090 1,583 3,053 = 16275.921 RECRIPTION USE - 0 Frequency 253,763 | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 1483 ON DRUG CODEINE Percent 90.1% | q29d F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing RECENT Pl q29e F Never heard/used At least | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIO USE - XA Frequency 268,847 4,302 | 1UM ETC Percent 98.4% 0.7% 0.3% 0.6% 302 ON DRUG NAX ETC Percent 96.6% 1.5% | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know Frequency Miss DANGEROUS q31c F Very Somewhat | FOR KIDS A1 Trequency 145,197 74,067 35,553 8,729 12,088 Sing = 26552 FOR KIDS INH Trequency 201,873 37,633 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% .158476 TO USE ALANTS Percent 73.8% 13.8% |
| Q28 Dever heard/used At least once/month At least once/jear At least once/life Frequency Missing RECENT P q29a Dever heard/used At least | TAMINE ET 279,185 2,090 1,583 3,053 = 16275.921 RECRIPTIOUSE - 0 Frequency 253,763 11,608 | VEN ONE TIME Percent 97.6% 0.7% 0.6% 1.1% 483 ON DRUG CODEINE Percent 90.1% 4.1% | q29d F Never heard/used At least once/month At least once/year At least once/life Frequency Missing RECENT Pl q29e F Never heard/used At least once/month At least once/year | USE - VAL Frequency 272,860 1,955 934 1,542 = 24896.038 RECRIPTIO USE - XA Frequency 268,847 4,302 1,814 3,256 | ON DRUG NAX ETC Percent 96.6% 1.5% 0.7% | DANGEROUS q31b F Very Somewhat Not very Not at all Don't know Frequency Miss DANGEROUS q31c F Very Somewhat Not very | FOR KIDS A Trequency 145,197 74,067 35,553 8,729 12,088 sing = 26552 FOR KIDS INH Trequency 201,873 37,633 11,957 | TO USE LCOHOL Percent 52.7% 26.9% 12.9% 3.2% 4.4% 158476 TO USE ALANTS Percent 73.8% 13.8% 4.4% |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

| DANGEROUS FOR KID | S TO USE ARIJUANA | DANGEROUS | | TO USE TEROIDS | | | L SINCE TEMBER |
|---|--------------------------|------------------------------|--|------------------------------------|--|-------------------------------------|--------------------------------|
| q31d Frequency | Percent | q31h F | requency | Percent | q32b F | requency | Percent |
| Very 168,570 | 61.8% | Very | 210,632 | 77.9% | None | 103,633 | 37.5% |
| Somewhat 39,186 | 3 14.4% | Somewhat | 29,572 | 10.9% | 1-3 days | 134,431 | 48.7% |
| Not very 27,064 | 9.9% | Not very | 8,988 | 3.3% | 4-9 days | 29,593 | 10.7% |
| Not at all 25,463 | 9.3% | Not at all | 3,625 | 1.3% | 10+ days | 8,447 | 3.1% |
| Don't know 12,639 | 4.6% | Don't know | 17,592 | 6.5% | Frequency Mi | ssing = 2608 | 31.807929 |
| Frequency Missing = 2926 | 84.744102 | Frequency Miss | sing = 31777 | 7.459432 | | | |
| | | - | | | | REASON FO | |
| DANGEROUS FOR KID | S TO USE COCAINE | DANGEROUS | | TO USE HEROIN | | SINCE SEP Trequency | |
| q31e Frequency | Percent | | requency | Percent | None | 125,936 | 46.1% |
| Very 224,787 | 83.2% | Very | 231,096 | 85.3% | 1-3 days | 122,325 | 44.7% |
| Somewhat 23,040 | 8.5% | Somewhat | 16,289 | 6.0% | 4-9 days | 18,646 | 6.8% |
| Not very 5,467 | | Not very | 3,099 | 1.1% | 10+ days | 6,476 | 2.4% |
| Not at all 2,776 | 3 1.0% | Not at all | 2,305 | 0.9% | Frequency Mi | ssing = 2880 | 04.232959 |
| Don't know 14,212 | 5.3% | Don't know | 18,158 | 6.7% | | | |
| DANGEROUG FOR KID | C TO LICE | DANGEDOUG | EOD WIDG | TO LICE | S | PRINCIPA SINCE SEP Trequency | TEMBER |
| DANGEROUS FOR KID | S TO USE CRACK | DANGEROUS ME | FOR KIDS THAMPHE | | None | 240,460 | 86.8% |
| q31f Frequency | | | requency | | 1-3 days | 28,317 | 10.2% |
| Very 229,309 | | Very | 228,046 | 83.4% | 4-9 days | 4,666 | 1.7% |
| Somewhat 19,690 | | Somewhat | 16,144 | 5.9% | 10+ days | 3,484 | 1.3% |
| Not very 3,822 | | Not very | 2,865 | 1.0% | Frequency M | | 58.90822 |
| Not at all 2,380 | 0.9% | Not at all | 2,383 | 0.9% | | | |
| Don't know 15,151 | 5.6% | Don't know | 23,869 | 8.7% | | | |
| Frequency Missing = 3183 | 33.973613 | Frequency Miss | sing = 28878 | .979628 | | NE CALLE SINCE SEP | |
| | | | | | | | |
| | | | | | q32e F | requency | Percent |
| DANGEROUS FOR KID | S TO USF | DAV | SSKIPPFD | SINCE | q32e F None | requency 238,304 | Percent 86.5% |
| DANGEROUS FOR KID | S TO USE ECSTASY | DAYS | S SKIPPED SEPT | SINCE EMBER | | | |
| | ECSTASY | | | EMBER | None | 238,304 | 86.5% |
| | ECSTASY Percent | q32a Fr | SEPT | EMBER | None 1-3 days | 238,304 30,240 | 86.5% 11.0% |
| q31g Frequency | ECSTASY Percent 78.4% | q32a Fr | SEPT equency I | EMBER Percent | None 1-3 days 4-9 days | 238,304 30,240 3,880 3,049 | 86.5% 11.0% 1.4% 1.1% |
| q31g Frequency Very 211,479 | Percent 78.4% 10.3% | q32a Fro | SEPT equency I 224,584 | EMBER Percent 80.4% | None 1-3 days 4-9 days 10+ days | 238,304 30,240 3,880 3,049 | 86.5% 11.0% 1.4% 1.1% |
| q31g Frequency Very 211,479 Somewhat 27,872 | Percent 78.4% 10.3% 3.4% | q32a Fro None 1-3 days | SEPT equency I 224,584 38,724 | EMBER Percent 80.4% 13.9% | None 1-3 days 4-9 days 10+ days | 238,304 30,240 3,880 3,049 | 86.5% 11.0% 1.4% 1.1% |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 32346.349238

| | | | C. 1. | | | |
|--|----------|------------------------|---------------|----------|------------------------|----------------|
| CRITICIZED BY DATE BECAUSE OF DRUG USE | | TICIZED E | | | E FOR DR NCE SEPT | IN TROUBL |
| q33g Frequency Percent | | requency | | | equency 1 | |
| None 242,463 93.29 | 93.5% | 250,497 | None | 98.8% | 268,309 | None |
| 1-3 times 14,412 5.5% | 5.6% | 14,923 | 1-3 times | 0.8% | 2,048 | 1-3 days |
| 4-9 times 1,910 0.7% | 0.5% | 1,318 | 4-9 times | 0.2% | 613 | 4-9 days |
| 10+ times 1,450 0.6% | 0.4% | 1,110 | 10+ times | 0.2% | 540 | 10+ days |
| Frequency Missing = 41951.60025 | 3.607415 | sing = 34338 | Frequency Mis | 5.594024 | sing = 30676 | Frequency Miss |
| TROUBLE WITH POLICE BECAUSE OF DRUG USE | | BLE WITH USE OF DE | | | E FOR DR NCE SEPT | IN TROUBL |
| q33h Frequency Percen | | requency | | | equency 1 | |
| None 256,138 97.69 | 97.7% | 260,224 | None | 98.2% | 268,781 | None |
| 1-3 times 4,960 1.9% | 1.8% | 4,909 | 1-3 times | 1.3% | 3,534 | 1-3 days |
| 4-9 times 949 0.4% | 0.3% | 758 | 4-9 times | 0.2% | 564 | 4-9 days |
| 10+ times 503 0.2% | 0.1% | 399 | 10+ times | 0.3% | 736 | 10+ days |
| CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT | | LE WITH F JSE OF DR | | | LE WITH F JSE OF DF | |
| q34a Frequency Percent | Percent | requency | q33e F | Percent | requency | q33a F |
| None 258,416 93.3% | 94.4% | 252,268 | None | 95.0% | 260,196 | None |
| 1-3 days 13,999 5.1% | 4.6% | 12,211 | 1-3 times | 4.4% | 12,062 | 1-3 times |
| 4-9 days 2,461 0.9% | 0.7% | 1,815 | 4-9 times | 0.4% | 1,051 | 4-9 times |
| 10+ days 2,213 0.8% | 0.3% | 859 | 10+ times | 0.2% | 674 | 10+ times |
| Frequency Missing = 25097.874846 | 3.661662 | sing = 35033 | Frequency Mis | 3.037559 | sing = 28203 | Frequency Miss |
| CLASS DAYS HIGH ON | E HIGH | CAR WHII | DRIVEN A | AFTER A | N A CAR A | DRIVE |
| MARIJUANA SINCE SEPT | DRUGS | FROM | | DRINK | OD BIT TO | GO |
| q34b Frequency Percent | | requency | q33f F | | requency | |
| None 245,369 88.8% | 94.2% | 246,470 | None | 93.5% | 252,721 | None |
| 1-3 days 17,714 6.4% | 4.0% | 10,494 | 1-3 times | 5.1% | 13,879 | 1-3 times |
| 4- 9 days 5,069 1.8% | 0.8% | 2,172 | 4-9 times | 0.7% | 1,928 | 4-9 times |
| 10+ days 8,315 3.0% | 1.0% | 2,624 | 10+ times | 0.7% | 1,854 | 10+ times |
| Frequency Missing = 25719.167608 | 5.744558 | sing = 40426 | Frequency Mis | 3.735552 | sing = 31803 | requency Miss |

| | DAYS HIGH | | SOUGHT HELP FOR | WOULD SEEK HELP |
|-------------------|--------------|---------|--------------------------------------|---------------------------------------|
| | rs since s | | DRUG/ALCOHOL PROBLEM | FROM A MEDICAL DOCTOR |
| q34c Frequ | | | q36 Frequency Percent | q37e Frequency Percent |
| | | 7.5% | No 223,212 88.5% | No 127,598 47.8% |
| J | | 1.6% | Yes 29,084 11.5% | Yes 139,185 52.2% |
| | | 0.4% | | |
| | | 0.5% | Frequency Missing = 49890.456638 | Frequency Missing = 35402.847954 |
| Frequency Missir | ng = 26445.3 | 988 | | |
| | | | | |
| | | | WOULD SEEK HELP | WOULD SEEK HELP |
| CLASS | DAYS HIGH | 1 ON | FROM SCHOOL | FROM FRIENDS |
| | THER DRU | | COUNSELOR | q37f Frequency Percent |
| q34d Frequ | | | q37a Frequency Percent | No 92,793 34.7% |
| | - | 4.4% | No 148,292 54.7% | Yes 174,541 65.3% |
| | | 3.8% | Yes 123,046 45.3% | Frequency Missing = 34851.790479 |
| 3 | | 0.9% | Frequency Missing = 30848.02985 | |
| · | | 1.0% | | |
| Frequency Missing | | | | WOLLD CEEK HELD |
| | , | | WOULD SEEK HELP | WOULD SEEK HELP FROM ANOTHER ADULT |
| | | | FROM ANOTHER ADULT | q37g Frequency Percent |
| | | | IN SCHOOL | No 98,237 36.6% |
| ALCOHOL USE | | | q37b Frequency Percent | Yes 170,344 63.4% |
| | | OL YEAR | No 143,392 53.3% | |
| | requency | | Yes 125,812 46.7% | Frequency Missing = 33605.540928 |
| Never | 127,809 | 46.0% | Frequency Missing = 32981.744799 | |
| Seldom | 26,085 | 9.4% | | |
| Half the time | 20,040 | 7.2% | | WOULD NOT SEEK HELP |
| Most of the time | 29,617 | 10.7% | WOW D GERW HELD | q37h Frequency Percent |
| Always | 42,731 | 15.4% | WOULD SEEK HELP FROM COUNSELOR OR | No 210,783 79.7% |
| Don't know | 6,981 | 2.5% | PROGRAM OUTSIDE | Yes 53,545 20.3% |
| Didn't attend | 24,632 | 8.9% | SCHOOL | Frequency Missing = 37858.741028 |
| Frequency Missin | g = 24290.17 | 7664 | q37c Frequency Percent | , , , |
| | | | No 147,299 55.3% | |
| | | | Yes 119,096 44.7% | |
| DRUG USE | ' ΔΤ ΡΔΡΤΙ | FS THIS | Frequency Missing = 35790.97985 | DRUG/ALCOHOL |
| DRUG USE | | DL YEAR | | INFO SCHOOL HEALTH CLASS |
| q35b F | requency | Percent | | q38a Frequency Percent |
| Never | 155,210 | 56.0% | WOULD SEEK HELP | No 119,913 48.9% |
| Seldom | 22,414 | 8.1% | FROM PARENTS | Yes 125,264 51.1% |
| Half the time | 15,868 | 5.7% | q37d Frequency Percent | Frequency Missing = 57009.446909 |
| Most of the time | 21,436 | 7.7% | No 94,816 35.3% | |
| Always | 28,057 | 10.1% | Yes 174,129 64.7% | |
| Don't know | 9,530 | 3.4% | Frequency Missing = 33241.531064 | |
| Didn't attend | 94.616 | 9.00/ | 1 requericy missing - 33241.331004 | |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Didn't attend

24,616

Frequency Missing = 25055.034661

8.9%

DRUG/ALCOHOL

DRUG/ALCOHOL

Frequency Missing = 62907.554909

| INFOSCHOOL | INFO INVI | | | 1111121112112 | MA | ARIJUANA |
|--|--------------------------------|-----------------------|---------|------------------------|----------------|----------|
| ASSEMBLY PROGRAM | | GUES | | q39 | c Frequency | Percent |
| q38b Frequency Percent | q38g Freque | | _ | Strong disapprov | e 217,828 | 80.6% |
| No 118,972 49.2% | No 142, | | | Mild disapprov | e 11,493 | 3 4.3% |
| Yes 122,717 50.8% | Yes 99, | 124 41.0 | % | Neithe | er 10,069 | 3.7% |
| Frequency Missing = 60497.242416 | Frequency Missing | = 60656.516 | 874 | Mildly approv | e 2,973 | 3 1.1% |
| | | | | Strongly approv | e 3,990 | 1.5% |
| | | | | Don't kno | w 24,025 | 8.9% |
| DRUG/ALCOHOL INFOSCHOOL GUIDANCE COUNSELOR q38c Frequency Percent | DRU INFOANOT q38h Freque | SOURC | OL Œ | Frequency Miss | ing = 31808.5 | 59543 |
| No 141,804 59.2% | No 149,9 | | | | ED FOR DR | |
| Yes 97,619 40.8% | Yes 92,4 | | | | SE AT SCHO | |
| Frequency Missing = 62763.04878 | Frequency Missing | | _ | | iency Perce | |
| r requestey imposing to 2 roots for c | r requeries micening | 00/01.112 | | | 2,862 91. | |
| | | | | | | 1% |
| | | | | Frequency Miss | ing = 27110.3 | 92974 |
| DRUG/ALCOHOL INFOSCIENCE CLASS | | FEEL ABO KING CIGA | | | | |
| q38d Frequency Percent | q39a F | requency | Percent | | | |
| No 157,367 65.9% | Strong disapprove | 213,546 | 78.5% | DRUG TE: REQUIRED I | STING SHOU | |
| Yes 81,256 34.1% | Mild disapprove | 14,826 | 5.5% | TCLQUITCLD I | | LETES |
| Frequency Missing = 63563.115637 | Neither | 12,095 | 4.4% | q41 F | requency P | ercent |
| | Mildly approve | 2,463 | 0.9% | Don't Know | 65,014 | 23.5% |
| | Strongly approve | 2,567 | 0.9% | No | 60,693 | 21.9% |
| DRUG/ALCOHOL | Don't know | 26,385 | 9.7% | Yes | 151,422 | 54.6% |
| INFO SOCIAL STUDIES CLASS | Frequency Missing | = 30303.942 | 273 | Frequency Miss | sing = 25058.0 |)8597 |
| q38e Frequency Percent | | | | | | |
| No 185,817 78.1% | PARENTS | FEEL ABO | IT KIDS | | | |
| Yes 52,055 21.9% | TARLIVIS | DRINKIN | | | | |
| Frequency Missing = 64314.890007 | q39b F | requency | Percent | | | |
| | Strong disapprove | 181,705 | 67.3% | | | |
| | Mild disapprove | 31,992 | 11.9% | | | |
| DRUG/ALCOHOL | Neither | 20,887 | 7.7% | | | |
| INFO SCHOOL STUDENT | Mildly approve | 7,261 | 2.7% | | | |
| GROUP OR CLUB | Strongly approve | 3,402 | 1.3% | | | |
| q38f Frequency Percent | Don't know | 24,696 | 9.1% | | | |
| No 184,615 77.2% | Frequency Missing | = 32242.14 | 114 | | | |
| Yes 54,664 22.8% | | | | | | |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

PARENTS FEEL ABOUT KIDS USING