

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



**BORDER REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>111</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	14.1%	17.3%	28.8%	71.2%
Grade 7	5.8%	6.9%	14.4%	85.6%
Grade 8	8.0%	10.1%	18.1%	81.9%
Grade 9	12.4%	15.6%	26.3%	73.7%
Grade 10	15.9%	19.6%	32.3%	67.7%
Grade 11	18.1%	22.3%	37.9%	62.1%
Grade 12	24.3%	28.9%	42.8%	57.2%
<b>Cigarettes?</b>				
All	5.7%	7.7%	17.1%	82.9%
Grade 7	2.2%	3.0%	8.3%	91.7%
Grade 8	2.2%	3.1%	9.2%	90.8%
Grade 9	3.9%	5.1%	13.5%	86.5%
Grade 10	6.2%	9.2%	19.6%	80.4%
Grade 11	7.1%	10.1%	23.0%	77.0%
Grade 12	12.7%	16.0%	28.6%	71.4%
<b>Smokeless Tobacco?</b>				
All	2.6%	3.5%	6.4%	93.6%
Grade 7	1.1%	1.5%	3.0%	97.0%
Grade 8	0.9%	1.2%	3.4%	96.6%
Grade 9	2.3%	2.7%	5.2%	94.8%
Grade 10	3.0%	4.2%	7.5%	92.5%
Grade 11	3.6%	5.1%	8.9%	91.1%
Grade 12	4.5%	6.0%	10.5%	89.5%
<b>Electronic Vapor Products?</b>				
All	7.9%	11.3%	21.3%	78.7%
Grade 7	3.5%	4.7%	10.4%	89.6%
Grade 8	4.7%	6.7%	13.2%	86.8%
Grade 9	7.7%	11.1%	20.2%	79.8%
Grade 10	8.1%	11.5%	23.3%	76.7%
Grade 11	10.6%	15.3%	28.0%	72.0%
Grade 12	12.7%	18.2%	31.9%	68.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 3 of 126

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.0%	0.5%	1.2%	1.8%	2.7%	2.7%	4.1%
Grade 7	94.9%	0.1%	0.4%	0.4%	0.8%	1.0%	2.3%
Grade 8	94.3%	0.0%	0.3%	0.8%	1.4%	1.6%	1.6%
Grade 9	89.7%	0.2%	1.1%	1.0%	1.9%	2.1%	4.0%
Grade 10	84.7%	0.5%	0.9%	2.4%	3.4%	3.5%	4.6%
Grade 11	82.0%	0.7%	1.5%	2.7%	3.8%	3.5%	5.8%
Grade 12	76.5%	1.8%	2.7%	3.8%	4.9%	4.3%	6.0%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.8	10.9	11.8	12.9	13.7	14.3	15.1

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.0%	16.4%	5.6%	9.0%	12.5%	16.5%
Grade 7	51.0%	24.5%	5.9%	7.0%	6.3%	5.2%
Grade 8	46.1%	22.6%	5.8%	8.5%	9.6%	7.4%
Grade 9	41.3%	16.0%	7.2%	10.4%	12.9%	12.2%
Grade 10	36.5%	14.2%	5.7%	11.0%	16.3%	16.3%
Grade 11	34.2%	12.6%	4.6%	9.7%	15.9%	22.9%
Grade 12	31.7%	9.3%	3.8%	6.4%	13.1%	35.8%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	70.4%	18.8%	7.1%	2.8%	0.9%
Grade 7	84.7%	10.6%	3.3%	1.1%	0.3%
Grade 8	83.0%	11.5%	4.3%	1.0%	0.3%
Grade 9	72.7%	18.8%	6.1%	1.9%	0.6%
Grade 10	64.3%	22.7%	8.7%	3.3%	1.0%
Grade 11	63.2%	22.1%	8.8%	4.7%	1.1%
Grade 12	56.0%	26.0%	11.2%	5.0%	1.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.9%	6.3%	5.2%	1.0%	0.7%	8.0%
Grade 7	82.0%	4.0%	2.3%	0.5%	0.7%	10.5%
Grade 8	81.7%	4.9%	3.2%	0.7%	0.8%	8.7%
Grade 9	79.7%	6.0%	4.6%	0.4%	0.7%	8.6%
Grade 10	80.2%	6.7%	4.8%	0.9%	0.5%	6.9%
Grade 11	77.2%	7.7%	6.4%	1.0%	0.7%	6.9%
Grade 12	72.1%	8.6%	10.1%	2.2%	0.7%	6.4%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	65.4%	20.8%	6.7%	1.8%	5.3%
	Grade 7	75.9%	14.0%	3.8%	1.2%	5.2%
	Grade 8	71.7%	17.9%	4.8%	1.5%	4.1%
	Grade 9	67.5%	19.8%	5.7%	1.6%	5.4%
	Grade 10	58.6%	25.3%	8.0%	2.1%	6.0%
	Grade 11	60.7%	24.2%	8.2%	1.6%	5.3%
	Grade 12	58.9%	22.6%	9.9%	2.7%	5.9%
Electronic Vapor Products?						
	All	61.4%	10.7%	11.6%	9.7%	6.5%
	Grade 7	72.0%	9.8%	6.8%	4.7%	6.7%
	Grade 8	65.7%	11.6%	8.8%	7.9%	6.0%
	Grade 9	60.8%	11.3%	12.5%	9.2%	6.2%
	Grade 10	57.0%	11.6%	12.5%	11.3%	7.6%
	Grade 11	55.3%	10.8%	15.6%	12.0%	6.4%
	Grade 12	58.8%	8.9%	12.9%	13.1%	6.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 126

## Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	31.8%	36.6%	51.9%	48.1%
Grade 7	15.7%	18.2%	33.8%	66.2%
Grade 8	20.8%	24.2%	39.7%	60.3%
Grade 9	30.6%	35.0%	50.3%	49.7%
Grade 10	38.6%	44.7%	59.1%	40.9%
Grade 11	37.8%	44.1%	62.1%	37.9%
Grade 12	45.7%	51.4%	64.3%	35.7%
Beer?				
All	14.3%	19.9%	41.1%	58.9%
Grade 7	5.1%	6.9%	25.2%	74.8%
Grade 8	7.5%	10.4%	29.6%	70.4%
Grade 9	13.1%	17.9%	38.9%	61.1%
Grade 10	17.1%	25.1%	47.3%	52.7%
Grade 11	18.4%	25.1%	50.7%	49.3%
Grade 12	23.8%	32.6%	53.1%	46.9%
Wine Coolers?				
All	10.4%	14.9%	30.5%	69.5%
Grade 7	3.9%	5.3%	15.6%	84.4%
Grade 8	5.3%	7.8%	19.2%	80.8%
Grade 9	8.8%	12.6%	28.3%	71.7%
Grade 10	12.7%	17.9%	35.8%	64.2%
Grade 11	13.4%	19.4%	39.7%	60.3%
Grade 12	17.7%	26.0%	42.9%	57.1%
Wine?				
All	8.2%	12.3%	30.6%	69.4%
Grade 7	4.3%	5.7%	17.9%	82.1%
Grade 8	5.9%	7.6%	22.1%	77.9%
Grade 9	7.0%	10.4%	29.0%	71.0%
Grade 10	9.4%	14.7%	35.4%	64.6%
Grade 11	9.8%	15.5%	37.2%	62.8%
Grade 12	13.2%	19.7%	40.6%	59.4%
Liquor?				
All	13.3%	18.9%	36.3%	63.7%
Grade 7	3.5%	5.4%	15.1%	84.9%
Grade 8	6.5%	9.1%	21.6%	78.4%
Grade 9	11.2%	16.0%	33.7%	66.3%
Grade 10	16.6%	24.2%	44.5%	55.5%
Grade 11	18.1%	25.5%	47.7%	52.3%
Grade 12	23.2%	32.3%	52.9%	47.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 126

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	61.8%	0.3%	2.8%	7.9%	10.6%	9.3%	7.4%
Grade 7	82.0%	0.1%	0.8%	2.4%	4.0%	4.6%	6.1%
Grade 8	76.7%	0.1%	1.6%	3.7%	5.5%	6.3%	6.2%
Grade 9	63.4%	0.5%	2.9%	5.6%	10.3%	9.5%	7.8%
Grade 10	53.4%	0.4%	3.3%	10.1%	14.0%	10.6%	8.2%
Grade 11	51.3%	0.1%	3.2%	10.9%	13.1%	12.1%	9.3%
Grade 12	46.1%	0.3%	4.8%	14.3%	16.0%	11.9%	6.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	63.2%	36.8%	8.1%	18.9%	9.9%
	Grade 7	78.1%	21.9%	1.7%	10.6%	9.6%
	Grade 8	74.0%	26.0%	2.9%	12.9%	10.2%
	Grade 9	65.0%	35.0%	6.3%	18.1%	10.6%
	Grade 10	56.5%	43.5%	10.9%	23.0%	9.6%
	Grade 11	54.5%	45.5%	10.9%	23.4%	11.2%
	Grade 12	52.5%	47.5%	15.2%	24.5%	7.7%
<b>Wine Coolers</b>						
	All	73.3%	26.7%	5.5%	15.5%	5.7%
	Grade 7	87.3%	12.7%	1.9%	6.1%	4.7%
	Grade 8	83.7%	16.3%	2.6%	9.2%	4.5%
	Grade 9	75.2%	24.8%	3.7%	14.7%	6.5%
	Grade 10	68.3%	31.7%	6.3%	19.0%	6.5%
	Grade 11	64.8%	35.2%	7.8%	20.8%	6.6%
	Grade 12	62.0%	38.0%	10.8%	22.0%	5.2%
<b>Wine</b>						
	All	73.4%	26.6%	2.4%	14.2%	10.0%
	Grade 7	84.5%	15.5%	1.3%	6.9%	7.3%
	Grade 8	81.2%	18.8%	1.2%	8.5%	9.0%
	Grade 9	74.6%	25.4%	2.0%	12.7%	10.6%
	Grade 10	68.7%	31.3%	2.9%	17.4%	11.0%
	Grade 11	67.7%	32.3%	2.7%	18.3%	11.3%
	Grade 12	64.7%	35.3%	4.5%	20.7%	10.1%
<b>Liquor</b>						
	All	66.4%	33.6%	8.3%	17.3%	8.0%
	Grade 7	86.6%	13.4%	2.0%	6.1%	5.2%
	Grade 8	80.7%	19.3%	3.1%	8.7%	7.5%
	Grade 9	69.3%	30.7%	6.3%	15.9%	8.5%
	Grade 10	57.9%	42.1%	9.6%	23.3%	9.1%
	Grade 11	55.7%	44.3%	12.4%	23.0%	9.0%
	Grade 12	50.3%	49.7%	16.2%	25.4%	8.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 8 of 126

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	86.5%	5.2%	3.2%	2.7%	1.0%	1.5%
Grade 7	95.0%	2.2%	0.9%	1.1%	0.3%	0.5%
Grade 8	93.2%	3.2%	1.3%	1.0%	0.5%	0.7%
Grade 9	88.3%	4.8%	2.8%	2.0%	0.8%	1.3%
Grade 10	84.3%	5.6%	4.1%	2.9%	1.0%	2.0%
Grade 11	82.6%	6.6%	4.6%	3.6%	1.2%	1.4%
Grade 12	76.1%	8.3%	5.2%	5.7%	1.9%	2.8%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.5	10.7	11.6	12.8	13.6	14.4	15.1

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.5%	11.6%	4.8%	10.9%	18.5%	23.8%
Grade 7	44.6%	19.8%	4.8%	8.4%	10.4%	12.0%
Grade 8	38.7%	17.6%	5.2%	10.5%	13.1%	14.9%
Grade 9	30.5%	11.2%	5.2%	12.6%	19.0%	21.5%
Grade 10	25.7%	8.2%	5.2%	11.5%	22.4%	27.0%
Grade 11	23.2%	7.7%	3.8%	11.4%	22.7%	31.3%
Grade 12	21.7%	6.6%	4.3%	10.1%	21.8%	35.4%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.5%	3.6%	0.5%	0.4%
Grade 7	96.6%	2.8%	0.3%	0.3%
Grade 8	96.3%	3.2%	0.3%	0.3%
Grade 9	95.6%	3.4%	0.5%	0.5%
Grade 10	95.1%	3.9%	0.7%	0.4%
Grade 11	95.7%	3.5%	0.3%	0.4%
Grade 12	94.1%	4.6%	0.9%	0.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 9 of 126

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.4
Alcohol Non-Users	3.4
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.9

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	94.5%	4.2%	0.6%	0.7%
Grade 9	97.0%	2.2%	0.3%	0.5%
Grade 10	96.4%	2.8%	0.2%	0.6%
Grade 11	93.5%	5.3%	0.7%	0.5%
Grade 12	90.2%	7.3%	1.5%	1.1%
 <b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	96.2%	3.3%	0.3%	0.3%
Grade 7	97.8%	1.8%	0.3%	0.1%
Grade 8	97.0%	2.4%	0.3%	0.3%
Grade 9	96.5%	2.6%	0.5%	0.5%
Grade 10	95.5%	4.3%	0.1%	0.2%
Grade 11	95.2%	4.2%	0.3%	0.2%
Grade 12	95.1%	4.3%	0.5%	0.2%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	45.8%	24.7%	14.4%	11.3%	3.8%
Grade 7	72.6%	17.2%	6.5%	2.8%	0.9%
Grade 8	63.4%	22.1%	9.1%	4.5%	0.9%
Grade 9	45.6%	27.6%	15.8%	8.8%	2.2%
Grade 10	33.9%	27.8%	18.1%	15.3%	4.8%
Grade 11	32.8%	27.2%	18.5%	15.7%	5.8%
Grade 12	30.7%	24.3%	16.9%	20.2%	7.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	49.5%	7.2%	5.7%	9.4%	12.4%	2.3%	13.6%
Grade 7	73.4%	6.1%	4.1%	4.6%	1.9%	2.0%	7.9%
Grade 8	65.0%	7.5%	5.7%	5.5%	3.4%	2.4%	10.4%
Grade 9	48.3%	9.6%	7.5%	10.0%	7.8%	2.7%	14.2%
Grade 10	39.8%	7.6%	6.2%	11.9%	15.8%	2.9%	15.8%
Grade 11	37.8%	6.1%	5.7%	11.4%	20.0%	1.8%	17.2%
Grade 12	36.3%	5.5%	4.2%	12.1%	25.1%	1.8%	15.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	61.1%	19.2%	13.4%	4.3%	1.9%
	Grade 7	71.6%	17.6%	7.0%	2.9%	1.0%
	Grade 8	69.4%	16.4%	9.3%	3.5%	1.5%
	Grade 9	62.1%	17.9%	14.4%	3.8%	1.7%
	Grade 10	57.6%	19.4%	15.9%	5.0%	2.2%
	Grade 11	54.9%	21.6%	16.6%	4.5%	2.4%
	Grade 12	52.0%	22.4%	16.4%	6.4%	2.8%
<b>Friends?</b>						
	All	57.2%	15.7%	12.2%	11.1%	3.7%
	Grade 7	73.1%	18.3%	4.3%	3.4%	0.8%
	Grade 8	70.9%	16.0%	7.1%	4.6%	1.3%
	Grade 9	59.5%	15.8%	12.0%	9.0%	3.8%
	Grade 10	50.3%	15.9%	15.0%	14.6%	4.2%
	Grade 11	48.6%	15.0%	16.9%	14.4%	5.1%
	Grade 12	42.7%	13.4%	17.0%	20.1%	6.9%
<b>A Store?</b>						
	All	60.7%	29.5%	4.6%	3.4%	1.8%
	Grade 7	72.9%	23.8%	1.6%	0.9%	0.8%
	Grade 8	72.1%	22.6%	2.7%	2.0%	0.7%
	Grade 9	63.1%	29.6%	3.9%	1.9%	1.6%
	Grade 10	55.6%	33.2%	5.5%	3.9%	1.8%
	Grade 11	53.4%	33.1%	6.2%	4.9%	2.4%
	Grade 12	48.1%	33.4%	7.7%	7.2%	3.6%
<b>Parties?</b>						
	All	54.8%	13.4%	9.8%	11.6%	10.4%
	Grade 7	69.3%	16.3%	6.6%	5.1%	2.8%
	Grade 8	66.2%	14.1%	8.7%	6.5%	4.5%
	Grade 9	57.5%	14.1%	10.2%	10.1%	8.1%
	Grade 10	48.9%	13.0%	10.1%	15.6%	12.5%
	Grade 11	46.2%	11.8%	11.5%	15.3%	15.2%
	Grade 12	42.1%	11.1%	11.2%	16.5%	19.1%
<b>Other Sources?</b>						
	All	62.4%	20.8%	6.7%	5.4%	4.7%
	Grade 7	72.7%	19.3%	3.6%	2.6%	1.9%
	Grade 8	71.1%	17.2%	4.9%	4.2%	2.6%
	Grade 9	64.0%	20.8%	6.5%	4.6%	4.1%
	Grade 10	58.5%	22.7%	7.4%	5.7%	5.7%
	Grade 11	56.8%	21.4%	8.5%	6.6%	6.7%
	Grade 12	52.0%	22.8%	9.1%	8.8%	7.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	63.1%	13.1%	11.2%	3.8%	1.1%	7.6%
Grade 7	74.6%	7.3%	5.0%	1.6%	0.9%	10.7%
Grade 8	70.9%	10.6%	6.8%	1.9%	1.6%	8.3%
Grade 9	63.7%	13.2%	10.2%	3.4%	1.1%	8.3%
Grade 10	60.5%	14.9%	12.3%	4.6%	1.1%	6.7%
Grade 11	56.5%	16.7%	14.4%	5.3%	1.1%	5.9%
Grade 12	53.6%	15.3%	18.3%	6.0%	1.2%	5.7%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.3%	28.1%	13.6%	3.3%	3.8%
Grade 7	61.9%	20.0%	10.6%	2.9%	4.5%
Grade 8	54.7%	26.0%	12.4%	3.2%	3.6%
Grade 9	50.5%	27.6%	14.4%	3.5%	4.0%
Grade 10	45.4%	31.2%	15.8%	4.1%	3.6%
Grade 11	48.0%	31.5%	14.3%	2.9%	3.4%
Grade 12	48.9%	31.2%	13.3%	2.8%	3.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 13 of 126

# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	15.7%	19.1%	24.5%	75.5%
Grade 7	6.0%	8.0%	10.1%	89.9%
Grade 8	8.7%	10.9%	13.4%	86.6%
Grade 9	14.5%	17.7%	22.5%	77.5%
Grade 10	18.6%	22.4%	28.1%	71.9%
Grade 11	21.3%	25.1%	33.8%	66.2%
Grade 12	24.4%	29.3%	38.1%	61.9%
<b>Marijuana?</b>				
All	15.3%	17.5%	23.1%	76.9%
Grade 7	5.4%	6.3%	8.0%	92.0%
Grade 8	8.4%	9.3%	11.9%	88.1%
Grade 9	14.1%	16.0%	20.7%	79.3%
Grade 10	18.4%	20.6%	26.6%	73.4%
Grade 11	20.9%	23.8%	32.8%	67.2%
Grade 12	23.9%	28.1%	37.3%	62.7%
<b>Cocaine?</b>				
All	2.3%	2.6%	3.9%	96.1%
Grade 7	1.3%	1.4%	1.8%	98.2%
Grade 8	1.4%	1.6%	2.2%	97.8%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	3.1%	3.4%	4.9%	95.1%
Grade 11	2.6%	3.2%	5.6%	94.4%
Grade 12	3.6%	4.0%	6.4%	93.6%
<b>Crack?</b>				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	0.9%	1.1%	1.1%	98.9%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.8%	1.0%	1.3%	98.7%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.5%	0.6%	1.1%	98.9%
<b>Hallucinogens?</b>				
All	1.0%	1.5%	3.0%	97.0%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.6%	0.9%	2.3%	97.7%
Grade 10	1.2%	1.6%	3.0%	97.0%
Grade 11	1.2%	2.0%	4.4%	95.6%
Grade 12	2.2%	3.2%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 126

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.5%	1.0%	99.0%
Grade 12	0.2%	0.4%	1.2%	98.8%
Ecstasy?				
All	0.9%	1.3%	2.8%	97.2%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.7%	0.9%	2.1%	97.9%
Grade 10	1.0%	1.5%	3.1%	96.9%
Grade 11	1.1%	1.6%	4.3%	95.7%
Grade 12	1.6%	2.4%	5.0%	95.0%
Heroin?				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.5%	99.5%
Methamphetamine?				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.3%	0.5%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 15 of 126

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.4%	1.9%	4.1%	95.9%
Grade 7	0.9%	1.4%	2.5%	97.5%
Grade 8	1.2%	1.6%	2.9%	97.1%
Grade 9	1.7%	2.3%	4.3%	95.7%
Grade 10	1.4%	2.1%	4.1%	95.9%
Grade 11	1.5%	2.1%	5.7%	94.3%
Grade 12	1.5%	1.8%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.1%	1.8%	2.6%	3.3%	3.9%	3.4%	4.0%
	Grade 7	93.6%	0.6%	1.3%	0.7%	1.2%	1.0%	1.6%
	Grade 8	90.8%	0.6%	1.0%	2.2%	2.4%	1.3%	1.8%
	Grade 9	83.4%	1.5%	2.9%	2.9%	2.7%	3.0%	3.7%
	Grade 10	77.3%	2.1%	3.3%	4.2%	4.9%	3.6%	4.6%
	Grade 11	72.6%	2.7%	3.0%	4.5%	5.8%	5.5%	6.1%
	Grade 12	69.8%	3.2%	3.7%	5.3%	6.6%	5.7%	5.6%
Cocaine?								
	All	97.3%	0.1%	0.2%	0.3%	0.6%	0.6%	0.9%
	Grade 7	98.9%	0.0%	0.2%	0.1%	0.3%	0.2%	0.4%
	Grade 8	98.6%	0.0%	0.0%	0.2%	0.4%	0.3%	0.5%
	Grade 9	98.3%	0.1%	0.1%	0.2%	0.4%	0.3%	0.5%
	Grade 10	96.4%	0.3%	0.2%	0.6%	0.9%	0.8%	0.9%
	Grade 11	96.0%	0.0%	0.2%	0.3%	0.9%	0.8%	1.6%
	Grade 12	95.7%	0.1%	0.4%	0.6%	0.7%	1.2%	1.3%
Crack?								
	All	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.2%	0.0%	0.1%	0.0%	0.2%	0.2%	0.3%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 9	99.3%	0.1%	0.1%	0.1%	0.1%	0.2%	0.2%
	Grade 10	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 11	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Steroids?								
	All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 8	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 10	99.7%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 11	99.4%	0.0%	0.0%	0.1%	0.1%	0.0%	0.3%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Ecstasy?								
	All	98.1%	0.0%	0.1%	0.2%	0.3%	0.7%	0.7%
	Grade 7	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 8	99.4%	0.0%	0.1%	0.0%	0.1%	0.2%	0.3%
	Grade 9	98.8%	0.1%	0.1%	0.2%	0.1%	0.5%	0.2%
	Grade 10	97.7%	0.0%	0.2%	0.3%	0.5%	0.8%	0.5%
	Grade 11	96.7%	0.0%	0.1%	0.3%	0.4%	1.0%	1.6%
	Grade 12	96.1%	0.0%	0.0%	0.4%	0.4%	1.3%	1.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 17 of 126

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.1%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.6%	0.0%	0.2%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.6%	0.1%	0.1%	0.1%	0.0%	0.1%	0.1%
	Grade 9	99.6%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
	Grade 10	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.4%	0.1%	0.0%	0.1%	0.0%	0.2%	0.3%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?								
	All	99.4%	0.0%	0.1%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.4%	0.0%	0.1%	0.2%	0.1%	0.2%	0.0%
	Grade 8	99.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 9	99.5%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%
	Grade 10	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 11	99.3%	0.0%	0.1%	0.0%	0.1%	0.1%	0.4%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.0%	0.3%	0.4%
Synthetic Marijuana?								
	All	97.3%	0.1%	0.2%	0.3%	0.4%	0.6%	1.1%
	Grade 7	98.3%	0.1%	0.1%	0.2%	0.3%	0.4%	0.7%
	Grade 8	98.0%	0.1%	0.1%	0.5%	0.3%	0.2%	0.7%
	Grade 9	97.3%	0.2%	0.2%	0.5%	0.5%	0.6%	0.8%
	Grade 10	96.9%	0.1%	0.4%	0.3%	0.3%	0.8%	1.2%
	Grade 11	96.0%	0.0%	0.2%	0.2%	0.6%	1.0%	2.1%
	Grade 12	97.2%	0.0%	0.2%	0.3%	0.3%	0.6%	1.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.3	13.1	14.0	14.5	15.2
Cocaine	14.6	11.7	12.8	13.1	14.5	15.2	16.0
Crack	13.7	12.5	12.9	12.2	14.7	15.1	14.9
Steroids	13.2	10.8	12.2	12.4	14.3	14.5	14.8
Ecstasy	14.8	11.8	12.8	13.6	14.6	15.1	15.8
Heroin	12.9	11.1	11.8	10.9	14.3	14.9	15.4
Methamphetamine	13.8	11.5	12.0	12.8	14.5	14.9	15.7
Synthetic Marijuana	14.0	11.6	12.5	13.7	13.9	14.8	15.2

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 126

**Border Report**  
2018

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	37.0%	16.7%	5.6%	8.5%	12.8%	19.3%
	Grade 7	50.6%	26.1%	6.2%	5.8%	6.3%	5.1%
	Grade 8	43.8%	24.9%	6.2%	7.2%	8.4%	9.6%
	Grade 9	37.8%	15.5%	6.9%	9.2%	13.1%	17.6%
	Grade 10	32.1%	13.1%	5.8%	10.6%	15.7%	22.7%
	Grade 11	30.0%	11.6%	4.3%	9.6%	15.8%	28.6%
	Grade 12	29.0%	10.4%	4.3%	8.1%	16.8%	31.4%
<b>Cocaine?</b>							
	All	49.4%	24.3%	8.3%	7.2%	5.2%	5.7%
	Grade 7	56.0%	29.2%	7.2%	3.5%	2.0%	2.2%
	Grade 8	52.9%	30.4%	6.4%	4.4%	2.8%	3.0%
	Grade 9	50.8%	24.1%	9.8%	6.0%	4.6%	4.7%
	Grade 10	45.2%	24.2%	9.2%	9.0%	6.7%	5.7%
	Grade 11	45.7%	20.6%	8.7%	10.0%	6.2%	8.8%
	Grade 12	46.5%	17.8%	7.7%	10.1%	8.4%	9.5%
<b>Crack?</b>							
	All	53.2%	24.9%	8.7%	6.2%	3.3%	3.7%
	Grade 7	58.3%	28.8%	6.4%	2.9%	1.6%	2.0%
	Grade 8	55.3%	29.9%	6.4%	3.7%	2.1%	2.5%
	Grade 9	53.9%	24.4%	9.3%	5.4%	3.2%	3.7%
	Grade 10	49.8%	25.2%	10.6%	6.6%	4.4%	3.4%
	Grade 11	50.7%	21.8%	9.3%	9.0%	3.4%	5.9%
	Grade 12	51.8%	19.9%	9.6%	9.2%	4.7%	4.9%
<b>Steroids?</b>							
	All	55.0%	24.2%	8.1%	5.8%	3.4%	3.4%
	Grade 7	59.6%	27.7%	6.2%	3.1%	1.7%	1.6%
	Grade 8	57.1%	28.0%	6.4%	4.0%	2.5%	1.9%
	Grade 9	55.5%	24.1%	7.8%	5.9%	3.6%	3.1%
	Grade 10	52.1%	24.6%	10.4%	6.1%	3.4%	3.2%
	Grade 11	52.7%	22.2%	8.9%	7.3%	3.8%	5.1%
	Grade 12	53.9%	18.9%	8.4%	8.3%	5.4%	5.1%
<b>Ecstasy?</b>							
	All	58.6%	21.5%	7.0%	5.1%	3.6%	4.1%
	Grade 7	67.5%	23.0%	5.4%	2.0%	0.8%	1.3%
	Grade 8	63.1%	25.1%	4.9%	3.3%	1.7%	1.8%
	Grade 9	59.5%	22.2%	7.5%	4.3%	2.8%	3.7%
	Grade 10	55.9%	21.5%	7.9%	5.9%	4.5%	4.3%
	Grade 11	53.8%	19.9%	7.7%	7.0%	4.7%	7.0%
	Grade 12	52.4%	17.5%	8.4%	8.1%	7.0%	6.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 20 of 126

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	57.4%	25.2%	7.9%	4.3%	2.1%	3.1%
	Grade 7	63.3%	26.0%	5.6%	2.5%	0.9%	1.7%
	Grade 8	59.6%	28.1%	5.8%	3.0%	1.7%	1.8%
	Grade 9	58.2%	25.1%	7.9%	3.6%	2.1%	3.1%
	Grade 10	54.0%	27.0%	9.3%	4.1%	3.0%	2.6%
	Grade 11	54.3%	23.8%	8.6%	6.2%	2.2%	4.9%
	Grade 12	55.8%	21.1%	9.9%	6.2%	2.8%	4.4%
<b>Methamphetamine?</b>							
	All	59.4%	23.9%	7.5%	4.0%	2.0%	3.1%
	Grade 7	65.3%	24.5%	5.8%	1.8%	0.9%	1.6%
	Grade 8	61.7%	26.9%	4.9%	3.1%	1.6%	1.7%
	Grade 9	61.4%	23.2%	7.2%	3.2%	2.0%	3.0%
	Grade 10	55.9%	25.8%	8.9%	4.2%	2.6%	2.6%
	Grade 11	55.8%	23.0%	8.4%	5.9%	2.0%	5.0%
	Grade 12	57.2%	20.2%	9.7%	5.8%	2.7%	4.5%
<b>Synthetic Marijuana?</b>							
	All	57.8%	20.4%	6.3%	5.1%	4.8%	5.7%
	Grade 7	64.7%	23.3%	5.7%	2.2%	1.9%	2.2%
	Grade 8	61.6%	25.0%	4.0%	3.4%	3.1%	3.0%
	Grade 9	58.8%	19.3%	6.5%	5.2%	4.7%	5.6%
	Grade 10	53.9%	20.7%	7.9%	5.7%	6.0%	5.9%
	Grade 11	53.5%	17.9%	6.7%	7.1%	5.7%	9.1%
	Grade 12	55.3%	16.5%	6.5%	7.0%	6.9%	7.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	92.1%	4.7%	1.4%	1.9%
Grade 7	96.4%	2.4%	0.5%	0.7%
Grade 8	95.3%	3.0%	0.8%	0.9%
Grade 9	92.8%	4.3%	1.3%	1.6%
Grade 10	90.4%	4.9%	2.0%	2.8%
Grade 11	89.0%	6.9%	1.9%	2.2%
Grade 12	88.9%	6.5%	1.7%	2.9%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.8%	2.1%	0.5%	0.5%
Grade 7	97.4%	1.9%	0.3%	0.4%
Grade 8	97.5%	1.7%	0.4%	0.3%
Grade 9	97.1%	1.7%	0.7%	0.5%
Grade 10	95.9%	3.1%	0.4%	0.7%
Grade 11	96.9%	2.1%	0.6%	0.4%
Grade 12	96.4%	2.3%	0.7%	0.6%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.0
Marijuana Non-Users	3.6
Average Days Conduct Problems Reported	
Marijuana Users	3.7
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.7%	3.6%	0.8%	0.9%
Grade 9	97.1%	2.1%	0.4%	0.5%
Grade 10	96.1%	3.0%	0.4%	0.6%
Grade 11	94.0%	4.2%	1.0%	0.8%
Grade 12	90.8%	5.6%	1.8%	1.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.7%	0.3%	0.3%
Grade 7	97.1%	2.2%	0.5%	0.2%
Grade 8	97.6%	1.8%	0.3%	0.3%
Grade 9	96.5%	2.9%	0.4%	0.3%
Grade 10	96.1%	3.3%	0.3%	0.3%
Grade 11	96.6%	2.8%	0.3%	0.3%
Grade 12	96.4%	2.9%	0.4%	0.3%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	54.7%	20.6%	12.1%	9.1%	3.5%
Grade 7	78.2%	12.6%	5.4%	3.0%	0.9%
Grade 8	70.4%	16.2%	7.7%	4.3%	1.3%
Grade 9	54.8%	20.8%	12.3%	9.2%	3.0%
Grade 10	44.8%	24.9%	14.2%	11.4%	4.7%
Grade 11	42.3%	24.1%	15.9%	13.2%	4.5%
Grade 12	41.6%	23.4%	16.3%	12.8%	6.0%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.3%	5.5%	4.6%	6.3%	7.8%	2.9%	13.5%
Grade 7	82.4%	3.3%	2.0%	1.5%	1.2%	1.8%	7.7%
Grade 8	76.7%	3.5%	2.7%	2.8%	2.0%	2.0%	10.3%
Grade 9	58.8%	6.8%	5.1%	6.6%	5.2%	3.4%	14.2%
Grade 10	50.1%	5.9%	6.5%	7.8%	9.8%	4.1%	15.9%
Grade 11	46.3%	7.0%	5.6%	8.6%	12.5%	2.8%	17.3%
Grade 12	44.4%	6.2%	5.3%	10.0%	16.0%	3.2%	15.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 23 of 126

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.3%	6.0%	6.1%	1.5%	1.4%	7.7%
Grade 7	82.3%	3.2%	2.0%	0.7%	1.3%	10.6%
Grade 8	80.5%	4.4%	4.5%	1.0%	1.1%	8.4%
Grade 9	76.4%	6.0%	5.9%	1.4%	1.7%	8.6%
Grade 10	77.4%	6.7%	5.8%	1.8%	1.4%	6.8%
Grade 11	74.6%	7.5%	8.4%	2.1%	1.3%	6.1%
Grade 12	73.3%	7.7%	9.8%	1.6%	1.5%	6.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.8%	13.6%	11.6%	11.7%	4.3%
	Grade 7	77.8%	9.0%	5.2%	3.2%	4.7%
	Grade 8	68.3%	13.8%	7.2%	6.7%	4.1%
	Grade 9	57.7%	15.5%	11.9%	10.5%	4.4%
	Grade 10	51.9%	15.6%	14.1%	13.8%	4.6%
	Grade 11	50.3%	13.7%	14.1%	17.5%	4.4%
	Grade 12	48.8%	13.4%	16.3%	17.7%	3.7%
Cocaine?						
	All	86.0%	7.0%	1.0%	0.8%	5.1%
	Grade 7	87.4%	5.4%	1.1%	0.9%	5.1%
	Grade 8	85.3%	8.1%	1.3%	0.8%	4.4%
	Grade 9	85.2%	7.4%	0.9%	0.8%	5.7%
	Grade 10	84.4%	7.6%	1.1%	1.1%	5.7%
	Grade 11	86.7%	7.0%	1.1%	0.6%	4.6%
	Grade 12	87.4%	6.2%	0.8%	0.5%	5.0%
Crack?						
	All	87.3%	5.6%	0.8%	0.7%	5.5%
	Grade 7	86.7%	5.7%	1.0%	1.0%	5.7%
	Grade 8	86.3%	6.8%	1.2%	0.7%	5.0%
	Grade 9	86.5%	6.0%	0.9%	0.8%	5.8%
	Grade 10	86.5%	6.0%	0.6%	0.9%	6.1%
	Grade 11	88.5%	5.1%	1.0%	0.6%	4.9%
	Grade 12	89.5%	4.2%	0.4%	0.5%	5.4%
Ecstasy?						
	All	82.8%	6.9%	1.8%	0.9%	7.7%
	Grade 7	83.4%	5.1%	1.0%	1.0%	9.6%
	Grade 8	84.1%	6.7%	1.3%	1.0%	6.9%
	Grade 9	81.8%	7.6%	1.2%	0.8%	8.5%
	Grade 10	80.3%	7.5%	2.7%	1.3%	8.2%
	Grade 11	83.5%	6.9%	2.2%	0.6%	6.7%
	Grade 12	84.0%	7.0%	2.3%	0.7%	6.0%
Steroids?						
	All	79.6%	9.7%	2.7%	1.1%	6.9%
	Grade 7	80.7%	8.0%	2.5%	1.2%	7.6%
	Grade 8	80.4%	9.8%	2.3%	1.2%	6.3%
	Grade 9	78.9%	9.9%	2.9%	1.2%	7.1%
	Grade 10	77.2%	10.7%	3.1%	1.3%	7.7%
	Grade 11	79.5%	10.1%	3.3%	0.9%	6.2%
	Grade 12	81.5%	9.1%	2.1%	0.8%	6.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	87.7%	4.5%	0.7%	0.7%	6.4%
	Grade 7	85.8%	4.8%	1.1%	1.0%	7.2%
	Grade 8	86.6%	5.8%	0.7%	0.8%	6.1%
	Grade 9	86.8%	5.3%	0.7%	0.6%	6.6%
	Grade 10	87.0%	4.3%	0.8%	0.9%	6.9%
	Grade 11	89.6%	3.6%	0.9%	0.5%	5.5%
	Grade 12	90.8%	2.9%	0.3%	0.3%	5.8%
<b>Methamphetamine?</b>						
	All	87.4%	4.4%	0.7%	0.7%	6.7%
	Grade 7	85.3%	4.6%	0.9%	1.2%	8.0%
	Grade 8	86.2%	5.7%	0.8%	0.9%	6.5%
	Grade 9	86.7%	4.7%	0.8%	0.7%	7.0%
	Grade 10	86.4%	4.5%	0.8%	0.8%	7.5%
	Grade 11	89.2%	3.6%	0.9%	0.5%	5.7%
	Grade 12	91.1%	2.9%	0.2%	0.3%	5.5%
<b>Synthetic Marijuana?</b>						
	All	82.4%	6.7%	2.1%	1.4%	7.4%
	Grade 7	84.2%	5.2%	1.4%	1.2%	8.0%
	Grade 8	83.2%	6.7%	1.7%	1.5%	6.8%
	Grade 9	81.5%	7.3%	2.2%	1.4%	7.5%
	Grade 10	80.2%	7.4%	2.6%	1.6%	8.2%
	Grade 11	81.4%	7.4%	2.8%	1.7%	6.8%
	Grade 12	85.0%	5.6%	2.1%	0.7%	6.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	6.8%	9.8%	16.5%	83.5%
Grade 7	6.3%	9.0%	14.1%	85.9%
Grade 8	6.9%	10.2%	15.8%	84.2%
Grade 9	7.1%	10.0%	16.6%	83.4%
Grade 10	6.9%	9.7%	17.0%	83.0%
Grade 11	7.2%	10.8%	18.8%	81.2%
Grade 12	6.2%	9.0%	16.5%	83.5%
<b>Codeine Cough Syrup?</b>				
All	4.4%	6.9%	12.7%	87.3%
Grade 7	4.2%	6.5%	10.9%	89.1%
Grade 8	4.8%	7.7%	12.5%	87.5%
Grade 9	4.9%	6.9%	13.2%	86.8%
Grade 10	4.4%	7.1%	12.9%	87.1%
Grade 11	4.6%	7.0%	14.2%	85.8%
Grade 12	3.2%	5.9%	12.1%	87.9%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.8%	1.4%	2.6%	97.4%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.7%	1.5%	2.5%	97.5%
Grade 10	1.2%	2.1%	3.0%	97.0%
Grade 11	0.8%	1.4%	3.2%	96.8%
Grade 12	1.2%	2.0%	4.0%	96.0%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.8%	2.7%	5.0%	95.0%
Grade 7	0.7%	1.1%	2.1%	97.9%
Grade 8	1.4%	1.8%	3.3%	96.7%
Grade 9	2.1%	2.8%	5.0%	95.0%
Grade 10	2.5%	3.5%	5.6%	94.4%
Grade 11	1.6%	3.3%	6.7%	93.3%
Grade 12	2.1%	3.7%	6.9%	93.1%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.8%	1.1%	2.0%	98.0%
Grade 10	1.1%	1.7%	2.8%	97.2%
Grade 11	1.2%	1.8%	3.5%	96.5%
Grade 12	1.2%	1.8%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.6%	3.7%	6.8%	93.2%
Grade 7	2.7%	4.3%	7.1%	92.9%
Grade 8	2.7%	4.1%	7.0%	93.0%
Grade 9	2.7%	3.8%	7.0%	93.0%
Grade 10	2.7%	3.7%	6.6%	93.4%
Grade 11	2.4%	3.4%	7.3%	92.7%
Grade 12	2.6%	3.1%	5.8%	94.2%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.8%	3.4%	96.6%
Grade 7	1.3%	2.1%	3.9%	96.1%
Grade 8	1.6%	2.1%	4.5%	95.5%
Grade 9	1.4%	2.0%	3.6%	96.4%
Grade 10	1.1%	1.6%	2.8%	97.2%
Grade 11	1.2%	1.5%	3.3%	96.7%
Grade 12	1.3%	1.5%	2.6%	97.4%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.2%	11.1%	3.1%	1.5%	7.0%
Grade 7	79.7%	8.7%	2.7%	1.8%	7.1%
Grade 8	77.5%	11.6%	2.9%	1.8%	6.2%
Grade 9	77.8%	11.0%	2.5%	1.4%	7.3%
Grade 10	73.8%	12.6%	3.9%	1.5%	8.2%
Grade 11	76.3%	11.7%	4.1%	1.5%	6.4%
Grade 12	78.8%	10.9%	2.7%	1.1%	6.4%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Inhalant?</b>				
All	5.1%	6.6%	12.3%	87.7%
Grade 7	8.5%	10.1%	17.2%	82.8%
Grade 8	5.9%	7.5%	14.3%	85.7%
Grade 9	4.9%	6.2%	11.8%	88.2%
Grade 10	4.2%	5.5%	10.8%	89.2%
Grade 11	4.0%	5.4%	10.6%	89.4%
Grade 12	3.3%	5.0%	9.9%	90.1%
<b>Spray Paint?</b>				
All	0.7%	0.9%	2.4%	97.6%
Grade 7	0.9%	1.1%	2.9%	97.1%
Grade 8	0.8%	1.3%	2.7%	97.3%
Grade 9	0.4%	0.5%	2.2%	97.8%
Grade 10	0.8%	1.0%	2.6%	97.4%
Grade 11	0.7%	0.9%	2.5%	97.5%
Grade 12	0.4%	0.6%	1.9%	98.1%
<b>Whiteout, Correction Fluid, or Magic Markers?</b>				
All	1.4%	2.0%	4.9%	95.1%
Grade 7	2.9%	3.9%	7.8%	92.2%
Grade 8	1.9%	2.7%	6.5%	93.5%
Grade 9	1.1%	1.6%	4.0%	96.0%
Grade 10	1.2%	1.8%	5.1%	94.9%
Grade 11	0.9%	1.3%	3.6%	96.4%
Grade 12	0.6%	0.8%	2.6%	97.4%
<b>Computer Dusting Sprays?</b>				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	0.3%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.6%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.6%	0.8%	1.3%	98.7%
Grade 12	0.2%	0.5%	0.8%	99.2%
<b>Helium, Butane, Propane, Whippets, or Freon?</b>				
All	1.9%	2.7%	6.3%	93.7%
Grade 7	3.0%	4.2%	9.3%	90.7%
Grade 8	2.1%	3.1%	7.5%	92.5%
Grade 9	2.0%	2.6%	6.2%	93.8%
Grade 10	1.5%	2.5%	5.6%	94.4%
Grade 11	1.3%	1.9%	5.0%	95.0%
Grade 12	1.3%	2.2%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 29 of 126

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.7%	0.8%	1.7%	98.3%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.3%	0.4%	1.4%	98.6%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.8%	1.1%	98.9%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	0.6%	0.7%	1.4%	98.6%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.8%	99.2%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	1.0%	1.1%	2.3%	97.7%
Grade 7	1.4%	1.6%	3.2%	96.8%
Grade 8	0.9%	1.1%	2.4%	97.6%
Grade 9	0.8%	1.1%	2.4%	97.6%
Grade 10	1.2%	1.3%	2.3%	97.7%
Grade 11	0.9%	1.0%	2.0%	98.0%
Grade 12	0.5%	0.7%	1.6%	98.4%
<b>Other Aerosols/Sprays?</b>				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	1.0%	1.3%	2.9%	97.1%
Grade 8	0.7%	0.9%	1.4%	98.6%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.4%	98.6%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.4%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.1%	0.2%	0.3%	0.5%	0.6%	1.2%
Grade 7	95.4%	0.3%	0.4%	0.5%	0.8%	0.9%	1.7%
Grade 8	97.1%	0.2%	0.1%	0.4%	0.6%	0.8%	0.9%
Grade 9	97.3%	0.1%	0.2%	0.3%	0.4%	0.7%	1.0%
Grade 10	97.0%	0.0%	0.2%	0.3%	0.5%	0.6%	1.3%
Grade 11	97.8%	0.2%	0.1%	0.2%	0.4%	0.4%	0.9%
Grade 12	98.1%	0.0%	0.0%	0.2%	0.1%	0.3%	1.1%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.5%	6.0%	3.1%	1.4%
Grade 7	84.8%	8.6%	4.7%	1.9%
Grade 8	87.3%	7.1%	4.4%	1.3%
Grade 9	90.1%	5.7%	2.8%	1.3%
Grade 10	90.6%	5.1%	2.7%	1.7%
Grade 11	91.4%	5.1%	2.3%	1.2%
Grade 12	92.6%	4.7%	1.8%	0.9%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.0	10.8	11.7	11.7	12.4	13.2	13.8

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.7%	0.1%	0.2%
Grade 7	98.5%	1.1%	0.1%	0.3%
Grade 8	99.0%	0.7%	0.1%	0.1%
Grade 9	99.1%	0.6%	0.0%	0.2%
Grade 10	99.1%	0.5%	0.0%	0.3%
Grade 11	99.1%	0.7%	0.1%	0.2%
Grade 12	98.9%	0.7%	0.1%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.9
Inhalant Non-Users	3.8
Average Days Conduct Problems Reported	
Inhalant Users	5.0
Inhalant Non-Users	1.4

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	92.5%	5.1%	1.6%	0.6%	0.2%
Grade 7	90.3%	6.4%	2.1%	1.0%	0.1%
Grade 8	91.4%	6.1%	1.9%	0.5%	0.1%
Grade 9	91.4%	5.8%	1.7%	0.8%	0.3%
Grade 10	92.5%	4.9%	1.6%	0.5%	0.4%
Grade 11	94.2%	4.1%	1.1%	0.3%	0.3%
Grade 12	95.0%	3.6%	1.0%	0.2%	0.2%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.8%	12.1%	4.3%	1.7%	7.0%
Grade 7	75.1%	11.7%	4.9%	1.6%	6.7%
Grade 8	74.6%	12.7%	4.9%	2.1%	5.6%
Grade 9	74.6%	13.3%	3.8%	1.1%	7.2%
Grade 10	72.7%	13.1%	4.5%	2.1%	7.7%
Grade 11	74.9%	11.3%	4.5%	1.9%	7.5%
Grade 12	77.7%	10.3%	3.5%	1.3%	7.2%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	53.6%	13.4%	3.0%	4.3%	7.0%	18.7%
Grade 7	57.9%	18.5%	2.5%	3.7%	5.4%	11.9%
Grade 8	55.2%	16.7%	2.6%	4.8%	6.6%	14.0%
Grade 9	54.7%	13.6%	3.2%	4.1%	7.0%	17.4%
Grade 10	51.3%	11.6%	3.9%	5.2%	8.0%	20.0%
Grade 11	50.6%	11.3%	2.9%	4.1%	6.6%	24.6%
Grade 12	52.5%	9.5%	2.5%	3.6%	8.3%	23.5%

*Percentages have been weighted to reflect proportions within the population.*

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	52.3%
	Grade 7	50.9%
	Grade 8	57.7%
	Grade 9	50.1%
	Grade 10	54.6%
	Grade 11	52.1%
	Grade 12	49.1%
An Assembly Program		
	All	45.8%
	Grade 7	51.6%
	Grade 8	49.5%
	Grade 9	45.0%
	Grade 10	43.7%
	Grade 11	42.6%
	Grade 12	43.2%
Guidance Counselor		
	All	36.4%
	Grade 7	45.1%
	Grade 8	45.0%
	Grade 9	36.3%
	Grade 10	31.5%
	Grade 11	30.5%
	Grade 12	31.7%
School Nurse		
	All	25.9%
	Grade 7	32.1%
	Grade 8	27.1%
	Grade 9	25.5%
	Grade 10	22.7%
	Grade 11	22.6%
	Grade 12	26.3%
Science or Social Studies Class		
	All	30.6%
	Grade 7	30.7%
	Grade 8	27.3%
	Grade 9	32.9%
	Grade 10	28.0%
	Grade 11	30.6%
	Grade 12	34.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 33 of 126

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	20.6%
	Grade 7	20.3%
	Grade 8	18.8%
	Grade 9	20.5%
	Grade 10	18.7%
	Grade 11	20.7%
	Grade 12	24.8%
<b>An Invited School Guest</b>		
	All	36.6%
	Grade 7	37.4%
	Grade 8	39.7%
	Grade 9	34.0%
	Grade 10	35.9%
	Grade 11	36.1%
	Grade 12	37.7%
<b>Another Source at School</b>		
	All	32.9%
	Grade 7	33.1%
	Grade 8	34.5%
	Grade 9	33.2%
	Grade 10	31.8%
	Grade 11	31.7%
	Grade 12	33.4%
<b>Any School Source</b>		
	All	71.5%
	Grade 7	72.6%
	Grade 8	75.0%
	Grade 9	71.0%
	Grade 10	71.7%
	Grade 11	70.5%
	Grade 12	68.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<hr/>		
Counselor/Program In-School		
	All	44.6%
	Grade 7	55.3%
	Grade 8	51.0%
	Grade 9	43.0%
	Grade 10	39.5%
	Grade 11	39.7%
	Grade 12	41.0%
School Nurse		
	All	28.8%
	Grade 7	38.3%
	Grade 8	34.1%
	Grade 9	28.2%
	Grade 10	24.5%
	Grade 11	23.8%
	Grade 12	25.6%
Another Adult In School		
	All	47.6%
	Grade 7	53.1%
	Grade 8	49.5%
	Grade 9	45.6%
	Grade 10	45.6%
	Grade 11	46.5%
	Grade 12	46.3%
Counselor/Program Outside-School		
	All	44.9%
	Grade 7	49.9%
	Grade 8	49.7%
	Grade 9	43.8%
	Grade 10	41.3%
	Grade 11	42.5%
	Grade 12	43.3%
Your Parents		
	All	72.0%
	Grade 7	76.1%
	Grade 8	75.0%
	Grade 9	73.5%
	Grade 10	71.2%
	Grade 11	69.1%
	Grade 12	67.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<hr/>		
A Medical Doctor		
	All	61.4%
	Grade 7	68.9%
	Grade 8	65.5%
	Grade 9	61.5%
	Grade 10	59.1%
	Grade 11	57.2%
	Grade 12	57.0%
Your Friends		
	All	60.1%
	Grade 7	51.7%
	Grade 8	56.6%
	Grade 9	59.6%
	Grade 10	62.3%
	Grade 11	64.2%
	Grade 12	65.6%
Another Adult		
	All	61.9%
	Grade 7	63.5%
	Grade 8	66.0%
	Grade 9	61.2%
	Grade 10	60.9%
	Grade 11	60.0%
	Grade 12	60.5%
<hr/>		

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
<hr/>		
	All	8.1%
	Grade 7	7.6%
	Grade 8	7.1%
	Grade 9	8.7%
	Grade 10	8.8%
	Grade 11	7.2%
	Grade 12	8.8%
<hr/>		

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 126

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	7.1%	23.9%	23.3%	32.6%	13.0%
Grade 7	9.5%	19.9%	21.8%	31.5%	17.3%
Grade 8	8.6%	21.6%	22.2%	34.0%	13.7%
Grade 9	7.4%	23.5%	23.7%	31.8%	13.5%
Grade 10	6.3%	25.1%	24.8%	32.9%	11.0%
Grade 11	5.7%	26.1%	23.7%	32.1%	12.3%
Grade 12	5.1%	27.1%	23.4%	33.6%	10.8%
<b>Sometimes Carry Weapons?</b>					
All	84.3%	10.3%	3.4%	1.2%	0.9%
Grade 7	90.0%	6.5%	2.3%	0.5%	0.6%
Grade 8	85.7%	10.2%	2.7%	0.8%	0.6%
Grade 9	85.3%	9.3%	3.5%	1.3%	0.6%
Grade 10	83.2%	11.1%	3.6%	1.2%	0.9%
Grade 11	82.0%	11.1%	4.3%	1.6%	1.0%
Grade 12	79.9%	13.2%	3.8%	1.7%	1.4%
<b>Care About Making Good Grades?</b>					
All	2.7%	13.0%	24.3%	39.3%	20.7%
Grade 7	2.9%	13.2%	24.9%	35.5%	23.5%
Grade 8	2.7%	11.8%	24.4%	38.1%	23.0%
Grade 9	2.5%	14.3%	25.2%	38.7%	19.3%
Grade 10	3.1%	13.5%	24.2%	40.9%	18.3%
Grade 11	2.4%	12.1%	24.5%	39.9%	21.1%
Grade 12	2.6%	12.9%	22.6%	42.2%	19.7%
<b>Belong/Want to Belong to a Gang?</b>					
All	84.5%	10.1%	3.4%	1.3%	0.8%
Grade 7	80.4%	13.4%	3.8%	1.3%	1.1%
Grade 8	82.2%	11.8%	3.3%	1.8%	0.8%
Grade 9	82.5%	11.7%	4.0%	1.4%	0.4%
Grade 10	85.4%	9.3%	3.6%	1.1%	0.6%
Grade 11	86.9%	7.9%	2.9%	1.6%	0.7%
Grade 12	89.5%	6.4%	2.4%	0.6%	1.1%
<b>Wish They Could Drop Out of School?</b>					
All	52.5%	28.4%	12.2%	4.5%	2.4%
Grade 7	55.8%	27.5%	9.9%	4.3%	2.4%
Grade 8	55.8%	27.6%	10.3%	4.6%	1.7%
Grade 9	49.9%	28.8%	14.1%	4.8%	2.3%
Grade 10	49.2%	31.1%	12.0%	5.0%	2.7%
Grade 11	51.6%	28.1%	13.0%	4.7%	2.5%
Grade 12	54.1%	26.7%	12.9%	3.6%	2.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 37 of 126

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	87.3%	11.1%	0.7%	0.1%	0.8%
Grade 7	85.4%	12.2%	1.4%	0.2%	0.8%
Grade 8	86.2%	12.1%	0.8%	0.1%	0.8%
Grade 9	85.8%	12.6%	0.6%	0.1%	0.9%
Grade 10	86.9%	11.6%	0.6%	0.2%	0.7%
Grade 11	89.2%	9.5%	0.3%	0.2%	0.8%
Grade 12	90.4%	8.5%	0.4%	0.1%	0.6%
<b>Out In Your Neighborhood?</b>					
All	41.3%	48.4%	6.4%	1.3%	2.5%
Grade 7	36.4%	49.7%	8.0%	2.0%	3.9%
Grade 8	38.1%	49.7%	7.2%	1.2%	3.9%
Grade 9	38.4%	50.8%	7.4%	1.0%	2.4%
Grade 10	41.1%	49.1%	6.4%	1.4%	2.0%
Grade 11	45.5%	46.9%	4.5%	1.4%	1.7%
Grade 12	48.8%	43.4%	5.2%	1.0%	1.6%
<b>At School?</b>					
All	35.9%	46.3%	9.6%	4.1%	4.0%
Grade 7	42.1%	42.1%	8.8%	3.3%	3.6%
Grade 8	42.4%	44.4%	6.4%	3.1%	3.7%
Grade 9	29.4%	49.0%	11.1%	5.7%	4.9%
Grade 10	30.0%	49.3%	12.3%	4.0%	4.5%
Grade 11	33.9%	47.1%	10.9%	3.9%	4.1%
Grade 12	40.9%	44.5%	7.3%	4.3%	3.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 38 of 126

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.1%	17.3%	28.8%	71.2%
Grade 7	5.8%	6.9%	14.4%	85.6%
Grade 8	8.0%	10.1%	18.1%	81.9%
Grade 9	12.4%	15.6%	26.3%	73.7%
Grade 10	15.9%	19.6%	32.3%	67.7%
Grade 11	18.1%	22.3%	37.9%	62.1%
Grade 12	24.3%	28.9%	42.8%	57.2%
<b>Any Alcohol Product</b>				
All	31.8%	36.6%	51.9%	48.1%
Grade 7	15.7%	18.2%	33.8%	66.2%
Grade 8	20.8%	24.2%	39.7%	60.3%
Grade 9	30.6%	35.0%	50.3%	49.7%
Grade 10	38.6%	44.7%	59.1%	40.9%
Grade 11	37.8%	44.1%	62.1%	37.9%
Grade 12	45.7%	51.4%	64.3%	35.7%
<b>Any Illicit Drug</b>				
All	15.7%	19.1%	24.5%	75.5%
Grade 7	6.0%	8.0%	10.1%	89.9%
Grade 8	8.7%	10.9%	13.4%	86.6%
Grade 9	14.5%	17.7%	22.5%	77.5%
Grade 10	18.6%	22.4%	28.1%	71.9%
Grade 11	21.3%	25.1%	33.8%	66.2%
Grade 12	24.4%	29.3%	38.1%	61.9%
<b>Any Prescription Drug</b>				
All	6.8%	9.8%	16.5%	83.5%
Grade 7	6.3%	9.0%	14.1%	85.9%
Grade 8	6.9%	10.2%	15.8%	84.2%
Grade 9	7.1%	10.0%	16.6%	83.4%
Grade 10	6.9%	9.7%	17.0%	83.0%
Grade 11	7.2%	10.8%	18.8%	81.2%
Grade 12	6.2%	9.0%	16.5%	83.5%
<b>Any Inhalant</b>				
All	5.1%	6.6%	12.3%	87.7%
Grade 7	8.5%	10.1%	17.2%	82.8%
Grade 8	5.9%	7.5%	14.3%	85.7%
Grade 9	4.9%	6.2%	11.8%	88.2%
Grade 10	4.2%	5.5%	10.8%	89.2%
Grade 11	4.0%	5.4%	10.6%	89.4%
Grade 12	3.3%	5.0%	9.9%	90.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 40 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.9%	11.3%	21.3%	78.7%
Grade 7	3.5%	4.7%	10.4%	89.6%
Grade 8	4.7%	6.7%	13.2%	86.8%
Grade 9	7.7%	11.1%	20.2%	79.8%
Grade 10	8.1%	11.5%	23.3%	76.7%
Grade 11	10.6%	15.3%	28.0%	72.0%
Grade 12	12.7%	18.2%	31.9%	68.1%
<b>Marijuana</b>				
All	15.3%	17.5%	23.1%	76.9%
Grade 7	5.4%	6.3%	8.0%	92.0%
Grade 8	8.4%	9.3%	11.9%	88.1%
Grade 9	14.1%	16.0%	20.7%	79.3%
Grade 10	18.4%	20.6%	26.6%	73.4%
Grade 11	20.9%	23.8%	32.8%	67.2%
Grade 12	23.9%	28.1%	37.3%	62.7%
<b>Marijuana Only</b>				
All	8.8%	10.5%	15.0%	85.0%
Grade 7	2.2%	3.0%	4.3%	95.7%
Grade 8	4.3%	5.1%	7.2%	92.8%
Grade 9	8.3%	10.0%	14.0%	86.0%
Grade 10	11.2%	12.9%	17.7%	82.3%
Grade 11	12.3%	14.1%	21.4%	78.6%
Grade 12	13.9%	17.1%	24.6%	75.4%
<b>Cocaine or Crack</b>				
All	2.5%	2.8%	4.1%	95.9%
Grade 7	1.7%	1.7%	2.1%	97.9%
Grade 8	1.5%	1.8%	2.4%	97.6%
Grade 9	2.0%	2.2%	2.9%	97.1%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	2.6%	3.4%	5.7%	94.3%
Grade 12	3.8%	4.2%	6.6%	93.4%
<b>Cocaine</b>				
All	2.3%	2.6%	3.9%	96.1%
Grade 7	1.3%	1.4%	1.8%	98.2%
Grade 8	1.4%	1.6%	2.2%	97.8%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	3.1%	3.4%	4.9%	95.1%
Grade 11	2.6%	3.2%	5.6%	94.4%
Grade 12	3.6%	4.0%	6.4%	93.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 41 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	0.9%	1.1%	1.1%	98.9%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.8%	1.0%	1.3%	98.7%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.5%	0.6%	1.1%	98.9%
<b>Hallucinogens</b>				
All	1.0%	1.5%	3.0%	97.0%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.6%	0.9%	2.3%	97.7%
Grade 10	1.2%	1.6%	3.0%	97.0%
Grade 11	1.2%	2.0%	4.4%	95.6%
Grade 12	2.2%	3.2%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.5%	1.0%	99.0%
Grade 12	0.2%	0.4%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.9%	1.3%	2.8%	97.2%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.7%	0.9%	2.1%	97.9%
Grade 10	1.0%	1.5%	3.1%	96.9%
Grade 11	1.1%	1.6%	4.3%	95.7%
Grade 12	1.6%	2.4%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.4%	1.9%	4.1%	95.9%
Grade 7	0.9%	1.4%	2.5%	97.5%
Grade 8	1.2%	1.6%	2.9%	97.1%
Grade 9	1.7%	2.3%	4.3%	95.7%
Grade 10	1.4%	2.1%	4.1%	95.9%
Grade 11	1.5%	2.1%	5.7%	94.3%
Grade 12	1.5%	1.8%	4.7%	95.3%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.3%	0.5%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.5%	18.9%	30.5%	69.5%
Grade 7	6.1%	7.5%	15.4%	84.6%
Grade 8	8.5%	10.5%	18.9%	81.1%
Grade 9	12.7%	16.5%	27.4%	72.6%
Grade 10	17.5%	21.7%	33.6%	66.4%
Grade 11	18.8%	23.1%	37.9%	62.1%
Grade 12	29.1%	33.4%	48.3%	51.7%
<b>Any Alcohol Product</b>				
All	30.3%	35.0%	50.3%	49.7%
Grade 7	14.2%	16.9%	33.0%	67.0%
Grade 8	19.3%	23.1%	39.0%	61.0%
Grade 9	28.9%	33.1%	47.4%	52.6%
Grade 10	36.1%	42.6%	56.5%	43.5%
Grade 11	34.8%	40.0%	58.5%	41.5%
Grade 12	46.8%	52.6%	65.3%	34.7%
<b>Any Illicit Drug</b>				
All	16.7%	20.2%	26.1%	73.9%
Grade 7	5.9%	7.6%	10.5%	89.5%
Grade 8	8.9%	11.4%	14.6%	85.4%
Grade 9	16.1%	19.8%	25.1%	74.9%
Grade 10	18.6%	22.9%	28.3%	71.7%
Grade 11	21.7%	26.1%	34.8%	65.2%
Grade 12	27.6%	32.2%	41.2%	58.8%
<b>Any Prescription Drug</b>				
All	6.8%	9.8%	17.7%	82.3%
Grade 7	5.7%	7.7%	13.4%	86.6%
Grade 8	6.3%	9.8%	16.3%	83.7%
Grade 9	7.3%	10.6%	18.8%	81.2%
Grade 10	7.6%	10.3%	18.4%	81.6%
Grade 11	6.9%	10.1%	19.2%	80.8%
Grade 12	6.7%	10.2%	19.6%	80.4%
<b>Any Inhalant</b>				
All	4.6%	6.0%	11.7%	88.3%
Grade 7	6.4%	7.7%	15.0%	85.0%
Grade 8	6.1%	7.0%	12.8%	87.2%
Grade 9	4.2%	5.7%	11.4%	88.6%
Grade 10	4.6%	6.1%	11.1%	88.9%
Grade 11	3.1%	4.4%	10.1%	89.9%
Grade 12	3.8%	5.3%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 44 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.7%	12.6%	23.2%	76.8%
Grade 7	3.4%	4.9%	11.4%	88.6%
Grade 8	5.3%	7.6%	14.6%	85.4%
Grade 9	8.3%	12.3%	21.7%	78.3%
Grade 10	8.7%	12.8%	24.7%	75.3%
Grade 11	10.9%	16.0%	29.0%	71.0%
Grade 12	15.2%	21.2%	36.5%	63.5%
<b>Marijuana</b>				
All	16.3%	18.8%	24.7%	75.3%
Grade 7	5.7%	6.6%	9.2%	90.8%
Grade 8	8.7%	9.7%	13.1%	86.9%
Grade 9	16.0%	18.3%	23.5%	76.5%
Grade 10	18.4%	21.3%	26.9%	73.1%
Grade 11	21.2%	24.4%	33.4%	66.6%
Grade 12	26.7%	30.6%	40.2%	59.8%
<b>Marijuana Only</b>				
All	9.5%	11.2%	16.0%	84.0%
Grade 7	2.4%	3.1%	5.0%	95.0%
Grade 8	4.3%	5.1%	8.0%	92.0%
Grade 9	9.9%	11.9%	16.6%	83.4%
Grade 10	11.7%	13.9%	18.3%	81.7%
Grade 11	12.5%	14.4%	21.6%	78.4%
Grade 12	15.1%	17.5%	24.8%	75.2%
<b>Cocaine or Crack</b>				
All	2.7%	3.2%	4.7%	95.3%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	1.2%	1.8%	2.2%	97.8%
Grade 9	2.1%	2.4%	3.2%	96.8%
Grade 10	3.7%	4.0%	5.6%	94.4%
Grade 11	3.1%	4.3%	6.7%	93.3%
Grade 12	4.8%	5.3%	8.7%	91.3%
<b>Cocaine</b>				
All	2.5%	3.0%	4.5%	95.5%
Grade 7	1.1%	1.1%	1.3%	98.7%
Grade 8	1.2%	1.5%	1.9%	98.1%
Grade 9	2.0%	2.2%	3.0%	97.0%
Grade 10	3.5%	3.8%	5.4%	94.6%
Grade 11	2.9%	4.1%	6.6%	93.4%
Grade 12	4.4%	4.9%	8.4%	91.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 45 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.9%	99.1%
Grade 9	0.8%	1.1%	1.2%	98.8%
Grade 10	0.4%	0.5%	1.3%	98.7%
Grade 11	0.4%	0.6%	1.0%	99.0%
Grade 12	0.8%	0.9%	1.5%	98.5%
<b>Hallucinogens</b>				
All	1.2%	1.7%	3.5%	96.5%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.9%	1.1%	2.0%	98.0%
Grade 9	0.7%	1.3%	2.5%	97.5%
Grade 10	1.5%	1.9%	3.1%	96.9%
Grade 11	0.8%	1.8%	4.8%	95.2%
Grade 12	2.8%	3.9%	7.2%	92.8%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Steroids</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.3%	0.7%	1.6%	98.4%
<b>Ecstasy</b>				
All	1.0%	1.4%	2.9%	97.1%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	1.0%	1.2%	2.7%	97.3%
Grade 10	1.3%	1.7%	2.7%	97.3%
Grade 11	0.7%	1.4%	4.0%	96.0%
Grade 12	2.1%	3.0%	5.5%	94.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.8%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	1.4%	1.9%	4.2%	95.8%
Grade 7	0.9%	1.4%	2.5%	97.5%
Grade 8	1.3%	1.7%	2.9%	97.1%
Grade 9	1.6%	2.1%	4.1%	95.9%
Grade 10	1.4%	2.1%	4.1%	95.9%
Grade 11	1.1%	1.9%	5.3%	94.7%
Grade 12	2.0%	2.3%	5.7%	94.3%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.7%	1.0%	1.2%	98.8%
Grade 10	0.1%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.4%	0.7%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.8%	15.8%	27.2%	72.8%
Grade 7	5.5%	6.4%	13.5%	86.5%
Grade 8	7.4%	9.6%	17.3%	82.7%
Grade 9	12.1%	14.8%	25.4%	74.6%
Grade 10	14.4%	17.7%	31.1%	68.9%
Grade 11	17.4%	21.5%	37.8%	62.2%
Grade 12	19.4%	24.3%	37.2%	62.8%
<b>Any Alcohol Product</b>				
All	33.3%	38.2%	53.5%	46.5%
Grade 7	17.0%	19.4%	34.5%	65.5%
Grade 8	22.1%	25.3%	40.5%	59.5%
Grade 9	32.3%	36.8%	53.3%	46.7%
Grade 10	41.0%	46.8%	61.7%	38.3%
Grade 11	40.9%	48.5%	65.6%	34.4%
Grade 12	44.6%	50.3%	63.3%	36.7%
<b>Any Illicit Drug</b>				
All	14.8%	18.0%	23.1%	76.9%
Grade 7	6.1%	8.5%	9.8%	90.2%
Grade 8	8.6%	10.4%	12.4%	87.6%
Grade 9	13.0%	15.9%	20.1%	79.9%
Grade 10	18.5%	21.8%	28.0%	72.0%
Grade 11	20.9%	24.1%	32.8%	67.2%
Grade 12	21.2%	26.5%	35.0%	65.0%
<b>Any Prescription Drug</b>				
All	6.8%	9.7%	15.4%	84.6%
Grade 7	6.6%	10.1%	14.7%	85.3%
Grade 8	7.5%	10.6%	15.4%	84.6%
Grade 9	7.0%	9.5%	14.6%	85.4%
Grade 10	6.4%	9.1%	15.8%	84.2%
Grade 11	7.4%	11.4%	18.4%	81.6%
Grade 12	5.8%	7.8%	13.3%	86.7%
<b>Any Inhalant</b>				
All	5.5%	7.1%	13.0%	87.0%
Grade 7	10.6%	12.5%	19.4%	80.6%
Grade 8	5.8%	8.0%	15.9%	84.1%
Grade 9	5.5%	6.6%	12.2%	87.8%
Grade 10	3.7%	5.0%	10.5%	89.5%
Grade 11	4.8%	6.4%	11.0%	89.0%
Grade 12	2.8%	4.8%	9.5%	90.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 48 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.1%	10.1%	19.5%	80.5%
Grade 7	3.6%	4.5%	9.5%	90.5%
Grade 8	4.1%	5.7%	11.7%	88.3%
Grade 9	7.1%	9.9%	18.8%	81.2%
Grade 10	7.5%	10.4%	22.1%	77.9%
Grade 11	10.4%	14.5%	27.0%	73.0%
Grade 12	10.1%	15.2%	27.2%	72.8%
<b>Marijuana</b>				
All	14.4%	16.4%	21.5%	78.5%
Grade 7	5.1%	6.0%	6.9%	93.1%
Grade 8	8.1%	9.0%	10.7%	89.3%
Grade 9	12.5%	13.9%	18.2%	81.8%
Grade 10	18.4%	20.0%	26.2%	73.8%
Grade 11	20.6%	23.3%	32.2%	67.8%
Grade 12	20.9%	25.7%	34.3%	65.7%
<b>Marijuana Only</b>				
All	8.2%	9.8%	14.1%	85.9%
Grade 7	2.0%	2.9%	3.7%	96.3%
Grade 8	4.4%	5.2%	6.6%	93.4%
Grade 9	6.9%	8.1%	11.6%	88.4%
Grade 10	10.7%	11.9%	17.3%	82.7%
Grade 11	12.1%	13.8%	21.2%	78.8%
Grade 12	12.8%	16.5%	24.3%	75.7%
<b>Cocaine or Crack</b>				
All	2.3%	2.4%	3.6%	96.4%
Grade 7	2.2%	2.2%	2.7%	97.3%
Grade 8	1.8%	1.8%	2.5%	97.5%
Grade 9	1.8%	2.0%	2.8%	97.2%
Grade 10	2.7%	3.1%	4.7%	95.3%
Grade 11	2.2%	2.4%	4.7%	95.3%
Grade 12	2.8%	3.1%	4.5%	95.5%
<b>Cocaine</b>				
All	2.1%	2.3%	3.5%	96.5%
Grade 7	1.6%	1.6%	2.3%	97.7%
Grade 8	1.7%	1.8%	2.4%	97.6%
Grade 9	1.7%	1.8%	2.4%	97.6%
Grade 10	2.6%	3.0%	4.5%	95.5%
Grade 11	2.2%	2.4%	4.6%	95.4%
Grade 12	2.8%	3.1%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 49 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	1.2%	1.4%	1.5%	98.5%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.7%	0.9%	1.3%	98.7%
Grade 10	0.7%	0.7%	1.0%	99.0%
Grade 11	0.7%	0.7%	1.4%	98.6%
Grade 12	0.2%	0.3%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.9%	1.2%	2.6%	97.4%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.5%	0.5%	2.0%	98.0%
Grade 10	1.0%	1.3%	2.9%	97.1%
Grade 11	1.6%	2.2%	4.0%	96.0%
Grade 12	1.6%	2.4%	4.6%	95.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Steroids</b>				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.5%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.4%	0.7%	1.2%	98.8%
Grade 12	0.1%	0.2%	0.8%	99.2%
<b>Ecstasy</b>				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.5%	0.6%	1.6%	98.4%
Grade 10	0.8%	1.4%	3.4%	96.6%
Grade 11	1.5%	1.9%	4.6%	95.4%
Grade 12	1.1%	1.9%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 50 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.4%	1.9%	4.0%	96.0%
Grade 7	0.9%	1.5%	2.6%	97.4%
Grade 8	1.1%	1.5%	2.8%	97.2%
Grade 9	1.9%	2.4%	4.5%	95.5%
Grade 10	1.3%	2.0%	4.1%	95.9%
Grade 11	1.9%	2.3%	6.2%	93.8%
Grade 12	0.9%	1.2%	3.7%	96.3%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.3%	0.4%	1.1%	98.9%
Grade 12	0.2%	0.3%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.1%	16.8%	25.1%	74.9%
Grade 7	1.4%	1.4%	8.4%	91.6%
Grade 8	9.6%	10.3%	13.7%	86.3%
Grade 9	12.8%	21.3%	25.9%	74.1%
Grade 10	16.5%	21.8%	37.7%	62.3%
Grade 11	22.9%	28.4%	37.6%	62.4%
Grade 12	18.2%	19.0%	29.6%	70.4%
<b>Any Alcohol Product</b>				
All	25.5%	31.6%	43.7%	56.3%
Grade 7	6.8%	8.7%	18.1%	81.9%
Grade 8	12.4%	18.4%	29.9%	70.1%
Grade 9	24.2%	30.4%	43.8%	56.2%
Grade 10	39.7%	53.1%	65.5%	34.5%
Grade 11	43.6%	50.0%	61.6%	38.4%
Grade 12	29.6%	32.1%	46.4%	53.6%
<b>Any Illicit Drug</b>				
All	12.0%	17.1%	21.2%	78.8%
Grade 7	1.1%	5.3%	6.6%	93.4%
Grade 8	4.4%	8.9%	9.8%	90.2%
Grade 9	10.2%	19.0%	22.7%	77.3%
Grade 10	18.4%	23.6%	28.4%	71.6%
Grade 11	24.7%	28.6%	36.0%	64.0%
Grade 12	16.2%	19.0%	26.6%	73.4%
<b>Any Prescription Drug</b>				
All	4.5%	8.3%	15.9%	84.1%
Grade 7	3.1%	5.9%	13.8%	86.2%
Grade 8	3.9%	6.9%	15.5%	84.5%
Grade 9	2.9%	8.5%	13.3%	86.7%
Grade 10	8.4%	15.8%	20.3%	79.7%
Grade 11	5.7%	7.1%	18.8%	81.2%
Grade 12	3.4%	4.4%	14.5%	85.5%
<b>Any Inhalant</b>				
All	3.5%	5.2%	10.1%	89.9%
Grade 7	5.7%	5.7%	10.0%	90.0%
Grade 8	7.7%	10.4%	13.6%	86.4%
Grade 9	1.4%	3.6%	12.3%	87.7%
Grade 10	1.2%	5.0%	7.2%	92.8%
Grade 11	4.1%	5.8%	13.9%	86.1%
Grade 12	0.8%	0.8%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 52 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.5%	12.3%	19.8%	80.2%
Grade 7	0.4%	0.4%	3.1%	96.9%
Grade 8	4.2%	4.2%	10.2%	89.8%
Grade 9	9.6%	17.8%	22.5%	77.5%
Grade 10	8.4%	11.6%	30.1%	69.9%
Grade 11	17.0%	26.0%	32.8%	67.2%
Grade 12	13.2%	14.6%	21.0%	79.0%
<b>Marijuana</b>				
All	11.1%	14.3%	18.7%	81.3%
Grade 7	0.4%	2.4%	3.8%	96.2%
Grade 8	3.5%	8.0%	8.9%	91.1%
Grade 9	8.8%	15.3%	19.0%	81.0%
Grade 10	18.4%	20.9%	26.7%	73.3%
Grade 11	23.4%	23.9%	32.2%	67.8%
Grade 12	15.3%	17.0%	24.6%	75.4%
<b>Marijuana Only</b>				
All	7.1%	9.5%	13.1%	86.9%
Grade 7	0.4%	1.1%	1.9%	98.1%
Grade 8	1.4%	5.9%	6.1%	93.9%
Grade 9	5.3%	11.0%	13.6%	86.4%
Grade 10	17.5%	18.8%	24.1%	75.9%
Grade 11	12.9%	13.5%	20.2%	79.8%
Grade 12	6.3%	7.1%	13.7%	86.3%
<b>Cocaine or Crack</b>				
All	1.5%	1.5%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	3.0%	97.0%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	2.5%	2.5%	5.8%	94.2%
Grade 12	4.7%	4.7%	4.7%	95.3%
<b>Cocaine</b>				
All	1.5%	1.5%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	2.5%	2.5%	5.8%	94.2%
Grade 12	4.7%	4.7%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 53 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	3.0%	97.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.6%	1.1%	2.0%	98.0%
Grade 7	0.7%	0.7%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	1.5%	4.9%	6.0%	94.0%
Grade 12	1.9%	1.9%	3.6%	96.4%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	1.1%	1.1%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.8%	1.0%	2.1%	97.9%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	1.6%	1.6%	3.0%	97.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.3%	1.3%	4.6%	95.4%
Grade 12	1.9%	2.9%	6.0%	94.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 54 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	3.3%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.0%	3.4%	96.6%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	3.8%	3.8%	6.3%	93.7%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.7%	14.5%	28.2%	71.8%
Grade 7	7.1%	9.7%	22.1%	77.9%
Grade 8	2.9%	2.9%	9.5%	90.5%
Grade 9	3.4%	11.1%	19.7%	80.3%
Grade 10	4.0%	10.7%	27.2%	72.8%
Grade 11	22.2%	22.2%	40.2%	59.8%
Grade 12	28.1%	32.0%	49.3%	50.7%
<b>Any Alcohol Product</b>				
All	25.9%	38.1%	53.8%	46.2%
Grade 7	12.1%	20.2%	38.0%	62.0%
Grade 8	22.6%	25.6%	42.8%	57.2%
Grade 9	0.0%	7.7%	37.1%	62.9%
Grade 10	20.8%	50.2%	56.8%	43.2%
Grade 11	47.6%	47.6%	71.2%	28.8%
Grade 12	53.6%	67.1%	71.8%	28.2%
<b>Any Illicit Drug</b>				
All	16.2%	21.2%	26.4%	73.6%
Grade 7	3.9%	10.4%	16.9%	83.1%
Grade 8	8.7%	11.6%	12.1%	87.9%
Grade 9	26.8%	26.8%	26.8%	73.2%
Grade 10	14.1%	21.3%	30.9%	69.1%
Grade 11	17.2%	21.6%	26.6%	73.4%
Grade 12	29.0%	36.3%	41.7%	58.3%
<b>Any Prescription Drug</b>				
All	9.6%	13.8%	23.4%	76.6%
Grade 7	4.2%	4.2%	4.2%	95.8%
Grade 8	21.3%	38.4%	38.4%	61.6%
Grade 9	0.0%	11.3%	19.1%	80.9%
Grade 10	9.4%	10.3%	13.9%	86.1%
Grade 11	10.5%	10.5%	40.6%	59.4%
Grade 12	12.7%	12.7%	29.0%	71.0%
<b>Any Inhalant</b>				
All	6.0%	7.9%	13.9%	86.1%
Grade 7	7.3%	9.9%	17.2%	82.8%
Grade 8	11.1%	17.2%	20.7%	79.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	6.7%	9.2%	18.5%	81.5%
Grade 11	3.6%	3.6%	13.8%	86.2%
Grade 12	7.7%	7.7%	9.6%	90.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.6%	13.3%	23.5%	76.5%
Grade 7	6.4%	9.0%	19.7%	80.3%
Grade 8	2.9%	2.9%	6.5%	93.5%
Grade 9	3.4%	11.1%	11.1%	88.9%
Grade 10	2.5%	9.2%	25.7%	74.3%
Grade 11	22.2%	22.2%	36.6%	63.4%
Grade 12	23.5%	27.3%	37.0%	63.0%
<b>Marijuana</b>				
All	16.2%	18.7%	23.1%	76.9%
Grade 7	3.9%	10.4%	16.9%	83.1%
Grade 8	8.7%	11.6%	12.1%	87.9%
Grade 9	26.8%	26.8%	26.8%	73.2%
Grade 10	14.1%	14.6%	24.3%	75.7%
Grade 11	17.2%	17.2%	22.2%	77.8%
Grade 12	29.0%	36.3%	36.3%	63.7%
<b>Marijuana Only</b>				
All	10.5%	12.9%	16.7%	83.3%
Grade 7	3.2%	9.7%	12.3%	87.7%
Grade 8	0.0%	2.7%	3.2%	96.8%
Grade 9	18.9%	18.9%	18.9%	81.1%
Grade 10	13.5%	13.9%	23.1%	76.9%
Grade 11	9.7%	9.7%	14.5%	85.5%
Grade 12	16.2%	23.6%	23.6%	76.4%
<b>Cocaine or Crack</b>				
All	1.9%	1.9%	2.6%	97.4%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	12.7%	12.7%	18.2%	81.8%
<b>Cocaine</b>				
All	1.9%	1.9%	2.6%	97.4%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	12.7%	12.7%	18.2%	81.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 57 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.9%	99.1%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	5.4%	94.6%
<b>Hallucinogens</b>				
All	1.9%	2.6%	4.4%	95.6%
Grade 7	0.8%	0.8%	4.6%	95.4%
Grade 8	0.0%	5.6%	5.6%	94.4%
Grade 9	0.0%	0.0%	8.1%	91.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	12.7%	12.7%	12.7%	87.3%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.1%	0.2%	1.5%	98.5%
Grade 7	0.8%	0.8%	3.9%	96.1%
Grade 8	0.0%	0.5%	3.4%	96.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	1.9%	2.6%	3.3%	96.7%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	5.6%	5.6%	94.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	12.7%	12.7%	12.7%	87.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	1.2%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.1%	3.1%	3.1%	96.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	4.4%	8.0%	92.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 59 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.2%	17.4%	29.0%	71.0%
Grade 7	6.0%	7.2%	14.6%	85.4%
Grade 8	8.0%	10.2%	18.4%	81.6%
Grade 9	12.5%	15.5%	26.5%	73.5%
Grade 10	16.0%	19.6%	32.2%	67.8%
Grade 11	17.8%	22.0%	37.7%	62.3%
Grade 12	24.6%	29.3%	43.2%	56.8%
<b>Any Alcohol Product</b>				
All	32.2%	36.9%	52.2%	47.8%
Grade 7	16.2%	18.7%	34.5%	65.5%
Grade 8	21.0%	24.5%	40.1%	59.9%
Grade 9	31.3%	35.6%	50.8%	49.2%
Grade 10	38.9%	44.4%	59.0%	41.0%
Grade 11	37.4%	43.8%	61.9%	38.1%
Grade 12	46.1%	52.0%	64.8%	35.2%
<b>Any Illicit Drug</b>				
All	15.9%	19.1%	24.7%	75.3%
Grade 7	6.3%	8.1%	10.2%	89.8%
Grade 8	9.0%	11.0%	13.7%	86.3%
Grade 9	14.6%	17.6%	22.5%	77.5%
Grade 10	18.6%	22.3%	28.1%	71.9%
Grade 11	21.2%	25.0%	33.9%	66.1%
Grade 12	24.7%	29.6%	38.5%	61.5%
<b>Any Prescription Drug</b>				
All	6.9%	9.8%	16.5%	83.5%
Grade 7	6.5%	9.3%	14.4%	85.6%
Grade 8	6.9%	10.1%	15.6%	84.4%
Grade 9	7.4%	10.1%	16.8%	83.2%
Grade 10	6.8%	9.4%	16.8%	83.2%
Grade 11	7.2%	10.9%	18.6%	81.4%
Grade 12	6.2%	9.1%	16.4%	83.6%
<b>Any Inhalant</b>				
All	5.1%	6.6%	12.4%	87.6%
Grade 7	8.6%	10.3%	17.6%	82.4%
Grade 8	5.8%	7.3%	14.4%	85.6%
Grade 9	5.1%	6.4%	11.9%	88.1%
Grade 10	4.2%	5.5%	10.7%	89.3%
Grade 11	4.0%	5.4%	10.5%	89.5%
Grade 12	3.4%	5.2%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 60 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.9%	11.3%	21.4%	78.6%
Grade 7	3.6%	4.9%	10.7%	89.3%
Grade 8	4.8%	6.8%	13.4%	86.6%
Grade 9	7.7%	10.8%	20.3%	79.7%
Grade 10	8.1%	11.5%	23.1%	76.9%
Grade 11	10.3%	14.8%	27.9%	72.1%
Grade 12	12.6%	18.3%	32.2%	67.8%
<b>Marijuana</b>				
All	15.5%	17.7%	23.3%	76.7%
Grade 7	5.7%	6.4%	8.1%	91.9%
Grade 8	8.6%	9.4%	12.0%	88.0%
Grade 9	14.3%	16.0%	20.8%	79.2%
Grade 10	18.4%	20.7%	26.6%	73.4%
Grade 11	20.9%	23.9%	33.0%	67.0%
Grade 12	24.2%	28.4%	37.8%	62.2%
<b>Marijuana Only</b>				
All	8.9%	10.5%	15.1%	84.9%
Grade 7	2.3%	3.0%	4.4%	95.6%
Grade 8	4.5%	5.1%	7.4%	92.6%
Grade 9	8.4%	9.9%	14.0%	86.0%
Grade 10	11.0%	12.7%	17.6%	82.4%
Grade 11	12.3%	14.1%	21.6%	78.4%
Grade 12	14.2%	17.3%	25.0%	75.0%
<b>Cocaine or Crack</b>				
All	2.5%	2.9%	4.2%	95.8%
Grade 7	1.8%	1.8%	2.2%	97.8%
Grade 8	1.5%	1.8%	2.3%	97.7%
Grade 9	2.0%	2.2%	3.0%	97.0%
Grade 10	3.3%	3.7%	5.3%	94.7%
Grade 11	2.6%	3.4%	5.8%	94.2%
Grade 12	3.7%	4.1%	6.5%	93.5%
<b>Cocaine</b>				
All	2.3%	2.7%	4.0%	96.0%
Grade 7	1.4%	1.4%	1.9%	98.1%
Grade 8	1.4%	1.6%	2.2%	97.8%
Grade 9	1.9%	2.0%	2.7%	97.3%
Grade 10	3.2%	3.6%	5.1%	94.9%
Grade 11	2.6%	3.3%	5.7%	94.3%
Grade 12	3.5%	3.9%	6.4%	93.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 61 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	1.0%	1.1%	1.2%	98.8%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.8%	1.0%	1.3%	98.7%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.6%	0.7%	1.1%	98.9%
<b>Hallucinogens</b>				
All	1.1%	1.5%	3.0%	97.0%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.5%	98.5%
Grade 9	0.6%	1.0%	2.3%	97.7%
Grade 10	1.3%	1.7%	3.0%	97.0%
Grade 11	1.2%	1.9%	4.4%	95.6%
Grade 12	2.1%	3.1%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.3%	0.5%	1.1%	98.9%
Grade 12	0.2%	0.4%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.9%	1.2%	2.8%	97.2%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.8%	0.9%	2.2%	97.8%
Grade 10	1.1%	1.6%	3.2%	96.8%
Grade 11	1.1%	1.6%	4.3%	95.7%
Grade 12	1.5%	2.3%	4.9%	95.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.4%	2.0%	4.2%	95.8%
Grade 7	1.0%	1.6%	2.7%	97.3%
Grade 8	1.2%	1.6%	2.9%	97.1%
Grade 9	1.8%	2.4%	4.3%	95.7%
Grade 10	1.4%	2.1%	4.2%	95.8%
Grade 11	1.5%	2.0%	5.8%	94.2%
Grade 12	1.6%	1.9%	4.9%	95.1%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.5%	0.7%	0.8%	99.2%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.3%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 63 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.9%	11.6%	20.6%	79.4%
Grade 7	2.1%	2.7%	8.7%	91.3%
Grade 8	4.8%	5.9%	11.1%	88.9%
Grade 9	9.2%	12.0%	19.3%	80.7%
Grade 10	8.0%	11.1%	19.1%	80.9%
Grade 11	12.9%	16.1%	29.5%	70.5%
Grade 12	15.7%	20.7%	34.5%	65.5%
<b>Any Alcohol Product</b>				
All	25.4%	30.9%	48.3%	51.7%
Grade 7	9.3%	11.6%	26.7%	73.3%
Grade 8	16.7%	19.7%	36.7%	63.3%
Grade 9	26.3%	31.5%	50.0%	50.0%
Grade 10	28.8%	35.4%	52.8%	47.2%
Grade 11	29.2%	36.9%	57.4%	42.6%
Grade 12	38.9%	46.6%	61.6%	38.4%
<b>Any Illicit Drug</b>				
All	9.3%	12.3%	16.8%	83.2%
Grade 7	1.5%	3.9%	5.6%	94.4%
Grade 8	4.6%	6.2%	8.8%	91.2%
Grade 9	9.2%	12.1%	16.3%	83.7%
Grade 10	7.9%	11.1%	16.0%	84.0%
Grade 11	14.9%	17.3%	23.5%	76.5%
Grade 12	16.8%	22.2%	29.1%	70.9%
<b>Any Prescription Drug</b>				
All	5.6%	8.4%	13.2%	86.8%
Grade 7	5.3%	7.8%	11.8%	88.2%
Grade 8	6.7%	9.9%	14.8%	85.2%
Grade 9	6.3%	9.0%	15.0%	85.0%
Grade 10	4.1%	7.2%	11.4%	88.6%
Grade 11	6.0%	9.1%	14.2%	85.8%
Grade 12	5.0%	7.3%	11.6%	88.4%
<b>Any Inhalant</b>				
All	3.0%	4.5%	9.2%	90.8%
Grade 7	3.8%	5.8%	12.4%	87.6%
Grade 8	3.0%	4.4%	11.2%	88.8%
Grade 9	3.8%	5.1%	10.8%	89.2%
Grade 10	2.3%	3.9%	7.3%	92.7%
Grade 11	2.8%	4.5%	8.5%	91.5%
Grade 12	2.4%	3.4%	5.5%	94.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 64 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.0%	7.6%	15.2%	84.8%
Grade 7	1.6%	2.2%	5.9%	94.1%
Grade 8	2.9%	4.0%	8.4%	91.6%
Grade 9	5.6%	8.0%	14.4%	85.6%
Grade 10	4.4%	7.3%	14.3%	85.7%
Grade 11	6.8%	10.4%	22.1%	77.9%
Grade 12	8.0%	13.0%	24.8%	75.2%
<b>Marijuana</b>				
All	9.0%	10.7%	15.2%	84.8%
Grade 7	1.3%	2.3%	3.4%	96.6%
Grade 8	3.9%	4.7%	7.3%	92.7%
Grade 9	8.9%	10.3%	14.0%	86.0%
Grade 10	7.9%	9.2%	14.2%	85.8%
Grade 11	14.8%	16.5%	23.0%	77.0%
Grade 12	16.4%	20.6%	27.9%	72.1%
<b>Marijuana Only</b>				
All	6.3%	7.7%	11.6%	88.4%
Grade 7	0.7%	1.4%	2.5%	97.5%
Grade 8	3.1%	3.8%	6.1%	93.9%
Grade 9	5.8%	7.1%	10.4%	89.6%
Grade 10	4.7%	5.7%	9.6%	90.4%
Grade 11	11.7%	12.7%	18.7%	81.3%
Grade 12	11.4%	15.2%	22.0%	78.0%
<b>Cocaine or Crack</b>				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	1.1%	1.1%	1.4%	98.6%
Grade 10	1.0%	1.6%	2.7%	97.3%
Grade 11	1.1%	1.2%	2.0%	98.0%
Grade 12	1.8%	1.8%	2.5%	97.5%
<b>Cocaine</b>				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	0.8%	1.4%	2.4%	97.6%
Grade 11	1.1%	1.2%	2.0%	98.0%
Grade 12	1.6%	1.6%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 65 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.6%	0.6%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	1.2%	98.8%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.3%	0.8%	2.0%	98.0%
Grade 12	1.7%	2.4%	4.1%	95.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Steroids</b>				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.1%	0.4%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.7%	1.0%	99.0%
Grade 12	0.0%	0.3%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.6%	0.7%	1.4%	98.6%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.5%	0.6%	1.0%	99.0%
Grade 12	1.3%	1.7%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.8%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.9%	1.3%	2.3%	97.7%
Grade 10	0.6%	1.0%	2.2%	97.8%
Grade 11	0.7%	1.1%	2.8%	97.2%
Grade 12	0.5%	0.6%	1.7%	98.3%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 67 of 126

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.8%	19.1%	31.5%	68.5%
Grade 7	7.0%	8.0%	16.1%	83.9%
Grade 8	9.0%	11.4%	20.7%	79.3%
Grade 9	13.4%	16.6%	29.1%	70.9%
Grade 10	19.6%	23.8%	37.7%	62.3%
Grade 11	19.9%	24.5%	40.9%	59.1%
Grade 12	27.4%	31.6%	45.6%	54.4%
Any Alcohol Product				
All	33.5%	38.0%	52.4%	47.6%
Grade 7	17.4%	20.2%	35.7%	64.3%
Grade 8	22.1%	26.1%	40.6%	59.4%
Grade 9	32.3%	36.1%	49.7%	50.3%
Grade 10	42.5%	48.7%	61.8%	38.2%
Grade 11	40.2%	45.8%	63.1%	36.9%
Grade 12	47.5%	52.3%	64.0%	36.0%
Any Illicit Drug				
All	17.7%	21.2%	27.0%	73.0%
Grade 7	7.1%	9.0%	11.2%	88.8%
Grade 8	10.1%	12.6%	15.2%	84.8%
Grade 9	16.8%	20.4%	25.5%	74.5%
Grade 10	22.3%	26.4%	32.6%	67.4%
Grade 11	23.6%	27.7%	37.4%	62.6%
Grade 12	27.2%	31.9%	41.0%	59.0%
Any Prescription Drug				
All	7.3%	10.4%	17.8%	82.2%
Grade 7	6.6%	9.2%	14.6%	85.4%
Grade 8	7.0%	10.2%	16.1%	83.9%
Grade 9	7.6%	10.5%	17.6%	82.4%
Grade 10	8.2%	11.0%	19.7%	80.3%
Grade 11	7.2%	11.1%	19.9%	80.1%
Grade 12	7.0%	10.1%	18.6%	81.4%
Any Inhalant				
All	6.0%	7.6%	13.6%	86.4%
Grade 7	10.2%	11.7%	18.6%	81.4%
Grade 8	7.0%	8.6%	15.5%	84.5%
Grade 9	5.5%	6.9%	12.5%	87.5%
Grade 10	5.1%	6.5%	12.1%	87.9%
Grade 11	4.4%	5.8%	11.1%	88.9%
Grade 12	3.7%	5.9%	11.8%	88.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 68 of 126

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.8%	12.3%	23.1%	76.9%
Grade 7	3.9%	5.3%	11.5%	88.5%
Grade 8	5.2%	7.5%	14.7%	85.3%
Grade 9	8.4%	11.9%	22.4%	77.6%
Grade 10	9.8%	13.7%	26.7%	73.3%
Grade 11	11.5%	16.7%	30.0%	70.0%
Grade 12	14.2%	19.7%	33.8%	66.2%
<b>Marijuana</b>				
All	17.3%	19.7%	25.5%	74.5%
Grade 7	6.3%	7.2%	9.0%	91.0%
Grade 8	9.8%	11.0%	13.5%	86.5%
Grade 9	16.5%	18.8%	24.0%	76.0%
Grade 10	22.1%	24.9%	31.0%	69.0%
Grade 11	23.2%	26.4%	36.2%	63.8%
Grade 12	26.7%	31.0%	40.4%	59.6%
<b>Marijuana Only</b>				
All	9.5%	11.3%	15.9%	84.1%
Grade 7	2.5%	3.2%	4.6%	95.4%
Grade 8	4.5%	5.4%	7.5%	92.5%
Grade 9	9.6%	11.5%	15.8%	84.2%
Grade 10	13.2%	15.4%	20.6%	79.4%
Grade 11	13.0%	15.0%	22.9%	77.1%
Grade 12	14.7%	17.6%	24.7%	75.3%
<b>Cocaine or Crack</b>				
All	3.1%	3.4%	5.0%	95.0%
Grade 7	2.3%	2.3%	2.8%	97.2%
Grade 8	2.0%	2.3%	2.9%	97.1%
Grade 9	2.2%	2.4%	3.5%	96.5%
Grade 10	4.4%	4.7%	6.3%	93.7%
Grade 11	3.2%	4.1%	7.1%	92.9%
Grade 12	4.4%	5.0%	8.1%	91.9%
<b>Cocaine</b>				
All	2.9%	3.2%	4.8%	95.2%
Grade 7	1.8%	1.8%	2.3%	97.7%
Grade 8	1.9%	2.2%	2.9%	97.1%
Grade 9	2.1%	2.2%	3.2%	96.8%
Grade 10	4.3%	4.6%	6.2%	93.8%
Grade 11	3.1%	4.0%	7.0%	93.0%
Grade 12	4.2%	4.8%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 69 of 126

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	1.3%	1.5%	1.5%	98.5%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	0.8%	1.0%	1.5%	98.5%
Grade 10	0.7%	0.8%	1.5%	98.5%
Grade 11	0.6%	0.8%	1.5%	98.5%
Grade 12	0.6%	0.7%	1.4%	98.6%
<b>Hallucinogens</b>				
All	1.3%	1.8%	3.5%	96.5%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.8%	1.0%	1.9%	98.1%
Grade 9	0.8%	1.3%	2.9%	97.1%
Grade 10	1.9%	2.4%	4.0%	96.0%
Grade 11	1.4%	2.3%	5.0%	95.0%
Grade 12	2.4%	3.4%	6.8%	93.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	0.3%	0.5%	1.2%	98.8%
<b>Ecstasy</b>				
All	1.0%	1.4%	3.1%	96.9%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.8%	0.9%	2.4%	97.6%
Grade 10	1.4%	2.1%	3.8%	96.2%
Grade 11	1.3%	1.9%	5.1%	94.9%
Grade 12	1.4%	2.4%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.5%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.6%	2.3%	4.9%	95.1%
Grade 7	1.0%	1.5%	3.1%	96.9%
Grade 8	1.5%	2.1%	3.7%	96.3%
Grade 9	2.0%	2.6%	5.1%	94.9%
Grade 10	1.7%	2.6%	5.0%	95.0%
Grade 11	1.5%	2.2%	6.4%	93.6%
Grade 12	2.0%	2.4%	6.1%	93.9%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.0%	99.0%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	0.4%	0.7%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.4%	15.2%	25.8%	74.2%
Grade 7	4.7%	5.8%	11.1%	88.9%
Grade 8	6.0%	7.5%	14.8%	85.2%
Grade 9	11.1%	13.9%	24.2%	75.8%
Grade 10	13.8%	17.1%	29.2%	70.8%
Grade 11	16.4%	20.3%	34.9%	65.1%
Grade 12	22.9%	26.9%	40.1%	59.9%
<b>Any Alcohol Product</b>				
All	30.1%	34.6%	49.2%	50.8%
Grade 7	14.3%	16.4%	30.3%	69.7%
Grade 8	18.9%	21.9%	36.2%	63.8%
Grade 9	29.0%	33.0%	48.2%	51.8%
Grade 10	38.3%	43.8%	57.3%	42.7%
Grade 11	34.6%	41.3%	58.9%	41.1%
Grade 12	44.6%	50.0%	62.9%	37.1%
<b>Any Illicit Drug</b>				
All	12.7%	15.9%	20.7%	79.3%
Grade 7	4.0%	5.6%	7.2%	92.8%
Grade 8	6.1%	8.4%	10.4%	89.6%
Grade 9	12.3%	15.4%	19.2%	80.8%
Grade 10	14.9%	18.9%	24.4%	75.6%
Grade 11	16.9%	20.5%	28.4%	71.6%
Grade 12	21.5%	26.2%	34.1%	65.9%
<b>Any Prescription Drug</b>				
All	6.1%	8.7%	15.2%	84.8%
Grade 7	6.0%	8.6%	13.4%	86.6%
Grade 8	6.0%	8.5%	13.6%	86.4%
Grade 9	6.5%	9.2%	16.1%	83.9%
Grade 10	5.9%	8.2%	15.7%	84.3%
Grade 11	6.7%	10.1%	17.7%	82.3%
Grade 12	5.1%	7.6%	14.2%	85.8%
<b>Any Inhalant</b>				
All	4.8%	6.2%	11.7%	88.3%
Grade 7	7.7%	9.1%	15.9%	84.1%
Grade 8	5.2%	6.9%	13.7%	86.3%
Grade 9	5.1%	6.4%	11.6%	88.4%
Grade 10	4.0%	5.2%	10.1%	89.9%
Grade 11	3.5%	4.7%	9.8%	90.2%
Grade 12	3.6%	5.1%	9.3%	90.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.9%	9.9%	19.1%	80.9%
Grade 7	2.7%	3.9%	8.1%	91.9%
Grade 8	4.0%	5.7%	10.8%	89.2%
Grade 9	6.9%	9.7%	18.4%	81.6%
Grade 10	7.1%	10.0%	21.3%	78.7%
Grade 11	9.1%	13.3%	26.1%	73.9%
Grade 12	11.5%	16.8%	29.9%	70.1%
<b>Marijuana</b>				
All	12.3%	14.4%	19.2%	80.8%
Grade 7	3.5%	4.2%	5.5%	94.5%
Grade 8	5.8%	6.8%	8.7%	91.3%
Grade 9	12.0%	13.8%	17.4%	82.6%
Grade 10	14.7%	17.2%	23.0%	77.0%
Grade 11	16.5%	18.9%	27.1%	72.9%
Grade 12	21.0%	25.3%	33.3%	66.7%
<b>Marijuana Only</b>				
All	7.3%	8.8%	12.8%	87.2%
Grade 7	1.3%	1.8%	3.0%	97.0%
Grade 8	3.1%	3.9%	5.6%	94.4%
Grade 9	7.1%	8.6%	11.7%	88.3%
Grade 10	9.5%	11.2%	16.0%	84.0%
Grade 11	9.4%	10.8%	17.7%	82.3%
Grade 12	13.0%	16.1%	22.8%	77.2%
<b>Cocaine or Crack</b>				
All	1.9%	2.2%	3.3%	96.7%
Grade 7	1.4%	1.4%	1.5%	98.5%
Grade 8	0.9%	1.2%	1.5%	98.5%
Grade 9	1.7%	1.9%	2.5%	97.5%
Grade 10	2.4%	2.5%	4.1%	95.9%
Grade 11	1.8%	2.4%	4.5%	95.5%
Grade 12	3.3%	3.6%	5.4%	94.6%
<b>Cocaine</b>				
All	1.8%	2.0%	3.1%	96.9%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	0.9%	1.0%	1.4%	98.6%
Grade 9	1.6%	1.8%	2.3%	97.7%
Grade 10	2.3%	2.4%	4.0%	96.0%
Grade 11	1.6%	2.3%	4.4%	95.6%
Grade 12	3.1%	3.4%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 73 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.7%	0.9%	0.9%	99.1%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.4%	0.5%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.7%	1.2%	2.4%	97.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.9%	98.1%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	1.0%	2.0%	4.2%	95.8%
Grade 12	1.9%	2.8%	5.3%	94.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.2%	0.2%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.9%	98.1%
Grade 10	0.4%	0.7%	2.0%	98.0%
Grade 11	0.7%	1.3%	3.2%	96.8%
Grade 12	1.3%	1.7%	4.2%	95.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 74 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.4%	0.6%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.2%	1.6%	3.3%	96.7%
Grade 7	0.6%	1.0%	1.6%	98.4%
Grade 8	0.9%	1.2%	2.2%	97.8%
Grade 9	1.6%	2.1%	3.4%	96.6%
Grade 10	1.2%	1.7%	3.0%	97.0%
Grade 11	1.3%	2.0%	5.3%	94.7%
Grade 12	1.7%	1.9%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.3%	0.5%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 75 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.7%	20.6%	33.7%	66.3%
Grade 7	7.8%	8.9%	20.6%	79.4%
Grade 8	11.3%	14.3%	23.8%	76.2%
Grade 9	14.2%	18.1%	29.5%	70.5%
Grade 10	19.1%	23.5%	37.4%	62.6%
Grade 11	20.7%	25.5%	42.6%	57.4%
Grade 12	26.3%	31.8%	46.8%	53.2%
<b>Any Alcohol Product</b>				
All	34.5%	39.8%	56.3%	43.7%
Grade 7	18.5%	21.5%	39.8%	60.2%
Grade 8	23.8%	27.9%	45.5%	54.5%
Grade 9	32.8%	37.8%	53.5%	46.5%
Grade 10	39.1%	46.2%	61.9%	38.1%
Grade 11	42.9%	48.7%	67.2%	32.8%
Grade 12	47.3%	53.5%	66.6%	33.4%
<b>Any Illicit Drug</b>				
All	20.5%	24.1%	30.7%	69.3%
Grade 7	9.7%	12.7%	15.6%	84.4%
Grade 8	13.1%	15.0%	18.6%	81.4%
Grade 9	17.6%	21.2%	27.3%	72.7%
Grade 10	24.0%	27.5%	33.9%	66.1%
Grade 11	28.3%	32.3%	42.5%	57.5%
Grade 12	28.6%	33.8%	43.9%	56.1%
<b>Any Prescription Drug</b>				
All	8.0%	11.5%	18.7%	81.3%
Grade 7	7.0%	10.1%	15.8%	84.2%
Grade 8	8.5%	12.9%	19.6%	80.4%
Grade 9	8.0%	11.0%	17.3%	82.7%
Grade 10	8.6%	11.9%	18.9%	81.1%
Grade 11	8.1%	12.0%	21.0%	79.0%
Grade 12	7.9%	10.9%	19.7%	80.3%
<b>Any Inhalant</b>				
All	5.4%	7.0%	13.2%	86.8%
Grade 7	10.3%	12.1%	20.0%	80.0%
Grade 8	7.2%	8.6%	15.7%	84.3%
Grade 9	4.2%	5.6%	12.1%	87.9%
Grade 10	4.4%	5.6%	11.2%	88.8%
Grade 11	4.6%	6.4%	11.5%	88.5%
Grade 12	2.9%	5.0%	10.4%	89.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.6%	13.6%	24.9%	75.1%
Grade 7	4.9%	6.3%	14.7%	85.3%
Grade 8	6.0%	8.5%	17.3%	82.7%
Grade 9	8.9%	13.2%	23.1%	76.9%
Grade 10	9.5%	14.0%	26.6%	73.4%
Grade 11	13.0%	18.1%	30.9%	69.1%
Grade 12	14.3%	20.2%	34.9%	65.1%
<b>Marijuana</b>				
All	20.1%	22.4%	29.2%	70.8%
Grade 7	9.0%	10.3%	12.8%	87.2%
Grade 8	12.6%	13.5%	17.2%	82.8%
Grade 9	17.4%	19.5%	25.8%	74.2%
Grade 10	23.8%	25.7%	32.1%	67.9%
Grade 11	28.1%	31.6%	41.9%	58.1%
Grade 12	27.8%	32.1%	43.0%	57.0%
<b>Marijuana Only</b>				
All	11.3%	13.1%	18.6%	81.4%
Grade 7	3.9%	5.1%	6.8%	93.2%
Grade 8	6.3%	7.0%	9.8%	90.2%
Grade 9	10.3%	12.2%	17.6%	82.4%
Grade 10	13.5%	15.1%	20.4%	79.6%
Grade 11	17.2%	19.2%	27.4%	72.6%
Grade 12	15.3%	18.6%	27.3%	72.7%
<b>Cocaine or Crack</b>				
All	3.3%	3.7%	5.5%	94.5%
Grade 7	2.3%	2.3%	3.2%	96.8%
Grade 8	2.4%	2.9%	3.8%	96.2%
Grade 9	2.3%	2.4%	3.4%	96.6%
Grade 10	4.3%	5.1%	6.7%	93.3%
Grade 11	3.9%	4.7%	7.5%	92.5%
Grade 12	4.5%	5.0%	8.2%	91.8%
<b>Cocaine</b>				
All	3.1%	3.5%	5.2%	94.8%
Grade 7	1.8%	1.8%	2.7%	97.3%
Grade 8	2.4%	2.7%	3.5%	96.5%
Grade 9	2.2%	2.2%	3.2%	96.8%
Grade 10	4.1%	4.9%	6.4%	93.6%
Grade 11	3.9%	4.6%	7.4%	92.6%
Grade 12	4.3%	4.7%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	1.3%	1.4%	1.6%	98.4%
Grade 8	0.4%	0.7%	1.3%	98.7%
Grade 9	0.8%	0.9%	1.3%	98.7%
Grade 10	1.1%	1.1%	1.6%	98.4%
Grade 11	0.6%	0.6%	1.5%	98.5%
Grade 12	0.7%	0.9%	1.6%	98.4%
<b>Hallucinogens</b>				
All	1.6%	2.0%	3.9%	96.1%
Grade 7	0.9%	1.0%	1.8%	98.2%
Grade 8	1.1%	1.3%	2.6%	97.4%
Grade 9	0.7%	1.1%	2.6%	97.4%
Grade 10	2.5%	2.8%	4.9%	95.1%
Grade 11	1.6%	2.0%	4.8%	95.2%
Grade 12	2.6%	3.8%	6.7%	93.3%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.3%	0.5%	99.5%
<b>Steroids</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	0.4%	0.6%	1.9%	98.1%
Grade 9	0.5%	0.7%	1.5%	98.5%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.8%	99.2%
Grade 12	0.3%	0.8%	1.5%	98.5%
<b>Ecstasy</b>				
All	1.2%	1.8%	3.8%	96.2%
Grade 7	0.6%	0.9%	1.8%	98.2%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.6%	0.9%	2.3%	97.7%
Grade 10	2.2%	2.9%	5.0%	95.0%
Grade 11	1.4%	1.9%	5.9%	94.1%
Grade 12	2.0%	3.5%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.4%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.6%	2.3%	5.3%	94.7%
Grade 7	1.5%	2.4%	4.3%	95.7%
Grade 8	1.6%	2.3%	3.9%	96.1%
Grade 9	1.9%	2.6%	5.4%	94.6%
Grade 10	1.6%	2.6%	6.0%	94.0%
Grade 11	1.8%	2.2%	6.2%	93.8%
Grade 12	1.3%	1.7%	5.8%	94.2%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	1.1%	1.2%	1.8%	98.2%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.7%	0.9%	99.1%
Grade 10	0.4%	0.5%	1.1%	98.9%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.3%	0.4%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 79 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.7%	15.8%	26.9%	73.1%
Grade 7	4.5%	5.2%	11.8%	88.2%
Grade 8	6.9%	8.7%	16.7%	83.3%
Grade 9	11.1%	14.3%	24.7%	75.3%
Grade 10	14.6%	18.4%	30.4%	69.6%
Grade 11	16.1%	20.5%	35.8%	64.2%
Grade 12	22.8%	27.4%	41.3%	58.7%
<b>Any Alcohol Product</b>				
All	30.1%	34.9%	50.5%	49.5%
Grade 7	13.4%	16.0%	31.0%	69.0%
Grade 8	19.2%	22.2%	37.8%	62.2%
Grade 9	28.9%	33.5%	48.9%	51.1%
Grade 10	37.4%	43.1%	58.3%	41.7%
Grade 11	36.4%	43.2%	61.8%	38.2%
Grade 12	44.3%	50.3%	63.8%	36.2%
<b>Any Illicit Drug</b>				
All	13.8%	17.0%	22.3%	77.7%
Grade 7	3.8%	5.5%	7.0%	93.0%
Grade 8	6.7%	8.8%	11.2%	88.8%
Grade 9	12.9%	15.9%	20.4%	79.6%
Grade 10	16.6%	20.4%	26.5%	73.5%
Grade 11	19.2%	23.0%	31.2%	68.8%
Grade 12	22.9%	27.9%	36.6%	63.4%
<b>Any Prescription Drug</b>				
All	6.2%	8.8%	15.4%	84.6%
Grade 7	5.5%	7.7%	12.5%	87.5%
Grade 8	6.6%	9.4%	14.8%	85.2%
Grade 9	6.3%	8.7%	15.8%	84.2%
Grade 10	6.3%	8.8%	15.9%	84.1%
Grade 11	6.8%	9.9%	17.5%	82.5%
Grade 12	5.9%	8.5%	15.7%	84.3%
<b>Any Inhalant</b>				
All	4.4%	5.7%	11.0%	89.0%
Grade 7	7.0%	8.5%	14.3%	85.7%
Grade 8	5.2%	6.4%	13.6%	86.4%
Grade 9	4.7%	5.6%	10.8%	89.2%
Grade 10	3.4%	4.6%	9.2%	90.8%
Grade 11	3.2%	4.5%	9.1%	90.9%
Grade 12	3.0%	4.5%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 80 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.1%	10.4%	19.7%	80.3%
Grade 7	2.7%	3.6%	8.2%	91.8%
Grade 8	4.4%	6.0%	12.0%	88.0%
Grade 9	6.8%	10.2%	19.1%	80.9%
Grade 10	7.5%	10.9%	21.4%	78.6%
Grade 11	9.5%	14.2%	26.7%	73.3%
Grade 12	11.8%	17.1%	30.5%	69.5%
<b>Marijuana</b>				
All	13.5%	15.6%	20.9%	79.1%
Grade 7	3.5%	4.1%	5.2%	94.8%
Grade 8	6.4%	7.2%	9.6%	90.4%
Grade 9	12.6%	14.2%	18.7%	81.3%
Grade 10	16.5%	18.8%	25.2%	74.8%
Grade 11	18.9%	21.9%	30.3%	69.7%
Grade 12	22.6%	26.9%	36.0%	64.0%
<b>Marijuana Only</b>				
All	8.2%	9.7%	14.3%	85.7%
Grade 7	1.4%	2.0%	2.9%	97.1%
Grade 8	3.2%	3.9%	5.9%	94.1%
Grade 9	7.8%	9.2%	13.1%	86.9%
Grade 10	10.5%	12.2%	17.6%	82.4%
Grade 11	12.1%	13.9%	21.0%	79.0%
Grade 12	13.4%	16.7%	24.6%	75.4%
<b>Cocaine or Crack</b>				
All	1.9%	2.2%	3.4%	96.6%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	1.1%	1.5%	2.1%	97.9%
Grade 9	1.5%	1.6%	2.4%	97.6%
Grade 10	2.4%	2.8%	4.2%	95.8%
Grade 11	1.9%	2.6%	4.5%	95.5%
Grade 12	3.3%	3.8%	5.8%	94.2%
<b>Cocaine</b>				
All	1.8%	2.1%	3.2%	96.8%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	1.1%	1.3%	1.9%	98.1%
Grade 9	1.5%	1.6%	2.2%	97.8%
Grade 10	2.3%	2.7%	4.0%	96.0%
Grade 11	1.9%	2.5%	4.4%	95.6%
Grade 12	3.2%	3.6%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 81 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.5%	0.6%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.8%	1.1%	2.4%	97.6%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	0.5%	0.8%	1.9%	98.1%
Grade 10	1.0%	1.2%	2.3%	97.7%
Grade 11	0.8%	1.4%	3.5%	96.5%
Grade 12	1.7%	2.5%	4.9%	95.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Steroids</b>				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.2%	0.3%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.2%	0.4%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.9%	2.0%	98.0%
Grade 10	0.9%	1.1%	2.8%	97.2%
Grade 11	0.6%	1.2%	3.8%	96.2%
Grade 12	1.3%	2.1%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 82 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.4%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.1%	1.5%	3.3%	96.7%
Grade 7	0.7%	1.1%	1.9%	98.1%
Grade 8	1.0%	1.3%	2.3%	97.7%
Grade 9	1.5%	1.8%	3.4%	96.6%
Grade 10	0.8%	1.4%	3.2%	96.8%
Grade 11	1.0%	1.5%	4.6%	95.4%
Grade 12	1.4%	1.7%	4.5%	95.5%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.6%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.4%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 83 of 126

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.4%	24.9%	39.2%	60.8%
Grade 7	12.5%	15.3%	29.2%	70.8%
Grade 8	13.6%	16.6%	25.7%	74.3%
Grade 9	18.0%	22.2%	35.4%	64.6%
Grade 10	22.4%	25.8%	43.2%	56.8%
Grade 11	29.9%	32.9%	49.2%	50.8%
Grade 12	29.9%	34.1%	48.8%	51.2%
<b>Any Alcohol Product</b>				
All	41.8%	46.7%	61.2%	38.8%
Grade 7	29.9%	32.2%	50.8%	49.2%
Grade 8	28.8%	36.2%	53.8%	46.2%
Grade 9	42.1%	44.3%	58.3%	41.7%
Grade 10	46.8%	55.6%	67.5%	32.5%
Grade 11	48.0%	52.5%	67.1%	32.9%
Grade 12	50.9%	55.5%	66.7%	33.3%
<b>Any Illicit Drug</b>				
All	26.4%	30.7%	36.9%	63.1%
Grade 7	18.7%	23.9%	29.3%	70.7%
Grade 8	20.1%	22.7%	25.9%	74.1%
Grade 9	21.7%	27.0%	32.8%	67.2%
Grade 10	29.3%	33.5%	37.8%	62.2%
Grade 11	34.8%	38.2%	47.7%	52.3%
Grade 12	32.0%	37.1%	45.3%	54.7%
<b>Any Prescription Drug</b>				
All	9.8%	14.9%	23.2%	76.8%
Grade 7	11.1%	17.9%	25.9%	74.1%
Grade 8	8.2%	13.6%	21.9%	78.1%
Grade 9	11.7%	15.7%	19.8%	80.2%
Grade 10	9.5%	13.8%	22.5%	77.5%
Grade 11	10.1%	16.6%	28.8%	71.2%
Grade 12	8.0%	12.0%	20.6%	79.4%
<b>Any Inhalant</b>				
All	8.6%	11.5%	20.1%	79.9%
Grade 7	17.2%	19.8%	35.6%	64.4%
Grade 8	10.0%	13.7%	19.6%	80.4%
Grade 9	6.2%	9.5%	16.9%	83.1%
Grade 10	6.5%	9.3%	17.7%	82.3%
Grade 11	8.6%	10.2%	18.0%	82.0%
Grade 12	5.1%	8.2%	15.3%	84.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 84 of 126

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.4%	15.7%	29.4%	70.6%
Grade 7	6.9%	9.5%	22.1%	77.9%
Grade 8	6.6%	9.8%	19.1%	80.9%
Grade 9	11.2%	15.2%	27.3%	72.7%
Grade 10	9.9%	14.4%	32.5%	67.5%
Grade 11	15.5%	20.5%	36.2%	63.8%
Grade 12	16.8%	22.6%	36.5%	63.5%
<b>Marijuana</b>				
All	25.6%	28.6%	34.7%	65.3%
Grade 7	17.7%	20.3%	25.9%	74.1%
Grade 8	18.9%	21.2%	24.3%	75.7%
Grade 9	21.7%	25.3%	30.9%	69.1%
Grade 10	28.8%	30.9%	34.8%	65.2%
Grade 11	34.5%	36.8%	46.4%	53.6%
Grade 12	30.2%	34.9%	43.3%	56.7%
<b>Marijuana Only</b>				
All	13.4%	15.5%	20.2%	79.8%
Grade 7	7.1%	9.0%	13.7%	86.3%
Grade 8	11.0%	12.6%	15.4%	84.6%
Grade 9	11.7%	14.7%	19.6%	80.4%
Grade 10	16.5%	18.5%	21.6%	78.4%
Grade 11	16.3%	18.0%	24.9%	75.1%
Grade 12	16.6%	19.0%	24.5%	75.5%
<b>Cocaine or Crack</b>				
All	5.4%	5.7%	8.1%	91.9%
Grade 7	5.0%	5.1%	6.6%	93.4%
Grade 8	2.8%	3.0%	3.4%	96.6%
Grade 9	3.8%	4.2%	4.8%	95.2%
Grade 10	7.4%	7.6%	9.8%	90.2%
Grade 11	6.5%	7.5%	12.6%	87.4%
Grade 12	6.4%	6.5%	10.8%	89.2%
<b>Cocaine</b>				
All	5.1%	5.5%	7.9%	92.1%
Grade 7	4.5%	4.6%	6.5%	93.5%
Grade 8	2.5%	2.8%	3.2%	96.8%
Grade 9	3.4%	3.9%	4.4%	95.6%
Grade 10	7.0%	7.3%	9.4%	90.6%
Grade 11	6.3%	7.4%	12.6%	87.4%
Grade 12	6.1%	6.2%	10.6%	89.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 85 of 126

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.4%	1.7%	2.3%	97.7%
Grade 7	2.2%	3.1%	3.2%	96.8%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	0.7%	1.1%	1.5%	98.5%
Grade 10	1.3%	1.3%	2.6%	97.4%
Grade 11	2.8%	2.8%	3.8%	96.2%
Grade 12	0.6%	0.6%	1.3%	98.7%
<b>Hallucinogens</b>				
All	2.4%	3.5%	6.2%	93.8%
Grade 7	0.6%	0.9%	2.8%	97.2%
Grade 8	1.2%	1.8%	3.0%	97.0%
Grade 9	1.0%	1.7%	4.1%	95.9%
Grade 10	2.6%	4.5%	6.4%	93.6%
Grade 11	3.4%	5.0%	9.1%	90.9%
Grade 12	5.0%	6.3%	10.8%	89.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.4%	0.5%	99.5%
<b>Steroids</b>				
All	0.4%	0.9%	1.8%	98.2%
Grade 7	1.0%	2.2%	3.0%	97.0%
Grade 8	0.2%	0.5%	2.1%	97.9%
Grade 9	1.2%	1.5%	1.9%	98.1%
Grade 10	0.1%	0.4%	1.5%	98.5%
Grade 11	0.0%	0.7%	1.1%	98.9%
Grade 12	0.0%	0.0%	1.2%	98.8%
<b>Ecstasy</b>				
All	2.0%	2.6%	4.4%	95.6%
Grade 7	1.4%	1.5%	2.7%	97.3%
Grade 8	0.2%	0.9%	1.9%	98.1%
Grade 9	1.1%	1.1%	2.1%	97.9%
Grade 10	2.2%	3.5%	4.9%	95.1%
Grade 11	3.8%	4.1%	7.2%	92.8%
Grade 12	3.1%	4.4%	7.2%	92.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 86 of 126

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.5%	1.0%	2.4%	97.6%
Grade 8	1.2%	1.3%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	1.4%	1.4%	2.3%	97.7%
Grade 12	0.1%	0.1%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	3.1%	4.1%	8.1%	91.9%
Grade 7	2.6%	4.1%	7.6%	92.4%
Grade 8	2.0%	3.4%	6.4%	93.6%
Grade 9	3.1%	4.3%	7.7%	92.3%
Grade 10	4.1%	5.2%	8.1%	91.9%
Grade 11	4.6%	5.5%	12.2%	87.8%
Grade 12	1.7%	2.0%	5.9%	94.1%
<b>Methamphetamine</b>				
All	0.7%	0.8%	1.7%	98.3%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	0.6%	0.6%	1.9%	98.1%
Grade 9	0.2%	0.7%	1.0%	99.0%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	1.3%	1.3%	2.4%	97.6%
Grade 12	0.4%	0.6%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 87 of 126

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	186,041	49.8%
Female	187,829	50.2%
Frequency Missing	1,254	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	20,537	5.5%
Yes	351,095	94.5%
Frequency Missing	3,492	

**Grade**

Q2	Frequency	Percent
Grade 7	57,827	15.4%
Grade 8	56,045	15.0%
Grade 9	72,337	19.3%
Grade 10	68,777	18.4%
Grade 11	62,822	16.8%
Grade 12	56,521	15.1%
Frequency Missing	796	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	9,467	2.8%
Asian American	1,489	0.4%
African American	9,992	3.0%
Pacific Islander	1,435	0.4%
White	187,918	55.8%
Other	89,196	26.5%
More Than One Race	37,456	11.1%
Frequency Missing	38,171	

**Live with Both Parents**

Q3	Frequency	Percent
No	142,594	38.5%
Yes	228,029	61.5%
Frequency Missing	4,501	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	1,359	0.4%
Mostly D's	4,791	1.4%
Mostly C's	51,832	15.3%
Mostly B's	174,234	51.6%
Mostly A's	105,515	31.2%
Frequency Missing	37,393	

**Age**

Q4	Frequency	Percent
11 or younger	634	0.2%
12	19,782	5.3%
13	55,386	14.8%
14	54,434	14.6%
15	71,540	19.2%
16	70,333	18.8%
17	60,247	16.1%
18	35,931	9.6%
19 or older	4,879	1.3%
Frequency Missing	1,959	

**Do You Have a Job**

Q7	Frequency	Percent
No	297,861	87.6%
Yes	42,002	12.4%
Frequency Missing	35,260	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	36,793	11.0%
Yes	201,072	59.9%
Don't Know	97,723	29.1%
Frequency Missing	39,536	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	270,097	93.5%
Yes	18,659	6.5%
Frequency Missing	86,368	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	163,341	51.0%
Yes	156,635	49.0%
Frequency Missing	55,148	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	234,745	79.6%
Yes	60,013	20.4%
Frequency Missing	80,367	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	232,648	77.7%
Yes	66,604	22.3%
Frequency Missing	75,871	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	217,551	74.1%
Yes	75,924	25.9%
Frequency Missing	81,649	

**Participate in School Choir**

Q9c	Frequency	Percent
No	268,653	93.0%
Yes	20,193	7.0%
Frequency Missing	86,278	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	205,312	68.6%
Yes	93,979	31.4%
Frequency Missing	75,832	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	267,602	92.2%
Yes	22,689	7.8%
Frequency Missing	84,833	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	232,404	79.4%
Yes	60,469	20.6%
Frequency Missing	82,251	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	325,166	87.3%
Somewhat Safe	41,538	11.1%
Not Very Safe	2,482	0.7%
Not Safe At All	518	0.1%
Don't Know	2,895	0.8%
Frequency Missing	2,525	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	34,438	9.7%
Some High School	58,049	16.4%
Finished High School	78,831	22.2%
Some College	51,142	14.4%
Finished College	60,250	17.0%
Post-Secondary	32,471	9.2%
Don't Know or N/A	39,434	11.1%
Frequency Missing	20,509	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	152,920	41.3%
Somewhat Safe	178,911	48.4%
Not Very Safe	23,834	6.4%
Not Safe At All	4,845	1.3%
Don't Know	9,423	2.5%
Frequency Missing	5,191	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	200,532	62.8%
Yes	118,734	37.2%
Frequency Missing	55,858	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	132,808	35.9%
Somewhat Safe	171,311	46.3%
Not Very Safe	35,668	9.6%
Not Safe At All	15,152	4.1%
Don't Know	14,837	4.0%
Frequency Missing	5,347	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	26,024	7.1%
A Few	88,113	23.9%
Some	85,887	23.3%
Most	120,009	32.6%
All	47,927	13.0%
Frequency Missing	7,165	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	35,072	10.0%
Some High School	58,139	16.5%
Finished High School	84,230	23.9%
Some College	40,497	11.5%
Finished College	46,642	13.2%
Post-Secondary	26,081	7.4%
Don't Know or N/A	61,814	17.5%
Frequency Missing	22,649	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	9,923	2.7%
A Few	47,774	13.0%
Some	89,280	24.3%
Most	144,181	39.3%
All	75,902	20.7%
Frequency Missing	8,063	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	188,919	52.5%
A Few	102,295	28.4%
Some	43,763	12.2%
Most	16,359	4.5%
All	8,686	2.4%
Frequency Missing	15,102	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	350,098	95.1%
In Your Lifetime	10,739	2.9%
Since School Began	2,055	0.6%
In the Past Month	5,199	1.4%
Frequency Missing	7,033	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	307,516	84.3%
A Few	37,396	10.3%
Some	12,412	3.4%
Most	4,395	1.2%
All	3,110	0.9%
Frequency Missing	10,295	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	361,585	98.9%
In Your Lifetime	1,692	0.5%
Since School Began	743	0.2%
In the Past Month	1,426	0.4%
Frequency Missing	9,678	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	309,886	84.5%
A Few	36,946	10.1%
Some	12,331	3.4%
Most	4,762	1.3%
All	2,835	0.8%
Frequency Missing	8,364	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	344,769	93.7%
In Your Lifetime	13,169	3.6%
Since School Began	3,229	0.9%
In the Past Month	6,819	1.9%
Frequency Missing	7,138	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	360,304	97.6%
In Your Lifetime	5,762	1.6%
Since School Began	757	0.2%
In the Past Month	2,492	0.7%
Frequency Missing	5,808	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	362,597	98.8%
In Your Lifetime	2,614	0.7%
Since School Began	558	0.2%
In the Past Month	1,338	0.4%
Frequency Missing	8,016	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	361,289	98.8%
In Your Lifetime	2,084	0.6%
Since School Began	436	0.1%
In the Past Month	1,803	0.5%
Frequency Missing	9,513	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	341,026	93.6%
In Your Lifetime	10,710	2.9%
Since School Began	3,362	0.9%
In the Past Month	9,380	2.6%
Frequency Missing	10,646	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	358,686	97.7%
In Your Lifetime	4,348	1.2%
Since School Began	675	0.2%
In the Past Month	3,500	1.0%
Frequency Missing	7,915	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	228,165	63.3%
In Your Lifetime	58,210	16.2%
Since School Began	20,783	5.8%
In the Past Month	53,041	14.7%
Frequency Missing	14,925	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	271,191	74.4%
In Your Lifetime	37,697	10.3%
Since School Began	16,852	4.6%
In the Past Month	38,543	10.6%
Frequency Missing	10,842	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	361,862	98.4%
In Your Lifetime	2,805	0.8%
Since School Began	685	0.2%
In the Past Month	2,285	0.6%
Frequency Missing	7,487	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	264,857	73.6%
In Your Lifetime	49,371	13.7%
Since School Began	15,034	4.2%
In the Past Month	30,592	8.5%
Frequency Missing	15,270	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	305,339	82.9%
In Your Lifetime	34,463	9.4%
Since School Began	7,484	2.0%
In the Past Month	20,967	5.7%
Frequency Missing	6,872	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	246,133	67.7%
In Your Lifetime	47,050	12.9%
Since School Began	20,953	5.8%
In the Past Month	49,259	13.6%
Frequency Missing	11,729	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	356,271	96.6%
In Your Lifetime	6,309	1.7%
Since School Began	1,734	0.5%
In the Past Month	4,562	1.2%
Frequency Missing	6,248	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	355,130	96.8%
In Your Lifetime	7,025	1.9%
Since School Began	1,278	0.3%
In the Past Month	3,624	1.0%
Frequency Missing	8,067	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	364,233	99.2%
In Your Lifetime	1,452	0.4%
Since School Began	504	0.1%
In the Past Month	1,016	0.3%
Frequency Missing	7,919	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	289,129	78.7%
In Your Lifetime	36,711	10.0%
Since School Began	12,504	3.4%
In the Past Month	29,117	7.9%
Frequency Missing	7,664	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	356,527	97.0%
In Your Lifetime	5,592	1.5%
Since School Began	1,612	0.4%
In the Past Month	3,839	1.0%
Frequency Missing	7,553	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	290,477	78.7%
In Your Lifetime	32,927	8.9%
Since School Began	12,405	3.4%
In the Past Month	33,192	9.0%
Frequency Missing	6,122	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	366,919	99.7%
In Your Lifetime	590	0.2%
Since School Began	78	0.0%
In the Past Month	498	0.1%
Frequency Missing	7,039	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	365,448	99.2%
In Your Lifetime	1,566	0.4%
Since School Began	434	0.1%
In the Past Month	781	0.2%
Frequency Missing	6,896	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	353,653	96.4%
In Your Lifetime	7,677	2.1%
Since School Began	1,581	0.4%
In the Past Month	4,068	1.1%
Frequency Missing	8,145	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	357,955	97.5%
In Your Lifetime	5,114	1.4%
Since School Began	1,146	0.3%
In the Past Month	2,883	0.8%
Frequency Missing	8,026	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	318,147	87.3%
In Your Lifetime	21,216	5.8%
Since School Began	9,108	2.5%
In the Past Month	15,910	4.4%
Frequency Missing	10,744	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	366,302	99.5%
In Your Lifetime	854	0.2%
Since School Began	284	0.1%
In the Past Month	588	0.2%
Frequency Missing	7,096	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	354,082	97.4%
In Your Lifetime	4,110	1.1%
Since School Began	2,250	0.6%
In the Past Month	2,964	0.8%
Frequency Missing	11,719	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	365,831	99.3%
In Your Lifetime	1,071	0.3%
Since School Began	292	0.1%
In the Past Month	1,111	0.3%
Frequency Missing	6,819	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	345,190	95.0%
In Your Lifetime	8,142	2.2%
Since School Began	3,435	0.9%
In the Past Month	6,498	1.8%
Frequency Missing	11,859	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	353,515	97.5%
In Your Lifetime	4,232	1.2%
Since School Began	1,561	0.4%
In the Past Month	3,268	0.9%
Frequency Missing	12,547	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	262,369	72.6%
1-2 times	60,308	16.7%
3-10 times	26,291	7.3%
11+ times	12,189	3.4%
Frequency Missing	13,967	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	337,377	93.2%
In Your Lifetime	11,094	3.1%
Since School Began	3,975	1.1%
In the Past Month	9,555	2.6%
Frequency Missing	13,122	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	356,358	98.2%
1-2 times	4,523	1.2%
3-10 times	1,187	0.3%
11+ times	662	0.2%
Frequency Missing	12,393	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	350,548	96.6%
In Your Lifetime	6,023	1.7%
Since School Began	1,656	0.5%
In the Past Month	4,780	1.3%
Frequency Missing	12,117	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	312,028	85.8%
1-2 times	25,578	7.0%
3-10 times	11,795	3.2%
11+ times	14,099	3.9%
Frequency Missing	11,624	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	333,485	91.9%
1-2 times	18,053	5.0%
3-10 times	6,771	1.9%
11+ times	4,621	1.3%
Frequency Missing	12,194	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	356,110	98.0%
1-2 times	4,944	1.4%
3-10 times	1,475	0.4%
11+ times	992	0.3%
Frequency Missing	11,603	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	361,371	99.5%
1-2 times	1,365	0.4%
3-10 times	239	0.1%
11+ times	175	0.0%
Frequency Missing	11,974	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	198,538	54.7%
A few	74,553	20.6%
Some	43,937	12.1%
Most	33,088	9.1%
All	12,512	3.5%
Frequency Missing	12,495	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	255,687	70.4%
A few	68,265	18.8%
Some	25,853	7.1%
Most	10,234	2.8%
All	3,134	0.9%
Frequency Missing	11,952	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	307,709	85.3%
8 or younger	2,498	0.7%
9 years old	1,588	0.4%
10 years old	1,941	0.5%
11 years old	2,980	0.8%
12 years old	5,421	1.5%
13 years old	7,178	2.0%
14 years old	8,121	2.3%
15 years old	8,486	2.4%
16 years old	8,058	2.2%
17 years old	4,719	1.3%
18 or older	2,077	0.6%
Frequency Missing	14,349	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	166,167	45.8%
A few	89,368	24.7%
Some	52,320	14.4%
Most	41,073	11.3%
All	13,618	3.8%
Frequency Missing	12,578	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	207,965	58.1%
8 or younger	12,268	3.4%
9 years old	3,796	1.1%
10 years old	5,922	1.7%
11 years old	7,248	2.0%
12 years old	13,851	3.9%
13 years old	19,815	5.5%
14 years old	25,475	7.1%
15 years old	28,655	8.0%
16 years old	19,623	5.5%
17 years old	9,391	2.6%
18 or older	4,162	1.2%
Frequency Missing	16,954	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	334,265	92.5%
A few	18,591	5.1%
Some	5,721	1.6%
Most	2,094	0.6%
All	881	0.2%
Frequency Missing	13,571	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	348,190	96.8%
8 or younger	1,288	0.4%
9 years old	569	0.2%
10 years old	1,169	0.3%
11 years old	1,415	0.4%
12 years old	2,041	0.6%
13 years old	2,084	0.6%
14 years old	1,204	0.3%
15 years old	949	0.3%
16 years old	520	0.1%
17 years old	147	0.0%
18 or older	54	0.0%
Frequency Missing	15,495	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	350,003	96.8%
8 or younger	147	0.0%
9 years old	182	0.1%
10 years old	180	0.0%
11 years old	411	0.1%
12 years old	960	0.3%
13 years old	1,219	0.3%
14 years old	1,630	0.5%
15 years old	2,749	0.8%
16 years old	2,473	0.7%
17 years old	1,345	0.4%
18 or older	436	0.1%
Frequency Missing	13,389	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	285,501	79.0%
8 or younger	1,630	0.5%
9 years old	1,364	0.4%
10 years old	2,421	0.7%
11 years old	2,889	0.8%
12 years old	8,046	2.2%
13 years old	11,754	3.3%
14 years old	13,407	3.7%
15 years old	14,562	4.0%
16 years old	11,507	3.2%
17 years old	6,280	1.7%
18 or older	1,870	0.5%
Frequency Missing	13,893	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	359,676	99.4%
8 or younger	92	0.0%
9 years old	60	0.0%
10 years old	78	0.0%
11 years old	126	0.0%
12 years old	206	0.1%
13 years old	571	0.2%
14 years old	238	0.1%
15 years old	344	0.1%
16 years old	373	0.1%
17 years old	189	0.1%
18 or older	33	0.0%
Frequency Missing	13,137	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	359,046	99.3%
8 or younger	213	0.1%
9 years old	76	0.0%
10 years old	158	0.0%
11 years old	85	0.0%
12 years old	209	0.1%
13 years old	621	0.2%
14 years old	360	0.1%
15 years old	302	0.1%
16 years old	324	0.1%
17 years old	149	0.0%
18 or older	26	0.0%
Frequency Missing	13,555	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	360,514	99.5%
8 or younger	299	0.1%
9 years old	0	0.0%
10 years old	80	0.0%
11 years old	41	0.0%
12 years old	214	0.1%
13 years old	247	0.1%
14 years old	192	0.1%
15 years old	229	0.1%
16 years old	222	0.1%
17 years old	85	0.0%
18 or older	47	0.0%
Frequency Missing	12,955	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	352,242	97.7%
8 or younger	132	0.0%
9 years old	15	0.0%
10 years old	76	0.0%
11 years old	184	0.1%
12 years old	384	0.1%
13 years old	825	0.2%
14 years old	1,237	0.3%
15 years old	2,205	0.6%
16 years old	2,154	0.6%
17 years old	734	0.2%
18 or older	173	0.0%
Frequency Missing	14,764	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	359,837	99.4%
8 or younger	130	0.0%
9 years old	43	0.0%
10 years old	34	0.0%
11 years old	174	0.0%
12 years old	218	0.1%
13 years old	216	0.1%
14 years old	333	0.1%
15 years old	394	0.1%
16 years old	508	0.1%
17 years old	167	0.0%
18 or older	10	0.0%
Frequency Missing	13,061	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	350,281	96.8%
8 or younger	140	0.0%
9 years old	60	0.0%
10 years old	319	0.1%
11 years old	602	0.2%
12 years old	1,070	0.3%
13 years old	2,130	0.6%
14 years old	2,502	0.7%
15 years old	2,231	0.6%
16 years old	1,732	0.5%
17 years old	558	0.2%
18 or older	167	0.0%
Frequency Missing	13,333	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	145,167	40.0%
Impossible	59,460	16.4%
Very Difficult	20,233	5.6%
Somewhat diff	32,536	9.0%
Somewhat easy	45,543	12.5%
Very easy	60,077	16.5%
Frequency Missing	12,108	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	110,129	30.5%
Impossible	42,019	11.6%
Very Difficult	17,286	4.8%
Somewhat diff	39,252	10.9%
Somewhat easy	66,722	18.5%
Very easy	86,082	23.8%
Frequency Missing	13,634	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	193,529	53.6%
Impossible	48,523	13.4%
Very Difficult	10,774	3.0%
Somewhat diff	15,473	4.3%
Somewhat easy	25,297	7.0%
Very easy	67,377	18.7%
Frequency Missing	14,152	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	133,843	37.0%
Impossible	60,344	16.7%
Very Difficult	20,433	5.6%
Somewhat diff	30,868	8.5%
Somewhat easy	46,483	12.8%
Very easy	70,046	19.3%
Frequency Missing	13,106	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	178,550	49.4%
Impossible	87,826	24.3%
Very Difficult	29,924	8.3%
Somewhat diff	26,102	7.2%
Somewhat easy	18,682	5.2%
Very easy	20,469	5.7%
Frequency Missing	13,570	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	191,955	53.2%
Impossible	90,008	24.9%
Very Difficult	31,387	8.7%
Somewhat diff	22,258	6.2%
Somewhat easy	11,858	3.3%
Very easy	13,512	3.7%
Frequency Missing	14,146	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 100 of 126

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	198,685	55.0%
Impossible	87,479	24.2%
Very Difficult	29,257	8.1%
Somewhat diff	21,037	5.8%
Somewhat easy	12,447	3.4%
Very easy	12,094	3.4%
Frequency Missing	14,125	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	208,702	57.8%
Impossible	73,561	20.4%
Very Difficult	22,670	6.3%
Somewhat diff	18,600	5.1%
Somewhat easy	17,201	4.8%
Very easy	20,464	5.7%
Frequency Missing	13,926	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	211,331	58.6%
Impossible	77,617	21.5%
Very Difficult	25,327	7.0%
Somewhat diff	18,548	5.1%
Somewhat easy	12,997	3.6%
Very easy	14,892	4.1%
Frequency Missing	14,412	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,944	0.5%
Several times/wk	4,164	1.2%
Several times/mo	6,651	1.8%
About once/month	9,752	2.7%
About once/year	9,631	2.7%
Less than once/year	14,788	4.1%
Never used	313,788	87.0%
Frequency Missing	14,404	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	207,519	57.4%
Impossible	91,157	25.2%
Very Difficult	28,552	7.9%
Somewhat diff	15,440	4.3%
Somewhat easy	7,743	2.1%
Very easy	11,161	3.1%
Frequency Missing	13,551	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	940	0.3%
Several times/wk	10,033	2.8%
Several times/mo	28,187	7.9%
About once/month	38,066	10.6%
About once/year	33,275	9.3%
Less than once/year	26,681	7.4%
Never used	221,622	61.8%
Frequency Missing	16,319	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	215,152	59.4%
Impossible	86,673	23.9%
Very Difficult	27,299	7.5%
Somewhat diff	14,379	4.0%
Somewhat easy	7,242	2.0%
Very easy	11,201	3.1%
Frequency Missing	13,178	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	441	0.1%
Several times/wk	603	0.2%
Several times/mo	1,093	0.3%
About once/month	1,733	0.5%
About once/year	2,260	0.6%
Less than once/year	4,142	1.2%
Never used	349,794	97.1%
Frequency Missing	15,059	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	208	0.1%
Several times/wk	160	0.0%
Several times/mo	203	0.1%
About once/month	295	0.1%
About once/year	403	0.1%
Less than once/year	812	0.2%
Never used	359,133	99.4%
Frequency Missing	13,910	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	6,442	1.8%
Several times/wk	9,323	2.6%
Several times/mo	12,011	3.3%
About once/month	14,208	3.9%
About once/year	12,135	3.4%
Less than once/year	14,280	4.0%
Never used	292,751	81.1%
Frequency Missing	13,973	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	100	0.0%
Several times/wk	110	0.0%
Several times/mo	146	0.0%
About once/month	278	0.1%
About once/year	247	0.1%
Less than once/year	831	0.2%
Never used	359,204	99.5%
Frequency Missing	14,209	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	376	0.1%
Several times/wk	633	0.2%
Several times/mo	1,186	0.3%
About once/month	2,174	0.6%
About once/year	2,128	0.6%
Less than once/year	3,191	0.9%
Never used	351,054	97.3%
Frequency Missing	14,381	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	69	0.0%
Several times/wk	266	0.1%
Several times/mo	732	0.2%
About once/month	981	0.3%
About once/year	2,356	0.7%
Less than once/year	2,578	0.7%
Never used	353,711	98.1%
Frequency Missing	14,431	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 102 of 126

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	116	0.0%
Several times/wk	218	0.1%
Several times/mo	148	0.0%
About once/month	111	0.0%
About once/year	251	0.1%
Less than once/year	606	0.2%
Never used	359,821	99.6%
Frequency Missing	13,854	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	228,711	63.2%
12+ drinks	9,849	2.7%
9-11 drinks	6,089	1.7%
5-8 drinks	13,221	3.7%
3-4 drinks	22,938	6.3%
2 drinks	22,119	6.1%
1 drink	23,491	6.5%
Less than 1 drink	35,690	9.9%
Frequency Missing	13,016	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	71	0.0%
Several times/wk	240	0.1%
Several times/mo	222	0.1%
About once/month	280	0.1%
About once/year	458	0.1%
Less than once/year	824	0.2%
Never used	358,955	99.4%
Frequency Missing	14,074	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	264,037	73.3%
12+ drinks	5,580	1.5%
9-11 drinks	3,869	1.1%
5-8 drinks	10,316	2.9%
3-4 drinks	18,140	5.0%
2 drinks	17,952	5.0%
1 drink	19,573	5.4%
Less than 1 drink	20,659	5.7%
Frequency Missing	14,999	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	317	0.1%
Several times/wk	759	0.2%
Several times/mo	1,146	0.3%
About once/month	1,365	0.4%
About once/year	2,183	0.6%
Less than once/year	4,091	1.1%
Never used	349,656	97.3%
Frequency Missing	15,607	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	263,836	73.4%
12+ drinks	3,595	1.0%
9-11 drinks	1,382	0.4%
5-8 drinks	3,787	1.1%
3-4 drinks	10,442	2.9%
2 drinks	14,900	4.1%
1 drink	25,731	7.2%
Less than 1 drink	35,890	10.0%
Frequency Missing	15,560	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	239,631	66.4%
12+ drinks	9,517	2.6%
9-11 drinks	5,504	1.5%
5-8 drinks	14,896	4.1%
3-4 drinks	23,000	6.4%
2 drinks	19,330	5.4%
1 drink	20,077	5.6%
Less than 1 drink	28,781	8.0%
Frequency Missing	14,388	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	206,093	57.2%
Never	56,727	15.7%
Seldom	44,063	12.2%
Most of the Time	40,001	11.1%
Always	13,409	3.7%
Frequency Missing	14,830	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	198,367	55.4%
0 days	111,391	31.1%
1 day	18,457	5.2%
2 days	11,509	3.2%
3 to 5 days	9,697	2.7%
6 to 9 days	3,413	1.0%
10 or more days	5,273	1.5%
Frequency Missing	17,017	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	217,527	60.7%
Never	105,640	29.5%
Seldom	16,436	4.6%
Most of the Time	12,330	3.4%
Always	6,436	1.8%
Frequency Missing	16,755	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	220,369	61.1%
Never	69,316	19.2%
Seldom	48,429	13.4%
Most of the Time	15,610	4.3%
Always	6,921	1.9%
Frequency Missing	14,479	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	197,445	54.8%
Never	48,187	13.4%
Seldom	35,163	9.8%
Most of the Time	41,886	11.6%
Always	37,529	10.4%
Frequency Missing	14,915	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	221,879	62.4%
Never	73,784	20.8%
Seldom	23,790	6.7%
Most of the Time	19,141	5.4%
Always	16,877	4.7%
Frequency Missing	19,653	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	235,661	65.4%
Somewhat	74,930	20.8%
Not very	24,297	6.7%
Not at all	6,425	1.8%
Don't know	19,238	5.3%
Frequency Missing	14,573	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	308,710	86.0%
Somewhat	25,163	7.0%
Not very	3,727	1.0%
Not at all	2,930	0.8%
Don't know	18,392	5.1%
Frequency Missing	16,201	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	184,167	51.3%
Somewhat	100,708	28.1%
Not very	48,716	13.6%
Not at all	11,719	3.3%
Don't know	13,652	3.8%
Frequency Missing	16,162	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	313,370	87.3%
Somewhat	20,261	5.6%
Not very	2,976	0.8%
Not at all	2,650	0.7%
Don't know	19,750	5.5%
Frequency Missing	16,119	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	268,009	74.8%
Somewhat	43,472	12.1%
Not very	15,500	4.3%
Not at all	5,994	1.7%
Don't know	25,092	7.0%
Frequency Missing	17,056	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	296,568	82.8%
Somewhat	24,554	6.9%
Not very	6,369	1.8%
Not at all	3,298	0.9%
Don't know	27,601	7.7%
Frequency Missing	16,735	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	210,814	58.8%
Somewhat	48,916	13.6%
Not very	41,592	11.6%
Not at all	41,827	11.7%
Don't know	15,585	4.3%
Frequency Missing	16,389	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	285,398	79.6%
Somewhat	34,618	9.7%
Not very	9,737	2.7%
Not at all	3,903	1.1%
Don't know	24,864	6.9%
Frequency Missing	16,602	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 105 of 126

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	314,550	87.7%
Somewhat	16,017	4.5%
Not very	2,664	0.7%
Not at all	2,471	0.7%
Don't know	22,865	6.4%
Frequency Missing	16,557	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	218,894	61.4%
Somewhat	38,257	10.7%
Not very	41,530	11.6%
Not at all	34,738	9.7%
Don't know	23,312	6.5%
Frequency Missing	18,392	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	313,600	87.4%
Somewhat	15,635	4.4%
Not very	2,666	0.7%
Not at all	2,626	0.7%
Don't know	24,138	6.7%
Frequency Missing	16,459	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	283,998	79.4%
1-3 days	51,029	14.3%
4-9 days	13,699	3.8%
10+ days	8,991	2.5%
Frequency Missing	17,408	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	295,100	82.4%
Somewhat	23,875	6.7%
Not very	7,675	2.1%
Not at all	4,887	1.4%
Don't know	26,405	7.4%
Frequency Missing	17,182	

**Days Ill Since September**

Q28b	Frequency	Percent
None	119,369	33.5%
1-3 days	179,951	50.5%
4-9 days	45,252	12.7%
10+ days	11,714	3.3%
Frequency Missing	18,837	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	276,221	77.2%
Somewhat	39,770	11.1%
Not very	11,164	3.1%
Not at all	5,456	1.5%
Don't know	25,039	7.0%
Frequency Missing	17,474	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	139,969	39.6%
1-3 days	173,100	49.0%
4-9 days	29,412	8.3%
10+ days	10,648	3.0%
Frequency Missing	21,995	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	317,153	88.8%
1-3 days	30,998	8.7%
4-9 days	4,974	1.4%
10+ days	3,993	1.1%
Frequency Missing	18,006	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	344,251	96.7%
1-3 times	9,483	2.7%
4-9 times	1,218	0.3%
10+ times	1,032	0.3%
Frequency Missing	19,140	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	320,205	89.8%
1-3 days	27,868	7.8%
4-9 days	4,340	1.2%
10+ days	4,036	1.1%
Frequency Missing	18,675	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	341,049	95.9%
1-3 times	9,981	2.8%
4-9 times	2,336	0.7%
10+ times	2,426	0.7%
Frequency Missing	19,332	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	343,583	96.2%
1-3 times	11,630	3.3%
4-9 times	1,160	0.3%
10+ times	922	0.3%
Frequency Missing	17,829	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	340,298	95.5%
1-3 days	12,660	3.6%
4-9 days	1,748	0.5%
10+ days	1,446	0.4%
Frequency Missing	18,972	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	340,769	95.6%
1-3 times	11,933	3.3%
4-9 times	1,771	0.5%
10+ times	1,948	0.5%
Frequency Missing	18,703	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	327,295	92.1%
1-3 days	16,671	4.7%
4-9 days	4,934	1.4%
10+ days	6,658	1.9%
Frequency Missing	19,566	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	351,106	99.0%
1-3 days	2,556	0.7%
4-9 days	310	0.1%
10+ days	766	0.2%
Frequency Missing	20,385	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	299,876	91.9%
Yes	26,291	8.1%
Frequency Missing	48,957	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	342,906	96.8%
1-3 days	7,600	2.1%
4-9 days	1,862	0.5%
10+ days	1,726	0.5%
Frequency Missing	21,031	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	193,404	55.4%
Yes	155,938	44.6%
Frequency Missing	25,781	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	176,083	49.5%
Seldom	25,424	7.2%
Half the time	20,199	5.7%
Most of the Time	33,399	9.4%
Always	43,925	12.4%
Don't Know	8,110	2.3%
Didn't attend	48,234	13.6%
Frequency Missing	19,749	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	246,970	71.2%
Yes	100,091	28.8%
Frequency Missing	28,064	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	182,098	52.4%
Yes	165,313	47.6%
Frequency Missing	27,713	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	210,242	59.3%
Seldom	19,599	5.5%
Half the time	16,407	4.6%
Most of the Time	22,389	6.3%
Always	27,688	7.8%
Don't Know	10,458	2.9%
Didn't attend	48,000	13.5%
Frequency Missing	20,341	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	98,051	28.0%
Yes	252,432	72.0%
Frequency Missing	24,641	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	133,613	38.6%
Yes	212,717	61.4%
Frequency Missing	28,794	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	164,219	47.7%
Yes	180,380	52.3%
Frequency Missing	30,524	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	137,788	39.9%
Yes	207,725	60.1%
Frequency Missing	29,612	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	185,782	54.2%
Yes	156,841	45.8%
Frequency Missing	32,501	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	132,272	38.1%
Yes	215,182	61.9%
Frequency Missing	27,671	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	217,054	63.6%
Yes	124,414	36.4%
Frequency Missing	33,655	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	191,438	55.1%
Yes	155,923	44.9%
Frequency Missing	27,763	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	252,057	74.1%
Yes	88,030	25.9%
Frequency Missing	35,037	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	267,470	79.0%
Yes	71,083	21.0%
Frequency Missing	36,571	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	235,074	69.4%
Yes	103,800	30.6%
Frequency Missing	36,250	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	269,876	79.4%
Yes	69,977	20.6%
Frequency Missing	35,271	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	215,888	63.4%
Yes	124,839	36.6%
Frequency Missing	34,397	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	227,212	67.1%
Yes	111,443	32.9%
Frequency Missing	36,469	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	280,540	78.9%
Mild disapprove	22,493	6.3%
Neither	18,525	5.2%
Mildly approve	3,405	1.0%
Strongly approve	2,414	0.7%
Don't know	28,312	8.0%
Frequency Missing	19,436	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	223,839	63.1%
Mild disapprove	46,440	13.1%
Neither	39,841	11.2%
Mildly approve	13,600	3.8%
Strongly approve	4,043	1.1%
Don't know	26,844	7.6%
Frequency Missing	20,517	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	274,061	77.3%
Mild disapprove	21,136	6.0%
Neither	21,652	6.1%
Mildly approve	5,150	1.5%
Strongly approve	4,984	1.4%
Don't know	27,451	7.7%
Frequency Missing	20,690	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

