

**Non-Border: Grades 4-6  
Spring 2008**

**Table T-1: How recently, if ever, have you used...**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	5.4%	3.0%	2.5%	94.6%
	<b>Grade 4</b>	2.9%	1.5%	1.4%	97.1%
	<b>Grade 5</b>	5.0%	2.8%	2.3%	95.0%
	<b>Grade 6</b>	8.5%	4.6%	3.9%	91.5%
<b>Cigarettes</b>					
	<b>All</b>	4.6%	2.5%	2.1%	95.4%
	<b>Grade 4</b>	2.2%	1.2%	1.0%	97.8%
	<b>Grade 5</b>	4.1%	2.3%	1.8%	95.9%
	<b>Grade 6</b>	7.7%	4.0%	3.7%	92.3%
<b>Smokeless tobacco</b>					
	<b>All</b>	1.5%	0.8%	0.7%	98.5%
	<b>Grade 4</b>	1.1%	0.5%	0.5%	98.9%
	<b>Grade 5</b>	1.5%	0.7%	0.8%	98.5%
	<b>Grade 6</b>	1.9%	1.1%	0.8%	98.1%

**Table T-2: Average number of times selected tobacco products were used by those who reported use of ..**

		<b>School Year</b>	<b>Lifetime</b>
	<b>All</b>	3.1	3.0
	<b>Grade 4</b>	2.9	2.9
	<b>Grade 5</b>	2.5	2.6
	<b>Grade 6</b>	3.6	3.3

**Non-Border: Grades 4-6  
Spring 2008**

**Table T-3: Average age of first use of tobacco:**

	Grade 4	Grade 5	Grade 6
<b>Cigarettes</b>			
	8.4	9.2	9.9
<b>Smokeless Tobacco</b>			
	8.5	9.0	10.1
<b>Any Tobacco</b>			
	8.4	9.1	9.8

**Table T-4: Age of first use of tobacco by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	96.5%	0.7%	0.5%	0.5%	0.7%	0.6%	0.5%
	<b>Grade 4</b>	97.9%	0.7%	0.5%	0.5%	0.3%	0.0%	0.0%
	<b>Grade 5</b>	97.0%	0.6%	0.5%	0.5%	0.8%	0.5%	0.2%
	<b>Grade 6</b>	94.5%	1.0%	0.5%	0.5%	0.9%	1.4%	1.3%
<b>Other Family Situation</b>								
	<b>All</b>	89.8%	2.4%	1.1%	1.8%	2.1%	1.8%	1.0%
	<b>Grade 4</b>	94.5%	2.0%	0.6%	1.5%	1.0%	0.3%	0.0%
	<b>Grade 5</b>	90.3%	2.7%	1.1%	1.5%	2.8%	1.3%	0.3%
	<b>Grade 6</b>	85.0%	2.3%	1.7%	2.2%	2.4%	3.7%	2.8%

**Table T-5: About how many of your close friends use ...**

		Never Heard Of	None	Some	Most
<b>Any tobacco product?</b>					
	<b>All</b>	2.1%	84.1%	12.7%	1.1%
	<b>Grade 4</b>	3.0%	88.6%	7.7%	0.7%
	<b>Grade 5</b>	1.7%	85.9%	11.6%	0.8%
	<b>Grade 6</b>	1.5%	77.7%	19.0%	1.8%
<b>Cigarettes?</b>					
	<b>All</b>	3.5%	84.3%	11.3%	0.9%
	<b>Grade 4</b>	5.1%	87.7%	6.6%	0.5%
	<b>Grade 5</b>	3.2%	86.2%	10.0%	0.7%
	<b>Grade 6</b>	2.2%	78.8%	17.5%	1.5%
<b>Smokeless tobacco?</b>					
	<b>All</b>	5.9%	89.3%	4.4%	0.4%
	<b>Grade 4</b>	9.6%	87.5%	2.6%	0.2%
	<b>Grade 5</b>	4.8%	90.6%	4.3%	0.3%
	<b>Grade 6</b>	3.3%	89.9%	6.2%	0.6%

**Non-Border: Grades 4-6  
Spring 2008**

**Table T-6: Have you ever been offered ...**

		Never Heard Of	Yes	No
<b>Any tobacco product?</b>				
	All	2.5%	13.6%	83.9%
	Grade 4	3.7%	9.2%	87.1%
	Grade 5	2.2%	12.8%	85.0%
	Grade 6	1.6%	19.0%	79.4%
<b>Cigarettes?</b>				
	All	3.8%	11.9%	84.3%
	Grade 4	5.7%	7.7%	86.6%
	Grade 5	3.3%	10.9%	85.8%
	Grade 6	2.4%	17.1%	80.6%
<b>Smokeless tobacco?</b>				
	All	6.3%	4.9%	88.8%
	Grade 4	10.3%	3.5%	86.3%
	Grade 5	5.1%	4.5%	90.3%
	Grade 6	3.6%	6.6%	89.8%

**Table T-7: How dangerous do you think it is for kids your age to use ...**

		Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>Any tobacco product?</b>						
	All	1.4%	78.1%	15.9%	0.7%	4.0%
	Grade 4	2.3%	81.9%	11.9%	0.4%	3.6%
	Grade 5	1.1%	80.0%	14.6%	0.7%	3.7%
	Grade 6	0.7%	72.3%	21.3%	1.0%	4.6%
<b>Cigarettes?</b>						
	All	2.7%	68.3%	23.2%	0.8%	5.0%
	Grade 4	4.4%	73.3%	17.4%	0.4%	4.5%
	Grade 5	2.3%	70.0%	22.5%	0.7%	4.5%
	Grade 6	1.5%	61.4%	29.9%	1.2%	6.0%
<b>Smokeless tobacco?</b>						
	All	4.5%	69.0%	19.2%	1.2%	6.1%
	Grade 4	7.8%	71.1%	14.6%	0.7%	5.8%
	Grade 5	3.6%	71.5%	18.7%	0.9%	5.3%
	Grade 6	2.2%	64.3%	24.3%	1.9%	7.3%

**Non-Border: Grades 4-6  
Spring 2008**

**Table T-8: How do your parents feel about kids your age smoking cigarettes?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	87.7%	1.4%	0.3%	10.6%
<b>Grade 4</b>	88.5%	1.1%	0.2%	10.2%
<b>Grade 5</b>	87.9%	1.4%	0.2%	10.5%
<b>Grade 6</b>	86.8%	1.8%	0.3%	11.1%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-1: How recently, if ever, have you used..**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	23.4%	15.5%	7.9%	76.6%
	<b>Grade 4</b>	17.3%	11.4%	5.9%	82.7%
	<b>Grade 5</b>	22.3%	14.2%	8.1%	77.7%
	<b>Grade 6</b>	30.9%	21.1%	9.7%	69.1%
<b>Beer</b>					
	<b>All</b>	14.8%	8.1%	6.7%	85.2%
	<b>Grade 4</b>	10.0%	6.0%	4.0%	90.0%
	<b>Grade 5</b>	14.8%	7.5%	7.3%	85.2%
	<b>Grade 6</b>	19.9%	11.1%	8.8%	80.1%
<b>Wine coolers</b>					
	<b>All</b>	10.9%	7.1%	3.8%	89.1%
	<b>Grade 4</b>	6.3%	3.8%	2.5%	93.7%
	<b>Grade 5</b>	10.0%	6.4%	3.5%	90.0%
	<b>Grade 6</b>	16.6%	11.1%	5.5%	83.4%
<b>Wine</b>					
	<b>All</b>	12.3%	7.5%	4.9%	87.7%
	<b>Grade 4</b>	7.9%	4.8%	3.1%	92.1%
	<b>Grade 5</b>	11.4%	7.0%	4.4%	88.6%
	<b>Grade 6</b>	17.9%	10.7%	7.2%	82.1%
<b>Liquor</b>					
	<b>All</b>	6.1%	4.0%	2.2%	93.9%
	<b>Grade 4</b>	2.7%	1.5%	1.1%	97.3%
	<b>Grade 5</b>	5.5%	3.8%	1.8%	94.5%
	<b>Grade 6</b>	10.4%	6.7%	3.6%	89.6%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-2: Average number of times selected alcohol products were used by those who reported use of ..**

		<b>School Year</b>	<b>Lifetime</b>
<b>Beer</b>	All	2.7	2.7
	Grade 4	2.2	2.5
	Grade 5	2.7	2.6
	Grade 6	2.9	2.9
<b>Liquor</b>	All	2.7	2.8
	Grade 4	2.6	2.3
	Grade 5	2.4	2.6
	Grade 6	2.8	3.0
<b>Wine</b>	All	2.7	2.7
	Grade 4	2.7	2.7
	Grade 5	2.5	2.7
	Grade 6	2.9	2.8

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-3: In the past year, how many times have you had two or more drinks at one time of ..**

		Never	1 Time	2 Times	3+ Times	Ever
<b>Beer?</b>						
	<b>All</b>	88.8%	6.3%	2.6%	2.2%	11.2%
	<b>Grade 4</b>	91.3%	5.5%	1.7%	1.5%	8.7%
	<b>Grade 5</b>	89.6%	5.7%	3.0%	1.8%	10.4%
	<b>Grade 6</b>	85.5%	7.8%	3.3%	3.4%	14.5%
<b>Wine Coolers?</b>						
	<b>All</b>	92.3%	4.3%	1.8%	1.6%	7.7%
	<b>Grade 4</b>	95.9%	2.6%	0.9%	0.6%	4.1%
	<b>Grade 5</b>	93.1%	3.9%	1.4%	1.6%	6.9%
	<b>Grade 6</b>	87.7%	6.5%	3.2%	2.6%	12.3%
<b>Wine?</b>						
	<b>All</b>	90.4%	6.0%	2.0%	1.6%	9.6%
	<b>Grade 4</b>	93.2%	4.7%	1.1%	1.1%	6.8%
	<b>Grade 5</b>	91.1%	5.4%	2.3%	1.3%	8.9%
	<b>Grade 6</b>	86.8%	7.9%	2.7%	2.6%	13.2%
<b>Liquor?</b>						
	<b>All</b>	94.9%	2.8%	1.2%	1.1%	5.1%
	<b>Grade 4</b>	97.2%	1.8%	0.6%	0.4%	2.8%
	<b>Grade 5</b>	95.8%	2.4%	1.0%	0.8%	4.2%
	<b>Grade 6</b>	91.6%	4.3%	2.0%	2.2%	8.4%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-4: Average age of first use of alcohol:**

	<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
<b>Beer</b>	8.1	8.8	9.6
<b>Wine Coolers</b>	8.6	9.3	10.1
<b>Wine</b>	8.6	9.4	10.1
<b>Liquor</b>	9.1	9.7	10.6
<b>Any Alcohol</b>	8.3	8.9	9.7

**Table A-5: Age of first use of alcohol by family situation:**

		<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>								
	<b>All</b>	80.7%	5.3%	2.3%	3.3%	4.1%	2.7%	1.6%
	<b>Grade 4</b>	85.7%	5.2%	2.6%	4.1%	2.0%	0.3%	0.1%
	<b>Grade 5</b>	81.9%	5.7%	2.1%	2.6%	5.0%	2.3%	0.4%
	<b>Grade 6</b>	74.2%	5.1%	2.3%	3.0%	5.3%	5.7%	4.4%
<b>Other Family Situation</b>								
	<b>All</b>	71.0%	8.0%	4.1%	4.2%	5.5%	4.6%	2.6%
	<b>Grade 4</b>	79.5%	7.9%	4.7%	4.7%	2.5%	0.6%	0.1%
	<b>Grade 5</b>	72.5%	7.8%	3.8%	4.0%	7.4%	3.9%	0.6%
	<b>Grade 6</b>	61.4%	8.4%	3.8%	4.0%	6.4%	9.1%	6.9%

**Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
17.0%	60.3%	38.2%	65.0%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-7: When you drink alcohol, do you get it from ..**

		<b>Don't Drink</b>	<b>Yes</b>	<b>No</b>
<b>Home?</b>				
	<b>All</b>	79.7%	9.9%	10.4%
	<b>Grade 4</b>	83.1%	7.2%	9.7%
	<b>Grade 5</b>	80.4%	9.4%	10.3%
	<b>Grade 6</b>	75.3%	13.3%	11.4%
<b>Friends?</b>				
	<b>All</b>	80.5%	3.2%	16.3%
	<b>Grade 4</b>	83.6%	1.4%	15.0%
	<b>Grade 5</b>	81.7%	2.4%	15.9%
	<b>Grade 6</b>	76.1%	6.0%	17.8%
<b>Somewhere else?</b>				
	<b>All</b>	79.0%	7.4%	13.6%
	<b>Grade 4</b>	82.2%	5.0%	12.9%
	<b>Grade 5</b>	79.9%	7.0%	13.1%
	<b>Grade 6</b>	74.7%	10.4%	14.9%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-8: About how many of your close friends use ..**

		Never Heard Of	None	Some	Most
<b>Any alcohol product?</b>					
	<b>All</b>	1.5%	74.8%	19.1%	4.6%
	<b>Grade 4</b>	2.0%	80.3%	14.8%	2.9%
	<b>Grade 5</b>	1.6%	77.3%	17.4%	3.6%
	<b>Grade 6</b>	1.0%	66.4%	25.3%	7.3%
<b>Beer?</b>					
	<b>All</b>	1.7%	80.3%	15.4%	2.7%
	<b>Grade 4</b>	2.2%	84.4%	11.6%	1.7%
	<b>Grade 5</b>	1.5%	82.3%	13.9%	2.2%
	<b>Grade 6</b>	1.2%	73.9%	20.7%	4.1%
<b>Wine coolers?</b>					
	<b>All</b>	13.1%	76.0%	8.7%	2.2%
	<b>Grade 4</b>	16.0%	77.8%	5.0%	1.1%
	<b>Grade 5</b>	13.6%	77.4%	7.4%	1.5%
	<b>Grade 6</b>	9.7%	72.5%	13.7%	4.1%
<b>Wine?</b>					
	<b>All</b>	2.7%	85.3%	10.4%	1.6%
	<b>Grade 4</b>	3.8%	88.1%	7.0%	1.1%
	<b>Grade 5</b>	2.6%	87.1%	9.0%	1.3%
	<b>Grade 6</b>	1.6%	80.5%	15.2%	2.6%
<b>Liquor?</b>					
	<b>All</b>	7.5%	84.1%	7.1%	1.4%
	<b>Grade 4</b>	12.3%	84.2%	3.1%	0.4%
	<b>Grade 5</b>	6.5%	86.8%	5.8%	1.0%
	<b>Grade 6</b>	3.6%	81.2%	12.6%	2.7%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-9: Have you ever been offered ..**

		Never Heard Of	Yes	No
<b>Any alcohol product?</b>				
	All	1.7%	24.3%	74.0%
	Grade 4	2.1%	20.7%	77.2%
	Grade 5	1.7%	21.9%	76.4%
	Grade 6	1.2%	30.4%	68.3%
<b>Beer?</b>				
	All	1.8%	18.8%	79.4%
	Grade 4	2.4%	15.7%	81.9%
	Grade 5	1.7%	17.3%	81.0%
	Grade 6	1.4%	23.5%	75.1%
<b>Wine coolers?</b>				
	All	13.0%	9.3%	77.7%
	Grade 4	16.2%	5.6%	78.2%
	Grade 5	13.3%	8.0%	78.7%
	Grade 6	9.4%	14.4%	76.2%
<b>Wine?</b>				
	All	2.8%	11.7%	85.5%
	Grade 4	3.8%	8.5%	87.7%
	Grade 5	2.6%	10.4%	87.0%
	Grade 6	1.9%	16.4%	81.7%
<b>Liquor?</b>				
	All	7.4%	7.5%	85.1%
	Grade 4	12.3%	3.9%	83.8%
	Grade 5	6.2%	6.4%	87.4%
	Grade 6	3.5%	12.4%	84.1%

**Non-Border: Grades 4-6  
Spring 2008**

**Table A-10: How do your parents feel about kids your age drinking beer?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	82.3%	3.2%	1.1%	13.5%
<b>Grade 4</b>	84.0%	2.1%	1.0%	12.9%
<b>Grade 5</b>	82.5%	3.2%	1.0%	13.3%
<b>Grade 6</b>	80.2%	4.3%	1.2%	14.3%

**Table A-11: How dangerous do you think it is for kids your age to use ..**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Any alcohol product?</b>					
<b>All</b>	1.0%	72.2%	20.1%	2.3%	4.5%
<b>Grade 4</b>	1.4%	78.5%	14.8%	1.3%	4.0%
<b>Grade 5</b>	0.9%	73.2%	19.7%	1.8%	4.4%
<b>Grade 6</b>	0.6%	64.6%	25.9%	3.7%	5.3%
<b>Beer?</b>					
<b>All</b>	1.0%	53.3%	32.3%	5.5%	7.9%
<b>Grade 4</b>	1.5%	59.2%	27.9%	3.6%	7.8%
<b>Grade 5</b>	1.0%	54.0%	32.6%	4.9%	7.6%
<b>Grade 6</b>	0.6%	46.5%	36.4%	8.1%	8.4%
<b>Wine coolers?</b>					
<b>All</b>	11.4%	50.1%	22.9%	5.3%	10.3%
<b>Grade 4</b>	14.4%	57.0%	16.8%	2.4%	9.4%
<b>Grade 5</b>	11.6%	50.9%	22.9%	5.0%	9.7%
<b>Grade 6</b>	8.3%	42.1%	29.0%	8.7%	11.9%
<b>Wine?</b>					
<b>All</b>	1.7%	51.1%	30.4%	7.4%	9.4%
<b>Grade 4</b>	2.6%	58.3%	26.4%	4.4%	8.5%
<b>Grade 5</b>	1.6%	52.6%	30.2%	6.8%	8.8%
<b>Grade 6</b>	0.9%	42.3%	34.7%	11.1%	11.0%
<b>Liquor?</b>					
<b>All</b>	5.8%	65.1%	19.7%	2.1%	7.2%
<b>Grade 4</b>	10.3%	68.2%	14.1%	0.8%	6.5%
<b>Grade 5</b>	4.9%	66.7%	19.3%	1.8%	7.3%
<b>Grade 6</b>	2.2%	60.2%	25.9%	3.7%	8.0%

**Non-Border: Grades 4-6  
Spring 2008**

**Table D-1: How recently, if ever, have you used Marijuana..**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	1.7%	1.2%	0.5%	98.3%
<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
<b>Grade 5</b>	1.2%	0.7%	0.4%	98.8%
<b>Grade 6</b>	3.3%	2.4%	0.9%	96.7%

**Table D-2: Average number of times marijuana was used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	4.3	4.3
<b>Grade 4</b>	4.0	4.1
<b>Grade 5</b>	3.7	3.5
<b>Grade 6</b>	4.5	4.7

**Non-Border: Grades 4-6  
Spring 2008**

**Table D-3: Average age of first use of marijuana:**

Grade 4	Grade 5	Grade 6
8.1	9.6	10.6

**Table D-4: Age of first use of marijuana by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	98.9%	0.2%	0.1%	0.1%	0.2%	0.2%	0.3%
	<b>Grade 4</b>	99.5%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%
	<b>Grade 5</b>	99.2%	0.2%	0.0%	0.1%	0.2%	0.1%	0.1%
	<b>Grade 6</b>	98.0%	0.1%	0.0%	0.0%	0.4%	0.6%	0.9%
<b>Other Family Situation</b>								
	<b>All</b>	97.1%	0.4%	0.2%	0.3%	0.5%	0.6%	0.8%
	<b>Grade 4</b>	98.8%	0.5%	0.1%	0.1%	0.4%	0.0%	0.0%
	<b>Grade 5</b>	98.3%	0.3%	0.0%	0.3%	0.4%	0.5%	0.2%
	<b>Grade 6</b>	94.3%	0.5%	0.4%	0.6%	0.9%	1.2%	2.1%

**Non-Border: Grades 4-6  
Spring 2008**

**Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
0.5%	17.0%	4.6%	21.5%

**Table D-6: About how many of your close friends use marijuana?**

	<b>Never Heard Of</b>	<b>None</b>	<b>Some</b>	<b>Most</b>
<b>All</b>	13.0%	80.2%	5.4%	1.4%
<b>Grade 4</b>	21.4%	75.6%	2.5%	0.5%
<b>Grade 5</b>	12.1%	82.5%	4.5%	0.9%
<b>Grade 6</b>	5.6%	82.5%	9.2%	2.8%

**Table D-7: Have you ever been offered marijuana?**

	<b>Never Heard Of</b>	<b>Yes</b>	<b>No</b>
<b>All</b>	12.8%	5.5%	81.7%
<b>Grade 4</b>	21.4%	3.2%	75.4%
<b>Grade 5</b>	11.6%	4.2%	84.2%
<b>Grade 6</b>	5.3%	9.1%	85.5%

**Table D-8: How do your parents feel about kids your age smoking marijuana?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	85.5%	1.0%	0.3%	13.2%
<b>Grade 4</b>	82.9%	0.7%	0.3%	16.0%
<b>Grade 5</b>	86.0%	1.1%	0.3%	12.6%
<b>Grade 6</b>	87.6%	1.2%	0.3%	11.0%

**Table D-9: How dangerous do you think it is for kids your age to use marijuana?**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	11.0%	74.9%	7.6%	1.1%	5.3%
<b>Grade 4</b>	18.5%	68.5%	6.8%	0.6%	5.7%
<b>Grade 5</b>	10.4%	77.3%	6.6%	1.0%	4.8%
<b>Grade 6</b>	4.0%	78.9%	9.6%	1.9%	5.6%

**Non-Border: Grades 4-6  
Spring 2008**

**Table I-1: How recently, if ever, have you used Inhalants..**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	8.5%	6.2%	2.3%	91.5%
<b>Grade 4</b>	7.7%	5.7%	2.0%	92.3%
<b>Grade 5</b>	7.6%	5.4%	2.2%	92.4%
<b>Grade 6</b>	10.1%	7.5%	2.6%	89.9%

**Table I-2: Have you ever sniffed any of the following inhalants to get high?**

	<b>Not Used</b>	<b>Used</b>
<b>Correction Fluid/Whiteout</b>		
<b>All</b>	97.8%	2.2%
<b>Grade 4</b>	98.3%	1.7%
<b>Grade 5</b>	98.3%	1.7%
<b>Grade 6</b>	96.7%	3.3%
<b>Gasoline</b>		
<b>All</b>	97.3%	2.7%
<b>Grade 4</b>	96.9%	3.1%
<b>Grade 5</b>	97.8%	2.2%
<b>Grade 6</b>	97.2%	2.8%
<b>Glue</b>		
<b>All</b>	97.3%	2.7%
<b>Grade 4</b>	96.7%	3.3%
<b>Grade 5</b>	97.5%	2.5%
<b>Grade 6</b>	97.7%	2.3%
<b>Paint Thinner</b>		
<b>All</b>	98.2%	1.8%
<b>Grade 4</b>	98.0%	2.0%
<b>Grade 5</b>	98.5%	1.5%
<b>Grade 6</b>	97.9%	2.1%
<b>Spray Paint</b>		
<b>All</b>	97.4%	2.6%
<b>Grade 4</b>	97.4%	2.6%
<b>Grade 5</b>	97.7%	2.3%
<b>Grade 6</b>	97.0%	3.0%
<b>Other Inhalants</b>		
<b>All</b>	95.6%	4.4%
<b>Grade 4</b>	96.8%	3.2%
<b>Grade 5</b>	96.0%	4.0%
<b>Grade 6</b>	94.1%	5.9%

**Non-Border: Grades 4-6  
Spring 2008**

**Table I-3: Average number of times inhalants were used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.5	3.5
<b>Grade 4</b>	3.5	3.3
<b>Grade 5</b>	3.6	3.4
<b>Grade 6</b>	3.5	3.7

**Table I-4: Number of different kinds of inhalants used:**

	<b>None</b>	<b>One</b>	<b>Two to Three</b>	<b>Four Plus</b>
<b>All</b>	92.2%	3.9%	3.0%	0.9%
<b>Grade 4</b>	92.9%	3.3%	2.8%	1.0%
<b>Grade 5</b>	92.9%	3.9%	2.4%	0.8%
<b>Grade 6</b>	90.6%	4.6%	3.9%	0.9%

**Non-Border: Grades 4-6  
Spring 2008**

**Table I-5: Average age of first use of inhalants:**

Grade 4	Grade 5	Grade 6
8.1	9.4	10.2

**Table I-6: Age of first use of inhalants by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	95.8%	0.9%	0.5%	0.6%	0.7%	0.9%	0.5%
	<b>Grade 4</b>	97.2%	1.5%	0.5%	0.5%	0.3%	0.0%	0.0%
	<b>Grade 5</b>	96.2%	0.6%	0.5%	0.7%	0.8%	1.1%	0.1%
	<b>Grade 6</b>	93.8%	0.7%	0.5%	0.5%	1.1%	1.8%	1.5%
<b>Other Family Situation</b>								
	<b>All</b>	93.6%	1.1%	0.8%	0.8%	1.4%	1.5%	0.8%
	<b>Grade 4</b>	95.8%	1.5%	0.8%	0.9%	0.9%	0.1%	0.0%
	<b>Grade 5</b>	94.4%	1.0%	0.9%	0.5%	1.6%	1.3%	0.2%
	<b>Grade 6</b>	90.8%	0.8%	0.5%	1.1%	1.6%	2.9%	2.2%

**Non-Border: Grades 4-6  
Spring 2008**

**Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
3.0%	29.1%	10.4%	35.9%

**Table I-8: About how many of your close friends use inhalants?**

	Never Heard Of	None	Some	Most
<b>All</b>	7.1%	83.0%	8.0%	2.0%
<b>Grade 4</b>	10.9%	83.5%	4.6%	1.0%
<b>Grade 5</b>	6.6%	85.1%	6.9%	1.4%
<b>Grade 6</b>	3.6%	80.2%	12.5%	3.7%

**Non-Border: Grades 4-6  
Spring 2008**

**Table I-9: Have you ever been offered inhalants?**

	Never Heard Of	Yes	No
All	7.0%	7.1%	85.9%
Grade 4	10.8%	4.2%	85.0%
Grade 5	6.3%	6.0%	87.7%
Grade 6	3.8%	11.2%	85.0%

**Table I-10: How dangerous do you think it is for kids your age to use inhalants?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.4%	66.4%	17.7%	2.7%	7.7%
Grade 4	8.7%	66.8%	14.4%	1.8%	8.3%
Grade 5	5.2%	67.9%	17.7%	2.3%	6.8%
Grade 6	2.4%	64.2%	21.2%	4.1%	8.1%

**Non-Border: Grades 4-6  
Spring 2008**

**Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..**

CATEGORY	Yes
<b>An Assembly Program?</b>	All 57.0%
	Grade 4 54.9%
	Grade 5 58.8%
	Grade 6 57.2%
<b>Guidance Counselor?</b>	All 48.0%
	Grade 4 51.9%
	Grade 5 49.0%
	Grade 6 43.0%
<b>Visitor to Class?</b>	All 44.1%
	Grade 4 38.2%
	Grade 5 46.7%
	Grade 6 47.2%
<b>Someone Else at School?</b>	All 36.9%
	Grade 4 33.0%
	Grade 5 35.8%
	Grade 6 41.8%
<b>Your Teacher?</b>	All 56.6%
	Grade 4 52.2%
	Grade 5 54.8%
	Grade 6 62.7%
<b>Any School Source?</b>	All 84.8%
	Grade 4 82.2%
	Grade 5 85.1%
	Grade 6 87.2%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.4%	3.0%	2.5%	94.6%
	<b>Grade 4</b>	2.9%	1.5%	1.4%	97.1%
	<b>Grade 5</b>	5.0%	2.8%	2.3%	95.0%
	<b>Grade 6</b>	8.5%	4.6%	3.9%	91.5%
<b>Alcohol</b>					
	<b>All</b>	23.4%	15.5%	7.9%	76.6%
	<b>Grade 4</b>	17.3%	11.4%	5.9%	82.7%
	<b>Grade 5</b>	22.3%	14.2%	8.1%	77.7%
	<b>Grade 6</b>	30.9%	21.1%	9.7%	69.1%
<b>Inhalants</b>					
	<b>All</b>	8.5%	6.2%	2.3%	91.5%
	<b>Grade 4</b>	7.7%	5.7%	2.0%	92.3%
	<b>Grade 5</b>	7.6%	5.4%	2.2%	92.4%
	<b>Grade 6</b>	10.1%	7.5%	2.6%	89.9%
<b>Marijuana</b>					
	<b>All</b>	1.7%	1.2%	0.5%	98.3%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	1.2%	0.7%	0.4%	98.8%
	<b>Grade 6</b>	3.3%	2.4%	0.9%	96.7%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.6%	3.6%	3.0%	93.4%
	<b>Grade 4</b>	3.9%	2.0%	1.9%	96.1%
	<b>Grade 5</b>	6.0%	3.0%	2.9%	94.0%
	<b>Grade 6</b>	10.1%	5.7%	4.3%	89.9%
<b>Alcohol</b>					
	<b>All</b>	26.3%	16.8%	9.6%	73.7%
	<b>Grade 4</b>	20.8%	13.2%	7.7%	79.2%
	<b>Grade 5</b>	25.3%	15.5%	9.9%	74.7%
	<b>Grade 6</b>	33.1%	21.8%	11.3%	66.9%
<b>Inhalants</b>					
	<b>All</b>	9.3%	6.6%	2.7%	90.7%
	<b>Grade 4</b>	8.9%	6.5%	2.4%	91.1%
	<b>Grade 5</b>	8.3%	5.6%	2.6%	91.7%
	<b>Grade 6</b>	10.7%	7.7%	3.1%	89.3%
<b>Marijuana</b>					
	<b>All</b>	2.2%	1.5%	0.7%	97.8%
	<b>Grade 4</b>	0.8%	0.5%	0.2%	99.2%
	<b>Grade 5</b>	1.6%	0.9%	0.7%	98.4%
	<b>Grade 6</b>	4.3%	3.1%	1.2%	95.7%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.3%	2.3%	2.0%	95.7%
	<b>Grade 4</b>	2.0%	1.1%	0.9%	98.0%
	<b>Grade 5</b>	4.1%	2.5%	1.6%	95.9%
	<b>Grade 6</b>	7.0%	3.5%	3.5%	93.0%
<b>Alcohol</b>					
	<b>All</b>	20.5%	14.3%	6.2%	79.5%
	<b>Grade 4</b>	13.9%	9.8%	4.2%	86.1%
	<b>Grade 5</b>	19.2%	12.8%	6.4%	80.8%
	<b>Grade 6</b>	28.7%	20.5%	8.1%	71.3%
<b>Inhalants</b>					
	<b>All</b>	7.6%	5.7%	1.9%	92.4%
	<b>Grade 4</b>	6.6%	4.9%	1.7%	93.4%
	<b>Grade 5</b>	6.8%	4.9%	1.9%	93.2%
	<b>Grade 6</b>	9.5%	7.3%	2.2%	90.5%
<b>Marijuana</b>					
	<b>All</b>	1.3%	0.9%	0.4%	98.7%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	0.7%	0.5%	0.2%	99.3%
	<b>Grade 6</b>	2.4%	1.7%	0.7%	97.6%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.3%	2.2%	2.1%	95.7%
	<b>Grade 4</b>	2.3%	1.3%	1.0%	97.7%
	<b>Grade 5</b>	3.9%	2.0%	1.9%	96.1%
	<b>Grade 6</b>	6.6%	3.3%	3.3%	93.4%
<b>Alcohol</b>					
	<b>All</b>	18.9%	11.9%	7.0%	81.1%
	<b>Grade 4</b>	14.1%	9.3%	4.8%	85.9%
	<b>Grade 5</b>	18.2%	10.4%	7.8%	81.8%
	<b>Grade 6</b>	24.3%	16.0%	8.3%	75.7%
<b>Inhalants</b>					
	<b>All</b>	6.9%	5.2%	1.7%	93.1%
	<b>Grade 4</b>	7.3%	5.6%	1.8%	92.7%
	<b>Grade 5</b>	6.3%	4.6%	1.6%	93.7%
	<b>Grade 6</b>	7.1%	5.5%	1.6%	92.9%
<b>Marijuana</b>					
	<b>All</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 4</b>	0.3%	0.2%	0.1%	99.7%
	<b>Grade 5</b>	0.6%	0.4%	0.3%	99.4%
	<b>Grade 6</b>	1.1%	0.7%	0.4%	98.9%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
African/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.7%	3.1%	2.6%	94.3%
	<b>Grade 4</b>	4.2%	1.9%	2.2%	95.8%
	<b>Grade 5</b>	4.7%	2.8%	1.9%	95.3%
	<b>Grade 6</b>	8.1%	4.5%	3.6%	91.9%
<b>Alcohol</b>					
	<b>All</b>	28.4%	18.9%	9.5%	71.6%
	<b>Grade 4</b>	25.4%	16.0%	9.4%	74.6%
	<b>Grade 5</b>	27.8%	18.5%	9.3%	72.2%
	<b>Grade 6</b>	32.1%	22.1%	9.9%	67.9%
<b>Inhalants</b>					
	<b>All</b>	7.7%	5.6%	2.1%	92.3%
	<b>Grade 4</b>	6.1%	4.1%	2.0%	93.9%
	<b>Grade 5</b>	8.9%	6.3%	2.5%	91.1%
	<b>Grade 6</b>	8.1%	6.3%	1.8%	91.9%
<b>Marijuana</b>					
	<b>All</b>	1.3%	0.9%	0.4%	98.7%
	<b>Grade 4</b>	0.6%	0.3%	0.3%	99.4%
	<b>Grade 5</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 6</b>	2.3%	1.9%	0.5%	97.7%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.5%	3.6%	2.8%	93.5%
	<b>Grade 4</b>	2.9%	1.5%	1.4%	97.1%
	<b>Grade 5</b>	6.2%	3.5%	2.7%	93.8%
	<b>Grade 6</b>	10.6%	6.0%	4.5%	89.4%
<b>Alcohol</b>					
	<b>All</b>	26.4%	18.2%	8.2%	73.6%
	<b>Grade 4</b>	17.8%	12.2%	5.6%	82.2%
	<b>Grade 5</b>	24.7%	16.6%	8.1%	75.3%
	<b>Grade 6</b>	37.6%	26.5%	11.1%	62.4%
<b>Inhalants</b>					
	<b>All</b>	10.2%	7.2%	3.0%	89.8%
	<b>Grade 4</b>	8.2%	6.1%	2.1%	91.8%
	<b>Grade 5</b>	8.4%	5.6%	2.8%	91.6%
	<b>Grade 6</b>	14.4%	10.2%	4.2%	85.6%
<b>Marijuana</b>					
	<b>All</b>	3.0%	2.1%	1.0%	97.0%
	<b>Grade 4</b>	1.2%	0.7%	0.5%	98.8%
	<b>Grade 5</b>	1.8%	1.2%	0.6%	98.2%
	<b>Grade 6</b>	6.4%	4.6%	1.8%	93.6%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	2.4%	1.2%	1.3%	97.6%
	<b>Grade 4</b>	1.4%	0.6%	0.8%	98.6%
	<b>Grade 5</b>	2.5%	1.1%	1.4%	97.5%
	<b>Grade 6</b>	3.5%	1.9%	1.7%	96.5%
<b>Alcohol</b>					
	<b>All</b>	17.6%	11.2%	6.4%	82.4%
	<b>Grade 4</b>	13.4%	8.6%	4.8%	86.6%
	<b>Grade 5</b>	17.3%	10.2%	7.1%	82.7%
	<b>Grade 6</b>	22.7%	15.2%	7.5%	77.3%
<b>Inhalants</b>					
	<b>All</b>	5.4%	3.9%	1.4%	94.6%
	<b>Grade 4</b>	5.8%	4.5%	1.3%	94.2%
	<b>Grade 5</b>	4.9%	3.4%	1.5%	95.1%
	<b>Grade 6</b>	5.4%	3.8%	1.6%	94.6%
<b>Marijuana</b>					
	<b>All</b>	0.6%	0.4%	0.2%	99.4%
	<b>Grade 4</b>	0.2%	0.1%	0.1%	99.8%
	<b>Grade 5</b>	0.5%	0.3%	0.2%	99.5%
	<b>Grade 6</b>	1.1%	0.7%	0.4%	98.9%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students Reporting grades lower than A**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.5%	4.1%	3.3%	92.5%
	<b>Grade 4</b>	4.0%	2.2%	1.8%	96.0%
	<b>Grade 5</b>	6.8%	3.9%	2.9%	93.2%
	<b>Grade 6</b>	11.5%	6.3%	5.2%	88.5%
<b>Alcohol</b>					
	<b>All</b>	27.4%	18.4%	8.9%	72.6%
	<b>Grade 4</b>	20.1%	13.3%	6.8%	79.9%
	<b>Grade 5</b>	25.9%	17.0%	8.9%	74.1%
	<b>Grade 6</b>	36.0%	24.9%	11.1%	64.0%
<b>Inhalants</b>					
	<b>All</b>	10.4%	7.6%	2.8%	89.6%
	<b>Grade 4</b>	9.1%	6.5%	2.6%	90.9%
	<b>Grade 5</b>	9.3%	6.6%	2.6%	90.7%
	<b>Grade 6</b>	12.9%	9.6%	3.2%	87.1%
<b>Marijuana</b>					
	<b>All</b>	2.4%	1.7%	0.7%	97.6%
	<b>Grade 4</b>	1.1%	0.7%	0.4%	98.9%
	<b>Grade 5</b>	1.5%	1.0%	0.5%	98.5%
	<b>Grade 6</b>	4.6%	3.3%	1.2%	95.4%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	3.4%	1.8%	1.6%	96.6%
	<b>Grade 4</b>	1.9%	1.0%	0.9%	98.1%
	<b>Grade 5</b>	3.0%	1.6%	1.4%	97.0%
	<b>Grade 6</b>	5.5%	2.8%	2.6%	94.5%
<b>Alcohol</b>					
	<b>All</b>	20.3%	13.3%	7.0%	79.7%
	<b>Grade 4</b>	15.5%	10.5%	5.0%	84.5%
	<b>Grade 5</b>	19.3%	11.9%	7.4%	80.7%
	<b>Grade 6</b>	26.5%	17.7%	8.9%	73.5%
<b>Inhalants</b>					
	<b>All</b>	7.6%	5.5%	2.2%	92.4%
	<b>Grade 4</b>	7.0%	5.3%	1.8%	93.0%
	<b>Grade 5</b>	6.9%	4.7%	2.2%	93.1%
	<b>Grade 6</b>	9.1%	6.5%	2.6%	90.9%
<b>Marijuana</b>					
	<b>All</b>	1.2%	0.8%	0.4%	98.8%
	<b>Grade 4</b>	0.6%	0.3%	0.2%	99.4%
	<b>Grade 5</b>	0.9%	0.4%	0.5%	99.1%
	<b>Grade 6</b>	2.2%	1.6%	0.5%	97.8%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	9.7%	5.4%	4.3%	90.3%
	<b>Grade 4</b>	5.1%	2.8%	2.3%	94.9%
	<b>Grade 5</b>	9.2%	5.1%	4.1%	90.8%
	<b>Grade 6</b>	14.6%	8.2%	6.4%	85.4%
<b>Alcohol</b>					
	<b>All</b>	30.1%	20.4%	9.8%	69.9%
	<b>Grade 4</b>	21.6%	13.7%	7.9%	78.4%
	<b>Grade 5</b>	28.8%	18.9%	9.9%	71.2%
	<b>Grade 6</b>	39.4%	28.0%	11.4%	60.6%
<b>Inhalants</b>					
	<b>All</b>	10.2%	7.6%	2.6%	89.8%
	<b>Grade 4</b>	9.4%	6.7%	2.7%	90.6%
	<b>Grade 5</b>	9.0%	6.6%	2.4%	91.0%
	<b>Grade 6</b>	12.2%	9.5%	2.7%	87.8%
<b>Marijuana</b>					
	<b>All</b>	2.8%	2.0%	0.9%	97.2%
	<b>Grade 4</b>	1.1%	0.7%	0.4%	98.9%
	<b>Grade 5</b>	1.7%	1.3%	0.4%	98.3%
	<b>Grade 6</b>	5.6%	3.9%	1.7%	94.4%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students Living in Town More Than 3 Years**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.3%	3.0%	2.3%	94.7%
	<b>Grade 4</b>	2.9%	1.5%	1.3%	97.1%
	<b>Grade 5</b>	4.9%	3.0%	1.9%	95.1%
	<b>Grade 6</b>	8.2%	4.4%	3.7%	91.8%
<b>Alcohol</b>					
	<b>All</b>	23.3%	15.5%	7.8%	76.7%
	<b>Grade 4</b>	17.7%	11.6%	6.1%	82.3%
	<b>Grade 5</b>	21.7%	13.8%	7.9%	78.3%
	<b>Grade 6</b>	30.3%	21.0%	9.3%	69.7%
<b>Inhalants</b>					
	<b>All</b>	8.0%	5.8%	2.2%	92.0%
	<b>Grade 4</b>	7.2%	5.3%	1.9%	92.8%
	<b>Grade 5</b>	7.1%	5.0%	2.1%	92.9%
	<b>Grade 6</b>	9.6%	7.1%	2.5%	90.4%
<b>Marijuana</b>					
	<b>All</b>	1.7%	1.2%	0.5%	98.3%
	<b>Grade 4</b>	0.8%	0.5%	0.3%	99.2%
	<b>Grade 5</b>	1.0%	0.7%	0.3%	99.0%
	<b>Grade 6</b>	3.4%	2.4%	0.9%	96.6%

**Non-Border: Grades 4-6  
Spring 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students Living in Town 3 Years or Less**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.6%	3.2%	3.4%	93.4%
	<b>Grade 4</b>	3.8%	2.0%	1.8%	96.2%
	<b>Grade 5</b>	6.0%	2.0%	4.0%	94.0%
	<b>Grade 6</b>	10.3%	5.8%	4.4%	89.7%
<b>Alcohol</b>					
	<b>All</b>	25.2%	16.2%	9.0%	74.8%
	<b>Grade 4</b>	16.8%	10.9%	5.9%	83.2%
	<b>Grade 5</b>	26.3%	16.4%	9.8%	73.7%
	<b>Grade 6</b>	33.4%	22.0%	11.5%	66.6%
<b>Inhalants</b>					
	<b>All</b>	10.3%	7.9%	2.4%	89.7%
	<b>Grade 4</b>	9.1%	7.2%	1.9%	90.9%
	<b>Grade 5</b>	10.4%	7.5%	2.9%	89.6%
	<b>Grade 6</b>	11.6%	9.1%	2.5%	88.4%
<b>Marijuana</b>					
	<b>All</b>	1.8%	1.1%	0.7%	98.2%
	<b>Grade 4</b>	0.7%	0.3%	0.4%	99.3%
	<b>Grade 5</b>	1.9%	1.1%	0.8%	98.1%
	<b>Grade 6</b>	2.8%	2.1%	0.7%	97.2%

**Non-Border: Grades 4-6  
Spring 2008**

The FREQ Procedure

GENDER		
Q1	Frequency	Percent
Female	43E4	50.06
Male	429E3	49.94

Frequency Missing = 2145.880466

GRADE LEVEL		
Q2	Frequency	Percent
Grade 4	29E4	33.67
Grade 5	293E3	34.01
Grade 6	279E3	32.32

**DO YOU LIVE WITH  
BOTH PARENTS?**

Q3	Frequency	Percent
No	276E3	32.40
Yes	576E3	67.60

Frequency Missing = 9908.3642657

AGE		
Q4	Frequency	Percent
8 or younger	381	0.04
9	62378	7.28
10	259E3	30.25
11	285E3	33.23
12	216E3	25.23
13 or older	33998	3.97

Frequency Missing = 5037.6926419

ETHNICITY		
Q5	Frequency	Percent
African/American	137E3	16.34
Asian/American	11621	1.38
Mexican/American	325E3	38.69
Native/American	4157	0.49
Other	18938	2.25
White	343E3	40.84

Frequency Missing = 21470.751899

**WHAT GRADES DO YOU  
USUALLY GET**

Q6	Frequency	Percent
Mostly A's	329E3	38.98
Mostly B's	39E4	46.15
Mostly C's	101E3	11.91
Mostly D's	16355	1.94
Mostly F's	8646	1.02

Frequency Missing = 17543.084943

**LIVED IN THIS TOWN FOR  
MORE THAN 3 YEARS**

Q7	Frequency	Percent
Don't Know	64324	7.52
No	13E4	15.20
Yes	661E3	77.28

Frequency Missing = 6515.8334742

**EITHER PARENT  
GRADUATE FROM  
COLLEGE**

Q8	Frequency	Percent
Don't Know	27E4	31.74
No	17E4	20.01
Yes	41E4	48.25

Frequency Missing = 11529.152163

**QUALIFY FOR A  
FREE/REDUCED PRICE  
LUNCH?**

Q9	Frequency	Percent
Don't Know	298E3	35.34
No	272E3	32.29
Yes	273E3	32.37

Frequency Missing = 19431.465252

**PARENTS ATTEND  
PTA MEETINGS?**

Q10	Frequency	Percent
No	457E3	54.53
Yes	381E3	45.47

Frequency Missing = 23828.649592

**EVER INHALED  
GASOLINE TO GET  
HIGH?**

Q11a	Frequency	Percent
Not Used	787E3	97.32
Used	21687	2.68

Frequency Missing = 53536.235518

**EVER INHALED PAINT  
THINNER TO GET HIGH?**

Q11b	Frequency	Percent
Not Used	784E3	98.16
Used	14730	1.84

Frequency Missing = 63574.90755

**EVER INHALED GLUE TO  
GET HIGH?**

Q11c	Frequency	Percent
Not Used	777E3	97.29
Used	21623	2.71

Frequency Missing = 63041.208294

**EVER INHALED  
WHITEOUT TO GET  
HIGH?**

Q11d	Frequency	Percent
Not Used	788E3	97.81
Used	17640	2.19

Frequency Missing = 56695.394671

**EVER INHALED SPRAY  
PAINT TO GET HIGH?**

Q11e	Frequency	Percent
Not Used	791E3	97.37
Used	21394	2.63

Frequency Missing = 49324.189927

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6  
Spring 2008**

**EVER USED OTHER  
INHALANTS TO GET  
HIGH?**

Q11f	Frequency	Percent
Not Used	784E3	95.65
Used	35667	4.35

Frequency Missing = 42331.223086

**WINE COOLER USE DURING  
LIFETIME**

Q12D Frequency Percent		
Never heard of	178E3	21.75
Never used	555E3	67.80
1-2 times	59556	7.28
3-10 times	16088	1.97
11+ times	9811	1.20

Frequency Missing = 44092.530183

**INHALANT USE DURING  
LIFETIME**

Q12H Frequency Percent		
Never heard of	80252	9.78
Never used	699E3	85.21
1-2 times	28176	3.43
3-10 times	8824	1.08
11+ times	4069	0.50

Frequency Missing = 41594.235432

**CIGARETTE USE DURING  
LIFETIME**

Q12A Frequency Percent		
Never heard of	42646	5.06
Never used	762E3	90.49
1-2 times	28405	3.37
3-10 times	6227	0.74
11+ times	2765	0.33

Frequency Missing = 19982.23655

**WINE USE DURING LIFETIME**

Q12E Frequency Percent		
Never heard of	27278	3.43
Never used	67E4	84.40
1-2 times	78326	9.86
3-10 times	12247	1.54
11+ times	6039	0.76

Frequency Missing = 67784.359002

**MARIJUANA USE DURING  
LIFETIME**

Q12I Frequency Percent		
Never heard of	155E3	18.71
Never used	661E3	79.70
1-2 times	8114	0.98
3-10 times	2381	0.29
11+ times	2686	0.32

Frequency Missing = 32978.011958

**SNUFF/CHEWING TOBACCO  
USE IN LIFETIME**

Q12B Frequency Percent		
Never heard of	85017	10.23
Never used	734E3	88.36
1-2 times	9397	1.13
3-10 times	1199	0.14
11+ times	1086	0.13

Frequency Missing = 31239.709455

**LIQUOR USE DURING  
LIFETIME**

Q12F Frequency Percent		
Never heard of	91322	11.17
Never used	679E3	83.00
1-2 times	37848	4.63
3-10 times	7343	0.90
11+ times	2553	0.31

Frequency Missing = 44164.871358

**CIGARETTE USE IN PAST  
SCHOOL YEAR**

Q13A Frequency Percent		
Never heard of	38102	4.53
Never used	782E3	92.96
1-2 times	15660	1.86
3-10 times	3849	0.46
11+ times	1625	0.19

Frequency Missing = 20694.773962

**BEER USE DURING LIFETIME**

Q12C Frequency Percent		
Never heard of	15558	1.92
Never used	679E3	83.58
1-2 times	94479	11.64
3-10 times	17402	2.14
11+ times	5851	0.72

Frequency Missing = 50245.681392

**SHIMERON USE DURING  
LIFETIME**

Q12G Frequency Percent		
Never heard of	552E3	68.38
Never used	255E3	31.62

Frequency Missing = 55451.244532

**SNUFF/CHEWING TOBACCO  
USE IN PAST YEAR**

Q13B Frequency Percent		
Never heard of	73925	8.91
Never used	75E4	90.30
1-2 times	5069	0.61
3-10 times	672	0.08
11+ times	875	0.11

Frequency Missing = 31960.119087

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6  
Spring 2008**

<b>BEER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13C Frequency</b>	<b>Percent</b>
Never heard of	14591	1.79
Never used	732E3	89.77
1-2 times	55223	6.77
3-10 times	10478	1.28
11+ times	3141	0.39

Frequency Missing = 46566.952663

<b>WINE COOLER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13D Frequency</b>	<b>Percent</b>
Never heard of	153E3	18.56
Never used	612E3	74.20
1-2 times	43256	5.24
3-10 times	10368	1.26
11+ times	6077	0.74

Frequency Missing = 37109.392568

<b>WINE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13E Frequency</b>	<b>Percent</b>
Never heard of	25792	3.20
Never used	718E3	89.03
1-2 times	51480	6.38
3-10 times	6496	0.80
11+ times	4792	0.59

Frequency Missing = 55063.734598

<b>LIQUOR USE IN PAST SCHOOL YEAR</b>		
	<b>Q13F Frequency</b>	<b>Percent</b>
Never heard of	82812	10.08
Never used	705E3	85.83
1-2 times	27310	3.33
3-10 times	4506	0.55
11+ times	1705	0.21

Frequency Missing = 40786.175505

<b>SHIMERON USE IN PAST SCHOOL YEAR</b>		
	<b>Q13G Frequency</b>	<b>Percent</b>
Never heard of	506E3	61.71
Never used	314E3	38.29

Frequency Missing = 42157.448464

<b>INHALANT USE IN PAST SCHOOL YEAR</b>		
	<b>Q13H Frequency</b>	<b>Percent</b>
Never heard of	73790	8.96
Never used	717E3	87.08
1-2 times	22447	2.73
3-10 times	6546	0.80
11+ times	3553	0.43

Frequency Missing = 38801.450281

<b>MARIJUANA USE IN PAST SCHOOL YEAR</b>		
	<b>Q13I Frequency</b>	<b>Percent</b>
Never heard of	145E3	17.59
Never used	67E4	81.21
1-2 times	6160	0.75
3-10 times	1828	0.22
11+ times	1923	0.23

Frequency Missing = 36757.451165

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>Q14A Frequency</b>	<b>Percent</b>
7 or younger	8452	1.01
8 years old	5040	0.60
9 years old	6165	0.74
10 years old	8162	0.98
11 years old	7589	0.91
12 or older	5108	0.61
Never heard/used	794E3	95.14

Frequency Missing = 27822.878839

<b>AGE WHEN FIRST USED SNUFF/CHEW TOBACCO</b>		
	<b>Q14B Frequency</b>	<b>Percent</b>
7 or younger	2543	0.31
8 years old	1486	0.18
9 years old	2444	0.30
10 years old	2548	0.31
11 years old	2308	0.28
12 or older	1245	0.15
Never heard/used	81E4	98.47

Frequency Missing = 39564.684715

<b>AGE WHEN FIRST USED BEER</b>		
	<b>Q14C Frequency</b>	<b>Percent</b>
7 or younger	35734	4.40
8 years old	15440	1.90
9 years old	17869	2.20
10 years old	22236	2.74
11 years old	16204	2.00
12 or older	9897	1.22
Never heard/used	694E3	85.54

Frequency Missing = 50163.257125

<b>AGE WHEN FIRST USED WINE COOLERS</b>		
	<b>Q14D Frequency</b>	<b>Percent</b>
7 or younger	12036	1.47
8 years old	9337	1.14
9 years old	12648	1.55
10 years old	18345	2.25
11 years old	16636	2.04
12 or older	9234	1.13
Never heard/used	739E3	90.42

Frequency Missing = 45018.964943

<b>AGE WHEN FIRST USED WINE</b>		
	<b>Q14E Frequency</b>	<b>Percent</b>
7 or younger	13590	1.70
8 years old	11420	1.43
9 years old	16516	2.06
10 years old	22048	2.75
11 years old	17743	2.22
12 or older	11815	1.48
Never heard/used	708E3	88.37

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6  
Spring 2008**

Frequency Missing = 61378.539002

AGE WHEN FIRST USED LIQUOR		
	Q14F Frequency	Percent
7 or younger	4415	0.54
8 years old	3833	0.47
9 years old	5179	0.64
10 years old	10228	1.26
11 years old	11758	1.44
12 or older	9604	1.18
Never heard/used	77E4	94.47

Frequency Missing = 47341.877204

AGE WHEN FIRST USED SHIMERON		
	Q14G Frequency	Percent
Never heard/used	809E3	100.00

Frequency Missing = 53192.231842

AGE WHEN FIRST USED INHALANTS		
	Q14H Frequency	Percent
7 or younger	7866	0.97
8 years old	4851	0.60
9 years old	5255	0.65
10 years old	7776	0.96
11 years old	9025	1.11
12 or older	5092	0.63
Never heard/used	772E3	95.09

Frequency Missing = 50429.521723

AGE WHEN FIRST USED MARIJUANA		
	Q14I Frequency	Percent
7 or younger	2257	0.28
8 years old	991	0.12
9 years old	1254	0.15
10 years old	2456	0.30
11 years old	2884	0.35
12 or older	3869	0.47
Never heard/used	804E3	98.32

Frequency Missing = 44394.219034

CLOSE FRIENDS USE CIGARETTES		
	Q15A Frequency	Percent
Never heard of	28859	3.49
None	697E3	84.28
Some	93433	11.30
Most	7608	0.92

Frequency Missing = 35500.10452

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO		
	Q15B Frequency	Percent
Never heard of	48047	5.90
None	728E3	89.35
Some	35563	4.37
Most	3116	0.38

Frequency Missing = 47713.8903

CLOSE FRIENDS USE BEER		
	Q15C Frequency	Percent
Never heard of	13439	1.67
None	645E3	80.29
Some	123E3	15.37
Most	21475	2.67

Frequency Missing = 58509.30701

CLOSE FRIENDS USE WINE COOLERS		
	Q15D Frequency	Percent
Never heard of	106E3	13.13
None	613E3	75.96
Some	69903	8.66
Most	18116	2.25

Frequency Missing = 55239.822194

CLOSE FRIENDS USE WINE		
	Q15E Frequency	Percent
Never heard of	21347	2.70
None	675E3	85.26
Some	82295	10.40
Most	13044	1.65

Frequency Missing = 70562.492204

CLOSE FRIENDS USE LIQUOR		
	Q15F Frequency	Percent
Never heard of	59868	7.45
None	676E3	84.08
Some	57136	7.11
Most	10883	1.35

Frequency Missing = 58572.494127

CLOSE FRIENDS USE SHIMERON		
	Q15G Frequency	Percent
Never heard of	408E3	50.86
None	387E3	48.23
Some	5750	0.72
Most	1604	0.20

Frequency Missing = 59534.527522

CLOSE FRIENDS USE INHALANTS		
	Q15H Frequency	Percent
Never heard of	56851	7.07
None	667E3	82.96
Some	64033	7.96
Most	16243	2.02

Frequency Missing = 57539.827016

CLOSE FRIENDS USE MARIJUANA		
	Q15I Frequency	Percent
Never heard of	105E3	13.02
None	648E3	80.22
Some	43280	5.36
Most	11329	1.40

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6  
Spring 2008**

Frequency Missing = 54575.236812

<b>EVER BEEN OFFERED CIGARETTES</b>		
<b>Q16a</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	31434	3.80
No	698E3	84.35
Yes	98110	11.85

Frequency Missing = 34340.858746

<b>EVER BEEN OFFERED SNUFF/CHEWING TOBACCO</b>		
<b>Q16b</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	51341	6.33
No	721E3	88.82
Yes	39422	4.86

Frequency Missing = 50335.131761

<b>EVER BEEN OFFERED BEER</b>		
<b>Q16c</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	14725	1.82
No	641E3	79.38
Yes	152E3	18.80

Frequency Missing = 54331.734796

<b>EVER BEEN OFFERED WINE COOLERS</b>		
<b>Q16d</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	105E3	13.01
No	625E3	77.73
Yes	74457	9.26

Frequency Missing = 58194.315737

<b>EVER BEEN OFFERED WINE</b>		
<b>Q16e</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	22240	2.79
No	682E3	85.52
Yes	93287	11.69

Frequency Missing = 64176.54261

<b>EVER BEEN OFFERED LIQUOR</b>		
<b>Q16f</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	58922	7.36
No	682E3	85.13
Yes	60125	7.51

Frequency Missing = 61470.836054

<b>EVER BEEN OFFERED SHIMERON</b>		
<b>Q16g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	395E3	49.49
No	396E3	49.60
Yes	7270	0.91

Frequency Missing = 62893.856618

<b>EVER BEEN OFFERED INHALANTS</b>		
<b>Q16h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	55959	6.98
No	689E3	85.91
Yes	57077	7.12

Frequency Missing = 60048.20318

<b>EVER BEEN OFFERED MARIJUANA</b>		
<b>Q16i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	103E3	12.80
No	66E4	81.70
Yes	44405	5.50

Frequency Missing = 54064.832117

<b>IS ALCOHOL OBTAINED FROM HOME</b>		
<b>Q17a</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	649E3	79.66
No	84836	10.42
Yes	80859	9.93

Frequency Missing = 47558.923463

<b>IS ALCOHOL OBTAINED FROM FRIENDS</b>		
<b>Q17b</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	64E4	80.53
No	129E3	16.25
Yes	25587	3.22

Frequency Missing = 67238.941207

<b>IS ALCOHOL OBTAINED SOMEWHERE ELSE</b>		
<b>Q17c</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	634E3	78.96
No	109E3	13.60
Yes	59738	7.44

Frequency Missing = 59066.878979

<b>DANGEROUS FOR KIDS TO USE CIGARETTES</b>		
<b>Q18A Frequency Percent</b>		
Very dangerous	564E3	68.31
Dangerous	192E3	23.21
Not at all	6394	0.78
Don't know	41032	4.97
Never heard of	22478	2.72

Frequency Missing = 37092.32523

<b>DANGEROUS TO USE SNUFF/CHEWING TOBACCO</b>		
<b>Q18B Frequency Percent</b>		
Very dangerous	559E3	69.00
Dangerous	155E3	19.18
Not at all	9522	1.17
Don't know	49466	6.10
Never heard of	36854	4.55

Frequency Missing = 51287.438958

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE BEER</b>		
<b>Q18C Frequency Percent</b>		
Very dangerous	427E3	53.27
Dangerous	258E3	32.27
Not at all	44097	5.51
Don't know	63305	7.91
Never heard of	8320	1.04

Frequency Missing = 61421.425441

<b>DANGEROUS FOR KIDS TO USE WINE COOLERS</b>		
<b>Q18D Frequency Percent</b>		
Very dangerous	403E3	50.05
Dangerous	184E3	22.87
Not at all	42837	5.33
Don't know	82969	10.31
Never heard of	92001	11.44

Frequency Missing = 57659.169011

<b>DANGEROUS FOR KIDS TO USE WINE</b>		
<b>Q18E Frequency Percent</b>		
Very dangerous	407E3	51.14
Dangerous	242E3	30.39
Not at all	58660	7.36
Don't know	74882	9.40
Never heard of	13635	1.71

Frequency Missing = 65309.530792

<b>DANGEROUS FOR KIDS TO USE LIQUOR</b>		
<b>Q18F Frequency Percent</b>		
Very dangerous	522E3	65.11
Dangerous	158E3	19.74
Not at all	16868	2.10
Don't know	58061	7.24
Never heard of	46576	5.81

Frequency Missing = 60075.573083

<b>DANGEROUS FOR KIDS TO USE SHIMERON</b>		
<b>Q18G Frequency Percent</b>		
Very dangerous	3E5	37.51
Dangerous	43249	5.41
Not at all	3044	0.38
Don't know	61483	7.70
Never heard of	391E3	49.00

Frequency Missing = 63213.5538

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>Q18H Frequency Percent</b>		
Very dangerous	532E3	66.36
Dangerous	142E3	17.72
Not at all	21943	2.74
Don't know	61954	7.73
Never heard of	43651	5.45

Frequency Missing = 60491.650091

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>Q18I Frequency Percent</b>		
Very dangerous	605E3	74.88
Dangerous	61770	7.64
Not at all	9267	1.15
Don't know	43155	5.34
Never heard of	88928	11.00

Frequency Missing = 53453.580939

<b>DRUG/ALCOHOL INFO FROM TEACHER</b>		
<b>Q19a Frequency Percent</b>		
No	344E3	43.44
Yes	447E3	56.56

Frequency Missing = 71051.118657

<b>DRUG/ALC INFO FROM VISITOR TO CLASS</b>		
<b>Q19b Frequency Percent</b>		
No	436E3	55.95
Yes	343E3	44.05

Frequency Missing = 82835.164603

<b>DRUG/ALC INFO FROM ASSEMBLY PROGRAM</b>		
<b>Q19c Frequency Percent</b>		
No	335E3	43.02
Yes	444E3	56.98

Frequency Missing = 82621.146341

<b>DRUG/ALC INFO FROM GUIDE COUNSELOR</b>		
<b>Q19d Frequency Percent</b>		
No	406E3	52.01
Yes	375E3	47.99

Frequency Missing = 80901.255025

<b>DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL</b>		
<b>Q19e Frequency Percent</b>		
No	492E3	63.14
Yes	287E3	36.86

Frequency Missing = 83279.591983

<b>BEER, TWO OR MORE AT ONE TIME</b>		
<b>Q20a Frequency Percent</b>		
Never	721E3	88.84
1 time	51229	6.31
2 times	21291	2.62
3+ times	18047	2.22

Frequency Missing = 50750.4161

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border: Grades 4-6  
Spring 2008**

**WINE COOLERS, TWO  
OR MORE AT ONE TIME**

<b>Q20b Frequency Percent</b>		
Never	734E3	92.27
1 time	34241	4.31
2 times	14571	1.83
3+ times	12685	1.59

Frequency Missing = 66699.892565

**WINE, TWO OR MORE  
AT ONE TIME**

<b>Q20c Frequency Percent</b>		
Never	717E3	90.37
1 time	47374	5.97
2 times	16053	2.02
3+ times	12899	1.63

Frequency Missing = 69154.283316

**LIQUOR, TWO OR MORE  
AT ONE TIME**

<b>Q20d Frequency Percent</b>		
Never	759E3	94.88
1 time	22642	2.83
2 times	9531	1.19
3+ times	8747	1.09

Frequency Missing = 62362.534243

**MISSED SCHOOL  
WITHOUT PARENT'S  
CONSENT**

<b>Q21 Frequency Percent</b>		
No	813E3	97.44
Yes	21343	2.56

Frequency Missing = 27601.106261

**SENT TO  
PRINCIPAL/DEAN  
SINCE SEPTEMBER**

<b>Q22 Frequency Percent</b>		
No	616E3	73.98
Yes	217E3	26.02

Frequency Missing = 29544.186189

**PARENTS FEEL ABOUT KIDS  
SMOKING CIGARETTES**

<b>Q23 Frequency Percent</b>		
Don't like it	731E3	87.72
Don't care	12002	1.44
Think it's O.K.	2268	0.27
Don't know	88112	10.57

Frequency Missing = 28584.489465

**PARENTS FEEL ABOUT KIDS  
DRINKING BEER**

<b>Q24 Frequency Percent</b>		
Don't like it	685E3	82.25
Don't care	26616	3.20
Think it's O.K.	9000	1.08
Don't know	112E3	13.47

Frequency Missing = 29000.993536

**PARENTS FEEL ABOUT KIDS  
USING MARIJUANA**

<b>q25 Frequency Percent</b>		
Don't like it	712E3	85.46
Don't care	8369	1.00
Think it's O.K.	2564	0.31
Don't know	11E4	13.22

Frequency Missing = 28727.021652

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district