

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Texas School Survey
of Drug and Alcohol Use
2010
Part II: State Results**

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Non-Border - Grades 7-12 Large
SPRING 2010**

1. General Substance Tables

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product?					
	All	12.1%	17.2%	29.9%	70.1%
	Grade 7	4.7%	6.5%	15.0%	85.0%
	Grade 8	7.0%	10.6%	22.3%	77.7%
	Grade 9	10.6%	15.2%	28.4%	71.6%
	Grade 10	13.5%	19.7%	34.4%	65.6%
	Grade 11	17.5%	25.1%	39.3%	60.7%
	Grade 12	21.9%	29.5%	44.1%	55.9%
Cigarettes?					
	All	10.7%	15.4%	27.9%	72.1%
	Grade 7	4.2%	5.9%	13.9%	86.1%
	Grade 8	6.0%	9.4%	20.6%	79.4%
	Grade 9	9.2%	13.5%	26.5%	73.5%
	Grade 10	11.8%	17.6%	32.1%	67.9%
	Grade 11	15.7%	22.6%	36.4%	63.6%
	Grade 12	19.8%	26.8%	41.5%	58.5%
Smokeless tobacco?					
	All	3.8%	5.8%	10.0%	90.0%
	Grade 7	1.3%	1.9%	4.1%	95.9%
	Grade 8	2.1%	3.4%	6.4%	93.6%
	Grade 9	3.3%	5.0%	8.6%	91.4%
	Grade 10	4.6%	6.9%	11.9%	88.1%
	Grade 11	5.8%	9.0%	14.7%	85.3%
	Grade 12	6.6%	9.8%	16.0%	84.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	73.0%	3.3%	2.5%	3.5%	5.0%	4.5%	8.3%
Grade 7	86.8%	0.5%	1.0%	1.6%	2.5%	2.7%	5.0%
Grade 8	80.5%	0.8%	1.4%	2.5%	4.3%	3.7%	6.8%
Grade 9	74.9%	2.0%	1.9%	3.3%	5.1%	4.3%	8.5%
Grade 10	69.0%	3.9%	3.1%	4.1%	5.3%	5.0%	9.6%
Grade 11	63.7%	5.7%	3.4%	4.4%	6.8%	6.2%	9.8%
Grade 12	58.9%	7.9%	4.4%	5.6%	6.8%	5.8%	10.6%
Cigarettes?							
All	74.7%	2.6%	2.1%	3.3%	4.9%	4.3%	8.1%
Grade 7	87.6%	0.4%	0.9%	1.5%	2.4%	2.5%	4.8%
Grade 8	82.0%	0.7%	1.2%	2.2%	4.0%	3.5%	6.4%
Grade 9	76.5%	1.5%	1.8%	3.0%	4.7%	4.1%	8.4%
Grade 10	70.7%	3.1%	2.5%	4.0%	5.2%	4.9%	9.5%
Grade 11	66.4%	4.5%	3.0%	4.0%	6.7%	5.7%	9.8%
Grade 12	61.2%	6.3%	4.0%	5.4%	6.9%	5.5%	10.6%
Smokeless tobacco?							
All	90.9%	0.9%	0.7%	0.9%	1.5%	1.7%	3.2%
Grade 7	96.7%	0.2%	0.3%	0.3%	0.6%	0.8%	1.2%
Grade 8	94.4%	0.1%	0.4%	0.7%	1.2%	1.0%	2.2%
Grade 9	92.3%	0.6%	0.5%	0.8%	1.6%	1.3%	2.9%
Grade 10	89.3%	1.2%	1.2%	1.2%	1.3%	2.1%	3.8%
Grade 11	86.0%	1.8%	1.1%	1.5%	2.4%	2.8%	4.5%
Grade 12	84.9%	2.2%	1.0%	1.3%	2.4%	2.6%	5.6%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes	10.8	11.5	12.3	12.9	13.7	14.5
Smokeless tobacco	11.0	11.9	12.7	13.6	14.4	15.1
Any Tobacco	10.8	11.5	12.3	12.9	13.7	14.4

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product?							
	All	13.4%	17.9%	6.7%	9.4%	16.7%	35.9%
	Grade 7	18.9%	34.8%	9.7%	10.3%	11.6%	14.8%
	Grade 8	15.7%	25.4%	9.6%	11.1%	16.9%	21.2%
	Grade 9	13.8%	17.1%	7.7%	11.7%	19.0%	30.6%
	Grade 10	11.6%	12.0%	5.3%	10.6%	21.2%	39.3%
	Grade 11	9.8%	9.5%	4.3%	7.8%	19.4%	49.2%
	Grade 12	9.3%	5.8%	2.1%	3.6%	11.5%	67.7%
Cigarettes?							
	All	13.6%	18.7%	7.0%	9.9%	17.1%	33.7%
	Grade 7	19.1%	35.9%	9.8%	10.3%	11.3%	13.6%
	Grade 8	16.2%	26.8%	9.9%	11.4%	16.4%	19.4%
	Grade 9	14.1%	18.1%	8.3%	12.2%	19.3%	28.0%
	Grade 10	11.9%	12.6%	5.8%	11.4%	22.0%	36.3%
	Grade 11	9.9%	9.9%	4.6%	8.8%	21.0%	46.0%
	Grade 12	9.4%	5.9%	2.1%	3.8%	11.9%	66.8%
Smokeless Tobacco?							
	All	23.7%	22.8%	8.5%	9.8%	12.2%	23.1%
	Grade 7	30.3%	40.7%	10.0%	7.3%	5.5%	6.1%
	Grade 8	27.0%	32.6%	10.8%	10.1%	9.7%	9.8%
	Grade 9	25.2%	22.5%	10.5%	11.7%	13.2%	16.8%
	Grade 10	21.6%	16.5%	8.1%	12.0%	16.1%	25.7%
	Grade 11	18.9%	12.6%	6.8%	11.0%	16.9%	33.9%
	Grade 12	17.2%	8.0%	3.2%	5.7%	12.0%	53.8%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table T-5: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	43.8%	30.2%	16.1%	8.6%	1.4%
	Grade 7	69.4%	21.0%	6.5%	2.5%	0.5%
	Grade 8	55.9%	28.5%	10.4%	4.4%	0.8%
	Grade 9	42.4%	32.6%	16.0%	7.8%	1.2%
	Grade 10	35.2%	32.5%	19.9%	10.9%	1.5%
	Grade 11	30.1%	33.8%	20.9%	12.5%	2.6%
	Grade 12	25.1%	33.3%	24.7%	14.8%	2.2%
Smoke cigarettes?						
	All	47.0%	30.5%	14.4%	7.0%	1.1%
	Grade 7	71.1%	20.4%	5.7%	2.4%	0.5%
	Grade 8	58.9%	27.8%	8.9%	3.8%	0.6%
	Grade 9	46.6%	32.0%	13.7%	6.7%	1.0%
	Grade 10	39.1%	33.9%	17.2%	8.7%	1.2%
	Grade 11	34.2%	34.6%	19.6%	9.9%	1.7%
	Grade 12	27.5%	35.5%	23.4%	12.0%	1.7%
Use a smokeless tobacco product?						
	All	68.7%	18.2%	8.9%	3.5%	0.7%
	Grade 7	87.3%	9.0%	2.6%	0.8%	0.3%
	Grade 8	79.3%	13.8%	5.0%	1.6%	0.3%
	Grade 9	69.2%	18.8%	8.6%	3.0%	0.5%
	Grade 10	61.8%	21.2%	11.3%	4.8%	0.8%
	Grade 11	57.4%	23.3%	12.1%	5.7%	1.5%
	Grade 12	53.5%	24.3%	15.4%	5.9%	0.9%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	76.6%	8.3%	6.9%	1.1%	0.9%	6.2%
Grade 7	85.7%	3.5%	2.1%	0.3%	0.8%	7.5%
Grade 8	83.9%	4.2%	3.7%	0.7%	0.8%	6.7%
Grade 9	79.0%	7.4%	5.3%	1.1%	0.8%	6.4%
Grade 10	75.9%	8.8%	7.8%	1.2%	0.8%	5.6%
Grade 11	69.8%	12.2%	9.9%	1.4%	1.1%	5.6%
Grade 12	61.3%	15.4%	14.7%	2.3%	1.2%	5.1%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	52.6%	25.9%	12.5%	3.6%	5.3%
Grade 7	71.5%	17.3%	5.1%	1.1%	5.1%
Grade 8	61.4%	22.3%	7.9%	2.3%	6.1%
Grade 9	53.8%	26.3%	11.1%	3.0%	5.9%
Grade 10	46.7%	29.0%	15.2%	3.6%	5.5%
Grade 11	41.6%	31.5%	17.0%	5.6%	4.4%
Grade 12	36.7%	30.6%	20.8%	7.1%	4.7%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product?					
	All	28.7%	40.3%	61.9%	38.1%
	Grade 7	14.6%	20.3%	41.8%	58.2%
	Grade 8	21.2%	30.0%	55.0%	45.0%
	Grade 9	28.2%	40.2%	63.1%	36.9%
	Grade 10	32.6%	47.1%	69.4%	30.6%
	Grade 11	35.9%	50.8%	70.2%	29.8%
	Grade 12	43.2%	58.1%	75.4%	24.6%
Beer?					
	All	19.3%	28.9%	47.8%	52.2%
	Grade 7	8.2%	12.3%	29.8%	70.2%
	Grade 8	12.9%	19.9%	41.0%	59.0%
	Grade 9	18.1%	27.7%	47.6%	52.4%
	Grade 10	22.1%	34.5%	53.6%	46.4%
	Grade 11	25.9%	38.7%	56.5%	43.5%
	Grade 12	32.2%	44.8%	62.3%	37.7%
Wine coolers?					
	All	17.1%	26.5%	43.7%	56.3%
	Grade 7	8.4%	12.2%	25.0%	75.0%
	Grade 8	12.8%	19.2%	36.2%	63.8%
	Grade 9	16.7%	26.4%	44.6%	55.4%
	Grade 10	20.0%	32.4%	50.8%	49.2%
	Grade 11	21.1%	33.7%	52.2%	47.8%
	Grade 12	25.7%	38.1%	57.0%	43.0%
Wine?					
	All	12.2%	20.6%	40.9%	59.1%
	Grade 7	6.9%	10.6%	24.9%	75.1%
	Grade 8	9.6%	15.8%	34.9%	65.1%
	Grade 9	12.0%	21.2%	41.9%	58.1%
	Grade 10	15.0%	24.7%	47.6%	52.4%
	Grade 11	13.9%	24.1%	47.0%	53.0%
	Grade 12	16.9%	29.4%	51.6%	48.4%
Liquor?					
	All	18.8%	29.0%	44.1%	55.9%
	Grade 7	6.6%	10.5%	20.5%	79.5%
	Grade 8	11.3%	17.9%	32.6%	67.4%
	Grade 9	17.9%	27.5%	43.2%	56.8%
	Grade 10	22.7%	35.4%	52.8%	47.2%
	Grade 11	25.1%	39.8%	56.9%	43.1%
	Grade 12	32.6%	47.7%	63.8%	36.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-2: How often do you normally use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?							
All	44.1%	0.6%	3.8%	12.3%	14.6%	13.8%	10.8%
Grade 7	65.4%	0.5%	2.2%	4.3%	7.6%	9.5%	10.5%
Grade 8	53.0%	0.6%	3.0%	7.9%	11.7%	12.8%	11.1%
Grade 9	43.2%	0.8%	3.9%	11.9%	13.9%	14.2%	12.2%
Grade 10	36.3%	0.5%	4.4%	15.6%	16.7%	15.6%	11.0%
Grade 11	34.4%	0.6%	4.1%	15.4%	20.0%	15.3%	10.2%
Grade 12	28.5%	0.8%	5.8%	20.5%	19.6%	15.7%	9.1%
Beer?							
All	54.5%	0.3%	2.9%	9.3%	12.0%	10.7%	10.4%
Grade 7	73.4%	0.3%	1.5%	3.0%	5.8%	6.8%	9.2%
Grade 8	62.8%	0.2%	2.2%	5.4%	9.3%	9.9%	10.1%
Grade 9	55.4%	0.4%	2.7%	8.7%	11.4%	10.2%	11.2%
Grade 10	47.2%	0.2%	3.3%	11.4%	13.7%	13.0%	11.2%
Grade 11	44.9%	0.3%	3.3%	12.4%	16.3%	12.5%	10.3%
Grade 12	38.6%	0.4%	5.0%	16.7%	16.8%	12.2%	10.3%
Wine coolers?							
All	59.6%	0.2%	1.8%	7.0%	11.2%	11.3%	8.9%
Grade 7	80.2%	0.2%	1.0%	2.5%	4.6%	5.7%	5.9%
Grade 8	69.2%	0.2%	1.8%	4.1%	7.9%	9.3%	7.6%
Grade 9	59.5%	0.3%	1.9%	6.7%	11.1%	10.9%	9.6%
Grade 10	50.7%	0.1%	2.0%	9.7%	14.3%	13.3%	9.8%
Grade 11	50.0%	0.1%	2.1%	8.3%	14.4%	14.6%	10.5%
Grade 12	44.0%	0.1%	2.1%	12.1%	16.1%	15.2%	10.4%
Wine?							
All	61.3%	0.1%	1.2%	5.0%	8.4%	12.5%	11.4%
Grade 7	78.8%	0.1%	0.8%	2.1%	4.1%	6.9%	7.2%
Grade 8	68.6%	0.1%	1.1%	3.6%	6.8%	9.7%	10.2%
Grade 9	60.5%	0.1%	1.4%	4.9%	8.4%	12.8%	11.9%
Grade 10	54.7%	0.1%	1.3%	7.0%	10.2%	14.2%	12.6%
Grade 11	53.9%	0.0%	1.4%	5.6%	10.4%	15.1%	13.5%
Grade 12	48.1%	0.1%	1.1%	7.4%	11.6%	17.8%	13.9%
Liquor?							
All	58.3%	0.2%	2.3%	8.7%	11.7%	11.0%	7.7%
Grade 7	82.3%	0.1%	1.0%	2.3%	4.1%	5.1%	5.1%
Grade 8	70.4%	0.2%	1.5%	4.6%	7.7%	8.6%	6.9%
Grade 9	59.0%	0.3%	2.4%	8.2%	10.6%	10.8%	8.7%
Grade 10	49.2%	0.2%	2.7%	12.1%	13.9%	13.0%	8.9%
Grade 11	45.2%	0.2%	2.7%	10.9%	18.0%	14.2%	8.7%
Grade 12	38.3%	0.4%	3.6%	16.1%	17.9%	15.5%	8.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	51.3%	48.7%	11.9%	23.8%	12.9%
	Grade 7	67.9%	32.1%	3.6%	15.2%	13.4%
	Grade 8	57.9%	42.1%	6.5%	21.3%	14.3%
	Grade 9	51.6%	48.4%	10.0%	24.2%	14.3%
	Grade 10	45.4%	54.6%	14.9%	27.1%	12.6%
	Grade 11	42.9%	57.1%	18.4%	27.9%	10.8%
	Grade 12	38.7%	61.3%	20.9%	28.8%	11.6%
Wine Coolers						
	All	56.2%	43.8%	8.5%	26.4%	8.8%
	Grade 7	75.5%	24.5%	3.3%	13.2%	8.1%
	Grade 8	64.5%	35.5%	6.0%	20.2%	9.3%
	Grade 9	55.5%	44.5%	7.9%	26.6%	10.0%
	Grade 10	47.9%	52.1%	11.5%	31.9%	8.7%
	Grade 11	47.8%	52.2%	11.6%	32.2%	8.4%
	Grade 12	42.1%	57.9%	12.2%	37.5%	8.2%
Wine						
	All	58.4%	41.6%	3.5%	22.0%	16.1%
	Grade 7	74.5%	25.5%	2.0%	11.5%	12.0%
	Grade 8	64.2%	35.8%	3.0%	17.4%	15.5%
	Grade 9	56.8%	43.2%	3.4%	22.5%	17.2%
	Grade 10	52.0%	48.0%	4.2%	26.0%	17.8%
	Grade 11	52.1%	47.9%	4.3%	26.2%	17.5%
	Grade 12	48.1%	51.9%	4.2%	30.9%	16.8%
Liquor						
	All	54.8%	45.2%	11.7%	24.4%	9.1%
	Grade 7	79.0%	21.0%	3.0%	10.1%	7.9%
	Grade 8	66.1%	33.9%	6.3%	18.1%	9.5%
	Grade 9	55.4%	44.6%	10.7%	23.3%	10.6%
	Grade 10	45.7%	54.3%	16.2%	28.6%	9.5%
	Grade 11	41.5%	58.5%	16.7%	32.7%	9.1%
	Grade 12	35.6%	64.4%	19.5%	36.9%	8.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	80.1%	6.8%	4.4%	4.5%	2.0%	2.3%
	Grade 7	91.5%	3.3%	1.8%	1.6%	0.5%	1.2%
	Grade 8	86.4%	5.5%	2.9%	2.5%	1.1%	1.5%
	Grade 9	81.7%	6.2%	4.4%	3.8%	1.7%	2.2%
	Grade 10	76.9%	7.8%	4.9%	5.2%	2.4%	2.8%
	Grade 11	73.4%	9.3%	5.7%	6.2%	2.7%	2.7%
	Grade 12	67.6%	9.4%	7.4%	8.2%	4.0%	3.4%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.6	11.2	12.0	12.7	13.5	14.2
Wine Coolers	11.0	11.7	12.4	13.1	13.7	14.4
Wine	11.0	11.6	12.3	12.9	13.6	14.4
Liquor	11.3	12.1	13.0	13.6	14.4	15.0
Any Alcohol	10.5	11.1	11.9	12.5	13.3	13.9

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	11.5%	13.8%	6.3%	11.6%	20.8%	36.0%
	Grade 7	17.2%	27.9%	9.1%	11.2%	13.3%	21.3%
	Grade 8	13.7%	18.4%	8.5%	12.4%	18.5%	28.4%
	Grade 9	11.1%	12.8%	5.9%	12.6%	21.1%	36.5%
	Grade 10	9.6%	8.5%	4.9%	11.7%	23.5%	41.8%
	Grade 11	8.6%	7.5%	4.5%	10.2%	23.0%	46.2%
	Grade 12	8.0%	6.0%	3.9%	11.3%	26.8%	44.0%
Wine coolers?							
	All	15.9%	16.0%	7.5%	12.2%	19.0%	29.3%
	Grade 7	26.5%	30.8%	9.6%	10.1%	9.5%	13.5%
	Grade 8	19.8%	22.7%	9.8%	12.1%	14.9%	20.7%
	Grade 9	15.3%	15.4%	8.3%	13.4%	19.5%	28.0%
	Grade 10	12.3%	10.0%	6.5%	13.3%	21.8%	36.1%
	Grade 11	10.4%	8.3%	5.2%	11.8%	23.6%	40.6%
	Grade 12	9.6%	6.2%	4.7%	12.6%	26.6%	40.3%
Wine?							
	All	13.3%	16.3%	8.2%	12.8%	18.6%	30.7%
	Grade 7	19.0%	32.3%	10.9%	11.2%	11.0%	15.6%
	Grade 8	15.9%	22.9%	10.3%	12.4%	15.3%	23.2%
	Grade 9	13.3%	15.2%	8.8%	14.0%	18.4%	30.3%
	Grade 10	11.9%	10.2%	7.0%	13.4%	21.2%	36.4%
	Grade 11	9.9%	8.5%	5.9%	12.7%	22.9%	40.1%
	Grade 12	9.0%	6.5%	5.3%	13.3%	24.3%	41.5%
Liquor?							
	All	13.0%	18.4%	8.6%	11.7%	17.7%	30.6%
	Grade 7	20.5%	37.5%	10.1%	9.3%	9.2%	13.4%
	Grade 8	15.9%	26.2%	11.1%	10.8%	14.4%	21.6%
	Grade 9	12.6%	17.4%	9.6%	12.7%	17.7%	30.0%
	Grade 10	10.4%	10.9%	8.2%	12.3%	20.2%	38.0%
	Grade 11	8.8%	8.8%	6.1%	12.4%	21.6%	42.2%
	Grade 12	8.3%	6.9%	5.8%	13.1%	24.4%	41.6%
Any alcohol product?							
	All	10.3%	11.2%	5.1%	10.0%	20.1%	43.4%
	Grade 7	15.7%	23.6%	8.3%	11.6%	15.1%	25.7%
	Grade 8	11.9%	14.7%	7.4%	11.2%	18.8%	35.9%
	Grade 9	9.9%	9.9%	4.5%	10.3%	20.7%	44.7%
	Grade 10	8.5%	6.7%	3.5%	9.5%	20.9%	50.9%
	Grade 11	7.5%	5.9%	3.3%	8.1%	21.4%	53.8%
	Grade 12	7.2%	4.6%	2.9%	8.9%	24.6%	51.8%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	92.5%	5.7%	0.9%	0.8%
Grade 7	94.7%	4.2%	0.5%	0.6%
Grade 8	92.8%	5.6%	0.8%	0.8%
Grade 9	91.6%	6.4%	1.1%	0.8%
Grade 10	91.1%	7.3%	0.9%	0.7%
Grade 11	92.1%	5.6%	1.3%	1.0%
Grade 12	92.5%	5.2%	1.1%	1.2%
Gotten into trouble with teachers because of your drinking?				
All	98.9%	0.7%	0.1%	0.2%
Grade 7	99.0%	0.5%	0.2%	0.4%
Grade 8	98.9%	0.9%	0.1%	0.1%
Grade 9	98.9%	0.7%	0.2%	0.2%
Grade 10	99.1%	0.6%	0.1%	0.2%
Grade 11	98.8%	0.8%	0.2%	0.3%
Grade 12	98.8%	0.9%	0.1%	0.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.6
Alcohol Non-use	3.7
Average days conduct problems reported	
Alcohol Users:	3.3
Alcohol Non-use	1.2

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	91.4%	6.5%	1.2%	1.0%
Grade 9	95.8%	3.3%	0.5%	0.4%
Grade 10	93.8%	4.8%	1.0%	0.4%
Grade 11	89.8%	7.9%	1.3%	1.0%
Grade 12	84.3%	11.3%	2.0%	2.4%
Gotten into trouble with the police because of drinking?				
All	97.3%	2.2%	0.2%	0.2%
Grade 7	98.9%	0.7%	0.1%	0.2%
Grade 8	98.2%	1.4%	0.2%	0.2%
Grade 9	97.7%	1.8%	0.3%	0.3%
Grade 10	97.0%	2.6%	0.2%	0.2%
Grade 11	96.2%	3.3%	0.3%	0.2%
Grade 12	95.6%	3.8%	0.4%	0.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	29.2%	23.1%	19.4%	20.3%	8.0%
	Grade 7	55.8%	23.6%	10.7%	7.0%	2.8%
	Grade 8	39.6%	26.1%	17.3%	12.6%	4.4%
	Grade 9	26.5%	25.0%	21.1%	20.1%	7.3%
	Grade 10	19.3%	22.3%	23.3%	24.7%	10.4%
	Grade 11	16.5%	21.3%	22.6%	28.9%	10.7%
	Grade 12	14.1%	18.9%	22.4%	31.1%	13.5%
Beer?						
	All	35.0%	23.0%	18.6%	17.6%	5.7%
	Grade 7	62.2%	21.4%	9.0%	5.7%	1.8%
	Grade 8	46.5%	25.3%	15.1%	10.0%	3.1%
	Grade 9	33.4%	25.1%	19.9%	16.8%	4.9%
	Grade 10	24.6%	23.3%	23.1%	21.6%	7.4%
	Grade 11	21.2%	22.0%	22.6%	26.0%	8.2%
	Grade 12	18.5%	20.0%	22.9%	28.3%	10.3%
Wine coolers?						
	All	47.1%	20.7%	15.9%	12.1%	4.2%
	Grade 7	73.4%	14.9%	6.5%	3.8%	1.4%
	Grade 8	58.9%	19.8%	11.6%	7.2%	2.5%
	Grade 9	46.0%	22.1%	16.2%	12.1%	3.6%
	Grade 10	37.2%	22.0%	19.7%	15.3%	5.9%
	Grade 11	33.2%	23.9%	20.4%	16.7%	5.9%
	Grade 12	29.8%	21.7%	22.6%	19.3%	6.7%
Wine?						
	All	55.0%	23.0%	12.5%	6.9%	2.6%
	Grade 7	75.0%	15.5%	5.4%	3.0%	1.0%
	Grade 8	63.7%	20.8%	9.1%	4.7%	1.6%
	Grade 9	54.2%	23.6%	12.5%	7.2%	2.4%
	Grade 10	47.6%	25.6%	15.5%	8.1%	3.3%
	Grade 11	45.4%	26.1%	15.5%	9.0%	4.0%
	Grade 12	40.9%	27.2%	18.2%	10.1%	3.6%
Liquor?						
	All	41.9%	20.7%	16.2%	15.6%	5.6%
	Grade 7	73.2%	15.2%	6.2%	4.0%	1.4%
	Grade 8	55.6%	21.8%	12.0%	7.8%	2.7%
	Grade 9	40.7%	23.0%	16.9%	14.6%	4.9%
	Grade 10	30.4%	21.7%	20.4%	19.9%	7.6%
	Grade 11	24.8%	22.5%	21.3%	23.4%	8.0%
	Grade 12	21.9%	19.8%	21.9%	26.3%	10.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.8%	5.4%	0.5%	0.3%
Grade 7	97.0%	2.6%	0.2%	0.2%
Grade 8	95.7%	3.8%	0.3%	0.2%
Grade 9	93.4%	5.5%	0.7%	0.4%
Grade 10	92.4%	6.8%	0.6%	0.2%
Grade 11	92.2%	6.6%	0.8%	0.4%
Grade 12	91.5%	7.3%	0.7%	0.5%
Been criticized by someone you were dating because of drinking?				
All	93.2%	5.6%	0.6%	0.6%
Grade 7	97.4%	2.1%	0.2%	0.2%
Grade 8	95.3%	3.8%	0.4%	0.5%
Grade 9	93.0%	5.7%	0.7%	0.6%
Grade 10	91.3%	7.4%	0.8%	0.5%
Grade 11	90.9%	7.5%	0.8%	0.7%
Grade 12	90.5%	7.9%	0.9%	0.8%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	43.2%	9.9%	6.9%	11.3%	15.3%	1.7%	11.7%
Grade 7	67.6%	8.4%	4.9%	4.2%	3.2%	2.4%	9.4%
Grade 8	57.5%	11.8%	6.7%	7.2%	5.5%	1.8%	9.4%
Grade 9	41.4%	11.2%	8.3%	12.1%	12.5%	2.0%	12.5%
Grade 10	33.3%	11.0%	7.5%	14.7%	19.1%	1.6%	12.7%
Grade 11	28.9%	8.2%	7.5%	14.7%	25.1%	1.5%	14.3%
Grade 12	25.6%	8.2%	6.3%	16.0%	30.7%	0.9%	12.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-13: How often, if ever, do you get alcoholic beverages from..

	Do Not Drink	Never	Seldom	Most of the Time	Always
At home?					
All	45.3%	24.1%	21.1%	6.6%	2.9%
Grade 7	59.0%	21.8%	14.1%	3.6%	1.5%
Grade 8	49.7%	22.0%	19.7%	6.3%	2.3%
Grade 9	45.8%	22.6%	21.5%	6.9%	3.3%
Grade 10	40.5%	24.5%	24.0%	7.4%	3.6%
Grade 11	39.7%	26.6%	23.3%	7.0%	3.5%
Grade 12	34.1%	28.2%	25.4%	8.7%	3.7%
From friends?					
All	43.4%	19.4%	16.1%	15.4%	5.8%
Grade 7	60.9%	25.3%	7.5%	5.0%	1.3%
Grade 8	49.8%	24.2%	14.0%	9.3%	2.7%
Grade 9	43.6%	20.2%	17.0%	14.4%	4.9%
Grade 10	37.0%	17.0%	19.4%	19.3%	7.3%
Grade 11	35.3%	14.7%	19.7%	21.5%	8.9%
Grade 12	29.8%	12.8%	20.3%	25.8%	11.3%
From a store?					
All	45.3%	41.6%	7.1%	4.0%	2.0%
Grade 7	61.1%	34.4%	2.7%	1.0%	0.7%
Grade 8	52.0%	41.1%	4.4%	1.6%	0.8%
Grade 9	46.1%	42.6%	6.1%	3.7%	1.6%
Grade 10	38.8%	45.4%	8.9%	4.6%	2.3%
Grade 11	37.3%	42.6%	10.3%	6.5%	3.2%
Grade 12	32.8%	43.9%	11.8%	7.3%	4.2%
At parties?					
All	41.8%	17.1%	13.1%	14.6%	13.5%
Grade 7	57.4%	20.8%	10.0%	7.3%	4.5%
Grade 8	48.1%	20.0%	13.3%	11.2%	7.5%
Grade 9	41.9%	17.6%	13.2%	14.9%	12.4%
Grade 10	36.0%	15.8%	13.9%	17.6%	16.7%
Grade 11	34.4%	14.2%	13.3%	18.1%	20.0%
Grade 12	29.7%	12.6%	15.2%	19.9%	22.6%
Other source?					
All	45.5%	27.0%	13.2%	7.7%	6.5%
Grade 7	59.6%	25.1%	8.4%	4.1%	2.8%
Grade 8	51.3%	26.5%	10.7%	6.3%	5.2%
Grade 9	45.9%	26.0%	13.5%	8.0%	6.6%
Grade 10	40.2%	27.6%	14.5%	9.2%	8.4%
Grade 11	39.1%	27.7%	15.9%	9.1%	8.2%
Grade 12	33.8%	30.1%	17.1%	10.4%	8.6%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table A-14: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	63.6%	15.2%	10.7%	3.4%	1.1%	6.0%
Grade 7	76.3%	8.6%	5.0%	1.6%	1.1%	7.6%
Grade 8	70.1%	11.6%	7.8%	2.7%	1.0%	6.8%
Grade 9	63.7%	15.8%	10.0%	3.4%	1.1%	6.0%
Grade 10	59.7%	16.9%	12.5%	4.3%	1.2%	5.4%
Grade 11	56.8%	18.7%	14.0%	4.2%	1.2%	5.0%
Grade 12	51.8%	20.9%	16.6%	4.8%	1.2%	4.6%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	47.7%	30.5%	14.1%	3.7%	4.0%
Grade 7	59.8%	22.7%	10.7%	2.8%	4.1%
Grade 8	49.8%	26.7%	14.6%	4.3%	4.6%
Grade 9	46.6%	29.9%	15.4%	4.0%	4.1%
Grade 10	44.1%	33.6%	14.7%	3.6%	4.0%
Grade 11	43.2%	34.9%	14.7%	3.9%	3.2%
Grade 12	41.4%	36.9%	14.7%	3.4%	3.6%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	11.5%	17.2%	26.6%	73.4%
	Grade 7	3.7%	5.4%	9.4%	90.6%
	Grade 8	6.6%	9.7%	16.3%	83.7%
	Grade 9	11.1%	16.6%	25.3%	74.7%
	Grade 10	14.5%	21.2%	32.7%	67.3%
	Grade 11	16.3%	25.0%	37.9%	62.1%
	Grade 12	18.8%	28.2%	42.6%	57.4%
Cocaine?	All	1.2%	2.1%	4.3%	95.7%
	Grade 7	0.5%	0.9%	1.7%	98.3%
	Grade 8	0.9%	1.3%	2.4%	97.6%
	Grade 9	1.3%	2.0%	3.7%	96.3%
	Grade 10	1.5%	2.6%	5.6%	94.4%
	Grade 11	1.5%	3.0%	6.2%	93.8%
	Grade 12	1.5%	3.1%	7.5%	92.5%
Crack?	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.5%	0.8%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	0.3%	0.5%	1.4%	98.6%
Hallucinogens?	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.0%	1.4%	3.0%	97.0%
	Grade 9	1.7%	2.7%	4.5%	95.5%
	Grade 10	1.5%	3.0%	5.5%	94.5%
	Grade 11	1.9%	3.4%	6.5%	93.5%
	Grade 12	2.1%	4.0%	7.6%	92.4%
Uppers?	All	2.0%	3.2%	5.0%	95.0%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.1%	1.5%	2.4%	97.6%
	Grade 9	1.9%	2.8%	4.2%	95.8%
	Grade 10	2.8%	4.5%	6.9%	93.1%
	Grade 11	3.0%	4.7%	7.9%	92.1%
	Grade 12	3.5%	5.8%	9.1%	90.9%
Downers?	All	2.2%	3.3%	5.3%	94.7%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	1.2%	1.7%	2.4%	97.6%
	Grade 9	2.0%	2.9%	4.3%	95.7%
	Grade 10	2.9%	4.0%	6.6%	93.4%
	Grade 11	3.5%	5.3%	8.7%	91.3%
	Grade 12	3.7%	6.1%	9.9%	90.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table D-1: How recently, if ever, have you used...
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol?	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.9%	1.2%	2.1%	97.9%
	Grade 9	0.7%	1.1%	2.0%	98.0%
	Grade 10	0.9%	1.3%	2.4%	97.6%
	Grade 11	0.8%	1.1%	1.9%	98.1%
	Grade 12	0.6%	0.8%	1.6%	98.4%
	Steroids?	All	0.5%	0.7%	1.5%
Grade 7		0.4%	0.6%	1.4%	98.6%
Grade 8		0.4%	0.7%	1.6%	98.4%
Grade 9		0.5%	0.7%	1.3%	98.7%
Grade 10		0.4%	0.7%	1.4%	98.6%
Grade 11		0.5%	0.8%	1.5%	98.5%
Grade 12		0.7%	1.0%	1.8%	98.2%
Ecstasy?		All	2.0%	3.2%	5.8%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	1.4%	2.1%	3.9%	96.1%
	Grade 9	2.0%	3.0%	5.5%	94.5%
	Grade 10	2.3%	3.7%	6.9%	93.1%
	Grade 11	2.7%	4.7%	8.1%	91.9%
	Grade 12	3.2%	5.2%	9.7%	90.3%
	Heroin?	All	0.5%	0.7%	1.4%
Grade 7		0.5%	0.7%	1.5%	98.5%
Grade 8		0.7%	0.9%	1.7%	98.3%
Grade 9		0.4%	0.7%	1.4%	98.6%
Grade 10		0.6%	0.8%	1.5%	98.5%
Grade 11		0.5%	0.6%	1.2%	98.8%
Grade 12		0.4%	0.5%	1.1%	98.9%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?	All	75.7%	2.9%	3.2%	4.3%	4.5%	4.2%	5.2%
	Grade 7	91.6%	0.9%	1.2%	1.6%	1.5%	1.5%	1.8%
	Grade 8	85.1%	1.3%	2.2%	3.1%	3.0%	2.5%	2.7%
	Grade 9	76.4%	2.6%	3.4%	4.5%	4.6%	3.9%	4.5%
	Grade 10	70.0%	3.4%	3.7%	5.9%	5.7%	5.4%	5.9%
	Grade 11	65.3%	4.3%	4.3%	5.7%	7.0%	5.5%	7.9%
	Grade 12	62.0%	5.6%	4.5%	5.7%	6.1%	6.9%	9.3%
Cocaine?	All	96.6%	0.1%	0.2%	0.4%	0.5%	0.9%	1.3%
	Grade 7	99.1%	0.0%	0.1%	0.1%	0.1%	0.3%	0.3%
	Grade 8	98.1%	0.0%	0.2%	0.2%	0.3%	0.6%	0.5%
	Grade 9	96.9%	0.1%	0.3%	0.5%	0.5%	0.7%	1.1%
	Grade 10	95.4%	0.1%	0.2%	0.5%	0.7%	1.4%	1.8%
	Grade 11	95.2%	0.1%	0.3%	0.5%	0.8%	1.1%	2.0%
	Grade 12	94.4%	0.1%	0.2%	0.3%	0.8%	1.4%	2.7%
Crack?	All	98.8%	0.0%	0.1%	0.1%	0.2%	0.2%	0.5%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	98.7%	0.1%	0.1%	0.3%	0.3%	0.3%	0.3%
	Grade 9	98.7%	0.0%	0.1%	0.2%	0.3%	0.2%	0.5%
	Grade 10	98.9%	0.0%	0.0%	0.1%	0.2%	0.2%	0.5%
	Grade 11	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.6%
	Grade 12	99.1%	0.1%	0.0%	0.1%	0.1%	0.1%	0.5%
Hallucinogens?	All	96.3%	0.1%	0.1%	0.3%	0.7%	1.3%	1.2%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.2%	0.2%	0.4%
	Grade 8	97.7%	0.0%	0.1%	0.3%	0.4%	0.8%	0.7%
	Grade 9	96.5%	0.0%	0.1%	0.3%	0.9%	1.0%	1.2%
	Grade 10	95.4%	0.1%	0.1%	0.4%	0.8%	1.9%	1.3%
	Grade 11	94.7%	0.1%	0.1%	0.3%	1.1%	1.8%	1.8%
	Grade 12	93.7%	0.1%	0.2%	0.4%	1.1%	2.3%	2.3%
Uppers?	All	95.2%	0.2%	0.3%	0.8%	1.1%	1.2%	1.3%
	Grade 7	99.0%	0.1%	0.1%	0.2%	0.2%	0.2%	0.3%
	Grade 8	97.7%	0.1%	0.2%	0.3%	0.5%	0.6%	0.6%
	Grade 9	95.9%	0.1%	0.3%	0.7%	1.1%	0.8%	1.0%
	Grade 10	93.1%	0.2%	0.3%	1.4%	1.7%	1.5%	1.8%
	Grade 11	92.3%	0.2%	0.5%	1.1%	1.7%	2.2%	2.0%
	Grade 12	91.7%	0.2%	0.4%	1.1%	1.7%	2.3%	2.5%
Downers?	All	95.2%	0.2%	0.3%	0.8%	1.2%	1.1%	1.2%
	Grade 7	99.0%	0.0%	0.1%	0.2%	0.2%	0.2%	0.3%
	Grade 8	97.8%	0.3%	0.2%	0.2%	0.6%	0.4%	0.5%
	Grade 9	95.8%	0.2%	0.3%	0.8%	1.2%	0.8%	0.9%
	Grade 10	93.7%	0.2%	0.5%	1.3%	1.5%	1.3%	1.5%
	Grade 11	92.0%	0.5%	0.6%	1.3%	1.8%	1.9%	2.0%
	Grade 12	91.7%	0.2%	0.4%	1.2%	2.1%	2.0%	2.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table D-2: How often do you normally use...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.7%	0.0%	0.1%	0.2%	0.3%	0.4%	0.4%
	Grade 7	99.1%	0.0%	0.1%	0.1%	0.2%	0.3%	0.2%
	Grade 8	98.6%	0.0%	0.1%	0.2%	0.4%	0.4%	0.3%
	Grade 9	98.4%	0.0%	0.1%	0.2%	0.4%	0.4%	0.5%
	Grade 10	98.4%	0.0%	0.1%	0.1%	0.3%	0.6%	0.5%
	Grade 11	98.6%	0.0%	0.1%	0.2%	0.2%	0.4%	0.5%
	Grade 12	98.9%	0.0%	0.0%	0.2%	0.2%	0.2%	0.5%
Steroids?								
	All	98.9%	0.1%	0.1%	0.1%	0.1%	0.2%	0.5%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 8	98.8%	0.1%	0.1%	0.0%	0.1%	0.3%	0.5%
	Grade 9	99.1%	0.2%	0.1%	0.0%	0.1%	0.2%	0.4%
	Grade 10	98.8%	0.2%	0.1%	0.1%	0.1%	0.2%	0.6%
	Grade 11	98.8%	0.1%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 12	98.7%	0.1%	0.1%	0.1%	0.1%	0.2%	0.7%
Ecstasy?								
	All	94.8%	0.1%	0.2%	0.6%	1.1%	1.6%	1.7%
	Grade 7	98.4%	0.0%	0.1%	0.3%	0.3%	0.4%	0.4%
	Grade 8	96.7%	0.1%	0.2%	0.4%	0.7%	0.9%	0.9%
	Grade 9	95.1%	0.1%	0.3%	0.6%	1.0%	1.4%	1.5%
	Grade 10	93.6%	0.1%	0.2%	0.6%	1.4%	2.0%	2.1%
	Grade 11	92.3%	0.1%	0.3%	0.7%	1.6%	2.7%	2.3%
	Grade 12	91.4%	0.1%	0.2%	0.8%	1.7%	2.3%	3.5%
Heroin?								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	98.7%	0.0%	0.2%	0.1%	0.2%	0.4%	0.4%
	Grade 9	98.9%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 10	99.1%	0.0%	0.0%	0.1%	0.1%	0.2%	0.4%
	Grade 11	98.7%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%
	Grade 12	99.1%	0.1%	0.0%	0.0%	0.1%	0.2%	0.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	12.2	13.0	13.6	14.4	14.8
Cocaine	11.4	12.5	13.6	14.1	15.0	15.3
Crack	11.3	12.3	13.6	13.9	14.4	14.9
Hallucinogens	11.8	12.3	13.6	14.4	15.2	15.7
Uppers	11.5	12.4	13.4	14.0	14.8	15.3
Downers	11.5	12.2	13.4	13.9	14.8	15.3
Rohypnol	11.4	12.2	13.2	13.7	14.6	14.6
Steroids	10.8	11.9	12.0	14.0	14.1	14.4
Ecstasy	11.8	12.6	13.7	14.4	15.4	15.9
Heroin	11.4	12.2	13.3	13.6	14.0	15.0

Table D-4: Age of first use of marijuana by family situation:

	Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family							
All	79.0%	0.9%	1.7%	5.7%	8.0%	4.4%	0.3%
Grade 7	93.6%	0.7%	1.7%	3.7%	0.2%	0.0%	0.0%
Grade 8	88.3%	0.7%	2.1%	6.3%	2.6%	0.0%	0.0%
Grade 9	80.5%	1.1%	2.1%	6.9%	9.0%	0.4%	0.0%
Grade 10	75.3%	0.8%	1.7%	6.1%	12.9%	3.1%	0.0%
Grade 11	67.8%	0.8%	1.3%	5.6%	13.9%	10.6%	0.0%
Grade 12	63.7%	1.0%	1.0%	5.7%	10.9%	15.6%	2.1%
Other family situation							
All	64.3%	2.4%	3.9%	10.4%	12.8%	5.6%	0.7%
Grade 7	85.1%	2.6%	4.8%	6.6%	0.9%	0.0%	0.0%
Grade 8	76.8%	2.3%	4.9%	11.4%	4.5%	0.0%	0.0%
Grade 9	66.4%	2.8%	3.5%	12.4%	14.1%	0.7%	0.1%
Grade 10	55.5%	2.5%	4.3%	12.2%	21.2%	4.3%	0.0%
Grade 11	53.6%	1.7%	2.2%	10.2%	18.9%	13.3%	0.1%
Grade 12	47.1%	1.9%	3.8%	8.8%	16.1%	17.8%	4.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	15.2%	28.4%	8.5%	9.2%	12.6%	26.3%
	Grade 7	23.3%	49.7%	7.9%	5.7%	5.1%	8.4%
	Grade 8	17.8%	41.3%	9.6%	8.0%	8.8%	14.6%
	Grade 9	14.7%	27.7%	8.8%	9.7%	13.5%	25.6%
	Grade 10	12.1%	19.4%	9.3%	10.8%	15.1%	33.2%
	Grade 11	10.9%	15.5%	7.8%	9.9%	16.8%	39.1%
	Grade 12	11.0%	12.4%	7.1%	11.2%	17.7%	40.5%
Cocaine?							
	All	20.8%	38.6%	14.8%	11.2%	6.7%	8.0%
	Grade 7	26.4%	54.7%	9.2%	4.6%	2.1%	3.0%
	Grade 8	22.2%	50.2%	12.1%	6.7%	4.2%	4.6%
	Grade 9	20.9%	38.5%	15.4%	10.2%	7.1%	7.9%
	Grade 10	19.1%	31.7%	16.5%	14.1%	8.3%	10.3%
	Grade 11	17.7%	28.0%	17.6%	15.4%	9.7%	11.6%
	Grade 12	17.7%	24.9%	18.8%	17.6%	9.2%	11.8%
Crack?							
	All	22.0%	39.5%	15.4%	10.8%	5.8%	6.6%
	Grade 7	26.9%	54.5%	8.9%	4.7%	2.0%	3.0%
	Grade 8	22.7%	50.4%	12.1%	6.7%	3.9%	4.2%
	Grade 9	22.0%	39.4%	15.4%	10.0%	6.3%	6.8%
	Grade 10	20.5%	32.8%	18.0%	12.9%	7.2%	8.6%
	Grade 11	19.6%	29.5%	18.7%	14.7%	8.2%	9.3%
	Grade 12	19.4%	26.8%	20.3%	17.3%	7.6%	8.6%
Hallucinogens?							
	All	36.6%	29.1%	11.9%	9.3%	6.3%	6.8%
	Grade 7	52.9%	33.9%	6.0%	2.9%	1.9%	2.4%
	Grade 8	44.0%	34.8%	9.2%	5.5%	3.2%	3.4%
	Grade 9	36.3%	30.3%	11.8%	8.6%	6.1%	6.9%
	Grade 10	30.3%	26.8%	14.4%	11.6%	7.9%	9.0%
	Grade 11	27.5%	24.2%	14.8%	13.9%	10.0%	9.6%
	Grade 12	25.9%	22.7%	16.6%	15.0%	9.6%	10.2%
Uppers?							
	All	49.1%	22.0%	8.4%	7.0%	5.7%	7.7%
	Grade 7	62.2%	27.5%	4.7%	2.2%	1.5%	2.0%
	Grade 8	57.2%	26.4%	6.0%	4.3%	2.6%	3.5%
	Grade 9	49.2%	23.3%	8.5%	6.1%	5.4%	7.4%
	Grade 10	44.9%	19.0%	10.7%	8.0%	7.4%	10.0%
	Grade 11	40.5%	17.5%	10.3%	10.4%	9.1%	12.3%
	Grade 12	37.9%	16.4%	11.2%	12.8%	9.5%	12.2%
Downers?							
	All	49.1%	21.9%	8.5%	7.0%	5.7%	7.9%
	Grade 7	62.4%	27.2%	4.7%	2.2%	1.5%	2.1%
	Grade 8	57.5%	26.2%	6.0%	4.1%	2.6%	3.6%
	Grade 9	49.1%	23.3%	8.5%	6.1%	5.5%	7.5%
	Grade 10	44.8%	19.1%	10.6%	7.9%	7.2%	10.4%
	Grade 11	40.2%	17.4%	10.5%	10.4%	9.2%	12.3%
	Grade 12	37.8%	16.6%	11.1%	12.5%	9.5%	12.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	46.5%	26.4%	10.7%	7.1%	4.0%	5.3%
	Grade 7	58.9%	30.4%	5.0%	2.6%	1.2%	1.9%
	Grade 8	53.2%	30.3%	7.1%	4.3%	2.0%	3.1%
	Grade 9	46.2%	27.1%	10.6%	6.5%	4.3%	5.3%
	Grade 10	42.1%	23.9%	13.7%	8.2%	5.2%	6.9%
	Grade 11	39.3%	23.2%	13.0%	10.4%	6.4%	7.7%
	Grade 12	36.9%	22.1%	16.3%	12.3%	5.2%	7.2%
Steroids?							
	All	24.8%	39.7%	13.7%	10.0%	5.5%	6.2%
	Grade 7	29.9%	52.2%	8.6%	4.1%	2.3%	2.9%
	Grade 8	26.2%	50.0%	10.4%	6.9%	3.0%	3.5%
	Grade 9	25.4%	40.2%	14.1%	8.9%	5.4%	5.9%
	Grade 10	23.0%	34.3%	15.2%	12.8%	7.2%	7.4%
	Grade 11	21.8%	31.2%	17.3%	13.2%	7.7%	8.8%
	Grade 12	21.7%	26.8%	17.8%	15.5%	8.4%	9.7%
Ecstasy?							
	All	32.5%	30.5%	11.3%	8.8%	7.2%	9.7%
	Grade 7	52.3%	34.5%	5.7%	2.7%	2.0%	2.8%
	Grade 8	40.8%	36.8%	8.2%	5.6%	3.5%	5.1%
	Grade 9	30.9%	32.2%	11.8%	8.0%	7.4%	9.7%
	Grade 10	25.9%	27.6%	13.7%	10.9%	9.5%	12.4%
	Grade 11	21.6%	26.8%	13.8%	12.4%	10.6%	14.8%
	Grade 12	20.8%	23.4%	15.4%	14.6%	11.0%	15.0%
Heroin?							
	All	29.5%	39.4%	13.9%	7.6%	3.9%	5.6%
	Grade 7	38.1%	46.7%	7.5%	3.2%	1.7%	2.7%
	Grade 8	32.6%	47.0%	9.6%	4.7%	2.6%	3.5%
	Grade 9	28.8%	39.8%	13.9%	7.4%	4.3%	5.9%
	Grade 10	26.6%	35.4%	16.6%	9.0%	5.3%	7.1%
	Grade 11	24.9%	34.5%	17.3%	11.0%	4.8%	7.4%
	Grade 12	24.7%	31.4%	19.8%	11.6%	5.1%	7.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	88.9%	5.8%	2.0%	3.2%
Grade 7	95.3%	2.8%	0.7%	1.2%
Grade 8	92.3%	4.6%	1.4%	1.7%
Grade 9	88.6%	6.2%	2.4%	2.9%
Grade 10	85.6%	8.0%	2.5%	3.9%
Grade 11	85.4%	6.9%	3.0%	4.7%
Grade 12	85.3%	6.6%	2.5%	5.6%
Attended class while high from use of some other drug?				
All	94.4%	3.5%	0.9%	1.1%
Grade 7	97.1%	1.8%	0.4%	0.6%
Grade 8	95.5%	3.0%	0.6%	0.8%
Grade 9	93.8%	4.1%	1.1%	1.0%
Grade 10	92.8%	4.3%	1.3%	1.5%
Grade 11	93.2%	4.1%	1.3%	1.4%
Grade 12	93.8%	3.7%	1.0%	1.5%
Gotten into trouble with teachers because of your drug use?				
All	98.5%	1.0%	0.2%	0.3%
Grade 7	98.9%	0.6%	0.1%	0.4%
Grade 8	98.4%	1.1%	0.3%	0.2%
Grade 9	98.2%	1.3%	0.2%	0.3%
Grade 10	98.4%	1.2%	0.1%	0.2%
Grade 11	98.7%	1.0%	0.1%	0.2%
Grade 12	98.5%	1.0%	0.2%	0.3%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.9
Marijuana Non-use	3.9
Average days conduct problems reported	
Marijuana Users:	4.8
Marijuana Non-use	1.4

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.4%	5.9%	1.4%	2.3%
Grade 9	95.4%	3.4%	0.5%	0.7%
Grade 10	92.9%	4.7%	1.0%	1.4%
Grade 11	87.7%	7.7%	1.9%	2.6%
Grade 12	83.7%	8.7%	2.3%	5.3%
Gotten into trouble with the police because of drug use?				
All	97.6%	1.8%	0.2%	0.3%
Grade 7	98.6%	0.9%	0.2%	0.3%
Grade 8	97.8%	1.5%	0.4%	0.3%
Grade 9	97.5%	1.9%	0.3%	0.3%
Grade 10	97.5%	2.0%	0.2%	0.3%
Grade 11	97.1%	2.4%	0.3%	0.2%
Grade 12	97.2%	2.3%	0.2%	0.3%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	48.4%	18.4%	14.4%	13.5%	5.3%
Grade 7	76.2%	11.7%	5.4%	4.7%	1.9%
Grade 8	61.5%	16.3%	10.1%	8.7%	3.4%
Grade 9	46.1%	18.0%	15.1%	15.2%	5.5%
Grade 10	37.7%	19.8%	17.9%	17.3%	7.3%
Grade 11	33.4%	21.8%	19.6%	18.1%	7.1%
Grade 12	31.4%	23.8%	19.6%	17.9%	7.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.4%	4.6%	0.6%	0.4%
Grade 7	97.3%	2.1%	0.4%	0.2%
Grade 8	95.2%	4.1%	0.3%	0.4%
Grade 9	93.5%	5.2%	0.8%	0.5%
Grade 10	93.1%	5.7%	0.9%	0.4%
Grade 11	93.3%	5.6%	0.7%	0.4%
Grade 12	93.9%	5.0%	0.7%	0.4%
Been criticized by someone you were dating because of drug use?				
All	93.5%	5.0%	0.8%	0.7%
Grade 7	97.8%	1.7%	0.3%	0.2%
Grade 8	95.3%	3.7%	0.5%	0.5%
Grade 9	92.6%	5.6%	1.0%	0.8%
Grade 10	91.6%	6.5%	1.0%	0.9%
Grade 11	91.1%	7.2%	1.0%	0.8%
Grade 12	92.6%	5.6%	0.9%	0.9%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	53.8%	9.2%	6.6%	7.6%	8.5%	2.6%	11.8%
Grade 7	77.3%	4.3%	2.7%	2.2%	2.1%	1.9%	9.4%
Grade 8	69.6%	7.4%	3.9%	4.2%	3.4%	2.2%	9.4%
Grade 9	52.9%	9.4%	7.0%	7.3%	8.0%	3.0%	12.5%
Grade 10	44.0%	11.4%	7.8%	9.8%	11.0%	2.8%	13.2%
Grade 11	38.5%	10.7%	9.0%	11.6%	13.1%	2.9%	14.2%
Grade 12	35.1%	12.9%	9.8%	11.8%	15.4%	2.5%	12.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.7%	8.5%	4.5%	3.7%	2.7%	0.8%
	Grade 7	91.3%	3.0%	2.2%	1.3%	1.4%	0.7%
	Grade 8	86.3%	4.7%	3.1%	3.3%	2.0%	0.7%
	Grade 9	80.3%	7.4%	4.9%	3.8%	2.9%	0.7%
	Grade 10	74.3%	11.0%	5.8%	4.4%	3.4%	1.0%
	Grade 11	72.5%	12.0%	6.0%	5.0%	3.7%	0.8%
	Grade 12	70.8%	14.9%	5.7%	4.5%	3.1%	0.9%
Blunts?	All	79.1%	6.6%	4.1%	4.6%	4.8%	0.8%
	Grade 7	91.4%	2.7%	2.0%	1.5%	1.7%	0.7%
	Grade 8	86.3%	3.5%	3.2%	3.4%	2.8%	0.8%
	Grade 9	79.3%	6.7%	4.2%	4.3%	4.9%	0.6%
	Grade 10	73.8%	8.0%	5.2%	5.9%	5.9%	1.1%
	Grade 11	71.3%	9.7%	5.2%	6.1%	6.8%	0.9%
	Grade 12	69.7%	10.4%	4.9%	7.0%	7.1%	0.8%
Bongs or water pipes?	All	84.7%	5.8%	3.2%	3.2%	2.6%	0.6%
	Grade 7	95.1%	1.7%	0.9%	0.7%	1.0%	0.6%
	Grade 8	91.5%	3.0%	1.9%	1.8%	1.3%	0.5%
	Grade 9	85.3%	5.5%	3.0%	3.1%	2.6%	0.5%
	Grade 10	80.7%	6.4%	4.2%	4.3%	3.7%	0.7%
	Grade 11	76.9%	9.6%	4.6%	4.8%	3.4%	0.6%
	Grade 12	75.8%	10.0%	5.0%	4.8%	3.7%	0.6%
Pipes?	All	83.7%	5.1%	3.1%	4.3%	3.2%	0.6%
	Grade 7	94.4%	1.7%	1.1%	1.1%	1.1%	0.6%
	Grade 8	91.1%	2.9%	1.8%	2.1%	1.6%	0.6%
	Grade 9	84.4%	5.1%	2.7%	4.2%	3.1%	0.5%
	Grade 10	79.6%	5.6%	3.7%	5.6%	4.5%	1.0%
	Grade 11	75.9%	7.7%	4.8%	6.7%	4.3%	0.6%
	Grade 12	73.6%	8.7%	5.0%	7.1%	5.0%	0.6%
Some other way?	All	87.9%	5.2%	1.6%	1.6%	1.9%	1.7%
	Grade 7	95.1%	1.3%	0.9%	0.6%	1.0%	1.1%
	Grade 8	92.0%	2.7%	1.3%	1.4%	1.4%	1.1%
	Grade 9	87.2%	5.3%	1.7%	1.5%	2.3%	2.0%
	Grade 10	84.9%	6.5%	2.0%	2.0%	2.6%	2.0%
	Grade 11	84.0%	7.7%	1.9%	2.1%	2.2%	2.1%
	Grade 12	82.9%	8.9%	1.9%	2.0%	2.2%	2.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.4%	5.4%	4.9%	1.3%	1.3%	5.7%
Grade 7	86.9%	2.2%	2.1%	0.5%	1.2%	7.1%
Grade 8	85.0%	3.3%	3.2%	0.9%	1.1%	6.5%
Grade 9	81.5%	5.6%	4.5%	1.5%	1.3%	5.7%
Grade 10	79.7%	6.4%	6.0%	1.6%	1.3%	5.0%
Grade 11	78.5%	7.5%	6.0%	1.7%	1.5%	4.8%
Grade 12	75.4%	8.5%	8.3%	1.5%	1.6%	4.7%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	57.8%	15.1%	11.9%	11.0%	4.2%
	Grade 7	79.6%	8.9%	3.8%	3.4%	4.3%
	Grade 8	69.2%	12.1%	7.6%	6.3%	4.9%
	Grade 9	58.7%	15.9%	11.2%	10.0%	4.3%
	Grade 10	49.4%	17.3%	15.9%	13.4%	4.1%
	Grade 11	45.1%	18.4%	16.2%	16.6%	3.7%
	Grade 12	41.3%	19.0%	17.9%	18.1%	3.7%
Cocaine?						
	All	84.2%	8.7%	1.5%	0.8%	4.8%
	Grade 7	87.3%	6.3%	1.3%	0.7%	4.5%
	Grade 8	84.6%	7.6%	1.4%	0.9%	5.5%
	Grade 9	82.4%	9.9%	1.8%	1.0%	4.9%
	Grade 10	82.7%	10.0%	1.8%	0.8%	4.8%
	Grade 11	83.8%	9.6%	1.4%	1.0%	4.2%
	Grade 12	84.6%	8.8%	1.3%	0.7%	4.6%
Crack?						
	All	85.7%	7.3%	1.2%	0.8%	5.0%
	Grade 7	87.5%	5.8%	1.1%	0.8%	4.8%
	Grade 8	85.2%	7.0%	1.2%	0.9%	5.7%
	Grade 9	84.1%	8.6%	1.6%	0.9%	4.9%
	Grade 10	84.7%	8.1%	1.3%	0.8%	5.1%
	Grade 11	86.1%	7.6%	1.1%	0.9%	4.3%
	Grade 12	86.8%	6.7%	0.9%	0.6%	5.0%
Ecstasy?						
	All	77.3%	10.6%	3.4%	1.4%	7.2%
	Grade 7	81.7%	6.1%	1.7%	1.1%	9.3%
	Grade 8	78.3%	8.3%	2.6%	1.4%	9.5%
	Grade 9	76.4%	10.7%	4.2%	1.6%	7.0%
	Grade 10	75.0%	12.7%	4.1%	1.6%	6.6%
	Grade 11	76.3%	13.4%	3.8%	1.6%	5.0%
	Grade 12	76.2%	13.3%	3.8%	1.3%	5.4%
Steroids?						
	All	74.8%	13.4%	4.3%	1.5%	6.0%
	Grade 7	80.0%	9.6%	3.0%	1.3%	6.1%
	Grade 8	76.6%	12.1%	3.1%	1.2%	7.0%
	Grade 9	75.0%	13.5%	4.3%	1.4%	5.8%
	Grade 10	71.7%	15.4%	4.9%	1.7%	6.3%
	Grade 11	72.2%	15.0%	5.6%	1.8%	5.3%
	Grade 12	72.7%	15.4%	4.8%	1.3%	5.7%
Heroin?						
	All	86.5%	5.7%	1.0%	0.7%	6.0%
	Grade 7	86.8%	4.7%	0.9%	0.7%	6.8%
	Grade 8	84.9%	6.0%	1.1%	0.7%	7.3%
	Grade 9	85.6%	6.6%	1.3%	0.9%	5.7%
	Grade 10	85.9%	6.4%	1.2%	0.6%	6.0%
	Grade 11	87.9%	5.5%	0.8%	0.8%	5.0%
	Grade 12	88.6%	5.0%	0.6%	0.6%	5.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-15: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	0.7%	1.3%	3.0%	97.0%
Grade 7	0.5%	0.8%	2.0%	98.0%
Grade 8	0.8%	1.4%	2.4%	97.6%
Grade 9	0.8%	1.2%	2.9%	97.1%
Grade 10	0.8%	1.3%	3.1%	96.9%
Grade 11	0.9%	1.7%	3.7%	96.3%
Grade 12	0.7%	1.4%	3.8%	96.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...

	Past Month	School Year	Ever Used	Never Used
Codeine?				
All	4.9%	8.3%	12.8%	87.2%
Grade 7	3.4%	5.4%	8.2%	91.8%
Grade 8	4.4%	6.6%	9.9%	90.1%
Grade 9	4.9%	8.7%	12.6%	87.4%
Grade 10	5.9%	9.9%	15.1%	84.9%
Grade 11	5.3%	9.9%	15.7%	84.3%
Grade 12	5.4%	9.8%	15.9%	84.1%
Oxycontin, Percodan or Percocet?				
All	1.0%	2.0%	3.3%	96.7%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.5%	1.0%	1.8%	98.2%
Grade 9	1.1%	1.9%	3.0%	97.0%
Grade 10	1.3%	2.7%	4.4%	95.6%
Grade 11	1.5%	2.8%	4.8%	95.2%
Grade 12	1.5%	3.0%	5.6%	94.4%
Vicodin, Lortab or Lorcet?				
All	2.0%	3.9%	5.9%	94.1%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.8%	1.3%	2.3%	97.7%
Grade 9	1.7%	3.1%	4.6%	95.4%
Grade 10	2.8%	5.5%	7.8%	92.2%
Grade 11	3.3%	6.6%	9.9%	90.1%
Grade 12	3.4%	6.6%	11.1%	88.9%
Valium or Diazepam?				
All	0.7%	1.4%	2.5%	97.5%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	0.6%	1.3%	2.1%	97.9%
Grade 10	0.8%	1.8%	3.2%	96.8%
Grade 11	1.0%	1.9%	3.5%	96.5%
Grade 12	1.1%	2.4%	4.4%	95.6%
Xanax or Alprazolam?				
All	1.8%	3.1%	4.8%	95.2%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	1.0%	1.5%	2.3%	97.7%
Grade 9	1.6%	2.9%	4.1%	95.9%
Grade 10	2.7%	4.3%	6.4%	93.6%
Grade 11	2.7%	4.9%	7.3%	92.7%
Grade 12	2.2%	4.5%	7.9%	92.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple C?				
All	1.9%	3.2%	5.5%	94.5%
Grade 7	1.6%	2.3%	4.0%	96.0%
Grade 8	2.2%	3.0%	4.9%	95.1%
Grade 9	2.1%	3.3%	5.7%	94.3%
Grade 10	2.1%	4.0%	6.6%	93.4%
Grade 11	1.9%	3.5%	6.0%	94.0%
Grade 12	1.6%	2.9%	6.0%	94.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Spray paint?					
	All	0.9%	1.5%	4.8%	95.2%
	Grade 7	0.9%	1.5%	5.0%	95.0%
	Grade 8	1.4%	2.3%	6.4%	93.6%
	Grade 9	1.0%	1.7%	5.1%	94.9%
	Grade 10	0.8%	1.3%	4.4%	95.6%
	Grade 11	0.6%	1.2%	4.4%	95.6%
	Grade 12	0.7%	1.0%	3.1%	96.9%
Whiteout,correction fld?					
	All	2.5%	4.0%	9.9%	90.1%
	Grade 7	4.3%	6.4%	13.0%	87.0%
	Grade 8	4.0%	6.4%	13.6%	86.4%
	Grade 9	2.4%	4.0%	10.5%	89.5%
	Grade 10	1.6%	2.8%	9.1%	90.9%
	Grade 11	1.3%	2.3%	6.7%	93.3%
	Grade 12	0.8%	1.3%	5.2%	94.8%
Computer dusting sprays?					
	All	0.7%	1.2%	2.9%	97.1%
	Grade 7	0.7%	1.0%	1.7%	98.3%
	Grade 8	0.6%	1.2%	2.6%	97.4%
	Grade 9	0.8%	1.4%	2.9%	97.1%
	Grade 10	0.6%	1.3%	3.5%	96.5%
	Grade 11	0.7%	1.2%	3.2%	96.8%
	Grade 12	0.6%	1.2%	3.4%	96.6%
Helium,butane,propane,whippets,freon?					
	All	2.1%	3.6%	7.7%	92.3%
	Grade 7	2.1%	3.5%	7.0%	93.0%
	Grade 8	2.5%	4.2%	8.5%	91.5%
	Grade 9	2.3%	3.8%	7.9%	92.1%
	Grade 10	1.8%	3.4%	8.2%	91.8%
	Grade 11	2.3%	3.9%	8.1%	91.9%
	Grade 12	1.2%	2.7%	6.4%	93.6%
Glue?					
	All	0.5%	1.0%	2.4%	97.6%
	Grade 7	1.0%	1.4%	3.0%	97.0%
	Grade 8	0.8%	1.5%	3.2%	96.8%
	Grade 9	0.3%	0.7%	2.2%	97.8%
	Grade 10	0.3%	0.6%	2.0%	98.0%
	Grade 11	0.3%	0.7%	1.8%	98.2%
	Grade 12	0.4%	0.8%	1.7%	98.3%
Toluene,paint thinner,other solvents?					
	All	0.6%	1.1%	2.4%	97.6%
	Grade 7	0.8%	1.2%	2.4%	97.6%
	Grade 8	0.9%	1.4%	2.7%	97.3%
	Grade 9	0.5%	1.0%	2.2%	97.8%
	Grade 10	0.4%	0.8%	2.5%	97.5%
	Grade 11	0.7%	1.1%	2.6%	97.4%
	Grade 12	0.3%	0.7%	1.8%	98.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table I-1: How recently, if ever, have you used...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Gasoline,octane booster,carburetor cleaner?				
All	1.0%	1.5%	3.5%	96.5%
Grade 7	1.2%	1.8%	3.7%	96.3%
Grade 8	1.5%	2.4%	4.7%	95.3%
Grade 9	1.1%	1.5%	3.5%	96.5%
Grade 10	0.9%	1.4%	3.5%	96.5%
Grade 11	0.9%	1.4%	3.0%	97.0%
Grade 12	0.3%	0.6%	2.0%	98.0%
Other aerosols/sprays?				
All	1.1%	1.8%	4.0%	96.0%
Grade 7	1.7%	2.5%	4.8%	95.2%
Grade 8	1.6%	2.8%	5.5%	94.5%
Grade 9	1.0%	1.7%	3.8%	96.2%
Grade 10	0.7%	1.3%	3.7%	96.3%
Grade 11	0.7%	1.3%	3.4%	96.6%
Grade 12	0.5%	0.7%	2.6%	97.4%
Any inhalant?				
All	5.6%	8.4%	16.7%	83.3%
Grade 7	8.0%	10.4%	18.9%	81.1%
Grade 8	8.0%	11.7%	20.8%	79.2%
Grade 9	5.8%	8.7%	17.1%	82.9%
Grade 10	4.3%	7.0%	16.2%	83.8%
Grade 11	4.0%	6.7%	14.3%	85.7%
Grade 12	2.9%	5.1%	12.0%	88.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.9%	0.1%	0.3%	0.7%	1.2%	1.6%	3.1%
Grade 7	91.7%	0.3%	0.5%	1.1%	1.7%	1.9%	2.8%
Grade 8	90.8%	0.2%	0.7%	1.1%	1.7%	2.4%	3.2%
Grade 9	92.7%	0.1%	0.2%	0.8%	1.4%	1.6%	3.1%
Grade 10	93.6%	0.1%	0.2%	0.5%	0.8%	1.4%	3.4%
Grade 11	94.0%	0.1%	0.2%	0.4%	0.8%	1.5%	3.0%
Grade 12	95.4%	0.1%	0.1%	0.2%	0.5%	0.7%	3.0%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	83.6%	7.9%	5.7%	2.8%
Grade 7	81.4%	8.9%	7.0%	2.7%
Grade 8	79.4%	9.4%	7.6%	3.6%
Grade 9	83.2%	8.1%	5.8%	2.9%
Grade 10	84.2%	7.8%	5.1%	2.9%
Grade 11	85.9%	6.9%	4.7%	2.5%
Grade 12	88.3%	6.1%	3.8%	1.8%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.5	12.2	12.5	13.5	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.8%	1.5%	0.3%	0.4%
Grade 7	96.9%	2.2%	0.4%	0.5%
Grade 8	97.1%	2.0%	0.5%	0.4%
Grade 9	97.6%	1.8%	0.2%	0.4%
Grade 10	98.5%	1.1%	0.2%	0.2%
Grade 11	98.3%	1.2%	0.3%	0.3%
Grade 12	98.9%	0.6%	0.1%	0.4%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.9
Inhalants Non-use	4.0

Average days conduct problems reported	
Inhalants Users:	4.5
Inhalants Non-use	1.8

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	81.8%	12.3%	4.0%	1.5%	0.4%
Grade 7	82.2%	10.8%	4.4%	2.1%	0.5%
Grade 8	79.4%	13.2%	5.2%	1.7%	0.6%
Grade 9	80.1%	13.2%	4.6%	1.8%	0.3%
Grade 10	80.5%	13.9%	4.0%	1.2%	0.4%
Grade 11	83.3%	12.2%	2.9%	1.0%	0.5%
Grade 12	86.5%	9.9%	2.7%	0.7%	0.3%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	72.9%	14.9%	4.7%	1.6%	5.9%
Grade 7	74.8%	12.9%	5.3%	1.9%	5.2%
Grade 8	71.6%	14.3%	5.6%	2.1%	6.4%
Grade 9	71.7%	15.9%	5.0%	1.8%	5.7%
Grade 10	71.8%	15.6%	4.8%	1.3%	6.5%
Grade 11	73.2%	15.7%	4.2%	1.6%	5.2%
Grade 12	74.7%	15.0%	3.0%	1.2%	6.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table I-9: If you wanted some, how difficult would it be to get..

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?						
All	21.9%	18.5%	5.2%	7.0%	11.1%	36.3%
Grade 7	26.2%	30.1%	5.3%	5.7%	8.6%	24.1%
Grade 8	23.4%	24.0%	5.4%	7.4%	9.9%	30.0%
Grade 9	22.1%	18.3%	5.5%	6.6%	12.0%	35.5%
Grade 10	20.6%	14.2%	5.2%	8.2%	12.9%	38.9%
Grade 11	19.1%	12.5%	5.0%	7.4%	11.9%	44.1%
Grade 12	19.2%	9.9%	4.4%	6.8%	11.7%	48.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 46.6%
	Grade 7 43.7%
	Grade 8 44.5%
	Grade 9 53.1%
	Grade 10 49.4%
	Grade 11 46.8%
	Grade 12 40.5%
An assembly program	All 48.4%
	Grade 7 52.8%
	Grade 8 55.9%
	Grade 9 46.5%
	Grade 10 45.5%
	Grade 11 42.1%
	Grade 12 47.4%
Guidance counselor	All 24.2%
	Grade 7 30.7%
	Grade 8 32.7%
	Grade 9 24.5%
	Grade 10 20.3%
	Grade 11 18.1%
	Grade 12 17.7%
Science class	All 29.8%
	Grade 7 35.6%
	Grade 8 30.6%
	Grade 9 35.2%
	Grade 10 29.6%
	Grade 11 23.9%
	Grade 12 21.7%
Social studies class	All 14.5%
	Grade 7 15.1%
	Grade 8 14.2%
	Grade 9 15.0%
	Grade 10 15.1%
	Grade 11 13.4%
	Grade 12 13.8%
Student group session	All 14.1%
	Grade 7 13.5%
	Grade 8 14.0%
	Grade 9 13.7%
	Grade 10 13.8%
	Grade 11 14.1%
	Grade 12 15.7%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)**

CATEGORY	Yes
An invited school guest	All 33.9%
	Grade 7 39.3%
	Grade 8 39.2%
	Grade 9 32.0%
	Grade 10 31.2%
	Grade 11 28.8%
	Grade 12 32.7%
Another source at school	All 31.1%
	Grade 7 31.4%
	Grade 8 32.0%
	Grade 9 33.0%
	Grade 10 31.7%
	Grade 11 29.2%
	Grade 12 29.0%
Any school source	All 60.6%
	Grade 7 60.6%
	Grade 8 63.1%
	Grade 9 62.2%
	Grade 10 60.4%
	Grade 11 58.1%
	Grade 12 58.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
Counselor/program in-school	All 33.3%
	Grade 7 45.7%
	Grade 8 37.5%
	Grade 9 32.4%
	Grade 10 28.0%
	Grade 11 27.3%
	Grade 12 27.4%
Another adult in school	All 33.3%
	Grade 7 41.0%
	Grade 8 36.0%
	Grade 9 31.7%
	Grade 10 29.5%
	Grade 11 29.0%
	Grade 12 31.6%
Counselor/program outside-school	All 36.5%
	Grade 7 40.6%
	Grade 8 35.9%
	Grade 9 36.4%
	Grade 10 34.4%
	Grade 11 34.8%
	Grade 12 36.6%
Your parents	All 60.4%
	Grade 7 67.4%
	Grade 8 61.5%
	Grade 9 59.1%
	Grade 10 56.7%
	Grade 11 56.9%
	Grade 12 60.4%
A medical doctor	All 44.7%
	Grade 7 52.6%
	Grade 8 46.1%
	Grade 9 44.0%
	Grade 10 40.2%
	Grade 11 41.3%
	Grade 12 43.4%
Your friends	All 70.1%
	Grade 7 60.8%
	Grade 8 67.3%
	Grade 9 70.2%
	Grade 10 74.2%
	Grade 11 74.6%
	Grade 12 74.7%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)**

CATEGORY	Yes
Another adult	All 61.8%
	Grade 7 61.8%
	Grade 8 61.1%
	Grade 9 63.4%
	Grade 10 61.1%
	Grade 11 61.9%
	Grade 12 61.3%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY	Yes
Seek Help	All 7.3%
	Grade 7 7.3%
	Grade 8 8.2%
	Grade 9 8.6%
	Grade 10 7.4%
	Grade 11 6.3%
	Grade 12 5.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	4.9%	25.0%	26.3%	34.8%	9.0%
Grade 7	7.0%	24.4%	21.3%	32.8%	14.5%
Grade 8	5.6%	24.6%	26.1%	33.0%	10.6%
Grade 9	5.0%	26.2%	26.7%	34.1%	8.0%
Grade 10	4.1%	25.3%	29.8%	34.3%	6.5%
Grade 11	3.6%	25.6%	27.3%	36.0%	7.4%
Grade 12	3.5%	23.4%	26.6%	39.9%	6.6%
Sometimes carry weapons?					
All	64.4%	21.5%	9.2%	3.5%	1.4%
Grade 7	75.8%	16.6%	5.1%	1.7%	0.8%
Grade 8	69.0%	19.7%	7.1%	2.9%	1.3%
Grade 9	63.1%	22.3%	9.7%	3.7%	1.2%
Grade 10	60.9%	22.7%	11.0%	4.1%	1.3%
Grade 11	58.8%	23.7%	10.5%	4.9%	2.1%
Grade 12	57.0%	24.4%	12.7%	4.2%	1.6%
Care about making good grades?					
All	2.7%	13.3%	22.1%	44.1%	17.7%
Grade 7	4.0%	16.2%	20.4%	36.2%	23.2%
Grade 8	3.3%	15.3%	22.0%	40.4%	19.0%
Grade 9	2.6%	13.7%	23.3%	43.4%	17.0%
Grade 10	2.3%	12.8%	24.4%	45.9%	14.7%
Grade 11	2.2%	10.7%	21.6%	48.9%	16.7%
Grade 12	2.0%	10.3%	20.8%	51.7%	15.3%
Belong/want to belong to a gang?					
All	70.6%	16.5%	7.8%	3.8%	1.4%
Grade 7	75.1%	14.0%	6.1%	3.3%	1.5%
Grade 8	67.8%	17.9%	8.4%	4.4%	1.5%
Grade 9	65.6%	18.9%	9.3%	4.7%	1.5%
Grade 10	69.0%	17.0%	8.7%	4.0%	1.3%
Grade 11	72.0%	15.8%	7.8%	3.2%	1.1%
Grade 12	75.7%	14.4%	5.9%	2.7%	1.3%
Wish they could drop out of school?					
All	58.3%	27.3%	9.2%	3.4%	1.7%
Grade 7	67.2%	21.0%	6.6%	3.3%	1.9%
Grade 8	60.1%	25.6%	9.0%	3.3%	1.9%
Grade 9	54.5%	29.4%	10.4%	4.3%	1.5%
Grade 10	52.2%	31.3%	10.8%	4.0%	1.7%
Grade 11	55.7%	29.7%	10.0%	2.9%	1.8%
Grade 12	60.4%	27.2%	8.4%	2.4%	1.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

Table X-5: How safe do you feel when you are:

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?					
All	81.0%	16.4%	1.2%	0.4%	1.0%
Grade 7	79.4%	17.8%	1.3%	0.3%	1.2%
Grade 8	78.8%	18.2%	1.6%	0.4%	1.0%
Grade 9	80.0%	17.1%	1.5%	0.4%	1.0%
Grade 10	81.0%	16.2%	1.2%	0.3%	1.2%
Grade 11	83.0%	14.8%	1.0%	0.5%	0.8%
Grade 12	85.0%	13.5%	0.6%	0.4%	0.5%
Out in your neighborhood?					
All	42.4%	46.2%	7.4%	2.0%	2.0%
Grade 7	37.7%	47.9%	9.2%	2.5%	2.6%
Grade 8	38.5%	48.7%	7.9%	2.1%	2.8%
Grade 9	39.8%	48.5%	7.6%	1.9%	2.2%
Grade 10	42.5%	46.5%	7.2%	1.9%	1.9%
Grade 11	46.8%	43.3%	6.5%	2.0%	1.3%
Grade 12	51.2%	40.5%	5.6%	1.8%	0.9%
At school?					
All	42.6%	44.3%	7.0%	3.4%	2.8%
Grade 7	46.5%	40.4%	6.9%	3.3%	2.9%
Grade 8	45.4%	41.5%	6.4%	3.4%	3.3%
Grade 9	38.0%	48.0%	7.7%	3.2%	3.0%
Grade 10	37.6%	47.7%	7.7%	3.9%	3.1%
Grade 11	42.0%	45.2%	6.8%	3.5%	2.6%
Grade 12	46.9%	42.3%	6.1%	3.1%	1.6%

**Non-Border - Grades 7-12 Large
SPRING 2010**

2. Prevalence Tables

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.1%	17.2%	29.9%	70.1%
	Grade 7	4.7%	6.5%	15.0%	85.0%
	Grade 8	7.0%	10.6%	22.3%	77.7%
	Grade 9	10.6%	15.2%	28.4%	71.6%
	Grade 10	13.5%	19.7%	34.4%	65.6%
	Grade 11	17.5%	25.1%	39.3%	60.7%
	Grade 12	21.9%	29.5%	44.1%	55.9%
Alcohol					
	All	28.7%	40.3%	61.9%	38.1%
	Grade 7	14.6%	20.3%	41.8%	58.2%
	Grade 8	21.2%	30.0%	55.0%	45.0%
	Grade 9	28.2%	40.2%	63.1%	36.9%
	Grade 10	32.6%	47.1%	69.4%	30.6%
	Grade 11	35.9%	50.8%	70.2%	29.8%
	Grade 12	43.2%	58.1%	75.4%	24.6%
Inhalants					
	All	5.6%	8.4%	16.7%	83.3%
	Grade 7	8.0%	10.4%	18.9%	81.1%
	Grade 8	8.0%	11.7%	20.8%	79.2%
	Grade 9	5.8%	8.7%	17.1%	82.9%
	Grade 10	4.3%	7.0%	16.2%	83.8%
	Grade 11	4.0%	6.7%	14.3%	85.7%
	Grade 12	2.9%	5.1%	12.0%	88.0%
Any Illicit Drug					
	All	12.9%	18.4%	27.9%	72.1%
	Grade 7	4.8%	6.5%	11.2%	88.8%
	Grade 8	8.4%	11.7%	18.5%	81.5%
	Grade 9	12.1%	17.5%	26.4%	73.6%
	Grade 10	16.0%	22.2%	33.6%	66.4%
	Grade 11	17.7%	26.2%	38.8%	61.2%
	Grade 12	20.2%	29.1%	42.9%	57.1%
Marijuana					
	All	11.5%	17.2%	26.6%	73.4%
	Grade 7	3.7%	5.4%	9.4%	90.6%
	Grade 8	6.6%	9.7%	16.3%	83.7%
	Grade 9	11.1%	16.6%	25.3%	74.7%
	Grade 10	14.5%	21.2%	32.7%	67.3%
	Grade 11	16.3%	25.0%	37.9%	62.1%
	Grade 12	18.8%	28.2%	42.6%	57.4%
Marijuana Only					
	All	5.1%	8.4%	15.0%	85.0%
	Grade 7	1.7%	2.6%	5.4%	94.6%
	Grade 8	3.0%	4.7%	9.4%	90.6%
	Grade 9	4.9%	8.1%	14.3%	85.7%
	Grade 10	6.6%	10.4%	18.2%	81.8%
	Grade 11	6.8%	11.9%	20.9%	79.1%
	Grade 12	8.1%	14.1%	24.0%	76.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.3%	2.3%	4.8%	95.2%
	Grade 7	0.8%	1.3%	2.4%	97.6%
	Grade 8	1.1%	1.7%	2.9%	97.1%
	Grade 9	1.4%	2.2%	4.1%	95.9%
	Grade 10	1.6%	2.8%	6.0%	94.0%
	Grade 11	1.6%	3.1%	6.3%	93.7%
	Grade 12	1.5%	3.2%	7.6%	92.4%
Cocaine					
	All	1.2%	2.1%	4.3%	95.7%
	Grade 7	0.5%	0.9%	1.7%	98.3%
	Grade 8	0.9%	1.3%	2.4%	97.6%
	Grade 9	1.3%	2.0%	3.7%	96.3%
	Grade 10	1.5%	2.6%	5.6%	94.4%
	Grade 11	1.5%	3.0%	6.2%	93.8%
	Grade 12	1.5%	3.1%	7.5%	92.5%
Crack					
	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.5%	0.8%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	0.3%	0.5%	1.4%	98.6%
Hallucinogens					
	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.0%	1.4%	3.0%	97.0%
	Grade 9	1.7%	2.7%	4.5%	95.5%
	Grade 10	1.5%	3.0%	5.5%	94.5%
	Grade 11	1.9%	3.4%	6.5%	93.5%
	Grade 12	2.1%	4.0%	7.6%	92.4%
Uppers					
	All	2.0%	3.2%	5.0%	95.0%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.1%	1.5%	2.4%	97.6%
	Grade 9	1.9%	2.8%	4.2%	95.8%
	Grade 10	2.8%	4.5%	6.9%	93.1%
	Grade 11	3.0%	4.7%	7.9%	92.1%
	Grade 12	3.5%	5.8%	9.1%	90.9%
Downers					
	All	2.2%	3.3%	5.3%	94.7%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	1.2%	1.7%	2.4%	97.6%
	Grade 9	2.0%	2.9%	4.3%	95.7%
	Grade 10	2.9%	4.0%	6.6%	93.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	3.5%	5.3%	8.7%	91.3%
Grade 12	3.7%	6.1%	9.9%	90.1%

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.9%	1.2%	2.1%	97.9%
Grade 9	0.7%	1.1%	2.0%	98.0%
Grade 10	0.9%	1.3%	2.4%	97.6%
Grade 11	0.8%	1.1%	1.9%	98.1%
Grade 12	0.6%	0.8%	1.6%	98.4%
Steroids				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.6%	98.4%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	0.5%	0.8%	1.5%	98.5%
Grade 12	0.7%	1.0%	1.8%	98.2%
Ecstasy				
All	2.0%	3.2%	5.8%	94.2%
Grade 7	0.5%	0.9%	1.8%	98.2%
Grade 8	1.4%	2.1%	3.9%	96.1%
Grade 9	2.0%	3.0%	5.5%	94.5%
Grade 10	2.3%	3.7%	6.9%	93.1%
Grade 11	2.7%	4.7%	8.1%	91.9%
Grade 12	3.2%	5.2%	9.7%	90.3%
Heroin				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.6%	0.8%	1.5%	98.5%
Grade 11	0.5%	0.6%	1.2%	98.8%
Grade 12	0.4%	0.5%	1.1%	98.9%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.9%	20.4%	33.4%	66.6%
	Grade 7	5.2%	7.2%	16.7%	83.3%
	Grade 8	8.1%	12.3%	24.3%	75.7%
	Grade 9	13.2%	17.6%	31.1%	68.9%
	Grade 10	16.8%	23.4%	38.2%	61.8%
	Grade 11	22.3%	30.4%	45.6%	54.4%
	Grade 12	27.2%	35.8%	49.5%	50.5%
Alcohol					
	All	29.1%	40.1%	61.2%	38.8%
	Grade 7	13.9%	19.8%	41.6%	58.4%
	Grade 8	21.2%	30.0%	55.2%	44.8%
	Grade 9	27.7%	38.8%	61.3%	38.7%
	Grade 10	32.4%	47.0%	68.1%	31.9%
	Grade 11	38.1%	51.6%	70.0%	30.0%
	Grade 12	45.1%	58.2%	75.0%	25.0%
Inhalants					
	All	5.5%	8.3%	16.4%	83.6%
	Grade 7	7.3%	9.8%	17.8%	82.2%
	Grade 8	7.0%	10.4%	18.8%	81.2%
	Grade 9	5.8%	8.4%	15.9%	84.1%
	Grade 10	4.2%	6.8%	16.4%	83.6%
	Grade 11	4.9%	7.9%	15.4%	84.6%
	Grade 12	3.4%	6.0%	13.4%	86.6%
Any Illicit Drug					
	All	14.7%	20.6%	30.8%	69.2%
	Grade 7	5.0%	6.9%	12.1%	87.9%
	Grade 8	8.6%	12.3%	20.1%	79.9%
	Grade 9	13.8%	19.4%	29.2%	70.8%
	Grade 10	18.6%	25.3%	37.9%	62.1%
	Grade 11	20.6%	30.3%	43.7%	56.3%
	Grade 12	23.8%	33.2%	46.7%	53.3%
Marijuana					
	All	13.3%	19.4%	29.9%	70.1%
	Grade 7	3.9%	5.8%	10.6%	89.4%
	Grade 8	7.3%	10.7%	18.5%	81.5%
	Grade 9	12.9%	18.5%	28.1%	71.9%
	Grade 10	17.2%	24.4%	37.4%	62.6%
	Grade 11	18.5%	28.6%	42.8%	57.2%
	Grade 12	22.2%	31.9%	46.6%	53.4%
Marijuana Only					
	All	5.7%	9.4%	16.7%	83.3%
	Grade 7	2.0%	3.1%	6.5%	93.5%
	Grade 8	3.5%	5.3%	11.0%	89.0%
	Grade 9	5.9%	9.4%	16.3%	83.7%
	Grade 10	7.3%	11.9%	20.8%	79.2%
	Grade 11	7.5%	13.3%	22.9%	77.1%
	Grade 12	8.6%	15.0%	25.0%	75.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	2.6%	5.3%	94.7%
	Grade 7	0.7%	1.1%	2.1%	97.9%
	Grade 8	0.9%	1.4%	2.7%	97.3%
	Grade 9	1.7%	2.6%	4.7%	95.3%
	Grade 10	2.1%	3.2%	6.8%	93.2%
	Grade 11	1.8%	3.6%	7.5%	92.5%
	Grade 12	2.2%	4.3%	9.4%	90.6%
Cocaine					
	All	1.4%	2.4%	5.0%	95.0%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	1.6%	2.4%	4.3%	95.7%
	Grade 10	2.0%	2.9%	6.5%	93.5%
	Grade 11	1.7%	3.5%	7.5%	92.5%
	Grade 12	2.1%	4.1%	9.2%	90.8%
Crack					
	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.5%	1.3%	98.7%
	Grade 9	0.3%	0.6%	1.5%	98.5%
	Grade 10	0.3%	0.7%	1.5%	98.5%
	Grade 11	0.5%	0.8%	1.6%	98.4%
	Grade 12	0.4%	0.7%	2.0%	98.0%
Hallucinogens					
	All	2.0%	3.4%	6.1%	93.9%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.0%	1.7%	3.8%	96.2%
	Grade 9	2.4%	3.5%	5.7%	94.3%
	Grade 10	2.0%	4.1%	7.5%	92.5%
	Grade 11	2.8%	4.8%	8.7%	91.3%
	Grade 12	3.3%	6.1%	10.5%	89.5%
Uppers					
	All	2.4%	3.6%	5.5%	94.5%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	1.3%	1.7%	2.5%	97.5%
	Grade 9	2.1%	3.1%	4.7%	95.3%
	Grade 10	3.4%	5.1%	7.9%	92.1%
	Grade 11	3.8%	5.8%	9.0%	91.0%
	Grade 12	4.4%	6.2%	9.5%	90.5%
Downers					
	All	2.6%	3.9%	5.9%	94.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	1.2%	1.7%	2.4%	97.6%
	Grade 9	2.1%	3.0%	4.7%	95.3%
	Grade 10	3.4%	4.8%	7.8%	92.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.4%	6.5%	10.1%	89.9%
Grade 12	4.9%	7.6%	11.4%	88.6%

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.8%	1.1%	1.9%	98.1%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	1.0%	1.3%	2.3%	97.7%
Grade 9	0.8%	1.1%	2.1%	97.9%
Grade 10	0.9%	1.4%	2.2%	97.8%
Grade 11	0.7%	0.9%	1.8%	98.2%
Grade 12	0.8%	1.0%	1.7%	98.3%
Steroids				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	0.3%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.8%	1.9%	98.1%
Grade 9	0.6%	0.9%	1.6%	98.4%
Grade 10	0.8%	1.1%	1.9%	98.1%
Grade 11	0.8%	1.2%	2.1%	97.9%
Grade 12	1.2%	1.5%	2.7%	97.3%
Ecstasy				
All	2.3%	3.6%	6.3%	93.7%
Grade 7	0.4%	0.8%	1.9%	98.1%
Grade 8	1.4%	2.2%	4.1%	95.9%
Grade 9	2.2%	3.2%	5.3%	94.7%
Grade 10	2.6%	4.1%	7.2%	92.8%
Grade 11	3.3%	5.8%	9.5%	90.5%
Grade 12	4.3%	6.4%	10.7%	89.3%
Heroin				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.5%	0.7%	1.5%	98.5%
Grade 12	0.7%	0.9%	1.5%	98.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.5%	14.2%	26.7%	73.3%
	Grade 7	4.2%	5.8%	13.4%	86.6%
	Grade 8	5.9%	9.1%	20.5%	79.5%
	Grade 9	8.3%	13.0%	26.0%	74.0%
	Grade 10	10.7%	16.6%	31.1%	68.9%
	Grade 11	13.2%	20.2%	33.5%	66.5%
	Grade 12	16.7%	23.2%	38.7%	61.3%
Alcohol					
	All	28.4%	40.6%	62.6%	37.4%
	Grade 7	15.2%	20.8%	42.1%	57.9%
	Grade 8	21.1%	30.0%	54.8%	45.2%
	Grade 9	28.6%	41.6%	64.8%	35.2%
	Grade 10	32.9%	47.3%	70.6%	29.4%
	Grade 11	33.9%	50.2%	70.4%	29.6%
	Grade 12	41.3%	58.0%	75.7%	24.3%
Inhalants					
	All	5.7%	8.5%	17.1%	82.9%
	Grade 7	8.6%	11.0%	19.9%	80.1%
	Grade 8	8.9%	12.9%	22.8%	77.2%
	Grade 9	5.7%	9.1%	18.2%	81.8%
	Grade 10	4.3%	7.1%	16.0%	84.0%
	Grade 11	3.1%	5.7%	13.4%	86.6%
	Grade 12	2.4%	4.0%	10.4%	89.6%
Any Illicit Drug					
	All	11.2%	16.3%	25.2%	74.8%
	Grade 7	4.6%	6.2%	10.4%	89.6%
	Grade 8	8.1%	11.1%	17.0%	83.0%
	Grade 9	10.6%	15.7%	23.8%	76.2%
	Grade 10	13.8%	19.6%	30.0%	70.0%
	Grade 11	14.8%	22.3%	34.3%	65.7%
	Grade 12	16.4%	25.1%	39.0%	61.0%
Marijuana					
	All	9.9%	15.1%	23.6%	76.4%
	Grade 7	3.6%	5.0%	8.2%	91.8%
	Grade 8	5.9%	8.8%	14.2%	85.8%
	Grade 9	9.6%	14.8%	22.7%	77.3%
	Grade 10	12.1%	18.4%	28.6%	71.4%
	Grade 11	14.1%	21.7%	33.1%	66.9%
	Grade 12	15.3%	24.6%	38.6%	61.4%
Marijuana Only					
	All	4.5%	7.5%	13.4%	86.6%
	Grade 7	1.4%	2.2%	4.3%	95.7%
	Grade 8	2.4%	4.0%	7.9%	92.1%
	Grade 9	4.1%	6.9%	12.5%	87.5%
	Grade 10	6.1%	9.2%	16.0%	84.0%
	Grade 11	6.0%	10.6%	18.9%	81.1%
	Grade 12	7.6%	13.2%	23.0%	77.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.2%	2.0%	4.2%	95.8%
	Grade 7	0.9%	1.4%	2.6%	97.4%
	Grade 8	1.3%	1.9%	3.1%	96.9%
	Grade 9	1.1%	1.8%	3.5%	96.5%
	Grade 10	1.2%	2.5%	5.4%	94.6%
	Grade 11	1.5%	2.6%	5.3%	94.7%
	Grade 12	0.9%	2.0%	5.8%	94.2%
Cocaine					
	All	1.0%	1.8%	3.7%	96.3%
	Grade 7	0.7%	1.1%	1.9%	98.1%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	1.0%	1.6%	3.1%	96.9%
	Grade 10	1.1%	2.3%	4.8%	95.2%
	Grade 11	1.4%	2.5%	5.1%	94.9%
	Grade 12	0.9%	2.0%	5.8%	94.2%
Crack					
	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.9%	98.1%
	Grade 8	0.7%	1.0%	1.9%	98.1%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	0.3%	0.6%	1.2%	98.8%
	Grade 12	0.1%	0.2%	0.8%	99.2%
Hallucinogens					
	All	1.0%	1.7%	3.2%	96.8%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	1.0%	1.2%	2.2%	97.8%
	Grade 9	1.1%	2.0%	3.4%	96.6%
	Grade 10	1.2%	2.1%	3.8%	96.2%
	Grade 11	1.1%	2.2%	4.5%	95.5%
	Grade 12	0.9%	1.8%	4.6%	95.4%
Uppers					
	All	1.6%	2.8%	4.6%	95.4%
	Grade 7	0.5%	0.9%	1.3%	98.7%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	1.6%	2.5%	3.7%	96.3%
	Grade 10	2.3%	4.0%	6.1%	93.9%
	Grade 11	2.2%	3.7%	6.8%	93.2%
	Grade 12	2.5%	5.2%	8.6%	91.4%
Downers					
	All	1.8%	2.8%	4.6%	95.4%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	1.2%	1.6%	2.4%	97.6%
	Grade 9	1.9%	2.8%	3.9%	96.1%
	Grade 10	2.4%	3.4%	5.6%	94.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	2.7%	4.2%	7.3%	92.7%
Grade 12	2.6%	4.7%	8.3%	91.7%

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	0.7%	1.2%	2.0%	98.0%
Grade 10	0.9%	1.2%	2.5%	97.5%
Grade 11	0.9%	1.3%	2.0%	98.0%
Grade 12	0.3%	0.6%	1.4%	98.6%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.3%	1.0%	99.0%
Grade 11	0.2%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.5%	0.9%	99.1%
Ecstasy				
All	1.6%	2.8%	5.4%	94.6%
Grade 7	0.7%	1.1%	1.7%	98.3%
Grade 8	1.4%	2.0%	3.8%	96.2%
Grade 9	1.7%	2.9%	5.6%	94.4%
Grade 10	1.9%	3.5%	6.6%	93.4%
Grade 11	2.2%	3.8%	6.8%	93.2%
Grade 12	2.1%	3.9%	8.6%	91.4%
Heroin				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	0.9%	1.2%	1.9%	98.1%
Grade 9	0.3%	0.6%	1.4%	98.6%
Grade 10	0.7%	0.9%	1.4%	98.6%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.0%	0.1%	0.6%	99.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.1%	19.1%	30.2%	69.8%
	Grade 7	3.7%	5.0%	12.1%	87.9%
	Grade 8	6.3%	9.6%	20.0%	80.0%
	Grade 9	11.7%	16.3%	26.7%	73.3%
	Grade 10	16.6%	23.1%	35.8%	64.2%
	Grade 11	22.0%	29.3%	41.8%	58.2%
	Grade 12	26.1%	33.8%	47.6%	52.4%
Alcohol					
	All	26.3%	38.0%	58.4%	41.6%
	Grade 7	9.5%	15.4%	34.0%	66.0%
	Grade 8	14.8%	23.3%	48.2%	51.8%
	Grade 9	24.2%	36.2%	57.9%	42.1%
	Grade 10	31.9%	45.8%	67.8%	32.2%
	Grade 11	34.9%	50.8%	68.9%	31.1%
	Grade 12	44.6%	59.1%	76.0%	24.0%
Inhalants					
	All	5.0%	7.9%	16.1%	83.9%
	Grade 7	6.1%	8.4%	15.5%	84.5%
	Grade 8	7.0%	10.0%	18.1%	81.9%
	Grade 9	5.7%	8.8%	16.7%	83.3%
	Grade 10	4.0%	7.4%	16.9%	83.1%
	Grade 11	4.2%	7.0%	15.9%	84.1%
	Grade 12	3.1%	5.4%	12.9%	87.1%
Any Illicit Drug					
	All	11.0%	16.1%	23.5%	76.5%
	Grade 7	2.2%	3.6%	6.6%	93.4%
	Grade 8	5.0%	7.8%	12.2%	87.8%
	Grade 9	9.7%	14.2%	20.2%	79.8%
	Grade 10	14.4%	19.9%	28.8%	71.2%
	Grade 11	16.3%	24.1%	35.1%	64.9%
	Grade 12	19.2%	28.1%	40.1%	59.9%
Marijuana					
	All	9.9%	15.1%	22.4%	77.6%
	Grade 7	1.6%	2.8%	5.2%	94.8%
	Grade 8	3.8%	6.2%	10.1%	89.9%
	Grade 9	9.1%	13.8%	19.4%	80.6%
	Grade 10	13.2%	19.0%	27.9%	72.1%
	Grade 11	14.8%	23.3%	34.3%	65.7%
	Grade 12	17.7%	27.1%	39.7%	60.3%
Marijuana Only					
	All	3.7%	6.6%	11.6%	88.4%
	Grade 7	0.6%	1.1%	2.7%	97.3%
	Grade 8	1.6%	3.0%	5.8%	94.2%
	Grade 9	3.5%	6.2%	10.2%	89.8%
	Grade 10	4.9%	7.9%	13.6%	86.4%
	Grade 11	5.4%	9.7%	17.5%	82.5%
	Grade 12	6.7%	12.1%	20.9%	79.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.9%	1.7%	3.5%	96.5%
	Grade 7	0.3%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.9%	1.3%	2.3%	97.7%
	Grade 10	1.1%	2.1%	4.7%	95.3%
	Grade 11	1.3%	2.5%	5.0%	95.0%
	Grade 12	1.5%	3.2%	6.6%	93.4%
Cocaine					
	All	0.8%	1.5%	3.1%	96.9%
	Grade 7	0.0%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.4%	1.1%	98.9%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	1.1%	1.9%	4.2%	95.8%
	Grade 11	1.1%	2.4%	4.9%	95.1%
	Grade 12	1.5%	3.1%	6.4%	93.6%
Crack					
	All	0.2%	0.4%	1.2%	98.8%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.1%	0.3%	0.8%	99.2%
	Grade 9	0.3%	0.4%	0.9%	99.1%
	Grade 10	0.2%	0.5%	1.7%	98.3%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.2%	0.5%	1.4%	98.6%
Hallucinogens					
	All	1.7%	3.0%	5.4%	94.6%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.2%	2.9%	97.1%
	Grade 9	1.9%	2.9%	4.7%	95.3%
	Grade 10	2.3%	4.2%	7.4%	92.6%
	Grade 11	2.2%	4.0%	7.6%	92.4%
	Grade 12	2.6%	5.1%	9.3%	90.7%
Uppers					
	All	2.5%	4.0%	6.1%	93.9%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	2.5%	3.3%	4.8%	95.2%
	Grade 10	3.6%	5.9%	8.6%	91.4%
	Grade 11	3.8%	6.3%	10.1%	89.9%
	Grade 12	4.2%	7.2%	11.4%	88.6%
Downers					
	All	2.5%	3.8%	6.1%	93.9%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.8%	1.3%	2.0%	98.0%
	Grade 9	2.3%	3.2%	4.5%	95.5%
	Grade 10	3.3%	4.6%	7.5%	92.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.2%	6.2%	10.2%	89.8%
Grade 12	4.5%	7.8%	12.4%	87.6%

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.4%	0.8%	1.3%	98.7%
Grade 10	0.7%	1.0%	2.2%	97.8%
Grade 11	0.8%	0.9%	1.6%	98.4%
Grade 12	0.6%	0.8%	1.8%	98.2%
Steroids				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.6%	1.5%	98.5%
Grade 8	0.3%	0.8%	1.9%	98.1%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.7%	1.0%	1.7%	98.3%
Grade 11	0.5%	1.0%	2.0%	98.0%
Grade 12	0.8%	1.0%	1.7%	98.3%
Ecstasy				
All	1.7%	3.1%	5.6%	94.4%
Grade 7	0.4%	0.8%	1.4%	98.6%
Grade 8	0.9%	1.4%	2.6%	97.4%
Grade 9	1.5%	2.4%	4.4%	95.6%
Grade 10	2.2%	3.6%	6.9%	93.1%
Grade 11	2.8%	5.0%	8.5%	91.5%
Grade 12	2.9%	5.6%	10.4%	89.6%
Heroin				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.4%	0.5%	1.4%	98.6%
Grade 11	0.5%	0.7%	1.3%	98.7%
Grade 12	0.5%	0.7%	1.6%	98.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.7%	11.3%	23.5%	76.5%
	Grade 7	4.8%	6.1%	15.2%	84.8%
	Grade 8	4.9%	8.3%	19.9%	80.1%
	Grade 9	7.3%	10.2%	22.4%	77.6%
	Grade 10	6.5%	11.7%	27.8%	72.2%
	Grade 11	7.9%	16.0%	27.7%	72.3%
	Grade 12	9.2%	16.9%	29.2%	70.8%
Alcohol					
	All	25.0%	36.5%	59.5%	40.5%
	Grade 7	16.3%	21.3%	44.4%	55.6%
	Grade 8	20.9%	28.2%	55.4%	44.6%
	Grade 9	25.0%	36.5%	60.4%	39.6%
	Grade 10	26.4%	40.7%	65.3%	34.7%
	Grade 11	29.8%	44.5%	64.5%	35.5%
	Grade 12	33.5%	50.4%	68.5%	31.5%
Inhalants					
	All	5.2%	7.0%	12.9%	87.1%
	Grade 7	8.9%	10.4%	17.6%	82.4%
	Grade 8	6.5%	9.0%	16.8%	83.2%
	Grade 9	4.4%	6.2%	11.6%	88.4%
	Grade 10	4.7%	5.7%	12.2%	87.8%
	Grade 11	3.8%	6.4%	10.4%	89.6%
	Grade 12	2.3%	3.9%	7.9%	92.1%
Any Illicit Drug					
	All	12.9%	19.0%	30.6%	69.4%
	Grade 7	5.6%	7.6%	11.8%	88.2%
	Grade 8	9.3%	12.3%	23.0%	77.0%
	Grade 9	10.8%	16.2%	28.3%	71.7%
	Grade 10	14.8%	21.1%	36.4%	63.6%
	Grade 11	16.9%	27.2%	40.8%	59.2%
	Grade 12	21.9%	32.8%	47.1%	52.9%
Marijuana					
	All	11.6%	17.9%	29.8%	70.2%
	Grade 7	4.6%	6.6%	10.4%	89.6%
	Grade 8	7.5%	9.8%	21.0%	79.0%
	Grade 9	10.0%	15.5%	27.7%	72.3%
	Grade 10	13.0%	20.4%	36.2%	63.8%
	Grade 11	16.2%	26.6%	40.2%	59.8%
	Grade 12	20.4%	32.0%	47.3%	52.7%
Marijuana Only					
	All	7.4%	12.3%	21.9%	78.1%
	Grade 7	2.4%	4.0%	6.8%	93.2%
	Grade 8	4.8%	6.8%	16.0%	84.0%
	Grade 9	6.3%	10.3%	20.5%	79.5%
	Grade 10	8.9%	14.1%	26.3%	73.7%
	Grade 11	10.1%	18.7%	30.6%	69.4%
	Grade 12	13.0%	22.5%	34.6%	65.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.4%	1.0%	1.9%	98.1%
	Grade 8	0.7%	0.8%	1.6%	98.4%
	Grade 9	0.4%	0.8%	1.4%	98.6%
	Grade 10	0.6%	0.8%	1.0%	99.0%
	Grade 11	0.5%	0.7%	1.5%	98.5%
	Grade 12	0.7%	0.9%	2.0%	98.0%
Cocaine					
	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.3%	1.0%	1.9%	98.1%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.4%	0.7%	1.3%	98.7%
	Grade 10	0.5%	0.7%	0.9%	99.1%
	Grade 11	0.4%	0.6%	1.3%	98.7%
	Grade 12	0.6%	0.8%	1.9%	98.1%
Crack					
	All	0.3%	0.4%	0.6%	99.4%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.6%	0.6%	1.1%	98.9%
	Grade 9	0.1%	0.3%	0.6%	99.4%
	Grade 10	0.2%	0.2%	0.3%	99.7%
	Grade 11	0.2%	0.4%	0.7%	99.3%
	Grade 12	0.5%	0.5%	0.7%	99.3%
Hallucinogens					
	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.8%	0.9%	1.3%	98.7%
	Grade 8	1.1%	1.2%	1.7%	98.3%
	Grade 9	0.6%	1.0%	1.5%	98.5%
	Grade 10	0.6%	0.9%	2.4%	97.6%
	Grade 11	0.7%	1.0%	2.0%	98.0%
	Grade 12	0.5%	1.6%	3.6%	96.4%
Uppers					
	All	1.1%	1.6%	2.5%	97.5%
	Grade 7	0.7%	0.8%	1.6%	98.4%
	Grade 8	1.0%	1.3%	1.9%	98.1%
	Grade 9	0.7%	1.1%	1.7%	98.3%
	Grade 10	1.3%	1.9%	3.1%	96.9%
	Grade 11	1.1%	1.8%	2.4%	97.6%
	Grade 12	2.0%	3.2%	4.6%	95.4%
Downers					
	All	1.4%	2.0%	3.0%	97.0%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	1.3%	1.5%	2.2%	97.8%
	Grade 9	0.8%	1.1%	1.9%	98.1%
	Grade 10	1.5%	1.9%	3.5%	96.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	2.2%	3.3%	4.4%	95.6%
Grade 12	2.4%	3.9%	5.7%	94.3%

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.7%	0.9%	99.1%
Grade 10	0.8%	1.0%	1.3%	98.7%
Grade 11	0.5%	0.7%	0.9%	99.1%
Grade 12	0.2%	0.6%	0.8%	99.2%
Steroids				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	0.4%	0.9%	1.3%	98.7%
Grade 10	0.2%	0.4%	1.3%	98.7%
Grade 11	0.6%	0.8%	1.3%	98.7%
Grade 12	0.6%	0.8%	1.8%	98.2%
Ecstasy				
All	1.6%	2.6%	4.4%	95.6%
Grade 7	0.8%	1.4%	2.4%	97.6%
Grade 8	1.2%	2.4%	3.8%	96.2%
Grade 9	1.2%	1.9%	4.1%	95.9%
Grade 10	1.5%	2.6%	4.4%	95.6%
Grade 11	1.8%	3.4%	5.2%	94.8%
Grade 12	3.6%	4.6%	6.6%	93.4%
Heroin				
All	0.4%	0.6%	0.9%	99.1%
Grade 7	0.3%	0.6%	0.8%	99.2%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.9%	0.9%	99.1%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	0.2%	0.3%	0.4%	99.6%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.6%	18.1%	33.1%	66.9%
	Grade 7	5.8%	8.5%	18.4%	81.6%
	Grade 8	9.1%	13.4%	26.6%	73.4%
	Grade 9	11.2%	16.5%	33.5%	66.5%
	Grade 10	13.1%	20.1%	36.0%	64.0%
	Grade 11	17.7%	25.2%	43.1%	56.9%
	Grade 12	22.9%	30.3%	47.5%	52.5%
Alcohol					
	All	33.6%	45.5%	67.9%	32.1%
	Grade 7	19.6%	25.6%	49.8%	50.2%
	Grade 8	29.0%	38.8%	63.4%	36.6%
	Grade 9	34.0%	46.3%	70.5%	29.5%
	Grade 10	36.9%	52.5%	74.1%	25.9%
	Grade 11	41.2%	55.4%	75.9%	24.1%
	Grade 12	46.7%	61.7%	79.3%	20.7%
Inhalants					
	All	6.4%	9.7%	19.2%	80.8%
	Grade 7	9.6%	12.6%	23.2%	76.8%
	Grade 8	10.0%	15.0%	25.6%	74.4%
	Grade 9	6.4%	9.7%	19.5%	80.5%
	Grade 10	4.2%	7.1%	17.3%	82.7%
	Grade 11	3.8%	6.7%	14.5%	85.5%
	Grade 12	2.8%	5.1%	12.1%	87.9%
Any Illicit Drug					
	All	15.2%	21.1%	32.2%	67.8%
	Grade 7	7.1%	9.4%	16.4%	83.6%
	Grade 8	12.2%	16.0%	23.8%	76.2%
	Grade 9	15.2%	21.4%	32.2%	67.8%
	Grade 10	18.7%	25.9%	38.5%	61.5%
	Grade 11	20.2%	29.2%	43.8%	56.2%
	Grade 12	20.5%	29.2%	45.5%	54.5%
Marijuana					
	All	13.4%	19.5%	30.4%	69.6%
	Grade 7	5.6%	7.7%	13.6%	86.4%
	Grade 8	9.6%	13.7%	21.2%	78.8%
	Grade 9	13.8%	20.0%	30.7%	69.3%
	Grade 10	16.8%	24.3%	37.0%	63.0%
	Grade 11	18.4%	27.3%	42.2%	57.8%
	Grade 12	19.4%	28.4%	45.0%	55.0%
Marijuana Only					
	All	5.6%	8.9%	16.0%	84.0%
	Grade 7	2.5%	3.7%	7.8%	92.2%
	Grade 8	3.9%	5.7%	10.5%	89.5%
	Grade 9	5.9%	9.1%	16.1%	83.9%
	Grade 10	7.6%	11.9%	20.2%	79.8%
	Grade 11	7.0%	11.9%	21.3%	78.7%
	Grade 12	7.7%	13.1%	23.8%	76.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.9%	8.0%	92.0%
	Grade 7	1.6%	2.3%	4.0%	96.0%
	Grade 8	2.1%	3.2%	5.1%	94.9%
	Grade 9	2.4%	3.7%	7.1%	92.9%
	Grade 10	2.8%	5.1%	10.6%	89.4%
	Grade 11	2.7%	5.2%	10.7%	89.3%
	Grade 12	2.1%	4.5%	12.5%	87.5%
Cocaine					
	All	2.1%	3.5%	7.3%	92.7%
	Grade 7	1.2%	1.7%	2.9%	97.1%
	Grade 8	1.7%	2.5%	4.2%	95.8%
	Grade 9	2.3%	3.5%	6.5%	93.5%
	Grade 10	2.7%	4.6%	10.1%	89.9%
	Grade 11	2.7%	5.2%	10.6%	89.4%
	Grade 12	2.0%	4.3%	12.3%	87.7%
Crack					
	All	0.6%	1.1%	2.3%	97.7%
	Grade 7	1.0%	1.4%	2.8%	97.2%
	Grade 8	0.9%	1.3%	2.7%	97.3%
	Grade 9	0.5%	1.0%	2.3%	97.7%
	Grade 10	0.5%	1.1%	2.1%	97.9%
	Grade 11	0.6%	1.1%	1.9%	98.1%
	Grade 12	0.3%	0.4%	1.9%	98.1%
Hallucinogens					
	All	1.5%	2.5%	4.7%	95.3%
	Grade 7	0.7%	0.9%	1.7%	98.3%
	Grade 8	1.2%	1.7%	3.5%	96.5%
	Grade 9	2.0%	3.2%	5.4%	94.6%
	Grade 10	0.9%	2.4%	4.3%	95.7%
	Grade 11	2.3%	3.8%	6.9%	93.1%
	Grade 12	2.3%	3.6%	7.2%	92.8%
Uppers					
	All	1.9%	3.0%	4.9%	95.1%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	1.5%	1.9%	2.8%	97.2%
	Grade 9	1.7%	2.9%	4.6%	95.4%
	Grade 10	2.3%	4.0%	6.6%	93.4%
	Grade 11	2.8%	4.1%	7.4%	92.6%
	Grade 12	3.3%	5.0%	8.1%	91.9%
Downers					
	All	2.2%	3.4%	5.4%	94.6%
	Grade 7	0.4%	0.8%	1.5%	98.5%
	Grade 8	1.7%	2.2%	3.0%	97.0%
	Grade 9	2.3%	3.5%	5.2%	94.8%
	Grade 10	2.8%	4.4%	7.1%	92.9%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	3.2%	5.4%	8.8%	91.2%
Grade 12	3.2%	5.1%	8.5%	91.5%

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	1.2%	1.6%	2.7%	97.3%
Grade 7	0.7%	0.9%	1.8%	98.2%
Grade 8	1.8%	2.4%	3.6%	96.4%
Grade 9	1.2%	1.6%	3.1%	96.9%
Grade 10	1.4%	1.9%	3.1%	96.9%
Grade 11	1.2%	1.7%	2.9%	97.1%
Grade 12	0.8%	1.0%	1.7%	98.3%
Steroids				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.6%	1.1%	98.9%
Grade 10	0.2%	0.5%	1.0%	99.0%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.7%	1.0%	1.9%	98.1%
Ecstasy				
All	2.3%	3.6%	6.6%	93.4%
Grade 7	0.5%	0.8%	2.0%	98.0%
Grade 8	1.9%	2.7%	5.3%	94.7%
Grade 9	2.7%	4.1%	7.1%	92.9%
Grade 10	2.7%	4.5%	7.7%	92.3%
Grade 11	3.1%	5.2%	8.8%	91.2%
Grade 12	3.4%	4.9%	10.1%	89.9%
Heroin				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.8%	1.1%	2.3%	97.7%
Grade 8	1.2%	1.6%	2.5%	97.5%
Grade 9	0.5%	0.9%	1.9%	98.1%
Grade 10	1.0%	1.1%	1.8%	98.2%
Grade 11	0.5%	0.6%	1.4%	98.6%
Grade 12	0.3%	0.4%	0.8%	99.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.7%	10.1%	18.5%	81.5%
	Grade 7	1.5%	2.2%	6.6%	93.4%
	Grade 8	3.1%	4.9%	11.7%	88.3%
	Grade 9	4.2%	6.9%	15.0%	85.0%
	Grade 10	6.9%	10.5%	20.4%	79.6%
	Grade 11	9.9%	16.6%	27.7%	72.3%
	Grade 12	16.4%	22.5%	33.9%	66.1%
Alcohol					
	All	20.2%	30.6%	51.7%	48.3%
	Grade 7	7.6%	12.5%	31.0%	69.0%
	Grade 8	12.9%	19.3%	43.5%	56.5%
	Grade 9	17.0%	27.5%	49.9%	50.1%
	Grade 10	22.6%	35.9%	59.2%	40.8%
	Grade 11	28.1%	43.8%	63.3%	36.7%
	Grade 12	37.6%	51.4%	69.9%	30.1%
Inhalants					
	All	3.4%	5.4%	11.4%	88.6%
	Grade 7	4.6%	6.7%	12.7%	87.3%
	Grade 8	4.6%	7.5%	13.8%	86.2%
	Grade 9	3.0%	5.1%	10.6%	89.4%
	Grade 10	2.7%	4.0%	10.7%	89.3%
	Grade 11	3.1%	5.3%	11.1%	88.9%
	Grade 12	1.9%	3.5%	8.8%	91.2%
Any Illicit Drug					
	All	6.6%	10.1%	16.0%	84.0%
	Grade 7	1.3%	2.0%	4.1%	95.9%
	Grade 8	3.7%	5.2%	8.2%	91.8%
	Grade 9	4.9%	8.1%	13.1%	86.9%
	Grade 10	7.6%	11.5%	18.1%	81.9%
	Grade 11	10.4%	16.8%	25.9%	74.1%
	Grade 12	13.8%	19.8%	30.6%	69.4%
Marijuana					
	All	5.7%	9.3%	15.0%	85.0%
	Grade 7	0.8%	1.4%	2.9%	97.1%
	Grade 8	2.4%	4.0%	7.0%	93.0%
	Grade 9	4.2%	7.5%	12.4%	87.6%
	Grade 10	6.6%	10.7%	16.7%	83.3%
	Grade 11	9.2%	16.1%	25.0%	75.0%
	Grade 12	12.7%	19.1%	30.6%	69.4%
Marijuana Only					
	All	2.6%	4.8%	9.0%	91.0%
	Grade 7	0.3%	0.8%	1.8%	98.2%
	Grade 8	1.0%	1.9%	4.1%	95.9%
	Grade 9	1.9%	4.1%	7.9%	92.1%
	Grade 10	3.0%	5.7%	10.0%	90.0%
	Grade 11	4.5%	8.5%	15.1%	84.9%
	Grade 12	5.7%	9.5%	17.5%	82.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.5%	0.9%	1.9%	98.1%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.4%	0.7%	1.0%	99.0%
	Grade 9	0.2%	0.6%	1.1%	98.9%
	Grade 10	1.0%	1.3%	2.6%	97.4%
	Grade 11	0.6%	1.4%	2.7%	97.3%
	Grade 12	0.6%	1.6%	4.2%	95.8%
Cocaine					
	All	0.4%	0.8%	1.7%	98.3%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	0.2%	0.5%	0.9%	99.1%
	Grade 10	0.9%	1.1%	2.0%	98.0%
	Grade 11	0.6%	1.4%	2.6%	97.4%
	Grade 12	0.6%	1.5%	4.1%	95.9%
Crack					
	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.6%	99.4%
	Grade 9	0.1%	0.3%	0.6%	99.4%
	Grade 10	0.1%	0.3%	1.2%	98.8%
	Grade 11	0.2%	0.3%	0.7%	99.3%
	Grade 12	0.3%	0.5%	0.9%	99.1%
Hallucinogens					
	All	0.9%	1.4%	2.7%	97.3%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.8%	0.9%	1.5%	98.5%
	Grade 9	0.8%	1.0%	2.1%	97.9%
	Grade 10	1.1%	1.5%	2.9%	97.1%
	Grade 11	1.1%	2.0%	4.2%	95.8%
	Grade 12	1.6%	3.0%	5.6%	94.4%
Uppers					
	All	1.2%	1.9%	3.0%	97.0%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.7%	0.8%	1.4%	98.6%
	Grade 9	0.9%	1.3%	2.0%	98.0%
	Grade 10	1.7%	2.4%	3.5%	96.5%
	Grade 11	2.0%	3.1%	4.9%	95.1%
	Grade 12	2.1%	4.3%	7.0%	93.0%
Downers					
	All	1.2%	1.8%	3.0%	97.0%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.8%	0.9%	1.5%	98.5%
	Grade 9	0.9%	1.3%	1.8%	98.2%
	Grade 10	1.4%	1.9%	2.9%	97.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	2.1%	3.3%	5.4%	94.6%
Grade 12	2.2%	4.0%	7.1%	92.9%

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.2%	0.3%	0.8%	99.2%
Steroids				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.2%	98.8%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.4%	0.6%	1.3%	98.7%
Grade 12	0.5%	0.8%	1.6%	98.4%
Ecstasy				
All	1.0%	1.7%	3.0%	97.0%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.7%	1.4%	1.9%	98.1%
Grade 9	0.7%	1.2%	2.4%	97.6%
Grade 10	1.3%	2.0%	3.3%	96.7%
Grade 11	1.6%	2.6%	3.8%	96.2%
Grade 12	1.7%	3.2%	6.4%	93.6%
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.5%	0.8%	99.2%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.4%	0.7%	99.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.9%	20.8%	35.7%	64.3%
	Grade 7	6.5%	9.0%	19.9%	80.1%
	Grade 8	9.1%	13.7%	28.1%	71.9%
	Grade 9	13.4%	18.9%	34.4%	65.6%
	Grade 10	16.2%	23.6%	40.3%	59.7%
	Grade 11	21.3%	29.1%	44.9%	55.1%
	Grade 12	25.3%	33.6%	50.0%	50.0%
Alcohol					
	All	33.1%	45.4%	67.3%	32.7%
	Grade 7	18.8%	25.0%	48.4%	51.6%
	Grade 8	25.8%	35.9%	61.4%	38.6%
	Grade 9	33.2%	46.0%	69.1%	30.9%
	Grade 10	36.9%	52.0%	74.0%	26.0%
	Grade 11	39.8%	54.3%	73.7%	26.3%
	Grade 12	46.5%	62.0%	78.7%	21.3%
Inhalants					
	All	6.7%	9.9%	19.4%	80.6%
	Grade 7	10.0%	12.6%	22.5%	77.5%
	Grade 8	9.8%	13.9%	24.7%	75.3%
	Grade 9	7.0%	10.3%	20.0%	80.0%
	Grade 10	4.8%	8.1%	18.4%	81.6%
	Grade 11	4.4%	7.4%	15.9%	84.1%
	Grade 12	3.5%	6.0%	13.8%	86.2%
Any Illicit Drug					
	All	16.0%	22.6%	34.0%	66.0%
	Grade 7	6.8%	9.2%	15.4%	84.6%
	Grade 8	10.9%	15.2%	24.2%	75.8%
	Grade 9	15.3%	21.6%	32.2%	67.8%
	Grade 10	19.6%	26.8%	40.2%	59.8%
	Grade 11	21.2%	30.6%	45.1%	54.9%
	Grade 12	23.8%	34.4%	49.9%	50.1%
Marijuana					
	All	14.4%	21.2%	32.5%	67.5%
	Grade 7	5.4%	7.7%	13.1%	86.9%
	Grade 8	8.8%	12.8%	21.4%	78.6%
	Grade 9	14.2%	20.6%	31.1%	68.9%
	Grade 10	17.8%	25.5%	39.4%	60.6%
	Grade 11	19.7%	29.3%	44.0%	56.0%
	Grade 12	22.1%	33.4%	49.4%	50.6%
Marijuana Only					
	All	6.3%	10.2%	18.0%	82.0%
	Grade 7	2.5%	3.7%	7.4%	92.6%
	Grade 8	4.1%	6.2%	12.3%	87.7%
	Grade 9	6.3%	9.8%	17.2%	82.8%
	Grade 10	8.2%	12.5%	21.7%	78.3%
	Grade 11	7.9%	13.5%	23.7%	76.3%
	Grade 12	9.4%	16.6%	27.6%	72.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.7%	3.0%	6.2%	93.8%
	Grade 7	1.2%	1.8%	3.4%	96.6%
	Grade 8	1.5%	2.2%	4.0%	96.0%
	Grade 9	1.9%	3.0%	5.4%	94.6%
	Grade 10	1.9%	3.4%	7.5%	92.5%
	Grade 11	2.1%	3.8%	8.1%	91.9%
	Grade 12	2.0%	4.1%	9.6%	90.4%
Cocaine					
	All	1.6%	2.7%	5.7%	94.3%
	Grade 7	0.8%	1.4%	2.4%	97.6%
	Grade 8	1.2%	1.7%	3.2%	96.8%
	Grade 9	1.8%	2.7%	4.9%	95.1%
	Grade 10	1.7%	3.2%	7.1%	92.9%
	Grade 11	2.0%	3.8%	7.9%	92.1%
	Grade 12	2.0%	4.0%	9.4%	90.6%
Crack					
	All	0.5%	0.8%	1.9%	98.1%
	Grade 7	0.7%	1.0%	2.1%	97.9%
	Grade 8	0.7%	1.0%	2.2%	97.8%
	Grade 9	0.5%	0.8%	1.8%	98.2%
	Grade 10	0.3%	0.7%	1.7%	98.3%
	Grade 11	0.5%	0.8%	1.8%	98.2%
	Grade 12	0.3%	0.4%	1.6%	98.4%
Hallucinogens					
	All	1.7%	3.1%	5.6%	94.4%
	Grade 7	0.8%	1.2%	2.1%	97.9%
	Grade 8	1.1%	1.7%	3.7%	96.3%
	Grade 9	2.1%	3.4%	5.5%	94.5%
	Grade 10	1.7%	3.7%	6.6%	93.4%
	Grade 11	2.3%	4.1%	7.6%	92.4%
	Grade 12	2.4%	4.6%	8.7%	91.3%
Uppers					
	All	2.4%	3.8%	6.1%	93.9%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.2%	1.8%	2.8%	97.2%
	Grade 9	2.2%	3.4%	5.0%	95.0%
	Grade 10	3.3%	5.4%	8.4%	91.6%
	Grade 11	3.4%	5.5%	9.3%	90.7%
	Grade 12	4.3%	6.6%	10.4%	89.6%
Downers					
	All	2.7%	4.1%	6.4%	93.6%
	Grade 7	0.5%	0.9%	1.5%	98.5%
	Grade 8	1.4%	2.1%	3.0%	97.0%
	Grade 9	2.4%	3.6%	5.4%	94.6%
	Grade 10	3.5%	5.0%	8.2%	91.8%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.2%	6.3%	10.3%	89.7%
Grade 12	4.7%	7.5%	11.6%	88.4%

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.9%	1.4%	2.4%	97.6%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	1.2%	1.6%	2.6%	97.4%
Grade 9	0.9%	1.4%	2.6%	97.4%
Grade 10	1.2%	1.7%	3.1%	96.9%
Grade 11	1.0%	1.4%	2.3%	97.7%
Grade 12	0.8%	1.1%	2.1%	97.9%
Steroids				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.4%	0.7%	1.7%	98.3%
Grade 9	0.5%	0.8%	1.3%	98.7%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.5%	0.9%	1.6%	98.4%
Grade 12	0.9%	1.2%	1.9%	98.1%
Ecstasy				
All	2.4%	3.9%	7.2%	92.8%
Grade 7	0.8%	1.3%	2.5%	97.5%
Grade 8	1.7%	2.4%	5.0%	95.0%
Grade 9	2.4%	3.8%	6.8%	93.2%
Grade 10	2.7%	4.4%	8.3%	91.7%
Grade 11	3.2%	5.7%	10.2%	89.8%
Grade 12	4.1%	6.4%	11.6%	88.4%
Heroin				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.7%	1.1%	2.1%	97.9%
Grade 8	0.8%	1.1%	2.2%	97.8%
Grade 9	0.4%	0.8%	1.7%	98.3%
Grade 10	0.8%	0.9%	1.7%	98.3%
Grade 11	0.6%	0.8%	1.5%	98.5%
Grade 12	0.5%	0.6%	1.4%	98.6%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.9%	14.1%	24.9%	75.1%
	Grade 7	3.6%	4.9%	11.2%	88.8%
	Grade 8	5.2%	7.9%	17.5%	82.5%
	Grade 9	8.7%	12.3%	23.1%	76.9%
	Grade 10	10.3%	15.7%	27.3%	72.7%
	Grade 11	14.8%	21.5%	35.3%	64.7%
	Grade 12	19.8%	26.6%	40.1%	59.9%
Alcohol					
	All	25.8%	36.2%	56.7%	43.3%
	Grade 7	12.7%	17.4%	36.4%	63.6%
	Grade 8	18.5%	26.0%	49.3%	50.7%
	Grade 9	24.8%	35.8%	57.8%	42.2%
	Grade 10	28.5%	41.3%	63.3%	36.7%
	Grade 11	33.6%	47.3%	66.9%	33.1%
	Grade 12	41.8%	55.7%	72.3%	27.7%
Inhalants					
	All	4.8%	7.3%	14.7%	85.3%
	Grade 7	6.9%	9.0%	16.7%	83.3%
	Grade 8	6.6%	10.1%	18.2%	81.8%
	Grade 9	5.2%	7.7%	15.3%	84.7%
	Grade 10	3.3%	5.8%	13.7%	86.3%
	Grade 11	3.8%	5.9%	12.5%	87.5%
	Grade 12	2.3%	4.1%	10.2%	89.8%
Any Illicit Drug					
	All	10.1%	14.6%	22.2%	77.8%
	Grade 7	3.3%	4.7%	8.3%	91.7%
	Grade 8	6.5%	8.9%	14.1%	85.9%
	Grade 9	9.6%	13.8%	20.7%	79.3%
	Grade 10	12.0%	17.2%	25.6%	74.4%
	Grade 11	15.3%	22.3%	32.8%	67.2%
	Grade 12	16.5%	24.3%	36.5%	63.5%
Marijuana					
	All	8.8%	13.4%	20.8%	79.2%
	Grade 7	2.4%	3.6%	6.4%	93.6%
	Grade 8	4.8%	7.0%	11.8%	88.2%
	Grade 9	8.6%	12.9%	19.5%	80.5%
	Grade 10	10.4%	16.1%	24.5%	75.5%
	Grade 11	14.0%	21.1%	31.8%	68.2%
	Grade 12	15.2%	23.4%	36.0%	64.0%
Marijuana Only					
	All	3.9%	6.6%	11.7%	88.3%
	Grade 7	0.9%	1.6%	3.5%	96.5%
	Grade 8	2.0%	3.2%	6.5%	93.5%
	Grade 9	4.0%	6.4%	10.8%	89.2%
	Grade 10	4.5%	8.0%	13.6%	86.4%
	Grade 11	6.3%	10.5%	18.0%	82.0%
	Grade 12	6.6%	11.8%	20.6%	79.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.1%	2.0%	4.1%	95.9%
	Grade 7	0.7%	1.0%	2.0%	98.0%
	Grade 8	0.8%	1.3%	2.3%	97.7%
	Grade 9	1.2%	1.9%	3.6%	96.4%
	Grade 10	1.3%	2.4%	5.0%	95.0%
	Grade 11	1.3%	2.7%	5.7%	94.3%
	Grade 12	1.5%	3.0%	7.2%	92.8%
Cocaine					
	All	1.0%	1.8%	3.7%	96.3%
	Grade 7	0.4%	0.7%	1.4%	98.6%
	Grade 8	0.6%	0.9%	1.9%	98.1%
	Grade 9	1.0%	1.6%	3.1%	96.9%
	Grade 10	1.2%	2.2%	4.6%	95.4%
	Grade 11	1.3%	2.7%	5.6%	94.4%
	Grade 12	1.5%	3.0%	7.1%	92.9%
Crack					
	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.2%	0.6%	1.5%	98.5%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.3%	0.5%	1.3%	98.7%
Hallucinogens					
	All	1.2%	2.0%	3.7%	96.3%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.7%	1.0%	2.3%	97.7%
	Grade 9	1.3%	2.1%	3.8%	96.2%
	Grade 10	1.2%	2.0%	3.9%	96.1%
	Grade 11	1.8%	3.0%	5.3%	94.7%
	Grade 12	1.9%	3.7%	6.8%	93.2%
Uppers					
	All	1.4%	2.2%	3.6%	96.4%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.9%	1.6%	98.4%
	Grade 9	1.3%	1.9%	2.9%	97.1%
	Grade 10	2.1%	3.2%	4.8%	95.2%
	Grade 11	2.0%	3.4%	5.9%	94.1%
	Grade 12	2.9%	4.5%	7.0%	93.0%
Downers					
	All	1.6%	2.4%	3.8%	96.2%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	1.0%	1.4%	1.8%	98.2%
	Grade 9	1.3%	2.0%	3.0%	97.0%
	Grade 10	2.0%	2.8%	4.5%	95.5%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	2.4%	3.9%	6.6%	93.4%
Grade 12	2.9%	4.9%	7.7%	92.3%

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.8%	1.0%	1.7%	98.3%
Grade 9	0.6%	0.8%	1.6%	98.4%
Grade 10	0.7%	0.9%	1.7%	98.3%
Grade 11	0.6%	0.8%	1.5%	98.5%
Grade 12	0.5%	0.8%	1.4%	98.6%
Steroids				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.6%	1.3%	98.7%
Grade 8	0.2%	0.5%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	0.5%	0.7%	1.3%	98.7%
Grade 11	0.5%	0.8%	1.4%	98.6%
Grade 12	0.8%	1.0%	1.9%	98.1%
Ecstasy				
All	1.5%	2.5%	4.5%	95.5%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	1.1%	1.7%	3.2%	96.8%
Grade 9	1.5%	2.3%	4.1%	95.9%
Grade 10	1.9%	3.3%	5.8%	94.2%
Grade 11	1.9%	3.5%	6.0%	94.0%
Grade 12	2.8%	4.3%	7.8%	92.2%
Heroin				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.1%	98.9%
Grade 12	0.3%	0.4%	1.0%	99.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.4%	21.8%	37.4%	62.6%
	Grade 7	6.4%	9.3%	21.4%	78.6%
	Grade 8	9.7%	15.0%	29.8%	70.2%
	Grade 9	13.4%	19.4%	36.0%	64.0%
	Grade 10	17.9%	25.2%	44.2%	55.8%
	Grade 11	21.3%	30.2%	44.9%	55.1%
	Grade 12	25.1%	33.5%	49.9%	50.1%
Alcohol					
	All	33.1%	46.7%	69.8%	30.2%
	Grade 7	17.8%	25.3%	51.1%	48.9%
	Grade 8	25.4%	36.6%	64.4%	35.6%
	Grade 9	33.1%	46.7%	70.9%	29.1%
	Grade 10	38.5%	55.2%	77.9%	22.1%
	Grade 11	39.2%	55.9%	75.0%	25.0%
	Grade 12	45.6%	61.9%	80.2%	19.8%
Inhalants					
	All	6.8%	10.1%	19.9%	80.1%
	Grade 7	9.9%	12.8%	22.5%	77.5%
	Grade 8	10.1%	14.3%	25.1%	74.9%
	Grade 9	6.6%	10.2%	19.7%	80.3%
	Grade 10	5.6%	8.7%	19.8%	80.2%
	Grade 11	4.3%	7.9%	17.0%	83.0%
	Grade 12	3.9%	6.5%	14.6%	85.4%
Any Illicit Drug					
	All	17.0%	24.1%	36.6%	63.4%
	Grade 7	7.2%	9.7%	16.2%	83.8%
	Grade 8	11.2%	15.9%	25.6%	74.4%
	Grade 9	15.8%	22.8%	34.6%	65.4%
	Grade 10	21.7%	29.2%	45.1%	54.9%
	Grade 11	21.3%	32.0%	47.6%	52.4%
	Grade 12	25.9%	36.6%	52.5%	47.5%
Marijuana					
	All	15.6%	22.9%	35.5%	64.5%
	Grade 7	6.1%	8.6%	14.5%	85.5%
	Grade 8	9.4%	14.0%	23.4%	76.6%
	Grade 9	14.9%	21.9%	33.8%	66.2%
	Grade 10	20.2%	28.1%	44.2%	55.8%
	Grade 11	19.6%	30.8%	46.6%	53.4%
	Grade 12	24.3%	35.5%	52.5%	47.5%
Marijuana Only					
	All	6.8%	11.1%	20.0%	80.0%
	Grade 7	3.0%	4.5%	8.6%	91.4%
	Grade 8	4.4%	6.9%	14.1%	85.9%
	Grade 9	6.3%	10.4%	19.3%	80.7%
	Grade 10	9.6%	13.8%	24.7%	75.3%
	Grade 11	7.4%	14.1%	25.1%	74.9%
	Grade 12	10.5%	17.5%	29.0%	71.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.7%	2.9%	5.7%	94.3%
	Grade 7	1.1%	1.7%	3.0%	97.0%
	Grade 8	1.6%	2.4%	3.9%	96.1%
	Grade 9	1.7%	2.7%	4.7%	95.3%
	Grade 10	2.1%	3.5%	7.4%	92.6%
	Grade 11	2.1%	3.6%	7.3%	92.7%
	Grade 12	1.6%	3.4%	8.1%	91.9%
Cocaine					
	All	1.5%	2.6%	5.2%	94.8%
	Grade 7	0.7%	1.3%	2.2%	97.8%
	Grade 8	1.3%	2.0%	3.2%	96.8%
	Grade 9	1.7%	2.5%	4.5%	95.5%
	Grade 10	1.9%	3.2%	6.9%	93.1%
	Grade 11	2.0%	3.5%	7.1%	92.9%
	Grade 12	1.5%	3.2%	8.0%	92.0%
Crack					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.6%	0.8%	1.9%	98.1%
	Grade 8	0.7%	0.9%	2.0%	98.0%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.2%	0.5%	1.5%	98.5%
Hallucinogens					
	All	1.9%	3.3%	6.0%	94.0%
	Grade 7	0.9%	1.2%	2.2%	97.8%
	Grade 8	1.4%	2.1%	4.0%	96.0%
	Grade 9	2.4%	3.6%	5.5%	94.5%
	Grade 10	2.0%	4.4%	7.6%	92.4%
	Grade 11	2.1%	4.0%	8.2%	91.8%
	Grade 12	2.5%	4.4%	8.8%	91.2%
Uppers					
	All	2.9%	4.6%	7.3%	92.7%
	Grade 7	0.6%	1.2%	2.0%	98.0%
	Grade 8	1.7%	2.4%	3.6%	96.4%
	Grade 9	2.7%	4.0%	6.0%	94.0%
	Grade 10	3.8%	6.4%	9.8%	90.2%
	Grade 11	4.4%	6.5%	10.7%	89.3%
	Grade 12	4.3%	7.6%	12.3%	87.7%
Downers					
	All	3.2%	4.7%	7.5%	92.5%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.5%	2.1%	3.3%	96.7%
	Grade 9	3.0%	4.3%	6.3%	93.7%
	Grade 10	4.1%	5.8%	9.6%	90.4%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	5.2%	7.4%	11.7%	88.3%
Grade 12	4.9%	8.1%	13.3%	86.7%

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	1.0%	1.4%	2.4%	97.6%
Grade 7	0.5%	0.8%	1.5%	98.5%
Grade 8	1.2%	1.5%	2.7%	97.3%
Grade 9	0.9%	1.5%	2.7%	97.3%
Grade 10	1.3%	2.0%	3.2%	96.8%
Grade 11	1.1%	1.6%	2.4%	97.6%
Grade 12	0.7%	0.8%	1.9%	98.1%
Steroids				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.7%	0.9%	2.1%	97.9%
Grade 9	0.5%	0.9%	1.4%	98.6%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.3%	0.8%	1.6%	98.4%
Grade 12	0.6%	0.9%	1.6%	98.4%
Ecstasy				
All	2.6%	4.2%	7.8%	92.2%
Grade 7	0.9%	1.4%	2.9%	97.1%
Grade 8	1.8%	2.8%	5.1%	94.9%
Grade 9	2.6%	4.2%	7.4%	92.6%
Grade 10	2.8%	4.4%	8.4%	91.6%
Grade 11	3.7%	6.5%	11.1%	88.9%
Grade 12	3.8%	6.4%	12.5%	87.5%
Heroin				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.9%	1.8%	98.2%
Grade 8	0.7%	1.1%	2.1%	97.9%
Grade 9	0.4%	0.9%	1.7%	98.3%
Grade 10	0.8%	1.2%	1.8%	98.2%
Grade 11	0.6%	0.8%	1.4%	98.6%
Grade 12	0.6%	0.7%	1.4%	98.6%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.5%	15.0%	27.2%	72.8%
	Grade 7	3.2%	4.7%	12.0%	88.0%
	Grade 8	5.5%	8.4%	18.9%	81.1%
	Grade 9	8.9%	12.9%	25.5%	74.5%
	Grade 10	11.6%	17.3%	31.9%	68.1%
	Grade 11	15.8%	22.6%	36.9%	63.1%
	Grade 12	20.6%	27.8%	42.7%	57.3%
Alcohol					
	All	26.5%	37.7%	59.6%	40.4%
	Grade 7	12.1%	16.9%	38.1%	61.9%
	Grade 8	18.4%	26.6%	51.5%	48.5%
	Grade 9	25.7%	37.3%	60.6%	39.4%
	Grade 10	30.7%	44.9%	67.9%	32.1%
	Grade 11	34.1%	49.2%	69.1%	30.9%
	Grade 12	42.1%	57.3%	75.1%	24.9%
Inhalants					
	All	4.6%	7.1%	14.7%	85.3%
	Grade 7	6.4%	8.4%	15.9%	84.1%
	Grade 8	6.4%	9.5%	17.9%	82.1%
	Grade 9	4.7%	7.3%	15.1%	84.9%
	Grade 10	3.6%	6.0%	14.4%	85.6%
	Grade 11	3.4%	6.2%	13.1%	86.9%
	Grade 12	2.4%	4.4%	10.9%	89.1%
Any Illicit Drug					
	All	10.8%	15.8%	24.7%	75.3%
	Grade 7	3.3%	4.7%	8.4%	91.6%
	Grade 8	6.8%	9.5%	15.4%	84.6%
	Grade 9	9.9%	14.6%	22.7%	77.3%
	Grade 10	13.3%	19.2%	30.3%	69.7%
	Grade 11	15.6%	23.5%	35.9%	64.1%
	Grade 12	18.1%	26.9%	40.3%	59.7%
Marijuana					
	All	9.7%	14.9%	23.5%	76.5%
	Grade 7	2.6%	3.9%	7.0%	93.0%
	Grade 8	5.3%	7.9%	13.5%	86.5%
	Grade 9	9.2%	13.9%	21.8%	78.2%
	Grade 10	12.0%	18.2%	29.2%	70.8%
	Grade 11	14.4%	22.6%	34.9%	65.1%
	Grade 12	17.1%	26.2%	39.8%	60.2%
Marijuana Only					
	All	4.4%	7.5%	13.8%	86.2%
	Grade 7	1.3%	2.0%	4.3%	95.7%
	Grade 8	2.7%	4.1%	8.3%	91.7%
	Grade 9	4.2%	6.9%	12.8%	87.2%
	Grade 10	5.5%	9.2%	17.3%	82.7%
	Grade 11	6.3%	11.2%	20.3%	79.7%
	Grade 12	7.3%	13.2%	22.9%	77.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.0%	1.8%	3.8%	96.2%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.8%	1.3%	2.2%	97.8%
	Grade 9	1.0%	1.6%	3.1%	96.9%
	Grade 10	1.2%	2.3%	4.9%	95.1%
	Grade 11	1.3%	2.4%	5.1%	94.9%
	Grade 12	1.2%	2.5%	6.6%	93.4%
Cocaine					
	All	0.9%	1.6%	3.5%	96.5%
	Grade 7	0.3%	0.6%	1.1%	98.9%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	0.9%	1.4%	2.7%	97.3%
	Grade 10	1.1%	2.2%	4.5%	95.5%
	Grade 11	1.2%	2.4%	5.0%	95.0%
	Grade 12	1.2%	2.4%	6.5%	93.5%
Crack					
	All	0.2%	0.4%	1.0%	99.0%
	Grade 7	0.2%	0.3%	1.0%	99.0%
	Grade 8	0.4%	0.5%	1.1%	98.9%
	Grade 9	0.2%	0.5%	1.0%	99.0%
	Grade 10	0.2%	0.4%	1.2%	98.8%
	Grade 11	0.3%	0.5%	1.0%	99.0%
	Grade 12	0.1%	0.2%	0.9%	99.1%
Hallucinogens					
	All	1.1%	1.9%	3.7%	96.3%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.7%	1.0%	2.1%	97.9%
	Grade 9	1.3%	1.9%	3.4%	96.6%
	Grade 10	1.2%	2.5%	4.6%	95.4%
	Grade 11	1.3%	2.5%	5.1%	94.9%
	Grade 12	1.8%	3.6%	7.0%	93.0%
Uppers					
	All	1.5%	2.6%	4.2%	95.8%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	1.5%	2.2%	3.5%	96.5%
	Grade 10	2.2%	3.8%	6.1%	93.9%
	Grade 11	2.1%	3.8%	6.5%	93.5%
	Grade 12	2.8%	5.2%	8.4%	91.6%
Downers					
	All	1.7%	2.7%	4.4%	95.6%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.9%	1.2%	1.6%	98.4%
	Grade 9	1.6%	2.3%	3.5%	96.5%
	Grade 10	2.2%	3.4%	5.7%	94.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	2.6%	4.1%	6.8%	93.2%
Grade 12	3.2%	5.6%	9.2%	90.8%

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.7%	1.0%	1.8%	98.2%
Grade 9	0.5%	0.9%	1.6%	98.4%
Grade 10	0.8%	1.1%	1.8%	98.2%
Grade 11	0.6%	0.9%	1.6%	98.4%
Grade 12	0.4%	0.6%	1.3%	98.7%
Steroids				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.6%	1.1%	98.9%
Grade 12	0.6%	0.8%	1.5%	98.5%
Ecstasy				
All	1.5%	2.5%	4.8%	95.2%
Grade 7	0.3%	0.6%	1.2%	98.8%
Grade 8	0.9%	1.5%	2.9%	97.1%
Grade 9	1.4%	2.1%	4.2%	95.8%
Grade 10	1.9%	3.2%	5.9%	94.1%
Grade 11	2.0%	4.0%	6.9%	93.1%
Grade 12	2.7%	4.4%	8.7%	91.3%
Heroin				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.6%	0.8%	1.3%	98.7%
Grade 9	0.3%	0.6%	1.2%	98.8%
Grade 10	0.5%	0.7%	1.2%	98.8%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.8%	99.2%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.9%	25.3%	39.6%	60.4%
	Grade 7	10.7%	13.9%	25.8%	74.2%
	Grade 8	12.5%	19.2%	35.3%	64.7%
	Grade 9	17.0%	23.5%	38.6%	61.4%
	Grade 10	18.7%	27.3%	42.4%	57.6%
	Grade 11	24.3%	34.4%	47.6%	52.4%
	Grade 12	25.6%	35.0%	48.8%	51.2%
Alcohol					
	All	37.2%	50.3%	70.5%	29.5%
	Grade 7	26.2%	36.0%	57.7%	42.3%
	Grade 8	32.2%	44.0%	69.7%	30.3%
	Grade 9	37.2%	50.8%	71.8%	28.2%
	Grade 10	39.9%	54.6%	74.7%	25.3%
	Grade 11	41.7%	55.7%	71.9%	28.1%
	Grade 12	46.9%	60.9%	76.4%	23.6%
Inhalants					
	All	9.3%	13.3%	24.0%	76.0%
	Grade 7	14.6%	19.2%	30.8%	69.2%
	Grade 8	14.2%	20.7%	31.6%	68.4%
	Grade 9	9.7%	13.7%	24.2%	75.8%
	Grade 10	6.5%	10.0%	22.5%	77.5%
	Grade 11	6.3%	8.9%	19.5%	80.5%
	Grade 12	4.4%	6.2%	14.2%	85.8%
Any Illicit Drug					
	All	20.2%	27.7%	39.2%	60.8%
	Grade 7	10.1%	14.0%	22.5%	77.5%
	Grade 8	14.1%	20.2%	30.6%	69.4%
	Grade 9	20.5%	27.9%	39.5%	60.5%
	Grade 10	23.8%	31.4%	43.3%	56.7%
	Grade 11	25.9%	36.9%	49.2%	50.8%
	Grade 12	26.4%	35.8%	50.3%	49.7%
Marijuana					
	All	17.9%	25.7%	37.5%	62.5%
	Grade 7	7.9%	11.4%	18.7%	81.3%
	Grade 8	11.5%	16.8%	27.0%	73.0%
	Grade 9	18.9%	26.4%	38.2%	61.8%
	Grade 10	21.7%	30.2%	43.0%	57.0%
	Grade 11	23.3%	34.4%	48.2%	51.8%
	Grade 12	24.0%	34.5%	50.2%	49.8%
Marijuana Only					
	All	7.5%	12.1%	19.4%	80.6%
	Grade 7	3.0%	4.9%	9.5%	90.5%
	Grade 8	4.1%	7.2%	14.1%	85.9%
	Grade 9	8.0%	12.5%	19.8%	80.2%
	Grade 10	9.8%	14.2%	21.2%	78.8%
	Grade 11	9.1%	15.9%	24.4%	75.6%
	Grade 12	11.1%	17.9%	28.3%	71.7%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.6%	4.2%	8.0%	92.0%
	Grade 7	1.9%	3.1%	5.3%	94.7%
	Grade 8	2.1%	2.7%	5.1%	94.9%
	Grade 9	3.2%	4.6%	7.8%	92.2%
	Grade 10	2.8%	4.4%	9.4%	90.6%
	Grade 11	2.7%	5.3%	10.2%	89.8%
	Grade 12	2.6%	5.2%	10.1%	89.9%
Cocaine					
	All	2.3%	3.7%	7.2%	92.8%
	Grade 7	1.2%	2.0%	3.5%	96.5%
	Grade 8	1.6%	1.9%	4.0%	96.0%
	Grade 9	2.9%	4.3%	7.2%	92.8%
	Grade 10	2.7%	4.0%	8.7%	91.3%
	Grade 11	2.6%	5.1%	9.9%	90.1%
	Grade 12	2.5%	5.2%	10.1%	89.9%
Crack					
	All	0.9%	1.4%	3.0%	97.0%
	Grade 7	1.6%	2.2%	4.1%	95.9%
	Grade 8	1.1%	1.4%	3.2%	96.8%
	Grade 9	1.2%	1.6%	2.9%	97.1%
	Grade 10	0.3%	0.9%	2.4%	97.6%
	Grade 11	0.7%	1.2%	2.9%	97.1%
	Grade 12	0.7%	1.0%	2.5%	97.5%
Hallucinogens					
	All	2.9%	4.9%	8.0%	92.0%
	Grade 7	1.8%	2.7%	4.2%	95.8%
	Grade 8	2.2%	3.1%	5.8%	94.2%
	Grade 9	3.2%	5.6%	8.5%	91.5%
	Grade 10	2.7%	5.1%	8.7%	91.3%
	Grade 11	4.6%	7.2%	11.1%	88.9%
	Grade 12	3.0%	5.5%	9.9%	90.1%
Uppers					
	All	3.8%	5.5%	8.1%	91.9%
	Grade 7	0.8%	1.6%	2.4%	97.6%
	Grade 8	2.1%	3.3%	5.3%	94.7%
	Grade 9	3.6%	5.2%	7.0%	93.0%
	Grade 10	4.8%	6.9%	9.7%	90.3%
	Grade 11	6.3%	8.5%	13.0%	87.0%
	Grade 12	5.5%	7.5%	11.9%	88.1%
Downers					
	All	3.9%	5.5%	8.4%	91.6%
	Grade 7	0.9%	1.4%	2.4%	97.6%
	Grade 8	2.0%	2.8%	5.2%	94.8%
	Grade 9	3.7%	5.6%	7.6%	92.4%
	Grade 10	4.7%	5.9%	9.2%	90.8%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	7.6%	10.0%	15.1%	84.9%
Grade 12	4.8%	7.2%	11.5%	88.5%

Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	1.3%	1.8%	3.1%	96.9%
Grade 7	0.9%	1.3%	2.3%	97.7%
Grade 8	1.2%	1.6%	2.7%	97.3%
Grade 9	1.5%	2.4%	4.0%	96.0%
Grade 10	1.6%	2.0%	3.9%	96.1%
Grade 11	1.5%	1.8%	2.9%	97.1%
Grade 12	1.1%	1.4%	2.6%	97.4%
Steroids				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	1.1%	1.6%	3.4%	96.6%
Grade 8	1.2%	1.6%	3.3%	96.7%
Grade 9	0.9%	1.0%	2.4%	97.6%
Grade 10	1.2%	1.3%	2.3%	97.7%
Grade 11	0.9%	1.6%	2.7%	97.3%
Grade 12	0.8%	1.2%	2.5%	97.5%
Ecstasy				
All	3.8%	5.7%	9.4%	90.6%
Grade 7	1.6%	2.7%	4.5%	95.5%
Grade 8	3.2%	4.0%	7.3%	92.7%
Grade 9	4.8%	7.1%	10.8%	89.2%
Grade 10	3.7%	5.8%	9.2%	90.8%
Grade 11	5.3%	7.5%	12.1%	87.9%
Grade 12	4.3%	7.2%	12.2%	87.8%
Heroin				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	1.2%	2.0%	3.9%	96.1%
Grade 8	1.2%	1.5%	3.3%	96.7%
Grade 9	0.5%	0.9%	2.3%	97.7%
Grade 10	0.8%	1.2%	2.1%	97.9%
Grade 11	1.3%	1.5%	2.6%	97.4%
Grade 12	0.5%	0.6%	2.0%	98.0%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.5%	17.6%	31.9%	68.1%
	Grade 7	5.9%	8.0%	18.4%	81.6%
	Grade 8	8.6%	12.3%	26.2%	73.8%
	Grade 9	13.2%	18.3%	32.5%	67.5%
	Grade 10	15.4%	22.4%	39.4%	60.6%
	Grade 11	16.3%	23.3%	39.7%	60.3%
	Grade 12	21.4%	28.8%	44.1%	55.9%
Alcohol					
	All	28.6%	39.8%	62.6%	37.4%
	Grade 7	16.8%	22.8%	45.0%	55.0%
	Grade 8	22.3%	30.9%	57.6%	42.4%
	Grade 9	30.2%	41.7%	64.6%	35.4%
	Grade 10	33.6%	49.7%	73.2%	26.8%
	Grade 11	36.8%	50.6%	70.2%	29.8%
	Grade 12	40.7%	54.1%	74.4%	25.6%
Inhalants					
	All	6.4%	9.1%	18.4%	81.6%
	Grade 7	9.1%	11.3%	20.5%	79.5%
	Grade 8	8.1%	11.6%	20.9%	79.1%
	Grade 9	7.0%	10.0%	18.8%	81.2%
	Grade 10	4.3%	7.0%	17.9%	82.1%
	Grade 11	4.2%	6.7%	15.1%	84.9%
	Grade 12	2.8%	5.8%	14.4%	85.6%
Any Illicit Drug					
	All	13.9%	19.6%	30.9%	69.1%
	Grade 7	6.8%	8.9%	14.3%	85.7%
	Grade 8	10.4%	13.9%	22.6%	77.4%
	Grade 9	14.3%	20.3%	31.4%	68.6%
	Grade 10	18.2%	25.8%	40.8%	59.2%
	Grade 11	18.5%	26.5%	41.4%	58.6%
	Grade 12	19.8%	29.4%	46.1%	53.9%
Marijuana					
	All	12.2%	18.2%	29.5%	70.5%
	Grade 7	5.4%	7.5%	12.0%	88.0%
	Grade 8	8.2%	11.7%	20.1%	79.9%
	Grade 9	12.8%	18.9%	30.0%	70.0%
	Grade 10	16.6%	25.0%	40.4%	59.6%
	Grade 11	16.9%	26.0%	40.5%	59.5%
	Grade 12	17.8%	27.4%	46.3%	53.7%
Marijuana Only					
	All	5.3%	8.5%	16.1%	83.9%
	Grade 7	2.4%	3.6%	6.5%	93.5%
	Grade 8	4.1%	5.7%	11.8%	88.2%
	Grade 9	5.2%	8.5%	16.3%	83.7%
	Grade 10	7.7%	12.1%	22.2%	77.8%
	Grade 11	6.7%	11.3%	21.5%	78.5%
	Grade 12	7.5%	13.2%	25.3%	74.7%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.4%	2.5%	5.4%	94.6%
	Grade 7	1.0%	1.7%	3.2%	96.8%
	Grade 8	1.2%	1.9%	3.8%	96.2%
	Grade 9	1.4%	2.4%	4.7%	95.3%
	Grade 10	1.9%	3.2%	7.6%	92.4%
	Grade 11	1.2%	3.1%	7.0%	93.0%
	Grade 12	1.7%	3.1%	8.2%	91.8%
Cocaine					
	All	1.2%	2.2%	4.8%	95.2%
	Grade 7	0.6%	1.2%	2.1%	97.9%
	Grade 8	0.8%	1.2%	3.0%	97.0%
	Grade 9	1.3%	2.2%	4.2%	95.8%
	Grade 10	1.9%	2.9%	6.8%	93.2%
	Grade 11	1.2%	3.1%	6.9%	93.1%
	Grade 12	1.6%	3.0%	8.1%	91.9%
Crack					
	All	0.4%	0.7%	1.8%	98.2%
	Grade 7	0.5%	0.9%	2.0%	98.0%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	0.4%	0.6%	1.6%	98.4%
	Grade 10	0.3%	0.7%	1.9%	98.1%
	Grade 11	0.2%	0.3%	1.4%	98.6%
	Grade 12	0.3%	0.5%	2.1%	97.9%
Hallucinogens					
	All	1.6%	2.8%	5.3%	94.7%
	Grade 7	1.1%	1.5%	2.3%	97.7%
	Grade 8	1.4%	1.7%	3.7%	96.3%
	Grade 9	1.9%	3.0%	5.5%	94.5%
	Grade 10	1.5%	3.9%	7.2%	92.8%
	Grade 11	1.9%	3.7%	6.8%	93.2%
	Grade 12	2.2%	4.1%	9.0%	91.0%
Uppers					
	All	2.2%	3.6%	5.8%	94.2%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.7%	2.6%	3.7%	96.3%
	Grade 9	2.5%	3.6%	5.5%	94.5%
	Grade 10	2.8%	4.9%	8.3%	91.7%
	Grade 11	3.1%	5.3%	8.4%	91.6%
	Grade 12	3.7%	6.6%	11.2%	88.8%
Downers					
	All	2.4%	3.7%	5.9%	94.1%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	1.5%	2.2%	3.4%	96.6%
	Grade 9	2.9%	4.0%	5.7%	94.3%
	Grade 10	3.1%	4.4%	7.9%	92.1%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	3.4%	6.3%	9.3%	90.7%
Grade 12	4.0%	7.1%	11.7%	88.3%

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.9%	1.3%	2.3%	97.7%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	1.1%	1.5%	2.6%	97.4%
Grade 9	0.8%	1.2%	2.2%	97.8%
Grade 10	1.2%	1.9%	3.0%	97.0%
Grade 11	0.8%	1.1%	2.1%	97.9%
Grade 12	0.9%	1.4%	2.2%	97.8%
Steroids				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.5%	0.9%	1.8%	98.2%
Grade 9	0.5%	0.8%	1.3%	98.7%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.1%	0.4%	1.3%	98.7%
Grade 12	0.9%	1.2%	1.9%	98.1%
Ecstasy				
All	2.2%	3.6%	6.6%	93.4%
Grade 7	0.7%	1.1%	2.5%	97.5%
Grade 8	1.7%	2.6%	4.6%	95.4%
Grade 9	2.2%	3.7%	7.2%	92.8%
Grade 10	2.4%	4.4%	8.8%	91.2%
Grade 11	3.8%	6.3%	9.5%	90.5%
Grade 12	3.7%	5.3%	9.4%	90.6%
Heroin				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.6%	0.9%	1.8%	98.2%
Grade 8	0.9%	1.4%	2.3%	97.7%
Grade 9	0.3%	0.8%	1.5%	98.5%
Grade 10	1.0%	1.3%	2.3%	97.7%
Grade 11	0.6%	0.8%	1.3%	98.7%
Grade 12	0.5%	0.7%	1.1%	98.9%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.0%	17.1%	29.3%	70.7%
	Grade 7	4.2%	5.9%	13.5%	86.5%
	Grade 8	6.3%	10.0%	20.9%	79.1%
	Grade 9	9.7%	14.1%	26.9%	73.1%
	Grade 10	12.7%	18.6%	32.4%	67.6%
	Grade 11	18.0%	25.7%	39.1%	60.9%
	Grade 12	22.0%	29.5%	44.0%	56.0%
Alcohol					
	All	28.7%	40.5%	61.7%	38.3%
	Grade 7	13.7%	19.3%	40.4%	59.6%
	Grade 8	20.6%	29.5%	54.1%	45.9%
	Grade 9	27.4%	39.6%	62.6%	37.4%
	Grade 10	32.2%	45.9%	67.8%	32.2%
	Grade 11	35.5%	50.9%	70.2%	29.8%
	Grade 12	43.8%	58.8%	75.7%	24.3%
Inhalants					
	All	5.3%	8.1%	16.1%	83.9%
	Grade 7	7.4%	10.0%	18.2%	81.8%
	Grade 8	7.9%	11.7%	20.8%	79.2%
	Grade 9	5.3%	8.3%	16.4%	83.6%
	Grade 10	4.2%	6.9%	15.6%	84.4%
	Grade 11	3.9%	6.8%	14.1%	85.9%
	Grade 12	3.0%	4.9%	11.5%	88.5%
Any Illicit Drug					
	All	12.5%	18.0%	26.8%	73.2%
	Grade 7	3.9%	5.5%	9.8%	90.2%
	Grade 8	7.7%	10.8%	16.9%	83.1%
	Grade 9	11.2%	16.3%	24.4%	75.6%
	Grade 10	15.0%	20.7%	30.7%	69.3%
	Grade 11	17.3%	26.0%	37.8%	62.2%
	Grade 12	20.3%	29.1%	42.3%	57.7%
Marijuana					
	All	11.2%	16.8%	25.6%	74.4%
	Grade 7	2.9%	4.4%	8.2%	91.8%
	Grade 8	6.0%	9.0%	14.8%	85.2%
	Grade 9	10.4%	15.6%	23.5%	76.5%
	Grade 10	13.5%	19.6%	29.5%	70.5%
	Grade 11	16.0%	24.7%	36.8%	63.2%
	Grade 12	19.0%	28.3%	41.8%	58.2%
Marijuana Only					
	All	5.0%	8.4%	14.5%	85.5%
	Grade 7	1.4%	2.2%	4.8%	95.2%
	Grade 8	2.6%	4.3%	8.5%	91.5%
	Grade 9	4.8%	7.9%	13.5%	86.5%
	Grade 10	6.1%	9.7%	16.5%	83.5%
	Grade 11	6.7%	12.1%	20.6%	79.4%
	Grade 12	8.3%	14.3%	23.7%	76.3%

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.3%	2.3%	4.5%	95.5%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	1.1%	1.6%	2.6%	97.4%
	Grade 9	1.4%	2.1%	3.8%	96.2%
	Grade 10	1.5%	2.7%	5.5%	94.5%
	Grade 11	1.8%	3.0%	6.1%	93.9%
	Grade 12	1.5%	3.2%	7.6%	92.4%
Cocaine					
	All	1.2%	2.1%	4.2%	95.8%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	1.3%	1.9%	3.5%	96.5%
	Grade 10	1.4%	2.5%	5.1%	94.9%
	Grade 11	1.7%	2.9%	5.9%	94.1%
	Grade 12	1.5%	3.1%	7.4%	92.6%
Crack					
	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.6%	1.4%	98.6%
	Grade 11	0.5%	0.8%	1.4%	98.6%
	Grade 12	0.3%	0.4%	1.3%	98.7%
Hallucinogens					
	All	1.4%	2.4%	4.4%	95.6%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.8%	1.3%	2.7%	97.3%
	Grade 9	1.6%	2.6%	4.1%	95.9%
	Grade 10	1.6%	2.7%	4.9%	95.1%
	Grade 11	1.9%	3.4%	6.4%	93.6%
	Grade 12	2.1%	4.0%	7.3%	92.7%
Uppers					
	All	2.0%	3.0%	4.8%	95.2%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	0.8%	1.1%	1.8%	98.2%
	Grade 9	1.6%	2.5%	3.7%	96.3%
	Grade 10	2.8%	4.4%	6.4%	93.6%
	Grade 11	2.9%	4.4%	7.7%	92.3%
	Grade 12	3.4%	5.6%	8.7%	91.3%
Downers					
	All	2.2%	3.2%	5.1%	94.9%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	1.1%	1.5%	2.0%	98.0%
	Grade 9	1.7%	2.6%	3.8%	96.2%
	Grade 10	2.8%	3.9%	6.2%	93.8%

**Non-Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	3.6%	5.0%	8.5%	91.5%
Grade 12	3.7%	6.0%	9.6%	90.4%

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	0.6%	1.1%	1.9%	98.1%
Grade 10	0.8%	1.1%	2.1%	97.9%
Grade 11	0.9%	1.2%	1.8%	98.2%
Grade 12	0.5%	0.7%	1.5%	98.5%
Steroids				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.6%	1.6%	98.4%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	0.5%	0.9%	1.5%	98.5%
Grade 12	0.7%	1.0%	1.8%	98.2%
Ecstasy				
All	1.9%	3.1%	5.5%	94.5%
Grade 7	0.5%	0.9%	1.6%	98.4%
Grade 8	1.3%	1.9%	3.7%	96.3%
Grade 9	1.9%	2.8%	4.8%	95.2%
Grade 10	2.2%	3.5%	6.2%	93.8%
Grade 11	2.3%	4.2%	7.6%	92.4%
Grade 12	3.1%	5.1%	9.7%	90.3%
Heroin				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.4%	0.5%	1.1%	98.9%

3. Margin Tables

**Non-Border - Grades 7-12 Large
SPRING 2010**

**Non-Border - Grades 7-12 Large
Spring 2010**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
?	1	0.00
Female	644E3	51.79
Male	6E5	48.21

Frequency Missing = 3415.8752529

GRADE		
q2	Frequency	Percent
Grade 7	216E3	17.29
Grade 8	21E4	16.84
Grade 9	243E3	19.52
Grade 10	209E3	16.78
Grade 11	192E3	15.41
Grade 12	177E3	14.16

LIVE WITH BOTH PARENTS

q3	Frequency	Percent
No	494E3	39.89
Yes	744E3	60.11

Frequency Missing = 9065.3307257

AGE		
q4	Frequency	Percent
11 or younger	1434	0.12
12	68318	5.50
13	187E3	15.04
14	218E3	17.56
15	226E3	18.20
16	214E3	17.23
17	196E3	15.81
18	12E4	9.68
19 or older	10597	0.85

Frequency Missing = 5860.8181209

ETHNICITY		
q5	Frequency	Percent
.	239	0.02
African/American	213E3	17.46
Asian/American	16431	1.35
Mexican/American	422E3	34.62
Native/American	4953	0.41
Other	31864	2.61
White	531E3	43.53

Frequency Missing = 28391.077155

ON AVERAGE WHAT GRADES DO YOU GET

q6	Frequency	Percent
?	39	0.00
Mostly A's	413E3	33.56
Mostly B's	614E3	49.90
Mostly C's	174E3	14.12
Mostly D's	20950	1.70
Mostly F's	8835	0.72

Frequency Missing = 16681.571983

LENGTH OF TIME IN THIS DISTRICT

q7	Frequency	Percent
<1 year	116E3	9.42
2-3 years	213E3	17.24
>4 years	905E3	73.35

Frequency Missing = 13585.780157

DO YOU HAVE A JOB

q8	Frequency	Percent
No	983E3	79.63
Yes	251E3	20.37

Frequency Missing = 12556.578736

DO YOU GET AN ALLOWANCE

q9	Frequency	Percent
No	814E3	66.34
Yes	413E3	33.66

Frequency Missing = 19752.876861

EITHER PARENT COLLEGE GRADUATE

q10	Frequency	Percent
Don't Know	188E3	15.25
No	48E4	38.94
Yes	564E3	45.82

Frequency Missing = 15302.096988

QUALIFY FOR FREE/REDUCED PRICE LUNCH

q11	Frequency	Percent
Don't Know	168E3	13.64
No	573E3	46.44
Yes	492E3	39.92

Frequency Missing = 14347.791524

PARTICIPATE IN SCHOOL ATHLETICS

q12a	Frequency	Percent
No	562E3	48.42
Yes	599E3	51.58

Frequency Missing = 86692.698929

PARTICIPATE IN SCHOOL BAND/ORCHESTRA

q12b	Frequency	Percent
No	86E4	80.60
Yes	207E3	19.40

Frequency Missing = 179764.64176

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	91E4	87.48
Yes	13E4	12.52

Frequency Missing = 207439.31192

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	846E3	80.15
Yes	21E4	19.85

Frequency Missing = 191938.00101

Frequency Missing = 158395.49208

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	76E4	70.99
Yes	31E4	29.01

Frequency Missing = 177347.38798

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	853E3	81.75
Yes	191E3	18.25

Frequency Missing = 203414.82176

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	884E3	83.82
Yes	171E3	16.18

Frequency Missing = 193207.97256

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	993E3	81.01
Somewhat Safe	201E3	16.39
Not Very Safe	15194	1.24
Not Safe At All	4959	0.40
Don't Know	11762	0.96

Frequency Missing = 21362.39549

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	942E3	90.94
Yes	93848	9.06

Frequency Missing = 211240.5693

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
?	6	0.00
No	945E3	90.31
Yes	101E3	9.69

Frequency Missing = 200697.96053

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	516E3	42.35
Somewhat Safe	562E3	46.18
Not Very Safe	90400	7.42
Not Safe At All	24927	2.05
Don't Know	24298	2.00

Frequency Missing = 29479.964153

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	983E3	95.47
Yes	46655	4.53

Frequency Missing = 218038.05945

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	82E4	78.10
Yes	23E4	21.90

Frequency Missing = 196998.0286

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	517E3	42.56
Somewhat Safe	538E3	44.28
Not Very Safe	84554	6.96
Not Safe At All	41161	3.39
Don't Know	34185	2.81

Frequency Missing = 32253.18644

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	982E3	95.32
Yes	48233	4.68

Frequency Missing = 216870.94951

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	689E3	63.29
Yes	4E5	36.71

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a Frequency Percent		
None	59589	4.89
A Few	304E3	24.97
Some	32E4	26.27
Most	425E3	34.85
All	11E4	9.04

Frequency Missing = 28044.92793

HOW MANY FRIENDS CARRY WEAPONS		
q14b Frequency Percent		
None	771E3	64.41
A Few	257E3	21.46
Some	111E3	9.25
Most	42186	3.53
All	16292	1.36

Frequency Missing = 50926.11388

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c Frequency Percent		
None	32539	2.75
A Few	158E3	13.29
Some	263E3	22.15
Most	522E3	44.07
All	21E4	17.74

Frequency Missing = 61950.944647

HOW MANY FRIENDS BELONG TO A GANG		
q14d Frequency Percent		
None	855E3	70.59
A Few	199E3	16.46
Some	94366	7.79
Most	45872	3.79
All	16626	1.37

Frequency Missing = 35729.184337

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e Frequency Percent		
None	703E3	58.27
A Few	33E4	27.34
Some	111E3	9.22
Most	41634	3.45
All	20721	1.72

Frequency Missing = 40045.245207

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15 Frequency Percent		
No	661E3	60.11
Yes	438E3	39.89

Frequency Missing = 148473.71366

RECENT INHALANT USE - SPRAY PAINT		
Q16A Frequency Percent		
Never Heard/Used	115E4	95.19
In Your Lifetime	39518	3.28
Since School Began	7235	0.60
In the Past Month	11213	0.93

Frequency Missing = 42094.443906

RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS		
Q16B Frequency Percent		
Never Heard/Used	107E4	90.07
In Your Lifetime	70482	5.91
Since School Began	18352	1.54
In the Past Month	29499	2.47

Frequency Missing = 55200.753739

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
Q16C Frequency Percent		
Never Heard/Used	114E4	97.14
In Your Lifetime	18946	1.61
Since School Began	6774	0.57
In the Past Month	7915	0.67

Frequency Missing = 69227.137895

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
Q16D Frequency Percent		
Never Heard/Used	11E5	92.29
In Your Lifetime	48748	4.10
Since School Began	18454	1.55
In the Past Month	24479	2.06

Frequency Missing = 58125.531037

RECENT INHALANT USE - GLUE		
Q16E Frequency Percent		
Never Heard/Used	114E4	97.64
In Your Lifetime	16371	1.40
Since School Began	4950	0.42
In the Past Month	6211	0.53

Frequency Missing = 78553.814316

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
Q16F Frequency Percent		
Never Heard/Used	114E4	97.63
In Your Lifetime	15398	1.32
Since School Began	5178	0.44
In the Past Month	7137	0.61

Frequency Missing = 78568.243215

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
Q16G Frequency Percent		
Never Heard/Used	113E4	96.54
In Your Lifetime	22440	1.92
Since School Began	5976	0.51
In the Past Month	12080	1.03

Frequency Missing = 77689.050185

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
Q16H Frequency Percent		
Never Heard/Used	114E4	95.96
In Your Lifetime	26940	2.26
Since School Began	8384	0.70
In the Past Month	12747	1.07

Frequency Missing = 56561.820327

RECENT CIGARETTE USE		
Q17A Frequency Percent		
Never Heard/Used	87E4	72.11
In Your Lifetime	15E4	12.46
Since School Began	56954	4.72
In the Past Month	129E3	10.71

Frequency Missing = 40704.335937

RECENT SMOKELESS TOBACCO USE		
Q17B Frequency Percent		
Never Heard/Used	107E4	90.04
In Your Lifetime	49608	4.19
Since School Began	23371	1.97
In the Past Month	45100	3.81

Frequency Missing = 62273.344345

RECENT BEER USE		
Q17C Frequency Percent		
Never Heard/Used	614E3	52.16
In Your Lifetime	223E3	18.93
Since School Began	113E3	9.57
In the Past Month	228E3	19.35

Frequency Missing = 69639.515223

RECENT WINE COOLER USE		
Q17D Frequency Percent		
Never Heard/Used	67E4	56.29
In Your Lifetime	205E3	17.23
Since School Began	112E3	9.39
In the Past Month	203E3	17.09

Frequency Missing = 57189.529796

RECENT WINE USE		
Q17E Frequency Percent		
Never Heard/Used	688E3	59.14
In Your Lifetime	236E3	20.24
Since School Began	98422	8.46
In the Past Month	142E3	12.17

Frequency Missing = 83502.706172

RECENT LIQUOR USE		
Q17F Frequency Percent		
Never Heard/Used	664E3	55.93
In Your Lifetime	179E3	15.10
Since School Began	121E3	10.18
In the Past Month	223E3	18.79

Frequency Missing = 60263.292872

RECENT INHALANT USE		
Q17G Frequency Percent		
Never Heard/Used	108E4	91.24
In Your Lifetime	60996	5.15
Since School Began	16593	1.40
In the Past Month	26185	2.21

Frequency Missing = 62494.328773

RECENT MARIJUANA USE		
Q18A Frequency Percent		
Never Heard/Used	881E3	73.36
In Your Lifetime	113E3	9.44
Since School Began	68262	5.69
In the Past Month	138E3	11.51

Frequency Missing = 46920.156381

RECENT COCAINE USE		
Q18B Frequency Percent		
Never Heard/Used	113E4	95.66
In Your Lifetime	26555	2.25
Since School Began	10700	0.90
In the Past Month	14062	1.19

Frequency Missing = 64931.654559

RECENT CRACK USE		
Q18C Frequency Percent		
Never Heard/Used	115E4	98.51
In Your Lifetime	9847	0.85
Since School Began	2829	0.24
In the Past Month	4672	0.40

Frequency Missing = 83208.970113

RECENT HALLUCINOGEN USE		
Q18E Frequency Percent		
Never Heard/Used	111E4	95.38
In Your Lifetime	24613	2.11
Since School Began	12217	1.05
In the Past Month	17074	1.46

Frequency Missing = 79560.186747

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

RECENT UPPER USE		
Q18F Frequency Percent		
Never Heard/Used	11E5	94.96
In Your Lifetime	21448	1.86
Since School Began	13464	1.17
In the Past Month	23289	2.02

Frequency Missing = 93493.900397

RECENT DOWNER USE		
Q18G Frequency Percent		
Never Heard/Used	109E4	94.74
In Your Lifetime	22245	1.94
Since School Began	12930	1.13
In the Past Month	25229	2.20

Frequency Missing = 99321.627336

RECENT ROHYPNOL USE		
Q18H Frequency Percent		
Never Heard/Used	114E4	98.15
In Your Lifetime	9478	0.81
Since School Began	3584	0.31
In the Past Month	8508	0.73

Frequency Missing = 82153.024296

RECENT STEROID USE		
Q18I Frequency Percent		
Never Heard/Used	113E4	98.52
In Your Lifetime	8631	0.75
Since School Began	2976	0.26
In the Past Month	5420	0.47

Frequency Missing = 97936.018736

RECENT ECSTASY USE		
Q18J Frequency Percent		
Never Heard/Used	109E4	94.18
In Your Lifetime	30281	2.62
Since School Began	14348	1.24
In the Past Month	22527	1.95

Frequency Missing = 92471.865805

RECENT HEROIN USE		
Q18K Frequency Percent		
Never Heard/Used	115E4	98.60
In Your Lifetime	8093	0.69
Since School Began	2488	0.21
In the Past Month	5801	0.50

Frequency Missing = 79390.283459

TOBACCO USE IN PAST MONTH		
q19a Frequency Percent		
Never Heard/Used	104E4	85.70
1-2 times	76057	6.29
3-10 times	39708	3.28
11+ times	57215	4.73

Frequency Missing = 37271.14704

ALCOHOL USE IN PAST MONTH		
q19b Frequency Percent		
Never Heard/Used	801E3	66.39
1-2 times	239E3	19.83
3-10 times	122E3	10.08
11+ times	44638	3.70

Frequency Missing = 41410.931739

INHALANT USE IN PAST MONTH		
q19c Frequency Percent		
Never Heard/Used	115E4	96.47
1-2 times	32792	2.74
3-10 times	7051	0.59
11+ times	2459	0.21

Frequency Missing = 50178.554355

MARIJUANA USE IN PAST MONTH		
q19d Frequency Percent		
Never Heard/Used	996E3	83.65
1-2 times	84987	7.14
3-10 times	51268	4.31
11+ times	58407	4.91

Frequency Missing = 56951.114375

COCAINE USE IN PAST MONTH		
q19e Frequency Percent		
Never Heard/Used	117E4	98.13
1-2 times	15298	1.28
3-10 times	4399	0.37
11+ times	2613	0.22

Frequency Missing = 53201.161187

CRACK USE IN PAST MONTH		
q19f Frequency Percent		
Never Heard/Used	119E4	99.19
1-2 times	6948	0.58
3-10 times	1659	0.14
11+ times	1170	0.10

Frequency Missing = 46792.603654

CLOSE FRIENDS USE CIGARETTES		
q20a Frequency Percent		
Never heard/None	557E3	46.99
A few	361E3	30.49
Some	171E3	14.39
Most	83393	7.04
All	12886	1.09

Frequency Missing = 62189.604539

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

CLOSE FRIENDS USE SMOKELESS TOBACCO		
q20b Frequency Percent		
Never heard/None	804E3	68.71
A few	213E3	18.17
Some	104E3	8.92
Most	41043	3.51
All	8104	0.69

Frequency Missing = 77142.301829

CLOSE FRIENDS USE BEER		
q20c Frequency Percent		
Never heard/None	41E4	35.04
A few	269E3	22.99
Some	218E3	18.61
Most	206E3	17.61
All	67219	5.75

Frequency Missing = 78240.171189

CLOSE FRIENDS USE WINE COOLERS		
q20d Frequency Percent		
Never heard/None	549E3	47.07
A few	241E3	20.67
Some	186E3	15.91
Most	141E3	12.12
All	49305	4.22

Frequency Missing = 80085.676551

CLOSE FRIENDS USE WINE		
q20e Frequency Percent		
Never heard/None	635E3	55.01
A few	265E3	22.98
Some	144E3	12.49
Most	79811	6.92
All	29945	2.60

Frequency Missing = 93396.010426

CLOSE FRIENDS USE LIQUOR		
q20f Frequency Percent		
Never heard/None	488E3	41.88
A few	241E3	20.71
Some	189E3	16.22
Most	182E3	15.58
All	65365	5.61

Frequency Missing = 81851.682535

CLOSE FRIENDS USE INHALANTS		
q20g Frequency Percent		
Never heard/None	951E3	81.80
A few	143E3	12.27
Some	46772	4.02
Most	16928	1.46
All	5216	0.45

Frequency Missing = 84218.205142

CLOSE FRIENDS USE MARIJUANA		
q20h Frequency Percent		
Never heard/None	565E3	48.36
A few	215E3	18.37
Some	169E3	14.43
Most	158E3	13.51
All	62315	5.34

Frequency Missing = 79364.213538

DIFFICULT TO GET CIGARETTES		
q21a Frequency Percent		
Never heard of	159E3	13.62
Impossible	218E3	18.72
Very difficult	81282	6.96
Somewhat diff	115E3	9.88
Somewhat easy	199E3	17.07
Very easy	394E3	33.74

Frequency Missing = 80268.332098

DIFFICULT TO GET SMOKELESS TOBACCO		
q21b Frequency Percent		
Never heard of	273E3	23.69
Impossible	263E3	22.78
Very difficult	97494	8.46
Somewhat diff	113E3	9.76
Somewhat easy	14E4	12.18
Very easy	267E3	23.13

Frequency Missing = 94651.660331

DIFFICULT TO GET BEER		
q21c Frequency Percent		
Never heard of	132E3	11.51
Impossible	159E3	13.83
Very difficult	71798	6.25
Somewhat diff	133E3	11.61
Somewhat easy	239E3	20.83
Very easy	413E3	35.97

Frequency Missing = 99211.530894

DIFFICULT TO GET WINE COOLERS		
q21d Frequency Percent		
Never heard of	184E3	15.92
Impossible	185E3	15.99
Very difficult	86588	7.50
Somewhat diff	141E3	12.24
Somewhat easy	22E4	19.03
Very easy	339E3	29.32

Frequency Missing = 92774.426196

DIFFICULT TO GET WINE		
q21e Frequency Percent		
Never heard of	152E3	13.34
Impossible	186E3	16.31
Very difficult	92940	8.17
Somewhat diff	146E3	12.84
Somewhat easy	212E3	18.63
Very easy	35E4	30.73

Frequency Missing = 109316.7193

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

DIFFICULT TO GET LIQUOR		
	q21f	Frequency Percent
Never heard of	15E4	12.95
Impossible	213E3	18.45
Very difficult	99643	8.63
Somewhat diff	135E3	11.73
Somewhat easy	204E3	17.66
Very easy	353E3	30.58

Frequency Missing = 92690.015148

DIFFICULT TO GET INHALANTS		
	q21g	Frequency Percent
Never heard of	251E3	21.91
Impossible	212E3	18.53
Very difficult	59100	5.16
Somewhat diff	80198	7.00
Somewhat easy	127E3	11.12
Very easy	416E3	36.29

Frequency Missing = 101406.46453

DIFFICULT TO GET MARIJUANA		
	q21h	Frequency Percent
Never heard of	173E3	15.15
Impossible	323E3	28.36
Very difficult	96325	8.46
Somewhat diff	104E3	9.15
Somewhat easy	144E3	12.62
Very easy	299E3	26.26

Frequency Missing = 108763.34348

DIFFICULT TO GET COCAINE		
	q21i	Frequency Percent
Never heard of	236E3	20.80
Impossible	437E3	38.57
Very difficult	168E3	14.78
Somewhat diff	127E3	11.17
Somewhat easy	75526	6.66
Very easy	90825	8.01

Frequency Missing = 113833.82594

DIFFICULT TO GET CRACK		
	q21j	Frequency Percent
Never heard of	248E3	21.96
Impossible	445E3	39.47
Very difficult	173E3	15.37
Somewhat diff	122E3	10.78
Somewhat easy	65190	5.78
Very easy	74833	6.64

Frequency Missing = 119581.56404

DIFFICULT TO GET HALLUCINOGENS		
	q21l	Frequency Percent
Never heard of	415E3	36.62
Impossible	33E4	29.10
Very difficult	135E3	11.93
Somewhat diff	106E3	9.32
Somewhat easy	71067	6.27
Very easy	76672	6.76

Frequency Missing = 113646.034

DIFFICULT TO GET UPPERS		
	q21m	Frequency Percent
Never heard of	55E4	49.12
Impossible	246E3	21.96
Very difficult	94615	8.45
Somewhat diff	78926	7.05
Somewhat easy	64373	5.75
Very easy	85966	7.68

Frequency Missing = 127464.23514

DIFFICULT TO GET DOWNERS		
	q21n	Frequency Percent
Never heard of	551E3	49.08
Impossible	246E3	21.90
Very difficult	95169	8.48
Somewhat diff	78137	6.96
Somewhat easy	64157	5.71
Very easy	88339	7.87

Frequency Missing = 124605.94683

DIFFICULT TO GET ROHYPNOL		
	q21o	Frequency Percent
Never heard of	521E3	46.49
Impossible	296E3	26.35
Very difficult	121E3	10.75
Somewhat diff	80143	7.15
Somewhat easy	44903	4.00
Very easy	58946	5.26

Frequency Missing = 125892.95544

DIFFICULT TO GET STEROIDS		
	q21p	Frequency Percent
Never heard of	278E3	24.85
Impossible	444E3	39.67
Very difficult	154E3	13.72
Somewhat diff	112E3	10.00
Somewhat easy	62123	5.55
Very easy	69610	6.22

Frequency Missing = 127910.39272

DIFFICULT TO GET ECSTASY		
	q21q	Frequency Percent
Never heard of	366E3	32.54
Impossible	343E3	30.52
Very difficult	127E3	11.28
Somewhat diff	98681	8.78
Somewhat easy	80441	7.15
Very easy	109E3	9.72

Frequency Missing = 123015.92609

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

DIFFICULT TO GET HEROIN		
	q21r Frequency	Percent
Never heard of	331E3	29.48
Impossible	443E3	39.44
Very difficult	156E3	13.89
Somewhat diff	85959	7.65
Somewhat easy	44378	3.95
Very easy	62903	5.60

Frequency Missing = 123218.47212

AGE WHEN FIRST USED CIGARETTES		
	q22a Frequency	Percent
9 or younger	46376	13.53
10 years old	26260	7.66
11 years old	26020	7.59
12 years old	40738	11.88
13 years old	55704	16.25
14 years old	47111	13.74
15 years old	44523	12.98
16 years old	33451	9.76
17 years old	16568	4.83
18 or older	6133	1.79

Frequency Missing = 904439.67454

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q22b Frequency	Percent
9 or younger	8477	7.37
10 years old	6205	5.39
11 years old	6567	5.71
12 years old	11502	9.99
13 years old	17586	15.28
14 years old	19053	16.55
15 years old	18636	16.19
16 years old	16059	13.95
17 years old	8336	7.24
18 or older	2677	2.33

Frequency Missing = 1132226.3504

AGE WHEN FIRST USED BEER		
	q22c Frequency	Percent
9 or younger	115E3	19.27
10 years old	45570	7.64
11 years old	43254	7.25
12 years old	72282	12.12
13 years old	87498	14.67
14 years old	83597	14.02
15 years old	74578	12.51
16 years old	47712	8.00
17 years old	20265	3.40
18 or older	6707	1.12

Frequency Missing = 650973.94274

AGE WHEN FIRST USED WINE COOLERS		
	q22d Frequency	Percent
9 or younger	55139	10.72
10 years old	37466	7.28
11 years old	40076	7.79
12 years old	70431	13.69
13 years old	88061	17.12
14 years old	81369	15.81
15 years old	71997	13.99
16 years old	44941	8.73
17 years old	18858	3.67
18 or older	6184	1.20

Frequency Missing = 732800.65407

AGE WHEN FIRST USED WINE		
	q22e Frequency	Percent
9 or younger	60286	12.15
10 years old	38721	7.80
11 years old	40034	8.07
12 years old	69321	13.97
13 years old	85437	17.22
14 years old	73562	14.82
15 years old	63011	12.70
16 years old	43022	8.67
17 years old	16548	3.33
18 or older	6340	1.28

Frequency Missing = 751041.11781

AGE WHEN FIRST USED LIQUOR		
	q22f Frequency	Percent
9 or younger	34013	6.50
10 years old	23097	4.41
11 years old	30243	5.78
12 years old	57539	10.99
13 years old	89740	17.15
14 years old	96128	18.37
15 years old	91488	17.48
16 years old	63406	12.12
17 years old	29286	5.60
18 or older	8406	1.61

Frequency Missing = 723977.34842

AGE WHEN FIRST USED INHALANTS		
	q22g Frequency	Percent
9 or younger	15931	16.00
10 years old	9024	9.07
11 years old	11551	11.60
12 years old	17787	17.87
13 years old	17791	17.87
14 years old	13317	13.38
15 years old	7812	7.85
16 years old	4570	4.59
17 years old	1332	1.34
18 or older	430	0.43

Frequency Missing = 1147778.5794

AGE WHEN FIRST USED MARIJUANA		
	q22h Frequency	Percent
9 or younger	16662	5.44
10 years old	12061	3.93
11 years old	17362	5.66
12 years old	32838	10.71
13 years old	53815	17.55
14 years old	58384	19.05
15 years old	54345	17.73
16 years old	38221	12.47
17 years old	17484	5.70
18 or older	5386	1.76

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

Frequency Missing = 940766.57266

AGE WHEN FIRST USED COCAINE		
q22i Frequency Percent		
9 or younger	1071	2.30
10 years old	1547	3.33
11 years old	1684	3.62
12 years old	3668	7.88
13 years old	6752	14.51
14 years old	8572	18.42
15 years old	10321	22.18
16 years old	8071	17.34
17 years old	3578	7.69
18 or older	1274	2.74

Frequency Missing = 1200784.8882

AGE WHEN FIRST USED CRACK		
q22j Frequency Percent		
9 or younger	958	6.51
10 years old	871	5.92
11 years old	904	6.14
12 years old	1701	11.55
13 years old	2782	18.90
14 years old	2683	18.22
15 years old	2443	16.60
16 years old	1616	10.98
17 years old	672	4.57
18 or older	91	0.62

Frequency Missing = 1232604.6036

AGE WHEN FIRST USED HALLUCINOGENS		
q22l Frequency Percent		
9 or younger	1628	3.43
10 years old	999	2.10
11 years old	1370	2.88
12 years old	3243	6.82
13 years old	6180	13.00
14 years old	8548	17.99
15 years old	10482	22.06
16 years old	9107	19.16
17 years old	4644	9.77
18 or older	1322	2.78

Frequency Missing = 1199800.8803

AGE WHEN FIRST USED UPPERS		
q22m Frequency Percent		
9 or younger	1947	3.31
10 years old	1417	2.41
11 years old	2109	3.59
12 years old	4041	6.88
13 years old	8408	14.31
14 years old	11043	18.79
15 years old	13594	23.13
16 years old	10842	18.45
17 years old	4424	7.53
18 or older	948	1.61

Frequency Missing = 1188550.8024

AGE WHEN FIRST USED DOWNERS		
q22n Frequency Percent		
9 or younger	1761	2.97
10 years old	1319	2.22
11 years old	2089	3.52
12 years old	4209	7.10
13 years old	8593	14.49
14 years old	12580	21.22
15 years old	13234	22.32
16 years old	10040	16.93
17 years old	4456	7.52
18 or older	1011	1.71

Frequency Missing = 1188032.2453

AGE WHEN FIRST USED ROHYPNOL		
q22o Frequency Percent		
9 or younger	1073	6.64
10 years old	909	5.63
11 years old	1444	8.94
12 years old	1856	11.49
13 years old	2423	15.00
14 years old	3219	19.93
15 years old	2896	17.93
16 years old	1468	9.09
17 years old	715	4.42
18 or older	148	0.92

Frequency Missing = 1231172.4454

AGE WHEN FIRST USED STEROIDS		
q22p Frequency Percent		
9 or younger	2838	19.06
10 years old	866	5.82
11 years old	1134	7.61
12 years old	1555	10.44
13 years old	1850	12.42
14 years old	1699	11.41
15 years old	1812	12.17
16 years old	1757	11.80
17 years old	1185	7.96
18 or older	196	1.32

Frequency Missing = 1232431.2333

AGE WHEN FIRST USED ECSTASY		
q22q Frequency Percent		
9 or younger	966	1.50
10 years old	1576	2.45
11 years old	2184	3.39
12 years old	4854	7.54
13 years old	8088	12.56
14 years old	11141	17.30
15 years old	13078	20.31
16 years old	12871	19.99
17 years old	7700	11.96
18 or older	1927	2.99

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

Frequency Missing = 1182940.6208

AGE WHEN FIRST USED HEROIN		
	q22r	Frequency Percent
9 or younger	1168	8.95
10 years old	862	6.61
11 years old	1072	8.21
12 years old	1615	12.37
13 years old	2166	16.59
14 years old	2021	15.48
15 years old	2113	16.18
16 years old	1151	8.82
17 years old	667	5.11
18 or older	219	1.68

Frequency Missing = 1234269.4702

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a	Frequency Percent
Every day	29994	2.59
Several times/wk	24904	2.15
Several times/mo	37691	3.25
About once/month	56695	4.89
About once/year	49773	4.29
< once/year	94301	8.14
Never used	866E3	74.69

Frequency Missing = 88265.824077

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q23b	Frequency Percent
Every day	10720	0.94
Several times/wk	8368	0.73
Several times/mo	10631	0.93
About once/month	17607	1.54
About once/year	19369	1.70
< once/year	36921	3.24
Never used	104E4	90.91

Frequency Missing = 107400.99294

HOW OFTEN NORMALLY USE BEER		
	q23c	Frequency Percent
Every day	3298	0.29
Several times/wk	33220	2.91
Several times/mo	106E3	9.29
About once/month	136E3	11.97
About once/year	122E3	10.67
< once/year	119E3	10.42
Never used	621E3	54.45

Frequency Missing = 107391.10257

HOW OFTEN NORMALLY USE WINE COOLERS		
	q23d	Frequency Percent
Every day	2101	0.18
Several times/wk	20551	1.80
Several times/mo	80475	7.03
About once/month	128E3	11.17
About once/year	129E3	11.30
< once/year	102E3	8.90
Never used	682E3	59.62

Frequency Missing = 102510.54604

HOW OFTEN NORMALLY USE WINE		
	q23e	Frequency Percent
Every day	764	0.07
Several times/wk	13623	1.21
Several times/mo	56455	5.01
About once/month	95019	8.43
About once/year	141E3	12.53
< once/year	129E3	11.43
Never used	691E3	61.32

Frequency Missing = 120344.48406

HOW OFTEN NORMALLY USE LIQUOR		
	q23f	Frequency Percent
Every day	2654	0.23
Several times/wk	25937	2.26
Several times/mo	1E5	8.75
About once/month	134E3	11.69
About once/year	126E3	10.99
< once/year	88701	7.75
Never used	668E3	58.33

Frequency Missing = 102157.85066

HOW OFTEN NORMALLY USE INHALANTS		
	q23g	Frequency Percent
Every day	1503	0.13
Several times/wk	3872	0.34
Several times/mo	7733	0.69
About once/month	13406	1.19
About once/year	18394	1.63
< once/year	34745	3.08
Never used	105E4	92.94

Frequency Missing = 119158.07775

HOW OFTEN NORMALLY USE MARIJUANA		
	q23h	Frequency Percent
Every day	32329	2.89
Several times/wk	35437	3.17
Several times/mo	48557	4.34
About once/month	50837	4.54
About once/year	46646	4.17
< once/year	57817	5.17
Never used	848E3	75.73

Frequency Missing = 128052.77546

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

HOW OFTEN NORMALLY USE COCAINE		
	q23i Frequency	Percent
Every day	692	0.06
Several times/wk	2313	0.21
Several times/mo	3968	0.36
About once/month	5964	0.54
About once/year	9926	0.90
< once/year	14597	1.32
Never used	107E4	96.62

Frequency Missing = 139326.67024

HOW OFTEN NORMALLY USE UPPERS		
	q23m Frequency	Percent
Every day	1697	0.15
Several times/wk	3258	0.30
Several times/mo	8582	0.78
About once/month	12308	1.12
About once/year	13007	1.19
< once/year	14159	1.29
Never used	104E4	95.17

Frequency Missing = 150336.78454

HOW OFTEN NORMALLY USE STEROIDS		
	q23p Frequency	Percent
Every day	1416	0.13
Several times/wk	879	0.08
Several times/mo	1071	0.10
About once/month	1365	0.12
About once/year	2348	0.21
< once/year	5199	0.47
Never used	108E4	98.88

Frequency Missing = 151435.24321

HOW OFTEN NORMALLY USE CRACK		
	q23j Frequency	Percent
Every day	482	0.04
Several times/wk	918	0.08
Several times/mo	1600	0.14
About once/month	2259	0.20
About once/year	2593	0.23
< once/year	5023	0.45
Never used	109E4	98.84

Frequency Missing = 141091.31003

HOW OFTEN NORMALLY USE DOWNERS		
	q23n Frequency	Percent
Every day	2408	0.22
Several times/wk	3468	0.32
Several times/mo	8957	0.81
About once/month	12901	1.17
About once/year	11616	1.06
< once/year	13279	1.21
Never used	105E4	95.22

Frequency Missing = 147141.07975

HOW OFTEN NORMALLY USE ECSTASY		
	q23q Frequency	Percent
Every day	972	0.09
Several times/wk	2521	0.23
Several times/mo	6213	0.56
About once/month	11874	1.08
About once/year	17456	1.58
< once/year	18679	1.69
Never used	105E4	94.77

Frequency Missing = 143813.90799

HOW OFTEN NORMALLY USE HALLUCINOGENS		
	q23l Frequency	Percent
Every day	780	0.07
Several times/wk	1154	0.10
Several times/mo	3568	0.32
About once/month	8026	0.72
About once/year	14309	1.28
< once/year	13861	1.24
Never used	108E4	96.27

Frequency Missing = 130348.2903

HOW OFTEN NORMALLY USE ROHYPNOL		
	q23o Frequency	Percent
Every day	364	0.03
Several times/wk	1050	0.09
Several times/mo	1785	0.16
About once/month	3042	0.27
About once/year	3994	0.36
< once/year	4718	0.43
Never used	109E4	98.65

Frequency Missing = 139434.90061

HOW OFTEN NORMALLY USE HEROIN		
	q23r Frequency	Percent
Every day	678	0.06
Several times/wk	1095	0.10
Several times/mo	1067	0.10
About once/month	1750	0.16
About once/year	2910	0.26
< once/year	4724	0.42
Never used	111E4	98.91

Frequency Missing = 129286.55746

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

AMOUNT OF BEER AT ONE TIME		
q24a Frequency Percent		
Never drink this	589E3	51.32
12+ drinks	42355	3.69
9-11 drinks	29179	2.54
5-8 drinks	65358	5.69
3-4 drinks	86188	7.51
2 drinks	84947	7.40
1 drink	102E3	8.92
< 1 drink	148E3	12.92

Frequency Missing = 99423.792645

AMOUNT OF WINE COOLERS AT ONE TIME		
q24b Frequency Percent		
Never drink this	64E4	56.20
12+ drinks	27097	2.38
9-11 drinks	19725	1.73
5-8 drinks	50468	4.43
3-4 drinks	90537	7.95
2 drinks	99895	8.78
1 drink	11E4	9.70
< 1 drink	1E5	8.83

Frequency Missing = 109196.56157

AMOUNT OF WINE AT ONE TIME		
q24c Frequency Percent		
Never drink this	66E4	58.41
12+ drinks	13107	1.16
9-11 drinks	7596	0.67
5-8 drinks	18508	1.64
3-4 drinks	42557	3.77
2 drinks	67954	6.01
1 drink	139E3	12.26
< 1 drink	182E3	16.08

Frequency Missing = 117520.80361

AMOUNT OF LIQUOR AT ONE TIME		
q24d Frequency Percent		
Never drink this	621E3	54.80
12+ drinks	38233	3.37
9-11 drinks	28290	2.49
5-8 drinks	66077	5.83
3-4 drinks	102E3	9.02
2 drinks	83140	7.33
1 drink	90832	8.01
< 1 drink	104E3	9.14

Frequency Missing = 113346.5772

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q25 Frequency Percent		
Never 5+ at time	528E3	45.21
None	408E3	34.92
1 day	78958	6.76
2 days	51315	4.39
3 to 5 days	51975	4.45
6 to 9 days	23354	2.00
10 or more days	26423	2.26

Frequency Missing = 79507.416104

GET ALCOHOLIC BEVERAGES FROM HOME		
q26a Frequency Percent		
Do not Drink	518E3	45.28
Never	276E3	24.08
Seldom	242E3	21.15
Most of the Time	75190	6.57
Always	33528	2.93

Frequency Missing = 102404.79345

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q26b Frequency Percent		
Do not Drink	489E3	43.37
Never	218E3	19.36
Seldom	181E3	16.10
Most of the Time	173E3	15.37
Always	65302	5.79

Frequency Missing = 120380.09196

GET ALCOHOLIC BEVERAGES FROM A STORE		
q26c Frequency Percent		
Do not Drink	509E3	45.29
Never	467E3	41.58
Seldom	80084	7.13
Most of the Time	44637	3.97
Always	22842	2.03

Frequency Missing = 123690.41085

GET ALCOHOLIC BEVERAGES AT PARTIES		
q26d Frequency Percent		
Do not Drink	471E3	41.80
Never	192E3	17.07
Seldom	147E3	13.07
Most of the Time	164E3	14.57
Always	152E3	13.49

Frequency Missing = 120868.22153

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q26e Frequency Percent		
Do not Drink	512E3	45.54
Never	304E3	27.04
Seldom	148E3	13.19
Most of the Time	86586	7.71
Always	73235	6.52

Frequency Missing = 124148.07233

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

USE MARIJUANA AS JOINTS		
q27a Frequency Percent		
Never	908E3	79.73
Seldom	96849	8.51
Half the time	51758	4.55
Most of the time	41964	3.69
Always	31098	2.73
Don't know	9069	0.80

Frequency Missing = 108827.51066

USE MARIJUANA AS BLUNTS		
q27b Frequency Percent		
Never	893E3	79.12
Seldom	75064	6.65
Half the time	45884	4.06
Most of the time	51818	4.59
Always	53721	4.76
Don't know	9279	0.82

Frequency Missing = 118148.18839

USE MARIJUANA IN BONGS OR WATER PIPES		
q27c Frequency Percent		
Never	946E3	84.69
Seldom	64986	5.82
Half the time	35476	3.18
Most of the time	35396	3.17
Always	28654	2.56
Don't know	6489	0.58

Frequency Missing = 130056.10223

USE MARIJUANA IN PIPES		
q27d Frequency Percent		
Never	932E3	83.66
Seldom	56971	5.11
Half the time	34548	3.10
Most of the time	48051	4.31
Always	35345	3.17
Don't know	7116	0.64

Frequency Missing = 133002.32592

USE MARIJUANA OTHER WAYS		
q27e Frequency Percent		
Never	979E3	87.95
Seldom	58265	5.23
Half the time	17816	1.60
Most of the time	17540	1.58
Always	21563	1.94
Don't know	19020	1.71

Frequency Missing = 134019.7733

USED METHAMPHETAMINE EVEN ONE TIME		
q28 Frequency Percent		
Never heard/used	114E4	97.03
At least once/month	8733	0.75
At least once/year	6426	0.55
At least once/life	19677	1.68

Frequency Missing = 75485.299786

RECENT PRECRIPTION DRUG USE - CODEINE		
q29a Frequency Percent		
Never heard/used	1E6	87.23
At least once/month	55787	4.86
At least once/year	39755	3.46
At least once/life	51011	4.44

Frequency Missing = 99455.8572

RECENT PRECRIPTION DRUG USE - OXYCONTIN ETC		
q29b Frequency Percent		
Never heard/used	109E4	96.66
At least once/month	11545	1.02
At least once/year	10637	0.94
At least once/life	15614	1.38

Frequency Missing = 116108.90567

RECENT PRECRIPTION DRUG USE - VICODIN ETC		
q29c Frequency Percent		
Never heard/used	106E4	94.09
At least once/month	22399	2.00
At least once/year	20807	1.85
At least once/life	23068	2.06

Frequency Missing = 125098.90133

RECENT PRECRIPTION DRUG USE - VALIUM ETC		
q29d Frequency Percent		
Never heard/used	109E4	97.50
At least once/month	8242	0.73
At least once/year	7827	0.70
At least once/life	12042	1.07

Frequency Missing = 124438.14272

RECENT PRECRIPTION DRUG USE - XANAX ETC		
q29e Frequency Percent		
Never heard/used	107E4	95.24
At least once/month	19964	1.77
At least once/year	14691	1.30
At least once/life	18912	1.68

Frequency Missing = 121034.71467

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q30 Frequency Percent		
Never heard/used	108E4	94.49
At least once/month	21732	1.90
At least once/year	14530	1.27
At least once/life	26828	2.34

Frequency Missing = 102519.47364

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

DANGEROUS FOR KIDS TO USE TOBACCO		
q31a Frequency Percent		
Very	6E5	52.59
Somewhat	296E3	25.94
Not very	143E3	12.52
Not at all	41387	3.63
Don't know	60685	5.32

Frequency Missing = 106707.42061

DANGEROUS FOR KIDS TO USE COCAINE		
q31e Frequency Percent		
Very	918E3	84.20
Somewhat	94638	8.68
Not very	16534	1.52
Not at all	9137	0.84
Don't know	51865	4.76

Frequency Missing = 157590.81336

DANGEROUS FOR KIDS TO USE HEROIN		
q31i Frequency Percent		
Very	949E3	86.53
Somewhat	62856	5.73
Not very	10921	1.00
Not at all	7779	0.71
Don't know	66170	6.04

Frequency Missing = 151022.33328

DANGEROUS FOR KIDS TO USE ALCOHOL		
q31b Frequency Percent		
Very	538E3	47.71
Somewhat	344E3	30.52
Not very	159E3	14.13
Not at all	41382	3.67
Don't know	44773	3.97

Frequency Missing = 119233.23304

DANGEROUS FOR KIDS TO USE CRACK		
q31f Frequency Percent		
Very	934E3	85.67
Somewhat	79842	7.33
Not very	13178	1.21
Not at all	8886	0.82
Don't know	54209	4.97

Frequency Missing = 157604.15208

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q31j Frequency Percent		
Very	936E3	84.17
Somewhat	61456	5.52
Not very	10553	0.95
Not at all	8164	0.73
Don't know	95964	8.63

Frequency Missing = 134817.31823

DANGEROUS FOR KIDS TO USE INHALANTS		
q31c Frequency Percent		
Very	808E3	72.90
Somewhat	165E3	14.90
Not very	51857	4.68
Not at all	18255	1.65
Don't know	65047	5.87

Frequency Missing = 139258.99727

DANGEROUS FOR KIDS TO USE ECSTASY		
q31g Frequency Percent		
Very	841E3	77.35
Somewhat	116E3	10.64
Not very	36544	3.36
Not at all	15749	1.45
Don't know	78357	7.21

Frequency Missing = 159893.80339

DAYS SKIPPED SINCE SEPTEMBER		
q32a Frequency Percent		
None	853E3	74.16
1-3 days	216E3	18.78
4-9 days	49553	4.31
10+ days	31656	2.75

Frequency Missing = 97719.166219

DANGEROUS FOR KIDS TO USE MARIJUANA		
q31d Frequency Percent		
Very	639E3	57.82
Somewhat	167E3	15.14
Not very	131E3	11.86
Not at all	122E3	11.01
Don't know	46069	4.17

Frequency Missing = 142051.82301

DANGEROUS FOR KIDS TO USE STEROIDS		
q31h Frequency Percent		
Very	819E3	74.82
Somewhat	147E3	13.43
Not very	46630	4.26
Not at all	15878	1.45
Don't know	66148	6.04

Frequency Missing = 152407.82049

DAYS ILL SINCE SEPTEMBER		
q32b Frequency Percent		
None	294E3	25.72
1-3 days	597E3	52.17
4-9 days	205E3	17.93
10+ days	47784	4.18

Frequency Missing = 102859.9766

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER		
q32c Frequency Percent		
None	436E3	38.46
1-3 days	57E4	50.26
4-9 days	96284	8.49
10+ days	31656	2.79

Frequency Missing = 113435.38181

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q32g Frequency Percent		
None	111E4	98.53
1-3 days	11730	1.04
4-9 days	1769	0.16
10+ days	3074	0.27

Frequency Missing = 120446.70654

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q33d Frequency Percent		
None	107E4	97.33
1-3 times	24162	2.20
4-9 times	2619	0.24
10+ times	2606	0.24

Frequency Missing = 146924.83254

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q32d Frequency Percent		
None	935E3	81.67
1-3 days	154E3	13.49
4-9 days	32237	2.82
10+ days	23152	2.02

Frequency Missing = 102233.28435

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q33a Frequency Percent		
None	106E4	93.78
1-3 times	60894	5.37
4-9 times	6050	0.53
10+ times	3576	0.32

Frequency Missing = 113473.44686

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q33e Frequency Percent		
None	104E4	94.38
1-3 times	50602	4.60
4-9 times	7056	0.64
10+ times	4208	0.38

Frequency Missing = 146235.23434

SOMEONE CALLED HOME SINCE SEPTEMBER		
q32e Frequency Percent		
None	968E3	85.41
1-3 days	127E3	11.16
4-9 days	23140	2.04
10+ days	15681	1.38

Frequency Missing = 113763.19974

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q33b Frequency Percent		
None	105E4	93.65
1-3 times	53441	4.78
4-9 times	9325	0.83
10+ times	8128	0.73

Frequency Missing = 130034.53777

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q33f Frequency Percent		
None	101E4	93.10
1-3 times	46601	4.29
4-9 times	10863	1.00
10+ times	17577	1.62

Frequency Missing = 160207.75966

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q32f Frequency Percent		
None	111E4	98.90
1-3 days	8057	0.72
4-9 days	1516	0.13
10+ days	2779	0.25

Frequency Missing = 122546.19797

CRITICIZED BY DATE BECAUSE OF DRINKING		
q33c Frequency Percent		
None	103E4	93.18
1-3 times	62551	5.64
4-9 times	6981	0.63
10+ times	6122	0.55

Frequency Missing = 137806.48687

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q33g Frequency Percent		
None	101E4	93.54
1-3 times	54013	5.00
4-9 times	8282	0.77
10+ times	7477	0.69

Frequency Missing = 167866.96845

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q33h Frequency Percent		
None	106E4	97.64
1-3 times	19721	1.82
4-9 times	2704	0.25
10+ times	3170	0.29

Frequency Missing = 162150.59817

CLASS DAYS HIGH ON OTHER DRUG(S)		
q34d Frequency Percent		
None	106E4	94.40
1-3 days	39758	3.53
4-9 days	10650	0.95
10+ days	12585	1.12

Frequency Missing = 121973.10916

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q37a Frequency Percent		
?	9	0.00
No	739E3	66.65
Yes	37E4	33.35

Frequency Missing = 137872.80253

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q34a Frequency Percent		
None	105E4	92.49
1-3 days	65097	5.73
4-9 days	10597	0.93
10+ days	9619	0.85

Frequency Missing = 111079.52843

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q35a Frequency Percent		
Never	49E4	43.22
Seldom	112E3	9.89
Half the time	78145	6.89
Most of the time	128E3	11.27
Always	173E3	15.28
Don't know	19717	1.74
Didn't attend	133E3	11.70

Frequency Missing = 144608.53839

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q34b Frequency Percent		
None	1E6	88.94
1-3 days	65320	5.79
4-9 days	22988	2.04
10+ days	36395	3.23

Frequency Missing = 119484.05366

Frequency Missing = 113910.49354

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q35b Frequency Percent		
Never	609E3	53.79
Seldom	104E3	9.20
Half the time	74386	6.57
Most of the time	85869	7.59
Always	96115	8.49
Don't know	28943	2.56
Didn't attend	134E3	11.81

Frequency Missing = 115393.3637

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q37c Frequency Percent		
?	5	0.00
No	689E3	63.52
Yes	396E3	36.48

Frequency Missing = 162304.17431

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q34c Frequency Percent		
None	11E5	97.83
1-3 days	17099	1.52
4-9 days	3164	0.28
10+ days	4136	0.37

Frequency Missing = 124398.83736

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q36 Frequency Percent		
?	1	0.00
No	976E3	92.71
Yes	76673	7.28

Frequency Missing = 194841.67

WOULD SEEK HELP FROM PARENTS		
q37d Frequency Percent		
?	5	0.00
No	432E3	39.62
Yes	659E3	60.38

Frequency Missing = 156071.1513

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q37e	Frequency	Percent
No	597E3	55.28
Yes	483E3	44.72

Frequency Missing = 167426.39616

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q38b	Frequency	Percent
No	506E3	51.57
Yes	475E3	48.43

Frequency Missing = 266311.47859

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q38g	Frequency	Percent
No	638E3	66.09
Yes	327E3	33.91

Frequency Missing = 282589.08499

WOULD SEEK HELP FROM FRIENDS		
q37f	Frequency	Percent
No	326E3	29.94
Yes	762E3	70.06

Frequency Missing = 159146.51372

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q38c	Frequency	Percent
No	734E3	75.75
Yes	235E3	24.25

Frequency Missing = 277996.87374

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q38h	Frequency	Percent
No	67E4	68.86
Yes	303E3	31.14

Frequency Missing = 274472.51723

WOULD SEEK HELP FROM ANOTHER ADULT		
q37g	Frequency	Percent
?	6	0.00
No	418E3	38.18
Yes	676E3	61.82

Frequency Missing = 153884.74074

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q38d	Frequency	Percent
No	678E3	70.20
Yes	288E3	29.80

Frequency Missing = 281101.16433

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
q39a	Frequency	Percent
Strong disapprove	857E3	76.60
Mild disapprove	92432	8.26
Neither	77226	6.90
Mildly approve	12787	1.14
Strongly approve	9859	0.88
Don't know	69626	6.22

Frequency Missing = 127932.30077

WOULD NOT SEEK HELP		
q37h	Frequency	Percent
No	916E3	85.05
Yes	161E3	14.95

Frequency Missing = 170130.78714

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q38e	Frequency	Percent
No	822E3	85.54
Yes	139E3	14.46

Frequency Missing = 286845.18737

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	706E3	63.56
Mild disapprove	169E3	15.19
Neither	119E3	10.72
Mildly approve	38146	3.44
Strongly approve	12655	1.14
Don't know	66168	5.96

Frequency Missing = 136950.35462

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q38a	Frequency	Percent
No	533E3	53.37
Yes	466E3	46.63

Frequency Missing = 248476.17529

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q38f	Frequency	Percent
No	829E3	85.90
Yes	136E3	14.10

Frequency Missing = 281805.85831

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large
Spring 2010**

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c Frequency Percent		
Strong disapprove	9E5	81.41
Mild disapprove	60047	5.43
Neither	53832	4.87
Mildly approve	13925	1.26
Strongly approve	14741	1.33
Don't know	62929	5.69

Frequency Missing = 142042.78986

TESTED FOR DRUG USE AT SCHOOL		
q40 Frequency Percent		
No	929E3	84.33
Yes	173E3	15.67

Frequency Missing = 146076.48713

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district