

region19
Spring 2006

Table T-1: How recently, if ever, have you used ..

| | | Past Month | School Year | Ever Used | Never Used |
|----------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Any tobacco product | | | | | |
| | All | 21.3% | 27.9% | 44.3% | 55.7% |
| | Grade 7 | 8.9% | 11.7% | 25.3% | 74.7% |
| | Grade 8 | 12.1% | 18.8% | 35.0% | 65.0% |
| | Grade 9 | 15.6% | 22.0% | 40.2% | 59.8% |
| | Grade 10 | 20.8% | 27.0% | 44.6% | 55.4% |
| | Grade 11 | 26.7% | 35.0% | 50.0% | 50.0% |
| | Grade 12 | 36.5% | 43.7% | 59.9% | 40.1% |
| Cigarettes | | | | | |
| | All | 19.5% | 25.3% | 41.6% | 58.4% |
| | Grade 7 | 8.5% | 11.0% | 23.3% | 76.7% |
| | Grade 8 | 11.4% | 17.6% | 33.4% | 66.6% |
| | Grade 9 | 13.9% | 19.6% | 37.4% | 62.6% |
| | Grade 10 | 18.1% | 23.3% | 40.8% | 59.2% |
| | Grade 11 | 24.6% | 31.7% | 47.1% | 52.9% |
| | Grade 12 | 33.9% | 41.3% | 57.7% | 42.3% |
| Smokeless tobacco | | | | | |
| | All | 6.3% | 9.6% | 16.3% | 83.7% |
| | Grade 7 | 1.3% | 2.4% | 6.4% | 93.6% |
| | Grade 8 | 2.8% | 3.8% | 8.1% | 91.9% |
| | Grade 9 | 4.1% | 6.7% | 12.4% | 87.6% |
| | Grade 10 | 6.5% | 11.3% | 18.3% | 81.7% |
| | Grade 11 | 6.8% | 11.5% | 18.8% | 81.2% |
| | Grade 12 | 13.0% | 17.0% | 26.9% | 73.1% |

region19
Spring 2006

Table T-2: How often do you normally use ..

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|-----------------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any tobacco product? | | | | | | | |
| All | 59.7% | 8.3% | 4.4% | 4.4% | 7.4% | 5.9% | 10.0% |
| Grade 7 | 76.3% | 1.6% | 1.3% | 3.3% | 4.3% | 6.3% | 6.8% |
| Grade 8 | 69.5% | 2.6% | 3.4% | 3.1% | 6.4% | 5.9% | 9.1% |
| Grade 9 | 64.0% | 6.1% | 4.3% | 4.0% | 7.0% | 5.5% | 9.2% |
| Grade 10 | 59.5% | 7.5% | 4.8% | 5.1% | 6.3% | 4.9% | 11.8% |
| Grade 11 | 53.8% | 9.2% | 5.4% | 4.4% | 9.2% | 7.5% | 10.6% |
| Grade 12 | 45.1% | 18.5% | 5.2% | 5.7% | 9.5% | 5.4% | 10.7% |
| Cigarettes? | | | | | | | |
| All | 62.1% | 6.8% | 4.0% | 4.4% | 7.1% | 5.5% | 10.0% |
| Grade 7 | 77.8% | 1.4% | 1.4% | 3.2% | 4.2% | 5.6% | 6.3% |
| Grade 8 | 70.3% | 2.2% | 2.6% | 3.5% | 6.1% | 6.1% | 9.3% |
| Grade 9 | 67.3% | 5.6% | 3.8% | 3.6% | 6.2% | 5.2% | 8.4% |
| Grade 10 | 63.4% | 6.0% | 4.3% | 4.8% | 5.3% | 4.1% | 12.0% |
| Grade 11 | 56.2% | 7.3% | 5.6% | 4.3% | 8.8% | 6.5% | 11.2% |
| Grade 12 | 46.8% | 14.7% | 4.9% | 6.0% | 11.0% | 6.0% | 10.6% |
| Smokeless tobacco? | | | | | | | |
| All | 83.7% | 1.9% | 1.1% | 1.5% | 2.9% | 3.0% | 6.0% |
| Grade 7 | 92.9% | 0.2% | 0.2% | 0.5% | 0.6% | 2.3% | 3.3% |
| Grade 8 | 91.9% | 0.6% | 1.1% | 0.4% | 1.8% | 0.9% | 3.4% |
| Grade 9 | 87.0% | 0.9% | 0.7% | 2.3% | 3.0% | 2.3% | 3.9% |
| Grade 10 | 81.6% | 1.8% | 1.1% | 1.5% | 3.8% | 3.0% | 7.2% |
| Grade 11 | 81.1% | 2.3% | 0.5% | 1.7% | 3.0% | 4.4% | 6.9% |
| Grade 12 | 74.4% | 4.3% | 2.5% | 1.7% | 3.5% | 4.3% | 9.4% |

region19
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

| | None | <1 Per Day | 1-9 Per Day | 10 but < Pack Per Day | 1 Pack but <2 Packs Per Day | >2 Packs Per Day |
|-----------------|-------|------------|-------------|--------------------------|--------------------------------|---------------------|
| All | 78.9% | 10.8% | 6.6% | 2.3% | 1.0% | 0.3% |
| Grade 7 | 89.9% | 6.4% | 1.9% | 1.2% | 0.2% | 0.4% |
| Grade 8 | 87.0% | 8.8% | 2.8% | 1.1% | 0.2% | 0.0% |
| Grade 9 | 82.6% | 8.9% | 6.4% | 0.5% | 1.2% | 0.3% |
| Grade 10 | 80.8% | 9.2% | 6.6% | 2.2% | 0.8% | 0.3% |
| Grade 11 | 75.8% | 12.7% | 7.9% | 3.0% | 0.5% | 0.2% |
| Grade 12 | 64.4% | 16.7% | 10.7% | 5.1% | 2.2% | 0.8% |

Table T-4: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|----------------|---------|---------|---------|----------|----------|----------|
| Tobacco | 10.4 | 11.2 | 11.9 | 12.7 | 13.5 | 14.2 |

Table T-5: If you wanted some, how difficult would it be to get...

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---------------------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Cigarettes? | | | | | | |
| All | 5.3% | 12.3% | 5.3% | 8.5% | 19.0% | 49.6% |
| Grade 7 | 12.6% | 29.2% | 9.4% | 11.8% | 18.9% | 18.1% |
| Grade 8 | 6.9% | 23.9% | 9.4% | 13.1% | 21.7% | 25.0% |
| Grade 9 | 5.4% | 13.9% | 7.8% | 9.6% | 21.1% | 42.2% |
| Grade 10 | 3.6% | 10.4% | 4.8% | 10.5% | 22.9% | 47.7% |
| Grade 11 | 5.5% | 6.4% | 2.7% | 6.7% | 20.6% | 58.2% |
| Grade 12 | 1.9% | 1.0% | 0.5% | 1.9% | 9.1% | 85.6% |
| Smokeless Tobacco? | | | | | | |
| All | 15.1% | 15.6% | 6.6% | 9.5% | 15.4% | 37.7% |
| Grade 7 | 25.2% | 34.7% | 12.6% | 9.1% | 7.6% | 10.9% |
| Grade 8 | 23.3% | 31.4% | 9.7% | 10.5% | 12.2% | 12.8% |
| Grade 9 | 16.8% | 16.9% | 8.8% | 12.2% | 18.3% | 26.9% |
| Grade 10 | 13.4% | 12.8% | 5.8% | 11.0% | 22.5% | 34.5% |
| Grade 11 | 11.9% | 8.6% | 5.4% | 9.7% | 17.8% | 46.7% |
| Grade 12 | 7.0% | 3.0% | 0.9% | 4.3% | 8.6% | 76.2% |

region19
Spring 2006

Table T-6: About how many of your close friends...

| | None | A Few | Some | Most | ALL |
|---|-------|-------|-------|-------|------|
| Use any tobacco product? | | | | | |
| All | 31.6% | 33.4% | 19.7% | 12.9% | 2.5% |
| Grade 7 | 61.3% | 26.6% | 7.7% | 4.0% | 0.5% |
| Grade 8 | 46.6% | 33.0% | 12.3% | 7.3% | 0.9% |
| Grade 9 | 33.9% | 36.7% | 16.0% | 11.0% | 2.4% |
| Grade 10 | 25.7% | 36.3% | 22.3% | 13.6% | 2.1% |
| Grade 11 | 24.8% | 34.8% | 22.1% | 14.2% | 4.2% |
| Grade 12 | 16.0% | 28.9% | 29.8% | 21.7% | 3.6% |
| Smoke cigarettes? | | | | | |
| All | 35.7% | 33.6% | 16.8% | 11.6% | 2.3% |
| Grade 7 | 63.2% | 25.2% | 7.5% | 3.6% | 0.5% |
| Grade 8 | 50.1% | 32.3% | 10.4% | 6.5% | 0.7% |
| Grade 9 | 38.5% | 34.6% | 14.8% | 9.8% | 2.2% |
| Grade 10 | 33.7% | 36.7% | 16.7% | 11.1% | 1.8% |
| Grade 11 | 28.3% | 36.5% | 18.1% | 13.3% | 3.9% |
| Grade 12 | 17.9% | 31.5% | 27.0% | 20.2% | 3.5% |
| Use a smokeless tobacco product? | | | | | |
| All | 59.1% | 24.6% | 11.7% | 3.6% | 0.9% |
| Grade 7 | 86.5% | 9.9% | 1.7% | 1.5% | 0.3% |
| Grade 8 | 75.8% | 15.8% | 5.5% | 2.6% | 0.3% |
| Grade 9 | 64.1% | 24.1% | 7.8% | 3.1% | 0.9% |
| Grade 10 | 53.9% | 26.7% | 14.1% | 4.1% | 1.2% |
| Grade 11 | 50.6% | 29.3% | 14.9% | 3.4% | 1.8% |
| Grade 12 | 41.8% | 32.2% | 19.9% | 5.7% | 0.4% |

region19
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| All | 71.6% | 11.5% | 9.1% | 1.8% | 0.8% | 5.3% |
| Grade 7 | 81.2% | 6.1% | 3.6% | 0.9% | 0.6% | 7.5% |
| Grade 8 | 81.9% | 6.9% | 4.3% | 0.7% | 0.5% | 5.6% |
| Grade 9 | 77.8% | 7.5% | 7.2% | 2.0% | 1.1% | 4.4% |
| Grade 10 | 75.1% | 10.6% | 8.4% | 1.4% | 0.7% | 3.7% |
| Grade 11 | 68.5% | 14.4% | 9.6% | 1.4% | 0.7% | 5.4% |
| Grade 12 | 52.4% | 20.0% | 17.2% | 3.4% | 0.7% | 6.4% |

region19
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-----------------|---------------------------|-------------------------------|-------------------------------|---------------------------------|--------------------|
| All | 41.5% | 32.9% | 17.1% | 4.6% | 3.9% |
| Grade 7 | 63.8% | 20.0% | 8.9% | 2.3% | 5.1% |
| Grade 8 | 55.4% | 24.6% | 11.5% | 2.9% | 5.7% |
| Grade 9 | 44.9% | 33.3% | 14.6% | 3.1% | 4.1% |
| Grade 10 | 37.4% | 36.9% | 17.6% | 4.5% | 3.5% |
| Grade 11 | 37.6% | 35.3% | 19.2% | 4.5% | 3.4% |
| Grade 12 | 24.9% | 38.1% | 25.6% | 8.8% | 2.6% |

region19
Spring 2006

Table A-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Any alcohol product | | | | | |
| | All | 36.3% | 51.2% | 73.1% | 26.9% |
| | Grade 7 | 18.2% | 28.2% | 52.9% | 47.1% |
| | Grade 8 | 23.7% | 38.1% | 68.7% | 31.3% |
| | Grade 9 | 31.6% | 44.4% | 69.3% | 30.7% |
| | Grade 10 | 38.6% | 56.9% | 76.6% | 23.4% |
| | Grade 11 | 42.4% | 59.2% | 78.3% | 21.7% |
| | Grade 12 | 51.7% | 66.0% | 82.6% | 17.4% |
| Beer | | | | | |
| | All | 27.1% | 39.6% | 58.8% | 41.2% |
| | Grade 7 | 11.4% | 19.9% | 40.2% | 59.8% |
| | Grade 8 | 16.5% | 25.1% | 49.0% | 51.0% |
| | Grade 9 | 22.7% | 33.7% | 55.3% | 44.7% |
| | Grade 10 | 28.5% | 43.2% | 61.7% | 38.3% |
| | Grade 11 | 32.7% | 47.5% | 64.3% | 35.7% |
| | Grade 12 | 40.9% | 54.9% | 70.9% | 29.1% |
| Wine coolers | | | | | |
| | All | 18.0% | 30.0% | 51.0% | 49.0% |
| | Grade 7 | 9.3% | 15.3% | 29.6% | 70.4% |
| | Grade 8 | 13.6% | 21.3% | 43.6% | 56.4% |
| | Grade 9 | 17.6% | 28.9% | 48.7% | 51.3% |
| | Grade 10 | 19.2% | 33.6% | 54.9% | 45.1% |
| | Grade 11 | 18.7% | 31.4% | 54.2% | 45.8% |
| | Grade 12 | 24.2% | 39.7% | 63.1% | 36.9% |
| Wine | | | | | |
| | All | 15.9% | 29.0% | 52.4% | 47.6% |
| | Grade 7 | 8.1% | 15.6% | 36.6% | 63.4% |
| | Grade 8 | 11.1% | 20.7% | 45.6% | 54.4% |
| | Grade 9 | 15.1% | 28.4% | 50.1% | 49.9% |
| | Grade 10 | 16.7% | 31.3% | 53.3% | 46.7% |
| | Grade 11 | 17.6% | 30.8% | 55.6% | 44.4% |
| | Grade 12 | 21.8% | 38.4% | 64.0% | 36.0% |
| Liquor | | | | | |
| | All | 26.8% | 40.0% | 56.1% | 43.9% |
| | Grade 7 | 8.8% | 14.4% | 28.5% | 71.5% |
| | Grade 8 | 14.1% | 22.7% | 38.9% | 61.1% |
| | Grade 9 | 21.6% | 32.9% | 49.4% | 50.6% |
| | Grade 10 | 28.4% | 45.2% | 61.1% | 38.9% |
| | Grade 11 | 32.6% | 48.7% | 65.8% | 34.2% |
| | Grade 12 | 43.4% | 59.5% | 75.1% | 24.9% |

region19
Spring 2006

Table A-2: How often do you normally use...

| | | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|-----------------------------|-----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any alcohol product? | | | | | | | | |
| | All | 31.8% | 0.6% | 6.0% | 16.8% | 18.8% | 13.7% | 12.3% |
| | Grade 7 | 52.2% | 0.2% | 3.6% | 6.5% | 12.8% | 11.4% | 13.4% |
| | Grade 8 | 39.1% | 0.1% | 4.1% | 10.8% | 13.3% | 15.6% | 17.0% |
| | Grade 9 | 36.4% | 0.6% | 6.5% | 13.0% | 18.3% | 12.9% | 12.3% |
| | Grade 10 | 27.6% | 0.3% | 4.0% | 18.2% | 21.7% | 15.5% | 12.7% |
| | Grade 11 | 26.6% | 0.9% | 5.7% | 21.7% | 19.0% | 15.0% | 11.0% |
| | Grade 12 | 20.8% | 1.1% | 10.5% | 24.5% | 22.5% | 11.4% | 9.1% |
| Beer? | | | | | | | | |
| | All | 42.1% | 0.4% | 4.8% | 13.7% | 16.2% | 11.2% | 11.7% |
| | Grade 7 | 61.8% | 0.2% | 2.2% | 4.2% | 10.6% | 8.2% | 12.8% |
| | Grade 8 | 52.1% | 0.1% | 2.9% | 8.4% | 11.2% | 11.3% | 14.0% |
| | Grade 9 | 46.6% | 0.1% | 5.3% | 9.1% | 15.8% | 12.0% | 11.1% |
| | Grade 10 | 38.6% | 0.1% | 3.1% | 14.5% | 18.4% | 12.5% | 12.8% |
| | Grade 11 | 36.8% | 0.7% | 4.4% | 18.6% | 17.5% | 11.9% | 10.1% |
| | Grade 12 | 29.2% | 0.8% | 9.4% | 21.5% | 19.0% | 9.7% | 10.3% |
| Wine coolers? | | | | | | | | |
| | All | 50.5% | 0.1% | 2.1% | 9.0% | 13.4% | 13.4% | 11.6% |
| | Grade 7 | 70.9% | 0.0% | 2.1% | 2.7% | 8.8% | 8.7% | 6.8% |
| | Grade 8 | 59.6% | 0.0% | 1.8% | 6.7% | 7.9% | 11.9% | 12.2% |
| | Grade 9 | 55.1% | 0.0% | 2.7% | 8.7% | 12.0% | 10.9% | 10.6% |
| | Grade 10 | 44.8% | 0.2% | 0.9% | 10.5% | 15.8% | 14.3% | 13.4% |
| | Grade 11 | 46.7% | 0.2% | 2.1% | 10.0% | 15.0% | 13.7% | 12.3% |
| | Grade 12 | 38.4% | 0.0% | 2.9% | 11.7% | 16.8% | 18.2% | 12.1% |
| Wine? | | | | | | | | |
| | All | 48.4% | 0.1% | 2.1% | 7.6% | 11.2% | 16.3% | 14.3% |
| | Grade 7 | 64.5% | 0.0% | 1.1% | 3.6% | 7.5% | 11.2% | 12.1% |
| | Grade 8 | 58.9% | 0.0% | 1.3% | 5.5% | 7.5% | 13.7% | 13.1% |
| | Grade 9 | 50.9% | 0.0% | 3.2% | 7.8% | 12.0% | 13.1% | 13.0% |
| | Grade 10 | 44.6% | 0.2% | 1.7% | 8.3% | 11.0% | 19.0% | 15.2% |
| | Grade 11 | 44.2% | 0.3% | 1.9% | 7.1% | 13.0% | 17.9% | 15.6% |
| | Grade 12 | 38.1% | 0.1% | 2.8% | 10.9% | 13.3% | 19.5% | 15.3% |
| Liquor? | | | | | | | | |
| | All | 45.6% | 0.4% | 3.7% | 13.7% | 15.4% | 11.4% | 9.9% |
| | Grade 7 | 73.2% | 0.0% | 1.6% | 4.5% | 5.9% | 7.6% | 7.1% |
| | Grade 8 | 62.1% | 0.0% | 2.5% | 6.7% | 8.9% | 10.4% | 9.5% |
| | Grade 9 | 51.2% | 0.6% | 4.4% | 10.3% | 12.7% | 11.4% | 9.4% |
| | Grade 10 | 40.7% | 0.2% | 2.6% | 15.5% | 17.3% | 12.2% | 11.4% |
| | Grade 11 | 37.8% | 0.6% | 3.7% | 17.4% | 19.0% | 12.6% | 8.8% |
| | Grade 12 | 26.5% | 0.7% | 6.1% | 21.3% | 22.3% | 11.7% | 11.4% |

region19
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

| | | Never | Ever | 5 or More | 1 to 4 | Less than 1 |
|---------------------|-----------------|-------|-------|-----------|--------|-------------|
| Beer | | | | | | |
| | All | 41.7% | 58.3% | 18.6% | 25.6% | 14.0% |
| | Grade 7 | 58.4% | 41.6% | 5.2% | 19.0% | 17.3% |
| | Grade 8 | 51.2% | 48.8% | 9.5% | 21.1% | 18.1% |
| | Grade 9 | 44.7% | 55.3% | 15.3% | 26.8% | 13.2% |
| | Grade 10 | 39.4% | 60.6% | 17.9% | 29.7% | 13.0% |
| | Grade 11 | 36.3% | 63.7% | 24.0% | 25.9% | 13.8% |
| | Grade 12 | 31.1% | 68.9% | 31.3% | 26.1% | 11.6% |
| Wine Coolers | | | | | | |
| | All | 49.5% | 50.5% | 12.5% | 27.9% | 10.1% |
| | Grade 7 | 68.5% | 31.5% | 7.3% | 14.8% | 9.4% |
| | Grade 8 | 57.0% | 43.0% | 8.9% | 21.5% | 12.6% |
| | Grade 9 | 51.0% | 49.0% | 12.3% | 27.7% | 9.0% |
| | Grade 10 | 45.2% | 54.8% | 12.7% | 32.1% | 9.9% |
| | Grade 11 | 46.5% | 53.5% | 15.6% | 27.9% | 10.0% |
| | Grade 12 | 40.3% | 59.7% | 14.9% | 34.7% | 10.2% |
| Wine | | | | | | |
| | All | 48.7% | 51.3% | 6.2% | 26.0% | 19.0% |
| | Grade 7 | 60.3% | 39.7% | 4.7% | 17.0% | 17.9% |
| | Grade 8 | 56.1% | 43.9% | 4.7% | 17.4% | 21.8% |
| | Grade 9 | 48.8% | 51.2% | 6.1% | 26.7% | 18.5% |
| | Grade 10 | 46.3% | 53.7% | 5.5% | 29.4% | 18.8% |
| | Grade 11 | 47.3% | 52.7% | 7.6% | 27.3% | 17.8% |
| | Grade 12 | 41.7% | 58.3% | 7.6% | 30.9% | 19.7% |
| Liquor | | | | | | |
| | All | 43.4% | 56.6% | 17.8% | 28.3% | 10.4% |
| | Grade 7 | 71.1% | 28.9% | 5.0% | 13.5% | 10.3% |
| | Grade 8 | 62.5% | 37.5% | 7.7% | 16.6% | 13.1% |
| | Grade 9 | 47.9% | 52.1% | 15.9% | 27.1% | 9.1% |
| | Grade 10 | 39.3% | 60.7% | 20.6% | 29.8% | 10.3% |
| | Grade 11 | 34.1% | 65.9% | 23.7% | 31.6% | 10.6% |
| | Grade 12 | 24.7% | 75.3% | 24.8% | 40.3% | 10.3% |

region19
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

| | | Never/None | 1 day | 2 days | 3 to 5 days | 6 to 9 days | 10 or more days |
|----------------|-----------------|-------------------|--------------|---------------|--------------------|--------------------|------------------------|
| Alcohol | All | 72.3% | 8.0% | 6.1% | 7.0% | 3.6% | 2.9% |
| | Grade 7 | 88.9% | 4.9% | 2.6% | 1.9% | 0.7% | 1.1% |
| | Grade 8 | 85.7% | 4.4% | 4.9% | 2.5% | 1.1% | 1.5% |
| | Grade 9 | 75.3% | 7.6% | 6.1% | 5.1% | 2.5% | 3.4% |
| | Grade 10 | 70.8% | 8.8% | 8.0% | 6.7% | 2.5% | 3.2% |
| | Grade 11 | 66.1% | 10.4% | 6.9% | 10.0% | 3.5% | 3.0% |
| | Grade 12 | 59.0% | 9.5% | 5.8% | 12.6% | 9.1% | 4.1% |

Table A-5: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|
| Alcohol | 10.1 | 11.0 | 11.6 | 12.8 | 13.3 | 14.0 |
| Beer | 10.3 | 11.2 | 11.8 | 13.0 | 13.7 | 14.3 |
| Wine Coolers | 10.7 | 11.6 | 12.0 | 13.1 | 13.7 | 14.3 |
| Wine | 10.7 | 11.6 | 12.1 | 13.0 | 13.6 | 14.5 |
| Liquor | 11.0 | 11.9 | 12.7 | 13.8 | 14.4 | 15.0 |

region19
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------------|-----------------|---------------------------|-------------------|---------------------------|-------------------------------|--------------------------|------------------|
| Beer? | | | | | | | |
| | All | 4.3% | 9.0% | 5.1% | 11.0% | 24.4% | 46.2% |
| | Grade 7 | 11.0% | 20.5% | 10.0% | 13.8% | 17.5% | 27.2% |
| | Grade 8 | 5.8% | 17.5% | 9.1% | 13.2% | 22.4% | 31.9% |
| | Grade 9 | 5.0% | 8.7% | 5.8% | 10.6% | 24.1% | 45.8% |
| | Grade 10 | 2.5% | 8.0% | 3.7% | 11.0% | 24.4% | 50.3% |
| | Grade 11 | 3.8% | 4.4% | 2.9% | 9.2% | 25.4% | 54.4% |
| | Grade 12 | 1.0% | 3.0% | 2.4% | 10.0% | 29.0% | 54.5% |
| Wine coolers? | | | | | | | |
| | All | 8.8% | 11.3% | 5.7% | 12.0% | 23.2% | 39.0% |
| | Grade 7 | 24.5% | 25.1% | 8.8% | 11.9% | 12.2% | 17.4% |
| | Grade 8 | 12.9% | 23.0% | 9.0% | 12.4% | 18.1% | 24.6% |
| | Grade 9 | 9.8% | 11.4% | 8.2% | 12.8% | 22.9% | 35.0% |
| | Grade 10 | 5.9% | 8.7% | 5.0% | 13.8% | 23.3% | 43.3% |
| | Grade 11 | 5.7% | 7.0% | 2.4% | 10.0% | 25.2% | 49.6% |
| | Grade 12 | 2.6% | 3.1% | 2.9% | 10.6% | 30.7% | 50.0% |
| Wine? | | | | | | | |
| | All | 5.5% | 12.1% | 6.3% | 12.3% | 23.7% | 40.0% |
| | Grade 7 | 13.4% | 26.5% | 11.3% | 16.3% | 13.2% | 19.3% |
| | Grade 8 | 8.4% | 24.6% | 9.3% | 12.9% | 18.3% | 26.6% |
| | Grade 9 | 5.8% | 12.9% | 7.9% | 12.5% | 23.3% | 37.7% |
| | Grade 10 | 4.0% | 9.3% | 6.2% | 14.3% | 22.2% | 44.1% |
| | Grade 11 | 4.6% | 7.5% | 2.9% | 8.7% | 27.1% | 49.2% |
| | Grade 12 | 1.7% | 2.7% | 3.4% | 10.7% | 31.8% | 49.7% |
| Liquor? | | | | | | | |
| | All | 5.6% | 12.9% | 6.7% | 11.3% | 21.6% | 42.0% |
| | Grade 7 | 15.3% | 31.3% | 11.2% | 10.2% | 12.1% | 19.8% |
| | Grade 8 | 7.4% | 25.1% | 12.0% | 11.8% | 18.6% | 25.1% |
| | Grade 9 | 6.2% | 14.0% | 9.0% | 12.8% | 19.4% | 38.6% |
| | Grade 10 | 3.6% | 10.3% | 5.4% | 13.0% | 20.8% | 46.8% |
| | Grade 11 | 4.5% | 6.5% | 2.7% | 10.2% | 24.2% | 51.9% |
| | Grade 12 | 1.4% | 2.4% | 3.6% | 9.2% | 29.4% | 53.9% |

region19
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--|-------------|------------------|------------------|------------------|
| Attended class while drunk on alcohol? | | | | |
| All | 87.9% | 9.0% | 1.7% | 1.4% |
| Grade 7 | 92.3% | 6.6% | 0.2% | 0.9% |
| Grade 8 | 91.5% | 5.7% | 1.8% | 1.1% |
| Grade 9 | 88.9% | 8.0% | 1.6% | 1.4% |
| Grade 10 | 88.9% | 8.4% | 1.6% | 1.0% |
| Grade 11 | 84.9% | 11.8% | 1.8% | 1.5% |
| Grade 12 | 83.9% | 11.3% | 2.4% | 2.4% |
| Gotten into trouble with teachers because of your drinking? | | | | |
| All | 99.2% | 0.6% | 0.1% | 0.2% |
| Grade 7 | 99.7% | 0.2% | 0.0% | 0.2% |
| Grade 8 | 99.1% | 0.5% | 0.3% | 0.1% |
| Grade 9 | 98.5% | 1.1% | 0.0% | 0.3% |
| Grade 10 | 99.1% | 0.6% | 0.2% | 0.1% |
| Grade 11 | 99.4% | 0.3% | 0.0% | 0.3% |
| Grade 12 | 99.4% | 0.3% | 0.1% | 0.1% |

region19
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

| Average days absent due to illness or other reasons | |
|--|-----|
| Alcohol Users: | 5.0 |
| Alcohol Non-users: | 4.3 |

| Average days conduct problems reported | |
|---|-----|
| Alcohol Users: | 3.0 |
| Alcohol Non-users: | 1.0 |

Table A-9: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| Driven a car when you've had a good bit to drink? | | | | |
| All | 83.4% | 11.7% | 2.7% | 2.2% |
| Grade 9 | 92.6% | 5.1% | 1.3% | 1.0% |
| Grade 10 | 89.0% | 9.0% | 1.2% | 0.7% |
| Grade 11 | 80.3% | 13.9% | 4.1% | 1.7% |
| Grade 12 | 69.7% | 19.7% | 4.7% | 5.9% |
| Gotten into trouble with the police because of drinking? | | | | |
| All | 95.2% | 4.1% | 0.4% | 0.3% |
| Grade 7 | 97.4% | 2.1% | 0.4% | 0.2% |
| Grade 8 | 96.1% | 2.9% | 0.6% | 0.4% |
| Grade 9 | 95.8% | 3.0% | 0.3% | 0.9% |
| Grade 10 | 95.3% | 4.4% | 0.3% | 0.0% |
| Grade 11 | 93.9% | 5.5% | 0.2% | 0.3% |
| Grade 12 | 93.9% | 5.6% | 0.5% | 0.0% |

region19
Spring 2006

Table A-10: About how many of your close friends use...

| | | None | A Few | Some | Most | ALL |
|-----------------------------|-----------------|-------|-------|-------|-------|-------|
| Any alcohol product? | | | | | | |
| | All | 18.8% | 24.6% | 19.9% | 26.4% | 10.3% |
| | Grade 7 | 48.0% | 25.1% | 13.7% | 10.5% | 2.7% |
| | Grade 8 | 30.6% | 32.4% | 16.5% | 14.7% | 5.8% |
| | Grade 9 | 19.1% | 28.1% | 21.0% | 22.9% | 8.9% |
| | Grade 10 | 12.4% | 26.1% | 22.2% | 29.4% | 9.9% |
| | Grade 11 | 13.1% | 20.8% | 21.2% | 33.0% | 11.8% |
| | Grade 12 | 7.2% | 17.2% | 20.5% | 37.1% | 18.0% |
| Beer? | | | | | | |
| | All | 22.7% | 24.7% | 20.1% | 24.2% | 8.3% |
| | Grade 7 | 54.9% | 23.8% | 13.0% | 6.7% | 1.5% |
| | Grade 8 | 36.9% | 29.4% | 15.7% | 14.4% | 3.5% |
| | Grade 9 | 23.6% | 29.2% | 18.9% | 20.5% | 7.7% |
| | Grade 10 | 16.6% | 24.7% | 24.9% | 26.2% | 7.5% |
| | Grade 11 | 14.9% | 22.9% | 23.3% | 30.0% | 8.8% |
| | Grade 12 | 9.2% | 18.8% | 19.7% | 36.3% | 16.0% |
| Wine coolers? | | | | | | |
| | All | 40.6% | 24.0% | 17.4% | 13.4% | 4.7% |
| | Grade 7 | 67.4% | 15.9% | 8.2% | 6.9% | 1.5% |
| | Grade 8 | 54.6% | 23.1% | 11.3% | 8.8% | 2.2% |
| | Grade 9 | 45.2% | 20.9% | 17.3% | 11.4% | 5.2% |
| | Grade 10 | 32.5% | 28.3% | 19.0% | 15.9% | 4.5% |
| | Grade 11 | 35.9% | 24.5% | 18.4% | 15.5% | 5.8% |
| | Grade 12 | 25.6% | 27.0% | 23.4% | 17.3% | 6.7% |
| Wine? | | | | | | |
| | All | 48.0% | 26.0% | 12.8% | 8.9% | 4.3% |
| | Grade 7 | 67.3% | 22.2% | 5.4% | 3.6% | 1.5% |
| | Grade 8 | 63.6% | 21.4% | 8.6% | 5.3% | 1.1% |
| | Grade 9 | 49.0% | 24.2% | 14.2% | 8.3% | 4.3% |
| | Grade 10 | 44.9% | 29.0% | 12.5% | 9.7% | 4.0% |
| | Grade 11 | 43.4% | 27.4% | 13.1% | 9.8% | 6.2% |
| | Grade 12 | 34.2% | 28.3% | 18.2% | 12.9% | 6.4% |
| Liquor? | | | | | | |
| | All | 31.2% | 21.8% | 17.9% | 21.2% | 7.9% |
| | Grade 7 | 67.1% | 18.4% | 7.7% | 5.5% | 1.4% |
| | Grade 8 | 50.6% | 24.7% | 11.4% | 9.4% | 3.9% |
| | Grade 9 | 32.7% | 24.5% | 18.4% | 16.7% | 7.6% |
| | Grade 10 | 24.0% | 24.4% | 18.7% | 24.8% | 8.1% |
| | Grade 11 | 21.1% | 20.5% | 19.9% | 28.8% | 9.7% |
| | Grade 12 | 14.2% | 17.3% | 24.4% | 31.3% | 12.8% |

region19
Spring 2006

Table A-11: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| Had difficulties of any kind with your friends because of your drinking? | | | | |
| All | 88.6% | 9.9% | 1.1% | 0.4% |
| Grade 7 | 94.7% | 4.8% | 0.2% | 0.4% |
| Grade 8 | 94.0% | 5.2% | 0.5% | 0.4% |
| Grade 9 | 89.8% | 8.4% | 1.1% | 0.6% |
| Grade 10 | 87.9% | 11.6% | 0.5% | 0.0% |
| Grade 11 | 86.3% | 11.3% | 1.7% | 0.7% |
| Grade 12 | 83.4% | 14.1% | 2.1% | 0.3% |
| Been criticized by someone you were dating because of drinking? | | | | |
| All | 90.2% | 8.0% | 1.3% | 0.4% |
| Grade 7 | 96.3% | 3.0% | 0.5% | 0.2% |
| Grade 8 | 94.9% | 3.9% | 0.4% | 0.8% |
| Grade 9 | 90.9% | 7.4% | 1.3% | 0.3% |
| Grade 10 | 90.7% | 7.6% | 1.4% | 0.3% |
| Grade 11 | 86.7% | 12.0% | 1.0% | 0.3% |
| Grade 12 | 85.9% | 10.7% | 2.7% | 0.7% |

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|-----------------|-------|--------|------------------|---------------------|--------|------------|------------------|
| All | 27.2% | 8.8% | 7.2% | 15.3% | 24.9% | 1.6% | 15.0% |
| Grade 7 | 56.1% | 12.9% | 8.1% | 5.1% | 3.5% | 1.4% | 12.9% |
| Grade 8 | 46.3% | 15.1% | 6.6% | 8.4% | 7.1% | 3.2% | 13.2% |
| Grade 9 | 28.8% | 9.3% | 10.9% | 16.1% | 17.9% | 1.9% | 15.1% |
| Grade 10 | 20.7% | 9.0% | 6.8% | 18.9% | 26.7% | 1.6% | 16.3% |
| Grade 11 | 18.5% | 5.8% | 6.4% | 15.1% | 35.7% | 0.8% | 17.5% |
| Grade 12 | 12.9% | 4.2% | 4.4% | 20.6% | 43.4% | 1.0% | 13.4% |

region19
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

| | | Do Not Drink | Never | Seldom | Most of the Time | Always |
|---------------------|-----------------|---------------------|--------------|---------------|-------------------------|---------------|
| At home | | | | | | |
| | All | 35.9% | 29.9% | 24.7% | 7.0% | 2.5% |
| | Grade 7 | 48.7% | 24.3% | 18.6% | 6.4% | 2.0% |
| | Grade 8 | 41.1% | 29.0% | 22.3% | 6.4% | 1.3% |
| | Grade 9 | 38.5% | 24.8% | 27.0% | 6.8% | 2.9% |
| | Grade 10 | 34.6% | 31.6% | 24.3% | 7.5% | 2.0% |
| | Grade 11 | 34.5% | 32.4% | 24.9% | 5.7% | 2.6% |
| | Grade 12 | 25.6% | 35.0% | 27.4% | 8.4% | 3.6% |
| From friends | | | | | | |
| | All | 32.6% | 16.2% | 16.6% | 23.2% | 11.4% |
| | Grade 7 | 49.6% | 28.6% | 13.3% | 6.3% | 2.2% |
| | Grade 8 | 40.0% | 26.7% | 16.2% | 12.9% | 4.3% |
| | Grade 9 | 36.7% | 15.8% | 16.7% | 20.4% | 10.4% |
| | Grade 10 | 29.4% | 13.1% | 20.4% | 24.5% | 12.6% |
| | Grade 11 | 28.1% | 13.2% | 15.3% | 28.4% | 15.0% |
| | Grade 12 | 21.6% | 9.3% | 15.6% | 36.0% | 17.5% |
| From a store | | | | | | |
| | All | 35.0% | 50.8% | 7.7% | 4.0% | 2.4% |
| | Grade 7 | 52.6% | 43.5% | 2.8% | 0.3% | 0.7% |
| | Grade 8 | 41.2% | 53.2% | 3.4% | 1.5% | 0.7% |
| | Grade 9 | 39.1% | 48.2% | 7.6% | 2.8% | 2.4% |
| | Grade 10 | 32.6% | 52.8% | 8.7% | 4.6% | 1.3% |
| | Grade 11 | 30.3% | 52.5% | 8.5% | 4.9% | 3.8% |
| | Grade 12 | 24.4% | 52.3% | 11.6% | 7.7% | 4.1% |
| At parties | | | | | | |
| | All | 32.2% | 17.4% | 12.9% | 17.9% | 19.5% |
| | Grade 7 | 47.0% | 25.6% | 10.9% | 10.3% | 6.2% |
| | Grade 8 | 40.0% | 27.5% | 11.9% | 11.3% | 9.4% |
| | Grade 9 | 35.4% | 15.5% | 13.1% | 17.8% | 18.3% |
| | Grade 10 | 29.5% | 17.3% | 12.2% | 20.2% | 20.8% |
| | Grade 11 | 28.7% | 14.6% | 14.1% | 18.6% | 23.9% |
| | Grade 12 | 21.9% | 11.3% | 14.2% | 23.0% | 29.5% |
| Other source | | | | | | |
| | All | 34.1% | 27.2% | 16.6% | 11.3% | 10.9% |
| | Grade 7 | 48.7% | 27.4% | 13.0% | 5.4% | 5.4% |
| | Grade 8 | 39.8% | 31.3% | 13.7% | 8.1% | 7.0% |
| | Grade 9 | 37.5% | 25.7% | 14.8% | 11.0% | 10.9% |
| | Grade 10 | 32.0% | 27.2% | 19.1% | 12.0% | 9.8% |
| | Grade 11 | 29.9% | 25.9% | 17.4% | 12.1% | 14.7% |
| | Grade 12 | 24.7% | 27.4% | 18.7% | 15.3% | 13.9% |

region19
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| All | 61.8% | 16.1% | 12.3% | 4.1% | 1.1% | 4.6% |
| Grade 7 | 70.4% | 11.5% | 6.2% | 2.1% | 1.2% | 8.6% |
| Grade 8 | 73.7% | 9.8% | 6.8% | 3.2% | 0.5% | 6.0% |
| Grade 9 | 66.1% | 12.2% | 12.2% | 3.4% | 1.6% | 4.4% |
| Grade 10 | 59.8% | 18.4% | 13.9% | 3.8% | 1.0% | 3.0% |
| Grade 11 | 58.9% | 19.2% | 12.8% | 3.8% | 1.1% | 4.3% |
| Grade 12 | 50.0% | 21.3% | 16.8% | 7.1% | 0.8% | 4.1% |

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-----------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| All | 43.1% | 35.7% | 15.0% | 3.8% | 2.3% |
| Grade 7 | 55.1% | 25.4% | 12.5% | 3.7% | 3.3% |
| Grade 8 | 51.1% | 26.6% | 13.8% | 4.6% | 3.9% |
| Grade 9 | 43.5% | 33.9% | 16.8% | 4.4% | 1.4% |
| Grade 10 | 40.3% | 38.8% | 15.9% | 2.5% | 2.4% |
| Grade 11 | 43.6% | 37.0% | 14.0% | 3.4% | 2.0% |
| Grade 12 | 33.7% | 44.7% | 14.9% | 4.8% | 1.9% |

region19
Spring 2006

Table D-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|-----------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Marijuana? | | | | | |
| | All | 13.7% | 20.1% | 32.5% | 67.5% |
| | Grade 7 | 4.9% | 7.0% | 13.2% | 86.8% |
| | Grade 8 | 8.5% | 13.0% | 21.7% | 78.3% |
| | Grade 9 | 11.0% | 17.4% | 29.8% | 70.2% |
| | Grade 10 | 14.0% | 20.9% | 33.8% | 66.2% |
| | Grade 11 | 18.0% | 25.6% | 39.3% | 60.7% |
| | Grade 12 | 20.5% | 29.0% | 45.4% | 54.6% |
| Cocaine? | | | | | |
| | All | 2.5% | 4.3% | 8.4% | 91.6% |
| | Grade 7 | 0.0% | 0.0% | 1.1% | 98.9% |
| | Grade 8 | 1.4% | 2.1% | 4.2% | 95.8% |
| | Grade 9 | 1.7% | 3.3% | 7.5% | 92.5% |
| | Grade 10 | 2.0% | 4.3% | 8.5% | 91.5% |
| | Grade 11 | 4.1% | 7.0% | 10.7% | 89.3% |
| | Grade 12 | 4.3% | 6.7% | 13.8% | 86.2% |
| Crack? | | | | | |
| | All | 0.7% | 1.4% | 3.2% | 96.8% |
| | Grade 7 | 0.5% | 1.0% | 1.5% | 98.5% |
| | Grade 8 | 0.6% | 0.7% | 2.1% | 97.9% |
| | Grade 9 | 1.0% | 1.5% | 3.7% | 96.3% |
| | Grade 10 | 0.6% | 1.0% | 2.8% | 97.2% |
| | Grade 11 | 0.9% | 2.0% | 3.4% | 96.6% |
| | Grade 12 | 0.6% | 2.0% | 4.4% | 95.6% |
| Hallucinogens? | | | | | |
| | All | 1.5% | 3.1% | 6.8% | 93.2% |
| | Grade 7 | 0.5% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 1.4% | 2.6% | 3.8% | 96.2% |
| | Grade 9 | 1.3% | 2.2% | 6.1% | 93.9% |
| | Grade 10 | 1.2% | 3.0% | 6.8% | 93.2% |
| | Grade 11 | 1.7% | 3.7% | 8.9% | 91.1% |
| | Grade 12 | 2.6% | 5.6% | 11.1% | 88.9% |
| Uppers? | | | | | |
| | All | 2.6% | 4.6% | 7.3% | 92.7% |
| | Grade 7 | 0.8% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 1.3% | 1.5% | 2.4% | 97.6% |
| | Grade 9 | 0.9% | 3.4% | 4.9% | 95.1% |
| | Grade 10 | 2.8% | 4.6% | 7.8% | 92.2% |
| | Grade 11 | 4.1% | 7.2% | 11.1% | 88.9% |
| | Grade 12 | 4.8% | 8.0% | 12.4% | 87.6% |
| Downers? | | | | | |
| | All | 2.6% | 4.7% | 7.2% | 92.8% |
| | Grade 7 | 0.5% | 0.8% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 1.3% | 2.0% | 98.0% |
| | Grade 9 | 0.9% | 3.2% | 5.0% | 95.0% |
| | Grade 10 | 2.9% | 4.3% | 7.0% | 93.0% |
| | Grade 11 | 4.8% | 7.0% | 11.7% | 88.3% |
| | Grade 12 | 4.1% | 9.0% | 12.7% | 87.3% |

region19
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Rohypnol? | | | | | |
| | All | 1.1% | 1.8% | 2.7% | 97.3% |
| | Grade 7 | 1.0% | 1.2% | 1.8% | 98.2% |
| | Grade 8 | 0.9% | 2.1% | 2.8% | 97.2% |
| | Grade 9 | 1.5% | 2.6% | 3.5% | 96.5% |
| | Grade 10 | 1.0% | 2.0% | 2.9% | 97.1% |
| | Grade 11 | 1.1% | 1.4% | 2.3% | 97.7% |
| | Grade 12 | 0.6% | 1.1% | 2.2% | 97.8% |
| Steroids? | | | | | |
| | All | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 7 | 0.6% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 0.4% | 0.8% | 1.0% | 99.0% |
| | Grade 9 | 0.2% | 0.2% | 0.8% | 99.2% |
| | Grade 10 | 0.3% | 0.7% | 1.9% | 98.1% |
| | Grade 11 | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 12 | 0.9% | 1.2% | 2.2% | 97.8% |
| Ecstasy? | | | | | |
| | All | 1.0% | 2.2% | 4.7% | 95.3% |
| | Grade 7 | 0.0% | 0.2% | 0.8% | 99.2% |
| | Grade 8 | 0.6% | 1.2% | 2.5% | 97.5% |
| | Grade 9 | 1.3% | 2.4% | 4.7% | 95.3% |
| | Grade 10 | 0.8% | 1.8% | 4.3% | 95.7% |
| | Grade 11 | 1.0% | 2.6% | 6.1% | 93.9% |
| | Grade 12 | 1.5% | 4.1% | 7.6% | 92.4% |
| Heroin? | | | | | |
| | All | 0.6% | 1.0% | 1.9% | 98.1% |
| | Grade 7 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 8 | 0.6% | 1.2% | 2.8% | 97.2% |
| | Grade 9 | 0.7% | 1.3% | 2.5% | 97.5% |
| | Grade 10 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 11 | 1.0% | 2.0% | 2.3% | 97.7% |
| | Grade 12 | 0.6% | 1.0% | 2.4% | 97.6% |

region19
Spring 2006

Table D-2: How often do you normally use...

| | | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|-----------------------|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Marijuana? | | | | | | | | |
| | All | 72.0% | 3.9% | 3.4% | 4.2% | 4.9% | 5.0% | 6.7% |
| | Grade 7 | 87.5% | 0.2% | 2.8% | 2.4% | 3.0% | 1.4% | 2.7% |
| | Grade 8 | 80.3% | 1.8% | 4.0% | 3.0% | 4.5% | 2.3% | 4.0% |
| | Grade 9 | 75.5% | 3.3% | 3.4% | 3.4% | 5.4% | 4.3% | 4.7% |
| | Grade 10 | 69.9% | 3.2% | 3.3% | 5.2% | 4.2% | 5.1% | 9.0% |
| | Grade 11 | 66.9% | 5.8% | 2.4% | 5.9% | 4.5% | 7.0% | 7.3% |
| | Grade 12 | 61.6% | 6.7% | 4.2% | 4.1% | 6.6% | 7.3% | 9.4% |
| Cocaine? | | | | | | | | |
| | All | 92.9% | 0.2% | 0.4% | 0.7% | 1.6% | 1.8% | 2.5% |
| | Grade 7 | 98.9% | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.7% |
| | Grade 8 | 96.2% | 0.0% | 0.5% | 0.1% | 1.3% | 0.6% | 1.2% |
| | Grade 9 | 93.7% | 0.1% | 0.3% | 0.5% | 0.7% | 2.3% | 2.4% |
| | Grade 10 | 93.1% | 0.3% | 0.4% | 0.9% | 1.3% | 1.6% | 2.4% |
| | Grade 11 | 91.4% | 0.4% | 0.4% | 1.2% | 2.4% | 2.1% | 2.0% |
| | Grade 12 | 88.1% | 0.0% | 0.7% | 0.7% | 3.0% | 2.8% | 4.7% |
| Crack? | | | | | | | | |
| | All | 97.3% | 0.0% | 0.1% | 0.3% | 0.3% | 0.7% | 1.2% |
| | Grade 7 | 99.1% | 0.0% | 0.2% | 0.0% | 0.0% | 0.2% | 0.6% |
| | Grade 8 | 97.9% | 0.0% | 0.1% | 0.2% | 0.7% | 0.5% | 0.5% |
| | Grade 9 | 97.0% | 0.0% | 0.0% | 0.3% | 0.3% | 0.9% | 1.4% |
| | Grade 10 | 97.6% | 0.0% | 0.2% | 0.2% | 0.3% | 0.6% | 1.1% |
| | Grade 11 | 97.7% | 0.1% | 0.0% | 0.4% | 0.2% | 0.7% | 0.8% |
| | Grade 12 | 95.6% | 0.1% | 0.1% | 0.5% | 0.5% | 0.7% | 2.5% |
| Hallucinogens? | | | | | | | | |
| | All | 94.3% | 0.0% | 0.2% | 0.3% | 0.9% | 2.3% | 2.0% |
| | Grade 7 | 98.9% | 0.0% | 0.0% | 0.2% | 0.2% | 0.4% | 0.4% |
| | Grade 8 | 97.1% | 0.0% | 0.2% | 0.1% | 0.5% | 0.9% | 1.1% |
| | Grade 9 | 95.0% | 0.0% | 0.5% | 0.3% | 0.8% | 1.8% | 1.6% |
| | Grade 10 | 94.9% | 0.0% | 0.0% | 0.2% | 1.0% | 1.7% | 2.2% |
| | Grade 11 | 92.2% | 0.2% | 0.2% | 0.4% | 1.1% | 3.3% | 2.6% |
| | Grade 12 | 90.7% | 0.0% | 0.1% | 0.3% | 1.1% | 4.4% | 3.3% |
| Uppers? | | | | | | | | |
| | All | 92.9% | 0.2% | 0.4% | 1.0% | 1.9% | 1.7% | 1.8% |
| | Grade 7 | 98.8% | 0.0% | 0.0% | 0.2% | 0.5% | 0.2% | 0.4% |
| | Grade 8 | 97.4% | 0.3% | 0.5% | 0.4% | 0.4% | 0.0% | 1.0% |
| | Grade 9 | 94.9% | 0.0% | 0.5% | 1.0% | 2.2% | 0.8% | 0.6% |
| | Grade 10 | 92.4% | 0.5% | 0.5% | 0.8% | 1.6% | 2.2% | 2.1% |
| | Grade 11 | 89.8% | 0.4% | 0.6% | 1.4% | 2.5% | 2.2% | 3.0% |
| | Grade 12 | 88.2% | 0.1% | 0.2% | 1.9% | 2.9% | 3.6% | 3.1% |
| Downers? | | | | | | | | |
| | All | 93.0% | 0.2% | 0.5% | 1.2% | 1.9% | 1.5% | 1.8% |
| | Grade 7 | 98.8% | 0.0% | 0.2% | 0.0% | 0.2% | 0.2% | 0.7% |
| | Grade 8 | 97.8% | 0.0% | 0.4% | 0.4% | 0.4% | 0.1% | 0.9% |
| | Grade 9 | 95.3% | 0.0% | 0.3% | 1.0% | 2.0% | 0.9% | 0.5% |
| | Grade 10 | 92.9% | 0.3% | 0.5% | 1.2% | 1.6% | 1.5% | 2.1% |
| | Grade 11 | 89.5% | 0.3% | 0.9% | 1.9% | 2.9% | 2.0% | 2.5% |
| | Grade 12 | 87.6% | 0.2% | 0.5% | 2.1% | 3.0% | 3.3% | 3.4% |

region19
Spring 2006

Table D-2: How often do you normally use...
(Continued)

| | | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|------------------|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Rohypnol? | | | | | | | | |
| | All | 97.7% | 0.0% | 0.2% | 0.4% | 0.5% | 0.3% | 0.9% |
| | Grade 7 | 98.9% | 0.2% | 0.4% | 0.4% | 0.0% | 0.0% | 0.2% |
| | Grade 8 | 98.1% | 0.0% | 0.6% | 0.1% | 0.0% | 0.3% | 0.9% |
| | Grade 9 | 96.0% | 0.0% | 0.3% | 0.8% | 0.9% | 0.4% | 1.5% |
| | Grade 10 | 98.1% | 0.0% | 0.1% | 0.3% | 0.2% | 0.4% | 0.9% |
| | Grade 11 | 98.8% | 0.0% | 0.0% | 0.0% | 0.4% | 0.3% | 0.4% |
| | Grade 12 | 97.3% | 0.1% | 0.1% | 0.4% | 0.7% | 0.2% | 1.0% |
| Steroids? | | | | | | | | |
| | All | 98.9% | 0.1% | 0.1% | 0.1% | 0.1% | 0.2% | 0.5% |
| | Grade 7 | 98.1% | 0.5% | 0.0% | 0.0% | 0.4% | 0.0% | 1.1% |
| | Grade 8 | 99.2% | 0.0% | 0.0% | 0.0% | 0.3% | 0.3% | 0.3% |
| | Grade 9 | 99.2% | 0.2% | 0.0% | 0.2% | 0.0% | 0.0% | 0.5% |
| | Grade 10 | 99.3% | 0.0% | 0.0% | 0.0% | 0.2% | 0.2% | 0.3% |
| | Grade 11 | 98.8% | 0.2% | 0.2% | 0.2% | 0.0% | 0.3% | 0.2% |
| | Grade 12 | 98.4% | 0.1% | 0.5% | 0.0% | 0.2% | 0.2% | 0.6% |
| Ecstasy? | | | | | | | | |
| | All | 95.7% | 0.0% | 0.1% | 0.3% | 0.7% | 1.3% | 2.0% |
| | Grade 7 | 99.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.4% | 0.4% |
| | Grade 8 | 97.6% | 0.0% | 0.2% | 0.1% | 0.5% | 0.4% | 1.1% |
| | Grade 9 | 95.8% | 0.0% | 0.0% | 0.2% | 1.2% | 1.0% | 1.8% |
| | Grade 10 | 96.0% | 0.0% | 0.0% | 0.1% | 0.5% | 1.0% | 2.4% |
| | Grade 11 | 94.8% | 0.2% | 0.0% | 0.4% | 0.8% | 1.7% | 2.1% |
| | Grade 12 | 92.8% | 0.0% | 0.1% | 0.7% | 0.7% | 2.5% | 3.2% |
| Heroin? | | | | | | | | |
| | All | 98.3% | 0.1% | 0.1% | 0.1% | 0.2% | 0.3% | 0.9% |
| | Grade 7 | 99.1% | 0.0% | 0.2% | 0.0% | 0.2% | 0.0% | 0.5% |
| | Grade 8 | 97.7% | 0.0% | 0.2% | 0.4% | 0.3% | 0.3% | 1.2% |
| | Grade 9 | 97.9% | 0.2% | 0.0% | 0.0% | 0.2% | 0.3% | 1.4% |
| | Grade 10 | 99.0% | 0.0% | 0.0% | 0.0% | 0.1% | 0.2% | 0.7% |
| | Grade 11 | 98.6% | 0.1% | 0.2% | 0.1% | 0.3% | 0.3% | 0.3% |
| | Grade 12 | 97.8% | 0.1% | 0.0% | 0.1% | 0.1% | 0.6% | 1.2% |

region19
Spring 2006

Table D-3: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|----------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|
| Marijuana | 11.1 | 11.7 | 12.7 | 13.3 | 14.1 | 14.9 |
| Cocaine | 11.6 | 12.6 | 13.5 | 14.2 | 15.2 | 16.1 |
| Crack | 11.6 | 12.4 | 13.5 | 14.2 | 14.2 | 15.7 |
| Hallucinogens | 11.0 | 12.3 | 13.6 | 14.4 | 14.8 | 16.0 |
| Uppers | 10.6 | 12.3 | 13.3 | 13.9 | 14.4 | 15.8 |
| Downers | 10.7 | 12.2 | 13.4 | 13.7 | 14.7 | 15.5 |
| Rohypnol | 10.9 | 11.7 | 13.1 | 14.4 | 14.1 | 14.3 |
| Steroids | 11.3 | 12.9 | 12.4 | 12.1 | 15.4 | 16.4 |
| Ecstasy | 11.4 | 11.9 | 13.7 | 14.7 | 15.4 | 16.2 |
| Heroin | 11.4 | 11.7 | 13.1 | 14.2 | 14.5 | 16.0 |

Table D-4: Age of first use of marijuana by family situation:

| | | Never | 9/Under | 10 to 11 | 12 to 13 | 14 to 15 | 16 to 17 | Over 17 |
|-------------------------------|-----------------|--------------|----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Two parent family | | | | | | | | |
| | All | 74.5% | 1.2% | 2.4% | 6.5% | 9.5% | 5.5% | 0.4% |
| | Grade 7 | 92.5% | 2.5% | 3.0% | 2.0% | 0.0% | 0.0% | 0.0% |
| | Grade 8 | 87.1% | 2.4% | 3.4% | 6.0% | 1.1% | 0.0% | 0.0% |
| | Grade 9 | 77.9% | 0.8% | 4.2% | 9.4% | 7.2% | 0.5% | 0.0% |
| | Grade 10 | 75.3% | 1.5% | 1.5% | 7.0% | 13.4% | 1.5% | 0.0% |
| | Grade 11 | 67.2% | 1.0% | 1.8% | 8.2% | 12.1% | 9.6% | 0.0% |
| | Grade 12 | 60.7% | 0.2% | 1.0% | 3.9% | 15.0% | 16.9% | 2.2% |
| Other family situation | | | | | | | | |
| | All | 56.5% | 2.4% | 6.6% | 14.5% | 14.2% | 5.5% | 0.3% |
| | Grade 7 | 78.6% | 3.0% | 7.1% | 10.4% | 0.9% | 0.0% | 0.0% |
| | Grade 8 | 66.8% | 3.0% | 10.3% | 16.8% | 3.2% | 0.0% | 0.0% |
| | Grade 9 | 57.7% | 3.2% | 7.2% | 17.4% | 13.7% | 0.8% | 0.0% |
| | Grade 10 | 52.2% | 3.1% | 6.9% | 16.7% | 18.8% | 2.4% | 0.0% |
| | Grade 11 | 52.1% | 1.2% | 5.6% | 9.4% | 21.2% | 10.1% | 0.3% |
| | Grade 12 | 43.1% | 1.0% | 3.5% | 14.2% | 18.9% | 18.0% | 1.4% |

region19
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|-----------------------|-----------------|---------------------------|-------------------|---------------------------|-------------------------------|--------------------------|------------------|
| Marijuana? | | | | | | | |
| | All | 7.4% | 22.2% | 8.8% | 12.4% | 17.0% | 32.2% |
| | Grade 7 | 16.6% | 48.7% | 8.4% | 7.8% | 6.6% | 12.0% |
| | Grade 8 | 10.7% | 40.4% | 8.1% | 9.6% | 11.5% | 19.7% |
| | Grade 9 | 7.7% | 25.3% | 10.9% | 11.4% | 14.4% | 30.3% |
| | Grade 10 | 5.3% | 17.0% | 11.0% | 15.6% | 17.5% | 33.5% |
| | Grade 11 | 6.7% | 11.6% | 7.8% | 13.8% | 19.5% | 40.5% |
| | Grade 12 | 3.1% | 8.5% | 5.9% | 12.8% | 26.0% | 43.6% |
| Cocaine? | | | | | | | |
| | All | 11.8% | 30.3% | 15.8% | 16.8% | 12.0% | 13.3% |
| | Grade 7 | 19.6% | 54.5% | 10.2% | 6.6% | 5.0% | 4.0% |
| | Grade 8 | 14.9% | 50.4% | 10.5% | 9.7% | 6.0% | 8.5% |
| | Grade 9 | 13.6% | 31.8% | 15.2% | 15.2% | 11.0% | 13.3% |
| | Grade 10 | 9.1% | 25.9% | 18.5% | 20.3% | 13.0% | 13.1% |
| | Grade 11 | 10.3% | 20.3% | 17.9% | 18.0% | 15.0% | 18.4% |
| | Grade 12 | 8.0% | 16.9% | 17.7% | 23.6% | 17.1% | 16.7% |
| Crack? | | | | | | | |
| | All | 12.8% | 31.3% | 16.8% | 17.0% | 11.0% | 11.1% |
| | Grade 7 | 21.5% | 53.2% | 9.6% | 6.6% | 5.1% | 4.0% |
| | Grade 8 | 15.4% | 50.4% | 11.5% | 10.3% | 4.7% | 7.7% |
| | Grade 9 | 13.7% | 31.5% | 16.4% | 14.1% | 12.0% | 12.3% |
| | Grade 10 | 10.7% | 28.7% | 17.2% | 20.4% | 11.3% | 11.9% |
| | Grade 11 | 11.0% | 22.4% | 20.5% | 19.2% | 13.3% | 13.6% |
| | Grade 12 | 9.7% | 17.8% | 20.4% | 24.7% | 14.6% | 12.9% |
| Hallucinogens? | | | | | | | |
| | All | 28.1% | 24.4% | 16.1% | 13.4% | 9.2% | 8.7% |
| | Grade 7 | 52.3% | 31.0% | 7.8% | 2.3% | 3.1% | 3.4% |
| | Grade 8 | 41.0% | 33.5% | 8.4% | 8.4% | 3.3% | 5.4% |
| | Grade 9 | 33.0% | 25.1% | 11.8% | 12.8% | 9.8% | 7.4% |
| | Grade 10 | 23.5% | 22.9% | 20.6% | 13.7% | 9.3% | 10.1% |
| | Grade 11 | 17.7% | 23.5% | 19.3% | 15.6% | 12.1% | 11.9% |
| | Grade 12 | 16.1% | 16.7% | 22.5% | 21.2% | 12.6% | 10.7% |
| Uppers? | | | | | | | |
| | All | 42.1% | 18.6% | 10.0% | 10.3% | 8.3% | 10.7% |
| | Grade 7 | 57.5% | 30.0% | 5.2% | 2.5% | 1.8% | 3.0% |
| | Grade 8 | 53.1% | 25.6% | 7.1% | 4.0% | 3.6% | 6.6% |
| | Grade 9 | 44.3% | 18.6% | 9.8% | 9.8% | 8.1% | 9.3% |
| | Grade 10 | 39.6% | 16.8% | 12.4% | 11.3% | 9.1% | 10.8% |
| | Grade 11 | 36.2% | 17.2% | 9.2% | 12.1% | 10.3% | 15.0% |
| | Grade 12 | 32.2% | 11.1% | 13.0% | 16.7% | 12.3% | 14.7% |
| Downers? | | | | | | | |
| | All | 42.1% | 18.6% | 9.7% | 10.3% | 8.6% | 10.7% |
| | Grade 7 | 57.3% | 30.3% | 5.3% | 2.5% | 1.8% | 2.8% |
| | Grade 8 | 52.4% | 25.8% | 7.5% | 4.0% | 3.8% | 6.5% |
| | Grade 9 | 45.2% | 18.3% | 9.3% | 9.5% | 8.6% | 9.1% |
| | Grade 10 | 39.5% | 17.4% | 12.0% | 11.3% | 8.9% | 10.9% |
| | Grade 11 | 36.3% | 17.5% | 8.5% | 12.3% | 10.6% | 14.8% |
| | Grade 12 | 31.8% | 10.3% | 12.8% | 16.8% | 13.1% | 15.2% |

region19
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|------------------|-----------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Rohypnol? | | | | | | | |
| | All | 46.1% | 19.5% | 10.9% | 9.6% | 6.4% | 7.6% |
| | Grade 7 | 60.2% | 27.8% | 4.9% | 2.3% | 1.6% | 3.2% |
| | Grade 8 | 51.9% | 27.1% | 7.0% | 4.5% | 3.8% | 5.7% |
| | Grade 9 | 46.8% | 18.8% | 9.8% | 8.9% | 7.0% | 8.6% |
| | Grade 10 | 43.1% | 17.8% | 14.1% | 10.1% | 5.8% | 9.1% |
| | Grade 11 | 43.9% | 18.6% | 10.1% | 12.5% | 6.7% | 8.3% |
| | Grade 12 | 39.2% | 13.1% | 15.2% | 14.5% | 10.4% | 7.6% |
| Steroids? | | | | | | | |
| | All | 16.3% | 31.9% | 16.5% | 14.9% | 9.8% | 10.6% |
| | Grade 7 | 25.8% | 51.5% | 10.3% | 6.3% | 2.9% | 3.2% |
| | Grade 8 | 20.7% | 52.1% | 10.7% | 7.3% | 3.6% | 5.5% |
| | Grade 9 | 18.7% | 32.7% | 15.8% | 12.9% | 9.2% | 10.7% |
| | Grade 10 | 13.0% | 28.0% | 19.1% | 18.3% | 10.0% | 11.6% |
| | Grade 11 | 14.1% | 23.6% | 19.4% | 17.1% | 12.7% | 13.0% |
| | Grade 12 | 11.5% | 19.3% | 18.6% | 20.8% | 15.4% | 14.4% |
| Ecstasy? | | | | | | | |
| | All | 21.9% | 28.4% | 15.8% | 13.8% | 9.7% | 10.4% |
| | Grade 7 | 46.9% | 38.3% | 6.5% | 4.5% | 1.6% | 2.1% |
| | Grade 8 | 32.9% | 41.8% | 9.7% | 4.7% | 4.0% | 6.9% |
| | Grade 9 | 23.0% | 29.2% | 16.3% | 11.8% | 10.2% | 9.5% |
| | Grade 10 | 15.1% | 27.7% | 20.0% | 15.6% | 9.6% | 11.9% |
| | Grade 11 | 15.6% | 24.0% | 16.9% | 17.1% | 12.3% | 14.1% |
| | Grade 12 | 13.2% | 18.2% | 18.8% | 21.8% | 15.3% | 12.8% |
| Heroin? | | | | | | | |
| | All | 18.7% | 34.6% | 19.0% | 12.5% | 6.8% | 8.4% |
| | Grade 7 | 29.6% | 52.2% | 8.0% | 5.0% | 1.9% | 3.4% |
| | Grade 8 | 24.6% | 47.7% | 11.7% | 4.9% | 3.3% | 7.7% |
| | Grade 9 | 20.3% | 34.3% | 16.7% | 12.6% | 7.2% | 8.8% |
| | Grade 10 | 14.0% | 33.2% | 21.4% | 14.8% | 7.7% | 9.0% |
| | Grade 11 | 15.3% | 29.3% | 22.5% | 15.3% | 8.3% | 9.4% |
| | Grade 12 | 15.5% | 22.8% | 26.5% | 16.5% | 9.3% | 9.4% |

region19
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--|-------|-----------|-----------|-----------|
| Attended class while high from marijuana use? | | | | |
| All | 86.8% | 6.7% | 2.3% | 4.2% |
| Grade 7 | 93.2% | 4.5% | 1.4% | 0.9% |
| Grade 8 | 90.5% | 5.4% | 1.7% | 2.5% |
| Grade 9 | 87.0% | 7.3% | 2.3% | 3.5% |
| Grade 10 | 87.9% | 6.4% | 2.9% | 2.8% |
| Grade 11 | 84.0% | 8.1% | 2.9% | 5.0% |
| Grade 12 | 82.2% | 6.9% | 2.1% | 8.8% |
| Attended class while high from use of some other drug? | | | | |
| All | 92.6% | 4.6% | 1.3% | 1.5% |
| Grade 7 | 96.4% | 2.2% | 0.9% | 0.6% |
| Grade 8 | 95.6% | 2.3% | 1.2% | 0.9% |
| Grade 9 | 92.0% | 5.3% | 1.6% | 1.1% |
| Grade 10 | 93.5% | 3.9% | 1.1% | 1.5% |
| Grade 11 | 90.9% | 5.9% | 1.3% | 1.9% |
| Grade 12 | 90.1% | 6.2% | 1.4% | 2.4% |
| Gotten into trouble with teachers because of your drug use? | | | | |
| All | 98.4% | 1.2% | 0.1% | 0.3% |
| Grade 7 | 99.4% | 0.4% | 0.0% | 0.2% |
| Grade 8 | 98.8% | 1.1% | 0.0% | 0.1% |
| Grade 9 | 97.4% | 1.9% | 0.2% | 0.5% |
| Grade 10 | 98.6% | 1.1% | 0.1% | 0.2% |
| Grade 11 | 98.5% | 0.8% | 0.2% | 0.4% |
| Grade 12 | 98.7% | 1.2% | 0.1% | 0.0% |

**region19
Spring 2006**

Table D-7: School year use of marijuana by absences and conduct problems:

| Average days absent due to illness or other reasons | |
|--|-----|
| Marijuana Users: | 5.2 |
| Marijuana Non-users: | 4.5 |

| Average days conduct problems reported | |
|---|-----|
| Marijuana Users: | 4.9 |
| Marijuana Non-users: | 1.3 |

Table D-8: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| Driven a car when you've felt high from drugs? | | | | |
| All | 87.6% | 6.7% | 2.1% | 3.5% |
| Grade 9 | 93.7% | 4.0% | 1.2% | 1.2% |
| Grade 10 | 91.2% | 6.0% | 1.4% | 1.3% |
| Grade 11 | 84.8% | 8.5% | 2.4% | 4.4% |
| Grade 12 | 79.6% | 8.9% | 3.8% | 7.7% |
| Gotten into trouble with the police because of drug use? | | | | |
| All | 97.1% | 2.4% | 0.2% | 0.2% |
| Grade 7 | 98.7% | 0.9% | 0.2% | 0.2% |
| Grade 8 | 96.6% | 3.2% | 0.1% | 0.1% |
| Grade 9 | 96.6% | 2.2% | 0.6% | 0.5% |
| Grade 10 | 96.9% | 2.8% | 0.2% | 0.1% |
| Grade 11 | 97.5% | 2.1% | 0.1% | 0.3% |
| Grade 12 | 97.2% | 2.5% | 0.1% | 0.1% |

region19
Spring 2006

Table D-9: About how many of your close friends use marijuana?

| | None | A Few | Some | Most | ALL |
|-----------------|-------|-------|-------|-------|------|
| All | 47.3% | 21.7% | 13.4% | 12.2% | 5.5% |
| Grade 7 | 74.4% | 11.0% | 6.0% | 7.1% | 1.5% |
| Grade 8 | 57.4% | 17.8% | 8.4% | 11.8% | 4.6% |
| Grade 9 | 48.8% | 22.0% | 12.7% | 10.6% | 5.8% |
| Grade 10 | 44.0% | 24.3% | 14.4% | 12.5% | 4.9% |
| Grade 11 | 41.5% | 22.2% | 14.7% | 13.5% | 8.1% |
| Grade 12 | 33.1% | 26.5% | 19.1% | 15.4% | 5.9% |

Table D-10: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| Had difficulties of any kind with your friends because of your drug use? | | | | |
| All | 93.0% | 5.5% | 1.0% | 0.6% |
| Grade 7 | 94.9% | 4.6% | 0.2% | 0.4% |
| Grade 8 | 94.6% | 4.1% | 0.4% | 0.9% |
| Grade 9 | 93.5% | 5.2% | 1.0% | 0.3% |
| Grade 10 | 92.6% | 6.0% | 1.0% | 0.4% |
| Grade 11 | 92.0% | 5.8% | 1.6% | 0.5% |
| Grade 12 | 91.7% | 6.3% | 1.2% | 0.8% |
| Been criticized by someone you were dating because of drug use? | | | | |
| All | 92.4% | 5.9% | 0.9% | 0.8% |
| Grade 7 | 96.4% | 3.5% | 0.2% | 0.0% |
| Grade 8 | 92.5% | 6.2% | 1.0% | 0.3% |
| Grade 9 | 93.7% | 4.8% | 0.8% | 0.6% |
| Grade 10 | 92.1% | 6.0% | 1.2% | 0.7% |
| Grade 11 | 90.7% | 7.3% | 1.1% | 1.0% |
| Grade 12 | 90.6% | 6.9% | 0.9% | 1.6% |

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|-----------------|-------|--------|---------------|------------------|--------|------------|---------------|
| All | 40.1% | 12.6% | 8.2% | 10.0% | 10.5% | 3.4% | 15.2% |
| Grade 7 | 69.1% | 7.3% | 4.1% | 3.5% | 1.7% | 1.2% | 13.0% |
| Grade 8 | 57.9% | 8.4% | 5.6% | 5.4% | 6.2% | 3.2% | 13.2% |
| Grade 9 | 43.2% | 14.1% | 7.4% | 9.0% | 7.9% | 3.6% | 15.0% |
| Grade 10 | 35.2% | 13.1% | 9.4% | 11.0% | 11.4% | 3.4% | 16.5% |
| Grade 11 | 30.2% | 13.6% | 7.0% | 12.8% | 14.8% | 4.0% | 17.8% |
| Grade 12 | 24.4% | 15.2% | 12.7% | 14.2% | 15.8% | 4.0% | 13.8% |

region19
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

| CATEGORY | | Never | Seldom | Half the Time | Most of the Time | Always | Don't know |
|------------------------------|-----------------|-------|--------|------------------|---------------------|--------|------------|
| Joints? | All | 75.9% | 10.5% | 5.9% | 4.1% | 2.9% | 0.7% |
| | Grade 7 | 86.8% | 5.6% | 2.5% | 2.2% | 1.5% | 1.3% |
| | Grade 8 | 81.7% | 7.3% | 4.3% | 3.2% | 3.4% | 0.1% |
| | Grade 9 | 76.8% | 8.3% | 6.1% | 5.1% | 3.1% | 0.6% |
| | Grade 10 | 77.1% | 8.6% | 6.3% | 4.7% | 2.1% | 1.2% |
| | Grade 11 | 71.3% | 14.6% | 5.7% | 4.0% | 4.3% | 0.1% |
| | Grade 12 | 68.1% | 16.3% | 8.6% | 4.2% | 2.3% | 0.6% |
| Blunts? | All | 75.7% | 7.9% | 4.9% | 5.4% | 5.6% | 0.6% |
| | Grade 7 | 87.4% | 4.6% | 2.9% | 2.1% | 2.1% | 1.1% |
| | Grade 8 | 83.2% | 6.1% | 3.1% | 2.9% | 4.5% | 0.3% |
| | Grade 9 | 77.2% | 6.7% | 5.6% | 5.2% | 4.8% | 0.5% |
| | Grade 10 | 75.1% | 7.5% | 5.7% | 5.8% | 4.7% | 1.2% |
| | Grade 11 | 70.6% | 9.3% | 4.2% | 7.9% | 7.7% | 0.2% |
| | Grade 12 | 68.2% | 11.4% | 5.9% | 6.2% | 8.2% | 0.2% |
| Bongs or water pipes? | All | 81.3% | 7.8% | 4.1% | 3.6% | 2.7% | 0.5% |
| | Grade 7 | 92.0% | 3.0% | 0.8% | 2.3% | 1.0% | 0.9% |
| | Grade 8 | 88.5% | 5.0% | 2.3% | 1.5% | 2.4% | 0.4% |
| | Grade 9 | 83.2% | 7.0% | 3.7% | 2.8% | 3.2% | 0.2% |
| | Grade 10 | 80.6% | 8.4% | 4.5% | 3.5% | 1.9% | 1.0% |
| | Grade 11 | 78.3% | 7.7% | 5.8% | 4.8% | 3.2% | 0.1% |
| | Grade 12 | 72.4% | 12.4% | 5.5% | 5.7% | 3.4% | 0.6% |
| Pipes? | All | 78.1% | 7.5% | 4.8% | 5.3% | 3.7% | 0.6% |
| | Grade 7 | 90.2% | 3.2% | 1.9% | 1.9% | 1.8% | 1.0% |
| | Grade 8 | 85.5% | 4.5% | 2.9% | 3.3% | 3.6% | 0.3% |
| | Grade 9 | 80.4% | 5.9% | 3.9% | 5.5% | 4.1% | 0.2% |
| | Grade 10 | 75.9% | 8.3% | 6.0% | 5.0% | 3.2% | 1.6% |
| | Grade 11 | 73.9% | 10.3% | 6.5% | 5.0% | 4.0% | 0.3% |
| | Grade 12 | 70.3% | 10.1% | 5.8% | 9.0% | 4.4% | 0.3% |
| Some other way? | All | 85.1% | 7.1% | 2.0% | 1.7% | 2.2% | 2.0% |
| | Grade 7 | 92.0% | 2.7% | 1.3% | 1.2% | 1.4% | 1.4% |
| | Grade 8 | 89.5% | 3.8% | 1.3% | 1.4% | 2.4% | 1.6% |
| | Grade 9 | 86.8% | 5.4% | 1.6% | 1.7% | 2.6% | 1.9% |
| | Grade 10 | 85.4% | 7.5% | 2.1% | 1.4% | 1.1% | 2.6% |
| | Grade 11 | 81.8% | 8.7% | 2.6% | 2.1% | 2.7% | 2.1% |
| | Grade 12 | 79.1% | 11.7% | 2.4% | 2.1% | 2.7% | 1.9% |

region19
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| All | 83.6% | 5.5% | 4.4% | 1.1% | 1.0% | 4.4% |
| Grade 7 | 86.7% | 2.2% | 2.3% | 1.1% | 0.6% | 7.1% |
| Grade 8 | 85.8% | 4.4% | 3.1% | 0.4% | 1.1% | 5.2% |
| Grade 9 | 84.7% | 4.5% | 3.8% | 1.9% | 0.9% | 4.2% |
| Grade 10 | 84.8% | 5.7% | 4.9% | 0.5% | 0.8% | 3.3% |
| Grade 11 | 82.4% | 6.0% | 5.1% | 0.7% | 1.3% | 4.5% |
| Grade 12 | 79.2% | 8.0% | 5.7% | 1.5% | 1.4% | 4.1% |

region19
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

| | | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-------------------|-----------------|---------------------------|-------------------------------|-------------------------------|---------------------------------|--------------------|
| Marijuana? | | | | | | |
| | All | 60.0% | 18.3% | 11.5% | 7.1% | 3.2% |
| | Grade 7 | 79.6% | 7.7% | 5.5% | 1.8% | 5.3% |
| | Grade 8 | 71.3% | 10.6% | 8.0% | 5.1% | 5.0% |
| | Grade 9 | 64.5% | 17.2% | 10.3% | 6.1% | 1.9% |
| | Grade 10 | 55.9% | 22.5% | 11.7% | 6.8% | 3.1% |
| | Grade 11 | 53.7% | 21.1% | 13.6% | 8.9% | 2.7% |
| | Grade 12 | 47.7% | 22.5% | 16.2% | 10.8% | 2.9% |
| Cocaine? | | | | | | |
| | All | 84.3% | 8.9% | 1.7% | 0.9% | 4.1% |
| | Grade 7 | 88.1% | 4.8% | 0.8% | 0.9% | 5.3% |
| | Grade 8 | 85.4% | 6.6% | 1.7% | 1.2% | 5.1% |
| | Grade 9 | 83.5% | 9.2% | 2.0% | 1.5% | 3.8% |
| | Grade 10 | 84.2% | 9.5% | 1.6% | 0.6% | 4.1% |
| | Grade 11 | 84.2% | 9.7% | 1.9% | 1.0% | 3.2% |
| | Grade 12 | 82.6% | 11.1% | 1.6% | 0.5% | 4.2% |
| Crack? | | | | | | |
| | All | 86.2% | 7.5% | 1.3% | 0.8% | 4.1% |
| | Grade 7 | 87.6% | 5.1% | 1.2% | 0.7% | 5.4% |
| | Grade 8 | 85.0% | 6.1% | 2.3% | 1.3% | 5.3% |
| | Grade 9 | 84.3% | 8.9% | 2.1% | 1.3% | 3.3% |
| | Grade 10 | 86.0% | 9.1% | 1.0% | 0.3% | 3.5% |
| | Grade 11 | 88.1% | 6.4% | 0.6% | 1.0% | 3.9% |
| | Grade 12 | 86.8% | 7.6% | 0.6% | 0.6% | 4.5% |
| Ecstasy? | | | | | | |
| | All | 85.2% | 6.7% | 1.4% | 1.0% | 5.7% |
| | Grade 7 | 83.5% | 4.1% | 0.4% | 0.7% | 11.3% |
| | Grade 8 | 82.2% | 5.7% | 2.1% | 1.4% | 8.7% |
| | Grade 9 | 83.4% | 7.7% | 2.0% | 1.6% | 5.2% |
| | Grade 10 | 87.5% | 7.0% | 1.3% | 0.5% | 3.8% |
| | Grade 11 | 87.7% | 6.3% | 1.1% | 1.0% | 4.0% |
| | Grade 12 | 85.0% | 7.5% | 1.5% | 0.9% | 5.0% |
| Steroids? | | | | | | |
| | All | 75.6% | 14.2% | 3.7% | 1.3% | 5.1% |
| | Grade 7 | 80.2% | 9.2% | 2.8% | 0.7% | 7.2% |
| | Grade 8 | 79.3% | 11.0% | 2.3% | 1.2% | 6.1% |
| | Grade 9 | 74.8% | 15.3% | 3.2% | 2.0% | 4.7% |
| | Grade 10 | 74.4% | 15.3% | 5.5% | 0.8% | 4.0% |
| | Grade 11 | 74.8% | 15.5% | 3.5% | 1.2% | 5.0% |
| | Grade 12 | 73.8% | 15.4% | 4.1% | 1.5% | 5.2% |
| Heroin? | | | | | | |
| | All | 88.0% | 5.5% | 0.7% | 0.9% | 4.9% |
| | Grade 7 | 86.3% | 4.5% | 0.6% | 0.5% | 8.0% |
| | Grade 8 | 85.1% | 5.4% | 1.5% | 1.2% | 6.8% |
| | Grade 9 | 86.8% | 7.2% | 0.8% | 1.3% | 3.9% |
| | Grade 10 | 88.6% | 6.1% | 0.5% | 0.5% | 4.2% |
| | Grade 11 | 89.1% | 4.5% | 0.7% | 1.4% | 4.3% |
| | Grade 12 | 90.2% | 4.5% | 0.1% | 0.7% | 4.6% |

region19
Spring 2006

Table D-15: How recently, if ever, have you taken...

| | | Past Month | School Year | Ever Used | Never Used |
|-----------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| DXM, Triple C? | | | | | |
| | All | 1.6% | 3.2% | 5.5% | 94.5% |
| | Grade 7 | 0.7% | 1.0% | 1.4% | 98.6% |
| | Grade 8 | 0.5% | 1.9% | 2.7% | 97.3% |
| | Grade 9 | 1.9% | 3.3% | 5.7% | 94.3% |
| | Grade 10 | 1.4% | 3.3% | 6.4% | 93.6% |
| | Grade 11 | 2.0% | 4.1% | 6.8% | 93.2% |
| | Grade 12 | 2.0% | 3.9% | 7.3% | 92.7% |
| Codeine? | | | | | |
| | All | 3.6% | 7.5% | 11.5% | 88.5% |
| | Grade 7 | 0.9% | 1.5% | 2.9% | 97.1% |
| | Grade 8 | 1.4% | 4.3% | 6.2% | 93.8% |
| | Grade 9 | 2.9% | 5.8% | 9.2% | 90.8% |
| | Grade 10 | 3.3% | 7.9% | 10.9% | 89.1% |
| | Grade 11 | 5.6% | 10.7% | 15.9% | 84.1% |
| | Grade 12 | 6.1% | 11.3% | 18.6% | 81.4% |

region19
Spring 2006

Table I-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Any inhalant? | | | | | |
| | All | 6.0% | 9.4% | 19.4% | 80.6% |
| | Grade 7 | 8.2% | 10.7% | 20.9% | 79.1% |
| | Grade 8 | 8.5% | 12.9% | 21.5% | 78.5% |
| | Grade 9 | 6.2% | 11.2% | 22.8% | 77.2% |
| | Grade 10 | 5.0% | 7.5% | 18.0% | 82.0% |
| | Grade 11 | 5.3% | 7.6% | 17.6% | 82.4% |
| | Grade 12 | 4.9% | 8.1% | 16.9% | 83.1% |
| Liquid or spray paint? | | | | | |
| | All | 1.2% | 2.4% | 9.1% | 90.9% |
| | Grade 7 | 1.9% | 3.0% | 7.9% | 92.1% |
| | Grade 8 | 2.1% | 4.5% | 11.9% | 88.1% |
| | Grade 9 | 1.2% | 3.3% | 12.2% | 87.8% |
| | Grade 10 | 0.9% | 1.4% | 7.0% | 93.0% |
| | Grade 11 | 0.3% | 1.3% | 8.0% | 92.0% |
| | Grade 12 | 1.3% | 2.1% | 7.8% | 92.2% |
| Whiteout, correction fld? | | | | | |
| | All | 0.8% | 1.4% | 5.1% | 94.9% |
| | Grade 7 | 1.9% | 2.4% | 5.8% | 94.2% |
| | Grade 8 | 0.9% | 2.0% | 7.1% | 92.9% |
| | Grade 9 | 0.9% | 1.9% | 7.2% | 92.8% |
| | Grade 10 | 0.5% | 0.6% | 3.4% | 96.6% |
| | Grade 11 | 0.5% | 0.9% | 4.1% | 95.9% |
| | Grade 12 | 0.8% | 1.4% | 3.8% | 96.2% |
| Gasoline? | | | | | |
| | All | 1.1% | 1.8% | 4.5% | 95.5% |
| | Grade 7 | 2.4% | 2.6% | 3.6% | 96.4% |
| | Grade 8 | 1.4% | 2.8% | 5.0% | 95.0% |
| | Grade 9 | 1.4% | 2.3% | 6.5% | 93.5% |
| | Grade 10 | 0.8% | 1.2% | 3.7% | 96.3% |
| | Grade 11 | 0.6% | 0.8% | 3.6% | 96.4% |
| | Grade 12 | 0.9% | 1.6% | 3.9% | 96.1% |
| Freon? | | | | | |
| | All | 0.3% | 0.6% | 1.5% | 98.5% |
| | Grade 7 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 8 | 0.4% | 0.4% | 1.2% | 98.8% |
| | Grade 9 | 0.3% | 0.7% | 1.6% | 98.4% |
| | Grade 10 | 0.0% | 0.3% | 1.1% | 98.9% |
| | Grade 11 | 0.0% | 0.6% | 1.9% | 98.1% |
| | Grade 12 | 0.7% | 1.3% | 1.9% | 98.1% |
| Poppers, Locker Room? | | | | | |
| | All | 0.4% | 0.8% | 1.7% | 98.3% |
| | Grade 7 | 1.3% | 1.4% | 2.2% | 97.8% |
| | Grade 8 | 0.2% | 0.6% | 2.0% | 98.0% |
| | Grade 9 | 0.1% | 0.3% | 1.4% | 98.6% |
| | Grade 10 | 0.0% | 0.3% | 1.3% | 98.7% |
| | Grade 11 | 0.6% | 1.1% | 1.9% | 98.1% |
| | Grade 12 | 0.8% | 1.2% | 1.8% | 98.2% |

region19
Spring 2006

Table I-1: How recently, if ever, have you used...
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|--------------------------------|----------|---------------|----------------|--------------|---------------|
| Glue? | | | | | |
| | All | 0.7% | 1.0% | 2.9% | 97.1% |
| | Grade 7 | 1.9% | 1.9% | 5.7% | 94.3% |
| | Grade 8 | 0.5% | 1.1% | 4.1% | 95.9% |
| | Grade 9 | 0.9% | 1.2% | 4.1% | 95.9% |
| | Grade 10 | 0.2% | 0.2% | 0.9% | 99.1% |
| | Grade 11 | 0.3% | 0.8% | 1.4% | 98.6% |
| | Grade 12 | 0.7% | 1.4% | 2.9% | 97.1% |
| Paint, lacquer thinner? | | | | | |
| | All | 0.8% | 1.8% | 5.3% | 94.7% |
| | Grade 7 | 1.9% | 3.1% | 6.3% | 93.7% |
| | Grade 8 | 0.5% | 1.7% | 5.7% | 94.3% |
| | Grade 9 | 0.6% | 2.0% | 6.7% | 93.3% |
| | Grade 10 | 0.8% | 1.2% | 4.3% | 95.7% |
| | Grade 11 | 0.7% | 1.8% | 5.2% | 94.8% |
| | Grade 12 | 0.7% | 1.8% | 3.9% | 96.1% |
| Nitrous oxide? | | | | | |
| | All | 1.0% | 2.0% | 5.5% | 94.5% |
| | Grade 7 | 1.2% | 2.0% | 3.8% | 96.2% |
| | Grade 8 | 0.9% | 1.5% | 4.2% | 95.8% |
| | Grade 9 | 0.6% | 1.7% | 5.4% | 94.6% |
| | Grade 10 | 0.9% | 1.6% | 5.0% | 95.0% |
| | Grade 11 | 1.2% | 2.2% | 6.5% | 93.5% |
| | Grade 12 | 1.5% | 3.0% | 6.9% | 93.1% |
| Octane booster? | | | | | |
| | All | 0.2% | 0.5% | 1.0% | 99.0% |
| | Grade 7 | 0.3% | 0.3% | 0.3% | 99.7% |
| | Grade 8 | 0.3% | 0.4% | 1.1% | 98.9% |
| | Grade 9 | 0.1% | 0.4% | 1.3% | 98.7% |
| | Grade 10 | 0.2% | 0.3% | 0.9% | 99.1% |
| | Grade 11 | 0.0% | 0.5% | 1.2% | 98.8% |
| | Grade 12 | 0.5% | 0.9% | 1.0% | 99.0% |
| Other sprays? | | | | | |
| | All | 0.9% | 1.9% | 5.0% | 95.0% |
| | Grade 7 | 0.7% | 1.5% | 5.6% | 94.4% |
| | Grade 8 | 2.3% | 3.6% | 7.6% | 92.4% |
| | Grade 9 | 1.0% | 3.0% | 7.0% | 93.0% |
| | Grade 10 | 0.5% | 1.3% | 4.5% | 95.5% |
| | Grade 11 | 0.4% | 0.7% | 3.3% | 96.7% |
| | Grade 12 | 0.8% | 1.3% | 3.1% | 96.9% |
| Other inhalants? | | | | | |
| | All | 3.0% | 4.9% | 11.5% | 88.5% |
| | Grade 7 | 3.9% | 5.2% | 11.6% | 88.4% |
| | Grade 8 | 3.8% | 6.2% | 13.4% | 86.6% |
| | Grade 9 | 4.0% | 6.5% | 14.8% | 85.2% |
| | Grade 10 | 2.3% | 4.1% | 10.2% | 89.8% |
| | Grade 11 | 2.5% | 3.5% | 10.5% | 89.5% |
| | Grade 12 | 2.2% | 4.3% | 8.7% | 91.3% |

region19
Spring 2006

Table I-2: How often do you normally use inhalants?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|-----------------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 92.0% | 0.1% | 0.3% | 0.5% | 1.1% | 1.9% | 4.1% |
| Grade 7 | 90.6% | 0.3% | 0.9% | 0.8% | 1.4% | 3.2% | 2.7% |
| Grade 8 | 91.2% | 0.4% | 0.5% | 1.6% | 2.3% | 0.8% | 3.2% |
| Grade 9 | 88.3% | 0.2% | 0.3% | 0.5% | 1.8% | 2.8% | 6.2% |
| Grade 10 | 93.7% | 0.0% | 0.0% | 0.5% | 0.8% | 1.4% | 3.6% |
| Grade 11 | 94.1% | 0.0% | 0.2% | 0.3% | 0.2% | 1.4% | 3.8% |
| Grade 12 | 93.3% | 0.1% | 0.1% | 0.1% | 0.6% | 2.0% | 3.8% |

I-3: Number of different kinds of inhalants used

| | None | One | Two to Three | Four Plus |
|-----------------|-------|------|--------------|-----------|
| All | 83.9% | 6.3% | 6.4% | 3.4% |
| Grade 7 | 81.7% | 7.4% | 7.9% | 3.0% |
| Grade 8 | 82.4% | 5.8% | 6.9% | 4.8% |
| Grade 9 | 80.7% | 5.5% | 9.2% | 4.6% |
| Grade 10 | 85.6% | 7.0% | 4.8% | 2.7% |
| Grade 11 | 85.7% | 5.4% | 6.3% | 2.6% |
| Grade 12 | 85.8% | 7.2% | 3.9% | 3.1% |

Table I-4: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|------------------|---------|---------|---------|----------|----------|----------|
| Inhalants | 10.8 | 11.3 | 12.6 | 13.1 | 13.0 | 14.6 |

**region19
Spring 2006**

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|-----------------|-------|-----------|-----------|-----------|
| All | 97.5% | 1.7% | 0.4% | 0.4% |
| Grade 7 | 95.7% | 3.4% | 0.5% | 0.5% |
| Grade 8 | 95.8% | 2.5% | 1.2% | 0.5% |
| Grade 9 | 96.7% | 2.3% | 0.2% | 0.9% |
| Grade 10 | 98.4% | 1.4% | 0.1% | 0.1% |
| Grade 11 | 98.8% | 0.9% | 0.1% | 0.2% |
| Grade 12 | 98.0% | 0.9% | 0.7% | 0.3% |

Table I-6: School year use of inhalants by absences and conduct problems:

| Average days absent due to illness or other reasons | |
|--|-----|
| Inhalants Users: | 5.1 |
| Inhalants Non-users: | 4.6 |

| Average days conduct problems reported | |
|---|-----|
| Inhalants Users: | 5.0 |
| Inhalants Non-users: | 1.7 |

Table I-7: About how many of your close friends use inhalants?

| | None | A Few | Some | Most | ALL |
|-----------------|-------|-------|------|------|------|
| All | 82.3% | 12.5% | 3.3% | 1.3% | 0.6% |
| Grade 7 | 82.7% | 10.9% | 4.8% | 1.4% | 0.2% |
| Grade 8 | 81.5% | 13.1% | 2.9% | 2.3% | 0.1% |
| Grade 9 | 77.0% | 16.2% | 3.8% | 1.8% | 1.1% |
| Grade 10 | 82.0% | 13.5% | 2.9% | 1.2% | 0.5% |
| Grade 11 | 85.9% | 8.8% | 3.3% | 0.9% | 1.0% |
| Grade 12 | 85.5% | 11.2% | 2.6% | 0.7% | 0.1% |

region19
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-----------------|---------------------------|-------------------------------|-------------------------------|---------------------------------|--------------------|
| All | 75.5% | 15.4% | 3.1% | 1.4% | 4.6% |
| Grade 7 | 77.6% | 10.9% | 3.8% | 1.4% | 6.2% |
| Grade 8 | 75.3% | 13.3% | 4.4% | 1.8% | 5.3% |
| Grade 9 | 74.1% | 17.3% | 4.2% | 1.7% | 2.7% |
| Grade 10 | 74.8% | 16.5% | 2.7% | 1.3% | 4.7% |
| Grade 11 | 76.3% | 15.8% | 2.4% | 1.4% | 4.1% |
| Grade 12 | 76.0% | 15.4% | 1.9% | 1.1% | 5.6% |

region19
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | Yes |
|------------------------------|----------------|
| A school health class | All 47.4% |
| | Grade 7 51.1% |
| | Grade 8 55.4% |
| | Grade 9 48.9% |
| | Grade 10 54.4% |
| | Grade 11 43.6% |
| | Grade 12 35.4% |
| An assembly program | All 57.8% |
| | Grade 7 66.8% |
| | Grade 8 72.7% |
| | Grade 9 54.6% |
| | Grade 10 56.4% |
| | Grade 11 52.4% |
| | Grade 12 54.5% |
| Guidance counselor | All 19.9% |
| | Grade 7 27.7% |
| | Grade 8 32.0% |
| | Grade 9 21.4% |
| | Grade 10 16.8% |
| | Grade 11 14.6% |
| | Grade 12 15.9% |
| Science class | All 37.2% |
| | Grade 7 61.5% |
| | Grade 8 50.2% |
| | Grade 9 34.6% |
| | Grade 10 47.5% |
| | Grade 11 27.5% |
| | Grade 12 18.1% |
| Social studies class | All 10.6% |
| | Grade 7 12.6% |
| | Grade 8 12.3% |
| | Grade 9 7.5% |
| | Grade 10 10.5% |
| | Grade 11 12.4% |
| | Grade 12 10.0% |
| Student group session | All 15.7% |
| | Grade 7 19.2% |
| | Grade 8 18.5% |
| | Grade 9 15.3% |
| | Grade 10 13.7% |
| | Grade 11 16.1% |
| | Grade 12 14.7% |

region19
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

| CATEGORY | Yes |
|---------------------------------|----------------|
| An invited school guest | All 44.7% |
| | Grade 7 60.9% |
| | Grade 8 57.3% |
| | Grade 9 42.9% |
| | Grade 10 43.3% |
| | Grade 11 36.7% |
| | Grade 12 40.2% |
| Another source at school | All 35.3% |
| | Grade 7 42.9% |
| | Grade 8 41.9% |
| | Grade 9 38.3% |
| | Grade 10 34.6% |
| | Grade 11 34.7% |
| | Grade 12 26.2% |
| Any school source | All 65.7% |
| | Grade 7 63.9% |
| | Grade 8 70.3% |
| | Grade 9 65.8% |
| | Grade 10 70.1% |
| | Grade 11 62.9% |
| | Grade 12 61.1% |

region19
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

| CATEGORY | Yes |
|----------------------------------|----------------|
| A counselor or program in | All 28.0% |
| | Grade 7 47.4% |
| | Grade 8 36.5% |
| | Grade 9 29.8% |
| | Grade 10 24.3% |
| | Grade 11 24.8% |
| | Grade 12 17.3% |
| Another adult in school (| All 32.2% |
| | Grade 7 43.1% |
| | Grade 8 40.9% |
| | Grade 9 29.8% |
| | Grade 10 30.2% |
| | Grade 11 30.6% |
| | Grade 12 27.1% |
| A counselor or program ou | All 39.0% |
| | Grade 7 44.1% |
| | Grade 8 42.1% |
| | Grade 9 41.3% |
| | Grade 10 37.3% |
| | Grade 11 35.5% |
| | Grade 12 36.8% |
| Your parents | All 60.6% |
| | Grade 7 71.5% |
| | Grade 8 65.5% |
| | Grade 9 58.7% |
| | Grade 10 59.2% |
| | Grade 11 57.7% |
| | Grade 12 58.0% |
| A medical doctor | All 39.0% |
| | Grade 7 53.1% |
| | Grade 8 40.0% |
| | Grade 9 36.9% |
| | Grade 10 35.7% |
| | Grade 11 38.7% |
| | Grade 12 37.3% |
| Your friends | All 78.3% |
| | Grade 7 69.5% |
| | Grade 8 74.0% |
| | Grade 9 78.1% |
| | Grade 10 81.9% |
| | Grade 11 79.0% |
| | Grade 12 81.0% |

region19
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

| CATEGORY | | Yes |
|----------------------------------|-----------------|-------|
| Another adult (a relative | All | 64.5% |
| | Grade 7 | 68.6% |
| | Grade 8 | 68.8% |
| | Grade 9 | 65.7% |
| | Grade 10 | 65.4% |
| | Grade 11 | 60.7% |
| | Grade 12 | 60.5% |

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

| CATEGORY | | Yes |
|------------------|-----------------|-------|
| Seek Help | All | 7.4% |
| | Grade 7 | 8.6% |
| | Grade 8 | 6.2% |
| | Grade 9 | 10.7% |
| | Grade 10 | 7.4% |
| | Grade 11 | 7.1% |
| | Grade 12 | 4.4% |

region19
Spring 2006

Table X-4: About how many of your friends:

| | None | A Few | Some | Most | ALL |
|--|-------|-------|-------|-------|-------|
| Feel close to their parents? | | | | | |
| All | 3.5% | 26.4% | 25.2% | 37.7% | 7.3% |
| Grade 7 | 5.9% | 25.2% | 20.4% | 33.1% | 15.4% |
| Grade 8 | 4.0% | 30.8% | 25.9% | 30.0% | 9.3% |
| Grade 9 | 4.0% | 28.4% | 26.6% | 34.4% | 6.5% |
| Grade 10 | 2.4% | 22.7% | 25.6% | 42.4% | 7.0% |
| Grade 11 | 3.8% | 24.3% | 26.6% | 39.8% | 5.5% |
| Grade 12 | 2.1% | 28.0% | 24.0% | 41.5% | 4.4% |
| Sometimes carry weapons? | | | | | |
| All | 53.5% | 25.8% | 13.2% | 5.9% | 1.7% |
| Grade 7 | 69.4% | 20.3% | 5.9% | 3.7% | 0.8% |
| Grade 8 | 61.9% | 21.2% | 11.4% | 4.3% | 1.2% |
| Grade 9 | 53.7% | 26.2% | 11.0% | 7.1% | 2.1% |
| Grade 10 | 48.8% | 28.4% | 15.0% | 5.3% | 2.5% |
| Grade 11 | 50.2% | 28.3% | 15.4% | 5.2% | 0.9% |
| Grade 12 | 47.4% | 26.3% | 16.5% | 8.0% | 1.7% |
| Care about making good grades? | | | | | |
| All | 2.2% | 13.2% | 21.1% | 46.4% | 17.0% |
| Grade 7 | 2.4% | 16.0% | 18.3% | 38.3% | 25.0% |
| Grade 8 | 3.9% | 20.0% | 17.2% | 38.6% | 20.3% |
| Grade 9 | 2.1% | 15.7% | 23.1% | 43.1% | 15.9% |
| Grade 10 | 1.6% | 12.2% | 21.8% | 50.2% | 14.2% |
| Grade 11 | 2.8% | 9.0% | 21.4% | 50.1% | 16.7% |
| Grade 12 | 1.4% | 9.8% | 21.9% | 51.9% | 15.0% |
| Belong/want to belong to a gang? | | | | | |
| All | 74.7% | 14.0% | 6.7% | 3.3% | 1.3% |
| Grade 7 | 67.9% | 17.4% | 8.6% | 5.0% | 1.1% |
| Grade 8 | 65.4% | 16.1% | 10.1% | 6.4% | 2.0% |
| Grade 9 | 69.5% | 17.3% | 7.7% | 4.0% | 1.5% |
| Grade 10 | 76.3% | 14.0% | 6.0% | 2.5% | 1.3% |
| Grade 11 | 80.9% | 11.1% | 4.5% | 2.0% | 1.4% |
| Grade 12 | 82.5% | 10.0% | 5.0% | 1.7% | 0.7% |
| Wish they could drop out of school? | | | | | |
| All | 59.8% | 26.2% | 8.5% | 3.6% | 1.9% |
| Grade 7 | 65.0% | 21.8% | 6.6% | 4.4% | 2.1% |
| Grade 8 | 56.9% | 28.4% | 7.5% | 5.0% | 2.1% |
| Grade 9 | 55.0% | 29.4% | 8.9% | 4.8% | 1.8% |
| Grade 10 | 58.6% | 26.9% | 9.7% | 3.0% | 1.8% |
| Grade 11 | 61.1% | 25.8% | 8.8% | 2.6% | 1.7% |
| Grade 12 | 64.2% | 23.0% | 8.3% | 2.7% | 1.8% |

region19
Spring 2006

Table X-5: How safe do you feel when you are:

| | | Somewha t Safe | Not Very Safe | Not Safe at All | Don't Know |
|----------------------------------|-----------|-------------------|------------------|--------------------|---------------|
| | Very Safe | | | | |
| In your home? | | | | | |
| All | 81.1% | 16.8% | 0.9% | 0.4% | 0.8% |
| Grade 7 | 76.7% | 20.0% | 1.1% | 0.2% | 2.1% |
| Grade 8 | 79.6% | 17.9% | 1.2% | 0.0% | 1.3% |
| Grade 9 | 79.6% | 18.6% | 0.1% | 0.3% | 1.3% |
| Grade 10 | 82.0% | 15.8% | 1.3% | 0.7% | 0.2% |
| Grade 11 | 82.0% | 15.7% | 1.2% | 0.4% | 0.7% |
| Grade 12 | 84.3% | 14.2% | 0.9% | 0.4% | 0.1% |
| Out in your neighbourhood | | | | | |
| All | 48.6% | 42.9% | 5.5% | 1.4% | 1.6% |
| Grade 7 | 30.2% | 52.4% | 10.8% | 2.3% | 4.3% |
| Grade 8 | 39.0% | 48.1% | 8.4% | 2.6% | 2.0% |
| Grade 9 | 45.2% | 45.5% | 5.8% | 1.2% | 2.2% |
| Grade 10 | 54.5% | 39.3% | 4.4% | 1.0% | 0.9% |
| Grade 11 | 51.4% | 42.3% | 4.1% | 1.5% | 0.7% |
| Grade 12 | 60.0% | 36.1% | 2.6% | 0.7% | 0.7% |
| At school | | | | | |
| All | 39.4% | 49.7% | 6.5% | 2.3% | 2.1% |
| Grade 7 | 40.2% | 46.4% | 7.1% | 3.5% | 2.8% |
| Grade 8 | 45.3% | 43.3% | 7.0% | 2.2% | 2.1% |
| Grade 9 | 35.8% | 52.1% | 7.2% | 2.6% | 2.3% |
| Grade 10 | 41.6% | 48.6% | 5.8% | 1.8% | 2.2% |
| Grade 11 | 36.5% | 52.9% | 6.1% | 2.8% | 1.7% |
| Grade 12 | 39.0% | 51.4% | 6.3% | 1.6% | 1.6% |

region19
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | Yes |
|---------------------------------|----------------|
| A website or online chat | All 23.9% |
| | Grade 7 17.0% |
| | Grade 8 20.2% |
| | Grade 9 24.0% |
| | Grade 10 25.4% |
| | Grade 11 27.8% |
| | Grade 12 24.4% |
| Books, magazines, poster | All 51.0% |
| | Grade 7 44.4% |
| | Grade 8 53.4% |
| | Grade 9 54.0% |
| | Grade 10 55.1% |
| | Grade 11 50.2% |
| | Grade 12 46.1% |
| TV, radio, or other audi | All 55.2% |
| | Grade 7 53.0% |
| | Grade 8 58.2% |
| | Grade 9 57.5% |
| | Grade 10 56.7% |
| | Grade 11 54.9% |
| | Grade 12 50.5% |
| Your parents | All 52.3% |
| | Grade 7 62.9% |
| | Grade 8 57.5% |
| | Grade 9 56.4% |
| | Grade 10 52.5% |
| | Grade 11 45.1% |
| | Grade 12 45.7% |

region19
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Tobacco | | | | | |
| | All | 21.3% | 27.9% | 44.3% | 55.7% |
| | Grade 7 | 8.9% | 11.7% | 25.3% | 74.7% |
| | Grade 8 | 12.1% | 18.8% | 35.0% | 65.0% |
| | Grade 9 | 15.6% | 22.0% | 40.2% | 59.8% |
| | Grade 10 | 20.8% | 27.0% | 44.6% | 55.4% |
| | Grade 11 | 26.7% | 35.0% | 50.0% | 50.0% |
| | Grade 12 | 36.5% | 43.7% | 59.9% | 40.1% |
| Alcohol | | | | | |
| | All | 36.3% | 51.2% | 73.1% | 26.9% |
| | Grade 7 | 18.2% | 28.2% | 52.9% | 47.1% |
| | Grade 8 | 23.7% | 38.1% | 68.7% | 31.3% |
| | Grade 9 | 31.6% | 44.4% | 69.3% | 30.7% |
| | Grade 10 | 38.6% | 56.9% | 76.6% | 23.4% |
| | Grade 11 | 42.4% | 59.2% | 78.3% | 21.7% |
| | Grade 12 | 51.7% | 66.0% | 82.6% | 17.4% |
| Inhalants | | | | | |
| | All | 6.0% | 9.4% | 19.4% | 80.6% |
| | Grade 7 | 8.2% | 10.7% | 20.9% | 79.1% |
| | Grade 8 | 8.5% | 12.9% | 21.5% | 78.5% |
| | Grade 9 | 6.2% | 11.2% | 22.8% | 77.2% |
| | Grade 10 | 5.0% | 7.5% | 18.0% | 82.0% |
| | Grade 11 | 5.3% | 7.6% | 17.6% | 82.4% |
| | Grade 12 | 4.9% | 8.1% | 16.9% | 83.1% |
| Any Illicit Drug | | | | | |
| | All | 14.9% | 21.3% | 33.8% | 66.2% |
| | Grade 7 | 5.9% | 8.0% | 14.4% | 85.6% |
| | Grade 8 | 8.9% | 13.3% | 22.2% | 77.8% |
| | Grade 9 | 12.0% | 18.4% | 31.1% | 68.9% |
| | Grade 10 | 15.4% | 22.1% | 35.3% | 64.7% |
| | Grade 11 | 19.9% | 27.6% | 41.2% | 58.8% |
| | Grade 12 | 21.8% | 30.4% | 46.6% | 53.4% |
| Marijuana | | | | | |
| | All | 13.7% | 20.1% | 32.5% | 67.5% |
| | Grade 7 | 4.9% | 7.0% | 13.2% | 86.8% |
| | Grade 8 | 8.5% | 13.0% | 21.7% | 78.3% |
| | Grade 9 | 11.0% | 17.4% | 29.8% | 70.2% |
| | Grade 10 | 14.0% | 20.9% | 33.8% | 66.2% |
| | Grade 11 | 18.0% | 25.6% | 39.3% | 60.7% |
| | Grade 12 | 20.5% | 29.0% | 45.4% | 54.6% |
| Marijuana Only | | | | | |
| | All | 5.2% | 8.5% | 17.8% | 82.2% |
| | Grade 7 | 2.6% | 3.6% | 8.7% | 91.3% |
| | Grade 8 | 4.0% | 6.1% | 13.3% | 86.7% |
| | Grade 9 | 4.9% | 7.7% | 17.2% | 82.8% |
| | Grade 10 | 5.6% | 9.3% | 18.1% | 81.9% |
| | Grade 11 | 5.9% | 10.1% | 20.6% | 79.4% |
| | Grade 12 | 6.5% | 11.5% | 23.4% | 76.6% |

region19
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 2.8% | 4.8% | 9.2% | 90.8% |
| | Grade 7 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 8 | 1.7% | 2.2% | 5.0% | 95.0% |
| | Grade 9 | 2.2% | 3.7% | 8.5% | 91.5% |
| | Grade 10 | 2.3% | 4.8% | 9.3% | 90.7% |
| | Grade 11 | 4.2% | 7.7% | 11.2% | 88.8% |
| | Grade 12 | 4.5% | 7.2% | 14.6% | 85.4% |
| Cocaine | | | | | |
| | All | 2.5% | 4.3% | 8.4% | 91.6% |
| | Grade 7 | 0.0% | 0.0% | 1.1% | 98.9% |
| | Grade 8 | 1.4% | 2.1% | 4.2% | 95.8% |
| | Grade 9 | 1.7% | 3.3% | 7.5% | 92.5% |
| | Grade 10 | 2.0% | 4.3% | 8.5% | 91.5% |
| | Grade 11 | 4.1% | 7.0% | 10.7% | 89.3% |
| | Grade 12 | 4.3% | 6.7% | 13.8% | 86.2% |
| Crack | | | | | |
| | All | 0.7% | 1.4% | 3.2% | 96.8% |
| | Grade 7 | 0.5% | 1.0% | 1.5% | 98.5% |
| | Grade 8 | 0.6% | 0.7% | 2.1% | 97.9% |
| | Grade 9 | 1.0% | 1.5% | 3.7% | 96.3% |
| | Grade 10 | 0.6% | 1.0% | 2.8% | 97.2% |
| | Grade 11 | 0.9% | 2.0% | 3.4% | 96.6% |
| | Grade 12 | 0.6% | 2.0% | 4.4% | 95.6% |
| Hallucinogens | | | | | |
| | All | 1.5% | 3.1% | 6.8% | 93.2% |
| | Grade 7 | 0.5% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 1.4% | 2.6% | 3.8% | 96.2% |
| | Grade 9 | 1.3% | 2.2% | 6.1% | 93.9% |
| | Grade 10 | 1.2% | 3.0% | 6.8% | 93.2% |
| | Grade 11 | 1.7% | 3.7% | 8.9% | 91.1% |
| | Grade 12 | 2.6% | 5.6% | 11.1% | 88.9% |
| Uppers | | | | | |
| | All | 2.6% | 4.6% | 7.3% | 92.7% |
| | Grade 7 | 0.8% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 1.3% | 1.5% | 2.4% | 97.6% |
| | Grade 9 | 0.9% | 3.4% | 4.9% | 95.1% |
| | Grade 10 | 2.8% | 4.6% | 7.8% | 92.2% |
| | Grade 11 | 4.1% | 7.2% | 11.1% | 88.9% |
| | Grade 12 | 4.8% | 8.0% | 12.4% | 87.6% |
| Downers | | | | | |
| | All | 2.6% | 4.7% | 7.2% | 92.8% |
| | Grade 7 | 0.5% | 0.8% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 1.3% | 2.0% | 98.0% |
| | Grade 9 | 0.9% | 3.2% | 5.0% | 95.0% |
| | Grade 10 | 2.9% | 4.3% | 7.0% | 93.0% |
| | Grade 11 | 4.8% | 7.0% | 11.7% | 88.3% |
| | Grade 12 | 4.1% | 9.0% | 12.7% | 87.3% |

region19
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Rohypnol | | | | | |
| | All | 1.1% | 1.8% | 2.7% | 97.3% |
| | Grade 7 | 1.0% | 1.2% | 1.8% | 98.2% |
| | Grade 8 | 0.9% | 2.1% | 2.8% | 97.2% |
| | Grade 9 | 1.5% | 2.6% | 3.5% | 96.5% |
| | Grade 10 | 1.0% | 2.0% | 2.9% | 97.1% |
| | Grade 11 | 1.1% | 1.4% | 2.3% | 97.7% |
| | Grade 12 | 0.6% | 1.1% | 2.2% | 97.8% |
| Steroids | | | | | |
| | All | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 7 | 0.6% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 0.4% | 0.8% | 1.0% | 99.0% |
| | Grade 9 | 0.2% | 0.2% | 0.8% | 99.2% |
| | Grade 10 | 0.3% | 0.7% | 1.9% | 98.1% |
| | Grade 11 | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 12 | 0.9% | 1.2% | 2.2% | 97.8% |
| Ecstasy | | | | | |
| | All | 1.0% | 2.2% | 4.7% | 95.3% |
| | Grade 7 | 0.0% | 0.2% | 0.8% | 99.2% |
| | Grade 8 | 0.6% | 1.2% | 2.5% | 97.5% |
| | Grade 9 | 1.3% | 2.4% | 4.7% | 95.3% |
| | Grade 10 | 0.8% | 1.8% | 4.3% | 95.7% |
| | Grade 11 | 1.0% | 2.6% | 6.1% | 93.9% |
| | Grade 12 | 1.5% | 4.1% | 7.6% | 92.4% |
| Heroin | | | | | |
| | All | 0.6% | 1.0% | 1.9% | 98.1% |
| | Grade 7 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 8 | 0.6% | 1.2% | 2.8% | 97.2% |
| | Grade 9 | 0.7% | 1.3% | 2.5% | 97.5% |
| | Grade 10 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 11 | 1.0% | 2.0% | 2.3% | 97.7% |
| | Grade 12 | 0.6% | 1.0% | 2.4% | 97.6% |

region19
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Tobacco | | | | | |
| | All | 25.8% | 32.2% | 49.3% | 50.7% |
| | Grade 7 | 9.6% | 13.2% | 30.0% | 70.0% |
| | Grade 8 | 11.0% | 16.2% | 35.7% | 64.3% |
| | Grade 9 | 14.6% | 20.3% | 42.5% | 57.5% |
| | Grade 10 | 26.9% | 33.5% | 49.8% | 50.2% |
| | Grade 11 | 32.7% | 42.4% | 56.1% | 43.9% |
| | Grade 12 | 47.5% | 53.4% | 67.8% | 32.2% |
| Alcohol | | | | | |
| | All | 37.8% | 51.6% | 73.1% | 26.9% |
| | Grade 7 | 19.9% | 33.3% | 56.5% | 43.5% |
| | Grade 8 | 21.9% | 36.1% | 71.9% | 28.1% |
| | Grade 9 | 29.3% | 40.9% | 67.9% | 32.1% |
| | Grade 10 | 38.8% | 55.7% | 75.7% | 24.3% |
| | Grade 11 | 47.6% | 62.5% | 77.6% | 22.4% |
| | Grade 12 | 55.5% | 67.5% | 81.7% | 18.3% |
| Inhalants | | | | | |
| | All | 5.4% | 8.9% | 19.2% | 80.8% |
| | Grade 7 | 8.4% | 10.5% | 21.9% | 78.1% |
| | Grade 8 | 7.7% | 12.0% | 21.5% | 78.5% |
| | Grade 9 | 4.3% | 9.2% | 20.2% | 79.8% |
| | Grade 10 | 3.2% | 5.2% | 13.5% | 86.5% |
| | Grade 11 | 5.6% | 8.6% | 19.4% | 80.6% |
| | Grade 12 | 5.6% | 10.5% | 21.4% | 78.6% |
| Any Illicit Drug | | | | | |
| | All | 15.8% | 22.2% | 35.9% | 64.1% |
| | Grade 7 | 6.2% | 8.4% | 15.8% | 84.2% |
| | Grade 8 | 7.8% | 12.2% | 22.0% | 78.0% |
| | Grade 9 | 11.2% | 17.2% | 32.1% | 67.9% |
| | Grade 10 | 15.7% | 22.5% | 37.6% | 62.4% |
| | Grade 11 | 22.5% | 30.3% | 45.2% | 54.8% |
| | Grade 12 | 24.1% | 32.9% | 48.4% | 51.6% |
| Marijuana | | | | | |
| | All | 14.3% | 20.9% | 34.5% | 65.5% |
| | Grade 7 | 5.3% | 7.6% | 14.7% | 85.3% |
| | Grade 8 | 7.2% | 11.9% | 21.7% | 78.3% |
| | Grade 9 | 9.7% | 15.9% | 30.9% | 69.1% |
| | Grade 10 | 14.4% | 21.4% | 36.1% | 63.9% |
| | Grade 11 | 19.8% | 27.9% | 43.5% | 56.5% |
| | Grade 12 | 22.9% | 31.5% | 46.2% | 53.8% |
| Marijuana Only | | | | | |
| | All | 5.0% | 8.8% | 19.0% | 81.0% |
| | Grade 7 | 3.0% | 4.1% | 9.9% | 90.1% |
| | Grade 8 | 4.3% | 5.7% | 13.9% | 86.1% |
| | Grade 9 | 3.5% | 6.5% | 17.8% | 82.2% |
| | Grade 10 | 7.1% | 11.4% | 21.2% | 78.8% |
| | Grade 11 | 5.4% | 10.1% | 23.3% | 76.7% |
| | Grade 12 | 5.3% | 11.6% | 21.7% | 78.3% |

region19
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 3.5% | 5.4% | 10.3% | 89.7% |
| | Grade 7 | 0.3% | 0.7% | 2.3% | 97.7% |
| | Grade 8 | 1.5% | 1.5% | 5.1% | 94.9% |
| | Grade 9 | 2.7% | 4.0% | 8.6% | 91.4% |
| | Grade 10 | 3.2% | 4.8% | 9.3% | 90.7% |
| | Grade 11 | 5.8% | 9.7% | 13.5% | 86.5% |
| | Grade 12 | 5.6% | 8.1% | 17.5% | 82.5% |
| Cocaine | | | | | |
| | All | 3.2% | 5.0% | 9.6% | 90.4% |
| | Grade 7 | 0.0% | 0.0% | 2.0% | 98.0% |
| | Grade 8 | 1.2% | 1.2% | 3.7% | 96.3% |
| | Grade 9 | 2.4% | 3.7% | 8.0% | 92.0% |
| | Grade 10 | 3.2% | 4.8% | 8.4% | 91.6% |
| | Grade 11 | 5.4% | 9.1% | 13.3% | 86.7% |
| | Grade 12 | 5.1% | 7.4% | 16.5% | 83.5% |
| Crack | | | | | |
| | All | 0.7% | 1.4% | 3.5% | 96.5% |
| | Grade 7 | 0.3% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 0.6% | 0.6% | 2.1% | 97.9% |
| | Grade 9 | 1.1% | 1.4% | 4.5% | 95.5% |
| | Grade 10 | 0.7% | 0.7% | 3.5% | 96.5% |
| | Grade 11 | 0.7% | 1.7% | 3.0% | 97.0% |
| | Grade 12 | 0.7% | 2.6% | 4.9% | 95.1% |
| Hallucinogens | | | | | |
| | All | 2.2% | 4.5% | 9.2% | 90.8% |
| | Grade 7 | 0.3% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 1.2% | 3.1% | 4.8% | 95.2% |
| | Grade 9 | 2.4% | 3.8% | 8.0% | 92.0% |
| | Grade 10 | 1.7% | 3.8% | 7.5% | 92.5% |
| | Grade 11 | 3.2% | 6.3% | 12.6% | 87.4% |
| | Grade 12 | 3.3% | 7.2% | 16.3% | 83.7% |
| Uppers | | | | | |
| | All | 2.5% | 4.5% | 7.3% | 92.7% |
| | Grade 7 | 0.9% | 0.9% | 1.2% | 98.8% |
| | Grade 8 | 1.2% | 1.2% | 2.1% | 97.9% |
| | Grade 9 | 1.0% | 3.2% | 4.5% | 95.5% |
| | Grade 10 | 2.0% | 3.6% | 6.0% | 94.0% |
| | Grade 11 | 3.9% | 7.5% | 11.7% | 88.3% |
| | Grade 12 | 4.9% | 8.1% | 13.9% | 86.1% |
| Downers | | | | | |
| | All | 2.5% | 5.0% | 7.7% | 92.3% |
| | Grade 7 | 0.3% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 1.5% | 1.8% | 2.1% | 97.9% |
| | Grade 9 | 1.1% | 3.4% | 5.0% | 95.0% |
| | Grade 10 | 1.8% | 3.0% | 5.2% | 94.8% |
| | Grade 11 | 4.9% | 7.7% | 13.2% | 86.8% |
| | Grade 12 | 4.0% | 10.2% | 14.9% | 85.1% |

region19
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| Rohypnol | All | 1.0% | 1.5% | 2.3% | 97.7% |
| | Grade 7 | 1.3% | 1.7% | 2.4% | 97.6% |
| | Grade 8 | 0.3% | 0.9% | 2.0% | 98.0% |
| | Grade 9 | 1.4% | 2.7% | 3.4% | 96.6% |
| | Grade 10 | 0.8% | 1.0% | 2.0% | 98.0% |
| | Grade 11 | 1.5% | 1.7% | 2.3% | 97.7% |
| | Grade 12 | 0.4% | 0.7% | 1.3% | 98.7% |
| Steroids | All | 0.8% | 1.2% | 2.2% | 97.8% |
| | Grade 7 | 0.7% | 1.0% | 1.7% | 98.3% |
| | Grade 8 | 0.6% | 1.5% | 1.8% | 98.2% |
| | Grade 9 | 0.4% | 0.4% | 1.1% | 98.9% |
| | Grade 10 | 0.2% | 0.5% | 1.9% | 98.1% |
| | Grade 11 | 1.3% | 1.7% | 2.3% | 97.7% |
| | Grade 12 | 1.5% | 2.2% | 4.0% | 96.0% |
| Ecstasy | All | 1.4% | 3.0% | 5.5% | 94.5% |
| | Grade 7 | 0.0% | 0.3% | 1.0% | 99.0% |
| | Grade 8 | 0.0% | 0.0% | 0.9% | 99.1% |
| | Grade 9 | 2.5% | 3.5% | 5.5% | 94.5% |
| | Grade 10 | 1.0% | 2.1% | 4.3% | 95.7% |
| | Grade 11 | 1.7% | 3.6% | 7.6% | 92.4% |
| | Grade 12 | 2.2% | 5.8% | 9.6% | 90.4% |
| Heroin | All | 0.8% | 1.5% | 2.1% | 97.9% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.3% | 0.3% | 2.0% | 98.0% |
| | Grade 9 | 1.0% | 2.1% | 3.0% | 97.0% |
| | Grade 10 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 11 | 2.1% | 3.5% | 3.7% | 96.3% |
| | Grade 12 | 0.6% | 1.3% | 2.4% | 97.6% |

region19
Spring 2006

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| Tobacco | | | | | |
| | All | 17.3% | 24.0% | 39.8% | 60.2% |
| | Grade 7 | 8.3% | 10.2% | 20.9% | 79.1% |
| | Grade 8 | 12.9% | 20.7% | 34.5% | 65.5% |
| | Grade 9 | 16.2% | 23.3% | 38.1% | 61.9% |
| | Grade 10 | 15.5% | 21.4% | 40.0% | 60.0% |
| | Grade 11 | 21.2% | 28.2% | 44.2% | 55.8% |
| | Grade 12 | 25.6% | 34.2% | 52.1% | 47.9% |
| Alcohol | | | | | |
| | All | 35.0% | 50.7% | 73.0% | 27.0% |
| | Grade 7 | 16.6% | 23.4% | 49.5% | 50.5% |
| | Grade 8 | 25.0% | 39.6% | 66.4% | 33.6% |
| | Grade 9 | 33.6% | 47.6% | 70.3% | 29.7% |
| | Grade 10 | 38.5% | 57.8% | 77.3% | 22.7% |
| | Grade 11 | 37.5% | 56.1% | 79.0% | 21.0% |
| | Grade 12 | 48.0% | 64.6% | 83.5% | 16.5% |
| Inhalants | | | | | |
| | All | 6.6% | 9.7% | 19.6% | 80.4% |
| | Grade 7 | 8.1% | 10.9% | 19.9% | 80.1% |
| | Grade 8 | 9.1% | 13.5% | 21.4% | 78.6% |
| | Grade 9 | 7.7% | 12.9% | 24.8% | 75.2% |
| | Grade 10 | 6.6% | 9.5% | 22.1% | 77.9% |
| | Grade 11 | 5.0% | 6.6% | 15.9% | 84.1% |
| | Grade 12 | 4.1% | 5.8% | 12.5% | 87.5% |
| Any Illicit Drug | | | | | |
| | All | 14.1% | 20.4% | 31.8% | 68.2% |
| | Grade 7 | 5.7% | 7.6% | 13.0% | 87.0% |
| | Grade 8 | 9.8% | 14.2% | 22.4% | 77.6% |
| | Grade 9 | 12.5% | 19.2% | 30.0% | 70.0% |
| | Grade 10 | 15.0% | 21.7% | 33.3% | 66.7% |
| | Grade 11 | 17.6% | 25.2% | 37.5% | 62.5% |
| | Grade 12 | 19.4% | 27.8% | 44.7% | 55.3% |
| Marijuana | | | | | |
| | All | 13.0% | 19.3% | 30.6% | 69.4% |
| | Grade 7 | 4.4% | 6.3% | 11.8% | 88.2% |
| | Grade 8 | 9.4% | 13.8% | 21.6% | 78.4% |
| | Grade 9 | 12.0% | 18.6% | 28.8% | 71.2% |
| | Grade 10 | 13.6% | 20.5% | 31.7% | 68.3% |
| | Grade 11 | 16.4% | 23.4% | 35.4% | 64.6% |
| | Grade 12 | 18.0% | 26.5% | 44.6% | 55.4% |
| Marijuana Only | | | | | |
| | All | 5.4% | 8.3% | 16.7% | 83.3% |
| | Grade 7 | 2.2% | 3.1% | 7.6% | 92.4% |
| | Grade 8 | 3.9% | 6.3% | 12.9% | 87.1% |
| | Grade 9 | 6.1% | 8.8% | 16.8% | 83.2% |
| | Grade 10 | 4.3% | 7.4% | 15.4% | 84.6% |
| | Grade 11 | 6.4% | 10.1% | 18.0% | 82.0% |
| | Grade 12 | 7.8% | 11.5% | 25.0% | 75.0% |

region19
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 2.1% | 4.3% | 8.1% | 91.9% |
| | Grade 7 | 0.6% | 1.3% | 1.9% | 98.1% |
| | Grade 8 | 1.8% | 2.7% | 4.8% | 95.2% |
| | Grade 9 | 1.8% | 3.5% | 8.2% | 91.8% |
| | Grade 10 | 1.5% | 4.7% | 9.3% | 90.7% |
| | Grade 11 | 2.8% | 5.8% | 9.1% | 90.9% |
| | Grade 12 | 3.5% | 6.4% | 11.8% | 88.2% |
| Cocaine | | | | | |
| | All | 1.8% | 3.7% | 7.3% | 92.7% |
| | Grade 7 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 8 | 1.6% | 2.7% | 4.6% | 95.4% |
| | Grade 9 | 1.1% | 2.9% | 6.8% | 93.2% |
| | Grade 10 | 1.0% | 3.9% | 8.6% | 91.4% |
| | Grade 11 | 2.8% | 5.0% | 8.4% | 91.6% |
| | Grade 12 | 3.5% | 6.0% | 11.1% | 88.9% |
| Crack | | | | | |
| | All | 0.7% | 1.5% | 2.8% | 97.2% |
| | Grade 7 | 0.6% | 1.3% | 1.6% | 98.4% |
| | Grade 8 | 0.6% | 0.8% | 2.1% | 97.9% |
| | Grade 9 | 0.9% | 1.5% | 2.8% | 97.2% |
| | Grade 10 | 0.6% | 1.4% | 2.1% | 97.9% |
| | Grade 11 | 1.0% | 2.2% | 3.6% | 96.4% |
| | Grade 12 | 0.5% | 1.3% | 4.0% | 96.0% |
| Hallucinogens | | | | | |
| | All | 0.9% | 1.9% | 4.6% | 95.4% |
| | Grade 7 | 0.6% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 1.5% | 2.2% | 3.0% | 97.0% |
| | Grade 9 | 0.2% | 0.8% | 4.0% | 96.0% |
| | Grade 10 | 0.7% | 2.3% | 6.2% | 93.8% |
| | Grade 11 | 0.4% | 1.2% | 5.5% | 94.5% |
| | Grade 12 | 2.0% | 3.9% | 6.0% | 94.0% |
| Uppers | | | | | |
| | All | 2.7% | 4.8% | 7.2% | 92.8% |
| | Grade 7 | 0.6% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 1.3% | 1.8% | 2.6% | 97.4% |
| | Grade 9 | 0.9% | 3.5% | 5.1% | 94.9% |
| | Grade 10 | 3.4% | 5.5% | 9.4% | 90.6% |
| | Grade 11 | 4.3% | 7.0% | 10.6% | 89.4% |
| | Grade 12 | 4.7% | 7.8% | 10.8% | 89.2% |
| Downers | | | | | |
| | All | 2.7% | 4.4% | 6.8% | 93.2% |
| | Grade 7 | 0.6% | 1.0% | 1.0% | 99.0% |
| | Grade 8 | 0.4% | 0.9% | 1.9% | 98.1% |
| | Grade 9 | 0.8% | 3.1% | 5.0% | 95.0% |
| | Grade 10 | 3.8% | 5.3% | 8.7% | 91.3% |
| | Grade 11 | 4.7% | 6.4% | 10.3% | 89.7% |
| | Grade 12 | 4.2% | 7.8% | 10.5% | 89.5% |

region19
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-----------------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 1.1% | 2.0% | 3.0% | 97.0% |
| | Grade 7 | 0.6% | 0.6% | 1.3% | 98.7% |
| | Grade 8 | 1.3% | 3.0% | 3.4% | 96.6% |
| | Grade 9 | 1.4% | 2.2% | 3.3% | 96.7% |
| | Grade 10 | 1.3% | 2.9% | 3.8% | 96.2% |
| | Grade 11 | 0.8% | 1.0% | 2.2% | 97.8% |
| | Grade 12 | 0.8% | 1.5% | 3.1% | 96.9% |
| Steroids | | | | | |
| | All | 0.2% | 0.3% | 0.9% | 99.1% |
| | Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| | Grade 8 | 0.2% | 0.2% | 0.4% | 99.6% |
| | Grade 9 | 0.0% | 0.0% | 0.6% | 99.4% |
| | Grade 10 | 0.3% | 0.9% | 1.9% | 98.1% |
| | Grade 11 | 0.0% | 0.0% | 1.0% | 99.0% |
| | Grade 12 | 0.2% | 0.2% | 0.5% | 99.5% |
| Ecstasy | | | | | |
| | All | 0.6% | 1.5% | 4.0% | 96.0% |
| | Grade 7 | 0.0% | 0.0% | 0.6% | 99.4% |
| | Grade 8 | 1.0% | 2.1% | 3.6% | 96.4% |
| | Grade 9 | 0.3% | 1.1% | 3.7% | 96.3% |
| | Grade 10 | 0.7% | 1.6% | 4.3% | 95.7% |
| | Grade 11 | 0.4% | 1.7% | 4.8% | 95.2% |
| | Grade 12 | 0.8% | 2.4% | 5.6% | 94.4% |
| Heroin | | | | | |
| | All | 0.3% | 0.6% | 1.6% | 98.4% |
| | Grade 7 | 0.0% | 0.0% | 0.6% | 99.4% |
| | Grade 8 | 0.8% | 1.9% | 3.4% | 96.6% |
| | Grade 9 | 0.3% | 0.3% | 1.7% | 98.3% |
| | Grade 10 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 11 | 0.0% | 0.6% | 1.0% | 99.0% |
| | Grade 12 | 0.6% | 0.6% | 2.4% | 97.6% |

region19
Spring 2006

Table B4: Prevalence and recency of use of selected substances by grade
White students

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|------------|-----------------------|------------------------|----------------------|-----------------------|
| Tobacco | All | 22.2% | 28.3% | 42.4% | 57.6% |
| Alcohol | All | 35.2% | 50.7% | 70.2% | 29.8% |
| Inhalants | All | 5.2% | 7.9% | 17.4% | 82.6% |
| Any Illicit Drug | All | 12.1% | 17.6% | 26.9% | 73.1% |
| Marijuana | All | 11.0% | 16.5% | 25.4% | 74.6% |
| Marijuana Only | All | 3.6% | 6.4% | 13.0% | 87.0% |
| Cocaine or Crack | All | 2.1% | 4.0% | 7.5% | 92.5% |
| Cocaine | All | 1.8% | 3.5% | 6.9% | 93.1% |
| Crack | All | 0.6% | 1.3% | 2.9% | 97.1% |
| Hallucinogens | All | 1.3% | 3.0% | 6.8% | 93.2% |
| Uppers | All | 2.4% | 4.8% | 7.6% | 92.4% |
| Downers | All | 2.7% | 5.0% | 7.6% | 92.4% |
| Rohypnol | All | 0.7% | 1.1% | 1.7% | 98.3% |
| Steroids | All | 0.4% | 0.6% | 1.2% | 98.8% |
| Ecstasy | All | 0.8% | 2.0% | 4.3% | 95.7% |
| Heroin | All | 0.4% | 0.8% | 1.5% | 98.5% |

region19
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

Table skipped because an insufficient number of cases.

region19
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

| | | Past Month | School Year | Ever Used | Never Used |
|-------------------------|------------|-----------------------|------------------------|----------------------|-----------------------|
| Tobacco | All | 21.4% | 29.5% | 49.7% | 50.3% |
| Alcohol | All | 39.4% | 53.9% | 78.9% | 21.1% |
| Inhalants | All | 7.3% | 11.8% | 23.8% | 76.2% |
| Any Illicit Drug | All | 19.6% | 27.9% | 45.4% | 54.6% |
| Marijuana | All | 18.3% | 26.6% | 44.7% | 55.3% |
| Marijuana Only | All | 7.4% | 11.8% | 25.0% | 75.0% |
| Cocaine or Crack | All | 4.0% | 6.4% | 13.0% | 87.0% |
| Cocaine | All | 3.7% | 5.8% | 11.9% | 88.1% |
| Crack | All | 0.9% | 1.8% | 3.9% | 96.1% |
| Hallucinogens | All | 1.8% | 3.1% | 7.0% | 93.0% |
| Uppers | All | 3.3% | 5.1% | 7.9% | 92.1% |
| Downers | All | 2.6% | 4.7% | 7.7% | 92.3% |
| Rohypnol | All | 1.7% | 2.8% | 4.3% | 95.7% |
| Steroids | All | 0.4% | 0.7% | 1.6% | 98.4% |
| Ecstasy | All | 1.1% | 2.4% | 5.4% | 94.6% |
| Heroin | All | 0.6% | 1.1% | 2.5% | 97.5% |

**region19
Spring 2006**

The FREQ Procedure

Frequency Missing = 1859.4008226

| GENDER | | |
|---------------|------------------|----------------|
| q1 | Frequency | Percent |
| Female | 57857 | 52.51 |
| Male | 52316 | 47.49 |

| ON AVERAGE WHAT GRADES DO YOU GET | | |
|--|------------------|----------------|
| q6 | Frequency | Percent |
| Mostly A's | 44325 | 40.55 |
| Mostly B's | 47864 | 43.79 |
| Mostly C's | 14558 | 13.32 |
| Mostly D's | 1537 | 1.41 |
| Mostly F's | 1023 | 0.94 |

| QUALIFY FOR FREE/REDUCED PRICE LUNCH | | |
|---|------------------|----------------|
| q11 | Frequency | Percent |
| Don't Know | 14454 | 13.26 |
| No | 63944 | 58.65 |
| Yes | 30627 | 28.09 |

Frequency Missing = 67.06243213

| GRADE | | |
|--------------|------------------|----------------|
| q2 | Frequency | Percent |
| Grade 7 | 11400 | 10.34 |
| Grade 8 | 13486 | 12.23 |
| Grade 9 | 22598 | 20.50 |
| Grade 10 | 23077 | 20.93 |
| Grade 11 | 19575 | 17.76 |
| Grade 12 | 20104 | 18.24 |

Frequency Missing = 931.90019375

| LENGTH OF TIME IN THIS DISTRICT | | |
|--|------------------|----------------|
| q7 | Frequency | Percent |
| <1 year | 12282 | 11.27 |
| 2-3 years | 16602 | 15.23 |
| >4 years | 80099 | 73.50 |

Frequency Missing = 1214.6416675

| LIVE WITH BOTH PARENTS | | |
|-------------------------------|------------------|----------------|
| q3 | Frequency | Percent |
| No | 42294 | 38.50 |
| Yes | 67571 | 61.50 |

| PARTICIPATE IN SCHOOL ATHLETICS | | |
|--|------------------|----------------|
| q12a | Frequency | Percent |
| No | 50026 | 48.56 |
| Yes | 52995 | 51.44 |

Frequency Missing = 7219.3291086

Frequency Missing = 375.02900749

Frequency Missing = 1257.5176543

| DO YOU HAVE A JOB | | |
|--------------------------|------------------|----------------|
| q8 | Frequency | Percent |
| No | 71266 | 65.21 |
| Yes | 38026 | 34.79 |

| PARTICIPATE IN SCHOOL BAND/ORCHESTRA | | |
|---|------------------|----------------|
| q12b | Frequency | Percent |
| No | 72986 | 77.62 |
| Yes | 21044 | 22.38 |

Frequency Missing = 16210.27085

| AGE | | |
|---------------|------------------|----------------|
| q4 | Frequency | Percent |
| 11 or younger | 37 | 0.03 |
| 12 | 2738 | 2.49 |
| 13 | 10785 | 9.82 |
| 14 | 14889 | 13.55 |
| 15 | 21746 | 19.79 |
| 16 | 23885 | 21.74 |
| 17 | 19094 | 17.38 |
| 18 | 15475 | 14.08 |
| 19 or older | 1233 | 1.12 |

Frequency Missing = 947.68262631

| DO YOU GET AN ALLOWANCE | | |
|--------------------------------|------------------|----------------|
| q9 | Frequency | Percent |
| No | 71225 | 65.39 |
| Yes | 37696 | 34.61 |

| PARTICIPATE IN SCHOOL CHOIR | | |
|------------------------------------|------------------|----------------|
| q12c | Frequency | Percent |
| No | 80229 | 90.81 |
| Yes | 8123 | 9.19 |

Frequency Missing = 21887.751636

Frequency Missing = 356.88204485

Frequency Missing = 1318.1402733

| ETHNICITY | | |
|------------------|------------------|----------------|
| q5 | Frequency | Percent |
| African/American | 4360 | 4.02 |
| Asian/American | 1424 | 1.31 |
| Mexican/American | 35505 | 32.76 |
| Native/American | 1206 | 1.11 |
| Other | 2999 | 2.77 |
| White | 62885 | 58.02 |

| EITHER PARENT COLLEGE GRADUATE | | |
|---------------------------------------|------------------|----------------|
| q10 | Frequency | Percent |
| Don't Know | 12630 | 11.57 |
| No | 39303 | 36.01 |
| Yes | 57200 | 52.41 |

| PARTICIPATE IN DRAMA/SPEECH/ART CLUBS | | |
|--|------------------|----------------|
| q12d | Frequency | Percent |
| No | 72317 | 80.97 |
| Yes | 16993 | 19.03 |

Frequency Missing = 20928.848052

Frequency Missing = 1106.6965154

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region19
Spring 2006**

| PARTICIPATE IN DRILL TEAM/CHEERLEADING | | |
|---|------------------|----------------|
| q12e | Frequency | Percent |
| No | 81240 | 91.82 |
| Yes | 7239 | 8.18 |

Frequency Missing = 21759.68401

| PARTICIPATE IN SCHOOL SERVICE CLUBS | | |
|--|------------------|----------------|
| q12j | Frequency | Percent |
| No | 85076 | 91.81 |
| Yes | 7586 | 8.19 |

Frequency Missing = 17577.761367

| DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD | | |
|--|------------------|----------------|
| q13b | Frequency | Percent |
| Very Safe | 53311 | 48.64 |
| Somewhat Safe | 47064 | 42.94 |
| Not Very Safe | 5985 | 5.46 |
| Not Safe At All | 1542 | 1.41 |
| Don't Know | 1707 | 1.56 |

Frequency Missing = 629.96862862

| PARTICIPATE IN STUDENT GOVERNMENT | | |
|--|------------------|----------------|
| q12f | Frequency | Percent |
| No | 83400 | 93.32 |
| Yes | 5967 | 6.68 |

Frequency Missing = 20872.50064

| PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS | | |
|--|------------------|----------------|
| q12k | Frequency | Percent |
| No | 71265 | 74.85 |
| Yes | 23941 | 25.15 |

Frequency Missing = 15034.010419

| DO YOU FEEL SAFE AT SCHOOL | | |
|---------------------------------------|------------------|----------------|
| q13c | Frequency | Percent |
| Very Safe | 43113 | 39.35 |
| Somewhat Safe | 54495 | 49.74 |
| Not Very Safe | 7133 | 6.51 |
| Not Safe At All | 2566 | 2.34 |
| Don't Know | 2255 | 2.06 |

Frequency Missing = 678.32977578

| PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK | | |
|---|------------------|----------------|
| q12g | Frequency | Percent |
| No | 85679 | 95.72 |
| Yes | 3831 | 4.28 |

Frequency Missing = 20729.606265

| PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL | | |
|--|------------------|----------------|
| q12l | Frequency | Percent |
| No | 62174 | 62.90 |
| Yes | 36667 | 37.10 |

Frequency Missing = 11399.245244

| FRIENDS FEELING CLOSE TO THEIR PARENTS | | |
|---|------------------|----------------|
| q14a | Frequency | Percent |
| None | 3797 | 3.46 |
| A Few | 28947 | 26.37 |
| Some | 27673 | 25.21 |
| Most | 41354 | 37.67 |
| All | 7999 | 7.29 |

Frequency Missing = 469.03727209

| PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES | | |
|--|------------------|----------------|
| q12h | Frequency | Percent |
| No | 74439 | 80.10 |
| Yes | 18489 | 19.90 |

Frequency Missing = 17312.297549

| PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL | | |
|---|------------------|----------------|
| q12m | Frequency | Percent |
| No | 59153 | 59.58 |
| Yes | 40126 | 40.42 |

Frequency Missing = 10960.305106

| PARTICIPATE IN ACADEMIC COMPETITION GROUPS | | |
|---|------------------|----------------|
| q12i | Frequency | Percent |
| No | 76125 | 82.27 |
| Yes | 16402 | 17.73 |

Frequency Missing = 17713.317492

| DO YOU FEEL SAFE IN YOUR HOME | | |
|--|------------------|----------------|
| q13a | Frequency | Percent |
| Very Safe | 89179 | 81.08 |
| Somewhat Safe | 18436 | 16.76 |
| Not Very Safe | 1031 | 0.94 |
| Not Safe At All | 403 | 0.37 |
| Don't Know | 934 | 0.85 |

Frequency Missing = 254.61801108

| HOW MANY FRIENDS CARRY WEAPONS | | |
|---|------------------|----------------|
| q14b | Frequency | Percent |
| None | 57852 | 53.51 |
| A Few | 27930 | 25.83 |
| Some | 14225 | 13.16 |
| Most | 6327 | 5.85 |
| All | 1785 | 1.65 |

Frequency Missing = 2121.530474

**region19
Spring 2006**

| HOW MANY FRIENDS CARE ABOUT GOOD GRADES | | |
|--|------------------|----------------|
| q14c | Frequency | Percent |
| None | 2373 | 2.25 |
| A Few | 13992 | 13.24 |
| Some | 22334 | 21.13 |
| Most | 49051 | 46.41 |
| All | 17931 | 16.97 |

Frequency Missing = 4558.9029197

| HOW MANY FRIENDS BELONG TO A GANG | | |
|--|------------------|----------------|
| q14d | Frequency | Percent |
| None | 81473 | 74.67 |
| A Few | 15315 | 14.04 |
| Some | 7280 | 6.67 |
| Most | 3615 | 3.31 |
| All | 1428 | 1.31 |

Frequency Missing = 1129.8440637

| FRIENDS WISHING TO DROP OUT OF SCHOOL | | |
|--|------------------|----------------|
| q14e | Frequency | Percent |
| None | 65443 | 59.79 |
| A Few | 28651 | 26.18 |
| Some | 9342 | 8.54 |
| Most | 3975 | 3.63 |
| All | 2045 | 1.87 |

Frequency Missing = 782.95367157

| PARENTS ATTEND PTA/SCHOOL OPEN HOUSES | | |
|--|------------------|----------------|
| q15 | Frequency | Percent |
| No | 58435 | 57.31 |
| Yes | 43534 | 42.69 |

Frequency Missing = 8270.5593812

| EVER INHALED SPRAY PAINT FOR KICKS | | | |
|---|-------------|------------------|----------------|
| | q16a | Frequency | Percent |
| Never Heard/Used | 99299 | 90.93 | |
| In Your Lifetime | 7228 | 6.62 | |
| Since School Began | 1392 | 1.28 | |
| In the Past Month | 1281 | 1.17 | |

Frequency Missing = 1039.5104115

| EVER INHALED WHITEOUT FOR KICKS | | | |
|--|-------------|------------------|----------------|
| | q16b | Frequency | Percent |
| Never Heard/Used | 103E3 | 94.91 | |
| In Your Lifetime | 3987 | 3.67 | |
| Since School Began | 665 | 0.61 | |
| In the Past Month | 874 | 0.80 | |

Frequency Missing = 1645.1671953

| EVER INHALED GASOLINE FOR KICKS | | | |
|--|-------------|------------------|----------------|
| | q16c | Frequency | Percent |
| Never Heard/Used | 103E3 | 95.54 | |
| In Your Lifetime | 2903 | 2.69 | |
| Since School Began | 672 | 0.62 | |
| In the Past Month | 1230 | 1.14 | |

Frequency Missing = 2463.2759438

| EVER INHALED FREON FOR KICKS | | | |
|-------------------------------------|-------------|------------------|----------------|
| | q16d | Frequency | Percent |
| Never Heard/Used | 106E3 | 98.53 | |
| In Your Lifetime | 890 | 0.83 | |
| Since School Began | 420 | 0.39 | |
| In the Past Month | 276 | 0.26 | |

Frequency Missing = 2347.2778689

| EVER INHALED POPPERS, ETC. FOR KICKS | | | |
|---|-------------|------------------|----------------|
| | q16e | Frequency | Percent |
| Never Heard/Used | 106E3 | 98.29 | |
| In Your Lifetime | 1015 | 0.94 | |
| Since School Began | 356 | 0.33 | |
| In the Past Month | 468 | 0.43 | |

Frequency Missing = 2533.0125245

| EVER INHALED GLUE FOR KICKS | | | |
|------------------------------------|-------------|------------------|----------------|
| | q16f | Frequency | Percent |
| Never Heard/Used | 104E3 | 97.09 | |
| In Your Lifetime | 1999 | 1.87 | |
| Since School Began | 408 | 0.38 | |
| In the Past Month | 698 | 0.65 | |

Frequency Missing = 3516.4847246

| EVER INHALED PAINT THINNERS FOR KICKS | | | |
|--|-------------|------------------|----------------|
| | q16g | Frequency | Percent |
| Never Heard/Used | 102E3 | 94.74 | |
| In Your Lifetime | 3667 | 3.41 | |
| Since School Began | 1118 | 1.04 | |
| In the Past Month | 869 | 0.81 | |

Frequency Missing = 2753.2745055

| EVER INHALED NITROUS OXIDE FOR KICKS | | | |
|---|-------------|------------------|----------------|
| | q16h | Frequency | Percent |
| Never Heard/Used | 102E3 | 94.54 | |
| In Your Lifetime | 3730 | 3.47 | |
| Since School Began | 1045 | 0.97 | |
| In the Past Month | 1103 | 1.02 | |

Frequency Missing = 2600.1747646

| EVER INHALED OCTANE BOOSTER FOR KICKS | | | |
|--|-------------|------------------|----------------|
| | q16i | Frequency | Percent |
| Never Heard/Used | 106E3 | 98.99 | |
| In Your Lifetime | 564 | 0.53 | |
| Since School Began | 260 | 0.24 | |
| In the Past Month | 257 | 0.24 | |

Frequency Missing = 3008.7336069

| EVER INHALED OTHER SPRAYS FOR KICKS | | | |
|--|-------------|------------------|----------------|
| | q16j | Frequency | Percent |
| Never Heard/Used | 103E3 | 94.98 | |
| In Your Lifetime | 3427 | 3.17 | |
| Since School Began | 1051 | 0.97 | |
| In the Past Month | 951 | 0.88 | |

Frequency Missing = 2128.6842064

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region19
Spring 2006

**EVER INHALED OTHER
INHALANTS FOR KICKS**
q16k Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 95766 | 88.52 |
| In Your Lifetime | 7125 | 6.59 |
| Since School Began | 2048 | 1.89 |
| In the Past Month | 3246 | 3.00 |

Frequency Missing = 2055.1304887

RECENT CIGARETTE USE
q17a Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 63604 | 58.40 |
| In Your Lifetime | 17708 | 16.26 |
| Since School Began | 6383 | 5.86 |
| In the Past Month | 21221 | 19.48 |

Frequency Missing = 1323.4715485

**RECENT SMOKELESS TOBACCO
USE**
q17b Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 90823 | 83.74 |
| In Your Lifetime | 7240 | 6.68 |
| Since School Began | 3612 | 3.33 |
| In the Past Month | 6785 | 6.26 |

Frequency Missing = 1780.7920693

RECENT BEER USE
q17c Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 44582 | 41.20 |
| In Your Lifetime | 20823 | 19.24 |
| Since School Began | 13482 | 12.46 |
| In the Past Month | 29315 | 27.09 |

Frequency Missing = 2037.9206521

RECENT WINE COOLER USE
q17d Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 53085 | 48.98 |
| In Your Lifetime | 22822 | 21.06 |
| Since School Began | 12979 | 11.97 |
| In the Past Month | 19503 | 17.99 |

Frequency Missing = 1849.5425245

RECENT WINE USE

q17e Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 51638 | 47.64 |
| In Your Lifetime | 25309 | 23.35 |
| Since School Began | 14234 | 13.13 |
| In the Past Month | 17201 | 15.87 |

Frequency Missing = 1857.3839245

RECENT LIQUOR USE

q17f Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 47910 | 43.95 |
| In Your Lifetime | 17464 | 16.02 |
| Since School Began | 14476 | 13.28 |
| In the Past Month | 29164 | 26.75 |

Frequency Missing = 1224.9207608

RECENT MARIJUANA USE

q18a Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 73455 | 67.53 |
| In Your Lifetime | 13462 | 12.38 |
| Since School Began | 6988 | 6.42 |
| In the Past Month | 14867 | 13.67 |

Frequency Missing = 1467.7173705

RECENT COCAINE USE

q18b Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 99249 | 91.61 |
| In Your Lifetime | 4443 | 4.10 |
| Since School Began | 1971 | 1.82 |
| In the Past Month | 2673 | 2.47 |

Frequency Missing = 1903.9976005

RECENT CRACK USE

q18c Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 104E3 | 96.83 |
| In Your Lifetime | 1874 | 1.75 |
| Since School Began | 749 | 0.70 |
| In the Past Month | 770 | 0.72 |

Frequency Missing = 3209.8808437

RECENT HALLUCINOGEN USE

q18e Frequency Percent

| | | |
|--------------------|------|-------|
| Never Heard/Used | 1E5 | 93.16 |
| In Your Lifetime | 4015 | 3.73 |
| Since School Began | 1716 | 1.59 |
| In the Past Month | 1639 | 1.52 |

Frequency Missing = 2502.0059371

RECENT UPPER USE

q18f Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 99778 | 92.72 |
| In Your Lifetime | 2834 | 2.63 |
| Since School Began | 2194 | 2.04 |
| In the Past Month | 2807 | 2.61 |

Frequency Missing = 2626.6028237

RECENT DOWNER USE

q18g Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 99384 | 92.76 |
| In Your Lifetime | 2738 | 2.56 |
| Since School Began | 2271 | 2.12 |
| In the Past Month | 2749 | 2.57 |

Frequency Missing = 3097.3207283

RECENT ROHYPNOL USE

q18h Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 105E3 | 97.32 |
| In Your Lifetime | 983 | 0.91 |
| Since School Began | 755 | 0.70 |
| In the Past Month | 1144 | 1.06 |

Frequency Missing = 2620.0235567

RECENT STEROID USE

q18i Frequency Percent

| | | |
|--------------------|-------|-------|
| Never Heard/Used | 105E3 | 98.51 |
| In Your Lifetime | 821 | 0.77 |
| Since School Began | 274 | 0.26 |
| In the Past Month | 496 | 0.46 |

Frequency Missing = 3435.1363649

region19
Spring 2006

RECENT ECSTASY USE

q18j Frequency Percent

| | | |
|---------------------------|-------|-------|
| Never Heard/Used | 103E3 | 95.27 |
| In Your Lifetime | 2684 | 2.49 |
| Since School Began | 1369 | 1.27 |
| In the Past Month | 1045 | 0.97 |

Frequency Missing = 2540.4722908

RECENT HEROIN USE

q18k Frequency Percent

| | | |
|---------------------------|-------|-------|
| Never Heard/Used | 106E3 | 98.10 |
| In Your Lifetime | 922 | 0.85 |
| Since School Began | 525 | 0.49 |
| In the Past Month | 606 | 0.56 |

Frequency Missing = 2324.0412071

TOBACCO USE IN PAST MONTH

q19a Frequency Percent

| | | |
|-------------------|-------|-------|
| Never Heard/Used | 87453 | 80.98 |
| 1-2 times | 6013 | 5.57 |
| 3-10 times | 4391 | 4.07 |
| 11+ times | 10130 | 9.38 |

Frequency Missing = 2252.5204413

ALCOHOL USE IN PAST MONTH

q19b Frequency Percent

| | | |
|-------------------|-------|-------|
| Never Heard/Used | 73109 | 67.90 |
| 1-2 times | 16205 | 15.05 |
| 3-10 times | 12943 | 12.02 |
| 11+ times | 5413 | 5.03 |

Frequency Missing = 2568.8713139

INHALANT USE IN PAST MONTH

q19c Frequency Percent

| | | |
|-------------------|-------|-------|
| Never Heard/Used | 103E3 | 96.05 |
| 1-2 times | 3243 | 3.01 |
| 3-10 times | 690 | 0.64 |
| 11+ times | 317 | 0.29 |

Frequency Missing = 2670.3528391

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent

| | | |
|-------------------|-------|-------|
| Never Heard/Used | 93111 | 86.70 |
| 1-2 times | 5181 | 4.82 |
| 3-10 times | 3463 | 3.22 |
| 11+ times | 5642 | 5.25 |

Frequency Missing = 2841.7810792

COCAINE USE IN PAST MONTH

q19e Frequency Percent

| | | |
|-------------------|-------|-------|
| Never Heard/Used | 105E3 | 97.69 |
| 1-2 times | 1317 | 1.22 |
| 3-10 times | 738 | 0.69 |
| 11+ times | 433 | 0.40 |

Frequency Missing = 2566.1843006

CRACK USE IN PAST MONTH

q19f Frequency Percent

| | | |
|-------------------|-------|-------|
| Never Heard/Used | 107E3 | 99.27 |
| 1-2 times | 507 | 0.47 |
| 3-10 times | 168 | 0.16 |
| 11+ times | 114 | 0.11 |

Frequency Missing = 2350.2280211

CLOSE FRIENDS USE

CIGARETTES

q20a Frequency Percent

| | | |
|------------------|-------|-------|
| Never heard/None | 38370 | 35.72 |
| A few | 36091 | 33.60 |
| Some | 18007 | 16.76 |
| Most | 12479 | 11.62 |
| All | 2476 | 2.31 |

Frequency Missing = 2816.2513397

CLOSE FRIENDS USE SMOKELESS

TOBACCO

q20b Frequency Percent

| | | |
|------------------|-------|-------|
| Never heard/None | 63204 | 59.14 |
| A few | 26320 | 24.63 |
| Some | 12525 | 11.72 |
| Most | 3868 | 3.62 |
| All | 958 | 0.90 |

Frequency Missing = 3363.8497901

CLOSE FRIENDS USE BEER

q20c Frequency Percent

| | | |
|------------------|-------|-------|
| Never heard/None | 24182 | 22.68 |
| A few | 26323 | 24.69 |
| Some | 21472 | 20.14 |
| Most | 25818 | 24.22 |
| All | 8809 | 8.26 |

Frequency Missing = 3634.1796037

CLOSE FRIENDS USE WINE

COOLERS

q20d Frequency Percent

| | | |
|------------------|-------|-------|
| Never heard/None | 43249 | 40.59 |
| A few | 25553 | 23.98 |
| Some | 18490 | 17.35 |
| Most | 14253 | 13.38 |
| All | 5007 | 4.70 |

Frequency Missing = 3688.5682273

CLOSE FRIENDS USE WINE

q20e Frequency Percent

| | | |
|------------------|-------|-------|
| Never heard/None | 51140 | 48.03 |
| A few | 27677 | 25.99 |
| Some | 13649 | 12.82 |
| Most | 9458 | 8.88 |
| All | 4556 | 4.28 |

Frequency Missing = 3759.2641987

CLOSE FRIENDS USE LIQUOR

q20f Frequency Percent

| | | |
|------------------|-------|-------|
| Never heard/None | 33204 | 31.15 |
| A few | 23285 | 21.85 |
| Some | 19040 | 17.86 |
| Most | 22598 | 21.20 |
| All | 8464 | 7.94 |

Frequency Missing = 3648.8314705

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region19
Spring 2006

| CLOSE FRIENDS USE INHALANTS | | |
|------------------------------------|-----------------------|----------------|
| | q20g Frequency | Percent |
| Never heard/None | 87848 | 82.34 |
| A few | 13327 | 12.49 |
| Some | 3491 | 3.27 |
| Most | 1440 | 1.35 |
| All | 588 | 0.55 |

Frequency Missing = 3546.4435101

| CLOSE FRIENDS USE MARIJUANA | | |
|------------------------------------|-----------------------|----------------|
| | q20h Frequency | Percent |
| Never heard/None | 50970 | 47.27 |
| A few | 23408 | 21.71 |
| Some | 14416 | 13.37 |
| Most | 13147 | 12.19 |
| All | 5889 | 5.46 |

Frequency Missing = 2408.8304294

| DIFFICULT TO GET CIGARETTES | | |
|------------------------------------|-----------------------|----------------|
| | q21a Frequency | Percent |
| Never heard of | 5663 | 5.31 |
| Impossible | 13085 | 12.27 |
| Very difficult | 5630 | 5.28 |
| Somewhat diff | 9065 | 8.50 |
| Somewhat easy | 20286 | 19.03 |
| Very easy | 52870 | 49.60 |

Frequency Missing = 3639.9845064

| DIFFICULT TO GET SMOKELESS TOBACCO | | |
|---|-----------------------|----------------|
| | q21b Frequency | Percent |
| Never heard of | 15900 | 15.06 |
| Impossible | 16497 | 15.63 |
| Very difficult | 6982 | 6.61 |
| Somewhat diff | 10070 | 9.54 |
| Somewhat easy | 16299 | 15.44 |
| Very easy | 39805 | 37.71 |

Frequency Missing = 4686.3138846

| DIFFICULT TO GET BEER | | |
|------------------------------|-----------------------|----------------|
| | q21c Frequency | Percent |
| Never heard of | 4472 | 4.26 |
| Impossible | 9478 | 9.04 |
| Very difficult | 5317 | 5.07 |
| Somewhat diff | 11510 | 10.97 |
| Somewhat easy | 25619 | 24.43 |
| Very easy | 48489 | 46.23 |

Frequency Missing = 5354.1614892

| DIFFICULT TO GET WINE COOLERS | | |
|--------------------------------------|-----------------------|----------------|
| | q21d Frequency | Percent |
| Never heard of | 9260 | 8.79 |
| Impossible | 11943 | 11.34 |
| Very difficult | 6000 | 5.70 |
| Somewhat diff | 12600 | 11.97 |
| Somewhat easy | 24388 | 23.16 |
| Very easy | 41100 | 39.03 |

Frequency Missing = 4950.0508629

| DIFFICULT TO GET WINE | | |
|------------------------------|-----------------------|----------------|
| | q21e Frequency | Percent |
| Never heard of | 5810 | 5.53 |
| Impossible | 12729 | 12.12 |
| Very difficult | 6661 | 6.34 |
| Somewhat diff | 12913 | 12.30 |
| Somewhat easy | 24864 | 23.67 |
| Very easy | 42046 | 40.04 |

Frequency Missing = 5216.8218749

| DIFFICULT TO GET LIQUOR | | |
|--------------------------------|-----------------------|----------------|
| | q21f Frequency | Percent |
| Never heard of | 5875 | 5.56 |
| Impossible | 13616 | 12.88 |
| Very difficult | 7111 | 6.73 |
| Somewhat diff | 11960 | 11.31 |
| Somewhat easy | 22788 | 21.56 |
| Very easy | 44355 | 41.96 |

Frequency Missing = 4534.8070075

| DIFFICULT TO GET INHALANTS | | |
|-----------------------------------|-----------------------|----------------|
| | q21g Frequency | Percent |
| Never heard of | 14537 | 13.88 |
| Impossible | 15332 | 14.64 |
| Very difficult | 4826 | 4.61 |
| Somewhat diff | 6867 | 6.56 |
| Somewhat easy | 14173 | 13.53 |
| Very easy | 49018 | 46.79 |

Frequency Missing = 5486.7142692

| DIFFICULT TO GET MARIJUANA | | |
|-----------------------------------|-----------------------|----------------|
| | q21h Frequency | Percent |
| Never heard of | 7806 | 7.43 |
| Impossible | 23309 | 22.19 |
| Very difficult | 9293 | 8.85 |
| Somewhat diff | 13032 | 12.41 |
| Somewhat easy | 17821 | 16.97 |
| Very easy | 33773 | 32.15 |

Frequency Missing = 5206.0658476

| DIFFICULT TO GET COCAINE | | |
|---------------------------------|-----------------------|----------------|
| | q21i Frequency | Percent |
| Never heard of | 12331 | 11.79 |
| Impossible | 31666 | 30.29 |
| Very difficult | 16511 | 15.79 |
| Somewhat diff | 17573 | 16.81 |
| Somewhat easy | 12581 | 12.03 |
| Very easy | 13896 | 13.29 |

Frequency Missing = 5681.3294801

| DIFFICULT TO GET CRACK | | |
|-------------------------------|-----------------------|----------------|
| | q21j Frequency | Percent |
| Never heard of | 13499 | 12.83 |
| Impossible | 32896 | 31.26 |
| Very difficult | 17633 | 16.76 |
| Somewhat diff | 17943 | 17.05 |
| Somewhat easy | 11538 | 10.96 |
| Very easy | 11726 | 11.14 |

Frequency Missing = 5003.2740116

**region19
Spring 2006**

| DIFFICULT TO GET HALLUCINOGENS | | |
|---------------------------------------|------------------|----------------|
| q21i | Frequency | Percent |
| Never heard of | 29581 | 28.07 |
| Impossible | 25756 | 24.44 |
| Very difficult | 17010 | 16.14 |
| Somewhat diff | 14164 | 13.44 |
| Somewhat easy | 9658 | 9.17 |
| Very easy | 9207 | 8.74 |

Frequency Missing = 4864.0686783

| DIFFICULT TO GET UPpers | | |
|--------------------------------|------------------|----------------|
| q21m | Frequency | Percent |
| Never heard of | 44030 | 42.06 |
| Impossible | 19497 | 18.62 |
| Very difficult | 10497 | 10.03 |
| Somewhat diff | 10818 | 10.33 |
| Somewhat easy | 8670 | 8.28 |
| Very easy | 11171 | 10.67 |

Frequency Missing = 5557.2943275

| DIFFICULT TO GET DOWNERS | | |
|---------------------------------|------------------|----------------|
| q21n | Frequency | Percent |
| Never heard of | 44533 | 42.05 |
| Impossible | 19731 | 18.63 |
| Very difficult | 10323 | 9.75 |
| Somewhat diff | 10954 | 10.34 |
| Somewhat easy | 9069 | 8.56 |
| Very easy | 11286 | 10.66 |

Frequency Missing = 4343.6369226

| DIFFICULT TO GET ROHYPNOL | | |
|----------------------------------|------------------|----------------|
| q21o | Frequency | Percent |
| Never heard of | 48493 | 46.07 |
| Impossible | 20472 | 19.45 |
| Very difficult | 11459 | 10.89 |
| Somewhat diff | 10135 | 9.63 |
| Somewhat easy | 6726 | 6.39 |
| Very easy | 7968 | 7.57 |

Frequency Missing = 4985.5175581

| DIFFICULT TO GET STEROIDS | | |
|----------------------------------|------------------|----------------|
| q21p | Frequency | Percent |
| Never heard of | 17213 | 16.34 |
| Impossible | 33580 | 31.87 |
| Very difficult | 17363 | 16.48 |
| Somewhat diff | 15698 | 14.90 |
| Somewhat easy | 10353 | 9.82 |
| Very easy | 11164 | 10.59 |

Frequency Missing = 4868.7512669

| DIFFICULT TO GET ECSTASY | | |
|---------------------------------|------------------|----------------|
| q21q | Frequency | Percent |
| Never heard of | 23140 | 21.87 |
| Impossible | 30089 | 28.43 |
| Very difficult | 16762 | 15.84 |
| Somewhat diff | 14557 | 13.76 |
| Somewhat easy | 10295 | 9.73 |
| Very easy | 10975 | 10.37 |

Frequency Missing = 4420.5857743

| DIFFICULT TO GET HEROIN | | |
|--------------------------------|------------------|----------------|
| q21r | Frequency | Percent |
| Never heard of | 20118 | 18.67 |
| Impossible | 37227 | 34.55 |
| Very difficult | 20484 | 19.01 |
| Somewhat diff | 13516 | 12.54 |
| Somewhat easy | 7380 | 6.85 |
| Very easy | 9024 | 8.37 |

Frequency Missing = 2490.3610427

| AGE WHEN FIRST USED CIGARETTES | | |
|---------------------------------------|------------------|----------------|
| q22a | Frequency | Percent |
| 9 or younger | 7139 | 15.33 |
| 10 years old | 3954 | 8.49 |
| 11 years old | 3313 | 7.11 |
| 12 years old | 5744 | 12.33 |
| 13 years old | 6530 | 14.02 |
| 14 years old | 5640 | 12.11 |
| 15 years old | 6815 | 14.63 |
| 16 years old | 4487 | 9.63 |
| 17 years old | 2043 | 4.39 |
| 18 or older | 913 | 1.96 |

Frequency Missing = 63662.118583

| AGE WHEN FIRST USED SMOKELESS TOBACCO | | |
|--|------------------|----------------|
| q22b | Frequency | Percent |
| 9 or younger | 1625 | 8.71 |
| 10 years old | 804 | 4.31 |
| 11 years old | 1124 | 6.03 |
| 12 years old | 1506 | 8.07 |
| 13 years old | 3046 | 16.33 |
| 14 years old | 2765 | 14.82 |
| 15 years old | 3555 | 19.05 |
| 16 years old | 2257 | 12.10 |
| 17 years old | 1313 | 7.04 |
| 18 or older | 661 | 3.55 |

Frequency Missing = 91583.654553

| AGE WHEN FIRST USED BEER | | |
|---------------------------------|------------------|----------------|
| q22c | Frequency | Percent |
| 9 or younger | 11617 | 17.09 |
| 10 years old | 4881 | 7.18 |
| 11 years old | 4494 | 6.61 |
| 12 years old | 6947 | 10.22 |
| 13 years old | 10115 | 14.88 |
| 14 years old | 9970 | 14.67 |
| 15 years old | 10740 | 15.80 |
| 16 years old | 6171 | 9.08 |
| 17 years old | 2704 | 3.98 |
| 18 or older | 345 | 0.51 |

Frequency Missing = 42255.633291

| AGE WHEN FIRST USED WINE COOLERS | | |
|---|------------------|----------------|
| q22d | Frequency | Percent |
| 9 or younger | 6183 | 10.69 |
| 10 years old | 4051 | 7.01 |
| 11 years old | 4752 | 8.22 |
| 12 years old | 7441 | 12.87 |
| 13 years old | 9251 | 16.00 |
| 14 years old | 9905 | 17.13 |
| 15 years old | 8381 | 14.50 |
| 16 years old | 5512 | 9.54 |
| 17 years old | 1768 | 3.06 |
| 18 or older | 566 | 0.98 |

Frequency Missing = 52428.057059

**region19
Spring 2006**

| AGE WHEN FIRST USED WINE | | |
|-----------------------------|-----------|---------|
| q22e | Frequency | Percent |
| 9 or younger | 7592 | 12.69 |
| 10 years old | 4406 | 7.36 |
| 11 years old | 4433 | 7.41 |
| 12 years old | 6753 | 11.28 |
| 13 years old | 9414 | 15.73 |
| 14 years old | 9382 | 15.68 |
| 15 years old | 8652 | 14.46 |
| 16 years old | 5823 | 9.73 |
| 17 years old | 2556 | 4.27 |
| 18 or older | 837 | 1.40 |

Frequency Missing = 50391.354525

| AGE WHEN FIRST USED MARIJUANA | | |
|----------------------------------|-----------|---------|
| q22h | Frequency | Percent |
| 9 or younger | 1747 | 5.10 |
| 10 years old | 1804 | 5.26 |
| 11 years old | 2438 | 7.11 |
| 12 years old | 3712 | 10.83 |
| 13 years old | 6433 | 18.76 |
| 14 years old | 5789 | 16.89 |
| 15 years old | 6175 | 18.01 |
| 16 years old | 3936 | 11.48 |
| 17 years old | 1849 | 5.39 |
| 18 or older | 400 | 1.17 |

Frequency Missing = 75956.504642

| AGE WHEN FIRST USED HALLUCINOGENS | | |
|--------------------------------------|-----------|---------|
| q22i | Frequency | Percent |
| 9 or younger | 263 | 3.76 |
| 10 years old | 60 | 0.85 |
| 11 years old | 275 | 3.93 |
| 12 years old | 473 | 6.75 |
| 13 years old | 613 | 8.74 |
| 14 years old | 1092 | 15.57 |
| 15 years old | 1375 | 19.61 |
| 16 years old | 1728 | 24.65 |
| 17 years old | 967 | 13.80 |
| 18 or older | 164 | 2.35 |

Frequency Missing = 103227.88288

| AGE WHEN FIRST USED LIQUOR | | |
|-------------------------------|-----------|---------|
| q22f | Frequency | Percent |
| 9 or younger | 3905 | 6.46 |
| 10 years old | 3209 | 5.31 |
| 11 years old | 2870 | 4.75 |
| 12 years old | 5512 | 9.12 |
| 13 years old | 9510 | 15.74 |
| 14 years old | 10299 | 17.04 |
| 15 years old | 12099 | 20.02 |
| 16 years old | 8834 | 14.62 |
| 17 years old | 3342 | 5.53 |
| 18 or older | 851 | 1.41 |

Frequency Missing = 49808.52186

| AGE WHEN FIRST USED COCAINE | | |
|--------------------------------|-----------|---------|
| q22i | Frequency | Percent |
| 9 or younger | 98 | 1.11 |
| 10 years old | 275 | 3.12 |
| 11 years old | 209 | 2.37 |
| 12 years old | 592 | 6.71 |
| 13 years old | 824 | 9.34 |
| 14 years old | 1538 | 17.42 |
| 15 years old | 1680 | 19.04 |
| 16 years old | 1972 | 22.34 |
| 17 years old | 1353 | 15.33 |
| 18 or older | 285 | 3.23 |

Frequency Missing = 101412.29924

| AGE WHEN FIRST USED UPPERS | | |
|-------------------------------|-----------|---------|
| q22m | Frequency | Percent |
| 9 or younger | 293 | 3.73 |
| 10 years old | 90 | 1.15 |
| 11 years old | 383 | 4.86 |
| 12 years old | 459 | 5.84 |
| 13 years old | 1051 | 13.36 |
| 14 years old | 1211 | 15.40 |
| 15 years old | 1546 | 19.66 |
| 16 years old | 1871 | 23.79 |
| 17 years old | 691 | 8.79 |
| 18 or older | 269 | 3.42 |

Frequency Missing = 102375.0464

| AGE WHEN FIRST USED INHALANTS | | |
|----------------------------------|-----------|---------|
| q22g | Frequency | Percent |
| 9 or younger | 1397 | 12.57 |
| 10 years old | 691 | 6.22 |
| 11 years old | 1273 | 11.45 |
| 12 years old | 1523 | 13.70 |
| 13 years old | 1819 | 16.36 |
| 14 years old | 1982 | 17.83 |
| 15 years old | 1496 | 13.46 |
| 16 years old | 565 | 5.08 |
| 17 years old | 262 | 2.36 |
| 18 or older | 109 | 0.98 |

Frequency Missing = 99121.917245

| AGE WHEN FIRST USED CRACK | | |
|------------------------------|-----------|---------|
| q22j | Frequency | Percent |
| 9 or younger | 78 | 2.38 |
| 10 years old | 254 | 7.73 |
| 11 years old | 58 | 1.75 |
| 12 years old | 250 | 7.59 |
| 13 years old | 476 | 14.48 |
| 14 years old | 427 | 12.99 |
| 15 years old | 744 | 22.62 |
| 16 years old | 583 | 17.74 |
| 17 years old | 303 | 9.20 |
| 18 or older | 116 | 3.53 |

Frequency Missing = 106950.3327

| AGE WHEN FIRST USED DOWNERS | | |
|--------------------------------|-----------|---------|
| q22n | Frequency | Percent |
| 9 or younger | 258 | 3.34 |
| 10 years old | 72 | 0.93 |
| 11 years old | 347 | 4.50 |
| 12 years old | 518 | 6.71 |
| 13 years old | 792 | 10.26 |
| 14 years old | 1438 | 18.64 |
| 15 years old | 1806 | 23.41 |
| 16 years old | 1602 | 20.76 |
| 17 years old | 730 | 9.46 |
| 18 or older | 153 | 1.99 |

Frequency Missing = 102524.18844

region19
Spring 2006

| AGE WHEN FIRST USED ROHYPNOL | | |
|---------------------------------|-----------|---------|
| q22o | Frequency | Percent |
| 9 or younger | 151 | 6.08 |
| 10 years old | 127 | 5.11 |
| 11 years old | 140 | 5.64 |
| 12 years old | 273 | 11.02 |
| 13 years old | 427 | 17.23 |
| 14 years old | 608 | 24.50 |
| 15 years old | 459 | 18.51 |
| 16 years old | 273 | 11.01 |
| 18 or older | 22 | 0.90 |

Frequency Missing = 107759.47102

| AGE WHEN FIRST USED STERIODS | | |
|---------------------------------|-----------|---------|
| q22p | Frequency | Percent |
| 9 or younger | 196 | 14.39 |
| 10 years old | 77 | 5.68 |
| 11 years old | 49 | 3.60 |
| 12 years old | 66 | 4.81 |
| 13 years old | 189 | 13.85 |
| 14 years old | 181 | 13.28 |
| 15 years old | 213 | 15.60 |
| 16 years old | 173 | 12.73 |
| 17 years old | 131 | 9.61 |
| 18 or older | 88 | 6.44 |

Frequency Missing = 108876.80741

| AGE WHEN FIRST USED ECSTASY | | |
|--------------------------------|-----------|---------|
| q22q | Frequency | Percent |
| 9 or younger | 90 | 1.83 |
| 10 years old | 73 | 1.48 |
| 11 years old | 138 | 2.81 |
| 12 years old | 201 | 4.10 |
| 13 years old | 371 | 7.56 |
| 14 years old | 749 | 15.25 |
| 15 years old | 1124 | 22.89 |
| 16 years old | 1183 | 24.11 |
| 17 years old | 789 | 16.08 |
| 18 or older | 190 | 3.87 |

Frequency Missing = 105331.61475

| AGE WHEN FIRST USED HEROIN | | |
|-------------------------------|-----------|---------|
| q22r | Frequency | Percent |
| 9 or younger | 157 | 9.25 |
| 10 years old | 55 | 3.23 |
| 11 years old | 49 | 2.86 |
| 12 years old | 196 | 11.54 |
| 13 years old | 280 | 16.42 |
| 14 years old | 235 | 13.82 |
| 15 years old | 304 | 17.86 |
| 16 years old | 155 | 9.13 |
| 17 years old | 143 | 8.37 |
| 18 or older | 128 | 7.53 |

Frequency Missing = 108536.42859

| HOW OFTEN NORMALLY USE CIGARETTES | | |
|--------------------------------------|-----------|---------|
| q23a | Frequency | Percent |
| Every day | 7312 | 6.84 |
| Several times/wk | 4315 | 4.04 |
| Several times/mo | 4674 | 4.37 |
| About once/month | 7641 | 7.15 |
| About once/year | 5874 | 5.49 |
| < once/year | 10661 | 9.97 |
| Never used | 66427 | 62.14 |

Frequency Missing = 3336.8752371

| HOW OFTEN NORMALLY USE SMOKELESS TOBACCO | | |
|---|-----------|---------|
| q23b | Frequency | Percent |
| Every day | 1955 | 1.85 |
| Several times/wk | 1150 | 1.09 |
| Several times/mo | 1597 | 1.51 |
| About once/month | 3038 | 2.88 |
| About once/year | 3168 | 3.00 |
| < once/year | 6325 | 5.99 |
| Never used | 88306 | 83.67 |

Frequency Missing = 4700.5851266

| HOW OFTEN NORMALLY USE BEER | | |
|--------------------------------|-----------|---------|
| q23c | Frequency | Percent |
| Every day | 377 | 0.36 |
| Several times/wk | 5107 | 4.84 |
| Several times/mo | 14427 | 13.66 |
| About once/month | 17086 | 16.18 |
| About once/year | 11801 | 11.18 |
| < once/year | 12304 | 11.65 |
| Never used | 44483 | 42.13 |

Frequency Missing = 4655.5339742

| HOW OFTEN NORMALLY USE WINE COOLERS | | |
|--|-----------|---------|
| q23d | Frequency | Percent |
| Every day | 92 | 0.09 |
| Several times/wk | 2190 | 2.08 |
| Several times/mo | 9510 | 9.03 |
| About once/month | 14119 | 13.40 |
| About once/year | 14084 | 13.37 |
| < once/year | 12184 | 11.57 |
| Never used | 53158 | 50.46 |

Frequency Missing = 4903.4973898

| HOW OFTEN NORMALLY USE WINE | | |
|--------------------------------|-----------|---------|
| q23e | Frequency | Percent |
| Every day | 115 | 0.11 |
| Several times/wk | 2226 | 2.13 |
| Several times/mo | 7981 | 7.64 |
| About once/month | 11711 | 11.21 |
| About once/year | 16979 | 16.26 |
| < once/year | 14907 | 14.27 |
| Never used | 50529 | 48.38 |

Frequency Missing = 5790.4855716

| HOW OFTEN NORMALLY USE LIQUOR | | |
|----------------------------------|-----------|---------|
| q23f | Frequency | Percent |
| Every day | 426 | 0.40 |
| Several times/wk | 3917 | 3.72 |
| Several times/mo | 14399 | 13.66 |
| About once/month | 16257 | 15.42 |
| About once/year | 11974 | 11.36 |
| < once/year | 10402 | 9.87 |
| Never used | 48031 | 45.57 |

**region19
Spring 2006**

Frequency Missing = 4834.4023725

| HOW OFTEN NORMALLY USE INHALANTS | | |
|-------------------------------------|-----------|---------|
| q23g | Frequency | Percent |
| Every day | 145 | 0.14 |
| Several times/wk | 282 | 0.27 |
| Several times/mo | 573 | 0.55 |
| About once/month | 1177 | 1.12 |
| About once/year | 1980 | 1.89 |
| < once/year | 4277 | 4.08 |
| Never used | 96511 | 91.96 |

Frequency Missing = 5295.1854022

| HOW OFTEN NORMALLY USE MARIJUANA | | |
|-------------------------------------|-----------|---------|
| q23h | Frequency | Percent |
| Every day | 4053 | 3.87 |
| Several times/wk | 3531 | 3.38 |
| Several times/mo | 4406 | 4.21 |
| About once/month | 5111 | 4.89 |
| About once/year | 5206 | 4.98 |
| < once/year | 6981 | 6.67 |
| Never used | 75324 | 72.00 |

Frequency Missing = 5626.0313398

| HOW OFTEN NORMALLY USE COCAINE | | |
|-----------------------------------|-----------|---------|
| q23i | Frequency | Percent |
| Every day | 174 | 0.17 |
| Several times/wk | 442 | 0.43 |
| Several times/mo | 682 | 0.66 |
| About once/month | 1645 | 1.58 |
| About once/year | 1848 | 1.78 |
| < once/year | 2567 | 2.47 |
| Never used | 96693 | 92.93 |

Frequency Missing = 6188.1579712

| HOW OFTEN NORMALLY USE DOWNERS | | |
|-----------------------------------|-----------|---------|
| q23n | Frequency | Percent |
| Every day | 172 | 0.17 |
| Several times/wk | 490 | 0.47 |
| Several times/mo | 1263 | 1.22 |
| About once/month | 1945 | 1.87 |
| About once/year | 1557 | 1.50 |
| < once/year | 1844 | 1.77 |
| Never used | 96639 | 93.00 |

| HOW OFTEN NORMALLY USE CRACK | | |
|---------------------------------|-----------|---------|
| q23j | Frequency | Percent |
| Every day | 43 | 0.04 |
| Several times/wk | 94 | 0.09 |
| Several times/mo | 307 | 0.30 |
| About once/month | 355 | 0.34 |
| About once/year | 676 | 0.65 |
| < once/year | 1299 | 1.25 |
| Never used | 101E3 | 97.33 |

Frequency Missing = 6212.8336005

| HOW OFTEN NORMALLY USE HALLUCINOGENS | | |
|---|-----------|---------|
| q23l | Frequency | Percent |
| Every day | 38 | 0.04 |
| Several times/wk | 194 | 0.19 |
| Several times/mo | 307 | 0.30 |
| About once/month | 895 | 0.86 |
| About once/year | 2357 | 2.27 |
| < once/year | 2120 | 2.04 |
| Never used | 98105 | 94.32 |

Frequency Missing = 6223.3502764

| HOW OFTEN NORMALLY USE UPPERS | | |
|----------------------------------|-----------|---------|
| q23m | Frequency | Percent |
| Every day | 234 | 0.23 |
| Several times/wk | 433 | 0.42 |
| Several times/mo | 1074 | 1.04 |
| About once/month | 1936 | 1.87 |
| About once/year | 1769 | 1.71 |
| < once/year | 1898 | 1.84 |
| Never used | 96039 | 92.90 |

Frequency Missing = 6855.4621401

| HOW OFTEN NORMALLY USE DOWNERS | | |
|-----------------------------------|-----------|---------|
| q23n | Frequency | Percent |
| Every day | 172 | 0.17 |
| Several times/wk | 490 | 0.47 |
| Several times/mo | 1263 | 1.22 |
| About once/month | 1945 | 1.87 |
| About once/year | 1557 | 1.50 |
| < once/year | 1844 | 1.77 |
| Never used | 96639 | 93.00 |

Frequency Missing = 6329.0946336

| HOW OFTEN NORMALLY USE ROHYPNOL | | |
|------------------------------------|-----------|---------|
| q23o | Frequency | Percent |
| Every day | 40 | 0.04 |
| Several times/wk | 230 | 0.22 |
| Several times/mo | 377 | 0.37 |
| About once/month | 466 | 0.45 |
| About once/year | 317 | 0.31 |
| < once/year | 906 | 0.88 |
| Never used | 101E3 | 97.73 |

Frequency Missing = 7195.9846813

| HOW OFTEN NORMALLY USE STEROIDS | | |
|------------------------------------|-----------|---------|
| q23p | Frequency | Percent |
| Every day | 144 | 0.14 |
| Several times/wk | 125 | 0.12 |
| Several times/mo | 74 | 0.07 |
| About once/month | 152 | 0.15 |
| About once/year | 168 | 0.16 |
| < once/year | 460 | 0.45 |
| Never used | 101E3 | 98.90 |

Frequency Missing = 8102.332537

| HOW OFTEN NORMALLY USE ECSTASY | | |
|-----------------------------------|-----------|---------|
| q23q | Frequency | Percent |
| Every day | 38 | 0.04 |
| Several times/wk | 53 | 0.05 |
| Several times/mo | 278 | 0.27 |
| About once/month | 698 | 0.68 |
| About once/year | 1314 | 1.28 |
| < once/year | 2060 | 2.01 |
| Never used | 98063 | 95.67 |

Frequency Missing = 7736.5850876

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region19
Spring 2006**

**HOW OFTEN NORMALLY USE
HEROIN**

q23r Frequency Percent

| | | |
|------------------|-------|-------|
| Every day | 79 | 0.08 |
| Several times/wk | 86 | 0.08 |
| Several times/mo | 90 | 0.09 |
| About once/month | 187 | 0.18 |
| About once/year | 326 | 0.32 |
| < once/year | 944 | 0.92 |
| Never used | 101E3 | 98.33 |

Frequency Missing = 7364.6918337

**HOW MANY CIGARETTES IN
PAST 30 DAYS**

q24 Frequency Percent

| | | |
|------------------|-------|-------|
| None | 84690 | 78.94 |
| Less than 1 | 11621 | 10.83 |
| > 1 and < 10 | 7103 | 6.62 |
| > 10 and < 1pk | 2471 | 2.30 |
| > 1pk and < 2pks | 1022 | 0.95 |
| More than 2pks | 373 | 0.35 |

Frequency Missing = 2959.2204081

**AMOUNT OF BEER AT ONE
TIME**

q25a Frequency Percent

| | | |
|------------------|-------|-------|
| Never drink this | 44462 | 41.74 |
| 12+ drinks | 5895 | 5.53 |
| 9-11 drinks | 4826 | 4.53 |
| 5-8 drinks | 9133 | 8.57 |
| 3-4 drinks | 9205 | 8.64 |
| 2 drinks | 7965 | 7.48 |
| 1 drink | 10137 | 9.52 |
| < 1 drink | 14903 | 13.99 |

Frequency Missing = 3712.5941528

**AMOUNT OF WINE COOLERS AT
ONE TIME**

q25b Frequency Percent

| | | |
|------------------|-------|-------|
| Never drink this | 52463 | 49.51 |
| 12+ drinks | 3583 | 3.38 |
| 9-11 drinks | 2662 | 2.51 |
| 5-8 drinks | 7040 | 6.64 |
| 3-4 drinks | 8808 | 8.31 |
| 2 drinks | 9222 | 8.70 |
| 1 drink | 11512 | 10.87 |
| < 1 drink | 10666 | 10.07 |

Frequency Missing = 4283.0309919

**AMOUNT OF WINE AT ONE
TIME**

q25c Frequency Percent

| | | |
|------------------|-------|-------|
| Never drink this | 51562 | 48.75 |
| 12+ drinks | 2387 | 2.26 |
| 9-11 drinks | 1206 | 1.14 |
| 5-8 drinks | 2980 | 2.82 |
| 3-4 drinks | 5574 | 5.27 |
| 2 drinks | 7999 | 7.56 |
| 1 drink | 13966 | 13.20 |
| < 1 drink | 20096 | 19.00 |

Frequency Missing = 4469.8758868

**AMOUNT OF LIQUOR AT ONE
TIME**

q25d Frequency Percent

| | | |
|------------------|-------|-------|
| Never drink this | 46088 | 43.45 |
| 12+ drinks | 4810 | 4.53 |
| 9-11 drinks | 4004 | 3.77 |
| 5-8 drinks | 10089 | 9.51 |
| 3-4 drinks | 12627 | 11.90 |
| 2 drinks | 8510 | 8.02 |
| 1 drink | 8866 | 8.36 |
| < 1 drink | 11085 | 10.45 |

Frequency Missing = 4161.7749781

ALCOHOL

q26a Frequency Percent

| | | |
|------------------|-------|-------|
| Never 5+ at time | 43247 | 40.64 |
| None | 33748 | 31.71 |
| 1 day | 8563 | 8.05 |
| 2 days | 6443 | 6.05 |
| 3 to 5 days | 7499 | 7.05 |
| 6 to 9 days | 3785 | 3.56 |
| 10 or more days | 3135 | 2.95 |

Frequency Missing = 3818.902558

**GET ALCOHOLIC BEVERAGES
FROM HOME**

q27a Frequency Percent

| | | |
|------------------|-------|-------|
| Do not Drink | 37920 | 35.91 |
| Never | 31602 | 29.93 |
| Seldom | 26080 | 24.70 |
| Most of the Time | 7347 | 6.96 |
| Always | 2639 | 2.50 |

Frequency Missing = 4653.0925287

**GET ALCOHOLIC BEVERAGES
FROM FRIENDS**

q27b Frequency Percent

| | | |
|------------------|-------|-------|
| Do not Drink | 34087 | 32.55 |
| Never | 16981 | 16.22 |
| Seldom | 17397 | 16.61 |
| Most of the Time | 24304 | 23.21 |
| Always | 11948 | 11.41 |

Frequency Missing = 5522.6038233

**GET ALCOHOLIC BEVERAGES
FROM A STORE**

q27c Frequency Percent

| | | |
|------------------|-------|-------|
| Do not Drink | 36468 | 35.04 |
| Never | 52914 | 50.85 |
| Seldom | 8018 | 7.71 |
| Most of the Time | 4199 | 4.04 |
| Always | 2464 | 2.37 |

Frequency Missing = 6175.6371059

**GET ALCOHOLIC BEVERAGES
AT PARTIES**

q27d Frequency Percent

| | | |
|------------------|-------|-------|
| Do not Drink | 33566 | 32.22 |
| Never | 18175 | 17.45 |
| Seldom | 13461 | 12.92 |
| Most of the Time | 18605 | 17.86 |
| Always | 20364 | 19.55 |

Frequency Missing = 6067.3110164

**region19
Spring 2006**

| GET ALCOHOLIC BEVERAGES FROM OTHER | | |
|---|------------------|----------------|
| q27e | Frequency | Percent |
| Do not Drink | 35357 | 34.05 |
| Never | 28258 | 27.22 |
| Seldom | 17194 | 16.56 |
| Most of the Time | 11719 | 11.29 |
| Always | 11302 | 10.88 |

Frequency Missing = 6409.1411819

| USE MARIJUANA AS JOINTS | | |
|--------------------------------|------------------|----------------|
| q28a | Frequency | Percent |
| Never | 80547 | 75.90 |
| Seldom | 11176 | 10.53 |
| Half the time | 6291 | 5.93 |
| Most of the time | 4389 | 4.14 |
| Always | 3033 | 2.86 |
| Don't know | 691 | 0.65 |

Frequency Missing = 4113.0783383

| USE MARIJUANA AS BLUNTS | | |
|--------------------------------|------------------|----------------|
| q28b | Frequency | Percent |
| Never | 80160 | 75.72 |
| Seldom | 8351 | 7.89 |
| Half the time | 5135 | 4.85 |
| Most of the time | 5710 | 5.39 |
| Always | 5915 | 5.59 |
| Don't know | 599 | 0.57 |

Frequency Missing = 4368.5043788

| USE MARIJUANA IN BONGS OR WATER PIPES | | |
|--|------------------|----------------|
| q28c | Frequency | Percent |
| Never | 85697 | 81.33 |
| Seldom | 8189 | 7.77 |
| Half the time | 4323 | 4.10 |
| Most of the time | 3821 | 3.63 |
| Always | 2793 | 2.65 |
| Don't know | 540 | 0.51 |

Frequency Missing = 4875.939608

| USE MARIJUANA IN PIPES | | |
|-------------------------------|------------------|----------------|
| q28d | Frequency | Percent |
| Never | 82237 | 78.07 |
| Seldom | 7908 | 7.51 |
| Half the time | 5090 | 4.83 |
| Most of the time | 5593 | 5.31 |
| Always | 3861 | 3.67 |
| Don't know | 648 | 0.61 |

Frequency Missing = 4903.2204144

| USE MARIJUANA OTHER WAYS | | |
|---------------------------------|------------------|----------------|
| q28e | Frequency | Percent |
| Never | 89783 | 85.06 |
| Seldom | 7499 | 7.10 |
| Half the time | 2094 | 1.98 |
| Most of the time | 1783 | 1.69 |
| Always | 2297 | 2.18 |
| Don't know | 2094 | 1.98 |

Frequency Missing = 4689.9844986

| TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH | | |
|---|------------------|----------------|
| q29a | Frequency | Percent |
| Never heard/used | 99061 | 94.48 |
| At least once/month | 1677 | 1.60 |
| At least once/year | 1639 | 1.56 |
| At least once/life | 2468 | 2.35 |

Frequency Missing = 5393.0616037

| TAKE CODEINE COUGH SYRUP TO GET HIGH | | |
|---|------------------|----------------|
| q29b | Frequency | Percent |
| Never heard/used | 93208 | 88.53 |
| At least once/month | 4045 | 3.84 |
| At least once/year | 3837 | 3.64 |
| At least once/life | 4193 | 3.98 |

Frequency Missing = 4956.0039441

| DANGEROUS FOR KIDS TO USE TOBACCO | | |
|--|------------------|----------------|
| q30a | Frequency | Percent |
| Very | 42958 | 41.50 |
| Somewhat | 34039 | 32.89 |
| Not very | 17734 | 17.13 |
| Not at all | 4768 | 4.61 |
| Don't know | 4003 | 3.87 |

Frequency Missing = 6737.6422365

| DANGEROUS FOR KIDS TO USE ALCOHOL | | |
|--|------------------|----------------|
| q30b | Frequency | Percent |
| Very | 44442 | 43.13 |
| Somewhat | 36800 | 35.71 |
| Not very | 15424 | 14.97 |
| Not at all | 3966 | 3.85 |
| Don't know | 2406 | 2.34 |

Frequency Missing = 7201.6829517

| DANGEROUS FOR KIDS TO USE INHALANTS | | |
|--|------------------|----------------|
| q30c | Frequency | Percent |
| Very | 76236 | 75.51 |
| Somewhat | 15526 | 15.38 |
| Not very | 3155 | 3.12 |
| Not at all | 1430 | 1.42 |
| Don't know | 4619 | 4.57 |

Frequency Missing = 9273.3405676

| DANGEROUS FOR KIDS TO USE MARIJUANA | | |
|--|------------------|----------------|
| q30d | Frequency | Percent |
| Very | 61039 | 59.96 |
| Somewhat | 18585 | 18.26 |
| Not very | 11710 | 11.50 |
| Not at all | 7195 | 7.07 |
| Don't know | 3270 | 3.21 |

Frequency Missing = 8441.4171082

**region19
Spring 2006**

| DANGEROUS FOR KIDS TO USE COCAINE | | |
|--|------------------|----------------|
| q30e | Frequency | Percent |
| Very | 84521 | 84.30 |
| Somewhat | 8970 | 8.95 |
| Not very | 1672 | 1.67 |
| Not at all | 946 | 0.94 |
| Don't know | 4158 | 4.15 |

Frequency Missing = 9972.1156806

| DANGEROUS FOR KIDS TO USE CRACK | | |
|--|------------------|----------------|
| q30f | Frequency | Percent |
| Very | 87760 | 86.23 |
| Somewhat | 7661 | 7.53 |
| Not very | 1300 | 1.28 |
| Not at all | 861 | 0.85 |
| Don't know | 4196 | 4.12 |

Frequency Missing = 8461.8946699

| DANGEROUS FOR KIDS TO USE ECSTASY | | |
|--|------------------|----------------|
| q30g | Frequency | Percent |
| Very | 86966 | 85.18 |
| Somewhat | 6800 | 6.66 |
| Not very | 1479 | 1.45 |
| Not at all | 1036 | 1.01 |
| Don't know | 5813 | 5.69 |

Frequency Missing = 8145.2609256

| DANGEROUS FOR KIDS TO USE STEROIDS | | |
|---|------------------|----------------|
| q30h | Frequency | Percent |
| Very | 78508 | 75.63 |
| Somewhat | 14752 | 14.21 |
| Not very | 3891 | 3.75 |
| Not at all | 1317 | 1.27 |
| Don't know | 5333 | 5.14 |

Frequency Missing = 6438.0758252

| DANGEROUS FOR KIDS TO USE HEROIN | | |
|---|------------------|----------------|
| q30i | Frequency | Percent |
| Very | 91834 | 87.96 |
| Somewhat | 5737 | 5.49 |
| Not very | 698 | 0.67 |
| Not at all | 986 | 0.94 |
| Don't know | 5148 | 4.93 |

Frequency Missing = 5837.0939026

| DAYS SKIPPED SINCE SEPTEMBER | | |
|---|------------------|----------------|
| q31a | Frequency | Percent |
| None | 78124 | 73.98 |
| 1-3 days | 20661 | 19.57 |
| 4-9 days | 3945 | 3.74 |
| 10+ days | 2867 | 2.72 |

Frequency Missing = 4643.3939637

| DAYS ILL SINCE SEPTEMBER | | |
|-------------------------------------|------------------|----------------|
| q31b | Frequency | Percent |
| None | 23772 | 22.53 |
| 1-3 days | 59885 | 56.76 |
| 4-9 days | 17030 | 16.14 |
| 10+ days | 4826 | 4.57 |

Frequency Missing = 4726.4112354

| OTHER DAYS MISSED SINCE SEPTEMBER | | |
|--|------------------|----------------|
| q31c | Frequency | Percent |
| None | 34020 | 32.52 |
| 1-3 days | 54428 | 52.03 |
| 4-9 days | 11092 | 10.60 |
| 10+ days | 5061 | 4.84 |

Frequency Missing = 5639.7080847

| SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER | | |
|---|------------------|----------------|
| q31d | Frequency | Percent |
| None | 85513 | 80.97 |
| 1-3 days | 14750 | 13.97 |
| 4-9 days | 2792 | 2.64 |
| 10+ days | 2559 | 2.42 |

Frequency Missing = 4624.9772256

| SOMEONE CALLED HOME SINCE SEPTEMBER | | |
|--|------------------|----------------|
| q31e | Frequency | Percent |
| None | 91892 | 87.85 |
| 1-3 days | 9934 | 9.50 |
| 4-9 days | 1650 | 1.58 |
| 10+ days | 1128 | 1.08 |

Frequency Missing = 5635.3280154

| IN TROUBLE FOR DRINKING SINCE SEPTEMBER | | |
|--|------------------|----------------|
| q31f | Frequency | Percent |
| None | 104E3 | 99.15 |
| 1-3 days | 591 | 0.56 |
| 4-9 days | 93 | 0.09 |
| 10+ days | 207 | 0.20 |

Frequency Missing = 5452.2102787

| IN TROUBLE FOR DRUG USE SINCE SEPTEMBER | | |
|--|------------------|----------------|
| q31g | Frequency | Percent |
| None | 103E3 | 98.45 |
| 1-3 days | 1243 | 1.18 |
| 4-9 days | 115 | 0.11 |
| 10+ days | 274 | 0.26 |

Frequency Missing = 5202.9849568

| TROUBLE WITH FRIENDS BECAUSE OF DRINKING | | |
|---|------------------|----------------|
| q32a | Frequency | Percent |
| None | 92543 | 88.61 |
| 1-3 times | 10315 | 9.88 |
| 4-9 times | 1157 | 1.11 |
| 10+ times | 424 | 0.41 |

Frequency Missing = 5800.094491

**region19
Spring 2006**

**DRIVEN A CAR AFTER A
GOOD BIT TO DRINK**

| q32b | Frequency | Percent |
|-----------|-----------|---------|
| None | 90070 | 86.42 |
| 1-3 times | 9888 | 9.49 |
| 4-9 times | 2305 | 2.21 |
| 10+ times | 1961 | 1.88 |

Frequency Missing = 6016.5531839

**CRITICIZED BY DATE
BECAUSE OF DRINKING**

| q32c | Frequency | Percent |
|-----------|-----------|---------|
| None | 93820 | 90.21 |
| 1-3 times | 8320 | 8.00 |
| 4-9 times | 1396 | 1.34 |
| 10+ times | 460 | 0.44 |

Frequency Missing = 6243.4822731

**TROUBLE WITH POLICE
BECAUSE OF DRINKING**

| q32d | Frequency | Percent |
|-----------|-----------|---------|
| None | 98401 | 95.20 |
| 1-3 times | 4276 | 4.14 |
| 4-9 times | 381 | 0.37 |
| 10+ times | 308 | 0.30 |

Frequency Missing = 6873.5761373

**TROUBLE WITH FRIENDS
BECAUSE OF DRUG USE**

| q32e | Frequency | Percent |
|-----------|-----------|---------|
| None | 95449 | 92.99 |
| 1-3 times | 5625 | 5.48 |
| 4-9 times | 1010 | 0.98 |
| 10+ times | 565 | 0.55 |

Frequency Missing = 7590.0555684

**DRIVEN A CAR WHILE
HIGH FROM DRUGS**

| q32f | Frequency | Percent |
|-----------|-----------|---------|
| None | 92062 | 89.56 |
| 1-3 times | 5868 | 5.71 |
| 4-9 times | 1886 | 1.83 |
| 10+ times | 2974 | 2.89 |

Frequency Missing = 7449.5360967

**CRITICIZED BY DATE
BECAUSE OF DRUG USE**

| q32g | Frequency | Percent |
|-----------|-----------|---------|
| None | 95004 | 92.36 |
| 1-3 times | 6098 | 5.93 |
| 4-9 times | 957 | 0.93 |
| 10+ times | 801 | 0.78 |

Frequency Missing = 7378.911008

**TROUBLE WITH POLICE
BECAUSE OF DRUG USE**

| q32h | Frequency | Percent |
|-----------|-----------|---------|
| None | 101E3 | 97.14 |
| 1-3 times | 2467 | 2.37 |
| 4-9 times | 249 | 0.24 |
| 10+ times | 251 | 0.24 |

Frequency Missing = 6368.1573421

**CLASS DAYS DRUNK ON
ALCOHOL SINCE SEPT**

| q33a | Frequency | Percent |
|----------|-----------|---------|
| None | 91953 | 87.92 |
| 1-3 days | 9390 | 8.98 |
| 4-9 days | 1745 | 1.67 |
| 10+ days | 1498 | 1.43 |

Frequency Missing = 5653.1762472

**CLASS DAYS HIGH ON
MARIJUANA SINCE SEPT**

| q33b | Frequency | Percent |
|----------|-----------|---------|
| None | 90450 | 86.79 |
| 1-3 days | 6944 | 6.66 |
| 4-9 days | 2431 | 2.33 |
| 10+ days | 4388 | 4.21 |

Frequency Missing = 6026.9238302

**CLASS DAYS HIGH ON
INHALANTS SINCE SEPT**

| q33c | Frequency | Percent |
|----------|-----------|---------|
| None | 101E3 | 97.46 |
| 1-3 days | 1792 | 1.72 |
| 4-9 days | 408 | 0.39 |
| 10+ days | 440 | 0.42 |

Frequency Missing = 6144.0707632

**CLASS DAYS HIGH ON
OTHER DRUG(S)**

| q33d | Frequency | Percent |
|----------|-----------|---------|
| None | 96885 | 92.64 |
| 1-3 days | 4812 | 4.60 |
| 4-9 days | 1322 | 1.26 |
| 10+ days | 1569 | 1.50 |

Frequency Missing = 5652.6425295

**ALCOHOL USE AT PARTIES
THIS SCHOOL YEAR**

| q34a | Frequency | Percent |
|------------------|-----------|---------|
| Never | 28595 | 27.20 |
| Seldom | 9202 | 8.75 |
| Half the time | 7591 | 7.22 |
| Most of the time | 16101 | 15.31 |
| Always | 26179 | 24.90 |
| Don't know | 1674 | 1.59 |
| Didn't attend | 15790 | 15.02 |

Frequency Missing = 5107.2366886

**DRUG USE AT PARTIES THIS
SCHOOL YEAR**

| q34b | Frequency | Percent |
|------------------|-----------|---------|
| Never | 42132 | 40.10 |
| Seldom | 13252 | 12.61 |
| Half the time | 8597 | 8.18 |
| Most of the time | 10556 | 10.05 |
| Always | 11030 | 10.50 |
| Don't know | 3566 | 3.39 |
| Didn't attend | 15942 | 15.17 |

Frequency Missing = 5165.2142639

**SOUGHT HELP FOR
DRUG/ALCOHOL
PROBLEM**

| q35 | Frequency | Percent |
|-----|-----------|---------|
| No | 90955 | 92.59 |
| Yes | 7283 | 7.41 |

Frequency Missing = 12001.640745

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region19
Spring 2006**

| WOULD SEEK HELP FROM SCHOOL COUNSELOR | | |
|--|------------------|----------------|
| q36a | Frequency | Percent |
| No | 74252 | 71.99 |
| Yes | 28892 | 28.01 |

Frequency Missing = 7095.4611008

| WOULD SEEK HELP OUTSIDE OF SCHOOL | | |
|--|------------------|----------------|
| q36b | Frequency | Percent |
| No | 69545 | 67.79 |
| Yes | 33047 | 32.21 |

Frequency Missing = 7648.2324378

| WOULD SEEK HELP FROM OTHER COUNSELOR | | |
|---|------------------|----------------|
| q36c | Frequency | Percent |
| No | 62136 | 61.03 |
| Yes | 39675 | 38.97 |

Frequency Missing = 8428.7483883

| WOULD SEEK HELP FROM PARENTS | | |
|-------------------------------------|------------------|----------------|
| q36d | Frequency | Percent |
| No | 40534 | 39.44 |
| Yes | 62250 | 60.56 |

Frequency Missing = 7455.7560936

| WOULD SEEK HELP FROM A MEDICAL DOCTOR | | |
|--|------------------|----------------|
| q36e | Frequency | Percent |
| No | 62140 | 60.97 |
| Yes | 39774 | 39.03 |

Frequency Missing = 8325.6259135

| WOULD SEEK HELP FROM FRIENDS | | |
|-------------------------------------|------------------|----------------|
| q36f | Frequency | Percent |
| No | 22322 | 21.75 |
| Yes | 80326 | 78.25 |

Frequency Missing = 7591.3503789

| WOULD SEEK HELP FROM ANOTHER ADULT | | |
|---|------------------|----------------|
| q36g | Frequency | Percent |
| No | 36472 | 35.54 |
| Yes | 66143 | 64.46 |

Frequency Missing = 7624.2491357

| WOULD NOT SEEK HELP | | |
|----------------------------|------------------|----------------|
| q36h | Frequency | Percent |
| No | 88133 | 86.50 |
| Yes | 13757 | 13.50 |

Frequency Missing = 8350.1352936

| DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS | | |
|--|------------------|----------------|
| q37a | Frequency | Percent |
| No | 47593 | 52.56 |
| Yes | 42962 | 47.44 |

Frequency Missing = 19684.511268

| DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM | | |
|--|------------------|----------------|
| q37b | Frequency | Percent |
| No | 38223 | 42.23 |
| Yes | 52284 | 57.77 |

Frequency Missing = 19732.133475

| DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR | | |
|--|------------------|----------------|
| q37c | Frequency | Percent |
| No | 71384 | 80.11 |
| Yes | 17724 | 19.89 |

Frequency Missing = 21131.625379

| DRUG/ALCOHOL INFO-SCIENCE CLASS | | |
|--|------------------|----------------|
| q37d | Frequency | Percent |
| No | 56294 | 62.83 |
| Yes | 33306 | 37.17 |

Frequency Missing = 20638.983707

| DRUG/ALCOHOL INFO-SOCIAL STUDIES CLASS | | |
|---|------------------|----------------|
| q37e | Frequency | Percent |
| No | 79999 | 89.44 |
| Yes | 9448 | 10.56 |

Frequency Missing = 20792.21693

| DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB | | |
|---|------------------|----------------|
| q37f | Frequency | Percent |
| No | 75900 | 84.29 |
| Yes | 14146 | 15.71 |

Frequency Missing = 20193.044244

| DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST | | |
|---|------------------|----------------|
| q37g | Frequency | Percent |
| No | 49707 | 55.33 |
| Yes | 40133 | 44.67 |

Frequency Missing = 20399.351812

| DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE | | |
|--|------------------|----------------|
| q37h | Frequency | Percent |
| No | 58420 | 64.66 |
| Yes | 31925 | 35.34 |

Frequency Missing = 19894.209158

**region19
Spring 2006**

| DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP | | |
|--|------------------|----------------|
| q38a | Frequency | Percent |
| No | 77094 | 76.10 |
| Yes | 24212 | 23.90 |

Frequency Missing = 8933.8214247

| DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS | |
|---|------------------|
| q38b | Frequency |
| No | 49423 |
| Yes | 51542 |

| DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS | |
|---|----------------|
| q38b | Percent |
| No | 48.95 |
| Yes | 51.05 |

Frequency Missing = 9274.369708

| DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO | | |
|---|------------------|----------------|
| q38c | Frequency | Percent |
| No | 45313 | 44.79 |
| Yes | 55850 | 55.21 |

Frequency Missing = 9076.8189135

| DRUG/ALCOHOL INFO-- -PARENTS | | |
|---|------------------|----------------|
| q38d | Frequency | Percent |
| No | 48444 | 47.66 |
| Yes | 53195 | 52.34 |

Frequency Missing = 8600.6631605

| PARENTS FEEL ABOUT KIDS SMOKING CIGARET | | |
|--|------------------|----------------|
| q39a | Frequency | Percent |
| Strong disapprove | 73978 | 71.63 |
| Mild disapprove | 11899 | 11.52 |
| Neither | 9359 | 9.06 |
| Mildly approve | 1818 | 1.76 |
| Strongly approve | 788 | 0.76 |
| Don't know | 5434 | 5.26 |

Frequency Missing = 6964.0994096

| PARENTS FEEL ABOUT KIDS DRINKING BEER | | |
|--|------------------|----------------|
| q39b | Frequency | Percent |
| Strong disapprove | 63820 | 61.80 |
| Mild disapprove | 16647 | 16.12 |
| Neither | 12679 | 12.28 |
| Mildly approve | 4242 | 4.11 |
| Strongly approve | 1096 | 1.06 |
| Don't know | 4791 | 4.64 |

Frequency Missing = 6962.8017183

| PARENTS FEEL ABOUT KIDS USING MARIJUANA | | |
|--|------------------|----------------|
| q39c | Frequency | Percent |
| Strong disapprove | 86215 | 83.61 |
| Mild disapprove | 5625 | 5.46 |
| Neither | 4550 | 4.41 |
| Mildly approve | 1083 | 1.05 |
| Strongly approve | 1066 | 1.03 |
| Don't know | 4576 | 4.44 |

Frequency Missing = 7124.27081

| TESTED FOR DRUG USE AT SCHOOL | | |
|--|------------------|----------------|
| q40 | Frequency | Percent |
| No | 84059 | 81.18 |
| Yes | 19482 | 18.82 |

Frequency Missing = 6699.2820002

| PURCHASED LOTTERY TICKET IN PAST YEAR | | |
|--|------------------|----------------|
| q41 | Frequency | Percent |
| No | 87201 | 84.34 |
| Yes | 16189 | 15.66 |

Frequency Missing = 6849.1196807