

region7
Spring 2006

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	15.0%	20.2%	33.8%	66.2%
	Grade 7	4.6%	6.8%	15.6%	84.4%
	Grade 8	7.6%	12.0%	23.2%	76.8%
	Grade 9	14.7%	22.1%	37.8%	62.2%
	Grade 10	21.9%	27.9%	42.7%	57.3%
	Grade 11	25.7%	31.8%	47.4%	52.6%
	Grade 12	24.6%	30.3%	48.7%	51.3%
Cigarettes					
	All	13.5%	18.6%	31.9%	68.1%
	Grade 7	4.5%	6.6%	14.8%	85.2%
	Grade 8	6.4%	11.0%	21.1%	78.9%
	Grade 9	12.7%	19.6%	35.2%	64.8%
	Grade 10	19.4%	25.5%	40.1%	59.9%
	Grade 11	23.6%	29.0%	45.2%	54.8%
	Grade 12	23.2%	29.1%	47.4%	52.6%
Smokeless tobacco					
	All	4.0%	5.9%	10.2%	89.8%
	Grade 7	1.0%	1.6%	3.9%	96.1%
	Grade 8	2.0%	3.0%	6.5%	93.5%
	Grade 9	4.0%	6.6%	11.2%	88.8%
	Grade 10	5.7%	7.7%	13.2%	86.8%
	Grade 11	6.4%	9.4%	14.9%	85.1%
	Grade 12	8.4%	10.6%	16.4%	83.6%

region7
Spring 2006

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	69.4%	5.0%	2.7%	4.1%	5.6%	4.4%	8.7%
Grade 7	86.9%	0.7%	0.9%	1.3%	2.4%	2.7%	5.1%
Grade 8	78.7%	1.2%	1.9%	3.1%	4.6%	3.6%	6.9%
Grade 9	66.7%	4.3%	3.1%	4.0%	6.6%	4.5%	10.8%
Grade 10	60.9%	6.4%	3.6%	6.2%	7.5%	5.5%	9.8%
Grade 11	56.4%	10.2%	4.2%	6.4%	7.2%	6.2%	9.6%
Grade 12	54.3%	13.0%	3.7%	5.3%	6.8%	4.6%	12.3%
Cigarettes?							
All	71.0%	4.2%	2.6%	3.9%	5.4%	4.2%	8.7%
Grade 7	87.4%	0.7%	0.9%	1.2%	2.2%	2.4%	5.2%
Grade 8	80.8%	1.1%	1.7%	2.1%	4.4%	3.5%	6.4%
Grade 9	68.7%	3.4%	3.0%	3.8%	6.3%	4.0%	10.9%
Grade 10	63.1%	5.5%	3.0%	6.1%	7.1%	5.2%	10.0%
Grade 11	58.1%	8.3%	4.2%	6.2%	7.3%	6.0%	9.9%
Grade 12	55.4%	10.6%	4.1%	6.1%	6.4%	5.1%	12.3%
Smokeless tobacco?							
All	90.0%	1.2%	0.7%	1.0%	1.7%	1.8%	3.7%
Grade 7	96.9%	0.0%	0.2%	0.2%	0.6%	0.7%	1.4%
Grade 8	93.1%	0.1%	0.3%	1.3%	1.3%	1.4%	2.6%
Grade 9	89.7%	1.1%	1.0%	0.8%	1.3%	1.9%	4.2%
Grade 10	86.3%	1.6%	1.1%	0.8%	2.6%	2.5%	5.1%
Grade 11	85.5%	2.3%	0.7%	1.4%	2.9%	2.4%	4.8%
Grade 12	83.1%	3.5%	0.7%	1.8%	3.0%	2.2%	5.8%

region7
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	85.1%	7.8%	4.7%	1.3%	0.7%	0.4%
Grade 7	94.8%	3.3%	1.4%	0.2%	0.1%	0.3%
Grade 8	91.4%	5.7%	2.2%	0.6%	0.1%	0.1%
Grade 9	85.8%	8.1%	3.6%	1.2%	0.5%	0.8%
Grade 10	79.6%	9.9%	7.3%	1.0%	1.4%	0.8%
Grade 11	75.3%	12.1%	8.2%	2.7%	1.3%	0.4%
Grade 12	74.9%	10.4%	9.3%	3.0%	2.0%	0.5%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.7	11.2	12.0	12.6	13.5	14.2

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	7.3%	17.7%	7.9%	10.1%	17.7%	39.2%
Grade 7	11.7%	36.5%	12.2%	10.6%	13.5%	15.6%
Grade 8	7.1%	26.3%	12.7%	15.7%	18.7%	19.6%
Grade 9	7.0%	13.2%	8.1%	11.4%	21.1%	39.2%
Grade 10	5.3%	9.3%	4.5%	8.2%	21.6%	51.1%
Grade 11	5.1%	5.6%	3.6%	7.2%	19.0%	59.5%
Grade 12	6.4%	4.3%	1.2%	2.6%	9.8%	75.8%
Smokeless Tobacco?						
All	16.1%	22.8%	10.0%	11.0%	13.4%	26.7%
Grade 7	21.7%	44.4%	13.0%	7.7%	6.6%	6.7%
Grade 8	16.1%	32.2%	13.3%	13.5%	13.1%	11.8%
Grade 9	15.8%	17.9%	11.6%	15.2%	16.9%	22.6%
Grade 10	13.9%	12.9%	7.4%	12.3%	16.0%	37.6%
Grade 11	13.2%	9.9%	6.9%	9.6%	17.8%	42.6%
Grade 12	13.2%	6.2%	2.4%	4.1%	9.7%	64.4%

region7
Spring 2006

Table T-6: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	44.9%	28.2%	15.1%	9.9%	1.9%
Grade 7	73.8%	18.2%	5.3%	2.2%	0.5%
Grade 8	60.6%	24.3%	10.1%	4.0%	1.0%
Grade 9	38.4%	33.3%	15.8%	10.2%	2.4%
Grade 10	30.3%	29.5%	20.2%	17.4%	2.6%
Grade 11	25.1%	34.2%	22.4%	15.3%	3.0%
Grade 12	23.8%	32.7%	23.8%	16.8%	2.9%
Smoke cigarettes?					
All	47.4%	28.8%	13.5%	8.8%	1.5%
Grade 7	74.6%	18.3%	4.6%	2.1%	0.5%
Grade 8	64.0%	24.0%	7.8%	3.5%	0.6%
Grade 9	41.6%	32.9%	14.1%	9.2%	2.2%
Grade 10	32.7%	32.4%	17.4%	15.4%	2.1%
Grade 11	28.1%	35.4%	20.8%	13.1%	2.5%
Grade 12	25.5%	33.8%	23.7%	15.2%	1.8%
Use a smokeless tobacco product?					
All	71.1%	17.0%	7.9%	3.3%	0.7%
Grade 7	90.9%	6.4%	2.1%	0.3%	0.3%
Grade 8	81.4%	11.6%	4.9%	1.6%	0.5%
Grade 9	68.5%	19.6%	8.1%	3.0%	0.8%
Grade 10	57.5%	22.8%	12.3%	6.3%	1.1%
Grade 11	57.9%	24.5%	11.5%	5.4%	0.7%
Grade 12	57.9%	22.3%	12.5%	5.8%	1.5%

region7
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	76.1%	9.0%	6.6%	1.0%	1.0%	6.3%
Grade 7	85.3%	3.4%	2.7%	0.6%	0.9%	7.0%
Grade 8	85.6%	5.7%	2.7%	0.3%	0.4%	5.3%
Grade 9	76.6%	8.1%	5.6%	1.2%	1.5%	7.0%
Grade 10	68.4%	13.1%	9.8%	1.0%	0.8%	6.9%
Grade 11	68.3%	13.7%	9.8%	1.4%	1.0%	5.8%
Grade 12	60.7%	16.0%	14.8%	1.9%	1.2%	5.4%

region7
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	49.4%	29.3%	13.1%	3.7%	4.5%
Grade 7	70.0%	19.6%	4.5%	1.3%	4.5%
Grade 8	60.4%	27.1%	8.3%	1.1%	3.0%
Grade 9	48.6%	30.6%	12.2%	3.8%	4.8%
Grade 10	35.5%	35.7%	17.9%	5.8%	5.2%
Grade 11	32.7%	34.6%	22.3%	6.0%	4.5%
Grade 12	33.8%	33.0%	20.4%	7.4%	5.5%

region7
Spring 2006

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	29.9%	41.5%	62.6%	37.4%
	Grade 7	12.8%	19.4%	40.2%	59.8%
	Grade 8	21.5%	31.7%	58.4%	41.6%
	Grade 9	31.8%	44.6%	65.4%	34.6%
	Grade 10	37.7%	51.9%	71.7%	28.3%
	Grade 11	42.1%	56.7%	75.5%	24.5%
	Grade 12	46.8%	59.8%	76.4%	23.6%
Beer					
	All	20.2%	29.7%	47.6%	52.4%
	Grade 7	7.5%	12.4%	28.1%	71.9%
	Grade 8	12.5%	20.8%	41.1%	58.9%
	Grade 9	20.7%	31.0%	50.6%	49.4%
	Grade 10	28.1%	40.1%	58.1%	41.9%
	Grade 11	29.9%	42.6%	59.0%	41.0%
	Grade 12	33.0%	44.6%	59.9%	40.1%
Wine coolers					
	All	13.6%	23.4%	40.0%	60.0%
	Grade 7	5.3%	9.3%	19.1%	80.9%
	Grade 8	8.8%	15.2%	30.8%	69.2%
	Grade 9	15.8%	26.7%	43.6%	56.4%
	Grade 10	18.6%	32.8%	52.6%	47.4%
	Grade 11	18.6%	33.3%	52.8%	47.2%
	Grade 12	19.9%	32.4%	55.0%	45.0%
Wine					
	All	13.3%	23.6%	45.1%	54.9%
	Grade 7	6.6%	11.9%	28.1%	71.9%
	Grade 8	12.1%	20.5%	42.0%	58.0%
	Grade 9	14.2%	25.5%	48.1%	51.9%
	Grade 10	14.8%	27.5%	53.1%	46.9%
	Grade 11	16.0%	29.2%	51.3%	48.7%
	Grade 12	20.3%	34.5%	58.0%	42.0%
Liquor					
	All	20.5%	30.4%	45.2%	54.8%
	Grade 7	5.8%	9.4%	18.8%	81.2%
	Grade 8	10.7%	17.2%	33.7%	66.3%
	Grade 9	21.9%	32.9%	49.7%	50.3%
	Grade 10	26.7%	41.0%	55.8%	44.2%
	Grade 11	33.8%	48.1%	64.2%	35.8%
	Grade 12	36.7%	49.8%	65.2%	34.8%

region7
Spring 2006

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	42.1%	0.9%	3.8%	12.7%	16.4%	13.3%	10.9%
	Grade 7	66.0%	0.3%	1.4%	3.8%	7.8%	10.1%	10.6%
	Grade 8	46.9%	0.9%	2.4%	8.1%	14.4%	14.4%	12.9%
	Grade 9	38.8%	1.2%	4.4%	12.9%	17.5%	14.4%	10.9%
	Grade 10	32.5%	0.4%	4.1%	18.7%	18.8%	14.6%	10.9%
	Grade 11	28.1%	0.5%	5.3%	19.4%	22.0%	14.9%	9.7%
	Grade 12	28.1%	2.7%	7.1%	19.8%	22.2%	10.9%	9.2%
Beer?								
	All	52.9%	0.5%	2.8%	9.5%	13.2%	10.6%	10.5%
	Grade 7	74.2%	0.1%	1.0%	2.4%	5.7%	7.3%	9.2%
	Grade 8	60.0%	0.7%	1.2%	4.4%	11.3%	11.1%	11.2%
	Grade 9	49.0%	0.7%	3.1%	9.7%	13.5%	12.2%	11.7%
	Grade 10	44.8%	0.1%	3.5%	14.0%	17.0%	10.6%	10.0%
	Grade 11	38.9%	0.2%	4.5%	15.4%	19.3%	11.7%	10.1%
	Grade 12	38.6%	2.1%	5.6%	17.3%	15.9%	10.5%	10.1%
Wine coolers?								
	All	60.2%	0.2%	1.6%	6.1%	10.5%	11.8%	9.6%
	Grade 7	82.0%	0.2%	0.7%	1.4%	4.3%	5.1%	6.4%
	Grade 8	69.0%	0.4%	1.0%	3.4%	6.9%	10.5%	8.7%
	Grade 9	57.4%	0.2%	2.2%	7.0%	11.1%	13.0%	9.1%
	Grade 10	48.5%	0.1%	1.8%	9.0%	12.3%	16.0%	12.3%
	Grade 11	45.9%	0.0%	1.4%	8.7%	16.5%	15.4%	12.0%
	Grade 12	45.1%	0.0%	3.0%	10.2%	16.8%	13.2%	11.7%
Wine?								
	All	55.5%	0.2%	1.5%	5.3%	10.8%	14.4%	12.4%
	Grade 7	74.2%	0.1%	0.9%	2.0%	4.7%	8.6%	9.3%
	Grade 8	58.5%	0.1%	1.1%	4.5%	10.2%	14.2%	11.4%
	Grade 9	52.5%	0.1%	1.9%	6.2%	11.4%	14.1%	13.7%
	Grade 10	48.5%	0.1%	1.7%	6.4%	12.1%	16.3%	14.9%
	Grade 11	46.4%	0.1%	1.6%	6.9%	13.1%	18.6%	13.3%
	Grade 12	43.4%	0.8%	2.0%	7.5%	16.6%	16.9%	12.8%
Liquor?								
	All	56.4%	0.4%	2.6%	9.3%	12.7%	10.3%	8.3%
	Grade 7	82.7%	0.1%	0.7%	2.0%	3.3%	5.2%	5.9%
	Grade 8	66.9%	0.5%	1.5%	4.4%	8.3%	9.8%	8.6%
	Grade 9	52.9%	0.6%	2.9%	9.4%	13.9%	11.4%	8.9%
	Grade 10	44.9%	0.1%	2.9%	14.9%	14.7%	13.0%	9.4%
	Grade 11	38.2%	0.3%	3.1%	15.9%	20.8%	12.8%	8.8%
	Grade 12	36.5%	0.5%	6.5%	14.5%	22.0%	11.1%	8.8%

region7
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	51.4%	48.6%	11.7%	22.1%	14.9%
	Grade 7	70.0%	30.0%	2.2%	13.2%	14.5%
	Grade 8	57.8%	42.2%	4.2%	18.6%	19.4%
	Grade 9	46.9%	53.1%	11.7%	24.8%	16.6%
	Grade 10	42.7%	57.3%	17.3%	26.3%	13.8%
	Grade 11	40.5%	59.5%	21.1%	28.0%	10.3%
	Grade 12	40.1%	59.9%	22.6%	26.0%	11.3%
Wine Coolers						
	All	58.6%	41.4%	7.6%	23.8%	10.0%
	Grade 7	79.2%	20.8%	2.5%	10.5%	7.7%
	Grade 8	67.7%	32.3%	2.7%	17.7%	11.8%
	Grade 9	54.0%	46.0%	9.6%	27.3%	9.0%
	Grade 10	47.5%	52.5%	11.5%	30.3%	10.7%
	Grade 11	44.9%	55.1%	11.5%	32.3%	11.2%
	Grade 12	46.3%	53.7%	11.5%	32.5%	9.7%
Wine						
	All	53.8%	46.2%	3.7%	23.6%	18.9%
	Grade 7	70.3%	29.7%	1.3%	12.6%	15.8%
	Grade 8	56.4%	43.6%	2.3%	19.7%	21.6%
	Grade 9	49.3%	50.7%	5.2%	25.2%	20.3%
	Grade 10	48.5%	51.5%	4.5%	28.3%	18.7%
	Grade 11	46.0%	54.0%	5.0%	30.8%	18.2%
	Grade 12	45.2%	54.8%	5.2%	31.7%	17.9%
Liquor						
	All	54.1%	45.9%	11.7%	23.3%	10.9%
	Grade 7	80.3%	19.7%	2.0%	9.0%	8.7%
	Grade 8	65.3%	34.7%	4.8%	15.7%	14.2%
	Grade 9	50.3%	49.7%	12.8%	25.9%	11.0%
	Grade 10	41.0%	59.0%	17.5%	29.2%	12.4%
	Grade 11	36.5%	63.5%	21.5%	33.5%	8.5%
	Grade 12	34.2%	65.8%	18.6%	37.1%	10.1%

region7
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	80.1%	6.7%	4.1%	4.7%	2.2%	2.2%
	Grade 7	94.2%	2.7%	1.1%	1.2%	0.3%	0.6%
	Grade 8	90.7%	3.8%	2.1%	1.6%	0.6%	1.3%
	Grade 9	78.7%	7.2%	5.2%	4.0%	2.2%	2.6%
	Grade 10	73.7%	8.4%	4.2%	7.5%	4.2%	2.0%
	Grade 11	68.0%	10.3%	6.7%	8.5%	3.8%	2.7%
	Grade 12	61.8%	11.8%	7.1%	9.4%	4.0%	5.8%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.4	10.8	11.4	12.1	13.1	13.8
Beer	10.4	10.9	11.6	12.4	13.5	14.0
Wine Coolers	10.9	11.4	11.9	12.5	13.5	14.1
Wine	10.7	11.2	11.8	12.5	13.5	14.2
Liquor	11.0	11.8	12.6	13.3	14.2	14.9

region7
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	6.8%	12.9%	6.1%	11.1%	21.3%	41.7%
	Grade 7	10.9%	27.1%	10.4%	12.0%	17.1%	22.5%
	Grade 8	6.4%	17.9%	7.6%	13.9%	21.3%	32.8%
	Grade 9	6.3%	8.6%	5.7%	10.1%	21.3%	48.1%
	Grade 10	5.3%	7.1%	4.0%	10.4%	21.7%	51.4%
	Grade 11	4.4%	4.9%	3.4%	9.6%	23.9%	53.9%
	Grade 12	6.8%	4.3%	3.0%	9.4%	25.0%	51.5%
Wine coolers?							
	All	13.4%	15.6%	7.5%	12.0%	19.1%	32.5%
	Grade 7	23.7%	32.2%	10.4%	10.5%	10.7%	12.4%
	Grade 8	15.4%	22.6%	9.6%	15.2%	16.3%	20.8%
	Grade 9	10.9%	11.3%	7.8%	12.3%	20.7%	36.9%
	Grade 10	9.9%	6.8%	6.5%	12.2%	20.3%	44.3%
	Grade 11	7.6%	5.5%	4.0%	10.0%	24.8%	48.1%
	Grade 12	7.8%	5.3%	3.6%	10.9%	27.0%	45.4%
Wine?							
	All	8.0%	14.1%	8.2%	11.9%	20.1%	37.7%
	Grade 7	11.2%	30.1%	12.1%	11.8%	15.3%	19.5%
	Grade 8	8.0%	18.2%	10.9%	14.1%	17.7%	31.0%
	Grade 9	7.3%	9.7%	7.5%	12.6%	21.0%	41.9%
	Grade 10	7.7%	8.4%	6.2%	11.8%	20.9%	45.0%
	Grade 11	5.8%	5.4%	5.1%	10.1%	23.5%	50.1%
	Grade 12	7.4%	5.7%	3.7%	9.5%	25.7%	47.9%
Liquor?							
	All	7.8%	17.8%	8.6%	10.5%	18.7%	36.6%
	Grade 7	13.3%	37.6%	11.9%	9.7%	11.2%	16.4%
	Grade 8	7.9%	25.1%	11.8%	12.4%	17.0%	25.9%
	Grade 9	6.8%	12.6%	8.6%	10.5%	19.8%	41.7%
	Grade 10	5.4%	9.8%	6.9%	9.2%	21.6%	47.1%
	Grade 11	4.7%	6.6%	4.4%	10.5%	22.2%	51.6%
	Grade 12	7.8%	4.1%	4.8%	9.8%	24.7%	48.7%

region7
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	92.0%	6.0%	1.0%	1.0%
Grade 7	95.6%	3.5%	0.6%	0.3%
Grade 8	94.4%	4.1%	0.8%	0.8%
Grade 9	90.1%	7.4%	0.9%	1.6%
Grade 10	90.3%	7.4%	1.4%	0.8%
Grade 11	90.5%	6.9%	1.1%	1.5%
Grade 12	89.0%	8.8%	1.5%	0.8%
Gotten into trouble with teachers because of your drinking?				
All	97.7%	1.6%	0.4%	0.3%
Grade 7	98.4%	1.1%	0.3%	0.2%
Grade 8	97.9%	1.5%	0.2%	0.4%
Grade 9	97.3%	1.9%	0.4%	0.4%
Grade 10	96.9%	1.8%	0.9%	0.3%
Grade 11	98.0%	1.6%	0.2%	0.2%
Grade 12	97.6%	1.5%	0.5%	0.4%

region7
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.8
Alcohol Non-users:	3.9

Average days conduct problems reported	
Alcohol Users:	3.6
Alcohol Non-users:	1.4

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	89.5%	7.7%	1.4%	1.3%
Grade 9	94.7%	4.3%	0.5%	0.6%
Grade 10	91.2%	7.0%	0.8%	1.0%
Grade 11	85.5%	10.9%	2.2%	1.4%
Grade 12	83.3%	10.6%	2.9%	3.2%
Gotten into trouble with the police because of drinking?				
All	96.8%	2.5%	0.3%	0.3%
Grade 7	98.5%	1.1%	0.2%	0.2%
Grade 8	99.0%	0.6%	0.2%	0.2%
Grade 9	96.4%	2.6%	0.5%	0.5%
Grade 10	95.5%	3.7%	0.3%	0.6%
Grade 11	95.2%	4.3%	0.2%	0.3%
Grade 12	94.0%	4.9%	0.8%	0.3%

region7
Spring 2006

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	31.9%	24.6%	17.3%	18.8%	7.3%
	Grade 7	62.9%	22.0%	9.1%	4.5%	1.6%
	Grade 8	43.5%	28.3%	15.6%	9.7%	2.8%
	Grade 9	25.5%	26.7%	19.9%	19.8%	8.1%
	Grade 10	15.7%	23.8%	18.8%	31.5%	10.3%
	Grade 11	13.3%	22.9%	22.1%	30.1%	11.5%
	Grade 12	13.1%	21.8%	21.3%	28.4%	15.4%
Beer?						
	All	37.0%	24.0%	17.3%	16.0%	5.6%
	Grade 7	68.4%	19.5%	7.9%	3.3%	0.9%
	Grade 8	50.3%	25.9%	15.3%	6.5%	2.1%
	Grade 9	30.2%	27.9%	19.6%	16.0%	6.2%
	Grade 10	20.8%	24.0%	18.2%	28.6%	8.4%
	Grade 11	18.8%	23.0%	23.7%	26.0%	8.5%
	Grade 12	16.0%	22.4%	23.3%	26.3%	12.1%
Wine coolers?						
	All	53.2%	20.9%	13.5%	9.1%	3.2%
	Grade 7	79.4%	12.3%	5.0%	2.4%	0.8%
	Grade 8	66.3%	18.4%	9.1%	4.6%	1.5%
	Grade 9	46.9%	23.3%	14.9%	10.4%	4.5%
	Grade 10	38.2%	25.2%	17.9%	14.5%	4.1%
	Grade 11	36.8%	24.3%	19.1%	14.7%	5.0%
	Grade 12	36.2%	26.6%	21.0%	11.5%	4.6%
Wine?						
	All	57.2%	23.2%	10.8%	6.2%	2.5%
	Grade 7	79.0%	13.6%	5.2%	1.6%	0.6%
	Grade 8	65.2%	21.6%	8.1%	3.8%	1.3%
	Grade 9	52.2%	25.8%	11.7%	6.8%	3.5%
	Grade 10	45.4%	28.0%	13.0%	10.3%	3.2%
	Grade 11	46.4%	25.8%	14.7%	9.7%	3.4%
	Grade 12	43.1%	28.8%	16.1%	8.0%	3.9%
Liquor?						
	All	45.3%	19.7%	14.4%	15.3%	5.3%
	Grade 7	78.6%	12.5%	5.5%	2.6%	0.7%
	Grade 8	61.8%	18.4%	11.3%	7.1%	1.4%
	Grade 9	39.3%	23.4%	15.8%	15.5%	6.0%
	Grade 10	26.1%	22.1%	18.4%	25.3%	8.1%
	Grade 11	22.8%	21.0%	20.9%	26.1%	9.2%
	Grade 12	21.8%	23.0%	19.1%	25.4%	10.7%

region7
Spring 2006

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	92.6%	6.4%	0.5%	0.5%
Grade 7	97.5%	2.0%	0.2%	0.3%
Grade 8	96.0%	3.4%	0.2%	0.4%
Grade 9	91.5%	6.9%	0.5%	1.0%
Grade 10	89.1%	9.7%	0.8%	0.3%
Grade 11	89.5%	9.2%	1.0%	0.4%
Grade 12	87.6%	10.4%	1.0%	0.9%
Been criticized by someone you were dating because of drinking?				
All	93.4%	5.8%	0.5%	0.3%
Grade 7	98.1%	1.5%	0.3%	0.1%
Grade 8	96.7%	2.9%	0.1%	0.2%
Grade 9	92.5%	6.6%	0.5%	0.4%
Grade 10	90.3%	9.2%	0.3%	0.3%
Grade 11	90.5%	8.1%	0.7%	0.6%
Grade 12	88.5%	9.5%	1.4%	0.6%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	45.7%	10.7%	6.6%	10.4%	14.7%	1.5%	10.4%
Grade 7	72.3%	9.1%	3.4%	2.8%	1.7%	1.6%	9.1%
Grade 8	65.4%	13.9%	5.8%	5.5%	2.1%	1.7%	5.5%
Grade 9	39.1%	11.4%	8.5%	11.0%	15.1%	1.6%	13.2%
Grade 10	28.0%	11.3%	8.0%	16.3%	23.5%	1.8%	11.2%
Grade 11	23.3%	8.9%	7.8%	16.8%	29.0%	0.9%	13.2%
Grade 12	24.2%	7.5%	6.5%	16.9%	31.2%	1.1%	12.6%

region7
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	43.2%	22.6%	23.6%	7.2%	3.5%
	Grade 7	59.7%	18.7%	16.0%	4.3%	1.3%
	Grade 8	46.3%	18.8%	23.6%	8.4%	2.9%
	Grade 9	41.6%	19.3%	26.0%	8.5%	4.7%
	Grade 10	35.8%	26.6%	27.0%	7.7%	2.9%
	Grade 11	33.9%	29.1%	26.7%	6.2%	4.1%
	Grade 12	32.5%	29.1%	24.2%	8.3%	5.9%
From friends						
	All	43.0%	19.0%	14.4%	16.7%	6.9%
	Grade 7	63.2%	23.7%	7.1%	4.6%	1.4%
	Grade 8	51.2%	25.0%	12.3%	8.5%	3.0%
	Grade 9	39.9%	18.8%	16.4%	18.3%	6.6%
	Grade 10	32.4%	17.3%	16.7%	23.8%	9.9%
	Grade 11	29.9%	11.8%	19.0%	26.9%	12.4%
	Grade 12	28.5%	12.0%	17.8%	28.3%	13.4%
From a store						
	All	44.8%	42.6%	6.9%	3.9%	1.9%
	Grade 7	63.3%	33.4%	2.2%	0.8%	0.4%
	Grade 8	52.1%	43.4%	2.4%	1.5%	0.6%
	Grade 9	42.3%	45.5%	7.9%	2.8%	1.5%
	Grade 10	34.1%	46.9%	10.9%	5.5%	2.6%
	Grade 11	33.2%	44.8%	10.9%	7.5%	3.6%
	Grade 12	32.0%	43.0%	11.1%	8.9%	5.1%
At parties						
	All	42.5%	18.8%	13.3%	13.4%	12.0%
	Grade 7	61.0%	23.1%	8.1%	5.6%	2.3%
	Grade 8	50.5%	23.4%	13.6%	7.9%	4.6%
	Grade 9	39.9%	19.2%	14.2%	14.7%	11.9%
	Grade 10	32.4%	16.3%	15.0%	17.1%	19.2%
	Grade 11	30.3%	13.6%	14.7%	21.8%	19.6%
	Grade 12	28.7%	12.6%	15.9%	18.4%	24.4%
Other source						
	All	44.2%	26.4%	13.9%	8.6%	6.9%
	Grade 7	61.5%	24.6%	7.8%	4.2%	2.0%
	Grade 8	49.6%	25.0%	14.0%	7.7%	3.7%
	Grade 9	42.1%	25.4%	15.3%	9.7%	7.5%
	Grade 10	34.6%	28.3%	16.5%	10.1%	10.5%
	Grade 11	34.0%	27.5%	16.1%	11.6%	10.9%
	Grade 12	32.5%	30.4%	15.9%	10.4%	10.7%

region7
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	63.7%	16.4%	9.8%	3.0%	1.2%	6.0%
Grade 7	76.3%	9.6%	4.5%	1.3%	0.9%	7.4%
Grade 8	71.0%	13.0%	7.7%	2.2%	0.5%	5.7%
Grade 9	61.4%	16.5%	9.5%	4.2%	1.6%	6.7%
Grade 10	54.7%	19.7%	15.4%	2.6%	1.7%	5.9%
Grade 11	56.1%	21.2%	12.2%	4.0%	1.4%	5.0%
Grade 12	52.6%	24.1%	13.3%	4.3%	1.3%	4.5%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	46.9%	32.2%	14.3%	3.3%	3.4%
Grade 7	60.5%	23.0%	10.4%	2.3%	3.8%
Grade 8	50.5%	30.3%	14.6%	2.7%	2.0%
Grade 9	46.3%	32.0%	14.1%	3.6%	3.9%
Grade 10	39.5%	34.5%	16.9%	5.1%	3.9%
Grade 11	38.3%	39.3%	15.7%	3.5%	3.0%
Grade 12	37.9%	39.8%	15.4%	2.6%	4.4%

region7
Spring 2006

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	11.0%	16.6%	25.9%	74.1%
	Grade 7	3.3%	4.6%	8.0%	92.0%
	Grade 8	5.4%	8.2%	14.0%	86.0%
	Grade 9	12.3%	18.8%	27.3%	72.7%
	Grade 10	15.2%	21.8%	36.1%	63.9%
	Grade 11	17.7%	28.2%	43.2%	56.8%
	Grade 12	18.3%	27.2%	41.0%	59.0%
Cocaine?					
	All	2.2%	3.6%	6.1%	93.9%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	1.1%	1.3%	2.6%	97.4%
	Grade 9	2.2%	2.9%	5.3%	94.7%
	Grade 10	3.1%	5.5%	8.2%	91.8%
	Grade 11	3.9%	6.9%	12.2%	87.8%
	Grade 12	4.3%	7.5%	11.6%	88.4%
Crack?					
	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.2%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	0.6%	1.3%	2.2%	97.8%
	Grade 11	0.4%	0.8%	2.7%	97.3%
	Grade 12	0.0%	0.3%	1.4%	98.6%
Hallucinogens?					
	All	1.6%	3.0%	5.4%	94.6%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.6%	1.1%	2.6%	97.4%
	Grade 9	1.5%	2.8%	5.5%	94.5%
	Grade 10	3.1%	5.1%	7.6%	92.4%
	Grade 11	2.5%	5.1%	9.2%	90.8%
	Grade 12	2.9%	5.4%	10.1%	89.9%
Uppers?					
	All	2.4%	4.0%	6.0%	94.0%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	2.3%	3.8%	5.6%	94.4%
	Grade 10	4.3%	7.0%	8.9%	91.1%
	Grade 11	4.3%	7.7%	11.9%	88.1%
	Grade 12	3.9%	7.4%	11.2%	88.8%
Downers?					
	All	2.6%	4.2%	6.1%	93.9%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.1%	1.8%	98.2%
	Grade 9	2.8%	4.6%	5.8%	94.2%
	Grade 10	4.6%	7.4%	9.2%	90.8%
	Grade 11	4.8%	7.6%	11.9%	88.1%
	Grade 12	4.4%	7.5%	12.6%	87.4%

region7
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?	All	0.8%	1.0%	2.1%	97.9%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.6%	1.3%	98.7%
	Grade 9	1.1%	1.3%	2.7%	97.3%
	Grade 10	1.6%	2.0%	3.6%	96.4%
	Grade 11	0.4%	0.9%	2.3%	97.7%
	Grade 12	0.7%	1.0%	2.4%	97.6%
	Steroids?	All	0.6%	0.8%	1.5%
Grade 7		0.3%	0.5%	1.3%	98.7%
Grade 8		0.5%	0.8%	1.9%	98.1%
Grade 9		0.8%	0.9%	1.3%	98.7%
Grade 10		0.8%	1.0%	1.8%	98.2%
Grade 11		0.7%	0.9%	1.5%	98.5%
Grade 12		0.5%	0.7%	1.1%	98.9%
Ecstasy?		All	1.9%	3.3%	5.6%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.7%	1.2%	2.7%	97.3%
	Grade 9	2.5%	3.5%	5.8%	94.2%
	Grade 10	3.8%	6.2%	9.7%	90.3%
	Grade 11	2.6%	4.9%	8.8%	91.2%
	Grade 12	3.1%	5.9%	9.1%	90.9%
	Heroin?	All	0.5%	0.7%	1.4%
Grade 7		0.3%	0.4%	0.8%	99.2%
Grade 8		0.5%	1.0%	1.6%	98.4%
Grade 9		0.5%	0.8%	1.5%	98.5%
Grade 10		0.8%	0.9%	1.4%	98.6%
Grade 11		0.5%	0.7%	2.0%	98.0%
Grade 12		0.3%	0.3%	0.8%	99.2%

region7
Spring 2006

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	77.0%	2.5%	2.6%	3.9%	4.2%	4.4%	5.5%
	Grade 7	92.8%	0.6%	1.0%	1.0%	1.3%	1.3%	2.0%
	Grade 8	86.9%	0.8%	2.2%	2.0%	2.6%	2.6%	3.0%
	Grade 9	76.1%	2.3%	3.2%	4.9%	4.3%	4.2%	5.1%
	Grade 10	67.1%	3.1%	3.2%	5.2%	5.9%	6.4%	9.2%
	Grade 11	62.1%	4.8%	4.0%	5.8%	6.7%	8.3%	8.3%
	Grade 12	65.7%	5.5%	1.9%	6.2%	6.8%	5.1%	8.8%
Cocaine?								
	All	94.8%	0.1%	0.4%	0.8%	1.2%	1.2%	1.6%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.3%	0.1%	0.3%
	Grade 8	97.6%	0.2%	0.5%	0.6%	0.3%	0.4%	0.5%
	Grade 9	95.2%	0.1%	0.2%	0.6%	0.9%	1.7%	1.3%
	Grade 10	92.6%	0.1%	1.0%	1.8%	2.0%	1.0%	1.5%
	Grade 11	89.8%	0.2%	0.3%	1.1%	2.3%	2.5%	3.8%
	Grade 12	90.9%	0.2%	0.2%	0.7%	2.9%	1.9%	3.3%
Crack?								
	All	98.5%	0.1%	0.0%	0.2%	0.2%	0.3%	0.5%
	Grade 7	99.0%	0.1%	0.0%	0.2%	0.1%	0.3%	0.3%
	Grade 8	98.9%	0.2%	0.0%	0.2%	0.3%	0.2%	0.3%
	Grade 9	98.4%	0.2%	0.1%	0.2%	0.5%	0.2%	0.4%
	Grade 10	98.2%	0.0%	0.0%	0.3%	0.2%	1.0%	0.3%
	Grade 11	97.4%	0.1%	0.1%	0.3%	0.2%	0.4%	1.6%
	Grade 12	99.4%	0.0%	0.0%	0.1%	0.0%	0.0%	0.5%
Hallucinogens?								
	All	95.6%	0.0%	0.1%	0.4%	1.1%	1.4%	1.4%
	Grade 7	98.7%	0.0%	0.1%	0.1%	0.2%	0.3%	0.6%
	Grade 8	97.7%	0.0%	0.0%	0.2%	0.9%	0.6%	0.6%
	Grade 9	95.7%	0.1%	0.3%	0.4%	1.1%	1.0%	1.4%
	Grade 10	94.1%	0.0%	0.3%	0.5%	2.3%	1.6%	1.1%
	Grade 11	91.7%	0.0%	0.1%	0.4%	1.1%	3.8%	2.9%
	Grade 12	92.9%	0.0%	0.0%	0.7%	1.2%	2.3%	2.9%
Uppers?								
	All	94.3%	0.2%	0.3%	0.9%	1.6%	1.1%	1.5%
	Grade 7	99.1%	0.1%	0.0%	0.2%	0.2%	0.2%	0.1%
	Grade 8	98.5%	0.2%	0.1%	0.2%	0.5%	0.1%	0.5%
	Grade 9	94.9%	0.1%	0.3%	1.1%	1.6%	1.2%	0.8%
	Grade 10	90.7%	0.3%	0.5%	2.4%	2.6%	1.0%	2.5%
	Grade 11	87.9%	0.6%	0.8%	1.4%	3.0%	2.5%	3.9%
	Grade 12	90.6%	0.3%	0.5%	0.7%	3.4%	2.2%	2.3%
Downers?								
	All	94.0%	0.2%	0.3%	0.9%	1.9%	1.3%	1.5%
	Grade 7	99.0%	0.1%	0.1%	0.2%	0.2%	0.3%	0.1%
	Grade 8	98.6%	0.2%	0.1%	0.2%	0.5%	0.1%	0.3%
	Grade 9	94.6%	0.3%	0.3%	1.0%	1.4%	1.3%	1.1%
	Grade 10	90.3%	0.1%	0.5%	2.0%	3.9%	0.7%	2.5%
	Grade 11	87.7%	0.3%	0.4%	1.6%	3.7%	3.1%	3.2%
	Grade 12	88.7%	0.2%	0.5%	1.1%	3.9%	2.9%	2.8%

region7
Spring 2006

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.2%	0.0%	0.1%	0.3%	0.3%	0.6%	0.5%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.3%	0.1%
	Grade 8	99.0%	0.0%	0.0%	0.0%	0.1%	0.8%	0.1%
	Grade 9	98.0%	0.0%	0.1%	0.3%	0.7%	0.6%	0.3%
	Grade 10	96.6%	0.1%	0.4%	0.9%	0.8%	0.5%	0.7%
	Grade 11	97.6%	0.1%	0.0%	0.2%	0.2%	0.5%	1.4%
	Grade 12	98.0%	0.0%	0.0%	0.5%	0.2%	0.8%	0.4%
Steroids?								
	All	98.6%	0.3%	0.1%	0.2%	0.2%	0.2%	0.5%
	Grade 7	99.0%	0.2%	0.0%	0.0%	0.0%	0.3%	0.4%
	Grade 8	98.5%	0.0%	0.0%	0.0%	0.3%	0.5%	0.7%
	Grade 9	98.8%	0.4%	0.0%	0.4%	0.1%	0.1%	0.2%
	Grade 10	97.9%	0.9%	0.1%	0.4%	0.2%	0.3%	0.3%
	Grade 11	98.5%	0.3%	0.2%	0.2%	0.2%	0.2%	0.5%
	Grade 12	98.6%	0.1%	0.2%	0.0%	0.2%	0.1%	0.8%
Ecstasy?								
	All	94.6%	0.0%	0.1%	0.7%	1.0%	1.8%	1.7%
	Grade 7	99.0%	0.0%	0.0%	0.1%	0.1%	0.3%	0.4%
	Grade 8	96.8%	0.0%	0.2%	0.1%	0.9%	1.1%	0.9%
	Grade 9	95.0%	0.1%	0.2%	0.9%	0.9%	1.3%	1.7%
	Grade 10	90.5%	0.0%	0.2%	2.0%	1.8%	3.2%	2.3%
	Grade 11	91.4%	0.0%	0.0%	0.5%	1.6%	3.0%	3.4%
	Grade 12	92.1%	0.0%	0.2%	1.6%	1.3%	3.1%	1.7%
Heroin?								
	All	98.8%	0.0%	0.0%	0.1%	0.2%	0.3%	0.5%
	Grade 7	99.2%	0.0%	0.1%	0.0%	0.1%	0.1%	0.4%
	Grade 8	98.4%	0.0%	0.0%	0.0%	0.4%	0.4%	0.7%
	Grade 9	99.0%	0.0%	0.0%	0.2%	0.2%	0.1%	0.4%
	Grade 10	98.8%	0.0%	0.0%	0.2%	0.2%	0.4%	0.4%
	Grade 11	98.3%	0.1%	0.0%	0.0%	0.1%	0.6%	0.8%
	Grade 12	99.4%	0.2%	0.0%	0.0%	0.2%	0.1%	0.1%

region7
Spring 2006

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	12.4	12.7	13.4	14.1	14.8
Cocaine	12.1	12.2	13.4	14.6	15.0	16.1
Crack	11.4	11.7	13.1	14.1	14.4	15.5
Hallucinogens	11.5	12.5	13.4	13.6	14.9	16.1
Uppers	11.0	12.6	13.3	13.9	14.5	15.5
Downers	11.3	12.4	12.9	13.8	14.6	15.4
Rohypnol	11.3	12.8	13.0	13.8	14.2	14.8
Steroids	11.4	11.9	13.0	12.2	15.5	14.8
Ecstasy	11.7	12.9	13.4	14.6	15.4	16.1
Heroin	11.6	12.2	13.2	13.5	14.4	14.8

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	80.6%	0.8%	1.6%	6.2%	7.0%	3.6%	0.3%
	Grade 7	95.0%	0.6%	1.1%	3.2%	0.1%	0.0%	0.0%
	Grade 8	91.3%	0.7%	1.2%	4.8%	2.0%	0.0%	0.0%
	Grade 9	80.4%	0.9%	2.1%	7.4%	8.9%	0.1%	0.0%
	Grade 10	73.6%	0.4%	2.7%	7.9%	12.2%	3.2%	0.0%
	Grade 11	61.7%	1.4%	1.5%	9.0%	14.5%	11.8%	0.1%
	Grade 12	68.0%	0.6%	0.7%	5.8%	8.7%	13.5%	2.8%
Other family situation								
	All	62.1%	2.8%	4.9%	12.8%	12.3%	5.0%	0.2%
	Grade 7	85.6%	2.7%	4.4%	6.4%	0.8%	0.0%	0.0%
	Grade 8	76.4%	1.6%	4.6%	13.0%	4.4%	0.0%	0.0%
	Grade 9	60.6%	4.1%	5.9%	16.9%	12.1%	0.4%	0.0%
	Grade 10	47.1%	5.7%	4.7%	14.4%	24.4%	3.8%	0.1%
	Grade 11	47.9%	1.6%	5.0%	12.4%	19.2%	13.8%	0.2%
	Grade 12	44.3%	1.1%	3.7%	12.3%	18.1%	18.8%	1.7%

region7
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	9.1%	29.6%	10.0%	9.7%	14.5%	27.1%
	Grade 7	14.8%	55.8%	10.6%	6.1%	6.1%	6.8%
	Grade 8	9.3%	45.5%	12.6%	9.3%	9.6%	13.7%
	Grade 9	8.1%	23.5%	11.3%	11.1%	16.9%	29.2%
	Grade 10	6.7%	16.0%	8.3%	10.3%	19.7%	38.9%
	Grade 11	5.4%	11.3%	8.0%	10.3%	19.7%	45.4%
	Grade 12	9.1%	8.9%	6.1%	13.1%	19.5%	43.3%
Cocaine?							
	All	12.7%	37.4%	15.9%	13.8%	9.9%	10.2%
	Grade 7	16.9%	61.8%	11.1%	4.7%	3.1%	2.4%
	Grade 8	13.1%	52.1%	14.8%	9.8%	5.0%	5.3%
	Grade 9	12.3%	33.0%	19.0%	15.5%	9.9%	10.3%
	Grade 10	10.8%	23.8%	16.5%	18.2%	14.5%	16.3%
	Grade 11	10.1%	20.3%	18.4%	20.0%	14.5%	16.7%
	Grade 12	11.5%	15.8%	16.0%	20.4%	19.6%	16.7%
Crack?							
	All	13.8%	38.1%	17.2%	14.2%	8.4%	8.3%
	Grade 7	17.7%	61.4%	10.6%	4.8%	2.8%	2.8%
	Grade 8	13.5%	51.6%	16.1%	8.7%	5.0%	5.0%
	Grade 9	12.9%	33.4%	20.3%	14.7%	8.8%	9.9%
	Grade 10	12.7%	24.8%	19.5%	19.1%	11.7%	12.2%
	Grade 11	11.2%	22.8%	19.7%	21.9%	12.3%	12.2%
	Grade 12	14.9%	18.4%	18.6%	23.5%	14.0%	10.6%
Hallucinogens?							
	All	28.8%	30.2%	14.3%	11.0%	7.5%	8.2%
	Grade 7	44.6%	39.7%	7.7%	3.3%	2.3%	2.5%
	Grade 8	29.3%	42.5%	13.8%	6.0%	3.7%	4.6%
	Grade 9	25.7%	28.0%	17.3%	12.1%	7.9%	9.0%
	Grade 10	25.7%	22.7%	15.5%	14.4%	10.5%	11.3%
	Grade 11	20.3%	20.6%	16.7%	17.9%	12.1%	12.3%
	Grade 12	21.3%	16.8%	16.5%	17.7%	13.5%	14.1%
Uppers?							
	All	41.8%	22.7%	9.6%	8.7%	7.2%	9.9%
	Grade 7	56.0%	31.6%	6.1%	2.8%	1.5%	2.0%
	Grade 8	47.4%	32.5%	8.5%	4.2%	3.2%	4.3%
	Grade 9	38.7%	21.1%	12.1%	10.0%	7.8%	10.3%
	Grade 10	37.8%	15.0%	10.2%	10.4%	10.8%	16.0%
	Grade 11	31.9%	15.1%	11.9%	13.8%	11.1%	16.3%
	Grade 12	31.3%	11.5%	9.2%	16.3%	14.5%	17.1%
Downers?							
	All	42.0%	22.8%	9.5%	8.6%	7.4%	9.8%
	Grade 7	55.8%	31.8%	5.9%	2.7%	1.8%	2.0%
	Grade 8	47.5%	32.2%	8.4%	4.4%	3.0%	4.5%
	Grade 9	39.4%	21.3%	11.5%	9.8%	8.4%	9.7%
	Grade 10	37.5%	14.9%	10.5%	10.3%	10.6%	16.1%
	Grade 11	31.8%	15.1%	11.8%	13.6%	11.3%	16.3%
	Grade 12	31.7%	11.6%	9.8%	15.7%	14.0%	17.4%

region7
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?	All	45.7%	24.5%	10.7%	8.2%	4.6%	6.2%
	Grade 7	56.2%	31.9%	6.0%	2.4%	1.6%	1.8%
	Grade 8	47.0%	34.5%	9.2%	4.5%	2.0%	2.8%
	Grade 9	42.6%	23.0%	12.1%	9.6%	5.4%	7.2%
	Grade 10	39.8%	18.0%	13.9%	11.3%	6.2%	10.8%
	Grade 11	42.4%	16.3%	13.2%	11.6%	8.1%	8.5%
	Grade 12	42.8%	15.4%	11.5%	14.5%	6.3%	9.4%
	Steroids?	All	16.7%	38.3%	16.4%	12.0%	7.8%
Grade 7		20.4%	58.7%	11.6%	4.6%	2.4%	2.3%
Grade 8		14.2%	52.7%	15.7%	8.6%	4.3%	4.5%
Grade 9		15.3%	35.2%	19.1%	12.5%	8.0%	9.9%
Grade 10		16.6%	26.5%	18.4%	15.6%	9.5%	13.5%
Grade 11		15.5%	22.1%	19.2%	17.1%	12.7%	13.2%
Grade 12		19.6%	18.6%	14.1%	19.3%	15.1%	13.3%
Ecstasy?		All	23.3%	32.9%	13.6%	10.6%	8.4%
	Grade 7	42.4%	42.3%	7.6%	3.5%	2.3%	1.9%
	Grade 8	23.7%	47.3%	14.1%	5.6%	4.1%	5.3%
	Grade 9	19.4%	32.5%	16.0%	12.2%	8.6%	11.3%
	Grade 10	17.5%	24.7%	12.9%	16.0%	10.7%	18.3%
	Grade 11	14.3%	20.8%	17.7%	15.3%	14.7%	17.3%
	Grade 12	16.4%	17.0%	13.5%	16.6%	15.4%	21.1%
	Heroin?	All	19.1%	41.2%	18.3%	9.7%	5.4%
Grade 7		28.8%	55.1%	9.2%	3.1%	1.9%	1.9%
Grade 8		17.1%	56.2%	14.8%	5.0%	3.1%	3.8%
Grade 9		16.8%	38.8%	20.7%	10.0%	6.6%	7.1%
Grade 10		17.3%	31.0%	19.7%	13.4%	7.3%	11.3%
Grade 11		15.2%	29.0%	24.4%	15.1%	7.4%	8.9%
Grade 12		18.0%	22.1%	26.8%	17.4%	9.2%	6.4%

region7
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	90.2%	5.4%	1.7%	2.7%
Grade 7	96.6%	2.0%	0.5%	0.9%
Grade 8	93.8%	3.9%	1.2%	1.0%
Grade 9	89.5%	5.8%	1.7%	3.0%
Grade 10	87.1%	6.3%	2.5%	4.0%
Grade 11	84.4%	8.2%	2.8%	4.6%
Grade 12	85.7%	8.7%	1.9%	3.7%
Attended class while high from use of some other drug?				
All	94.1%	3.6%	1.2%	1.1%
Grade 7	97.5%	1.7%	0.4%	0.4%
Grade 8	96.9%	2.0%	0.4%	0.8%
Grade 9	93.4%	3.6%	1.3%	1.7%
Grade 10	90.9%	4.9%	2.6%	1.7%
Grade 11	90.6%	6.3%	2.0%	1.2%
Grade 12	92.7%	4.9%	1.1%	1.3%
Gotten into trouble with teachers because of your drug use?				
All	98.1%	1.5%	0.2%	0.3%
Grade 7	99.2%	0.5%	0.1%	0.2%
Grade 8	98.7%	0.9%	0.3%	0.2%
Grade 9	98.3%	1.3%	0.2%	0.2%
Grade 10	95.1%	4.2%	0.3%	0.4%
Grade 11	98.0%	1.3%	0.4%	0.3%
Grade 12	98.1%	1.3%	0.1%	0.5%

region7
Spring 2006

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	5.0
Marijuana Non-users:	4.1

Average days conduct problems reported	
Marijuana Users:	5.2
Marijuana Non-users:	1.7

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	89.9%	6.5%	1.5%	2.2%
Grade 9	94.5%	3.7%	1.0%	0.9%
Grade 10	90.8%	7.0%	0.8%	1.4%
Grade 11	85.4%	9.1%	2.0%	3.5%
Grade 12	86.2%	7.4%	2.8%	3.7%
Gotten into trouble with the police because of drug use?				
All	97.5%	2.1%	0.3%	0.2%
Grade 7	98.6%	0.8%	0.3%	0.3%
Grade 8	98.6%	1.0%	0.2%	0.2%
Grade 9	96.1%	3.1%	0.5%	0.3%
Grade 10	96.0%	3.6%	0.1%	0.3%
Grade 11	96.6%	2.9%	0.3%	0.2%
Grade 12	98.9%	1.0%	0.0%	0.1%

region7
Spring 2006

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	53.1%	19.5%	12.6%	10.7%	4.1%
Grade 7	80.8%	10.7%	4.4%	2.9%	1.1%
Grade 8	68.8%	16.6%	7.9%	5.2%	1.4%
Grade 9	47.3%	20.7%	14.4%	12.2%	5.4%
Grade 10	37.4%	22.8%	17.2%	15.9%	6.8%
Grade 11	31.2%	25.0%	19.7%	18.1%	6.1%
Grade 12	36.7%	26.8%	16.3%	14.7%	5.3%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.2%	5.3%	0.8%	0.6%
Grade 7	97.3%	2.1%	0.4%	0.3%
Grade 8	95.5%	3.5%	0.5%	0.5%
Grade 9	92.1%	5.7%	1.5%	0.7%
Grade 10	89.7%	8.6%	1.1%	0.7%
Grade 11	91.0%	7.4%	1.0%	0.6%
Grade 12	91.2%	7.1%	0.4%	1.3%
Been criticized by someone you were dating because of drug use?				
All	91.4%	5.0%	1.1%	1.1%
Grade 7	96.6%	1.9%	0.4%	0.3%
Grade 8	94.7%	3.0%	0.5%	0.7%
Grade 9	90.3%	5.9%	0.9%	1.8%
Grade 10	87.1%	7.5%	1.8%	1.5%
Grade 11	88.6%	7.1%	1.7%	1.4%
Grade 12	87.8%	6.5%	1.8%	1.3%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	55.6%	9.8%	6.5%	7.4%	8.0%	2.2%	10.5%
Grade 7	80.2%	4.5%	2.2%	1.3%	1.5%	1.1%	9.1%
Grade 8	76.5%	7.7%	3.1%	3.5%	1.4%	1.9%	5.8%
Grade 9	49.2%	11.8%	7.1%	8.1%	8.6%	2.1%	13.1%
Grade 10	39.4%	13.1%	9.8%	11.3%	12.3%	2.9%	11.1%
Grade 11	33.5%	11.3%	10.9%	13.6%	15.1%	2.6%	13.1%
Grade 12	35.1%	13.9%	8.9%	11.1%	15.5%	3.1%	12.4%

region7
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	80.4%	8.6%	4.7%	3.3%	2.3%	0.8%
	Grade 7	92.4%	3.1%	1.6%	1.4%	1.1%	0.4%
	Grade 8	88.4%	4.5%	2.9%	1.9%	2.0%	0.5%
	Grade 9	78.5%	9.2%	4.5%	3.8%	3.0%	1.0%
	Grade 10	73.6%	10.6%	6.9%	5.2%	3.0%	0.7%
	Grade 11	68.6%	14.9%	7.4%	4.6%	3.3%	1.1%
	Grade 12	72.3%	13.6%	7.1%	4.0%	1.9%	1.1%
Blunts?	All	81.7%	6.6%	3.2%	3.7%	4.1%	0.8%
	Grade 7	93.8%	2.1%	1.2%	1.2%	1.2%	0.5%
	Grade 8	89.6%	3.9%	1.3%	2.6%	2.1%	0.5%
	Grade 9	80.8%	6.7%	4.0%	3.0%	4.4%	1.1%
	Grade 10	74.3%	8.5%	3.9%	5.8%	6.8%	0.8%
	Grade 11	69.0%	12.6%	5.2%	5.8%	6.5%	0.9%
	Grade 12	74.1%	8.5%	5.0%	5.6%	5.7%	1.1%
Bongs or water pipes?	All	85.5%	6.2%	2.7%	2.9%	2.0%	0.6%
	Grade 7	95.7%	1.9%	0.9%	0.6%	0.5%	0.3%
	Grade 8	92.8%	3.5%	1.0%	1.5%	0.8%	0.4%
	Grade 9	84.7%	5.9%	3.1%	2.7%	2.5%	1.0%
	Grade 10	81.3%	7.9%	3.1%	4.4%	2.8%	0.5%
	Grade 11	74.2%	10.2%	5.2%	5.5%	3.9%	1.0%
	Grade 12	76.1%	12.0%	4.4%	4.7%	2.2%	0.6%
Pipes?	All	83.6%	5.4%	2.8%	4.6%	3.2%	0.5%
	Grade 7	94.6%	1.9%	1.0%	1.4%	0.7%	0.3%
	Grade 8	92.7%	3.1%	1.3%	1.5%	1.1%	0.3%
	Grade 9	82.4%	6.3%	2.9%	4.0%	3.6%	0.8%
	Grade 10	77.8%	7.2%	3.0%	6.4%	5.0%	0.5%
	Grade 11	70.9%	8.1%	5.2%	9.2%	5.9%	0.7%
	Grade 12	74.2%	8.0%	5.0%	8.0%	4.3%	0.5%
Some other way?	All	89.1%	5.3%	1.2%	1.3%	1.7%	1.4%
	Grade 7	95.9%	1.7%	0.8%	0.5%	0.5%	0.6%
	Grade 8	93.8%	3.2%	1.0%	0.4%	1.0%	0.7%
	Grade 9	87.6%	5.5%	1.1%	1.2%	3.1%	1.4%
	Grade 10	85.1%	6.2%	1.6%	3.4%	1.9%	1.8%
	Grade 11	82.4%	8.7%	2.0%	1.6%	2.5%	2.7%
	Grade 12	85.6%	9.3%	0.8%	1.5%	1.0%	1.8%

region7
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.8%	5.5%	4.4%	1.2%	1.3%	5.7%
Grade 7	86.9%	2.1%	2.3%	0.7%	1.2%	6.9%
Grade 8	87.8%	2.9%	2.4%	0.8%	0.7%	5.4%
Grade 9	80.8%	4.6%	4.2%	1.7%	2.1%	6.7%
Grade 10	75.5%	8.2%	8.0%	2.0%	1.3%	5.0%
Grade 11	76.8%	9.5%	5.4%	1.7%	1.5%	5.1%
Grade 12	77.8%	9.9%	6.3%	0.8%	0.9%	4.3%

region7
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	60.3%	17.3%	11.4%	7.4%	3.6%
	Grade 7	79.7%	9.3%	4.3%	2.5%	4.2%
	Grade 8	75.5%	12.2%	6.9%	3.2%	2.2%
	Grade 9	56.6%	19.3%	11.7%	8.3%	4.0%
	Grade 10	51.4%	21.2%	14.1%	9.6%	3.6%
	Grade 11	41.9%	23.9%	18.4%	12.5%	3.3%
	Grade 12	42.1%	22.2%	18.6%	11.8%	5.3%
Cocaine?						
	All	82.8%	9.7%	2.0%	1.0%	4.5%
	Grade 7	86.3%	6.7%	1.2%	0.8%	5.1%
	Grade 8	87.8%	7.1%	1.7%	0.6%	2.8%
	Grade 9	80.1%	11.6%	2.1%	1.5%	4.7%
	Grade 10	78.3%	12.1%	3.0%	1.4%	5.2%
	Grade 11	79.8%	12.3%	2.5%	0.8%	4.6%
	Grade 12	82.8%	9.9%	1.9%	0.5%	5.0%
Crack?						
	All	83.6%	8.3%	2.1%	1.4%	4.6%
	Grade 7	86.6%	6.4%	1.1%	0.9%	5.0%
	Grade 8	87.5%	6.8%	2.0%	0.7%	2.9%
	Grade 9	80.9%	10.2%	2.0%	2.1%	4.8%
	Grade 10	78.3%	9.8%	3.4%	1.8%	6.8%
	Grade 11	82.6%	9.4%	2.2%	1.4%	4.5%
	Grade 12	84.1%	7.3%	2.4%	1.7%	4.5%
Ecstasy?						
	All	81.3%	9.2%	2.3%	1.1%	6.1%
	Grade 7	83.0%	5.6%	0.9%	0.9%	9.6%
	Grade 8	86.2%	7.3%	1.7%	0.7%	4.1%
	Grade 9	79.9%	10.2%	2.4%	1.5%	6.0%
	Grade 10	75.4%	13.5%	3.1%	1.7%	6.2%
	Grade 11	79.0%	11.4%	3.5%	1.0%	5.1%
	Grade 12	82.3%	9.1%	2.9%	0.5%	5.2%
Steroids?						
	All	75.6%	13.9%	3.9%	1.5%	5.1%
	Grade 7	80.9%	9.8%	2.4%	1.1%	5.7%
	Grade 8	80.1%	11.2%	3.9%	1.1%	3.7%
	Grade 9	73.1%	15.3%	4.3%	2.0%	5.3%
	Grade 10	71.4%	16.9%	3.7%	1.8%	6.2%
	Grade 11	71.2%	17.2%	5.1%	1.6%	4.8%
	Grade 12	73.4%	15.4%	4.4%	1.7%	5.1%
Heroin?						
	All	86.4%	6.1%	1.1%	0.8%	5.6%
	Grade 7	85.7%	5.3%	0.7%	0.8%	7.6%
	Grade 8	90.1%	4.7%	1.0%	0.5%	3.7%
	Grade 9	83.9%	8.2%	1.5%	1.2%	5.3%
	Grade 10	83.1%	7.9%	1.4%	1.2%	6.4%
	Grade 11	86.8%	5.9%	0.9%	0.8%	5.6%
	Grade 12	88.9%	4.6%	0.9%	0.5%	5.1%

region7
Spring 2006

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	1.9%	4.1%	6.5%	93.5%
	Grade 7	0.2%	1.2%	2.2%	97.8%
	Grade 8	0.9%	2.0%	3.3%	96.7%
	Grade 9	1.7%	4.6%	6.4%	93.6%
	Grade 10	3.8%	8.5%	12.4%	87.6%
	Grade 11	3.8%	6.0%	10.0%	90.0%
	Grade 12	2.5%	4.2%	7.9%	92.1%
Codeine?					
	All	2.5%	5.5%	8.6%	91.4%
	Grade 7	0.4%	1.5%	2.5%	97.5%
	Grade 8	1.1%	2.7%	4.9%	95.1%
	Grade 9	2.7%	6.6%	8.9%	91.1%
	Grade 10	2.9%	8.1%	12.2%	87.8%
	Grade 11	4.7%	9.0%	14.1%	85.9%
	Grade 12	4.6%	7.6%	13.1%	86.9%

region7
Spring 2006

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	5.3%	8.1%	16.4%	83.6%
	Grade 7	6.3%	8.1%	17.3%	82.7%
	Grade 8	9.2%	11.6%	18.9%	81.1%
	Grade 9	5.1%	8.3%	17.5%	82.5%
	Grade 10	3.1%	7.8%	17.3%	82.7%
	Grade 11	3.7%	6.6%	13.8%	86.2%
	Grade 12	1.4%	3.5%	10.1%	89.9%
Liquid or spray paint?					
	All	1.6%	2.5%	6.3%	93.7%
	Grade 7	2.0%	2.8%	6.4%	93.6%
	Grade 8	2.1%	3.6%	8.5%	91.5%
	Grade 9	1.3%	2.2%	6.6%	93.4%
	Grade 10	1.9%	2.8%	6.9%	93.1%
	Grade 11	0.9%	1.4%	5.0%	95.0%
	Grade 12	1.0%	1.1%	2.1%	97.9%
Whiteout, correction fld?					
	All	1.5%	2.7%	6.1%	93.9%
	Grade 7	2.2%	3.3%	7.2%	92.8%
	Grade 8	2.2%	4.1%	8.5%	91.5%
	Grade 9	1.3%	2.8%	6.9%	93.1%
	Grade 10	1.8%	3.0%	5.9%	94.1%
	Grade 11	0.7%	1.3%	4.1%	95.9%
	Grade 12	0.1%	0.2%	0.9%	99.1%
Gasoline?					
	All	1.3%	1.9%	4.3%	95.7%
	Grade 7	1.3%	1.6%	3.7%	96.3%
	Grade 8	1.4%	2.7%	5.4%	94.6%
	Grade 9	1.3%	1.7%	4.9%	95.1%
	Grade 10	1.8%	2.8%	3.9%	96.1%
	Grade 11	0.6%	1.0%	4.0%	96.0%
	Grade 12	1.3%	1.5%	2.8%	97.2%
Freon?					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	0.4%	0.7%	1.2%	98.8%
	Grade 9	0.9%	1.2%	2.1%	97.9%
	Grade 10	0.6%	1.0%	2.7%	97.3%
	Grade 11	0.6%	0.9%	2.0%	98.0%
	Grade 12	0.2%	0.3%	2.1%	97.9%
Poppers, Locker Room?					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.7%	1.2%	1.8%	98.2%
	Grade 8	0.6%	1.0%	2.0%	98.0%
	Grade 9	0.7%	0.9%	1.7%	98.3%
	Grade 10	0.4%	0.7%	1.4%	98.6%
	Grade 11	0.8%	0.9%	1.5%	98.5%
	Grade 12	0.1%	0.2%	0.4%	99.6%

**region7
Spring 2006**

**Table I-1: How recently, if ever, have you used...
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	0.9%	1.4%	3.3%	96.7%
	Grade 7	1.3%	1.9%	4.6%	95.4%
	Grade 8	1.1%	2.0%	3.7%	96.3%
	Grade 9	0.8%	1.3%	3.1%	96.9%
	Grade 10	1.0%	1.3%	4.6%	95.4%
	Grade 11	0.5%	0.7%	1.9%	98.1%
	Grade 12	0.2%	0.2%	0.8%	99.2%
Paint, lacquer thinner?					
	All	1.2%	1.8%	3.9%	96.1%
	Grade 7	1.1%	1.5%	3.2%	96.8%
	Grade 8	1.2%	2.3%	5.1%	94.9%
	Grade 9	1.3%	1.9%	4.2%	95.8%
	Grade 10	1.8%	3.1%	5.1%	94.9%
	Grade 11	1.1%	1.3%	3.3%	96.7%
	Grade 12	0.3%	0.3%	1.4%	98.6%
Nitrous oxide?					
	All	1.2%	2.1%	4.6%	95.4%
	Grade 7	1.0%	1.4%	2.9%	97.1%
	Grade 8	0.9%	2.0%	4.4%	95.6%
	Grade 9	1.6%	2.6%	5.5%	94.5%
	Grade 10	1.2%	2.0%	4.9%	95.1%
	Grade 11	1.7%	2.6%	5.7%	94.3%
	Grade 12	1.0%	2.0%	4.8%	95.2%
Octane booster?					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.2%	0.5%	0.8%	99.2%
	Grade 9	0.4%	0.7%	1.0%	99.0%
	Grade 10	0.2%	0.3%	1.5%	98.5%
	Grade 11	0.4%	0.5%	0.7%	99.3%
	Grade 12	0.1%	0.1%	0.5%	99.5%
Other sprays?					
	All	1.0%	1.7%	3.5%	96.5%
	Grade 7	1.4%	2.1%	4.2%	95.8%
	Grade 8	1.2%	2.2%	4.9%	95.1%
	Grade 9	1.1%	2.0%	3.8%	96.2%
	Grade 10	1.1%	1.9%	4.0%	96.0%
	Grade 11	0.7%	0.9%	2.0%	98.0%
	Grade 12	0.2%	0.5%	0.9%	99.1%
Other inhalants?					
	All	2.8%	4.3%	8.9%	91.1%
	Grade 7	2.8%	4.6%	9.9%	90.1%
	Grade 8	3.4%	4.7%	10.0%	90.0%
	Grade 9	2.7%	4.5%	10.0%	90.0%
	Grade 10	4.9%	6.8%	10.4%	89.6%
	Grade 11	2.0%	3.3%	6.5%	93.5%
	Grade 12	0.8%	1.1%	3.9%	96.1%

region7
Spring 2006

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.4%	0.2%	0.4%	0.7%	1.5%	1.6%	3.3%
Grade 7	91.3%	0.3%	0.7%	1.3%	1.9%	1.7%	2.9%
Grade 8	90.0%	0.2%	0.4%	0.9%	2.4%	2.1%	3.8%
Grade 9	91.8%	0.2%	0.7%	0.8%	1.5%	1.5%	3.7%
Grade 10	93.1%	0.0%	0.2%	0.3%	1.3%	1.9%	3.1%
Grade 11	94.2%	0.1%	0.1%	0.3%	0.4%	1.4%	3.6%
Grade 12	96.5%	0.0%	0.1%	0.0%	0.5%	0.5%	2.4%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	86.5%	5.3%	4.8%	3.4%
Grade 7	85.8%	5.9%	5.1%	3.2%
Grade 8	84.2%	5.4%	6.0%	4.4%
Grade 9	86.0%	5.5%	4.6%	4.0%
Grade 10	86.4%	4.3%	5.3%	4.0%
Grade 11	88.4%	5.0%	4.2%	2.5%
Grade 12	91.1%	5.6%	2.3%	1.0%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.6	11.3	12.1	12.8	13.1	13.3

region7
Spring 2006

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.2%	1.9%	0.4%	0.5%
Grade 7	97.3%	1.9%	0.3%	0.5%
Grade 8	96.1%	2.4%	0.8%	0.6%
Grade 9	96.8%	2.1%	0.1%	0.9%
Grade 10	97.0%	1.9%	0.9%	0.2%
Grade 11	98.2%	1.4%	0.1%	0.2%
Grade 12	98.3%	1.2%	0.2%	0.4%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	5.2
Inhalants Non-users:	4.2

Average days conduct problems reported	
Inhalants Users:	4.8
Inhalants Non-users:	2.1

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	84.4%	10.8%	3.1%	1.3%	0.4%
Grade 7	85.5%	10.2%	2.9%	1.1%	0.3%
Grade 8	84.6%	9.3%	4.6%	1.3%	0.2%
Grade 9	80.8%	13.4%	3.1%	2.0%	0.8%
Grade 10	81.6%	12.4%	4.2%	1.8%	0.1%
Grade 11	85.7%	11.1%	2.2%	0.8%	0.2%
Grade 12	90.9%	7.2%	0.8%	0.8%	0.4%

region7
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	73.1%	16.8%	3.9%	1.3%	4.9%
Grade 7	77.5%	13.0%	2.9%	1.4%	5.2%
Grade 8	78.1%	14.2%	3.7%	0.9%	3.0%
Grade 9	70.1%	19.5%	3.8%	1.7%	5.0%
Grade 10	68.7%	18.1%	5.7%	2.3%	5.1%
Grade 11	69.0%	20.8%	4.0%	0.9%	5.3%
Grade 12	73.0%	16.0%	3.7%	0.8%	6.5%

region7
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 54.6%
	Grade 7 57.5%
	Grade 8 66.8%
	Grade 9 70.8%
	Grade 10 46.4%
	Grade 11 32.6%
	Grade 12 37.6%
An assembly program	All 48.6%
	Grade 7 53.7%
	Grade 8 57.7%
	Grade 9 44.0%
	Grade 10 43.8%
	Grade 11 40.2%
	Grade 12 49.5%
Guidance counselor	All 20.7%
	Grade 7 31.6%
	Grade 8 22.5%
	Grade 9 19.2%
	Grade 10 15.7%
	Grade 11 15.2%
	Grade 12 15.6%
Science class	All 35.5%
	Grade 7 57.3%
	Grade 8 46.3%
	Grade 9 35.5%
	Grade 10 26.2%
	Grade 11 18.0%
	Grade 12 14.2%
Social studies class	All 14.2%
	Grade 7 16.7%
	Grade 8 14.1%
	Grade 9 14.7%
	Grade 10 13.4%
	Grade 11 11.8%
	Grade 12 13.2%
Student group session	All 15.3%
	Grade 7 16.4%
	Grade 8 17.9%
	Grade 9 14.3%
	Grade 10 12.7%
	Grade 11 14.5%
	Grade 12 14.9%

region7
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY	Yes
An invited school guest	All 41.3%
	Grade 7 46.0%
	Grade 8 56.1%
	Grade 9 37.1%
	Grade 10 37.0%
	Grade 11 28.8%
	Grade 12 36.8%
Another source at school	All 34.7%
	Grade 7 36.0%
	Grade 8 41.3%
	Grade 9 32.9%
	Grade 10 32.4%
	Grade 11 30.3%
	Grade 12 32.7%
Any school source	All 65.7%
	Grade 7 67.2%
	Grade 8 75.7%
	Grade 9 69.0%
	Grade 10 60.1%
	Grade 11 55.4%
	Grade 12 59.6%

region7
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
A counselor or program in	All 28.5%
	Grade 7 39.3%
	Grade 8 32.4%
	Grade 9 26.0%
	Grade 10 23.0%
	Grade 11 22.0%
	Grade 12 22.1%
Another adult in school (All 29.4%
	Grade 7 34.7%
	Grade 8 32.3%
	Grade 9 28.2%
	Grade 10 23.3%
	Grade 11 27.4%
	Grade 12 26.8%
A counselor or program ou	All 38.0%
	Grade 7 40.3%
	Grade 8 39.3%
	Grade 9 36.7%
	Grade 10 35.9%
	Grade 11 37.3%
	Grade 12 37.4%
Your parents	All 59.3%
	Grade 7 68.6%
	Grade 8 61.4%
	Grade 9 56.6%
	Grade 10 53.8%
	Grade 11 54.6%
	Grade 12 57.7%
A medical doctor	All 43.1%
	Grade 7 51.2%
	Grade 8 44.9%
	Grade 9 40.5%
	Grade 10 37.9%
	Grade 11 38.1%
	Grade 12 43.7%
Your friends	All 72.1%
	Grade 7 62.2%
	Grade 8 72.6%
	Grade 9 73.4%
	Grade 10 74.9%
	Grade 11 78.0%
	Grade 12 74.2%

region7
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative)	All	58.5%
	Grade 7	57.6%
	Grade 8	58.3%
	Grade 9	58.8%
	Grade 10	58.7%
	Grade 11	58.0%
	Grade 12	61.0%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	6.0%
	Grade 7	6.1%
	Grade 8	5.8%
	Grade 9	7.3%
	Grade 10	5.2%
	Grade 11	5.7%
	Grade 12	5.2%

region7
Spring 2006

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	3.8%	23.3%	24.4%	38.6%	10.0%
Grade 7	5.3%	20.3%	18.0%	38.2%	18.2%
Grade 8	3.4%	21.5%	21.9%	41.5%	11.7%
Grade 9	4.1%	23.4%	27.1%	36.7%	8.7%
Grade 10	2.6%	28.3%	27.3%	36.2%	5.7%
Grade 11	2.5%	25.0%	27.5%	38.9%	6.1%
Grade 12	4.7%	22.7%	27.2%	40.1%	5.3%
Sometimes carry weapons?					
All	63.6%	21.9%	9.2%	3.7%	1.5%
Grade 7	77.7%	15.0%	4.8%	1.8%	0.7%
Grade 8	68.6%	19.5%	7.9%	3.0%	1.0%
Grade 9	59.2%	24.3%	10.5%	4.1%	1.9%
Grade 10	54.3%	26.5%	12.3%	5.0%	1.9%
Grade 11	56.9%	25.4%	11.4%	4.6%	1.7%
Grade 12	59.0%	23.5%	9.8%	5.0%	2.6%
Care about making good grades?					
All	3.0%	12.1%	22.9%	44.0%	18.1%
Grade 7	3.2%	13.7%	17.8%	39.4%	25.9%
Grade 8	1.9%	9.8%	20.9%	45.1%	22.3%
Grade 9	3.4%	14.2%	24.6%	41.0%	16.9%
Grade 10	3.8%	13.9%	26.1%	44.9%	11.3%
Grade 11	2.3%	11.6%	24.6%	48.7%	12.9%
Grade 12	3.9%	7.7%	25.8%	47.9%	14.7%
Belong/want to belong to a gang?					
All	76.7%	13.9%	5.5%	2.6%	1.4%
Grade 7	80.2%	12.0%	4.6%	2.1%	1.1%
Grade 8	74.3%	15.8%	5.4%	3.3%	1.2%
Grade 9	72.4%	16.4%	6.4%	2.7%	2.1%
Grade 10	74.3%	13.7%	6.6%	3.3%	2.0%
Grade 11	78.4%	13.6%	4.6%	2.5%	1.0%
Grade 12	84.3%	8.7%	5.2%	0.8%	1.1%
Wish they could drop out of school?					
All	57.8%	27.1%	9.2%	3.7%	2.2%
Grade 7	66.2%	21.4%	6.6%	3.6%	2.2%
Grade 8	67.2%	21.5%	7.2%	2.3%	1.8%
Grade 9	51.3%	31.7%	9.8%	4.7%	2.6%
Grade 10	47.5%	32.3%	11.5%	5.0%	3.7%
Grade 11	50.3%	31.1%	12.4%	4.2%	1.9%
Grade 12	61.6%	26.1%	8.9%	2.3%	1.1%

region7
Spring 2006

Table X-5: How safe do you feel when you are:

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
In your home?					
All	80.3%	17.0%	1.2%	0.4%	1.1%
Grade 7	79.2%	17.5%	1.6%	0.6%	1.1%
Grade 8	79.1%	18.5%	1.1%	0.4%	0.9%
Grade 9	79.0%	18.1%	1.1%	0.6%	1.2%
Grade 10	78.9%	18.9%	1.1%	0.4%	0.6%
Grade 11	83.0%	14.0%	1.4%	0.2%	1.4%
Grade 12	85.4%	12.7%	0.5%	0.4%	1.1%
Out in your neighbourhood					
All	47.2%	42.5%	6.9%	1.9%	1.6%
Grade 7	41.3%	46.6%	8.2%	2.1%	1.8%
Grade 8	47.8%	43.6%	6.0%	1.2%	1.4%
Grade 9	43.0%	45.1%	7.6%	2.7%	1.6%
Grade 10	47.9%	40.8%	8.0%	1.8%	1.5%
Grade 11	52.7%	39.2%	5.4%	1.6%	1.0%
Grade 12	56.3%	34.0%	5.7%	1.7%	2.4%
At school					
All	39.3%	47.0%	7.6%	3.7%	2.4%
Grade 7	45.7%	41.6%	6.7%	3.5%	2.4%
Grade 8	48.0%	43.2%	5.4%	1.4%	2.0%
Grade 9	31.4%	52.7%	9.2%	3.9%	2.7%
Grade 10	28.3%	51.3%	10.6%	7.2%	2.6%
Grade 11	38.2%	49.2%	7.1%	3.2%	2.3%
Grade 12	42.1%	44.2%	7.0%	4.1%	2.6%

region7
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 26.2%
	Grade 7 19.1%
	Grade 8 27.2%
	Grade 9 27.8%
	Grade 10 28.1%
	Grade 11 27.8%
	Grade 12 29.6%
Books, magazines, poster	All 48.8%
	Grade 7 43.6%
	Grade 8 54.6%
	Grade 9 51.8%
	Grade 10 49.2%
	Grade 11 44.3%
	Grade 12 47.3%
TV, radio, or other audi	All 54.7%
	Grade 7 49.1%
	Grade 8 59.7%
	Grade 9 58.1%
	Grade 10 55.0%
	Grade 11 51.2%
	Grade 12 53.1%
Your parents	All 49.2%
	Grade 7 51.6%
	Grade 8 52.0%
	Grade 9 51.4%
	Grade 10 49.1%
	Grade 11 43.8%
	Grade 12 43.2%

region7
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.0%	20.2%	33.8%	66.2%
	Grade 7	4.6%	6.8%	15.6%	84.4%
	Grade 8	7.6%	12.0%	23.2%	76.8%
	Grade 9	14.7%	22.1%	37.8%	62.2%
	Grade 10	21.9%	27.9%	42.7%	57.3%
	Grade 11	25.7%	31.8%	47.4%	52.6%
	Grade 12	24.6%	30.3%	48.7%	51.3%
Alcohol					
	All	29.9%	41.5%	62.6%	37.4%
	Grade 7	12.8%	19.4%	40.2%	59.8%
	Grade 8	21.5%	31.7%	58.4%	41.6%
	Grade 9	31.8%	44.6%	65.4%	34.6%
	Grade 10	37.7%	51.9%	71.7%	28.3%
	Grade 11	42.1%	56.7%	75.5%	24.5%
	Grade 12	46.8%	59.8%	76.4%	23.6%
Inhalants					
	All	5.3%	8.1%	16.4%	83.6%
	Grade 7	6.3%	8.1%	17.3%	82.7%
	Grade 8	9.2%	11.6%	18.9%	81.1%
	Grade 9	5.1%	8.3%	17.5%	82.5%
	Grade 10	3.1%	7.8%	17.3%	82.7%
	Grade 11	3.7%	6.6%	13.8%	86.2%
	Grade 12	1.4%	3.5%	10.1%	89.9%
Any Illicit Drug					
	All	12.3%	18.0%	27.2%	72.8%
	Grade 7	3.9%	5.2%	9.3%	90.7%
	Grade 8	6.1%	9.3%	15.3%	84.7%
	Grade 9	14.0%	20.3%	29.1%	70.9%
	Grade 10	17.8%	24.9%	37.4%	62.6%
	Grade 11	19.2%	29.6%	44.4%	55.6%
	Grade 12	19.7%	28.4%	41.7%	58.3%
Marijuana					
	All	11.0%	16.6%	25.9%	74.1%
	Grade 7	3.3%	4.6%	8.0%	92.0%
	Grade 8	5.4%	8.2%	14.0%	86.0%
	Grade 9	12.3%	18.8%	27.3%	72.7%
	Grade 10	15.2%	21.8%	36.1%	63.9%
	Grade 11	17.7%	28.2%	43.2%	56.8%
	Grade 12	18.3%	27.2%	41.0%	59.0%
Marijuana Only					
	All	4.4%	7.5%	14.0%	86.0%
	Grade 7	2.0%	2.8%	5.5%	94.5%
	Grade 8	2.6%	4.5%	8.5%	91.5%
	Grade 9	5.2%	8.7%	14.9%	85.1%
	Grade 10	5.4%	9.3%	19.2%	80.8%
	Grade 11	6.0%	11.6%	22.2%	77.8%
	Grade 12	6.9%	11.4%	20.0%	80.0%

region7
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.8%	6.4%	93.6%
	Grade 7	0.5%	0.8%	1.8%	98.2%
	Grade 8	1.2%	1.4%	2.8%	97.2%
	Grade 9	2.6%	3.5%	6.2%	93.8%
	Grade 10	3.1%	5.7%	8.4%	91.6%
	Grade 11	3.9%	6.9%	12.2%	87.8%
	Grade 12	4.3%	7.4%	11.6%	88.4%
Cocaine					
	All	2.2%	3.6%	6.1%	93.9%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	1.1%	1.3%	2.6%	97.4%
	Grade 9	2.2%	2.9%	5.3%	94.7%
	Grade 10	3.1%	5.5%	8.2%	91.8%
	Grade 11	3.9%	6.9%	12.2%	87.8%
	Grade 12	4.3%	7.5%	11.6%	88.4%
Crack					
	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.2%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.8%	1.2%	2.0%	98.0%
	Grade 10	0.6%	1.3%	2.2%	97.8%
	Grade 11	0.4%	0.8%	2.7%	97.3%
	Grade 12	0.0%	0.3%	1.4%	98.6%
Hallucinogens					
	All	1.6%	3.0%	5.4%	94.6%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.6%	1.1%	2.6%	97.4%
	Grade 9	1.5%	2.8%	5.5%	94.5%
	Grade 10	3.1%	5.1%	7.6%	92.4%
	Grade 11	2.5%	5.1%	9.2%	90.8%
	Grade 12	2.9%	5.4%	10.1%	89.9%
Uppers					
	All	2.4%	4.0%	6.0%	94.0%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	2.3%	3.8%	5.6%	94.4%
	Grade 10	4.3%	7.0%	8.9%	91.1%
	Grade 11	4.3%	7.7%	11.9%	88.1%
	Grade 12	3.9%	7.4%	11.2%	88.8%
Downers					
	All	2.6%	4.2%	6.1%	93.9%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	0.6%	1.1%	1.8%	98.2%
	Grade 9	2.8%	4.6%	5.8%	94.2%
	Grade 10	4.6%	7.4%	9.2%	90.8%
	Grade 11	4.8%	7.6%	11.9%	88.1%
	Grade 12	4.4%	7.5%	12.6%	87.4%

region7
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.0%	2.1%	97.9%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.6%	1.3%	98.7%
	Grade 9	1.1%	1.3%	2.7%	97.3%
	Grade 10	1.6%	2.0%	3.6%	96.4%
	Grade 11	0.4%	0.9%	2.3%	97.7%
	Grade 12	0.7%	1.0%	2.4%	97.6%
Steroids					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.3%	0.5%	1.3%	98.7%
	Grade 8	0.5%	0.8%	1.9%	98.1%
	Grade 9	0.8%	0.9%	1.3%	98.7%
	Grade 10	0.8%	1.0%	1.8%	98.2%
	Grade 11	0.7%	0.9%	1.5%	98.5%
	Grade 12	0.5%	0.7%	1.1%	98.9%
Ecstasy					
	All	1.9%	3.3%	5.6%	94.4%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.7%	1.2%	2.7%	97.3%
	Grade 9	2.5%	3.5%	5.8%	94.2%
	Grade 10	3.8%	6.2%	9.7%	90.3%
	Grade 11	2.6%	4.9%	8.8%	91.2%
	Grade 12	3.1%	5.9%	9.1%	90.9%
Heroin					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.5%	1.0%	1.6%	98.4%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.8%	0.9%	1.4%	98.6%
	Grade 11	0.5%	0.7%	2.0%	98.0%
	Grade 12	0.3%	0.3%	0.8%	99.2%

region7
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.2%	22.3%	35.3%	64.7%
	Grade 7	5.8%	8.0%	17.7%	82.3%
	Grade 8	8.2%	12.0%	24.0%	76.0%
	Grade 9	16.4%	23.9%	39.4%	60.6%
	Grade 10	27.4%	32.5%	46.3%	53.7%
	Grade 11	27.8%	33.8%	47.5%	52.5%
	Grade 12	33.1%	40.1%	54.8%	45.2%
Alcohol					
	All	29.6%	40.9%	61.0%	39.0%
	Grade 7	14.0%	21.4%	42.5%	57.5%
	Grade 8	23.8%	34.9%	58.9%	41.1%
	Grade 9	29.3%	41.2%	61.2%	38.8%
	Grade 10	37.9%	50.0%	69.5%	30.5%
	Grade 11	40.7%	55.2%	72.9%	27.1%
	Grade 12	47.1%	60.5%	74.2%	25.8%
Inhalants					
	All	5.4%	8.3%	17.1%	82.9%
	Grade 7	6.7%	8.1%	18.8%	81.2%
	Grade 8	9.5%	11.7%	18.9%	81.1%
	Grade 9	4.7%	7.4%	16.6%	83.4%
	Grade 10	2.6%	9.4%	18.4%	81.6%
	Grade 11	3.9%	6.8%	14.2%	85.8%
	Grade 12	1.6%	3.5%	13.8%	86.2%
Any Illicit Drug					
	All	13.2%	18.9%	28.9%	71.1%
	Grade 7	4.5%	6.1%	10.6%	89.4%
	Grade 8	6.4%	10.1%	17.2%	82.8%
	Grade 9	15.6%	23.5%	33.1%	66.9%
	Grade 10	19.5%	25.3%	38.9%	61.1%
	Grade 11	19.3%	29.3%	45.2%	54.8%
	Grade 12	23.2%	30.8%	45.3%	54.7%
Marijuana					
	All	12.0%	17.6%	27.8%	72.2%
	Grade 7	4.0%	5.7%	9.9%	90.1%
	Grade 8	6.1%	9.4%	15.9%	84.1%
	Grade 9	14.2%	22.2%	31.1%	68.9%
	Grade 10	16.8%	21.8%	37.8%	62.2%
	Grade 11	18.2%	28.1%	44.6%	55.4%
	Grade 12	21.4%	29.0%	44.5%	55.5%
Marijuana Only					
	All	4.8%	8.3%	15.7%	84.3%
	Grade 7	2.1%	3.1%	6.6%	93.4%
	Grade 8	2.7%	5.1%	9.4%	90.6%
	Grade 9	6.3%	11.0%	17.8%	82.2%
	Grade 10	6.4%	9.2%	20.7%	79.3%
	Grade 11	6.2%	12.7%	24.7%	75.3%
	Grade 12	8.1%	12.3%	23.6%	76.4%

**region7
Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.4%	3.7%	6.1%	93.9%
	Grade 7	0.6%	0.8%	1.7%	98.3%
	Grade 8	1.3%	1.6%	3.0%	97.0%
	Grade 9	2.7%	3.7%	6.7%	93.3%
	Grade 10	3.4%	5.9%	7.9%	92.1%
	Grade 11	3.1%	5.4%	10.1%	89.9%
	Grade 12	5.8%	9.0%	12.2%	87.8%
Cocaine					
	All	2.2%	3.4%	5.7%	94.3%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	1.2%	1.4%	2.8%	97.2%
	Grade 9	2.0%	2.7%	5.6%	94.4%
	Grade 10	3.4%	5.8%	7.6%	92.4%
	Grade 11	3.1%	5.5%	10.1%	89.9%
	Grade 12	5.8%	9.0%	12.2%	87.8%
Crack					
	All	0.4%	0.7%	1.7%	98.3%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.6%	1.0%	99.0%
	Grade 9	1.1%	1.6%	2.3%	97.7%
	Grade 10	0.4%	0.6%	2.2%	97.8%
	Grade 11	0.3%	0.5%	1.9%	98.1%
	Grade 12	0.1%	0.5%	2.5%	97.5%
Hallucinogens					
	All	1.9%	3.5%	6.1%	93.9%
	Grade 7	0.6%	1.1%	1.7%	98.3%
	Grade 8	1.1%	1.7%	3.6%	96.4%
	Grade 9	1.8%	3.5%	6.9%	93.1%
	Grade 10	3.6%	6.5%	9.0%	91.0%
	Grade 11	2.9%	5.4%	9.7%	90.3%
	Grade 12	3.2%	5.5%	9.9%	90.1%
Uppers					
	All	2.1%	3.5%	5.2%	94.8%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.6%	1.0%	2.6%	97.4%
	Grade 9	2.3%	4.2%	5.9%	94.1%
	Grade 10	3.3%	5.7%	6.9%	93.1%
	Grade 11	3.7%	6.1%	9.1%	90.9%
	Grade 12	4.8%	6.7%	9.7%	90.3%
Downers					
	All	2.6%	4.2%	5.8%	94.2%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.4%	0.9%	1.8%	98.2%
	Grade 9	2.8%	4.8%	6.2%	93.8%
	Grade 10	4.8%	7.1%	8.1%	91.9%
	Grade 11	5.2%	7.8%	11.3%	88.7%
	Grade 12	4.7%	7.7%	11.0%	89.0%

region7
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.9%	1.1%	2.1%	97.9%
	Grade 7	0.7%	0.7%	1.0%	99.0%
	Grade 8	0.5%	0.6%	1.7%	98.3%
	Grade 9	1.8%	1.8%	3.4%	96.6%
	Grade 10	1.4%	2.0%	3.4%	96.6%
	Grade 11	0.5%	0.8%	1.6%	98.4%
	Grade 12	0.3%	0.8%	1.2%	98.8%
	Steroids	All	0.9%	1.1%	2.1%
Grade 7		0.5%	0.8%	2.0%	98.0%
Grade 8		0.5%	0.8%	2.4%	97.6%
Grade 9		0.9%	1.1%	1.7%	98.3%
Grade 10		1.3%	1.5%	1.6%	98.4%
Grade 11		1.3%	1.7%	2.5%	97.5%
Grade 12		0.9%	1.0%	1.9%	98.1%
Ecstasy		All	2.0%	3.1%	5.2%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.6%	1.0%	2.9%	97.1%
	Grade 9	2.7%	3.7%	6.2%	93.8%
	Grade 10	4.3%	6.3%	8.8%	91.2%
	Grade 11	2.3%	4.4%	8.0%	92.0%
	Grade 12	4.0%	5.4%	7.3%	92.7%
	Heroin	All	0.5%	0.7%	1.3%
Grade 7		0.5%	0.6%	0.9%	99.1%
Grade 8		0.5%	0.8%	1.6%	98.4%
Grade 9		0.7%	0.8%	1.4%	98.6%
Grade 10		0.6%	0.6%	0.9%	99.1%
Grade 11		0.5%	0.6%	1.5%	98.5%
Grade 12		0.3%	0.4%	1.1%	98.9%

region7
Spring 2006

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.9%	18.3%	32.4%	67.6%
	Grade 7	3.4%	5.6%	13.4%	86.6%
	Grade 8	7.0%	12.0%	22.5%	77.5%
	Grade 9	13.2%	20.5%	36.4%	63.6%
	Grade 10	16.8%	23.6%	39.3%	60.7%
	Grade 11	23.7%	30.0%	47.2%	52.8%
	Grade 12	17.9%	22.6%	43.8%	56.2%
Alcohol					
	All	30.3%	42.1%	64.4%	35.6%
	Grade 7	11.7%	17.2%	37.6%	62.4%
	Grade 8	19.1%	28.5%	58.2%	41.8%
	Grade 9	34.1%	47.8%	69.6%	30.4%
	Grade 10	37.5%	53.7%	73.9%	26.1%
	Grade 11	43.1%	58.0%	77.9%	22.1%
	Grade 12	46.6%	59.2%	78.2%	21.8%
Inhalants					
	All	5.1%	7.9%	15.6%	84.4%
	Grade 7	5.9%	8.0%	15.7%	84.3%
	Grade 8	8.7%	11.5%	18.5%	81.5%
	Grade 9	5.5%	9.1%	18.3%	81.7%
	Grade 10	3.5%	6.4%	16.2%	83.8%
	Grade 11	3.5%	6.4%	13.4%	86.6%
	Grade 12	1.2%	3.4%	7.1%	92.9%
Any Illicit Drug					
	All	11.6%	17.2%	25.7%	74.3%
	Grade 7	3.3%	4.2%	8.0%	92.0%
	Grade 8	5.8%	8.5%	13.1%	86.9%
	Grade 9	12.6%	17.4%	25.6%	74.4%
	Grade 10	16.3%	24.6%	36.0%	64.0%
	Grade 11	19.2%	29.7%	43.5%	56.5%
	Grade 12	17.0%	26.6%	38.9%	61.1%
Marijuana					
	All	10.1%	15.7%	24.2%	75.8%
	Grade 7	2.5%	3.4%	6.0%	94.0%
	Grade 8	4.9%	6.9%	11.8%	88.2%
	Grade 9	10.6%	15.6%	23.9%	76.1%
	Grade 10	13.8%	21.8%	34.5%	65.5%
	Grade 11	17.2%	28.3%	41.8%	58.2%
	Grade 12	15.8%	25.8%	38.2%	61.8%
Marijuana Only					
	All	3.9%	6.8%	12.5%	87.5%
	Grade 7	1.9%	2.4%	4.3%	95.7%
	Grade 8	2.5%	4.0%	7.7%	92.3%
	Grade 9	4.2%	6.5%	12.4%	87.6%
	Grade 10	4.4%	9.3%	17.8%	82.2%
	Grade 11	5.9%	10.5%	19.8%	80.2%
	Grade 12	5.9%	10.6%	17.2%	82.8%

region7
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.8%	6.7%	93.3%
	Grade 7	0.4%	0.7%	1.8%	98.2%
	Grade 8	1.1%	1.2%	2.4%	97.6%
	Grade 9	2.6%	3.4%	5.7%	94.3%
	Grade 10	2.9%	5.5%	8.9%	91.1%
	Grade 11	4.6%	8.3%	14.2%	85.8%
	Grade 12	3.1%	6.2%	11.1%	88.9%
Cocaine					
	All	2.2%	3.7%	6.4%	93.6%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	1.0%	1.1%	2.1%	97.9%
	Grade 9	2.3%	3.1%	5.0%	95.0%
	Grade 10	2.8%	5.3%	8.8%	91.2%
	Grade 11	4.6%	8.3%	14.0%	86.0%
	Grade 12	3.1%	6.2%	11.2%	88.8%
Crack					
	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.1%	0.4%	1.3%	98.7%
	Grade 8	0.7%	0.7%	1.3%	98.7%
	Grade 9	0.6%	0.8%	1.6%	98.4%
	Grade 10	0.8%	2.0%	2.2%	97.8%
	Grade 11	0.6%	1.0%	3.4%	96.6%
	Grade 12	0.0%	0.1%	0.6%	99.4%
Hallucinogens					
	All	1.3%	2.5%	4.6%	95.4%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.2%	0.4%	1.3%	98.7%
	Grade 9	1.3%	2.3%	4.3%	95.7%
	Grade 10	2.7%	3.9%	6.4%	93.6%
	Grade 11	2.0%	4.8%	8.6%	91.4%
	Grade 12	2.7%	5.4%	10.2%	89.8%
Uppers					
	All	2.6%	4.5%	6.6%	93.4%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	0.7%	1.1%	1.3%	98.7%
	Grade 9	2.4%	3.5%	5.3%	94.7%
	Grade 10	5.2%	8.3%	10.8%	89.2%
	Grade 11	4.8%	9.0%	14.4%	85.6%
	Grade 12	3.3%	7.9%	12.3%	87.7%
Downers					
	All	2.5%	4.3%	6.5%	93.5%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.8%	1.3%	1.4%	98.6%
	Grade 9	2.7%	4.4%	5.5%	94.5%
	Grade 10	4.4%	7.7%	10.2%	89.8%
	Grade 11	4.3%	7.2%	12.2%	87.8%
	Grade 12	4.1%	7.4%	13.8%	86.2%

region7
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.9%	2.1%	97.9%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	0.6%	1.0%	99.0%
	Grade 9	0.5%	0.8%	2.0%	98.0%
	Grade 10	1.9%	2.0%	3.9%	96.1%
	Grade 11	0.4%	1.0%	3.0%	97.0%
	Grade 12	1.0%	1.2%	3.3%	96.7%
	Steroids	All	0.3%	0.5%	1.0%
Grade 7		0.2%	0.2%	0.7%	99.3%
Grade 8		0.4%	0.8%	1.5%	98.5%
Grade 9		0.7%	0.7%	1.0%	99.0%
Grade 10		0.3%	0.5%	2.0%	98.0%
Grade 11		0.1%	0.2%	0.5%	99.5%
Grade 12		0.1%	0.4%	0.4%	99.6%
Ecstasy		All	1.8%	3.4%	6.0%
	Grade 7	0.2%	0.5%	1.0%	99.0%
	Grade 8	0.8%	1.4%	2.5%	97.5%
	Grade 9	2.2%	3.4%	5.5%	94.5%
	Grade 10	3.2%	6.0%	10.5%	89.5%
	Grade 11	2.9%	5.3%	9.5%	90.5%
	Grade 12	2.3%	6.3%	10.7%	89.3%
	Heroin	All	0.5%	0.7%	1.5%
Grade 7		0.1%	0.1%	0.8%	99.2%
Grade 8		0.4%	1.1%	1.6%	98.4%
Grade 9		0.4%	0.7%	1.6%	98.4%
Grade 10		1.1%	1.2%	1.9%	98.1%
Grade 11		0.6%	0.8%	2.4%	97.6%
Grade 12		0.3%	0.3%	0.5%	99.5%

region7
Spring 2006

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	16.7%	21.9%	32.5%	67.5%
Alcohol	All	29.8%	41.8%	61.3%	38.7%
Inhalants	All	4.3%	7.3%	16.5%	83.5%
Any Illicit Drug	All	10.8%	16.3%	23.6%	76.4%
Marijuana	All	9.7%	15.0%	22.3%	77.7%
Marijuana Only	All	3.1%	5.8%	11.0%	89.0%
Cocaine or Crack	All	2.1%	3.7%	5.9%	94.1%
Cocaine	All	2.0%	3.6%	5.6%	94.4%
Crack	All	0.3%	0.6%	1.5%	98.5%
Hallucinogens	All	1.8%	3.4%	6.3%	93.7%
Uppers	All	2.6%	4.6%	6.8%	93.2%
Downers	All	2.6%	4.4%	6.3%	93.7%
Rohypnol	All	0.6%	0.9%	1.8%	98.2%
Steroids	All	0.7%	0.9%	1.7%	98.3%
Ecstasy	All	1.7%	2.9%	5.1%	94.9%
Heroin	All	0.3%	0.5%	1.2%	98.8%

region7
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.1%	12.1%	29.2%	70.8%
Alcohol	All	21.9%	32.8%	61.5%	38.5%
Inhalants	All	4.9%	6.5%	11.7%	88.3%
Any Illicit Drug	All	13.0%	19.0%	31.5%	68.5%
Marijuana	All	11.5%	17.6%	30.5%	69.5%
Marijuana Only	All	8.2%	13.0%	24.2%	75.8%
Cocaine or Crack	All	1.2%	1.2%	1.9%	98.1%
Cocaine	All	0.8%	0.9%	1.5%	98.5%
Crack	All	0.7%	0.7%	0.9%	99.1%
Hallucinogens	All	0.4%	1.0%	1.5%	98.5%
Uppers	All	1.0%	1.7%	2.3%	97.7%
Downers	All	1.4%	1.6%	2.0%	98.0%
Rohypnol	All	0.5%	0.6%	0.7%	99.3%
Steroids	All	0.4%	0.5%	1.0%	99.0%
Ecstasy	All	1.4%	2.4%	4.3%	95.7%
Heroin	All	0.3%	0.7%	0.8%	99.2%

region7
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.7%	20.9%	40.1%	59.9%
Alcohol	All	33.2%	45.5%	67.7%	32.3%
Inhalants	All	6.9%	9.4%	17.1%	82.9%
Any Illicit Drug	All	16.4%	22.8%	35.5%	64.5%
Marijuana	All	14.6%	21.4%	34.0%	66.0%
Marijuana Only	All	5.9%	9.5%	17.8%	82.2%
Cocaine or Crack	All	3.3%	5.4%	10.1%	89.9%
Cocaine	All	3.3%	5.1%	9.7%	90.3%
Crack	All	0.5%	1.0%	2.3%	97.7%
Hallucinogens	All	1.6%	2.9%	5.3%	94.7%
Uppers	All	2.6%	4.0%	5.7%	94.3%
Downers	All	3.5%	5.3%	7.4%	92.6%
Rohypnol	All	1.4%	1.6%	2.9%	97.1%
Steroids	All	0.5%	0.8%	1.4%	98.6%
Ecstasy	All	2.8%	4.6%	7.3%	92.7%
Heroin	All	0.8%	0.9%	1.6%	98.4%

**region7
Spring 2006**

The FREQ Procedure

Frequency Missing = 4463.5947566

GENDER		
q1	Frequency	Percent
Female	85534	50.90
Male	82512	49.10

Frequency Missing = 578.26459014

GRADE		
q2	Frequency	Percent
Grade 7	32568	19.31
Grade 8	34324	20.36
Grade 9	35495	21.05
Grade 10	22518	13.35
Grade 11	27061	16.05
Grade 12	16658	9.88

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	61144	36.49
Yes	106E3	63.51

Frequency Missing = 1039.892248

AGE		
q4	Frequency	Percent
11 or younger	87	0.05
12	9856	5.86
13	28222	16.77
14	35712	21.23
15	31762	18.88
16	25126	14.93
17	24485	14.55
18	11919	7.08
19 or older	1086	0.65

Frequency Missing = 369.59626013

ETHNICITY		
q5	Frequency	Percent
African/American	16076	9.79
Asian/American	5084	3.10
Mexican/American	36843	22.44
Native/American	1386	0.84
Other	11500	7.01
White	93273	56.82

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	62824	37.75
Mostly B's	74241	44.61
Mostly C's	24575	14.77
Mostly D's	3093	1.86
Mostly F's	1707	1.03

Frequency Missing = 2185.0248419

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	21069	12.66
2-3 years	30160	18.12
>4 years	115E3	69.22

Frequency Missing = 2180.9537918

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	123E3	73.88
Yes	43563	26.12

Frequency Missing = 1819.4867791

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	106E3	63.82
Yes	60055	36.18

Frequency Missing = 2614.3061918

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	19976	12.00
No	50964	30.61
Yes	95575	57.40

Frequency Missing = 2109.9401704

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	20540	12.34
No	101E3	60.73
Yes	44833	26.93

Frequency Missing = 2159.8796276

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	80763	51.48
Yes	76130	48.52

Frequency Missing = 11732.085554

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	113E3	79.81
Yes	28705	20.19

Frequency Missing = 26469.018988

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	117E3	87.14
Yes	17335	12.86

Frequency Missing = 33869.249961

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	105E3	77.24
Yes	30963	22.76

Frequency Missing = 32580.222979

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	12E4	90.18
Yes	13102	9.82

Frequency Missing = 35228.966492

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	125E3	87.45
Yes	17986	12.55

Frequency Missing = 25315.855343

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	78620	47.16
Somewhat Safe	70829	42.48
Not Very Safe	11501	6.90
Not Safe At All	3135	1.88
Don't Know	2634	1.58

Frequency Missing = 1905.6178828

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	129E3	95.42
Yes	6183	4.58

Frequency Missing = 33770.008947

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	111E3	75.92
Yes	35241	24.08

Frequency Missing = 22293.39678

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	65609	39.32
Somewhat Safe	78488	47.04
Not Very Safe	12631	7.57
Not Safe At All	6100	3.66
Don't Know	4039	2.42

Frequency Missing = 1757.1530732

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	127E3	94.03
Yes	8067	5.97

Frequency Missing = 33614.52909

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	90466	59.25
Yes	62210	40.75

Frequency Missing = 15948.469459

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	6306	3.78
A Few	38748	23.25
Some	40657	24.40
Most	64288	38.58
All	16639	9.99

Frequency Missing = 1986.1168285

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	113E3	80.45
Yes	27443	19.55

Frequency Missing = 28220.562042

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	93785	61.87
Yes	57791	38.13

Frequency Missing = 17048.874983

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	115E3	81.85
Yes	25572	18.15

Frequency Missing = 27715.254343

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	134E3	80.31
Somewhat Safe	28466	17.01
Not Very Safe	1973	1.18
Not Safe At All	745	0.45
Don't Know	1770	1.06

Frequency Missing = 1299.9527825

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	104E3	63.62
A Few	35943	21.94
Some	15060	9.19
Most	6098	3.72
All	2500	1.53

Frequency Missing = 4805.2637455

**region7
Spring 2006**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	4805	2.99
A Few	19420	12.08
Some	36741	22.86
Most	70683	43.97
All	29099	18.10

Frequency Missing = 7878.0149374

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	127E3	76.68
A Few	23023	13.87
Some	9064	5.46
Most	4243	2.56
All	2380	1.43

Frequency Missing = 2663.4508092

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	95994	57.76
A Few	45014	27.09
Some	15296	9.20
Most	6153	3.70
All	3727	2.24

Frequency Missing = 2440.8289747

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	94016	60.35
Yes	61773	39.65

Frequency Missing = 12836.717873

EVER INHALED SPRAY PAINT FOR KICKS			
	q16a	Frequency	Percent
Never Heard/Used	155E3	93.72	
In Your Lifetime	6332	3.83	
Since School Began	1431	0.86	
In the Past Month	2628	1.59	

Frequency Missing = 3160.9104941

EVER INHALED WHITEOUT FOR KICKS			
	q16b	Frequency	Percent
Never Heard/Used	154E3	93.87	
In Your Lifetime	5694	3.46	
Since School Began	1897	1.15	
In the Past Month	2492	1.52	

Frequency Missing = 4208.6116117

EVER INHALED GASOLINE FOR KICKS			
	q16c	Frequency	Percent
Never Heard/Used	156E3	95.72	
In Your Lifetime	3841	2.36	
Since School Began	1036	0.64	
In the Past Month	2082	1.28	

Frequency Missing = 6002.124914

EVER INHALED FREON FOR KICKS			
	q16d	Frequency	Percent
Never Heard/Used	16E4	98.16	
In Your Lifetime	1589	0.98	
Since School Began	505	0.31	
In the Past Month	899	0.55	

Frequency Missing = 5877.9111063

EVER INHALED POPPERS, ETC. FOR KICKS			
	q16e	Frequency	Percent
Never Heard/Used	16E4	98.45	
In Your Lifetime	1077	0.66	
Since School Began	458	0.28	
In the Past Month	995	0.61	

Frequency Missing = 5834.42003

EVER INHALED GLUE FOR KICKS			
	q16f	Frequency	Percent
Never Heard/Used	157E3	96.71	
In Your Lifetime	3143	1.93	
Since School Began	791	0.49	
In the Past Month	1412	0.87	

Frequency Missing = 5950.5121083

EVER INHALED PAINT THINNERS FOR KICKS			
	q16g	Frequency	Percent
Never Heard/Used	156E3	96.11	
In Your Lifetime	3377	2.08	
Since School Began	1017	0.63	
In the Past Month	1904	1.17	

Frequency Missing = 6546.5848345

EVER INHALED NITROUS OXIDE FOR KICKS			
	q16h	Frequency	Percent
Never Heard/Used	155E3	95.35	
In Your Lifetime	4137	2.54	
Since School Began	1420	0.87	
In the Past Month	2009	1.23	

Frequency Missing = 5780.235411

EVER INHALED OCTANE BOOSTER FOR KICKS			
	q16i	Frequency	Percent
Never Heard/Used	161E3	99.10	
In Your Lifetime	739	0.45	
Since School Began	278	0.17	
In the Past Month	446	0.27	

Frequency Missing = 6143.6237879

EVER INHALED OTHER SPRAYS FOR KICKS			
	q16j	Frequency	Percent
Never Heard/Used	157E3	96.47	
In Your Lifetime	2966	1.82	
Since School Began	1138	0.70	
In the Past Month	1659	1.02	

Frequency Missing = 5391.1463547

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region7
Spring 2006

**EVER INHALED OTHER
INHALANTS FOR KICKS**
q16k Frequency Percent

Never Heard/Used	149E3	91.13
In Your Lifetime	7408	4.53
Since School Began	2443	1.49
In the Past Month	4653	2.85

Frequency Missing = 5089.4731238

RECENT CIGARETTE USE
q17a Frequency Percent

Never Heard/Used	112E3	68.11
In Your Lifetime	21932	13.31
Since School Began	8305	5.04
In the Past Month	22321	13.54

Frequency Missing = 3830.3137281

**RECENT SMOKELESS TOBACCO
USE**
q17b Frequency Percent

Never Heard/Used	147E3	89.80
In Your Lifetime	7082	4.33
Since School Began	2993	1.83
In the Past Month	6618	4.04

Frequency Missing = 4948.563164

RECENT BEER USE
q17c Frequency Percent

Never Heard/Used	85344	52.45
In Your Lifetime	28997	17.82
Since School Began	15591	9.58
In the Past Month	32791	20.15

Frequency Missing = 5902.34208

RECENT WINE COOLER USE
q17d Frequency Percent

Never Heard/Used	97449	59.96
In Your Lifetime	27049	16.64
Since School Began	15997	9.84
In the Past Month	22034	13.56

Frequency Missing = 6096.3881991

RECENT WINE USE

q17e Frequency Percent

Never Heard/Used	89586	54.86
In Your Lifetime	35192	21.55
Since School Began	16850	10.32
In the Past Month	21675	13.27

Frequency Missing = 5322.1540406

RECENT LIQUOR USE

q17f Frequency Percent

Never Heard/Used	90506	54.85
In Your Lifetime	24426	14.80
Since School Began	16259	9.85
In the Past Month	33827	20.50

Frequency Missing = 3607.2294675

RECENT MARIJUANA USE

q18a Frequency Percent

Never Heard/Used	122E3	74.05
In Your Lifetime	15329	9.33
Since School Began	9216	5.61
In the Past Month	18083	11.01

Frequency Missing = 4341.5051909

RECENT COCAINE USE

q18b Frequency Percent

Never Heard/Used	153E3	93.93
In Your Lifetime	4087	2.50
Since School Began	2207	1.35
In the Past Month	3616	2.21

Frequency Missing = 5362.3779616

RECENT CRACK USE

q18c Frequency Percent

Never Heard/Used	159E3	98.26
In Your Lifetime	1524	0.94
Since School Began	553	0.34
In the Past Month	732	0.45

Frequency Missing = 6929.3431658

RECENT HALLUCINOGEN USE

q18e Frequency Percent

Never Heard/Used	153E3	94.59
In Your Lifetime	3921	2.42
Since School Began	2211	1.36
In the Past Month	2638	1.63

Frequency Missing = 6458.1044608

RECENT UPPER USE

q18f Frequency Percent

Never Heard/Used	152E3	94.04
In Your Lifetime	3126	1.93
Since School Began	2702	1.67
In the Past Month	3823	2.36

Frequency Missing = 6669.7963272

RECENT DOWNER USE

q18g Frequency Percent

Never Heard/Used	152E3	93.85
In Your Lifetime	3075	1.90
Since School Began	2681	1.66
In the Past Month	4186	2.59

Frequency Missing = 6882.9221629

RECENT ROHYPNOL USE

q18h Frequency Percent

Never Heard/Used	158E3	97.93
In Your Lifetime	1695	1.05
Since School Began	403	0.25
In the Past Month	1245	0.77

Frequency Missing = 7245.6623535

RECENT STEROID USE

q18i Frequency Percent

Never Heard/Used	158E3	98.48
In Your Lifetime	1154	0.72
Since School Began	348	0.22
In the Past Month	935	0.58

Frequency Missing = 8249.1726797

region7
Spring 2006

RECENT ECSTASY USE

q18j Frequency Percent

Never Heard/Used	153E3	94.43
In Your Lifetime	3743	2.31
Since School Began	2129	1.32
In the Past Month	3142	1.94

Frequency Missing = 6716.8015597

RECENT HEROIN USE

q18k Frequency Percent

Never Heard/Used	161E3	98.62
In Your Lifetime	1109	0.68
Since School Began	347	0.21
In the Past Month	786	0.48

Frequency Missing = 5715.9355982

TOBACCO USE IN PAST MONTH

q19a Frequency Percent

Never Heard/Used	142E3	87.39
1-2 times	6508	3.99
3-10 times	5190	3.18
11+ times	8864	5.44

Frequency Missing = 5576.1541231

ALCOHOL USE IN PAST MONTH

q19b Frequency Percent

Never Heard/Used	12E4	73.75
1-2 times	22472	13.83
3-10 times	14659	9.02
11+ times	5515	3.39

Frequency Missing = 6164.0843533

INHALANT USE IN PAST MONTH

q19c Frequency Percent

Never Heard/Used	155E3	95.84
1-2 times	4762	2.94
3-10 times	1322	0.82
11+ times	663	0.41

Frequency Missing = 6634.0083727

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent

Never Heard/Used	143E3	89.06
1-2 times	6790	4.21
3-10 times	5212	3.24
11+ times	5626	3.49

Frequency Missing = 7521.9585614

COCAINE USE IN PAST MONTH

q19e Frequency Percent

Never Heard/Used	159E3	97.97
1-2 times	1808	1.12
3-10 times	989	0.61
11+ times	487	0.30

Frequency Missing = 6595.9964651

CRACK USE IN PAST MONTH

q19f Frequency Percent

Never Heard/Used	162E3	99.54
1-2 times	395	0.24
3-10 times	189	0.12
11+ times	165	0.10

Frequency Missing = 5471.2063734

CLOSE FRIENDS USE

CIGARETTES

q20a Frequency Percent

Never heard/None	76011	47.36
A few	46186	28.78
Some	21693	13.52
Most	14110	8.79
All	2484	1.55

Frequency Missing = 8141.3369177

CLOSE FRIENDS USE SMOKELESS

TOBACCO

q20b Frequency Percent

Never heard/None	113E3	71.05
A few	27116	17.01
Some	12560	7.88
Most	5311	3.33
All	1160	0.73

Frequency Missing = 9195.8540173

CLOSE FRIENDS USE BEER

q20c Frequency Percent

Never heard/None	59185	36.99
A few	38438	24.02
Some	27748	17.34
Most	25637	16.02
All	8997	5.62

Frequency Missing = 8619.3611807

CLOSE FRIENDS USE WINE

COOLERS

q20d Frequency Percent

Never heard/None	84829	53.24
A few	33375	20.95
Some	21553	13.53
Most	14431	9.06
All	5150	3.23

Frequency Missing = 9286.5365019

CLOSE FRIENDS USE WINE

q20e Frequency Percent

Never heard/None	91476	57.22
A few	37098	23.21
Some	17300	10.82
Most	9978	6.24
All	4003	2.50

Frequency Missing = 8769.0763182

CLOSE FRIENDS USE LIQUOR

q20f Frequency Percent

Never heard/None	72820	45.27
A few	31662	19.68
Some	23166	14.40
Most	24645	15.32
All	8570	5.33

Frequency Missing = 7762.0527971

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region7
Spring 2006

CLOSE FRIENDS USE INHALANTS		
	q20g	Frequency Percent
Never heard/None	136E3	84.36
A few	17467	10.84
Some	5023	3.12
Most	2154	1.34
All	571	0.35

Frequency Missing = 7416.2830327

CLOSE FRIENDS USE MARIJUANA		
	q20h	Frequency Percent
Never heard/None	86976	53.13
A few	31959	19.52
Some	20619	12.60
Most	17502	10.69
All	6643	4.06

Frequency Missing = 4925.9900081

DIFFICULT TO GET CIGARETTES		
	q21a	Frequency Percent
Never heard of	11746	7.31
Impossible	28409	17.69
Very difficult	12738	7.93
Somewhat diff	16286	10.14
Somewhat easy	28489	17.74
Very easy	62915	39.18

Frequency Missing = 8040.9823339

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b	Frequency Percent
Never heard of	25509	16.08
Impossible	36187	22.81
Very difficult	15802	9.96
Somewhat diff	17470	11.01
Somewhat easy	21307	13.43
Very easy	42359	26.70

Frequency Missing = 9990.7552137

DIFFICULT TO GET BEER		
	q21c	Frequency Percent
Never heard of	10761	6.80
Impossible	20358	12.86
Very difficult	9720	6.14
Somewhat diff	17632	11.14
Somewhat easy	33758	21.32
Very easy	66086	41.74

Frequency Missing = 10309.901717

DIFFICULT TO GET WINE COOLERS		
	q21d	Frequency Percent
Never heard of	21108	13.35
Impossible	24600	15.56
Very difficult	11836	7.49
Somewhat diff	19002	12.02
Somewhat easy	30173	19.09
Very easy	51342	32.48

Frequency Missing = 10562.83738

DIFFICULT TO GET WINE		
	q21e	Frequency Percent
Never heard of	12695	8.01
Impossible	22340	14.10
Very difficult	12926	8.16
Somewhat diff	18928	11.95
Somewhat easy	31844	20.10
Very easy	59723	37.69

Frequency Missing = 10168.300704

DIFFICULT TO GET LIQUOR		
	q21f	Frequency Percent
Never heard of	12447	7.81
Impossible	28287	17.76
Very difficult	13689	8.59
Somewhat diff	16683	10.47
Somewhat easy	29809	18.71
Very easy	58367	36.64

Frequency Missing = 9343.5985688

DIFFICULT TO GET INHALANTS		
	q21g	Frequency Percent
Never heard of	22950	14.55
Impossible	26630	16.88
Very difficult	7896	5.01
Somewhat diff	9686	6.14
Somewhat easy	19079	12.09
Very easy	71505	45.33

Frequency Missing = 10878.137297

DIFFICULT TO GET MARIJUANA		
	q21h	Frequency Percent
Never heard of	14353	9.09
Impossible	46822	29.65
Very difficult	15720	9.95
Somewhat diff	15355	9.72
Somewhat easy	22848	14.47
Very easy	42844	27.13

Frequency Missing = 10682.498452

DIFFICULT TO GET COCAINE		
	q21i	Frequency Percent
Never heard of	19917	12.71
Impossible	58600	37.41
Very difficult	24913	15.90
Somewhat diff	21645	13.82
Somewhat easy	15540	9.92
Very easy	16046	10.24

Frequency Missing = 11963.029418

DIFFICULT TO GET CRACK		
	q21j	Frequency Percent
Never heard of	21819	13.85
Impossible	59960	38.06
Very difficult	27143	17.23
Somewhat diff	22391	14.21
Somewhat easy	13161	8.35
Very easy	13086	8.31

Frequency Missing = 11064.946539

region7
Spring 2006

DIFFICULT TO GET HALLUCINOGENS		
q21l	Frequency	Percent
Never heard of	45258	28.77
Impossible	47506	30.20
Very difficult	22531	14.32
Somewhat diff	17262	10.97
Somewhat easy	11843	7.53
Very easy	12923	8.21

Frequency Missing = 11302.460691

DIFFICULT TO GET UPPERS		
q21m	Frequency	Percent
Never heard of	65765	41.83
Impossible	35682	22.70
Very difficult	15129	9.62
Somewhat diff	13707	8.72
Somewhat easy	11391	7.25
Very easy	15540	9.88

Frequency Missing = 11410.104321

DIFFICULT TO GET DOWNERS		
q21n	Frequency	Percent
Never heard of	66526	41.96
Impossible	36067	22.75
Very difficult	15098	9.52
Somewhat diff	13639	8.60
Somewhat easy	11652	7.35
Very easy	15549	9.81

Frequency Missing = 10094.598812

DIFFICULT TO GET ROHYPNOL		
q21o	Frequency	Percent
Never heard of	71776	45.73
Impossible	38525	24.54
Very difficult	16782	10.69
Somewhat diff	12900	8.22
Somewhat easy	7278	4.64
Very easy	9697	6.18

Frequency Missing = 11667.062717

DIFFICULT TO GET STEROIDS		
q21p	Frequency	Percent
Never heard of	26373	16.71
Impossible	60468	38.32
Very difficult	25858	16.39
Somewhat diff	19003	12.04
Somewhat easy	12380	7.85
Very easy	13715	8.69

Frequency Missing = 10827.075506

DIFFICULT TO GET ECSTASY		
q21q	Frequency	Percent
Never heard of	36842	23.29
Impossible	52051	32.91
Very difficult	21548	13.62
Somewhat diff	16802	10.62
Somewhat easy	13311	8.42
Very easy	17615	11.14

Frequency Missing = 10454.840012

DIFFICULT TO GET HEROIN		
q21r	Frequency	Percent
Never heard of	30944	19.10
Impossible	66840	41.25
Very difficult	29729	18.35
Somewhat diff	15669	9.67
Somewhat easy	8829	5.45
Very easy	10029	6.19

Frequency Missing = 6585.0993177

AGE WHEN FIRST USED CIGARETTES		
q22a	Frequency	Percent
9 or younger	8549	15.81
10 years old	4973	9.20
11 years old	4934	9.12
12 years old	6821	12.61
13 years old	8168	15.10
14 years old	8060	14.90
15 years old	5915	10.94
16 years old	4241	7.84
17 years old	1832	3.39
18 or older	592	1.09

Frequency Missing = 114540.26326

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b	Frequency	Percent
9 or younger	2394	13.43
10 years old	930	5.22
11 years old	1142	6.41
12 years old	1663	9.32
13 years old	3103	17.40
14 years old	2937	16.47
15 years old	2710	15.20
16 years old	1994	11.18
17 years old	863	4.84
18 or older	93	0.52

Frequency Missing = 150795.10996

AGE WHEN FIRST USED BEER		
q22c	Frequency	Percent
9 or younger	18862	22.67
10 years old	7606	9.14
11 years old	7216	8.67
12 years old	10031	12.06
13 years old	12445	14.96
14 years old	10946	13.15
15 years old	9030	10.85
16 years old	5176	6.22
17 years old	1463	1.76
18 or older	436	0.52

Frequency Missing = 85412.075169

AGE WHEN FIRST USED WINE COOLERS		
q22d	Frequency	Percent
9 or younger	9581	13.84
10 years old	6077	8.78
11 years old	7004	10.12
12 years old	9745	14.08
13 years old	12936	18.69
14 years old	9804	14.16
15 years old	8052	11.63
16 years old	4223	6.10
17 years old	1376	1.99
18 or older	422	0.61

Frequency Missing = 99404.639033

**region7
Spring 2006**

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	13621	17.52
10 years old	7890	10.15
11 years old	7546	9.71
12 years old	10631	13.67
13 years old	12565	16.16
14 years old	10793	13.88
15 years old	8273	10.64
16 years old	4243	5.46
17 years old	1678	2.16
18 or older	513	0.66

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	2387	5.85
10 years old	1732	4.24
11 years old	2564	6.28
12 years old	5300	12.98
13 years old	8120	19.88
14 years old	7675	18.79
15 years old	6242	15.28
16 years old	4988	12.21
17 years old	1417	3.47
18 or older	414	1.01

AGE WHEN FIRST USED HALLUCINOGENS		
q22i	Frequency	Percent
9 or younger	228	2.93
10 years old	236	3.04
11 years old	395	5.08
12 years old	783	10.08
13 years old	858	11.04
14 years old	1260	16.21
15 years old	1774	22.83
16 years old	1337	17.20
17 years old	767	9.87
18 or older	134	1.72

Frequency Missing = 90870.87242

Frequency Missing = 127786.58263

Frequency Missing = 160852.94109

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	7188	9.91
10 years old	4003	5.52
11 years old	4912	6.77
12 years old	8262	11.39
13 years old	13664	18.84
14 years old	13196	18.19
15 years old	10969	15.12
16 years old	7323	10.10
17 years old	2303	3.17
18 or older	717	0.99

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	173	1.85
10 years old	104	1.12
11 years old	339	3.63
12 years old	674	7.20
13 years old	1063	11.37
14 years old	1907	20.39
15 years old	1940	20.74
16 years old	1924	20.57
17 years old	1018	10.88
18 or older	210	2.24

AGE WHEN FIRST USED UPPERS		
q22m	Frequency	Percent
9 or younger	327	3.34
10 years old	126	1.28
11 years old	449	4.59
12 years old	732	7.47
13 years old	1547	15.80
14 years old	2174	22.20
15 years old	2158	22.04
16 years old	1553	15.86
17 years old	639	6.52
18 or older	87	0.89

Frequency Missing = 96087.28859

Frequency Missing = 159271.79471

Frequency Missing = 158833.05473

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	2909	18.72
10 years old	1640	10.56
11 years old	1907	12.27
12 years old	2792	17.97
13 years old	2835	18.25
14 years old	2059	13.25
15 years old	820	5.28
16 years old	458	2.95
17 years old	83	0.54
18 or older	32	0.20

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	204	7.91
10 years old	103	4.00
11 years old	159	6.15
12 years old	395	15.34
13 years old	474	18.37
14 years old	400	15.53
15 years old	458	17.76
16 years old	234	9.06
17 years old	117	4.54
18 or older	34	1.34

AGE WHEN FIRST USED DOWNERS		
q22n	Frequency	Percent
9 or younger	262	2.63
10 years old	291	2.91
11 years old	463	4.64
12 years old	724	7.26
13 years old	1509	15.12
14 years old	2475	24.81
15 years old	1989	19.94
16 years old	1467	14.71
17 years old	635	6.36
18 or older	161	1.61

Frequency Missing = 153089.7822

Frequency Missing = 166046.08401

Frequency Missing = 158650.16539

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	124	4.45
10 years old	71	2.54
11 years old	223	8.00
12 years old	271	9.73
13 years old	507	18.22
14 years old	705	25.33
15 years old	545	19.59
16 years old	274	9.85
17 years old	50	1.81
18 or older	13	0.48

Frequency Missing = 165843.77249

AGE WHEN FIRST USED STEROIDS		
q22p	Frequency	Percent
9 or younger	453	18.22
10 years old	213	8.58
11 years old	153	6.16
12 years old	143	5.75
13 years old	468	18.84
14 years old	377	15.16
15 years old	243	9.79
16 years old	193	7.78
17 years old	166	6.66
18 or older	76	3.05

Frequency Missing = 166139.75135

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	211	2.42
10 years old	121	1.39
11 years old	386	4.42
12 years old	520	5.96
13 years old	989	11.34
14 years old	1631	18.70
15 years old	1961	22.49
16 years old	1540	17.66
17 years old	1181	13.54
18 or older	181	2.08

Frequency Missing = 159905.88919

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	173	9.17
10 years old	133	7.08
11 years old	162	8.60
12 years old	294	15.62
13 years old	309	16.44
14 years old	267	14.22
15 years old	285	15.14
16 years old	107	5.68
17 years old	105	5.58
18 or older	46	2.47

Frequency Missing = 166743.72006

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	6664	4.20
Several times/wk	4144	2.61
Several times/mo	6115	3.85
About once/month	8572	5.40
About once/year	6656	4.20
< once/year	13839	8.72
Never used	113E3	71.01

Frequency Missing = 9972.815393

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	1804	1.16
Several times/wk	1017	0.65
Several times/mo	1524	0.98
About once/month	2727	1.75
About once/year	2746	1.76
< once/year	5800	3.72
Never used	14E4	89.99

Frequency Missing = 12563.24068

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	855	0.55
Several times/wk	4440	2.84
Several times/mo	14816	9.46
About once/month	20679	13.21
About once/year	16587	10.59
< once/year	16414	10.48
Never used	82763	52.87

Frequency Missing = 12072.385997

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	278	0.18
Several times/wk	2453	1.58
Several times/mo	9451	6.07
About once/month	16390	10.53
About once/year	18350	11.79
< once/year	15013	9.65
Never used	93701	60.20

Frequency Missing = 12987.904436

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	237	0.15
Several times/wk	2293	1.48
Several times/mo	8211	5.30
About once/month	16694	10.78
About once/year	22258	14.38
< once/year	19213	12.41
Never used	85909	55.49

Frequency Missing = 13810.763772

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	598	0.38
Several times/wk	4072	2.60
Several times/mo	14508	9.27
About once/month	19951	12.75
About once/year	16119	10.30
< once/year	12982	8.30
Never used	88262	56.40

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

Frequency Missing = 12132.077332

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	233	0.15
Several times/wk	628	0.41
Several times/mo	1071	0.69
About once/month	2252	1.46
About once/year	2487	1.61
< once/year	5152	3.33
Never used	143E3	92.36

Frequency Missing = 13934.801563

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	3847	2.49
Several times/wk	3977	2.58
Several times/mo	5962	3.87
About once/month	6498	4.21
About once/year	6728	4.36
< once/year	8459	5.48
Never used	119E3	77.00

Frequency Missing = 14391.917074

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	165	0.11
Several times/wk	534	0.35
Several times/mo	1170	0.77
About once/month	1902	1.25
About once/year	1800	1.18
< once/year	2408	1.58
Never used	145E3	94.77

Frequency Missing = 16009.156206

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	298	0.20
Several times/wk	416	0.27
Several times/mo	1374	0.90
About once/month	2964	1.94
About once/year	1922	1.26
< once/year	2224	1.46
Never used	143E3	93.97

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	160	0.10
Several times/wk	63	0.04
Several times/mo	308	0.20
About once/month	372	0.24
About once/year	527	0.34
< once/year	841	0.55
Never used	151E3	98.52

Frequency Missing = 15725.513825

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	56	0.04
Several times/wk	202	0.13
Several times/mo	543	0.35
About once/month	1624	1.06
About once/year	2185	1.43
< once/year	2206	1.44
Never used	146E3	95.55

Frequency Missing = 15470.200502

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	364	0.24
Several times/wk	505	0.33
Several times/mo	1388	0.92
About once/month	2496	1.65
About once/year	1612	1.06
< once/year	2274	1.50
Never used	143E3	94.30

Frequency Missing = 17130.380187

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	298	0.20
Several times/wk	416	0.27
Several times/mo	1374	0.90
About once/month	2964	1.94
About once/year	1922	1.26
< once/year	2224	1.46
Never used	143E3	93.97

Frequency Missing = 16127.816774

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	70	0.05
Several times/wk	144	0.10
Several times/mo	415	0.28
About once/month	515	0.34
About once/year	863	0.57
< once/year	694	0.46
Never used	148E3	98.21

Frequency Missing = 17919.969131

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	490	0.33
Several times/wk	111	0.07
Several times/mo	252	0.17
About once/month	233	0.15
About once/year	357	0.24
< once/year	711	0.47
Never used	148E3	98.57

Frequency Missing = 18332.144301

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	50	0.03
Several times/wk	214	0.14
Several times/mo	1082	0.72
About once/month	1522	1.02
About once/year	2663	1.78
< once/year	2486	1.66
Never used	142E3	94.65

Frequency Missing = 18833.628362

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

**HOW OFTEN NORMALLY USE
HEROIN**

q23r Frequency Percent

Every day	66	0.04
Several times/wk	64	0.04
Several times/mo	118	0.08
About once/month	311	0.20
About once/year	440	0.29
< once/year	759	0.50
Never used	15E4	98.84

Frequency Missing = 16547.920665

**HOW MANY CIGARETTES IN
PAST 30 DAYS**

q24 Frequency Percent

None	138E3	85.09
Less than 1	12659	7.78
> 1 and < 10	7634	4.69
> 10 and < 1pk	2104	1.29
> 1pk and < 2pks	1148	0.71
More than 2pks	714	0.44

Frequency Missing = 5873.1126029

**AMOUNT OF BEER AT ONE
TIME**

q25a Frequency Percent

Never drink this	82470	51.37
12+ drinks	4938	3.08
9-11 drinks	4115	2.56
5-8 drinks	9656	6.02
3-4 drinks	9999	6.23
2 drinks	11407	7.11
1 drink	14093	8.78
< 1 drink	23857	14.86

Frequency Missing = 8088.2666502

**AMOUNT OF WINE COOLERS AT
ONE TIME**

q25b Frequency Percent

Never drink this	93605	58.65
12+ drinks	3040	1.90
9-11 drinks	2725	1.71
5-8 drinks	6306	3.95
3-4 drinks	11646	7.30
2 drinks	11989	7.51
1 drink	14315	8.97
< 1 drink	15978	10.01

Frequency Missing = 9020.7879552

**AMOUNT OF WINE AT ONE
TIME**

q25c Frequency Percent

Never drink this	85753	53.77
12+ drinks	1892	1.19
9-11 drinks	1178	0.74
5-8 drinks	2873	1.80
3-4 drinks	5868	3.68
2 drinks	10418	6.53
1 drink	21364	13.40
< 1 drink	30144	18.90

Frequency Missing = 9134.0393995

**AMOUNT OF LIQUOR AT ONE
TIME**

q25d Frequency Percent

Never drink this	86995	54.12
12+ drinks	4480	2.79
9-11 drinks	4011	2.50
5-8 drinks	10277	6.39
3-4 drinks	15276	9.50
2 drinks	10746	6.69
1 drink	11471	7.14
< 1 drink	17493	10.88

Frequency Missing = 7875.0144996

ALCOHOL

q26a Frequency Percent

Never 5+ at time	77136	47.60
None	52668	32.50
1 day	10917	6.74
2 days	6596	4.07
3 to 5 days	7589	4.68
6 to 9 days	3582	2.21
10 or more days	3578	2.21

Frequency Missing = 6558.2068293

**GET ALCOHOLIC BEVERAGES
FROM HOME**

q27a Frequency Percent

Do not Drink	68817	43.16
Never	36006	22.58
Seldom	37696	23.64
Most of the Time	11413	7.16
Always	5512	3.46

Frequency Missing = 9181.2597541

**GET ALCOHOLIC BEVERAGES
FROM FRIENDS**

q27b Frequency Percent

Do not Drink	67731	42.97
Never	29950	19.00
Seldom	22664	14.38
Most of the Time	26385	16.74
Always	10890	6.91

Frequency Missing = 11004.95302

**GET ALCOHOLIC BEVERAGES
FROM A STORE**

q27c Frequency Percent

Do not Drink	70022	44.77
Never	66546	42.55
Seldom	10753	6.88
Most of the Time	6045	3.87
Always	3026	1.94

Frequency Missing = 12231.726171

**GET ALCOHOLIC BEVERAGES
AT PARTIES**

q27d Frequency Percent

Do not Drink	66404	42.46
Never	29464	18.84
Seldom	20731	13.26
Most of the Time	20980	13.42
Always	18802	12.02

Frequency Missing = 12244.285103

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

GET ALCOHOLIC BEVERAGES FROM OTHER		
q27e	Frequency	Percent
Do not Drink	69277	44.18
Never	41342	26.37
Seldom	21824	13.92
Most of the Time	13561	8.65
Always	10796	6.89

Frequency Missing = 11824.685479

USE MARIJUANA AS JOINTS		
q28a	Frequency	Percent
Never	127E3	80.37
Seldom	13563	8.57
Half the time	7362	4.65
Most of the time	5167	3.27
Always	3713	2.35
Don't know	1248	0.79

Frequency Missing = 10412.544735

USE MARIJUANA AS BLUNTS		
q28b	Frequency	Percent
Never	129E3	81.68
Seldom	10410	6.61
Half the time	5043	3.20
Most of the time	5759	3.66
Always	6422	4.08
Don't know	1221	0.78

Frequency Missing = 11151.259296

USE MARIJUANA IN BONGS OR WATER PIPES		
q28c	Frequency	Percent
Never	133E3	85.47
Seldom	9700	6.22
Half the time	4238	2.72
Most of the time	4594	2.95
Always	3138	2.01
Don't know	980	0.63

Frequency Missing = 12753.882564

USE MARIJUANA IN PIPES		
q28d	Frequency	Percent
Never	131E3	83.59
Seldom	8450	5.38
Half the time	4391	2.80
Most of the time	7157	4.56
Always	4976	3.17
Don't know	799	0.51

Frequency Missing = 11602.550798

USE MARIJUANA OTHER WAYS		
q28e	Frequency	Percent
Never	14E4	89.13
Seldom	8241	5.26
Half the time	1862	1.19
Most of the time	2015	1.29
Always	2677	1.71
Don't know	2223	1.42

Frequency Missing = 12016.845031

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
q29a	Frequency	Percent
Never heard/used	136E3	93.54
At least once/month	3156	2.17
At least once/year	2817	1.94
At least once/life	3414	2.35

Frequency Missing = 23356.156311

TAKE CODEINE COUGH SYRUP TO GET HIGH		
q29b	Frequency	Percent
Never heard/used	144E3	91.44
At least once/month	4770	3.04
At least once/year	3865	2.46
At least once/life	4808	3.06

Frequency Missing = 11625.3068

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a	Frequency	Percent
Very	70799	49.37
Somewhat	42053	29.32
Not very	18807	13.11
Not at all	5364	3.74
Don't know	6393	4.46

Frequency Missing = 25209.561495

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b	Frequency	Percent
Very	67086	46.89
Somewhat	46068	32.20
Not very	20399	14.26
Not at all	4667	3.26
Don't know	4865	3.40

Frequency Missing = 25540.246204

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c	Frequency	Percent
Very	11E4	73.09
Somewhat	25286	16.83
Not very	5840	3.89
Not at all	1996	1.33
Don't know	7296	4.86

Frequency Missing = 18410.739487

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d	Frequency	Percent
Very	91455	60.29
Somewhat	26177	17.26
Not very	17330	11.42
Not at all	11198	7.38
Don't know	5525	3.64

Frequency Missing = 16940.203295

**region7
Spring 2006**

DANGEROUS FOR KIDS TO USE COCAINE		
q30e	Frequency	Percent
Very	124E3	82.85
Somewhat	14584	9.75
Not very	2978	1.99
Not at all	1435	0.96
Don't know	6670	4.46

Frequency Missing = 18979.432182

DANGEROUS FOR KIDS TO USE CRACK		
q30f	Frequency	Percent
Very	126E3	83.59
Somewhat	12532	8.31
Not very	3155	2.09
Not at all	2102	1.39
Don't know	6961	4.62

Frequency Missing = 17836.441601

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g	Frequency	Percent
Very	123E3	81.29
Somewhat	13998	9.23
Not very	3441	2.27
Not at all	1640	1.08
Don't know	9303	6.13

Frequency Missing = 16938.914243

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h	Frequency	Percent
Very	117E3	75.55
Somewhat	21481	13.91
Not very	6077	3.94
Not at all	2376	1.54
Don't know	7810	5.06

Frequency Missing = 14232.120532

DANGEROUS FOR KIDS TO USE HEROIN		
q30i	Frequency	Percent
Very	135E3	86.39
Somewhat	9565	6.14
Not very	1638	1.05
Not at all	1316	0.84
Don't know	8694	5.58

Frequency Missing = 12734.056132

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	107E3	72.01
1-3 days	29606	19.99
4-9 days	7431	5.02
10+ days	4408	2.98

Frequency Missing = 20550.779057

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	32068	21.70
1-3 days	77085	52.17
4-9 days	31449	21.28
10+ days	7164	4.85

Frequency Missing = 20859.055587

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	48485	33.09
1-3 days	80051	54.64
4-9 days	13759	9.39
10+ days	4221	2.88

Frequency Missing = 22108.913152

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	12E4	75.78
1-3 days	27738	17.51
4-9 days	6538	4.13
10+ days	4085	2.58

Frequency Missing = 10214.896575

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	126E3	86.16
1-3 days	15698	10.72
4-9 days	2832	1.93
10+ days	1746	1.19

Frequency Missing = 22146.309004

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	153E3	97.70
1-3 days	2458	1.57
4-9 days	601	0.38
10+ days	545	0.35

Frequency Missing = 11599.613239

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	154E3	98.05
1-3 days	2275	1.45
4-9 days	388	0.25
10+ days	393	0.25

Frequency Missing = 11881.508275

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	144E3	92.56
1-3 times	9901	6.35
4-9 times	857	0.55
10+ times	841	0.54

Frequency Missing = 12765.39393

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b	Frequency	Percent
None	144E3	93.09
1-3 times	8007	5.17
4-9 times	1361	0.88
10+ times	1329	0.86

Frequency Missing = 13812.682856

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c	Frequency	Percent
None	144E3	93.41
1-3 times	8868	5.76
4-9 times	761	0.49
10+ times	527	0.34

Frequency Missing = 14552.470133

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d	Frequency	Percent
None	149E3	96.80
1-3 times	3882	2.52
4-9 times	527	0.34
10+ times	523	0.34

Frequency Missing = 14730.996174

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e	Frequency	Percent
None	142E3	93.20
1-3 times	8146	5.35
4-9 times	1252	0.82
10+ times	958	0.63

Frequency Missing = 16314.331133

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f	Frequency	Percent
None	142E3	93.23
1-3 times	6634	4.36
4-9 times	1545	1.02
10+ times	2120	1.39

Frequency Missing = 16599.012251

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g	Frequency	Percent
None	14E4	91.44
1-3 times	7673	5.02
4-9 times	1631	1.07
10+ times	1736	1.14
5	676	0.44
6	241	0.16
7	1135	0.74

Frequency Missing = 15752.58188

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h	Frequency	Percent
None	14E4	97.45
1-3 times	2950	2.05
4-9 times	373	0.26
10+ times	341	0.24

Frequency Missing = 24790.843319

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a	Frequency	Percent
None	142E3	92.03
1-3 days	9306	6.02
4-9 days	1519	0.98
10+ days	1496	0.97

Frequency Missing = 13999.971204

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b	Frequency	Percent
None	139E3	90.25
1-3 days	8397	5.44
4-9 days	2554	1.65
10+ days	4113	2.66

Frequency Missing = 14149.964368

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c	Frequency	Percent
None	15E4	97.17
1-3 days	2947	1.91
4-9 days	640	0.41
10+ days	788	0.51

Frequency Missing = 14141.04977

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d	Frequency	Percent
None	146E3	94.07
1-3 days	5590	3.60
4-9 days	1851	1.19
10+ days	1773	1.14

Frequency Missing = 13281.443383

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a	Frequency	Percent
Never	67027	45.66
Seldom	15723	10.71
Half the time	9658	6.58
Most of the time	15332	10.45
Always	21529	14.67
Don't know	2180	1.49
Didn't attend	15335	10.45

Frequency Missing = 21840.538355

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b	Frequency	Percent
Never	87186	55.61
Seldom	15426	9.84
Half the time	10159	6.48
Most of the time	11644	7.43
Always	12480	7.96
Don't know	3410	2.17
Didn't attend	16463	10.50

Frequency Missing = 11857.670601

**region7
Spring 2006**

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35	Frequency	Percent
No	136E3	94.01
Yes	8677	5.99

Frequency Missing = 23799.69306

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	85777	56.93
Yes	64891	43.07

Frequency Missing = 17956.177983

DRUG/ALCOHOL INFO- -SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	69112	51.39
Yes	65372	48.61

Frequency Missing = 34141.487948

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a	Frequency	Percent
No	109E3	71.53
Yes	43551	28.47

Frequency Missing = 15625.906153

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	42224	27.90
Yes	109E3	72.10

Frequency Missing = 17311.600518

DRUG/ALCOHOL INFO- -SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	105E3	79.31
Yes	27436	20.69

Frequency Missing = 36006.740233

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b	Frequency	Percent
No	1E5	70.59
Yes	41848	29.41

Frequency Missing = 26347.959712

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	59224	41.46
Yes	83609	58.54

Frequency Missing = 25792.323884

DRUG/ALCOHOL INFO- -SCIENCE CLASS		
q37d	Frequency	Percent
No	85914	64.47
Yes	47354	35.53

Frequency Missing = 35356.616013

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c	Frequency	Percent
No	93174	61.98
Yes	57155	38.02

Frequency Missing = 18296.015197

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	129E3	85.63
Yes	21688	14.37

Frequency Missing = 17666.08503

DRUG/ALCOHOL INFO- -SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	114E3	85.83
Yes	18818	14.17

Frequency Missing = 35844.536112

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	61685	40.66
Yes	90013	59.34

Frequency Missing = 16926.733048

DRUG/ALCOHOL INFO- -SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	61664	45.41
Yes	74134	54.59

Frequency Missing = 32827.4901

DRUG/ALCOHOL INFO- -SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	113E3	84.68
Yes	20507	15.32

Frequency Missing = 34752.705758

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region7
Spring 2006**

**DRUG/ALCOHOL INFO--
-INVITED SCHOOL
GUEST**

q37g	Frequency	Percent
No	78880	58.68
Yes	55545	41.32

Frequency Missing = 34200.032283

**DRUG/ALCOHOL INFO--
-ANOTHER SCHOOL
SOURCE**

q37h	Frequency	Percent
No	88459	65.27
Yes	47060	34.73

Frequency Missing = 33106.294237

**DRUG/ALCOHOL INFO--
WEBSITE/ONLINE CHAT
GROUP**

q38a	Frequency	Percent
No	111E3	73.77
Yes	39439	26.23

Frequency Missing = 18284.742158

**DRUG/ALCOHOL INFO--
BOOKS/MAGAZINES/POSTERS/PA
MPHLETS**

q38b	Frequency
No	76703
Yes	73154

**DRUG/ALCOHOL INFO--
BOOKS/MAGAZINES/POSTERS/PA
MPHLETS**

q38b	Percent
No	51.18
Yes	48.82

Frequency Missing = 18768.027396

**DRUG/ALCOHOL INFO--
TV/RADIO/OTHER
AUDIO/VIDEO**

q38c	Frequency	Percent
No	68013	45.30
Yes	82112	54.70

Frequency Missing = 18500.476939

**DRUG/ALCOHOL INFO--
-PARENTS**

q38d	Frequency	Percent
No	76533	50.78
Yes	74169	49.22

Frequency Missing = 17923.378013

**PARENTS FEEL ABOUT KIDS
SMOKING CIGARET**

q39a	Frequency	Percent
Strong disapprove	117E3	76.13
Mild disapprove	13898	9.04
Neither	10163	6.61
Mildly approve	1500	0.98
Strongly approve	1469	0.96
Don't know	9682	6.30

Frequency Missing = 14814.510365

**PARENTS FEEL ABOUT KIDS
DRINKING BEER**

q39b	Frequency	Percent
Strong disapprove	97641	63.67
Mild disapprove	25084	16.36
Neither	14961	9.76
Mildly approve	4580	2.99
Strongly approve	1845	1.20
Don't know	9240	6.03

Frequency Missing = 15274.572009

**PARENTS FEEL ABOUT KIDS
USING MARIJUANA**

q39c	Frequency	Percent
Strong disapprove	126E3	81.80
Mild disapprove	8532	5.55
Neither	6722	4.37
Mildly approve	1919	1.25
Strongly approve	1995	1.30
Don't know	8818	5.73

Frequency Missing = 14850.642423

**TESTED FOR DRUG
USE AT SCHOOL**

q40	Frequency	Percent
No	128E3	83.17
Yes	25945	16.83

Frequency Missing = 14443.76416

**PURCHASED
LOTTERY TICKET IN
PAST YEAR**

q41	Frequency	Percent
No	133E3	86.75
Yes	20312	13.25

Frequency Missing = 15335.396362

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district