

**region8**  
**Spring 2006**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	15.1%	21.4%	37.3%	62.7%
	<b>Grade 7</b>	7.9%	12.1%	22.8%	77.2%
	<b>Grade 8</b>	9.3%	14.2%	29.5%	70.5%
	<b>Grade 9</b>	14.0%	21.8%	39.7%	60.3%
	<b>Grade 10</b>	22.5%	31.9%	51.2%	48.8%
	<b>Grade 11</b>	26.6%	32.9%	54.2%	45.8%
	<b>Grade 12</b>	29.6%	38.1%	55.0%	45.0%
<b>Cigarettes</b>					
	<b>All</b>	14.0%	20.0%	35.8%	64.2%
	<b>Grade 7</b>	7.4%	11.2%	22.1%	77.9%
	<b>Grade 8</b>	8.7%	13.4%	28.1%	71.9%
	<b>Grade 9</b>	12.8%	20.1%	38.1%	61.9%
	<b>Grade 10</b>	20.7%	30.1%	49.3%	50.7%
	<b>Grade 11</b>	24.7%	30.5%	52.2%	47.8%
	<b>Grade 12</b>	26.7%	35.5%	52.9%	47.1%
<b>Smokeless tobacco</b>					
	<b>All</b>	3.5%	5.3%	9.7%	90.3%
	<b>Grade 7</b>	1.4%	2.2%	5.2%	94.8%
	<b>Grade 8</b>	1.9%	3.1%	7.2%	92.8%
	<b>Grade 9</b>	3.0%	5.1%	10.2%	89.8%
	<b>Grade 10</b>	4.6%	6.7%	12.2%	87.8%
	<b>Grade 11</b>	6.7%	9.3%	14.7%	85.3%
	<b>Grade 12</b>	9.4%	13.3%	18.5%	81.5%

**region8  
Spring 2006**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
<b>All</b>	66.5%	3.4%	3.6%	4.8%	6.7%	5.1%	9.7%
<b>Grade 7</b>	80.1%	0.5%	1.8%	2.5%	4.4%	5.0%	5.7%
<b>Grade 8</b>	72.4%	2.1%	2.8%	3.6%	5.2%	3.7%	10.3%
<b>Grade 9</b>	64.1%	2.3%	3.5%	6.0%	8.2%	4.7%	11.2%
<b>Grade 10</b>	53.9%	6.5%	5.7%	6.8%	7.7%	6.3%	13.1%
<b>Grade 11</b>	55.0%	7.4%	5.9%	6.5%	8.5%	5.7%	11.0%
<b>Grade 12</b>	49.1%	9.0%	6.0%	7.5%	10.3%	7.1%	11.0%
<b>Cigarettes?</b>							
<b>All</b>	67.6%	2.9%	3.5%	4.5%	6.7%	5.2%	9.7%
<b>Grade 7</b>	80.5%	0.4%	1.9%	2.3%	4.2%	5.3%	5.5%
<b>Grade 8</b>	73.2%	1.9%	2.7%	3.1%	5.3%	3.6%	10.2%
<b>Grade 9</b>	65.6%	2.1%	3.3%	5.4%	8.0%	4.6%	11.0%
<b>Grade 10</b>	55.6%	5.7%	5.5%	6.5%	7.1%	6.0%	13.5%
<b>Grade 11</b>	55.9%	6.0%	5.3%	6.6%	8.6%	6.4%	11.1%
<b>Grade 12</b>	50.9%	7.0%	5.5%	7.4%	10.9%	6.9%	11.3%
<b>Smokeless tobacco?</b>							
<b>All</b>	91.4%	0.8%	0.8%	0.9%	1.6%	1.6%	3.0%
<b>Grade 7</b>	95.6%	0.1%	0.3%	0.5%	0.9%	0.9%	1.7%
<b>Grade 8</b>	94.4%	0.1%	0.6%	0.6%	1.6%	0.9%	1.7%
<b>Grade 9</b>	90.3%	0.3%	0.8%	1.4%	1.4%	1.8%	4.1%
<b>Grade 10</b>	88.3%	1.0%	1.5%	1.0%	1.8%	1.6%	4.8%
<b>Grade 11</b>	87.8%	2.4%	0.9%	0.8%	1.5%	2.7%	3.9%
<b>Grade 12</b>	83.2%	2.9%	1.3%	1.4%	3.3%	3.8%	4.0%

**region8**  
**Spring 2006**

**T-3: In the past 30 days, how many cigarettes have you smoked?**

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
<b>All</b>	84.4%	9.4%	4.4%	1.2%	0.4%	0.2%
<b>Grade 7</b>	92.0%	6.6%	1.1%	0.3%	0.0%	0.2%
<b>Grade 8</b>	88.1%	7.4%	4.0%	0.3%	0.2%	0.0%
<b>Grade 9</b>	84.8%	9.1%	3.7%	1.5%	0.6%	0.3%
<b>Grade 10</b>	77.1%	11.4%	8.1%	2.7%	0.5%	0.1%
<b>Grade 11</b>	75.8%	13.2%	7.1%	2.7%	1.1%	0.1%
<b>Grade 12</b>	72.2%	15.7%	9.2%	2.2%	0.3%	0.3%

**Table T-4: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Tobacco</b>	10.7	11.4	12.1	12.8	13.3	14.4

**Table T-5: If you wanted some, how difficult would it be to get...**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Cigarettes?</b>						
<b>All</b>	11.7%	18.5%	6.1%	9.9%	19.8%	34.0%
<b>Grade 7</b>	19.6%	30.6%	7.7%	10.8%	15.4%	16.0%
<b>Grade 8</b>	11.3%	21.7%	8.1%	12.1%	23.6%	23.2%
<b>Grade 9</b>	9.5%	16.3%	6.4%	11.5%	24.0%	32.4%
<b>Grade 10</b>	9.3%	7.1%	4.3%	9.7%	23.1%	46.5%
<b>Grade 11</b>	6.0%	9.6%	3.3%	5.9%	19.8%	55.3%
<b>Grade 12</b>	3.6%	2.3%	1.5%	3.3%	10.5%	78.8%
<b>Smokeless Tobacco?</b>						
<b>All</b>	25.0%	24.3%	9.1%	9.8%	12.3%	19.5%
<b>Grade 7</b>	31.8%	38.0%	10.7%	6.9%	7.0%	5.5%
<b>Grade 8</b>	25.3%	30.8%	11.6%	12.4%	10.2%	9.8%
<b>Grade 9</b>	23.4%	22.4%	10.1%	13.3%	14.4%	16.4%
<b>Grade 10</b>	25.0%	10.0%	6.9%	9.3%	21.6%	27.3%
<b>Grade 11</b>	20.4%	10.9%	4.9%	9.3%	17.1%	37.3%
<b>Grade 12</b>	12.4%	4.1%	4.1%	5.1%	12.3%	62.1%

**region8**  
**Spring 2006**

**Table T-6: About how many of your close friends...**

	None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>					
<b>All</b>	40.5%	30.5%	16.1%	9.5%	3.3%
<b>Grade 7</b>	59.8%	26.6%	7.6%	3.0%	3.0%
<b>Grade 8</b>	46.8%	30.0%	13.3%	5.6%	4.3%
<b>Grade 9</b>	35.8%	32.9%	18.2%	10.0%	3.1%
<b>Grade 10</b>	24.2%	32.7%	22.5%	16.3%	4.3%
<b>Grade 11</b>	26.0%	30.7%	22.8%	18.1%	2.4%
<b>Grade 12</b>	18.2%	35.1%	26.5%	17.6%	2.6%
<b>Smoke cigarettes?</b>					
<b>All</b>	42.2%	31.4%	15.0%	8.4%	3.0%
<b>Grade 7</b>	61.0%	26.3%	7.0%	2.8%	2.9%
<b>Grade 8</b>	47.7%	30.7%	12.0%	5.7%	4.0%
<b>Grade 9</b>	38.4%	33.9%	16.2%	8.5%	3.0%
<b>Grade 10</b>	27.7%	33.3%	21.2%	14.6%	3.2%
<b>Grade 11</b>	27.1%	33.0%	22.6%	15.2%	2.0%
<b>Grade 12</b>	20.1%	37.8%	25.5%	14.8%	1.7%
<b>Use a smokeless tobacco product?</b>					
<b>All</b>	73.1%	15.6%	6.6%	2.7%	2.1%
<b>Grade 7</b>	84.6%	9.9%	2.3%	1.1%	2.1%
<b>Grade 8</b>	79.8%	10.6%	4.7%	1.7%	3.2%
<b>Grade 9</b>	71.6%	17.6%	6.7%	2.8%	1.2%
<b>Grade 10</b>	60.9%	23.0%	10.0%	3.7%	2.3%
<b>Grade 11</b>	65.8%	18.8%	9.8%	4.6%	1.0%
<b>Grade 12</b>	51.4%	26.6%	14.5%	5.5%	1.9%

**region8**  
**Spring 2006**

**Table T-7: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	72.1%	9.7%	7.0%	1.4%	1.0%	8.8%
<b>Grade 7</b>	78.2%	4.4%	2.9%	0.9%	0.8%	12.8%
<b>Grade 8</b>	78.2%	8.2%	3.9%	1.0%	0.7%	8.1%
<b>Grade 9</b>	73.3%	7.8%	6.8%	1.6%	1.1%	9.4%
<b>Grade 10</b>	64.7%	16.1%	8.9%	1.2%	1.8%	7.2%
<b>Grade 11</b>	64.5%	14.4%	13.3%	1.8%	1.4%	4.6%
<b>Grade 12</b>	56.7%	18.4%	16.4%	2.8%	1.0%	4.6%

**region8**  
**Spring 2006**

**Table T-8: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	49.9%	28.0%	12.3%	3.8%	6.1%
<b>Grade 7</b>	64.5%	22.5%	4.5%	1.4%	7.0%
<b>Grade 8</b>	55.9%	28.7%	7.9%	1.5%	5.9%
<b>Grade 9</b>	46.1%	29.4%	13.3%	4.1%	7.0%
<b>Grade 10</b>	40.8%	27.9%	19.6%	5.6%	6.2%
<b>Grade 11</b>	37.8%	30.4%	18.2%	8.4%	5.2%
<b>Grade 12</b>	29.6%	35.8%	25.1%	6.8%	2.8%

**region8**  
**Spring 2006**

**Table A-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	32.3%	43.9%	67.9%	32.1%
	<b>Grade 7</b>	20.2%	26.9%	49.8%	50.2%
	<b>Grade 8</b>	24.7%	35.6%	65.5%	34.5%
	<b>Grade 9</b>	32.3%	45.9%	71.7%	28.3%
	<b>Grade 10</b>	44.1%	60.7%	83.5%	16.5%
	<b>Grade 11</b>	45.9%	60.2%	79.3%	20.7%
	<b>Grade 12</b>	54.6%	68.1%	85.5%	14.5%
<b>Beer</b>					
	<b>All</b>	20.7%	30.5%	50.3%	49.7%
	<b>Grade 7</b>	10.2%	14.8%	33.4%	66.6%
	<b>Grade 8</b>	12.8%	22.0%	44.7%	55.3%
	<b>Grade 9</b>	19.6%	30.3%	52.4%	47.6%
	<b>Grade 10</b>	32.8%	47.3%	67.2%	32.8%
	<b>Grade 11</b>	33.5%	46.4%	63.8%	36.2%
	<b>Grade 12</b>	41.9%	56.7%	71.0%	29.0%
<b>Wine coolers</b>					
	<b>All</b>	18.0%	27.9%	48.6%	51.4%
	<b>Grade 7</b>	11.4%	16.5%	31.3%	68.7%
	<b>Grade 8</b>	16.1%	24.7%	47.1%	52.9%
	<b>Grade 9</b>	19.0%	28.9%	50.1%	49.9%
	<b>Grade 10</b>	24.6%	40.2%	63.1%	36.9%
	<b>Grade 11</b>	23.4%	36.8%	62.5%	37.5%
	<b>Grade 12</b>	25.4%	40.4%	64.6%	35.4%
<b>Wine</b>					
	<b>All</b>	14.4%	23.8%	46.7%	53.3%
	<b>Grade 7</b>	9.9%	14.6%	30.7%	69.3%
	<b>Grade 8</b>	13.4%	20.0%	45.3%	54.7%
	<b>Grade 9</b>	14.8%	24.5%	49.5%	50.5%
	<b>Grade 10</b>	17.7%	33.7%	57.9%	42.1%
	<b>Grade 11</b>	17.7%	30.9%	58.5%	41.5%
	<b>Grade 12</b>	20.5%	37.0%	62.5%	37.5%
<b>Liquor</b>					
	<b>All</b>	22.1%	32.1%	48.2%	51.8%
	<b>Grade 7</b>	10.0%	14.7%	26.4%	73.6%
	<b>Grade 8</b>	14.2%	21.0%	39.4%	60.6%
	<b>Grade 9</b>	22.8%	34.8%	52.8%	47.2%
	<b>Grade 10</b>	32.7%	50.1%	68.4%	31.6%
	<b>Grade 11</b>	35.7%	49.3%	67.2%	32.8%
	<b>Grade 12</b>	44.8%	59.5%	74.4%	25.6%

**region8**  
**Spring 2006**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	37.0%	0.7%	6.3%	14.9%	15.5%	14.3%	11.3%
	<b>Grade 7</b>	55.7%	0.3%	3.8%	7.5%	9.6%	11.0%	12.1%
	<b>Grade 8</b>	40.4%	0.9%	4.4%	9.3%	14.2%	17.1%	13.8%
	<b>Grade 9</b>	31.4%	0.3%	5.9%	17.1%	17.5%	16.9%	10.9%
	<b>Grade 10</b>	21.5%	1.4%	10.2%	23.1%	19.8%	13.6%	10.3%
	<b>Grade 11</b>	27.2%	1.0%	9.7%	20.6%	19.3%	13.1%	9.1%
	<b>Grade 12</b>	17.8%	1.1%	10.6%	27.1%	21.9%	13.5%	8.1%
<b>Beer?</b>								
	<b>All</b>	50.5%	0.3%	4.4%	10.9%	12.4%	10.6%	11.0%
	<b>Grade 7</b>	66.9%	0.1%	2.5%	4.3%	7.5%	8.0%	10.7%
	<b>Grade 8</b>	57.2%	0.6%	1.9%	7.6%	8.5%	11.2%	13.2%
	<b>Grade 9</b>	46.1%	0.1%	4.1%	11.0%	13.5%	13.4%	11.8%
	<b>Grade 10</b>	33.7%	0.6%	6.5%	19.1%	18.8%	11.1%	10.2%
	<b>Grade 11</b>	41.0%	0.4%	7.4%	14.2%	18.9%	9.4%	8.8%
	<b>Grade 12</b>	30.3%	0.7%	9.6%	22.3%	17.2%	11.3%	8.6%
<b>Wine coolers?</b>								
	<b>All</b>	51.8%	0.1%	3.0%	8.9%	12.3%	13.4%	10.5%
	<b>Grade 7</b>	68.4%	0.2%	2.7%	5.1%	6.7%	8.6%	8.4%
	<b>Grade 8</b>	53.5%	0.1%	2.4%	6.0%	11.7%	14.1%	12.3%
	<b>Grade 9</b>	49.0%	0.1%	3.1%	10.8%	13.0%	14.2%	9.9%
	<b>Grade 10</b>	39.9%	0.1%	4.5%	12.4%	18.7%	15.0%	9.3%
	<b>Grade 11</b>	40.4%	0.0%	3.2%	11.6%	15.0%	16.4%	13.3%
	<b>Grade 12</b>	35.0%	0.5%	2.8%	14.4%	17.3%	17.9%	12.1%
<b>Wine?</b>								
	<b>All</b>	54.3%	0.2%	1.8%	6.0%	10.3%	15.3%	12.1%
	<b>Grade 7</b>	69.9%	0.2%	1.6%	3.4%	5.3%	9.5%	10.1%
	<b>Grade 8</b>	55.5%	0.1%	1.3%	4.6%	9.5%	16.7%	12.3%
	<b>Grade 9</b>	51.5%	0.1%	1.9%	6.6%	11.2%	16.2%	12.7%
	<b>Grade 10</b>	43.7%	0.0%	2.7%	9.3%	15.8%	15.7%	12.8%
	<b>Grade 11</b>	44.8%	0.3%	2.1%	7.7%	13.2%	18.7%	13.2%
	<b>Grade 12</b>	37.9%	0.4%	2.1%	9.7%	14.3%	22.0%	13.6%
<b>Liquor?</b>								
	<b>All</b>	53.7%	0.4%	3.8%	11.7%	12.3%	10.4%	7.8%
	<b>Grade 7</b>	76.9%	0.2%	1.9%	4.5%	4.8%	5.9%	5.8%
	<b>Grade 8</b>	61.4%	0.3%	2.6%	6.1%	9.7%	11.3%	8.6%
	<b>Grade 9</b>	48.3%	0.1%	4.1%	13.3%	12.5%	12.5%	9.1%
	<b>Grade 10</b>	33.7%	1.2%	6.6%	19.4%	19.3%	10.7%	9.1%
	<b>Grade 11</b>	36.7%	0.6%	5.5%	18.4%	18.5%	12.4%	7.8%
	<b>Grade 12</b>	26.4%	0.4%	5.3%	24.3%	22.9%	13.3%	7.4%



**region8**  
**Spring 2006**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	49.5%	50.5%	11.5%	23.9%	15.0%
	<b>Grade 7</b>	65.0%	35.0%	3.2%	16.5%	15.3%
	<b>Grade 8</b>	54.7%	45.3%	6.0%	21.5%	17.8%
	<b>Grade 9</b>	47.3%	52.7%	10.4%	26.4%	15.9%
	<b>Grade 10</b>	33.7%	66.3%	21.3%	30.9%	14.1%
	<b>Grade 11</b>	38.6%	61.4%	20.9%	29.6%	10.9%
	<b>Grade 12</b>	30.6%	69.4%	27.4%	29.7%	12.3%
<b>Wine Coolers</b>						
	<b>All</b>	49.7%	50.3%	9.7%	28.6%	12.0%
	<b>Grade 7</b>	65.7%	34.3%	5.2%	17.7%	11.4%
	<b>Grade 8</b>	50.5%	49.5%	7.5%	26.8%	15.2%
	<b>Grade 9</b>	46.1%	53.9%	11.8%	30.6%	11.5%
	<b>Grade 10</b>	37.4%	62.6%	15.2%	37.3%	10.0%
	<b>Grade 11</b>	40.1%	59.9%	13.2%	35.8%	10.9%
	<b>Grade 12</b>	36.2%	63.8%	12.7%	40.0%	11.1%
<b>Wine</b>						
	<b>All</b>	53.1%	46.9%	3.8%	23.9%	19.1%
	<b>Grade 7</b>	67.0%	33.0%	2.1%	15.7%	15.2%
	<b>Grade 8</b>	52.7%	47.3%	2.9%	22.6%	21.9%
	<b>Grade 9</b>	50.1%	49.9%	4.9%	27.0%	18.0%
	<b>Grade 10</b>	43.3%	56.7%	5.2%	31.5%	20.0%
	<b>Grade 11</b>	47.2%	52.8%	4.1%	26.9%	21.8%
	<b>Grade 12</b>	40.1%	59.9%	6.5%	31.4%	22.0%
<b>Liquor</b>						
	<b>All</b>	51.6%	48.4%	13.1%	24.6%	10.7%
	<b>Grade 7</b>	74.0%	26.0%	3.5%	13.2%	9.4%
	<b>Grade 8</b>	60.1%	39.9%	7.4%	19.4%	13.0%
	<b>Grade 9</b>	46.5%	53.5%	14.2%	27.2%	12.2%
	<b>Grade 10</b>	31.5%	68.5%	26.8%	32.7%	9.0%
	<b>Grade 11</b>	33.1%	66.9%	21.5%	34.9%	10.6%
	<b>Grade 12</b>	25.1%	74.9%	24.9%	41.9%	8.1%

**region8**  
**Spring 2006**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		<b>Never/None</b>	<b>1 day</b>	<b>2 days</b>	<b>3 to 5 days</b>	<b>6 to 9 days</b>	<b>10 or more days</b>
<b>Alcohol</b>	<b>All</b>	77.3%	6.8%	4.8%	5.9%	2.7%	2.4%
	<b>Grade 7</b>	89.2%	3.9%	2.4%	2.8%	0.8%	0.9%
	<b>Grade 8</b>	85.2%	4.6%	3.5%	3.3%	1.8%	1.7%
	<b>Grade 9</b>	76.7%	8.1%	5.5%	5.5%	2.2%	2.0%
	<b>Grade 10</b>	63.1%	9.9%	9.4%	9.1%	4.0%	4.5%
	<b>Grade 11</b>	67.1%	9.2%	4.6%	9.9%	4.6%	4.6%
	<b>Grade 12</b>	56.0%	11.0%	8.3%	13.5%	7.0%	4.2%

**Table A-5: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Alcohol</b>	10.5	11.1	11.7	12.3	12.8	13.8
<b>Beer</b>	10.4	11.1	11.8	12.5	13.0	14.2
<b>Wine Coolers</b>	10.8	11.6	12.0	12.7	13.1	14.3
<b>Wine</b>	11.0	11.5	12.3	12.6	13.1	14.2
<b>Liquor</b>	11.4	12.0	12.7	13.3	13.9	14.9

**region8**  
**Spring 2006**

**Table A-6: If you wanted some, how difficult would it be to get...**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Beer?</b>							
	<b>All</b>	10.0%	13.5%	5.9%	12.7%	21.7%	36.1%
	<b>Grade 7</b>	17.4%	22.9%	7.5%	13.9%	16.8%	21.5%
	<b>Grade 8</b>	8.7%	16.1%	6.7%	12.9%	22.7%	32.9%
	<b>Grade 9</b>	8.4%	10.2%	7.3%	12.7%	21.7%	39.7%
	<b>Grade 10</b>	6.8%	6.9%	3.1%	12.8%	21.7%	48.7%
	<b>Grade 11</b>	5.4%	6.5%	2.5%	10.2%	23.7%	51.8%
	<b>Grade 12</b>	3.4%	2.9%	3.7%	11.9%	31.6%	46.5%
<b>Wine coolers?</b>							
	<b>All</b>	14.5%	14.6%	6.5%	12.8%	20.6%	31.0%
	<b>Grade 7</b>	23.7%	26.4%	7.3%	11.7%	13.4%	17.5%
	<b>Grade 8</b>	14.4%	16.0%	8.7%	14.1%	20.2%	26.7%
	<b>Grade 9</b>	12.8%	11.0%	6.8%	14.6%	21.7%	33.1%
	<b>Grade 10</b>	11.3%	6.7%	4.6%	13.0%	20.8%	43.6%
	<b>Grade 11</b>	5.9%	6.1%	4.1%	9.3%	28.0%	46.6%
	<b>Grade 12</b>	4.6%	3.7%	3.6%	12.7%	31.7%	43.7%
<b>Wine?</b>							
	<b>All</b>	12.8%	16.9%	7.8%	13.3%	18.6%	30.6%
	<b>Grade 7</b>	21.1%	28.7%	9.8%	11.3%	12.7%	16.3%
	<b>Grade 8</b>	11.1%	19.4%	9.1%	14.0%	19.5%	26.9%
	<b>Grade 9</b>	11.2%	13.9%	8.2%	14.9%	17.9%	34.0%
	<b>Grade 10</b>	11.0%	7.3%	4.5%	14.3%	19.1%	43.9%
	<b>Grade 11</b>	7.2%	7.7%	5.3%	12.3%	23.5%	44.0%
	<b>Grade 12</b>	4.7%	5.0%	4.4%	13.9%	28.9%	43.1%
<b>Liquor?</b>							
	<b>All</b>	11.7%	18.5%	8.5%	11.0%	18.5%	32.0%
	<b>Grade 7</b>	20.6%	32.4%	9.8%	9.8%	11.9%	15.5%
	<b>Grade 8</b>	11.7%	21.9%	10.4%	11.4%	18.5%	26.1%
	<b>Grade 9</b>	9.2%	14.6%	10.1%	10.8%	18.6%	36.6%
	<b>Grade 10</b>	6.8%	7.0%	4.1%	11.0%	22.5%	48.5%
	<b>Grade 11</b>	5.3%	7.6%	5.3%	11.5%	21.2%	49.1%
	<b>Grade 12</b>	3.4%	3.6%	5.2%	13.0%	29.8%	45.0%

**region8**  
**Spring 2006**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	<b>None</b>	<b>1-3 Times</b>	<b>4-9 Times</b>	<b>10+ Times</b>
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	88.7%	8.3%	1.7%	1.2%
<b>Grade 7</b>	91.5%	6.3%	1.4%	0.7%
<b>Grade 8</b>	91.8%	6.1%	1.2%	0.9%
<b>Grade 9</b>	88.1%	9.2%	1.3%	1.4%
<b>Grade 10</b>	83.9%	11.3%	3.3%	1.6%
<b>Grade 11</b>	84.3%	11.1%	2.2%	2.3%
<b>Grade 12</b>	86.1%	10.5%	2.2%	1.2%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.6%	1.0%	0.1%	0.3%
<b>Grade 7</b>	99.0%	0.7%	0.1%	0.3%
<b>Grade 8</b>	99.3%	0.6%	0.0%	0.0%
<b>Grade 9</b>	98.9%	1.0%	0.0%	0.1%
<b>Grade 10</b>	97.9%	1.5%	0.1%	0.5%
<b>Grade 11</b>	97.1%	1.5%	0.6%	0.8%
<b>Grade 12</b>	98.1%	1.2%	0.2%	0.4%

**region8**  
**Spring 2006**

**Table A-8: School year use of alcohol by absences and conduct problems:**

Average days absent due to illness or other reasons	
Alcohol Users:	5.4
Alcohol Non-users:	4.1

  

Average days conduct problems reported	
Alcohol Users:	4.2
Alcohol Non-users:	1.5

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
<b>All</b>	87.4%	8.8%	2.1%	1.7%
<b>Grade 9</b>	94.5%	4.2%	0.6%	0.6%
<b>Grade 10</b>	89.3%	7.8%	1.8%	1.2%
<b>Grade 11</b>	81.2%	13.1%	3.2%	2.5%
<b>Grade 12</b>	77.2%	14.9%	4.1%	3.9%
<b>Gotten into trouble with the police because of drinking?</b>				
<b>All</b>	96.5%	3.0%	0.4%	0.2%
<b>Grade 7</b>	98.3%	1.4%	0.1%	0.2%
<b>Grade 8</b>	97.9%	1.7%	0.3%	0.1%
<b>Grade 9</b>	96.5%	2.9%	0.5%	0.1%
<b>Grade 10</b>	94.4%	4.5%	0.7%	0.4%
<b>Grade 11</b>	94.4%	4.9%	0.5%	0.2%
<b>Grade 12</b>	93.1%	6.5%	0.3%	0.1%

**region8**  
**Spring 2006**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	25.2%	24.4%	18.0%	21.5%	10.9%
	<b>Grade 7</b>	45.9%	27.3%	13.0%	8.4%	5.5%
	<b>Grade 8</b>	29.2%	27.7%	20.3%	14.3%	8.4%
	<b>Grade 9</b>	16.5%	28.1%	20.3%	23.9%	11.2%
	<b>Grade 10</b>	10.6%	18.2%	21.6%	32.7%	16.8%
	<b>Grade 11</b>	12.2%	18.7%	16.6%	36.8%	15.7%
	<b>Grade 12</b>	7.9%	15.0%	19.6%	39.2%	18.3%
<b>Beer?</b>						
	<b>All</b>	31.5%	24.4%	17.9%	18.1%	8.0%
	<b>Grade 7</b>	54.3%	25.8%	10.3%	5.4%	4.1%
	<b>Grade 8</b>	37.4%	27.5%	18.8%	10.5%	5.8%
	<b>Grade 9</b>	23.0%	29.0%	21.4%	19.9%	6.7%
	<b>Grade 10</b>	14.9%	18.2%	23.9%	29.7%	13.3%
	<b>Grade 11</b>	15.6%	19.9%	19.5%	31.8%	13.2%
	<b>Grade 12</b>	10.3%	16.3%	21.3%	37.4%	14.7%
<b>Wine coolers?</b>						
	<b>All</b>	43.8%	21.7%	16.7%	12.2%	5.7%
	<b>Grade 7</b>	62.3%	18.7%	9.5%	5.6%	4.0%
	<b>Grade 8</b>	47.7%	21.4%	15.7%	9.6%	5.5%
	<b>Grade 9</b>	38.0%	24.9%	17.8%	13.0%	6.3%
	<b>Grade 10</b>	32.3%	19.3%	23.1%	18.7%	6.5%
	<b>Grade 11</b>	29.0%	26.0%	19.6%	19.2%	6.3%
	<b>Grade 12</b>	25.6%	21.6%	25.9%	19.2%	7.7%
<b>Wine?</b>						
	<b>All</b>	54.5%	22.0%	12.0%	7.8%	3.7%
	<b>Grade 7</b>	70.3%	16.3%	7.5%	2.9%	3.0%
	<b>Grade 8</b>	57.3%	21.6%	10.4%	6.9%	3.8%
	<b>Grade 9</b>	49.7%	24.3%	13.1%	9.0%	3.8%
	<b>Grade 10</b>	42.2%	24.3%	17.6%	12.1%	3.8%
	<b>Grade 11</b>	44.7%	25.8%	13.5%	11.8%	4.2%
	<b>Grade 12</b>	39.8%	26.9%	17.5%	11.5%	4.4%
<b>Liquor?</b>						
	<b>All</b>	40.6%	19.1%	15.4%	17.2%	7.8%
	<b>Grade 7</b>	66.2%	16.3%	8.4%	5.3%	3.9%
	<b>Grade 8</b>	48.9%	20.4%	14.7%	11.2%	4.9%
	<b>Grade 9</b>	31.7%	24.1%	18.2%	17.6%	8.4%
	<b>Grade 10</b>	19.7%	18.5%	20.8%	27.4%	13.5%
	<b>Grade 11</b>	20.7%	18.1%	17.4%	33.1%	10.7%
	<b>Grade 12</b>	14.4%	15.0%	22.1%	34.0%	14.5%

**region8**  
**Spring 2006**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
<b>All</b>	92.1%	6.7%	0.7%	0.5%
<b>Grade 7</b>	95.8%	3.7%	0.3%	0.2%
<b>Grade 8</b>	94.4%	5.1%	0.3%	0.2%
<b>Grade 9</b>	92.1%	6.6%	0.7%	0.7%
<b>Grade 10</b>	88.4%	9.7%	1.0%	0.9%
<b>Grade 11</b>	88.5%	9.9%	1.3%	0.4%
<b>Grade 12</b>	85.1%	12.5%	1.3%	1.1%
<b>Been criticized by someone you were dating because of drinking?</b>				
<b>All</b>	92.4%	6.4%	0.6%	0.6%
<b>Grade 7</b>	96.8%	2.8%	0.3%	0.2%
<b>Grade 8</b>	94.4%	4.7%	0.5%	0.4%
<b>Grade 9</b>	91.4%	7.0%	0.6%	1.0%
<b>Grade 10</b>	88.9%	9.6%	0.9%	0.6%
<b>Grade 11</b>	86.7%	11.4%	1.3%	0.7%
<b>Grade 12</b>	88.5%	9.6%	0.8%	1.1%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	38.1%	11.1%	7.8%	12.0%	18.2%	2.1%	10.6%
<b>Grade 7</b>	60.3%	11.8%	7.2%	5.6%	4.1%	2.4%	8.6%
<b>Grade 8</b>	47.2%	14.5%	8.8%	9.9%	8.3%	2.1%	9.1%
<b>Grade 9</b>	31.1%	12.9%	10.3%	16.1%	15.9%	2.5%	11.2%
<b>Grade 10</b>	22.0%	7.9%	8.9%	17.9%	30.5%	2.4%	10.2%
<b>Grade 11</b>	16.7%	7.8%	4.6%	15.6%	38.3%	1.6%	15.5%
<b>Grade 12</b>	12.6%	5.4%	4.8%	15.4%	47.8%	0.8%	13.2%

**region8**  
**Spring 2006**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>At home</b>						
	<b>All</b>	38.8%	26.0%	23.6%	8.5%	3.2%
	<b>Grade 7</b>	51.9%	25.1%	16.1%	5.3%	1.6%
	<b>Grade 8</b>	41.5%	24.1%	23.9%	7.4%	3.0%
	<b>Grade 9</b>	34.1%	26.3%	23.9%	11.1%	4.5%
	<b>Grade 10</b>	25.9%	28.9%	30.7%	10.1%	4.5%
	<b>Grade 11</b>	33.3%	26.4%	27.2%	10.5%	2.6%
	<b>Grade 12</b>	26.8%	27.8%	31.1%	9.8%	4.5%
<b>From friends</b>						
	<b>All</b>	34.8%	22.2%	15.9%	19.5%	7.6%
	<b>Grade 7</b>	50.9%	29.7%	9.5%	7.9%	2.1%
	<b>Grade 8</b>	39.9%	25.8%	16.0%	13.3%	5.0%
	<b>Grade 9</b>	29.0%	22.7%	20.8%	21.4%	6.1%
	<b>Grade 10</b>	21.4%	15.1%	17.8%	31.0%	14.8%
	<b>Grade 11</b>	24.0%	13.6%	18.7%	31.6%	12.0%
	<b>Grade 12</b>	19.5%	10.4%	17.4%	34.2%	18.6%
<b>From a store</b>						
	<b>All</b>	37.1%	47.0%	7.8%	4.8%	3.3%
	<b>Grade 7</b>	52.8%	41.5%	3.4%	1.8%	0.6%
	<b>Grade 8</b>	42.4%	49.7%	4.6%	1.8%	1.5%
	<b>Grade 9</b>	31.3%	52.5%	8.9%	4.1%	3.2%
	<b>Grade 10</b>	22.9%	51.0%	12.6%	7.6%	5.9%
	<b>Grade 11</b>	27.9%	43.9%	12.1%	9.9%	6.1%
	<b>Grade 12</b>	21.6%	43.5%	14.4%	12.3%	8.3%
<b>At parties</b>						
	<b>All</b>	33.6%	18.6%	14.1%	16.1%	17.5%
	<b>Grade 7</b>	47.3%	23.2%	12.7%	10.7%	6.1%
	<b>Grade 8</b>	39.5%	22.2%	15.1%	12.5%	10.6%
	<b>Grade 9</b>	27.4%	18.4%	16.5%	18.6%	19.1%
	<b>Grade 10</b>	21.2%	13.8%	13.7%	21.8%	29.5%
	<b>Grade 11</b>	25.1%	12.5%	14.5%	20.0%	28.0%
	<b>Grade 12</b>	19.5%	10.9%	11.1%	23.4%	35.1%
<b>Other source</b>						
	<b>All</b>	37.1%	27.2%	15.7%	10.5%	9.4%
	<b>Grade 7</b>	51.5%	26.3%	11.3%	7.0%	4.0%
	<b>Grade 8</b>	40.7%	28.4%	15.8%	9.3%	5.7%
	<b>Grade 9</b>	31.4%	29.0%	17.5%	10.7%	11.3%
	<b>Grade 10</b>	25.2%	24.0%	18.9%	16.3%	15.7%
	<b>Grade 11</b>	27.9%	26.2%	17.4%	13.0%	15.5%
	<b>Grade 12</b>	24.6%	28.6%	18.3%	13.6%	14.9%



**region8**  
**Spring 2006**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	59.9%	16.1%	10.1%	3.6%	1.4%	8.9%
<b>Grade 7</b>	67.5%	10.2%	5.8%	1.9%	1.2%	13.4%
<b>Grade 8</b>	67.6%	13.8%	5.8%	3.0%	0.8%	8.9%
<b>Grade 9</b>	59.2%	16.4%	10.7%	2.5%	1.5%	9.6%
<b>Grade 10</b>	48.7%	21.0%	16.0%	6.7%	1.8%	5.8%
<b>Grade 11</b>	50.4%	22.4%	15.4%	5.7%	1.9%	4.2%
<b>Grade 12</b>	46.9%	23.9%	17.0%	6.3%	1.5%	4.4%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	44.8%	32.8%	14.8%	3.5%	4.1%
<b>Grade 7</b>	58.0%	24.9%	9.5%	2.3%	5.3%
<b>Grade 8</b>	46.6%	33.0%	13.8%	3.1%	3.5%
<b>Grade 9</b>	38.7%	35.7%	17.0%	4.1%	4.6%
<b>Grade 10</b>	36.2%	35.2%	19.1%	5.6%	3.9%
<b>Grade 11</b>	39.2%	37.4%	15.8%	3.9%	3.7%
<b>Grade 12</b>	34.1%	40.4%	20.6%	3.5%	1.4%

**region8**  
**Spring 2006**

**Table D-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Marijuana?</b>					
	<b>All</b>	12.5%	18.4%	28.9%	71.1%
	<b>Grade 7</b>	7.0%	9.1%	14.1%	85.9%
	<b>Grade 8</b>	8.4%	12.1%	20.8%	79.2%
	<b>Grade 9</b>	13.6%	21.2%	32.1%	67.9%
	<b>Grade 10</b>	18.1%	27.9%	43.1%	56.9%
	<b>Grade 11</b>	20.2%	29.0%	45.2%	54.8%
	<b>Grade 12</b>	19.5%	29.6%	46.0%	54.0%
<b>Cocaine?</b>					
	<b>All</b>	2.9%	4.6%	8.1%	91.9%
	<b>Grade 7</b>	0.8%	1.7%	3.8%	96.2%
	<b>Grade 8</b>	1.4%	2.1%	4.1%	95.9%
	<b>Grade 9</b>	3.2%	4.4%	6.9%	93.1%
	<b>Grade 10</b>	4.4%	8.1%	13.7%	86.3%
	<b>Grade 11</b>	7.1%	9.7%	16.9%	83.1%
	<b>Grade 12</b>	5.1%	8.5%	14.9%	85.1%
<b>Crack?</b>					
	<b>All</b>	0.9%	1.2%	2.8%	97.2%
	<b>Grade 7</b>	0.7%	1.0%	2.2%	97.8%
	<b>Grade 8</b>	0.8%	1.3%	3.7%	96.3%
	<b>Grade 9</b>	1.0%	1.1%	2.3%	97.7%
	<b>Grade 10</b>	1.4%	1.5%	2.9%	97.1%
	<b>Grade 11</b>	1.0%	1.3%	3.3%	96.7%
	<b>Grade 12</b>	0.6%	1.3%	2.9%	97.1%
<b>Hallucinogens?</b>					
	<b>All</b>	1.7%	2.9%	5.2%	94.8%
	<b>Grade 7</b>	0.9%	1.1%	2.1%	97.9%
	<b>Grade 8</b>	0.5%	1.1%	2.8%	97.2%
	<b>Grade 9</b>	1.4%	2.4%	4.5%	95.5%
	<b>Grade 10</b>	4.4%	7.1%	12.3%	87.7%
	<b>Grade 11</b>	2.7%	5.5%	8.4%	91.6%
	<b>Grade 12</b>	2.9%	4.7%	8.9%	91.1%
<b>Uppers?</b>					
	<b>All</b>	2.7%	4.2%	6.3%	93.7%
	<b>Grade 7</b>	0.6%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	1.1%	2.1%	3.2%	96.8%
	<b>Grade 9</b>	1.7%	3.8%	5.9%	94.1%
	<b>Grade 10</b>	6.1%	8.4%	12.6%	87.4%
	<b>Grade 11</b>	6.8%	9.9%	14.2%	85.8%
	<b>Grade 12</b>	5.1%	7.8%	11.7%	88.3%
<b>Downers?</b>					
	<b>All</b>	2.9%	4.3%	6.8%	93.2%
	<b>Grade 7</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	0.8%	1.7%	3.3%	96.7%
	<b>Grade 9</b>	2.4%	4.1%	6.5%	93.5%
	<b>Grade 10</b>	6.8%	9.3%	13.1%	86.9%
	<b>Grade 11</b>	7.2%	9.7%	16.5%	83.5%
	<b>Grade 12</b>	6.2%	8.6%	12.1%	87.9%

**region8**  
**Spring 2006**

**Table D-1: How recently, if ever, have you used...**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol?</b>					
	All	1.1%	1.7%	3.2%	96.8%
	Grade 7	1.1%	1.4%	2.3%	97.7%
	Grade 8	1.1%	1.6%	3.2%	96.8%
	Grade 9	0.5%	1.4%	3.4%	96.6%
	Grade 10	1.1%	2.8%	4.8%	95.2%
	Grade 11	1.5%	2.0%	3.8%	96.2%
	Grade 12	1.4%	1.6%	3.1%	96.9%
<b>Steroids?</b>					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.6%	0.8%	1.8%	98.2%
	Grade 8	0.5%	1.0%	1.9%	98.1%
	Grade 9	0.4%	0.7%	1.7%	98.3%
	Grade 10	1.1%	1.5%	2.6%	97.4%
	Grade 11	0.4%	0.4%	1.1%	98.9%
	Grade 12	0.9%	1.0%	1.8%	98.2%
<b>Ecstasy?</b>					
	All	1.2%	2.4%	4.5%	95.5%
	Grade 7	0.5%	1.1%	2.5%	97.5%
	Grade 8	1.0%	2.3%	3.4%	96.6%
	Grade 9	1.8%	2.4%	5.3%	94.7%
	Grade 10	2.1%	3.3%	6.7%	93.3%
	Grade 11	1.6%	3.9%	6.3%	93.7%
	Grade 12	1.1%	3.4%	6.4%	93.6%
<b>Heroin?</b>					
	All	0.6%	0.9%	2.1%	97.9%
	Grade 7	0.9%	1.0%	2.1%	97.9%
	Grade 8	0.5%	0.8%	2.2%	97.8%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	1.5%	1.7%	3.9%	96.1%
	Grade 11	0.1%	0.8%	2.2%	97.8%
	Grade 12	0.2%	0.7%	1.5%	98.5%

**region8**  
**Spring 2006**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	<b>All</b>	73.7%	2.6%	3.9%	5.2%	5.0%	4.1%	5.5%
	<b>Grade 7</b>	86.9%	1.3%	2.6%	3.2%	2.2%	2.1%	1.6%
	<b>Grade 8</b>	80.0%	1.7%	3.1%	4.2%	4.3%	3.3%	3.5%
	<b>Grade 9</b>	70.8%	2.5%	4.2%	6.2%	5.9%	4.5%	6.0%
	<b>Grade 10</b>	59.4%	5.2%	7.0%	7.0%	6.6%	5.5%	9.3%
	<b>Grade 11</b>	61.8%	3.6%	5.1%	6.7%	7.4%	6.7%	8.7%
	<b>Grade 12</b>	59.2%	4.2%	3.6%	7.2%	8.1%	6.5%	11.0%
<b>Cocaine?</b>								
	<b>All</b>	93.1%	0.2%	0.8%	1.0%	1.3%	1.4%	2.1%
	<b>Grade 7</b>	96.7%	0.0%	0.4%	0.3%	0.7%	0.8%	1.0%
	<b>Grade 8</b>	96.7%	0.4%	0.4%	0.2%	0.5%	0.8%	1.0%
	<b>Grade 9</b>	93.6%	0.1%	0.9%	1.6%	1.3%	1.0%	1.5%
	<b>Grade 10</b>	88.0%	0.5%	1.3%	1.5%	2.3%	2.8%	3.7%
	<b>Grade 11</b>	86.7%	0.0%	1.5%	1.5%	2.8%	2.4%	5.0%
	<b>Grade 12</b>	87.3%	0.1%	1.1%	2.5%	2.2%	2.9%	3.9%
<b>Crack?</b>								
	<b>All</b>	97.3%	0.0%	0.3%	0.3%	0.5%	0.5%	1.1%
	<b>Grade 7</b>	97.9%	0.0%	0.1%	0.2%	0.2%	0.7%	0.9%
	<b>Grade 8</b>	96.4%	0.0%	0.7%	0.4%	0.5%	0.5%	1.5%
	<b>Grade 9</b>	98.0%	0.0%	0.3%	0.3%	0.4%	0.4%	0.7%
	<b>Grade 10</b>	97.0%	0.0%	0.2%	0.0%	1.3%	0.4%	1.1%
	<b>Grade 11</b>	97.0%	0.1%	0.0%	0.2%	0.5%	0.8%	1.5%
	<b>Grade 12</b>	97.4%	0.1%	0.1%	0.5%	0.7%	0.4%	0.8%
<b>Hallucinogens?</b>								
	<b>All</b>	95.6%	0.1%	0.2%	0.5%	1.0%	1.2%	1.5%
	<b>Grade 7</b>	98.1%	0.0%	0.2%	0.3%	0.3%	0.7%	0.5%
	<b>Grade 8</b>	98.0%	0.0%	0.1%	0.2%	0.4%	0.7%	0.6%
	<b>Grade 9</b>	95.8%	0.1%	0.1%	0.8%	1.0%	1.3%	1.0%
	<b>Grade 10</b>	89.6%	0.2%	0.3%	0.8%	3.0%	2.4%	3.6%
	<b>Grade 11</b>	93.4%	0.1%	0.3%	1.1%	1.1%	1.2%	2.8%
	<b>Grade 12</b>	92.4%	0.1%	0.2%	0.5%	1.3%	2.1%	3.4%
<b>Uppers?</b>								
	<b>All</b>	93.7%	0.4%	0.4%	1.1%	1.6%	1.3%	1.4%
	<b>Grade 7</b>	98.5%	0.0%	0.1%	0.0%	0.8%	0.2%	0.3%
	<b>Grade 8</b>	96.8%	0.3%	0.1%	0.6%	0.8%	0.8%	0.5%
	<b>Grade 9</b>	93.7%	0.7%	0.6%	0.8%	1.7%	1.0%	1.5%
	<b>Grade 10</b>	87.1%	0.4%	1.5%	2.5%	2.7%	3.2%	2.6%
	<b>Grade 11</b>	86.8%	1.2%	0.5%	3.0%	2.3%	2.5%	3.7%
	<b>Grade 12</b>	88.7%	0.2%	0.6%	2.0%	3.1%	2.9%	2.4%
<b>Downers?</b>								
	<b>All</b>	93.1%	0.4%	0.6%	1.2%	1.7%	1.4%	1.6%
	<b>Grade 7</b>	98.5%	0.0%	0.1%	0.1%	0.7%	0.2%	0.4%
	<b>Grade 8</b>	96.8%	0.2%	0.1%	0.9%	0.7%	0.9%	0.4%
	<b>Grade 9</b>	93.1%	0.5%	0.7%	0.8%	2.0%	1.1%	1.8%
	<b>Grade 10</b>	86.3%	1.3%	2.3%	1.7%	2.7%	3.1%	2.6%
	<b>Grade 11</b>	85.0%	0.6%	1.1%	3.7%	2.6%	2.4%	4.6%
	<b>Grade 12</b>	87.4%	0.1%	0.2%	2.0%	4.2%	3.5%	2.6%

**region8**  
**Spring 2006**

**Table D-2: How often do you normally use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Rohypnol?</b>								
	<b>All</b>	97.1%	0.1%	0.3%	0.5%	0.6%	0.6%	0.8%
	<b>Grade 7</b>	97.8%	0.0%	0.5%	0.5%	0.4%	0.2%	0.6%
	<b>Grade 8</b>	96.4%	0.1%	0.1%	1.1%	1.0%	0.9%	0.5%
	<b>Grade 9</b>	96.8%	0.0%	0.1%	0.3%	0.5%	1.1%	1.0%
	<b>Grade 10</b>	96.2%	0.0%	0.6%	0.2%	0.9%	0.6%	1.4%
	<b>Grade 11</b>	97.2%	0.2%	0.8%	0.5%	0.5%	0.1%	0.6%
	<b>Grade 12</b>	97.9%	0.2%	0.0%	0.3%	0.4%	0.6%	0.6%
<b>Steroids?</b>								
	<b>All</b>	98.6%	0.2%	0.1%	0.1%	0.2%	0.3%	0.5%
	<b>Grade 7</b>	98.8%	0.1%	0.1%	0.1%	0.1%	0.5%	0.2%
	<b>Grade 8</b>	98.6%	0.3%	0.0%	0.0%	0.3%	0.1%	0.6%
	<b>Grade 9</b>	98.8%	0.3%	0.1%	0.0%	0.3%	0.2%	0.4%
	<b>Grade 10</b>	97.0%	0.3%	0.1%	0.2%	0.2%	0.5%	1.8%
	<b>Grade 11</b>	99.1%	0.1%	0.1%	0.1%	0.0%	0.3%	0.3%
	<b>Grade 12</b>	98.4%	0.5%	0.1%	0.2%	0.1%	0.2%	0.5%
<b>Ecstasy?</b>								
	<b>All</b>	95.7%	0.1%	0.2%	0.4%	0.8%	1.3%	1.6%
	<b>Grade 7</b>	97.7%	0.0%	0.2%	0.3%	0.4%	0.8%	0.6%
	<b>Grade 8</b>	97.0%	0.0%	0.1%	0.2%	0.5%	0.9%	1.3%
	<b>Grade 9</b>	94.6%	0.1%	0.5%	0.4%	0.9%	1.6%	1.9%
	<b>Grade 10</b>	93.3%	0.3%	0.1%	0.2%	1.3%	1.8%	3.0%
	<b>Grade 11</b>	94.9%	0.0%	0.0%	0.5%	1.4%	1.5%	1.7%
	<b>Grade 12</b>	93.7%	0.0%	0.3%	0.8%	1.0%	1.8%	2.5%
<b>Heroin?</b>								
	<b>All</b>	97.7%	0.1%	0.1%	0.1%	0.3%	0.6%	1.0%
	<b>Grade 7</b>	98.2%	0.0%	0.1%	0.2%	0.2%	0.7%	0.6%
	<b>Grade 8</b>	97.7%	0.0%	0.1%	0.2%	0.4%	0.4%	1.2%
	<b>Grade 9</b>	98.2%	0.1%	0.4%	0.0%	0.2%	0.6%	0.5%
	<b>Grade 10</b>	94.9%	0.7%	0.0%	0.0%	0.5%	1.2%	2.7%
	<b>Grade 11</b>	98.1%	0.0%	0.0%	0.0%	0.3%	0.4%	1.2%
	<b>Grade 12</b>	98.4%	0.0%	0.1%	0.4%	0.2%	0.3%	0.7%

**region8**  
**Spring 2006**

**Table D-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Marijuana</b>	11.3	12.4	12.7	13.4	13.7	14.6
<b>Cocaine</b>	11.7	12.8	13.5	14.3	15.2	15.9
<b>Crack</b>	11.9	12.8	13.3	13.9	15.5	15.7
<b>Hallucinogens</b>	11.6	12.4	13.5	14.4	15.0	15.5
<b>Uppers</b>	11.8	12.7	13.1	14.0	14.4	15.4
<b>Downers</b>	11.6	12.6	13.1	13.8	14.6	15.5
<b>Rohypnol</b>	10.8	12.6	13.1	13.8	13.7	14.8
<b>Steroids</b>	11.3	11.1	12.0	13.6	12.6	15.9
<b>Ecstasy</b>	11.9	13.0	13.8	14.7	15.3	16.1
<b>Heroin</b>	11.8	13.1	12.7	14.6	15.4	15.1

**Table D-4: Age of first use of marijuana by family situation:**

		<b>Never</b>	<b>9/Under</b>	<b>10 to 11</b>	<b>12 to 13</b>	<b>14 to 15</b>	<b>16 to 17</b>	<b>Over 17</b>
<b>Two parent family</b>								
	<b>All</b>	75.2%	1.1%	2.7%	9.5%	8.0%	3.1%	0.2%
	<b>Grade 7</b>	89.0%	2.4%	3.6%	4.8%	0.1%	0.0%	0.0%
	<b>Grade 8</b>	82.3%	0.8%	1.6%	10.9%	4.4%	0.0%	0.0%
	<b>Grade 9</b>	74.3%	1.0%	3.5%	12.3%	8.8%	0.1%	0.0%
	<b>Grade 10</b>	62.8%	0.6%	2.2%	14.7%	15.7%	3.9%	0.0%
	<b>Grade 11</b>	58.5%	0.0%	3.3%	10.9%	18.9%	8.4%	0.0%
	<b>Grade 12</b>	57.7%	0.4%	1.1%	6.8%	14.5%	17.2%	2.3%
<b>Other family situation</b>								
	<b>All</b>	62.7%	3.4%	6.5%	13.2%	11.2%	2.8%	0.2%
	<b>Grade 7</b>	79.6%	2.6%	6.5%	10.6%	0.5%	0.1%	0.0%
	<b>Grade 8</b>	74.8%	3.2%	5.4%	12.4%	4.3%	0.0%	0.0%
	<b>Grade 9</b>	53.4%	3.3%	10.0%	17.1%	15.8%	0.4%	0.0%
	<b>Grade 10</b>	44.2%	2.9%	6.4%	14.7%	27.0%	4.8%	0.0%
	<b>Grade 11</b>	49.6%	7.0%	4.6%	12.0%	18.1%	7.9%	0.6%
	<b>Grade 12</b>	44.4%	2.0%	3.8%	14.1%	19.8%	14.1%	1.8%

**region8**  
**Spring 2006**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	<b>All</b>	13.1%	27.1%	8.6%	11.0%	14.5%	25.7%
	<b>Grade 7</b>	22.4%	43.2%	9.1%	5.7%	7.6%	12.0%
	<b>Grade 8</b>	12.3%	33.5%	9.8%	13.4%	12.9%	18.1%
	<b>Grade 9</b>	10.0%	21.8%	9.4%	12.6%	16.5%	29.7%
	<b>Grade 10</b>	10.4%	12.0%	7.3%	11.5%	20.5%	38.2%
	<b>Grade 11</b>	6.3%	14.0%	6.3%	12.0%	18.1%	43.3%
	<b>Grade 12</b>	6.0%	9.5%	7.2%	15.4%	22.8%	39.2%
<b>Cocaine?</b>							
	<b>All</b>	17.4%	34.7%	13.1%	12.9%	9.0%	12.9%
	<b>Grade 7</b>	26.1%	48.9%	9.2%	5.6%	4.5%	5.8%
	<b>Grade 8</b>	17.1%	43.7%	14.0%	10.9%	5.3%	9.0%
	<b>Grade 9</b>	14.8%	32.2%	15.4%	13.9%	9.3%	14.4%
	<b>Grade 10</b>	13.5%	18.8%	14.3%	19.6%	12.6%	21.1%
	<b>Grade 11</b>	12.0%	19.3%	12.1%	17.7%	16.4%	22.5%
	<b>Grade 12</b>	9.9%	15.7%	16.7%	22.6%	17.0%	18.0%
<b>Crack?</b>							
	<b>All</b>	19.7%	35.9%	14.2%	12.9%	8.0%	9.2%
	<b>Grade 7</b>	27.2%	48.8%	9.5%	6.0%	3.5%	5.0%
	<b>Grade 8</b>	18.3%	44.7%	14.2%	10.2%	5.4%	7.2%
	<b>Grade 9</b>	16.7%	33.8%	17.0%	13.6%	9.2%	9.7%
	<b>Grade 10</b>	18.3%	22.1%	14.4%	19.1%	12.1%	13.9%
	<b>Grade 11</b>	16.9%	20.1%	15.5%	19.0%	12.8%	15.8%
	<b>Grade 12</b>	13.4%	18.2%	19.6%	23.2%	14.1%	11.4%
<b>Hallucinogens?</b>							
	<b>All</b>	37.9%	26.7%	11.0%	9.8%	6.4%	8.2%
	<b>Grade 7</b>	51.2%	32.6%	5.6%	4.2%	2.6%	3.8%
	<b>Grade 8</b>	43.7%	31.6%	9.9%	5.8%	3.3%	5.7%
	<b>Grade 9</b>	34.8%	28.3%	12.0%	10.1%	7.0%	7.8%
	<b>Grade 10</b>	26.6%	18.5%	13.9%	14.9%	9.4%	16.6%
	<b>Grade 11</b>	25.5%	16.6%	15.1%	16.8%	11.8%	14.2%
	<b>Grade 12</b>	21.3%	16.5%	18.6%	20.0%	13.4%	10.1%
<b>Uppers?</b>							
	<b>All</b>	46.9%	21.3%	8.4%	7.4%	6.3%	9.7%
	<b>Grade 7</b>	57.8%	27.7%	6.2%	2.4%	2.3%	3.6%
	<b>Grade 8</b>	50.3%	25.4%	8.9%	6.4%	3.2%	5.7%
	<b>Grade 9</b>	44.3%	21.7%	9.3%	7.4%	6.4%	10.9%
	<b>Grade 10</b>	40.0%	13.5%	8.5%	11.2%	9.9%	16.8%
	<b>Grade 11</b>	35.2%	12.7%	8.9%	11.7%	12.0%	19.4%
	<b>Grade 12</b>	34.5%	11.0%	10.6%	15.4%	14.1%	14.4%
<b>Downers?</b>							
	<b>All</b>	46.7%	21.2%	8.2%	7.7%	6.4%	9.7%
	<b>Grade 7</b>	57.8%	27.4%	6.2%	3.0%	2.2%	3.4%
	<b>Grade 8</b>	50.4%	25.2%	8.8%	6.6%	3.2%	5.8%
	<b>Grade 9</b>	44.0%	21.6%	9.1%	7.9%	6.8%	10.5%
	<b>Grade 10</b>	39.3%	13.2%	7.5%	10.9%	11.6%	17.6%
	<b>Grade 11</b>	35.1%	13.6%	8.6%	11.7%	11.1%	19.9%
	<b>Grade 12</b>	34.0%	11.2%	10.5%	15.8%	14.0%	14.6%

**region8**  
**Spring 2006**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>							
	<b>All</b>	50.9%	21.0%	8.7%	7.4%	4.8%	7.2%
	<b>Grade 7</b>	58.3%	27.3%	5.0%	3.5%	1.9%	4.1%
	<b>Grade 8</b>	52.6%	24.5%	8.5%	5.5%	3.0%	5.9%
	<b>Grade 9</b>	47.2%	21.3%	10.6%	7.3%	6.4%	7.2%
	<b>Grade 10</b>	46.4%	14.4%	10.5%	11.5%	7.4%	9.9%
	<b>Grade 11</b>	46.1%	12.1%	10.4%	11.7%	6.2%	13.5%
	<b>Grade 12</b>	44.9%	13.0%	12.1%	12.9%	9.1%	7.9%
<b>Steroids?</b>							
	<b>All</b>	24.5%	37.2%	14.0%	10.9%	6.1%	7.3%
	<b>Grade 7</b>	31.0%	48.4%	9.0%	4.5%	3.0%	4.1%
	<b>Grade 8</b>	23.4%	46.9%	12.5%	8.4%	3.4%	5.3%
	<b>Grade 9</b>	22.5%	34.9%	17.1%	12.1%	6.1%	7.3%
	<b>Grade 10</b>	24.1%	21.8%	17.6%	16.8%	8.7%	11.0%
	<b>Grade 11</b>	21.4%	26.0%	14.1%	16.1%	10.6%	11.8%
	<b>Grade 12</b>	17.0%	18.9%	20.5%	19.4%	12.8%	11.5%
<b>Ecstasy?</b>							
	<b>All</b>	30.7%	30.8%	12.1%	10.1%	7.2%	9.1%
	<b>Grade 7</b>	46.5%	35.4%	6.7%	4.2%	3.1%	4.0%
	<b>Grade 8</b>	33.5%	39.3%	10.4%	6.8%	3.8%	6.2%
	<b>Grade 9</b>	25.2%	31.1%	14.9%	11.1%	7.9%	9.8%
	<b>Grade 10</b>	21.6%	21.3%	14.2%	16.0%	11.2%	15.7%
	<b>Grade 11</b>	18.6%	22.4%	15.0%	15.3%	11.8%	16.9%
	<b>Grade 12</b>	15.2%	18.2%	19.9%	19.7%	15.1%	11.8%
<b>Heroin?</b>							
	<b>All</b>	26.0%	37.4%	14.0%	9.7%	5.0%	8.0%
	<b>Grade 7</b>	36.2%	45.3%	8.0%	3.8%	2.1%	4.5%
	<b>Grade 8</b>	25.8%	47.3%	10.9%	7.3%	2.8%	5.9%
	<b>Grade 9</b>	22.7%	36.2%	16.2%	10.8%	5.6%	8.4%
	<b>Grade 10</b>	21.3%	25.9%	17.0%	15.1%	6.8%	13.9%
	<b>Grade 11</b>	19.8%	25.3%	18.4%	14.6%	8.6%	13.4%
	<b>Grade 12</b>	17.0%	22.5%	24.3%	17.4%	10.5%	8.3%



**region8**  
**Spring 2006**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
<b>All</b>	87.7%	6.9%	2.1%	3.3%
<b>Grade 7</b>	92.4%	4.1%	1.7%	1.8%
<b>Grade 8</b>	91.2%	6.1%	0.7%	2.0%
<b>Grade 9</b>	86.6%	8.4%	1.9%	3.1%
<b>Grade 10</b>	80.5%	9.8%	3.7%	6.0%
<b>Grade 11</b>	81.9%	8.2%	4.8%	5.1%
<b>Grade 12</b>	84.5%	8.8%	1.4%	5.2%
<b>Attended class while high from use of some other drug?</b>				
<b>All</b>	92.1%	5.1%	1.4%	1.4%
<b>Grade 7</b>	95.2%	3.0%	1.0%	0.7%
<b>Grade 8</b>	93.4%	5.2%	0.8%	0.7%
<b>Grade 9</b>	91.9%	5.7%	1.0%	1.4%
<b>Grade 10</b>	86.4%	8.2%	3.7%	1.8%
<b>Grade 11</b>	89.0%	4.8%	2.7%	3.4%
<b>Grade 12</b>	91.3%	6.0%	0.9%	1.9%
<b>Gotten into trouble with teachers because of your drug use?</b>				
<b>All</b>	98.0%	1.5%	0.2%	0.3%
<b>Grade 7</b>	98.2%	1.3%	0.3%	0.2%
<b>Grade 8</b>	98.3%	1.5%	0.2%	0.0%
<b>Grade 9</b>	98.4%	1.2%	0.1%	0.4%
<b>Grade 10</b>	96.7%	2.1%	0.5%	0.6%
<b>Grade 11</b>	97.2%	2.0%	0.1%	0.7%
<b>Grade 12</b>	98.4%	1.3%	0.0%	0.2%

**region8**  
**Spring 2006**

**Table D-7: School year use of marijuana by absences and conduct problems:**

Average days absent due to illness or other reasons	
Marijuana Users:	5.6
Marijuana Non-users:	4.4

  

Average days conduct problems reported	
Marijuana Users:	6.3
Marijuana Non-users:	1.8

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
<b>All</b>	89.9%	6.2%	1.4%	2.5%
<b>Grade 9</b>	96.3%	2.9%	0.3%	0.5%
<b>Grade 10</b>	88.2%	8.1%	1.1%	2.5%
<b>Grade 11</b>	86.0%	6.7%	3.2%	4.1%
<b>Grade 12</b>	82.7%	10.5%	1.9%	4.9%
<b>Gotten into trouble with the police because of drug use?</b>				
<b>All</b>	96.8%	2.6%	0.5%	0.1%
<b>Grade 7</b>	98.3%	1.3%	0.3%	0.1%
<b>Grade 8</b>	97.9%	1.5%	0.5%	0.1%
<b>Grade 9</b>	96.6%	2.8%	0.6%	0.0%
<b>Grade 10</b>	93.2%	5.6%	0.7%	0.5%
<b>Grade 11</b>	95.0%	3.9%	1.0%	0.0%
<b>Grade 12</b>	96.4%	3.2%	0.3%	0.1%

**region8**  
**Spring 2006**

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
<b>All</b>	47.7%	19.1%	12.4%	13.2%	7.5%
<b>Grade 7</b>	69.1%	12.9%	6.2%	7.2%	4.6%
<b>Grade 8</b>	54.4%	16.4%	12.2%	10.0%	6.9%
<b>Grade 9</b>	38.5%	22.1%	14.0%	15.9%	9.5%
<b>Grade 10</b>	31.2%	24.9%	15.7%	17.3%	10.8%
<b>Grade 11</b>	30.3%	24.9%	15.1%	19.8%	9.9%
<b>Grade 12</b>	31.2%	23.6%	20.6%	19.0%	5.7%

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	92.5%	6.0%	0.9%	0.6%
<b>Grade 7</b>	95.2%	4.2%	0.5%	0.1%
<b>Grade 8</b>	93.9%	4.3%	1.4%	0.3%
<b>Grade 9</b>	91.1%	7.2%	0.7%	1.0%
<b>Grade 10</b>	87.6%	10.4%	0.7%	1.3%
<b>Grade 11</b>	90.7%	6.5%	1.6%	1.1%
<b>Grade 12</b>	92.3%	6.5%	1.0%	0.2%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	93.3%	5.3%	0.8%	0.6%
<b>Grade 7</b>	97.4%	2.3%	0.1%	0.1%
<b>Grade 8</b>	94.6%	4.3%	0.7%	0.3%
<b>Grade 9</b>	93.6%	5.3%	0.8%	0.4%
<b>Grade 10</b>	86.8%	10.6%	1.5%	1.2%
<b>Grade 11</b>	89.3%	7.5%	2.1%	1.1%
<b>Grade 12</b>	90.4%	7.6%	0.9%	1.1%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	49.0%	10.0%	7.9%	8.9%	10.4%	3.2%	10.6%
<b>Grade 7</b>	72.3%	6.7%	3.7%	3.4%	3.4%	2.2%	8.2%
<b>Grade 8</b>	58.9%	9.5%	6.7%	8.0%	4.6%	3.1%	9.2%
<b>Grade 9</b>	42.3%	12.1%	8.5%	9.7%	12.1%	4.1%	11.1%
<b>Grade 10</b>	32.3%	11.5%	11.9%	12.8%	17.0%	3.6%	10.9%
<b>Grade 11</b>	25.0%	11.1%	11.8%	11.8%	20.9%	3.4%	16.0%
<b>Grade 12</b>	22.1%	13.4%	12.1%	16.1%	19.4%	3.6%	13.3%

**region8**  
**Spring 2006**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	76.2%	8.1%	5.4%	5.1%	4.1%	1.0%
	<b>Grade 7</b>	85.5%	4.4%	2.7%	3.1%	3.2%	1.0%
	<b>Grade 8</b>	81.4%	5.2%	4.6%	4.8%	2.7%	1.3%
	<b>Grade 9</b>	73.3%	7.5%	6.7%	6.7%	4.7%	1.1%
	<b>Grade 10</b>	67.0%	11.4%	6.7%	6.7%	6.9%	1.3%
	<b>Grade 11</b>	66.8%	13.5%	8.2%	5.4%	5.9%	0.2%
	<b>Grade 12</b>	66.4%	16.2%	7.1%	6.3%	3.4%	0.5%
<b>Blunts?</b>	<b>All</b>	77.5%	7.2%	5.0%	4.5%	4.9%	0.9%
	<b>Grade 7</b>	86.7%	4.1%	3.1%	2.6%	2.3%	1.1%
	<b>Grade 8</b>	81.7%	5.3%	5.4%	3.0%	3.6%	0.9%
	<b>Grade 9</b>	76.6%	6.7%	5.1%	6.0%	4.7%	0.9%
	<b>Grade 10</b>	66.1%	10.0%	6.9%	5.9%	10.0%	1.1%
	<b>Grade 11</b>	68.2%	13.1%	5.5%	4.8%	7.9%	0.4%
	<b>Grade 12</b>	68.0%	11.4%	5.9%	8.2%	5.9%	0.6%
<b>Bongs or water pipes?</b>	<b>All</b>	82.9%	6.5%	3.8%	3.2%	2.8%	0.8%
	<b>Grade 7</b>	91.0%	2.9%	2.2%	1.6%	1.4%	0.9%
	<b>Grade 8</b>	89.7%	3.6%	2.4%	2.2%	1.3%	0.9%
	<b>Grade 9</b>	81.2%	6.7%	3.6%	4.5%	3.0%	1.0%
	<b>Grade 10</b>	72.9%	10.2%	6.2%	4.2%	5.8%	0.7%
	<b>Grade 11</b>	73.6%	10.9%	6.2%	3.6%	5.0%	0.6%
	<b>Grade 12</b>	70.5%	13.7%	6.2%	5.3%	3.6%	0.6%
<b>Pipes?</b>	<b>All</b>	80.2%	6.4%	3.8%	4.6%	4.3%	0.7%
	<b>Grade 7</b>	89.9%	3.5%	1.4%	2.1%	2.3%	0.8%
	<b>Grade 8</b>	87.2%	3.9%	3.2%	2.9%	1.9%	0.8%
	<b>Grade 9</b>	79.0%	6.1%	4.7%	5.4%	4.1%	0.7%
	<b>Grade 10</b>	68.8%	8.9%	6.3%	5.2%	10.0%	0.8%
	<b>Grade 11</b>	68.6%	12.3%	4.2%	7.2%	7.2%	0.5%
	<b>Grade 12</b>	66.7%	10.7%	6.4%	9.9%	5.9%	0.5%
<b>Some other way?</b>	<b>All</b>	85.1%	6.3%	2.1%	1.7%	2.7%	2.2%
	<b>Grade 7</b>	91.4%	2.1%	1.4%	1.5%	1.6%	2.0%
	<b>Grade 8</b>	88.7%	4.8%	1.5%	1.2%	2.0%	1.8%
	<b>Grade 9</b>	83.3%	7.0%	2.3%	2.3%	3.2%	1.8%
	<b>Grade 10</b>	76.8%	8.3%	4.7%	1.9%	5.0%	3.2%
	<b>Grade 11</b>	79.0%	11.5%	1.7%	2.1%	3.4%	2.3%
	<b>Grade 12</b>	78.9%	12.1%	1.8%	1.8%	2.5%	3.0%

**region8**  
**Spring 2006**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	79.8%	5.6%	4.1%	1.2%	1.4%	7.9%
<b>Grade 7</b>	80.1%	2.9%	2.1%	0.7%	1.3%	12.8%
<b>Grade 8</b>	82.8%	4.5%	3.0%	0.7%	1.4%	7.7%
<b>Grade 9</b>	79.7%	5.0%	4.7%	1.3%	1.5%	7.8%
<b>Grade 10</b>	75.4%	9.3%	6.2%	1.9%	2.2%	5.0%
<b>Grade 11</b>	79.3%	8.3%	6.1%	1.6%	1.3%	3.4%
<b>Grade 12</b>	78.1%	9.2%	5.6%	2.1%	1.0%	4.0%

**region8**  
**Spring 2006**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Marijuana?</b>						
	<b>All</b>	60.3%	18.6%	10.5%	6.4%	4.2%
	<b>Grade 7</b>	74.6%	13.2%	3.5%	2.8%	5.9%
	<b>Grade 8</b>	70.7%	16.3%	6.3%	2.8%	3.8%
	<b>Grade 9</b>	55.4%	19.2%	12.8%	8.1%	4.5%
	<b>Grade 10</b>	45.8%	19.8%	19.0%	11.1%	4.3%
	<b>Grade 11</b>	44.5%	25.3%	15.9%	11.5%	2.8%
	<b>Grade 12</b>	43.2%	27.5%	18.1%	9.8%	1.5%
<b>Cocaine?</b>						
	<b>All</b>	82.2%	10.6%	2.2%	0.9%	4.2%
	<b>Grade 7</b>	83.3%	9.2%	1.3%	1.0%	5.3%
	<b>Grade 8</b>	85.0%	9.5%	1.2%	0.5%	3.7%
	<b>Grade 9</b>	80.7%	11.1%	2.7%	0.9%	4.6%
	<b>Grade 10</b>	78.4%	12.5%	3.4%	1.5%	4.3%
	<b>Grade 11</b>	79.9%	12.3%	4.1%	0.3%	3.3%
	<b>Grade 12</b>	83.0%	11.4%	1.9%	1.1%	2.6%
<b>Crack?</b>						
	<b>All</b>	83.8%	9.2%	1.3%	0.6%	5.1%
	<b>Grade 7</b>	83.5%	8.2%	1.1%	0.7%	6.5%
	<b>Grade 8</b>	85.2%	9.1%	1.1%	0.5%	4.1%
	<b>Grade 9</b>	82.3%	10.4%	1.6%	0.8%	4.9%
	<b>Grade 10</b>	81.1%	10.5%	1.9%	0.5%	5.9%
	<b>Grade 11</b>	84.3%	9.4%	1.2%	0.5%	4.5%
	<b>Grade 12</b>	87.0%	8.6%	0.7%	0.7%	3.0%
<b>Ecstasy?</b>						
	<b>All</b>	80.7%	9.1%	2.2%	1.0%	7.0%
	<b>Grade 7</b>	80.3%	7.2%	1.4%	1.1%	9.9%
	<b>Grade 8</b>	81.7%	7.7%	2.4%	0.8%	7.4%
	<b>Grade 9</b>	79.3%	10.4%	2.6%	1.3%	6.4%
	<b>Grade 10</b>	79.2%	10.8%	3.5%	0.8%	5.7%
	<b>Grade 11</b>	82.4%	10.4%	2.2%	0.6%	4.4%
	<b>Grade 12</b>	82.9%	11.2%	1.7%	0.8%	3.4%
<b>Steroids?</b>						
	<b>All</b>	75.1%	13.7%	3.5%	1.4%	6.3%
	<b>Grade 7</b>	77.9%	10.3%	2.6%	1.3%	8.0%
	<b>Grade 8</b>	77.3%	12.8%	3.7%	0.7%	5.4%
	<b>Grade 9</b>	69.3%	17.4%	4.2%	2.4%	6.7%
	<b>Grade 10</b>	74.2%	14.1%	3.7%	1.7%	6.2%
	<b>Grade 11</b>	76.1%	13.7%	3.5%	0.7%	6.1%
	<b>Grade 12</b>	74.6%	16.9%	3.9%	1.2%	3.3%
<b>Heroin?</b>						
	<b>All</b>	85.9%	6.4%	0.8%	0.7%	6.2%
	<b>Grade 7</b>	82.3%	7.4%	0.8%	0.8%	8.6%
	<b>Grade 8</b>	86.1%	6.5%	0.9%	0.5%	5.9%
	<b>Grade 9</b>	86.5%	6.0%	0.7%	0.9%	5.9%
	<b>Grade 10</b>	85.2%	7.1%	1.1%	0.7%	6.0%
	<b>Grade 11</b>	89.6%	5.2%	0.3%	0.4%	4.5%
	<b>Grade 12</b>	90.5%	5.3%	0.5%	0.6%	3.1%

**region8**  
**Spring 2006**

**Table D-15: How recently, if ever, have you taken...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>					
	<b>All</b>	1.0%	2.8%	4.6%	95.4%
	<b>Grade 7</b>	0.4%	2.0%	3.1%	96.9%
	<b>Grade 8</b>	0.8%	1.5%	3.1%	96.9%
	<b>Grade 9</b>	1.1%	3.2%	4.8%	95.2%
	<b>Grade 10</b>	2.4%	5.4%	8.3%	91.7%
	<b>Grade 11</b>	1.7%	3.7%	6.4%	93.6%
	<b>Grade 12</b>	0.8%	2.6%	5.1%	94.9%
<b>Codeine?</b>					
	<b>All</b>	1.9%	5.6%	8.4%	91.6%
	<b>Grade 7</b>	0.7%	2.3%	4.2%	95.8%
	<b>Grade 8</b>	0.7%	3.1%	5.0%	95.0%
	<b>Grade 9</b>	2.0%	6.6%	8.9%	91.1%
	<b>Grade 10</b>	5.0%	10.7%	14.4%	85.6%
	<b>Grade 11</b>	2.9%	8.4%	12.8%	87.2%
	<b>Grade 12</b>	3.6%	9.6%	14.3%	85.7%

**region8**  
**Spring 2006**

**Table I-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>					
	<b>All</b>	7.5%	10.6%	21.0%	79.0%
	<b>Grade 7</b>	9.3%	11.9%	21.0%	79.0%
	<b>Grade 8</b>	8.4%	11.6%	24.0%	76.0%
	<b>Grade 9</b>	7.2%	11.6%	23.7%	76.3%
	<b>Grade 10</b>	9.1%	12.3%	21.8%	78.2%
	<b>Grade 11</b>	4.2%	6.9%	15.3%	84.7%
	<b>Grade 12</b>	2.9%	4.6%	14.0%	86.0%
<b>Liquid or spray paint?</b>					
	<b>All</b>	1.7%	3.0%	8.3%	91.7%
	<b>Grade 7</b>	2.1%	3.9%	7.3%	92.7%
	<b>Grade 8</b>	1.9%	3.9%	10.1%	89.9%
	<b>Grade 9</b>	2.3%	3.3%	10.0%	90.0%
	<b>Grade 10</b>	0.9%	1.8%	9.4%	90.6%
	<b>Grade 11</b>	0.5%	0.8%	6.2%	93.8%
	<b>Grade 12</b>	1.0%	1.8%	5.0%	95.0%
<b>Whiteout, correction fld?</b>					
	<b>All</b>	1.7%	3.3%	7.9%	92.1%
	<b>Grade 7</b>	2.5%	4.5%	8.8%	91.2%
	<b>Grade 8</b>	2.3%	5.1%	10.2%	89.8%
	<b>Grade 9</b>	1.6%	2.5%	8.9%	91.1%
	<b>Grade 10</b>	0.9%	2.2%	6.8%	93.2%
	<b>Grade 11</b>	0.8%	1.2%	4.3%	95.7%
	<b>Grade 12</b>	0.9%	1.3%	3.5%	96.5%
<b>Gasoline?</b>					
	<b>All</b>	1.2%	1.8%	4.5%	95.5%
	<b>Grade 7</b>	1.7%	2.7%	5.2%	94.8%
	<b>Grade 8</b>	1.7%	2.3%	5.6%	94.4%
	<b>Grade 9</b>	0.6%	1.3%	3.7%	96.3%
	<b>Grade 10</b>	0.9%	1.1%	5.3%	94.7%
	<b>Grade 11</b>	0.5%	0.9%	2.6%	97.4%
	<b>Grade 12</b>	0.7%	1.2%	2.9%	97.1%
<b>Freon?</b>					
	<b>All</b>	0.5%	1.1%	2.3%	97.7%
	<b>Grade 7</b>	0.3%	0.8%	1.7%	98.3%
	<b>Grade 8</b>	0.5%	1.0%	1.9%	98.1%
	<b>Grade 9</b>	0.9%	1.0%	2.5%	97.5%
	<b>Grade 10</b>	0.5%	1.8%	4.3%	95.7%
	<b>Grade 11</b>	0.5%	0.9%	2.1%	97.9%
	<b>Grade 12</b>	0.8%	1.3%	2.9%	97.1%
<b>Poppers, Locker Room?</b>					
	<b>All</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 7</b>	1.0%	1.5%	2.5%	97.5%
	<b>Grade 8</b>	0.8%	1.4%	1.7%	98.3%
	<b>Grade 9</b>	1.0%	1.3%	2.1%	97.9%
	<b>Grade 10</b>	0.9%	1.4%	3.2%	96.8%
	<b>Grade 11</b>	0.3%	0.5%	1.7%	98.3%
	<b>Grade 12</b>	0.4%	0.7%	1.4%	98.6%



**region8  
Spring 2006**

**Table I-1: How recently, if ever, have you used...**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>					
	All	0.9%	1.6%	3.6%	96.4%
	Grade 7	1.4%	2.5%	5.3%	94.7%
	Grade 8	1.4%	2.3%	3.8%	96.2%
	Grade 9	0.5%	0.9%	2.6%	97.4%
	Grade 10	0.7%	1.1%	3.8%	96.2%
	Grade 11	0.1%	0.3%	2.1%	97.9%
	Grade 12	0.3%	0.7%	1.4%	98.6%
<b>Paint, lacquer thinner?</b>					
	All	1.4%	2.1%	4.9%	95.1%
	Grade 7	1.7%	2.5%	4.5%	95.5%
	Grade 8	1.8%	3.1%	6.0%	94.0%
	Grade 9	1.3%	1.8%	5.9%	94.1%
	Grade 10	0.9%	1.5%	4.9%	95.1%
	Grade 11	0.5%	1.0%	3.7%	96.3%
	Grade 12	1.0%	1.5%	2.8%	97.2%
<b>Nitrous oxide?</b>					
	All	1.3%	2.4%	5.2%	94.8%
	Grade 7	1.1%	1.7%	4.5%	95.5%
	Grade 8	1.5%	2.9%	4.8%	95.2%
	Grade 9	1.4%	2.5%	4.6%	95.4%
	Grade 10	1.8%	3.3%	7.0%	93.0%
	Grade 11	1.1%	2.3%	6.6%	93.4%
	Grade 12	1.3%	2.4%	5.1%	94.9%
<b>Octane booster?</b>					
	All	0.2%	0.5%	0.9%	99.1%
	Grade 7	0.1%	0.5%	0.9%	99.1%
	Grade 8	0.2%	0.7%	1.0%	99.0%
	Grade 9	0.3%	0.3%	0.5%	99.5%
	Grade 10	0.4%	0.5%	1.8%	98.2%
	Grade 11	0.1%	0.3%	0.8%	99.2%
	Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Other sprays?</b>					
	All	1.6%	3.1%	6.3%	93.7%
	Grade 7	2.3%	4.0%	6.8%	93.2%
	Grade 8	2.1%	4.0%	8.2%	91.8%
	Grade 9	1.9%	3.7%	7.6%	92.4%
	Grade 10	0.7%	1.3%	5.1%	94.9%
	Grade 11	0.5%	1.3%	3.4%	96.6%
	Grade 12	0.4%	1.3%	2.8%	97.2%
<b>Other inhalants?</b>					
	All	4.0%	6.2%	11.9%	88.1%
	Grade 7	5.6%	8.3%	13.3%	86.7%
	Grade 8	3.6%	6.7%	13.2%	86.8%
	Grade 9	4.6%	6.9%	14.1%	85.9%
	Grade 10	3.8%	6.0%	12.4%	87.6%
	Grade 11	1.7%	2.6%	6.4%	93.6%
	Grade 12	1.6%	2.4%	5.7%	94.3%

**region8**  
**Spring 2006**

**Table I-2: How often do you normally use inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>All</b>	91.4%	0.3%	0.7%	1.3%	1.5%	1.9%	3.0%
<b>Grade 7</b>	91.0%	0.5%	1.2%	1.5%	1.9%	2.3%	1.5%
<b>Grade 8</b>	89.9%	0.6%	0.7%	2.5%	1.8%	2.1%	2.5%
<b>Grade 9</b>	90.0%	0.1%	1.1%	0.9%	1.9%	1.9%	4.1%
<b>Grade 10</b>	91.3%	0.3%	0.2%	0.6%	0.5%	2.0%	5.1%
<b>Grade 11</b>	94.1%	0.0%	0.0%	0.5%	0.8%	1.3%	3.3%
<b>Grade 12</b>	95.6%	0.0%	0.1%	0.1%	0.6%	1.1%	2.5%

**I-3: Number of different kinds of inhalants used**

	None	One	Two to Three	Four Plus
<b>All</b>	82.3%	7.3%	6.2%	4.2%
<b>Grade 7</b>	82.8%	6.6%	6.0%	4.6%
<b>Grade 8</b>	79.6%	7.4%	8.2%	4.8%
<b>Grade 9</b>	80.2%	8.7%	6.9%	4.1%
<b>Grade 10</b>	81.7%	8.2%	4.2%	5.9%
<b>Grade 11</b>	86.4%	5.7%	5.6%	2.4%
<b>Grade 12</b>	87.8%	6.6%	3.3%	2.3%

**Table I-4: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Inhalants</b>	10.9	11.4	12.1	12.7	12.8	13.3

**region8**  
**Spring 2006**

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	96.3%	2.8%	0.6%	0.4%
<b>Grade 7</b>	95.0%	3.2%	1.2%	0.5%
<b>Grade 8</b>	95.7%	3.2%	0.7%	0.4%
<b>Grade 9</b>	96.1%	3.4%	0.2%	0.3%
<b>Grade 10</b>	96.5%	2.8%	0.3%	0.4%
<b>Grade 11</b>	98.4%	1.2%	0.2%	0.1%
<b>Grade 12</b>	98.9%	0.8%	0.1%	0.2%

**Table I-6: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	5.7
Inhalants Non-users:	4.5

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	6.0
Inhalants Non-users:	2.3

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	79.0%	12.6%	4.9%	1.9%	1.6%
<b>Grade 7</b>	79.5%	10.5%	5.3%	2.7%	1.9%
<b>Grade 8</b>	73.8%	14.8%	6.5%	2.3%	2.6%
<b>Grade 9</b>	76.5%	15.3%	4.6%	2.0%	1.5%
<b>Grade 10</b>	77.7%	13.9%	5.7%	1.6%	1.1%
<b>Grade 11</b>	85.1%	11.0%	3.0%	0.6%	0.3%
<b>Grade 12</b>	88.8%	8.0%	1.9%	0.4%	0.8%

**region8**  
**Spring 2006**

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	74.2%	15.9%	3.5%	1.1%	5.3%
<b>Grade 7</b>	75.8%	12.4%	3.6%	1.1%	7.1%
<b>Grade 8</b>	73.1%	17.7%	3.9%	1.0%	4.3%
<b>Grade 9</b>	70.8%	18.1%	3.7%	1.5%	5.9%
<b>Grade 10</b>	74.9%	15.0%	3.6%	1.6%	4.9%
<b>Grade 11</b>	75.0%	17.9%	2.7%	0.8%	3.6%
<b>Grade 12</b>	77.5%	15.6%	2.4%	0.6%	3.8%

**region8**  
**Spring 2006**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 50.5%
	Grade 7 50.3%
	Grade 8 52.9%
	Grade 9 55.1%
	Grade 10 48.4%
	Grade 11 48.9%
	Grade 12 41.4%
<b>An assembly program</b>	All 46.4%
	Grade 7 52.1%
	Grade 8 55.7%
	Grade 9 42.7%
	Grade 10 36.7%
	Grade 11 39.5%
	Grade 12 37.6%
<b>Guidance counselor</b>	All 27.9%
	Grade 7 37.8%
	Grade 8 31.1%
	Grade 9 29.7%
	Grade 10 20.2%
	Grade 11 19.1%
	Grade 12 10.7%
<b>Science class</b>	All 36.3%
	Grade 7 49.6%
	Grade 8 44.0%
	Grade 9 26.3%
	Grade 10 37.3%
	Grade 11 25.9%
	Grade 12 16.1%
<b>Social studies class</b>	All 12.8%
	Grade 7 15.6%
	Grade 8 10.1%
	Grade 9 13.3%
	Grade 10 14.8%
	Grade 11 11.8%
	Grade 12 9.0%
<b>Student group session</b>	All 14.6%
	Grade 7 15.1%
	Grade 8 14.8%
	Grade 9 15.2%
	Grade 10 15.6%
	Grade 11 13.6%
	Grade 12 12.1%

**region8**  
**Spring 2006**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?**  
(Continued)

CATEGORY	Yes
<b>An invited school guest</b>	All 31.8%
	Grade 7 33.5%
	Grade 8 34.8%
	Grade 9 35.0%
	Grade 10 25.9%
	Grade 11 28.8%
	Grade 12 25.0%
<b>Another source at school</b>	All 33.9%
	Grade 7 34.8%
	Grade 8 37.8%
	Grade 9 32.6%
	Grade 10 35.2%
	Grade 11 32.8%
	Grade 12 26.2%
<b>Any school source</b>	All 63.0%
	Grade 7 63.6%
	Grade 8 64.9%
	Grade 9 64.1%
	Grade 10 60.5%
	Grade 11 61.7%
	Grade 12 59.2%

**region8**  
**Spring 2006**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
<b>A counselor or program in</b>	All 33.8%
	Grade 7 45.0%
	Grade 8 35.2%
	Grade 9 32.1%
	Grade 10 25.7%
	Grade 11 23.1%
	Grade 12 24.5%
<b>Another adult in school (</b>	All 32.1%
	Grade 7 39.7%
	Grade 8 33.4%
	Grade 9 30.5%
	Grade 10 24.4%
	Grade 11 27.0%
	Grade 12 26.1%
<b>A counselor or program ou</b>	All 36.4%
	Grade 7 40.5%
	Grade 8 35.5%
	Grade 9 34.2%
	Grade 10 31.9%
	Grade 11 36.7%
	Grade 12 36.9%
<b>Your parents</b>	All 59.6%
	Grade 7 66.0%
	Grade 8 61.3%
	Grade 9 55.3%
	Grade 10 53.3%
	Grade 11 58.5%
	Grade 12 55.5%
<b>A medical doctor</b>	All 41.6%
	Grade 7 48.6%
	Grade 8 43.4%
	Grade 9 37.7%
	Grade 10 33.9%
	Grade 11 37.1%
	Grade 12 40.8%
<b>Your friends</b>	All 72.5%
	Grade 7 67.9%
	Grade 8 67.8%
	Grade 9 71.2%
	Grade 10 80.1%
	Grade 11 80.0%
	Grade 12 81.0%

**region8**  
**Spring 2006**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**  
(Continued)

CATEGORY		Yes
Another adult (a relative)	All	63.2%
	Grade 7	65.6%
	Grade 8	62.0%
	Grade 9	63.3%
	Grade 10	65.1%
	Grade 11	60.2%
	Grade 12	59.9%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	7.7%
	Grade 7	7.9%
	Grade 8	7.4%
	Grade 9	9.0%
	Grade 10	9.1%
	Grade 11	6.3%
	Grade 12	5.0%



**region8**  
**Spring 2006**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	6.0%	29.0%	28.2%	29.6%	7.1%
<b>Grade 7</b>	8.2%	29.9%	25.1%	25.5%	11.4%
<b>Grade 8</b>	6.1%	26.0%	29.2%	31.2%	7.5%
<b>Grade 9</b>	5.8%	33.1%	27.6%	29.0%	4.6%
<b>Grade 10</b>	5.0%	28.6%	32.6%	29.6%	4.1%
<b>Grade 11</b>	4.9%	29.8%	28.7%	31.1%	5.4%
<b>Grade 12</b>	2.7%	24.1%	30.7%	37.1%	5.3%
<b>Sometimes carry weapons?</b>					
<b>All</b>	63.8%	21.5%	9.5%	3.9%	1.4%
<b>Grade 7</b>	79.1%	13.5%	4.7%	2.0%	0.8%
<b>Grade 8</b>	63.6%	22.6%	10.3%	2.3%	1.2%
<b>Grade 9</b>	60.8%	24.6%	9.7%	4.1%	1.0%
<b>Grade 10</b>	50.2%	26.1%	12.6%	7.6%	3.5%
<b>Grade 11</b>	56.0%	23.7%	12.8%	6.1%	1.6%
<b>Grade 12</b>	52.9%	26.7%	13.1%	5.4%	1.8%
<b>Care about making good grades?</b>					
<b>All</b>	3.6%	17.5%	25.2%	37.0%	16.7%
<b>Grade 7</b>	4.3%	19.6%	22.9%	32.1%	21.0%
<b>Grade 8</b>	3.1%	18.5%	24.7%	35.1%	18.6%
<b>Grade 9</b>	4.1%	18.1%	29.0%	36.7%	12.2%
<b>Grade 10</b>	4.3%	16.2%	27.0%	36.9%	15.6%
<b>Grade 11</b>	3.0%	15.2%	23.0%	43.9%	15.0%
<b>Grade 12</b>	1.7%	12.5%	25.3%	47.5%	12.9%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	62.1%	18.1%	11.5%	6.3%	1.9%
<b>Grade 7</b>	66.6%	16.0%	10.0%	5.4%	1.9%
<b>Grade 8</b>	59.5%	19.3%	12.3%	7.1%	1.7%
<b>Grade 9</b>	54.4%	22.6%	13.5%	7.3%	2.2%
<b>Grade 10</b>	59.2%	17.4%	14.5%	6.1%	2.8%
<b>Grade 11</b>	62.5%	17.6%	10.5%	7.6%	1.7%
<b>Grade 12</b>	74.8%	13.3%	7.7%	3.1%	1.0%
<b>Wish they could drop out of school?</b>					
<b>All</b>	55.2%	28.6%	9.8%	4.4%	2.0%
<b>Grade 7</b>	60.9%	24.4%	8.1%	4.5%	2.1%
<b>Grade 8</b>	59.3%	28.9%	6.0%	4.1%	1.6%
<b>Grade 9</b>	46.6%	32.2%	13.3%	5.4%	2.6%
<b>Grade 10</b>	46.9%	32.6%	15.5%	3.3%	1.8%
<b>Grade 11</b>	51.9%	28.7%	11.0%	5.9%	2.5%
<b>Grade 12</b>	61.6%	27.7%	7.4%	1.9%	1.4%

**region8**  
**Spring 2006**

**Table X-5: How safe do you feel when you are:**

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
<b>In your home?</b>					
<b>All</b>	76.1%	20.7%	1.4%	0.5%	1.3%
<b>Grade 7</b>	72.7%	23.5%	1.7%	0.4%	1.7%
<b>Grade 8</b>	74.9%	21.5%	1.9%	0.6%	1.2%
<b>Grade 9</b>	74.3%	22.7%	1.3%	0.3%	1.5%
<b>Grade 10</b>	77.5%	19.2%	1.0%	1.1%	1.2%
<b>Grade 11</b>	82.4%	15.4%	0.9%	0.6%	0.6%
<b>Grade 12</b>	83.1%	14.6%	1.1%	0.5%	0.7%
<b>Out in your neighbourhood</b>					
<b>All</b>	36.8%	48.3%	10.0%	2.3%	2.5%
<b>Grade 7</b>	30.4%	50.9%	12.7%	2.2%	3.8%
<b>Grade 8</b>	32.2%	53.1%	9.7%	2.8%	2.3%
<b>Grade 9</b>	34.5%	50.0%	10.5%	2.1%	2.9%
<b>Grade 10</b>	45.5%	40.9%	7.0%	3.9%	2.7%
<b>Grade 11</b>	43.2%	44.1%	10.5%	1.5%	0.8%
<b>Grade 12</b>	53.4%	39.4%	5.3%	1.2%	0.7%
<b>At school</b>					
<b>All</b>	33.7%	49.3%	10.0%	3.7%	3.2%
<b>Grade 7</b>	36.7%	43.6%	11.3%	4.0%	4.4%
<b>Grade 8</b>	35.9%	49.5%	8.6%	3.0%	3.1%
<b>Grade 9</b>	30.2%	52.6%	10.1%	3.2%	3.9%
<b>Grade 10</b>	26.7%	53.7%	11.2%	6.0%	2.3%
<b>Grade 11</b>	31.8%	52.6%	10.0%	4.0%	1.6%
<b>Grade 12</b>	38.6%	48.8%	8.5%	2.6%	1.5%

**region8**  
**Spring 2006**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A website or online chat</b>	All 25.7%
	Grade 7 18.6%
	Grade 8 25.1%
	Grade 9 26.5%
	Grade 10 32.1%
	Grade 11 31.6%
	Grade 12 30.5%
<b>Books, magazines, poster</b>	All 53.2%
	Grade 7 49.1%
	Grade 8 51.0%
	Grade 9 57.6%
	Grade 10 55.0%
	Grade 11 58.7%
	Grade 12 52.4%
<b>TV, radio, or other audi</b>	All 57.1%
	Grade 7 53.6%
	Grade 8 56.8%
	Grade 9 59.7%
	Grade 10 54.8%
	Grade 11 62.1%
	Grade 12 58.8%
<b>Your parents</b>	All 55.2%
	Grade 7 57.0%
	Grade 8 60.6%
	Grade 9 54.9%
	Grade 10 50.5%
	Grade 11 52.2%
	Grade 12 47.2%

**region8**  
**Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade**  
**All students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.1%	21.4%	37.3%	62.7%
	<b>Grade 7</b>	7.9%	12.1%	22.8%	77.2%
	<b>Grade 8</b>	9.3%	14.2%	29.5%	70.5%
	<b>Grade 9</b>	14.0%	21.8%	39.7%	60.3%
	<b>Grade 10</b>	22.5%	31.9%	51.2%	48.8%
	<b>Grade 11</b>	26.6%	32.9%	54.2%	45.8%
	<b>Grade 12</b>	29.6%	38.1%	55.0%	45.0%
<b>Alcohol</b>					
	<b>All</b>	32.3%	43.9%	67.9%	32.1%
	<b>Grade 7</b>	20.2%	26.9%	49.8%	50.2%
	<b>Grade 8</b>	24.7%	35.6%	65.5%	34.5%
	<b>Grade 9</b>	32.3%	45.9%	71.7%	28.3%
	<b>Grade 10</b>	44.1%	60.7%	83.5%	16.5%
	<b>Grade 11</b>	45.9%	60.2%	79.3%	20.7%
	<b>Grade 12</b>	54.6%	68.1%	85.5%	14.5%
<b>Inhalants</b>					
	<b>All</b>	7.5%	10.6%	21.0%	79.0%
	<b>Grade 7</b>	9.3%	11.9%	21.0%	79.0%
	<b>Grade 8</b>	8.4%	11.6%	24.0%	76.0%
	<b>Grade 9</b>	7.2%	11.6%	23.7%	76.3%
	<b>Grade 10</b>	9.1%	12.3%	21.8%	78.2%
	<b>Grade 11</b>	4.2%	6.9%	15.3%	84.7%
	<b>Grade 12</b>	2.9%	4.6%	14.0%	86.0%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.9%	19.8%	30.3%	69.7%
	<b>Grade 7</b>	7.7%	10.0%	15.7%	84.3%
	<b>Grade 8</b>	9.2%	13.2%	22.3%	77.7%
	<b>Grade 9</b>	15.6%	22.8%	33.7%	66.3%
	<b>Grade 10</b>	21.0%	30.8%	44.1%	55.9%
	<b>Grade 11</b>	21.7%	30.1%	46.5%	53.5%
	<b>Grade 12</b>	21.6%	30.9%	47.3%	52.7%
<b>Marijuana</b>					
	<b>All</b>	12.5%	18.4%	28.9%	71.1%
	<b>Grade 7</b>	7.0%	9.1%	14.1%	85.9%
	<b>Grade 8</b>	8.4%	12.1%	20.8%	79.2%
	<b>Grade 9</b>	13.6%	21.2%	32.1%	67.9%
	<b>Grade 10</b>	18.1%	27.9%	43.1%	56.9%
	<b>Grade 11</b>	20.2%	29.0%	45.2%	54.8%
	<b>Grade 12</b>	19.5%	29.6%	46.0%	54.0%
<b>Marijuana Only</b>					
	<b>All</b>	4.3%	7.6%	14.4%	85.6%
	<b>Grade 7</b>	2.8%	4.2%	7.1%	92.9%
	<b>Grade 8</b>	3.5%	5.5%	11.4%	88.6%
	<b>Grade 9</b>	6.0%	10.3%	17.9%	82.1%
	<b>Grade 10</b>	4.1%	8.9%	18.2%	81.8%
	<b>Grade 11</b>	5.3%	10.4%	20.3%	79.7%
	<b>Grade 12</b>	5.9%	11.5%	23.0%	77.0%

**region8**  
**Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade**  
**All students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.2%	4.9%	8.9%	91.1%
	Grade 7	1.2%	2.1%	4.8%	95.2%
	Grade 8	1.7%	2.8%	6.0%	94.0%
	Grade 9	3.6%	4.9%	7.4%	92.6%
	Grade 10	4.5%	8.1%	13.8%	86.2%
	Grade 11	7.3%	9.7%	17.3%	82.7%
	Grade 12	5.2%	8.4%	15.2%	84.8%
<b>Cocaine</b>					
	All	2.9%	4.6%	8.1%	91.9%
	Grade 7	0.8%	1.7%	3.8%	96.2%
	Grade 8	1.4%	2.1%	4.1%	95.9%
	Grade 9	3.2%	4.4%	6.9%	93.1%
	Grade 10	4.4%	8.1%	13.7%	86.3%
	Grade 11	7.1%	9.7%	16.9%	83.1%
	Grade 12	5.1%	8.5%	14.9%	85.1%
<b>Crack</b>					
	All	0.9%	1.2%	2.8%	97.2%
	Grade 7	0.7%	1.0%	2.2%	97.8%
	Grade 8	0.8%	1.3%	3.7%	96.3%
	Grade 9	1.0%	1.1%	2.3%	97.7%
	Grade 10	1.4%	1.5%	2.9%	97.1%
	Grade 11	1.0%	1.3%	3.3%	96.7%
	Grade 12	0.6%	1.3%	2.9%	97.1%
<b>Hallucinogens</b>					
	All	1.7%	2.9%	5.2%	94.8%
	Grade 7	0.9%	1.1%	2.1%	97.9%
	Grade 8	0.5%	1.1%	2.8%	97.2%
	Grade 9	1.4%	2.4%	4.5%	95.5%
	Grade 10	4.4%	7.1%	12.3%	87.7%
	Grade 11	2.7%	5.5%	8.4%	91.6%
	Grade 12	2.9%	4.7%	8.9%	91.1%
<b>Uppers</b>					
	All	2.7%	4.2%	6.3%	93.7%
	Grade 7	0.6%	0.7%	1.2%	98.8%
	Grade 8	1.1%	2.1%	3.2%	96.8%
	Grade 9	1.7%	3.8%	5.9%	94.1%
	Grade 10	6.1%	8.4%	12.6%	87.4%
	Grade 11	6.8%	9.9%	14.2%	85.8%
	Grade 12	5.1%	7.8%	11.7%	88.3%
<b>Downers</b>					
	All	2.9%	4.3%	6.8%	93.2%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	0.8%	1.7%	3.3%	96.7%
	Grade 9	2.4%	4.1%	6.5%	93.5%
	Grade 10	6.8%	9.3%	13.1%	86.9%
	Grade 11	7.2%	9.7%	16.5%	83.5%
	Grade 12	6.2%	8.6%	12.1%	87.9%

**region8**  
**Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade**  
**All students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	1.1%	1.7%	3.2%	96.8%
	Grade 7	1.1%	1.4%	2.3%	97.7%
	Grade 8	1.1%	1.6%	3.2%	96.8%
	Grade 9	0.5%	1.4%	3.4%	96.6%
	Grade 10	1.1%	2.8%	4.8%	95.2%
	Grade 11	1.5%	2.0%	3.8%	96.2%
	Grade 12	1.4%	1.6%	3.1%	96.9%
<b>Steroids</b>					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.6%	0.8%	1.8%	98.2%
	Grade 8	0.5%	1.0%	1.9%	98.1%
	Grade 9	0.4%	0.7%	1.7%	98.3%
	Grade 10	1.1%	1.5%	2.6%	97.4%
	Grade 11	0.4%	0.4%	1.1%	98.9%
	Grade 12	0.9%	1.0%	1.8%	98.2%
<b>Ecstasy</b>					
	All	1.2%	2.4%	4.5%	95.5%
	Grade 7	0.5%	1.1%	2.5%	97.5%
	Grade 8	1.0%	2.3%	3.4%	96.6%
	Grade 9	1.8%	2.4%	5.3%	94.7%
	Grade 10	2.1%	3.3%	6.7%	93.3%
	Grade 11	1.6%	3.9%	6.3%	93.7%
	Grade 12	1.1%	3.4%	6.4%	93.6%
<b>Heroin</b>					
	All	0.6%	0.9%	2.1%	97.9%
	Grade 7	0.9%	1.0%	2.1%	97.9%
	Grade 8	0.5%	0.8%	2.2%	97.8%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	1.5%	1.7%	3.9%	96.1%
	Grade 11	0.1%	0.8%	2.2%	97.8%
	Grade 12	0.2%	0.7%	1.5%	98.5%

**region8**  
**Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	17.5%	24.2%	38.7%	61.3%
	Grade 7	8.6%	13.2%	23.5%	76.5%
	Grade 8	9.8%	15.2%	29.3%	70.7%
	Grade 9	14.9%	22.6%	39.9%	60.1%
	Grade 10	24.6%	34.3%	50.7%	49.3%
	Grade 11	33.9%	41.3%	59.5%	40.5%
	Grade 12	36.7%	45.2%	59.1%	40.9%
<b>Alcohol</b>					
	All	31.8%	42.8%	65.4%	34.6%
	Grade 7	18.7%	25.9%	47.7%	52.3%
	Grade 8	25.1%	35.4%	63.6%	36.4%
	Grade 9	28.6%	42.6%	67.2%	32.8%
	Grade 10	45.9%	59.7%	81.5%	18.5%
	Grade 11	45.8%	57.2%	75.8%	24.2%
	Grade 12	55.1%	66.8%	80.6%	19.4%
<b>Inhalants</b>					
	All	6.4%	8.7%	19.6%	80.4%
	Grade 7	8.0%	10.8%	20.0%	80.0%
	Grade 8	5.5%	8.0%	21.2%	78.8%
	Grade 9	6.1%	8.1%	20.2%	79.8%
	Grade 10	8.0%	10.9%	18.9%	81.1%
	Grade 11	5.5%	7.1%	16.2%	83.8%
	Grade 12	3.9%	5.7%	17.8%	82.2%
<b>Any Illicit Drug</b>					
	All	15.3%	21.4%	32.5%	67.5%
	Grade 7	9.1%	12.0%	17.8%	82.2%
	Grade 8	8.4%	13.1%	24.4%	75.6%
	Grade 9	14.4%	21.6%	34.5%	65.5%
	Grade 10	24.5%	33.6%	46.7%	53.3%
	Grade 11	28.5%	36.4%	50.4%	49.6%
	Grade 12	23.5%	33.4%	47.9%	52.1%
<b>Marijuana</b>					
	All	13.9%	20.0%	32.0%	68.0%
	Grade 7	8.1%	10.7%	16.4%	83.6%
	Grade 8	7.7%	11.7%	24.3%	75.7%
	Grade 9	13.1%	20.8%	34.3%	65.7%
	Grade 10	20.4%	29.7%	45.0%	55.0%
	Grade 11	27.4%	34.9%	50.7%	49.3%
	Grade 12	21.5%	32.2%	47.1%	52.9%
<b>Marijuana Only</b>					
	All	5.2%	8.7%	16.5%	83.5%
	Grade 7	3.6%	5.0%	7.9%	92.1%
	Grade 8	3.8%	5.8%	14.1%	85.9%
	Grade 9	6.0%	11.1%	21.4%	78.6%
	Grade 10	5.7%	11.0%	20.2%	79.8%
	Grade 11	8.6%	13.2%	23.3%	76.7%
	Grade 12	5.9%	11.4%	21.3%	78.7%

**region8**  
**Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade**  
**Male students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.5%	5.4%	9.5%	90.5%
	Grade 7	1.0%	2.2%	4.5%	95.5%
	Grade 8	1.8%	3.0%	6.7%	93.3%
	Grade 9	4.0%	5.3%	7.0%	93.0%
	Grade 10	4.4%	8.9%	15.8%	84.2%
	Grade 11	8.8%	11.0%	18.7%	81.3%
	Grade 12	4.9%	8.6%	16.8%	83.2%
<b>Cocaine</b>					
	All	3.2%	5.1%	8.7%	91.3%
	Grade 7	0.8%	1.9%	3.8%	96.2%
	Grade 8	1.2%	2.3%	4.8%	95.2%
	Grade 9	3.9%	5.1%	6.6%	93.4%
	Grade 10	4.3%	8.8%	15.7%	84.3%
	Grade 11	8.3%	10.9%	18.1%	81.9%
	Grade 12	4.8%	8.7%	16.2%	83.8%
<b>Crack</b>					
	All	0.7%	1.1%	2.5%	97.5%
	Grade 7	0.3%	0.9%	1.5%	98.5%
	Grade 8	0.6%	0.8%	3.8%	96.2%
	Grade 9	1.0%	1.1%	2.0%	98.0%
	Grade 10	0.4%	0.6%	1.6%	98.4%
	Grade 11	1.5%	1.7%	2.8%	97.2%
	Grade 12	0.6%	1.7%	3.7%	96.3%
<b>Hallucinogens</b>					
	All	2.4%	3.9%	6.5%	93.5%
	Grade 7	0.6%	1.2%	2.6%	97.4%
	Grade 8	0.8%	1.1%	2.8%	97.2%
	Grade 9	1.9%	3.1%	5.0%	95.0%
	Grade 10	6.2%	9.1%	14.0%	86.0%
	Grade 11	4.4%	9.4%	12.3%	87.7%
	Grade 12	5.3%	7.5%	13.5%	86.5%
<b>Uppers</b>					
	All	2.7%	4.2%	6.0%	94.0%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	1.6%	3.1%	4.2%	95.8%
	Grade 10	4.5%	7.8%	11.8%	88.2%
	Grade 11	8.5%	11.6%	15.3%	84.7%
	Grade 12	5.7%	9.0%	12.2%	87.8%
<b>Downers</b>					
	All	3.4%	4.7%	6.9%	93.1%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.5%	3.2%	96.8%
	Grade 9	2.6%	3.6%	5.1%	94.9%
	Grade 10	6.0%	9.7%	13.9%	86.1%
	Grade 11	10.1%	12.4%	16.2%	83.8%
	Grade 12	7.1%	10.0%	13.5%	86.5%



**region8**  
**Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade**  
**Male students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	1.0%	1.6%	3.3%	96.7%
	Grade 7	0.7%	1.4%	2.5%	97.5%
	Grade 8	1.1%	1.7%	4.0%	96.0%
	Grade 9	0.9%	1.2%	2.6%	97.4%
	Grade 10	0.3%	1.4%	3.7%	96.3%
	Grade 11	2.2%	2.9%	4.7%	95.3%
	Grade 12	1.3%	1.3%	3.3%	96.7%
<b>Steroids</b>					
	All	1.1%	1.4%	2.1%	97.9%
	Grade 7	0.6%	1.0%	2.1%	97.9%
	Grade 8	1.1%	1.4%	1.6%	98.4%
	Grade 9	0.6%	0.7%	1.2%	98.8%
	Grade 10	2.4%	3.3%	3.9%	96.1%
	Grade 11	0.9%	0.9%	1.9%	98.1%
	Grade 12	1.8%	1.9%	3.5%	96.5%
<b>Ecstasy</b>					
	All	1.4%	2.6%	4.6%	95.4%
	Grade 7	0.4%	1.1%	1.9%	98.1%
	Grade 8	1.1%	2.0%	3.4%	96.6%
	Grade 9	1.4%	1.9%	3.9%	96.1%
	Grade 10	2.4%	3.2%	8.8%	91.2%
	Grade 11	3.1%	6.0%	7.3%	92.7%
	Grade 12	1.9%	4.9%	7.5%	92.5%
<b>Heroin</b>					
	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	1.0%	1.0%	2.2%	97.8%
	Grade 8	0.6%	1.1%	1.4%	98.6%
	Grade 9	0.2%	0.5%	0.9%	99.1%
	Grade 10	1.9%	2.3%	4.2%	95.8%
	Grade 11	0.0%	0.6%	1.6%	98.4%
	Grade 12	0.4%	1.1%	2.3%	97.7%

**region8**  
**Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.2%	19.2%	36.0%	64.0%
	<b>Grade 7</b>	7.4%	11.3%	22.3%	77.7%
	<b>Grade 8</b>	8.8%	13.5%	29.6%	70.4%
	<b>Grade 9</b>	13.0%	20.9%	39.5%	60.5%
	<b>Grade 10</b>	20.9%	30.2%	51.1%	48.9%
	<b>Grade 11</b>	20.9%	26.3%	50.0%	50.0%
	<b>Grade 12</b>	23.4%	31.9%	51.5%	48.5%
<b>Alcohol</b>					
	<b>All</b>	32.7%	44.7%	69.9%	30.1%
	<b>Grade 7</b>	21.2%	27.5%	51.2%	48.8%
	<b>Grade 8</b>	24.4%	35.8%	67.0%	33.0%
	<b>Grade 9</b>	35.5%	48.8%	75.8%	24.2%
	<b>Grade 10</b>	43.1%	61.3%	84.9%	15.1%
	<b>Grade 11</b>	45.9%	62.7%	82.2%	17.8%
	<b>Grade 12</b>	54.1%	69.0%	89.8%	10.2%
<b>Inhalants</b>					
	<b>All</b>	8.4%	12.1%	22.1%	77.9%
	<b>Grade 7</b>	10.2%	12.7%	21.7%	78.3%
	<b>Grade 8</b>	10.8%	14.7%	26.4%	73.6%
	<b>Grade 9</b>	8.3%	14.7%	26.6%	73.4%
	<b>Grade 10</b>	10.0%	13.6%	24.0%	76.0%
	<b>Grade 11</b>	3.2%	6.8%	14.5%	85.5%
	<b>Grade 12</b>	2.0%	3.7%	10.6%	89.4%
<b>Any Illicit Drug</b>					
	<b>All</b>	12.9%	18.5%	28.4%	71.6%
	<b>Grade 7</b>	6.8%	8.6%	14.3%	85.7%
	<b>Grade 8</b>	9.9%	13.3%	20.5%	79.5%
	<b>Grade 9</b>	16.7%	24.1%	32.8%	67.2%
	<b>Grade 10</b>	18.3%	28.8%	42.4%	57.6%
	<b>Grade 11</b>	16.4%	25.2%	43.4%	56.6%
	<b>Grade 12</b>	19.9%	28.8%	46.8%	53.2%
<b>Marijuana</b>					
	<b>All</b>	11.3%	17.1%	26.3%	73.7%
	<b>Grade 7</b>	6.2%	8.0%	12.5%	87.5%
	<b>Grade 8</b>	8.9%	12.4%	17.8%	82.2%
	<b>Grade 9</b>	14.1%	21.6%	30.1%	69.9%
	<b>Grade 10</b>	16.4%	26.7%	41.9%	58.1%
	<b>Grade 11</b>	14.5%	24.4%	40.9%	59.1%
	<b>Grade 12</b>	17.6%	27.2%	45.1%	54.9%
<b>Marijuana Only</b>					
	<b>All</b>	3.6%	6.7%	12.6%	87.4%
	<b>Grade 7</b>	2.2%	3.7%	6.4%	93.6%
	<b>Grade 8</b>	3.3%	5.3%	9.2%	90.8%
	<b>Grade 9</b>	6.1%	9.6%	14.7%	85.3%
	<b>Grade 10</b>	2.7%	7.2%	16.7%	83.3%
	<b>Grade 11</b>	2.7%	8.3%	18.0%	82.0%
	<b>Grade 12</b>	5.8%	11.5%	24.6%	75.4%

**region8**  
**Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade**  
**Female students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.0%	4.5%	8.5%	91.5%
	Grade 7	1.4%	2.0%	5.0%	95.0%
	Grade 8	1.6%	2.7%	5.5%	94.5%
	Grade 9	3.2%	4.5%	7.8%	92.2%
	Grade 10	4.7%	7.6%	12.4%	87.6%
	Grade 11	6.1%	8.7%	16.2%	83.8%
	Grade 12	5.5%	8.3%	13.9%	86.1%
<b>Cocaine</b>					
	All	2.7%	4.2%	7.6%	92.4%
	Grade 7	0.8%	1.6%	3.8%	96.2%
	Grade 8	1.5%	1.9%	3.5%	96.5%
	Grade 9	2.6%	3.9%	7.1%	92.9%
	Grade 10	4.5%	7.7%	12.4%	87.6%
	Grade 11	6.2%	8.7%	16.1%	83.9%
	Grade 12	5.4%	8.3%	13.7%	86.3%
<b>Crack</b>					
	All	1.0%	1.3%	3.0%	97.0%
	Grade 7	0.9%	1.1%	2.7%	97.3%
	Grade 8	1.0%	1.7%	3.5%	96.5%
	Grade 9	1.0%	1.1%	2.6%	97.4%
	Grade 10	2.1%	2.2%	3.9%	96.1%
	Grade 11	0.6%	1.0%	3.7%	96.3%
	Grade 12	0.6%	1.0%	2.2%	97.8%
<b>Hallucinogens</b>					
	All	1.1%	2.0%	4.1%	95.9%
	Grade 7	1.0%	1.1%	1.7%	98.3%
	Grade 8	0.3%	1.0%	2.8%	97.2%
	Grade 9	1.0%	1.9%	4.1%	95.9%
	Grade 10	3.1%	5.7%	11.1%	88.9%
	Grade 11	1.4%	2.5%	5.4%	94.6%
	Grade 12	0.8%	2.2%	5.0%	95.0%
<b>Uppers</b>					
	All	2.7%	4.2%	6.5%	93.5%
	Grade 7	0.6%	0.7%	0.8%	99.2%
	Grade 8	1.3%	2.7%	4.0%	96.0%
	Grade 9	1.9%	4.4%	7.4%	92.6%
	Grade 10	7.3%	9.0%	13.3%	86.7%
	Grade 11	5.5%	8.7%	13.4%	86.6%
	Grade 12	4.7%	6.8%	11.2%	88.8%
<b>Downers</b>					
	All	2.6%	4.0%	6.8%	93.2%
	Grade 7	0.6%	0.9%	1.3%	98.7%
	Grade 8	0.8%	1.9%	3.3%	96.7%
	Grade 9	2.2%	4.5%	7.7%	92.3%
	Grade 10	7.4%	9.1%	12.7%	87.3%
	Grade 11	4.9%	7.6%	16.7%	83.3%
	Grade 12	5.4%	7.4%	11.0%	89.0%

**region8**  
**Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade**  
**Female students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	1.1%	1.7%	3.1%	96.9%
	Grade 7	1.4%	1.4%	2.1%	97.9%
	Grade 8	1.0%	1.5%	2.6%	97.4%
	Grade 9	0.2%	1.7%	4.0%	96.0%
	Grade 10	1.8%	3.9%	5.6%	94.4%
	Grade 11	1.0%	1.2%	3.2%	96.8%
	Grade 12	1.5%	1.8%	2.8%	97.2%
<b>Steroids</b>					
	All	0.3%	0.5%	1.6%	98.4%
	Grade 7	0.6%	0.7%	1.6%	98.4%
	Grade 8	0.1%	0.5%	2.0%	98.0%
	Grade 9	0.2%	0.7%	2.2%	97.8%
	Grade 10	0.2%	0.2%	1.7%	98.3%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.0%	0.1%	0.4%	99.6%
<b>Ecstasy</b>					
	All	1.0%	2.2%	4.5%	95.5%
	Grade 7	0.6%	1.2%	2.9%	97.1%
	Grade 8	0.8%	2.6%	3.4%	96.6%
	Grade 9	2.0%	2.9%	6.5%	93.5%
	Grade 10	1.8%	3.4%	5.2%	94.8%
	Grade 11	0.5%	2.2%	5.5%	94.5%
	Grade 12	0.3%	2.1%	5.5%	94.5%
<b>Heroin</b>					
	All	0.5%	0.8%	2.3%	97.7%
	Grade 7	0.9%	0.9%	2.0%	98.0%
	Grade 8	0.4%	0.7%	2.9%	97.1%
	Grade 9	0.3%	0.4%	1.6%	98.4%
	Grade 10	1.2%	1.3%	3.7%	96.3%
	Grade 11	0.3%	0.9%	2.6%	97.4%
	Grade 12	0.0%	0.3%	0.7%	99.3%

**region8  
Spring 2006**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	18.6%	24.4%	36.5%	63.5%
<b>Alcohol</b>	<b>All</b>	34.0%	46.9%	66.3%	33.7%
<b>Inhalants</b>	<b>All</b>	4.4%	8.0%	15.5%	84.5%
<b>Any Illicit Drug</b>	<b>All</b>	11.6%	17.3%	26.2%	73.8%
<b>Marijuana</b>	<b>All</b>	9.8%	15.5%	24.6%	75.4%
<b>Marijuana Only</b>	<b>All</b>	2.7%	6.0%	11.8%	88.2%
<b>Cocaine or Crack</b>	<b>All</b>	2.4%	4.2%	7.4%	92.6%
<b>Cocaine</b>	<b>All</b>	2.2%	4.0%	6.6%	93.4%
<b>Crack</b>	<b>All</b>	0.5%	1.1%	2.5%	97.5%
<b>Hallucinogens</b>	<b>All</b>	2.5%	3.6%	6.1%	93.9%
<b>Uppers</b>	<b>All</b>	3.6%	5.3%	8.1%	91.9%
<b>Downers</b>	<b>All</b>	3.4%	5.3%	7.5%	92.5%
<b>Rohypnol</b>	<b>All</b>	0.7%	1.0%	1.4%	98.6%
<b>Steroids</b>	<b>All</b>	0.5%	0.7%	1.9%	98.1%
<b>Ecstasy</b>	<b>All</b>	1.1%	2.3%	4.3%	95.7%
<b>Heroin</b>	<b>All</b>	0.5%	0.7%	1.9%	98.1%

**region8  
Spring 2006**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	6.5%	9.9%	21.9%	78.1%
<b>Alcohol</b>	<b>All</b>	23.7%	32.6%	60.0%	40.0%
<b>Inhalants</b>	<b>All</b>	8.5%	9.2%	14.1%	85.9%
<b>Any Illicit Drug</b>	<b>All</b>	9.8%	13.4%	21.8%	78.2%
<b>Marijuana</b>	<b>All</b>	9.0%	13.5%	21.9%	78.1%
<b>Marijuana Only</b>	<b>All</b>	6.0%	9.1%	16.6%	83.4%
<b>Cocaine or Crack</b>	<b>All</b>	1.2%	1.7%	2.8%	97.2%
<b>Cocaine</b>	<b>All</b>	1.1%	1.5%	2.6%	97.4%
<b>Crack</b>	<b>All</b>	0.7%	0.9%	1.0%	99.0%
<b>Hallucinogens</b>	<b>All</b>	1.1%	1.2%	1.5%	98.5%
<b>Uppers</b>	<b>All</b>	1.3%	2.1%	2.2%	97.8%
<b>Downers</b>	<b>All</b>	0.9%	1.0%	1.2%	98.8%
<b>Rohypnol</b>	<b>All</b>	0.6%	0.7%	1.0%	99.0%
<b>Steroids</b>	<b>All</b>	0.7%	1.3%	2.1%	97.9%
<b>Ecstasy</b>	<b>All</b>	0.4%	1.0%	1.5%	98.5%
<b>Heroin</b>	<b>All</b>	0.2%	0.5%	0.7%	99.3%

**region8**  
**Spring 2006**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>	<b>All</b>	15.6%	22.7%	40.7%	59.3%
<b>Alcohol</b>	<b>All</b>	33.8%	45.1%	70.4%	29.6%
<b>Inhalants</b>	<b>All</b>	8.6%	11.7%	24.6%	75.4%
<b>Any Illicit Drug</b>	<b>All</b>	16.3%	22.2%	34.2%	65.8%
<b>Marijuana</b>	<b>All</b>	14.8%	20.9%	32.6%	67.4%
<b>Marijuana Only</b>	<b>All</b>	5.0%	8.2%	15.7%	84.3%
<b>Cocaine or Crack</b>	<b>All</b>	4.0%	5.9%	10.6%	89.4%
<b>Cocaine</b>	<b>All</b>	3.5%	5.4%	9.7%	90.3%
<b>Crack</b>	<b>All</b>	1.0%	1.3%	3.2%	96.8%
<b>Hallucinogens</b>	<b>All</b>	1.5%	2.9%	5.3%	94.7%
<b>Uppers</b>	<b>All</b>	2.5%	4.0%	6.1%	93.9%
<b>Downers</b>	<b>All</b>	3.2%	4.6%	7.5%	92.5%
<b>Rohypnol</b>	<b>All</b>	1.4%	2.3%	4.6%	95.4%
<b>Steroids</b>	<b>All</b>	0.6%	0.9%	1.5%	98.5%
<b>Ecstasy</b>	<b>All</b>	1.3%	2.5%	5.0%	95.0%
<b>Heroin</b>	<b>All</b>	0.7%	1.0%	2.3%	97.7%

**region8  
Spring 2006**

The FREQ Procedure

Frequency Missing = 3589.0768681

GENDER		
q1	Frequency	Percent
Female	97339	55.56
Male	77855	44.44

Frequency Missing = 321.14530443

GRADE		
q2	Frequency	Percent
Grade 7	47205	26.89
Grade 8	37811	21.54
Grade 9	35236	20.08
Grade 10	19458	11.09
Grade 11	19445	11.08
Grade 12	16360	9.32

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	69771	40.02
Yes	105E3	59.98

Frequency Missing = 1189.0109157

AGE		
q4	Frequency	Percent
11 or younger	183	0.10
12	12268	7.02
13	37604	21.52
14	38718	22.15
15	30935	17.70
16	21813	12.48
17	18912	10.82
18	13278	7.60
19 or older	1050	0.60

Frequency Missing = 754.82493326

ETHNICITY		
q5	Frequency	Percent
African/American	15809	9.20
Asian/American	2896	1.68
Mexican/American	95348	55.46
Native/American	1111	0.65
Other	10466	6.09
White	46295	26.93

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	48359	27.93
Mostly B's	85026	49.10
Mostly C's	30104	17.38
Mostly D's	7048	4.07
Mostly F's	2632	1.52

Frequency Missing = 2346.001577

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	25109	14.51
2-3 years	34907	20.17
>4 years	113E3	65.32

Frequency Missing = 2476.7792142

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	138E3	79.33
Yes	35844	20.67

Frequency Missing = 2067.2910034

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	103E3	59.85
Yes	69319	40.15

Frequency Missing = 2878.2528947

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	31816	18.34
No	69088	39.81
Yes	72623	41.85

Frequency Missing = 1988.6122412

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	27075	15.61
No	73506	42.37
Yes	72921	42.03

Frequency Missing = 2012.5682381

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	92138	57.23
Yes	68844	42.77

Frequency Missing = 14532.520633

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	119E3	79.89
Yes	29986	20.11

Frequency Missing = 26369.122349

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	128E3	91.84
Yes	11414	8.16

Frequency Missing = 35621.859681

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	12E4	85.03
Yes	21091	14.97

Frequency Missing = 34657.644824

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**region8  
Spring 2006**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	128E3	91.69
<b>Yes</b>	11607	8.31

Frequency Missing = 35801.359952

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	139E3	92.50
<b>Yes</b>	11297	7.50

Frequency Missing = 24873.64613

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	63939	36.84
<b>Somewhat Safe</b>	83768	48.27
<b>Not Very Safe</b>	17415	10.03
<b>Not Safe At All</b>	4044	2.33
<b>Don't Know</b>	4390	2.53

Frequency Missing = 1959.12716

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	135E3	96.41
<b>Yes</b>	5028	3.59

Frequency Missing = 35579.951898

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	121E3	79.27
<b>Yes</b>	31720	20.73

Frequency Missing = 22532.423937

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	58461	33.74
<b>Somewhat Safe</b>	85388	49.28
<b>Not Very Safe</b>	17410	10.05
<b>Not Safe At All</b>	6437	3.72
<b>Don't Know</b>	5585	3.22

Frequency Missing = 2232.3375167

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	134E3	94.37
<b>Yes</b>	8003	5.63

Frequency Missing = 33319.801151

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	104E3	65.86
<b>Yes</b>	54095	34.14

Frequency Missing = 17042.989941

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	10430	6.02
<b>A Few</b>	50269	29.00
<b>Some</b>	48949	28.24
<b>Most</b>	51338	29.62
<b>All</b>	12360	7.13

Frequency Missing = 2168.8866027

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	123E3	83.71
<b>Yes</b>	23915	16.29

Frequency Missing = 28670.837907

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	109E3	69.24
<b>Yes</b>	48501	30.76

Frequency Missing = 17818.432312

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	127E3	85.59
<b>Yes</b>	21412	14.41

Frequency Missing = 26913.047556

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	132E3	76.07
<b>Somewhat Safe</b>	36054	20.70
<b>Not Very Safe</b>	2482	1.43
<b>Not Safe At All</b>	921	0.53
<b>Don't Know</b>	2226	1.28

Frequency Missing = 1353.6280618

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	109E3	63.85
<b>A Few</b>	36651	21.45
<b>Some</b>	16173	9.47
<b>Most</b>	6581	3.85
<b>All</b>	2353	1.38

Frequency Missing = 4686.245844

**region8  
Spring 2006**

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c</b>	<b>Frequency</b>	<b>Percent</b>
None	6035	3.60
A Few	29397	17.55
Some	42228	25.21
Most	61909	36.96
All	27954	16.69

Frequency Missing = 7992.0073179

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d</b>	<b>Frequency</b>	<b>Percent</b>
None	107E3	62.13
A Few	31228	18.13
Some	19875	11.54
Most	10811	6.28
All	3332	1.93

Frequency Missing = 3244.8420768

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e</b>	<b>Frequency</b>	<b>Percent</b>
None	95166	55.18
A Few	49372	28.63
Some	16884	9.79
Most	7512	4.36
All	3518	2.04

Frequency Missing = 3062.4832237

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15</b>	<b>Frequency</b>	<b>Percent</b>
No	102E3	63.32
Yes	59145	36.68

Frequency Missing = 14271.594849

<b>EVER INHALED SPRAY PAINT FOR KICKS</b>		
	<b>q16a</b>	<b>Frequency Percent</b>
Never Heard/Used	158E3	91.67
In Your Lifetime	9178	5.32
Since School Began	2272	1.32
In the Past Month	2936	1.70

Frequency Missing = 2827.2375448

<b>EVER INHALED WHITEOUT FOR KICKS</b>		
	<b>q16b</b>	<b>Frequency Percent</b>
Never Heard/Used	158E3	92.12
In Your Lifetime	7817	4.57
Since School Began	2681	1.57
In the Past Month	2982	1.74

Frequency Missing = 4501.5278722

<b>EVER INHALED GASOLINE FOR KICKS</b>		
	<b>q16c</b>	<b>Frequency Percent</b>
Never Heard/Used	162E3	95.53
In Your Lifetime	4506	2.65
Since School Began	1115	0.66
In the Past Month	1972	1.16

Frequency Missing = 5702.6019711

<b>EVER INHALED FREON FOR KICKS</b>		
	<b>q16d</b>	<b>Frequency Percent</b>
Never Heard/Used	166E3	97.66
In Your Lifetime	2159	1.27
Since School Began	883	0.52
In the Past Month	931	0.55

Frequency Missing = 5746.5569928

<b>EVER INHALED POPPERS, ETC. FOR KICKS</b>		
	<b>q16e</b>	<b>Frequency Percent</b>
Never Heard/Used	165E3	97.87
In Your Lifetime	1524	0.90
Since School Began	712	0.42
In the Past Month	1368	0.81

Frequency Missing = 6495.080358

<b>EVER INHALED GLUE FOR KICKS</b>		
	<b>q16f</b>	<b>Frequency Percent</b>
Never Heard/Used	164E3	96.45
In Your Lifetime	3377	1.99
Since School Began	1109	0.65
In the Past Month	1538	0.91

Frequency Missing = 5893.865897

<b>EVER INHALED PAINT THINNERS FOR KICKS</b>		
	<b>q16g</b>	<b>Frequency Percent</b>
Never Heard/Used	16E4	95.12
In Your Lifetime	4673	2.77
Since School Began	1249	0.74
In the Past Month	2297	1.36

Frequency Missing = 7039.8393475

<b>EVER INHALED NITROUS OXIDE FOR KICKS</b>		
	<b>q16h</b>	<b>Frequency Percent</b>
Never Heard/Used	16E4	94.84
In Your Lifetime	4614	2.73
Since School Began	1842	1.09
In the Past Month	2275	1.34

Frequency Missing = 6360.8812667

<b>EVER INHALED OCTANE BOOSTER FOR KICKS</b>		
	<b>q16i</b>	<b>Frequency Percent</b>
Never Heard/Used	167E3	99.06
In Your Lifetime	814	0.48
Since School Began	452	0.27
In the Past Month	318	0.19

Frequency Missing = 6827.7120398

<b>EVER INHALED OTHER SPRAYS FOR KICKS</b>		
	<b>q16j</b>	<b>Frequency Percent</b>
Never Heard/Used	159E3	93.69
In Your Lifetime	5520	3.24
Since School Began	2439	1.43
In the Past Month	2784	1.64

Frequency Missing = 5356.002504

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

**EVER INHALED OTHER  
INHALANTS FOR KICKS  
q16k Frequency Percent**

Never Heard/Used	151E3	88.13
In Your Lifetime	9637	5.62
Since School Began	3908	2.28
In the Past Month	6807	3.97

Frequency Missing = 4061.9693025

**RECENT CIGARETTE USE  
q17a Frequency Percent**

Never Heard/Used	11E4	64.18
In Your Lifetime	27281	15.85
Since School Began	10351	6.01
In the Past Month	24014	13.95

Frequency Missing = 3415.8986928

**RECENT SMOKELESS TOBACCO  
USE  
q17b Frequency Percent**

Never Heard/Used	154E3	90.26
In Your Lifetime	7539	4.43
Since School Began	3061	1.80
In the Past Month	5977	3.51

Frequency Missing = 5277.5668148

**RECENT BEER USE  
q17c Frequency Percent**

Never Heard/Used	84902	49.70
In Your Lifetime	33804	19.79
Since School Began	16758	9.81
In the Past Month	35372	20.70

Frequency Missing = 4678.5548892

**RECENT WINE COOLER USE  
q17d Frequency Percent**

Never Heard/Used	87650	51.39
In Your Lifetime	35338	20.72
Since School Began	16781	9.84
In the Past Month	30778	18.05

Frequency Missing = 4967.2173766

**RECENT WINE USE  
q17e Frequency Percent**

Never Heard/Used	90555	53.26
In Your Lifetime	39036	22.96
Since School Began	16007	9.42
In the Past Month	24416	14.36

Frequency Missing = 5500.4340465

**RECENT LIQUOR USE  
q17f Frequency Percent**

Never Heard/Used	89462	51.81
In Your Lifetime	27817	16.11
Since School Began	17216	9.97
In the Past Month	38187	22.11

Frequency Missing = 2833.9528885

**RECENT MARIJUANA USE  
q18a Frequency Percent**

Never Heard/Used	122E3	71.15
In Your Lifetime	17980	10.45
Since School Began	10194	5.93
In the Past Month	21464	12.48

Frequency Missing = 3490.8868278

**RECENT COCAINE USE  
q18b Frequency Percent**

Never Heard/Used	157E3	91.92
In Your Lifetime	6023	3.52
Since School Began	2840	1.66
In the Past Month	4971	2.90

Frequency Missing = 4320.768352

**RECENT CRACK USE  
q18c Frequency Percent**

Never Heard/Used	165E3	97.20
In Your Lifetime	2700	1.59
Since School Began	575	0.34
In the Past Month	1481	0.87

Frequency Missing = 5934.0996626

**RECENT HALLUCINOGEN USE  
q18e Frequency Percent**

Never Heard/Used	161E3	94.81
In Your Lifetime	3974	2.34
Since School Began	1990	1.17
In the Past Month	2861	1.68

Frequency Missing = 5591.4951556

**RECENT UPPER USE  
q18f Frequency Percent**

Never Heard/Used	159E3	93.75
In Your Lifetime	3490	2.05
Since School Began	2611	1.54
In the Past Month	4524	2.66

Frequency Missing = 5566.3428038

**RECENT DOWNER USE  
q18g Frequency Percent**

Never Heard/Used	158E3	93.18
In Your Lifetime	4187	2.47
Since School Began	2369	1.40
In the Past Month	4986	2.95

Frequency Missing = 6255.8461025

**RECENT ROHYPNOL USE  
q18h Frequency Percent**

Never Heard/Used	164E3	96.79
In Your Lifetime	2598	1.53
Since School Began	1052	0.62
In the Past Month	1793	1.06

Frequency Missing = 5991.5582229

**RECENT STEROID USE  
q18i Frequency Percent**

Never Heard/Used	165E3	98.19
In Your Lifetime	1595	0.95
Since School Began	414	0.25
In the Past Month	1036	0.62

Frequency Missing = 7317.0971873

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

**RECENT ECSTASY USE  
q18j Frequency Percent**

Never Heard/Used	162E3	95.50
<b>In Your Lifetime</b>	3561	2.10
Since School Began	2034	1.20
<b>In the Past Month</b>	2056	1.21

Frequency Missing = 5584.4220275

**RECENT HEROIN USE  
q18k Frequency Percent**

Never Heard/Used	167E3	97.90
<b>In Your Lifetime</b>	2103	1.23
Since School Began	465	0.27
<b>In the Past Month</b>	1026	0.60

Frequency Missing = 4770.0889194

**TOBACCO USE IN PAST MONTH  
q19a Frequency Percent**

Never Heard/Used	151E3	88.45
<b>1-2 times</b>	7875	4.61
<b>3-10 times</b>	4723	2.77
<b>11+ times</b>	7118	4.17

Frequency Missing = 4848.3265592

**ALCOHOL USE IN PAST MONTH  
q19b Frequency Percent**

Never Heard/Used	124E3	73.13
<b>1-2 times</b>	21952	12.90
<b>3-10 times</b>	17398	10.22
<b>11+ times</b>	6387	3.75

Frequency Missing = 5316.9611305

**INHALANT USE IN PAST MONTH  
q19c Frequency Percent**

Never Heard/Used	159E3	93.90
<b>1-2 times</b>	7251	4.29
<b>3-10 times</b>	2056	1.22
<b>11+ times</b>	1006	0.60

Frequency Missing = 6416.64801

**MARIJUANA USE IN PAST MONTH  
q19d Frequency Percent**

Never Heard/Used	149E3	87.87
<b>1-2 times</b>	7541	4.46
<b>3-10 times</b>	6344	3.75
<b>11+ times</b>	6646	3.93

Frequency Missing = 6266.8428966

**COCAINE USE IN PAST MONTH  
q19e Frequency Percent**

Never Heard/Used	165E3	97.32
<b>1-2 times</b>	2228	1.31
<b>3-10 times</b>	1255	0.74
<b>11+ times</b>	1077	0.63

Frequency Missing = 5557.9108041

**CRACK USE IN PAST MONTH  
q19f Frequency Percent**

Never Heard/Used	169E3	99.08
<b>1-2 times</b>	1123	0.66
<b>3-10 times</b>	245	0.14
<b>11+ times</b>	197	0.12

Frequency Missing = 5334.2954956

**CLOSE FRIENDS USE  
CIGARETTES**

**q20a Frequency Percent**

Never heard/None	70753	42.20
<b>A few</b>	52666	31.41
<b>Some</b>	25201	15.03
<b>Most</b>	14084	8.40
<b>All</b>	4953	2.95

Frequency Missing = 7858.4358461

**CLOSE FRIENDS USE SMOKELESS  
TOBACCO**

**q20b Frequency Percent**

Never heard/None	122E3	73.09
<b>A few</b>	26068	15.64
<b>Some</b>	10928	6.56
<b>Most</b>	4431	2.66
<b>All</b>	3432	2.06

Frequency Missing = 8833.7806428

**CLOSE FRIENDS USE BEER  
q20c Frequency Percent**

Never heard/None	52141	31.51
<b>A few</b>	40410	24.42
<b>Some</b>	29677	17.93
<b>Most</b>	29957	18.10
<b>All</b>	13286	8.03

Frequency Missing = 10044.642459

**CLOSE FRIENDS USE WINE  
COOLERS**

**q20d Frequency Percent**

Never heard/None	72630	43.75
<b>A few</b>	36048	21.72
<b>Some</b>	27690	16.68
<b>Most</b>	20217	12.18
<b>All</b>	9411	5.67

Frequency Missing = 9519.4749132

**CLOSE FRIENDS USE WINE  
q20e Frequency Percent**

Never heard/None	90747	54.51
<b>A few</b>	36635	22.01
<b>Some</b>	19961	11.99
<b>Most</b>	13001	7.81
<b>All</b>	6135	3.69

Frequency Missing = 9036.8970143

**CLOSE FRIENDS USE LIQUOR  
q20f Frequency Percent**

Never heard/None	67589	40.55
<b>A few</b>	31825	19.10
<b>Some</b>	25588	15.35
<b>Most</b>	28677	17.21
<b>All</b>	12985	7.79

Frequency Missing = 8852.0551568

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

<b>CLOSE FRIENDS USE INHALANTS</b>		
	<b>q20g Frequency</b>	<b>Percent</b>
Never heard/None	133E3	78.99
A few	21099	12.58
Some	8200	4.89
Most	3210	1.91
All	2739	1.63

Frequency Missing = 7738.3787865

<b>CLOSE FRIENDS USE MARIJUANA</b>		
	<b>q20h Frequency</b>	<b>Percent</b>
Never heard/None	81091	47.74
A few	32530	19.15
Some	21131	12.44
Most	22408	13.19
All	12714	7.48

Frequency Missing = 5641.2649233

<b>DIFFICULT TO GET CIGARETTES</b>		
	<b>q21a Frequency</b>	<b>Percent</b>
Never heard of	18983	11.74
Impossible	29836	18.46
Very difficult	9871	6.11
Somewhat diff	15996	9.90
Somewhat easy	31999	19.80
Very easy	54944	33.99

Frequency Missing = 13885.109786

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
	<b>q21b Frequency</b>	<b>Percent</b>
Never heard of	40320	24.98
Impossible	39238	24.30
Very difficult	14768	9.15
Somewhat diff	15782	9.78
Somewhat easy	19894	12.32
Very easy	31439	19.47

Frequency Missing = 14073.560354

<b>DIFFICULT TO GET BEER</b>		
	<b>q21c Frequency</b>	<b>Percent</b>
Never heard of	15764	9.98
Impossible	21383	13.53
Very difficult	9370	5.93
Somewhat diff	20127	12.74
Somewhat easy	34282	21.70
Very easy	57071	36.12

Frequency Missing = 17517.567003

<b>DIFFICULT TO GET WINE COOLERS</b>		
	<b>q21d Frequency</b>	<b>Percent</b>
Never heard of	22941	14.45
Impossible	23219	14.63
Very difficult	10356	6.52
Somewhat diff	20253	12.76
Somewhat easy	32730	20.62
Very easy	49223	31.01

Frequency Missing = 16792.933092

<b>DIFFICULT TO GET WINE</b>		
	<b>q21e Frequency</b>	<b>Percent</b>
Never heard of	20406	12.82
Impossible	26977	16.95
Very difficult	12358	7.76
Somewhat diff	21116	13.27
Somewhat easy	29604	18.60
Very easy	48710	30.60

Frequency Missing = 16344.635363

<b>DIFFICULT TO GET LIQUOR</b>		
	<b>q21f Frequency</b>	<b>Percent</b>
Never heard of	18600	11.66
Impossible	29503	18.49
Very difficult	13540	8.49
Somewhat diff	17476	10.95
Somewhat easy	29460	18.46
Very easy	50987	31.95

Frequency Missing = 15947.239508

<b>DIFFICULT TO GET INHALANTS</b>		
	<b>q21g Frequency</b>	<b>Percent</b>
Never heard of	33587	21.42
Impossible	27933	17.81
Very difficult	7813	4.98
Somewhat diff	10986	7.01
Somewhat easy	16449	10.49
Very easy	60040	38.29

Frequency Missing = 18707.370383

<b>DIFFICULT TO GET MARIJUANA</b>		
	<b>q21h Frequency</b>	<b>Percent</b>
Never heard of	20904	13.09
Impossible	43276	27.10
Very difficult	13772	8.62
Somewhat diff	17569	11.00
Somewhat easy	23146	14.49
Very easy	41023	25.69

Frequency Missing = 15825.520063

<b>DIFFICULT TO GET COCAINE</b>		
	<b>q21i Frequency</b>	<b>Percent</b>
Never heard of	28115	17.37
Impossible	56167	34.71
Very difficult	21213	13.11
Somewhat diff	20858	12.89
Somewhat easy	14600	9.02
Very easy	20886	12.91

Frequency Missing = 13677.018319

<b>DIFFICULT TO GET CRACK</b>		
	<b>q21j Frequency</b>	<b>Percent</b>
Never heard of	32108	19.74
Impossible	58377	35.89
Very difficult	23095	14.20
Somewhat diff	21046	12.94
Somewhat easy	13070	8.04
Very easy	14963	9.20

Frequency Missing = 12856.012067

**region8  
Spring 2006**

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
<b>q21i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	62196	37.89
Impossible	43821	26.70
Very difficult	18078	11.01
Somewhat diff	16046	9.78
Somewhat easy	10565	6.44
Very easy	13434	8.18

Frequency Missing = 11374.401182

<b>DIFFICULT TO GET UPPERS</b>		
<b>q21m</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	75834	46.90
Impossible	34417	21.28
Very difficult	13551	8.38
Somewhat diff	12040	7.45
Somewhat easy	10197	6.31
Very easy	15668	9.69

Frequency Missing = 13808.495315

<b>DIFFICULT TO GET DOWNERS</b>		
<b>q21n</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	76760	46.73
Impossible	34871	21.23
Very difficult	13393	8.15
Somewhat diff	12718	7.74
Somewhat easy	10534	6.41
Very easy	15993	9.74

Frequency Missing = 11246.880647

<b>DIFFICULT TO GET ROHYPNOL</b>		
<b>q21o</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	83026	50.91
Impossible	34294	21.03
Very difficult	14262	8.74
Somewhat diff	12008	7.36
Somewhat easy	7824	4.80
Very easy	11681	7.16

Frequency Missing = 12419.851916

<b>DIFFICULT TO GET STEROIDS</b>		
<b>q21p</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	40171	24.51
Impossible	61011	37.23
Very difficult	22872	13.95
Somewhat diff	17871	10.90
Somewhat easy	10007	6.11
Very easy	11965	7.30

Frequency Missing = 11618.77309

<b>DIFFICULT TO GET ECSTASY</b>		
<b>q21q</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	50491	30.67
Impossible	50719	30.81
Very difficult	19955	12.12
Somewhat diff	16685	10.14
Somewhat easy	11819	7.18
Very easy	14953	9.08

Frequency Missing = 10892.650806

<b>DIFFICULT TO GET HEROIN</b>		
<b>q21r</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	43847	26.01
Impossible	63128	37.44
Very difficult	23522	13.95
Somewhat diff	16322	9.68
Somewhat easy	8357	4.96
Very easy	13426	7.96

Frequency Missing = 6913.9659425

<b>AGE WHEN FIRST USED CIGARETTES</b>		
<b>q22a</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	9933	15.35
10 years old	6701	10.35
11 years old	7864	12.15
12 years old	9293	14.36
13 years old	10053	15.53
14 years old	7982	12.33
15 years old	6124	9.46
16 years old	3965	6.13
17 years old	1901	2.94
18 or older	909	1.40

Frequency Missing = 110791.17825

<b>AGE WHEN FIRST USED SMOKELESS TOBACCO</b>		
<b>q22b</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	1346	8.37
10 years old	1107	6.88
11 years old	1463	9.09
12 years old	2079	12.91
13 years old	2465	15.31
14 years old	2339	14.53
15 years old	2429	15.09
16 years old	1484	9.22
17 years old	974	6.05
18 or older	409	2.54

Frequency Missing = 159419.8328

<b>AGE WHEN FIRST USED BEER</b>		
<b>q22c</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	22444	23.61
10 years old	9628	10.13
11 years old	9279	9.76
12 years old	12717	13.38
13 years old	13348	14.04
14 years old	11925	12.55
15 years old	8090	8.51
16 years old	5330	5.61
17 years old	1714	1.80
18 or older	568	0.60

Frequency Missing = 80472.361319

<b>AGE WHEN FIRST USED WINE COOLERS</b>		
<b>q22d</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	13881	15.86
10 years old	8889	10.16
11 years old	9796	11.19
12 years old	12879	14.72
13 years old	15628	17.86
14 years old	12130	13.86
15 years old	7336	8.38
16 years old	4949	5.66
17 years old	1588	1.81
18 or older	439	0.50

Frequency Missing = 88000.435818

**region8**  
**Spring 2006**

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	12234	14.72
10 years old	8190	9.85
11 years old	8965	10.78
12 years old	13683	16.46
13 years old	13724	16.51
14 years old	12364	14.87
15 years old	7033	8.46
16 years old	4904	5.90
17 years old	1625	1.95
18 or older	411	0.49

Frequency Missing = 92381.175978

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	3316	6.80
10 years old	2723	5.59
11 years old	4164	8.54
12 years old	7101	14.57
13 years old	10978	22.53
14 years old	9244	18.97
15 years old	5928	12.16
16 years old	3598	7.38
17 years old	1302	2.67
18 or older	382	0.78

Frequency Missing = 126780.2956

AGE WHEN FIRST USED HALLUCINOGENS		
q22i	Frequency	Percent
9 or younger	286	3.73
10 years old	133	1.74
11 years old	399	5.19
12 years old	765	9.97
13 years old	1050	13.68
14 years old	1495	19.47
15 years old	1687	21.97
16 years old	1168	15.21
17 years old	625	8.14
18 or older	70	0.91

Frequency Missing = 167838.05397

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	7794	9.66
10 years old	4808	5.96
11 years old	6557	8.13
12 years old	11266	13.97
13 years old	15264	18.92
14 years old	13888	17.22
15 years old	11105	13.77
16 years old	6946	8.61
17 years old	2376	2.95
18 or older	665	0.82

Frequency Missing = 94845.390103

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	317	2.36
10 years old	348	2.59
11 years old	770	5.73
12 years old	1000	7.44
13 years old	2327	17.32
14 years old	2273	16.92
15 years old	2830	21.07
16 years old	2080	15.49
17 years old	1217	9.06
18 or older	270	2.01

Frequency Missing = 162083.52939

AGE WHEN FIRST USED UPPERS		
q22m	Frequency	Percent
9 or younger	408	3.77
10 years old	174	1.61
11 years old	609	5.62
12 years old	1239	11.43
13 years old	1798	16.60
14 years old	1999	18.45
15 years old	2440	22.52
16 years old	1395	12.88
17 years old	716	6.61
18 or older	57	0.53

Frequency Missing = 164680.10677

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	2971	15.85
10 years old	2484	13.25
11 years old	2917	15.56
12 years old	3441	18.36
13 years old	3217	17.16
14 years old	2143	11.43
15 years old	1036	5.53
16 years old	392	2.09
17 years old	106	0.56
18 or older	36	0.19

Frequency Missing = 156773.14809

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	100	2.18
10 years old	74	1.62
11 years old	407	8.88
12 years old	779	16.99
13 years old	1088	23.74
14 years old	742	16.20
15 years old	594	12.96
16 years old	429	9.35
17 years old	362	7.90
18 or older	8	0.18

Frequency Missing = 170931.33186

AGE WHEN FIRST USED DOWNERS		
q22n	Frequency	Percent
9 or younger	539	4.47
10 years old	191	1.58
11 years old	490	4.06
12 years old	1569	13.00
13 years old	2077	17.21
14 years old	2069	17.15
15 years old	2630	21.80
16 years old	1479	12.26
17 years old	857	7.10
18 or older	164	1.36

Frequency Missing = 163449.72459

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	359	7.07
10 years old	192	3.78
11 years old	658	12.96
12 years old	618	12.16
13 years old	1398	27.52
14 years old	926	18.22
15 years old	568	11.19
16 years old	227	4.46
17 years old	121	2.37
18 or older	14	0.27

Frequency Missing = 170434.00873

AGE WHEN FIRST USED STEROIDS		
q22p	Frequency	Percent
9 or younger	480	20.45
10 years old	184	7.85
11 years old	161	6.87
12 years old	336	14.30
13 years old	344	14.63
14 years old	145	6.16
15 years old	379	16.14
16 years old	134	5.69
17 years old	137	5.82
18 or older	49	2.09

Frequency Missing = 173165.51571

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	203	2.76
10 years old	223	3.03
11 years old	488	6.61
12 years old	696	9.44
13 years old	1005	13.63
14 years old	1301	17.64
15 years old	1420	19.25
16 years old	1278	17.32
17 years old	541	7.34
18 or older	220	2.99

Frequency Missing = 168139.64762

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	253	6.74
10 years old	174	4.63
11 years old	307	8.16
12 years old	303	8.07
13 years old	656	17.43
14 years old	718	19.10
15 years old	641	17.05
16 years old	443	11.78
17 years old	202	5.37
18 or older	63	1.67

Frequency Missing = 171754.17792

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	4880	2.91
Several times/wk	5821	3.47
Several times/mo	7623	4.54
About once/month	11163	6.65
About once/year	8660	5.16
< once/year	16304	9.71
Never used	113E3	67.56

Frequency Missing = 7646.3803654

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	1284	0.78
Several times/wk	1282	0.77
Several times/mo	1448	0.87
About once/month	2576	1.56
About once/year	2691	1.63
< once/year	4964	3.00
Never used	151E3	91.39

Frequency Missing = 10036.163874

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	575	0.35
Several times/wk	7198	4.35
Several times/mo	17948	10.85
About once/month	20470	12.38
About once/year	17509	10.59
< once/year	18188	11.00
Never used	83507	50.49

Frequency Missing = 10119.740999

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	245	0.15
Several times/wk	4968	2.99
Several times/mo	14736	8.88
About once/month	20406	12.29
About once/year	22182	13.36
< once/year	17470	10.52
Never used	86011	51.81

Frequency Missing = 9496.5942982

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	256	0.16
Several times/wk	3028	1.84
Several times/mo	9938	6.04
About once/month	16914	10.28
About once/year	25171	15.29
< once/year	19870	12.07
Never used	89422	54.33

Frequency Missing = 10915.15665

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	607	0.37
Several times/wk	6230	3.77
Several times/mo	19377	11.72
About once/month	20309	12.29
About once/year	17147	10.37
< once/year	12888	7.80
Never used	88755	53.69

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**region8  
Spring 2006**

Frequency Missing = 10201.090542

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	522	0.32
Several times/wk	1202	0.73
Several times/mo	2068	1.26
About once/month	2438	1.48
About once/year	3127	1.90
< once/year	4850	2.95
Never used	15E4	91.36

Frequency Missing = 11133.399143

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	4303	2.61
Several times/wk	6393	3.88
Several times/mo	8594	5.22
About once/month	8285	5.03
About once/year	6827	4.15
< once/year	8973	5.45
Never used	121E3	73.65

Frequency Missing = 10903.060074

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	297	0.18
Several times/wk	1332	0.82
Several times/mo	1662	1.02
About once/month	2160	1.33
About once/year	2341	1.44
< once/year	3494	2.14
Never used	152E3	93.08

Frequency Missing = 12544.857159

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	615	0.38
Several times/wk	950	0.58
Several times/mo	1904	1.17
About once/month	2817	1.73
About once/year	2335	1.43
< once/year	2622	1.61
Never used	152E3	93.09

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	46	0.03
Several times/wk	439	0.27
Several times/mo	427	0.26
About once/month	813	0.50
About once/year	873	0.54
< once/year	1743	1.07
Never used	159E3	97.34

Frequency Missing = 12496.012914

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	91	0.06
Several times/wk	279	0.17
Several times/mo	876	0.54
About once/month	1565	0.96
About once/year	1950	1.19
< once/year	2418	1.48
Never used	156E3	95.61

Frequency Missing = 11840.21787

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	651	0.40
Several times/wk	714	0.44
Several times/mo	1801	1.11
About once/month	2600	1.61
About once/year	2173	1.34
< once/year	2303	1.42
Never used	151E3	93.66

Frequency Missing = 13861.747339

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	615	0.38
Several times/wk	950	0.58
Several times/mo	1904	1.17
About once/month	2817	1.73
About once/year	2335	1.43
< once/year	2622	1.61
Never used	152E3	93.09

Frequency Missing = 12768.46092

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	126	0.08
Several times/wk	534	0.33
Several times/mo	886	0.55
About once/month	990	0.61
About once/year	988	0.61
< once/year	1212	0.75
Never used	156E3	97.06

Frequency Missing = 14327.898544

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	393	0.25
Several times/wk	126	0.08
Several times/mo	150	0.09
About once/month	263	0.16
About once/year	505	0.31
< once/year	863	0.54
Never used	158E3	98.57

Frequency Missing = 15059.331921

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	83	0.05
Several times/wk	324	0.20
Several times/mo	593	0.37
About once/month	1278	0.80
About once/year	2039	1.27
< once/year	2531	1.58
Never used	153E3	95.72

Frequency Missing = 15481.166049

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

**HOW OFTEN NORMALLY USE  
HEROIN**

**q23r Frequency Percent**

Every day	174	0.11
Several times/wk	226	0.14
Several times/mo	228	0.14
About once/month	447	0.28
About once/year	932	0.58
< once/year	1651	1.02
Never used	158E3	97.73

Frequency Missing = 14284.634014

**HOW MANY CIGARETTES IN  
PAST 30 DAYS**

**q24 Frequency Percent**

None	144E3	84.40
Less than 1	16053	9.38
> 1 and < 10	7594	4.44
> 10 and < 1pk	2139	1.25
> 1pk and < 2pks	627	0.37
More than 2pks	279	0.16

Frequency Missing = 4366.918422

**AMOUNT OF BEER AT ONE  
TIME**

**q25a Frequency Percent**

Never drink this	83191	49.53
12+ drinks	5393	3.21
9-11 drinks	4323	2.57
5-8 drinks	9622	5.73
3-4 drinks	12231	7.28
2 drinks	12798	7.62
1 drink	15132	9.01
< 1 drink	25277	15.05

Frequency Missing = 7548.9693693

**AMOUNT OF WINE COOLERS AT  
ONE TIME**

**q25b Frequency Percent**

Never drink this	83252	49.69
12+ drinks	4114	2.46
9-11 drinks	3166	1.89
5-8 drinks	8976	5.36
3-4 drinks	14102	8.42
2 drinks	15007	8.96
1 drink	18787	11.21
< 1 drink	20143	12.02

Frequency Missing = 7969.1121209

**AMOUNT OF WINE AT ONE  
TIME**

**q25c Frequency Percent**

Never drink this	88593	53.13
12+ drinks	1977	1.19
9-11 drinks	1143	0.69
5-8 drinks	3252	1.95
3-4 drinks	6788	4.07
2 drinks	10423	6.25
1 drink	22705	13.62
< 1 drink	31876	19.12

Frequency Missing = 8757.3469254

**AMOUNT OF LIQUOR AT ONE  
TIME**

**q25d Frequency Percent**

Never drink this	86670	51.56
12+ drinks	5831	3.47
9-11 drinks	4544	2.70
5-8 drinks	11650	6.93
3-4 drinks	14798	8.80
2 drinks	12914	7.68
1 drink	13716	8.16
< 1 drink	17978	10.69

Frequency Missing = 7413.6243392

**ALCOHOL**

**q26a Frequency Percent**

Never 5+ at time	72204	42.50
None	59198	34.85
1 day	11561	6.81
2 days	8205	4.83
3 to 5 days	10081	5.93
6 to 9 days	4542	2.67
10 or more days	4095	2.41

Frequency Missing = 5628.6402888

**GET ALCOHOLIC BEVERAGES  
FROM HOME**

**q27a Frequency Percent**

Do not Drink	64740	38.77
Never	43338	25.96
Seldom	39440	23.62
Most of the Time	14111	8.45
Always	5341	3.20

Frequency Missing = 8545.7228279

**GET ALCOHOLIC BEVERAGES  
FROM FRIENDS**

**q27b Frequency Percent**

Do not Drink	57858	34.84
Never	36875	22.21
Seldom	26369	15.88
Most of the Time	32318	19.46
Always	12634	7.61

Frequency Missing = 9460.4775706

**GET ALCOHOLIC BEVERAGES  
FROM A STORE**

**q27c Frequency Percent**

Do not Drink	60883	37.10
Never	77113	46.98
Seldom	12826	7.81
Most of the Time	7943	4.84
Always	5358	3.26

Frequency Missing = 11392.034413

**GET ALCOHOLIC BEVERAGES  
AT PARTIES**

**q27d Frequency Percent**

Do not Drink	55508	33.64
Never	30723	18.62
Seldom	23320	14.13
Most of the Time	26634	16.14
Always	28808	17.46

Frequency Missing = 10523.227589

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8**  
**Spring 2006**

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
<b>q27e</b>	<b>Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	60658	37.09
<b>Never</b>	44557	27.25
<b>Seldom</b>	25677	15.70
<b>Most of the Time</b>	17243	10.54
<b>Always</b>	15407	9.42

Frequency Missing = 11972.66633

<b>USE MARIJUANA AS JOINTS</b>		
<b>q28a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	128E3	76.22
<b>Seldom</b>	13566	8.10
<b>Half the time</b>	9023	5.38
<b>Most of the time</b>	8625	5.15
<b>Always</b>	6951	4.15
<b>Don't know</b>	1678	1.00

Frequency Missing = 7935.6557718

<b>USE MARIJUANA AS BLUNTS</b>		
<b>q28b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	129E3	77.49
<b>Seldom</b>	12096	7.25
<b>Half the time</b>	8279	4.96
<b>Most of the time</b>	7518	4.51
<b>Always</b>	8163	4.89
<b>Don't know</b>	1504	0.90

Frequency Missing = 8639.6165239

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
<b>q28c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	137E3	82.89
<b>Seldom</b>	10839	6.54
<b>Half the time</b>	6251	3.77
<b>Most of the time</b>	5259	3.17
<b>Always</b>	4649	2.80
<b>Don't know</b>	1361	0.82

Frequency Missing = 9752.9622408

<b>USE MARIJUANA IN PIPES</b>		
<b>q28d</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	133E3	80.23
<b>Seldom</b>	10550	6.35
<b>Half the time</b>	6280	3.78
<b>Most of the time</b>	7616	4.58
<b>Always</b>	7201	4.33
<b>Don't know</b>	1195	0.72

Frequency Missing = 9397.8433884

<b>USE MARIJUANA OTHER WAYS</b>		
<b>q28e</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	141E3	85.05
<b>Seldom</b>	10505	6.32
<b>Half the time</b>	3413	2.05
<b>Most of the time</b>	2873	1.73
<b>Always</b>	4437	2.67
<b>Don't know</b>	3611	2.17

Frequency Missing = 9351.4582381

<b>TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH</b>		
<b>q29a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	158E3	95.41
<b>At least once/month</b>	2847	1.72
<b>At least once/year</b>	1722	1.04
<b>At least once/life</b>	3008	1.82

Frequency Missing = 10332.518975

<b>TAKE CODEINE COUGH SYRUP TO GET HIGH</b>		
<b>q29b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	153E3	91.64
<b>At least once/month</b>	6144	3.69
<b>At least once/year</b>	3245	1.95
<b>At least once/life</b>	4531	2.72

Frequency Missing = 9027.4724704

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	80844	49.91
<b>Somewhat</b>	45367	28.01
<b>Not very</b>	19848	12.25
<b>Not at all</b>	6090	3.76
<b>Don't know</b>	9830	6.07

Frequency Missing = 13536.264565

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	72649	44.83
<b>Somewhat</b>	53224	32.84
<b>Not very</b>	23964	14.79
<b>Not at all</b>	5650	3.49
<b>Don't know</b>	6572	4.06

Frequency Missing = 13456.0428

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	117E3	74.20
<b>Somewhat</b>	25146	15.90
<b>Not very</b>	5487	3.47
<b>Not at all</b>	1780	1.13
<b>Don't know</b>	8388	5.30

Frequency Missing = 17353.128473

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	96627	60.25
<b>Somewhat</b>	29780	18.57
<b>Not very</b>	16898	10.54
<b>Not at all</b>	10315	6.43
<b>Don't know</b>	6747	4.21

Frequency Missing = 15148.724759

**region8**  
**Spring 2006**

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	129E3	82.20
<b>Somewhat</b>	16637	10.56
<b>Not very</b>	3406	2.16
<b>Not at all</b>	1340	0.85
<b>Don't know</b>	6647	4.22

Frequency Missing = 18035.59622

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	134E3	83.79
<b>Somewhat</b>	14798	9.24
<b>Not very</b>	2051	1.28
<b>Not at all</b>	1009	0.63
<b>Don't know</b>	8097	5.06

Frequency Missing = 15366.680257

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	13E4	80.74
<b>Somewhat</b>	14572	9.08
<b>Not very</b>	3584	2.23
<b>Not at all</b>	1530	0.95
<b>Don't know</b>	11206	6.99

Frequency Missing = 15109.023139

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	123E3	75.13
<b>Somewhat</b>	22350	13.67
<b>Not very</b>	5743	3.51
<b>Not at all</b>	2221	1.36
<b>Don't know</b>	10352	6.33

Frequency Missing = 12009.76548

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	142E3	85.89
<b>Somewhat</b>	10631	6.45
<b>Not very</b>	1261	0.76
<b>Not at all</b>	1128	0.68
<b>Don't know</b>	10248	6.21

Frequency Missing = 10573.759664

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	123E3	73.68
<b>1-3 days</b>	29910	17.86
<b>4-9 days</b>	8441	5.04
<b>10+ days</b>	5728	3.42

Frequency Missing = 8021.2954219

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	41382	24.77
<b>1-3 days</b>	83329	49.87
<b>4-9 days</b>	33755	20.20
<b>10+ days</b>	8614	5.16

Frequency Missing = 8435.3899429

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	56304	34.16
<b>1-3 days</b>	85901	52.12
<b>4-9 days</b>	16745	10.16
<b>10+ days</b>	5878	3.57

Frequency Missing = 10687.816235

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	125E3	74.95
<b>1-3 days</b>	29379	17.61
<b>4-9 days</b>	6898	4.13
<b>10+ days</b>	5516	3.31

Frequency Missing = 8656.3494621

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	132E3	79.79
<b>1-3 days</b>	25362	15.34
<b>4-9 days</b>	5067	3.06
<b>10+ days</b>	2985	1.81

Frequency Missing = 10203.273623

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	163E3	98.62
<b>1-3 days</b>	1572	0.95
<b>4-9 days</b>	205	0.12
<b>10+ days</b>	505	0.31

Frequency Missing = 10311.073138

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	163E3	97.98
<b>1-3 days</b>	2488	1.49
<b>4-9 days</b>	358	0.22
<b>10+ days</b>	523	0.31

Frequency Missing = 9053.7619311

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	153E3	92.12
<b>1-3 times</b>	11170	6.74
<b>4-9 times</b>	1118	0.67
<b>10+ times</b>	775	0.47

Frequency Missing = 9764.4908265

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

**DRIVEN A CAR AFTER A  
GOOD BIT TO DRINK**

q32b	Frequency	Percent
None	152E3	92.32
1-3 times	9043	5.48
4-9 times	1968	1.19
10+ times	1649	1.00

Frequency Missing = 10624.951592

**CRITICIZED BY DATE  
BECAUSE OF DRINKING**

q32c	Frequency	Percent
None	151E3	92.41
1-3 times	10454	6.39
4-9 times	1021	0.62
10+ times	935	0.57

Frequency Missing = 11923.605866

**TROUBLE WITH POLICE  
BECAUSE OF DRINKING**

q32d	Frequency	Percent
None	157E3	96.48
1-3 times	4902	3.00
4-9 times	586	0.36
10+ times	256	0.16

Frequency Missing = 12282.828909

**TROUBLE WITH FRIENDS  
BECAUSE OF DRUG USE**

q32e	Frequency	Percent
None	15E4	92.50
1-3 times	9705	5.99
4-9 times	1495	0.92
10+ times	948	0.59

Frequency Missing = 13615.686991

**DRIVEN A CAR WHILE  
HIGH FROM DRUGS**

q32f	Frequency	Percent
None	152E3	93.72
1-3 times	6638	4.11
4-9 times	1244	0.77
10+ times	2268	1.40

Frequency Missing = 13860.519068

**CRITICIZED BY DATE  
BECAUSE OF DRUG USE**

q32g	Frequency	Percent
None	151E3	93.28
1-3 times	8643	5.33
4-9 times	1337	0.83
10+ times	906	0.56

Frequency Missing = 13504.465974

**TROUBLE WITH POLICE  
BECAUSE OF DRUG USE**

q32h	Frequency	Percent
None	158E3	96.78
1-3 times	4244	2.59
4-9 times	850	0.52
10+ times	179	0.11

Frequency Missing = 11807.367263

**CLASS DAYS DRUNK ON  
ALCOHOL SINCE SEPT**

q33a	Frequency	Percent
None	146E3	88.74
1-3 days	13723	8.34
4-9 days	2858	1.74
10+ days	1950	1.18

Frequency Missing = 10926.104766

**CLASS DAYS HIGH ON  
MARIJUANA SINCE SEPT**

q33b	Frequency	Percent
None	144E3	87.74
1-3 days	11412	6.93
4-9 days	3412	2.07
10+ days	5351	3.25

Frequency Missing = 10909.128362

**CLASS DAYS HIGH ON  
INHALANTS SINCE SEPT**

q33c	Frequency	Percent
None	158E3	96.28
1-3 days	4530	2.76
4-9 days	971	0.59
10+ days	607	0.37

Frequency Missing = 11477.874064

**CLASS DAYS HIGH ON  
OTHER DRUG(S)**

q33d	Frequency	Percent
None	153E3	92.11
1-3 days	8391	5.07
4-9 days	2395	1.45
10+ days	2281	1.38

Frequency Missing = 9918.4438542

**ALCOHOL USE AT PARTIES  
THIS SCHOOL YEAR**

q34a	Frequency	Percent
Never	63441	38.08
Seldom	18514	11.11
Half the time	13064	7.84
Most of the time	20054	12.04
Always	30363	18.22
Don't know	3516	2.11
Didn't attend	17664	10.60

Frequency Missing = 8898.4035252

**DRUG USE AT PARTIES THIS  
SCHOOL YEAR**

q34b	Frequency	Percent
Never	81683	49.03
Seldom	16705	10.03
Half the time	13150	7.89
Most of the time	14746	8.85
Always	17271	10.37
Don't know	5318	3.19
Didn't attend	17710	10.63

Frequency Missing = 8931.6186909

**SOUGHT HELP FOR  
DRUG/ALCOHOL  
PROBLEM**

q35	Frequency	Percent
No	141E3	92.32
Yes	11703	7.68

Frequency Missing = 23109.45638

**region8  
Spring 2006**

**WOULD SEEK HELP  
FROM SCHOOL  
COUNSELOR**

q36a	Frequency	Percent
No	108E3	66.24
Yes	55128	33.76

Frequency Missing = 12213.297269

**WOULD SEEK HELP  
OUTSIDE OF SCHOOL**

q36b	Frequency	Percent
No	11E4	67.90
Yes	52135	32.10

Frequency Missing = 13081.12265

**WOULD SEEK HELP  
FROM OTHER  
COUNSELOR**

q36c	Frequency	Percent
No	102E3	63.56
Yes	58612	36.44

Frequency Missing = 14663.931797

**WOULD SEEK HELP  
FROM PARENTS**

q36d	Frequency	Percent
No	65310	40.40
Yes	96367	59.60

Frequency Missing = 13838.703085

**WOULD SEEK HELP  
FROM A MEDICAL  
DOCTOR**

q36e	Frequency	Percent
No	93602	58.37
Yes	66753	41.63

Frequency Missing = 15160.08948

**WOULD SEEK HELP  
FROM FRIENDS**

q36f	Frequency	Percent
No	44573	27.50
Yes	118E3	72.50

Frequency Missing = 13403.69764

**WOULD SEEK HELP  
FROM ANOTHER  
ADULT**

q36g	Frequency	Percent
No	59854	36.84
Yes	103E3	63.16

Frequency Missing = 13051.862836

**WOULD NOT SEEK  
HELP**

q36h	Frequency	Percent
No	137E3	85.07
Yes	23961	14.93

Frequency Missing = 15019.701335

**DRUG/ALCOHOL INFO-  
-SCHOOL HEALTH  
CLASS**

q37a	Frequency	Percent
No	70109	49.46
Yes	71638	50.54

Frequency Missing = 33768.063812

**DRUG/ALCOHOL INFO-  
-SCHOOL ASSEMBLY  
PROGRAM**

q37b	Frequency	Percent
No	74782	53.62
Yes	64683	46.38

Frequency Missing = 36050.374455

**DRUG/ALCOHOL INFO-  
-SCHOOL GUIDANCE  
COUNSELOR**

q37c	Frequency	Percent
No	99184	72.10
Yes	38374	27.90

Frequency Missing = 37957.119763

**DRUG/ALCOHOL INFO-  
-SCIENCE CLASS**

q37d	Frequency	Percent
No	88248	63.69
Yes	50304	36.31

Frequency Missing = 36963.544662

**DRUG/ALCOHOL INFO-  
-SOCIAL STUDIES  
CLASS**

q37e	Frequency	Percent
No	12E4	87.22
Yes	17639	12.78

Frequency Missing = 37474.877598

**DRUG/ALCOHOL INFO-  
-SCHOOL STUDENT  
GROUP OR CLUB**

q37f	Frequency	Percent
No	119E3	85.39
Yes	20325	14.61

Frequency Missing = 36397.024156

**DRUG/ALCOHOL INFO-  
-INVITED SCHOOL  
GUEST**

q37g	Frequency	Percent
No	95038	68.18
Yes	44364	31.82

Frequency Missing = 36112.999367

**DRUG/ALCOHOL INFO-  
-ANOTHER SCHOOL  
SOURCE**

q37h	Frequency	Percent
No	93016	66.06
Yes	47784	33.94

Frequency Missing = 34714.925924

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region8  
Spring 2006**

<b>DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
No	119E3	74.35
Yes	41137	25.65

Frequency Missing = 15165.96276

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	118E3	72.13
Mild disapprove	15825	9.65
Neither	11526	7.03
Mildly approve	2251	1.37
Strongly approve	1689	1.03
Don't know	14395	8.78

Frequency Missing = 11569.141389

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41</b>	<b>Frequency</b>	<b>Percent</b>
No	138E3	84.14
Yes	26022	15.86

Frequency Missing = 11446.970313

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>	
<b>q38b</b>	<b>Frequency</b>
No	75046
Yes	85469

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	98033	59.90
Mild disapprove	26346	16.10
Neither	16476	10.07
Mildly approve	5974	3.65
Strongly approve	2224	1.36
Don't know	14613	8.93

Frequency Missing = 11847.547735

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
No	46.75
Yes	53.25

Frequency Missing = 15000.03432

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	13E4	79.80
Mild disapprove	9144	5.59
Neither	6635	4.06
Mildly approve	1953	1.19
Strongly approve	2346	1.43
Don't know	12956	7.92

Frequency Missing = 12005.48041

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
No	69095	42.93
Yes	91851	57.07

Frequency Missing = 14569.024568

<b>DRUG/ALCOHOL INFO-- -PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
No	72347	44.83
Yes	89036	55.17

Frequency Missing = 14131.635605

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
No	151E3	91.79
Yes	13526	8.21

Frequency Missing = 10708.544064

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district