Table T-1: How recently, if ever, have you used ..

| | | Past | School | Ever | Never |
|---------------------|----------|-------|--------|-------|-------|
| | | Month | Year | Used | Used |
| Any tobacco product | | | | | |
| | All | 14.8% | 20.7% | 38.1% | 61.9% |
| | Grade 7 | 6.2% | 9.5% | 22.7% | 77.3% |
| | Grade 8 | 8.2% | 12.8% | 30.2% | 69.8% |
| | Grade 9 | 12.8% | 20.8% | 40.6% | 59.4% |
| | Grade 10 | 17.1% | 23.6% | 42.3% | 57.7% |
| | Grade 11 | 22.8% | 28.9% | 46.1% | 53.9% |
| | Grade 12 | 28.2% | 35.4% | 53.4% | 46.6% |
| Cigarettes | | | | | |
| | All | 12.8% | 18.1% | 35.5% | 64.5% |
| | Grade 7 | 5.9% | 8.6% | 21.5% | 78.5% |
| | Grade 8 | 7.2% | 11.1% | 27.9% | 72.1% |
| | Grade 9 | 10.7% | 17.9% | 37.5% | 62.5% |
| | Grade 10 | 14.6% | 20.4% | 39.1% | 60.9% |
| | Grade 11 | 20.2% | 25.8% | 43.3% | 56.7% |
| | Grade 12 | 23.7% | 31.2% | 49.8% | 50.2% |
| Smokeless tobacco | | | | | |
| | All | 4.7% | 7.4% | 13.1% | 86.9% |
| | Grade 7 | 1.2% | 2.3% | 5.0% | 95.0% |
| | Grade 8 | 2.4% | 4.5% | 9.6% | 90.4% |
| | Grade 9 | 4.3% | 7.0% | 13.2% | 86.8% |
| | Grade 10 | 5.7% | 9.6% | 16.0% | 84.0% |
| | Grade 11 | 7.2% | 9.6% | 16.5% | 83.5% |
| | Grade 12 | 10.0% | 14.5% | 21.9% | 78.1% |

Table T-2: How often do you normally use ..

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any tobacco product? | | | | | | | |
| All | 67.2% | 4.2% | 3.0% | 4.4% | 6.6% | 5.0% | 9.6% |
| Grade 7 | 80.5% | 0.9% | 1.6% | 2.2% | 5.5% | 3.0% | 6.4% |
| Grade 8 | 74.5% | 0.8% | 2.1% | 3.6% | 5.5% | 4.3% | 9.1% |
| Grade 9 | 66.6% | 2.5% | 2.8% | 4.7% | 6.7% | 6.6% | 10.1% |
| Grade 10 | 63.9% | 5.3% | 2.8% | 4.7% | 7.4% | 5.1% | 10.8% |
| Grade 11 | 59.5% | 7.4% | 5.0% | 4.8% | 7.0% | 5.8% | 10.5% |
| Grade 12 | 52.0% | 11.5% | 5.0% | 7.0% | 8.3% | 5.3% | 11.0% |
| Cigarettes? | | | | | | | |
| All | 69.1% | 3.0% | 2.8% | 4.0% | 6.5% | 4.9% | 9.8% |
| Grade 7 | 81.3% | 0.8% | 1.5% | 1.9% | 5.2% | 2.8% | 6.5% |
| Grade 8 | 75.5% | 0.8% | 2.0% | 3.3% | 5.0% | 4.0% | 9.3% |
| Grade 9 | 68.9% | 1.4% | 2.1% | 4.1% | 6.7% | 6.5% | 10.4% |
| Grade 10 | 66.1% | 3.3% | 2.8% | 3.9% | 8.1% | 5.3% | 10.6% |
| Grade 11 | 61.6% | 5.0% | 4.5% | 4.6% | 7.0% | 6.0% | 11.3% |
| Grade 12 | 55.3% | 9.3% | 4.6% | 7.2% | 7.1% | 4.9% | 11.4% |
| Smokeless tobacco? | | | | | | | |
| All | 88.6% | 1.5% | 0.8% | 1.2% | 2.2% | 1.9% | 3.8% |
| Grade 7 | 96.2% | 0.1% | 0.4% | 0.4% | 0.7% | 1.0% | 1.2% |
| Grade 8 | 92.7% | 0.0% | 0.3% | 0.6% | 1.9% | 1.3% | 3.1% |
| Grade 9 | 89.1% | 1.5% | 1.1% | 1.3% | 2.1% | 1.7% | 3.3% |
| Grade 10 | 86.8% | 2.5% | 0.5% | 1.8% | 2.7% | 1.8% | 3.9% |
| Grade 11 | 84.8% | 2.7% | 1.0% | 1.5% | 2.1% | 2.2% | 5.8% |
| Grade 12 | 77.9% | 3.0% | 2.2% | 1.8% | 4.0% | 4.1% | 7.1% |

Table T-3: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|-------------------|---------|---------|----------|----------|----------|
| Cigarettes | | | | | |
| 10.8 | 11.3 | 12.0 | 12.8 | 13.8 | 14.4 |
| Smokeless tobacco | | | | | |
| 10.7 | 11.9 | 12.9 | 13.5 | 14.3 | 15.0 |
| Any Tobacco | | | | | |
| 10.8 | 11.3 | 12.0 | 12.8 | 13.7 | 14.4 |

Table T-4: If you wanted some, how difficult would it be to get...

| | Never | | Very | Somewhat | Somewhat | |
|-----------------------|----------|------------|-----------|-----------|----------|-----------|
| | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Any tobacco product?? | | | | | | |
| All | 10.4% | 16.1% | 5.7% | 9.3% | 18.1% | 40.2% |
| Grade 7 | 15.2% | 30.9% | 9.8% | 10.7% | 15.2% | 18.2% |
| Grade 8 | 12.7% | 23.1% | 6.7% | 13.6% | 16.5% | 27.4% |
| Grade 9 | 12.5% | 14.6% | 6.8% | 9.7% | 21.3% | 35.0% |
| Grade 10 | 8.4% | 11.9% | 4.5% | 8.6% | 23.6% | 42.9% |
| Grade 11 | 7.0% | 6.5% | 3.4% | 7.4% | 18.3% | 57.4% |
| Grade 12 | 3.9% | 4.0% | 1.3% | 2.5% | 10.7% | 77.5% |
| Cigarettes? | | | | | | |
| All | 11.0% | 16.9% | 6.2% | 9.9% | 18.7% | 37.3% |
| Grade 7 | 16.0% | 32.7% | 9.7% | 11.0% | 14.9% | 15.7% |
| Grade 8 | 13.4% | 23.7% | 7.6% | 13.7% | 16.9% | 24.6% |
| Grade 9 | 13.1% | 15.4% | 7.9% | 11.0% | 21.8% | 30.7% |
| Grade 10 | 8.8% | 12.6% | 5.1% | 9.6% | 24.4% | 39.5% |
| Grade 11 | 7.1% | 6.7% | 3.5% | 8.2% | 19.9% | 54.5% |
| Grade 12 | 4.3% | 4.1% | 1.0% | 2.6% | 11.5% | 76.4% |
| Smokeless Tobacco? | | | | | | |
| All | 22.4% | 20.5% | 7.2% | 9.7% | 13.9% | 26.2% |
| Grade 7 | 30.0% | 35.1% | 11.4% | 9.2% | 6.8% | 7.5% |
| Grade 8 | 26.1% | 29.1% | 8.3% | 11.4% | 11.5% | 13.6% |
| Grade 9 | 25.3% | 20.2% | 8.7% | 10.7% | 16.2% | 19.0% |
| Grade 10 | 20.3% | 15.7% | 5.8% | 10.4% | 18.9% | 28.8% |
| Grade 11 | 15.5% | 10.4% | 4.5% | 10.1% | 18.3% | 41.1% |
| Grade 12 | 12.4% | 5.4% | 2.7% | 4.0% | 11.1% | 64.4% |

Table T-5: About how many of your close friends...

| | None | A Few | Some | Most | ALL |
|---------------------------------|-------|-------|-------|-------|------|
| Use any tobacco product? | | | | | |
| All | 36.4% | 32.6% | 17.9% | 11.0% | 2.1% |
| Grade 7 | 59.7% | 23.7% | 8.2% | 5.2% | 3.2% |
| Grade 8 | 46.2% | 33.4% | 12.9% | 6.1% | 1.4% |
| Grade 9 | 35.1% | 34.0% | 19.2% | 9.8% | 2.0% |
| Grade 10 | 27.9% | 36.3% | 22.5% | 11.8% | 1.6% |
| Grade 11 | 23.9% | 33.7% | 22.3% | 17.3% | 2.7% |
| Grade 12 | 17.6% | 33.9% | 25.6% | 20.5% | 2.4% |
| Smoke cigarettes? | | | | | |
| All | 40.4% | 33.6% | 15.5% | 8.8% | 1.6% |
| Grade 7 | 61.7% | 23.7% | 7.8% | 4.5% | 2.4% |
| Grade 8 | 49.6% | 33.1% | 10.6% | 5.5% | 1.3% |
| Grade 9 | 40.3% | 34.6% | 15.5% | 8.1% | 1.5% |
| Grade 10 | 35.0% | 36.6% | 19.0% | 8.6% | 0.9% |
| Grade 11 | 27.0% | 37.8% | 19.7% | 13.7% | 1.8% |
| Grade 12 | 20.3% | 36.7% | 24.4% | 16.5% | 2.2% |
| Use a smokeless tobacco product | ? | | | | |
| All | 63.2% | 21.2% | 9.8% | 4.4% | 1.3% |
| Grade 7 | 83.6% | 9.6% | 2.7% | 1.7% | 2.4% |
| Grade 8 | 73.5% | 18.0% | 6.1% | 1.9% | 0.4% |
| Grade 9 | 63.2% | 21.9% | 9.7% | 3.8% | 1.4% |
| Grade 10 | 52.4% | 27.9% | 12.9% | 5.6% | 1.2% |
| Grade 11 | 51.6% | 27.6% | 12.8% | 6.6% | 1.4% |
| Grade 12 | 48.7% | 23.5% | 17.6% | 9.2% | 0.9% |

Table T-6: How do your parents feel about kids your age smoking cigarettes?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 72.6% | 9.4% | 7.3% | 1.2% | 1.1% | 8.4% |
| Grade 7 | 83.2% | 2.8% | 1.5% | 0.2% | 1.0% | 11.4% |
| Grade 8 | 79.9% | 5.9% | 2.8% | 0.7% | 0.7% | 9.9% |
| Grade 9 | 73.6% | 8.8% | 6.9% | 0.9% | 0.7% | 9.1% |
| Grade 10 | 71.4% | 10.5% | 8.8% | 1.4% | 1.6% | 6.3% |
| Grade 11 | 64.4% | 15.7% | 11.4% | 1.8% | 1.1% | 5.5% |
| Grade 12 | 56.4% | 16.0% | 15.7% | 2.9% | 1.5% | 7.7% |

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 43.2% | 30.7% | 15.3% | 4.5% | 6.2% |
| Grade 7 | 64.2% | 20.7% | 6.1% | 2.1% | 6.8% |
| Grade 8 | 50.5% | 29.6% | 10.0% | 2.8% | 7.1% |
| Grade 9 | 39.2% | 33.7% | 15.7% | 4.2% | 7.2% |
| Grade 10 | 38.8% | 32.2% | 18.3% | 4.5% | 6.1% |
| Grade 11 | 32.6% | 35.7% | 19.5% | 6.0% | 6.2% |
| Grade 12 | 28.6% | 33.1% | 26.2% | 9.1% | 2.9% |

Table A-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|---------------------|----------|---------------|----------------|--------------|---------------|
| Any alcohol product | | | | | |
| | All | 36.8% | 49.3% | 71.0% | 29.0% |
| | Grade 7 | 20.8% | 27.8% | 52.5% | 47.5% |
| | Grade 8 | 30.6% | 40.9% | 65.8% | 34.2% |
| | Grade 9 | 38.6% | 52.7% | 74.6% | 25.4% |
| | Grade 10 | 41.2% | 56.3% | 76.1% | 23.9% |
| | Grade 11 | 45.9% | 59.2% | 79.3% | 20.7% |
| | Grade 12 | 49.1% | 65.5% | 82.4% | 17.6% |
| Beer | | | | | |
| | All | 27.6% | 39.2% | 59.4% | 40.6% |
| | Grade 7 | 12.5% | 18.7% | 39.6% | 60.4% |
| | Grade 8 | 22.1% | 31.8% | 54.1% | 45.9% |
| | Grade 9 | 29.2% | 43.0% | 63.1% | 36.9% |
| | Grade 10 | 31.8% | 44.8% | 65.1% | 34.9% |
| | Grade 11 | 35.2% | 48.3% | 67.9% | 32.1% |
| | Grade 12 | 40.2% | 54.6% | 71.7% | 28.3% |
| Wine coolers | | | | | |
| | All | 23.3% | 35.1% | 54.4% | 45.6% |
| | Grade 7 | 11.6% | 17.3% | 33.0% | 67.0% |
| | Grade 8 | 19.4% | 28.7% | 48.0% | 52.0% |
| | Grade 9 | 27.4% | 39.8% | 59.8% | 40.2% |
| | Grade 10 | 25.0% | 38.8% | 58.9% | 41.1% |
| | Grade 11 | 28.8% | 43.1% | 64.7% | 35.3% |
| | Grade 12 | 30.9% | 48.3% | 67.0% | 33.0% |
| Wine | | | | | |
| | All | 13.1% | 21.7% | 44.3% | 55.7% |
| | Grade 7 | 8.0% | 13.4% | 29.6% | 70.4% |
| | Grade 8 | 11.1% | 18.5% | 40.5% | 59.5% |
| | Grade 9 | 16.7% | 24.0% | 48.3% | 51.7% |
| | Grade 10 | 13.7% | 25.0% | 48.2% | 51.8% |
| | Grade 11 | 14.4% | 23.3% | 48.7% | 51.3% |
| | Grade 12 | 15.5% | 27.9% | 54.1% | 45.9% |
| Liquor | | | | | |
| • | All | 24.7% | 36.1% | 52.1% | 47.9% |
| | Grade 7 | 7.9% | 13.2% | 25.2% | 74.8% |
| | Grade 8 | 17.7% | 27.4% | 42.3% | 57.7% |
| | Grade 9 | 27.1% | 38.8% | 55.8% | 44.2% |
| | Grade 10 | 29.0% | 42.0% | 60.0% | 40.0% |
| | Grade 11 | 33.9% | 49.3% | 66.9% | 33.1% |
| | Grade 12 | 38.9% | 54.4% | 71.3% | 28.7% |

Table A-2: How often do you normally use...

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any alcohol product? | | | | | | | |
| All | 34.5% | 0.7% | 7.4% | 18.0% | 16.3% | 12.9% | 10.2% |
| Grade 7 | 54.9% | 0.7% | 4.1% | 8.1% | 9.4% | 10.6% | 12.2% |
| Grade 8 | 39.3% | 0.4% | 6.7% | 14.1% | 14.8% | 13.5% | 11.1% |
| Grade 9 | 30.1% | 1.3% | 9.8% | 18.4% | 17.2% | 13.7% | 9.5% |
| Grade 10 | 29.9% | 0.6% | 7.8% | 20.9% | 19.5% | 11.6% | 9.6% |
| Grade 11 | 26.6% | 0.7% | 8.1% | 23.4% | 18.0% | 13.8% | 9.4% |
| Grade 12 | 21.9% | 0.7% | 7.7% | 26.4% | 19.9% | 14.7% | 8.7% |
| Beer? | | | | | | | |
| All | 43.1% | 0.3% | 6.3% | 15.7% | 14.4% | 10.5% | 9.6% |
| Grade 7 | 63.0% | 0.3% | 2.9% | 6.9% | 7.2% | 8.5% | 11.1% |
| Grade 8 | 48.7% | 0.1% | 6.0% | 11.5% | 13.2% | 11.1% | 9.5% |
| Grade 9 | 39.1% | 0.4% | 8.5% | 16.4% | 16.0% | 12.2% | 7.4% |
| Grade 10 | 38.0% | 0.4% | 7.1% | 18.5% | 17.7% | 9.3% | 9.1% |
| Grade 11 | 34.6% | 0.3% | 6.7% | 20.9% | 16.2% | 11.3% | 10.1% |
| Grade 12 | 31.0% | 0.4% | 6.4% | 23.4% | 16.6% | 10.7% | 11.5% |
| Wine coolers? | | | | | | | |
| All | 50.2% | 0.2% | 4.1% | 11.1% | 13.3% | 11.4% | 9.7% |
| Grade 7 | 73.0% | 0.4% | 2.3% | 5.1% | 5.5% | 5.9% | 7.7% |
| Grade 8 | 56.7% | 0.2% | 3.9% | 8.4% | 11.2% | 10.6% | 9.0% |
| Grade 9 | 44.6% | 0.4% | 6.4% | 13.0% | 15.3% | 11.1% | 9.3% |
| Grade 10 | 46.4% | 0.0% | 4.3% | 12.0% | 15.5% | 11.9% | 9.9% |
| Grade 11 | 39.6% | 0.2% | 3.6% | 14.4% | 16.1% | 14.1% | 11.9% |
| Grade 12 | 35.6% | 0.1% | 3.1% | 15.5% | 18.0% | 16.8% | 11.1% |
| Wine? | | | | | | | |
| All | 57.5% | 0.1% | 2.4% | 6.0% | 8.3% | 12.7% | 13.0% |
| Grade 7 | 75.0% | 0.2% | 1.6% | 4.3% | 3.6% | 7.3% | 8.1% |
| Grade 8 | 58.8% | 0.1% | 2.6% | 5.3% | 8.0% | 12.5% | 12.6% |
| Grade 9 | 52.4% | 0.0% | 3.2% | 7.3% | 10.6% | 12.6% | 13.8% |
| Grade 10 | 56.4% | 0.1% | 1.8% | 6.8% | 9.1% | 13.0% | 12.8% |
| Grade 11 | 51.6% | 0.3% | 2.8% | 5.9% | 8.7% | 15.0% | 15.7% |
| Grade 12 | 46.9% | 0.1% | 2.1% | 6.5% | 10.0% | 17.7% | 16.6% |
| Liquor? | | | | | | | |
| All | 50.2% | 0.3% | 4.5% | 12.7% | 14.3% | 10.5% | 7.6% |
| Grade 7 | 76.8% | 0.2% | 2.1% | 4.4% | 5.8% | 4.9% | 5.8% |
| Grade 8 | 60.1% | 0.1% | 3.4% | 8.5% | 11.1% | 9.5% | 7.3% |
| Grade 9 | 46.4% | 0.5% | 6.1% | 13.2% | 15.8% | 11.1% | 6.8% |
| Grade 10 | 43.9% | 0.1% | 5.0% | 14.7% | 17.1% | 11.2% | 7.9% |
| Grade 11 | 34.8% | 0.3% | 5.8% | 19.4% | 17.5% | 12.8% | 9.4% |
| Grade 12 | 31.2% | 0.4% | 4.4% | 19.4% | 20.7% | 14.9% | 9.1% |

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

| | | Never | Ever | 5 or More | 1 to 4 | Less than 1 |
|--------------|----------|-------|-------|-----------|--------|-------------|
| Beer | | | | | | |
| | All | 47.0% | 53.0% | 17.7% | 26.6% | 8.7% |
| | Grade 7 | 74.7% | 25.3% | 6.2% | 11.7% | 7.5% |
| | Grade 8 | 57.1% | 42.9% | 11.3% | 22.4% | 9.2% |
| | Grade 9 | 42.7% | 57.3% | 21.2% | 26.8% | 9.3% |
| | Grade 10 | 39.7% | 60.3% | 21.6% | 30.5% | 8.2% |
| | Grade 11 | 30.8% | 69.2% | 25.6% | 34.0% | 9.5% |
| | Grade 12 | 29.0% | 71.0% | 23.6% | 39.2% | 8.2% |
| Wine Coolers | | | | | | |
| | All | 55.9% | 44.1% | 5.1% | 23.7% | 15.2% |
| | Grade 7 | 70.5% | 29.5% | 2.9% | 15.5% | 11.1% |
| | Grade 8 | 56.6% | 43.4% | 5.3% | 22.6% | 15.5% |
| | Grade 9 | 51.1% | 48.9% | 5.7% | 27.7% | 15.4% |
| | Grade 10 | 54.8% | 45.2% | 6.0% | 23.5% | 15.7% |
| | Grade 11 | 51.1% | 48.9% | 4.6% | 27.4% | 16.9% |
| | Grade 12 | 49.3% | 50.7% | 6.1% | 26.9% | 17.7% |
| Wine | | | | | | |
| | All | 47.7% | 52.3% | 15.6% | 29.3% | 7.4% |
| | Grade 7 | 69.0% | 31.0% | 6.2% | 17.5% | 7.4% |
| | Grade 8 | 52.3% | 47.7% | 12.2% | 26.5% | 9.0% |
| | Grade 9 | 43.2% | 56.8% | 20.6% | 30.2% | 6.1% |
| | Grade 10 | 44.7% | 55.3% | 18.0% | 31.1% | 6.2% |
| | Grade 11 | 36.9% | 63.1% | 18.3% | 36.7% | 8.2% |
| | Grade 12 | 34.9% | 65.1% | 19.4% | 38.0% | 7.7% |
| Liquor | | | | | | |
| • | All | 40.0% | 60.0% | 22.9% | 25.9% | 11.2% |
| | Grade 7 | 57.2% | 42.8% | 9.4% | 19.5% | 13.9% |
| | Grade 8 | 44.6% | 55.4% | 17.2% | 23.8% | 14.5% |
| | Grade 9 | 35.8% | 64.2% | 24.9% | 30.0% | 9.2% |
| | Grade 10 | 36.1% | 63.9% | 29.2% | 26.4% | 8.3% |
| | Grade 11 | 31.7% | 68.3% | 29.1% | 28.2% | 11.0% |
| | Grade 12 | 30.7% | 69.3% | 30.2% | 28.5% | 10.6% |

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

| | | Never/None | 1 day | 2 days | 3 to 5 days | 6 to 9 days | 10 or more days |
|---------|----------|------------|-------|--------|-------------|-------------|--------------------|
| Alcohol | | | | | | | |
| | All | 69.9% | 8.2% | 6.7% | 7.5% | 3.6% | 4.2% |
| | Grade 7 | 84.9% | 4.6% | 3.7% | 2.9% | 2.0% | 2.0% |
| | Grade 8 | 75.8% | 7.1% | 6.1% | 4.8% | 2.5% | 3.7% |
| | Grade 9 | 67.0% | 10.1% | 7.6% | 7.8% | 3.2% | 4.3% |
| | Grade 10 | 66.0% | 8.6% | 7.6% | 8.7% | 4.5% | 4.5% |
| | Grade 11 | 63.3% | 8.7% | 7.1% | 11.5% | 4.6% | 4.8% |
| | Grade 12 | 57.7% | 10.6% | 8.3% | 11.0% | 5.9% | 6.4% |

Table A-5: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|--------------|---------|---------|----------|----------|----------|
| Beer | | | | | |
| 10.8 | 11.3 | 12.2 | 12.9 | 13.8 | 14.3 |
| Wine Coolers | | | | | |
| 11.1 | 11.6 | 12.4 | 13.1 | 14.0 | 14.5 |
| Wine | | | | | |
| 11.1 | 11.6 | 12.5 | 13.1 | 13.9 | 14.5 |
| Liquor | | | | | |
| 11.6 | 12.2 | 13.1 | 13.8 | 14.6 | 15.2 |
| Any Alcohol | | | | | |
| 10.7 | 11.2 | 12.0 | 12.7 | 13.5 | 13.9 |

Table A-6: If you wanted some, how difficult would it be to get...

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Beer? | | | | | <u> </u> | |
| All | 7.8% | 11.9% | 5.5% | 12.6% | 21.9% | 40.4% |
| Grade 7 | 12.2% | 25.3% | 8.9% | 13.2% | 16.7% | 23.7% |
| Grade 8 | 10.2% | 15.8% | 5.4% | 11.9% | 19.8% | 36.9% |
| Grade 9 | 9.2% | 9.5% | 5.1% | 13.3% | 21.5% | 41.3% |
| Grade 10 | 4.8% | 8.0% | 5.6% | 12.7% | 22.7% | 46.2% |
| Grade 11 | 5.4% | 5.3% | 3.0% | 11.3% | 25.6% | 49.3% |
| Grade 12 | 3.3% | 4.1% | 3.9% | 13.0% | 27.4% | 48.3% |
| Wine coolers? | | | | | | |
| All | 11.9% | 13.7% | 7.1% | 12.3% | 20.6% | 34.3% |
| Grade 7 | 19.4% | 29.4% | 9.2% | 12.2% | 13.5% | 16.3% |
| Grade 8 | 15.8% | 18.4% | 8.5% | 12.5% | 17.2% | 27.6% |
| Grade 9 | 12.2% | 11.0% | 8.1% | 12.4% | 19.6% | 36.7% |
| Grade 10 | 8.5% | 9.4% | 6.8% | 13.0% | 21.7% | 40.5% |
| Grade 11 | 7.5% | 5.9% | 3.9% | 11.5% | 26.9% | 44.3% |
| Grade 12 | 5.1% | 4.2% | 4.3% | 12.0% | 29.0% | 45.3% |
| Wine? | 2.170 | ,0 | | 12.070 | 23.070 | |
| All | 11.5% | 16.0% | 8.0% | 13.8% | 20.5% | 30.2% |
| Grade 7 | 16.2% | 31.2% | 11.1% | 12.7% | 14.2% | 14.8% |
| Grade 8 | 13.1% | 21.9% | 9.1% | 15.7% | 16.4% | 23.8% |
| Grade 9 | 13.6% | 12.9% | 8.2% | 12.1% | 21.3% | 31.9% |
| Grade 10 | 9.3% | 12.5% | 7.5% | 14.6% | 20.3% | 35.8% |
| Grade 11 | 8.5% | 7.6% | 5.3% | 13.8% | 25.6% | 39.3% |
| Grade 12 | 6.0% | 5.3% | 5.5% | 13.3% | 29.5% | 40.4% |
| Grade 12 Liquor? | 0.070 | 3.370 | 3.370 | 13.570 | 29.570 | 40.470 |
| All | 10.2% | 16.4% | 8.3% | 12.4% | 19.4% | 33.3% |
| Grade 7 | 17.0% | 35.6% | 12.5% | 11.5% | 9.3% | 14.0% |
| Grade 8 | 17.0% | 22.1% | 10.1% | 12.1% | 16.9% | 26.0% |
| Grade 9 | 11.4% | 13.6% | 7.6% | 12.1% | 19.0% | 36.1% |
| | 6.9% | | 7.5% | | 21.3% | |
| Grade 10 | | 11.2% | | 12.0% | | 41.1% |
| Grade 11 | 6.4% | 6.0% | 5.7% | 13.3% | 25.4% | 43.3% |
| Grade 12 | 4.0% | 5.2% | 4.9% | 13.8% | 28.1% | 43.9% |
| Any alcohol product? | 7.10/ | 0.70/ | 4.00/ | 10.60/ | 21 (0) | 16.20 |
| All | 7.1% | 9.5% | 4.9% | 10.6% | 21.6% | 46.3% |
| Grade 7 | 11.6% | 20.9% | 7.7% | 12.5% | 17.4% | 29.9% |
| Grade 8 | 9.1% | 12.9% | 5.0% | 10.5% | 19.9% | 42.5% |
| Grade 9 | 8.5% | 6.9% | 4.9% | 11.0% | 20.9% | 47.9% |
| Grade 10 | 4.2% | 6.0% | 4.4% | 10.3% | 22.1% | 53.0% |
| Grade 11 | 4.9% | 4.3% | 2.8% | 8.5% | 24.6% | 54.9% |
| Grade 12 | 2.7% | 3.6% | 3.9% | 10.1% | 27.1% | 52.8% |

Table A-7: Since school began in the fall, on how many days (if any) have you...

| · | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|-----------|-----------|-----------|
| Attended class while drunk on alcol | hol? | | | |
| All | 89.0% | 8.0% | 1.5% | 1.5% |
| Grade 7 | 92.1% | 6.3% | 1.2% | 0.4% |
| Grade 8 | 90.5% | 7.2% | 1.0% | 1.3% |
| Grade 9 | 85.6% | 10.3% | 2.3% | 1.8% |
| Grade 10 | 88.4% | 8.6% | 1.6% | 1.5% |
| Grade 11 | 88.6% | 7.5% | 1.7% | 2.2% |
| Grade 12 | 89.3% | 7.5% | 1.3% | 2.0% |
| Gotten into trouble with teachers be | ecause of your | drinking? | | |
| All | 98.2% | 1.2% | 0.3% | 0.3% |
| Grade 7 | 98.1% | 1.2% | 0.5% | 0.2% |
| Grade 8 | 99.0% | 0.5% | 0.2% | 0.3% |
| Grade 9 | 98.3% | 0.8% | 0.4% | 0.5% |
| Grade 10 | 98.1% | 1.2% | 0.3% | 0.4% |
| Grade 11 | 97.5% | 2.0% | 0.2% | 0.3% |
| Grade 12 | 97.7% | 1.8% | 0.2% | 0.3% |

Table A-8: School year use of alcohol by absences and conduct problems:

| Average days absent due t illness or other reasons | | | |
|----------------------------------------------------|-----|--|--|
| Alcohol Users: | 5.5 | | |
| Alcohol Non-use | 4.3 | | |

| Aver | Average days conduct problems reported | | |
|-----------------|----------------------------------------|--|--|
| Alcohol Users: | 4.3 | | |
| Alcohol Non-use | 1.4 | | |

Table A-9: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|-------------------------------------|-----------------|-----------|-----------|-----------|
| Driven a car when you've had a goo | od bit to drink | ? | | |
| All | 83.8% | 12.1% | 2.4% | 1.7% |
| Grade 9 | 90.5% | 6.5% | 2.1% | 0.8% |
| Grade 10 | 86.2% | 10.8% | 2.0% | 1.0% |
| Grade 11 | 79.7% | 15.7% | 2.8% | 1.8% |
| Grade 12 | 74.2% | 18.6% | 3.3% | 3.9% |
| Gotten into trouble with the police | because of dri | nking? | | |
| All | 95.0% | 4.0% | 0.5% | 0.5% |
| Grade 7 | 97.3% | 2.3% | 0.2% | 0.2% |
| Grade 8 | 96.3% | 2.7% | 0.4% | 0.6% |
| Grade 9 | 96.5% | 2.0% | 0.8% | 0.8% |
| Grade 10 | 95.1% | 3.9% | 0.6% | 0.4% |
| Grade 11 | 90.1% | 8.5% | 0.6% | 0.8% |
| Grade 12 | 93.2% | 6.3% | 0.3% | 0.2% |

Table A-10: About how many of your close friends use...

| | None | A Few | Some | Most | ALL |
|----------------------|-------|-------|-------|-------|-------|
| Any alcohol product? | | | | | |
| All | 19.2% | 20.5% | 18.3% | 26.0% | 16.0% |
| Grade 7 | 40.4% | 26.2% | 13.0% | 11.4% | 9.0% |
| Grade 8 | 25.4% | 24.3% | 17.9% | 20.5% | 11.8% |
| Grade 9 | 15.4% | 17.0% | 20.1% | 27.1% | 20.4% |
| Grade 10 | 12.2% | 19.5% | 22.0% | 28.5% | 17.8% |
| Grade 11 | 10.7% | 17.8% | 16.5% | 35.5% | 19.6% |
| Grade 12 | 6.3% | 16.6% | 19.6% | 38.8% | 18.6% |
| Beer? | | | | | |
| All | 22.4% | 20.9% | 18.8% | 24.4% | 13.4% |
| Grade 7 | 45.3% | 24.8% | 12.9% | 9.8% | 7.2% |
| Grade 8 | 29.5% | 24.2% | 18.1% | 19.1% | 9.2% |
| Grade 9 | 18.5% | 18.0% | 20.6% | 25.8% | 17.1% |
| Grade 10 | 14.1% | 21.0% | 22.0% | 27.3% | 15.6% |
| Grade 11 | 13.7% | 18.9% | 18.3% | 32.7% | 16.4% |
| Grade 12 | 8.6% | 17.1% | 20.8% | 37.3% | 16.3% |
| Wine coolers? | | | | | |
| All | 36.2% | 20.2% | 18.4% | 16.4% | 8.8% |
| Grade 7 | 60.5% | 17.5% | 9.5% | 6.7% | 5.8% |
| Grade 8 | 45.0% | 20.4% | 14.3% | 13.1% | 7.3% |
| Grade 9 | 29.9% | 19.9% | 21.6% | 16.3% | 12.2% |
| Grade 10 | 29.4% | 21.2% | 22.9% | 18.0% | 8.5% |
| Grade 11 | 25.8% | 21.1% | 19.8% | 23.8% | 9.5% |
| Grade 12 | 20.5% | 21.8% | 23.9% | 24.2% | 9.6% |
| Wine? | | | | | |
| All | 50.4% | 23.8% | 13.0% | 7.9% | 5.0% |
| Grade 7 | 66.5% | 18.4% | 6.9% | 4.4% | 3.9% |
| Grade 8 | 56.0% | 22.3% | 10.1% | 7.4% | 4.2% |
| Grade 9 | 45.4% | 22.4% | 16.0% | 8.1% | 8.1% |
| Grade 10 | 46.0% | 26.2% | 15.4% | 7.9% | 4.5% |
| Grade 11 | 44.7% | 26.2% | 15.6% | 8.8% | 4.7% |
| Grade 12 | 40.3% | 29.5% | 14.1% | 12.0% | 4.1% |
| Liquor? | | | | | |
| All | 32.8% | 18.4% | 17.5% | 20.5% | 10.8% |
| Grade 7 | 63.8% | 15.5% | 8.8% | 6.8% | 5.1% |
| Grade 8 | 43.6% | 21.1% | 14.5% | 13.7% | 7.2% |
| Grade 9 | 28.4% | 15.9% | 19.3% | 22.0% | 14.4% |
| Grade 10 | 22.4% | 20.5% | 22.0% | 23.8% | 11.3% |
| Grade 11 | 17.1% | 18.7% | 19.2% | 30.1% | 14.8% |
| Grade 12 | 13.8% | 18.6% | 22.5% | 31.6% | 13.5% |

Table A-11: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|------------------|-----------|-----------|
| Had difficulties of any kind with yo | ur friends bec | ause of your dri | nking? | |
| All | 90.5% | 8.3% | 0.7% | 0.5% |
| Grade 7 | 95.3% | 4.1% | 0.3% | 0.2% |
| Grade 8 | 92.0% | 7.5% | 0.3% | 0.2% |
| Grade 9 | 89.7% | 8.9% | 0.7% | 0.7% |
| Grade 10 | 89.1% | 9.8% | 0.5% | 0.6% |
| Grade 11 | 87.5% | 10.3% | 1.6% | 0.7% |
| Grade 12 | 88.3% | 10.1% | 0.9% | 0.7% |
| Been criticized by someone you wer | e dating beca | use of drinking? | • | |
| All | 89.9% | 8.1% | 1.0% | 0.9% |
| Grade 7 | 96.8% | 2.2% | 0.5% | 0.5% |
| Grade 8 | 91.3% | 7.5% | 0.5% | 0.7% |
| Grade 9 | 89.8% | 8.1% | 1.0% | 1.1% |
| Grade 10 | 87.0% | 11.0% | 1.0% | 1.0% |
| Grade 11 | 85.4% | 11.3% | 2.0% | 1.3% |
| Grade 12 | 88.5% | 9.2% | 1.2% | 1.2% |

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|----------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 29.4% | 9.4% | 7.4% | 15.2% | 24.9% | 1.5% | 12.2% |
| Grade 7 | 54.8% | 8.6% | 7.2% | 8.2% | 6.6% | 2.1% | 12.4% |
| Grade 8 | 38.1% | 12.4% | 8.5% | 14.6% | 14.2% | 2.0% | 10.1% |
| Grade 9 | 24.1% | 13.6% | 8.8% | 15.3% | 23.8% | 1.3% | 13.0% |
| Grade 10 | 22.0% | 8.7% | 7.1% | 18.0% | 29.9% | 1.3% | 13.1% |
| Grade 11 | 17.1% | 5.9% | 5.5% | 18.3% | 39.4% | 1.4% | 12.6% |
| Grade 12 | 14.7% | 4.5% | 6.2% | 17.8% | 43.9% | 0.6% | 12.2% |

Table A-13: How often, if ever, do you get alcoholic beverages from..

| | Do Not Drink | Never | Seldom | Most of the Time | Always |
|--------------|------------------|-------|--------|------------------|----------|
| At home | | | | | <u> </u> |
| | All 38.7% | 33.3% | 20.2% | 5.6% | 2.2% |
| Grade | e 7 52.8% | 27.9% | 13.9% | 3.6% | 1.7% |
| Grade | 8 40.0% | 29.7% | 21.3% | 6.4% | 2.6% |
| Grade | 9 35.2% | 32.8% | 22.7% | 6.7% | 2.6% |
| Grade | 10 35.8% | 37.1% | 20.0% | 5.0% | 2.1% |
| Grade | 11 34.3% | 37.7% | 21.0% | 5.4% | 1.6% |
| Grade | 12 32.0% | 36.3% | 22.7% | 6.4% | 2.6% |
| From friends | | | | | |
| | All 32.0% | 17.3% | 17.0% | 22.4% | 11.3% |
| Grade | e 7 50.0% | 25.7% | 11.4% | 8.8% | 4.1% |
| Grade | 8 36.0% | 26.1% | 15.7% | 15.5% | 6.7% |
| Grade | | 16.8% | 18.4% | 25.0% | 12.2% |
| Grade | 10 28.5% | 12.3% | 19.4% | 25.7% | 14.2% |
| Grade | 11 24.6% | 10.5% | 18.9% | 29.9% | 16.1% |
| Grade | 12 21.7% | 8.3% | 18.7% | 34.6% | 16.7% |
| From a store | | | | | |
| | All 34.6% | 46.5% | 9.7% | 6.0% | 3.2% |
| Grade | e 7 50.4% | 42.8% | 3.8% | 2.3% | 0.7% |
| Grade | 8 38.3% | 49.1% | 6.1% | 3.2% | 3.3% |
| Grade | 9 31.1% | 49.0% | 10.5% | 6.1% | 3.3% |
| Grade | 10 31.3% | 46.6% | 11.8% | 7.0% | 3.3% |
| Grade | 11 28.3% | 42.7% | 14.5% | 10.3% | 4.2% |
| Grade | 12 24.7% | 48.2% | 13.2% | 9.3% | 4.6% |
| At parties | | | | | |
| = | All 31.3% | 14.7% | 13.2% | 17.6% | 23.1% |
| Grade | | 22.8% | 11.7% | 10.4% | 8.3% |
| Grade | 8 34.5% | 18.5% | 15.8% | 14.2% | 17.0% |
| Grade | 9 27.9% | 12.2% | 14.0% | 18.8% | 27.2% |
| Grade | 10 28.5% | 11.4% | 11.8% | 18.5% | 29.7% |
| Grade | 11 24.7% | 11.5% | 12.0% | 22.3% | 29.5% |
| Grade | 12 22.3% | 10.5% | 13.4% | 24.3% | 29.4% |
| Other source | | | | | |
| | All 34.6% | 24.7% | 15.9% | 12.4% | 12.4% |
| Grade | | 27.4% | 11.0% | 6.8% | 5.6% |
| Grade | | 27.3% | 14.6% | 9.0% | 11.0% |
| Grade | | 22.4% | 17.1% | 15.6% | 14.2% |
| Grade | | 23.9% | 17.0% | 12.9% | 15.0% |
| Grade | | 23.8% | 17.5% | 15.2% | 14.1% |
| Grade | | 22.7% | 19.7% | 16.3% | 15.5% |

Table A-14: How do your parents feel about kids your age drinking beer?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 62.2% | 15.2% | 10.7% | 3.3% | 1.5% | 7.0% |
| Grade 7 | 73.9% | 7.9% | 5.1% | 1.2% | 1.3% | 10.5% |
| Grade 8 | 66.3% | 14.2% | 7.9% | 2.2% | 1.1% | 8.3% |
| Grade 9 | 58.1% | 16.1% | 11.6% | 4.8% | 1.5% | 7.9% |
| Grade 10 | 59.6% | 16.6% | 12.2% | 4.3% | 2.0% | 5.2% |
| Grade 11 | 57.1% | 18.3% | 15.4% | 3.5% | 1.5% | 4.0% |
| Grade 12 | 55.8% | 19.7% | 13.4% | 4.0% | 1.6% | 5.5% |

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 40.0% | 34.1% | 17.0% | 5.1% | 3.9% |
| Grade 7 | 52.1% | 27.1% | 13.5% | 3.5% | 3.9% |
| Grade 8 | 40.3% | 28.5% | 19.6% | 6.8% | 4.9% |
| Grade 9 | 33.6% | 33.0% | 21.5% | 7.6% | 4.4% |
| Grade 10 | 40.4% | 34.3% | 16.1% | 5.2% | 4.0% |
| Grade 11 | 36.6% | 42.1% | 14.9% | 3.2% | 3.2% |
| Grade 12 | 35.8% | 44.7% | 14.4% | 2.5% | 2.6% |

Table D-1: How recently, if ever, have you used...

| | Past Month | School Year | Ever Used | Never Used |
|----------------|---------------|----------------|--------------|---------------|
| Marijuana? | | | | |
| All | 11.9% | 17.5% | 30.2% | 69.8% |
| Grade 7 | 6.9% | 8.3% | 15.0% | 85.0% |
| Grade 8 | 8.8% | 12.7% | 21.3% | 78.7% |
| Grade 9 | 14.4% | 20.2% | 31.7% | 68.3% |
| Grade 10 | 11.0% | 18.4% | 34.6% | 65.4% |
| Grade 11 | 17.6% | 24.1% | 40.1% | 59.9% |
| Grade 12 | 15.3% | 25.1% | 45.7% | 54.3% |
| Cocaine? | | | | |
| All | 4.8% | 7.0% | 12.6% | 87.4% |
| Grade 7 | 1.3% | 1.7% | 3.5% | 96.5% |
| Grade 8 | 2.9% | 4.3% | 7.4% | 92.6% |
| Grade 9 | 5.7% | 7.6% | 13.6% | 86.4% |
| Grade 10 | 5.1% | 8.6% | 15.9% | 84.1% |
| Grade 11 | 8.9% | 11.6% | 20.6% | 79.4% |
| Grade 12 | 5.8% | 9.8% | 18.1% | 81.9% |
| Crack? | | | | |
| All | 0.8% | 1.1% | 2.1% | 97.9% |
| Grade 7 | 0.5% | 0.8% | 1.3% | 98.7% |
| Grade 8 | 0.8% | 1.2% | 1.9% | 98.1% |
| Grade 9 | 0.9% | 1.1% | 2.2% | 97.8% |
| Grade 10 | 0.6% | 0.7% | 2.4% | 97.6% |
| Grade 11 | 1.1% | 1.8% | 2.8% | 97.2% |
| Grade 12 | 0.6% | 0.9% | 2.2% | 97.8% |
| Hallucinogens? | | | | |
| All | 1.8% | 2.9% | 5.5% | 94.5% |
| Grade 7 | 1.2% | 1.6% | 2.2% | 97.8% |
| Grade 8 | 1.1% | 1.5% | 3.5% | 96.5% |
| Grade 9 | 1.7% | 2.9% | 6.1% | 93.9% |
| Grade 10 | 1.7% | 3.0% | 6.3% | 93.7% |
| Grade 11 | 3.0% | 5.6% | 9.4% | 90.6% |
| Grade 12 | 2.1% | 3.5% | 6.6% | 93.4% |
| Uppers? | | | | |
| All | 1.8% | 2.9% | 4.9% | 95.1% |
| Grade 7 | 0.7% | 0.7% | 1.0% | 99.0% |
| Grade 8 | 1.3% | 1.6% | 3.2% | 96.8% |
| Grade 9 | 2.0% | 2.7% | 5.2% | 94.8% |
| Grade 10 | 1.1% | 2.5% | 4.2% | 95.8% |
| Grade 11 | 2.9% | 5.1% | 8.9% | 91.1% |
| Grade 12 | 4.1% | 6.3% | 9.2% | 90.8% |
| Downers? | | | | |
| All | 1.9% | 3.0% | 5.2% | 94.8% |
| Grade 7 | 0.6% | 0.8% | 1.3% | 98.7% |
| Grade 8 | 1.2% | 1.3% | 3.1% | 96.9% |
| Grade 9 | 2.1% | 3.0% | 5.4% | 94.6% |
| Grade 10 | 0.8% | 2.5% | 4.6% | 95.4% |
| Grade 11 | 3.6% | 5.6% | 9.0% | 91.0% |
| Grade 12 | 4.5% | 6.6% | 10.4% | 89.6% |

Table D-1: How recently, if ever, have you used... (Continued)

| | | Past | School | Ever | Never |
|-----------|----------------------|-------|--------|-------|--------|
| | | Month | Year | Used | Used |
| Rohypnol? | | | | | |
| | All | 1.2% | 1.6% | 3.1% | 96.9% |
| | Grade 7 | 1.2% | 1.4% | 2.1% | 97.9% |
| | Grade 8 | 1.8% | 2.2% | 3.6% | 96.4% |
| | Grade 9 | 1.7% | 2.2% | 4.0% | 96.0% |
| | Grade 10 | 0.9% | 1.5% | 3.4% | 96.6% |
| | Grade 11 | 0.6% | 0.9% | 2.6% | 97.4% |
| | Grade 12 | 0.5% | 1.2% | 2.7% | 97.3% |
| Steroids? | | | | | |
| | All | 0.6% | 0.9% | 1.8% | 98.2% |
| | Grade 7 | 0.6% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 0.8% | 1.0% | 2.3% | 97.7% |
| | Grade 9 | 0.3% | 0.5% | 1.4% | 98.6% |
| | Grade 10 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 1.0% | 1.4% | 2.2% | 97.8% |
| | Grade 12 | 0.6% | 1.3% | 2.3% | 97.7% |
| Ecstasy? | | | | | |
| | All | 2.0% | 3.0% | 5.5% | 94.5% |
| | Grade 7 | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 2.3% | 4.1% | 95.9% |
| | Grade 9 | 2.6% | 2.9% | 5.7% | 94.3% |
| | Grade 10 | 2.2% | 3.1% | 5.8% | 94.2% |
| | Grade 11 | 4.0% | 5.7% | 9.4% | 90.6% |
| | Grade 12 | 2.6% | 4.2% | 8.4% | 91.6% |
| Heroin? | Grade 12 | 2.070 | 1.270 | 0.170 | 71.070 |
| Tieroin. | All | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.6% | 0.7% | 1.9% | 98.1% |
| | Grade 8 | 0.6% | 1.2% | 2.1% | 97.9% |
| | Grade 9 | 0.6% | 0.8% | 1.3% | 98.7% |
| | Grade 10 | 0.0% | 0.8% | 1.1% | 98.7% |
| | Grade 10 Grade 11 | | | | |
| | | 1.0% | 1.4% | 1.9% | 98.1% |
| | Grade 12 | 0.2% | 0.5% | 1.3% | 98.7% |

Table D-2: How often do you normally use...

| | | Never | Every | Several Times a | Several Times a | About Once a | About Once a | Less than Once a |
|----------------|----------|--------|-------|--------------------|--------------------|-----------------|-----------------|---------------------|
| 37 11 0 | | Used | Day | Week | Month | Month | Year | Year |
| Marijuana? | 4.77 | 72.40/ | 2 40/ | 2.50/ | 2.00/ | 5.00/ | 4.60/ | 6.20/ |
| | All | 73.4% | 3.4% | 3.5% | 3.8% | 5.0% | 4.6% | 6.3% |
| | Grade 7 | 87.3% | 2.8% | 2.9% | 1.8% | 2.3% | 1.1% | 1.8% |
| | Grade 8 | 80.6% | 2.9% | 2.9% | 2.9% | 3.5% | 3.3% | 3.7% |
| | Grade 9 | 70.9% | 2.6% | 5.8% | 5.0% | 5.8% | 3.9% | 5.9% |
| | Grade 10 | 69.9% | 2.9% | 2.8% | 4.2% | 5.4% | 6.1% | 8.7% |
| | Grade 11 | 65.5% | 5.7% | 3.0% | 4.1% | 6.6% | 6.7% | 8.3% |
| | Grade 12 | 60.9% | 4.0% | 3.5% | 5.5% | 7.1% | 8.0% | 10.9% |
| Cocaine? | | | | | | | | |
| | All | 89.3% | 0.3% | 0.9% | 1.8% | 2.3% | 2.2% | 3.2% |
| | Grade 7 | 96.4% | 0.6% | 0.2% | 0.9% | 0.3% | 0.4% | 1.1% |
| | Grade 8 | 94.3% | 0.0% | 0.8% | 0.8% | 1.5% | 1.2% | 1.4% |
| | Grade 9 | 87.7% | 0.0% | 1.9% | 2.3% | 2.5% | 2.8% | 2.9% |
| | Grade 10 | 87.0% | 0.7% | 0.7% | 2.4% | 2.0% | 2.6% | 4.5% |
| | Grade 11 | 82.8% | 0.1% | 0.9% | 2.4% | 4.8% | 3.6% | 5.3% |
| | Grade 12 | 84.9% | 0.0% | 1.2% | 2.4% | 3.2% | 3.0% | 5.2% |
| Crack? | | | | | | | | |
| | All | 98.1% | 0.1% | 0.2% | 0.2% | 0.4% | 0.2% | 0.7% |
| | Grade 7 | 98.5% | 0.2% | 0.1% | 0.0% | 0.2% | 0.4% | 0.6% |
| | Grade 8 | 98.1% | 0.0% | 0.4% | 0.3% | 0.4% | 0.2% | 0.6% |
| | Grade 9 | 97.8% | 0.2% | 0.0% | 0.4% | 0.8% | 0.2% | 0.5% |
| | Grade 10 | 97.6% | 0.4% | 0.4% | 0.0% | 0.2% | 0.3% | 1.0% |
| | Grade 11 | 98.1% | 0.0% | 0.1% | 0.1% | 0.5% | 0.2% | 0.8% |
| | Grade 12 | 98.5% | 0.0% | 0.0% | 0.3% | 0.3% | 0.0% | 0.9% |
| Hallucinogens? | | | | | | | | |
| 9 | All | 95.6% | 0.1% | 0.1% | 0.5% | 0.9% | 1.4% | 1.5% |
| | Grade 7 | 98.2% | 0.0% | 0.0% | 0.5% | 0.8% | 0.4% | 0.2% |
| | Grade 8 | 97.3% | 0.1% | 0.1% | 0.4% | 0.7% | 0.2% | 1.2% |
| | Grade 9 | 95.5% | 0.0% | 0.2% | 0.2% | 1.0% | 1.6% | 1.5% |
| | Grade 10 | 94.8% | 0.0% | 0.2% | 0.4% | 0.5% | 2.2% | 1.9% |
| | Grade 11 | 92.6% | 0.2% | 0.1% | 0.9% | 1.4% | 2.4% | 2.5% |
| | Grade 12 | 93.9% | 0.1% | 0.2% | 0.6% | 1.2% | 1.8% | 2.2% |
| Uppers? | Grade 12 | 75.770 | 0.170 | 0.270 | 0.070 | 1.270 | 1.070 | 2.270 |
| оррега. | All | 95.5% | 0.1% | 0.4% | 0.6% | 1.1% | 1.0% | 1.3% |
| | Grade 7 | 98.8% | 0.0% | 0.3% | 0.2% | 0.3% | 0.0% | 0.4% |
| | Grade 8 | 97.3% | 0.0% | 0.6% | 0.1% | 0.4% | 0.6% | 1.0% |
| | Grade 9 | 95.3% | 0.0% | 0.4% | 0.1% | 1.5% | 0.8% | 1.5% |
| | Grade 10 | 96.3% | 0.0% | 0.4% | 0.5% | 0.9% | 1.0% | 1.1% |
| | | | 0.1% | 0.1% | | | 1.0% | 2.4% |
| | Grade 11 | 91.9% | | | 1.0% 1.4% | 2.1% | | |
| D | Grade 12 | 91.9% | 0.3% | 0.3% | 1.4% | 2.3% | 1.7% | 2.0% |
| Downers? | A 77 | 05.70/ | 0.10/ | 0.20/ | 0.60/ | 1 10/ | 1 00/ | 1.00/ |
| | All | 95.7% | 0.1% | 0.3% | 0.6% | 1.1% | 1.0% | 1.2% |
| | Grade 7 | 98.9% | 0.0% | 0.2% | 0.3% | 0.4% | 0.1% | 0.2% |
| | Grade 8 | 97.5% | 0.0% | 0.5% | 0.1% | 0.5% | 0.6% | 0.7% |
| | Grade 9 | 95.9% | 0.1% | 0.4% | 0.4% | 1.2% | 0.8% | 1.1% |
| | Grade 10 | 96.2% | 0.1% | 0.1% | 0.5% | 0.8% | 1.0% | 1.3% |
| | Grade 11 | 92.2% | 0.3% | 0.4% | 1.2% | 2.0% | 1.8% | 2.2% |
| | Grade 12 | 91.3% | 0.0% | 0.3% | 1.8% | 2.5% | 2.1% | 2.0% |

Table D-2: How often do you normally use... (Continued)

| | | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|------------|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Rohypnol? | | CSCU | Day | TTCCK | Month | Month | 1 cui | 1 cui |
| rong phore | All | 97.8% | 0.1% | 0.2% | 0.2% | 0.3% | 0.5% | 0.8% |
| | Grade 7 | 98.5% | 0.2% | 0.5% | 0.4% | 0.2% | 0.2% | 0.0% |
| | Grade 8 | 97.5% | 0.1% | 0.3% | 0.2% | 0.5% | 0.7% | 0.7% |
| | Grade 9 | 97.3% | 0.2% | 0.4% | 0.4% | 0.1% | 0.7% | 0.9% |
| | Grade 10 | 97.6% | 0.1% | 0.0% | 0.3% | 0.2% | 0.6% | 1.2% |
| | Grade 11 | 98.3% | 0.0% | 0.2% | 0.1% | 0.4% | 0.4% | 0.7% |
| | Grade 12 | 98.0% | 0.0% | 0.0% | 0.1% | 0.3% | 0.3% | 1.2% |
| Steroids? | | | | | | | | |
| | All | 98.5% | 0.2% | 0.2% | 0.2% | 0.2% | 0.3% | 0.4% |
| | Grade 7 | 98.7% | 0.2% | 0.0% | 0.1% | 0.1% | 0.3% | 0.5% |
| | Grade 8 | 98.7% | 0.3% | 0.1% | 0.1% | 0.0% | 0.3% | 0.5% |
| | Grade 9 | 98.6% | 0.3% | 0.2% | 0.0% | 0.2% | 0.1% | 0.6% |
| | Grade 10 | 98.5% | 0.1% | 0.2% | 0.2% | 0.1% | 0.5% | 0.4% |
| | Grade 11 | 98.3% | 0.2% | 0.6% | 0.2% | 0.3% | 0.2% | 0.2% |
| | Grade 12 | 98.2% | 0.1% | 0.0% | 0.3% | 0.5% | 0.4% | 0.5% |
| Ecstasy? | | | | | | | | |
| · | All | 94.9% | 0.1% | 0.2% | 0.7% | 1.2% | 1.5% | 1.5% |
| | Grade 7 | 98.4% | 0.1% | 0.0% | 0.4% | 0.2% | 0.5% | 0.4% |
| | Grade 8 | 96.2% | 0.0% | 0.4% | 0.5% | 1.1% | 1.0% | 0.8% |
| | Grade 9 | 94.9% | 0.0% | 0.0% | 0.9% | 1.7% | 1.6% | 0.9% |
| | Grade 10 | 94.6% | 0.0% | 0.0% | 0.8% | 1.2% | 1.4% | 1.8% |
| | Grade 11 | 91.5% | 0.4% | 0.2% | 1.0% | 1.8% | 2.6% | 2.4% |
| | Grade 12 | 92.2% | 0.0% | 0.3% | 1.0% | 0.9% | 2.3% | 3.2% |
| Heroin? | | | | | | | | |
| | All | 98.6% | 0.1% | 0.1% | 0.1% | 0.3% | 0.2% | 0.5% |
| | Grade 7 | 98.1% | 0.2% | 0.0% | 0.0% | 0.4% | 0.3% | 1.0% |
| | Grade 8 | 97.9% | 0.3% | 0.2% | 0.2% | 0.5% | 0.4% | 0.5% |
| | Grade 9 | 98.9% | 0.0% | 0.0% | 0.0% | 0.5% | 0.1% | 0.5% |
| | Grade 10 | 99.4% | 0.0% | 0.1% | 0.0% | 0.2% | 0.1% | 0.1% |
| | Grade 11 | 98.7% | 0.0% | 0.2% | 0.3% | 0.2% | 0.1% | 0.5% |
| | Grade 12 | 98.7% | 0.0% | 0.0% | 0.2% | 0.0% | 0.3% | 0.8% |

Table D-3: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------------|---------|---------|----------|----------|----------|
| Marijuana | | | | | |
| 11.3 | 12.1 | 12.7 | 13.5 | 14.1 | 14.7 |
| Cocaine | | | | | |
| 12.0 | 12.8 | 13.8 | 14.3 | 15.1 | 15.8 |
| Crack | | | | | |
| 11.8 | 12.3 | 13.3 | 14.2 | 14.7 | 16.3 |
| Hallucinogens | | | | | |
| 11.4 | 12.5 | 13.5 | 14.2 | 15.0 | 15.9 |
| Uppers | | | | | |
| 11.0 | 12.0 | 13.4 | 14.0 | 14.7 | 15.3 |
| Downers | | | | | |
| 11.3 | 12.2 | 13.5 | 14.1 | 14.5 | 15.3 |
| Rohypnol | | | | | |
| 11.9 | 11.4 | 12.7 | 13.7 | 14.6 | 15.8 |
| Steroids | | | 4.4.0 | | |
| 10.4 | 11.5 | 12.3 | 14.0 | 14.6 | 15.6 |
| Ecstasy | 12.5 | 10.5 | | 150 | 1.0 |
| 12.3 | 12.6 | 13.7 | 14.5 | 15.2 | 16.0 |
| Heroin | 11.0 | 12.6 | 12.2 | 150 | 160 |
| 11.1 | 11.8 | 12.6 | 13.3 | 15.0 | 16.0 |

Table D-4: Age of first use of marijuana by family situation:

| | Never | 9/Under | 10 to 11 | 12 to 13 | 14 to 15 | 16 to 17 | Over 17 |
|------------------------|-------|---------|----------|----------|----------|----------|---------|
| Two parent family | | | | | | | |
| All | 76.2% | 1.2% | 2.7% | 6.9% | 8.9% | 3.9% | 0.2% |
| Grade 7 | 90.0% | 1.2% | 3.4% | 4.6% | 0.8% | 0.0% | 0.0% |
| Grade 8 | 84.0% | 1.8% | 2.8% | 9.0% | 2.5% | 0.0% | 0.0% |
| Grade 9 | 76.4% | 1.1% | 3.8% | 7.7% | 11.0% | 0.0% | 0.0% |
| Grade 10 | 72.4% | 1.1% | 1.5% | 8.0% | 13.6% | 3.3% | 0.0% |
| Grade 11 | 66.0% | 0.8% | 2.9% | 5.5% | 14.1% | 10.5% | 0.0% |
| Grade 12 | 61.8% | 1.1% | 1.3% | 5.4% | 13.6% | 14.9% | 1.9% |
| Other family situation | | | | | | | |
| All | 59.2% | 3.9% | 5.2% | 13.2% | 13.3% | 5.0% | 0.3% |
| Grade 7 | 76.5% | 4.6% | 9.8% | 8.5% | 0.6% | 0.0% | 0.1% |
| Grade 8 | 73.1% | 2.5% | 5.6% | 14.2% | 4.6% | 0.0% | 0.0% |
| Grade 9 | 55.2% | 7.7% | 3.7% | 13.4% | 19.9% | 0.1% | 0.0% |
| Grade 10 | 54.2% | 3.2% | 4.9% | 14.9% | 19.1% | 3.4% | 0.2% |
| Grade 11 | 47.7% | 2.4% | 4.4% | 13.9% | 20.3% | 11.3% | 0.0% |
| Grade 12 | 40.8% | 2.1% | 2.1% | 13.9% | 16.4% | 22.6% | 2.1% |

Table D-5: If you wanted some, how difficult would it be to get..

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Marijuana? | | | | | | | |
| | All | 13.2% | 25.2% | 9.2% | 10.8% | 14.2% | 27.4% |
| | Grade 7 | 20.4% | 44.5% | 9.2% | 6.4% | 7.8% | 11.8% |
| | Grade 8 | 15.7% | 35.6% | 9.8% | 9.9% | 8.7% | 20.3% |
| | Grade 9 | 13.1% | 21.1% | 10.1% | 12.2% | 13.9% | 29.6% |
| | Grade 10 | 10.7% | 19.3% | 9.0% | 12.1% | 18.4% | 30.5% |
| | Grade 11 | 9.3% | 12.5% | 8.8% | 11.7% | 17.7% | 39.9% |
| | Grade 12 | 7.5% | 11.6% | 7.8% | 13.7% | 21.6% | 37.8% |
| Cocaine? | | | | | | | |
| | All | 16.7% | 31.1% | 12.4% | 11.8% | 11.0% | 17.0% |
| | Grade 7 | 23.2% | 50.6% | 10.9% | 5.8% | 3.7% | 5.8% |
| | Grade 8 | 18.5% | 42.0% | 11.4% | 9.4% | 6.9% | 11.8% |
| | Grade 9 | 18.2% | 27.3% | 12.6% | 14.1% | 10.3% | 17.5% |
| | Grade 10 | 13.9% | 24.5% | 12.9% | 13.1% | 15.8% | 19.7% |
| | Grade 11 | 13.1% | 17.5% | 13.5% | 12.9% | 16.6% | 26.4% |
| | Grade 12 | 11.1% | 18.6% | 13.6% | 16.8% | 15.2% | 24.7% |
| Crack? | | | | | | | |
| | All | 21.0% | 33.9% | 14.8% | 12.1% | 8.1% | 10.1% |
| | Grade 7 | 25.1% | 50.6% | 9.8% | 6.5% | 3.6% | 4.5% |
| | Grade 8 | 21.0% | 43.4% | 13.0% | 8.2% | 5.7% | 8.7% |
| | Grade 9 | 23.0% | 31.2% | 16.2% | 11.7% | 8.1% | 9.8% |
| | Grade 10 | 19.9% | 28.0% | 15.6% | 13.9% | 10.7% | 11.9% |
| | Grade 11 | 17.5% | 22.3% | 18.2% | 16.7% | 11.9% | 13.5% |
| | Grade 12 | 17.8% | 21.9% | 17.4% | 19.0% | 9.8% | 14.1% |
| Hallucinogens? | | | | | | | |
| | All | 40.7% | 24.8% | 11.9% | 9.0% | 6.1% | 7.5% |
| | Grade 7 | 54.4% | 30.7% | 6.6% | 3.0% | 2.2% | 3.1% |
| | Grade 8 | 47.4% | 29.9% | 8.7% | 4.6% | 4.0% | 5.4% |
| | Grade 9 | 42.6% | 22.0% | 13.2% | 9.0% | 5.2% | 8.0% |
| | Grade 10 | 35.7% | 23.8% | 12.7% | 11.1% | 8.3% | 8.4% |
| | Grade 11 | 30.6% | 19.4% | 15.7% | 14.5% | 8.9% | 10.9% |
| | Grade 12 | 27.1% | 20.0% | 17.1% | 14.8% | 9.9% | 11.1% |
| Uppers? | | | | | | | |
| | All | 51.5% | 19.2% | 8.2% | 7.0% | 5.6% | 8.4% |
| | Grade 7 | 61.6% | 26.7% | 4.6% | 2.3% | 1.6% | 3.2% |
| | Grade 8 | 57.4% | 23.4% | 6.8% | 3.5% | 3.7% | 5.2% |
| | Grade 9 | 52.5% | 15.3% | 10.8% | 6.5% | 6.5% | 8.3% |
| | Grade 10 | 48.7% | 18.4% | 8.6% | 9.2% | 5.7% | 9.4% |
| | Grade 11 | 44.4% | 13.7% | 9.8% | 10.2% | 8.6% | 13.4% |
| | Grade 12 | 38.7% | 15.5% | 9.3% | 13.3% | 9.5% | 13.6% |
| Downers? | | | | | | | |
| | All | 51.7% | 19.0% | 8.2% | 7.0% | 5.5% | 8.6% |
| | Grade 7 | 62.5% | 25.7% | 4.7% | 2.3% | 1.5% | 3.3% |
| | Grade 8 | 57.6% | 23.2% | 6.5% | 4.0% | 3.0% | 5.8% |
| | Grade 9 | 53.7% | 14.8% | 10.3% | 6.2% | 6.3% | 8.6% |
| | Grade 10 | 48.5% | 18.7% | 8.5% | 9.0% | 6.1% | 9.2% |
| | Grade 11 | 43.7% | 14.0% | 10.3% | 10.1% | 8.2% | 13.7% |
| | Grade 12 | 38.3% | 15.5% | 9.7% | 13.0% | 9.9% | 13.6% |

Table D-5: If you wanted some, how difficult would it be to get.. Continued

| | | Never | | Very | Somewhat | Somewhat | |
|-----------|----------|----------|------------|-----------|-----------|----------|-----------|
| | | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Rohypnol? | | | | | | | |
| | All | 52.7% | 20.7% | 8.9% | 6.9% | 4.4% | 6.3% |
| | Grade 7 | 59.6% | 28.3% | 5.0% | 2.5% | 1.8% | 2.8% |
| | Grade 8 | 55.1% | 24.6% | 7.2% | 4.8% | 3.0% | 5.3% |
| | Grade 9 | 52.2% | 17.8% | 11.6% | 6.3% | 4.8% | 7.3% |
| | Grade 10 | 51.7% | 19.8% | 8.6% | 8.0% | 4.9% | 7.0% |
| | Grade 11 | 51.3% | 14.0% | 10.9% | 10.0% | 6.3% | 7.6% |
| | Grade 12 | 42.7% | 17.5% | 11.5% | 12.5% | 6.8% | 9.0% |
| Steroids? | | | | | | | |
| | All | 25.7% | 35.5% | 13.8% | 10.0% | 6.7% | 8.2% |
| | Grade 7 | 29.7% | 49.0% | 10.6% | 4.2% | 3.0% | 3.4% |
| | Grade 8 | 26.6% | 43.8% | 13.2% | 6.0% | 4.4% | 6.1% |
| | Grade 9 | 29.4% | 32.5% | 15.9% | 9.4% | 5.3% | 7.4% |
| | Grade 10 | 24.1% | 31.8% | 14.1% | 12.4% | 7.8% | 9.7% |
| | Grade 11 | 20.8% | 27.8% | 15.2% | 14.7% | 9.7% | 11.8% |
| | Grade 12 | 20.8% | 22.7% | 14.0% | 16.5% | 12.6% | 13.5% |
| Ecstasy? | | | | | | | |
| • | All | 33.7% | 27.6% | 11.9% | 9.3% | 7.4% | 10.2% |
| | Grade 7 | 53.5% | 32.4% | 6.2% | 3.0% | 1.8% | 3.1% |
| | Grade 8 | 40.1% | 34.0% | 9.5% | 5.2% | 4.3% | 7.0% |
| | Grade 9 | 32.3% | 26.2% | 13.2% | 9.9% | 7.5% | 10.8% |
| | Grade 10 | 27.0% | 26.7% | 13.2% | 12.2% | 9.6% | 11.3% |
| | Grade 11 | 23.6% | 21.5% | 15.5% | 12.6% | 11.0% | 15.9% |
| | Grade 12 | 19.9% | 20.8% | 15.8% | 15.1% | 12.1% | 16.3% |
| Heroin? | | | | | | | |
| | All | 31.4% | 35.0% | 13.8% | 8.6% | 4.8% | 6.4% |
| | Grade 7 | 39.6% | 44.0% | 7.0% | 3.5% | 2.5% | 3.4% |
| | Grade 8 | 32.4% | 41.2% | 10.9% | 6.0% | 3.6% | 5.8% |
| | Grade 9 | 32.2% | 32.3% | 14.8% | 8.6% | 5.6% | 6.5% |
| | Grade 10 | 29.8% | 32.8% | 14.3% | 11.1% | 4.8% | 7.2% |
| | Grade 11 | 26.7% | 28.3% | 17.7% | 11.8% | 7.1% | 8.3% |
| | Grade 12 | 25.5% | 27.7% | 20.7% | 11.9% | 6.2% | 8.0% |

Table D-6: Since school began in the fall, on how many days (if any) have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|-----------|-----------|-----------|
| Attended class while high from mar | ijuana use? | | | |
| All | 88.0% | 6.3% | 2.1% | 3.7% |
| Grade 7 | 92.6% | 4.5% | 0.7% | 2.2% |
| Grade 8 | 91.2% | 4.5% | 1.9% | 2.3% |
| Grade 9 | 84.9% | 7.9% | 2.6% | 4.6% |
| Grade 10 | 85.9% | 8.1% | 2.1% | 3.9% |
| Grade 11 | 84.8% | 6.9% | 2.6% | 5.8% |
| Grade 12 | 87.9% | 6.0% | 2.6% | 3.6% |
| Attended class while high from use | of some other | drug? | | |
| All | 92.8% | 4.3% | 1.3% | 1.6% |
| Grade 7 | 96.1% | 2.9% | 0.2% | 0.8% |
| Grade 8 | 94.1% | 3.5% | 1.3% | 1.1% |
| Grade 9 | 91.4% | 5.3% | 1.2% | 2.1% |
| Grade 10 | 91.9% | 4.6% | 1.5% | 2.1% |
| Grade 11 | 90.6% | 5.4% | 1.7% | 2.2% |
| Grade 12 | 92.3% | 3.9% | 2.2% | 1.6% |
| Gotten into trouble with teachers be | ecause of your | drug use? | | |
| All | 98.1% | 1.2% | 0.3% | 0.4% |
| Grade 7 | 98.3% | 1.4% | 0.2% | 0.2% |
| Grade 8 | 98.4% | 0.8% | 0.1% | 0.8% |
| Grade 9 | 98.3% | 1.2% | 0.3% | 0.2% |
| Grade 10 | 97.8% | 1.2% | 0.4% | 0.6% |
| Grade 11 | 98.0% | 1.5% | 0.4% | 0.2% |
| Grade 12 | 97.8% | 1.5% | 0.2% | 0.5% |

Table D-7: School year use of marijuana by absences and conduct problems:

| O | e days absent due to s or other reasons |
|-------------------|--------------------------------------------|
| Marijuana Users: | 5.8 |
| Marijuana Non-use | 4.7 |

| | Average days conduct problems reported |
|-------------------|----------------------------------------|
| Marijuana Users: | 6.7 |
| Marijuana Non-use | 2.1 |

Table D-8: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---------------------------------------|----------------|-----------|-----------|-----------|
| Driven a car when you've felt high f | rom drugs? | | | |
| All | 89.1% | 6.7% | 1.6% | 2.6% |
| Grade 9 | 92.7% | 4.7% | 1.0% | 1.7% |
| Grade 10 | 90.9% | 5.9% | 1.4% | 1.8% |
| Grade 11 | 85.9% | 8.8% | 2.1% | 3.2% |
| Grade 12 | 84.3% | 8.7% | 2.5% | 4.5% |
| Gotten into trouble with the police l | because of dru | ıg use? | | |
| All | 97.0% | 2.3% | 0.4% | 0.3% |
| Grade 7 | 97.5% | 1.8% | 0.5% | 0.2% |
| Grade 8 | 97.2% | 2.0% | 0.5% | 0.4% |
| Grade 9 | 96.6% | 2.4% | 0.0% | 0.9% |
| Grade 10 | 96.8% | 2.6% | 0.5% | 0.1% |
| Grade 11 | 96.3% | 2.8% | 0.7% | 0.1% |
| Grade 12 | 97.2% | 2.3% | 0.3% | 0.2% |

Table D-9: About how many of your close friends use marijuana?

| | None | A Few | Some | Most | ALL |
|----------|-------|-------|-------|-------|------|
| All | 45.9% | 21.5% | 13.6% | 12.5% | 6.5% |
| Grade 7 | 68.5% | 13.1% | 5.8% | 6.8% | 5.9% |
| Grade 8 | 55.5% | 17.9% | 10.4% | 9.0% | 7.2% |
| Grade 9 | 38.9% | 20.4% | 15.5% | 16.5% | 8.7% |
| Grade 10 | 40.8% | 25.7% | 16.0% | 12.7% | 4.7% |
| Grade 11 | 33.1% | 27.0% | 17.9% | 15.7% | 6.3% |
| Grade 12 | 33.8% | 27.3% | 17.2% | 15.7% | 6.0% |

Table D-10: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|------------------|-----------|-----------|
| Had difficulties of any kind with yo | ur friends bec | ause of your dr | ug use? | |
| All | 94.0% | 4.8% | 0.7% | 0.6% |
| Grade 7 | 96.8% | 2.8% | 0.2% | 0.3% |
| Grade 8 | 95.8% | 3.3% | 0.8% | 0.2% |
| Grade 9 | 92.1% | 5.7% | 0.9% | 1.3% |
| Grade 10 | 93.7% | 5.5% | 0.3% | 0.5% |
| Grade 11 | 92.8% | 5.8% | 0.8% | 0.6% |
| Grade 12 | 92.1% | 6.2% | 1.1% | 0.7% |
| Been criticized by someone you wer | e dating beca | use of drug use? | | |
| All | 92.8% | 5.8% | 0.8% | 0.7% |
| Grade 7 | 96.6% | 2.9% | 0.4% | 0.1% |
| Grade 8 | 93.5% | 5.2% | 0.8% | 0.5% |
| Grade 9 | 92.5% | 5.8% | 0.7% | 1.0% |
| Grade 10 | 91.3% | 7.2% | 0.8% | 0.8% |
| Grade 11 | 90.7% | 7.0% | 1.2% | 1.1% |
| Grade 12 | 91.5% | 6.8% | 0.9% | 0.8% |

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|----------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 45.2% | 12.3% | 8.9% | 8.3% | 9.8% | 3.5% | 12.1% |
| Grade 7 | 67.2% | 6.1% | 4.0% | 2.3% | 5.0% | 3.0% | 12.5% |
| Grade 8 | 58.8% | 10.0% | 4.9% | 5.8% | 7.1% | 3.5% | 9.9% |
| Grade 9 | 42.4% | 11.4% | 10.7% | 9.1% | 11.7% | 2.3% | 12.4% |
| Grade 10 | 37.4% | 15.1% | 11.9% | 9.2% | 10.1% | 3.2% | 13.2% |
| Grade 11 | 30.6% | 15.3% | 11.4% | 12.2% | 13.3% | 4.8% | 12.6% |
| Grade 12 | 26.8% | 18.2% | 11.9% | 13.1% | 13.0% | 4.8% | 12.1% |

Table D-12: How often, if ever, do you smoke marijuana in..

| CATEGORY | | Never | Seldom | Half the Time | Most of the Time | Always | Don't know |
|-----------------------|----------|-------|--------|------------------|------------------|--------|------------|
| Joints? | All | 77.7% | 9.3% | 5.0% | 3.9% | 3.1% | 1.0% |
| | Grade 7 | 87.5% | 4.0% | 2.7% | 2.6% | 2.1% | 1.2% |
| | Grade 8 | 82.9% | 5.9% | 4.9% | 3.2% | 2.7% | 0.5% |
| | Grade 9 | 73.9% | 7.8% | 6.9% | 5.7% | 4.4% | 1.3% |
| | Grade 10 | 76.7% | 10.2% | 4.9% | 3.5% | 3.2% | 1.6% |
| | Grade 11 | 71.5% | 15.3% | 5.5% | 3.7% | 3.1% | 0.8% |
| | Grade 12 | 70.3% | 16.5% | 5.1% | 4.8% | 3.0% | 0.4% |
| Blunts? | All | 77.3% | 6.9% | 4.8% | 4.9% | 5.1% | 1.1% |
| | Grade 7 | 87.8% | 2.2% | 3.0% | 2.5% | 3.1% | 1.3% |
| | Grade 8 | 82.9% | 4.3% | 3.9% | 4.2% | 4.1% | 0.7% |
| | Grade 9 | 73.9% | 7.2% | 5.2% | 5.6% | 6.8% | 1.3% |
| | Grade 10 | 76.3% | 8.3% | 4.7% | 4.3% | 5.0% | 1.4% |
| | Grade 11 | 70.2% | 9.7% | 5.7% | 7.6% | 6.0% | 0.8% |
| | Grade 12 | 68.4% | 11.5% | 7.0% | 6.3% | 6.2% | 0.6% |
| Bongs or water pipes? | All | 83.9% | 6.9% | 3.0% | 2.6% | 2.7% | 0.9% |
| | Grade 7 | 91.4% | 2.5% | 1.5% | 1.6% | 1.8% | 1.2% |
| | Grade 8 | 88.4% | 4.3% | 2.8% | 1.8% | 2.1% | 0.6% |
| | Grade 9 | 81.1% | 6.5% | 3.0% | 4.1% | 3.9% | 1.3% |
| | Grade 10 | 83.3% | 8.0% | 3.4% | 2.1% | 2.4% | 0.7% |
| | Grade 11 | 78.1% | 10.3% | 3.8% | 3.8% | 3.3% | 0.7% |
| | Grade 12 | 78.0% | 12.3% | 3.4% | 2.5% | 3.3% | 0.5% |
| Pipes? | All | 80.4% | 6.6% | 3.4% | 4.7% | 4.0% | 0.8% |
| | Grade 7 | 90.3% | 2.7% | 1.6% | 2.0% | 2.5% | 1.0% |
| | Grade 8 | 86.4% | 3.7% | 2.5% | 3.6% | 3.2% | 0.7% |
| | Grade 9 | 77.0% | 7.5% | 3.2% | 5.7% | 5.5% | 1.0% |
| | Grade 10 | 78.8% | 7.7% | 3.7% | 5.9% | 3.2% | 0.7% |
| | Grade 11 | 73.5% | 10.3% | 5.1% | 5.1% | 4.9% | 1.0% |
| | Grade 12 | 72.7% | 9.5% | 5.0% | 6.6% | 5.5% | 0.7% |
| Some other way? | All | 85.5% | 6.2% | 1.4% | 1.7% | 2.6% | 2.6% |
| | Grade 7 | 91.2% | 2.4% | 1.6% | 1.3% | 1.3% | 2.2% |
| | Grade 8 | 88.1% | 4.5% | 1.1% | 1.6% | 2.9% | 1.8% |
| | Grade 9 | 82.4% | 7.2% | 1.3% | 1.9% | 3.8% | 3.5% |
| | Grade 10 | 85.2% | 6.8% | 1.7% | 1.4% | 2.2% | 2.7% |
| | Grade 11 | 81.8% | 8.6% | 1.3% | 3.0% | 2.7% | 2.6% |
| | Grade 12 | 82.9% | 8.8% | 1.6% | 1.1% | 2.5% | 3.0% |

Table D-13: How do your parents feel about kids your age using marijuana?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 81.1% | 4.9% | 4.3% | 1.0% | 1.6% | 7.0% |
| Grade 7 | 83.5% | 2.0% | 2.0% | 0.3% | 1.4% | 10.8% |
| Grade 8 | 82.6% | 4.9% | 2.1% | 1.1% | 0.6% | 8.8% |
| Grade 9 | 77.4% | 7.2% | 5.3% | 1.5% | 1.4% | 7.2% |
| Grade 10 | 83.0% | 4.3% | 4.7% | 0.7% | 2.4% | 4.8% |
| Grade 11 | 80.8% | 4.7% | 6.9% | 1.7% | 1.9% | 4.1% |
| Grade 12 | 78.4% | 6.9% | 5.9% | 0.9% | 2.2% | 5.7% |

Table D-14: How dangerous do you think it is for kids your age to use...

| | | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|------------|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| Marijuana? | | | | | | |
| | All | 57.5% | 18.3% | 10.8% | 9.0% | 4.4% |
| | Grade 7 | 76.5% | 10.2% | 4.6% | 4.6% | 4.1% |
| | Grade 8 | 64.8% | 14.9% | 7.0% | 7.9% | 5.4% |
| | Grade 9 | 51.9% | 20.3% | 12.8% | 10.2% | 4.7% |
| | Grade 10 | 55.9% | 19.3% | 12.0% | 8.7% | 4.2% |
| | Grade 11 | 45.8% | 24.3% | 14.5% | 11.3% | 4.1% |
| | Grade 12 | 45.1% | 23.2% | 16.1% | 12.5% | 3.0% |
| Cocaine? | | | | | | |
| | All | 78.3% | 12.0% | 2.6% | 1.8% | 5.3% |
| | Grade 7 | 84.7% | 7.6% | 1.3% | 1.1% | 5.3% |
| | Grade 8 | 79.6% | 10.1% | 2.4% | 2.1% | 5.8% |
| | Grade 9 | 74.3% | 15.1% | 2.9% | 2.2% | 5.5% |
| | Grade 10 | 77.1% | 12.7% | 3.1% | 1.6% | 5.5% |
| | Grade 11 | 75.8% | 12.4% | 3.8% | 2.4% | 5.6% |
| | Grade 12 | 78.7% | 14.8% | 2.3% | 0.7% | 3.6% |
| Crack? | | | | | | |
| | All | 82.6% | 9.3% | 1.5% | 1.1% | 5.6% |
| | Grade 7 | 85.6% | 7.5% | 1.1% | 0.7% | 5.1% |
| | Grade 8 | 81.4% | 9.1% | 1.6% | 1.9% | 6.0% |
| | Grade 9 | 80.5% | 10.2% | 2.3% | 1.2% | 5.9% |
| | Grade 10 | 81.4% | 11.0% | 1.2% | 1.0% | 5.4% |
| | Grade 11 | 83.2% | 7.6% | 1.6% | 1.0% | 6.7% |
| | Grade 12 | 85.2% | 10.0% | 0.6% | 0.3% | 3.9% |
| Ecstasy? | | | | | | |
| | All | 77.1% | 10.5% | 3.2% | 1.7% | 7.5% |
| | Grade 7 | 80.2% | 6.6% | 1.4% | 1.0% | 10.8% |
| | Grade 8 | 77.4% | 9.3% | 2.9% | 1.9% | 8.5% |
| | Grade 9 | 73.4% | 13.1% | 3.5% | 2.6% | 7.3% |
| | Grade 10 | 76.4% | 11.4% | 4.1% | 1.4% | 6.7% |
| | Grade 11 | 76.3% | 10.2% | 4.6% | 2.2% | 6.7% |
| | Grade 12 | 80.2% | 12.7% | 2.6% | 0.6% | 3.9% |
| Steroids? | | | | | | |
| | All | 74.1% | 13.3% | 4.2% | 1.3% | 7.0% |
| | Grade 7 | 78.3% | 11.3% | 2.8% | 0.9% | 6.7% |
| | Grade 8 | 75.2% | 11.9% | 3.6% | 1.8% | 7.5% |
| | Grade 9 | 73.2% | 14.0% | 4.4% | 1.6% | 6.8% |
| | Grade 10 | 73.4% | 13.8% | 4.7% | 1.1% | 7.1% |
| | Grade 11 | 71.4% | 14.3% | 4.7% | 1.2% | 8.3% |
| | Grade 12 | 72.3% | 15.2% | 5.6% | 1.5% | 5.4% |
| Heroin? | | | | | | |
| | All | 84.8% | 6.3% | 1.0% | 1.2% | 6.7% |
| | Grade 7 | 84.0% | 5.7% | 0.9% | 1.0% | 8.4% |
| | Grade 8 | 82.4% | 7.1% | 1.2% | 1.9% | 7.4% |
| | Grade 9 | 83.7% | 6.8% | 1.3% | 1.8% | 6.5% |
| | Grade 10 | 85.7% | 6.0% | 1.1% | 1.0% | 6.2% |
| | Grade 11 | 86.1% | 5.2% | 0.9% | 0.7% | 7.1% |
| | Grade 12 | 88.6% | 6.8% | 0.4% | 0.3% | 3.9% |

Table D-15: How recently, if ever, have you taken...

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Methamphetamine? | | | | | |
| | All | 0.7% | 1.7% | 4.1% | 95.9% |
| | Grade 7 | 0.5% | 1.1% | 2.8% | 97.2% |
| | Grade 8 | 1.0% | 2.0% | 4.1% | 95.9% |
| | Grade 9 | 0.6% | 1.5% | 3.7% | 96.3% |
| | Grade 10 | 0.7% | 1.6% | 3.6% | 96.4% |
| | Grade 11 | 0.9% | 2.2% | 5.8% | 94.2% |
| | Grade 12 | 0.7% | 2.0% | 5.0% | 95.0% |

Table D-16: How recently, if ever, have you used...

| | Past Month | School Year | Ever Used | Never Used |
|----------------------------------|---------------|----------------|--------------|---------------|
| Codeine? | | | | |
| All | 5.4% | 10.1% | 14.6% | 85.4% |
| Grade 7 | 4.0% | 6.4% | 9.4% | 90.6% |
| Grade 8 | 4.5% | 8.5% | 12.3% | 87.7% |
| Grade 9 | 6.7% | 10.7% | 14.2% | 85.8% |
| Grade 10 | 6.0% | 11.0% | 15.2% | 84.8% |
| Grade 11 | 5.3% | 12.4% | 19.0% | 81.0% |
| Grade 12 | 6.2% | 13.0% | 19.9% | 80.1% |
| Oxycontin, Percodan or Percocet? | | | | |
| All | 1.0% | 2.5% | 4.0% | 96.0% |
| Grade 7 | 0.2% | 0.9% | 1.3% | 98.7% |
| Grade 8 | 0.6% | 1.3% | 2.0% | 98.0% |
| Grade 9 | 1.1% | 2.9% | 4.3% | 95.7% |
| Grade 10 | 2.0% | 3.3% | 4.4% | 95.6% |
| Grade 11 | 1.4% | 4.2% | 7.6% | 92.4% |
| Grade 12 | 0.8% | 2.8% | 6.1% | 93.9% |
| Vicodin, Lortab or Lorcet? | | | | |
| All | 2.5% | 4.6% | 6.7% | 93.3% |
| Grade 7 | 0.8% | 1.0% | 1.5% | 98.5% |
| Grade 8 | 1.3% | 2.2% | 3.4% | 96.6% |
| Grade 9 | 3.2% | 5.1% | 6.5% | 93.5% |
| Grade 10 | 2.8% | 5.5% | 7.0% | 93.0% |
| Grade 11 | 4.1% | 7.6% | 11.9% | 88.1% |
| Grade 12 | 3.3% | 7.7% | 12.9% | 87.1% |
| Valium or Diazepam? | | | | |
| All | 0.8% | 1.8% | 2.9% | 97.1% |
| Grade 7 | 0.4% | 0.5% | 0.9% | 99.1% |
| Grade 8 | 0.3% | 0.7% | 1.7% | 98.3% |
| Grade 9 | 0.9% | 1.7% | 2.1% | 97.9% |
| Grade 10 | 0.9% | 2.2% | 3.1% | 96.9% |
| Grade 11 | 1.6% | 3.4% | 6.0% | 94.0% |
| Grade 12 | 1.2% | 2.9% | 5.2% | 94.8% |
| Xanax or Alprazolam? | | | | |
| All | 1.6% | 3.1% | 4.8% | 95.2% |
| Grade 7 | 0.3% | 0.6% | 1.3% | 98.7% |
| Grade 8 | 0.8% | 1.5% | 2.4% | 97.6% |
| Grade 9 | 1.9% | 3.2% | 4.2% | 95.8% |
| Grade 10 | 1.9% | 3.3% | 4.4% | 95.6% |
| Grade 11 | 3.0% | 6.2% | 9.4% | 90.6% |
| Grade 12 | 1.6% | 5.4% | 9.3% | 90.7% |

Table D-17: How recently, if ever, have you taken...

| | | Past | School | Ever | Never |
|----------------|----------|-------|--------|-------|-------|
| DVM TO LL CO | | Month | Year | Used | Used |
| DXM, Triple C? | | | | | |
| | All | 3.3% | 5.6% | 9.0% | 91.0% |
| | Grade 7 | 1.7% | 2.9% | 3.9% | 96.1% |
| | Grade 8 | 5.9% | 7.5% | 11.8% | 88.2% |
| | Grade 9 | 3.9% | 6.4% | 8.8% | 91.2% |
| | Grade 10 | 2.8% | 5.8% | 9.3% | 90.7% |
| | Grade 11 | 1.8% | 4.6% | 10.3% | 89.7% |
| | Grade 12 | 2.6% | 5.8% | 9.5% | 90.5% |

Table I-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Any inhalant? | | | | | |
| | All | 3.7% | 5.9% | 11.6% | 88.4% |
| | Grade 7 | 3.6% | 5.2% | 9.6% | 90.4% |
| | Grade 8 | 5.7% | 8.6% | 14.4% | 85.6% |
| | Grade 9 | 4.1% | 6.6% | 11.5% | 88.5% |
| | Grade 10 | 3.2% | 5.7% | 12.8% | 87.2% |
| | Grade 11 | 3.1% | 4.7% | 10.7% | 89.3% |
| | Grade 12 | 1.7% | 3.3% | 8.7% | 91.3% |

Table I-2: How often do you normally use inhalants?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| | | | | | | | |
| All | 92.2% | 0.3% | 0.5% | 0.9% | 1.7% | 1.6% | 2.9% |
| Grade 7 | 92.9% | 0.3% | 0.6% | 1.2% | 2.0% | 1.5% | 1.6% |
| Grade 8 | 88.7% | 0.8% | 1.1% | 2.1% | 1.9% | 1.6% | 3.7% |
| Grade 9 | 93.4% | 0.3% | 0.2% | 0.4% | 1.9% | 2.4% | 1.4% |
| Grade 10 | 92.2% | 0.0% | 0.4% | 0.4% | 1.5% | 1.6% | 3.9% |
| Grade 11 | 92.4% | 0.1% | 0.1% | 0.6% | 1.1% | 1.6% | 4.0% |
| Grade 12 | 94.7% | 0.0% | 0.2% | 0.2% | 1.4% | 0.4% | 3.1% |

Table I-3: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|-----------|---------|---------|----------|----------|----------|
| Inhalants | | | | | |
| 11.2 | 11.8 | 12.6 | 13.6 | 13.8 | 14.2 |

Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 97.0% | 1.8% | 0.6% | 0.6% |
| Grade 7 | 97.9% | 1.2% | 0.7% | 0.3% |
| Grade 8 | 95.1% | 2.8% | 1.2% | 0.9% |
| Grade 9 | 95.4% | 2.8% | 0.8% | 1.1% |
| Grade 10 | 97.1% | 1.8% | 0.5% | 0.6% |
| Grade 11 | 99.0% | 0.3% | 0.1% | 0.6% |
| Grade 12 | 98.3% | 1.4% | 0.1% | 0.2% |

Table I-5: School year use of inhalants by absences and conduct problems:

| | Average days absent due to illness or other reasons |
|-------------------|-----------------------------------------------------|
| Inhalants Users: | 6.4 |
| Inhalants Non-use | 4.8 |

| | Average days conduct problems reported | | |
|-------------------|----------------------------------------|--|--|
| Inhalants Users: | 7.3 | | |
| Inhalants Non-use | 2.6 | | |

Table I-6: About how many of your close friends use inhalants?

| | None | A Few | Some | Most | ALL |
|----------|-------|-------|------|------|------|
| All | 76.7% | 14.5% | 5.3% | 2.5% | 1.1% |
| Grade 7 | 79.3% | 12.1% | 3.6% | 3.1% | 2.0% |
| Grade 8 | 72.4% | 16.3% | 6.1% | 3.5% | 1.7% |
| Grade 9 | 74.3% | 14.5% | 7.3% | 2.8% | 1.2% |
| Grade 10 | 76.8% | 14.4% | 6.3% | 1.8% | 0.7% |
| Grade 11 | 78.2% | 15.0% | 4.3% | 2.3% | 0.3% |
| Grade 12 | 82.1% | 14.2% | 2.6% | 0.7% | 0.4% |

Table I-7: How dangerous do you think it is for kids your age to use inhalants?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 71.8% | 15.8% | 4.7% | 1.9% | 5.7% |
| Grade 7 | 76.8% | 12.4% | 4.1% | 1.7% | 5.0% |
| Grade 8 | 68.9% | 15.5% | 5.5% | 3.4% | 6.7% |
| Grade 9 | 68.3% | 19.1% | 5.4% | 1.7% | 5.5% |
| Grade 10 | 72.7% | 15.1% | 4.8% | 1.4% | 5.9% |
| Grade 11 | 72.1% | 16.0% | 4.1% | 1.4% | 6.3% |
| Grade 12 | 73.3% | 16.8% | 3.9% | 1.3% | 4.6% |

Table I-8: If you wanted some, how difficult would it be to get..

| | | Never | | Very | Somewhat | Somewhat | |
|------------|----------|-----------------|------------|-----------|-----------|----------|-----------|
| | | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Inhalants? | | | | | | | |
| | All | 20.9% | 18.0% | 5.7% | 7.4% | 11.6% | 36.3% |
| | Grade 7 | 24.1% | 30.0% | 4.4% | 6.6% | 7.6% | 27.4% |
| | Grade 8 | 20.3% | 21.9% | 6.9% | 4.8% | 9.7% | 36.3% |
| | Grade 9 | 24.3% | 16.9% | 5.2% | 8.9% | 12.0% | 32.7% |
| | Grade 10 | 19.4% | 15.0% | 6.6% | 7.9% | 15.3% | 35.8% |
| | Grade 11 | 18.4% | 11.8% | 6.1% | 9.7% | 12.8% | 41.3% |
| | Grade 12 | 17.4% | 8.7% | 4.6% | 7.3% | 12.2% | 49.8% |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|---------------------------|----------|-------|
| A school health class | All | 44.4% |
| | Grade 7 | 43.8% |
| | Grade 8 | 43.6% |
| | Grade 9 | 46.5% |
| | Grade 10 | 49.1% |
| | Grade 11 | 39.6% |
| | Grade 12 | 41.7% |
| An assembly program | All | 45.3% |
| | Grade 7 | 40.2% |
| | Grade 8 | 46.6% |
| | Grade 9 | 53.1% |
| | Grade 10 | 45.7% |
| | Grade 11 | 39.3% |
| | Grade 12 | 44.6% |
| Guidance counselor | All | 22.6% |
| | Grade 7 | 18.6% |
| | Grade 8 | 22.8% |
| | Grade 9 | 27.1% |
| | Grade 10 | 24.0% |
| | Grade 11 | 20.6% |
| | Grade 12 | 20.8% |
| Science class | All | 32.6% |
| | Grade 7 | 43.9% |
| | Grade 8 | 34.3% |
| | Grade 9 | 29.6% |
| | Grade 10 | 40.8% |
| | Grade 11 | 24.6% |
| | Grade 12 | 17.3% |
| Social studies class | All | 14.0% |
| | Grade 7 | 14.2% |
| | Grade 8 | 14.4% |
| | Grade 9 | 14.2% |
| | Grade 10 | 15.5% |
| | Grade 11 | 11.9% |
| | Grade 12 | 13.4% |
| Student group session | All | 12.8% |
| | Grade 7 | 10.2% |
| | Grade 8 | 13.5% |
| | Grade 9 | 14.3% |
| | Grade 10 | 13.7% |
| | Grade 11 | 11.8% |
| | Grade 12 | 12.8% |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|--------------------------|----------|-------|
| An invited school guest | All | 29.7% |
| | Grade 7 | 28.7% |
| | Grade 8 | 33.6% |
| | Grade 9 | 34.5% |
| | Grade 10 | 27.1% |
| | Grade 11 | 23.9% |
| | Grade 12 | 29.1% |
| Another source at school | All | 32.3% |
| | Grade 7 | 31.9% |
| | Grade 8 | 33.5% |
| | Grade 9 | 37.7% |
| | Grade 10 | 31.7% |
| | Grade 11 | 28.4% |
| | Grade 12 | 28.4% |
| Any school source | All | 58.5% |
| | Grade 7 | 56.8% |
| | Grade 8 | 53.6% |
| | Grade 9 | 62.0% |
| | Grade 10 | 62.9% |
| | Grade 11 | 56.4% |
| | Grade 12 | 59.0% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

| CATEGORY | | Yes |
|---------------------------|----------|-------|
| A counselor or program in | All | 29.7% |
| | Grade 7 | 41.6% |
| | Grade 8 | 32.6% |
| | Grade 9 | 28.5% |
| | Grade 10 | 26.9% |
| | Grade 11 | 23.2% |
| | Grade 12 | 22.8% |
| Another adult in school (| All | 28.8% |
| | Grade 7 | 38.0% |
| | Grade 8 | 30.1% |
| | Grade 9 | 27.3% |
| | Grade 10 | 27.6% |
| | Grade 11 | 23.6% |
| | Grade 12 | 24.4% |
| A counselor or program ou | All | 33.5% |
| | Grade 7 | 36.7% |
| | Grade 8 | 32.6% |
| | Grade 9 | 30.5% |
| | Grade 10 | 33.5% |
| | Grade 11 | 32.9% |
| | Grade 12 | 35.7% |
| Your parents | All | 59.0% |
| | Grade 7 | 68.9% |
| | Grade 8 | 56.1% |
| | Grade 9 | 58.4% |
| | Grade 10 | 59.0% |
| | Grade 11 | 55.5% |
| | Grade 12 | 55.4% |
| A medical doctor | All | 35.6% |
| | Grade 7 | 45.6% |
| | Grade 8 | 33.4% |
| | Grade 9 | 32.9% |
| | Grade 10 | 34.9% |
| | Grade 11 | 31.1% |
| | Grade 12 | 35.8% |
| Your friends | All | 70.9% |
| | Grade 7 | 64.1% |
| | Grade 8 | 66.6% |
| | Grade 9 | 70.9% |
| | Grade 10 | 74.1% |
| | Grade 11 | 75.4% |
| | Grade 12 | 76.7% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

(Continued)

| CATEGORY | | Yes |
|---------------------------|----------|-------|
| Another adult (a relative | All | 63.5% |
| | Grade 7 | 64.3% |
| | Grade 8 | 64.8% |
| | Grade 9 | 63.4% |
| | Grade 10 | 64.5% |
| | Grade 11 | 60.8% |
| | Grade 12 | 62.5% |

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

| CATE | GORY | Yes |
|-----------|----------|-------|
| Seek Help | All | 8.8% |
| | Grade 7 | 9.4% |
| | Grade 8 | 8.8% |
| | Grade 9 | 12.7% |
| | Grade 10 | 7.6% |
| | Grade 11 | 6.7% |
| | Grade 12 | 6.1% |

Table X-4: About how many of your friends:

| | None | A Few | Some | Most | ALL |
|----------------------------------|-------|-------|-------|-------|-------|
| Feel close to their parents? | | | | | |
| All | 5.3% | 27.8% | 26.6% | 32.8% | 7.5% |
| Grade 7 | 8.2% | 27.9% | 23.6% | 29.9% | 10.4% |
| Grade 8 | 7.2% | 29.4% | 25.8% | 31.4% | 6.2% |
| Grade 9 | 5.3% | 28.1% | 28.5% | 31.6% | 6.6% |
| Grade 10 | 4.1% | 26.2% | 27.7% | 33.7% | 8.3% |
| Grade 11 | 3.5% | 27.4% | 28.4% | 34.0% | 6.7% |
| Grade 12 | 2.6% | 27.7% | 24.7% | 38.3% | 6.6% |
| Sometimes carry weapons? | | | | | |
| All | 59.0% | 23.1% | 11.2% | 4.7% | 1.9% |
| Grade 7 | 68.5% | 20.2% | 7.1% | 2.5% | 1.6% |
| Grade 8 | 59.2% | 24.2% | 11.1% | 4.0% | 1.6% |
| Grade 9 | 57.0% | 23.9% | 11.5% | 6.0% | 1.6% |
| Grade 10 | 58.5% | 22.8% | 12.3% | 4.2% | 2.3% |
| Grade 11 | 55.1% | 23.4% | 12.3% | 7.2% | 1.9% |
| Grade 12 | 54.0% | 24.6% | 13.8% | 5.0% | 2.5% |
| Care about making good grades? | • | | | | |
| All | 4.1% | 17.3% | 25.7% | 37.6% | 15.2% |
| Grade 7 | 5.1% | 21.2% | 22.5% | 31.5% | 19.6% |
| Grade 8 | 6.0% | 17.8% | 24.8% | 35.4% | 16.0% |
| Grade 9 | 4.5% | 21.5% | 26.2% | 34.8% | 13.0% |
| Grade 10 | 2.6% | 14.8% | 29.7% | 39.9% | 13.0% |
| Grade 11 | 3.6% | 13.7% | 27.2% | 40.3% | 15.1% |
| Grade 12 | 2.1% | 12.8% | 22.6% | 47.6% | 14.8% |
| Belong/want to belong to a gang? | | | | | |
| All | 61.5% | 19.6% | 10.1% | 6.2% | 2.5% |
| Grade 7 | 61.1% | 20.0% | 8.9% | 6.8% | 3.2% |
| Grade 8 | 51.3% | 22.4% | 13.3% | 8.9% | 4.1% |
| Grade 9 | 54.0% | 23.5% | 12.3% | 8.4% | 1.8% |
| Grade 10 | 66.1% | 18.5% | 9.3% | 3.7% | 2.5% |
| Grade 11 | 69.0% | 16.8% | 7.6% | 4.9% | 1.7% |
| Grade 12 | 74.7% | 13.5% | 7.5% | 3.1% | 1.3% |
| Wish they could drop out of scho | | | | | |
| All | 46.6% | 31.2% | 13.2% | 5.9% | 3.2% |
| Grade 7 | 58.5% | 25.1% | 8.9% | 4.6% | 2.9% |
| Grade 8 | 45.7% | 30.5% | 13.0% | 7.0% | 3.8% |
| Grade 9 | 39.2% | 32.4% | 16.7% | 8.2% | 3.4% |
| Grade 10 | 43.2% | 35.4% | 13.3% | 5.1% | 2.9% |
| Grade 11 | 44.1% | 33.6% | 14.4% | 4.8% | 3.1% |
| Grade 12 | 51.7% | 28.9% | 12.2% | 4.7% | 2.5% |

Table X-5: How safe do you feel when you are:

| | Very Safe | | Not Very Safe | Not Safe at All | Don't Know |
|---------------------------|-----------|-------|------------------|--------------------|---------------|
| In your home? | | | | | |
| All | 79.9% | 17.3% | 1.1% | 0.4% | 1.3% |
| Grade 7 | 78.0% | 19.2% | 0.7% | 0.3% | 1.7% |
| Grade 8 | 75.3% | 20.6% | 1.8% | 0.3% | 2.0% |
| Grade 9 | 77.8% | 18.2% | 1.3% | 0.7% | 1.9% |
| Grade 10 | 81.8% | 16.3% | 1.0% | 0.3% | 0.7% |
| Grade 11 | 84.0% | 14.1% | 1.1% | 0.2% | 0.6% |
| Grade 12 | 85.4% | 13.0% | 0.7% | 0.2% | 0.6% |
| Out in your neighbourhood | | | | | |
| All | 38.9% | 48.3% | 8.2% | 2.1% | 2.4% |
| Grade 7 | 33.2% | 48.6% | 12.0% | 3.3% | 2.9% |
| Grade 8 | 36.5% | 47.2% | 10.4% | 2.3% | 3.5% |
| Grade 9 | 34.2% | 53.1% | 7.3% | 1.9% | 3.4% |
| Grade 10 | 41.4% | 48.1% | 6.5% | 1.8% | 2.2% |
| Grade 11 | 44.5% | 46.3% | 6.7% | 1.8% | 0.7% |
| Grade 12 | 48.0% | 44.9% | 4.9% | 1.5% | 0.8% |
| At school | | | | | |
| All | 33.0% | 50.2% | 9.4% | 3.9% | 3.4% |
| Grade 7 | 35.9% | 44.1% | 11.9% | 3.6% | 4.4% |
| Grade 8 | 33.8% | 46.9% | 9.8% | 4.5% | 5.0% |
| Grade 9 | 31.1% | 51.4% | 9.2% | 4.4% | 3.9% |
| Grade 10 | 31.3% | 54.3% | 8.1% | 3.5% | 2.8% |
| Grade 11 | 32.1% | 52.5% | 10.0% | 3.8% | 1.6% |
| Grade 12 | 34.5% | 53.4% | 7.2% | 3.0% | 1.9% |

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|--------------------------|----------|-------|
| A website or online chat | All | 23.2% |
| | Grade 7 | 15.2% |
| | Grade 8 | 22.0% |
| | Grade 9 | 25.7% |
| | Grade 10 | 25.7% |
| | Grade 11 | 25.5% |
| | Grade 12 | 25.9% |
| Books, magazines, poster | All | 44.1% |
| | Grade 7 | 38.0% |
| | Grade 8 | 43.6% |
| | Grade 9 | 45.0% |
| | Grade 10 | 45.7% |
| | Grade 11 | 47.4% |
| | Grade 12 | 45.3% |
| TV, radio, or other audi | All | 49.3% |
| | Grade 7 | 43.3% |
| | Grade 8 | 49.0% |
| | Grade 9 | 50.9% |
| | Grade 10 | 50.7% |
| | Grade 11 | 51.6% |
| | Grade 12 | 50.6% |
| Your parents | All | 46.9% |
| | Grade 7 | 46.8% |
| | Grade 8 | 44.2% |
| | Grade 9 | 49.6% |
| | Grade 10 | 48.7% |
| | Grade 11 | 46.4% |
| | Grade 12 | 44.5% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 14.8% | 20.7% | 38.1% | 61.9% |
| Grade 7 | 6.2% | 9.5% | 22.7% | 77.3% |
| Grade 8 | 8.2% | 12.8% | 30.2% | 69.8% |
| Grade 9 | 12.8% | 20.8% | 40.6% | 59.4% |
| Grade 10 | 17.1% | 23.6% | 42.3% | 57.7% |
| Grade 11 | 22.8% | 28.9% | 46.1% | 53.9% |
| Grade 12 | 28.2% | 35.4% | 53.4% | 46.6% |
| Alcohol | | | | |
| All | 36.8% | 49.3% | 71.0% | 29.0% |
| Grade 7 | 20.8% | 27.8% | 52.5% | 47.5% |
| Grade 8 | 30.6% | 40.9% | 65.8% | 34.2% |
| Grade 9 | 38.6% | 52.7% | 74.6% | 25.4% |
| Grade 10 | 41.2% | 56.3% | 76.1% | 23.9% |
| Grade 11 | 45.9% | 59.2% | 79.3% | 20.7% |
| Grade 12 | 49.1% | 65.5% | 82.4% | 17.6% |
| Inhalants | | | | |
| All | 3.7% | 5.9% | 11.6% | 88.4% |
| Grade 7 | 3.6% | 5.2% | 9.6% | 90.4% |
| Grade 8 | 5.7% | 8.6% | 14.4% | 85.69 |
| Grade 9 | 4.1% | 6.6% | 11.5% | 88.5% |
| Grade 10 | 3.2% | 5.7% | 12.8% | 87.2% |
| Grade 11 | 3.1% | 4.7% | 10.7% | 89.3% |
| Grade 12 | 1.7% | 3.3% | 8.7% | 91.3% |
| Any Illicit Drug | | | | |
| All | 14.5% | 20.0% | 32.9% | 67.19 |
| Grade 7 | 7.9% | 9.8% | 17.0% | 83.0% |
| Grade 8 | 10.4% | 14.6% | 24.1% | 75.9% |
| Grade 9 | 16.8% | 22.4% | 34.2% | 65.8% |
| Grade 10 | 14.6% | 22.0% | 37.7% | 62.3% |
| Grade 11 | 20.9% | 27.2% | 43.6% | 56.4% |
| Grade 12 | 19.2% | 28.0% | 48.1% | 51.9% |
| Marijuana | | | | |
| All | 11.9% | 17.5% | 30.2% | 69.8% |
| Grade 7 | 6.9% | 8.3% | 15.0% | 85.0% |
| Grade 8 | 8.8% | 12.7% | 21.3% | 78.7% |
| Grade 9 | 14.4% | 20.2% | 31.7% | 68.3% |
| Grade 10 | 11.0% | 18.4% | 34.6% | 65.4% |
| Grade 11 | 17.6% | 24.1% | 40.1% | 59.9% |
| Grade 12 | 15.3% | 25.1% | 45.7% | 54.3% |
| Marijuana Only | | | | |
| All | 4.2% | 6.4% | 14.2% | 85.8% |
| Grade 7 | 3.3% | 4.0% | 8.8% | 91.2% |
| Grade 8 | 3.1% | 5.0% | 10.9% | 89.1% |
| Grade 9 | 5.3% | 7.0% | 13.7% | 86.3% |
| Grade 10 | 3.9% | 6.5% | 15.9% | 84.19 |
| Grade 11 | 5.3% | 7.9% | 16.8% | 83.2% |
| Grade 12 | 4.9% | 9.5% | 22.8% | 77.2% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 5.0% | 7.2% | 12.9% | 87.1% |
| | Grade 7 | 1.7% | 2.3% | 4.2% | 95.8% |
| | Grade 8 | 3.1% | 4.6% | 7.7% | 92.3% |
| | Grade 9 | 5.9% | 7.7% | 13.7% | 86.3% |
| | Grade 10 | 5.3% | 8.7% | 16.1% | 83.9% |
| | Grade 11 | 9.1% | 12.0% | 21.1% | 78.9% |
| | Grade 12 | 5.9% | 9.8% | 18.2% | 81.8% |
| Cocaine | | | | | |
| | All | 4.8% | 7.0% | 12.6% | 87.4% |
| | Grade 7 | 1.3% | 1.7% | 3.5% | 96.5% |
| | Grade 8 | 2.9% | 4.3% | 7.4% | 92.6% |
| | Grade 9 | 5.7% | 7.6% | 13.6% | 86.4% |
| | Grade 10 | 5.1% | 8.6% | 15.9% | 84.1% |
| | Grade 11 | 8.9% | 11.6% | 20.6% | 79.4% |
| | Grade 12 | 5.8% | 9.8% | 18.1% | 81.9% |
| Crack | | | | | |
| | All | 0.8% | 1.1% | 2.1% | 97.9% |
| | Grade 7 | 0.5% | 0.8% | 1.3% | 98.7% |
| | Grade 8 | 0.8% | 1.2% | 1.9% | 98.1% |
| | Grade 9 | 0.9% | 1.1% | 2.2% | 97.8% |
| | Grade 10 | 0.6% | 0.7% | 2.4% | 97.6% |
| | Grade 11 | 1.1% | 1.8% | 2.8% | 97.2% |
| | Grade 12 | 0.6% | 0.9% | 2.2% | 97.8% |
| Hallucinogens | | | | | |
| | All | 1.8% | 2.9% | 5.5% | 94.5% |
| | Grade 7 | 1.2% | 1.6% | 2.2% | 97.8% |
| | Grade 8 | 1.1% | 1.5% | 3.5% | 96.5% |
| | Grade 9 | 1.7% | 2.9% | 6.1% | 93.9% |
| | Grade 10 | 1.7% | 3.0% | 6.3% | 93.7% |
| | Grade 11 | 3.0% | 5.6% | 9.4% | 90.6% |
| | Grade 12 | 2.1% | 3.5% | 6.6% | 93.4% |
| Uppers | | | • 001 | | 0 = 4 = 1 |
| | All | 1.8% | 2.9% | 4.9% | 95.1% |
| | Grade 7 | 0.7% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 1.3% | 1.6% | 3.2% | 96.8% |
| | Grade 9 | 2.0% | 2.7% | 5.2% | 94.8% |
| | Grade 10 | 1.1% | 2.5% | 4.2% | 95.8% |
| | Grade 11 | 2.9% | 5.1% | 8.9% | 91.1% |
| _ | Grade 12 | 4.1% | 6.3% | 9.2% | 90.8% |
| Downers | | 1.004 | 2.0=1 | . | 0.1.00 |
| | All | 1.9% | 3.0% | 5.2% | 94.8% |
| | Grade 7 | 0.6% | 0.8% | 1.3% | 98.7% |
| | Grade 8 | 1.2% | 1.3% | 3.1% | 96.9% |
| | Grade 9 | 2.1% | 3.0% | 5.4% | 94.6% |
| | Grade 10 | 0.8% | 2.5% | 4.6% | 95.4% |
| | Grade 11 | 3.6% | 5.6% | 9.0% | 91.0% |
| | Grade 12 | 4.5% | 6.6% | 10.4% | 89.6% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | | Past | School Year | Ever | Never Used |
|----------|----------|-------|----------------|-------|---------------------|
| Rohypnol | | Month | 1 ear | Used | Useu |
| Konyphor | All | 1.2% | 1.6% | 3.1% | 96.9% |
| | Grade 7 | 1.2% | 1.4% | 2.1% | 97.9% |
| | Grade 8 | 1.8% | 2.2% | 3.6% | 96.4% |
| | Grade 9 | 1.7% | 2.2% | 4.0% | 96.0% |
| | Grade 10 | 0.9% | 1.5% | 3.4% | 96.6% |
| | Grade 11 | 0.6% | 0.9% | 2.6% | 97.4% |
| | Grade 12 | 0.5% | 1.2% | 2.7% | 97.3% |
| Steroids | 0144012 | 0.270 | 1.270 | 2.,,0 | <i>></i> 7.12 70 |
| | All | 0.6% | 0.9% | 1.8% | 98.2% |
| | Grade 7 | 0.6% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 0.8% | 1.0% | 2.3% | 97.7% |
| | Grade 9 | 0.3% | 0.5% | 1.4% | 98.6% |
| | Grade 10 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 1.0% | 1.4% | 2.2% | 97.8% |
| | Grade 12 | 0.6% | 1.3% | 2.3% | 97.7% |
| Ecstasy | | | | | |
| • | All | 2.0% | 3.0% | 5.5% | 94.5% |
| | Grade 7 | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 2.3% | 4.1% | 95.9% |
| | Grade 9 | 2.6% | 2.9% | 5.7% | 94.3% |
| | Grade 10 | 2.2% | 3.1% | 5.8% | 94.2% |
| | Grade 11 | 4.0% | 5.7% | 9.4% | 90.6% |
| | Grade 12 | 2.6% | 4.2% | 8.4% | 91.6% |
| Heroin | | | | | |
| | All | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.6% | 0.7% | 1.9% | 98.1% |
| | Grade 8 | 0.6% | 1.2% | 2.1% | 97.9% |
| | Grade 9 | 0.6% | 0.8% | 1.3% | 98.7% |
| | Grade 10 | 0.3% | 0.4% | 1.1% | 98.9% |
| | Grade 11 | 1.0% | 1.4% | 1.9% | 98.1% |
| | Grade 12 | 0.2% | 0.5% | 1.3% | 98.7% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 18.2% | 24.9% | 43.1% | 56.9% |
| Grade 7 | 7.8% | 11.4% | 24.8% | 75.2% |
| Grade 8 | 8.7% | 13.4% | 31.2% | 68.8% |
| Grade 9 | 15.4% | 24.7% | 48.4% | 51.6% |
| Grade 10 | 21.6% | 29.8% | 48.8% | 51.2% |
| Grade 11 | 31.8% | 38.6% | 54.7% | 45.3% |
| Grade 12 | 34.7% | 42.9% | 61.0% | 39.0% |
| Alcohol | | | | |
| All | 36.1% | 47.2% | 69.7% | 30.3% |
| Grade 7 | 19.4% | 26.0% | 51.6% | 48.4% |
| Grade 8 | 26.0% | 36.9% | 63.5% | 36.5% |
| Grade 9 | 35.6% | 49.1% | 73.6% | 26.4% |
| Grade 10 | 44.6% | 56.2% | 76.7% | 23.3% |
| Grade 11 | 49.2% | 59.9% | 78.3% | 21.7% |
| Grade 12 | 51.9% | 65.6% | 81.2% | 18.8% |
| Inhalants | | | | |
| All | 2.6% | 4.4% | 10.2% | 89.8% |
| Grade 7 | 2.1% | 3.2% | 7.9% | 92.1% |
| Grade 8 | 3.2% | 5.5% | 11.6% | 88.4% |
| Grade 9 | 2.5% | 3.7% | 9.2% | 90.8% |
| Grade 10 | 3.5% | 5.6% | 12.7% | 87.3% |
| Grade 11 | 3.0% | 5.3% | 10.8% | 89.2% |
| Grade 12 | 0.8% | 2.3% | 7.9% | 92.1% |
| Any Illicit Drug | | | | |
| All | 16.7% | 22.1% | 35.1% | 64.9% |
| Grade 7 | 10.0% | 11.6% | 18.7% | 81.3% |
| Grade 8 | 11.1% | 15.1% | 25.5% | 74.5% |
| Grade 9 | 18.2% | 22.4% | 34.5% | 65.5% |
| Grade 10 | 17.2% | 24.8% | 41.4% | 58.6% |
| Grade 11 | 27.0% | 34.2% | 48.7% | 51.3% |
| Grade 12 | 22.1% | 32.0% | 52.6% | 47.4% |
| Marijuana | | | | |
| All | 13.8% | 19.5% | 32.5% | 67.5% |
| Grade 7 | 8.8% | 10.5% | 17.0% | 83.0% |
| Grade 8 | 9.8% | 13.7% | 22.9% | 77.1% |
| Grade 9 | 16.3% | 20.6% | 32.2% | 67.8% |
| Grade 10 | 12.4% | 21.2% | 38.8% | 61.2% |
| Grade 11 | 21.4% | 29.6% | 45.3% | 54.7% |
| Grade 12 | 17.5% | 27.6% | 49.3% | 50.7% |
| Marijuana Only | | | | |
| All | 5.1% | 7.6% | 15.5% | 84.5% |
| Grade 7 | 4.7% | 5.0% | 10.4% | 89.6% |
| Grade 8 | 4.4% | 6.3% | 12.9% | 87.1% |
| Grade 9 | 6.0% | 8.1% | 14.0% | 86.0% |
| Grade 10 | 4.3% | 7.2% | 17.1% | 82.9% |
| Grade 11 | 5.6% | 8.6% | 16.6% | 83.4% |
| Grade 12 | 6.1% | 12.5% | 27.1% | 72.9% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 6.0% | 8.0% | 13.9% | 86.1% |
| | Grade 7 | 1.5% | 1.8% | 4.3% | 95.7% |
| | Grade 8 | 3.5% | 4.5% | 8.7% | 91.3% |
| | Grade 9 | 5.1% | 5.8% | 12.8% | 87.2% |
| | Grade 10 | 7.0% | 10.3% | 18.3% | 81.7% |
| | Grade 11 | 13.4% | 17.5% | 24.8% | 75.2% |
| | Grade 12 | 8.4% | 12.9% | 19.8% | 80.2% |
| Cocaine | | | | | |
| | All | 5.7% | 7.9% | 13.7% | 86.3% |
| | Grade 7 | 1.5% | 1.8% | 4.3% | 95.7% |
| | Grade 8 | 3.1% | 4.5% | 8.4% | 91.6% |
| | Grade 9 | 4.7% | 5.8% | 13.0% | 87.0% |
| | Grade 10 | 6.6% | 10.1% | 18.0% | 82.0% |
| | Grade 11 | 13.0% | 16.7% | 24.2% | 75.8% |
| | Grade 12 | 8.1% | 12.9% | 19.8% | 80.2% |
| Crack | | | | | |
| | All | 0.9% | 1.2% | 2.4% | 97.6% |
| | Grade 7 | 0.0% | 0.0% | 0.2% | 99.8% |
| | Grade 8 | 1.3% | 1.3% | 2.7% | 97.3% |
| | Grade 9 | 0.7% | 0.7% | 2.2% | 97.8% |
| | Grade 10 | 1.1% | 1.1% | 3.4% | 96.6% |
| | Grade 11 | 1.9% | 3.0% | 3.7% | 96.3% |
| | Grade 12 | 0.9% | 1.3% | 1.9% | 98.1% |
| Hallucinogens | | | | | |
| | All | 2.4% | 3.7% | 6.5% | 93.5% |
| | Grade 7 | 1.3% | 2.0% | 2.4% | 97.6% |
| | Grade 8 | 1.2% | 1.6% | 3.6% | 96.4% |
| | Grade 9 | 2.8% | 4.0% | 7.1% | 92.9% |
| | Grade 10 | 2.0% | 3.1% | 7.4% | 92.6% |
| | Grade 11 | 4.5% | 8.6% | 12.7% | 87.3% |
| | Grade 12 | 3.3% | 5.1% | 8.1% | 91.9% |
| Uppers | | | | | |
| | All | 2.0% | 3.0% | 4.9% | 95.1% |
| | Grade 7 | 0.8% | 0.8% | 1.2% | 98.8% |
| | Grade 8 | 0.6% | 1.1% | 2.6% | 97.4% |
| | Grade 9 | 2.2% | 3.1% | 5.4% | 94.6% |
| | Grade 10 | 1.7% | 2.5% | 4.4% | 95.6% |
| | Grade 11 | 3.5% | 6.6% | 10.9% | 89.1% |
| | Grade 12 | 4.4% | 6.3% | 7.8% | 92.2% |
| Downers | | | | | |
| | All | 2.1% | 3.3% | 5.4% | 94.6% |
| | Grade 7 | 0.7% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 0.5% | 0.8% | 2.5% | 97.5% |
| | Grade 9 | 2.2% | 3.3% | 5.7% | 94.3% |
| | Grade 10 | 1.1% | 2.7% | 4.3% | 95.7% |
| | Grade 11 | 4.6% | 7.6% | 12.0% | 88.0% |
| | Grade 12 | 5.6% | 7.8% | 10.3% | 89.7% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|-------|--------|
| Dahamad | | Month | Year | Used | Used |
| Rohypnol | A 11 | 1 20/ | 1 60/ | 2 80/ | 07.20/ |
| | All | 1.2% | 1.6% | 2.8% | 97.2% |
| | Grade 7 | 1.7% | 1.7% | 2.1% | 97.9% |
| | Grade 8 | 1.3% | 1.8% | 3.0% | 97.0% |
| | Grade 9 | 1.2% | 1.7% | 2.5% | 97.5% |
| | Grade 10 | 1.2% | 2.1% | 4.0% | 96.0% |
| | Grade 11 | 0.8% | 1.3% | 2.8% | 97.2% |
| | Grade 12 | 0.5% | 0.5% | 1.8% | 98.2% |
| Steroids | | | | | |
| | All | 0.9% | 1.5% | 2.6% | 97.4% |
| | Grade 7 | 0.5% | 0.6% | 1.3% | 98.7% |
| | Grade 8 | 1.1% | 1.5% | 3.4% | 96.6% |
| | Grade 9 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 10 | 1.1% | 1.5% | 2.6% | 97.4% |
| | Grade 11 | 1.8% | 2.8% | 4.0% | 96.0% |
| | Grade 12 | 1.2% | 2.8% | 4.3% | 95.7% |
| Ecstasy | | | | | |
| • | All | 2.4% | 3.6% | 5.8% | 94.2% |
| | Grade 7 | 0.5% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 0.6% | 1.9% | 3.5% | 96.5% |
| | Grade 9 | 3.7% | 4.3% | 6.1% | 93.9% |
| | Grade 10 | 2.3% | 3.0% | 6.0% | 94.0% |
| | Grade 11 | 5.5% | 8.1% | 12.1% | 87.9% |
| | Grade 12 | 2.6% | 5.1% | 8.8% | 91.2% |
| Heroin | Grade 12 | 2.070 | 3.170 | 0.070 | 71.270 |
| Tier om | All | 0.6% | 1.0% | 1.6% | 98.4% |
| | Grade 7 | 0.3% | 0.3% | 0.8% | 99.2% |
| | Grade 8 | 0.5% | 1.1% | 2.4% | 97.6% |
| | Grade 9 | | | | |
| | | 0.8% | 1.1% | 1.2% | 98.8% |
| | Grade 10 | 0.4% | 0.7% | 1.1% | 98.9% |
| | Grade 11 | 1.9% | 2.4% | 3.1% | 96.9% |
| | Grade 12 | 0.0% | 0.4% | 1.2% | 98.8% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|-----------------------------------------|---------------|
| Tobacco | | | | |
| All | 11.7% | 16.8% | 33.7% | 66.3% |
| Grade 7 | 4.5% | 7.6% | 20.6% | 79.4% |
| Grade 8 | 7.9% | 12.4% | 29.3% | 70.7% |
| Grade 9 | 10.5% | 17.2% | 33.5% | 66.5% |
| Grade 10 | 13.1% | 18.0% | 36.5% | 63.5% |
| Grade 11 | 15.5% | 21.0% | 39.4% | 60.6% |
| Grade 12 | 22.6% | 29.0% | 46.9% | 53.1% |
| Alcohol | | | | |
| All | 37.4% | 51.1% | 72.2% | 27.8% |
| Grade 7 | 22.2% | 29.5% | 53.4% | 46.6% |
| Grade 8 | 35.0% | 44.8% | 67.9% | 32.1% |
| Grade 9 | 41.6% | 56.3% | 75.9% | 24.1% |
| Grade 10 | 38.1% | 56.2% | 75.5% | 24.5% |
| Grade 11 | 43.1% | 58.4% | 80.1% | 19.9% |
| Grade 12 | 46.7% | 65.3% | 83.5% | 16.5% |
| Inhalants | | | | |
| All | 4.7% | 7.4% | 12.9% | 87.1% |
| Grade 7 | 5.0% | 7.1% | 11.4% | 88.6% |
| Grade 8 | 8.0% | 11.5% | 17.1% | 82.9% |
| Grade 9 | 5.7% | 9.4% | 13.8% | 86.2% |
| Grade 10 | 2.9% | 5.8% | 12.9% | 87.1% |
| Grade 11 | 3.1% | 4.1% | 10.7% | 89.3% |
| Grade 12 | 2.5% | 4.2% | 9.4% | 90.6% |
| Any Illicit Drug | | 40.454 | • • • • • • • • • • • • • • • • • • • • | 40.00 |
| All | 12.5% | 18.1% | 31.0% | 69.0% |
| Grade 7 | 5.8% | 8.0% | 15.2% | 84.8% |
| Grade 8 | 9.7% | 14.0% | 22.9% | 77.1% |
| Grade 9 | 15.7% | 22.5% | 34.2% | 65.8% |
| Grade 10 | 12.5% | 19.6% | 34.6% | 65.4% |
| Grade 11 | 16.0% | 21.5% | 39.6% | 60.4% |
| Grade 12 | 16.7% | 24.5% | 44.3% | 55.7% |
| Marijuana | | | | |
| All | 10.3% | 15.7% | 28.1% | 71.9% |
| Grade 7 | 4.9% | 6.2% | 12.9% | 87.1% |
| Grade 8 | 7.9% | 11.8% | 19.8% | 80.2% |
| Grade 9 | 12.7% | 19.9% | 31.4% | 68.6% |
| Grade 10 | 9.8% | 15.9% | 31.0% | 69.0% |
| Grade 11 | 14.5% | 19.6% | 36.0% | 64.0% |
| Grade 12 | 13.4% | 23.0% | 42.6% | 57.4% |
| Marijuana Only | 2.504 | 5 224 | 10.004 | 05.00 |
| All | 3.5% | 5.3% | 13.0% | 87.0% |
| Grade 7 | 1.9% | 3.0% | 7.2% | 92.8% |
| Grade 8 | 1.9% | 3.7% | 9.0% | 91.0% |
| Grade 9 | 4.7% | 5.9% | 13.3% | 86.7% |
| Grade 10 | 3.7% | 5.8% | 14.9% | 85.1% |
| Grade 11 | 5.1% | 7.3% | 17.0% | 83.0% |
| Grade 12 | 3.8% | 6.8% | 19.1% | 80.9% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------------------|---------------|----------------|--------------|----------------|
| Cocaine or Crack | | | | | |
| | All | 4.1% | 6.5% | 12.1% | 87.9% |
| | Grade 7 | 1.9% | 2.8% | 4.0% | 96.0% |
| | Grade 8 | 2.8% | 4.6% | 6.8% | 93.2% |
| | Grade 9 | 6.6% | 9.5% | 14.6% | 85.4% |
| | Grade 10 | 3.7% | 7.3% | 14.2% | 85.8% |
| | Grade 11 | 5.7% | 7.5% | 18.2% | 81.8% |
| | Grade 12 | 3.8% | 7.2% | 17.0% | 83.0% |
| Cocaine | | | | | |
| | All | 4.0% | 6.2% | 11.7% | 88.3% |
| | Grade 7 | 1.2% | 1.5% | 2.6% | 97.4% |
| | Grade 8 | 2.7% | 4.1% | 6.4% | 93.6% |
| | Grade 9 | 6.7% | 9.3% | 14.3% | 85.7% |
| | Grade 10 | 3.8% | 7.3% | 14.1% | 85.9% |
| | Grade 11 | 5.7% | 7.5% | 17.7% | 82.3% |
| | Grade 12 | 3.9% | 7.2% | 16.7% | 83.3% |
| Crack | | | | | |
| | All | 0.6% | 1.0% | 1.9% | 98.1% |
| | Grade 7 | 1.1% | 1.6% | 2.3% | 97.7% |
| | Grade 8 | 0.4% | 1.1% | 1.3% | 98.7% |
| | Grade 9 | 1.1% | 1.4% | 2.2% | 97.8% |
| | Grade 10 | 0.2% | 0.4% | 1.6% | 98.4% |
| | Grade 11 | 0.4% | 0.8% | 2.0% | 98.0% |
| | Grade 12 | 0.3% | 0.7% | 2.4% | 97.6% |
| Hallucinogens | | | | | 0 = 4 = 1 |
| | All | 1.2% | 2.1% | 4.6% | 95.4% |
| | Grade 7 | 1.1% | 1.2% | 1.9% | 98.1% |
| | Grade 8 | 1.1% | 1.4% | 3.4% | 96.6% |
| | Grade 9 | 0.8% | 1.9% | 5.3% | 94.7% |
| | Grade 10 | 1.5% | 2.9% | 5.3% | 94.7% |
| | Grade 11 | 1.7% | 3.2% | 6.7% | 93.3% |
| *** | Grade 12 | 1.1% | 2.1% | 5.4% | 94.6% |
| Uppers | A 77 | 1.70/ | 2.70/ | 4.00/ | 05.10/ |
| | All | 1.7% | 2.7% | 4.9% | 95.1% |
| | Grade 7 | 0.6% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 1.8% | 2.1% | 3.8% | 96.2% |
| | Grade 9 | 1.7% | 2.2% | 4.9% | 95.1% |
| | Grade 10 | 0.5% | 2.4% | 4.0% | 96.0% |
| | Grade 11 | 2.5% | 3.9% | 7.3% | 92.7% |
| Downous | Grade 12 | 3.8% | 6.3% | 10.4% | 89.6% |
| Downers | All | 1 704 | 2.70/ | 5.00/ | 05.00/ |
| | Grade 7 | 1.7% | 2.7% | 5.0% | 95.0% |
| | Grade 7 Grade 8 | 0.5% | 0.9% | 1.1% | 98.9% 96.3% |
| | Grade 9 | 1.8% 2.0% | 1.8% 2.8% | 3.7% 5.1% | 96.3% 94.9% |
| | Grade 9 Grade 10 | 0.5% | 2.8% | 3.1% 4.9% | 94.9% 95.1% |
| | Grade 10 Grade 11 | 2.7% | 3.9% | 6.6% | 93.1% |
| | Grade 11 Grade 12 | 3.6% | 5.6% | 10.5% | 89.5% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | | Past Month | School Year | Ever Used | Never Used |
|------------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | Month | 1 Cai | Oseu | Oseu |
| Tion, phot | All | 1.2% | 1.7% | 3.5% | 96.5% |
| | Grade 7 | 0.8% | 1.1% | 2.0% | 98.0% |
| | Grade 8 | 2.2% | 2.6% | 4.2% | 95.8% |
| | Grade 9 | 2.2% | 2.7% | 5.4% | 94.6% |
| | Grade 10 | 0.6% | 1.0% | 3.0% | 97.0% |
| | Grade 11 | 0.5% | 0.5% | 2.5% | 97.5% |
| | Grade 12 | 0.5% | 1.7% | 3.5% | 96.5% |
| Steroids | | | | | |
| | All | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 7 | 0.7% | 0.8% | 1.6% | 98.4% |
| | Grade 8 | 0.5% | 0.5% | 1.2% | 98.8% |
| | Grade 9 | 0.3% | 0.7% | 1.8% | 98.2% |
| | Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| | Grade 11 | 0.3% | 0.3% | 0.7% | 99.3% |
| | Grade 12 | 0.0% | 0.0% | 0.5% | 99.5% |
| Ecstasy | | | | | |
| | All | 1.8% | 2.5% | 5.2% | 94.8% |
| | Grade 7 | 0.6% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 1.2% | 2.6% | 4.6% | 95.4% |
| | Grade 9 | 1.6% | 1.7% | 5.4% | 94.6% |
| | Grade 10 | 2.1% | 3.2% | 5.6% | 94.4% |
| | Grade 11 | 2.8% | 3.7% | 7.2% | 92.8% |
| | Grade 12 | 2.7% | 3.5% | 8.1% | 91.9% |
| Heroin | | | | | |
| | All | 0.5% | 0.7% | 1.6% | 98.4% |
| | Grade 7 | 1.0% | 1.0% | 2.9% | 97.1% |
| | Grade 8 | 0.7% | 1.2% | 1.8% | 98.2% |
| | Grade 9 | 0.4% | 0.5% | 1.4% | 98.6% |
| | Grade 10 | 0.2% | 0.2% | 1.1% | 98.9% |
| | Grade 11 | 0.3% | 0.6% | 0.9% | 99.1% |
| | Grade 12 | 0.3% | 0.6% | 1.4% | 98.6% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 19.1% | 25.3% | 38.9% | 61.1% |
| Grade 7 | 4.7% | 7.0% | 15.8% | 84.2% |
| Grade 8 | 7.6% | 11.7% | 26.6% | 73.4% |
| Grade 9 | 18.1% | 27.1% | 42.3% | 57.7% |
| Grade 10 | 21.5% | 28.6% | 41.9% | 58.1% |
| Grade 11 | 28.5% | 35.6% | 50.8% | 49.2% |
| Grade 12 | 39.2% | 47.1% | 62.1% | 37.9% |
| Alcohol | | | | |
| All | 29.0% | 42.0% | 63.8% | 36.2% |
| Grade 7 | 11.8% | 17.4% | 41.9% | 58.1% |
| Grade 8 | 18.2% | 32.0% | 57.2% | 42.8% |
| Grade 9 | 26.7% | 42.7% | 64.0% | 36.0% |
| Grade 10 | 30.0% | 46.8% | 68.2% | 31.8% |
| Grade 11 | 40.7% | 54.2% | 77.0% | 23.0% |
| Grade 12 | 52.1% | 63.9% | 78.0% | 22.0% |
| Inhalants | | | | |
| All | 2.0% | 4.5% | 10.2% | 89.8% |
| Grade 7 | 1.9% | 3.3% | 6.1% | 93.9% |
| Grade 8 | 2.0% | 4.5% | 9.6% | 90.4% |
| Grade 9 | 1.1% | 4.3% | 12.2% | 87.8% |
| Grade 10 | 1.8% | 5.9% | 12.7% | 87.3% |
| Grade 11 | 3.4% | 4.9% | 11.6% | 88.4% |
| Grade 12 | 1.5% | 3.7% | 9.1% | 90.9% |
| Any Illicit Drug | | | | |
| All | 11.1% | 16.6% | 26.4% | 73.6% |
| Grade 7 | 3.6% | 5.0% | 7.7% | 92.3% |
| Grade 8 | 5.7% | 9.9% | 14.3% | 85.7% |
| Grade 9 | 10.4% | 17.5% | 26.5% | 73.5% |
| Grade 10 | 9.7% | 16.6% | 29.6% | 70.4% |
| Grade 11 | 20.7% | 27.2% | 39.0% | 61.0% |
| Grade 12 | 19.3% | 26.1% | 46.5% | 53.5% |
| Marijuana | | | | |
| All | 9.1% | 14.6% | 24.2% | 75.8% |
| Grade 7 | 2.5% | 3.4% | 6.3% | 93.7% |
| Grade 8 | 3.6% | 7.4% | 10.8% | 89.2% |
| Grade 9 | 9.1% | 16.5% | 24.0% | 76.0% |
| Grade 10 | 7.8% | 14.4% | 26.9% | 73.1% |
| Grade 11 | 18.9% | 25.5% | 36.9% | 63.1% |
| Grade 12 | 15.2% | 23.4% | 45.8% | 54.2% |
| Marijuana Only | | | | |
| All | 2.4% | 4.5% | 10.7% | 89.3% |
| Grade 7 | 1.2% | 1.2% | 3.6% | 96.4% |
| Grade 8 | 1.8% | 3.7% | 6.8% | 93.2% |
| Grade 9 | 3.2% | 6.5% | 11.2% | 88.8% |
| Grade 10 | 1.9% | 3.7% | 12.6% | 87.4% |
| Grade 11 | 4.3% | 6.5% | 13.1% | 86.9% |
| Grade 12 | 2.6% | 5.8% | 18.9% | 81.1% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 2.9% | 5.1% | 8.8% | 91.2% |
| | Grade 7 | 1.1% | 1.5% | 1.8% | 98.2% |
| | Grade 8 | 1.0% | 2.4% | 4.3% | 95.7% |
| | Grade 9 | 1.6% | 3.2% | 5.6% | 94.4% |
| | Grade 10 | 2.0% | 5.0% | 8.2% | 91.8% |
| | Grade 11 | 6.9% | 10.4% | 18.1% | 81.9% |
| | Grade 12 | 5.7% | 8.9% | 17.2% | 82.8% |
| Cocaine | | | | | |
| | All | 2.8% | 4.8% | 8.5% | 91.5% |
| | Grade 7 | 1.1% | 1.1% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 2.3% | 3.9% | 96.1% |
| | Grade 9 | 1.6% | 2.8% | 5.1% | 94.9% |
| | Grade 10 | 1.8% | 4.8% | 7.8% | 92.2% |
| | Grade 11 | 6.6% | 10.1% | 17.9% | 82.1% |
| | Grade 12 | 5.4% | 8.9% | 17.3% | 82.7% |
| Crack | | | | | |
| | All | 0.5% | 0.8% | 2.1% | 97.9% |
| | Grade 7 | 0.0% | 0.4% | 0.6% | 99.4% |
| | Grade 8 | 0.4% | 0.4% | 2.0% | 98.0% |
| | Grade 9 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 10 | 0.2% | 0.2% | 1.2% | 98.8% |
| | Grade 11 | 1.2% | 1.5% | 3.4% | 96.6% |
| | Grade 12 | 0.7% | 1.5% | 3.5% | 96.5% |
| Hallucinogens | | | | | |
| | All | 1.8% | 3.5% | 6.5% | 93.5% |
| | Grade 7 | 0.7% | 1.2% | 1.3% | 98.7% |
| | Grade 8 | 1.2% | 1.6% | 2.4% | 97.6% |
| | Grade 9 | 1.6% | 2.3% | 6.8% | 93.2% |
| | Grade 10 | 1.2% | 3.8% | 8.0% | 92.0% |
| | Grade 11 | 2.6% | 6.2% | 11.4% | 88.6% |
| | Grade 12 | 3.8% | 6.9% | 10.4% | 89.6% |
| Uppers | | | | | |
| | All | 2.5% | 4.4% | 7.7% | 92.3% |
| | Grade 7 | 0.5% | 0.5% | 1.0% | 99.0% |
| | Grade 8 | 1.3% | 2.1% | 3.4% | 96.6% |
| | Grade 9 | 1.7% | 3.3% | 7.5% | 92.5% |
| | Grade 10 | 1.9% | 4.2% | 7.6% | 92.4% |
| | Grade 11 | 3.9% | 7.3% | 14.0% | 86.0% |
| _ | Grade 12 | 6.4% | 10.3% | 14.6% | 85.4% |
| Downers | | • • • | | | |
| | All | 2.9% | 4.5% | 7.8% | 92.2% |
| | Grade 7 | 0.9% | 0.9% | 1.5% | 98.5% |
| | Grade 8 | 1.1% | 1.5% | 2.8% | 97.2% |
| | Grade 9 | 2.7% | 3.8% | 7.1% | 92.9% |
| | Grade 10 | 1.3% | 3.5% | 7.2% | 92.8% |
| | Grade 11 | 5.5% | 8.2% | 14.0% | 86.0% |
| | Grade 12 | 7.2% | 10.8% | 16.2% | 83.8% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 0.6% | 0.9% | 2.5% | 97.5% |
| | Grade 7 | 0.7% | 0.7% | 0.7% | 99.3% |
| | Grade 8 | 0.1% | 0.1% | 0.8% | 99.2% |
| | Grade 9 | 0.6% | 1.1% | 3.5% | 96.5% |
| | Grade 10 | 0.5% | 1.0% | 3.1% | 96.9% |
| | Grade 11 | 0.8% | 1.1% | 3.4% | 96.6% |
| | Grade 12 | 1.1% | 1.4% | 4.1% | 95.9% |
| Steroids | | | | | |
| | All | 0.6% | 1.0% | 2.5% | 97.5% |
| | Grade 7 | 0.1% | 0.3% | 2.0% | 98.0% |
| | Grade 8 | 0.5% | 0.5% | 1.9% | 98.1% |
| | Grade 9 | 1.0% | 1.0% | 1.8% | 98.2% |
| | Grade 10 | 0.6% | 0.6% | 1.2% | 98.8% |
| | Grade 11 | 0.7% | 1.4% | 3.6% | 96.4% |
| | Grade 12 | 0.7% | 2.6% | 5.2% | 94.8% |
| Ecstasy | | | | | |
| | All | 2.0% | 3.6% | 5.9% | 94.1% |
| | Grade 7 | 0.8% | 1.1% | 1.3% | 98.7% |
| | Grade 8 | 0.4% | 1.0% | 1.3% | 98.7% |
| | Grade 9 | 1.6% | 2.7% | 4.3% | 95.7% |
| | Grade 10 | 2.0% | 3.5% | 5.8% | 94.2% |
| | Grade 11 | 4.4% | 7.5% | 12.5% | 87.5% |
| | Grade 12 | 3.6% | 6.7% | 11.6% | 88.4% |
| Heroin | | | | | |
| | All | 0.2% | 0.5% | 1.1% | 98.9% |
| | Grade 7 | 0.4% | 0.4% | 1.6% | 98.4% |
| | Grade 8 | 0.1% | 0.1% | 0.9% | 99.1% |
| | Grade 9 | 0.0% | 0.5% | 0.9% | 99.1% |
| | Grade 10 | 0.0% | 0.0% | 0.2% | 99.8% |
| | Grade 11 | 0.6% | 1.2% | 1.3% | 98.7% |
| | Grade 12 | 0.0% | 0.8% | 2.2% | 97.8% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|----------------|----------------|--------------|---------------|
| Tobacco | | | | |
| Al | | 8.7% | 23.5% | 76.5% |
| Grade ' | | 3.5% | 15.4% | 84.6% |
| Grade 8 | | 5.7% | 24.2% | 75.8% |
| Grade 9 | | 10.3% | 29.3% | 70.7% |
| Grade 1 | | 9.0% | 23.6% | 76.4% |
| Grade 1 | | 12.4% | 21.6% | 78.4% |
| Grade 1 | 2 12.1% | 13.0% | 28.5% | 71.5% |
| Alcohol | | | | |
| Al | | 40.6% | 65.6% | 34.4% |
| Grade ' | | 31.8% | 55.5% | 44.5% |
| Grade 8 | | 29.4% | 52.2% | 47.8% |
| Grade 9 | | 45.3% | 72.4% | 27.6% |
| Grade 1 | | 39.0% | 62.6% | 37.4% |
| Grade 1 | | 49.3% | 77.7% | 22.3% |
| Grade 12 | 2 33.9% | 53.7% | 77.6% | 22.4% |
| Inhalants | | | | |
| Al | | 3.2% | 5.5% | 94.5% |
| Grade ' | | 5.0% | 7.7% | 92.3% |
| Grade 8 | | 5.5% | 8.2% | 91.8% |
| Grade 9 | | 1.9% | 2.6% | 97.4% |
| Grade 1 | 0.0% | 2.1% | 6.6% | 93.4% |
| Grade 1 | 4.0% | 4.0% | 6.6% | 93.4% |
| Grade 1 | 2 0.0% | 0.0% | 0.0% | 100.0% |
| Any Illicit Drug | | | | |
| Al | | 14.5% | 28.6% | 71.4% |
| Grade ' | 7 8.3% | 9.1% | 18.2% | 81.8% |
| Grade 8 | 8.1% | 9.0% | 25.1% | 74.9% |
| Grade 9 | 9 5.7% | 10.0% | 17.0% | 83.0% |
| Grade 1 | 0 10.8% | 16.3% | 28.4% | 71.6% |
| Grade 1 | 1 16.7% | 18.0% | 44.9% | 55.1% |
| Grade 1 | 2 23.0% | 31.5% | 49.9% | 50.1% |
| Marijuana | | | | |
| Al | | 13.2% | 27.6% | 72.4% |
| Grade ' | 7 8.3% | 9.1% | 15.9% | 84.1% |
| Grade 8 | 8 7.8% | 8.8% | 24.9% | 75.1% |
| Grade 9 | 9 5.5% | 7.5% | 15.1% | 84.9% |
| Grade 1 | 9.4% | 15.2% | 27.5% | 72.5% |
| Grade 1 | 1 12.5% | 14.5% | 44.1% | 55.9% |
| Grade 12 | 23.0% | 31.7% | 50.8% | 49.2% |
| Marijuana Only | | | | |
| Al | | 8.9% | 21.6% | 78.4% |
| Grade ' | 7.8% | 8.6% | 15.3% | 84.7% |
| Grade 8 | 3 4.7% | 5.7% | 21.6% | 78.4% |
| Grade 9 | 3.8% | 5.3% | 12.3% | 87.7% |
| Grade 1 | 7.0% | 10.5% | 22.1% | 77.9% |
| Grade 1 | 6.4% | 7.6% | 28.8% | 71.2% |
| Grade 1 | 2 14.0% | 19.9% | 38.3% | 61.7% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 1.1% | 2.1% | 2.8% | 97.2% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 10 | 2.2% | 2.5% | 2.5% | 97.5% |
| | Grade 11 | 4.5% | 8.4% | 10.3% | 89.7% |
| | Grade 12 | 0.0% | 2.7% | 5.8% | 94.2% |
| Cocaine | | | | | |
| | All | 1.1% | 1.7% | 2.5% | 97.5% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 10 | 1.9% | 2.2% | 2.2% | 97.8% |
| | Grade 11 | 4.6% | 6.6% | 8.6% | 91.4% |
| | Grade 12 | 0.0% | 2.7% | 5.8% | 94.2% |
| Crack | | | | | |
| | All | 0.5% | 0.8% | 0.8% | 99.2% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 10 | 0.4% | 0.4% | 0.4% | 99.6% |
| | Grade 11 | 2.6% | 4.5% | 4.5% | 95.5% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| Hallucinogens | | | | | |
| | All | 1.1% | 1.6% | 1.9% | 98.1% |
| | Grade 7 | 0.6% | 0.6% | 0.6% | 99.4% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.0% | 0.3% | 0.3% | 99.7% |
| | Grade 10 | 0.0% | 0.4% | 0.4% | 99.6% |
| | Grade 11 | 4.0% | 6.6% | 8.6% | 91.4% |
| | Grade 12 | 2.7% | 2.7% | 2.7% | 97.3% |
| Uppers | | | | | |
| | All | 0.5% | 0.6% | 1.4% | 98.6% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 0.7% | 0.7% | 0.7% | 99.3% |
| | Grade 10 | 0.4% | 0.4% | 2.5% | 97.5% |
| | Grade 11 | 2.0% | 2.6% | 4.6% | 95.4% |
| | Grade 12 | 0.0% | 0.0% | 1.0% | 99.0% |
| Downers | | | | | |
| | All | 0.9% | 1.6% | 2.3% | 97.7% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 9 | 1.4% | 4.0% | 4.0% | 96.0% |
| | Grade 10 | 0.0% | 0.4% | 2.5% | 97.5% |
| | Grade 11 | 2.0% | 2.6% | 4.5% | 95.5% |
| | Grade 12 | 2.8% | 2.8% | 2.8% | 97.2% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | 112011011 | | 0.504 | 0.500 |
| • | All | 0.5% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.0% | 0.0% | 0.3% | 99.7% |
| | Grade 8 | 2.7% | 3.1% | 3.1% | 96.9% |
| | Grade 9 | 0.3% | 0.3% | 0.3% | 99.7% |
| | Grade 10 | 0.0% | 0.0% | 1.7% | 98.3% |
| | Grade 11 | 0.0% | 2.0% | 4.0% | 96.0% |
| | Grade 12 | 0.0% | 0.0% | 0.9% | 99.1% |
| Steroids | | | | | |
| | All | 0.6% | 1.0% | 1.7% | 98.3% |
| | Grade 7 | 0.6% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 0.3% | 0.3% | 0.7% | 99.3% |
| | Grade 9 | 0.0% | 0.7% | 3.2% | 96.8% |
| | Grade 10 | 0.0% | 1.6% | 1.6% | 98.4% |
| | Grade 11 | 2.6% | 2.6% | 2.6% | 97.4% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| Ecstasy | | | | | |
| | All | 1.1% | 1.2% | 1.9% | 98.1% |
| | Grade 7 | 0.0% | 0.0% | 0.0% | 100.0% |
| | Grade 8 | 0.3% | 0.3% | 0.3% | 99.7% |
| | Grade 9 | 0.3% | 0.3% | 0.7% | 99.3% |
| | Grade 10 | 1.9% | 1.9% | 1.9% | 98.1% |
| | Grade 11 | 4.0% | 4.6% | 8.6% | 91.4% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |
| Heroin | | | | | |
| | All | 0.3% | 0.9% | 1.3% | 98.7% |
| | Grade 7 | 0.0% | 0.0% | 2.5% | 97.5% |
| | Grade 8 | 0.0% | 2.5% | 2.5% | 97.5% |
| | Grade 9 | 0.0% | 0.3% | 0.3% | 99.7% |
| | Grade 10 | 0.0% | 0.4% | 0.4% | 99.6% |
| | Grade 11 | 2.0% | 2.0% | 2.0% | 98.0% |
| | Grade 12 | 0.0% | 0.0% | 0.0% | 100.0% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 13.6% | 19.7% | 39.2% | 60.8% |
| Grade 7 | 7.3% | 11.4% | 26.6% | 73.4% |
| Grade 8 | 9.2% | 14.1% | 32.5% | 67.5% |
| Grade 9 | 11.6% | 19.6% | 41.2% | 58.8% |
| Grade 10 | 16.1% | 22.5% | 44.2% | 55.8% |
| Grade 11 | 21.3% | 27.1% | 46.5% | 53.5% |
| Grade 12 | 22.3% | 29.4% | 50.4% | 49.6% |
| Alcohol | | | | |
| All | 41.6% | 54.0% | 75.3% | 24.7% |
| Grade 7 | 24.5% | 32.7% | 57.3% | 42.7% |
| Grade 8 | 37.4% | 46.1% | 70.7% | 29.3% |
| Grade 9 | 43.9% | 57.3% | 79.0% | 21.0% |
| Grade 10 | 48.4% | 62.9% | 81.6% | 18.4% |
| Grade 11 | 50.7% | 64.1% | 81.2% | 18.8% |
| Grade 12 | 48.8% | 67.8% | 86.2% | 13.8% |
| Inhalants | | | | |
| All | 4.6% | 6.9% | 12.8% | 87.2% |
| Grade 7 | 3.9% | 5.9% | 11.5% | 88.5% |
| Grade 8 | 7.6% | 10.8% | 17.3% | 82.7% |
| Grade 9 | 5.4% | 7.9% | 12.0% | 88.0% |
| Grade 10 | 4.2% | 5.9% | 13.3% | 86.7% |
| Grade 11 | 2.6% | 4.5% | 10.3% | 89.7% |
| Grade 12 | 2.0% | 3.4% | 9.5% | 90.5% |
| Any Illicit Drug | | | | |
| All | 16.7% | 22.2% | 36.7% | 63.3% |
| Grade 7 | 10.0% | 12.4% | 21.4% | 78.6% |
| Grade 8 | 13.1% | 17.3% | 28.7% | 71.3% |
| Grade 9 | 20.8% | 25.1% | 38.8% | 61.2% |
| Grade 10 | 17.6% | 25.3% | 42.8% | 57.2% |
| Grade 11 | 21.6% | 28.1% | 46.5% | 53.5% |
| Grade 12 | 18.5% | 28.5% | 48.9% | 51.1% |
| Marijuana | 40.40 | 40.00 | 22.50 | |
| All | 13.6% | 19.3% | 33.5% | 66.5% |
| Grade 7 | 8.8% | 10.7% | 19.1% | 80.9% |
| Grade 8 | 11.5% | 15.7% | 26.2% | 73.8% |
| Grade 9 | 17.4% | 22.4% | 36.2% | 63.8% |
| Grade 10 | 12.8% | 20.8% | 39.3% | 60.7% |
| Grade 11 | 17.7% | 24.4% | 41.8% | 58.2% |
| Grade 12 | 14.3% | 25.2% | 44.7% | 55.3% |
| Marijuana Only | 4.007 | 7 00/ | 15.004 | 04.05 |
| All | 4.8% | 7.0% | 15.2% | 84.8% |
| Grade 7 | 3.9% | 5.0% | 10.9% | 89.1% |
| Grade 8 | 3.7% | 5.5% | 12.0% | 88.0% |
| Grade 9 | 6.1% | 7.0% | 14.6% | 85.4% |
| Grade 10 | 4.6% | 7.4% | 17.1% | 82.9% |
| Grade 11 | 5.8% | 8.6% | 17.6% | 82.4% |
| Grade 12 | 5.3% | 10.7% | 23.3% | 76.7% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 6.5% | 8.9% | 16.3% | 83.7% |
| | Grade 7 | 2.0% | 2.8% | 5.8% | 94.2% |
| | Grade 8 | 4.5% | 6.1% | 10.2% | 89.8% |
| | Grade 9 | 8.5% | 10.6% | 18.9% | 81.1% |
| | Grade 10 | 7.3% | 11.1% | 21.3% | 78.7% |
| | Grade 11 | 11.4% | 13.5% | 24.8% | 75.2% |
| | Grade 12 | 6.7% | 10.9% | 20.3% | 79.7% |
| Cocaine | | | | | |
| | All | 6.3% | 8.7% | 16.0% | 84.0% |
| | Grade 7 | 1.4% | 2.0% | 4.9% | 95.1% |
| | Grade 8 | 4.1% | 5.7% | 9.8% | 90.2% |
| | Grade 9 | 8.2% | 10.7% | 18.9% | 81.1% |
| | Grade 10 | 7.2% | 11.2% | 21.2% | 78.8% |
| | Grade 11 | 11.2% | 13.3% | 24.4% | 75.6% |
| | Grade 12 | 6.7% | 11.0% | 20.0% | 80.0% |
| Crack | | | | | |
| | All | 0.9% | 1.2% | 2.2% | 97.8% |
| | Grade 7 | 0.6% | 0.9% | 1.6% | 98.4% |
| | Grade 8 | 1.1% | 1.7% | 2.1% | 97.9% |
| | Grade 9 | 1.2% | 1.2% | 2.5% | 97.5% |
| | Grade 10 | 0.8% | 1.0% | 3.3% | 96.7% |
| | Grade 11 | 0.8% | 1.3% | 1.9% | 98.1% |
| | Grade 12 | 0.3% | 0.4% | 1.3% | 98.7% |
| Hallucinogens | | | | | |
| | All | 1.7% | 2.5% | 5.1% | 94.9% |
| | Grade 7 | 1.4% | 1.7% | 2.4% | 97.6% |
| | Grade 8 | 1.3% | 1.6% | 4.4% | 95.6% |
| | Grade 9 | 2.0% | 3.5% | 6.2% | 93.8% |
| | Grade 10 | 2.2% | 2.8% | 6.0% | 94.0% |
| | Grade 11 | 2.6% | 4.6% | 7.7% | 92.3% |
| | Grade 12 | 0.6% | 1.0% | 4.2% | 95.8% |
| Uppers | | | | | |
| | All | 1.6% | 2.3% | 3.8% | 96.2% |
| | Grade 7 | 0.9% | 1.0% | 1.1% | 98.9% |
| | Grade 8 | 1.3% | 1.5% | 3.5% | 96.5% |
| | Grade 9 | 2.3% | 2.7% | 4.6% | 95.4% |
| | Grade 10 | 0.6% | 1.8% | 2.6% | 97.4% |
| | Grade 11 | 2.4% | 4.1% | 6.2% | 93.8% |
| | Grade 12 | 2.7% | 4.0% | 6.3% | 93.7% |
| Downers | | | | | |
| | All | 1.5% | 2.3% | 4.1% | 95.9% |
| | Grade 7 | 0.3% | 0.7% | 1.1% | 98.9% |
| | Grade 8 | 1.3% | 1.3% | 3.6% | 96.4% |
| | Grade 9 | 2.0% | 2.8% | 4.7% | 95.3% |
| | Grade 10 | 0.5% | 2.2% | 3.6% | 96.4% |
| | Grade 11 | 2.8% | 4.4% | 6.4% | 93.6% |
| | Grade 12 | 2.6% | 3.6% | 6.7% | 93.3% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | Month | Tear | Cscu | Oscu |
| J.I. | All | 1.5% | 2.0% | 3.5% | 96.5% |
| | Grade 7 | 1.4% | 1.7% | 2.6% | 97.4% |
| | Grade 8 | 2.5% | 3.1% | 4.9% | 95.1% |
| | Grade 9 | 2.3% | 2.7% | 4.2% | 95.8% |
| | Grade 10 | 1.1% | 1.8% | 3.8% | 96.2% |
| | Grade 11 | 0.5% | 0.5% | 1.9% | 98.1% |
| | Grade 12 | 0.2% | 1.2% | 2.1% | 97.9% |
| Steroids | | | | | |
| | All | 0.6% | 0.8% | 1.3% | 98.7% |
| | Grade 7 | 0.8% | 0.9% | 0.9% | 99.1% |
| | Grade 8 | 0.9% | 1.3% | 2.4% | 97.6% |
| | Grade 9 | 0.1% | 0.4% | 1.0% | 99.0% |
| | Grade 10 | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 11 | 0.9% | 1.2% | 1.2% | 98.8% |
| | Grade 12 | 0.5% | 0.5% | 0.5% | 99.5% |
| Ecstasy | | | | | |
| • | All | 2.1% | 2.9% | 5.6% | 94.4% |
| | Grade 7 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 8 | 1.2% | 3.1% | 5.5% | 94.5% |
| | Grade 9 | 3.4% | 3.4% | 7.0% | 93.0% |
| | Grade 10 | 2.3% | 3.0% | 6.2% | 93.8% |
| | Grade 11 | 3.2% | 4.2% | 7.1% | 92.9% |
| | Grade 12 | 2.4% | 3.1% | 7.4% | 92.6% |
| Heroin | | | | | |
| | All | 0.8% | 1.0% | 1.8% | 98.2% |
| | Grade 7 | 0.9% | 0.9% | 2.1% | 97.9% |
| | Grade 8 | 1.0% | 1.4% | 2.5% | 97.5% |
| | Grade 9 | 0.9% | 0.9% | 1.5% | 98.5% |
| | Grade 10 | 0.5% | 0.7% | 1.6% | 98.4% |
| | Grade 11 | 1.0% | 1.3% | 1.9% | 98.1% |
| | Grade 12 | 0.3% | 0.3% | 0.8% | 99.2% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 7.7% | 11.2% | 24.6% | 75.4% |
| Grade 7 | 1.5% | 2.2% | 12.1% | 87.9% |
| Grade 8 | 3.5% | 5.3% | 16.9% | 83.1% |
| Grade 9 | 6.9% | 12.6% | 25.7% | 74.3% |
| Grade 10 | 8.8% | 13.5% | 28.7% | 71.3% |
| Grade 11 | 9.4% | 12.9% | 30.8% | 69.2% |
| Grade 12 | 21.2% | 27.5% | 42.9% | 57.1% |
| Alcohol | | | | |
| All | 22.8% | 34.3% | 57.2% | 42.8% |
| Grade 7 | 8.5% | 14.3% | 38.9% | 61.1% |
| Grade 8 | 18.3% | 31.7% | 53.6% | 46.4% |
| Grade 9 | 19.9% | 33.4% | 57.4% | 42.6% |
| Grade 10 | 25.6% | 37.0% | 60.0% | 40.0% |
| Grade 11 | 31.2% | 44.6% | 70.7% | 29.3% |
| Grade 12 | 42.5% | 53.4% | 71.4% | 28.6% |
| Inhalants | | | | |
| All | 1.5% | 2.5% | 6.2% | 93.8% |
| Grade 7 | 2.1% | 2.8% | 5.8% | 94.2% |
| Grade 8 | 1.9% | 3.7% | 6.2% | 93.8% |
| Grade 9 | 0.1% | 1.6% | 4.4% | 95.6% |
| Grade 10 | 0.4% | 0.4% | 6.5% | 93.5% |
| Grade 11 | 3.1% | 3.7% | 8.1% | 91.9% |
| Grade 12 | 1.3% | 2.7% | 6.7% | 93.3% |
| Any Illicit Drug | < 10/ | 0.50 | 15.00/ | 02.10 |
| All | 6.1% | 9.7% | 17.9% | 82.1% |
| Grade 7 | 2.6% | 3.7% | 9.3% | 90.7% |
| Grade 8 | 3.9% | 7.0% | 10.5% | 89.5% |
| Grade 9 | 5.5% | 9.9% | 17.7% | 82.3% |
| Grade 10 | 3.2% | 8.1% | 18.8% | 81.2% |
| Grade 11 | 13.3% | 16.2% | 27.4% | 72.6% |
| Grade 12 | 12.6% | 18.2% | 32.6% | 67.4% |
| Marijuana | 4.007 | 0.204 | 1.5.50/ | 0.4.50 |
| All | 4.8% | 8.3% | 15.5% | 84.5% |
| Grade 7 | 1.5% | 2.1% | 5.5% | 94.5% |
| Grade 8 | 3.1% | 5.2% | 8.2% | 91.8% |
| Grade 9 | 4.3% | 8.9% | 15.1% | 84.9% |
| Grade 10 | 2.6% | 6.7% | 16.4% | 83.6% |
| Grade 11 | 11.1% | 15.5% | 25.5% | 74.5% |
| Grade 12 | 9.6% | 16.3% | 31.7% | 68.3% |
| Marijuana Only | 1 70/ | 2.50/ | 0.004 | 02.00 |
| All | 1.7% | 3.5% | 8.0% | 92.0% |
| Grade 7 | 0.9% | 1.5% | 4.2% | 95.8% |
| Grade 8 | 1.9% | 3.2% | 4.8% | 95.2% |
| Grade 9 | 1.5% | 4.3% | 7.6% | 92.4% |
| Grade 10 | 1.1% | 3.4% | 9.6% | 90.4% |
| Grade 11 | 2.3% | 3.5% | 9.1% | 90.9% |
| Grade 12 | 2.8% | 5.7% | 15.9% | 84.1% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 1.3% | 2.4% | 5.6% | 94.4% |
| | Grade 7 | 0.6% | 1.1% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 1.5% | 2.7% | 97.3% |
| | Grade 9 | 1.4% | 1.4% | 5.1% | 94.9% |
| | Grade 10 | 0.1% | 1.8% | 5.6% | 94.4% |
| | Grade 11 | 5.4% | 6.1% | 13.8% | 86.2% |
| | Grade 12 | 1.5% | 4.3% | 9.4% | 90.6% |
| Cocaine | | | | | |
| | All | 1.2% | 2.3% | 5.3% | 94.7% |
| | Grade 7 | 0.6% | 0.7% | 0.8% | 99.2% |
| | Grade 8 | 0.5% | 1.5% | 2.4% | 97.6% |
| | Grade 9 | 1.4% | 1.4% | 4.5% | 95.5% |
| | Grade 10 | 0.1% | 1.8% | 5.7% | 94.3% |
| | Grade 11 | 4.7% | 6.1% | 13.4% | 86.6% |
| | Grade 12 | 1.5% | 4.3% | 9.4% | 90.6% |
| Crack | | | | | |
| | All | 0.3% | 0.5% | 1.3% | 98.7% |
| | Grade 7 | 0.1% | 0.5% | 0.5% | 99.5% |
| | Grade 8 | 0.4% | 0.8% | 1.6% | 98.4% |
| | Grade 9 | 0.6% | 0.6% | 1.2% | 98.8% |
| | Grade 10 | 0.0% | 0.0% | 1.4% | 98.6% |
| | Grade 11 | 0.7% | 0.7% | 2.7% | 97.3% |
| | Grade 12 | 0.0% | 0.4% | 0.9% | 99.1% |
| Hallucinogens | | | | | |
| | All | 1.0% | 1.6% | 3.2% | 96.8% |
| | Grade 7 | 0.0% | 0.1% | 0.1% | 99.9% |
| | Grade 8 | 0.7% | 0.7% | 2.5% | 97.5% |
| | Grade 9 | 0.6% | 0.6% | 1.3% | 98.7% |
| | Grade 10 | 0.4% | 0.6% | 3.8% | 96.2% |
| | Grade 11 | 3.9% | 6.8% | 9.3% | 90.7% |
| | Grade 12 | 1.2% | 2.7% | 4.6% | 95.4% |
| Uppers | | | 4.004 | | 0 4 4 4 4 |
| | All | 1.1% | 1.9% | 3.6% | 96.4% |
| | Grade 7 | 0.2% | 0.2% | 0.3% | 99.7% |
| | Grade 8 | 0.4% | 0.4% | 0.8% | 99.2% |
| | Grade 9 | 0.6% | 1.1% | 3.5% | 96.5% |
| | Grade 10 | 0.2% | 0.7% | 2.7% | 97.3% |
| | Grade 11 | 3.5% | 5.9% | 10.0% | 90.0% |
| _ | Grade 12 | 2.8% | 5.9% | 8.5% | 91.5% |
| Downers | 4 7- | 1 50/ | 0.004 | 2.224 | 0 < 5 :: |
| | All | 1.5% | 2.2% | 3.3% | 96.7% |
| | Grade 7 | 0.6% | 0.6% | 0.6% | 99.4% |
| | Grade 8 | 0.1% | 0.1% | 0.4% | 99.6% |
| | Grade 9 | 2.1% | 2.8% | 3.6% | 96.4% |
| | Grade 10 | 0.2% | 1.1% | 3.1% | 96.9% |
| | Grade 11 | 4.7% | 5.4% | 7.4% | 92.6% |
| | Grade 12 | 3.2% | 6.0% | 8.0% | 92.0% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | Month | ı caı | CSCU | Cscu |
| VI | All | 0.3% | 0.5% | 1.5% | 98.5% |
| | Grade 7 | 0.4% | 0.4% | 0.4% | 99.6% |
| | Grade 8 | 0.0% | 0.0% | 1.1% | 98.9% |
| | Grade 9 | 0.0% | 0.0% | 0.6% | 99.4% |
| | Grade 10 | 0.0% | 0.0% | 2.4% | 97.6% |
| | Grade 11 | 0.6% | 1.1% | 1.9% | 98.1% |
| | Grade 12 | 0.9% | 1.9% | 3.3% | 96.7% |
| Steroids | | | | | |
| | All | 0.7% | 0.9% | 1.8% | 98.2% |
| | Grade 7 | 0.9% | 1.0% | 2.1% | 97.9% |
| | Grade 8 | 0.8% | 0.8% | 2.3% | 97.7% |
| | Grade 9 | 0.7% | 0.7% | 1.4% | 98.6% |
| | Grade 10 | 0.0% | 0.0% | 0.4% | 99.6% |
| | Grade 11 | 1.1% | 2.5% | 2.5% | 97.5% |
| | Grade 12 | 1.1% | 1.1% | 2.1% | 97.9% |
| Ecstasy | | | | | |
| | All | 1.3% | 1.9% | 3.1% | 96.9% |
| | Grade 7 | 0.0% | 0.1% | 0.7% | 99.3% |
| | Grade 8 | 0.4% | 1.6% | 2.5% | 97.5% |
| | Grade 9 | 1.9% | 1.9% | 2.1% | 97.9% |
| | Grade 10 | 0.2% | 0.2% | 0.7% | 99.3% |
| | Grade 11 | 4.8% | 6.7% | 8.6% | 91.4% |
| | Grade 12 | 2.0% | 2.4% | 6.7% | 93.3% |
| Heroin | | | | | |
| | All | 0.1% | 0.4% | 1.2% | 98.8% |
| | Grade 7 | 0.0% | 0.0% | 2.3% | 97.7% |
| | Grade 8 | 0.0% | 0.3% | 1.2% | 98.8% |
| | Grade 9 | 0.0% | 0.6% | 0.6% | 99.4% |
| | Grade 10 | 0.0% | 0.0% | 0.5% | 99.5% |
| | Grade 11 | 0.5% | 0.5% | 1.6% | 98.4% |
| | Grade 12 | 0.0% | 0.9% | 1.3% | 98.7% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 17.1% | 23.9% | 42.8% | 57.2% |
| Grade 7 | 7.8% | 12.2% | 26.7% | 73.3% |
| Grade 8 | 9.9% | 15.8% | 35.8% | 64.2% |
| Grade 9 | 14.6% | 23.6% | 45.8% | 54.2% |
| Grade 10 | 19.4% | 26.4% | 46.2% | 53.8% |
| Grade 11 | 26.4% | 33.2% | 50.3% | 49.7% |
| Grade 12 | 31.0% | 38.7% | 57.8% | 42.2% |
| Alcohol | | | | |
| All | 41.6% | 54.4% | 75.9% | 24.1% |
| Grade 7 | 25.5% | 32.7% | 57.6% | 42.4% |
| Grade 8 | 36.0% | 45.1% | 71.2% | 28.8% |
| Grade 9 | 44.7% | 58.9% | 80.3% | 19.7% |
| Grade 10 | 45.5% | 61.6% | 80.7% | 19.3% |
| Grade 11 | 49.9% | 63.0% | 81.8% | 18.2% |
| Grade 12 | 51.9% | 70.5% | 87.0% | 13.0% |
| Inhalants | | | | |
| All | 4.5% | 7.1% | 13.4% | 86.6% |
| Grade 7 | 4.0% | 5.9% | 11.0% | 89.0% |
| Grade 8 | 7.3% | 10.8% | 18.0% | 82.0% |
| Grade 9 | 5.5% | 8.1% | 13.5% | 86.5% |
| Grade 10 | 4.0% | 7.3% | 14.6% | 85.4% |
| Grade 11 | 3.0% | 4.9% | 11.3% | 88.7% |
| Grade 12 | 1.8% | 3.5% | 9.5% | 90.5% |
| Any Illicit Drug | | | | |
| All | 17.2% | 23.4% | 38.0% | 62.0% |
| Grade 7 | 9.6% | 11.9% | 19.5% | 80.5% |
| Grade 8 | 13.0% | 17.6% | 29.7% | 70.3% |
| Grade 9 | 20.5% | 26.6% | 39.7% | 60.3% |
| Grade 10 | 17.8% | 25.8% | 43.1% | 56.9% |
| Grade 11 | 22.8% | 30.0% | 47.8% | 52.2% |
| Grade 12 | 21.8% | 31.9% | 54.6% | 45.4% |
| Marijuana | | | | |
| All | 14.3% | 20.6% | 35.2% | 64.8% |
| Grade 7 | 8.6% | 10.4% | 18.1% | 81.9% |
| Grade 8 | 11.0% | 15.7% | 26.6% | 73.4% |
| Grade 9 | 17.5% | 23.9% | 37.1% | 62.9% |
| Grade 10 | 13.2% | 21.4% | 39.7% | 60.3% |
| Grade 11 | 19.6% | 26.5% | 44.1% | 55.9% |
| Grade 12 | 17.6% | 28.7% | 51.4% | 48.6% |
| Marijuana Only | | | | |
| All | 5.1% | 7.4% | 16.3% | 83.7% |
| Grade 7 | 4.0% | 4.8% | 10.2% | 89.8% |
| Grade 8 | 3.5% | 5.5% | 13.1% | 86.9% |
| Grade 9 | 6.6% | 8.0% | 15.8% | 84.2% |
| Grade 10 | 4.8% | 7.4% | 17.8% | 82.2% |
| Grade 11 | 6.2% | 9.1% | 18.7% | 81.3% |
| Grade 12 | 5.8% | 11.1% | 25.6% | 74.4% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 6.2% | 8.9% | 15.5% | 84.5% |
| | Grade 7 | 1.9% | 2.6% | 5.1% | 94.9% |
| | Grade 8 | 4.4% | 6.0% | 10.0% | 90.0% |
| | Grade 9 | 7.4% | 9.8% | 16.7% | 83.3% |
| | Grade 10 | 6.7% | 10.5% | 18.8% | 81.2% |
| | Grade 11 | 10.0% | 13.5% | 23.1% | 76.9% |
| | Grade 12 | 7.8% | 12.1% | 21.9% | 78.1% |
| Cocaine | | | | | |
| | All | 6.0% | 8.6% | 15.2% | 84.8% |
| | Grade 7 | 1.4% | 1.9% | 4.3% | 95.7% |
| | Grade 8 | 4.0% | 5.6% | 9.7% | 90.3% |
| | Grade 9 | 7.2% | 9.8% | 16.8% | 83.2% |
| | Grade 10 | 6.5% | 10.5% | 18.5% | 81.5% |
| | Grade 11 | 9.9% | 13.0% | 22.5% | 77.5% |
| | Grade 12 | 7.7% | 12.1% | 21.7% | 78.3% |
| Crack | | | | | |
| | All | 0.9% | 1.2% | 2.4% | 97.6% |
| | Grade 7 | 0.5% | 0.8% | 1.4% | 98.6% |
| | Grade 8 | 1.0% | 1.4% | 2.1% | 97.9% |
| | Grade 9 | 1.1% | 1.2% | 2.6% | 97.4% |
| | Grade 10 | 0.8% | 0.9% | 2.7% | 97.3% |
| | Grade 11 | 1.1% | 2.1% | 2.8% | 97.2% |
| | Grade 12 | 0.8% | 1.2% | 2.7% | 97.3% |
| Hallucinogens | | | | | |
| | All | 2.0% | 3.2% | 6.2% | 93.8% |
| | Grade 7 | 1.5% | 2.0% | 2.8% | 97.2% |
| | Grade 8 | 1.4% | 1.8% | 4.0% | 96.0% |
| | Grade 9 | 1.8% | 3.4% | 7.5% | 92.5% |
| | Grade 10 | 2.1% | 3.6% | 6.7% | 93.3% |
| | Grade 11 | 2.7% | 5.2% | 9.4% | 90.6% |
| | Grade 12 | 2.5% | 3.8% | 7.5% | 92.5% |
| Uppers | | | | | |
| | All | 2.1% | 3.2% | 5.4% | 94.6% |
| | Grade 7 | 0.9% | 0.9% | 1.4% | 98.6% |
| | Grade 8 | 1.7% | 2.2% | 4.4% | 95.6% |
| | Grade 9 | 2.4% | 3.2% | 5.8% | 94.2% |
| | Grade 10 | 1.3% | 2.9% | 4.5% | 95.5% |
| | Grade 11 | 2.8% | 4.9% | 8.7% | 91.3% |
| | Grade 12 | 4.6% | 6.5% | 9.5% | 90.5% |
| Downers | | | a | <u>.</u> | |
| | All | 2.0% | 3.2% | 5.8% | 94.2% |
| | Grade 7 | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 1.7% | 1.9% | 4.4% | 95.6% |
| | Grade 9 | 2.1% | 3.2% | 6.0% | 94.0% |
| | Grade 10 | 1.0% | 2.9% | 5.0% | 95.0% |
| | Grade 11 | 3.2% | 5.6% | 9.4% | 90.6% |
| | Grade 12 | 5.0% | 6.8% | 11.4% | 88.6% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | Past | School | Ever | Never |
|----------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Month | Year | Used | Used |
| | | | | |
| All | 1.5% | 2.0% | 3.7% | 96.3% |
| Grade 7 | 1.4% | 1.7% | 2.5% | 97.5% |
| Grade 8 | 2.4% | 3.0% | 4.6% | 95.4% |
| Grade 9 | 2.2% | 3.0% | 4.9% | 95.1% |
| Grade 10 | 1.2% | 1.9% | 3.8% | 96.2% |
| Grade 11 | 0.6% | 0.8% | 2.9% | 97.1% |
| Grade 12 | 0.3% | 0.9% | 2.5% | 97.5% |
| | | | | |
| All | 0.6% | 0.9% | 1.8% | 98.2% |
| Grade 7 | 0.5% | 0.6% | 1.3% | 98.7% |
| Grade 8 | 0.8% | 1.1% | 2.3% | 97.7% |
| Grade 9 | 0.2% | 0.5% | 1.4% | 98.6% |
| Grade 10 | 0.6% | 0.9% | 1.6% | 98.4% |
| Grade 11 | 0.9% | 1.1% | 2.1% | 97.9% |
| | | | | 97.6% |
| | | | | |
| All | 2.3% | 3.4% | 6.3% | 93.7% |
| | 0.6% | 0.8% | | 98.8% |
| | | | | 95.1% |
| | | | | 93.0% |
| | | | | 93.1% |
| | | | | 90.4% |
| | | | | 90.9% |
| Grade 12 | 2.5 70 | ,, | 3.170 | , 0., 70 |
| All | 0.8% | 1.0% | 1 7% | 98.3% |
| | | | | 98.2% |
| | | | | 97.4% |
| | | | | 98.4% |
| | | | | 98.8% |
| | | | | |
| | | | | 98.1% 98.7% |
| | Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 All Grade 7 Grade 8 Grade 9 Grade 10 | All 1.5% Grade 7 1.4% Grade 8 2.4% Grade 9 2.2% Grade 10 1.2% Grade 11 0.6% Grade 12 0.3% All 0.6% Grade 7 0.5% Grade 8 0.8% Grade 9 0.2% Grade 10 0.6% Grade 11 0.9% Grade 11 0.9% Grade 12 0.3% All 2.3% Grade 12 0.3% All 2.3% Grade 12 0.3% Grade 1 0.6% Grade 1 2.9% Grade 8 1.1% Grade 9 2.9% Grade 10 2.8% Grade 10 2.8% Grade 10 2.8% Grade 10 2.8% Grade 10 0.4% Grade 9 0.8% Grade 9 0.8% Grade 9 0.8% Grade 10 0.4% Grade 10 0.4% Grade 10 0.4% Grade 11 1.2% | All 1.5% 2.0% Grade 7 1.4% 1.7% Grade 8 2.4% 3.0% Grade 9 2.2% 3.0% Grade 10 1.2% 1.9% Grade 11 0.6% 0.8% Grade 12 0.3% 0.9% All 0.6% 0.9% Grade 7 0.5% 0.6% Grade 8 0.8% 1.1% Grade 9 0.2% 0.5% Grade 10 0.6% 0.9% Grade 11 0.9% 1.1% Grade 12 0.3% 1.4% All 2.3% 3.4% Grade 7 0.6% 0.8% Grade 8 1.1% 2.6% Grade 9 2.9% 3.3% Grade 10 2.8% 3.8% Grade 11 3.7% 5.3% Grade 12 2.9% 4.9% All 0.8% 1.0% Grade 7 0.9% 0.9% Grade | Month Year Used All 1.5% 2.0% 3.7% Grade 7 1.4% 1.7% 2.5% Grade 8 2.4% 3.0% 4.6% Grade 9 2.2% 3.0% 4.9% Grade 10 1.2% 1.9% 3.8% Grade 11 0.6% 0.8% 2.9% Grade 12 0.3% 0.9% 2.5% All 0.6% 0.9% 1.8% Grade 7 0.5% 0.6% 1.3% Grade 8 0.8% 1.1% 2.3% Grade 9 0.2% 0.5% 1.4% Grade 10 0.6% 0.9% 1.6% Grade 11 0.9% 1.1% 2.1% Grade 12 0.3% 1.4% 2.4% All 2.3% 3.4% 6.3% Grade 7 0.6% 0.8% 1.2% Grade 8 1.1% 2.6% 4.9% Grade 9 2.9% 3.3% 7.0% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------------------|---------------|----------------|----------------|----------------|
| Tobacco | | | | | |
| | All | 12.6% | 17.8% | 32.9% | 67.1% |
| | Grade 7 | 5.3% | 7.7% | 16.8% | 83.2% |
| | Grade 8 | 5.9% | 10.1% | 23.8% | 76.2% |
| | Grade 9 | 8.8% | 16.2% | 33.4% | 66.6% |
| | Grade 10 | 16.3% | 22.3% | 38.7% | 61.3% |
| | Grade 11 | 20.2% | 25.7% | 42.9% | 57.1% |
| | Grade 12 | 25.6% | 31.2% | 50.1% | 49.9% |
| Alcohol | | | | | |
| | All | 34.2% | 45.4% | 66.8% | 33.2% |
| | Grade 7 | 17.6% | 22.7% | 46.9% | 53.1% |
| | Grade 8 | 25.2% | 36.1% | 59.1% | 40.9% |
| | Grade 9 | 35.2% | 47.5% | 69.4% | 30.6% |
| | Grade 10 | 41.2% | 55.4% | 74.7% | 25.3% |
| | Grade 11 | 44.2% | 55.2% | 74.7% | 25.3% |
| | Grade 12 | 48.3% | 62.6% | 82.2% | 17.8% |
| Inhalants | | | | | |
| | All | 3.1% | 4.7% | 9.5% | 90.5% |
| | Grade 7 | 3.7% | 5.1% | 9.0% | 91.0% |
| | Grade 8 | 4.4% | 7.3% | 12.6% | 87.4% |
| | Grade 9 | 3.1% | 3.9% | 6.5% | 93.5% |
| | Grade 10 | 3.2% | 5.0% | 11.9% | 88.1% |
| | Grade 11 | 2.4% | 4.1% | 10.0% | 90.0% |
| | Grade 12 | 1.1% | 1.5% | 4.9% | 95.1% |
| Any Illicit Drug | | 44 = 51 | | | |
| | All | 11.7% | 16.0% | 26.7% | 73.3% |
| | Grade 7 | 6.7% | 7.6% | 13.1% | 86.9% |
| | Grade 8 | 8.5% | 11.6% | 18.5% | 81.5% |
| | Grade 9 | 10.5% | 14.5% | 26.4% | 73.6% |
| | Grade 10 | 12.2% | 18.4% | 31.3% | 68.7% |
| | Grade 11 | 19.3% | 24.9% | 37.7% | 62.3% |
| 36 " | Grade 12 | 16.2% | 23.2% | 40.4% | 59.6% |
| Marijuana | | 0.00/ | 12.20/ | 22.50/ | 7.00 |
| | All | 9.0% | 13.3% | 23.7% | 76.3% |
| | Grade 7 | 5.3% | 6.3% | 10.3% | 89.7% |
| | Grade 8 | 6.7% | 9.7% | 15.9% | 84.1% |
| | Grade 9 | 9.1% | 12.6% | 23.6% | 76.4% |
| | Grade 10 | 8.0% | 14.3% | 28.0% | 72.0% |
| | Grade 11 | 15.1% | 21.4% | 33.8% | 66.2% |
| M " 0 1 | Grade 12 | 12.2% | 19.5% | 37.3% | 62.7% |
| Marijuana Only | A 11 | 2.00/ | 4.50/ | 10.60/ | 20.40 |
| | All | 3.0% | 4.5% | 10.6% | 89.4% |
| | Grade 7 | 2.3% | 2.6% | 6.1% | 93.9% |
| | Grade 8 | 2.6% | 4.2% | 7.8% | 92.2% |
| | Grade 9 | 3.0% | 4.2% | 10.8% | 89.2% |
| | Grade 10 | 2.1% | 3.9% | 11.3% | 88.7% |
| | Grade 11 Grade 12 | 5.1% 4.0% | 7.0% 6.7% | 12.8% 18.1% | 87.2% 81.9% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------------------|---------------|----------------|--------------|----------------|
| Cocaine or Crack | | | | | |
| | All | 4.9% | 6.7% | 11.7% | 88.3% |
| | Grade 7 | 2.2% | 2.4% | 3.1% | 96.9% |
| | Grade 8 | 2.6% | 3.8% | 6.0% | 94.0% |
| | Grade 9 | 4.7% | 5.9% | 11.4% | 88.6% |
| | Grade 10 | 5.7% | 8.5% | 15.6% | 84.4% |
| | Grade 11 | 9.7% | 12.8% | 20.7% | 79.3% |
| | Grade 12 | 5.9% | 8.1% | 16.7% | 83.3% |
| Cocaine | | | | | |
| | All | 4.6% | 6.5% | 11.5% | 88.5% |
| | Grade 7 | 1.7% | 1.9% | 2.6% | 97.4% |
| | Grade 8 | 2.2% | 3.6% | 5.6% | 94.4% |
| | Grade 9 | 4.4% | 5.9% | 11.2% | 88.8% |
| | Grade 10 | 5.6% | 8.4% | 15.2% | 84.8% |
| | Grade 11 | 9.4% | 12.7% | 20.7% | 79.3% |
| | Grade 12 | 6.0% | 8.2% | 16.7% | 83.3% |
| Crack | | | | | |
| | All | 0.7% | 0.7% | 1.6% | 98.4% |
| | Grade 7 | 0.7% | 0.8% | 0.9% | 99.1% |
| | Grade 8 | 1.1% | 1.3% | 1.7% | 98.3% |
| | Grade 9 | 0.3% | 0.3% | 1.5% | 98.5% |
| | Grade 10 | 0.7% | 0.7% | 2.5% | 97.5% |
| | Grade 11 | 0.7% | 0.7% | 1.1% | 98.9% |
| | Grade 12 | 0.5% | 0.5% | 1.4% | 98.6% |
| Hallucinogens | | | | | |
| | All | 1.6% | 2.5% | 4.6% | 95.4% |
| | Grade 7 | 1.5% | 1.7% | 2.0% | 98.0% |
| | Grade 8 | 1.6% | 1.8% | 3.6% | 96.4% |
| | Grade 9 | 1.2% | 1.8% | 4.1% | 95.9% |
| | Grade 10 | 2.0% | 2.8% | 5.7% | 94.3% |
| | Grade 11 | 2.1% | 5.0% | 7.4% | 92.6% |
| ¥T | Grade 12 | 1.0% | 2.5% | 5.3% | 94.7% |
| Uppers | A 11 | 1.20/ | 2.00/ | 2.40/ | 06.60/ |
| | All | 1.2% | 2.0% | 3.4% | 96.6% |
| | Grade 7 | 0.6% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 1.0% | 1.2% | 2.7% | 97.3% |
| | Grade 9 | 0.8% | 1.3% | 2.3% | 97.7% |
| | Grade 10 | 0.6% | 1.6% | 2.9% | 97.1% |
| | Grade 11 | 1.9% | 4.2% | 6.4% | 93.6% |
| Downous | Grade 12 | 3.1% | 4.8% | 6.7% | 93.3% |
| Downers | All | 1 20/ | 2 10/ | 2 50/ | 06.5% |
| | | 1.3% | 2.1% | 3.5% | 96.5% 98.7% |
| | Grade 7 | 1.0% | 1.0% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 0.5% | 2.3% | 97.7% 97.4% |
| | Grade 9 | 0.7% | 1.6% | 2.6% | |
| | Grade 10 | 0.7% | 1.9% 4.3% | 3.2% | 96.8% |
| | Grade 11 Grade 12 | 2.3% 3.7% | 4.5% 4.9% | 6.3% 7.2% | 93.7% 92.8% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 0.9% | 1.2% | 2.2% | 97.8% |
| | Grade 7 | 1.0% | 1.0% | 1.7% | 98.3% |
| | Grade 8 | 1.6% | 2.0% | 3.4% | 96.6% |
| | Grade 9 | 0.7% | 0.7% | 1.6% | 98.4% |
| | Grade 10 | 1.1% | 1.8% | 3.1% | 96.9% |
| | Grade 11 | 0.5% | 0.5% | 1.4% | 98.6% |
| | Grade 12 | 0.3% | 0.9% | 1.7% | 98.3% |
| Steroids | | | | | |
| | All | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 7 | 0.9% | 1.0% | 1.4% | 98.6% |
| | Grade 8 | 0.4% | 0.8% | 2.3% | 97.7% |
| | Grade 9 | 0.0% | 0.0% | 0.8% | 99.2% |
| | Grade 10 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 11 | 0.9% | 1.2% | 1.6% | 98.4% |
| | Grade 12 | 0.9% | 1.7% | 2.8% | 97.2% |
| Ecstasy | | | | | |
| | All | 1.8% | 2.3% | 4.1% | 95.9% |
| | Grade 7 | 0.4% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 2.0% | 3.2% | 96.8% |
| | Grade 9 | 1.8% | 1.9% | 3.7% | 96.3% |
| | Grade 10 | 2.6% | 3.0% | 5.0% | 95.0% |
| | Grade 11 | 3.0% | 4.1% | 6.8% | 93.2% |
| | Grade 12 | 2.1% | 2.5% | 5.6% | 94.4% |
| Heroin | | | | | |
| | All | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 1.0% | 1.0% | 2.6% | 97.4% |
| | Grade 8 | 0.4% | 1.0% | 2.2% | 97.8% |
| | Grade 9 | 0.6% | 0.9% | 0.9% | 99.1% |
| | Grade 10 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 11 | 0.9% | 1.1% | 1.6% | 98.4% |
| | Grade 12 | 0.0% | 0.0% | 0.9% | 99.1% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents

| | Past Month | School Year | Ever Used | Never Used |
|------------------|-------------------|----------------|--------------|---------------|
| Tobacco | | | | |
| | All 18.1% | 25.2% | 46.1% | 53.9% |
| Grad | e 7 7.7% | 12.6% | 32.2% | 67.8% |
| Grad | e 8 11.6% | 16.9% | 39.5% | 60.5% |
| Grad | e 9 18.4% | 27.4% | 51.3% | 48.7% |
| Grade | e 10 18.3% | 25.7% | 48.5% | 51.5% |
| Grade | e 11 27.3% | 34.2% | 51.4% | 48.6% |
| Grade | e 12 31.7% | 41.4% | 57.8% | 42.29 |
| Alcohol | | | | |
| | All 40.7% | 55.1% | 77.5% | 22.5% |
| Grad | e 7 26.0% | 36.1% | 61.7% | 38.39 |
| Grad | e 8 38.6% | 48.0% | 75.6% | 24.49 |
| Grad | | 59.8% | 82.1% | 17.99 |
| Grade | e 10 41.5% | 58.0% | 78.7% | 21.39 |
| Grade | e 11 48.8% | 65.2% | 86.4% | 13.69 |
| Grade | e 12 50.4% | 69.5% | 82.6% | 17.49 |
| Inhalants | | | | |
| | All 4.6% | 7.7% | 14.8% | 85.29 |
| Grad | e 7 3.5% | 5.4% | 10.9% | 89.19 |
| Grad | e 8 7.5% | 10.5% | 17.2% | 82.89 |
| Grad | e 9 5.3% | 10.2% | 18.5% | 81.59 |
| Grade | e 10 3.1% | 6.9% | 14.3% | 85.79 |
| Grade | e 11 4.2% | 5.7% | 11.8% | 88.29 |
| Grade | e 12 2.6% | 5.8% | 14.1% | 85.99 |
| Any Illicit Drug | | | | |
| | All 18.6% | 26.0% | 42.3% | 57.79 |
| Grad | e 7 10.0% | 13.6% | 23.1% | 76.99 |
| Grad | e 8 13.2% | 18.9% | 32.3% | 67.79 |
| Grad | e 9 25.3% | 33.2% | 45.2% | 54.89 |
| Grade | e 10 18.6% | 27.9% | 48.3% | 51.79 |
| Grade | e 11 23.5% | 30.8% | 53.1% | 46.99 |
| Grade | e 12 23.3% | 34.6% | 59.1% | 40.99 |
| Marijuana | | | | |
| | All 16.3% | 23.7% | 39.9% | 60.19 |
| Grad | e 7 9.5% | 11.7% | 22.2% | 77.89 |
| Grad | e 8 11.8% | 17.0% | 29.0% | 71.09 |
| Grad | e 9 21.1% | 30.5% | 42.9% | 57.19 |
| Grade | e 10 16.0% | 25.0% | 45.5% | 54.59 |
| Grade | e 11 21.7% | 28.4% | 50.2% | 49.89 |
| Grade | e 12 19.6% | 32.9% | 57.5% | 42.59 |
| Marijuana Only | | | | |
| | All 6.1% | 9.3% | 19.7% | 80.39 |
| Grad | e 7 4.9% | 6.4% | 13.0% | 87.09 |
| Grad | e 8 3.9% | 6.1% | 15.4% | 84.69 |
| Grad | e 9 8.8% | 11.3% | 18.2% | 81.89 |
| Grade | e 10 6.9% | 10.6% | 23.3% | 76.79 |
| Grade | e 11 5.7% | 9.1% | 23.1% | 76.99 |
| Grade | e 12 6.0% | 13.4% | 29.3% | 70.79 |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 5.1% | 8.0% | 14.9% | 85.1% |
| | Grade 7 | 1.0% | 2.1% | 5.9% | 94.1% |
| | Grade 8 | 4.0% | 5.7% | 10.1% | 89.9% |
| | Grade 9 | 7.2% | 9.9% | 16.7% | 83.3% |
| | Grade 10 | 4.6% | 8.9% | 17.0% | 83.0% |
| | Grade 11 | 8.3% | 10.8% | 22.0% | 78.0% |
| | Grade 12 | 6.0% | 12.2% | 20.6% | 79.4% |
| Cocaine | | | | | |
| | All | 5.0% | 7.7% | 14.4% | 85.6% |
| | Grade 7 | 0.8% | 1.3% | 4.8% | 95.2% |
| | Grade 8 | 3.9% | 5.3% | 9.8% | 90.2% |
| | Grade 9 | 7.3% | 9.7% | 16.8% | 83.2% |
| | Grade 10 | 4.3% | 9.0% | 17.0% | 83.0% |
| | Grade 11 | 8.3% | 10.1% | 20.8% | 79.2% |
| | Grade 12 | 5.7% | 12.3% | 20.1% | 79.9% |
| Crack | | | | | |
| | All | 0.9% | 1.6% | 3.0% | 97.0% |
| | Grade 7 | 0.2% | 0.9% | 2.0% | 98.0% |
| | Grade 8 | 0.4% | 1.0% | 2.3% | 97.7% |
| | Grade 9 | 1.8% | 2.1% | 3.2% | 96.8% |
| | Grade 10 | 0.5% | 0.8% | 2.4% | 97.6% |
| | Grade 11 | 1.6% | 3.5% | 5.5% | 94.5% |
| | Grade 12 | 0.8% | 1.6% | 3.3% | 96.7% |
| Hallucinogens | | | | | |
| | All | 2.0% | 3.4% | 6.9% | 93.1% |
| | Grade 7 | 0.9% | 1.4% | 2.5% | 97.5% |
| | Grade 8 | 0.5% | 0.9% | 3.5% | 96.5% |
| | Grade 9 | 2.4% | 4.4% | 9.2% | 90.8% |
| | Grade 10 | 1.4% | 3.4% | 7.2% | 92.8% |
| | Grade 11 | 4.2% | 6.6% | 12.4% | 87.6% |
| | Grade 12 | 3.7% | 5.0% | 8.6% | 91.4% |
| Uppers | | | | | |
| | All | 2.8% | 4.1% | 7.3% | 92.7% |
| | Grade 7 | 1.0% | 1.0% | 1.2% | 98.8% |
| | Grade 8 | 1.6% | 2.2% | 4.0% | 96.0% |
| | Grade 9 | 3.7% | 4.6% | 9.3% | 90.7% |
| | Grade 10 | 1.8% | 3.8% | 6.2% | 93.8% |
| | Grade 11 | 4.5% | 6.5% | 12.9% | 87.1% |
| | Grade 12 | 5.4% | 8.4% | 12.8% | 87.2% |
| Downers | | | | | |
| | All | 2.8% | 4.3% | 7.7% | 92.3% |
| | Grade 7 | 0.0% | 0.5% | 1.4% | 98.6% |
| | Grade 8 | 2.2% | 2.4% | 4.3% | 95.7% |
| | Grade 9 | 3.7% | 4.7% | 8.9% | 91.1% |
| | Grade 10 | 1.0% | 3.6% | 7.0% | 93.0% |
| | Grade 11 | 5.5% | 7.7% | 13.2% | 86.8% |
| | Grade 12 | 5.7% | 9.0% | 15.0% | 85.0% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| V 1 | All | 1.6% | 2.2% | 4.5% | 95.5% |
| | Grade 7 | 1.7% | 2.1% | 2.7% | 97.3% |
| | Grade 8 | 2.0% | 2.4% | 3.9% | 96.1% |
| | Grade 9 | 3.1% | 4.4% | 7.4% | 92.6% |
| | Grade 10 | 0.6% | 1.0% | 4.0% | 96.0% |
| | Grade 11 | 0.8% | 1.4% | 4.5% | 95.5% |
| | Grade 12 | 0.8% | 1.5% | 4.2% | 95.8% |
| Steroids | | | | | |
| | All | 0.6% | 1.0% | 1.9% | 98.1% |
| | Grade 7 | 0.1% | 0.4% | 1.3% | 98.7% |
| | Grade 8 | 1.3% | 1.3% | 2.1% | 97.9% |
| | Grade 9 | 0.7% | 1.3% | 2.3% | 97.7% |
| | Grade 10 | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 11 | 1.0% | 1.7% | 3.1% | 96.9% |
| | Grade 12 | 0.1% | 0.8% | 1.5% | 98.5% |
| Ecstasy | | | | | |
| | All | 2.5% | 4.1% | 7.7% | 92.3% |
| | Grade 7 | 0.7% | 0.8% | 1.5% | 98.5% |
| | Grade 8 | 1.0% | 2.6% | 5.3% | 94.7% |
| | Grade 9 | 3.7% | 4.5% | 8.8% | 91.2% |
| | Grade 10 | 1.6% | 3.3% | 7.0% | 93.0% |
| | Grade 11 | 5.4% | 8.2% | 13.4% | 86.6% |
| | Grade 12 | 3.4% | 6.5% | 12.5% | 87.5% |
| Heroin | | | | | |
| | All | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.1% | 0.1% | 0.9% | 99.1% |
| | Grade 8 | 1.0% | 1.3% | 2.0% | 98.0% |
| | Grade 9 | 0.5% | 0.6% | 1.8% | 98.2% |
| | Grade 10 | 0.3% | 0.3% | 1.1% | 98.9% |
| | Grade 11 | 1.1% | 1.9% | 2.4% | 97.6% |
| | Grade 12 | 0.4% | 1.3% | 1.9% | 98.1% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

| | Past Month | School Year | Ever Used | Neve Used |
|------------------|---------------|----------------|--------------|--------------|
| Tobacco | | | | |
| All | 13.8% | 19.2% | 36.0% | 64.0% |
| Grade 7 | 4.8% | 7.0% | 19.9% | 80.1% |
| Grade 8 | 7.3% | 11.2% | 27.9% | 72.1% |
| Grade 9 | 12.4% | 20.5% | 40.1% | 59.9% |
| Grade 10 | 15.5% | 20.6% | 38.3% | 61.79 |
| Grade 11 | 21.2% | 27.5% | 44.7% | 55.3% |
| Grade 12 | 28.0% | 35.6% | 52.3% | 47.79 |
| Alcohol | | | | |
| All | 34.3% | 46.7% | 69.5% | 30.59 |
| Grade 7 | 18.6% | 25.4% | 50.3% | 49.79 |
| Grade 8 | 27.2% | 37.2% | 64.0% | 36.09 |
| Grade 9 | 36.7% | 49.7% | 73.4% | 26.69 |
| Grade 10 | 38.7% | 53.5% | 73.7% | 26.39 |
| Grade 11 | 44.4% | 58.6% | 79.3% | 20.79 |
| Grade 12 | 46.2% | 63.6% | 82.2% | 17.89 |
| Inhalants | | | | |
| All | 2.5% | 4.4% | 9.6% | 90.49 |
| Grade 7 | 1.9% | 3.5% | 6.9% | 93.19 |
| Grade 8 | 3.4% | 5.3% | 11.0% | 89.09 |
| Grade 9 | 3.3% | 5.8% | 10.5% | 89.59 |
| Grade 10 | 2.4% | 4.5% | 11.3% | 88.79 |
| Grade 11 | 2.4% | 4.0% | 9.4% | 90.69 |
| Grade 12 | 1.0% | 2.3% | 7.3% | 92.79 |
| Any Illicit Drug | | | | |
| All | 12.3% | 17.3% | 30.0% | 70.09 |
| Grade 7 | 5.3% | 7.2% | 13.6% | 86.49 |
| Grade 8 | 8.3% | 11.4% | 21.1% | 78.99 |
| Grade 9 | 14.8% | 20.7% | 32.0% | 68.09 |
| Grade 10 | 11.8% | 18.3% | 33.5% | 66.59 |
| Grade 11 | 19.4% | 25.3% | 41.2% | 58.89 |
| Grade 12 | 17.3% | 25.3% | 46.0% | 54.09 |
| Marijuana | | | | |
| All | 10.4% | 15.2% | 27.4% | 72.69 |
| Grade 7 | 4.7% | 5.8% | 11.8% | 88.29 |
| Grade 8 | 7.1% | 9.8% | 18.1% | 81.99 |
| Grade 9 | 13.0% | 18.5% | 29.3% | 70.79 |
| Grade 10 | 9.1% | 15.7% | 31.0% | 69.09 |
| Grade 11 | 16.6% | 22.4% | 37.5% | 62.59 |
| Grade 12 | 14.7% | 22.9% | 44.3% | 55.79 |
| Marijuana Only | | | | |
| All | 4.0% | 6.0% | 13.6% | 86.49 |
| Grade 7 | 2.7% | 3.4% | 7.8% | 92.29 |
| Grade 8 | 3.0% | 4.3% | 10.5% | 89.59 |
| Grade 9 | 5.4% | 7.2% | 12.8% | 87.29 |
| Grade 10 | 3.3% | 5.6% | 14.5% | 85.59 |
| Grade 11 | 5.6% | 8.2% | 16.9% | 83.19 |
| Grade 12 | 4.9% | 8.7% | 23.2% | 76.89 |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------------------|---------------|----------------|--------------|----------------|
| Cocaine or Crack | | | | | |
| | All | 4.1% | 5.9% | 11.3% | 88.7% |
| | Grade 7 | 0.9% | 1.7% | 3.3% | 96.7% |
| | Grade 8 | 2.2% | 3.4% | 5.9% | 94.1% |
| | Grade 9 | 4.9% | 6.8% | 13.0% | 87.0% |
| | Grade 10 | 4.1% | 6.7% | 14.2% | 85.8% |
| | Grade 11 | 8.4% | 10.2% | 18.7% | 81.3% |
| | Grade 12 | 5.0% | 8.4% | 15.8% | 84.2% |
| Cocaine | | | | | |
| | All | 4.0% | 5.7% | 11.1% | 88.9% |
| | Grade 7 | 0.7% | 1.1% | 2.7% | 97.3% |
| | Grade 8 | 2.1% | 3.1% | 5.7% | 94.3% |
| | Grade 9 | 4.9% | 6.7% | 13.0% | 87.0% |
| | Grade 10 | 4.1% | 6.7% | 14.0% | 86.0% |
| | Grade 11 | 8.2% | 10.2% | 18.4% | 81.6% |
| | Grade 12 | 5.0% | 8.4% | 15.7% | 84.3% |
| Crack | | | | | |
| | All | 0.5% | 0.8% | 1.7% | 98.3% |
| | Grade 7 | 0.4% | 0.8% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 0.9% | 1.3% | 98.7% |
| | Grade 9 | 0.8% | 1.0% | 1.8% | 98.2% |
| | Grade 10 | 0.1% | 0.3% | 1.8% | 98.2% |
| | Grade 11 | 0.9% | 1.4% | 2.4% | 97.6% |
| | Grade 12 | 0.4% | 0.9% | 2.1% | 97.9% |
| Hallucinogens | | | | | |
| | All | 1.4% | 2.3% | 4.6% | 95.4% |
| | Grade 7 | 1.0% | 1.0% | 1.1% | 98.9% |
| | Grade 8 | 0.9% | 0.9% | 2.2% | 97.8% |
| | Grade 9 | 1.2% | 2.3% | 5.3% | 94.7% |
| | Grade 10 | 1.2% | 2.3% | 5.7% | 94.3% |
| | Grade 11 | 2.8% | 4.9% | 8.5% | 91.5% |
| ** | Grade 12 | 1.7% | 3.3% | 6.3% | 93.7% |
| Uppers | | 1.20/ | 2.20/ | 4.00/ | 0.6.00 |
| | All | 1.3% | 2.3% | 4.0% | 96.0% |
| | Grade 7 | 0.5% | 0.5% | 0.5% | 99.5% |
| | Grade 8 | 0.7% | 0.9% | 1.9% | 98.1% |
| | Grade 9 | 1.2% | 2.0% | 4.0% | 96.0% |
| | Grade 10 | 0.6% | 1.7% | 3.4% | 96.6% |
| | Grade 11 | 2.7% | 5.0% | 8.4% | 91.6% |
| D | Grade 12 | 2.9% | 5.2% | 8.1% | 91.9% |
| Downers | A 11 | 1.00/ | 2.00/ | 4 (0/ | 05.40 |
| | All | 1.8% | 2.8% | 4.6% | 95.4% |
| | Grade 7 | 0.5% | 0.8% | 0.9% | 99.1% |
| | Grade 8 | 0.9% | 0.9% | 2.3% | 97.7% |
| | Grade 9 | 1.9% | 2.8% | 4.5% | 95.5% |
| | Grade 10 | 0.6% | 2.0% | 4.0% | 96.0% |
| | Grade 11 Grade 12 | 3.5% 4.3% | 5.6% 6.2% | 8.6% 9.7% | 91.4% 90.3% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

(Continued)

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|------|-------|
| | | Month | Year | Used | Used |
| Rohypnol | | 0.054 | 4.00 | | 0= 4 |
| | All | 0.9% | 1.2% | 2.7% | 97.3% |
| | Grade 7 | 1.1% | 1.4% | 1.8% | 98.2% |
| | Grade 8 | 1.4% | 1.4% | 3.1% | 96.9% |
| | Grade 9 | 1.1% | 1.6% | 3.7% | 96.3% |
| | Grade 10 | 0.5% | 1.0% | 2.6% | 97.4% |
| | Grade 11 | 0.5% | 0.6% | 2.6% | 97.4% |
| | Grade 12 | 0.3% | 0.9% | 2.4% | 97.6% |
| Steroids | | | | | |
| | All | 0.4% | 0.7% | 1.5% | 98.5% |
| | Grade 7 | 0.1% | 0.2% | 0.9% | 99.1% |
| | Grade 8 | 0.4% | 0.5% | 2.1% | 97.9% |
| | Grade 9 | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 10 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 11 | 1.0% | 1.5% | 2.0% | 98.0% |
| | Grade 12 | 0.2% | 0.9% | 1.9% | 98.1% |
| Ecstasy | | | | | |
| • | All | 1.5% | 2.3% | 4.8% | 95.2% |
| | Grade 7 | 0.5% | 0.7% | 0.8% | 99.2% |
| | Grade 8 | 0.5% | 1.2% | 2.7% | 97.3% |
| | Grade 9 | 1.9% | 2.2% | 5.6% | 94.4% |
| | Grade 10 | 1.7% | 2.3% | 5.3% | 94.7% |
| | Grade 11 | 3.0% | 4.6% | 8.0% | 92.0% |
| | Grade 12 | 1.9% | 3.4% | 8.2% | 91.8% |
| Heroin | | | | | |
| | All | 0.3% | 0.5% | 1.1% | 98.9% |
| | Grade 7 | 0.3% | 0.3% | 1.1% | 98.9% |
| | Grade 8 | 0.2% | 0.6% | 1.6% | 98.4% |
| | Grade 9 | 0.3% | 0.5% | 1.1% | 98.9% |
| | Grade 10 | 0.5% | 0.0% | 0.5% | 99.5% |
| | Grade 11 | 0.8% | 0.9% | 1.4% | 98.6% |
| | Grade 12 | 0.8% | 0.5% | 1.4% | 98.8% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 19.5% | 27.4% | 48.0% | 52.0% |
| Grade 7 | 13.4% | 23.1% | 39.0% | 61.0% |
| Grade 8 | 12.0% | 19.7% | 39.1% | 60.9% |
| Grade 9 | 16.2% | 23.7% | 46.3% | 53.7% |
| Grade 10 | 23.0% | 33.2% | 54.2% | 45.8% |
| Grade 11 | 26.9% | 32.3% | 52.3% | 47.7% |
| Grade 12 | 28.5% | 34.2% | 58.5% | 41.5% |
| Alcohol | | | | |
| All | 47.1% | 60.5% | 79.1% | 20.9% |
| Grade 7 | 35.2% | 43.5% | 71.4% | 28.6% |
| Grade 8 | 42.9% | 55.6% | 74.7% | 25.3% |
| Grade 9 | 48.0% | 64.8% | 79.8% | 20.2% |
| Grade 10 | 47.5% | 63.9% | 82.8% | 17.2% |
| Grade 11 | 52.6% | 62.6% | 81.8% | 18.2% |
| Grade 12 | 58.0% | 71.9% | 83.6% | 16.4% |
| Inhalants | | | | |
| All | 8.2% | 11.4% | 19.3% | 80.7% |
| Grade 7 | 12.1% | 14.3% | 24.4% | 75.6% |
| Grade 8 | 14.5% | 19.5% | 25.5% | 74.5% |
| Grade 9 | 7.4% | 9.4% | 16.6% | 83.4% |
| Grade 10 | 5.1% | 9.5% | 18.2% | 81.8% |
| Grade 11 | 5.1% | 7.1% | 15.1% | 84.9% |
| Grade 12 | 4.2% | 7.1% | 15.6% | 84.4% |
| Any Illicit Drug | | | | |
| All | 22.3% | 30.0% | 45.6% | 54.4% |
| Grade 7 | 20.3% | 23.1% | 35.3% | 64.7% |
| Grade 8 | 15.5% | 22.8% | 33.8% | 66.2% |
| Grade 9 | 25.7% | 30.8% | 45.6% | 54.4% |
| Grade 10 | 23.1% | 33.4% | 51.3% | 48.79 |
| Grade 11 | 25.8% | 34.4% | 53.5% | 46.5% |
| Grade 12 | 23.9% | 36.7% | 55.6% | 44.4% |
| Marijuana | | | | |
| All | 17.1% | 26.2% | 42.0% | 58.0% |
| Grade 7 | 17.8% | 21.3% | 32.6% | 67.4% |
| Grade 8 | 12.5% | 20.2% | 30.8% | 69.2% |
| Grade 9 | 20.5% | 27.8% | 43.3% | 56.7% |
| Grade 10 | 16.9% | 26.6% | 46.1% | 53.9% |
| Grade 11 | 20.2% | 30.2% | 50.5% | 49.5% |
| Grade 12 | 14.2% | 32.8% | 50.1% | 49.9% |
| Marijuana Only | | | | |
| All | 4.8% | 8.4% | 17.3% | 82.7% |
| Grade 7 | 4.9% | 6.5% | 14.0% | 86.0% |
| Grade 8 | 3.1% | 7.7% | 12.6% | 87.4% |
| Grade 9 | 5.6% | 7.3% | 17.5% | 82.5% |
| Grade 10 | 5.6% | 9.3% | 20.9% | 79.1% |
| Grade 11 | 5.1% | 8.0% | 17.9% | 82.1% |
| Grade 12 | 3.9% | 12.8% | 21.2% | 78.8% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 8.6% | 12.1% | 19.1% | 80.9% |
| | Grade 7 | 6.7% | 6.7% | 9.5% | 90.5% |
| | Grade 8 | 6.1% | 8.6% | 11.8% | 88.2% |
| | Grade 9 | 10.1% | 12.1% | 18.3% | 81.7% |
| | Grade 10 | 8.0% | 13.1% | 19.9% | 80.1% |
| | Grade 11 | 11.4% | 17.8% | 29.0% | 71.0% |
| | Grade 12 | 9.8% | 14.6% | 28.1% | 71.9% |
| Cocaine | | | | | |
| | All | 7.9% | 11.6% | 18.3% | 81.7% |
| | Grade 7 | 5.7% | 5.7% | 8.3% | 91.7% |
| | Grade 8 | 5.4% | 8.6% | 11.2% | 88.8% |
| | Grade 9 | 9.1% | 12.1% | 17.6% | 82.4% |
| | Grade 10 | 7.5% | 12.5% | 19.4% | 80.6% |
| | Grade 11 | 11.0% | 16.0% | 27.8% | 72.2% |
| | Grade 12 | 9.0% | 14.7% | 28.0% | 72.0% |
| Crack | | | | | |
| | All | 1.5% | 2.0% | 3.6% | 96.4% |
| | Grade 7 | 1.4% | 1.4% | 1.6% | 98.4% |
| | Grade 8 | 1.9% | 2.6% | 3.8% | 96.2% |
| | Grade 9 | 1.8% | 1.8% | 4.7% | 95.3% |
| | Grade 10 | 1.7% | 1.8% | 4.2% | 95.8% |
| | Grade 11 | 1.1% | 2.9% | 3.4% | 96.6% |
| | Grade 12 | 0.8% | 0.8% | 2.3% | 97.7% |
| Hallucinogens | | | | | |
| | All | 2.9% | 4.5% | 8.6% | 91.4% |
| | Grade 7 | 2.0% | 4.1% | 7.9% | 92.1% |
| | Grade 8 | 2.9% | 4.5% | 9.0% | 91.0% |
| | Grade 9 | 2.2% | 2.6% | 7.7% | 92.3% |
| | Grade 10 | 3.7% | 5.2% | 8.6% | 91.4% |
| | Grade 11 | 3.4% | 7.4% | 11.1% | 88.9% |
| | Grade 12 | 2.5% | 2.5% | 6.9% | 93.1% |
| Uppers | | | | | |
| | All | 3.6% | 4.8% | 8.0% | 92.0% |
| | Grade 7 | 2.5% | 2.5% | 4.4% | 95.6% |
| | Grade 8 | 2.8% | 3.4% | 5.3% | 94.7% |
| | Grade 9 | 4.3% | 4.6% | 10.1% | 89.9% |
| | Grade 10 | 2.1% | 4.5% | 6.4% | 93.6% |
| | Grade 11 | 3.4% | 5.0% | 10.2% | 89.8% |
| | Grade 12 | 8.1% | 10.0% | 12.7% | 87.3% |
| Downers | | | | | |
| | All | 2.4% | 3.9% | 7.6% | 92.4% |
| | Grade 7 | 1.2% | 1.2% | 4.0% | 96.0% |
| | Grade 8 | 1.7% | 1.7% | 3.0% | 97.0% |
| | Grade 9 | 2.9% | 4.3% | 9.2% | 90.8% |
| | Grade 10 | 1.7% | 4.4% | 7.3% | 92.7% |
| | Grade 11 | 3.4% | 5.0% | 10.5% | 89.5% |
| | Grade 12 | 4.4% | 7.9% | 13.2% | 86.8% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|--------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 2.0% | 2.6% | 4.2% | 95.8% |
| Gı | rade 7 | 2.2% | 2.2% | 4.1% | 95.9% |
| Gı | rade 8 | 2.4% | 2.7% | 3.5% | 96.5% |
| Gı | rade 9 | 3.8% | 4.8% | 5.9% | 94.1% |
| Gr | ade 10 | 1.7% | 2.7% | 5.7% | 94.3% |
| Gr | ade 11 | 0.7% | 0.7% | 1.7% | 98.3% |
| Gr | ade 12 | 0.6% | 1.7% | 3.9% | 96.1% |
| Steroids | | | | | |
| | All | 1.4% | 1.6% | 2.9% | 97.1% |
| Gı | rade 7 | 2.7% | 3.0% | 4.1% | 95.9% |
| Gı | rade 8 | 2.1% | 2.1% | 2.1% | 97.9% |
| Gı | rade 9 | 0.1% | 0.1% | 2.3% | 97.7% |
| Gr | ade 10 | 1.1% | 1.3% | 2.8% | 97.2% |
| Gr | ade 11 | 0.9% | 1.4% | 3.2% | 96.8% |
| Gr | ade 12 | 2.1% | 2.9% | 3.7% | 96.3% |
| Ecstasy | | | | | |
| | All | 3.7% | 4.9% | 7.9% | 92.1% |
| Gı | rade 7 | 0.9% | 1.0% | 4.0% | 96.0% |
| Gı | rade 8 | 2.2% | 4.3% | 8.4% | 91.6% |
| Gı | rade 9 | 4.3% | 4.4% | 5.5% | 94.5% |
| Gr | ade 10 | 4.3% | 5.2% | 7.8% | 92.2% |
| Gr | ade 11 | 5.1% | 7.5% | 13.0% | 87.0% |
| Gr | ade 12 | 5.7% | 6.5% | 8.7% | 91.3% |
| Heroin | | | | | |
| | All | 1.4% | 2.0% | 3.2% | 96.8% |
| Gı | rade 7 | 3.2% | 3.2% | 7.4% | 92.6% |
| Gı | rade 8 | 1.4% | 2.1% | 2.6% | 97.4% |
| Gı | rade 9 | 2.1% | 2.2% | 2.9% | 97.1% |
| Gr | ade 10 | 0.6% | 1.3% | 2.2% | 97.8% |
| Gr | ade 11 | 1.4% | 2.5% | 3.2% | 96.8% |
| Gr | ade 12 | 0.0% | 0.2% | 2.1% | 97.9% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 13.9% | 19.7% | 39.3% | 60.7% |
| Grade 7 | 8.1% | 11.4% | 27.2% | 72.8% |
| Grade 8 | 9.7% | 14.0% | 33.2% | 66.8% |
| Grade 9 | 13.8% | 22.8% | 44.8% | 55.2% |
| Grade 10 | 17.1% | 22.7% | 44.9% | 55.1% |
| Grade 11 | 22.3% | 27.9% | 43.3% | 56.7% |
| Grade 12 | 26.3% | 36.2% | 62.5% | 37.5% |
| Alcohol | | | | |
| All | 35.6% | 47.3% | 70.5% | 29.5% |
| Grade 7 | 27.3% | 32.5% | 58.4% | 41.6% |
| Grade 8 | 31.8% | 39.8% | 65.5% | 34.5% |
| Grade 9 | 39.1% | 56.3% | 79.6% | 20.4% |
| Grade 10 | 41.5% | 56.3% | 75.8% | 24.2% |
| Grade 11 | 39.6% | 52.3% | 71.0% | 29.0% |
| Grade 12 | 44.2% | 62.1% | 84.1% | 15.9% |
| Inhalants | | | | |
| All | 4.9% | 7.1% | 12.9% | 87.1% |
| Grade 7 | 4.5% | 6.4% | 10.0% | 90.0% |
| Grade 8 | 5.9% | 8.7% | 14.5% | 85.5% |
| Grade 9 | 6.4% | 9.4% | 14.5% | 85.5% |
| Grade 10 | 2.9% | 4.8% | 14.2% | 85.8% |
| Grade 11 | 3.9% | 4.8% | 10.3% | 89.7% |
| Grade 12 | 3.2% | 5.9% | 13.9% | 86.1% |
| Any Illicit Drug | | | | |
| All | 16.6% | 21.6% | 35.6% | 64.4% |
| Grade 7 | 10.2% | 11.5% | 20.5% | 79.5% |
| Grade 8 | 15.3% | 19.1% | 30.1% | 69.9% |
| Grade 9 | 20.8% | 27.0% | 39.0% | 61.0% |
| Grade 10 | 17.5% | 24.9% | 44.7% | 55.3% |
| Grade 11 | 18.6% | 25.3% | 43.6% | 56.4% |
| Grade 12 | 22.8% | 31.4% | 58.9% | 41.1% |
| Marijuana | | | | |
| All | 13.5% | 19.0% | 32.7% | 67.3% |
| Grade 7 | 9.3% | 10.2% | 18.7% | 81.3% |
| Grade 8 | 12.6% | 16.6% | 27.4% | 72.6% |
| Grade 9 | 16.8% | 24.6% | 35.9% | 64.19 |
| Grade 10 | 13.2% | 20.2% | 40.5% | 59.5% |
| Grade 11 | 14.8% | 21.8% | 40.8% | 59.2% |
| Grade 12 | 17.5% | 29.2% | 54.5% | 45.5% |
| Marijuana Only | | | | |
| All | 5.4% | 7.4% | 16.1% | 83.9% |
| Grade 7 | 4.9% | 5.5% | 11.7% | 88.3% |
| Grade 8 | 4.5% | 6.5% | 13.6% | 86.4% |
| Grade 9 | 6.4% | 7.7% | 15.5% | 84.5% |
| Grade 10 | 4.3% | 7.1% | 19.5% | 80.5% |
| Grade 11 | 6.3% | 8.6% | 19.1% | 80.9% |
| Grade 12 | 7.5% | 13.7% | 29.1% | 70.9% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 5.0% | 7.0% | 12.6% | 87.4% |
| | Grade 7 | 1.0% | 1.3% | 4.4% | 95.6% |
| | Grade 8 | 5.0% | 6.3% | 10.4% | 89.6% |
| | Grade 9 | 8.1% | 10.4% | 15.6% | 84.4% |
| | Grade 10 | 6.1% | 9.5% | 16.7% | 83.3% |
| | Grade 11 | 5.8% | 7.1% | 17.0% | 83.0% |
| | Grade 12 | 4.6% | 10.7% | 20.8% | 79.2% |
| Cocaine | | | | | |
| | All | 4.8% | 6.8% | 12.5% | 87.5% |
| | Grade 7 | 1.0% | 1.0% | 3.9% | 96.1% |
| | Grade 8 | 4.5% | 5.9% | 10.3% | 89.7% |
| | Grade 9 | 7.7% | 10.6% | 15.9% | 84.1% |
| | Grade 10 | 5.6% | 9.3% | 16.6% | 83.4% |
| | Grade 11 | 5.8% | 6.7% | 16.5% | 83.5% |
| | Grade 12 | 4.6% | 10.8% | 20.8% | 79.2% |
| Crack | | | | | |
| | All | 0.9% | 1.2% | 2.0% | 98.0% |
| | Grade 7 | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 1.5% | 1.9% | 2.5% | 97.5% |
| | Grade 9 | 1.5% | 1.5% | 2.0% | 98.0% |
| | Grade 10 | 0.5% | 0.6% | 3.0% | 97.0% |
| | Grade 11 | 0.8% | 1.4% | 2.0% | 98.0% |
| | Grade 12 | 0.0% | 0.3% | 0.6% | 99.4% |
| Hallucinogens | | | | | |
| | All | 2.0% | 3.0% | 6.1% | 93.9% |
| | Grade 7 | 1.9% | 1.9% | 2.8% | 97.2% |
| | Grade 8 | 0.9% | 1.4% | 3.8% | 96.2% |
| | Grade 9 | 2.5% | 4.3% | 7.9% | 92.1% |
| | Grade 10 | 2.4% | 3.8% | 9.9% | 90.1% |
| | Grade 11 | 3.7% | 5.5% | 9.1% | 90.9% |
| | Grade 12 | 1.3% | 2.1% | 5.1% | 94.9% |
| Uppers | | | | | |
| | All | 2.0% | 2.6% | 5.1% | 94.9% |
| | Grade 7 | 0.4% | 0.4% | 0.6% | 99.4% |
| | Grade 8 | 1.6% | 1.9% | 4.0% | 96.0% |
| | Grade 9 | 3.3% | 3.7% | 7.3% | 92.7% |
| | Grade 10 | 2.2% | 3.6% | 6.4% | 93.6% |
| | Grade 11 | 2.5% | 4.1% | 8.8% | 91.2% |
| | Grade 12 | 2.2% | 3.5% | 7.1% | 92.9% |
| Downers | | | a | | 0.7- |
| | All | 1.6% | 2.4% | 5.2% | 94.8% |
| | Grade 7 | 0.3% | 0.7% | 0.9% | 99.1% |
| | Grade 8 | 1.8% | 1.8% | 4.4% | 95.6% |
| | Grade 9 | 2.0% | 2.8% | 6.3% | 93.7% |
| | Grade 10 | 0.7% | 2.6% | 5.8% | 94.2% |
| | Grade 11 | 3.1% | 4.2% | 7.7% | 92.3% |
| | Grade 12 | 3.8% | 5.0% | 13.4% | 86.6% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | Month | I Cui | Coca | Oscu |
| J F | All | 1.7% | 2.1% | 4.1% | 95.9% |
| | Grade 7 | 1.6% | 2.1% | 2.6% | 97.4% |
| | Grade 8 | 2.0% | 2.9% | 5.5% | 94.5% |
| | Grade 9 | 2.7% | 2.7% | 4.6% | 95.4% |
| | Grade 10 | 0.7% | 0.8% | 4.1% | 95.9% |
| | Grade 11 | 1.3% | 1.3% | 3.3% | 96.7% |
| | Grade 12 | 0.0% | 1.0% | 3.3% | 96.7% |
| Steroids | | | | | |
| | All | 0.6% | 0.9% | 1.6% | 98.4% |
| | Grade 7 | 1.0% | 1.1% | 1.1% | 98.9% |
| | Grade 8 | 1.1% | 1.5% | 2.3% | 97.7% |
| | Grade 9 | 0.1% | 0.6% | 1.6% | 98.4% |
| | Grade 10 | 0.4% | 0.5% | 1.7% | 98.3% |
| | Grade 11 | 0.3% | 0.3% | 1.3% | 98.7% |
| | Grade 12 | 1.0% | 1.0% | 1.0% | 99.0% |
| Ecstasy | | | | | |
| | All | 2.1% | 2.7% | 5.1% | 94.9% |
| | Grade 7 | 1.0% | 1.0% | 1.3% | 98.7% |
| | Grade 8 | 1.7% | 3.4% | 5.2% | 94.8% |
| | Grade 9 | 3.1% | 3.2% | 5.5% | 94.5% |
| | Grade 10 | 1.8% | 2.6% | 6.6% | 93.4% |
| | Grade 11 | 3.8% | 4.5% | 8.4% | 91.6% |
| | Grade 12 | 1.0% | 2.0% | 6.7% | 93.3% |
| Heroin | | | | | |
| | All | 0.7% | 0.9% | 1.8% | 98.2% |
| | Grade 7 | 0.5% | 0.5% | 1.3% | 98.7% |
| | Grade 8 | 1.1% | 1.9% | 2.9% | 97.1% |
| | Grade 9 | 1.0% | 1.0% | 2.1% | 97.9% |
| | Grade 10 | 0.4% | 0.5% | 1.5% | 98.5% |
| | Grade 11 | 0.5% | 0.5% | 1.3% | 98.7% |
| | Grade 12 | 0.0% | 0.2% | 0.2% | 99.8% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 15.1% | 21.0% | 37.4% | 62.6% |
| Grade 7 | 4.4% | 7.8% | 19.4% | 80.6% |
| Grade 8 | 7.0% | 11.9% | 28.1% | 71.9% |
| Grade 9 | 12.2% | 19.8% | 38.0% | 62.0% |
| Grade 10 | 16.9% | 23.8% | 40.9% | 59.1% |
| Grade 11 | 23.2% | 29.1% | 47.3% | 52.7% |
| Grade 12 | 28.4% | 34.9% | 51.2% | 48.8% |
| Alcohol | | | | |
| All | 37.1% | 50.1% | 71.1% | 28.9% |
| Grade 7 | 15.5% | 23.9% | 48.3% | 51.7% |
| Grade 8 | 29.8% | 41.6% | 65.8% | 34.2% |
| Grade 9 | 38.1% | 50.5% | 71.3% | 28.7% |
| Grade 10 | 40.8% | 55.9% | 75.6% | 24.4% |
| Grade 11 | 47.5% | 60.8% | 81.7% | 18.3% |
| Grade 12 | 50.3% | 66.2% | 82.1% | 17.9% |
| Inhalants | | | | |
| All | 3.2% | 5.4% | 10.9% | 89.1% |
| Grade 7 | 3.1% | 4.6% | 9.6% | 90.4% |
| Grade 8 | 5.6% | 8.5% | 14.4% | 85.6% |
| Grade 9 | 2.7% | 4.9% | 9.3% | 90.7% |
| Grade 10 | 3.3% | 6.2% | 12.5% | 87.5% |
| Grade 11 | 2.6% | 4.5% | 10.7% | 89.3% |
| Grade 12 | 1.4% | 2.7% | 7.5% | 92.5% |
| Any Illicit Drug | | | | |
| All | 13.5% | 19.3% | 31.7% | 68.3% |
| Grade 7 | 6.3% | 8.7% | 14.4% | 85.6% |
| Grade 8 | 7.6% | 11.9% | 20.5% | 79.5% |
| Grade 9 | 14.6% | 19.6% | 31.4% | 68.6% |
| Grade 10 | 13.9% | 21.4% | 35.5% | 64.5% |
| Grade 11 | 21.5% | 27.7% | 43.5% | 56.5% |
| Grade 12 | 18.3% | 27.0% | 45.5% | 54.5% |
| Marijuana | | | | |
| All | 11.2% | 16.9% | 29.0% | 71.0% |
| Grade 7 | 5.1% | 7.1% | 12.0% | 88.0% |
| Grade 8 | 6.4% | 10.3% | 17.4% | 82.6% |
| Grade 9 | 13.1% | 17.6% | 29.3% | 70.7% |
| Grade 10 | 10.3% | 18.0% | 32.7% | 67.3% |
| Grade 11 | 18.3% | 24.7% | 39.8% | 60.29 |
| Grade 12 | 14.8% | 24.2% | 43.5% | 56.5% |
| Marijuana Only | | | | |
| All | 3.7% | 6.0% | 13.2% | 86.8% |
| Grade 7 | 1.9% | 2.8% | 6.3% | 93.7% |
| Grade 8 | 2.3% | 4.0% | 9.2% | 90.8% |
| Grade 9 | 4.7% | 6.7% | 12.5% | 87.5% |
| Grade 10 | 3.9% | 6.4% | 14.6% | 85.4% |
| Grade 11 | 5.0% | 7.8% | 16.2% | 83.8% |
| Grade 12 | 4.2% | 8.5% | 21.2% | 78.8% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | | |
| | All | 5.0% | 7.4% | 13.2% | 86.8% |
| | Grade 7 | 2.3% | 3.2% | 4.2% | 95.8% |
| | Grade 8 | 2.0% | 3.5% | 5.9% | 94.1% |
| | Grade 9 | 4.6% | 6.0% | 12.7% | 87.3% |
| | Grade 10 | 5.1% | 8.6% | 16.0% | 84.0% |
| | Grade 11 | 10.3% | 13.5% | 22.2% | 77.8% |
| | Grade 12 | 6.3% | 9.8% | 17.9% | 82.1% |
| Cocaine | | | | | |
| | All | 4.8% | 7.1% | 12.8% | 87.2% |
| | Grade 7 | 1.6% | 2.3% | 3.3% | 96.7% |
| | Grade 8 | 1.8% | 3.3% | 5.5% | 94.5% |
| | Grade 9 | 4.6% | 5.8% | 12.5% | 87.5% |
| | Grade 10 | 5.0% | 8.6% | 15.8% | 84.2% |
| | Grade 11 | 10.0% | 13.2% | 21.7% | 78.3% |
| | Grade 12 | 6.2% | 9.8% | 17.7% | 82.3% |
| Crack | | | | | |
| | All | 0.7% | 1.0% | 2.2% | 97.8% |
| | Grade 7 | 0.7% | 1.0% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 0.8% | 1.7% | 98.3% |
| | Grade 9 | 0.6% | 0.8% | 2.3% | 97.7% |
| | Grade 10 | 0.7% | 0.8% | 2.3% | 97.7% |
| | Grade 11 | 1.1% | 1.9% | 2.8% | 97.2% |
| | Grade 12 | 0.7% | 1.1% | 2.6% | 97.4% |
| Hallucinogens | | | | | |
| | All | 1.6% | 2.8% | 5.2% | 94.8% |
| | Grade 7 | 0.8% | 1.4% | 1.8% | 98.2% |
| | Grade 8 | 1.3% | 1.5% | 3.5% | 96.5% |
| | Grade 9 | 1.3% | 2.1% | 5.1% | 94.9% |
| | Grade 10 | 1.6% | 2.8% | 5.2% | 94.8% |
| | Grade 11 | 2.5% | 5.3% | 9.1% | 90.9% |
| | Grade 12 | 2.3% | 3.9% | 7.1% | 92.9% |
| Uppers | | | | | |
| | All | 1.8% | 3.0% | 4.7% | 95.3% |
| | Grade 7 | 1.0% | 1.0% | 1.4% | 98.6% |
| | Grade 8 | 1.1% | 1.5% | 2.8% | 97.2% |
| | Grade 9 | 1.2% | 2.0% | 3.6% | 96.4% |
| | Grade 10 | 0.7% | 2.2% | 3.6% | 96.4% |
| | Grade 11 | 2.9% | 5.0% | 8.5% | 91.5% |
| | Grade 12 | 4.4% | 6.8% | 9.5% | 90.5% |
| Downers | | | | | |
| | All | 2.1% | 3.3% | 5.2% | 94.8% |
| | Grade 7 | 0.9% | 0.9% | 1.8% | 98.2% |
| | Grade 8 | 0.9% | 1.0% | 2.4% | 97.6% |
| | Grade 9 | 2.2% | 3.2% | 4.7% | 95.3% |
| | Grade 10 | 0.8% | 2.6% | 4.4% | 95.6% |
| | Grade 11 | 3.7% | 5.8% | 9.2% | 90.8% |
| | Grade 12 | 4.7% | 6.9% | 9.7% | 90.3% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | 1,101111 | 1001 | Coca | Sseu |
| v 1 | All | 0.9% | 1.4% | 2.7% | 97.3% |
| | Grade 7 | 1.0% | 1.0% | 1.7% | 98.3% |
| | Grade 8 | 1.6% | 1.8% | 2.4% | 97.6% |
| | Grade 9 | 1.0% | 1.9% | 3.6% | 96.4% |
| | Grade 10 | 1.0% | 1.7% | 3.3% | 96.7% |
| | Grade 11 | 0.2% | 0.4% | 2.1% | 97.9% |
| | Grade 12 | 0.6% | 1.2% | 2.7% | 97.3% |
| Steroids | | | | | |
| | All | 0.6% | 0.9% | 1.9% | 98.1% |
| | Grade 7 | 0.4% | 0.5% | 1.8% | 98.2% |
| | Grade 8 | 0.6% | 0.8% | 2.3% | 97.7% |
| | Grade 9 | 0.5% | 0.5% | 1.3% | 98.7% |
| | Grade 10 | 0.5% | 0.8% | 1.2% | 98.8% |
| | Grade 11 | 1.2% | 1.8% | 2.5% | 97.5% |
| | Grade 12 | 0.5% | 1.4% | 2.4% | 97.6% |
| Ecstasy | | | | | |
| | All | 2.1% | 3.1% | 5.7% | 94.3% |
| | Grade 7 | 0.2% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 0.5% | 1.7% | 3.3% | 96.7% |
| | Grade 9 | 2.4% | 2.9% | 6.0% | 94.0% |
| | Grade 10 | 2.4% | 3.3% | 5.7% | 94.3% |
| | Grade 11 | 3.9% | 5.7% | 9.4% | 90.6% |
| | Grade 12 | 3.1% | 4.6% | 8.7% | 91.3% |
| Heroin | | | | | |
| | All | 0.5% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.8% | 0.8% | 2.4% | 97.6% |
| | Grade 8 | 0.4% | 0.8% | 1.7% | 98.3% |
| | Grade 9 | 0.3% | 0.6% | 0.8% | 99.2% |
| | Grade 10 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 11 | 1.2% | 1.8% | 2.2% | 97.8% |
| | Grade 12 | 0.2% | 0.5% | 1.5% | 98.5% |

The FREQ Procedure

| | GENDER | |
|--------|-----------|---------|
| q1 | Frequency | Percent |
| Female | 62935 | 52.04 |
| Male | 58002 | 47.96 |

Frequency Missing = 287.2575102

| | G | RADE |
|-------------|------------|---------|
| q2 F | requency l | Percent |
| Grade 7 | 20472 | 16.89 |
| Grade 8 | 24039 | 19.83 |
| Grade 9 | 22696 | 18.72 |
| Grade 10 | 23136 | 19.09 |
| Grade 11 | 17003 | 14.03 |
| Grade 12 | 13878 | 11.45 |

| LIVE WITH BOTH | | |
|----------------|-----------|---------|
| | PARENTS | |
| q3 | Frequency | Percent |
| No | 48058 | 39.83 |
| Yes | 72593 | 60.17 |

Frequency Missing = 573.84144515

| | | AGE |
|---------------|-----------|---------|
| q4 | Frequency | Percent |
| 11 or younger | 107 | 0.09 |
| 12 | 5562 | 4.60 |
| 13 | 18094 | 14.96 |
| 14 | 23048 | 19.05 |
| 15 | 23995 | 19.83 |
| 16 | 22611 | 18.69 |
| 17 | 17332 | 14.33 |
| 18 | 9465 | 7.82 |
| 19 or older | 765 | 0.63 |

Frequency Missing = 246.36366043

| | ETHNICITY | |
|------------------|-----------|---------|
| q 5 | Frequency | Percent |
| African/American | 7611 | 6.37 |
| Asian/American | 399 | 0.33 |
| Mexican/American | 72582 | 60.71 |
| Native/American | 411 | 0.34 |
| Other | 1242 | 1.04 |
| White | 37317 | 31.21 |

Frequency Missing = 1662.0801681

| ON AVERAGE WHAT GRADES DO YOU GET | | |
|--------------------------------------|-----------|---------|
| q6 | Frequency | Percent |
| Mostly A's | 30661 | 25.63 |
| Mostly B's | 59513 | 49.75 |
| Mostly C's | 23881 | 19.96 |
| Mostly D's | 3552 | 2.97 |
| Mostly F's | 2027 | 1.69 |

Frequency Missing = 1592.1297306

| LENGTH OF TIME IN | | |
|-------------------|-----------|---------|
| THIS DISTRICT | | |
| q 7 | Frequency | Percent |
| <1 year | 14754 | 12.39 |
| 2-3 years | 23731 | 19.93 |
| >4 years | 80573 | 67.68 |

Frequency Missing = 2166.4911603

| | | JOB |
|-----|-------------|---------|
| q8 | Frequency 1 | Percent |
| No | 87421 | 73.00 |
| Yes | 32342 | 27.00 |

Frequency Missing = 1462.1113054

| | DO YOU O | GET AN WANCE |
|-----------|-----------|-----------------|
| q9 | Frequency | Percent |
| No | 77293 | 64.65 |
| Yes | 42255 | 35.35 |

Frequency Missing = 1676.737677

| EITHER PARENT COLLEGE GRADUATE | | |
|-----------------------------------|-----------|---------|
| q10 | Frequency | Percent |
| Don't Know | 20063 | 16.76 |
| No | 54793 | 45.76 |
| Yes | 44873 | 37.48 |

Frequency Missing = 1495.8720712

QUALIFY FOR FREE/REDUCED PRICE

| q11 | Frequency | Percent |
|------------|-----------|---------|
| Don't Know | 25139 | 21.00 |
| No | 55752 | 46.57 |
| Yes | 38835 | 32.44 |

Frequency Missing = 1498.6567446

| PARTICIPATE IN SCHOOL ATHLETICS | | |
|---------------------------------|-----------|---------|
| q12a | Frequency | Percent |
| No | 60940 | 53.56 |
| Yes | 52829 | 46.44 |
| 168 | 32029 | 40.4 |

Frequency Missing = 7455.5072522

| PARTICIPATE IN SCHOOL BAND/ORCHESTRA | | |
|--------------------------------------------|-----------|---------|
| q12b | Frequency | Percent |
| No | 81180 | 75.51 |
| Yes | 26332 | 24.49 |

Frequency Missing = 13712.734347

| | PARTICIPA SCHOOL | |
|------|---------------------|---------|
| q12c | Frequency | Percent |
| No | 85876 | 82.73 |
| Yes | 17928 | 17.27 |
| 100 | 17720 | 17.2 |

Frequency Missing = 17421.422339

| PARTICIPATE IN DRAMA/SPEECH/ART CLUBS | | |
|---------------------------------------------|-----------|-------|
| q12d | Frequency | |
| No | 82339 | 79.83 |
| Yes | 20800 | 20.17 |

Frequency Missing = 18085.871455

| PARTICIPATE IN DRILL TEAM/CHEERLEADING | | |
|-------------------------------------------|-----------|---------|
| q12e | Frequency | Percent |
| No | 94965 | 93.79 |
| Yes | 6292 | 6.21 |
| | | |

Frequency Missing = 19967.801708

| | PARTICIP | ATE IN |
|------|-----------|---------|
| | ~ - | UDENT |
| | GOVER | NMENT |
| q12f | Frequency | Percent |
| No | 96944 | 95.70 |
| Yes | 4351 | 4.30 |
| | | |

Frequency Missing = 19930.369972

| PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK | | |
|---------------------------------------------|-----------|---------|
| q12g | Frequency | Percent |
| No | 96826 | 95.24 |
| Yes | 4838 | 4.76 |
| | | |

Frequency Missing = 19560.455409

| PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES | | |
|-----------------------------------------------|-----------|---------|
| q12h | Frequency | Percent |
| No | 84762 | 81.42 |
| Yes | 19349 | 18.58 |

Frequency Missing = 17114.089254

| | COMPE | DEMIC |
|------|-----------|---------|
| q12i | Frequency | Percent |
| No | 88243 | 84.94 |
| Yes | 15649 | 15.06 |

Frequency Missing = 17332.29076

| PARTICIPATE IN SCHOOL SERVICE CLUBS | | |
|-------------------------------------------|-----------|---------|
| q12j | Frequency | Percent |
| No | 99579 | 95.44 |
| Yes | 4757 | 4.56 |

Frequency Missing = 16888.369569

| | PARTICIPATE IN | | |
|------|----------------|--------|--|
| CI. | OTHER SO | | |
| _ | LUBS OR G | | |
| q12k | Frequency | Percen | |
| No | 87287 | 82.53 | |
| Yes | 18482 | 17.4 | |
| | | | |

Frequency Missing = 15455.717043

| PARTICIPATE IN | | | | |
|----------------|----------------|---------|--|--|
| A | ATHLETIC TEAMS | | | |
| OUT | SIDE OF SO | CHOOL | | |
| q12l | Frequency | Percent | | |
| No | 73424 | 67.04 | | |
| Yes | 36095 | 32.96 | | |

Frequency Missing = 11705.558792

| PARTICIPATE IN OTHER CLUBS OR | | | |
|----------------------------------|-------|-------|--|
| GROUPS OUTSIDE OF SCHOOL | | | |
| q12m Frequency Percent | | | |
| No | 78872 | 72.90 | |
| Yes | 29315 | 27.10 | |

Frequency Missing = 13038.488767

| DO YOU FEEL SAFE IN YOUR HOME | | | | | |
|-------------------------------|-------|-------|--|--|--|
| q13a Frequency Percent | | | | | |
| Very Safe | 95932 | 79.86 | | | |
| Somewhat Safe | 20778 | 17.30 | | | |
| Not Very Safe | 1372 | 1.14 | | | |
| Not Safe At All | 429 | 0.36 | | | |
| Don't Know | 1609 | 1.34 | | | |

Frequency Missing = 1105.6783265

| DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD | | | | | |
|------------------------------------------|----------|---------|--|--|--|
| q13b Fı | requency | Percent | | | |
| Very Safe | 46722 | 38.92 | | | |
| Somewhat Safe | 58010 | 48.32 | | | |
| Not Very Safe | 9819 | 8.18 | | | |
| Not Safe At All | 2578 | 2.15 | | | |
| Don't Know | 2915 | 2.43 | | | |

Frequency Missing = 1181.0302129

| DO YOU FEEL SAFE AT SCHOOL | | | | |
|-------------------------------|----------|---------|--|--|
| q13c F | requency | Percent | | |
| Very Safe | 39613 | 33.01 | | |
| Somewhat Safe | 60292 | 50.24 | | |
| Not Very Safe | 11337 | 9.45 | | |
| Not Safe At All | 4650 | 3.87 | | |
| Don't Know | 4111 | 3.43 | | |

Frequency Missing = 1221.5586432

| FRIENDS FEELING CLOSE TO THEIR PARENTS | | | | | |
|----------------------------------------------|-------|-------|--|--|--|
| q14a Frequency Percent | | | | | |
| None | 6408 | 5.34 | | | |
| A Few | 33359 | 27.82 | | | |
| Some | 31844 | 26.55 | | | |
| Most | 39325 | 32.79 | | | |
| All | 8995 | 7.50 | | | |

Frequency Missing = 1293.652369

| | HOW MANY FRIENDS CARRY WEAPONS | | | | |
|---------|-----------------------------------|---------|--|--|--|
| q14b Fı | requency I | Percent | | | |
| None | 69423 | 59.01 | | | |
| A Few | 27220 | 23.14 | | | |
| Some | 13218 | 11.24 | | | |
| Most | 5563 | 4.73 | | | |
| All | 2214 | 1.88 | | | |
| | | | | | |

Frequency Missing = 3586.3678749

| | MANY FR | | RECENT C | | | | NT LIQUO | |
|-------------|-------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|---------------------|---------------------|---------|
| CARE | E ABOUT | | Q16A F1 | requency 1 | Percent | Q16F F | requency | Percent |
| .14. E | _ | RADES | Never Heard/Used | 77212 | 64.54 | Never Heard/Used | 56792 | 47.85 |
| | requency 1 4793 | | In Your Lifetime | 20754 | 17.35 | In Your Lifetime | 18994 | 16.00 |
| None | | 4.13 | Since School Began | 6368 | 5.32 | Since School Began | 13588 | 11.45 |
| A Few | 20106 | 17.33 | In the Past Month | 15297 | 12.79 | In the Past Month | 29313 | 24.70 |
| Some | 29817 | 25.71 | | | | | | |
| Most All | 43665 17609 | 37.65 15.18 | Frequency Missing | = 1593.52 | 3352 | Frequency Missing | = 2536.99 | 98289 |
| uency Mis | ssing = 52 | 35.6128904 | RECENT SMOKEI | LESS TOB | | RECENT | INHALAI | NT USE |
| | | | | | USE | Q16G F | requency | Percent |
| | | | | requency 1 | | Never Heard/Used | 105E3 | 88.42 |
| | MANY FR NG TO A | | Never Heard/Used | 103E3 | 86.87 | In Your Lifetime | 6719 | 5.65 |
| | | | In Your Lifetime | 6763 | 5.69 | Since School Began | 2630 | 2.21 |
| | requency I | | Since School Began | 3215 | 2.70 | In the Past Month | 4430 | 3.72 |
| None | 73264 | 61.48 | In the Past Month | 5643 | 4.74 | | | |
| Few | 23400 | 19.64 | | | | _ | | |
| Some | 12065 | 10.12 | From the state of | 2270.04 | 11040 | Frequency Missing = | = 2264.46 | 41642 |
| Most | 7401 | 6.21 | Frequency Missing = | = 2279.040 | 01243 | | | |
| All | 3038 | 2.55 | | | | RECENT M | ADIIIAN | JA TICE |
| | | | REC | CENT BEE | R USE | | requency | |
| ncv Mis | ssina = 20 | 57.1038376 | | requency 1 | | Never Heard/Used | 83141 | 69.79 |
| , | g =- | | Never Heard/Used | 47463 | 40.55 | In Your Lifetime | 15133 | 12.70 |
| | | | In Your Lifetime | 23735 | 20.28 | Since School Began | 6650 | 5.58 |
| RIENE | S WISHI | NG TO | Since School Began | 13515 | 11.55 | - | | |
| | DROP O | | In the Past Month | 32335 | 27.63 | In the Past Month | 14202 | 11.92 |
| | | HOOL | In the Last Worth | 32333 | 27.03 | | | |
| | requency I | | | | | Frequency Missing = | = 2098.22 | 28832 |
| None | 55820 | 46.64 | Frequency Missing = | = 4177.48 | 50022 | 3 (1.1.3) | | |
| Few | 37296 | 31.16 | | | | | | |
| Some | 15763 | 13.17 | | | | RECENT | Γ COCAIN | NE USE |
| Most | 7043 | 5.88 | RECENT WIN | | | Q17B F | requency | Percent |
| All | 3771 | 3.15 | | requency 1 | | Never Heard/Used | 103E3 | 87.37 |
| | | | Never Heard/Used | 54098 | 45.64 | In Your Lifetime | 6689 | 5.65 |
| nov M: | ocina – 1 <i>E</i> | 31.0034384 | In Your Lifetime | 22809 | 19.24 | Since School Began | 2612 | 2.21 |
| aricy will | ssiriy = 15 | 31.0034304 | Since School Began | 13952 | 11.77 | In the Past Month | 5651 | 4.77 |
| | | | In the Past Month | 27672 | 23.35 | | | |
| | ENTS AT SCHOOL HO | | Frequency Missing = | = 2693.81 | 57703 | Frequency Missing | = 2840.58 | 30633 |
| 15 Fr | equency P | ercent | | | | DECE | NT CRAC | אר וופה |
| No | 59557 | 56.04 | REC | CENT WIN | IE USE | | NT CKAC requency | |
| es | 46727 | 43.96 | | requency 1 | | Never Heard/Used | | |
| | | | Never Heard/Used | 64756 | 55.68 | | 114E3 | 97.88 |
| | | 0.40.0000 | In Your Lifetime | 26357 | 22.66 | In Your Lifetime | 1223 | 1.05 |
| ncy Mis | ssing = 14 | 940.909882 | Since School Began | 9955 | 8.56 | Since School Began | 363 | 0.31 |
| | | | | | | | | /\ ~ |

Frequency Missing = 4926.0379758

9955

15231

8.56

13.10

Frequency Missing = 4264.4584361

In the Past Month

Since School Began

In the Past Month

891

0.76

| | | | Opinig / | | | | | |
|---------------------|------------------------|---------|---------------------|------------|---------|---------------------------|----------------------|---------------|
| RECENT HALLU | JCINOGE | EN USE | RECEN | T ECSTAS | SY USE | MARIJUAN | | |
| Q17E Fı | requency 1 | Percent | Q17J F | requency | Percent | | | 10NTH |
| Never Heard/Used | 11E4 | 94.50 | Never Heard/Used | 111E3 | 94.51 | q18d F | requency 1 | |
| In Your Lifetime | 3068 | 2.63 | In Your Lifetime | 2921 | 2.49 | Never Heard/Used | 97906 | 83.15 |
| Since School Began | 1309 | 1.12 | Since School Began | 1127 | 0.96 | 1-2 times | 9321 | 7.92 |
| In the Past Month | 2048 | 1.75 | In the Past Month | 2404 | 2.05 | 3-10 times | 4690 | 3.98 |
| | | | | | | 11+ times | 5824 | 4.95 |
| Frequency Missing = | : 4345.85 | 39103 | Frequency Missing = | = 3792.08 | 08548 | Frequency Missing | = 3484.05 | 85398 |
| RECE | ENT UPPE | ER USE | RECEN | NT HERO | IN USE | | | |
| Q17F Fi | requency | Percent | Q17K F | requency | | COCAINE USE II | | |
| Never Heard/Used | 111E3 | 95.09 | Never Heard/Used | 116E3 | 98.38 | | requency | |
| In Your Lifetime | 2387 | 2.04 | In Your Lifetime | 924 | 0.79 | Never Heard/Used | 11E4 | 93.31 |
| Since School Began | 1209 | 1.04 | Since School Began | 315 | 0.27 | 1-2 times | 4559 | 3.85 |
| In the Past Month | 2135 | 1.83 | In the Past Month | 666 | 0.57 | 3-10 times | 2037 | 1.72 |
| | | | | | | 11+ times | 1320 | 1.12 |
| Frequency Missing : | = 4469.76 | 7657 | Frequency Missing = | = 3587.42 | 40542 | Frequency Missing | = 2856.97 | '62687 |
| RECENT | T DOWNE | R USE | TOBACCO USE IN | N PAST M | ONTH | | | |
| Q17G Fi | requency 1 | Percent | q18a Fı | requency 1 | Percent | CRACK USE II | N PAST M | IONTH |
| Never Heard/Used | 11E4 | 94.80 | Never Heard/Used | 98800 | 83.17 | q18f F | requency 1 | Percent |
| In Your Lifetime | 2569 | 2.21 | 1-2 times | 9208 | 7.75 | Never Heard/Used | 117E3 | 98.88 |
| Since School Began | 1271 | 1.09 | 3-10 times | 4361 | 3.67 | 1-2 times | 934 | 0.79 |
| In the Past Month | 2217 | 1.90 | 11+ times | 6418 | 5.40 | 3-10 times | 185 | 0.16 |
| For any and Mindian | 4044 57 | -0700 | Francisco Mineiro | 0407.50 | 47500 | 11+ times | 207 | 0.17 |
| Frequency Missing = | : 4814.57 | 59796 | Frequency Missing = | = 2437.50 | 17523 | Frequency Missing | = 2697.66 | 02956 |
| RECENT R | OHYPNO | DL USE | ALCOHOL USE IN | | | | | |
| | requency | Percent | | requency l | | CLOS | E FRIENI CIGARI | |
| Never Heard/Used | 114E3 | 96.86 | Never Heard/Used | 68086 | 57.54 | a10a E | requency 1 | |
| In Your Lifetime | 1771 | 1.51 | 1-2 times | 27058 | 22.87 | Never heard/None | | |
| Since School Began | 523 | 0.45 | 3-10 times | 15791 | 13.35 | Never neard/None A few | 47191 | 40.45 |
| In the Past Month | 1390 | 1.19 | 11+ times | 7385 | 6.24 | | 39158 | 33.56 |
| | | | | | | Some | 18142 10315 | 15.55 8.84 |
| Frequency Missing = | : 3981.782 | 24231 | Frequency Missing = | = 2903.47 | 89918 | Most All | 1874 | 0.04 1.61 |
| 3 | | | 1 1 1 1 | | | | | |
| RECENT | Γ STERO | ID USE | INHALANT USE IN | N PAST M | ONTH | Frequency Missing | = 4544.75 | 60555 |
| | requency | Percent | | requency l | Percent | | | |
| Never Heard/Used | 115E3 | 98.22 | Never Heard/Used | 113E3 | 95.58 | | E EDITO | Da Tra- |
| In Your Lifetime | 1020 | 0.87 | 1-2 times | 3562 | 3.02 | | E FRIENI LESS TOB | |
| Since School Began | 352 | 0.30 | 3-10 times | 1189 | 1.01 | | requency l | |
| In the Past Month | 714 | 0.61 | 11+ times | 470 | 0.40 | Never heard/None | 72861 | 63.23 |
| | | | | | | | 24475 | 21.24 |
| | 1000 -: | 40000 | | 0405 : - | 00700 | A few | | |
| Frequency Missing = | : 4296.81 ₄ | 42363 | Frequency Missing = | = 3136.19 | 80792 | Some | 11295 | 9.80 |
| | | | | | | Most | 5117 | 4.44 |
| | | | | | | All | 1492 | 1.29 |

| DIFFICULT | LANTS | J SE INHA I | CLOSE FRIENDS U | 49489 | 5984.81 | Frequency Missing = |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| q20c Fr | Percent | requency 1 | q19g F | | | |
| Never heard of | 76.67 | 88439 | Never heard/None | DEED | NDG LIGE | CL OCE EDIE |
| Impossible | 14.46 | 16677 | A few | | | CLOSE FRIE |
| Very difficult | 5.30 | 6109 | Some | | equency I | |
| Somewhat diff | 2.48 | 2859 | Most | 22.41 | 25840 | Never heard/None |
| Somewhat easy | 1.10 | 1271 | All | 20.93 | 24133 | A few |
| Very easy | | | | 18.81 | 21698 | Some |
| | | | | 24.44 | 28189 | Most |
| Frequency Missing | 2/8331 | = 5870.02 | Frequency Missing | 13.42 | 15472 | All |
| DIFFICULT | DS USE JUANA | SE FRIENI MARI | CLOS | 45208 | : 5892.49 | Frequency Missing : |
| | Percent | requency | q19h F | | | |
| q20d Fr | 45.93 | 53236 | Never heard/None | | | CLOSE FRIE |
| Never heard of | 21.46 | 24872 | A few | OLERS | | 40.5 |
| Impossible | 13.56 | 15723 | Some | | equency I | |
| Very difficult | 12.52 | 14509 | Most | 36.15 | 41558 | Never heard/None |
| Somewhat diff | 6.53 | 7571 | All | 20.24 | 23271 | A few |
| Somewhat easy | | | • | 18.43 | 21191 | Some |
| Very easy | | | | 16.39 8.78 | 18842 10090 | Most All |
| Frequency Missing | CET | ІСІП Т ТО | DIFF | 60993 | 6273 42 | Frequency Missing : |
| | TTES | ICULT TO CIGARE | | 260993 | 6273.42 | Frequency Missing : |
| DIFFICULT | ercent | CIGARE equency Po | q20a Fr | | | Frequency Missing = |
| DIFFICULT q20e Fr | TTES | CIGARE | q20a Fr Never heard of | WINE | | CLOSE FRIE q19e Fi |
| DIFFICULT q20e From Never heard of | ercent 10.97 | CIGARE equency Po 12657 | q20a Fr Never heard of Impossible | WINE | NDS USE | CLOSE FRIE q19e Fi |
| DIFFICULT q20e From Never heard of Impossible | ETTES ercent 10.97 16.87 | CIGARE equency Po 12657 19468 | q20a Fr Never heard of | WINE Percent | NDS USE | CLOSE FRIE q19e Fi |
| DIFFICULT q20e From Properties Never heard of Impossible Very difficult | Part 10.97 16.87 6.19 | CIGARE equency Po 12657 19468 7146 | q20a Fr Never heard of Impossible Very difficult Somewhat diff | WINE Percent 50.39 | NDS USE equency I 57618 | CLOSE FRIE q19e Fr Never heard/None |
| DIFFICULT q20e From Properties of the Properties | Percent 10.97 16.87 6.19 9.91 18.75 | CIGARE equency Period 12657 19468 7146 11433 21635 | q20a Fr Never heard of Impossible Very difficult | E WINE Percent 50.39 23.80 | NDS USE equency I 57618 27210 | CLOSE FRIE q19e Fi Never heard/None A few |
| DIFFICULT q20e From Properties Never heard of Impossible Very difficult | ETTES 2ercent 10.97 16.87 6.19 9.91 | CIGARE equency Po 12657 19468 7146 11433 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | EWINE Percent 50.39 23.80 12.95 | NDS USE equency I 57618 27210 14813 | CLOSE FRIE q19e Fi Never heard/None A few Some |
| DIFFICULT q20e From Property of Property o | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | EWINE Percent 50.39 23.80 12.95 7.86 5.00 | NDS USE equency I 57618 27210 14813 8992 5718 | q19e Fi Never heard/None A few Some Most |
| DIFFICULT q20e From Properties Never heard of Impossible Very difficult Somewhat diff Somewhat easy | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 = 5809.45 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing | 2 WINE Percent 50.39 23.80 12.95 7.86 5.00 | NDS USE equency I 57618 27210 14813 8992 5718 | CLOSE FRIE q19e Fr Never heard/None A few Some Most All Frequency Missing = |
| DIFFICULT q20e From Property of Property o | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 529025 D GET | CIGARE equency Position 12657 19468 7146 11433 21635 43076 = 5809.45 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL | WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 | NDS USE equency I 57618 27210 14813 8992 5718 6873.01 | CLOSE FRIE q19e Fr lever heard/None A few Some Most All Frequency Missing = |
| DIFFICULT q20e From Properties of Properties | ### CTTES Parcent 10.97 16.87 6.19 9.91 18.75 37.32 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 529025 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 = 5809.45 ICULT TO ESS TOBA equency Pe | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr | 2 WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 | NDS USE equency I 57618 27210 14813 8992 5718 6873.01 S USE LI equency I | CLOSE FRIE q19e Fr ever heard/None A few Some Most All Frequency Missing = |
| DIFFICULT q20e From Proceedings Proceedings Proceedings Proceedings Procedure Procedur | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 529025 OGET ACCO ercent 22.44 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 = 5809.45 ICULT TO ESS TOBA equency Pe 25646 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of | 2.WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 IQUOR Percent 32.79 | NDS USE equency I 57618 27210 14813 8992 5718 • 6873.01 S USE LI equency I 37824 | CLOSE FRIE q19e Fr lever heard/None A few Some Most All Frequency Missing = CLOSE FRIENT q19f Fr lever heard/None |
| DIFFICULT q20e From Property of Property o | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 529025 D GET ACCO ercent 22.44 20.52 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 = 5809.45 ICULT TO ESS TOBA equency Pe 25646 23458 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible | 2.WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 IQUOR Percent 32.79 18.45 | NDS USE equency I 57618 27210 14813 8992 5718 66873.01 S USE LI equency I 37824 21280 | CLOSE FRIE q19e Fr lever heard/None A few Some Most All Frequency Missing = CLOSE FRIEND q19f Fr lever heard/None A few |
| DIFFICULT q20e From Proceedings Proceedings Proceedings Proceedings Procedure Procedur | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 529025 D GET ACCO ercent 22.44 20.52 7.24 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 = 5809.45 ICULT TO ESS TOBA equency Pe 25646 23458 8273 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible Very difficult | 2 WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 IQUOR Percent 32.79 18.45 17.50 | NDS USE equency I 57618 27210 14813 8992 5718 66873.01 S USE LI equency I 37824 21280 20183 | CLOSE FRIE q19e Fr lever heard/None A few Some Most All Frequency Missing = CLOSE FRIENT q19f Fr lever heard/None A few Some |
| DIFFICULT q20e From Proceedings Proceedings Procedure of Somewhat diff Somewhat easy Very easy Frequency Missing DIFFICULT TO q20f From Procedure of Somewhat of Somewhat of Somewhat easy Very difficult | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 529025 DGET ACCO ercent 22.44 20.52 7.24 9.67 | CIGARE equency Po 12657 19468 7146 11433 21635 43076 = 5809.45 ICULT TO ESS TOBA equency Po 25646 23458 8273 11052 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible Very difficult Somewhat diff | 2 WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 IQUOR Percent 32.79 18.45 17.50 20.48 | NDS USE equency I 57618 27210 14813 8992 5718 66873.01 S USE LI equency I 37824 21280 20183 23620 | CLOSE FRIE q19e Fr Never heard/None A few Some Most All Frequency Missing = CLOSE FRIENT q19f Fr Never heard/None A few Some Most |
| DIFFICULT q20e From Proceedings Proceedings Proceedings Proceedings Procedure Procedur | ETTES ercent 10.97 16.87 6.19 9.91 18.75 37.32 529025 D GET ACCO ercent 22.44 20.52 7.24 | CIGARE equency Pe 12657 19468 7146 11433 21635 43076 = 5809.45 ICULT TO ESS TOBA equency Pe 25646 23458 8273 | q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible Very difficult | 2 WINE Percent 50.39 23.80 12.95 7.86 5.00 16848 IQUOR Percent 32.79 18.45 17.50 | NDS USE equency I 57618 27210 14813 8992 5718 66873.01 S USE LI equency I 37824 21280 20183 | CLOSE FRIE q19e Fr Never heard/None A few Some Most All Frequency Missing = CLOSE FRIENT q19f Fr Never heard/None A few Some |

Frequency Missing = 6931.8384352

Frequency Missing = 6319.9946971

| DIFFICULT TO GET INHALANTS | | | | TO GET OGENS | |
|-------------------------------|------------|---------|----------------|-----------------|---------|
| q20g H | requency 1 | Percent | q20l Fre | quency | Percent |
| Never heard of | 23882 | 20.92 | Never heard of | 46181 | 40.73 |
| Impossible | 20606 | 18.05 | Impossible | 28073 | 24.76 |
| Very difficult | 6546 | 5.73 | Very difficult | 13512 | 11.92 |
| Somewhat diff | 8481 | 7.43 | Somewhat diff | 10152 | 8.95 |
| Somewhat easy | 13220 | 11.58 | Somewhat easy | 6936 | 6.12 |
| Very easy | 41448 | 36.30 | Very easy | 8531 | 7.52 |

DIFFICULT TO GET STEROIDS q20p Frequency Percent Never heard of 28816 25.68 39851 35.52 **Impossible** Very difficult 15535 13.85 Somewhat diff 11233 10.01 7515 6.70 Somewhat easy 9252 Very easy 8.25

Frequency Missing = 7041.1527176

Frequency Missing = 7839.0705136

Frequency Missing = 9022.082337

| DIFFICULT TO GET MARIJUANA | | | | | |
|-------------------------------|-------|-------|--|--|--|
| q20h Frequency Percent | | | | | |
| Never heard of | 14973 | 13.16 | | | |
| Impossible | 28644 | 25.17 | | | |
| Very difficult | 10517 | 9.24 | | | |
| Somewhat diff | 12345 | 10.85 | | | |
| Somewhat easy | 16131 | 14.17 | | | |
| Very easy | 31199 | 27.41 | | | |

| DIFFICULT T | O GET U | PPERS |
|----------------|------------|---------|
| q20m Fı | requency 1 | Percent |
| Never heard of | 57994 | 51.54 |
| Impossible | 21597 | 19.19 |
| Very difficult | 9258 | 8.23 |
| Somewhat diff | 7915 | 7.03 |
| Somewhat easy | 6317 | 5.61 |
| Very easy | 9446 | 8.39 |

| DIFFICULT TO GET ECSTASY | | | | | |
|--------------------------|----------|---------|--|--|--|
| q20q Fı | requency | Percent | | | |
| Never heard of | 37783 | 33.65 | | | |
| Impossible | 30977 | 27.59 | | | |
| Very difficult | 13389 | 11.93 | | | |
| Somewhat diff | 10393 | 9.26 | | | |
| Somewhat easy | 8261 | 7.36 | | | |
| Very easy | 11472 | 10.22 | | | |
| | | | | | |

Frequency Missing = 7414.8683048

Frequency Missing = 8699.1971528

Frequency Missing = 8950.7214996

| DIFFICULT TO GET COCAINE | | |
|--------------------------|-------|-------|
| q20i Frequency Percent | | |
| Never heard of | 18925 | 16.74 |
| Impossible | 35193 | 31.13 |
| Very difficult | 13990 | 12.38 |
| Somewhat diff | 13286 | 11.75 |
| Somewhat easy | 12486 | 11.05 |
| Very easy | 19166 | 16.95 |

| DIFFICULT TO GET DOWNERS | | |
|--------------------------|-------|-------|
| q20n Frequency Percent | | |
| Never heard of | 58099 | 51.71 |
| Impossible | 21334 | 18.99 |
| Very difficult | 9213 | 8.20 |
| Somewhat diff | 7873 | 7.01 |
| Somewhat easy | 6169 | 5.49 |
| Very easy | 9663 | 8.60 |
| | | |

| DIFFICULT ' | TO GET H | IEROIN |
|----------------|-----------|---------|
| q20r l | Frequency | Percent |
| Never heard of | 35403 | 31.43 |
| Impossible | 39383 | 34.96 |
| Very difficult | 15498 | 13.76 |
| Somewhat diff | 9677 | 8.59 |
| Somewhat easy | 5433 | 4.82 |
| Very easy | 7243 | 6.43 |
| | | |

Frequency Missing = 8177.6423759

Frequency Missing = 8873.9570328

Frequency Missing = 8588.373771

| DIFFICULT TO GET CRACK | | |
|------------------------|-------|-------|
| q20j Frequency Percent | | |
| Never heard of | 23733 | 21.00 |
| Impossible | 38348 | 33.93 |
| Very difficult | 16707 | 14.78 |
| Somewhat diff | 13684 | 12.11 |
| Somewhat easy | 9135 | 8.08 |
| Very easy | 11407 | 10.09 |

| cent |
|-------|
| cciii |
| 2.69 |
| 0.70 |
| 8.95 |
| 6.93 |
| 4.42 |
| 6.31 |
| |

| AGE WHEN FIRST USED CIGARETTES | | |
|-----------------------------------|------|-------|
| q21a Frequency Percent | | |
| 9 or younger | 6590 | 15.21 |
| 10 years old | 4488 | 10.36 |
| 11 years old | 3425 | 7.90 |
| 12 years old | 5227 | 12.06 |
| 13 years old | 6468 | 14.93 |
| 14 years old | 5862 | 13.53 |
| 15 years old | 5681 | 13.11 |
| 16 years old | 3664 | 8.45 |
| 17 years old | 1459 | 3.37 |
| 18 or older | 469 | 1.08 |

Frequency Missing = 8211.2489749

Frequency Missing = 8910.5423931

Frequency Missing = 77891.732605

| AGE WHEN FIRST USED SMOKELESS TOBACCO | | |
|------------------------------------------|------|-------|
| q21b Frequency Percent | | |
| 9 or younger | 1244 | 8.76 |
| 10 years old | 667 | 4.70 |
| 11 years old | 980 | 6.90 |
| 12 years old | 1362 | 9.60 |
| 13 years old | 1914 | 13.48 |
| 14 years old | 2227 | 15.68 |
| 15 years old | 2933 | 20.66 |
| 16 years old | 1792 | 12.62 |
| 17 years old | 845 | 5.95 |
| 18 or older | 233 | 1.64 |

| AGE WHEN FIRST USED WINE | | |
|-----------------------------|-----------|---------|
| q21e Fr | equency 1 | Percent |
| 9 or younger | 5714 | 10.75 |
| 10 years old | 4442 | 8.36 |
| 11 years old | 4526 | 8.52 |
| 12 years old | 7919 | 14.90 |
| 13 years old | 8936 | 16.82 |
| 14 years old | 7880 | 14.83 |
| 15 years old | 7712 | 14.51 |
| 16 years old | 4068 | 7.66 |
| 17 years old | 1322 | 2.49 |
| 18 or older | 617 | 1.16 |

| AGE WHEN FIRST USED MARIJUANA | | |
|----------------------------------|------|-------|
| q21h Frequency Percent | | |
| 9 or younger | 2587 | 7.50 |
| 10 years old | 1862 | 5.40 |
| 11 years old | 2301 | 6.67 |
| 12 years old | 4182 | 12.12 |
| 13 years old | 6405 | 18.57 |
| 14 years old | 6174 | 17.90 |
| 15 years old | 5847 | 16.95 |
| 16 years old | 3268 | 9.48 |
| 17 years old | 1588 | 4.60 |
| 18 or older | 281 | 0.81 |

Frequency Missing = 107029.47255

Frequency Missing = 68089.464685

Frequency Missing = 86731.802297

| AGE WHEN FIRST USED BEER | | |
|-----------------------------|-------|-------|
| q21c Frequency Percent | | |
| 9 or younger | 12741 | 17.47 |
| 10 years old | 5422 | 7.43 |
| 11 years old | 5148 | 7.06 |
| 12 years old | 8813 | 12.08 |
| 13 years old | 11990 | 16.44 |
| 14 years old | 10961 | 15.03 |
| 15 years old | 10222 | 14.01 |
| 16 years old | 5276 | 7.23 |
| 17 years old | 1779 | 2.44 |
| 18 or older | 583 | 0.80 |

| AGE WHEN FIRST USED LIQUOR | | |
|-------------------------------|-------|-------|
| q21f Frequency Percent | | |
| 9 or younger | 3578 | 5.81 |
| 10 years old | 2047 | 3.32 |
| 11 years old | 3258 | 5.29 |
| 12 years old | 7541 | 12.24 |
| 13 years old | 11536 | 18.73 |
| 14 years old | 11115 | 18.04 |
| 15 years old | 11938 | 19.38 |
| 16 years old | 7068 | 11.47 |
| 17 years old | 2708 | 4.40 |
| 18 or older | 814 | 1.32 |

| AGE WHEN FIRST USED COCAINE | | |
|--------------------------------|------|-------|
| q21i Frequency Percent | | |
| 9 or younger | 111 | 0.77 |
| 10 years old | 293 | 2.04 |
| 11 years old | 477 | 3.32 |
| 12 years old | 1112 | 7.75 |
| 13 years old | 2293 | 15.99 |
| 14 years old | 2691 | 18.76 |
| 15 years old | 3667 | 25.56 |
| 16 years old | 2316 | 16.15 |
| 17 years old | 1177 | 8.20 |
| 18 or older | 209 | 1.45 |

Frequency Missing = 48290.253405

Frequency Missing = 59622.076269

Frequency Missing = 106880.16934

| AGE W | HEN FIRS WINE CO | |
|--------------|---------------------|---------|
| q21d | Frequency | Percent |
| 9 or younger | 7243 | 11.62 |
| 10 years old | 4145 | 6.65 |
| 11 years old | 4786 | 7.68 |
| 12 years old | 9058 | 14.54 |
| 13 years old | 10785 | 17.31 |
| 14 years old | 9748 | 15.64 |
| 15 years old | 9634 | 15.46 |
| 16 years old | 4728 | 7.59 |
| 17 years old | 1649 | 2.65 |
| 18 or older | 538 | 0.86 |

| AGE WHI | | T USED |
|--------------|---------|--------|
| q21g Fr | equency | |
| 9 or younger | 1214 | 11.27 |
| 10 years old | 912 | 8.47 |
| 11 years old | 926 | 8.60 |
| 12 years old | 1654 | 15.36 |
| 13 years old | 1992 | 18.50 |
| 14 years old | 1622 | 15.06 |
| 15 years old | 1434 | 13.32 |
| 16 years old | 684 | 6.35 |
| 17 years old | 295 | 2.74 |
| 18 or older | 37 | 0.35 |

| AGE W | HEN FIRS | |
|--------------|-----------|---------|
| | (| CRACK |
| q21j | Frequency | Percent |
| 9 or younger | 91 | 3.90 |
| 10 years old | 120 | 5.17 |
| 11 years old | 123 | 5.31 |
| 12 years old | 290 | 12.48 |
| 13 years old | 418 | 17.98 |
| 14 years old | 414 | 17.83 |
| 15 years old | 363 | 15.63 |
| 16 years old | 257 | 11.06 |
| 17 years old | 229 | 9.86 |
| 18 or older | 18 | 0.77 |

Frequency Missing = 58909.766015

Frequency Missing = 110454.60282

Frequency Missing = 118900.29139

| | EN FIRST | OGENS | AGE WHE | | PNOL | | EN FIRST Hi requency 1 | EROIN |
|--------------|----------|-------|--------------|-----|-------|--------------|------------------------------|-------|
| 9 or younger | 185 | 3.38 | 9 or younger | 319 | 11.00 | 9 or younger | 177 | 10.53 |
| 10 years old | 81 | 1.48 | 10 years old | 90 | 3.12 | 10 years old | 117 | 6.92 |
| 11 years old | 360 | 6.57 | 11 years old | 223 | 7.68 | 11 years old | 244 | 14.49 |
| 12 years old | 421 | 7.69 | 12 years old | 420 | 14.49 | 12 years old | 160 | 9.47 |
| 13 years old | 814 | 14.87 | 13 years old | 614 | 21.19 | 13 years old | 307 | 18.21 |
| 14 years old | 968 | 17.69 | 14 years old | 465 | 16.05 | 14 years old | 232 | 13.77 |
| 15 years old | 1171 | 21.39 | 15 years old | 398 | 13.74 | 15 years old | 175 | 10.37 |
| 16 years old | 928 | 16.95 | 16 years old | 150 | 5.18 | 16 years old | 173 | 10.25 |
| 17 years old | 442 | 8.08 | 17 years old | 201 | 6.94 | 17 years old | 96 | 5.67 |
| 18 or older | 104 | 1.90 | 18 or older | 18 | 0.62 | 18 or older | 5 | 0.32 |

Frequency Missing = 115751.12911

Frequency Missing = 118326.07115

Frequency Missing = 119541.11251

| AGE WHI | | USED PPERS | AGE WHE | | USED |
|--------------|-----------|---------------|--------------|----------|---------|
| q21m Fr | equency l | Percent | q21p Fre | quency I | Percent |
| 9 or younger | 209 | 3.67 | 9 or younger | 365 | 19.12 |
| 10 years old | 110 | 1.93 | 10 years old | 203 | 10.62 |
| 11 years old | 298 | 5.21 | 11 years old | 124 | 6.48 |
| 12 years old | 612 | 10.71 | 12 years old | 90 | 4.71 |
| 13 years old | 842 | 14.74 | 13 years old | 212 | 11.10 |
| 14 years old | 1247 | 21.84 | 14 years old | 162 | 8.50 |
| 15 years old | 946 | 16.57 | 15 years old | 292 | 15.31 |
| 16 years old | 964 | 16.88 | 16 years old | 284 | 14.86 |
| 17 years old | 423 | 7.40 | 17 years old | 141 | 7.40 |
| 18 or older | 60 | 1.05 | 18 or older | 36 | 1.88 |

| HOW OFTEN | | LY USE RETTES |
|------------------|-----------|------------------|
| q22a | Frequency | Percent |
| Every day | 3461 | 2.98 |
| Several times/wk | 3207 | 2.76 |
| Several times/mo | 4615 | 3.97 |
| About once/month | 7534 | 6.48 |
| About once/year | 5719 | 4.92 |
| < once/year | 11421 | 9.82 |
| Never used | 80318 | 69.08 |

Frequency Missing = 4950.2245206

Frequency Missing = 115513.65925

Frequency Missing = 119316.74584

| HOW OFTEN SMOK | NORMALI ELESS TO | |
|-------------------|---------------------|---------|
| q22b | Frequency | Percent |
| Every day | 1748 | 1.51 |
| Several times/wk | 963 | 0.83 |
| Several times/mo | 1396 | 1.21 |
| About once/month | 2499 | 2.16 |
| About once/year | 2163 | 1.87 |
| < once/year | 4405 | 3.81 |
| Never used | 102E3 | 88.60 |

| AGE WHE | | T USED WNERS |
|--------------|---------|-----------------|
| q21n Fr | equency | Percent |
| 9 or younger | 229 | 4.07 |
| 10 years old | 83 | 1.47 |
| 11 years old | 310 | 5.51 |
| 12 years old | 533 | 9.48 |
| 13 years old | 815 | 14.49 |
| 14 years old | 1066 | 18.96 |
| 15 years old | 1051 | 18.68 |
| 16 years old | 989 | 17.59 |
| 17 years old | 509 | 9.04 |
| 18 or older | 39 | 0.70 |

| AGE WHI | | T USED CSTASY |
|--------------|---------|------------------|
| q21q Fr | equency | Percent |
| 9 or younger | 101 | 1.61 |
| 10 years old | 138 | 2.21 |
| 11 years old | 300 | 4.80 |
| 12 years old | 443 | 7.09 |
| 13 years old | 796 | 12.75 |
| 14 years old | 1118 | 17.91 |
| 15 years old | 1308 | 20.96 |
| 16 years old | 1163 | 18.63 |
| 17 years old | 811 | 12.99 |
| 18 or older | 65 | 1.05 |

Frequency Missing = 5620.9458302

Frequency Missing = 115599.63858

Frequency Missing = 114982.43968

| | | | Spring | 2006 | | | | |
|-------------------|----------------------|------------------|---------------------|------------------------|---------|-------------------|-----------------------|------------------|
| HOW OFTEN N | ORMALI | | Francis au Mineire | E 400 40 | 2000 | HOW OFTEN N | | |
| | | BEER | Frequency Missing | = 5466.18 | 38898 | *** = | | CRACK |
| | requency 1 | | | | | | requency 1 | |
| Every day | 348 | 0.30 | HOW OFTEN N | ORMALL | Y USE | Every day | 158 | 0.14 |
| Several times/wk | 7264 | 6.30 | | INHA | | Several times/wk | 217 | 0.19 |
| Several times/mo | 18156 | 15.73 | q22g F. | requency 1 | Percent | Several times/mo | 218 | 0.19 |
| About once/month | 16646 | 14.43 | Every day | 330 | 0.29 | About once/month | 472 | 0.42 |
| About once/year | 12133 | 10.52 | Several times/wk | 540 | 0.48 | About once/year | 276 | 0.24 |
| < once/year | 11087 | 9.61 | Several times/mo | 981 | 0.86 | < once/year | 835 | 0.74 |
| Never used | 49750 | 43.12 | About once/month | 1906 | 1.68 | Never used | 111E3 | 98.08 |
| | | | About once/year | 1803 | 1.59 | | | |
| Frequency Missing | = 5840.48 | 97313 | < once/year | 3311 | 2.92 | Frequency Missing | = 8002.04 | 57084 |
| . , , | | | Never used | 105E3 | 92.19 | , , , | | |
| HOW OFTEN N | | | Fraguency Missing | _ 7664 70 | 66642 | HOW OFTEN N | | |
| | WINE COO requency | | Frequency Missing | – 100 4 .12 | 00070 | | LLUCINO requency l | |
| Every day | requency 1 247 | 0.21 | | | | Every day | requency 1 | 0.06 |
| Several times/wk | 4677 | 4.05 | HOW OFTEN N | ORMALI | Y USE | Several times/wk | 158 | 0.06 |
| Several times/wk | 12818 | 11.10 | | MARI | | Several times/mo | 507 | 0.14 |
| About once/month | 15412 | 13.35 | | requency 1 | | About once/month | 1013 | 0.43 |
| About once/year | 13148 | 11.39 | Every day | 3817 | 3.38 | About once/year | 1544 | 1.37 |
| < once/year | 11146 | 9.65 | Several times/wk | 3971 | 3.51 | < once/year | 1717 | 1.52 |
| Never used | 58016 | 50.25 | Several times/mo | 4344 | 3.84 | Never used | 108E3 | 95.55 |
| Trever useu | 20010 | | About once/month | 5617 | 4.97 | Tiever about | 10020 | |
| | | | About once/year | 5239 | 4.63 | | | |
| Frequency Missing | = 5759.63 | 63867 | < once/year | 7106 | 6.28 | Frequency Missing | = 8519.00 | 78387 |
| | | | Never used | 82975 | 73.38 | | | |
| HOW OFTEN N | ORMALI | | Frequency Missing | _ 8155 83 | 60083 | HOW OFTEN N | | Y USE PPERS |
| ~22° E | | WINE | r requericy missing | - 0133.03 | 00903 | ~22m E | requency l | |
| Every day | requency 1 | 0.12 | | | | Every day | 134 | 0.12 |
| Several times/wk | 2691 | 2.36 | HOW OFTEN N | ORMALI | Y USE | Several times/wk | 394 | 0.12 |
| Several times/wk | 6888 | 6.04 | | | CAINE | Several times/mo | 624 | 0.56 |
| About once/month | 9443 | 8.28 | | requency 1 | | About once/month | 1283 | 1.14 |
| About once/year | 14501 | 12.72 | Every day | 302 | 0.27 | About once/year | 1068 | 0.95 |
| < once/year | 14837 | 13.02 | Several times/wk | 1073 | 0.95 | < once/year | 1489 | 1.33 |
| Never used | 65499 | 57.46 | Several times/mo | 2075 | 1.83 | Never used | 107E3 | 95.55 |
| Trever useu | 05 177 | 37.10 | About once/month | 2560 | 2.26 | Tiever abea | 10723 | |
| | | | About once/year | 2507 | 2.21 | | | |
| Frequency Missing | = 7228.98 | 77756 | < once/year | 3658 | 3.23 | Frequency Missing | = 9059.61 | 70108 |
| | | | Never used | 101E3 | 89.26 | | | |
| HOW OFTEN N | | | For any and Mindian | 7000.04 | 00.400 | HOW OFTEN N | | |
| α22f F | Ll [requency | IQUOR Percent | Frequency Missing | = 7908.84 | 02423 | a22n F | DOV requency l | VNERS Percent |
| Every day | 312 | 0.27 | | | | Every day | 93 | 0.08 |
| Several times/wk | 5158 | 4.46 | | | | Several times/wk | 377 | 0.33 |
| Several times/mo | 14725 | 12.72 | | | | Several times/mo | 705 | 0.63 |
| About once/month | 16551 | 14.30 | | | | About once/month | 1261 | 1.12 |
| About once/year | 12135 | 10.48 | | | | About once/year | 1110 | 0.98 |
| < once/year | 8765 | 7.57 | | | | < once/year | 1307 | 1.16 |
| | 50114 | 50.20 | | | | | 10052 | 05.70 |

Never used

50.20

58114

108E3

95.70

Never used

| Fragues av Missing | 0457.57 | 74200 | HOW OFTEN N | | | AMOUNT OF | WINE A | |
|---------------------|------------|-------------|-------------------|----------------|-----------------------------------------|----------------------|------------------|---------|
| Frequency Missing = | = 8457.57 | 74298 | a22r I | H Frequency | EROIN Parcant | a23c Fr | requency I | TIME |
| | | | Every day | 106 | 0.09 | Never drink this | 55002 | 47.69 |
| HOW OFTEN NO | | | Several times/wk | 114 | 0.10 | 12+ drinks | 5765 | 5.00 |
| | | PNOL | Several times/mo | 125 | 0.11 | 9-11 drinks | 4019 | 3.49 |
| | requency 1 | | About once/month | 379 | 0.33 | 5-8 drinks | 8192 | 7.10 |
| Every day | 128 | 0.11 | About once/year | 249 | 0.22 | 3-4 drinks | 12469 | 10.81 |
| Several times/wk | 274 | 0.24 | < once/year | 611 | 0.54 | 2 drinks | 10431 | 9.05 |
| Several times/mo | 270 | 0.24 | Never used | 112E3 | 98.61 | 1 drink | 10929 | 9.48 |
| About once/month | 327 | 0.29 | - Never useu | 112L3 | 70.01 | < 1 drink | 8513 | 7.38 |
| About once/year | 564 | 0.50 | | | | | | 7.50 |
| < once/year | 899 | 0.80 | Frequency Missing | g = 7313.7 | 30058 | | | |
| Never used | 11E4 | 97.81 | | | | Frequency Missing | = 5905.16 | 604206 |
| | | | AMOUNT OI | F BEER A | ΓONE | | | |
| Frequency Missing = | = 8587.38 | 24009 | | | TIME | AMOUNT OF L | IQUOR A | |
| | | | | requency F | ercent | | | TIME |
| HOW OFTEN NO | ODMALI | VIICE | Never drink this | 54193 | 47.00 | q23d F1 | requency l | Percent |
| HOW OF LEN IN | | ROIDS | 12+ drinks | 6911 | 5.99 | Never drink this | 46163 | 39.97 |
| g22p Fr | requency 1 | | 9-11 drinks | 4923 | 4.27 | 12+ drinks | 9779 | 8.47 |
| Every day | 249 | 0.22 | 5-8 drinks | 8630 | 7.48 | 9-11 drinks | 5782 | 5.01 |
| Several times/wk | 212 | 0.19 | 3-4 drinks | 12054 | 10.45 | 5-8 drinks | 10832 | 9.38 |
| Several times/mo | 174 | 0.15 | 2 drinks | 9328 | 8.09 | 3-4 drinks | 12142 | 10.51 |
| About once/month | 186 | 0.16 | 1 drink | 9259 | 8.03 | 2 drinks | 8919 | 7.72 |
| About once/year | 327 | 0.10 | < 1 drink | 10016 | 8.69 | 1 drink | 8897 | 7.70 |
| < once/year | 508 | 0.45 | | | | < 1 drink | 12991 | 11.25 |
| Never used | 112E3 | 98.54 | - A4: . | 5040.05 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| TVCVCI USCU | 11223 | 70.54 | Frequency Missing | = 5910.27 | 56505 | Frequency Missing | = 5720.39 | 998184 |
| Frequency Missing = | = 8027.57 | 54739 | AMOUNT OF V | | | | | |
| | | | | AT ONE | | HOW MANY 5+ D | | |
| HOW OFTEN NO | ORMALI | VIISE | | requency F | | | | DAYS |
| HOW OF TENT | | STASY | Never drink this | 64105 | 55.91 | | requency l | |
| q22q Fr | requency 1 | Percent | 12+ drinks | 2327 | 2.03 | Never 5+ at time | 41421 | 35.48 |
| Every day | 103 | 0.09 | 9-11 drinks | 1209 | 1.05 | None | 40172 | 34.41 |
| Several times/wk | 172 | 0.15 | 5-8 drinks | 2319 | 2.02 | 1 day | 9523 | 8.16 |
| Several times/mo | 835 | 0.73 | 3-4 drinks | 5556 | 4.85 | 2 days | 7781 | 6.66 |
| About once/month | 1328 | 1.17 | 2 drinks | 7993 | 6.97 | 3 to 5 days | 8753 | 7.50 |
| About once/year | 1713 | 1.50 | 1 drink | 13678 | 11.93 | 6 to 9 days | 4245 | 3.64 |
| < once/year | 1666 | 1.46 | < 1 drink | 17476 | 15.24 | 10 or more days | 4855 | 4.16 |
| Never used | 108E3 | 94.89 | | | | | | |
| | | | Frequency Missing | = 6561.04 | 92908 | Frequency Missing | = 4474.00 | 007937 |
| Frequency Missing = | = 7354.42 | 76968 | | | | | | |
| | | | | | | GET ALCOHOL | IC BEVEI FROM | |
| | | | | | | q25a F | requency 1 | Percent |
| | | | | | | Do not Drink | 44788 | 38.70 |
| | | | | | | Never | 38570 | 33.33 |
| | | | | | | Seldom | 23371 | 20.19 |
| | | | | | | Most of the Time | 6455 | 5.58 |
| | | | | | | Always | 2554 | 2.21 |

| AYS | OTHER W | USE MARIJUANA | DINTS | ANA AS JO | USE MARIJU | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| rcent | quency Pe | q26e Fre | ercent | equency P | q26a Fı | 256396 | = 5486.52 | Frequency Missing |
| 35.50 | 97328 | Never | 77.69 | 89913 | Never | | | |
| 6.17 | 7026 | Seldom | 9.34 | 10810 | Seldom | DACES | C DEVED | GET ALCOHOLI |
| 1.44 | 1642 | Half the time | 5.01 | 5799 | Half the time | | ROM FRI | |
| 1.71 | 1945 | Most of the time | 3.86 | 4467 | Most of the time | | equency P | |
| 2.58 | 2939 | Always | 3.10 | 3593 | Always | 32.04 | 36986 | Do not Drink |
| 2.60 | 2959 | Don't know | 1.00 | 1156 | Don't know | 17.31 | 19990 | Never |
| | | | | | | 17.01 | 19634 | Seldom |
| | | | | | | 22.39 | 25851 | Most of the Time |
| 7219 | : 7387.089 | Frequency Missing : | 956592 | = 5486.19 | Frequency Missing | 11.25 | 12993 | Always |
| EVE | ETAMINE | USED METHAMPH | UNTS | NA AS BL | USE MARIJUA | | | |
| TIM | ONE | | ercent | equency P | q26b Fi | 964347 | = 5770.79 | Frequency Missing |
| Percen | equency l | q27 Fr | 77.26 | 88850 | Never | | | |
| 95.9 | 112E3 | Never heard/used | 6.88 | 7907 | Seldom | RACES | C REVER | GET ALCOHOLI |
| 0.7 | 858 | At least once/month | 4.77 | 5483 | Half the time | | ROM A S | |
| 0.9 | 1116 | At least once/year | 4.91 | 5650 | Most of the time | | equency P | |
| 2.3 | 2759 | At least once/life | 5.13 | 5902 | Always | | 39760 | Do not Drink |
| | | | 1.05 | 1213 | Don't know | 46.53 | 53430 | Never |
| | | | | | | | 11096 | Seldom |
| | | Frequency Missing : | | | | 6.02 | 6911 | Most of the Time |
| 9846 | 4591.341 | | | | | 0.02 | 0711 | |
| 9846 | : 4591.341 | | 86609 | = 6220.00 | Frequency Missing | 3.16 | 3629 | AIWAVS |
| | | DECENT DDECDID | 86609 | = 6220.00 | Frequency Missing | 3.16 | 3629 | Always |
| G USI | TION DRU | RECENT PRECRIP | | | | 3.16 | 3629 | Always |
| G USI DEINI | TON DRU | | GS OR | A IN BONG | USE MARIJUAN | | | Frequency Missing : |
| G USI DEINI Percen | TION DRU - COI requency F | Q28A F | GS OR PIPES | A IN BONG | USE MARIJUANA | | | |
| G USI DEINI Percen 85.42 | FION DRUGE - COI requency F | Q28A F Never heard/used | GS OR PIPES 'ercent | A IN BONG WATER : requency P | USE MARIJUANA q26c Fi | 998227 | = 6397.99 | Frequency Missing |
| G USI DEINI Percen 85.42 5.43 | FION DRUG - COI requency F 97268 6182 | Q28A F Never heard/used At least once/month | GS OR PIPES Percent 83.91 | A IN BONG WATER : requency P 96267 | USE MARIJUANA q26c Fi Never | 998227 RAGES | = 6397.99 C BEVER | |
| G USI DEINI Percen 85.42 5.43 4.70 | FION DRU - COI requency F 97268 6182 5352 | Q28A F Never heard/used At least once/month At least once/year | GS OR PIPES Percent 83.91 6.91 | A IN BONG WATER 1 requency P 96267 7932 | USE MARIJUANA q26c Fi Never Seldom | 998227 RAGES ARTIES | = 6397.99 C BEVER AT PA | Frequency Missing : GET ALCOHOLI |
| G USI DEINI Percen 85.42 5.43 | FION DRUG - COI requency F 97268 6182 | Q28A F Never heard/used At least once/month | GS OR PIPES Percent 83.91 6.91 2.96 | A IN BONG WATER : requency P 96267 7932 3399 | USE MARIJUANA q26c Fr Never Seldom Half the time | 998227 RAGES ARTIES Percent | = 6397.99 C BEVER AT PA equency P | Frequency Missing : GET ALCOHOLI q25d Fr |
| G USI DEINI Percen 85.42 5.43 4.70 | FION DRU - COI requency F 97268 6182 5352 | Q28A F Never heard/used At least once/month At least once/year | GS OR PIPES Percent 83.91 6.91 2.96 2.62 | A IN BONG WATER 1 requency P 96267 7932 3399 3003 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time | RAGES ARTIES Percent 31.35 | = 6397.99 C BEVER AT PAI equency F 36174 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink |
| G USI DEINI Percen 85.4: 5.4: 4.70 4.4: | FION DRU - COI requency F 97268 6182 5352 5064 | Q28A F Never heard/used At least once/month At least once/year | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 | A IN BONG WATER 1 96267 7932 3399 3003 3141 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always | RAGES ARTIES Percent 31.35 14.74 | = 6397.99 C BEVER AT PAI equency F 36174 17010 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never |
| G USI DEINI Percen 85.4: 5.4: 4.70 4.4: | FION DRU - COI requency F 97268 6182 5352 5064 | Q28A F Never heard/used At least once/month At least once/year At least once/life | GS OR PIPES Percent 83.91 6.91 2.96 2.62 | A IN BONG WATER 1 requency P 96267 7932 3399 3003 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time | P998227 RAGES ARTIES Percent 31.35 14.74 13.19 | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom |
| G USI DEINI Percen 85.4: 5.4: 4.70 4.4: | FION DRU - COI requency F 97268 6182 5352 5064 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 | A IN BONG WATER 1 96267 7932 3399 3003 3141 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time |
| G USI DEINI Percen 85.42 5.43 4.70 4.43 3451 | FION DRU- - COI requency F 97268 6182 5352 5064 - 7359.685 | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always Don't know | P998227 RAGES ARTIES Percent 31.35 14.74 13.19 | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never |
| G USI Percen 85.4: 5.4: 4.7: 4.4: 3451 G USI N ETC | 71ON DRU- - COI requency F 97268 6182 5352 5064 - 7359.685 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI Percen | FION DRUG - COI requency F 97268 6182 5352 5064 - 7359.685 FION DRUG XYCONTIL | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always Don't know | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 26702 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always |
| G USI Percen 85.42 5.43 4.70 4.43 3451 G USI N ETO Percen 95.93 | TON DRU - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU KYCONTH requency F 108E3 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 | A IN BONG WATER 1 requency P 96267 7932 3399 3003 3141 991 = 6492.48 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always Don't know | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 26702 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always |
| G USI Percen 85.42 5.43 4.70 4.43 3451 G USI N ETO Percen 95.93 1.04 | TON DRU - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU KYCONTH requency F 108E3 1167 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OT Q28B F Never heard/used At least once/month | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 | A IN BONG WATER 1 requency P 96267 7932 3399 3003 3141 991 = 6492.48 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 26702 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always |
| G USI Percen 85.4: 5.4: 4.7: 4.4: 3451 G USI N ETO Percen 95.9: 1.04 | TON DRU COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU- XYCONTH requency F 108E3 1167 1655 | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - Of Q28B F Never heard/used At least once/month At least once/year | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 26702 = 5821.62 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always |
| G USI Percen 85.42 5.43 4.70 4.43 3451 G USI N ETO Percen 95.93 1.04 | TON DRU - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU KYCONTH requency F 108E3 1167 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OT Q28B F Never heard/used At least once/month | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 PIPES Percent | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 26702 = 5821.62 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : |
| G USI Percen 85.4: 5.4: 4.7: 4.4: 3451 G USI N ETO Percen 95.9: 1.04 | TON DRU COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU- XYCONTH requency F 108E3 1167 1655 | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - Of Q28B F Never heard/used At least once/month At least once/year | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 PIPES Percent 80.41 | A IN BONG WATER 196267 7932 3399 3003 3141 991 = 6492.48 UANA IN 199242 | USE MARIJUANA q26c Fi Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fi Never | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 6274569 RAGES OTHER | C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI Percen 95.9: 1.04 1.4: | 710N DRU- - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU- KYCONTH requency F 108E3 1167 1655 1730 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used At least once/month At least once/year At least once/life | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN requency P 92242 7600 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 6274569 RAGES OTHER | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI Percen 95.9: 1.04 1.4: | 710N DRU- - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU- KYCONTH requency F 108E3 1167 1655 1730 | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - Of Q28B F Never heard/used At least once/month At least once/year | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 | A IN BONG WATER 1 requency P 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 3274569 RAGES OTHER Percent | = 6397.99 C BEVER AT PA) equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI Percen 95.9: 1.04 1.4: | 710N DRU- - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU- KYCONTH requency F 108E3 1167 1655 1730 | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used At least once/month At least once/year At least once/life | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 4.72 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 equency P 92242 7600 3873 5414 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 274569 RAGES OTHER Percent 34.59 | C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI Percen 95.9: 1.04 1.54 | FION DRUGE - COI requency F 97268 6182 5352 5064 F 7359.685 F TON DRUGE - TON | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used At least once/month At least once/year At least once/life | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 PIPES PIPES Percent 80.41 6.62 3.38 4.72 4.03 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 5414 4624 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 6274569 RAGES OTHER Percent 34.59 24.73 | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 28148 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink Never Seldom |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI Percen 95.9: 1.04 1.54 2514 | FION DRUGE - COI requency F 97268 6182 5352 5064 F 7359.685 F TON DRUGE - TON | Q28A F Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used At least once/month At least once/year At least once/life Frequency Missing = | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 4.72 4.03 0.84 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 5414 4624 966 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 6274569 RAGES OTHER Percent 34.59 24.73 15.92 | C BEVER AT PA) equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 28148 18119 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink Never Seldom |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI 95.9: 1.0- 1.5- 2514 G USI N ETC | TON DRUGE - COI requency F 97268 6182 5352 5064 - TON DRUGE - TON | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - Of Q28B F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 4.72 4.03 0.84 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 5414 4624 966 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 3274569 RAGES OTHER Percent 34.59 24.73 15.92 12.35 | C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 28148 18119 14060 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time |
| G USI Percen 85.4: 5.4: 4.70 4.4: 3451 G USI 95.9: 1.0- 1.5- 2514 G USI N ETC | TON DRUG-COI requency F 97268 6182 5352 5064 | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - Of Q28B F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 4.72 4.03 0.84 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 5414 4624 966 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 8274569 RAGES OTHER Percent 34.59 24.73 15.92 12.35 12.41 | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 28148 18119 14060 14125 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time |
| G USI Percen 85.4: 5.4: 4.7: 4.4: 3451 G USI Percen 95.9: 1.0: 1.5: 2514 G USI N ETC Percen | TON DRU - COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU XYCONTH requency F 108E3 1167 1655 1730 - 8785.565 TON DRU - VICODH requency F | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT Q28C F | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 4.72 4.03 0.84 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 5414 4624 966 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 8274569 RAGES OTHER Percent 34.59 24.73 15.92 12.35 12.41 | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 28148 18119 14060 14125 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time |
| G USI Percen 85.4: 5.4: 4.7: 4.4: 3451 G USI Percen 95.9: 1.04 1.4: 1.5: 2514 G USI N ETC Percen 93.3: | TON DRU COI requency F 97268 6182 5352 5064 - 7359.685 TON DRU- XYCONTH requency F 108E3 1167 1655 1730 - 8785.565 TON DRU VICODH requency F 105E3 | Q28A F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT - O Q28B F Never heard/used At least once/month At least once/jear At least once/life Frequency Missing = RECENT PRECRIPT Q28C F Never heard/used | GS OR PIPES Percent 83.91 6.91 2.96 2.62 2.74 0.86 813878 PIPES Percent 80.41 6.62 3.38 4.72 4.03 0.84 | A IN BONG WATER 1 96267 7932 3399 3003 3141 991 = 6492.48 UANA IN 1 requency P 92242 7600 3873 5414 4624 966 | USE MARIJUANA q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | RAGES ARTIES Percent 31.35 14.74 13.19 17.59 23.14 8274569 RAGES OTHER Percent 34.59 24.73 15.92 12.35 12.41 | = 6397.99 C BEVER AT PAI equency F 36174 17010 15218 20299 26702 = 5821.62 C BEVER FROM O equency F 39379 28148 18119 14060 14125 | Frequency Missing : GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time |

DANGEROUS FOR KIDS TO

Very

Somewhat

Not very

Not at all

Don't know

USE ALCOHOL

39.98

34.05

16.97

5.07

3.93

q30b Frequency Percent

43690

37210

18539

5536

4294

Frequency Missing = 8800.945341

RECENT PRECRIPTION DRUG USE

Frequency Missing = 10696.770754

Never heard/used

At least once/month

- VALIUM ETC

97.06

0.85

Q28D Frequency Percent

109E3

954

| At least once/year | 1036 | 0.92 | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------|------------------------------------|--------------------------------------------|-------------------------------------------|-------------------------------------------------|--------------------------------------------------|---------------------------------------------|
| At least once/life | 1321 | 1.17 | Frequency Missi | ng = 1195 | 6.398148 | Frequency Missi | ng = 1473 | 5.70397 |
| Frequency Missing = | = 8501.245 | 56687 | DANGEROU U | S FOR KI SE INHAI | | DANGEROU | S FOR KI USE ECS | |
| DE CENTE DDE CDID | TON DDI | | q30c F | requency 1 | Percent | q30g F | requency I | Percent |
| RECENT PRECRIPT | TION DRU - XANA | | Very | 76771 | 71.80 | Very | 82559 | 77.09 |
| 028E E | requency I | | Somewhat | 16902 | 15.81 | Somewhat | 11242 | 10.50 |
| Never heard/used | 108E3 | 95.25 | Not very | 5071 | 4.74 | Not very | 3445 | 3.22 |
| At least once/month | 1782 | 93.23 1.57 | Not at all | 2033 | 1.90 | Not at all | 1808 | 1.69 |
| At least once/year | 1782 | 1.57 | Don't know | 6139 | 5.74 | Don't know | 8044 | 7.51 |
| At least once/life | 1819 | 1.60 | | | | - | | |
| | 7000 004 | | Frequency Missi | ng = 1430 | 8.260208 | Frequency Missi | ng = 1412 | 6.8067 |
| Frequency Missing = TAKE DXM, TRIE | | | | SE MARIJ | IUANA | | USE STE | ROIDS |
| TAKE DAM, TKII | | HIGH | | requency 1 | Percent | q30h F | requency I | Percent |
| a29 F | requency I | | Very | 61562 | 57.47 | Very | 80830 | 74.13 |
| Never heard/used | 104E3 | 91.04 | Somewhat | 19651 | 18.35 | Somewhat | 14498 | 13.30 |
| | 3720 | 3.27 | Not very | 11603 | 10.83 | Not very | 4585 | 4.20 |
| | | | Not at all | 9627 | 8.99 | Not at all | 1464 | 1.34 |
| At least once/month | | 2 31 | | | | | 7667 | 7.02 |
| | 2633 3843 | 2.31 3.38 | Don't know | 4669 | 4.36 | Don't know | 7667 | 7.03 |
| At least once/month At least once/year At least once/life | 2633 3843 | 3.38 | Frequency Missi | ng = 1411 | 1.975448 | Frequency Missi | ng = 1218 | 31.2869 |
| At least once/month At least once/year At least once/life Frequency Missing = DANGEROUS F | 2633 3843 = 7381.975 | 3.38 51279 TO | | ng = 1411 | 1.975448 DS TO | | ng = 1218 | 31.2869 IDS TO |
| At least once/month At least once/year At least once/life Frequency Missing = DANGEROUS F US: | 2633 3843 = 7381.975 OR KIDS 7 | 3.38 51279 TO | Frequency Missi DANGEROU | ng = 1411 | 1.975448 DS TO CAINE | Frequency Missi DANGEROU | ng = 1218 IS FOR KI | 1.2869 IDS TO EROIN |
| At least once/month At least once/year At least once/life Frequency Missing = DANGEROUS F US: q30a Frequ | 2633 3843 = 7381.975 OR KIDS 7 E TOBACO | 3.38 51279 TO CO ent | Frequency Missi DANGEROU | ng = 1411 S FOR KI USE CO | 1.975448 DS TO CAINE | Frequency Missi DANGEROU | ng = 1218 US FOR KI USE HI | 1.2869 IDS TO EROIN |
| At least once/month At least once/year At least once/life Frequency Missing = DANGEROUS F US: q30a Frequency Very | 2633 3843 = 7381.975 OR KIDS 7 E TOBACO nency Perco | 3.38 51279 TO CO ent 5.24 | Prequency Missi DANGEROU q30e Fr | ng = 1411 S FOR KI USE CO | 1.975448 DS TO CAINE Percent | Frequency Missi DANGEROU q30i Fr | ng = 1218 US FOR KI USE HI requency I | IDS TO EROIN Percent 84.80 |
| At least once/month At least once/year At least once/life Frequency Missing = DANGEROUS F US q30a Frequency Very 4 Somewhat 3 | 2633 3843 = 7381.975 OR KIDS 7 E TOBACO lency Perco 17795 43 33930 30 | 3.38 51279 TO CO ent 3.24 0.70 | DANGEROU q30e Fr | ng = 1411 (S FOR KI USE CO requency) 82154 | DS TO CAINE Percent 78.33 | Frequency Missi DANGEROU q30i Frequency Missi | ng = 1218 US FOR KI USE HI requency I 93384 | IDS TO EROIN Percent 84.80 6.30 |
| At least once/month At least once/year At least once/life Frequency Missing = DANGEROUS F US q30a Frequency Very 4 Somewhat 3 Not very | 2633 3843 = 7381.975 OR KIDS 7 E TOBACO nency Percu 17795 43 33930 30 16935 15 | 3.38 51279 TO CO ent 5.24 | DANGEROU q30e Fr Very Somewhat | requency 1 82154 12564 | 1.975448 DS TO CAINE Percent 78.33 11.98 | DANGEROU q30i Fr Very Somewhat | ng = 1218 S FOR KI USE HI requency I 93384 6939 | 31.2869 IDS TO EROIN Percent |

Frequency Missing = 16346.293582

Frequency Missing = 11105.408521

DANGEROUS FOR KIDS TO

Very

Somewhat

Not very

Not at all

Don't know

q30f Frequency Percent

87986

9884

1557

1136

5927

USE CRACK

82.62

9.28

1.46

1.07

5.57

| DANGEROUS FOR KIDS TO USE METHAMPHETAMINE | | | |
|-------------------------------------------|-------|-------|--|
| q30j Frequency Percent | | | |
| Very | 92986 | 83.20 | |
| Somewhat | 6957 | 6.23 | |
| Not very | 1143 | 1.02 | |
| Not at all | 1109 | 0.99 | |
| Don't know | 9562 | 8.56 | |

Frequency Missing = 9466.289176

| equency Missing = 9466.26917 | | | |
|------------------------------|-----------|---------|--|
| | | | |
| DAYS | SKIPPED | | |
| | ~ | EMBER | |
| | | | |
| q31a 1 | Frequency | Percent | |
| None q31a I | 80275 | 70.04 | |
| | | | |

Frequency Missing = 6614.7681828

5502

4.80

10+ days

| | DAYS ILL SINCE SEPTEMBER | | | |
|------------------------|-----------------------------|-------|--|--|
| q31b Frequency Percent | | | | |
| None | 23781 | 20.85 | | |
| 1-3 days | 60309 | 52.87 | | |
| 4-9 days | 22712 | 19.91 | | |
| 10+ days | 7275 | 6.38 | | |

Frequency Missing = 7147.4581959

| OTHER DAYS MISSED SINCE SEPTEMBER | | | |
|--------------------------------------|-------|-------|--|
| q31c Frequency Percent | | | |
| None | 34091 | 30.08 | |
| 1-3 days | 62488 | 55.14 | |
| 4-9 days | 12208 | 10.77 | |
| 10+ days | 4549 | 4.01 | |

Frequency Missing = 7889.6005389

| | SI | ENT TO |
|----------|---------|---------|
| PRINCIPA | | |
| | SEPTI | EMBER |
| q31d Fr | equency | Percent |
| None | 87086 | 76.24 |
| 1-3 days | 19053 | 16.68 |
| 4-9 days | 4636 | 4.06 |
| 10+ days | 3454 | 3.02 |

Frequency Missing = 6995.3510237

| SOM | _ | ALLED SINCE EMBER |
|----------|----------|-------------------------|
| q31e Fı | requency | Percent |
| None | 90416 | 79.52 |
| 1-3 days | 17063 | 15.01 |
| 4-9 days | 3788 | 3.33 |
| 10+ days | 2437 | 2.14 |

Frequency Missing = 7520.1233862

| IN TROUBLE FOR DRINKING SINCE SEPTEMBER | | |
|-----------------------------------------------|-------|-------|
| q31f Frequency Percent | | |
| None | 111E3 | 98.17 |
| 1-3 days | 1325 | 1.17 |
| 4-9 days | 360 | 0.32 |
| 10+ days | 385 | 0.34 |

Frequency Missing = 8139.5838975

| IN TROUBLE FOR DRUG USE SINCE SEPTEMBER | | | | |
|--------------------------------------------|-------|-------|--|--|
| q31g Frequency Percent | | | | |
| None | 112E3 | 98.12 | | |
| 1-3 days | 1388 | 1.22 | | |
| 4-9 days | 290 | 0.25 | | |
| 10+ days | 462 | 0.41 | | |

Frequency Missing = 7436.313337

| | TROUBLE WITH FRIENDS BECAUSE OF DRINKING | | | |
|-----------|---------------------------------------------|---------|--|--|
| q32a | Frequency | Percent | | |
| None | 102E3 | 90.49 | | |
| 1-3 times | 9430 | 8.33 | | |
| 4-9 times | 772 | 0.68 | | |
| 10+ times | 563 | 0.50 | | |

Frequency Missing = 8000.9345911

| DRIVEN A CAR AFTER A GOOD BIT TO DRINK | | | |
|-------------------------------------------|-----------|---------|--|
| q32b | Frequency | Percent | |
| None | 99311 | 87.82 | |
| 1-3 times | 10346 | 9.15 | |
| 4-9 times | 2085 | 1.84 | |
| 10+ times | 1345 | 1.19 | |
| | | | |

Frequency Missing = 8138.6207163

| _ | CRITICIZED BY DATE BECAUSE OF DRINKING | | | |
|-----------|----------------------------------------|---------|--|--|
| q32c | Frequency | Percent | | |
| None | 101E3 | 89.94 | | |
| 1-3 times | 9114 | 8.13 | | |
| 4-9 times | 1099 | 0.98 | | |
| 10+ times | 1064 | 0.95 | | |

Frequency Missing = 9121.0376324

| TROUBLE WITH POLICE BECAUSE OF DRINKING | | |
|-----------------------------------------|-----------|---------|
| q32d | Frequency | Percent |
| None | 106E3 | 95.00 |
| 1-3 times | 4459 | 4.00 |
| 4-9 times | 552 | 0.50 |
| 10+ times | 567 | 0.51 |
| | | |

Frequency Missing = 9700.7804016

| TROUBLE WITH FRIENDS BECAUSE OF DRUG USE | | |
|---------------------------------------------|-----------|---------|
| q32e | Frequency | Percent |
| None | 104E3 | 94.01 |
| 1-3 times | 5261 | 4.76 |
| 4-9 times | 730 | 0.66 |
| 10+ times | 621 | 0.56 |

Frequency Missing = 10796.152435

| DRIVEN A CAR WHILE HIGH FROM DRUGS | | |
|---------------------------------------|------------|---------|
| q32f F1 | requency I | Percent |
| None | 101E3 | 91.59 |
| 1-3 times | 5820 | 5.27 |
| 4-9 times | 1332 | 1.21 |
| 10+ times | 2133 | 1.93 |

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT q33b Frequency Percent None 99953 1-3 days 7189 6.33 4-9 days 2333 2.05 10+ days 4172 3.67

DRUG USE AT PARTIES THIS SCHOOL YEAR q34b Frequency Percent Never 51585 45.15 Seldom 14062 12.31 Half the time 10201 8.93 Most of the time 9438 8.26 Always 11190 9.80 3982 Don't know 3.49 13783 Didn't attend 12.06

Frequency Missing = 10856.443704

| CRITICIZED BY DATE BECAUSE OF DRUG USE | | | |
|-------------------------------------------|-------|-------|--|
| q32g Frequency Percent | | | |
| None | 102E3 | 92.75 | |
| 1-3 times | 6343 | 5.76 | |
| 4-9 times | 884 | 0.80 | |
| 10+ times | 755 | 0.69 | |

CLASS DAYS HIGH ON

Frequency Missing = 7576.9582934

Frequency Missing = 6982.8388511

SOUGHT HELP FOR DRUG/ALCOHOL

| INHALANTS SINCE SEPT | | |
|----------------------|----------|---------|
| q33c F | requency | Percent |
| None | 11E4 | 96.97 |
| 1-3 days | 2044 | 1.81 |
| 4-9 days | 677 | 0.60 |
| 10+ days | 713 | 0.63 |
| | | |

Frequency Missing = 8048.3313329

PROBLEM q35 **Frequency Percent** 97118 91.25 No 9318 8.75 Yes

Frequency Missing = 11113.070839

| CLASS DAYS HIGH ON OTHER DRUG(S) | | |
|-------------------------------------|-----------|---------|
| q33d | Frequency | Percent |
| None | 106E3 | 92.80 |
| 1-3 days | 4850 | 4.26 |
| 4-9 days | 1480 | 1.30 |
| 10+ days | 1863 | 1.64 |

Frequency Missing = 14788.258523

WOULD SEEK HELP

| TROUBLE WITH POLICE BECAUSE OF DRUG USE | | |
|--------------------------------------------|----------|---------|
| q32h F | requency | Percent |
| None | 108E3 | 96.95 |
| 1-3 times | 2573 | 2.31 |
| 4-9 times | 438 | 0.39 |
| 10+ times | 385 | 0.35 |

| OTHER DRUG(S) | | |
|-----------------|----------|---------|
| q33d Fi | requency | Percent |
| None | 106E3 | 92.80 |
| 1-3 days | 4850 | 4.26 |
| 4-9 days | 1480 | 1.30 |
| 10+ days | 1863 | 1.64 |

Frequency Missing = 7446.0823423

FROM SCHOOL **COUNSELOR** q36a Frequency Percent No 78420 70.27 Yes 33172 29.73

Frequency Missing = 9908.7964723

| quency Missing = 9908.7964723 | | 8.79647 | | ALCOHOL USE AT PARTIES THIS SCHOOL YEAR | | |
|-------------------------------|----------|---------|------------------------|--------------------------------------------|--|--|
| | | | q34a Frequency | Percent | | |
| CLASS DA | - | | Never 33527 | 29.42 | | |
| | OL SINCI | | Seldom 10711 | 9.40 | | |
| q33a F | requency | | Half the time 8385 | 7.36 | | |
| None | 101E3 | 89.01 | Most of the time 17345 | 15.22 | | |
| 1-3 days | 9079 | 7.97 | Always 28371 | 24.89 | | |
| 4-9 days | 1726 | 1.52 | Don't know 1713 | | | |
| 10+ days | 1702 | 1.49 | Didn't attend 13926 | | | |
| | | | · | | | |

Frequency Missing = 9631.9854524

| | ULD SEEK IDE OF SC | |
|--------|-----------------------|--------|
| q36b I | requency | Percen |
| No | 79381 | 71.1 |
| Yes | 32121 | 28.8 |

Frequency Missing = 7376.6511815

10+

Frequency Missing = 7246.4129856

Frequency Missing = 9723.4049657

| WOU | LD SEEI FROM COUN | |
|---------|-------------------------|---------|
| q36c Fi | requency | Percent |
| No | 73431 | 66.52 |
| Yes | 36958 | 33.48 |

Frequency Missing = 10836.527222

| W | DULD SEEI | K HELP |
|-------------|-----------|---------|
| | FROM PA | RENTS |
| q36d | Frequency | Percent |
| No | 45585 | 40.95 |
| Yes | 65729 | 59.05 |

Frequency Missing = 9910.5768578

| WOULD SEEK HELP |
|-----------------|
| FROM A MEDICAL |
| DOCTOR |
| DOCTOR |

| q36e | Frequency | Percent |
|-------------|-----------|---------|
| No | 71141 | 64.41 |
| Yes | 39303 | 35.59 |

Frequency Missing = 10780.909426

| WOULD SEEK HELP |
|-----------------|
| FROM FRIENDS |
| 266 E B 4 |

q36f Frequency Percent 32200 No 29.06 Yes 78604 70.94

Frequency Missing = 10420.285803

WOULD SEEK HELP FROM ANOTHER ADULT

| qoog | Frequency | 1 CI CCIII |
|------|-----------|------------|
| No | 40487 | 36.45 |
| Yes | 70584 | 63.55 |
| _ | | |

Frequency Missing = 10153.320893

| WOULD NOT SEEK HELP | | |
|------------------------|-------------|---------|
| q36h 1 | Frequency 1 | Percent |
| No | 93223 | 85.13 |
| Yes | 16277 | 14.87 |

Frequency Missing = 11724.363284

| | DRUG/ALC | СОНОІ |
|------|-----------|--------|
| | INFOSO | |
| | HEALTH | CLASS |
| q37a | Frequency | Percen |
| No | 55178 | 55.59 |
| | 33170 | 00.0 |

Frequency Missing = 21962.574198

| DRUG/ALCOHOL | | |
|--------------|-----------|--------------|
| | INFOS | CHOOL |
| ASSI | EMBLY PRO |)GRAM |
| q37b | Frequency | Percent |
| No | 53734 | 54.74 |
| Yes | 44434 | 45.26 |

Frequency Missing = 23056.082782

DRUG/ALCOHOL INFO--SCHOOL **GUIDANCE** COUNSELOR

| q37c | Frequency | Percent |
|------|-----------|---------|
| No | 75433 | 77.41 |
| Yes | 22013 | 22.59 |

Frequency Missing = 23779.477365

| DRUG/ALCOHOL INFOSCIENCE CLASS | | |
|-----------------------------------|-----------|---------|
| q37d | Frequency | Percent |
| No | 65523 | 67.35 |
| Yes | 31758 | 32.65 |

Frequency Missing = 23943.753694

| | DRUG/ALC | COHOL |
|-------------|-----------|---------|
| | INFOS | |
| | STUDIES | CLASS |
| q37e | Frequency | Percent |
| No | 83076 | 85.97 |
| | | 14.03 |

Frequency Missing = 24588.972545

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR

| q37f | Frequency | Percent |
|------|-----------|---------|
| No | 85126 | 87.20 |
| Yes | 12492 | 12.80 |

Frequency Missing = 23607.181603

| | DRUG/ALO INFOIN SCHOOL | VITED |
|------|------------------------------|-------|
| q37g | Frequency | |
| No | 68590 | 70.29 |
| Yes | 28991 | 29.71 |

Frequency Missing = 23643.131315

| DRUG/ALCOHOL INFOANOTHER SCHOOL SOURCE | | |
|----------------------------------------------|---------------------------------|--|
| Frequency | Percent | |
| 66780 | 67.73 | |
| 31812 | 32.27 | |
| | SCHOOL Se Frequency 66780 | |

Frequency Missing = 22632.621992

| | UG/ALCOHO BSITE/ONLIN | |
|------|--------------------------|---------|
| q38a | Frequency | Percent |
| No | 84765 | 76.77 |
| Yes | 25647 | 23.23 |

Frequency Missing = 10812.503728

| DRUG/ALCOHOL INFO BOOKS/MAGAZINES/POSTERS/PA | |
|-------------------------------------------------|-----------|
| _ 0 0 | MPHLETS |
| q38b | Frequency |
| No | 61498 |
| Yes | 48472 |

DRUG/ALCOHOL INFO-BOOKS/MAGAZINES/POSTERS/PAMPHLETS

| q38b | Percent |
|------|---------|
| No | 55.92 |
| Yes | 44.08 |

Frequency Missing = 11254.666612

| DRUG/ALCOHOL INFO |
|-------------------|
| TV/RADIO/OTHER |
| AUDIO/VIDEO |

| q38c | Frequency | Percent |
|------|-----------|---------|
| No | 55827 | 50.71 |
| Yes | 54260 | 49.29 |

Frequency Missing = 11137.031472

| | DRUG/ALO INFOPA | |
|------|--------------------|---------|
| q38d | Frequency | Percent |
| No | 58574 | 53.15 |
| Yes | 51635 | 46.85 |

Frequency Missing = 11015.835548

| PARENTS FEEL ABOUT KIDS |
|-------------------------|
| SMOKING CIGARET |

| DITORING CIGINET | | |
|-------------------|-----------|---------|
| q39a | Frequency | Percent |
| Strong disapprove | 81278 | 72.60 |
| Mild disapprove | 10569 | 9.44 |
| Neither | 8149 | 7.28 |
| Mildly approve | 1334 | 1.19 |
| Strongly approve | 1218 | 1.09 |
| Don't know | 9401 | 8.40 |

Frequency Missing = 9273.9929905

| PARENTS F | | |
|-------------------|-----------|---------|
| | DRINKING | G BEER |
| q39b | Frequency | Percent |
| Strong disapprove | 69441 | 62.19 |
| Mild disapprove | 17006 | 15.23 |
| Neither | 11954 | 10.71 |
| Mildly approve | 3704 | 3.32 |
| Strongly approve | 1686 | 1.51 |
| Don't know | 7870 | 7.05 |

Frequency Missing = 9564.3659454

| PARENTS FEEL ABOUT KIDS USING MARIJUANA | | |
|--------------------------------------------|-------|-------|
| q39c Frequency Percent | | |
| Strong disapprove | 90451 | 81.08 |
| Mild disapprove | 5500 | 4.93 |
| Neither | 4837 | 4.34 |
| Mildly approve | 1159 | 1.04 |
| Strongly approve | 1790 | 1.60 |
| Don't know | 7822 | 7.01 |

Frequency Missing = 9665.5194726

| TE | ESTED FOR | R DRUG |
|---------------|-----------|---------|
| USE AT SCHOOL | | |
| q40 | Frequency | Percent |
| No | 87063 | 77.60 |
| Yes | 25125 | 22.40 |

Frequency Missing = 9036.8000676

PURCHASED LOTTERY TICKET IN PAST YEAR

| q41 | Frequency | Percent |
|-----|-----------|---------|
| No | 96544 | 86.32 |
| Yes | 15297 | 13.68 |

Frequency Missing = 9382.929432