

**Region 3: Grades 7-12
SPRING 2008**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	11.8%	16.6%	28.1%	71.9%
	Grade 7	4.0%	6.1%	14.7%	85.3%
	Grade 8	4.4%	7.1%	17.1%	82.9%
	Grade 9	9.5%	15.3%	26.3%	73.7%
	Grade 10	14.4%	19.3%	30.5%	69.5%
	Grade 11	18.8%	26.4%	40.3%	59.7%
	Grade 12	23.4%	29.9%	45.5%	54.5%
Cigarettes					
	All	10.5%	15.0%	26.6%	73.4%
	Grade 7	3.5%	5.5%	14.2%	85.8%
	Grade 8	4.0%	6.3%	16.1%	83.9%
	Grade 9	8.3%	13.7%	24.6%	75.4%
	Grade 10	12.4%	17.1%	28.9%	71.1%
	Grade 11	17.2%	23.9%	38.2%	61.8%
	Grade 12	21.3%	27.6%	42.9%	57.1%
Smokeless tobacco					
	All	3.4%	5.4%	8.9%	91.1%
	Grade 7	1.0%	1.6%	3.2%	96.8%
	Grade 8	1.0%	2.0%	4.0%	96.0%
	Grade 9	2.9%	4.6%	8.1%	91.9%
	Grade 10	4.6%	6.5%	10.4%	89.6%
	Grade 11	4.6%	9.4%	14.2%	85.8%
	Grade 12	7.3%	10.3%	16.1%	83.9%

**Region 3: Grades 7-12
SPRING 2008**

Table T-2: How often do you normally use ..

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?							
All	74.4%	3.6%	2.4%	3.2%	4.5%	4.1%	7.9%
Grade 7	86.8%	0.2%	1.5%	0.8%	2.1%	2.3%	6.3%
Grade 8	84.7%	1.0%	0.8%	2.0%	2.5%	3.1%	6.0%
Grade 9	76.2%	2.0%	2.2%	3.2%	4.6%	4.1%	7.6%
Grade 10	72.2%	3.6%	2.4%	4.0%	6.5%	3.9%	7.4%
Grade 11	63.1%	6.7%	4.1%	4.0%	5.9%	6.2%	10.0%
Grade 12	57.5%	9.9%	4.2%	5.7%	6.3%	5.4%	11.0%
Cigarettes?							
All	75.6%	3.1%	2.2%	3.0%	4.3%	3.9%	7.8%
Grade 7	87.0%	0.2%	1.4%	0.8%	2.0%	2.4%	6.2%
Grade 8	85.9%	1.0%	0.7%	1.8%	2.3%	2.7%	5.7%
Grade 9	77.4%	1.4%	2.1%	3.2%	4.3%	4.3%	7.3%
Grade 10	73.7%	3.1%	2.0%	3.7%	6.1%	3.8%	7.6%
Grade 11	64.6%	6.0%	3.9%	3.8%	5.4%	5.7%	10.5%
Grade 12	59.7%	8.8%	3.8%	5.3%	6.6%	5.2%	10.7%
Smokeless tobacco?							
All	91.4%	0.7%	0.5%	0.9%	1.7%	1.7%	3.2%
Grade 7	97.1%	0.0%	0.1%	0.1%	0.6%	0.6%	1.4%
Grade 8	95.8%	0.1%	0.3%	0.5%	0.8%	0.9%	1.7%
Grade 9	92.4%	0.8%	0.5%	0.9%	1.7%	1.1%	2.7%
Grade 10	89.9%	0.8%	0.6%	0.9%	2.6%	1.7%	3.5%
Grade 11	86.6%	0.9%	0.5%	1.3%	2.6%	3.3%	4.8%
Grade 12	84.4%	1.6%	1.0%	2.2%	2.1%	2.8%	5.9%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes	11.1	11.6	12.3	12.9	13.7	14.4
Smokeless tobacco	11.4	12.4	12.8	13.9	14.7	15.6
Any Tobacco	11.0	11.6	12.3	12.9	13.7	14.4

**Region 3: Grades 7-12
SPRING 2008**

Table T-4: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product??						
All	9.3%	16.4%	6.6%	9.7%	17.8%	40.1%
Grade 7	14.3%	32.7%	11.1%	12.1%	13.2%	16.6%
Grade 8	10.7%	23.8%	9.6%	12.1%	18.9%	24.8%
Grade 9	10.6%	15.4%	6.6%	11.8%	21.9%	33.7%
Grade 10	6.7%	11.8%	4.7%	8.7%	23.0%	45.1%
Grade 11	6.1%	6.6%	4.8%	8.2%	19.9%	54.3%
Grade 12	5.6%	3.3%	1.3%	3.6%	8.8%	77.3%
Cigarettes?						
All	9.4%	17.0%	7.0%	10.1%	18.0%	38.5%
Grade 7	14.3%	33.8%	11.3%	12.3%	13.1%	15.3%
Grade 8	11.0%	24.7%	10.1%	12.6%	19.1%	22.5%
Grade 9	10.8%	16.0%	7.0%	12.1%	22.4%	31.7%
Grade 10	6.9%	12.2%	5.3%	9.3%	23.5%	42.8%
Grade 11	5.9%	6.8%	5.1%	8.8%	20.4%	53.0%
Grade 12	5.6%	3.5%	1.5%	3.8%	8.8%	76.9%
Smokeless Tobacco?						
All	18.6%	21.6%	9.1%	11.6%	13.3%	25.8%
Grade 7	27.2%	38.6%	12.0%	8.4%	7.7%	6.2%
Grade 8	20.4%	30.7%	12.2%	13.4%	12.1%	11.1%
Grade 9	21.4%	21.6%	10.2%	14.5%	13.9%	18.4%
Grade 10	15.1%	17.0%	7.8%	14.2%	18.9%	27.1%
Grade 11	12.7%	10.8%	7.5%	12.2%	17.9%	38.9%
Grade 12	12.0%	5.4%	3.5%	5.9%	10.0%	63.3%

**Region 3: Grades 7-12
SPRING 2008**

Table T-5: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	46.2%	29.3%	14.5%	8.7%	1.3%
Grade 7	73.8%	18.2%	4.5%	2.8%	0.7%
Grade 8	59.4%	25.2%	9.7%	4.7%	1.0%
Grade 9	46.5%	32.7%	13.1%	6.4%	1.2%
Grade 10	35.9%	33.7%	18.9%	10.0%	1.5%
Grade 11	29.9%	33.7%	20.4%	14.3%	1.6%
Grade 12	23.6%	34.1%	23.6%	16.6%	2.1%
Smoke cigarettes?					
All	48.4%	29.1%	13.4%	7.8%	1.2%
Grade 7	74.8%	17.8%	4.3%	2.5%	0.6%
Grade 8	61.7%	24.4%	8.5%	4.5%	0.9%
Grade 9	48.9%	32.1%	11.7%	6.1%	1.1%
Grade 10	38.9%	33.4%	17.8%	8.4%	1.4%
Grade 11	32.3%	34.6%	18.6%	13.1%	1.4%
Grade 12	26.2%	34.7%	22.7%	14.6%	1.8%
Use a smokeless tobacco product?					
All	71.9%	17.7%	7.3%	2.6%	0.5%
Grade 7	89.8%	7.4%	1.8%	0.7%	0.3%
Grade 8	80.9%	12.8%	4.1%	1.7%	0.6%
Grade 9	74.3%	17.6%	5.8%	2.0%	0.3%
Grade 10	65.2%	20.7%	9.9%	3.5%	0.8%
Grade 11	59.7%	24.6%	11.9%	3.4%	0.5%
Grade 12	56.1%	25.8%	12.4%	5.0%	0.7%

**Region 3: Grades 7-12
SPRING 2008**

Table T-6: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	76.7%	9.0%	6.4%	1.0%	0.9%	6.1%
Grade 7	87.8%	2.3%	1.5%	0.2%	0.9%	7.2%
Grade 8	85.2%	5.3%	2.3%	0.7%	0.8%	5.7%
Grade 9	79.7%	7.1%	4.8%	0.5%	1.0%	6.9%
Grade 10	76.6%	9.3%	5.8%	1.1%	1.1%	6.2%
Grade 11	68.6%	13.6%	10.7%	1.4%	0.7%	5.1%
Grade 12	57.6%	19.0%	15.6%	2.3%	0.7%	4.7%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	47.8%	28.7%	15.2%	4.6%	3.7%
Grade 7	70.7%	19.4%	5.5%	1.0%	3.3%
Grade 8	60.6%	23.4%	9.3%	2.1%	4.6%
Grade 9	47.6%	30.4%	14.0%	3.4%	4.6%
Grade 10	38.9%	32.2%	19.3%	5.8%	3.7%
Grade 11	35.1%	33.7%	20.8%	7.2%	3.3%
Grade 12	29.6%	34.5%	24.4%	9.1%	2.4%

**Region 3: Grades 7-12
SPRING 2008**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	28.0%	39.2%	60.4%	39.6%
	Grade 7	14.8%	19.9%	42.8%	57.2%
	Grade 8	18.4%	27.8%	50.9%	49.1%
	Grade 9	26.8%	38.6%	61.3%	38.7%
	Grade 10	30.3%	44.1%	64.1%	35.9%
	Grade 11	38.1%	52.7%	72.6%	27.4%
	Grade 12	45.1%	58.6%	76.1%	23.9%
Beer					
	All	17.4%	26.5%	44.7%	55.3%
	Grade 7	7.7%	11.0%	27.8%	72.2%
	Grade 8	8.9%	15.3%	33.6%	66.4%
	Grade 9	15.6%	25.0%	44.9%	55.1%
	Grade 10	18.4%	30.1%	47.4%	52.6%
	Grade 11	25.1%	38.1%	57.1%	42.9%
	Grade 12	33.2%	45.7%	63.1%	36.9%
Wine coolers					
	All	15.7%	25.9%	43.9%	56.1%
	Grade 7	9.3%	12.5%	24.8%	75.2%
	Grade 8	9.9%	17.2%	34.8%	65.2%
	Grade 9	14.9%	25.4%	45.1%	54.9%
	Grade 10	18.3%	30.8%	49.8%	50.2%
	Grade 11	20.8%	35.4%	56.5%	43.5%
	Grade 12	23.7%	39.1%	58.0%	42.0%
Wine					
	All	11.9%	21.5%	42.2%	57.8%
	Grade 7	6.9%	10.8%	26.9%	73.1%
	Grade 8	9.3%	16.5%	36.2%	63.8%
	Grade 9	11.8%	21.4%	43.2%	56.8%
	Grade 10	12.0%	23.1%	44.3%	55.7%
	Grade 11	16.0%	28.9%	53.6%	46.4%
	Grade 12	16.9%	31.7%	53.2%	46.8%
Liquor					
	All	17.9%	27.7%	41.5%	58.5%
	Grade 7	6.7%	9.8%	18.3%	81.7%
	Grade 8	9.2%	15.2%	28.2%	71.8%
	Grade 9	14.3%	23.9%	39.9%	60.1%
	Grade 10	19.5%	32.8%	48.0%	52.0%
	Grade 11	27.7%	41.5%	57.8%	42.2%
	Grade 12	35.1%	50.3%	64.8%	35.2%

**Region 3: Grades 7-12
SPRING 2008**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	45.2%	0.5%	3.5%	11.6%	14.4%	13.5%	11.3%
	Grade 7	65.6%	0.3%	1.5%	5.1%	6.5%	8.9%	12.1%
	Grade 8	56.5%	0.4%	2.1%	5.5%	10.7%	13.0%	11.8%
	Grade 9	45.1%	0.6%	3.4%	9.9%	15.0%	14.5%	11.5%
	Grade 10	39.9%	0.6%	4.0%	12.8%	17.3%	15.5%	10.0%
	Grade 11	30.9%	0.3%	3.7%	18.5%	18.8%	15.9%	11.9%
	Grade 12	26.4%	0.7%	7.1%	21.4%	20.1%	14.1%	10.3%
Beer?								
	All	56.9%	0.2%	2.6%	8.2%	11.6%	10.2%	10.3%
	Grade 7	75.2%	0.1%	1.1%	3.0%	4.8%	6.1%	9.6%
	Grade 8	68.8%	0.1%	1.5%	3.0%	8.1%	8.9%	9.7%
	Grade 9	57.2%	0.4%	2.3%	6.0%	11.3%	11.5%	11.4%
	Grade 10	52.1%	0.1%	2.8%	8.5%	15.2%	11.3%	10.0%
	Grade 11	43.4%	0.2%	2.9%	14.5%	15.0%	12.7%	11.3%
	Grade 12	38.3%	0.4%	5.4%	17.0%	17.5%	11.4%	9.9%
Wine coolers?								
	All	59.4%	0.1%	1.7%	6.4%	11.2%	11.6%	9.5%
	Grade 7	80.0%	0.2%	0.9%	2.6%	4.3%	5.9%	6.3%
	Grade 8	70.3%	0.2%	1.3%	3.1%	7.3%	9.3%	8.4%
	Grade 9	60.0%	0.1%	2.2%	6.0%	11.3%	11.3%	9.1%
	Grade 10	52.9%	0.2%	1.7%	7.7%	12.7%	13.7%	11.1%
	Grade 11	44.6%	0.1%	1.4%	9.9%	16.4%	15.7%	11.9%
	Grade 12	41.7%	0.0%	3.0%	10.3%	17.9%	15.7%	11.4%
Wine?								
	All	59.4%	0.1%	1.2%	4.8%	8.6%	13.5%	12.5%
	Grade 7	76.9%	0.1%	0.7%	2.1%	4.1%	7.8%	8.4%
	Grade 8	66.8%	0.0%	1.2%	3.0%	5.9%	12.0%	11.0%
	Grade 9	58.8%	0.1%	1.5%	4.2%	9.6%	13.7%	12.1%
	Grade 10	55.8%	0.0%	1.4%	5.5%	8.8%	14.4%	14.1%
	Grade 11	46.6%	0.1%	1.1%	6.9%	11.7%	17.6%	16.0%
	Grade 12	46.0%	0.1%	1.5%	8.0%	12.6%	17.4%	14.4%
Liquor?								
	All	60.1%	0.1%	2.1%	8.5%	11.3%	10.0%	7.8%
	Grade 7	84.3%	0.1%	0.8%	2.4%	2.9%	3.6%	5.8%
	Grade 8	73.9%	0.2%	1.2%	3.0%	7.3%	7.6%	6.9%
	Grade 9	62.1%	0.1%	2.0%	6.8%	11.2%	10.3%	7.6%
	Grade 10	51.9%	0.2%	2.6%	9.6%	14.5%	11.8%	9.4%
	Grade 11	43.5%	0.0%	1.7%	14.7%	16.6%	13.8%	9.7%
	Grade 12	36.1%	0.4%	5.1%	17.8%	18.2%	14.5%	8.0%

**Region 3: Grades 7-12
SPRING 2008**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	57.8%	42.2%	11.1%	22.1%	9.1%
	Grade 7	82.5%	17.5%	2.3%	7.8%	7.4%
	Grade 8	70.5%	29.5%	4.4%	14.7%	10.3%
	Grade 9	59.5%	40.5%	10.0%	20.0%	10.6%
	Grade 10	50.0%	50.0%	13.2%	27.5%	9.3%
	Grade 11	42.2%	57.8%	17.4%	31.5%	8.9%
	Grade 12	33.7%	66.3%	22.9%	35.8%	7.6%
Wine Coolers						
	All	57.5%	42.5%	2.9%	22.0%	17.7%
	Grade 7	72.9%	27.1%	1.4%	10.8%	14.9%
	Grade 8	62.2%	37.8%	2.2%	18.6%	17.0%
	Grade 9	56.2%	43.8%	2.9%	21.1%	19.8%
	Grade 10	55.2%	44.8%	3.0%	25.3%	16.5%
	Grade 11	47.2%	52.8%	3.4%	28.7%	20.7%
	Grade 12	47.1%	52.9%	4.6%	30.9%	17.4%
Wine						
	All	56.7%	43.3%	7.4%	26.1%	9.8%
	Grade 7	77.3%	22.7%	2.8%	10.8%	9.1%
	Grade 8	66.9%	33.1%	3.8%	19.1%	10.3%
	Grade 9	55.6%	44.4%	7.3%	26.6%	10.5%
	Grade 10	49.8%	50.2%	9.6%	31.3%	9.3%
	Grade 11	43.6%	56.4%	10.5%	35.9%	10.0%
	Grade 12	40.8%	59.2%	12.1%	37.2%	9.9%
Liquor						
	All	54.6%	45.4%	10.7%	21.2%	13.5%
	Grade 7	72.1%	27.9%	2.8%	11.4%	13.7%
	Grade 8	64.6%	35.4%	4.6%	16.0%	14.8%
	Grade 9	54.2%	45.8%	7.9%	22.8%	15.1%
	Grade 10	50.0%	50.0%	12.5%	24.7%	12.8%
	Grade 11	42.8%	57.2%	17.8%	26.5%	12.9%
	Grade 12	38.5%	61.5%	22.0%	28.4%	11.2%

**Region 3: Grades 7-12
SPRING 2008**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	82.0%	6.1%	4.1%	4.2%	1.9%	1.8%
	Grade 7	93.6%	2.6%	1.2%	1.3%	0.5%	0.8%
	Grade 8	90.7%	3.8%	2.0%	1.8%	0.7%	1.0%
	Grade 9	83.3%	6.8%	3.6%	3.3%	1.4%	1.6%
	Grade 10	79.9%	6.5%	5.4%	3.8%	2.5%	1.8%
	Grade 11	74.1%	7.8%	6.3%	7.1%	2.7%	2.0%
	Grade 12	65.4%	9.9%	7.1%	9.3%	4.4%	3.8%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.6	11.2	12.1	12.8	13.6	14.3
Wine Coolers	11.1	11.7	12.4	13.2	13.9	14.5
Wine	11.0	11.5	12.2	13.0	13.6	14.3
Liquor	11.5	12.2	13.1	13.8	14.5	15.2
Any Alcohol	10.6	11.1	11.9	12.6	13.2	13.9

**Region 3: Grades 7-12
SPRING 2008**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	8.3%	13.1%	6.2%	11.6%	21.2%	39.6%
	Grade 7	12.5%	27.2%	9.0%	13.1%	15.0%	23.2%
	Grade 8	10.3%	16.9%	8.7%	12.4%	19.2%	32.5%
	Grade 9	9.4%	11.8%	5.3%	11.9%	21.4%	40.2%
	Grade 10	6.0%	9.5%	4.8%	10.8%	21.9%	47.1%
	Grade 11	5.5%	5.6%	4.8%	10.1%	24.6%	49.4%
	Grade 12	4.3%	4.2%	4.0%	11.1%	26.6%	49.8%
Wine coolers?							
	All	12.8%	14.4%	7.2%	12.2%	20.3%	33.1%
	Grade 7	23.2%	29.0%	10.6%	9.8%	12.2%	15.2%
	Grade 8	16.7%	18.9%	10.4%	12.8%	16.8%	24.6%
	Grade 9	13.4%	13.8%	5.8%	13.8%	20.7%	32.6%
	Grade 10	9.0%	10.0%	5.4%	13.3%	23.8%	38.5%
	Grade 11	6.0%	6.1%	5.8%	11.1%	25.2%	45.8%
	Grade 12	5.5%	4.3%	4.2%	12.5%	25.6%	47.9%
Wine?							
	All	9.3%	14.1%	8.1%	13.1%	19.9%	35.4%
	Grade 7	14.9%	28.3%	11.3%	13.1%	14.2%	18.3%
	Grade 8	10.7%	19.3%	10.7%	13.2%	15.9%	30.3%
	Grade 9	10.6%	13.2%	7.2%	13.4%	19.9%	35.6%
	Grade 10	7.0%	10.2%	7.6%	13.3%	22.7%	39.4%
	Grade 11	5.8%	6.2%	6.7%	11.6%	23.0%	46.8%
	Grade 12	5.3%	4.1%	4.3%	14.1%	25.8%	46.4%
Liquor?							
	All	9.5%	18.0%	9.1%	12.0%	18.8%	32.6%
	Grade 7	15.7%	35.1%	13.1%	10.3%	10.9%	14.9%
	Grade 8	11.3%	25.9%	11.4%	11.9%	15.0%	24.6%
	Grade 9	10.9%	16.0%	8.3%	14.5%	17.5%	32.8%
	Grade 10	6.7%	12.6%	7.4%	11.8%	22.6%	38.9%
	Grade 11	5.6%	7.9%	7.6%	11.6%	23.8%	43.5%
	Grade 12	4.9%	5.6%	5.6%	12.0%	25.8%	46.0%
Any alcohol product?							
	All	7.3%	10.2%	4.8%	9.5%	20.4%	47.8%
	Grade 7	11.3%	22.3%	7.7%	11.3%	17.0%	30.4%
	Grade 8	9.1%	12.7%	6.9%	11.7%	18.5%	41.1%
	Grade 9	8.7%	9.2%	3.5%	9.2%	20.0%	49.5%
	Grade 10	4.9%	6.9%	3.9%	7.5%	21.7%	55.2%
	Grade 11	4.7%	4.1%	3.3%	7.8%	22.0%	58.2%
	Grade 12	3.9%	3.3%	2.5%	9.1%	24.3%	56.9%

**Region 3: Grades 7-12
SPRING 2008**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	93.1%	5.1%	0.9%	0.8%
Grade 7	95.7%	3.4%	0.5%	0.4%
Grade 8	92.6%	5.4%	1.0%	0.9%
Grade 9	92.6%	5.7%	1.1%	0.6%
Grade 10	93.5%	5.0%	1.0%	0.6%
Grade 11	92.9%	5.1%	1.0%	1.0%
Grade 12	91.0%	6.3%	1.1%	1.6%
Gotten into trouble with teachers because of your drinking?				
All	99.1%	0.7%	0.1%	0.1%
Grade 7	99.3%	0.6%	0.1%	0.1%
Grade 8	98.9%	0.9%	0.0%	0.2%
Grade 9	99.2%	0.6%	0.1%	0.1%
Grade 10	99.5%	0.4%	0.0%	0.1%
Grade 11	99.1%	0.6%	0.2%	0.1%
Grade 12	98.7%	1.1%	0.1%	0.1%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.8
Alcohol Non-use	3.9
Average days conduct problems reported	
Alcohol Users:	3.5
Alcohol Non-use	1.3

Region 3: Grades 7-12
SPRING 2008

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	89.5%	8.2%	1.3%	1.0%
Grade 9	96.1%	3.4%	0.4%	0.1%
Grade 10	94.3%	4.7%	0.7%	0.3%
Grade 11	86.5%	11.1%	1.6%	0.8%
Grade 12	78.8%	15.2%	2.7%	3.3%
Gotten into trouble with the police because of drinking?				
All	96.9%	2.6%	0.3%	0.1%
Grade 7	98.8%	0.9%	0.3%	0.1%
Grade 8	98.2%	1.2%	0.3%	0.3%
Grade 9	97.1%	2.4%	0.4%	0.1%
Grade 10	96.9%	2.6%	0.4%	0.1%
Grade 11	94.8%	4.9%	0.1%	0.2%
Grade 12	95.3%	4.5%	0.2%	0.0%

**Region 3: Grades 7-12
SPRING 2008**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	32.2%	22.7%	18.5%	19.3%	7.3%
	Grade 7	59.8%	22.0%	9.1%	6.6%	2.5%
	Grade 8	46.0%	24.6%	14.5%	11.0%	3.9%
	Grade 9	30.7%	25.2%	20.4%	17.2%	6.5%
	Grade 10	19.7%	23.6%	25.0%	23.6%	8.1%
	Grade 11	16.9%	21.3%	21.8%	28.7%	11.3%
	Grade 12	12.3%	18.2%	22.2%	33.8%	13.5%
Beer?						
	All	38.8%	22.0%	17.6%	16.1%	5.4%
	Grade 7	68.6%	17.7%	7.5%	4.9%	1.3%
	Grade 8	53.4%	23.8%	11.8%	7.8%	3.2%
	Grade 9	37.8%	25.1%	19.3%	13.5%	4.3%
	Grade 10	26.4%	24.3%	23.5%	19.3%	6.4%
	Grade 11	21.7%	21.8%	22.7%	25.8%	7.9%
	Grade 12	16.2%	19.2%	23.4%	29.9%	11.4%
Wine coolers?						
	All	48.2%	20.7%	16.2%	11.1%	3.7%
	Grade 7	75.2%	14.4%	5.1%	3.6%	1.7%
	Grade 8	62.0%	18.0%	11.1%	6.2%	2.6%
	Grade 9	47.1%	22.8%	16.3%	9.9%	3.9%
	Grade 10	37.8%	22.4%	22.2%	13.5%	4.0%
	Grade 11	31.8%	23.8%	22.3%	16.7%	5.5%
	Grade 12	27.5%	24.4%	23.4%	19.3%	5.3%
Wine?						
	All	55.8%	23.7%	12.5%	6.1%	2.0%
	Grade 7	75.3%	16.0%	5.2%	2.4%	1.0%
	Grade 8	65.2%	19.5%	9.4%	4.3%	1.6%
	Grade 9	55.9%	23.4%	12.6%	6.3%	1.9%
	Grade 10	50.7%	26.9%	14.3%	6.1%	1.9%
	Grade 11	41.9%	29.3%	16.7%	9.2%	2.8%
	Grade 12	39.3%	29.3%	18.8%	9.3%	3.3%
Liquor?						
	All	44.7%	19.3%	15.6%	15.3%	5.1%
	Grade 7	76.8%	13.3%	5.5%	3.7%	0.7%
	Grade 8	61.8%	18.5%	9.7%	7.7%	2.2%
	Grade 9	44.1%	23.2%	15.2%	13.2%	4.2%
	Grade 10	30.5%	22.7%	22.2%	18.7%	5.9%
	Grade 11	26.4%	19.9%	21.5%	23.9%	8.2%
	Grade 12	19.1%	18.5%	22.5%	28.8%	11.1%

**Region 3: Grades 7-12
SPRING 2008**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.3%	5.7%	0.8%	0.2%
Grade 7	97.1%	2.2%	0.6%	0.0%
Grade 8	95.3%	3.8%	0.7%	0.2%
Grade 9	93.9%	4.9%	0.8%	0.4%
Grade 10	91.8%	7.4%	0.7%	0.1%
Grade 11	90.7%	8.2%	0.9%	0.2%
Grade 12	89.4%	9.0%	0.9%	0.6%
Been criticized by someone you were dating because of drinking?				
All	92.9%	6.0%	0.8%	0.3%
Grade 7	97.8%	1.8%	0.3%	0.1%
Grade 8	96.2%	3.1%	0.4%	0.2%
Grade 9	93.9%	5.4%	0.4%	0.2%
Grade 10	90.4%	8.2%	1.1%	0.3%
Grade 11	90.1%	8.3%	1.0%	0.6%
Grade 12	87.3%	10.7%	1.6%	0.3%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	45.3%	10.4%	7.1%	11.7%	13.3%	1.8%	10.3%
Grade 7	70.9%	8.2%	4.7%	3.4%	2.6%	1.8%	8.4%
Grade 8	63.6%	11.0%	5.4%	5.4%	4.2%	1.3%	9.1%
Grade 9	47.2%	12.3%	7.8%	10.7%	9.7%	2.7%	9.6%
Grade 10	34.2%	11.8%	9.5%	15.5%	15.0%	2.1%	11.9%
Grade 11	27.0%	9.6%	8.4%	18.0%	23.1%	1.5%	12.3%
Grade 12	21.7%	9.2%	7.0%	20.0%	29.9%	1.2%	11.0%

**Region 3: Grades 7-12
SPRING 2008**

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	46.7%	22.2%	21.7%	6.5%	3.0%
	Grade 7	61.3%	18.0%	14.6%	4.0%	2.0%
	Grade 8	55.6%	17.5%	18.4%	6.0%	2.6%
	Grade 9	46.2%	21.5%	22.4%	6.5%	3.3%
	Grade 10	42.3%	24.4%	22.4%	7.9%	3.1%
	Grade 11	36.2%	25.5%	26.5%	7.8%	4.0%
	Grade 12	34.2%	28.1%	27.9%	6.9%	2.9%
From friends						
	All	46.7%	16.9%	13.6%	15.9%	6.9%
	Grade 7	64.8%	21.6%	7.8%	4.5%	1.4%
	Grade 8	57.7%	20.3%	10.2%	9.2%	2.6%
	Grade 9	46.7%	19.6%	13.8%	14.6%	5.4%
	Grade 10	41.5%	13.8%	17.2%	18.8%	8.8%
	Grade 11	34.4%	14.0%	17.3%	23.5%	10.8%
	Grade 12	29.4%	10.2%	16.9%	28.8%	14.6%
From a store						
	All	47.8%	38.8%	7.4%	4.1%	2.0%
	Grade 7	63.9%	32.2%	2.1%	1.4%	0.4%
	Grade 8	58.3%	34.9%	4.4%	1.9%	0.4%
	Grade 9	47.8%	40.1%	6.9%	3.1%	2.0%
	Grade 10	41.9%	41.8%	9.3%	4.4%	2.6%
	Grade 11	36.4%	42.7%	11.4%	6.5%	3.0%
	Grade 12	32.9%	42.5%	11.9%	8.5%	4.2%
At parties						
	All	45.3%	17.0%	12.4%	13.5%	11.8%
	Grade 7	60.9%	20.9%	8.5%	5.0%	4.8%
	Grade 8	56.1%	17.9%	11.8%	8.8%	5.4%
	Grade 9	45.1%	18.1%	13.5%	13.5%	9.8%
	Grade 10	40.3%	15.0%	14.8%	15.6%	14.2%
	Grade 11	34.5%	15.7%	12.8%	19.3%	17.7%
	Grade 12	29.7%	12.8%	13.6%	21.5%	22.4%
Other source						
	All	47.7%	25.1%	12.8%	7.9%	6.4%
	Grade 7	63.1%	23.9%	7.3%	2.6%	3.0%
	Grade 8	57.0%	22.9%	9.7%	6.7%	3.7%
	Grade 9	47.8%	24.2%	13.9%	7.9%	6.2%
	Grade 10	42.9%	24.9%	15.0%	9.3%	7.9%
	Grade 11	36.6%	27.7%	16.5%	10.3%	8.9%
	Grade 12	33.7%	27.7%	16.0%	12.4%	10.3%

**Region 3: Grades 7-12
SPRING 2008**

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	65.1%	15.0%	9.8%	3.2%	1.1%	5.8%
Grade 7	77.3%	8.4%	4.8%	1.3%	0.8%	7.5%
Grade 8	74.0%	11.4%	5.4%	2.1%	1.2%	5.9%
Grade 9	67.0%	13.0%	9.2%	2.5%	1.6%	6.7%
Grade 10	61.9%	17.2%	10.5%	3.8%	1.0%	5.6%
Grade 11	55.6%	20.5%	14.2%	4.1%	1.2%	4.4%
Grade 12	50.5%	22.1%	16.4%	5.8%	1.0%	4.1%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	42.6%	34.4%	16.6%	3.7%	2.7%
Grade 7	57.8%	24.1%	11.9%	2.3%	3.9%
Grade 8	47.9%	28.7%	15.8%	4.4%	3.2%
Grade 9	38.2%	35.9%	18.8%	4.6%	2.6%
Grade 10	39.1%	37.5%	16.9%	4.5%	2.0%
Grade 11	37.0%	39.7%	17.7%	3.3%	2.3%
Grade 12	33.1%	42.5%	18.9%	3.2%	2.3%

**Region 3: Grades 7-12
SPRING 2008**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	9.8%	14.8%	23.5%	76.5%
	Grade 7	3.5%	5.3%	8.0%	92.0%
	Grade 8	4.5%	6.3%	11.9%	88.1%
	Grade 9	9.1%	13.4%	21.7%	78.3%
	Grade 10	12.9%	19.0%	29.0%	71.0%
	Grade 11	15.1%	23.2%	36.5%	63.5%
	Grade 12	16.2%	25.2%	40.1%	59.9%
Cocaine?					
	All	1.2%	2.4%	4.8%	95.2%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	0.5%	1.0%	2.0%	98.0%
	Grade 9	1.1%	1.6%	3.0%	97.0%
	Grade 10	1.3%	3.0%	6.0%	94.0%
	Grade 11	1.8%	3.7%	8.1%	91.9%
	Grade 12	2.2%	5.0%	10.1%	89.9%
Crack?					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.4%	0.6%	1.3%	98.7%
	Grade 9	0.4%	0.9%	1.4%	98.6%
	Grade 10	0.3%	0.5%	1.2%	98.8%
	Grade 11	0.4%	0.7%	1.5%	98.5%
	Grade 12	0.8%	1.1%	2.5%	97.5%
Hallucinogens?					
	All	1.7%	2.7%	4.8%	95.2%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.5%	0.6%	1.5%	98.5%
	Grade 9	1.3%	1.9%	3.1%	96.9%
	Grade 10	2.3%	3.5%	6.2%	93.8%
	Grade 11	2.9%	4.4%	8.9%	91.1%
	Grade 12	3.5%	6.3%	10.2%	89.8%
Uppers?					
	All	2.1%	3.5%	5.8%	94.2%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.4%	2.4%	3.9%	96.1%
	Grade 10	3.2%	5.1%	7.7%	92.3%
	Grade 11	3.7%	6.1%	10.0%	90.0%
	Grade 12	3.8%	6.9%	12.1%	87.9%
Downers?					
	All	2.1%	3.4%	5.4%	94.6%
	Grade 7	0.7%	1.2%	1.7%	98.3%
	Grade 8	0.5%	0.8%	1.2%	98.8%
	Grade 9	1.2%	1.9%	3.3%	96.7%
	Grade 10	3.0%	4.8%	7.0%	93.0%
	Grade 11	3.7%	5.8%	9.2%	90.8%
	Grade 12	4.2%	7.0%	11.8%	88.2%

**Region 3: Grades 7-12
SPRING 2008**

**Table D-1: How recently, if ever, have you used...
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.3%	0.7%	1.1%	98.9%
	Grade 8	0.3%	0.4%	0.6%	99.4%
	Grade 9	0.8%	0.9%	1.6%	98.4%
	Grade 10	0.4%	0.9%	2.1%	97.9%
	Grade 11	0.4%	1.0%	2.0%	98.0%
	Grade 12	0.7%	1.1%	2.1%	97.9%
Steroids?					
	All	0.6%	1.0%	1.7%	98.3%
	Grade 7	0.5%	0.9%	1.6%	98.4%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.7%	1.2%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.3%	98.7%
	Grade 12	1.0%	1.8%	2.7%	97.3%
Ecstasy?					
	All	1.9%	3.3%	5.6%	94.4%
	Grade 7	0.7%	1.0%	1.3%	98.7%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	1.6%	2.4%	3.8%	96.2%
	Grade 10	2.4%	3.8%	7.3%	92.7%
	Grade 11	2.6%	5.7%	9.4%	90.6%
	Grade 12	4.2%	6.9%	11.7%	88.3%
Heroin?					
	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.5%	1.2%	98.8%
	Grade 9	0.4%	0.7%	1.3%	98.7%
	Grade 10	0.3%	0.4%	1.2%	98.8%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.4%	1.3%	2.8%	97.2%

**Region 3: Grades 7-12
SPRING 2008**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	78.7%	2.2%	2.4%	3.8%	4.0%	3.8%	5.0%
	Grade 7	92.9%	0.7%	1.3%	1.3%	1.1%	1.1%	1.6%
	Grade 8	90.0%	0.4%	1.2%	2.2%	1.9%	1.7%	2.6%
	Grade 9	80.2%	2.5%	2.8%	3.9%	2.8%	3.7%	4.0%
	Grade 10	73.2%	2.3%	2.4%	5.3%	6.2%	4.6%	6.0%
	Grade 11	65.9%	2.8%	3.9%	5.3%	7.0%	6.5%	8.6%
	Grade 12	64.9%	5.0%	3.4%	5.3%	6.0%	6.5%	8.9%
Cocaine?								
	All	95.8%	0.1%	0.2%	0.6%	0.8%	1.0%	1.6%
	Grade 7	98.7%	0.0%	0.1%	0.5%	0.3%	0.2%	0.2%
	Grade 8	98.5%	0.0%	0.1%	0.2%	0.3%	0.3%	0.6%
	Grade 9	97.1%	0.0%	0.3%	0.6%	0.4%	0.7%	1.1%
	Grade 10	94.8%	0.1%	0.1%	0.8%	0.7%	1.5%	2.0%
	Grade 11	93.0%	0.1%	0.2%	0.5%	1.5%	1.9%	2.8%
	Grade 12	90.9%	0.1%	0.7%	0.9%	2.0%	1.6%	3.7%
Crack?								
	All	98.7%	0.1%	0.1%	0.2%	0.2%	0.3%	0.6%
	Grade 7	99.1%	0.0%	0.0%	0.2%	0.1%	0.2%	0.3%
	Grade 8	98.8%	0.1%	0.0%	0.2%	0.1%	0.3%	0.5%
	Grade 9	98.5%	0.1%	0.2%	0.3%	0.1%	0.3%	0.5%
	Grade 10	99.4%	0.0%	0.0%	0.1%	0.2%	0.0%	0.3%
	Grade 11	98.4%	0.1%	0.0%	0.0%	0.3%	0.3%	0.9%
	Grade 12	98.0%	0.1%	0.0%	0.1%	0.2%	0.6%	1.0%
Hallucinogens?								
	All	95.8%	0.1%	0.1%	0.4%	1.0%	1.4%	1.2%
	Grade 7	99.3%	0.0%	0.0%	0.0%	0.4%	0.1%	0.2%
	Grade 8	98.6%	0.0%	0.0%	0.2%	0.4%	0.4%	0.4%
	Grade 9	97.3%	0.2%	0.1%	0.3%	0.6%	0.8%	0.7%
	Grade 10	95.0%	0.1%	0.1%	0.5%	1.3%	2.0%	1.1%
	Grade 11	92.4%	0.0%	0.0%	0.5%	1.7%	2.5%	2.8%
	Grade 12	90.8%	0.1%	0.0%	0.6%	2.3%	3.5%	2.6%
Uppers?								
	All	94.7%	0.2%	0.3%	0.9%	1.1%	1.4%	1.5%
	Grade 7	98.8%	0.0%	0.3%	0.0%	0.1%	0.5%	0.3%
	Grade 8	98.4%	0.1%	0.0%	0.4%	0.5%	0.1%	0.4%
	Grade 9	96.2%	0.1%	0.2%	0.9%	0.6%	1.2%	0.9%
	Grade 10	93.1%	0.3%	0.5%	1.4%	1.8%	1.5%	1.4%
	Grade 11	90.9%	0.1%	0.6%	1.2%	2.2%	2.3%	2.6%
	Grade 12	88.8%	0.5%	0.4%	1.6%	1.5%	3.3%	3.9%
Downers?								
	All	95.0%	0.1%	0.4%	0.8%	1.1%	1.3%	1.3%
	Grade 7	98.7%	0.0%	0.3%	0.1%	0.1%	0.5%	0.3%
	Grade 8	98.6%	0.0%	0.1%	0.4%	0.3%	0.1%	0.5%
	Grade 9	97.0%	0.3%	0.2%	0.5%	0.6%	0.8%	0.7%
	Grade 10	93.5%	0.3%	0.6%	1.7%	1.1%	1.7%	1.0%
	Grade 11	91.1%	0.0%	0.9%	1.0%	2.4%	2.4%	2.2%
	Grade 12	88.9%	0.1%	0.5%	1.6%	2.6%	2.6%	3.7%

**Region 3: Grades 7-12
SPRING 2008**

**Table D-2: How often do you normally use...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.7%	0.0%	0.1%	0.1%	0.3%	0.3%	0.4%
	Grade 7	99.1%	0.0%	0.0%	0.0%	0.4%	0.4%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 9	98.6%	0.0%	0.2%	0.2%	0.7%	0.1%	0.2%
	Grade 10	98.6%	0.0%	0.1%	0.2%	0.2%	0.5%	0.5%
	Grade 11	98.5%	0.0%	0.2%	0.2%	0.1%	0.3%	0.7%
	Grade 12	97.8%	0.2%	0.1%	0.1%	0.2%	0.3%	1.2%
Steroids?								
	All	98.6%	0.2%	0.2%	0.1%	0.2%	0.2%	0.6%
	Grade 7	99.4%	0.0%	0.2%	0.1%	0.1%	0.1%	0.2%
	Grade 8	98.4%	0.3%	0.1%	0.0%	0.4%	0.2%	0.6%
	Grade 9	98.5%	0.2%	0.2%	0.2%	0.1%	0.1%	0.7%
	Grade 10	98.7%	0.2%	0.3%	0.1%	0.1%	0.0%	0.5%
	Grade 11	99.0%	0.0%	0.1%	0.1%	0.0%	0.3%	0.5%
	Grade 12	97.3%	0.6%	0.2%	0.2%	0.4%	0.4%	0.9%
Ecstasy?								
	All	94.9%	0.0%	0.2%	0.7%	1.1%	1.5%	1.6%
	Grade 7	98.9%	0.0%	0.1%	0.0%	0.2%	0.4%	0.4%
	Grade 8	98.3%	0.0%	0.0%	0.4%	0.6%	0.4%	0.3%
	Grade 9	96.7%	0.1%	0.3%	0.5%	0.7%	0.8%	1.0%
	Grade 10	93.4%	0.0%	0.2%	1.2%	1.6%	1.5%	2.1%
	Grade 11	91.4%	0.0%	0.1%	0.7%	1.8%	3.2%	2.8%
	Grade 12	88.8%	0.1%	0.4%	1.5%	2.2%	3.5%	3.6%
Heroin?								
	All	98.7%	0.1%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 7	99.0%	0.0%	0.0%	0.2%	0.1%	0.5%	0.1%
	Grade 8	99.0%	0.0%	0.2%	0.1%	0.2%	0.2%	0.4%
	Grade 9	99.0%	0.2%	0.0%	0.2%	0.0%	0.2%	0.3%
	Grade 10	98.8%	0.0%	0.0%	0.1%	0.2%	0.1%	0.7%
	Grade 11	98.7%	0.1%	0.0%	0.1%	0.1%	0.3%	0.7%
	Grade 12	97.5%	0.0%	0.2%	0.1%	0.5%	0.4%	1.3%

**Region 3: Grades 7-12
SPRING 2008**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.8	12.2	13.1	13.8	14.6	15.0
Cocaine	11.2	13.1	13.7	14.6	15.2	15.6
Crack	11.3	12.5	12.7	13.6	14.6	15.3
Hallucinogens	11.9	12.6	13.5	14.6	15.4	15.9
Uppers	12.6	12.1	13.5	14.3	14.9	15.4
Downers	12.9	12.3	13.0	14.4	14.8	15.3
Rohypnol	12.1	12.0	12.5	14.2	13.7	15.6
Steroids	11.7	12.1	12.1	14.1	14.6	15.5
Ecstasy	11.8	12.7	13.9	14.9	15.6	16.1
Heroin	12.2	12.7	12.4	13.4	14.7	15.7

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	80.7%	0.4%	1.4%	5.0%	7.3%	4.6%	0.6%
	Grade 7	95.2%	0.2%	1.2%	3.3%	0.1%	0.0%	0.0%
	Grade 8	91.8%	0.4%	1.9%	4.4%	1.4%	0.0%	0.1%
	Grade 9	82.3%	1.1%	0.7%	6.8%	8.7%	0.3%	0.1%
	Grade 10	78.5%	0.2%	0.9%	5.9%	12.8%	1.7%	0.0%
	Grade 11	66.7%	0.1%	1.5%	5.7%	13.2%	12.6%	0.2%
	Grade 12	64.0%	0.4%	2.2%	3.7%	9.9%	15.9%	3.8%
Other family situation								
	All	65.0%	2.0%	3.5%	9.6%	13.2%	6.4%	0.3%
	Grade 7	86.1%	1.3%	4.1%	7.6%	0.9%	0.0%	0.0%
	Grade 8	78.8%	3.0%	3.2%	10.0%	5.1%	0.0%	0.0%
	Grade 9	64.3%	3.6%	3.9%	10.4%	17.1%	0.6%	0.0%
	Grade 10	56.6%	1.7%	3.7%	11.5%	20.8%	5.8%	0.0%
	Grade 11	52.3%	0.9%	1.9%	9.3%	19.6%	15.9%	0.1%
	Grade 12	48.9%	1.6%	3.9%	8.5%	16.3%	18.7%	2.1%

**Region 3: Grades 7-12
SPRING 2008**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	11.6%	28.1%	10.0%	10.5%	14.1%	25.6%
	Grade 7	19.3%	51.1%	10.2%	6.1%	5.8%	7.6%
	Grade 8	13.6%	41.3%	13.7%	9.9%	8.0%	13.5%
	Grade 9	11.6%	26.6%	9.9%	11.5%	17.3%	23.1%
	Grade 10	8.7%	19.2%	9.8%	11.6%	17.1%	33.7%
	Grade 11	7.1%	13.3%	8.5%	11.9%	19.1%	40.1%
	Grade 12	7.3%	10.0%	7.2%	13.3%	19.5%	42.6%
Cocaine?							
	All	15.1%	36.0%	16.6%	14.2%	8.6%	9.5%
	Grade 7	21.0%	57.1%	11.5%	5.1%	2.7%	2.7%
	Grade 8	15.3%	47.4%	16.7%	9.1%	5.1%	6.4%
	Grade 9	16.5%	34.7%	15.9%	14.0%	10.1%	8.8%
	Grade 10	12.6%	28.9%	17.5%	17.5%	11.4%	12.0%
	Grade 11	11.6%	22.6%	19.5%	20.8%	11.2%	14.4%
	Grade 12	11.6%	18.9%	19.9%	21.7%	12.6%	15.3%
Crack?							
	All	16.0%	36.6%	17.8%	13.8%	7.7%	8.0%
	Grade 7	21.7%	56.4%	11.4%	4.5%	3.2%	2.8%
	Grade 8	15.8%	47.5%	16.1%	9.2%	5.4%	5.9%
	Grade 9	17.1%	35.2%	17.1%	13.1%	9.4%	8.1%
	Grade 10	13.9%	29.6%	20.7%	17.1%	9.1%	9.5%
	Grade 11	12.5%	24.9%	21.4%	20.3%	9.5%	11.4%
	Grade 12	13.5%	20.6%	22.2%	21.3%	10.6%	11.8%
Hallucinogens?							
	All	30.8%	28.4%	13.8%	11.4%	7.4%	8.2%
	Grade 7	50.5%	34.8%	7.5%	3.2%	2.1%	1.9%
	Grade 8	36.2%	36.9%	11.4%	6.8%	3.8%	4.9%
	Grade 9	31.7%	28.5%	14.9%	10.6%	7.4%	7.0%
	Grade 10	23.1%	26.4%	14.7%	15.0%	9.5%	11.4%
	Grade 11	19.3%	21.6%	18.0%	16.9%	11.7%	12.5%
	Grade 12	18.4%	19.2%	18.1%	18.9%	11.7%	13.7%
Uppers?							
	All	44.8%	21.2%	9.5%	8.6%	7.0%	8.8%
	Grade 7	60.6%	27.4%	5.7%	2.6%	1.7%	2.0%
	Grade 8	49.8%	28.8%	8.9%	5.1%	2.7%	4.7%
	Grade 9	47.2%	21.0%	10.1%	8.3%	6.2%	7.2%
	Grade 10	37.2%	20.4%	9.8%	10.8%	10.4%	11.4%
	Grade 11	35.8%	14.6%	11.2%	13.1%	10.4%	14.8%
	Grade 12	33.1%	12.4%	12.5%	13.9%	12.7%	15.5%
Downers?							
	All	44.8%	21.1%	9.6%	8.7%	6.8%	8.9%
	Grade 7	60.6%	27.4%	5.7%	2.7%	1.6%	2.0%
	Grade 8	49.8%	28.7%	9.3%	4.6%	2.8%	4.8%
	Grade 9	47.1%	20.7%	10.7%	8.3%	6.2%	7.0%
	Grade 10	37.1%	20.4%	9.8%	10.6%	10.2%	11.8%
	Grade 11	36.5%	14.5%	10.6%	13.6%	10.0%	14.9%
	Grade 12	32.9%	12.4%	12.1%	14.8%	11.8%	16.1%

**Region 3: Grades 7-12
SPRING 2008**

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?	All	48.2%	22.6%	11.0%	8.2%	4.4%	5.7%
	Grade 7	62.1%	27.8%	4.9%	2.2%	1.4%	1.6%
	Grade 8	52.0%	28.4%	9.1%	4.8%	2.4%	3.3%
	Grade 9	48.5%	22.3%	11.2%	7.6%	4.9%	5.5%
	Grade 10	42.4%	21.8%	12.4%	10.1%	5.9%	7.4%
	Grade 11	42.0%	17.0%	13.9%	12.3%	6.2%	8.5%
	Grade 12	38.6%	16.0%	16.1%	14.0%	6.4%	8.9%
Steroids?	All	17.7%	37.9%	17.0%	11.7%	7.8%	8.0%
	Grade 7	23.3%	54.6%	11.4%	4.1%	3.6%	3.1%
	Grade 8	17.2%	48.3%	15.9%	9.1%	4.5%	5.1%
	Grade 9	19.9%	37.1%	17.0%	11.0%	8.2%	6.7%
	Grade 10	14.3%	33.7%	19.9%	13.9%	8.8%	9.4%
	Grade 11	15.0%	25.8%	21.0%	16.6%	10.0%	11.6%
	Grade 12	14.8%	22.4%	17.8%	18.1%	12.8%	14.0%
Ecstasy?	All	26.8%	29.4%	13.3%	10.2%	8.5%	11.7%
	Grade 7	51.2%	35.0%	6.4%	2.6%	2.1%	2.7%
	Grade 8	32.8%	37.7%	13.1%	5.3%	4.6%	6.5%
	Grade 9	25.3%	30.7%	15.6%	9.3%	9.2%	9.9%
	Grade 10	16.3%	28.1%	14.9%	14.3%	10.1%	16.3%
	Grade 11	15.1%	22.8%	15.5%	15.8%	13.7%	17.1%
	Grade 12	14.4%	18.8%	15.7%	16.9%	13.3%	20.9%
Heroin?	All	20.2%	38.5%	16.5%	10.9%	6.2%	7.8%
	Grade 7	28.1%	52.5%	9.0%	4.6%	2.6%	3.2%
	Grade 8	20.3%	47.7%	14.5%	6.6%	4.2%	6.7%
	Grade 9	22.5%	36.7%	15.0%	10.8%	6.8%	8.2%
	Grade 10	15.6%	35.7%	18.5%	12.5%	8.0%	9.7%
	Grade 11	15.7%	29.9%	21.8%	14.8%	7.8%	10.0%
	Grade 12	16.7%	23.9%	22.5%	18.2%	8.6%	10.2%

**Region 3: Grades 7-12
SPRING 2008**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	91.7%	4.5%	1.4%	2.3%
Grade 7	97.3%	1.6%	0.6%	0.4%
Grade 8	95.5%	3.1%	0.5%	0.9%
Grade 9	90.7%	5.1%	1.7%	2.5%
Grade 10	89.2%	6.1%	2.2%	2.5%
Grade 11	88.0%	6.6%	1.7%	3.7%
Grade 12	88.3%	5.0%	2.2%	4.5%
Attended class while high from use of some other drug?				
All	94.7%	3.2%	1.0%	1.1%
Grade 7	97.8%	1.5%	0.4%	0.3%
Grade 8	96.6%	2.2%	0.6%	0.6%
Grade 9	95.4%	2.7%	0.7%	1.1%
Grade 10	93.0%	4.3%	1.4%	1.4%
Grade 11	92.0%	5.0%	1.3%	1.8%
Grade 12	92.7%	4.2%	1.6%	1.5%
Gotten into trouble with teachers because of your drug use?				
All	99.0%	0.7%	0.2%	0.2%
Grade 7	99.3%	0.6%	0.1%	0.0%
Grade 8	99.1%	0.4%	0.2%	0.2%
Grade 9	99.0%	0.5%	0.3%	0.2%
Grade 10	99.3%	0.5%	0.1%	0.1%
Grade 11	98.4%	1.0%	0.3%	0.3%
Grade 12	98.4%	1.3%	0.2%	0.1%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	5.1
Marijuana Non-use	4.1

Average days conduct problems reported	
Marijuana Users:	5.0
Marijuana Non-use	1.6

**Region 3: Grades 7-12
SPRING 2008**

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.5%	5.6%	1.7%	2.2%
Grade 9	95.9%	2.9%	0.7%	0.4%
Grade 10	94.8%	3.5%	0.8%	1.0%
Grade 11	87.0%	7.4%	2.8%	2.8%
Grade 12	82.6%	9.5%	2.7%	5.2%
Gotten into trouble with the police because of drug use?				
All	97.8%	1.7%	0.3%	0.2%
Grade 7	98.6%	1.0%	0.3%	0.1%
Grade 8	98.2%	1.6%	0.1%	0.1%
Grade 9	97.6%	1.6%	0.6%	0.2%
Grade 10	98.3%	1.4%	0.1%	0.2%
Grade 11	96.9%	2.5%	0.3%	0.3%
Grade 12	97.2%	2.4%	0.4%	0.1%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	53.3%	18.3%	12.9%	12.0%	3.5%
Grade 7	80.1%	10.3%	4.9%	3.7%	1.0%
Grade 8	69.4%	13.0%	9.1%	6.3%	2.2%
Grade 9	51.3%	20.1%	12.1%	12.2%	4.3%
Grade 10	41.0%	20.1%	15.8%	18.4%	4.7%
Grade 11	36.7%	23.6%	17.5%	18.0%	4.2%
Grade 12	33.5%	25.1%	20.3%	15.9%	5.1%

**Region 3: Grades 7-12
SPRING 2008**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.5%	4.5%	0.6%	0.4%
Grade 7	97.3%	2.3%	0.2%	0.1%
Grade 8	95.9%	3.4%	0.4%	0.3%
Grade 9	95.1%	3.8%	0.7%	0.4%
Grade 10	93.2%	5.3%	0.9%	0.6%
Grade 11	92.4%	6.3%	0.8%	0.5%
Grade 12	92.3%	6.5%	0.8%	0.3%
Been criticized by someone you were dating because of drug use?				
All	94.2%	4.6%	0.8%	0.5%
Grade 7	97.8%	1.7%	0.3%	0.2%
Grade 8	96.6%	2.7%	0.4%	0.3%
Grade 9	95.1%	3.8%	0.6%	0.4%
Grade 10	92.1%	6.1%	1.3%	0.5%
Grade 11	91.0%	7.2%	1.2%	0.6%
Grade 12	91.5%	6.6%	0.9%	1.0%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	55.8%	10.4%	7.3%	7.1%	6.5%	2.6%	10.3%
Grade 7	79.1%	5.1%	2.5%	1.6%	1.8%	1.6%	8.4%
Grade 8	72.6%	7.0%	4.0%	3.3%	2.4%	1.7%	9.0%
Grade 9	58.2%	11.3%	6.2%	5.2%	5.5%	3.8%	9.8%
Grade 10	45.7%	12.3%	9.3%	8.8%	9.1%	2.9%	11.9%
Grade 11	37.3%	13.7%	11.7%	12.7%	9.5%	2.8%	12.4%
Grade 12	34.9%	14.2%	11.7%	13.1%	12.4%	2.6%	11.0%

**Region 3: Grades 7-12
SPRING 2008**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	82.9%	7.7%	3.8%	3.0%	1.9%	0.7%
	Grade 7	93.0%	2.0%	1.3%	1.7%	1.0%	0.9%
	Grade 8	90.6%	3.8%	2.4%	1.7%	1.2%	0.3%
	Grade 9	83.2%	6.6%	4.1%	3.0%	2.5%	0.5%
	Grade 10	80.0%	8.5%	5.2%	3.7%	2.4%	0.4%
	Grade 11	73.8%	13.7%	5.3%	4.3%	2.1%	0.9%
	Grade 12	73.7%	13.9%	5.4%	3.8%	2.2%	0.9%
Blunts?	All	81.5%	6.4%	3.3%	4.2%	3.9%	0.7%
	Grade 7	92.8%	1.8%	1.2%	2.0%	1.2%	1.0%
	Grade 8	90.4%	4.7%	1.7%	1.4%	1.3%	0.4%
	Grade 9	81.6%	6.2%	3.1%	3.6%	4.7%	0.8%
	Grade 10	77.7%	6.9%	3.5%	5.9%	5.4%	0.6%
	Grade 11	71.6%	9.8%	5.7%	6.3%	5.7%	0.8%
	Grade 12	71.2%	10.3%	5.5%	6.7%	5.5%	0.9%
Bongs or water pipes?	All	87.3%	5.4%	2.6%	2.6%	1.7%	0.5%
	Grade 7	96.6%	1.3%	0.6%	0.5%	0.5%	0.5%
	Grade 8	94.5%	3.1%	0.7%	0.9%	0.7%	0.1%
	Grade 9	89.7%	3.6%	2.2%	2.2%	1.9%	0.5%
	Grade 10	84.2%	7.2%	2.7%	3.4%	2.0%	0.5%
	Grade 11	78.0%	8.8%	5.9%	4.7%	2.1%	0.6%
	Grade 12	76.6%	10.3%	4.1%	4.9%	3.2%	0.8%
Pipes?	All	86.3%	4.9%	2.8%	3.5%	2.1%	0.4%
	Grade 7	96.6%	1.3%	0.5%	0.7%	0.5%	0.4%
	Grade 8	94.1%	2.1%	1.1%	1.4%	1.2%	0.1%
	Grade 9	88.7%	3.6%	2.3%	2.4%	2.5%	0.5%
	Grade 10	83.3%	5.7%	3.1%	4.9%	2.7%	0.3%
	Grade 11	75.8%	8.7%	5.7%	6.9%	2.6%	0.4%
	Grade 12	74.7%	9.7%	5.1%	5.9%	3.7%	0.9%
Some other way?	All	90.0%	4.7%	1.5%	1.4%	1.2%	1.4%
	Grade 7	96.4%	0.9%	0.6%	0.8%	0.9%	0.5%
	Grade 8	94.5%	2.1%	1.4%	0.8%	0.8%	0.5%
	Grade 9	90.3%	4.1%	1.0%	1.6%	1.6%	1.4%
	Grade 10	88.2%	5.2%	2.2%	1.8%	1.1%	1.4%
	Grade 11	84.1%	8.8%	2.1%	1.7%	1.1%	2.1%
	Grade 12	84.1%	8.5%	1.7%	1.6%	1.4%	2.6%

**Region 3: Grades 7-12
SPRING 2008**

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	82.6%	5.3%	4.2%	1.1%	1.2%	5.7%
Grade 7	88.7%	1.9%	1.2%	0.5%	0.5%	7.3%
Grade 8	86.8%	2.9%	2.2%	1.0%	1.3%	5.9%
Grade 9	81.7%	4.5%	4.4%	1.0%	1.8%	6.6%
Grade 10	80.8%	6.5%	4.7%	0.7%	1.4%	6.0%
Grade 11	77.9%	8.9%	6.2%	1.9%	1.0%	4.1%
Grade 12	78.3%	8.4%	7.0%	1.5%	1.0%	3.8%

**Region 3: Grades 7-12
SPRING 2008**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.2%	16.7%	13.0%	11.3%	2.8%
	Grade 7	81.0%	8.2%	5.9%	2.3%	2.6%
	Grade 8	72.3%	11.9%	6.7%	5.3%	3.8%
	Grade 9	56.0%	19.3%	11.4%	9.9%	3.4%
	Grade 10	45.8%	20.3%	15.8%	16.3%	1.8%
	Grade 11	41.2%	20.4%	18.4%	17.6%	2.4%
	Grade 12	37.9%	21.0%	21.2%	17.3%	2.6%
Cocaine?						
	All	83.0%	10.3%	2.1%	0.8%	3.8%
	Grade 7	88.2%	6.2%	1.6%	0.5%	3.6%
	Grade 8	84.6%	8.5%	2.1%	0.7%	4.1%
	Grade 9	80.7%	12.1%	1.6%	0.5%	5.0%
	Grade 10	81.2%	12.5%	2.2%	1.1%	2.9%
	Grade 11	80.9%	13.0%	2.2%	0.8%	3.1%
	Grade 12	81.7%	10.1%	2.8%	1.0%	4.4%
Crack?						
	All	85.2%	8.7%	1.4%	0.7%	3.9%
	Grade 7	89.1%	5.4%	1.5%	0.5%	3.6%
	Grade 8	84.9%	8.3%	2.0%	0.6%	4.1%
	Grade 9	82.3%	10.9%	1.1%	0.7%	5.0%
	Grade 10	84.6%	9.3%	1.4%	1.1%	3.6%
	Grade 11	84.8%	9.9%	1.3%	0.6%	3.4%
	Grade 12	84.9%	8.9%	1.1%	1.1%	4.0%
Ecstasy?						
	All	78.7%	10.7%	3.2%	1.4%	5.9%
	Grade 7	84.9%	6.2%	1.1%	0.6%	7.2%
	Grade 8	80.6%	7.8%	3.5%	1.0%	7.1%
	Grade 9	77.4%	11.2%	2.8%	1.4%	7.2%
	Grade 10	77.1%	12.2%	4.0%	2.2%	4.6%
	Grade 11	76.0%	14.2%	4.0%	1.7%	4.1%
	Grade 12	75.2%	13.9%	4.2%	1.8%	4.9%
Steroids?						
	All	72.3%	16.1%	5.1%	1.6%	4.8%
	Grade 7	80.2%	11.6%	2.5%	1.0%	4.7%
	Grade 8	75.5%	13.8%	4.9%	1.2%	4.5%
	Grade 9	71.8%	16.2%	5.2%	1.6%	5.2%
	Grade 10	67.3%	19.2%	5.9%	2.7%	4.8%
	Grade 11	69.8%	17.8%	6.6%	1.4%	4.4%
	Grade 12	67.8%	19.0%	6.2%	2.0%	5.0%
Heroin?						
	All	88.6%	5.6%	1.0%	0.7%	4.2%
	Grade 7	90.3%	4.2%	0.9%	0.4%	4.1%
	Grade 8	87.3%	5.7%	2.0%	0.6%	4.4%
	Grade 9	86.8%	6.5%	1.0%	0.7%	4.9%
	Grade 10	88.0%	6.3%	1.0%	1.0%	3.7%
	Grade 11	89.9%	5.6%	0.6%	0.4%	3.5%
	Grade 12	89.0%	5.0%	0.6%	0.9%	4.5%

**Region 3: Grades 7-12
SPRING 2008**

Table D-15: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	0.8%	1.6%	3.7%	96.3%
Grade 7	0.4%	0.7%	1.9%	98.1%
Grade 8	0.5%	1.1%	2.5%	97.5%
Grade 9	0.9%	1.8%	3.3%	96.7%
Grade 10	0.7%	1.6%	4.4%	95.6%
Grade 11	0.7%	1.9%	4.3%	95.7%
Grade 12	1.6%	2.8%	6.5%	93.5%

**Region 3: Grades 7-12
SPRING 2008**

Table D-16: How recently, if ever, have you used...

	Past Month	School Year	Ever Used	Never Used
Codeine?				
All	4.1%	8.1%	12.1%	87.9%
Grade 7	2.1%	4.5%	6.6%	93.4%
Grade 8	3.9%	6.4%	10.1%	89.9%
Grade 9	3.7%	7.1%	10.4%	89.6%
Grade 10	4.8%	10.2%	14.0%	86.0%
Grade 11	4.9%	10.4%	15.8%	84.2%
Grade 12	5.6%	11.4%	17.8%	82.2%
Oxycontin, Percodan or Percocet?				
All	1.0%	2.5%	4.5%	95.5%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.9%	1.7%	3.0%	97.0%
Grade 9	0.7%	1.5%	2.1%	97.9%
Grade 10	1.1%	3.3%	6.0%	94.0%
Grade 11	1.5%	4.2%	8.3%	91.7%
Grade 12	1.6%	5.1%	8.5%	91.5%
Vicodin, Lortab or Lorcet?				
All	2.0%	4.3%	6.5%	93.5%
Grade 7	0.2%	0.6%	0.9%	99.1%
Grade 8	1.1%	2.0%	2.6%	97.4%
Grade 9	1.7%	3.3%	4.5%	95.5%
Grade 10	1.9%	5.2%	8.1%	91.9%
Grade 11	3.2%	6.9%	11.7%	88.3%
Grade 12	4.4%	9.4%	13.7%	86.3%
Valium or Diazepam?				
All	0.8%	2.0%	3.3%	96.7%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	0.6%	1.1%	1.5%	98.5%
Grade 10	0.9%	2.3%	3.9%	96.1%
Grade 11	0.9%	3.6%	6.4%	93.6%
Grade 12	2.1%	4.9%	7.2%	92.8%
Xanax or Alprazolam?				
All	1.7%	3.4%	5.6%	94.4%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	1.1%	1.4%	2.4%	97.6%
Grade 9	0.7%	1.4%	2.6%	97.4%
Grade 10	2.1%	4.9%	7.3%	92.7%
Grade 11	2.5%	5.7%	10.2%	89.8%
Grade 12	4.0%	7.9%	12.6%	87.4%

**Region 3: Grades 7-12
SPRING 2008**

Table D-17: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple C?				
All	2.0%	4.2%	7.3%	92.7%
Grade 7	1.4%	1.9%	3.2%	96.8%
Grade 8	2.1%	3.1%	4.7%	95.3%
Grade 9	2.2%	3.9%	6.2%	93.8%
Grade 10	2.7%	6.3%	10.5%	89.5%
Grade 11	2.1%	5.8%	11.0%	89.0%
Grade 12	1.8%	4.9%	9.5%	90.5%

**Region 3: Grades 7-12
SPRING 2008**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	2.1%	3.5%	8.5%	91.5%
	Grade 7	3.9%	5.5%	10.5%	89.5%
	Grade 8	2.9%	4.6%	9.8%	90.2%
	Grade 9	1.6%	3.2%	8.2%	91.8%
	Grade 10	1.2%	2.4%	7.8%	92.2%
	Grade 11	1.0%	2.0%	7.1%	92.9%
	Grade 12	1.8%	2.9%	7.0%	93.0%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	93.9%	0.1%	0.4%	0.7%	1.1%	1.2%	2.6%
Grade 7	92.4%	0.1%	0.9%	0.9%	1.2%	1.9%	2.6%
Grade 8	93.1%	0.2%	0.4%	1.1%	2.0%	1.1%	2.0%
Grade 9	94.0%	0.1%	0.6%	0.5%	1.4%	1.3%	2.1%
Grade 10	94.5%	0.3%	0.1%	0.5%	0.3%	0.7%	3.6%
Grade 11	94.8%	0.0%	0.2%	0.3%	0.9%	0.8%	3.0%
Grade 12	94.9%	0.0%	0.2%	0.6%	0.6%	0.9%	2.7%

Table I-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.7	12.3	12.7	13.1	13.4

**Region 3: Grades 7-12
SPRING 2008**

Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	98.3%	1.2%	0.2%	0.3%
Grade 7	97.6%	1.8%	0.3%	0.4%
Grade 8	96.8%	2.4%	0.1%	0.7%
Grade 9	98.3%	1.2%	0.1%	0.3%
Grade 10	99.3%	0.4%	0.1%	0.2%
Grade 11	98.8%	0.6%	0.3%	0.3%
Grade 12	99.1%	0.7%	0.1%	0.2%

Table I-5: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	5.3
Inhalants Non-use	4.2

Average days conduct problems reported	
Inhalants Users:	5.5
Inhalants Non-use	2.0

Table I-6: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	83.8%	10.6%	3.5%	1.6%	0.4%
Grade 7	83.3%	10.3%	3.6%	2.1%	0.8%
Grade 8	80.5%	11.7%	4.0%	3.0%	0.8%
Grade 9	82.5%	12.3%	3.6%	1.3%	0.4%
Grade 10	84.1%	10.3%	3.7%	1.5%	0.4%
Grade 11	85.0%	10.5%	3.4%	1.1%	0.1%
Grade 12	88.7%	7.9%	2.5%	0.8%	0.1%

**Region 3: Grades 7-12
SPRING 2008**

Table I-7: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	70.3%	17.8%	5.5%	1.9%	4.5%
Grade 7	72.9%	14.5%	6.6%	1.8%	4.1%
Grade 8	71.1%	16.4%	6.6%	2.0%	4.0%
Grade 9	70.0%	17.8%	5.4%	1.3%	5.5%
Grade 10	68.4%	20.0%	4.6%	3.1%	3.9%
Grade 11	70.2%	19.0%	5.4%	1.2%	4.0%
Grade 12	68.5%	19.7%	4.2%	1.8%	5.8%

Table I-8: If you wanted some, how difficult would it be to get..

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?						
All	15.8%	17.3%	5.8%	6.9%	11.2%	42.9%
Grade 7	20.8%	28.9%	6.5%	5.2%	8.5%	30.0%
Grade 8	15.4%	22.8%	5.7%	6.7%	10.7%	38.7%
Grade 9	17.1%	17.1%	6.2%	7.3%	11.1%	41.1%
Grade 10	13.1%	14.6%	5.5%	7.9%	12.7%	46.2%
Grade 11	13.8%	9.1%	6.5%	8.0%	12.6%	50.0%
Grade 12	13.3%	7.7%	4.3%	6.7%	12.0%	56.0%

**Region 3: Grades 7-12
SPRING 2008**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 45.3%
	Grade 7 40.0%
	Grade 8 53.0%
	Grade 9 53.8%
	Grade 10 48.2%
	Grade 11 37.9%
	Grade 12 37.1%
An assembly program	All 50.8%
	Grade 7 62.0%
	Grade 8 62.6%
	Grade 9 58.2%
	Grade 10 37.4%
	Grade 11 39.3%
	Grade 12 41.5%
Guidance counselor	All 22.0%
	Grade 7 32.4%
	Grade 8 30.3%
	Grade 9 24.9%
	Grade 10 15.7%
	Grade 11 12.9%
	Grade 12 12.9%
Science class	All 31.6%
	Grade 7 45.5%
	Grade 8 35.7%
	Grade 9 39.2%
	Grade 10 25.6%
	Grade 11 20.3%
	Grade 12 18.3%
Social studies class	All 12.5%
	Grade 7 12.9%
	Grade 8 12.0%
	Grade 9 14.3%
	Grade 10 11.4%
	Grade 11 12.8%
	Grade 12 11.1%
Student group session	All 13.1%
	Grade 7 12.1%
	Grade 8 14.2%
	Grade 9 15.0%
	Grade 10 10.9%
	Grade 11 11.9%
	Grade 12 14.6%

**Region 3: Grades 7-12
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?
(Continued)**

CATEGORY	Yes
An invited school guest	All 33.2%
	Grade 7 44.8%
	Grade 8 44.6%
	Grade 9 34.4%
	Grade 10 22.6%
	Grade 11 24.9%
	Grade 12 25.4%
Another source at school	All 31.3%
	Grade 7 32.2%
	Grade 8 33.3%
	Grade 9 34.3%
	Grade 10 28.3%
	Grade 11 28.6%
	Grade 12 30.5%
Any school source	All 61.6%
	Grade 7 64.4%
	Grade 8 62.4%
	Grade 9 67.9%
	Grade 10 58.2%
	Grade 11 58.5%
	Grade 12 55.3%

**Region 3: Grades 7-12
SPRING 2008**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
A counselor or program in	All 31.1%
	Grade 7 45.2%
	Grade 8 35.1%
	Grade 9 31.8%
	Grade 10 25.3%
	Grade 11 24.4%
	Grade 12 21.5%
Another adult in school (All 30.8%
	Grade 7 41.3%
	Grade 8 33.1%
	Grade 9 31.2%
	Grade 10 25.0%
	Grade 11 26.7%
	Grade 12 24.9%
A counselor or program ou	All 38.6%
	Grade 7 43.1%
	Grade 8 38.8%
	Grade 9 38.1%
	Grade 10 36.9%
	Grade 11 37.7%
	Grade 12 36.1%
Your parents	All 61.2%
	Grade 7 69.9%
	Grade 8 63.5%
	Grade 9 59.7%
	Grade 10 56.5%
	Grade 11 59.5%
	Grade 12 56.3%
A medical doctor	All 44.1%
	Grade 7 52.6%
	Grade 8 47.4%
	Grade 9 42.6%
	Grade 10 38.2%
	Grade 11 41.2%
	Grade 12 41.0%
Your friends	All 73.9%
	Grade 7 65.0%
	Grade 8 72.0%
	Grade 9 72.8%
	Grade 10 78.6%
	Grade 11 78.8%
	Grade 12 78.2%

**Region 3: Grades 7-12
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)**

CATEGORY		Yes
Another adult (a relative	All	61.2%
	Grade 7	64.5%
	Grade 8	60.0%
	Grade 9	61.4%
	Grade 10	61.1%
	Grade 11	60.0%
	Grade 12	59.5%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	5.8%
	Grade 7	5.6%
	Grade 8	5.3%
	Grade 9	6.5%
	Grade 10	5.9%
	Grade 11	6.2%
	Grade 12	5.2%

**Region 3: Grades 7-12
SPRING 2008**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	3.9%	24.9%	26.3%	36.3%	8.6%
Grade 7	4.9%	23.3%	20.8%	35.6%	15.3%
Grade 8	4.3%	22.9%	24.7%	38.0%	10.1%
Grade 9	5.0%	25.7%	27.8%	34.5%	6.9%
Grade 10	3.9%	28.4%	28.9%	33.5%	5.3%
Grade 11	2.4%	24.3%	27.8%	39.1%	6.5%
Grade 12	2.3%	24.7%	29.0%	37.8%	6.2%
Sometimes carry weapons?					
All	63.4%	23.3%	9.0%	3.2%	1.1%
Grade 7	78.7%	14.6%	4.5%	1.6%	0.6%
Grade 8	64.8%	23.7%	8.2%	2.4%	0.8%
Grade 9	60.9%	24.4%	10.2%	3.6%	0.9%
Grade 10	58.4%	24.8%	11.7%	3.8%	1.3%
Grade 11	58.9%	25.9%	10.0%	3.8%	1.4%
Grade 12	55.7%	28.3%	9.9%	4.1%	2.0%
Care about making good grades?					
All	2.4%	12.9%	23.3%	45.1%	16.3%
Grade 7	2.9%	16.3%	21.0%	38.0%	21.8%
Grade 8	2.6%	14.8%	22.9%	41.2%	18.5%
Grade 9	2.5%	13.5%	25.1%	44.4%	14.4%
Grade 10	1.3%	13.9%	25.2%	47.3%	12.4%
Grade 11	2.3%	8.5%	22.5%	50.7%	16.0%
Grade 12	2.7%	9.1%	23.0%	51.3%	13.9%
Belong/want to belong to a gang?					
All	70.1%	16.4%	7.4%	4.6%	1.6%
Grade 7	72.9%	15.1%	6.2%	3.9%	1.8%
Grade 8	68.5%	17.1%	7.2%	5.7%	1.6%
Grade 9	64.9%	18.2%	9.3%	5.7%	1.9%
Grade 10	65.4%	18.0%	9.0%	5.8%	1.8%
Grade 11	74.6%	15.2%	6.4%	2.9%	1.0%
Grade 12	75.7%	14.3%	5.7%	3.1%	1.2%
Wish they could drop out of school?					
All	59.7%	26.9%	8.2%	3.5%	1.7%
Grade 7	67.8%	21.3%	6.0%	3.3%	1.5%
Grade 8	59.8%	26.7%	8.4%	3.7%	1.5%
Grade 9	57.4%	27.7%	8.6%	4.3%	2.0%
Grade 10	54.6%	28.8%	10.6%	3.9%	2.1%
Grade 11	55.8%	31.1%	8.4%	2.9%	1.8%
Grade 12	61.9%	26.8%	7.4%	2.5%	1.5%

**Region 3: Grades 7-12
SPRING 2008**

Table X-5: How safe do you feel when you are:

	Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?					
All	79.6%	18.2%	1.3%	0.4%	0.6%
Grade 7	78.8%	18.8%	1.6%	0.3%	0.4%
Grade 8	76.7%	20.7%	1.4%	0.2%	1.0%
Grade 9	77.3%	20.2%	1.0%	0.5%	1.0%
Grade 10	80.0%	17.8%	1.3%	0.4%	0.5%
Grade 11	83.3%	14.8%	1.0%	0.4%	0.5%
Grade 12	82.7%	15.5%	1.2%	0.2%	0.3%
Out in your neighbourhood					
All	44.8%	45.6%	6.5%	1.7%	1.4%
Grade 7	39.8%	48.3%	8.0%	2.1%	1.8%
Grade 8	39.4%	49.5%	7.7%	1.6%	1.7%
Grade 9	41.8%	48.0%	6.6%	1.6%	2.0%
Grade 10	47.5%	45.0%	4.9%	1.7%	0.8%
Grade 11	51.4%	40.7%	5.6%	1.4%	1.0%
Grade 12	51.9%	40.0%	5.4%	1.9%	0.8%
At school					
All	38.9%	46.7%	8.4%	3.3%	2.7%
Grade 7	46.4%	40.6%	8.3%	2.9%	1.9%
Grade 8	37.8%	45.4%	9.8%	3.1%	3.9%
Grade 9	36.7%	49.1%	7.4%	3.3%	3.4%
Grade 10	33.6%	51.6%	8.3%	3.7%	2.7%
Grade 11	37.7%	48.5%	8.1%	3.6%	2.1%
Grade 12	41.0%	45.6%	8.6%	3.2%	1.5%

**Region 3: Grades 7-12
SPRING 2008**

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 25.4%
	Grade 7 20.3%
	Grade 8 23.9%
	Grade 9 27.0%
	Grade 10 26.8%
	Grade 11 26.4%
	Grade 12 28.8%
Books, magazines, poster	All 45.2%
	Grade 7 40.7%
	Grade 8 45.1%
	Grade 9 48.6%
	Grade 10 45.9%
	Grade 11 45.1%
	Grade 12 46.2%
TV, radio, or other audi	All 53.2%
	Grade 7 47.9%
	Grade 8 52.4%
	Grade 9 56.1%
	Grade 10 55.6%
	Grade 11 53.4%
	Grade 12 54.1%
Your parents	All 47.1%
	Grade 7 52.4%
	Grade 8 49.7%
	Grade 9 49.4%
	Grade 10 47.6%
	Grade 11 41.4%
	Grade 12 39.9%

**Region 3: Grades 7-12
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.8%	16.6%	28.1%	71.9%
	Grade 7	4.0%	6.1%	14.7%	85.3%
	Grade 8	4.4%	7.1%	17.1%	82.9%
	Grade 9	9.5%	15.3%	26.3%	73.7%
	Grade 10	14.4%	19.3%	30.5%	69.5%
	Grade 11	18.8%	26.4%	40.3%	59.7%
	Grade 12	23.4%	29.9%	45.5%	54.5%
Alcohol					
	All	28.0%	39.2%	60.4%	39.6%
	Grade 7	14.8%	19.9%	42.8%	57.2%
	Grade 8	18.4%	27.8%	50.9%	49.1%
	Grade 9	26.8%	38.6%	61.3%	38.7%
	Grade 10	30.3%	44.1%	64.1%	35.9%
	Grade 11	38.1%	52.7%	72.6%	27.4%
	Grade 12	45.1%	58.6%	76.1%	23.9%
Inhalants					
	All	2.1%	3.5%	8.5%	91.5%
	Grade 7	3.9%	5.5%	10.5%	89.5%
	Grade 8	2.9%	4.6%	9.8%	90.2%
	Grade 9	1.6%	3.2%	8.2%	91.8%
	Grade 10	1.2%	2.4%	7.8%	92.2%
	Grade 11	1.0%	2.0%	7.1%	92.9%
	Grade 12	1.8%	2.9%	7.0%	93.0%
Any Illicit Drug					
	All	11.2%	16.2%	25.1%	74.9%
	Grade 7	4.2%	6.0%	9.5%	90.5%
	Grade 8	5.5%	7.6%	13.6%	86.4%
	Grade 9	10.6%	15.2%	23.6%	76.4%
	Grade 10	14.3%	20.5%	30.2%	69.8%
	Grade 11	16.8%	25.0%	38.2%	61.8%
	Grade 12	18.5%	26.9%	41.3%	58.7%
Marijuana					
	All	9.8%	14.8%	23.5%	76.5%
	Grade 7	3.5%	5.3%	8.0%	92.0%
	Grade 8	4.5%	6.3%	11.9%	88.1%
	Grade 9	9.1%	13.4%	21.7%	78.3%
	Grade 10	12.9%	19.0%	29.0%	71.0%
	Grade 11	15.1%	23.2%	36.5%	63.5%
	Grade 12	16.2%	25.2%	40.1%	59.9%
Marijuana Only					
	All	4.0%	6.8%	13.0%	87.0%
	Grade 7	1.6%	2.6%	4.6%	95.4%
	Grade 8	2.5%	3.7%	7.8%	92.2%
	Grade 9	5.1%	7.6%	13.7%	86.3%
	Grade 10	4.7%	8.1%	15.3%	84.7%
	Grade 11	5.2%	9.9%	19.1%	80.9%
	Grade 12	5.2%	9.9%	19.9%	80.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.3%	2.6%	5.1%	94.9%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.8%	1.3%	2.6%	97.4%
	Grade 9	1.3%	2.0%	3.5%	96.5%
	Grade 10	1.3%	3.1%	6.1%	93.9%
	Grade 11	1.9%	3.9%	8.2%	91.8%
	Grade 12	2.2%	5.1%	10.2%	89.8%
Cocaine					
	All	1.2%	2.4%	4.8%	95.2%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	0.5%	1.0%	2.0%	98.0%
	Grade 9	1.1%	1.6%	3.0%	97.0%
	Grade 10	1.3%	3.0%	6.0%	94.0%
	Grade 11	1.8%	3.7%	8.1%	91.9%
	Grade 12	2.2%	5.0%	10.1%	89.9%
Crack					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.4%	0.6%	1.3%	98.7%
	Grade 9	0.4%	0.9%	1.4%	98.6%
	Grade 10	0.3%	0.5%	1.2%	98.8%
	Grade 11	0.4%	0.7%	1.5%	98.5%
	Grade 12	0.8%	1.1%	2.5%	97.5%
Hallucinogens					
	All	1.7%	2.7%	4.8%	95.2%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.5%	0.6%	1.5%	98.5%
	Grade 9	1.3%	1.9%	3.1%	96.9%
	Grade 10	2.3%	3.5%	6.2%	93.8%
	Grade 11	2.9%	4.4%	8.9%	91.1%
	Grade 12	3.5%	6.3%	10.2%	89.8%
Uppers					
	All	2.1%	3.5%	5.8%	94.2%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.4%	2.4%	3.9%	96.1%
	Grade 10	3.2%	5.1%	7.7%	92.3%
	Grade 11	3.7%	6.1%	10.0%	90.0%
	Grade 12	3.8%	6.9%	12.1%	87.9%
Downers					
	All	2.1%	3.4%	5.4%	94.6%
	Grade 7	0.7%	1.2%	1.7%	98.3%
	Grade 8	0.5%	0.8%	1.2%	98.8%
	Grade 9	1.2%	1.9%	3.3%	96.7%
	Grade 10	3.0%	4.8%	7.0%	93.0%
	Grade 11	3.7%	5.8%	9.2%	90.8%
	Grade 12	4.2%	7.0%	11.8%	88.2%

**Region 3: Grades 7-12
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.3%	0.7%	1.1%	98.9%
	Grade 8	0.3%	0.4%	0.6%	99.4%
	Grade 9	0.8%	0.9%	1.6%	98.4%
	Grade 10	0.4%	0.9%	2.1%	97.9%
	Grade 11	0.4%	1.0%	2.0%	98.0%
	Grade 12	0.7%	1.1%	2.1%	97.9%
Steroids					
	All	0.6%	1.0%	1.7%	98.3%
	Grade 7	0.5%	0.9%	1.6%	98.4%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.7%	1.2%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.3%	98.7%
	Grade 12	1.0%	1.8%	2.7%	97.3%
Ecstasy					
	All	1.9%	3.3%	5.6%	94.4%
	Grade 7	0.7%	1.0%	1.3%	98.7%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	1.6%	2.4%	3.8%	96.2%
	Grade 10	2.4%	3.8%	7.3%	92.7%
	Grade 11	2.6%	5.7%	9.4%	90.6%
	Grade 12	4.2%	6.9%	11.7%	88.3%
Heroin					
	All	0.4%	0.7%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.2%	0.5%	1.2%	98.8%
	Grade 9	0.4%	0.7%	1.3%	98.7%
	Grade 10	0.3%	0.4%	1.2%	98.8%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.4%	1.3%	2.8%	97.2%

**Region 3: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.9%	18.6%	30.2%	69.8%
	Grade 7	4.5%	6.6%	15.6%	84.4%
	Grade 8	4.3%	7.2%	18.5%	81.5%
	Grade 9	11.3%	17.3%	29.1%	70.9%
	Grade 10	16.5%	20.7%	31.6%	68.4%
	Grade 11	23.2%	31.1%	42.3%	57.7%
	Grade 12	27.4%	33.7%	49.2%	50.8%
Alcohol					
	All	28.3%	38.2%	58.7%	41.3%
	Grade 7	13.8%	19.2%	42.6%	57.4%
	Grade 8	17.6%	26.8%	50.2%	49.8%
	Grade 9	26.8%	37.6%	59.1%	40.9%
	Grade 10	28.8%	40.3%	59.6%	40.4%
	Grade 11	40.6%	52.7%	70.9%	29.1%
	Grade 12	47.8%	59.1%	74.8%	25.2%
Inhalants					
	All	1.7%	3.2%	8.0%	92.0%
	Grade 7	2.3%	4.9%	9.5%	90.5%
	Grade 8	1.8%	3.3%	7.7%	92.3%
	Grade 9	1.6%	3.2%	7.4%	92.6%
	Grade 10	1.2%	1.9%	8.0%	92.0%
	Grade 11	1.3%	2.4%	7.5%	92.5%
	Grade 12	2.0%	2.9%	7.7%	92.3%
Any Illicit Drug					
	All	12.7%	17.6%	26.4%	73.6%
	Grade 7	3.8%	6.5%	10.4%	89.6%
	Grade 8	5.4%	7.5%	13.6%	86.4%
	Grade 9	12.4%	17.1%	25.0%	75.0%
	Grade 10	15.5%	21.0%	30.4%	69.6%
	Grade 11	19.3%	27.0%	39.8%	60.2%
	Grade 12	23.0%	31.1%	45.3%	54.7%
Marijuana					
	All	11.4%	16.5%	25.5%	74.5%
	Grade 7	3.2%	5.9%	9.5%	90.5%
	Grade 8	5.1%	7.0%	12.7%	87.3%
	Grade 9	10.6%	14.8%	23.6%	76.4%
	Grade 10	13.9%	20.3%	30.0%	70.0%
	Grade 11	17.7%	25.4%	38.7%	61.3%
	Grade 12	20.8%	29.6%	44.0%	56.0%
Marijuana Only					
	All	4.7%	7.8%	14.3%	85.7%
	Grade 7	1.9%	3.6%	6.2%	93.8%
	Grade 8	3.0%	4.6%	9.0%	91.0%
	Grade 9	6.2%	8.6%	15.1%	84.9%
	Grade 10	5.6%	9.2%	16.2%	83.8%
	Grade 11	6.4%	11.6%	21.1%	78.9%
	Grade 12	5.8%	10.5%	20.2%	79.8%

**Region 3: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	2.5%	5.1%	94.9%
	Grade 7	0.4%	0.4%	1.9%	98.1%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	2.1%	2.4%	3.4%	96.6%
	Grade 10	1.6%	2.7%	6.1%	93.9%
	Grade 11	1.7%	3.7%	7.6%	92.4%
	Grade 12	3.0%	5.7%	11.3%	88.7%
Cocaine					
	All	1.4%	2.3%	4.8%	95.2%
	Grade 7	0.3%	0.4%	1.5%	98.5%
	Grade 8	0.4%	0.8%	1.5%	98.5%
	Grade 9	1.7%	2.0%	3.1%	96.9%
	Grade 10	1.5%	2.5%	6.0%	94.0%
	Grade 11	1.6%	3.4%	7.2%	92.8%
	Grade 12	3.0%	5.5%	11.2%	88.8%
Crack					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.2%	0.3%	1.1%	98.9%
	Grade 8	0.3%	0.3%	0.8%	99.2%
	Grade 9	0.7%	1.0%	1.5%	98.5%
	Grade 10	0.4%	0.7%	1.5%	98.5%
	Grade 11	0.4%	1.0%	1.6%	98.4%
	Grade 12	1.1%	1.4%	3.4%	96.6%
Hallucinogens					
	All	2.5%	3.7%	5.9%	94.1%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	0.6%	1.6%	98.4%
	Grade 9	1.9%	2.8%	3.9%	96.1%
	Grade 10	3.5%	4.8%	7.7%	92.3%
	Grade 11	4.2%	6.5%	11.1%	88.9%
	Grade 12	5.4%	8.3%	12.2%	87.8%
Uppers					
	All	2.1%	3.4%	5.2%	94.8%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.7%	0.8%	1.5%	98.5%
	Grade 9	1.2%	2.3%	3.2%	96.8%
	Grade 10	2.9%	4.3%	6.8%	93.2%
	Grade 11	4.3%	6.1%	9.3%	90.7%
	Grade 12	4.4%	7.8%	11.8%	88.2%
Downers					
	All	2.3%	3.3%	5.2%	94.8%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.4%	0.4%	0.9%	99.1%
	Grade 9	1.3%	2.1%	3.2%	96.8%
	Grade 10	3.1%	4.0%	6.9%	93.1%
	Grade 11	4.4%	6.1%	8.8%	91.2%
	Grade 12	5.0%	8.4%	12.7%	87.3%

**Region 3: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.6%	0.8%	1.0%	99.0%
	Grade 8	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.7%	0.9%	2.0%	98.0%
	Grade 10	0.3%	0.3%	1.6%	98.4%
	Grade 11	0.2%	0.4%	1.5%	98.5%
	Grade 12	1.0%	1.7%	3.0%	97.0%
Steroids					
	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	0.4%	0.9%	2.0%	98.0%
	Grade 10	1.2%	1.3%	2.0%	98.0%
	Grade 11	0.7%	1.2%	2.0%	98.0%
	Grade 12	2.0%	3.2%	4.6%	95.4%
Ecstasy					
	All	2.4%	3.7%	5.8%	94.2%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.6%	0.7%	1.2%	98.8%
	Grade 9	2.1%	2.8%	4.1%	95.9%
	Grade 10	3.2%	4.2%	7.0%	93.0%
	Grade 11	3.4%	6.2%	9.7%	90.3%
	Grade 12	5.4%	8.7%	13.3%	86.7%
Heroin					
	All	0.4%	0.8%	1.4%	98.6%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.2%	0.2%	0.9%	99.1%
	Grade 9	0.3%	0.6%	0.9%	99.1%
	Grade 10	0.4%	0.6%	1.3%	98.7%
	Grade 11	0.5%	0.7%	0.9%	99.1%
	Grade 12	0.6%	2.2%	3.9%	96.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.9%	14.7%	26.3%	73.7%
	Grade 7	3.5%	5.6%	14.0%	86.0%
	Grade 8	4.5%	6.9%	15.9%	84.1%
	Grade 9	7.9%	13.5%	23.9%	76.1%
	Grade 10	12.5%	18.0%	29.5%	70.5%
	Grade 11	14.7%	22.2%	38.5%	61.5%
	Grade 12	19.6%	26.1%	41.9%	58.1%
Alcohol					
	All	27.8%	40.1%	62.1%	37.9%
	Grade 7	15.8%	20.6%	43.0%	57.0%
	Grade 8	19.3%	28.9%	51.9%	48.1%
	Grade 9	26.9%	39.7%	63.6%	36.4%
	Grade 10	31.6%	47.5%	68.3%	31.7%
	Grade 11	35.8%	52.7%	74.2%	25.8%
	Grade 12	42.2%	58.1%	77.5%	22.5%
Inhalants					
	All	2.5%	3.9%	9.0%	91.0%
	Grade 7	5.3%	6.1%	11.6%	88.4%
	Grade 8	3.9%	5.8%	11.7%	88.3%
	Grade 9	1.7%	3.2%	9.0%	91.0%
	Grade 10	1.3%	2.9%	7.6%	92.4%
	Grade 11	0.7%	1.7%	6.8%	93.2%
	Grade 12	1.7%	2.9%	6.3%	93.7%
Any Illicit Drug					
	All	9.8%	14.9%	23.8%	76.2%
	Grade 7	4.6%	5.6%	8.8%	91.2%
	Grade 8	5.5%	7.7%	13.7%	86.3%
	Grade 9	9.0%	13.6%	22.6%	77.4%
	Grade 10	13.2%	20.1%	29.9%	70.1%
	Grade 11	14.5%	23.2%	36.8%	63.2%
	Grade 12	14.1%	22.7%	37.3%	62.7%
Marijuana					
	All	8.4%	13.2%	21.8%	78.2%
	Grade 7	3.8%	4.7%	6.6%	93.4%
	Grade 8	4.0%	5.8%	11.2%	88.8%
	Grade 9	7.8%	12.4%	20.3%	79.7%
	Grade 10	12.0%	17.8%	27.9%	72.1%
	Grade 11	12.7%	21.2%	34.6%	65.4%
	Grade 12	11.8%	21.0%	36.0%	64.0%
Marijuana Only					
	All	3.3%	5.8%	11.8%	88.2%
	Grade 7	1.4%	1.6%	3.1%	96.9%
	Grade 8	2.0%	2.8%	6.7%	93.3%
	Grade 9	4.2%	6.8%	12.5%	87.5%
	Grade 10	3.9%	7.1%	14.3%	85.7%
	Grade 11	4.0%	8.3%	17.3%	82.7%
	Grade 12	4.6%	9.4%	19.4%	80.6%

**Region 3: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.1%	2.6%	5.2%	94.8%
	Grade 7	0.5%	1.2%	1.6%	98.4%
	Grade 8	1.0%	1.7%	3.4%	96.6%
	Grade 9	0.7%	1.7%	3.6%	96.4%
	Grade 10	1.1%	3.6%	6.1%	93.9%
	Grade 11	2.0%	4.1%	8.9%	91.1%
	Grade 12	1.5%	4.5%	9.2%	90.8%
Cocaine					
	All	1.0%	2.4%	4.8%	95.2%
	Grade 7	0.5%	1.0%	1.3%	98.7%
	Grade 8	0.7%	1.2%	2.4%	97.6%
	Grade 9	0.5%	1.2%	3.1%	96.9%
	Grade 10	1.1%	3.5%	6.1%	93.9%
	Grade 11	2.0%	4.1%	8.9%	91.1%
	Grade 12	1.3%	4.4%	9.1%	90.9%
Crack					
	All	0.2%	0.6%	1.3%	98.7%
	Grade 7	0.1%	0.5%	0.7%	99.3%
	Grade 8	0.4%	0.8%	1.8%	98.2%
	Grade 9	0.2%	0.8%	1.4%	98.6%
	Grade 10	0.1%	0.4%	0.9%	99.1%
	Grade 11	0.3%	0.4%	1.4%	98.6%
	Grade 12	0.4%	0.8%	1.5%	98.5%
Hallucinogens					
	All	1.0%	1.8%	3.8%	96.2%
	Grade 7	0.4%	0.6%	0.7%	99.3%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	0.8%	1.1%	2.4%	97.6%
	Grade 10	1.3%	2.3%	4.9%	95.1%
	Grade 11	1.7%	2.6%	6.9%	93.1%
	Grade 12	1.7%	4.2%	8.1%	91.9%
Uppers					
	All	2.1%	3.7%	6.3%	93.7%
	Grade 7	1.0%	1.5%	2.1%	97.9%
	Grade 8	0.9%	1.3%	1.9%	98.1%
	Grade 9	1.6%	2.4%	4.6%	95.4%
	Grade 10	3.5%	5.7%	8.4%	91.6%
	Grade 11	3.3%	6.1%	10.6%	89.4%
	Grade 12	3.2%	6.1%	12.5%	87.5%
Downers					
	All	1.9%	3.4%	5.5%	94.5%
	Grade 7	1.2%	1.9%	2.4%	97.6%
	Grade 8	0.5%	1.2%	1.5%	98.5%
	Grade 9	1.1%	1.7%	3.4%	96.6%
	Grade 10	3.0%	5.6%	7.2%	92.8%
	Grade 11	3.2%	5.6%	9.5%	90.5%
	Grade 12	3.4%	5.7%	11.0%	89.0%

**Region 3: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.4%	0.9%	1.5%	98.5%
	Grade 7	0.0%	0.6%	1.2%	98.8%
	Grade 8	0.3%	0.5%	0.6%	99.4%
	Grade 9	0.8%	0.9%	1.4%	98.6%
	Grade 10	0.6%	1.4%	2.6%	97.4%
	Grade 11	0.6%	1.4%	2.4%	97.6%
	Grade 12	0.3%	0.5%	1.3%	98.7%
Steroids					
	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.3%	98.7%
	Grade 9	0.4%	0.6%	0.9%	99.1%
	Grade 10	0.4%	1.2%	1.3%	98.7%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.0%	0.3%	0.9%	99.1%
Ecstasy					
	All	1.6%	3.0%	5.4%	94.6%
	Grade 7	1.0%	1.2%	1.4%	98.6%
	Grade 8	0.9%	1.6%	2.8%	97.2%
	Grade 9	1.3%	2.2%	3.5%	96.5%
	Grade 10	1.7%	3.4%	7.6%	92.4%
	Grade 11	1.8%	5.2%	9.1%	90.9%
	Grade 12	3.0%	5.1%	10.1%	89.9%
Heroin					
	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.6%	1.2%	98.8%
	Grade 8	0.3%	0.8%	1.6%	98.4%
	Grade 9	0.5%	0.9%	1.6%	98.4%
	Grade 10	0.2%	0.3%	1.1%	98.9%
	Grade 11	0.5%	1.0%	2.1%	97.9%
	Grade 12	0.2%	0.4%	1.8%	98.2%

**Region 3: Grades 7-12
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.7%	18.8%	28.4%	71.6%
	Grade 7	2.2%	3.9%	12.7%	87.3%
	Grade 8	4.9%	8.3%	14.9%	85.1%
	Grade 9	9.3%	13.2%	22.5%	77.5%
	Grade 10	17.5%	22.9%	32.6%	67.4%
	Grade 11	22.6%	31.6%	42.1%	57.9%
	Grade 12	27.6%	35.2%	48.0%	52.0%
Alcohol					
	All	27.1%	38.4%	57.6%	42.4%
	Grade 7	9.8%	15.6%	37.5%	62.5%
	Grade 8	14.8%	23.9%	43.5%	56.5%
	Grade 9	22.1%	33.3%	55.6%	44.4%
	Grade 10	30.9%	45.7%	61.8%	38.2%
	Grade 11	39.3%	54.1%	71.4%	28.6%
	Grade 12	48.4%	61.3%	78.2%	21.8%
Inhalants					
	All	1.8%	3.3%	7.9%	92.1%
	Grade 7	3.0%	4.3%	7.8%	92.2%
	Grade 8	2.5%	4.5%	8.9%	91.1%
	Grade 9	1.6%	3.5%	7.3%	92.7%
	Grade 10	0.9%	2.4%	8.9%	91.1%
	Grade 11	1.0%	2.1%	7.5%	92.5%
	Grade 12	1.7%	2.6%	7.0%	93.0%
Any Illicit Drug					
	All	10.6%	15.4%	22.9%	77.1%
	Grade 7	1.6%	2.9%	5.6%	94.4%
	Grade 8	4.0%	5.9%	10.1%	89.9%
	Grade 9	7.7%	11.5%	17.7%	82.3%
	Grade 10	12.8%	18.9%	27.2%	72.8%
	Grade 11	18.6%	27.4%	37.0%	63.0%
	Grade 12	20.0%	27.3%	42.5%	57.5%
Marijuana					
	All	9.0%	13.9%	21.4%	78.6%
	Grade 7	1.0%	2.2%	4.7%	95.3%
	Grade 8	3.0%	4.7%	8.1%	91.9%
	Grade 9	6.6%	9.9%	15.5%	84.5%
	Grade 10	10.9%	16.9%	26.1%	73.9%
	Grade 11	16.6%	25.2%	34.9%	65.1%
	Grade 12	17.1%	26.0%	41.3%	58.7%
Marijuana Only					
	All	2.7%	5.0%	9.8%	90.2%
	Grade 7	0.5%	0.9%	2.7%	97.3%
	Grade 8	1.5%	2.4%	4.6%	95.4%
	Grade 9	3.2%	4.9%	9.0%	91.0%
	Grade 10	2.5%	5.6%	11.0%	89.0%
	Grade 11	4.3%	8.9%	15.0%	85.0%
	Grade 12	4.7%	7.9%	17.7%	82.3%

**Region 3: Grades 7-12
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.0%	2.4%	5.1%	94.9%
	Grade 7	0.1%	0.2%	1.2%	98.8%
	Grade 8	0.5%	0.8%	2.1%	97.9%
	Grade 9	0.8%	1.5%	2.5%	97.5%
	Grade 10	1.0%	2.5%	6.0%	94.0%
	Grade 11	1.7%	3.9%	8.3%	91.7%
	Grade 12	2.1%	5.7%	11.0%	89.0%
Cocaine					
	All	0.9%	2.2%	4.8%	95.2%
	Grade 7	0.1%	0.1%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.6%	98.4%
	Grade 9	0.6%	1.2%	2.1%	97.9%
	Grade 10	0.9%	2.5%	6.0%	94.0%
	Grade 11	1.6%	3.8%	8.2%	91.8%
	Grade 12	2.1%	5.6%	11.0%	89.0%
Crack					
	All	0.2%	0.5%	1.2%	98.8%
	Grade 7	0.0%	0.1%	0.8%	99.2%
	Grade 8	0.1%	0.4%	1.1%	98.9%
	Grade 9	0.3%	0.5%	0.7%	99.3%
	Grade 10	0.1%	0.6%	1.1%	98.9%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.6%	1.9%	98.1%
Hallucinogens					
	All	2.4%	3.9%	6.7%	93.3%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	0.6%	0.9%	1.9%	98.1%
	Grade 9	1.7%	2.5%	4.4%	95.6%
	Grade 10	3.4%	5.1%	8.3%	91.7%
	Grade 11	4.3%	6.5%	12.2%	87.8%
	Grade 12	4.5%	8.5%	13.6%	86.4%
Uppers					
	All	2.8%	4.6%	7.8%	92.2%
	Grade 7	0.1%	0.3%	0.5%	99.5%
	Grade 8	1.1%	1.5%	2.3%	97.7%
	Grade 9	2.1%	3.2%	5.0%	95.0%
	Grade 10	4.2%	6.9%	10.4%	89.6%
	Grade 11	4.9%	7.7%	13.3%	86.7%
	Grade 12	4.7%	8.9%	16.6%	83.4%
Downers					
	All	2.8%	4.6%	7.1%	92.9%
	Grade 7	0.3%	0.4%	0.5%	99.5%
	Grade 8	0.5%	1.2%	1.5%	98.5%
	Grade 9	1.7%	2.9%	3.9%	96.1%
	Grade 10	3.7%	6.0%	8.9%	91.1%
	Grade 11	5.5%	8.1%	13.1%	86.9%
	Grade 12	5.6%	9.6%	16.0%	84.0%

**Region 3: Grades 7-12
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.0%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.5%	0.6%	99.4%
	Grade 9	0.4%	0.5%	0.8%	99.2%
	Grade 10	0.2%	0.3%	1.5%	98.5%
	Grade 11	0.6%	1.1%	2.2%	97.8%
	Grade 12	0.4%	1.0%	2.0%	98.0%
Steroids					
	All	0.7%	1.1%	1.9%	98.1%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	0.4%	0.5%	1.5%	98.5%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	1.2%	1.6%	2.3%	97.7%
	Grade 11	0.3%	0.7%	1.4%	98.6%
	Grade 12	1.0%	1.9%	3.1%	96.9%
Ecstasy					
	All	2.1%	3.9%	6.5%	93.5%
	Grade 7	0.1%	0.4%	0.6%	99.4%
	Grade 8	0.5%	1.1%	1.9%	98.1%
	Grade 9	1.5%	2.6%	3.5%	96.5%
	Grade 10	2.6%	4.5%	8.1%	91.9%
	Grade 11	3.2%	7.1%	10.8%	89.2%
	Grade 12	5.0%	8.2%	14.9%	85.1%
Heroin					
	All	0.2%	0.5%	1.3%	98.7%
	Grade 7	0.1%	0.1%	0.5%	99.5%
	Grade 8	0.1%	0.4%	1.1%	98.9%
	Grade 9	0.2%	0.3%	0.9%	99.1%
	Grade 10	0.3%	0.5%	1.2%	98.8%
	Grade 11	0.4%	0.7%	1.3%	98.7%
	Grade 12	0.5%	1.1%	2.9%	97.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.7%	9.5%	21.6%	78.4%
	Grade 7	4.1%	6.1%	16.2%	83.8%
	Grade 8	1.7%	2.1%	15.1%	84.9%
	Grade 9	9.5%	13.6%	26.1%	73.9%
	Grade 10	7.3%	11.4%	17.0%	83.0%
	Grade 11	6.6%	10.6%	27.7%	72.3%
	Grade 12	13.0%	15.4%	31.4%	68.6%
Alcohol					
	All	24.3%	34.1%	57.8%	42.2%
	Grade 7	20.1%	22.4%	43.9%	56.1%
	Grade 8	17.2%	28.2%	56.5%	43.5%
	Grade 9	27.4%	38.3%	61.3%	38.7%
	Grade 10	22.0%	32.7%	59.0%	41.0%
	Grade 11	30.2%	41.7%	68.6%	31.4%
	Grade 12	33.1%	47.3%	62.4%	37.6%
Inhalants					
	All	1.8%	2.6%	6.1%	93.9%
	Grade 7	3.6%	4.9%	9.7%	90.3%
	Grade 8	1.9%	2.8%	9.2%	90.8%
	Grade 9	1.7%	2.1%	5.5%	94.5%
	Grade 10	0.4%	0.5%	1.8%	98.2%
	Grade 11	0.6%	1.3%	3.7%	96.3%
	Grade 12	2.2%	3.2%	5.3%	94.7%
Any Illicit Drug					
	All	10.5%	14.8%	24.5%	75.5%
	Grade 7	7.6%	9.5%	14.4%	85.6%
	Grade 8	3.6%	4.7%	12.8%	87.2%
	Grade 9	11.9%	16.3%	26.1%	73.9%
	Grade 10	14.1%	21.4%	32.9%	67.1%
	Grade 11	10.7%	16.1%	34.6%	65.4%
	Grade 12	17.9%	25.4%	33.0%	67.0%
Marijuana					
	All	9.6%	14.0%	23.4%	76.6%
	Grade 7	6.9%	8.8%	11.6%	88.4%
	Grade 8	2.8%	3.9%	11.5%	88.5%
	Grade 9	10.5%	14.6%	25.1%	74.9%
	Grade 10	13.2%	20.8%	31.9%	68.1%
	Grade 11	10.6%	15.6%	34.3%	65.7%
	Grade 12	16.6%	24.7%	32.6%	67.4%
Marijuana Only					
	All	6.1%	9.4%	17.4%	82.6%
	Grade 7	3.5%	5.4%	8.0%	92.0%
	Grade 8	1.9%	2.8%	9.6%	90.4%
	Grade 9	6.8%	9.8%	17.3%	82.7%
	Grade 10	9.8%	14.9%	25.4%	74.6%
	Grade 11	8.0%	12.6%	29.1%	70.9%
	Grade 12	8.5%	14.4%	20.9%	79.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.8%	1.5%	2.1%	97.9%
	Grade 7	0.2%	1.1%	1.1%	98.9%
	Grade 8	0.8%	0.8%	1.1%	98.9%
	Grade 9	1.5%	1.6%	2.6%	97.4%
	Grade 10	0.1%	1.4%	2.8%	97.2%
	Grade 11	0.5%	1.0%	1.3%	98.7%
	Grade 12	2.1%	3.6%	4.7%	95.3%
Cocaine					
	All	0.6%	1.3%	2.0%	98.0%
	Grade 7	0.2%	1.1%	1.1%	98.9%
	Grade 8	0.2%	0.4%	0.6%	99.4%
	Grade 9	1.0%	1.1%	2.1%	97.9%
	Grade 10	0.1%	1.4%	2.8%	97.2%
	Grade 11	0.5%	1.0%	1.3%	98.7%
	Grade 12	2.2%	3.6%	4.8%	95.2%
Crack					
	All	0.7%	0.8%	1.0%	99.0%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.8%	0.8%	0.8%	99.2%
	Grade 9	1.2%	1.5%	1.5%	98.5%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.5%	0.7%	99.3%
	Grade 12	1.8%	1.8%	3.2%	96.8%
Hallucinogens					
	All	0.9%	1.1%	1.7%	98.3%
	Grade 7	1.2%	1.2%	1.2%	98.8%
	Grade 8	0.2%	0.2%	0.5%	99.5%
	Grade 9	1.0%	1.0%	1.3%	98.7%
	Grade 10	0.4%	0.4%	2.1%	97.9%
	Grade 11	0.7%	0.8%	1.1%	98.9%
	Grade 12	2.4%	3.3%	5.3%	94.7%
Uppers					
	All	0.8%	1.7%	2.7%	97.3%
	Grade 7	2.1%	3.1%	5.3%	94.7%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.0%	1.2%	1.7%	98.3%
	Grade 10	1.1%	1.6%	3.4%	96.6%
	Grade 11	0.6%	0.6%	1.0%	99.0%
	Grade 12	0.9%	3.6%	4.5%	95.5%
Downers					
	All	0.8%	1.6%	3.0%	97.0%
	Grade 7	1.2%	3.1%	5.1%	94.9%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.5%	0.6%	1.8%	98.2%
	Grade 10	1.1%	2.6%	4.9%	95.1%
	Grade 11	0.6%	0.6%	0.9%	99.1%
	Grade 12	1.7%	3.0%	4.9%	95.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	1.1%	1.7%	98.3%
	Grade 7	1.2%	2.1%	2.1%	97.9%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.3%	0.4%	1.2%	98.8%
	Grade 10	0.5%	1.5%	2.5%	97.5%
	Grade 11	0.3%	0.5%	0.8%	99.2%
	Grade 12	2.4%	2.7%	3.9%	96.1%
Steroids					
	All	0.7%	1.2%	2.1%	97.9%
	Grade 7	1.0%	1.2%	2.2%	97.8%
	Grade 8	0.5%	1.4%	3.1%	96.9%
	Grade 9	0.3%	0.8%	1.7%	98.3%
	Grade 10	0.5%	0.6%	0.6%	99.4%
	Grade 11	0.9%	1.0%	1.3%	98.7%
	Grade 12	1.0%	2.4%	3.6%	96.4%
Ecstasy					
	All	1.5%	2.0%	3.5%	96.5%
	Grade 7	1.0%	1.0%	2.4%	97.6%
	Grade 8	0.3%	0.5%	0.8%	99.2%
	Grade 9	2.9%	3.3%	4.9%	95.1%
	Grade 10	1.6%	2.8%	3.9%	96.1%
	Grade 11	0.5%	0.7%	3.3%	96.7%
	Grade 12	2.4%	4.0%	6.3%	93.7%
Heroin					
	All	0.5%	0.9%	1.1%	98.9%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.7%	1.0%	1.0%	99.0%
	Grade 10	0.4%	0.5%	0.6%	99.4%
	Grade 11	0.9%	0.9%	1.2%	98.8%
	Grade 12	0.3%	2.8%	3.3%	96.7%

**Region 3: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.3%	18.2%	33.5%	66.5%
	Grade 7	7.3%	10.2%	18.4%	81.6%
	Grade 8	5.9%	9.2%	23.4%	76.6%
	Grade 9	9.6%	20.8%	34.2%	65.8%
	Grade 10	12.7%	16.6%	35.7%	64.3%
	Grade 11	20.2%	27.7%	47.0%	53.0%
	Grade 12	24.1%	30.4%	53.0%	47.0%
Alcohol					
	All	34.1%	45.7%	69.0%	31.0%
	Grade 7	21.0%	26.5%	53.4%	46.6%
	Grade 8	27.6%	36.1%	62.3%	37.7%
	Grade 9	36.6%	50.1%	72.1%	27.9%
	Grade 10	35.8%	50.7%	73.8%	26.2%
	Grade 11	41.9%	58.2%	78.3%	21.7%
	Grade 12	49.2%	62.8%	82.1%	17.9%
Inhalants					
	All	3.1%	4.8%	11.6%	88.4%
	Grade 7	5.9%	8.7%	16.6%	83.4%
	Grade 8	4.5%	5.5%	12.3%	87.7%
	Grade 9	1.5%	3.4%	11.5%	88.5%
	Grade 10	2.7%	4.3%	10.0%	90.0%
	Grade 11	0.6%	1.6%	8.3%	91.7%
	Grade 12	2.1%	3.4%	8.3%	91.7%
Any Illicit Drug					
	All	13.5%	19.3%	30.5%	69.5%
	Grade 7	6.2%	9.3%	13.8%	86.2%
	Grade 8	10.4%	13.9%	22.2%	77.8%
	Grade 9	15.3%	21.8%	32.9%	67.1%
	Grade 10	16.6%	21.4%	32.4%	67.6%
	Grade 11	18.3%	26.8%	46.8%	53.2%
	Grade 12	17.4%	27.9%	45.3%	54.7%
Marijuana					
	All	12.0%	17.4%	28.9%	71.1%
	Grade 7	5.5%	8.3%	11.9%	88.1%
	Grade 8	9.5%	12.1%	20.5%	79.5%
	Grade 9	12.9%	19.6%	31.3%	68.7%
	Grade 10	15.5%	19.9%	31.0%	69.0%
	Grade 11	16.2%	24.3%	45.0%	55.0%
	Grade 12	15.9%	25.2%	44.1%	55.9%
Marijuana Only					
	All	5.2%	8.3%	16.2%	83.8%
	Grade 7	2.0%	3.6%	6.0%	94.0%
	Grade 8	5.6%	7.5%	13.4%	86.6%
	Grade 9	7.9%	11.7%	20.1%	79.9%
	Grade 10	5.0%	7.1%	15.5%	84.5%
	Grade 11	5.9%	10.2%	23.2%	76.8%
	Grade 12	4.5%	10.9%	23.3%	76.7%

**Region 3: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.8%	7.8%	92.2%
	Grade 7	1.2%	1.9%	3.4%	96.6%
	Grade 8	1.5%	2.9%	5.2%	94.8%
	Grade 9	2.3%	3.2%	6.3%	93.7%
	Grade 10	2.8%	4.7%	7.7%	92.3%
	Grade 11	3.1%	6.1%	14.1%	85.9%
	Grade 12	3.3%	5.4%	14.1%	85.9%
Cocaine					
	All	2.1%	3.5%	7.3%	92.7%
	Grade 7	1.0%	1.7%	2.9%	97.1%
	Grade 8	1.3%	2.6%	4.3%	95.7%
	Grade 9	2.1%	2.7%	5.8%	94.2%
	Grade 10	2.8%	4.6%	7.7%	92.3%
	Grade 11	3.1%	5.5%	13.5%	86.5%
	Grade 12	3.0%	5.0%	13.7%	86.3%
Crack					
	All	0.4%	0.9%	2.2%	97.8%
	Grade 7	0.2%	0.8%	1.4%	98.6%
	Grade 8	0.5%	0.8%	2.3%	97.7%
	Grade 9	0.2%	0.8%	2.6%	97.4%
	Grade 10	0.3%	0.4%	1.6%	98.4%
	Grade 11	0.1%	0.7%	1.9%	98.1%
	Grade 12	1.0%	1.9%	3.8%	96.2%
Hallucinogens					
	All	0.9%	1.5%	3.2%	96.8%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.4%	1.6%	98.4%
	Grade 9	0.8%	1.4%	2.1%	97.9%
	Grade 10	1.8%	2.3%	4.9%	95.1%
	Grade 11	0.9%	2.2%	6.6%	93.4%
	Grade 12	1.8%	3.4%	6.1%	93.9%
Uppers					
	All	1.6%	2.6%	3.8%	96.2%
	Grade 7	0.6%	0.6%	0.8%	99.2%
	Grade 8	0.4%	0.6%	1.4%	98.6%
	Grade 9	1.2%	2.0%	3.7%	96.3%
	Grade 10	2.0%	3.3%	4.1%	95.9%
	Grade 11	3.2%	6.8%	8.8%	91.2%
	Grade 12	3.2%	4.6%	6.8%	93.2%
Downers					
	All	1.4%	2.2%	3.5%	96.5%
	Grade 7	1.3%	1.4%	1.6%	98.4%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	1.0%	1.4%	3.3%	96.7%
	Grade 10	2.3%	3.4%	3.8%	96.2%
	Grade 11	1.4%	4.2%	5.9%	94.1%
	Grade 12	2.4%	3.7%	7.1%	92.9%

**Region 3: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	1.0%	2.1%	97.9%
	Grade 7	0.1%	0.7%	1.7%	98.3%
	Grade 8	0.6%	0.6%	1.1%	98.9%
	Grade 9	1.8%	2.0%	3.5%	96.5%
	Grade 10	0.7%	0.8%	2.0%	98.0%
	Grade 11	0.2%	1.2%	2.0%	98.0%
	Grade 12	0.1%	0.5%	1.5%	98.5%
Steroids	All	0.5%	0.9%	1.3%	98.7%
	Grade 7	0.2%	0.7%	1.5%	98.5%
	Grade 8	1.0%	1.3%	1.4%	98.6%
	Grade 9	0.3%	0.5%	1.0%	99.0%
	Grade 10	0.2%	1.2%	1.3%	98.7%
	Grade 11	0.3%	0.5%	1.3%	98.7%
	Grade 12	1.2%	1.3%	1.9%	98.1%
Ecstasy	All	1.9%	3.1%	5.6%	94.4%
	Grade 7	1.5%	1.9%	2.1%	97.9%
	Grade 8	1.7%	2.0%	3.5%	96.5%
	Grade 9	1.0%	1.4%	3.4%	96.6%
	Grade 10	2.5%	2.9%	7.7%	92.3%
	Grade 11	2.2%	6.2%	11.4%	88.6%
	Grade 12	3.2%	6.4%	9.1%	90.9%
Heroin	All	0.5%	1.0%	2.1%	97.9%
	Grade 7	1.1%	1.6%	2.7%	97.3%
	Grade 8	0.1%	0.5%	2.0%	98.0%
	Grade 9	0.7%	1.2%	1.9%	98.1%
	Grade 10	0.2%	0.2%	0.6%	99.4%
	Grade 11	0.2%	1.1%	2.2%	97.8%
	Grade 12	0.3%	1.1%	3.0%	97.0%

**Region 3: Grades 7-12
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	5.4%	8.2%	15.6%	84.4%
	Grade 7	0.3%	1.7%	6.1%	93.9%
	Grade 8	0.9%	2.3%	5.5%	94.5%
	Grade 9	3.0%	5.0%	11.4%	88.6%
	Grade 10	7.8%	10.5%	18.7%	81.3%
	Grade 11	8.7%	13.6%	24.8%	75.2%
	Grade 12	16.0%	21.5%	36.0%	64.0%
Alcohol					
	All	18.0%	27.5%	48.8%	51.2%
	Grade 7	6.3%	10.3%	31.0%	69.0%
	Grade 8	9.5%	15.9%	35.6%	64.4%
	Grade 9	14.6%	23.4%	48.3%	51.7%
	Grade 10	19.8%	31.3%	54.4%	45.6%
	Grade 11	27.5%	42.1%	63.6%	36.4%
	Grade 12	38.9%	54.5%	72.6%	27.4%
Inhalants					
	All	1.2%	2.0%	4.9%	95.1%
	Grade 7	2.6%	3.0%	5.7%	94.3%
	Grade 8	1.5%	2.4%	5.6%	94.4%
	Grade 9	0.7%	1.4%	4.7%	95.3%
	Grade 10	0.7%	1.6%	4.5%	95.5%
	Grade 11	0.7%	1.7%	4.0%	96.0%
	Grade 12	0.6%	1.4%	4.3%	95.7%
Any Illicit Drug					
	All	5.1%	8.2%	13.0%	87.0%
	Grade 7	1.1%	1.3%	2.1%	97.9%
	Grade 8	1.3%	2.3%	4.5%	95.5%
	Grade 9	3.0%	5.0%	10.8%	89.2%
	Grade 10	8.7%	11.9%	16.9%	83.1%
	Grade 11	8.6%	14.9%	22.7%	77.3%
	Grade 12	12.0%	20.2%	29.5%	70.5%
Marijuana					
	All	4.3%	7.2%	11.7%	88.3%
	Grade 7	0.8%	1.1%	1.6%	98.4%
	Grade 8	0.8%	1.5%	3.0%	97.0%
	Grade 9	2.1%	4.0%	9.0%	91.0%
	Grade 10	7.6%	10.9%	16.1%	83.9%
	Grade 11	7.0%	12.6%	20.0%	80.0%
	Grade 12	10.9%	18.8%	28.7%	71.3%
Marijuana Only					
	All	1.4%	3.3%	6.6%	93.4%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.8%	1.7%	98.3%
	Grade 9	1.2%	2.3%	6.3%	93.7%
	Grade 10	2.5%	4.8%	9.0%	91.0%
	Grade 11	2.2%	6.5%	11.8%	88.2%
	Grade 12	3.4%	8.0%	14.9%	85.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.8%	1.4%	2.4%	97.6%
	Grade 7	0.0%	0.2%	0.2%	99.8%
	Grade 8	0.1%	0.2%	1.0%	99.0%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	1.9%	2.4%	3.5%	96.5%
	Grade 11	1.1%	2.6%	3.9%	96.1%
	Grade 12	2.0%	3.4%	6.4%	93.6%
Cocaine					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.1%	0.7%	99.3%
	Grade 9	0.2%	0.4%	0.9%	99.1%
	Grade 10	2.0%	2.4%	3.6%	96.4%
	Grade 11	0.9%	2.3%	3.7%	96.3%
	Grade 12	1.7%	3.3%	6.4%	93.6%
Crack					
	All	0.3%	0.4%	0.8%	99.2%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.1%	0.1%	0.4%	99.6%
	Grade 9	0.2%	0.4%	0.4%	99.6%
	Grade 10	0.3%	0.5%	0.5%	99.5%
	Grade 11	0.3%	0.5%	0.8%	99.2%
	Grade 12	0.8%	1.1%	2.5%	97.5%
Hallucinogens					
	All	1.0%	1.5%	2.7%	97.3%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.0%	0.1%	0.9%	99.1%
	Grade 9	0.4%	0.6%	1.7%	98.3%
	Grade 10	1.9%	2.7%	3.6%	96.4%
	Grade 11	2.1%	2.6%	4.8%	95.2%
	Grade 12	2.4%	4.4%	7.2%	92.8%
Uppers					
	All	1.2%	2.1%	3.3%	96.7%
	Grade 7	0.0%	0.6%	0.7%	99.3%
	Grade 8	0.4%	0.7%	1.0%	99.0%
	Grade 9	0.7%	1.4%	2.2%	97.8%
	Grade 10	2.0%	3.0%	3.7%	96.3%
	Grade 11	2.2%	3.5%	5.1%	94.9%
	Grade 12	3.0%	4.5%	9.1%	90.9%
Downers					
	All	1.1%	1.9%	3.0%	97.0%
	Grade 7	0.0%	0.5%	0.5%	99.5%
	Grade 8	0.3%	0.4%	0.6%	99.4%
	Grade 9	0.6%	1.2%	2.0%	98.0%
	Grade 10	2.0%	2.6%	3.1%	96.9%
	Grade 11	2.0%	3.5%	4.8%	95.2%
	Grade 12	2.6%	4.4%	8.9%	91.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.5%	0.7%	99.3%
	Grade 7	0.0%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	1.0%	1.5%	2.0%	98.0%
	Grade 11	0.6%	0.7%	1.0%	99.0%
	Grade 12	0.2%	0.7%	1.3%	98.7%
Steroids					
	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.3%	0.7%	1.1%	98.9%
	Grade 10	1.5%	1.5%	1.8%	98.2%
	Grade 11	0.5%	0.8%	1.3%	98.7%
	Grade 12	1.3%	2.1%	2.6%	97.4%
Ecstasy					
	All	0.8%	1.5%	2.5%	97.5%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.3%	0.6%	1.0%	99.0%
	Grade 10	1.2%	2.4%	3.5%	96.5%
	Grade 11	0.8%	2.3%	3.9%	96.1%
	Grade 12	3.2%	4.9%	8.1%	91.9%
Heroin					
	All	0.2%	0.4%	0.8%	99.2%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.1%	0.3%	99.7%
	Grade 10	0.8%	1.2%	1.5%	98.5%
	Grade 11	0.3%	0.7%	1.0%	99.0%
	Grade 12	0.5%	1.0%	1.9%	98.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.2%	21.1%	34.9%	65.1%
	Grade 7	6.5%	9.1%	20.3%	79.7%
	Grade 8	6.7%	10.3%	25.1%	74.9%
	Grade 9	12.4%	20.1%	33.4%	66.6%
	Grade 10	16.9%	22.7%	34.9%	65.1%
	Grade 11	23.7%	32.9%	48.1%	51.9%
	Grade 12	27.6%	34.5%	50.9%	49.1%
Alcohol					
	All	33.5%	45.6%	66.7%	33.3%
	Grade 7	20.3%	26.1%	50.4%	49.6%
	Grade 8	24.6%	36.1%	61.5%	38.5%
	Grade 9	32.8%	46.0%	67.5%	32.5%
	Grade 10	34.3%	49.2%	67.9%	32.1%
	Grade 11	43.3%	58.1%	77.3%	22.7%
	Grade 12	48.6%	61.0%	78.2%	21.8%
Inhalants					
	All	2.6%	4.3%	10.4%	89.6%
	Grade 7	4.7%	7.2%	13.6%	86.4%
	Grade 8	3.9%	6.1%	12.7%	87.3%
	Grade 9	2.0%	3.9%	9.8%	90.2%
	Grade 10	1.4%	2.7%	9.0%	91.0%
	Grade 11	1.1%	2.2%	8.8%	91.2%
	Grade 12	2.6%	3.8%	8.6%	91.4%
Any Illicit Drug					
	All	14.4%	20.5%	31.5%	68.5%
	Grade 7	6.2%	9.1%	14.2%	85.8%
	Grade 8	8.3%	11.2%	19.9%	80.1%
	Grade 9	14.4%	20.2%	29.8%	70.2%
	Grade 10	16.5%	23.9%	35.1%	64.9%
	Grade 11	20.6%	29.8%	45.9%	54.1%
	Grade 12	22.2%	30.7%	48.1%	51.9%
Marijuana					
	All	12.8%	18.9%	30.0%	70.0%
	Grade 7	5.3%	8.1%	12.1%	87.9%
	Grade 8	7.0%	9.6%	18.0%	82.0%
	Grade 9	12.4%	18.1%	27.9%	72.1%
	Grade 10	15.0%	22.2%	33.8%	66.2%
	Grade 11	18.9%	28.3%	44.9%	55.1%
	Grade 12	19.4%	29.0%	46.7%	53.3%
Marijuana Only					
	All	5.3%	8.6%	16.4%	83.6%
	Grade 7	2.5%	4.1%	7.2%	92.8%
	Grade 8	4.0%	5.6%	12.0%	88.0%
	Grade 9	6.9%	10.2%	17.2%	82.8%
	Grade 10	5.5%	9.3%	17.5%	82.5%
	Grade 11	6.6%	11.7%	23.1%	76.9%
	Grade 12	6.3%	11.1%	22.9%	77.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	3.2%	6.6%	93.4%
	Grade 7	0.8%	1.4%	2.6%	97.4%
	Grade 8	1.3%	2.1%	3.7%	96.3%
	Grade 9	1.8%	2.7%	4.7%	95.3%
	Grade 10	1.1%	3.4%	7.1%	92.9%
	Grade 11	2.0%	4.4%	10.3%	89.7%
	Grade 12	2.4%	6.0%	12.4%	87.6%
Cocaine					
	All	1.4%	3.0%	6.2%	93.8%
	Grade 7	0.7%	1.2%	2.3%	97.7%
	Grade 8	0.9%	1.6%	2.9%	97.1%
	Grade 9	1.6%	2.2%	4.1%	95.9%
	Grade 10	1.0%	3.3%	7.0%	93.0%
	Grade 11	2.0%	4.2%	10.2%	89.8%
	Grade 12	2.4%	5.9%	12.3%	87.7%
Crack					
	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.9%	98.1%
	Grade 9	0.6%	1.1%	2.0%	98.0%
	Grade 10	0.3%	0.6%	1.4%	98.6%
	Grade 11	0.4%	0.8%	1.9%	98.1%
	Grade 12	0.7%	1.1%	2.5%	97.5%
Hallucinogens					
	All	2.1%	3.3%	5.9%	94.1%
	Grade 7	0.6%	0.9%	1.2%	98.8%
	Grade 8	0.8%	1.0%	1.9%	98.1%
	Grade 9	1.8%	2.5%	3.8%	96.2%
	Grade 10	2.5%	3.8%	7.3%	92.7%
	Grade 11	3.1%	5.2%	10.7%	89.3%
	Grade 12	4.3%	7.3%	12.0%	88.0%
Uppers					
	All	2.7%	4.4%	7.2%	92.8%
	Grade 7	1.0%	1.1%	2.0%	98.0%
	Grade 8	1.0%	1.3%	2.2%	97.8%
	Grade 9	1.8%	2.9%	4.9%	95.1%
	Grade 10	3.7%	5.9%	9.3%	90.7%
	Grade 11	4.6%	7.5%	12.5%	87.5%
	Grade 12	4.3%	8.4%	13.9%	86.1%
Downers					
	All	2.6%	4.2%	6.7%	93.3%
	Grade 7	1.2%	1.7%	2.5%	97.5%
	Grade 8	0.6%	1.1%	1.6%	98.4%
	Grade 9	1.5%	2.3%	4.0%	96.0%
	Grade 10	3.5%	5.8%	8.6%	91.4%
	Grade 11	4.5%	6.9%	11.2%	88.8%
	Grade 12	5.1%	8.6%	13.6%	86.4%

**Region 3: Grades 7-12
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	1.0%	2.1%	97.9%
	Grade 7	0.5%	1.1%	1.8%	98.2%
	Grade 8	0.4%	0.6%	0.9%	99.1%
	Grade 9	1.1%	1.2%	2.4%	97.6%
	Grade 10	0.3%	0.6%	2.1%	97.9%
	Grade 11	0.4%	1.1%	2.5%	97.5%
	Grade 12	0.9%	1.3%	2.7%	97.3%
Steroids					
	All	0.6%	1.1%	1.9%	98.1%
	Grade 7	0.7%	1.2%	2.1%	97.9%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	0.5%	0.7%	1.6%	98.4%
	Grade 10	0.5%	1.1%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	0.8%	1.6%	2.8%	97.2%
Ecstasy					
	All	2.6%	4.2%	7.3%	92.7%
	Grade 7	1.2%	1.5%	2.2%	97.8%
	Grade 8	1.3%	2.0%	3.2%	96.8%
	Grade 9	2.4%	3.4%	5.2%	94.8%
	Grade 10	2.9%	4.3%	8.8%	91.2%
	Grade 11	3.5%	7.0%	11.9%	88.1%
	Grade 12	4.7%	8.0%	13.8%	86.2%
Heroin					
	All	0.4%	0.9%	1.9%	98.1%
	Grade 7	0.6%	0.8%	1.6%	98.4%
	Grade 8	0.4%	0.8%	1.9%	98.1%
	Grade 9	0.6%	1.1%	1.8%	98.2%
	Grade 10	0.1%	0.1%	1.1%	98.9%
	Grade 11	0.6%	0.9%	1.9%	98.1%
	Grade 12	0.3%	1.5%	3.4%	96.6%

**Region 3: Grades 7-12
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	9.3%	13.5%	22.7%	77.3%
	Grade 7	1.9%	3.6%	8.6%	91.4%
	Grade 8	3.7%	5.8%	12.3%	87.7%
	Grade 9	6.7%	12.2%	20.0%	80.0%
	Grade 10	11.2%	14.4%	25.1%	74.9%
	Grade 11	15.5%	23.0%	35.8%	64.2%
	Grade 12	20.5%	26.8%	41.1%	58.9%
Alcohol					
	All	24.5%	34.6%	54.8%	45.2%
	Grade 7	10.3%	15.0%	37.1%	62.9%
	Grade 8	16.3%	24.3%	45.2%	54.8%
	Grade 9	22.6%	32.6%	53.6%	46.4%
	Grade 10	26.5%	39.2%	58.3%	41.7%
	Grade 11	36.0%	49.0%	69.1%	30.9%
	Grade 12	41.4%	55.4%	72.2%	27.8%
Inhalants					
	All	1.7%	3.1%	7.1%	92.9%
	Grade 7	2.8%	4.3%	8.4%	91.6%
	Grade 8	2.4%	3.6%	7.7%	92.3%
	Grade 9	0.9%	2.8%	7.2%	92.8%
	Grade 10	1.4%	2.4%	6.9%	93.1%
	Grade 11	1.1%	2.1%	6.1%	93.9%
	Grade 12	1.7%	2.9%	6.0%	94.0%
Any Illicit Drug					
	All	8.6%	12.8%	19.7%	80.3%
	Grade 7	3.1%	4.1%	5.8%	94.2%
	Grade 8	4.3%	5.6%	10.0%	90.0%
	Grade 9	7.8%	11.9%	17.7%	82.3%
	Grade 10	10.0%	14.5%	21.9%	78.1%
	Grade 11	13.8%	21.2%	33.0%	67.0%
	Grade 12	15.1%	23.4%	35.8%	64.2%
Marijuana					
	All	7.3%	11.4%	18.0%	82.0%
	Grade 7	2.8%	3.6%	4.8%	95.2%
	Grade 8	3.4%	4.4%	8.3%	91.7%
	Grade 9	6.1%	10.2%	15.3%	84.7%
	Grade 10	9.0%	12.8%	20.2%	79.8%
	Grade 11	12.0%	19.3%	31.0%	69.0%
	Grade 12	13.1%	21.8%	34.6%	65.4%
Marijuana Only					
	All	2.9%	5.1%	9.7%	90.3%
	Grade 7	1.0%	1.1%	1.9%	98.1%
	Grade 8	1.9%	2.6%	5.5%	94.5%
	Grade 9	3.7%	5.7%	9.7%	90.3%
	Grade 10	2.9%	4.9%	9.8%	90.2%
	Grade 11	4.3%	9.0%	17.1%	82.9%
	Grade 12	4.3%	8.8%	17.1%	82.9%

**Region 3: Grades 7-12
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.1%	2.1%	4.1%	95.9%
	Grade 7	0.2%	0.7%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.1%	97.9%
	Grade 9	1.3%	1.8%	2.7%	97.3%
	Grade 10	1.5%	2.5%	4.4%	95.6%
	Grade 11	2.0%	3.6%	7.7%	92.3%
	Grade 12	1.4%	3.7%	8.0%	92.0%
Cocaine					
	All	1.0%	1.9%	3.9%	96.1%
	Grade 7	0.2%	0.6%	1.0%	99.0%
	Grade 8	0.5%	0.9%	1.7%	98.3%
	Grade 9	1.0%	1.4%	2.3%	97.7%
	Grade 10	1.5%	2.5%	4.4%	95.6%
	Grade 11	1.8%	3.3%	7.4%	92.6%
	Grade 12	1.4%	3.6%	8.0%	92.0%
Crack					
	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.1%	0.3%	0.5%	99.5%
	Grade 8	0.2%	0.4%	0.8%	99.2%
	Grade 9	0.4%	0.6%	0.9%	99.1%
	Grade 10	0.3%	0.4%	1.1%	98.9%
	Grade 11	0.4%	0.9%	1.8%	98.2%
	Grade 12	0.4%	0.8%	1.3%	98.7%
Hallucinogens					
	All	1.3%	2.2%	3.9%	96.1%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.3%	0.4%	0.9%	99.1%
	Grade 9	0.9%	1.2%	2.3%	97.7%
	Grade 10	2.4%	3.0%	5.3%	94.7%
	Grade 11	2.5%	4.0%	7.7%	92.3%
	Grade 12	2.0%	4.8%	8.1%	91.9%
Uppers					
	All	1.7%	2.6%	4.4%	95.6%
	Grade 7	0.6%	1.0%	1.4%	98.6%
	Grade 8	0.6%	0.8%	1.2%	98.8%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	2.2%	3.3%	4.6%	95.4%
	Grade 11	3.2%	5.3%	8.9%	91.1%
	Grade 12	3.4%	5.3%	10.4%	89.6%
Downers					
	All	1.4%	2.4%	4.0%	96.0%
	Grade 7	0.3%	1.0%	1.3%	98.7%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.5%	1.1%	2.4%	97.6%
	Grade 10	1.9%	3.1%	4.3%	95.7%
	Grade 11	3.0%	4.4%	7.1%	92.9%
	Grade 12	3.5%	5.9%	10.3%	89.7%

**Region 3: Grades 7-12
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.1%	0.6%	1.1%	98.9%
	Grade 8	0.2%	0.3%	0.4%	99.6%
	Grade 9	0.6%	0.7%	1.2%	98.8%
	Grade 10	0.3%	0.7%	1.6%	98.4%
	Grade 11	0.4%	0.9%	1.8%	98.2%
	Grade 12	0.4%	0.7%	1.4%	98.6%
Steroids					
	All	0.4%	0.9%	1.5%	98.5%
	Grade 7	0.3%	0.7%	1.5%	98.5%
	Grade 8	0.4%	0.8%	1.3%	98.7%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	0.4%	1.2%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	0.9%	1.8%	2.4%	97.6%
Ecstasy					
	All	1.4%	2.5%	4.4%	95.6%
	Grade 7	0.8%	1.1%	1.3%	98.7%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	0.7%	1.4%	2.2%	97.8%
	Grade 10	1.7%	2.7%	5.6%	94.4%
	Grade 11	2.0%	4.4%	7.5%	92.5%
	Grade 12	2.7%	5.7%	10.0%	90.0%
Heroin					
	All	0.2%	0.4%	1.1%	98.9%
	Grade 7	0.0%	0.1%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.5%	1.0%	99.0%
	Grade 10	0.1%	0.2%	1.0%	99.0%
	Grade 11	0.5%	0.8%	1.3%	98.7%
	Grade 12	0.2%	0.8%	2.2%	97.8%

**Region 3: Grades 7-12
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.1%	21.8%	37.6%	62.4%
	Grade 7	7.8%	10.6%	25.8%	74.2%
	Grade 8	5.6%	9.4%	26.5%	73.5%
	Grade 9	14.3%	20.8%	37.2%	62.8%
	Grade 10	19.5%	27.0%	39.0%	61.0%
	Grade 11	24.1%	32.0%	47.9%	52.1%
	Grade 12	28.4%	34.8%	52.7%	47.3%
Alcohol					
	All	34.2%	47.1%	70.3%	29.7%
	Grade 7	23.1%	28.7%	53.1%	46.9%
	Grade 8	22.6%	34.6%	62.3%	37.7%
	Grade 9	34.4%	49.2%	74.9%	25.1%
	Grade 10	36.2%	51.9%	73.2%	26.8%
	Grade 11	41.4%	58.8%	78.7%	21.3%
	Grade 12	51.1%	63.9%	82.8%	17.2%
Inhalants					
	All	2.8%	4.3%	10.9%	89.1%
	Grade 7	5.8%	7.8%	14.4%	85.6%
	Grade 8	3.9%	6.5%	13.9%	86.1%
	Grade 9	2.8%	3.9%	9.9%	90.1%
	Grade 10	1.0%	2.4%	9.1%	90.9%
	Grade 11	0.8%	2.0%	9.0%	91.0%
	Grade 12	2.1%	3.0%	8.6%	91.4%
Any Illicit Drug					
	All	15.7%	22.1%	34.5%	65.5%
	Grade 7	6.1%	9.5%	16.3%	83.7%
	Grade 8	7.7%	11.1%	20.5%	79.5%
	Grade 9	15.6%	21.2%	34.0%	66.0%
	Grade 10	21.0%	29.9%	43.3%	56.7%
	Grade 11	21.8%	31.4%	47.0%	53.0%
	Grade 12	24.5%	32.7%	50.7%	49.3%
Marijuana					
	All	14.2%	20.7%	33.3%	66.7%
	Grade 7	5.0%	8.4%	14.0%	86.0%
	Grade 8	6.6%	9.8%	18.8%	81.2%
	Grade 9	14.2%	19.2%	33.0%	67.0%
	Grade 10	19.1%	28.7%	43.0%	57.0%
	Grade 11	20.4%	30.0%	46.1%	53.9%
	Grade 12	21.9%	30.9%	49.4%	50.6%
Marijuana Only					
	All	5.9%	9.7%	18.8%	81.2%
	Grade 7	2.6%	5.1%	9.5%	90.5%
	Grade 8	3.7%	5.7%	12.4%	87.6%
	Grade 9	7.6%	11.1%	20.8%	79.2%
	Grade 10	7.6%	13.3%	24.1%	75.9%
	Grade 11	6.8%	11.5%	22.7%	77.3%
	Grade 12	6.9%	12.0%	24.8%	75.2%

**Region 3: Grades 7-12
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	3.3%	6.8%	93.2%
	Grade 7	1.0%	1.2%	2.8%	97.2%
	Grade 8	0.9%	1.4%	3.3%	96.7%
	Grade 9	1.4%	2.4%	4.9%	95.1%
	Grade 10	1.0%	4.2%	8.9%	91.1%
	Grade 11	1.7%	4.5%	9.2%	90.8%
	Grade 12	3.5%	7.1%	13.7%	86.3%
Cocaine					
	All	1.4%	3.1%	6.4%	93.6%
	Grade 7	0.8%	1.0%	2.1%	97.9%
	Grade 8	0.5%	0.9%	2.5%	97.5%
	Grade 9	1.3%	2.0%	4.4%	95.6%
	Grade 10	0.9%	4.0%	8.7%	91.3%
	Grade 11	1.7%	4.5%	9.3%	90.7%
	Grade 12	3.3%	7.0%	13.5%	86.5%
Crack					
	All	0.5%	0.9%	2.1%	97.9%
	Grade 7	0.3%	0.5%	1.6%	98.4%
	Grade 8	0.6%	0.7%	2.2%	97.8%
	Grade 9	0.5%	1.3%	2.4%	97.6%
	Grade 10	0.2%	0.7%	1.2%	98.8%
	Grade 11	0.2%	0.4%	1.0%	99.0%
	Grade 12	1.4%	1.7%	4.5%	95.5%
Hallucinogens					
	All	2.4%	3.6%	6.4%	93.6%
	Grade 7	0.4%	0.7%	0.9%	99.1%
	Grade 8	1.0%	1.2%	2.6%	97.4%
	Grade 9	2.1%	3.1%	4.6%	95.4%
	Grade 10	2.1%	4.1%	7.6%	92.4%
	Grade 11	3.2%	4.9%	10.6%	89.4%
	Grade 12	6.2%	9.0%	13.7%	86.3%
Uppers					
	All	3.0%	5.1%	8.1%	91.9%
	Grade 7	0.7%	0.8%	1.7%	98.3%
	Grade 8	1.2%	1.6%	2.8%	97.2%
	Grade 9	2.4%	4.2%	6.3%	93.7%
	Grade 10	4.8%	7.8%	12.5%	87.5%
	Grade 11	4.6%	7.6%	12.0%	88.0%
	Grade 12	4.7%	9.9%	15.3%	84.7%
Downers					
	All	3.2%	5.0%	7.6%	92.4%
	Grade 7	1.5%	1.6%	2.3%	97.7%
	Grade 8	1.0%	1.8%	2.3%	97.7%
	Grade 9	2.4%	3.3%	4.9%	95.1%
	Grade 10	4.9%	7.7%	11.5%	88.5%
	Grade 11	4.8%	8.1%	12.5%	87.5%
	Grade 12	5.4%	9.1%	14.4%	85.6%

**Region 3: Grades 7-12
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	1.1%	2.2%	97.8%
	Grade 7	0.7%	0.8%	1.2%	98.8%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	1.0%	1.1%	2.5%	97.5%
	Grade 10	0.7%	1.2%	2.8%	97.2%
	Grade 11	0.5%	1.0%	2.3%	97.7%
	Grade 12	1.2%	1.8%	3.5%	96.5%
Steroids					
	All	0.9%	1.2%	2.1%	97.9%
	Grade 7	0.9%	1.4%	1.7%	98.3%
	Grade 8	1.0%	1.2%	2.8%	97.2%
	Grade 9	0.5%	0.9%	1.9%	98.1%
	Grade 10	1.2%	1.3%	1.8%	98.2%
	Grade 11	0.6%	0.6%	1.2%	98.8%
	Grade 12	1.3%	1.7%	3.3%	96.7%
Ecstasy					
	All	3.0%	4.6%	7.7%	92.3%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	0.7%	1.7%	2.7%	97.3%
	Grade 9	3.3%	4.3%	6.6%	93.4%
	Grade 10	3.5%	5.4%	9.9%	90.1%
	Grade 11	3.5%	7.8%	12.8%	87.2%
	Grade 12	6.8%	8.9%	14.6%	85.4%
Heroin					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	1.0%	1.3%	2.1%	97.9%
	Grade 8	0.3%	1.0%	2.2%	97.8%
	Grade 9	0.8%	1.2%	1.9%	98.1%
	Grade 10	0.6%	0.8%	1.5%	98.5%
	Grade 11	0.5%	0.9%	1.9%	98.1%
	Grade 12	0.7%	2.1%	3.9%	96.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	10.2%	14.6%	25.2%	74.8%
	Grade 7	2.2%	3.5%	10.8%	89.2%
	Grade 8	3.1%	5.0%	12.9%	87.1%
	Grade 9	8.1%	13.0%	23.4%	76.6%
	Grade 10	13.1%	17.7%	28.5%	71.5%
	Grade 11	16.2%	23.7%	37.5%	62.5%
	Grade 12	22.1%	28.7%	43.7%	56.3%
Alcohol					
	All	25.4%	36.1%	57.3%	42.7%
	Grade 7	11.2%	16.3%	38.6%	61.4%
	Grade 8	13.8%	21.9%	44.3%	55.7%
	Grade 9	23.6%	35.3%	58.3%	41.7%
	Grade 10	29.5%	42.3%	62.8%	37.2%
	Grade 11	35.8%	50.8%	71.0%	29.0%
	Grade 12	43.7%	57.1%	75.0%	25.0%
Inhalants					
	All	1.5%	2.6%	6.8%	93.2%
	Grade 7	2.7%	3.8%	7.6%	92.4%
	Grade 8	1.9%	3.1%	7.7%	92.3%
	Grade 9	1.2%	2.3%	6.6%	93.4%
	Grade 10	1.0%	2.1%	7.1%	92.9%
	Grade 11	1.0%	1.9%	6.3%	93.7%
	Grade 12	1.0%	1.8%	5.2%	94.8%
Any Illicit Drug					
	All	9.4%	13.9%	22.0%	78.0%
	Grade 7	2.3%	3.1%	5.9%	94.1%
	Grade 8	3.6%	4.7%	9.3%	90.7%
	Grade 9	8.3%	12.6%	20.2%	79.8%
	Grade 10	13.4%	19.4%	28.0%	72.0%
	Grade 11	14.3%	21.9%	35.3%	64.7%
	Grade 12	17.4%	25.3%	39.4%	60.6%
Marijuana					
	All	8.2%	12.5%	20.7%	79.3%
	Grade 7	1.7%	2.4%	4.2%	95.8%
	Grade 8	2.9%	3.6%	7.9%	92.1%
	Grade 9	6.9%	11.1%	18.8%	81.2%
	Grade 10	12.2%	17.8%	26.9%	73.1%
	Grade 11	12.9%	20.7%	34.2%	65.8%
	Grade 12	15.1%	23.1%	37.8%	62.2%
Marijuana Only					
	All	3.3%	5.7%	11.4%	88.6%
	Grade 7	0.6%	0.8%	2.1%	97.9%
	Grade 8	1.7%	2.0%	5.2%	94.8%
	Grade 9	3.9%	6.3%	11.8%	88.2%
	Grade 10	5.1%	8.1%	14.6%	85.4%
	Grade 11	4.6%	9.6%	19.1%	80.9%
	Grade 12	4.4%	9.0%	18.5%	81.5%

**Region 3: Grades 7-12
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.9%	2.0%	4.5%	95.5%
	Grade 7	0.1%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	2.0%	98.0%
	Grade 9	1.1%	1.5%	3.0%	97.0%
	Grade 10	0.9%	2.6%	5.7%	94.3%
	Grade 11	1.1%	2.8%	6.7%	93.3%
	Grade 12	2.0%	4.5%	9.8%	90.2%
Cocaine					
	All	0.8%	1.9%	4.3%	95.7%
	Grade 7	0.1%	0.5%	0.9%	99.1%
	Grade 8	0.3%	0.7%	1.5%	98.5%
	Grade 9	0.9%	1.2%	2.7%	97.3%
	Grade 10	0.8%	2.5%	5.6%	94.4%
	Grade 11	1.1%	2.7%	6.6%	93.4%
	Grade 12	1.9%	4.5%	9.9%	90.1%
Crack					
	All	0.2%	0.4%	1.1%	98.9%
	Grade 7	0.1%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.2%	1.0%	99.0%
	Grade 9	0.2%	0.6%	1.1%	98.9%
	Grade 10	0.1%	0.3%	1.0%	99.0%
	Grade 11	0.1%	0.3%	1.0%	99.0%
	Grade 12	0.4%	0.7%	2.1%	97.9%
Hallucinogens					
	All	1.4%	2.3%	4.3%	95.7%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.4%	0.5%	1.4%	98.6%
	Grade 9	0.7%	1.2%	2.2%	97.8%
	Grade 10	2.1%	3.3%	5.6%	94.4%
	Grade 11	2.2%	3.8%	8.1%	91.9%
	Grade 12	2.9%	5.3%	9.6%	90.4%
Uppers					
	All	1.7%	2.9%	5.1%	94.9%
	Grade 7	0.5%	0.9%	1.5%	98.5%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	1.0%	1.5%	2.9%	97.1%
	Grade 10	2.6%	4.4%	6.8%	93.2%
	Grade 11	3.2%	5.1%	8.3%	91.7%
	Grade 12	3.3%	6.1%	11.6%	88.4%
Downers					
	All	1.7%	2.8%	4.8%	95.2%
	Grade 7	0.4%	1.0%	1.5%	98.5%
	Grade 8	0.2%	0.4%	0.8%	99.2%
	Grade 9	0.7%	1.2%	2.5%	97.5%
	Grade 10	2.3%	4.1%	6.2%	93.8%
	Grade 11	3.3%	4.8%	7.7%	92.3%
	Grade 12	4.0%	6.4%	11.5%	88.5%

**Region 3: Grades 7-12
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.6%	1.3%	98.7%
	Grade 7	0.1%	0.5%	0.7%	99.3%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.4%	0.5%	1.3%	98.7%
	Grade 10	0.5%	0.7%	1.9%	98.1%
	Grade 11	0.3%	0.8%	1.6%	98.4%
	Grade 12	0.8%	1.1%	2.0%	98.0%
Steroids					
	All	0.4%	0.8%	1.3%	98.7%
	Grade 7	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.5%	0.7%	1.2%	98.8%
	Grade 9	0.3%	0.6%	1.2%	98.8%
	Grade 10	0.5%	1.0%	1.4%	98.6%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.9%	1.7%	2.3%	97.7%
Ecstasy					
	All	1.6%	2.8%	4.8%	95.2%
	Grade 7	0.5%	0.8%	0.8%	99.2%
	Grade 8	0.4%	0.8%	1.3%	98.7%
	Grade 9	1.2%	1.8%	2.9%	97.1%
	Grade 10	2.5%	3.7%	6.6%	93.4%
	Grade 11	2.1%	4.2%	7.5%	92.5%
	Grade 12	3.5%	6.4%	11.5%	88.5%
Heroin					
	All	0.2%	0.5%	1.2%	98.8%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.5%	0.9%	99.1%
	Grade 9	0.2%	0.5%	1.2%	98.8%
	Grade 10	0.3%	0.4%	1.3%	98.7%
	Grade 11	0.4%	0.5%	1.2%	98.8%
	Grade 12	0.3%	1.1%	2.6%	97.4%

**Region 3: Grades 7-12
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	19.5%	26.9%	41.3%	58.7%
	Grade 7	12.3%	16.6%	32.4%	67.6%
	Grade 8	10.1%	17.0%	32.9%	67.1%
	Grade 9	16.0%	24.4%	37.6%	62.4%
	Grade 10	21.2%	28.0%	41.0%	59.0%
	Grade 11	30.1%	40.0%	53.1%	46.9%
	Grade 12	29.8%	37.2%	53.3%	46.7%
Alcohol					
	All	41.1%	53.5%	73.9%	26.1%
	Grade 7	27.7%	34.1%	60.2%	39.8%
	Grade 8	34.8%	48.0%	74.3%	25.7%
	Grade 9	42.0%	54.3%	74.6%	25.4%
	Grade 10	37.6%	56.0%	72.7%	27.3%
	Grade 11	48.7%	62.6%	79.9%	20.1%
	Grade 12	55.9%	65.2%	81.1%	18.9%
Inhalants					
	All	4.8%	7.2%	15.4%	84.6%
	Grade 7	11.1%	13.3%	25.3%	74.7%
	Grade 8	9.3%	12.9%	22.8%	77.2%
	Grade 9	3.6%	7.4%	13.4%	86.6%
	Grade 10	1.3%	2.9%	10.0%	90.0%
	Grade 11	1.2%	2.6%	10.4%	89.6%
	Grade 12	3.1%	4.2%	11.6%	88.4%
Any Illicit Drug					
	All	19.1%	27.1%	39.0%	61.0%
	Grade 7	12.8%	18.1%	26.6%	73.4%
	Grade 8	11.6%	17.3%	28.3%	71.7%
	Grade 9	19.6%	26.1%	37.5%	62.5%
	Grade 10	18.9%	26.1%	40.4%	59.6%
	Grade 11	26.4%	38.5%	50.4%	49.6%
	Grade 12	25.9%	37.8%	52.1%	47.9%
Marijuana					
	All	16.6%	24.7%	36.0%	64.0%
	Grade 7	11.7%	16.8%	24.6%	75.4%
	Grade 8	8.6%	14.4%	23.9%	76.1%
	Grade 9	17.2%	23.2%	33.2%	66.8%
	Grade 10	15.9%	24.1%	39.0%	61.0%
	Grade 11	23.0%	34.3%	46.5%	53.5%
	Grade 12	23.3%	37.1%	50.4%	49.6%
Marijuana Only					
	All	6.6%	11.1%	19.3%	80.7%
	Grade 7	6.8%	10.6%	16.1%	83.9%
	Grade 8	4.3%	8.1%	15.4%	84.6%
	Grade 9	9.6%	13.2%	20.6%	79.4%
	Grade 10	3.2%	8.1%	19.0%	81.0%
	Grade 11	6.8%	11.5%	19.8%	80.2%
	Grade 12	8.2%	15.1%	24.6%	75.4%

**Region 3: Grades 7-12
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.9%	5.0%	8.1%	91.9%
	Grade 7	1.2%	1.3%	3.4%	96.6%
	Grade 8	1.6%	2.9%	4.4%	95.6%
	Grade 9	2.6%	3.9%	5.1%	94.9%
	Grade 10	3.0%	5.2%	8.4%	91.6%
	Grade 11	5.2%	9.6%	15.6%	84.4%
	Grade 12	3.7%	7.8%	13.6%	86.4%
Cocaine					
	All	2.5%	4.4%	7.5%	92.5%
	Grade 7	0.8%	1.3%	2.8%	97.2%
	Grade 8	0.8%	1.2%	2.6%	97.4%
	Grade 9	2.1%	3.4%	4.5%	95.5%
	Grade 10	3.0%	5.3%	8.5%	91.5%
	Grade 11	4.9%	8.7%	14.9%	85.1%
	Grade 12	3.7%	7.1%	13.1%	86.9%
Crack					
	All	1.3%	2.0%	3.0%	97.0%
	Grade 7	0.9%	0.9%	1.8%	98.2%
	Grade 8	1.4%	2.4%	3.2%	96.8%
	Grade 9	1.2%	1.8%	3.0%	97.0%
	Grade 10	0.8%	1.4%	1.9%	98.1%
	Grade 11	1.1%	2.5%	3.5%	96.5%
	Grade 12	2.5%	3.2%	4.9%	95.1%
Hallucinogens					
	All	3.5%	4.9%	7.5%	92.5%
	Grade 7	0.4%	0.4%	1.3%	98.7%
	Grade 8	0.4%	0.9%	1.6%	98.4%
	Grade 9	3.8%	5.0%	7.3%	92.7%
	Grade 10	3.7%	4.7%	9.4%	90.6%
	Grade 11	5.8%	7.5%	11.5%	88.5%
	Grade 12	7.0%	11.0%	14.3%	85.7%
Uppers					
	All	4.1%	6.7%	9.7%	90.3%
	Grade 7	1.7%	1.7%	2.1%	97.9%
	Grade 8	2.3%	2.8%	4.0%	96.0%
	Grade 9	3.0%	6.1%	8.4%	91.6%
	Grade 10	6.0%	8.4%	11.1%	88.9%
	Grade 11	6.2%	10.8%	16.7%	83.3%
	Grade 12	5.6%	10.8%	16.3%	83.7%
Downers					
	All	3.6%	5.9%	8.3%	91.7%
	Grade 7	1.0%	1.1%	1.3%	98.7%
	Grade 8	1.8%	3.0%	3.1%	96.9%
	Grade 9	2.9%	4.7%	6.6%	93.4%
	Grade 10	6.2%	8.0%	10.6%	89.4%
	Grade 11	5.3%	9.8%	14.2%	85.8%
	Grade 12	4.6%	9.6%	15.1%	84.9%

**Region 3: Grades 7-12
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.1%	1.7%	2.7%	97.3%
	Grade 7	1.9%	2.4%	2.6%	97.4%
	Grade 8	0.5%	0.8%	0.9%	99.1%
	Grade 9	2.0%	2.0%	3.0%	97.0%
	Grade 10	0.4%	1.7%	2.6%	97.4%
	Grade 11	1.2%	1.8%	3.6%	96.4%
	Grade 12	0.2%	1.2%	3.6%	96.4%
Steroids					
	All	1.6%	2.2%	3.6%	96.4%
	Grade 7	2.8%	3.2%	5.2%	94.8%
	Grade 8	1.1%	1.4%	3.9%	96.1%
	Grade 9	0.9%	1.5%	2.5%	97.5%
	Grade 10	2.3%	2.5%	2.8%	97.2%
	Grade 11	1.2%	1.9%	2.1%	97.9%
	Grade 12	2.0%	2.9%	6.0%	94.0%
Ecstasy					
	All	3.5%	5.9%	9.7%	90.3%
	Grade 7	2.6%	2.7%	5.5%	94.5%
	Grade 8	1.3%	2.0%	4.2%	95.8%
	Grade 9	3.6%	5.0%	6.8%	93.2%
	Grade 10	2.5%	4.5%	10.0%	90.0%
	Grade 11	4.1%	12.2%	17.6%	82.4%
	Grade 12	7.0%	9.6%	15.3%	84.7%
Heroin					
	All	0.8%	1.5%	2.6%	97.4%
	Grade 7	0.4%	1.0%	1.8%	98.2%
	Grade 8	0.6%	0.7%	2.8%	97.2%
	Grade 9	1.3%	1.4%	1.9%	98.1%
	Grade 10	0.5%	0.7%	1.2%	98.8%
	Grade 11	0.5%	2.5%	3.2%	96.8%
	Grade 12	1.0%	3.2%	4.9%	95.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.3%	17.3%	30.6%	69.4%
	Grade 7	5.4%	7.9%	19.8%	80.2%
	Grade 8	6.9%	9.5%	23.0%	77.0%
	Grade 9	11.0%	19.2%	31.6%	68.4%
	Grade 10	15.3%	20.3%	31.7%	68.3%
	Grade 11	21.2%	29.1%	43.3%	56.7%
	Grade 12	26.2%	31.3%	51.8%	48.2%
Alcohol					
	All	28.8%	39.3%	63.2%	36.8%
	Grade 7	19.9%	25.0%	48.2%	51.8%
	Grade 8	23.2%	33.4%	58.6%	41.4%
	Grade 9	27.9%	40.1%	63.8%	36.2%
	Grade 10	32.8%	44.0%	69.2%	30.8%
	Grade 11	36.9%	52.8%	76.0%	24.0%
	Grade 12	46.0%	57.5%	79.1%	20.9%
Inhalants					
	All	2.4%	4.4%	10.4%	89.6%
	Grade 7	3.8%	6.8%	12.2%	87.8%
	Grade 8	3.0%	5.2%	12.0%	88.0%
	Grade 9	1.5%	3.6%	9.1%	90.9%
	Grade 10	1.7%	3.0%	9.2%	90.8%
	Grade 11	0.6%	1.8%	7.8%	92.2%
	Grade 12	3.4%	5.2%	12.1%	87.9%
Any Illicit Drug					
	All	12.7%	17.8%	28.2%	71.8%
	Grade 7	5.1%	7.3%	13.6%	86.4%
	Grade 8	8.3%	10.7%	19.3%	80.7%
	Grade 9	12.7%	18.4%	29.5%	70.5%
	Grade 10	19.3%	26.9%	38.6%	61.4%
	Grade 11	17.7%	26.7%	41.9%	58.1%
	Grade 12	21.5%	28.9%	41.3%	58.7%
Marijuana					
	All	11.7%	16.8%	26.6%	73.4%
	Grade 7	5.0%	6.7%	11.3%	88.7%
	Grade 8	7.2%	9.9%	16.9%	83.1%
	Grade 9	10.7%	16.3%	27.6%	72.4%
	Grade 10	18.4%	25.9%	38.0%	62.0%
	Grade 11	16.7%	25.4%	40.8%	59.2%
	Grade 12	21.0%	29.1%	41.9%	58.1%
Marijuana Only					
	All	5.3%	8.7%	15.9%	84.1%
	Grade 7	1.8%	3.0%	6.4%	93.6%
	Grade 8	3.9%	5.7%	11.2%	88.8%
	Grade 9	6.2%	10.3%	18.9%	81.1%
	Grade 10	8.2%	13.2%	22.9%	77.1%
	Grade 11	7.7%	13.3%	23.6%	76.4%
	Grade 12	6.1%	11.1%	18.5%	81.5%

**Region 3: Grades 7-12
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.3%	2.6%	5.2%	94.8%
	Grade 7	0.9%	1.1%	2.5%	97.5%
	Grade 8	1.5%	1.6%	3.7%	96.3%
	Grade 9	1.1%	1.8%	3.1%	96.9%
	Grade 10	1.2%	4.0%	7.5%	92.5%
	Grade 11	1.6%	3.7%	8.4%	91.6%
	Grade 12	2.7%	6.3%	11.3%	88.7%
Cocaine					
	All	1.3%	2.5%	4.9%	95.1%
	Grade 7	0.9%	1.1%	2.0%	98.0%
	Grade 8	1.3%	1.5%	3.0%	97.0%
	Grade 9	1.0%	1.4%	2.8%	97.2%
	Grade 10	1.2%	4.0%	7.6%	92.4%
	Grade 11	1.6%	3.7%	8.4%	91.6%
	Grade 12	2.7%	6.2%	11.3%	88.7%
Crack					
	All	0.3%	0.5%	1.4%	98.6%
	Grade 7	0.2%	0.4%	1.4%	98.6%
	Grade 8	0.4%	0.5%	1.7%	98.3%
	Grade 9	0.1%	0.5%	0.6%	99.4%
	Grade 10	0.1%	0.6%	1.4%	98.6%
	Grade 11	0.1%	0.1%	0.8%	99.2%
	Grade 12	1.6%	1.7%	3.9%	96.1%
Hallucinogens					
	All	1.4%	2.0%	4.2%	95.8%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	1.1%	1.3%	2.2%	97.8%
	Grade 9	1.6%	1.7%	3.2%	96.8%
	Grade 10	1.9%	3.1%	6.2%	93.8%
	Grade 11	2.3%	3.2%	9.4%	90.6%
	Grade 12	3.0%	5.3%	9.5%	90.5%
Uppers					
	All	1.9%	3.1%	5.1%	94.9%
	Grade 7	0.0%	0.6%	1.9%	98.1%
	Grade 8	1.2%	1.5%	2.1%	97.9%
	Grade 9	1.4%	2.2%	3.6%	96.4%
	Grade 10	3.4%	5.3%	7.6%	92.4%
	Grade 11	3.0%	4.5%	8.5%	91.5%
	Grade 12	4.4%	9.1%	13.9%	86.1%
Downers					
	All	2.0%	3.1%	5.0%	95.0%
	Grade 7	0.8%	1.4%	2.7%	97.3%
	Grade 8	0.4%	1.1%	1.5%	98.5%
	Grade 9	1.0%	2.0%	2.7%	97.3%
	Grade 10	3.7%	5.3%	8.8%	91.2%
	Grade 11	3.0%	4.4%	7.8%	92.2%
	Grade 12	6.7%	8.1%	13.0%	87.0%

**Region 3: Grades 7-12
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.2%	0.3%	1.0%	99.0%
	Grade 8	0.7%	0.9%	1.0%	99.0%
	Grade 9	1.0%	1.2%	2.0%	98.0%
	Grade 10	0.5%	0.6%	1.9%	98.1%
	Grade 11	0.6%	1.3%	2.0%	98.0%
	Grade 12	1.3%	1.6%	3.9%	96.1%
Steroids					
	All	0.4%	0.8%	1.6%	98.4%
	Grade 7	0.6%	1.4%	2.5%	97.5%
	Grade 8	0.2%	1.0%	2.1%	97.9%
	Grade 9	0.3%	0.6%	1.1%	98.9%
	Grade 10	0.5%	0.6%	1.1%	98.9%
	Grade 11	0.3%	0.6%	1.1%	98.9%
	Grade 12	0.0%	0.0%	1.3%	98.7%
Ecstasy					
	All	2.0%	3.2%	5.7%	94.3%
	Grade 7	0.9%	1.3%	1.5%	98.5%
	Grade 8	1.7%	2.2%	3.0%	97.0%
	Grade 9	2.6%	3.7%	5.2%	94.8%
	Grade 10	1.8%	3.6%	8.4%	91.6%
	Grade 11	2.6%	5.3%	9.6%	90.4%
	Grade 12	3.3%	5.3%	12.8%	87.2%
Heroin					
	All	0.3%	0.6%	1.6%	98.4%
	Grade 7	0.9%	1.2%	1.9%	98.1%
	Grade 8	0.1%	0.5%	1.8%	98.2%
	Grade 9	0.0%	0.6%	1.3%	98.7%
	Grade 10	0.1%	0.2%	0.7%	99.3%
	Grade 11	0.0%	0.1%	1.2%	98.8%
	Grade 12	0.0%	1.3%	2.9%	97.1%

**Region 3: Grades 7-12
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.6%	16.3%	27.1%	72.9%
	Grade 7	3.3%	5.2%	12.4%	87.6%
	Grade 8	3.2%	5.9%	14.0%	86.0%
	Grade 9	8.9%	13.7%	23.6%	76.4%
	Grade 10	14.0%	18.8%	29.8%	70.2%
	Grade 11	17.9%	25.6%	39.2%	60.8%
	Grade 12	22.8%	29.4%	44.2%	55.8%
Alcohol					
	All	27.8%	39.2%	59.5%	40.5%
	Grade 7	12.2%	17.3%	40.4%	59.6%
	Grade 8	16.0%	25.1%	47.4%	52.6%
	Grade 9	26.7%	38.0%	60.4%	39.6%
	Grade 10	29.3%	44.2%	62.2%	37.8%
	Grade 11	38.2%	52.5%	71.4%	28.6%
	Grade 12	44.8%	58.7%	75.6%	24.4%
Inhalants					
	All	2.1%	3.2%	7.7%	92.3%
	Grade 7	4.0%	5.0%	9.9%	90.1%
	Grade 8	2.9%	4.3%	8.5%	91.5%
	Grade 9	1.7%	3.0%	7.7%	92.3%
	Grade 10	1.1%	2.2%	7.3%	92.7%
	Grade 11	1.1%	2.1%	6.9%	93.1%
	Grade 12	1.6%	2.4%	6.0%	94.0%
Any Illicit Drug					
	All	10.5%	15.5%	23.8%	76.2%
	Grade 7	3.7%	5.4%	7.6%	92.4%
	Grade 8	4.1%	6.0%	10.8%	89.2%
	Grade 9	9.5%	13.7%	20.9%	79.1%
	Grade 10	12.2%	17.7%	26.6%	73.4%
	Grade 11	16.4%	24.5%	36.8%	63.2%
	Grade 12	17.8%	26.4%	41.2%	58.8%
Marijuana					
	All	9.0%	13.9%	22.3%	77.7%
	Grade 7	2.8%	4.5%	6.4%	93.6%
	Grade 8	3.3%	4.6%	9.4%	90.6%
	Grade 9	8.1%	12.1%	19.0%	81.0%
	Grade 10	10.5%	16.0%	25.1%	74.9%
	Grade 11	14.4%	22.4%	34.9%	65.1%
	Grade 12	15.2%	24.4%	39.7%	60.3%
Marijuana Only					
	All	3.4%	5.9%	11.7%	88.3%
	Grade 7	1.5%	2.3%	3.7%	96.3%
	Grade 8	1.8%	2.6%	6.1%	93.9%
	Grade 9	4.5%	6.4%	11.2%	88.8%
	Grade 10	3.1%	5.8%	12.0%	88.0%
	Grade 11	4.4%	8.9%	17.7%	82.3%
	Grade 12	4.9%	9.6%	20.1%	79.9%

**Region 3: Grades 7-12
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.3%	2.6%	5.1%	94.9%
	Grade 7	0.3%	0.8%	1.5%	98.5%
	Grade 8	0.5%	1.2%	2.1%	97.9%
	Grade 9	1.5%	2.1%	3.6%	96.4%
	Grade 10	1.4%	2.8%	5.6%	94.4%
	Grade 11	1.7%	3.8%	8.0%	92.0%
	Grade 12	2.2%	4.9%	10.1%	89.9%
Cocaine					
	All	1.1%	2.3%	4.8%	95.2%
	Grade 7	0.2%	0.6%	1.1%	98.9%
	Grade 8	0.2%	0.7%	1.5%	98.5%
	Grade 9	1.2%	1.6%	3.1%	96.9%
	Grade 10	1.3%	2.7%	5.5%	94.5%
	Grade 11	1.7%	3.6%	7.7%	92.3%
	Grade 12	2.1%	4.8%	10.0%	90.0%
Crack					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.6%	1.0%	1.7%	98.3%
	Grade 10	0.3%	0.5%	1.1%	98.9%
	Grade 11	0.5%	0.9%	1.8%	98.2%
	Grade 12	0.6%	1.0%	2.2%	97.8%
Hallucinogens					
	All	1.8%	3.0%	5.0%	95.0%
	Grade 7	0.6%	0.8%	1.0%	99.0%
	Grade 8	0.2%	0.3%	1.2%	98.8%
	Grade 9	1.1%	1.9%	3.1%	96.9%
	Grade 10	2.6%	3.7%	6.2%	93.8%
	Grade 11	3.1%	4.9%	8.7%	91.3%
	Grade 12	3.7%	6.5%	10.3%	89.7%
Uppers					
	All	2.2%	3.7%	6.1%	93.9%
	Grade 7	0.9%	1.1%	1.3%	98.7%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	1.4%	2.4%	4.1%	95.9%
	Grade 10	3.2%	5.0%	7.7%	92.3%
	Grade 11	4.0%	6.7%	10.5%	89.5%
	Grade 12	3.6%	6.5%	11.7%	88.3%
Downers					
	All	2.1%	3.5%	5.5%	94.5%
	Grade 7	0.7%	1.1%	1.2%	98.8%
	Grade 8	0.5%	0.6%	1.1%	98.9%
	Grade 9	1.3%	1.9%	3.6%	96.4%
	Grade 10	2.8%	4.7%	6.3%	93.7%
	Grade 11	4.0%	6.4%	9.7%	90.3%
	Grade 12	3.7%	6.8%	11.5%	88.5%

**Region 3: Grades 7-12
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.4%	0.8%	1.5%	98.5%
	Grade 7	0.3%	0.9%	1.2%	98.8%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.7%	0.7%	1.4%	98.6%
	Grade 10	0.4%	1.0%	2.2%	97.8%
	Grade 11	0.4%	0.9%	2.0%	98.0%
	Grade 12	0.5%	1.0%	1.8%	98.2%
Steroids					
	All	0.7%	1.1%	1.8%	98.2%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.9%	1.5%	1.9%	98.1%
	Grade 11	0.5%	0.7%	1.5%	98.5%
	Grade 12	1.2%	2.1%	3.0%	97.0%
Ecstasy					
	All	1.9%	3.3%	5.5%	94.5%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	0.3%	0.7%	1.6%	98.4%
	Grade 9	1.3%	1.9%	3.2%	96.8%
	Grade 10	2.7%	3.8%	6.9%	93.1%
	Grade 11	2.6%	5.6%	9.1%	90.9%
	Grade 12	4.3%	7.2%	11.5%	88.5%
Heroin					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.6%	0.8%	1.2%	98.8%
	Grade 10	0.4%	0.5%	1.4%	98.6%
	Grade 11	0.6%	1.1%	1.6%	98.4%
	Grade 12	0.5%	1.3%	2.9%	97.1%

**Region 3: Grades 7-12
Spring 2008**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
Female	326E3	51.53
Male	307E3	48.47

Frequency Missing = 1888.9219379

GRADE		
q2	Frequency	Percent
Grade 7	117E3	18.35
Grade 8	11E4	17.31
Grade 9	122E3	19.28
Grade 10	101E3	15.86
Grade 11	94855	14.93
Grade 12	90692	14.28

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	23E4	36.47
Yes	401E3	63.53

Frequency Missing = 3540.3713352

AGE		
q4	Frequency	Percent
11 or younger	358	0.06
12	26088	4.12
13	104E3	16.48
14	112E3	17.75
15	114E3	18.09
16	104E3	16.51
17	96830	15.31
18	67945	10.74
19 or older	5925	0.94

Frequency Missing = 2812.4427981

ETHNICITY		
q5	Frequency	Percent
African/American	124E3	19.89
Asian/American	12438	2.00
Mexican/American	149E3	24.01
Native/American	1941	0.31
Other	13134	2.11
White	321E3	51.67

Frequency Missing = 14044.596733

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	221E3	35.21
Mostly B's	303E3	48.25
Mostly C's	92118	14.66
Mostly D's	7481	1.19
Mostly F's	4339	0.69

Frequency Missing = 7100.9907294

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	67174	10.71
2-3 years	113E3	17.99
>4 years	447E3	71.31

Frequency Missing = 7979.9043438

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	439E3	70.15
Yes	187E3	29.85

Frequency Missing = 9689.6418204

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	4E5	64.06
Yes	224E3	35.94

Frequency Missing = 11023.085673

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	78364	12.50
No	196E3	31.25
Yes	353E3	56.25

Frequency Missing = 8290.2088356

QUALIFY FOR FREE/REDUCED PRICE LUNCH

q11	Frequency	Percent
Don't Know	89240	14.22
No	377E3	60.13
Yes	161E3	25.65

Frequency Missing = 7578.724165

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	296E3	50.76
Yes	287E3	49.24

Frequency Missing = 51751.619633

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	428E3	79.87
Yes	108E3	20.13

Frequency Missing = 98825.07302

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	459E3	90.83
Yes	46398	9.17

Frequency Missing = 129511.47984

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	417E3	82.44
Yes	88899	17.56

Frequency Missing = 129172.8823

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	466E3	93.10
Yes	34509	6.90

Frequency Missing = 135238.83015

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	48E4	95.54
Yes	22395	4.46

Frequency Missing = 132626.87871

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	486E3	95.50
Yes	22880	4.50

Frequency Missing = 126875.53502

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	44E4	84.11
Yes	83144	15.89

Frequency Missing = 111919.3666

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	46E4	87.32
Yes	66736	12.68

Frequency Missing = 109045.8632

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	477E3	89.17
Yes	57865	10.83

Frequency Missing = 100874.74753

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	422E3	78.30
Yes	117E3	21.70

Frequency Missing = 96425.309118

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	337E3	59.42
Yes	23E4	40.58

Frequency Missing = 68939.866656

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	37E4	66.31
Yes	188E3	33.69

Frequency Missing = 77901.649974

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	501E3	79.56
Somewhat Safe	115E3	18.18
Not Very Safe	7878	1.25
Not Safe At All	2285	0.36
Don't Know	4055	0.64

Frequency Missing = 5324.135357

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	281E3	44.82
Somewhat Safe	286E3	45.61
Not Very Safe	40521	6.46
Not Safe At All	10835	1.73
Don't Know	8698	1.39

Frequency Missing = 8158.358833

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	245E3	38.94
Somewhat Safe	294E3	46.71
Not Very Safe	52816	8.40
Not Safe At All	20676	3.29
Don't Know	16676	2.65

Frequency Missing = 6779.2260691

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	24637	3.92
A Few	156E3	24.87
Some	165E3	26.33
Most	228E3	36.32
All	53791	8.56

Frequency Missing = 7153.5673051

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	391E3	63.37
A Few	144E3	23.34
Some	55386	8.97
Most	19599	3.17
All	7074	1.15

Frequency Missing = 17871.499447

**Region 3: Grades 7-12
Spring 2008**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c Frequency Percent		
None	14498	2.39
A Few	78254	12.90
Some	141E3	23.31
Most	274E3	45.09
All	99003	16.32

Frequency Missing = 28587.077573

HOW MANY FRIENDS BELONG TO A GANG		
q14d Frequency Percent		
None	439E3	70.08
A Few	103E3	16.40
Some	46042	7.36
Most	28700	4.59
All	9870	1.58

Frequency Missing = 9364.8749948

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e Frequency Percent		
None	374E3	59.67
A Few	169E3	26.91
Some	51480	8.22
Most	21700	3.46
All	10849	1.73

Frequency Missing = 8971.0695616

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15 Frequency Percent		
No	336E3	61.92
Yes	207E3	38.08

Frequency Missing = 92862.185907

RECENT CIGARETTE USE		
Q16A Frequency Percent		
Never Heard/Used	458E3	73.40
In Your Lifetime	72214	11.57
Since School Began	28106	4.50
In the Past Month	65654	10.52

Frequency Missing = 11302.058541

RECENT SMOKELESS TOBACCO USE		
Q16B Frequency Percent		
Never Heard/Used	565E3	91.08
In Your Lifetime	21675	3.49
Since School Began	12575	2.03
In the Past Month	21097	3.40

Frequency Missing = 14763.08319

RECENT BEER USE		
Q16C Frequency Percent		
Never Heard/Used	339E3	55.34
In Your Lifetime	111E3	18.13
Since School Began	55876	9.12
In the Past Month	107E3	17.40

Frequency Missing = 22602.530569

RECENT WINE COOLER USE		
Q16D Frequency Percent		
Never Heard/Used	347E3	56.12
In Your Lifetime	111E3	17.96
Since School Began	63116	10.22
In the Past Month	96935	15.70

Frequency Missing = 17840.269116

RECENT WINE USE		
Q16E Frequency Percent		
Never Heard/Used	351E3	57.77
In Your Lifetime	126E3	20.72
Since School Began	58549	9.65
In the Past Month	72036	11.87

Frequency Missing = 28399.126562

RECENT LIQUOR USE		
Q16F Frequency Percent		
Never Heard/Used	362E3	58.54
In Your Lifetime	85392	13.81
Since School Began	60664	9.81
In the Past Month	11E4	17.85

Frequency Missing = 16785.854145

RECENT INHALANT USE		
Q16G Frequency Percent		
Never Heard/Used	567E3	91.51
In Your Lifetime	30757	4.97
Since School Began	8629	1.39
In the Past Month	13170	2.13

Frequency Missing = 16010.358548

RECENT MARIJUANA USE		
Q17A Frequency Percent		
Never Heard/Used	472E3	76.46
In Your Lifetime	54147	8.78
Since School Began	30505	4.95
In the Past Month	60535	9.81

Frequency Missing = 18458.759736

RECENT COCAINE USE		
Q17B Frequency Percent		
Never Heard/Used	583E3	95.19
In Your Lifetime	14953	2.44
Since School Began	7375	1.21
In the Past Month	7115	1.16

Frequency Missing = 23296.438923

RECENT CRACK USE		
Q17C Frequency Percent		
Never Heard/Used	599E3	98.57
In Your Lifetime	4549	0.75
Since School Began	1807	0.30
In the Past Month	2338	0.38

Frequency Missing = 27991.156287

**Region 3: Grades 7-12
Spring 2008**

RECENT HALLUCINOGEN USE		
	Q17E	Frequency Percent
Never Heard/Used	575E3	95.22
In Your Lifetime	12591	2.09
Since School Began	5905	0.98
In the Past Month	10375	1.72

Frequency Missing = 31876.609167

RECENT UPPER USE		
	Q17F	Frequency Percent
Never Heard/Used	568E3	94.22
In Your Lifetime	13586	2.25
Since School Began	8387	1.39
In the Past Month	12872	2.13

Frequency Missing = 32140.495969

RECENT DOWNER USE		
	Q17G	Frequency Percent
Never Heard/Used	571E3	94.65
In Your Lifetime	11922	1.98
Since School Began	7761	1.29
In the Past Month	12599	2.09

Frequency Missing = 32153.072

RECENT ROHYPNOL USE		
	Q17H	Frequency Percent
Never Heard/Used	594E3	98.44
In Your Lifetime	4572	0.76
Since School Began	1965	0.33
In the Past Month	2866	0.47

Frequency Missing = 31389.562162

RECENT STEROID USE		
	Q17I	Frequency Percent
Never Heard/Used	592E3	98.28
In Your Lifetime	4282	0.71
Since School Began	2449	0.41
In the Past Month	3653	0.61

Frequency Missing = 32987.569074

RECENT ECSTASY USE		
	Q17J	Frequency Percent
Never Heard/Used	574E3	94.42
In Your Lifetime	13904	2.29
Since School Began	8180	1.35
In the Past Month	11835	1.95

Frequency Missing = 27441.652075

RECENT HEROIN USE		
	Q17K	Frequency Percent
Never Heard/Used	6E5	98.52
In Your Lifetime	4713	0.77
Since School Began	2080	0.34
In the Past Month	2230	0.37

Frequency Missing = 26286.481597

TOBACCO USE IN PAST MONTH		
	q18a	Frequency Percent
Never Heard/Used	534E3	86.57
1-2 times	34485	5.59
3-10 times	20728	3.36
11+ times	27717	4.49

Frequency Missing = 17894.551735

ALCOHOL USE IN PAST MONTH		
	q18b	Frequency Percent
Never Heard/Used	421E3	68.36
1-2 times	119E3	19.30
3-10 times	56773	9.21
11+ times	19309	3.13

Frequency Missing = 18969.639629

INHALANT USE IN PAST MONTH		
	q18c	Frequency Percent
Never Heard/Used	591E3	97.04
1-2 times	13095	2.15
3-10 times	3577	0.59
11+ times	1346	0.22

Frequency Missing = 26236.883153

MARIJUANA USE IN PAST MONTH		
	q18d	Frequency Percent
Never Heard/Used	529E3	86.98
1-2 times	36133	5.94
3-10 times	21450	3.53
11+ times	21581	3.55

Frequency Missing = 27098.062599

COCAINE USE IN PAST MONTH		
	q18e	Frequency Percent
Never Heard/Used	601E3	97.98
1-2 times	8430	1.37
3-10 times	2535	0.41
11+ times	1410	0.23

Frequency Missing = 22055.77821

CRACK USE IN PAST MONTH		
	q18f	Frequency Percent
Never Heard/Used	612E3	99.24
1-2 times	2889	0.47
3-10 times	1063	0.17
11+ times	754	0.12

Frequency Missing = 19027.974274

CLOSE FRIENDS USE CIGARETTES		
	q19a	Frequency Percent
Never heard/None	288E3	48.45
A few	173E3	29.12
Some	79870	13.43
Most	46570	7.83
All	6933	1.17

Frequency Missing = 40693.116605

CLOSE FRIENDS USE SMOKELESS TOBACCO		
	q19b	Frequency Percent
Never heard/None	425E3	71.94
A few	104E3	17.65
Some	43176	7.31
Most	15320	2.59
All	2985	0.51

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

Frequency Missing = 44493.052573

CLOSE FRIENDS USE BEER		
q19c Frequency Percent		
Never heard/None	229E3	38.80
A few	13E4	22.03
Some	104E3	17.62
Most	94904	16.11
All	32062	5.44

Frequency Missing = 46012.739995

CLOSE FRIENDS USE WINE COOLERS		
q19d Frequency Percent		
Never heard/None	281E3	48.24
A few	121E3	20.74
Some	94520	16.21
Most	64591	11.08
All	21792	3.74

Frequency Missing = 52169.040816

CLOSE FRIENDS USE WINE		
q19e Frequency Percent		
Never heard/None	325E3	55.75
A few	138E3	23.65
Some	72743	12.48
Most	35477	6.09
All	11835	2.03

Frequency Missing = 52338.852155

CLOSE FRIENDS USE LIQUOR		
q19f Frequency Percent		
Never heard/None	263E3	44.66
A few	114E3	19.33
Some	92038	15.64
Most	89869	15.27
All	30034	5.10

Frequency Missing = 46756.924832

CLOSE FRIENDS USE INHALANTS		
q19g Frequency Percent		
Never heard/None	492E3	83.82
A few	62281	10.61
Some	20429	3.48
Most	9658	1.64
All	2623	0.45

Frequency Missing = 48021.977915

CLOSE FRIENDS USE MARIJUANA		
q19h Frequency Percent		
Never heard/None	317E3	53.27
A few	109E3	18.33
Some	76665	12.87
Most	71760	12.04
All	20833	3.50

Frequency Missing = 39387.144712

DIFFICULT TO GET CIGARETTES		
q20a Frequency Percent		
Never heard of	55896	9.37
Impossible	101E3	17.00
Very difficult	41700	6.99
Somewhat diff	60247	10.10
Somewhat easy	108E3	18.04
Very easy	23E4	38.50

Frequency Missing = 38546.512156

DIFFICULT TO GET SMOKELESS TOBACCO		
q20b Frequency Percent		
Never heard of	11E4	18.61
Impossible	128E3	21.61
Very difficult	53952	9.12
Somewhat diff	68442	11.57
Somewhat easy	78557	13.28
Very easy	153E3	25.81

Frequency Missing = 43696.344784

DIFFICULT TO GET BEER		
q20c Frequency Percent		
Never heard of	48510	8.25
Impossible	77094	13.12
Very difficult	36465	6.20
Somewhat diff	68305	11.62
Somewhat easy	124E3	21.17
Very easy	233E3	39.63

Frequency Missing = 47532.048332

DIFFICULT TO GET WINE COOLERS		
q20d Frequency Percent		
Never heard of	75719	12.81
Impossible	84852	14.36
Very difficult	42453	7.18
Somewhat diff	72066	12.20
Somewhat easy	12E4	20.34
Very easy	196E3	33.10

Frequency Missing = 44424.048582

DIFFICULT TO GET WINE		
q20e Frequency Percent		
Never heard of	54377	9.32
Impossible	82424	14.12
Very difficult	47339	8.11
Somewhat diff	76568	13.12
Somewhat easy	116E3	19.94
Very easy	206E3	35.38

Frequency Missing = 51751.359413

DIFFICULT TO GET LIQUOR		
q20f Frequency Percent		
Never heard of	56273	9.52
Impossible	106E3	17.97
Very difficult	53820	9.11
Somewhat diff	71100	12.03
Somewhat easy	111E3	18.80
Very easy	192E3	32.57

Frequency Missing = 44352.565407

**Region 3: Grades 7-12
Spring 2008**

DIFFICULT TO GET INHALANTS		
	q20g	Frequency Percent
Never heard of	92849	15.83
Impossible	102E3	17.32
Very difficult	34257	5.84
Somewhat diff	40582	6.92
Somewhat easy	65514	11.17
Very easy	252E3	42.92

Frequency Missing = 48676.28814

DIFFICULT TO GET MARIJUANA		
	q20h	Frequency Percent
Never heard of	67678	11.61
Impossible	164E3	28.14
Very difficult	58347	10.01
Somewhat diff	61482	10.55
Somewhat easy	82238	14.11
Very easy	149E3	25.59

Frequency Missing = 52346.174299

DIFFICULT TO GET COCAINE		
	q20i	Frequency Percent
Never heard of	87426	15.05
Impossible	209E3	36.02
Very difficult	96276	16.58
Somewhat diff	82506	14.21
Somewhat easy	50053	8.62
Very easy	55343	9.53

Frequency Missing = 54512.762375

DIFFICULT TO GET CRACK		
	q20j	Frequency Percent
Never heard of	92823	16.01
Impossible	212E3	36.65
Very difficult	103E3	17.84
Somewhat diff	79922	13.79
Somewhat easy	44623	7.70
Very easy	46434	8.01

Frequency Missing = 55608.961401

DIFFICULT TO GET HALLUCINOGENS		
	q20l	Frequency Percent
Never heard of	179E3	30.81
Impossible	165E3	28.39
Very difficult	80107	13.80
Somewhat diff	66250	11.42
Somewhat easy	42972	7.40
Very easy	47404	8.17

Frequency Missing = 54955.015723

DIFFICULT TO GET UPPERS		
	q20m	Frequency Percent
Never heard of	258E3	44.79
Impossible	122E3	21.23
Very difficult	54840	9.52
Somewhat diff	49627	8.62
Somewhat easy	40453	7.02
Very easy	50830	8.82

Frequency Missing = 59289.80722

DIFFICULT TO GET DOWNERS		
	q20n	Frequency Percent
Never heard of	259E3	44.84
Impossible	122E3	21.14
Very difficult	55283	9.56
Somewhat diff	50374	8.72
Somewhat easy	39226	6.79
Very easy	51714	8.95

Frequency Missing = 57314.439918

DIFFICULT TO GET ROHYPNOL		
	q20o	Frequency Percent
Never heard of	279E3	48.24
Impossible	13E4	22.56
Very difficult	63396	10.98
Somewhat diff	47114	8.16
Somewhat easy	25363	4.39
Very easy	32659	5.66

Frequency Missing = 57963.834899

DIFFICULT TO GET STEROIDS		
	q20p	Frequency Percent
Never heard of	102E3	17.70
Impossible	219E3	37.90
Very difficult	97854	16.96
Somewhat diff	67637	11.72
Somewhat easy	44726	7.75
Very easy	46004	7.97

Frequency Missing = 58209.768382

DIFFICULT TO GET ECSTASY		
	q20q	Frequency Percent
Never heard of	155E3	26.84
Impossible	17E4	29.39
Very difficult	77323	13.35
Somewhat diff	59327	10.24
Somewhat easy	49246	8.50
Very easy	67713	11.69

Frequency Missing = 55919.807083

DIFFICULT TO GET HEROIN		
	q20r	Frequency Percent
Never heard of	117E3	20.18
Impossible	223E3	38.53
Very difficult	95205	16.48
Somewhat diff	62695	10.85
Somewhat easy	35602	6.16
Very easy	45100	7.81

Frequency Missing = 57460.339868

AGE WHEN FIRST USED CIGARETTES		
	q21a	Frequency Percent
9 or younger	22013	13.04
10 years old	11993	7.10
11 years old	12412	7.35
12 years old	20974	12.42
13 years old	26148	15.49
14 years old	24448	14.48
15 years old	22584	13.38
16 years old	16506	9.78
17 years old	8689	5.15
18 or older	3056	1.81

Frequency Missing = 466465.46999

**Region 3: Grades 7-12
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q21b Frequency	Percent
9 or younger	3004	5.55
10 years old	2249	4.16
11 years old	3155	5.83
12 years old	4112	7.60
13 years old	7448	13.77
14 years old	7456	13.78
15 years old	9708	17.95
16 years old	9215	17.03
17 years old	5754	10.64
18 or older	1996	3.69

Frequency Missing = 581190.57436

AGE WHEN FIRST USED BEER		
	q21c Frequency	Percent
9 or younger	51640	17.95
10 years old	22325	7.76
11 years old	21471	7.46
12 years old	34145	11.87
13 years old	40863	14.21
14 years old	38618	13.43
15 years old	37955	13.20
16 years old	27018	9.39
17 years old	10118	3.52
18 or older	3493	1.21

Frequency Missing = 347641.86362

AGE WHEN FIRST USED WINE COOLERS		
	q21d Frequency	Percent
9 or younger	27258	10.42
10 years old	16388	6.26
11 years old	19142	7.32
12 years old	37298	14.26
13 years old	42708	16.32
14 years old	41052	15.69
15 years old	38568	14.74
16 years old	27358	10.46
17 years old	9674	3.70
18 or older	2195	0.84

Frequency Missing = 373648.42343

AGE WHEN FIRST USED WINE		
	q21e Frequency	Percent
9 or younger	33524	12.73
10 years old	20956	7.96
11 years old	22835	8.67
12 years old	37842	14.37
13 years old	43709	16.60
14 years old	36973	14.04
15 years old	32208	12.23
16 years old	22788	8.65
17 years old	10227	3.88
18 or older	2299	0.87

Frequency Missing = 371929.40539

AGE WHEN FIRST USED LIQUOR		
	q21f Frequency	Percent
9 or younger	13626	5.37
10 years old	8443	3.32
11 years old	13211	5.20
12 years old	27916	10.99
13 years old	40326	15.88
14 years old	47317	18.63
15 years old	49031	19.31
16 years old	34443	13.56
17 years old	15442	6.08
18 or older	4221	1.66

Frequency Missing = 381314.28148

AGE WHEN FIRST USED INHALANTS		
	q21g Frequency	Percent
9 or younger	6906	15.88
10 years old	3606	8.29
11 years old	4774	10.97
12 years old	8687	19.97
13 years old	7771	17.86
14 years old	5455	12.54
15 years old	3657	8.40
16 years old	1862	4.28
17 years old	439	1.01
18 or older	347	0.80

Frequency Missing = 591784.01322

AGE WHEN FIRST USED MARIJUANA		
	q21h Frequency	Percent
9 or younger	5501	3.95
10 years old	4672	3.36
11 years old	7198	5.17
12 years old	15155	10.89
13 years old	21909	15.74
14 years old	26088	18.74
15 years old	26531	19.06
16 years old	19319	13.88
17 years old	10000	7.18
18 or older	2850	2.05

Frequency Missing = 496065.11365

AGE WHEN FIRST USED COCAINE		
	q21i Frequency	Percent
9 or younger	267	0.96
10 years old	747	2.68
11 years old	676	2.43
12 years old	1204	4.32
13 years old	3649	13.11
14 years old	3665	13.16
15 years old	7703	27.67
16 years old	6184	22.21
17 years old	3144	11.29
18 or older	601	2.16

Frequency Missing = 607447.80903

AGE WHEN FIRST USED CRACK		
	q21j Frequency	Percent
9 or younger	445	5.73
10 years old	217	2.79
11 years old	673	8.67
12 years old	881	11.35
13 years old	1595	20.56
14 years old	1215	15.66
15 years old	1044	13.45
16 years old	1015	13.08
17 years old	525	6.76
18 or older	151	1.95

Frequency Missing = 627527.49329

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
9 or younger	345	1.35
10 years old	315	1.23
11 years old	637	2.49
12 years old	1285	5.02
13 years old	2828	11.05
14 years old	3388	13.24
15 years old	5386	21.04
16 years old	6275	24.52
17 years old	4236	16.55
18 or older	902	3.52

Frequency Missing = 609691.88569

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
9 or younger	485	6.47
10 years old	348	4.64
11 years old	488	6.51
12 years old	1130	15.08
13 years old	849	11.32
14 years old	1196	15.95
15 years old	1366	18.22
16 years old	973	12.98
17 years old	468	6.25
18 or older	193	2.58

Frequency Missing = 627792.40644

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	420	5.26
10 years old	355	4.44
11 years old	516	6.46
12 years old	717	8.97
13 years old	1642	20.54
14 years old	1009	12.62
15 years old	1346	16.84
16 years old	790	9.88
17 years old	857	10.72
18 or older	340	4.25

Frequency Missing = 627296.7224

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	1135	3.45
10 years old	842	2.56
11 years old	926	2.81
12 years old	1737	5.28
13 years old	3729	11.33
14 years old	5287	16.06
15 years old	7943	24.13
16 years old	7484	22.74
17 years old	2931	8.91
18 or older	896	2.72

Frequency Missing = 602377.36083

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	1442	16.44
10 years old	269	3.06
11 years old	275	3.14
12 years old	1129	12.87
13 years old	677	7.72
14 years old	1140	12.99
15 years old	1109	12.64
16 years old	1184	13.49
17 years old	1148	13.09
18 or older	400	4.55

Frequency Missing = 626516.7768

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	18613	3.10
Several times/wk	13408	2.24
Several times/mo	17961	3.00
About once/month	25756	4.30
About once/year	23574	3.93
< once/year	46942	7.83
Never used	453E3	75.60

Frequency Missing = 35821.395672

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
9 or younger	722	2.32
10 years old	547	1.76
11 years old	1256	4.04
12 years old	1951	6.28
13 years old	3717	11.97
14 years old	4389	14.13
15 years old	8741	28.14
16 years old	7008	22.56
17 years old	2050	6.60
18 or older	677	2.18

Frequency Missing = 604229.867

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
9 or younger	487	1.56
10 years old	143	0.46
11 years old	519	1.66
12 years old	1013	3.24
13 years old	2743	8.78
14 years old	3882	12.43
15 years old	8563	27.41
16 years old	7709	24.68
17 years old	4682	14.99
18 or older	1493	4.78

Frequency Missing = 604055.63922

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Every day	3888	0.65
Several times/wk	2913	0.49
Several times/mo	5389	0.91
About once/month	9910	1.67
About once/year	9817	1.65
< once/year	18915	3.19
Never used	543E3	91.44

Frequency Missing = 41504.177608

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

HOW OFTEN NORMALLY USE BEER		
	q22c Frequency	Percent
Every day	1160	0.20
Several times/wk	15188	2.55
Several times/mo	48715	8.19
About once/month	69147	11.62
About once/year	60645	10.19
< once/year	61537	10.34
Never used	338E3	56.90

Frequency Missing = 37507.852525

HOW OFTEN NORMALLY USE INHALANTS		
	q22g Frequency	Percent
Every day	738	0.13
Several times/wk	2527	0.44
Several times/mo	3810	0.66
About once/month	6368	1.10
About once/year	6704	1.16
< once/year	15290	2.64
Never used	544E3	93.89

Frequency Missing = 40438.511529

Frequency Missing = 55416.03619

HOW OFTEN NORMALLY USE WINE COOLERS		
	q22d Frequency	Percent
Every day	882	0.15
Several times/wk	10149	1.70
Several times/mo	37859	6.35
About once/month	67045	11.25
About once/year	69336	11.63
< once/year	56758	9.52
Never used	354E3	59.39

HOW OFTEN NORMALLY USE MARIJUANA		
	q22h Frequency	Percent
Every day	12657	2.18
Several times/wk	14172	2.44
Several times/mo	21918	3.78
About once/month	23122	3.99
About once/year	22241	3.83
< once/year	29253	5.04
Never used	457E3	78.74

Frequency Missing = 39308.473081

Frequency Missing = 55164.283935

HOW OFTEN NORMALLY USE WINE		
	q22e Frequency	Percent
Every day	379	0.06
Several times/wk	7227	1.22
Several times/mo	28200	4.76
About once/month	50753	8.57
About once/year	80214	13.54
< once/year	73783	12.45
Never used	352E3	59.40

HOW OFTEN NORMALLY USE COCAINE		
	q22i Frequency	Percent
Every day	310	0.05
Several times/wk	1310	0.23
Several times/mo	3294	0.57
About once/month	4650	0.80
About once/year	5640	0.97
< once/year	9359	1.61
Never used	555E3	95.76

Frequency Missing = 42796.027912

Frequency Missing = 55562.293647

HOW OFTEN NORMALLY USE LIQUOR		
	q22f Frequency	Percent
Every day	880	0.15
Several times/wk	12749	2.13
Several times/mo	51063	8.54
About once/month	67782	11.34
About once/year	59553	9.96
< once/year	46559	7.79
Never used	359E3	60.09

HOW OFTEN NORMALLY USE CRACK		
	q22j Frequency	Percent
Every day	308	0.05
Several times/wk	296	0.05
Several times/mo	888	0.15
About once/month	1020	0.18
About once/year	1618	0.28
< once/year	3265	0.56
Never used	575E3	98.73

Frequency Missing = 53087.081286

HOW OFTEN NORMALLY USE HALLUCINOGENS		
	q22l Frequency	Percent
Every day	474	0.08
Several times/wk	296	0.05
Several times/mo	2028	0.35
About once/month	5949	1.03
About once/year	8142	1.41
< once/year	7050	1.22
Never used	553E3	95.85

Frequency Missing = 58451.803164

HOW OFTEN NORMALLY USE UPPERS		
	q22m Frequency	Percent
Every day	1041	0.18
Several times/wk	1800	0.31
Several times/mo	5059	0.88
About once/month	6177	1.07
About once/year	8014	1.39
< once/year	8400	1.46
Never used	545E3	94.70

Frequency Missing = 59976.364245

HOW OFTEN NORMALLY USE DOWNERS		
	q22n Frequency	Percent
Every day	688	0.12
Several times/wk	2251	0.39
Several times/mo	4936	0.85
About once/month	6342	1.09
About once/year	7322	1.26
< once/year	7611	1.31
Never used	552E3	94.98

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

Frequency Missing = 54178.979379

HOW OFTEN NORMALLY USE ROHYPNOL		
	q22o	Frequency Percent
Every day	220	0.04
Several times/wk	647	0.11
Several times/mo	672	0.12
About once/month	1772	0.31
About once/year	1651	0.29
< once/year	2564	0.44
Never used	571E3	98.70

Frequency Missing = 56753.780829

HOW OFTEN NORMALLY USE STEROIDS		
	q22p	Frequency Percent
Every day	1272	0.22
Several times/wk	906	0.16
Several times/mo	671	0.12
About once/month	1160	0.20
About once/year	993	0.17
< once/year	3311	0.57
Never used	573E3	98.57

Frequency Missing = 53887.213033

HOW OFTEN NORMALLY USE ECSTASY		
	q22q	Frequency Percent
Every day	265	0.05
Several times/wk	934	0.16
Several times/mo	3987	0.68
About once/month	6384	1.09
About once/year	8974	1.53
< once/year	9301	1.59
Never used	557E3	94.91

Frequency Missing = 48529.991395

HOW OFTEN NORMALLY USE HEROIN		
	q22r	Frequency Percent
Every day	433	0.07
Several times/wk	414	0.07
Several times/mo	840	0.14
About once/month	1147	0.19
About once/year	1728	0.29
< once/year	3197	0.54
Never used	582E3	98.69

Frequency Missing = 45222.739154

AMOUNT OF BEER AT ONE TIME		
	q23a	Frequency Percent
Never drink this	343E3	57.77
12+ drinks	15867	2.67
9-11 drinks	15844	2.67
5-8 drinks	34143	5.75
3-4 drinks	49626	8.36
2 drinks	36304	6.11
1 drink	45079	7.59
< 1 drink	53953	9.08

Frequency Missing = 41357.662253

AMOUNT OF WINE COOLERS AT ONE TIME		
	q23b	Frequency Percent
Never drink this	34E4	57.49
12+ drinks	5525	0.93
9-11 drinks	2843	0.48
5-8 drinks	8551	1.45
3-4 drinks	22586	3.82
2 drinks	34220	5.79
1 drink	73112	12.37
< 1 drink	104E3	17.67

Frequency Missing = 44110.10168

AMOUNT OF WINE AT ONE TIME		
	q23c	Frequency Percent
Never drink this	337E3	56.67
12+ drinks	10141	1.71
9-11 drinks	8188	1.38
5-8 drinks	25667	4.32
3-4 drinks	47468	7.99
2 drinks	47350	7.97
1 drink	60068	10.11
< 1 drink	58499	9.85

Frequency Missing = 41233.999386

AMOUNT OF LIQUOR AT ONE TIME		
	q23d	Frequency Percent
Never drink this	327E3	54.63
12+ drinks	17037	2.85
9-11 drinks	13820	2.31
5-8 drinks	32924	5.50
3-4 drinks	41696	6.96
2 drinks	38187	6.38
1 drink	47023	7.85
< 1 drink	80926	13.52

Frequency Missing = 36618.978722

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
	q24	Frequency Percent
Never 5+ at time	29E4	47.82
None	207E3	34.13
1 day	36795	6.07
2 days	24810	4.09
3 to 5 days	25382	4.19
6 to 9 days	11691	1.93
10 or more days	10749	1.77

Frequency Missing = 28921.207061

GET ALCOHOLIC BEVERAGES FROM HOME		
	q25a	Frequency Percent
Do not Drink	279E3	46.71
Never	133E3	22.18
Seldom	13E4	21.69
Most of the Time	38622	6.46
Always	17711	2.96

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

Frequency Missing = 37285.216258

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
	q25b Frequency	Percent
Do not Drink	278E3	46.69
Never	101E3	16.94
Seldom	80966	13.60
Most of the Time	94628	15.89
Always	40941	6.88

Frequency Missing = 39931.75299

GET ALCOHOLIC BEVERAGES FROM A STORE		
	q25c Frequency	Percent
Do not Drink	283E3	47.77
Never	23E4	38.79
Seldom	43665	7.38
Most of the Time	24139	4.08
Always	11696	1.98

Frequency Missing = 43406.825711

GET ALCOHOLIC BEVERAGES AT PARTIES		
	q25d Frequency	Percent
Do not Drink	269E3	45.28
Never	101E3	16.96
Seldom	73789	12.40
Most of the Time	80485	13.53
Always	70410	11.83

Frequency Missing = 40254.901683

GET ALCOHOLIC BEVERAGES FROM OTHER		
	q25e Frequency	Percent
Do not Drink	283E3	47.74
Never	149E3	25.05
Seldom	76161	12.84
Most of the Time	47089	7.94
Always	38072	6.42

Frequency Missing = 42322.458546

USE MARIJUANA AS JOINTS		
	q26a Frequency	Percent
Never	495E3	82.95
Seldom	46028	7.71
Half the time	22949	3.84
Most of the time	17723	2.97
Always	11179	1.87
Don't know	3907	0.65

Frequency Missing = 38420.44738

USE MARIJUANA AS BLUNTS		
	q26b Frequency	Percent
Never	485E3	81.51
Seldom	37991	6.38
Half the time	19820	3.33
Most of the time	24741	4.16
Always	23069	3.88
Don't know	4415	0.74

Frequency Missing = 40139.253155

USE MARIJUANA IN BONGS OR WATER PIPES		
	q26c Frequency	Percent
Never	515E3	87.25
Seldom	31973	5.42
Half the time	15184	2.57
Most of the time	15318	2.59
Always	9804	1.66
Don't know	2965	0.50

Frequency Missing = 44971.171119

USE MARIJUANA IN PIPES		
	q26d Frequency	Percent
Never	506E3	86.27
Seldom	28664	4.88
Half the time	16430	2.80
Most of the time	20550	3.50
Always	12424	2.12
Don't know	2557	0.44

Frequency Missing = 48206.997297

USE MARIJUANA OTHER WAYS		
	q26e Frequency	Percent
Never	53E4	89.99
Seldom	27531	4.68
Half the time	8567	1.45
Most of the time	8036	1.36
Always	6830	1.16
Don't know	7994	1.36

Frequency Missing = 46442.654674

USED METHAMPHETAMINE EVEN ONE TIME		
	q27 Frequency	Percent
Never heard/used	577E3	96.35
At least once/month	4682	0.78
At least once/year	4851	0.81
At least once/life	12344	2.06

Frequency Missing = 36614.69453

RECENT PRESCRIPTION DRUG USE - CODEINE		
	Q28A Frequency	Percent
Never heard/used	502E3	87.88
At least once/month	23330	4.09
At least once/year	22994	4.03
At least once/life	22911	4.01

Frequency Missing = 64199.33158

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC		
	Q28B Frequency	Percent
Never heard/used	536E3	95.47
At least once/month	5416	0.96
At least once/year	8790	1.56
At least once/life	11252	2.00

Frequency Missing = 73384.270111

RECENT PRESCRIPTION DRUG USE - VICODIN ETC		
	Q28C Frequency	Percent
Never heard/used	522E3	93.47
At least once/month	11088	1.99
At least once/year	12911	2.31
At least once/life	12428	2.23

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

Frequency Missing = 77107.296876

RECENT PRESCRIPTION DRUG USE - VALIUM ETC		
Q28D Frequency Percent		
Never heard/used	546E3	96.67
At least once/month	4729	0.84
At least once/year	6746	1.20
At least once/life	7318	1.30

Frequency Missing = 70885.823256

RECENT PRESCRIPTION DRUG USE - XANAX ETC		
Q28E Frequency Percent		
Never heard/used	541E3	94.41
At least once/month	9455	1.65
At least once/year	10019	1.75
At least once/life	12535	2.19

Frequency Missing = 62552.619038

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q29 Frequency Percent		
Never heard/used	54E4	92.70
At least once/month	11905	2.04
At least once/year	12608	2.16
At least once/life	17992	3.09

Frequency Missing = 52765.858737

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a Frequency Percent		
Very	255E3	47.83
Somewhat	153E3	28.69
Not very	81072	15.20
Not at all	24556	4.60
Don't know	19592	3.67

Frequency Missing = 101993.03503

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b Frequency Percent		
Very	225E3	42.58
Somewhat	182E3	34.43
Not very	87464	16.56
Not at all	19585	3.71
Don't know	14378	2.72

Frequency Missing = 107240.83471

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c Frequency Percent		
Very	356E3	70.25
Somewhat	90259	17.82
Not very	27902	5.51
Not at all	9540	1.88
Don't know	22987	4.54

Frequency Missing = 128713.94192

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d Frequency Percent		
Very	283E3	56.21
Somewhat	84294	16.71
Not very	65705	13.03
Not at all	56913	11.28
Don't know	13975	2.77

Frequency Missing = 130920.59537

DANGEROUS FOR KIDS TO USE COCAINE		
q30e Frequency Percent		
Very	407E3	83.00
Somewhat	50691	10.33
Not very	10105	2.06
Not at all	3785	0.77
Don't know	18878	3.85

Frequency Missing = 144495.31955

DANGEROUS FOR KIDS TO USE CRACK		
q30f Frequency Percent		
Very	428E3	85.18
Somewhat	43656	8.69
Not very	7194	1.43
Not at all	3747	0.75
Don't know	19828	3.95

Frequency Missing = 133161.56471

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g Frequency Percent		
Very	402E3	78.71
Somewhat	54856	10.74
Not very	16276	3.19
Not at all	7310	1.43
Don't know	30242	5.92

Frequency Missing = 124762.99145

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h Frequency Percent		
Very	383E3	72.35
Somewhat	85447	16.12
Not very	27201	5.13
Not at all	8665	1.63
Don't know	25266	4.77

Frequency Missing = 105217.70044

DANGEROUS FOR KIDS TO USE HEROIN		
q30i Frequency Percent		
Very	477E3	88.56
Somewhat	29878	5.55
Not very	5481	1.02
Not at all	3612	0.67
Don't know	22591	4.20

Frequency Missing = 97207.814613

**Region 3: Grades 7-12
Spring 2008**

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q30j Frequency Percent		
Very	472E3	85.05
Somewhat	33630	6.05
Not very	6017	1.08
Not at all	4276	0.77
Don't know	39098	7.04

Frequency Missing = 79861.011206

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d Frequency Percent		
None	457E3	79.05
1-3 days	86410	14.95
4-9 days	20559	3.56
10+ days	14074	2.44

Frequency Missing = 57466.676098

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a Frequency Percent		
None	525E3	93.25
1-3 times	32260	5.73
4-9 times	4373	0.78
10+ times	1354	0.24

Frequency Missing = 72303.240252

DAYS SKIPPED SINCE SEPTEMBER		
q31a Frequency Percent		
None	427E3	73.53
1-3 days	114E3	19.58
4-9 days	26561	4.58
10+ days	13453	2.32

Frequency Missing = 54860.320233

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e Frequency Percent		
None	476E3	83.63
1-3 days	70568	12.40
4-9 days	13624	2.39
10+ days	8986	1.58

Frequency Missing = 66041.558147

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b Frequency Percent		
None	519E3	92.63
1-3 times	32353	5.78
4-9 times	4887	0.87
10+ times	4031	0.72

Frequency Missing = 75058.455357

DAYS ILL SINCE SEPTEMBER		
q31b Frequency Percent		
None	136E3	23.58
1-3 days	296E3	51.33
4-9 days	116E3	20.16
10+ days	28459	4.93

Frequency Missing = 57859.077433

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f Frequency Percent		
None	564E3	99.11
1-3 days	3932	0.69
4-9 days	486	0.09
10+ days	620	0.11

Frequency Missing = 66301.678913

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c Frequency Percent		
None	517E3	92.90
1-3 times	33625	6.04
4-9 times	4263	0.77
10+ times	1638	0.29

Frequency Missing = 78835.621773

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c Frequency Percent		
None	213E3	37.00
1-3 days	299E3	51.94
4-9 days	49786	8.64
10+ days	13964	2.42

Frequency Missing = 59042.311611

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g Frequency Percent		
None	571E3	98.95
1-3 days	3937	0.68
4-9 days	1093	0.19
10+ days	1029	0.18

Frequency Missing = 58055.166535

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d Frequency Percent		
None	538E3	96.94
1-3 times	14678	2.65
4-9 times	1557	0.28
10+ times	750	0.14

Frequency Missing = 80773.279156

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e Frequency Percent		
None	509E3	94.53
1-3 times	24269	4.50
4-9 times	3327	0.62
10+ times	1903	0.35

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 3: Grades 7-12
Spring 2008**

Frequency Missing = 96412.690433

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f Frequency Percent		
None	501E3	93.28
1-3 times	21946	4.09
4-9 times	6227	1.16
10+ times	7904	1.47

Frequency Missing = 98421.350858

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g Frequency Percent		
None	507E3	94.18
1-3 times	24609	4.57
4-9 times	4172	0.78
10+ times	2536	0.47

Frequency Missing = 97010.592786

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h Frequency Percent		
None	539E3	97.84
1-3 times	9381	1.70
4-9 times	1696	0.31
10+ times	843	0.15

Frequency Missing = 84308.72291

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a Frequency Percent		
None	536E3	93.13
1-3 days	29383	5.10
4-9 days	5403	0.94
10+ days	4796	0.83

Frequency Missing = 59490.962505

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b Frequency Percent		
None	528E3	91.71
1-3 days	25916	4.50
4-9 days	8319	1.44
10+ days	13518	2.35

Frequency Missing = 59483.492688

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c Frequency Percent		
None	566E3	98.29
1-3 days	6891	1.20
4-9 days	994	0.17
10+ days	1971	0.34

Frequency Missing = 59085.035657

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d Frequency Percent		
None	549E3	94.75
1-3 days	18647	3.22
4-9 days	5567	0.96
10+ days	6211	1.07

Frequency Missing = 56236.250985

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a Frequency Percent		
Never	265E3	45.35
Seldom	60729	10.40
Half the time	41414	7.09
Most of the time	68546	11.74
Always	77757	13.32
Don't know	10506	1.80
Didn't attend	60074	10.29

Frequency Missing = 51538.024551

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b Frequency Percent		
Never	326E3	55.82
Seldom	60836	10.41
Half the time	42582	7.29
Most of the time	41544	7.11
Always	37961	6.50
Don't know	15048	2.58
Didn't attend	60210	10.30

Frequency Missing = 50947.755173

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35 Frequency Percent		
No	506E3	94.18
Yes	31274	5.82

Frequency Missing = 97649.532875

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a Frequency Percent		
No	392E3	68.86
Yes	177E3	31.14

Frequency Missing = 66249.905958

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b Frequency Percent		
No	391E3	69.21
Yes	174E3	30.79

Frequency Missing = 70330.603531

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c Frequency Percent		
No	343E3	61.40
Yes	216E3	38.60

Frequency Missing = 76066.641372

**Region 3: Grades 7-12
Spring 2008**

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	219E3	38.82
Yes	345E3	61.18

Frequency Missing = 72167.840745

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	279E3	54.67
Yes	231E3	45.33

Frequency Missing = 124747.28296

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	435E3	86.86
Yes	65809	13.14

Frequency Missing = 134465.17015

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	313E3	55.91
Yes	246E3	44.09

Frequency Missing = 76172.604145

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	248E3	49.22
Yes	256E3	50.78

Frequency Missing = 131145.26662

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	338E3	66.85
Yes	167E3	33.15

Frequency Missing = 130227.23614

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	147E3	26.10
Yes	416E3	73.90

Frequency Missing = 71779.450136

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	387E3	78.00
Yes	109E3	22.00

Frequency Missing = 138601.45551

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	35E4	68.67
Yes	16E4	31.33

Frequency Missing = 125871.85006

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	22E4	38.77
Yes	347E3	61.23

Frequency Missing = 68359.570031

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q37d	Frequency	Percent
No	34E4	68.37
Yes	157E3	31.63

Frequency Missing = 137990.73008

DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	416E3	74.61
Yes	142E3	25.39

Frequency Missing = 77567.083694

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	489E3	87.31
Yes	71099	12.69

Frequency Missing = 74804.703645

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	435E3	87.49
Yes	62254	12.51

Frequency Missing = 137744.10315

DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS		
q38b	Frequency	Percent
No		303E3
Yes		251E3

**Region 3: Grades 7-12
Spring 2008**

Frequency Missing = 66077.388701

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	54.75
Yes	45.25

Frequency Missing = 81507.914548

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	26E4	46.83
Yes	295E3	53.17

Frequency Missing = 81032.509162

DRUG/ALCOHOL INFO--PARENTS		
q38d	Frequency	Percent
No	296E3	52.93
Yes	263E3	47.07

Frequency Missing = 76326.793827

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a Frequency Percent		
Strong disapprove	437E3	76.68
Mild disapprove	51401	9.01
Neither	36470	6.39
Mildly approve	5613	0.98
Strongly approve	4991	0.88
Don't know	34523	6.05

Frequency Missing = 64889.668472

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b Frequency Percent		
Strong disapprove	37E4	65.06
Mild disapprove	85577	15.03
Neither	55765	9.80
Mildly approve	17959	3.16
Strongly approve	6482	1.14
Don't know	33108	5.82

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c Frequency Percent		
Strong disapprove	471E3	82.56
Mild disapprove	30487	5.34
Neither	23713	4.15
Mildly approve	6031	1.06
Strongly approve	6607	1.16
Don't know	32710	5.73

Frequency Missing = 64359.879899

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	523E3	90.93
Yes	52169	9.07

Frequency Missing = 60091.102157

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	501E3	87.73
Yes	70063	12.27

Frequency Missing = 64362.133287

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district