

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	13.9%	18.5%	32.1%	67.9%
	<b>Grade 7</b>	4.6%	6.0%	14.5%	85.5%
	<b>Grade 8</b>	8.7%	14.0%	30.2%	69.8%
	<b>Grade 9</b>	11.1%	15.1%	27.2%	72.8%
	<b>Grade 10</b>	19.0%	23.2%	36.9%	63.1%
	<b>Grade 11</b>	16.5%	22.5%	36.4%	63.6%
	<b>Grade 12</b>	24.9%	31.9%	49.6%	50.4%
<b>Cigarettes</b>					
	<b>All</b>	12.0%	16.7%	30.4%	69.6%
	<b>Grade 7</b>	4.1%	5.7%	13.7%	86.3%
	<b>Grade 8</b>	7.1%	11.7%	28.2%	71.8%
	<b>Grade 9</b>	8.9%	12.6%	25.2%	74.8%
	<b>Grade 10</b>	17.4%	21.2%	35.7%	64.3%
	<b>Grade 11</b>	14.4%	21.0%	34.6%	65.4%
	<b>Grade 12</b>	21.3%	29.9%	47.3%	52.7%
<b>Smokeless tobacco</b>					
	<b>All</b>	5.2%	7.3%	12.2%	87.8%
	<b>Grade 7</b>	1.4%	1.6%	3.2%	96.8%
	<b>Grade 8</b>	3.4%	5.5%	11.5%	88.5%
	<b>Grade 9</b>	4.8%	6.8%	10.0%	90.0%
	<b>Grade 10</b>	5.7%	8.4%	12.6%	87.4%
	<b>Grade 11</b>	5.7%	8.8%	16.9%	83.1%
	<b>Grade 12</b>	10.8%	13.4%	19.8%	80.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
<b>All</b>	71.9%	5.8%	2.6%	3.2%	5.0%	4.0%	7.7%
<b>Grade 7</b>	87.6%	0.7%	0.4%	1.6%	3.2%	1.8%	4.7%
<b>Grade 8</b>	74.4%	2.1%	2.3%	1.8%	7.0%	5.1%	7.3%
<b>Grade 9</b>	77.4%	3.1%	3.0%	4.3%	2.5%	4.0%	5.7%
<b>Grade 10</b>	64.7%	7.6%	4.1%	3.0%	6.0%	5.1%	9.5%
<b>Grade 11</b>	66.7%	8.8%	3.4%	2.5%	6.5%	2.5%	9.5%
<b>Grade 12</b>	58.7%	13.4%	2.2%	6.0%	4.6%	5.3%	9.8%
<b>Cigarettes?</b>							
<b>All</b>	73.1%	4.0%	2.3%	3.2%	5.2%	4.1%	8.2%
<b>Grade 7</b>	88.4%	0.5%	0.4%	1.6%	3.2%	1.9%	4.1%
<b>Grade 8</b>	76.0%	1.5%	1.9%	1.6%	6.3%	4.8%	7.9%
<b>Grade 9</b>	78.5%	2.3%	1.6%	4.6%	2.9%	3.9%	6.3%
<b>Grade 10</b>	65.5%	5.8%	4.0%	2.5%	6.2%	5.7%	10.3%
<b>Grade 11</b>	67.9%	6.5%	3.9%	3.3%	5.5%	2.1%	10.8%
<b>Grade 12</b>	60.9%	8.0%	2.2%	6.1%	6.8%	6.1%	9.8%
<b>Smokeless tobacco?</b>							
<b>All</b>	89.1%	2.3%	1.0%	0.6%	1.6%	1.9%	3.4%
<b>Grade 7</b>	97.1%	0.2%	0.2%	0.3%	0.3%	0.6%	1.3%
<b>Grade 8</b>	91.0%	0.7%	0.5%	0.3%	2.4%	2.0%	3.1%
<b>Grade 9</b>	91.2%	1.0%	1.8%	1.6%	1.4%	1.6%	1.4%
<b>Grade 10</b>	86.8%	2.9%	1.1%	0.8%	2.5%	2.9%	3.0%
<b>Grade 11</b>	86.8%	3.1%	1.5%	0.2%	2.0%	1.6%	4.8%
<b>Grade 12</b>	80.8%	6.4%	0.7%	0.5%	1.2%	2.7%	7.7%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>	10.7	11.1	12.0	12.7	13.6	14.4
<b>Smokeless tobacco</b>	11.0	11.6	12.2	13.1	14.0	14.7
<b>Any Tobacco</b>	10.7	11.1	11.9	12.5	13.5	14.4

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

	<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Any tobacco product??</b>						
<b>All</b>	11.4%	17.5%	5.6%	7.8%	16.4%	41.2%
<b>Grade 7</b>	18.7%	35.8%	10.2%	9.3%	12.5%	13.3%
<b>Grade 8</b>	9.2%	24.7%	10.4%	12.0%	13.7%	30.1%
<b>Grade 9</b>	14.0%	17.4%	4.9%	8.4%	20.2%	35.1%
<b>Grade 10</b>	9.4%	8.2%	3.4%	8.2%	22.5%	48.3%
<b>Grade 11</b>	8.2%	13.7%	1.7%	5.4%	20.9%	50.1%
<b>Grade 12</b>	8.3%	3.8%	2.3%	2.8%	8.8%	74.1%
<b>Cigarettes?</b>						
<b>All</b>	11.7%	18.7%	6.1%	8.2%	16.7%	38.5%
<b>Grade 7</b>	19.1%	37.7%	11.7%	8.1%	12.0%	11.4%
<b>Grade 8</b>	9.2%	28.1%	10.8%	11.5%	13.8%	26.6%
<b>Grade 9</b>	14.2%	17.8%	5.8%	10.9%	20.5%	30.8%
<b>Grade 10</b>	10.1%	9.2%	3.2%	9.3%	23.2%	45.1%
<b>Grade 11</b>	8.6%	13.9%	1.8%	6.3%	21.9%	47.5%
<b>Grade 12</b>	8.4%	3.8%	2.3%	2.8%	9.2%	73.6%
<b>Smokeless Tobacco?</b>						
<b>All</b>	18.7%	21.6%	7.0%	9.0%	14.2%	29.4%
<b>Grade 7</b>	29.3%	38.8%	9.6%	9.2%	7.7%	5.3%
<b>Grade 8</b>	21.0%	30.2%	9.4%	13.1%	10.6%	15.8%
<b>Grade 9</b>	19.0%	23.1%	10.3%	11.8%	14.5%	21.3%
<b>Grade 10</b>	15.0%	13.4%	7.2%	8.3%	19.8%	36.3%
<b>Grade 11</b>	14.4%	17.0%	1.7%	5.6%	21.6%	39.6%
<b>Grade 12</b>	12.6%	5.0%	2.7%	5.1%	12.1%	62.5%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table T-5: About how many of your close friends...**

	None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>					
<b>All</b>	43.1%	28.8%	16.5%	9.4%	2.2%
<b>Grade 7</b>	69.7%	22.0%	5.8%	1.7%	0.7%
<b>Grade 8</b>	49.7%	31.5%	12.9%	4.9%	0.9%
<b>Grade 9</b>	35.5%	34.7%	17.6%	9.0%	3.3%
<b>Grade 10</b>	35.6%	28.2%	20.7%	12.3%	3.2%
<b>Grade 11</b>	35.5%	30.7%	18.3%	14.4%	1.1%
<b>Grade 12</b>	30.0%	25.6%	24.9%	15.4%	4.2%
<b>Smoke cigarettes?</b>					
<b>All</b>	46.5%	29.2%	14.6%	7.7%	2.0%
<b>Grade 7</b>	72.9%	20.2%	4.7%	1.5%	0.7%
<b>Grade 8</b>	54.3%	30.1%	10.5%	4.2%	0.8%
<b>Grade 9</b>	40.7%	36.8%	12.8%	6.5%	3.1%
<b>Grade 10</b>	38.8%	29.0%	18.8%	10.5%	2.9%
<b>Grade 11</b>	36.8%	32.9%	18.3%	10.9%	1.0%
<b>Grade 12</b>	33.1%	26.4%	23.5%	13.4%	3.6%
<b>Use a smokeless tobacco product?</b>					
<b>All</b>	63.7%	19.7%	11.5%	4.1%	1.0%
<b>Grade 7</b>	84.6%	11.6%	3.2%	0.2%	0.4%
<b>Grade 8</b>	69.3%	21.3%	6.8%	2.4%	0.2%
<b>Grade 9</b>	58.7%	24.3%	11.3%	3.4%	2.3%
<b>Grade 10</b>	57.9%	21.9%	13.5%	5.6%	1.1%
<b>Grade 11</b>	57.6%	18.4%	16.2%	7.7%	0.2%
<b>Grade 12</b>	52.4%	20.4%	19.5%	5.5%	2.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	72.4%	8.8%	8.6%	1.3%	1.5%	7.4%
<b>Grade 7</b>	83.9%	2.0%	2.5%	0.3%	1.4%	9.8%
<b>Grade 8</b>	77.0%	10.1%	5.8%	0.9%	1.1%	5.1%
<b>Grade 9</b>	75.3%	7.4%	5.6%	1.4%	1.3%	9.1%
<b>Grade 10</b>	69.4%	11.4%	9.7%	2.3%	1.5%	5.7%
<b>Grade 11</b>	70.2%	9.6%	9.8%	1.8%	1.3%	7.3%
<b>Grade 12</b>	57.0%	12.6%	19.0%	1.2%	2.5%	7.7%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	50.7%	24.1%	14.7%	5.2%	5.4%
<b>Grade 7</b>	73.0%	18.0%	4.3%	1.2%	3.5%
<b>Grade 8</b>	53.7%	26.6%	11.7%	3.0%	5.1%
<b>Grade 9</b>	47.3%	28.2%	14.4%	4.9%	5.3%
<b>Grade 10</b>	47.9%	24.6%	16.1%	6.5%	4.8%
<b>Grade 11</b>	41.4%	24.5%	21.4%	6.0%	6.7%
<b>Grade 12</b>	38.5%	22.8%	21.5%	10.2%	7.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	27.0%	36.1%	57.3%	42.7%
	<b>Grade 7</b>	13.9%	17.7%	40.7%	59.3%
	<b>Grade 8</b>	22.2%	31.3%	55.9%	44.1%
	<b>Grade 9</b>	23.7%	35.1%	55.7%	44.3%
	<b>Grade 10</b>	31.5%	40.2%	59.2%	40.8%
	<b>Grade 11</b>	29.7%	43.2%	63.4%	36.6%
	<b>Grade 12</b>	42.5%	50.9%	70.6%	29.4%
<b>Beer</b>					
	<b>All</b>	16.6%	24.6%	41.9%	58.1%
	<b>Grade 7</b>	6.3%	9.7%	26.2%	73.8%
	<b>Grade 8</b>	12.6%	19.5%	41.7%	58.3%
	<b>Grade 9</b>	13.5%	22.7%	39.1%	60.9%
	<b>Grade 10</b>	20.4%	30.3%	46.1%	53.9%
	<b>Grade 11</b>	17.9%	28.4%	43.6%	56.4%
	<b>Grade 12</b>	30.3%	38.7%	56.0%	44.0%
<b>Wine coolers</b>					
	<b>All</b>	15.6%	24.9%	42.8%	57.2%
	<b>Grade 7</b>	7.8%	10.8%	27.1%	72.9%
	<b>Grade 8</b>	14.7%	23.6%	42.3%	57.7%
	<b>Grade 9</b>	14.7%	23.6%	42.0%	58.0%
	<b>Grade 10</b>	17.2%	28.8%	45.9%	54.1%
	<b>Grade 11</b>	19.5%	32.7%	49.4%	50.6%
	<b>Grade 12</b>	20.8%	31.0%	51.5%	48.5%
<b>Wine</b>					
	<b>All</b>	9.5%	17.8%	38.1%	61.9%
	<b>Grade 7</b>	7.5%	11.1%	23.7%	76.3%
	<b>Grade 8</b>	5.9%	12.5%	31.9%	68.1%
	<b>Grade 9</b>	7.1%	16.1%	37.8%	62.2%
	<b>Grade 10</b>	12.1%	20.1%	41.6%	58.4%
	<b>Grade 11</b>	10.7%	22.0%	42.9%	57.1%
	<b>Grade 12</b>	14.6%	26.7%	52.8%	47.2%
<b>Liquor</b>					
	<b>All</b>	18.2%	26.5%	40.6%	59.4%
	<b>Grade 7</b>	5.0%	7.2%	16.8%	83.2%
	<b>Grade 8</b>	12.5%	19.3%	35.0%	65.0%
	<b>Grade 9</b>	16.0%	26.5%	39.5%	60.5%
	<b>Grade 10</b>	22.5%	30.2%	45.4%	54.6%
	<b>Grade 11</b>	21.4%	34.3%	50.9%	49.1%
	<b>Grade 12</b>	33.0%	43.5%	57.7%	42.3%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	49.6%	0.9%	3.8%	11.6%	12.9%	11.7%	9.6%
	<b>Grade 7</b>	68.0%	0.5%	2.4%	4.1%	7.4%	8.3%	9.3%
	<b>Grade 8</b>	51.5%	0.6%	3.6%	9.8%	11.7%	14.7%	8.1%
	<b>Grade 9</b>	48.7%	1.4%	4.2%	9.2%	13.8%	12.5%	10.2%
	<b>Grade 10</b>	49.4%	0.6%	3.3%	15.1%	12.4%	10.2%	9.0%
	<b>Grade 11</b>	42.0%	1.4%	4.4%	14.4%	13.5%	13.6%	10.7%
	<b>Grade 12</b>	35.7%	0.9%	5.0%	17.6%	19.5%	11.0%	10.3%
<b>Beer?</b>								
	<b>All</b>	60.3%	0.5%	2.7%	8.8%	9.3%	9.0%	9.5%
	<b>Grade 7</b>	77.5%	0.3%	1.2%	3.2%	4.1%	5.0%	8.7%
	<b>Grade 8</b>	59.8%	0.1%	2.2%	8.1%	8.1%	12.0%	9.8%
	<b>Grade 9</b>	62.9%	0.7%	3.1%	5.7%	10.1%	8.3%	9.2%
	<b>Grade 10</b>	58.7%	0.5%	2.2%	13.6%	9.4%	7.7%	8.0%
	<b>Grade 11</b>	53.5%	0.6%	3.3%	9.6%	12.6%	10.7%	9.8%
	<b>Grade 12</b>	47.7%	0.6%	4.3%	13.1%	12.2%	10.6%	11.7%
<b>Wine coolers?</b>								
	<b>All</b>	61.9%	0.3%	1.7%	7.6%	9.7%	11.1%	7.7%
	<b>Grade 7</b>	79.0%	0.6%	1.4%	2.4%	3.6%	7.3%	5.8%
	<b>Grade 8</b>	61.8%	0.5%	1.2%	7.4%	9.3%	12.8%	7.0%
	<b>Grade 9</b>	60.4%	0.6%	1.6%	6.4%	9.7%	14.2%	7.0%
	<b>Grade 10</b>	60.0%	0.0%	1.8%	10.7%	10.6%	8.8%	8.1%
	<b>Grade 11</b>	56.1%	0.0%	2.3%	12.1%	9.4%	11.8%	8.3%
	<b>Grade 12</b>	52.5%	0.2%	1.9%	6.8%	16.4%	11.9%	10.4%
<b>Wine?</b>								
	<b>All</b>	64.1%	0.1%	1.2%	5.0%	8.3%	11.0%	10.4%
	<b>Grade 7</b>	79.9%	0.0%	1.7%	1.9%	4.5%	5.9%	6.0%
	<b>Grade 8</b>	66.0%	0.0%	0.8%	4.8%	7.4%	13.6%	7.3%
	<b>Grade 9</b>	64.1%	0.0%	1.3%	4.4%	6.6%	10.1%	13.5%
	<b>Grade 10</b>	61.0%	0.0%	0.8%	6.0%	9.4%	12.0%	10.9%
	<b>Grade 11</b>	58.6%	0.4%	1.8%	5.5%	8.9%	12.8%	11.9%
	<b>Grade 12</b>	53.2%	0.2%	0.8%	7.5%	13.6%	11.5%	13.2%
<b>Liquor?</b>								
	<b>All</b>	63.1%	0.3%	2.3%	8.5%	10.1%	8.8%	6.8%
	<b>Grade 7</b>	86.8%	0.0%	1.3%	2.1%	2.2%	4.6%	3.1%
	<b>Grade 8</b>	66.7%	0.0%	2.7%	6.3%	7.8%	10.4%	6.3%
	<b>Grade 9</b>	64.6%	0.8%	2.4%	7.2%	9.4%	7.7%	8.0%
	<b>Grade 10</b>	58.3%	0.1%	1.9%	11.3%	10.7%	9.8%	7.9%
	<b>Grade 11</b>	52.5%	0.9%	3.4%	11.5%	10.6%	13.5%	7.6%
	<b>Grade 12</b>	48.0%	0.1%	2.5%	13.4%	20.7%	6.9%	8.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	60.8%	39.2%	11.7%	19.7%	7.8%
	<b>Grade 7</b>	84.3%	15.7%	3.2%	6.5%	6.0%
	<b>Grade 8</b>	62.8%	37.2%	7.1%	19.2%	11.0%
	<b>Grade 9</b>	61.7%	38.3%	9.7%	20.4%	8.2%
	<b>Grade 10</b>	55.7%	44.3%	14.5%	20.8%	9.0%
	<b>Grade 11</b>	52.1%	47.9%	18.9%	23.6%	5.5%
	<b>Grade 12</b>	45.9%	54.1%	18.1%	29.3%	6.7%
<b>Wine Coolers</b>						
	<b>All</b>	62.6%	37.4%	4.6%	19.7%	13.1%
	<b>Grade 7</b>	75.7%	24.3%	3.2%	9.3%	11.8%
	<b>Grade 8</b>	62.2%	37.8%	2.7%	21.5%	13.7%
	<b>Grade 9</b>	62.6%	37.4%	3.0%	19.8%	14.5%
	<b>Grade 10</b>	62.9%	37.1%	6.7%	18.3%	12.0%
	<b>Grade 11</b>	58.6%	41.4%	6.4%	23.1%	11.9%
	<b>Grade 12</b>	52.3%	47.7%	5.8%	27.0%	14.9%
<b>Wine</b>						
	<b>All</b>	59.7%	40.3%	11.0%	22.6%	6.7%
	<b>Grade 7</b>	76.9%	23.1%	3.3%	12.1%	7.8%
	<b>Grade 8</b>	57.9%	42.1%	7.6%	25.0%	9.5%
	<b>Grade 9</b>	57.8%	42.2%	10.7%	23.8%	7.7%
	<b>Grade 10</b>	57.0%	43.0%	15.5%	21.7%	5.8%
	<b>Grade 11</b>	56.3%	43.7%	17.3%	22.5%	3.9%
	<b>Grade 12</b>	50.9%	49.1%	12.5%	31.9%	4.8%
<b>Liquor</b>						
	<b>All</b>	58.6%	41.4%	12.5%	18.0%	10.8%
	<b>Grade 7</b>	73.4%	26.6%	4.7%	9.6%	12.2%
	<b>Grade 8</b>	55.9%	44.1%	8.8%	19.1%	16.2%
	<b>Grade 9</b>	60.5%	39.5%	9.4%	19.3%	10.7%
	<b>Grade 10</b>	58.5%	41.5%	16.5%	17.1%	7.9%
	<b>Grade 11</b>	53.6%	46.4%	17.7%	20.3%	8.4%
	<b>Grade 12</b>	48.5%	51.5%	19.1%	23.6%	8.7%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		<b>Never/None</b>	<b>1 day</b>	<b>2 days</b>	<b>3 to 5 days</b>	<b>6 to 9 days</b>	<b>10 or more days</b>
<b>Alcohol</b>	<b>All</b>	80.8%	5.5%	4.2%	4.6%	2.0%	2.8%
	<b>Grade 7</b>	93.0%	2.0%	1.7%	1.4%	0.3%	1.6%
	<b>Grade 8</b>	84.8%	6.2%	4.2%	2.3%	0.9%	1.7%
	<b>Grade 9</b>	82.8%	4.5%	3.2%	5.2%	1.9%	2.4%
	<b>Grade 10</b>	76.3%	5.3%	6.5%	6.1%	2.6%	3.2%
	<b>Grade 11</b>	75.1%	6.2%	4.9%	5.9%	4.7%	3.2%
	<b>Grade 12</b>	71.3%	9.1%	5.2%	7.5%	1.9%	5.0%

**Table A-5: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Beer</b>	10.5	11.1	12.0	12.7	13.5	14.3
<b>Wine Coolers</b>	11.2	11.5	12.5	12.7	13.7	14.4
<b>Wine</b>	11.1	11.6	12.4	12.8	13.9	14.2
<b>Liquor</b>	11.5	12.0	13.2	13.7	14.6	15.1
<b>Any Alcohol</b>	10.6	11.0	11.9	12.4	13.5	14.0

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Beer?</b>							
	<b>All</b>	10.3%	15.6%	5.9%	10.4%	21.4%	36.5%
	<b>Grade 7</b>	17.3%	31.3%	10.7%	9.1%	12.5%	19.0%
	<b>Grade 8</b>	8.4%	21.2%	8.9%	11.1%	19.2%	31.2%
	<b>Grade 9</b>	12.6%	14.8%	5.2%	11.3%	20.0%	36.2%
	<b>Grade 10</b>	8.0%	8.4%	3.7%	10.5%	24.8%	44.6%
	<b>Grade 11</b>	7.6%	10.9%	3.4%	10.9%	24.3%	42.9%
	<b>Grade 12</b>	7.4%	5.2%	2.9%	9.1%	28.4%	47.0%
<b>Wine coolers?</b>							
	<b>All</b>	13.8%	16.5%	6.9%	12.0%	19.8%	31.0%
	<b>Grade 7</b>	22.5%	34.8%	10.6%	8.6%	13.4%	10.1%
	<b>Grade 8</b>	13.0%	25.4%	8.9%	11.1%	17.8%	23.8%
	<b>Grade 9</b>	15.8%	14.3%	6.4%	14.7%	17.7%	31.2%
	<b>Grade 10</b>	11.0%	9.1%	6.8%	11.1%	23.1%	38.8%
	<b>Grade 11</b>	9.8%	9.3%	4.9%	15.7%	22.8%	37.5%
	<b>Grade 12</b>	9.9%	4.2%	3.4%	10.8%	25.0%	46.7%
<b>Wine?</b>							
	<b>All</b>	11.9%	18.8%	7.3%	12.6%	19.1%	30.2%
	<b>Grade 7</b>	17.6%	37.2%	10.1%	8.3%	13.7%	13.1%
	<b>Grade 8</b>	11.7%	27.7%	10.0%	13.1%	15.7%	21.8%
	<b>Grade 9</b>	13.8%	16.6%	8.1%	14.1%	15.7%	31.8%
	<b>Grade 10</b>	10.2%	11.3%	6.6%	13.7%	22.6%	35.6%
	<b>Grade 11</b>	9.5%	11.2%	5.4%	13.8%	22.8%	37.4%
	<b>Grade 12</b>	8.0%	6.3%	2.9%	12.6%	25.7%	44.4%
<b>Liquor?</b>							
	<b>All</b>	12.3%	19.9%	8.4%	10.4%	19.0%	30.0%
	<b>Grade 7</b>	21.3%	39.4%	12.3%	6.7%	11.1%	9.2%
	<b>Grade 8</b>	9.6%	29.4%	9.9%	11.6%	16.0%	23.5%
	<b>Grade 9</b>	13.9%	19.4%	12.0%	9.5%	16.5%	28.8%
	<b>Grade 10</b>	9.3%	11.1%	6.5%	11.9%	23.0%	38.2%
	<b>Grade 11</b>	9.4%	11.6%	6.3%	12.2%	23.0%	37.5%
	<b>Grade 12</b>	9.9%	6.0%	2.6%	10.6%	25.8%	45.0%
<b>Any alcohol product?</b>							
	<b>All</b>	9.7%	12.4%	4.8%	8.8%	21.0%	43.2%
	<b>Grade 7</b>	15.8%	26.2%	10.0%	7.9%	16.0%	24.0%
	<b>Grade 8</b>	8.1%	16.4%	7.7%	10.6%	19.6%	37.6%
	<b>Grade 9</b>	12.2%	11.2%	3.2%	10.0%	19.2%	44.3%
	<b>Grade 10</b>	7.7%	6.8%	2.4%	7.0%	24.6%	51.4%
	<b>Grade 11</b>	6.9%	9.1%	3.3%	8.7%	21.7%	50.3%
	<b>Grade 12</b>	7.5%	3.4%	1.6%	8.7%	25.5%	53.3%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
All	91.2%	6.6%	0.7%	1.5%
Grade 7	92.9%	5.4%	1.0%	0.7%
Grade 8	91.8%	6.3%	0.6%	1.4%
Grade 9	91.5%	7.1%	1.2%	0.3%
Grade 10	89.5%	8.1%	0.5%	1.9%
Grade 11	91.6%	5.9%	0.7%	1.8%
Grade 12	90.2%	6.7%	0.1%	3.0%
<b>Gotten into trouble with teachers because of your drinking?</b>				
All	98.4%	0.7%	0.4%	0.5%
Grade 7	99.1%	0.5%	0.1%	0.3%
Grade 8	98.9%	0.4%	0.1%	0.6%
Grade 9	98.7%	0.7%	0.5%	0.1%
Grade 10	99.8%	0.1%	0.1%	0.0%
Grade 11	97.9%	1.0%	1.1%	0.0%
Grade 12	95.8%	1.8%	0.7%	1.8%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	4.6
Alcohol Non-use	3.7
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.9
Alcohol Non-use	1.4

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
All	88.5%	8.3%	1.6%	1.5%
Grade 9	94.0%	4.3%	0.6%	1.0%
Grade 10	88.7%	9.0%	1.5%	0.8%
Grade 11	87.7%	8.2%	1.5%	2.6%
Grade 12	83.3%	11.9%	3.0%	1.8%
<b>Gotten into trouble with the police because of drinking?</b>				
All	94.8%	4.3%	0.5%	0.4%
Grade 7	98.4%	1.2%	0.1%	0.4%
Grade 8	98.2%	1.5%	0.2%	0.1%
Grade 9	95.1%	3.7%	0.6%	0.6%
Grade 10	96.0%	3.3%	0.6%	0.0%
Grade 11	91.9%	7.5%	0.7%	0.0%
Grade 12	88.1%	9.2%	1.0%	1.7%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	30.3%	24.0%	18.7%	19.8%	7.2%
	<b>Grade 7</b>	58.2%	23.2%	10.1%	6.0%	2.5%
	<b>Grade 8</b>	32.8%	24.6%	21.2%	14.1%	7.3%
	<b>Grade 9</b>	22.8%	28.2%	21.5%	21.4%	6.1%
	<b>Grade 10</b>	22.1%	26.5%	18.8%	24.9%	7.6%
	<b>Grade 11</b>	23.5%	21.2%	21.9%	25.2%	8.1%
	<b>Grade 12</b>	20.1%	19.6%	18.7%	29.3%	12.3%
<b>Beer?</b>						
	<b>All</b>	36.2%	24.3%	17.5%	16.9%	5.0%
	<b>Grade 7</b>	65.7%	19.8%	7.9%	4.4%	2.3%
	<b>Grade 8</b>	38.9%	25.8%	19.2%	12.5%	3.6%
	<b>Grade 9</b>	28.4%	29.1%	20.6%	17.5%	4.4%
	<b>Grade 10</b>	28.5%	26.4%	19.2%	20.1%	5.8%
	<b>Grade 11</b>	30.5%	22.2%	19.7%	21.6%	6.1%
	<b>Grade 12</b>	23.1%	22.2%	18.7%	27.5%	8.5%
<b>Wine coolers?</b>						
	<b>All</b>	46.0%	21.4%	17.7%	10.8%	4.0%
	<b>Grade 7</b>	72.1%	15.7%	6.7%	3.6%	1.9%
	<b>Grade 8</b>	49.1%	21.5%	17.9%	6.9%	4.5%
	<b>Grade 9</b>	41.1%	26.1%	18.2%	10.5%	4.1%
	<b>Grade 10</b>	40.6%	20.6%	20.3%	14.4%	4.0%
	<b>Grade 11</b>	38.3%	21.4%	20.3%	17.1%	2.9%
	<b>Grade 12</b>	32.4%	23.6%	23.8%	13.7%	6.4%
<b>Wine?</b>						
	<b>All</b>	55.4%	22.4%	12.8%	6.5%	2.9%
	<b>Grade 7</b>	75.4%	15.3%	5.9%	2.0%	1.4%
	<b>Grade 8</b>	61.0%	20.1%	11.3%	4.8%	2.8%
	<b>Grade 9</b>	50.8%	25.9%	16.3%	4.2%	2.9%
	<b>Grade 10</b>	51.1%	25.3%	12.1%	7.7%	3.7%
	<b>Grade 11</b>	49.2%	23.7%	14.2%	10.0%	3.0%
	<b>Grade 12</b>	42.9%	24.4%	17.8%	11.0%	3.9%
<b>Liquor?</b>						
	<b>All</b>	43.2%	19.9%	16.1%	15.5%	5.2%
	<b>Grade 7</b>	76.5%	14.2%	5.0%	2.8%	1.5%
	<b>Grade 8</b>	50.8%	19.5%	13.6%	9.7%	6.4%
	<b>Grade 9</b>	39.3%	24.3%	18.2%	13.7%	4.6%
	<b>Grade 10</b>	36.0%	20.3%	19.0%	18.5%	6.1%
	<b>Grade 11</b>	29.2%	21.8%	19.7%	24.1%	5.2%
	<b>Grade 12</b>	24.1%	19.7%	22.2%	26.7%	7.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
<b>All</b>	91.7%	6.8%	0.8%	0.7%
<b>Grade 7</b>	97.2%	1.9%	0.1%	0.9%
<b>Grade 8</b>	93.0%	6.2%	0.8%	0.0%
<b>Grade 9</b>	91.8%	5.9%	0.4%	1.9%
<b>Grade 10</b>	89.8%	9.6%	0.6%	0.0%
<b>Grade 11</b>	91.8%	6.4%	1.2%	0.5%
<b>Grade 12</b>	86.2%	10.8%	2.0%	1.0%
<b>Been criticized by someone you were dating because of drinking?</b>				
<b>All</b>	92.8%	5.8%	0.9%	0.5%
<b>Grade 7</b>	97.9%	1.7%	0.1%	0.3%
<b>Grade 8</b>	94.7%	5.1%	0.1%	0.0%
<b>Grade 9</b>	93.5%	4.2%	1.0%	1.2%
<b>Grade 10</b>	92.7%	6.3%	0.8%	0.1%
<b>Grade 11</b>	88.9%	10.0%	0.9%	0.1%
<b>Grade 12</b>	88.6%	8.0%	2.3%	1.1%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	48.2%	10.2%	6.3%	10.6%	13.1%	1.5%	10.1%
<b>Grade 7</b>	74.5%	8.2%	1.8%	2.3%	4.5%	1.1%	7.6%
<b>Grade 8</b>	58.4%	11.0%	5.5%	8.4%	7.5%	2.3%	6.8%
<b>Grade 9</b>	47.2%	11.5%	6.0%	12.5%	10.0%	2.2%	10.6%
<b>Grade 10</b>	39.3%	10.7%	8.0%	10.4%	16.6%	0.9%	14.1%
<b>Grade 11</b>	35.4%	7.8%	9.5%	12.3%	18.9%	1.7%	14.5%
<b>Grade 12</b>	32.4%	11.8%	7.2%	18.6%	22.2%	0.7%	7.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>At home</b>						
	<b>All</b>	52.1%	23.4%	17.8%	4.8%	1.9%
	<b>Grade 7</b>	59.2%	24.2%	12.0%	2.4%	2.2%
	<b>Grade 8</b>	54.3%	19.6%	20.0%	4.8%	1.3%
	<b>Grade 9</b>	49.2%	20.8%	20.8%	6.9%	2.3%
	<b>Grade 10</b>	52.3%	21.6%	19.0%	5.4%	1.7%
	<b>Grade 11</b>	50.5%	27.8%	15.5%	4.0%	2.2%
	<b>Grade 12</b>	46.1%	26.8%	19.7%	5.4%	2.0%
<b>From friends</b>						
	<b>All</b>	48.1%	15.9%	13.7%	14.6%	7.7%
	<b>Grade 7</b>	60.8%	27.1%	7.0%	2.7%	2.4%
	<b>Grade 8</b>	50.5%	18.0%	15.2%	13.3%	3.0%
	<b>Grade 9</b>	45.7%	16.1%	14.9%	14.5%	8.8%
	<b>Grade 10</b>	46.2%	14.8%	13.9%	17.9%	7.1%
	<b>Grade 11</b>	42.8%	10.4%	16.0%	19.8%	11.0%
	<b>Grade 12</b>	41.0%	7.4%	15.8%	20.9%	15.0%
<b>From a store</b>						
	<b>All</b>	49.3%	38.4%	5.8%	4.2%	2.3%
	<b>Grade 7</b>	59.0%	37.7%	2.2%	0.5%	0.6%
	<b>Grade 8</b>	52.0%	40.6%	4.4%	2.3%	0.7%
	<b>Grade 9</b>	47.5%	41.3%	6.4%	2.2%	2.6%
	<b>Grade 10</b>	49.1%	36.5%	4.9%	7.6%	1.9%
	<b>Grade 11</b>	45.0%	34.4%	9.4%	6.5%	4.7%
	<b>Grade 12</b>	41.7%	40.1%	8.0%	6.3%	4.0%
<b>At parties</b>						
	<b>All</b>	47.6%	16.1%	11.2%	13.3%	11.9%
	<b>Grade 7</b>	59.4%	23.4%	8.5%	4.3%	4.4%
	<b>Grade 8</b>	48.7%	18.0%	12.2%	12.6%	8.5%
	<b>Grade 9</b>	45.0%	16.5%	13.8%	13.4%	11.2%
	<b>Grade 10</b>	47.0%	15.2%	8.0%	16.5%	13.3%
	<b>Grade 11</b>	44.3%	11.5%	9.2%	18.7%	16.4%
	<b>Grade 12</b>	39.7%	10.6%	15.9%	15.3%	18.5%
<b>Other source</b>						
	<b>All</b>	49.7%	22.9%	12.2%	8.1%	7.1%
	<b>Grade 7</b>	59.1%	24.7%	10.2%	2.4%	3.6%
	<b>Grade 8</b>	50.9%	21.2%	14.4%	7.9%	5.5%
	<b>Grade 9</b>	47.6%	22.3%	11.5%	10.9%	7.6%
	<b>Grade 10</b>	49.3%	21.9%	14.8%	7.4%	6.5%
	<b>Grade 11</b>	47.2%	19.9%	13.1%	10.5%	9.2%
	<b>Grade 12</b>	42.6%	27.9%	9.1%	9.9%	10.6%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	65.1%	14.0%	9.4%	2.7%	1.5%	7.3%
<b>Grade 7</b>	76.3%	7.4%	3.8%	1.9%	0.9%	9.8%
<b>Grade 8</b>	70.3%	15.0%	6.2%	1.6%	1.7%	5.2%
<b>Grade 9</b>	62.4%	16.3%	7.9%	4.0%	1.2%	8.1%
<b>Grade 10</b>	60.9%	15.4%	14.7%	2.6%	1.9%	4.4%
<b>Grade 11</b>	64.8%	11.9%	11.5%	2.2%	1.7%	8.0%
<b>Grade 12</b>	54.4%	18.6%	12.4%	4.4%	1.8%	8.5%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	52.1%	28.5%	11.5%	3.4%	4.5%
<b>Grade 7</b>	63.7%	22.6%	9.3%	1.5%	2.9%
<b>Grade 8</b>	47.9%	28.8%	12.9%	4.9%	5.5%
<b>Grade 9</b>	47.6%	29.7%	15.3%	3.4%	4.0%
<b>Grade 10</b>	53.8%	27.9%	11.1%	3.7%	3.5%
<b>Grade 11</b>	50.6%	28.4%	13.3%	2.4%	5.3%
<b>Grade 12</b>	48.4%	34.5%	6.9%	4.4%	5.8%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Marijuana?</b>					
	<b>All</b>	7.1%	11.0%	20.2%	79.8%
	<b>Grade 7</b>	2.2%	3.2%	5.5%	94.5%
	<b>Grade 8</b>	4.0%	6.7%	15.1%	84.9%
	<b>Grade 9</b>	7.5%	8.5%	16.3%	83.7%
	<b>Grade 10</b>	9.7%	15.3%	25.4%	74.6%
	<b>Grade 11</b>	10.6%	17.3%	31.2%	68.8%
	<b>Grade 12</b>	9.4%	16.2%	29.7%	70.3%
<b>Cocaine?</b>					
	<b>All</b>	1.3%	2.2%	3.9%	96.1%
	<b>Grade 7</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	1.1%	1.3%	3.2%	96.8%
	<b>Grade 9</b>	0.2%	0.5%	1.4%	98.6%
	<b>Grade 10</b>	1.8%	3.6%	4.9%	95.1%
	<b>Grade 11</b>	1.4%	2.0%	5.4%	94.6%
	<b>Grade 12</b>	2.6%	5.2%	7.8%	92.2%
<b>Crack?</b>					
	<b>All</b>	0.5%	0.6%	1.1%	98.9%
	<b>Grade 7</b>	0.6%	0.7%	1.0%	99.0%
	<b>Grade 8</b>	0.7%	0.9%	1.5%	98.5%
	<b>Grade 9</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grade 10</b>	0.1%	0.1%	1.3%	98.7%
	<b>Grade 11</b>	0.1%	0.1%	0.4%	99.6%
	<b>Grade 12</b>	1.5%	2.1%	2.3%	97.7%
<b>Hallucinogens?</b>					
	<b>All</b>	0.8%	1.6%	3.2%	96.8%
	<b>Grade 7</b>	0.1%	0.4%	0.8%	99.2%
	<b>Grade 8</b>	0.9%	1.2%	2.0%	98.0%
	<b>Grade 9</b>	1.0%	1.6%	2.8%	97.2%
	<b>Grade 10</b>	1.9%	2.6%	5.3%	94.7%
	<b>Grade 11</b>	0.3%	0.8%	3.0%	97.0%
	<b>Grade 12</b>	0.8%	2.8%	6.0%	94.0%
<b>Uppers?</b>					
	<b>All</b>	1.7%	3.1%	4.7%	95.3%
	<b>Grade 7</b>	0.1%	0.4%	0.5%	99.5%
	<b>Grade 8</b>	0.5%	1.6%	2.1%	97.9%
	<b>Grade 9</b>	2.1%	2.8%	4.3%	95.7%
	<b>Grade 10</b>	2.3%	3.3%	6.0%	94.0%
	<b>Grade 11</b>	2.2%	4.4%	6.8%	93.2%
	<b>Grade 12</b>	3.4%	6.5%	9.2%	90.8%
<b>Downers?</b>					
	<b>All</b>	2.1%	3.1%	4.5%	95.5%
	<b>Grade 7</b>	0.7%	1.1%	1.1%	98.9%
	<b>Grade 8</b>	0.5%	0.7%	0.8%	99.2%
	<b>Grade 9</b>	2.0%	2.2%	3.3%	96.7%
	<b>Grade 10</b>	1.7%	3.3%	6.4%	93.6%
	<b>Grade 11</b>	3.4%	4.4%	6.2%	93.8%
	<b>Grade 12</b>	4.3%	7.2%	9.8%	90.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol?</b>					
	<b>All</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	1.1%	1.1%	1.6%	98.4%
	<b>Grade 9</b>	0.6%	0.8%	1.0%	99.0%
	<b>Grade 10</b>	1.3%	2.8%	3.8%	96.2%
	<b>Grade 11</b>	0.4%	0.4%	0.8%	99.2%
	<b>Grade 12</b>	0.0%	0.2%	0.9%	99.1%
<b>Steroids?</b>					
	<b>All</b>	0.4%	0.5%	1.3%	98.7%
	<b>Grade 7</b>	0.0%	0.0%	0.6%	99.4%
	<b>Grade 8</b>	0.2%	0.4%	0.8%	99.2%
	<b>Grade 9</b>	0.3%	0.3%	1.4%	98.6%
	<b>Grade 10</b>	0.8%	1.0%	1.9%	98.1%
	<b>Grade 11</b>	0.7%	0.8%	1.2%	98.8%
	<b>Grade 12</b>	0.7%	0.8%	1.8%	98.2%
<b>Ecstasy?</b>					
	<b>All</b>	1.6%	2.6%	3.8%	96.2%
	<b>Grade 7</b>	0.5%	0.5%	0.6%	99.4%
	<b>Grade 8</b>	0.9%	1.2%	1.7%	98.3%
	<b>Grade 9</b>	1.1%	1.8%	2.2%	97.8%
	<b>Grade 10</b>	1.5%	3.5%	4.9%	95.1%
	<b>Grade 11</b>	1.4%	3.6%	6.4%	93.6%
	<b>Grade 12</b>	4.2%	5.3%	7.8%	92.2%
<b>Heroin?</b>					
	<b>All</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 7</b>	0.2%	0.2%	0.4%	99.6%
	<b>Grade 8</b>	0.5%	0.9%	1.2%	98.8%
	<b>Grade 9</b>	0.7%	0.7%	1.4%	98.6%
	<b>Grade 10</b>	1.2%	1.9%	2.3%	97.7%
	<b>Grade 11</b>	0.6%	0.6%	1.2%	98.8%
	<b>Grade 12</b>	0.2%	1.1%	1.7%	98.3%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	<b>All</b>	81.7%	2.1%	1.8%	2.8%	3.3%	3.4%	4.8%
	<b>Grade 7</b>	95.0%	0.8%	0.7%	1.3%	1.3%	0.3%	0.7%
	<b>Grade 8</b>	86.1%	0.5%	1.2%	1.8%	3.1%	3.2%	4.1%
	<b>Grade 9</b>	85.2%	1.7%	1.9%	2.2%	2.0%	4.5%	2.6%
	<b>Grade 10</b>	77.3%	3.2%	1.3%	5.1%	3.0%	4.7%	5.4%
	<b>Grade 11</b>	71.8%	3.2%	2.0%	4.5%	6.8%	3.9%	7.8%
	<b>Grade 12</b>	73.2%	3.2%	4.2%	2.1%	4.3%	4.2%	8.8%
<b>Cocaine?</b>								
	<b>All</b>	96.6%	0.1%	0.2%	0.7%	0.5%	0.9%	1.0%
	<b>Grade 7</b>	98.8%	0.1%	0.0%	0.3%	0.3%	0.4%	0.1%
	<b>Grade 8</b>	97.8%	0.1%	0.1%	0.2%	0.6%	1.1%	0.2%
	<b>Grade 9</b>	98.4%	0.0%	0.2%	0.1%	0.1%	1.0%	0.1%
	<b>Grade 10</b>	95.7%	0.0%	0.1%	1.7%	0.5%	1.2%	0.8%
	<b>Grade 11</b>	94.9%	0.6%	0.0%	0.8%	0.0%	1.2%	2.5%
	<b>Grade 12</b>	93.7%	0.0%	1.0%	0.9%	1.3%	0.6%	2.4%
<b>Crack?</b>								
	<b>All</b>	98.9%	0.1%	0.2%	0.1%	0.2%	0.1%	0.4%
	<b>Grade 7</b>	99.3%	0.0%	0.1%	0.4%	0.2%	0.0%	0.1%
	<b>Grade 8</b>	99.1%	0.1%	0.0%	0.1%	0.1%	0.5%	0.1%
	<b>Grade 9</b>	99.4%	0.4%	0.0%	0.0%	0.1%	0.0%	0.1%
	<b>Grade 10</b>	98.9%	0.0%	0.1%	0.1%	0.0%	0.1%	0.9%
	<b>Grade 11</b>	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	<b>Grade 12</b>	96.8%	0.0%	1.2%	0.0%	0.9%	0.1%	1.0%
<b>Hallucinogens?</b>								
	<b>All</b>	97.6%	0.1%	0.2%	0.2%	0.3%	0.7%	0.9%
	<b>Grade 7</b>	99.1%	0.0%	0.3%	0.0%	0.1%	0.1%	0.4%
	<b>Grade 8</b>	98.9%	0.0%	0.0%	0.1%	0.2%	0.8%	0.0%
	<b>Grade 9</b>	97.9%	0.0%	0.0%	0.0%	0.8%	0.5%	0.8%
	<b>Grade 10</b>	96.7%	0.4%	0.1%	0.5%	0.6%	0.6%	1.2%
	<b>Grade 11</b>	97.7%	0.0%	0.0%	0.1%	0.1%	0.0%	2.0%
	<b>Grade 12</b>	95.1%	0.0%	0.6%	0.6%	0.1%	2.5%	1.1%
<b>Uppers?</b>								
	<b>All</b>	95.6%	0.1%	0.2%	0.7%	1.5%	0.8%	1.1%
	<b>Grade 7</b>	99.0%	0.1%	0.3%	0.1%	0.4%	0.1%	0.2%
	<b>Grade 8</b>	99.2%	0.0%	0.0%	0.5%	0.2%	0.1%	0.0%
	<b>Grade 9</b>	96.0%	0.0%	0.2%	0.6%	1.1%	0.9%	1.3%
	<b>Grade 10</b>	94.6%	0.4%	0.1%	0.6%	1.3%	1.0%	2.1%
	<b>Grade 11</b>	92.8%	0.4%	0.0%	0.6%	3.0%	1.1%	2.1%
	<b>Grade 12</b>	91.1%	0.0%	0.8%	2.1%	3.2%	1.6%	1.3%
<b>Downers?</b>								
	<b>All</b>	95.6%	0.2%	0.2%	0.6%	1.4%	0.8%	1.1%
	<b>Grade 7</b>	98.6%	0.1%	0.3%	0.1%	0.4%	0.0%	0.5%
	<b>Grade 8</b>	99.1%	0.0%	0.0%	0.5%	0.2%	0.1%	0.1%
	<b>Grade 9</b>	97.0%	0.0%	0.2%	0.5%	0.8%	0.6%	0.7%
	<b>Grade 10</b>	94.1%	0.4%	0.0%	1.0%	1.3%	1.1%	2.1%
	<b>Grade 11</b>	93.5%	0.5%	0.1%	0.5%	3.0%	0.6%	1.7%
	<b>Grade 12</b>	90.9%	0.0%	0.9%	1.1%	3.1%	2.4%	1.6%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**  
(Continued)

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Rohypnol?</b>								
	<b>All</b>	98.9%	0.0%	0.2%	0.1%	0.3%	0.2%	0.2%
	<b>Grade 7</b>	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	<b>Grade 8</b>	99.1%	0.0%	0.0%	0.6%	0.0%	0.2%	0.1%
	<b>Grade 9</b>	99.5%	0.0%	0.0%	0.0%	0.4%	0.2%	0.0%
	<b>Grade 10</b>	97.6%	0.0%	0.8%	0.1%	0.1%	0.6%	0.9%
	<b>Grade 11</b>	99.0%	0.0%	0.7%	0.0%	0.0%	0.0%	0.2%
	<b>Grade 12</b>	98.4%	0.0%	0.0%	0.0%	1.4%	0.0%	0.1%
<b>Steroids?</b>								
	<b>All</b>	98.6%	0.2%	0.1%	0.2%	0.3%	0.2%	0.4%
	<b>Grade 7</b>	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
	<b>Grade 8</b>	98.7%	0.0%	0.1%	0.6%	0.1%	0.0%	0.5%
	<b>Grade 9</b>	98.3%	0.4%	0.0%	0.2%	0.0%	0.6%	0.5%
	<b>Grade 10</b>	98.6%	0.0%	0.1%	0.0%	0.4%	0.1%	0.9%
	<b>Grade 11</b>	98.2%	0.0%	0.6%	0.0%	0.9%	0.0%	0.3%
	<b>Grade 12</b>	97.9%	0.6%	0.0%	0.1%	0.8%	0.6%	0.0%
<b>Ecstasy?</b>								
	<b>All</b>	96.1%	0.2%	0.2%	0.7%	0.7%	0.9%	1.3%
	<b>Grade 7</b>	99.0%	0.4%	0.0%	0.0%	0.1%	0.4%	0.2%
	<b>Grade 8</b>	98.3%	0.0%	0.0%	0.1%	0.5%	0.6%	0.6%
	<b>Grade 9</b>	96.9%	0.4%	0.7%	0.6%	0.4%	0.3%	0.7%
	<b>Grade 10</b>	95.1%	0.0%	0.6%	1.1%	1.1%	0.8%	1.3%
	<b>Grade 11</b>	94.5%	0.0%	0.0%	0.6%	0.5%	1.5%	2.9%
	<b>Grade 12</b>	92.5%	0.2%	0.0%	1.5%	1.8%	1.6%	2.4%
<b>Heroin?</b>								
	<b>All</b>	98.8%	0.2%	0.1%	0.1%	0.2%	0.2%	0.4%
	<b>Grade 7</b>	99.3%	0.4%	0.0%	0.1%	0.1%	0.1%	0.1%
	<b>Grade 8</b>	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	<b>Grade 9</b>	98.3%	0.9%	0.0%	0.0%	0.1%	0.6%	0.0%
	<b>Grade 10</b>	98.4%	0.1%	0.0%	0.0%	0.7%	0.2%	0.7%
	<b>Grade 11</b>	98.9%	0.0%	0.0%	0.5%	0.0%	0.0%	0.5%
	<b>Grade 12</b>	98.2%	0.0%	0.6%	0.0%	0.0%	0.1%	1.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Marijuana</b>	11.8	12.2	13.1	13.2	14.5	15.0
<b>Cocaine</b>	11.9	12.9	13.7	13.8	15.4	15.5
<b>Crack</b>	11.3	12.9	*	13.5	*	16.3
<b>Hallucinogens</b>	12.0	13.1	13.5	13.3	15.5	15.8
<b>Uppers</b>	12.0	12.0	13.9	13.4	14.1	15.1
<b>Downers</b>	11.5	12.3	13.7	13.6	14.9	15.1
<b>Rohypnol</b>	*	12.6	*	12.2	13.5	*
<b>Steroids</b>	12.6	11.1	12.2	11.4	15.5	*
<b>Ecstasy</b>	*	13.1	13.9	14.2	16.0	16.1
<b>Heroin</b>	11.5	13.2	12.9	14.1	*	*

**Table D-4: Age of first use of marijuana by family situation:**

		<b>Never</b>	<b>9/Under</b>	<b>10 to 11</b>	<b>12 to 13</b>	<b>14 to 15</b>	<b>16 to 17</b>	<b>Over 17</b>
<b>Two parent family</b>								
	<b>All</b>	86.9%	0.5%	1.2%	3.9%	3.9%	3.3%	0.3%
	<b>Grade 7</b>	96.0%	0.2%	1.3%	2.0%	0.5%	0.0%	0.0%
	<b>Grade 8</b>	92.0%	0.1%	1.4%	4.0%	2.3%	0.0%	0.1%
	<b>Grade 9</b>	89.3%	0.0%	1.9%	5.1%	3.7%	0.0%	0.0%
	<b>Grade 10</b>	87.1%	1.5%	1.3%	3.8%	4.9%	1.4%	0.0%
	<b>Grade 11</b>	75.4%	0.9%	1.0%	4.5%	8.9%	9.4%	0.0%
	<b>Grade 12</b>	79.1%	0.4%	0.0%	4.4%	3.5%	10.9%	1.7%
<b>Other family situation</b>								
	<b>All</b>	70.3%	1.8%	3.5%	8.1%	10.6%	5.6%	0.2%
	<b>Grade 7</b>	89.6%	1.0%	2.3%	6.9%	0.2%	0.0%	0.0%
	<b>Grade 8</b>	75.4%	1.1%	8.2%	13.1%	2.1%	0.1%	0.0%
	<b>Grade 9</b>	78.7%	2.0%	1.9%	5.6%	11.8%	0.0%	0.0%
	<b>Grade 10</b>	63.1%	2.9%	5.1%	8.4%	15.6%	5.0%	0.0%
	<b>Grade 11</b>	53.5%	1.7%	1.8%	7.9%	19.3%	15.8%	0.0%
	<b>Grade 12</b>	60.4%	1.9%	0.8%	5.9%	15.5%	14.4%	1.1%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Marijuana?</b>							
	<b>All</b>	14.5%	30.5%	9.4%	10.9%	13.6%	21.0%
	<b>Grade 7</b>	21.8%	53.4%	8.7%	6.4%	4.8%	4.9%
	<b>Grade 8</b>	14.2%	41.9%	9.9%	10.1%	10.8%	13.0%
	<b>Grade 9</b>	16.7%	33.6%	11.8%	9.7%	11.5%	16.7%
	<b>Grade 10</b>	11.3%	19.8%	9.1%	11.4%	16.8%	31.6%
	<b>Grade 11</b>	10.7%	19.2%	9.8%	13.3%	17.8%	29.2%
	<b>Grade 12</b>	11.9%	11.9%	7.0%	15.4%	20.9%	32.9%
<b>Cocaine?</b>							
	<b>All</b>	18.0%	38.5%	13.9%	13.2%	7.2%	9.3%
	<b>Grade 7</b>	25.0%	58.2%	7.9%	5.0%	2.2%	1.6%
	<b>Grade 8</b>	14.6%	48.1%	14.6%	10.1%	5.4%	7.3%
	<b>Grade 9</b>	20.2%	40.3%	15.8%	10.4%	6.8%	6.6%
	<b>Grade 10</b>	14.6%	30.5%	12.9%	15.8%	11.9%	14.4%
	<b>Grade 11</b>	16.0%	26.8%	16.4%	19.3%	9.3%	12.2%
	<b>Grade 12</b>	17.3%	23.1%	16.5%	20.4%	7.9%	14.7%
<b>Crack?</b>							
	<b>All</b>	19.3%	39.5%	15.1%	11.3%	6.8%	7.9%
	<b>Grade 7</b>	25.3%	56.8%	8.9%	4.5%	2.3%	2.3%
	<b>Grade 8</b>	16.5%	49.9%	14.4%	7.8%	3.7%	7.6%
	<b>Grade 9</b>	20.1%	42.7%	15.9%	8.5%	6.7%	6.1%
	<b>Grade 10</b>	15.5%	32.1%	14.5%	14.8%	11.5%	11.7%
	<b>Grade 11</b>	17.1%	29.3%	17.6%	17.3%	8.8%	9.9%
	<b>Grade 12</b>	21.1%	23.0%	20.3%	16.7%	8.4%	10.5%
<b>Hallucinogens?</b>							
	<b>All</b>	35.7%	30.3%	12.4%	8.7%	5.9%	7.0%
	<b>Grade 7</b>	53.8%	36.8%	5.1%	2.5%	0.7%	1.0%
	<b>Grade 8</b>	40.9%	35.2%	10.1%	5.5%	3.5%	4.8%
	<b>Grade 9</b>	34.4%	35.0%	11.9%	7.1%	6.6%	5.0%
	<b>Grade 10</b>	26.7%	25.4%	16.0%	10.0%	9.6%	12.3%
	<b>Grade 11</b>	31.1%	27.4%	15.5%	11.0%	8.9%	6.1%
	<b>Grade 12</b>	25.7%	20.6%	16.6%	17.3%	6.2%	13.6%
<b>Uppers?</b>							
	<b>All</b>	42.8%	24.1%	9.2%	8.2%	6.7%	9.0%
	<b>Grade 7</b>	57.9%	32.2%	5.1%	2.1%	1.7%	1.1%
	<b>Grade 8</b>	49.7%	27.2%	8.3%	5.5%	3.6%	5.7%
	<b>Grade 9</b>	45.5%	24.6%	9.5%	7.6%	5.4%	7.5%
	<b>Grade 10</b>	35.1%	21.6%	10.0%	9.6%	10.5%	13.1%
	<b>Grade 11</b>	37.5%	20.9%	11.1%	9.7%	8.5%	12.1%
	<b>Grade 12</b>	29.4%	17.3%	11.8%	15.4%	10.9%	15.2%
<b>Downers?</b>							
	<b>All</b>	43.2%	23.7%	9.3%	8.1%	6.8%	9.0%
	<b>Grade 7</b>	58.4%	31.4%	5.2%	2.4%	1.7%	0.9%
	<b>Grade 8</b>	49.8%	28.0%	8.2%	5.1%	4.1%	4.8%
	<b>Grade 9</b>	46.1%	23.0%	10.7%	7.5%	5.3%	7.5%
	<b>Grade 10</b>	35.0%	21.0%	9.9%	10.2%	10.0%	13.9%
	<b>Grade 11</b>	38.8%	20.6%	10.2%	10.0%	8.4%	12.0%
	<b>Grade 12</b>	28.9%	17.3%	12.0%	13.9%	12.0%	15.9%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>							
	<b>All</b>	49.0%	23.7%	9.5%	6.7%	4.7%	6.4%
	<b>Grade 7</b>	59.9%	33.0%	4.2%	1.6%	0.5%	0.7%
	<b>Grade 8</b>	52.9%	27.0%	7.9%	3.8%	3.0%	5.4%
	<b>Grade 9</b>	50.4%	24.1%	9.2%	5.2%	4.7%	6.4%
	<b>Grade 10</b>	44.0%	19.2%	10.7%	7.8%	7.8%	10.5%
	<b>Grade 11</b>	45.9%	20.2%	12.5%	9.2%	6.1%	6.1%
	<b>Grade 12</b>	39.4%	17.5%	13.1%	13.9%	6.5%	9.7%
<b>Steroids?</b>							
	<b>All</b>	23.0%	38.0%	15.3%	9.9%	6.7%	7.2%
	<b>Grade 7</b>	27.6%	54.2%	10.3%	3.3%	2.3%	2.4%
	<b>Grade 8</b>	24.9%	43.7%	14.9%	6.4%	3.3%	6.9%
	<b>Grade 9</b>	23.0%	39.6%	16.9%	8.3%	6.7%	5.4%
	<b>Grade 10</b>	19.5%	31.6%	17.4%	9.6%	11.4%	10.6%
	<b>Grade 11</b>	22.6%	31.1%	15.5%	16.4%	8.3%	6.2%
	<b>Grade 12</b>	20.0%	26.1%	17.0%	16.3%	8.4%	12.1%
<b>Ecstasy?</b>							
	<b>All</b>	31.2%	32.4%	12.1%	8.4%	7.1%	8.8%
	<b>Grade 7</b>	49.3%	38.6%	7.3%	3.2%	0.8%	0.8%
	<b>Grade 8</b>	37.0%	38.5%	8.6%	4.6%	4.6%	6.7%
	<b>Grade 9</b>	29.1%	36.8%	11.7%	6.4%	8.8%	7.2%
	<b>Grade 10</b>	24.1%	28.2%	13.0%	10.5%	10.6%	13.6%
	<b>Grade 11</b>	23.8%	27.7%	16.3%	11.9%	8.1%	12.1%
	<b>Grade 12</b>	22.0%	22.9%	16.6%	15.1%	10.2%	13.3%
<b>Heroin?</b>							
	<b>All</b>	28.2%	39.7%	13.7%	7.7%	5.0%	5.8%
	<b>Grade 7</b>	39.7%	48.2%	7.5%	2.0%	1.5%	1.0%
	<b>Grade 8</b>	27.8%	47.8%	9.6%	5.7%	4.6%	4.5%
	<b>Grade 9</b>	25.5%	43.7%	14.8%	6.1%	5.9%	3.9%
	<b>Grade 10</b>	23.9%	32.2%	15.0%	9.2%	9.2%	10.5%
	<b>Grade 11</b>	24.8%	34.7%	18.7%	9.5%	5.8%	6.5%
	<b>Grade 12</b>	26.6%	29.9%	17.3%	14.2%	3.3%	8.6%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	92.1%	4.4%	1.4%	2.1%
Grade 7	95.8%	2.3%	1.3%	0.5%
Grade 8	95.6%	3.3%	0.7%	0.4%
Grade 9	92.0%	5.9%	1.4%	0.8%
Grade 10	88.3%	5.2%	2.8%	3.8%
Grade 11	90.2%	5.8%	1.1%	2.9%
Grade 12	90.7%	3.8%	0.9%	4.5%
<b>Attended class while high from use of some other drug?</b>				
All	94.8%	3.2%	0.6%	1.3%
Grade 7	97.5%	1.9%	0.1%	0.5%
Grade 8	96.0%	2.5%	0.5%	0.9%
Grade 9	94.8%	3.8%	0.3%	1.1%
Grade 10	93.6%	3.7%	1.0%	1.7%
Grade 11	94.1%	3.5%	0.9%	1.4%
Grade 12	92.4%	3.8%	1.1%	2.6%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	98.5%	0.7%	0.3%	0.4%
Grade 7	99.5%	0.2%	0.0%	0.3%
Grade 8	98.5%	0.8%	0.1%	0.7%
Grade 9	98.5%	1.0%	0.5%	0.0%
Grade 10	99.7%	0.2%	0.1%	0.0%
Grade 11	99.3%	0.1%	0.5%	0.0%
Grade 12	95.4%	2.4%	0.6%	1.7%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	4.7
Marijuana Non-use	3.9

  

<b>Average days conduct problems reported</b>	
Marijuana Users:	7.0
Marijuana Non-use	1.7



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
All	90.5%	5.4%	1.6%	2.5%
Grade 9	94.8%	3.3%	1.0%	0.9%
Grade 10	91.2%	5.4%	1.3%	2.1%
Grade 11	88.7%	7.3%	1.1%	2.9%
Grade 12	86.9%	5.8%	3.1%	4.2%
<b>Gotten into trouble with the police because of drug use?</b>				
All	97.7%	1.9%	0.1%	0.3%
Grade 7	99.4%	0.6%	0.1%	0.0%
Grade 8	98.8%	0.9%	0.1%	0.1%
Grade 9	97.0%	2.3%	0.2%	0.5%
Grade 10	97.4%	2.1%	0.4%	0.1%
Grade 11	97.0%	3.0%	0.0%	0.0%
Grade 12	96.2%	2.5%	0.0%	1.3%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
All	57.7%	19.2%	11.3%	7.8%	3.9%
Grade 7	82.9%	10.8%	2.8%	2.4%	1.1%
Grade 8	64.0%	18.0%	9.3%	6.1%	2.6%
Grade 9	54.5%	20.8%	11.9%	8.2%	4.6%
Grade 10	51.5%	18.7%	11.7%	13.1%	5.0%
Grade 11	45.5%	24.5%	16.3%	9.0%	4.7%
Grade 12	45.3%	23.4%	17.2%	8.2%	5.9%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
All	94.4%	4.3%	0.9%	0.4%
Grade 7	97.9%	1.7%	0.1%	0.3%
Grade 8	94.9%	4.9%	0.1%	0.1%
Grade 9	93.9%	4.7%	0.2%	1.2%
Grade 10	93.9%	4.3%	1.7%	0.1%
Grade 11	93.9%	5.3%	0.6%	0.1%
Grade 12	91.6%	4.9%	2.4%	1.0%
<b>Been criticized by someone you were dating because of drug use?</b>				
All	94.3%	4.7%	0.4%	0.6%
Grade 7	98.0%	1.1%	0.3%	0.7%
Grade 8	95.1%	4.2%	0.5%	0.2%
Grade 9	94.6%	4.6%	0.1%	0.7%
Grade 10	92.2%	5.8%	1.2%	0.8%
Grade 11	93.1%	6.6%	0.0%	0.3%
Grade 12	92.6%	6.0%	0.1%	1.3%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	61.8%	9.5%	5.9%	4.9%	5.7%	2.1%	10.1%
Grade 7	83.6%	2.5%	2.1%	0.9%	2.7%	1.3%	6.9%
Grade 8	71.3%	7.7%	4.5%	3.6%	3.5%	2.0%	7.2%
Grade 9	63.5%	10.7%	3.2%	3.5%	5.9%	2.2%	11.1%
Grade 10	54.9%	10.7%	6.6%	4.2%	8.6%	0.7%	14.3%
Grade 11	44.7%	12.3%	9.9%	8.7%	6.5%	3.6%	14.3%
Grade 12	50.6%	13.9%	10.0%	8.8%	7.2%	2.6%	6.8%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	85.2%	5.5%	4.0%	3.2%	1.6%	0.4%
	<b>Grade 7</b>	93.5%	2.3%	1.1%	1.5%	0.7%	0.9%
	<b>Grade 8</b>	87.4%	3.7%	3.7%	3.4%	0.9%	0.9%
	<b>Grade 9</b>	89.8%	3.4%	3.4%	2.2%	1.2%	0.0%
	<b>Grade 10</b>	81.3%	7.1%	4.3%	3.7%	3.5%	0.1%
	<b>Grade 11</b>	79.3%	9.0%	4.2%	5.5%	1.3%	0.6%
	<b>Grade 12</b>	78.8%	8.1%	7.4%	3.3%	2.2%	0.2%
<b>Blunts?</b>	<b>All</b>	84.1%	5.6%	3.2%	3.5%	3.0%	0.7%
	<b>Grade 7</b>	93.3%	1.9%	2.0%	0.9%	1.0%	0.9%
	<b>Grade 8</b>	85.7%	4.0%	2.0%	4.9%	2.0%	1.5%
	<b>Grade 9</b>	88.4%	4.6%	2.4%	1.8%	2.3%	0.6%
	<b>Grade 10</b>	79.5%	7.6%	4.0%	3.3%	5.4%	0.2%
	<b>Grade 11</b>	78.1%	7.3%	4.6%	5.3%	4.2%	0.6%
	<b>Grade 12</b>	78.5%	8.5%	4.3%	5.0%	3.5%	0.2%
<b>Bongs or water pipes?</b>	<b>All</b>	90.2%	5.1%	1.8%	1.7%	0.9%	0.3%
	<b>Grade 7</b>	95.9%	2.3%	0.3%	0.9%	0.4%	0.4%
	<b>Grade 8</b>	93.3%	3.6%	1.1%	1.5%	0.2%	0.3%
	<b>Grade 9</b>	94.3%	3.0%	1.6%	0.7%	0.4%	0.0%
	<b>Grade 10</b>	89.3%	4.4%	2.4%	2.3%	1.6%	0.1%
	<b>Grade 11</b>	83.0%	8.9%	2.8%	3.5%	1.2%	0.6%
	<b>Grade 12</b>	84.5%	9.0%	2.7%	1.7%	1.8%	0.3%
<b>Pipes?</b>	<b>All</b>	90.1%	4.5%	2.0%	1.8%	1.3%	0.4%
	<b>Grade 7</b>	96.1%	1.3%	0.6%	0.4%	0.8%	0.8%
	<b>Grade 8</b>	94.0%	3.0%	1.0%	1.6%	0.2%	0.2%
	<b>Grade 9</b>	94.1%	2.2%	2.3%	0.8%	0.3%	0.4%
	<b>Grade 10</b>	87.9%	3.7%	2.4%	3.0%	2.9%	0.1%
	<b>Grade 11</b>	84.5%	7.6%	3.3%	2.5%	1.6%	0.6%
	<b>Grade 12</b>	82.6%	9.8%	2.7%	2.6%	2.2%	0.1%
<b>Some other way?</b>	<b>All</b>	92.0%	3.8%	1.2%	0.8%	1.2%	1.1%
	<b>Grade 7</b>	95.0%	1.9%	1.3%	0.3%	0.4%	1.1%
	<b>Grade 8</b>	93.7%	3.3%	1.2%	1.1%	0.1%	0.5%
	<b>Grade 9</b>	94.5%	2.4%	1.1%	0.2%	1.0%	0.8%
	<b>Grade 10</b>	88.6%	5.1%	1.1%	1.8%	2.4%	0.9%
	<b>Grade 11</b>	89.3%	5.5%	1.0%	0.9%	1.4%	2.0%
	<b>Grade 12</b>	90.6%	4.8%	1.3%	0.2%	1.9%	1.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	82.7%	3.8%	4.4%	0.8%	1.6%	6.7%
<b>Grade 7</b>	88.2%	1.3%	1.5%	0.0%	0.9%	8.1%
<b>Grade 8</b>	88.1%	3.3%	3.7%	0.5%	1.1%	3.4%
<b>Grade 9</b>	82.6%	2.3%	3.2%	0.4%	2.3%	9.1%
<b>Grade 10</b>	78.0%	7.1%	6.1%	2.0%	2.0%	4.7%
<b>Grade 11</b>	80.4%	3.6%	5.8%	0.7%	1.5%	8.0%
<b>Grade 12</b>	78.4%	5.4%	6.4%	1.1%	1.8%	6.9%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Marijuana?</b>						
	<b>All</b>	67.7%	13.1%	8.1%	6.9%	4.3%
	<b>Grade 7</b>	83.9%	7.3%	2.0%	3.8%	2.9%
	<b>Grade 8</b>	76.8%	10.7%	4.9%	3.7%	3.9%
	<b>Grade 9</b>	69.4%	14.4%	6.1%	6.4%	3.7%
	<b>Grade 10</b>	61.9%	16.8%	7.1%	10.2%	4.0%
	<b>Grade 11</b>	59.6%	12.4%	14.9%	8.3%	4.8%
	<b>Grade 12</b>	51.6%	17.2%	15.4%	9.3%	6.5%
<b>Cocaine?</b>						
	<b>All</b>	86.1%	6.5%	1.3%	1.0%	5.1%
	<b>Grade 7</b>	88.7%	6.5%	0.8%	0.5%	3.6%
	<b>Grade 8</b>	84.6%	7.6%	1.9%	0.8%	5.2%
	<b>Grade 9</b>	87.9%	6.9%	0.1%	0.6%	4.5%
	<b>Grade 10</b>	86.7%	6.8%	0.8%	0.7%	5.0%
	<b>Grade 11</b>	85.6%	6.1%	1.6%	0.9%	5.8%
	<b>Grade 12</b>	82.6%	5.1%	2.7%	2.7%	6.9%
<b>Crack?</b>						
	<b>All</b>	87.0%	5.3%	0.8%	1.2%	5.7%
	<b>Grade 7</b>	89.9%	5.6%	0.3%	0.7%	3.5%
	<b>Grade 8</b>	84.8%	7.0%	1.0%	1.1%	6.1%
	<b>Grade 9</b>	87.3%	5.0%	0.1%	1.8%	5.8%
	<b>Grade 10</b>	87.1%	5.9%	0.8%	1.3%	4.8%
	<b>Grade 11</b>	87.4%	4.4%	1.1%	0.8%	6.3%
	<b>Grade 12</b>	85.2%	3.6%	1.7%	1.7%	7.7%
<b>Ecstasy?</b>						
	<b>All</b>	83.4%	6.2%	2.1%	1.5%	6.8%
	<b>Grade 7</b>	86.7%	5.9%	1.0%	0.6%	5.8%
	<b>Grade 8</b>	83.8%	6.6%	1.3%	1.6%	6.7%
	<b>Grade 9</b>	84.3%	5.5%	1.6%	1.2%	7.3%
	<b>Grade 10</b>	82.7%	7.3%	1.8%	2.2%	6.0%
	<b>Grade 11</b>	82.3%	5.2%	4.1%	1.4%	6.9%
	<b>Grade 12</b>	80.4%	6.5%	3.1%	1.8%	8.3%
<b>Steroids?</b>						
	<b>All</b>	78.3%	10.2%	3.2%	1.9%	6.5%
	<b>Grade 7</b>	81.6%	10.3%	2.6%	0.7%	4.8%
	<b>Grade 8</b>	77.6%	10.6%	3.2%	1.7%	6.9%
	<b>Grade 9</b>	79.2%	9.3%	2.6%	1.6%	7.3%
	<b>Grade 10</b>	78.3%	11.4%	3.1%	1.8%	5.4%
	<b>Grade 11</b>	76.3%	10.8%	3.2%	2.5%	7.2%
	<b>Grade 12</b>	75.9%	8.6%	4.7%	3.3%	7.5%
<b>Heroin?</b>						
	<b>All</b>	87.5%	4.2%	1.1%	1.0%	6.2%
	<b>Grade 7</b>	88.9%	5.1%	0.3%	0.5%	5.3%
	<b>Grade 8</b>	86.7%	5.6%	1.1%	0.9%	5.7%
	<b>Grade 9</b>	87.2%	5.3%	0.5%	1.1%	5.9%
	<b>Grade 10</b>	87.3%	4.4%	1.0%	1.3%	6.0%
	<b>Grade 11</b>	90.2%	2.1%	0.5%	0.7%	6.5%
	<b>Grade 12</b>	85.0%	2.4%	3.3%	1.5%	7.7%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Methamphetamine?</b>				
<b>All</b>	1.0%	1.8%	3.6%	96.4%
<b>Grade 7</b>	0.3%	0.7%	1.4%	98.6%
<b>Grade 8</b>	0.3%	0.4%	2.3%	97.7%
<b>Grade 9</b>	0.4%	1.8%	2.0%	98.0%
<b>Grade 10</b>	1.4%	2.0%	4.7%	95.3%
<b>Grade 11</b>	1.2%	2.1%	5.2%	94.8%
<b>Grade 12</b>	2.5%	4.1%	6.1%	93.9%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-16: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Codeine?</b>					
	<b>All</b>	5.5%	9.4%	13.4%	86.6%
	<b>Grade 7</b>	3.9%	6.6%	8.7%	91.3%
	<b>Grade 8</b>	6.1%	8.2%	12.4%	87.6%
	<b>Grade 9</b>	4.4%	7.1%	9.2%	90.8%
	<b>Grade 10</b>	5.8%	11.5%	17.4%	82.6%
	<b>Grade 11</b>	5.6%	10.2%	16.3%	83.7%
	<b>Grade 12</b>	7.4%	13.4%	16.5%	83.5%
<b>Oxycontin, Percodan or Percocet?</b>					
	<b>All</b>	1.2%	2.7%	4.0%	96.0%
	<b>Grade 7</b>	0.1%	0.6%	1.3%	98.7%
	<b>Grade 8</b>	0.2%	0.7%	2.5%	97.5%
	<b>Grade 9</b>	2.5%	2.9%	3.1%	96.9%
	<b>Grade 10</b>	1.2%	2.1%	4.4%	95.6%
	<b>Grade 11</b>	1.5%	3.5%	4.7%	95.3%
	<b>Grade 12</b>	2.2%	7.1%	8.2%	91.8%
<b>Vicodin, Lortab or Lorcet?</b>					
	<b>All</b>	3.2%	5.7%	8.1%	91.9%
	<b>Grade 7</b>	0.8%	1.3%	2.8%	97.2%
	<b>Grade 8</b>	0.4%	1.5%	2.8%	97.2%
	<b>Grade 9</b>	3.7%	5.2%	5.7%	94.3%
	<b>Grade 10</b>	4.0%	8.1%	11.2%	88.8%
	<b>Grade 11</b>	3.8%	9.0%	14.1%	85.9%
	<b>Grade 12</b>	7.3%	9.7%	12.5%	87.5%
<b>Valium or Diazepam?</b>					
	<b>All</b>	1.5%	3.0%	4.4%	95.6%
	<b>Grade 7</b>	0.4%	0.5%	0.8%	99.2%
	<b>Grade 8</b>	1.0%	1.2%	2.1%	97.9%
	<b>Grade 9</b>	2.8%	3.8%	4.3%	95.7%
	<b>Grade 10</b>	0.5%	3.0%	5.5%	94.5%
	<b>Grade 11</b>	1.6%	3.3%	6.1%	93.9%
	<b>Grade 12</b>	3.2%	6.9%	8.2%	91.8%
<b>Xanax or Alprazolam?</b>					
	<b>All</b>	2.5%	4.4%	6.5%	93.5%
	<b>Grade 7</b>	0.7%	0.7%	1.1%	98.9%
	<b>Grade 8</b>	1.4%	2.2%	5.4%	94.6%
	<b>Grade 9</b>	2.4%	3.2%	4.0%	96.0%
	<b>Grade 10</b>	3.1%	6.2%	7.5%	92.5%
	<b>Grade 11</b>	4.1%	5.9%	8.9%	91.1%
	<b>Grade 12</b>	3.4%	8.8%	12.6%	87.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table D-17: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>				
<b>All</b>	2.3%	4.0%	6.9%	93.1%
<b>Grade 7</b>	1.4%	2.5%	4.0%	96.0%
<b>Grade 8</b>	1.9%	2.3%	5.0%	95.0%
<b>Grade 9</b>	2.8%	3.0%	5.0%	95.0%
<b>Grade 10</b>	2.2%	4.1%	6.3%	93.7%
<b>Grade 11</b>	4.0%	6.2%	9.2%	90.8%
<b>Grade 12</b>	1.5%	6.5%	12.5%	87.5%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>					
	<b>All</b>	2.6%	4.0%	9.3%	90.7%
	<b>Grade 7</b>	2.3%	3.4%	8.9%	91.1%
	<b>Grade 8</b>	3.0%	4.9%	10.9%	89.1%
	<b>Grade 9</b>	3.5%	4.6%	8.3%	91.7%
	<b>Grade 10</b>	2.1%	3.2%	10.0%	90.0%
	<b>Grade 11</b>	0.9%	3.2%	9.0%	91.0%
	<b>Grade 12</b>	3.7%	4.5%	8.9%	91.1%

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	92.6%	0.2%	0.4%	1.2%	1.0%	2.0%	2.6%
<b>Grade 7</b>	93.0%	0.4%	0.6%	1.2%	1.0%	2.2%	1.7%
<b>Grade 8</b>	90.5%	0.1%	0.3%	1.7%	1.6%	2.7%	3.1%
<b>Grade 9</b>	93.9%	0.1%	0.2%	1.4%	1.2%	2.5%	0.7%
<b>Grade 10</b>	90.9%	0.0%	0.2%	1.3%	2.0%	2.1%	3.6%
<b>Grade 11</b>	92.5%	0.7%	0.2%	0.5%	0.1%	1.4%	4.7%
<b>Grade 12</b>	95.4%	0.0%	0.8%	0.8%	0.0%	0.8%	2.2%

**Table I-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Inhalants</b>	10.8	11.4	12.5	12.7	13.5	13.7

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	97.3%	1.5%	0.5%	0.7%
<b>Grade 7</b>	97.7%	1.2%	0.4%	0.7%
<b>Grade 8</b>	96.8%	1.5%	0.7%	1.0%
<b>Grade 9</b>	96.2%	3.1%	0.4%	0.2%
<b>Grade 10</b>	98.2%	1.5%	0.2%	0.1%
<b>Grade 11</b>	98.8%	0.2%	0.5%	0.5%
<b>Grade 12</b>	96.0%	1.5%	0.8%	1.7%

**Table I-5: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	4.3
Inhalants Non-use	4.0

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	6.3
Inhalants Non-use	2.1

**Table I-6: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	81.3%	12.0%	4.5%	1.3%	1.0%
<b>Grade 7</b>	86.1%	9.6%	2.8%	1.2%	0.4%
<b>Grade 8</b>	78.7%	11.5%	7.9%	0.8%	1.1%
<b>Grade 9</b>	74.0%	15.7%	7.7%	1.1%	1.5%
<b>Grade 10</b>	81.9%	11.4%	3.5%	2.5%	0.8%
<b>Grade 11</b>	85.0%	11.4%	2.8%	0.7%	0.1%
<b>Grade 12</b>	82.9%	12.2%	1.4%	1.5%	2.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	75.2%	13.4%	4.1%	1.8%	5.6%
<b>Grade 7</b>	81.2%	9.1%	5.0%	0.7%	4.1%
<b>Grade 8</b>	73.2%	16.4%	3.4%	2.3%	4.7%
<b>Grade 9</b>	75.9%	15.2%	2.6%	2.2%	4.1%
<b>Grade 10</b>	74.8%	13.8%	4.0%	1.6%	5.9%
<b>Grade 11</b>	72.7%	13.8%	5.0%	1.5%	7.0%
<b>Grade 12</b>	72.8%	11.9%	4.6%	2.5%	8.2%

**Table I-8: If you wanted some, how difficult would it be to get..**

	<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Inhalants?</b>						
<b>All</b>	18.3%	19.6%	5.9%	6.7%	10.3%	39.1%
<b>Grade 7</b>	24.7%	31.7%	5.8%	3.8%	7.1%	26.8%
<b>Grade 8</b>	15.7%	25.1%	8.3%	7.9%	10.3%	32.8%
<b>Grade 9</b>	18.5%	18.1%	4.6%	6.6%	14.7%	37.4%
<b>Grade 10</b>	17.2%	14.3%	4.5%	4.7%	13.1%	46.2%
<b>Grade 11</b>	16.9%	16.6%	6.1%	9.3%	10.1%	41.0%
<b>Grade 12</b>	16.6%	11.1%	6.2%	8.4%	6.1%	51.7%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 43.4%
	Grade 7 38.2%
	Grade 8 48.6%
	Grade 9 53.3%
	Grade 10 44.2%
	Grade 11 41.0%
	Grade 12 35.0%
<b>An assembly program</b>	All 35.7%
	Grade 7 44.5%
	Grade 8 43.1%
	Grade 9 43.5%
	Grade 10 26.8%
	Grade 11 31.8%
	Grade 12 24.4%
<b>Guidance counselor</b>	All 21.0%
	Grade 7 19.0%
	Grade 8 21.6%
	Grade 9 19.2%
	Grade 10 18.6%
	Grade 11 23.9%
	Grade 12 24.6%
<b>Science class</b>	All 27.0%
	Grade 7 23.5%
	Grade 8 40.4%
	Grade 9 31.0%
	Grade 10 25.6%
	Grade 11 17.9%
	Grade 12 24.0%
<b>Social studies class</b>	All 11.0%
	Grade 7 9.3%
	Grade 8 7.8%
	Grade 9 10.8%
	Grade 10 10.5%
	Grade 11 13.7%
	Grade 12 14.8%
<b>Student group session</b>	All 17.0%
	Grade 7 24.4%
	Grade 8 13.2%
	Grade 9 18.6%
	Grade 10 12.8%
	Grade 11 15.3%
	Grade 12 17.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

CATEGORY	Yes
<b>An invited school guest</b>	All 27.8%
	Grade 7 34.7%
	Grade 8 27.8%
	Grade 9 44.3%
	Grade 10 23.2%
	Grade 11 18.4%
	Grade 12 18.2%
<b>Another source at school</b>	All 30.6%
	Grade 7 34.7%
	Grade 8 32.6%
	Grade 9 36.8%
	Grade 10 28.1%
	Grade 11 25.2%
	Grade 12 25.6%
<b>Any school source</b>	All 53.1%
	Grade 7 60.5%
	Grade 8 54.4%
	Grade 9 56.8%
	Grade 10 50.6%
	Grade 11 51.9%
	Grade 12 43.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
<b>A counselor or program in</b>	All 29.7%
	Grade 7 37.6%
	Grade 8 37.0%
	Grade 9 32.1%
	Grade 10 22.8%
	Grade 11 27.3%
	Grade 12 20.7%
<b>Another adult in school (</b>	All 28.9%
	Grade 7 30.3%
	Grade 8 30.5%
	Grade 9 30.8%
	Grade 10 26.9%
	Grade 11 29.2%
	Grade 12 25.1%
<b>A counselor or program ou</b>	All 37.4%
	Grade 7 36.2%
	Grade 8 42.2%
	Grade 9 40.4%
	Grade 10 35.6%
	Grade 11 35.8%
	Grade 12 33.8%
<b>Your parents</b>	All 59.7%
	Grade 7 69.6%
	Grade 8 62.8%
	Grade 9 58.4%
	Grade 10 59.2%
	Grade 11 53.6%
	Grade 12 53.0%
<b>A medical doctor</b>	All 44.7%
	Grade 7 50.9%
	Grade 8 49.7%
	Grade 9 46.2%
	Grade 10 38.8%
	Grade 11 41.3%
	Grade 12 40.6%
<b>Your friends</b>	All 70.5%
	Grade 7 60.6%
	Grade 8 67.4%
	Grade 9 73.5%
	Grade 10 74.3%
	Grade 11 73.2%
	Grade 12 75.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)**

CATEGORY		Yes
Another adult (a relative)	All	60.2%
	Grade 7	61.0%
	Grade 8	62.4%
	Grade 9	62.6%
	Grade 10	59.0%
	Grade 11	59.8%
	Grade 12	56.2%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	7.5%
	Grade 7	9.6%
	Grade 8	7.3%
	Grade 9	8.6%
	Grade 10	5.4%
	Grade 11	6.4%
	Grade 12	7.7%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	4.4%	25.5%	25.9%	34.5%	9.6%
<b>Grade 7</b>	4.7%	23.7%	22.9%	34.1%	14.5%
<b>Grade 8</b>	3.5%	26.5%	23.7%	34.8%	11.6%
<b>Grade 9</b>	4.9%	27.1%	27.7%	33.0%	7.4%
<b>Grade 10</b>	6.8%	23.8%	27.8%	33.6%	7.9%
<b>Grade 11</b>	2.3%	29.0%	25.8%	34.7%	8.2%
<b>Grade 12</b>	4.3%	22.7%	27.9%	37.3%	7.8%
<b>Sometimes carry weapons?</b>					
<b>All</b>	58.9%	23.0%	10.5%	5.5%	2.0%
<b>Grade 7</b>	76.7%	14.5%	4.6%	2.6%	1.5%
<b>Grade 8</b>	65.7%	20.7%	8.9%	3.9%	0.8%
<b>Grade 9</b>	55.2%	26.4%	11.0%	5.2%	2.2%
<b>Grade 10</b>	52.7%	25.8%	12.6%	6.2%	2.7%
<b>Grade 11</b>	50.9%	23.2%	13.7%	9.7%	2.4%
<b>Grade 12</b>	51.0%	28.1%	12.6%	5.9%	2.3%
<b>Care about making good grades?</b>					
<b>All</b>	3.6%	14.7%	21.5%	42.3%	17.9%
<b>Grade 7</b>	3.1%	15.7%	18.2%	34.5%	28.5%
<b>Grade 8</b>	5.4%	15.3%	21.1%	39.9%	18.4%
<b>Grade 9</b>	4.3%	16.4%	20.7%	39.4%	19.2%
<b>Grade 10</b>	4.0%	14.2%	21.6%	47.2%	12.9%
<b>Grade 11</b>	2.3%	12.7%	23.3%	49.0%	12.6%
<b>Grade 12</b>	2.2%	13.4%	24.7%	44.6%	15.2%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	70.1%	15.4%	7.6%	5.1%	1.7%
<b>Grade 7</b>	69.6%	17.3%	4.5%	5.2%	3.5%
<b>Grade 8</b>	64.0%	17.4%	12.0%	5.0%	1.5%
<b>Grade 9</b>	65.6%	18.4%	7.7%	7.2%	1.1%
<b>Grade 10</b>	70.4%	14.9%	9.2%	4.2%	1.4%
<b>Grade 11</b>	74.1%	11.5%	8.1%	5.0%	1.3%
<b>Grade 12</b>	78.5%	12.5%	3.9%	3.7%	1.5%
<b>Wish they could drop out of school?</b>					
<b>All</b>	58.9%	26.0%	9.8%	3.0%	2.3%
<b>Grade 7</b>	69.1%	19.2%	7.4%	1.7%	2.6%
<b>Grade 8</b>	61.1%	25.5%	8.7%	2.8%	2.0%
<b>Grade 9</b>	51.6%	27.0%	13.4%	5.3%	2.6%
<b>Grade 10</b>	53.4%	29.3%	11.7%	3.8%	1.9%
<b>Grade 11</b>	53.8%	34.8%	8.2%	2.1%	1.1%
<b>Grade 12</b>	64.4%	20.5%	9.3%	2.1%	3.7%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-5: How safe do you feel when you are:**

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
<b>In your home?</b>					
<b>All</b>	78.8%	18.8%	1.1%	0.5%	0.9%
<b>Grade 7</b>	78.3%	19.2%	1.3%	0.6%	0.5%
<b>Grade 8</b>	79.7%	17.4%	1.3%	0.3%	1.3%
<b>Grade 9</b>	74.1%	22.5%	1.4%	0.3%	1.7%
<b>Grade 10</b>	82.2%	16.0%	0.7%	0.3%	0.7%
<b>Grade 11</b>	76.1%	21.9%	1.0%	0.6%	0.4%
<b>Grade 12</b>	82.5%	15.7%	0.5%	0.6%	0.7%
<b>Out in your neighbourhood</b>					
<b>All</b>	44.7%	42.8%	7.7%	2.7%	2.2%
<b>Grade 7</b>	39.8%	44.8%	9.4%	2.8%	3.2%
<b>Grade 8</b>	41.8%	47.5%	4.5%	3.2%	2.9%
<b>Grade 9</b>	42.9%	43.2%	9.1%	2.5%	2.4%
<b>Grade 10</b>	46.6%	41.7%	7.1%	2.3%	2.4%
<b>Grade 11</b>	46.1%	42.8%	7.0%	2.4%	1.7%
<b>Grade 12</b>	51.8%	36.2%	9.1%	2.7%	0.2%
<b>At school</b>					
<b>All</b>	34.0%	49.9%	8.9%	4.5%	2.6%
<b>Grade 7</b>	42.0%	44.1%	7.3%	4.0%	2.6%
<b>Grade 8</b>	34.7%	47.4%	10.3%	4.0%	3.6%
<b>Grade 9</b>	27.3%	55.4%	11.8%	3.6%	1.8%
<b>Grade 10</b>	32.6%	49.5%	8.0%	6.9%	3.0%
<b>Grade 11</b>	28.3%	55.0%	8.7%	4.9%	3.0%
<b>Grade 12</b>	39.2%	48.4%	7.3%	3.5%	1.6%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A website or online chat</b>	All 22.1%
	Grade 7 12.9%
	Grade 8 24.3%
	Grade 9 23.4%
	Grade 10 21.1%
	Grade 11 22.5%
	Grade 12 30.0%
<b>Books, magazines, poster</b>	All 42.1%
	Grade 7 38.2%
	Grade 8 43.9%
	Grade 9 46.4%
	Grade 10 39.5%
	Grade 11 36.7%
	Grade 12 48.7%
<b>TV, radio, or other audi</b>	All 47.5%
	Grade 7 45.1%
	Grade 8 45.7%
	Grade 9 47.5%
	Grade 10 48.5%
	Grade 11 46.2%
	Grade 12 52.4%
<b>Your parents</b>	All 44.2%
	Grade 7 43.2%
	Grade 8 44.2%
	Grade 9 47.5%
	Grade 10 40.9%
	Grade 11 42.2%
	Grade 12 47.7%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.9%	18.5%	32.1%	67.9%
	<b>Grade 7</b>	4.6%	6.0%	14.5%	85.5%
	<b>Grade 8</b>	8.7%	14.0%	30.2%	69.8%
	<b>Grade 9</b>	11.1%	15.1%	27.2%	72.8%
	<b>Grade 10</b>	19.0%	23.2%	36.9%	63.1%
	<b>Grade 11</b>	16.5%	22.5%	36.4%	63.6%
	<b>Grade 12</b>	24.9%	31.9%	49.6%	50.4%
<b>Alcohol</b>					
	<b>All</b>	27.0%	36.1%	57.3%	42.7%
	<b>Grade 7</b>	13.9%	17.7%	40.7%	59.3%
	<b>Grade 8</b>	22.2%	31.3%	55.9%	44.1%
	<b>Grade 9</b>	23.7%	35.1%	55.7%	44.3%
	<b>Grade 10</b>	31.5%	40.2%	59.2%	40.8%
	<b>Grade 11</b>	29.7%	43.2%	63.4%	36.6%
	<b>Grade 12</b>	42.5%	50.9%	70.6%	29.4%
<b>Inhalants</b>					
	<b>All</b>	2.6%	4.0%	9.3%	90.7%
	<b>Grade 7</b>	2.3%	3.4%	8.9%	91.1%
	<b>Grade 8</b>	3.0%	4.9%	10.9%	89.1%
	<b>Grade 9</b>	3.5%	4.6%	8.3%	91.7%
	<b>Grade 10</b>	2.1%	3.2%	10.0%	90.0%
	<b>Grade 11</b>	0.9%	3.2%	9.0%	91.0%
	<b>Grade 12</b>	3.7%	4.5%	8.9%	91.1%
<b>Any Illicit Drug</b>					
	<b>All</b>	8.8%	12.5%	21.6%	78.4%
	<b>Grade 7</b>	3.6%	4.7%	8.4%	91.6%
	<b>Grade 8</b>	4.9%	7.7%	15.7%	84.3%
	<b>Grade 9</b>	8.7%	10.5%	18.5%	81.5%
	<b>Grade 10</b>	11.7%	17.0%	26.9%	73.1%
	<b>Grade 11</b>	12.0%	18.0%	31.8%	68.2%
	<b>Grade 12</b>	12.5%	18.3%	30.0%	70.0%
<b>Marijuana</b>					
	<b>All</b>	7.1%	11.0%	20.2%	79.8%
	<b>Grade 7</b>	2.2%	3.2%	5.5%	94.5%
	<b>Grade 8</b>	4.0%	6.7%	15.1%	84.9%
	<b>Grade 9</b>	7.5%	8.5%	16.3%	83.7%
	<b>Grade 10</b>	9.7%	15.3%	25.4%	74.6%
	<b>Grade 11</b>	10.6%	17.3%	31.2%	68.8%
	<b>Grade 12</b>	9.4%	16.2%	29.7%	70.3%
<b>Marijuana Only</b>					
	<b>All</b>	3.0%	4.8%	11.2%	88.8%
	<b>Grade 7</b>	1.4%	2.2%	4.0%	96.0%
	<b>Grade 8</b>	1.4%	2.6%	8.3%	91.7%
	<b>Grade 9</b>	3.7%	4.3%	9.9%	90.1%
	<b>Grade 10</b>	4.3%	6.9%	14.2%	85.8%
	<b>Grade 11</b>	4.6%	8.0%	16.8%	83.2%
	<b>Grade 12</b>	3.0%	5.0%	14.7%	85.3%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.3%	2.2%	4.0%	96.0%
	Grade 7	0.7%	0.8%	1.6%	98.4%
	Grade 8	1.3%	1.5%	3.6%	96.4%
	Grade 9	0.2%	0.5%	1.4%	98.6%
	Grade 10	1.8%	3.6%	4.8%	95.2%
	Grade 11	1.5%	2.1%	5.6%	94.4%
	Grade 12	2.5%	5.1%	7.6%	92.4%
<b>Cocaine</b>					
	All	1.3%	2.2%	3.9%	96.1%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	1.1%	1.3%	3.2%	96.8%
	Grade 9	0.2%	0.5%	1.4%	98.6%
	Grade 10	1.8%	3.6%	4.9%	95.1%
	Grade 11	1.4%	2.0%	5.4%	94.6%
	Grade 12	2.6%	5.2%	7.8%	92.2%
<b>Crack</b>					
	All	0.5%	0.6%	1.1%	98.9%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.1%	0.1%	1.3%	98.7%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	1.5%	2.1%	2.3%	97.7%
<b>Hallucinogens</b>					
	All	0.8%	1.6%	3.2%	96.8%
	Grade 7	0.1%	0.4%	0.8%	99.2%
	Grade 8	0.9%	1.2%	2.0%	98.0%
	Grade 9	1.0%	1.6%	2.8%	97.2%
	Grade 10	1.9%	2.6%	5.3%	94.7%
	Grade 11	0.3%	0.8%	3.0%	97.0%
	Grade 12	0.8%	2.8%	6.0%	94.0%
<b>Uppers</b>					
	All	1.7%	3.1%	4.7%	95.3%
	Grade 7	0.1%	0.4%	0.5%	99.5%
	Grade 8	0.5%	1.6%	2.1%	97.9%
	Grade 9	2.1%	2.8%	4.3%	95.7%
	Grade 10	2.3%	3.3%	6.0%	94.0%
	Grade 11	2.2%	4.4%	6.8%	93.2%
	Grade 12	3.4%	6.5%	9.2%	90.8%
<b>Downers</b>					
	All	2.1%	3.1%	4.5%	95.5%
	Grade 7	0.7%	1.1%	1.1%	98.9%
	Grade 8	0.5%	0.7%	0.8%	99.2%
	Grade 9	2.0%	2.2%	3.3%	96.7%
	Grade 10	1.7%	3.3%	6.4%	93.6%
	Grade 11	3.4%	4.4%	6.2%	93.8%
	Grade 12	4.3%	7.2%	9.8%	90.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	1.1%	1.1%	1.6%	98.4%
	<b>Grade 9</b>	0.6%	0.8%	1.0%	99.0%
	<b>Grade 10</b>	1.3%	2.8%	3.8%	96.2%
	<b>Grade 11</b>	0.4%	0.4%	0.8%	99.2%
	<b>Grade 12</b>	0.0%	0.2%	0.9%	99.1%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.5%	1.3%	98.7%
	<b>Grade 7</b>	0.0%	0.0%	0.6%	99.4%
	<b>Grade 8</b>	0.2%	0.4%	0.8%	99.2%
	<b>Grade 9</b>	0.3%	0.3%	1.4%	98.6%
	<b>Grade 10</b>	0.8%	1.0%	1.9%	98.1%
	<b>Grade 11</b>	0.7%	0.8%	1.2%	98.8%
	<b>Grade 12</b>	0.7%	0.8%	1.8%	98.2%
<b>Ecstasy</b>					
	<b>All</b>	1.6%	2.6%	3.8%	96.2%
	<b>Grade 7</b>	0.5%	0.5%	0.6%	99.4%
	<b>Grade 8</b>	0.9%	1.2%	1.7%	98.3%
	<b>Grade 9</b>	1.1%	1.8%	2.2%	97.8%
	<b>Grade 10</b>	1.5%	3.5%	4.9%	95.1%
	<b>Grade 11</b>	1.4%	3.6%	6.4%	93.6%
	<b>Grade 12</b>	4.2%	5.3%	7.8%	92.2%
<b>Heroin</b>					
	<b>All</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 7</b>	0.2%	0.2%	0.4%	99.6%
	<b>Grade 8</b>	0.5%	0.9%	1.2%	98.8%
	<b>Grade 9</b>	0.7%	0.7%	1.4%	98.6%
	<b>Grade 10</b>	1.2%	1.9%	2.3%	97.7%
	<b>Grade 11</b>	0.6%	0.6%	1.2%	98.8%
	<b>Grade 12</b>	0.2%	1.1%	1.7%	98.3%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	17.0%	22.3%	36.8%	63.2%
	<b>Grade 7</b>	4.5%	7.1%	14.4%	85.6%
	<b>Grade 8</b>	10.0%	15.7%	33.2%	66.8%
	<b>Grade 9</b>	15.1%	18.1%	29.2%	70.8%
	<b>Grade 10</b>	21.1%	25.7%	44.7%	55.3%
	<b>Grade 11</b>	16.9%	27.0%	42.9%	57.1%
	<b>Grade 12</b>	36.5%	42.2%	59.3%	40.7%
<b>Alcohol</b>					
	<b>All</b>	27.6%	36.4%	58.0%	42.0%
	<b>Grade 7</b>	15.3%	21.1%	43.3%	56.7%
	<b>Grade 8</b>	23.4%	29.3%	52.3%	47.7%
	<b>Grade 9</b>	23.7%	35.3%	57.6%	42.4%
	<b>Grade 10</b>	29.9%	38.8%	60.0%	40.0%
	<b>Grade 11</b>	28.6%	40.9%	61.8%	38.2%
	<b>Grade 12</b>	46.9%	55.6%	75.5%	24.5%
<b>Inhalants</b>					
	<b>All</b>	2.4%	3.8%	8.7%	91.3%
	<b>Grade 7</b>	2.9%	4.2%	10.4%	89.6%
	<b>Grade 8</b>	2.2%	4.7%	6.7%	93.3%
	<b>Grade 9</b>	2.2%	2.4%	5.0%	95.0%
	<b>Grade 10</b>	2.4%	2.6%	8.5%	91.5%
	<b>Grade 11</b>	0.5%	4.4%	10.8%	89.2%
	<b>Grade 12</b>	4.1%	4.7%	10.3%	89.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	9.5%	14.0%	23.8%	76.2%
	<b>Grade 7</b>	4.3%	5.1%	9.4%	90.6%
	<b>Grade 8</b>	5.6%	8.2%	13.2%	86.8%
	<b>Grade 9</b>	8.2%	10.0%	21.5%	78.5%
	<b>Grade 10</b>	9.4%	15.4%	31.5%	68.5%
	<b>Grade 11</b>	12.2%	21.6%	33.6%	66.4%
	<b>Grade 12</b>	18.2%	24.4%	34.8%	65.2%
<b>Marijuana</b>					
	<b>All</b>	7.7%	12.6%	22.7%	77.3%
	<b>Grade 7</b>	2.7%	3.5%	7.1%	92.9%
	<b>Grade 8</b>	3.9%	6.4%	11.9%	88.1%
	<b>Grade 9</b>	8.5%	9.2%	19.4%	80.6%
	<b>Grade 10</b>	8.2%	14.4%	30.3%	69.7%
	<b>Grade 11</b>	9.9%	20.1%	34.2%	65.8%
	<b>Grade 12</b>	13.8%	22.7%	33.7%	66.3%
<b>Marijuana Only</b>					
	<b>All</b>	3.2%	5.3%	12.7%	87.3%
	<b>Grade 7</b>	1.5%	2.2%	4.9%	95.1%
	<b>Grade 8</b>	1.3%	1.6%	4.4%	95.6%
	<b>Grade 9</b>	5.1%	5.2%	13.3%	86.7%
	<b>Grade 10</b>	3.5%	6.6%	19.0%	81.0%
	<b>Grade 11</b>	2.9%	7.7%	17.5%	82.5%
	<b>Grade 12</b>	5.7%	9.2%	17.8%	82.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.7%	2.4%	4.5%	95.5%
	Grade 7	1.1%	1.1%	1.9%	98.1%
	Grade 8	1.5%	2.2%	5.8%	94.2%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.3%	2.0%	3.9%	96.1%
	Grade 11	1.8%	2.7%	6.5%	93.5%
	Grade 12	5.6%	7.0%	9.1%	90.9%
<b>Cocaine</b>					
	All	1.6%	2.4%	4.3%	95.7%
	Grade 7	0.9%	1.0%	1.3%	98.7%
	Grade 8	1.3%	1.8%	5.4%	94.6%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.3%	2.0%	4.0%	96.0%
	Grade 11	1.5%	2.5%	6.1%	93.9%
	Grade 12	5.6%	7.0%	9.1%	90.9%
<b>Crack</b>					
	All	0.9%	0.9%	1.4%	98.6%
	Grade 7	1.2%	1.2%	1.9%	98.1%
	Grade 8	0.3%	0.8%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	1.5%	98.5%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	3.4%	3.4%	3.9%	96.1%
<b>Hallucinogens</b>					
	All	1.1%	1.7%	4.6%	95.4%
	Grade 7	0.2%	0.2%	0.8%	99.2%
	Grade 8	1.3%	1.9%	3.5%	96.5%
	Grade 9	0.9%	1.4%	2.7%	97.3%
	Grade 10	2.9%	3.4%	7.7%	92.3%
	Grade 11	0.2%	1.0%	5.0%	95.0%
	Grade 12	1.0%	2.9%	8.2%	91.8%
<b>Uppers</b>					
	All	1.9%	2.9%	4.9%	95.1%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.1%	0.4%	0.4%	99.6%
	Grade 9	1.8%	2.2%	4.4%	95.6%
	Grade 10	1.6%	1.8%	6.9%	93.1%
	Grade 11	3.1%	5.6%	7.3%	92.7%
	Grade 12	4.4%	7.3%	10.1%	89.9%
<b>Downers</b>					
	All	2.3%	3.0%	5.2%	94.8%
	Grade 7	0.4%	0.6%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.5%	99.5%
	Grade 9	1.8%	1.8%	3.5%	96.5%
	Grade 10	1.4%	1.6%	7.4%	92.6%
	Grade 11	5.0%	6.5%	8.3%	91.7%
	Grade 12	5.3%	7.2%	10.9%	89.1%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.9%	1.4%	1.7%	98.3%
	<b>Grade 7</b>	0.1%	0.1%	0.5%	99.5%
	<b>Grade 8</b>	2.6%	2.6%	2.6%	97.4%
	<b>Grade 9</b>	0.9%	1.3%	1.3%	98.7%
	<b>Grade 10</b>	1.2%	3.0%	3.5%	96.5%
	<b>Grade 11</b>	0.7%	0.7%	0.7%	99.3%
	<b>Grade 12</b>	0.0%	0.5%	1.7%	98.3%
<b>Steroids</b>					
	<b>All</b>	0.7%	0.7%	1.6%	98.4%
	<b>Grade 7</b>	0.0%	0.0%	1.1%	98.9%
	<b>Grade 8</b>	0.4%	0.4%	1.4%	98.6%
	<b>Grade 9</b>	0.5%	0.5%	1.0%	99.0%
	<b>Grade 10</b>	0.6%	0.6%	1.8%	98.2%
	<b>Grade 11</b>	0.9%	1.1%	1.1%	98.9%
	<b>Grade 12</b>	1.5%	1.8%	3.5%	96.5%
<b>Ecstasy</b>					
	<b>All</b>	1.5%	2.6%	3.5%	96.5%
	<b>Grade 7</b>	0.8%	0.8%	0.8%	99.2%
	<b>Grade 8</b>	0.4%	0.9%	0.9%	99.1%
	<b>Grade 9</b>	0.0%	0.2%	0.6%	99.4%
	<b>Grade 10</b>	0.3%	2.6%	4.2%	95.8%
	<b>Grade 11</b>	1.5%	4.6%	6.3%	93.7%
	<b>Grade 12</b>	5.8%	6.2%	8.2%	91.8%
<b>Heroin</b>					
	<b>All</b>	0.4%	1.1%	1.7%	98.3%
	<b>Grade 7</b>	0.4%	0.4%	0.5%	99.5%
	<b>Grade 8</b>	0.0%	1.1%	1.5%	98.5%
	<b>Grade 9</b>	0.0%	0.0%	1.1%	98.9%
	<b>Grade 10</b>	1.2%	2.6%	2.9%	97.1%
	<b>Grade 11</b>	0.2%	0.2%	1.3%	98.7%
	<b>Grade 12</b>	0.5%	2.3%	3.0%	97.0%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	11.2%	15.4%	28.3%	71.7%
	<b>Grade 7</b>	4.6%	5.0%	14.8%	85.2%
	<b>Grade 8</b>	7.3%	12.5%	28.1%	71.9%
	<b>Grade 9</b>	8.5%	13.3%	26.1%	73.9%
	<b>Grade 10</b>	17.4%	21.5%	30.2%	69.8%
	<b>Grade 11</b>	15.6%	17.6%	29.8%	70.2%
	<b>Grade 12</b>	15.2%	23.5%	41.9%	58.1%
<b>Alcohol</b>					
	<b>All</b>	26.1%	35.5%	56.6%	43.4%
	<b>Grade 7</b>	12.6%	14.5%	38.5%	61.5%
	<b>Grade 8</b>	21.0%	32.6%	58.3%	41.7%
	<b>Grade 9</b>	24.0%	35.0%	54.7%	45.3%
	<b>Grade 10</b>	32.5%	41.1%	57.9%	42.1%
	<b>Grade 11</b>	29.2%	44.4%	64.7%	35.3%
	<b>Grade 12</b>	38.3%	46.4%	66.3%	33.7%
<b>Inhalants</b>					
	<b>All</b>	2.8%	4.1%	9.9%	90.1%
	<b>Grade 7</b>	1.7%	2.7%	7.7%	92.3%
	<b>Grade 8</b>	3.6%	5.0%	13.4%	86.6%
	<b>Grade 9</b>	4.3%	6.0%	10.4%	89.6%
	<b>Grade 10</b>	1.8%	3.8%	11.4%	88.6%
	<b>Grade 11</b>	1.4%	2.0%	7.4%	92.6%
	<b>Grade 12</b>	3.4%	4.5%	7.7%	92.3%
<b>Any Illicit Drug</b>					
	<b>All</b>	7.9%	11.0%	19.5%	80.5%
	<b>Grade 7</b>	2.9%	4.4%	7.5%	92.5%
	<b>Grade 8</b>	3.7%	6.6%	16.2%	83.8%
	<b>Grade 9</b>	9.0%	10.6%	16.4%	83.6%
	<b>Grade 10</b>	13.9%	18.6%	23.4%	76.6%
	<b>Grade 11</b>	10.2%	12.9%	29.2%	70.8%
	<b>Grade 12</b>	7.9%	13.3%	26.3%	73.7%
<b>Marijuana</b>					
	<b>All</b>	6.3%	9.3%	17.8%	82.2%
	<b>Grade 7</b>	1.8%	2.9%	4.0%	96.0%
	<b>Grade 8</b>	3.2%	6.2%	16.0%	84.0%
	<b>Grade 9</b>	6.9%	7.8%	14.2%	85.8%
	<b>Grade 10</b>	11.1%	16.3%	21.2%	78.8%
	<b>Grade 11</b>	9.5%	12.9%	26.9%	73.1%
	<b>Grade 12</b>	5.8%	10.9%	26.6%	73.4%
<b>Marijuana Only</b>					
	<b>All</b>	2.6%	4.0%	9.6%	90.4%
	<b>Grade 7</b>	1.3%	2.2%	3.1%	96.9%
	<b>Grade 8</b>	1.4%	3.2%	10.3%	89.7%
	<b>Grade 9</b>	2.7%	3.5%	7.4%	92.6%
	<b>Grade 10</b>	5.0%	7.3%	10.5%	89.5%
	<b>Grade 11</b>	4.5%	6.7%	14.8%	85.2%
	<b>Grade 12</b>	0.8%	1.5%	12.2%	87.8%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.0%	2.1%	3.6%	96.4%
	Grade 7	0.3%	0.5%	1.4%	98.6%
	Grade 8	1.1%	1.1%	2.1%	97.9%
	Grade 9	0.3%	0.9%	2.2%	97.8%
	Grade 10	3.1%	5.0%	5.6%	94.4%
	Grade 11	1.4%	1.6%	4.8%	95.2%
	Grade 12	0.0%	3.5%	6.4%	93.6%
<b>Cocaine</b>					
	All	1.0%	2.1%	3.6%	96.4%
	Grade 7	0.2%	0.4%	1.3%	98.7%
	Grade 8	1.0%	1.0%	1.8%	98.2%
	Grade 9	0.3%	0.9%	2.2%	97.8%
	Grade 10	3.2%	5.1%	5.7%	94.3%
	Grade 11	1.4%	1.6%	4.9%	95.1%
	Grade 12	0.0%	3.6%	6.6%	93.4%
<b>Crack</b>					
	All	0.2%	0.4%	0.8%	99.2%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	0.9%	0.9%	1.9%	98.1%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.1%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	1.1%	1.1%	98.9%
<b>Hallucinogens</b>					
	All	0.6%	1.4%	2.2%	97.8%
	Grade 7	0.0%	0.5%	0.7%	99.3%
	Grade 8	0.7%	0.8%	1.0%	99.0%
	Grade 9	1.0%	1.8%	2.9%	97.1%
	Grade 10	1.0%	1.9%	3.2%	96.8%
	Grade 11	0.5%	0.7%	1.0%	99.0%
	Grade 12	0.6%	2.8%	4.1%	95.9%
<b>Uppers</b>					
	All	1.6%	3.1%	4.5%	95.5%
	Grade 7	0.0%	0.5%	0.7%	99.3%
	Grade 8	0.8%	1.7%	2.6%	97.4%
	Grade 9	2.3%	3.3%	4.2%	95.8%
	Grade 10	2.9%	4.6%	5.4%	94.6%
	Grade 11	1.2%	3.2%	6.3%	93.7%
	Grade 12	2.6%	5.9%	8.5%	91.5%
<b>Downers</b>					
	All	1.7%	3.0%	3.8%	96.2%
	Grade 7	0.9%	1.5%	1.5%	98.5%
	Grade 8	0.1%	0.4%	0.4%	99.6%
	Grade 9	2.2%	2.6%	3.3%	96.7%
	Grade 10	2.0%	4.9%	5.6%	94.4%
	Grade 11	2.0%	2.3%	4.2%	95.8%
	Grade 12	3.4%	7.3%	8.8%	91.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 7</b>	0.1%	0.1%	0.1%	99.9%
	<b>Grade 8</b>	0.1%	0.1%	0.9%	99.1%
	<b>Grade 9</b>	0.3%	0.6%	0.9%	99.1%
	<b>Grade 10</b>	1.4%	2.6%	4.1%	95.9%
	<b>Grade 11</b>	0.2%	0.2%	1.0%	99.0%
	<b>Grade 12</b>	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>					
	<b>All</b>	0.3%	0.4%	1.0%	99.0%
	<b>Grade 7</b>	0.0%	0.0%	0.1%	99.9%
	<b>Grade 8</b>	0.1%	0.5%	0.5%	99.5%
	<b>Grade 9</b>	0.1%	0.1%	1.7%	98.3%
	<b>Grade 10</b>	1.0%	1.3%	2.0%	98.0%
	<b>Grade 11</b>	0.5%	0.5%	1.4%	98.6%
	<b>Grade 12</b>	0.0%	0.0%	0.4%	99.6%
<b>Ecstasy</b>					
	<b>All</b>	1.7%	2.6%	4.1%	95.9%
	<b>Grade 7</b>	0.2%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	1.3%	1.3%	2.2%	97.8%
	<b>Grade 9</b>	1.7%	2.8%	3.2%	96.8%
	<b>Grade 10</b>	2.6%	4.4%	5.7%	94.3%
	<b>Grade 11</b>	1.4%	2.7%	6.6%	93.4%
	<b>Grade 12</b>	2.9%	4.6%	7.5%	92.5%
<b>Heroin</b>					
	<b>All</b>	0.7%	0.8%	1.1%	98.9%
	<b>Grade 7</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.8%	0.8%	1.0%	99.0%
	<b>Grade 9</b>	1.1%	1.1%	1.7%	98.3%
	<b>Grade 10</b>	1.2%	1.3%	1.7%	98.3%
	<b>Grade 11</b>	1.1%	1.1%	1.1%	98.9%
	<b>Grade 12</b>	0.0%	0.0%	0.6%	99.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	16.6%	22.4%	34.7%	65.3%
	Grade 7	2.1%	4.1%	12.8%	87.2%
	Grade 8	8.6%	15.2%	31.4%	68.6%
	Grade 9	14.1%	19.6%	29.8%	70.2%
	Grade 10	22.4%	26.6%	39.8%	60.2%
	Grade 11	21.7%	29.2%	38.5%	61.5%
	Grade 12	31.4%	40.6%	55.6%	44.4%
<b>Alcohol</b>					
	All	27.0%	36.6%	56.1%	43.9%
	Grade 7	9.3%	14.5%	35.9%	64.1%
	Grade 8	19.1%	29.9%	52.1%	47.9%
	Grade 9	25.5%	39.8%	58.1%	41.9%
	Grade 10	31.7%	40.3%	59.2%	40.8%
	Grade 11	27.7%	37.8%	56.1%	43.9%
	Grade 12	48.3%	56.4%	74.3%	25.7%
<b>Inhalants</b>					
	All	2.4%	4.1%	9.5%	90.5%
	Grade 7	1.2%	2.2%	7.4%	92.6%
	Grade 8	3.3%	4.9%	11.2%	88.8%
	Grade 9	2.9%	4.8%	6.2%	93.8%
	Grade 10	2.2%	3.9%	13.2%	86.8%
	Grade 11	0.5%	3.2%	8.1%	91.9%
	Grade 12	3.9%	5.0%	10.3%	89.7%
<b>Any Illicit Drug</b>					
	All	7.1%	10.6%	18.9%	81.1%
	Grade 7	2.1%	3.2%	6.3%	93.7%
	Grade 8	3.1%	5.3%	12.1%	87.9%
	Grade 9	8.3%	9.9%	15.6%	84.4%
	Grade 10	9.0%	14.1%	23.7%	76.3%
	Grade 11	10.0%	14.4%	27.1%	72.9%
	Grade 12	10.3%	16.9%	28.9%	71.1%
<b>Marijuana</b>					
	All	5.8%	9.6%	17.5%	82.5%
	Grade 7	2.0%	2.6%	4.1%	95.9%
	Grade 8	3.1%	5.4%	12.4%	87.6%
	Grade 9	7.6%	8.7%	13.9%	86.1%
	Grade 10	6.3%	11.7%	20.6%	79.4%
	Grade 11	8.3%	15.0%	25.8%	74.2%
	Grade 12	7.6%	14.8%	29.1%	70.9%
<b>Marijuana Only</b>					
	All	2.0%	3.1%	8.9%	91.1%
	Grade 7	1.8%	2.2%	3.5%	96.5%
	Grade 8	0.3%	1.0%	5.5%	94.5%
	Grade 9	2.7%	3.3%	7.6%	92.4%
	Grade 10	2.3%	3.2%	11.1%	88.9%
	Grade 11	3.1%	5.9%	13.0%	87.0%
	Grade 12	1.7%	3.3%	13.1%	86.9%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.7%	2.0%	3.3%	96.7%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	1.6%	1.6%	3.0%	97.0%
	Grade 9	0.0%	0.6%	0.8%	99.2%
	Grade 10	1.0%	2.7%	3.1%	96.9%
	Grade 11	0.5%	1.5%	4.5%	95.5%
	Grade 12	1.2%	5.4%	7.6%	92.4%
<b>Cocaine</b>					
	All	0.7%	2.0%	3.2%	96.8%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	1.5%	1.5%	2.9%	97.1%
	Grade 9	0.0%	0.6%	0.8%	99.2%
	Grade 10	1.0%	2.7%	3.2%	96.8%
	Grade 11	0.5%	1.5%	4.6%	95.4%
	Grade 12	1.2%	5.6%	7.8%	92.2%
<b>Crack</b>					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.8%	0.9%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.1%	0.2%	1.6%	98.4%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	1.0%	2.1%	2.1%	97.9%
<b>Hallucinogens</b>					
	All	0.9%	2.1%	3.9%	96.1%
	Grade 7	0.0%	0.6%	1.3%	98.7%
	Grade 8	1.3%	1.7%	2.6%	97.4%
	Grade 9	1.4%	2.3%	3.2%	96.8%
	Grade 10	1.9%	2.9%	5.9%	94.1%
	Grade 11	0.3%	1.2%	4.0%	96.0%
	Grade 12	0.2%	3.9%	6.6%	93.4%
<b>Uppers</b>					
	All	2.0%	4.3%	5.7%	94.3%
	Grade 7	0.0%	0.6%	0.7%	99.3%
	Grade 8	0.9%	2.0%	2.1%	97.9%
	Grade 9	2.5%	3.3%	4.7%	95.3%
	Grade 10	2.4%	4.3%	6.6%	93.4%
	Grade 11	3.6%	7.7%	9.7%	90.3%
	Grade 12	2.8%	8.3%	11.3%	88.7%
<b>Downers</b>					
	All	2.3%	3.9%	5.2%	94.8%
	Grade 7	0.1%	0.8%	0.8%	99.2%
	Grade 8	0.2%	0.4%	0.5%	99.5%
	Grade 9	2.3%	2.6%	3.3%	96.7%
	Grade 10	2.6%	5.1%	8.1%	91.9%
	Grade 11	4.4%	6.1%	7.2%	92.8%
	Grade 12	4.8%	9.2%	12.0%	88.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 7</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.8%	0.8%	0.8%	99.2%
	<b>Grade 9</b>	0.6%	0.9%	0.9%	99.1%
	<b>Grade 10</b>	1.3%	2.8%	4.3%	95.7%
	<b>Grade 11</b>	0.3%	0.3%	1.0%	99.0%
	<b>Grade 12</b>	0.0%	0.0%	1.3%	98.7%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.0%	0.0%	0.3%	99.7%
	<b>Grade 8</b>	0.0%	0.2%	0.9%	99.1%
	<b>Grade 9</b>	0.1%	0.1%	1.1%	98.9%
	<b>Grade 10</b>	0.9%	1.1%	2.7%	97.3%
	<b>Grade 11</b>	1.0%	1.2%	2.1%	97.9%
	<b>Grade 12</b>	1.0%	1.0%	1.0%	99.0%
<b>Ecstasy</b>					
	<b>All</b>	1.3%	2.4%	4.1%	95.9%
	<b>Grade 7</b>	0.2%	0.2%	0.2%	99.8%
	<b>Grade 8</b>	1.4%	1.7%	2.6%	97.4%
	<b>Grade 9</b>	1.3%	1.6%	1.6%	98.4%
	<b>Grade 10</b>	0.5%	2.7%	4.4%	95.6%
	<b>Grade 11</b>	1.2%	3.9%	9.0%	91.0%
	<b>Grade 12</b>	3.1%	4.6%	7.0%	93.0%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.5%	0.8%	99.2%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.7%	1.3%	1.5%	98.5%
	<b>Grade 9</b>	0.6%	0.6%	1.5%	98.5%
	<b>Grade 10</b>	0.1%	1.0%	1.2%	98.8%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	0.2%	99.8%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.3%	7.8%	20.8%	79.2%
	<b>Grade 7</b>	6.5%	7.5%	17.1%	82.9%
	<b>Grade 8</b>	3.7%	6.1%	25.2%	74.8%
	<b>Grade 9</b>	3.0%	4.7%	15.4%	84.6%
	<b>Grade 10</b>	6.8%	7.3%	22.9%	77.1%
	<b>Grade 11</b>	4.6%	9.4%	24.5%	75.5%
	<b>Grade 12</b>	8.1%	13.5%	22.2%	77.8%
<b>Alcohol</b>					
	<b>All</b>	23.2%	33.2%	54.4%	45.6%
	<b>Grade 7</b>	23.2%	24.9%	48.5%	51.5%
	<b>Grade 8</b>	19.7%	27.1%	56.7%	43.3%
	<b>Grade 9</b>	16.4%	26.3%	48.0%	52.0%
	<b>Grade 10</b>	24.1%	32.1%	49.2%	50.8%
	<b>Grade 11</b>	30.2%	52.0%	71.4%	28.6%
	<b>Grade 12</b>	26.2%	38.1%	52.2%	47.8%
<b>Inhalants</b>					
	<b>All</b>	3.0%	3.5%	6.6%	93.4%
	<b>Grade 7</b>	4.8%	6.3%	10.6%	89.4%
	<b>Grade 8</b>	4.2%	5.7%	9.9%	90.1%
	<b>Grade 9</b>	2.2%	2.2%	5.4%	94.6%
	<b>Grade 10</b>	0.5%	0.5%	0.5%	99.5%
	<b>Grade 11</b>	3.0%	3.0%	7.9%	92.1%
	<b>Grade 12</b>	3.1%	3.1%	4.0%	96.0%
<b>Any Illicit Drug</b>					
	<b>All</b>	9.8%	14.2%	23.9%	76.1%
	<b>Grade 7</b>	4.7%	6.9%	10.8%	89.2%
	<b>Grade 8</b>	7.4%	8.3%	15.5%	84.5%
	<b>Grade 9</b>	5.6%	7.8%	20.7%	79.3%
	<b>Grade 10</b>	14.1%	24.0%	34.8%	65.2%
	<b>Grade 11</b>	13.0%	21.1%	38.2%	61.8%
	<b>Grade 12</b>	17.7%	20.2%	24.8%	75.2%
<b>Marijuana</b>					
	<b>All</b>	8.8%	12.8%	23.5%	76.5%
	<b>Grade 7</b>	2.3%	4.6%	8.7%	91.3%
	<b>Grade 8</b>	6.9%	7.8%	15.0%	85.0%
	<b>Grade 9</b>	5.0%	5.0%	18.7%	81.3%
	<b>Grade 10</b>	14.0%	24.2%	35.9%	64.1%
	<b>Grade 11</b>	11.3%	19.7%	40.0%	60.0%
	<b>Grade 12</b>	17.0%	19.6%	25.1%	74.9%
<b>Marijuana Only</b>					
	<b>All</b>	5.6%	8.8%	17.9%	82.1%
	<b>Grade 7</b>	0.5%	2.6%	6.4%	93.6%
	<b>Grade 8</b>	5.8%	6.7%	13.2%	86.8%
	<b>Grade 9</b>	4.5%	4.5%	15.1%	84.9%
	<b>Grade 10</b>	12.8%	22.4%	33.0%	67.0%
	<b>Grade 11</b>	7.3%	12.4%	29.3%	70.7%
	<b>Grade 12</b>	4.3%	6.0%	10.6%	89.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.3%	1.4%	1.4%	98.6%
	Grade 7	2.0%	2.0%	2.0%	98.0%
	Grade 8	0.5%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	6.7%	7.6%	7.6%	92.4%
<b>Cocaine</b>					
	All	1.2%	1.3%	1.3%	98.7%
	Grade 7	2.0%	2.0%	2.0%	98.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	6.7%	7.6%	7.6%	92.4%
<b>Crack</b>					
	All	1.3%	1.3%	1.3%	98.7%
	Grade 7	2.1%	2.1%	2.1%	97.9%
	Grade 8	0.5%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	6.8%	6.8%	6.8%	93.2%
<b>Hallucinogens</b>					
	All	0.1%	0.1%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.9%	0.9%	6.8%	93.2%
<b>Uppers</b>					
	All	0.9%	0.9%	1.1%	98.9%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	5.9%	5.9%	5.9%	94.1%
<b>Downers</b>					
	All	1.5%	1.6%	1.7%	98.3%
	Grade 7	0.6%	0.6%	0.6%	99.4%
	Grade 8	0.0%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	3.7%	3.7%	3.7%	96.3%
	Grade 12	5.9%	5.9%	5.9%	94.1%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.5%	0.5%	1.0%	99.0%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	<b>All</b>	0.1%	0.3%	0.3%	99.7%
	<b>Grade 7</b>	0.0%	0.0%	0.3%	99.7%
	<b>Grade 8</b>	0.0%	0.5%	0.5%	99.5%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	0.5%	0.5%	0.5%	99.5%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.9%	0.9%	99.1%
<b>Ecstasy</b>					
	<b>All</b>	2.2%	2.8%	3.8%	96.2%
	<b>Grade 7</b>	1.8%	1.8%	1.8%	98.2%
	<b>Grade 8</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 9</b>	0.9%	0.9%	1.8%	98.2%
	<b>Grade 10</b>	0.5%	0.5%	0.5%	99.5%
	<b>Grade 11</b>	3.1%	6.2%	6.2%	93.8%
	<b>Grade 12</b>	8.1%	8.1%	14.5%	85.5%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.9%	0.9%	99.1%
	<b>Grade 7</b>	0.3%	0.3%	0.3%	99.7%
	<b>Grade 8</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.9%	6.8%	6.8%	93.2%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.0%	18.7%	34.7%	65.3%
	<b>Grade 7</b>	8.1%	8.8%	16.3%	83.7%
	<b>Grade 8</b>	12.3%	15.8%	28.3%	71.7%
	<b>Grade 9</b>	12.1%	14.4%	27.0%	73.0%
	<b>Grade 10</b>	22.4%	29.9%	44.3%	55.7%
	<b>Grade 11</b>	14.4%	19.0%	43.2%	56.8%
	<b>Grade 12</b>	21.0%	25.0%	52.2%	47.8%
<b>Alcohol</b>					
	<b>All</b>	28.4%	36.3%	61.5%	38.5%
	<b>Grade 7</b>	16.4%	19.2%	44.5%	55.5%
	<b>Grade 8</b>	32.4%	39.4%	64.4%	35.6%
	<b>Grade 9</b>	22.0%	28.6%	56.2%	43.8%
	<b>Grade 10</b>	34.1%	43.3%	66.1%	33.9%
	<b>Grade 11</b>	32.3%	49.2%	72.7%	27.3%
	<b>Grade 12</b>	35.1%	42.3%	68.9%	31.1%
<b>Inhalants</b>					
	<b>All</b>	2.5%	3.8%	10.2%	89.8%
	<b>Grade 7</b>	2.0%	3.1%	11.4%	88.6%
	<b>Grade 8</b>	1.3%	4.1%	8.5%	91.5%
	<b>Grade 9</b>	6.6%	6.6%	16.7%	83.3%
	<b>Grade 10</b>	1.5%	2.3%	5.3%	94.7%
	<b>Grade 11</b>	0.0%	3.3%	13.2%	86.8%
	<b>Grade 12</b>	3.3%	3.3%	6.6%	93.4%
<b>Any Illicit Drug</b>					
	<b>All</b>	12.1%	15.6%	26.5%	73.5%
	<b>Grade 7</b>	5.9%	5.9%	11.0%	89.0%
	<b>Grade 8</b>	7.0%	11.1%	21.1%	78.9%
	<b>Grade 9</b>	12.2%	13.5%	22.5%	77.5%
	<b>Grade 10</b>	15.6%	18.8%	30.4%	69.6%
	<b>Grade 11</b>	17.7%	27.0%	40.6%	59.4%
	<b>Grade 12</b>	15.9%	20.5%	37.9%	62.1%
<b>Marijuana</b>					
	<b>All</b>	8.6%	12.4%	23.7%	76.3%
	<b>Grade 7</b>	2.6%	2.8%	5.6%	94.4%
	<b>Grade 8</b>	2.9%	6.8%	17.8%	82.2%
	<b>Grade 9</b>	8.9%	9.8%	18.8%	81.2%
	<b>Grade 10</b>	13.7%	17.6%	31.3%	68.7%
	<b>Grade 11</b>	16.6%	23.2%	39.0%	61.0%
	<b>Grade 12</b>	9.6%	17.5%	35.6%	64.4%
<b>Marijuana Only</b>					
	<b>All</b>	3.6%	5.4%	11.6%	88.4%
	<b>Grade 7</b>	1.3%	1.3%	2.7%	97.3%
	<b>Grade 8</b>	1.6%	2.6%	10.3%	89.7%
	<b>Grade 9</b>	5.6%	6.5%	9.8%	90.2%
	<b>Grade 10</b>	1.5%	3.6%	8.7%	91.3%
	<b>Grade 11</b>	6.6%	10.5%	16.3%	83.7%
	<b>Grade 12</b>	6.1%	9.7%	23.9%	76.1%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.9%	3.7%	7.6%	92.4%
	Grade 7	0.7%	0.9%	3.1%	96.9%
	Grade 8	1.3%	2.6%	7.6%	92.4%
	Grade 9	0.9%	0.9%	3.8%	96.2%
	Grade 10	5.7%	8.8%	12.6%	87.4%
	Grade 11	6.6%	6.6%	13.3%	86.7%
	Grade 12	3.1%	3.1%	6.7%	93.3%
<b>Cocaine</b>					
	All	2.7%	3.5%	7.4%	92.6%
	Grade 7	0.2%	0.7%	2.9%	97.1%
	Grade 8	1.0%	2.0%	6.8%	93.2%
	Grade 9	1.0%	1.0%	3.9%	96.1%
	Grade 10	5.7%	8.8%	12.6%	87.4%
	Grade 11	6.0%	6.0%	12.6%	87.4%
	Grade 12	3.1%	3.1%	6.7%	93.3%
<b>Crack</b>					
	All	0.3%	0.5%	0.8%	99.2%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.7%	1.3%	1.6%	98.4%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	0.9%	1.0%	3.4%	96.6%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.7%	2.0%	98.0%
	Grade 9	1.0%	1.0%	3.5%	96.5%
	Grade 10	3.2%	3.6%	8.0%	92.0%
	Grade 11	0.0%	0.0%	2.9%	97.1%
	Grade 12	0.5%	0.5%	3.6%	96.4%
<b>Uppers</b>					
	All	1.6%	1.7%	4.4%	95.6%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	3.4%	3.8%	6.2%	93.8%
	Grade 10	2.8%	2.8%	8.5%	91.5%
	Grade 11	0.0%	0.0%	6.0%	94.0%
	Grade 12	3.2%	3.2%	6.4%	93.6%
<b>Downers</b>					
	All	1.7%	1.7%	4.6%	95.4%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	3.4%	3.8%	6.2%	93.8%
	Grade 10	0.4%	0.4%	6.3%	93.7%
	Grade 11	0.6%	0.6%	6.8%	93.2%
	Grade 12	3.1%	3.1%	6.2%	93.8%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.2%	1.7%	2.1%	97.9%
	<b>Grade 7</b>	0.2%	0.2%	0.7%	99.3%
	<b>Grade 8</b>	2.6%	2.6%	2.6%	97.4%
	<b>Grade 9</b>	1.0%	1.0%	1.9%	98.1%
	<b>Grade 10</b>	2.4%	5.3%	6.1%	93.9%
	<b>Grade 11</b>	1.4%	1.4%	1.4%	98.6%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.5%	1.8%	98.2%
	<b>Grade 7</b>	0.0%	0.0%	1.5%	98.5%
	<b>Grade 8</b>	1.1%	1.1%	1.1%	98.9%
	<b>Grade 9</b>	1.0%	1.0%	3.5%	96.5%
	<b>Grade 10</b>	0.4%	0.4%	0.4%	99.6%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.5%	0.5%	3.8%	96.2%
<b>Ecstasy</b>					
	<b>All</b>	1.6%	2.5%	2.9%	97.1%
	<b>Grade 7</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grade 8</b>	0.3%	0.3%	0.3%	99.7%
	<b>Grade 9</b>	1.0%	3.4%	3.8%	96.2%
	<b>Grade 10</b>	4.9%	7.7%	9.3%	90.7%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	3.7%	3.7%	3.7%	96.3%
<b>Heroin</b>					
	<b>All</b>	1.7%	1.9%	2.8%	97.2%
	<b>Grade 7</b>	0.7%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	0.3%	0.6%	1.3%	98.7%
	<b>Grade 9</b>	1.0%	1.0%	2.4%	97.6%
	<b>Grade 10</b>	4.9%	5.7%	6.1%	93.9%
	<b>Grade 11</b>	3.3%	3.3%	6.0%	94.0%
	<b>Grade 12</b>	0.5%	0.5%	1.0%	99.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.5%	8.9%	18.5%	81.5%
	<b>Grade 7</b>	0.4%	1.0%	8.4%	91.6%
	<b>Grade 8</b>	2.5%	3.8%	14.5%	85.5%
	<b>Grade 9</b>	3.3%	6.4%	15.6%	84.4%
	<b>Grade 10</b>	8.4%	11.1%	20.1%	79.9%
	<b>Grade 11</b>	6.5%	11.1%	20.8%	79.2%
	<b>Grade 12</b>	15.0%	24.6%	36.4%	63.6%
<b>Alcohol</b>					
	<b>All</b>	16.5%	24.1%	43.3%	56.7%
	<b>Grade 7</b>	9.0%	11.5%	30.6%	69.4%
	<b>Grade 8</b>	9.1%	17.6%	40.7%	59.3%
	<b>Grade 9</b>	11.9%	22.3%	43.3%	56.7%
	<b>Grade 10</b>	18.1%	26.2%	38.8%	61.2%
	<b>Grade 11</b>	19.5%	29.3%	47.3%	52.7%
	<b>Grade 12</b>	36.2%	43.2%	62.7%	37.3%
<b>Inhalants</b>					
	<b>All</b>	1.1%	1.9%	5.7%	94.3%
	<b>Grade 7</b>	0.1%	0.7%	3.9%	96.1%
	<b>Grade 8</b>	0.7%	2.2%	6.6%	93.4%
	<b>Grade 9</b>	0.3%	0.3%	4.3%	95.7%
	<b>Grade 10</b>	1.7%	2.2%	7.8%	92.2%
	<b>Grade 11</b>	1.8%	1.8%	3.8%	96.2%
	<b>Grade 12</b>	2.8%	4.7%	8.2%	91.8%
<b>Any Illicit Drug</b>					
	<b>All</b>	3.0%	4.7%	10.0%	90.0%
	<b>Grade 7</b>	0.1%	1.2%	2.7%	97.3%
	<b>Grade 8</b>	0.6%	1.8%	7.3%	92.7%
	<b>Grade 9</b>	1.4%	1.4%	7.2%	92.8%
	<b>Grade 10</b>	3.0%	7.5%	10.4%	89.6%
	<b>Grade 11</b>	6.1%	8.0%	14.4%	85.6%
	<b>Grade 12</b>	8.5%	11.1%	21.3%	78.7%
<b>Marijuana</b>					
	<b>All</b>	2.3%	4.3%	9.8%	90.2%
	<b>Grade 7</b>	0.1%	1.2%	2.7%	97.3%
	<b>Grade 8</b>	0.3%	1.8%	7.2%	92.8%
	<b>Grade 9</b>	1.4%	1.4%	6.8%	93.2%
	<b>Grade 10</b>	3.0%	6.0%	8.5%	91.5%
	<b>Grade 11</b>	6.2%	8.2%	14.7%	85.3%
	<b>Grade 12</b>	4.4%	9.9%	22.6%	77.4%
<b>Marijuana Only</b>					
	<b>All</b>	1.0%	1.9%	5.8%	94.2%
	<b>Grade 7</b>	0.0%	1.1%	2.4%	97.6%
	<b>Grade 8</b>	0.2%	1.2%	5.2%	94.8%
	<b>Grade 9</b>	0.5%	0.5%	4.1%	95.9%
	<b>Grade 10</b>	0.5%	3.0%	5.5%	94.5%
	<b>Grade 11</b>	5.2%	5.2%	9.5%	90.5%
	<b>Grade 12</b>	0.4%	1.0%	9.5%	90.5%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.1%	0.8%	2.0%	98.0%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.3%	0.3%	0.4%	99.6%
	Grade 9	0.0%	0.0%	1.6%	98.4%
	Grade 10	0.2%	0.5%	1.0%	99.0%
	Grade 11	0.3%	1.9%	2.5%	97.5%
	Grade 12	0.0%	2.2%	7.4%	92.6%
<b>Cocaine</b>					
	All	0.1%	0.7%	2.0%	98.0%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.2%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.0%	1.6%	98.4%
	Grade 10	0.2%	0.5%	1.0%	99.0%
	Grade 11	0.3%	1.9%	2.5%	97.5%
	Grade 12	0.0%	2.3%	7.6%	92.4%
<b>Crack</b>					
	All	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.3%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	0.0%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.2%	0.3%	99.7%
	Grade 9	0.0%	0.5%	0.5%	99.5%
	Grade 10	0.0%	0.3%	0.9%	99.1%
	Grade 11	0.3%	0.6%	2.7%	97.3%
	Grade 12	0.0%	2.1%	2.4%	97.6%
<b>Uppers</b>					
	All	0.2%	1.0%	2.5%	97.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.3%	1.5%	98.5%
	Grade 9	0.4%	0.9%	1.1%	98.9%
	Grade 10	0.0%	1.9%	3.3%	96.7%
	Grade 11	0.3%	1.8%	4.0%	96.0%
	Grade 12	0.0%	2.0%	7.0%	93.0%
<b>Downers</b>					
	All	0.1%	1.3%	2.5%	97.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.4%	0.4%	1.1%	98.9%
	Grade 10	0.3%	1.8%	3.8%	96.2%
	Grade 11	0.3%	1.7%	2.0%	98.0%
	Grade 12	0.0%	5.0%	10.0%	90.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.0%	0.1%	0.4%	99.6%
	<b>Grade 7</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grade 8</b>	0.0%	0.0%	1.4%	98.6%
	<b>Grade 9</b>	0.0%	0.5%	0.5%	99.5%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	<b>All</b>	0.3%	0.3%	0.7%	99.3%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.0%	0.2%	0.2%	99.8%
	<b>Grade 9</b>	0.0%	0.0%	1.9%	98.1%
	<b>Grade 10</b>	1.4%	1.7%	1.9%	98.1%
	<b>Grade 11</b>	0.3%	0.3%	0.3%	99.7%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>					
	<b>All</b>	0.4%	0.9%	1.4%	98.6%
	<b>Grade 7</b>	0.1%	0.1%	0.1%	99.9%
	<b>Grade 8</b>	0.1%	0.2%	0.2%	99.8%
	<b>Grade 9</b>	0.4%	0.4%	1.4%	98.6%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	0.3%	2.0%	2.3%	97.7%
	<b>Grade 12</b>	2.0%	3.1%	5.4%	94.6%
<b>Heroin</b>					
	<b>All</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	17.3%	22.4%	37.8%	62.2%
	Grade 7	6.6%	8.5%	17.8%	82.2%
	Grade 8	11.1%	17.7%	36.9%	63.1%
	Grade 9	14.7%	19.3%	32.2%	67.8%
	Grade 10	22.3%	27.2%	42.7%	57.3%
	Grade 11	19.8%	26.4%	41.9%	58.1%
	Grade 12	28.9%	34.8%	54.9%	45.1%
<b>Alcohol</b>					
	All	31.5%	41.0%	63.2%	36.8%
	Grade 7	16.6%	21.1%	45.6%	54.4%
	Grade 8	28.3%	36.8%	62.2%	37.8%
	Grade 9	28.6%	40.9%	61.5%	38.5%
	Grade 10	36.4%	44.8%	66.4%	33.6%
	Grade 11	33.8%	48.3%	69.5%	30.5%
	Grade 12	45.0%	53.9%	74.0%	26.0%
<b>Inhalants</b>					
	All	3.1%	4.9%	10.8%	89.2%
	Grade 7	3.4%	4.7%	11.7%	88.3%
	Grade 8	4.3%	6.5%	12.5%	87.5%
	Grade 9	4.5%	6.2%	9.8%	90.2%
	Grade 10	2.2%	3.6%	10.8%	89.2%
	Grade 11	0.6%	3.7%	11.0%	89.0%
	Grade 12	4.1%	4.5%	9.0%	91.0%
<b>Any Illicit Drug</b>					
	All	11.3%	15.7%	26.4%	73.6%
	Grade 7	5.3%	6.5%	11.4%	88.6%
	Grade 8	6.7%	9.2%	17.6%	82.4%
	Grade 9	11.8%	14.6%	23.9%	76.1%
	Grade 10	15.0%	20.0%	32.4%	67.6%
	Grade 11	14.3%	21.9%	38.6%	61.4%
	Grade 12	14.2%	21.2%	33.7%	66.3%
<b>Marijuana</b>					
	All	9.2%	13.6%	24.4%	75.6%
	Grade 7	3.3%	4.2%	6.9%	93.1%
	Grade 8	5.5%	7.8%	16.6%	83.4%
	Grade 9	10.1%	11.6%	20.9%	79.1%
	Grade 10	12.2%	18.2%	31.2%	68.8%
	Grade 11	12.2%	20.9%	37.4%	62.6%
	Grade 12	11.4%	18.5%	32.5%	67.5%
<b>Marijuana Only</b>					
	All	3.9%	5.9%	13.3%	86.7%
	Grade 7	2.1%	2.8%	4.9%	95.1%
	Grade 8	2.1%	2.8%	8.2%	91.8%
	Grade 9	4.7%	5.7%	12.5%	87.5%
	Grade 10	5.7%	7.7%	16.9%	83.1%
	Grade 11	4.4%	9.2%	19.7%	80.3%
	Grade 12	4.2%	6.8%	17.1%	82.9%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.9%	2.9%	4.9%	95.1%
	Grade 7	1.0%	1.1%	2.4%	97.6%
	Grade 8	1.8%	2.3%	5.4%	94.6%
	Grade 9	0.3%	0.8%	1.3%	98.7%
	Grade 10	2.4%	4.7%	6.2%	93.8%
	Grade 11	2.0%	2.2%	6.8%	93.2%
	Grade 12	3.6%	6.4%	7.5%	92.5%
<b>Cocaine</b>					
	All	1.8%	2.9%	4.8%	95.2%
	Grade 7	0.8%	1.0%	1.9%	98.1%
	Grade 8	1.7%	2.0%	5.0%	95.0%
	Grade 9	0.3%	0.8%	1.3%	98.7%
	Grade 10	2.4%	4.8%	6.3%	93.7%
	Grade 11	1.9%	2.1%	6.5%	93.5%
	Grade 12	3.7%	6.5%	7.6%	92.4%
<b>Crack</b>					
	All	0.7%	0.9%	1.6%	98.4%
	Grade 7	0.9%	1.0%	1.6%	98.4%
	Grade 8	1.0%	1.2%	2.2%	97.8%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.1%	0.2%	1.7%	98.3%
	Grade 11	0.2%	0.2%	0.5%	99.5%
	Grade 12	2.2%	3.0%	3.3%	96.7%
<b>Hallucinogens</b>					
	All	1.2%	2.0%	4.3%	95.7%
	Grade 7	0.0%	0.4%	1.1%	98.9%
	Grade 8	1.4%	1.8%	3.0%	97.0%
	Grade 9	1.5%	2.3%	4.0%	96.0%
	Grade 10	2.6%	3.4%	6.9%	93.1%
	Grade 11	0.3%	0.9%	3.1%	96.9%
	Grade 12	1.1%	3.2%	7.5%	92.5%
<b>Uppers</b>					
	All	2.4%	3.9%	5.5%	94.5%
	Grade 7	0.1%	0.5%	0.6%	99.4%
	Grade 8	0.7%	1.1%	1.2%	98.8%
	Grade 9	3.0%	3.9%	6.0%	94.0%
	Grade 10	3.1%	3.9%	7.2%	92.8%
	Grade 11	2.7%	5.2%	7.7%	92.3%
	Grade 12	4.8%	8.5%	10.2%	89.8%
<b>Downers</b>					
	All	2.8%	3.8%	5.3%	94.7%
	Grade 7	1.0%	1.6%	1.6%	98.4%
	Grade 8	0.2%	0.5%	0.6%	99.4%
	Grade 9	2.9%	3.2%	4.5%	95.5%
	Grade 10	2.3%	3.9%	7.3%	92.7%
	Grade 11	4.5%	5.3%	7.7%	92.3%
	Grade 12	6.2%	8.3%	9.9%	90.1%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.9%	1.3%	1.9%	98.1%
	<b>Grade 7</b>	0.2%	0.2%	0.3%	99.7%
	<b>Grade 8</b>	1.8%	1.8%	1.8%	98.2%
	<b>Grade 9</b>	0.8%	1.1%	1.4%	98.6%
	<b>Grade 10</b>	1.8%	3.8%	5.2%	94.8%
	<b>Grade 11</b>	0.6%	0.6%	1.2%	98.8%
	<b>Grade 12</b>	0.0%	0.3%	1.4%	98.6%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.6%	1.6%	98.4%
	<b>Grade 7</b>	0.0%	0.0%	0.9%	99.1%
	<b>Grade 8</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.4%	0.4%	1.2%	98.8%
	<b>Grade 10</b>	0.6%	0.7%	1.9%	98.1%
	<b>Grade 11</b>	0.8%	1.0%	1.6%	98.4%
	<b>Grade 12</b>	1.0%	1.2%	2.6%	97.4%
<b>Ecstasy</b>					
	<b>All</b>	2.1%	3.4%	4.9%	95.1%
	<b>Grade 7</b>	0.7%	0.7%	0.9%	99.1%
	<b>Grade 8</b>	1.4%	1.7%	2.5%	97.5%
	<b>Grade 9</b>	1.4%	2.5%	2.7%	97.3%
	<b>Grade 10</b>	2.1%	4.9%	6.8%	93.2%
	<b>Grade 11</b>	1.7%	4.1%	7.8%	92.2%
	<b>Grade 12</b>	5.0%	6.1%	8.4%	91.6%
<b>Heroin</b>					
	<b>All</b>	0.9%	1.3%	2.0%	98.0%
	<b>Grade 7</b>	0.4%	0.4%	0.6%	99.4%
	<b>Grade 8</b>	0.7%	1.5%	1.9%	98.1%
	<b>Grade 9</b>	1.0%	1.0%	2.2%	97.8%
	<b>Grade 10</b>	1.7%	2.6%	3.1%	96.9%
	<b>Grade 11</b>	0.9%	0.9%	1.6%	98.4%
	<b>Grade 12</b>	0.4%	1.5%	2.4%	97.6%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	11.0%	15.1%	25.6%	74.4%
	Grade 7	2.8%	3.1%	9.9%	90.1%
	Grade 8	6.9%	9.3%	20.7%	79.3%
	Grade 9	9.4%	13.9%	22.2%	77.8%
	Grade 10	13.3%	16.8%	27.2%	72.8%
	Grade 11	12.3%	17.5%	30.8%	69.2%
	Grade 12	23.6%	33.4%	47.5%	52.5%
<b>Alcohol</b>					
	All	21.6%	29.6%	51.0%	49.0%
	Grade 7	8.9%	11.6%	32.3%	67.7%
	Grade 8	17.3%	24.3%	47.1%	52.9%
	Grade 9	19.6%	30.8%	50.7%	49.3%
	Grade 10	25.0%	31.8%	50.9%	49.1%
	Grade 11	23.7%	37.0%	57.4%	42.6%
	Grade 12	38.1%	45.2%	71.1%	28.9%
<b>Inhalants</b>					
	All	2.2%	3.5%	7.3%	92.7%
	Grade 7	0.7%	1.6%	6.7%	93.3%
	Grade 8	2.2%	3.6%	6.8%	93.2%
	Grade 9	2.8%	2.8%	4.9%	95.1%
	Grade 10	2.0%	3.3%	8.0%	92.0%
	Grade 11	0.6%	3.4%	8.5%	91.5%
	Grade 12	5.3%	6.7%	9.7%	90.3%
<b>Any Illicit Drug</b>					
	All	6.2%	9.2%	15.2%	84.8%
	Grade 7	1.8%	3.0%	5.3%	94.7%
	Grade 8	3.2%	5.0%	9.9%	90.1%
	Grade 9	5.4%	7.0%	14.7%	85.3%
	Grade 10	8.0%	11.5%	16.2%	83.8%
	Grade 11	9.4%	15.8%	24.4%	75.6%
	Grade 12	10.5%	15.1%	23.0%	77.0%
<b>Marijuana</b>					
	All	4.6%	7.7%	13.1%	86.9%
	Grade 7	0.9%	1.8%	2.7%	97.3%
	Grade 8	1.9%	3.6%	8.8%	91.2%
	Grade 9	4.7%	5.3%	11.7%	88.3%
	Grade 10	6.6%	9.7%	14.5%	85.5%
	Grade 11	7.3%	14.9%	22.3%	77.7%
	Grade 12	7.6%	12.9%	21.7%	78.3%
<b>Marijuana Only</b>					
	All	1.8%	3.0%	7.0%	93.0%
	Grade 7	0.6%	1.3%	1.9%	98.1%
	Grade 8	0.6%	1.1%	4.4%	95.6%
	Grade 9	1.9%	2.2%	6.4%	93.6%
	Grade 10	2.7%	4.2%	7.5%	92.5%
	Grade 11	3.9%	6.6%	12.2%	87.8%
	Grade 12	1.8%	2.8%	10.5%	89.5%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.1%	1.8%	3.1%	96.9%
	Grade 7	0.3%	0.3%	0.4%	99.6%
	Grade 8	1.2%	1.5%	3.9%	96.1%
	Grade 9	0.0%	0.6%	1.9%	98.1%
	Grade 10	1.5%	2.4%	3.0%	97.0%
	Grade 11	1.3%	2.1%	3.8%	96.2%
	Grade 12	3.0%	4.4%	6.0%	94.0%
<b>Cocaine</b>					
	All	1.1%	1.7%	3.0%	97.0%
	Grade 7	0.1%	0.2%	0.3%	99.7%
	Grade 8	1.0%	1.2%	3.6%	96.4%
	Grade 9	0.0%	0.6%	1.9%	98.1%
	Grade 10	1.5%	2.5%	3.1%	96.9%
	Grade 11	1.3%	2.1%	3.6%	96.4%
	Grade 12	3.1%	4.5%	6.1%	93.9%
<b>Crack</b>					
	All	0.4%	0.4%	0.9%	99.1%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.9%	1.1%	1.9%	98.1%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.1%	0.1%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	1.3%	1.3%	1.6%	98.4%
<b>Hallucinogens</b>					
	All	0.6%	1.3%	2.4%	97.6%
	Grade 7	0.0%	0.5%	1.1%	98.9%
	Grade 8	0.9%	1.2%	1.5%	98.5%
	Grade 9	0.6%	0.9%	1.9%	98.1%
	Grade 10	1.3%	2.2%	3.1%	96.9%
	Grade 11	0.2%	0.3%	2.9%	97.1%
	Grade 12	0.8%	3.3%	4.7%	95.3%
<b>Uppers</b>					
	All	1.4%	2.9%	3.8%	96.2%
	Grade 7	0.0%	0.5%	0.5%	99.5%
	Grade 8	0.8%	0.8%	0.8%	99.2%
	Grade 9	2.6%	3.0%	4.5%	95.5%
	Grade 10	1.4%	2.5%	3.2%	96.8%
	Grade 11	1.0%	4.1%	5.4%	94.6%
	Grade 12	3.1%	7.7%	9.5%	90.5%
<b>Downers</b>					
	All	1.3%	2.7%	3.6%	96.4%
	Grade 7	0.0%	0.5%	0.5%	99.5%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	2.6%	2.7%	3.9%	96.1%
	Grade 10	0.3%	1.9%	3.4%	96.6%
	Grade 11	2.4%	4.1%	5.3%	94.7%
	Grade 12	2.6%	7.9%	9.5%	90.5%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.4%	0.7%	1.1%	98.9%
	<b>Grade 7</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grade 8</b>	1.1%	1.1%	1.1%	98.9%
	<b>Grade 9</b>	0.6%	0.9%	1.2%	98.8%
	<b>Grade 10</b>	0.7%	1.7%	2.0%	98.0%
	<b>Grade 11</b>	0.2%	0.2%	0.8%	99.2%
	<b>Grade 12</b>	0.0%	0.4%	1.4%	98.6%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.6%	1.1%	98.9%
	<b>Grade 7</b>	0.0%	0.0%	0.7%	99.3%
	<b>Grade 8</b>	0.1%	0.3%	0.4%	99.6%
	<b>Grade 9</b>	0.0%	0.0%	1.8%	98.2%
	<b>Grade 10</b>	1.3%	1.3%	1.5%	98.5%
	<b>Grade 11</b>	0.7%	0.8%	1.0%	99.0%
	<b>Grade 12</b>	1.0%	1.3%	1.3%	98.7%
<b>Ecstasy</b>					
	<b>All</b>	1.4%	2.2%	3.0%	97.0%
	<b>Grade 7</b>	0.6%	0.6%	0.6%	99.4%
	<b>Grade 8</b>	0.7%	1.0%	1.1%	98.9%
	<b>Grade 9</b>	0.6%	0.6%	1.3%	98.7%
	<b>Grade 10</b>	1.2%	2.4%	2.6%	97.4%
	<b>Grade 11</b>	0.4%	3.7%	6.4%	93.6%
	<b>Grade 12</b>	5.3%	5.9%	7.1%	92.9%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.3%	0.9%	99.1%
	<b>Grade 7</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.8%	0.9%	1.2%	98.8%
	<b>Grade 9</b>	0.2%	0.2%	0.9%	99.1%
	<b>Grade 10</b>	0.1%	0.5%	0.9%	99.1%
	<b>Grade 11</b>	0.0%	0.0%	0.9%	99.1%
	<b>Grade 12</b>	0.2%	0.2%	1.0%	99.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	17.8%	23.2%	40.9%	59.1%
	Grade 7	7.2%	10.2%	21.3%	78.7%
	Grade 8	11.4%	21.0%	44.2%	55.8%
	Grade 9	13.5%	17.0%	33.8%	66.2%
	Grade 10	24.9%	30.2%	47.9%	52.1%
	Grade 11	22.6%	29.8%	44.8%	55.2%
	Grade 12	26.8%	30.4%	52.6%	47.4%
<b>Alcohol</b>					
	All	33.9%	44.7%	65.8%	34.2%
	Grade 7	21.1%	26.4%	53.0%	47.0%
	Grade 8	29.7%	41.9%	68.4%	31.6%
	Grade 9	29.1%	40.9%	63.1%	36.9%
	Grade 10	38.6%	49.6%	68.7%	31.3%
	Grade 11	37.8%	52.0%	71.6%	28.4%
	Grade 12	47.1%	57.1%	69.5%	30.5%
<b>Inhalants</b>					
	All	3.1%	4.7%	12.3%	87.7%
	Grade 7	4.6%	6.0%	12.3%	87.7%
	Grade 8	4.2%	6.8%	17.0%	83.0%
	Grade 9	4.5%	7.4%	13.4%	86.6%
	Grade 10	2.2%	3.1%	12.5%	87.5%
	Grade 11	1.4%	2.9%	9.9%	90.1%
	Grade 12	1.8%	2.0%	8.0%	92.0%
<b>Any Illicit Drug</b>					
	All	12.5%	17.2%	30.4%	69.6%
	Grade 7	6.2%	7.2%	13.0%	87.0%
	Grade 8	7.5%	11.7%	23.1%	76.9%
	Grade 9	13.4%	15.6%	24.2%	75.8%
	Grade 10	16.3%	23.7%	39.5%	60.5%
	Grade 11	15.9%	21.6%	43.0%	57.0%
	Grade 12	15.2%	22.6%	39.3%	60.7%
<b>Marijuana</b>					
	All	10.6%	15.6%	29.7%	70.3%
	Grade 7	4.2%	5.2%	9.6%	90.4%
	Grade 8	7.1%	11.4%	23.2%	76.8%
	Grade 9	11.8%	13.2%	23.4%	76.6%
	Grade 10	13.2%	21.6%	37.4%	62.6%
	Grade 11	15.3%	21.0%	44.0%	56.0%
	Grade 12	11.9%	20.7%	40.2%	59.8%
<b>Marijuana Only</b>					
	All	4.7%	7.3%	16.8%	83.2%
	Grade 7	2.6%	3.3%	6.9%	93.1%
	Grade 8	2.7%	4.8%	12.8%	87.2%
	Grade 9	6.4%	7.6%	15.3%	84.7%
	Grade 10	6.2%	10.2%	22.1%	77.9%
	Grade 11	5.7%	10.2%	23.7%	76.3%
	Grade 12	4.5%	7.8%	20.2%	79.8%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.6%	2.8%	5.3%	94.7%
	Grade 7	1.3%	1.5%	3.4%	96.6%
	Grade 8	1.4%	1.6%	3.1%	96.9%
	Grade 9	0.5%	0.5%	0.6%	99.4%
	Grade 10	2.2%	4.9%	7.0%	93.0%
	Grade 11	1.9%	2.2%	8.2%	91.8%
	Grade 12	2.0%	6.1%	9.7%	90.3%
<b>Cocaine</b>					
	All	1.5%	2.8%	5.2%	94.8%
	Grade 7	1.2%	1.5%	2.7%	97.3%
	Grade 8	1.3%	1.5%	2.8%	97.2%
	Grade 9	0.5%	0.5%	0.6%	99.4%
	Grade 10	2.2%	5.0%	7.0%	93.0%
	Grade 11	1.7%	1.9%	8.0%	92.0%
	Grade 12	2.0%	6.1%	9.8%	90.2%
<b>Crack</b>					
	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	1.2%	1.4%	2.2%	97.8%
	Grade 8	0.4%	0.5%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.1%	2.0%	98.0%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	1.9%	3.2%	3.2%	96.8%
<b>Hallucinogens</b>					
	All	1.1%	1.9%	4.4%	95.6%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.9%	1.2%	2.8%	97.2%
	Grade 9	1.6%	2.8%	4.1%	95.9%
	Grade 10	2.6%	2.9%	7.8%	92.2%
	Grade 11	0.6%	1.5%	3.2%	96.8%
	Grade 12	0.8%	2.3%	7.5%	92.5%
<b>Uppers</b>					
	All	2.1%	3.3%	6.0%	94.0%
	Grade 7	0.4%	0.4%	0.5%	99.5%
	Grade 8	0.1%	2.7%	3.8%	96.2%
	Grade 9	1.3%	2.5%	4.0%	96.0%
	Grade 10	3.2%	4.3%	9.2%	90.8%
	Grade 11	3.9%	4.9%	8.8%	91.2%
	Grade 12	3.8%	5.2%	9.0%	91.0%
<b>Downers</b>					
	All	3.1%	3.5%	5.7%	94.3%
	Grade 7	1.7%	1.9%	1.9%	98.1%
	Grade 8	1.3%	1.6%	1.6%	98.4%
	Grade 9	1.2%	1.5%	2.6%	97.4%
	Grade 10	3.3%	4.9%	9.8%	90.2%
	Grade 11	4.9%	4.9%	7.6%	92.4%
	Grade 12	6.5%	6.5%	10.3%	89.7%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.8%	1.3%	1.9%	98.1%
	<b>Grade 7</b>	0.3%	0.3%	0.4%	99.6%
	<b>Grade 8</b>	1.3%	1.3%	2.4%	97.6%
	<b>Grade 9</b>	0.5%	0.8%	0.8%	99.2%
	<b>Grade 10</b>	2.0%	4.0%	5.9%	94.1%
	<b>Grade 11</b>	0.8%	0.8%	0.8%	99.2%
	<b>Grade 12</b>	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.5%	1.6%	98.4%
	<b>Grade 7</b>	0.0%	0.0%	0.3%	99.7%
	<b>Grade 8</b>	0.4%	0.5%	1.5%	98.5%
	<b>Grade 9</b>	0.7%	0.7%	0.8%	99.2%
	<b>Grade 10</b>	0.3%	0.6%	2.3%	97.7%
	<b>Grade 11</b>	0.7%	0.7%	1.7%	98.3%
	<b>Grade 12</b>	0.3%	0.3%	2.6%	97.4%
<b>Ecstasy</b>					
	<b>All</b>	1.8%	3.1%	5.0%	95.0%
	<b>Grade 7</b>	0.2%	0.2%	0.6%	99.4%
	<b>Grade 8</b>	1.3%	1.5%	2.6%	97.4%
	<b>Grade 9</b>	1.8%	3.6%	3.6%	96.4%
	<b>Grade 10</b>	1.9%	4.9%	7.7%	92.3%
	<b>Grade 11</b>	3.0%	3.5%	6.5%	93.5%
	<b>Grade 12</b>	2.9%	4.7%	8.8%	91.2%
<b>Heroin</b>					
	<b>All</b>	1.0%	1.7%	2.1%	97.9%
	<b>Grade 7</b>	0.4%	0.4%	0.6%	99.4%
	<b>Grade 8</b>	0.0%	0.9%	1.3%	98.7%
	<b>Grade 9</b>	1.4%	1.4%	2.1%	97.9%
	<b>Grade 10</b>	2.5%	3.6%	3.9%	96.1%
	<b>Grade 11</b>	1.6%	1.6%	1.6%	98.4%
	<b>Grade 12</b>	0.3%	2.1%	2.6%	97.4%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	11.7%	16.1%	28.8%	71.2%
	Grade 7	3.4%	4.5%	12.2%	87.8%
	Grade 8	7.2%	11.9%	27.4%	72.6%
	Grade 9	8.5%	13.2%	24.1%	75.9%
	Grade 10	16.2%	19.5%	33.4%	66.6%
	Grade 11	15.7%	22.5%	34.5%	65.5%
	Grade 12	22.2%	28.7%	45.6%	54.4%
<b>Alcohol</b>					
	All	24.5%	32.3%	54.4%	45.6%
	Grade 7	11.6%	15.6%	38.5%	61.5%
	Grade 8	20.1%	28.7%	53.1%	46.9%
	Grade 9	20.7%	30.4%	52.6%	47.4%
	Grade 10	28.4%	34.1%	56.1%	43.9%
	Grade 11	27.7%	40.7%	61.0%	39.0%
	Grade 12	42.8%	49.4%	69.5%	30.5%
<b>Inhalants</b>					
	All	1.8%	3.0%	8.4%	91.6%
	Grade 7	1.6%	2.8%	8.5%	91.5%
	Grade 8	2.6%	4.2%	10.8%	89.2%
	Grade 9	1.4%	3.0%	7.1%	92.9%
	Grade 10	1.7%	2.6%	9.0%	91.0%
	Grade 11	0.8%	2.4%	6.7%	93.3%
	Grade 12	2.7%	2.9%	7.7%	92.3%
<b>Any Illicit Drug</b>					
	All	6.6%	8.8%	17.4%	82.6%
	Grade 7	2.5%	3.3%	6.2%	93.8%
	Grade 8	2.6%	5.1%	13.5%	86.5%
	Grade 9	4.7%	6.0%	13.6%	86.4%
	Grade 10	11.1%	13.9%	21.8%	78.2%
	Grade 11	10.2%	13.2%	26.5%	73.5%
	Grade 12	9.4%	12.9%	25.8%	74.2%
<b>Marijuana</b>					
	All	5.5%	7.9%	16.4%	83.6%
	Grade 7	1.5%	1.8%	3.7%	96.3%
	Grade 8	2.5%	4.9%	13.3%	86.7%
	Grade 9	4.6%	5.4%	13.1%	86.9%
	Grade 10	8.7%	12.0%	20.1%	79.9%
	Grade 11	9.6%	13.1%	25.3%	74.7%
	Grade 12	7.6%	11.8%	26.6%	73.4%
<b>Marijuana Only</b>					
	All	2.6%	3.8%	10.2%	89.8%
	Grade 7	1.3%	1.5%	2.9%	97.1%
	Grade 8	0.8%	2.2%	8.5%	91.5%
	Grade 9	1.6%	2.2%	8.3%	91.7%
	Grade 10	4.6%	5.7%	11.4%	88.6%
	Grade 11	4.0%	6.8%	15.5%	84.5%
	Grade 12	4.0%	4.9%	16.6%	83.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.8%	1.3%	2.5%	97.5%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.1%	0.4%	2.0%	98.0%
	Grade 9	0.3%	0.8%	1.0%	99.0%
	Grade 10	2.2%	3.3%	4.0%	96.0%
	Grade 11	1.9%	2.0%	5.1%	94.9%
	Grade 12	0.0%	0.9%	2.5%	97.5%
<b>Cocaine</b>					
	All	0.7%	1.2%	2.3%	97.7%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.0%	0.2%	1.7%	98.3%
	Grade 9	0.3%	0.8%	1.0%	99.0%
	Grade 10	2.2%	3.3%	4.0%	96.0%
	Grade 11	1.8%	1.9%	4.8%	95.2%
	Grade 12	0.0%	0.9%	2.5%	97.5%
<b>Crack</b>					
	All	0.1%	0.3%	0.6%	99.4%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.1%	0.2%	0.9%	99.1%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.0%	0.9%	0.9%	99.1%
<b>Hallucinogens</b>					
	All	0.3%	0.8%	1.8%	98.2%
	Grade 7	0.0%	0.4%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.6%	99.4%
	Grade 9	0.3%	1.1%	2.7%	97.3%
	Grade 10	0.9%	1.2%	3.5%	96.5%
	Grade 11	0.1%	0.3%	1.3%	98.7%
	Grade 12	0.1%	2.1%	2.4%	97.6%
<b>Uppers</b>					
	All	1.1%	2.1%	3.4%	96.6%
	Grade 7	0.0%	0.4%	0.4%	99.6%
	Grade 8	0.1%	0.9%	1.5%	98.5%
	Grade 9	0.9%	1.6%	2.5%	97.5%
	Grade 10	1.6%	2.4%	4.1%	95.9%
	Grade 11	2.5%	3.9%	5.6%	94.4%
	Grade 12	2.1%	4.0%	7.6%	92.4%
<b>Downers</b>					
	All	1.2%	1.9%	2.8%	97.2%
	Grade 7	0.2%	0.7%	0.7%	99.3%
	Grade 8	0.6%	0.9%	0.9%	99.1%
	Grade 9	0.8%	1.1%	1.6%	98.4%
	Grade 10	1.4%	2.5%	4.8%	95.2%
	Grade 11	2.5%	2.8%	3.5%	96.5%
	Grade 12	2.1%	4.2%	6.0%	94.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.2%	0.4%	0.9%	99.1%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	0.2%	0.2%	0.8%	99.2%
	<b>Grade 9</b>	0.3%	0.5%	0.8%	99.2%
	<b>Grade 10</b>	0.5%	1.4%	2.6%	97.4%
	<b>Grade 11</b>	0.2%	0.2%	0.7%	99.3%
	<b>Grade 12</b>	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>					
	<b>All</b>	0.1%	0.2%	0.9%	99.1%
	<b>Grade 7</b>	0.0%	0.0%	0.7%	99.3%
	<b>Grade 8</b>	0.0%	0.3%	0.8%	99.2%
	<b>Grade 9</b>	0.0%	0.0%	0.8%	99.2%
	<b>Grade 10</b>	0.8%	1.0%	2.2%	97.8%
	<b>Grade 11</b>	0.0%	0.0%	0.7%	99.3%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>					
	<b>All</b>	1.2%	1.8%	2.9%	97.1%
	<b>Grade 7</b>	0.5%	0.5%	0.7%	99.3%
	<b>Grade 8</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 9</b>	1.1%	2.1%	2.4%	97.6%
	<b>Grade 10</b>	1.9%	2.8%	4.6%	95.4%
	<b>Grade 11</b>	0.9%	1.5%	4.3%	95.7%
	<b>Grade 12</b>	2.3%	3.6%	4.6%	95.4%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.4%	0.6%	99.4%
	<b>Grade 7</b>	0.2%	0.2%	0.3%	99.7%
	<b>Grade 8</b>	0.0%	0.0%	0.3%	99.7%
	<b>Grade 9</b>	0.0%	0.0%	0.9%	99.1%
	<b>Grade 10</b>	0.8%	1.0%	1.2%	98.8%
	<b>Grade 11</b>	0.9%	0.9%	0.9%	99.1%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	21.6%	27.2%	42.3%	57.7%
	Grade 7	10.3%	12.7%	21.1%	78.9%
	Grade 8	17.7%	24.7%	40.8%	59.2%
	Grade 9	18.3%	21.6%	33.2%	66.8%
	Grade 10	25.6%	33.5%	50.7%	49.3%
	Grade 11	18.2%	22.8%	37.9%	62.1%
	Grade 12	33.5%	41.1%	61.0%	39.0%
<b>Alcohol</b>					
	All	34.1%	47.7%	65.4%	34.6%
	Grade 7	26.3%	29.1%	52.8%	47.2%
	Grade 8	36.6%	44.1%	63.2%	36.8%
	Grade 9	29.2%	45.6%	61.0%	39.0%
	Grade 10	35.0%	56.3%	68.0%	32.0%
	Grade 11	34.3%	50.3%	68.0%	32.0%
	Grade 12	40.4%	53.7%	73.7%	26.3%
<b>Inhalants</b>					
	All	3.6%	5.8%	11.8%	88.2%
	Grade 7	5.3%	6.0%	12.3%	87.7%
	Grade 8	4.0%	5.7%	10.1%	89.9%
	Grade 9	5.8%	6.4%	8.3%	91.7%
	Grade 10	2.2%	4.6%	14.7%	85.3%
	Grade 11	0.9%	5.0%	14.7%	85.3%
	Grade 12	4.1%	6.9%	10.5%	89.5%
<b>Any Illicit Drug</b>					
	All	16.2%	25.3%	35.5%	64.5%
	Grade 7	9.4%	12.0%	16.6%	83.4%
	Grade 8	13.1%	16.6%	22.7%	77.3%
	Grade 9	19.3%	23.8%	33.2%	66.8%
	Grade 10	12.2%	25.8%	40.1%	59.9%
	Grade 11	18.4%	34.0%	47.5%	52.5%
	Grade 12	21.3%	32.1%	42.8%	57.2%
<b>Marijuana</b>					
	All	11.8%	21.3%	31.9%	68.1%
	Grade 7	6.2%	9.2%	10.0%	90.0%
	Grade 8	7.8%	11.8%	19.4%	80.6%
	Grade 9	14.0%	16.0%	23.9%	76.1%
	Grade 10	10.6%	24.1%	39.4%	60.6%
	Grade 11	14.3%	32.2%	49.0%	51.0%
	Grade 12	15.1%	28.1%	40.4%	59.6%
<b>Marijuana Only</b>					
	All	4.8%	9.1%	15.3%	84.7%
	Grade 7	2.7%	5.3%	6.1%	93.9%
	Grade 8	4.8%	5.6%	9.7%	90.3%
	Grade 9	9.2%	11.0%	16.2%	83.8%
	Grade 10	4.6%	12.8%	23.4%	76.6%
	Grade 11	6.9%	13.1%	21.8%	78.2%
	Grade 12	0.9%	5.4%	11.5%	88.5%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.9%	5.1%	8.3%	91.7%
	Grade 7	3.1%	3.4%	6.1%	93.9%
	Grade 8	2.9%	3.3%	6.2%	93.8%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	1.1%	2.9%	6.2%	93.8%
	Grade 11	0.7%	2.3%	5.5%	94.5%
	Grade 12	8.8%	15.9%	21.0%	79.0%
<b>Cocaine</b>					
	All	2.8%	5.1%	8.3%	91.7%
	Grade 7	2.9%	3.2%	6.0%	94.0%
	Grade 8	2.1%	2.5%	5.4%	94.6%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	1.2%	3.0%	6.5%	93.5%
	Grade 11	0.7%	2.3%	5.5%	94.5%
	Grade 12	8.8%	15.9%	21.1%	78.9%
<b>Crack</b>					
	All	1.7%	1.8%	2.5%	97.5%
	Grade 7	2.8%	2.8%	2.8%	97.2%
	Grade 8	1.3%	2.1%	4.6%	95.4%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	5.3%	5.3%	6.0%	94.0%
<b>Hallucinogens</b>					
	All	1.1%	2.5%	7.4%	92.6%
	Grade 7	0.0%	0.0%	1.8%	98.2%
	Grade 8	0.0%	0.7%	4.8%	95.2%
	Grade 9	2.0%	2.8%	3.3%	96.7%
	Grade 10	0.4%	2.8%	7.8%	92.2%
	Grade 11	1.0%	2.8%	8.8%	91.2%
	Grade 12	2.4%	4.7%	14.6%	85.4%
<b>Uppers</b>					
	All	3.1%	6.1%	8.7%	91.3%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	0.4%	1.1%	1.1%	98.9%
	Grade 9	5.0%	6.2%	10.5%	89.5%
	Grade 10	2.6%	4.8%	10.0%	90.0%
	Grade 11	1.2%	6.5%	11.5%	88.5%
	Grade 12	6.8%	13.3%	13.6%	86.4%
<b>Downers</b>					
	All	4.7%	7.2%	10.5%	89.5%
	Grade 7	3.0%	3.0%	3.0%	97.0%
	Grade 8	0.4%	0.4%	0.7%	99.3%
	Grade 9	4.7%	5.2%	8.6%	91.4%
	Grade 10	1.0%	5.1%	9.9%	90.1%
	Grade 11	6.2%	9.8%	15.6%	84.4%
	Grade 12	9.9%	15.2%	19.2%	80.8%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.0%	1.6%	2.2%	97.8%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	4.0%	4.0%	4.0%	96.0%
	<b>Grade 9</b>	0.0%	0.8%	0.8%	99.2%
	<b>Grade 10</b>	2.0%	3.9%	4.8%	95.2%
	<b>Grade 11</b>	0.8%	0.8%	0.8%	99.2%
	<b>Grade 12</b>	0.0%	0.8%	2.8%	97.2%
<b>Steroids</b>					
	<b>All</b>	1.4%	1.6%	2.4%	97.6%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	1.0%	1.0%	1.0%	99.0%
	<b>Grade 9</b>	1.3%	1.3%	1.6%	98.4%
	<b>Grade 10</b>	0.4%	0.4%	0.4%	99.6%
	<b>Grade 11</b>	2.7%	3.1%	3.1%	96.9%
	<b>Grade 12</b>	2.5%	3.0%	6.6%	93.4%
<b>Ecstasy</b>					
	<b>All</b>	3.0%	5.0%	7.2%	92.8%
	<b>Grade 7</b>	0.3%	0.3%	0.3%	99.7%
	<b>Grade 8</b>	0.8%	1.5%	1.5%	98.5%
	<b>Grade 9</b>	1.0%	1.3%	2.5%	97.5%
	<b>Grade 10</b>	0.6%	4.8%	5.2%	94.8%
	<b>Grade 11</b>	3.1%	9.1%	12.6%	87.4%
	<b>Grade 12</b>	9.7%	10.1%	16.1%	83.9%
<b>Heroin</b>					
	<b>All</b>	1.0%	2.1%	3.4%	96.6%
	<b>Grade 7</b>	0.4%	0.4%	0.7%	99.3%
	<b>Grade 8</b>	0.5%	0.5%	1.2%	98.8%
	<b>Grade 9</b>	3.1%	3.1%	4.1%	95.9%
	<b>Grade 10</b>	0.7%	3.5%	3.9%	96.1%
	<b>Grade 11</b>	0.0%	0.0%	2.4%	97.6%
	<b>Grade 12</b>	0.9%	3.8%	6.0%	94.0%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.4%	18.4%	35.0%	65.0%
	Grade 7	6.1%	8.5%	16.9%	83.1%
	Grade 8	8.2%	16.6%	41.7%	58.3%
	Grade 9	16.1%	21.3%	35.3%	64.7%
	Grade 10	16.8%	19.6%	39.7%	60.3%
	Grade 11	12.2%	18.2%	34.6%	65.4%
	Grade 12	28.0%	34.3%	50.1%	49.9%
<b>Alcohol</b>					
	All	27.3%	37.7%	58.5%	41.5%
	Grade 7	18.2%	19.0%	44.9%	55.1%
	Grade 8	23.9%	39.5%	60.3%	39.7%
	Grade 9	32.6%	41.0%	61.9%	38.1%
	Grade 10	26.3%	40.1%	58.3%	41.7%
	Grade 11	34.4%	50.4%	68.8%	31.2%
	Grade 12	30.7%	37.5%	57.4%	42.6%
<b>Inhalants</b>					
	All	4.5%	6.5%	12.0%	88.0%
	Grade 7	5.4%	6.2%	9.7%	90.3%
	Grade 8	5.5%	7.9%	12.2%	87.8%
	Grade 9	6.9%	10.8%	15.6%	84.4%
	Grade 10	3.1%	3.7%	14.0%	86.0%
	Grade 11	2.5%	4.4%	7.9%	92.1%
	Grade 12	2.4%	6.1%	11.0%	89.0%
<b>Any Illicit Drug</b>					
	All	12.0%	16.9%	27.2%	72.8%
	Grade 7	5.9%	7.8%	12.6%	87.4%
	Grade 8	9.6%	10.3%	19.4%	80.6%
	Grade 9	14.6%	19.7%	28.1%	71.9%
	Grade 10	10.7%	16.0%	28.7%	71.3%
	Grade 11	16.8%	26.4%	40.9%	59.1%
	Grade 12	18.9%	27.5%	42.8%	57.2%
<b>Marijuana</b>					
	All	10.6%	15.2%	25.7%	74.3%
	Grade 7	5.7%	7.7%	10.9%	89.1%
	Grade 8	6.9%	7.3%	17.2%	82.8%
	Grade 9	14.2%	16.4%	26.6%	73.4%
	Grade 10	10.6%	14.9%	26.3%	73.7%
	Grade 11	13.6%	24.7%	40.0%	60.0%
	Grade 12	14.8%	26.1%	42.8%	57.2%
<b>Marijuana Only</b>					
	All	4.9%	7.5%	15.2%	84.8%
	Grade 7	3.3%	4.9%	7.5%	92.5%
	Grade 8	2.8%	2.8%	10.2%	89.8%
	Grade 9	8.9%	10.5%	16.7%	83.3%
	Grade 10	4.0%	6.3%	15.4%	84.6%
	Grade 11	8.3%	17.5%	29.1%	70.9%
	Grade 12	0.0%	0.0%	11.7%	88.3%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.4%	2.5%	4.5%	95.5%
	Grade 7	2.0%	2.1%	2.3%	97.7%
	Grade 8	3.7%	4.2%	6.1%	93.9%
	Grade 9	0.7%	0.7%	3.5%	96.5%
	Grade 10	0.5%	2.1%	3.6%	96.4%
	Grade 11	0.4%	0.7%	2.6%	97.4%
	Grade 12	0.6%	7.8%	13.3%	86.7%
<b>Cocaine</b>					
	All	1.2%	2.3%	4.3%	95.7%
	Grade 7	1.7%	1.9%	2.1%	97.9%
	Grade 8	3.6%	3.8%	5.8%	94.2%
	Grade 9	0.7%	0.7%	3.6%	96.4%
	Grade 10	0.5%	2.2%	3.7%	96.3%
	Grade 11	0.0%	0.2%	2.2%	97.8%
	Grade 12	0.6%	7.8%	13.3%	86.7%
<b>Crack</b>					
	All	0.8%	0.9%	1.3%	98.7%
	Grade 7	1.9%	1.9%	1.9%	98.1%
	Grade 8	2.0%	2.6%	2.8%	97.2%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	1.9%	3.0%	4.4%	95.6%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	3.1%	3.4%	4.1%	95.9%
	Grade 9	2.2%	2.2%	2.6%	97.4%
	Grade 10	3.6%	5.3%	7.5%	92.5%
	Grade 11	0.5%	0.5%	1.9%	98.1%
	Grade 12	1.4%	9.5%	13.8%	86.2%
<b>Uppers</b>					
	All	1.8%	3.4%	4.5%	95.5%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	1.5%	1.7%	1.7%	98.3%
	Grade 9	2.3%	3.9%	5.2%	94.8%
	Grade 10	2.0%	3.5%	5.7%	94.3%
	Grade 11	3.6%	5.0%	5.0%	95.0%
	Grade 12	1.3%	9.5%	14.2%	85.8%
<b>Downers</b>					
	All	2.3%	4.1%	5.5%	94.5%
	Grade 7	0.7%	0.9%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	1.9%	2.3%	3.5%	96.5%
	Grade 10	1.9%	4.7%	8.3%	91.7%
	Grade 11	6.2%	6.2%	6.2%	93.8%
	Grade 12	5.1%	18.3%	22.8%	77.2%



**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.5%	1.7%	1.9%	98.1%
	<b>Grade 7</b>	0.1%	0.1%	0.5%	99.5%
	<b>Grade 8</b>	3.8%	3.8%	3.8%	96.2%
	<b>Grade 9</b>	2.0%	2.0%	2.0%	98.0%
	<b>Grade 10</b>	1.7%	3.0%	3.5%	96.5%
	<b>Grade 11</b>	0.3%	0.3%	0.3%	99.7%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.6%	2.2%	97.8%
	<b>Grade 7</b>	0.0%	0.0%	0.4%	99.6%
	<b>Grade 8</b>	0.8%	1.1%	2.7%	97.3%
	<b>Grade 9</b>	0.2%	0.2%	3.4%	96.6%
	<b>Grade 10</b>	1.2%	1.4%	2.8%	97.2%
	<b>Grade 11</b>	0.5%	0.5%	1.9%	98.1%
	<b>Grade 12</b>	0.0%	0.0%	1.5%	98.5%
<b>Ecstasy</b>					
	<b>All</b>	2.1%	3.0%	4.6%	95.4%
	<b>Grade 7</b>	0.1%	0.1%	0.5%	99.5%
	<b>Grade 8</b>	1.7%	2.2%	2.4%	97.6%
	<b>Grade 9</b>	1.6%	1.8%	2.1%	97.9%
	<b>Grade 10</b>	0.9%	2.3%	3.8%	96.2%
	<b>Grade 11</b>	2.1%	3.9%	6.6%	93.4%
	<b>Grade 12</b>	11.4%	13.6%	22.4%	77.6%
<b>Heroin</b>					
	<b>All</b>	0.8%	1.2%	1.8%	98.2%
	<b>Grade 7</b>	0.4%	0.4%	0.6%	99.4%
	<b>Grade 8</b>	1.5%	3.2%	3.7%	96.3%
	<b>Grade 9</b>	0.4%	0.4%	1.8%	98.2%
	<b>Grade 10</b>	1.6%	1.9%	2.3%	97.7%
	<b>Grade 11</b>	0.4%	0.4%	0.4%	99.6%
	<b>Grade 12</b>	0.0%	0.0%	1.4%	98.6%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	14.0%	18.6%	30.9%	69.1%
	Grade 7	3.9%	5.0%	13.5%	86.5%
	Grade 8	8.4%	12.7%	25.7%	74.3%
	Grade 9	9.1%	12.7%	23.5%	76.5%
	Grade 10	20.2%	25.2%	35.2%	64.8%
	Grade 11	17.5%	23.6%	36.7%	63.3%
	Grade 12	24.8%	32.2%	50.6%	49.4%
<b>Alcohol</b>					
	All	26.6%	35.3%	56.8%	43.2%
	Grade 7	12.1%	17.2%	39.2%	60.8%
	Grade 8	21.3%	28.0%	54.2%	45.8%
	Grade 9	20.4%	33.2%	53.4%	46.6%
	Grade 10	33.9%	40.3%	59.2%	40.8%
	Grade 11	28.0%	40.2%	61.3%	38.7%
	Grade 12	43.5%	52.3%	72.5%	27.5%
<b>Inhalants</b>					
	All	1.9%	3.0%	8.3%	91.7%
	Grade 7	1.0%	2.2%	8.7%	91.3%
	Grade 8	2.1%	3.8%	10.0%	90.0%
	Grade 9	2.0%	2.1%	5.3%	94.7%
	Grade 10	1.6%	3.0%	8.2%	91.8%
	Grade 11	0.2%	2.6%	9.3%	90.7%
	Grade 12	3.9%	4.3%	8.6%	91.4%
<b>Any Illicit Drug</b>					
	All	7.6%	11.0%	19.6%	80.4%
	Grade 7	2.6%	3.5%	6.7%	93.3%
	Grade 8	2.7%	6.3%	13.9%	86.1%
	Grade 9	6.4%	6.8%	14.8%	85.2%
	Grade 10	12.3%	17.7%	25.6%	74.4%
	Grade 11	10.3%	14.8%	28.6%	71.4%
	Grade 12	11.6%	16.9%	28.2%	71.8%
<b>Marijuana</b>					
	All	5.8%	9.5%	18.1%	81.9%
	Grade 7	0.9%	1.3%	3.3%	96.7%
	Grade 8	2.4%	6.0%	13.9%	86.1%
	Grade 9	4.9%	5.3%	12.3%	87.7%
	Grade 10	9.4%	15.7%	24.5%	75.5%
	Grade 11	9.5%	14.4%	27.8%	72.2%
	Grade 12	8.6%	14.6%	27.7%	72.3%
<b>Marijuana Only</b>					
	All	2.4%	3.8%	9.8%	90.2%
	Grade 7	0.6%	1.0%	2.5%	97.5%
	Grade 8	1.0%	2.6%	7.7%	92.3%
	Grade 9	1.5%	1.8%	7.3%	92.7%
	Grade 10	4.5%	7.3%	13.8%	86.2%
	Grade 11	3.2%	4.3%	12.2%	87.8%
	Grade 12	3.6%	6.0%	15.5%	84.5%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.3%	2.1%	3.7%	96.3%
	Grade 7	0.1%	0.2%	1.3%	98.7%
	Grade 8	0.4%	0.6%	2.7%	97.3%
	Grade 9	0.0%	0.5%	0.5%	99.5%
	Grade 10	2.5%	4.3%	4.7%	95.3%
	Grade 11	2.0%	2.7%	6.8%	93.2%
	Grade 12	3.0%	4.7%	6.7%	93.3%
<b>Cocaine</b>					
	All	1.3%	2.2%	3.6%	96.4%
	Grade 7	0.1%	0.2%	1.0%	99.0%
	Grade 8	0.3%	0.4%	2.4%	97.6%
	Grade 9	0.0%	0.5%	0.5%	99.5%
	Grade 10	2.5%	4.4%	4.8%	95.2%
	Grade 11	2.0%	2.7%	6.7%	93.3%
	Grade 12	3.0%	4.8%	6.8%	93.2%
<b>Crack</b>					
	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.1%	0.2%	0.7%	99.3%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.2%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	1.8%	2.5%	2.8%	97.2%
<b>Hallucinogens</b>					
	All	0.4%	1.0%	2.7%	97.3%
	Grade 7	0.0%	0.4%	0.9%	99.1%
	Grade 8	0.1%	0.4%	1.3%	98.7%
	Grade 9	0.5%	1.4%	2.9%	97.1%
	Grade 10	1.1%	1.3%	3.5%	96.5%
	Grade 11	0.3%	0.9%	3.4%	96.6%
	Grade 12	0.7%	1.6%	4.6%	95.4%
<b>Uppers</b>					
	All	1.7%	2.9%	4.6%	95.4%
	Grade 7	0.1%	0.5%	0.5%	99.5%
	Grade 8	0.2%	1.0%	1.6%	98.4%
	Grade 9	2.1%	2.5%	4.0%	96.0%
	Grade 10	2.4%	3.3%	5.5%	94.5%
	Grade 11	1.7%	4.2%	7.6%	92.4%
	Grade 12	3.8%	6.1%	8.5%	91.5%
<b>Downers</b>					
	All	1.9%	2.6%	3.9%	96.1%
	Grade 7	0.7%	1.2%	1.2%	98.8%
	Grade 8	0.2%	0.4%	0.5%	99.5%
	Grade 9	2.1%	2.3%	3.3%	96.7%
	Grade 10	1.7%	2.6%	4.7%	95.3%
	Grade 11	2.4%	3.7%	6.3%	93.7%
	Grade 12	4.2%	5.4%	7.6%	92.4%

**Region 4/5: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.3%	0.7%	1.3%	98.7%
	<b>Grade 7</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.2%	0.2%	0.8%	99.2%
	<b>Grade 9</b>	0.0%	0.4%	0.7%	99.3%
	<b>Grade 10</b>	1.1%	2.7%	4.0%	96.0%
	<b>Grade 11</b>	0.5%	0.5%	1.0%	99.0%
	<b>Grade 12</b>	0.0%	0.3%	1.1%	98.9%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 7</b>	0.0%	0.0%	0.6%	99.4%
	<b>Grade 8</b>	0.0%	0.2%	0.2%	99.8%
	<b>Grade 9</b>	0.3%	0.3%	0.6%	99.4%
	<b>Grade 10</b>	0.7%	0.8%	1.5%	98.5%
	<b>Grade 11</b>	0.8%	0.9%	1.0%	99.0%
	<b>Grade 12</b>	0.8%	1.0%	1.9%	98.1%
<b>Ecstasy</b>					
	<b>All</b>	1.4%	2.5%	3.6%	96.4%
	<b>Grade 7</b>	0.6%	0.6%	0.7%	99.3%
	<b>Grade 8</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.9%	1.8%	2.3%	97.7%
	<b>Grade 10</b>	1.8%	4.2%	5.5%	94.5%
	<b>Grade 11</b>	1.2%	3.5%	6.4%	93.6%
	<b>Grade 12</b>	3.1%	4.0%	5.5%	94.5%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.8%	1.2%	98.8%
	<b>Grade 7</b>	0.2%	0.2%	0.3%	99.7%
	<b>Grade 8</b>	0.1%	0.1%	0.4%	99.6%
	<b>Grade 9</b>	0.8%	0.8%	1.3%	98.7%
	<b>Grade 10</b>	1.1%	1.9%	2.3%	97.7%
	<b>Grade 11</b>	0.7%	0.7%	1.5%	98.5%
	<b>Grade 12</b>	0.3%	1.3%	1.8%	98.2%

**Region 4/5: Grades 7-12  
Spring 2008**

The FREQ Procedure

<b>GENDER</b>		
<b>q1</b>	<b>Frequency</b>	<b>Percent</b>
Female	116E3	54.31
Male	97845	45.69

Frequency Missing = 2092.9915251

<b>GRADE</b>		
<b>q2</b>	<b>Frequency</b>	<b>Percent</b>
Grade 7	36792	17.01
Grade 8	37609	17.39
Grade 9	37498	17.34
Grade 10	36928	17.08
Grade 11	34028	15.74
Grade 12	33386	15.44

<b>LIVE WITH BOTH PARENTS</b>		
<b>q3</b>	<b>Frequency</b>	<b>Percent</b>
No	91727	42.77
Yes	123E3	57.23

Frequency Missing = 1756.0357242

<b>AGE</b>		
<b>q4</b>	<b>Frequency</b>	<b>Percent</b>
11 or younger	53	0.02
12	5891	2.74
13	33584	15.63
14	37738	17.57
15	37580	17.49
16	36777	17.12
17	34772	16.19
18	25226	11.74
19 or older	3209	1.49

Frequency Missing = 1410.1739607

<b>ETHNICITY</b>		
<b>q5</b>	<b>Frequency</b>	<b>Percent</b>
African/American	39874	18.91
Asian/American	1219	0.58
Mexican/American	46625	22.11
Native/American	664	0.31
Other	4509	2.14
White	118E3	55.95

Frequency Missing = 5352.1857427

<b>ON AVERAGE WHAT GRADES DO YOU GET</b>		
<b>q6</b>	<b>Frequency</b>	<b>Percent</b>
Mostly A's	65736	30.94
Mostly B's	108E3	50.98
Mostly C's	34731	16.35
Mostly D's	2070	0.97
Mostly F's	1603	0.75

Frequency Missing = 3796.6878017

<b>LENGTH OF TIME IN THIS DISTRICT</b>		
<b>q7</b>	<b>Frequency</b>	<b>Percent</b>
<1 year	21193	9.90
2-3 years	36662	17.13
>4 years	156E3	72.96

Frequency Missing = 2254.2965208

<b>DO YOU HAVE A JOB</b>		
<b>q8</b>	<b>Frequency</b>	<b>Percent</b>
No	142E3	66.84
Yes	70647	33.16

Frequency Missing = 3220.5695396

<b>DO YOU GET AN ALLOWANCE</b>		
<b>q9</b>	<b>Frequency</b>	<b>Percent</b>
No	139E3	65.61
Yes	72945	34.39

Frequency Missing = 4138.7022128

<b>EITHER PARENT COLLEGE GRADUATE</b>		
<b>q10</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	30719	14.44
No	75631	35.56
Yes	106E3	49.99

Frequency Missing = 3569.1695834

<b>QUALIFY FOR FREE/REDUCED PRICE LUNCH</b>		
<b>q11</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	21051	9.89
No	126E3	59.05
Yes	66117	31.06

Frequency Missing = 3378.1786309

<b>PARTICIPATE IN SCHOOL ATHLETICS</b>		
<b>q12a</b>	<b>Frequency</b>	<b>Percent</b>
No	103E3	52.00
Yes	95513	48.00

Frequency Missing = 17235.707629

<b>PARTICIPATE IN SCHOOL BAND/ORCHESTRA</b>		
<b>q12b</b>	<b>Frequency</b>	<b>Percent</b>
No	143E3	81.36
Yes	32647	18.64

Frequency Missing = 41071.36857

<b>PARTICIPATE IN SCHOOL CHOIR</b>		
<b>q12c</b>	<b>Frequency</b>	<b>Percent</b>
No	155E3	92.11
Yes	13320	7.89

Frequency Missing = 47459.043332

<b>PARTICIPATE IN DRAMA/SPEECH/ART CLUBS</b>		
<b>q12d</b>	<b>Frequency</b>	<b>Percent</b>
No	129E3	75.96
Yes	40897	24.04

Frequency Missing = 46121.517421

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	142E3	86.60
<b>Yes</b>	21965	13.40

Frequency Missing = 52327.645779

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	156E3	94.58
<b>Yes</b>	8926	5.42

Frequency Missing = 51498.417702

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	154E3	93.03
<b>Yes</b>	11565	6.97

Frequency Missing = 50341.642907

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	143E3	83.62
<b>Yes</b>	28022	16.38

Frequency Missing = 45160.105507

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	15E4	85.53
<b>Yes</b>	25339	14.47

Frequency Missing = 41144.18196

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	157E3	87.90
<b>Yes</b>	21624	12.10

Frequency Missing = 37601.296388

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	138E3	76.05
<b>Yes</b>	43367	23.95

Frequency Missing = 35156.051406

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	115E3	60.59
<b>Yes</b>	74860	39.41

Frequency Missing = 26292.664011

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	117E3	62.13
<b>Yes</b>	71413	37.87

Frequency Missing = 27657.962658

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	168E3	78.79
<b>Somewhat Safe</b>	40209	18.81
<b>Not Very Safe</b>	2259	1.06
<b>Not Safe At All</b>	988	0.46
<b>Don't Know</b>	1900	0.89

Frequency Missing = 2426.8922756

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	94846	44.66
<b>Somewhat Safe</b>	90955	42.82
<b>Not Very Safe</b>	16343	7.69
<b>Not Safe At All</b>	5632	2.65
<b>Don't Know</b>	4617	2.17

Frequency Missing = 3847.2578523

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	71563	34.03
<b>Somewhat Safe</b>	105E3	49.90
<b>Not Very Safe</b>	18803	8.94
<b>Not Safe At All</b>	9466	4.50
<b>Don't Know</b>	5538	2.63

Frequency Missing = 5922.1471172

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	9403	4.45
<b>A Few</b>	53856	25.48
<b>Some</b>	54820	25.94
<b>Most</b>	72944	34.51
<b>All</b>	20336	9.62

Frequency Missing = 4881.4262245

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	123E3	58.93
<b>A Few</b>	48276	23.05
<b>Some</b>	21998	10.50
<b>Most</b>	11604	5.54
<b>All</b>	4131	1.97

Frequency Missing = 6794.7703539

**Region 4/5: Grades 7-12  
Spring 2008**

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c Frequency Percent</b>		
None	7389	3.59
A Few	30216	14.69
Some	44264	21.52
Most	87014	42.30
All	36844	17.91

Frequency Missing = 10513.857637

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d Frequency Percent</b>		
None	147E3	70.14
A Few	32409	15.44
Some	16020	7.63
Most	10658	5.08
All	3597	1.71

Frequency Missing = 6330.9798747

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e Frequency Percent</b>		
None	124E3	58.86
A Few	54869	26.02
Some	20691	9.81
Most	6323	3.00
All	4866	2.31

Frequency Missing = 5352.7559986

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15 Frequency Percent</b>		
No	123E3	68.13
Yes	57722	31.87

Frequency Missing = 35098.760699

<b>RECENT CIGARETTE USE</b>		
<b>Q16A Frequency Percent</b>		
Never Heard/Used	146E3	69.59
In Your Lifetime	28813	13.73
Since School Began	9845	4.69
In the Past Month	25172	11.99

Frequency Missing = 6315.676412

<b>RECENT SMOKELESS TOBACCO USE</b>		
<b>Q16B Frequency Percent</b>		
Never Heard/Used	182E3	87.84
In Your Lifetime	10086	4.87
Since School Began	4345	2.10
In the Past Month	10747	5.19

Frequency Missing = 9134.4853914

<b>RECENT BEER USE</b>		
<b>Q16C Frequency Percent</b>		
Never Heard/Used	12E4	58.08
In Your Lifetime	35649	17.29
Since School Began	16495	8.00
In the Past Month	34305	16.63

Frequency Missing = 9998.8002115

<b>RECENT WINE COOLER USE</b>		
<b>Q16D Frequency Percent</b>		
Never Heard/Used	118E3	57.19
In Your Lifetime	37116	17.93
Since School Began	19129	9.24
In the Past Month	32372	15.64

Frequency Missing = 9246.3425995

<b>RECENT WINE USE</b>		
<b>Q16E Frequency Percent</b>		
Never Heard/Used	124E3	61.90
In Your Lifetime	40692	20.26
Since School Began	16746	8.34
In the Past Month	19087	9.50

Frequency Missing = 15380.98818

<b>RECENT LIQUOR USE</b>		
<b>Q16F Frequency Percent</b>		
Never Heard/Used	123E3	59.42
In Your Lifetime	29122	14.04
Since School Began	17383	8.38
In the Past Month	37687	18.17

Frequency Missing = 8776.3991198

<b>RECENT INHALANT USE</b>		
<b>Q16G Frequency Percent</b>		
Never Heard/Used	188E3	90.65
In Your Lifetime	11174	5.38
Since School Began	2884	1.39
In the Past Month	5350	2.58

Frequency Missing = 8645.6168575

<b>RECENT MARIJUANA USE</b>		
<b>Q17A Frequency Percent</b>		
Never Heard/Used	165E3	79.81
In Your Lifetime	18981	9.17
Since School Began	8012	3.87
In the Past Month	14792	7.15

Frequency Missing = 9302.4147883

<b>RECENT COCAINE USE</b>		
<b>Q17B Frequency Percent</b>		
Never Heard/Used	196E3	96.11
In Your Lifetime	3504	1.72
Since School Began	1871	0.92
In the Past Month	2573	1.26

Frequency Missing = 12020.798225

<b>RECENT CRACK USE</b>		
<b>Q17C Frequency Percent</b>		
Never Heard/Used	198E3	98.90
In Your Lifetime	927	0.46
Since School Began	292	0.15
In the Past Month	979	0.49

Frequency Missing = 15919.05419

**Region 4/5: Grades 7-12  
Spring 2008**

<b>RECENT HALLUCINOGEN USE</b>		
	<b>Q17E</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	192E3	96.76
<b>In Your Lifetime</b>	3348	1.69
<b>Since School Began</b>	1415	0.71
<b>In the Past Month</b>	1656	0.84

Frequency Missing = 18217.03809

<b>RECENT UPPER USE</b>		
	<b>Q17F</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	191E3	95.31
<b>In Your Lifetime</b>	3188	1.59
<b>Since School Began</b>	2745	1.37
<b>In the Past Month</b>	3452	1.73

Frequency Missing = 16229.278706

<b>RECENT DOWNER USE</b>		
	<b>Q17G</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	191E3	95.54
<b>In Your Lifetime</b>	2806	1.40
<b>Since School Began</b>	2000	1.00
<b>In the Past Month</b>	4109	2.05

Frequency Missing = 16195.833477

<b>RECENT ROHYPNOL USE</b>		
	<b>Q17H</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	196E3	98.57
<b>In Your Lifetime</b>	996	0.50
<b>Since School Began</b>	653	0.33
<b>In the Past Month</b>	1200	0.60

Frequency Missing = 17052.499933

<b>RECENT STEROID USE</b>		
	<b>Q17I</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	196E3	98.71
<b>In Your Lifetime</b>	1490	0.75
<b>Since School Began</b>	180	0.09
<b>In the Past Month</b>	884	0.45

Frequency Missing = 18055.222008

<b>RECENT ECSTASY USE</b>		
	<b>Q17J</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	194E3	96.17
<b>In Your Lifetime</b>	2522	1.25
<b>Since School Began</b>	2050	1.01
<b>In the Past Month</b>	3165	1.57

Frequency Missing = 14154.221765

<b>RECENT HEROIN USE</b>		
	<b>Q17K</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	2E5	98.64
<b>In Your Lifetime</b>	913	0.45
<b>Since School Began</b>	653	0.32
<b>In the Past Month</b>	1182	0.58

Frequency Missing = 13638.74772

<b>TOBACCO USE IN PAST MONTH</b>		
	<b>q18a</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	174E3	83.79
<b>1-2 times</b>	12871	6.20
<b>3-10 times</b>	6005	2.89
<b>11+ times</b>	14766	7.12

Frequency Missing = 8745.1382059

<b>ALCOHOL USE IN PAST MONTH</b>		
	<b>q18b</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	143E3	69.04
<b>1-2 times</b>	34954	16.88
<b>3-10 times</b>	21400	10.33
<b>11+ times</b>	7768	3.75

Frequency Missing = 9113.1537287

<b>INHALANT USE IN PAST MONTH</b>		
	<b>q18c</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	197E3	96.22
<b>1-2 times</b>	5528	2.71
<b>3-10 times</b>	1386	0.68
<b>11+ times</b>	806	0.39

Frequency Missing = 11961.52844

<b>MARIJUANA USE IN PAST MONTH</b>		
	<b>q18d</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	181E3	88.88
<b>1-2 times</b>	10256	5.04
<b>3-10 times</b>	5780	2.84
<b>11+ times</b>	6608	3.24

Frequency Missing = 12564.597345

<b>COCAINE USE IN PAST MONTH</b>		
	<b>q18e</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	201E3	98.03
<b>1-2 times</b>	3113	1.52
<b>3-10 times</b>	486	0.24
<b>11+ times</b>	439	0.21

Frequency Missing = 11487.871303

<b>CRACK USE IN PAST MONTH</b>		
	<b>q18f</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	203E3	98.99
<b>1-2 times</b>	875	0.43
<b>3-10 times</b>	710	0.35
<b>11+ times</b>	484	0.24

Frequency Missing = 11592.480351

<b>CLOSE FRIENDS USE CIGARETTES</b>		
	<b>q19a</b>	<b>Frequency Percent</b>
<b>Never heard/None</b>	94166	46.53
<b>A few</b>	59171	29.24
<b>Some</b>	29449	14.55
<b>Most</b>	15571	7.69
<b>All</b>	4026	1.99

Frequency Missing = 13857.758924

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
	<b>q19b</b>	<b>Frequency Percent</b>
<b>Never heard/None</b>	127E3	63.70
<b>A few</b>	39146	19.66
<b>Some</b>	22967	11.53
<b>Most</b>	8076	4.06
<b>All</b>	2082	1.05

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**Region 4/5: Grades 7-12  
Spring 2008**

Frequency Missing = 17131.917409

<b>CLOSE FRIENDS USE BEER</b>		
<b>q19c Frequency Percent</b>		
Never heard/None	72321	36.23
A few	48598	24.34
Some	34901	17.48
Most	33832	16.95
All	9987	5.00

Frequency Missing = 16600.827839

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>q19d Frequency Percent</b>		
Never heard/None	91829	46.01
A few	42801	21.45
Some	35366	17.72
Most	21651	10.85
All	7917	3.97

Frequency Missing = 16676.891882

<b>CLOSE FRIENDS USE WINE</b>		
<b>q19e Frequency Percent</b>		
Never heard/None	109E3	55.40
A few	44022	22.38
Some	25199	12.81
Most	12752	6.48
All	5766	2.93

Frequency Missing = 19516.874336

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>q19f Frequency Percent</b>		
Never heard/None	85743	43.24
A few	39522	19.93
Some	31956	16.12
Most	30814	15.54
All	10259	5.17

Frequency Missing = 17945.996144

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>q19g Frequency Percent</b>		
Never heard/None	163E3	81.29
A few	23924	11.96
Some	9005	4.50
Most	2565	1.28
All	1932	0.97

Frequency Missing = 16181.366302

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>q19h Frequency Percent</b>		
Never heard/None	116E3	57.71
A few	38622	19.20
Some	22826	11.35
Most	15732	7.82
All	7904	3.93

Frequency Missing = 15062.201516

<b>DIFFICULT TO GET CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
Never heard of	23811	11.68
Impossible	38233	18.75
Very difficult	12367	6.06
Somewhat diff	16822	8.25
Somewhat easy	34082	16.71
Very easy	78605	38.55

Frequency Missing = 12320.140473

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
Never heard of	37186	18.72
Impossible	42969	21.64
Very difficult	13873	6.99
Somewhat diff	17883	9.00
Somewhat easy	28268	14.23
Very easy	58414	29.41

Frequency Missing = 17646.564637

<b>DIFFICULT TO GET BEER</b>		
<b>q20c Frequency Percent</b>		
Never heard of	20484	10.28
Impossible	31004	15.56
Very difficult	11722	5.88
Somewhat diff	20659	10.37
Somewhat easy	42556	21.36
Very easy	72768	36.53

Frequency Missing = 17048.786882

<b>DIFFICULT TO GET WINE COOLERS</b>		
<b>q20d Frequency Percent</b>		
Never heard of	27520	13.77
Impossible	32945	16.49
Very difficult	13847	6.93
Somewhat diff	23924	11.97
Somewhat easy	39618	19.83
Very easy	61940	31.00

Frequency Missing = 16444.887599

<b>DIFFICULT TO GET WINE</b>		
<b>q20e Frequency Percent</b>		
Never heard of	23366	11.91
Impossible	36963	18.83
Very difficult	14341	7.31
Somewhat diff	24700	12.59
Somewhat easy	37584	19.15
Very easy	59309	30.22

Frequency Missing = 19976.547229

<b>DIFFICULT TO GET LIQUOR</b>		
<b>q20f Frequency Percent</b>		
Never heard of	24644	12.31
Impossible	39832	19.90
Very difficult	16864	8.42
Somewhat diff	20748	10.36
Somewhat easy	38128	19.05
Very easy	59972	29.96

Frequency Missing = 16052.36033

**Region 4/5: Grades 7-12  
Spring 2008**

<b>DIFFICULT TO GET INHALANTS</b>		
	<b>q20g</b>	<b>Frequency Percent</b>
Never heard of	35926	18.29
Impossible	38596	19.64
Very difficult	11609	5.91
Somewhat diff	13250	6.74
Somewhat easy	20237	10.30
Very easy	76857	39.12

Frequency Missing = 19766.414456

<b>DIFFICULT TO GET MARIJUANA</b>		
	<b>q20h</b>	<b>Frequency Percent</b>
Never heard of	28369	14.53
Impossible	59530	30.48
Very difficult	18449	9.45
Somewhat diff	21349	10.93
Somewhat easy	26548	13.59
Very easy	41058	21.02

Frequency Missing = 20938.216375

<b>DIFFICULT TO GET COCAINE</b>		
	<b>q20i</b>	<b>Frequency Percent</b>
Never heard of	34643	18.00
Impossible	74000	38.46
Very difficult	26778	13.92
Somewhat diff	25399	13.20
Somewhat easy	13790	7.17
Very easy	17820	9.26

Frequency Missing = 23810.287398

<b>DIFFICULT TO GET CRACK</b>		
	<b>q20j</b>	<b>Frequency Percent</b>
Never heard of	37017	19.29
Impossible	75905	39.55
Very difficult	29064	15.14
Somewhat diff	21778	11.35
Somewhat easy	13011	6.78
Very easy	15167	7.90

Frequency Missing = 24297.991722

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
	<b>q20l</b>	<b>Frequency Percent</b>
Never heard of	69689	35.68
Impossible	59235	30.32
Very difficult	24216	12.40
Somewhat diff	17032	8.72
Somewhat easy	11448	5.86
Very easy	13722	7.02

Frequency Missing = 20899.735796

<b>DIFFICULT TO GET UPPERS</b>		
	<b>q20m</b>	<b>Frequency Percent</b>
Never heard of	82930	42.80
Impossible	46713	24.11
Very difficult	17878	9.23
Somewhat diff	15895	8.20
Somewhat easy	12929	6.67
Very easy	17419	8.99

Frequency Missing = 22476.538274

<b>DIFFICULT TO GET DOWNERS</b>		
	<b>q20n</b>	<b>Frequency Percent</b>
Never heard of	84139	43.15
Impossible	46281	23.74
Very difficult	18124	9.30
Somewhat diff	15701	8.05
Somewhat easy	13233	6.79
Very easy	17497	8.97

Frequency Missing = 21266.851991

<b>DIFFICULT TO GET ROHYPNOL</b>		
	<b>q20o</b>	<b>Frequency Percent</b>
Never heard of	94225	48.97
Impossible	45559	23.68
Very difficult	18291	9.51
Somewhat diff	12955	6.73
Somewhat easy	9047	4.70
Very easy	12348	6.42

Frequency Missing = 23815.247632

<b>DIFFICULT TO GET STEROIDS</b>		
	<b>q20p</b>	<b>Frequency Percent</b>
Never heard of	44615	22.98
Impossible	73683	37.95
Very difficult	29742	15.32
Somewhat diff	19168	9.87
Somewhat easy	12924	6.66
Very easy	14020	7.22

Frequency Missing = 22088.40246

<b>DIFFICULT TO GET ECSTASY</b>		
	<b>q20q</b>	<b>Frequency Percent</b>
Never heard of	60009	31.19
Impossible	62359	32.41
Very difficult	23234	12.07
Somewhat diff	16209	8.42
Somewhat easy	13695	7.12
Very easy	16919	8.79

Frequency Missing = 23816.770849

<b>DIFFICULT TO GET HEROIN</b>		
	<b>q20r</b>	<b>Frequency Percent</b>
Never heard of	54769	28.17
Impossible	77234	39.72
Very difficult	26548	13.65
Somewhat diff	14877	7.65
Somewhat easy	9806	5.04
Very easy	11198	5.76

Frequency Missing = 21808.906533

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>q21a</b>	<b>Frequency Percent</b>
9 or younger	10413	16.67
10 years old	4884	7.82
11 years old	4480	7.17
12 years old	8741	14.00
13 years old	7767	12.44
14 years old	7858	12.58
15 years old	9032	14.46
16 years old	5932	9.50
17 years old	2496	4.00
18 or older	845	1.35

Frequency Missing = 153792.00177

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q21b Frequency	Percent
9 or younger	2413	10.31
10 years old	1444	6.17
11 years old	2025	8.65
12 years old	1942	8.30
13 years old	3793	16.21
14 years old	3317	14.18
15 years old	3942	16.84
16 years old	2872	12.27
17 years old	1369	5.85
18 or older	286	1.22

Frequency Missing = 192837.61048

AGE WHEN FIRST USED BEER		
	q21c Frequency	Percent
9 or younger	20737	22.47
10 years old	5991	6.49
11 years old	7147	7.75
12 years old	9907	10.74
13 years old	12633	13.69
14 years old	12520	13.57
15 years old	11041	11.97
16 years old	7545	8.18
17 years old	3807	4.13
18 or older	943	1.02

Frequency Missing = 123971.07707

AGE WHEN FIRST USED WINE COOLERS		
	q21d Frequency	Percent
9 or younger	11239	13.12
10 years old	6102	7.12
11 years old	8692	10.15
12 years old	11012	12.86
13 years old	11726	13.69
14 years old	12263	14.32
15 years old	13259	15.48
16 years old	6740	7.87
17 years old	4059	4.74
18 or older	562	0.66

Frequency Missing = 130587.48721

AGE WHEN FIRST USED WINE		
	q21e Frequency	Percent
9 or younger	9747	12.05
10 years old	4931	6.10
11 years old	9045	11.18
12 years old	11018	13.62
13 years old	12613	15.60
14 years old	10668	13.19
15 years old	11554	14.29
16 years old	7655	9.47
17 years old	2793	3.45
18 or older	848	1.05

Frequency Missing = 135367.53835

AGE WHEN FIRST USED LIQUOR		
	q21f Frequency	Percent
9 or younger	5274	6.54
10 years old	2892	3.58
11 years old	5763	7.14
12 years old	7894	9.78
13 years old	11593	14.37
14 years old	14801	18.34
15 years old	16036	19.87
16 years old	9080	11.25
17 years old	5731	7.10
18 or older	1631	2.02

Frequency Missing = 135546.99751

AGE WHEN FIRST USED INHALANTS		
	q21g Frequency	Percent
9 or younger	2306	14.18
10 years old	1903	11.70
11 years old	1699	10.45
12 years old	1936	11.90
13 years old	2560	15.74
14 years old	3098	19.05
15 years old	1710	10.51
16 years old	800	4.92
17 years old	249	1.53

Frequency Missing = 199978.47715

AGE WHEN FIRST USED MARIJUANA		
	q21h Frequency	Percent
9 or younger	2031	5.23
10 years old	1527	3.94
11 years old	2589	6.67
12 years old	3908	10.07
13 years old	6979	17.99
14 years old	6629	17.08
15 years old	6462	16.65
16 years old	5388	13.89
17 years old	2858	7.37
18 or older	430	1.11

Frequency Missing = 177441.11851

AGE WHEN FIRST USED COCAINE		
	q21i Frequency	Percent
9 or younger	145	2.06
10 years old	30	0.43
11 years old	392	5.55
12 years old	361	5.11
13 years old	1611	22.79
14 years old	1074	15.19
15 years old	995	14.07
16 years old	1435	20.30
17 years old	812	11.49
18 or older	214	3.02

Frequency Missing = 209171.37965

AGE WHEN FIRST USED CRACK		
	q21j Frequency	Percent
9 or younger	103	4.82
10 years old	120	5.64
11 years old	22	1.03
12 years old	56	2.64
13 years old	374	17.51
14 years old	625	29.29
15 years old	88	4.13
16 years old	93	4.37
17 years old	474	22.19
18 or older	179	8.37

Frequency Missing = 214106.81581

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
9 or younger	130	2.61
10 years old	72	1.44
11 years old	197	3.97
12 years old	585	11.77
13 years old	911	18.33
14 years old	826	16.63
15 years old	795	16.00
16 years old	613	12.34
17 years old	839	16.89

Frequency Missing = 211271.82487

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
9 or younger	75	3.48
10 years old	92	4.26
11 years old	283	13.11
12 years old	490	22.72
13 years old	564	26.15
14 years old	501	23.27
15 years old	75	3.50
16 years old	65	3.03
17 years old	10	0.47

Frequency Missing = 214085.6945

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	218	9.68
10 years old	21	0.93
11 years old	96	4.27
12 years old	175	7.79
13 years old	162	7.19
14 years old	707	31.43
15 years old	408	18.13
17 years old	422	18.78
18 or older	40	1.79

Frequency Missing = 213991.65102

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	265	2.79
10 years old	396	4.18
11 years old	394	4.15
12 years old	1042	10.99
13 years old	959	10.11
14 years old	1326	13.98
15 years old	3171	33.43
16 years old	1629	17.18
17 years old	303	3.19

Frequency Missing = 206755.45691

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	384	17.37
10 years old	334	15.11
12 years old	102	4.63
13 years old	180	8.14
14 years old	674	30.53
15 years old	50	2.25
16 years old	485	21.96

Frequency Missing = 214032.45376

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	7880	3.99
Several times/wk	4552	2.31
Several times/mo	6321	3.20
About once/month	10171	5.15
About once/year	8021	4.06
< once/year	16108	8.16
Never used	144E3	73.12

Frequency Missing = 18846.435507

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
9 or younger	42	0.47
10 years old	507	5.67
11 years old	244	2.73
12 years old	642	7.18
13 years old	1169	13.08
14 years old	1379	15.44
15 years old	2606	29.17
16 years old	1811	20.27
17 years old	535	5.99

Frequency Missing = 207305.52417

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
10 years old	49	0.73
11 years old	41	0.60
12 years old	156	2.32
13 years old	1039	15.40
14 years old	1231	18.24
15 years old	1506	22.31
16 years old	981	14.55
17 years old	1449	21.48
18 or older	295	4.37

Frequency Missing = 209493.62412

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Every day	4501	2.29
Several times/wk	1871	0.95
Several times/mo	1258	0.64
About once/month	3232	1.65
About once/year	3683	1.88
< once/year	6761	3.45
Never used	175E3	89.14

Frequency Missing = 20082.760927

**Region 4/5: Grades 7-12  
Spring 2008**

<b>HOW OFTEN NORMALLY USE BEER</b>		
<b>q22c Frequency Percent</b>		
Every day	895	0.45
Several times/wk	5292	2.67
Several times/mo	17478	8.81
About once/month	18504	9.33
About once/year	17833	8.99
< once/year	18831	9.49
Never used	12E4	60.27

Frequency Missing = 17813.352974

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
<b>q22d Frequency Percent</b>		
Every day	630	0.33
Several times/wk	3263	1.68
Several times/mo	14743	7.61
About once/month	18831	9.72
About once/year	21483	11.09
< once/year	14941	7.71
Never used	12E4	61.86

Frequency Missing = 22493.479124

<b>HOW OFTEN NORMALLY USE WINE</b>		
<b>q22e Frequency Percent</b>		
Every day	188	0.10
Several times/wk	2357	1.21
Several times/mo	9632	4.96
About once/month	16098	8.29
About once/year	21279	10.95
< once/year	20167	10.38
Never used	125E3	64.11

Frequency Missing = 21970.418945

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
<b>q22f Frequency Percent</b>		
Every day	619	0.31
Several times/wk	4617	2.34
Several times/mo	16842	8.52
About once/month	19866	10.05
About once/year	17364	8.79
< once/year	13521	6.84
Never used	125E3	63.14

Frequency Missing = 18659.303515

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
<b>q22g Frequency Percent</b>		
Every day	378	0.20
Several times/wk	744	0.39
Several times/mo	2195	1.16
About once/month	1942	1.03
About once/year	3687	1.95
< once/year	4964	2.63
Never used	175E3	92.63

Frequency Missing = 27409.926858

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
<b>q22h Frequency Percent</b>		
Every day	3837	2.06
Several times/wk	3412	1.83
Several times/mo	5295	2.84
About once/month	6236	3.35
About once/year	6367	3.42
< once/year	8922	4.79
Never used	152E3	81.71

Frequency Missing = 29914.119536

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
<b>q22i Frequency Percent</b>		
Every day	211	0.11
Several times/wk	441	0.24
Several times/mo	1249	0.67
About once/month	848	0.45
About once/year	1705	0.91
< once/year	1831	0.98
Never used	18E4	96.63

Frequency Missing = 29572.398918

<b>HOW OFTEN NORMALLY USE CRACK</b>		
<b>q22j Frequency Percent</b>		
Every day	154	0.08
Several times/wk	400	0.21
Several times/mo	167	0.09
About once/month	369	0.20
About once/year	233	0.12
< once/year	692	0.37
Never used	187E3	98.93

Frequency Missing = 27484.350516

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
<b>q22l Frequency Percent</b>		
Every day	129	0.07
Several times/wk	314	0.17
Several times/mo	416	0.22
About once/month	572	0.30
About once/year	1356	0.72
< once/year	1708	0.91
Never used	184E3	97.62

Frequency Missing = 27693.205575

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
<b>q22m Frequency Percent</b>		
Every day	272	0.14
Several times/wk	421	0.22
Several times/mo	1313	0.70
About once/month	2742	1.46
About once/year	1450	0.77
< once/year	2142	1.14
Never used	18E4	95.56

Frequency Missing = 28244.892294

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
<b>q22n Frequency Percent</b>		
Every day	315	0.17
Several times/wk	459	0.24
Several times/mo	1208	0.63
About once/month	2737	1.44
About once/year	1501	0.79
< once/year	2084	1.09
Never used	182E3	95.64

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

Frequency Missing = 25766.024841

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
	<b>q22o</b>	<b>Frequency Percent</b>
Every day	10	0.01
Several times/wk	463	0.25
Several times/mo	228	0.12
About once/month	585	0.31
About once/year	372	0.20
< once/year	399	0.21
Never used	187E3	98.91

Frequency Missing = 27412.788458

<b>HOW OFTEN NORMALLY USE STEROIDS</b>		
	<b>q22p</b>	<b>Frequency Percent</b>
Every day	320	0.17
Several times/wk	215	0.11
Several times/mo	335	0.18
About once/month	664	0.35
About once/year	422	0.22
< once/year	765	0.40
Never used	188E3	98.57

Frequency Missing = 25843.276942

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
	<b>q22q</b>	<b>Frequency Percent</b>
Every day	307	0.16
Several times/wk	448	0.23
Several times/mo	1269	0.66
About once/month	1336	0.69
About once/year	1658	0.86
< once/year	2489	1.29
Never used	186E3	96.12

Frequency Missing = 22833.08184

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
	<b>q22r</b>	<b>Frequency Percent</b>
Every day	465	0.24
Several times/wk	179	0.09
Several times/mo	207	0.11
About once/month	297	0.15
About once/year	401	0.20
< once/year	807	0.41
Never used	194E3	98.80

Frequency Missing = 19960.12058

<b>AMOUNT OF BEER AT ONE TIME</b>		
	<b>q23a</b>	<b>Frequency Percent</b>
Never drink this	119E3	60.76
12+ drinks	7054	3.61
9-11 drinks	4165	2.13
5-8 drinks	11658	5.97
3-4 drinks	14678	7.52
2 drinks	12489	6.40
1 drink	11345	5.81
< 1 drink	15191	7.78

Frequency Missing = 21097.048108

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
	<b>q23b</b>	<b>Frequency Percent</b>
Never drink this	122E3	62.59
12+ drinks	3597	1.85
9-11 drinks	1344	0.69
5-8 drinks	4009	2.06
3-4 drinks	5974	3.08
2 drinks	11091	5.71
1 drink	21197	10.91
< 1 drink	25452	13.10

Frequency Missing = 21985.32895

<b>AMOUNT OF WINE AT ONE TIME</b>		
	<b>q23c</b>	<b>Frequency Percent</b>
Never drink this	117E3	59.69
12+ drinks	6482	3.32
9-11 drinks	3868	1.98
5-8 drinks	11159	5.71
3-4 drinks	12316	6.30
2 drinks	14216	7.27
1 drink	17745	9.08
< 1 drink	13022	6.66

Frequency Missing = 20716.47537

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
	<b>q23d</b>	<b>Frequency Percent</b>
Never drink this	115E3	58.64
12+ drinks	9426	4.79
9-11 drinks	5301	2.70
5-8 drinks	9932	5.05
3-4 drinks	12917	6.57
2 drinks	8396	4.27
1 drink	14124	7.18
< 1 drink	21233	10.80

Frequency Missing = 19617.37236

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
	<b>q24</b>	<b>Frequency Percent</b>
Never 5+ at time	91006	44.99
None	72533	35.86
1 day	11067	5.47
2 days	8557	4.23
3 to 5 days	9392	4.64
6 to 9 days	4061	2.01
10 or more days	5662	2.80

Frequency Missing = 13962.654153

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
	<b>q25a</b>	<b>Frequency Percent</b>
Do not Drink	103E3	52.10
Never	46061	23.37
Seldom	35111	17.81
Most of the Time	9447	4.79
Always	3795	1.93

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

Frequency Missing = 19140.586476

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
	<b>q25b</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	93531	48.11
<b>Never</b>	30913	15.90
<b>Seldom</b>	26635	13.70
<b>Most of the Time</b>	28438	14.63
<b>Always</b>	14906	7.67

Frequency Missing = 21818.361671

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
	<b>q25c</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	94844	49.25
<b>Never</b>	74025	38.44
<b>Seldom</b>	11144	5.79
<b>Most of the Time</b>	8026	4.17
<b>Always</b>	4523	2.35

Frequency Missing = 23679.058966

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
	<b>q25d</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	92652	47.56
<b>Never</b>	31282	16.06
<b>Seldom</b>	21807	11.20
<b>Most of the Time</b>	25952	13.32
<b>Always</b>	23099	11.86

Frequency Missing = 21447.771122

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
	<b>q25e</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	97351	49.67
<b>Never</b>	44946	22.93
<b>Seldom</b>	23999	12.24
<b>Most of the Time</b>	15839	8.08
<b>Always</b>	13876	7.08

Frequency Missing = 20229.724527

<b>USE MARIJUANA AS JOINTS</b>		
	<b>q26a</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	169E3	85.19
<b>Seldom</b>	10937	5.51
<b>Half the time</b>	7895	3.98
<b>Most of the time</b>	6431	3.24
<b>Always</b>	3225	1.63
<b>Don't know</b>	888	0.45

Frequency Missing = 17873.523217

<b>USE MARIJUANA AS BLUNTS</b>		
	<b>q26b</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	166E3	84.05
<b>Seldom</b>	11024	5.59
<b>Half the time</b>	6252	3.17
<b>Most of the time</b>	6877	3.49
<b>Always</b>	5973	3.03
<b>Don't know</b>	1299	0.66

Frequency Missing = 19167.082548

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
	<b>q26c</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	177E3	90.22
<b>Seldom</b>	9953	5.09
<b>Half the time</b>	3477	1.78
<b>Most of the time</b>	3392	1.73
<b>Always</b>	1767	0.90
<b>Don't know</b>	540	0.28

Frequency Missing = 20606.244977

<b>USE MARIJUANA IN PIPES</b>		
	<b>q26d</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	175E3	90.05
<b>Seldom</b>	8690	4.47
<b>Half the time</b>	3942	2.03
<b>Most of the time</b>	3497	1.80
<b>Always</b>	2501	1.29
<b>Don't know</b>	704	0.36

Frequency Missing = 21939.358359

<b>USE MARIJUANA OTHER WAYS</b>		
	<b>q26e</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never</b>	178E3	92.03
<b>Seldom</b>	7285	3.76
<b>Half the time</b>	2290	1.18
<b>Most of the time</b>	1478	0.76
<b>Always</b>	2294	1.18
<b>Don't know</b>	2081	1.07

Frequency Missing = 22581.52737

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
	<b>q27</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	193E3	96.42
<b>At least once/month</b>	1947	0.97
<b>At least once/year</b>	1664	0.83
<b>At least once/life</b>	3549	1.78

Frequency Missing = 16371.351467

<b>RECENT PRESCRIPTION DRUG USE - CODEINE</b>		
	<b>Q28A</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	168E3	86.63
<b>At least once/month</b>	10690	5.51
<b>At least once/year</b>	7589	3.91
<b>At least once/life</b>	7667	3.95

Frequency Missing = 22244.96441

<b>RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC</b>		
	<b>Q28B</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	182E3	96.04
<b>At least once/month</b>	2334	1.23
<b>At least once/year</b>	2838	1.50
<b>At least once/life</b>	2314	1.22

Frequency Missing = 27074.474105

<b>RECENT PRESCRIPTION DRUG USE - VICODIN ETC</b>		
	<b>Q28C</b>	
	<b>Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	173E3	91.92
<b>At least once/month</b>	6124	3.25
<b>At least once/year</b>	4599	2.44
<b>At least once/life</b>	4499	2.39

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

Frequency Missing = 27758.799121

<b>RECENT PRESCRIPTION DRUG USE - VALIUM ETC</b>		
<b>Q28D Frequency Percent</b>		
Never heard/used	182E3	95.58
At least once/month	2953	1.55
At least once/year	2845	1.49
At least once/life	2627	1.38

Frequency Missing = 25469.430619

<b>RECENT PRESCRIPTION DRUG USE - XANAX ETC</b>		
<b>Q28E Frequency Percent</b>		
Never heard/used	178E3	93.51
At least once/month	4720	2.48
At least once/year	3731	1.96
At least once/life	3880	2.04

Frequency Missing = 26163.571784

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q29 Frequency Percent</b>		
Never heard/used	182E3	93.13
At least once/month	4451	2.28
At least once/year	3452	1.77
At least once/life	5519	2.83

Frequency Missing = 21017.103882

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a Frequency Percent</b>		
Very	96068	50.70
Somewhat	45597	24.06
Not very	27800	14.67
Not at all	9865	5.21
Don't know	10167	5.37

Frequency Missing = 26743.645675

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b Frequency Percent</b>		
Very	97638	52.14
Somewhat	53376	28.50
Not very	21581	11.52
Not at all	6320	3.37
Don't know	8359	4.46

Frequency Missing = 28966.103556

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c Frequency Percent</b>		
Very	136E3	75.20
Somewhat	24218	13.35
Not very	7399	4.08
Not at all	3228	1.78
Don't know	10146	5.59

Frequency Missing = 34856.924368

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d Frequency Percent</b>		
Very	122E3	67.69
Somewhat	23453	13.05
Not very	14577	8.11
Not at all	12351	6.87
Don't know	7668	4.27

Frequency Missing = 36553.384919

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e Frequency Percent</b>		
Very	152E3	86.08
Somewhat	11502	6.52
Not very	2272	1.29
Not at all	1742	0.99
Don't know	9018	5.12

Frequency Missing = 39941.748873

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f Frequency Percent</b>		
Very	156E3	86.98
Somewhat	9492	5.31
Not very	1471	0.82
Not at all	2204	1.23
Don't know	10117	5.66

Frequency Missing = 37346.848047

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g Frequency Percent</b>		
Very	15E4	83.42
Somewhat	11179	6.20
Not very	3806	2.11
Not at all	2620	1.45
Don't know	12301	6.82

Frequency Missing = 35836.283407

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h Frequency Percent</b>		
Very	14E4	78.25
Somewhat	18273	10.22
Not very	5718	3.20
Not at all	3331	1.86
Don't know	11557	6.46

Frequency Missing = 37449.476739

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i Frequency Percent</b>		
Very	161E3	87.54
Somewhat	7759	4.22
Not very	2000	1.09
Not at all	1846	1.00
Don't know	11324	6.15

Frequency Missing = 32231.788155



**Region 4/5: Grades 7-12  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q30j Frequency Percent</b>		
<b>Very</b>	162E3	86.99
<b>Somewhat</b>	7118	3.83
<b>Not very</b>	1366	0.74
<b>Not at all</b>	2086	1.12
<b>Don't know</b>	13599	7.32

Frequency Missing = 30510.627229

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d Frequency Percent</b>		
<b>None</b>	154E3	79.38
<b>1-3 days</b>	27525	14.16
<b>4-9 days</b>	6547	3.37
<b>10+ days</b>	6002	3.09

Frequency Missing = 21907.424259

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a Frequency Percent</b>		
<b>None</b>	177E3	91.70
<b>1-3 times</b>	13010	6.76
<b>4-9 times</b>	1594	0.83
<b>10+ times</b>	1362	0.71

Frequency Missing = 23774.265588

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a Frequency Percent</b>		
<b>None</b>	138E3	71.23
<b>1-3 days</b>	38663	19.91
<b>4-9 days</b>	10268	5.29
<b>10+ days</b>	6943	3.57

Frequency Missing = 22018.97407

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e Frequency Percent</b>		
<b>None</b>	169E3	87.52
<b>1-3 days</b>	17916	9.27
<b>4-9 days</b>	3475	1.80
<b>10+ days</b>	2720	1.41

Frequency Missing = 23046.338065

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q32b Frequency Percent</b>		
<b>None</b>	174E3	91.45
<b>1-3 times</b>	11657	6.11
<b>4-9 times</b>	2302	1.21
<b>10+ times</b>	2336	1.23

Frequency Missing = 25583.730689

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b Frequency Percent</b>		
<b>None</b>	54247	28.06
<b>1-3 days</b>	96699	50.03
<b>4-9 days</b>	32891	17.02
<b>10+ days</b>	9462	4.90

Frequency Missing = 22940.905284

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f Frequency Percent</b>		
<b>None</b>	19E4	98.42
<b>1-3 days</b>	1408	0.73
<b>4-9 days</b>	760	0.39
<b>10+ days</b>	872	0.45

Frequency Missing = 23611.243653

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q32c Frequency Percent</b>		
<b>None</b>	176E3	92.84
<b>1-3 times</b>	11033	5.83
<b>4-9 times</b>	1644	0.87
<b>10+ times</b>	885	0.47

Frequency Missing = 26900.645988

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c Frequency Percent</b>		
<b>None</b>	70457	36.49
<b>1-3 days</b>	101E3	52.08
<b>4-9 days</b>	16602	8.60
<b>10+ days</b>	5473	2.83

Frequency Missing = 23149.103736

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g Frequency Percent</b>		
<b>None</b>	19E4	98.55
<b>1-3 days</b>	1431	0.74
<b>4-9 days</b>	535	0.28
<b>10+ days</b>	832	0.43

Frequency Missing = 23387.785634

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q32d Frequency Percent</b>		
<b>None</b>	176E3	94.78
<b>1-3 times</b>	7903	4.26
<b>4-9 times</b>	951	0.51
<b>10+ times</b>	823	0.44

Frequency Missing = 30727.141538

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q32e Frequency Percent</b>		
<b>None</b>	176E3	94.40
<b>1-3 times</b>	7998	4.30
<b>4-9 times</b>	1588	0.85
<b>10+ times</b>	835	0.45

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 4/5: Grades 7-12  
Spring 2008**

Frequency Missing = 30299.163936

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q32f Frequency Percent</b>		
None	17E4	92.94
1-3 times	7515	4.11
4-9 times	2326	1.27
10+ times	3071	1.68

Frequency Missing = 33248.093252

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q32g Frequency Percent</b>		
None	172E3	94.32
1-3 times	8471	4.66
4-9 times	691	0.38
10+ times	1175	0.65

Frequency Missing = 34395.969345

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q32h Frequency Percent</b>		
None	18E4	97.66
1-3 times	3453	1.88
4-9 times	265	0.14
10+ times	581	0.32

Frequency Missing = 32135.541494

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q33a Frequency Percent</b>		
None	175E3	91.25
1-3 days	12632	6.59
4-9 days	1310	0.68
10+ days	2837	1.48

Frequency Missing = 24500.886514

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q33b Frequency Percent</b>		
None	177E3	92.12
1-3 days	8392	4.37
4-9 days	2651	1.38
10+ days	4092	2.13

Frequency Missing = 24196.189879

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q33c Frequency Percent</b>		
None	186E3	97.29
1-3 days	2885	1.51
4-9 days	947	0.50
10+ days	1349	0.71

Frequency Missing = 25228.656698

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q33d Frequency Percent</b>		
None	183E3	94.79
1-3 days	6190	3.22
4-9 days	1242	0.65
10+ days	2598	1.35

Frequency Missing = 23703.906833

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34a Frequency Percent</b>		
Never	94429	48.25
Seldom	19868	10.15
Half the time	12300	6.28
Most of the time	20729	10.59
Always	25686	13.12
Don't know	2928	1.50
Didn't attend	19769	10.10

Frequency Missing = 20532.040791

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34b Frequency Percent</b>		
Never	121E3	61.81
Seldom	18653	9.52
Half the time	11646	5.95
Most of the time	9540	4.87
Always	11201	5.72
Don't know	4023	2.05
Didn't attend	19747	10.08

Frequency Missing = 20361.020882

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q35 Frequency Percent</b>		
No	167E3	92.52
Yes	13496	7.48

Frequency Missing = 35875.570181

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q36a Frequency Percent</b>		
No	133E3	70.31
Yes	56300	29.69

Frequency Missing = 26620.757654

<b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b>		
<b>q36b Frequency Percent</b>		
No	133E3	71.13
Yes	54035	28.87

Frequency Missing = 29105.366346

<b>WOULD SEEK HELP FROM OTHER COUNSELOR</b>		
<b>q36c Frequency Percent</b>		
No	117E3	62.62
Yes	69649	37.38

Frequency Missing = 29905.683426

**Region 4/5: Grades 7-12  
Spring 2008**

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q36d</b>	<b>Frequency</b>	<b>Percent</b>
No	75044	40.32
Yes	111E3	59.68

Frequency Missing = 30114.071272

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q37a</b>	<b>Frequency</b>	<b>Percent</b>
No	94394	56.64
Yes	72271	43.36

Frequency Missing = 49574.7907

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q37f</b>	<b>Frequency</b>	<b>Percent</b>
No	135E3	83.04
Yes	27540	16.96

Frequency Missing = 53890.121588

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q36e</b>	<b>Frequency</b>	<b>Percent</b>
No	102E3	55.33
Yes	82164	44.67

Frequency Missing = 32285.960914

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q37b</b>	<b>Frequency</b>	<b>Percent</b>
No	104E3	64.27
Yes	58038	35.73

Frequency Missing = 53797.928619

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q37g</b>	<b>Frequency</b>	<b>Percent</b>
No	116E3	72.19
Yes	44811	27.81

Frequency Missing = 55101.004935

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q36f</b>	<b>Frequency</b>	<b>Percent</b>
No	54784	29.45
Yes	131E3	70.55

Frequency Missing = 30234.129408

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q37c</b>	<b>Frequency</b>	<b>Percent</b>
No	126E3	78.96
Yes	33537	21.04

Frequency Missing = 56830.220742

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q37h</b>	<b>Frequency</b>	<b>Percent</b>
No	115E3	69.44
Yes	50436	30.56

Frequency Missing = 51216.323616

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q36g</b>	<b>Frequency</b>	<b>Percent</b>
No	74759	39.80
Yes	113E3	60.20

Frequency Missing = 28406.090887

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q37d</b>	<b>Frequency</b>	<b>Percent</b>
No	118E3	72.96
Yes	43763	27.04

Frequency Missing = 54406.031288

<b>DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
No	145E3	77.89
Yes	41190	22.11

Frequency Missing = 29958.304324

<b>WOULD NOT SEEK HELP</b>		
<b>q36h</b>	<b>Frequency</b>	<b>Percent</b>
No	156E3	84.23
Yes	29283	15.77

Frequency Missing = 30516.471053

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q37e</b>	<b>Frequency</b>	<b>Percent</b>
No	142E3	88.95
Yes	17689	11.05

Frequency Missing = 56121.170771

<b>DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>		
<b>q38b</b>	<b>Frequency</b>	<b>Percent</b>
No		108E3
Yes		78336

**Region 4/5: Grades 7-12  
Spring 2008**

Frequency Missing = 25005.069648

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/P MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
No	57.87
Yes	42.13

Frequency Missing = 30322.772316

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
No	96890	52.52
Yes	87577	47.48

Frequency Missing = 31772.884244

<b>DRUG/ALCOHOL INFO--PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
No	105E3	55.80
Yes	83110	44.20

Frequency Missing = 28195.587436

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a Frequency Percent</b>		
Strong disapprove	139E3	72.39
Mild disapprove	16826	8.79
Neither	16426	8.58
Mildly approve	2503	1.31
Strongly approve	2869	1.50
Don't know	14251	7.44

Frequency Missing = 24731.378461

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b Frequency Percent</b>		
Strong disapprove	124E3	65.09
Mild disapprove	26790	14.01
Neither	17908	9.36
Mildly approve	5237	2.74
Strongly approve	2880	1.51
Don't know	13953	7.30

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c Frequency Percent</b>		
Strong disapprove	158E3	82.73
Mild disapprove	7286	3.83
Neither	8390	4.40
Mildly approve	1481	0.78
Strongly approve	3041	1.60
Don't know	12688	6.66

Frequency Missing = 25767.892832

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
No	136E3	70.22
Yes	57651	29.78

Frequency Missing = 22643.5026

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41</b>	<b>Frequency</b>	<b>Percent</b>
No	173E3	89.40
Yes	20443	10.60

Frequency Missing = 23295.271459

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district