

**Region 6: Grades 7-12  
SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	12.3%	17.4%	32.0%	68.0%
	<b>Grade 7</b>	6.3%	8.8%	19.6%	80.4%
	<b>Grade 8</b>	6.3%	9.4%	22.8%	77.2%
	<b>Grade 9</b>	9.1%	14.4%	29.9%	70.1%
	<b>Grade 10</b>	12.6%	18.4%	34.7%	65.3%
	<b>Grade 11</b>	17.7%	23.9%	40.6%	59.4%
	<b>Grade 12</b>	22.5%	30.2%	44.9%	55.1%
<b>Cigarettes</b>					
	<b>All</b>	11.1%	16.1%	30.6%	69.4%
	<b>Grade 7</b>	5.8%	8.2%	18.7%	81.3%
	<b>Grade 8</b>	5.6%	8.6%	21.5%	78.5%
	<b>Grade 9</b>	8.1%	13.2%	28.7%	71.3%
	<b>Grade 10</b>	11.2%	16.7%	33.0%	67.0%
	<b>Grade 11</b>	16.5%	22.4%	39.2%	60.8%
	<b>Grade 12</b>	20.7%	28.1%	43.1%	56.9%
<b>Smokeless tobacco</b>					
	<b>All</b>	3.1%	4.7%	8.7%	91.3%
	<b>Grade 7</b>	1.4%	2.2%	4.6%	95.4%
	<b>Grade 8</b>	2.4%	3.6%	6.6%	93.4%
	<b>Grade 9</b>	2.7%	3.9%	6.7%	93.3%
	<b>Grade 10</b>	3.3%	5.9%	9.8%	90.2%
	<b>Grade 11</b>	3.9%	5.9%	12.0%	88.0%
	<b>Grade 12</b>	5.2%	7.1%	12.6%	87.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
<b>All</b>	71.7%	3.0%	2.2%	3.7%	5.7%	5.0%	8.8%
<b>Grade 7</b>	82.8%	0.4%	1.7%	1.8%	3.5%	4.0%	5.8%
<b>Grade 8</b>	80.5%	0.6%	1.6%	2.4%	4.0%	3.6%	7.4%
<b>Grade 9</b>	74.0%	2.0%	1.3%	3.0%	5.3%	5.0%	9.5%
<b>Grade 10</b>	68.9%	3.5%	1.8%	4.0%	5.7%	5.8%	10.3%
<b>Grade 11</b>	64.7%	4.8%	3.1%	4.5%	7.0%	6.1%	9.7%
<b>Grade 12</b>	59.2%	6.7%	4.0%	6.4%	8.7%	5.3%	9.8%
<b>Cigarettes?</b>							
<b>All</b>	72.6%	2.4%	2.1%	3.6%	5.6%	4.9%	8.9%
<b>Grade 7</b>	83.0%	0.4%	1.7%	1.9%	3.4%	3.8%	5.8%
<b>Grade 8</b>	80.9%	0.5%	1.5%	2.2%	3.7%	3.5%	7.7%
<b>Grade 9</b>	74.8%	1.6%	1.1%	3.0%	4.9%	4.6%	9.8%
<b>Grade 10</b>	70.3%	2.9%	1.8%	3.7%	5.4%	5.5%	10.4%
<b>Grade 11</b>	65.9%	3.6%	2.9%	4.3%	7.3%	6.3%	9.8%
<b>Grade 12</b>	60.2%	5.8%	3.8%	6.3%	8.9%	5.4%	9.6%
<b>Smokeless tobacco?</b>							
<b>All</b>	92.5%	0.7%	0.5%	0.7%	1.3%	1.5%	2.7%
<b>Grade 7</b>	96.1%	0.1%	0.4%	0.3%	0.8%	0.9%	1.3%
<b>Grade 8</b>	94.6%	0.1%	0.3%	0.9%	1.2%	1.0%	1.8%
<b>Grade 9</b>	94.1%	0.5%	0.5%	0.4%	1.1%	1.5%	1.9%
<b>Grade 10</b>	90.7%	0.8%	0.3%	1.2%	1.4%	2.0%	3.6%
<b>Grade 11</b>	89.8%	1.4%	0.8%	0.8%	1.5%	2.0%	3.7%
<b>Grade 12</b>	89.5%	1.2%	1.1%	0.6%	1.6%	1.6%	4.4%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>	11.0	11.5	12.1	12.8	13.5	14.4
<b>Smokeless tobacco</b>	11.2	12.0	12.9	13.9	14.0	15.2
<b>Any Tobacco</b>	11.0	11.4	12.1	12.9	13.5	14.4

**Region 6: Grades 7-12  
SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Any tobacco product??</b>							
	<b>All</b>	12.7%	15.6%	6.0%	9.0%	17.7%	39.0%
	<b>Grade 7</b>	23.1%	28.4%	8.7%	9.5%	13.2%	17.1%
	<b>Grade 8</b>	15.2%	22.4%	8.9%	11.1%	18.3%	24.1%
	<b>Grade 9</b>	11.1%	16.5%	7.4%	11.5%	20.9%	32.7%
	<b>Grade 10</b>	8.2%	12.5%	5.5%	10.2%	21.3%	42.2%
	<b>Grade 11</b>	10.8%	9.0%	3.5%	6.3%	20.5%	49.9%
	<b>Grade 12</b>	8.8%	4.6%	1.5%	4.3%	10.7%	70.1%
<b>Cigarettes?</b>							
	<b>All</b>	12.9%	15.9%	6.3%	9.3%	18.0%	37.6%
	<b>Grade 7</b>	23.6%	29.0%	8.8%	9.5%	13.1%	16.0%
	<b>Grade 8</b>	15.4%	22.7%	9.2%	11.7%	18.3%	22.7%
	<b>Grade 9</b>	11.2%	16.9%	7.9%	11.7%	21.2%	31.1%
	<b>Grade 10</b>	8.3%	13.1%	5.9%	11.0%	21.8%	39.8%
	<b>Grade 11</b>	10.9%	9.2%	4.0%	6.6%	21.3%	48.0%
	<b>Grade 12</b>	9.0%	4.7%	1.4%	4.4%	10.8%	69.8%
<b>Smokeless Tobacco?</b>							
	<b>All</b>	24.7%	20.7%	8.3%	10.5%	12.5%	23.3%
	<b>Grade 7</b>	35.5%	34.0%	10.3%	7.2%	6.8%	6.1%
	<b>Grade 8</b>	28.3%	28.5%	11.7%	11.3%	9.4%	10.7%
	<b>Grade 9</b>	24.3%	22.9%	10.0%	13.8%	13.3%	15.7%
	<b>Grade 10</b>	19.7%	17.8%	8.5%	12.6%	17.1%	24.3%
	<b>Grade 11</b>	22.6%	13.0%	6.0%	9.1%	16.5%	32.7%
	<b>Grade 12</b>	18.6%	7.6%	2.8%	7.6%	10.9%	52.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table T-5: About how many of your close friends...**

	None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>					
<b>All</b>	41.8%	31.8%	17.4%	7.8%	1.2%
<b>Grade 7</b>	64.7%	22.8%	8.6%	3.2%	0.7%
<b>Grade 8</b>	53.7%	29.4%	11.2%	4.7%	0.9%
<b>Grade 9</b>	43.4%	32.9%	16.4%	6.2%	1.1%
<b>Grade 10</b>	34.9%	35.6%	19.4%	8.8%	1.2%
<b>Grade 11</b>	29.3%	35.4%	23.0%	10.7%	1.6%
<b>Grade 12</b>	24.6%	34.0%	26.0%	13.7%	1.8%
<b>Smoke cigarettes?</b>					
<b>All</b>	43.7%	32.4%	16.0%	6.8%	1.1%
<b>Grade 7</b>	65.8%	23.1%	7.5%	2.9%	0.7%
<b>Grade 8</b>	55.3%	29.3%	10.4%	4.3%	0.8%
<b>Grade 9</b>	45.6%	32.7%	15.1%	5.7%	0.9%
<b>Grade 10</b>	37.7%	36.7%	16.8%	7.7%	1.1%
<b>Grade 11</b>	31.6%	37.1%	21.2%	8.6%	1.4%
<b>Grade 12</b>	26.3%	35.1%	24.9%	12.0%	1.7%
<b>Use a smokeless tobacco product?</b>					
<b>All</b>	72.1%	17.0%	7.9%	2.4%	0.6%
<b>Grade 7</b>	85.3%	9.8%	3.4%	1.0%	0.6%
<b>Grade 8</b>	80.2%	12.9%	4.6%	1.8%	0.6%
<b>Grade 9</b>	74.9%	15.9%	7.1%	1.4%	0.7%
<b>Grade 10</b>	67.3%	19.6%	9.8%	2.8%	0.4%
<b>Grade 11</b>	62.2%	21.5%	11.2%	4.2%	0.9%
<b>Grade 12</b>	62.5%	22.1%	11.1%	3.9%	0.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	75.2%	8.6%	6.2%	1.2%	1.0%	7.9%
<b>Grade 7</b>	81.9%	3.7%	1.5%	0.6%	1.1%	11.3%
<b>Grade 8</b>	79.7%	4.8%	4.0%	0.9%	0.8%	9.8%
<b>Grade 9</b>	79.4%	7.1%	4.3%	0.8%	0.8%	7.6%
<b>Grade 10</b>	75.1%	10.0%	6.3%	1.0%	0.7%	6.9%
<b>Grade 11</b>	69.8%	11.2%	10.0%	1.8%	1.4%	5.9%
<b>Grade 12</b>	63.9%	15.3%	11.4%	2.0%	1.1%	6.4%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	50.9%	26.6%	12.9%	4.1%	5.5%
<b>Grade 7</b>	67.3%	18.6%	6.2%	1.4%	6.5%
<b>Grade 8</b>	57.6%	24.6%	8.9%	2.7%	6.2%
<b>Grade 9</b>	50.6%	28.2%	11.9%	2.9%	6.4%
<b>Grade 10</b>	46.7%	28.8%	15.5%	4.4%	4.6%
<b>Grade 11</b>	42.8%	28.8%	16.0%	6.1%	6.3%
<b>Grade 12</b>	41.5%	29.5%	18.9%	7.2%	2.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Any alcohol product</b>					
	All	33.6%	46.2%	66.7%	33.3%
	Grade 7	22.7%	29.1%	50.6%	49.4%
	Grade 8	24.9%	36.6%	58.9%	41.1%
	Grade 9	31.2%	44.7%	67.3%	32.7%
	Grade 10	35.9%	49.4%	71.0%	29.0%
	Grade 11	40.0%	56.1%	74.4%	25.6%
	Grade 12	47.2%	61.2%	77.4%	22.6%
<b>Beer</b>					
	All	21.6%	31.6%	50.5%	49.5%
	Grade 7	13.0%	18.4%	35.4%	64.6%
	Grade 8	14.0%	21.9%	41.7%	58.3%
	Grade 9	18.0%	28.1%	49.7%	50.3%
	Grade 10	24.6%	36.1%	55.8%	44.2%
	Grade 11	26.5%	39.5%	58.2%	41.8%
	Grade 12	34.1%	45.7%	61.8%	38.2%
<b>Wine coolers</b>					
	All	19.5%	31.3%	48.4%	51.6%
	Grade 7	13.3%	18.8%	33.9%	66.1%
	Grade 8	16.1%	25.6%	41.6%	58.4%
	Grade 9	18.2%	30.2%	46.7%	53.3%
	Grade 10	20.9%	33.7%	52.6%	47.4%
	Grade 11	22.8%	37.8%	56.1%	43.9%
	Grade 12	25.6%	41.8%	59.7%	40.3%
<b>Wine</b>					
	All	13.6%	23.7%	44.9%	55.1%
	Grade 7	10.3%	14.7%	30.0%	70.0%
	Grade 8	10.8%	19.1%	37.5%	62.5%
	Grade 9	12.8%	23.4%	46.4%	53.6%
	Grade 10	14.1%	25.6%	49.9%	50.1%
	Grade 11	15.9%	28.6%	52.9%	47.1%
	Grade 12	17.9%	30.8%	51.5%	48.5%
<b>Liquor</b>					
	All	21.5%	32.7%	47.8%	52.2%
	Grade 7	9.5%	13.9%	24.5%	75.5%
	Grade 8	12.1%	19.8%	34.4%	65.6%
	Grade 9	18.7%	31.1%	46.1%	53.9%
	Grade 10	23.7%	36.9%	55.3%	44.7%
	Grade 11	29.0%	42.7%	60.4%	39.6%
	Grade 12	36.7%	51.6%	65.9%	34.1%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	39.5%	0.8%	4.5%	14.2%	16.5%	14.0%	10.5%
	<b>Grade 7</b>	58.4%	1.2%	3.5%	6.8%	9.8%	9.5%	10.8%
	<b>Grade 8</b>	47.9%	0.4%	3.7%	9.3%	13.8%	13.9%	11.0%
	<b>Grade 9</b>	38.6%	0.6%	4.1%	13.5%	15.5%	15.0%	12.7%
	<b>Grade 10</b>	34.0%	0.5%	3.8%	16.2%	18.6%	15.7%	11.3%
	<b>Grade 11</b>	32.3%	0.6%	4.5%	19.3%	19.4%	15.2%	8.7%
	<b>Grade 12</b>	26.9%	1.5%	7.6%	20.4%	21.8%	13.9%	7.9%
<b>Beer?</b>								
	<b>All</b>	52.0%	0.3%	3.4%	10.2%	13.0%	10.7%	10.3%
	<b>Grade 7</b>	67.7%	0.5%	2.8%	4.9%	8.1%	7.4%	8.6%
	<b>Grade 8</b>	60.7%	0.1%	2.3%	5.8%	10.5%	10.6%	10.0%
	<b>Grade 9</b>	53.3%	0.2%	2.8%	8.5%	11.7%	11.3%	12.3%
	<b>Grade 10</b>	45.8%	0.2%	2.9%	11.8%	15.7%	12.3%	11.3%
	<b>Grade 11</b>	45.4%	0.1%	3.5%	14.6%	15.1%	11.1%	10.1%
	<b>Grade 12</b>	39.9%	0.7%	6.3%	16.0%	17.0%	11.3%	8.9%
<b>Wine coolers?</b>								
	<b>All</b>	55.5%	0.2%	2.3%	7.7%	12.7%	12.2%	9.5%
	<b>Grade 7</b>	73.6%	0.5%	2.3%	3.6%	5.8%	6.9%	7.2%
	<b>Grade 8</b>	63.0%	0.1%	2.1%	6.1%	9.5%	10.7%	8.5%
	<b>Grade 9</b>	57.6%	0.3%	2.1%	7.2%	11.5%	11.8%	9.5%
	<b>Grade 10</b>	49.5%	0.2%	1.9%	8.8%	14.6%	14.1%	10.8%
	<b>Grade 11</b>	47.8%	0.1%	1.8%	9.3%	16.5%	14.3%	10.2%
	<b>Grade 12</b>	41.8%	0.1%	3.5%	10.8%	18.0%	15.2%	10.7%
<b>Wine?</b>								
	<b>All</b>	57.5%	0.1%	1.7%	5.3%	9.1%	14.4%	12.0%
	<b>Grade 7</b>	73.9%	0.1%	1.7%	3.5%	5.2%	8.0%	7.5%
	<b>Grade 8</b>	65.5%	0.1%	1.5%	3.7%	7.8%	11.5%	9.9%
	<b>Grade 9</b>	57.2%	0.0%	1.9%	5.1%	8.4%	14.7%	12.7%
	<b>Grade 10</b>	50.2%	0.1%	1.5%	6.0%	9.4%	17.6%	15.2%
	<b>Grade 11</b>	50.2%	0.1%	1.2%	6.7%	11.8%	17.2%	12.9%
	<b>Grade 12</b>	48.9%	0.2%	2.2%	6.6%	12.2%	16.9%	12.9%
<b>Liquor?</b>								
	<b>All</b>	55.0%	0.3%	2.6%	10.4%	12.7%	11.3%	7.8%
	<b>Grade 7</b>	79.0%	0.3%	1.7%	3.2%	5.2%	5.3%	5.2%
	<b>Grade 8</b>	68.0%	0.1%	2.0%	5.8%	7.9%	8.9%	7.3%
	<b>Grade 9</b>	56.1%	0.1%	2.8%	8.6%	11.9%	11.5%	9.1%
	<b>Grade 10</b>	47.5%	0.1%	2.0%	12.0%	14.7%	14.4%	9.2%
	<b>Grade 11</b>	43.9%	0.3%	2.6%	15.2%	17.3%	12.8%	7.9%
	<b>Grade 12</b>	36.1%	0.9%	4.5%	17.8%	19.2%	14.3%	7.3%

**Region 6: Grades 7-12**  
**SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	51.4%	48.6%	12.7%	26.4%	9.5%
	<b>Grade 7</b>	75.4%	24.6%	3.9%	12.2%	8.5%
	<b>Grade 8</b>	64.5%	35.5%	6.2%	19.3%	10.0%
	<b>Grade 9</b>	52.2%	47.8%	11.3%	25.4%	11.1%
	<b>Grade 10</b>	44.2%	55.8%	15.5%	30.3%	10.1%
	<b>Grade 11</b>	39.8%	60.2%	19.0%	31.6%	9.6%
	<b>Grade 12</b>	32.8%	67.2%	20.5%	39.5%	7.2%
<b>Wine Coolers</b>						
	<b>All</b>	54.9%	45.1%	3.5%	24.3%	17.3%
	<b>Grade 7</b>	69.1%	30.9%	2.8%	14.3%	13.8%
	<b>Grade 8</b>	61.3%	38.7%	2.5%	19.5%	16.8%
	<b>Grade 9</b>	52.8%	47.2%	3.2%	24.9%	19.1%
	<b>Grade 10</b>	49.5%	50.5%	4.2%	27.8%	18.6%
	<b>Grade 11</b>	49.1%	50.9%	3.8%	29.3%	17.8%
	<b>Grade 12</b>	49.1%	50.9%	4.2%	29.3%	17.3%
<b>Wine</b>						
	<b>All</b>	52.1%	47.9%	8.8%	29.3%	9.8%
	<b>Grade 7</b>	68.6%	31.4%	5.0%	17.0%	9.4%
	<b>Grade 8</b>	58.8%	41.2%	5.7%	25.3%	10.3%
	<b>Grade 9</b>	52.3%	47.7%	7.3%	29.5%	10.9%
	<b>Grade 10</b>	46.5%	53.5%	10.7%	32.6%	10.3%
	<b>Grade 11</b>	45.3%	54.7%	12.1%	33.4%	9.3%
	<b>Grade 12</b>	42.0%	58.0%	12.2%	37.6%	8.2%
<b>Liquor</b>						
	<b>All</b>	48.8%	51.2%	13.1%	24.3%	13.8%
	<b>Grade 7</b>	62.4%	37.6%	5.6%	17.6%	14.4%
	<b>Grade 8</b>	55.6%	44.4%	6.9%	21.2%	16.2%
	<b>Grade 9</b>	49.0%	51.0%	10.7%	24.5%	15.8%
	<b>Grade 10</b>	43.9%	56.1%	16.1%	26.4%	13.5%
	<b>Grade 11</b>	43.6%	56.4%	18.3%	26.7%	11.4%
	<b>Grade 12</b>	38.6%	61.4%	21.5%	29.0%	10.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
<b>Alcohol</b>	<b>All</b>	78.1%	6.8%	5.1%	5.4%	2.3%	2.3%
	<b>Grade 7</b>	87.4%	4.8%	2.7%	2.7%	1.2%	1.2%
	<b>Grade 8</b>	85.4%	6.1%	3.6%	2.9%	0.9%	1.1%
	<b>Grade 9</b>	81.4%	5.3%	4.6%	3.8%	2.2%	2.6%
	<b>Grade 10</b>	75.9%	7.5%	5.9%	6.7%	2.3%	1.7%
	<b>Grade 11</b>	71.3%	8.2%	7.5%	7.2%	3.3%	2.5%
	<b>Grade 12</b>	66.3%	9.2%	6.4%	9.0%	4.2%	4.9%

**Table A-5: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Beer</b>	10.7	11.2	11.9	12.6	13.3	14.2
<b>Wine Coolers</b>	11.1	11.7	12.3	12.9	13.6	14.3
<b>Wine</b>	11.1	11.6	12.3	12.8	13.5	14.2
<b>Liquor</b>	11.4	12.1	12.9	13.7	14.3	15.0
<b>Any Alcohol</b>	10.6	11.2	11.7	12.3	13.0	13.8

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Beer?</b>							
	<b>All</b>	11.2%	11.6%	5.4%	10.7%	21.0%	40.2%
	<b>Grade 7</b>	20.1%	23.1%	8.3%	10.5%	13.8%	24.3%
	<b>Grade 8</b>	13.7%	16.8%	6.4%	10.5%	19.4%	33.2%
	<b>Grade 9</b>	9.9%	10.8%	6.1%	12.2%	20.6%	40.5%
	<b>Grade 10</b>	7.1%	8.2%	4.1%	11.1%	22.9%	46.6%
	<b>Grade 11</b>	9.4%	6.9%	4.2%	8.9%	20.9%	49.9%
	<b>Grade 12</b>	7.8%	4.5%	3.1%	10.6%	28.3%	45.7%
<b>Wine coolers?</b>							
	<b>All</b>	15.6%	13.1%	6.3%	12.0%	19.9%	33.0%
	<b>Grade 7</b>	29.2%	24.6%	8.1%	10.8%	10.9%	16.5%
	<b>Grade 8</b>	19.1%	18.4%	8.6%	12.2%	16.8%	24.8%
	<b>Grade 9</b>	14.3%	14.3%	6.9%	13.0%	19.4%	32.1%
	<b>Grade 10</b>	10.6%	9.3%	5.9%	12.6%	24.2%	37.3%
	<b>Grade 11</b>	11.8%	6.9%	4.5%	10.8%	21.7%	44.3%
	<b>Grade 12</b>	9.7%	4.9%	3.7%	12.3%	26.4%	42.9%
<b>Wine?</b>							
	<b>All</b>	13.3%	13.8%	6.9%	12.6%	19.4%	34.0%
	<b>Grade 7</b>	23.6%	25.7%	9.4%	11.4%	11.9%	18.1%
	<b>Grade 8</b>	15.3%	19.7%	9.0%	13.6%	16.4%	26.0%
	<b>Grade 9</b>	11.5%	13.8%	8.0%	13.6%	19.2%	33.9%
	<b>Grade 10</b>	9.4%	10.2%	6.9%	12.9%	21.5%	39.2%
	<b>Grade 11</b>	11.5%	7.3%	4.2%	11.9%	21.8%	43.3%
	<b>Grade 12</b>	9.2%	6.6%	3.8%	11.6%	25.4%	43.3%
<b>Liquor?</b>							
	<b>All</b>	13.1%	15.5%	7.8%	11.3%	18.2%	34.1%
	<b>Grade 7</b>	25.7%	29.8%	10.5%	9.6%	8.6%	16.0%
	<b>Grade 8</b>	16.3%	22.0%	9.3%	12.3%	15.2%	24.8%
	<b>Grade 9</b>	10.8%	16.5%	9.1%	11.0%	18.4%	34.3%
	<b>Grade 10</b>	8.2%	10.9%	7.4%	11.9%	21.1%	40.4%
	<b>Grade 11</b>	10.0%	8.8%	5.2%	10.7%	19.8%	45.5%
	<b>Grade 12</b>	8.5%	5.4%	5.2%	12.2%	25.9%	42.8%
<b>Any alcohol product?</b>							
	<b>All</b>	9.8%	9.0%	3.9%	9.0%	20.0%	48.4%
	<b>Grade 7</b>	18.1%	18.5%	7.1%	10.7%	15.0%	30.5%
	<b>Grade 8</b>	12.3%	12.3%	5.3%	9.4%	19.6%	41.1%
	<b>Grade 9</b>	8.4%	8.2%	3.7%	9.8%	20.0%	50.0%
	<b>Grade 10</b>	6.4%	6.2%	2.7%	8.2%	20.6%	55.9%
	<b>Grade 11</b>	7.6%	5.5%	2.5%	7.5%	19.1%	57.8%
	<b>Grade 12</b>	6.9%	3.6%	2.1%	8.1%	25.5%	53.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	92.0%	6.2%	1.0%	0.9%
<b>Grade 7</b>	92.7%	5.9%	0.7%	0.6%
<b>Grade 8</b>	91.4%	6.9%	0.9%	0.9%
<b>Grade 9</b>	93.0%	5.1%	1.1%	0.8%
<b>Grade 10</b>	92.2%	5.9%	1.0%	0.9%
<b>Grade 11</b>	92.8%	5.7%	0.8%	0.8%
<b>Grade 12</b>	89.4%	7.9%	1.3%	1.4%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.8%	0.7%	0.2%	0.3%
<b>Grade 7</b>	98.8%	0.7%	0.1%	0.4%
<b>Grade 8</b>	98.7%	0.7%	0.3%	0.3%
<b>Grade 9</b>	98.5%	1.1%	0.1%	0.2%
<b>Grade 10</b>	99.0%	0.4%	0.2%	0.4%
<b>Grade 11</b>	99.1%	0.6%	0.2%	0.1%
<b>Grade 12</b>	98.9%	0.6%	0.1%	0.4%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	4.3
Alcohol Non-use	3.4
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.5
Alcohol Non-use	1.4

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
All	89.8%	7.7%	1.2%	1.3%
Grade 9	95.8%	3.3%	0.5%	0.5%
Grade 10	92.4%	5.9%	0.7%	0.9%
Grade 11	86.4%	10.4%	1.6%	1.6%
Grade 12	82.8%	12.3%	2.2%	2.6%
<b>Gotten into trouble with the police because of drinking?</b>				
All	96.9%	2.5%	0.2%	0.3%
Grade 7	99.0%	0.6%	0.0%	0.4%
Grade 8	97.7%	1.7%	0.3%	0.2%
Grade 9	96.8%	2.8%	0.2%	0.2%
Grade 10	96.9%	2.5%	0.2%	0.5%
Grade 11	95.8%	3.4%	0.5%	0.3%
Grade 12	95.5%	4.0%	0.3%	0.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	25.5%	22.2%	20.0%	22.8%	9.4%
	<b>Grade 7</b>	49.7%	23.3%	12.3%	10.3%	4.5%
	<b>Grade 8</b>	35.1%	26.9%	18.2%	15.0%	4.9%
	<b>Grade 9</b>	22.9%	25.7%	22.7%	21.5%	7.2%
	<b>Grade 10</b>	18.4%	20.6%	24.5%	26.2%	10.3%
	<b>Grade 11</b>	15.2%	19.0%	20.7%	31.6%	13.5%
	<b>Grade 12</b>	13.2%	17.1%	20.5%	32.4%	16.7%
<b>Beer?</b>						
	<b>All</b>	31.9%	22.5%	19.2%	19.7%	6.7%
	<b>Grade 7</b>	56.5%	22.0%	10.5%	7.9%	3.2%
	<b>Grade 8</b>	42.5%	26.9%	15.7%	11.8%	3.1%
	<b>Grade 9</b>	30.6%	25.4%	21.7%	17.6%	4.7%
	<b>Grade 10</b>	24.5%	21.1%	24.4%	22.7%	7.4%
	<b>Grade 11</b>	21.2%	20.3%	20.7%	28.4%	9.5%
	<b>Grade 12</b>	17.1%	18.4%	21.3%	30.3%	12.9%
<b>Wine coolers?</b>						
	<b>All</b>	42.4%	22.3%	17.4%	13.1%	4.8%
	<b>Grade 7</b>	67.1%	16.8%	8.5%	5.3%	2.3%
	<b>Grade 8</b>	51.5%	23.0%	13.6%	8.9%	3.0%
	<b>Grade 9</b>	42.8%	24.2%	17.3%	12.2%	3.6%
	<b>Grade 10</b>	35.2%	22.7%	21.1%	15.8%	5.3%
	<b>Grade 11</b>	31.4%	23.2%	21.1%	17.0%	7.3%
	<b>Grade 12</b>	27.3%	23.6%	22.4%	19.3%	7.4%
<b>Wine?</b>						
	<b>All</b>	50.8%	24.6%	14.2%	7.6%	2.7%
	<b>Grade 7</b>	70.8%	17.2%	7.3%	3.1%	1.6%
	<b>Grade 8</b>	59.9%	22.7%	10.1%	5.7%	1.6%
	<b>Grade 9</b>	50.4%	25.8%	13.9%	7.8%	2.1%
	<b>Grade 10</b>	45.4%	25.3%	17.8%	8.5%	2.9%
	<b>Grade 11</b>	41.4%	27.3%	17.1%	10.3%	3.9%
	<b>Grade 12</b>	38.1%	29.0%	18.6%	10.0%	4.3%
<b>Liquor?</b>						
	<b>All</b>	38.7%	19.5%	17.9%	17.3%	6.5%
	<b>Grade 7</b>	69.1%	15.9%	7.2%	5.5%	2.3%
	<b>Grade 8</b>	52.6%	22.0%	13.6%	9.0%	2.8%
	<b>Grade 9</b>	38.9%	21.4%	19.4%	15.7%	4.5%
	<b>Grade 10</b>	29.3%	20.1%	22.2%	21.3%	7.1%
	<b>Grade 11</b>	23.3%	18.7%	22.1%	25.7%	10.1%
	<b>Grade 12</b>	20.0%	18.4%	21.9%	26.9%	12.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
<b>All</b>	92.7%	6.4%	0.6%	0.3%
<b>Grade 7</b>	95.0%	4.6%	0.3%	0.0%
<b>Grade 8</b>	95.1%	4.4%	0.3%	0.2%
<b>Grade 9</b>	93.2%	5.9%	0.7%	0.2%
<b>Grade 10</b>	91.1%	7.4%	0.9%	0.7%
<b>Grade 11</b>	92.5%	6.8%	0.6%	0.2%
<b>Grade 12</b>	89.4%	9.7%	0.8%	0.1%
<b>Been criticized by someone you were dating because of drinking?</b>				
<b>All</b>	92.7%	5.9%	0.8%	0.5%
<b>Grade 7</b>	96.0%	3.2%	0.6%	0.3%
<b>Grade 8</b>	95.2%	4.0%	0.5%	0.4%
<b>Grade 9</b>	93.6%	5.1%	0.8%	0.5%
<b>Grade 10</b>	90.9%	7.5%	0.7%	0.8%
<b>Grade 11</b>	91.3%	7.4%	0.9%	0.4%
<b>Grade 12</b>	89.5%	8.5%	1.1%	0.9%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	39.1%	11.3%	8.4%	13.0%	16.8%	2.1%	9.2%
<b>Grade 7</b>	64.4%	9.7%	7.1%	5.4%	4.0%	1.9%	7.4%
<b>Grade 8</b>	53.9%	13.9%	8.6%	7.4%	6.9%	3.0%	6.4%
<b>Grade 9</b>	37.7%	13.3%	10.4%	14.1%	12.1%	2.8%	9.7%
<b>Grade 10</b>	30.9%	12.5%	8.9%	16.5%	19.1%	2.0%	10.1%
<b>Grade 11</b>	26.6%	9.4%	7.8%	16.8%	27.0%	1.7%	10.7%
<b>Grade 12</b>	22.6%	8.5%	7.1%	17.2%	33.0%	0.9%	10.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		<b>Do Not Drink</b>	<b>Never</b>	<b>Seldom</b>	<b>Most of the Time</b>	<b>Always</b>
<b>At home</b>						
	<b>All</b>	42.4%	24.9%	22.5%	7.1%	3.1%
	<b>Grade 7</b>	56.0%	22.5%	14.2%	5.3%	2.0%
	<b>Grade 8</b>	48.4%	23.0%	19.4%	5.9%	3.4%
	<b>Grade 9</b>	41.0%	24.6%	24.1%	7.8%	2.5%
	<b>Grade 10</b>	40.5%	23.4%	24.2%	8.1%	3.9%
	<b>Grade 11</b>	36.5%	27.5%	24.7%	8.7%	2.6%
	<b>Grade 12</b>	32.5%	28.9%	27.8%	6.5%	4.3%
<b>From friends</b>						
	<b>All</b>	40.1%	18.6%	16.3%	18.0%	7.0%
	<b>Grade 7</b>	55.4%	25.7%	9.9%	7.0%	2.0%
	<b>Grade 8</b>	48.0%	24.4%	14.4%	10.1%	3.1%
	<b>Grade 9</b>	41.0%	19.8%	16.8%	17.1%	5.3%
	<b>Grade 10</b>	36.5%	16.0%	19.3%	20.6%	7.6%
	<b>Grade 11</b>	32.2%	14.3%	18.4%	25.2%	9.9%
	<b>Grade 12</b>	27.8%	11.6%	18.5%	27.7%	14.4%
<b>From a store</b>						
	<b>All</b>	42.0%	41.0%	8.9%	5.2%	2.9%
	<b>Grade 7</b>	57.1%	36.0%	3.9%	2.3%	0.6%
	<b>Grade 8</b>	49.1%	42.2%	5.4%	2.3%	1.0%
	<b>Grade 9</b>	42.6%	43.4%	7.3%	4.0%	2.7%
	<b>Grade 10</b>	38.5%	41.5%	11.0%	5.7%	3.3%
	<b>Grade 11</b>	34.7%	39.7%	12.3%	8.4%	4.9%
	<b>Grade 12</b>	30.5%	42.4%	13.9%	8.4%	4.9%
<b>At parties</b>						
	<b>All</b>	38.3%	15.1%	14.8%	16.6%	15.2%
	<b>Grade 7</b>	51.4%	19.9%	11.5%	9.9%	7.3%
	<b>Grade 8</b>	44.8%	19.3%	15.2%	11.6%	9.1%
	<b>Grade 9</b>	38.8%	15.9%	16.6%	16.5%	12.2%
	<b>Grade 10</b>	34.6%	12.9%	16.6%	19.1%	16.9%
	<b>Grade 11</b>	32.1%	11.9%	13.5%	20.2%	22.2%
	<b>Grade 12</b>	28.5%	10.4%	14.7%	21.9%	24.4%
<b>Other source</b>						
	<b>All</b>	42.6%	25.9%	14.4%	9.0%	8.1%
	<b>Grade 7</b>	55.5%	24.6%	9.4%	6.2%	4.3%
	<b>Grade 8</b>	48.7%	25.5%	12.7%	6.6%	6.5%
	<b>Grade 9</b>	43.8%	26.5%	14.2%	8.9%	6.6%
	<b>Grade 10</b>	40.3%	25.5%	15.9%	9.8%	8.6%
	<b>Grade 11</b>	35.2%	26.4%	15.4%	12.1%	10.9%
	<b>Grade 12</b>	32.4%	26.9%	18.5%	10.2%	12.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	60.0%	16.2%	11.0%	4.1%	1.3%	7.4%
<b>Grade 7</b>	71.6%	9.5%	4.6%	2.2%	1.2%	10.9%
<b>Grade 8</b>	64.5%	12.3%	8.8%	3.5%	1.0%	9.9%
<b>Grade 9</b>	62.2%	15.7%	10.2%	3.6%	1.4%	6.8%
<b>Grade 10</b>	55.6%	20.3%	11.6%	5.1%	1.1%	6.3%
<b>Grade 11</b>	55.1%	17.9%	14.9%	4.9%	1.6%	5.7%
<b>Grade 12</b>	50.9%	21.1%	15.8%	5.2%	1.7%	5.4%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	42.2%	32.0%	17.3%	4.7%	3.9%
<b>Grade 7</b>	53.5%	23.5%	13.3%	4.6%	5.1%
<b>Grade 8</b>	45.5%	27.4%	17.9%	4.8%	4.4%
<b>Grade 9</b>	41.1%	32.4%	17.6%	5.2%	3.7%
<b>Grade 10</b>	38.1%	35.1%	19.6%	4.2%	3.0%
<b>Grade 11</b>	38.8%	34.2%	18.1%	4.6%	4.2%
<b>Grade 12</b>	36.9%	38.6%	17.0%	4.6%	3.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Marijuana?</b>					
	<b>All</b>	11.5%	16.6%	27.6%	72.4%
	<b>Grade 7</b>	6.0%	8.0%	14.2%	85.8%
	<b>Grade 8</b>	7.3%	10.3%	17.6%	82.4%
	<b>Grade 9</b>	10.8%	15.6%	25.8%	74.2%
	<b>Grade 10</b>	13.1%	18.8%	30.3%	69.7%
	<b>Grade 11</b>	14.3%	22.0%	36.6%	63.4%
	<b>Grade 12</b>	17.4%	24.7%	41.3%	58.7%
<b>Cocaine?</b>					
	<b>All</b>	2.0%	3.4%	6.5%	93.5%
	<b>Grade 7</b>	1.3%	2.3%	3.5%	96.5%
	<b>Grade 8</b>	1.3%	1.9%	3.7%	96.3%
	<b>Grade 9</b>	2.0%	3.2%	5.8%	94.2%
	<b>Grade 10</b>	1.9%	2.9%	6.3%	93.7%
	<b>Grade 11</b>	2.2%	3.6%	8.3%	91.7%
	<b>Grade 12</b>	3.5%	6.6%	11.8%	88.2%
<b>Crack?</b>					
	<b>All</b>	0.3%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.5%	1.0%	1.9%	98.1%
	<b>Grade 8</b>	0.4%	0.8%	1.9%	98.1%
	<b>Grade 9</b>	0.4%	0.6%	1.5%	98.5%
	<b>Grade 10</b>	0.2%	0.5%	1.4%	98.6%
	<b>Grade 11</b>	0.3%	0.4%	1.1%	98.9%
	<b>Grade 12</b>	0.2%	0.3%	0.8%	99.2%
<b>Hallucinogens?</b>					
	<b>All</b>	1.3%	2.5%	4.4%	95.6%
	<b>Grade 7</b>	0.4%	0.8%	1.6%	98.4%
	<b>Grade 8</b>	0.7%	1.2%	2.3%	97.7%
	<b>Grade 9</b>	1.2%	2.5%	4.1%	95.9%
	<b>Grade 10</b>	1.6%	2.8%	5.4%	94.6%
	<b>Grade 11</b>	1.3%	3.0%	6.1%	93.9%
	<b>Grade 12</b>	2.8%	4.3%	7.2%	92.8%
<b>Uppers?</b>					
	<b>All</b>	2.2%	3.6%	6.1%	93.9%
	<b>Grade 7</b>	1.2%	1.4%	2.3%	97.7%
	<b>Grade 8</b>	1.0%	1.5%	2.8%	97.2%
	<b>Grade 9</b>	2.2%	3.5%	5.5%	94.5%
	<b>Grade 10</b>	2.4%	4.0%	6.8%	93.2%
	<b>Grade 11</b>	2.9%	5.3%	8.9%	91.1%
	<b>Grade 12</b>	3.5%	6.1%	10.5%	89.5%
<b>Downers?</b>					
	<b>All</b>	2.4%	3.9%	6.9%	93.1%
	<b>Grade 7</b>	0.7%	1.0%	1.8%	98.2%
	<b>Grade 8</b>	1.1%	1.7%	2.9%	97.1%
	<b>Grade 9</b>	2.3%	3.7%	5.8%	94.2%
	<b>Grade 10</b>	2.6%	4.3%	7.7%	92.3%
	<b>Grade 11</b>	3.1%	5.4%	9.9%	90.1%
	<b>Grade 12</b>	4.4%	7.3%	13.3%	86.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol?</b>	<b>All</b>	0.8%	1.2%	1.9%	98.1%
	<b>Grade 7</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 8</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 9</b>	0.9%	1.4%	1.8%	98.2%
	<b>Grade 10</b>	1.4%	2.0%	2.9%	97.1%
	<b>Grade 11</b>	0.4%	0.7%	1.7%	98.3%
	<b>Grade 12</b>	0.8%	0.9%	1.8%	98.2%
	<b>Steroids?</b>	<b>All</b>	0.6%	0.9%	1.5%
<b>Grade 7</b>		0.7%	1.0%	1.4%	98.6%
<b>Grade 8</b>		0.5%	0.8%	1.4%	98.6%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.6%	0.8%	1.7%	98.3%
<b>Grade 11</b>		0.6%	1.3%	1.9%	98.1%
<b>Grade 12</b>		0.5%	0.7%	1.2%	98.8%
<b>Ecstasy?</b>		<b>All</b>	1.9%	3.4%	6.1%
	<b>Grade 7</b>	1.1%	1.4%	2.2%	97.8%
	<b>Grade 8</b>	1.1%	1.8%	3.3%	96.7%
	<b>Grade 9</b>	1.7%	3.4%	5.6%	94.4%
	<b>Grade 10</b>	2.3%	3.6%	6.8%	93.2%
	<b>Grade 11</b>	2.5%	4.0%	8.6%	91.4%
	<b>Grade 12</b>	3.0%	6.2%	9.9%	90.1%
	<b>Heroin?</b>	<b>All</b>	0.4%	0.7%	1.3%
<b>Grade 7</b>		0.7%	0.9%	1.6%	98.4%
<b>Grade 8</b>		0.3%	0.6%	1.3%	98.7%
<b>Grade 9</b>		0.5%	0.7%	1.4%	98.6%
<b>Grade 10</b>		0.3%	0.6%	1.2%	98.8%
<b>Grade 11</b>		0.4%	0.5%	1.3%	98.7%
<b>Grade 12</b>		0.3%	0.8%	1.0%	99.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	<b>All</b>	75.5%	2.2%	2.9%	4.4%	4.7%	4.2%	6.1%
	<b>Grade 7</b>	87.8%	1.2%	1.5%	2.6%	2.8%	1.8%	2.3%
	<b>Grade 8</b>	83.4%	1.2%	2.7%	2.8%	3.8%	2.8%	3.3%
	<b>Grade 9</b>	76.5%	1.9%	3.5%	4.6%	4.4%	3.7%	5.5%
	<b>Grade 10</b>	73.4%	2.1%	3.2%	5.3%	4.8%	4.7%	6.5%
	<b>Grade 11</b>	67.5%	3.2%	3.3%	5.3%	5.9%	6.3%	8.6%
	<b>Grade 12</b>	64.4%	3.8%	2.8%	5.8%	6.8%	5.8%	10.7%
<b>Cocaine?</b>								
	<b>All</b>	94.5%	0.1%	0.3%	0.8%	1.1%	1.2%	2.0%
	<b>Grade 7</b>	96.9%	0.1%	0.2%	0.5%	0.7%	0.5%	1.0%
	<b>Grade 8</b>	96.7%	0.1%	0.1%	0.6%	0.6%	0.8%	1.2%
	<b>Grade 9</b>	95.4%	0.1%	0.4%	0.6%	1.0%	0.8%	1.7%
	<b>Grade 10</b>	94.8%	0.1%	0.2%	0.5%	1.4%	1.0%	1.9%
	<b>Grade 11</b>	93.2%	0.1%	0.5%	0.7%	1.1%	1.5%	2.9%
	<b>Grade 12</b>	89.8%	0.2%	0.5%	1.8%	1.7%	2.5%	3.6%
<b>Crack?</b>								
	<b>All</b>	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	<b>Grade 7</b>	98.3%	0.2%	0.4%	0.1%	0.3%	0.4%	0.3%
	<b>Grade 8</b>	98.7%	0.0%	0.0%	0.2%	0.1%	0.6%	0.4%
	<b>Grade 9</b>	98.6%	0.0%	0.0%	0.1%	0.4%	0.3%	0.6%
	<b>Grade 10</b>	98.7%	0.1%	0.1%	0.1%	0.2%	0.2%	0.6%
	<b>Grade 11</b>	99.3%	0.1%	0.1%	0.0%	0.2%	0.1%	0.3%
	<b>Grade 12</b>	99.3%	0.1%	0.1%	0.1%	0.0%	0.1%	0.3%
<b>Hallucinogens?</b>								
	<b>All</b>	96.4%	0.1%	0.1%	0.3%	0.6%	1.2%	1.3%
	<b>Grade 7</b>	99.1%	0.0%	0.1%	0.0%	0.3%	0.2%	0.2%
	<b>Grade 8</b>	98.1%	0.0%	0.0%	0.3%	0.5%	0.5%	0.6%
	<b>Grade 9</b>	96.6%	0.1%	0.2%	0.3%	0.6%	1.2%	1.1%
	<b>Grade 10</b>	95.3%	0.1%	0.1%	0.4%	0.7%	1.5%	1.9%
	<b>Grade 11</b>	95.1%	0.1%	0.1%	0.3%	0.8%	1.3%	2.4%
	<b>Grade 12</b>	94.3%	0.1%	0.3%	0.5%	1.0%	2.2%	1.6%
<b>Uppers?</b>								
	<b>All</b>	94.1%	0.2%	0.4%	0.9%	1.3%	1.4%	1.6%
	<b>Grade 7</b>	97.9%	0.1%	0.2%	0.5%	0.4%	0.5%	0.4%
	<b>Grade 8</b>	96.9%	0.1%	0.1%	0.6%	0.8%	0.7%	0.8%
	<b>Grade 9</b>	94.8%	0.2%	0.3%	0.9%	1.0%	1.3%	1.5%
	<b>Grade 10</b>	93.4%	0.2%	0.4%	1.3%	1.4%	1.5%	1.7%
	<b>Grade 11</b>	91.3%	0.3%	0.4%	1.2%	2.0%	2.2%	2.6%
	<b>Grade 12</b>	90.4%	0.4%	0.8%	1.1%	2.1%	2.3%	3.0%
<b>Downers?</b>								
	<b>All</b>	93.6%	0.1%	0.5%	1.0%	1.4%	1.4%	1.9%
	<b>Grade 7</b>	98.0%	0.1%	0.2%	0.6%	0.4%	0.5%	0.2%
	<b>Grade 8</b>	96.8%	0.1%	0.3%	0.4%	1.1%	0.6%	0.8%
	<b>Grade 9</b>	94.5%	0.2%	0.5%	1.1%	1.0%	1.1%	1.6%
	<b>Grade 10</b>	92.8%	0.2%	0.7%	1.1%	1.6%	1.8%	1.9%
	<b>Grade 11</b>	90.7%	0.2%	0.4%	1.1%	2.3%	1.8%	3.5%
	<b>Grade 12</b>	88.4%	0.1%	1.3%	1.4%	2.4%	2.7%	3.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...  
(Continued)**

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Rohypnol?</b>								
	<b>All</b>	98.5%	0.1%	0.1%	0.2%	0.2%	0.4%	0.5%
	<b>Grade 7</b>	99.1%	0.2%	0.0%	0.3%	0.1%	0.1%	0.2%
	<b>Grade 8</b>	98.6%	0.0%	0.2%	0.2%	0.2%	0.4%	0.4%
	<b>Grade 9</b>	98.3%	0.1%	0.2%	0.3%	0.4%	0.5%	0.2%
	<b>Grade 10</b>	97.6%	0.0%	0.3%	0.3%	0.3%	0.4%	1.0%
	<b>Grade 11</b>	98.6%	0.0%	0.0%	0.1%	0.2%	0.5%	0.6%
	<b>Grade 12</b>	99.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.5%
<b>Steroids?</b>								
	<b>All</b>	99.0%	0.1%	0.1%	0.1%	0.1%	0.3%	0.4%
	<b>Grade 7</b>	99.2%	0.0%	0.0%	0.1%	0.1%	0.4%	0.2%
	<b>Grade 8</b>	98.8%	0.1%	0.0%	0.1%	0.2%	0.4%	0.3%
	<b>Grade 9</b>	98.8%	0.3%	0.1%	0.0%	0.0%	0.1%	0.5%
	<b>Grade 10</b>	98.6%	0.1%	0.1%	0.1%	0.1%	0.2%	0.7%
	<b>Grade 11</b>	99.0%	0.0%	0.1%	0.1%	0.0%	0.3%	0.4%
	<b>Grade 12</b>	99.2%	0.1%	0.1%	0.1%	0.2%	0.2%	0.2%
<b>Ecstasy?</b>								
	<b>All</b>	94.7%	0.0%	0.3%	0.5%	1.3%	1.4%	1.7%
	<b>Grade 7</b>	98.6%	0.0%	0.3%	0.1%	0.3%	0.4%	0.3%
	<b>Grade 8</b>	96.7%	0.0%	0.3%	0.4%	0.7%	0.8%	1.0%
	<b>Grade 9</b>	95.1%	0.0%	0.4%	0.4%	1.7%	1.0%	1.4%
	<b>Grade 10</b>	93.8%	0.1%	0.2%	0.7%	1.6%	1.7%	2.0%
	<b>Grade 11</b>	92.9%	0.1%	0.1%	0.7%	1.4%	2.1%	2.7%
	<b>Grade 12</b>	90.9%	0.0%	0.6%	0.9%	1.9%	2.7%	3.1%
<b>Heroin?</b>								
	<b>All</b>	99.0%	0.0%	0.1%	0.1%	0.2%	0.2%	0.4%
	<b>Grade 7</b>	98.8%	0.0%	0.1%	0.1%	0.3%	0.2%	0.4%
	<b>Grade 8</b>	99.1%	0.0%	0.2%	0.0%	0.1%	0.2%	0.3%
	<b>Grade 9</b>	99.0%	0.0%	0.1%	0.0%	0.2%	0.2%	0.6%
	<b>Grade 10</b>	98.9%	0.1%	0.1%	0.1%	0.1%	0.2%	0.5%
	<b>Grade 11</b>	99.3%	0.1%	0.0%	0.1%	0.2%	0.1%	0.3%
	<b>Grade 12</b>	99.0%	0.0%	0.1%	0.0%	0.4%	0.3%	0.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Marijuana</b>	11.5	12.2	12.9	13.5	14.0	14.7
<b>Cocaine</b>	11.8	12.8	14.0	14.1	15.1	15.5
<b>Crack</b>	11.8	12.0	13.6	14.1	14.2	14.5
<b>Hallucinogens</b>	11.1	12.7	13.5	14.3	15.0	15.7
<b>Uppers</b>	11.6	12.6	13.5	13.9	14.5	14.9
<b>Downers</b>	11.7	12.8	13.3	13.9	14.7	14.9
<b>Rohypnol</b>	11.5	12.2	13.0	13.3	14.5	14.5
<b>Steroids</b>	11.8	12.8	12.2	13.6	14.9	15.0
<b>Ecstasy</b>	12.2	12.7	13.8	14.4	15.3	15.9
<b>Heroin</b>	10.7	12.2	13.1	14.3	14.4	15.2

**Table D-4: Age of first use of marijuana by family situation:**

		<b>Never</b>	<b>9/Under</b>	<b>10 to 11</b>	<b>12 to 13</b>	<b>14 to 15</b>	<b>16 to 17</b>	<b>Over 17</b>
<b>Two parent family</b>								
	<b>All</b>	77.1%	0.8%	2.2%	6.6%	9.0%	4.0%	0.3%
	<b>Grade 7</b>	89.6%	1.1%	2.8%	6.1%	0.5%	0.0%	0.0%
	<b>Grade 8</b>	87.1%	0.9%	2.8%	6.4%	2.9%	0.0%	0.0%
	<b>Grade 9</b>	79.2%	1.0%	2.0%	7.5%	9.8%	0.4%	0.0%
	<b>Grade 10</b>	75.0%	0.4%	1.6%	7.3%	13.5%	2.2%	0.0%
	<b>Grade 11</b>	67.7%	0.7%	2.4%	6.6%	13.6%	9.0%	0.0%
	<b>Grade 12</b>	63.1%	0.9%	1.5%	5.3%	13.1%	14.2%	2.0%
<b>Other family situation</b>								
	<b>All</b>	63.8%	2.9%	4.7%	11.2%	12.3%	4.7%	0.5%
	<b>Grade 7</b>	79.8%	4.3%	5.4%	9.8%	0.5%	0.0%	0.2%
	<b>Grade 8</b>	73.9%	2.3%	5.8%	12.1%	5.9%	0.0%	0.0%
	<b>Grade 9</b>	66.1%	3.8%	4.5%	12.9%	12.1%	0.6%	0.0%
	<b>Grade 10</b>	59.9%	2.6%	5.1%	12.2%	16.8%	3.4%	0.0%
	<b>Grade 11</b>	53.4%	3.4%	3.2%	10.0%	19.3%	10.7%	0.1%
	<b>Grade 12</b>	51.5%	1.0%	4.2%	9.4%	17.2%	13.7%	3.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	<b>All</b>	15.2%	24.5%	8.4%	10.2%	14.0%	27.7%
	<b>Grade 7</b>	26.3%	41.4%	8.7%	6.1%	7.3%	10.2%
	<b>Grade 8</b>	18.2%	34.4%	10.0%	10.2%	9.9%	17.2%
	<b>Grade 9</b>	12.8%	24.8%	9.5%	11.4%	15.1%	26.3%
	<b>Grade 10</b>	10.4%	20.8%	8.3%	11.8%	15.8%	33.0%
	<b>Grade 11</b>	13.2%	14.4%	6.4%	10.8%	16.1%	39.0%
	<b>Grade 12</b>	11.7%	11.3%	6.8%	10.6%	19.4%	40.2%
<b>Cocaine?</b>							
	<b>All</b>	19.9%	32.8%	14.6%	12.1%	9.1%	11.4%
	<b>Grade 7</b>	30.0%	47.0%	9.6%	5.8%	3.7%	3.9%
	<b>Grade 8</b>	21.8%	41.8%	13.9%	8.7%	6.0%	7.7%
	<b>Grade 9</b>	17.2%	35.9%	15.5%	12.7%	8.4%	10.3%
	<b>Grade 10</b>	15.6%	29.6%	17.0%	13.1%	12.1%	12.6%
	<b>Grade 11</b>	19.0%	22.9%	15.1%	14.7%	12.5%	15.8%
	<b>Grade 12</b>	16.9%	19.2%	16.3%	17.5%	12.0%	18.0%
<b>Crack?</b>							
	<b>All</b>	21.8%	34.1%	15.9%	12.4%	7.4%	8.4%
	<b>Grade 7</b>	30.5%	48.2%	9.0%	5.7%	2.9%	3.7%
	<b>Grade 8</b>	22.8%	42.3%	13.8%	8.7%	5.9%	6.5%
	<b>Grade 9</b>	19.5%	36.5%	16.3%	12.3%	7.3%	8.1%
	<b>Grade 10</b>	17.7%	31.4%	18.2%	13.6%	9.5%	9.6%
	<b>Grade 11</b>	21.3%	24.6%	17.1%	15.7%	9.9%	11.4%
	<b>Grade 12</b>	20.0%	21.0%	20.6%	18.6%	9.1%	10.8%
<b>Hallucinogens?</b>							
	<b>All</b>	37.1%	26.0%	13.2%	9.4%	6.7%	7.6%
	<b>Grade 7</b>	55.1%	29.9%	6.7%	3.4%	2.0%	2.9%
	<b>Grade 8</b>	44.4%	31.1%	10.8%	5.2%	3.8%	4.7%
	<b>Grade 9</b>	36.4%	27.0%	14.6%	8.1%	6.9%	7.0%
	<b>Grade 10</b>	29.1%	27.0%	15.0%	11.9%	7.7%	9.3%
	<b>Grade 11</b>	31.1%	21.9%	14.1%	13.5%	8.5%	10.8%
	<b>Grade 12</b>	27.3%	18.4%	17.4%	14.5%	11.4%	10.9%
<b>Uppers?</b>							
	<b>All</b>	45.6%	20.3%	9.3%	7.9%	6.8%	10.1%
	<b>Grade 7</b>	60.8%	25.4%	5.3%	3.3%	2.2%	3.0%
	<b>Grade 8</b>	53.3%	24.1%	7.9%	4.9%	4.0%	5.8%
	<b>Grade 9</b>	47.2%	20.9%	9.5%	7.7%	5.3%	9.3%
	<b>Grade 10</b>	39.2%	20.3%	11.3%	8.7%	8.6%	11.9%
	<b>Grade 11</b>	38.7%	16.8%	9.7%	10.3%	9.5%	15.0%
	<b>Grade 12</b>	34.7%	13.8%	11.7%	12.9%	11.3%	15.6%
<b>Downers?</b>							
	<b>All</b>	45.6%	20.1%	9.2%	8.0%	6.7%	10.4%
	<b>Grade 7</b>	60.9%	25.2%	5.4%	3.3%	2.2%	3.0%
	<b>Grade 8</b>	53.5%	24.2%	7.6%	5.0%	4.0%	5.8%
	<b>Grade 9</b>	47.6%	20.7%	9.0%	8.1%	5.1%	9.5%
	<b>Grade 10</b>	39.2%	20.6%	11.0%	8.6%	8.6%	12.1%
	<b>Grade 11</b>	38.2%	16.5%	9.9%	10.4%	9.3%	15.7%
	<b>Grade 12</b>	34.7%	13.4%	11.9%	12.6%	11.1%	16.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>	<b>All</b>	51.1%	21.6%	9.9%	7.1%	4.2%	6.0%
	<b>Grade 7</b>	62.3%	26.0%	5.1%	2.2%	2.2%	2.2%
	<b>Grade 8</b>	55.2%	25.5%	7.9%	4.1%	3.0%	4.4%
	<b>Grade 9</b>	51.8%	22.4%	10.0%	6.1%	3.6%	6.1%
	<b>Grade 10</b>	46.7%	21.1%	10.8%	9.1%	5.3%	7.0%
	<b>Grade 11</b>	46.5%	18.6%	11.0%	9.4%	5.8%	8.7%
	<b>Grade 12</b>	44.6%	16.0%	14.6%	11.6%	5.5%	7.7%
<b>Steroids?</b>	<b>All</b>	25.1%	35.5%	14.2%	10.6%	6.9%	7.8%
	<b>Grade 7</b>	35.3%	45.7%	8.0%	4.8%	2.6%	3.6%
	<b>Grade 8</b>	26.1%	45.1%	11.6%	8.1%	3.9%	5.1%
	<b>Grade 9</b>	24.2%	37.5%	15.3%	10.4%	6.2%	6.4%
	<b>Grade 10</b>	19.7%	33.6%	16.6%	13.5%	7.9%	8.7%
	<b>Grade 11</b>	25.0%	26.1%	14.2%	12.1%	11.0%	11.7%
	<b>Grade 12</b>	21.1%	24.7%	18.8%	14.6%	9.4%	11.4%
<b>Ecstasy?</b>	<b>All</b>	31.7%	27.7%	11.9%	9.3%	8.3%	11.1%
	<b>Grade 7</b>	55.4%	30.4%	5.3%	3.5%	2.5%	2.9%
	<b>Grade 8</b>	39.8%	32.5%	10.2%	6.2%	5.1%	6.2%
	<b>Grade 9</b>	29.0%	31.7%	13.2%	8.5%	7.4%	10.3%
	<b>Grade 10</b>	22.9%	28.2%	14.8%	11.6%	9.7%	12.8%
	<b>Grade 11</b>	24.3%	22.6%	12.8%	10.6%	12.5%	17.3%
	<b>Grade 12</b>	20.8%	19.4%	14.3%	15.2%	13.1%	17.3%
<b>Heroin?</b>	<b>All</b>	30.9%	35.1%	14.8%	8.3%	4.6%	6.3%
	<b>Grade 7</b>	44.7%	39.8%	7.0%	3.8%	1.9%	2.8%
	<b>Grade 8</b>	33.8%	40.9%	11.4%	5.1%	3.7%	5.1%
	<b>Grade 9</b>	28.0%	37.7%	16.5%	7.4%	4.4%	5.9%
	<b>Grade 10</b>	25.2%	35.2%	17.0%	10.5%	4.6%	7.5%
	<b>Grade 11</b>	29.0%	28.8%	16.6%	10.4%	6.4%	8.8%
	<b>Grade 12</b>	26.0%	27.7%	19.8%	12.3%	6.5%	7.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	90.1%	6.0%	1.4%	2.6%
Grade 7	93.5%	4.6%	1.0%	1.0%
Grade 8	91.4%	5.6%	1.5%	1.5%
Grade 9	90.4%	6.3%	1.1%	2.2%
Grade 10	89.9%	5.8%	1.5%	2.8%
Grade 11	87.8%	7.0%	1.5%	3.7%
Grade 12	87.6%	6.4%	1.8%	4.2%
<b>Attended class while high from use of some other drug?</b>				
All	93.8%	4.1%	1.1%	1.0%
Grade 7	95.9%	2.9%	0.7%	0.5%
Grade 8	94.8%	3.8%	1.0%	0.4%
Grade 9	92.9%	4.8%	1.0%	1.4%
Grade 10	93.1%	4.7%	1.1%	1.1%
Grade 11	93.5%	3.8%	1.4%	1.4%
Grade 12	92.8%	4.4%	1.5%	1.3%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	98.3%	1.2%	0.2%	0.3%
Grade 7	97.7%	1.7%	0.2%	0.4%
Grade 8	98.2%	1.2%	0.3%	0.3%
Grade 9	97.9%	1.7%	0.1%	0.3%
Grade 10	98.4%	0.9%	0.2%	0.5%
Grade 11	98.9%	0.8%	0.1%	0.2%
Grade 12	98.7%	0.7%	0.2%	0.5%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	4.7
Marijuana Non-use	3.6

  

<b>Average days conduct problems reported</b>	
Marijuana Users:	5.5
Marijuana Non-use	1.7

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
All	91.6%	5.2%	1.4%	1.8%
Grade 9	95.9%	2.8%	0.5%	0.7%
Grade 10	92.9%	4.9%	1.0%	1.1%
Grade 11	89.6%	6.5%	1.8%	2.1%
Grade 12	86.6%	7.4%	2.4%	3.7%
<b>Gotten into trouble with the police because of drug use?</b>				
All	97.3%	2.1%	0.2%	0.3%
Grade 7	98.2%	1.3%	0.2%	0.4%
Grade 8	97.5%	1.7%	0.3%	0.5%
Grade 9	96.3%	3.3%	0.2%	0.2%
Grade 10	97.0%	2.3%	0.2%	0.5%
Grade 11	97.7%	1.9%	0.1%	0.2%
Grade 12	97.8%	1.9%	0.1%	0.2%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
All	46.9%	20.4%	15.0%	13.2%	4.6%
Grade 7	70.9%	13.3%	6.5%	6.2%	3.0%
Grade 8	58.4%	16.7%	10.9%	10.3%	3.6%
Grade 9	46.0%	19.9%	15.5%	13.8%	4.9%
Grade 10	41.6%	21.1%	17.6%	14.9%	4.8%
Grade 11	33.7%	25.0%	18.2%	16.8%	6.2%
Grade 12	31.7%	26.4%	20.6%	16.6%	4.8%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	93.6%	5.1%	0.7%	0.5%
<b>Grade 7</b>	95.9%	3.1%	0.4%	0.5%
<b>Grade 8</b>	93.9%	4.8%	0.8%	0.5%
<b>Grade 9</b>	92.5%	6.4%	0.6%	0.5%
<b>Grade 10</b>	92.3%	5.9%	1.0%	0.8%
<b>Grade 11</b>	93.4%	5.3%	0.9%	0.3%
<b>Grade 12</b>	94.1%	4.8%	0.6%	0.5%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	93.7%	5.0%	0.7%	0.6%
<b>Grade 7</b>	95.2%	3.8%	0.5%	0.4%
<b>Grade 8</b>	94.8%	4.0%	0.5%	0.7%
<b>Grade 9</b>	93.7%	4.9%	0.7%	0.7%
<b>Grade 10</b>	93.0%	5.4%	0.9%	0.7%
<b>Grade 11</b>	92.9%	6.3%	0.4%	0.5%
<b>Grade 12</b>	92.8%	5.7%	0.9%	0.6%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	51.9%	12.1%	8.2%	8.0%	7.6%	3.0%	9.3%
<b>Grade 7</b>	76.2%	5.8%	3.4%	2.8%	2.6%	1.7%	7.5%
<b>Grade 8</b>	67.3%	10.0%	5.3%	4.3%	3.8%	3.0%	6.3%
<b>Grade 9</b>	51.0%	12.3%	7.9%	8.7%	6.2%	3.9%	9.9%
<b>Grade 10</b>	45.1%	14.8%	9.4%	9.0%	8.4%	2.9%	10.4%
<b>Grade 11</b>	38.6%	13.8%	10.4%	11.1%	11.7%	3.5%	10.8%
<b>Grade 12</b>	34.0%	15.4%	12.5%	11.8%	13.0%	2.8%	10.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	79.0%	8.5%	4.6%	4.4%	2.6%	0.9%
	<b>Grade 7</b>	87.5%	4.2%	2.9%	2.2%	2.1%	1.1%
	<b>Grade 8</b>	84.4%	5.3%	3.6%	3.9%	1.9%	0.9%
	<b>Grade 9</b>	78.9%	8.5%	4.7%	4.6%	2.5%	0.7%
	<b>Grade 10</b>	76.9%	8.7%	5.4%	5.2%	2.6%	1.2%
	<b>Grade 11</b>	73.0%	11.8%	5.0%	5.3%	3.8%	1.1%
	<b>Grade 12</b>	73.4%	12.8%	5.7%	5.3%	2.5%	0.4%
<b>Blunts?</b>	<b>All</b>	78.9%	6.7%	4.0%	4.7%	4.6%	1.0%
	<b>Grade 7</b>	87.9%	3.6%	2.4%	2.5%	2.2%	1.3%
	<b>Grade 8</b>	85.1%	4.5%	3.1%	3.8%	2.5%	1.0%
	<b>Grade 9</b>	78.6%	7.2%	3.8%	4.3%	5.2%	0.9%
	<b>Grade 10</b>	76.1%	7.7%	4.5%	5.6%	4.7%	1.4%
	<b>Grade 11</b>	72.8%	7.6%	4.4%	6.8%	7.5%	0.9%
	<b>Grade 12</b>	73.5%	9.6%	5.5%	5.4%	5.4%	0.5%
<b>Bongs or water pipes?</b>	<b>All</b>	86.2%	5.8%	2.7%	2.7%	1.8%	0.7%
	<b>Grade 7</b>	93.1%	2.9%	1.4%	0.8%	0.9%	0.9%
	<b>Grade 8</b>	91.9%	3.5%	1.5%	1.4%	1.0%	0.8%
	<b>Grade 9</b>	87.0%	5.4%	2.7%	2.3%	1.9%	0.6%
	<b>Grade 10</b>	84.0%	6.3%	3.3%	3.4%	2.2%	0.9%
	<b>Grade 11</b>	80.5%	7.6%	3.6%	4.5%	2.9%	0.8%
	<b>Grade 12</b>	81.1%	8.9%	3.9%	3.7%	2.1%	0.4%
<b>Pipes?</b>	<b>All</b>	85.5%	5.5%	3.1%	3.1%	2.1%	0.7%
	<b>Grade 7</b>	93.7%	2.4%	1.3%	0.9%	1.0%	0.8%
	<b>Grade 8</b>	91.6%	3.3%	2.0%	1.4%	0.8%	0.9%
	<b>Grade 9</b>	86.0%	6.2%	2.8%	2.4%	2.0%	0.6%
	<b>Grade 10</b>	83.5%	5.3%	3.9%	4.2%	2.3%	0.8%
	<b>Grade 11</b>	79.6%	7.5%	3.4%	4.9%	3.6%	1.0%
	<b>Grade 12</b>	78.5%	7.9%	5.3%	5.0%	3.0%	0.3%
<b>Some other way?</b>	<b>All</b>	88.6%	5.4%	1.4%	1.2%	1.7%	1.7%
	<b>Grade 7</b>	93.3%	2.5%	1.2%	0.6%	1.0%	1.4%
	<b>Grade 8</b>	92.4%	2.6%	1.2%	1.2%	1.3%	1.4%
	<b>Grade 9</b>	87.7%	6.3%	1.2%	1.2%	1.8%	1.7%
	<b>Grade 10</b>	86.4%	6.5%	1.3%	1.7%	1.8%	2.4%
	<b>Grade 11</b>	85.6%	6.8%	1.6%	1.5%	2.7%	1.8%
	<b>Grade 12</b>	86.9%	7.3%	2.0%	1.2%	1.4%	1.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	80.1%	5.7%	4.3%	1.3%	1.3%	7.3%
<b>Grade 7</b>	82.5%	2.7%	1.8%	0.6%	1.5%	10.9%
<b>Grade 8</b>	81.5%	3.3%	3.7%	1.4%	1.0%	9.1%
<b>Grade 9</b>	81.9%	5.0%	3.7%	1.2%	1.4%	6.8%
<b>Grade 10</b>	80.3%	6.8%	4.6%	1.1%	1.1%	6.0%
<b>Grade 11</b>	77.3%	7.0%	6.8%	1.4%	1.6%	5.8%
<b>Grade 12</b>	76.6%	9.5%	5.1%	1.8%	1.1%	5.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Marijuana?</b>						
	<b>All</b>	56.3%	17.3%	12.3%	9.9%	4.2%
	<b>Grade 7</b>	75.9%	10.3%	4.7%	4.1%	5.0%
	<b>Grade 8</b>	66.7%	15.0%	7.0%	6.8%	4.5%
	<b>Grade 9</b>	54.8%	19.3%	12.2%	9.5%	4.3%
	<b>Grade 10</b>	50.7%	19.5%	13.6%	12.1%	4.1%
	<b>Grade 11</b>	47.4%	19.0%	17.2%	12.5%	3.9%
	<b>Grade 12</b>	44.3%	19.5%	18.8%	13.9%	3.4%
<b>Cocaine?</b>						
	<b>All</b>	81.6%	10.3%	1.9%	1.2%	5.0%
	<b>Grade 7</b>	84.2%	7.2%	1.5%	1.3%	5.8%
	<b>Grade 8</b>	81.5%	9.7%	1.9%	1.3%	5.6%
	<b>Grade 9</b>	80.6%	10.8%	2.3%	1.0%	5.4%
	<b>Grade 10</b>	81.9%	10.5%	1.5%	1.4%	4.7%
	<b>Grade 11</b>	80.6%	11.0%	1.9%	1.3%	5.3%
	<b>Grade 12</b>	81.1%	12.3%	2.4%	1.1%	3.1%
<b>Crack?</b>						
	<b>All</b>	84.3%	8.3%	1.2%	0.9%	5.3%
	<b>Grade 7</b>	85.6%	6.6%	1.4%	1.2%	5.3%
	<b>Grade 8</b>	82.3%	8.9%	1.6%	1.1%	6.1%
	<b>Grade 9</b>	82.6%	9.5%	1.4%	0.6%	5.9%
	<b>Grade 10</b>	84.7%	8.8%	0.7%	0.9%	5.0%
	<b>Grade 11</b>	83.8%	8.8%	1.0%	1.2%	5.3%
	<b>Grade 12</b>	87.3%	7.0%	1.2%	0.7%	3.9%
<b>Ecstasy?</b>						
	<b>All</b>	77.7%	10.7%	2.8%	1.4%	7.3%
	<b>Grade 7</b>	80.7%	6.2%	1.6%	1.1%	10.3%
	<b>Grade 8</b>	78.3%	8.9%	2.1%	1.5%	9.1%
	<b>Grade 9</b>	75.7%	11.6%	2.9%	1.4%	8.3%
	<b>Grade 10</b>	77.6%	11.2%	3.5%	1.9%	5.7%
	<b>Grade 11</b>	76.8%	13.0%	2.8%	1.4%	6.0%
	<b>Grade 12</b>	77.9%	12.9%	3.9%	1.1%	4.1%
<b>Steroids?</b>						
	<b>All</b>	72.6%	14.6%	4.5%	1.7%	6.6%
	<b>Grade 7</b>	77.6%	10.7%	2.4%	2.0%	7.3%
	<b>Grade 8</b>	75.0%	12.2%	4.3%	1.5%	7.1%
	<b>Grade 9</b>	71.0%	15.5%	5.2%	1.5%	6.9%
	<b>Grade 10</b>	71.5%	15.8%	5.0%	1.8%	5.8%
	<b>Grade 11</b>	70.0%	16.6%	5.2%	1.6%	6.5%
	<b>Grade 12</b>	71.4%	16.4%	4.8%	1.5%	5.9%
<b>Heroin?</b>						
	<b>All</b>	85.0%	6.1%	0.9%	0.9%	7.0%
	<b>Grade 7</b>	83.8%	5.5%	1.0%	1.3%	8.5%
	<b>Grade 8</b>	82.7%	6.9%	1.6%	1.1%	7.7%
	<b>Grade 9</b>	83.2%	6.9%	0.9%	0.7%	8.3%
	<b>Grade 10</b>	86.0%	6.5%	0.7%	0.9%	6.0%
	<b>Grade 11</b>	85.3%	5.9%	0.7%	1.2%	6.9%
	<b>Grade 12</b>	89.2%	4.8%	0.8%	0.6%	4.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Methamphetamine?</b>				
<b>All</b>	0.8%	1.4%	3.4%	96.6%
<b>Grade 7</b>	1.0%	1.4%	3.5%	96.5%
<b>Grade 8</b>	0.7%	1.2%	2.8%	97.2%
<b>Grade 9</b>	0.5%	1.1%	2.9%	97.1%
<b>Grade 10</b>	1.4%	2.2%	4.5%	95.5%
<b>Grade 11</b>	0.7%	1.4%	3.1%	96.9%
<b>Grade 12</b>	0.5%	1.1%	3.6%	96.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-16: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Codeine?</b>					
	<b>All</b>	5.2%	9.3%	14.4%	85.6%
	<b>Grade 7</b>	5.5%	7.2%	10.9%	89.1%
	<b>Grade 8</b>	5.2%	8.5%	11.9%	88.1%
	<b>Grade 9</b>	5.4%	9.3%	14.8%	85.2%
	<b>Grade 10</b>	5.2%	10.0%	15.2%	84.8%
	<b>Grade 11</b>	4.9%	9.8%	16.6%	83.4%
	<b>Grade 12</b>	5.1%	10.7%	17.1%	82.9%
<b>Oxycontin, Percodan or Percocet?</b>					
	<b>All</b>	0.8%	1.6%	2.8%	97.2%
	<b>Grade 7</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 8</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.6%	1.4%	2.4%	97.6%
	<b>Grade 10</b>	1.2%	2.1%	3.2%	96.8%
	<b>Grade 11</b>	0.9%	2.0%	4.1%	95.9%
	<b>Grade 12</b>	1.2%	2.7%	4.8%	95.2%
<b>Vicodin, Lortab or Lorcet?</b>					
	<b>All</b>	2.3%	4.2%	6.5%	93.5%
	<b>Grade 7</b>	0.6%	1.2%	2.0%	98.0%
	<b>Grade 8</b>	1.3%	2.0%	2.7%	97.3%
	<b>Grade 9</b>	1.9%	2.9%	4.7%	95.3%
	<b>Grade 10</b>	2.6%	4.8%	6.9%	93.1%
	<b>Grade 11</b>	3.4%	6.0%	10.1%	89.9%
	<b>Grade 12</b>	4.3%	8.5%	13.4%	86.6%
<b>Valium or Diazepam?</b>					
	<b>All</b>	0.9%	1.7%	3.0%	97.0%
	<b>Grade 7</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	0.6%	1.1%	1.6%	98.4%
	<b>Grade 9</b>	0.5%	1.3%	2.3%	97.7%
	<b>Grade 10</b>	1.2%	2.2%	3.5%	96.5%
	<b>Grade 11</b>	0.8%	2.2%	4.5%	95.5%
	<b>Grade 12</b>	1.6%	3.0%	4.8%	95.2%
<b>Xanax or Alprazolam?</b>					
	<b>All</b>	1.9%	3.6%	5.6%	94.4%
	<b>Grade 7</b>	0.9%	1.2%	1.8%	98.2%
	<b>Grade 8</b>	1.3%	2.3%	3.3%	96.7%
	<b>Grade 9</b>	2.1%	3.7%	5.1%	94.9%
	<b>Grade 10</b>	2.3%	4.1%	6.5%	93.5%
	<b>Grade 11</b>	2.4%	4.7%	7.8%	92.2%
	<b>Grade 12</b>	2.2%	5.2%	9.1%	90.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table D-17: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>				
<b>All</b>	2.2%	3.7%	6.6%	93.4%
<b>Grade 7</b>	2.2%	3.3%	5.9%	94.1%
<b>Grade 8</b>	2.7%	3.9%	5.8%	94.2%
<b>Grade 9</b>	2.0%	3.8%	6.6%	93.4%
<b>Grade 10</b>	2.4%	4.4%	7.6%	92.4%
<b>Grade 11</b>	2.0%	3.2%	6.6%	93.4%
<b>Grade 12</b>	1.8%	3.6%	7.1%	92.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>					
	<b>All</b>	2.4%	4.2%	8.6%	91.4%
	<b>Grade 7</b>	4.7%	7.3%	11.8%	88.2%
	<b>Grade 8</b>	3.7%	6.1%	11.0%	89.0%
	<b>Grade 9</b>	1.7%	3.5%	8.3%	91.7%
	<b>Grade 10</b>	2.0%	3.7%	8.8%	91.2%
	<b>Grade 11</b>	1.2%	2.2%	5.6%	94.4%
	<b>Grade 12</b>	1.5%	2.5%	5.9%	94.1%

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	93.8%	0.2%	0.4%	0.6%	1.2%	1.2%	2.5%
<b>Grade 7</b>	91.6%	0.6%	0.8%	1.5%	1.8%	1.4%	2.4%
<b>Grade 8</b>	91.2%	0.3%	0.9%	1.2%	1.5%	1.7%	3.2%
<b>Grade 9</b>	94.2%	0.1%	0.2%	0.3%	1.3%	1.4%	2.4%
<b>Grade 10</b>	93.7%	0.1%	0.2%	0.4%	1.3%	1.3%	3.0%
<b>Grade 11</b>	96.5%	0.1%	0.1%	0.2%	0.6%	0.7%	1.8%
<b>Grade 12</b>	95.8%	0.0%	0.2%	0.3%	0.5%	0.8%	2.4%

**Table I-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Inhalants</b>	10.8	11.5	12.2	12.2	13.3	13.4

**Region 6: Grades 7-12  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	98.2%	1.2%	0.3%	0.3%
<b>Grade 7</b>	97.0%	2.1%	0.6%	0.3%
<b>Grade 8</b>	97.1%	2.0%	0.3%	0.5%
<b>Grade 9</b>	98.1%	1.5%	0.2%	0.2%
<b>Grade 10</b>	98.7%	0.7%	0.2%	0.4%
<b>Grade 11</b>	99.0%	0.7%	0.1%	0.2%
<b>Grade 12</b>	99.0%	0.3%	0.5%	0.2%

**Table I-5: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	4.8
Inhalants Non-use	3.8

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	6.1
Inhalants Non-use	2.2

**Table I-6: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	82.4%	11.7%	3.9%	1.5%	0.5%
<b>Grade 7</b>	81.1%	11.4%	4.1%	2.3%	1.1%
<b>Grade 8</b>	78.8%	13.8%	4.6%	2.0%	0.8%
<b>Grade 9</b>	80.3%	13.1%	4.4%	1.7%	0.5%
<b>Grade 10</b>	84.0%	10.7%	4.2%	0.9%	0.2%
<b>Grade 11</b>	83.5%	11.4%	3.2%	1.3%	0.5%
<b>Grade 12</b>	87.2%	9.1%	2.4%	1.0%	0.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	71.4%	15.6%	5.0%	1.8%	6.2%
<b>Grade 7</b>	73.0%	13.7%	4.3%	2.2%	6.7%
<b>Grade 8</b>	69.4%	16.3%	5.7%	2.3%	6.2%
<b>Grade 9</b>	69.0%	16.8%	5.5%	1.7%	6.9%
<b>Grade 10</b>	71.4%	16.5%	5.0%	1.4%	5.7%
<b>Grade 11</b>	72.4%	14.6%	4.5%	2.0%	6.6%
<b>Grade 12</b>	73.7%	15.4%	4.9%	1.1%	4.9%

**Table I-8: If you wanted some, how difficult would it be to get..**

	<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Inhalants?</b>						
<b>All</b>	22.5%	17.1%	5.0%	7.1%	10.1%	38.2%
<b>Grade 7</b>	31.5%	24.4%	5.0%	5.9%	8.1%	25.1%
<b>Grade 8</b>	22.7%	22.4%	5.0%	6.1%	8.7%	35.0%
<b>Grade 9</b>	20.4%	16.9%	5.7%	6.8%	10.1%	40.2%
<b>Grade 10</b>	18.1%	15.4%	5.3%	8.2%	11.5%	41.6%
<b>Grade 11</b>	23.3%	13.2%	5.0%	8.5%	10.6%	39.4%
<b>Grade 12</b>	19.9%	10.5%	3.9%	7.0%	11.5%	47.1%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 49.0%
	Grade 7 40.0%
	Grade 8 46.4%
	Grade 9 56.8%
	Grade 10 55.6%
	Grade 11 48.4%
	Grade 12 43.4%
<b>An assembly program</b>	All 44.2%
	Grade 7 48.6%
	Grade 8 49.7%
	Grade 9 44.5%
	Grade 10 43.4%
	Grade 11 38.1%
	Grade 12 41.5%
<b>Guidance counselor</b>	All 20.2%
	Grade 7 24.3%
	Grade 8 21.9%
	Grade 9 22.2%
	Grade 10 18.0%
	Grade 11 18.8%
	Grade 12 16.2%
<b>Science class</b>	All 30.4%
	Grade 7 37.5%
	Grade 8 30.5%
	Grade 9 33.1%
	Grade 10 33.1%
	Grade 11 27.6%
	Grade 12 20.2%
<b>Social studies class</b>	All 13.6%
	Grade 7 14.1%
	Grade 8 12.5%
	Grade 9 12.9%
	Grade 10 13.4%
	Grade 11 15.7%
	Grade 12 13.4%
<b>Student group session</b>	All 14.8%
	Grade 7 12.7%
	Grade 8 12.7%
	Grade 9 14.0%
	Grade 10 15.4%
	Grade 11 17.8%
	Grade 12 15.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

CATEGORY	Yes
<b>An invited school guest</b>	All 29.0%
	Grade 7 30.8%
	Grade 8 33.5%
	Grade 9 30.6%
	Grade 10 27.0%
	Grade 11 24.9%
	Grade 12 27.5%
<b>Another source at school</b>	All 31.8%
	Grade 7 29.9%
	Grade 8 30.9%
	Grade 9 33.9%
	Grade 10 32.7%
	Grade 11 31.6%
	Grade 12 30.9%
<b>Any school source</b>	All 59.5%
	Grade 7 54.3%
	Grade 8 58.5%
	Grade 9 64.6%
	Grade 10 64.4%
	Grade 11 56.5%
	Grade 12 56.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
<b>A counselor or program in</b>	All 31.1%
	Grade 7 39.9%
	Grade 8 33.6%
	Grade 9 30.4%
	Grade 10 28.3%
	Grade 11 30.0%
	Grade 12 25.1%
<b>Another adult in school (</b>	All 31.5%
	Grade 7 37.4%
	Grade 8 32.6%
	Grade 9 31.1%
	Grade 10 29.3%
	Grade 11 31.4%
	Grade 12 27.5%
<b>A counselor or program ou</b>	All 37.4%
	Grade 7 38.7%
	Grade 8 37.2%
	Grade 9 38.8%
	Grade 10 35.5%
	Grade 11 36.1%
	Grade 12 37.7%
<b>Your parents</b>	All 59.9%
	Grade 7 64.7%
	Grade 8 60.7%
	Grade 9 60.4%
	Grade 10 57.1%
	Grade 11 58.0%
	Grade 12 58.7%
<b>A medical doctor</b>	All 43.0%
	Grade 7 47.7%
	Grade 8 43.9%
	Grade 9 42.1%
	Grade 10 42.4%
	Grade 11 40.5%
	Grade 12 41.5%
<b>Your friends</b>	All 71.4%
	Grade 7 62.0%
	Grade 8 67.7%
	Grade 9 72.3%
	Grade 10 75.4%
	Grade 11 75.6%
	Grade 12 74.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)**

CATEGORY		Yes
Another adult (a relative)	All	61.2%
	Grade 7	62.3%
	Grade 8	60.2%
	Grade 9	63.1%
	Grade 10	61.1%
	Grade 11	60.5%
	Grade 12	59.6%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	7.7%
	Grade 7	8.8%
	Grade 8	8.6%
	Grade 9	8.3%
	Grade 10	7.5%
	Grade 11	7.1%
	Grade 12	5.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	5.1%	27.9%	26.8%	31.6%	8.6%
<b>Grade 7</b>	8.7%	28.0%	21.3%	27.5%	14.5%
<b>Grade 8</b>	6.4%	29.2%	24.8%	29.6%	10.1%
<b>Grade 9</b>	4.2%	28.0%	28.7%	31.9%	7.3%
<b>Grade 10</b>	3.7%	27.6%	29.5%	32.8%	6.3%
<b>Grade 11</b>	3.8%	28.1%	27.8%	32.9%	7.3%
<b>Grade 12</b>	4.1%	26.6%	27.6%	34.7%	7.0%
<b>Sometimes carry weapons?</b>					
<b>All</b>	64.4%	21.4%	9.8%	3.3%	1.2%
<b>Grade 7</b>	75.9%	15.8%	5.2%	2.4%	0.8%
<b>Grade 8</b>	66.6%	20.6%	8.8%	3.2%	0.8%
<b>Grade 9</b>	62.3%	22.8%	10.6%	3.4%	1.0%
<b>Grade 10</b>	61.6%	22.9%	10.7%	3.8%	1.0%
<b>Grade 11</b>	59.7%	24.1%	11.6%	3.5%	1.1%
<b>Grade 12</b>	61.2%	21.5%	11.6%	3.3%	2.4%
<b>Care about making good grades?</b>					
<b>All</b>	3.0%	14.6%	24.2%	41.2%	17.1%
<b>Grade 7</b>	4.1%	18.2%	24.4%	31.4%	21.9%
<b>Grade 8</b>	4.1%	17.1%	25.2%	34.9%	18.7%
<b>Grade 9</b>	2.7%	13.9%	24.9%	42.9%	15.6%
<b>Grade 10</b>	2.1%	14.6%	23.1%	44.9%	15.3%
<b>Grade 11</b>	2.5%	12.1%	24.8%	45.8%	14.8%
<b>Grade 12</b>	2.4%	11.5%	22.5%	46.6%	17.0%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	62.0%	19.6%	10.9%	5.7%	1.8%
<b>Grade 7</b>	62.9%	18.4%	10.0%	5.6%	3.1%
<b>Grade 8</b>	58.3%	21.9%	11.0%	7.3%	1.6%
<b>Grade 9</b>	56.3%	21.9%	12.4%	7.7%	1.7%
<b>Grade 10</b>	61.3%	20.6%	11.4%	5.2%	1.5%
<b>Grade 11</b>	63.5%	18.6%	11.5%	5.0%	1.4%
<b>Grade 12</b>	71.3%	15.5%	8.7%	3.1%	1.4%
<b>Wish they could drop out of school?</b>					
<b>All</b>	55.3%	28.8%	10.5%	3.4%	1.9%
<b>Grade 7</b>	61.4%	23.5%	8.7%	3.8%	2.6%
<b>Grade 8</b>	54.7%	27.9%	11.0%	4.2%	2.3%
<b>Grade 9</b>	51.8%	30.7%	11.9%	3.6%	2.0%
<b>Grade 10</b>	53.2%	30.8%	11.2%	3.2%	1.7%
<b>Grade 11</b>	53.1%	31.9%	10.8%	2.8%	1.5%
<b>Grade 12</b>	59.1%	27.5%	8.9%	3.0%	1.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-5: How safe do you feel when you are:**

		<b>Very Safe</b>	<b>Somewha t Safe</b>	<b>Not Very Safe</b>	<b>Not Safe at All</b>	<b>Don't Know</b>
<b>In your home?</b>						
	<b>All</b>	77.4%	19.5%	1.3%	0.5%	1.4%
	<b>Grade 7</b>	76.3%	19.5%	1.6%	0.7%	2.0%
	<b>Grade 8</b>	73.3%	22.6%	1.9%	0.3%	2.0%
	<b>Grade 9</b>	76.6%	20.0%	1.3%	0.6%	1.6%
	<b>Grade 10</b>	78.0%	19.4%	0.9%	0.7%	1.0%
	<b>Grade 11</b>	79.9%	18.1%	0.6%	0.6%	0.8%
	<b>Grade 12</b>	80.4%	16.9%	1.3%	0.4%	0.9%
<b>Out in your neighbourhood</b>						
	<b>All</b>	35.2%	49.6%	9.7%	3.1%	2.3%
	<b>Grade 7</b>	30.7%	50.8%	10.7%	4.0%	3.7%
	<b>Grade 8</b>	31.6%	50.4%	11.4%	3.6%	3.0%
	<b>Grade 9</b>	33.2%	50.6%	10.3%	3.3%	2.6%
	<b>Grade 10</b>	36.5%	50.4%	8.5%	2.8%	1.8%
	<b>Grade 11</b>	38.0%	48.5%	9.2%	2.8%	1.6%
	<b>Grade 12</b>	42.0%	46.2%	8.3%	2.3%	1.2%
<b>At school</b>						
	<b>All</b>	32.9%	48.9%	10.1%	4.5%	3.5%
	<b>Grade 7</b>	38.9%	42.5%	9.7%	4.3%	4.5%
	<b>Grade 8</b>	35.9%	47.1%	8.9%	3.7%	4.5%
	<b>Grade 9</b>	30.8%	50.4%	10.6%	3.8%	4.3%
	<b>Grade 10</b>	29.6%	52.3%	10.3%	4.9%	2.9%
	<b>Grade 11</b>	30.7%	51.4%	10.2%	4.9%	2.8%
	<b>Grade 12</b>	32.5%	49.1%	10.6%	5.8%	2.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A website or online chat</b>	All 25.5%
	Grade 7 19.6%
	Grade 8 23.1%
	Grade 9 26.3%
	Grade 10 27.4%
	Grade 11 27.7%
	Grade 12 28.3%
<b>Books, magazines, poster</b>	All 45.3%
	Grade 7 41.1%
	Grade 8 43.9%
	Grade 9 48.0%
	Grade 10 49.0%
	Grade 11 45.3%
	Grade 12 43.3%
<b>TV, radio, or other audi</b>	All 51.0%
	Grade 7 45.4%
	Grade 8 48.6%
	Grade 9 53.6%
	Grade 10 54.9%
	Grade 11 51.3%
	Grade 12 50.8%
<b>Your parents</b>	All 48.8%
	Grade 7 46.8%
	Grade 8 49.3%
	Grade 9 50.7%
	Grade 10 52.0%
	Grade 11 47.8%
	Grade 12 45.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	12.3%	17.4%	32.0%	68.0%
	<b>Grade 7</b>	6.3%	8.8%	19.6%	80.4%
	<b>Grade 8</b>	6.3%	9.4%	22.8%	77.2%
	<b>Grade 9</b>	9.1%	14.4%	29.9%	70.1%
	<b>Grade 10</b>	12.6%	18.4%	34.7%	65.3%
	<b>Grade 11</b>	17.7%	23.9%	40.6%	59.4%
	<b>Grade 12</b>	22.5%	30.2%	44.9%	55.1%
<b>Alcohol</b>					
	<b>All</b>	33.6%	46.2%	66.7%	33.3%
	<b>Grade 7</b>	22.7%	29.1%	50.6%	49.4%
	<b>Grade 8</b>	24.9%	36.6%	58.9%	41.1%
	<b>Grade 9</b>	31.2%	44.7%	67.3%	32.7%
	<b>Grade 10</b>	35.9%	49.4%	71.0%	29.0%
	<b>Grade 11</b>	40.0%	56.1%	74.4%	25.6%
	<b>Grade 12</b>	47.2%	61.2%	77.4%	22.6%
<b>Inhalants</b>					
	<b>All</b>	2.4%	4.2%	8.6%	91.4%
	<b>Grade 7</b>	4.7%	7.3%	11.8%	88.2%
	<b>Grade 8</b>	3.7%	6.1%	11.0%	89.0%
	<b>Grade 9</b>	1.7%	3.5%	8.3%	91.7%
	<b>Grade 10</b>	2.0%	3.7%	8.8%	91.2%
	<b>Grade 11</b>	1.2%	2.2%	5.6%	94.4%
	<b>Grade 12</b>	1.5%	2.5%	5.9%	94.1%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.1%	18.2%	29.4%	70.6%
	<b>Grade 7</b>	7.7%	10.1%	16.9%	83.1%
	<b>Grade 8</b>	8.8%	11.8%	19.9%	80.1%
	<b>Grade 9</b>	12.4%	17.4%	27.7%	72.3%
	<b>Grade 10</b>	15.1%	20.4%	32.2%	67.8%
	<b>Grade 11</b>	16.0%	23.8%	38.1%	61.9%
	<b>Grade 12</b>	18.7%	25.9%	41.7%	58.3%
<b>Marijuana</b>					
	<b>All</b>	11.5%	16.6%	27.6%	72.4%
	<b>Grade 7</b>	6.0%	8.0%	14.2%	85.8%
	<b>Grade 8</b>	7.3%	10.3%	17.6%	82.4%
	<b>Grade 9</b>	10.8%	15.6%	25.8%	74.2%
	<b>Grade 10</b>	13.1%	18.8%	30.3%	69.7%
	<b>Grade 11</b>	14.3%	22.0%	36.6%	63.4%
	<b>Grade 12</b>	17.4%	24.7%	41.3%	58.7%
<b>Marijuana Only</b>					
	<b>All</b>	4.8%	7.5%	15.0%	85.0%
	<b>Grade 7</b>	2.8%	3.8%	8.0%	92.0%
	<b>Grade 8</b>	3.7%	5.5%	10.7%	89.3%
	<b>Grade 9</b>	4.1%	6.6%	13.8%	86.2%
	<b>Grade 10</b>	5.4%	8.6%	16.6%	83.4%
	<b>Grade 11</b>	5.9%	9.9%	19.8%	80.2%
	<b>Grade 12</b>	6.9%	10.4%	21.0%	79.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.1%	3.6%	7.0%	93.0%
	Grade 7	1.6%	2.7%	4.4%	95.6%
	Grade 8	1.4%	2.2%	4.5%	95.5%
	Grade 9	2.2%	3.4%	6.3%	93.7%
	Grade 10	1.9%	3.0%	6.6%	93.4%
	Grade 11	2.3%	3.7%	8.4%	91.6%
	Grade 12	3.5%	6.5%	11.7%	88.3%
<b>Cocaine</b>					
	All	2.0%	3.4%	6.5%	93.5%
	Grade 7	1.3%	2.3%	3.5%	96.5%
	Grade 8	1.3%	1.9%	3.7%	96.3%
	Grade 9	2.0%	3.2%	5.8%	94.2%
	Grade 10	1.9%	2.9%	6.3%	93.7%
	Grade 11	2.2%	3.6%	8.3%	91.7%
	Grade 12	3.5%	6.6%	11.8%	88.2%
<b>Crack</b>					
	All	0.3%	0.6%	1.4%	98.6%
	Grade 7	0.5%	1.0%	1.9%	98.1%
	Grade 8	0.4%	0.8%	1.9%	98.1%
	Grade 9	0.4%	0.6%	1.5%	98.5%
	Grade 10	0.2%	0.5%	1.4%	98.6%
	Grade 11	0.3%	0.4%	1.1%	98.9%
	Grade 12	0.2%	0.3%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	1.3%	2.5%	4.4%	95.6%
	Grade 7	0.4%	0.8%	1.6%	98.4%
	Grade 8	0.7%	1.2%	2.3%	97.7%
	Grade 9	1.2%	2.5%	4.1%	95.9%
	Grade 10	1.6%	2.8%	5.4%	94.6%
	Grade 11	1.3%	3.0%	6.1%	93.9%
	Grade 12	2.8%	4.3%	7.2%	92.8%
<b>Uppers</b>					
	All	2.2%	3.6%	6.1%	93.9%
	Grade 7	1.2%	1.4%	2.3%	97.7%
	Grade 8	1.0%	1.5%	2.8%	97.2%
	Grade 9	2.2%	3.5%	5.5%	94.5%
	Grade 10	2.4%	4.0%	6.8%	93.2%
	Grade 11	2.9%	5.3%	8.9%	91.1%
	Grade 12	3.5%	6.1%	10.5%	89.5%
<b>Downers</b>					
	All	2.4%	3.9%	6.9%	93.1%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	1.1%	1.7%	2.9%	97.1%
	Grade 9	2.3%	3.7%	5.8%	94.2%
	Grade 10	2.6%	4.3%	7.7%	92.3%
	Grade 11	3.1%	5.4%	9.9%	90.1%
	Grade 12	4.4%	7.3%	13.3%	86.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.8%	1.2%	1.9%	98.1%
	<b>Grade 7</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 8</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 9</b>	0.9%	1.4%	1.8%	98.2%
	<b>Grade 10</b>	1.4%	2.0%	2.9%	97.1%
	<b>Grade 11</b>	0.4%	0.7%	1.7%	98.3%
	<b>Grade 12</b>	0.8%	0.9%	1.8%	98.2%
<b>Steroids</b>					
	<b>All</b>	0.6%	0.9%	1.5%	98.5%
	<b>Grade 7</b>	0.7%	1.0%	1.4%	98.6%
	<b>Grade 8</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 10</b>	0.6%	0.8%	1.7%	98.3%
	<b>Grade 11</b>	0.6%	1.3%	1.9%	98.1%
	<b>Grade 12</b>	0.5%	0.7%	1.2%	98.8%
<b>Ecstasy</b>					
	<b>All</b>	1.9%	3.4%	6.1%	93.9%
	<b>Grade 7</b>	1.1%	1.4%	2.2%	97.8%
	<b>Grade 8</b>	1.1%	1.8%	3.3%	96.7%
	<b>Grade 9</b>	1.7%	3.4%	5.6%	94.4%
	<b>Grade 10</b>	2.3%	3.6%	6.8%	93.2%
	<b>Grade 11</b>	2.5%	4.0%	8.6%	91.4%
	<b>Grade 12</b>	3.0%	6.2%	9.9%	90.1%
<b>Heroin</b>					
	<b>All</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 7</b>	0.7%	0.9%	1.6%	98.4%
	<b>Grade 8</b>	0.3%	0.6%	1.3%	98.7%
	<b>Grade 9</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 10</b>	0.3%	0.6%	1.2%	98.8%
	<b>Grade 11</b>	0.4%	0.5%	1.3%	98.7%
	<b>Grade 12</b>	0.3%	0.8%	1.0%	99.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.3%	18.8%	34.6%	65.4%
	Grade 7	6.7%	9.3%	21.1%	78.9%
	Grade 8	6.9%	10.2%	25.5%	74.5%
	Grade 9	8.7%	12.9%	31.7%	68.3%
	Grade 10	14.3%	21.0%	37.0%	63.0%
	Grade 11	20.7%	29.1%	47.6%	52.4%
	Grade 12	24.9%	32.7%	46.2%	53.8%
<b>Alcohol</b>					
	All	32.2%	44.0%	64.5%	35.5%
	Grade 7	21.4%	27.7%	50.1%	49.9%
	Grade 8	23.0%	34.6%	56.2%	43.8%
	Grade 9	28.8%	41.5%	65.5%	34.5%
	Grade 10	34.6%	47.7%	67.7%	32.3%
	Grade 11	39.1%	55.1%	73.4%	26.6%
	Grade 12	48.4%	58.9%	74.6%	25.4%
<b>Inhalants</b>					
	All	2.2%	3.7%	8.1%	91.9%
	Grade 7	3.9%	6.5%	11.1%	88.9%
	Grade 8	3.2%	4.5%	8.9%	91.1%
	Grade 9	1.2%	2.9%	7.9%	92.1%
	Grade 10	2.1%	3.3%	8.5%	91.5%
	Grade 11	1.3%	2.3%	5.6%	94.4%
	Grade 12	1.6%	2.7%	6.5%	93.5%
<b>Any Illicit Drug</b>					
	All	14.6%	20.1%	31.8%	68.2%
	Grade 7	8.4%	11.2%	17.9%	82.1%
	Grade 8	9.5%	13.0%	22.2%	77.8%
	Grade 9	12.4%	17.4%	29.1%	70.9%
	Grade 10	17.8%	24.2%	35.2%	64.8%
	Grade 11	18.0%	27.1%	43.0%	57.0%
	Grade 12	22.1%	28.8%	44.8%	55.2%
<b>Marijuana</b>					
	All	13.0%	18.8%	30.7%	69.3%
	Grade 7	6.8%	9.6%	16.1%	83.9%
	Grade 8	8.9%	12.3%	21.3%	78.7%
	Grade 9	10.7%	15.7%	27.6%	72.4%
	Grade 10	15.2%	22.4%	33.6%	66.4%
	Grade 11	16.2%	25.3%	41.7%	58.3%
	Grade 12	21.3%	28.5%	45.3%	54.7%
<b>Marijuana Only</b>					
	All	5.4%	8.6%	17.1%	82.9%
	Grade 7	3.9%	5.7%	10.3%	89.7%
	Grade 8	4.4%	6.5%	13.0%	87.0%
	Grade 9	3.4%	5.7%	14.6%	85.4%
	Grade 10	6.6%	11.1%	18.8%	81.2%
	Grade 11	7.0%	12.4%	24.3%	75.7%
	Grade 12	7.7%	10.8%	22.4%	77.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	<b>All</b>	2.3%	3.7%	7.0%	93.0%
	<b>Grade 7</b>	1.3%	1.7%	3.0%	97.0%
	<b>Grade 8</b>	1.7%	2.3%	4.9%	95.1%
	<b>Grade 9</b>	1.8%	3.5%	6.9%	93.1%
	<b>Grade 10</b>	2.9%	4.4%	8.0%	92.0%
	<b>Grade 11</b>	2.3%	3.5%	8.2%	91.8%
	<b>Grade 12</b>	4.4%	6.9%	11.4%	88.6%
<b>Cocaine</b>					
	<b>All</b>	2.2%	3.5%	6.5%	93.5%
	<b>Grade 7</b>	1.0%	1.4%	2.2%	97.8%
	<b>Grade 8</b>	1.5%	1.9%	3.9%	96.1%
	<b>Grade 9</b>	1.4%	3.2%	6.5%	93.5%
	<b>Grade 10</b>	2.9%	4.3%	7.6%	92.4%
	<b>Grade 11</b>	2.1%	3.3%	7.9%	92.1%
	<b>Grade 12</b>	4.3%	6.9%	11.4%	88.6%
<b>Crack</b>					
	<b>All</b>	0.4%	0.6%	1.5%	98.5%
	<b>Grade 7</b>	0.4%	0.5%	1.1%	98.9%
	<b>Grade 8</b>	0.4%	0.5%	1.8%	98.2%
	<b>Grade 9</b>	0.6%	0.9%	1.3%	98.7%
	<b>Grade 10</b>	0.3%	0.8%	2.1%	97.9%
	<b>Grade 11</b>	0.5%	0.6%	1.6%	98.4%
	<b>Grade 12</b>	0.3%	0.4%	0.7%	99.3%
<b>Hallucinogens</b>					
	<b>All</b>	1.9%	3.3%	5.4%	94.6%
	<b>Grade 7</b>	0.4%	0.6%	1.6%	98.4%
	<b>Grade 8</b>	0.8%	1.3%	2.5%	97.5%
	<b>Grade 9</b>	1.7%	3.7%	5.4%	94.6%
	<b>Grade 10</b>	2.4%	4.1%	7.6%	92.4%
	<b>Grade 11</b>	1.8%	3.9%	7.4%	92.6%
	<b>Grade 12</b>	4.5%	6.2%	8.1%	91.9%
<b>Uppers</b>					
	<b>All</b>	2.1%	3.6%	5.8%	94.2%
	<b>Grade 7</b>	0.9%	1.1%	2.2%	97.8%
	<b>Grade 8</b>	0.9%	1.3%	2.7%	97.3%
	<b>Grade 9</b>	2.1%	3.2%	5.4%	94.6%
	<b>Grade 10</b>	2.0%	3.8%	5.9%	94.1%
	<b>Grade 11</b>	2.9%	5.0%	8.6%	91.4%
	<b>Grade 12</b>	4.2%	7.6%	10.5%	89.5%
<b>Downers</b>					
	<b>All</b>	2.4%	4.2%	6.7%	93.3%
	<b>Grade 7</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 8</b>	1.0%	1.7%	2.9%	97.1%
	<b>Grade 9</b>	2.0%	3.4%	5.6%	94.4%
	<b>Grade 10</b>	2.4%	4.6%	7.0%	93.0%
	<b>Grade 11</b>	2.9%	5.4%	8.9%	91.1%
	<b>Grade 12</b>	6.0%	10.2%	15.0%	85.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.9%	1.3%	2.2%	97.8%
	<b>Grade 7</b>	0.5%	0.9%	2.2%	97.8%
	<b>Grade 8</b>	0.9%	1.2%	2.0%	98.0%
	<b>Grade 9</b>	0.7%	1.1%	1.7%	98.3%
	<b>Grade 10</b>	1.5%	2.4%	3.3%	96.7%
	<b>Grade 11</b>	0.6%	1.0%	1.8%	98.2%
	<b>Grade 12</b>	1.1%	1.3%	2.1%	97.9%
<b>Steroids</b>					
	<b>All</b>	0.9%	1.4%	2.2%	97.8%
	<b>Grade 7</b>	0.9%	1.4%	1.7%	98.3%
	<b>Grade 8</b>	0.7%	0.9%	1.5%	98.5%
	<b>Grade 9</b>	0.8%	1.1%	2.3%	97.7%
	<b>Grade 10</b>	1.2%	1.6%	2.7%	97.3%
	<b>Grade 11</b>	1.0%	2.3%	2.9%	97.1%
	<b>Grade 12</b>	0.9%	1.2%	2.0%	98.0%
<b>Ecstasy</b>					
	<b>All</b>	2.1%	3.7%	6.1%	93.9%
	<b>Grade 7</b>	0.5%	0.9%	1.8%	98.2%
	<b>Grade 8</b>	1.2%	1.9%	2.9%	97.1%
	<b>Grade 9</b>	1.6%	3.5%	5.7%	94.3%
	<b>Grade 10</b>	3.4%	4.5%	7.5%	92.5%
	<b>Grade 11</b>	2.4%	4.5%	8.5%	91.5%
	<b>Grade 12</b>	3.7%	6.7%	10.6%	89.4%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.9%	1.5%	98.5%
	<b>Grade 7</b>	0.5%	0.7%	1.0%	99.0%
	<b>Grade 8</b>	0.3%	0.5%	1.0%	99.0%
	<b>Grade 9</b>	0.8%	1.2%	1.9%	98.1%
	<b>Grade 10</b>	0.4%	0.9%	1.7%	98.3%
	<b>Grade 11</b>	0.7%	0.8%	1.8%	98.2%
	<b>Grade 12</b>	0.5%	1.3%	1.6%	98.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	11.3%	16.0%	29.6%	70.4%
	Grade 7	5.8%	8.2%	18.1%	81.9%
	Grade 8	5.8%	8.7%	20.2%	79.8%
	Grade 9	9.4%	15.7%	28.2%	71.8%
	Grade 10	11.1%	16.0%	32.3%	67.7%
	Grade 11	14.9%	18.9%	34.1%	65.9%
	Grade 12	20.5%	28.0%	43.8%	56.2%
<b>Alcohol</b>					
	All	34.8%	48.2%	68.7%	31.3%
	Grade 7	23.8%	30.4%	50.9%	49.1%
	Grade 8	26.7%	38.7%	61.6%	38.4%
	Grade 9	33.5%	47.8%	69.1%	30.9%
	Grade 10	37.1%	51.0%	74.1%	25.9%
	Grade 11	41.0%	57.1%	75.5%	24.5%
	Grade 12	46.0%	63.0%	79.6%	20.4%
<b>Inhalants</b>					
	All	2.6%	4.6%	9.0%	91.0%
	Grade 7	5.4%	8.0%	12.4%	87.6%
	Grade 8	4.2%	7.6%	13.0%	87.0%
	Grade 9	2.1%	4.0%	8.6%	91.4%
	Grade 10	1.8%	4.1%	9.1%	90.9%
	Grade 11	1.1%	2.0%	5.6%	94.4%
	Grade 12	1.4%	2.4%	5.5%	94.5%
<b>Any Illicit Drug</b>					
	All	11.7%	16.5%	27.1%	72.9%
	Grade 7	7.0%	9.0%	15.8%	84.2%
	Grade 8	8.1%	10.6%	17.8%	82.2%
	Grade 9	12.4%	17.5%	26.5%	73.5%
	Grade 10	12.5%	16.8%	29.3%	70.7%
	Grade 11	14.1%	20.7%	33.5%	66.5%
	Grade 12	15.8%	23.5%	39.0%	61.0%
<b>Marijuana</b>					
	All	10.1%	14.5%	24.8%	75.2%
	Grade 7	5.2%	6.4%	12.4%	87.6%
	Grade 8	5.8%	8.4%	14.1%	85.9%
	Grade 9	11.0%	15.6%	24.2%	75.8%
	Grade 10	11.1%	15.4%	27.2%	72.8%
	Grade 11	12.5%	18.8%	31.8%	68.2%
	Grade 12	14.1%	21.5%	38.0%	62.0%
<b>Marijuana Only</b>					
	All	4.2%	6.4%	13.0%	87.0%
	Grade 7	1.8%	2.0%	5.9%	94.1%
	Grade 8	2.9%	4.6%	8.5%	91.5%
	Grade 9	4.8%	7.4%	13.1%	86.9%
	Grade 10	4.3%	6.3%	14.4%	85.6%
	Grade 11	4.9%	7.5%	15.5%	84.5%
	Grade 12	6.1%	10.1%	19.8%	80.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.0%	3.5%	6.9%	93.1%
	Grade 7	1.9%	3.7%	5.7%	94.3%
	Grade 8	1.2%	2.2%	4.2%	95.8%
	Grade 9	2.6%	3.4%	5.8%	94.2%
	Grade 10	0.9%	1.8%	5.4%	94.6%
	Grade 11	2.4%	3.9%	8.7%	91.3%
	Grade 12	2.7%	6.3%	12.0%	88.0%
<b>Cocaine</b>					
	All	1.9%	3.4%	6.5%	93.5%
	Grade 7	1.7%	3.1%	4.6%	95.4%
	Grade 8	1.0%	1.9%	3.4%	96.6%
	Grade 9	2.6%	3.3%	5.3%	94.7%
	Grade 10	0.9%	1.6%	5.1%	94.9%
	Grade 11	2.4%	3.9%	8.7%	91.3%
	Grade 12	2.8%	6.4%	12.1%	87.9%
<b>Crack</b>					
	All	0.2%	0.6%	1.4%	98.6%
	Grade 7	0.6%	1.3%	2.6%	97.4%
	Grade 8	0.4%	1.0%	2.1%	97.9%
	Grade 9	0.1%	0.4%	1.6%	98.4%
	Grade 10	0.1%	0.3%	0.8%	99.2%
	Grade 11	0.1%	0.3%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	0.8%	1.7%	3.6%	96.4%
	Grade 7	0.3%	0.9%	1.5%	98.5%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	0.8%	1.5%	3.0%	97.0%
	Grade 10	0.8%	1.5%	3.4%	96.6%
	Grade 11	0.8%	2.2%	4.9%	95.1%
	Grade 12	1.3%	2.9%	6.4%	93.6%
<b>Uppers</b>					
	All	2.3%	3.6%	6.4%	93.6%
	Grade 7	1.5%	1.6%	2.4%	97.6%
	Grade 8	1.1%	1.6%	2.8%	97.2%
	Grade 9	2.3%	3.7%	5.5%	94.5%
	Grade 10	2.7%	4.2%	7.7%	92.3%
	Grade 11	3.0%	5.6%	9.1%	90.9%
	Grade 12	2.9%	4.9%	10.5%	89.5%
<b>Downers</b>					
	All	2.3%	3.6%	7.1%	92.9%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	1.3%	1.7%	3.0%	97.0%
	Grade 9	2.7%	4.0%	6.0%	94.0%
	Grade 10	2.8%	4.1%	8.3%	91.7%
	Grade 11	3.2%	5.5%	10.9%	89.1%
	Grade 12	3.2%	5.1%	12.0%	88.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.7%	1.0%	1.7%	98.3%
	<b>Grade 7</b>	0.6%	0.8%	1.3%	98.7%
	<b>Grade 8</b>	0.4%	0.6%	1.3%	98.7%
	<b>Grade 9</b>	1.1%	1.6%	2.0%	98.0%
	<b>Grade 10</b>	1.3%	1.7%	2.5%	97.5%
	<b>Grade 11</b>	0.3%	0.4%	1.5%	98.5%
	<b>Grade 12</b>	0.6%	0.7%	1.5%	98.5%
<b>Steroids</b>					
	<b>All</b>	0.2%	0.4%	0.8%	99.2%
	<b>Grade 7</b>	0.5%	0.6%	1.2%	98.8%
	<b>Grade 8</b>	0.3%	0.8%	1.2%	98.8%
	<b>Grade 9</b>	0.2%	0.3%	0.5%	99.5%
	<b>Grade 10</b>	0.0%	0.1%	0.7%	99.3%
	<b>Grade 11</b>	0.1%	0.3%	1.0%	99.0%
	<b>Grade 12</b>	0.1%	0.3%	0.6%	99.4%
<b>Ecstasy</b>					
	<b>All</b>	1.8%	3.2%	6.0%	94.0%
	<b>Grade 7</b>	1.6%	1.8%	2.6%	97.4%
	<b>Grade 8</b>	0.9%	1.7%	3.7%	96.3%
	<b>Grade 9</b>	1.8%	3.4%	5.5%	94.5%
	<b>Grade 10</b>	1.4%	2.7%	6.2%	93.8%
	<b>Grade 11</b>	2.6%	3.5%	8.8%	91.2%
	<b>Grade 12</b>	2.4%	5.7%	9.4%	90.6%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 7</b>	0.9%	1.1%	2.3%	97.7%
	<b>Grade 8</b>	0.3%	0.6%	1.6%	98.4%
	<b>Grade 9</b>	0.2%	0.3%	0.9%	99.1%
	<b>Grade 10</b>	0.3%	0.4%	0.7%	99.3%
	<b>Grade 11</b>	0.1%	0.3%	0.7%	99.3%
	<b>Grade 12</b>	0.2%	0.3%	0.5%	99.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	16.3%	22.5%	34.1%	65.9%
	<b>Grade 7</b>	4.6%	7.9%	15.1%	84.9%
	<b>Grade 8</b>	7.8%	10.6%	20.0%	80.0%
	<b>Grade 9</b>	12.1%	18.4%	29.5%	70.5%
	<b>Grade 10</b>	17.9%	24.9%	39.2%	60.8%
	<b>Grade 11</b>	24.4%	30.9%	44.9%	55.1%
	<b>Grade 12</b>	26.9%	36.8%	49.2%	50.8%
<b>Alcohol</b>					
	<b>All</b>	34.3%	47.8%	66.0%	34.0%
	<b>Grade 7</b>	12.2%	20.2%	41.9%	58.1%
	<b>Grade 8</b>	21.1%	33.0%	53.9%	46.1%
	<b>Grade 9</b>	29.2%	44.5%	65.0%	35.0%
	<b>Grade 10</b>	38.7%	53.0%	71.5%	28.5%
	<b>Grade 11</b>	45.8%	61.3%	75.8%	24.2%
	<b>Grade 12</b>	51.4%	65.7%	80.2%	19.8%
<b>Inhalants</b>					
	<b>All</b>	1.9%	3.7%	8.5%	91.5%
	<b>Grade 7</b>	3.1%	4.7%	9.5%	90.5%
	<b>Grade 8</b>	3.4%	6.6%	10.9%	89.1%
	<b>Grade 9</b>	1.3%	3.9%	9.5%	90.5%
	<b>Grade 10</b>	1.2%	2.6%	7.8%	92.2%
	<b>Grade 11</b>	1.5%	2.6%	6.5%	93.5%
	<b>Grade 12</b>	1.4%	2.6%	7.4%	92.6%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.5%	19.2%	28.1%	71.9%
	<b>Grade 7</b>	3.7%	4.8%	9.0%	91.0%
	<b>Grade 8</b>	7.1%	10.0%	15.7%	84.3%
	<b>Grade 9</b>	12.4%	17.6%	24.1%	75.9%
	<b>Grade 10</b>	15.3%	20.5%	29.7%	70.3%
	<b>Grade 11</b>	18.2%	26.8%	39.0%	61.0%
	<b>Grade 12</b>	21.0%	30.9%	44.6%	55.4%
<b>Marijuana</b>					
	<b>All</b>	11.9%	17.7%	26.2%	73.8%
	<b>Grade 7</b>	2.3%	3.8%	6.8%	93.2%
	<b>Grade 8</b>	6.0%	8.6%	12.6%	87.4%
	<b>Grade 9</b>	10.4%	15.7%	21.9%	78.1%
	<b>Grade 10</b>	13.4%	19.3%	28.0%	72.0%
	<b>Grade 11</b>	16.1%	24.7%	36.9%	63.1%
	<b>Grade 12</b>	19.5%	29.5%	44.3%	55.7%
<b>Marijuana Only</b>					
	<b>All</b>	4.3%	7.4%	13.3%	86.7%
	<b>Grade 7</b>	0.2%	1.0%	3.0%	97.0%
	<b>Grade 8</b>	2.6%	4.7%	8.0%	92.0%
	<b>Grade 9</b>	4.5%	7.2%	11.6%	88.4%
	<b>Grade 10</b>	5.2%	8.3%	14.1%	85.9%
	<b>Grade 11</b>	4.8%	9.3%	18.0%	82.0%
	<b>Grade 12</b>	6.9%	12.0%	21.9%	78.1%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.7%	3.6%	6.6%	93.4%
	Grade 7	0.6%	1.2%	2.1%	97.9%
	Grade 8	0.9%	2.0%	3.2%	96.8%
	Grade 9	1.6%	2.7%	4.6%	95.4%
	Grade 10	1.5%	3.0%	6.3%	93.7%
	Grade 11	2.1%	4.0%	9.9%	90.1%
	Grade 12	3.4%	8.0%	12.1%	87.9%
<b>Cocaine</b>					
	All	1.7%	3.5%	6.2%	93.8%
	Grade 7	0.6%	1.1%	1.6%	98.4%
	Grade 8	0.7%	1.8%	2.5%	97.5%
	Grade 9	1.6%	2.6%	4.1%	95.9%
	Grade 10	1.5%	2.8%	6.0%	94.0%
	Grade 11	1.9%	3.8%	9.5%	90.5%
	Grade 12	3.4%	8.0%	12.0%	88.0%
<b>Crack</b>					
	All	0.3%	0.6%	1.3%	98.7%
	Grade 7	0.1%	0.2%	0.7%	99.3%
	Grade 8	0.6%	1.0%	1.7%	98.3%
	Grade 9	0.1%	0.5%	1.4%	98.6%
	Grade 10	0.2%	0.6%	1.6%	98.4%
	Grade 11	0.4%	0.6%	1.1%	98.9%
	Grade 12	0.4%	0.5%	1.4%	98.6%
<b>Hallucinogens</b>					
	All	2.3%	4.0%	6.8%	93.2%
	Grade 7	0.6%	1.1%	2.0%	98.0%
	Grade 8	1.3%	2.3%	3.5%	96.5%
	Grade 9	1.9%	3.1%	5.0%	95.0%
	Grade 10	2.2%	4.3%	8.1%	91.9%
	Grade 11	2.4%	5.3%	10.3%	89.7%
	Grade 12	4.6%	7.1%	10.3%	89.7%
<b>Uppers</b>					
	All	2.9%	5.2%	8.7%	91.3%
	Grade 7	1.2%	1.2%	2.8%	97.2%
	Grade 8	1.5%	1.6%	3.1%	96.9%
	Grade 9	2.6%	3.8%	6.0%	94.0%
	Grade 10	3.2%	5.8%	9.1%	90.9%
	Grade 11	4.8%	8.7%	14.2%	85.8%
	Grade 12	3.8%	8.5%	14.6%	85.4%
<b>Downers</b>					
	All	3.0%	5.4%	9.1%	90.9%
	Grade 7	0.6%	1.4%	2.2%	97.8%
	Grade 8	1.5%	2.1%	3.2%	96.8%
	Grade 9	2.8%	4.0%	6.7%	93.3%
	Grade 10	2.8%	5.4%	9.3%	90.7%
	Grade 11	4.2%	8.4%	14.0%	86.0%
	Grade 12	5.3%	9.9%	16.7%	83.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.6%	1.0%	2.0%	98.0%
	<b>Grade 7</b>	0.1%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	0.5%	0.9%	1.3%	98.7%
	<b>Grade 9</b>	1.0%	1.4%	2.3%	97.7%
	<b>Grade 10</b>	0.8%	1.3%	2.6%	97.4%
	<b>Grade 11</b>	0.5%	1.3%	2.3%	97.7%
	<b>Grade 12</b>	0.5%	0.7%	2.2%	97.8%
<b>Steroids</b>	<b>All</b>	0.8%	1.1%	2.0%	98.0%
	<b>Grade 7</b>	0.9%	1.3%	1.6%	98.4%
	<b>Grade 8</b>	0.5%	0.7%	1.7%	98.3%
	<b>Grade 9</b>	0.4%	0.8%	2.2%	97.8%
	<b>Grade 10</b>	0.7%	1.0%	2.2%	97.8%
	<b>Grade 11</b>	1.1%	1.1%	1.8%	98.2%
	<b>Grade 12</b>	1.0%	1.4%	2.1%	97.9%
<b>Ecstasy</b>	<b>All</b>	1.9%	3.7%	6.6%	93.4%
	<b>Grade 7</b>	0.7%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	0.8%	1.2%	2.5%	97.5%
	<b>Grade 9</b>	2.4%	3.6%	5.1%	94.9%
	<b>Grade 10</b>	1.6%	3.5%	7.2%	92.8%
	<b>Grade 11</b>	2.3%	4.6%	10.4%	89.6%
	<b>Grade 12</b>	3.1%	7.1%	10.8%	89.2%
<b>Heroin</b>	<b>All</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.1%	0.5%	0.9%	99.1%
	<b>Grade 8</b>	0.4%	0.5%	1.1%	98.9%
	<b>Grade 9</b>	0.4%	0.6%	1.0%	99.0%
	<b>Grade 10</b>	0.4%	0.7%	1.4%	98.6%
	<b>Grade 11</b>	0.3%	0.5%	0.9%	99.1%
	<b>Grade 12</b>	0.5%	1.5%	1.9%	98.1%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	5.7%	8.0%	22.4%	77.6%
	Grade 7	3.9%	5.0%	18.2%	81.8%
	Grade 8	2.9%	5.0%	18.0%	82.0%
	Grade 9	4.4%	7.0%	22.1%	77.9%
	Grade 10	5.2%	8.2%	24.6%	75.4%
	Grade 11	5.1%	7.6%	23.7%	76.3%
	Grade 12	13.3%	15.8%	27.7%	72.3%
<b>Alcohol</b>					
	All	26.6%	39.0%	62.7%	37.3%
	Grade 7	20.6%	27.9%	52.3%	47.7%
	Grade 8	21.5%	33.7%	56.5%	43.5%
	Grade 9	24.2%	38.0%	63.2%	36.8%
	Grade 10	26.3%	37.3%	65.6%	34.4%
	Grade 11	28.1%	43.4%	66.9%	33.1%
	Grade 12	39.5%	53.0%	70.2%	29.8%
<b>Inhalants</b>					
	All	1.7%	2.7%	5.0%	95.0%
	Grade 7	2.7%	3.1%	6.5%	93.5%
	Grade 8	1.8%	3.8%	6.6%	93.4%
	Grade 9	2.0%	2.8%	4.5%	95.5%
	Grade 10	0.9%	1.4%	5.1%	94.9%
	Grade 11	0.4%	1.9%	3.4%	96.6%
	Grade 12	2.8%	3.6%	4.6%	95.4%
<b>Any Illicit Drug</b>					
	All	11.1%	15.5%	26.1%	73.9%
	Grade 7	5.7%	8.5%	15.0%	85.0%
	Grade 8	7.2%	10.2%	16.5%	83.5%
	Grade 9	9.5%	13.1%	24.1%	75.9%
	Grade 10	14.6%	19.8%	32.0%	68.0%
	Grade 11	11.9%	18.3%	31.9%	68.1%
	Grade 12	17.9%	23.2%	36.5%	63.5%
<b>Marijuana</b>					
	All	10.1%	14.7%	25.8%	74.2%
	Grade 7	4.2%	6.4%	14.2%	85.8%
	Grade 8	5.6%	8.6%	15.7%	84.3%
	Grade 9	8.6%	12.7%	23.9%	76.1%
	Grade 10	13.5%	19.4%	31.6%	68.4%
	Grade 11	11.0%	17.2%	31.4%	68.6%
	Grade 12	17.8%	23.4%	36.8%	63.2%
<b>Marijuana Only</b>					
	All	6.4%	9.8%	19.2%	80.8%
	Grade 7	3.4%	5.2%	11.7%	88.3%
	Grade 8	4.4%	6.6%	11.7%	88.3%
	Grade 9	5.0%	8.4%	18.0%	82.0%
	Grade 10	7.4%	11.8%	22.9%	77.1%
	Grade 11	7.5%	12.2%	24.8%	75.2%
	Grade 12	11.2%	14.9%	25.8%	74.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.4%	99.6%
	Grade 8	0.2%	0.7%	2.0%	98.0%
	Grade 9	0.9%	1.2%	1.2%	98.8%
	Grade 10	0.5%	0.6%	1.3%	98.7%
	Grade 11	0.5%	0.7%	0.8%	99.2%
	Grade 12	0.4%	0.9%	2.4%	97.6%
<b>Cocaine</b>					
	All	0.4%	0.7%	1.2%	98.8%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.2%	0.3%	1.2%	98.8%
	Grade 9	0.7%	1.0%	1.1%	98.9%
	Grade 10	0.5%	0.6%	1.2%	98.8%
	Grade 11	0.5%	0.7%	0.8%	99.2%
	Grade 12	0.4%	0.9%	2.4%	97.6%
<b>Crack</b>					
	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.1%	0.4%	1.0%	99.0%
	Grade 9	0.2%	0.3%	0.3%	99.7%
	Grade 10	0.4%	0.4%	0.8%	99.2%
	Grade 11	0.0%	0.2%	0.3%	99.7%
	Grade 12	0.2%	0.4%	0.4%	99.6%
<b>Hallucinogens</b>					
	All	0.6%	0.9%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.7%	0.9%	1.2%	98.8%
	Grade 9	0.2%	0.7%	1.9%	98.1%
	Grade 10	0.5%	0.8%	1.0%	99.0%
	Grade 11	0.2%	0.8%	1.1%	98.9%
	Grade 12	1.7%	1.9%	2.5%	97.5%
<b>Uppers</b>					
	All	1.4%	1.9%	2.3%	97.7%
	Grade 7	0.8%	0.8%	0.8%	99.2%
	Grade 8	0.8%	1.7%	1.9%	98.1%
	Grade 9	1.3%	1.4%	1.9%	98.1%
	Grade 10	1.6%	2.4%	3.2%	96.8%
	Grade 11	0.8%	1.4%	1.5%	98.5%
	Grade 12	3.3%	3.8%	4.6%	95.4%
<b>Downers</b>					
	All	1.7%	2.3%	3.3%	96.7%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	1.4%	1.9%	2.1%	97.9%
	Grade 9	1.1%	1.2%	2.3%	97.7%
	Grade 10	2.5%	3.8%	5.4%	94.6%
	Grade 11	1.2%	2.0%	3.6%	96.4%
	Grade 12	4.1%	5.0%	6.3%	93.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.3%	0.3%	0.5%	99.5%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	0.2%	0.2%	0.2%	99.8%
	<b>Grade 9</b>	0.0%	0.1%	0.1%	99.9%
	<b>Grade 10</b>	0.8%	0.8%	1.3%	98.7%
	<b>Grade 11</b>	0.4%	0.4%	0.8%	99.2%
	<b>Grade 12</b>	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>	<b>All</b>	0.3%	0.8%	1.3%	98.7%
	<b>Grade 7</b>	0.8%	1.3%	1.4%	98.6%
	<b>Grade 8</b>	0.2%	1.0%	1.2%	98.8%
	<b>Grade 9</b>	0.1%	0.2%	0.2%	99.8%
	<b>Grade 10</b>	0.7%	1.0%	2.0%	98.0%
	<b>Grade 11</b>	0.2%	1.1%	2.3%	97.7%
	<b>Grade 12</b>	0.0%	0.2%	0.9%	99.1%
<b>Ecstasy</b>	<b>All</b>	1.3%	1.8%	2.9%	97.1%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	0.2%	0.5%	1.5%	98.5%
	<b>Grade 9</b>	1.1%	1.6%	3.5%	96.5%
	<b>Grade 10</b>	2.2%	2.7%	4.1%	95.9%
	<b>Grade 11</b>	1.7%	2.4%	3.5%	96.5%
	<b>Grade 12</b>	2.0%	3.5%	4.2%	95.8%
<b>Heroin</b>	<b>All</b>	0.3%	0.3%	0.5%	99.5%
	<b>Grade 7</b>	0.1%	0.3%	0.5%	99.5%
	<b>Grade 8</b>	0.1%	0.1%	0.5%	99.5%
	<b>Grade 9</b>	0.4%	0.4%	0.4%	99.6%
	<b>Grade 10</b>	0.3%	0.3%	0.8%	99.2%
	<b>Grade 11</b>	0.1%	0.1%	0.5%	99.5%
	<b>Grade 12</b>	0.4%	0.4%	0.4%	99.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.4%	18.3%	35.3%	64.7%
	Grade 7	7.8%	10.6%	22.6%	77.4%
	Grade 8	6.9%	10.9%	27.3%	72.7%
	Grade 9	9.3%	15.4%	34.2%	65.8%
	Grade 10	11.8%	18.1%	36.6%	63.4%
	Grade 11	19.0%	27.2%	46.1%	53.9%
	Grade 12	23.8%	32.6%	50.4%	49.6%
<b>Alcohol</b>					
	All	36.5%	48.9%	69.4%	30.6%
	Grade 7	29.3%	34.2%	54.7%	45.3%
	Grade 8	28.7%	40.6%	63.0%	37.0%
	Grade 9	36.5%	48.9%	71.1%	28.9%
	Grade 10	38.3%	53.0%	74.9%	25.1%
	Grade 11	41.8%	59.7%	78.0%	22.0%
	Grade 12	47.7%	62.0%	78.3%	21.7%
<b>Inhalants</b>					
	All	3.1%	5.1%	10.1%	89.9%
	Grade 7	6.2%	10.1%	14.7%	85.3%
	Grade 8	4.6%	6.7%	12.6%	87.4%
	Grade 9	1.7%	3.4%	9.0%	91.0%
	Grade 10	3.2%	5.7%	11.7%	88.3%
	Grade 11	1.3%	1.9%	5.6%	94.4%
	Grade 12	0.9%	1.8%	5.2%	94.8%
<b>Any Illicit Drug</b>					
	All	14.1%	19.4%	32.5%	67.5%
	Grade 7	10.7%	13.9%	22.5%	77.5%
	Grade 8	10.9%	14.1%	24.6%	75.4%
	Grade 9	13.9%	20.0%	32.2%	67.8%
	Grade 10	15.8%	21.5%	36.1%	63.9%
	Grade 11	16.8%	24.6%	41.4%	58.6%
	Grade 12	18.1%	24.0%	42.0%	58.0%
<b>Marijuana</b>					
	All	12.2%	17.2%	30.3%	69.7%
	Grade 7	8.8%	11.0%	18.9%	81.1%
	Grade 8	9.3%	12.8%	22.3%	77.7%
	Grade 9	12.3%	17.6%	30.0%	70.0%
	Grade 10	13.1%	18.9%	33.3%	66.7%
	Grade 11	14.9%	22.5%	40.0%	60.0%
	Grade 12	16.2%	22.2%	41.5%	58.5%
<b>Marijuana Only</b>					
	All	4.6%	6.8%	14.9%	85.1%
	Grade 7	4.3%	5.2%	10.0%	90.0%
	Grade 8	4.1%	5.9%	12.2%	87.8%
	Grade 9	3.5%	5.8%	14.0%	86.0%
	Grade 10	4.7%	7.7%	16.7%	83.3%
	Grade 11	6.2%	9.6%	19.6%	80.4%
	Grade 12	5.3%	7.4%	18.4%	81.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	3.2%	4.8%	9.7%	90.3%
	<b>Grade 7</b>	2.6%	4.3%	7.0%	93.0%
	<b>Grade 8</b>	2.3%	3.2%	6.7%	93.3%
	<b>Grade 9</b>	3.2%	4.8%	9.6%	90.4%
	<b>Grade 10</b>	3.0%	4.5%	9.8%	90.2%
	<b>Grade 11</b>	3.3%	4.4%	10.7%	89.3%
	<b>Grade 12</b>	5.5%	8.7%	15.7%	84.3%
<b>Cocaine</b>					
	<b>All</b>	3.0%	4.6%	9.0%	91.0%
	<b>Grade 7</b>	2.1%	3.7%	5.5%	94.5%
	<b>Grade 8</b>	2.1%	2.8%	5.6%	94.4%
	<b>Grade 9</b>	2.9%	4.6%	9.0%	91.0%
	<b>Grade 10</b>	3.0%	4.4%	9.3%	90.7%
	<b>Grade 11</b>	3.3%	4.4%	10.7%	89.3%
	<b>Grade 12</b>	5.5%	8.8%	15.9%	84.1%
<b>Crack</b>					
	<b>All</b>	0.4%	0.7%	1.9%	98.1%
	<b>Grade 7</b>	0.7%	1.4%	2.9%	97.1%
	<b>Grade 8</b>	0.4%	0.8%	2.6%	97.4%
	<b>Grade 9</b>	0.4%	0.7%	1.9%	98.1%
	<b>Grade 10</b>	0.1%	0.5%	1.6%	98.4%
	<b>Grade 11</b>	0.2%	0.3%	1.5%	98.5%
	<b>Grade 12</b>	0.1%	0.1%	0.4%	99.6%
<b>Hallucinogens</b>					
	<b>All</b>	1.0%	1.9%	4.0%	96.0%
	<b>Grade 7</b>	0.2%	0.6%	1.6%	98.4%
	<b>Grade 8</b>	0.3%	0.6%	1.9%	98.1%
	<b>Grade 9</b>	1.4%	2.9%	4.4%	95.6%
	<b>Grade 10</b>	1.5%	2.3%	5.0%	95.0%
	<b>Grade 11</b>	1.1%	2.2%	5.2%	94.8%
	<b>Grade 12</b>	1.5%	3.0%	6.4%	93.6%
<b>Uppers</b>					
	<b>All</b>	2.1%	3.4%	6.0%	94.0%
	<b>Grade 7</b>	1.5%	1.7%	2.5%	97.5%
	<b>Grade 8</b>	0.9%	1.4%	3.1%	96.9%
	<b>Grade 9</b>	2.3%	4.3%	7.0%	93.0%
	<b>Grade 10</b>	2.1%	3.5%	6.8%	93.2%
	<b>Grade 11</b>	2.7%	4.5%	8.3%	91.7%
	<b>Grade 12</b>	3.6%	5.5%	9.5%	90.5%
<b>Downers</b>					
	<b>All</b>	2.3%	3.7%	7.0%	93.0%
	<b>Grade 7</b>	0.9%	1.1%	2.1%	97.9%
	<b>Grade 8</b>	0.9%	1.5%	3.3%	96.7%
	<b>Grade 9</b>	2.7%	4.9%	7.1%	92.9%
	<b>Grade 10</b>	2.6%	4.0%	7.6%	92.4%
	<b>Grade 11</b>	3.2%	4.9%	9.9%	90.1%
	<b>Grade 12</b>	4.1%	6.7%	14.4%	85.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.2%	1.7%	2.7%	97.3%
	<b>Grade 7</b>	0.9%	1.4%	2.9%	97.1%
	<b>Grade 8</b>	0.8%	1.2%	2.6%	97.4%
	<b>Grade 9</b>	1.2%	1.9%	2.3%	97.7%
	<b>Grade 10</b>	2.4%	3.4%	4.1%	95.9%
	<b>Grade 11</b>	0.4%	0.4%	1.6%	98.4%
	<b>Grade 12</b>	1.7%	1.8%	2.3%	97.7%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.2%	98.8%
	<b>Grade 7</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 8</b>	0.6%	0.9%	1.2%	98.8%
	<b>Grade 9</b>	0.7%	0.8%	1.3%	98.7%
	<b>Grade 10</b>	0.6%	0.6%	1.2%	98.8%
	<b>Grade 11</b>	0.3%	1.5%	2.0%	98.0%
	<b>Grade 12</b>	0.3%	0.3%	0.6%	99.4%
<b>Ecstasy</b>					
	<b>All</b>	2.3%	3.9%	7.3%	92.7%
	<b>Grade 7</b>	1.5%	1.9%	3.3%	96.7%
	<b>Grade 8</b>	1.6%	2.8%	4.7%	95.3%
	<b>Grade 9</b>	1.3%	4.0%	6.7%	93.3%
	<b>Grade 10</b>	3.1%	4.2%	8.0%	92.0%
	<b>Grade 11</b>	3.0%	4.2%	10.2%	89.8%
	<b>Grade 12</b>	3.5%	7.1%	12.4%	87.6%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 7</b>	1.1%	1.3%	2.5%	97.5%
	<b>Grade 8</b>	0.2%	0.8%	1.7%	98.3%
	<b>Grade 9</b>	0.5%	0.8%	1.9%	98.1%
	<b>Grade 10</b>	0.2%	0.6%	1.2%	98.8%
	<b>Grade 11</b>	0.5%	0.7%	2.0%	98.0%
	<b>Grade 12</b>	0.2%	0.2%	0.4%	99.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	6.9%	10.6%	20.1%	79.9%
	Grade 7	1.4%	2.9%	7.4%	92.6%
	Grade 8	2.2%	3.8%	12.7%	87.3%
	Grade 9	2.8%	4.6%	13.0%	87.0%
	Grade 10	9.0%	13.1%	24.6%	75.4%
	Grade 11	10.2%	15.3%	26.8%	73.2%
	Grade 12	15.9%	24.3%	36.5%	63.5%
<b>Alcohol</b>					
	All	24.6%	36.4%	58.0%	42.0%
	Grade 7	10.5%	14.7%	35.6%	64.4%
	Grade 8	16.7%	28.8%	51.3%	48.7%
	Grade 9	19.1%	28.8%	54.4%	45.6%
	Grade 10	29.0%	43.1%	66.6%	33.4%
	Grade 11	29.8%	45.6%	66.0%	34.0%
	Grade 12	41.7%	57.1%	73.2%	26.8%
<b>Inhalants</b>					
	All	1.1%	2.0%	5.3%	94.7%
	Grade 7	2.1%	3.0%	6.6%	93.4%
	Grade 8	2.0%	3.4%	7.7%	92.3%
	Grade 9	0.4%	1.3%	5.4%	94.6%
	Grade 10	0.7%	1.1%	5.4%	94.6%
	Grade 11	0.6%	1.1%	3.0%	97.0%
	Grade 12	0.8%	2.3%	3.8%	96.2%
<b>Any Illicit Drug</b>					
	All	6.8%	10.3%	17.3%	82.7%
	Grade 7	2.9%	3.5%	5.0%	95.0%
	Grade 8	2.9%	4.9%	8.0%	92.0%
	Grade 9	5.5%	7.9%	13.0%	87.0%
	Grade 10	8.7%	12.6%	22.2%	77.8%
	Grade 11	8.1%	15.3%	26.0%	74.0%
	Grade 12	12.5%	17.7%	29.5%	70.5%
<b>Marijuana</b>					
	All	5.8%	9.3%	15.8%	84.2%
	Grade 7	2.5%	2.9%	3.5%	96.5%
	Grade 8	1.6%	3.3%	5.9%	94.1%
	Grade 9	5.2%	7.2%	11.7%	88.3%
	Grade 10	6.7%	10.8%	20.0%	80.0%
	Grade 11	7.2%	14.2%	24.4%	75.6%
	Grade 12	11.6%	17.0%	29.5%	70.5%
<b>Marijuana Only</b>					
	All	2.3%	4.0%	8.8%	91.2%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	1.2%	2.6%	4.3%	95.7%
	Grade 9	2.2%	3.2%	6.7%	93.3%
	Grade 10	3.2%	5.0%	11.0%	89.0%
	Grade 11	2.0%	6.4%	14.4%	85.6%
	Grade 12	4.0%	6.3%	15.0%	85.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.7%	1.7%	3.7%	96.3%
	Grade 7	0.1%	0.7%	1.2%	98.8%
	Grade 8	0.2%	0.6%	1.5%	98.5%
	Grade 9	0.1%	0.2%	1.0%	99.0%
	Grade 10	0.5%	1.5%	4.3%	95.7%
	Grade 11	1.3%	2.0%	6.2%	93.8%
	Grade 12	2.0%	5.2%	8.2%	91.8%
<b>Cocaine</b>					
	All	0.6%	1.5%	3.4%	96.6%
	Grade 7	0.0%	0.3%	0.8%	99.2%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.1%	0.1%	0.9%	99.1%
	Grade 10	0.5%	1.2%	3.7%	96.3%
	Grade 11	1.0%	1.8%	5.6%	94.4%
	Grade 12	2.0%	5.2%	8.3%	91.7%
<b>Crack</b>					
	All	0.2%	0.5%	1.0%	99.0%
	Grade 7	0.1%	0.4%	0.8%	99.2%
	Grade 8	0.1%	0.4%	1.3%	98.7%
	Grade 9	0.1%	0.2%	0.4%	99.6%
	Grade 10	0.2%	0.7%	1.4%	98.6%
	Grade 11	0.5%	0.5%	1.3%	98.7%
	Grade 12	0.3%	0.5%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	1.0%	2.1%	3.6%	96.4%
	Grade 7	0.1%	0.7%	1.2%	98.8%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	0.4%	1.8%	3.1%	96.9%
	Grade 10	1.6%	2.6%	5.2%	94.8%
	Grade 11	0.9%	2.6%	4.3%	95.7%
	Grade 12	2.9%	4.1%	7.0%	93.0%
<b>Uppers</b>					
	All	1.0%	2.1%	3.9%	96.1%
	Grade 7	0.6%	0.6%	1.3%	98.7%
	Grade 8	0.6%	0.9%	1.3%	98.7%
	Grade 9	0.2%	1.4%	2.7%	97.3%
	Grade 10	1.3%	3.2%	5.3%	94.7%
	Grade 11	1.1%	2.3%	5.6%	94.4%
	Grade 12	2.4%	3.8%	7.1%	92.9%
<b>Downers</b>					
	All	0.9%	2.0%	4.0%	96.0%
	Grade 7	0.0%	0.6%	1.2%	98.8%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.2%	1.5%	2.8%	97.2%
	Grade 10	0.6%	2.7%	4.7%	95.3%
	Grade 11	1.0%	2.0%	5.4%	94.6%
	Grade 12	3.1%	4.5%	8.5%	91.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.2%	0.4%	0.9%	99.1%
	<b>Grade 7</b>	0.4%	0.7%	0.8%	99.2%
	<b>Grade 8</b>	0.0%	0.0%	0.5%	99.5%
	<b>Grade 9</b>	0.0%	0.1%	0.2%	99.8%
	<b>Grade 10</b>	0.2%	0.6%	1.3%	98.7%
	<b>Grade 11</b>	0.2%	0.3%	0.9%	99.1%
	<b>Grade 12</b>	0.7%	0.7%	2.0%	98.0%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 7</b>	0.5%	0.9%	1.2%	98.8%
	<b>Grade 8</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 9</b>	1.1%	1.2%	2.0%	98.0%
	<b>Grade 10</b>	0.0%	0.2%	1.0%	99.0%
	<b>Grade 11</b>	0.2%	0.3%	1.6%	98.4%
	<b>Grade 12</b>	0.4%	1.0%	1.6%	98.4%
<b>Ecstasy</b>					
	<b>All</b>	1.1%	2.1%	4.0%	96.0%
	<b>Grade 7</b>	0.6%	0.9%	1.2%	98.8%
	<b>Grade 8</b>	0.3%	0.6%	1.0%	99.0%
	<b>Grade 9</b>	0.2%	1.8%	3.7%	96.3%
	<b>Grade 10</b>	0.9%	1.5%	3.9%	96.1%
	<b>Grade 11</b>	0.7%	1.2%	4.6%	95.4%
	<b>Grade 12</b>	3.5%	6.1%	9.4%	90.6%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.6%	0.9%	99.1%
	<b>Grade 7</b>	0.3%	0.4%	0.5%	99.5%
	<b>Grade 8</b>	0.3%	0.4%	0.9%	99.1%
	<b>Grade 9</b>	0.1%	0.5%	0.7%	99.3%
	<b>Grade 10</b>	0.2%	0.4%	0.8%	99.2%
	<b>Grade 11</b>	0.2%	0.2%	0.6%	99.4%
	<b>Grade 12</b>	0.5%	1.6%	1.7%	98.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	14.2%	19.8%	36.3%	63.7%
	Grade 7	8.1%	11.0%	24.0%	76.0%
	Grade 8	7.8%	11.4%	26.6%	73.4%
	Grade 9	11.1%	17.7%	35.9%	64.1%
	Grade 10	13.8%	20.2%	38.0%	62.0%
	Grade 11	20.1%	26.6%	44.8%	55.2%
	Grade 12	25.4%	32.8%	48.4%	51.6%
<b>Alcohol</b>					
	All	36.8%	49.7%	69.8%	30.2%
	Grade 7	27.3%	34.3%	56.0%	44.0%
	Grade 8	27.8%	39.4%	61.5%	38.5%
	Grade 9	35.4%	50.3%	72.0%	28.0%
	Grade 10	38.4%	51.5%	72.5%	27.5%
	Grade 11	43.1%	59.5%	77.1%	22.9%
	Grade 12	49.4%	63.0%	79.2%	20.8%
<b>Inhalants</b>					
	All	2.9%	4.9%	9.7%	90.3%
	Grade 7	5.7%	8.9%	13.9%	86.1%
	Grade 8	4.4%	7.2%	12.3%	87.7%
	Grade 9	2.1%	4.2%	9.2%	90.8%
	Grade 10	2.3%	4.5%	9.9%	90.1%
	Grade 11	1.4%	2.5%	6.2%	93.8%
	Grade 12	1.8%	2.7%	6.9%	93.1%
<b>Any Illicit Drug</b>					
	All	15.3%	21.1%	33.7%	66.3%
	Grade 7	9.4%	12.6%	21.2%	78.8%
	Grade 8	10.8%	14.2%	24.2%	75.8%
	Grade 9	14.7%	20.7%	32.9%	67.1%
	Grade 10	17.3%	23.1%	35.6%	64.4%
	Grade 11	18.5%	26.5%	41.7%	58.3%
	Grade 12	21.5%	29.5%	46.9%	53.1%
<b>Marijuana</b>					
	All	13.5%	19.2%	31.8%	68.2%
	Grade 7	7.3%	9.8%	18.0%	82.0%
	Grade 8	9.4%	12.8%	21.8%	78.2%
	Grade 9	12.7%	18.5%	30.8%	69.2%
	Grade 10	15.3%	21.5%	33.8%	66.2%
	Grade 11	16.4%	24.4%	40.4%	59.6%
	Grade 12	19.9%	27.9%	46.3%	53.7%
<b>Marijuana Only</b>					
	All	5.7%	8.7%	17.2%	82.8%
	Grade 7	3.6%	4.9%	10.5%	89.5%
	Grade 8	4.5%	6.6%	13.0%	87.0%
	Grade 9	4.7%	7.8%	16.5%	83.5%
	Grade 10	6.2%	9.9%	18.5%	81.5%
	Grade 11	7.2%	11.1%	21.6%	78.4%
	Grade 12	8.2%	12.2%	23.7%	76.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.6%	4.2%	8.1%	91.9%
	Grade 7	2.2%	3.5%	5.6%	94.4%
	Grade 8	1.8%	2.7%	5.6%	94.4%
	Grade 9	2.9%	4.5%	8.0%	92.0%
	Grade 10	2.2%	3.5%	7.4%	92.6%
	Grade 11	2.6%	4.1%	9.1%	90.9%
	Grade 12	4.1%	7.1%	13.2%	86.8%
<b>Cocaine</b>					
	All	2.5%	4.1%	7.6%	92.4%
	Grade 7	1.9%	3.1%	4.5%	95.5%
	Grade 8	1.7%	2.5%	4.7%	95.3%
	Grade 9	2.7%	4.3%	7.4%	92.6%
	Grade 10	2.3%	3.4%	7.1%	92.9%
	Grade 11	2.6%	4.1%	9.0%	91.0%
	Grade 12	4.1%	7.1%	13.2%	86.8%
<b>Crack</b>					
	All	0.3%	0.6%	1.6%	98.4%
	Grade 7	0.6%	1.2%	2.3%	97.7%
	Grade 8	0.4%	0.8%	2.1%	97.9%
	Grade 9	0.4%	0.7%	1.8%	98.2%
	Grade 10	0.2%	0.3%	1.3%	98.7%
	Grade 11	0.2%	0.4%	1.1%	98.9%
	Grade 12	0.2%	0.2%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	1.4%	2.5%	4.7%	95.3%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	0.9%	1.5%	2.7%	97.3%
	Grade 9	1.5%	2.7%	4.4%	95.6%
	Grade 10	1.4%	2.7%	5.3%	94.7%
	Grade 11	1.4%	3.2%	6.7%	93.3%
	Grade 12	2.7%	4.4%	7.2%	92.8%
<b>Uppers</b>					
	All	2.6%	4.2%	6.8%	93.2%
	Grade 7	1.5%	1.7%	2.6%	97.4%
	Grade 8	1.2%	1.5%	3.2%	96.8%
	Grade 9	2.8%	4.1%	6.3%	93.7%
	Grade 10	2.6%	4.2%	7.3%	92.7%
	Grade 11	3.5%	6.3%	9.6%	90.4%
	Grade 12	4.0%	7.2%	12.0%	88.0%
<b>Downers</b>					
	All	2.9%	4.6%	7.9%	92.1%
	Grade 7	0.9%	1.1%	2.0%	98.0%
	Grade 8	1.4%	1.9%	3.3%	96.7%
	Grade 9	3.1%	4.5%	6.8%	93.2%
	Grade 10	3.1%	4.8%	8.7%	91.3%
	Grade 11	3.7%	6.5%	11.3%	88.7%
	Grade 12	5.0%	8.6%	15.5%	84.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.0%	1.4%	2.3%	97.7%
	<b>Grade 7</b>	0.7%	1.0%	2.1%	97.9%
	<b>Grade 8</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 9</b>	1.1%	1.8%	2.3%	97.7%
	<b>Grade 10</b>	1.9%	2.4%	3.3%	96.7%
	<b>Grade 11</b>	0.5%	0.8%	1.8%	98.2%
	<b>Grade 12</b>	0.9%	1.1%	1.7%	98.3%
<b>Steroids</b>	<b>All</b>	0.6%	0.9%	1.5%	98.5%
	<b>Grade 7</b>	0.7%	1.1%	1.6%	98.4%
	<b>Grade 8</b>	0.5%	0.9%	1.3%	98.7%
	<b>Grade 9</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 10</b>	0.8%	1.0%	1.9%	98.1%
	<b>Grade 11</b>	0.6%	1.5%	2.0%	98.0%
	<b>Grade 12</b>	0.5%	0.5%	1.0%	99.0%
<b>Ecstasy</b>	<b>All</b>	2.2%	3.8%	6.8%	93.2%
	<b>Grade 7</b>	1.2%	1.6%	2.6%	97.4%
	<b>Grade 8</b>	1.3%	2.2%	4.2%	95.8%
	<b>Grade 9</b>	2.1%	3.9%	6.1%	93.9%
	<b>Grade 10</b>	2.7%	4.3%	7.8%	92.2%
	<b>Grade 11</b>	3.1%	4.8%	9.8%	90.2%
	<b>Grade 12</b>	2.8%	6.2%	10.1%	89.9%
<b>Heroin</b>	<b>All</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 7</b>	0.8%	1.1%	2.1%	97.9%
	<b>Grade 8</b>	0.3%	0.6%	1.5%	98.5%
	<b>Grade 9</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grade 10</b>	0.4%	0.7%	1.4%	98.6%
	<b>Grade 11</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grade 12</b>	0.3%	0.4%	0.6%	99.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.3%	15.1%	27.7%	72.3%
	Grade 7	5.2%	7.5%	15.6%	84.4%
	Grade 8	4.8%	7.0%	17.9%	82.1%
	Grade 9	7.3%	12.1%	25.3%	74.7%
	Grade 10	10.5%	15.2%	30.0%	70.0%
	Grade 11	16.1%	23.1%	37.8%	62.2%
	Grade 12	19.3%	27.2%	40.8%	59.2%
<b>Alcohol</b>					
	All	31.6%	43.3%	62.6%	37.4%
	Grade 7	20.9%	26.4%	44.6%	55.4%
	Grade 8	22.9%	33.9%	53.5%	46.5%
	Grade 9	28.5%	40.5%	62.8%	37.2%
	Grade 10	33.9%	47.0%	68.0%	32.0%
	Grade 11	38.5%	54.6%	72.5%	27.5%
	Grade 12	46.0%	59.0%	74.7%	25.3%
<b>Inhalants</b>					
	All	2.1%	3.5%	8.0%	92.0%
	Grade 7	4.0%	6.0%	10.7%	89.3%
	Grade 8	3.1%	4.7%	10.2%	89.8%
	Grade 9	1.0%	2.7%	8.2%	91.8%
	Grade 10	2.0%	3.7%	8.3%	91.7%
	Grade 11	1.3%	2.0%	5.1%	94.9%
	Grade 12	1.2%	2.1%	5.3%	94.7%
<b>Any Illicit Drug</b>					
	All	10.6%	14.9%	24.4%	75.6%
	Grade 7	5.8%	8.1%	13.3%	86.7%
	Grade 8	6.3%	8.4%	15.1%	84.9%
	Grade 9	9.9%	14.2%	23.1%	76.9%
	Grade 10	12.3%	16.6%	26.7%	73.3%
	Grade 11	13.8%	20.6%	32.2%	67.8%
	Grade 12	15.9%	22.3%	36.7%	63.3%
<b>Marijuana</b>					
	All	9.0%	13.2%	22.5%	77.5%
	Grade 7	4.7%	6.6%	11.0%	89.0%
	Grade 8	5.0%	7.0%	12.8%	87.2%
	Grade 9	8.2%	12.0%	20.9%	79.1%
	Grade 10	10.0%	14.4%	24.5%	75.5%
	Grade 11	11.7%	18.4%	30.5%	69.5%
	Grade 12	14.9%	21.6%	36.3%	63.7%
<b>Marijuana Only</b>					
	All	3.8%	6.0%	12.1%	87.9%
	Grade 7	2.4%	3.2%	5.9%	94.1%
	Grade 8	2.5%	3.7%	7.7%	92.3%
	Grade 9	3.3%	5.1%	11.0%	89.0%
	Grade 10	4.2%	6.8%	13.6%	86.4%
	Grade 11	4.2%	7.5%	15.2%	84.8%
	Grade 12	6.2%	10.4%	20.2%	79.8%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.8%	3.0%	6.0%	94.0%
	Grade 7	1.1%	2.5%	4.0%	96.0%
	Grade 8	0.9%	1.6%	3.6%	96.4%
	Grade 9	2.0%	3.1%	5.9%	94.1%
	Grade 10	1.5%	2.4%	5.1%	94.9%
	Grade 11	2.3%	3.3%	7.6%	92.4%
	Grade 12	2.8%	5.3%	10.0%	90.0%
<b>Cocaine</b>					
	All	1.6%	2.7%	5.4%	94.6%
	Grade 7	0.8%	2.0%	2.8%	97.2%
	Grade 8	0.7%	1.1%	2.8%	97.2%
	Grade 9	1.8%	2.8%	5.3%	94.7%
	Grade 10	1.5%	2.3%	4.6%	95.4%
	Grade 11	2.1%	3.1%	7.4%	92.6%
	Grade 12	2.8%	5.3%	9.9%	90.1%
<b>Crack</b>					
	All	0.3%	0.6%	1.5%	98.5%
	Grade 7	0.5%	1.0%	2.4%	97.6%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.4%	0.7%	1.6%	98.4%
	Grade 10	0.1%	0.3%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Hallucinogens</b>					
	All	1.0%	2.1%	3.8%	96.2%
	Grade 7	0.2%	0.3%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.9%	2.2%	3.7%	96.3%
	Grade 10	1.2%	2.3%	4.1%	95.9%
	Grade 11	1.2%	3.1%	6.2%	93.8%
	Grade 12	2.5%	4.1%	6.1%	93.9%
<b>Uppers</b>					
	All	1.7%	2.8%	4.9%	95.1%
	Grade 7	1.0%	1.1%	1.9%	98.1%
	Grade 8	0.5%	1.0%	2.1%	97.9%
	Grade 9	1.5%	2.4%	4.5%	95.5%
	Grade 10	1.8%	2.9%	4.9%	95.1%
	Grade 11	2.8%	4.9%	7.8%	92.2%
	Grade 12	2.7%	4.9%	8.5%	91.5%
<b>Downers</b>					
	All	1.8%	3.1%	5.5%	94.5%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	0.7%	1.1%	2.3%	97.7%
	Grade 9	1.6%	2.8%	4.9%	95.1%
	Grade 10	1.6%	2.8%	5.2%	94.8%
	Grade 11	3.0%	5.4%	9.0%	91.0%
	Grade 12	3.4%	6.0%	10.5%	89.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.7%	0.9%	1.6%	98.4%
	<b>Grade 7</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	0.3%	0.6%	1.0%	99.0%
	<b>Grade 9</b>	0.6%	0.9%	1.1%	98.9%
	<b>Grade 10</b>	1.3%	1.5%	2.2%	97.8%
	<b>Grade 11</b>	0.4%	0.6%	1.8%	98.2%
	<b>Grade 12</b>	0.9%	1.1%	1.9%	98.1%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 7</b>	0.6%	0.8%	1.2%	98.8%
	<b>Grade 8</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 9</b>	0.3%	0.5%	1.3%	98.7%
	<b>Grade 10</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 11</b>	0.6%	1.4%	2.3%	97.7%
	<b>Grade 12</b>	0.3%	0.6%	1.1%	98.9%
<b>Ecstasy</b>					
	<b>All</b>	1.6%	2.6%	4.8%	95.2%
	<b>Grade 7</b>	0.8%	1.1%	1.5%	98.5%
	<b>Grade 8</b>	0.8%	1.2%	2.3%	97.7%
	<b>Grade 9</b>	1.1%	2.2%	4.9%	95.1%
	<b>Grade 10</b>	2.2%	3.3%	5.6%	94.4%
	<b>Grade 11</b>	2.2%	3.6%	7.8%	92.2%
	<b>Grade 12</b>	2.6%	4.4%	6.8%	93.2%
<b>Heroin</b>					
	<b>All</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 8</b>	0.2%	0.3%	1.0%	99.0%
	<b>Grade 9</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 10</b>	0.3%	0.5%	0.7%	99.3%
	<b>Grade 11</b>	0.5%	0.7%	1.6%	98.4%
	<b>Grade 12</b>	0.3%	0.8%	0.9%	99.1%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	15.3%	20.8%	38.7%	61.3%
	Grade 7	8.1%	10.8%	26.4%	73.6%
	Grade 8	8.7%	13.3%	30.4%	69.6%
	Grade 9	11.8%	17.5%	36.7%	63.3%
	Grade 10	16.0%	23.4%	42.0%	58.0%
	Grade 11	20.4%	25.3%	45.4%	54.6%
	Grade 12	27.0%	34.1%	50.7%	49.3%
<b>Alcohol</b>					
	All	36.6%	50.6%	73.0%	27.0%
	Grade 7	25.7%	33.7%	60.6%	39.4%
	Grade 8	28.3%	41.1%	67.3%	32.7%
	Grade 9	35.1%	51.0%	74.1%	25.9%
	Grade 10	39.0%	53.2%	75.7%	24.3%
	Grade 11	42.5%	58.6%	77.6%	22.4%
	Grade 12	48.3%	64.2%	81.2%	18.8%
<b>Inhalants</b>					
	All	2.9%	5.1%	9.4%	90.6%
	Grade 7	5.7%	9.3%	13.6%	86.4%
	Grade 8	4.7%	8.3%	12.4%	87.6%
	Grade 9	2.2%	4.2%	8.0%	92.0%
	Grade 10	1.9%	3.8%	9.5%	90.5%
	Grade 11	1.2%	2.5%	6.5%	93.5%
	Grade 12	2.0%	3.1%	6.9%	93.1%
<b>Any Illicit Drug</b>					
	All	17.0%	23.3%	37.1%	62.9%
	Grade 7	11.0%	13.4%	22.7%	77.3%
	Grade 8	12.7%	17.1%	27.4%	72.6%
	Grade 9	15.9%	22.2%	34.5%	65.5%
	Grade 10	19.4%	26.3%	40.7%	59.3%
	Grade 11	19.6%	28.9%	47.3%	52.7%
	Grade 12	22.9%	31.3%	49.3%	50.7%
<b>Marijuana</b>					
	All	15.3%	21.7%	35.6%	64.4%
	Grade 7	8.3%	10.3%	19.5%	80.5%
	Grade 8	11.1%	15.6%	25.2%	74.8%
	Grade 9	14.5%	20.9%	33.1%	66.9%
	Grade 10	17.8%	25.5%	39.2%	60.8%
	Grade 11	18.4%	27.6%	46.0%	54.0%
	Grade 12	21.0%	29.4%	49.0%	51.0%
<b>Marijuana Only</b>					
	All	6.4%	9.8%	19.5%	80.5%
	Grade 7	3.5%	4.9%	11.7%	88.3%
	Grade 8	5.5%	8.4%	15.4%	84.6%
	Grade 9	5.3%	9.0%	18.5%	81.5%
	Grade 10	7.3%	11.5%	21.2%	78.8%
	Grade 11	8.6%	13.7%	27.0%	73.0%
	Grade 12	8.0%	10.6%	22.4%	77.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.8%	4.5%	8.5%	91.5%
	Grade 7	2.4%	3.3%	4.9%	95.1%
	Grade 8	2.2%	3.3%	6.0%	94.0%
	Grade 9	2.6%	4.0%	7.0%	93.0%
	Grade 10	2.4%	4.0%	9.0%	91.0%
	Grade 11	2.5%	4.2%	9.8%	90.2%
	Grade 12	4.5%	8.5%	14.5%	85.5%
<b>Cocaine</b>					
	All	2.7%	4.4%	8.2%	91.8%
	Grade 7	2.3%	2.9%	4.6%	95.4%
	Grade 8	2.2%	3.2%	5.0%	95.0%
	Grade 9	2.4%	3.9%	6.7%	93.3%
	Grade 10	2.4%	3.9%	8.8%	91.2%
	Grade 11	2.5%	4.2%	9.7%	90.3%
	Grade 12	4.5%	8.6%	14.7%	85.3%
<b>Crack</b>					
	All	0.3%	0.6%	1.4%	98.6%
	Grade 7	0.5%	0.8%	1.0%	99.0%
	Grade 8	0.3%	0.8%	2.3%	97.7%
	Grade 9	0.3%	0.6%	1.2%	98.8%
	Grade 10	0.3%	0.9%	2.1%	97.9%
	Grade 11	0.2%	0.3%	0.7%	99.3%
	Grade 12	0.4%	0.5%	1.0%	99.0%
<b>Hallucinogens</b>					
	All	1.8%	3.0%	5.5%	94.5%
	Grade 7	0.7%	1.6%	2.3%	97.7%
	Grade 8	1.3%	2.0%	3.3%	96.7%
	Grade 9	1.8%	3.0%	4.8%	95.2%
	Grade 10	2.2%	3.4%	7.4%	92.6%
	Grade 11	1.5%	3.0%	6.0%	94.0%
	Grade 12	3.2%	4.8%	8.9%	91.1%
<b>Uppers</b>					
	All	3.0%	4.8%	7.9%	92.1%
	Grade 7	1.5%	1.9%	3.1%	96.9%
	Grade 8	1.8%	2.3%	3.8%	96.2%
	Grade 9	3.2%	4.6%	6.5%	93.5%
	Grade 10	3.2%	5.8%	9.8%	90.2%
	Grade 11	3.1%	5.9%	10.5%	89.5%
	Grade 12	4.6%	8.0%	13.5%	86.5%
<b>Downers</b>					
	All	3.2%	5.2%	9.1%	90.9%
	Grade 7	0.7%	1.2%	2.7%	97.3%
	Grade 8	1.8%	2.7%	3.9%	96.1%
	Grade 9	3.6%	5.2%	7.3%	92.7%
	Grade 10	4.1%	6.8%	11.6%	88.4%
	Grade 11	3.1%	5.5%	11.2%	88.8%
	Grade 12	5.8%	9.2%	17.4%	82.6%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.0%	1.5%	2.6%	97.4%
	<b>Grade 7</b>	0.7%	0.9%	2.4%	97.6%
	<b>Grade 8</b>	1.1%	1.5%	2.6%	97.4%
	<b>Grade 9</b>	1.4%	2.0%	2.9%	97.1%
	<b>Grade 10</b>	1.6%	2.7%	4.0%	96.0%
	<b>Grade 11</b>	0.4%	0.9%	1.5%	98.5%
	<b>Grade 12</b>	0.7%	0.7%	1.7%	98.3%
<b>Steroids</b>					
	<b>All</b>	0.6%	1.0%	1.5%	98.5%
	<b>Grade 7</b>	0.8%	1.3%	1.8%	98.2%
	<b>Grade 8</b>	0.7%	1.1%	1.5%	98.5%
	<b>Grade 9</b>	0.8%	1.0%	1.4%	98.6%
	<b>Grade 10</b>	0.4%	0.6%	1.3%	98.7%
	<b>Grade 11</b>	0.5%	1.0%	1.4%	98.6%
	<b>Grade 12</b>	0.7%	0.9%	1.5%	98.5%
<b>Ecstasy</b>					
	<b>All</b>	2.5%	4.6%	8.1%	91.9%
	<b>Grade 7</b>	1.6%	1.9%	3.4%	96.6%
	<b>Grade 8</b>	1.5%	2.7%	4.8%	95.2%
	<b>Grade 9</b>	2.6%	5.3%	6.9%	93.1%
	<b>Grade 10</b>	2.6%	4.0%	8.7%	91.3%
	<b>Grade 11</b>	3.1%	4.5%	9.9%	90.1%
	<b>Grade 12</b>	3.6%	9.0%	14.6%	85.4%
<b>Heroin</b>					
	<b>All</b>	0.4%	0.7%	1.4%	98.6%
	<b>Grade 7</b>	0.9%	1.0%	1.6%	98.4%
	<b>Grade 8</b>	0.4%	0.9%	1.7%	98.3%
	<b>Grade 9</b>	0.4%	0.5%	1.1%	98.9%
	<b>Grade 10</b>	0.4%	0.8%	2.0%	98.0%
	<b>Grade 11</b>	0.2%	0.3%	0.8%	99.2%
	<b>Grade 12</b>	0.5%	0.7%	1.1%	98.9%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.7%	15.4%	29.6%	70.4%
	Grade 7	4.4%	6.6%	16.5%	83.5%
	Grade 8	4.8%	7.8%	19.8%	80.2%
	Grade 9	7.2%	12.3%	27.4%	72.6%
	Grade 10	11.1%	16.2%	32.5%	67.5%
	Grade 11	16.9%	22.5%	38.7%	61.3%
	Grade 12	21.0%	28.4%	43.3%	56.7%
<b>Alcohol</b>					
	All	31.4%	43.9%	65.2%	34.8%
	Grade 7	19.9%	25.7%	47.5%	52.5%
	Grade 8	22.0%	33.3%	55.9%	44.1%
	Grade 9	29.5%	43.0%	66.3%	33.7%
	Grade 10	33.4%	46.5%	69.8%	30.2%
	Grade 11	38.3%	54.9%	74.0%	26.0%
	Grade 12	45.7%	60.2%	76.9%	23.1%
<b>Inhalants</b>					
	All	2.0%	3.4%	7.2%	92.8%
	Grade 7	3.3%	5.4%	9.6%	90.4%
	Grade 8	3.0%	4.5%	8.7%	91.3%
	Grade 9	1.6%	3.1%	7.3%	92.7%
	Grade 10	2.0%	3.6%	7.5%	92.5%
	Grade 11	1.1%	1.9%	5.0%	95.0%
	Grade 12	1.2%	2.2%	5.1%	94.9%
<b>Any Illicit Drug</b>					
	All	11.0%	15.7%	26.0%	74.0%
	Grade 7	5.5%	7.6%	13.9%	86.1%
	Grade 8	7.1%	9.9%	16.7%	83.3%
	Grade 9	10.6%	15.0%	24.2%	75.8%
	Grade 10	12.1%	17.0%	28.1%	71.9%
	Grade 11	13.8%	21.6%	35.1%	64.9%
	Grade 12	17.3%	23.3%	38.5%	61.5%
<b>Marijuana</b>					
	All	9.7%	14.3%	24.4%	75.6%
	Grade 7	4.2%	5.9%	11.0%	89.0%
	Grade 8	5.8%	8.6%	14.6%	85.4%
	Grade 9	9.1%	13.4%	22.7%	77.3%
	Grade 10	10.7%	15.9%	26.4%	73.6%
	Grade 11	12.4%	20.0%	33.9%	66.1%
	Grade 12	16.4%	22.5%	38.0%	62.0%
<b>Marijuana Only</b>					
	All	4.1%	6.7%	13.9%	86.1%
	Grade 7	2.0%	2.9%	6.7%	93.3%
	Grade 8	2.8%	4.6%	9.0%	91.0%
	Grade 9	3.4%	5.8%	13.1%	86.9%
	Grade 10	4.6%	7.7%	15.5%	84.5%
	Grade 11	5.3%	9.6%	19.0%	81.0%
	Grade 12	6.7%	10.0%	20.7%	79.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.6%	2.8%	5.5%	94.5%
	Grade 7	1.0%	1.7%	3.4%	96.6%
	Grade 8	1.3%	1.9%	3.8%	96.2%
	Grade 9	1.7%	2.7%	4.5%	95.5%
	Grade 10	1.6%	2.4%	5.0%	95.0%
	Grade 11	1.5%	3.0%	7.1%	92.9%
	Grade 12	2.6%	5.4%	9.6%	90.4%
<b>Cocaine</b>					
	All	1.5%	2.7%	5.1%	94.9%
	Grade 7	0.9%	1.5%	2.6%	97.4%
	Grade 8	1.1%	1.6%	3.1%	96.9%
	Grade 9	1.6%	2.6%	4.2%	95.8%
	Grade 10	1.6%	2.3%	4.7%	95.3%
	Grade 11	1.4%	2.9%	6.9%	93.1%
	Grade 12	2.5%	5.4%	9.6%	90.4%
<b>Crack</b>					
	All	0.2%	0.4%	1.0%	99.0%
	Grade 7	0.2%	0.6%	1.4%	98.6%
	Grade 8	0.4%	0.6%	1.4%	98.6%
	Grade 9	0.3%	0.4%	0.9%	99.1%
	Grade 10	0.1%	0.4%	1.1%	98.9%
	Grade 11	0.3%	0.4%	0.8%	99.2%
	Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>					
	All	1.0%	1.9%	3.7%	96.3%
	Grade 7	0.4%	0.8%	1.6%	98.4%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	1.0%	2.2%	3.6%	96.4%
	Grade 10	1.0%	1.9%	3.9%	96.1%
	Grade 11	1.0%	2.5%	5.3%	94.7%
	Grade 12	2.4%	3.3%	5.8%	94.2%
<b>Uppers</b>					
	All	1.8%	3.1%	5.0%	95.0%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	0.8%	1.3%	2.5%	97.5%
	Grade 9	1.7%	3.0%	4.4%	95.6%
	Grade 10	1.8%	2.9%	5.0%	95.0%
	Grade 11	2.9%	5.2%	8.3%	91.7%
	Grade 12	2.8%	5.0%	8.2%	91.8%
<b>Downers</b>					
	All	1.9%	3.2%	5.6%	94.4%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	1.0%	1.8%	2.8%	97.2%
	Grade 9	1.6%	2.8%	4.3%	95.7%
	Grade 10	1.9%	3.3%	5.9%	94.1%
	Grade 11	2.9%	4.9%	9.0%	91.0%
	Grade 12	3.8%	5.9%	10.8%	89.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.6%	0.8%	1.5%	98.5%
	<b>Grade 7</b>	0.4%	0.7%	1.5%	98.5%
	<b>Grade 8</b>	0.4%	0.7%	1.5%	98.5%
	<b>Grade 9</b>	0.7%	1.1%	1.6%	98.4%
	<b>Grade 10</b>	1.0%	1.4%	2.3%	97.7%
	<b>Grade 11</b>	0.3%	0.4%	1.0%	99.0%
	<b>Grade 12</b>	0.4%	0.5%	1.3%	98.7%
<b>Steroids</b>	<b>All</b>	0.5%	0.8%	1.3%	98.7%
	<b>Grade 7</b>	0.4%	0.7%	1.0%	99.0%
	<b>Grade 8</b>	0.4%	0.8%	1.3%	98.7%
	<b>Grade 9</b>	0.6%	0.8%	1.3%	98.7%
	<b>Grade 10</b>	0.5%	0.6%	1.3%	98.7%
	<b>Grade 11</b>	0.6%	1.1%	1.6%	98.4%
	<b>Grade 12</b>	0.4%	0.6%	1.0%	99.0%
<b>Ecstasy</b>	<b>All</b>	1.6%	2.7%	4.9%	95.1%
	<b>Grade 7</b>	0.7%	1.1%	1.9%	98.1%
	<b>Grade 8</b>	0.6%	1.3%	2.5%	97.5%
	<b>Grade 9</b>	1.5%	3.1%	5.0%	95.0%
	<b>Grade 10</b>	1.8%	2.8%	5.3%	94.7%
	<b>Grade 11</b>	2.2%	3.3%	7.2%	92.8%
	<b>Grade 12</b>	2.4%	4.7%	7.8%	92.2%
<b>Heroin</b>	<b>All</b>	0.3%	0.5%	0.9%	99.1%
	<b>Grade 7</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	0.2%	0.4%	1.0%	99.0%
	<b>Grade 9</b>	0.3%	0.4%	1.1%	98.9%
	<b>Grade 10</b>	0.2%	0.4%	0.6%	99.4%
	<b>Grade 11</b>	0.3%	0.4%	0.8%	99.2%
	<b>Grade 12</b>	0.1%	0.6%	0.8%	99.2%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	18.8%	25.7%	41.9%	58.1%
	Grade 7	13.7%	17.7%	31.8%	68.2%
	Grade 8	11.1%	15.8%	34.1%	65.9%
	Grade 9	16.2%	23.3%	40.0%	60.0%
	Grade 10	18.3%	26.6%	43.2%	56.8%
	Grade 11	23.9%	31.8%	50.8%	49.2%
	Grade 12	29.9%	38.8%	50.5%	49.5%
<b>Alcohol</b>					
	All	42.5%	55.6%	73.5%	26.5%
	Grade 7	34.4%	43.2%	63.1%	36.9%
	Grade 8	34.3%	49.1%	69.1%	30.9%
	Grade 9	38.1%	50.3%	71.8%	28.2%
	Grade 10	47.5%	61.5%	77.7%	22.3%
	Grade 11	47.0%	61.5%	78.3%	21.7%
	Grade 12	53.0%	66.6%	79.7%	20.3%
<b>Inhalants</b>					
	All	4.0%	6.9%	13.7%	86.3%
	Grade 7	9.2%	13.5%	19.9%	80.1%
	Grade 8	6.7%	12.5%	19.7%	80.3%
	Grade 9	2.7%	5.8%	12.6%	87.4%
	Grade 10	2.2%	4.1%	13.8%	86.2%
	Grade 11	2.0%	3.4%	8.1%	91.9%
	Grade 12	2.6%	3.7%	8.7%	91.3%
<b>Any Illicit Drug</b>					
	All	21.0%	27.4%	41.1%	58.9%
	Grade 7	15.3%	18.8%	26.9%	73.1%
	Grade 8	16.0%	19.4%	32.2%	67.8%
	Grade 9	19.1%	26.8%	41.3%	58.7%
	Grade 10	23.2%	29.2%	43.0%	57.0%
	Grade 11	27.4%	34.4%	49.7%	50.3%
	Grade 12	24.9%	35.2%	52.1%	47.9%
<b>Marijuana</b>					
	All	18.1%	24.6%	38.7%	61.3%
	Grade 7	11.9%	14.8%	23.9%	76.1%
	Grade 8	14.2%	17.8%	29.8%	70.2%
	Grade 9	17.7%	25.0%	37.7%	62.3%
	Grade 10	18.5%	25.5%	40.1%	59.9%
	Grade 11	24.2%	31.9%	47.6%	52.4%
	Grade 12	21.3%	31.6%	51.3%	48.7%
<b>Marijuana Only</b>					
	All	7.3%	10.5%	19.0%	81.0%
	Grade 7	4.6%	5.7%	10.8%	89.2%
	Grade 8	7.1%	9.2%	17.7%	82.3%
	Grade 9	7.5%	12.1%	19.7%	80.3%
	Grade 10	6.9%	10.2%	18.9%	81.1%
	Grade 11	9.7%	12.1%	22.5%	77.5%
	Grade 12	7.9%	13.0%	23.3%	76.7%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.9%	6.1%	12.0%	88.0%
	Grade 7	4.1%	6.4%	8.5%	91.5%
	Grade 8	2.0%	3.9%	7.7%	92.3%
	Grade 9	4.3%	5.4%	11.8%	88.2%
	Grade 10	1.9%	4.5%	11.2%	88.8%
	Grade 11	5.6%	6.4%	14.0%	86.0%
	Grade 12	5.9%	10.7%	18.7%	81.3%
<b>Cocaine</b>					
	All	3.6%	5.8%	11.3%	88.7%
	Grade 7	3.5%	5.7%	6.7%	93.3%
	Grade 8	2.0%	3.9%	6.6%	93.4%
	Grade 9	3.5%	4.8%	11.0%	89.0%
	Grade 10	1.9%	4.1%	10.5%	89.5%
	Grade 11	5.5%	6.3%	13.9%	86.1%
	Grade 12	5.8%	10.7%	18.7%	81.3%
<b>Crack</b>					
	All	0.8%	1.3%	2.9%	97.1%
	Grade 7	1.5%	1.6%	2.9%	97.1%
	Grade 8	0.5%	1.5%	4.0%	96.0%
	Grade 9	1.1%	1.6%	4.0%	96.0%
	Grade 10	0.7%	1.3%	3.0%	97.0%
	Grade 11	0.5%	0.6%	2.1%	97.9%
	Grade 12	0.9%	1.0%	1.5%	98.5%
<b>Hallucinogens</b>					
	All	2.4%	4.2%	7.3%	92.7%
	Grade 7	0.1%	0.4%	1.1%	98.9%
	Grade 8	1.7%	2.8%	4.6%	95.4%
	Grade 9	2.4%	3.8%	6.7%	93.3%
	Grade 10	3.8%	6.0%	9.4%	90.6%
	Grade 11	2.6%	4.3%	8.9%	91.1%
	Grade 12	3.1%	7.5%	12.0%	88.0%
<b>Uppers</b>					
	All	3.7%	5.6%	10.3%	89.7%
	Grade 7	3.1%	3.1%	5.2%	94.8%
	Grade 8	2.0%	2.3%	3.9%	96.1%
	Grade 9	2.9%	3.7%	7.5%	92.5%
	Grade 10	4.4%	6.9%	12.6%	87.4%
	Grade 11	3.6%	6.5%	11.6%	88.4%
	Grade 12	5.9%	11.2%	20.6%	79.4%
<b>Downers</b>					
	All	3.8%	6.3%	11.4%	88.6%
	Grade 7	2.0%	3.0%	4.5%	95.5%
	Grade 8	1.4%	1.6%	3.5%	96.5%
	Grade 9	4.2%	6.0%	9.5%	90.5%
	Grade 10	4.6%	6.7%	12.5%	87.5%
	Grade 11	4.3%	7.9%	15.4%	84.6%
	Grade 12	5.9%	12.2%	22.0%	78.0%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	1.7%	2.5%	3.4%	96.6%
	<b>Grade 7</b>	1.3%	1.9%	3.2%	96.8%
	<b>Grade 8</b>	1.5%	2.2%	2.8%	97.2%
	<b>Grade 9</b>	1.9%	2.7%	2.9%	97.1%
	<b>Grade 10</b>	3.4%	4.2%	4.9%	95.1%
	<b>Grade 11</b>	0.6%	1.8%	4.0%	96.0%
	<b>Grade 12</b>	1.3%	1.6%	2.3%	97.7%
<b>Steroids</b>					
	<b>All</b>	0.8%	1.0%	1.9%	98.1%
	<b>Grade 7</b>	1.7%	2.0%	2.2%	97.8%
	<b>Grade 8</b>	0.9%	1.4%	2.1%	97.9%
	<b>Grade 9</b>	0.3%	0.4%	1.3%	98.7%
	<b>Grade 10</b>	0.5%	0.7%	2.5%	97.5%
	<b>Grade 11</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 12</b>	1.0%	1.2%	1.7%	98.3%
<b>Ecstasy</b>					
	<b>All</b>	3.3%	5.5%	10.0%	90.0%
	<b>Grade 7</b>	2.5%	2.7%	4.0%	96.0%
	<b>Grade 8</b>	2.7%	4.1%	6.9%	93.1%
	<b>Grade 9</b>	2.7%	4.6%	8.2%	91.8%
	<b>Grade 10</b>	3.6%	5.7%	11.3%	88.7%
	<b>Grade 11</b>	3.8%	6.6%	14.9%	85.1%
	<b>Grade 12</b>	4.2%	9.2%	13.9%	86.1%
<b>Heroin</b>					
	<b>All</b>	1.0%	1.5%	2.5%	97.5%
	<b>Grade 7</b>	1.6%	1.6%	2.7%	97.3%
	<b>Grade 8</b>	0.7%	1.3%	2.5%	97.5%
	<b>Grade 9</b>	1.5%	2.3%	3.0%	97.0%
	<b>Grade 10</b>	0.7%	1.4%	3.3%	96.7%
	<b>Grade 11</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 12</b>	1.0%	1.4%	1.7%	98.3%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.0%	18.0%	34.3%	65.7%
	Grade 7	7.5%	9.7%	22.7%	77.3%
	Grade 8	7.1%	10.1%	26.5%	73.5%
	Grade 9	13.1%	19.9%	36.4%	63.6%
	Grade 10	12.9%	19.3%	38.1%	61.9%
	Grade 11	19.3%	25.4%	42.2%	57.8%
	Grade 12	25.8%	31.6%	48.3%	51.7%
<b>Alcohol</b>					
	All	34.2%	46.3%	67.2%	32.8%
	Grade 7	25.0%	31.9%	55.1%	44.9%
	Grade 8	26.6%	38.9%	61.2%	38.8%
	Grade 9	35.2%	47.4%	67.8%	32.2%
	Grade 10	37.9%	51.4%	73.6%	26.4%
	Grade 11	41.2%	57.7%	74.9%	25.1%
	Grade 12	47.1%	59.5%	77.0%	23.0%
<b>Inhalants</b>					
	All	2.6%	4.6%	9.5%	90.5%
	Grade 7	3.8%	7.4%	11.7%	88.3%
	Grade 8	3.8%	6.6%	11.9%	88.1%
	Grade 9	2.0%	3.8%	7.6%	92.4%
	Grade 10	2.0%	3.6%	10.0%	90.0%
	Grade 11	1.5%	2.5%	6.1%	93.9%
	Grade 12	1.9%	2.8%	9.2%	90.8%
<b>Any Illicit Drug</b>					
	All	15.0%	19.5%	31.5%	68.5%
	Grade 7	10.6%	12.1%	18.8%	81.2%
	Grade 8	9.6%	13.0%	22.0%	78.0%
	Grade 9	16.5%	21.0%	34.2%	65.8%
	Grade 10	17.0%	22.5%	35.6%	64.4%
	Grade 11	19.3%	26.1%	41.3%	58.7%
	Grade 12	20.9%	27.5%	45.4%	54.6%
<b>Marijuana</b>					
	All	13.0%	17.9%	29.8%	70.2%
	Grade 7	8.4%	9.8%	16.0%	84.0%
	Grade 8	7.5%	11.1%	19.5%	80.5%
	Grade 9	14.1%	19.0%	32.8%	67.2%
	Grade 10	14.5%	21.1%	34.0%	66.0%
	Grade 11	17.6%	24.9%	40.2%	59.8%
	Grade 12	19.6%	26.5%	45.4%	54.6%
<b>Marijuana Only</b>					
	All	5.5%	7.8%	15.8%	84.2%
	Grade 7	4.7%	5.5%	9.8%	90.2%
	Grade 8	3.7%	5.9%	12.3%	87.7%
	Grade 9	5.3%	7.5%	17.3%	82.7%
	Grade 10	6.3%	9.6%	17.7%	82.3%
	Grade 11	7.4%	10.9%	21.4%	78.6%
	Grade 12	6.3%	8.7%	18.5%	81.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	<b>All</b>	2.7%	4.0%	7.6%	92.4%
	<b>Grade 7</b>	2.0%	2.9%	4.5%	95.5%
	<b>Grade 8</b>	1.5%	2.0%	4.3%	95.7%
	<b>Grade 9</b>	3.6%	5.2%	8.4%	91.6%
	<b>Grade 10</b>	1.8%	3.2%	7.5%	92.5%
	<b>Grade 11</b>	4.1%	6.1%	10.6%	89.4%
	<b>Grade 12</b>	3.4%	5.2%	13.5%	86.5%
<b>Cocaine</b>					
	<b>All</b>	2.5%	3.8%	7.0%	93.0%
	<b>Grade 7</b>	1.9%	2.5%	3.8%	96.2%
	<b>Grade 8</b>	1.3%	1.8%	3.2%	96.8%
	<b>Grade 9</b>	3.1%	4.9%	7.8%	92.2%
	<b>Grade 10</b>	1.8%	3.2%	7.1%	92.9%
	<b>Grade 11</b>	4.0%	6.1%	10.6%	89.4%
	<b>Grade 12</b>	3.4%	5.2%	13.5%	86.5%
<b>Crack</b>					
	<b>All</b>	0.5%	0.8%	1.9%	98.1%
	<b>Grade 7</b>	0.4%	1.0%	1.9%	98.1%
	<b>Grade 8</b>	0.6%	0.8%	2.2%	97.8%
	<b>Grade 9</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 10</b>	0.4%	0.8%	2.2%	97.8%
	<b>Grade 11</b>	0.4%	0.6%	1.5%	98.5%
	<b>Grade 12</b>	0.0%	0.0%	0.7%	99.3%
<b>Hallucinogens</b>					
	<b>All</b>	1.5%	2.4%	4.7%	95.3%
	<b>Grade 7</b>	0.3%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	1.1%	1.2%	2.6%	97.4%
	<b>Grade 9</b>	1.4%	2.5%	4.5%	95.5%
	<b>Grade 10</b>	1.6%	3.2%	7.3%	92.7%
	<b>Grade 11</b>	1.8%	3.5%	6.3%	93.7%
	<b>Grade 12</b>	3.8%	4.8%	8.9%	91.1%
<b>Uppers</b>					
	<b>All</b>	2.5%	3.9%	6.6%	93.4%
	<b>Grade 7</b>	1.3%	1.7%	2.8%	97.2%
	<b>Grade 8</b>	1.5%	2.2%	3.4%	96.6%
	<b>Grade 9</b>	2.8%	3.8%	5.1%	94.9%
	<b>Grade 10</b>	2.6%	4.4%	8.1%	91.9%
	<b>Grade 11</b>	3.6%	6.2%	10.7%	89.3%
	<b>Grade 12</b>	3.8%	7.4%	13.9%	86.1%
<b>Downers</b>					
	<b>All</b>	2.8%	4.3%	7.5%	92.5%
	<b>Grade 7</b>	0.5%	1.1%	2.8%	97.2%
	<b>Grade 8</b>	1.0%	1.7%	3.0%	97.0%
	<b>Grade 9</b>	3.3%	4.4%	6.1%	93.9%
	<b>Grade 10</b>	2.9%	5.5%	10.1%	89.9%
	<b>Grade 11</b>	4.4%	6.5%	11.8%	88.2%
	<b>Grade 12</b>	6.7%	9.7%	17.6%	82.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.0%	1.3%	2.3%	97.7%
	<b>Grade 7</b>	0.7%	0.7%	1.4%	98.6%
	<b>Grade 8</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 9</b>	1.0%	1.4%	2.4%	97.6%
	<b>Grade 10</b>	1.3%	1.9%	3.4%	96.6%
	<b>Grade 11</b>	0.5%	0.7%	1.9%	98.1%
	<b>Grade 12</b>	2.0%	2.3%	3.1%	96.9%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.6%	98.4%
	<b>Grade 7</b>	0.0%	0.4%	1.1%	98.9%
	<b>Grade 8</b>	0.2%	0.6%	1.4%	98.6%
	<b>Grade 9</b>	0.9%	1.2%	1.5%	98.5%
	<b>Grade 10</b>	0.4%	0.4%	1.8%	98.2%
	<b>Grade 11</b>	0.6%	1.4%	2.0%	98.0%
	<b>Grade 12</b>	1.1%	1.2%	1.7%	98.3%
<b>Ecstasy</b>					
	<b>All</b>	2.5%	3.9%	7.1%	92.9%
	<b>Grade 7</b>	1.6%	1.6%	2.8%	97.2%
	<b>Grade 8</b>	1.1%	1.6%	3.1%	96.9%
	<b>Grade 9</b>	2.4%	4.7%	7.5%	92.5%
	<b>Grade 10</b>	1.9%	3.6%	8.6%	91.4%
	<b>Grade 11</b>	5.1%	6.0%	10.7%	89.3%
	<b>Grade 12</b>	4.1%	7.9%	13.8%	86.2%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 7</b>	0.5%	0.6%	1.4%	98.6%
	<b>Grade 8</b>	0.3%	0.3%	1.0%	99.0%
	<b>Grade 9</b>	1.2%	1.4%	2.1%	97.9%
	<b>Grade 10</b>	0.4%	0.8%	1.7%	98.3%
	<b>Grade 11</b>	0.4%	0.6%	1.1%	98.9%
	<b>Grade 12</b>	0.2%	0.4%	0.9%	99.1%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.1%	17.2%	31.2%	68.8%
	Grade 7	5.6%	8.2%	17.9%	82.1%
	Grade 8	6.0%	9.0%	21.1%	78.9%
	Grade 9	7.5%	12.1%	27.2%	72.8%
	Grade 10	12.6%	18.0%	33.1%	66.9%
	Grade 11	17.1%	23.3%	40.0%	60.0%
	Grade 12	22.0%	30.0%	44.4%	55.6%
<b>Alcohol</b>					
	All	33.4%	46.2%	66.5%	33.5%
	Grade 7	21.6%	27.6%	48.4%	51.6%
	Grade 8	24.0%	35.6%	58.0%	42.0%
	Grade 9	29.7%	43.8%	67.0%	33.0%
	Grade 10	35.1%	48.5%	69.8%	30.2%
	Grade 11	39.7%	55.5%	74.3%	25.7%
	Grade 12	47.2%	61.4%	77.4%	22.6%
<b>Inhalants</b>					
	All	2.3%	3.9%	8.2%	91.8%
	Grade 7	5.0%	7.2%	11.9%	88.1%
	Grade 8	3.6%	5.9%	10.6%	89.4%
	Grade 9	1.6%	3.4%	8.6%	91.4%
	Grade 10	1.9%	3.7%	8.2%	91.8%
	Grade 11	1.1%	2.1%	5.4%	94.6%
	Grade 12	1.4%	2.3%	5.2%	94.8%
<b>Any Illicit Drug</b>					
	All	12.4%	17.8%	28.6%	71.4%
	Grade 7	6.3%	9.1%	15.7%	84.3%
	Grade 8	8.3%	11.2%	18.8%	81.2%
	Grade 9	10.7%	16.0%	25.0%	75.0%
	Grade 10	14.4%	19.7%	30.9%	69.1%
	Grade 11	14.8%	23.0%	37.1%	62.9%
	Grade 12	18.3%	25.7%	41.1%	58.9%
<b>Marijuana</b>					
	All	10.9%	16.1%	26.8%	73.2%
	Grade 7	4.8%	7.0%	13.1%	86.9%
	Grade 8	7.2%	9.9%	16.6%	83.4%
	Grade 9	9.4%	14.3%	22.9%	77.1%
	Grade 10	12.6%	18.0%	28.9%	71.1%
	Grade 11	13.1%	21.0%	35.3%	64.7%
	Grade 12	16.9%	24.3%	40.6%	59.4%
<b>Marijuana Only</b>					
	All	4.5%	7.3%	14.6%	85.4%
	Grade 7	1.8%	2.9%	6.9%	93.1%
	Grade 8	3.6%	5.3%	9.8%	90.2%
	Grade 9	3.5%	6.2%	12.4%	87.6%
	Grade 10	5.0%	8.2%	16.0%	84.0%
	Grade 11	5.5%	9.7%	19.3%	80.7%
	Grade 12	7.0%	10.8%	21.5%	78.5%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.0%	3.4%	6.8%	93.2%
	Grade 7	1.5%	2.7%	4.3%	95.7%
	Grade 8	1.4%	2.3%	4.6%	95.4%
	Grade 9	1.6%	2.7%	5.4%	94.6%
	Grade 10	1.9%	3.0%	6.3%	93.7%
	Grade 11	1.7%	2.7%	7.6%	92.4%
	Grade 12	3.5%	6.8%	11.5%	88.5%
<b>Cocaine</b>					
	All	1.9%	3.2%	6.3%	93.7%
	Grade 7	1.1%	2.2%	3.3%	96.7%
	Grade 8	1.2%	2.0%	3.8%	96.2%
	Grade 9	1.6%	2.5%	5.0%	95.0%
	Grade 10	1.9%	2.8%	6.0%	94.0%
	Grade 11	1.5%	2.6%	7.4%	92.6%
	Grade 12	3.5%	6.8%	11.5%	88.5%
<b>Crack</b>					
	All	0.3%	0.5%	1.3%	98.7%
	Grade 7	0.6%	1.0%	1.8%	98.2%
	Grade 8	0.3%	0.8%	1.8%	98.2%
	Grade 9	0.1%	0.3%	1.2%	98.8%
	Grade 10	0.1%	0.5%	1.2%	98.8%
	Grade 11	0.3%	0.4%	1.0%	99.0%
	Grade 12	0.3%	0.4%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	1.3%	2.5%	4.4%	95.6%
	Grade 7	0.4%	0.8%	1.7%	98.3%
	Grade 8	0.6%	1.2%	2.1%	97.9%
	Grade 9	1.2%	2.5%	4.0%	96.0%
	Grade 10	1.6%	2.7%	4.8%	95.2%
	Grade 11	1.1%	2.9%	6.0%	94.0%
	Grade 12	2.6%	4.3%	6.9%	93.1%
<b>Uppers</b>					
	All	2.1%	3.5%	6.0%	94.0%
	Grade 7	1.2%	1.3%	2.1%	97.9%
	Grade 8	0.8%	1.1%	2.5%	97.5%
	Grade 9	1.9%	3.3%	5.6%	94.4%
	Grade 10	2.3%	4.0%	6.3%	93.7%
	Grade 11	2.6%	4.9%	8.2%	91.8%
	Grade 12	3.4%	5.9%	9.9%	90.1%
<b>Downers</b>					
	All	2.2%	3.8%	6.7%	93.3%
	Grade 7	0.8%	0.9%	1.4%	98.6%
	Grade 8	1.2%	1.7%	2.8%	97.2%
	Grade 9	1.9%	3.4%	5.7%	94.3%
	Grade 10	2.5%	3.9%	6.8%	93.2%
	Grade 11	2.5%	5.0%	9.2%	90.8%
	Grade 12	4.0%	6.9%	12.6%	87.4%

**Region 6: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 7</b>	0.6%	1.0%	1.9%	98.1%
	<b>Grade 8</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.9%	1.4%	1.6%	98.4%
	<b>Grade 10</b>	1.5%	2.1%	2.7%	97.3%
	<b>Grade 11</b>	0.4%	0.7%	1.6%	98.4%
	<b>Grade 12</b>	0.6%	0.7%	1.6%	98.4%
<b>Steroids</b>	<b>All</b>	0.6%	0.9%	1.5%	98.5%
	<b>Grade 7</b>	0.9%	1.2%	1.5%	98.5%
	<b>Grade 8</b>	0.6%	1.0%	1.4%	98.6%
	<b>Grade 9</b>	0.4%	0.5%	1.3%	98.7%
	<b>Grade 10</b>	0.7%	1.0%	1.6%	98.4%
	<b>Grade 11</b>	0.5%	1.2%	1.9%	98.1%
	<b>Grade 12</b>	0.4%	0.6%	1.1%	98.9%
<b>Ecstasy</b>	<b>All</b>	1.7%	3.2%	5.7%	94.3%
	<b>Grade 7</b>	0.9%	1.3%	2.0%	98.0%
	<b>Grade 8</b>	1.0%	1.9%	3.3%	96.7%
	<b>Grade 9</b>	1.4%	2.9%	4.8%	95.2%
	<b>Grade 10</b>	2.6%	3.6%	6.2%	93.8%
	<b>Grade 11</b>	1.5%	3.2%	7.9%	92.1%
	<b>Grade 12</b>	2.8%	5.8%	9.2%	90.8%
<b>Heroin</b>	<b>All</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 8</b>	0.3%	0.7%	1.5%	98.5%
	<b>Grade 9</b>	0.1%	0.4%	1.0%	99.0%
	<b>Grade 10</b>	0.3%	0.5%	1.0%	99.0%
	<b>Grade 11</b>	0.4%	0.5%	1.3%	98.7%
	<b>Grade 12</b>	0.4%	0.8%	1.0%	99.0%

**Region 6: Grades 7-12  
Spring 2008**

The FREQ Procedure

<b>GENDER</b>		
<b>q1</b>	<b>Frequency</b>	<b>Percent</b>
Female	227E3	51.56
Male	213E3	48.44

Frequency Missing = 941.37027717

<b>GRADE</b>		
<b>q2</b>	<b>Frequency</b>	<b>Percent</b>
Grade 7	68322	15.49
Grade 8	70560	16.00
Grade 9	86799	19.68
Grade 10	77220	17.51
Grade 11	70324	15.95
Grade 12	67760	15.37

<b>LIVE WITH BOTH PARENTS</b>		
<b>q3</b>	<b>Frequency</b>	<b>Percent</b>
No	172E3	39.29
Yes	266E3	60.71

Frequency Missing = 2766.6054339

<b>AGE</b>		
<b>q4</b>	<b>Frequency</b>	<b>Percent</b>
11 or younger	294	0.07
12	14564	3.31
13	58663	13.34
14	74952	17.05
15	82256	18.71
16	83338	18.96
17	73078	16.62
18	48136	10.95
19 or older	4339	0.99

Frequency Missing = 1364.4818559

<b>ETHNICITY</b>		
<b>q5</b>	<b>Frequency</b>	<b>Percent</b>
African/American	81917	18.91
Asian/American	5651	1.30
Mexican/American	189E3	43.74
Native/American	1204	0.28
Other	16379	3.78
White	139E3	31.99

Frequency Missing = 7890.1340636

<b>ON AVERAGE WHAT GRADES DO YOU GET</b>		
<b>q6</b>	<b>Frequency</b>	<b>Percent</b>
Mostly A's	115E3	26.47
Mostly B's	225E3	51.63
Mostly C's	75782	17.41
Mostly D's	15770	3.62
Mostly F's	3789	0.87

Frequency Missing = 5617.7554712

<b>LENGTH OF TIME IN THIS DISTRICT</b>		
<b>q7</b>	<b>Frequency</b>	<b>Percent</b>
<1 year	42874	9.85
2-3 years	78547	18.04
>4 years	314E3	72.11

Frequency Missing = 5649.6388688

<b>DO YOU HAVE A JOB</b>		
<b>q8</b>	<b>Frequency</b>	<b>Percent</b>
No	328E3	75.43
Yes	107E3	24.57

Frequency Missing = 5474.0374023

<b>DO YOU GET AN ALLOWANCE</b>		
<b>q9</b>	<b>Frequency</b>	<b>Percent</b>
No	27E4	62.18
Yes	164E3	37.82

Frequency Missing = 7475.0815372

<b>EITHER PARENT COLLEGE GRADUATE</b>		
<b>q10</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	65990	15.14
No	179E3	41.18
Yes	19E4	43.68

Frequency Missing = 5225.6061633

**QUALIFY FOR FREE/REDUCED PRICE LUNCH**

<b>q11</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	54937	12.59
No	206E3	47.31
Yes	175E3	40.11

Frequency Missing = 4497.1621292

<b>PARTICIPATE IN SCHOOL ATHLETICS</b>		
<b>q12a</b>	<b>Frequency</b>	<b>Percent</b>
No	226E3	55.41
Yes	182E3	44.59

Frequency Missing = 32523.147194

<b>PARTICIPATE IN SCHOOL BAND/ORCHESTRA</b>		
<b>q12b</b>	<b>Frequency</b>	<b>Percent</b>
No	322E3	85.77
Yes	53459	14.23

Frequency Missing = 65192.292289

<b>PARTICIPATE IN SCHOOL CHOIR</b>		
<b>q12c</b>	<b>Frequency</b>	<b>Percent</b>
No	321E3	88.13
Yes	43199	11.87

Frequency Missing = 77178.192849

**PARTICIPATE IN DRAMA/SPEECH/ART CLUBS**

<b>q12d</b>	<b>Frequency</b>	<b>Percent</b>
No	299E3	83.27
Yes	60092	16.73

Frequency Missing = 81854.167082

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	326E3	91.33
<b>Yes</b>	30920	8.67

Frequency Missing = 84278.923215

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	344E3	90.80
<b>Yes</b>	34898	9.20

Frequency Missing = 61674.189974

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	153E3	35.24
<b>Somewhat Safe</b>	216E3	49.57
<b>Not Very Safe</b>	42418	9.74
<b>Not Safe At All</b>	13690	3.14
<b>Don't Know</b>	10062	2.31

Frequency Missing = 5510.4719698

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	344E3	96.29
<b>Yes</b>	13259	3.71

Frequency Missing = 84013.634648

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	298E3	77.37
<b>Yes</b>	87157	22.63

Frequency Missing = 55817.817768

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	143E3	32.93
<b>Somewhat Safe</b>	213E3	48.94
<b>Not Very Safe</b>	43818	10.06
<b>Not Safe At All</b>	19741	4.53
<b>Don't Know</b>	15377	3.53

Frequency Missing = 5603.7180345

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	344E3	94.96
<b>Yes</b>	18235	5.04

Frequency Missing = 79063.67767

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	254E3	64.08
<b>Yes</b>	142E3	35.92

Frequency Missing = 45080.073607

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	22027	5.07
<b>A Few</b>	121E3	27.94
<b>Some</b>	116E3	26.76
<b>Most</b>	137E3	31.60
<b>All</b>	37534	8.64

Frequency Missing = 6397.4719841

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	312E3	84.01
<b>Yes</b>	59460	15.99

Frequency Missing = 69039.12078

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	272E3	68.88
<b>Yes</b>	123E3	31.12

Frequency Missing = 46627.062224

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	333E3	88.93
<b>Yes</b>	41391	11.07

Frequency Missing = 67088.934399

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	338E3	77.38
<b>Somewhat Safe</b>	84985	19.45
<b>Not Very Safe</b>	5507	1.26
<b>Not Safe At All</b>	2357	0.54
<b>Don't Know</b>	5995	1.37

Frequency Missing = 4066.1584163

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	276E3	64.39
<b>A Few</b>	91421	21.37
<b>Some</b>	41938	9.80
<b>Most</b>	13962	3.26
<b>All</b>	5023	1.17

Frequency Missing = 13121.094959

**Region 6: Grades 7-12  
Spring 2008**

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c Frequency Percent</b>		
None	12453	2.95
A Few	61343	14.56
Some	102E3	24.17
Most	174E3	41.22
All	72081	17.10

Frequency Missing = 19532.406884

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d Frequency Percent</b>		
None	269E3	61.98
A Few	84908	19.60
Some	47220	10.90
Most	24879	5.74
All	7696	1.78

Frequency Missing = 7735.3963988

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e Frequency Percent</b>		
None	24E4	55.31
A Few	125E3	28.83
Some	45573	10.50
Most	14814	3.41
All	8444	1.94

Frequency Missing = 6854.2082634

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15 Frequency Percent</b>		
No	239E3	62.48
Yes	143E3	37.52

Frequency Missing = 59203.545487

<b>RECENT CIGARETTE USE</b>		
<b>Q16A Frequency Percent</b>		
Never Heard/Used	301E3	69.38
In Your Lifetime	63008	14.54
Since School Began	21386	4.94
In the Past Month	48273	11.14

Frequency Missing = 7695.6668526

<b>RECENT SMOKELESS TOBACCO USE</b>		
<b>Q16B Frequency Percent</b>		
Never Heard/Used	392E3	91.34
In Your Lifetime	16827	3.92
Since School Began	6958	1.62
In the Past Month	13398	3.12

Frequency Missing = 11608.930438

<b>RECENT BEER USE</b>		
<b>Q16C Frequency Percent</b>		
Never Heard/Used	209E3	49.49
In Your Lifetime	80247	18.96
Since School Began	42188	9.97
In the Past Month	91341	21.58

Frequency Missing = 17753.498346

<b>RECENT WINE COOLER USE</b>		
<b>Q16D Frequency Percent</b>		
Never Heard/Used	221E3	51.55
In Your Lifetime	73409	17.14
Since School Began	50746	11.85
In the Past Month	83335	19.46

Frequency Missing = 12725.136105

<b>RECENT WINE USE</b>		
<b>Q16E Frequency Percent</b>		
Never Heard/Used	231E3	55.09
In Your Lifetime	88828	21.16
Since School Began	42597	10.15
In the Past Month	57086	13.60

Frequency Missing = 21206.26839

<b>RECENT LIQUOR USE</b>		
<b>Q16F Frequency Percent</b>		
Never Heard/Used	223E3	52.18
In Your Lifetime	64814	15.14
Since School Began	47787	11.16
In the Past Month	92093	21.51

Frequency Missing = 12891.223341

<b>RECENT INHALANT USE</b>		
<b>Q16G Frequency Percent</b>		
Never Heard/Used	394E3	91.43
In Your Lifetime	18923	4.40
Since School Began	7532	1.75
In the Past Month	10422	2.42

Frequency Missing = 10439.638369

<b>RECENT MARIJUANA USE</b>		
<b>Q17A Frequency Percent</b>		
Never Heard/Used	31E4	72.38
In Your Lifetime	47257	11.05
Since School Began	21747	5.08
In the Past Month	49179	11.49

Frequency Missing = 13135.97263

<b>RECENT COCAINE USE</b>		
<b>Q17B Frequency Percent</b>		
Never Heard/Used	397E3	93.48
In Your Lifetime	13213	3.11
Since School Began	5823	1.37
In the Past Month	8619	2.03

Frequency Missing = 16548.812962

<b>RECENT CRACK USE</b>		
<b>Q17C Frequency Percent</b>		
Never Heard/Used	414E3	98.56
In Your Lifetime	3504	0.83
Since School Began	1152	0.27
In the Past Month	1384	0.33

Frequency Missing = 20982.094599

**Region 6: Grades 7-12  
Spring 2008**

<b>RECENT HALLUCINOGEN USE</b>		
	<b>Q17E</b>	<b>Frequency Percent</b>
Never Heard/Used	4E5	95.55
<b>In Your Lifetime</b>	8367	2.00
<b>Since School Began</b>	4697	1.12
<b>In the Past Month</b>	5559	1.33

Frequency Missing = 22412.446915

<b>RECENT UPPER USE</b>		
	<b>Q17F</b>	<b>Frequency Percent</b>
Never Heard/Used	392E3	93.90
<b>In Your Lifetime</b>	10327	2.47
<b>Since School Began</b>	5936	1.42
<b>In the Past Month</b>	9212	2.21

Frequency Missing = 23698.584305

<b>RECENT DOWNER USE</b>		
	<b>Q17G</b>	<b>Frequency Percent</b>
Never Heard/Used	39E4	93.12
<b>In Your Lifetime</b>	12399	2.96
<b>Since School Began</b>	6472	1.55
<b>In the Past Month</b>	9901	2.37

Frequency Missing = 22526.3014

<b>RECENT ROHYPNOL USE</b>		
	<b>Q17H</b>	<b>Frequency Percent</b>
Never Heard/Used	411E3	98.06
<b>In Your Lifetime</b>	3290	0.78
<b>Since School Began</b>	1445	0.34
<b>In the Past Month</b>	3404	0.81

Frequency Missing = 21782.055732

<b>RECENT STEROID USE</b>		
	<b>Q17I</b>	<b>Frequency Percent</b>
Never Heard/Used	413E3	98.50
<b>In Your Lifetime</b>	2572	0.61
<b>Since School Began</b>	1390	0.33
<b>In the Past Month</b>	2316	0.55

Frequency Missing = 21313.254171

<b>RECENT ECSTASY USE</b>		
	<b>Q17J</b>	<b>Frequency Percent</b>
Never Heard/Used	396E3	93.92
<b>In Your Lifetime</b>	11316	2.68
<b>Since School Began</b>	6112	1.45
<b>In the Past Month</b>	8215	1.95

Frequency Missing = 19348.22426

<b>RECENT HEROIN USE</b>		
	<b>Q17K</b>	<b>Frequency Percent</b>
Never Heard/Used	416E3	98.71
<b>In Your Lifetime</b>	2591	0.61
<b>Since School Began</b>	1125	0.27
<b>In the Past Month</b>	1744	0.41

Frequency Missing = 19232.552305

<b>TOBACCO USE IN PAST MONTH</b>		
	<b>q18a</b>	<b>Frequency Percent</b>
Never Heard/Used	369E3	86.09
<b>1-2 times</b>	30719	7.16
<b>3-10 times</b>	12173	2.84
<b>11+ times</b>	16788	3.91

Frequency Missing = 11861.998162

<b>ALCOHOL USE IN PAST MONTH</b>		
	<b>q18b</b>	<b>Frequency Percent</b>
Never Heard/Used	27E4	63.20
<b>1-2 times</b>	90061	21.05
<b>3-10 times</b>	49097	11.48
<b>11+ times</b>	18289	4.27

Frequency Missing = 13141.923389

<b>INHALANT USE IN PAST MONTH</b>		
	<b>q18c</b>	<b>Frequency Percent</b>
Never Heard/Used	411E3	96.40
<b>1-2 times</b>	11435	2.68
<b>3-10 times</b>	2801	0.66
<b>11+ times</b>	1129	0.26

Frequency Missing = 14734.003841

<b>MARIJUANA USE IN PAST MONTH</b>		
	<b>q18d</b>	<b>Frequency Percent</b>
Never Heard/Used	359E3	84.55
<b>1-2 times</b>	30457	7.17
<b>3-10 times</b>	18125	4.27
<b>11+ times</b>	17064	4.02

Frequency Missing = 16211.505881

<b>COCAINE USE IN PAST MONTH</b>		
	<b>q18e</b>	<b>Frequency Percent</b>
Never Heard/Used	414E3	97.02
<b>1-2 times</b>	8028	1.88
<b>3-10 times</b>	2972	0.70
<b>11+ times</b>	1731	0.41

Frequency Missing = 14125.081466

<b>CRACK USE IN PAST MONTH</b>		
	<b>q18f</b>	<b>Frequency Percent</b>
Never Heard/Used	425E3	99.22
<b>1-2 times</b>	2352	0.55
<b>3-10 times</b>	559	0.13
<b>11+ times</b>	434	0.10

Frequency Missing = 13085.329397

<b>CLOSE FRIENDS USE CIGARETTES</b>		
	<b>q19a</b>	<b>Frequency Percent</b>
Never heard/None	183E3	43.75
<b>A few</b>	136E3	32.42
<b>Some</b>	66902	15.95
<b>Most</b>	28526	6.80
<b>All</b>	4526	1.08

Frequency Missing = 21544.284677

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
	<b>q19b</b>	<b>Frequency Percent</b>
Never heard/None	299E3	72.12
<b>A few</b>	70352	16.97
<b>Some</b>	32549	7.85
<b>Most</b>	10147	2.45
<b>All</b>	2523	0.61

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

Frequency Missing = 26486.890951

<b>CLOSE FRIENDS USE BEER</b>		
<b>q19c Frequency Percent</b>		
Never heard/None	132E3	31.88
A few	92981	22.46
Some	79678	19.24
Most	81593	19.71
All	27793	6.71

Frequency Missing = 26958.316689

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>q19d Frequency Percent</b>		
Never heard/None	176E3	42.44
A few	92495	22.33
Some	72035	17.39
Most	54116	13.06
All	19764	4.77

Frequency Missing = 26767.463314

<b>CLOSE FRIENDS USE WINE</b>		
<b>q19e Frequency Percent</b>		
Never heard/None	21E4	50.84
A few	102E3	24.63
Some	58630	14.22
Most	31386	7.61
All	11133	2.70

Frequency Missing = 28600.881796

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>q19f Frequency Percent</b>		
Never heard/None	161E3	38.70
A few	81378	19.55
Some	74478	17.89
Most	72201	17.35
All	27099	6.51

Frequency Missing = 24720.585718

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>q19g Frequency Percent</b>		
Never heard/None	342E3	82.39
A few	48410	11.65
Some	16087	3.87
Most	6378	1.54
All	2284	0.55

Frequency Missing = 25512.086964

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>q19h Frequency Percent</b>		
Never heard/None	196E3	46.92
A few	85266	20.39
Some	62613	14.97
Most	55031	13.16
All	19089	4.56

Frequency Missing = 22782.566336

<b>DIFFICULT TO GET CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
Never heard of	53861	12.92
Impossible	66397	15.93
Very difficult	26165	6.28
Somewhat diff	38793	9.31
Somewhat easy	75076	18.01
Very easy	157E3	37.55

Frequency Missing = 24181.156501

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
Never heard of	102E3	24.75
Impossible	85298	20.71
Very difficult	34275	8.32
Somewhat diff	43120	10.47
Somewhat easy	51428	12.49
Very easy	95842	23.27

Frequency Missing = 29097.039712

<b>DIFFICULT TO GET BEER</b>		
<b>q20c Frequency Percent</b>		
Never heard of	45905	11.17
Impossible	47623	11.59
Very difficult	22020	5.36
Somewhat diff	43978	10.71
Somewhat easy	86193	20.98
Very easy	165E3	40.18

Frequency Missing = 30190.042165

<b>DIFFICULT TO GET WINE COOLERS</b>		
<b>q20d Frequency Percent</b>		
Never heard of	64449	15.63
Impossible	53844	13.06
Very difficult	26090	6.33
Somewhat diff	49545	12.02
Somewhat easy	82257	19.95
Very easy	136E3	33.02

Frequency Missing = 28637.618963

<b>DIFFICULT TO GET WINE</b>		
<b>q20e Frequency Percent</b>		
Never heard of	54203	13.26
Impossible	56487	13.82
Very difficult	28337	6.93
Somewhat diff	51309	12.56
Somewhat easy	79193	19.38
Very easy	139E3	34.04

Frequency Missing = 32354.808413

<b>DIFFICULT TO GET LIQUOR</b>		
<b>q20f Frequency Percent</b>		
Never heard of	54027	13.08
Impossible	64154	15.53
Very difficult	32349	7.83
Somewhat diff	46566	11.27
Somewhat easy	75233	18.21
Very easy	141E3	34.09

Frequency Missing = 27830.17242

**Region 6: Grades 7-12  
Spring 2008**

<b>DIFFICULT TO GET INHALANTS</b>		
	<b>q20g</b>	<b>Frequency Percent</b>
Never heard of	92069	22.47
Impossible	70039	17.10
Very difficult	20552	5.02
Somewhat diff	29071	7.10
Somewhat easy	41389	10.10
Very easy	157E3	38.21

Frequency Missing = 31324.779851

<b>DIFFICULT TO GET MARIJUANA</b>		
	<b>q20h</b>	<b>Frequency Percent</b>
Never heard of	62392	15.23
Impossible	1E5	24.50
Very difficult	34200	8.35
Somewhat diff	41945	10.24
Somewhat easy	57372	14.01
Very easy	113E3	27.67

Frequency Missing = 31427.167654

<b>DIFFICULT TO GET COCAINE</b>		
	<b>q20i</b>	<b>Frequency Percent</b>
Never heard of	81084	19.89
Impossible	134E3	32.84
Very difficult	59721	14.65
Somewhat diff	49449	12.13
Somewhat easy	37283	9.14
Very easy	46290	11.35

Frequency Missing = 33268.627171

<b>DIFFICULT TO GET CRACK</b>		
	<b>q20j</b>	<b>Frequency Percent</b>
Never heard of	88974	21.80
Impossible	139E3	34.07
Very difficult	64837	15.88
Somewhat diff	50791	12.44
Somewhat easy	30380	7.44
Very easy	34177	8.37

Frequency Missing = 32754.766183

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
	<b>q20l</b>	<b>Frequency Percent</b>
Never heard of	151E3	37.08
Impossible	106E3	25.99
Very difficult	53785	13.19
Somewhat diff	38374	9.41
Somewhat easy	27437	6.73
Very easy	31029	7.61

Frequency Missing = 33105.515336

<b>DIFFICULT TO GET UPPERS</b>		
	<b>q20m</b>	<b>Frequency Percent</b>
Never heard of	185E3	45.63
Impossible	82126	20.27
Very difficult	37674	9.30
Somewhat diff	32205	7.95
Somewhat easy	27467	6.78
Very easy	40828	10.08

Frequency Missing = 35787.947094

<b>DIFFICULT TO GET DOWNERS</b>		
	<b>q20n</b>	<b>Frequency Percent</b>
Never heard of	185E3	45.65
Impossible	81530	20.14
Very difficult	37063	9.15
Somewhat diff	32429	8.01
Somewhat easy	27007	6.67
Very easy	42026	10.38

Frequency Missing = 36123.709989

<b>DIFFICULT TO GET ROHYPNOL</b>		
	<b>q20o</b>	<b>Frequency Percent</b>
Never heard of	207E3	51.12
Impossible	87571	21.64
Very difficult	40114	9.91
Somewhat diff	28601	7.07
Somewhat easy	17108	4.23
Very easy	24378	6.03

Frequency Missing = 36392.328916

<b>DIFFICULT TO GET STEROIDS</b>		
	<b>q20p</b>	<b>Frequency Percent</b>
Never heard of	101E3	25.06
Impossible	144E3	35.50
Very difficult	57390	14.18
Somewhat diff	43003	10.62
Somewhat easy	27739	6.85
Very easy	31498	7.78

Frequency Missing = 36235.575338

<b>DIFFICULT TO GET ECSTASY</b>		
	<b>q20q</b>	<b>Frequency Percent</b>
Never heard of	129E3	31.74
Impossible	112E3	27.66
Very difficult	48250	11.87
Somewhat diff	37680	9.27
Somewhat easy	33931	8.35
Very easy	45200	11.12

Frequency Missing = 34424.838957

<b>DIFFICULT TO GET HEROIN</b>		
	<b>q20r</b>	<b>Frequency Percent</b>
Never heard of	125E3	30.89
Impossible	143E3	35.15
Very difficult	60154	14.81
Somewhat diff	33539	8.25
Somewhat easy	18566	4.57
Very easy	25745	6.34

Frequency Missing = 34692.691767

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>q21a</b>	<b>Frequency Percent</b>
9 or younger	19108	14.10
10 years old	11362	8.38
11 years old	11803	8.71
12 years old	16005	11.81
13 years old	19914	14.70
14 years old	17309	12.77
15 years old	18143	13.39
16 years old	11982	8.84
17 years old	7410	5.47
18 or older	2473	1.83

Frequency Missing = 305474.3458

**Region 6: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q21b Frequency Percent		
9 or younger	2428	7.02
10 years old	1607	4.65
11 years old	2506	7.25
12 years old	3563	10.30
13 years old	4638	13.41
14 years old	6176	17.86
15 years old	5710	16.51
16 years old	4870	14.08
17 years old	2411	6.97
18 or older	670	1.94

Frequency Missing = 406404.12033

AGE WHEN FIRST USED BEER		
q21c Frequency Percent		
9 or younger	48387	21.22
10 years old	16979	7.45
11 years old	16336	7.17
12 years old	27048	11.86
13 years old	31714	13.91
14 years old	30174	13.24
15 years old	29374	12.88
16 years old	18753	8.23
17 years old	7413	3.25
18 or older	1806	0.79

Frequency Missing = 212999.97114

AGE WHEN FIRST USED WINE COOLERS		
q21d Frequency Percent		
9 or younger	24403	12.08
10 years old	14684	7.27
11 years old	16907	8.37
12 years old	25577	12.66
13 years old	35845	17.74
14 years old	30549	15.12
15 years old	28514	14.11
16 years old	16467	8.15
17 years old	7424	3.67
18 or older	1659	0.82

Frequency Missing = 238955.67465

AGE WHEN FIRST USED WINE		
q21e Frequency Percent		
9 or younger	25011	12.84
10 years old	15796	8.11
11 years old	17542	9.01
12 years old	25376	13.03
13 years old	32242	16.55
14 years old	27912	14.33
15 years old	27191	13.96
16 years old	15457	7.94
17 years old	6040	3.10
18 or older	2198	1.13

Frequency Missing = 246220.79366

AGE WHEN FIRST USED LIQUOR		
q21f Frequency Percent		
9 or younger	13174	6.57
10 years old	8359	4.17
11 years old	11280	5.62
12 years old	21021	10.48
13 years old	36331	18.11
14 years old	37329	18.61
15 years old	35399	17.64
16 years old	23416	11.67
17 years old	11762	5.86
18 or older	2551	1.27

Frequency Missing = 240361.16843

AGE WHEN FIRST USED INHALANTS		
q21g Frequency Percent		
9 or younger	5575	18.51
10 years old	3320	11.02
11 years old	3370	11.19
12 years old	4557	15.13
13 years old	5776	19.17
14 years old	3751	12.45
15 years old	2012	6.68
16 years old	1263	4.19
17 years old	437	1.45
18 or older	62	0.20

Frequency Missing = 410861.07099

AGE WHEN FIRST USED MARIJUANA		
q21h Frequency Percent		
9 or younger	6582	5.81
10 years old	4599	4.06
11 years old	8078	7.13
12 years old	13167	11.62
13 years old	20569	18.15
14 years old	20738	18.30
15 years old	20740	18.30
16 years old	11666	10.29
17 years old	5599	4.94
18 or older	1594	1.41

Frequency Missing = 327653.15037

AGE WHEN FIRST USED COCAINE		
q21i Frequency Percent		
9 or younger	410	1.56
10 years old	423	1.61
11 years old	1117	4.26
12 years old	1810	6.90
13 years old	3724	14.19
14 years old	4638	17.67
15 years old	6022	22.94
16 years old	5057	19.27
17 years old	2620	9.98
18 or older	426	1.62

Frequency Missing = 414735.85957

AGE WHEN FIRST USED CRACK		
q21j Frequency Percent		
9 or younger	343	5.94
10 years old	171	2.96
11 years old	472	8.17
12 years old	879	15.22
13 years old	1468	25.42
14 years old	790	13.68
15 years old	893	15.46
16 years old	522	9.04
17 years old	129	2.24
18 or older	108	1.86

Frequency Missing = 435210.2525

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
9 or younger	535	3.28
10 years old	432	2.65
11 years old	642	3.94
12 years old	902	5.53
13 years old	2093	12.85
14 years old	2887	17.72
15 years old	3480	21.36
16 years old	3174	19.48
17 years old	1749	10.73
18 or older	402	2.47

Frequency Missing = 424688.24959

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
9 or younger	371	5.81
10 years old	266	4.16
11 years old	566	8.87
12 years old	955	14.95
13 years old	1266	19.83
14 years old	1145	17.93
15 years old	1125	17.62
16 years old	456	7.14
17 years old	206	3.23
18 or older	29	0.45

Frequency Missing = 434599.64002

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	562	12.01
10 years old	268	5.72
11 years old	377	8.06
12 years old	590	12.60
13 years old	589	12.60
14 years old	719	15.36
15 years old	635	13.58
16 years old	572	12.22
17 years old	295	6.30
18 or older	72	1.54

Frequency Missing = 436305.81942

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	673	2.56
10 years old	541	2.06
11 years old	1295	4.92
12 years old	2262	8.60
13 years old	4396	16.70
14 years old	5530	21.01
15 years old	6270	23.82
16 years old	3866	14.69
17 years old	1177	4.47
18 or older	308	1.17

Frequency Missing = 414664.74086

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	498	9.27
10 years old	247	4.59
11 years old	316	5.87
12 years old	573	10.66
13 years old	988	18.38
14 years old	967	17.98
15 years old	737	13.71
16 years old	480	8.93
17 years old	498	9.26
18 or older	73	1.35

Frequency Missing = 435605.97104

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	10129	2.44
Several times/wk	8643	2.08
Several times/mo	14762	3.56
About once/month	23136	5.57
About once/year	20154	4.85
< once/year	37104	8.94
Never used	301E3	72.56

Frequency Missing = 25783.162052

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
9 or younger	673	2.37
10 years old	570	2.01
11 years old	1752	6.17
12 years old	2000	7.04
13 years old	3656	12.88
14 years old	6506	22.92
15 years old	6811	23.99
16 years old	4638	16.34
17 years old	1429	5.03
18 or older	354	1.25

Frequency Missing = 412595.26906

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
9 or younger	535	2.21
10 years old	242	1.00
11 years old	766	3.16
12 years old	1350	5.57
13 years old	3369	13.91
14 years old	4083	16.86
15 years old	4664	19.26
16 years old	5846	24.14
17 years old	2453	10.13
18 or older	909	3.75

Frequency Missing = 416769.05885

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Every day	2887	0.70
Several times/wk	2248	0.55
Several times/mo	2913	0.71
About once/month	5251	1.27
About once/year	6286	1.53
< once/year	11333	2.75
Never used	381E3	92.50

Frequency Missing = 28802.58328

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

<b>HOW OFTEN NORMALLY USE BEER</b>		
<b>q22c Frequency Percent</b>		
Every day	1232	0.30
Several times/wk	13890	3.37
Several times/mo	42030	10.21
About once/month	53585	13.02
About once/year	44178	10.73
< once/year	42444	10.31
Never used	214E3	52.05

Frequency Missing = 29426.4793

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
<b>q22d Frequency Percent</b>		
Every day	1004	0.24
Several times/wk	9323	2.25
Several times/mo	31689	7.65
About once/month	52444	12.66
About once/year	50457	12.18
< once/year	39303	9.49
Never used	23E4	55.51

Frequency Missing = 26866.026554

<b>HOW OFTEN NORMALLY USE WINE</b>		
<b>q22e Frequency Percent</b>		
Every day	424	0.10
Several times/wk	6807	1.66
Several times/mo	21570	5.27
About once/month	37429	9.14
About once/year	59030	14.41
< once/year	48960	11.96
Never used	235E3	57.46

Frequency Missing = 31468.285532

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
<b>q22f Frequency Percent</b>		
Every day	1202	0.29
Several times/wk	10760	2.59
Several times/mo	43212	10.40
About once/month	52856	12.72
About once/year	46788	11.26
< once/year	32254	7.76
Never used	228E3	54.97

Frequency Missing = 25520.438894

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
<b>q22g Frequency Percent</b>		
Every day	808	0.20
Several times/wk	1595	0.39
Several times/mo	2571	0.64
About once/month	4717	1.17
About once/year	4944	1.22
< once/year	10234	2.53
Never used	379E3	93.85

Frequency Missing = 36655.819382

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
<b>q22h Frequency Percent</b>		
Every day	9053	2.23
Several times/wk	11618	2.86
Several times/mo	17820	4.39
About once/month	19213	4.73
About once/year	16981	4.18
< once/year	24840	6.12
Never used	306E3	75.48

Frequency Missing = 35009.768088

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
<b>q22i Frequency Percent</b>		
Every day	501	0.12
Several times/wk	1271	0.31
Several times/mo	3125	0.77
About once/month	4445	1.10
About once/year	4677	1.16
< once/year	8095	2.00
Never used	382E3	94.52

Frequency Missing = 37186.04944

<b>HOW OFTEN NORMALLY USE CRACK</b>		
<b>q22j Frequency Percent</b>		
Every day	285	0.07
Several times/wk	461	0.11
Several times/mo	390	0.10
About once/month	935	0.23
About once/year	1156	0.29
< once/year	1676	0.41
Never used	4E5	98.79

Frequency Missing = 36163.236229

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
<b>q22l Frequency Percent</b>		
Every day	230	0.06
Several times/wk	538	0.13
Several times/mo	1249	0.31
About once/month	2608	0.65
About once/year	4635	1.15
< once/year	5249	1.31
Never used	387E3	96.39

Frequency Missing = 39326.147499

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
<b>q22m Frequency Percent</b>		
Every day	871	0.22
Several times/wk	1476	0.37
Several times/mo	3750	0.93
About once/month	5175	1.29
About once/year	5658	1.41
< once/year	6620	1.65
Never used	378E3	94.14

Frequency Missing = 39303.937655

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
<b>q22n Frequency Percent</b>		
Every day	546	0.14
Several times/wk	2215	0.55
Several times/mo	3933	0.97
About once/month	5813	1.44
About once/year	5684	1.41
< once/year	7827	1.94
Never used	378E3	93.56

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

Frequency Missing = 36959.20835

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
	<b>q22o Frequency</b>	<b>Percent</b>
Every day	228	0.06
Several times/wk	576	0.14
Several times/mo	835	0.21
About once/month	1006	0.25
About once/year	1480	0.37
< once/year	1863	0.46
Never used	397E3	98.52

Frequency Missing = 37635.595307

<b>HOW OFTEN NORMALLY USE STEROIDS</b>		
	<b>q22p Frequency</b>	<b>Percent</b>
Every day	512	0.13
Several times/wk	295	0.07
Several times/mo	331	0.08
About once/month	406	0.10
About once/year	1098	0.27
< once/year	1606	0.40
Never used	402E3	98.95

Frequency Missing = 35213.516175

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
	<b>q22q Frequency</b>	<b>Percent</b>
Every day	120	0.03
Several times/wk	1271	0.31
Several times/mo	2220	0.54
About once/month	5217	1.28
About once/year	5821	1.43
< once/year	7086	1.74
Never used	386E3	94.67

Frequency Missing = 33005.630133

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
	<b>q22r Frequency</b>	<b>Percent</b>
Every day	161	0.04
Several times/wk	404	0.10
Several times/mo	213	0.05
About once/month	839	0.20
About once/year	824	0.20
< once/year	1643	0.40
Never used	406E3	99.00

Frequency Missing = 30902.301097

<b>AMOUNT OF BEER AT ONE TIME</b>		
	<b>q23a Frequency</b>	<b>Percent</b>
Never drink this	211E3	51.37
12+ drinks	13501	3.28
9-11 drinks	10098	2.45
5-8 drinks	28766	6.99
3-4 drinks	39410	9.57
2 drinks	35762	8.69
1 drink	33558	8.15
< 1 drink	39082	9.50

Frequency Missing = 29382.306025

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
	<b>q23b Frequency</b>	<b>Percent</b>
Never drink this	225E3	54.93
12+ drinks	3972	0.97
9-11 drinks	2223	0.54
5-8 drinks	7973	1.95
3-4 drinks	17507	4.28
2 drinks	29266	7.15
1 drink	52681	12.87
< 1 drink	70922	17.32

Frequency Missing = 31518.363348

<b>AMOUNT OF WINE AT ONE TIME</b>		
	<b>q23c Frequency</b>	<b>Percent</b>
Never drink this	214E3	52.11
12+ drinks	9415	2.29
9-11 drinks	6646	1.62
5-8 drinks	20064	4.89
3-4 drinks	36601	8.92
2 drinks	40867	9.95
1 drink	42807	10.43
< 1 drink	40195	9.79

Frequency Missing = 30453.941775

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
	<b>q23d Frequency</b>	<b>Percent</b>
Never drink this	201E3	48.77
12+ drinks	15308	3.70
9-11 drinks	11625	2.81
5-8 drinks	27378	6.63
3-4 drinks	33014	7.99
2 drinks	31295	7.57
1 drink	36076	8.73
< 1 drink	56996	13.79

Frequency Missing = 27798.040206

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
	<b>q24 Frequency</b>	<b>Percent</b>
Never 5+ at time	19E4	45.22
None	138E3	32.84
1 day	28588	6.82
2 days	21392	5.10
3 to 5 days	22454	5.36
6 to 9 days	9757	2.33
10 or more days	9747	2.33

Frequency Missing = 21891.134226

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
	<b>q25a Frequency</b>	<b>Percent</b>
Do not Drink	176E3	42.40
Never	103E3	24.91
Seldom	93260	22.49
Most of the Time	29418	7.10
Always	12837	3.10

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

Frequency Missing = 26357.25098

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
	<b>q25b</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	165E3	40.12
<b>Never</b>	76736	18.64
<b>Seldom</b>	67170	16.32
<b>Most of the Time</b>	73891	17.95
<b>Always</b>	28687	6.97

Frequency Missing = 29341.805921

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
	<b>q25c</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	172E3	42.04
<b>Never</b>	168E3	40.97
<b>Seldom</b>	36534	8.93
<b>Most of the Time</b>	21088	5.15
<b>Always</b>	11905	2.91

Frequency Missing = 31649.268336

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
	<b>q25d</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	158E3	38.33
<b>Never</b>	62104	15.06
<b>Seldom</b>	61018	14.79
<b>Most of the Time</b>	68391	16.58
<b>Always</b>	62872	15.24

Frequency Missing = 28471.914798

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
	<b>q25e</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	175E3	42.65
<b>Never</b>	106E3	25.94
<b>Seldom</b>	58813	14.36
<b>Most of the Time</b>	36692	8.96
<b>Always</b>	33172	8.10

Frequency Missing = 31368.468384

<b>USE MARIJUANA AS JOINTS</b>		
	<b>q26a</b>	<b>Frequency Percent</b>
<b>Never</b>	326E3	78.97
<b>Seldom</b>	35144	8.52
<b>Half the time</b>	18873	4.58
<b>Most of the time</b>	18300	4.44
<b>Always</b>	10630	2.58
<b>Don't know</b>	3769	0.91

Frequency Missing = 28601.57731

<b>USE MARIJUANA AS BLUNTS</b>		
	<b>q26b</b>	<b>Frequency Percent</b>
<b>Never</b>	325E3	78.93
<b>Seldom</b>	27707	6.74
<b>Half the time</b>	16321	3.97
<b>Most of the time</b>	19497	4.74
<b>Always</b>	19005	4.62
<b>Don't know</b>	4133	1.00

Frequency Missing = 29768.224255

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
	<b>q26c</b>	<b>Frequency Percent</b>
<b>Never</b>	353E3	86.25
<b>Seldom</b>	23539	5.76
<b>Half the time</b>	11202	2.74
<b>Most of the time</b>	10963	2.68
<b>Always</b>	7498	1.83
<b>Don't know</b>	3038	0.74

Frequency Missing = 32020.494106

<b>USE MARIJUANA IN PIPES</b>		
	<b>q26d</b>	<b>Frequency Percent</b>
<b>Never</b>	348E3	85.45
<b>Seldom</b>	22240	5.46
<b>Half the time</b>	12738	3.12
<b>Most of the time</b>	12753	3.13
<b>Always</b>	8650	2.12
<b>Don't know</b>	2927	0.72

Frequency Missing = 33314.897608

<b>USE MARIJUANA OTHER WAYS</b>		
	<b>q26e</b>	<b>Frequency Percent</b>
<b>Never</b>	362E3	88.63
<b>Seldom</b>	22011	5.40
<b>Half the time</b>	5742	1.41
<b>Most of the time</b>	5086	1.25
<b>Always</b>	6791	1.66
<b>Don't know</b>	6777	1.66

Frequency Missing = 33004.522113

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
	<b>q27</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	402E3	96.61
<b>At least once/month</b>	3346	0.81
<b>At least once/year</b>	2505	0.60
<b>At least once/life</b>	8245	1.98

Frequency Missing = 25311.977061

<b>RECENT PRESCRIPTION DRUG USE - CODEINE</b>		
	<b>Q28A</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	345E3	85.55
<b>At least once/month</b>	21098	5.23
<b>At least once/year</b>	16298	4.04
<b>At least once/life</b>	20843	5.17

Frequency Missing = 37837.026504

<b>RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC</b>		
	<b>Q28B</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	386E3	97.17
<b>At least once/month</b>	3201	0.81
<b>At least once/year</b>	3137	0.79
<b>At least once/life</b>	4893	1.23

Frequency Missing = 43691.219005

<b>RECENT PRESCRIPTION DRUG USE - VICODIN ETC</b>		
	<b>Q28C</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	371E3	93.45
<b>At least once/month</b>	9314	2.34
<b>At least once/year</b>	7361	1.85
<b>At least once/life</b>	9337	2.35

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

Frequency Missing = 43773.59215

<b>RECENT PRESCRIPTION DRUG USE - VALIUM ETC</b>		
<b>Q28D Frequency Percent</b>		
Never heard/used	387E3	97.04
At least once/month	3491	0.87
At least once/year	3489	0.87
At least once/life	4816	1.21

Frequency Missing = 41805.19959

<b>RECENT PRESCRIPTION DRUG USE - XANAX ETC</b>		
<b>Q28E Frequency Percent</b>		
Never heard/used	379E3	94.40
At least once/month	7595	1.89
At least once/year	6676	1.66
At least once/life	8219	2.05

Frequency Missing = 39153.848461

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q29 Frequency Percent</b>		
Never heard/used	37E4	93.39
At least once/month	8535	2.16
At least once/year	6214	1.57
At least once/life	11396	2.88

Frequency Missing = 45191.351215

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a Frequency Percent</b>		
Very	199E3	50.89
Somewhat	104E3	26.58
Not very	50725	12.94
Not at all	16024	4.09
Don't know	21558	5.50

Frequency Missing = 48998.030123

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b Frequency Percent</b>		
Very	162E3	42.16
Somewhat	123E3	31.96
Not very	66759	17.34
Not at all	18020	4.68
Don't know	14878	3.86

Frequency Missing = 55936.617823

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c Frequency Percent</b>		
Very	268E3	71.37
Somewhat	58756	15.64
Not very	18821	5.01
Not at all	6731	1.79
Don't know	23246	6.19

Frequency Missing = 65344.194825

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d Frequency Percent</b>		
Very	212E3	56.33
Somewhat	65083	17.28
Not very	46383	12.31
Not at all	37179	9.87
Don't know	15841	4.21

Frequency Missing = 64298.803829

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e Frequency Percent</b>		
Very	303E3	81.60
Somewhat	38150	10.28
Not very	7092	1.91
Not at all	4557	1.23
Don't know	18496	4.98

Frequency Missing = 69878.800855

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f Frequency Percent</b>		
Very	314E3	84.27
Somewhat	31080	8.34
Not very	4441	1.19
Not at all	3465	0.93
Don't know	19669	5.28

Frequency Missing = 68140.944003

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g Frequency Percent</b>		
Very	294E3	77.74
Somewhat	40556	10.73
Not very	10665	2.82
Not at all	5448	1.44
Don't know	27474	7.27

Frequency Missing = 62948.406853

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h Frequency Percent</b>		
Very	28E4	72.62
Somewhat	56421	14.62
Not very	17430	4.52
Not at all	6403	1.66
Don't know	25387	6.58

Frequency Missing = 55170.283114

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i Frequency Percent</b>		
Very	33E4	84.96
Somewhat	23801	6.12
Not very	3651	0.94
Not at all	3683	0.95
Don't know	27361	7.03

Frequency Missing = 51989.046659

**Region 6: Grades 7-12  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q30j Frequency Percent</b>		
<b>Very</b>	328E3	82.49
<b>Somewhat</b>	24859	6.25
<b>Not very</b>	4120	1.04
<b>Not at all</b>	3686	0.93
<b>Don't know</b>	36991	9.30

Frequency Missing = 43109.34915

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a Frequency Percent</b>		
<b>None</b>	296E3	72.77
<b>1-3 days</b>	79571	19.54
<b>4-9 days</b>	19445	4.78
<b>10+ days</b>	11858	2.91

Frequency Missing = 33859.328121

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b Frequency Percent</b>		
<b>None</b>	113E3	27.73
<b>1-3 days</b>	216E3	53.11
<b>4-9 days</b>	62961	15.49
<b>10+ days</b>	14896	3.67

Frequency Missing = 34565.633613

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c Frequency Percent</b>		
<b>None</b>	161E3	39.97
<b>1-3 days</b>	203E3	50.36
<b>4-9 days</b>	29632	7.36
<b>10+ days</b>	9299	2.31

Frequency Missing = 38331.102598

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d Frequency Percent</b>		
<b>None</b>	317E3	78.40
<b>1-3 days</b>	61309	15.15
<b>4-9 days</b>	14611	3.61
<b>10+ days</b>	11491	2.84

Frequency Missing = 36368.688265

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e Frequency Percent</b>		
<b>None</b>	33E4	82.46
<b>1-3 days</b>	51596	12.91
<b>4-9 days</b>	11023	2.76
<b>10+ days</b>	7492	1.87

Frequency Missing = 41270.612973

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f Frequency Percent</b>		
<b>None</b>	394E3	98.83
<b>1-3 days</b>	2836	0.71
<b>4-9 days</b>	620	0.16
<b>10+ days</b>	1224	0.31

Frequency Missing = 42032.038448

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g Frequency Percent</b>		
<b>None</b>	395E3	98.30
<b>1-3 days</b>	4740	1.18
<b>4-9 days</b>	693	0.17
<b>10+ days</b>	1398	0.35

Frequency Missing = 39483.339035

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a Frequency Percent</b>		
<b>None</b>	368E3	92.70
<b>1-3 times</b>	25590	6.44
<b>4-9 times</b>	2393	0.60
<b>10+ times</b>	1029	0.26

Frequency Missing = 43575.96754

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q32b Frequency Percent</b>		
<b>None</b>	364E3	92.06
<b>1-3 times</b>	23512	5.95
<b>4-9 times</b>	3730	0.94
<b>10+ times</b>	4140	1.05

Frequency Missing = 45739.773535

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q32c Frequency Percent</b>		
<b>None</b>	364E3	92.75
<b>1-3 times</b>	23341	5.94
<b>4-9 times</b>	3004	0.76
<b>10+ times</b>	2141	0.54

Frequency Missing = 48112.029359

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q32d Frequency Percent</b>		
<b>None</b>	379E3	96.93
<b>1-3 times</b>	9880	2.53
<b>4-9 times</b>	976	0.25
<b>10+ times</b>	1153	0.29

Frequency Missing = 49829.333716

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q32e Frequency Percent</b>		
<b>None</b>	361E3	93.60
<b>1-3 times</b>	19833	5.15
<b>4-9 times</b>	2827	0.73
<b>10+ times</b>	2007	0.52

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 6: Grades 7-12  
Spring 2008**

Frequency Missing = 55588.025524

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q32f Frequency Percent</b>		
None	36E4	93.38
1-3 times	16250	4.22
4-9 times	3978	1.03
10+ times	5271	1.37

Frequency Missing = 55781.739547

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q32g Frequency Percent</b>		
None	36E4	93.70
1-3 times	19305	5.02
4-9 times	2548	0.66
10+ times	2352	0.61

Frequency Missing = 56714.211554

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q32h Frequency Percent</b>		
None	379E3	97.34
1-3 times	8324	2.14
4-9 times	742	0.19
10+ times	1301	0.33

Frequency Missing = 51267.140593

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q33a Frequency Percent</b>		
None	369E3	91.98
1-3 days	24746	6.17
4-9 days	3811	0.95
10+ days	3591	0.90

Frequency Missing = 39954.224434

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q33b Frequency Percent</b>		
None	361E3	90.11
1-3 days	23941	5.97
4-9 days	5486	1.37
10+ days	10224	2.55

Frequency Missing = 40258.291133

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q33c Frequency Percent</b>		
None	393E3	98.15
1-3 days	4866	1.22
4-9 days	1279	0.32
10+ days	1243	0.31

Frequency Missing = 40926.9117

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q33d Frequency Percent</b>		
None	377E3	93.77
1-3 days	16502	4.10
4-9 days	4505	1.12
10+ days	4058	1.01

Frequency Missing = 38430.623846

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34a Frequency Percent</b>		
Never	159E3	39.14
Seldom	45913	11.32
Half the time	34074	8.40
Most of the time	52748	13.00
Always	68308	16.84
Don't know	8473	2.09
Didn't attend	37348	9.21

Frequency Missing = 35334.599205

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34b Frequency Percent</b>		
Never	21E4	51.87
Seldom	49017	12.10
Half the time	33041	8.15
Most of the time	32364	7.99
Always	30716	7.58
Don't know	12152	3.00
Didn't attend	37769	9.32

Frequency Missing = 35735.596846

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q35 Frequency Percent</b>		
No	344E3	92.26
Yes	28908	7.74

Frequency Missing = 67673.083466

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q36a Frequency Percent</b>		
No	273E3	68.89
Yes	123E3	31.11

Frequency Missing = 44746.720838

<b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b>		
<b>q36b Frequency Percent</b>		
No	269E3	68.52
Yes	124E3	31.48

Frequency Missing = 48092.865847

<b>WOULD SEEK HELP FROM OTHER COUNSELOR</b>		
<b>q36c Frequency Percent</b>		
No	243E3	62.64
Yes	145E3	37.36

Frequency Missing = 53209.401325

**Region 6: Grades 7-12  
Spring 2008**

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q36d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	157E3	40.10
<b>Yes</b>	235E3	59.90

Frequency Missing = 49002.006005

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q37a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	181E3	50.99
<b>Yes</b>	174E3	49.01

Frequency Missing = 86800.188417

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q37f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	297E3	85.21
<b>Yes</b>	51541	14.79

Frequency Missing = 92587.716982

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q36e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	223E3	57.03
<b>Yes</b>	168E3	42.97

Frequency Missing = 50824.532595

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q37b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	194E3	55.78
<b>Yes</b>	154E3	44.22

Frequency Missing = 92602.297682

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q37g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	248E3	70.98
<b>Yes</b>	101E3	29.02

Frequency Missing = 91502.188951

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q36f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	112E3	28.56
<b>Yes</b>	281E3	71.44

Frequency Missing = 48304.553543

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q37c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	275E3	79.78
<b>Yes</b>	69651	20.22

Frequency Missing = 96528.051008

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q37h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	241E3	68.21
<b>Yes</b>	112E3	31.79

Frequency Missing = 87124.833845

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q36g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	153E3	38.78
<b>Yes</b>	241E3	61.22

Frequency Missing = 47371.741039

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q37d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	239E3	69.57
<b>Yes</b>	105E3	30.43

Frequency Missing = 96722.26336

<b>DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	288E3	74.52
<b>Yes</b>	98459	25.48

Frequency Missing = 54583.000031

<b>WOULD NOT SEEK HELP</b>		
<b>q36h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	329E3	84.62
<b>Yes</b>	59732	15.38

Frequency Missing = 52701.926656

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q37e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	298E3	86.38
<b>Yes</b>	46953	13.62

Frequency Missing = 96195.208189

<b>DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>		
<b>q38b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>		21E4
<b>Yes</b>		174E3

**Region 6: Grades 7-12  
Spring 2008**

Frequency Missing = 44070.052707

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/P MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
No	54.69
Yes	45.31

Frequency Missing = 56311.886599

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	317E3	80.10
Mild disapprove	22681	5.72
Neither	16947	4.28
Mildly approve	4962	1.25
Strongly approve	5182	1.31
Don't know	29104	7.34

Frequency Missing = 44663.514032

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
No	19E4	49.03
Yes	197E3	50.97

Frequency Missing = 54335.804576

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
No	355E3	88.88
Yes	44434	11.12

Frequency Missing = 41252.438404

<b>DRUG/ALCOHOL INFO--PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
No	199E3	51.22
Yes	189E3	48.78

Frequency Missing = 52764.836246

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41</b>	<b>Frequency</b>	<b>Percent</b>
No	343E3	86.32
Yes	54397	13.68

Frequency Missing = 43209.161522

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	299E3	75.15
Mild disapprove	34372	8.63
Neither	24570	6.17
Mildly approve	4621	1.16
Strongly approve	3835	0.96
Don't know	31553	7.92

Frequency Missing = 42714.028471

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	238E3	59.97
Mild disapprove	64358	16.21
Neither	43579	10.98
Mildly approve	16149	4.07
Strongly approve	5281	1.33
Don't know	29500	7.43

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district