Table T-1: How recently, if ever, have you used ..

| | | Past Month | School Year | Ever Used | Never Used |
|---------------------|-------------|---------------|----------------|--------------|---------------|
| Any tobacco product | | | | | |
| | All | 13.4% | 19.3% | 36.1% | 63.9% |
| | Grades 7-8 | 6.2% | 9.3% | 23.5% | 76.5% |
| | Grades 9-12 | 17.3% | 24.8% | 42.9% | 57.1% |
| Cigarettes | | | | | |
| | All | 11.9% | 17.7% | 34.7% | 65.3% |
| | Grades 7-8 | 5.3% | 8.2% | 22.7% | 77.3% |
| | Grades 9-12 | 15.5% | 22.8% | 41.2% | 58.8% |
| Smokeless tobacco | | | | | |
| | All | 3.8% | 5.6% | 9.5% | 90.5% |
| | Grades 7-8 | 1.6% | 2.2% | 4.5% | 95.5% |
| | Grades 9-12 | 5.0% | 7.4% | 12.3% | 87.7% |

Table T-2: How often do you normally use ..

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any tobacco product? | | | | | | | |
| All | 68.5% | 2.1% | 3.0% | 3.9% | 6.7% | 6.1% | 9.8% |
| Grades 7-8 | 81.4% | 0.7% | 1.7% | 1.2% | 4.6% | 4.5% | 5.8% |
| Grades 9-12 | 61.5% | 2.8% | 3.6% | 5.3% | 7.8% | 6.9% | 12.0% |
| Cigarettes? | | | | | | | |
| All | 69.6% | 1.7% | 2.6% | 3.8% | 6.4% | 6.0% | 10.0% |
| Grades 7-8 | 81.6% | 0.2% | 1.7% | 1.2% | 4.9% | 4.6% | 5.9% |
| Grades 9-12 | 63.1% | 2.5% | 3.1% | 5.2% | 7.2% | 6.8% | 12.2% |
| Smokeless tobacco? | | | | | | | |
| All | 92.0% | 0.6% | 0.6% | 0.7% | 1.7% | 1.4% | 3.0% |
| Grades 7-8 | 96.1% | 0.5% | 0.2% | 0.3% | 0.6% | 0.8% | 1.4% |
| Grades 9-12 | 89.7% | 0.6% | 0.9% | 0.9% | 2.2% | 1.8% | 3.9% |

Table T-3: Average age of first use of:

| grade1 | grade2 | | | | |
|-------------------|--------|--|--|--|--|
| Cigarettes | | | | | |
| 11.3 | 13.3 | | | | |
| Smokeless tobacco | | | | | |
| 11.5 | 14.3 | | | | |
| Any Tobacco | | | | | |
| 11.2 | 13.3 | | | | |

Table T-4: If you wanted some, how difficult would it be to get...

| | Never | | Very | Somewhat | Somewhat | |
|-----------------------|-----------------|------------|-----------|-----------|----------|-----------|
| | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Any tobacco product?? | | | | | | |
| All | 11.4% | 16.2% | 5.1% | 9.7% | 18.4% | 39.2% |
| Grades 7-8 | 16.8% | 27.1% | 7.9% | 13.0% | 14.4% | 20.9% |
| Grades 9-12 | 8.4% | 10.2% | 3.6% | 7.9% | 20.6% | 49.2% |
| Cigarettes? | | | | | | |
| All | 11.8% | 16.4% | 5.1% | 10.5% | 18.8% | 37.5% |
| Grades 7-8 | 17.1% | 27.2% | 8.0% | 13.8% | 14.4% | 19.5% |
| Grades 9-12 | 8.9% | 10.5% | 3.6% | 8.6% | 21.1% | 47.3% |
| Smokeless Tobacco? | | | | | | |
| All | 27.9% | 22.6% | 6.3% | 10.1% | 11.5% | 21.7% |
| Grades 7-8 | 32.7% | 35.7% | 6.9% | 9.3% | 6.3% | 9.1% |
| Grades 9-12 | 25.2% | 15.2% | 5.9% | 10.5% | 14.4% | 28.7% |

Table T-5: About how many of your close friends...

| | None | A Few | Some | Most | ALL |
|---------------------------------|-------|-------|-------|-------|------|
| Use any tobacco product? | | | | | |
| All | 38.0% | 32.5% | 18.9% | 9.2% | 1.4% |
| Grades 7-8 | 58.4% | 25.6% | 10.7% | 4.5% | 0.8% |
| Grades 9-12 | 26.9% | 36.4% | 23.4% | 11.7% | 1.7% |
| Smoke cigarettes? | | | | | |
| All | 39.0% | 34.0% | 17.4% | 8.4% | 1.3% |
| Grades 7-8 | 58.6% | 27.3% | 9.2% | 4.1% | 0.7% |
| Grades 9-12 | 28.2% | 37.6% | 21.9% | 10.7% | 1.5% |
| Use a smokeless tobacco product | ? | | | | |
| All | 72.3% | 16.0% | 8.7% | 2.5% | 0.5% |
| Grades 7-8 | 82.2% | 10.3% | 5.4% | 1.9% | 0.1% |
| Grades 9-12 | 66.8% | 19.1% | 10.5% | 2.9% | 0.7% |

Table T-6: How do your parents feel about kids your age smoking cigarettes?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|-------------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 74.2% | 8.6% | 7.1% | 1.1% | 0.6% | 8.4% |
| Grades 7-8 | 81.4% | 4.8% | 3.3% | 0.3% | 0.9% | 9.2% |
| Grades 9-12 | 70.4% | 10.6% | 9.1% | 1.5% | 0.4% | 8.0% |

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-------------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 44.4% | 32.2% | 13.2% | 4.0% | 6.2% |
| Grades 7-8 | 59.0% | 27.0% | 6.1% | 1.7% | 6.2% |
| Grades 9-12 | 36.6% | 35.0% | 17.0% | 5.2% | 6.2% |

Table A-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|---------------------|-------------|---------------|----------------|--------------|---------------|
| Any alcohol product | | | | | |
| | All | 35.3% | 47.9% | 71.2% | 28.8% |
| | Grades 7-8 | 21.8% | 31.2% | 58.2% | 41.8% |
| | Grades 9-12 | 42.6% | 56.9% | 78.3% | 21.7% |
| Beer | | | | | |
| | All | 23.0% | 32.6% | 53.3% | 46.7% |
| | Grades 7-8 | 11.7% | 18.4% | 39.8% | 60.2% |
| | Grades 9-12 | 28.9% | 40.1% | 60.6% | 39.4% |
| Wine coolers | | | | | |
| | All | 23.2% | 34.9% | 56.0% | 44.0% |
| | Grades 7-8 | 14.7% | 21.8% | 44.4% | 55.6% |
| | Grades 9-12 | 27.7% | 42.0% | 62.3% | 37.7% |
| Wine | | | | | |
| | All | 14.5% | 23.8% | 45.8% | 54.2% |
| | Grades 7-8 | 8.3% | 12.7% | 31.0% | 69.0% |
| | Grades 9-12 | 17.8% | 29.7% | 53.6% | 46.4% |
| Liquor | | | | | |
| - | All | 23.1% | 34.4% | 50.2% | 49.8% |
| | Grades 7-8 | 9.9% | 15.3% | 28.1% | 71.9% |
| | Grades 9-12 | 30.0% | 44.5% | 61.9% | 38.1% |

Table A-2: How often do you normally use...

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any alcohol product? | | | | | | | |
| All | 34.7% | 0.6% | 5.3% | 15.7% | 17.5% | 15.0% | 11.2% |
| Grades 7-8 | 49.6% | 0.3% | 3.2% | 9.4% | 9.9% | 14.8% | 12.7% |
| Grades 9-12 | 26.7% | 0.8% | 6.4% | 19.0% | 21.6% | 15.1% | 10.3% |
| Beer? | | | | | | | |
| All | 48.5% | 0.1% | 3.5% | 11.3% | 13.9% | 10.8% | 11.9% |
| Grades 7-8 | 62.0% | 0.1% | 1.4% | 6.3% | 8.9% | 9.4% | 11.8% |
| Grades 9-12 | 41.3% | 0.2% | 4.6% | 13.9% | 16.6% | 11.5% | 12.0% |
| Wine coolers? | | | | | | | |
| All | 49.0% | 0.2% | 3.1% | 10.9% | 13.9% | 14.0% | 8.7% |
| Grades 7-8 | 64.2% | 0.0% | 1.5% | 7.9% | 6.9% | 13.0% | 6.5% |
| Grades 9-12 | 40.9% | 0.3% | 4.0% | 12.5% | 17.7% | 14.6% | 9.9% |
| Wine? | | | | | | | |
| All | 55.7% | 0.1% | 2.0% | 6.1% | 9.7% | 14.8% | 11.6% |
| Grades 7-8 | 71.7% | 0.1% | 0.8% | 5.1% | 3.7% | 11.4% | 7.1% |
| Grades 9-12 | 47.3% | 0.0% | 2.6% | 6.6% | 12.8% | 16.6% | 14.0% |
| Liquor? | | | | | | | |
| All | 51.1% | 0.3% | 3.6% | 11.4% | 15.0% | 11.2% | 7.4% |
| Grades 7-8 | 73.8% | 0.1% | 1.8% | 5.8% | 6.1% | 6.0% | 6.4% |
| Grades 9-12 | 38.9% | 0.5% | 4.5% | 14.4% | 19.8% | 14.0% | 7.9% |

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

| | Never | Ever | 5 or More | 1 to 4 | Less than 1 |
|--------------|-------|-------|-----------|--------|-------------|
| Beer | | | | | |
| All | 47.7% | 52.3% | 15.1% | 26.9% | 10.2% |
| Grades 7-8 | 67.7% | 32.3% | 6.0% | 13.7% | 12.6% |
| Grades 9-12 | 37.0% | 63.0% | 20.1% | 34.0% | 8.9% |
| Wine Coolers | | | | | |
| All | 53.6% | 46.4% | 4.3% | 24.3% | 17.8% |
| Grades 7-8 | 65.6% | 34.4% | 2.7% | 14.8% | 16.9% |
| Grades 9-12 | 47.1% | 52.9% | 5.1% | 29.4% | 18.4% |
| Wine | | | | | |
| All | 45.5% | 54.5% | 12.2% | 33.0% | 9.3% |
| Grades 7-8 | 57.8% | 42.2% | 7.3% | 23.1% | 11.8% |
| Grades 9-12 | 38.9% | 61.1% | 14.8% | 38.4% | 7.9% |
| Liquor | | | | | |
| All | 46.2% | 53.8% | 12.7% | 26.4% | 14.7% |
| Grades 7-8 | 57.9% | 42.1% | 3.7% | 20.8% | 17.6% |
| Grades 9-12 | 39.8% | 60.2% | 17.6% | 29.4% | 13.1% |

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

| | | Never/None | 1 day | 2 days | 3 to 5 days | 6 to 9 days | 10 or more days |
|---------|-------------|------------|-------|--------|-------------|-------------|--------------------|
| Alcohol | | | | | | | |
| | All | 75.1% | 8.1% | 5.8% | 5.5% | 2.4% | 3.1% |
| | Grades 7-8 | 87.6% | 4.6% | 3.1% | 2.5% | 0.8% | 1.5% |
| | Grades 9-12 | 68.4% | 10.0% | 7.2% | 7.1% | 3.3% | 4.0% |

Table A-5: Average age of first use of:

| grade1 | grade2 | | | | |
|--------------|--------|--|--|--|--|
| Beer | _ | | | | |
| 11.4 | 13.0 | | | | |
| Wine Coolers | | | | | |
| 11.7 | 13.3 | | | | |
| Wine | | | | | |
| 11.7 | 13.2 | | | | |
| Liquor | | | | | |
| 12.1 | 14.0 | | | | |
| Any Alcohol | | | | | |
| 11.2 | 12.8 | | | | |

Table A-6: If you wanted some, how difficult would it be to get...

| | Never | | Very | Somewhat | Somewhat | |
|----------------------|----------|------------|-----------|-----------|----------|-----------|
| | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Beer? | | | | | | |
| All | 8.9% | 13.0% | 4.5% | 12.1% | 22.6% | 38.9% |
| Grades 7-8 | 13.2% | 23.3% | 5.3% | 11.7% | 17.3% | 29.2% |
| Grades 9-12 | 6.4% | 7.3% | 4.0% | 12.4% | 25.6% | 44.3% |
| Wine coolers? | | | | | | |
| All | 12.6% | 14.8% | 5.2% | 11.5% | 20.9% | 35.0% |
| Grades 7-8 | 17.5% | 27.0% | 7.0% | 10.7% | 14.1% | 23.7% |
| Grades 9-12 | 9.9% | 8.0% | 4.2% | 12.0% | 24.7% | 41.2% |
| Wine? | | | | | | |
| All | 11.9% | 16.0% | 7.0% | 12.8% | 20.6% | 31.9% |
| Grades 7-8 | 16.1% | 27.9% | 7.8% | 11.0% | 15.7% | 21.5% |
| Grades 9-12 | 9.5% | 9.4% | 6.5% | 13.8% | 23.3% | 37.6% |
| Liquor? | | | | | | |
| All | 11.3% | 17.1% | 7.6% | 11.5% | 19.6% | 32.9% |
| Grades 7-8 | 17.0% | 29.6% | 9.1% | 10.9% | 12.7% | 20.8% |
| Grades 9-12 | 8.2% | 10.1% | 6.7% | 11.8% | 23.5% | 39.7% |
| Any alcohol product? | | | | | | |
| All | 7.8% | 10.2% | 3.7% | 9.1% | 20.9% | 48.1% |
| Grades 7-8 | 12.0% | 19.2% | 5.1% | 9.9% | 16.9% | 36.9% |
| Grades 9-12 | 5.6% | 5.3% | 3.0% | 8.7% | 23.2% | 54.2% |

Table A-7: Since school began in the fall, on how many days (if any) have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|---------------|-----------|-----------|-----------|
| Attended class while drunk on alcoh | ol? | | | |
| All | 88.8% | 8.3% | 1.9% | 1.0% |
| Grades 7-8 | 91.4% | 6.3% | 2.0% | 0.3% |
| Grades 9-12 | 87.4% | 9.4% | 1.8% | 1.4% |
| Gotten into trouble with teachers be | cause of your | drinking? | | |
| All | 99.1% | 0.6% | 0.1% | 0.2% |
| Grades 7-8 | 99.3% | 0.5% | 0.1% | 0.1% |
| Grades 9-12 | 99.0% | 0.7% | 0.1% | 0.2% |

Table A-8: School year use of alcohol by absences and conduct problems:

| | Average days absent due to illness or other reasons | | | | |
|-----------------|---|--|--|--|--|
| Alcohol Users: | 6.0 | | | | |
| Alcohol Non-use | 4.8 | | | | |

| | Average days conduct problems reported | | |
|-----------------|--|--|--|
| Alcohol Users: | 5.2 | | |
| Alcohol Non-use | 2.0 | | |

Table A-9: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times | | | | | |
|---|----------------|-----------|-----------|-----------|--|--|--|--|--|
| Driven a car when you've had a good bit to drink? | | | | | | | | | |
| All | 90.4% | 7.1% | 1.5% | 0.9% | | | | | |
| Grades 9-12 | 90.4% | 7.1% | 1.5% | 0.9% | | | | | |
| Gotten into trouble with the police | because of dri | nking? | | | | | | | |
| All | 96.9% | 2.6% | 0.4% | 0.1% | | | | | |
| Grades 7-8 | 97.5% | 2.2% | 0.2% | 0.1% | | | | | |
| Grades 9-12 | 96.6% | 2.7% | 0.5% | 0.1% | | | | | |

Table A-10: About how many of your close friends use...

| | None | A Few | Some | Most | ALL |
|----------------------|-------|-------|-------|-------|-------|
| Any alcohol product? | | | | | |
| All | 20.9% | 22.4% | 20.0% | 25.8% | 11.0% |
| Grades 7-8 | 39.0% | 26.8% | 14.5% | 13.0% | 6.7% |
| Grades 9-12 | 11.0% | 20.0% | 23.0% | 32.8% | 13.3% |
| Beer? | | | | | |
| All | 26.7% | 23.7% | 20.5% | 22.0% | 7.1% |
| Grades 7-8 | 48.1% | 26.1% | 11.9% | 10.1% | 3.8% |
| Grades 9-12 | 15.0% | 22.4% | 25.2% | 28.6% | 8.9% |
| Wine coolers? | | | | | |
| All | 34.8% | 22.3% | 18.7% | 17.5% | 6.7% |
| Grades 7-8 | 53.5% | 21.4% | 11.4% | 8.6% | 5.0% |
| Grades 9-12 | 24.8% | 22.7% | 22.6% | 22.2% | 7.6% |
| Wine? | | | | | |
| All | 48.8% | 24.9% | 13.8% | 8.7% | 3.9% |
| Grades 7-8 | 63.8% | 21.3% | 7.1% | 4.1% | 3.7% |
| Grades 9-12 | 40.5% | 26.8% | 17.5% | 11.2% | 4.0% |
| Liquor? | | | | | |
| All | 34.0% | 20.4% | 17.1% | 20.6% | 7.8% |
| Grades 7-8 | 59.1% | 20.2% | 10.3% | 7.1% | 3.4% |
| Grades 9-12 | 20.0% | 20.6% | 20.9% | 28.2% | 10.3% |

Table A-11: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---------------------------------------|----------------|------------------|-----------|-----------|
| Had difficulties of any kind with you | ır friends bec | ause of your dri | nking? | |
| All | 92.4% | 6.5% | 0.6% | 0.5% |
| Grades 7-8 | 95.2% | 3.9% | 0.2% | 0.7% |
| Grades 9-12 | 90.8% | 7.9% | 0.9% | 0.4% |
| Been criticized by someone you were | dating becau | use of drinking? | | |
| All | 91.0% | 7.5% | 1.1% | 0.4% |
| Grades 7-8 | 95.1% | 4.1% | 0.6% | 0.2% |
| Grades 9-12 | 88.8% | 9.3% | 1.4% | 0.6% |

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|-------------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 32.5% | 10.2% | 8.2% | 13.7% | 22.3% | 2.6% | 10.6% |
| Grades 7-8 | 54.1% | 13.0% | 8.4% | 7.0% | 6.1% | 3.1% | 8.2% |
| Grades 9-12 | 21.1% | 8.8% | 8.0% | 17.2% | 30.7% | 2.4% | 11.9% |

Table A-13: How often, if ever, do you get alcoholic beverages from..

| | | | | Most of | |
|--------------|--------------|-------|--------|----------|--------|
| | Do Not Drink | Never | Seldom | the Time | Always |
| At home | | | | | |
| All | 36.6% | 28.4% | 23.0% | 8.3% | 3.8% |
| Grades 7-8 | 44.4% | 28.3% | 17.5% | 5.9% | 3.8% |
| Grades 9-12 | 32.4% | 28.4% | 25.9% | 9.6% | 3.8% |
| From friends | | | | | |
| All | 33.7% | 19.7% | 18.6% | 19.7% | 8.4% |
| Grades 7-8 | 46.5% | 26.6% | 14.9% | 7.9% | 4.1% |
| Grades 9-12 | 26.9% | 16.0% | 20.5% | 25.9% | 10.7% |
| From a store | | | | | |
| All | 35.3% | 46.7% | 10.1% | 5.1% | 2.9% |
| Grades 7-8 | 46.2% | 45.3% | 5.1% | 1.3% | 2.0% |
| Grades 9-12 | 29.6% | 47.4% | 12.7% | 7.0% | 3.4% |
| At parties | | | | | |
| All | 31.4% | 15.9% | 14.9% | 17.2% | 20.7% |
| Grades 7-8 | 42.3% | 21.6% | 15.9% | 10.8% | 9.3% |
| Grades 9-12 | 25.8% | 12.9% | 14.3% | 20.4% | 26.6% |
| Other source | | | | | |
| All | 35.6% | 25.8% | 18.1% | 9.8% | 10.8% |
| Grades 7-8 | 46.1% | 25.8% | 16.3% | 5.4% | 6.3% |
| Grades 9-12 | 30.0% | 25.7% | 19.0% | 12.2% | 13.1% |

Table A-14: How do your parents feel about kids your age drinking beer?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|-------------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 60.7% | 15.7% | 11.3% | 4.2% | 1.0% | 7.2% |
| Grades 7-8 | 69.8% | 11.3% | 6.4% | 3.2% | 1.0% | 8.3% |
| Grades 9-12 | 56.0% | 17.9% | 13.8% | 4.7% | 1.0% | 6.6% |

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-------------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 37.4% | 35.9% | 20.1% | 3.0% | 3.5% |
| Grades 7-8 | 45.2% | 26.8% | 21.5% | 2.3% | 4.2% |
| Grades 9-12 | 33.3% | 40.8% | 19.4% | 3.4% | 3.1% |

Table D-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------|-------------|---------------|----------------|--------------|---------------|
| Marijuana? | | | | | |
| | All | 16.2% | 23.0% | 35.3% | 64.7% |
| | Grades 7-8 | 7.0% | 11.5% | 19.3% | 80.7% |
| | Grades 9-12 | 21.2% | 29.2% | 43.9% | 56.1% |
| Cocaine? | | | | | |
| | All | 2.4% | 3.9% | 7.0% | 93.0% |
| | Grades 7-8 | 1.2% | 2.1% | 2.6% | 97.4% |
| | Grades 9-12 | 2.9% | 4.8% | 9.4% | 90.6% |
| Crack? | | | | | |
| | All | 0.7% | 0.9% | 2.4% | 97.6% |
| | Grades 7-8 | 0.9% | 1.1% | 2.4% | 97.6% |
| | Grades 9-12 | 0.7% | 0.9% | 2.4% | 97.6% |
| Hallucinogens? | | | | | |
| | All | 2.3% | 3.5% | 6.2% | 93.8% |
| | Grades 7-8 | 1.2% | 1.8% | 3.1% | 96.9% |
| | Grades 9-12 | 2.9% | 4.3% | 7.9% | 92.1% |
| Uppers? | | | | | |
| | All | 2.3% | 3.4% | 5.5% | 94.5% |
| | Grades 7-8 | 0.7% | 1.0% | 1.5% | 98.5% |
| | Grades 9-12 | 3.2% | 4.7% | 7.5% | 92.5% |
| Downers? | | | | | |
| | All | 2.8% | 4.1% | 7.2% | 92.8% |
| | Grades 7-8 | 0.6% | 0.8% | 1.9% | 98.1% |
| | Grades 9-12 | 4.0% | 5.9% | 10.0% | 90.0% |
| Rohypnol? | | | | | |
| • • | All | 1.1% | 1.7% | 2.6% | 97.4% |
| | Grades 7-8 | 1.0% | 1.6% | 2.1% | 97.9% |
| | Grades 9-12 | 1.1% | 1.7% | 2.9% | 97.1% |
| Steroids? | | | | | |
| | All | 0.2% | 0.6% | 1.0% | 99.0% |
| | Grades 7-8 | 0.1% | 0.8% | 1.0% | 99.0% |
| | Grades 9-12 | 0.3% | 0.5% | 1.0% | 99.0% |
| Ecstasy? | | | | | |
| • | All | 1.8% | 2.3% | 4.2% | 95.8% |
| | Grades 7-8 | 1.7% | 1.8% | 2.2% | 97.8% |
| | Grades 9-12 | 1.8% | 2.5% | 5.3% | 94.7% |
| Heroin? | | | | | , , |
| | All | 0.4% | 0.8% | 1.9% | 98.1% |
| | Grades 7-8 | 0.6% | 0.8% | 2.0% | 98.0% |
| | Grades 9-12 | 0.3% | 0.7% | 1.8% | 98.2% |

Table D-2: How often do you normally use...

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------|---------------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Marijuana? | | | | | | | |
| All | 68.9% | 3.5% | 4.6% | 5.8% | 6.3% | 4.7% | 6.2% |
| Grades 7-8 | 82.3% | 1.1% | 3.0% | 3.6% | 4.1% | 2.5% | 3.6% |
| Grades 9-12 | 61.6% | 4.9% | 5.4% | 7.0% | 7.5% | 6.0% | 7.6% |
| Cocaine? | | | | | | | |
| All | 94.1% | 0.1% | 0.3% | 0.8% | 1.3% | 1.4% | 1.9% |
| Grades 7-8 | 97.7% | 0.1% | 0.1% | 0.3% | 0.9% | 0.7% | 0.2% |
| Grades 9-12 | 92.1% | 0.2% | 0.5% | 1.2% | 1.5% | 1.8% | 2.8% |
| Crack? | | | | | | | |
| All | 97.9% | 0.0% | 0.0% | 0.1% | 0.6% | 0.4% | 0.8% |
| Grades 7-8 | 97.9% | 0.0% | 0.0% | 0.2% | 1.1% | 0.1% | 0.7% |
| Grades 9-12 | 97.9% | 0.0% | 0.1% | 0.1% | 0.4% | 0.6% | 0.9% |
| Hallucinogens? | | | | | | | |
| All | 94.8% | 0.1% | 0.3% | 0.6% | 1.1% | 1.4% | 1.8% |
| Grades 7-8 | 96.9% | 0.0% | 0.4% | 0.1% | 0.4% | 0.9% | 1.3% |
| Grades 9-12 | 93.7% | 0.1% | 0.2% | 0.8% | 1.4% | 1.7% | 2.0% |
| Uppers? | | | | | | | |
| All | 94.3% | 0.2% | 0.6% | 0.7% | 1.5% | 1.2% | 1.5% |
| Grades 7-8 | 98.3% | 0.0% | 0.2% | 0.5% | 0.3% | 0.2% | 0.5% |
| Grades 9-12 | 92.2% | 0.3% | 0.8% | 0.9% | 2.1% | 1.7% | 2.1% |
| Downers? | | | | | | | |
| All | 93.5% | 0.2% | 0.5% | 1.1% | 1.5% | 1.2% | 1.9% |
| Grades 7-8 | 98.1% | 0.0% | 0.1% | 0.4% | 0.3% | 0.2% | 1.0% |
| Grades 9-12 | 91.1% | 0.4% | 0.7% | 1.5% | 2.2% | 1.8% | 2.4% |
| Rohypnol? | | | | | | | |
| All | 97.6% | 0.1% | 0.3% | 0.3% | 0.7% | 0.5% | 0.5% |
| Grades 7-8 | 97.2% | 0.1% | 0.6% | 0.3% | 1.2% | 0.2% | 0.6% |
| Grades 9-12 | 97.9% | 0.0% | 0.2% | 0.3% | 0.5% | 0.6% | 0.4% |
| Steroids? | <i>37.57</i> ,0 | 0.070 | 0.270 | 0.570 | 0.070 | 0.070 | 01.70 |
| All | 99.0% | 0.1% | 0.0% | 0.1% | 0.0% | 0.3% | 0.5% |
| Grades 7-8 | 98.7% | 0.1% | 0.0% | 0.1% | 0.0% | 0.6% | 0.5% |
| Grades 9-12 | 99.2% | 0.1% | 0.1% | 0.0% | 0.1% | 0.1% | 0.5% |
| Ecstasy? | <i>JJ</i> .270 | 0.170 | 0.170 | 0.070 | 0.170 | 0.170 | 0.570 |
| All | 96.5% | 0.0% | 0.1% | 0.4% | 0.7% | 0.8% | 1.5% |
| Grades 7-8 | 98.6% | 0.0% | 0.1% | 0.4% | 0.7% | 0.8% | 0.7% |
| Grades 9-12 | 95.4% | 0.0% | 0.1% | 0.1% | 0.2% | 1.1% | 1.9% |
| Heroin? | 7J. 4 70 | 0.070 | 0.170 | 0.5% | 0.970 | 1.170 | 1.9% |
| All | 98.2% | 0.0% | 0.1% | 0.2% | 0.5% | 0.5% | 0.7% |
| Grades 7-8 | 98.2% 97.9% | 0.0% | 0.1% | 0.2% | 0.5% | 0.5% | 0.7% |
| | 98.3% | | | | | | |
| Grades 9-12 | 70.3% | 0.0% | 0.1% | 0.2% | 0.2% | 0.5% | 0.8% |

Table D-3: Average age of first use of:

| grade1 | grade2 |
|---------------|--------|
| Marijuana | |
| 12.0 | 13.5 |
| Cocaine | |
| 12.6 | 14.7 |
| Crack | |
| 11.7 | 14.5 |
| Hallucinogens | |
| 12.5 | 14.8 |
| Uppers | |
| 12.1 | 14.4 |
| Downers | |
| 12.1 | 14.4 |
| Rohypnol | |
| 11.6 | 13.9 |
| Steroids | |
| 11.3 | 13.6 |
| Ecstasy | |
| 12.3 | 14.5 |
| Heroin | |
| 11.6 | 14.4 |

Table D-4: Age of first use of marijuana by family situation:

| | Never | 9/Under | 10 to 11 | 12 to 13 | 14 to 15 | 16 to 17 | Over 17 |
|------------------------|-------|---------|----------|----------|----------|----------|---------|
| Two parent family | | | | | | | |
| All | 68.8% | 1.1% | 4.3% | 9.9% | 11.2% | 4.4% | 0.3% |
| Grades 7-8 | 86.0% | 0.9% | 3.2% | 7.3% | 2.6% | 0.0% | 0.0% |
| Grades 9-12 | 59.2% | 1.3% | 4.9% | 11.3% | 16.0% | 6.8% | 0.5% |
| Other family situation | | | | | | | |
| All | 54.7% | 3.2% | 6.9% | 17.6% | 12.1% | 5.0% | 0.5% |
| Grades 7-8 | 70.5% | 2.7% | 6.6% | 18.1% | 2.1% | 0.0% | 0.0% |
| Grades 9-12 | 46.2% | 3.4% | 7.1% | 17.3% | 17.5% | 7.6% | 0.8% |

Table D-5: If you wanted some, how difficult would it be to get..

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Marijuana? | | | | | - | |
| All | 12.8% | 25.2% | 6.0% | 9.7% | 13.1% | 33.2% |
| Grades 7-8 | 18.3% | 42.0% | 7.2% | 8.3% | 6.1% | 18.0% |
| Grades 9-12 | 9.8% | 15.8% | 5.4% | 10.5% | 16.9% | 41.6% |
| Cocaine? | | | | | | |
| All | 19.4% | 35.2% | 13.0% | 11.8% | 8.7% | 12.0% |
| Grades 7-8 | 22.2% | 50.0% | 12.9% | 5.6% | 3.6% | 5.8% |
| Grades 9-12 | 17.9% | 27.0% | 13.0% | 15.3% | 11.5% | 15.4% |
| Crack? | | | | | | |
| All | 20.9% | 36.7% | 14.2% | 11.5% | 7.2% | 9.5% |
| Grades 7-8 | 21.6% | 51.0% | 13.0% | 5.0% | 3.6% | 5.7% |
| Grades 9-12 | 20.5% | 28.7% | 14.8% | 15.1% | 9.2% | 11.6% |
| Hallucinogens? | | | | | | |
| All | 38.3% | 25.9% | 10.9% | 10.1% | 6.1% | 8.7% |
| Grades 7-8 | 49.1% | 31.6% | 8.1% | 4.9% | 1.1% | 5.2% |
| Grades 9-12 | 32.3% | 22.7% | 12.4% | 13.0% | 8.9% | 10.7% |
| Uppers? | | | | | | |
| All | 49.2% | 20.3% | 6.9% | 6.9% | 6.1% | 10.6% |
| Grades 7-8 | 56.0% | 27.5% | 6.2% | 3.6% | 1.9% | 4.8% |
| Grades 9-12 | 45.4% | 16.4% | 7.3% | 8.7% | 8.4% | 13.9% |
| Downers? | | | | | | |
| All | 48.5% | 20.3% | 7.0% | 6.8% | 6.7% | 10.7% |
| Grades 7-8 | 55.0% | 28.2% | 6.2% | 3.0% | 3.5% | 4.1% |
| Grades 9-12 | 44.9% | 15.9% | 7.4% | 8.9% | 8.5% | 14.4% |
| Rohypnol? | | | | | | |
| All | 51.5% | 21.8% | 8.2% | 7.1% | 4.5% | 7.0% |
| Grades 7-8 | 55.4% | 28.9% | 5.8% | 3.7% | 2.1% | 4.0% |
| Grades 9-12 | 49.3% | 17.9% | 9.4% | 8.9% | 5.8% | 8.7% |
| Steroids? | | | | | | |
| All | 25.7% | 39.4% | 13.7% | 9.7% | 5.2% | 6.4% |
| Grades 7-8 | 27.0% | 51.1% | 9.2% | 6.6% | 2.6% | 3.6% |
| Grades 9-12 | 25.0% | 33.0% | 16.2% | 11.4% | 6.6% | 7.9% |
| Ecstasy? | | | | | | |
| All | 34.6% | 30.4% | 9.5% | 9.8% | 6.3% | 9.3% |
| Grades 7-8 | 47.0% | 35.8% | 5.5% | 5.2% | 1.4% | 5.0% |
| Grades 9-12 | 27.8% | 27.4% | 11.8% | 12.3% | 9.1% | 11.7% |
| Heroin? | | | | | 2,3 | // |
| All | 29.5% | 36.0% | 12.0% | 8.8% | 5.3% | 8.5% |
| Grades 7-8 | 34.7% | 43.0% | 8.2% | 6.6% | 1.9% | 5.6% |
| Grades 9-12 | 26.7% | 32.1% | 14.1% | 10.0% | 7.1% | 10.0% |

Table D-6: Since school began in the fall, on how many days (if any) have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---------------------------------------|----------------|-----------|-----------|-----------|
| Attended class while high from mar | ijuana use? | | | |
| All | 84.0% | 8.5% | 2.8% | 4.8% |
| Grades 7-8 | 90.5% | 5.8% | 1.4% | 2.2% |
| Grades 9-12 | 80.5% | 9.9% | 3.5% | 6.1% |
| Attended class while high from use of | of some other | drug? | | |
| All | 91.9% | 4.8% | 1.6% | 1.7% |
| Grades 7-8 | 95.7% | 3.1% | 0.6% | 0.5% |
| Grades 9-12 | 89.9% | 5.7% | 2.1% | 2.3% |
| Gotten into trouble with teachers be | ecause of your | drug use? | | |
| All | 98.0% | 1.7% | 0.1% | 0.2% |
| Grades 7-8 | 98.0% | 1.7% | 0.1% | 0.1% |
| Grades 9-12 | 97.9% | 1.7% | 0.1% | 0.3% |

Table D-7: School year use of marijuana by absences and conduct problems:

| | Average days absent due to illness or other reasons |
|-------------------|---|
| Marijuana Users: | 6.5 |
| Marijuana Non-use | 5.0 |

| | Average days conduct problems reported | | | | |
|-------------------|--|--|--|--|--|
| Marijuana Users: | 7.4 | | | | |
| Marijuana Non-use | 2.4 | | | | |

Table D-8: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---------------------------------------|----------------|-----------|-----------|-----------|
| Driven a car when you've felt high f | rom drugs? | | | |
| All | 90.4% | 6.2% | 1.5% | 1.9% |
| Grades 9-12 | 90.4% | 6.2% | 1.5% | 1.9% |
| Gotten into trouble with the police h | oecause of dru | ıg use? | | |
| All | 96.9% | 2.7% | 0.3% | 0.1% |
| Grades 7-8 | 98.0% | 1.6% | 0.3% | 0.2% |
| Grades 9-12 | 96.3% | 3.2% | 0.3% | 0.1% |

Table D-9: About how many of your close friends use marijuana?

| | None | A Few | Some | Most | ALL |
|-------------|-------|-------|-------|-------|------|
| All | 37.8% | 18.9% | 16.5% | 19.6% | 7.2% |
| Grades 7-8 | 57.6% | 16.8% | 10.9% | 10.9% | 3.8% |
| Grades 9-12 | 26.9% | 20.0% | 19.7% | 24.3% | 9.0% |

Table D-10: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|---------------------------------------|----------------|------------------|-----------|-----------|
| Had difficulties of any kind with you | ur friends bec | ause of your dru | ıg use? | |
| All | 91.6% | 6.8% | 1.1% | 0.5% |
| Grades 7-8 | 93.2% | 5.4% | 1.3% | 0.2% |
| Grades 9-12 | 90.8% | 7.6% | 1.0% | 0.7% |
| Been criticized by someone you wer | e dating beca | use of drug use? | | |
| All | 91.4% | 6.4% | 1.5% | 0.7% |
| Grades 7-8 | 94.7% | 3.7% | 1.3% | 0.2% |
| Grades 9-12 | 89.6% | 7.9% | 1.6% | 1.0% |

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|-------------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 42.9% | 11.0% | 8.5% | 9.3% | 13.9% | 3.5% | 10.8% |
| Grades 7-8 | 64.3% | 9.9% | 5.2% | 4.2% | 4.1% | 4.2% | 8.1% |
| Grades 9-12 | 31.5% | 11.6% | 10.3% | 12.1% | 19.1% | 3.1% | 12.2% |

Table D-12: How often, if ever, do you smoke marijuana in..

| CATEGOR | RY | Never | Seldom | Half the Time | Most of the Time | Always | Don't know |
|-----------------------|-------------|-------|--------|------------------|---------------------|--------|------------|
| Joints? | All | 71.3% | 10.3% | 6.9% | 6.3% | 4.0% | 1.1% |
| | Grades 7-8 | 81.9% | 6.3% | 3.8% | 3.9% | 2.5% | 1.6% |
| | Grades 9-12 | 65.6% | 12.4% | 8.6% | 7.7% | 4.9% | 0.8% |
| Blunts? | All | 71.6% | 8.0% | 5.7% | 7.4% | 6.3% | 1.1% |
| | Grades 7-8 | 82.6% | 4.3% | 3.6% | 4.7% | 3.4% | 1.5% |
| | Grades 9-12 | 65.7% | 10.0% | 6.8% | 8.8% | 7.9% | 0.9% |
| Bongs or water pipes? | All | 78.9% | 7.8% | 4.4% | 4.6% | 3.3% | 1.0% |
| | Grades 7-8 | 89.5% | 2.7% | 2.3% | 3.2% | 0.9% | 1.4% |
| | Grades 9-12 | 73.2% | 10.5% | 5.6% | 5.3% | 4.6% | 0.8% |
| Pipes? | All | 76.5% | 8.0% | 4.3% | 5.5% | 4.9% | 0.8% |
| | Grades 7-8 | 88.6% | 4.4% | 2.0% | 1.9% | 2.3% | 0.9% |
| | Grades 9-12 | 70.1% | 9.9% | 5.6% | 7.3% | 6.3% | 0.8% |
| Some other way? | All | 81.9% | 7.5% | 1.9% | 2.2% | 3.4% | 3.2% |
| | Grades 7-8 | 88.5% | 4.7% | 1.0% | 1.2% | 2.4% | 2.2% |
| | Grades 9-12 | 78.4% | 8.9% | 2.4% | 2.8% | 3.9% | 3.6% |

Table D-13: How do your parents feel about kids your age using marijuana?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|-------------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 79.2% | 5.5% | 5.7% | 1.4% | 1.3% | 6.9% |
| Grades 7-8 | 83.6% | 3.2% | 2.8% | 1.4% | 1.0% | 8.0% |
| Grades 9-12 | 76.9% | 6.7% | 7.2% | 1.4% | 1.4% | 6.4% |

Table D-14: How dangerous do you think it is for kids your age to use...

| | Very | Somewhat | Not very | Not at All | |
|--------------|-----------------|-----------|-----------|------------|-------------|
| | Dangerous | Dangerous | Dangerous | Dangerous | Do Not Know |
| Marijuana? | | | | | |
| A | ll 47.7% | 23.2% | 15.0% | 10.3% | 3.8% |
| Grades 7- | 8 66.2% | 19.2% | 6.4% | 3.7% | 4.5% |
| Grades 9-1 | 2 38.2% | 25.3% | 19.3% | 13.7% | 3.5% |
| Cocaine? | | | | | |
| \mathbf{A} | II 79.6% | 12.5% | 1.9% | 0.6% | 5.4% |
| Grades 7- | 8 81.5% | 10.3% | 1.5% | 0.2% | 6.5% |
| Grades 9-1 | 2 78.6% | 13.6% | 2.2% | 0.8% | 4.9% |
| Crack? | | | | | |
| Α | II 82.8% | 9.6% | 1.2% | 0.4% | 6.0% |
| Grades 7- | 8 82.1% | 8.8% | 1.5% | 0.2% | 7.5% |
| Grades 9-1 | 2 83.2% | 10.1% | 1.0% | 0.6% | 5.2% |
| Ecstasy? | | | | | |
| A | II 76.7% | 10.4% | 2.5% | 1.3% | 9.0% |
| Grades 7- | 8 77.8% | 7.5% | 1.4% | 1.2% | 12.1% |
| Grades 9-1 | 2 76.2% | 12.1% | 3.1% | 1.3% | 7.3% |
| Steroids? | | | | | |
| A | 72.0% | 15.8% | 4.8% | 1.0% | 6.4% |
| Grades 7- | 8 74.8% | 12.8% | 5.3% | 0.8% | 6.3% |
| Grades 9-1 | 2 70.5% | 17.4% | 4.5% | 1.1% | 6.4% |
| Heroin? | | | | | |
| A | ll 85.6% | 6.3% | 0.6% | 0.4% | 7.1% |
| Grades 7- | 8 83.9% | 6.1% | 0.2% | 0.2% | 9.7% |
| Grades 9-1 | 2 86.6% | 6.5% | 0.9% | 0.5% | 5.6% |

Table D-15: How recently, if ever, have you taken...

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|-------------|---------------|----------------|--------------|---------------|
| Methamphetamine? | | | | | |
| | All | 0.7% | 1.3% | 3.5% | 96.5% |
| | Grades 7-8 | 0.9% | 1.1% | 2.7% | 97.3% |
| | Grades 9-12 | 0.6% | 1.4% | 3.9% | 96.1% |

Table D-16: How recently, if ever, have you used...

| | Past | School | Ever | Never |
|----------------------------------|-------|--------|-------|-------|
| | Month | Year | Used | Used |
| Codeine? | | | | |
| All | 6.6% | 11.6% | 16.4% | 83.6% |
| Grades 7-8 | 5.2% | 8.1% | 10.9% | 89.1% |
| Grades 9-12 | 7.4% | 13.5% | 19.4% | 80.6% |
| Oxycontin, Percodan or Percocet? | | | | |
| All | 0.9% | 2.3% | 3.4% | 96.6% |
| Grades 7-8 | 0.4% | 0.8% | 1.1% | 98.9% |
| Grades 9-12 | 1.3% | 3.1% | 4.6% | 95.4% |
| Vicodin, Lortab or Lorcet? | | | | |
| All | 2.5% | 5.3% | 7.5% | 92.5% |
| Grades 7-8 | 1.3% | 1.6% | 1.8% | 98.2% |
| Grades 9-12 | 3.2% | 7.3% | 10.5% | 89.5% |
| Valium or Diazepam? | | | | |
| All | 0.7% | 1.8% | 2.8% | 97.2% |
| Grades 7-8 | 0.1% | 0.7% | 0.9% | 99.1% |
| Grades 9-12 | 1.1% | 2.4% | 3.8% | 96.2% |
| Xanax or Alprazolam? | | | | |
| All | 3.0% | 6.1% | 8.6% | 91.4% |
| Grades 7-8 | 1.7% | 2.6% | 4.2% | 95.8% |
| Grades 9-12 | 3.7% | 7.9% | 10.9% | 89.1% |

Table D-17: How recently, if ever, have you taken...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------|-------------|---------------|----------------|--------------|---------------|
| DXM, Triple C? | | | | | |
| | All | 2.9% | 4.4% | 7.2% | 92.8% |
| | Grades 7-8 | 3.5% | 4.4% | 6.7% | 93.3% |
| | Grades 9-12 | 2.6% | 4.4% | 7.5% | 92.5% |

Table I-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|-------------|---------------|----------------|--------------|---------------|
| Any inhalant? | | | | | |
| | All | 4.4% | 6.1% | 12.3% | 87.7% |
| | Grades 7-8 | 5.6% | 7.4% | 13.7% | 86.3% |
| | Grades 9-12 | 3.7% | 5.5% | 11.6% | 88.4% |

Table I-2: How often do you normally use inhalants?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|-------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 90.8% | 0.2% | 0.5% | 1.5% | 1.9% | 1.6% | 3.6% |
| Grades 7-8 | 88.7% | 0.1% | 0.3% | 2.3% | 2.1% | 2.6% | 3.8% |
| Grades 9-12 | 92.0% | 0.2% | 0.5% | 1.0% | 1.8% | 1.1% | 3.4% |

Table I-3: Average age of first use of:

| grade1 | grade2 |
|-----------|--------|
| Inhalants | |
| 11.0 | 12.9 |

Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|-------------|-------|-----------|-----------|-----------|
| All | 96.8% | 2.3% | 0.5% | 0.4% |
| Grades 7-8 | 95.7% | 3.8% | 0.2% | 0.3% |
| Grades 9-12 | 97.3% | 1.5% | 0.7% | 0.4% |

Table I-5: School year use of inhalants by absences and conduct problems:

| Average days absent due illness or other reasons | | | | |
|--|-----|--|--|--|
| Inhalants Users: | 5.7 | | | |
| Inhalants Non-use | 5.3 | | | |

| | Average days conduct problems reported |
|-------------------|--|
| Inhalants Users: | 7.4 |
| Inhalants Non-use | 3.3 |

Table I-6: About how many of your close friends use inhalants?

| | None | A Few | Some | Most | ALL |
|-------------|-------|-------|------|------|------|
| | | | | | |
| All | 74.0% | 17.2% | 5.4% | 2.5% | 1.0% |
| Grades 7-8 | 72.2% | 18.7% | 4.8% | 3.4% | 0.9% |
| Grades 9-12 | 74.9% | 16.4% | 5.7% | 2.0% | 1.0% |

Table I-7: How dangerous do you think it is for kids your age to use inhalants?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|-------------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 67.2% | 19.2% | 4.8% | 2.2% | 6.5% |
| Grades 7-8 | 65.0% | 19.4% | 4.7% | 2.7% | 8.2% |
| Grades 9-12 | 68.4% | 19.1% | 4.9% | 2.0% | 5.6% |

Table I-8: If you wanted some, how difficult would it be to get..

| | | Never | | Very | Somewhat | Somewhat | |
|-------------------|-------------|----------|------------|-----------|-----------|----------|-----------|
| | | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Inhalants? | | | | | | | |
| | All | 22.1% | 18.7% | 5.1% | 6.2% | 11.7% | 36.2% |
| | Grades 7-8 | 23.3% | 28.2% | 6.1% | 5.6% | 9.8% | 27.1% |
| | Grades 9-12 | 21.4% | 13.5% | 4.6% | 6.5% | 12.8% | 41.2% |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|---------------------------|-------------|-------|
| A school health class | All | 53.1% |
| | Grades 7-8 | 50.6% |
| | Grades 9-12 | 54.4% |
| An assembly program | All | 43.7% |
| | Grades 7-8 | 57.1% |
| | Grades 9-12 | 36.8% |
| Guidance counselor | All | 33.0% |
| | Grades 7-8 | 49.9% |
| | Grades 9-12 | 24.4% |
| Science class | All | 33.8% |
| | Grades 7-8 | 38.0% |
| | Grades 9-12 | 31.6% |
| Social studies class | All | 14.3% |
| | Grades 7-8 | 13.0% |
| | Grades 9-12 | 15.0% |
| Student group session | All | 16.0% |
| | Grades 7-8 | 19.0% |
| | Grades 9-12 | 14.5% |
| An invited school guest | All | 31.0% |
| | Grades 7-8 | 37.1% |
| | Grades 9-12 | 27.9% |
| Another source at school | All | 36.2% |
| | Grades 7-8 | 40.3% |
| | Grades 9-12 | 34.0% |
| Any school source | All | 65.1% |
| | Grades 7-8 | 65.1% |
| | Grades 9-12 | 65.1% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

| CATEGORY | | Yes |
|---------------------------|-------------|-------|
| A counselor or program in | All | 31.6% |
| | Grades 7-8 | 37.2% |
| | Grades 9-12 | 28.7% |
| Another adult in school (| All | 34.6% |
| | Grades 7-8 | 38.5% |
| | Grades 9-12 | 32.5% |
| A counselor or program ou | All | 34.2% |
| | Grades 7-8 | 35.2% |
| | Grades 9-12 | 33.7% |
| Your parents | All | 58.3% |
| | Grades 7-8 | 62.7% |
| | Grades 9-12 | 56.0% |
| A medical doctor | All | 42.3% |
| | Grades 7-8 | 44.7% |
| | Grades 9-12 | 41.1% |
| Your friends | All | 73.4% |
| | Grades 7-8 | 70.4% |
| | Grades 9-12 | 74.9% |
| Another adult (a relative | All | 65.3% |
| | Grades 7-8 | 64.8% |
| | Grades 9-12 | 65.6% |

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

| | CATEGORY | Yes |
|-----------|-------------|------|
| Seek Help | All | 8.9% |
| | Grades 7-8 | 7.7% |
| | Grades 9-12 | 9.6% |

Table X-4: About how many of your friends:

| | None | A Few | Some | Most | ALL |
|----------------------------------|-------|-------|-------|-------|-------|
| Feel close to their parents? | | | | | |
| All | 5.6% | 28.6% | 28.7% | 30.0% | 7.1% |
| Grades 7-8 | 6.6% | 28.2% | 25.2% | 29.9% | 10.1% |
| Grades 9-12 | 5.1% | 28.8% | 30.6% | 30.1% | 5.5% |
| Sometimes carry weapons? | | | | | |
| All | 61.5% | 22.2% | 11.0% | 4.3% | 1.0% |
| Grades 7-8 | 68.1% | 19.5% | 7.5% | 3.6% | 1.3% |
| Grades 9-12 | 57.9% | 23.6% | 12.9% | 4.7% | 0.9% |
| Care about making good grades? | • | | | | |
| All | 2.8% | 17.4% | 25.5% | 40.2% | 14.1% |
| Grades 7-8 | 3.8% | 19.6% | 21.8% | 37.4% | 17.5% |
| Grades 9-12 | 2.2% | 16.3% | 27.5% | 41.8% | 12.2% |
| Belong/want to belong to a gang? | | | | | |
| All | 50.5% | 25.4% | 14.4% | 7.8% | 1.9% |
| Grades 7-8 | 51.3% | 26.4% | 13.3% | 6.5% | 2.5% |
| Grades 9-12 | 50.1% | 24.8% | 15.0% | 8.5% | 1.6% |
| Wish they could drop out of scho | ol? | | | | |
| All | 48.0% | 33.4% | 12.0% | 5.1% | 1.4% |
| Grades 7-8 | 56.6% | 30.0% | 8.1% | 4.2% | 1.1% |
| Grades 9-12 | 43.4% | 35.3% | 14.1% | 5.6% | 1.6% |

Table X-5: How safe do you feel when you are:

| | | Somewha | Not Very | Not Safe | Don't |
|---------------------------|-----------------|---------|----------|----------|-------|
| | Very Safe | t Safe | Safe | at All | Know |
| In your home? | | | | | |
| A | l 76.9% | 19.7% | 1.7% | 0.6% | 1.1% |
| Grades 7- | 8 76.8% | 19.9% | 1.6% | 0.5% | 1.2% |
| Grades 9-1 | 2 76.9% | 19.5% | 1.7% | 0.7% | 1.1% |
| Out in your neighbourhood | | | | | |
| A | 33.1% | 52.5% | 9.5% | 2.8% | 2.1% |
| Grades 7- | 8 31.9% | 53.4% | 9.2% | 2.8% | 2.6% |
| Grades 9-1 | 2 33.7% | 52.0% | 9.7% | 2.7% | 1.9% |
| At school | | | | | |
| A | ll 35.7% | 50.0% | 8.6% | 2.9% | 2.8% |
| Grades 7- | 8 41.5% | 44.2% | 9.2% | 2.6% | 2.4% |
| Grades 9-1 | 2 32.6% | 53.1% | 8.3% | 3.1% | 2.9% |

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|--------------------------|-------------|-------|
| A website or online chat | All | 28.7% |
| | Grades 7-8 | 23.6% |
| | Grades 9-12 | 31.4% |
| Books, magazines, poster | All | 49.9% |
| | Grades 7-8 | 46.2% |
| | Grades 9-12 | 51.8% |
| TV, radio, or other audi | All | 54.8% |
| | Grades 7-8 | 51.3% |
| | Grades 9-12 | 56.7% |
| Your parents | All | 52.6% |
| | Grades 7-8 | 53.7% |
| | Grades 9-12 | 52.0% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|----------------|---------------|
| Tobacco | 1.1011111 | 2 001 | Cocu | Cocu |
| All | 13.4% | 19.3% | 36.1% | 63.9% |
| Grades 7-8 | 6.2% | 9.3% | 23.5% | 76.5% |
| Grades 9-12 | 17.3% | 24.8% | 42.9% | 57.1% |
| Alcohol | | | | |
| All | 35.3% | 47.9% | 71.2% | 28.8% |
| Grades 7-8 | 21.8% | 31.2% | 58.2% | 41.8% |
| Grades 9-12 | 42.6% | 56.9% | 78.3% | 21.7% |
| Inhalants | 4.407 | c 10/ | 12.20/ | 05.50 |
| All | 4.4% | 6.1% | 12.3% | 87.7% |
| Grades 7-8 | 5.6% | 7.4% | 13.7% | 86.3% |
| Grades 9-12 | 3.7% | 5.5% | 11.6% | 88.4% |
| Any Illicit Drug | 17.20/ | 22.90/ | 26.40/ | 62.60/ |
| All | 17.3% | 23.8% | 36.4% | 63.6% |
| Grades 7-8 | 8.2% | 12.5% | 20.7% 44.8% | 79.3% |
| Grades 9-12 | 22.2% | 30.0% | 44.8% | 55.2% |
| Marijuana All | 16.2% | 23.0% | 35.3% | 64.7% |
| Grades 7-8 | 7.0% | 11.5% | 19.3% | 80.7% |
| Grades 9-12 | 21.2% | 29.2% | 43.9% | 56.1% |
| Marijuana Only | 21.270 | 27.270 | 43.770 | 30.1 / |
| All | 7.1% | 11.3% | 20.7% | 79.3% |
| Grades 7-8 | 2.8% | 5.3% | 11.9% | 88.1% |
| Grades 9-12 | 9.4% | 14.5% | 25.5% | 74.5% |
| Cocaine or Crack | | | | |
| All | 2.5% | 4.0% | 7.7% | 92.3% |
| Grades 7-8 | 1.3% | 2.2% | 3.7% | 96.3% |
| Grades 9-12 | 3.1% | 5.0% | 9.9% | 90.1% |
| Cocaine | | | | |
| All | 2.4% | 3.9% | 7.0% | 93.0% |
| Grades 7-8 | 1.2% | 2.1% | 2.6% | 97.4% |
| Grades 9-12 | 2.9% | 4.8% | 9.4% | 90.6% |
| Crack | | | | |
| All | 0.7% | 0.9% | 2.4% | 97.6% |
| Grades 7-8 | 0.9% | 1.1% | 2.4% | 97.6% |
| Grades 9-12 | 0.7% | 0.9% | 2.4% | 97.6% |
| Hallucinogens | | | | |
| All | 2.3% | 3.5% | 6.2% | 93.8% |
| Grades 7-8 | 1.2% | 1.8% | 3.1% | 96.9% |
| Grades 9-12 | 2.9% | 4.3% | 7.9% | 92.1% |
| Uppers | | | | |
| All | 2.3% | 3.4% | 5.5% | 94.5% |
| Grades 7-8 | 0.7% | 1.0% | 1.5% | 98.5% |
| Grades 9-12 | 3.2% | 4.7% | 7.5% | 92.5% |
| Downers | 2.00 | 4 4 = 1 | 5 0 - : | 00.00 |
| All | 2.8% | 4.1% | 7.2% | 92.8% |
| Grades 7-8 | 0.6% | 0.8% | 1.9% | 98.1% |
| Grades 9-12 | 4.0% | 5.9% | 10.0% | 90.0% |

Table B1: Prevalence and recency of use of selected substances by grade All students

(Continued)

| | Past | School | Ever | Never |
|-------------|-------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| All | 1.1% | 1.7% | 2.6% | 97.4% |
| Grades 7-8 | 1.0% | 1.6% | 2.1% | 97.9% |
| Grades 9-12 | 1.1% | 1.7% | 2.9% | 97.1% |
| Steroids | | | | |
| All | 0.2% | 0.6% | 1.0% | 99.0% |
| Grades 7-8 | 0.1% | 0.8% | 1.0% | 99.0% |
| Grades 9-12 | 0.3% | 0.5% | 1.0% | 99.0% |
| Ecstasy | | | | |
| All | 1.8% | 2.3% | 4.2% | 95.8% |
| Grades 7-8 | 1.7% | 1.8% | 2.2% | 97.8% |
| Grades 9-12 | 1.8% | 2.5% | 5.3% | 94.7% |
| Heroin | | | | |
| All | 0.4% | 0.8% | 1.9% | 98.1% |
| Grades 7-8 | 0.6% | 0.8% | 2.0% | 98.0% |
| Grades 9-12 | 0.3% | 0.7% | 1.8% | 98.2% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 15.3% | 21.2% | 37.2% | 62.8% |
| Grades 7-8 | 5.0% | 7.4% | 20.5% | 79.5% |
| Grades 9-12 | 20.5% | 28.2% | 45.6% | 54.4% |
| Alcohol | | | | |
| All | 34.9% | 46.2% | 68.1% | 31.9% |
| Grades 7-8 | 17.7% | 26.2% | 51.2% | 48.8% |
| Grades 9-12 | 43.5% | 56.3% | 76.6% | 23.4% |
| Inhalants | | | | |
| All | 3.8% | 5.4% | 10.6% | 89.4% |
| Grades 7-8 | 2.9% | 4.5% | 9.3% | 90.7% |
| Grades 9-12 | 4.2% | 5.9% | 11.3% | 88.7% |
| Any Illicit Drug | | | | |
| All | 18.2% | 24.8% | 37.3% | 62.7% |
| Grades 7-8 | 7.1% | 10.5% | 19.7% | 80.3% |
| Grades 9-12 | 23.9% | 32.1% | 46.3% | 53.7% |
| Marijuana | | | | |
| All | 17.1% | 24.2% | 36.7% | 63.3% |
| Grades 7-8 | 5.7% | 9.0% | 18.7% | 81.3% |
| Grades 9-12 | 22.9% | 31.8% | 45.8% | 54.2% |
| Marijuana Only | | | | |
| All | 6.9% | 11.6% | 21.7% | 78.3% |
| Grades 7-8 | 2.0% | 3.8% | 12.3% | 87.7% |
| Grades 9-12 | 9.4% | 15.5% | 26.5% | 73.5% |
| Cocaine or Crack | | | | |
| All | 2.1% | 3.4% | 6.9% | 93.1% |
| Grades 7-8 | 0.2% | 0.6% | 1.1% | 98.9% |
| Grades 9-12 | 3.0% | 4.8% | 9.8% | 90.2% |
| Cocaine | | | | |
| All | 2.0% | 3.4% | 6.8% | 93.2% |
| Grades 7-8 | 0.2% | 0.6% | 1.1% | 98.9% |
| Grades 9-12 | 2.9% | 4.7% | 9.6% | 90.4% |
| Crack | | | | |
| All | 0.3% | 0.4% | 1.5% | 98.5% |
| Grades 7-8 | 0.0% | 0.0% | 0.3% | 99.7% |
| Grades 9-12 | 0.5% | 0.7% | 2.1% | 97.9% |
| Hallucinogens | | | | |
| All | 3.1% | 4.6% | 7.4% | 92.6% |
| Grades 7-8 | 1.5% | 2.0% | 2.3% | 97.7% |
| Grades 9-12 | 3.9% | 5.9% | 10.0% | 90.0% |
| Uppers | | | | |
| All | 2.6% | 3.9% | 5.6% | 94.4% |
| Grades 7-8 | 0.3% | 0.6% | 1.1% | 98.9% |
| Grades 9-12 | 3.8% | 5.6% | 7.8% | 92.2% |
| Downers | | | | |
| All | 3.6% | 4.9% | 7.9% | 92.1% |
| Grades 7-8 | 0.2% | 0.2% | 2.0% | 98.0% |
| Grades 9-12 | 5.3% | 7.3% | 10.8% | 89.2% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

(Continued)

| | Past | School | Ever | Never |
|-------------|-------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| All | 1.3% | 1.8% | 2.6% | 97.4% |
| Grades 7-8 | 1.5% | 1.7% | 2.1% | 97.9% |
| Grades 9-12 | 1.2% | 1.8% | 2.8% | 97.2% |
| Steroids | | | | |
| All | 0.2% | 0.8% | 1.2% | 98.8% |
| Grades 7-8 | 0.0% | 1.2% | 1.4% | 98.6% |
| Grades 9-12 | 0.4% | 0.6% | 1.0% | 99.0% |
| Ecstasy | | | | |
| All | 2.0% | 2.6% | 4.7% | 95.3% |
| Grades 7-8 | 1.7% | 1.9% | 2.1% | 97.9% |
| Grades 9-12 | 2.2% | 3.0% | 5.9% | 94.1% |
| Heroin | | | | |
| All | 0.3% | 0.7% | 1.6% | 98.4% |
| Grades 7-8 | 0.2% | 0.2% | 0.7% | 99.3% |
| Grades 9-12 | 0.4% | 0.9% | 2.1% | 97.9% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | Past Month | School Year | Ever Used | Never Used |
|-----------|---------------|---|--|---|
| | | | | |
| All | 11.8% | 17.8% | 35.0% | 65.0% |
| rades 7-8 | 7.2% | 10.8% | 25.3% | 74.7% |
| ades 9-12 | 14.5% | 21.7% | 40.5% | 59.5% |
| | | | | |
| | 35.7% | 49.5% | 73.8% | 26.2% |
| | 25.3% | | 63.4% | 36.6% |
| ades 9-12 | 41.7% | 57.5% | 79.7% | 20.3% |
| | | | | |
| | | | | 86.1% |
| | | | | 82.7% |
| ades 9-12 | 3.4% | 5.1% | 11.9% | 88.1% |
| | | | | |
| | | | | 64.5% |
| | | | | 78.3% |
| ades 9-12 | 20.7% | 28.0% | 43.4% | 56.6% |
| | | | | |
| | | | | 66.0% |
| | | | | 80.2% |
| ades 9-12 | 19.5% | 26.8% | 42.2% | 57.8% |
| | | 44.00 | 40.00 | 00.4 |
| | | | | 80.1% |
| | | | | 88.4% |
| ades 9-12 | 9.3% | 13.5% | 24.6% | 75.4% |
| 4.33 | 2.00/ | 4 60/ | 0.50/ | 01.50/ |
| | | | | 91.5% |
| | | | | 94.3% |
| ades 9-12 | 3.3% | 5.3% | 10.1% | 89.9% |
| 4.33 | 2 (0) | 4.20/ | 7.20/ | 02.00/ |
| | | | | 92.8% |
| | | | | 96.3% |
| ades 9-12 | 3.0% | 4.9% | 9.3% | 90.7% |
| A 11 | 1 10/ | 1 40/ | 2.20/ | 06.00/ |
| | | | | 96.8% |
| | | | | 96.0% |
| ades 9-12 | 0.8% | 1.1% | 2.1% | 97.3% |
| A 11 | 1.70/ | 2.50/ | 5.20/ | 0.4.00/ |
| | | | | 94.8% |
| | | | | 96.3% |
| ades 9-12 | 2.1% | 3.0% | 6.0% | 94.0% |
| A 11 | 2.00/ | 2.00/ | <i>5.20</i> / | 04.70/ |
| | | | | 94.7% |
| | | | | 98.1% |
| aues 9-12 | 2.0% | 3.8% | 1.5% | 92.7% |
| A 11 | 2.20/ | 2 40/ | 6 60/ | 02.40/ |
| AII | 2.2% | 5.4% | 0.0% | 93.4% |
| rades 7-8 | 0.9% | 1.2% | 1.9% | 98.1% |
| | rades 7-8 | Month All 11.8% rades 7-8 7.2% ades 9-12 14.5% All 35.7% rades 7-8 25.3% ades 9-12 41.7% All 5.0% rades 7-8 7.8% ades 9-12 3.4% All 16.5% rades 7-8 9.1% ades 9-12 19.5% All 7.2% rades 7-8 8.1% ades 9-12 19.5% All 7.2% rades 7-8 3.5% ades 9-12 3.3% All 2.8% rades 7-8 2.1% ades 9-12 3.3% All 2.6% rades 7-8 2.0% ades 9-12 3.0% All 1.1% rades 7-8 1.6% ades 9-12 0.8% All 1.7% rades 7-8 1.0% ades 9-12 0.8% All 2.6% rades 7-8 1.0% ades 9-12 0.8% All 2.6% rades 7-8 1.0% ades 9-12 0.8% All 2.6% rades 7-8 1.0% ades 9-12 0.8% | All 11.8% 17.8% ades 9-12 14.5% 21.7% All 5.0% 6.8% ades 9-12 41.7% 57.5% All 5.0% 6.8% rades 7-8 7.8% 9.8% ades 9-12 3.4% 5.1% All 16.5% 23.1% rades 7-8 9.1% 14.3% ades 9-12 20.7% 28.0% All 15.4% 22.0% rades 7-8 8.1% 13.4% ades 9-12 19.5% 26.8% All 7.2% 11.0% rades 7-8 3.5% 6.6% ades 9-12 9.3% 13.5% All 2.8% 4.6% rades 7-8 2.1% 3.5% ades 9-12 9.3% 13.5% All 2.8% 4.6% rades 7-8 2.1% 3.5% ades 9-12 3.0% 4.9% All 1.1% 1.4% rades 7-8 1.6% 1.9% ades 9-12 0.8% 1.1% All 1.1% 1.4% rades 7-8 1.6% 1.9% ades 9-12 0.8% 1.1% All 1.7% 2.5% rades 7-8 1.0% 1.7% ades 9-12 0.8% 1.1% All 1.7% 2.5% rades 7-8 1.0% 1.7% ades 9-12 0.8% 1.1% All 1.7% 2.5% rades 7-8 1.0% 1.7% ades 9-12 0.8% 1.1% All 2.0% 2.9% rades 7-8 1.0% 1.7% ades 9-12 2.1% 3.0% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 7-8 1.0% 1.2% ades 9-12 2.6% 3.8% All 2.0% 2.9% rades 9-12 3.0% 3.8% All 2.0% 2.0% 3.8% | All 15.4% 22.0% 34.0% rades 7-8 8.1% 13.4% 19.8% ades 9-12 19.5% 26.8% 42.2% All 7.2% 11.0% 19.9% rades 7-8 3.5% 6.6% 11.6% ades 9-12 19.5% 26.8% 42.2% All 2.8% 4.6% 8.5% ades 9-12 3.3% 13.5% 24.6% All 2.8% 4.6% 8.5% ades 9-12 3.3% 13.5% 24.6% All 2.6% 4.3% 7.2% ades 9-12 3.0% 4.9% 9.3% All 2.6% 4.3% 7.2% ades 9-12 3.0% 4.0% 13.5% 24.6% All 2.6% 4.3% 7.2% ades 9-12 3.0% 4.0% 13.5% 24.6% All 2.8% 4.6% 8.5% 24.6% All 2.8% 4.6% 3.5% 2.7% ades 9-12 3.3% 5.3% 10.1% All 2.6% 4.3% 7.2% 2.0% 3.3% 3.7% 2.6% 4.9% 9.3% 1.1% 2.6% 4.3% 7.2% 2.0% 3.3% 3.7% 2.6% 4.9% 9.3% 1.1% 2.6% 4.9% 9.3% 1.1% 2.6% 4.9% 9.3% 1.1% 2.6% 4.9% 9.3% 1.1% 2.6% 4.9% 9.3% 1.1% 2.7% 1.1% 1.1% 1.4% 3.2% 1.1% 1.1% 1.2% 1.1% 1.1% 1.1% 1.4% 3.2% 1.1% 1.1% 1.2% 1.1% 1.1% 1.1% 1.2% 1.1% 1.1 |

Table B3: Prevalence and recency of use of selected substances by grade Female students

(Continued)

| | Past | School | Ever | Never |
|-----------|-----------------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| A | 0.9% | 1.6% | 2.7% | 97.3% |
| Grades 7 | -8 0.6% | 1.5% | 2.0% | 98.0% |
| Grades 9- | 1.0% | 1.6% | 3.1% | 96.9% |
| Steroids | | | | |
| A | 0.2% | 0.4% | 0.9% | 99.1% |
| Grades 7 | -8 0.3% | 0.5% | 0.7% | 99.3% |
| Grades 9- | 0.2% | 0.3% | 1.0% | 99.0% |
| Ecstasy | | | | |
| A | 1.6% | 1.9% | 3.8% | 96.2% |
| Grades 7 | -8 1.7% | 1.8% | 2.3% | 97.7% |
| Grades 9- | 1.5% | 2.0% | 4.6% | 95.4% |
| Heroin | | | | |
| A | All 0.5% | 0.8% | 2.1% | 97.9% |
| Grades 7 | -8 1.0% | 1.3% | 3.0% | 97.0% |
| Grades 9- | 0.2% | 0.6% | 1.6% | 98.4% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | Past Month | School Year | Ever Used | Never Used |
|----------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 15.2% | 21.1% | 32.2% | 67.8% |
| Grades 7-8 | 7.6% | 10.2% | 17.7% | 82.3% |
| Grades 9-12 | 19.7% | 27.5% | 40.7% | 59.3% |
| Alcohol | | | | |
| All | 33.6% | 46.2% | 66.4% | 33.6% |
| Grades 7-8 | 15.7% | 28.7% | 53.2% | 46.8% |
| Grades 9-12 | 44.1% | 56.5% | 74.1% | 25.9% |
| Inhalants | | | | |
| All | 4.7% | 6.6% | 14.1% | 85.9% |
| Grades 7-8 | 7.4% | 9.6% | 19.7% | 80.3% |
| Grades 9-12 | 3.2% | 4.8% | 10.9% | 89.1% |
| Any Illicit Drug | 10.20/ | 22.10/ | 20.50 | 50 2 0 |
| All | 18.2% | 23.1% | 30.7% | 69.3% |
| Grades 7-8 | 8.0% | 10.1% | 12.8% | 87.2% |
| Grades 9-12 | 24.1% | 30.7% | 41.1% | 58.9% |
| Marijuana | 17 <0/ | 22 40/ | 20.20/ | 60.00 |
| All | 17.6% | 22.4% | 30.2% | 69.8% |
| Grades 7-8 | 8.0% | 10.1% | 12.8% | 87.2% |
| Grades 9-12 | 23.3% | 29.7% | 40.6% | 59.4% |
| Marijuana Only | 5 OO/ | 0.20/ | 12.70/ | 0.6.20 |
| All | 5.9% | 8.2% | 13.7% | 86.3% |
| Grades 7-8 | 0.6% | 0.6% | 3.2% | 96.8% |
| Grades 9-12 | 9.1% | 12.7% | 19.8% | 80.2% |
| Cocaine or Crack All | 3.0% | 4.2% | 6.9% | 93.1% |
| Grades 7-8 | 2.2% | 2.2% | 2.4% | 93.1% |
| Grades 9-12 | 3.5% | 5.4% | 2.4% 9.6% | 90.4% |
| Cocaine Grades 9-12 | 3.5% | 3.4% | 9.0% | 90.4% |
| All | 3.0% | 4.2% | 6.8% | 93.2% |
| Grades 7-8 | 2.2% | 2.2% | 2.4% | 97.6% |
| Grades 9-12 | 3.5% | 5.3% | 9.4% | 90.6% |
| Crack | 3.570 | 3.370 | 7.470 | 70.070 |
| All | 1.1% | 1.2% | 1.8% | 98.2% |
| Grades 7-8 | 2.2% | 2.2% | 2.2% | 97.8% |
| Grades 9-12 | 0.4% | 0.5% | 1.5% | 98.5% |
| Hallucinogens | 0.170 | 0.570 | 1.5 /0 | 70.570 |
| All | 4.7% | 7.2% | 10.6% | 89.4% |
| Grades 7-8 | 2.4% | 4.7% | 4.7% | 95.3% |
| Grades 9-12 | 6.1% | 8.7% | 14.1% | 85.9% |
| Uppers | 0.170 | 0.7,0 | 1 7,0 | 00.77 |
| All | 3.5% | 5.2% | 7.0% | 93.0% |
| Grades 7-8 | 2.2% | 2.2% | 2.2% | 97.8% |
| Grades 9-12 | 4.2% | 6.9% | 9.9% | 90.1% |
| Downers | | | | |
| All | 4.5% | 6.1% | 8.4% | 91.6% |
| Grades 7-8 | 2.4% | 2.4% | 2.4% | 97.6% |
| Grades 9-12 | 5.8% | 8.3% | 12.0% | 88.0% |

Table B4: Prevalence and recency of use of selected substances by grade White students

(Continued)

| | Past | School | Ever | Never |
|-------------|-------|--------|------|--------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| All | 2.4% | 2.5% | 2.8% | 97.2% |
| Grades 7-8 | 2.7% | 2.7% | 2.7% | 97.3% |
| Grades 9-12 | 2.2% | 2.4% | 2.9% | 97.1% |
| Steroids | | | | |
| All | 0.2% | 0.2% | 0.6% | 99.4% |
| Grades 7-8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9-12 | 0.3% | 0.3% | 0.9% | 99.1% |
| Ecstasy | | | | |
| All | 1.8% | 2.5% | 4.0% | 96.0% |
| Grades 7-8 | 2.2% | 2.2% | 2.2% | 97.8% |
| Grades 9-12 | 1.6% | 2.7% | 5.2% | 94.8% |
| Heroin | | | | |
| All | 1.1% | 1.4% | 3.5% | 96.5% |
| Grades 7-8 | 2.2% | 2.2% | 6.5% | 93.5% |
| Grades 9-12 | 0.4% | 0.9% | 1.8% | 98.2% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | Past Month | School Year | Ever Used | Never Used |
|---------------------------|---------------|----------------|---------------|------------------|
| Tobacco | | | | |
| All | 7.7% | 15.1% | 28.5% | 71.5% |
| Grades 7-8 | 2.7% | 14.2% | 28.0% | 72.0% |
| Grades 9-12 | 10.8% | 15.7% | 28.8% | 71.2% |
| Alcohol | | | | |
| All | 25.5% | 36.3% | 69.5% | 30.5% |
| Grades 7-8 | 24.1% | 31.7% | 72.1% | 27.9% |
| Grades 9-12 | 26.4% | 39.1% | 68.0% | 32.0% |
| Inhalants | | | 0 === | 0.4.0 |
| All | 2.6% | 4.1% | 8.7% | 91.3% |
| Grades 7-8 | 0.0% | 0.0% | 7.0% | 93.0% |
| Grades 9-12 | 4.3% | 6.7% | 9.7% | 90.3% |
| Any Illicit Drug | 10.20/ | 1.7.00/ | 24.20/ | 5 6 0 0 0 |
| All | 10.3% | 15.3% | 24.2% | 75.8% |
| Grades 7-8 | 3.1% | 4.4% | 8.1% | 91.9% |
| Grades 9-12 | 14.8% | 22.2% | 34.2% | 65.8% |
| Marijuana | 0.20/ | 15 10/ | 22.70/ | 76.20/ |
| All | 9.2% | 15.1% | 23.7% | 76.3% |
| Grades 7-8 | 2.6% | 4.0% | 7.2% | 92.8% |
| Grades 9-12 | 13.5% | 22.4% | 34.5% | 65.5% |
| Marijuana Only All | 4.70/ | 9.00/ | 16.50/ | 92 50/ |
| All Grades 7-8 | 4.7% | 8.9% 2.6% | 16.5% | 83.5% |
| Grades 7-8 Grades 9-12 | 1.3% 6.9% | 12.9% | 5.8% 23.3% | 94.2% 76.7% |
| Cocaine or Crack | 0.970 | 12.970 | 23.370 | 70.770 |
| All | 0.6% | 0.9% | 2.6% | 97.4% |
| Grades 7-8 | 0.4% | 0.4% | 0.9% | 99.1% |
| Grades 9-12 | 0.8% | 1.2% | 3.6% | 96.4% |
| Cocaine Grades 7-12 | 0.070 | 1.270 | 3.070 | 70.470 |
| All | 0.6% | 0.9% | 2.3% | 97.7% |
| Grades 7-8 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grades 9-12 | 0.8% | 1.2% | 3.5% | 96.5% |
| Crack | 0.070 | 1.270 | 3.370 | 70.570 |
| All | 0.3% | 0.3% | 0.6% | 99.4% |
| Grades 7-8 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grades 9-12 | 0.5% | 0.5% | 0.8% | 99.2% |
| Hallucinogens | | | | |
| All | 0.5% | 0.7% | 1.0% | 99.0% |
| Grades 7-8 | 0.0% | 0.0% | 0.0% | 100.0% |
| Grades 9-12 | 0.9% | 1.2% | 1.6% | 98.4% |
| Uppers | | | | |
| All | 1.2% | 2.5% | 3.0% | 97.0% |
| Grades 7-8 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grades 9-12 | 1.7% | 3.8% | 4.5% | 95.5% |
| Downers | | | | |
| All | 1.5% | 1.8% | 3.5% | 96.5% |
| Grades 7-8 | 0.0% | 0.5% | 0.5% | 99.5% |
| Grades 9-12 | 2.4% | 2.7% | 5.5% | 94.5% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

(Continued)

| | Past | School | Ever | Never |
|-------------|-------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| All | 0.8% | 1.1% | 1.5% | 98.5% |
| Grades 7-8 | 0.4% | 0.4% | 0.4% | 99.6% |
| Grades 9-12 | 1.1% | 1.6% | 2.2% | 97.8% |
| Steroids | | | | |
| All | 0.4% | 0.4% | 1.2% | 98.8% |
| Grades 7-8 | 0.0% | 0.0% | 0.5% | 99.5% |
| Grades 9-12 | 0.6% | 0.6% | 1.6% | 98.4% |
| Ecstasy | | | | |
| All | 0.7% | 0.7% | 1.4% | 98.6% |
| Grades 7-8 | 0.5% | 0.5% | 0.5% | 99.5% |
| Grades 9-12 | 0.9% | 0.9% | 2.0% | 98.0% |
| Heroin | | | | |
| All | 0.0% | 0.0% | 0.3% | 99.7% |
| Grades 7-8 | 0.0% | 0.0% | 0.4% | 99.6% |
| Grades 9-12 | 0.0% | 0.0% | 0.2% | 99.8% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | Past Month | School Year | Ever Used | Never Used |
|---------------------------|----------------|----------------|----------------|----------------|
| Tobacco | | | | |
| All | 13.7% | 19.3% | 37.3% | 62.7% |
| Grades 7-8 | 6.6% | 8.5% | 24.4% | 75.6% |
| Grades 9-12 | 17.5% | 25.0% | 44.2% | 55.8% |
| Alcohol | 26.00/ | 40.70/ | 72.40/ | 27.60 |
| All | 36.9% | 49.7% | 72.4% | 27.6% |
| Grades 7-8 Grades 9-12 | 22.7% 44.5% | 32.0% 59.2% | 57.7% 80.2% | 42.3% |
| Inhalants | 44.5% | 39.2% | 80.2% | 19.8% |
| All | 4.6% | 6.4% | 12.5% | 87.5% |
| Grades 7-8 | 6.2% | 7.9% | 13.3% | 86.7% |
| Grades 9-12 | 3.8% | 5.6% | 12.1% | 87.9% |
| Any Illicit Drug | 3.070 | 2.070 | 12.170 | 07.57 |
| All | 18.1% | 25.0% | 38.7% | 61.3% |
| Grades 7-8 | 8.8% | 14.0% | 23.9% | 76.1% |
| Grades 9-12 | 23.0% | 30.9% | 46.6% | 53.4% |
| Marijuana | | | | |
| All | 16.9% | 24.1% | 37.4% | 62.6% |
| Grades 7-8 | 7.3% | 12.6% | 22.2% | 77.8% |
| Grades 9-12 | 21.9% | 30.2% | 45.5% | 54.5% |
| Marijuana Only | | | | |
| All | 7.7% | 12.1% | 22.3% | 77.7% |
| Grades 7-8 | 3.4% | 6.4% | 14.2% | 85.8% |
| Grades 9-12 | 10.0% | 15.2% | 26.7% | 73.3% |
| Cocaine or Crack | | | | |
| All | 2.7% | 4.4% | 8.6% | 91.4% |
| Grades 7-8 | 1.3% | 2.5% | 4.4% | 95.6% |
| Grades 9-12 | 3.4% | 5.4% | 10.8% | 89.2% |
| Cocaine | | | | |
| All | 2.5% | 4.2% | 7.7% | 92.3% |
| Grades 7-8 | 1.2% | 2.4% | 3.0% | 97.0% |
| Grades 9-12 | 3.2% | 5.1% | 10.1% | 89.9% |
| Crack All | 0.8% | 1.0% | 2.7% | 07.20/ |
| Grades 7-8 | 0.8% | 1.0% | 2.7% | 97.3% 97.3% |
| Grades 9-12 | 0.3% | 1.0% | 2.7% | 97.3% |
| Hallucinogens | 0.770 | 1.070 | 2.770 | 71.570 |
| All | 2.0% | 2.9% | 5.8% | 94.2% |
| Grades 7-8 | 1.1% | 1.4% | 3.1% | 96.9% |
| Grades 9-12 | 2.4% | 3.7% | 7.2% | 92.8% |
| Uppers | | | | |
| All | 2.3% | 3.2% | 5.4% | 94.6% |
| Grades 7-8 | 0.5% | 0.8% | 1.6% | 98.4% |
| Grades 9-12 | 3.2% | 4.4% | 7.4% | 92.6% |
| Downers | | | | |
| All | 2.8% | 4.1% | 7.5% | 92.5% |
| Grades 7-8 | 0.3% | 0.5% | 2.1% | 97.9% |
| Grades 9-12 | 4.1% | 6.0% | 10.3% | 89.7% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

(Continued)

| | Past | School | Ever | Never |
|-------------|-------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| All | 0.9% | 1.7% | 2.8% | 97.2% |
| Grades 7-8 | 0.8% | 1.6% | 2.2% | 97.8% |
| Grades 9-12 | 1.0% | 1.7% | 3.2% | 96.8% |
| Steroids | | | | |
| All | 0.3% | 0.7% | 1.1% | 98.9% |
| Grades 7-8 | 0.2% | 1.1% | 1.3% | 98.7% |
| Grades 9-12 | 0.3% | 0.5% | 1.0% | 99.0% |
| Ecstasy | | | | |
| All | 1.9% | 2.4% | 4.6% | 95.4% |
| Grades 7-8 | 1.8% | 2.0% | 2.5% | 97.5% |
| Grades 9-12 | 1.9% | 2.6% | 5.7% | 94.3% |
| Heroin | | | | |
| All | 0.4% | 0.7% | 1.8% | 98.2% |
| Grades 7-8 | 0.4% | 0.7% | 1.3% | 98.7% |
| Grades 9-12 | 0.3% | 0.8% | 2.0% | 98.0% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades

| | Past Month | School Year | Ever Used | Never Used |
|--------------------|---------------------------------|----------------|----------------|---------------|
| Tobacco | | | | |
| | All 6.2% | 9.8% | 21.9% | 78.1% |
| Grades | 7-8 0.6% | 1.6% | 11.0% | 89.0% |
| Grades 9 | -12 10.6% | 16.4% | 30.5% | 69.5% |
| Alcohol | | | | |
| | All 27.3% | 39.3% | 64.3% | 35.7% |
| Grades | | 25.4% | 54.8% | 45.2% |
| Grades 9 | -12 35.1% | 50.3% | 71.8% | 28.2% |
| Inhalants | A.II. 2.60/ | 5.20/ | 10.10/ | 00.00/ |
| | All 3.6% | 5.2% | 10.1% | 89.9% |
| Grades | | 8.4% | 11.9% | 88.1% |
| Grades 9 | 1.3% | 2.7% | 8.6% | 91.4% |
| Any Illicit Drug | A 11 9 00/ | 1.4.10/ | 22.50/ | 77.50/ |
| Cuada | All 8.9% 7-8 3.6% | 14.1% 6.1% | 22.5% | 77.5% |
| Grades Grades 9 | | 20.3% | 11.4% 31.3% | 88.6% |
| | 13.1% | 20.5% | 31.3% | 68.7% |
| Marijuana | All 8.0% | 13.4% | 21.7% | 78.3% |
| Grades | | 5.5% | 10.6% | 89.4% |
| Grades 9 | | 19.6% | 30.5% | 69.5% |
| Marijuana Only | -12 12.070 | 17.070 | 30.570 | 07.570 |
| - | All 3.1% | 6.3% | 12.8% | 87.2% |
| Grades | | 1.0% | 4.6% | 95.4% |
| Grades 9 | | 10.4% | 19.2% | 80.8% |
| Cocaine or Crack | | | | |
| | All 1.0% | 1.3% | 3.6% | 96.4% |
| Grades | | 0.2% | 1.9% | 98.1% |
| Grades 9 | | 2.2% | 5.0% | 95.0% |
| Cocaine | | | | |
| | All 0.9% | 1.3% | 2.9% | 97.1% |
| Grades | 7-8 0.1% | 0.2% | 0.4% | 99.6% |
| Grades 9 | -12 1.6% | 2.1% | 4.9% | 95.1% |
| Crack | | | | |
| | All 0.5% | 0.5% | 1.6% | 98.4% |
| Grades | 7-8 0.0% | 0.0% | 1.7% | 98.3% |
| Grades 9 | -12 0.9% | 0.9% | 1.6% | 98.4% |
| Hallucinogens | | | | |
| | All 1.9% | 2.5% | 4.9% | 95.1% |
| Grades | 7-8 0.0% | 0.5% | 2.4% | 97.6% |
| Grades 9 | -12 3.4% | 4.0% | 6.8% | 93.2% |
| Uppers | | | | |
| | All 1.2% | 1.6% | 3.1% | 96.9% |
| Grades | | 0.2% | 0.4% | 99.6% |
| Grades 9 | -12 1.9% | 2.6% | 5.2% | 94.8% |
| Downers | | | | |
| | All 1.3% | 1.5% | 3.8% | 96.2% |
| Grades | | 0.0% | 1.8% | 98.2% |
| Grades 9 | -12 2.3% | 2.7% | 5.4% | 94.6% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades
(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|---------|---------------|----------------|--------------|---------------|
| Rohypnol | | 1,10,10,1 | | 0.504 | 0500 |
| •• | All | 0.1% | 1.0% | 1.3% | 98.7% |
| Grae | des 7-8 | 0.1% | 1.7% | 1.8% | 98.2% |
| Grade | es 9-12 | 0.2% | 0.5% | 1.0% | 99.0% |
| Steroids | | | | | |
| | All | 0.2% | 0.3% | 0.6% | 99.4% |
| Grad | des 7-8 | 0.1% | 0.3% | 0.4% | 99.6% |
| Grade | es 9-12 | 0.3% | 0.3% | 0.9% | 99.1% |
| Ecstasy | | | | | |
| | All | 0.9% | 1.1% | 2.2% | 97.8% |
| Grad | des 7-8 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade | es 9-12 | 1.5% | 1.8% | 3.6% | 96.4% |
| Heroin | | | | | |
| | All | 0.1% | 0.2% | 0.5% | 99.5% |
| Grad | des 7-8 | 0.1% | 0.1% | 0.4% | 99.6% |
| Grade | es 9-12 | 0.2% | 0.3% | 0.7% | 99.3% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A

| | Past Month | School Year | Ever Used | Never Used |
|----------------------|---------------|----------------|----------------|---------------|
| Tobacco | | | | |
| All | 15.6% | 22.3% | 40.4% | 59.6% |
| Grades 7-8 | | 12.4% | 28.7% | 71.3% |
| Grades 9-12 | 19.1% | 27.1% | 46.1% | 53.9% |
| Alcohol | | | | |
| All | | 50.6% | 73.4% | 26.6% |
| Grades 7-8 | | 33.5% | 59.6% | 40.4% |
| Grades 9-12 | 44.8% | 58.9% | 80.1% | 19.9% |
| Inhalants | 4.70/ | 6 40/ | 12 10/ | 96.00/ |
| All | | 6.4% | 13.1% | 86.9% |
| Grades 7-8 | | 7.0% | 14.5% 12.4% | 85.5% |
| Grades 9-12 | 4.4% | 6.2% | 12.4% | 87.6% |
| Any Illicit Drug All | 20.0% | 26.9% | 40.5% | 59.5% |
| Grades 7-8 | | 15.2% | 24.6% | 75.4% |
| Grades 9-12 | | 32.7% | 48.3% | 51.7% |
| Marijuana | 24.670 | 32.170 | 40.370 | 31.770 |
| All | 18.8% | 26.1% | 39.3% | 60.7% |
| Grades 7-8 | | 14.0% | 23.0% | 77.0% |
| Grades 9-12 | | 31.8% | 47.1% | 52.9% |
| Marijuana Only | 23.770 | 31.070 | 17.170 | 32.57 |
| All | 8.4% | 12.9% | 23.0% | 77.0% |
| Grades 7-8 | | 7.1% | 14.9% | 85.1% |
| Grades 9-12 | | 15.7% | 27.0% | 73.0% |
| Cocaine or Crack | | | | |
| All | 2.9% | 4.9% | 9.0% | 91.0% |
| Grades 7-8 | 1.7% | 3.0% | 4.4% | 95.6% |
| Grades 9-12 | 3.5% | 5.8% | 11.3% | 88.7% |
| Cocaine | | | | |
| All | 2.8% | 4.7% | 8.3% | 91.7% |
| Grades 7-8 | 1.7% | 2.9% | 3.5% | 96.5% |
| Grades 9-12 | 3.3% | 5.5% | 10.6% | 89.4% |
| Crack | | | | |
| All | 0.8% | 1.1% | 2.6% | 97.4% |
| Grades 7-8 | 1.3% | 1.5% | 2.6% | 97.4% |
| Grades 9-12 | 0.6% | 0.9% | 2.6% | 97.4% |
| Hallucinogens | | | | |
| All | | 3.7% | 6.6% | 93.4% |
| Grades 7-8 | | 2.3% | 3.3% | 96.7% |
| Grades 9-12 | 2.8% | 4.4% | 8.1% | 91.9% |
| Uppers | | | | |
| All | | 3.9% | 6.2% | 93.8% |
| Grades 7-8 | | 1.3% | 2.1% | 97.9% |
| Grades 9-12 | 3.5% | 5.2% | 8.2% | 91.8% |
| Downers | 2.22 | 4.007 | 0.224 | 61.5 |
| All | | 4.9% | 8.3% | 91.7% |
| Grades 7-8 | | 1.1% | 1.9% | 98.1% |
| Grades 9-12 | 4.5% | 6.7% | 11.3% | 88.7% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|-------------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| • • | All | 1.4% | 1.9% | 3.0% | 97.0% |
| | Grades 7-8 | 1.4% | 1.5% | 2.1% | 97.9% |
| | Grades 9-12 | 1.4% | 2.0% | 3.5% | 96.5% |
| Steroids | | | | | |
| | All | 0.2% | 0.7% | 1.1% | 98.9% |
| | Grades 7-8 | 0.1% | 1.1% | 1.2% | 98.8% |
| | Grades 9-12 | 0.3% | 0.5% | 1.0% | 99.0% |
| Ecstasy | | | | | |
| | All | 2.0% | 2.6% | 4.8% | 95.2% |
| | Grades 7-8 | 2.3% | 2.5% | 2.8% | 97.2% |
| | Grades 9-12 | 1.9% | 2.6% | 5.8% | 94.2% |
| Heroin | | | | | |
| | All | 0.5% | 0.9% | 2.3% | 97.7% |
| | Grades 7-8 | 0.9% | 1.1% | 2.6% | 97.4% |
| | Grades 9-12 | 0.4% | 0.8% | 2.1% | 97.9% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|---------|---------------|----------------|----------------|---------------|
| Tobacco | | | | | |
| | All | 11.3% | 17.5% | 32.4% | 67.6% |
| | es 7-8 | 5.1% | 7.2% | 18.3% | 81.7% |
| Grade | s 9-12 | 14.6% | 23.0% | 40.0% | 60.0% |
| Alcohol | | | | | |
| | All | 32.9% | 44.6% | 67.7% | 32.3% |
| | les 7-8 | 20.4% | 27.0% | 53.0% | 47.0% |
| Grade | s 9-12 | 39.7% | 54.1% | 75.7% | 24.3% |
| Inhalants | 4.77 | 2.60/ | 4.00/ | 10.60/ | 00.40/ |
| | All | 3.6% | 4.9% | 10.6% | 89.4% |
| | es 7-8 | 3.7% | 4.6% | 10.3% | 89.7% |
| Grade | s 9-12 | 3.5% | 5.0% | 10.7% | 89.3% |
| Any Illicit Drug | 4 11 | 1.4.20/ | 10.00/ | 20.20/ | 60.70/ |
| Con 1 | All | 14.3% | 19.9% | 30.3% | 69.7% |
| | es 7-8 | 7.1% | 9.8% | 14.8% | 85.2% |
| Grade | S 9-12 | 18.1% | 25.3% | 38.7% | 61.3% |
| Marijuana | All | 13.5% | 19.2% | 29.3% | 70.7% |
| Cuod | es 7-8 | 6.6% | 9.2% | 29.3% 14.0% | 86.0% |
| Grade | | 17.3% | 9.2% 24.6% | 37.5% | 62.5% |
| Marijuana Only | S 9-12 | 17.5% | 24.0% | 37.3% | 02.3% |
| Marijuana Omy | All | 5.7% | 9.5% | 17.4% | 82.6% |
| Crad | les 7-8 | 2.4% | 4.6% | 8.9% | 91.1% |
| Grade | | 7.5% | 12.2% | 22.0% | 78.0% |
| Cocaine or Crack | S J-12 | 7.570 | 12.270 | 22.070 | 70.070 |
| Cocume of Cruck | All | 1.9% | 3.2% | 5.9% | 94.1% |
| Grad | les 7-8 | 0.3% | 0.7% | 1.3% | 98.7% |
| Grade | | 2.7% | 4.5% | 8.4% | 91.6% |
| Cocaine | 5 12 | 2.,,,, | | 0.1.70 | 71.070 |
| | All | 1.8% | 3.1% | 5.5% | 94.5% |
| Grad | les 7-8 | 0.3% | 0.7% | 1.2% | 98.8% |
| Grade | | 2.6% | 4.3% | 7.8% | 92.2% |
| Crack | | | | | |
| | All | 0.3% | 0.4% | 1.5% | 98.5% |
| Grad | es 7-8 | 0.1% | 0.1% | 0.5% | 99.5% |
| Grade | | 0.5% | 0.6% | 2.1% | 97.9% |
| Hallucinogens | | | | | |
| | All | 1.8% | 2.8% | 5.2% | 94.8% |
| Grad | es 7-8 | 0.3% | 1.0% | 2.1% | 97.9% |
| Grade | s 9-12 | 2.7% | 3.8% | 6.9% | 93.1% |
| Uppers | | | | | |
| | All | 1.7% | 2.5% | 3.9% | 96.1% |
| Grad | es 7-8 | 0.4% | 0.6% | 1.1% | 98.9% |
| Grade | s 9-12 | 2.3% | 3.5% | 5.4% | 94.6% |
| Downers | | | | | |
| | All | 2.1% | 3.4% | 5.2% | 94.8% |
| Grad | es 7-8 | 0.3% | 0.4% | 0.9% | 99.1% |
| Grade | s 9-12 | 3.1% | 5.0% | 7.5% | 92.5% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents
(Continued)

| | Past | School | Ever | Never |
|-------------|-------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol | | | | |
| All | 0.9% | 1.5% | 2.2% | 97.8% |
| Grades 7-8 | 1.1% | 2.1% | 2.5% | 97.5% |
| Grades 9-12 | 0.8% | 1.2% | 2.0% | 98.0% |
| Steroids | | | | |
| All | 0.2% | 0.7% | 1.1% | 98.9% |
| Grades 7-8 | 0.1% | 1.2% | 1.3% | 98.7% |
| Grades 9-12 | 0.3% | 0.4% | 1.0% | 99.0% |
| Ecstasy | | | | |
| All | 1.5% | 1.9% | 3.4% | 96.6% |
| Grades 7-8 | 1.1% | 1.3% | 1.5% | 98.5% |
| Grades 9-12 | 1.6% | 2.2% | 4.4% | 95.6% |
| Heroin | | | | |
| All | 0.3% | 0.5% | 1.4% | 98.6% |
| Grades 7-8 | 0.3% | 0.5% | 1.5% | 98.5% |
| Grades 9-12 | 0.3% | 0.5% | 1.4% | 98.6% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents

| | Past Month | School Year | Ever Used | Never Used |
|------------------|-----------------|----------------|--------------|---------------|
| Tobacco | | | | |
| A | | 21.5% | 40.7% | 59.3% |
| Grades 7- | | 11.7% | 29.8% | 70.2% |
| Grades 9-1 | 2 20.7% | 26.9% | 46.8% | 53.2% |
| Alcohol | | | | |
| A | | 52.0% | 75.8% | 24.2% |
| Grades 7- | | 36.4% | 64.5% | 35.5% |
| Grades 9-1 | 2 46.1% | 60.5% | 82.0% | 18.0% |
| Inhalants | 5 40/ | 7.00/ | 1.4.50/ | 05.50 |
| A | | 7.8% | 14.5% | 85.5% |
| Grades 7- | | 10.8% | 17.8% | 82.2% |
| Grades 9-1 | 2 4.1% | 6.1% | 12.7% | 87.3% |
| Any Illicit Drug | u 21.10/ | 20.00/ | 42.90/ | 56.20 |
| A Grades 7- | | 28.8% | 43.8% | 56.2% |
| | | 15.8% | 27.9% | 72.1% |
| Grades 9-1 | 2 27.5% | 35.9% | 52.6% | 47.4% |
| Marijuana A | II 19.5% | 27.7% | 42.8% | 57.2% |
| Grades 7- | | 14.2% | 25.8% | 74.2% |
| Grades 9-1 | | 35.0% | 52.0% | 48.0% |
| Marijuana Only | 20.070 | 33.070 | 32.070 | 40.07 |
| A | II 8.9% | 13.4% | 24.9% | 75.1% |
| Grades 7- | | 6.2% | 15.4% | 84.6% |
| Grades 9-1 | | 17.4% | 30.1% | 69.9% |
| Cocaine or Crack | | | | |
| A | 11 3.2% | 5.1% | 10.0% | 90.0% |
| Grades 7- | | 4.0% | 6.6% | 93.4% |
| Grades 9-1 | | 5.8% | 11.8% | 88.2% |
| Cocaine | | | | |
| A | II 3.1% | 4.9% | 8.9% | 91.1% |
| Grades 7- | 8 2.5% | 3.8% | 4.3% | 95.7% |
| Grades 9-1 | 2 3.4% | 5.4% | 11.4% | 88.6% |
| Crack | | | | |
| A | 1.3% | 1.6% | 3.5% | 96.5% |
| Grades 7- | 8 1.9% | 2.3% | 4.7% | 95.3% |
| Grades 9-1 | 2 0.9% | 1.2% | 2.8% | 97.2% |
| Hallucinogens | | | | |
| A | II 3.0% | 4.3% | 7.5% | 92.5% |
| Grades 7- | 8 2.5% | 2.9% | 4.4% | 95.6% |
| Grades 9-1 | 2 3.3% | 5.0% | 9.2% | 90.8% |
| Uppers | | | | |
| A | II 3.1% | 4.4% | 7.4% | 92.6% |
| Grades 7- | 8 1.0% | 1.3% | 2.1% | 97.9% |
| Grades 9-1 | 2 4.3% | 6.1% | 10.3% | 89.7% |
| Downers | | | | |
| Α | II 3.7% | 5.0% | 9.7% | 90.3% |
| Grades 7- | | 1.2% | 3.2% | 96.8% |
| Grades 9-1 | 2 5.3% | 7.0% | 13.2% | 86.8% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|-------------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 1.3% | 1.9% | 3.2% | 96.8% |
| | Grades 7-8 | 0.8% | 1.0% | 1.4% | 98.6% |
| | Grades 9-12 | 1.6% | 2.4% | 4.1% | 95.9% |
| Steroids | | | | | |
| | All | 0.2% | 0.5% | 0.8% | 99.2% |
| | Grades 7-8 | 0.2% | 0.3% | 0.6% | 99.4% |
| | Grades 9-12 | 0.3% | 0.6% | 0.9% | 99.1% |
| Ecstasy | | | | | |
| | All | 2.2% | 2.7% | 5.1% | 94.9% |
| | Grades 7-8 | 2.4% | 2.6% | 3.1% | 96.9% |
| | Grades 9-12 | 2.0% | 2.8% | 6.3% | 93.7% |
| Heroin | | | | | |
| | All | 0.6% | 1.1% | 2.5% | 97.5% |
| | Grades 7-8 | 1.0% | 1.2% | 2.6% | 97.4% |
| | Grades 9-12 | 0.4% | 1.0% | 2.4% | 97.6% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

| | Past Month | School Year | Ever Used | Never Used |
|------------------|-------------------|----------------|--------------|---------------|
| Tobacco | | | | |
| | 12.0% | 17.6% | 34.0% | 66.0% |
| Grades 7- | | 7.8% | 20.8% | 79.2% |
| Grades 9-1 | 15.7% | 22.8% | 41.1% | 58.9% |
| Alcohol | | | | |
| | 33.8% | 46.4% | 70.4% | 29.6% |
| Grades 7- | | 28.1% | 56.0% | 44.0% |
| Grades 9-1 | 41.2% | 56.1% | 78.0% | 22.0% |
| Inhalants | 11 2 20/ | 4.00/ | 10.50/ | 20.50/ |
| | 3.3% | 4.9% | 10.5% | 89.5% |
| Grades 7- | | 5.7% | 11.5% | 88.5% |
| Grades 9-1 | 3.1% | 4.4% | 10.0% | 90.0% |
| Any Illicit Drug | . II 14.9% | 21.2% | 33.7% | 66.3% |
| A Grades 7- | | 10.4% | 18.3% | 81.7% |
| Grades 7- | | 26.8% | 41.8% | 58.2% |
| Marijuana | 12.070 | 20.870 | 41.070 | 36.270 |
| _ | 14.1% | 20.5% | 33.1% | 66.9% |
| Grades 7- | | 9.8% | 17.8% | 82.2% |
| Grades 9-1 | | 26.1% | 41.1% | 58.9% |
| Marijuana Only | 10.070 | 20.170 | 71.170 | 30.77 |
| | .11 6.5% | 10.3% | 20.3% | 79.7% |
| Grades 7- | | 4.4% | 11.2% | 88.8% |
| Grades 9-1 | | 13.4% | 25.2% | 74.8% |
| Cocaine or Crack | | | | |
| A | 1.6% | 3.2% | 6.3% | 93.7% |
| Grades 7- | -8 0.5% | 1.3% | 2.4% | 97.6% |
| Grades 9-1 | 2.2% | 4.2% | 8.4% | 91.6% |
| Cocaine | | | | |
| A | 1.5% | 3.1% | 5.8% | 94.2% |
| Grades 7- | -8 0.5% | 1.4% | 1.7% | 98.3% |
| Grades 9-1 | 2.0% | 3.9% | 7.9% | 92.1% |
| Crack | | | | |
| A | .11 0.4% | 0.5% | 1.8% | 98.2% |
| Grades 7- | -8 0.2% | 0.2% | 1.2% | 98.8% |
| Grades 9-1 | 0.4% | 0.6% | 2.1% | 97.9% |
| Hallucinogens | | | | |
| A | .11 1.7% | 2.7% | 5.0% | 95.0% |
| Grades 7- | -8 0.3% | 1.1% | 2.0% | 98.0% |
| Grades 9-1 | 2.4% | 3.5% | 6.6% | 93.4% |
| Uppers | | | | |
| | 1.8% | 2.9% | 4.8% | 95.2% |
| Grades 7- | | 0.6% | 1.1% | 98.9% |
| Grades 9-1 | 2.5% | 4.1% | 6.7% | 93.3% |
| Downers | | | | |
| | 2.0% | 3.3% | 6.2% | 93.8% |
| Grades 7- | | 0.5% | 1.7% | 98.3% |
| Grades 9-1 | 2.9% | 4.7% | 8.6% | 91.4% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|-------------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 0.9% | 1.4% | 2.2% | 97.8% |
| | Grades 7-8 | 1.1% | 1.2% | 1.7% | 98.3% |
| | Grades 9-12 | 0.8% | 1.5% | 2.4% | 97.6% |
| Steroids | | | | | |
| | All | 0.2% | 0.6% | 0.9% | 99.1% |
| | Grades 7-8 | 0.2% | 0.9% | 1.1% | 98.9% |
| | Grades 9-12 | 0.2% | 0.4% | 0.8% | 99.2% |
| Ecstasy | | | | | |
| | All | 1.3% | 1.7% | 3.3% | 96.7% |
| | Grades 7-8 | 1.1% | 1.2% | 1.6% | 98.4% |
| | Grades 9-12 | 1.4% | 2.0% | 4.2% | 95.8% |
| Heroin | | | | | |
| | All | 0.3% | 0.6% | 1.4% | 98.6% |
| | Grades 7-8 | 0.4% | 0.5% | 1.7% | 98.3% |
| | Grades 9-12 | 0.2% | 0.6% | 1.3% | 98.7% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems

| | Past Month | School Year | Ever Used | Never Used |
|----------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | | 29.5% | 45.5% | 54.5% |
| Grades 7-8 | | 18.3% | 34.0% | 66.0% |
| Grades 9-12 | 25.2% | 35.7% | 51.8% | 48.2% |
| Alcohol | | | | |
| All | | 57.3% | 76.6% | 23.4% |
| Grades 7-8 | | 46.5% | 67.8% | 32.2% |
| Grades 9-12 | 50.6% | 63.1% | 81.3% | 18.7% |
| Inhalants | 0.70/ | 12 20/ | 20.20/ | 70.70 |
| All | | 12.3% | 20.3% | 79.7% |
| Grades 7-8 | | 15.9% | 21.5% | 78.5% |
| Grades 9-12 | 6.8% | 10.4% | 19.7% | 80.3% |
| Any Illicit Drug All | 30.0% | 38.2% | 50.6% | 49.4% |
| Grades 7-8 | | 25.7% | 35.3% | 64.7% |
| Grades 9-12 | | 45.0% | 58.8% | 41.2% |
| Marijuana | 33.270 | 45.0% | 30.070 | 41.270 |
| All | 28.2% | 37.0% | 47.2% | 52.8% |
| Grades 7-8 | | 22.6% | 28.9% | 71.1% |
| Grades 9-12 | | 44.8% | 57.1% | 42.9% |
| Marijuana Only | 34.470 | 44.070 | 37.170 | 72.77 |
| All | 11.2% | 17.1% | 23.6% | 76.4% |
| Grades 7-8 | | 10.6% | 15.4% | 84.6% |
| Grades 9-12 | | 20.7% | 28.1% | 71.9% |
| Cocaine or Crack | | | | |
| All | 6.3% | 7.9% | 13.8% | 86.2% |
| Grades 7-8 | 5.3% | 6.8% | 10.9% | 89.1% |
| Grades 9-12 | 6.9% | 8.5% | 15.3% | 84.7% |
| Cocaine | | | | |
| All | 6.0% | 7.4% | 12.0% | 88.0% |
| Grades 7-8 | 5.1% | 6.2% | 7.1% | 92.9% |
| Grades 9-12 | 6.5% | 8.1% | 14.7% | 85.3% |
| Crack | | | | |
| All | 2.8% | 3.2% | 5.9% | 94.1% |
| Grades 7-8 | 4.9% | 5.8% | 9.1% | 90.9% |
| Grades 9-12 | 1.6% | 1.8% | 4.2% | 95.8% |
| Hallucinogens | | | | |
| All | 5.8% | 7.8% | 12.7% | 87.3% |
| Grades 7-8 | 5.8% | 6.1% | 9.3% | 90.7% |
| Grades 9-12 | 5.8% | 8.8% | 14.6% | 85.4% |
| Uppers | | | | |
| All | | 6.2% | 9.6% | 90.4% |
| Grades 7-8 | | 2.7% | 3.9% | 96.1% |
| Grades 9-12 | 6.6% | 8.1% | 12.7% | 87.3% |
| Downers | | 0.5 | | |
| All | | 8.2% | 12.0% | 88.0% |
| Grades 7-8 | | 2.4% | 3.4% | 96.6% |
| Grades 9-12 | 9.0% | 11.5% | 16.7% | 83.3% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems

(Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|-------------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 1.8% | 3.2% | 4.5% | 95.5% |
| | Grades 7-8 | 1.0% | 4.0% | 4.3% | 95.7% |
| | Grades 9-12 | 2.2% | 2.7% | 4.6% | 95.4% |
| Steroids | | | | | |
| | All | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grades 7-8 | 0.0% | 0.5% | 0.8% | 99.2% |
| | Grades 9-12 | 0.6% | 0.6% | 1.7% | 98.3% |
| Ecstasy | | | | | |
| | All | 4.2% | 5.1% | 9.3% | 90.7% |
| | Grades 7-8 | 5.5% | 5.5% | 6.2% | 93.8% |
| | Grades 9-12 | 3.6% | 4.9% | 11.0% | 89.0% |
| Heroin | | | | | |
| | All | 1.2% | 1.6% | 3.5% | 96.5% |
| | Grades 7-8 | 2.2% | 2.7% | 3.8% | 96.2% |
| | Grades 9-12 | 0.6% | 1.1% | 3.4% | 96.6% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less

| | Past Month | School Year | Ever Used | Never Used |
|------------------|-------------------------------------|----------------|----------------|---------------|
| Tobacco | | | | |
| | All 14.6% | 20.7% | 40.4% | 59.6% |
| Grades 7 | | 11.2% | 30.6% | 69.4% |
| Grades 9- | 12 18.9% | 25.7% | 45.6% | 54.4% |
| Alcohol | | | | |
| | All 37.4% | 48.6% | 71.4% | 28.6% |
| Grades 7 | | 32.6% | 60.4% | 39.6% |
| Grades 9- | 12 43.3% | 57.1% | 77.2% | 22.8% |
| Inhalants | 4.00/ | C 20/ | 12.20/ | 07.00 |
| | All 4.9% | 6.3% | 12.2% | 87.8% |
| Grades 7 | | 6.0% | 10.5% | 89.5% |
| Grades 9- | 12 4.7% | 6.5% | 13.1% | 86.9% |
| Any Illicit Drug | 19.70/ | 22.90/ | 26.60/ | C2 40/ |
| Grades 7 | All 18.6% 7-8 9.5% | 23.8% 12.6% | 36.6% 22.6% | 63.4% |
| | | | | 77.4% |
| Grades 9- | 12 23.3% | 29.9% | 44.1% | 55.9% |
| Marijuana | All 17.7% | 23.1% | 35.7% | 64.3% |
| Grades 7 | | 11.9% | 20.5% | 79.5% |
| Grades 9- | | 29.2% | 44.0% | 56.0% |
| Marijuana Only | 12 22.370 | 27.270 | 44.070 | 30.070 |
| - | All 7.3% | 10.2% | 19.5% | 80.5% |
| Grades 7 | | 5.0% | 12.5% | 87.5% |
| Grades 9- | | 13.0% | 23.3% | 76.7% |
| Cocaine or Crack | | | | |
| | All 3.0% | 4.9% | 9.6% | 90.4% |
| Grades 7 | | 2.2% | 4.5% | 95.5% |
| Grades 9- | | 6.3% | 12.3% | 87.7% |
| Cocaine | | | | |
| | All 2.7% | 4.5% | 8.5% | 91.5% |
| Grades 7 | 7-8 1.6% | 2.1% | 3.0% | 97.0% |
| Grades 9- | 12 3.2% | 5.8% | 11.4% | 88.6% |
| Crack | | | | |
| | All 1.3% | 1.5% | 4.0% | 96.0% |
| Grades 7 | 7-8 1.2% | 1.5% | 3.4% | 96.6% |
| Grades 9- | 12 1.4% | 1.5% | 4.2% | 95.8% |
| Hallucinogens | | | | |
| A | All 2.5% | 3.9% | 6.7% | 93.3% |
| Grades 7 | 7-8 1.3% | 2.6% | 3.0% | 97.0% |
| Grades 9- | 12 3.1% | 4.5% | 8.6% | 91.4% |
| Uppers | | | | |
| | All 2.6% | 3.7% | 6.1% | 93.9% |
| Grades 7 | | 1.4% | 1.9% | 98.1% |
| Grades 9- | 12 3.4% | 4.9% | 8.4% | 91.6% |
| Downers | | | | |
| | All 4.0% | 5.7% | 9.0% | 91.0% |
| Grades 7 | | 1.5% | 2.1% | 97.9% |
| Grades 9- | 12 5.3% | 7.8% | 12.5% | 87.5% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|----------|-------------|---------------|----------------|--------------|---------------|
| Rohypnol | | | | | |
| | All | 1.4% | 2.2% | 3.1% | 96.9% |
| | Grades 7-8 | 1.8% | 2.0% | 2.6% | 97.4% |
| | Grades 9-12 | 1.1% | 2.3% | 3.4% | 96.6% |
| Steroids | | | | | |
| | All | 0.1% | 0.8% | 1.5% | 98.5% |
| | Grades 7-8 | 0.0% | 1.5% | 1.6% | 98.4% |
| | Grades 9-12 | 0.2% | 0.4% | 1.4% | 98.6% |
| Ecstasy | | | | | |
| | All | 2.0% | 2.4% | 4.2% | 95.8% |
| | Grades 7-8 | 1.6% | 1.6% | 2.0% | 98.0% |
| | Grades 9-12 | 2.2% | 2.8% | 5.3% | 94.7% |
| Heroin | | | | | |
| | All | 0.8% | 1.3% | 3.1% | 96.9% |
| | Grades 7-8 | 1.5% | 1.8% | 4.7% | 95.3% |
| | Grades 9-12 | 0.4% | 1.1% | 2.3% | 97.7% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years

| | Past Month | School Year | Ever Used | Never Used |
|---------------------------|---------------|----------------|----------------|----------------|
| Tobacco | | | | |
| All | | 18.9% | 34.2% | 65.8% |
| Grades 7-8 | | 8.3% | 20.3% | 79.7% |
| Grades 9-12 | 16.7% | 24.7% | 41.8% | 58.2% |
| Alcohol | | | | |
| All | | 48.0% | 71.5% | 28.5% |
| Grades 7-8 | | 31.1% | 57.4% | 42.6% |
| Grades 9-12 | 42.3% | 57.2% | 79.3% | 20.7% |
| Inhalants | 4.20/ | 6.00/ | 10 40/ | 07.60 |
| All | | 6.0% | 12.4% | 87.6% |
| Grades 7-8 | | 8.1% | 15.2% | 84.8% |
| Grades 9-12 | 3.2% | 4.9% | 10.9% | 89.1% |
| Any Illicit Drug | 1.6 00/ | 24.10/ | 26.40/ | (2.60) |
| All | | 24.1% | 36.4% | 63.6% 80.0% |
| Grades 7-8 Grades 9-12 | | 12.6% 30.4% | 20.0% 45.3% | |
| | 21.9% | 30.4% | 43.5% | 54.7% |
| Marijuana All | 15.6% | 23.1% | 35.2% | 64.8% |
| Grades 7-8 | | 11.4% | 18.9% | 81.1% |
| Grades 7-8 | | 29.4% | 43.9% | 56.1% |
| Marijuana Only | 20.0% | 29.470 | 43.770 | 30.17 |
| All | 7.1% | 12.0% | 21.6% | 78.4% |
| Grades 7-8 | | 5.6% | 11.8% | 88.29 |
| Grades 9-12 | | 15.5% | 26.9% | 73.1% |
| Cocaine or Crack | 2.770 | 13.570 | 20.570 | 75.17 |
| All | 2.3% | 3.7% | 6.9% | 93.1% |
| Grades 7-8 | | 2.1% | 3.3% | 96.7% |
| Grades 9-12 | | 4.5% | 8.8% | 91.2% |
| Cocaine | | | | |
| All | 2.2% | 3.6% | 6.3% | 93.7% |
| Grades 7-8 | | 2.0% | 2.3% | 97.7% |
| Grades 9-12 | | 4.4% | 8.5% | 91.5% |
| Crack | | | | |
| All | 0.5% | 0.7% | 1.7% | 98.3% |
| Grades 7-8 | 0.8% | 0.9% | 1.9% | 98.1% |
| Grades 9-12 | 0.3% | 0.6% | 1.6% | 98.4% |
| Hallucinogens | | | | |
| All | 2.3% | 3.3% | 5.8% | 94.2% |
| Grades 7-8 | 1.1% | 1.5% | 3.1% | 96.9% |
| Grades 9-12 | 2.9% | 4.3% | 7.3% | 92.7% |
| Uppers | | | | |
| All | 2.2% | 3.3% | 5.2% | 94.8% |
| Grades 7-8 | 0.5% | 0.8% | 1.4% | 98.6% |
| Grades 9-12 | 3.1% | 4.6% | 7.3% | 92.7% |
| Downers | | | | |
| All | 2.3% | 3.4% | 6.3% | 93.7% |
| Grades 7-8 | 0.2% | 0.4% | 1.8% | 98.2% |
| Grades 9-12 | 3.5% | 5.0% | 8.8% | 91.2% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past | School | Ever | Never |
|----------|-------------|-------|--------|------|-------|
| | | Month | Year | Used | Used |
| Rohypnol | | | | | |
| | All | 0.8% | 1.3% | 2.2% | 97.8% |
| | Grades 7-8 | 0.6% | 1.4% | 1.8% | 98.2% |
| | Grades 9-12 | 1.0% | 1.3% | 2.4% | 97.6% |
| Steroids | | | | | |
| | All | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grades 7-8 | 0.2% | 0.5% | 0.7% | 99.3% |
| | Grades 9-12 | 0.4% | 0.5% | 0.8% | 99.2% |
| Ecstasy | | | | | |
| | All | 1.6% | 2.1% | 4.0% | 96.0% |
| | Grades 7-8 | 1.7% | 1.9% | 2.2% | 97.8% |
| | Grades 9-12 | 1.5% | 2.2% | 5.0% | 95.0% |
| Heroin | | | | | |
| | All | 0.3% | 0.5% | 1.2% | 98.8% |
| | Grades 7-8 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grades 9-12 | 0.3% | 0.6% | 1.4% | 98.6% |

The FREQ Procedure

| | GENDER | | | |
|--------|-----------|---------|--|--|
| q1 | Frequency | Percent | | |
| Female | 34443 | 53.60 | | |
| Male | 29813 | 46.40 | | |

Frequency Missing = 302.72852888

| GRADE | | | |
|----------|------------|---------|--|
| q2 Fı | requency 1 | Percent | |
| Grade 7 | 11315 | 17.53 | |
| Grade 8 | 11310 | 17.52 | |
| Grade 9 | 14985 | 23.21 | |
| Grade 10 | 10471 | 16.22 | |
| Grade 11 | 8671 | 13.43 | |
| Grade 12 | 7807 | 12.09 | |

|] | LIVE WITH BOTH PARENTS | | | |
|-----|---------------------------|---------|--|--|
| q3 | Frequency | Percent | | |
| No | 28751 | 44.81 | | |
| Yes | 35415 | 55.19 | | |

Frequency Missing = 393.38503999

| - | | |
|---------------|-----------|---------|
| | | AGE |
| q4 | Frequency | Percent |
| 11 or younger | 81 | 0.13 |
| 12 | 2092 | 3.26 |
| 13 | 9377 | 14.60 |
| 14 | 12939 | 20.14 |
| 15 | 13100 | 20.39 |
| 16 | 10226 | 15.92 |
| 17 | 8778 | 13.67 |
| 18 | 6884 | 10.72 |
| 19 or older | 757 | 1.18 |

Frequency Missing = 324.222144

| | ETHNICITY | | |
|------------------|-----------|---------|--|
| q 5 | Frequency | Percent | |
| African/American | 4591 | 7.33 | |
| Asian/American | 475 | 0.76 | |
| Mexican/American | 47583 | 75.96 | |
| Native/American | 188 | 0.30 | |
| Other | 1562 | 2.49 | |
| White | 8245 | 13.16 | |

Frequency Missing = 1914.3847865

| | AVERAGE DES DO YO | |
|------------|----------------------|---------|
| q6 | Frequency | Percent |
| Mostly A's | 14753 | 23.17 |
| Mostly B's | 32165 | 50.51 |
| Mostly C's | 13392 | 21.03 |
| Mostly D's | 2704 | 4.25 |
| Mostly F's | 666 | 1.05 |

Frequency Missing = 878.50379248

| | TH OF T | |
|-----------|---------|-------|
| | equency | |
| <1 year | 9441 | 14.90 |
| 2-3 years | 11066 | 17.46 |
| >4 years | 42870 | 67.64 |

Frequency Missing = 1183.1240647

| | DO YOU I | HAVE A JOB |
|-----|-----------|---------------|
| q8 | Frequency | Percent |
| No | 48459 | 77.12 |
| Yes | 14377 | 22.88 |
| 100 | 1.077 | |

Frequency Missing = 1722.6813152

| DO YOU GET AN ALLOWANCE | | |
|----------------------------|-----------|---------|
| q9 | Frequency | Percent |
| No | 40834 | 65.25 |
| Yes | 21744 | 34.75 |

Frequency Missing = 1980.7718333

| EITHER P. | ARENT CO GRA | LLEGE DUATE |
|------------|-----------------|----------------|
| q10 | Frequency | Percent |
| Don't Know | 11951 | 18.93 |
| No | 28221 | 44.70 |
| Yes | 22957 | 36.36 |

Frequency Missing = 1430.9825156

QUALIFY FOR FREE/REDUCED PRICE LUNCH

| q11 | Frequency | Percent |
|------------|-----------|---------|
| Don't Know | 11271 | 17.83 |
| No | 19536 | 30.91 |
| Yes | 32401 | 51.26 |

Frequency Missing = 1350.1131881

| PARTICIPATE IN SCHOOL ATHLETICS | | |
|---------------------------------|-----------|---------|
| q12a | Frequency | Percent |
| No | 34686 | 57.75 |
| Yes | 25374 | 42.25 |

Frequency Missing = 4498.8655438

| PARTICIPATE IN | | |
|--------------------------|-----------|---------|
| SCHOOL BAND/ORCHESTRA | | |
| q12b | Frequency | Percent |
| No | 45419 | 81.72 |
| Yes | 10159 | 18.28 |

Frequency Missing = 8981.4906028

| | PARTICIP SCHOOL | |
|------|--------------------|---------|
| q12c | Frequency | Percent |
| No | 48493 | 90.32 |
| Yes | 5198 | 9.68 |
| | | |

Frequency Missing = 10868.54424

| PARTICIPATE IN DRAMA/SPEECH/ART CLUBS | | |
|---|-----------|-------|
| q12d | Frequency | |
| No | 45279 | 84.61 |
| Yes | 8236 | 15.39 |
| | | |

Frequency Missing = 11043.654529

| | RTICIPATE IN AM/CHEERL | |
|------|---------------------------|---------|
| q12e | Frequency | Percent |
| No | 49748 | 92.85 |
| Yes | 3832 | 7.15 |

Frequency Missing = 10979.795756

| | PARTICIP | ATE IN |
|------|--------------|---------|
| | ST GOVERI | UDENT |
| | GOVER | NIVIENI |
| q12f | Frequency | Percent |
| No | 51579 | 96.73 |
| Yes | 1742 | 3.27 |
| | | |

Frequency Missing = 11237.844971

| PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK | | | |
|---|-----------|----------|--|
| q12g | Frequency | Percent | |
| No | 51569 | 95.16 | |
| Yes | 2625 | 4.84 | |
| | | <u> </u> | |

Frequency Missing = 10364.781678

| 110 | | PARTICIP | ATE IN |
|--|------|-----------|---------|
| q12h Frequency Percen No 47046 84.6 | | ACA | DEMIC |
| No 47046 84.6 | | CLUBS/SOC | CIETIES |
| 110 | q12h | Frequency | Percent |
| Yes 8520 15.33 | No | 47046 | 84.67 |
| 200 | Yes | 8520 | 15.33 |

Frequency Missing = 8992.8287337

| | PARTICIP | ATE IN |
|-------------|-----------------|---------|
| | ACA | DEMIC |
| | COMPE | |
| | G | ROUPS |
| q12i | Frequency | Percent |
| No | 47793 | 85.45 |
| Yes | 8136 | 14.55 |

Frequency Missing = 8630.7130773

| | PARTICIP | ATE IN | |
|----------------|-----------|--------|--|
| SCHOOL SERVICE | | | |
| | | CLUBS | |
| q12j | Frequency | Percen | |
| No | 52760 | 93.88 | |
| Yes | 3439 | 6.12 | |

Frequency Missing = 8360.6320229

| PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS | | | |
|---|-----------|---------|--|
| q12k | Frequency | Percent | |
| No | 45814 | 80.10 | |
| Yes | 11380 | 19.90 | |

Frequency Missing = 7365.4213578

| PARTICIPATE IN | | | | |
|-------------------|-----------|---------|--|--|
| ATHLETIC TEAMS | | | | |
| OUTSIDE OF SCHOOL | | | | |
| q12l | Frequency | Percent | | |
| | | | | |
| No | 38882 | 65.87 | | |

Frequency Missing = 5533.8838982

| PARTICIPATE IN OTHER CLUBS OR | | | |
|----------------------------------|-----------|---------|--|
| GROUPS OUTSIDE OF SCHOOL | | | |
| q12m | Frequency | Percent | |
| No | 42685 | 73.37 | |
| Yes | 15489 | 26.63 | |

Frequency Missing = 6384.669971

| DO YOU FEEL SAFE IN YOUR HOME | | | |
|-------------------------------|----------|---------|--|
| q13a F | requency | Percent | |
| Very Safe | 49111 | 76.88 | |
| Somewhat Safe | 12559 | 19.66 | |
| Not Very Safe | 1083 | 1.70 | |
| Not Safe At All | 399 | 0.62 | |
| Don't Know | 726 | 1.14 | |

Frequency Missing = 679.96859866

| DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD | | | |
|--|-------|-------|--|
| q13b Frequency Percent | | | |
| Very Safe | 21071 | 33.07 | |
| Somewhat Safe | 33460 | 52.51 | |
| Not Very Safe | 6062 | 9.51 | |
| Not Safe At All | 1767 | 2.77 | |
| Don't Know | 1361 | 2.14 | |

Frequency Missing = 838.76500282

| DO YOU | J FEEL S. SO | AFE AT |
|-----------------|-----------------|---------|
| q13c F | requency | Percent |
| Very Safe | 22718 | 35.72 |
| Somewhat Safe | 31794 | 49.98 |
| Not Very Safe | 5473 | 8.60 |
| Not Safe At All | 1866 | 2.93 |
| Don't Know | 1759 | 2.76 |
| | | |

Frequency Missing = 949.24012549

| FRIENDS FEELING | | |
|------------------------|-------|-------|
| CLOSE TO THEIR | | |
| PARENTS | | |
| q14a Frequency Percent | | |
| None | 3538 | 5.61 |
| A Few | 18023 | 28.59 |
| Some | 18107 | 28.73 |
| Most | 18910 | 30.00 |
| All | 4453 | 7.06 |
| | | |

Frequency Missing = 1529.9460846

| HOW MANY FRIENDS CARRY WEAPONS | | | |
|-----------------------------------|----------|---------|--|
| q14b Fı | requency | Percent | |
| None | 38563 | 61.46 | |
| A Few | 13926 | 22.20 | |
| Some | 6897 | 10.99 | |
| Most | 2698 | 4.30 | |
| All | 656 | 1.05 | |
| | | | |

Frequency Missing = 1818.9378494

| | MANY FR | | RECENT C | IGARETT | TE USE | RECEN | T LIQUO | R USE |
|---------------------------|------------|------------------|------------------------|------------|------------------------|--------------------|------------|---------|
| CARE ABOUT GOOD GRADES | | | Q16A Frequency Percent | | Q16F Frequency Percent | | | |
| | | Never Heard/Used | 41558 | 65.27 | Never Heard/Used | 31359 49.84 | 49.84 | |
| q14c Fr | requency l | | In Your Lifetime | 10858 | 17.05 | In Your Lifetime | 9913 | 15.76 |
| None | 1706 | 2.75 | Since School Began | 3683 | 5.78 | Since School Began | 7141 | 11.35 |
| A Few | 10808 | 17.44 | In the Past Month | 7575 | 11.90 | In the Past Month | 14504 | 23.05 |
| Some | 15813 | 25.51 | - | | | | | |
| Most | 24940 | 40.24 | | | | | | |
| All | 8715 | 14.06 | Frequency Missing = | = 884.6994 | 40067 | Frequency Missing | = 1641.64 | 4763 |
| uency Mis | ssing = 25 | 77.3515659 | RECENT SMOKE | LESS TOE | | RECENT | | |
| | | | | | USE | Q16G F1 | requency 1 | ?ercent |
| | | | Q16B F | requency 1 | Percent | Never Heard/Used | 55549 | 87.67 |

| HOW MANY FRIENDS BELONG TO A GANG | | | | |
|--------------------------------------|---|--|--|--|
| q14d Frequency Percent | | | | |
| 31848 | 50.49 | | | |
| 16001 | 25.37 | | | |
| 9080 | 14.40 | | | |
| 4934 | 7.82 | | | |
| 1209 | 1.92 | | | |
| | NG TO A requency 1 31848 16001 9080 4934 | | | |

Frequency Missing = 1486.6688768

| FRIENDS WISHING TO DROP OUT OF | | | | |
|--------------------------------|----------------|------------------|--|--|
| q14e F | so requency | CHOOL Percent | | |
| None | 30599 | 48.03 | | |
| A Few | 21293 | 33.42 | | |
| Some | 7665 | 12.03 | | |
| Most | 3248 | 5.10 | | |
| All | 904 | 1.42 | | |

Frequency Missing = 849.83525142

| PARENTS ATTEND PTA/SCHOOL OPEN HOUSES | | | | | |
|---|-----------|---------|--|--|--|
| q15 | Frequency | Percent | | | |
| No | 38071 | 68.38 | | | |
| Yes | 17607 | 31.62 | | | |

Frequency Missing = 8881.2799447

| RECEIVI SMOR | ELESS IO | USE |
|--------------------|-----------|---------|
| Q16B | Frequency | Percent |
| Never Heard/Used | 56963 | 90.46 |
| In Your Lifetime | 2477 | 3.93 |
| Since School Began | 1127 | 1.79 |
| In the Past Month | 2401 | 3.81 |

Frequency Missing = 1590.8757565

| RECENT BEER USE | | |
|--------------------|-----------|---------|
| Q16C | Frequency | Percent |
| Never Heard/Used | 29065 | 46.66 |
| In Your Lifetime | 12943 | 20.78 |
| Since School Began | 5984 | 9.61 |
| In the Past Month | 14296 | 22.95 |

Frequency Missing = 2270.3292181

| RECENT WINE COOLER USE | | | |
|------------------------|-------|-------|--|
| Q16D Frequency Percent | | | |
| Never Heard/Used | 27713 | 43.96 | |
| In Your Lifetime | 13316 | 21.12 | |
| Since School Began | 7412 | 11.76 | |
| In the Past Month | 14604 | 23.16 | |

Frequency Missing = 1513.3148403

| RECENT WINE USE | | |
|--------------------|-----------|---------|
| Q16E | Frequency | Percent |
| Never Heard/Used | 33504 | 54.23 |
| In Your Lifetime | 13585 | 21.99 |
| Since School Began | 5736 | 9.28 |
| In the Past Month | 8958 | 14.50 |

Frequency Missing = 2776.193263

| RECEN | T INHALA | NT USE |
|--------------------|-----------|---------|
| Q16G | Frequency | Percent |
| Never Heard/Used | 55549 | 87.67 |
| In Your Lifetime | 3918 | 6.18 |
| Since School Began | 1105 | 1.74 |
| In the Past Month | 2789 | 4.40 |

Frequency Missing = 1198.2209377

| RECENT | RECENT MARIJUANA USE | | |
|--------------------|----------------------|---------|--|
| Q17A | Frequency | Percent | |
| Never Heard/Used | 40793 | 64.72 | |
| In Your Lifetime | 7735 | 12.27 | |
| Since School Began | 4283 | 6.80 | |
| In the Past Month | 10219 | 16.21 | |
| · · | 10219 | 16.21 | |

Frequency Missing = 1529.7509925

| RECENT COCAINE USE | | |
|--------------------|-----------|---------|
| Q17B | Frequency | Percent |
| Never Heard/Used | 58052 | 92.97 |
| In Your Lifetime | 1982 | 3.17 |
| Since School Began | 939 | 1.50 |
| In the Past Month | 1468 | 2.35 |

Frequency Missing = 2118.5332983

| RECENT CRACK USE | | | |
|------------------------|-------|-------|--|
| Q17C Frequency Percent | | | |
| Never Heard/Used | 60438 | 97.60 | |
| In Your Lifetime | 904 | 1.46 | |
| Since School Began | 124 | 0.20 | |
| In the Past Month | 459 | 0.74 | |

Frequency Missing = 2634.1473242

| DECEMBILLE | ICINOCE | INI LICE | DECEN | T ECSTAS | NATION | MADINIAN | A LICE I | J DACT |
|-------------------------------|-----------|----------------|---------------------|------------|---------|-------------------------|-----------------------|-----------------|
| RECENT HALLU | | | | | | MARIJUAN | | N PASI IONTH |
| | equency 1 | | | requency | | a19J E | requency 1 | - |
| Never Heard/Used | 57506 | 93.81 | Never Heard/Used | 59365 | 95.75 | Never Heard/Used | 48030 | 78.16 |
| In Your Lifetime | 1673 | 2.73 | In Your Lifetime | 1239 | 2.00 | 1-2 times | 6147 | 10.00 |
| Since School Began | 692 | 1.13 | Since School Began | 302 | 0.49 | 3-10 times | 3400 | 5.53 |
| In the Past Month | 1429 | 2.33 | In the Past Month | 1093 | 1.76 | 3-10 times 11+ times | 3872 | 6.30 |
| Frequency Missing = | 3258.68 | 11128 | Frequency Missing : | = 2559.95 | 81168 | Frequency Missing | = 3109.77 | 51802 |
| | NT UPPE | | | NT HERO | | | | |
| Q17F Fr | equency 1 | Percent | Q17K F | requency | Percent | COCAINE USE II | | |
| Never Heard/Used | 58416 | 94.54 | Never Heard/Used | 61071 | 98.14 | | requency 1 | |
| In Your Lifetime | 1287 | 2.08 | In Your Lifetime | 689 | 1.11 | Never Heard/Used | 60470 | 97.09 |
| Since School Began | 661 | 1.07 | Since School Began | 205 | 0.33 | 1-2 times | 1240 | 1.99 |
| In the Past Month | 1423 | 2.30 | In the Past Month | 266 | 0.43 | 3-10 times 11+ times | 449 122 | 0.72 |
| | | | | | | 11+ times | 122 | 0.20 |
| Frequency Missing = | 2771.87 | 50981 | Frequency Missing : | = 2328.86 | 58758 | Frequency Missing | = 2279.49 | 43553 |
| RECENT | DOWNE | CR USE | TOBACCO USE I | N PAST M | ONTH | | | |
| Q17G Fr | equency 1 | Percent | q18a Fı | requency 1 | Percent | CRACK USE II | | |
| Never Heard/Used | 57299 | 92.79 | Never Heard/Used | 53097 | 85.14 | - | requency 1 | Percent |
| In Your Lifetime | 1923 | 3.11 | 1-2 times | 4917 | 7.89 | Never Heard/Used | 61684 | 98.58 |
| Since School Began | 769 | 1.25 | 3-10 times | 2225 | 3.57 | 1-2 times | 608 | 0.97 |
| In the Past Month | 1757 | 2.85 | 11+ times | 2123 | 3.40 | 3-10 times 11+ times | 165 114 | 0.26 0.18 |
| Frequency Missing = RECENT R | | OL USE | ALCOHOL USE I | | ONTH | Frequency Missing | = 1987.53 E FRIENI | |
| Never Heard/Used | 60125 | 97.37 | Never Heard/Used | 36384 | 58.58 | <u> </u> | CIGAR | |
| In Your Lifetime | 589 | 0.95 | 1-2 times | 15408 | 24.81 | q19a Fı | requency l | Percent |
| Since School Began | 373 | 0.60 | 3-10 times | 7506 | 12.09 | Never heard/None | 23690 | 38.96 |
| In the Past Month | 662 | 1.07 | 11+ times | 2812 | 4.53 | A few | 20650 | 33.96 |
| In the rast Month | 002 | 1.07 | 11+ times | 2012 | 4.33 | Some | 10587 | 17.41 |
| | | | | | | Most | 5111 | 8.41 |
| Frequency Missing = | 2809.719 | 97485 | Frequency Missing : | = 2448.45 | 66137 | All | 762 | 1.25 |
| RECENT | STERO | ID USE | INHALANT USE I | N PAST M | ONTH | Frequency Missing : | = 3759.47 | 51406 |
| | equency 1 | | | requency 1 | | . , , | | |
| Never Heard/Used | 60956 | 99.01 | Never Heard/Used | 58329 | 94.65 | | | |
| In Your Lifetime | 255 | 0.41 | 1-2 times | 2506 | 4.07 | | E FRIENI | |
| Since School Began | 204 | 0.33 | 3-10 times | 532 | 0.86 | | LESS TOB | |
| In the Past Month | 152 | 0.25 | 11+ times | 257 | 0.42 | | requency 1 | |
| | | - _ | | | | Never heard/None | 43364 | 72.29 |
| | | | | | | A few | 9584 | 15.98 |
| Frequency Missing = | 2991.909 | 98492 | Frequency Missing : | = 2936.71 | 71466 | Some | 5234 | 8.72 |
| | | | | | | Most | 1519 | 2.53 |
| | | | | | | All | 286 | 0.48 |

CLOSE FRIENDS USE INHALANTS

Frequency Missing = 4572.8084376

| i requericy ivilasing | | | | | | | | D |
|--|--|--|--|--|---|--|--|--|
| | | | q19g H | requency | Percent | q20c Fr | requency l | Percent |
| GT 0 GT 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | Never heard/None | 44320 | 73.96 | Never heard of | 5295 | 8.87 |
| CLOSE FRIE | | | A few | 10308 | 17.20 | Impossible | 7747 | 12.98 |
| | requency 1 | | Some | 3220 | 5.37 | Very difficult | 2663 | 4.46 |
| Never heard/None | 15992 | 26.73 | Most | 1500 | 2.50 | Somewhat diff | 7248 | 12.14 |
| A few | 14175 | 23.69 | All | 579 | 0.97 | Somewhat easy | 13498 | 22.6 |
| Some | 12270 | 20.50 | | | | Very easy | 23238 | 38.93 |
| Most | 13175 | 22.02 | | | | | | |
| All | 4226 | 7.06 | Frequency Missing | = 4632.27 | 715651 | Frequency Missing | g = 4871.3 | 71836 |
| Frequency Missing | = 4720.86 | 16518 | CLOS | SE FRIEN | | | | |
| | | | 101 1 | | JUANA | DIFFICULT | | |
| CLOSE FRIE | NDS USE | WINE | | Frequency | | 20.1 F | | OLERS |
| CLOSETKI | | DLERS | Never heard/None | 22913 | 37.79 | | requency 1 | |
| q19d F i | requency l | | A few | 11461 | 18.90 | Never heard of | 7503 | 12.53 |
| Never heard/None | 20484 | 34.85 | Some | 10033 | 16.55 | Impossible | 8804 | 14.70 |
| A few | 13100 | 22.28 | Most | 11870 | 19.58 | Very difficult Somewhat diff | 3103 | 5.20 |
| Some | 10980 | 18.68 | All | 4359 | 7.19 | Somewhat easy | 6869 12486 | 11.5 |
| Most | 10276 | 17.48 | | | | Very easy | 20872 | 20.9 |
| | | | | | | verv easv | 20072 | 35.00 |
| All Frequency Missing | 3946 = 5772.45 | 6.71 13629 | | ICULT TO |) GET TTES | Frequency Missing | | 95133 |
| Frequency Missing | = 5772.45 | 13629 | DIFF q20a Fr | ICULT TO CIGARE requency P | O GET CTTES Cercent | | ງ = 4921.9 | |
| Frequency Missing | = 5772.45 ENDS USE | 13629 WINE | DIFF q20a Fr Never heard of | ICULT TO CIGARE requency P 7148 | O GET CTTES ercent 11.78 | Frequency Missing DIFFICULT q20e Fr | ງ = 4921.9 | WINI |
| Frequency Missing of CLOSE FRIE q19e Fr | = 5772.45 ENDS USE requency 1 | 13629 WINE Percent | DIFF q20a Fr Never heard of Impossible | ICULT TO CIGARE requency P 7148 9928 | O GET CTTES Percent 11.78 16.37 | Frequency Missing DIFFICULT | g = 4921.9 T TO GET requency 1 7037 | WINI Percen |
| Frequency Missing of CLOSE FRIE q19e Front Rever heard/None | = 5772.45 ENDS USE requency 1 28916 | 13629 WINE Percent 48.79 | DIFF q20a Fr Never heard of Impossible Very difficult | ICULT TO CIGARE requency P 7148 9928 3103 | D GET CTTES Percent 11.78 16.37 5.12 | Frequency Missing DIFFICULT q20e Fr Never heard of Impossible | g = 4921.9 T TO GET requency 1 | WINI Percen |
| Frequency Missing of CLOSE FRIE q19e Front Property of | = 5772.45 ENDS USE requency 1 28916 14745 | 13629 WINE Percent 48.79 24.88 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff | ICULT TO CIGARE requency P 7148 9928 3103 6344 | O GET CTTES Percent 11.78 16.37 5.12 10.46 | Prequency Missing DIFFICULT q20e Fi Never heard of Impossible Very difficult | g = 4921.9 T TO GET requency 1 7037 | 11.8 15.9 6.9 |
| CLOSE FRIE q19e Fr Never heard/None A few Some | = 5772.45 ENDS USE requency 1 28916 14745 8160 | 13629 WINE Percent 48.79 24.88 13.77 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | TCULT TC CIGARE requency P 7148 9928 3103 6344 11377 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 | DIFFICULT q20e Fi Never heard of Impossible Very difficult Somewhat diff | T TO GET requency 1 7037 9470 4133 7591 | 11.80 15.90 6.90 12.70 |
| CLOSE FRIE q19e Fr Never heard/None A few Some Most | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 | 13629 WINE Percent 48.79 24.88 13.77 8.68 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff | ICULT TO CIGARE requency P 7148 9928 3103 6344 | O GET CTTES Percent 11.78 16.37 5.12 10.46 | Prequency Missing DIFFICULT q20e Fi Never heard of Impossible Very difficult | T TO GET requency 1 7037 9470 4133 7591 12205 | WINI Percen 11.86 15.93 6.96 12.79 20.56 |
| CLOSE FRIE q19e Fr Never heard/None A few Some | = 5772.45 ENDS USE requency 1 28916 14745 8160 | 13629 WINE Percent 48.79 24.88 13.77 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | TCULT TC CIGARE requency P 7148 9928 3103 6344 11377 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 | DIFFICULT q20e Fi Never heard of Impossible Very difficult Somewhat diff | T TO GET requency 1 7037 9470 4133 7591 | WINI Percen 11.86 15.93 6.96 12.79 20.56 |
| CLOSE FRIE q19e Fr Never heard/None A few Some Most | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 | 13629 WINE Percent 48.79 24.88 13.77 8.68 | Q20a Fr Q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy | TCULT TC CIGARE requency P 7148 9928 3103 6344 11377 22757 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | T TO GET requency 1 7037 9470 4133 7591 12205 | WINE |
| Frequency Missing a CLOSE FRIE q19e Fr Never heard/None A few Some Most All | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | TCULT TC CIGARE requency P 7148 9928 3103 6344 11377 22757 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy | T TO GET requency 1 7037 9470 4133 7591 12205 18918 | 11.80 15.95 6.90 12.75 20.50 31.8 |
| Frequency Missing a CLOSE FRIE q19e Fr Never heard/None A few Some Most All | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 | Q20a Fr Q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing | TCULT TC CIGARE requency P 7148 9928 3103 6344 11377 22757 | D GET ETTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy | T TO GET requency 1 7037 9470 4133 7591 12205 18918 | 11.80 15.95 6.90 12.75 20.50 31.8 |
| CLOSE FRIE q19e Fr Never heard/None A few Some Most All | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 = 5291.01 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing | ICULT TO CIGARE Pequency P 7148 9928 3103 6344 11377 22757 | D GET TTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing | TO GET requency 1 7037 9470 4133 7591 12205 18918 | WINI Percen 11.86 15.95 6.96 12.79 20.56 31.8° |
| CLOSE FRIE Q19e From Properties of the Close Frie A few Some Most All Frequency Missing of CLOSE FRIENI | = 5772.45 ENDS USE requency I 28916 14745 8160 5143 2305 = 5291.01 DS USE LI | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL | ICULT TO CIGARE 9928 3103 6344 11377 22757 = 3901.68 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 | DIFFICULT q20e Fi Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing | T TO GET requency 1 7037 9470 4133 7591 12205 18918 G GET LI | WINI Percen 11.8 15.9 6.9 12.7 20.5 31.8 42289 |
| CLOSE FRIE CLOSE FRIE Q19e From A few Some Most All Frequency Missing of the company of t | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 = 5291.01 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr | ICULT TO CIGARE 9928 3103 6344 11377 22757 1 = 3901.68 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 | DIFFICULT q20e Fi Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing | T TO GET requency 1 7037 9470 4133 7591 12205 18918 G GET LI requency 1 | WINI Percen 11.8 15.9 6.9 12.7 20.5 31.8 42289 |
| CLOSE FRIE CLOSE FRIE Q19e From A few Some Most All Frequency Missing of the company of t | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 = 5291.01 OS USE LI requency 1 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 QUOR Percent | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of | ICULT TO CIGARE 9928 3103 6344 11377 22757 = 3901.68 | D GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 D GET ACCO Percent 27.88 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFFICULT To q20f Fr Never heard of | T TO GET requency 1 7037 9470 4133 7591 12205 18918 G GET LI requency 1 6792 | WINI Percen 11.8 15.9 6.9 12.7 20.5 31.8 42289 QUOI Percen 11.3 |
| CLOSE FRIE q19e Fr Never heard/None A few Some Most All Frequency Missing : CLOSE FRIENI q19f Fr Never heard/None A few | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 = 5291.01 OS USE LI requency 1 20347 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 QUOR Percent 34.02 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible | ICULT TO CIGARE 9928 3103 6344 11377 22757 1 = 3901.68 ICULT TO ESS TOB. equency P 16738 13549 | O GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 O GET ACCO Percent 27.88 22.57 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFFICULT To q20f Fr Never heard of Impossible | TO GET requency 1 7037 9470 4133 7591 12205 18918 G GET LI requency 1 6792 10247 | WINI Percen 11.8 15.9 6.9 12.7 20.5 31.8 42289 EQUOI Percen 11.3 17.0 |
| CLOSE FRIE Q19e From Properties of the state of the stat | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 = 5291.01 OS USE LI requency 1 20347 12218 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 QUOR Percent 34.02 20.43 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible Very difficult | ICULT TO CIGARE 9928 3103 6344 11377 22757 1 = 3901.68 ICULT TO ESS TOB 16738 13549 3757 | D GET TTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 D GET ACCO Percent 27.88 22.57 6.26 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFFICULT To q20f Fr Never heard of Impossible Very difficult | g = 4921.9 TO GET requency 1 7037 9470 4133 7591 12205 18918 G GET LI requency 1 6792 10247 4564 | WINI Percen 11.8 15.9 6.9 12.7 20.5 31.8 42289 QUOI Percen 11.3 17.0 7.6 |
| CLOSE FRIE q19e From the state of the state | = 5772.45 ENDS USE requency 1 28916 14745 8160 5143 2305 = 5291.01 OS USE LI requency 1 20347 12218 10230 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 QUOR Percent 34.02 20.43 17.11 | DIFF Q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL Q20b Fr Never heard of Impossible Very difficult Somewhat diff | ICULT TO CIGARE 9928 3103 6344 11377 22757 1 = 3901.68 ICULT TO ESS TOB. equency P 16738 13549 3757 6057 | O GET CTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 O GET ACCO Percent 27.88 22.57 | DIFFICULT q20e Fi Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFFICULT To q20f Fi Never heard of Impossible Very difficult Somewhat diff | g = 4921.9 TO GET requency 1 7037 9470 4133 7591 12205 18918 O GET LI requency 1 6792 10247 4564 6913 | WINI Percen 11.86 15.93 6.90 12.79 20.56 31.8° 422893 422893 17.06 7.66 11.5 |
| CLOSE FRIE q19e Fr Never heard/None A few Some Most All Frequency Missing a CLOSE FRIENI q19f Fr Never heard/None A few Some Most | = 5772.45 ENDS USE requency I 28916 14745 8160 5143 2305 = 5291.01 OS USE LI requency I 20347 12218 10230 12348 | 13629 WINE Percent 48.79 24.88 13.77 8.68 3.89 68968 QUOR Percent 34.02 20.43 17.11 20.65 | DIFF q20a Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFF SMOKEL q20b Fr Never heard of Impossible Very difficult | ICULT TO CIGARE 9928 3103 6344 11377 22757 1 = 3901.68 ICULT TO ESS TOB 16738 13549 3757 | D GET TTTES Percent 11.78 16.37 5.12 10.46 18.76 37.52 341412 D GET ACCO Percent 27.88 22.57 6.26 10.09 | DIFFICULT q20e Fr Never heard of Impossible Very difficult Somewhat diff Somewhat easy Very easy Frequency Missing DIFFICULT To q20f Fr Never heard of Impossible Very difficult | g = 4921.9 TO GET requency 1 7037 9470 4133 7591 12205 18918 G GET LI requency 1 6792 10247 4564 | WINI Percen 11.8 15.9 6.9 12.7 20.5 31.8 42289 QUOI Percen 11.3 17.0 7.6 |

Frequency Missing = 4520.839653

Frequency Missing = 4503.8686721

DIFFICULT TO GET BEER

| DIFFICULT TO GET INHALANTS | | | | FICULT T | |
|-------------------------------|------------|---------|----------------|----------|---------|
| q20g I | requency 1 | Percent | q201 I | requency | Percent |
| Never heard of | 13012 | 22.08 | Never heard of | 22464 | 38.29 |
| Impossible | 11005 | 18.67 | Impossible | 15173 | 25.86 |
| Very difficult | 3015 | 5.12 | Very difficult | 6375 | 10.87 |
| Somewhat diff | 3646 | 6.19 | Somewhat diff | 5941 | 10.13 |
| Somewhat easy | 6923 | 11.75 | Somewhat easy | 3604 | 6.14 |
| Very easy | 21337 | 36.20 | Very easy | 5116 | 8.72 |

q20p Frequency Percent Never heard of 14902 25.70 22844 39.39 **Impossible** Very difficult 7933 13.68 Somewhat diff 5629 9.71 2989 Somewhat easy 5.15 Very easy 3694 6.37

DIFFICULT TO GET STEROIDS

Frequency Missing = 5620.6188737

Frequency Missing = 5886.4037703

Frequency Missing = 6569.752538

| DIFFICULT TO GET MARIJUANA | | | | |
|-------------------------------|----------|---------|--|--|
| q20h F | requency | Percent | | |
| Never heard of | 7586 | 12.84 | | |
| Impossible | 14874 | 25.17 | | |
| Very difficult | 3550 | 6.01 | | |
| Somewhat diff | 5736 | 9.70 | | |
| Somewhat easy | 7728 | 13.08 | | |
| Very easy | 19625 | 33.21 | | |

| DIFFICULT T | O GET U | PPERS |
|----------------|------------|---------|
| q20m Fi | requency l | Percent |
| Never heard of | 28616 | 49.15 |
| Impossible | 11820 | 20.30 |
| Very difficult | 4021 | 6.91 |
| Somewhat diff | 4002 | 6.88 |
| Somewhat easy | 3560 | 6.12 |
| Very easy | 6197 | 10.65 |

| DIFFICULT TO | GET EC | STASY |
|-------------------|----------|---------|
| q20q Fı | requency | Percent |
| Never heard of | 20226 | 34.61 |
| Impossible | 17769 | 30.40 |
| Very difficult | 5577 | 9.54 |
| Somewhat diff | 5708 | 9.77 |
| Somewhat easy | 3703 | 6.34 |
| Very easy | 5459 | 9.34 |
| Very easy | 5459 | 9.34 |

Frequency Missing = 5459.9172416

Frequency Missing = 6342.6956162

Frequency Missing = 6118.1198218

| LI CO | CAINE |
|----------|-------------------------------|
| quency I | ercent |
| 11329 | 19.40 |
| 20529 | 35.15 |
| 7567 | 12.96 |
| 6908 | 11.83 |
| 5065 | 8.67 |
| 7004 | 11.99 |
| | 20529 7567 6908 5065 |

| DIFFICULT TO GET DOWNERS | | | | | |
|--------------------------|-----------|---------|--|--|--|
| q20n I | Frequency | Percent | | | |
| Never heard of | 28402 | 48.47 | | | |
| Impossible | 11892 | 20.30 | | | |
| Very difficult | 4089 | 6.98 | | | |
| Somewhat diff | 3973 | 6.78 | | | |
| Somewhat easy | 3954 | 6.75 | | | |
| Very easy | 6286 | 10.73 | | | |
| | | | | | |

| DIFFICULT TO GET HEROIN | | | | | |
|-------------------------|---------|---------|--|--|--|
| q20r Fr | equency | Percent | | | |
| Never heard of | 17293 | 29.53 | | | |
| Impossible | 21059 | 35.96 | | | |
| Very difficult | 7033 | 12.01 | | | |
| Somewhat diff | 5151 | 8.79 | | | |
| Somewhat easy | 3078 | 5.26 | | | |
| Very easy | 4953 | 8.46 | | | |
| | | | | | |

Frequency Missing = 6157.8905228

Frequency Missing = 5962.8098577

Frequency Missing = 5992.4512646

| DIFFICULT T | O GET C | RACK |
|-------------------|------------|---------|
| q20j Fr | requency 1 | Percent |
| Never heard of | 12235 | 20.90 |
| Impossible | 21454 | 36.65 |
| Very difficult | 8302 | 14.18 |
| Somewhat diff | 6747 | 11.53 |
| Somewhat easy | 4239 | 7.24 |
| Very easy | 5554 | 9.49 |

| DIFFICULT TO GET ROHYPNOL | | | |
|------------------------------|----------|---------|--|
| q20o F | requency | Percent | |
| Never heard of | 29759 | 51.46 | |
| Impossible | 12591 | 21.77 | |
| Very difficult | 4717 | 8.16 | |
| Somewhat diff | 4099 | 7.09 | |
| Somewhat easy | 2590 | 4.48 | |
| Very easy | 4073 | 7.04 | |

| AGE WHEN FIRST USED CIGARETTES | | | | | |
|-----------------------------------|-----------|---------|--|--|--|
| q21a | Frequency | Percent | | | |
| 9 or younger | 3064 | 13.66 | | | |
| 10 years old | 1805 | 8.05 | | | |
| 11 years old | 2046 | 9.12 | | | |
| 12 years old | 2591 | 11.55 | | | |
| 13 years old | 3704 | 16.51 | | | |
| 14 years old | 3189 | 14.22 | | | |
| 15 years old | 2560 | 11.41 | | | |
| 16 years old | 1777 | 7.92 | | | |
| 17 years old | 1071 | 4.77 | | | |
| 18 or older | 626 | 2.79 | | | |

Frequency Missing = 6026.9631032

Frequency Missing = 6729.893275

Frequency Missing = 42125.531281

| AGE WHEN FIRST USED SMOKELESS TOBACCO | | | | | |
|--|------|-------|--|--|--|
| q21b Frequency Percent | | | | | |
| 9 or younger 272 5.18 | | | | | |
| 10 years old | 277 | 5.28 | | | |
| 11 years old | 342 | 6.53 | | | |
| 12 years old | 624 | 11.89 | | | |
| 13 years old | 756 | 14.41 | | | |
| 14 years old | 1019 | 19.42 | | | |
| 15 years old | 622 | 11.85 | | | |
| 16 years old | 732 | 13.94 | | | |
| 17 years old | 466 | 8.88 | | | |
| 18 or older | 137 | 2.61 | | | |

| AGE WHEN FIRST USED WINE | | | |
|-----------------------------|----------|---------|--|
| q21e F | requency | Percent | |
| 9 or younger | 3192 | 10.81 | |
| 10 years old | 2732 | 9.26 | |
| 11 years old | 2437 | 8.26 | |
| 12 years old | 3922 | 13.29 | |
| 13 years old | 5263 | 17.83 | |
| 14 years old | 4525 | 15.33 | |
| 15 years old | 3450 | 11.69 | |
| 16 years old | 2437 | 8.25 | |
| 17 years old | 1105 | 3.74 | |
| 18 or older | 457 | 1.55 | |

| AGE WH | | |
|--------------|----------|---------|
| | MARI | JUANA |
| q21h Fı | requency | Percent |
| 9 or younger | 1140 | 5.43 |
| 10 years old | 1062 | 5.06 |
| 11 years old | 1983 | 9.45 |
| 12 years old | 3239 | 15.43 |
| 13 years old | 4229 | 20.15 |
| 14 years old | 3467 | 16.52 |
| 15 years old | 3040 | 14.48 |
| 16 years old | 1751 | 8.34 |
| 17 years old | 845 | 4.03 |
| 18 or older | 234 | 1.12 |

Frequency Missing = 59312.40012

Frequency Missing = 35039.370115

Frequency Missing = 43568.625111

| AGE WHI | EN FIRS | T USED BEER |
|--------------|---------|----------------|
| q21c Fr | equency | Percent |
| 9 or younger | 6362 | 18.22 |
| 10 years old | 2650 | 7.59 |
| 11 years old | 2418 | 6.93 |
| 12 years old | 4409 | 12.63 |
| 13 years old | 6013 | 17.22 |
| 14 years old | 4971 | 14.24 |
| 15 years old | 3683 | 10.55 |
| 16 years old | 2621 | 7.51 |
| 17 years old | 1151 | 3.30 |
| 18 or older | 638 | 1.83 |

| AGE WHEN FIRST USED LIQUOR | | | | |
|-------------------------------|------|-------|--|--|
| q21f Frequency Percent | | | | |
| 9 or younger | 1679 | 5.24 | | |
| 10 years old | 1349 | 4.21 | | |
| 11 years old | 2070 | 6.47 | | |
| 12 years old | 3789 | 11.83 | | |
| 13 years old | 5594 | 17.47 | | |
| 14 years old | 5969 | 18.64 | | |
| 15 years old | 5759 | 17.99 | | |
| 16 years old | 3284 | 10.26 | | |
| 17 years old | 1752 | 5.47 | | |
| 18 or older | 772 | 2.41 | | |

| AGE WHEN FIRST USED COCAINE | | | | |
|--------------------------------|-----|-------|--|--|
| q21i Frequency Percent | | | | |
| 9 or younger | 29 | 0.72 | | |
| 10 years old | 45 | 1.10 | | |
| 11 years old | 95 | 2.34 | | |
| 12 years old | 439 | 10.76 | | |
| 13 years old | 665 | 16.31 | | |
| 14 years old | 788 | 19.33 | | |
| 15 years old | 812 | 19.93 | | |
| 16 years old | 702 | 17.24 | | |
| 17 years old | 343 | 8.41 | | |
| 18 or older | 157 | 3.86 | | |

Frequency Missing = 29644.797215

Frequency Missing = 32542.456192

Frequency Missing = 60484.667541

| AGE WHEN FIRST USED WINE COOLERS | | | | | |
|-------------------------------------|------|-------|--|--|--|
| q21d Frequency Percent | | | | | |
| 9 or younger | 3371 | 10.18 | | | |
| 10 years old | 2687 | 8.11 | | | |
| 11 years old | 2691 | 8.13 | | | |
| 12 years old | 4613 | 13.93 | | | |
| 13 years old | 5971 | 18.03 | | | |
| 14 years old | 5381 | 16.25 | | | |
| 15 years old | 4381 | 13.23 | | | |
| 16 years old | 2414 | 7.29 | | | |
| 17 years old | 1112 | 3.36 | | | |
| 18 or older | 490 | 1.48 | | | |

| AGE WHEN FIRST USED INHALANTS | | | | |
|----------------------------------|------|-------|--|--|
| q21g Frequency Percent | | | | |
| 9 or younger | 1216 | 17.96 | | |
| 10 years old | 679 | 10.04 | | |
| 11 years old | 513 | 7.58 | | |
| 12 years old | 1426 | 21.07 | | |
| 13 years old | 1003 | 14.82 | | |
| 14 years old | 871 | 12.87 | | |
| 15 years old | 548 | 8.09 | | |
| 16 years old | 380 | 5.61 | | |
| 17 years old | 114 | 1.69 | | |
| 18 or older | 19 | 0.28 | | |

| AGE WHEN FIRST USED CRACK | | | | |
|------------------------------|-----|-------|--|--|
| q21j Frequency Percent | | | | |
| 9 or younger | 30 | 1.98 | | |
| 10 years old | 21 | 1.39 | | |
| 11 years old | 251 | 16.53 | | |
| 12 years old | 274 | 18.02 | | |
| 13 years old | 175 | 11.50 | | |
| 14 years old | 208 | 13.71 | | |
| 15 years old | 234 | 15.39 | | |
| 16 years old | 228 | 15.00 | | |
| 17 years old | 48 | 3.14 | | |
| 18 or older | 51 | 3.33 | | |

Frequency Missing = 31445.963951

Frequency Missing = 57789.866599

Frequency Missing = 63041.30438

| AGE WHE HAI | N FIRST | | AGE WHE | | USED PNOL |
|----------------|-----------|---------|--------------|----------|--------------|
| q21l Fro | equency l | Percent | q21o Fre | quency l | Percent |
| 9 or younger | 42 | 1.17 | 9 or younger | 37 | 2.43 |
| 10 years old | 112 | 3.15 | 10 years old | 61 | 4.03 |
| 11 years old | 139 | 3.91 | 11 years old | 153 | 10.09 |
| 12 years old | 380 | 10.65 | 12 years old | 419 | 27.57 |
| 13 years old | 432 | 12.11 | 13 years old | 212 | 13.98 |
| 14 years old | 678 | 19.01 | 14 years old | 246 | 16.22 |
| 15 years old | 755 | 21.17 | 15 years old | 268 | 17.64 |
| 16 years old | 565 | 15.83 | 16 years old | 118 | 7.81 |
| 17 years old | 294 | 8.25 | 17 years old | 3 | 0.23 |
| 18 or older | 170 | 4.75 | | | |

AGE WHEN FIRST USED **HEROIN q21r Frequency Percent** 138 9 or younger 11.46 10 years old 36 2.96 11 years old 66 5.50 12 years old 240 19.98 13 years old 122 10.19 257 14 years old 21.38 15 years old 107 8.89 124 16 years old 10.31 17 years old 31 2.58 18 or older 81 6.73

Frequency Missing = 63041.433683

Frequency Missing = 60992.293157

Frequency Missing = 63356.997667

| AGE WHEN FIRST USED UPPERS | | | | |
|-------------------------------|-----|-------|--|--|
| q21m Frequency Percent | | | | |
| 9 or younger | 43 | 1.22 | | |
| 10 years old | 92 | 2.60 | | |
| 11 years old | 271 | 7.67 | | |
| 12 years old | 180 | 5.09 | | |
| 13 years old | 521 | 14.75 | | |
| 14 years old | 945 | 26.75 | | |
| 15 years old | 528 | 14.96 | | |
| 16 years old | 603 | 17.07 | | |
| 17 years old | 271 | 7.68 | | |
| 18 or older | 78 | 2.21 | | |

| AGE WHEN FIRST USED STEROIDS | | | | |
|---------------------------------|-----|-------|--|--|
| q21p Frequency Percent | | | | |
| 9 or younger | 93 | 14.12 | | |
| 10 years old | 131 | 19.89 | | |
| 11 years old | 22 | 3.40 | | |
| 12 years old | 44 | 6.67 | | |
| 13 years old | 167 | 25.25 | | |
| 14 years old | 70 | 10.63 | | |
| 15 years old | 37 | 5.57 | | |
| 16 years old | 14 | 2.12 | | |
| 17 years old | 53 | 8.04 | | |
| 18 or older | 28 | 4.30 | | |

| q22a Free | q22a Frequency Percent | | | | | | |
|------------------|------------------------|-------|--|--|--|--|--|
| Every day | 1047 | 1.68 | | | | | |
| Several times/wk | 1600 | 2.57 | | | | | |
| Several times/mo | 2361 | 3.79 | | | | | |
| About once/month | 3971 | 6.37 | | | | | |
| About once/year | 3738 | 6.00 | | | | | |
| < once/year | 6236 | 10.01 | | | | | |
| Never used | 43345 | 69.58 | | | | | |

Frequency Missing = 63898.353442

Frequency Missing = 61027.475004

| AGE WHEN FIRST USED DOWNERS | | | | | |
|--------------------------------|---------|---------|--|--|--|
| q21n Fre | equency | Percent | | | |
| 9 or younger | 41 | 1.00 | | | |
| 10 years old | 83 | 2.03 | | | |
| 11 years old | 302 | 7.39 | | | |
| 12 years old | 197 | 4.81 | | | |
| 13 years old | 569 | 13.91 | | | |
| 14 years old | 920 | 22.49 | | | |
| 15 years old | 886 | 21.65 | | | |
| 16 years old | 707 | 17.28 | | | |
| 17 years old | 321 | 7.84 | | | |
| 18 or older | 65 | 1.59 | | | |

| AGE WHEN FIRST USED ECSTASY | | | | | |
|--------------------------------|---------|---------|--|--|--|
| q21q Fro | equency | Percent | | | |
| 9 or younger | 14 | 0.62 | | | |
| 10 years old | 41 | 1.83 | | | |
| 11 years old | 201 | 8.92 | | | |
| 12 years old | 97 | 4.30 | | | |
| 13 years old | 394 | 17.47 | | | |
| 14 years old | 489 | 21.70 | | | |
| 15 years old | 551 | 24.47 | | | |
| 16 years old | 253 | 11.23 | | | |
| 17 years old | 142 | 6.32 | | | |
| 18 or older | 71 | 3.15 | | | |

SMOKELESS TOBACCO q22b Frequency Percent Every day 346 0.56 397 Several times/wk 0.64 Several times/mo 428 0.70 1032 1.68 About once/month 884 About once/year 1.44 < once/year 3.03 1861

Frequency Missing = 2261.7535442

HOW OFTEN NORMALLY USE

Frequency Missing = 3047.8483248

56564

91.96

Never used

Frequency Missing = 60467.294648

Frequency Missing = 62306.490967

| | | HOW OFTEN N | , | 05.40.000 | | | | HOW OFTEN N |
|---|---|---|---|--|--|---|---|---|
| RACK | | | 9 | 2548.608 | Frequency Missing : | BEER | | |
| | equency F | | | | | | requency I | |
| 0.03 | 21 | Every day | SE | RMALLY | HOW OFTEN N | 0.15 | 90 | Every day |
| 0.05 | 28 | Several times/wk | | INHAL | IIO VV OI IEIVIV | 3.47 | 2135 | Several times/wk |
| 0.13 | 77 | Several times/mo | ent | quency P | q22g Fr | 11.25 | 6927 | Several times/mo |
| 0.63 | 379 | About once/month | 18 | 107 | Every day | 13.92 | 8569 | About once/month |
| 0.42 | 252 | About once/year | 46 | 278 | Several times/wk | 10.81 | 6652 | About once/year |
| 0.83 | 505 | < once/year | 45 | 882 | Several times/mo | 11.91 | 7332 | < once/year |
| 97.91 | 59250 | Never used | 87 | 1135 | About once/month | 48.49 | 29841 | Never used |
| | | | 64 | 998 | About once/year | | | |
| 48984 | - 4047 144 | Frequency Missing | 57 | 2168 | < once/year | 94983 | - 3013 300 | Frequency Missing : |
| 10001 | - +0+7.14- | r requeries wildoning | 83 | 55147 | Never used | 0 4000 | - 0010.00 | Trequency ivilosing - |
| GENS | LLUCINO | | 66 | 3843.920 | Frequency Missing : | OLERS | VINE COC | |
| Percent | requency F | q221 F | | | | Percent | requency I | q22d Fi |
| 0.07 | 42 | Every day | | DMATIX | HOW OFTEN N | 0.24 | 148 | Every day |
| 0.26 | 159 | Several times/wk | | MARIJU | HOW OF LEN IN | 3.13 | 1937 | Several times/wk |
| 0.56 | 336 | Several times/mo | | quency P | a22h Fi | 10.89 | 6741 | Several times/mo |
| | 634 | About once/month | 53 | 2146 | Every day | 13.95 | 8635 | About once/month |
| 1.06 | | About once/year | 56 | 2771 | Several times/wk | 14.05 | 8697 | About once/year |
| 1.44 | 863 | | | _,,, | | 8.72 | 5398 | < once/year |
| | 863 1061 | < once/year | 81 | 3531 | Several times/mo | | 00,0 | = |
| 1.44 | | < once/year Never used | 81 27 | 3531 3810 | Several times/mo About once/month | 49.03 | 30356 | Never used |
| 1.44 1.77 | 1061 | - | 27 | 3810 | About once/month | | | Never used |
| 1.44 1.77 94.85 | 1061 56965 | Never used | 27 73 | 3810 2874 | About once/year | 49.03 | 30356 | |
| 1.44 1.77 94.85 | 1061 56965 | - | 27 | 3810 | About once/month | 49.03 | 30356 | Never used Frequency Missing = |
| 1.44 1.77 94.85 53071 | 1061 56965 = 4498.93 | Never used Frequency Missing | 27 73 20 | 3810 2874 3771 | About once/month About once/year < once/year | 49.03 13127 | 30356 = 2648.05 | Frequency Missing = |
| 1.44 1.77 94.85 53071 Y USE PPERS | 1061 56965 = 4498.938 ORMALL UI | Frequency Missing : | 27 73 20 90 | 3810 2874 3771 41877 | About once/month About once/year < once/year | 49.03 13127 XY USE WINE | 30356 = 2648.05 ORMALL | Frequency Missing = |
| 1.44 1.77 94.85 53071 Y USE PPERS | 1061 56965 = 4498.935 ORMALL UI | Frequency Missing : HOW OFTEN N q22m F | 27 73 20 90 | 3810 2874 3771 41877 | About once/month About once/year < once/year Never used | 49.03 13127 Y USE WINE Percent | 30356 = 2648.05 ORMALL | Frequency Missing = HOW OFTEN No. q22e Fi |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 | 1061 56965 = 4498.935 ORMALL UI requency F 124 | Never used Frequency Missing : HOW OFTEN N q22m Frequency Missing : | 27 73 20 90 | 3810 2874 3771 41877 3779.225 | About once/month About once/year < once/year Never used | 49.03 13127 Y USE WINE Percent 0.06 | 30356 = 2648.05 ORMALL requency I 35 | Frequency Missing = HOW OFTEN No. q22e Fr. Every day |
| 1.44 1.77 94.85 53071 XY USE PPERS Percent 0.21 0.59 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 | Never used Frequency Missing: HOW OFTEN N q22m Frequency day Several times/wk | 27 73 20 90 84 | 3810 2874 3771 41877 3779.225 | About once/month About once/year < once/year Never used Frequency Missing | 49.03 13127 Y USE WINE Percent 0.06 2.00 | 30356 = 2648.05 ORMALL requency I 35 1214 | Frequency Missing : HOW OFTEN N q22e Fr Every day Several times/wk |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 | Frequency Missing : HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo | 27 73 20 90 34 SE NE | 3810 2874 3771 41877 3779.225 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N | 49.03 13127 Y USE WINE Percent 0.06 2.00 6.06 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 | Frequency Missing : HOW OFTEN Note: q22e Front Every day Several times/wk Several times/mo |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month | 27 73 20 90 34 SE NE | 3810 2874 3771 41877 3779.225 PRMALLY COC | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 | Frequency Missing : HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year | 27 73 20 90 34 SE NE | 3810 2874 3771 41877 3779.225 PRMALLY COC | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 | 30356 = 2648.05 ORMALL requency I 35 1214 3683 5897 9004 | Frequency Missing = HOW OFTEN Note q22e Front Every day Several times/wk Several times/mo About once/month About once/year |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year | 27 73 20 90 34 SE NE ent 13 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Frequency day | 49.03 13127 Y USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 | Frequency Missing = HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year | 27 73 20 90 44 SE NE ent 13 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 | 30356 = 2648.05 ORMALL requency I 35 1214 3683 5897 9004 | Frequency Missing = HOW OFTEN Note q22e Front Every day Several times/wk Several times/mo About once/month About once/year |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year | 27 73 20 90 34 SE NE ent 13 34 85 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo | 49.03 13127 Y USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 | Frequency Missing = HOW OFTEN No. q22e Fr. Every day Several times/wk Several times/mo About once/month About once/year < once/year |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 27 73 20 90 34 SE NE ent 13 34 85 28 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month | 49.03 13127 Y USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 33859 | Frequency Missing : HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year | 27 73 20 90 84 SE NE ent 13 34 85 28 39 | 3810 2874 3771 41877 3779.225 28 208 513 777 843 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year | 49.03 13127 Y USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 33859 | Frequency Missing = HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 | HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 | 30356 = 2648.054 ORMALL requency I 35 1214 3683 5897 9004 7056 33859 = 3810.223 | Frequency Missing : HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 26653 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 | 30356 = 2648.05 ORMALL requency I 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL LIC | Frequency Missing : HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 26653 Y USE VNERS Percent | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 XY USE QUOR Percent | 30356 = 2648.05 ORMALL requency I 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL Livequency I | Frequency Missing = HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 Y USE VNERS Percent 0.23 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F 138 | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr Every day | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 XY USE QUOR Percent 0.35 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL Livequency F 215 | Frequency Missing = HOW OFTEN Note |
| 1.44 1.77 94.85 53071 XY USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 26653 XY USE PPERS Percent 0.23 0.52 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F 138 314 | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr Every day Several times/wk | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 Y USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 Y USE QUOR Percent 0.35 3.55 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL Livequency F 215 2202 | Frequency Missing = HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 26653 Y USE VNERS Percent 0.23 0.52 1.08 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F 138 314 653 | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr Every day Several times/wk Several times/mo | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 XY USE QUOR Percent 0.35 3.55 11.42 | 30356 = 2648.053 ORMALL requency I 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL LIC requency I 215 2202 7082 | Frequency Missing : HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 Percent 0.23 0.52 1.08 1.52 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F 138 314 653 917 | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr Every day Several times/wk Several times/mo About once/month | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 XY USE QUOR Percent 0.35 3.55 11.42 15.03 | 30356 = 2648.05 ORMALL requency I 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL LIF requency I 215 2202 7082 9319 | Frequency Missing : HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 26653 Y USE VNERS Percent 0.23 0.52 1.08 1.52 1.25 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F 138 314 653 917 754 | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr Every day Several times/wk Several times/mo About once/month About once/month About once/year | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 XY USE QUOR Percent 0.35 3.55 11.42 15.03 11.17 | 30356 = 2648.05 ORMALL requency F 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL LIV requency F 215 2202 7082 9319 6926 | Frequency Missing = HOW OFTEN Note |
| 1.44 1.77 94.85 53071 Y USE PPERS Percent 0.21 0.59 0.73 1.48 1.16 1.52 94.32 Percent 0.23 0.52 1.08 1.52 | 1061 56965 = 4498.938 ORMALL UI requency F 124 351 436 889 692 910 56497 = 4662.42 ORMALL DOW requency F 138 314 653 917 | Frequency Missing: HOW OFTEN N q22m Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used Frequency Missing HOW OFTEN N q22n Fr Every day Several times/wk Several times/mo About once/month | 27 73 20 90 44 SEE NE ent 13 34 85 28 39 91 09 | 3810 2874 3771 41877 3779.225 PRMALLY COC equency Po 78 208 513 777 843 1158 56974 | About once/month About once/year < once/year Never used Frequency Missing : HOW OFTEN N q22i Fr Every day Several times/wk Several times/mo About once/month About once/year < once/year Never used | 49.03 13127 XY USE WINE Percent 0.06 2.00 6.06 9.71 14.82 11.62 55.74 30999 XY USE QUOR Percent 0.35 3.55 11.42 15.03 | 30356 = 2648.05 ORMALL requency I 35 1214 3683 5897 9004 7056 33859 = 3810.223 ORMALL LIF requency I 215 2202 7082 9319 | Frequency Missing : HOW OFTEN Note |

| Frequency Missing | = 4016.58 | 86132 | HOW OFTEN | | LY USE EROIN | AMOUNT OI | F WINE A | T ONE TIME | |
|-------------------|-------------|-----------------|------------------------|------------|-----------------|--------------------|------------|---------------|--|
| | | | q22r Frequency Percent | | | q23c Frequency Per | | | |
| | | | Every day | 11 | 0.02 | Never drink this | 27950 | 45.51 | |
| HOW OFTEN N | | | Several times/wk | 31 | 0.05 | 12+ drinks | 1897 | 3.09 | |
| 22 5 | | YPNOL | Several times/mo | 109 | 0.18 | 9-11 drinks | 1532 | 2.49 | |
| | requency | | About once/month | 284 | 0.46 | 5-8 drinks | 4056 | 6.60 | |
| Every day | 30 | 0.05 | About once/year | 278 | 0.45 | 3-4 drinks | 7284 | 11.86 | |
| Several times/wk | 208 | 0.35 | < once/year | 421 | 0.69 | 2 drinks | 6659 | 10.84 | |
| Several times/mo | 185 | 0.31 | Never used | 60254 | 98.15 | 1 drink | 6349 | 10.34 | |
| About once/month | 422 | 0.71 | | | | < 1 drink | 5688 | 9.26 | |
| About once/year | 284 | 0.48 | | | | | | | |
| < once/year | 277 | 0.46 | Frequency Missing | = 3172.34 | 116586 | | | | |
| Never used | 58275 | 97.64 | | | | Frequency Missing | = 3143.7 | 952572 | |
| | | | AMOUNT O | FRFFR A' | ΓΩΝΕ | | | | |
| Frequency Missing | = 4877.86 | 54585 | AMOUNT | I DEEK A | TIME | AMOUNT OF L | IOLIOR A | TONE | |
| 1 , 3 | | | α23a F | requency I | | AMOUNT OF L | IQUUK A | TIME | |
| | | | Never drink this | 29335 | 47.74 | a23d Fi | requency 1 | | |
| HOW OFTEN N | | | 12+ drinks | 2380 | 3.87 | Never drink this | 28490 | 46.19 | |
| | | ROIDS | 9-11 drinks | 2150 | 3.50 | 12+ drinks | 1905 | 3.09 | |
| | requency | | 5-8 drinks | 4773 | 7.77 | 9-11 drinks | 1777 | 2.88 | |
| Every day | 46 | 0.08 | 3-4 drinks | 6884 | 11.20 | 5-8 drinks | 4169 | 6.76 | |
| Several times/wk | 26 | 0.04 | 2 drinks | 4799 | 7.81 | 3-4 drinks | 4687 | 7.60 | |
| Several times/mo | 43 | 0.07 | 1 drink | 4856 | 7.90 | 2 drinks | 5786 | 9.38 | |
| About once/month | 28 | 0.05 | < 1 drink | 6264 | 10.20 | 1 drink | 5809 | 9.42 | |
| About once/year | 152 | 0.25 | \ T utilik | 0201 | 10.20 | < 1 drink | 9062 | 14.69 | |
| < once/year | 292 | 0.48 | | | | < T utilik | 7002 | 14.07 | |
| Never used | 59893 | 99.03 | Frequency Missing | g = 3117.9 | 77275 | | | | |
| | | | | | | Frequency Missing | = 2873.7 | 327047 | |
| Frequency Missing | = 4079.50 | 56401 | AMOUNT OF V | WINE COC | LERS | | | | |
| | | | 120,1001,1101 | AT ONE | | HOW MANY 5+ D | RINKS IN | N PAST | |
| | | | q23b Fi | requency I | Percent | | | DAYS | |
| HOW OFTEN N | | LY USE STASY | Never drink this | 32652 | 53.62 | q24 F | requency 1 | Percent | |
| ~22~ E | | | 12+ drinks | 771 | 1.27 | Never 5+ at time | 24906 | 39.78 | |
| | requency 12 | | 9-11 drinks | 567 | 0.93 | None | 22098 | 35.30 | |
| Every day | 13 | 0.02 | 5-8 drinks | 1250 | 2.05 | 1 day | 5064 | 8.09 | |
| Several times/wk | 49 | 0.08 | 3-4 drinks | 2598 | 4.27 | 2 days | 3611 | 5.77 | |
| Several times/mo | 234 | 0.38 | 2 drinks | 4353 | 7.15 | 3 to 5 days | 3440 | 5.49 | |
| About once/month | 410 | 0.67 | 1 drink | 7830 | 12.86 | 6 to 9 days | 1528 | 2.44 | |
| About once/year | 507 | 0.83 | < 1 drink | 10867 | 17.85 | 10 or more days | 1957 | 3.13 | |
| < once/year | 903 | 1.48 | | | | - | | | |
| Never used | 58803 | 96.52 | | | | | | | |
| | | | Frequency Missing | = 3669.40 | 002682 | Frequency Missing | = 1954.8 | 427681 | |
| Frequency Missing | = 3638.56 | 60492 | | | | | | | |
| | | | | | | GET ALCOHOL | IC REVE | RACES | |
| | | | | | | GET ALCOHOL | FROM | | |
| | | | | | | q25a F | requency | | |
| | | | | | | Do not Drink | 22583 | 36.56 | |
| | | | | | | Never | 17516 | 28.35 | |
| | | | | | | Seldom | 14193 | 22.97 | |
| | | | | | | Most of the Time | 5136 | 8.31 | |
| | | | | | | Always | 2350 | 3.80 | |
| | | | | | | Ainays | 2550 | 5.00 | |

| AVC | | | | | | | | |
|---|---|---|--|--|---|--|---|--|
| AIS | THER W | USE MARIJUANA | OINTS | NA AS JO | USE MARIJU | | | |
| rcent | quency Per | q26e Fre | Percent | equency P | q26a Fi | 0138853 | = 2781.01 | Frequency Missing |
| 81.90 | 50056 | Never | 71.29 | 44312 | Never | | | |
| 7.46 | 4559 | Seldom | 10.31 | 6409 | Seldom | ED A CEC | C DEVED | CET AL COHOLI |
| 1.89 | 1157 | Half the time | 6.93 | 4306 | Half the time | | C BEVEK ROM FRI | GET ALCOHOLI |
| 2.21 | 1351 | Most of the time | 6.34 | 3943 | Most of the time | | equency P | |
| 3.38 | 2069 | Always | 4.04 | 2513 | Always | | 20654 | Do not Drink |
| 3.15 | 1928 | Don't know | 1.08 | 674 | Don't know | | 12048 | Never |
| | | - | | | - | | 11369 | Seldom |
| | | | | | | | 12064 | Most of the Time |
| 1412 | 3439.558 | Frequency Missing = | 735421 | = 2400.97 | Frequency Missing | | | |
| | | | | | | 8.39 | 5142 | Always |
| EVE | ETAMINE | USED METHAMPH | LUNTS | NA AS BL | USE MARIJUA | | | |
| TIMI | ONE | | Percent | equency P | q26b Fi | 2600905 | = 3282.26 | Frequency Missing |
| Percen | equency l | q27 Fr | 71.56 | 44215 | Never | | | |
| 96.5 | 60520 | Never heard/used | 7.99 | 4935 | Seldom | PACES | C REVER | GET ALCOHOLI |
| 0.70 | 437 | At least once/month | 5.66 | 3499 | Half the time | | ROM A S | |
| 0.62 | 391 | At least once/year | 7.38 | 4561 | Most of the time | | equency P | |
| 2.1 | 1360 | At least once/life | 6.30 | 3895 | Always | | 21434 | Do not Drink |
| | | | 1.10 | 680 | Don't know | | 28358 | Never |
| | | | | | | | 6123 | Seldom |
| 2118 | 1851.356 | Frequency Missing = | | | | | 3090 | Most of the Time |
| | | | 274808 | = 2775.72 | Frequency Missing | | 1774 | Always |
| | | | | | | | | |
| | ION DRU | RECENT PRECRIPT | | | | | | |
| G USE | | RECENT PRECRIPT | CS OP | IN DON | LICE MADITIAN | | 1771 | |
| G USE DEINE | - COI | | | | USE MARIJUANA | | | Frequency Missing |
| G USE DEINE Percent | - COI equency P | Q28A F | PIPES | WATER | | | | Frequency Missing |
| G USE DEINE Percent 83.60 | - COI requency P 49598 | Q28A Fi | PIPES Percent | WATER I | q26c F1 | 6944543 | = 3780.69 | |
| G USE DEINE Percent 83.60 6.63 | - COI requency P 49598 3933 | Q28A Fi Never heard/used At least once/month | PIPES Percent 78.91 | WATER 1 requency P 48514 | q26c Fi Never | 6944543 CRAGES | = 3780.69 C BEVER | Frequency Missing |
| G USE DEINE Percent 83.60 6.63 4.93 | - COI requency P 49598 3933 2927 | Q28A From Never heard/used At least once/month At least once/year | PIPES Percent 78.91 7.78 | WATER 1 equency P 48514 4782 | q26c Fi Never Seldom | 6944543 ERAGES ARTIES | = 3780.69 C BEVER AT PAI | GET ALCOHOLI |
| G USE DEINE Percent 83.60 6.63 4.93 | - COI requency P 49598 3933 | Q28A Fi Never heard/used At least once/month | PIPES Percent 78.91 7.78 4.43 | WATER 1 equency P 48514 4782 2723 | q26c Fi Never Seldom Half the time | 6944543 ERAGES ARTIES Percent | = 3780.69 C BEVER AT PAI equency P | GET ALCOHOLI q25d Fr |
| G USE DEINE Percent 83.60 6.63 4.93 | - COI requency P 49598 3933 2927 | Q28A From Never heard/used At least once/month At least once/year | PIPES Percent 78.91 7.78 4.43 4.58 | WATER 1 equency P 48514 4782 2723 2816 | q26c Fr Never Seldom Half the time Most of the time | ERAGES ARTIES Percent 31.40 | = 3780.69 C BEVER AT PAI equency P 19232 | GET ALCOHOLI q25d Fr Do not Drink |
| G USE DEINE Percent 83.60 6.63 4.93 4.84 | - COI requency F 49598 3933 2927 2869 | Q28A From Never heard/used At least once/month At least once/year | PIPES Percent 78.91 7.78 4.43 4.58 3.33 | WATER 1 requency P 48514 4782 2723 2816 2045 | q26c Fr Never Seldom Half the time Most of the time Always | ERAGES ARTIES Percent 31.40 15.89 | = 3780.69 C BEVER AT PAI equency P 19232 9731 | GET ALCOHOLI q25d Fr Do not Drink Never |
| G USE DEINE Percent 83.60 6.63 4.93 4.84 | - COI requency F 49598 3933 2927 2869 | Q28A From Never heard/used At least once/month At least once/year At least once/life | PIPES Percent 78.91 7.78 4.43 4.58 | WATER 1 equency P 48514 4782 2723 2816 | q26c Fr Never Seldom Half the time Most of the time | ERAGES ARTIES Percent 31.40 15.89 14.87 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom |
| G USE DEINE Percent 83.60 6.63 4.93 4.84 | - COI requency F 49598 3933 2927 2869 5233.714 | Q28A From Never heard/used At least once/month At least once/year At least once/life Frequency Missing = | PIPES Percent 78.91 7.78 4.43 4.58 3.33 | WATER 1 requency P 48514 4782 2723 2816 2045 | q26c Fr Never Seldom Half the time Most of the time Always | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time |
| G USE DEINE Percent 83.60 6.63 4.93 4.84 6012 | - COI requency F 49598 3933 2927 2869 5233.714 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 | water 1 equency P 48514 4782 2723 2816 2045 602 | q26c Fr Never Seldom Half the time Most of the time Always Don't know | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom |
| G USE DEINE 83.60 6.63 4.84 6012 G USE N ETC | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUCYCONTIL | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - O2 | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 | water 1 equency P 48514 4782 2723 2816 2045 602 | q26c Fr Never Seldom Half the time Most of the time Always | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time |
| G USE Percent 83.60 6.63 4.84 6012 G USE Percent | - COI requency P 49598 3933 2927 2869 5233.714 ION DRUG XYCONTIL | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 | q26c Fr Never Seldom Half the time Most of the time Always Don't know | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time |
| G USE Percent 83.60 6.63 4.93 4.84 6012 G USE N ETC Percent 96.61 | - COI requency P 49598 3933 2927 2869 5233.714 ION DRUG XYCONTIL requency P 56220 | Q28A Fr Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B Fr Never heard/used | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always |
| G USE Percent 83.60 6.63 4.93 4.84 6012 G USE N ETC Percent 96.61 0.95 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUG XYCONTII requency F 56220 552 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing |
| G USE Percent 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUGYCONTIL requency F 56220 552 804 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/year | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 | equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 19 46656 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 9471987 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always |
| G USE Percent 83.60 6.63 4.93 4.84 6012 G USE N ETC Percent 96.61 0.95 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUG XYCONTII requency F 56220 552 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 | equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 1 equency P 46656 4896 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 2471987 ERAGES OTHER | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing |
| G USE Percent 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUGYCONTIL requency F 56220 552 804 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/year | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 | equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 19 equency P 46656 4896 2645 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr |
| G USE DEINE 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 1.06 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUCYCONTIF requency F 56220 552 804 615 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/year At least once/life | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 WANA IN 1 equency P 46656 4896 2645 3329 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing: GET ALCOHOLI q25e Fr Do not Drink |
| G USE DEINE 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 1.06 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUCYCONTIF requency F 56220 552 804 615 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/year | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 | equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 19 equency P 46656 4896 2645 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing = GET ALCOHOLI q25e Fr Do not Drink Never |
| G USE DEINE 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 1.06 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUCYCONTH requency F 56220 552 804 615 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/year At least once/life Frequency Missing = | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 WANA IN 1 equency P 46656 4896 2645 3329 | q26c Fi Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fi Never Seldom Half the time Most of the time | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 9471987 ERAGES OTHER Percent 35.56 25.77 18.09 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink Never Seldom |
| G USE Percent 83.60 6.63 4.84 6012 G USE 96.61 0.95 1.38 1.06 | - COI requency P 49598 3933 2927 2869 5233.714 ION DRUG XYCONTIL requency P 56220 552 804 615 6368.508 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 | equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 19 46656 4896 2645 3329 2980 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 18.09 9.81 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 5972 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing = GET ALCOHOLI q25e Fr Do not Drink Never |
| G USE Percent 83.60 6.63 4.84 6012 G USE 96.61 0.95 1.38 1.06 6933 | - COI requency P 49598 3933 2927 2869 5233.714 ION DRUG YCONTIL requency P 56220 552 804 615 6368.508 | Q28A From Never heard/used At least once/month At least once/year At least once/life Frequency Missing = RECENT PRECRIPT O2 Q28B From Never heard/used At least once/month At least once/year At least once/life Frequency Missing = RECENT PRECRIPT | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 0.82 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 1 equency P 46656 4896 2645 3329 2980 503 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 18.09 9.81 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing : GET ALCOHOLI q25e Fr Do not Drink Never Seldom |
| G USE Percent 83.60 6.63 4.93 4.84 6012 G USE N ETC 96.61 0.95 1.38 1.06 6933 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUGYCONTH requency F 56220 552 804 615 6368.508 ION DRUGYCONTH requency F 756220 7572 804 804 805 805 805 805 805 805 805 805 805 805 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/year At least once/life Frequency Missing = RECENT PRECRIPT Q28C From Never heard/used | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 0.82 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 1 equency P 46656 4896 2645 3329 2980 503 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 18.09 9.81 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 5972 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing: GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time |
| G USE Percent 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 1.06 6933 | - COI requency F 49598 3933 2927 2869 5233.714 TON DRUCYCONTIL requency F 56220 552 804 615 G368.508 TON DRUCYCODII requency F 53967 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT O2 Q28B From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT At least once/life Frequency Missing = RECENT PRECRIPT Q28C From Never heard/used | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 0.82 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 1 equency P 46656 4896 2645 3329 2980 503 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 18.09 9.81 10.77 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 5972 6552 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing: GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time Always |
| G USE Percent 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 1.06 6933 | - COI requency F 49598 3933 2927 2869 5233.714 ION DRUCYCONTIF requency F 56220 552 804 615 G368.508 ION DRUCYCODIF requency F 53967 1480 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT - OX Q28B From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT Q28C From Never heard/used At least once/month | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 0.82 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 1 equency P 46656 4896 2645 3329 2980 503 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 18.09 9.81 10.77 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 5972 6552 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing: GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time Always |
| G USE Percent 83.60 6.63 4.84 6012 G USE N ETC Percent 96.61 0.95 1.38 1.06 6933 | - COI requency F 49598 3933 2927 2869 5233.714 TON DRUCYCONTIL requency F 56220 552 804 615 G368.508 TON DRUCYCODII requency F 53967 | Q28A From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT O2 Q28B From Never heard/used At least once/month At least once/life Frequency Missing = RECENT PRECRIPT At least once/life Frequency Missing = RECENT PRECRIPT Q28C From Never heard/used | PIPES Percent 78.91 7.78 4.43 4.58 3.33 0.98 188747 PIPES Percent 76.47 8.03 4.34 5.46 4.88 0.82 | water 1 equency P 48514 4782 2723 2816 2045 602 = 3078.51 UANA IN 1 equency P 46656 4896 2645 3329 2980 503 | q26c Fr Never Seldom Half the time Most of the time Always Don't know Frequency Missing USE MARIJ q26d Fr Never Seldom Half the time Most of the time Always Don't know | ERAGES ARTIES Percent 31.40 15.89 14.87 17.15 20.69 ERAGES OTHER Percent 35.56 25.77 18.09 9.81 10.77 | = 3780.69 C BEVER AT PAI equency P 19232 9731 9106 10506 12671 = 3313.94 C BEVER FROM O' equency P 21643 15685 11010 5972 6552 | GET ALCOHOLI q25d Fr Do not Drink Never Seldom Most of the Time Always Frequency Missing: GET ALCOHOLI q25e Fr Do not Drink Never Seldom Most of the Time |

DANGEROUS FOR KIDS TO

Very

Somewhat

Not very

Not at all

Don't know

USE ALCOHOL

37.44

35.93

20.09

3.05

3.49

q30b Frequency Percent

19940

19136

10699

1622

1858

Frequency Missing = 6235.4945311

RECENT PRECRIPTION DRUG USE

Frequency Missing = 10546.802432

Never heard/used

At least once/month At least once/year - VALIUM ETC

97.18

0.73

1.04

Q28D Frequency Percent

56871

427

610

| At least once/life | 61 | 4 | 1.05 | Frequency | y Missing = 1 | 1303 | 3.94949 | Frequ | iency Missi | ng = 1522 | 6.54539 |
|---|--|--|--|---|--|--|--|--------------------|--|--|---|
| Frequency Missin | g = 6037.8 | 8677 ⁻ | 196 | DANG | EROUS FOR USE INH | | | D | ANGEROU | US FOR KI | |
| DECENT DDECD | DELOND |) TIC | TICE | q | q30c Frequenc | у Ре | ercent | | q30g F | requency l | Percent |
| RECENT PRECRI | PTION DI XAI - | | | V | Very 3367 | 2 | 67.23 | | Very | 39162 | 76.74 |
| O28E | Frequenc | | | Somew | vhat 961 | 7 | 19.20 | S | omewhat | 5331 | 10.45 |
| Never heard/used | - | | 91.43 | Not v | very 242 | 22 | 4.84 | | Not very | 1264 | 2.48 |
| Never near u/used At least once/month | | | 2.97 | Not a | t all 111 | 5 | 2.23 |] | Not at all | 666 | 1.30 |
| At least once/year | | | 3.10 | Don't kı | now 326 | 0 | 6.51 | Do | n't know | 4612 | 9.04 |
| At least once/life | | | 2.49 | | | | | | | | |
| Frequency Missir | ng = 4931 | 1932 | 207 | Frequency | y Missing = 1 | 4472 | 2.95867 | Frequ | iency Missi | ng = 1352 | 4.5486 |
| | | | | DANG | EROUS FOR USE MAI | | | D | ANGEROU | S FOR KI USE STE | |
| TAKE DXM, TE | | | | a | 30d Frequenc | y Pe | ercent | | q30h F | requency l | Percent |
| , | • | וד ידיק | | | 10 0 to 1 1 0 q to 22.1 | | | | | | |
| ŕ | | ЕТ Н | | | Very 2417 | • | 47.67 | | Very | 38807 | 71.99 |
| q29 | Frequenc | y Pe | rcent | | Very 2417 | 6 | 47.67 23.24 | S | | 38807 8528 | |
| q29 Never heard/used | Frequence 5626 | y Pe | rcent 92.78 | V | Very 2417 vhat 1178 | 6 8 | | | Very | | 15.82 |
| q29 Never heard/used At least once/month | Frequence 5626 | y Per 2 9 8 | 92.78 2.95 | V Somew | Very 2417 vhat 1178 very 759 | 6 8 9 | 23.24 | | Very omewhat | 8528 | 15.82 4.80 |
| q29 Never heard/used | Frequence 5626 178 85 | y Per 2 9 9 8 6 | rcent 92.78 | Somew Not v | Very 2417 vhat 1178 very 759 it all 523 | 68 88 99 80 | 23.24 14.98 | 1 | Very omewhat Not very | 8528 2586 | 15.82 4.80 1.02 |
| q29 Never heard/used At least once/month At least once/year At least once/life | Frequence 5626 178 85 173 | y Per 2 9 9 8 6 5 5 | 92.78 2.95 1.41 2.86 | Somew Not v Not a Don't ki | Very 2417 vhat 1178 very 759 it all 523 | 66 88 99 80 86 | 23.24 14.98 10.31 3.80 | | Very omewhat Not very Not at all | 8528 2586 549 3440 | 15.82 4.80 1.02 6.38 |
| q29 Never heard/used At least once/month At least once/life At least once/life Frequency Missin DANGEROUS | Frequence 5626 178 85 173 g = 3918.0 | y Per 2 9 8 8 6 5 5 0 1 6 2 8 T (| 92.78 2.95 1.41 2.86 | Somew Not v Not a Don't ki | Very 2417 vhat 1178 very 759 it all 523 now 192 / Missing = 13 EROUS FOR USE (| 66 88 99 60 66 8841 | 23.24 14.98 10.31 3.80 .676792 S TO AINE | <u>Do</u> Frequ | Very omewhat Not very Not at all n't know Hency Missi | 8528 2586 549 3440 ng = 1064 US FOR KI USE HI | 15.82 4.80 1.02 6.38 9.5664 DS TO EROIN |
| q29 Never heard/used At least once/month At least once/life At least once/life Frequency Missin DANGEROUS | P Frequence 1 5626 1 178 8 85 1 173 g = 3918.0 6 FOR KID USE TOBA | y Per 2 9 8 8 6 5 5 0 1628 CCC | 92.78 2.95 1.41 2.86 | Somew Not v Not a Don't ki | Very 2417 vhat 1178 very 759 at all 523 now 192 / Missing = 13 EROUS FOR USE Of 130e Frequence | 66 68 69 60 66 68 68 68 68 60 60 60 60 60 60 60 60 60 60 60 60 60 | 23.24 14.98 10.31 3.80 .676792 S TO AINE | <u>Do</u> Frequ | Very omewhat Not very Not at all n't know Hency Missi ANGEROU q30i Fi | 8528 2586 549 3440 ng = 1064 US FOR KI USE HI requency 1 | DS TO EROIN Percent |
| Q29 Never heard/used at least once/month At least once/life At least once/life Frequency Missin DANGEROUS Q30a Fre | Prequence 1 5626 1 178 85 173 g = 3918.0 FFOR KID USE TOBA Equency Po | y Per 2 9 9 8 8 6 5 9 1628 CCC ercen | 92.78 2.95 1.41 2.86 | Somew Not v Not a Don't ki Frequency DANG: | Very 2417 vhat 1178 very 759 it all 523 now 192 / Missing = 13 EROUS FOR USE 0 130e Frequence Very 3847 | 66 68 69 60 66 KID KID COC Cyy Pe | 23.24 14.98 10.31 3.80 .676792 S TO AINE ercent 79.61 | Prequ | Very omewhat Not very Not at all n't know Hency Missi ANGEROU q30i Fi | 8528 2586 549 3440 ng = 1064 US FOR KI USE HI requency I 47669 | 15.82 4.80 1.02 6.38 9.5664 DS TO EROIN Percent 85.59 |
| never heard/used at least once/month At least once/life Frequency Missin DANGEROUS q30a Frequency | Frequence 5626 1 5626 1 178 2 85 2 173 2 9 = 3918.0 3 FOR KID JSE TOBA 2 cquency Pc 23968 | y Pe 2 9 8 6 6 5 5 01628 S TC CCC ercen 44.3 | 92.78 2.95 1.41 2.86 879 | Somew Not v Not a Don't ki | Very 2417 vhat 1178 very 759 it all 523 now 192 / Missing = 13 EROUS FOR USE 0 130e Frequence Very 3847 | 66 68 69 60 66 KID KID COC Cyy Pe | 23.24 14.98 10.31 3.80 .676792 S TO AINE | Prequ | Very omewhat Not very Not at all n't know Hency Missi ANGEROU q30i Fi | 8528 2586 549 3440 ng = 1064 US FOR KI USE HI requency 1 | 15.82 4.80 1.02 6.38 9.5664 DS TO EROIN Percent 85.59 |
| never heard/used t least once/month At least once/life At least once/life Frequency Missin DANGEROUS Q30a Fre Very Somewhat | Frequence 5626 178 85 173 173 173 173 174 175 | y Per 2 | 72.78 92.78 2.95 1.41 2.86 879 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 | Somew Not v Not a Don't ki Frequency DANG: | Very 2417 vhat 1178 very 759 at all 523 now 192 / Missing = 13 EROUS FOR USE O q30e Frequence Very 3847 vhat 602 | 66 68 69 60 66 KID COC. cy Pe | 23.24 14.98 10.31 3.80 .676792 S TO AINE ercent 79.61 | Prequence D. | Very omewhat Not very Not at all n't know Hency Missi ANGEROU q30i Fi | 8528 2586 549 3440 ng = 1064 US FOR KI USE HI requency I 47669 | 15.82 4.80 1.02 6.38 9.5664 DS TO EROIN Percent 85.59 6.33 |
| Never heard/used at least once/month At least once/life Frequency Missin DANGEROUS Q30a Frequency | Frequence 5626 178 85 173 9 3918.0 3750 4 1750 4 1750 4 1750 4 1750 4 1750 17 | y Pe 2 9 8 6 6 5 5 01628 S TC CCC ercen 44.3 | 72.78 2.95 1.41 2.86 879 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | Somew Not v Not a Don't ki Frequency DANG: V Somew | Very 2417 vhat 1178 very 759 it all 523 now 192 / Missing = 13 EROUS FOR USE (q30e Frequency Very 3847 vhat 602 very 93 | KID CCOC. 88 841 KID KID KID CCOC. 88 84 11 | 23.24 14.98 10.31 3.80 .676792 S TO AINE Secent 79.61 12.46 | Frequ D. | Very omewhat Not very Not at all n't know Hency Missi ANGEROU q30i Fi Very omewhat | 8528 2586 549 3440 ng = 1064 US FOR KI USE HI requency I 47669 3526 | 15.82 4.80 1.02 6.38 9.5664 DS TO EROIN Percent |

Frequency Missing = 16225.829295

Frequency Missing = 8867.8825337

DANGEROUS FOR KIDS TO

Very

Somewhat

Not very

Not at all

Don't know

q30f Frequency Percent

40844

4752

570

209

2958

USE CRACK

82.79

9.63

1.15

0.42

6.00

SENT TO

| DANGEROUS FOR KIDS TO USE METHAMPHETAMINE | | | | | |
|---|-----------|---------|--|--|--|
| q30j | Frequency | Percent | | | |
| Very | 49054 | 83.58 | | | |
| Somewhat | 3215 | 5.48 | | | |
| Not very | 433 | 0.74 | | | |
| Not at all | 214 | 0.36 | | | |
| Don't know | 5777 | 9.84 | | | |

Frequency Missing = 5866.0397616

| USE METHAMPHETAMINE | | | PRINCIPA | | SINCE |
|---------------------|----------|---------|---------------|------------|---------|
| q30j F | requency | Percent | | SEPTE | MBER |
| Very | 49054 | 83.58 | q31d F | requency l | Percent |
| Somewhat | 3215 | 5.48 | None | 44329 | 73.11 |
| Not very | 433 | 0.74 | 1-3 days | 11494 | 18.96 |
| Not at all | 214 | 0.36 | 4-9 days | 2649 | 4.37 |
| Don't know | 5777 | 9.84 | 10+ days | 2159 | 3.56 |
| | | | | | |

Frequency Missing = 3928.6085441

| 1-3 times 3840 6.56 | TROUBLE WITH FRIENDS BECAUSE OF DRINKING | | | | | |
|---------------------------|---|-----------|---------|--|--|--|
| 1-3 times 3840 6.56 | q32a | Frequency | Percent | | | |
| | None | 54529 | 92.36 | | | |
| 4-9 times 379 0.64 | 1-3 times | 3840 | 6.50 | | | |
| | 4-9 times | 379 | 0.64 | | | |
| 10+ times 293 0.50 | 10+ times | 293 | 0.50 | | | |

Frequency Missing = 5518.9276547

| DAYS SKIPPED SINCE SEPTEMBER | | | | | |
|---------------------------------|-----------|---------|--|--|--|
| q31a | Frequency | Percent | | | |
| None | 36554 | 59.85 | | | |
| 1-3 days | 13866 | 22.70 | | | |
| 4-9 days | 5446 | 8.92 | | | |
| 10+ days | 5205 | 8.52 | | | |

Frequency Missing = 3488.7391929

| SOM | SOMEONE CALLED | | | | | |
|-----------------|----------------|----------------|--|--|--|--|
| | _ | SINCE EMBER | | | | |
| a31a Fr | equency | | | | | |
| 4316 F1 | equency | 1 el cent | | | | |
| None | 45680 | 76.67 | | | | |
| 1-3 days | 10837 | 18.19 | | | | |
| 4-9 days | 1753 | 2.94 | | | | |
| 10+ days | 1311 | 2.20 | | | | |
| | | | | | | |

Frequency Missing = 4978.3137584

| DRIVEN A CAR AFTER A GOOD BIT TO DRINK | | |
|---|-----------|---------|
| q32b | Frequency | Percent |
| None | 54317 | 93.07 |
| 1-3 times | 3077 | 5.27 |
| 4-9 times | 604 | 1.03 |
| 10+ times | 366 | 0.63 |
| | | |

Frequency Missing = 6195.5510124

| | DAYS ILL SINCE SEPTEMBER | |
|----------|-----------------------------|---------|
| q31b | Frequency | Percent |
| None | 11201 | 18.54 |
| 1-3 days | 30604 | 50.65 |
| 4-9 days | 14155 | 23.42 |
| 10+ days | 4468 | 7.39 |

Frequency Missing = 4130.8513882

| IN TROUBLE FOR DRINKING SINCE SEPTEMBER | | |
|---|-------|-------|
| q31f Frequency Percent | | |
| None | 59398 | 99.11 |
| 1-3 days | 378 | 0.63 |
| 4-9 days | 45 | 0.08 |
| 10+ days | 109 | 0.18 |

Frequency Missing = 4628.6561529

| CRITICIZED BY DATE BECAUSE OF DRINKING | | | |
|---|-----------|---------|--|
| q32c | Frequency | Percent | |
| None | 52704 | 90.97 | |
| 1-3 times | 4334 | 7.48 | |
| 4-9 times | 636 | 1.10 | |
| 10+ times | 260 | 0.45 | |

Frequency Missing = 6625.1866858

| OTHER DAYS MISSED SINCE SEPTEMBER | | |
|--------------------------------------|-------|-------|
| q31c Frequency Percent | | |
| None | 17730 | 29.59 |
| 1-3 days | 31326 | 52.27 |
| 4-9 days | 7304 | 12.19 |
| 10+ days | 3567 | 5.95 |

Frequency Missing = 4632.9048329

| IN TROUBLE FOR DRUG USE SINCE SEPTEMBER | | |
|--|-----------|---------|
| q31g | Frequency | Percent |
| None | 59679 | 97.96 |
| 1-3 days | 1039 | 1.71 |
| 4-9 days | 69 | 0.11 |
| 10+ days | 133 | 0.22 |

Frequency Missing = 3638.4508679

| TROUBLE WITH POLICE BECAUSE OF DRINKING | | |
|--|-----------|---------|
| q32d | Frequency | Percent |
| None | 56188 | 96.93 |
| 1-3 times | 1485 | 2.56 |
| 4-9 times | 232 | 0.40 |
| 10+ times | 63 | 0.11 |
| | | |

Frequency Missing = 6590.7518525

| TROUBLE WITH FRIENDS BECAUSE OF DRUG USE | | |
|---|-----------|---------|
| q32e] | Frequency | Percent |
| None | 51334 | 91.62 |
| 1-3 times | 3819 | 6.82 |
| 4-9 times | 595 | 1.06 |
| 10+ times | 280 | 0.50 |
| | | |

Frequency Missing = 8531.336177

| DRIVEN A CAR WHILE HIGH FROM DRUGS | | |
|---------------------------------------|-------|-------|
| q32f Frequency Percent | | |
| None | 52529 | 92.81 |
| 1-3 times | 2768 | 4.89 |
| 4-9 times | 596 | 1.05 |
| 10+ times | 708 | 1.25 |

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT q33b Frequency Percent 51295 None 1-3 days 5200 8.51 4-9 days 1686 2.76 10+ days 2917 4.77

Frequency Missing = 3460.6760911

DRUG USE AT PARTIES THIS SCHOOL YEAR q34b Frequency Percent Never 26589 42.91 Seldom 6811 10.99 Half the time 5279 8.52 Most of the time 5793 9.35 Always 8628 13.92 2177 Don't know 3.51 6686 Didn't attend 10.79

Frequency Missing = 7958.3644059

| CRITICIZED BY DATE BECAUSE OF DRUG USE | | |
|---|----------|---------|
| q32g Fi | requency | Percent |
| None | 52129 | 91.38 |
| 1-3 times | 3668 | 6.43 |
| 4-9 times | 843 | 1.48 |
| 10+ times | 404 | 0.71 |

CLASS DAYS HIGH ON

Frequency Missing = 2595.0950914

SOUGHT HELP FOR DRUG/ALCOHOL

| INHALANTS SINCE SEPT | | |
|----------------------|-----------|---------|
| q33c | Frequency | Percent |
| None | 59179 | 96.76 |
| 1-3 days | 1415 | 2.31 |
| 4-9 days | 327 | 0.54 |
| 10+ days | 240 | 0.39 |
| | | |

| | PRO | OBLEM |
|-----|-----------|---------|
| q35 | Frequency | Percent |
| No | 52462 | 91.07 |
| Yes | 5142 | 8.93 |
| | | |

Frequency Missing = 7514.2990584

| TROUBLE WITH POLICE BECAUSE OF DRUG USE | | | |
|--|----------|---------|--|
| q32h Fi | requency | Percent | |
| None | 56510 | 96.90 | |
| 1-3 times | 1555 | 2.67 | |
| 4-9 times | 167 | 0.29 | |
| 10+ times | 87 | 0.15 | |

CLASS DAYS HIGH ON OTHER DRUG(S) q33d Frequency Percent None 56335 91.93 1-3 days 2964 4.84 4-9 days 966 1.58 10+ days 1016 1.66

Frequency Missing = 3397.2435366

Frequency Missing = 6954.9141894

| W | DULD SEEI | K HELP |
|------|-----------|---------|
| | FROM S | CHOOL |
| | COUN | SELOR |
| q36a | Frequency | Percent |
| No | 41585 | 68.35 |
| Yes | 19255 | 31.65 |
| | | |

Frequency Missing = 6241.2657368

| CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT | | |
|---|-------|-------|
| q33a Frequency Percent | | |
| None | 54253 | 88.79 |
| 1-3 days | 5098 | 8.34 |
| 4-9 days | 1137 | 1.86 |
| 10+ days | 614 | 1.01 |

Frequency Missing = 3278.2624711

| ALCOHOL USE AT PARTIES THIS SCHOOL YEAR | | | |
|--|-----------|---------|--|
| q34a | Frequency | Percent | |
| Never | 20019 | 32.46 | |
| Seldom | 6308 | 10.23 | |
| Half the time | 5034 | 8.16 | |
| Most of the time | 8430 | 13.67 | |
| Always | 13728 | 22.26 | |
| Don't know | 1615 | 2.62 | |
| Didn't attend | 6532 | 10.59 | |
| | | | |

Frequency Missing = 3718.7160997

| WOULD SEEK HELP OUTSIDE OF SCHOOL | | |
|--------------------------------------|-----------|---------|
| q36b | Frequency | Percent |
| No | 39509 | 65.42 |
| Yes | 20880 | 34.58 |
| | | |

Frequency Missing = 3456.5067357

Frequency Missing = 2893.7450627

Frequency Missing = 4170.6875248

| WOULD SEEK HELP FROM OTHER COUNSELOR | | |
|--|----------|---------|
| q36c F | requency | Percent |
| No | 39416 | 65.76 |
| Yes | 20527 | 34.24 |

Frequency Missing = 4616.3915965

| WOULD SEEK HELP FROM PARENTS | | |
|---------------------------------|-----------|---------|
| q36d | Frequency | Percent |
| No | 25022 | 41.71 |
| Yes | 34969 | 58.29 |

Frequency Missing = 4567.8891431

| | DRUG/ALC INFOSC HEALTH | HOOL |
|------|------------------------------|-------|
| q37a | Frequency 1 | |
| No | 25440 | 46.86 |
| Yes | 28845 | 53.14 |
| | | |

Frequency Missing = 10274.763533

| COMP | DRUG/ALC INFOSC | CHOOL |
|------|--------------------|---------|
| ST | UDENT GRO | CLUB |
| q37f | Frequency | Percent |
| No | 45023 | 83.95 |
| Yes | 8605 | 16.05 |
| | | |

Frequency Missing = 10931.430054

| WOULD SEEK HELP FROM A MEDICAL DOCTOR | | |
|---|-------|-------|
| q36e Frequency Percent | | |
| No | 34406 | 57.65 |
| Yes | 25273 | 42.35 |

Frequency Missing = 4880.3336132

| | DRUG/AL | COHOL |
|-------------|-----------|--------------|
| | INFOS | CHOOL |
| ASSI | EMBLY PRO | OGRAM |
| q37b | Frequency | Percent |
| No | 30244 | 56.30 |
| Yes | 23478 | 43.70 |
| | | |

Frequency Missing = 10837.118145

| | DRUG/ALO | |
|------|-----------|---------|
| | SCHOOL | |
| q37g | Frequency | Percent |
| No | 37228 | 68.99 |
| Yes | 16735 | 31.01 |
| | | |

Frequency Missing = 10595.533797

| WOULD SEEK HELP FROM FRIENDS | | |
|---------------------------------|-----------|---------|
| q36f | Frequency | Percent |
| No | 15976 | 26.62 |
| Yes | 44028 | 73.38 |
| | | |

Frequency Missing = 4555.7199509

| | DRUG/AL | COHOL |
|-------------|-----------|---------|
| | INFOS | CHOOL |
| | GUI | DANCE |
| | COUN | SELOR |
| q37c | Frequency | Percent |
| No | 35516 | 67.05 |
| Yes | 17454 | 32.95 |
| | | |

Frequency Missing = 11589.16798

| SCHOOL S | OTHER OURCE |
|-----------|-----------------|
| Frequency | Percent |
| 34864 | 63.84 |
| 19751 | 36.16 |
| | Frequency 34864 |

Frequency Missing = 9944.4401323

| FROM ANOTHER ADULT | | |
|------------------------|-------|-------|
| q36g Frequency Percent | | |
| No | 21034 | 34.69 |
| Yes | 39600 | 65.31 |

Frequency Missing = 3925.4206548

| INFO | DRUG/ALO SCIENCE | |
|------|---------------------|---------|
| q37d | Frequency | Percent |
| No | 35291 | 66.21 |
| Yes | 18012 | 33.79 |
| | | |

Frequency Missing = 11256.287119

| DRUG/ALCOHOL INFO WEBSITE/ONLINE CHAT GROUP | | |
|---|-----------|---------|
| q38a | Frequency | Percent |
| No | 42756 | 71.30 |
| Yes | 17207 | 28.70 |

Frequency Missing = 4595.5933062

| WOULD NOT SEEK HELP | | |
|------------------------|-----------|---------|
| q36h | Frequency | Percent |
| No | 51283 | 85.62 |
| Yes | 8610 | 14.38 |

Frequency Missing = 4666.4600066

| | DRUG/ALO INFOS STUDIES | SOCIAL |
|------|------------------------------|---------|
| q37e | Frequency | Percent |
| No | 45618 | 85.66 |
| Yes | 7634 | 14.34 |
| | | |

Frequency Missing = 11307.264004

| | DRUG/ALCOHOL INFO |
|---------|----------------------|
| BOOKS/M | IAGAZINES/POSTERS/PA |
| | MPHLETS |
| q38b | Frequency |
| No | 29971 |
| Yes | 29804 |
| | |

DRUG/ALCOHOL INFO-BOOKS/MAGAZINES/POSTERS/PAMPHLETS

| q38b | Percent |
|------|---------|
| No | 50.14 |
| Yes | 49.86 |

Frequency Missing = 4784.1072966

| DRUG/ALCOHOL INFO |
|-------------------|
| TV/RADIO/OTHER |
| AUDIO/VIDEO |

| q38c | Frequency | Percent |
|------|-----------|---------|
| No | 27025 | 45.17 |
| Yes | 32809 | 54.83 |

Frequency Missing = 4725.0328438

| | DRUG/ALCOHOL INFOPARENTS | |
|------|-----------------------------|---------|
| q38d | Frequency | Percent |
| No | 28449 | 47.39 |
| Yes | 31588 | 52.61 |

Frequency Missing = 4522.6510461

| PARENTS FEEL ABOUT KIDS | |
|-------------------------|--|
| SMOKING CIGARET | |
| q39a Frequency Percent | |

| q39a | Frequency | Percent |
|-------------------|-----------|---------|
| Strong disapprove | 45160 | 74.21 |
| Mild disapprove | 5227 | 8.59 |
| Neither | 4326 | 7.11 |
| Mildly approve | 660 | 1.09 |
| Strongly approve | 365 | 0.60 |
| Don't know | 5112 | 8.40 |

Frequency Missing = 3708.5618273

| PARENTS FEEL ABOUT KIDS DRINKING BEER | | |
|---------------------------------------|-------|-------|
| q39b Frequency Percent | | |
| Strong disapprove | 36881 | 60.71 |
| Mild disapprove | 9509 | 15.65 |
| Neither | 6843 | 11.26 |
| Mildly approve | 2525 | 4.16 |
| Strongly approve | 613 | 1.01 |
| Don't know | 4374 | 7.20 |

Frequency Missing = 3813.6581271

| PARENTS FEEL ABOUT KIDS USING MARIJUANA | | |
|--|-------|-------|
| q39c Frequency Percent | | |
| Strong disapprove | 48157 | 79.22 |
| Mild disapprove | 3359 | 5.53 |
| Neither | 3460 | 5.69 |
| Mildly approve | 839 | 1.38 |
| Strongly approve | 768 | 1.26 |
| Don't know | 4210 | 6.93 |

Frequency Missing = 3767.1698113

| TESTED FOR DRUG USE AT SCHOOL | | |
|----------------------------------|-----------|-------|
| q40 | Frequency | |
| No | 53207 | 86.90 |
| Yes | 8022 | 13.10 |

Frequency Missing = 3329.7270366

PURCHASED LOTTERY TICKET IN PAST YEAR

| q41 | Frequency | Percent |
|-----|-----------|---------|
| No | 52489 | 85.85 |
| Yes | 8649 | 14.15 |

Frequency Missing = 3420.8702388