

Region 9/10: Grades 7-12
SPRING 2008

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	14.9%	20.7%	38.0%	62.0%
	Grade 7	5.5%	8.9%	22.6%	77.4%
	Grade 8	8.4%	12.3%	28.5%	71.5%
	Grade 9	12.9%	19.9%	39.9%	60.1%
	Grade 10	16.9%	23.1%	42.8%	57.2%
	Grade 11	22.9%	29.2%	46.4%	53.6%
	Grade 12	27.7%	36.0%	52.3%	47.7%
Cigarettes					
	All	13.2%	18.5%	36.1%	63.9%
	Grade 7	5.3%	8.1%	22.0%	78.0%
	Grade 8	7.5%	10.8%	27.0%	73.0%
	Grade 9	11.1%	17.4%	37.3%	62.7%
	Grade 10	15.1%	20.6%	40.4%	59.6%
	Grade 11	20.7%	26.4%	44.3%	55.7%
	Grade 12	23.6%	32.4%	49.3%	50.7%
Smokeless tobacco					
	All	4.3%	6.7%	12.5%	87.5%
	Grade 7	0.8%	2.3%	4.7%	95.3%
	Grade 8	2.3%	3.8%	9.6%	90.4%
	Grade 9	4.2%	6.6%	12.7%	87.3%
	Grade 10	4.0%	7.2%	14.0%	86.0%
	Grade 11	6.8%	8.7%	15.8%	84.2%
	Grade 12	9.7%	14.0%	20.6%	79.4%

**Region 9/10: Grades 7-12
SPRING 2008**

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	67.0%	3.5%	3.0%	4.5%	6.7%	5.6%	9.7%
	Grade 7	80.0%	0.7%	1.1%	2.1%	5.2%	3.9%	7.1%
	Grade 8	75.2%	0.9%	1.8%	3.7%	5.6%	4.2%	8.8%
	Grade 9	67.5%	1.9%	2.3%	4.9%	6.4%	7.0%	10.1%
	Grade 10	63.3%	4.5%	3.9%	4.5%	7.8%	5.7%	10.3%
	Grade 11	59.6%	5.6%	4.4%	4.9%	7.5%	7.3%	10.7%
	Grade 12	52.1%	9.8%	5.0%	8.2%	8.0%	5.4%	11.5%
Cigarettes?								
	All	68.3%	2.7%	2.8%	4.2%	6.5%	5.6%	9.9%
	Grade 7	80.5%	0.7%	1.1%	2.0%	5.0%	3.6%	7.0%
	Grade 8	75.7%	0.9%	1.8%	3.3%	5.2%	4.1%	9.0%
	Grade 9	69.3%	0.9%	1.8%	4.2%	6.4%	6.8%	10.5%
	Grade 10	64.0%	3.5%	3.7%	4.0%	8.1%	6.3%	10.4%
	Grade 11	60.9%	4.4%	4.2%	4.9%	7.3%	7.2%	11.2%
	Grade 12	55.2%	7.8%	4.9%	8.2%	6.9%	5.1%	11.9%
Smokeless tobacco?								
	All	89.7%	1.1%	0.7%	0.9%	1.8%	1.9%	3.8%
	Grade 7	96.8%	0.0%	0.1%	0.1%	0.7%	1.0%	1.2%
	Grade 8	93.6%	0.0%	0.1%	0.6%	1.5%	0.9%	3.4%
	Grade 9	89.7%	1.3%	0.9%	1.2%	1.8%	2.1%	2.9%
	Grade 10	89.5%	1.3%	0.9%	0.9%	2.4%	1.1%	3.8%
	Grade 11	86.7%	1.5%	0.9%	0.9%	1.8%	2.6%	5.6%
	Grade 12	78.9%	2.7%	1.7%	2.0%	3.1%	4.3%	7.4%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes						
	10.8	11.3	12.0	12.9	13.6	14.5
Smokeless tobacco						
	11.0	11.8	12.7	13.9	14.6	15.0
Any Tobacco						
	10.8	11.3	12.0	12.9	13.5	14.5

Region 9/10: Grades 7-12
SPRING 2008

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product??							
	All	12.4%	16.1%	5.8%	9.2%	17.7%	38.7%
	Grade 7	19.2%	28.6%	11.0%	10.7%	13.6%	16.9%
	Grade 8	14.6%	24.5%	6.0%	13.0%	15.6%	26.2%
	Grade 9	13.8%	15.1%	6.7%	9.0%	21.7%	33.6%
	Grade 10	11.0%	11.1%	4.7%	9.5%	24.0%	39.7%
	Grade 11	7.1%	7.6%	3.1%	7.6%	16.8%	57.8%
	Grade 12	5.1%	5.4%	1.6%	3.7%	12.3%	71.9%
Cigarettes?							
	All	12.9%	16.7%	6.1%	9.5%	18.3%	36.6%
	Grade 7	20.2%	29.8%	10.9%	10.5%	13.6%	15.1%
	Grade 8	15.3%	24.9%	6.5%	12.6%	15.7%	25.0%
	Grade 9	14.5%	15.9%	7.2%	9.7%	22.6%	30.2%
	Grade 10	11.3%	11.4%	5.2%	10.1%	24.8%	37.2%
	Grade 11	7.2%	7.9%	3.2%	8.5%	17.9%	55.4%
	Grade 12	5.5%	5.6%	1.5%	3.7%	12.9%	70.8%
Smokeless Tobacco?							
	All	26.4%	20.4%	7.4%	9.9%	12.8%	23.0%
	Grade 7	34.5%	33.0%	11.9%	9.0%	5.6%	6.0%
	Grade 8	29.8%	29.3%	7.3%	11.7%	10.8%	11.1%
	Grade 9	28.6%	20.0%	8.5%	10.4%	15.4%	17.2%
	Grade 10	26.7%	15.3%	7.3%	11.7%	17.3%	21.7%
	Grade 11	17.5%	12.6%	5.1%	10.0%	16.0%	38.8%
	Grade 12	16.4%	6.8%	2.4%	5.7%	11.7%	57.0%

**Region 9/10: Grades 7-12
SPRING 2008**

Table T-5: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	38.5%	32.6%	16.8%	9.8%	2.3%
	Grade 7	61.8%	23.5%	7.4%	4.1%	3.3%
	Grade 8	49.3%	32.6%	11.5%	5.4%	1.1%
	Grade 9	37.8%	34.1%	17.3%	8.8%	2.0%
	Grade 10	28.2%	37.4%	22.0%	10.8%	1.7%
	Grade 11	24.9%	35.0%	23.6%	14.1%	2.4%
	Grade 12	21.5%	33.6%	22.1%	19.4%	3.4%
Smoke cigarettes?						
	All	41.6%	33.7%	14.6%	8.3%	1.7%
	Grade 7	63.4%	24.0%	6.7%	3.5%	2.3%
	Grade 8	52.2%	31.4%	10.2%	5.2%	1.0%
	Grade 9	42.3%	35.0%	13.7%	7.4%	1.6%
	Grade 10	32.3%	38.8%	19.0%	9.0%	0.9%
	Grade 11	27.8%	38.3%	20.5%	11.9%	1.6%
	Grade 12	24.1%	35.7%	20.9%	16.1%	3.3%
Use a smokeless tobacco product?						
	All	67.8%	19.1%	8.3%	3.5%	1.4%
	Grade 7	84.8%	9.4%	2.0%	1.1%	2.7%
	Grade 8	77.1%	17.1%	4.3%	1.3%	0.3%
	Grade 9	66.7%	19.0%	9.2%	3.8%	1.4%
	Grade 10	60.5%	23.9%	10.3%	3.8%	1.5%
	Grade 11	56.0%	26.6%	11.5%	4.7%	1.2%
	Grade 12	55.9%	20.3%	14.7%	7.7%	1.4%

Region 9/10: Grades 7-12
SPRING 2008

Table T-6: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	73.2%	8.3%	6.7%	1.2%	1.0%	9.7%
Grade 7	83.1%	2.8%	1.0%	0.8%	0.9%	11.3%
Grade 8	78.7%	5.5%	2.6%	0.9%	0.6%	11.7%
Grade 9	72.8%	7.6%	6.9%	0.9%	0.6%	11.2%
Grade 10	72.0%	9.9%	7.6%	0.6%	1.4%	8.6%
Grade 11	67.4%	12.8%	10.4%	1.9%	1.1%	6.4%
Grade 12	61.3%	13.3%	14.2%	2.2%	1.2%	7.8%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	45.1%	30.4%	14.1%	4.3%	6.2%
Grade 7	66.6%	20.2%	5.4%	1.7%	6.0%
Grade 8	51.9%	29.0%	8.7%	2.6%	7.8%
Grade 9	40.3%	32.3%	16.3%	4.1%	7.0%
Grade 10	39.1%	33.7%	16.8%	3.9%	6.5%
Grade 11	36.0%	35.7%	17.0%	5.7%	5.6%
Grade 12	32.3%	32.7%	22.8%	9.1%	3.1%

Region 9/10: Grades 7-12
SPRING 2008

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	39.5%	51.2%	72.1%	27.9%
	Grade 7	23.2%	30.0%	56.1%	43.9%
	Grade 8	32.0%	42.1%	64.9%	35.1%
	Grade 9	41.8%	55.0%	76.3%	23.7%
	Grade 10	46.2%	59.1%	77.3%	22.7%
	Grade 11	48.7%	61.0%	79.6%	20.4%
	Grade 12	48.5%	65.0%	81.6%	18.4%
Beer					
	All	30.4%	41.8%	61.5%	38.5%
	Grade 7	15.2%	21.8%	44.3%	55.7%
	Grade 8	22.4%	32.7%	54.0%	46.0%
	Grade 9	32.2%	45.4%	65.4%	34.6%
	Grade 10	37.1%	49.2%	67.4%	32.6%
	Grade 11	38.2%	50.2%	68.8%	31.2%
	Grade 12	41.2%	55.3%	72.4%	27.6%
Wine coolers					
	All	26.4%	37.4%	56.7%	43.3%
	Grade 7	13.5%	19.2%	37.0%	63.0%
	Grade 8	21.6%	30.6%	49.8%	50.2%
	Grade 9	30.5%	42.0%	62.3%	37.7%
	Grade 10	29.4%	40.9%	59.8%	40.2%
	Grade 11	32.5%	45.8%	67.9%	32.1%
	Grade 12	32.2%	49.3%	66.3%	33.7%
Wine					
	All	14.2%	22.8%	44.5%	55.5%
	Grade 7	9.7%	15.2%	32.1%	67.9%
	Grade 8	10.9%	19.1%	39.5%	60.5%
	Grade 9	17.8%	26.0%	49.0%	51.0%
	Grade 10	13.9%	24.2%	46.7%	53.3%
	Grade 11	15.8%	23.9%	48.2%	51.8%
	Grade 12	16.9%	29.8%	54.1%	45.9%
Liquor					
	All	25.7%	36.6%	51.9%	48.1%
	Grade 7	9.0%	15.3%	26.8%	73.2%
	Grade 8	18.1%	27.6%	40.8%	59.2%
	Grade 9	28.3%	38.4%	55.2%	44.8%
	Grade 10	31.4%	42.4%	60.8%	39.2%
	Grade 11	34.7%	49.6%	65.8%	34.2%
	Grade 12	36.5%	51.7%	67.3%	32.7%

**Region 9/10: Grades 7-12
SPRING 2008**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	33.2%	0.7%	8.3%	18.9%	16.8%	12.7%	9.3%
	Grade 7	51.1%	0.5%	4.1%	9.3%	10.5%	12.4%	12.1%
	Grade 8	40.2%	0.3%	6.9%	13.9%	15.6%	13.7%	9.3%
	Grade 9	29.4%	1.4%	11.2%	19.0%	16.9%	13.7%	8.4%
	Grade 10	27.1%	0.8%	9.2%	24.3%	19.8%	10.3%	8.5%
	Grade 11	25.7%	0.7%	8.4%	24.9%	19.1%	12.8%	8.5%
	Grade 12	22.8%	0.5%	10.2%	24.0%	20.2%	13.3%	9.0%
Beer?								
	All	40.5%	0.3%	7.3%	17.2%	15.2%	10.5%	9.0%
	Grade 7	58.6%	0.2%	2.8%	8.2%	9.0%	9.5%	11.7%
	Grade 8	48.3%	0.0%	6.3%	11.1%	13.6%	12.3%	8.5%
	Grade 9	36.7%	0.4%	9.9%	17.9%	16.1%	12.7%	6.4%
	Grade 10	34.6%	0.5%	8.3%	21.6%	18.5%	8.1%	8.4%
	Grade 11	32.0%	0.3%	7.4%	23.8%	16.8%	10.4%	9.3%
	Grade 12	30.5%	0.4%	9.1%	22.1%	17.7%	9.7%	10.5%
Wine coolers?								
	All	48.2%	0.3%	4.9%	12.1%	14.6%	11.3%	8.6%
	Grade 7	68.8%	0.3%	2.5%	5.6%	7.1%	7.9%	7.9%
	Grade 8	55.5%	0.2%	4.7%	7.8%	13.5%	10.7%	7.7%
	Grade 9	43.1%	0.5%	7.4%	14.0%	15.9%	11.4%	7.7%
	Grade 10	43.7%	0.1%	5.4%	14.6%	18.1%	9.9%	8.2%
	Grade 11	38.6%	0.3%	4.3%	16.4%	15.9%	13.5%	11.0%
	Grade 12	37.2%	0.0%	4.5%	14.8%	17.9%	16.0%	9.6%
Wine?								
	All	57.2%	0.1%	2.9%	6.1%	8.8%	12.9%	11.9%
	Grade 7	71.8%	0.2%	1.5%	4.7%	4.5%	9.7%	7.6%
	Grade 8	60.0%	0.0%	3.1%	4.8%	7.7%	12.6%	11.8%
	Grade 9	53.1%	0.0%	3.9%	6.8%	11.4%	12.6%	12.3%
	Grade 10	56.4%	0.2%	2.4%	7.2%	10.0%	12.2%	11.6%
	Grade 11	52.5%	0.3%	2.9%	7.0%	9.0%	14.9%	13.4%
	Grade 12	47.4%	0.0%	3.6%	5.9%	10.2%	17.0%	15.9%
Liquor?								
	All	50.3%	0.3%	5.0%	13.0%	14.5%	10.2%	6.7%
	Grade 7	75.7%	0.2%	1.8%	4.7%	6.3%	5.5%	5.8%
	Grade 8	61.7%	0.2%	3.9%	7.7%	11.9%	8.4%	6.1%
	Grade 9	47.4%	0.5%	6.4%	13.8%	15.3%	10.7%	6.1%
	Grade 10	42.5%	0.1%	5.8%	16.1%	17.2%	11.7%	6.6%
	Grade 11	35.5%	0.3%	6.2%	19.7%	17.6%	12.1%	8.6%
	Grade 12	35.0%	0.4%	6.1%	17.3%	19.8%	13.5%	7.9%

Region 9/10: Grades 7-12
SPRING 2008

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	47.6%	52.4%	17.6%	26.5%	8.3%
	Grade 7	74.8%	25.2%	5.8%	12.3%	7.1%
	Grade 8	59.6%	40.4%	11.1%	21.0%	8.3%
	Grade 9	43.1%	56.9%	21.0%	27.2%	8.7%
	Grade 10	38.6%	61.4%	20.4%	32.3%	8.7%
	Grade 11	32.1%	67.9%	25.0%	33.3%	9.7%
	Grade 12	32.0%	68.0%	24.2%	36.6%	7.2%
Wine Coolers						
	All	56.3%	43.7%	5.1%	24.0%	14.5%
	Grade 7	68.9%	31.1%	3.1%	16.8%	11.1%
	Grade 8	59.4%	40.6%	5.6%	21.7%	13.3%
	Grade 9	52.0%	48.0%	6.0%	27.7%	14.4%
	Grade 10	55.6%	44.4%	5.1%	22.9%	16.4%
	Grade 11	51.0%	49.0%	4.9%	27.9%	16.2%
	Grade 12	48.9%	51.1%	6.4%	28.1%	16.6%
Wine						
	All	45.6%	54.4%	16.8%	30.7%	6.9%
	Grade 7	65.4%	34.6%	6.5%	20.5%	7.6%
	Grade 8	51.0%	49.0%	14.0%	26.3%	8.8%
	Grade 9	41.9%	58.1%	20.6%	32.0%	5.5%
	Grade 10	42.1%	57.9%	18.5%	33.4%	6.0%
	Grade 11	34.3%	65.7%	20.8%	38.3%	6.6%
	Grade 12	35.6%	64.4%	21.6%	35.4%	7.4%
Liquor						
	All	37.9%	62.1%	24.2%	27.0%	10.9%
	Grade 7	54.5%	45.5%	10.2%	21.1%	14.2%
	Grade 8	45.4%	54.6%	16.5%	24.0%	14.1%
	Grade 9	33.2%	66.8%	27.5%	31.1%	8.1%
	Grade 10	33.4%	66.6%	29.4%	29.2%	7.9%
	Grade 11	29.0%	71.0%	30.7%	29.3%	11.1%
	Grade 12	28.9%	71.1%	33.9%	26.8%	10.4%

Region 9/10: Grades 7-12
SPRING 2008

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	68.3%	8.6%	7.0%	8.3%	3.7%	4.1%
	Grade 7	84.2%	5.1%	4.0%	3.6%	1.9%	1.2%
	Grade 8	76.3%	6.6%	5.8%	5.3%	2.5%	3.5%
	Grade 9	64.7%	11.0%	7.9%	8.4%	4.0%	4.0%
	Grade 10	62.1%	10.1%	8.3%	9.9%	4.7%	5.0%
	Grade 11	61.5%	9.0%	8.0%	12.6%	4.2%	4.7%
	Grade 12	57.8%	9.6%	8.5%	11.5%	5.3%	7.3%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer						
	10.9	11.3	12.3	13.1	13.8	14.3
Wine Coolers						
	11.2	11.6	12.5	13.3	14.1	14.4
Wine						
	11.1	11.5	12.6	13.3	14.0	14.6
Liquor						
	11.6	12.1	13.1	13.9	14.7	15.2
Any Alcohol						
	10.7	11.2	12.1	12.9	13.6	14.0

Region 9/10: Grades 7-12
SPRING 2008

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	9.2%	11.7%	5.3%	11.7%	21.5%	40.6%
	Grade 7	15.8%	22.8%	8.2%	12.6%	17.9%	22.7%
	Grade 8	12.3%	17.2%	5.4%	10.2%	19.7%	35.3%
	Grade 9	9.6%	9.7%	4.8%	12.0%	20.7%	43.2%
	Grade 10	6.7%	6.9%	5.6%	12.6%	22.2%	46.0%
	Grade 11	4.7%	6.2%	2.4%	10.6%	24.3%	51.8%
	Grade 12	3.6%	4.4%	4.7%	11.8%	26.7%	48.8%
Wine coolers?							
	All	13.2%	13.5%	6.1%	11.9%	20.4%	34.9%
	Grade 7	22.0%	26.4%	8.1%	12.9%	14.4%	16.2%
	Grade 8	17.2%	19.0%	7.1%	11.7%	17.9%	27.0%
	Grade 9	13.6%	11.6%	6.7%	11.9%	18.7%	37.6%
	Grade 10	10.1%	8.6%	6.8%	12.3%	21.5%	40.7%
	Grade 11	6.6%	6.7%	3.1%	11.1%	25.2%	47.3%
	Grade 12	6.1%	4.8%	3.8%	11.1%	28.1%	46.1%
Wine?							
	All	14.1%	16.2%	7.6%	13.5%	20.0%	28.6%
	Grade 7	20.7%	28.4%	9.8%	11.6%	15.7%	13.9%
	Grade 8	15.8%	23.7%	8.7%	14.9%	15.7%	21.1%
	Grade 9	15.4%	13.6%	8.2%	12.3%	20.2%	30.3%
	Grade 10	12.9%	12.4%	7.8%	15.7%	19.1%	32.1%
	Grade 11	8.2%	9.0%	5.0%	14.5%	24.1%	39.2%
	Grade 12	8.6%	6.2%	4.8%	12.1%	28.6%	39.7%
Liquor?							
	All	12.5%	16.4%	8.0%	12.2%	18.8%	32.2%
	Grade 7	22.5%	30.7%	12.3%	11.8%	9.0%	13.7%
	Grade 8	15.4%	23.9%	8.9%	11.3%	16.6%	23.9%
	Grade 9	13.0%	14.4%	7.0%	11.6%	18.6%	35.4%
	Grade 10	9.5%	10.7%	8.0%	13.0%	20.8%	37.9%
	Grade 11	5.5%	8.2%	5.1%	13.4%	24.3%	43.5%
	Grade 12	5.4%	6.2%	5.3%	12.5%	27.1%	43.5%
Any alcohol product?							
	All	8.5%	9.6%	4.4%	9.8%	21.3%	46.4%
	Grade 7	15.2%	18.9%	7.0%	11.6%	18.3%	29.1%
	Grade 8	11.1%	14.6%	4.6%	9.8%	19.6%	40.2%
	Grade 9	9.2%	7.5%	4.0%	9.7%	20.5%	49.1%
	Grade 10	5.8%	5.0%	4.3%	10.1%	22.1%	52.6%
	Grade 11	4.0%	5.4%	2.2%	8.0%	23.0%	57.3%
	Grade 12	3.2%	4.0%	3.8%	9.0%	26.2%	53.8%

Region 9/10: Grades 7-12
SPRING 2008

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	88.1%	8.9%	1.5%	1.4%
Grade 7	90.3%	8.2%	1.2%	0.3%
Grade 8	90.2%	8.0%	1.0%	0.8%
Grade 9	84.8%	11.0%	2.0%	2.2%
Grade 10	87.4%	9.1%	2.0%	1.5%
Grade 11	88.4%	8.3%	1.5%	1.9%
Grade 12	88.6%	8.1%	1.4%	1.8%
Gotten into trouble with teachers because of your drinking?				
All	98.2%	1.0%	0.4%	0.3%
Grade 7	98.2%	0.9%	0.7%	0.2%
Grade 8	99.0%	0.5%	0.3%	0.2%
Grade 9	98.3%	0.8%	0.3%	0.5%
Grade 10	98.5%	0.8%	0.2%	0.5%
Grade 11	97.5%	1.8%	0.4%	0.3%
Grade 12	97.5%	1.8%	0.3%	0.4%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	5.0
Alcohol Non-use	4.0
Average days conduct problems reported	
Alcohol Users:	4.2
Alcohol Non-use	1.4

Region 9/10: Grades 7-12
SPRING 2008

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	84.3%	12.0%	2.2%	1.6%
Grade 9	89.7%	7.4%	2.0%	0.9%
Grade 10	87.6%	10.4%	1.2%	0.8%
Grade 11	80.8%	14.9%	2.6%	1.7%
Grade 12	75.0%	18.0%	3.4%	3.6%
Gotten into trouble with the police because of drinking?				
All	95.1%	4.0%	0.5%	0.4%
Grade 7	97.4%	2.3%	0.2%	0.2%
Grade 8	97.2%	2.2%	0.5%	0.2%
Grade 9	96.4%	2.0%	0.8%	0.8%
Grade 10	94.8%	4.4%	0.4%	0.4%
Grade 11	90.6%	8.1%	0.6%	0.7%
Grade 12	92.5%	7.0%	0.3%	0.2%

Region 9/10: Grades 7-12
SPRING 2008

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	18.7%	19.5%	18.0%	25.7%	18.1%
	Grade 7	39.7%	26.3%	14.5%	10.4%	9.1%
	Grade 8	25.8%	25.2%	16.7%	20.5%	11.8%
	Grade 9	14.4%	15.9%	21.2%	26.4%	22.1%
	Grade 10	10.3%	17.0%	20.6%	31.5%	20.7%
	Grade 11	9.7%	15.2%	16.4%	36.3%	22.4%
	Grade 12	7.9%	16.5%	17.8%	33.2%	24.6%
Beer?						
	All	21.9%	20.1%	18.1%	24.6%	15.4%
	Grade 7	45.0%	24.8%	13.7%	9.5%	7.0%
	Grade 8	30.0%	25.7%	16.4%	18.8%	9.1%
	Grade 9	17.3%	16.8%	21.3%	25.8%	18.8%
	Grade 10	12.1%	18.4%	20.9%	30.2%	18.5%
	Grade 11	12.0%	16.8%	17.6%	34.6%	19.0%
	Grade 12	10.1%	17.0%	18.1%	32.4%	22.4%
Wine coolers?						
	All	34.2%	19.5%	18.6%	17.2%	10.5%
	Grade 7	58.1%	18.4%	11.2%	6.1%	6.3%
	Grade 8	43.3%	21.3%	13.9%	14.7%	6.8%
	Grade 9	28.2%	18.9%	22.8%	16.6%	13.5%
	Grade 10	26.2%	19.8%	21.5%	21.2%	11.3%
	Grade 11	22.5%	19.2%	19.6%	26.1%	12.6%
	Grade 12	21.7%	19.8%	23.7%	21.5%	13.3%
Wine?						
	All	50.0%	22.8%	13.0%	8.2%	5.9%
	Grade 7	65.5%	18.8%	7.6%	4.4%	3.8%
	Grade 8	56.1%	22.8%	9.8%	7.9%	3.5%
	Grade 9	45.1%	21.0%	16.6%	8.4%	8.9%
	Grade 10	44.4%	26.6%	14.9%	8.1%	5.9%
	Grade 11	43.5%	23.2%	16.6%	10.8%	5.9%
	Grade 12	42.7%	25.9%	12.7%	10.9%	7.7%
Liquor?						
	All	34.5%	17.1%	17.1%	19.5%	11.7%
	Grade 7	64.4%	16.8%	9.0%	5.2%	4.7%
	Grade 8	46.8%	20.0%	13.2%	12.9%	7.1%
	Grade 9	29.1%	15.1%	20.0%	21.1%	14.6%
	Grade 10	23.5%	18.4%	21.7%	23.1%	13.3%
	Grade 11	18.3%	15.8%	19.3%	31.6%	15.0%
	Grade 12	18.3%	16.6%	20.6%	27.3%	17.2%

**Region 9/10: Grades 7-12
SPRING 2008**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	91.0%	8.0%	0.6%	0.4%
Grade 7	95.6%	4.1%	0.1%	0.2%
Grade 8	92.6%	7.3%	0.1%	0.0%
Grade 9	90.4%	8.3%	0.6%	0.7%
Grade 10	89.5%	9.6%	0.6%	0.2%
Grade 11	88.1%	10.0%	1.4%	0.5%
Grade 12	88.9%	9.7%	0.7%	0.7%
Been criticized by someone you were dating because of drinking?				
All	89.9%	8.5%	0.8%	0.8%
Grade 7	96.1%	3.3%	0.2%	0.3%
Grade 8	92.4%	6.2%	0.6%	0.8%
Grade 9	89.4%	8.7%	0.9%	1.0%
Grade 10	86.2%	12.2%	0.9%	0.7%
Grade 11	86.1%	11.3%	1.6%	0.9%
Grade 12	88.1%	10.3%	0.6%	1.0%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	28.1%	9.8%	7.0%	15.4%	27.1%	1.9%	10.7%
Grade 7	51.3%	10.3%	7.7%	10.5%	6.9%	2.7%	10.6%
Grade 8	36.9%	12.1%	9.8%	13.5%	15.5%	2.7%	9.6%
Grade 9	22.7%	13.9%	8.5%	16.7%	26.1%	1.3%	10.8%
Grade 10	20.9%	8.9%	6.0%	17.8%	33.3%	1.4%	11.7%
Grade 11	17.2%	6.1%	4.2%	17.9%	42.0%	1.6%	10.9%
Grade 12	15.4%	5.0%	4.8%	16.6%	46.2%	1.6%	10.5%

Region 9/10: Grades 7-12
SPRING 2008

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	38.7%	34.3%	19.4%	5.5%	2.1%
	Grade 7	51.2%	29.4%	14.4%	3.8%	1.2%
	Grade 8	41.4%	30.6%	18.9%	6.6%	2.6%
	Grade 9	37.4%	33.4%	20.7%	6.3%	2.1%
	Grade 10	34.6%	38.4%	19.6%	5.0%	2.5%
	Grade 11	32.7%	38.1%	21.8%	5.7%	1.8%
	Grade 12	32.0%	38.0%	21.7%	5.9%	2.4%
From friends						
	All	30.9%	17.1%	17.3%	22.8%	11.9%
	Grade 7	48.1%	25.9%	13.1%	9.5%	3.4%
	Grade 8	36.9%	26.5%	16.0%	14.6%	5.9%
	Grade 9	27.7%	15.1%	18.9%	25.6%	12.8%
	Grade 10	25.6%	12.3%	19.2%	28.0%	14.9%
	Grade 11	22.8%	10.4%	19.0%	30.2%	17.6%
	Grade 12	20.9%	10.0%	17.7%	31.9%	19.6%
From a store						
	All	33.4%	46.6%	10.1%	6.3%	3.5%
	Grade 7	48.0%	45.0%	4.5%	2.1%	0.5%
	Grade 8	38.6%	49.8%	5.7%	2.7%	3.2%
	Grade 9	31.5%	48.3%	10.8%	6.2%	3.2%
	Grade 10	29.2%	48.9%	12.0%	6.2%	3.8%
	Grade 11	26.0%	42.4%	14.9%	12.1%	4.5%
	Grade 12	23.7%	44.4%	14.4%	10.2%	7.2%
At parties						
	All	29.3%	13.9%	12.7%	17.9%	26.2%
	Grade 7	43.1%	21.8%	13.5%	12.8%	8.8%
	Grade 8	33.4%	17.6%	15.8%	15.4%	17.9%
	Grade 9	27.4%	10.0%	13.8%	18.4%	30.5%
	Grade 10	25.0%	11.3%	10.1%	19.2%	34.4%
	Grade 11	22.1%	11.1%	10.4%	21.1%	35.3%
	Grade 12	21.7%	10.5%	12.1%	22.0%	33.7%
Other source						
	All	33.7%	25.0%	15.7%	12.8%	12.8%
	Grade 7	46.7%	29.0%	12.0%	7.2%	5.2%
	Grade 8	38.9%	27.2%	13.1%	10.3%	10.6%
	Grade 9	31.3%	21.2%	16.7%	15.7%	15.1%
	Grade 10	28.7%	25.5%	17.9%	12.9%	15.0%
	Grade 11	28.4%	24.1%	15.8%	15.9%	15.7%
	Grade 12	25.4%	22.5%	19.8%	16.1%	16.2%

Region 9/10: Grades 7-12
SPRING 2008

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	60.9%	15.2%	10.8%	3.4%	1.4%	8.2%
Grade 7	71.9%	9.3%	5.3%	1.4%	1.4%	10.7%
Grade 8	64.8%	12.6%	8.7%	2.3%	0.9%	10.6%
Grade 9	56.2%	16.2%	12.0%	4.8%	1.7%	9.2%
Grade 10	58.6%	16.6%	12.4%	4.0%	1.5%	6.8%
Grade 11	57.4%	17.8%	15.0%	3.7%	1.5%	4.6%
Grade 12	55.6%	20.3%	12.4%	4.0%	1.4%	6.3%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	39.6%	33.5%	17.6%	5.4%	4.0%
Grade 7	51.0%	27.3%	14.6%	3.2%	3.8%
Grade 8	40.7%	26.9%	19.6%	7.4%	5.5%
Grade 9	32.5%	31.6%	22.6%	8.4%	4.8%
Grade 10	37.5%	36.1%	16.9%	5.4%	4.0%
Grade 11	37.9%	40.6%	15.7%	3.2%	2.6%
Grade 12	37.5%	42.6%	14.1%	3.3%	2.5%

Region 9/10: Grades 7-12
SPRING 2008

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	12.2%	17.8%	30.4%	69.6%
	Grade 7	5.9%	7.5%	14.1%	85.9%
	Grade 8	8.8%	13.1%	23.0%	77.0%
	Grade 9	14.0%	19.8%	31.0%	69.0%
	Grade 10	12.0%	19.2%	35.1%	64.9%
	Grade 11	17.8%	24.7%	41.1%	58.9%
	Grade 12	16.6%	26.0%	43.9%	56.1%
Cocaine?					
	All	6.0%	8.5%	15.4%	84.6%
	Grade 7	1.4%	2.3%	4.4%	95.6%
	Grade 8	3.2%	4.8%	8.9%	91.1%
	Grade 9	6.8%	9.2%	15.8%	84.2%
	Grade 10	6.3%	9.7%	19.0%	81.0%
	Grade 11	10.6%	13.8%	25.5%	74.5%
	Grade 12	8.7%	13.1%	22.3%	77.7%
Crack?					
	All	1.1%	1.5%	2.6%	97.4%
	Grade 7	0.8%	1.1%	1.4%	98.6%
	Grade 8	0.6%	1.1%	1.9%	98.1%
	Grade 9	1.7%	1.8%	3.4%	96.6%
	Grade 10	0.9%	1.1%	2.8%	97.2%
	Grade 11	1.2%	2.3%	3.6%	96.4%
	Grade 12	1.2%	1.5%	2.7%	97.3%
Hallucinogens?					
	All	1.7%	2.7%	5.1%	94.9%
	Grade 7	1.2%	1.5%	2.3%	97.7%
	Grade 8	1.0%	1.3%	2.9%	97.1%
	Grade 9	1.5%	2.6%	5.3%	94.7%
	Grade 10	1.8%	2.6%	6.0%	94.0%
	Grade 11	3.1%	5.2%	8.5%	91.5%
	Grade 12	2.3%	4.0%	6.7%	93.3%
Uppers?					
	All	1.8%	2.9%	4.7%	95.3%
	Grade 7	1.0%	1.1%	1.5%	98.5%
	Grade 8	1.0%	1.6%	3.0%	97.0%
	Grade 9	2.0%	2.5%	4.9%	95.1%
	Grade 10	0.8%	2.1%	4.1%	95.9%
	Grade 11	2.9%	5.0%	8.1%	91.9%
	Grade 12	3.9%	6.1%	8.2%	91.8%
Downers?					
	All	1.9%	2.9%	4.8%	95.2%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	1.2%	1.4%	3.0%	97.0%
	Grade 9	1.9%	2.7%	4.9%	95.1%
	Grade 10	1.1%	2.3%	4.4%	95.6%
	Grade 11	3.7%	5.4%	7.9%	92.1%
	Grade 12	4.1%	5.8%	8.7%	91.3%

Region 9/10: Grades 7-12
SPRING 2008

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	1.1%	1.7%	3.1%	96.9%
	Grade 7	1.1%	1.2%	1.6%	98.4%
	Grade 8	1.5%	2.0%	3.7%	96.3%
	Grade 9	1.5%	2.1%	3.4%	96.6%
	Grade 10	0.9%	1.7%	3.4%	96.6%
	Grade 11	0.4%	0.9%	2.8%	97.2%
	Grade 12	1.2%	2.0%	3.6%	96.4%
Steroids?					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.7%	0.7%	1.4%	98.6%
	Grade 8	0.9%	1.1%	2.7%	97.3%
	Grade 9	0.3%	0.4%	1.4%	98.6%
	Grade 10	0.3%	0.7%	1.3%	98.7%
	Grade 11	1.2%	1.6%	2.4%	97.6%
	Grade 12	0.5%	1.1%	2.1%	97.9%
Ecstasy?					
	All	2.2%	3.2%	5.7%	94.3%
	Grade 7	0.5%	0.8%	1.0%	99.0%
	Grade 8	0.8%	2.3%	4.1%	95.9%
	Grade 9	2.6%	3.1%	6.0%	94.0%
	Grade 10	2.2%	3.1%	6.0%	94.0%
	Grade 11	4.6%	6.1%	9.6%	90.4%
	Grade 12	3.0%	4.8%	8.7%	91.3%
Heroin?					
	All	0.7%	1.0%	1.8%	98.2%
	Grade 7	1.0%	1.0%	2.1%	97.9%
	Grade 8	0.6%	1.4%	2.2%	97.8%
	Grade 9	0.7%	1.0%	1.7%	98.3%
	Grade 10	0.4%	0.4%	1.2%	98.8%
	Grade 11	1.4%	1.8%	2.4%	97.6%
	Grade 12	0.3%	0.6%	1.3%	98.7%

Region 9/10: Grades 7-12
SPRING 2008

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	72.5%	3.1%	3.7%	4.2%	5.1%	4.8%	6.6%
	Grade 7	86.5%	2.6%	2.5%	1.9%	2.6%	1.3%	2.7%
	Grade 8	78.5%	3.3%	2.8%	3.0%	4.7%	3.6%	4.0%
	Grade 9	71.4%	1.9%	5.8%	4.9%	6.0%	3.9%	6.0%
	Grade 10	69.0%	2.5%	3.3%	5.1%	4.9%	6.3%	8.8%
	Grade 11	65.5%	5.0%	3.3%	4.4%	6.6%	6.7%	8.5%
	Grade 12	62.3%	3.6%	4.3%	5.9%	5.9%	7.5%	10.5%
Cocaine?								
	All	86.5%	0.3%	1.2%	2.6%	2.8%	2.5%	4.1%
	Grade 7	95.4%	0.7%	0.2%	1.0%	0.8%	0.4%	1.5%
	Grade 8	92.5%	0.0%	0.9%	1.1%	1.7%	1.6%	2.2%
	Grade 9	85.6%	0.0%	2.1%	2.6%	3.2%	3.1%	3.5%
	Grade 10	83.8%	0.6%	1.1%	3.5%	2.2%	3.1%	5.7%
	Grade 11	79.6%	0.4%	1.0%	3.5%	5.5%	3.7%	6.4%
	Grade 12	81.4%	0.2%	1.8%	4.1%	3.5%	3.2%	5.8%
Crack?								
	All	97.5%	0.1%	0.3%	0.3%	0.7%	0.3%	0.8%
	Grade 7	98.0%	0.2%	0.3%	0.0%	0.4%	0.4%	0.7%
	Grade 8	97.6%	0.0%	0.5%	0.4%	0.5%	0.3%	0.7%
	Grade 9	97.1%	0.2%	0.1%	0.4%	1.2%	0.1%	0.8%
	Grade 10	97.3%	0.2%	0.5%	0.0%	0.7%	0.4%	0.9%
	Grade 11	97.6%	0.3%	0.1%	0.3%	0.6%	0.5%	0.7%
	Grade 12	97.4%	0.0%	0.0%	0.7%	0.5%	0.4%	1.1%
Hallucinogens?								
	All	95.7%	0.1%	0.2%	0.4%	0.9%	1.3%	1.4%
	Grade 7	97.7%	0.0%	0.1%	0.5%	0.8%	0.3%	0.6%
	Grade 8	97.3%	0.2%	0.1%	0.5%	0.5%	0.2%	1.1%
	Grade 9	96.1%	0.0%	0.1%	0.0%	0.9%	1.5%	1.4%
	Grade 10	95.2%	0.0%	0.3%	0.4%	0.5%	1.8%	1.8%
	Grade 11	93.4%	0.1%	0.1%	0.7%	1.5%	2.2%	2.0%
	Grade 12	94.2%	0.1%	0.1%	0.5%	1.1%	1.9%	2.0%
Uppers?								
	All	95.4%	0.1%	0.4%	0.6%	1.2%	1.0%	1.4%
	Grade 7	98.3%	0.0%	0.3%	0.4%	0.4%	0.2%	0.3%
	Grade 8	97.1%	0.0%	0.7%	0.0%	0.5%	0.2%	1.5%
	Grade 9	95.3%	0.0%	0.4%	0.4%	1.7%	0.8%	1.5%
	Grade 10	95.6%	0.1%	0.3%	0.6%	0.9%	1.1%	1.5%
	Grade 11	92.9%	0.1%	0.3%	0.9%	2.1%	1.8%	1.9%
	Grade 12	92.5%	0.3%	0.6%	1.3%	1.5%	2.1%	1.7%
Downers?								
	All	95.9%	0.1%	0.3%	0.6%	1.1%	0.9%	1.1%
	Grade 7	98.7%	0.0%	0.2%	0.3%	0.4%	0.0%	0.3%
	Grade 8	97.2%	0.0%	0.6%	0.2%	0.7%	0.5%	0.9%
	Grade 9	96.4%	0.0%	0.3%	0.5%	1.2%	0.8%	0.9%
	Grade 10	96.4%	0.1%	0.2%	0.5%	0.8%	0.8%	1.1%
	Grade 11	93.3%	0.1%	0.3%	1.0%	1.9%	1.5%	1.8%
	Grade 12	92.5%	0.2%	0.3%	1.3%	2.0%	2.2%	1.5%

**Region 9/10: Grades 7-12
SPRING 2008**

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	97.7%	0.1%	0.3%	0.2%	0.3%	0.5%	0.8%
	Grade 7	98.7%	0.2%	0.5%	0.2%	0.2%	0.2%	0.0%
	Grade 8	97.1%	0.2%	0.2%	0.2%	0.7%	1.0%	0.7%
	Grade 9	97.8%	0.2%	0.4%	0.3%	0.0%	0.5%	0.7%
	Grade 10	97.1%	0.0%	0.1%	0.2%	0.4%	0.7%	1.4%
	Grade 11	98.3%	0.0%	0.1%	0.1%	0.4%	0.4%	0.7%
	Grade 12	97.2%	0.0%	0.2%	0.1%	0.3%	0.5%	1.7%
Steroids?								
	All	98.4%	0.2%	0.2%	0.2%	0.2%	0.3%	0.5%
	Grade 7	98.7%	0.4%	0.1%	0.1%	0.0%	0.3%	0.4%
	Grade 8	98.2%	0.4%	0.2%	0.2%	0.0%	0.5%	0.5%
	Grade 9	98.5%	0.3%	0.1%	0.0%	0.2%	0.2%	0.7%
	Grade 10	98.4%	0.0%	0.3%	0.1%	0.1%	0.5%	0.7%
	Grade 11	98.2%	0.1%	0.7%	0.2%	0.2%	0.2%	0.4%
	Grade 12	98.1%	0.1%	0.0%	0.4%	0.5%	0.4%	0.4%
Ecstasy?								
	All	94.5%	0.1%	0.2%	0.8%	1.2%	1.7%	1.6%
	Grade 7	98.4%	0.2%	0.0%	0.4%	0.1%	0.6%	0.4%
	Grade 8	95.7%	0.0%	0.5%	0.2%	1.2%	1.3%	1.0%
	Grade 9	94.9%	0.0%	0.0%	0.8%	1.8%	1.5%	1.0%
	Grade 10	94.5%	0.0%	0.0%	0.6%	1.4%	1.4%	2.0%
	Grade 11	91.0%	0.4%	0.2%	1.4%	1.5%	2.7%	2.8%
	Grade 12	91.2%	0.0%	0.3%	1.5%	1.0%	2.7%	3.1%
Heroin?								
	All	98.4%	0.1%	0.1%	0.1%	0.4%	0.3%	0.6%
	Grade 7	97.8%	0.1%	0.0%	0.0%	0.5%	0.3%	1.2%
	Grade 8	97.6%	0.3%	0.2%	0.2%	0.7%	0.3%	0.7%
	Grade 9	98.7%	0.0%	0.0%	0.0%	0.5%	0.3%	0.5%
	Grade 10	99.2%	0.0%	0.0%	0.1%	0.3%	0.3%	0.1%
	Grade 11	98.4%	0.0%	0.2%	0.3%	0.1%	0.4%	0.6%
	Grade 12	98.7%	0.0%	0.0%	0.1%	0.0%	0.5%	0.6%

**Region 9/10: Grades 7-12
SPRING 2008**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	12.2	12.8	13.6	14.1	14.8
Cocaine	12.3	12.9	13.7	14.3	15.1	15.7
Crack	12.1	12.4	13.5	14.5	14.8	16.1
Hallucinogens	11.8	12.6	13.5	14.4	15.1	16.2
Uppers	11.2	12.2	13.4	13.9	14.6	15.5
Downers	11.6	12.6	13.5	14.3	14.5	15.5
Rohypnol	12.3	11.3	12.8	13.7	14.9	15.5
Steroids	10.7	12.1	12.5	13.9	15.3	15.7
Ecstasy	12.2	12.6	13.8	14.7	15.4	16.2
Heroin	11.3	11.6	13.3	13.7	15.6	16.1

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	75.1%	1.1%	2.9%	7.4%	9.5%	3.7%	0.4%
	Grade 7	89.9%	1.0%	3.4%	4.8%	1.0%	0.0%	0.0%
	Grade 8	81.1%	1.5%	2.8%	11.7%	3.0%	0.0%	0.0%
	Grade 9	76.6%	1.0%	3.7%	8.3%	10.1%	0.0%	0.2%
	Grade 10	69.9%	0.9%	2.4%	8.1%	15.2%	3.5%	0.0%
	Grade 11	63.6%	0.7%	2.8%	6.5%	17.3%	9.1%	0.0%
	Grade 12	63.0%	1.7%	1.5%	4.5%	12.5%	14.3%	2.6%
Other family situation								
	All	60.1%	3.8%	4.4%	12.3%	13.7%	5.3%	0.3%
	Grade 7	79.4%	3.4%	9.5%	7.3%	0.5%	0.0%	0.0%
	Grade 8	73.8%	2.3%	5.6%	14.4%	3.9%	0.0%	0.0%
	Grade 9	55.8%	7.5%	3.5%	12.7%	20.6%	0.0%	0.0%
	Grade 10	55.4%	3.3%	3.7%	12.9%	21.0%	3.5%	0.2%
	Grade 11	48.2%	2.6%	2.9%	14.5%	20.8%	11.1%	0.0%
	Grade 12	42.8%	2.9%	0.4%	12.1%	15.9%	23.8%	2.1%

Region 9/10: Grades 7-12
SPRING 2008

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	15.6%	23.5%	8.4%	10.5%	15.0%	26.9%
	Grade 7	25.2%	39.9%	9.5%	6.7%	7.9%	10.8%
	Grade 8	18.5%	33.9%	8.3%	9.1%	9.1%	21.1%
	Grade 9	14.9%	20.8%	9.7%	12.0%	14.8%	27.8%
	Grade 10	12.9%	17.0%	8.6%	11.9%	20.8%	28.9%
	Grade 11	9.6%	13.2%	6.4%	10.9%	18.4%	41.4%
	Grade 12	10.2%	11.5%	6.7%	13.2%	21.9%	36.6%
Cocaine?							
	All	18.8%	28.1%	11.0%	11.7%	11.5%	19.0%
	Grade 7	27.8%	45.6%	10.6%	6.0%	3.6%	6.3%
	Grade 8	21.1%	37.5%	9.9%	9.4%	7.7%	14.5%
	Grade 9	19.3%	26.0%	11.7%	14.0%	10.5%	18.5%
	Grade 10	15.9%	21.0%	12.2%	14.2%	16.2%	20.5%
	Grade 11	13.5%	16.7%	9.9%	11.8%	16.7%	31.4%
	Grade 12	12.2%	16.4%	11.3%	16.1%	16.9%	27.1%
Crack?							
	All	24.5%	31.3%	13.4%	12.0%	8.3%	10.5%
	Grade 7	31.0%	45.9%	9.7%	5.8%	3.4%	4.2%
	Grade 8	25.1%	39.3%	10.7%	9.0%	6.0%	10.0%
	Grade 9	24.7%	29.9%	15.6%	11.2%	7.9%	10.8%
	Grade 10	24.1%	26.1%	14.5%	14.3%	10.2%	10.8%
	Grade 11	19.6%	21.6%	14.9%	15.3%	12.9%	15.7%
	Grade 12	19.9%	20.1%	15.7%	19.4%	11.3%	13.6%
Hallucinogens?							
	All	43.4%	23.6%	11.3%	8.6%	6.0%	7.2%
	Grade 7	56.2%	29.2%	6.6%	3.1%	1.9%	3.1%
	Grade 8	50.7%	27.0%	7.7%	4.7%	4.7%	5.2%
	Grade 9	43.3%	22.3%	14.0%	7.8%	5.0%	7.5%
	Grade 10	39.2%	22.9%	12.3%	10.8%	7.4%	7.5%
	Grade 11	35.5%	19.4%	12.2%	13.4%	8.2%	11.3%
	Grade 12	30.0%	19.0%	15.9%	14.5%	10.6%	9.9%
Uppers?							
	All	53.0%	18.5%	8.2%	6.7%	5.6%	7.9%
	Grade 7	62.3%	25.4%	5.3%	2.2%	1.8%	3.0%
	Grade 8	57.3%	22.3%	6.9%	3.7%	4.0%	5.8%
	Grade 9	53.5%	15.9%	11.1%	5.7%	6.1%	7.8%
	Grade 10	51.8%	16.9%	9.0%	9.3%	5.1%	7.9%
	Grade 11	46.5%	14.1%	8.0%	9.5%	8.4%	13.5%
	Grade 12	41.5%	15.1%	8.8%	12.4%	10.2%	12.0%
Downers?							
	All	53.4%	18.3%	8.1%	6.7%	5.4%	8.1%
	Grade 7	63.4%	24.3%	5.4%	2.3%	1.6%	3.0%
	Grade 8	57.8%	22.3%	6.6%	3.9%	3.0%	6.4%
	Grade 9	54.5%	15.7%	10.4%	5.3%	6.0%	8.0%
	Grade 10	51.9%	16.8%	9.2%	9.0%	5.1%	8.0%
	Grade 11	46.2%	14.5%	8.0%	9.4%	8.0%	14.0%
	Grade 12	41.5%	15.1%	9.1%	12.4%	10.4%	11.5%

Region 9/10: Grades 7-12
SPRING 2008

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	55.0%	19.3%	8.5%	6.6%	4.3%	6.3%
	Grade 7	62.5%	25.5%	5.5%	2.1%	1.8%	2.5%
	Grade 8	56.7%	22.5%	6.8%	4.5%	3.7%	5.9%
	Grade 9	53.1%	18.5%	11.1%	6.0%	4.5%	6.9%
	Grade 10	55.7%	17.6%	8.0%	7.8%	4.2%	6.6%
	Grade 11	53.8%	13.9%	8.8%	8.9%	5.8%	8.7%
	Grade 12	45.4%	16.5%	10.9%	12.4%	7.0%	8.0%
Steroids?							
	All	29.3%	33.3%	12.4%	9.8%	6.9%	8.2%
	Grade 7	36.0%	43.9%	9.3%	3.9%	3.5%	3.4%
	Grade 8	30.3%	39.8%	11.5%	6.3%	4.9%	7.2%
	Grade 9	31.5%	31.9%	15.2%	9.2%	5.0%	7.3%
	Grade 10	28.1%	30.4%	13.8%	11.8%	7.5%	8.4%
	Grade 11	23.5%	27.7%	12.1%	14.0%	10.0%	12.7%
	Grade 12	23.5%	22.2%	12.3%	16.7%	12.9%	12.5%
Ecstasy?							
	All	36.4%	25.4%	10.6%	9.5%	7.5%	10.5%
	Grade 7	56.4%	30.2%	6.2%	2.8%	1.7%	2.8%
	Grade 8	42.4%	30.9%	8.5%	5.4%	4.8%	7.8%
	Grade 9	35.8%	24.7%	11.5%	10.0%	7.1%	10.9%
	Grade 10	29.3%	24.3%	14.2%	12.7%	9.4%	10.0%
	Grade 11	26.0%	20.5%	11.4%	11.4%	11.8%	19.0%
	Grade 12	22.6%	19.3%	12.6%	17.7%	12.5%	15.4%
Heroin?							
	All	34.6%	32.8%	12.8%	8.6%	4.7%	6.5%
	Grade 7	44.1%	40.2%	6.9%	2.9%	2.3%	3.5%
	Grade 8	35.2%	37.5%	10.8%	6.0%	4.3%	6.2%
	Grade 9	34.3%	31.7%	13.6%	8.9%	5.2%	6.3%
	Grade 10	33.7%	31.3%	13.6%	11.3%	4.1%	6.0%
	Grade 11	29.8%	27.0%	14.6%	12.1%	6.4%	10.1%
	Grade 12	27.4%	26.7%	19.8%	12.1%	6.5%	7.5%

**Region 9/10: Grades 7-12
SPRING 2008**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	87.9%	6.5%	2.1%	3.4%
Grade 7	94.0%	3.6%	0.5%	1.8%
Grade 8	90.9%	5.2%	1.7%	2.2%
Grade 9	85.7%	7.8%	2.7%	3.8%
Grade 10	85.5%	8.7%	2.3%	3.5%
Grade 11	84.4%	7.3%	2.9%	5.5%
Grade 12	87.1%	6.3%	3.0%	3.6%
Attended class while high from use of some other drug?				
All	92.5%	4.7%	1.4%	1.5%
Grade 7	95.8%	3.4%	0.2%	0.6%
Grade 8	94.1%	3.6%	1.5%	0.8%
Grade 9	91.7%	5.1%	1.1%	2.1%
Grade 10	91.2%	5.4%	1.6%	1.8%
Grade 11	90.0%	5.9%	1.9%	2.1%
Grade 12	91.4%	4.7%	2.5%	1.4%
Gotten into trouble with teachers because of your drug use?				
All	98.1%	1.2%	0.2%	0.4%
Grade 7	98.5%	1.2%	0.1%	0.2%
Grade 8	98.3%	0.8%	0.1%	0.8%
Grade 9	98.4%	1.1%	0.2%	0.3%
Grade 10	98.0%	1.4%	0.3%	0.4%
Grade 11	97.9%	1.5%	0.4%	0.3%
Grade 12	97.3%	1.8%	0.2%	0.7%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	5.4
Marijuana Non-use	4.4

Average days conduct problems reported	
Marijuana Users:	6.3
Marijuana Non-use	2.1

Region 9/10: Grades 7-12
SPRING 2008

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	89.3%	6.8%	1.7%	2.2%
Grade 9	93.6%	4.2%	0.6%	1.5%
Grade 10	90.8%	6.4%	1.3%	1.5%
Grade 11	86.0%	9.5%	2.1%	2.4%
Grade 12	84.0%	8.5%	3.3%	4.1%
Gotten into trouble with the police because of drug use?				
All	97.1%	2.3%	0.3%	0.3%
Grade 7	97.7%	1.9%	0.3%	0.2%
Grade 8	97.1%	2.2%	0.3%	0.3%
Grade 9	97.1%	2.0%	0.0%	0.9%
Grade 10	96.8%	2.8%	0.3%	0.1%
Grade 11	96.8%	2.6%	0.5%	0.1%
Grade 12	97.0%	2.5%	0.3%	0.2%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	45.8%	21.4%	13.9%	12.6%	6.2%
Grade 7	70.5%	12.7%	5.3%	6.3%	5.2%
Grade 8	54.1%	18.7%	10.5%	9.7%	7.1%
Grade 9	39.8%	20.3%	16.3%	15.4%	8.2%
Grade 10	39.2%	26.4%	16.0%	14.2%	4.2%
Grade 11	32.8%	26.9%	18.8%	15.2%	6.2%
Grade 12	33.9%	25.9%	18.4%	15.5%	6.3%

**Region 9/10: Grades 7-12
SPRING 2008**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.0%	4.8%	0.6%	0.6%
Grade 7	97.0%	2.9%	0.0%	0.1%
Grade 8	96.0%	3.2%	0.7%	0.1%
Grade 9	92.7%	5.3%	0.7%	1.3%
Grade 10	93.1%	5.8%	0.5%	0.7%
Grade 11	92.8%	5.5%	0.9%	0.8%
Grade 12	91.9%	6.6%	0.9%	0.7%
Been criticized by someone you were dating because of drug use?				
All	92.8%	5.8%	0.7%	0.6%
Grade 7	97.5%	2.2%	0.3%	0.0%
Grade 8	94.0%	4.8%	0.7%	0.6%
Grade 9	92.5%	6.0%	0.6%	0.9%
Grade 10	90.8%	8.0%	0.7%	0.5%
Grade 11	90.2%	7.6%	1.4%	0.8%
Grade 12	90.9%	7.3%	0.9%	0.9%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	44.2%	12.8%	8.7%	9.0%	10.4%	4.3%	10.6%
Grade 7	67.5%	8.0%	3.5%	1.9%	4.8%	3.3%	11.0%
Grade 8	57.0%	11.2%	4.7%	6.2%	7.0%	4.3%	9.6%
Grade 9	43.2%	12.2%	10.7%	9.4%	11.0%	3.5%	10.0%
Grade 10	35.4%	15.1%	12.2%	11.8%	10.5%	3.4%	11.7%
Grade 11	29.3%	15.0%	11.6%	12.6%	15.0%	5.8%	10.7%
Grade 12	25.8%	17.2%	9.9%	14.1%	16.0%	6.3%	10.6%

Region 9/10: Grades 7-12
SPRING 2008

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	77.0%	9.9%	4.8%	4.1%	3.1%	1.1%
	Grade 7	88.4%	4.4%	2.3%	2.2%	1.6%	1.3%
	Grade 8	81.5%	6.0%	5.2%	3.6%	2.8%	0.9%
	Grade 9	73.8%	8.6%	7.1%	5.2%	3.9%	1.4%
	Grade 10	76.5%	10.9%	4.8%	3.5%	3.0%	1.3%
	Grade 11	69.9%	15.3%	5.2%	5.2%	3.6%	0.9%
	Grade 12	69.3%	17.5%	4.0%	5.2%	3.5%	0.6%
Blunts?	All	78.1%	7.1%	5.0%	4.4%	4.3%	1.1%
	Grade 7	89.8%	1.8%	2.8%	1.8%	2.4%	1.4%
	Grade 8	82.5%	4.9%	4.8%	3.6%	3.4%	0.8%
	Grade 9	75.4%	7.6%	5.2%	5.0%	5.2%	1.6%
	Grade 10	76.6%	9.2%	5.1%	3.9%	4.1%	1.1%
	Grade 11	70.4%	9.3%	6.1%	7.3%	6.3%	0.7%
	Grade 12	70.9%	11.5%	6.4%	5.8%	4.8%	0.6%
Bongs or water pipes?	All	84.0%	6.8%	2.9%	2.5%	2.8%	1.0%
	Grade 7	92.4%	2.2%	1.3%	1.4%	1.4%	1.3%
	Grade 8	88.0%	4.1%	3.4%	2.0%	1.7%	0.8%
	Grade 9	81.4%	6.9%	3.0%	3.6%	3.8%	1.4%
	Grade 10	83.4%	8.5%	3.1%	1.8%	2.3%	0.8%
	Grade 11	78.1%	9.9%	3.4%	3.4%	4.5%	0.6%
	Grade 12	78.4%	11.2%	3.2%	3.0%	3.5%	0.7%
Pipes?	All	79.8%	6.7%	3.3%	4.8%	4.4%	1.0%
	Grade 7	90.7%	3.2%	1.1%	1.7%	2.2%	1.1%
	Grade 8	85.2%	3.9%	2.7%	4.0%	3.4%	0.8%
	Grade 9	77.1%	7.4%	3.4%	5.6%	5.0%	1.5%
	Grade 10	79.2%	7.1%	3.7%	5.2%	4.1%	0.7%
	Grade 11	71.9%	10.4%	5.1%	5.4%	6.1%	1.1%
	Grade 12	71.9%	9.1%	4.3%	7.4%	6.6%	0.8%
Some other way?	All	85.0%	6.2%	1.6%	1.8%	2.6%	2.9%
	Grade 7	91.6%	2.6%	1.3%	1.3%	0.8%	2.4%
	Grade 8	87.1%	4.8%	1.7%	1.4%	2.5%	2.4%
	Grade 9	81.9%	7.3%	1.7%	2.3%	3.4%	3.5%
	Grade 10	85.6%	6.5%	1.5%	1.1%	2.6%	2.8%
	Grade 11	80.0%	8.7%	1.9%	3.0%	3.5%	2.8%
	Grade 12	83.4%	7.5%	1.6%	1.4%	2.8%	3.3%

Region 9/10: Grades 7-12
SPRING 2008

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	80.3%	5.0%	4.1%	0.9%	1.5%	8.1%
Grade 7	83.7%	1.9%	2.2%	0.3%	1.4%	10.5%
Grade 8	80.4%	4.9%	2.1%	1.3%	0.6%	10.7%
Grade 9	76.4%	7.0%	4.9%	1.2%	1.5%	9.0%
Grade 10	81.7%	4.8%	4.6%	0.4%	1.9%	6.6%
Grade 11	80.8%	5.2%	6.2%	1.2%	1.9%	4.7%
Grade 12	79.4%	6.4%	5.0%	1.0%	1.8%	6.4%

Region 9/10: Grades 7-12
SPRING 2008

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.2%	18.7%	10.2%	8.5%	4.4%
	Grade 7	78.3%	10.8%	3.7%	3.6%	3.7%
	Grade 8	63.8%	15.3%	7.3%	7.4%	6.3%
	Grade 9	53.3%	19.7%	12.5%	9.3%	5.2%
	Grade 10	54.9%	21.2%	11.5%	8.3%	4.2%
	Grade 11	47.6%	24.1%	13.4%	11.3%	3.6%
	Grade 12	47.4%	22.7%	13.6%	13.2%	3.2%
Cocaine?						
	All	76.6%	13.2%	3.0%	1.7%	5.4%
	Grade 7	84.3%	8.5%	1.1%	1.0%	5.2%
	Grade 8	76.7%	11.3%	3.3%	2.1%	6.7%
	Grade 9	72.5%	15.2%	4.1%	2.2%	6.0%
	Grade 10	75.0%	15.4%	2.6%	1.6%	5.5%
	Grade 11	74.9%	13.7%	4.3%	2.6%	4.5%
	Grade 12	76.2%	16.0%	3.2%	0.9%	3.7%
Crack?						
	All	81.0%	10.2%	1.7%	1.1%	6.1%
	Grade 7	84.6%	8.4%	1.0%	0.6%	5.5%
	Grade 8	78.9%	9.9%	2.1%	1.7%	7.4%
	Grade 9	78.7%	10.7%	3.1%	1.3%	6.3%
	Grade 10	79.7%	12.3%	1.0%	0.9%	6.2%
	Grade 11	82.5%	8.7%	1.5%	1.4%	5.9%
	Grade 12	82.2%	11.2%	0.9%	0.9%	4.8%
Ecstasy?						
	All	75.6%	11.3%	3.2%	1.8%	8.1%
	Grade 7	78.9%	7.8%	1.3%	0.7%	11.3%
	Grade 8	74.8%	10.2%	3.3%	1.8%	9.9%
	Grade 9	72.7%	12.7%	3.6%	2.7%	8.2%
	Grade 10	75.7%	12.0%	3.8%	1.7%	6.9%
	Grade 11	74.9%	12.6%	4.0%	2.3%	6.3%
	Grade 12	77.3%	13.2%	3.5%	1.4%	4.7%
Steroids?						
	All	73.2%	13.6%	4.2%	1.4%	7.6%
	Grade 7	77.4%	11.4%	2.9%	0.8%	7.6%
	Grade 8	72.6%	12.5%	4.4%	1.6%	8.9%
	Grade 9	72.9%	13.4%	4.4%	1.8%	7.5%
	Grade 10	72.9%	15.2%	3.8%	1.0%	7.1%
	Grade 11	72.1%	14.7%	4.4%	1.0%	7.7%
	Grade 12	70.0%	15.5%	5.5%	2.5%	6.5%
Heroin?						
	All	83.7%	6.6%	1.2%	1.2%	7.2%
	Grade 7	83.6%	5.7%	0.9%	1.1%	8.6%
	Grade 8	80.0%	7.4%	2.0%	1.7%	8.9%
	Grade 9	82.0%	7.1%	1.7%	1.8%	7.4%
	Grade 10	85.8%	5.9%	0.9%	0.8%	6.6%
	Grade 11	85.9%	6.1%	1.0%	0.9%	6.2%
	Grade 12	85.9%	7.7%	0.8%	0.7%	4.9%

Region 9/10: Grades 7-12
SPRING 2008

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
Methamphetamine?					
	All	0.7%	1.7%	3.9%	96.1%
	Grade 7	0.5%	1.1%	2.2%	97.8%
	Grade 8	0.6%	1.5%	3.8%	96.2%
	Grade 9	0.9%	1.7%	3.6%	96.4%
	Grade 10	0.4%	1.5%	3.8%	96.2%
	Grade 11	1.0%	2.5%	5.2%	94.8%
	Grade 12	0.7%	1.9%	5.2%	94.8%

**Region 9/10: Grades 7-12
SPRING 2008**

Table D-16: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Codeine?					
	All	4.9%	9.1%	12.9%	87.1%
	Grade 7	3.5%	6.0%	8.3%	91.7%
	Grade 8	4.8%	8.5%	12.1%	87.9%
	Grade 9	6.1%	9.8%	13.0%	87.0%
	Grade 10	5.3%	10.2%	13.4%	86.6%
	Grade 11	4.5%	10.3%	15.3%	84.7%
	Grade 12	5.5%	10.5%	17.1%	82.9%
Oxycontin, Percodan or Percocet?					
	All	1.0%	2.4%	3.8%	96.2%
	Grade 7	0.2%	0.8%	1.1%	98.9%
	Grade 8	0.6%	1.5%	2.3%	97.7%
	Grade 9	1.0%	2.7%	3.7%	96.3%
	Grade 10	1.7%	2.8%	3.8%	96.2%
	Grade 11	1.4%	3.8%	6.6%	93.4%
	Grade 12	1.5%	3.4%	6.4%	93.6%
Vicodin, Lortab or Lorcet?					
	All	2.5%	4.4%	6.3%	93.7%
	Grade 7	0.8%	0.9%	1.4%	98.6%
	Grade 8	1.2%	2.0%	3.6%	96.4%
	Grade 9	3.2%	4.8%	5.9%	94.1%
	Grade 10	3.0%	5.9%	7.2%	92.8%
	Grade 11	3.6%	6.4%	10.1%	89.9%
	Grade 12	3.4%	7.3%	12.2%	87.8%
Valium or Diazepam?					
	All	0.8%	1.7%	2.7%	97.3%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.9%	98.1%
	Grade 9	0.8%	1.5%	1.8%	98.2%
	Grade 10	0.9%	2.0%	2.7%	97.3%
	Grade 11	1.2%	2.7%	4.6%	95.4%
	Grade 12	1.6%	3.0%	5.3%	94.7%
Xanax or Alprazolam?					
	All	1.6%	3.1%	4.5%	95.5%
	Grade 7	0.2%	0.5%	1.1%	98.9%
	Grade 8	0.9%	1.6%	2.5%	97.5%
	Grade 9	1.9%	3.2%	3.8%	96.2%
	Grade 10	2.4%	3.8%	4.7%	95.3%
	Grade 11	2.7%	5.3%	7.9%	92.1%
	Grade 12	1.9%	5.3%	8.9%	91.1%

Region 9/10: Grades 7-12
SPRING 2008

Table D-17: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	3.0%	5.1%	8.0%	92.0%
	Grade 7	1.9%	2.9%	4.2%	95.8%
	Grade 8	5.8%	7.3%	11.0%	89.0%
	Grade 9	3.5%	5.9%	7.9%	92.1%
	Grade 10	2.4%	4.4%	7.4%	92.6%
	Grade 11	1.5%	3.9%	8.9%	91.1%
	Grade 12	3.1%	6.5%	9.7%	90.3%

**Region 9/10: Grades 7-12
SPRING 2008**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	3.9%	6.2%	12.4%	87.6%
	Grade 7	3.8%	6.0%	11.2%	88.8%
	Grade 8	5.9%	9.0%	14.7%	85.3%
	Grade 9	4.7%	7.3%	13.0%	87.0%
	Grade 10	3.4%	5.6%	12.8%	87.2%
	Grade 11	2.9%	5.1%	12.6%	87.4%
	Grade 12	1.6%	2.9%	8.8%	91.2%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	91.9%	0.2%	0.6%	0.8%	1.8%	1.7%	2.9%
Grade 7	91.3%	0.5%	1.0%	1.3%	1.8%	1.6%	2.5%
Grade 8	88.3%	0.5%	1.4%	2.3%	2.0%	1.9%	3.7%
Grade 9	92.6%	0.2%	0.2%	0.4%	2.1%	2.4%	2.1%
Grade 10	91.7%	0.0%	0.6%	0.6%	1.7%	1.7%	3.6%
Grade 11	92.6%	0.1%	0.3%	0.4%	1.6%	1.9%	3.1%
Grade 12	95.6%	0.0%	0.2%	0.1%	1.4%	0.3%	2.5%

Table I-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.2	11.8	12.6	13.8	14.0	13.9

**Region 9/10: Grades 7-12
SPRING 2008**

Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	96.8%	1.9%	0.7%	0.6%
Grade 7	97.6%	1.5%	0.8%	0.1%
Grade 8	95.7%	2.7%	1.0%	0.6%
Grade 9	95.2%	2.9%	0.7%	1.2%
Grade 10	96.8%	2.2%	0.5%	0.6%
Grade 11	98.3%	0.4%	0.8%	0.6%
Grade 12	97.9%	1.8%	0.2%	0.2%

Table I-5: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	6.0
Inhalants Non-use	4.4

Average days conduct problems reported	
Inhalants Users:	7.1
Inhalants Non-use	2.5

Table I-6: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	76.0%	14.9%	5.6%	2.3%	1.2%
Grade 7	79.8%	11.7%	3.6%	2.6%	2.4%
Grade 8	73.1%	15.4%	6.6%	3.2%	1.7%
Grade 9	72.6%	16.0%	7.5%	2.8%	1.1%
Grade 10	76.6%	15.4%	5.6%	1.7%	0.6%
Grade 11	75.8%	15.5%	6.1%	2.1%	0.5%
Grade 12	79.8%	15.9%	3.1%	0.9%	0.4%

Region 9/10: Grades 7-12
SPRING 2008

Table I-7: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	71.2%	16.5%	4.6%	2.1%	5.7%
Grade 7	76.8%	12.5%	4.1%	1.7%	4.8%
Grade 8	68.3%	15.5%	5.4%	3.4%	7.3%
Grade 9	67.4%	19.7%	5.5%	1.6%	5.8%
Grade 10	71.4%	16.9%	4.4%	1.4%	5.9%
Grade 11	72.4%	16.5%	3.9%	1.6%	5.5%
Grade 12	71.0%	17.7%	3.9%	2.8%	4.5%

Table I-8: If you wanted some, how difficult would it be to get..

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?						
All	23.9%	18.4%	5.6%	7.2%	10.7%	34.3%
Grade 7	27.9%	27.9%	5.1%	6.0%	7.5%	25.7%
Grade 8	24.3%	22.0%	6.5%	4.8%	8.9%	33.5%
Grade 9	25.8%	18.0%	5.4%	8.1%	11.6%	31.0%
Grade 10	23.1%	16.3%	7.5%	8.3%	13.8%	31.0%
Grade 11	20.6%	13.0%	5.0%	8.7%	10.7%	42.0%
Grade 12	19.1%	9.6%	3.5%	7.1%	12.1%	48.5%

**Region 9/10: Grades 7-12
SPRING 2008**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A school health class	All	48.3%
	Grade 7	51.9%
	Grade 8	43.7%
	Grade 9	47.2%
	Grade 10	50.4%
	Grade 11	47.4%
	Grade 12	49.0%
An assembly program	All	45.2%
	Grade 7	41.8%
	Grade 8	43.7%
	Grade 9	51.0%
	Grade 10	46.7%
	Grade 11	40.9%
	Grade 12	45.5%
Guidance counselor	All	26.1%
	Grade 7	20.1%
	Grade 8	26.2%
	Grade 9	29.9%
	Grade 10	27.9%
	Grade 11	27.1%
	Grade 12	25.0%
Science class	All	33.9%
	Grade 7	46.2%
	Grade 8	30.4%
	Grade 9	33.1%
	Grade 10	41.5%
	Grade 11	27.0%
	Grade 12	21.4%
Social studies class	All	16.5%
	Grade 7	14.0%
	Grade 8	17.8%
	Grade 9	15.5%
	Grade 10	20.0%
	Grade 11	14.4%
	Grade 12	17.6%
Student group session	All	14.2%
	Grade 7	11.1%
	Grade 8	15.0%
	Grade 9	15.3%
	Grade 10	14.0%
	Grade 11	14.6%
	Grade 12	15.3%

Region 9/10: Grades 7-12
SPRING 2008

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY		Yes
An invited school guest	All	29.2%
	Grade 7	28.3%
	Grade 8	30.7%
	Grade 9	33.0%
	Grade 10	27.0%
	Grade 11	24.5%
	Grade 12	31.0%
Another source at school	All	33.5%
	Grade 7	31.6%
	Grade 8	33.0%
	Grade 9	37.6%
	Grade 10	33.6%
	Grade 11	31.1%
	Grade 12	32.8%
Any school source	All	59.5%
	Grade 7	59.7%
	Grade 8	51.7%
	Grade 9	62.8%
	Grade 10	63.6%
	Grade 11	57.2%
	Grade 12	61.7%

Region 9/10: Grades 7-12
SPRING 2008

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY		Yes
A counselor or program in	All	33.0%
	Grade 7	42.5%
	Grade 8	35.3%
	Grade 9	31.3%
	Grade 10	29.8%
	Grade 11	29.6%
	Grade 12	27.8%
Another adult in school (All	30.1%
	Grade 7	37.5%
	Grade 8	29.5%
	Grade 9	29.1%
	Grade 10	28.7%
	Grade 11	27.0%
	Grade 12	27.3%
A counselor or program ou	All	33.3%
	Grade 7	36.8%
	Grade 8	31.8%
	Grade 9	29.8%
	Grade 10	33.8%
	Grade 11	33.2%
	Grade 12	35.5%
Your parents	All	60.5%
	Grade 7	68.7%
	Grade 8	57.9%
	Grade 9	58.5%
	Grade 10	60.8%
	Grade 11	58.9%
	Grade 12	56.8%
A medical doctor	All	37.3%
	Grade 7	45.1%
	Grade 8	33.9%
	Grade 9	33.1%
	Grade 10	38.7%
	Grade 11	34.0%
	Grade 12	39.5%
Your friends	All	69.4%
	Grade 7	62.7%
	Grade 8	64.9%
	Grade 9	69.1%
	Grade 10	71.2%
	Grade 11	73.5%
	Grade 12	77.2%

Region 9/10: Grades 7-12
SPRING 2008

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	62.7%
	Grade 7	62.3%
	Grade 8	65.3%
	Grade 9	61.1%
	Grade 10	66.1%
	Grade 11	58.9%
	Grade 12	62.6%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	9.2%
	Grade 7	8.1%
	Grade 8	10.0%
	Grade 9	13.2%
	Grade 10	8.4%
	Grade 11	7.4%
	Grade 12	7.0%

Region 9/10: Grades 7-12
SPRING 2008

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	5.9%	29.9%	26.8%	30.5%	6.9%
Grade 7	8.1%	30.4%	25.4%	27.0%	9.1%
Grade 8	7.8%	32.5%	26.3%	27.8%	5.6%
Grade 9	5.9%	29.6%	28.2%	29.9%	6.3%
Grade 10	5.1%	28.7%	28.3%	31.1%	6.8%
Grade 11	4.3%	29.6%	26.5%	32.3%	7.3%
Grade 12	3.1%	28.4%	24.9%	37.2%	6.3%
Sometimes carry weapons?					
All	63.5%	21.4%	10.0%	3.7%	1.4%
Grade 7	72.5%	18.6%	6.1%	1.6%	1.3%
Grade 8	63.7%	22.0%	9.2%	3.7%	1.3%
Grade 9	61.0%	22.0%	10.5%	5.2%	1.3%
Grade 10	63.8%	21.2%	10.9%	2.6%	1.5%
Grade 11	60.3%	21.4%	12.3%	5.0%	1.1%
Grade 12	57.7%	24.4%	11.5%	4.0%	2.4%
Care about making good grades?					
All	4.2%	18.4%	25.6%	36.3%	15.4%
Grade 7	4.7%	22.9%	23.9%	30.5%	17.9%
Grade 8	6.3%	19.1%	24.9%	33.0%	16.7%
Grade 9	4.7%	20.6%	24.8%	35.6%	14.3%
Grade 10	2.2%	16.1%	30.5%	38.0%	13.2%
Grade 11	4.3%	16.0%	27.3%	36.8%	15.7%
Grade 12	2.2%	13.8%	21.7%	47.3%	14.9%
Belong/want to belong to a gang?					
All	59.0%	21.4%	11.1%	6.4%	2.2%
Grade 7	57.8%	22.6%	9.9%	6.9%	2.8%
Grade 8	50.0%	23.8%	13.2%	9.3%	3.8%
Grade 9	53.1%	24.9%	13.0%	7.6%	1.5%
Grade 10	63.8%	19.7%	10.3%	4.4%	1.7%
Grade 11	62.9%	19.3%	10.7%	5.7%	1.4%
Grade 12	71.7%	15.6%	8.1%	3.0%	1.7%
Wish they could drop out of school?					
All	45.4%	32.2%	13.1%	6.2%	3.1%
Grade 7	57.1%	26.5%	9.1%	4.4%	2.8%
Grade 8	43.9%	32.0%	12.5%	7.5%	4.1%
Grade 9	39.1%	32.6%	16.7%	7.8%	3.8%
Grade 10	41.5%	38.0%	12.8%	5.6%	2.1%
Grade 11	41.0%	34.3%	15.2%	6.6%	2.9%
Grade 12	51.4%	29.2%	12.0%	5.0%	2.5%

Region 9/10: Grades 7-12
SPRING 2008

Table X-5: How safe do you feel when you are:

		Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	79.8%	17.4%	1.1%	0.4%	1.3%
	Grade 7	77.0%	20.2%	0.9%	0.3%	1.6%
	Grade 8	76.4%	19.6%	1.8%	0.3%	1.8%
	Grade 9	76.9%	19.2%	1.2%	0.9%	1.8%
	Grade 10	82.4%	15.2%	0.9%	0.4%	1.0%
	Grade 11	83.2%	15.2%	0.9%	0.1%	0.6%
	Grade 12	85.5%	12.9%	0.8%	0.0%	0.8%
Out in your neighbourhood						
	All	34.1%	52.2%	8.9%	2.2%	2.6%
	Grade 7	28.8%	53.2%	12.2%	3.2%	2.7%
	Grade 8	31.7%	50.1%	11.5%	2.9%	3.8%
	Grade 9	29.8%	56.6%	7.8%	2.2%	3.6%
	Grade 10	34.5%	52.9%	8.2%	2.0%	2.3%
	Grade 11	39.0%	50.4%	7.8%	1.6%	1.3%
	Grade 12	45.8%	47.6%	4.3%	1.1%	1.4%
At school						
	All	31.2%	51.5%	10.0%	3.6%	3.7%
	Grade 7	30.6%	46.6%	14.3%	3.8%	4.7%
	Grade 8	28.3%	50.3%	10.8%	4.7%	5.8%
	Grade 9	31.5%	50.5%	10.3%	4.1%	3.6%
	Grade 10	29.3%	57.5%	7.7%	2.5%	3.0%
	Grade 11	31.9%	53.4%	9.0%	3.6%	2.1%
	Grade 12	37.6%	51.3%	6.7%	2.5%	1.9%

Region 9/10: Grades 7-12
SPRING 2008

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A website or online chat	All	25.2%
	Grade 7	16.6%
	Grade 8	22.4%
	Grade 9	28.2%
	Grade 10	26.2%
	Grade 11	29.4%
	Grade 12	30.0%
Books, magazines, poster	All	45.5%
	Grade 7	40.6%
	Grade 8	43.2%
	Grade 9	47.2%
	Grade 10	46.9%
	Grade 11	49.5%
	Grade 12	46.4%
TV, radio, or other audi	All	51.0%
	Grade 7	46.4%
	Grade 8	49.8%
	Grade 9	51.0%
	Grade 10	53.1%
	Grade 11	53.7%
	Grade 12	53.1%
Your parents	All	50.6%
	Grade 7	51.1%
	Grade 8	46.3%
	Grade 9	52.8%
	Grade 10	52.7%
	Grade 11	50.8%
	Grade 12	49.2%

Region 9/10: Grades 7-12
SPRING 2008

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.9%	20.7%	38.0%	62.0%
	Grade 7	5.5%	8.9%	22.6%	77.4%
	Grade 8	8.4%	12.3%	28.5%	71.5%
	Grade 9	12.9%	19.9%	39.9%	60.1%
	Grade 10	16.9%	23.1%	42.8%	57.2%
	Grade 11	22.9%	29.2%	46.4%	53.6%
	Grade 12	27.7%	36.0%	52.3%	47.7%
Alcohol					
	All	39.5%	51.2%	72.1%	27.9%
	Grade 7	23.2%	30.0%	56.1%	43.9%
	Grade 8	32.0%	42.1%	64.9%	35.1%
	Grade 9	41.8%	55.0%	76.3%	23.7%
	Grade 10	46.2%	59.1%	77.3%	22.7%
	Grade 11	48.7%	61.0%	79.6%	20.4%
	Grade 12	48.5%	65.0%	81.6%	18.4%
Inhalants					
	All	3.9%	6.2%	12.4%	87.6%
	Grade 7	3.8%	6.0%	11.2%	88.8%
	Grade 8	5.9%	9.0%	14.7%	85.3%
	Grade 9	4.7%	7.3%	13.0%	87.0%
	Grade 10	3.4%	5.6%	12.8%	87.2%
	Grade 11	2.9%	5.1%	12.6%	87.4%
	Grade 12	1.6%	2.9%	8.8%	91.2%
Any Illicit Drug					
	All	15.2%	20.7%	33.8%	66.2%
	Grade 7	7.4%	9.6%	16.6%	83.4%
	Grade 8	10.4%	14.7%	25.4%	74.6%
	Grade 9	17.1%	22.4%	34.1%	65.9%
	Grade 10	16.0%	23.6%	39.6%	60.4%
	Grade 11	22.1%	28.7%	46.2%	53.8%
	Grade 12	20.5%	29.1%	47.6%	52.4%
Marijuana					
	All	12.2%	17.8%	30.4%	69.6%
	Grade 7	5.9%	7.5%	14.1%	85.9%
	Grade 8	8.8%	13.1%	23.0%	77.0%
	Grade 9	14.0%	19.8%	31.0%	69.0%
	Grade 10	12.0%	19.2%	35.1%	64.9%
	Grade 11	17.8%	24.7%	41.1%	58.9%
	Grade 12	16.6%	26.0%	43.9%	56.1%
Marijuana Only					
	All	3.9%	6.0%	13.0%	87.0%
	Grade 7	2.6%	3.3%	7.8%	92.2%
	Grade 8	2.8%	4.5%	11.0%	89.0%
	Grade 9	4.4%	6.4%	12.1%	87.9%
	Grade 10	4.6%	7.2%	15.5%	84.5%
	Grade 11	4.7%	7.3%	15.0%	85.0%
	Grade 12	4.5%	8.2%	19.3%	80.7%

Region 9/10: Grades 7-12
SPRING 2008

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.3%	8.8%	15.8%	84.2%
	Grade 7	2.1%	3.0%	5.1%	94.9%
	Grade 8	3.5%	5.2%	9.3%	90.7%
	Grade 9	7.4%	9.6%	16.1%	83.9%
	Grade 10	6.5%	9.9%	19.3%	80.7%
	Grade 11	10.8%	14.3%	26.0%	74.0%
	Grade 12	8.8%	13.0%	22.3%	77.7%
Cocaine					
	All	6.0%	8.5%	15.4%	84.6%
	Grade 7	1.4%	2.3%	4.4%	95.6%
	Grade 8	3.2%	4.8%	8.9%	91.1%
	Grade 9	6.8%	9.2%	15.8%	84.2%
	Grade 10	6.3%	9.7%	19.0%	81.0%
	Grade 11	10.6%	13.8%	25.5%	74.5%
	Grade 12	8.7%	13.1%	22.3%	77.7%
Crack					
	All	1.1%	1.5%	2.6%	97.4%
	Grade 7	0.8%	1.1%	1.4%	98.6%
	Grade 8	0.6%	1.1%	1.9%	98.1%
	Grade 9	1.7%	1.8%	3.4%	96.6%
	Grade 10	0.9%	1.1%	2.8%	97.2%
	Grade 11	1.2%	2.3%	3.6%	96.4%
	Grade 12	1.2%	1.5%	2.7%	97.3%
Hallucinogens					
	All	1.7%	2.7%	5.1%	94.9%
	Grade 7	1.2%	1.5%	2.3%	97.7%
	Grade 8	1.0%	1.3%	2.9%	97.1%
	Grade 9	1.5%	2.6%	5.3%	94.7%
	Grade 10	1.8%	2.6%	6.0%	94.0%
	Grade 11	3.1%	5.2%	8.5%	91.5%
	Grade 12	2.3%	4.0%	6.7%	93.3%
Uppers					
	All	1.8%	2.9%	4.7%	95.3%
	Grade 7	1.0%	1.1%	1.5%	98.5%
	Grade 8	1.0%	1.6%	3.0%	97.0%
	Grade 9	2.0%	2.5%	4.9%	95.1%
	Grade 10	0.8%	2.1%	4.1%	95.9%
	Grade 11	2.9%	5.0%	8.1%	91.9%
	Grade 12	3.9%	6.1%	8.2%	91.8%
Downers					
	All	1.9%	2.9%	4.8%	95.2%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	1.2%	1.4%	3.0%	97.0%
	Grade 9	1.9%	2.7%	4.9%	95.1%
	Grade 10	1.1%	2.3%	4.4%	95.6%
	Grade 11	3.7%	5.4%	7.9%	92.1%
	Grade 12	4.1%	5.8%	8.7%	91.3%

Region 9/10: Grades 7-12
SPRING 2008

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.1%	1.7%	3.1%	96.9%
	Grade 7	1.1%	1.2%	1.6%	98.4%
	Grade 8	1.5%	2.0%	3.7%	96.3%
	Grade 9	1.5%	2.1%	3.4%	96.6%
	Grade 10	0.9%	1.7%	3.4%	96.6%
	Grade 11	0.4%	0.9%	2.8%	97.2%
	Grade 12	1.2%	2.0%	3.6%	96.4%
Steroids					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.7%	0.7%	1.4%	98.6%
	Grade 8	0.9%	1.1%	2.7%	97.3%
	Grade 9	0.3%	0.4%	1.4%	98.6%
	Grade 10	0.3%	0.7%	1.3%	98.7%
	Grade 11	1.2%	1.6%	2.4%	97.6%
	Grade 12	0.5%	1.1%	2.1%	97.9%
Ecstasy					
	All	2.2%	3.2%	5.7%	94.3%
	Grade 7	0.5%	0.8%	1.0%	99.0%
	Grade 8	0.8%	2.3%	4.1%	95.9%
	Grade 9	2.6%	3.1%	6.0%	94.0%
	Grade 10	2.2%	3.1%	6.0%	94.0%
	Grade 11	4.6%	6.1%	9.6%	90.4%
	Grade 12	3.0%	4.8%	8.7%	91.3%
Heroin					
	All	0.7%	1.0%	1.8%	98.2%
	Grade 7	1.0%	1.0%	2.1%	97.9%
	Grade 8	0.6%	1.4%	2.2%	97.8%
	Grade 9	0.7%	1.0%	1.7%	98.3%
	Grade 10	0.4%	0.4%	1.2%	98.8%
	Grade 11	1.4%	1.8%	2.4%	97.6%
	Grade 12	0.3%	0.6%	1.3%	98.7%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.9%	24.3%	43.0%	57.0%
	Grade 7	6.7%	10.7%	25.2%	74.8%
	Grade 8	8.3%	10.9%	28.8%	71.2%
	Grade 9	14.6%	22.6%	47.9%	52.1%
	Grade 10	20.7%	27.8%	48.8%	51.2%
	Grade 11	30.9%	37.9%	52.0%	48.0%
	Grade 12	34.7%	45.0%	61.3%	38.7%
Alcohol					
	All	38.0%	49.3%	70.7%	29.3%
	Grade 7	21.4%	28.3%	54.8%	45.2%
	Grade 8	27.9%	38.6%	63.1%	36.9%
	Grade 9	37.9%	50.8%	74.5%	25.5%
	Grade 10	46.5%	58.0%	76.4%	23.6%
	Grade 11	50.0%	61.6%	78.0%	22.0%
	Grade 12	51.4%	66.6%	81.9%	18.1%
Inhalants					
	All	2.9%	4.7%	11.0%	89.0%
	Grade 7	3.3%	4.7%	9.1%	90.9%
	Grade 8	3.1%	5.4%	10.8%	89.2%
	Grade 9	3.3%	4.3%	11.3%	88.7%
	Grade 10	3.2%	5.2%	12.7%	87.3%
	Grade 11	3.2%	6.2%	13.1%	86.9%
	Grade 12	0.8%	1.9%	8.8%	91.2%
Any Illicit Drug					
	All	16.8%	22.3%	35.7%	64.3%
	Grade 7	8.7%	10.8%	17.9%	82.1%
	Grade 8	11.4%	15.0%	28.0%	72.0%
	Grade 9	17.7%	22.3%	34.3%	65.7%
	Grade 10	17.2%	25.1%	41.9%	58.1%
	Grade 11	27.4%	34.8%	51.2%	48.8%
	Grade 12	22.9%	32.7%	50.6%	49.4%
Marijuana					
	All	13.4%	19.3%	32.5%	67.5%
	Grade 7	7.3%	9.1%	16.1%	83.9%
	Grade 8	9.8%	13.9%	25.2%	74.8%
	Grade 9	15.6%	20.0%	31.5%	68.5%
	Grade 10	12.0%	21.0%	38.4%	61.6%
	Grade 11	20.6%	29.0%	45.5%	54.5%
	Grade 12	17.7%	27.8%	45.9%	54.1%
Marijuana Only					
	All	4.5%	6.9%	14.4%	85.6%
	Grade 7	3.5%	3.9%	9.0%	91.0%
	Grade 8	4.3%	5.7%	14.6%	85.4%
	Grade 9	5.1%	7.6%	12.7%	87.3%
	Grade 10	4.7%	8.3%	17.4%	82.6%
	Grade 11	4.2%	6.5%	14.0%	86.0%
	Grade 12	5.5%	10.8%	22.0%	78.0%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	7.1%	9.6%	16.3%	83.7%
	Grade 7	1.8%	2.8%	5.7%	94.3%
	Grade 8	3.8%	5.2%	10.0%	90.0%
	Grade 9	5.7%	6.8%	14.4%	85.6%
	Grade 10	8.2%	11.1%	19.9%	80.1%
	Grade 11	15.2%	19.9%	29.4%	70.6%
	Grade 12	11.7%	16.8%	24.2%	75.8%
Cocaine					
	All	6.7%	9.2%	16.0%	84.0%
	Grade 7	1.5%	2.5%	5.4%	94.6%
	Grade 8	3.5%	5.3%	9.8%	90.2%
	Grade 9	5.1%	6.6%	14.3%	85.7%
	Grade 10	7.8%	10.6%	19.6%	80.4%
	Grade 11	14.9%	18.8%	28.7%	71.3%
	Grade 12	11.4%	16.9%	24.3%	75.7%
Crack					
	All	1.2%	1.6%	2.8%	97.2%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	1.0%	1.1%	2.5%	97.5%
	Grade 9	1.4%	1.4%	3.6%	96.4%
	Grade 10	1.2%	1.6%	3.4%	96.6%
	Grade 11	1.9%	3.9%	4.7%	95.3%
	Grade 12	1.7%	2.0%	2.6%	97.4%
Hallucinogens					
	All	2.2%	3.4%	6.1%	93.9%
	Grade 7	1.2%	1.8%	2.9%	97.1%
	Grade 8	1.3%	1.6%	3.6%	96.4%
	Grade 9	2.4%	3.6%	6.4%	93.6%
	Grade 10	1.4%	2.1%	6.4%	93.6%
	Grade 11	5.0%	7.9%	12.1%	87.9%
	Grade 12	2.7%	4.7%	6.8%	93.2%
Uppers					
	All	1.9%	2.8%	4.7%	95.3%
	Grade 7	1.0%	1.0%	1.6%	98.4%
	Grade 8	0.3%	1.1%	2.7%	97.3%
	Grade 9	2.2%	3.0%	5.1%	94.9%
	Grade 10	1.0%	1.7%	3.6%	96.4%
	Grade 11	3.3%	6.2%	10.0%	90.0%
	Grade 12	4.1%	5.5%	6.4%	93.6%
Downers					
	All	2.1%	3.1%	5.1%	94.9%
	Grade 7	0.6%	0.6%	1.5%	98.5%
	Grade 8	0.3%	0.9%	3.1%	96.9%
	Grade 9	2.1%	3.0%	5.2%	94.8%
	Grade 10	1.2%	2.0%	3.8%	96.2%
	Grade 11	4.7%	7.3%	10.7%	89.3%
	Grade 12	4.8%	6.5%	8.1%	91.9%

Region 9/10: Grades 7-12
SPRING 2008

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.1%	1.7%	2.6%	97.4%
	Grade 7	1.4%	1.4%	1.4%	98.6%
	Grade 8	0.7%	1.3%	2.6%	97.4%
	Grade 9	1.0%	1.6%	2.2%	97.8%
	Grade 10	0.8%	2.0%	3.0%	97.0%
	Grade 11	0.7%	1.8%	3.3%	96.7%
	Grade 12	1.9%	2.3%	3.6%	96.4%
Steroids					
	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.8%	0.8%	1.4%	98.6%
	Grade 8	1.3%	1.7%	4.1%	95.9%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.7%	1.6%	2.4%	97.6%
	Grade 11	2.1%	3.0%	4.0%	96.0%
	Grade 12	0.9%	2.4%	3.8%	96.2%
Ecstasy					
	All	2.3%	3.5%	5.8%	94.2%
	Grade 7	0.5%	1.1%	1.1%	98.9%
	Grade 8	0.4%	2.0%	3.6%	96.4%
	Grade 9	3.5%	4.0%	6.1%	93.9%
	Grade 10	1.8%	2.3%	5.5%	94.5%
	Grade 11	5.7%	7.8%	11.6%	88.4%
	Grade 12	2.6%	5.4%	9.1%	90.9%
Heroin					
	All	0.7%	1.1%	1.8%	98.2%
	Grade 7	0.6%	0.6%	1.1%	98.9%
	Grade 8	0.3%	1.3%	2.5%	97.5%
	Grade 9	0.8%	1.0%	1.8%	98.2%
	Grade 10	0.8%	0.8%	1.4%	98.6%
	Grade 11	2.0%	2.4%	3.0%	97.0%
	Grade 12	0.0%	0.3%	0.9%	99.1%

Region 9/10: Grades 7-12
SPRING 2008

Table B3: Prevalence and recency of use of selected substances by grade
Female students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.2%	17.4%	33.5%	66.5%
	Grade 7	4.3%	7.2%	20.2%	79.8%
	Grade 8	8.5%	13.6%	28.2%	71.8%
	Grade 9	11.3%	17.4%	32.2%	67.8%
	Grade 10	13.6%	18.7%	37.3%	62.7%
	Grade 11	16.9%	22.8%	42.2%	57.8%
	Grade 12	21.1%	27.4%	43.8%	56.2%
Alcohol					
	All	40.8%	53.1%	73.6%	26.4%
	Grade 7	25.0%	31.8%	57.6%	42.4%
	Grade 8	35.9%	45.5%	66.6%	33.4%
	Grade 9	45.9%	59.6%	78.5%	21.5%
	Grade 10	45.9%	60.2%	78.3%	21.7%
	Grade 11	47.6%	60.3%	80.8%	19.2%
	Grade 12	45.8%	63.5%	81.3%	18.7%
Inhalants					
	All	4.7%	7.6%	13.7%	86.3%
	Grade 7	4.4%	7.2%	13.3%	86.7%
	Grade 8	8.6%	12.4%	18.3%	81.7%
	Grade 9	6.1%	10.3%	14.8%	85.2%
	Grade 10	3.5%	6.0%	13.0%	87.0%
	Grade 11	2.7%	4.2%	12.2%	87.8%
	Grade 12	2.3%	3.9%	8.8%	91.2%
Any Illicit Drug					
	All	13.7%	19.3%	32.2%	67.8%
	Grade 7	6.1%	8.5%	15.3%	84.7%
	Grade 8	9.6%	14.5%	23.1%	76.9%
	Grade 9	16.6%	22.7%	34.3%	65.7%
	Grade 10	15.1%	22.3%	37.7%	62.3%
	Grade 11	18.1%	24.1%	42.5%	57.5%
	Grade 12	18.2%	25.7%	44.9%	55.1%
Marijuana					
	All	11.1%	16.6%	28.6%	71.4%
	Grade 7	4.7%	5.9%	12.3%	87.7%
	Grade 8	7.9%	12.5%	21.0%	79.0%
	Grade 9	12.5%	19.8%	30.8%	69.2%
	Grade 10	12.0%	17.7%	32.3%	67.7%
	Grade 11	15.7%	21.5%	37.8%	62.2%
	Grade 12	15.5%	24.3%	42.0%	58.0%
Marijuana Only					
	All	3.3%	5.2%	11.7%	88.3%
	Grade 7	1.6%	2.8%	6.8%	93.2%
	Grade 8	1.3%	3.3%	7.7%	92.3%
	Grade 9	3.7%	5.2%	11.6%	88.4%
	Grade 10	4.5%	6.2%	13.9%	86.1%
	Grade 11	5.1%	7.9%	15.8%	84.2%
	Grade 12	3.5%	5.8%	16.7%	83.3%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.6%	8.2%	15.3%	84.7%
	Grade 7	2.4%	3.3%	4.6%	95.4%
	Grade 8	3.3%	5.2%	8.6%	91.4%
	Grade 9	9.1%	12.3%	17.9%	82.1%
	Grade 10	5.0%	8.9%	18.9%	81.1%
	Grade 11	7.4%	10.1%	23.5%	76.5%
	Grade 12	6.1%	9.5%	20.5%	79.5%
Cocaine					
	All	5.3%	7.8%	14.8%	85.2%
	Grade 7	1.4%	2.1%	3.4%	96.6%
	Grade 8	3.0%	4.4%	8.1%	91.9%
	Grade 9	8.6%	11.9%	17.4%	82.6%
	Grade 10	5.0%	8.9%	18.5%	81.5%
	Grade 11	7.5%	10.1%	23.2%	76.8%
	Grade 12	6.1%	9.6%	20.3%	79.7%
Crack					
	All	1.0%	1.4%	2.5%	97.5%
	Grade 7	1.3%	1.8%	2.5%	97.5%
	Grade 8	0.3%	1.1%	1.4%	98.6%
	Grade 9	2.0%	2.2%	3.1%	96.9%
	Grade 10	0.5%	0.7%	2.4%	97.6%
	Grade 11	0.7%	1.1%	2.7%	97.3%
	Grade 12	0.7%	1.0%	2.9%	97.1%
Hallucinogens					
	All	1.3%	2.1%	4.3%	95.7%
	Grade 7	1.1%	1.1%	1.8%	98.2%
	Grade 8	0.7%	1.0%	2.4%	97.6%
	Grade 9	0.6%	1.6%	4.3%	95.7%
	Grade 10	2.1%	3.0%	5.7%	94.3%
	Grade 11	1.6%	3.1%	5.7%	94.3%
	Grade 12	1.8%	3.4%	6.6%	93.4%
Uppers					
	All	1.8%	2.9%	4.8%	95.2%
	Grade 7	0.9%	1.2%	1.3%	98.7%
	Grade 8	1.7%	2.0%	3.3%	96.7%
	Grade 9	1.8%	2.2%	4.6%	95.4%
	Grade 10	0.7%	2.5%	4.6%	95.4%
	Grade 11	2.5%	4.1%	6.7%	93.3%
	Grade 12	3.6%	6.7%	9.8%	90.2%
Downers					
	All	1.8%	2.7%	4.6%	95.4%
	Grade 7	0.5%	1.2%	1.2%	98.8%
	Grade 8	1.9%	1.9%	3.0%	97.0%
	Grade 9	1.8%	2.5%	4.7%	95.3%
	Grade 10	1.0%	2.5%	5.0%	95.0%
	Grade 11	2.9%	4.0%	5.7%	94.3%
	Grade 12	3.4%	5.1%	9.2%	90.8%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.2%	1.6%	3.5%	96.5%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	2.4%	2.6%	4.6%	95.4%
	Grade 9	1.9%	2.5%	4.5%	95.5%
	Grade 10	1.0%	1.4%	3.8%	96.2%
	Grade 11	0.2%	0.2%	2.4%	97.6%
	Grade 12	0.5%	1.8%	3.5%	96.5%
Steroids					
	All	0.4%	0.4%	1.2%	98.8%
	Grade 7	0.6%	0.6%	1.4%	98.6%
	Grade 8	0.6%	0.6%	1.3%	98.7%
	Grade 9	0.3%	0.6%	1.9%	98.1%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.6%	0.6%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Ecstasy					
	All	2.1%	2.9%	5.6%	94.4%
	Grade 7	0.6%	0.6%	1.0%	99.0%
	Grade 8	1.2%	2.6%	4.6%	95.4%
	Grade 9	1.8%	2.3%	5.9%	94.1%
	Grade 10	2.5%	3.8%	6.5%	93.5%
	Grade 11	3.8%	4.8%	8.1%	91.9%
	Grade 12	3.4%	4.2%	8.3%	91.7%
Heroin					
	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	1.3%	1.3%	3.1%	96.9%
	Grade 8	0.8%	1.4%	2.0%	98.0%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.0%	0.0%	1.1%	98.9%
	Grade 11	1.0%	1.3%	1.9%	98.1%
	Grade 12	0.6%	0.9%	1.7%	98.3%

Region 9/10: Grades 7-12
SPRING 2008

Table B4: Prevalence and recency of use of selected substances by grade
White students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	20.3%	26.4%	41.9%	58.1%
	Grade 7	4.7%	7.7%	17.8%	82.2%
	Grade 8	9.7%	12.4%	28.3%	71.7%
	Grade 9	18.3%	26.4%	45.5%	54.5%
	Grade 10	20.7%	28.2%	44.1%	55.9%
	Grade 11	28.6%	35.7%	52.4%	47.6%
	Grade 12	39.2%	46.9%	62.2%	37.8%
Alcohol					
	All	30.9%	43.7%	66.4%	33.6%
	Grade 7	14.2%	20.7%	46.2%	53.8%
	Grade 8	19.1%	32.1%	60.2%	39.8%
	Grade 9	27.1%	43.3%	65.0%	35.0%
	Grade 10	31.3%	47.6%	71.4%	28.6%
	Grade 11	43.6%	56.4%	79.1%	20.9%
	Grade 12	49.8%	61.7%	76.6%	23.4%
Inhalants					
	All	1.6%	4.5%	11.8%	88.2%
	Grade 7	1.8%	3.0%	5.5%	94.5%
	Grade 8	0.7%	4.9%	11.1%	88.9%
	Grade 9	0.7%	3.7%	12.7%	87.3%
	Grade 10	0.9%	6.2%	15.4%	84.6%
	Grade 11	3.8%	6.2%	15.6%	84.4%
	Grade 12	1.4%	3.4%	10.6%	89.4%
Any Illicit Drug					
	All	14.4%	21.0%	32.5%	67.5%
	Grade 7	5.3%	7.1%	9.5%	90.5%
	Grade 8	7.5%	14.4%	20.5%	79.5%
	Grade 9	12.5%	19.1%	31.5%	68.5%
	Grade 10	11.9%	19.5%	34.1%	65.9%
	Grade 11	26.1%	34.1%	46.4%	53.6%
	Grade 12	22.9%	31.5%	52.4%	47.6%
Marijuana					
	All	12.1%	18.6%	30.2%	69.8%
	Grade 7	3.6%	4.8%	7.9%	92.1%
	Grade 8	5.6%	11.1%	16.0%	84.0%
	Grade 9	11.0%	17.6%	27.9%	72.1%
	Grade 10	10.2%	17.8%	31.6%	68.4%
	Grade 11	23.3%	31.4%	44.3%	55.7%
	Grade 12	18.5%	28.2%	52.5%	47.5%
Marijuana Only					
	All	3.2%	5.6%	12.9%	87.1%
	Grade 7	1.8%	1.8%	4.1%	95.9%
	Grade 8	2.7%	5.5%	10.3%	89.7%
	Grade 9	3.7%	6.6%	13.2%	86.8%
	Grade 10	2.6%	4.4%	13.7%	86.3%
	Grade 11	5.7%	8.1%	15.2%	84.8%
	Grade 12	2.9%	7.1%	20.9%	79.1%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.9%	6.6%	11.4%	88.6%
	Grade 7	1.8%	2.4%	2.4%	97.6%
	Grade 8	0.7%	3.5%	6.2%	93.8%
	Grade 9	2.2%	4.4%	7.3%	92.7%
	Grade 10	2.2%	4.9%	10.2%	89.8%
	Grade 11	8.6%	13.4%	22.5%	77.5%
	Grade 12	7.8%	11.2%	20.0%	80.0%
Cocaine					
	All	3.7%	6.3%	11.0%	89.0%
	Grade 7	1.8%	1.8%	1.8%	98.2%
	Grade 8	0.7%	3.5%	6.3%	93.7%
	Grade 9	2.2%	3.7%	6.6%	93.4%
	Grade 10	1.8%	4.4%	9.3%	90.7%
	Grade 11	8.1%	12.9%	22.0%	78.0%
	Grade 12	7.3%	11.2%	20.0%	80.0%
Crack					
	All	0.7%	1.2%	2.7%	97.3%
	Grade 7	0.0%	0.6%	0.6%	99.4%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.7%	1.5%	2.9%	97.1%
	Grade 10	0.4%	0.4%	1.3%	98.7%
	Grade 11	2.0%	2.5%	5.0%	95.0%
	Grade 12	1.0%	2.0%	4.5%	95.5%
Hallucinogens					
	All	2.4%	4.4%	8.0%	92.0%
	Grade 7	1.2%	1.8%	1.8%	98.2%
	Grade 8	1.4%	2.1%	3.6%	96.4%
	Grade 9	1.5%	2.2%	7.5%	92.5%
	Grade 10	1.3%	4.0%	9.4%	90.6%
	Grade 11	3.4%	7.3%	13.1%	86.9%
	Grade 12	5.4%	8.8%	12.6%	87.4%
Uppers					
	All	3.1%	5.5%	9.6%	90.4%
	Grade 7	0.6%	0.6%	1.2%	98.8%
	Grade 8	1.4%	2.9%	5.0%	95.0%
	Grade 9	2.2%	4.5%	10.5%	89.5%
	Grade 10	1.4%	3.6%	7.7%	92.3%
	Grade 11	4.8%	9.7%	16.4%	83.6%
	Grade 12	7.9%	11.8%	16.7%	83.3%
Downers					
	All	4.2%	5.8%	9.7%	90.3%
	Grade 7	1.2%	1.2%	1.8%	98.2%
	Grade 8	1.4%	2.1%	4.3%	95.7%
	Grade 9	3.1%	4.6%	9.2%	90.8%
	Grade 10	1.8%	2.3%	7.3%	92.7%
	Grade 11	7.8%	11.7%	16.5%	83.5%
	Grade 12	9.3%	12.8%	18.7%	81.3%

Region 9/10: Grades 7-12
SPRING 2008

Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	1.1%	3.1%	96.9%
	Grade 7	1.2%	1.2%	1.2%	98.8%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.8%	1.5%	3.8%	96.2%
	Grade 10	0.0%	0.9%	3.2%	96.8%
	Grade 11	0.5%	1.0%	3.9%	96.1%
	Grade 12	1.5%	1.9%	5.4%	94.6%
Steroids					
	All	0.8%	1.4%	3.2%	96.8%
	Grade 7	0.0%	0.0%	2.4%	97.6%
	Grade 8	0.7%	0.7%	2.9%	97.1%
	Grade 9	1.5%	1.5%	2.2%	97.8%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	1.0%	2.0%	4.4%	95.6%
	Grade 12	1.0%	3.4%	6.8%	93.2%
Ecstasy					
	All	3.2%	5.3%	8.0%	92.0%
	Grade 7	1.2%	1.8%	1.8%	98.2%
	Grade 8	0.0%	0.7%	1.4%	98.6%
	Grade 9	2.2%	3.7%	5.2%	94.8%
	Grade 10	3.1%	5.4%	7.6%	92.4%
	Grade 11	7.2%	10.1%	15.9%	84.1%
	Grade 12	5.3%	9.7%	15.5%	84.5%
Heroin					
	All	0.4%	0.8%	1.7%	98.3%
	Grade 7	0.6%	0.6%	2.4%	97.6%
	Grade 8	0.0%	0.0%	1.4%	98.6%
	Grade 9	0.0%	0.7%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	1.0%	1.9%	1.9%	98.1%
	Grade 12	0.5%	1.5%	3.4%	96.6%

Region 9/10: Grades 7-12
SPRING 2008

Table B5: Prevalence and recency of use of selected substances by grade
Black students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.4%	9.2%	23.5%	76.5%
	Grade 7	0.0%	2.9%	17.2%	82.8%
	Grade 8	3.3%	6.8%	21.2%	78.8%
	Grade 9	6.7%	10.0%	30.0%	70.0%
	Grade 10	2.5%	5.0%	22.5%	77.5%
	Grade 11	17.3%	19.8%	27.3%	72.7%
	Grade 12	13.3%	13.3%	20.0%	80.0%
Alcohol					
	All	27.0%	37.7%	63.1%	36.9%
	Grade 7	28.5%	34.2%	57.2%	42.8%
	Grade 8	21.2%	24.8%	42.7%	57.3%
	Grade 9	29.0%	41.9%	71.0%	29.0%
	Grade 10	25.0%	35.0%	57.5%	42.5%
	Grade 11	32.6%	46.2%	76.3%	23.7%
	Grade 12	20.0%	46.7%	80.0%	20.0%
Inhalants					
	All	3.2%	3.7%	6.2%	93.8%
	Grade 7	5.7%	5.7%	11.5%	88.5%
	Grade 8	7.2%	7.2%	7.2%	92.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	2.6%	7.7%	92.3%
	Grade 11	5.0%	5.0%	7.5%	92.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Any Illicit Drug					
	All	8.0%	10.9%	24.2%	75.8%
	Grade 7	8.3%	8.3%	16.6%	83.4%
	Grade 8	3.6%	3.6%	21.2%	78.8%
	Grade 9	0.0%	3.2%	9.7%	90.3%
	Grade 10	10.0%	17.5%	27.5%	72.5%
	Grade 11	14.7%	14.7%	41.6%	58.4%
	Grade 12	20.0%	33.3%	46.7%	53.3%
Marijuana					
	All	7.3%	9.1%	22.4%	77.6%
	Grade 7	8.6%	8.6%	14.3%	85.7%
	Grade 8	3.6%	3.6%	21.2%	78.8%
	Grade 9	0.0%	0.0%	6.7%	93.3%
	Grade 10	10.0%	15.0%	25.0%	75.0%
	Grade 11	10.0%	10.0%	40.1%	59.9%
	Grade 12	20.0%	33.3%	46.7%	53.3%
Marijuana Only					
	All	4.4%	6.2%	17.5%	82.5%
	Grade 7	8.3%	8.3%	13.9%	86.1%
	Grade 8	0.0%	0.0%	17.6%	82.4%
	Grade 9	0.0%	0.0%	6.5%	93.5%
	Grade 10	7.3%	12.2%	22.0%	78.0%
	Grade 11	2.4%	2.4%	22.0%	78.0%
	Grade 12	13.3%	26.7%	40.0%	60.0%

Region 9/10: Grades 7-12
SPRING 2008

Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	0.9%	1.8%	2.7%	97.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	4.9%	9.8%	12.2%	87.8%
	Grade 12	0.0%	0.0%	6.7%	93.3%
Cocaine					
	All	0.9%	1.4%	2.3%	97.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	5.0%	7.5%	10.0%	90.0%
	Grade 12	0.0%	0.0%	6.7%	93.3%
Crack					
	All	0.5%	0.9%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	2.4%	4.9%	4.9%	95.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	0.9%	1.4%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	5.0%	7.5%	10.0%	90.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Uppers					
	All	0.5%	0.5%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	2.6%	97.4%
	Grade 11	2.5%	2.5%	5.0%	95.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Downers					
	All	0.5%	1.2%	2.1%	97.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	3.6%	3.6%	96.4%
	Grade 10	0.0%	0.0%	2.6%	97.4%
	Grade 11	2.4%	2.4%	4.9%	95.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Region 9/10: Grades 7-12
SPRING 2008

Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	3.6%	3.6%	3.6%	96.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	2.6%	97.4%
	Grade 11	0.0%	2.5%	5.0%	95.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.5%	0.9%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	3.3%	96.7%
	Grade 10	0.0%	2.5%	2.5%	97.5%
	Grade 11	2.5%	2.5%	2.5%	97.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy					
	All	0.9%	0.9%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	5.0%	5.0%	10.0%	90.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Heroin					
	All	0.5%	1.0%	1.7%	98.3%
	Grade 7	0.0%	0.0%	3.2%	96.8%
	Grade 8	0.0%	3.7%	3.7%	96.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	2.5%	2.5%	2.5%	97.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.1%	20.0%	38.0%	62.0%
	Grade 7	6.0%	9.7%	24.0%	76.0%
	Grade 8	8.5%	12.7%	29.2%	70.8%
	Grade 9	12.3%	19.5%	39.4%	60.6%
	Grade 10	16.8%	23.0%	44.0%	56.0%
	Grade 11	21.8%	28.3%	46.4%	53.6%
	Grade 12	23.9%	32.5%	50.0%	50.0%
Alcohol					
	All	42.7%	54.4%	74.4%	25.6%
	Grade 7	24.9%	32.2%	58.2%	41.8%
	Grade 8	35.9%	45.7%	67.5%	32.5%
	Grade 9	45.5%	58.3%	79.1%	20.9%
	Grade 10	51.7%	63.9%	80.6%	19.4%
	Grade 11	52.4%	64.3%	80.4%	19.6%
	Grade 12	49.5%	67.6%	84.3%	15.7%
Inhalants					
	All	4.5%	6.8%	13.0%	87.0%
	Grade 7	4.0%	6.7%	12.8%	87.2%
	Grade 8	7.3%	10.2%	16.4%	83.6%
	Grade 9	5.7%	8.5%	13.8%	86.2%
	Grade 10	4.3%	5.7%	12.6%	87.4%
	Grade 11	2.4%	4.8%	11.9%	88.1%
	Grade 12	1.7%	2.8%	8.5%	91.5%
Any Illicit Drug					
	All	16.0%	21.4%	35.0%	65.0%
	Grade 7	7.7%	10.3%	18.3%	81.7%
	Grade 8	11.8%	15.8%	27.2%	72.8%
	Grade 9	19.5%	24.4%	36.4%	63.6%
	Grade 10	17.6%	25.1%	42.0%	58.0%
	Grade 11	21.6%	28.1%	47.0%	53.0%
	Grade 12	19.6%	28.1%	45.9%	54.1%
Marijuana					
	All	12.7%	18.3%	31.2%	68.8%
	Grade 7	6.2%	8.0%	15.5%	84.5%
	Grade 8	10.1%	14.5%	25.3%	74.7%
	Grade 9	15.8%	21.5%	33.4%	66.6%
	Grade 10	12.6%	20.0%	36.9%	63.1%
	Grade 11	16.9%	23.9%	40.6%	59.4%
	Grade 12	15.8%	25.0%	40.4%	59.6%
Marijuana Only					
	All	4.0%	6.1%	12.9%	87.1%
	Grade 7	2.3%	3.4%	8.5%	91.5%
	Grade 8	3.0%	4.7%	11.0%	89.0%
	Grade 9	4.9%	6.8%	12.3%	87.7%
	Grade 10	4.9%	7.6%	15.7%	84.3%
	Grade 11	4.5%	7.2%	14.4%	85.6%
	Grade 12	4.7%	8.0%	17.7%	82.3%

Region 9/10: Grades 7-12
SPRING 2008

Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	7.4%	10.0%	18.1%	81.9%
	Grade 7	2.2%	3.3%	6.2%	93.8%
	Grade 8	4.5%	6.0%	10.8%	89.2%
	Grade 9	9.2%	11.6%	19.5%	80.5%
	Grade 10	8.1%	11.8%	23.0%	77.0%
	Grade 11	12.3%	15.2%	28.9%	71.1%
	Grade 12	9.4%	14.1%	24.0%	76.0%
Cocaine					
	All	7.0%	9.6%	17.6%	82.4%
	Grade 7	1.3%	2.5%	5.3%	94.7%
	Grade 8	4.1%	5.5%	10.3%	89.7%
	Grade 9	8.5%	11.3%	19.3%	80.7%
	Grade 10	8.0%	11.7%	22.7%	77.3%
	Grade 11	12.3%	15.0%	28.7%	71.3%
	Grade 12	9.5%	14.3%	24.0%	76.0%
Crack					
	All	1.2%	1.5%	2.7%	97.3%
	Grade 7	0.9%	1.1%	1.6%	98.4%
	Grade 8	0.8%	1.4%	2.0%	98.0%
	Grade 9	2.1%	2.1%	3.8%	96.2%
	Grade 10	1.0%	1.4%	3.4%	96.6%
	Grade 11	0.9%	1.9%	3.0%	97.0%
	Grade 12	1.2%	1.2%	2.0%	98.0%
Hallucinogens					
	All	1.5%	2.3%	4.4%	95.6%
	Grade 7	1.1%	1.3%	2.3%	97.7%
	Grade 8	1.0%	1.2%	3.0%	97.0%
	Grade 9	1.7%	2.8%	5.0%	95.0%
	Grade 10	2.0%	2.3%	5.5%	94.5%
	Grade 11	2.5%	4.0%	6.7%	93.3%
	Grade 12	0.9%	2.1%	4.3%	95.7%
Uppers					
	All	1.5%	2.3%	3.6%	96.4%
	Grade 7	1.2%	1.4%	1.6%	98.4%
	Grade 8	1.0%	1.4%	2.8%	97.2%
	Grade 9	2.1%	2.3%	3.8%	96.2%
	Grade 10	0.7%	1.8%	3.2%	96.8%
	Grade 11	2.3%	3.9%	5.8%	94.2%
	Grade 12	2.3%	4.0%	5.1%	94.9%
Downers					
	All	1.4%	2.2%	3.6%	96.4%
	Grade 7	0.2%	0.7%	1.2%	98.8%
	Grade 8	1.2%	1.4%	3.1%	96.9%
	Grade 9	1.9%	2.4%	4.0%	96.0%
	Grade 10	0.8%	2.3%	3.7%	96.3%
	Grade 11	2.7%	4.0%	5.5%	94.5%
	Grade 12	2.0%	2.9%	4.6%	95.4%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.2%	1.8%	3.1%	96.9%
	Grade 7	0.9%	1.1%	1.6%	98.4%
	Grade 8	1.9%	2.5%	4.4%	95.6%
	Grade 9	1.8%	2.2%	3.3%	96.7%
	Grade 10	1.2%	2.0%	3.6%	96.4%
	Grade 11	0.4%	0.7%	2.4%	97.6%
	Grade 12	0.9%	2.0%	2.9%	97.1%
Steroids					
	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.9%	0.9%	0.9%	99.1%
	Grade 8	1.0%	1.2%	2.6%	97.4%
	Grade 9	0.0%	0.3%	1.1%	98.9%
	Grade 10	0.3%	0.7%	1.3%	98.7%
	Grade 11	1.2%	1.5%	1.8%	98.2%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy					
	All	1.9%	2.8%	5.3%	94.7%
	Grade 7	0.2%	0.5%	0.7%	99.3%
	Grade 8	1.0%	2.9%	4.9%	95.1%
	Grade 9	2.9%	3.2%	6.8%	93.2%
	Grade 10	2.0%	2.6%	5.9%	94.1%
	Grade 11	3.4%	4.6%	7.4%	92.6%
	Grade 12	2.3%	3.1%	6.5%	93.5%
Heroin					
	All	0.9%	1.0%	1.9%	98.1%
	Grade 7	1.2%	1.2%	2.1%	97.9%
	Grade 8	0.8%	1.4%	2.2%	97.8%
	Grade 9	0.9%	1.1%	2.0%	98.0%
	Grade 10	0.5%	0.5%	1.5%	98.5%
	Grade 11	1.4%	1.6%	2.3%	97.7%
	Grade 12	0.3%	0.3%	0.6%	99.4%

Region 9/10: Grades 7-12
SPRING 2008

Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	7.1%	10.6%	24.9%	75.1%
	Grade 7	1.0%	1.0%	12.3%	87.7%
	Grade 8	3.3%	3.9%	12.5%	87.5%
	Grade 9	6.1%	13.1%	27.1%	72.9%
	Grade 10	7.4%	11.7%	31.1%	68.9%
	Grade 11	10.3%	14.9%	34.2%	65.8%
	Grade 12	17.5%	21.7%	37.4%	62.6%
Alcohol					
	All	25.0%	36.3%	59.2%	40.8%
	Grade 7	9.5%	15.8%	42.8%	57.2%
	Grade 8	18.1%	30.1%	52.6%	47.4%
	Grade 9	23.6%	38.1%	61.6%	38.4%
	Grade 10	30.5%	43.4%	62.4%	37.6%
	Grade 11	36.3%	47.3%	73.1%	26.9%
	Grade 12	39.1%	50.0%	68.6%	31.4%
Inhalants					
	All	1.6%	3.2%	7.8%	92.2%
	Grade 7	2.7%	3.5%	6.5%	93.5%
	Grade 8	1.6%	3.5%	7.0%	93.0%
	Grade 9	0.6%	2.9%	7.1%	92.9%
	Grade 10	0.7%	1.5%	10.2%	89.8%
	Grade 11	3.2%	3.8%	8.9%	91.1%
	Grade 12	1.2%	3.8%	8.2%	91.8%
Any Illicit Drug					
	All	8.3%	12.5%	21.7%	78.3%
	Grade 7	2.8%	4.2%	10.4%	89.6%
	Grade 8	4.5%	8.3%	11.6%	88.4%
	Grade 9	8.0%	14.1%	23.2%	76.8%
	Grade 10	5.7%	10.9%	22.5%	77.5%
	Grade 11	16.7%	18.8%	32.6%	67.4%
	Grade 12	15.2%	21.7%	35.3%	64.7%
Marijuana					
	All	6.4%	10.5%	18.5%	81.5%
	Grade 7	1.4%	2.2%	6.1%	93.9%
	Grade 8	3.0%	5.0%	8.5%	91.5%
	Grade 9	6.5%	12.7%	19.5%	80.5%
	Grade 10	5.0%	9.5%	19.7%	80.3%
	Grade 11	12.7%	16.7%	28.8%	71.2%
	Grade 12	12.2%	19.3%	34.1%	65.9%
Marijuana Only					
	All	2.2%	4.1%	8.8%	91.2%
	Grade 7	0.8%	1.6%	4.6%	95.4%
	Grade 8	1.6%	2.2%	4.1%	95.9%
	Grade 9	2.1%	5.9%	9.1%	90.9%
	Grade 10	3.0%	5.7%	11.8%	88.2%
	Grade 11	3.0%	3.0%	8.5%	91.5%
	Grade 12	3.4%	6.3%	16.8%	83.2%

**Region 9/10: Grades 7-12
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.2%	3.6%	7.4%	92.6%
	Grade 7	0.8%	1.4%	1.4%	98.6%
	Grade 8	0.8%	2.1%	3.5%	96.5%
	Grade 9	2.2%	2.8%	6.9%	93.1%
	Grade 10	0.0%	2.5%	6.9%	93.1%
	Grade 11	7.2%	8.0%	19.0%	81.0%
	Grade 12	3.7%	6.3%	11.0%	89.0%
Cocaine					
	All	2.1%	3.5%	7.2%	92.8%
	Grade 7	0.8%	0.8%	0.8%	99.2%
	Grade 8	0.8%	2.1%	3.5%	96.5%
	Grade 9	2.2%	2.8%	6.3%	93.7%
	Grade 10	0.0%	2.5%	6.9%	93.1%
	Grade 11	6.4%	8.2%	18.7%	81.3%
	Grade 12	3.7%	6.3%	11.0%	89.0%
Crack					
	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	0.0%	0.6%	0.6%	99.4%
	Grade 8	0.8%	1.5%	2.1%	97.9%
	Grade 9	1.3%	1.3%	1.9%	98.1%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.9%	0.9%	3.6%	96.4%
	Grade 12	0.9%	1.5%	2.0%	98.0%
Hallucinogens					
	All	1.2%	2.0%	3.8%	96.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.4%	1.4%	2.9%	97.1%
	Grade 9	0.6%	1.3%	1.9%	98.1%
	Grade 10	0.7%	0.7%	5.0%	95.0%
	Grade 11	4.4%	8.3%	11.6%	88.4%
	Grade 12	1.2%	2.4%	4.6%	95.4%
Uppers					
	All	1.3%	2.4%	4.6%	95.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.6%	0.6%	1.2%	98.8%
	Grade 9	0.6%	1.3%	3.9%	96.1%
	Grade 10	0.0%	0.7%	3.2%	96.8%
	Grade 11	3.5%	6.5%	11.8%	88.2%
	Grade 12	4.0%	7.2%	10.4%	89.6%
Downers					
	All	1.9%	2.7%	4.1%	95.9%
	Grade 7	0.6%	0.6%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	2.3%	3.1%	3.8%	96.2%
	Grade 10	0.0%	0.7%	4.6%	95.4%
	Grade 11	5.7%	6.4%	8.5%	91.5%
	Grade 12	3.9%	6.5%	8.9%	91.1%

Region 9/10: Grades 7-12
SPRING 2008

Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.3%	0.7%	2.0%	98.0%
	Grade 7	0.6%	0.6%	0.6%	99.4%
	Grade 8	0.0%	0.0%	2.1%	97.9%
	Grade 9	0.0%	0.6%	1.3%	98.7%
	Grade 10	0.0%	0.0%	2.5%	97.5%
	Grade 11	0.0%	0.6%	1.5%	98.5%
	Grade 12	1.2%	2.6%	4.4%	95.6%
Steroids					
	All	1.0%	1.2%	2.4%	97.6%
	Grade 7	1.0%	1.0%	2.5%	97.5%
	Grade 8	1.4%	1.4%	3.6%	96.4%
	Grade 9	0.6%	0.6%	1.9%	98.1%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	1.5%	3.0%	3.0%	97.0%
	Grade 12	1.4%	1.4%	2.6%	97.4%
Ecstasy					
	All	1.8%	2.5%	4.1%	95.9%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.8%	3.0%	3.7%	96.3%
	Grade 9	2.2%	2.2%	3.4%	96.6%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	6.5%	8.3%	10.6%	89.4%
	Grade 12	2.6%	3.2%	7.5%	92.5%
Heroin					
	All	0.1%	0.6%	1.9%	98.1%
	Grade 7	0.0%	0.0%	3.2%	96.8%
	Grade 8	0.0%	0.7%	1.4%	98.6%
	Grade 9	0.0%	1.3%	2.6%	97.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	2.2%	97.8%
	Grade 12	0.0%	1.2%	1.8%	98.2%

Region 9/10: Grades 7-12
SPRING 2008

Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.6%	23.0%	41.2%	58.8%
	Grade 7	6.5%	10.9%	25.4%	74.6%
	Grade 8	9.4%	14.0%	32.3%	67.7%
	Grade 9	14.4%	21.6%	43.5%	56.5%
	Grade 10	18.8%	25.3%	45.0%	55.0%
	Grade 11	25.3%	32.0%	48.8%	51.2%
	Grade 12	30.5%	40.0%	56.6%	43.4%
Alcohol					
	All	43.0%	54.8%	75.3%	24.7%
	Grade 7	26.7%	33.6%	59.7%	40.3%
	Grade 8	35.8%	45.5%	68.1%	31.9%
	Grade 9	46.8%	59.6%	80.4%	19.6%
	Grade 10	49.1%	62.0%	80.2%	19.8%
	Grade 11	51.1%	63.5%	81.1%	18.9%
	Grade 12	51.2%	69.4%	85.4%	14.6%
Inhalants					
	All	4.4%	6.9%	13.4%	86.6%
	Grade 7	4.0%	6.5%	12.5%	87.5%
	Grade 8	7.0%	10.5%	16.7%	83.3%
	Grade 9	5.9%	8.2%	14.1%	85.9%
	Grade 10	3.9%	6.5%	13.3%	86.7%
	Grade 11	2.8%	5.3%	13.2%	86.8%
	Grade 12	1.7%	2.6%	8.9%	91.1%
Any Illicit Drug					
	All	16.7%	22.6%	36.6%	63.4%
	Grade 7	8.3%	10.7%	17.8%	82.2%
	Grade 8	11.8%	16.3%	28.5%	71.5%
	Grade 9	19.6%	24.8%	37.2%	62.8%
	Grade 10	18.0%	25.7%	42.8%	57.2%
	Grade 11	23.0%	30.5%	48.7%	51.3%
	Grade 12	21.8%	31.1%	51.2%	48.8%
Marijuana					
	All	13.5%	19.5%	33.2%	66.8%
	Grade 7	6.8%	8.5%	15.8%	84.2%
	Grade 8	10.1%	15.1%	26.2%	73.8%
	Grade 9	16.0%	21.9%	34.3%	65.7%
	Grade 10	13.2%	20.7%	37.9%	62.1%
	Grade 11	19.0%	26.4%	43.5%	56.5%
	Grade 12	17.7%	27.9%	46.7%	53.3%
Marijuana Only					
	All	4.2%	6.4%	13.9%	86.1%
	Grade 7	2.8%	3.6%	8.4%	91.6%
	Grade 8	3.0%	5.0%	12.3%	87.7%
	Grade 9	5.0%	6.6%	12.9%	87.1%
	Grade 10	4.9%	7.4%	16.2%	83.8%
	Grade 11	5.1%	8.2%	16.2%	83.8%
	Grade 12	4.5%	8.6%	19.8%	80.2%

Region 9/10: Grades 7-12
SPRING 2008

Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	7.3%	10.1%	17.8%	82.2%
	Grade 7	2.3%	3.3%	6.0%	94.0%
	Grade 8	4.3%	6.1%	10.9%	89.1%
	Grade 9	8.9%	11.5%	18.9%	81.1%
	Grade 10	7.8%	11.3%	21.5%	78.5%
	Grade 11	11.4%	15.5%	27.4%	72.6%
	Grade 12	10.3%	15.1%	25.7%	74.3%
Cocaine					
	All	6.9%	9.7%	17.4%	82.6%
	Grade 7	1.5%	2.5%	5.2%	94.8%
	Grade 8	3.9%	5.6%	10.4%	89.6%
	Grade 9	8.3%	11.0%	18.6%	81.4%
	Grade 10	7.6%	11.0%	21.1%	78.9%
	Grade 11	11.3%	14.9%	26.9%	73.1%
	Grade 12	10.2%	15.2%	25.7%	74.3%
Crack					
	All	1.2%	1.6%	2.9%	97.1%
	Grade 7	0.9%	1.1%	1.5%	98.5%
	Grade 8	0.6%	1.0%	1.9%	98.1%
	Grade 9	1.9%	2.0%	3.9%	96.1%
	Grade 10	1.0%	1.4%	3.3%	96.7%
	Grade 11	1.3%	2.7%	3.6%	96.4%
	Grade 12	1.3%	1.5%	3.0%	97.0%
Hallucinogens					
	All	1.8%	2.8%	5.4%	94.6%
	Grade 7	1.3%	1.7%	2.7%	97.3%
	Grade 8	0.9%	1.3%	3.0%	97.0%
	Grade 9	1.6%	2.8%	6.1%	93.9%
	Grade 10	2.0%	2.8%	6.0%	94.0%
	Grade 11	2.9%	4.6%	7.9%	92.1%
	Grade 12	2.6%	4.5%	7.3%	92.7%
Uppers					
	All	2.0%	3.0%	4.8%	95.2%
	Grade 7	1.2%	1.4%	1.9%	98.1%
	Grade 8	1.2%	1.9%	3.6%	96.4%
	Grade 9	2.4%	2.9%	5.3%	94.7%
	Grade 10	1.0%	2.4%	4.2%	95.8%
	Grade 11	2.8%	4.8%	7.5%	92.5%
	Grade 12	3.8%	5.8%	7.6%	92.4%
Downers					
	All	1.9%	2.9%	5.0%	95.0%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	1.5%	1.8%	3.7%	96.3%
	Grade 9	1.9%	2.7%	5.4%	94.6%
	Grade 10	1.3%	2.6%	4.3%	95.7%
	Grade 11	3.2%	5.2%	7.8%	92.2%
	Grade 12	4.2%	5.6%	8.6%	91.4%

Region 9/10: Grades 7-12
SPRING 2008

Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.3%	1.9%	3.3%	96.7%
	Grade 7	1.0%	1.2%	1.7%	98.3%
	Grade 8	1.8%	2.4%	4.0%	96.0%
	Grade 9	1.9%	2.5%	3.8%	96.2%
	Grade 10	1.1%	2.0%	3.7%	96.3%
	Grade 11	0.5%	1.0%	3.1%	96.9%
	Grade 12	1.2%	1.9%	3.3%	96.7%
Steroids					
	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.6%	0.6%	1.1%	98.9%
	Grade 8	0.8%	1.0%	2.5%	97.5%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	0.4%	0.9%	1.4%	98.6%
	Grade 11	1.2%	1.4%	2.4%	97.6%
	Grade 12	0.2%	1.1%	2.0%	98.0%
Ecstasy					
	All	2.3%	3.4%	6.0%	94.0%
	Grade 7	0.5%	0.9%	0.9%	99.1%
	Grade 8	0.8%	2.2%	4.3%	95.7%
	Grade 9	2.8%	3.4%	6.9%	93.1%
	Grade 10	2.6%	3.6%	6.7%	93.3%
	Grade 11	4.2%	5.6%	9.4%	90.6%
	Grade 12	3.1%	5.3%	9.0%	91.0%
Heroin					
	All	0.9%	1.1%	1.8%	98.2%
	Grade 7	1.2%	1.2%	1.9%	98.1%
	Grade 8	0.8%	1.6%	2.5%	97.5%
	Grade 9	0.9%	0.9%	1.5%	98.5%
	Grade 10	0.5%	0.5%	1.4%	98.6%
	Grade 11	1.6%	1.9%	2.3%	97.7%
	Grade 12	0.4%	0.4%	1.2%	98.8%

Region 9/10: Grades 7-12
SPRING 2008

Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.8%	17.5%	33.5%	66.5%
	Grade 7	5.2%	7.4%	17.8%	82.2%
	Grade 8	5.8%	8.7%	23.3%	76.7%
	Grade 9	9.5%	15.5%	34.0%	66.0%
	Grade 10	16.4%	21.5%	39.6%	60.4%
	Grade 11	20.2%	25.2%	42.9%	57.1%
	Grade 12	24.7%	31.9%	48.8%	51.2%
Alcohol					
	All	37.2%	47.7%	68.8%	31.2%
	Grade 7	20.5%	25.4%	52.5%	47.5%
	Grade 8	27.4%	37.6%	59.8%	40.2%
	Grade 9	37.9%	50.5%	72.6%	27.4%
	Grade 10	46.3%	57.7%	76.0%	24.0%
	Grade 11	47.9%	57.7%	75.4%	24.6%
	Grade 12	48.4%	63.5%	81.2%	18.8%
Inhalants					
	All	3.2%	5.0%	10.4%	89.6%
	Grade 7	4.4%	6.4%	11.5%	88.5%
	Grade 8	3.5%	6.5%	11.5%	88.5%
	Grade 9	3.8%	5.1%	8.9%	91.1%
	Grade 10	3.5%	5.1%	12.3%	87.7%
	Grade 11	2.3%	4.2%	11.8%	88.2%
	Grade 12	1.0%	1.6%	5.1%	94.9%
Any Illicit Drug					
	All	12.8%	17.4%	28.6%	71.4%
	Grade 7	6.7%	7.9%	14.1%	85.9%
	Grade 8	8.6%	11.4%	20.7%	79.3%
	Grade 9	12.1%	16.6%	27.6%	72.4%
	Grade 10	14.3%	21.2%	34.3%	65.7%
	Grade 11	19.8%	26.8%	41.3%	58.7%
	Grade 12	18.9%	25.0%	40.6%	59.4%
Marijuana					
	All	9.7%	14.3%	25.0%	75.0%
	Grade 7	4.9%	6.0%	10.6%	89.4%
	Grade 8	6.6%	9.8%	18.4%	81.6%
	Grade 9	10.3%	14.2%	24.3%	75.7%
	Grade 10	9.2%	16.0%	30.0%	70.0%
	Grade 11	14.9%	22.4%	35.9%	64.1%
	Grade 12	14.7%	21.4%	36.7%	63.3%
Marijuana Only					
	All	3.1%	4.7%	10.4%	89.6%
	Grade 7	1.9%	2.1%	6.0%	94.0%
	Grade 8	2.9%	4.2%	9.6%	90.4%
	Grade 9	2.9%	4.8%	10.4%	89.6%
	Grade 10	2.6%	4.9%	11.2%	88.8%
	Grade 11	4.2%	6.8%	11.7%	88.3%
	Grade 12	4.6%	6.7%	15.7%	84.3%

Region 9/10: Grades 7-12
SPRING 2008

Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.1%	8.3%	14.5%	85.5%
	Grade 7	2.8%	3.6%	4.6%	95.4%
	Grade 8	2.2%	3.8%	6.8%	93.2%
	Grade 9	6.1%	7.6%	13.3%	86.7%
	Grade 10	7.6%	10.9%	19.8%	80.2%
	Grade 11	10.5%	14.3%	25.9%	74.1%
	Grade 12	8.7%	11.7%	20.6%	79.4%
Cocaine					
	All	5.6%	7.9%	14.0%	86.0%
	Grade 7	1.8%	2.8%	3.9%	96.1%
	Grade 8	2.0%	3.6%	6.4%	93.6%
	Grade 9	5.2%	7.2%	12.8%	87.2%
	Grade 10	7.5%	10.6%	19.2%	80.8%
	Grade 11	10.2%	13.9%	25.8%	74.2%
	Grade 12	8.8%	11.8%	20.8%	79.2%
Crack					
	All	1.1%	1.3%	2.3%	97.7%
	Grade 7	1.2%	1.2%	1.2%	98.8%
	Grade 8	0.5%	0.8%	1.2%	98.8%
	Grade 9	1.6%	1.6%	3.3%	96.7%
	Grade 10	1.0%	1.2%	3.5%	96.5%
	Grade 11	1.0%	1.4%	2.2%	97.8%
	Grade 12	1.4%	1.4%	2.1%	97.9%
Hallucinogens					
	All	1.7%	2.4%	4.4%	95.6%
	Grade 7	1.3%	1.5%	1.8%	98.2%
	Grade 8	1.4%	1.6%	3.1%	96.9%
	Grade 9	1.3%	1.6%	3.5%	96.5%
	Grade 10	2.0%	2.7%	6.5%	93.5%
	Grade 11	2.6%	4.9%	7.4%	92.6%
	Grade 12	1.6%	3.1%	4.9%	95.1%
Uppers					
	All	1.2%	2.1%	3.2%	96.8%
	Grade 7	0.7%	0.7%	0.9%	99.1%
	Grade 8	0.5%	0.9%	2.2%	97.8%
	Grade 9	1.0%	1.4%	2.3%	97.7%
	Grade 10	0.4%	1.4%	3.0%	97.0%
	Grade 11	2.4%	4.8%	6.9%	93.1%
	Grade 12	2.8%	4.4%	5.5%	94.5%
Downers					
	All	1.4%	2.1%	3.4%	96.6%
	Grade 7	0.8%	0.8%	1.0%	99.0%
	Grade 8	0.2%	0.5%	2.0%	98.0%
	Grade 9	0.9%	1.7%	2.8%	97.2%
	Grade 10	0.9%	1.7%	3.4%	96.6%
	Grade 11	2.8%	4.6%	6.6%	93.4%
	Grade 12	3.7%	4.5%	6.0%	94.0%

Region 9/10: Grades 7-12
SPRING 2008

Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.9%	1.3%	2.3%	97.7%
	Grade 7	0.9%	0.9%	1.4%	98.6%
	Grade 8	1.0%	1.5%	3.0%	97.0%
	Grade 9	0.6%	0.6%	1.3%	98.7%
	Grade 10	1.2%	2.2%	3.7%	96.3%
	Grade 11	0.5%	0.8%	2.1%	97.9%
	Grade 12	1.2%	1.8%	2.2%	97.8%
Steroids					
	All	0.6%	0.8%	1.7%	98.3%
	Grade 7	0.9%	0.9%	1.3%	98.7%
	Grade 8	0.3%	0.5%	2.2%	97.8%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.4%	0.8%	1.7%	98.3%
	Grade 11	1.6%	1.8%	2.6%	97.4%
	Grade 12	0.7%	1.4%	2.5%	97.5%
Ecstasy					
	All	1.9%	2.5%	4.3%	95.7%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.6%	1.8%	3.0%	97.0%
	Grade 9	1.9%	2.1%	3.9%	96.1%
	Grade 10	2.3%	3.0%	5.6%	94.4%
	Grade 11	4.2%	5.0%	7.4%	92.6%
	Grade 12	2.6%	3.0%	5.9%	94.1%
Heroin					
	All	0.8%	1.0%	1.8%	98.2%
	Grade 7	1.5%	1.5%	2.9%	97.1%
	Grade 8	0.0%	1.0%	2.0%	98.0%
	Grade 9	0.8%	1.0%	1.2%	98.8%
	Grade 10	0.4%	0.4%	1.4%	98.6%
	Grade 11	1.6%	1.8%	2.5%	97.5%
	Grade 12	0.2%	0.2%	1.0%	99.0%

Region 9/10: Grades 7-12
SPRING 2008

Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	18.3%	26.0%	45.6%	54.4%
	Grade 7	5.5%	11.5%	31.1%	68.9%
	Grade 8	12.1%	17.6%	36.3%	63.7%
	Grade 9	18.5%	27.3%	50.5%	49.5%
	Grade 10	18.0%	26.1%	48.7%	51.3%
	Grade 11	27.5%	36.0%	52.1%	47.9%
	Grade 12	32.9%	42.7%	58.0%	42.0%
Alcohol					
	All	43.2%	57.1%	77.8%	22.2%
	Grade 7	27.7%	38.4%	63.1%	36.9%
	Grade 8	39.2%	49.1%	73.0%	27.0%
	Grade 9	48.2%	62.8%	83.1%	16.9%
	Grade 10	46.6%	62.3%	80.2%	19.8%
	Grade 11	50.2%	65.8%	86.1%	13.9%
	Grade 12	48.8%	67.2%	82.1%	17.9%
Inhalants					
	All	4.9%	8.1%	15.8%	84.2%
	Grade 7	3.0%	5.2%	11.1%	88.9%
	Grade 8	9.8%	13.0%	19.8%	80.2%
	Grade 9	5.9%	10.8%	20.2%	79.8%
	Grade 10	3.2%	6.5%	13.8%	86.2%
	Grade 11	3.9%	6.6%	13.6%	86.4%
	Grade 12	2.6%	5.0%	14.8%	85.2%
Any Illicit Drug					
	All	19.0%	26.2%	42.6%	57.4%
	Grade 7	8.8%	12.6%	20.8%	79.2%
	Grade 8	13.1%	19.8%	32.8%	67.2%
	Grade 9	25.3%	32.0%	45.5%	54.5%
	Grade 10	19.2%	28.0%	49.3%	50.7%
	Grade 11	25.9%	31.6%	54.1%	45.9%
	Grade 12	22.9%	35.7%	58.8%	41.2%
Marijuana					
	All	16.4%	23.6%	39.5%	60.5%
	Grade 7	8.1%	9.9%	19.9%	80.1%
	Grade 8	12.4%	18.2%	30.1%	69.9%
	Grade 9	19.8%	28.7%	42.2%	57.8%
	Grade 10	16.9%	24.9%	44.4%	55.6%
	Grade 11	22.6%	28.3%	49.5%	50.5%
	Grade 12	19.7%	33.8%	55.9%	44.1%
Marijuana Only					
	All	5.3%	8.1%	17.5%	82.5%
	Grade 7	3.9%	5.7%	11.0%	89.0%
	Grade 8	2.5%	5.0%	13.2%	86.8%
	Grade 9	7.2%	8.9%	15.0%	85.0%
	Grade 10	8.0%	11.3%	23.2%	76.8%
	Grade 11	5.4%	7.8%	20.2%	79.8%
	Grade 12	4.4%	10.8%	25.3%	74.7%

Region 9/10: Grades 7-12
SPRING 2008

Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.6%	9.7%	17.9%	82.1%
	Grade 7	0.9%	2.1%	5.9%	94.1%
	Grade 8	5.2%	7.1%	13.0%	87.0%
	Grade 9	9.3%	12.8%	20.8%	79.2%
	Grade 10	4.6%	8.3%	18.8%	81.2%
	Grade 11	11.4%	14.5%	26.3%	73.7%
	Grade 12	8.5%	15.0%	24.8%	75.2%
Cocaine					
	All	6.4%	9.3%	17.5%	82.5%
	Grade 7	0.8%	1.2%	5.0%	95.0%
	Grade 8	4.9%	6.4%	12.7%	87.3%
	Grade 9	9.3%	12.5%	21.0%	79.0%
	Grade 10	4.2%	8.3%	18.9%	81.1%
	Grade 11	11.5%	13.8%	25.4%	74.6%
	Grade 12	8.2%	15.1%	24.4%	75.6%
Crack					
	All	1.0%	1.9%	3.2%	96.8%
	Grade 7	0.1%	0.9%	1.8%	98.2%
	Grade 8	0.8%	1.6%	3.0%	97.0%
	Grade 9	2.0%	2.4%	3.6%	96.4%
	Grade 10	0.7%	1.0%	1.7%	98.3%
	Grade 11	1.6%	3.9%	5.7%	94.3%
	Grade 12	0.9%	1.6%	3.8%	96.2%
Hallucinogens					
	All	1.9%	3.3%	6.4%	93.6%
	Grade 7	0.9%	1.4%	2.8%	97.2%
	Grade 8	0.4%	0.9%	2.7%	97.3%
	Grade 9	1.9%	4.3%	8.5%	91.5%
	Grade 10	1.3%	2.4%	5.3%	94.7%
	Grade 11	3.9%	5.8%	10.2%	89.8%
	Grade 12	3.4%	5.6%	9.7%	90.3%
Uppers					
	All	2.9%	4.3%	7.2%	92.8%
	Grade 7	1.4%	1.9%	2.0%	98.0%
	Grade 8	1.9%	2.6%	4.4%	95.6%
	Grade 9	3.7%	4.6%	9.5%	90.5%
	Grade 10	1.6%	3.4%	6.1%	93.9%
	Grade 11	3.7%	5.4%	10.1%	89.9%
	Grade 12	5.5%	8.8%	12.6%	87.4%
Downers					
	All	2.8%	4.1%	7.0%	93.0%
	Grade 7	0.0%	0.9%	1.5%	98.5%
	Grade 8	2.7%	3.0%	4.7%	95.3%
	Grade 9	3.2%	4.1%	8.3%	91.7%
	Grade 10	1.4%	3.3%	6.2%	93.8%
	Grade 11	5.1%	6.8%	10.0%	90.0%
	Grade 12	4.7%	7.9%	13.0%	87.0%

Region 9/10: Grades 7-12
SPRING 2008

Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.5%	2.3%	4.4%	95.6%
	Grade 7	1.4%	1.8%	2.0%	98.0%
	Grade 8	2.4%	2.8%	4.7%	95.3%
	Grade 9	3.0%	4.7%	7.1%	92.9%
	Grade 10	0.5%	0.8%	3.0%	97.0%
	Grade 11	0.4%	1.0%	3.9%	96.1%
	Grade 12	0.7%	2.1%	5.4%	94.6%
Steroids					
	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.5%	0.5%	1.3%	98.7%
	Grade 8	2.0%	2.0%	3.5%	96.5%
	Grade 9	0.7%	1.2%	2.6%	97.4%
	Grade 10	0.2%	0.6%	0.6%	99.4%
	Grade 11	0.8%	1.4%	2.2%	97.8%
	Grade 12	0.0%	0.7%	1.4%	98.6%
Ecstasy					
	All	2.8%	4.4%	8.0%	92.0%
	Grade 7	0.8%	0.8%	0.9%	99.1%
	Grade 8	1.2%	3.2%	5.9%	94.1%
	Grade 9	3.9%	5.0%	9.9%	90.1%
	Grade 10	1.9%	3.3%	6.7%	93.3%
	Grade 11	5.4%	7.8%	13.1%	86.9%
	Grade 12	3.7%	7.7%	13.2%	86.8%
Heroin					
	All	0.7%	1.0%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	1.6%	2.0%	2.6%	97.4%
	Grade 9	0.5%	0.9%	2.5%	97.5%
	Grade 10	0.3%	0.3%	0.9%	99.1%
	Grade 11	1.1%	1.8%	2.2%	97.8%
	Grade 12	0.5%	1.2%	1.9%	98.1%

Region 9/10: Grades 7-12
SPRING 2008

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.4%	18.8%	35.8%	64.2%
	Grade 7	4.2%	6.6%	20.4%	79.6%
	Grade 8	6.4%	9.5%	24.7%	75.3%
	Grade 9	12.3%	19.6%	39.4%	60.6%
	Grade 10	15.2%	19.9%	39.2%	60.8%
	Grade 11	20.1%	26.4%	44.4%	55.6%
	Grade 12	26.3%	35.5%	51.1%	48.9%
Alcohol					
	All	36.9%	48.5%	70.5%	29.5%
	Grade 7	20.4%	27.1%	53.8%	46.2%
	Grade 8	29.1%	38.6%	63.1%	36.9%
	Grade 9	39.7%	51.8%	75.1%	24.9%
	Grade 10	44.1%	57.2%	75.7%	24.3%
	Grade 11	47.2%	60.1%	78.6%	21.4%
	Grade 12	44.5%	62.1%	80.7%	19.3%
Inhalants					
	All	2.7%	4.7%	10.4%	89.6%
	Grade 7	1.7%	3.7%	7.9%	92.1%
	Grade 8	3.8%	5.8%	12.4%	87.6%
	Grade 9	3.8%	6.5%	11.6%	88.4%
	Grade 10	2.9%	5.2%	11.9%	88.1%
	Grade 11	2.2%	4.3%	11.1%	88.9%
	Grade 12	1.0%	2.2%	7.0%	93.0%
Any Illicit Drug					
	All	12.7%	17.8%	31.0%	69.0%
	Grade 7	4.7%	6.9%	13.3%	86.7%
	Grade 8	7.8%	10.8%	22.5%	77.5%
	Grade 9	15.1%	20.7%	31.7%	68.3%
	Grade 10	13.3%	20.0%	36.5%	63.5%
	Grade 11	20.3%	26.6%	44.3%	55.7%
	Grade 12	17.7%	25.3%	44.3%	55.7%
Marijuana					
	All	10.5%	15.2%	27.7%	72.3%
	Grade 7	4.1%	5.3%	11.2%	88.8%
	Grade 8	6.7%	9.0%	19.2%	80.8%
	Grade 9	12.7%	18.0%	28.5%	71.5%
	Grade 10	10.1%	16.7%	32.6%	67.4%
	Grade 11	16.6%	22.6%	39.1%	60.9%
	Grade 12	14.8%	22.4%	41.3%	58.7%
Marijuana Only					
	All	3.5%	5.4%	12.5%	87.5%
	Grade 7	2.2%	3.0%	7.0%	93.0%
	Grade 8	2.1%	3.1%	10.0%	90.0%
	Grade 9	4.2%	6.4%	11.2%	88.8%
	Grade 10	3.8%	6.1%	14.6%	85.4%
	Grade 11	5.0%	7.9%	15.7%	84.3%
	Grade 12	4.2%	6.9%	19.1%	80.9%

Region 9/10: Grades 7-12
SPRING 2008

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.3%	7.5%	14.2%	85.8%
	Grade 7	1.3%	2.2%	4.2%	95.8%
	Grade 8	2.5%	4.0%	7.9%	92.1%
	Grade 9	6.6%	9.0%	15.7%	84.3%
	Grade 10	5.4%	8.0%	17.6%	82.4%
	Grade 11	9.9%	12.6%	23.4%	76.6%
	Grade 12	7.2%	10.8%	19.2%	80.8%
Cocaine					
	All	5.2%	7.2%	13.8%	86.2%
	Grade 7	0.8%	1.6%	3.6%	96.4%
	Grade 8	2.5%	3.6%	7.5%	92.5%
	Grade 9	6.3%	8.5%	15.5%	84.5%
	Grade 10	5.4%	8.1%	17.2%	82.8%
	Grade 11	9.8%	12.4%	23.0%	77.0%
	Grade 12	7.3%	10.9%	19.1%	80.9%
Crack					
	All	0.8%	1.2%	2.3%	97.7%
	Grade 7	0.6%	1.0%	1.4%	98.6%
	Grade 8	0.2%	0.6%	1.4%	98.6%
	Grade 9	1.4%	1.6%	2.8%	97.2%
	Grade 10	0.5%	0.7%	2.3%	97.7%
	Grade 11	0.9%	1.9%	3.0%	97.0%
	Grade 12	1.1%	1.5%	2.9%	97.1%
Hallucinogens					
	All	1.5%	2.3%	4.4%	95.6%
	Grade 7	0.9%	0.9%	1.3%	98.7%
	Grade 8	0.6%	0.6%	1.9%	98.1%
	Grade 9	1.1%	2.1%	4.7%	95.3%
	Grade 10	1.3%	2.2%	5.3%	94.7%
	Grade 11	3.2%	4.9%	7.7%	92.3%
	Grade 12	2.2%	4.1%	6.5%	93.5%
Uppers					
	All	1.3%	2.4%	3.9%	96.1%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.6%	1.1%	1.9%	98.1%
	Grade 9	1.3%	2.0%	3.9%	96.1%
	Grade 10	0.5%	1.4%	3.3%	96.7%
	Grade 11	3.0%	5.4%	7.8%	92.2%
	Grade 12	2.9%	5.0%	7.3%	92.7%
Downers					
	All	1.8%	2.7%	4.1%	95.9%
	Grade 7	0.5%	0.9%	1.1%	98.9%
	Grade 8	1.0%	1.2%	2.2%	97.8%
	Grade 9	2.0%	2.8%	4.3%	95.7%
	Grade 10	0.6%	1.7%	3.5%	96.5%
	Grade 11	3.9%	5.7%	7.5%	92.5%
	Grade 12	3.8%	4.9%	7.7%	92.3%

Region 9/10: Grades 7-12
SPRING 2008

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.9%	1.2%	2.6%	97.4%
	Grade 7	1.1%	1.3%	1.5%	98.5%
	Grade 8	1.1%	1.1%	3.2%	96.8%
	Grade 9	1.0%	1.6%	3.1%	96.9%
	Grade 10	0.7%	1.2%	2.6%	97.4%
	Grade 11	0.4%	0.5%	2.5%	97.5%
	Grade 12	1.0%	1.6%	3.1%	96.9%
Steroids					
	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.3%	0.3%	0.9%	99.1%
	Grade 8	0.5%	0.5%	2.5%	97.5%
	Grade 9	0.3%	0.6%	1.2%	98.8%
	Grade 10	0.3%	0.8%	1.1%	98.9%
	Grade 11	1.1%	1.6%	2.1%	97.9%
	Grade 12	0.2%	0.8%	1.8%	98.2%
Ecstasy					
	All	1.7%	2.5%	5.0%	95.0%
	Grade 7	0.5%	0.9%	0.9%	99.1%
	Grade 8	0.5%	1.3%	3.0%	97.0%
	Grade 9	2.0%	2.5%	5.5%	94.5%
	Grade 10	2.1%	2.6%	5.8%	94.2%
	Grade 11	3.4%	4.7%	8.1%	91.9%
	Grade 12	2.3%	3.8%	8.1%	91.9%
Heroin					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.4%	0.4%	1.2%	98.8%
	Grade 8	0.0%	0.6%	1.6%	98.4%
	Grade 9	0.4%	0.8%	1.5%	98.5%
	Grade 10	0.2%	0.2%	1.0%	99.0%
	Grade 11	1.0%	1.2%	1.5%	98.5%
	Grade 12	0.4%	0.7%	1.2%	98.8%

Region 9/10: Grades 7-12
SPRING 2008

Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	21.5%	29.1%	48.9%	51.1%
	Grade 7	12.5%	22.0%	37.7%	62.3%
	Grade 8	15.2%	22.6%	43.8%	56.2%
	Grade 9	15.4%	22.2%	44.6%	55.4%
	Grade 10	24.0%	35.8%	56.2%	43.8%
	Grade 11	29.2%	35.4%	52.8%	47.2%
	Grade 12	35.9%	39.6%	60.2%	39.8%
Alcohol					
	All	51.0%	63.5%	80.8%	19.2%
	Grade 7	41.4%	49.7%	76.8%	23.2%
	Grade 8	40.8%	56.1%	74.0%	26.0%
	Grade 9	50.4%	66.8%	80.3%	19.7%
	Grade 10	54.8%	67.2%	83.6%	16.4%
	Grade 11	54.6%	63.2%	84.0%	16.0%
	Grade 12	66.1%	78.7%	87.2%	12.8%
Inhalants					
	All	8.2%	11.2%	19.7%	80.3%
	Grade 7	15.3%	19.0%	30.5%	69.5%
	Grade 8	14.8%	19.6%	22.4%	77.6%
	Grade 9	6.9%	9.4%	17.7%	82.3%
	Grade 10	4.2%	7.4%	16.5%	83.5%
	Grade 11	5.4%	7.1%	16.1%	83.9%
	Grade 12	3.7%	5.9%	17.6%	82.4%
Any Illicit Drug					
	All	25.2%	33.1%	47.4%	52.6%
	Grade 7	21.8%	25.0%	37.0%	63.0%
	Grade 8	18.5%	27.0%	38.4%	61.6%
	Grade 9	26.5%	29.9%	43.6%	56.4%
	Grade 10	25.4%	37.2%	49.9%	50.1%
	Grade 11	27.8%	36.5%	55.3%	44.7%
	Grade 12	31.8%	46.1%	63.5%	36.5%
Marijuana					
	All	18.9%	28.7%	42.8%	57.2%
	Grade 7	15.3%	19.4%	31.1%	68.9%
	Grade 8	15.2%	25.5%	38.0%	62.0%
	Grade 9	20.4%	26.7%	40.1%	59.9%
	Grade 10	17.9%	28.4%	43.4%	56.6%
	Grade 11	21.0%	32.2%	49.6%	50.4%
	Grade 12	23.6%	43.2%	56.9%	43.1%
Marijuana Only					
	All	4.9%	8.4%	15.9%	84.1%
	Grade 7	3.8%	4.9%	13.0%	87.0%
	Grade 8	4.3%	10.1%	16.9%	83.1%
	Grade 9	5.8%	6.5%	15.0%	85.0%
	Grade 10	5.6%	9.4%	17.1%	82.9%
	Grade 11	4.5%	6.6%	14.3%	85.7%
	Grade 12	5.3%	14.6%	20.2%	79.8%

Region 9/10: Grades 7-12
SPRING 2008

Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	10.8%	15.1%	23.0%	77.0%
	Grade 7	7.8%	9.0%	11.6%	88.4%
	Grade 8	7.4%	10.1%	12.9%	87.1%
	Grade 9	10.8%	12.6%	18.7%	81.3%
	Grade 10	10.4%	17.6%	24.1%	75.9%
	Grade 11	13.1%	19.8%	35.3%	64.7%
	Grade 12	16.3%	23.3%	37.9%	62.1%
Cocaine					
	All	9.6%	14.1%	22.1%	77.9%
	Grade 7	5.5%	6.8%	9.4%	90.6%
	Grade 8	5.6%	9.2%	12.0%	88.0%
	Grade 9	9.0%	12.6%	18.0%	82.0%
	Grade 10	9.9%	16.1%	23.6%	76.4%
	Grade 11	12.9%	18.2%	34.5%	65.5%
	Grade 12	15.5%	23.3%	37.9%	62.1%
Crack					
	All	1.9%	2.6%	3.9%	96.1%
	Grade 7	2.5%	2.5%	2.5%	97.5%
	Grade 8	1.8%	3.1%	3.9%	96.1%
	Grade 9	2.6%	2.6%	5.6%	94.4%
	Grade 10	1.3%	2.3%	3.1%	96.9%
	Grade 11	2.1%	3.7%	5.3%	94.7%
	Grade 12	0.8%	0.8%	1.6%	98.4%
Hallucinogens					
	All	2.5%	3.8%	8.0%	92.0%
	Grade 7	2.1%	4.1%	7.8%	92.2%
	Grade 8	2.5%	4.6%	7.4%	92.6%
	Grade 9	1.8%	1.8%	6.2%	93.8%
	Grade 10	4.0%	4.1%	8.9%	91.1%
	Grade 11	2.6%	5.5%	10.1%	89.9%
	Grade 12	1.9%	3.2%	7.8%	92.2%
Uppers					
	All	3.5%	4.8%	7.9%	92.1%
	Grade 7	5.1%	5.1%	6.3%	93.7%
	Grade 8	1.8%	2.6%	4.3%	95.7%
	Grade 9	4.0%	4.0%	9.2%	90.8%
	Grade 10	1.9%	5.2%	7.0%	93.0%
	Grade 11	2.0%	3.3%	8.8%	91.2%
	Grade 12	7.1%	10.2%	11.8%	88.2%
Downers					
	All	2.3%	3.8%	7.4%	92.6%
	Grade 7	1.2%	1.2%	3.6%	96.4%
	Grade 8	1.0%	1.0%	2.7%	97.3%
	Grade 9	1.9%	3.0%	7.6%	92.4%
	Grade 10	2.7%	5.0%	7.9%	92.1%
	Grade 11	2.9%	4.3%	9.7%	90.3%
	Grade 12	5.0%	9.8%	13.3%	86.7%

Region 9/10: Grades 7-12
SPRING 2008

Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.7%	2.7%	4.2%	95.8%
	Grade 7	1.3%	1.3%	2.9%	97.1%
	Grade 8	3.0%	3.0%	3.9%	96.1%
	Grade 9	3.2%	4.1%	5.1%	94.9%
	Grade 10	0.9%	2.9%	4.9%	95.1%
	Grade 11	0.0%	1.0%	3.1%	96.9%
	Grade 12	1.2%	3.4%	5.3%	94.7%
Steroids					
	All	1.5%	1.7%	3.1%	96.9%
	Grade 7	2.5%	2.5%	3.4%	96.6%
	Grade 8	2.8%	2.8%	2.8%	97.2%
	Grade 9	0.0%	0.0%	2.8%	97.2%
	Grade 10	0.7%	0.9%	2.3%	97.7%
	Grade 11	1.9%	2.1%	4.2%	95.8%
	Grade 12	1.9%	2.7%	3.5%	96.5%
Ecstasy					
	All	3.8%	5.2%	8.1%	91.9%
	Grade 7	0.9%	0.9%	2.6%	97.4%
	Grade 8	1.9%	4.6%	8.3%	91.7%
	Grade 9	4.1%	4.1%	6.3%	93.7%
	Grade 10	2.4%	4.3%	6.8%	93.2%
	Grade 11	7.0%	9.1%	13.7%	86.3%
	Grade 12	6.2%	8.2%	10.4%	89.6%
Heroin					
	All	1.9%	2.2%	3.7%	96.3%
	Grade 7	4.6%	4.6%	8.8%	91.2%
	Grade 8	1.9%	3.1%	3.1%	96.9%
	Grade 9	2.2%	2.2%	2.9%	97.1%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 11	2.5%	3.4%	5.0%	95.0%
	Grade 12	0.0%	0.0%	1.9%	98.1%

Region 9/10: Grades 7-12
SPRING 2008

Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.8%	18.8%	36.8%	63.2%
	Grade 7	7.2%	10.1%	25.7%	74.3%
	Grade 8	8.3%	13.4%	29.9%	70.1%
	Grade 9	13.9%	22.9%	44.6%	55.4%
	Grade 10	13.9%	18.0%	35.8%	64.2%
	Grade 11	23.2%	29.3%	43.7%	56.3%
	Grade 12	21.3%	32.7%	58.2%	41.8%
Alcohol					
	All	37.9%	48.6%	70.6%	29.4%
	Grade 7	27.7%	33.1%	58.1%	41.9%
	Grade 8	32.8%	40.6%	64.7%	35.3%
	Grade 9	42.7%	58.5%	81.6%	18.4%
	Grade 10	46.4%	58.6%	73.2%	26.8%
	Grade 11	43.9%	54.4%	72.3%	27.7%
	Grade 12	44.5%	60.8%	82.8%	17.2%
Inhalants					
	All	4.8%	7.3%	12.6%	87.4%
	Grade 7	5.3%	7.3%	10.5%	89.5%
	Grade 8	5.5%	9.2%	14.5%	85.5%
	Grade 9	6.2%	9.6%	15.0%	85.0%
	Grade 10	3.1%	4.5%	12.0%	88.0%
	Grade 11	3.4%	3.9%	9.6%	90.4%
	Grade 12	1.6%	3.8%	11.5%	88.5%
Any Illicit Drug					
	All	16.9%	21.0%	34.4%	65.6%
	Grade 7	10.4%	11.4%	20.1%	79.9%
	Grade 8	13.9%	18.4%	28.9%	71.1%
	Grade 9	22.7%	28.1%	40.7%	59.3%
	Grade 10	17.4%	21.8%	38.9%	61.1%
	Grade 11	20.6%	25.1%	42.9%	57.1%
	Grade 12	19.3%	26.9%	54.8%	45.2%
Marijuana					
	All	13.7%	18.1%	31.4%	68.6%
	Grade 7	9.8%	10.2%	18.9%	81.1%
	Grade 8	11.6%	16.1%	26.7%	73.3%
	Grade 9	18.4%	25.4%	37.3%	62.7%
	Grade 10	12.5%	16.0%	35.1%	64.9%
	Grade 11	15.2%	20.0%	38.5%	61.5%
	Grade 12	15.0%	24.8%	47.6%	52.4%
Marijuana Only					
	All	4.9%	6.5%	14.3%	85.7%
	Grade 7	5.2%	5.6%	11.6%	88.4%
	Grade 8	3.4%	5.8%	12.3%	87.7%
	Grade 9	6.0%	7.0%	14.6%	85.4%
	Grade 10	3.9%	5.6%	14.2%	85.8%
	Grade 11	4.4%	5.8%	14.9%	85.1%
	Grade 12	6.8%	13.5%	29.1%	70.9%

Region 9/10: Grades 7-12
SPRING 2008

Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.3%	8.3%	14.7%	85.3%
	Grade 7	1.1%	1.4%	4.5%	95.5%
	Grade 8	4.8%	6.4%	11.1%	88.9%
	Grade 9	10.3%	13.4%	19.3%	80.7%
	Grade 10	6.9%	9.7%	20.4%	79.6%
	Grade 11	9.1%	11.1%	21.6%	78.4%
	Grade 12	7.0%	11.6%	21.0%	79.0%
Cocaine					
	All	6.1%	8.2%	14.7%	85.3%
	Grade 7	1.1%	1.1%	4.2%	95.8%
	Grade 8	4.5%	6.0%	11.2%	88.8%
	Grade 9	10.0%	13.6%	19.6%	80.4%
	Grade 10	6.4%	9.6%	20.4%	79.6%
	Grade 11	9.2%	10.6%	21.4%	78.6%
	Grade 12	7.1%	11.8%	21.3%	78.7%
Crack					
	All	1.1%	1.4%	2.0%	98.0%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.3%	1.8%	2.9%	97.1%
	Grade 9	2.3%	2.3%	2.8%	97.2%
	Grade 10	0.6%	0.7%	1.9%	98.1%
	Grade 11	0.9%	1.5%	1.9%	98.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	1.9%	2.6%	5.0%	95.0%
	Grade 7	2.1%	2.1%	2.9%	97.1%
	Grade 8	0.0%	0.5%	3.0%	97.0%
	Grade 9	2.7%	4.3%	7.2%	92.8%
	Grade 10	2.1%	2.1%	6.4%	93.6%
	Grade 11	3.4%	4.6%	6.8%	93.2%
	Grade 12	1.0%	1.0%	3.5%	96.5%
Uppers					
	All	1.9%	2.4%	4.5%	95.5%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	1.4%	1.8%	3.7%	96.3%
	Grade 9	3.4%	3.8%	7.3%	92.7%
	Grade 10	1.7%	2.7%	5.4%	94.6%
	Grade 11	2.6%	4.0%	6.7%	93.3%
	Grade 12	1.2%	1.2%	3.1%	96.9%
Downers					
	All	1.6%	2.2%	4.4%	95.6%
	Grade 7	0.4%	0.8%	0.8%	99.2%
	Grade 8	2.0%	2.0%	4.8%	95.2%
	Grade 9	1.9%	2.8%	5.9%	94.1%
	Grade 10	0.7%	1.4%	4.4%	95.6%
	Grade 11	3.5%	4.5%	5.7%	94.3%
	Grade 12	1.9%	1.9%	7.3%	92.7%

Region 9/10: Grades 7-12
SPRING 2008

Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.6%	2.0%	3.6%	96.4%
	Grade 7	1.7%	2.1%	2.5%	97.5%
	Grade 8	2.1%	3.0%	5.8%	94.2%
	Grade 9	2.6%	2.6%	3.7%	96.3%
	Grade 10	0.1%	0.1%	2.5%	97.5%
	Grade 11	1.2%	1.2%	2.8%	97.2%
	Grade 12	0.0%	1.2%	3.4%	96.6%
Steroids					
	All	0.7%	0.9%	1.6%	98.4%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	1.0%	1.4%	2.6%	97.4%
	Grade 9	0.0%	0.5%	1.5%	98.5%
	Grade 10	0.6%	0.7%	1.3%	98.7%
	Grade 11	0.9%	0.9%	1.5%	98.5%
	Grade 12	0.9%	0.9%	0.9%	99.1%
Ecstasy					
	All	2.3%	3.1%	5.0%	95.0%
	Grade 7	1.1%	1.1%	1.2%	98.8%
	Grade 8	1.6%	3.7%	5.3%	94.7%
	Grade 9	3.4%	3.8%	6.4%	93.6%
	Grade 10	1.7%	2.7%	5.8%	94.2%
	Grade 11	3.8%	4.3%	7.2%	92.8%
	Grade 12	1.9%	3.1%	5.9%	94.1%
Heroin					
	All	0.8%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.4%	1.2%	98.8%
	Grade 8	0.8%	1.8%	3.0%	97.0%
	Grade 9	1.4%	1.4%	2.2%	97.8%
	Grade 10	0.6%	0.6%	1.8%	98.2%
	Grade 11	0.4%	0.4%	1.0%	99.0%
	Grade 12	1.0%	1.0%	1.0%	99.0%

Region 9/10: Grades 7-12
SPRING 2008

Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.8%	21.3%	38.3%	61.7%
	Grade 7	4.3%	8.0%	20.9%	79.1%
	Grade 8	7.9%	11.2%	27.1%	72.9%
	Grade 9	12.2%	18.0%	36.9%	63.1%
	Grade 10	17.6%	24.2%	43.9%	56.1%
	Grade 11	23.2%	29.2%	47.5%	52.5%
	Grade 12	28.7%	36.4%	51.2%	48.8%
Alcohol					
	All	39.9%	52.1%	72.6%	27.4%
	Grade 7	20.3%	28.2%	55.4%	44.6%
	Grade 8	31.2%	42.9%	64.7%	35.3%
	Grade 9	41.0%	52.7%	72.8%	27.2%
	Grade 10	46.0%	58.9%	77.8%	22.2%
	Grade 11	49.7%	62.4%	81.5%	18.5%
	Grade 12	49.2%	65.8%	81.5%	18.5%
Inhalants					
	All	3.5%	5.8%	12.3%	87.7%
	Grade 7	3.1%	5.3%	12.0%	88.0%
	Grade 8	6.4%	8.9%	15.0%	85.0%
	Grade 9	3.9%	6.1%	11.6%	88.4%
	Grade 10	3.5%	5.9%	13.1%	86.9%
	Grade 11	2.8%	5.6%	13.6%	86.4%
	Grade 12	1.6%	2.8%	8.3%	91.7%
Any Illicit Drug					
	All	14.5%	20.8%	33.7%	66.3%
	Grade 7	5.8%	8.9%	14.6%	85.4%
	Grade 8	8.2%	12.5%	23.1%	76.9%
	Grade 9	13.9%	19.1%	30.4%	69.6%
	Grade 10	16.0%	24.6%	40.3%	59.7%
	Grade 11	22.5%	29.8%	47.3%	52.7%
	Grade 12	20.6%	29.4%	46.4%	53.6%
Marijuana					
	All	11.7%	17.9%	30.1%	69.9%
	Grade 7	3.8%	6.1%	11.2%	88.8%
	Grade 8	6.9%	11.2%	20.3%	79.7%
	Grade 9	11.8%	16.6%	27.4%	72.6%
	Grade 10	12.0%	20.5%	35.4%	64.6%
	Grade 11	18.5%	26.2%	42.1%	57.9%
	Grade 12	16.9%	26.3%	43.1%	56.9%
Marijuana Only					
	All	3.5%	5.8%	12.4%	87.6%
	Grade 7	1.1%	2.1%	5.4%	94.6%
	Grade 8	2.4%	3.8%	10.3%	89.7%
	Grade 9	3.6%	6.0%	10.4%	89.6%
	Grade 10	4.9%	7.9%	15.9%	84.1%
	Grade 11	4.6%	7.7%	15.0%	85.0%
	Grade 12	3.9%	7.2%	17.4%	82.6%

Region 9/10: Grades 7-12
SPRING 2008

Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.4%	9.2%	16.4%	83.6%
	Grade 7	2.9%	4.2%	5.8%	94.2%
	Grade 8	2.4%	4.1%	7.7%	92.3%
	Grade 9	5.7%	7.5%	14.5%	85.5%
	Grade 10	6.6%	10.3%	19.3%	80.7%
	Grade 11	11.6%	15.6%	27.5%	72.5%
	Grade 12	9.2%	13.5%	22.9%	77.1%
Cocaine					
	All	6.0%	8.7%	15.8%	84.2%
	Grade 7	1.7%	3.1%	4.7%	95.3%
	Grade 8	2.1%	3.7%	7.1%	92.9%
	Grade 9	5.1%	6.8%	13.9%	86.1%
	Grade 10	6.5%	10.0%	18.8%	81.2%
	Grade 11	11.4%	15.1%	26.9%	73.1%
	Grade 12	9.1%	13.6%	22.7%	77.3%
Crack					
	All	1.1%	1.6%	2.9%	97.1%
	Grade 7	1.2%	1.5%	1.7%	98.3%
	Grade 8	0.2%	0.7%	1.3%	98.7%
	Grade 9	1.4%	1.6%	3.8%	96.2%
	Grade 10	1.0%	1.3%	3.2%	96.8%
	Grade 11	1.4%	2.7%	3.9%	96.1%
	Grade 12	1.4%	1.8%	3.3%	96.7%
Hallucinogens					
	All	1.7%	2.8%	5.3%	94.7%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	1.6%	1.8%	3.0%	97.0%
	Grade 9	0.8%	1.6%	4.3%	95.7%
	Grade 10	1.7%	2.8%	6.1%	93.9%
	Grade 11	3.0%	5.4%	8.9%	91.1%
	Grade 12	2.5%	4.6%	7.4%	92.6%
Uppers					
	All	1.8%	3.1%	4.8%	95.2%
	Grade 7	1.3%	1.6%	2.2%	97.8%
	Grade 8	0.9%	1.5%	2.7%	97.3%
	Grade 9	1.1%	1.9%	3.3%	96.7%
	Grade 10	0.6%	2.0%	3.9%	96.1%
	Grade 11	3.0%	5.2%	8.3%	91.7%
	Grade 12	4.2%	6.9%	8.9%	91.1%
Downers					
	All	2.1%	3.2%	5.0%	95.0%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	0.7%	1.1%	2.1%	97.9%
	Grade 9	2.0%	2.8%	4.3%	95.7%
	Grade 10	1.2%	2.6%	4.5%	95.5%
	Grade 11	3.7%	5.6%	8.4%	91.6%
	Grade 12	4.5%	6.4%	8.9%	91.1%

Region 9/10: Grades 7-12
SPRING 2008

Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.9%	1.5%	2.8%	97.2%
	Grade 7	0.7%	0.7%	1.1%	98.9%
	Grade 8	1.3%	1.5%	2.2%	97.8%
	Grade 9	0.8%	1.8%	3.2%	96.8%
	Grade 10	1.1%	2.2%	3.8%	96.2%
	Grade 11	0.1%	0.6%	2.7%	97.3%
	Grade 12	1.4%	2.2%	3.6%	96.4%
Steroids					
	All	0.6%	0.9%	2.0%	98.0%
	Grade 7	0.6%	0.6%	1.7%	98.3%
	Grade 8	0.9%	0.9%	2.7%	97.3%
	Grade 9	0.4%	0.4%	1.4%	98.6%
	Grade 10	0.3%	0.7%	1.3%	98.7%
	Grade 11	1.4%	1.9%	2.8%	97.2%
	Grade 12	0.4%	1.2%	2.2%	97.8%
Ecstasy					
	All	2.2%	3.3%	6.0%	94.0%
	Grade 7	0.2%	0.7%	1.0%	99.0%
	Grade 8	0.3%	1.5%	3.3%	96.7%
	Grade 9	2.1%	2.8%	5.9%	94.1%
	Grade 10	2.4%	3.3%	6.2%	93.8%
	Grade 11	4.8%	6.5%	10.3%	89.7%
	Grade 12	3.3%	5.0%	9.1%	90.9%
Heroin					
	All	0.7%	1.0%	1.9%	98.1%
	Grade 7	1.3%	1.3%	2.8%	97.2%
	Grade 8	0.5%	1.2%	1.8%	98.2%
	Grade 9	0.3%	0.7%	1.3%	98.7%
	Grade 10	0.3%	0.3%	1.1%	98.9%
	Grade 11	1.8%	2.3%	2.9%	97.1%
	Grade 12	0.2%	0.5%	1.4%	98.6%

**Region 9/10: Grades 7-12
Spring 2008**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
Female	58010	52.07
Male	53397	47.93

Frequency Missing = 246.50482695

GRADE		
q2	Frequency	Percent
Grade 7	20339	18.22
Grade 8	19390	17.37
Grade 9	22756	20.38
Grade 10	19095	17.10
Grade 11	16665	14.93
Grade 12	13408	12.01

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	40942	36.88
Yes	70075	63.12

Frequency Missing = 635.95083354

AGE		
q4	Frequency	Percent
11 or younger	31	0.03
12	5215	4.69
13	16987	15.27
14	20141	18.10
15	22451	20.18
16	19884	17.87
17	16985	15.26
18	8843	7.95
19 or older	742	0.67

Frequency Missing = 374.48362963

ETHNICITY		
q5	Frequency	Percent
African/American	5293	4.81
Asian/American	259	0.24
Mexican/American	81031	73.62
Native/American	338	0.31
Other	1113	1.01
White	22038	20.02

Frequency Missing = 1581.3675325

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	21104	19.19
Mostly B's	57009	51.84
Mostly C's	25699	23.37
Mostly D's	3968	3.61
Mostly F's	2192	1.99

Frequency Missing = 1682.1826934

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	12980	11.85
2-3 years	20046	18.31
>4 years	76480	69.84

Frequency Missing = 2146.6293818

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	86619	78.56
Yes	23636	21.44

Frequency Missing = 1397.927082

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	67741	61.83
Yes	41814	38.17

Frequency Missing = 2098.8885441

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	21174	19.21
No	54267	49.23
Yes	34800	31.57

Frequency Missing = 1412.0647294

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	25059	22.76
No	42716	38.79
Yes	42337	38.45

Frequency Missing = 1540.8304262

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	56785	55.76
Yes	45062	44.24

Frequency Missing = 9805.985236

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	73325	76.26
Yes	22823	23.74

Frequency Missing = 15505.983085

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	77659	86.15
Yes	12482	13.85

Frequency Missing = 21512.303383

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	73043	81.39
Yes	16702	18.61

Frequency Missing = 21908.008399

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 9/10: Grades 7-12
Spring 2008**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	82190	92.86
Yes	6315	7.14

Frequency Missing = 23148.465738

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	85555	97.16
Yes	2500	2.84

Frequency Missing = 23598.030553

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	85525	96.33
Yes	3261	3.67

Frequency Missing = 22867.416605

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	76406	83.24
Yes	15387	16.76

Frequency Missing = 19860.363477

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	80043	87.18
Yes	11768	12.82

Frequency Missing = 19842.152643

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	89801	96.53
Yes	3224	3.47

Frequency Missing = 18627.841393

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	80393	85.13
Yes	14040	14.87

Frequency Missing = 17220.116317

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	66902	68.14
Yes	31286	31.86

Frequency Missing = 13464.693653

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	72925	75.46
Yes	23715	24.54

Frequency Missing = 15013.216024

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	88101	79.77
Somewhat Safe	19217	17.40
Not Very Safe	1236	1.12
Not Safe At All	432	0.39
Don't Know	1461	1.32

Frequency Missing = 1206.7190137

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	37635	34.06
Somewhat Safe	57701	52.21
Not Very Safe	9805	8.87
Not Safe At All	2452	2.22
Don't Know	2917	2.64

Frequency Missing = 1143.6271795

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	34450	31.18
Somewhat Safe	56892	51.50
Not Very Safe	11093	10.04
Not Safe At All	3994	3.62
Don't Know	4044	3.66

Frequency Missing = 1179.2664764

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	6534	5.92
A Few	33027	29.95
Some	29505	26.75
Most	33609	30.47
All	7617	6.91

Frequency Missing = 1361.9014777

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	68499	63.49
A Few	23140	21.45
Some	10737	9.95
Most	3958	3.67
All	1560	1.45

Frequency Missing = 3759.179467

**Region 9/10: Grades 7-12
Spring 2008**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	4460	4.19
A Few	19652	18.45
Some	27318	25.64
Most	38650	36.28
All	16443	15.44

Frequency Missing = 5131.1999456

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	64546	58.97
A Few	23443	21.42
Some	12115	11.07
Most	6993	6.39
All	2367	2.16

Frequency Missing = 2189.8622009

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	49816	45.37
A Few	35341	32.18
Some	14424	13.14
Most	6832	6.22
All	3395	3.09

Frequency Missing = 1844.5943752

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	57238	58.58
Yes	40470	41.42

Frequency Missing = 13944.674048

RECENT CIGARETTE USE		
Q16A	Frequency	Percent
Never Heard/Used	68520	63.94
In Your Lifetime	18793	17.54
Since School Began	5673	5.29
In the Past Month	14173	13.23

Frequency Missing = 4493.9202756

RECENT SMOKELESS TOBACCO USE		
Q16B	Frequency	Percent
Never Heard/Used	93213	87.53
In Your Lifetime	6115	5.74
Since School Began	2558	2.40
In the Past Month	4601	4.32

Frequency Missing = 5166.3542207

RECENT BEER USE		
Q16C	Frequency	Percent
Never Heard/Used	40672	38.48
In Your Lifetime	20880	19.75
Since School Began	11971	11.32
In the Past Month	32181	30.44

Frequency Missing = 5949.5256756

RECENT WINE COOLER USE		
Q16D	Frequency	Percent
Never Heard/Used	46368	43.29
In Your Lifetime	20672	19.30
Since School Began	11829	11.04
In the Past Month	28249	26.37

Frequency Missing = 4535.9142514

RECENT WINE USE		
Q16E	Frequency	Percent
Never Heard/Used	58116	55.47
In Your Lifetime	22771	21.73
Since School Began	9059	8.65
In the Past Month	14830	14.15

Frequency Missing = 6876.194548

RECENT LIQUOR USE		
Q16F	Frequency	Percent
Never Heard/Used	51495	48.10
In Your Lifetime	16394	15.31
Since School Began	11621	10.86
In the Past Month	27543	25.73

Frequency Missing = 4600.2014893

RECENT INHALANT USE		
Q16G	Frequency	Percent
Never Heard/Used	94096	87.63
In Your Lifetime	6636	6.18
Since School Began	2488	2.32
In the Past Month	4153	3.87

Frequency Missing = 4280.080378

RECENT MARIJUANA USE		
Q17A	Frequency	Percent
Never Heard/Used	76279	69.60
In Your Lifetime	13758	12.55
Since School Began	6187	5.65
In the Past Month	13374	12.20

Frequency Missing = 2055.381443

RECENT COCAINE USE		
Q17B	Frequency	Percent
Never Heard/Used	91993	84.64
In Your Lifetime	7496	6.90
Since School Began	2729	2.51
In the Past Month	6475	5.96

Frequency Missing = 2960.3852797

RECENT CRACK USE		
Q17C	Frequency	Percent
Never Heard/Used	104E3	97.36
In Your Lifetime	1226	1.15
Since School Began	441	0.41
In the Past Month	1159	1.08

Frequency Missing = 4702.5772805

**Region 9/10: Grades 7-12
Spring 2008**

RECENT HALLUCINOGEN USE		
Q17E Frequency Percent		
Never Heard/Used	102E3	94.86
In Your Lifetime	2587	2.41
Since School Began	1061	0.99
In the Past Month	1863	1.74

Frequency Missing = 4404.1907328

RECENT UPPER USE		
Q17F Frequency Percent		
Never Heard/Used	102E3	95.28
In Your Lifetime	1985	1.86
Since School Began	1135	1.06
In the Past Month	1929	1.80

Frequency Missing = 4641.7510751

RECENT DOWNER USE		
Q17G Frequency Percent		
Never Heard/Used	101E3	95.20
In Your Lifetime	2039	1.91
Since School Began	1012	0.95
In the Past Month	2063	1.94

Frequency Missing = 5066.2939493

RECENT ROHYPNOL USE		
Q17H Frequency Percent		
Never Heard/Used	104E3	96.95
In Your Lifetime	1498	1.40
Since School Began	582	0.54
In the Past Month	1197	1.12

Frequency Missing = 4363.9855234

RECENT STEROID USE		
Q17I Frequency Percent		
Never Heard/Used	104E3	98.17
In Your Lifetime	969	0.91
Since School Began	297	0.28
In the Past Month	680	0.64

Frequency Missing = 5420.9895598

RECENT ECSTASY USE		
Q17J Frequency Percent		
Never Heard/Used	101E3	94.33
In Your Lifetime	2632	2.45
Since School Began	1085	1.01
In the Past Month	2370	2.21

Frequency Missing = 4343.7321791

RECENT HEROIN USE		
Q17K Frequency Percent		
Never Heard/Used	106E3	98.17
In Your Lifetime	887	0.83
Since School Began	298	0.28
In the Past Month	786	0.73

Frequency Missing = 4156.0281555

TOBACCO USE IN PAST MONTH		
q18a Frequency Percent		
Never Heard/Used	91973	84.08
1-2 times	8349	7.63
3-10 times	3876	3.54
11+ times	5187	4.74

Frequency Missing = 2268.2458544

ALCOHOL USE IN PAST MONTH		
q18b Frequency Percent		
Never Heard/Used	60772	55.72
1-2 times	26236	24.06
3-10 times	15014	13.77
11+ times	7040	6.46

Frequency Missing = 2591.2361731

INHALANT USE IN PAST MONTH		
q18c Frequency Percent		
Never Heard/Used	104E3	95.53
1-2 times	3469	3.19
3-10 times	1004	0.92
11+ times	391	0.36

Frequency Missing = 2789.3542861

MARIJUANA USE IN PAST MONTH		
q18d Frequency Percent		
Never Heard/Used	89827	82.73
1-2 times	9366	8.63
3-10 times	4429	4.08
11+ times	4956	4.56

Frequency Missing = 3074.2616676

COCAINE USE IN PAST MONTH		
q18e Frequency Percent		
Never Heard/Used	99915	91.67
1-2 times	5410	4.96
3-10 times	2188	2.01
11+ times	1481	1.36

Frequency Missing = 2658.9834376

CRACK USE IN PAST MONTH		
q18f Frequency Percent		
Never Heard/Used	108E3	98.53
1-2 times	1165	1.07
3-10 times	227	0.21
11+ times	218	0.20

Frequency Missing = 2292.2300407

CLOSE FRIENDS USE CIGARETTES		
q19a Frequency Percent		
Never heard/None	44804	41.64
A few	36220	33.66
Some	15761	14.65
Most	8977	8.34
All	1837	1.71

Frequency Missing = 4054.7866455

CLOSE FRIENDS USE SMOKELESS TOBACCO		
q19b Frequency Percent		
Never heard/None	72058	67.77
A few	20274	19.07
Some	8781	8.26
Most	3701	3.48
All	1514	1.42

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 9/10: Grades 7-12
Spring 2008**

Frequency Missing = 5324.4918969

CLOSE FRIENDS USE BEER		
q19c Frequency Percent		
Never heard/None	23333	21.88
A few	21386	20.05
Some	19263	18.06
Most	26186	24.56
All	16474	15.45

Frequency Missing = 5010.1923001

CLOSE FRIENDS USE WINE COOLERS		
q19d Frequency Percent		
Never heard/None	36373	34.15
A few	20803	19.53
Some	19823	18.61
Most	18305	17.19
All	11200	10.52

Frequency Missing = 5149.2968241

CLOSE FRIENDS USE WINE		
q19e Frequency Percent		
Never heard/None	52907	50.02
A few	24102	22.79
Some	13803	13.05
Most	8674	8.20
All	6294	5.95

Frequency Missing = 5872.2754665

CLOSE FRIENDS USE LIQUOR		
q19f Frequency Percent		
Never heard/None	36860	34.53
A few	18238	17.09
Some	18300	17.14
Most	20859	19.54
All	12480	11.69

Frequency Missing = 4915.60768

CLOSE FRIENDS USE INHALANTS		
q19g Frequency Percent		
Never heard/None	81291	76.01
A few	15985	14.95
Some	5968	5.58
Most	2455	2.30
All	1251	1.17

Frequency Missing = 4703.4065388

CLOSE FRIENDS USE MARIJUANA		
q19h Frequency Percent		
Never heard/None	49064	45.85
A few	22910	21.41
Some	14916	13.94
Most	13450	12.57
All	6678	6.24

Frequency Missing = 4635.5277834

DIFFICULT TO GET CIGARETTES		
q20a Frequency Percent		
Never heard of	13698	12.89
Impossible	17725	16.68
Very difficult	6468	6.09
Somewhat diff	10076	9.48
Somewhat easy	19454	18.31
Very easy	38839	36.55

Frequency Missing = 5391.9218358

DIFFICULT TO GET SMOKELESS TOBACCO		
q20b Frequency Percent		
Never heard of	27803	26.39
Impossible	21520	20.43
Very difficult	7832	7.43
Somewhat diff	10483	9.95
Somewhat easy	13506	12.82
Very easy	24210	22.98

Frequency Missing = 6299.4056024

DIFFICULT TO GET BEER		
q20c Frequency Percent		
Never heard of	9669	9.21
Impossible	12283	11.70
Very difficult	5541	5.28
Somewhat diff	12249	11.67
Somewhat easy	22617	21.54
Very easy	42641	40.61

Frequency Missing = 6654.3882305

DIFFICULT TO GET WINE COOLERS		
q20d Frequency Percent		
Never heard of	13931	13.19
Impossible	14222	13.47
Very difficult	6480	6.14
Somewhat diff	12551	11.89
Somewhat easy	21510	20.37
Very easy	36895	34.94

Frequency Missing = 6063.8412306

DIFFICULT TO GET WINE		
q20e Frequency Percent		
Never heard of	14668	14.08
Impossible	16883	16.20
Very difficult	7927	7.61
Somewhat diff	14075	13.51
Somewhat easy	20884	20.04
Very easy	29759	28.56

Frequency Missing = 7458.0740295

DIFFICULT TO GET LIQUOR		
q20f Frequency Percent		
Never heard of	13194	12.47
Impossible	17337	16.38
Very difficult	8441	7.98
Somewhat diff	12920	12.21
Somewhat easy	19883	18.79
Very easy	34057	32.18

Frequency Missing = 5820.6310808

**Region 9/10: Grades 7-12
Spring 2008**

DIFFICULT TO GET INHALANTS		
q20g	Frequency	Percent
Never heard of	25117	23.85
Impossible	19375	18.40
Very difficult	5909	5.61
Somewhat diff	7564	7.18
Somewhat easy	11269	10.70
Very easy	36078	34.26

Frequency Missing = 6339.9888713

DIFFICULT TO GET MARIJUANA		
q20h	Frequency	Percent
Never heard of	16442	15.64
Impossible	24711	23.51
Very difficult	8802	8.37
Somewhat diff	11054	10.52
Somewhat easy	15805	15.04
Very easy	28308	26.93

Frequency Missing = 6532.2015064

DIFFICULT TO GET COCAINE		
q20i	Frequency	Percent
Never heard of	19585	18.80
Impossible	29226	28.05
Very difficult	11433	10.97
Somewhat diff	12225	11.73
Somewhat easy	11962	11.48
Very easy	19759	18.96

Frequency Missing = 7463.8291832

DIFFICULT TO GET CRACK		
q20j	Frequency	Percent
Never heard of	25462	24.47
Impossible	32577	31.30
Very difficult	13967	13.42
Somewhat diff	12465	11.98
Somewhat easy	8638	8.30
Very easy	10959	10.53

Frequency Missing = 7585.4855965

DIFFICULT TO GET HALLUCINOGENS		
q20l	Frequency	Percent
Never heard of	45251	43.38
Impossible	24628	23.61
Very difficult	11741	11.26
Somewhat diff	8972	8.60
Somewhat easy	6233	5.98
Very easy	7492	7.18

Frequency Missing = 7335.1773534

DIFFICULT TO GET UPPERS		
q20m	Frequency	Percent
Never heard of	54760	52.96
Impossible	19174	18.54
Very difficult	8488	8.21
Somewhat diff	6955	6.73
Somewhat easy	5805	5.61
Very easy	8212	7.94

Frequency Missing = 8259.0039957

DIFFICULT TO GET DOWNERS		
q20n	Frequency	Percent
Never heard of	55317	53.39
Impossible	18968	18.31
Very difficult	8413	8.12
Somewhat diff	6895	6.65
Somewhat easy	5589	5.39
Very easy	8431	8.14

Frequency Missing = 8040.5591723

DIFFICULT TO GET ROHYPNOL		
q20o	Frequency	Percent
Never heard of	56907	55.01
Impossible	20005	19.34
Very difficult	8752	8.46
Somewhat diff	6780	6.55
Somewhat easy	4475	4.33
Very easy	6521	6.30

Frequency Missing = 8214.4760304

DIFFICULT TO GET STEROIDS		
q20p	Frequency	Percent
Never heard of	30361	29.34
Impossible	34470	33.31
Very difficult	12860	12.43
Somewhat diff	10189	9.85
Somewhat easy	7109	6.87
Very easy	8498	8.21

Frequency Missing = 8165.50351

DIFFICULT TO GET ECSTASY		
q20q	Frequency	Percent
Never heard of	37728	36.42
Impossible	26284	25.37
Very difficult	11032	10.65
Somewhat diff	9881	9.54
Somewhat easy	7766	7.50
Very easy	10910	10.53

Frequency Missing = 8053.1327219

DIFFICULT TO GET HEROIN		
q20r	Frequency	Percent
Never heard of	35969	34.59
Impossible	34104	32.79
Very difficult	13345	12.83
Somewhat diff	8967	8.62
Somewhat easy	4883	4.70
Very easy	6726	6.47

Frequency Missing = 7659.9508776

AGE WHEN FIRST USED CIGARETTES		
q21a	Frequency	Percent
9 or younger	5958	14.94
10 years old	4130	10.35
11 years old	3070	7.70
12 years old	4707	11.80
13 years old	5691	14.27
14 years old	5383	13.49
15 years old	5400	13.54
16 years old	3706	9.29
17 years old	1352	3.39
18 or older	495	1.24

Frequency Missing = 71761.012548

**Region 9/10: Grades 7-12
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q21b Frequency Percent		
9 or younger	884	7.71
10 years old	457	3.98
11 years old	775	6.75
12 years old	1159	10.11
13 years old	1316	11.48
14 years old	1694	14.77
15 years old	2413	21.05
16 years old	1830	15.96
17 years old	721	6.29
18 or older	218	1.90

Frequency Missing = 100186.22005

AGE WHEN FIRST USED BEER		
q21c Frequency Percent		
9 or younger	11474	16.69
10 years old	4826	7.02
11 years old	4815	7.00
12 years old	8501	12.36
13 years old	10940	15.91
14 years old	10077	14.66
15 years old	10327	15.02
16 years old	5279	7.68
17 years old	1924	2.80
18 or older	589	0.86

Frequency Missing = 42900.363812

AGE WHEN FIRST USED WINE COOLERS		
q21d Frequency Percent		
9 or younger	6561	11.25
10 years old	3739	6.41
11 years old	4285	7.35
12 years old	8434	14.46
13 years old	9741	16.70
14 years old	8784	15.06
15 years old	9876	16.93
16 years old	4894	8.39
17 years old	1558	2.67
18 or older	454	0.78

Frequency Missing = 53327.291591

AGE WHEN FIRST USED WINE		
q21e Frequency Percent		
9 or younger	4526	9.47
10 years old	4044	8.46
11 years old	3884	8.12
12 years old	7100	14.85
13 years old	7903	16.53
14 years old	6845	14.32
15 years old	7454	15.59
16 years old	4086	8.55
17 years old	1343	2.81
18 or older	616	1.29

Frequency Missing = 63853.099161

AGE WHEN FIRST USED LIQUOR		
q21f Frequency Percent		
9 or younger	2856	5.17
10 years old	1881	3.41
11 years old	2823	5.11
12 years old	6617	11.98
13 years old	10021	18.15
14 years old	9872	17.88
15 years old	11121	20.14
16 years old	6694	12.12
17 years old	2519	4.56
18 or older	806	1.46

Frequency Missing = 56442.550457

AGE WHEN FIRST USED INHALANTS		
q21g Frequency Percent		
9 or younger	1188	11.93
10 years old	689	6.92
11 years old	827	8.31
12 years old	1495	15.02
13 years old	1926	19.35
14 years old	1519	15.26
15 years old	1257	12.63
16 years old	731	7.35
17 years old	296	2.97
18 or older	24	0.24

Frequency Missing = 101701.21704

AGE WHEN FIRST USED MARIJUANA		
q21h Frequency Percent		
9 or younger	2208	6.92
10 years old	1806	5.66
11 years old	1826	5.73
12 years old	3675	11.52
13 years old	5989	18.78
14 years old	6226	19.52
15 years old	5345	16.76
16 years old	2965	9.30
17 years old	1501	4.71
18 or older	352	1.11

Frequency Missing = 79759.75339

AGE WHEN FIRST USED COCAINE		
q21i Frequency Percent		
9 or younger	104	0.65
10 years old	325	2.02
11 years old	408	2.54
12 years old	1282	7.99
13 years old	2505	15.62
14 years old	2967	18.50
15 years old	4177	26.05
16 years old	2685	16.74
17 years old	1350	8.42
18 or older	235	1.47

Frequency Missing = 95615.597066

AGE WHEN FIRST USED CRACK		
q21j Frequency Percent		
9 or younger	59	2.29
10 years old	118	4.54
11 years old	70	2.69
12 years old	328	12.62
13 years old	587	22.60
14 years old	399	15.35
15 years old	491	18.88
16 years old	325	12.53
17 years old	203	7.82
18 or older	18	0.69

Frequency Missing = 109054.78762

**Region 9/10: Grades 7-12
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
q21l	Frequency	Percent
9 or younger	110	2.40
10 years old	28	0.61
11 years old	303	6.63
12 years old	355	7.76
13 years old	629	13.74
14 years old	855	18.68
15 years old	919	20.07
16 years old	824	18.00
17 years old	457	9.98
18 or older	98	2.13

Frequency Missing = 107076.27971

AGE WHEN FIRST USED UPPERS		
q21m	Frequency	Percent
9 or younger	169	3.32
10 years old	100	1.97
11 years old	221	4.36
12 years old	590	11.62
13 years old	808	15.90
14 years old	1123	22.11
15 years old	741	14.60
16 years old	888	17.49
17 years old	396	7.79
18 or older	42	0.83

Frequency Missing = 106575.3323

AGE WHEN FIRST USED DOWNERS		
q21n	Frequency	Percent
9 or younger	104	2.25
10 years old	79	1.70
11 years old	181	3.91
12 years old	527	11.36
13 years old	649	13.99
14 years old	965	20.80
15 years old	892	19.23
16 years old	846	18.25
17 years old	351	7.56
18 or older	44	0.95

Frequency Missing = 107014.90951

AGE WHEN FIRST USED ROHYPNOL		
q21o	Frequency	Percent
9 or younger	245	8.91
10 years old	93	3.39
11 years old	170	6.20
12 years old	378	13.76
13 years old	564	20.54
14 years old	401	14.62
15 years old	435	15.84
16 years old	214	7.80
17 years old	199	7.25
18 or older	46	1.68

Frequency Missing = 108909.73944

AGE WHEN FIRST USED STEROIDS		
q21p	Frequency	Percent
9 or younger	314	16.77
10 years old	163	8.74
11 years old	77	4.13
12 years old	84	4.51
13 years old	300	16.05
14 years old	176	9.42
15 years old	246	13.16
16 years old	290	15.51
17 years old	201	10.76
18 or older	18	0.96

Frequency Missing = 109783.53487

AGE WHEN FIRST USED ECSTASY		
q21q	Frequency	Percent
9 or younger	68	1.12
10 years old	106	1.77
11 years old	230	3.83
12 years old	426	7.09
13 years old	620	10.32
14 years old	1060	17.63
15 years old	1258	20.93
16 years old	1280	21.30
17 years old	896	14.91
18 or older	65	1.09

Frequency Missing = 105643.23288

AGE WHEN FIRST USED HEROIN		
q21r	Frequency	Percent
9 or younger	212	11.96
10 years old	91	5.11
11 years old	218	12.33
12 years old	118	6.65
13 years old	303	17.10
14 years old	289	16.35
15 years old	191	10.78
16 years old	147	8.27
17 years old	203	11.44

Frequency Missing = 109882.43033

HOW OFTEN NORMALLY USE CIGARETTES		
q22a	Frequency	Percent
Every day	2846	2.74
Several times/wk	2895	2.79
Several times/mo	4408	4.25
About once/month	6715	6.47
About once/year	5790	5.58
< once/year	10290	9.92
Never used	70842	68.26

Frequency Missing = 7867.6400347

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q22b	Frequency	Percent
Every day	1126	1.09
Several times/wk	767	0.75
Several times/mo	942	0.92
About once/month	1890	1.84
About once/year	1971	1.91
< once/year	3931	3.82
Never used	92308	89.68

Frequency Missing = 8718.9167269

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the district

**Region 9/10: Grades 7-12
Spring 2008**

HOW OFTEN NORMALLY USE BEER		
q22c Frequency Percent		
Every day	301	0.29
Several times/wk	7552	7.32
Several times/mo	17756	17.20
About once/month	15675	15.19
About once/year	10870	10.53
< once/year	9255	8.97
Never used	41805	40.50

Frequency Missing = 8440.0800359

HOW OFTEN NORMALLY USE WINE COOLERS		
q22d Frequency Percent		
Every day	268	0.26
Several times/wk	5077	4.90
Several times/mo	12566	12.13
About once/month	15136	14.61
About once/year	11727	11.32
< once/year	8881	8.58
Never used	49913	48.19

Frequency Missing = 8084.3017813

HOW OFTEN NORMALLY USE WINE		
q22e Frequency Percent		
Every day	104	0.10
Several times/wk	2944	2.90
Several times/mo	6211	6.11
About once/month	8963	8.82
About once/year	13154	12.94
< once/year	12119	11.93
Never used	58122	57.20

Frequency Missing = 10036.647596

HOW OFTEN NORMALLY USE LIQUOR		
q22f Frequency Percent		
Every day	290	0.28
Several times/wk	5202	5.03
Several times/mo	13468	13.01
About once/month	14967	14.46
About once/year	10535	10.18
< once/year	6967	6.73
Never used	52088	50.32

Frequency Missing = 8136.2291951

HOW OFTEN NORMALLY USE INHALANTS		
q22g Frequency Percent		
Every day	224	0.22
Several times/wk	623	0.62
Several times/mo	848	0.85
About once/month	1799	1.80
About once/year	1716	1.72
< once/year	2886	2.88
Never used	91968	91.91

Frequency Missing = 11589.814373

HOW OFTEN NORMALLY USE MARIJUANA		
q22h Frequency Percent		
Every day	3047	3.06
Several times/wk	3710	3.73
Several times/mo	4170	4.19
About once/month	5087	5.12
About once/year	4734	4.76
< once/year	6560	6.60
Never used	72113	72.53

Frequency Missing = 12232.939774

HOW OFTEN NORMALLY USE COCAINE		
q22i Frequency Percent		
Every day	312	0.31
Several times/wk	1190	1.19
Several times/mo	2570	2.58
About once/month	2765	2.78
About once/year	2516	2.53
< once/year	4086	4.10
Never used	86183	86.51

Frequency Missing = 12032.328172

HOW OFTEN NORMALLY USE CRACK		
q22j Frequency Percent		
Every day	140	0.14
Several times/wk	267	0.27
Several times/mo	285	0.29
About once/month	665	0.67
About once/year	330	0.33
< once/year	812	0.81
Never used	97146	97.49

Frequency Missing = 12009.010092

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q22l Frequency Percent		
Every day	64	0.07
Several times/wk	148	0.15
Several times/mo	393	0.40
About once/month	869	0.88
About once/year	1309	1.33
< once/year	1409	1.43
Never used	94023	95.73

Frequency Missing = 13438.743601

HOW OFTEN NORMALLY USE UPPERS		
q22m Frequency Percent		
Every day	75	0.08
Several times/wk	427	0.44
Several times/mo	563	0.58
About once/month	1155	1.18
About once/year	949	0.97
< once/year	1359	1.39
Never used	93300	95.37

Frequency Missing = 13825.392456

HOW OFTEN NORMALLY USE DOWNERS		
q22n Frequency Percent		
Every day	65	0.07
Several times/wk	320	0.32
Several times/mo	586	0.59
About once/month	1107	1.12
About once/year	899	0.91
< once/year	1050	1.06
Never used	94727	95.92

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 9/10: Grades 7-12
Spring 2008**

Frequency Missing = 12896.809935

HOW OFTEN NORMALLY USE ROHYPNOL		
q22o	Frequency	Percent
Every day	101	0.10
Several times/wk	265	0.27
Several times/mo	214	0.22
About once/month	309	0.32
About once/year	526	0.54
< once/year	817	0.83
Never used	95882	97.72

Frequency Missing = 13537.684772

HOW OFTEN NORMALLY USE STERIODS		
q22p	Frequency	Percent
Every day	239	0.24
Several times/wk	218	0.22
Several times/mo	157	0.16
About once/month	152	0.15
About once/year	344	0.35
< once/year	517	0.52
Never used	97489	98.36

Frequency Missing = 12537.633576

HOW OFTEN NORMALLY USE ECSTASY		
q22q	Frequency	Percent
Every day	84	0.08
Several times/wk	155	0.16
Several times/mo	804	0.80
About once/month	1207	1.20
About once/year	1656	1.65
< once/year	1647	1.64
Never used	94720	94.46

Frequency Missing = 11379.566513

HOW OFTEN NORMALLY USE HEROIN		
q22r	Frequency	Percent
Every day	81	0.08
Several times/wk	58	0.06
Several times/mo	117	0.12
About once/month	387	0.38
About once/year	338	0.34
< once/year	612	0.61
Never used	99363	98.42

Frequency Missing = 10696.280785

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	49608	47.59
12+ drinks	6264	6.01
9-11 drinks	4513	4.33
5-8 drinks	7526	7.22
3-4 drinks	10741	10.30
2 drinks	8657	8.30
1 drink	8241	7.91
< 1 drink	8690	8.34

Frequency Missing = 7413.6993916

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	58549	56.33
12+ drinks	2179	2.10
9-11 drinks	1064	1.02
5-8 drinks	2099	2.02
3-4 drinks	4990	4.80
2 drinks	7554	7.27
1 drink	12428	11.96
< 1 drink	15085	14.51

Frequency Missing = 7705.117488

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	47632	45.63
12+ drinks	5694	5.46
9-11 drinks	3783	3.62
5-8 drinks	8065	7.73
3-4 drinks	11996	11.49
2 drinks	10093	9.67
1 drink	9927	9.51
< 1 drink	7193	6.89

Frequency Missing = 7269.7352719

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	39702	37.87
12+ drinks	9129	8.71
9-11 drinks	5605	5.35
5-8 drinks	10643	10.15
3-4 drinks	11144	10.63
2 drinks	8469	8.08
1 drink	8711	8.31
< 1 drink	11438	10.91

Frequency Missing = 6810.3116177

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24	Frequency	Percent
Never 5+ at time	36832	34.50
None	36146	33.85
1 day	9137	8.56
2 days	7481	7.01
3 to 5 days	8848	8.29
6 to 9 days	3958	3.71
10 or more days	4373	4.10

Frequency Missing = 4878.1546494

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	40993	38.72
Never	36338	34.32
Seldom	20491	19.35
Most of the Time	5857	5.53
Always	2202	2.08

**Region 9/10: Grades 7-12
Spring 2008**

Frequency Missing = 5772.2337262

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	32724	30.92
Never	18095	17.10
Seldom	18297	17.29
Most of the Time	24104	22.77
Always	12618	11.92

Frequency Missing = 5815.1245549

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	35060	33.45
Never	48900	46.65
Seldom	10604	10.12
Most of the Time	6580	6.28
Always	3682	3.51

Frequency Missing = 6826.6379756

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	31016	29.31
Never	14659	13.85
Seldom	13455	12.72
Most of the Time	18904	17.87
Always	27775	26.25

Frequency Missing = 5843.8818363

GET ALCOHOLIC BEVERAGES FROM OTHER		
q25e	Frequency	Percent
Do not Drink	35008	33.75
Never	25896	24.96
Seldom	16284	15.70
Most of the Time	13317	12.84
Always	13227	12.75

Frequency Missing = 7921.892325

USE MARIJUANA AS JOINTS		
q26a	Frequency	Percent
Never	81561	77.01
Seldom	10504	9.92
Half the time	5120	4.83
Most of the time	4325	4.08
Always	3233	3.05
Don't know	1160	1.10

Frequency Missing = 5749.6326197

USE MARIJUANA AS BLUNTS		
q26b	Frequency	Percent
Never	82054	78.06
Seldom	7491	7.13
Half the time	5227	4.97
Most of the time	4658	4.43
Always	4540	4.32
Don't know	1149	1.09

Frequency Missing = 6534.0917541

USE MARIJUANA IN BONGS OR WATER PIPES		
q26c	Frequency	Percent
Never	87837	83.97
Seldom	7159	6.84
Half the time	3012	2.88
Most of the time	2630	2.51
Always	2959	2.83
Don't know	1011	0.97

Frequency Missing = 7044.9340536

USE MARIJUANA IN PIPES		
q26d	Frequency	Percent
Never	83590	79.81
Seldom	6992	6.68
Half the time	3461	3.30
Most of the time	4976	4.75
Always	4645	4.43
Don't know	1068	1.02

Frequency Missing = 6921.5910458

USE MARIJUANA OTHER WAYS		
q26e	Frequency	Percent
Never	88343	85.04
Seldom	6395	6.16
Half the time	1659	1.60
Most of the time	1828	1.76
Always	2671	2.57
Don't know	2984	2.87

Frequency Missing = 7773.1619014

USED METHAMPHETAMINE EVEN ONE TIME		
q27	Frequency	Percent
Never heard/used	103E3	96.14
At least once/month	728	0.68
At least once/year	1050	0.98
At least once/life	2355	2.20

Frequency Missing = 4461.1758139

RECENT PRESCRIPTION DRUG USE - CODEINE		
Q28A	Frequency	Percent
Never heard/used	91483	87.08
At least once/month	5197	4.95
At least once/year	4369	4.16
At least once/life	4012	3.82

Frequency Missing = 6593.192241

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC		
Q28B	Frequency	Percent
Never heard/used	99738	96.22
At least once/month	1073	1.03
At least once/year	1433	1.38
At least once/life	1413	1.36

Frequency Missing = 7997.7703167

RECENT PRESCRIPTION DRUG USE - VICODIN ETC		
Q28C	Frequency	Percent
Never heard/used	96964	93.66
At least once/month	2564	2.48
At least once/year	1944	1.88
At least once/life	2055	1.98

**Region 9/10: Grades 7-12
Spring 2008**

Frequency Missing = 8126.2842317

RECENT PRESCRIPTION DRUG USE - VALIUM ETC		
Q28D Frequency Percent		
Never heard/used	101E3	97.32
At least once/month	865	0.84
At least once/year	845	0.82
At least once/life	1066	1.03

Frequency Missing = 8217.0940671

RECENT PRESCRIPTION DRUG USE - XANAX ETC		
Q28E Frequency Percent		
Never heard/used	99510	95.49
At least once/month	1706	1.64
At least once/year	1558	1.50
At least once/life	1433	1.37

Frequency Missing = 7446.5229806

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q29 Frequency Percent		
Never heard/used	96047	91.96
At least once/month	3179	3.04
At least once/year	2144	2.05
At least once/life	3073	2.94

Frequency Missing = 7209.7830667

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a Frequency Percent		
Very	46711	45.14
Somewhat	31412	30.36
Not very	14567	14.08
Not at all	4399	4.25
Don't know	6390	6.17

Frequency Missing = 8173.6934613

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b Frequency Percent		
Very	40603	39.57
Somewhat	34409	33.53
Not very	18033	17.57
Not at all	5505	5.36
Don't know	4072	3.97

Frequency Missing = 9031.0371519

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c Frequency Percent		
Very	71491	71.16
Somewhat	16566	16.49
Not very	4629	4.61
Not at all	2070	2.06
Don't know	5713	5.69

Frequency Missing = 11184.500536

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d Frequency Percent		
Very	58736	58.20
Somewhat	18837	18.66
Not very	10252	10.16
Not at all	8624	8.54
Don't know	4472	4.43

Frequency Missing = 10732.747432

DANGEROUS FOR KIDS TO USE COCAINE		
q30e Frequency Percent		
Very	76004	76.64
Somewhat	13105	13.21
Not very	3024	3.05
Not at all	1735	1.75
Don't know	5308	5.35

Frequency Missing = 12477.113896

DANGEROUS FOR KIDS TO USE CRACK		
q30f Frequency Percent		
Very	81114	80.97
Somewhat	10202	10.18
Not very	1670	1.67
Not at all	1123	1.12
Don't know	6064	6.05

Frequency Missing = 11480.853785

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g Frequency Percent		
Very	75739	75.60
Somewhat	11334	11.31
Not very	3210	3.20
Not at all	1793	1.79
Don't know	8105	8.09

Frequency Missing = 11471.66759

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h Frequency Percent		
Very	74437	73.18
Somewhat	13864	13.63
Not very	4244	4.17
Not at all	1457	1.43
Don't know	7723	7.59

Frequency Missing = 9928.4278314

DANGEROUS FOR KIDS TO USE HEROIN		
q30i Frequency Percent		
Very	85694	83.70
Somewhat	6779	6.62
Not very	1278	1.25
Not at all	1231	1.20
Don't know	7403	7.23

Frequency Missing = 9268.4208957

**Region 9/10: Grades 7-12
Spring 2008**

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q30j	Frequency	Percent
Very	84756	81.66
Somewhat	6968	6.71
Not very	1120	1.08
Not at all	1121	1.08
Don't know	9827	9.47

Frequency Missing = 7860.9437774

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	81110	77.11
1-3 days	17100	16.26
4-9 days	4075	3.87
10+ days	2898	2.76

Frequency Missing = 6470.2459428

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	95249	91.04
1-3 times	8376	8.01
4-9 times	586	0.56
10+ times	413	0.39

Frequency Missing = 7028.9866201

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	74256	70.32
1-3 days	20776	19.67
4-9 days	5671	5.37
10+ days	4902	4.64

Frequency Missing = 6048.8889488

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	82179	78.38
1-3 days	16920	16.14
4-9 days	3313	3.16
10+ days	2438	2.33

Frequency Missing = 6802.4349148

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b	Frequency	Percent
None	91938	88.01
1-3 times	9688	9.27
4-9 times	1692	1.62
10+ times	1146	1.10

Frequency Missing = 7188.0362842

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	25703	24.44
1-3 days	54524	51.84
4-9 days	19127	18.18
10+ days	5827	5.54

Frequency Missing = 6471.6279888

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	102E3	98.23
1-3 days	1093	1.05
4-9 days	400	0.38
10+ days	354	0.34

Frequency Missing = 7401.2876704

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c	Frequency	Percent
None	93006	89.93
1-3 times	8765	8.47
4-9 times	829	0.80
10+ times	824	0.80

Frequency Missing = 8229.0116851

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	33832	32.45
1-3 days	57054	54.72
4-9 days	9584	9.19
10+ days	3800	3.64

Frequency Missing = 7382.9008886

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	102E3	98.11
1-3 days	1301	1.25
4-9 days	220	0.21
10+ days	452	0.43

Frequency Missing = 7208.587364

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d	Frequency	Percent
None	97787	95.06
1-3 times	4166	4.05
4-9 times	474	0.46
10+ times	441	0.43

Frequency Missing = 8785.3405721

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e	Frequency	Percent
None	95925	93.98
1-3 times	4894	4.79
4-9 times	613	0.60
10+ times	639	0.63

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 9/10: Grades 7-12
Spring 2008**

Frequency Missing = 9582.282045

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f Frequency Percent		
None	93642	91.81
1-3 times	5439	5.33
4-9 times	1218	1.19
10+ times	1693	1.66

Frequency Missing = 9660.7540629

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g Frequency Percent		
None	94237	92.81
1-3 times	5935	5.85
4-9 times	740	0.73
10+ times	625	0.62

Frequency Missing = 10117.175269

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h Frequency Percent		
None	99596	97.10
1-3 times	2350	2.29
4-9 times	273	0.27
10+ times	351	0.34

Frequency Missing = 9083.2514337

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a Frequency Percent		
None	91451	88.13
1-3 days	9244	8.91
4-9 days	1598	1.54
10+ days	1471	1.42

Frequency Missing = 7889.1782328

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b Frequency Percent		
None	91271	87.95
1-3 days	6782	6.54
4-9 days	2219	2.14
10+ days	3508	3.38

Frequency Missing = 7872.4247041

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c Frequency Percent		
None	99709	96.80
1-3 days	1991	1.93
4-9 days	702	0.68
10+ days	599	0.58

Frequency Missing = 8653.4454294

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d Frequency Percent		
None	95784	92.48
1-3 days	4832	4.67
4-9 days	1427	1.38
10+ days	1535	1.48

Frequency Missing = 8075.7044936

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a Frequency Percent		
Never	29347	28.10
Seldom	10208	9.78
Half the time	7351	7.04
Most of the time	16101	15.42
Always	28321	27.12
Don't know	1946	1.86
Didn't attend	11158	10.68

Frequency Missing = 7221.4986449

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b Frequency Percent		
Never	46268	44.19
Seldom	13430	12.83
Half the time	9133	8.72
Most of the time	9441	9.02
Always	10849	10.36
Don't know	4488	4.29
Didn't attend	11097	10.60

Frequency Missing = 6948.3976277

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35 Frequency Percent		
No	88132	90.76
Yes	8969	9.24

Frequency Missing = 14552.045375

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a Frequency Percent		
No	68086	66.97
Yes	33580	33.03

Frequency Missing = 9987.7614462

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b Frequency Percent		
No	70689	69.94
Yes	30382	30.06

Frequency Missing = 10581.765051

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c Frequency Percent		
No	66687	66.66
Yes	33361	33.34

Frequency Missing = 11605.658639

**Region 9/10: Grades 7-12
Spring 2008**

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	39846	39.53
Yes	60956	60.47

Frequency Missing = 10851.836073

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	62748	62.67
Yes	37376	37.33

Frequency Missing = 11529.484164

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	30897	30.63
Yes	69987	69.37

Frequency Missing = 10769.021346

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	37704	37.30
Yes	63385	62.70

Frequency Missing = 10564.601429

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	83952	84.43
Yes	15483	15.57

Frequency Missing = 12218.250362

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	47336	51.68
Yes	44252	48.32

Frequency Missing = 20066.01378

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	49269	54.83
Yes	40592	45.17

Frequency Missing = 21792.195017

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	65820	73.86
Yes	23295	26.14

Frequency Missing = 22538.130739

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q37d	Frequency	Percent
No	59239	66.13
Yes	30335	33.87

Frequency Missing = 22079.749422

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	74135	83.49
Yes	14658	16.51

Frequency Missing = 22860.448172

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	76750	85.81
Yes	12696	14.19

Frequency Missing = 22206.362744

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	62555	70.85
Yes	25739	29.15

Frequency Missing = 23358.789805

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	60168	66.53
Yes	30273	33.47

Frequency Missing = 21211.802575

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	75565	74.79
Yes	25471	25.21

Frequency Missing = 10616.944902

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS		
q38b	Frequency	
No		54641
Yes		45691

**Region 9/10: Grades 7-12
Spring 2008**

Frequency Missing = 9624.6139877

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c Frequency Percent		
Strong disapprove	81904	80.34
Mild disapprove	5111	5.01
Neither	4211	4.13
Mildly approve	917	0.90
Strongly approve	1508	1.48
Don't know	8292	8.13

Frequency Missing = 9709.8372911

TESTED FOR DRUG USE AT SCHOOL		
q40 Frequency Percent		
No	83563	81.25
Yes	19284	18.75

Frequency Missing = 8805.7661975

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41 Frequency Percent		
No	89545	87.21
Yes	13135	12.79

Frequency Missing = 8973.0861912

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	54.46
Yes	45.54

Frequency Missing = 11321.293773

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	49204	48.99
Yes	51229	51.01

Frequency Missing = 11220.292481

DRUG/ALCOHOL INFO--PARENTS		
q38d	Frequency	Percent
No	49826	49.38
Yes	51085	50.62

Frequency Missing = 10742.114098

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a Frequency Percent		
Strong disapprove	74791	73.16
Mild disapprove	8501	8.32
Neither	6879	6.73
Mildly approve	1180	1.15
Strongly approve	1000	0.98
Don't know	9879	9.66

Frequency Missing = 9423.6955677

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b Frequency Percent		
Strong disapprove	62184	60.95
Mild disapprove	15504	15.20
Neither	11070	10.85
Mildly approve	3449	3.38
Strongly approve	1439	1.41
Don't know	8383	8.22

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district