

Texas School Survey of Drug and Alcohol Use: 2014

HHSC Region 11 Report Grades 6-12

Region 11 Report

Spring 2014

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.4%	10.1%	19.8%	80.1%
Grade 6	2.4%	2.9%	6.5%	93.5%
Grade 7	3.2%	4.3%	10.8%	89.2%
Grade 8	6.6%	8.8%	17.1%	82.9%
Grade 9	6.9%	8.4%	19.2%	80.8%
Grade 10	7.8%	11.7%	24.9%	75.1%
Grade 11	12.8%	17.8%	30.1%	69.8%
Grade 12	15.5%	21.7%	37.5%	62.5%
Cigarettes?				
All	6.8%	9.3%	19.0%	81.0%
Grade 6	2.0%	2.4%	5.9%	94.1%
Grade 7	2.9%	3.8%	10.4%	89.7%
Grade 8	5.6%	7.8%	16.1%	83.9%
Grade 9	6.5%	7.8%	18.5%	81.6%
Grade 10	7.0%	11.0%	24.5%	75.5%
Grade 11	12.0%	16.9%	29.1%	70.9%
Grade 12	14.8%	20.0%	35.6%	64.3%
Smokeless Tobacco?				
All	2.0%	3.3%	5.7%	94.3%
Grade 6	0.6%	0.8%	1.5%	98.5%
Grade 7	0.8%	1.3%	2.5%	97.4%
Grade 8	2.3%	3.5%	5.2%	94.7%
Grade 9	2.2%	3.3%	5.7%	94.3%
Grade 10	2.4%	3.8%	7.0%	93.1%
Grade 11	3.2%	4.9%	7.9%	92.1%
Grade 12	3.4%	6.7%	11.9%	88.0%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	87.5%	0.4%	1.1%	1.8%	2.9%	2.6%	3.8%
Grade 6	96.7%	0.0%	0.1%	0.5%	0.9%	0.7%	1.2%
Grade 7	95.9%	0.2%	0.0%	0.4%	1.0%	0.8%	1.6%
Grade 8	90.3%	0.2%	0.5%	1.7%	2.2%	2.5%	2.5%
Grade 9	86.9%	0.7%	1.1%	1.4%	2.3%	2.4%	5.2%
Grade 10	83.8%	0.1%	1.4%	2.2%	4.7%	3.0%	4.9%
Grade 11	80.9%	0.6%	2.1%	3.2%	4.7%	3.7%	4.9%
Grade 12	72.4%	1.5%	3.0%	4.2%	5.6%	5.8%	7.5%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.8	11.0	11.8	12.6	13.6	14.3	15.1

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.0%	20.0%	6.4%	7.6%	10.9%	15.1%
Grade 6	55.2%	29.4%	5.8%	4.1%	2.8%	2.8%
Grade 7	48.0%	31.1%	6.2%	6.1%	4.2%	4.3%
Grade 8	41.1%	23.6%	8.2%	7.1%	9.4%	10.5%
Grade 9	47.4%	15.4%	6.6%	7.1%	10.3%	13.2%
Grade 10	28.1%	14.3%	6.9%	11.7%	18.7%	20.3%
Grade 11	25.5%	13.4%	6.4%	9.7%	20.0%	25.0%
Grade 12	26.6%	7.1%	4.3%	8.5%	14.8%	38.6%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	70.8%	17.8%	7.5%	3.1%	0.8%
Grade 6	91.0%	6.5%	1.7%	0.6%	0.3%
Grade 7	83.7%	11.0%	3.7%	0.9%	0.7%
Grade 8	74.8%	17.2%	5.1%	2.6%	0.4%
Grade 9	71.4%	15.6%	8.6%	2.9%	1.5%
Grade 10	62.5%	24.1%	9.5%	3.2%	0.7%
Grade 11	54.2%	27.2%	11.6%	5.9%	1.1%
Grade 12	47.5%	28.8%	15.0%	7.4%	1.3%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.4%	5.2%	3.3%	1.0%	1.2%	10.8%
Grade 6	80.6%	2.5%	0.6%	0.4%	0.7%	15.2%
Grade 7	78.5%	2.9%	1.3%	0.4%	1.6%	15.4%
Grade 8	81.2%	4.0%	2.1%	0.7%	0.9%	11.1%
Grade 9	78.1%	3.3%	3.9%	1.8%	2.1%	10.9%
Grade 10	81.5%	5.7%	3.1%	0.6%	0.9%	8.2%
Grade 11	77.0%	9.5%	5.3%	1.1%	0.9%	6.2%
Grade 12	70.6%	10.9%	8.8%	2.3%	1.0%	6.3%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	71.7%	16.7%	5.0%	1.3%	5.3%
Grade 6	86.0%	7.1%	1.9%	0.9%	4.1%
Grade 7	78.9%	11.1%	3.4%	0.9%	5.7%
Grade 8	71.2%	16.7%	5.0%	1.0%	6.1%
Grade 9	74.2%	16.4%	2.5%	1.1%	5.8%
Grade 10	64.2%	20.9%	7.3%	1.4%	6.2%
Grade 11	59.9%	25.8%	8.2%	1.4%	4.7%
Grade 12	62.2%	22.6%	8.2%	2.8%	4.2%

Alcohol

Table A-1: How recently, if ever, have you used ...

		Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?					
	All	19.0%	25.2%	43.7%	56.3%
	Grade 6	7.4%	9.1%	21.7%	78.3%
	Grade 7	9.4%	11.5%	28.0%	72.0%
	Grade 8	15.8%	20.1%	41.3%	58.7%
	Grade 9	17.7%	23.4%	39.3%	60.7%
	Grade 10	24.6%	33.7%	57.4%	42.6%
	Grade 11	31.2%	41.4%	62.5%	37.6%
	Grade 12	33.4%	47.0%	66.5%	33.4%
Beer?					
	All	12.6%	17.5%	33.3%	66.7%
	Grade 6	4.5%	5.4%	13.5%	86.5%
	Grade 7	4.7%	6.2%	19.7%	80.4%
	Grade 8	9.8%	12.8%	30.8%	69.3%
	Grade 9	11.3%	17.2%	30.1%	69.9%
	Grade 10	15.2%	22.4%	43.7%	56.2%
	Grade 11	22.4%	30.7%	49.0%	51.0%
	Grade 12	25.9%	35.9%	57.1%	42.9%
Wine Coolers?					
	All	10.1%	14.6%	25.5%	74.5%
	Grade 6	2.9%	3.9%	8.8%	91.2%
	Grade 7	4.5%	5.9%	14.2%	85.8%
	Grade 8	6.3%	9.0%	19.7%	80.4%
	Grade 9	8.9%	12.0%	22.1%	77.9%
	Grade 10	14.8%	21.6%	36.8%	63.1%
	Grade 11	18.0%	26.5%	41.5%	58.6%
	Grade 12	20.0%	30.9%	45.1%	54.9%
Wine?					
	All	7.9%	11.6%	24.5%	75.4%
	Grade 6	2.6%	3.8%	9.5%	90.6%
	Grade 7	3.8%	4.9%	13.9%	86.0%
	Grade 8	5.8%	8.2%	20.7%	79.3%
	Grade 9	9.5%	11.9%	23.9%	76.1%
	Grade 10	9.9%	16.0%	33.0%	66.9%
	Grade 11	12.1%	18.9%	37.0%	63.0%
	Grade 12	14.4%	22.4%	41.5%	58.5%
Liquor?					
	All	10.8%	16.1%	27.4%	72.6%
	Grade 6	0.6%	1.6%	5.0%	94.9%
	Grade 7	3.8%	5.0%	11.2%	88.9%
	Grade 8	6.4%	9.1%	19.9%	80.1%
	Grade 9	10.9%	17.0%	25.8%	74.2%
	Grade 10	13.3%	22.2%	40.4%	59.6%
	Grade 11	22.4%	31.3%	49.3%	50.7%
	Grade 12	23.9%	35.1%	52.3%	47.7%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	67.1%	0.3%	1.9%	6.2%	9.6%	8.0%	6.8%
Grade 6	89.9%	0.3%	0.4%	1.3%	3.0%	1.7%	3.3%
Grade 7	85.0%	0.3%	0.9%	1.4%	2.6%	5.3%	4.6%
Grade 8	73.3%	0.3%	1.6%	3.5%	6.2%	7.6%	7.4%
Grade 9	69.2%	0.4%	2.0%	5.4%	9.8%	7.4%	5.6%
Grade 10	51.6%	0.3%	2.5%	9.9%	13.6%	11.7%	10.5%
Grade 11	46.5%	0.4%	3.4%	12.4%	16.3%	12.8%	8.2%
Grade 12	41.5%	0.5%	3.6%	12.3%	20.4%	12.3%	9.4%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	66.6%	33.3%	7.3%	16.2%	9.8%
	Grade 6	83.3%	16.6%	1.1%	6.8%	8.7%
	Grade 7	79.8%	20.2%	2.2%	9.3%	8.7%
	Grade 8	69.1%	30.9%	3.6%	15.7%	11.6%
	Grade 9	69.4%	30.6%	6.2%	16.5%	7.9%
	Grade 10	56.3%	43.7%	11.7%	19.7%	12.3%
	Grade 11	51.4%	48.7%	15.0%	23.8%	9.9%
	Grade 12	47.3%	52.7%	15.6%	26.9%	10.2%
Wine Coolers	All	73.7%	26.3%	6.3%	15.2%	4.8%
	Grade 6	90.5%	9.5%	1.5%	4.8%	3.2%
	Grade 7	86.8%	13.1%	2.2%	7.4%	3.5%
	Grade 8	79.5%	20.5%	3.2%	11.2%	6.1%
	Grade 9	76.4%	23.5%	6.2%	13.8%	3.5%
	Grade 10	60.8%	39.2%	9.0%	22.8%	7.4%
	Grade 11	58.0%	42.0%	12.4%	24.5%	5.1%
	Grade 12	53.9%	46.0%	12.5%	28.0%	5.5%
Wine	All	75.5%	24.6%	2.5%	12.8%	9.3%
	Grade 6	90.8%	9.2%	0.6%	3.6%	5.0%
	Grade 7	85.4%	14.7%	1.1%	6.9%	6.7%
	Grade 8	79.1%	21.0%	1.7%	10.4%	8.9%
	Grade 9	75.9%	24.0%	2.7%	14.4%	6.9%
	Grade 10	64.3%	35.8%	4.0%	19.7%	12.1%
	Grade 11	64.0%	36.1%	5.2%	17.6%	13.3%
	Grade 12	61.1%	38.8%	3.0%	21.3%	14.5%
Liquor	All	71.9%	28.2%	8.0%	14.1%	6.1%
	Grade 6	94.3%	5.5%	1.4%	2.1%	2.0%
	Grade 7	89.3%	10.6%	1.6%	4.8%	4.2%
	Grade 8	79.6%	20.4%	2.8%	11.6%	6.0%
	Grade 9	72.2%	27.8%	8.4%	12.9%	6.5%
	Grade 10	56.5%	43.4%	12.4%	20.7%	10.3%
	Grade 11	51.2%	48.8%	16.6%	24.5%	7.7%
	Grade 12	46.9%	53.1%	17.0%	28.9%	7.2%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	86.8%	5.0%	3.0%	2.6%	0.9%	1.6%
	Grade 6	95.1%	2.4%	1.1%	0.8%	0.1%	0.4%
	Grade 7	94.1%	2.6%	1.4%	0.4%	0.4%	1.1%
	Grade 8	90.1%	4.4%	1.6%	2.2%	0.6%	1.1%
	Grade 9	88.0%	3.9%	2.6%	2.9%	0.5%	2.1%
	Grade 10	82.2%	6.3%	4.5%	3.5%	1.6%	1.9%
	Grade 11	76.8%	8.7%	4.7%	5.4%	1.4%	3.0%
	Grade 12	76.3%	8.5%	6.0%	4.2%	2.4%	2.5%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	10.0	10.6	11.4	12.9	13.5	14.3	14.8

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.3%	15.3%	5.2%	9.1%	15.2%	21.9%
Grade 6	50.4%	27.0%	5.5%	5.4%	5.3%	6.4%
Grade 7	43.6%	25.6%	5.5%	7.3%	7.6%	10.5%
Grade 8	34.5%	16.5%	5.7%	9.7%	17.3%	16.4%
Grade 9	38.7%	11.5%	5.7%	9.8%	14.0%	20.3%
Grade 10	19.3%	9.9%	4.8%	9.8%	22.9%	33.3%
Grade 11	17.5%	6.9%	5.2%	12.1%	20.5%	37.9%
Grade 12	21.5%	4.1%	3.7%	11.2%	22.9%	36.6%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.7%	3.3%	0.5%	0.5%
Grade 6	97.9%	1.8%	0.1%	0.2%
Grade 7	97.1%	2.3%	0.1%	0.4%
Grade 8	96.0%	3.4%	0.3%	0.2%
Grade 9	96.5%	2.3%	0.2%	1.0%
Grade 10	94.6%	3.7%	1.2%	0.5%
Grade 11	94.7%	4.3%	0.5%	0.5%
Grade 12	91.9%	6.5%	1.3%	0.3%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.2
Average days conduct problems reported	
Alcohol Users	2.7
Alcohol Non-Users	1.1

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	93.7%	4.6%	1.0%	0.6%
Grade 9	96.6%	2.4%	0.5%	0.6%
Grade 10	94.7%	4.0%	1.1%	0.2%
Grade 11	93.6%	4.4%	1.0%	0.9%
Grade 12	89.0%	8.5%	1.7%	0.7%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.3%	3.3%	0.3%	0.1%
Grade 6	98.8%	1.1%	0.0%	0.1%
Grade 7	97.5%	2.4%	0.1%	0.0%
Grade 8	97.3%	2.3%	0.3%	0.1%
Grade 9	97.4%	2.0%	0.0%	0.6%
Grade 10	94.9%	5.0%	0.1%	0.0%
Grade 11	92.8%	6.1%	0.9%	0.2%
Grade 12	93.9%	5.4%	0.7%	0.0%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.1%	4.3%	0.3%	0.2%
Grade 6	98.3%	1.7%	0.0%	0.0%
Grade 7	97.6%	2.3%	0.0%	0.1%
Grade 8	96.4%	3.4%	0.1%	0.1%
Grade 9	95.9%	3.2%	0.2%	0.6%
Grade 10	92.6%	6.2%	0.8%	0.4%
Grade 11	90.4%	8.8%	0.7%	0.1%
Grade 12	92.8%	6.0%	0.8%	0.4%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	52.0%	21.6%	12.7%	10.2%	3.6%
Grade 6	84.5%	11.0%	3.2%	0.9%	0.3%
Grade 7	71.9%	18.3%	6.4%	2.3%	1.0%
Grade 8	58.6%	24.5%	11.1%	4.9%	0.8%
Grade 9	54.2%	21.4%	12.6%	8.4%	3.4%
Grade 10	30.0%	27.1%	19.8%	17.4%	5.6%
Grade 11	25.8%	28.4%	17.8%	20.7%	7.3%
Grade 12	24.6%	22.4%	21.8%	22.3%	8.8%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	54.5%	7.4%	5.4%	8.0%	10.0%	2.4%	12.3%
Grade 6	80.2%	3.6%	3.8%	2.1%	0.9%	1.4%	7.9%
Grade 7	72.1%	6.2%	3.5%	4.3%	1.7%	2.6%	9.6%
Grade 8	60.8%	9.5%	6.1%	5.8%	3.0%	3.1%	11.7%
Grade 9	53.7%	9.1%	5.3%	8.4%	8.7%	2.4%	12.5%
Grade 10	38.1%	9.8%	8.1%	13.6%	13.8%	2.8%	13.8%
Grade 11	30.2%	6.7%	7.2%	12.0%	21.9%	3.1%	18.9%
Grade 12	35.0%	7.0%	4.2%	12.2%	26.8%	1.6%	13.2%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	60.3%	23.4%	11.1%	3.9%	1.3%
	Grade 6	71.0%	24.2%	3.2%	1.4%	0.2%
	Grade 7	68.4%	24.5%	4.8%	2.0%	0.3%
	Grade 8	64.7%	21.6%	9.1%	3.4%	1.2%
	Grade 9	64.6%	18.3%	12.3%	3.6%	1.3%
	Grade 10	51.1%	25.6%	16.1%	5.4%	1.8%
	Grade 11	50.6%	23.5%	17.1%	5.7%	3.1%
	Grade 12	44.8%	27.2%	18.8%	7.3%	1.9%
Friends?	All	57.1%	19.3%	10.9%	9.5%	3.3%
	Grade 6	71.0%	24.2%	2.8%	1.5%	0.6%
	Grade 7	68.1%	22.9%	5.5%	2.8%	0.7%
	Grade 8	62.5%	23.5%	7.7%	4.6%	1.6%
	Grade 9	62.0%	15.5%	11.4%	8.4%	2.7%
	Grade 10	44.5%	18.8%	17.4%	13.2%	6.1%
	Grade 11	44.5%	13.9%	15.2%	19.6%	6.6%
	Grade 12	38.3%	13.3%	20.1%	21.4%	6.8%
Store?	All	58.9%	32.0%	4.2%	3.1%	1.8%
	Grade 6	71.1%	27.3%	0.7%	0.4%	0.5%
	Grade 7	69.0%	28.2%	1.5%	1.0%	0.3%
	Grade 8	64.4%	31.1%	3.0%	1.0%	0.6%
	Grade 9	63.3%	28.6%	3.7%	2.6%	1.8%
	Grade 10	48.1%	39.9%	5.6%	4.0%	2.5%
	Grade 11	47.8%	34.0%	8.1%	6.6%	3.5%
	Grade 12	40.6%	37.8%	8.7%	8.0%	4.8%
Parties?	All	54.5%	16.7%	9.6%	10.1%	9.2%
	Grade 6	67.8%	23.4%	3.6%	3.9%	1.3%
	Grade 7	64.7%	20.3%	6.6%	6.1%	2.3%
	Grade 8	58.3%	18.8%	10.6%	8.1%	4.3%
	Grade 9	60.4%	12.7%	9.9%	8.2%	8.9%
	Grade 10	42.5%	14.4%	12.5%	15.2%	15.4%
	Grade 11	41.3%	12.6%	12.8%	16.0%	17.4%
	Grade 12	38.2%	12.4%	13.1%	16.2%	20.0%
Other Source?	All	59.5%	24.1%	7.2%	4.8%	4.5%
	Grade 6	71.7%	23.8%	2.1%	1.6%	0.7%
	Grade 7	66.7%	24.3%	4.3%	3.4%	1.2%
	Grade 8	63.3%	23.8%	6.7%	3.1%	3.0%
	Grade 9	65.1%	18.5%	7.2%	3.5%	5.7%
	Grade 10	48.9%	26.8%	11.0%	6.8%	6.5%
	Grade 11	49.4%	24.7%	9.4%	8.6%	8.0%
	Grade 12	43.8%	28.0%	11.6%	8.3%	8.3%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	68.6%	10.0%	6.7%	3.1%	1.5%	10.1%
Grade 6	78.1%	2.8%	2.3%	0.7%	1.0%	15.1%
Grade 7	73.4%	5.6%	2.7%	1.2%	1.6%	15.5%
Grade 8	72.9%	9.7%	4.1%	1.9%	0.6%	10.7%
Grade 9	67.2%	9.6%	6.4%	3.9%	2.3%	10.5%
Grade 10	64.9%	13.5%	8.3%	5.0%	1.7%	6.6%
Grade 11	61.9%	16.2%	11.8%	3.8%	1.5%	4.8%
Grade 12	57.2%	15.5%	14.1%	6.3%	1.9%	4.9%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	59.2%	24.3%	9.9%	2.2%	4.4%
Grade 6	77.1%	12.5%	5.1%	0.8%	4.5%
Grade 7	65.3%	19.0%	8.2%	2.0%	5.5%
Grade 8	56.2%	25.6%	10.9%	2.7%	4.6%
Grade 9	59.7%	24.0%	9.4%	2.4%	4.5%
Grade 10	49.2%	30.0%	11.9%	3.1%	5.9%
Grade 11	49.0%	33.3%	12.8%	2.1%	2.7%
Grade 12	53.1%	29.2%	12.6%	2.5%	2.6%

Drugs

Table D-1: How recently, if ever, have you used ...

		Past Month	School Year	Ever Used	Never Used
Marijuana?	All	8.6%	12.1%	21.5%	78.5%
	Grade 6	1.5%	2.1%	4.3%	95.6%
	Grade 7	3.6%	4.5%	9.5%	90.5%
	Grade 8	6.1%	8.5%	15.8%	84.2%
	Grade 9	10.5%	14.6%	22.5%	77.5%
	Grade 10	10.8%	16.3%	31.0%	69.0%
	Grade 11	13.7%	19.5%	36.0%	64.0%
	Grade 12	17.6%	24.5%	40.0%	59.9%
Cocaine?	All	1.1%	1.5%	2.9%	97.1%
	Grade 6	0.1%	0.2%	0.2%	99.8%
	Grade 7	1.0%	1.3%	1.8%	98.1%
	Grade 8	0.7%	0.7%	1.9%	98.1%
	Grade 9	2.2%	2.4%	2.9%	97.1%
	Grade 10	0.7%	1.1%	3.0%	97.0%
	Grade 11	1.0%	1.8%	4.7%	95.3%
	Grade 12	2.7%	3.5%	7.2%	92.8%
Crack?	All	0.3%	0.4%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.4%	0.8%	1.1%	99.0%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.3%	0.3%	0.7%	99.3%
	Grade 11	0.1%	0.1%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens?	All	0.9%	1.2%	2.3%	97.7%
	Grade 6	0.2%	0.3%	0.4%	99.7%
	Grade 7	0.4%	0.5%	0.8%	99.1%
	Grade 8	1.0%	1.4%	1.9%	98.1%
	Grade 9	0.9%	1.1%	2.2%	97.8%
	Grade 10	1.3%	1.8%	4.0%	96.0%
	Grade 11	1.1%	1.3%	3.1%	96.9%
	Grade 12	1.4%	2.3%	4.5%	95.5%
Rohypnol?	All	0.6%	0.8%	1.7%	98.3%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.9%	98.1%
	Grade 9	1.3%	1.5%	1.9%	98.1%
	Grade 10	1.1%	1.2%	2.6%	97.4%
	Grade 11	0.7%	1.0%	3.2%	96.7%
	Grade 12	0.5%	0.7%	2.2%	97.7%

**Table D-1: How recently, if ever, have you used ...
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Steroids?					
	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	0.6%	0.6%	1.2%	98.9%
	Grade 7	0.5%	0.7%	1.0%	99.1%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.7%	0.7%	1.2%	98.8%
	Grade 11	0.4%	0.6%	1.1%	98.8%
	Grade 12	0.6%	0.7%	0.8%	99.2%
Ecstasy?					
	All	1.0%	1.6%	3.0%	97.0%
	Grade 6	0.1%	0.3%	0.4%	99.7%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.7%	0.8%	1.4%	98.5%
	Grade 9	1.7%	2.7%	3.3%	96.7%
	Grade 10	1.7%	2.9%	4.8%	95.1%
	Grade 11	1.0%	1.7%	4.8%	95.2%
	Grade 12	1.6%	2.8%	6.8%	93.2%
Heroin?					
	All	0.2%	0.3%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.7%
	Grade 7	0.2%	0.4%	0.5%	99.5%
	Grade 8	0.4%	0.6%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.4%	0.8%	99.3%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?					
	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.6%	0.6%	0.7%	99.2%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.3%	0.3%	0.4%	99.6%
	Grade 11	0.1%	0.2%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana?					
	All	2.5%	3.6%	7.6%	92.4%
	Grade 6	0.6%	0.6%	2.2%	97.8%
	Grade 7	1.1%	1.7%	3.6%	96.4%
	Grade 8	3.1%	4.1%	6.1%	93.8%
	Grade 9	4.8%	5.9%	9.2%	90.9%
	Grade 10	2.4%	4.6%	11.0%	89.1%
	Grade 11	2.9%	4.2%	12.5%	87.5%
	Grade 12	2.6%	4.4%	10.5%	89.5%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	81.3%	2.1%	2.4%	2.8%	3.7%	3.5%	4.2%
	Grade 6	96.0%	0.6%	0.5%	0.6%	1.1%	0.6%	0.6%
	Grade 7	92.2%	0.6%	0.8%	1.5%	1.9%	1.4%	1.6%
	Grade 8	87.4%	0.7%	2.3%	1.8%	2.7%	1.9%	3.1%
	Grade 9	80.3%	2.8%	3.0%	2.9%	4.1%	3.1%	4.0%
	Grade 10	71.4%	2.1%	3.3%	4.7%	4.9%	6.1%	7.4%
	Grade 11	69.6%	3.5%	4.2%	4.0%	5.0%	6.1%	7.6%
	Grade 12	63.9%	5.3%	3.7%	5.2%	7.5%	7.2%	7.2%
Cocaine?								
	All	98.2%	0.1%	0.0%	0.2%	0.4%	0.4%	0.6%
	Grade 6	99.5%	0.0%	0.0%	0.1%	0.2%	0.2%	0.0%
	Grade 7	99.3%	0.1%	0.0%	0.1%	0.0%	0.3%	0.1%
	Grade 8	98.9%	0.0%	0.0%	0.1%	0.2%	0.5%	0.3%
	Grade 9	98.2%	0.5%	0.0%	0.2%	0.3%	0.2%	0.5%
	Grade 10	98.4%	0.0%	0.0%	0.3%	0.3%	0.4%	0.6%
	Grade 11	96.7%	0.0%	0.2%	0.4%	0.4%	0.8%	1.5%
	Grade 12	95.0%	0.1%	0.0%	0.6%	2.1%	0.6%	1.6%
Crack?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 6	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.2%	0.2%	0.1%
	Grade 9	99.5%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 11	99.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 12	99.9%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.1%	0.1%	0.0%	0.1%	0.2%
	Grade 6	99.4%	0.3%	0.0%	0.3%	0.0%	0.0%	0.0%
	Grade 7	99.4%	0.3%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.1%	0.0%	0.3%	0.1%	0.1%	0.0%
	Grade 11	98.7%	0.2%	0.3%	0.1%	0.0%	0.3%	0.4%
	Grade 12	99.1%	0.1%	0.1%	0.2%	0.0%	0.0%	0.5%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	97.6%	0.0%	0.0%	0.2%	0.6%	0.7%	0.7%
	Grade 6	99.4%	0.1%	0.1%	0.1%	0.1%	0.0%	0.3%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 8	98.6%	0.0%	0.1%	0.3%	0.3%	0.5%	0.1%
	Grade 9	97.4%	0.0%	0.0%	0.0%	1.2%	0.9%	0.5%
	Grade 10	95.5%	0.2%	0.1%	0.5%	1.2%	1.9%	0.7%
	Grade 11	96.3%	0.0%	0.0%	0.3%	0.6%	1.0%	1.7%
	Grade 12	95.1%	0.0%	0.0%	0.2%	0.9%	1.2%	2.6%
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 8	99.7%	0.1%	0.1%	0.1%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 6	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	99.6%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.5%	0.1%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 11	99.7%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Synthetic Marijuana?								
	All	93.7%	0.3%	0.5%	0.4%	1.2%	1.5%	2.3%
	Grade 6	98.0%	0.3%	0.0%	0.3%	0.5%	0.4%	0.5%
	Grade 7	96.6%	0.3%	0.2%	0.2%	1.4%	0.1%	1.2%
	Grade 8	94.9%	0.4%	0.9%	0.4%	1.4%	0.9%	1.1%
	Grade 9	91.3%	1.1%	1.2%	0.6%	0.7%	2.0%	3.1%
	Grade 10	92.4%	0.0%	0.3%	0.5%	1.4%	2.6%	2.7%
	Grade 11	89.5%	0.1%	0.4%	0.7%	2.1%	2.6%	4.5%
	Grade 12	91.9%	0.1%	0.4%	0.2%	0.7%	2.5%	4.2%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.2	11.7	12.2	12.9	13.8	14.3	15.0
Cocaine	11.7	11.8	12.4	14.0	14.6	15.0	15.9
Crack	12.0	11.7	12.2	15.0	14.0	13.6	12.0
Steroids	10.4	11.1	13.2	*	12.1	15.3	14.7
Ecstasy	10.8	11.6	13.0	14.2	14.6	15.5	16.2
Heroin	9.2	10.6	8.6	15.0	11.7	11.7	17.0
Methamphetamine	12.8	10.9	11.7	13.9	10.7	12.7	15.0
Synthetic Marijuana	12.0	11.8	12.5	13.5	14.2	15.2	15.8

Table D-4: Age of first use of marijuana by family situation

		Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two Parent Family									
	All	83.7%	0.3%	0.2%	1.9%	4.7%	5.8%	3.1%	0.3%
	Grade 6	95.7%	0.0%	0.3%	2.3%	1.7%	0.0%	0.0%	0.0%
	Grade 7	93.2%	0.2%	0.1%	2.2%	3.9%	0.4%	0.0%	0.0%
	Grade 8	88.7%	0.6%	0.3%	2.3%	6.6%	1.6%	0.0%	0.0%
	Grade 9	82.4%	0.3%	0.0%	3.0%	6.6%	6.8%	0.9%	0.0%
	Grade 10	76.0%	0.5%	0.0%	1.8%	4.9%	14.1%	2.6%	0.0%
	Grade 11	71.1%	0.4%	0.6%	0.9%	5.9%	12.1%	8.8%	0.2%
	Grade 12	69.3%	0.6%	0.2%	0.7%	3.5%	10.0%	13.8%	2.0%
Other Family Situation									
	All	69.2%	0.9%	0.6%	3.0%	8.8%	12.4%	4.7%	0.3%
	Grade 6	93.2%	0.3%	0.4%	3.6%	2.2%	0.4%	0.0%	0.0%
	Grade 7	84.1%	0.4%	0.9%	4.6%	8.4%	1.6%	0.0%	0.0%
	Grade 8	79.3%	1.4%	0.0%	3.3%	11.0%	4.8%	0.0%	0.2%
	Grade 9	68.3%	1.2%	1.6%	3.6%	10.5%	14.0%	0.7%	0.0%
	Grade 10	57.1%	1.4%	0.3%	2.5%	11.6%	22.6%	4.5%	0.0%
	Grade 11	55.6%	0.2%	0.6%	2.3%	9.0%	22.2%	10.1%	0.0%
	Grade 12	44.4%	1.7%	0.6%	1.0%	8.0%	21.2%	20.6%	2.7%

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	36.3%	19.1%	5.2%	7.7%	11.6%	20.0%
	Grade 6	55.0%	29.0%	7.2%	2.8%	2.5%	3.5%
	Grade 7	44.1%	30.9%	4.9%	6.8%	5.5%	7.8%
	Grade 8	39.5%	22.5%	6.4%	9.1%	8.9%	13.6%
	Grade 9	40.1%	14.6%	3.9%	6.9%	14.2%	20.3%
	Grade 10	21.5%	12.6%	5.6%	10.6%	18.5%	31.1%
	Grade 11	21.8%	11.1%	3.7%	9.8%	16.5%	37.1%
	Grade 12	24.8%	6.9%	4.6%	9.1%	19.2%	35.3%
Cocaine	All	45.8%	25.3%	9.1%	7.5%	5.8%	6.5%
	Grade 6	59.9%	30.3%	6.1%	1.3%	0.9%	1.4%
	Grade 7	50.6%	33.4%	6.1%	4.2%	3.0%	2.7%
	Grade 8	46.6%	27.8%	10.8%	5.3%	4.6%	4.9%
	Grade 9	50.1%	21.4%	6.9%	7.9%	6.9%	6.8%
	Grade 10	34.7%	24.5%	10.3%	12.3%	8.7%	9.5%
	Grade 11	35.2%	20.3%	11.9%	12.2%	10.2%	10.3%
	Grade 12	38.2%	15.2%	13.0%	12.2%	8.6%	12.8%
Crack	All	49.8%	25.5%	9.0%	6.7%	4.1%	4.9%
	Grade 6	64.9%	27.0%	5.5%	1.0%	0.6%	1.0%
	Grade 7	55.4%	31.6%	4.7%	4.0%	2.5%	1.8%
	Grade 8	50.1%	27.7%	9.5%	4.8%	3.4%	4.5%
	Grade 9	53.9%	22.1%	6.8%	6.0%	5.1%	6.0%
	Grade 10	38.1%	25.7%	11.6%	11.8%	5.7%	7.1%
	Grade 11	39.1%	23.1%	13.2%	10.3%	6.9%	7.3%
	Grade 12	41.4%	18.6%	14.7%	11.8%	5.5%	8.1%
Steroids	All	50.9%	25.3%	8.1%	6.8%	4.3%	4.6%
	Grade 6	64.1%	26.8%	3.8%	2.0%	1.5%	1.8%
	Grade 7	57.6%	29.8%	4.7%	3.2%	3.2%	1.4%
	Grade 8	50.5%	28.3%	8.4%	5.5%	2.9%	4.5%
	Grade 9	55.6%	21.5%	8.2%	5.8%	4.0%	4.9%
	Grade 10	40.0%	25.1%	11.3%	11.1%	7.5%	5.1%
	Grade 11	40.1%	23.4%	11.1%	10.1%	7.0%	8.2%
	Grade 12	42.7%	20.2%	10.8%	13.0%	5.5%	7.8%

**Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	54.7%	20.5%	6.6%	6.6%	5.3%	6.2%
	Grade 6	73.7%	19.4%	4.3%	1.4%	0.5%	0.8%
	Grade 7	65.3%	25.3%	3.8%	2.2%	2.2%	1.2%
	Grade 8	57.8%	24.3%	5.9%	5.1%	3.0%	3.9%
	Grade 9	57.8%	17.5%	5.5%	8.2%	5.2%	5.8%
	Grade 10	40.4%	22.5%	9.0%	9.9%	8.5%	9.7%
	Grade 11	39.9%	18.2%	10.2%	9.7%	9.9%	12.0%
	Grade 12	39.7%	14.7%	8.9%	12.4%	10.6%	13.7%
Heroin?							
	All	55.9%	24.8%	7.8%	5.1%	2.7%	3.7%
	Grade 6	72.5%	22.3%	3.1%	0.8%	0.1%	1.1%
	Grade 7	63.4%	27.6%	3.6%	2.3%	1.4%	1.8%
	Grade 8	56.7%	26.0%	7.8%	3.9%	2.5%	3.1%
	Grade 9	58.4%	22.9%	6.4%	5.0%	3.4%	3.9%
	Grade 10	44.1%	27.5%	10.5%	8.1%	4.2%	5.7%
	Grade 11	45.0%	25.7%	12.3%	7.1%	4.5%	5.4%
	Grade 12	45.0%	21.1%	13.6%	10.9%	3.6%	5.7%
Methamphetamine?							
	All	58.2%	23.3%	7.7%	4.9%	2.3%	3.6%
	Grade 6	74.9%	19.9%	3.3%	0.5%	0.6%	0.7%
	Grade 7	64.2%	26.5%	4.2%	2.4%	1.7%	0.9%
	Grade 8	60.2%	23.2%	7.5%	3.8%	1.8%	3.5%
	Grade 9	60.6%	21.3%	6.4%	4.5%	3.0%	4.2%
	Grade 10	48.3%	24.8%	9.5%	8.5%	3.1%	5.7%
	Grade 11	46.7%	25.6%	11.5%	7.1%	3.5%	5.7%
	Grade 12	46.0%	21.4%	14.4%	9.7%	2.8%	5.6%
Synthetic Marijuana?							
	All	53.2%	18.4%	5.6%	5.7%	6.7%	10.4%
	Grade 6	72.2%	19.9%	3.0%	1.4%	1.7%	1.8%
	Grade 7	60.9%	25.2%	4.6%	2.4%	3.1%	3.8%
	Grade 8	55.3%	22.0%	5.4%	5.8%	4.3%	7.2%
	Grade 9	54.6%	14.7%	4.5%	6.3%	7.3%	12.6%
	Grade 10	41.4%	17.3%	6.7%	8.2%	12.1%	14.4%
	Grade 11	40.1%	15.5%	7.7%	7.8%	11.3%	17.7%
	Grade 12	41.1%	11.4%	8.3%	10.1%	9.5%	19.5%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	91.4%	5.2%	1.2%	2.2%
Grade 6	97.8%	1.5%	0.4%	0.3%
Grade 7	95.5%	3.4%	0.7%	0.4%
Grade 8	94.4%	3.7%	1.0%	0.9%
Grade 9	88.7%	6.4%	1.2%	3.7%
Grade 10	88.6%	6.2%	2.2%	3.1%
Grade 11	87.3%	7.6%	1.4%	3.7%
Grade 12	84.6%	9.2%	1.8%	4.3%
Attended Class While High From Use Of Some Other Drug?				
All	96.6%	2.3%	0.4%	0.7%
Grade 6	98.8%	0.9%	0.1%	0.2%
Grade 7	97.4%	1.8%	0.1%	0.7%
Grade 8	97.8%	1.4%	0.4%	0.3%
Grade 9	95.5%	2.9%	0.4%	1.2%
Grade 10	95.4%	2.8%	0.8%	0.9%
Grade 11	95.5%	2.7%	0.6%	1.2%
Grade 12	95.3%	3.8%	0.5%	0.4%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.6
Marijuana Non-Users	3.3
Average days conduct problems reported	
Marijuana Users	3.8
Marijuana Non-Users	1.2

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	92.8%	4.4%	0.8%	1.9%
Grade 9	95.5%	2.9%	0.0%	1.6%
Grade 10	95.4%	2.8%	0.5%	1.3%
Grade 11	90.8%	6.3%	1.3%	1.5%
Grade 12	88.6%	6.2%	1.7%	3.5%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.9%	3.4%	0.5%	0.2%
Grade 6	98.7%	1.2%	0.1%	0.0%
Grade 7	97.3%	2.4%	0.2%	0.1%
Grade 8	96.8%	2.2%	0.9%	0.2%
Grade 9	94.4%	4.8%	0.4%	0.4%
Grade 10	94.5%	4.5%	0.9%	0.1%
Grade 11	94.1%	5.0%	0.6%	0.3%
Grade 12	95.0%	4.6%	0.3%	0.2%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.2%	3.8%	0.6%	0.4%
Grade 6	98.5%	1.3%	0.0%	0.1%
Grade 7	97.9%	1.7%	0.2%	0.2%
Grade 8	96.1%	2.8%	0.6%	0.4%
Grade 9	94.2%	4.5%	0.9%	0.4%
Grade 10	92.0%	6.2%	1.0%	0.8%
Grade 11	92.1%	6.2%	1.2%	0.5%
Grade 12	94.5%	4.6%	0.5%	0.4%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	55.7%	18.9%	10.9%	10.2%	4.4%
Grade 6	83.1%	11.6%	2.3%	1.5%	1.5%
Grade 7	71.3%	15.2%	6.6%	4.5%	2.4%
Grade 8	60.4%	20.6%	9.2%	7.2%	2.5%
Grade 9	56.3%	16.3%	12.7%	10.2%	4.5%
Grade 10	38.1%	24.7%	14.2%	17.0%	6.0%
Grade 11	33.4%	25.1%	18.3%	17.7%	5.6%
Grade 12	35.9%	21.3%	16.0%	16.9%	10.0%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	60.8%	5.5%	4.8%	6.3%	7.5%	2.9%	12.3%
Grade 6	84.4%	2.1%	1.7%	1.2%	0.6%	2.4%	7.6%
Grade 7	76.5%	3.1%	4.3%	2.6%	1.2%	2.6%	9.6%
Grade 8	68.8%	5.8%	3.0%	4.4%	3.0%	3.3%	11.7%
Grade 9	58.9%	6.0%	5.4%	7.4%	7.0%	2.4%	13.0%
Grade 10	47.3%	7.9%	8.4%	8.5%	10.1%	4.1%	13.9%
Grade 11	37.5%	7.7%	5.9%	10.1%	17.0%	3.2%	18.5%
Grade 12	41.5%	7.4%	5.5%	12.0%	18.2%	2.6%	12.9%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	79.0%	4.1%	3.7%	1.3%	1.9%	10.1%
Grade 6	80.7%	2.1%	0.9%	0.1%	1.1%	15.2%
Grade 7	78.5%	1.7%	2.0%	0.9%	1.9%	15.0%
Grade 8	81.0%	3.2%	2.4%	1.0%	1.8%	10.6%
Grade 9	77.1%	4.5%	3.6%	1.9%	2.6%	10.3%
Grade 10	78.9%	5.5%	5.7%	1.6%	1.7%	6.7%
Grade 11	80.4%	5.9%	5.5%	1.6%	1.7%	4.8%
Grade 12	76.0%	6.8%	7.3%	2.1%	2.5%	5.3%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?						
	All	64.6%	11.2%	8.7%	10.8%	4.6%
	Grade 6	88.9%	4.6%	2.1%	1.3%	3.2%
	Grade 7	79.2%	8.4%	4.1%	3.5%	4.8%
	Grade 8	69.4%	11.6%	6.6%	7.0%	5.4%
	Grade 9	62.4%	11.4%	8.7%	12.5%	5.0%
	Grade 10	47.6%	15.5%	13.7%	17.2%	6.1%
	Grade 11	49.1%	14.3%	13.8%	18.8%	3.9%
	Grade 12	46.1%	14.7%	15.1%	20.3%	3.7%
Cocaine?						
	All	88.8%	4.9%	1.0%	0.7%	4.6%
	Grade 6	92.3%	2.6%	0.7%	0.5%	3.8%
	Grade 7	88.2%	4.6%	1.6%	0.6%	4.9%
	Grade 8	85.8%	7.3%	0.7%	0.4%	5.8%
	Grade 9	88.5%	5.3%	0.2%	0.8%	5.1%
	Grade 10	87.3%	5.2%	1.6%	0.6%	5.3%
	Grade 11	89.9%	4.8%	0.8%	0.7%	3.7%
	Grade 12	89.5%	4.7%	1.3%	1.1%	3.3%
Crack?						
	All	89.6%	4.1%	0.7%	0.7%	4.9%
	Grade 6	91.1%	2.6%	0.9%	0.5%	4.9%
	Grade 7	89.0%	4.3%	0.8%	0.5%	5.3%
	Grade 8	86.2%	6.8%	0.7%	0.4%	5.9%
	Grade 9	90.0%	3.1%	0.2%	1.3%	5.3%
	Grade 10	88.7%	4.5%	1.3%	0.4%	5.1%
	Grade 11	91.4%	3.5%	0.6%	0.8%	3.6%
	Grade 12	91.6%	3.4%	0.4%	1.0%	3.6%
Ecstasy?						
	All	83.8%	6.8%	1.9%	1.0%	6.5%
	Grade 6	88.4%	4.1%	0.8%	0.4%	6.2%
	Grade 7	85.8%	4.4%	0.6%	0.6%	8.7%
	Grade 8	82.0%	6.8%	1.9%	1.0%	8.3%
	Grade 9	83.7%	7.1%	1.5%	1.3%	6.5%
	Grade 10	81.0%	8.7%	3.0%	1.0%	6.3%
	Grade 11	82.8%	8.0%	3.4%	1.2%	4.5%
	Grade 12	82.1%	9.3%	2.5%	1.8%	4.2%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	84.2%	5.0%	1.4%	1.0%	8.4%
	Grade 6	88.2%	3.4%	0.7%	0.9%	6.8%
	Grade 7	84.7%	4.8%	0.8%	0.5%	9.2%
	Grade 8	83.1%	5.7%	0.8%	0.6%	9.8%
	Grade 9	85.5%	3.3%	1.4%	1.0%	8.7%
	Grade 10	80.9%	5.5%	2.7%	0.9%	10.0%
	Grade 11	83.3%	4.9%	2.2%	1.3%	8.3%
	Grade 12	82.6%	7.9%	1.8%	2.0%	5.7%
Steroids?	All	81.2%	9.3%	2.5%	1.1%	6.0%
	Grade 6	86.5%	6.2%	1.2%	1.2%	4.9%
	Grade 7	82.7%	8.2%	1.3%	0.8%	7.1%
	Grade 8	80.2%	9.1%	2.4%	0.8%	7.5%
	Grade 9	83.1%	7.9%	2.2%	1.0%	5.7%
	Grade 10	76.2%	12.1%	4.0%	1.7%	6.0%
	Grade 11	79.4%	10.4%	3.7%	1.4%	5.1%
	Grade 12	78.5%	12.3%	3.2%	1.0%	4.9%
Heroin?	All	88.9%	3.6%	0.6%	0.5%	6.3%
	Grade 6	89.8%	3.3%	0.5%	0.5%	5.9%
	Grade 7	85.9%	4.7%	0.7%	0.4%	8.2%
	Grade 8	85.3%	5.3%	1.0%	0.3%	8.1%
	Grade 9	90.6%	2.7%	0.2%	0.8%	5.7%
	Grade 10	87.9%	3.7%	1.2%	0.3%	6.9%
	Grade 11	91.9%	2.3%	0.5%	0.7%	4.6%
	Grade 12	92.7%	2.6%	0.4%	0.7%	3.5%
Methamphetamine?	All	88.7%	3.5%	0.6%	0.6%	6.6%
	Grade 6	89.7%	2.3%	0.9%	0.6%	6.5%
	Grade 7	85.1%	5.6%	0.6%	0.4%	8.3%
	Grade 8	85.1%	5.5%	0.6%	0.4%	8.4%
	Grade 9	89.6%	2.6%	0.2%	1.1%	6.4%
	Grade 10	88.2%	3.4%	0.8%	0.4%	7.2%
	Grade 11	91.5%	2.3%	0.5%	0.6%	5.1%
	Grade 12	93.1%	2.1%	0.3%	0.8%	3.7%
Synthetic Marijuana?	All	81.5%	7.5%	2.3%	1.8%	6.9%
	Grade 6	88.7%	4.0%	0.8%	0.7%	5.8%
	Grade 7	84.5%	5.5%	1.6%	1.0%	7.4%
	Grade 8	78.7%	8.2%	2.5%	1.8%	8.8%
	Grade 9	80.0%	8.8%	2.3%	2.2%	6.6%
	Grade 10	77.3%	8.7%	3.6%	2.6%	7.9%
	Grade 11	80.6%	8.6%	2.8%	2.1%	5.9%
	Grade 12	79.5%	9.3%	3.2%	2.4%	5.5%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.6%	5.1%	8.4%	91.7%
Grade 6	1.6%	2.0%	3.2%	96.8%
Grade 7	1.9%	2.6%	4.8%	95.1%
Grade 8	2.2%	2.8%	6.0%	94.0%
Grade 9	2.9%	4.7%	8.7%	91.4%
Grade 10	4.1%	6.6%	10.9%	89.1%
Grade 11	6.9%	9.4%	13.4%	86.6%
Grade 12	6.9%	9.5%	14.1%	85.9%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	0.6%	0.8%	1.3%	98.6%
Grade 6	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.7%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.6%	98.4%
Grade 11	1.7%	2.3%	2.9%	97.1%
Grade 12	1.8%	2.6%	3.8%	96.2%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	1.1%	1.4%	2.2%	97.8%
Grade 6	0.1%	0.1%	0.5%	99.5%
Grade 7	0.4%	0.6%	0.9%	99.0%
Grade 8	0.3%	0.3%	0.6%	99.5%
Grade 9	0.9%	0.9%	1.8%	98.3%
Grade 10	1.2%	1.6%	2.7%	97.3%
Grade 11	2.2%	2.8%	4.4%	95.5%
Grade 12	3.0%	4.4%	6.1%	93.8%
Valium Or Diazepam?				
All	0.4%	0.5%	0.8%	99.2%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.5%	99.4%
Grade 10	0.8%	1.1%	1.7%	98.3%
Grade 11	0.7%	1.0%	1.0%	98.9%
Grade 12	0.6%	1.1%	1.3%	98.7%
Xanax Or Alprazolam?				
All	1.5%	2.1%	3.1%	96.9%
Grade 6	0.2%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.9%	1.2%	98.8%
Grade 9	1.8%	2.3%	4.1%	96.0%
Grade 10	1.3%	2.1%	3.3%	96.7%
Grade 11	4.4%	4.8%	6.2%	93.8%
Grade 12	2.8%	4.5%	7.0%	93.0%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.2%	1.4%	2.6%	97.4%
Grade 6	1.2%	1.4%	2.3%	97.7%
Grade 7	1.3%	1.7%	3.3%	96.7%
Grade 8	1.1%	1.3%	2.6%	97.5%
Grade 9	1.0%	1.4%	2.6%	97.5%
Grade 10	1.5%	1.5%	2.9%	97.1%
Grade 11	1.1%	1.1%	2.0%	98.0%
Grade 12	1.2%	1.3%	2.3%	97.7%

Inhalants

Table I-1: How recently, if ever, have you used ...

		Past Month	School Year	Ever Used	Never Used
Spray Paint?					
	All	0.9%	1.1%	2.7%	97.3%
	Grade 6	1.5%	1.6%	2.7%	97.3%
	Grade 7	1.5%	1.7%	3.9%	96.1%
	Grade 8	1.3%	1.8%	5.0%	95.0%
	Grade 9	0.4%	0.4%	0.8%	99.2%
	Grade 10	0.9%	1.2%	2.4%	97.7%
	Grade 11	0.3%	0.6%	2.0%	98.0%
	Grade 12	0.3%	0.3%	1.4%	98.7%
Whiteout, Correction Fluid, Magic Markers?					
	All	2.4%	3.3%	7.1%	92.9%
	Grade 6	3.5%	4.9%	8.2%	91.9%
	Grade 7	3.8%	5.3%	10.5%	89.6%
	Grade 8	3.8%	5.0%	10.5%	89.5%
	Grade 9	1.5%	1.7%	3.9%	96.1%
	Grade 10	1.9%	3.2%	7.3%	92.7%
	Grade 11	0.8%	1.3%	4.6%	95.4%
	Grade 12	0.5%	0.7%	3.2%	96.7%
Computer Dusting Sprays?					
	All	0.5%	0.7%	1.9%	98.1%
	Grade 6	0.4%	0.4%	0.7%	99.2%
	Grade 7	0.6%	0.9%	1.8%	98.2%
	Grade 8	0.7%	0.9%	1.7%	98.3%
	Grade 9	0.9%	1.1%	1.6%	98.4%
	Grade 10	0.3%	0.3%	1.7%	98.3%
	Grade 11	0.6%	0.7%	2.3%	97.7%
	Grade 12	0.0%	0.5%	4.2%	95.8%
Helium, Butane, Propane, Whippets, Freon?					
	All	2.2%	2.9%	7.3%	92.7%
	Grade 6	2.8%	3.5%	7.7%	92.3%
	Grade 7	2.5%	3.3%	8.9%	91.1%
	Grade 8	2.6%	3.6%	8.5%	91.5%
	Grade 9	2.0%	2.2%	4.2%	95.7%
	Grade 10	2.3%	2.9%	8.9%	91.1%
	Grade 11	1.9%	2.4%	6.9%	93.1%
	Grade 12	1.3%	2.0%	5.4%	94.5%
Glue?					
	All	0.5%	0.7%	1.3%	98.7%
	Grade 6	1.2%	1.8%	2.3%	97.7%
	Grade 7	0.7%	1.0%	2.3%	97.7%
	Grade 8	0.7%	0.9%	1.6%	98.4%
	Grade 9	0.2%	0.4%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.5%	99.5%
	Grade 11	0.3%	0.3%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.7%	99.3%

Table I-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.6%	0.8%	1.4%	98.6%
Grade 6	1.0%	1.1%	1.3%	98.7%
Grade 7	1.0%	1.4%	2.3%	97.7%
Grade 8	0.7%	1.4%	2.2%	97.9%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.4%	0.4%	0.9%	99.0%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	1.1%	1.4%	2.5%	97.5%
Grade 6	1.6%	2.2%	3.7%	96.4%
Grade 7	1.9%	2.3%	3.9%	96.1%
Grade 8	1.4%	1.9%	4.1%	96.0%
Grade 9	0.7%	1.1%	1.3%	98.7%
Grade 10	0.7%	0.8%	1.8%	98.3%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	0.2%	0.3%	0.4%	99.5%
Other Aerosols/Sprays?				
All	1.0%	1.3%	2.6%	97.4%
Grade 6	2.3%	2.9%	4.3%	95.7%
Grade 7	1.8%	2.6%	4.9%	95.1%
Grade 8	1.2%	1.6%	3.2%	96.9%
Grade 9	0.2%	0.4%	1.0%	98.9%
Grade 10	0.5%	0.6%	1.8%	98.3%
Grade 11	0.4%	0.5%	1.4%	98.7%
Grade 12	0.1%	0.1%	0.9%	99.1%
Any Inhalant?				
All	5.6%	6.7%	14.1%	85.9%
Grade 6	8.1%	9.0%	16.2%	83.9%
Grade 7	7.7%	9.2%	16.7%	83.3%
Grade 8	7.6%	9.3%	18.0%	82.1%
Grade 9	4.3%	4.8%	9.1%	91.0%
Grade 10	4.9%	5.9%	14.9%	85.1%
Grade 11	3.3%	4.3%	12.3%	87.7%
Grade 12	2.1%	3.0%	10.2%	89.8%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.2%	0.2%	0.3%	0.4%	0.7%	0.7%	1.5%
Grade 6	95.9%	0.4%	0.3%	0.9%	0.8%	0.6%	1.1%
Grade 7	93.9%	0.3%	1.0%	0.9%	1.2%	1.1%	1.6%
Grade 8	94.9%	0.1%	0.4%	0.6%	1.1%	1.0%	2.0%
Grade 9	97.8%	0.0%	0.1%	0.0%	0.5%	0.4%	1.2%
Grade 10	97.0%	0.0%	0.0%	0.3%	0.6%	0.6%	1.5%
Grade 11	97.2%	0.2%	0.2%	0.2%	0.1%	0.5%	1.6%
Grade 12	97.7%	0.0%	0.0%	0.0%	0.5%	0.4%	1.5%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	86.1%	7.7%	4.6%	1.6%
Grade 6	84.0%	9.2%	4.8%	2.0%
Grade 7	83.4%	7.2%	6.1%	3.3%
Grade 8	82.2%	8.3%	7.2%	2.3%
Grade 9	91.1%	5.3%	3.2%	0.4%
Grade 10	85.4%	9.1%	4.2%	1.2%
Grade 11	87.9%	8.5%	2.3%	1.3%
Grade 12	89.8%	6.4%	3.4%	0.4%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.3	11.0	11.2	11.9	12.2	13.6	13.7

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	98.5%	1.1%	0.2%	0.2%
Grade 6	98.3%	1.4%	0.1%	0.2%
Grade 7	97.6%	1.9%	0.3%	0.3%
Grade 8	98.1%	1.5%	0.1%	0.3%
Grade 9	98.5%	0.8%	0.2%	0.5%
Grade 10	99.1%	0.5%	0.4%	0.0%
Grade 11	99.1%	0.8%	0.0%	0.1%
Grade 12	99.2%	0.8%	0.0%	0.0%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users	4.5
Inhalants Non-Users	3.4
Average days conduct problems reported	
Inhalants Users	3.8
Inhalants Non-Users	1.5

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	88.4%	7.6%	2.7%	0.9%	0.4%
Grade 6	89.5%	7.3%	2.6%	0.1%	0.4%
Grade 7	84.0%	10.9%	3.0%	1.3%	0.8%
Grade 8	87.4%	7.6%	3.3%	1.3%	0.3%
Grade 9	91.6%	4.9%	2.0%	1.3%	0.2%
Grade 10	87.6%	8.3%	3.0%	1.0%	0.1%
Grade 11	89.0%	6.6%	3.4%	0.6%	0.4%
Grade 12	90.4%	6.9%	1.6%	0.7%	0.4%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	79.4%	9.8%	3.4%	0.9%	6.5%
Grade 6	83.0%	7.7%	4.3%	0.8%	4.2%
Grade 7	77.0%	10.9%	4.2%	1.4%	6.5%
Grade 8	73.7%	13.3%	4.8%	1.2%	7.1%
Grade 9	81.2%	9.0%	1.7%	0.8%	7.3%
Grade 10	76.3%	9.8%	4.2%	1.0%	8.7%
Grade 11	82.9%	8.0%	2.0%	0.8%	6.3%
Grade 12	82.8%	9.3%	1.9%	0.5%	5.4%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	49.0%	15.0%	3.7%	5.4%	7.9%	19.0%
Grade 6	58.5%	19.5%	3.2%	2.6%	4.1%	12.2%
Grade 7	52.3%	21.6%	3.8%	3.7%	7.3%	11.3%
Grade 8	47.1%	17.6%	4.8%	5.0%	7.8%	17.7%
Grade 9	55.8%	12.6%	3.4%	5.3%	7.4%	15.4%
Grade 10	40.5%	12.8%	3.6%	6.6%	10.1%	26.4%
Grade 11	41.4%	10.3%	4.2%	7.2%	10.1%	26.7%
Grade 12	43.7%	7.0%	3.0%	8.8%	9.5%	28.0%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	51.4%
	Grade 6	38.7%
	Grade 7	56.9%
	Grade 8	52.0%
	Grade 9	52.8%
	Grade 10	53.0%
	Grade 11	54.6%
	Grade 12	52.7%
An Assembly Program		
	All	50.2%
	Grade 6	50.4%
	Grade 7	60.5%
	Grade 8	61.6%
	Grade 9	49.4%
	Grade 10	42.7%
	Grade 11	39.6%
	Grade 12	42.7%
Guidance Counselor		
	All	41.6%
	Grade 6	43.1%
	Grade 7	50.2%
	Grade 8	51.2%
	Grade 9	43.4%
	Grade 10	32.7%
	Grade 11	32.5%
	Grade 12	33.6%
Science Or Social Studies Class		
	All	34.7%
	Grade 6	27.2%
	Grade 7	39.4%
	Grade 8	38.3%
	Grade 9	40.1%
	Grade 10	30.0%
	Grade 11	31.1%
	Grade 12	35.6%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)

	Yes
Student Group Or Club Meeting At School	
All	22.1%
Grade 6	16.9%
Grade 7	24.9%
Grade 8	22.3%
Grade 9	27.4%
Grade 10	19.4%
Grade 11	20.3%
Grade 12	23.3%
An Invited School Guest	
All	40.5%
Grade 6	40.7%
Grade 7	45.9%
Grade 8	46.1%
Grade 9	40.8%
Grade 10	37.0%
Grade 11	33.4%
Grade 12	37.2%
Another Source At School	
All	35.8%
Grade 6	27.7%
Grade 7	39.6%
Grade 8	38.1%
Grade 9	40.3%
Grade 10	33.2%
Grade 11	33.7%
Grade 12	37.6%
Any School Source	
All	73.1%
Grade 6	70.8%
Grade 7	78.5%
Grade 8	76.3%
Grade 9	71.3%
Grade 10	72.8%
Grade 11	70.9%
Grade 12	70.0%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	48.8%
	Grade 6	61.5%
	Grade 7	57.4%
	Grade 8	53.3%
	Grade 9	47.8%
	Grade 10	41.4%
	Grade 11	35.5%
	Grade 12	38.9%
Another Adult In School		
	All	48.6%
	Grade 6	54.3%
	Grade 7	53.2%
	Grade 8	52.1%
	Grade 9	49.3%
	Grade 10	45.5%
	Grade 11	39.3%
	Grade 12	43.5%
Counselor/Program Outside-School		
	All	45.6%
	Grade 6	50.0%
	Grade 7	48.9%
	Grade 8	48.2%
	Grade 9	48.2%
	Grade 10	41.3%
	Grade 11	38.9%
	Grade 12	40.7%
Your Parents		
	All	69.1%
	Grade 6	76.4%
	Grade 7	76.4%
	Grade 8	70.6%
	Grade 9	65.1%
	Grade 10	64.6%
	Grade 11	66.4%
	Grade 12	61.2%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	57.9%
	Grade 6	70.9%
	Grade 7	64.3%
	Grade 8	59.3%
	Grade 9	56.9%
	Grade 10	48.6%
	Grade 11	52.2%
	Grade 12	48.6%
Your Friends		
	All	58.4%
	Grade 6	41.6%
	Grade 7	54.0%
	Grade 8	56.2%
	Grade 9	63.5%
	Grade 10	64.1%
	Grade 11	66.4%
	Grade 12	67.4%
Another Adult		
	All	61.8%
	Grade 6	60.4%
	Grade 7	63.0%
	Grade 8	62.6%
	Grade 9	58.4%
	Grade 10	62.7%
	Grade 11	62.8%
	Grade 12	63.0%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	10.6%
	Grade 6	8.7%
	Grade 7	10.7%
	Grade 8	12.9%
	Grade 9	12.9%
	Grade 10	8.9%
	Grade 11	9.9%
	Grade 12	10.1%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	8.5%	25.7%	22.8%	30.5%	12.5%
Grade 6	11.5%	24.8%	20.0%	22.8%	20.9%
Grade 7	12.0%	26.9%	16.4%	27.9%	16.8%
Grade 8	8.8%	24.7%	24.1%	29.5%	13.0%
Grade 9	8.7%	24.1%	24.0%	33.0%	10.3%
Grade 10	5.2%	25.1%	27.8%	33.0%	8.9%
Grade 11	6.3%	26.1%	26.7%	33.4%	7.5%
Grade 12	5.3%	29.2%	21.6%	36.0%	7.9%
Sometimes Carry Weapons?					
All	80.0%	13.0%	4.9%	1.5%	0.7%
Grade 6	87.6%	7.7%	3.0%	0.7%	1.0%
Grade 7	84.6%	11.0%	2.9%	1.2%	0.2%
Grade 8	80.6%	11.9%	4.9%	1.5%	1.0%
Grade 9	81.1%	12.4%	4.9%	1.2%	0.4%
Grade 10	76.3%	15.8%	5.7%	1.7%	0.5%
Grade 11	75.6%	14.6%	6.6%	2.3%	0.9%
Grade 12	70.5%	19.3%	7.5%	2.1%	0.6%
Care About Making Good Grades?					
All	2.9%	13.7%	22.7%	36.8%	23.9%
Grade 6	2.7%	15.7%	20.6%	29.1%	31.9%
Grade 7	2.5%	16.3%	24.2%	32.8%	24.2%
Grade 8	3.5%	16.4%	22.7%	33.9%	23.6%
Grade 9	3.3%	14.4%	22.4%	35.1%	24.8%
Grade 10	2.0%	11.4%	24.1%	43.0%	19.5%
Grade 11	2.2%	9.7%	25.2%	41.5%	21.4%
Grade 12	4.0%	10.5%	19.5%	46.0%	20.1%
Belong/Want To Belong To A Gang?					
All	77.3%	12.8%	6.2%	2.5%	1.1%
Grade 6	81.8%	11.3%	3.4%	2.0%	1.5%
Grade 7	73.3%	13.9%	8.2%	3.5%	1.1%
Grade 8	70.1%	16.8%	8.2%	3.1%	1.8%
Grade 9	75.5%	12.3%	8.4%	2.4%	1.2%
Grade 10	78.6%	14.6%	4.5%	2.1%	0.3%
Grade 11	82.1%	9.4%	5.0%	2.8%	0.7%
Grade 12	82.2%	10.5%	4.8%	1.7%	0.8%
Wish They Could Drop Out Of School?					
All	64.5%	22.2%	8.4%	2.8%	2.0%
Grade 6	68.9%	19.2%	6.4%	2.7%	2.8%
Grade 7	67.7%	19.2%	8.7%	2.5%	1.9%
Grade 8	58.3%	26.1%	10.4%	2.9%	2.2%
Grade 9	64.6%	21.9%	8.9%	2.9%	1.7%
Grade 10	59.9%	24.0%	10.6%	3.3%	2.2%
Grade 11	64.9%	24.1%	7.0%	2.6%	1.5%
Grade 12	67.5%	21.5%	6.5%	2.6%	1.9%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	84.9%	13.0%	1.0%	0.2%	0.9%
	Grade 6	87.8%	10.5%	0.8%	0.0%	0.9%
	Grade 7	83.3%	13.3%	1.7%	0.2%	1.5%
	Grade 8	81.3%	15.1%	1.9%	0.2%	1.5%
	Grade 9	82.7%	16.0%	0.5%	0.1%	0.8%
	Grade 10	86.1%	12.3%	0.5%	0.2%	0.8%
	Grade 11	87.5%	10.9%	1.0%	0.2%	0.4%
	Grade 12	86.3%	12.6%	0.3%	0.5%	0.3%
Out In Your Neighborhood?						
	All	35.2%	48.6%	10.6%	2.5%	3.1%
	Grade 6	29.3%	44.5%	16.9%	4.6%	4.7%
	Grade 7	27.9%	50.3%	12.9%	3.7%	5.2%
	Grade 8	34.9%	49.6%	9.9%	1.8%	3.8%
	Grade 9	37.4%	50.1%	9.2%	1.2%	2.1%
	Grade 10	36.5%	51.5%	8.4%	1.4%	2.3%
	Grade 11	42.6%	45.1%	9.1%	1.9%	1.2%
	Grade 12	40.7%	49.2%	6.3%	2.6%	1.1%
At School?						
	All	42.3%	42.5%	8.0%	3.5%	3.7%
	Grade 6	56.1%	31.5%	5.5%	2.8%	4.2%
	Grade 7	49.0%	38.2%	6.8%	2.3%	3.8%
	Grade 8	46.2%	41.7%	4.4%	3.3%	4.4%
	Grade 9	35.0%	45.7%	11.5%	3.7%	4.0%
	Grade 10	32.4%	49.7%	10.0%	3.9%	4.0%
	Grade 11	33.7%	48.5%	10.6%	4.9%	2.4%
	Grade 12	40.8%	44.5%	7.7%	4.1%	2.8%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.4%	10.1%	19.8%	80.1%
	Grade 6	2.4%	2.9%	6.5%	93.5%
	Grade 7	3.2%	4.3%	10.8%	89.2%
	Grade 8	6.6%	8.8%	17.1%	82.9%
	Grade 9	6.9%	8.4%	19.2%	80.8%
	Grade 10	7.8%	11.7%	24.9%	75.1%
	Grade 11	12.8%	17.8%	30.1%	69.8%
	Grade 12	15.5%	21.7%	37.5%	62.5%
Alcohol	All	19.0%	25.2%	43.7%	56.3%
	Grade 6	7.4%	9.1%	21.7%	78.3%
	Grade 7	9.4%	11.5%	28.0%	72.0%
	Grade 8	15.8%	20.1%	41.3%	58.7%
	Grade 9	17.7%	23.4%	39.3%	60.7%
	Grade 10	24.6%	33.7%	57.4%	42.6%
	Grade 11	31.2%	41.4%	62.5%	37.6%
	Grade 12	33.4%	47.0%	66.5%	33.4%
Inhalants	All	5.6%	6.7%	14.1%	85.9%
	Grade 6	8.1%	9.0%	16.2%	83.9%
	Grade 7	7.7%	9.2%	16.7%	83.3%
	Grade 8	7.6%	9.3%	18.0%	82.1%
	Grade 9	4.3%	4.8%	9.1%	91.0%
	Grade 10	4.9%	5.9%	14.9%	85.1%
	Grade 11	3.3%	4.3%	12.3%	87.7%
	Grade 12	2.1%	3.0%	10.2%	89.8%
Any Illicit Drug	All	9.7%	13.2%	22.6%	77.4%
	Grade 6	2.1%	2.7%	5.1%	95.0%
	Grade 7	4.8%	5.5%	10.9%	89.1%
	Grade 8	7.2%	9.8%	17.5%	82.5%
	Grade 9	12.2%	15.6%	23.4%	76.6%
	Grade 10	12.3%	18.1%	31.8%	68.2%
	Grade 11	14.8%	20.6%	36.8%	63.2%
	Grade 12	18.4%	25.6%	41.6%	58.5%
Marijuana	All	8.6%	12.1%	21.5%	78.5%
	Grade 6	1.5%	2.1%	4.3%	95.6%
	Grade 7	3.6%	4.5%	9.5%	90.5%
	Grade 8	6.1%	8.5%	15.8%	84.2%
	Grade 9	10.5%	14.6%	22.5%	77.5%
	Grade 10	10.8%	16.3%	31.0%	69.0%
	Grade 11	13.7%	19.5%	36.0%	64.0%
	Grade 12	17.6%	24.5%	40.0%	59.9%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.5%	5.0%	11.3%	88.7%
	Grade 6	0.4%	0.8%	1.7%	98.4%
	Grade 7	2.0%	2.1%	5.3%	94.7%
	Grade 8	2.3%	3.0%	8.4%	91.6%
	Grade 9	3.1%	4.8%	11.2%	88.8%
	Grade 10	4.9%	7.4%	16.6%	83.4%
	Grade 11	5.4%	7.7%	18.6%	81.4%
	Grade 12	7.9%	12.0%	22.5%	77.6%
Cocaine Or Crack	All	1.3%	1.7%	3.2%	96.8%
	Grade 6	0.3%	0.4%	0.4%	99.6%
	Grade 7	1.1%	1.4%	2.1%	97.8%
	Grade 8	0.9%	1.3%	2.7%	97.4%
	Grade 9	2.4%	2.6%	3.0%	96.9%
	Grade 10	0.9%	1.3%	3.3%	96.7%
	Grade 11	1.1%	1.9%	4.8%	95.2%
	Grade 12	2.7%	3.5%	7.2%	92.8%
Cocaine	All	1.1%	1.5%	2.9%	97.1%
	Grade 6	0.1%	0.2%	0.2%	99.8%
	Grade 7	1.0%	1.3%	1.8%	98.1%
	Grade 8	0.7%	0.7%	1.9%	98.1%
	Grade 9	2.2%	2.4%	2.9%	97.1%
	Grade 10	0.7%	1.1%	3.0%	97.0%
	Grade 11	1.0%	1.8%	4.7%	95.3%
	Grade 12	2.7%	3.5%	7.2%	92.8%
Crack	All	0.3%	0.4%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.4%	0.8%	1.1%	99.0%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.3%	0.3%	0.7%	99.3%
	Grade 11	0.1%	0.1%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens	All	0.9%	1.2%	2.3%	97.7%
	Grade 6	0.2%	0.3%	0.4%	99.7%
	Grade 7	0.4%	0.5%	0.8%	99.1%
	Grade 8	1.0%	1.4%	1.9%	98.1%
	Grade 9	0.9%	1.1%	2.2%	97.8%
	Grade 10	1.3%	1.8%	4.0%	96.0%
	Grade 11	1.1%	1.3%	3.1%	96.9%
	Grade 12	1.4%	2.3%	4.5%	95.5%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	1.7%	98.3%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.9%	98.1%
	Grade 9	1.3%	1.5%	1.9%	98.1%
	Grade 10	1.1%	1.2%	2.6%	97.4%
	Grade 11	0.7%	1.0%	3.2%	96.7%
	Grade 12	0.5%	0.7%	2.2%	97.7%
Steroids	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	0.6%	0.6%	1.2%	98.9%
	Grade 7	0.5%	0.7%	1.0%	99.1%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.7%	0.7%	1.2%	98.8%
	Grade 11	0.4%	0.6%	1.1%	98.8%
	Grade 12	0.6%	0.7%	0.8%	99.2%
Ecstasy	All	1.0%	1.6%	3.0%	97.0%
	Grade 6	0.1%	0.3%	0.4%	99.7%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.7%	0.8%	1.4%	98.5%
	Grade 9	1.7%	2.7%	3.3%	96.7%
	Grade 10	1.7%	2.9%	4.8%	95.1%
	Grade 11	1.0%	1.7%	4.8%	95.2%
	Grade 12	1.6%	2.8%	6.8%	93.2%
Heroin	All	0.2%	0.3%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.7%
	Grade 7	0.2%	0.4%	0.5%	99.5%
	Grade 8	0.4%	0.6%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.4%	0.8%	99.3%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.1%	0.1%	0.4%	99.6%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.5%	3.6%	7.6%	92.4%
Grade 6	0.6%	0.6%	2.2%	97.8%
Grade 7	1.1%	1.7%	3.6%	96.4%
Grade 8	3.1%	4.1%	6.1%	93.8%
Grade 9	4.8%	5.9%	9.2%	90.9%
Grade 10	2.4%	4.6%	11.0%	89.1%
Grade 11	2.9%	4.2%	12.5%	87.5%
Grade 12	2.6%	4.4%	10.5%	89.5%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 6	0.2%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.7%	99.2%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.7%	10.6%	21.2%	78.9%
	Grade 6	1.8%	2.4%	7.3%	92.7%
	Grade 7	2.1%	3.4%	10.4%	89.7%
	Grade 8	4.8%	7.1%	15.8%	84.2%
	Grade 9	6.3%	8.1%	20.9%	79.2%
	Grade 10	7.3%	10.5%	25.7%	74.3%
	Grade 11	14.8%	21.5%	34.1%	65.9%
	Grade 12	21.4%	27.0%	42.2%	57.8%
Alcohol	All	18.0%	23.4%	41.1%	58.9%
	Grade 6	6.4%	9.4%	23.0%	77.0%
	Grade 7	8.3%	10.7%	25.3%	74.7%
	Grade 8	15.8%	18.5%	38.0%	62.1%
	Grade 9	16.0%	20.5%	36.3%	63.7%
	Grade 10	22.6%	29.5%	53.5%	46.5%
	Grade 11	29.5%	38.6%	58.5%	41.5%
	Grade 12	34.0%	46.2%	64.0%	36.0%
Inhalants	All	5.1%	5.8%	11.8%	88.2%
	Grade 6	7.8%	8.5%	13.7%	86.3%
	Grade 7	5.9%	7.5%	12.2%	87.8%
	Grade 8	6.6%	7.3%	13.8%	86.1%
	Grade 9	4.1%	4.1%	6.5%	93.5%
	Grade 10	4.4%	4.6%	13.0%	87.0%
	Grade 11	4.2%	5.3%	12.7%	87.3%
	Grade 12	1.9%	2.6%	11.4%	88.5%
Any Illicit Drug	All	10.4%	13.6%	23.1%	76.9%
	Grade 6	2.5%	3.0%	5.5%	94.4%
	Grade 7	4.4%	5.4%	10.6%	89.4%
	Grade 8	7.3%	10.2%	17.7%	82.3%
	Grade 9	12.4%	15.1%	24.0%	75.9%
	Grade 10	12.4%	17.0%	30.8%	69.2%
	Grade 11	15.5%	20.8%	38.5%	61.5%
	Grade 12	22.5%	29.6%	43.2%	56.8%
Marijuana	All	9.1%	12.4%	22.2%	77.8%
	Grade 6	1.9%	2.5%	5.2%	94.8%
	Grade 7	3.2%	4.1%	9.4%	90.6%
	Grade 8	6.3%	8.5%	15.7%	84.3%
	Grade 9	10.2%	14.1%	23.4%	76.6%
	Grade 10	10.4%	15.4%	30.2%	69.8%
	Grade 11	13.9%	19.3%	37.3%	62.7%
	Grade 12	21.5%	28.0%	42.6%	57.4%

Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.6%	4.9%	11.2%	88.8%
	Grade 6	0.5%	0.8%	2.3%	97.7%
	Grade 7	1.7%	1.9%	5.2%	94.8%
	Grade 8	2.9%	4.0%	9.4%	90.6%
	Grade 9	3.0%	4.7%	11.8%	88.2%
	Grade 10	4.1%	5.5%	14.4%	85.5%
	Grade 11	5.2%	6.8%	17.5%	82.5%
	Grade 12	9.2%	12.8%	21.5%	78.5%
Cocaine Or Crack	All	1.5%	2.0%	3.5%	96.6%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.4%	0.9%	1.5%	98.4%
	Grade 8	0.2%	0.8%	1.7%	98.4%
	Grade 9	2.7%	2.7%	3.1%	96.9%
	Grade 10	1.6%	2.1%	3.7%	96.3%
	Grade 11	1.4%	2.0%	6.0%	94.0%
	Grade 12	4.3%	5.8%	9.9%	90.1%
Cocaine	All	1.4%	1.8%	3.2%	96.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.4%	0.9%	1.3%	98.6%
	Grade 8	0.2%	0.2%	1.0%	99.0%
	Grade 9	2.7%	2.7%	3.1%	96.8%
	Grade 10	1.3%	1.8%	3.2%	96.8%
	Grade 11	1.2%	1.8%	5.8%	94.2%
	Grade 12	4.3%	5.8%	9.9%	90.0%
Crack	All	0.2%	0.3%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.2%	0.6%	99.4%
	Grade 8	0.0%	0.5%	0.8%	99.2%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.5%	0.5%	1.0%	99.1%
	Grade 11	0.3%	0.3%	1.2%	98.8%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens	All	1.1%	1.6%	3.0%	97.1%
	Grade 6	0.3%	0.5%	0.5%	99.5%
	Grade 7	0.2%	0.5%	1.0%	99.0%
	Grade 8	1.0%	1.8%	2.2%	97.8%
	Grade 9	0.7%	1.1%	2.2%	97.7%
	Grade 10	1.8%	2.5%	5.8%	94.2%
	Grade 11	1.2%	1.2%	3.4%	96.6%
	Grade 12	2.7%	3.6%	6.5%	93.5%

Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	1.5%	98.6%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.5%	1.0%	99.0%
	Grade 8	0.8%	1.2%	1.9%	98.1%
	Grade 9	1.2%	1.2%	1.6%	98.4%
	Grade 10	1.1%	1.1%	1.9%	98.1%
	Grade 11	0.5%	0.5%	2.2%	97.7%
	Grade 12	0.3%	0.5%	1.3%	98.6%
Steroids	All	0.4%	0.5%	0.9%	99.1%
	Grade 6	0.4%	0.4%	1.2%	98.7%
	Grade 7	0.3%	0.5%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.3%	0.3%	0.7%	99.2%
	Grade 10	0.8%	0.8%	1.2%	98.8%
	Grade 11	0.6%	1.1%	1.9%	98.2%
	Grade 12	0.6%	0.8%	0.8%	99.2%
Ecstasy	All	1.0%	1.5%	3.1%	96.9%
	Grade 6	0.1%	0.3%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.9%	99.2%
	Grade 8	0.8%	1.1%	1.8%	98.2%
	Grade 9	1.8%	2.5%	3.2%	96.9%
	Grade 10	1.5%	2.6%	5.0%	95.0%
	Grade 11	0.8%	1.3%	5.2%	94.8%
	Grade 12	2.4%	3.6%	7.3%	92.7%
Heroin	All	0.2%	0.3%	0.4%	99.6%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.2%	0.4%	0.4%	99.6%
	Grade 8	0.5%	0.5%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.3%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.3%	0.3%	0.5%	99.5%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.8%	4.0%	8.2%	91.8%
Grade 6	1.0%	1.0%	2.8%	97.2%
Grade 7	1.3%	2.1%	3.8%	96.1%
Grade 8	2.8%	3.4%	4.9%	95.2%
Grade 9	4.5%	5.6%	9.1%	90.9%
Grade 10	1.9%	4.3%	11.0%	89.1%
Grade 11	4.0%	6.0%	16.5%	83.5%
Grade 12	4.2%	6.1%	11.7%	88.3%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.4%	0.5%	0.8%	99.3%
Grade 7	0.6%	0.6%	0.9%	99.2%
Grade 8	0.4%	0.6%	0.6%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.2%	9.8%	18.5%	81.4%
	Grade 6	2.9%	3.3%	5.7%	94.3%
	Grade 7	4.3%	5.2%	11.4%	88.6%
	Grade 8	8.7%	10.8%	18.7%	81.2%
	Grade 9	7.7%	8.8%	17.0%	83.0%
	Grade 10	8.1%	12.8%	23.9%	76.2%
	Grade 11	11.0%	14.3%	26.2%	73.7%
	Grade 12	9.8%	16.8%	33.1%	66.9%
Alcohol	All	20.1%	27.1%	46.3%	53.6%
	Grade 6	8.4%	8.9%	20.7%	79.3%
	Grade 7	10.6%	12.4%	30.5%	69.6%
	Grade 8	16.0%	22.2%	45.7%	54.4%
	Grade 9	19.9%	27.3%	43.3%	56.8%
	Grade 10	26.5%	37.5%	60.7%	39.3%
	Grade 11	32.9%	43.9%	66.4%	33.6%
	Grade 12	33.4%	48.4%	69.7%	30.3%
Inhalants	All	6.1%	7.6%	16.4%	83.6%
	Grade 6	8.2%	9.2%	18.2%	81.8%
	Grade 7	9.3%	10.8%	20.9%	79.1%
	Grade 8	8.8%	11.6%	22.9%	77.2%
	Grade 9	4.5%	5.5%	12.2%	87.7%
	Grade 10	5.5%	7.2%	16.5%	83.5%
	Grade 11	2.4%	3.4%	11.8%	88.1%
	Grade 12	2.2%	3.4%	9.1%	90.9%
Any Illicit Drug	All	9.0%	12.7%	21.9%	78.1%
	Grade 6	1.6%	2.2%	4.4%	95.5%
	Grade 7	5.3%	5.7%	11.1%	88.9%
	Grade 8	7.1%	9.3%	17.4%	82.7%
	Grade 9	11.8%	16.1%	22.5%	77.5%
	Grade 10	12.2%	18.8%	32.3%	67.7%
	Grade 11	14.1%	20.5%	34.7%	65.2%
	Grade 12	14.6%	21.8%	40.0%	60.1%
Marijuana	All	8.2%	11.9%	20.8%	79.2%
	Grade 6	1.2%	1.8%	3.6%	96.3%
	Grade 7	4.0%	4.8%	9.5%	90.5%
	Grade 8	5.8%	8.5%	16.0%	84.0%
	Grade 9	10.9%	15.3%	21.4%	78.6%
	Grade 10	11.1%	17.0%	31.4%	68.6%
	Grade 11	13.7%	20.0%	34.4%	65.6%
	Grade 12	14.1%	21.3%	37.8%	62.3%

Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.4%	5.2%	11.4%	88.6%
	Grade 6	0.2%	0.6%	1.0%	99.0%
	Grade 7	2.3%	2.3%	5.4%	94.6%
	Grade 8	1.5%	1.7%	7.2%	92.8%
	Grade 9	3.3%	5.0%	10.4%	89.6%
	Grade 10	5.6%	9.1%	18.5%	81.4%
	Grade 11	5.7%	8.8%	19.3%	80.7%
	Grade 12	6.8%	11.1%	23.2%	76.8%
Cocaine Or Crack	All	1.2%	1.5%	3.0%	97.0%
	Grade 6	0.4%	0.6%	0.6%	99.5%
	Grade 7	1.7%	1.9%	2.8%	97.2%
	Grade 8	1.8%	2.0%	3.9%	96.2%
	Grade 9	2.0%	2.6%	3.1%	97.0%
	Grade 10	0.4%	0.7%	3.1%	97.0%
	Grade 11	0.8%	1.7%	3.5%	96.5%
	Grade 12	1.1%	1.3%	4.7%	95.3%
Cocaine	All	0.9%	1.2%	2.6%	97.4%
	Grade 6	0.2%	0.4%	0.4%	99.7%
	Grade 7	1.6%	1.8%	2.4%	97.6%
	Grade 8	1.2%	1.2%	3.0%	97.0%
	Grade 9	1.4%	2.0%	2.5%	97.5%
	Grade 10	0.2%	0.5%	2.9%	97.2%
	Grade 11	0.8%	1.7%	3.5%	96.5%
	Grade 12	1.1%	1.3%	4.7%	95.3%
Crack	All	0.4%	0.4%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.6%	0.6%	1.1%	99.0%
	Grade 8	0.8%	1.0%	1.3%	98.7%
	Grade 9	0.9%	0.9%	0.9%	99.1%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens	All	0.7%	0.9%	1.7%	98.3%
	Grade 6	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.6%	0.6%	0.8%	99.2%
	Grade 8	1.1%	1.1%	1.6%	98.4%
	Grade 9	1.1%	1.1%	2.1%	97.9%
	Grade 10	0.9%	1.3%	2.5%	97.5%
	Grade 11	0.9%	1.4%	2.7%	97.3%
	Grade 12	0.2%	1.1%	2.6%	97.4%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.9%	2.1%	97.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.6%	99.3%
	Grade 8	0.8%	0.8%	1.9%	98.1%
	Grade 9	1.3%	1.7%	2.2%	97.8%
	Grade 10	1.0%	1.2%	3.1%	96.8%
	Grade 11	1.0%	1.6%	4.4%	95.7%
	Grade 12	0.7%	0.9%	3.2%	96.9%
Steroids	All	0.4%	0.4%	0.7%	99.3%
	Grade 6	0.7%	0.7%	1.0%	99.0%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.7%	0.7%	1.2%	98.8%
	Grade 11	0.2%	0.2%	0.5%	99.5%
	Grade 12	0.6%	0.6%	0.9%	99.2%
Ecstasy	All	0.9%	1.6%	2.9%	97.2%
	Grade 6	0.0%	0.1%	0.3%	99.6%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.6%	1.2%	98.8%
	Grade 9	1.6%	2.9%	3.4%	96.5%
	Grade 10	2.0%	3.4%	5.0%	95.1%
	Grade 11	1.3%	2.1%	4.4%	95.6%
	Grade 12	0.7%	2.0%	6.4%	93.6%
Heroin	All	0.2%	0.3%	0.5%	99.5%
	Grade 6	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.2%	0.4%	0.7%	99.4%
	Grade 8	0.2%	0.7%	0.7%	99.3%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.4%	0.4%	0.9%	99.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana					
	All	2.1%	3.0%	6.8%	93.1%
	Grade 6	0.2%	0.2%	1.6%	98.4%
	Grade 7	0.9%	1.3%	3.2%	96.9%
	Grade 8	3.5%	5.1%	7.8%	92.2%
	Grade 9	5.2%	6.4%	9.3%	90.8%
	Grade 10	2.9%	4.3%	10.5%	89.6%
	Grade 11	1.7%	2.3%	8.5%	91.6%
	Grade 12	1.1%	2.9%	9.6%	90.5%
Methamphetamine					
	All	0.2%	0.2%	0.3%	99.6%
	Grade 6	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.6%	0.6%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.8%	8.8%	18.5%	81.5%
	Grade 6	0.0%	0.8%	1.6%	98.3%
	Grade 7	1.4%	1.4%	11.6%	88.3%
	Grade 8	1.1%	2.2%	2.2%	97.9%
	Grade 9	0.0%	2.8%	10.2%	89.9%
	Grade 10	6.0%	7.2%	14.5%	85.6%
	Grade 11	11.3%	15.0%	29.8%	70.2%
	Grade 12	11.7%	18.7%	36.1%	63.8%
Alcohol	All	18.9%	27.2%	41.4%	58.5%
	Grade 6	7.3%	10.5%	13.8%	86.2%
	Grade 7	4.2%	7.1%	18.3%	81.6%
	Grade 8	9.9%	11.0%	14.4%	85.7%
	Grade 9	11.0%	24.3%	32.9%	67.1%
	Grade 10	17.8%	25.6%	52.3%	47.7%
	Grade 11	28.4%	42.1%	64.6%	35.4%
	Grade 12	33.6%	45.0%	61.5%	38.6%
Inhalants	All	4.0%	4.4%	12.6%	87.4%
	Grade 6	6.0%	6.0%	12.3%	87.7%
	Grade 7	3.9%	5.3%	10.8%	89.2%
	Grade 8	1.1%	1.1%	4.6%	95.4%
	Grade 9	0.0%	0.0%	5.5%	94.5%
	Grade 10	11.6%	12.8%	23.4%	76.6%
	Grade 11	4.2%	4.2%	17.1%	82.9%
	Grade 12	1.7%	2.2%	11.2%	88.8%
Any Illicit Drug	All	9.0%	12.8%	21.6%	78.3%
	Grade 6	2.7%	2.7%	3.9%	96.0%
	Grade 7	1.7%	1.7%	4.4%	95.6%
	Grade 8	2.0%	3.0%	5.5%	94.4%
	Grade 9	0.0%	7.4%	14.1%	85.9%
	Grade 10	10.4%	14.1%	23.9%	76.2%
	Grade 11	18.1%	21.8%	35.8%	64.2%
	Grade 12	15.8%	23.6%	39.0%	61.0%
Marijuana	All	8.0%	11.8%	20.5%	79.5%
	Grade 6	0.0%	0.9%	2.1%	97.9%
	Grade 7	1.7%	1.7%	4.4%	95.6%
	Grade 8	2.1%	3.1%	5.7%	94.3%
	Grade 9	0.0%	4.6%	14.1%	85.9%
	Grade 10	9.5%	13.2%	21.7%	78.4%
	Grade 11	17.3%	21.8%	33.4%	66.6%
	Grade 12	14.1%	21.9%	37.9%	62.1%

Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.1%	5.1%	10.9%	89.1%
	Grade 6	0.0%	0.0%	1.2%	98.8%
	Grade 7	0.0%	0.0%	2.7%	97.3%
	Grade 8	1.0%	1.0%	1.0%	99.0%
	Grade 9	0.0%	1.8%	8.5%	91.4%
	Grade 10	8.3%	9.7%	14.7%	85.3%
	Grade 11	3.9%	6.2%	13.2%	86.8%
	Grade 12	5.1%	10.1%	21.8%	78.1%
Cocaine Or Crack	All	0.7%	0.9%	2.0%	98.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	1.1%	98.9%
	Grade 11	1.6%	1.6%	4.7%	95.4%
	Grade 12	1.1%	1.8%	4.3%	95.7%
Cocaine	All	0.7%	0.9%	2.0%	98.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	1.1%	98.9%
	Grade 11	1.6%	1.6%	4.7%	95.4%
	Grade 12	1.1%	1.8%	4.3%	95.7%
Crack	All	0.1%	0.1%	0.1%	99.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.6%	0.6%	0.6%	99.4%
Hallucinogens	All	0.7%	1.1%	1.9%	98.0%
	Grade 6	0.6%	0.6%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.1%	2.1%	2.1%	97.9%
	Grade 11	0.8%	0.8%	2.4%	97.7%
	Grade 12	1.1%	2.9%	5.2%	94.8%

Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.5%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.1%	98.9%
	Grade 11	0.8%	0.8%	2.3%	97.8%
	Grade 12	1.5%	1.5%	1.5%	98.5%
Steroids	All	0.7%	0.7%	1.0%	98.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.7%	1.7%	3.2%	96.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.6%	2.6%	4.0%	96.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.9%	0.9%	0.9%	99.1%
Ecstasy	All	1.2%	1.8%	3.3%	96.7%
	Grade 6	0.0%	1.3%	1.3%	98.7%
	Grade 7	1.7%	1.7%	1.7%	98.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.2%	1.2%	1.2%	98.8%
	Grade 11	2.7%	2.7%	9.1%	91.0%
	Grade 12	1.7%	3.5%	5.3%	94.8%
Heroin	All	0.2%	0.2%	1.0%	99.0%
	Grade 6	1.3%	1.3%	1.9%	98.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.5%	97.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	2.2%	97.8%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.6%	2.8%	7.9%	92.1%
Grade 6	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	2.0%	4.5%	95.4%
Grade 9	0.0%	5.5%	5.5%	94.5%
Grade 10	1.1%	2.2%	6.8%	93.1%
Grade 11	3.8%	5.5%	16.2%	83.8%
Grade 12	2.3%	2.8%	12.5%	87.5%
Methamphetamine				
All	0.2%	0.2%	0.9%	99.2%
Grade 6	1.3%	1.3%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.7%	97.3%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.9%	7.2%	18.1%	81.9%
	Grade 6	0.0%	4.0%	4.0%	96.0%
	Grade 7	8.2%	8.2%	16.4%	83.7%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Alcohol	All	18.7%	22.5%	42.6%	57.4%
	Grade 6	8.3%	8.3%	21.5%	78.5%
	Grade 7	15.6%	15.6%	44.7%	55.3%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Inhalants	All	4.8%	4.8%	16.2%	83.8%
	Grade 6	11.3%	11.3%	22.0%	77.9%
	Grade 7	6.9%	6.9%	21.0%	79.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Any Illicit Drug	All	8.3%	11.8%	20.3%	79.8%
	Grade 6	5.9%	5.9%	5.9%	94.1%
	Grade 7	0.0%	0.0%	5.2%	94.8%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Marijuana	All	8.3%	11.8%	20.3%	79.8%
	Grade 6	5.9%	5.9%	5.9%	94.1%
	Grade 7	0.0%	0.0%	5.2%	94.8%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*

Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	4.1%	7.5%	10.4%	89.6%
	Grade 6	2.9%	2.9%	2.9%	97.1%
	Grade 7	0.0%	0.0%	5.2%	94.8%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Cocaine Or Crack	All	0.0%	0.0%	2.0%	98.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Cocaine	All	0.0%	0.0%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Crack	All	0.0%	0.0%	2.0%	98.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Hallucinogens	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*

Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Steroids	All	0.0%	0.0%	0.9%	99.1%
	Grade 6	0.0%	0.0%	3.0%	97.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Ecstasy	All	0.0%	0.0%	5.7%	94.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.1%	6.6%	93.3%
Grade 6	0.0%	0.0%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.5%	10.2%	20.1%	79.8%
	Grade 6	2.6%	3.0%	6.8%	93.2%
	Grade 7	3.3%	4.5%	11.0%	89.1%
	Grade 8	7.0%	9.2%	18.0%	82.0%
	Grade 9	7.2%	8.7%	20.1%	80.0%
	Grade 10	8.0%	12.2%	26.0%	74.1%
	Grade 11	12.8%	18.0%	30.4%	69.6%
	Grade 12	15.7%	21.8%	37.4%	62.5%
Alcohol	All	19.1%	25.2%	44.2%	55.8%
	Grade 6	7.7%	9.3%	22.7%	77.3%
	Grade 7	9.8%	11.9%	28.8%	71.1%
	Grade 8	16.2%	20.7%	42.9%	57.2%
	Grade 9	18.4%	24.0%	40.7%	59.3%
	Grade 10	24.9%	34.2%	57.6%	42.4%
	Grade 11	31.4%	40.9%	62.4%	37.7%
	Grade 12	33.0%	47.1%	67.2%	32.8%
Inhalants	All	5.8%	6.9%	14.3%	85.6%
	Grade 6	8.4%	9.3%	16.6%	83.4%
	Grade 7	7.9%	9.5%	17.1%	82.9%
	Grade 8	7.9%	9.7%	18.5%	81.5%
	Grade 9	4.7%	5.2%	9.6%	90.5%
	Grade 10	4.5%	5.5%	14.6%	85.3%
	Grade 11	3.4%	4.6%	12.5%	87.6%
	Grade 12	2.2%	3.1%	9.5%	90.5%
Any Illicit Drug	All	9.9%	13.4%	23.0%	77.1%
	Grade 6	2.0%	2.6%	4.9%	95.0%
	Grade 7	5.2%	5.9%	11.5%	88.5%
	Grade 8	7.4%	10.0%	18.0%	82.1%
	Grade 9	13.0%	16.2%	24.4%	75.6%
	Grade 10	12.7%	18.9%	32.9%	67.1%
	Grade 11	14.5%	20.7%	37.7%	62.3%
	Grade 12	18.5%	25.6%	41.6%	58.4%
Marijuana	All	8.7%	12.2%	21.8%	78.1%
	Grade 6	1.6%	2.2%	4.5%	95.5%
	Grade 7	3.8%	4.8%	10.0%	90.1%
	Grade 8	6.3%	8.7%	16.3%	83.7%
	Grade 9	11.4%	15.3%	23.5%	76.5%
	Grade 10	11.1%	16.9%	32.2%	67.8%
	Grade 11	13.4%	19.5%	37.0%	63.0%
	Grade 12	17.9%	24.8%	40.1%	59.9%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.5%	5.0%	11.5%	88.4%
	Grade 6	0.4%	0.8%	1.7%	98.3%
	Grade 7	2.2%	2.3%	5.5%	94.6%
	Grade 8	2.4%	3.0%	8.7%	91.4%
	Grade 9	3.4%	5.0%	11.6%	88.4%
	Grade 10	4.7%	7.4%	17.0%	83.0%
	Grade 11	5.7%	8.1%	19.7%	80.3%
	Grade 12	8.1%	12.2%	22.7%	77.3%
Cocaine Or Crack	All	1.4%	1.8%	3.3%	96.7%
	Grade 6	0.3%	0.4%	0.4%	99.6%
	Grade 7	1.2%	1.6%	2.4%	97.6%
	Grade 8	1.0%	1.4%	2.7%	97.3%
	Grade 9	2.6%	2.9%	3.4%	96.6%
	Grade 10	1.0%	1.4%	3.6%	96.5%
	Grade 11	1.1%	1.6%	4.6%	95.4%
	Grade 12	2.7%	3.5%	7.5%	92.4%
Cocaine	All	1.2%	1.5%	3.0%	97.0%
	Grade 6	0.1%	0.2%	0.2%	99.8%
	Grade 7	1.1%	1.5%	2.1%	98.0%
	Grade 8	0.7%	0.7%	2.0%	98.0%
	Grade 9	2.3%	2.6%	3.1%	96.9%
	Grade 10	0.7%	1.1%	3.1%	96.8%
	Grade 11	1.0%	1.5%	4.5%	95.5%
	Grade 12	2.7%	3.5%	7.6%	92.4%
Crack	All	0.3%	0.4%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.4%	0.8%	1.1%	99.0%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.3%	0.3%	0.7%	99.3%
	Grade 11	0.1%	0.1%	0.7%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.9%	1.2%	2.3%	97.7%
	Grade 6	0.2%	0.3%	0.4%	99.7%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	1.1%	1.6%	2.0%	98.0%
	Grade 9	1.0%	1.3%	2.5%	97.6%
	Grade 10	1.3%	1.9%	4.3%	95.7%
	Grade 11	1.1%	1.4%	3.3%	96.7%
	Grade 12	1.5%	2.1%	3.9%	96.1%

Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	1.8%	98.2%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.1%
	Grade 8	0.9%	1.1%	2.0%	98.1%
	Grade 9	1.2%	1.4%	1.9%	98.2%
	Grade 10	1.2%	1.3%	2.7%	97.2%
	Grade 11	0.8%	1.1%	3.5%	96.5%
	Grade 12	0.4%	0.7%	2.3%	97.8%
Steroids	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	0.6%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.6%	0.8%	99.1%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.6%	0.6%	1.0%	98.9%
	Grade 11	0.5%	0.8%	1.4%	98.7%
	Grade 12	0.4%	0.5%	0.7%	99.3%
Ecstasy	All	0.9%	1.5%	2.9%	97.1%
	Grade 6	0.1%	0.2%	0.3%	99.7%
	Grade 7	0.1%	0.2%	0.7%	99.3%
	Grade 8	0.8%	1.0%	1.6%	98.4%
	Grade 9	1.7%	2.7%	3.3%	96.6%
	Grade 10	1.8%	3.2%	5.3%	94.7%
	Grade 11	0.9%	1.6%	4.5%	95.5%
	Grade 12	1.6%	2.7%	6.6%	93.5%
Heroin	All	0.2%	0.3%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.2%	0.4%	0.5%	99.5%
	Grade 8	0.4%	0.6%	0.6%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.4%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.2%	0.2%	0.3%	99.7%

Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.5%	3.6%	7.5%	92.4%
Grade 6	0.6%	0.6%	2.1%	97.9%
Grade 7	1.2%	1.9%	4.0%	96.1%
Grade 8	3.1%	4.2%	6.3%	93.8%
Grade 9	5.0%	5.9%	9.4%	90.5%
Grade 10	2.5%	4.8%	11.4%	88.6%
Grade 11	2.9%	4.2%	12.6%	87.3%
Grade 12	2.8%	4.7%	9.7%	90.3%
Methamphetamine				
All	0.2%	0.2%	0.4%	99.6%
Grade 6	0.2%	0.3%	0.4%	99.6%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.5%	99.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.4%	99.5%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.0%	7.1%	14.7%	85.3%
	Grade 6	0.8%	1.2%	2.1%	97.9%
	Grade 7	1.6%	1.6%	9.9%	90.1%
	Grade 8	1.8%	2.1%	7.7%	92.3%
	Grade 9	6.5%	7.2%	14.2%	85.8%
	Grade 10	4.4%	11.1%	20.6%	79.4%
	Grade 11	14.1%	16.3%	22.7%	77.3%
	Grade 12	6.9%	11.2%	26.4%	73.6%
Alcohol	All	15.0%	22.6%	39.2%	60.8%
	Grade 6	6.0%	8.8%	20.9%	79.1%
	Grade 7	4.4%	5.0%	18.6%	81.4%
	Grade 8	6.5%	9.7%	24.7%	75.3%
	Grade 9	17.8%	23.4%	39.8%	60.2%
	Grade 10	21.4%	31.2%	53.2%	46.8%
	Grade 11	21.9%	36.9%	57.7%	42.3%
	Grade 12	28.3%	45.0%	62.1%	37.9%
Inhalants	All	2.7%	3.7%	10.2%	89.8%
	Grade 6	4.1%	5.5%	15.3%	84.6%
	Grade 7	2.7%	3.3%	9.8%	90.2%
	Grade 8	3.4%	4.8%	9.3%	90.7%
	Grade 9	0.8%	0.8%	5.9%	94.0%
	Grade 10	3.8%	5.6%	12.9%	87.1%
	Grade 11	2.3%	3.0%	8.0%	91.9%
	Grade 12	1.6%	2.5%	8.7%	91.4%
Any Illicit Drug	All	5.6%	9.2%	16.9%	83.1%
	Grade 6	1.8%	1.8%	2.6%	97.4%
	Grade 7	0.4%	1.0%	7.8%	92.2%
	Grade 8	1.8%	3.1%	8.3%	91.7%
	Grade 9	1.0%	4.8%	10.9%	89.1%
	Grade 10	7.0%	15.0%	23.6%	76.4%
	Grade 11	11.5%	15.8%	24.9%	75.1%
	Grade 12	15.1%	22.9%	39.9%	60.1%
Marijuana	All	4.8%	8.3%	16.1%	83.9%
	Grade 6	0.6%	0.6%	1.4%	98.6%
	Grade 7	0.0%	0.6%	6.8%	93.2%
	Grade 8	1.4%	2.7%	7.2%	92.9%
	Grade 9	1.0%	4.1%	9.5%	90.5%
	Grade 10	6.0%	13.0%	23.6%	76.4%
	Grade 11	9.7%	15.2%	24.3%	75.7%
	Grade 12	14.7%	22.0%	39.2%	60.9%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	2.5%	4.4%	9.6%	90.3%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	3.6%	96.4%
	Grade 8	0.6%	1.1%	4.6%	95.4%
	Grade 9	0.0%	1.0%	4.4%	95.6%
	Grade 10	4.2%	7.1%	14.0%	86.0%
	Grade 11	4.5%	7.6%	13.6%	86.4%
	Grade 12	8.1%	14.0%	26.3%	73.7%
Cocaine Or Crack	All	0.4%	0.8%	1.5%	98.5%
	Grade 6	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.4%	0.4%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	1.0%	2.4%	97.6%
	Grade 11	0.6%	2.3%	2.9%	97.1%
	Grade 12	1.3%	1.3%	2.8%	97.2%
Cocaine	All	0.2%	0.6%	1.3%	98.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	1.0%	2.4%	97.6%
	Grade 11	0.0%	1.7%	2.3%	97.7%
	Grade 12	1.3%	1.3%	2.8%	97.1%
Crack	All	0.2%	0.2%	0.2%	99.8%
	Grade 6	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.2%	0.7%	1.3%	98.6%
	Grade 6	0.2%	0.6%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	1.4%	2.8%	97.2%
	Grade 11	0.5%	0.5%	1.7%	98.3%
	Grade 12	0.4%	2.4%	3.6%	96.4%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.6%	1.0%	1.4%	98.7%
Steroids	All	0.1%	0.2%	0.6%	99.5%
	Grade 6	0.0%	0.0%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.4%	0.8%	1.3%	98.7%
Ecstasy	All	0.3%	0.9%	1.7%	98.3%
	Grade 6	0.0%	0.8%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	1.0%	1.0%	99.0%
	Grade 10	0.5%	1.2%	3.0%	97.0%
	Grade 11	0.7%	0.7%	2.0%	98.0%
	Grade 12	0.9%	2.4%	5.0%	95.1%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.6%	0.6%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.5%	0.5%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.4%	99.6%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.7%	1.5%	4.4%	95.5%
Grade 6	0.9%	0.9%	1.1%	98.9%
Grade 7	0.0%	0.6%	3.2%	96.8%
Grade 8	0.7%	1.5%	2.5%	97.5%
Grade 9	0.0%	0.7%	4.6%	95.4%
Grade 10	1.0%	3.4%	7.2%	92.7%
Grade 11	1.9%	2.3%	7.1%	92.9%
Grade 12	0.6%	1.6%	5.9%	94.0%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.8%
Grade 6	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.9%	10.5%	20.6%	79.4%
	Grade 6	2.5%	3.0%	7.5%	92.5%
	Grade 7	3.6%	4.5%	10.2%	89.8%
	Grade 8	7.8%	10.4%	19.9%	80.0%
	Grade 9	7.1%	9.1%	18.5%	81.5%
	Grade 10	8.9%	12.2%	26.6%	73.3%
	Grade 11	11.7%	17.0%	32.3%	67.7%
	Grade 12	20.2%	26.0%	42.5%	57.5%
Alcohol	All	19.6%	25.4%	44.3%	55.7%
	Grade 6	8.1%	9.5%	23.0%	77.0%
	Grade 7	10.3%	12.6%	28.9%	71.1%
	Grade 8	17.8%	22.1%	45.9%	54.1%
	Grade 9	18.5%	24.5%	39.0%	61.0%
	Grade 10	25.6%	34.3%	58.0%	41.9%
	Grade 11	33.1%	42.6%	63.8%	36.3%
	Grade 12	35.2%	48.7%	69.6%	30.4%
Inhalants	All	6.5%	7.7%	15.2%	84.7%
	Grade 6	9.2%	10.1%	16.9%	83.2%
	Grade 7	9.1%	10.7%	17.8%	82.2%
	Grade 8	8.9%	10.8%	20.4%	79.6%
	Grade 9	4.5%	5.1%	8.8%	91.2%
	Grade 10	5.0%	6.0%	15.1%	84.9%
	Grade 11	3.8%	5.1%	13.6%	86.4%
	Grade 12	1.8%	3.1%	11.9%	88.1%
Any Illicit Drug	All	10.7%	14.0%	23.4%	76.6%
	Grade 6	1.8%	2.6%	5.6%	94.4%
	Grade 7	5.3%	6.1%	10.9%	89.1%
	Grade 8	8.2%	11.0%	19.4%	80.5%
	Grade 9	15.0%	18.0%	25.0%	75.0%
	Grade 10	14.3%	19.7%	33.6%	66.3%
	Grade 11	16.3%	21.8%	40.5%	59.5%
	Grade 12	20.6%	27.6%	44.0%	56.0%
Marijuana	All	9.5%	12.8%	22.3%	77.7%
	Grade 6	1.5%	2.3%	5.1%	94.9%
	Grade 7	4.0%	5.1%	9.4%	90.7%
	Grade 8	7.1%	9.4%	17.6%	82.4%
	Grade 9	12.7%	16.8%	24.2%	75.8%
	Grade 10	12.6%	18.0%	32.6%	67.4%
	Grade 11	15.4%	20.5%	39.5%	60.6%
	Grade 12	19.9%	26.8%	43.1%	56.9%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.7%	5.1%	11.4%	88.6%
	Grade 6	0.3%	0.8%	2.0%	98.0%
	Grade 7	2.3%	2.4%	5.0%	95.1%
	Grade 8	2.7%	3.2%	9.0%	91.0%
	Grade 9	4.0%	5.8%	11.9%	88.1%
	Grade 10	5.0%	7.5%	16.7%	83.3%
	Grade 11	5.9%	8.0%	19.9%	80.0%
	Grade 12	8.4%	11.9%	23.1%	76.8%
Cocaine Or Crack	All	1.6%	1.9%	3.6%	96.4%
	Grade 6	0.3%	0.4%	0.4%	99.6%
	Grade 7	1.3%	1.8%	2.7%	97.4%
	Grade 8	1.1%	1.6%	3.1%	96.9%
	Grade 9	3.1%	3.1%	3.7%	96.3%
	Grade 10	1.3%	1.5%	3.7%	96.3%
	Grade 11	1.4%	1.7%	5.2%	94.8%
	Grade 12	3.5%	4.3%	9.1%	90.9%
Cocaine	All	1.5%	1.7%	3.3%	96.7%
	Grade 6	0.1%	0.2%	0.2%	99.7%
	Grade 7	1.3%	1.8%	2.4%	97.7%
	Grade 8	0.9%	0.9%	2.3%	97.7%
	Grade 9	3.1%	3.1%	3.7%	96.3%
	Grade 10	0.9%	1.1%	3.2%	96.8%
	Grade 11	1.4%	1.7%	5.2%	94.8%
	Grade 12	3.5%	4.3%	9.1%	90.9%
Crack	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.9%	1.3%	98.7%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.5%	0.5%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens	All	1.0%	1.3%	2.4%	97.5%
	Grade 6	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	1.4%	2.0%	2.5%	97.5%
	Grade 9	1.0%	1.3%	2.6%	97.4%
	Grade 10	1.8%	2.3%	4.5%	95.4%
	Grade 11	1.2%	1.6%	3.3%	96.8%
	Grade 12	1.7%	2.1%	4.7%	95.3%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.9%	1.0%	1.9%	98.1%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.2%	0.5%	1.0%	99.0%
	Grade 8	0.9%	1.2%	2.3%	97.7%
	Grade 9	1.8%	1.8%	2.4%	97.6%
	Grade 10	1.6%	1.8%	3.0%	97.0%
	Grade 11	1.0%	1.1%	3.5%	96.4%
	Grade 12	0.5%	0.5%	1.8%	98.1%
Steroids	All	0.6%	0.7%	0.9%	99.1%
	Grade 6	0.8%	0.8%	1.4%	98.6%
	Grade 7	0.5%	0.8%	1.1%	98.9%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	1.1%	1.1%	1.3%	98.7%
	Grade 11	0.5%	0.9%	1.4%	98.7%
	Grade 12	0.8%	0.8%	0.8%	99.2%
Ecstasy	All	1.2%	1.7%	3.3%	96.6%
	Grade 6	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	2.5%	2.8%	3.7%	96.4%
	Grade 10	2.3%	3.8%	5.7%	94.4%
	Grade 11	1.0%	2.0%	6.0%	94.0%
	Grade 12	2.0%	3.0%	8.2%	91.8%
Heroin	All	0.2%	0.3%	0.4%	99.5%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.4%	0.4%	99.6%
	Grade 8	0.4%	0.6%	0.8%	99.2%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.3%	0.5%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.2%	0.2%	0.5%	99.5%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.7%	3.9%	8.2%	91.8%
Grade 6	0.3%	0.3%	2.1%	97.8%
Grade 7	1.1%	1.8%	3.6%	96.5%
Grade 8	3.3%	4.4%	6.9%	93.1%
Grade 9	5.9%	7.3%	10.5%	89.5%
Grade 10	2.4%	4.6%	11.8%	88.2%
Grade 11	3.3%	4.8%	13.9%	86.1%
Grade 12	3.4%	5.3%	12.6%	87.4%
Methamphetamine				
All	0.3%	0.4%	0.6%	99.5%
Grade 6	0.2%	0.3%	0.5%	99.5%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.7%	99.4%
Grade 11	0.1%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.9%	8.4%	16.6%	83.4%
	Grade 6	2.4%	3.0%	5.2%	94.8%
	Grade 7	2.9%	3.8%	9.6%	90.4%
	Grade 8	5.8%	8.0%	14.7%	85.3%
	Grade 9	5.0%	6.6%	15.7%	84.3%
	Grade 10	5.6%	9.0%	20.0%	80.0%
	Grade 11	10.3%	15.5%	26.4%	73.6%
	Grade 12	12.2%	18.0%	33.0%	67.0%
Alcohol	All	17.2%	22.7%	40.3%	59.7%
	Grade 6	8.0%	9.5%	21.7%	78.3%
	Grade 7	7.7%	9.3%	25.6%	74.4%
	Grade 8	15.2%	19.1%	39.9%	60.2%
	Grade 9	16.1%	21.6%	35.6%	64.4%
	Grade 10	22.8%	30.3%	54.0%	46.0%
	Grade 11	28.1%	38.2%	58.0%	42.0%
	Grade 12	31.0%	43.4%	61.7%	38.3%
Inhalants	All	5.1%	6.2%	13.1%	87.0%
	Grade 6	7.5%	8.4%	15.6%	84.4%
	Grade 7	6.3%	7.8%	15.3%	84.8%
	Grade 8	6.7%	8.5%	15.7%	84.3%
	Grade 9	4.0%	4.4%	8.3%	91.7%
	Grade 10	4.5%	5.4%	14.0%	86.0%
	Grade 11	3.7%	4.7%	11.9%	88.1%
	Grade 12	1.2%	2.2%	8.6%	91.4%
Any Illicit Drug	All	7.2%	10.3%	17.7%	82.3%
	Grade 6	1.9%	2.5%	3.8%	96.2%
	Grade 7	3.5%	3.8%	8.4%	91.5%
	Grade 8	5.6%	8.4%	13.9%	86.0%
	Grade 9	9.8%	12.4%	19.2%	80.8%
	Grade 10	9.3%	14.0%	24.6%	75.4%
	Grade 11	10.7%	16.1%	30.7%	69.3%
	Grade 12	13.5%	20.9%	33.2%	66.9%
Marijuana	All	6.3%	9.4%	16.7%	83.3%
	Grade 6	1.4%	2.1%	3.2%	96.8%
	Grade 7	2.6%	2.9%	6.9%	93.1%
	Grade 8	4.7%	7.5%	12.8%	87.2%
	Grade 9	8.4%	11.5%	18.6%	81.4%
	Grade 10	8.1%	12.7%	23.7%	76.3%
	Grade 11	10.1%	15.0%	29.8%	70.2%
	Grade 12	12.3%	19.6%	31.6%	68.3%

Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	2.7%	4.2%	9.2%	90.8%
	Grade 6	0.3%	0.6%	0.8%	99.1%
	Grade 7	1.8%	1.8%	4.7%	95.3%
	Grade 8	1.9%	2.7%	6.5%	93.4%
	Grade 9	2.1%	3.7%	9.7%	90.3%
	Grade 10	3.8%	6.0%	12.7%	87.4%
	Grade 11	4.0%	6.4%	16.6%	83.5%
	Grade 12	6.6%	11.2%	18.6%	81.4%
Cocaine Or Crack	All	1.0%	1.3%	2.5%	97.5%
	Grade 6	0.3%	0.4%	0.4%	99.6%
	Grade 7	0.6%	0.7%	1.1%	98.8%
	Grade 8	0.7%	1.2%	2.3%	97.7%
	Grade 9	2.9%	2.9%	3.0%	97.1%
	Grade 10	1.0%	1.2%	3.0%	97.0%
	Grade 11	0.5%	0.9%	3.7%	96.2%
	Grade 12	1.3%	1.8%	5.2%	94.8%
Cocaine	All	0.9%	1.1%	2.3%	97.8%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.5%	0.6%	0.8%	99.1%
	Grade 8	0.7%	0.7%	1.8%	98.3%
	Grade 9	2.5%	2.5%	2.6%	97.4%
	Grade 10	0.9%	1.1%	2.7%	97.4%
	Grade 11	0.5%	0.9%	3.7%	96.2%
	Grade 12	1.3%	1.8%	5.2%	94.8%
Crack	All	0.2%	0.3%	0.5%	99.5%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.0%	0.4%	0.6%	99.3%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.2%	0.2%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens	All	0.6%	0.8%	1.6%	98.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	1.2%	1.6%	1.7%	98.3%
	Grade 9	0.8%	0.8%	1.6%	98.5%
	Grade 10	0.9%	1.1%	2.4%	97.6%
	Grade 11	0.6%	0.8%	2.1%	97.9%
	Grade 12	0.5%	1.0%	3.6%	96.4%

Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.3%	98.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.2%	99.7%
	Grade 8	0.8%	1.1%	1.3%	98.7%
	Grade 9	1.7%	1.7%	2.0%	97.9%
	Grade 10	1.1%	1.1%	1.8%	98.2%
	Grade 11	0.7%	1.0%	2.5%	97.5%
	Grade 12	0.2%	0.2%	1.8%	98.2%
Steroids	All	0.4%	0.5%	0.9%	99.2%
	Grade 6	0.5%	0.5%	1.3%	98.7%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.3%	0.3%	0.7%	99.3%
	Grade 10	0.8%	0.8%	1.1%	98.8%
	Grade 11	0.1%	0.5%	1.4%	98.6%
	Grade 12	0.7%	0.9%	1.1%	98.9%
Ecstasy	All	0.7%	1.0%	2.1%	97.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.5%	0.6%	1.1%	99.0%
	Grade 9	1.5%	2.1%	2.4%	97.6%
	Grade 10	1.7%	2.3%	3.6%	96.5%
	Grade 11	0.8%	1.2%	4.1%	95.9%
	Grade 12	0.4%	1.4%	4.3%	95.8%
Heroin	All	0.1%	0.2%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.7%
	Grade 7	0.1%	0.4%	0.6%	99.4%
	Grade 8	0.4%	0.6%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana					
	All	2.1%	2.9%	5.6%	94.4%
	Grade 6	0.5%	0.5%	1.6%	98.3%
	Grade 7	0.6%	0.9%	2.1%	97.9%
	Grade 8	2.5%	3.8%	5.2%	94.9%
	Grade 9	5.1%	5.9%	7.5%	92.5%
	Grade 10	1.5%	3.3%	7.9%	92.1%
	Grade 11	3.0%	3.6%	9.7%	90.3%
	Grade 12	2.0%	3.1%	7.5%	92.4%
Methamphetamine					
	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.1%	0.1%	0.3%	99.6%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.0%	0.1%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.0%	0.2%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.4%	13.4%	26.1%	73.8%
	Grade 6	2.5%	2.8%	9.5%	90.5%
	Grade 7	4.0%	5.5%	14.0%	85.9%
	Grade 8	8.1%	10.4%	21.8%	78.2%
	Grade 9	9.9%	11.2%	25.3%	74.7%
	Grade 10	11.6%	16.5%	33.1%	66.9%
	Grade 11	17.0%	21.8%	36.4%	63.6%
	Grade 12	21.3%	27.9%	45.4%	54.6%
Alcohol	All	22.6%	30.2%	50.5%	49.5%
	Grade 6	6.2%	8.3%	22.1%	77.9%
	Grade 7	13.8%	17.1%	34.6%	65.4%
	Grade 8	17.2%	22.2%	44.5%	55.5%
	Grade 9	20.4%	26.6%	46.3%	53.7%
	Grade 10	27.9%	39.8%	63.3%	36.7%
	Grade 11	36.3%	46.5%	69.7%	30.2%
	Grade 12	37.8%	53.1%	75.1%	24.8%
Inhalants	All	6.6%	7.7%	16.1%	83.9%
	Grade 6	9.5%	10.3%	17.5%	82.5%
	Grade 7	11.4%	13.1%	20.5%	79.5%
	Grade 8	9.4%	10.9%	22.3%	77.7%
	Grade 9	4.4%	5.0%	9.9%	90.1%
	Grade 10	5.6%	6.8%	16.5%	83.5%
	Grade 11	2.6%	3.7%	13.0%	87.0%
	Grade 12	3.1%	4.0%	12.8%	87.2%
Any Illicit Drug	All	14.4%	18.6%	31.8%	68.2%
	Grade 6	2.5%	2.9%	7.8%	92.1%
	Grade 7	8.2%	9.7%	16.7%	83.2%
	Grade 8	10.3%	12.3%	24.2%	75.8%
	Grade 9	15.4%	20.3%	30.1%	70.0%
	Grade 10	17.2%	24.7%	43.7%	56.3%
	Grade 11	21.3%	27.8%	46.8%	53.2%
	Grade 12	27.4%	33.9%	56.2%	43.8%
Marijuana	All	13.0%	17.4%	30.7%	69.3%
	Grade 6	1.8%	2.2%	7.0%	92.9%
	Grade 7	6.1%	8.3%	15.7%	84.3%
	Grade 8	8.9%	10.6%	21.8%	78.2%
	Grade 9	13.9%	19.8%	28.9%	71.1%
	Grade 10	15.3%	22.3%	43.2%	56.8%
	Grade 11	19.5%	26.8%	46.1%	53.8%
	Grade 12	27.4%	33.2%	54.8%	45.2%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.0%	6.6%	15.5%	84.5%
	Grade 6	0.4%	0.8%	3.2%	96.8%
	Grade 7	2.6%	2.9%	6.5%	93.5%
	Grade 8	3.1%	3.4%	11.8%	88.1%
	Grade 9	4.9%	6.7%	13.9%	86.0%
	Grade 10	6.4%	9.6%	23.3%	76.7%
	Grade 11	7.7%	9.9%	22.0%	77.9%
	Grade 12	10.4%	13.6%	29.2%	70.8%
Cocaine Or Crack	All	1.8%	2.5%	4.5%	95.6%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	2.3%	3.1%	4.6%	95.4%
	Grade 8	1.3%	1.6%	3.4%	96.6%
	Grade 9	1.0%	1.7%	2.8%	97.2%
	Grade 10	0.8%	1.4%	3.8%	96.2%
	Grade 11	2.1%	3.4%	6.4%	93.6%
	Grade 12	5.2%	6.6%	10.9%	89.1%
Cocaine	All	1.6%	2.3%	4.2%	95.9%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	2.3%	3.1%	4.3%	95.7%
	Grade 8	0.6%	0.6%	2.2%	97.8%
	Grade 9	1.0%	1.7%	2.8%	97.2%
	Grade 10	0.5%	1.1%	3.6%	96.4%
	Grade 11	1.8%	3.1%	6.1%	94.0%
	Grade 12	5.2%	6.6%	10.9%	89.0%
Crack	All	0.5%	0.6%	1.0%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.7%	1.1%	1.4%	98.6%
	Grade 8	1.0%	1.3%	1.7%	98.3%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.5%	0.5%	0.8%	99.2%
	Grade 11	0.3%	0.3%	1.8%	98.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	1.3%	2.0%	3.5%	96.5%
	Grade 6	0.2%	0.5%	0.7%	99.3%
	Grade 7	0.8%	1.3%	1.7%	98.3%
	Grade 8	0.8%	1.4%	2.5%	97.6%
	Grade 9	0.6%	1.3%	2.4%	97.7%
	Grade 10	2.0%	3.2%	6.8%	93.1%
	Grade 11	1.9%	2.1%	4.6%	95.4%
	Grade 12	3.0%	4.7%	6.2%	93.8%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	1.0%	2.6%	97.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.4%	0.8%	2.2%	97.8%
	Grade 8	0.8%	0.8%	2.9%	97.1%
	Grade 9	0.5%	1.0%	1.6%	98.5%
	Grade 10	0.9%	1.2%	3.8%	96.2%
	Grade 11	0.9%	1.1%	4.5%	95.6%
	Grade 12	1.1%	1.7%	3.1%	96.9%
Steroids	All	0.5%	0.6%	0.7%	99.2%
	Grade 6	0.7%	0.7%	0.7%	99.3%
	Grade 7	1.3%	2.0%	2.2%	97.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.6%	0.6%	1.4%	98.7%
	Grade 11	0.8%	0.8%	0.8%	99.2%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy	All	1.5%	2.6%	4.7%	95.3%
	Grade 6	0.2%	0.7%	1.1%	98.9%
	Grade 7	0.7%	1.0%	1.0%	99.0%
	Grade 8	1.3%	1.5%	2.5%	97.6%
	Grade 9	1.6%	3.2%	4.3%	95.7%
	Grade 10	1.7%	4.0%	7.1%	92.8%
	Grade 11	1.3%	2.4%	5.9%	94.1%
	Grade 12	3.7%	5.4%	11.6%	88.4%
Heroin	All	0.3%	0.4%	0.5%	99.5%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.3%	0.6%	0.6%	99.4%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.3%	0.7%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.4%	0.4%	1.1%	98.9%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana					
	All	3.0%	4.6%	11.2%	88.8%
	Grade 6	0.7%	0.7%	3.3%	96.7%
	Grade 7	2.3%	3.6%	7.3%	92.8%
	Grade 8	4.2%	4.8%	8.1%	91.9%
	Grade 9	3.7%	5.4%	11.5%	88.4%
	Grade 10	3.9%	6.4%	15.8%	84.3%
	Grade 11	2.6%	5.2%	17.1%	82.9%
	Grade 12	3.7%	6.4%	15.5%	84.4%
Methamphetamine					
	All	0.4%	0.4%	0.6%	99.4%
	Grade 6	0.5%	0.7%	0.7%	99.3%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.6%	0.6%	1.3%	98.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.6%	9.2%	18.2%	81.8%
	Grade 6	1.8%	2.3%	5.3%	94.8%
	Grade 7	2.3%	3.3%	8.6%	91.4%
	Grade 8	4.3%	6.1%	14.2%	85.8%
	Grade 9	7.1%	8.8%	18.1%	81.9%
	Grade 10	6.5%	10.5%	22.8%	77.2%
	Grade 11	12.3%	17.4%	29.1%	71.0%
	Grade 12	15.4%	21.4%	38.0%	62.0%
Alcohol	All	17.9%	23.8%	42.3%	57.7%
	Grade 6	6.5%	8.1%	20.0%	80.0%
	Grade 7	8.8%	10.7%	24.5%	75.5%
	Grade 8	13.9%	17.5%	39.0%	61.0%
	Grade 9	17.7%	23.2%	40.6%	59.4%
	Grade 10	22.7%	30.8%	55.0%	45.0%
	Grade 11	30.1%	40.1%	62.4%	37.6%
	Grade 12	32.9%	47.0%	67.2%	32.8%
Inhalants	All	5.2%	6.2%	13.3%	86.7%
	Grade 6	7.8%	8.7%	16.0%	84.0%
	Grade 7	7.0%	8.3%	15.1%	84.9%
	Grade 8	6.1%	7.6%	16.0%	84.0%
	Grade 9	3.9%	4.5%	8.7%	91.3%
	Grade 10	4.7%	5.9%	14.1%	85.9%
	Grade 11	3.4%	4.2%	11.6%	88.4%
	Grade 12	2.2%	3.2%	10.4%	89.7%
Any Illicit Drug	All	8.4%	11.8%	20.6%	79.3%
	Grade 6	2.1%	2.5%	4.5%	95.4%
	Grade 7	4.3%	4.7%	8.5%	91.5%
	Grade 8	5.0%	7.7%	14.7%	85.3%
	Grade 9	11.5%	14.9%	22.7%	77.3%
	Grade 10	10.5%	15.9%	29.3%	70.7%
	Grade 11	13.3%	19.3%	34.4%	65.7%
	Grade 12	16.2%	24.1%	40.8%	59.2%
Marijuana	All	7.6%	11.0%	19.7%	80.3%
	Grade 6	1.5%	2.0%	3.9%	96.2%
	Grade 7	3.3%	4.0%	7.3%	92.7%
	Grade 8	4.3%	6.6%	13.3%	86.7%
	Grade 9	9.9%	14.0%	21.6%	78.4%
	Grade 10	9.8%	14.5%	28.7%	71.3%
	Grade 11	12.7%	18.8%	33.8%	66.3%
	Grade 12	15.5%	23.1%	39.0%	60.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	3.2%	4.8%	10.8%	89.2%
	Grade 6	0.3%	0.5%	1.3%	98.7%
	Grade 7	1.8%	1.9%	4.0%	96.0%
	Grade 8	1.6%	2.2%	7.5%	92.4%
	Grade 9	3.4%	5.3%	12.1%	87.9%
	Grade 10	5.0%	7.8%	16.7%	83.2%
	Grade 11	4.9%	7.2%	17.4%	82.6%
	Grade 12	6.7%	10.9%	21.8%	78.2%
Cocaine Or Crack	All	1.1%	1.5%	2.9%	97.2%
	Grade 6	0.3%	0.4%	0.4%	99.6%
	Grade 7	1.1%	1.5%	2.2%	97.7%
	Grade 8	0.7%	1.0%	2.1%	97.8%
	Grade 9	1.7%	2.0%	2.5%	97.4%
	Grade 10	0.6%	0.6%	2.4%	97.6%
	Grade 11	0.9%	1.8%	4.2%	95.8%
	Grade 12	2.4%	2.9%	6.8%	93.2%
Cocaine	All	1.0%	1.3%	2.6%	97.4%
	Grade 6	0.1%	0.2%	0.2%	99.8%
	Grade 7	1.0%	1.4%	2.0%	97.9%
	Grade 8	0.6%	0.6%	1.6%	98.4%
	Grade 9	1.7%	2.0%	2.5%	97.4%
	Grade 10	0.5%	0.5%	2.1%	97.9%
	Grade 11	0.9%	1.8%	4.2%	95.8%
	Grade 12	2.4%	2.9%	6.8%	93.2%
Crack	All	0.2%	0.3%	0.5%	99.5%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.3%	0.6%	0.9%	99.1%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.3%	0.3%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.6%	0.9%	1.7%	98.2%
	Grade 6	0.2%	0.3%	0.3%	99.7%
	Grade 7	0.4%	0.6%	0.9%	99.2%
	Grade 8	0.5%	0.9%	1.1%	98.9%
	Grade 9	0.3%	0.6%	1.2%	98.8%
	Grade 10	1.1%	1.5%	3.5%	96.4%
	Grade 11	0.5%	0.8%	2.6%	97.4%
	Grade 12	1.4%	2.1%	3.7%	96.4%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.6%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.4%	1.0%	99.0%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	1.3%	1.3%	1.3%	98.7%
	Grade 10	0.7%	0.7%	2.1%	97.9%
	Grade 11	0.8%	0.9%	3.3%	96.6%
	Grade 12	0.6%	0.7%	2.3%	97.7%
Steroids	All	0.4%	0.5%	0.7%	99.3%
	Grade 6	0.6%	0.6%	1.0%	99.0%
	Grade 7	0.4%	0.5%	0.7%	99.2%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.6%	0.6%	1.1%	98.9%
	Grade 11	0.2%	0.3%	0.6%	99.4%
	Grade 12	0.4%	0.6%	0.8%	99.2%
Ecstasy	All	0.8%	1.4%	2.6%	97.4%
	Grade 6	0.1%	0.3%	0.3%	99.7%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.4%	0.5%	0.9%	99.1%
	Grade 9	1.4%	2.4%	2.6%	97.4%
	Grade 10	1.5%	2.6%	4.2%	95.8%
	Grade 11	0.9%	1.5%	4.5%	95.4%
	Grade 12	1.4%	2.9%	6.5%	93.4%
Heroin	All	0.2%	0.3%	0.5%	99.6%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.1%	0.3%	0.5%	99.5%
	Grade 8	0.3%	0.5%	0.6%	99.4%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.2%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.2%	0.2%	0.4%	99.7%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana					
	All	2.1%	3.0%	6.6%	93.4%
	Grade 6	0.5%	0.5%	2.3%	97.7%
	Grade 7	1.0%	1.3%	2.6%	97.4%
	Grade 8	2.1%	3.2%	4.7%	95.3%
	Grade 9	4.5%	5.7%	8.2%	91.9%
	Grade 10	1.7%	3.1%	8.8%	91.3%
	Grade 11	2.6%	3.9%	11.8%	88.2%
	Grade 12	2.9%	4.4%	10.7%	89.3%
Methamphetamine					
	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.3%	0.4%	0.6%	99.4%
	Grade 7	0.6%	0.6%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.1%	99.9%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	12.3%	14.9%	28.2%	71.8%
	Grade 6	5.3%	6.1%	12.7%	87.3%
	Grade 7	9.0%	10.8%	24.3%	75.7%
	Grade 8	18.6%	22.0%	32.2%	67.8%
	Grade 9	6.7%	6.8%	22.7%	77.3%
	Grade 10	14.9%	18.2%	33.7%	66.3%
	Grade 11	17.6%	22.4%	39.2%	60.7%
	Grade 12	16.0%	21.0%	35.2%	64.9%
Alcohol	All	24.1%	32.4%	51.4%	48.6%
	Grade 6	13.7%	15.6%	33.9%	66.1%
	Grade 7	13.2%	16.0%	46.9%	53.1%
	Grade 8	25.6%	33.9%	53.9%	46.1%
	Grade 9	17.2%	24.1%	35.3%	64.6%
	Grade 10	32.9%	47.5%	67.5%	32.6%
	Grade 11	36.5%	48.4%	64.5%	35.5%
	Grade 12	34.1%	46.4%	65.6%	34.4%
Inhalants	All	7.9%	9.3%	17.9%	82.1%
	Grade 6	10.6%	11.4%	17.2%	82.9%
	Grade 7	13.6%	16.6%	27.5%	72.5%
	Grade 8	13.5%	16.2%	26.1%	73.9%
	Grade 9	5.5%	5.5%	10.2%	89.8%
	Grade 10	5.8%	6.2%	19.6%	80.4%
	Grade 11	3.6%	6.4%	16.5%	83.5%
	Grade 12	2.0%	3.0%	9.5%	90.5%
Any Illicit Drug	All	16.2%	19.6%	31.1%	68.9%
	Grade 6	0.8%	2.6%	5.2%	94.8%
	Grade 7	7.7%	10.5%	23.2%	76.8%
	Grade 8	18.0%	20.2%	31.2%	68.8%
	Grade 9	16.3%	17.2%	26.1%	73.9%
	Grade 10	20.8%	28.1%	40.3%	59.8%
	Grade 11	23.1%	28.4%	52.0%	48.1%
	Grade 12	26.9%	31.6%	42.8%	57.2%
Marijuana	All	13.8%	17.7%	29.8%	70.2%
	Grade 6	0.8%	2.6%	5.2%	94.8%
	Grade 7	4.6%	7.1%	20.0%	80.0%
	Grade 8	15.6%	19.0%	28.7%	71.3%
	Grade 9	14.1%	16.1%	26.1%	73.9%
	Grade 10	16.5%	24.8%	39.2%	60.8%
	Grade 11	19.1%	24.6%	49.8%	50.3%
	Grade 12	25.7%	30.1%	42.3%	57.6%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.4%	6.8%	13.9%	86.0%
	Grade 6	0.3%	2.1%	3.7%	96.3%
	Grade 7	2.8%	2.8%	10.9%	89.1%
	Grade 8	6.3%	7.3%	12.4%	87.7%
	Grade 9	2.9%	2.9%	9.3%	90.7%
	Grade 10	6.3%	7.8%	16.4%	83.6%
	Grade 11	7.4%	10.5%	25.5%	74.4%
	Grade 12	13.1%	16.6%	22.8%	77.2%
Cocaine Or Crack	All	2.7%	3.1%	5.1%	94.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.5%	1.5%	2.5%	97.5%
	Grade 8	1.9%	2.5%	4.0%	95.9%
	Grade 9	5.5%	5.5%	5.5%	94.5%
	Grade 10	2.8%	4.3%	7.3%	92.7%
	Grade 11	2.6%	2.6%	9.0%	91.0%
	Grade 12	3.7%	4.6%	8.4%	91.6%
Cocaine	All	2.2%	2.5%	4.4%	95.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.5%	1.5%	1.5%	98.5%
	Grade 8	1.3%	1.3%	2.9%	97.1%
	Grade 9	4.3%	4.3%	4.3%	95.7%
	Grade 10	2.2%	3.7%	6.7%	93.3%
	Grade 11	1.7%	1.7%	8.0%	92.0%
	Grade 12	3.7%	4.6%	8.4%	91.6%
Crack	All	0.9%	1.0%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.8%	0.8%	1.8%	98.3%
	Grade 8	0.6%	1.2%	1.2%	98.8%
	Grade 9	2.1%	2.1%	2.1%	97.9%
	Grade 10	0.6%	0.6%	1.2%	98.8%
	Grade 11	0.9%	0.9%	2.9%	97.1%
	Grade 12	1.0%	1.0%	1.0%	99.0%
Hallucinogens	All	2.0%	2.6%	4.8%	95.1%
	Grade 6	0.0%	0.0%	0.5%	99.5%
	Grade 7	0.7%	0.7%	1.4%	98.5%
	Grade 8	1.8%	2.7%	4.5%	95.4%
	Grade 9	3.4%	3.4%	6.4%	93.6%
	Grade 10	1.6%	3.0%	6.0%	94.0%
	Grade 11	4.4%	4.4%	6.1%	93.8%
	Grade 12	1.7%	3.8%	8.4%	91.6%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.0%	1.4%	2.6%	97.4%
	Grade 6	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.3%	2.3%	4.1%	95.9%
	Grade 9	1.2%	2.1%	4.3%	95.7%
	Grade 10	1.8%	2.6%	3.6%	96.4%
	Grade 11	0.5%	1.1%	2.6%	97.5%
	Grade 12	0.4%	1.0%	2.3%	97.6%
Steroids	All	0.7%	0.8%	1.5%	98.5%
	Grade 6	0.5%	0.5%	2.5%	97.5%
	Grade 7	0.7%	1.4%	1.9%	98.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.6%	1.6%	2.2%	97.8%
	Grade 11	1.5%	1.5%	3.6%	96.4%
	Grade 12	1.3%	1.3%	1.3%	98.7%
Ecstasy	All	1.9%	2.6%	5.1%	94.9%
	Grade 6	0.0%	0.0%	1.0%	99.0%
	Grade 7	0.0%	0.7%	0.7%	99.3%
	Grade 8	2.1%	2.5%	4.5%	95.5%
	Grade 9	3.4%	4.2%	6.4%	93.6%
	Grade 10	2.4%	4.5%	7.2%	92.8%
	Grade 11	2.1%	3.0%	7.1%	92.9%
	Grade 12	2.4%	2.4%	8.1%	91.9%
Heroin	All	0.4%	0.5%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.7%	1.3%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.2%	1.2%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana					
	All	4.3%	6.0%	11.9%	88.1%
	Grade 6	0.5%	0.5%	1.0%	99.1%
	Grade 7	1.8%	4.6%	9.3%	90.7%
	Grade 8	8.2%	8.9%	14.3%	85.7%
	Grade 9	6.7%	6.7%	12.2%	87.8%
	Grade 10	4.8%	8.4%	18.5%	81.5%
	Grade 11	4.9%	6.9%	17.9%	82.1%
	Grade 12	2.0%	5.5%	9.7%	90.4%
Methamphetamine					
	All	0.5%	0.6%	1.0%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.4%	1.4%	1.5%	98.5%
	Grade 8	0.1%	0.1%	1.0%	99.0%
	Grade 9	0.0%	0.0%	1.2%	98.8%
	Grade 10	1.8%	1.8%	1.8%	98.2%
	Grade 11	0.0%	0.8%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	124,540	50.8%
Female	120,515	49.2%
Frequency Missing = 1272		

GRADE		
q2	Frequency	Percent
Grade 6	38,249	15.5%
Grade 7	39,393	16.0%
Grade 8	37,523	15.2%
Grade 9	37,157	15.1%
Grade 10	33,766	13.7%
Grade 11	32,001	13.0%
Grade 12	28,238	11.5%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	83,858	34.2%
Yes	161,094	65.8%
Frequency Missing = 1374		

AGE		
q4	Frequency	Percent
10 or below	31	0.0%
11	10,986	4.5%
12	35,323	14.4%
13	38,547	15.7%
14	36,302	14.8%
15	36,639	14.9%
16	35,292	14.4%
17	30,808	12.6%
18	18,755	7.6%
19 or older	2,666	1.1%
Frequency Missing = 977		

ETHNICITY		
q5	Frequency	Percent
African Am.	1,880	0.8%
Asian Am.	1,690	0.7%
Mexican Am.	221,477	91.7%
Native Am.	259	0.1%
Other	758	0.3%
White	15,344	6.4%
Frequency Missing = 4919		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	50,654	23.5%
Mostly B's	118,585	55.0%
Mostly C's	41,017	19.0%
Mostly D's	4,264	2.0%
Mostly F's	1,257	0.6%
Frequency Missing = 30549		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	195,343	89.6%
Yes	22,646	10.4%
Frequency Missing = 28338		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	53,053	24.7%
No	31,137	14.5%
Yes	130,248	60.7%
Frequency Missing = 31889		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	112,524	54.0%
Yes	95,831	46.0%
Frequency Missing = 37971		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	152,018	75.9%
Yes	48,205	24.1%
Frequency Missing = 46103		

	PARTICIPATE IN SCHOOL CHOIR	
q9c	Frequency	Percent
No	182,952	93.9%
Yes	11,802	6.1%
Frequency Missing = 51573		

	PARTICIPATE IN DRILL TEAM/CHEER-LEADING	
q9d	Frequency	Percent
No	179,641	91.7%
Yes	16,184	8.3%
Frequency Missing = 50501		

	PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK	
q9e	Frequency	Percent
No	181,647	92.8%
Yes	14,002	7.2%
Frequency Missing = 50677		

	PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS	
q9f	Frequency	Percent
No	153,797	77.3%
Yes	45,103	22.7%
Frequency Missing = 47427		

	PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS	
q9g	Frequency	Percent
No	150,584	76.6%
Yes	45,874	23.4%
Frequency Missing = 49868		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL	
q9h	Frequency	Percent
No	135,885	67.7%
Yes	64,745	32.3%
Frequency Missing = 45697		

	PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL	
q9i	Frequency	Percent
No	154,705	78.7%
Yes	41,801	21.3%
Frequency Missing = 49820		

	DO YOU FEEL SAFE IN YOUR HOME	
q10a	Frequency	Percent
Very Safe	207,157	84.9%
Somewhat Safe	31,789	13.0%
Not Very Safe	2,465	1.0%
Not Safe At All	465	0.2%
Don't Know	2,226	0.9%
Frequency Missing = 2224		

	DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD	
q10b	Frequency	Percent
Very Safe	85,149	35.2%
Somewhat Safe	117,593	48.6%
Not Very Safe	25,670	10.6%
Not Safe At All	6,029	2.5%
Don't Know	7,385	3.1%
Frequency Missing = 4501		

	DO YOU FEEL SAFE AT SCHOOL	
q10c	Frequency	Percent
Very Safe	102,293	42.3%
Somewhat Safe	102,803	42.5%
Not Very Safe	19,338	8.0%
Not Safe At All	8,454	3.5%
Don't Know	8,996	3.7%
Frequency Missing = 4443		

	FRIENDS FEELING CLOSE TO THEIR PARENTS	
q11a	Frequency	Percent
None	20,489	8.5%
A Few	62,260	25.7%
Some	55,114	22.8%
Most	73,863	30.5%
All	30,258	12.5%
Frequency Missing = 4342		

	FRIENDS WISHING TO DROP OUT OF SCHOOL	
q11e	Frequency	Percent
None	155,835	64.5%
A Few	53,729	22.2%
Some	20,368	8.4%
Most	6,776	2.8%
All	4,937	2.0%
Frequency Missing = 4681		

	HOW MANY FRIENDS CARRY WEAPONS	
q11b	Frequency	Percent
None	191,151	80.0%
A Few	30,984	13.0%
Some	11,757	4.9%
Most	3,551	1.5%
All	1,575	0.7%
Frequency Missing = 7308		

	PARENTS ATTEND PTA/SCHOOL OPEN HOUSES	
q12	Frequency	Percent
No	91,071	52.4%
Yes	82,783	47.6%
Frequency Missing = 72473		

	HOW MANY FRIENDS CARE ABOUT GOOD GRADES	
q11c	Frequency	Percent
None	6,781	2.9%
A Few	32,491	13.7%
Some	53,745	22.7%
Most	87,130	36.8%
All	56,528	23.9%
Frequency Missing = 9652		

	RECENT INHALANT USE - SPRAY PAINT	
q13a	Frequency	Percent
Never	236,301	97.3%
Heard/Used		
In Your Life-	3,772	1.6%
time		
Since School	493	0.2%
Began		
In the Past	2,184	0.9%
Month		
Frequency Missing = 3577		

	HOW MANY FRIENDS BELONG TO A GANG	
q11d	Frequency	Percent
None	186,789	77.3%
A Few	30,975	12.8%
Some	14,950	6.2%
Most	6,141	2.5%
All	2,642	1.1%
Frequency Missing = 4830		

	RECENT INHALANT USE - WHITE- OUT, CORRECTION FLUID, MAGIC MARKERS	
q13b	Frequency	Percent
Never	225,488	92.9%
Heard/Used		
In Your Life-	9,182	3.8%
time		
Since School	2,278	0.9%
Began		
In the Past	5,760	2.4%
Month		
Frequency Missing = 3619		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
q13c	Frequency	Percent
Never	236,131	98.1%
Heard/Used		
In Your Life-	2,958	1.2%
time		
Since School	431	0.2%
Began		
In the Past	1,281	0.5%
Month		
Frequency Missing = 5525		

RECENT IN- HALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
q13f	Frequency	Percent
Never	238,081	98.6%
Heard/Used		
In Your Life-	1,332	0.6%
time		
Since School	569	0.2%
Began		
In the Past	1,502	0.6%
Month		
Frequency Missing = 4843		

RECENT IN- HALANT USE - HELIUM, BUTANE, PROPANE, WHIP- PETS, REFRIGER- ANTS/FREON		
q13d	Frequency	Percent
Never	224,545	92.7%
Heard/Used		
In Your Life-	10,631	4.4%
time		
Since School	1,608	0.7%
Began		
In the Past	5,445	2.2%
Month		
Frequency Missing = 4097		

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
q13g	Frequency	Percent
Never	235,386	97.5%
Heard/Used		
In Your Life-	2,717	1.1%
time		
Since School	731	0.3%
Began		
In the Past	2,540	1.1%
Month		
Frequency Missing = 4954		

RECENT INHALANT USE - GLUE		
q13e	Frequency	Percent
Never	238,186	98.7%
Heard/Used		
In Your Life-	1,475	0.6%
time		
Since School	456	0.2%
Began		
In the Past	1,207	0.5%
Month		
Frequency Missing = 5002		

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
q13h	Frequency	Percent
Never	235,858	97.4%
Heard/Used		
In Your Life-	3,071	1.3%
time		
Since School	768	0.3%
Began		
In the Past	2,391	1.0%
Month		
Frequency Missing = 4239		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q14a	RECENT CIGARETTE USE	
	Frequency	Percent
Never	195,250	81.0%
Heard/Used		
In Your Life-time	23,366	9.7%
Since School Began	6,065	2.5%
In the Past Month	16,452	6.8%
Frequency Missing = 5193		

q14e	RECENT WINE USE	
	Frequency	Percent
Never	177,867	75.4%
Heard/Used		
In Your Life-time	30,480	12.9%
Since School Began	8,788	3.7%
In the Past Month	18,676	7.9%
Frequency Missing = 10516		

q14b	RECENT SMOKE-LESS TOBACCO USE	
	Frequency	Percent
Never	225,342	94.3%
Heard/Used		
In Your Life-time	5,633	2.4%
Since School Began	3,047	1.3%
In the Past Month	4,869	2.0%
Frequency Missing = 7436		

q14f	RECENT LIQUOR USE	
	Frequency	Percent
Never	174,387	72.6%
Heard/Used		
In Your Life-time	27,163	11.3%
Since School Began	12,805	5.3%
In the Past Month	25,951	10.8%
Frequency Missing = 6021		

q14c	RECENT BEER USE	
	Frequency	Percent
Never	157,215	66.7%
Heard/Used		
In Your Life-time	37,336	15.8%
Since School Began	11,584	4.9%
In the Past Month	29,657	12.6%
Frequency Missing = 10534		

q14g	RECENT INHALANT USE	
	Frequency	Percent
Never	233,196	95.6%
Heard/Used		
In Your Life-time	5,641	2.3%
Since School Began	1,711	0.7%
In the Past Month	3,332	1.4%
Frequency Missing = 2447		

q14d	RECENT WINE COOLER USE	
	Frequency	Percent
Never	177,755	74.5%
Heard/Used		
In Your Life-time	25,995	10.9%
Since School Began	10,815	4.5%
In the Past Month	24,173	10.1%
Frequency Missing = 7589		

q15a	RECENT MARIJUANA USE	
	Frequency	Percent
Never	189,270	78.5%
Heard/Used		
In Your Life-time	22,687	9.4%
Since School Began	8,484	3.5%
In the Past Month	20,774	8.6%
Frequency Missing = 5112		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	233,817	97.1%
Heard/Used		
In Your Life-	3,381	1.4%
time		
Since School	846	0.4%
Began		
In the Past	2,752	1.1%
Month		
Frequency Missing = 5530		

	RECENT USE	STERIOD
q15g	Frequency	Percent
Never	238,478	99.2%
Heard/Used		
In Your Life-	782	0.3%
time		
Since School	188	0.1%
Began		
In the Past	977	0.4%
Month		
Frequency Missing = 5901		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	239,002	99.4%
Heard/Used		
In Your Life-	576	0.2%
time		
Since School	184	0.1%
Began		
In the Past	713	0.3%
Month		
Frequency Missing = 5851		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	232,141	97.0%
Heard/Used		
In Your Life-	3,386	1.4%
time		
Since School	1,443	0.6%
Began		
In the Past	2,295	1.0%
Month		
Frequency Missing = 7061		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	234,736	97.7%
Heard/Used		
In Your Life-	2,580	1.1%
time		
Since School	838	0.3%
Began		
In the Past	2,090	0.9%
Month		
Frequency Missing = 6083		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	239,171	99.6%
Heard/Used		
In Your Life-	358	0.1%
time		
Since School	211	0.1%
Began		
In the Past	469	0.2%
Month		
Frequency Missing = 6117		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	236,260	98.3%
Heard/Used		
In Your Life-	2,246	0.9%
time		
Since School	408	0.2%
Began		
In the Past	1,538	0.6%
Month		
Frequency Missing = 5875		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	239,536	99.6%
Heard/Used		
In Your Life-	437	0.2%
time		
Since School	92	0.0%
Began		
In the Past	541	0.2%
Month		
Frequency Missing = 5720		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	222,336	92.4%
Heard/Used		
In Your Life-	9,628	4.0%
time		
Since School	2,641	1.1%
Began		
In the Past	5,905	2.5%
Month		
Frequency Missing = 5816		

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	221,825	91.7%
Heard/Used		
In Your Life-	7,906	3.3%
time		
Since School	3,629	1.5%
Began		
In the Past	8,667	3.6%
Month		
Frequency Missing = 4300		

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	237,903	98.6%
Heard/Used		
In Your Life-	1,293	0.5%
time		
Since School	496	0.2%
Began		
In the Past	1,475	0.6%
Month		
Frequency Missing = 5159		

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	235,646	97.8%
Heard/Used		
In Your Life-	2,028	0.8%
time		
Since School	791	0.3%
Began		
In the Past	2,572	1.1%
Month		
Frequency Missing = 5291		

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	238,660	99.2%
Heard/Used		
In Your Life-	622	0.3%
time		
Since School	349	0.1%
Began		
In the Past	903	0.4%
Month		
Frequency Missing = 5792		

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	233,784	96.9%
Heard/Used		
In Your Life-	2,510	1.0%
time		
Since School	1,331	0.6%
Began		
In the Past	3,535	1.5%
Month		
Frequency Missing = 5166		

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	228,538	97.4%
Heard/Used		
In Your Life-	2,783	1.2%
time		
Since School	457	0.2%
Began		
In the Past	2,768	1.2%
Month		
Frequency Missing = 11781		

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	220,220	91.8%
Heard/Used		
1-2 times	12,685	5.3%
3-10 times	4,313	1.8%
11+ times	2,776	1.2%
Frequency Missing = 6333		

	ALCOHOL USE IN PAST MONTH	
q18b	Frequency	Percent
Never	184,350	77.3%
Heard/Used		
1-2 times	33,973	14.2%
3-10 times	14,272	6.0%
11+ times	5,913	2.5%
Frequency Missing = 7819		

	INHALANT USE IN PAST MONTH	
q18c	Frequency	Percent
Never	233,056	97.0%
Heard/Used		
1-2 times	4,957	2.1%
3-10 times	1,582	0.7%
11+ times	565	0.2%
Frequency Missing = 6167		

	MARIJUANA USE IN PAST MONTH	
q18d	Frequency	Percent
Never	207,481	86.4%
Heard/Used		
1-2 times	15,924	6.6%
3-10 times	6,771	2.8%
11+ times	10,002	4.2%
Frequency Missing = 6148		

	COCAINE USE IN PAST MONTH	
q18e	Frequency	Percent
Never	236,347	98.4%
Heard/Used		
1-2 times	2,920	1.2%
3-10 times	653	0.3%
11+ times	314	0.1%
Frequency Missing = 6091		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	CRACK USE IN PAST MONTH	
q18f	Frequency	Percent
Never	239,578	99.7%
Heard/Used		
1-2 times	460	0.2%
3-10 times	118	0.0%
11+ times	163	0.1%
Frequency Missing = 6007		

	CLOSE FRIENDS USE TOBACCO	
q19a	Frequency	Percent
Never	168,611	70.8%
heard/None		
A few	42,495	17.8%
Some	17,768	7.5%
Most	7,383	3.1%
All	1,976	0.8%
Frequency Missing = 8094		

	CLOSE FRIENDS USE ALCOHOL	
q19b	Frequency	Percent
Never	123,667	52.0%
heard/None		
A few	51,320	21.6%
Some	30,081	12.7%
Most	24,173	10.2%
All	8,514	3.6%
Frequency Missing = 8571		

	CLOSE FRIENDS USE INHALANTS	
q19c	Frequency	Percent
Never	210,086	88.4%
heard/None		
A few	17,967	7.6%
Some	6,511	2.7%
Most	2,152	0.9%
All	898	0.4%
Frequency Missing = 8712		

	CLOSE USE MARIJUANA	FRIENDS
q19d	Frequency	Percent
Never heard/None	132,303	55.7%
A few	44,950	18.9%
Some	25,859	10.9%
Most	24,133	10.2%
All	10,392	4.4%
Frequency Missing = 8689		

	DIFFICULT TO GET MARIJUANA	
q20d	Frequency	Percent
Never heard of	84,440	36.3%
Impossible	44,376	19.1%
Very difficult	12,186	5.2%
Somewhat diff	17,928	7.7%
Somewhat easy	26,974	11.6%
Very easy	46,458	20.0%
Frequency Missing = 13964		

	DIFFICULT TO GET TOBACCO	
q20a	Frequency	Percent
Never heard of	93,127	40.0%
Impossible	46,623	20.0%
Very difficult	14,952	6.4%
Somewhat diff	17,676	7.6%
Somewhat easy	25,440	10.9%
Very easy	35,240	15.1%
Frequency Missing = 13268		

	DIFFICULT TO GET COCAINE	
q20e	Frequency	Percent
Never heard of	106,482	45.8%
Impossible	58,762	25.3%
Very difficult	21,087	9.1%
Somewhat diff	17,492	7.5%
Somewhat easy	13,539	5.8%
Very easy	15,125	6.5%
Frequency Missing = 13839		

	DIFFICULT TO GET COMBINED ALCOHOL	
q20b	Frequency	Percent
Never heard of	77,583	33.3%
Impossible	35,512	15.3%
Very difficult	12,132	5.2%
Somewhat diff	21,296	9.1%
Somewhat easy	35,357	15.2%
Very easy	50,907	21.9%
Frequency Missing = 13540		

	DIFFICULT TO GET CRACK	
q20f	Frequency	Percent
Never heard of	115,608	49.8%
Impossible	59,186	25.5%
Very difficult	21,011	9.0%
Somewhat diff	15,565	6.7%
Somewhat easy	9,458	4.1%
Very easy	11,342	4.9%
Frequency Missing = 14156		

	DIFFICULT TO GET INHALANTS	
q20c	Frequency	Percent
Never heard of	113,630	49.0%
Impossible	34,689	15.0%
Very difficult	8,673	3.7%
Somewhat diff	12,564	5.4%
Somewhat easy	18,307	7.9%
Very easy	44,029	19.0%
Frequency Missing = 14434		

	DIFFICULT TO GET STERIODS	
q20h	Frequency	Percent
Never heard of	118,321	50.9%
Impossible	58,784	25.3%
Very difficult	18,758	8.1%
Somewhat diff	15,931	6.8%
Somewhat easy	10,107	4.3%
Very easy	10,685	4.6%
Frequency Missing = 13740		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	126,756	54.7%
Impossible	47,556	20.5%
Very difficult	15,227	6.6%
Somewhat diff	15,330	6.6%
Somewhat easy	12,326	5.3%
Very easy	14,453	6.2%
Frequency Missing = 14679		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	1,662	4.7%
9 years old	1,257	3.5%
10 years old	2,281	6.4%
11 years old	2,798	7.9%
12 years old	3,600	10.1%
13 years old	4,931	13.9%
14 years old	4,567	12.8%
15 years old	6,244	17.5%
16 years old	4,739	13.3%
17 years old	2,664	7.5%
18 or older	853	2.4%
Frequency Missing = 210729		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	130,229	55.9%
Impossible	57,796	24.8%
Very difficult	18,224	7.8%
Somewhat diff	11,877	5.1%
Somewhat easy	6,297	2.7%
Very easy	8,515	3.7%
Frequency Missing = 13389		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	8,322	9.2%
9 years old	3,398	3.8%
10 years old	4,564	5.1%
11 years old	7,173	7.9%
12 years old	8,496	9.4%
13 years old	13,113	14.5%
14 years old	13,445	14.9%
15 years old	16,323	18.1%
16 years old	9,778	10.8%
17 years old	4,277	4.7%
18 or older	1,476	1.6%
Frequency Missing = 155960		

DIFFICULT TO GET METHAM- PHETAMINE		
q20k	Frequency	Percent
Never heard of	135,662	58.2%
Impossible	54,212	23.3%
Very difficult	18,033	7.7%
Somewhat diff	11,496	4.9%
Somewhat easy	5,338	2.3%
Very easy	8,371	3.6%
Frequency Missing = 13214		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	1,201	10.3%
9 years old	1,171	10.0%
10 years old	1,304	11.2%
11 years old	1,604	13.8%
12 years old	2,200	18.9%
13 years old	1,809	15.5%
14 years old	1,154	9.9%
15 years old	547	4.7%
16 years old	619	5.3%
17 years old	54	0.5%
Frequency Missing = 234662		

DIFFICULT TO GET SYNTHETIC MARI- JUANA		
q20l	Frequency	Percent
Never heard of	124,077	53.2%
Impossible	42,882	18.4%
Very difficult	13,020	5.6%
Somewhat diff	13,336	5.7%
Somewhat easy	15,654	6.7%
Very easy	24,151	10.4%
Frequency Missing = 13206		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	1,326	2.5%
9 years old	847	1.6%
10 years old	2,411	4.6%
11 years old	3,436	6.6%
12 years old	6,399	12.2%
13 years old	8,480	16.2%
14 years old	10,044	19.2%
15 years old	9,638	18.4%
16 years old	6,293	12.0%
17 years old	2,723	5.2%
18 or older	690	1.3%

Frequency Missing = 194041

AGE WHEN FIRST USED STEROIDS		
q21h	Frequency	Percent
8 or younger	385	19.2%
9 years old	41	2.0%
10 years old	30	1.5%
11 years old	156	7.8%
12 years old	298	14.9%
13 years old	94	4.7%
14 years old	107	5.3%
15 years old	418	20.9%
16 years old	190	9.5%
17 years old	241	12.0%
18 or older	43	2.2%

Frequency Missing = 244323

AGE WHEN FIRST USED COCAINE		
q21e	Frequency	Percent
8 or younger	107	1.6%
9 years old	80	1.2%
10 years old	89	1.4%
11 years old	514	7.8%
12 years old	332	5.0%
13 years old	877	13.3%
14 years old	918	14.0%
15 years old	1,169	17.8%
16 years old	1,296	19.7%
17 years old	1,160	17.6%
18 or older	35	0.5%

Frequency Missing = 239750

AGE WHEN FIRST USED ECSTASY		
q21i	Frequency	Percent
8 or younger	23	0.3%
9 years old	41	0.6%
10 years old	92	1.4%
11 years old	136	2.1%
12 years old	295	4.5%
13 years old	568	8.6%
14 years old	1,097	16.7%
15 years old	1,747	26.5%
16 years old	1,426	21.7%
17 years old	932	14.2%
18 or older	226	3.4%

Frequency Missing = 239746

AGE WHEN FIRST USED CRACK		
q21f	Frequency	Percent
8 or younger	126	13.0%
9 years old	33	3.4%
11 years old	91	9.4%
12 years old	217	22.4%
13 years old	142	14.6%
14 years old	142	14.7%
15 years old	31	3.2%
16 years old	76	7.9%
17 years old	111	11.5%

Frequency Missing = 245356

AGE WHEN FIRST USED HEROIN		
q21j	Frequency	Percent
8 or younger	140	17.0%
9 years old	183	22.4%
10 years old	35	4.3%
11 years old	82	9.9%
12 years old	81	9.9%
13 years old	38	4.6%
15 years old	188	22.9%
17 years old	73	8.9%

Frequency Missing = 245507

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHEN FIRST USED METHAM- PHETAMINE	
q21k	Frequency	Percent
8 or younger	112	14.4%
9 years old	79	10.3%
10 years old	100	12.9%
11 years old	23	2.9%
13 years old	144	18.6%
14 years old	54	6.9%
15 years old	177	22.9%
16 years old	85	11.0%
Frequency Missing = 245553		

	HOW OFTEN NOR- MALLY USE ALCO- HOL	
q22b	Frequency	Percent
Every day	822	0.3%
Several times/wk	4,596	1.9%
Several times/mo	14,525	6.2%
About once/- month	22,753	9.6%
About on- ce/year	18,944	8.0%
< once/year	16,047	6.8%
Never used	158,095	67.1%
Frequency Missing = 10544		

	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
q21l	Frequency	Percent
8 or younger	162	0.9%
9 years old	269	1.5%
10 years old	535	2.9%
11 years old	670	3.7%
12 years old	1,812	9.9%
13 years old	2,524	13.8%
14 years old	4,119	22.5%
15 years old	3,749	20.5%
16 years old	3,150	17.2%
17 years old	1,164	6.4%
18 or older	127	0.7%
Frequency Missing = 228046		

	HOW OFTEN NOR- MALLY USE IN- HALANTS	
q22c	Frequency	Percent
Every day	365	0.2%
Several times/wk	723	0.3%
Several times/mo	1,019	0.4%
About once/- month	1,645	0.7%
About on- ce/year	1,600	0.7%
< once/year	3,563	1.5%
Never used	227,903	96.2%
Frequency Missing = 9508		

	HOW OFTEN NOR- MALLY USE TO- BACCO	
q22a	Frequency	Percent
Every day	1,032	0.4%
Several times/wk	2,508	1.1%
Several times/mo	4,296	1.8%
About once/- month	6,804	2.9%
About on- ce/year	6,050	2.6%
< once/year	8,921	3.8%
Never used	207,462	87.5%
Frequency Missing = 9253		

	HOW OFTEN NOR- MALLY USE MARI- JUANA	
q22d	Frequency	Percent
Every day	4,910	2.1%
Several times/wk	5,769	2.4%
Several times/mo	6,637	2.8%
About once/- month	8,781	3.7%
About on- ce/year	8,357	3.5%
< once/year	10,086	4.2%
Never used	193,357	81.3%
Frequency Missing = 8428		

	HOW OFTEN NOR- MALLY USE CO- CAINE	
q22e	Frequency	Percent
Every day	239	0.1%
Several times/wk	57	0.0%
Several times/mo	585	0.2%
About once/- month	1,063	0.4%
About on- ce/year	1,022	0.4%
< once/year	1,415	0.6%
Never used	233,391	98.2%

Frequency Missing = 8554

	HOW OFTEN NOR- MALLY USE EC- STASY	
q22i	Frequency	Percent
Every day	111	0.0%
Several times/wk	100	0.0%
Several times/mo	452	0.2%
About once/- month	1,428	0.6%
About on- ce/year	1,777	0.7%
< once/year	1,779	0.7%
Never used	231,501	97.6%

Frequency Missing = 9179

	HOW OFTEN NOR- MALLY USE CRACK	
q22f	Frequency	Percent
Every day	240	0.1%
Several times/wk	89	0.0%
Several times/mo	22	0.0%
About once/- month	114	0.0%
About on- ce/year	123	0.1%
< once/year	194	0.1%
Never used	237,475	99.7%

Frequency Missing = 8070

	HOW OFTEN NORMALLY USE HEROIN	
q22j	Frequency	Percent
Every day	98	0.0%
Several times/wk	23	0.0%
Several times/mo	62	0.0%
About once/- month	99	0.0%
About on- ce/year	13	0.0%
< once/year	220	0.1%
Never used	237,383	99.8%

Frequency Missing = 8428

	HOW OFTEN NORMALLY USE STEROIDS	
q22h	Frequency	Percent
Every day	352	0.1%
Several times/wk	128	0.1%
Several times/mo	339	0.1%
About once/- month	32	0.0%
About on- ce/year	152	0.1%
< once/year	448	0.2%
Never used	236,694	99.4%

Frequency Missing = 8181

	HOW OFTEN NORMALLY USE METHAM- PHETAMINE	
q22k	Frequency	Percent
Every day	104	0.0%
Several times/mo	114	0.0%
About once/- month	32	0.0%
About on- ce/year	39	0.0%
< once/year	406	0.2%
Never used	237,175	99.7%

Frequency Missing = 8456

	HOW OFTEN NOR- MALLY USE SYN- THETIC MARI- JUANA	Percent
q22l	Frequency	Percent
Every day	809	0.3%
Several times/wk	1,210	0.5%
Several times/mo	986	0.4%
About once/- month	2,769	1.2%
About on- ce/year	3,564	1.5%
< once/year	5,552	2.3%
Never used	222,697	93.7%
Frequency Missing = 8740		

	AMOUNT OF BEER AT ONE TIME	Percent
q23a	Frequency	Percent
Never drink this	156,502	66.6%
12+ drinks	5,601	2.4%
9-11 drinks	3,790	1.6%
5-8 drinks	7,677	3.3%
3-4 drinks	11,827	5.0%
2 drinks	12,485	5.3%
1 drink	13,859	5.9%
< 1 drink	23,125	9.8%
Frequency Missing = 11460		

	AMOUNT OF WINE COOLERS AT ONE TIME	Percent
q23b	Frequency	Percent
Never drink this	173,065	73.7%
12+ drinks	4,052	1.7%
9-11 drinks	3,268	1.4%
5-8 drinks	7,411	3.2%
3-4 drinks	10,683	4.5%
2 drinks	12,151	5.2%
1 drink	12,841	5.5%
< 1 drink	11,327	4.8%
Frequency Missing = 11527		

	AMOUNT OF WINE AT ONE TIME	Percent
q23c	Frequency	Percent
Never drink this	176,186	75.5%
12+ drinks	2,084	0.9%
9-11 drinks	1,220	0.5%
5-8 drinks	2,465	1.1%
3-4 drinks	5,664	2.4%
2 drinks	9,098	3.9%
1 drink	15,149	6.5%
< 1 drink	21,625	9.3%
Frequency Missing = 12837		

	AMOUNT OF LIQUOR AT ONE TIME	Percent
q23d	Frequency	Percent
Never drink this	168,824	71.9%
12+ drinks	6,749	2.9%
9-11 drinks	3,551	1.5%
5-8 drinks	8,368	3.6%
3-4 drinks	11,348	4.8%
2 drinks	10,390	4.4%
1 drink	11,398	4.9%
< 1 drink	14,323	6.1%
Frequency Missing = 11376		

	HOW MANY 5+ DRINKS IN PAST 30 DAYS	Percent
q24	Frequency	Percent
Never 5+ at time	106,424	44.9%
None	99,267	41.9%
1 day	11,907	5.0%
2 days	7,009	3.0%
3 to 5 days	6,211	2.6%
6 to 9 days	2,181	0.9%
10 or more days	3,908	1.6%
Frequency Missing = 9420		

	GET ALCOHOLIC BEVERAGES FROM HOME	Percent
q25a	Frequency	Percent
Do not Drink	142,507	60.3%
Never	55,347	23.4%
Seldom	26,216	11.1%
Most of the Time	9,212	3.9%
Always	3,121	1.3%
Frequency Missing = 9924		

	GET ALCOHOLIC BEVERAGES FROM FRIENDS	
q25b	Frequency	Percent
Do not Drink	134,529	57.1%
Never	45,389	19.3%
Seldom	25,649	10.9%
Most of the Time	22,338	9.5%
Always	7,817	3.3%
Frequency Missing = 10605		

	GET ALCOHOLIC BEVERAGES FROM A STORE	
q25c	Frequency	Percent
Do not Drink	138,841	58.9%
Never	75,423	32.0%
Seldom	9,841	4.2%
Most of the Time	7,290	3.1%
Always	4,299	1.8%
Frequency Missing = 10632		

	GET ALCOHOLIC BEVERAGES AT PARTIES	
q25d	Frequency	Percent
Do not Drink	128,736	54.5%
Never	39,412	16.7%
Seldom	22,658	9.6%
Most of the Time	23,797	10.1%
Always	21,777	9.2%
Frequency Missing = 9946		

	GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES	
q25e	Frequency	Percent
Do not Drink	139,482	59.5%
Never	56,472	24.1%
Seldom	16,801	7.2%
Most of the Time	11,220	4.8%
Always	10,547	4.5%
Frequency Missing = 11804		

	DANGEROUS FOR KIDS TO USE TO- BACCO	
q26a	Frequency	Percent
Very	170,502	71.7%
Somewhat	39,710	16.7%
Not very	11,840	5.0%
Not at all	3,027	1.3%
Don't know	12,618	5.3%
Frequency Missing = 8629		

	DANGEROUS FOR KIDS TO USE AL- COHOL	
q26b	Frequency	Percent
Very	140,256	59.2%
Somewhat	57,619	24.3%
Not very	23,544	9.9%
Not at all	5,193	2.2%
Don't know	10,483	4.4%
Frequency Missing = 9231		

	DANGEROUS FOR KIDS TO USE IN- HALANTS	
q26c	Frequency	Percent
Very	188,277	79.4%
Somewhat	23,212	9.8%
Not very	7,992	3.4%
Not at all	2,244	0.9%
Don't know	15,413	6.5%
Frequency Missing = 9189		

	DANGEROUS FOR KIDS TO USE MARI- JUANA	
q26d	Frequency	Percent
Very	153,595	64.6%
Somewhat	26,667	11.2%
Not very	20,668	8.7%
Not at all	25,780	10.8%
Don't know	10,961	4.6%
Frequency Missing = 8656		

	DANGEROUS FOR KIDS TO USE CO- CAINE	
q26e	Frequency	Percent
Very	210,583	88.8%
Somewhat	11,705	4.9%
Not very	2,322	1.0%
Not at all	1,604	0.7%
Don't know	10,999	4.6%
Frequency Missing = 9114		

	DANGEROUS FOR KIDS TO USE CRACK	
q26f	Frequency	Percent
Very	212,831	89.6%
Somewhat	9,669	4.1%
Not very	1,700	0.7%
Not at all	1,675	0.7%
Don't know	11,604	4.9%
Frequency Missing = 8847		

	DANGEROUS FOR KIDS TO USE EC-STASY	
q26g	Frequency	Percent
Very	198,787	83.8%
Somewhat	16,035	6.8%
Not very	4,458	1.9%
Not at all	2,368	1.0%
Don't know	15,468	6.5%
Frequency Missing = 9210		

	DANGEROUS FOR KIDS TO USE STEROIDS	
q26h	Frequency	Percent
Very	192,712	81.2%
Somewhat	22,045	9.3%
Not very	5,882	2.5%
Not at all	2,635	1.1%
Don't know	14,128	6.0%
Frequency Missing = 8925		

	DANGEROUS FOR KIDS TO USE HEROIN	
q26i	Frequency	Percent
Very	211,439	88.9%
Somewhat	8,582	3.6%
Not very	1,540	0.6%
Not at all	1,263	0.5%
Don't know	14,883	6.3%
Frequency Missing = 8619		

	DANGEROUS FOR KIDS TO USE METHAM-PHETAMINE	
q26j	Frequency	Percent
Very	210,956	88.7%
Somewhat	8,332	3.5%
Not very	1,360	0.6%
Not at all	1,432	0.6%
Don't know	15,791	6.6%
Frequency Missing = 8454		

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	
q26k	Frequency	Percent
Very	193,615	81.5%
Somewhat	17,716	7.5%
Not very	5,573	2.3%
Not at all	4,207	1.8%
Don't know	16,394	6.9%
Frequency Missing = 8822		

	DANGEROUS FOR KIDS TO USE HYDROCODONE	
q26l	Frequency	Percent
Very	200,026	84.2%
Somewhat	11,838	5.0%
Not very	3,419	1.4%
Not at all	2,336	1.0%
Don't know	20,035	8.4%
Frequency Missing = 8672		

	DAYS SKIPPED SINCE SEPTEMBER	
q27a	Frequency	Percent
None	191,720	80.9%
1-3 days	30,063	12.7%
4-9 days	8,578	3.6%
10+ days	6,692	2.8%
Frequency Missing = 9274		

	DAYS ILL SINCE SEPTEMBER	
q27b	Frequency	Percent
None	91,566	38.7%
1-3 days	109,571	46.3%
4-9 days	26,368	11.1%
10+ days	9,023	3.8%
Frequency Missing = 9799		

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	
q27c	Frequency	Percent
None	110,518	47.2%
1-3 days	102,503	43.8%
4-9 days	14,777	6.3%
10+ days	6,196	2.6%
Frequency Missing = 12332		

	SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER	
q27d	Frequency	Percent
None	208,187	88.1%
1-3 days	21,772	9.2%
4-9 days	4,096	1.7%
10+ days	2,320	1.0%
Frequency Missing = 9951		

	TROUBLE WITH FRIENDS BECAUSE OF DRUG USE	
q28d	Frequency	Percent
None	226,352	95.9%
1-3 times	8,053	3.4%
4-9 times	1,126	0.5%
10+ times	415	0.2%
Frequency Missing = 10381		

	SOMEONE CALLED HOME SINCE SEPTEMBER	
q27e	Frequency	Percent
None	208,679	88.3%
1-3 days	21,279	9.0%
4-9 days	3,418	1.4%
10+ days	2,834	1.2%
Frequency Missing = 10117		

	DRIVEN A CAR WHILE HIGH FROM DRUGS	
q28e	Frequency	Percent
None	225,475	95.6%
1-3 times	6,535	2.8%
4-9 times	1,345	0.6%
10+ times	2,463	1.0%
Frequency Missing = 10508		

	TROUBLE WITH FRIENDS BECAUSE OF DRINKING	
q28a	Frequency	Percent
None	227,958	96.3%
1-3 times	7,817	3.3%
4-9 times	664	0.3%
10+ times	344	0.1%
Frequency Missing = 9544		

	CRITICIZED BY DATE BECAUSE OF DRUG USE	
q28f	Frequency	Percent
None	224,463	95.2%
1-3 times	8,900	3.8%
4-9 times	1,432	0.6%
10+ times	940	0.4%
Frequency Missing = 10592		

	DRIVEN A CAR AFTER A GOOD BIT TO DRINK	
q28b	Frequency	Percent
None	226,743	96.1%
1-3 times	6,995	3.0%
4-9 times	1,395	0.6%
10+ times	830	0.4%
Frequency Missing = 10363		

	CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT	
q29a	Frequency	Percent
None	225,449	95.7%
1-3 days	7,841	3.3%
4-9 days	1,158	0.5%
10+ days	1,090	0.5%
Frequency Missing = 10788		

	CRITICIZED BY DATE BECAUSE OF DRINKING	
q28c	Frequency	Percent
None	223,352	95.1%
1-3 times	10,131	4.3%
4-9 times	798	0.3%
10+ times	540	0.2%
Frequency Missing = 11506		

	CLASS DAYS HIGH ON MARIJUANA SINCE SEPT	
q29b	Frequency	Percent
None	215,298	91.4%
1-3 days	12,211	5.2%
4-9 days	2,792	1.2%
10+ days	5,209	2.2%
Frequency Missing = 10817		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	231,369	98.5%
1-3 days	2,675	1.1%
4-9 days	391	0.2%
10+ days	469	0.2%
Frequency Missing = 11423		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	226,713	96.6%
1-3 days	5,307	2.3%
4-9 days	975	0.4%
10+ days	1,617	0.7%
Frequency Missing = 11715		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	128,225	54.5%
Seldom	17,377	7.4%
Half the time	12,659	5.4%
Most of the time	18,791	8.0%
Always	23,562	10.0%
Don't know	5,732	2.4%
Didn't attend	28,945	12.3%
Frequency Missing = 11036		

	DRUG USE AT PAR- TIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	142,738	60.8%
Seldom	13,014	5.5%
Half the time	11,178	4.8%
Most of the time	14,694	6.3%
Always	17,658	7.5%
Don't know	6,865	2.9%
Didn't attend	28,813	12.3%
Frequency Missing = 11368		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	190,018	89.4%
Yes	22,590	10.6%
Frequency Missing = 33719		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	119,157	51.2%
Yes	113,483	48.8%
Frequency Missing = 13687		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	119,517	51.4%
Yes	113,061	48.6%
Frequency Missing = 13749		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUT- SIDE SCHOOL	
q32c	Frequency	Percent
No	125,579	54.4%
Yes	105,145	45.6%
Frequency Missing = 15602		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	72,015	30.9%
Yes	161,413	69.1%
Frequency Missing = 12898		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	97,604	42.1%
Yes	134,299	57.9%
Frequency Missing = 14424		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	96,357	41.6%
Yes	135,491	58.4%
Frequency Missing = 14478		

	WOULD SEEK HELP FROM ANOTHER ADULT	
q32g	Frequency	Percent
No	88,753	38.2%
Yes	143,460	61.8%
Frequency Missing = 14114		

	WOULD NOT SEEK HELP	
q32h	Frequency	Percent
No	179,859	78.8%
Yes	48,299	21.2%
Frequency Missing = 18168		

	DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS	
q33a	Frequency	Percent
No	107,366	48.6%
Yes	113,501	51.4%
Frequency Missing = 25459		

	DRUG/ALCOHOL INFO-SCHOOL AS- SEMBLY PROGRAM	
q33b	Frequency	Percent
No	109,651	49.8%
Yes	110,751	50.2%
Frequency Missing = 25924		

	DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUN- SELOR	
q33c	Frequency	Percent
No	128,410	58.4%
Yes	91,540	41.6%
Frequency Missing = 26376		

	DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS	
q33d	Frequency	Percent
No	143,310	65.3%
Yes	76,125	34.7%
Frequency Missing = 26891		

	DRUG/ALCOHOL INFO-SCHOOL STU- DENT GROUP OR CLUB	
q33e	Frequency	Percent
No	170,614	77.9%
Yes	48,473	22.1%
Frequency Missing = 27240		

	DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST	
q33f	Frequency	Percent
No	130,826	59.5%
Yes	89,044	40.5%
Frequency Missing = 26457		

	DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE	
q33g	Frequency	Percent
No	140,267	64.2%
Yes	78,161	35.8%
Frequency Missing = 27898		

	PARENTS FEEL ABOUT KIDS USING TOBACCO	
q34a	Frequency	Percent
Strongly disapprove	184,471	78.4%
Mildly disapprove	12,345	5.2%
Neither	7,819	3.3%
Mildly approve	2,369	1.0%
Strongly approve	2,776	1.2%
Don't know	25,367	10.8%
Frequency Missing = 11180		

	PARENTS FEEL ABOUT KIDS DRINKING AL- COHOL	
q34b	Frequency	Percent
Strongly disapprove	161,040	68.6%
Mildly disapprove	23,523	10.0%
Neither	15,693	6.7%
Mildly approve	7,265	3.1%
Strongly approve	3,512	1.5%
Don't know	23,779	10.1%
Frequency Missing = 11514		

		PARENTS ABOUT KIDS USING MARIJUANA	FEEL
q34c		Frequency	Percent
Strong	disap-	185,779	79.0%
	prove		
	Mild disapprove	9,544	4.1%
	Neither	8,700	3.7%
	Mildly approve	2,989	1.3%
	Strongly ap-	4,408	1.9%
	prove		
	Don't know	23,669	10.1%
		Frequency Missing = 11238	

TESTED FOR DRUG USE AT SCHOOL		
q35	Frequency	Percent
No	210,572	89.2%
Yes	25,384	10.8%
Frequency Missing = 10370		

		DRUG SHOULD BE RE-	TESTING REQUIRED FOR ALL STUDENT ATH-
q36		Frequency	Percent
	Do not know	52,950	22.4%
	No	45,803	19.4%
	Yes	137,820	58.3%
		Frequency Missing = 9754	