
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 7 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	107

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	13.0%	17.4%	26.5%	73.5%
Grade 7	2.7%	3.3%	7.5%	92.5%
Grade 8	4.9%	7.9%	13.0%	87.0%
Grade 9	12.5%	16.6%	26.6%	73.4%
Grade 10	13.7%	19.4%	30.8%	69.2%
Grade 11	19.8%	25.1%	37.6%	62.4%
Grade 12	26.5%	34.4%	46.3%	53.7%
Cigarettes?				
All	3.9%	6.2%	12.9%	87.1%
Grade 7	0.2%	0.4%	2.7%	97.3%
Grade 8	1.0%	1.7%	5.5%	94.5%
Grade 9	3.3%	5.0%	11.7%	88.3%
Grade 10	5.2%	7.4%	14.9%	85.1%
Grade 11	6.5%	10.4%	20.0%	80.0%
Grade 12	8.1%	13.4%	24.3%	75.7%
Smokeless Tobacco?				
All	2.9%	4.1%	7.5%	92.5%
Grade 7	0.0%	0.4%	2.2%	97.8%
Grade 8	0.8%	1.2%	2.3%	97.7%
Grade 9	2.7%	3.6%	7.4%	92.6%
Grade 10	3.2%	4.2%	8.3%	91.7%
Grade 11	5.4%	6.6%	10.9%	89.1%
Grade 12	6.1%	9.5%	15.5%	84.5%
Electronic Vapor Products?				
All	8.7%	13.3%	22.6%	77.4%
Grade 7	1.9%	2.5%	5.2%	94.8%
Grade 8	3.4%	6.2%	10.8%	89.2%
Grade 9	8.9%	13.3%	22.8%	77.2%
Grade 10	9.4%	15.8%	27.5%	72.5%
Grade 11	13.5%	18.7%	32.5%	67.5%
Grade 12	16.3%	25.1%	38.6%	61.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 120

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.3%	1.5%	1.0%	1.5%	2.6%	2.1%	4.0%
Grade 7	97.4%	0.1%	0.0%	0.0%	0.0%	0.4%	2.1%
Grade 8	95.7%	0.2%	0.2%	0.0%	1.4%	0.5%	2.2%
Grade 9	89.0%	1.1%	0.8%	1.9%	2.6%	1.8%	2.9%
Grade 10	87.0%	1.6%	0.8%	1.8%	2.4%	2.7%	3.6%
Grade 11	81.2%	2.4%	1.7%	2.5%	3.8%	2.7%	5.7%
Grade 12	70.6%	4.2%	2.7%	2.6%	6.1%	5.3%	8.4%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.8%	22.3%	9.8%	11.8%	15.0%	20.3%
Grade 7	28.0%	38.8%	13.9%	7.9%	6.0%	5.4%
Grade 8	29.5%	27.7%	10.7%	13.5%	10.6%	7.9%
Grade 9	20.3%	24.8%	10.5%	14.7%	16.7%	13.0%
Grade 10	20.1%	17.5%	8.9%	14.7%	19.1%	19.7%
Grade 11	13.6%	13.0%	7.9%	11.4%	23.3%	30.8%
Grade 12	11.6%	9.6%	6.6%	7.6%	14.2%	50.4%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	70.5%	18.4%	7.1%	3.4%	0.7%
Grade 7	93.0%	4.4%	1.9%	0.0%	0.7%
Grade 8	87.0%	9.3%	3.3%	0.1%	0.3%
Grade 9	73.3%	17.1%	6.2%	3.1%	0.4%
Grade 10	64.5%	24.3%	6.8%	3.8%	0.8%
Grade 11	56.8%	25.7%	11.2%	5.5%	0.9%
Grade 12	44.9%	31.1%	14.3%	8.4%	1.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.3%	8.4%	5.6%	1.0%	0.6%	5.1%
Grade 7	89.8%	2.9%	1.3%	0.6%	0.4%	4.9%
Grade 8	84.7%	4.4%	2.9%	0.2%	1.0%	6.9%
Grade 9	82.2%	6.8%	4.8%	0.8%	0.6%	4.8%
Grade 10	78.1%	9.5%	6.6%	0.6%	0.3%	4.8%
Grade 11	75.1%	11.2%	7.3%	1.5%	0.5%	4.5%
Grade 12	63.7%	16.5%	11.6%	2.6%	0.9%	4.6%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	59.8%	26.4%	8.2%	1.7%	3.8%
	Grade 7	79.2%	14.9%	3.1%	0.5%	2.4%
	Grade 8	69.8%	23.4%	3.7%	0.3%	2.8%
	Grade 9	56.7%	28.1%	8.5%	1.7%	5.0%
	Grade 10	54.5%	29.2%	9.2%	2.3%	4.8%
	Grade 11	50.6%	29.5%	12.8%	2.2%	4.9%
	Grade 12	46.8%	34.2%	12.9%	3.5%	2.6%
Electronic Vapor Products?						
	All	48.3%	14.8%	17.0%	14.8%	5.1%
	Grade 7	72.1%	13.8%	6.8%	3.3%	4.0%
	Grade 8	61.7%	14.7%	12.2%	6.3%	5.1%
	Grade 9	44.6%	15.6%	19.3%	14.6%	5.8%
	Grade 10	39.6%	15.9%	19.5%	19.5%	5.5%
	Grade 11	37.3%	13.1%	21.3%	23.1%	5.3%
	Grade 12	33.2%	15.6%	23.3%	23.0%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	25.7%	31.9%	51.1%	48.9%
Grade 7	10.1%	12.1%	31.5%	68.5%
Grade 8	15.1%	18.9%	39.6%	60.4%
Grade 9	23.9%	29.1%	48.5%	51.5%
Grade 10	27.7%	35.1%	56.9%	43.1%
Grade 11	36.0%	44.4%	62.3%	37.7%
Grade 12	44.6%	55.0%	70.3%	29.7%
Beer?				
All	11.0%	17.2%	37.6%	62.4%
Grade 7	3.0%	3.8%	21.1%	78.9%
Grade 8	5.1%	7.7%	23.6%	76.4%
Grade 9	9.1%	15.7%	35.3%	64.7%
Grade 10	12.4%	19.0%	42.1%	57.9%
Grade 11	16.6%	25.9%	48.1%	51.9%
Grade 12	21.7%	33.8%	58.7%	41.3%
Wine Coolers?				
All	9.6%	15.2%	32.5%	67.5%
Grade 7	3.1%	4.5%	13.9%	86.1%
Grade 8	3.7%	5.7%	21.0%	79.0%
Grade 9	8.5%	13.6%	29.2%	70.8%
Grade 10	12.3%	18.0%	37.4%	62.6%
Grade 11	13.4%	21.8%	43.6%	56.4%
Grade 12	17.7%	29.5%	53.3%	46.7%
Wine?				
All	7.9%	13.0%	35.3%	64.7%
Grade 7	2.6%	4.3%	20.5%	79.5%
Grade 8	4.4%	6.1%	26.2%	73.8%
Grade 9	7.3%	12.3%	33.5%	66.5%
Grade 10	9.1%	15.8%	39.7%	60.3%
Grade 11	9.9%	17.3%	42.9%	57.1%
Grade 12	14.8%	23.8%	51.5%	48.5%
Liquor?				
All	10.5%	17.1%	34.0%	66.0%
Grade 7	2.6%	3.3%	10.6%	89.4%
Grade 8	2.6%	5.5%	18.5%	81.5%
Grade 9	8.1%	13.7%	30.9%	69.1%
Grade 10	12.2%	20.8%	41.0%	59.0%
Grade 11	16.7%	26.6%	47.4%	52.6%
Grade 12	22.6%	36.0%	59.5%	40.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 120

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	64.1%	0.2%	1.3%	6.2%	10.3%	9.5%	8.4%
Grade 7	85.7%	0.0%	0.3%	1.2%	2.2%	4.7%	5.9%
Grade 8	79.3%	0.2%	0.5%	1.4%	3.4%	6.5%	8.7%
Grade 9	66.6%	0.1%	1.0%	5.5%	8.5%	9.0%	9.3%
Grade 10	59.7%	0.0%	2.4%	7.5%	11.5%	10.9%	8.0%
Grade 11	49.9%	0.3%	0.8%	9.9%	16.0%	13.3%	9.8%
Grade 12	39.8%	0.3%	3.3%	12.8%	21.8%	13.1%	8.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	66.8%	33.2%	5.2%	14.8%	13.2%
	Grade 7	83.6%	16.4%	0.3%	5.0%	11.2%
	Grade 8	81.1%	18.9%	0.8%	4.1%	13.9%
	Grade 9	67.9%	32.1%	4.9%	13.1%	14.1%
	Grade 10	63.3%	36.7%	6.3%	17.8%	12.7%
	Grade 11	56.3%	43.7%	9.5%	22.6%	11.7%
	Grade 12	46.3%	53.7%	10.3%	27.7%	15.8%
Wine Coolers						
	All	71.1%	28.9%	4.7%	15.4%	8.7%
	Grade 7	89.5%	10.5%	0.5%	3.6%	6.5%
	Grade 8	83.2%	16.8%	1.1%	6.0%	9.7%
	Grade 9	73.1%	26.9%	4.5%	14.1%	8.3%
	Grade 10	66.7%	33.3%	6.5%	17.4%	9.4%
	Grade 11	61.3%	38.7%	7.0%	22.7%	9.0%
	Grade 12	49.8%	50.2%	9.4%	31.0%	9.7%
Wine						
	All	69.4%	30.6%	2.0%	12.7%	15.8%
	Grade 7	82.9%	17.1%	0.3%	5.0%	11.8%
	Grade 8	79.0%	21.0%	0.9%	4.0%	16.1%
	Grade 9	70.4%	29.6%	2.3%	10.8%	16.6%
	Grade 10	65.2%	34.8%	2.4%	16.3%	16.1%
	Grade 11	63.0%	37.0%	2.5%	19.0%	15.6%
	Grade 12	54.0%	46.0%	4.3%	22.7%	19.1%
Liquor						
	All	68.6%	31.4%	7.6%	14.9%	8.9%
	Grade 7	90.3%	9.7%	0.6%	4.0%	5.0%
	Grade 8	85.0%	15.0%	1.1%	5.4%	8.5%
	Grade 9	71.7%	28.3%	6.5%	12.0%	9.8%
	Grade 10	62.6%	37.4%	9.4%	18.4%	9.6%
	Grade 11	54.7%	45.3%	13.0%	22.6%	9.8%
	Grade 12	43.8%	56.2%	16.2%	28.9%	11.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.2%	3.9%	2.3%	1.8%	0.6%	1.2%
Grade 7	97.4%	1.5%	0.3%	0.1%	0.0%	0.6%
Grade 8	97.4%	1.0%	0.8%	0.4%	0.2%	0.3%
Grade 9	91.7%	3.4%	1.9%	1.4%	0.4%	1.2%
Grade 10	88.8%	4.2%	2.5%	2.6%	0.7%	1.2%
Grade 11	84.9%	5.6%	4.0%	2.8%	1.0%	1.7%
Grade 12	79.1%	8.7%	4.3%	3.9%	1.7%	2.3%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.0%	14.2%	6.8%	11.3%	20.1%	29.6%
Grade 7	26.4%	25.0%	11.9%	10.8%	13.1%	12.8%
Grade 8	27.7%	18.2%	6.6%	11.4%	16.5%	19.6%
Grade 9	17.9%	14.3%	8.1%	13.1%	19.1%	27.6%
Grade 10	15.0%	11.6%	5.4%	9.3%	23.5%	35.1%
Grade 11	10.3%	8.6%	4.1%	10.8%	24.9%	41.2%
Grade 12	9.5%	6.6%	4.2%	12.2%	24.2%	43.3%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.8%	2.5%	0.4%	0.2%
Grade 7	98.4%	0.7%	0.7%	0.2%
Grade 8	98.3%	1.7%	0.0%	0.0%
Grade 9	96.8%	2.7%	0.2%	0.3%
Grade 10	95.9%	3.6%	0.3%	0.2%
Grade 11	96.0%	3.4%	0.4%	0.3%
Grade 12	95.5%	3.1%	1.1%	0.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.9
Average Days Conduct Problems Reported	
Alcohol Users	2.1
Alcohol Non-Users	0.8

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.5%	2.6%	0.4%	0.4%
Grade 9	98.8%	1.0%	0.2%	0.0%
Grade 10	98.1%	1.4%	0.0%	0.4%
Grade 11	95.9%	3.3%	0.4%	0.4%
Grade 12	92.4%	5.5%	1.2%	0.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.2%	3.2%	0.3%	0.2%
Grade 7	98.5%	0.9%	0.4%	0.3%
Grade 8	99.0%	0.4%	0.1%	0.5%
Grade 9	95.6%	4.2%	0.2%	0.0%
Grade 10	95.4%	4.3%	0.2%	0.1%
Grade 11	94.6%	4.5%	0.5%	0.4%
Grade 12	94.0%	5.3%	0.5%	0.2%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	52.6%	22.9%	13.4%	8.7%	2.3%
Grade 7	83.8%	11.9%	2.5%	1.0%	0.8%
Grade 8	75.9%	16.9%	5.1%	1.6%	0.5%
Grade 9	52.4%	26.3%	12.8%	7.6%	1.0%
Grade 10	42.1%	29.1%	15.9%	10.1%	2.9%
Grade 11	32.9%	27.5%	21.7%	13.9%	4.1%
Grade 12	25.0%	25.7%	23.9%	20.0%	5.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.5%	6.3%	4.2%	6.9%	9.3%	1.6%	17.3%
Grade 7	82.0%	4.1%	2.6%	1.6%	0.7%	2.0%	7.0%
Grade 8	78.2%	5.0%	2.9%	1.9%	1.3%	0.8%	10.0%
Grade 9	49.8%	7.7%	4.1%	6.8%	6.5%	2.3%	22.8%
Grade 10	45.8%	6.9%	4.0%	9.2%	10.4%	2.1%	21.6%
Grade 11	37.9%	6.6%	6.1%	9.8%	16.3%	1.1%	22.3%
Grade 12	31.7%	7.2%	5.7%	12.4%	22.6%	1.3%	19.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	60.3%	15.8%	16.9%	4.5%	2.5%
	Grade 7	73.7%	14.2%	9.5%	1.7%	0.9%
	Grade 8	73.0%	10.9%	13.0%	1.9%	1.3%
	Grade 9	62.0%	15.7%	16.5%	4.3%	1.5%
	Grade 10	56.5%	16.3%	18.7%	5.9%	2.6%
	Grade 11	51.2%	17.3%	21.4%	6.0%	4.2%
	Grade 12	43.3%	21.2%	23.1%	7.6%	4.8%
Friends?						
	All	62.5%	16.5%	10.6%	7.7%	2.7%
	Grade 7	80.5%	16.2%	1.2%	1.7%	0.4%
	Grade 8	79.2%	14.4%	5.3%	0.9%	0.2%
	Grade 9	63.1%	19.7%	9.3%	6.1%	1.7%
	Grade 10	57.1%	18.5%	12.9%	8.5%	3.0%
	Grade 11	51.7%	14.0%	16.8%	12.8%	4.6%
	Grade 12	40.7%	15.1%	19.6%	17.8%	6.8%
A Store?						
	All	64.5%	29.6%	3.4%	1.5%	1.1%
	Grade 7	79.9%	18.8%	1.1%	0.2%	0.0%
	Grade 8	80.5%	18.7%	0.4%	0.3%	0.1%
	Grade 9	64.3%	32.3%	1.7%	1.0%	0.7%
	Grade 10	60.2%	32.4%	3.8%	2.4%	1.1%
	Grade 11	55.5%	34.2%	6.5%	2.3%	1.6%
	Grade 12	43.8%	42.5%	7.5%	3.1%	3.2%
Parties?						
	All	60.9%	16.1%	8.9%	7.4%	6.6%
	Grade 7	78.4%	16.1%	3.3%	1.7%	0.5%
	Grade 8	77.8%	13.4%	5.4%	2.5%	1.0%
	Grade 9	60.8%	18.8%	8.0%	6.8%	5.6%
	Grade 10	55.5%	16.8%	11.9%	7.4%	8.4%
	Grade 11	51.4%	14.3%	10.6%	10.8%	12.9%
	Grade 12	39.1%	17.1%	15.3%	16.2%	12.2%
Other Sources?						
	All	65.3%	22.0%	6.6%	3.5%	2.7%
	Grade 7	79.3%	16.9%	2.4%	1.3%	0.0%
	Grade 8	80.6%	15.4%	2.2%	1.7%	0.2%
	Grade 9	64.0%	23.9%	6.2%	3.3%	2.6%
	Grade 10	61.4%	23.0%	8.3%	4.2%	3.1%
	Grade 11	58.1%	22.9%	9.7%	4.4%	5.0%
	Grade 12	45.6%	30.6%	11.3%	6.2%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	64.6%	15.2%	11.3%	3.1%	1.0%	4.9%
Grade 7	80.9%	9.7%	3.2%	1.0%	0.4%	4.9%
Grade 8	72.9%	11.4%	6.9%	0.9%	0.7%	7.2%
Grade 9	68.2%	14.4%	9.8%	2.3%	0.8%	4.4%
Grade 10	60.0%	16.6%	14.1%	3.7%	0.8%	4.9%
Grade 11	55.8%	19.3%	15.4%	4.5%	0.8%	4.2%
Grade 12	47.8%	20.3%	19.2%	6.5%	2.5%	3.7%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.0%	32.0%	12.2%	2.0%	2.8%
Grade 7	64.5%	25.0%	6.7%	2.0%	1.8%
Grade 8	59.5%	26.2%	9.6%	2.2%	2.5%
Grade 9	49.4%	31.0%	14.1%	1.9%	3.6%
Grade 10	46.1%	36.0%	12.1%	2.4%	3.4%
Grade 11	44.9%	35.8%	14.6%	1.5%	3.1%
Grade 12	40.2%	38.7%	16.8%	1.9%	2.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	11.4%	15.9%	21.5%	78.5%
Grade 7	2.5%	5.0%	6.3%	93.7%
Grade 8	4.7%	6.8%	10.0%	90.0%
Grade 9	10.1%	13.8%	17.7%	82.3%
Grade 10	13.0%	18.9%	25.7%	74.3%
Grade 11	17.6%	24.8%	33.2%	66.8%
Grade 12	22.5%	28.2%	39.3%	60.7%
Marijuana?				
All	10.6%	13.6%	19.7%	80.3%
Grade 7	1.6%	2.5%	4.1%	95.9%
Grade 8	2.8%	4.2%	7.8%	92.2%
Grade 9	9.6%	11.9%	16.1%	83.9%
Grade 10	12.1%	16.5%	23.5%	76.5%
Grade 11	17.0%	22.0%	31.8%	68.2%
Grade 12	21.9%	26.2%	38.0%	62.0%
Cocaine?				
All	1.1%	1.4%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	1.0%	1.6%	2.4%	97.6%
Grade 10	0.9%	1.2%	2.6%	97.4%
Grade 11	1.7%	2.4%	3.5%	96.5%
Grade 12	1.8%	2.1%	3.7%	96.3%
Crack?				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.7%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.5%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.6%	99.4%
Hallucinogens?				
All	1.0%	1.8%	3.4%	96.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.7%	1.1%	2.5%	97.5%
Grade 10	1.1%	2.0%	4.2%	95.8%
Grade 11	1.4%	3.2%	5.7%	94.3%
Grade 12	3.2%	4.6%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids?				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.5%	0.8%	99.2%
Grade 11	0.3%	0.6%	2.1%	97.9%
Grade 12	0.4%	0.8%	2.2%	97.8%
Ecstasy?				
All	0.7%	1.3%	2.6%	97.4%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.7%	0.9%	2.4%	97.6%
Grade 10	0.4%	1.1%	2.9%	97.1%
Grade 11	0.9%	2.2%	3.6%	96.4%
Grade 12	2.0%	2.9%	6.1%	93.9%
Heroin?				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Methamphetamine?				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	1.4%	98.6%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.3%	0.6%	1.3%	98.7%
Grade 12	0.6%	1.5%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.3%	3.4%	96.6%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.9%	98.1%
Grade 9	1.0%	1.4%	3.5%	96.5%
Grade 10	1.4%	2.0%	4.6%	95.4%
Grade 11	0.9%	1.4%	4.2%	95.8%
Grade 12	0.9%	1.4%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	82.9%	1.4%	2.1%	2.5%	3.5%	3.4%	4.2%
	Grade 7	96.5%	0.3%	0.1%	0.8%	0.3%	0.4%	1.6%
	Grade 8	93.5%	0.4%	0.3%	0.1%	1.4%	2.7%	1.6%
	Grade 9	85.9%	0.7%	1.6%	2.8%	2.9%	2.6%	3.4%
	Grade 10	79.6%	1.6%	2.6%	3.4%	4.1%	4.4%	4.3%
	Grade 11	72.3%	2.0%	3.7%	3.5%	5.5%	6.0%	7.0%
	Grade 12	67.0%	3.7%	4.7%	4.7%	7.3%	4.5%	8.0%
Cocaine?								
	All	98.4%	0.1%	0.1%	0.1%	0.3%	0.6%	0.4%
	Grade 7	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.5%	0.3%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 9	98.1%	0.1%	0.0%	0.2%	0.5%	0.6%	0.5%
	Grade 10	98.4%	0.0%	0.2%	0.0%	0.6%	0.4%	0.3%
	Grade 11	97.4%	0.0%	0.3%	0.2%	0.5%	0.8%	0.8%
	Grade 12	96.7%	0.1%	0.0%	0.0%	0.5%	1.7%	0.9%
Crack?								
	All	99.5%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	98.6%	0.0%	0.0%	0.1%	0.3%	0.5%	0.5%
	Grade 10	99.3%	0.0%	0.0%	0.0%	0.1%	0.2%	0.5%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%
	Grade 12	99.6%	0.1%	0.1%	0.0%	0.0%	0.0%	0.3%
Steroids?								
	All	99.4%	0.0%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 8	99.5%	0.0%	0.3%	0.0%	0.0%	0.0%	0.3%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 10	99.4%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.4%	0.0%	0.1%
	Grade 12	98.3%	0.1%	0.3%	0.0%	0.1%	0.3%	1.0%
Ecstasy?								
	All	97.8%	0.1%	0.0%	0.2%	0.5%	0.7%	0.8%
	Grade 7	99.8%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.6%	0.2%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 9	98.1%	0.0%	0.0%	0.2%	0.4%	0.9%	0.4%
	Grade 10	97.9%	0.0%	0.0%	0.0%	0.7%	0.6%	0.8%
	Grade 11	96.6%	0.0%	0.0%	0.2%	0.5%	1.1%	1.6%
	Grade 12	94.4%	0.1%	0.1%	0.7%	1.3%	1.2%	2.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 120

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.4%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 10	99.7%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 12	99.5%	0.0%	0.1%	0.1%	0.0%	0.1%	0.4%
Methamphetamine?								
	All	99.3%	0.1%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.3%	0.2%	0.3%	0.0%	0.0%	0.3%	0.0%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.0%	0.4%	0.4%
	Grade 10	99.5%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 11	99.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.5%
	Grade 12	98.3%	0.0%	0.1%	0.4%	0.4%	0.1%	0.7%
Synthetic Marijuana?								
	All	98.0%	0.1%	0.1%	0.3%	0.2%	0.5%	0.9%
	Grade 7	99.5%	0.2%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 8	99.3%	0.2%	0.3%	0.0%	0.0%	0.3%	0.0%
	Grade 9	97.5%	0.0%	0.1%	0.3%	0.4%	0.7%	0.9%
	Grade 10	97.2%	0.2%	0.0%	0.5%	0.2%	0.7%	1.2%
	Grade 11	97.4%	0.1%	0.1%	0.4%	0.2%	0.4%	1.5%
	Grade 12	96.8%	0.1%	0.0%	0.4%	0.5%	0.6%	1.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	20.6%	24.6%	9.4%	10.3%	14.7%	20.4%
	Grade 7	30.1%	43.9%	11.1%	5.0%	5.7%	4.3%
	Grade 8	28.7%	30.8%	11.4%	10.4%	9.8%	8.9%
	Grade 9	20.8%	26.1%	9.9%	10.5%	14.4%	18.2%
	Grade 10	17.7%	19.1%	8.0%	13.7%	17.5%	23.9%
	Grade 11	13.4%	14.2%	7.5%	9.3%	21.0%	34.5%
	Grade 12	11.3%	11.5%	8.4%	12.5%	21.2%	35.2%
Cocaine?							
	All	27.8%	36.4%	17.2%	10.2%	4.4%	3.9%
	Grade 7	32.0%	48.4%	12.7%	4.5%	1.7%	0.7%
	Grade 8	34.5%	39.1%	14.9%	7.4%	2.1%	1.9%
	Grade 9	27.0%	37.4%	17.1%	11.0%	4.1%	3.4%
	Grade 10	27.4%	34.2%	18.1%	10.8%	5.0%	4.6%
	Grade 11	23.3%	31.1%	20.7%	13.2%	6.2%	5.4%
	Grade 12	21.7%	26.7%	20.3%	15.4%	8.0%	7.9%
Crack?							
	All	29.4%	37.8%	18.1%	8.7%	3.2%	2.9%
	Grade 7	33.1%	47.5%	12.4%	4.7%	1.4%	1.0%
	Grade 8	34.5%	40.0%	15.3%	6.3%	2.2%	1.6%
	Grade 9	29.0%	39.0%	18.5%	8.2%	2.6%	2.7%
	Grade 10	29.4%	36.1%	17.6%	9.6%	3.8%	3.4%
	Grade 11	24.6%	34.1%	22.0%	11.5%	4.1%	3.7%
	Grade 12	24.9%	28.3%	23.6%	12.3%	5.4%	5.6%
Steroids?							
	All	30.2%	37.1%	16.8%	9.1%	3.8%	3.0%
	Grade 7	33.7%	46.7%	11.1%	4.5%	2.7%	1.2%
	Grade 8	34.7%	38.5%	15.5%	6.7%	3.0%	1.7%
	Grade 9	29.3%	38.2%	17.6%	9.5%	2.5%	2.8%
	Grade 10	30.7%	35.6%	15.9%	9.5%	4.7%	3.6%
	Grade 11	27.3%	32.7%	19.1%	11.4%	5.3%	4.3%
	Grade 12	24.5%	29.5%	22.7%	13.4%	5.2%	4.7%
Ecstasy?							
	All	37.6%	31.6%	14.3%	7.9%	4.9%	3.8%
	Grade 7	47.5%	38.7%	10.0%	2.0%	1.0%	0.7%
	Grade 8	46.1%	33.8%	12.4%	5.3%	1.0%	1.4%
	Grade 9	41.0%	31.1%	13.8%	7.8%	3.8%	2.7%
	Grade 10	34.4%	31.6%	14.5%	9.2%	5.7%	4.6%
	Grade 11	28.0%	28.9%	16.6%	11.6%	8.8%	6.0%
	Grade 12	26.1%	24.1%	19.2%	12.5%	9.9%	8.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	34.6%	39.6%	16.2%	5.6%	1.9%	2.2%
	Grade 7	41.8%	43.9%	10.5%	1.7%	0.7%	1.4%
	Grade 8	40.8%	38.0%	15.1%	3.8%	1.2%	1.1%
	Grade 9	33.3%	42.0%	15.4%	6.0%	1.6%	1.7%
	Grade 10	34.6%	38.8%	15.2%	6.8%	2.4%	2.3%
	Grade 11	29.4%	39.2%	18.4%	7.9%	2.1%	3.1%
	Grade 12	26.3%	34.7%	23.6%	8.1%	3.4%	4.0%
Methamphetamine?							
	All	36.2%	37.1%	15.4%	6.1%	2.6%	2.5%
	Grade 7	45.1%	40.4%	10.3%	2.4%	0.7%	1.1%
	Grade 8	44.2%	35.7%	13.5%	4.1%	1.6%	1.1%
	Grade 9	34.4%	39.9%	13.8%	6.9%	2.4%	2.5%
	Grade 10	35.6%	36.9%	14.8%	6.4%	3.1%	3.2%
	Grade 11	29.4%	37.3%	17.7%	9.0%	3.3%	3.3%
	Grade 12	27.2%	31.7%	24.1%	7.9%	5.0%	4.1%
Synthetic Marijuana?							
	All	37.4%	30.4%	13.0%	7.7%	5.9%	5.6%
	Grade 7	45.8%	37.9%	10.3%	2.0%	1.4%	2.5%
	Grade 8	45.8%	31.4%	11.8%	5.7%	3.0%	2.3%
	Grade 9	36.7%	31.6%	12.5%	8.3%	5.2%	5.6%
	Grade 10	35.3%	28.1%	12.3%	8.4%	8.1%	7.8%
	Grade 11	30.0%	27.2%	15.4%	11.5%	8.0%	7.9%
	Grade 12	29.5%	24.9%	16.3%	10.8%	10.3%	8.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.2%	3.0%	1.0%	1.8%
Grade 7	98.7%	0.8%	0.1%	0.4%
Grade 8	98.7%	1.2%	0.1%	0.0%
Grade 9	94.5%	3.0%	0.9%	1.7%
Grade 10	93.0%	4.1%	0.9%	2.0%
Grade 11	90.3%	5.0%	1.9%	2.8%
Grade 12	89.3%	4.1%	2.6%	4.1%
Attended Class While High from Use of Some Other Drug?				
All	97.0%	1.8%	0.6%	0.6%
Grade 7	98.7%	0.8%	0.1%	0.3%
Grade 8	98.8%	1.0%	0.3%	0.0%
Grade 9	96.9%	1.9%	0.3%	0.9%
Grade 10	97.1%	1.9%	0.5%	0.5%
Grade 11	94.9%	3.1%	1.2%	0.8%
Grade 12	95.6%	2.2%	1.1%	1.0%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.0
Marijuana Non-Users	4.0
Average Days Conduct Problems Reported	
Marijuana Users	3.0
Marijuana Non-Users	1.0

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.0%	3.7%	0.9%	1.4%
Grade 9	98.1%	1.4%	0.2%	0.2%
Grade 10	96.3%	2.8%	0.6%	0.2%
Grade 11	91.5%	5.8%	1.1%	1.5%
Grade 12	88.3%	5.4%	2.0%	4.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.6%	2.8%	0.4%	0.2%
Grade 7	98.2%	1.4%	0.4%	0.0%
Grade 8	98.6%	0.5%	0.5%	0.4%
Grade 9	96.1%	3.7%	0.2%	0.0%
Grade 10	97.1%	2.3%	0.4%	0.1%
Grade 11	93.9%	5.2%	0.4%	0.4%
Grade 12	95.7%	3.5%	0.7%	0.1%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	58.1%	19.4%	12.0%	7.9%	2.6%
Grade 7	88.4%	6.3%	3.5%	1.3%	0.5%
Grade 8	73.5%	16.1%	7.5%	2.1%	0.8%
Grade 9	59.9%	21.1%	9.8%	7.5%	1.7%
Grade 10	49.2%	22.5%	15.0%	9.4%	3.9%
Grade 11	40.2%	25.3%	17.3%	13.7%	3.4%
Grade 12	34.3%	25.4%	20.3%	14.3%	5.7%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	61.5%	4.8%	3.5%	5.1%	6.1%	1.6%	17.3%
Grade 7	86.6%	1.9%	1.4%	0.9%	0.9%	1.2%	7.0%
Grade 8	83.8%	2.7%	0.7%	1.1%	0.6%	1.2%	9.9%
Grade 9	58.5%	5.2%	3.2%	4.2%	4.0%	2.0%	22.9%
Grade 10	53.8%	4.7%	4.5%	6.4%	7.4%	1.7%	21.6%
Grade 11	44.9%	6.8%	5.8%	8.3%	10.0%	1.9%	22.3%
Grade 12	39.6%	8.1%	6.1%	10.7%	15.0%	1.7%	18.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.3%	7.7%	6.9%	1.8%	1.3%	5.0%
Grade 7	89.3%	2.2%	2.0%	0.7%	0.7%	5.1%
Grade 8	82.5%	4.7%	4.1%	0.3%	1.2%	7.2%
Grade 9	79.9%	7.1%	5.3%	2.1%	1.0%	4.6%
Grade 10	72.2%	10.3%	9.9%	1.9%	1.0%	4.8%
Grade 11	71.4%	10.6%	9.5%	2.4%	1.7%	4.4%
Grade 12	67.3%	11.9%	11.0%	3.5%	2.5%	3.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	52.3%	15.6%	14.8%	14.3%	2.9%
	Grade 7	79.7%	7.2%	7.0%	3.9%	2.1%
	Grade 8	64.8%	17.5%	9.5%	5.4%	2.6%
	Grade 9	54.5%	15.3%	14.4%	12.1%	3.7%
	Grade 10	41.8%	18.6%	16.7%	19.9%	3.1%
	Grade 11	37.2%	17.9%	20.7%	20.8%	3.4%
	Grade 12	33.6%	17.2%	21.8%	25.4%	2.0%
Cocaine?						
	All	87.6%	7.3%	0.9%	0.5%	3.7%
	Grade 7	90.8%	5.0%	0.9%	0.5%	2.8%
	Grade 8	87.2%	8.4%	1.3%	0.1%	3.0%
	Grade 9	86.1%	7.9%	0.8%	0.5%	4.7%
	Grade 10	84.5%	9.1%	1.1%	0.6%	4.7%
	Grade 11	89.2%	6.2%	0.6%	0.5%	3.4%
	Grade 12	88.3%	6.8%	1.1%	0.9%	2.9%
Crack?						
	All	89.5%	5.5%	0.7%	0.3%	3.9%
	Grade 7	91.7%	4.2%	0.5%	0.3%	3.3%
	Grade 8	89.5%	5.8%	1.4%	0.1%	3.3%
	Grade 9	87.2%	6.7%	0.7%	0.4%	5.0%
	Grade 10	86.4%	7.7%	0.8%	0.3%	4.8%
	Grade 11	92.0%	3.6%	0.5%	0.4%	3.6%
	Grade 12	91.4%	4.6%	0.3%	0.3%	3.4%
Ecstasy?						
	All	80.0%	9.8%	2.6%	0.6%	7.0%
	Grade 7	85.7%	5.0%	0.8%	0.3%	8.3%
	Grade 8	82.4%	8.0%	1.9%	0.5%	7.2%
	Grade 9	80.4%	8.6%	1.8%	0.7%	8.6%
	Grade 10	76.7%	11.8%	3.6%	0.6%	7.3%
	Grade 11	78.3%	11.7%	3.4%	0.7%	5.9%
	Grade 12	76.1%	14.5%	4.5%	0.9%	4.0%
Steroids?						
	All	73.3%	16.3%	3.9%	0.7%	5.7%
	Grade 7	80.1%	12.4%	2.5%	0.5%	4.5%
	Grade 8	75.3%	16.1%	2.6%	0.3%	5.8%
	Grade 9	71.7%	17.2%	3.7%	0.9%	6.4%
	Grade 10	69.3%	17.8%	5.3%	1.2%	6.4%
	Grade 11	72.2%	16.7%	5.0%	0.5%	5.6%
	Grade 12	71.7%	17.8%	4.2%	0.9%	5.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.7%	4.4%	0.5%	0.3%	5.0%
	Grade 7	90.7%	3.8%	0.4%	0.3%	4.8%
	Grade 8	86.7%	6.5%	1.0%	0.3%	5.6%
	Grade 9	88.4%	4.2%	0.6%	0.3%	6.4%
	Grade 10	88.5%	5.3%	0.5%	0.5%	5.2%
	Grade 11	92.8%	2.3%	0.4%	0.3%	4.2%
	Grade 12	92.0%	4.2%	0.2%	0.3%	3.3%
Methamphetamine?						
	All	89.6%	4.4%	0.6%	0.3%	5.1%
	Grade 7	90.3%	3.8%	0.2%	0.3%	5.4%
	Grade 8	86.5%	6.9%	1.4%	0.0%	5.2%
	Grade 9	88.5%	4.4%	0.3%	0.2%	6.6%
	Grade 10	88.0%	5.2%	0.7%	0.5%	5.6%
	Grade 11	92.5%	2.5%	0.7%	0.3%	4.0%
	Grade 12	92.4%	3.2%	0.5%	0.4%	3.5%
Synthetic Marijuana?						
	All	80.1%	9.1%	2.6%	1.2%	6.9%
	Grade 7	86.7%	5.3%	1.1%	1.0%	5.8%
	Grade 8	83.5%	7.5%	2.0%	0.5%	6.4%
	Grade 9	77.7%	9.9%	2.6%	1.2%	8.6%
	Grade 10	75.1%	11.4%	3.8%	2.0%	7.7%
	Grade 11	79.8%	8.7%	3.3%	1.2%	6.9%
	Grade 12	78.5%	11.7%	2.8%	1.5%	5.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.1%	13.9%	18.3%	81.7%
Grade 7	8.5%	11.7%	15.2%	84.8%
Grade 8	6.5%	9.8%	14.0%	86.0%
Grade 9	8.1%	11.0%	15.1%	84.9%
Grade 10	10.9%	14.3%	19.6%	80.4%
Grade 11	14.4%	19.3%	23.4%	76.6%
Grade 12	13.1%	18.4%	24.0%	76.0%
Codeine Cough Syrup?				
All	5.1%	7.7%	10.8%	89.2%
Grade 7	5.1%	7.6%	9.2%	90.8%
Grade 8	3.5%	6.3%	9.4%	90.6%
Grade 9	3.8%	5.9%	8.3%	91.7%
Grade 10	6.1%	8.3%	12.3%	87.7%
Grade 11	7.1%	9.8%	13.4%	86.6%
Grade 12	5.1%	8.7%	12.9%	87.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.5%	3.6%	5.2%	94.8%
Grade 7	0.7%	0.8%	1.3%	98.7%
Grade 8	0.5%	0.7%	0.9%	99.1%
Grade 9	1.8%	2.3%	3.6%	96.4%
Grade 10	3.2%	4.8%	6.8%	93.2%
Grade 11	3.7%	5.6%	7.5%	92.5%
Grade 12	5.4%	8.2%	11.7%	88.3%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	2.1%	3.2%	4.6%	95.4%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.7%	1.4%	1.5%	98.5%
Grade 9	1.8%	2.4%	3.5%	96.5%
Grade 10	3.0%	3.9%	5.9%	94.1%
Grade 11	3.1%	5.1%	7.4%	92.6%
Grade 12	3.6%	6.1%	9.3%	90.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.3%	3.6%	5.6%	94.4%
Grade 7	0.6%	0.9%	1.5%	98.5%
Grade 8	1.1%	1.2%	2.2%	97.8%
Grade 9	1.9%	3.0%	4.5%	95.5%
Grade 10	2.4%	3.7%	5.8%	94.2%
Grade 11	4.0%	6.3%	9.2%	90.8%
Grade 12	3.9%	7.1%	11.4%	88.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.5%	8.8%	91.2%
Grade 7	4.6%	6.2%	10.0%	90.0%
Grade 8	3.3%	5.0%	7.0%	93.0%
Grade 9	2.8%	4.1%	7.6%	92.4%
Grade 10	4.1%	5.0%	8.9%	91.1%
Grade 11	5.5%	7.5%	10.5%	89.5%
Grade 12	3.8%	5.6%	9.0%	91.0%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.7%	3.0%	97.0%
Grade 7	0.8%	1.0%	1.6%	98.4%
Grade 8	0.7%	1.0%	2.6%	97.4%
Grade 9	1.2%	1.4%	2.5%	97.5%
Grade 10	2.1%	3.0%	4.7%	95.3%
Grade 11	1.6%	2.1%	3.1%	96.9%
Grade 12	1.3%	1.7%	3.6%	96.4%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.4%	17.6%	4.9%	1.5%	6.5%
Grade 7	74.5%	14.0%	3.2%	2.0%	6.3%
Grade 8	74.2%	11.2%	5.4%	1.4%	7.9%
Grade 9	69.7%	16.6%	5.8%	0.8%	7.1%
Grade 10	64.7%	20.9%	5.4%	1.9%	7.0%
Grade 11	66.7%	20.6%	5.2%	1.5%	5.9%
Grade 12	66.4%	23.3%	4.4%	1.4%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.7%	5.0%	9.5%	90.5%
Grade 7	4.4%	5.7%	8.9%	91.1%
Grade 8	5.8%	7.4%	10.4%	89.6%
Grade 9	4.3%	5.9%	11.5%	88.5%
Grade 10	2.8%	3.7%	9.3%	90.7%
Grade 11	2.3%	3.2%	8.3%	91.7%
Grade 12	2.2%	3.7%	7.9%	92.1%
Spray Paint?				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.7%	1.6%	98.4%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.3%	0.6%	1.8%	98.2%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.3%	0.7%	1.3%	98.7%
Grade 12	0.5%	0.9%	1.9%	98.1%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.3%	3.5%	96.5%
Grade 7	0.8%	1.4%	3.5%	96.5%
Grade 8	2.0%	2.5%	3.7%	96.3%
Grade 9	1.4%	1.8%	5.0%	95.0%
Grade 10	0.6%	0.9%	2.9%	97.1%
Grade 11	0.3%	0.8%	3.1%	96.9%
Grade 12	0.1%	0.2%	2.6%	97.4%
Computer Dusting Sprays?				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.1%	0.1%	0.2%	99.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.4%	5.4%	94.6%
Grade 7	1.7%	2.5%	4.6%	95.4%
Grade 8	2.6%	4.3%	6.4%	93.6%
Grade 9	1.8%	2.3%	6.7%	93.3%
Grade 10	1.1%	2.0%	5.2%	94.8%
Grade 11	0.9%	1.9%	4.9%	95.1%
Grade 12	0.8%	1.6%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.0%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.3%	99.7%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.5%	0.7%	99.3%
Grade 10	0.1%	0.3%	1.2%	98.8%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.1%	0.2%	0.4%	99.6%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.7%	1.2%	98.8%
Grade 8	0.8%	0.8%	1.5%	98.5%
Grade 9	0.4%	0.8%	1.3%	98.7%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.5%	99.5%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.1%	98.9%
Grade 7	0.7%	1.1%	1.8%	98.2%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	0.4%	0.5%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.5%	0.2%	0.1%	0.2%	0.5%	0.4%	1.2%
Grade 7	97.4%	0.6%	0.1%	0.2%	0.6%	0.6%	0.6%
Grade 8	97.2%	0.3%	0.3%	0.3%	0.2%	0.5%	1.2%
Grade 9	96.8%	0.0%	0.1%	0.0%	0.8%	0.3%	1.9%
Grade 10	97.6%	0.0%	0.0%	0.2%	0.5%	0.5%	1.3%
Grade 11	98.4%	0.0%	0.0%	0.3%	0.1%	0.0%	1.1%
Grade 12	97.7%	0.1%	0.1%	0.1%	0.4%	0.4%	1.4%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.7%	4.9%	2.7%	0.7%
Grade 7	92.2%	4.3%	2.6%	0.8%
Grade 8	91.2%	5.7%	2.0%	1.1%
Grade 9	89.9%	5.3%	4.1%	0.7%
Grade 10	91.4%	5.9%	2.1%	0.6%
Grade 11	92.5%	4.7%	2.3%	0.5%
Grade 12	93.6%	3.5%	2.8%	0.1%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.4%	0.4%	0.1%	0.1%
Grade 7	98.9%	0.9%	0.0%	0.2%
Grade 8	99.7%	0.0%	0.3%	0.0%
Grade 9	99.1%	0.6%	0.1%	0.3%
Grade 10	99.5%	0.5%	0.0%	0.0%
Grade 11	99.5%	0.3%	0.0%	0.1%
Grade 12	99.7%	0.3%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.5
Inhalant Non-Users	4.1
Average Days Conduct Problems Reported	
Inhalant Users	4.3
Inhalant Non-Users	1.2

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.8%	4.4%	1.1%	0.4%	0.2%
Grade 7	93.6%	4.4%	1.4%	0.4%	0.2%
Grade 8	93.4%	4.4%	1.7%	0.0%	0.4%
Grade 9	93.2%	4.9%	0.9%	0.8%	0.2%
Grade 10	94.5%	4.3%	1.0%	0.0%	0.2%
Grade 11	94.1%	4.7%	0.6%	0.6%	0.1%
Grade 12	94.3%	3.8%	1.1%	0.4%	0.4%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.2%	15.8%	4.4%	1.1%	6.4%
Grade 7	78.6%	12.9%	3.9%	0.6%	4.0%
Grade 8	74.5%	15.0%	5.6%	0.8%	4.1%
Grade 9	70.7%	17.4%	4.0%	1.3%	6.6%
Grade 10	65.3%	18.1%	5.4%	1.8%	9.4%
Grade 11	72.4%	15.1%	3.8%	1.0%	7.7%
Grade 12	72.8%	16.1%	3.3%	1.4%	6.4%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.5%	17.0%	5.6%	7.5%	11.3%	27.1%
Grade 7	34.9%	26.1%	6.5%	7.5%	9.3%	15.8%
Grade 8	34.7%	19.3%	6.5%	6.0%	11.5%	21.9%
Grade 9	29.8%	18.6%	5.9%	8.3%	10.7%	26.8%
Grade 10	30.8%	14.8%	4.9%	8.4%	11.9%	29.2%
Grade 11	29.8%	11.8%	4.2%	8.7%	12.6%	33.0%
Grade 12	28.6%	9.8%	5.4%	6.0%	12.2%	38.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	42.9%
	Grade 7	55.1%
	Grade 8	48.0%
	Grade 9	47.2%
	Grade 10	37.8%
	Grade 11	35.6%
	Grade 12	31.4%
An Assembly Program		
	All	44.8%
	Grade 7	50.0%
	Grade 8	53.6%
	Grade 9	47.1%
	Grade 10	40.1%
	Grade 11	37.4%
	Grade 12	39.4%
Guidance Counselor		
	All	28.5%
	Grade 7	45.7%
	Grade 8	43.3%
	Grade 9	28.8%
	Grade 10	18.2%
	Grade 11	14.3%
	Grade 12	18.8%
School Nurse		
	All	13.3%
	Grade 7	19.0%
	Grade 8	16.2%
	Grade 9	10.9%
	Grade 10	12.6%
	Grade 11	9.7%
	Grade 12	10.8%
Science or Social Studies Class		
	All	27.7%
	Grade 7	38.4%
	Grade 8	33.5%
	Grade 9	25.6%
	Grade 10	23.3%
	Grade 11	20.9%
	Grade 12	23.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 120

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	13.5%
	Grade 7	13.7%
	Grade 8	15.7%
	Grade 9	11.9%
	Grade 10	13.7%
	Grade 11	12.6%
	Grade 12	13.1%
An Invited School Guest		
	All	33.7%
	Grade 7	39.6%
	Grade 8	44.5%
	Grade 9	37.0%
	Grade 10	26.4%
	Grade 11	26.7%
	Grade 12	26.5%
Another Source at School		
	All	26.1%
	Grade 7	27.7%
	Grade 8	27.7%
	Grade 9	28.0%
	Grade 10	27.3%
	Grade 11	22.0%
	Grade 12	22.7%
Any School Source		
	All	68.9%
	Grade 7	79.7%
	Grade 8	76.1%
	Grade 9	72.7%
	Grade 10	61.9%
	Grade 11	61.8%
	Grade 12	59.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	38.4%
	Grade 7	52.9%
	Grade 8	44.6%
	Grade 9	40.9%
	Grade 10	32.8%
	Grade 11	29.7%
	Grade 12	28.2%
School Nurse		
	All	21.6%
	Grade 7	32.7%
	Grade 8	26.1%
	Grade 9	20.6%
	Grade 10	19.2%
	Grade 11	15.6%
	Grade 12	15.4%
Another Adult In School		
	All	41.1%
	Grade 7	48.1%
	Grade 8	47.1%
	Grade 9	41.1%
	Grade 10	36.7%
	Grade 11	36.4%
	Grade 12	37.4%
Counselor/Program Outside-School		
	All	42.4%
	Grade 7	50.8%
	Grade 8	47.8%
	Grade 9	43.2%
	Grade 10	39.9%
	Grade 11	37.1%
	Grade 12	34.6%
Your Parents		
	All	71.6%
	Grade 7	84.1%
	Grade 8	76.7%
	Grade 9	71.1%
	Grade 10	65.3%
	Grade 11	66.0%
	Grade 12	66.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	57.6%
	Grade 7	74.8%
	Grade 8	61.8%
	Grade 9	57.3%
	Grade 10	51.8%
	Grade 11	47.7%
	Grade 12	52.1%
Your Friends		
	All	68.1%
	Grade 7	60.1%
	Grade 8	66.0%
	Grade 9	66.7%
	Grade 10	70.2%
	Grade 11	71.0%
	Grade 12	75.3%
Another Adult		
	All	60.6%
	Grade 7	66.2%
	Grade 8	61.7%
	Grade 9	61.5%
	Grade 10	57.3%
	Grade 11	57.6%
	Grade 12	59.3%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	4.5%
	Grade 7	2.6%
	Grade 8	4.5%
	Grade 9	4.6%
	Grade 10	5.7%
	Grade 11	5.7%
	Grade 12	4.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	3.9%	17.1%	21.8%	43.8%	13.5%
Grade 7	2.5%	12.7%	16.6%	49.0%	19.2%
Grade 8	3.7%	16.8%	21.3%	42.8%	15.4%
Grade 9	4.4%	17.5%	21.4%	41.5%	15.2%
Grade 10	3.6%	20.1%	22.7%	42.7%	11.0%
Grade 11	3.3%	17.7%	24.1%	44.5%	10.3%
Grade 12	6.1%	17.4%	24.9%	42.7%	8.8%
Sometimes Carry Weapons?					
All	75.1%	16.3%	5.1%	2.5%	1.1%
Grade 7	82.9%	14.4%	2.0%	0.3%	0.4%
Grade 8	82.2%	12.8%	3.2%	0.9%	0.8%
Grade 9	78.1%	13.5%	4.8%	2.9%	0.7%
Grade 10	73.1%	18.2%	5.8%	1.7%	1.3%
Grade 11	69.0%	18.5%	7.1%	3.4%	2.0%
Grade 12	62.9%	21.1%	8.0%	6.1%	1.9%
Care About Making Good Grades?					
All	1.3%	9.3%	20.9%	48.3%	20.2%
Grade 7	0.6%	9.3%	20.5%	45.3%	24.2%
Grade 8	2.0%	12.1%	23.9%	44.6%	17.4%
Grade 9	0.7%	9.6%	18.9%	48.0%	22.8%
Grade 10	0.8%	8.7%	22.2%	47.2%	21.1%
Grade 11	1.3%	7.9%	21.6%	51.6%	17.6%
Grade 12	2.4%	7.9%	18.4%	53.8%	17.4%
Belong/Want to Belong to a Gang?					
All	89.1%	7.6%	2.1%	0.6%	0.7%
Grade 7	88.9%	7.9%	1.7%	0.7%	0.8%
Grade 8	88.2%	8.3%	2.9%	0.3%	0.4%
Grade 9	88.3%	8.0%	2.2%	0.9%	0.6%
Grade 10	89.5%	6.9%	2.7%	0.3%	0.7%
Grade 11	90.8%	6.4%	1.3%	0.5%	1.0%
Grade 12	89.3%	7.9%	1.5%	0.9%	0.5%
Wish They Could Drop Out of School?					
All	57.2%	27.5%	9.4%	3.4%	2.4%
Grade 7	61.6%	27.0%	7.3%	2.8%	1.4%
Grade 8	59.1%	26.4%	8.9%	4.3%	1.4%
Grade 9	58.9%	27.0%	8.9%	3.5%	1.7%
Grade 10	55.4%	26.7%	10.5%	3.7%	3.7%
Grade 11	52.6%	30.9%	9.9%	3.2%	3.3%
Grade 12	55.1%	27.6%	11.2%	2.9%	3.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 120

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.7%	11.6%	0.7%	0.3%	0.7%
Grade 7	86.5%	11.3%	1.2%	0.7%	0.3%
Grade 8	83.8%	14.1%	1.1%	0.1%	0.9%
Grade 9	86.5%	12.2%	0.6%	0.2%	0.4%
Grade 10	86.2%	12.2%	0.4%	0.3%	0.9%
Grade 11	88.8%	10.2%	0.4%	0.1%	0.5%
Grade 12	88.9%	9.4%	0.4%	0.4%	0.9%
Out In Your Neighborhood?					
All	51.8%	41.6%	4.0%	0.8%	1.8%
Grade 7	45.6%	45.5%	6.4%	1.0%	1.5%
Grade 8	46.6%	46.3%	4.6%	1.1%	1.4%
Grade 9	49.2%	43.4%	4.6%	0.3%	2.6%
Grade 10	52.8%	41.7%	3.2%	0.3%	2.0%
Grade 11	59.4%	35.9%	2.6%	0.8%	1.3%
Grade 12	58.7%	35.7%	2.2%	1.8%	1.6%
At School?					
All	41.6%	46.6%	6.9%	2.7%	2.2%
Grade 7	41.5%	44.9%	8.2%	2.9%	2.6%
Grade 8	38.5%	50.0%	6.8%	3.1%	1.5%
Grade 9	38.5%	50.4%	6.9%	1.9%	2.4%
Grade 10	40.1%	47.6%	8.1%	1.9%	2.4%
Grade 11	45.5%	43.2%	6.2%	3.2%	1.8%
Grade 12	47.0%	42.1%	4.9%	3.6%	2.4%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 120

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.0%	17.4%	26.5%	73.5%
Grade 7	2.7%	3.3%	7.5%	92.5%
Grade 8	4.9%	7.9%	13.0%	87.0%
Grade 9	12.5%	16.6%	26.6%	73.4%
Grade 10	13.7%	19.4%	30.8%	69.2%
Grade 11	19.8%	25.1%	37.6%	62.4%
Grade 12	26.5%	34.4%	46.3%	53.7%
Any Alcohol Product				
All	25.7%	31.9%	51.1%	48.9%
Grade 7	10.1%	12.1%	31.5%	68.5%
Grade 8	15.1%	18.9%	39.6%	60.4%
Grade 9	23.9%	29.1%	48.5%	51.5%
Grade 10	27.7%	35.1%	56.9%	43.1%
Grade 11	36.0%	44.4%	62.3%	37.7%
Grade 12	44.6%	55.0%	70.3%	29.7%
Any Illicit Drug				
All	11.4%	15.9%	21.5%	78.5%
Grade 7	2.5%	5.0%	6.3%	93.7%
Grade 8	4.7%	6.8%	10.0%	90.0%
Grade 9	10.1%	13.8%	17.7%	82.3%
Grade 10	13.0%	18.9%	25.7%	74.3%
Grade 11	17.6%	24.8%	33.2%	66.8%
Grade 12	22.5%	28.2%	39.3%	60.7%
Any Prescription Drug				
All	10.1%	13.9%	18.3%	81.7%
Grade 7	8.5%	11.7%	15.2%	84.8%
Grade 8	6.5%	9.8%	14.0%	86.0%
Grade 9	8.1%	11.0%	15.1%	84.9%
Grade 10	10.9%	14.3%	19.6%	80.4%
Grade 11	14.4%	19.3%	23.4%	76.6%
Grade 12	13.1%	18.4%	24.0%	76.0%
Any Inhalant				
All	3.7%	5.0%	9.5%	90.5%
Grade 7	4.4%	5.7%	8.9%	91.1%
Grade 8	5.8%	7.4%	10.4%	89.6%
Grade 9	4.3%	5.9%	11.5%	88.5%
Grade 10	2.8%	3.7%	9.3%	90.7%
Grade 11	2.3%	3.2%	8.3%	91.7%
Grade 12	2.2%	3.7%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.7%	13.3%	22.6%	77.4%
Grade 7	1.9%	2.5%	5.2%	94.8%
Grade 8	3.4%	6.2%	10.8%	89.2%
Grade 9	8.9%	13.3%	22.8%	77.2%
Grade 10	9.4%	15.8%	27.5%	72.5%
Grade 11	13.5%	18.7%	32.5%	67.5%
Grade 12	16.3%	25.1%	38.6%	61.4%
Marijuana				
All	10.6%	13.6%	19.7%	80.3%
Grade 7	1.6%	2.5%	4.1%	95.9%
Grade 8	2.8%	4.2%	7.8%	92.2%
Grade 9	9.6%	11.9%	16.1%	83.9%
Grade 10	12.1%	16.5%	23.5%	76.5%
Grade 11	17.0%	22.0%	31.8%	68.2%
Grade 12	21.9%	26.2%	38.0%	62.0%
Marijuana Only				
All	5.6%	7.9%	13.0%	87.0%
Grade 7	1.1%	1.7%	3.1%	96.9%
Grade 8	1.7%	2.6%	5.2%	94.8%
Grade 9	5.0%	6.9%	10.1%	89.9%
Grade 10	6.3%	9.7%	15.9%	84.1%
Grade 11	9.0%	13.1%	21.8%	78.2%
Grade 12	11.4%	14.6%	24.4%	75.6%
Cocaine or Crack				
All	1.3%	1.7%	2.6%	97.4%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	1.1%	1.3%	1.8%	98.2%
Grade 9	1.4%	2.0%	2.8%	97.2%
Grade 10	1.5%	1.9%	3.3%	96.7%
Grade 11	1.8%	2.5%	3.6%	96.4%
Grade 12	1.9%	2.2%	3.8%	96.2%
Cocaine				
All	1.1%	1.4%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	1.0%	1.6%	2.4%	97.6%
Grade 10	0.9%	1.2%	2.6%	97.4%
Grade 11	1.7%	2.4%	3.5%	96.5%
Grade 12	1.8%	2.1%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.7%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.5%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.6%	99.4%
Hallucinogens				
All	1.0%	1.8%	3.4%	96.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.7%	1.1%	2.5%	97.5%
Grade 10	1.1%	2.0%	4.2%	95.8%
Grade 11	1.4%	3.2%	5.7%	94.3%
Grade 12	3.2%	4.6%	8.0%	92.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.5%	0.8%	99.2%
Grade 11	0.3%	0.6%	2.1%	97.9%
Grade 12	0.4%	0.8%	2.2%	97.8%
Ecstasy				
All	0.7%	1.3%	2.6%	97.4%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.7%	0.9%	2.4%	97.6%
Grade 10	0.4%	1.1%	2.9%	97.1%
Grade 11	0.9%	2.2%	3.6%	96.4%
Grade 12	2.0%	2.9%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	0.9%	1.3%	3.4%	96.6%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.9%	98.1%
Grade 9	1.0%	1.4%	3.5%	96.5%
Grade 10	1.4%	2.0%	4.6%	95.4%
Grade 11	0.9%	1.4%	4.2%	95.8%
Grade 12	0.9%	1.4%	5.3%	94.7%
Methamphetamine				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	1.4%	98.6%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.3%	0.6%	1.3%	98.7%
Grade 12	0.6%	1.5%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.7%	18.9%	28.4%	71.6%
Grade 7	3.2%	4.3%	7.9%	92.1%
Grade 8	5.8%	8.3%	14.3%	85.7%
Grade 9	13.1%	17.8%	28.2%	71.8%
Grade 10	13.2%	19.3%	31.2%	68.8%
Grade 11	22.7%	26.4%	39.2%	60.8%
Grade 12	31.0%	38.0%	49.6%	50.4%
Any Alcohol Product				
All	24.8%	30.7%	50.4%	49.6%
Grade 7	11.7%	13.0%	34.4%	65.6%
Grade 8	12.6%	16.8%	38.6%	61.4%
Grade 9	24.3%	28.9%	47.9%	52.1%
Grade 10	22.6%	31.2%	53.5%	46.5%
Grade 11	34.8%	41.4%	59.9%	40.1%
Grade 12	43.5%	53.6%	68.0%	32.0%
Any Illicit Drug				
All	11.4%	15.8%	22.0%	78.0%
Grade 7	1.1%	2.4%	4.4%	95.6%
Grade 8	6.1%	7.9%	12.5%	87.5%
Grade 9	10.4%	13.4%	16.8%	83.2%
Grade 10	12.7%	18.6%	25.8%	74.2%
Grade 11	16.2%	25.0%	33.9%	66.1%
Grade 12	22.3%	26.8%	38.5%	61.5%
Any Prescription Drug				
All	10.1%	13.8%	18.6%	81.4%
Grade 7	6.3%	9.7%	13.9%	86.1%
Grade 8	8.7%	12.2%	14.7%	85.3%
Grade 9	9.1%	11.6%	16.8%	83.2%
Grade 10	10.4%	13.1%	18.9%	81.1%
Grade 11	12.6%	17.4%	22.5%	77.5%
Grade 12	13.2%	19.5%	25.4%	74.6%
Any Inhalant				
All	3.6%	4.6%	8.7%	91.3%
Grade 7	3.1%	3.7%	6.2%	93.8%
Grade 8	5.3%	6.8%	9.0%	91.0%
Grade 9	4.4%	5.5%	10.4%	89.6%
Grade 10	3.4%	3.9%	10.0%	90.0%
Grade 11	2.2%	3.4%	8.5%	91.5%
Grade 12	3.0%	4.5%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	14.9%	23.7%	76.3%
Grade 7	1.7%	2.7%	5.2%	94.8%
Grade 8	3.9%	6.4%	11.0%	89.0%
Grade 9	9.2%	14.8%	24.0%	76.0%
Grade 10	9.6%	16.3%	28.1%	71.9%
Grade 11	16.7%	21.0%	33.1%	66.9%
Grade 12	18.9%	28.0%	39.7%	60.3%
Marijuana				
All	10.2%	13.2%	20.3%	79.7%
Grade 7	0.4%	1.1%	2.8%	97.2%
Grade 8	2.5%	3.4%	9.6%	90.4%
Grade 9	9.8%	11.7%	15.8%	84.2%
Grade 10	11.2%	15.9%	23.5%	76.5%
Grade 11	15.4%	21.7%	32.8%	67.2%
Grade 12	21.8%	25.2%	37.2%	62.8%
Marijuana Only				
All	4.9%	7.2%	12.9%	87.1%
Grade 7	0.3%	1.0%	2.7%	97.3%
Grade 8	1.4%	2.3%	6.0%	94.0%
Grade 9	4.5%	5.7%	8.8%	91.2%
Grade 10	6.1%	9.1%	15.7%	84.3%
Grade 11	7.8%	12.9%	22.9%	77.1%
Grade 12	9.1%	11.8%	20.9%	79.1%
Cocaine or Crack				
All	1.5%	1.8%	2.8%	97.2%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	1.9%	1.9%	2.4%	97.6%
Grade 9	1.1%	1.9%	3.0%	97.0%
Grade 10	1.2%	1.4%	2.9%	97.1%
Grade 11	2.3%	2.5%	3.5%	96.5%
Grade 12	2.0%	2.3%	4.7%	95.3%
Cocaine				
All	1.1%	1.4%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.6%	1.5%	2.4%	97.6%
Grade 10	0.6%	0.8%	2.3%	97.7%
Grade 11	2.2%	2.4%	3.3%	96.7%
Grade 12	2.0%	2.3%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.6%	98.4%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.7%	0.9%	1.7%	98.3%
Grade 11	0.2%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.5%	99.5%
Hallucinogens				
All	1.3%	2.3%	4.0%	96.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	1.0%	1.8%	3.6%	96.4%
Grade 10	1.4%	2.3%	4.9%	95.1%
Grade 11	1.9%	3.9%	5.9%	94.1%
Grade 12	3.7%	5.8%	9.4%	90.6%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	1.3%	98.7%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.7%	1.3%	98.7%
Grade 12	0.6%	1.2%	2.7%	97.3%
Ecstasy				
All	0.8%	1.3%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.6%	0.8%	2.7%	97.3%
Grade 10	0.3%	1.3%	3.5%	96.5%
Grade 11	1.0%	2.2%	2.9%	97.1%
Grade 12	1.9%	2.5%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.4%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.4%	3.8%	96.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	1.1%	1.1%	3.1%	96.9%
Grade 9	1.2%	2.0%	4.8%	95.2%
Grade 10	1.9%	2.6%	4.8%	95.2%
Grade 11	0.8%	1.4%	4.0%	96.0%
Grade 12	0.2%	1.0%	5.4%	94.6%
Methamphetamine				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	0.5%	0.8%	1.1%	98.9%
Grade 12	0.5%	2.0%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 120

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.4%	15.8%	24.6%	75.4%
Grade 7	2.2%	2.4%	7.1%	92.9%
Grade 8	4.2%	7.3%	11.7%	88.3%
Grade 9	12.1%	15.5%	25.3%	74.7%
Grade 10	14.5%	19.6%	30.4%	69.6%
Grade 11	16.5%	23.7%	36.0%	64.0%
Grade 12	21.8%	30.7%	42.9%	57.1%
Any Alcohol Product				
All	26.8%	33.1%	51.9%	48.1%
Grade 7	8.8%	11.4%	29.2%	70.8%
Grade 8	17.3%	20.8%	40.7%	59.3%
Grade 9	23.7%	29.6%	49.0%	51.0%
Grade 10	33.7%	39.4%	60.6%	39.4%
Grade 11	37.9%	48.6%	66.0%	34.0%
Grade 12	45.6%	56.5%	72.7%	27.3%
Any Illicit Drug				
All	11.5%	16.2%	21.2%	78.8%
Grade 7	3.8%	7.3%	8.1%	91.9%
Grade 8	3.4%	5.9%	7.8%	92.2%
Grade 9	9.9%	14.3%	18.7%	81.3%
Grade 10	13.6%	19.4%	25.9%	74.1%
Grade 11	19.6%	24.9%	32.7%	67.3%
Grade 12	22.7%	29.5%	40.1%	59.9%
Any Prescription Drug				
All	10.3%	14.0%	18.1%	81.9%
Grade 7	10.5%	13.5%	16.5%	83.5%
Grade 8	4.6%	7.7%	13.2%	86.8%
Grade 9	7.0%	10.2%	13.5%	86.5%
Grade 10	11.6%	15.7%	20.6%	79.4%
Grade 11	16.8%	21.9%	24.9%	75.1%
Grade 12	13.1%	17.3%	22.5%	77.5%
Any Inhalant				
All	3.8%	5.4%	10.3%	89.7%
Grade 7	5.7%	7.6%	11.5%	88.5%
Grade 8	6.4%	8.1%	11.8%	88.2%
Grade 9	4.2%	6.4%	12.2%	87.8%
Grade 10	2.1%	3.6%	8.5%	91.5%
Grade 11	2.5%	3.0%	8.1%	91.9%
Grade 12	1.4%	2.8%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	11.8%	21.5%	78.5%
Grade 7	2.2%	2.4%	5.2%	94.8%
Grade 8	3.1%	5.8%	10.5%	89.5%
Grade 9	8.7%	12.0%	21.8%	78.2%
Grade 10	9.3%	15.4%	26.9%	73.1%
Grade 11	9.7%	16.1%	32.2%	67.8%
Grade 12	13.7%	22.1%	37.4%	62.6%
Marijuana				
All	11.0%	14.0%	19.3%	80.7%
Grade 7	2.7%	3.8%	5.3%	94.7%
Grade 8	3.1%	4.9%	6.4%	93.6%
Grade 9	9.6%	12.2%	16.6%	83.4%
Grade 10	13.3%	17.5%	23.8%	76.2%
Grade 11	19.3%	22.6%	31.0%	69.0%
Grade 12	22.0%	27.2%	38.8%	61.2%
Marijuana Only				
All	6.4%	8.8%	13.3%	86.7%
Grade 7	1.8%	2.5%	3.4%	96.6%
Grade 8	2.1%	3.0%	4.4%	95.6%
Grade 9	5.6%	8.2%	11.4%	88.6%
Grade 10	6.6%	10.6%	16.2%	83.8%
Grade 11	10.6%	13.4%	20.5%	79.5%
Grade 12	13.7%	17.5%	28.0%	72.0%
Cocaine or Crack				
All	1.2%	1.6%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.8%	1.3%	98.7%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	1.9%	2.5%	3.7%	96.3%
Grade 11	1.2%	2.5%	3.7%	96.3%
Grade 12	1.8%	2.1%	2.8%	97.2%
Cocaine				
All	1.0%	1.5%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.8%	1.3%	98.7%
Grade 9	1.5%	1.7%	2.4%	97.6%
Grade 10	1.3%	1.8%	3.1%	96.9%
Grade 11	1.2%	2.5%	3.7%	96.3%
Grade 12	1.7%	1.9%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.8%	1.3%	1.7%	98.3%
Grade 10	0.6%	0.8%	0.8%	99.2%
Grade 11	0.2%	0.6%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.8%	99.2%
Hallucinogens				
All	0.8%	1.3%	2.7%	97.3%
Grade 7	0.2%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.4%	0.5%	1.5%	98.5%
Grade 10	0.8%	1.7%	3.4%	96.6%
Grade 11	0.8%	2.4%	5.7%	94.3%
Grade 12	2.7%	3.3%	6.6%	93.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.8%	98.2%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.3%	0.7%	0.9%	99.1%
Grade 11	0.3%	0.6%	2.9%	97.1%
Grade 12	0.3%	0.4%	1.7%	98.3%
Ecstasy				
All	0.7%	1.2%	2.4%	97.6%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.9%	0.9%	2.2%	97.8%
Grade 10	0.6%	0.8%	2.2%	97.8%
Grade 11	0.8%	2.3%	4.5%	95.5%
Grade 12	2.2%	3.3%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.7%	0.7%	1.4%	98.6%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	0.9%	1.1%	3.0%	97.0%
Grade 7	0.9%	1.1%	1.8%	98.2%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.9%	2.3%	97.7%
Grade 10	1.0%	1.2%	4.4%	95.6%
Grade 11	1.1%	1.4%	4.5%	95.5%
Grade 12	1.6%	1.9%	5.1%	94.9%
Methamphetamine				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.3%	0.3%	1.5%	98.5%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.0%	0.5%	1.6%	98.4%
Grade 12	0.7%	1.0%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.7%	17.3%	25.7%	74.3%
Grade 7	1.3%	2.1%	4.5%	95.5%
Grade 8	4.0%	6.9%	11.3%	88.7%
Grade 9	9.5%	13.8%	23.4%	76.6%
Grade 10	14.2%	19.8%	30.2%	69.8%
Grade 11	20.5%	25.6%	36.8%	63.2%
Grade 12	28.3%	37.6%	50.5%	49.5%
Any Alcohol Product				
All	24.2%	31.0%	49.2%	50.8%
Grade 7	5.8%	6.5%	25.6%	74.4%
Grade 8	13.5%	17.5%	38.0%	62.0%
Grade 9	23.9%	29.3%	46.2%	53.8%
Grade 10	25.3%	34.5%	55.9%	44.1%
Grade 11	31.7%	43.4%	60.5%	39.5%
Grade 12	47.2%	57.1%	71.4%	28.6%
Any Illicit Drug				
All	10.3%	14.3%	19.4%	80.6%
Grade 7	1.5%	2.8%	3.7%	96.3%
Grade 8	4.4%	5.8%	7.3%	92.7%
Grade 9	6.5%	10.3%	14.0%	86.0%
Grade 10	13.6%	17.8%	23.1%	76.9%
Grade 11	16.2%	23.4%	30.6%	69.4%
Grade 12	20.7%	26.9%	39.6%	60.4%
Any Prescription Drug				
All	9.7%	13.7%	18.2%	81.8%
Grade 7	7.2%	10.1%	14.9%	85.1%
Grade 8	6.0%	9.3%	13.8%	86.2%
Grade 9	7.5%	9.5%	14.4%	85.6%
Grade 10	12.5%	16.4%	20.2%	79.8%
Grade 11	11.9%	17.9%	21.4%	78.6%
Grade 12	14.0%	19.7%	25.1%	74.9%
Any Inhalant				
All	2.5%	3.7%	7.9%	92.1%
Grade 7	2.2%	2.9%	5.5%	94.5%
Grade 8	4.4%	5.1%	8.9%	91.1%
Grade 9	2.5%	3.4%	8.2%	91.8%
Grade 10	2.4%	3.5%	7.4%	92.6%
Grade 11	1.9%	3.5%	8.3%	91.7%
Grade 12	1.4%	3.6%	9.2%	90.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.6%	13.3%	21.9%	78.1%
Grade 7	1.1%	1.9%	4.0%	96.0%
Grade 8	2.9%	5.5%	9.1%	90.9%
Grade 9	6.0%	10.1%	19.4%	80.6%
Grade 10	10.1%	17.0%	26.8%	73.2%
Grade 11	14.1%	18.6%	32.1%	67.9%
Grade 12	18.7%	28.5%	42.1%	57.9%
Marijuana				
All	9.4%	11.9%	17.6%	82.4%
Grade 7	0.6%	1.0%	1.2%	98.8%
Grade 8	2.9%	4.0%	5.8%	94.2%
Grade 9	6.3%	8.3%	13.0%	87.0%
Grade 10	12.6%	15.0%	21.1%	78.9%
Grade 11	15.3%	19.7%	28.6%	71.4%
Grade 12	20.0%	24.8%	38.2%	61.8%
Marijuana Only				
All	4.8%	6.7%	11.6%	88.4%
Grade 7	0.0%	0.5%	0.7%	99.3%
Grade 8	2.2%	2.9%	4.7%	95.3%
Grade 9	3.6%	5.4%	8.9%	91.1%
Grade 10	6.1%	8.0%	13.2%	86.8%
Grade 11	7.1%	10.9%	19.2%	80.8%
Grade 12	10.2%	13.4%	24.2%	75.8%
Cocaine or Crack				
All	0.9%	1.3%	2.3%	97.7%
Grade 7	0.7%	0.9%	0.9%	99.1%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.3%	0.8%	1.8%	98.2%
Grade 10	1.0%	1.3%	3.0%	97.0%
Grade 11	1.1%	1.7%	3.0%	97.0%
Grade 12	2.2%	2.8%	4.3%	95.7%
Cocaine				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.8%	1.5%	98.5%
Grade 10	0.9%	1.2%	2.9%	97.1%
Grade 11	1.1%	1.7%	3.0%	97.0%
Grade 12	2.1%	2.6%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.1%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	1.0%	1.7%	3.3%	96.7%
Grade 7	0.3%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	1.6%	2.4%	4.8%	95.2%
Grade 11	1.4%	2.9%	5.3%	94.7%
Grade 12	2.2%	3.8%	7.6%	92.4%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.6%	0.6%	0.7%	99.3%
Grade 12	0.4%	0.5%	1.1%	98.9%
Steroids				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.6%	1.1%	2.3%	97.7%
Grade 12	0.3%	0.8%	2.4%	97.6%
Ecstasy				
All	0.6%	1.3%	2.5%	97.5%
Grade 7	0.3%	0.8%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.5%	1.4%	98.6%
Grade 10	0.3%	1.0%	3.0%	97.0%
Grade 11	0.8%	3.0%	4.0%	96.0%
Grade 12	1.8%	2.6%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.8%	1.2%	3.1%	96.9%
Grade 7	0.0%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.8%	1.8%	98.2%
Grade 10	1.2%	1.9%	5.0%	95.0%
Grade 11	1.5%	1.6%	4.5%	95.5%
Grade 12	0.6%	1.7%	5.7%	94.3%
Methamphetamine				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.7%	1.2%	1.4%	98.6%
Grade 12	0.4%	1.1%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.2%	13.4%	24.1%	75.9%
Grade 7	9.3%	9.3%	14.3%	85.7%
Grade 8	0.0%	0.0%	8.3%	91.7%
Grade 9	10.6%	10.6%	25.4%	74.6%
Grade 10	12.3%	15.6%	25.6%	74.4%
Grade 11	6.3%	9.3%	25.1%	74.9%
Grade 12	26.7%	32.8%	41.2%	58.8%
Any Alcohol Product				
All	24.4%	30.9%	48.6%	51.4%
Grade 7	11.2%	17.4%	29.2%	70.8%
Grade 8	16.7%	16.7%	37.5%	62.5%
Grade 9	15.6%	24.3%	38.1%	61.9%
Grade 10	25.8%	30.5%	53.0%	47.0%
Grade 11	28.3%	32.8%	55.4%	44.6%
Grade 12	47.1%	61.2%	73.8%	26.2%
Any Illicit Drug				
All	13.4%	20.0%	25.5%	74.5%
Grade 7	8.7%	8.7%	8.7%	91.3%
Grade 8	8.3%	12.5%	16.7%	83.3%
Grade 9	10.2%	11.8%	11.8%	88.2%
Grade 10	14.2%	25.3%	33.1%	66.9%
Grade 11	9.0%	22.1%	28.4%	71.6%
Grade 12	30.3%	36.5%	50.6%	49.4%
Any Prescription Drug				
All	10.6%	15.2%	21.0%	79.0%
Grade 7	5.6%	11.2%	14.3%	85.7%
Grade 8	4.3%	8.7%	17.4%	82.6%
Grade 9	8.8%	16.5%	20.9%	79.1%
Grade 10	9.1%	10.2%	18.2%	81.8%
Grade 11	18.0%	18.9%	22.3%	77.7%
Grade 12	15.5%	24.8%	32.7%	67.3%
Any Inhalant				
All	3.6%	4.1%	7.8%	92.2%
Grade 7	6.2%	6.2%	11.8%	88.2%
Grade 8	0.0%	4.2%	4.2%	95.8%
Grade 9	8.6%	8.6%	10.8%	89.2%
Grade 10	4.5%	4.5%	7.8%	92.2%
Grade 11	0.0%	0.0%	4.2%	95.8%
Grade 12	1.4%	1.4%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	10.0%	21.3%	78.7%
Grade 7	6.2%	6.2%	11.2%	88.8%
Grade 8	0.0%	0.0%	8.7%	91.3%
Grade 9	7.7%	7.7%	19.0%	81.0%
Grade 10	10.0%	15.6%	25.6%	74.4%
Grade 11	5.5%	7.3%	21.8%	78.2%
Grade 12	6.5%	18.9%	36.5%	63.5%
Marijuana				
All	12.5%	16.8%	23.4%	76.6%
Grade 7	8.7%	8.7%	8.7%	91.3%
Grade 8	4.2%	4.2%	12.5%	87.5%
Grade 9	10.2%	11.8%	11.8%	88.2%
Grade 10	12.0%	20.9%	28.7%	71.3%
Grade 11	9.0%	15.3%	25.0%	75.0%
Grade 12	30.3%	36.5%	50.6%	49.4%
Marijuana Only				
All	7.2%	11.5%	17.4%	82.6%
Grade 7	5.8%	5.8%	5.8%	94.2%
Grade 8	4.2%	4.2%	8.3%	91.7%
Grade 9	7.1%	8.7%	8.7%	91.3%
Grade 10	5.3%	14.2%	22.0%	78.0%
Grade 11	8.1%	14.4%	23.1%	76.9%
Grade 12	12.6%	18.9%	33.0%	67.0%
Cocaine or Crack				
All	2.0%	2.0%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	5.6%	5.6%	5.6%	94.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.1%	3.1%	7.7%	92.3%
Cocaine				
All	1.2%	1.2%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.1%	3.1%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.3%	3.3%	3.3%	96.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.6%	95.4%
Hallucinogens				
All	0.7%	1.7%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	4.9%	9.5%	15.7%	84.3%
Synthetic Cathinones				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.2%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.2%	95.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	2.5%	97.5%
Grade 12	0.0%	0.0%	3.1%	96.9%
Ecstasy				
All	0.3%	0.3%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	3.3%	96.7%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.9%	1.9%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.7%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.2%	4.2%	4.2%	95.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	3.3%	96.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.1%	96.9%
Synthetic Marijuana				
All	2.6%	2.8%	3.5%	96.5%
Grade 7	2.5%	2.5%	2.5%	97.5%
Grade 8	4.2%	4.2%	4.2%	95.8%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	4.5%	4.5%	6.7%	93.3%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	3.1%	3.1%	4.7%	95.3%
Methamphetamine				
All	1.4%	1.4%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.2%	4.2%	4.2%	95.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.7%	4.7%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	19.0%	28.6%	71.4%
Grade 7	3.1%	3.7%	9.6%	90.4%
Grade 8	6.0%	9.6%	14.9%	85.1%
Grade 9	16.9%	21.4%	31.1%	68.9%
Grade 10	13.9%	20.4%	32.6%	67.4%
Grade 11	22.5%	29.1%	43.2%	56.8%
Grade 12	25.8%	33.5%	44.3%	55.7%
Any Alcohol Product				
All	28.4%	34.2%	54.3%	45.7%
Grade 7	15.6%	17.8%	39.7%	60.3%
Grade 8	16.1%	19.7%	40.5%	59.5%
Grade 9	26.0%	31.0%	53.1%	46.9%
Grade 10	31.1%	38.2%	59.9%	40.1%
Grade 11	43.5%	50.6%	67.7%	32.3%
Grade 12	43.4%	54.1%	69.3%	30.7%
Any Illicit Drug				
All	12.0%	16.5%	23.0%	77.0%
Grade 7	2.2%	6.6%	9.1%	90.9%
Grade 8	3.6%	5.4%	10.1%	89.9%
Grade 9	13.6%	17.9%	23.1%	76.9%
Grade 10	11.4%	17.6%	25.7%	74.3%
Grade 11	21.1%	26.9%	37.2%	62.8%
Grade 12	23.5%	28.2%	37.5%	62.5%
Any Prescription Drug				
All	10.7%	13.9%	18.1%	81.9%
Grade 7	10.7%	13.6%	16.1%	83.9%
Grade 8	7.8%	10.2%	13.9%	86.1%
Grade 9	8.8%	11.4%	15.1%	84.9%
Grade 10	9.8%	12.5%	17.9%	82.1%
Grade 11	15.3%	20.3%	25.6%	74.4%
Grade 12	13.6%	17.6%	22.3%	77.7%
Any Inhalant				
All	4.9%	6.4%	10.9%	89.1%
Grade 7	6.2%	8.1%	11.5%	88.5%
Grade 8	7.7%	9.5%	11.3%	88.7%
Grade 9	5.1%	7.7%	14.6%	85.4%
Grade 10	2.7%	3.7%	10.5%	89.5%
Grade 11	3.3%	3.7%	9.5%	90.5%
Grade 12	3.8%	4.9%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.3%	14.5%	23.9%	76.1%
Grade 7	2.1%	2.7%	5.3%	94.7%
Grade 8	3.6%	7.3%	12.1%	87.9%
Grade 9	12.7%	18.2%	27.7%	72.3%
Grade 10	8.5%	15.2%	28.4%	71.6%
Grade 11	14.0%	21.4%	36.7%	63.3%
Grade 12	16.5%	24.1%	35.7%	64.3%
Marijuana				
All	11.1%	14.3%	21.1%	78.9%
Grade 7	1.0%	2.9%	6.6%	93.4%
Grade 8	1.8%	3.0%	7.8%	92.2%
Grade 9	12.8%	15.7%	20.7%	79.3%
Grade 10	10.9%	16.2%	24.1%	75.9%
Grade 11	20.8%	26.1%	37.0%	63.0%
Grade 12	22.8%	25.4%	35.6%	64.4%
Marijuana Only				
All	6.1%	8.4%	13.9%	86.1%
Grade 7	1.0%	2.2%	5.3%	94.7%
Grade 8	0.6%	1.8%	4.7%	95.3%
Grade 9	5.9%	8.1%	11.7%	88.3%
Grade 10	6.8%	10.4%	17.2%	82.8%
Grade 11	11.3%	15.2%	24.7%	75.3%
Grade 12	13.0%	15.1%	23.3%	76.7%
Cocaine or Crack				
All	1.7%	2.0%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.8%	1.8%	3.0%	97.0%
Grade 9	2.7%	3.4%	4.4%	95.6%
Grade 10	1.1%	1.4%	2.9%	97.1%
Grade 11	3.2%	3.9%	5.1%	94.9%
Grade 12	1.5%	1.5%	2.7%	97.3%
Cocaine				
All	1.4%	1.8%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	1.8%	2.6%	3.7%	96.3%
Grade 10	0.7%	1.1%	2.5%	97.5%
Grade 11	3.0%	3.7%	4.9%	95.1%
Grade 12	1.5%	1.5%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	1.2%	1.8%	98.2%
Grade 9	1.6%	2.1%	3.2%	96.8%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.4%	1.1%	1.5%	98.5%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	1.1%	1.8%	3.2%	96.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	1.8%	4.0%	96.0%
Grade 10	0.8%	2.0%	3.5%	96.5%
Grade 11	1.6%	3.9%	6.5%	93.5%
Grade 12	3.3%	3.7%	6.4%	93.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.8%	99.2%
Steroids				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.2%	1.5%	98.5%
Grade 12	0.8%	1.0%	2.1%	97.9%
Ecstasy				
All	1.0%	1.3%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	1.3%	1.5%	3.7%	96.3%
Grade 10	0.4%	1.3%	2.3%	97.7%
Grade 11	1.4%	1.4%	3.3%	96.7%
Grade 12	2.5%	3.7%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	0.7%	1.0%	3.7%	96.3%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	1.4%	2.0%	5.8%	94.2%
Grade 10	0.8%	0.9%	3.4%	96.6%
Grade 11	0.7%	1.5%	4.6%	95.4%
Grade 12	0.8%	1.0%	5.3%	94.7%
Methamphetamine				
All	0.0%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	2.3%	97.7%
Grade 10	0.0%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.2%	1.7%	98.3%
Grade 12	0.0%	1.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.0%	11.2%	17.9%	82.1%
Grade 7	1.6%	2.0%	5.2%	94.8%
Grade 8	3.4%	7.0%	10.4%	89.6%
Grade 9	6.8%	10.8%	16.6%	83.4%
Grade 10	5.4%	11.1%	20.3%	79.7%
Grade 11	12.6%	16.5%	25.1%	74.9%
Grade 12	17.2%	26.0%	38.8%	61.2%
Any Alcohol Product				
All	19.0%	25.0%	45.1%	54.9%
Grade 7	7.9%	10.3%	29.7%	70.3%
Grade 8	11.8%	14.3%	36.8%	63.2%
Grade 9	16.9%	21.9%	41.9%	58.1%
Grade 10	21.2%	28.8%	51.2%	48.8%
Grade 11	28.2%	37.2%	58.4%	41.6%
Grade 12	36.5%	49.2%	63.9%	36.1%
Any Illicit Drug				
All	6.3%	9.5%	13.5%	86.5%
Grade 7	1.4%	3.2%	3.9%	96.1%
Grade 8	2.6%	5.8%	9.4%	90.6%
Grade 9	4.5%	7.3%	9.6%	90.4%
Grade 10	8.1%	11.5%	15.9%	84.1%
Grade 11	10.2%	15.7%	21.8%	78.2%
Grade 12	15.0%	18.4%	27.4%	72.6%
Any Prescription Drug				
All	7.8%	11.2%	14.5%	85.5%
Grade 7	9.5%	11.8%	15.8%	84.2%
Grade 8	5.7%	9.7%	13.3%	86.7%
Grade 9	4.6%	7.7%	12.0%	88.0%
Grade 10	6.0%	7.8%	10.2%	89.8%
Grade 11	11.2%	16.2%	18.5%	81.5%
Grade 12	10.6%	15.4%	18.2%	81.8%
Any Inhalant				
All	3.3%	4.5%	7.9%	92.1%
Grade 7	3.4%	4.2%	6.1%	93.9%
Grade 8	5.8%	7.7%	11.9%	88.1%
Grade 9	5.0%	5.9%	10.6%	89.4%
Grade 10	2.0%	2.7%	5.6%	94.4%
Grade 11	2.4%	2.9%	8.2%	91.8%
Grade 12	0.4%	2.3%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.6%	8.8%	15.1%	84.9%
Grade 7	1.6%	2.0%	3.9%	96.1%
Grade 8	1.5%	5.0%	8.9%	91.1%
Grade 9	6.2%	9.8%	15.2%	84.8%
Grade 10	3.7%	9.6%	18.0%	82.0%
Grade 11	7.8%	11.6%	22.0%	78.0%
Grade 12	10.0%	19.8%	30.6%	69.4%
Marijuana				
All	5.7%	8.0%	12.2%	87.8%
Grade 7	0.6%	1.5%	2.5%	97.5%
Grade 8	1.1%	3.5%	7.2%	92.8%
Grade 9	4.2%	6.2%	8.6%	91.4%
Grade 10	7.4%	10.1%	14.4%	85.6%
Grade 11	10.2%	14.2%	20.9%	79.1%
Grade 12	14.9%	17.8%	26.6%	73.4%
Marijuana Only				
All	3.2%	5.0%	8.2%	91.8%
Grade 7	0.3%	0.8%	1.8%	98.2%
Grade 8	0.6%	2.2%	4.8%	95.2%
Grade 9	1.7%	3.0%	4.3%	95.7%
Grade 10	4.3%	6.9%	11.0%	89.0%
Grade 11	6.0%	9.4%	15.3%	84.7%
Grade 12	9.1%	10.9%	17.3%	82.7%
Cocaine or Crack				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	1.1%	1.4%	2.5%	97.5%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	1.2%	1.4%	2.1%	97.9%
Grade 12	0.9%	1.1%	2.0%	98.0%
Cocaine				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.4%	2.0%	98.0%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	1.2%	1.4%	2.1%	97.9%
Grade 12	0.9%	1.1%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.7%	98.3%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.0%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	1.0%	1.6%	2.4%	97.6%
Grade 11	1.0%	2.1%	4.3%	95.7%
Grade 12	1.1%	1.4%	3.1%	96.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.0%	99.0%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.6%	1.0%	99.0%
Grade 11	0.0%	0.3%	1.5%	98.5%
Grade 12	0.7%	0.7%	2.2%	97.8%
Ecstasy				
All	0.4%	0.8%	1.5%	98.5%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.0%	0.4%	1.2%	98.8%
Grade 11	0.3%	1.6%	1.9%	98.1%
Grade 12	1.8%	2.3%	5.0%	95.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.4%	2.0%	98.0%
Grade 10	0.8%	0.9%	1.8%	98.2%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.1%	0.9%	3.7%	96.3%
Methamphetamine				
All	0.1%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	1.7%	98.3%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	1.6%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 120

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.1%	20.4%	30.9%	69.1%
Grade 7	3.7%	4.4%	9.8%	90.2%
Grade 8	6.2%	8.8%	15.4%	84.6%
Grade 9	16.2%	20.6%	31.8%	68.2%
Grade 10	18.0%	23.4%	36.1%	63.9%
Grade 11	23.4%	29.5%	43.6%	56.4%
Grade 12	31.3%	38.1%	51.0%	49.0%
Any Alcohol Product				
All	29.1%	34.7%	53.1%	46.9%
Grade 7	12.4%	14.0%	33.3%	66.7%
Grade 8	18.0%	23.1%	42.1%	57.9%
Grade 9	27.0%	32.1%	50.0%	50.0%
Grade 10	30.9%	38.3%	58.2%	41.8%
Grade 11	40.4%	48.0%	64.3%	35.7%
Grade 12	49.3%	55.9%	73.3%	26.7%
Any Illicit Drug				
All	14.5%	19.6%	26.0%	74.0%
Grade 7	3.6%	6.9%	8.9%	91.1%
Grade 8	6.2%	7.5%	10.2%	89.8%
Grade 9	13.8%	17.8%	22.2%	77.8%
Grade 10	16.6%	23.9%	31.6%	68.4%
Grade 11	21.0%	29.3%	39.4%	60.6%
Grade 12	27.7%	34.5%	47.8%	52.2%
Any Prescription Drug				
All	11.6%	15.2%	20.4%	79.6%
Grade 7	7.5%	11.6%	14.3%	85.7%
Grade 8	7.3%	9.9%	14.4%	85.6%
Grade 9	10.0%	13.2%	17.1%	82.9%
Grade 10	13.5%	17.5%	24.4%	75.6%
Grade 11	17.2%	21.2%	26.0%	74.0%
Grade 12	14.6%	18.6%	27.2%	72.8%
Any Inhalant				
All	4.1%	5.5%	10.3%	89.7%
Grade 7	5.6%	7.4%	12.0%	88.0%
Grade 8	5.9%	7.2%	9.1%	90.9%
Grade 9	4.4%	5.6%	11.1%	88.9%
Grade 10	3.5%	4.8%	11.4%	88.6%
Grade 11	1.7%	2.8%	7.9%	92.1%
Grade 12	3.6%	5.0%	10.7%	89.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.9%	26.5%	73.5%
Grade 7	2.3%	3.0%	6.4%	93.6%
Grade 8	5.2%	7.3%	12.6%	87.4%
Grade 9	11.4%	16.7%	27.1%	72.9%
Grade 10	12.1%	18.8%	32.2%	67.8%
Grade 11	17.1%	23.3%	38.2%	61.8%
Grade 12	20.4%	27.8%	44.5%	55.5%
Marijuana				
All	13.4%	16.7%	23.9%	76.1%
Grade 7	2.7%	3.6%	5.8%	94.2%
Grade 8	4.3%	4.8%	8.5%	91.5%
Grade 9	13.0%	15.5%	19.9%	80.1%
Grade 10	15.3%	21.0%	28.8%	71.2%
Grade 11	20.6%	26.3%	38.6%	61.4%
Grade 12	26.9%	31.1%	45.7%	54.3%
Marijuana Only				
All	7.2%	9.8%	15.9%	84.1%
Grade 7	1.9%	2.8%	4.4%	95.6%
Grade 8	2.8%	3.1%	5.5%	94.5%
Grade 9	7.4%	9.6%	13.3%	86.7%
Grade 10	8.0%	12.4%	18.9%	81.1%
Grade 11	10.9%	15.5%	26.2%	73.8%
Grade 12	13.6%	16.6%	29.6%	70.4%
Cocaine or Crack				
All	1.4%	1.8%	3.0%	97.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	1.0%	1.8%	2.9%	97.1%
Grade 10	2.5%	2.9%	5.1%	94.9%
Grade 11	1.9%	2.5%	3.9%	96.1%
Grade 12	1.9%	2.4%	4.9%	95.1%
Cocaine				
All	1.1%	1.5%	2.6%	97.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.7%	1.5%	2.5%	97.5%
Grade 10	1.3%	1.7%	3.8%	96.2%
Grade 11	1.8%	2.4%	3.8%	96.2%
Grade 12	1.8%	2.3%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.5%	0.5%	1.5%	98.5%
Grade 10	1.2%	1.4%	2.2%	97.8%
Grade 11	0.3%	0.7%	0.9%	99.1%
Grade 12	0.3%	0.3%	1.3%	98.7%
Hallucinogens				
All	1.3%	2.3%	4.3%	95.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.7%	1.4%	3.4%	96.6%
Grade 10	1.3%	2.2%	5.3%	94.7%
Grade 11	1.5%	3.8%	6.9%	93.1%
Grade 12	4.8%	6.9%	11.2%	88.8%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.5%	0.9%	99.1%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	0.3%	1.0%	2.2%	97.8%
Ecstasy				
All	1.0%	1.6%	3.2%	96.8%
Grade 7	0.2%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.8%	1.0%	2.7%	97.3%
Grade 10	0.6%	1.6%	3.9%	96.1%
Grade 11	1.5%	2.8%	5.0%	95.0%
Grade 12	2.8%	4.0%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.2%	1.0%	99.0%
Synthetic Marijuana				
All	1.3%	1.8%	4.4%	95.6%
Grade 7	0.9%	0.9%	1.8%	98.2%
Grade 8	1.0%	1.0%	2.6%	97.4%
Grade 9	1.1%	2.0%	4.1%	95.9%
Grade 10	2.1%	2.7%	6.4%	93.6%
Grade 11	1.2%	2.0%	5.0%	95.0%
Grade 12	1.7%	2.2%	6.4%	93.6%
Methamphetamine				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.2%	0.7%	1.4%	98.6%
Grade 12	1.1%	1.8%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.9%	14.4%	22.4%	77.6%
Grade 7	3.0%	3.8%	6.3%	93.7%
Grade 8	3.5%	5.6%	11.6%	88.4%
Grade 9	9.5%	13.0%	21.8%	78.2%
Grade 10	11.8%	16.3%	25.5%	74.5%
Grade 11	18.4%	22.5%	35.0%	65.0%
Grade 12	24.0%	31.0%	41.7%	58.3%
Any Alcohol Product				
All	23.0%	28.3%	46.9%	53.1%
Grade 7	10.7%	12.5%	31.4%	68.6%
Grade 8	12.1%	15.1%	36.2%	63.8%
Grade 9	20.8%	25.4%	43.5%	56.5%
Grade 10	24.7%	31.7%	51.7%	48.3%
Grade 11	33.6%	40.9%	59.4%	40.6%
Grade 12	43.4%	53.6%	67.3%	32.7%
Any Illicit Drug				
All	8.4%	12.3%	17.1%	82.9%
Grade 7	2.1%	4.4%	5.5%	94.5%
Grade 8	2.0%	4.4%	7.9%	92.1%
Grade 9	6.7%	10.4%	13.4%	86.6%
Grade 10	9.6%	14.2%	20.2%	79.8%
Grade 11	14.9%	21.0%	28.9%	71.1%
Grade 12	19.0%	23.9%	33.3%	66.7%
Any Prescription Drug				
All	8.7%	12.1%	15.7%	84.3%
Grade 7	8.1%	11.6%	14.7%	85.3%
Grade 8	6.0%	9.4%	11.7%	88.3%
Grade 9	6.5%	9.2%	12.9%	87.1%
Grade 10	9.5%	12.5%	17.3%	82.7%
Grade 11	13.2%	17.5%	21.0%	79.0%
Grade 12	9.9%	13.9%	18.2%	81.8%
Any Inhalant				
All	3.6%	4.6%	8.7%	91.3%
Grade 7	4.9%	5.8%	9.3%	90.7%
Grade 8	5.9%	6.8%	9.1%	90.9%
Grade 9	3.9%	4.7%	9.9%	90.1%
Grade 10	2.1%	3.2%	8.1%	91.9%
Grade 11	1.9%	2.5%	7.8%	92.2%
Grade 12	2.0%	3.8%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 120

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	11.2%	18.9%	81.1%
Grade 7	2.0%	2.8%	3.9%	96.1%
Grade 8	2.5%	4.9%	9.5%	90.5%
Grade 9	7.1%	10.7%	19.3%	80.7%
Grade 10	7.8%	13.0%	22.1%	77.9%
Grade 11	13.2%	17.8%	30.7%	69.3%
Grade 12	15.3%	22.6%	34.7%	65.3%
Marijuana				
All	7.5%	9.9%	15.2%	84.8%
Grade 7	1.2%	2.0%	3.1%	96.9%
Grade 8	0.6%	1.9%	5.7%	94.3%
Grade 9	6.1%	8.2%	11.7%	88.3%
Grade 10	8.7%	11.4%	17.8%	82.2%
Grade 11	14.4%	18.9%	27.9%	72.1%
Grade 12	18.4%	22.2%	32.2%	67.8%
Marijuana Only				
All	4.2%	6.2%	10.7%	89.3%
Grade 7	1.0%	1.4%	2.5%	97.5%
Grade 8	0.6%	1.6%	4.2%	95.8%
Grade 9	2.6%	4.6%	7.2%	92.8%
Grade 10	5.1%	7.1%	12.8%	87.2%
Grade 11	6.9%	10.8%	19.6%	80.4%
Grade 12	11.7%	14.9%	23.1%	76.9%
Cocaine or Crack				
All	1.0%	1.3%	2.0%	98.0%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	1.3%	1.7%	2.2%	97.8%
Grade 10	1.1%	1.4%	2.0%	98.0%
Grade 11	1.8%	2.3%	3.4%	96.6%
Grade 12	1.4%	1.5%	2.7%	97.3%
Cocaine				
All	0.7%	1.0%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.6%	0.9%	99.1%
Grade 9	0.7%	1.2%	1.6%	98.4%
Grade 10	0.4%	0.7%	1.3%	98.7%
Grade 11	1.7%	2.2%	3.3%	96.7%
Grade 12	1.3%	1.4%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	0.7%	0.8%	0.8%	99.2%
Grade 11	0.4%	0.8%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.9%	1.5%	2.5%	97.5%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	1.2%	2.0%	98.0%
Grade 10	1.0%	1.7%	3.3%	96.7%
Grade 11	1.5%	3.5%	5.0%	95.0%
Grade 12	2.4%	3.1%	5.5%	94.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.6%	99.4%
Steroids				
All	0.1%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.7%	1.7%	98.3%
Grade 12	0.6%	1.0%	1.8%	98.2%
Ecstasy				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	1.6%	98.4%
Grade 10	0.5%	0.9%	1.9%	98.1%
Grade 11	1.0%	1.8%	3.2%	96.8%
Grade 12	1.6%	2.1%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.4%	1.1%	98.9%
Grade 9	0.9%	1.1%	2.8%	97.2%
Grade 10	1.0%	1.3%	2.5%	97.5%
Grade 11	1.1%	1.5%	2.9%	97.1%
Grade 12	0.2%	0.4%	3.3%	96.7%
Methamphetamine				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.4%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.7%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 120

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.4%	23.6%	35.2%	64.8%
Grade 7	1.8%	1.8%	11.7%	88.3%
Grade 8	8.4%	13.7%	16.6%	83.4%
Grade 9	19.0%	24.4%	36.7%	63.3%
Grade 10	17.1%	24.5%	39.6%	60.4%
Grade 11	22.4%	29.6%	42.3%	57.7%
Grade 12	30.4%	40.2%	54.4%	45.6%
Any Alcohol Product				
All	31.7%	39.4%	60.1%	39.9%
Grade 7	8.9%	11.7%	33.1%	66.9%
Grade 8	22.7%	28.7%	48.3%	51.7%
Grade 9	30.4%	36.9%	59.3%	40.7%
Grade 10	32.9%	40.9%	65.6%	34.4%
Grade 11	40.5%	50.9%	67.7%	32.3%
Grade 12	47.1%	57.9%	76.0%	24.0%
Any Illicit Drug				
All	17.7%	23.5%	30.9%	69.1%
Grade 7	3.8%	7.0%	9.1%	90.9%
Grade 8	11.3%	12.9%	15.1%	84.9%
Grade 9	17.3%	20.8%	26.6%	73.4%
Grade 10	18.8%	26.8%	35.0%	65.0%
Grade 11	22.2%	31.5%	40.9%	59.1%
Grade 12	28.3%	35.4%	50.0%	50.0%
Any Prescription Drug				
All	13.3%	17.7%	24.0%	76.0%
Grade 7	9.5%	11.9%	16.8%	83.2%
Grade 8	7.9%	10.9%	19.9%	80.1%
Grade 9	11.6%	14.9%	20.1%	79.9%
Grade 10	13.4%	17.3%	23.8%	76.2%
Grade 11	16.7%	22.7%	28.0%	72.0%
Grade 12	19.1%	26.4%	33.7%	66.3%
Any Inhalant				
All	3.8%	5.8%	10.9%	89.1%
Grade 7	3.3%	5.7%	7.5%	92.5%
Grade 8	5.6%	8.9%	13.6%	86.4%
Grade 9	5.2%	8.7%	14.9%	85.1%
Grade 10	3.9%	4.6%	11.1%	88.9%
Grade 11	2.9%	4.3%	9.2%	90.8%
Grade 12	2.0%	2.9%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	17.7%	30.2%	69.8%
Grade 7	1.8%	1.8%	9.6%	90.4%
Grade 8	5.7%	9.6%	14.3%	85.7%
Grade 9	12.9%	18.9%	30.2%	69.8%
Grade 10	12.1%	20.5%	36.5%	63.5%
Grade 11	14.2%	20.4%	36.0%	64.0%
Grade 12	17.8%	29.0%	45.3%	54.7%
Marijuana				
All	16.8%	21.0%	29.2%	70.8%
Grade 7	2.7%	4.3%	7.5%	92.5%
Grade 8	8.2%	9.9%	13.3%	86.7%
Grade 9	16.9%	19.7%	25.4%	74.6%
Grade 10	17.8%	25.0%	33.1%	66.9%
Grade 11	21.6%	27.4%	39.0%	61.0%
Grade 12	27.9%	32.8%	48.4%	51.6%
Marijuana Only				
All	8.5%	11.7%	18.1%	81.9%
Grade 7	1.4%	2.9%	5.0%	95.0%
Grade 8	4.5%	5.4%	7.6%	92.4%
Grade 9	10.0%	11.8%	16.1%	83.9%
Grade 10	8.4%	14.1%	20.9%	79.1%
Grade 11	12.7%	17.2%	26.0%	74.0%
Grade 12	10.9%	14.3%	27.1%	72.9%
Cocaine or Crack				
All	2.0%	2.5%	3.9%	96.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	2.5%	2.5%	2.5%	97.5%
Grade 9	1.8%	2.6%	4.2%	95.8%
Grade 10	2.2%	2.7%	5.3%	94.7%
Grade 11	1.8%	2.8%	3.9%	96.1%
Grade 12	2.8%	3.5%	5.5%	94.5%
Cocaine				
All	1.8%	2.3%	3.7%	96.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	2.2%	2.2%	2.2%	97.8%
Grade 9	1.8%	2.5%	4.0%	96.0%
Grade 10	1.7%	2.2%	4.8%	95.2%
Grade 11	1.8%	2.8%	3.9%	96.1%
Grade 12	2.8%	3.5%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.2%	2.2%	2.2%	97.8%
Grade 9	0.2%	1.0%	2.4%	97.6%
Grade 10	0.5%	0.8%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.0%	99.0%
Hallucinogens				
All	1.4%	2.5%	5.3%	94.7%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.9%	0.9%	99.1%
Grade 9	0.6%	1.0%	3.5%	96.5%
Grade 10	1.4%	2.5%	5.7%	94.3%
Grade 11	1.4%	2.8%	7.1%	92.9%
Grade 12	4.6%	6.9%	12.2%	87.8%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.7%	0.7%	1.0%	99.0%
Grade 12	0.3%	0.5%	1.3%	98.7%
Steroids				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.3%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.5%	98.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.4%	1.0%	1.2%	98.8%
Grade 11	0.5%	0.5%	2.7%	97.3%
Grade 12	0.2%	0.5%	3.0%	97.0%
Ecstasy				
All	1.0%	2.0%	4.3%	95.7%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	1.5%	2.0%	4.2%	95.8%
Grade 10	0.3%	1.3%	4.5%	95.5%
Grade 11	0.8%	2.9%	4.4%	95.6%
Grade 12	2.9%	4.2%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	1.2%	98.8%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	1.8%	1.8%	1.8%	98.2%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.6%	98.4%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.1%	98.9%
Synthetic Marijuana				
All	1.5%	2.1%	6.1%	93.9%
Grade 7	0.9%	0.9%	2.5%	97.5%
Grade 8	1.8%	1.8%	4.0%	96.0%
Grade 9	1.1%	2.2%	5.1%	94.9%
Grade 10	2.2%	3.1%	8.1%	91.9%
Grade 11	0.7%	1.0%	6.3%	93.7%
Grade 12	2.2%	3.3%	8.9%	91.1%
Methamphetamine				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.8%	98.2%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	0.6%	0.8%	1.6%	98.4%
Grade 11	0.1%	0.2%	1.1%	98.9%
Grade 12	1.8%	2.7%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.3%	15.3%	24.1%	75.9%
Grade 7	2.1%	2.6%	5.7%	94.3%
Grade 8	4.0%	6.8%	11.7%	88.3%
Grade 9	10.9%	14.7%	24.1%	75.9%
Grade 10	12.0%	16.5%	28.0%	72.0%
Grade 11	17.8%	22.7%	35.4%	64.6%
Grade 12	23.9%	32.2%	44.3%	55.7%
Any Alcohol Product				
All	23.5%	29.4%	49.4%	50.6%
Grade 7	7.9%	10.0%	30.2%	69.8%
Grade 8	13.0%	16.6%	37.9%	62.1%
Grade 9	22.0%	26.8%	47.1%	52.9%
Grade 10	25.2%	31.4%	55.1%	44.9%
Grade 11	34.9%	43.7%	61.7%	38.3%
Grade 12	41.9%	53.3%	69.0%	31.0%
Any Illicit Drug				
All	9.7%	13.8%	19.1%	80.9%
Grade 7	2.1%	3.3%	4.7%	95.3%
Grade 8	3.9%	5.5%	8.4%	91.6%
Grade 9	8.1%	11.7%	14.9%	85.1%
Grade 10	11.4%	16.5%	23.1%	76.9%
Grade 11	15.9%	23.6%	31.4%	68.6%
Grade 12	19.1%	24.8%	35.8%	64.2%
Any Prescription Drug				
All	9.7%	13.1%	16.9%	83.1%
Grade 7	8.5%	11.5%	14.9%	85.1%
Grade 8	5.8%	8.8%	12.3%	87.7%
Grade 9	7.9%	10.5%	13.9%	86.1%
Grade 10	10.0%	12.9%	17.5%	82.5%
Grade 11	14.5%	19.4%	22.7%	77.3%
Grade 12	12.8%	16.6%	21.5%	78.5%
Any Inhalant				
All	3.3%	4.2%	8.3%	91.7%
Grade 7	3.4%	4.6%	7.4%	92.6%
Grade 8	5.3%	6.4%	9.4%	90.6%
Grade 9	4.1%	5.1%	10.7%	89.3%
Grade 10	2.1%	2.8%	7.9%	92.1%
Grade 11	2.0%	2.9%	7.4%	92.6%
Grade 12	2.2%	3.4%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	12.0%	20.6%	79.4%
Grade 7	1.6%	2.2%	4.5%	95.5%
Grade 8	3.0%	5.7%	9.7%	90.3%
Grade 9	7.8%	12.0%	20.6%	79.4%
Grade 10	7.8%	13.2%	24.6%	75.4%
Grade 11	12.3%	17.3%	31.4%	68.6%
Grade 12	14.5%	23.9%	36.4%	63.6%
Marijuana				
All	8.8%	11.6%	17.5%	82.5%
Grade 7	1.1%	1.8%	3.0%	97.0%
Grade 8	1.7%	2.6%	6.2%	93.8%
Grade 9	7.6%	9.8%	13.4%	86.6%
Grade 10	10.7%	14.7%	21.8%	78.2%
Grade 11	15.3%	20.4%	29.8%	70.2%
Grade 12	18.7%	22.8%	34.7%	65.3%
Marijuana Only				
All	5.2%	7.3%	12.3%	87.7%
Grade 7	0.9%	1.5%	2.8%	97.2%
Grade 8	1.0%	1.4%	4.1%	95.9%
Grade 9	4.1%	5.8%	8.5%	91.5%
Grade 10	6.3%	9.5%	15.6%	84.4%
Grade 11	9.1%	13.5%	22.0%	78.0%
Grade 12	11.0%	14.1%	24.1%	75.9%
Cocaine or Crack				
All	1.0%	1.3%	2.0%	98.0%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	1.0%	1.2%	1.5%	98.5%
Grade 9	1.2%	1.8%	2.4%	97.6%
Grade 10	1.5%	1.6%	2.5%	97.5%
Grade 11	1.1%	1.9%	3.0%	97.0%
Grade 12	0.9%	1.1%	2.2%	97.8%
Cocaine				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.9%	0.9%	99.1%
Grade 9	0.7%	1.4%	1.9%	98.1%
Grade 10	0.7%	0.8%	1.8%	98.2%
Grade 11	1.0%	1.8%	2.9%	97.1%
Grade 12	0.9%	1.1%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.8%	0.9%	1.4%	98.6%
Grade 10	0.7%	0.9%	1.2%	98.8%
Grade 11	0.1%	0.5%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.6%	1.3%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.6%	1.1%	2.2%	97.8%
Grade 10	0.8%	1.5%	3.3%	96.7%
Grade 11	0.9%	2.7%	4.9%	95.1%
Grade 12	1.7%	2.6%	5.7%	94.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids				
All	0.1%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.6%	0.9%	99.1%
Grade 11	0.2%	0.6%	2.0%	98.0%
Grade 12	0.4%	0.6%	1.7%	98.3%
Ecstasy				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.4%	0.5%	2.0%	98.0%
Grade 10	0.3%	0.8%	2.2%	97.8%
Grade 11	0.8%	2.0%	3.2%	96.8%
Grade 12	1.5%	2.5%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.0%	2.7%	97.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.8%	0.9%	1.6%	98.4%
Grade 9	0.7%	1.2%	3.1%	96.9%
Grade 10	1.4%	1.6%	4.1%	95.9%
Grade 11	0.5%	0.7%	2.9%	97.1%
Grade 12	0.2%	0.7%	4.0%	96.0%
Methamphetamine				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.7%	1.0%	99.0%
Grade 12	0.0%	0.8%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.4%	30.5%	41.7%	58.3%
Grade 7	6.3%	6.3%	21.3%	78.7%
Grade 8	12.6%	18.5%	23.5%	76.5%
Grade 9	17.4%	24.2%	39.2%	60.8%
Grade 10	22.4%	34.0%	44.8%	55.2%
Grade 11	31.6%	39.6%	49.3%	50.7%
Grade 12	44.5%	50.6%	62.2%	37.8%
Any Alcohol Product				
All	38.1%	45.3%	61.2%	38.8%
Grade 7	21.8%	21.8%	38.1%	61.9%
Grade 8	21.6%	27.9%	49.8%	50.2%
Grade 9	34.7%	41.5%	57.8%	42.2%
Grade 10	40.8%	54.3%	67.1%	32.9%
Grade 11	42.7%	48.3%	63.6%	36.4%
Grade 12	59.5%	65.7%	80.7%	19.3%
Any Illicit Drug				
All	22.2%	29.6%	36.6%	63.4%
Grade 7	8.2%	21.3%	21.3%	78.7%
Grade 8	9.6%	15.4%	16.7%	83.3%
Grade 9	20.2%	25.3%	33.5%	66.5%
Grade 10	20.2%	30.7%	37.9%	62.1%
Grade 11	27.1%	32.1%	42.4%	57.6%
Grade 12	43.4%	49.3%	61.1%	38.9%
Any Prescription Drug				
All	13.2%	19.7%	28.1%	71.9%
Grade 7	10.6%	17.7%	23.0%	77.0%
Grade 8	8.8%	14.8%	23.0%	77.0%
Grade 9	10.1%	15.0%	22.7%	77.3%
Grade 10	15.6%	21.1%	30.1%	69.9%
Grade 11	15.4%	20.3%	28.6%	71.4%
Grade 12	16.8%	28.7%	39.2%	60.8%
Any Inhalant				
All	5.1%	8.1%	15.1%	84.9%
Grade 7	10.9%	13.9%	19.7%	80.3%
Grade 8	5.0%	9.5%	13.2%	86.8%
Grade 9	5.1%	11.3%	17.0%	83.0%
Grade 10	6.1%	6.3%	14.1%	85.9%
Grade 11	3.1%	4.4%	13.1%	86.9%
Grade 12	2.4%	5.6%	15.4%	84.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.0%	22.2%	35.8%	64.2%
Grade 7	3.3%	3.3%	10.1%	89.9%
Grade 8	7.7%	11.7%	22.1%	77.9%
Grade 9	12.3%	18.0%	34.3%	65.7%
Grade 10	17.6%	29.1%	41.6%	58.4%
Grade 11	21.0%	27.1%	40.4%	59.6%
Grade 12	29.0%	34.9%	54.3%	45.7%
Marijuana				
All	21.0%	26.0%	33.8%	66.2%
Grade 7	6.8%	11.2%	17.2%	82.8%
Grade 8	9.6%	14.1%	16.7%	83.3%
Grade 9	19.3%	23.2%	31.3%	68.7%
Grade 10	18.1%	25.3%	31.6%	68.4%
Grade 11	26.4%	30.2%	41.4%	58.6%
Grade 12	41.6%	46.7%	58.5%	41.5%
Marijuana Only				
All	8.5%	12.3%	18.6%	81.4%
Grade 7	3.6%	4.9%	7.9%	92.1%
Grade 8	5.9%	9.5%	12.2%	87.8%
Grade 9	9.7%	13.4%	19.9%	80.1%
Grade 10	6.5%	11.8%	17.5%	82.5%
Grade 11	8.4%	11.5%	20.7%	79.3%
Grade 12	15.7%	20.3%	29.8%	70.2%
Cocaine or Crack				
All	3.8%	4.2%	6.2%	93.8%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	2.3%	2.3%	2.3%	97.7%
Grade 9	3.5%	3.5%	6.0%	94.0%
Grade 10	1.9%	2.9%	6.4%	93.6%
Grade 11	6.0%	6.0%	7.0%	93.0%
Grade 12	7.3%	8.2%	12.2%	87.8%
Cocaine				
All	3.6%	4.0%	6.0%	94.0%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	2.3%	2.3%	2.3%	97.7%
Grade 9	3.5%	3.5%	5.6%	94.4%
Grade 10	1.6%	2.7%	6.1%	93.9%
Grade 11	6.0%	6.0%	7.0%	93.0%
Grade 12	6.8%	7.8%	11.7%	88.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	2.3%	2.3%	97.7%
Grade 9	0.0%	1.8%	2.4%	97.6%
Grade 10	0.3%	0.8%	2.0%	98.0%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	0.5%	0.5%	2.6%	97.4%
Hallucinogens				
All	3.5%	5.2%	8.0%	92.0%
Grade 7	1.4%	2.7%	2.7%	97.3%
Grade 8	0.0%	1.4%	1.4%	98.6%
Grade 9	1.6%	1.6%	3.5%	96.5%
Grade 10	2.4%	3.9%	7.8%	92.2%
Grade 11	4.2%	5.9%	9.7%	90.3%
Grade 12	11.1%	16.0%	21.5%	78.5%
Synthetic Cathinones				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	1.9%	2.3%	3.9%	96.1%
Steroids				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	2.3%	2.3%	3.2%	96.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	1.0%	1.0%	1.7%	98.3%
Grade 12	0.5%	1.7%	5.2%	94.8%
Ecstasy				
All	1.9%	2.8%	5.3%	94.7%
Grade 7	0.0%	2.7%	2.7%	97.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	3.2%	3.2%	4.4%	95.6%
Grade 10	1.1%	2.4%	6.4%	93.6%
Grade 11	1.2%	2.5%	5.0%	95.0%
Grade 12	5.6%	6.0%	10.8%	89.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	1.0%	1.0%	2.5%	97.5%
Grade 7	1.4%	1.4%	5.7%	94.3%
Grade 8	2.3%	2.3%	2.3%	97.7%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	1.4%	1.4%	3.2%	96.8%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.4%	0.4%	2.5%	97.5%
Synthetic Marijuana				
All	2.1%	3.4%	7.4%	92.6%
Grade 7	0.0%	1.4%	6.3%	93.7%
Grade 8	0.0%	0.0%	2.3%	97.7%
Grade 9	1.8%	2.6%	5.1%	94.9%
Grade 10	1.8%	4.1%	7.2%	92.8%
Grade 11	3.4%	5.4%	10.8%	89.2%
Grade 12	5.0%	5.8%	11.8%	88.2%
Methamphetamine				
All	0.8%	1.0%	2.9%	97.1%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.5%	0.5%	2.8%	97.2%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.0%	0.3%	2.2%	97.8%
Grade 12	4.4%	5.7%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	106,296	50.8%
Female	102,958	49.2%
Frequency Missing	1,059	

Hispanic or Latino

Q5a	Frequency	Percent
No	120,972	58.6%
Yes	85,619	41.4%
Frequency Missing	3,723	

Grade

Q2	Frequency	Percent
Grade 7	34,591	16.5%
Grade 8	35,108	16.7%
Grade 9	39,282	18.7%
Grade 10	37,321	17.8%
Grade 11	33,505	16.0%
Grade 12	30,254	14.4%
Frequency Missing	252	

Ethnicity

Q5b	Frequency	Percent
American Indian	2,661	1.4%
Asian American	6,789	3.5%
African American	20,032	10.4%
Pacific Islander	669	0.3%
White	106,852	55.5%
Other	28,508	14.8%
More Than One Race	26,987	14.0%
Frequency Missing	17,815	

Live with Both Parents

Q3	Frequency	Percent
No	68,461	32.8%
Yes	139,992	67.2%
Frequency Missing	1,860	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	989	0.5%
Mostly D's	2,639	1.4%
Mostly C's	22,691	11.9%
Mostly B's	80,782	42.4%
Mostly A's	83,312	43.8%
Frequency Missing	19,900	

Age

Q4	Frequency	Percent
11 Or Younger	195	0.1%
12	9,584	4.6%
13	32,402	15.4%
14	38,370	18.3%
15	38,042	18.1%
16	35,842	17.1%
17	33,820	16.1%
18	19,604	9.3%
19 Or Older	1,949	0.9%
Frequency Missing	506	

Do You Have a Job

Q7	Frequency	Percent
No	147,646	77.4%
Yes	43,085	22.6%
Frequency Missing	19,582	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	96,619	50.7%
Yes	55,757	29.3%
Don't Know	38,225	20.1%
Frequency Missing	19,713	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	155,526	93.4%
Yes	11,042	6.6%
Frequency Missing	43,746	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	91,890	50.9%
Yes	88,762	49.1%
Frequency Missing	29,662	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	129,040	75.9%
Yes	41,010	24.1%
Frequency Missing	40,263	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	136,605	80.0%
Yes	34,228	20.0%
Frequency Missing	39,481	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	119,254	70.8%
Yes	49,139	29.2%
Frequency Missing	41,921	

Participate in School Choir

Q9c	Frequency	Percent
No	144,869	86.7%
Yes	22,169	13.3%
Frequency Missing	43,276	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	109,456	63.7%
Yes	62,456	36.3%
Frequency Missing	38,401	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	152,245	90.8%
Yes	15,347	9.2%
Frequency Missing	42,721	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	121,425	71.7%
Yes	47,952	28.3%
Frequency Missing	40,937	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	181,264	86.7%
Somewhat Safe	24,322	11.6%
Not Very Safe	1,479	0.7%
Not Safe At All	612	0.3%
Don't Know	1,366	0.7%
Frequency Missing	1,271	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	12,020	5.9%
Some High School	14,081	6.9%
Finished High School	32,408	15.9%
Some College	31,531	15.5%
Finished College	62,929	30.9%
Post-Secondary	35,158	17.2%
Don't Know Or N/A	15,800	7.7%
Frequency Missing	6,386	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	107,943	51.8%
Somewhat Safe	86,690	41.6%
Not Very Safe	8,279	4.0%
Not Safe At All	1,745	0.8%
Don't Know	3,657	1.8%
Frequency Missing	2,000	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	119,999	62.6%
Yes	71,792	37.4%
Frequency Missing	18,523	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	86,821	41.6%
Somewhat Safe	97,177	46.6%
Not Very Safe	14,401	6.9%
Not Safe At All	5,665	2.7%
Don't Know	4,534	2.2%
Frequency Missing	1,715	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	8,025	3.9%
A Few	35,287	17.1%
Some	44,959	21.8%
Most	90,595	43.8%
All	27,803	13.5%
Frequency Missing	3,644	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	12,475	6.2%
Some High School	15,112	7.5%
Finished High School	33,209	16.4%
Some College	27,415	13.6%
Finished College	52,397	25.9%
Post-Secondary	38,147	18.9%
Don't Know Or N/A	23,525	11.6%
Frequency Missing	8,033	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	2,611	1.3%
A Few	19,278	9.3%
Some	43,331	20.9%
Most	99,965	48.3%
All	41,902	20.2%
Frequency Missing	3,225	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	117,131	57.2%
A Few	56,356	27.5%
Some	19,255	9.4%
Most	6,972	3.4%
All	4,966	2.4%
Frequency Missing	5,634	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	200,020	96.5%
In Your Lifetime	4,632	2.2%
Since School Began	882	0.4%
In The Past Month	1,798	0.9%
Frequency Missing	2,981	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	154,281	75.1%
A Few	33,411	16.3%
Some	10,397	5.1%
Most	5,066	2.5%
All	2,313	1.1%
Frequency Missing	4,846	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	204,767	99.3%
In Your Lifetime	652	0.3%
Since School Began	288	0.1%
In The Past Month	481	0.2%
Frequency Missing	4,125	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	184,046	89.1%
A Few	15,597	7.6%
Some	4,307	2.1%
Most	1,176	0.6%
All	1,351	0.7%
Frequency Missing	3,836	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	196,126	94.6%
In Your Lifetime	6,112	2.9%
Since School Began	1,987	1.0%
In The Past Month	3,089	1.5%
Frequency Missing	2,999	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	204,673	98.6%
In Your Lifetime	1,763	0.8%
Since School Began	567	0.3%
In The Past Month	603	0.3%
Frequency Missing	2,708	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	204,327	99.1%
In Your Lifetime	1,169	0.6%
Since School Began	267	0.1%
In The Past Month	451	0.2%
Frequency Missing	4,099	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	205,206	99.3%
In Your Lifetime	722	0.3%
Since School Began	244	0.1%
In The Past Month	487	0.2%
Frequency Missing	3,655	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	190,209	92.5%
In Your Lifetime	7,066	3.4%
Since School Began	2,385	1.2%
In The Past Month	6,044	2.9%
Frequency Missing	4,609	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	204,948	98.9%
In Your Lifetime	1,258	0.6%
Since School Began	332	0.2%
In The Past Month	734	0.4%
Frequency Missing	3,041	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	136,439	66.9%
In Your Lifetime	31,413	15.4%
Since School Began	12,960	6.4%
In The Past Month	22,982	11.3%
Frequency Missing	6,518	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	204,967	98.9%
In Your Lifetime	937	0.5%
Since School Began	387	0.2%
In The Past Month	1,058	0.5%
Frequency Missing	2,964	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	151,590	73.5%
In Your Lifetime	22,982	11.1%
Since School Began	11,631	5.6%
In The Past Month	19,974	9.7%
Frequency Missing	4,136	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	180,253	87.1%
In Your Lifetime	13,875	6.7%
Since School Began	4,672	2.3%
In The Past Month	8,143	3.9%
Frequency Missing	3,371	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	143,549	70.5%
In Your Lifetime	33,061	16.2%
Since School Began	10,716	5.3%
In The Past Month	16,392	8.0%
Frequency Missing	6,596	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	144,882	70.2%
In Your Lifetime	25,618	12.4%
Since School Began	13,916	6.7%
In The Past Month	21,866	10.6%
Frequency Missing	4,032	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	202,842	98.0%
In Your Lifetime	2,197	1.1%
Since School Began	1,038	0.5%
In The Past Month	875	0.4%
Frequency Missing	3,361	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	201,366	97.2%
In Your Lifetime	3,493	1.7%
Since School Began	651	0.3%
In The Past Month	1,663	0.8%
Frequency Missing	3,139	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	204,954	99.4%
In Your Lifetime	647	0.3%
Since School Began	205	0.1%
In The Past Month	304	0.1%
Frequency Missing	4,203	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	160,716	77.4%
In Your Lifetime	19,137	9.2%
Since School Began	9,541	4.6%
In The Past Month	18,131	8.7%
Frequency Missing	2,788	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	200,089	96.6%
In Your Lifetime	3,236	1.6%
Since School Began	1,614	0.8%
In The Past Month	2,142	1.0%
Frequency Missing	3,234	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	168,529	81.3%
In Your Lifetime	16,688	8.1%
Since School Began	7,860	3.8%
In The Past Month	14,171	6.8%
Frequency Missing	3,066	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	206,469	99.6%
In Your Lifetime	410	0.2%
Since School Began	44	0.0%
In The Past Month	307	0.1%
Frequency Missing	3,084	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	204,994	99.2%
In Your Lifetime	1,209	0.6%
Since School Began	261	0.1%
In The Past Month	279	0.1%
Frequency Missing	3,570	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	200,564	96.9%
In Your Lifetime	4,511	2.2%
Since School Began	750	0.4%
In The Past Month	1,196	0.6%
Frequency Missing	3,292	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	201,396	97.7%
In Your Lifetime	2,472	1.2%
Since School Began	865	0.4%
In The Past Month	1,346	0.7%
Frequency Missing	4,234	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	183,792	89.2%
In Your Lifetime	6,388	3.1%
Since School Began	5,380	2.6%
In The Past Month	10,513	5.1%
Frequency Missing	4,241	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	205,772	99.5%
In Your Lifetime	683	0.3%
Since School Began	27	0.0%
In The Past Month	421	0.2%
Frequency Missing	3,411	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	195,556	94.8%
In Your Lifetime	3,215	1.6%
Since School Began	2,324	1.1%
In The Past Month	5,080	2.5%
Frequency Missing	4,138	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	205,343	99.1%
In Your Lifetime	1,347	0.6%
Since School Began	314	0.2%
In The Past Month	297	0.1%
Frequency Missing	3,013	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	196,153	95.4%
In Your Lifetime	3,007	1.5%
Since School Began	2,273	1.1%
In The Past Month	4,257	2.1%
Frequency Missing	4,623	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	194,300	94.4%
In Your Lifetime	4,063	2.0%
Since School Began	2,785	1.4%
In The Past Month	4,653	2.3%
Frequency Missing	4,512	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	160,200	78.8%
1-2 Times	28,255	13.9%
3-10 Times	11,187	5.5%
11+ Times	3,742	1.8%
Frequency Missing	6,929	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	187,243	91.2%
In Your Lifetime	6,778	3.3%
Since School Began	3,107	1.5%
In The Past Month	8,185	4.0%
Frequency Missing	5,001	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	202,536	98.8%
1-2 Times	1,696	0.8%
3-10 Times	620	0.3%
11+ Times	212	0.1%
Frequency Missing	5,250	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	198,469	97.0%
In Your Lifetime	2,643	1.3%
Since School Began	870	0.4%
In The Past Month	2,665	1.3%
Frequency Missing	5,667	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	184,977	90.1%
1-2 Times	8,815	4.3%
3-10 Times	4,859	2.4%
11+ Times	6,548	3.2%
Frequency Missing	5,114	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	189,422	92.5%
1-2 Times	7,830	3.8%
3-10 Times	3,131	1.5%
11+ Times	4,475	2.2%
Frequency Missing	5,457	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	203,807	99.1%
1-2 Times	1,256	0.6%
3-10 Times	428	0.2%
11+ Times	78	0.0%
Frequency Missing	4,745	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	204,663	99.7%
1-2 Times	399	0.2%
3-10 Times	123	0.1%
11+ Times	133	0.1%
Frequency Missing	4,995	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	118,535	58.1%
A Few	39,579	19.4%
Some	24,531	12.0%
Most	16,073	7.9%
All	5,304	2.6%
Frequency Missing	6,290	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	144,285	70.5%
A Few	37,585	18.4%
Some	14,440	7.1%
Most	6,855	3.4%
All	1,425	0.7%
Frequency Missing	5,723	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	42,416	20.8%
Impossible	45,438	22.3%
Very Difficult	20,080	9.8%
Somewhat Diff	24,123	11.8%
Somewhat Easy	30,683	15.0%
Very Easy	41,399	20.3%
Frequency Missing	6,175	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	107,547	52.6%
A Few	46,874	22.9%
Some	27,305	13.4%
Most	17,854	8.7%
All	4,775	2.3%
Frequency Missing	5,959	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	36,731	18.0%
Impossible	28,995	14.2%
Very Difficult	13,856	6.8%
Somewhat Diff	22,935	11.3%
Somewhat Easy	40,918	20.1%
Very Easy	60,192	29.6%
Frequency Missing	6,687	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	191,971	93.8%
A Few	9,068	4.4%
Some	2,268	1.1%
Most	753	0.4%
All	510	0.2%
Frequency Missing	5,744	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	63,863	31.5%
Impossible	34,406	17.0%
Very Difficult	11,341	5.6%
Somewhat Diff	15,282	7.5%
Somewhat Easy	22,983	11.3%
Very Easy	55,080	27.1%
Frequency Missing	7,358	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	41,753	20.6%
Impossible	49,951	24.6%
Very Difficult	19,101	9.4%
Somewhat Diff	20,827	10.3%
Somewhat Easy	29,927	14.7%
Very Easy	41,351	20.4%
Frequency Missing	7,403	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	76,269	37.6%
Impossible	64,122	31.6%
Very Difficult	28,972	14.3%
Somewhat Diff	16,084	7.9%
Somewhat Easy	9,870	4.9%
Very Easy	7,722	3.8%
Frequency Missing	7,275	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	56,562	27.8%
Impossible	74,049	36.4%
Very Difficult	34,930	17.2%
Somewhat Diff	20,824	10.2%
Somewhat Easy	8,979	4.4%
Very Easy	7,896	3.9%
Frequency Missing	7,073	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	70,374	34.6%
Impossible	80,549	39.6%
Very Difficult	32,875	16.2%
Somewhat Diff	11,460	5.6%
Somewhat Easy	3,801	1.9%
Very Easy	4,470	2.2%
Frequency Missing	6,786	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	59,575	29.4%
Impossible	76,570	37.8%
Very Difficult	36,604	18.1%
Somewhat Diff	17,558	8.7%
Somewhat Easy	6,467	3.2%
Very Easy	5,923	2.9%
Frequency Missing	7,617	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	73,760	36.2%
Impossible	75,656	37.1%
Very Difficult	31,448	15.4%
Somewhat Diff	12,360	6.1%
Somewhat Easy	5,308	2.6%
Very Easy	5,125	2.5%
Frequency Missing	6,658	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	61,197	30.2%
Impossible	75,113	37.1%
Very Difficult	34,081	16.8%
Somewhat Diff	18,344	9.1%
Somewhat Easy	7,751	3.8%
Very Easy	6,056	3.0%
Frequency Missing	7,771	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	76,114	37.4%
Impossible	61,756	30.4%
Very Difficult	26,439	13.0%
Somewhat Diff	15,699	7.7%
Somewhat Easy	11,984	5.9%
Very Easy	11,479	5.6%
Frequency Missing	6,843	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	3,104	1.5%
Several Times/Wk	1,991	1.0%
Several Times/Mo	2,999	1.5%
About Once/Month	5,380	2.6%
About Once/Year	4,387	2.1%
Less than Once/Year	8,182	4.0%
Never Used	178,338	87.3%
Frequency Missing	5,932	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	2,817	1.4%
Several Times/Wk	4,268	2.1%
Several Times/Mo	5,134	2.5%
About Once/Month	7,163	3.5%
About Once/Year	6,946	3.4%
Less than Once/Year	8,572	4.2%
Never Used	168,936	82.9%
Frequency Missing	6,478	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	328	0.2%
Several Times/Wk	2,722	1.3%
Several Times/Mo	12,649	6.2%
About Once/Month	20,881	10.3%
About Once/Year	19,290	9.5%
Less than Once/Year	17,097	8.4%
Never Used	130,465	64.1%
Frequency Missing	6,882	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	196	0.1%
Several Times/Wk	188	0.1%
Several Times/Mo	203	0.1%
About Once/Month	680	0.3%
About Once/Year	1,260	0.6%
Less than Once/Year	817	0.4%
Never Used	200,834	98.4%
Frequency Missing	6,135	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	323	0.2%
Several Times/Wk	201	0.1%
Several Times/Mo	322	0.2%
About Once/Month	926	0.5%
About Once/Year	789	0.4%
Less than Once/Year	2,542	1.2%
Never Used	199,003	97.5%
Frequency Missing	6,208	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	20	0.0%
Several Times/Wk	15	0.0%
Several Times/Mo	27	0.0%
About Once/Month	163	0.1%
About Once/Year	377	0.2%
Less than Once/Year	480	0.2%
Never Used	202,984	99.5%
Frequency Missing	6,247	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	20	0.0%
Several Times/Wk	192	0.1%
Several Times/Mo	68	0.0%
About Once/Month	155	0.1%
About Once/Year	198	0.1%
Less than Once/Year	637	0.3%
Never Used	202,715	99.4%
Frequency Missing	6,328	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	105	0.1%
Several Times/Wk	110	0.1%
Several Times/Mo	136	0.1%
About Once/Month	169	0.1%
About Once/Year	344	0.2%
Less than Once/Year	629	0.3%
Never Used	202,792	99.3%
Frequency Missing	6,028	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	109	0.1%
Several Times/Wk	16	0.0%
Several Times/Mo	345	0.2%
About Once/Month	958	0.5%
About Once/Year	1,425	0.7%
Less than Once/Year	1,618	0.8%
Never Used	199,246	97.8%
Frequency Missing	6,595	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	240	0.1%
Several Times/Wk	174	0.1%
Several Times/Mo	531	0.3%
About Once/Month	479	0.2%
About Once/Year	967	0.5%
Less than Once/Year	1,764	0.9%
Never Used	199,761	98.0%
Frequency Missing	6,398	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	71	0.0%
Several Times/Wk	107	0.1%
Several Times/Mo	49	0.0%
About Once/Month	0	0.0%
About Once/Year	80	0.0%
Less than Once/Year	477	0.2%
Never Used	203,635	99.6%
Frequency Missing	5,895	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	132,891	66.8%
12+ Drinks	2,769	1.4%
9-11 Drinks	2,331	1.2%
5-8 Drinks	5,342	2.7%
3-4 Drinks	7,710	3.9%
2 Drinks	9,476	4.8%
1 Drink	12,225	6.1%
Less than 1 Drink	26,257	13.2%
Frequency Missing	11,313	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	144,722	71.1%
12+ Drinks	2,048	1.0%
9-11 Drinks	1,691	0.8%
5-8 Drinks	5,902	2.9%
3-4 Drinks	9,103	4.5%
2 Drinks	10,008	4.9%
1 Drink	12,276	6.0%
Less than 1 Drink	17,788	8.7%
Frequency Missing	6,776	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	131,920	65.9%
0 Days	48,605	24.3%
1 Day	7,863	3.9%
2 Days	4,505	2.3%
3 To 5 Days	3,663	1.8%
6 To 9 Days	1,272	0.6%
10 Or More Days	2,381	1.2%
Frequency Missing	10,104	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	139,277	69.4%
12+ Drinks	1,053	0.5%
9-11 Drinks	601	0.3%
5-8 Drinks	2,456	1.2%
3-4 Drinks	4,742	2.4%
2 Drinks	7,334	3.7%
1 Drink	13,498	6.7%
Less than 1 Drink	31,818	15.8%
Frequency Missing	9,535	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	122,289	60.3%
Never	32,058	15.8%
Seldom	34,277	16.9%
Most Of The Time	9,132	4.5%
Always	4,998	2.5%
Frequency Missing	7,559	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	139,633	68.6%
12+ Drinks	3,822	1.9%
9-11 Drinks	3,298	1.6%
5-8 Drinks	8,337	4.1%
3-4 Drinks	11,007	5.4%
2 Drinks	9,442	4.6%
1 Drink	9,817	4.8%
Less than 1 Drink	18,208	8.9%
Frequency Missing	6,749	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	126,521	62.5%
Never	33,336	16.5%
Seldom	21,559	10.6%
Most Of The Time	15,630	7.7%
Always	5,433	2.7%
Frequency Missing	7,834	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	130,063	64.5%
Never	59,747	29.6%
Seldom	6,773	3.4%
Most Of The Time	3,073	1.5%
Always	2,136	1.1%
Frequency Missing	8,520	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	123,079	60.9%
Never	32,602	16.1%
Seldom	18,065	8.9%
Most Of The Time	14,879	7.4%
Always	13,400	6.6%
Frequency Missing	8,289	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	147,764	72.2%
Somewhat	32,374	15.8%
Not Very	8,959	4.4%
Not At All	2,344	1.1%
Don't Know	13,104	6.4%
Frequency Missing	5,769	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	130,605	65.3%
Never	43,963	22.0%
Seldom	13,157	6.6%
Most Of The Time	6,914	3.5%
Always	5,459	2.7%
Frequency Missing	10,215	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	106,999	52.3%
Somewhat	31,935	15.6%
Not Very	30,324	14.8%
Not At All	29,298	14.3%
Don't Know	5,895	2.9%
Frequency Missing	5,863	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	122,546	59.8%
Somewhat	54,168	26.4%
Not Very	16,866	8.2%
Not At All	3,543	1.7%
Don't Know	7,803	3.8%
Frequency Missing	5,389	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	179,391	87.6%
Somewhat	14,964	7.3%
Not Very	1,925	0.9%
Not At All	1,070	0.5%
Don't Know	7,506	3.7%
Frequency Missing	5,458	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	104,211	51.0%
Somewhat	65,376	32.0%
Not Very	25,004	12.2%
Not At All	4,116	2.0%
Don't Know	5,748	2.8%
Frequency Missing	5,858	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	183,424	89.5%
Somewhat	11,294	5.5%
Not Very	1,474	0.7%
Not At All	614	0.3%
Don't Know	8,061	3.9%
Frequency Missing	5,446	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	163,498	80.0%
Somewhat	20,076	9.8%
Not Very	5,354	2.6%
Not At All	1,258	0.6%
Don't Know	14,236	7.0%
Frequency Missing	5,891	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	163,916	80.1%
Somewhat	18,576	9.1%
Not Very	5,357	2.6%
Not At All	2,554	1.2%
Don't Know	14,147	6.9%
Frequency Missing	5,763	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	149,775	73.3%
Somewhat	33,365	16.3%
Not Very	7,942	3.9%
Not At All	1,503	0.7%
Don't Know	11,680	5.7%
Frequency Missing	6,048	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	142,301	69.4%
Somewhat	36,166	17.6%
Not Very	10,124	4.9%
Not At All	3,067	1.5%
Don't Know	13,429	6.5%
Frequency Missing	5,227	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	183,857	89.7%
Somewhat	9,038	4.4%
Not Very	1,104	0.5%
Not At All	685	0.3%
Don't Know	10,232	5.0%
Frequency Missing	5,397	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	99,110	48.3%
Somewhat	30,431	14.8%
Not Very	34,893	17.0%
Not At All	30,371	14.8%
Don't Know	10,521	5.1%
Frequency Missing	4,988	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	183,902	89.6%
Somewhat	9,010	4.4%
Not Very	1,289	0.6%
Not At All	572	0.3%
Don't Know	10,543	5.1%
Frequency Missing	4,998	

Days Skipped Since September

Q27a	Frequency	Percent
None	160,494	78.9%
1-3 Days	32,404	15.9%
4-9 Days	6,811	3.4%
10+ Days	3,578	1.8%
Frequency Missing	7,027	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	62,147	30.6%
1-3 Days	105,263	51.8%
4-9 Days	27,694	13.6%
10+ Days	8,158	4.0%
Frequency Missing	7,051	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	195,236	96.2%
1-3 Times	6,587	3.2%
4-9 Times	631	0.3%
10+ Times	483	0.2%
Frequency Missing	7,376	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	77,811	38.5%
1-3 Days	98,399	48.7%
4-9 Days	19,649	9.7%
10+ Days	6,021	3.0%
Frequency Missing	8,433	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	197,851	97.6%
1-3 Times	3,689	1.8%
4-9 Times	596	0.3%
10+ Times	624	0.3%
Frequency Missing	7,553	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	185,100	91.1%
1-3 Days	13,984	6.9%
4-9 Days	2,619	1.3%
10+ Days	1,568	0.8%
Frequency Missing	7,043	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	195,971	96.6%
1-3 Times	5,605	2.8%
4-9 Times	858	0.4%
10+ Times	363	0.2%
Frequency Missing	7,516	

Someone Called Home Since September

Q27e	Frequency	Percent
None	189,703	93.6%
1-3 Days	10,200	5.0%
4-9 Days	1,646	0.8%
10+ Days	1,216	0.6%
Frequency Missing	7,548	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	194,014	95.8%
1-3 Times	5,088	2.5%
4-9 Times	1,257	0.6%
10+ Times	2,100	1.0%
Frequency Missing	7,855	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	196,207	96.8%
1-3 Days	5,126	2.5%
4-9 Days	845	0.4%
10+ Days	433	0.2%
Frequency Missing	7,703	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	109,964	54.5%
Seldom	12,649	6.3%
Half The Time	8,447	4.2%
Most Of The Time	13,877	6.9%
Always	18,819	9.3%
Don't Know	3,284	1.6%
Didn't Attend	34,889	17.3%
Frequency Missing	8,384	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	190,467	94.2%
1-3 Days	6,097	3.0%
4-9 Days	2,103	1.0%
10+ Days	3,601	1.8%
Frequency Missing	8,045	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	124,660	61.5%
Seldom	9,809	4.8%
Half The Time	7,183	3.5%
Most Of The Time	10,391	5.1%
Always	12,347	6.1%
Don't Know	3,319	1.6%
Didn't Attend	34,975	17.3%
Frequency Missing	7,629	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	200,574	99.4%
1-3 Days	882	0.4%
4-9 Days	117	0.1%
10+ Days	227	0.1%
Frequency Missing	8,514	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	175,876	95.5%
Yes	8,368	4.5%
Frequency Missing	26,069	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	196,027	97.0%
1-3 Days	3,665	1.8%
4-9 Days	1,154	0.6%
10+ Days	1,197	0.6%
Frequency Missing	8,271	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	122,762	61.6%
Yes	76,503	38.4%
Frequency Missing	11,049	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	155,268	78.4%
Yes	42,881	21.6%
Frequency Missing	12,165	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	78,454	39.4%
Yes	120,747	60.6%
Frequency Missing	11,112	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	116,683	58.9%
Yes	81,581	41.1%
Frequency Missing	12,049	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	114,499	57.6%
Yes	84,216	42.4%
Frequency Missing	11,598	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	56,687	28.4%
Yes	143,043	71.6%
Frequency Missing	10,584	

Would Not Seek Help

Q32i	Frequency	Percent
No	163,092	83.6%
Yes	32,055	16.4%
Frequency Missing	15,166	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	83,885	42.4%
Yes	114,041	57.6%
Frequency Missing	12,387	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	111,596	57.1%
Yes	83,843	42.9%
Frequency Missing	14,875	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	63,256	31.9%
Yes	134,997	68.1%
Frequency Missing	12,060	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	107,436	55.2%
Yes	87,180	44.8%
Frequency Missing	15,698	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	139,020	71.5%
Yes	55,506	28.5%
Frequency Missing	15,787	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	142,966	73.9%
Yes	50,405	26.1%
Frequency Missing	16,942	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	167,812	86.7%
Yes	25,652	13.3%
Frequency Missing	16,849	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	160,069	79.3%
Mild Disapprove	16,871	8.4%
Neither	11,370	5.6%
Mildly Approve	2,040	1.0%
Strongly Approve	1,226	0.6%
Don't Know	10,288	5.1%
Frequency Missing	8,449	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	140,024	72.3%
Yes	53,625	27.7%
Frequency Missing	16,664	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	130,401	64.6%
Mild Disapprove	30,651	15.2%
Neither	22,767	11.3%
Mildly Approve	6,168	3.1%
Strongly Approve	1,954	1.0%
Don't Know	9,883	4.9%
Frequency Missing	8,489	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	167,639	86.5%
Yes	26,064	13.5%
Frequency Missing	16,610	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	155,912	77.3%
Mild Disapprove	15,627	7.7%
Neither	13,943	6.9%
Mildly Approve	3,592	1.8%
Strongly Approve	2,638	1.3%
Don't Know	10,075	5.0%
Frequency Missing	8,526	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	128,745	66.3%
Yes	65,503	33.7%
Frequency Missing	16,066	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
<p>Tobacco Use in Past Month (Q19a : tobac_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>How Often Normally Use Tobacco (Q22a : tobac_u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

