
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



HHSC REGION 5 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 5. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	23.2%	27.4%	41.7%	58.3%
Grade 7	7.0%	8.8%	17.2%	82.8%
Grade 8	16.5%	19.3%	31.7%	68.3%
Grade 9	24.2%	30.3%	46.4%	53.6%
Grade 10	30.2%	36.1%	53.0%	47.0%
Grade 11	30.2%	35.6%	54.2%	45.8%
Grade 12	35.6%	38.6%	52.6%	47.4%
Cigarettes?				
All	7.2%	10.1%	23.6%	76.4%
Grade 7	0.9%	1.8%	8.0%	92.0%
Grade 8	4.4%	5.6%	15.9%	84.1%
Grade 9	6.5%	10.4%	24.9%	75.1%
Grade 10	9.7%	13.3%	28.4%	71.6%
Grade 11	11.8%	16.5%	33.7%	66.3%
Grade 12	11.7%	15.3%	35.2%	64.8%
Smokeless Tobacco?				
All	5.9%	7.9%	16.1%	83.9%
Grade 7	0.8%	1.3%	4.0%	96.0%
Grade 8	3.4%	4.0%	9.3%	90.7%
Grade 9	7.0%	9.3%	19.4%	80.6%
Grade 10	8.8%	11.1%	21.4%	78.6%
Grade 11	9.3%	11.8%	23.7%	76.3%
Grade 12	6.9%	11.2%	21.3%	78.7%
Electronic Vapor Products?				
All	13.6%	18.6%	31.6%	68.4%
Grade 7	3.5%	5.7%	12.3%	87.7%
Grade 8	9.8%	12.7%	24.3%	75.7%
Grade 9	12.9%	17.7%	32.7%	67.3%
Grade 10	17.3%	25.5%	42.6%	57.4%
Grade 11	16.5%	24.3%	42.8%	57.2%
Grade 12	24.3%	29.0%	38.3%	61.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 126

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	76.7%	4.0%	1.8%	2.8%	4.9%	3.4%	6.4%
Grade 7	93.7%	0.1%	0.6%	0.1%	1.9%	1.4%	2.1%
Grade 8	84.8%	1.3%	0.7%	1.1%	3.8%	2.9%	5.6%
Grade 9	73.8%	3.9%	2.6%	2.5%	3.6%	5.4%	8.3%
Grade 10	70.7%	5.6%	2.4%	3.8%	6.6%	4.2%	6.6%
Grade 11	66.7%	7.3%	2.1%	5.0%	8.0%	3.0%	7.9%
Grade 12	66.8%	7.2%	2.9%	4.9%	5.9%	3.6%	8.8%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.8	10.8	11.1	12.0	12.9	13.3	14.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.2%	16.5%	6.1%	7.7%	15.2%	26.3%
Grade 7	35.0%	35.8%	9.7%	6.2%	6.1%	7.1%
Grade 8	32.5%	21.4%	8.0%	8.6%	14.3%	15.3%
Grade 9	30.7%	11.5%	4.6%	9.3%	18.3%	25.5%
Grade 10	25.7%	12.3%	3.7%	7.9%	21.1%	29.3%
Grade 11	24.9%	7.6%	5.2%	8.7%	18.0%	35.6%
Grade 12	17.7%	6.6%	4.7%	5.2%	14.3%	51.5%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	54.9%	22.1%	12.3%	9.1%	1.6%
Grade 7	80.5%	14.9%	3.2%	1.0%	0.4%
Grade 8	66.8%	22.3%	7.2%	3.3%	0.4%
Grade 9	48.8%	22.3%	16.5%	10.8%	1.7%
Grade 10	44.5%	26.7%	12.8%	13.5%	2.5%
Grade 11	42.0%	24.2%	15.9%	13.9%	4.0%
Grade 12	42.4%	22.8%	20.7%	13.4%	0.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	63.5%	11.2%	13.1%	2.3%	0.8%	9.1%
Grade 7	82.5%	3.6%	2.4%	0.4%	1.0%	10.1%
Grade 8	77.7%	7.8%	4.4%	1.4%	0.5%	8.2%
Grade 9	57.0%	14.6%	15.8%	3.5%	0.9%	8.2%
Grade 10	52.8%	13.7%	18.8%	3.1%	0.5%	11.0%
Grade 11	51.9%	15.1%	17.0%	3.9%	1.0%	11.0%
Grade 12	55.1%	13.7%	23.0%	1.5%	1.1%	5.6%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	51.8%	26.0%	13.3%	3.4%	5.4%
Grade 7	75.7%	16.1%	3.7%	0.4%	4.1%
Grade 8	58.3%	25.8%	7.5%	2.6%	5.8%
Grade 9	45.1%	25.1%	18.3%	3.9%	7.6%
Grade 10	41.8%	29.3%	15.0%	7.2%	6.8%
Grade 11	45.3%	27.8%	17.4%	3.5%	6.0%
Grade 12	39.8%	34.3%	20.8%	3.1%	2.0%
Electronic Vapor Products?					
All	56.7%	11.1%	14.2%	10.7%	7.2%
Grade 7	70.1%	13.0%	8.1%	3.9%	5.0%
Grade 8	56.8%	12.4%	13.3%	10.0%	7.5%
Grade 9	60.6%	7.0%	14.1%	8.3%	10.1%
Grade 10	50.3%	9.7%	17.0%	14.2%	8.8%
Grade 11	55.8%	10.9%	15.7%	12.7%	5.0%
Grade 12	43.7%	13.9%	18.8%	16.7%	6.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	36.8%	42.3%	61.7%	38.3%
Grade 7	18.1%	21.6%	43.3%	56.7%
Grade 8	31.6%	37.1%	56.9%	43.1%
Grade 9	38.5%	44.6%	65.3%	34.7%
Grade 10	45.9%	50.9%	69.6%	30.4%
Grade 11	42.5%	51.7%	72.1%	27.9%
Grade 12	48.3%	51.8%	66.0%	34.0%
Beer?				
All	15.6%	21.9%	47.4%	52.6%
Grade 7	5.4%	7.8%	32.2%	67.8%
Grade 8	10.9%	16.1%	42.1%	57.9%
Grade 9	16.1%	21.8%	51.0%	49.0%
Grade 10	22.0%	27.9%	52.6%	47.4%
Grade 11	20.2%	30.8%	57.6%	42.4%
Grade 12	21.2%	30.5%	51.3%	48.7%
Wine Coolers?				
All	13.9%	21.2%	44.7%	55.3%
Grade 7	5.2%	7.0%	24.3%	75.7%
Grade 8	9.1%	14.2%	35.7%	64.3%
Grade 9	13.6%	22.8%	48.0%	52.0%
Grade 10	21.1%	30.6%	54.9%	45.1%
Grade 11	14.9%	25.4%	55.9%	44.1%
Grade 12	22.4%	30.5%	53.7%	46.3%
Wine?				
All	8.2%	13.8%	39.4%	60.6%
Grade 7	3.0%	5.1%	26.5%	73.5%
Grade 8	7.8%	13.6%	36.0%	64.0%
Grade 9	8.2%	16.0%	42.9%	57.1%
Grade 10	9.7%	14.8%	46.1%	53.9%
Grade 11	9.5%	15.8%	43.3%	56.7%
Grade 12	12.3%	19.1%	43.6%	56.4%
Liquor?				
All	15.3%	23.2%	45.4%	54.6%
Grade 7	4.2%	6.7%	21.3%	78.7%
Grade 8	9.7%	16.2%	38.1%	61.9%
Grade 9	16.4%	25.6%	50.5%	49.5%
Grade 10	21.0%	29.4%	52.5%	47.5%
Grade 11	20.4%	30.4%	58.4%	41.6%
Grade 12	23.0%	35.4%	56.8%	43.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	52.1%	0.5%	2.7%	10.1%	14.5%	11.3%	8.7%
Grade 7	75.4%	0.0%	0.8%	2.0%	6.6%	5.5%	9.8%
Grade 8	61.2%	0.0%	1.8%	4.8%	10.4%	11.6%	10.2%
Grade 9	45.2%	0.2%	3.8%	12.8%	13.0%	16.0%	9.0%
Grade 10	43.6%	1.3%	3.4%	11.5%	20.4%	12.7%	7.0%
Grade 11	43.1%	1.0%	3.0%	13.1%	20.0%	12.0%	7.8%
Grade 12	39.5%	0.4%	3.8%	19.0%	18.3%	10.6%	8.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	57.4%	42.6%	13.5%	18.2%	10.9%
	Grade 7	72.6%	27.4%	3.2%	10.7%	13.4%
	Grade 8	63.4%	36.6%	4.9%	17.5%	14.2%
	Grade 9	51.7%	48.3%	14.9%	19.4%	14.0%
	Grade 10	50.8%	49.2%	19.9%	23.0%	6.4%
	Grade 11	49.6%	50.4%	20.9%	19.9%	9.5%
	Grade 12	53.7%	46.3%	19.6%	19.8%	6.9%
Wine Coolers						
	All	58.7%	41.3%	10.4%	23.4%	7.4%
	Grade 7	79.7%	20.3%	1.7%	10.1%	8.5%
	Grade 8	68.2%	31.8%	4.5%	18.2%	9.1%
	Grade 9	53.9%	46.1%	9.8%	29.9%	6.3%
	Grade 10	48.1%	51.9%	18.6%	27.2%	6.1%
	Grade 11	47.4%	52.6%	15.6%	28.4%	8.5%
	Grade 12	51.5%	48.5%	14.1%	29.0%	5.4%
Wine						
	All	65.7%	34.3%	3.6%	17.9%	12.9%
	Grade 7	76.1%	23.9%	1.2%	9.3%	13.4%
	Grade 8	68.4%	31.6%	3.0%	14.7%	13.9%
	Grade 9	61.4%	38.6%	4.4%	20.4%	13.7%
	Grade 10	59.3%	40.7%	4.4%	23.2%	13.1%
	Grade 11	64.2%	35.8%	4.7%	19.8%	11.2%
	Grade 12	63.3%	36.7%	4.1%	21.3%	11.3%
Liquor						
	All	57.7%	42.3%	12.9%	20.6%	8.9%
	Grade 7	81.4%	18.6%	2.5%	8.3%	7.8%
	Grade 8	66.3%	33.7%	6.1%	16.5%	11.1%
	Grade 9	52.8%	47.2%	16.5%	19.7%	10.9%
	Grade 10	50.0%	50.0%	15.5%	26.6%	8.0%
	Grade 11	45.3%	54.7%	20.1%	27.6%	7.1%
	Grade 12	45.6%	54.4%	18.8%	27.2%	8.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	81.9%	6.1%	3.5%	3.3%	2.1%	3.1%
Grade 7	94.5%	2.0%	1.4%	0.7%	0.6%	0.7%
Grade 8	89.4%	4.3%	1.8%	2.2%	0.7%	1.6%
Grade 9	82.2%	5.4%	3.7%	2.9%	1.5%	4.3%
Grade 10	75.1%	7.5%	5.5%	5.2%	2.9%	3.7%
Grade 11	75.8%	7.6%	3.9%	5.0%	3.2%	4.4%
Grade 12	71.6%	10.9%	4.8%	4.5%	3.9%	4.3%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.6	10.6	11.2	12.0	13.1	13.4	14.5

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.6%	13.0%	5.9%	10.3%	21.1%	28.1%
Grade 7	29.8%	27.2%	8.0%	10.2%	12.2%	12.5%
Grade 8	25.2%	13.5%	7.6%	10.5%	20.1%	23.0%
Grade 9	22.5%	11.0%	5.1%	10.0%	22.2%	29.1%
Grade 10	19.0%	9.1%	3.8%	7.9%	26.7%	33.5%
Grade 11	18.6%	7.7%	5.0%	10.2%	24.0%	34.6%
Grade 12	12.1%	7.2%	5.5%	13.5%	22.5%	39.1%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	94.0%	4.5%	0.7%	0.8%
Grade 7	94.7%	4.1%	0.7%	0.5%
Grade 8	95.8%	3.3%	0.5%	0.4%
Grade 9	93.3%	5.5%	0.6%	0.6%
Grade 10	93.9%	4.3%	0.7%	1.0%
Grade 11	92.5%	6.0%	1.5%	0.0%
Grade 12	93.4%	3.9%	0.5%	2.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.7
Alcohol Non-Users	3.0
Average Days Conduct Problems Reported	
Alcohol Users	2.6
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.6%	3.8%	1.0%	0.6%
Grade 9	98.7%	1.3%	0.0%	0.0%
Grade 10	96.5%	2.2%	0.8%	0.5%
Grade 11	92.8%	4.7%	1.7%	0.8%
Grade 12	89.5%	7.5%	1.8%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.4%	3.8%	0.7%	0.1%
Grade 7	97.0%	2.9%	0.0%	0.1%
Grade 8	96.0%	3.4%	0.3%	0.4%
Grade 9	93.7%	4.8%	1.5%	0.0%
Grade 10	94.5%	4.4%	0.7%	0.4%
Grade 11	95.3%	3.9%	0.9%	0.0%
Grade 12	95.9%	3.3%	0.7%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	39.6%	24.0%	15.5%	15.6%	5.2%
Grade 7	67.7%	21.5%	7.1%	2.9%	0.7%
Grade 8	47.3%	28.6%	13.0%	9.4%	1.8%
Grade 9	36.7%	22.6%	18.4%	16.3%	6.0%
Grade 10	29.7%	26.8%	15.5%	20.8%	7.2%
Grade 11	27.3%	22.9%	17.0%	22.6%	10.1%
Grade 12	23.4%	21.3%	24.4%	24.6%	6.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	44.5%	6.0%	5.0%	10.5%	14.4%	1.5%	18.1%
Grade 7	67.6%	5.4%	5.3%	5.0%	2.5%	2.0%	12.2%
Grade 8	58.4%	9.0%	4.6%	7.3%	4.9%	2.1%	13.7%
Grade 9	42.2%	8.9%	3.1%	11.5%	12.6%	0.6%	21.1%
Grade 10	32.7%	5.0%	6.5%	13.7%	20.3%	1.7%	20.0%
Grade 11	33.7%	3.8%	6.0%	11.7%	24.9%	2.1%	17.9%
Grade 12	27.2%	3.8%	4.2%	14.9%	24.2%	0.0%	25.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	51.1%	18.5%	19.9%	7.2%	3.4%
	Grade 7	62.9%	18.6%	13.9%	3.6%	1.0%
	Grade 8	56.1%	17.1%	18.6%	6.4%	1.8%
	Grade 9	48.0%	16.4%	24.9%	6.7%	3.9%
	Grade 10	42.6%	24.1%	19.7%	9.4%	4.2%
	Grade 11	51.3%	19.6%	19.8%	6.4%	3.0%
	Grade 12	43.3%	14.4%	23.4%	11.5%	7.3%
Friends?						
	All	50.3%	17.3%	14.3%	13.5%	4.7%
	Grade 7	65.9%	24.2%	5.2%	3.9%	0.8%
	Grade 8	59.5%	19.8%	11.6%	7.1%	2.1%
	Grade 9	49.3%	15.7%	19.2%	12.1%	3.7%
	Grade 10	41.5%	14.4%	15.6%	20.9%	7.6%
	Grade 11	43.3%	11.9%	16.7%	20.5%	7.6%
	Grade 12	38.0%	17.1%	19.3%	18.5%	7.1%
A Store?						
	All	53.1%	35.3%	5.5%	3.6%	2.5%
	Grade 7	66.8%	29.7%	1.8%	1.3%	0.4%
	Grade 8	62.4%	31.8%	3.7%	1.6%	0.5%
	Grade 9	54.1%	34.4%	5.4%	4.9%	1.2%
	Grade 10	44.5%	39.8%	7.1%	4.7%	3.9%
	Grade 11	45.1%	35.5%	10.5%	4.2%	4.7%
	Grade 12	42.2%	42.3%	4.7%	5.7%	5.1%
Parties?						
	All	49.1%	16.4%	11.4%	12.4%	10.7%
	Grade 7	63.7%	21.8%	7.6%	4.3%	2.6%
	Grade 8	59.3%	17.3%	11.4%	6.5%	5.5%
	Grade 9	47.2%	17.0%	12.8%	12.7%	10.3%
	Grade 10	42.0%	15.7%	9.9%	15.8%	16.5%
	Grade 11	40.7%	8.3%	12.1%	20.2%	18.7%
	Grade 12	38.1%	17.7%	15.5%	16.5%	12.2%
Other Sources?						
	All	55.0%	23.0%	10.1%	6.3%	5.6%
	Grade 7	67.1%	23.6%	5.1%	2.1%	2.1%
	Grade 8	60.7%	21.4%	9.7%	5.4%	2.9%
	Grade 9	53.8%	23.2%	11.3%	7.9%	3.7%
	Grade 10	48.8%	21.7%	13.3%	7.8%	8.4%
	Grade 11	50.7%	21.6%	9.8%	7.5%	10.4%
	Grade 12	45.6%	27.3%	12.2%	8.1%	6.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	52.4%	15.8%	16.7%	6.0%	1.2%	7.8%
Grade 7	69.8%	9.4%	7.6%	2.3%	0.8%	10.0%
Grade 8	60.7%	14.9%	10.7%	5.0%	1.1%	7.6%
Grade 9	49.0%	19.1%	19.8%	4.7%	1.7%	5.7%
Grade 10	44.6%	14.9%	20.5%	9.5%	1.8%	8.8%
Grade 11	42.8%	15.7%	22.2%	8.4%	1.3%	9.6%
Grade 12	44.6%	22.7%	21.4%	6.4%	0.4%	4.6%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	45.9%	29.6%	16.3%	3.8%	4.4%
Grade 7	58.8%	23.9%	11.7%	1.5%	4.1%
Grade 8	47.9%	27.3%	16.3%	3.1%	5.4%
Grade 9	41.9%	31.8%	15.0%	5.1%	6.1%
Grade 10	39.5%	30.0%	19.0%	5.3%	6.3%
Grade 11	45.3%	29.7%	17.2%	4.8%	3.0%
Grade 12	39.5%	36.9%	19.4%	3.0%	1.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	14.4%	18.8%	24.9%	75.1%
Grade 7	6.3%	8.2%	10.8%	89.2%
Grade 8	11.4%	14.0%	16.7%	83.3%
Grade 9	13.3%	18.9%	25.7%	74.3%
Grade 10	14.9%	20.6%	29.5%	70.5%
Grade 11	20.0%	26.5%	36.5%	63.5%
Grade 12	23.0%	28.1%	34.3%	65.7%
Marijuana?				
All	13.9%	16.8%	23.4%	76.6%
Grade 7	5.0%	5.6%	7.6%	92.4%
Grade 8	10.8%	12.4%	14.9%	85.1%
Grade 9	12.9%	16.6%	24.3%	75.7%
Grade 10	14.4%	17.4%	27.0%	73.0%
Grade 11	20.0%	25.5%	36.5%	63.5%
Grade 12	23.0%	27.0%	34.1%	65.9%
Cocaine?				
All	1.6%	1.8%	2.6%	97.4%
Grade 7	0.8%	0.9%	1.0%	99.0%
Grade 8	1.0%	1.2%	1.7%	98.3%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.1%	96.9%
Grade 11	1.6%	1.6%	3.8%	96.2%
Grade 12	3.9%	4.1%	4.6%	95.4%
Crack?				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.5%	0.5%	0.5%	99.5%
Hallucinogens?				
All	0.7%	1.4%	3.3%	96.7%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.7%	1.3%	2.6%	97.4%
Grade 9	0.3%	1.2%	2.5%	97.5%
Grade 10	0.6%	0.7%	3.1%	96.9%
Grade 11	0.7%	2.1%	5.6%	94.4%
Grade 12	1.8%	2.8%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 126

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids?				
All	0.7%	0.8%	2.2%	97.8%
Grade 7	0.8%	1.0%	2.0%	98.0%
Grade 8	1.1%	1.2%	2.8%	97.2%
Grade 9	1.3%	1.6%	3.7%	96.3%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.4%	3.4%	96.6%
Grade 12	0.7%	0.8%	1.0%	99.0%
Ecstasy?				
All	1.0%	1.7%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.7%	1.0%	1.3%	98.7%
Grade 9	0.5%	0.9%	2.8%	97.2%
Grade 10	1.2%	2.1%	3.9%	96.1%
Grade 11	2.0%	2.8%	5.8%	94.2%
Grade 12	1.7%	3.6%	5.4%	94.6%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.6%	99.4%
Methamphetamine?				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.6%	0.8%	1.5%	98.5%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.9%	0.9%	1.6%	98.4%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.6%	0.6%	1.4%	98.6%
Grade 12	0.0%	0.5%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.2%	3.3%	96.7%
Grade 7	0.3%	0.4%	1.4%	98.6%
Grade 8	1.2%	2.2%	3.2%	96.8%
Grade 9	0.8%	1.0%	3.6%	96.4%
Grade 10	1.5%	1.7%	3.7%	96.3%
Grade 11	0.6%	0.8%	3.7%	96.3%
Grade 12	0.5%	0.8%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 16 of 126

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	80.6%	1.8%	1.9%	3.2%	4.0%	4.2%	4.4%
	Grade 7	94.5%	1.0%	0.3%	0.8%	1.1%	1.1%	1.3%
	Grade 8	88.2%	0.3%	1.8%	1.6%	3.4%	2.9%	1.8%
	Grade 9	80.5%	1.6%	1.0%	2.3%	4.3%	4.8%	5.6%
	Grade 10	76.7%	1.9%	2.3%	4.8%	4.0%	4.6%	5.7%
	Grade 11	69.3%	3.5%	1.9%	5.7%	4.1%	8.2%	7.2%
	Grade 12	71.0%	2.6%	4.4%	4.6%	8.2%	3.9%	5.3%
Cocaine?								
	All	97.9%	0.0%	0.2%	0.2%	0.4%	0.6%	0.6%
	Grade 7	99.5%	0.0%	0.0%	0.1%	0.1%	0.2%	0.1%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%
	Grade 9	98.5%	0.0%	0.0%	0.0%	0.2%	0.8%	0.5%
	Grade 10	97.5%	0.0%	0.4%	0.0%	0.5%	0.6%	0.9%
	Grade 11	96.8%	0.0%	0.0%	0.2%	0.9%	0.8%	1.3%
	Grade 12	95.7%	0.0%	1.1%	0.9%	0.7%	1.1%	0.5%
Crack?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.1%	0.0%	0.0%	0.1%	0.1%	0.3%	0.4%
	Grade 7	98.6%	0.0%	0.0%	0.2%	0.0%	0.4%	0.8%
	Grade 8	98.7%	0.0%	0.0%	0.2%	0.0%	0.5%	0.6%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 11	98.7%	0.0%	0.0%	0.0%	0.4%	0.7%	0.2%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Ecstasy?								
	All	97.4%	0.0%	0.1%	0.4%	0.2%	1.3%	0.6%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.0%	0.3%	0.0%	0.1%	0.2%
	Grade 9	97.6%	0.0%	0.0%	0.3%	0.0%	1.8%	0.4%
	Grade 10	96.9%	0.0%	0.0%	0.3%	0.4%	1.9%	0.5%
	Grade 11	94.8%	0.0%	0.2%	1.2%	0.2%	2.4%	1.3%
	Grade 12	95.0%	0.0%	0.8%	0.7%	0.4%	2.1%	1.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 126

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 7	99.3%	0.0%	0.2%	0.4%	0.1%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.2%	0.6%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Methamphetamine?								
	All	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
	Grade 7	99.1%	0.0%	0.2%	0.0%	0.0%	0.2%	0.5%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	98.6%	0.0%	0.0%	0.2%	0.0%	0.4%	0.8%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.5%	0.0%	0.2%
Synthetic Marijuana?								
	All	97.8%	0.2%	0.1%	0.1%	0.3%	0.5%	1.0%
	Grade 7	99.0%	0.1%	0.0%	0.0%	0.0%	0.5%	0.5%
	Grade 8	98.0%	0.1%	0.1%	0.2%	0.8%	0.1%	0.6%
	Grade 9	98.5%	0.2%	0.0%	0.3%	0.2%	0.0%	0.8%
	Grade 10	96.4%	0.6%	0.0%	0.0%	0.4%	1.0%	1.6%
	Grade 11	97.7%	0.0%	0.0%	0.0%	0.2%	1.1%	0.9%
	Grade 12	97.1%	0.0%	0.5%	0.0%	0.4%	0.0%	2.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.7	11.5	12.3	13.2	13.9	14.2	14.8
Cocaine	15.1	11.4	12.3	14.3	15.7	15.2	16.4
Crack	13.8	11.6	11.7	N/A	N/A	15.0	18.0
Steroids	12.3	11.5	10.9	10.9	15.0	14.6	15.9
Ecstasy	15.3	11.5	12.2	13.9	14.7	16.1	16.2
Heroin	10.7	9.3	10.8	N/A	N/A	17.0	N/A
Methamphetamine	13.3	10.7	12.5	13.0	N/A	15.8	14.6
Synthetic Marijuana	13.7	12.4	12.8	12.9	13.5	14.9	14.6

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 19 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	32.0%	21.8%	7.0%	10.0%	13.0%	16.2%
	Grade 7	40.7%	39.2%	6.5%	4.9%	4.8%	3.8%
	Grade 8	31.7%	30.8%	8.9%	7.9%	9.4%	11.3%
	Grade 9	34.8%	18.1%	6.9%	12.0%	11.5%	16.7%
	Grade 10	30.7%	16.1%	4.6%	9.0%	15.6%	24.0%
	Grade 11	29.1%	12.2%	7.6%	14.8%	15.1%	21.2%
	Grade 12	22.7%	10.7%	7.4%	12.6%	24.3%	22.2%
Cocaine?							
	All	44.8%	30.4%	10.8%	6.5%	4.0%	3.5%
	Grade 7	44.7%	43.1%	7.2%	2.4%	1.1%	1.4%
	Grade 8	41.4%	38.5%	10.0%	4.8%	3.2%	2.1%
	Grade 9	46.8%	26.4%	10.1%	9.0%	4.9%	2.8%
	Grade 10	44.3%	26.4%	11.7%	7.8%	4.0%	5.8%
	Grade 11	52.2%	20.6%	12.6%	4.9%	4.5%	5.3%
	Grade 12	38.8%	24.7%	13.8%	11.1%	7.2%	4.3%
Crack?							
	All	47.1%	31.4%	10.8%	4.8%	2.7%	3.2%
	Grade 7	44.7%	43.9%	6.6%	1.9%	1.3%	1.5%
	Grade 8	42.7%	38.5%	9.5%	4.2%	2.8%	2.3%
	Grade 9	48.9%	27.5%	10.0%	6.8%	3.1%	3.7%
	Grade 10	46.8%	27.6%	10.9%	6.7%	3.1%	5.0%
	Grade 11	54.6%	22.4%	12.8%	3.3%	2.1%	4.8%
	Grade 12	45.3%	25.9%	16.3%	6.1%	4.4%	2.0%
Steroids?							
	All	48.9%	28.9%	9.6%	5.9%	3.3%	3.4%
	Grade 7	46.5%	41.7%	5.1%	3.7%	1.6%	1.4%
	Grade 8	44.3%	35.2%	9.9%	5.0%	3.0%	2.6%
	Grade 9	53.6%	21.5%	8.6%	7.3%	3.7%	5.3%
	Grade 10	49.7%	24.8%	12.0%	4.8%	4.0%	4.6%
	Grade 11	54.1%	21.6%	12.0%	4.5%	3.3%	4.5%
	Grade 12	44.7%	26.9%	10.5%	11.5%	4.2%	2.2%
Ecstasy?							
	All	55.0%	25.8%	8.1%	4.7%	3.2%	3.2%
	Grade 7	63.9%	30.9%	2.9%	1.0%	0.5%	0.8%
	Grade 8	54.8%	31.1%	6.5%	3.8%	1.5%	2.2%
	Grade 9	56.0%	23.3%	8.4%	6.9%	2.0%	3.5%
	Grade 10	53.0%	23.1%	8.7%	6.8%	4.1%	4.2%
	Grade 11	55.6%	20.9%	11.3%	2.4%	6.2%	3.7%
	Grade 12	44.1%	24.4%	12.0%	8.2%	5.6%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	52.2%	30.7%	9.2%	3.5%	1.9%	2.6%
	Grade 7	53.6%	38.7%	3.9%	1.6%	1.3%	0.9%
	Grade 8	49.9%	35.5%	7.6%	3.4%	1.8%	2.0%
	Grade 9	54.6%	27.6%	8.1%	6.3%	1.4%	2.1%
	Grade 10	50.3%	28.4%	11.4%	3.6%	2.0%	4.3%
	Grade 11	57.1%	23.2%	11.0%	2.6%	1.9%	4.2%
	Grade 12	47.4%	29.2%	14.6%	3.8%	3.0%	2.1%
Methamphetamine?							
	All	53.4%	28.2%	9.3%	3.6%	2.4%	3.0%
	Grade 7	56.3%	35.8%	4.4%	1.7%	0.6%	1.2%
	Grade 8	51.0%	33.1%	8.5%	2.9%	2.2%	2.3%
	Grade 9	55.5%	25.4%	8.7%	5.6%	2.3%	2.5%
	Grade 10	50.8%	25.7%	12.0%	3.8%	2.9%	4.7%
	Grade 11	57.1%	21.6%	11.4%	1.7%	3.0%	5.2%
	Grade 12	49.2%	26.1%	12.0%	6.1%	4.1%	2.5%
Synthetic Marijuana?							
	All	52.7%	25.9%	7.7%	5.1%	3.9%	4.6%
	Grade 7	57.0%	33.8%	4.5%	1.8%	1.5%	1.4%
	Grade 8	52.0%	30.7%	6.5%	3.7%	3.2%	3.9%
	Grade 9	52.5%	24.0%	4.9%	9.0%	4.6%	4.9%
	Grade 10	50.5%	23.7%	8.2%	5.5%	4.7%	7.4%
	Grade 11	57.2%	18.9%	10.7%	1.5%	5.0%	6.6%
	Grade 12	45.6%	23.0%	12.2%	10.4%	5.1%	3.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.1%	4.1%	1.3%	1.6%
Grade 7	97.3%	1.9%	0.3%	0.5%
Grade 8	94.5%	3.4%	0.8%	1.4%
Grade 9	95.1%	2.1%	1.0%	1.8%
Grade 10	93.2%	3.9%	1.4%	1.6%
Grade 11	89.1%	7.7%	1.0%	2.2%
Grade 12	88.1%	6.1%	3.6%	2.2%
Attended Class While High from Use of Some Other Drug?				
All	96.4%	2.2%	0.7%	0.7%
Grade 7	97.3%	1.7%	0.7%	0.2%
Grade 8	96.7%	2.3%	0.5%	0.5%
Grade 9	96.8%	1.8%	0.0%	1.4%
Grade 10	96.1%	2.2%	0.7%	1.0%
Grade 11	97.4%	1.6%	0.6%	0.4%
Grade 12	94.0%	3.6%	1.7%	0.7%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.2
Marijuana Non-Users	3.5
Average Days Conduct Problems Reported	
Marijuana Users	3.2
Marijuana Non-Users	1.4

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.5%	3.8%	0.7%	0.9%
Grade 9	98.1%	1.3%	0.0%	0.7%
Grade 10	97.7%	1.5%	0.1%	0.7%
Grade 11	92.0%	5.2%	1.2%	1.5%
Grade 12	89.4%	7.9%	1.8%	0.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.5%	2.2%	0.1%	0.1%
Grade 7	98.9%	1.0%	0.1%	0.0%
Grade 8	97.2%	2.2%	0.2%	0.4%
Grade 9	97.7%	2.3%	0.0%	0.0%
Grade 10	97.1%	2.2%	0.3%	0.4%
Grade 11	97.2%	2.6%	0.2%	0.0%
Grade 12	97.0%	3.0%	0.0%	0.0%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	57.0%	20.4%	10.2%	9.9%	2.5%
Grade 7	85.4%	9.0%	2.9%	2.0%	0.7%
Grade 8	64.7%	19.6%	8.6%	5.3%	1.7%
Grade 9	53.6%	20.5%	12.6%	9.4%	3.9%
Grade 10	51.0%	21.9%	9.7%	14.1%	3.3%
Grade 11	44.5%	24.1%	11.8%	16.5%	3.0%
Grade 12	36.6%	29.6%	17.2%	13.8%	2.8%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	55.0%	6.7%	5.4%	5.4%	6.7%	2.3%	18.4%
Grade 7	78.0%	2.9%	1.6%	1.0%	1.1%	2.5%	12.9%
Grade 8	71.1%	4.7%	3.1%	3.6%	2.2%	1.8%	13.4%
Grade 9	54.4%	9.4%	3.7%	4.4%	5.9%	1.1%	21.1%
Grade 10	46.3%	9.3%	6.9%	5.3%	8.0%	4.3%	19.9%
Grade 11	40.2%	6.6%	10.4%	8.4%	12.8%	3.3%	18.3%
Grade 12	34.4%	8.3%	7.4%	11.1%	11.8%	0.7%	26.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.3%	6.5%	8.8%	1.9%	1.1%	8.5%
Grade 7	83.7%	1.7%	2.5%	1.2%	0.7%	10.2%
Grade 8	78.9%	5.8%	4.9%	1.4%	1.4%	7.5%
Grade 9	74.4%	6.5%	7.6%	3.1%	0.9%	7.5%
Grade 10	66.8%	6.4%	12.5%	2.9%	1.4%	10.0%
Grade 11	64.9%	9.4%	12.0%	1.6%	2.0%	10.2%
Grade 12	69.1%	10.6%	14.6%	1.1%	0.0%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 24 of 126

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	60.4%	11.5%	11.5%	11.7%	4.9%
	Grade 7	81.7%	7.3%	3.2%	3.7%	4.0%
	Grade 8	63.6%	12.6%	9.4%	8.2%	6.2%
	Grade 9	58.6%	11.7%	12.0%	11.1%	6.5%
	Grade 10	53.1%	13.7%	12.7%	15.1%	5.4%
	Grade 11	53.6%	10.9%	17.3%	13.8%	4.4%
	Grade 12	47.4%	13.5%	16.2%	20.6%	2.4%
Cocaine?						
	All	87.4%	5.7%	0.7%	0.4%	5.9%
	Grade 7	90.6%	4.2%	0.8%	0.3%	4.1%
	Grade 8	84.4%	7.1%	0.8%	0.6%	7.0%
	Grade 9	84.7%	6.2%	1.3%	0.2%	7.6%
	Grade 10	84.4%	6.2%	0.7%	0.9%	7.9%
	Grade 11	88.7%	6.8%	0.6%	0.0%	3.9%
	Grade 12	92.0%	3.3%	0.0%	0.2%	4.5%
Crack?						
	All	88.2%	4.2%	0.8%	0.3%	6.4%
	Grade 7	90.6%	4.3%	0.6%	0.2%	4.3%
	Grade 8	85.1%	6.0%	1.1%	0.5%	7.2%
	Grade 9	85.2%	4.5%	1.3%	0.2%	8.8%
	Grade 10	85.4%	5.6%	0.0%	0.9%	8.1%
	Grade 11	91.6%	3.1%	0.5%	0.0%	4.8%
	Grade 12	92.0%	1.1%	1.2%	0.2%	5.5%
Ecstasy?						
	All	82.8%	6.0%	1.4%	0.6%	9.2%
	Grade 7	86.3%	3.6%	0.9%	0.1%	9.1%
	Grade 8	79.4%	7.1%	1.5%	0.8%	11.2%
	Grade 9	80.9%	6.1%	1.2%	0.4%	11.5%
	Grade 10	81.8%	6.0%	1.0%	0.9%	10.3%
	Grade 11	83.6%	7.4%	2.2%	1.0%	6.0%
	Grade 12	85.2%	6.2%	1.8%	0.4%	6.4%
Steroids?						
	All	78.8%	9.2%	3.0%	0.9%	8.2%
	Grade 7	82.0%	8.5%	2.4%	0.9%	6.2%
	Grade 8	74.7%	11.2%	3.8%	1.1%	9.2%
	Grade 9	80.1%	6.4%	2.2%	0.2%	11.2%
	Grade 10	73.2%	12.1%	3.5%	1.8%	9.4%
	Grade 11	81.7%	8.3%	4.2%	0.4%	5.4%
	Grade 12	81.4%	8.0%	1.7%	1.1%	7.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.3%	3.2%	0.4%	0.4%	7.7%
	Grade 7	89.2%	3.8%	0.9%	0.1%	6.0%
	Grade 8	83.9%	5.4%	0.8%	0.8%	9.1%
	Grade 9	85.1%	3.3%	0.7%	0.2%	10.8%
	Grade 10	87.4%	3.0%	0.2%	0.9%	8.5%
	Grade 11	91.2%	2.8%	0.0%	0.0%	6.0%
	Grade 12	94.2%	0.4%	0.0%	0.2%	5.3%
Methamphetamine?						
	All	88.8%	3.1%	0.6%	0.4%	7.1%
	Grade 7	89.6%	3.8%	0.7%	0.5%	5.4%
	Grade 8	85.3%	5.3%	0.9%	0.8%	7.7%
	Grade 9	86.5%	3.3%	0.9%	0.2%	9.1%
	Grade 10	88.1%	2.8%	0.0%	0.9%	8.2%
	Grade 11	91.6%	2.4%	0.8%	0.0%	5.1%
	Grade 12	92.7%	0.4%	0.0%	0.2%	6.8%
Synthetic Marijuana?						
	All	84.8%	5.0%	1.5%	0.9%	7.9%
	Grade 7	87.1%	4.3%	0.9%	0.4%	7.3%
	Grade 8	80.6%	7.6%	2.1%	1.1%	8.6%
	Grade 9	81.7%	6.8%	1.1%	0.5%	9.9%
	Grade 10	83.0%	4.2%	2.2%	1.1%	9.5%
	Grade 11	88.3%	4.1%	0.6%	1.3%	5.7%
	Grade 12	88.8%	2.2%	1.9%	0.9%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	10.1%	14.6%	24.6%	75.4%
Grade 7	9.1%	11.0%	17.9%	82.1%
Grade 8	8.9%	12.9%	21.8%	78.2%
Grade 9	10.3%	15.8%	24.3%	75.7%
Grade 10	11.9%	16.8%	29.7%	70.3%
Grade 11	12.6%	16.6%	28.7%	71.3%
Grade 12	7.7%	14.6%	26.3%	73.7%
Codeine Cough Syrup?				
All	5.8%	9.8%	19.2%	80.8%
Grade 7	5.8%	8.0%	14.2%	85.8%
Grade 8	6.2%	9.5%	17.5%	82.5%
Grade 9	5.6%	10.7%	20.2%	79.8%
Grade 10	7.1%	10.8%	21.6%	78.4%
Grade 11	5.2%	9.8%	21.6%	78.4%
Grade 12	4.7%	10.0%	20.6%	79.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.4%	2.2%	5.1%	94.9%
Grade 7	0.3%	0.6%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	2.7%	3.3%	6.7%	93.3%
Grade 10	1.3%	2.3%	5.6%	94.4%
Grade 11	3.2%	4.4%	8.6%	91.4%
Grade 12	0.7%	2.5%	7.8%	92.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.7%	3.2%	6.3%	93.7%
Grade 7	0.9%	1.5%	2.3%	97.7%
Grade 8	1.7%	2.3%	3.9%	96.1%
Grade 9	2.8%	4.4%	7.4%	92.6%
Grade 10	0.6%	1.8%	6.0%	94.0%
Grade 11	2.8%	4.7%	9.0%	91.0%
Grade 12	1.2%	5.0%	10.2%	89.8%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.7%	3.0%	5.6%	94.4%
Grade 7	0.8%	0.9%	2.0%	98.0%
Grade 8	0.7%	1.4%	3.0%	97.0%
Grade 9	3.1%	3.7%	5.4%	94.6%
Grade 10	1.6%	2.9%	5.4%	94.6%
Grade 11	3.0%	4.0%	7.8%	92.2%
Grade 12	1.3%	5.9%	11.3%	88.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.6%	5.6%	10.4%	89.6%
Grade 7	4.4%	5.4%	9.0%	91.0%
Grade 8	4.5%	5.6%	11.0%	89.0%
Grade 9	6.7%	8.0%	13.3%	86.7%
Grade 10	4.4%	5.9%	9.7%	90.3%
Grade 11	4.7%	5.3%	11.1%	88.9%
Grade 12	2.7%	2.7%	8.0%	92.0%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.6%	3.3%	96.7%
Grade 7	1.7%	2.1%	4.4%	95.6%
Grade 8	2.8%	3.3%	6.0%	94.0%
Grade 9	0.2%	1.4%	3.1%	96.8%
Grade 10	0.0%	0.5%	1.6%	98.4%
Grade 11	1.1%	1.7%	3.5%	96.5%
Grade 12	0.0%	0.2%	0.8%	99.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.3%	9.8%	3.2%	1.5%	7.1%
Grade 7	83.8%	8.0%	2.6%	1.0%	4.6%
Grade 8	75.2%	12.2%	4.2%	1.3%	7.0%
Grade 9	75.6%	8.7%	4.2%	1.0%	10.6%
Grade 10	75.0%	10.1%	2.5%	3.0%	9.4%
Grade 11	80.5%	9.5%	2.4%	1.6%	6.0%
Grade 12	79.9%	10.7%	3.5%	0.9%	5.0%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.2%	6.9%	15.0%	85.0%
Grade 7	7.6%	9.3%	15.6%	84.4%
Grade 8	7.0%	10.0%	21.7%	78.3%
Grade 9	4.5%	6.0%	13.7%	86.3%
Grade 10	5.0%	6.9%	18.1%	81.9%
Grade 11	3.8%	5.7%	11.9%	88.1%
Grade 12	2.2%	2.2%	6.8%	93.2%
Spray Paint?				
All	0.3%	0.4%	2.1%	97.9%
Grade 7	0.4%	0.4%	1.6%	98.4%
Grade 8	1.0%	1.3%	3.8%	96.2%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.3%	0.7%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.7%	99.3%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.2%	1.8%	6.4%	93.6%
Grade 7	0.9%	2.0%	6.7%	93.3%
Grade 8	2.3%	3.6%	10.7%	89.3%
Grade 9	1.6%	2.1%	6.9%	93.1%
Grade 10	1.1%	1.8%	7.4%	92.6%
Grade 11	0.8%	0.8%	3.8%	96.2%
Grade 12	0.0%	0.0%	1.7%	98.3%
Computer Dusting Sprays?				
All	0.2%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.6%	1.7%	98.3%
Grade 9	0.7%	0.9%	1.5%	98.5%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.3%	1.3%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.2%	99.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.9%	7.3%	92.7%
Grade 7	2.9%	3.8%	8.1%	91.9%
Grade 8	2.3%	5.2%	12.1%	87.9%
Grade 9	0.5%	1.7%	5.7%	94.3%
Grade 10	1.9%	3.0%	6.7%	93.3%
Grade 11	2.1%	2.7%	7.0%	93.0%
Grade 12	0.5%	0.5%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.9%	1.0%	2.3%	97.7%
Grade 9	0.0%	0.2%	1.6%	98.4%
Grade 10	0.6%	0.6%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.5%	0.7%	2.0%	98.0%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.8%	1.2%	3.1%	96.9%
Grade 7	1.2%	1.7%	3.3%	96.7%
Grade 8	1.4%	2.1%	5.6%	94.4%
Grade 9	0.7%	1.3%	3.2%	96.8%
Grade 10	0.5%	0.5%	2.0%	98.0%
Grade 11	0.9%	1.4%	3.7%	96.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Other Aerosols/Sprays?				
All	0.5%	0.6%	1.7%	98.3%
Grade 7	1.6%	1.9%	3.4%	96.6%
Grade 8	0.6%	1.2%	3.1%	96.9%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.2%	99.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.5%	0.1%	0.1%	0.3%	0.9%	0.8%	1.3%
Grade 7	94.6%	0.2%	0.4%	0.4%	1.8%	1.2%	1.4%
Grade 8	94.0%	0.2%	0.3%	0.2%	1.1%	1.5%	2.7%
Grade 9	98.1%	0.0%	0.0%	0.4%	0.4%	0.6%	0.5%
Grade 10	95.8%	0.0%	0.0%	0.0%	1.0%	1.5%	1.6%
Grade 11	97.9%	0.0%	0.0%	0.0%	0.9%	0.0%	1.2%
Grade 12	99.1%	0.0%	0.0%	0.7%	0.0%	0.0%	0.2%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	87.2%	7.5%	3.9%	1.4%
Grade 7	86.6%	7.7%	3.9%	1.8%
Grade 8	80.4%	10.6%	6.4%	2.5%
Grade 9	88.3%	5.9%	4.6%	1.2%
Grade 10	85.2%	10.4%	3.5%	0.9%
Grade 11	89.6%	5.6%	3.1%	1.7%
Grade 12	95.0%	3.9%	1.1%	0.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.6	10.5	11.3	9.9	12.7	13.1	13.4

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.8%	0.2%	0.2%
Grade 7	97.4%	2.0%	0.6%	0.0%
Grade 8	98.7%	1.0%	0.1%	0.2%
Grade 9	100.0%	0.0%	0.0%	0.0%
Grade 10	98.3%	1.3%	0.0%	0.4%
Grade 11	99.6%	0.0%	0.4%	0.0%
Grade 12	99.3%	0.0%	0.0%	0.7%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.2
Inhalant Non-Users	3.7
Average Days Conduct Problems Reported	
Inhalant Users	4.2
Inhalant Non-Users	1.5

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.2%	4.7%	1.4%	0.5%	0.2%
Grade 7	91.2%	5.7%	2.0%	0.8%	0.3%
Grade 8	88.7%	8.2%	2.6%	0.3%	0.1%
Grade 9	95.5%	3.6%	0.5%	0.3%	0.2%
Grade 10	93.9%	3.9%	1.1%	0.6%	0.4%
Grade 11	93.7%	4.0%	1.3%	0.9%	0.0%
Grade 12	97.3%	1.8%	0.9%	0.0%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.4%	12.8%	3.0%	1.5%	7.3%
Grade 7	77.0%	13.4%	2.6%	1.6%	5.4%
Grade 8	70.9%	13.2%	5.8%	1.9%	8.1%
Grade 9	72.8%	13.5%	3.5%	1.6%	8.6%
Grade 10	72.1%	14.6%	1.6%	1.3%	10.3%
Grade 11	80.6%	9.3%	1.6%	2.1%	6.3%
Grade 12	79.9%	12.4%	2.5%	0.2%	5.0%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	48.0%	16.1%	3.5%	5.1%	8.5%	18.7%
Grade 7	45.4%	26.6%	4.1%	4.3%	5.9%	13.7%
Grade 8	41.6%	19.6%	4.9%	4.2%	8.8%	20.9%
Grade 9	52.6%	14.1%	3.2%	4.8%	7.3%	18.0%
Grade 10	47.9%	13.1%	3.0%	4.4%	13.4%	18.3%
Grade 11	52.5%	11.7%	3.2%	8.4%	5.0%	19.2%
Grade 12	49.1%	9.6%	2.6%	4.9%	10.8%	23.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 32 of 126

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	25.5%
	Grade 7	24.1%
	Grade 8	30.6%
	Grade 9	19.5%
	Grade 10	25.3%
	Grade 11	26.5%
	Grade 12	26.6%
An Assembly Program		
	All	36.8%
	Grade 7	33.8%
	Grade 8	32.7%
	Grade 9	35.2%
	Grade 10	38.4%
	Grade 11	38.7%
	Grade 12	43.4%
Guidance Counselor		
	All	20.2%
	Grade 7	23.4%
	Grade 8	21.0%
	Grade 9	18.7%
	Grade 10	18.8%
	Grade 11	18.1%
	Grade 12	20.9%
School Nurse		
	All	11.9%
	Grade 7	11.5%
	Grade 8	13.7%
	Grade 9	8.3%
	Grade 10	11.6%
	Grade 11	11.9%
	Grade 12	14.5%
Science or Social Studies Class		
	All	20.2%
	Grade 7	22.5%
	Grade 8	18.9%
	Grade 9	18.5%
	Grade 10	16.7%
	Grade 11	20.2%
	Grade 12	24.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 33 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	10.7%
	Grade 7	7.9%
	Grade 8	10.9%
	Grade 9	12.5%
	Grade 10	9.0%
	Grade 11	10.8%
	Grade 12	13.8%
An Invited School Guest		
	All	27.5%
	Grade 7	23.9%
	Grade 8	24.0%
	Grade 9	28.3%
	Grade 10	29.7%
	Grade 11	29.9%
	Grade 12	29.9%
Another Source at School		
	All	20.2%
	Grade 7	19.4%
	Grade 8	21.1%
	Grade 9	15.7%
	Grade 10	18.9%
	Grade 11	23.4%
	Grade 12	23.1%
Any School Source		
	All	54.0%
	Grade 7	54.8%
	Grade 8	53.3%
	Grade 9	49.1%
	Grade 10	51.9%
	Grade 11	56.6%
	Grade 12	58.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	33.4%
	Grade 7	48.0%
	Grade 8	38.4%
	Grade 9	30.5%
	Grade 10	27.5%
	Grade 11	23.7%
	Grade 12	30.5%
School Nurse		
	All	19.4%
	Grade 7	31.9%
	Grade 8	24.5%
	Grade 9	13.4%
	Grade 10	12.3%
	Grade 11	14.4%
	Grade 12	18.6%
Another Adult In School		
	All	37.6%
	Grade 7	42.2%
	Grade 8	41.8%
	Grade 9	31.9%
	Grade 10	34.9%
	Grade 11	34.7%
	Grade 12	39.6%
Counselor/Program Outside-School		
	All	36.5%
	Grade 7	44.5%
	Grade 8	37.1%
	Grade 9	32.4%
	Grade 10	29.6%
	Grade 11	36.1%
	Grade 12	39.0%
Your Parents		
	All	69.0%
	Grade 7	78.4%
	Grade 8	67.1%
	Grade 9	67.6%
	Grade 10	72.1%
	Grade 11	67.0%
	Grade 12	60.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 35 of 126

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	51.9%
	Grade 7	65.6%
	Grade 8	52.2%
	Grade 9	44.4%
	Grade 10	42.5%
	Grade 11	52.2%
	Grade 12	53.7%
Your Friends		
	All	58.7%
	Grade 7	51.0%
	Grade 8	56.4%
	Grade 9	57.9%
	Grade 10	60.1%
	Grade 11	66.3%
	Grade 12	61.7%
Another Adult		
	All	58.3%
	Grade 7	65.0%
	Grade 8	55.9%
	Grade 9	57.4%
	Grade 10	59.4%
	Grade 11	55.5%
	Grade 12	56.2%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.3%
	Grade 7	7.5%
	Grade 8	6.5%
	Grade 9	5.3%
	Grade 10	5.7%
	Grade 11	8.9%
	Grade 12	3.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.6%	21.8%	20.5%	38.7%	14.4%
Grade 7	6.2%	19.3%	17.9%	37.5%	19.1%
Grade 8	5.9%	19.6%	20.4%	37.0%	17.0%
Grade 9	5.5%	23.8%	23.2%	37.3%	10.2%
Grade 10	2.6%	23.4%	18.7%	38.2%	17.1%
Grade 11	3.3%	23.0%	24.8%	38.3%	10.6%
Grade 12	3.8%	22.1%	17.5%	45.6%	10.9%
Sometimes Carry Weapons?					
All	63.9%	18.4%	8.5%	6.5%	2.7%
Grade 7	79.4%	14.8%	4.0%	1.2%	0.6%
Grade 8	69.4%	18.6%	5.9%	4.9%	1.1%
Grade 9	55.0%	21.3%	8.8%	10.2%	4.7%
Grade 10	59.8%	16.3%	12.5%	7.1%	4.3%
Grade 11	60.3%	17.3%	11.1%	6.9%	4.3%
Grade 12	57.2%	22.7%	9.1%	9.7%	1.3%
Care About Making Good Grades?					
All	2.7%	11.3%	25.2%	40.0%	20.8%
Grade 7	2.3%	11.4%	20.8%	38.7%	26.7%
Grade 8	3.5%	10.7%	25.1%	38.5%	22.3%
Grade 9	4.2%	12.8%	27.1%	38.5%	17.4%
Grade 10	2.5%	10.5%	24.3%	38.7%	24.0%
Grade 11	2.2%	12.7%	30.4%	36.8%	17.9%
Grade 12	0.9%	9.5%	23.7%	51.0%	15.0%
Belong/Want to Belong to a Gang?					
All	85.8%	8.5%	2.9%	1.4%	1.4%
Grade 7	83.5%	11.2%	3.3%	1.9%	0.2%
Grade 8	78.5%	14.3%	3.1%	2.6%	1.5%
Grade 9	82.1%	8.3%	5.1%	1.9%	2.6%
Grade 10	87.1%	7.4%	2.2%	0.6%	2.7%
Grade 11	89.5%	6.1%	2.5%	0.9%	1.0%
Grade 12	97.2%	1.7%	0.9%	0.0%	0.2%
Wish They Could Drop Out of School?					
All	47.7%	30.5%	13.2%	4.9%	3.8%
Grade 7	61.7%	23.4%	8.7%	4.3%	2.0%
Grade 8	48.1%	31.7%	12.1%	5.7%	2.4%
Grade 9	40.6%	35.1%	14.2%	6.0%	4.1%
Grade 10	44.1%	32.7%	14.6%	2.7%	5.9%
Grade 11	40.3%	34.2%	15.4%	5.5%	4.7%
Grade 12	50.7%	25.3%	15.1%	5.3%	3.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 126

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.5%	12.1%	0.6%	0.0%	0.7%
Grade 7	84.6%	13.3%	0.6%	0.1%	1.4%
Grade 8	81.8%	15.1%	1.4%	0.1%	1.6%
Grade 9	86.6%	12.6%	0.0%	0.0%	0.8%
Grade 10	88.1%	11.2%	0.7%	0.0%	0.0%
Grade 11	90.2%	9.3%	0.2%	0.0%	0.3%
Grade 12	88.5%	10.8%	0.7%	0.0%	0.0%
Out In Your Neighborhood?					
All	48.9%	38.8%	7.3%	1.3%	3.6%
Grade 7	36.5%	46.7%	9.4%	2.6%	4.7%
Grade 8	39.7%	45.2%	8.8%	2.3%	3.9%
Grade 9	53.1%	35.8%	5.2%	1.1%	4.7%
Grade 10	55.1%	35.6%	5.9%	0.6%	2.8%
Grade 11	55.1%	31.7%	9.1%	0.0%	4.2%
Grade 12	57.1%	36.3%	5.0%	0.7%	0.9%
At School?					
All	38.6%	44.7%	7.8%	5.0%	4.0%
Grade 7	39.8%	41.0%	11.0%	5.0%	3.2%
Grade 8	41.5%	43.7%	7.6%	3.1%	4.1%
Grade 9	37.0%	46.9%	6.9%	4.2%	5.0%
Grade 10	40.0%	42.7%	6.1%	6.9%	4.3%
Grade 11	35.4%	43.0%	7.9%	8.7%	5.1%
Grade 12	37.2%	52.4%	6.7%	1.8%	2.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.2%	27.4%	41.7%	58.3%
Grade 7	7.0%	8.8%	17.2%	82.8%
Grade 8	16.5%	19.3%	31.7%	68.3%
Grade 9	24.2%	30.3%	46.4%	53.6%
Grade 10	30.2%	36.1%	53.0%	47.0%
Grade 11	30.2%	35.6%	54.2%	45.8%
Grade 12	35.6%	38.6%	52.6%	47.4%
Any Alcohol Product				
All	36.8%	42.3%	61.7%	38.3%
Grade 7	18.1%	21.6%	43.3%	56.7%
Grade 8	31.6%	37.1%	56.9%	43.1%
Grade 9	38.5%	44.6%	65.3%	34.7%
Grade 10	45.9%	50.9%	69.6%	30.4%
Grade 11	42.5%	51.7%	72.1%	27.9%
Grade 12	48.3%	51.8%	66.0%	34.0%
Any Illicit Drug				
All	14.4%	18.8%	24.9%	75.1%
Grade 7	6.3%	8.2%	10.8%	89.2%
Grade 8	11.4%	14.0%	16.7%	83.3%
Grade 9	13.3%	18.9%	25.7%	74.3%
Grade 10	14.9%	20.6%	29.5%	70.5%
Grade 11	20.0%	26.5%	36.5%	63.5%
Grade 12	23.0%	28.1%	34.3%	65.7%
Any Prescription Drug				
All	10.1%	14.6%	24.6%	75.4%
Grade 7	9.1%	11.0%	17.9%	82.1%
Grade 8	8.9%	12.9%	21.8%	78.2%
Grade 9	10.3%	15.8%	24.3%	75.7%
Grade 10	11.9%	16.8%	29.7%	70.3%
Grade 11	12.6%	16.6%	28.7%	71.3%
Grade 12	7.7%	14.6%	26.3%	73.7%
Any Inhalant				
All	5.2%	6.9%	15.0%	85.0%
Grade 7	7.6%	9.3%	15.6%	84.4%
Grade 8	7.0%	10.0%	21.7%	78.3%
Grade 9	4.5%	6.0%	13.7%	86.3%
Grade 10	5.0%	6.9%	18.1%	81.9%
Grade 11	3.8%	5.7%	11.9%	88.1%
Grade 12	2.2%	2.2%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.6%	18.6%	31.6%	68.4%
Grade 7	3.5%	5.7%	12.3%	87.7%
Grade 8	9.8%	12.7%	24.3%	75.7%
Grade 9	12.9%	17.7%	32.7%	67.3%
Grade 10	17.3%	25.5%	42.6%	57.4%
Grade 11	16.5%	24.3%	42.8%	57.2%
Grade 12	24.3%	29.0%	38.3%	61.7%
Marijuana				
All	13.9%	16.8%	23.4%	76.6%
Grade 7	5.0%	5.6%	7.6%	92.4%
Grade 8	10.8%	12.4%	14.9%	85.1%
Grade 9	12.9%	16.6%	24.3%	75.7%
Grade 10	14.4%	17.4%	27.0%	73.0%
Grade 11	20.0%	25.5%	36.5%	63.5%
Grade 12	23.0%	27.0%	34.1%	65.9%
Marijuana Only				
All	8.5%	10.7%	16.1%	83.9%
Grade 7	3.3%	3.8%	5.4%	94.6%
Grade 8	6.3%	7.1%	9.3%	90.7%
Grade 9	8.6%	11.1%	16.8%	83.2%
Grade 10	8.3%	10.9%	19.2%	80.8%
Grade 11	12.0%	15.9%	25.4%	74.6%
Grade 12	14.2%	17.8%	23.8%	76.2%
Cocaine or Crack				
All	1.7%	1.9%	2.7%	97.3%
Grade 7	0.8%	0.9%	1.2%	98.8%
Grade 8	1.4%	1.6%	2.1%	97.9%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.1%	96.9%
Grade 11	1.6%	1.6%	3.8%	96.2%
Grade 12	3.9%	4.1%	4.6%	95.4%
Cocaine				
All	1.6%	1.8%	2.6%	97.4%
Grade 7	0.8%	0.9%	1.0%	99.0%
Grade 8	1.0%	1.2%	1.7%	98.3%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.1%	96.9%
Grade 11	1.6%	1.6%	3.8%	96.2%
Grade 12	3.9%	4.1%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.5%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.7%	1.4%	3.3%	96.7%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.7%	1.3%	2.6%	97.4%
Grade 9	0.3%	1.2%	2.5%	97.5%
Grade 10	0.6%	0.7%	3.1%	96.9%
Grade 11	0.7%	2.1%	5.6%	94.4%
Grade 12	1.8%	2.8%	5.7%	94.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.7%	0.8%	2.2%	97.8%
Grade 7	0.8%	1.0%	2.0%	98.0%
Grade 8	1.1%	1.2%	2.8%	97.2%
Grade 9	1.3%	1.6%	3.7%	96.3%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.4%	3.4%	96.6%
Grade 12	0.7%	0.8%	1.0%	99.0%
Ecstasy				
All	1.0%	1.7%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.7%	1.0%	1.3%	98.7%
Grade 9	0.5%	0.9%	2.8%	97.2%
Grade 10	1.2%	2.1%	3.9%	96.1%
Grade 11	2.0%	2.8%	5.8%	94.2%
Grade 12	1.7%	3.6%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	0.8%	1.2%	3.3%	96.7%
Grade 7	0.3%	0.4%	1.4%	98.6%
Grade 8	1.2%	2.2%	3.2%	96.8%
Grade 9	0.8%	1.0%	3.6%	96.4%
Grade 10	1.5%	1.7%	3.7%	96.3%
Grade 11	0.6%	0.8%	3.7%	96.3%
Grade 12	0.5%	0.8%	4.5%	95.5%
Methamphetamine				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.6%	0.8%	1.5%	98.5%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.9%	0.9%	1.6%	98.4%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.6%	0.6%	1.4%	98.6%
Grade 12	0.0%	0.5%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 43 of 126

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	28.5%	32.8%	47.4%	52.6%
Grade 7	7.5%	8.2%	19.8%	80.2%
Grade 8	17.7%	20.9%	33.0%	67.0%
Grade 9	29.0%	36.4%	50.3%	49.7%
Grade 10	38.7%	42.9%	63.4%	36.6%
Grade 11	40.8%	47.6%	63.8%	36.2%
Grade 12	44.3%	48.3%	61.2%	38.8%
Any Alcohol Product				
All	35.9%	41.0%	61.0%	39.0%
Grade 7	18.9%	22.9%	45.8%	54.2%
Grade 8	29.6%	35.4%	54.8%	45.2%
Grade 9	32.3%	38.3%	59.8%	40.2%
Grade 10	45.1%	49.3%	64.9%	35.1%
Grade 11	48.2%	55.6%	76.7%	23.3%
Grade 12	46.7%	48.7%	68.0%	32.0%
Any Illicit Drug				
All	14.4%	19.2%	25.9%	74.1%
Grade 7	6.4%	8.1%	11.7%	88.3%
Grade 8	11.1%	14.3%	18.4%	81.6%
Grade 9	12.7%	19.3%	24.2%	75.8%
Grade 10	18.2%	20.9%	28.7%	71.3%
Grade 11	20.1%	29.1%	39.6%	60.4%
Grade 12	21.1%	26.8%	38.8%	61.2%
Any Prescription Drug				
All	10.2%	16.8%	27.4%	72.6%
Grade 7	8.7%	10.9%	18.9%	81.1%
Grade 8	9.3%	13.9%	24.7%	75.3%
Grade 9	10.0%	20.2%	25.2%	74.8%
Grade 10	11.2%	18.5%	30.2%	69.8%
Grade 11	13.2%	18.6%	35.5%	64.5%
Grade 12	8.5%	20.0%	31.3%	68.7%
Any Inhalant				
All	4.2%	6.4%	14.2%	85.8%
Grade 7	5.5%	8.8%	14.6%	85.4%
Grade 8	6.3%	9.5%	20.9%	79.1%
Grade 9	3.2%	3.7%	10.7%	89.3%
Grade 10	4.2%	7.4%	17.4%	82.6%
Grade 11	3.9%	6.5%	12.4%	87.6%
Grade 12	0.8%	0.8%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.5%	21.3%	34.6%	65.4%
Grade 7	2.3%	4.4%	12.7%	87.3%
Grade 8	10.4%	13.5%	25.7%	74.3%
Grade 9	15.1%	19.7%	32.7%	67.3%
Grade 10	19.1%	26.0%	47.7%	52.3%
Grade 11	20.7%	32.7%	49.3%	50.7%
Grade 12	30.8%	37.7%	45.1%	54.9%
Marijuana				
All	13.7%	17.4%	24.1%	75.9%
Grade 7	4.9%	6.2%	8.6%	91.4%
Grade 8	10.5%	13.0%	16.4%	83.6%
Grade 9	11.7%	15.7%	21.9%	78.1%
Grade 10	17.2%	19.0%	25.9%	74.1%
Grade 11	20.1%	27.8%	39.6%	60.4%
Grade 12	21.1%	26.8%	38.8%	61.2%
Marijuana Only				
All	7.1%	9.8%	15.5%	84.5%
Grade 7	2.9%	4.0%	6.3%	93.7%
Grade 8	5.7%	6.9%	9.9%	90.1%
Grade 9	7.8%	10.8%	14.2%	85.8%
Grade 10	9.5%	11.3%	18.0%	82.0%
Grade 11	9.7%	14.6%	25.0%	75.0%
Grade 12	7.6%	12.9%	23.9%	76.1%
Cocaine or Crack				
All	2.4%	2.7%	3.9%	96.1%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	1.4%	1.7%	2.4%	97.6%
Grade 9	1.9%	1.9%	2.5%	97.5%
Grade 10	1.5%	2.3%	3.8%	96.2%
Grade 11	3.2%	3.2%	6.6%	93.4%
Grade 12	7.1%	7.5%	8.4%	91.6%
Cocaine				
All	2.3%	2.6%	3.8%	96.2%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	1.9%	1.9%	2.5%	97.5%
Grade 10	1.5%	2.3%	3.8%	96.2%
Grade 11	3.2%	3.2%	6.6%	93.4%
Grade 12	7.1%	7.5%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.7%	0.8%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.0%	2.3%	4.4%	95.6%
Grade 7	0.7%	0.7%	1.6%	98.4%
Grade 8	0.6%	1.5%	3.2%	96.8%
Grade 9	0.0%	1.9%	3.4%	96.6%
Grade 10	1.3%	1.5%	3.6%	96.4%
Grade 11	1.4%	3.9%	6.4%	93.6%
Grade 12	3.0%	5.2%	9.9%	90.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.6%	0.9%	2.9%	97.1%
Grade 7	0.5%	0.5%	1.4%	98.6%
Grade 8	1.6%	1.8%	3.8%	96.2%
Grade 9	0.8%	1.5%	5.3%	94.7%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.8%	4.3%	95.7%
Grade 12	0.4%	0.8%	1.3%	98.7%
Ecstasy				
All	1.6%	2.7%	4.2%	95.8%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	1.0%	1.4%	1.8%	98.2%
Grade 9	0.5%	1.4%	3.7%	96.3%
Grade 10	1.5%	2.4%	3.1%	96.9%
Grade 11	4.0%	5.7%	9.6%	90.4%
Grade 12	2.9%	6.3%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.4%	0.7%	2.9%	97.1%
Grade 7	0.3%	0.4%	1.9%	98.1%
Grade 8	1.0%	2.0%	2.9%	97.1%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	1.2%	1.2%	1.5%	98.5%
Grade 11	0.0%	0.4%	3.3%	96.7%
Grade 12	0.0%	0.0%	5.9%	94.1%
Methamphetamine				
All	0.4%	0.4%	1.3%	98.7%
Grade 7	0.2%	0.2%	1.2%	98.8%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 126

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.1%	22.1%	36.4%	63.6%
Grade 7	6.6%	9.3%	15.0%	85.0%
Grade 8	14.7%	17.2%	30.2%	69.8%
Grade 9	18.9%	23.9%	42.5%	57.5%
Grade 10	22.7%	30.4%	44.3%	55.7%
Grade 11	19.1%	23.4%	44.6%	55.4%
Grade 12	28.9%	31.2%	46.1%	53.9%
Any Alcohol Product				
All	37.6%	43.6%	62.4%	37.6%
Grade 7	17.5%	20.6%	41.1%	58.9%
Grade 8	33.5%	38.8%	58.9%	41.1%
Grade 9	45.1%	51.5%	71.7%	28.3%
Grade 10	46.6%	52.5%	73.3%	26.7%
Grade 11	36.8%	48.0%	68.2%	31.8%
Grade 12	49.5%	54.2%	64.4%	35.6%
Any Illicit Drug				
All	14.5%	18.7%	24.0%	76.0%
Grade 7	6.3%	8.4%	10.1%	89.9%
Grade 8	11.5%	13.3%	14.4%	85.6%
Grade 9	14.3%	18.7%	27.2%	72.8%
Grade 10	12.0%	20.9%	30.9%	69.1%
Grade 11	20.4%	24.5%	33.2%	66.8%
Grade 12	24.5%	29.0%	30.9%	69.1%
Any Prescription Drug				
All	10.1%	12.5%	22.0%	78.0%
Grade 7	9.5%	11.1%	17.2%	82.8%
Grade 8	8.4%	11.8%	18.2%	81.8%
Grade 9	10.8%	11.7%	23.7%	76.3%
Grade 10	12.8%	15.5%	29.8%	70.2%
Grade 11	12.1%	14.7%	21.1%	78.9%
Grade 12	7.1%	10.6%	22.6%	77.4%
Any Inhalant				
All	6.2%	7.4%	15.8%	84.2%
Grade 7	9.5%	9.8%	16.5%	83.5%
Grade 8	7.9%	10.6%	22.9%	77.1%
Grade 9	6.0%	8.5%	16.6%	83.4%
Grade 10	5.9%	6.6%	19.2%	80.8%
Grade 11	3.8%	5.0%	11.6%	88.4%
Grade 12	3.2%	3.2%	7.0%	93.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.6%	16.0%	28.7%	71.3%
Grade 7	4.5%	6.9%	12.0%	88.0%
Grade 8	9.3%	11.9%	22.5%	77.5%
Grade 9	10.4%	15.4%	32.7%	67.3%
Grade 10	16.1%	25.6%	38.7%	61.3%
Grade 11	11.8%	15.4%	36.4%	63.6%
Grade 12	19.3%	22.2%	33.0%	67.0%
Marijuana				
All	14.1%	16.4%	22.6%	77.4%
Grade 7	5.0%	5.1%	6.9%	93.1%
Grade 8	10.9%	11.3%	12.8%	87.2%
Grade 9	14.3%	17.9%	26.8%	73.2%
Grade 10	12.0%	16.2%	28.7%	71.3%
Grade 11	20.4%	23.8%	33.2%	66.8%
Grade 12	24.5%	27.1%	30.5%	69.5%
Marijuana Only				
All	9.9%	11.7%	16.8%	83.2%
Grade 7	3.7%	3.8%	4.7%	95.3%
Grade 8	6.7%	7.1%	8.4%	91.6%
Grade 9	9.5%	11.6%	19.3%	80.7%
Grade 10	7.4%	10.8%	20.9%	79.1%
Grade 11	14.6%	17.6%	26.3%	73.7%
Grade 12	19.3%	21.6%	23.7%	76.3%
Cocaine or Crack				
All	1.1%	1.1%	1.6%	98.4%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	1.4%	1.6%	1.8%	98.2%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.5%	1.5%	1.8%	98.2%
Cocaine				
All	1.0%	1.1%	1.5%	98.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	1.2%	1.4%	1.6%	98.4%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.5%	1.5%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	0.4%	0.6%	2.1%	97.9%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.9%	1.1%	1.8%	98.2%
Grade 9	0.5%	0.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.7%	97.3%
Grade 11	0.0%	0.4%	3.9%	96.1%
Grade 12	1.0%	1.0%	2.6%	97.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	1.1%	1.3%	2.4%	97.6%
Grade 8	0.6%	0.6%	1.6%	98.4%
Grade 9	1.8%	1.8%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.9%	0.9%	0.9%	99.1%
Ecstasy				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.5%	1.8%	98.2%
Grade 10	1.0%	1.8%	4.8%	95.2%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.8%	1.5%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.6%	0.9%	1.5%	98.5%
Grade 8	0.6%	0.9%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	1.2%	1.6%	3.5%	96.5%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	1.5%	2.6%	3.5%	96.5%
Grade 9	1.7%	2.0%	4.5%	95.5%
Grade 10	1.8%	2.2%	5.9%	94.1%
Grade 11	1.3%	1.3%	3.3%	96.7%
Grade 12	0.8%	1.4%	3.4%	96.6%
Methamphetamine				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	1.0%	1.2%	1.9%	98.1%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.8%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	27.0%	32.3%	47.3%	52.7%
Grade 7	5.4%	6.5%	13.6%	86.4%
Grade 8	18.5%	21.4%	34.4%	65.6%
Grade 9	29.0%	35.6%	55.3%	44.7%
Grade 10	35.4%	44.2%	63.3%	36.7%
Grade 11	34.3%	41.3%	62.0%	38.0%
Grade 12	41.9%	47.1%	57.4%	42.6%
Any Alcohol Product				
All	39.3%	45.5%	64.5%	35.5%
Grade 7	12.6%	16.2%	40.5%	59.5%
Grade 8	30.8%	37.7%	55.6%	44.4%
Grade 9	44.4%	52.0%	70.5%	29.5%
Grade 10	49.2%	56.8%	74.3%	25.7%
Grade 11	49.1%	55.6%	75.6%	24.4%
Grade 12	51.5%	56.8%	72.0%	28.0%
Any Illicit Drug				
All	12.8%	18.1%	24.2%	75.8%
Grade 7	3.8%	4.7%	6.6%	93.4%
Grade 8	7.9%	10.4%	13.5%	86.5%
Grade 9	9.3%	15.9%	25.6%	74.4%
Grade 10	13.3%	21.3%	30.0%	70.0%
Grade 11	20.6%	28.4%	35.6%	64.4%
Grade 12	23.9%	30.4%	36.5%	63.5%
Any Prescription Drug				
All	9.7%	15.1%	25.8%	74.2%
Grade 7	8.4%	9.3%	15.2%	84.8%
Grade 8	8.9%	13.7%	22.0%	78.0%
Grade 9	10.9%	17.6%	25.7%	74.3%
Grade 10	8.5%	14.3%	29.9%	70.1%
Grade 11	11.8%	17.4%	35.6%	64.4%
Grade 12	9.5%	18.6%	27.2%	72.8%
Any Inhalant				
All	4.7%	6.9%	15.9%	84.1%
Grade 7	3.3%	4.9%	10.8%	89.2%
Grade 8	7.8%	10.7%	24.2%	75.8%
Grade 9	2.6%	5.4%	15.3%	84.7%
Grade 10	4.7%	8.0%	20.1%	79.9%
Grade 11	6.2%	8.7%	15.3%	84.7%
Grade 12	3.2%	3.2%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.1%	21.4%	35.3%	64.7%
Grade 7	3.1%	4.3%	9.4%	90.6%
Grade 8	11.0%	14.8%	26.7%	73.3%
Grade 9	14.7%	20.1%	39.0%	61.0%
Grade 10	19.4%	30.5%	49.9%	50.1%
Grade 11	16.7%	26.5%	48.2%	51.8%
Grade 12	27.2%	34.0%	39.3%	60.7%
Marijuana				
All	12.4%	15.7%	22.6%	77.4%
Grade 7	2.7%	3.1%	4.5%	95.5%
Grade 8	7.4%	8.7%	11.7%	88.3%
Grade 9	8.4%	12.3%	23.3%	76.7%
Grade 10	13.3%	17.6%	26.7%	73.3%
Grade 11	20.6%	26.5%	35.6%	64.4%
Grade 12	23.9%	28.5%	36.2%	63.8%
Marijuana Only				
All	6.1%	8.7%	14.0%	86.0%
Grade 7	2.1%	2.4%	3.8%	96.2%
Grade 8	3.3%	3.6%	6.2%	93.8%
Grade 9	3.8%	6.9%	14.6%	85.4%
Grade 10	5.0%	8.5%	16.3%	83.7%
Grade 11	9.4%	14.1%	20.5%	79.5%
Grade 12	14.5%	18.5%	24.2%	75.8%
Cocaine or Crack				
All	2.1%	2.4%	3.6%	96.4%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.9%	1.4%	2.1%	97.9%
Grade 9	1.2%	1.2%	2.5%	97.5%
Grade 10	3.4%	4.2%	5.3%	94.7%
Grade 11	2.6%	2.6%	5.6%	94.4%
Grade 12	4.3%	4.6%	5.6%	94.4%
Cocaine				
All	2.1%	2.4%	3.6%	96.4%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.7%	1.2%	1.9%	98.1%
Grade 9	1.2%	1.2%	2.5%	97.5%
Grade 10	3.4%	4.2%	5.3%	94.7%
Grade 11	2.6%	2.6%	5.6%	94.4%
Grade 12	4.3%	4.6%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	0.7%	1.2%	3.9%	96.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.7%	1.4%	3.0%	97.0%
Grade 9	0.5%	1.4%	2.5%	97.5%
Grade 10	0.0%	0.0%	4.1%	95.9%
Grade 11	0.0%	1.2%	6.9%	93.1%
Grade 12	3.2%	3.5%	7.2%	92.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.6%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.6%	2.1%	97.9%
Grade 9	0.8%	1.4%	4.6%	95.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.7%	4.5%	95.5%
Grade 12	0.3%	0.6%	1.0%	99.0%
Ecstasy				
All	1.3%	2.2%	4.0%	96.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.9%	0.9%	2.7%	97.3%
Grade 10	1.9%	2.7%	5.7%	94.3%
Grade 11	2.4%	4.0%	8.4%	91.6%
Grade 12	1.8%	4.9%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.1%	98.9%
Synthetic Marijuana				
All	0.6%	1.0%	4.0%	96.0%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.9%	2.2%	3.8%	96.2%
Grade 9	0.8%	1.1%	4.4%	95.6%
Grade 10	0.9%	0.9%	3.3%	96.7%
Grade 11	0.0%	0.4%	4.8%	95.2%
Grade 12	0.8%	0.8%	7.2%	92.8%
Methamphetamine				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.5%	1.9%	98.1%
Grade 9	0.9%	0.9%	2.3%	97.7%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.7%	0.7%	2.2%	97.8%
Grade 12	0.0%	0.8%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	17.9%	29.5%	70.5%
Grade 7	10.5%	13.7%	23.6%	76.4%
Grade 8	10.4%	12.8%	22.7%	77.3%
Grade 9	20.7%	25.2%	36.3%	63.7%
Grade 10	23.1%	23.1%	31.1%	68.9%
Grade 11	12.6%	14.9%	31.5%	68.5%
Grade 12	18.0%	18.0%	33.7%	66.3%
Any Alcohol Product				
All	32.9%	37.6%	57.3%	42.7%
Grade 7	23.6%	28.4%	46.0%	54.0%
Grade 8	25.4%	28.7%	50.3%	49.7%
Grade 9	35.5%	40.9%	60.2%	39.8%
Grade 10	37.7%	40.6%	60.8%	39.2%
Grade 11	36.2%	45.7%	70.1%	29.9%
Grade 12	43.3%	45.7%	60.2%	39.8%
Any Illicit Drug				
All	15.7%	18.7%	24.2%	75.8%
Grade 7	8.1%	11.7%	15.6%	84.4%
Grade 8	15.7%	17.9%	20.3%	79.7%
Grade 9	19.9%	22.6%	27.1%	72.9%
Grade 10	14.6%	17.5%	27.8%	72.2%
Grade 11	18.1%	20.5%	28.3%	71.7%
Grade 12	19.2%	24.0%	28.8%	71.2%
Any Prescription Drug				
All	10.1%	12.8%	22.9%	77.1%
Grade 7	10.5%	13.8%	24.4%	75.6%
Grade 8	5.9%	6.6%	18.4%	81.6%
Grade 9	10.2%	12.3%	26.3%	73.7%
Grade 10	16.5%	19.3%	26.9%	73.1%
Grade 11	10.2%	12.6%	17.3%	82.7%
Grade 12	7.3%	12.1%	24.1%	75.9%
Any Inhalant				
All	6.1%	7.0%	12.6%	87.4%
Grade 7	14.7%	17.1%	25.5%	74.5%
Grade 8	6.5%	9.1%	15.1%	84.9%
Grade 9	4.6%	4.6%	10.2%	89.8%
Grade 10	5.7%	5.7%	10.8%	89.2%
Grade 11	2.4%	2.4%	7.1%	92.9%
Grade 12	0.0%	0.0%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.4%	12.0%	21.8%	78.2%
Grade 7	3.6%	8.1%	16.9%	83.1%
Grade 8	3.0%	3.9%	13.9%	86.1%
Grade 9	7.9%	12.9%	24.9%	75.1%
Grade 10	23.1%	23.1%	28.3%	71.7%
Grade 11	4.9%	9.7%	23.6%	76.4%
Grade 12	16.0%	16.0%	25.9%	74.1%
Marijuana				
All	14.9%	17.0%	22.6%	77.4%
Grade 7	5.7%	7.0%	10.3%	89.7%
Grade 8	15.8%	18.1%	18.9%	81.1%
Grade 9	19.9%	22.6%	27.1%	72.9%
Grade 10	12.3%	12.3%	25.5%	74.5%
Grade 11	18.1%	20.5%	28.3%	71.7%
Grade 12	19.2%	24.0%	28.8%	71.2%
Marijuana Only				
All	11.9%	14.0%	18.8%	81.2%
Grade 7	4.4%	5.6%	7.6%	92.4%
Grade 8	11.6%	13.8%	14.7%	85.3%
Grade 9	15.5%	18.1%	22.5%	77.5%
Grade 10	9.4%	9.4%	19.8%	80.2%
Grade 11	15.7%	18.1%	26.0%	74.0%
Grade 12	16.8%	21.6%	26.4%	73.6%
Cocaine or Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	1.2%	1.2%	2.4%	97.6%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	1.2%	1.2%	2.4%	97.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.0%	1.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.4%	2.4%	2.4%	97.6%
Grade 11	2.4%	2.4%	2.4%	97.6%
Grade 12	0.0%	0.0%	2.5%	97.5%
Synthetic Cathinones				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.3%	1.3%	2.5%	97.5%
Grade 7	1.2%	1.2%	2.1%	97.9%
Grade 8	2.4%	2.4%	5.2%	94.8%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.3%	96.7%
Grade 12	2.4%	2.4%	2.4%	97.6%
Ecstasy				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.4%	2.4%	2.4%	97.6%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.9%	0.9%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.3%	2.4%	97.6%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	1.8%	2.6%	2.6%	97.4%
Grade 9	2.0%	2.0%	4.0%	96.0%
Grade 10	2.8%	2.8%	5.7%	94.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 59 of 126

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.4%	22.5%	37.5%	62.5%
Grade 7	6.9%	9.1%	17.7%	82.3%
Grade 8	17.6%	20.0%	33.8%	66.2%
Grade 9	13.5%	18.5%	31.5%	68.5%
Grade 10	21.8%	24.4%	45.0%	55.0%
Grade 11	34.2%	39.8%	53.4%	46.6%
Grade 12	28.8%	28.8%	53.7%	46.3%
Any Alcohol Product				
All	33.2%	37.5%	57.6%	42.4%
Grade 7	23.7%	26.6%	45.2%	54.8%
Grade 8	39.5%	43.9%	65.9%	34.1%
Grade 9	23.9%	26.9%	53.7%	46.3%
Grade 10	43.7%	43.7%	61.8%	38.2%
Grade 11	33.0%	47.5%	67.7%	32.3%
Grade 12	40.3%	40.3%	51.9%	48.1%
Any Illicit Drug				
All	15.7%	19.4%	25.5%	74.5%
Grade 7	9.7%	11.6%	14.2%	85.8%
Grade 8	15.6%	17.7%	20.2%	79.8%
Grade 9	14.0%	19.1%	21.2%	78.8%
Grade 10	18.4%	21.1%	26.3%	73.7%
Grade 11	18.7%	26.8%	45.0%	55.0%
Grade 12	21.1%	23.0%	30.7%	69.3%
Any Prescription Drug				
All	10.6%	14.2%	22.3%	77.7%
Grade 7	9.3%	11.8%	17.1%	82.9%
Grade 8	11.0%	16.3%	23.7%	76.3%
Grade 9	8.2%	14.3%	18.2%	81.8%
Grade 10	15.2%	20.7%	33.6%	66.4%
Grade 11	14.3%	15.8%	21.4%	78.6%
Grade 12	3.9%	3.9%	21.1%	78.9%
Any Inhalant				
All	5.4%	6.6%	13.8%	86.2%
Grade 7	10.0%	11.2%	15.9%	84.1%
Grade 8	5.8%	8.8%	21.6%	78.4%
Grade 9	6.8%	6.8%	10.1%	89.9%
Grade 10	5.4%	5.4%	18.6%	81.4%
Grade 11	0.0%	2.6%	9.2%	90.8%
Grade 12	1.9%	1.9%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.8%	15.9%	29.7%	70.3%
Grade 7	4.2%	6.9%	13.3%	86.7%
Grade 8	13.5%	16.0%	28.3%	71.7%
Grade 9	9.6%	11.7%	20.9%	79.1%
Grade 10	4.0%	11.8%	35.3%	64.7%
Grade 11	22.1%	28.9%	44.9%	55.1%
Grade 12	21.1%	24.9%	44.0%	56.0%
Marijuana				
All	15.2%	18.3%	24.3%	75.7%
Grade 7	8.5%	8.5%	10.5%	89.5%
Grade 8	14.3%	14.9%	17.8%	82.2%
Grade 9	14.0%	19.1%	21.2%	78.8%
Grade 10	18.4%	21.1%	26.3%	73.7%
Grade 11	18.7%	26.8%	45.0%	55.0%
Grade 12	21.1%	23.0%	30.7%	69.3%
Marijuana Only				
All	10.5%	12.1%	17.9%	82.1%
Grade 7	4.4%	4.4%	5.7%	94.3%
Grade 8	8.8%	8.8%	11.3%	88.7%
Grade 9	9.6%	11.4%	13.4%	86.6%
Grade 10	16.0%	18.6%	23.8%	76.2%
Grade 11	16.0%	20.0%	38.3%	61.7%
Grade 12	9.6%	11.5%	19.2%	80.8%
Cocaine or Crack				
All	1.5%	1.5%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	2.6%	2.6%	3.0%	97.0%
Grade 9	2.1%	2.1%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	3.8%	3.8%	3.8%	96.2%
Cocaine				
All	1.3%	1.3%	1.6%	98.4%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	1.4%	1.4%	1.8%	98.2%
Grade 9	2.1%	2.1%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	3.8%	3.8%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	2.1%	2.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.6%	2.4%	97.6%
Grade 7	1.8%	2.2%	3.1%	96.9%
Grade 8	0.8%	1.7%	2.1%	97.9%
Grade 9	0.0%	2.2%	4.3%	95.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.5%	2.5%	97.5%
Grade 12	0.0%	0.0%	1.9%	98.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.8%	1.9%	98.1%
Grade 7	2.1%	2.6%	5.2%	94.8%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.2%	0.9%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	1.4%	1.8%	98.2%
Grade 9	0.0%	2.1%	6.2%	93.8%
Grade 10	0.0%	2.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	2.1%	2.1%	2.9%	97.1%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.6%	2.2%	97.8%
Grade 7	0.8%	0.8%	2.7%	97.3%
Grade 8	1.7%	2.2%	2.2%	97.8%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	2.1%	2.1%	2.1%	97.9%
Grade 11	2.7%	2.7%	2.7%	97.3%
Grade 12	0.0%	1.9%	1.9%	98.1%
Methamphetamine				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	2.1%	2.1%	3.7%	96.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 126

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.1%	21.1%	34.2%	65.8%
Grade 7	2.4%	3.0%	8.0%	92.0%
Grade 8	10.1%	12.5%	21.9%	78.1%
Grade 9	20.2%	23.8%	32.1%	67.9%
Grade 10	22.6%	28.8%	46.4%	53.6%
Grade 11	14.4%	17.2%	37.5%	62.5%
Grade 12	32.2%	34.2%	49.5%	50.5%
Any Alcohol Product				
All	31.2%	37.1%	56.9%	43.1%
Grade 7	9.4%	11.8%	34.2%	65.8%
Grade 8	23.6%	30.8%	48.4%	51.6%
Grade 9	27.3%	35.2%	58.3%	41.7%
Grade 10	37.8%	44.6%	63.9%	36.1%
Grade 11	35.1%	41.1%	62.8%	37.2%
Grade 12	46.2%	50.7%	67.2%	32.8%
Any Illicit Drug				
All	8.2%	11.0%	17.1%	82.9%
Grade 7	4.3%	4.5%	5.8%	94.2%
Grade 8	5.8%	7.2%	10.1%	89.9%
Grade 9	6.6%	10.5%	15.2%	84.8%
Grade 10	7.1%	10.5%	20.8%	79.2%
Grade 11	4.8%	10.5%	18.9%	81.1%
Grade 12	18.1%	20.1%	27.2%	72.8%
Any Prescription Drug				
All	7.4%	11.1%	19.2%	80.8%
Grade 7	5.8%	6.5%	11.8%	88.2%
Grade 8	8.2%	11.9%	19.0%	81.0%
Grade 9	7.1%	9.6%	17.6%	82.4%
Grade 10	6.9%	11.5%	19.7%	80.3%
Grade 11	10.6%	13.9%	25.5%	74.5%
Grade 12	6.0%	11.9%	20.5%	79.5%
Any Inhalant				
All	3.1%	4.4%	10.7%	89.3%
Grade 7	5.5%	6.0%	10.7%	89.3%
Grade 8	3.9%	6.5%	16.4%	83.6%
Grade 9	1.8%	2.6%	8.1%	91.9%
Grade 10	2.5%	2.9%	12.5%	87.5%
Grade 11	3.7%	7.9%	12.9%	87.1%
Grade 12	1.8%	1.8%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	15.1%	26.0%	74.0%
Grade 7	1.7%	2.6%	4.9%	95.1%
Grade 8	5.3%	7.0%	14.0%	86.0%
Grade 9	12.7%	15.9%	25.5%	74.5%
Grade 10	14.7%	23.0%	39.3%	60.7%
Grade 11	12.0%	14.8%	30.4%	69.6%
Grade 12	18.3%	22.1%	34.0%	66.0%
Marijuana				
All	7.9%	9.7%	16.1%	83.9%
Grade 7	1.9%	1.9%	3.1%	96.9%
Grade 8	5.6%	6.0%	8.4%	91.6%
Grade 9	6.6%	10.5%	15.2%	84.8%
Grade 10	7.1%	7.9%	19.6%	80.4%
Grade 11	4.8%	9.1%	18.9%	81.1%
Grade 12	18.1%	19.7%	26.8%	73.2%
Marijuana Only				
All	4.9%	6.0%	11.6%	88.4%
Grade 7	1.0%	1.0%	2.2%	97.8%
Grade 8	3.2%	3.4%	5.7%	94.3%
Grade 9	5.7%	7.4%	10.9%	89.1%
Grade 10	3.6%	4.4%	14.5%	85.5%
Grade 11	2.9%	5.2%	13.6%	86.4%
Grade 12	11.3%	13.0%	19.3%	80.7%
Cocaine or Crack				
All	1.0%	1.1%	1.2%	98.8%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.5%	1.0%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	2.5%	2.9%	2.9%	97.1%
Cocaine				
All	0.9%	1.1%	1.2%	98.8%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.5%	1.0%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	2.5%	2.9%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.0%	2.4%	97.6%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	1.4%	4.1%	95.9%
Grade 12	1.8%	3.3%	4.6%	95.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.6%	0.6%	2.2%	97.8%
Grade 8	1.0%	1.2%	2.9%	97.1%
Grade 9	1.3%	1.3%	3.8%	96.2%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.0%	0.4%	0.4%	99.6%
Ecstasy				
All	1.0%	1.7%	3.2%	96.8%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.8%	0.8%	4.0%	96.0%
Grade 10	0.5%	1.0%	4.1%	95.9%
Grade 11	1.4%	3.3%	3.3%	96.7%
Grade 12	1.8%	3.6%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.0%	0.1%	1.3%	98.7%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.4%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.2%	97.8%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.6%	0.6%	1.6%	98.4%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 67 of 126

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	25.1%	30.3%	45.3%	54.7%
Grade 7	7.9%	9.4%	17.5%	82.5%
Grade 8	18.7%	20.7%	34.8%	65.2%
Grade 9	24.4%	33.3%	52.5%	47.5%
Grade 10	36.3%	44.3%	63.8%	36.2%
Grade 11	39.2%	46.4%	63.9%	36.1%
Grade 12	39.2%	45.2%	59.4%	40.6%
Any Alcohol Product				
All	38.2%	43.4%	62.8%	37.2%
Grade 7	20.0%	23.0%	44.1%	55.9%
Grade 8	34.1%	38.0%	59.5%	40.5%
Grade 9	37.1%	42.7%	65.0%	35.0%
Grade 10	53.2%	58.0%	75.5%	24.5%
Grade 11	45.7%	56.7%	75.9%	24.1%
Grade 12	57.0%	59.7%	68.5%	31.5%
Any Illicit Drug				
All	17.2%	23.4%	28.9%	71.1%
Grade 7	7.2%	9.6%	11.6%	88.4%
Grade 8	13.4%	16.4%	19.3%	80.7%
Grade 9	13.9%	20.3%	27.1%	72.9%
Grade 10	21.4%	31.1%	37.0%	63.0%
Grade 11	28.3%	37.0%	48.1%	51.9%
Grade 12	29.7%	41.3%	47.7%	52.3%
Any Prescription Drug				
All	11.3%	15.8%	27.2%	72.8%
Grade 7	10.6%	12.3%	18.7%	81.3%
Grade 8	8.0%	11.4%	20.4%	79.6%
Grade 9	11.2%	16.0%	23.7%	76.3%
Grade 10	16.4%	21.5%	42.5%	57.5%
Grade 11	12.6%	18.5%	31.8%	68.2%
Grade 12	9.2%	18.3%	35.8%	64.2%
Any Inhalant				
All	6.6%	8.7%	17.8%	82.2%
Grade 7	7.4%	9.4%	16.0%	84.0%
Grade 8	8.7%	11.5%	23.7%	76.3%
Grade 9	6.3%	8.7%	15.3%	84.7%
Grade 10	8.1%	11.8%	25.0%	75.0%
Grade 11	3.6%	4.3%	11.9%	88.1%
Grade 12	3.8%	3.8%	13.5%	86.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	20.2%	34.2%	65.8%
Grade 7	4.3%	6.4%	12.8%	87.2%
Grade 8	10.6%	13.3%	27.4%	72.6%
Grade 9	13.8%	19.4%	36.2%	63.8%
Grade 10	18.6%	29.8%	51.6%	48.4%
Grade 11	17.2%	29.6%	48.0%	52.0%
Grade 12	31.5%	37.5%	45.0%	55.0%
Marijuana				
All	16.5%	21.1%	27.3%	72.7%
Grade 7	6.4%	7.3%	8.9%	91.1%
Grade 8	12.8%	15.2%	18.4%	81.6%
Grade 9	12.9%	17.6%	25.7%	74.3%
Grade 10	20.2%	26.5%	32.9%	67.1%
Grade 11	28.3%	35.9%	48.1%	51.9%
Grade 12	29.7%	38.6%	47.7%	52.3%
Marijuana Only				
All	10.2%	13.9%	18.9%	81.1%
Grade 7	4.8%	5.6%	6.9%	93.1%
Grade 8	7.8%	9.3%	11.9%	88.1%
Grade 9	8.5%	12.6%	18.6%	81.4%
Grade 10	12.6%	18.0%	22.9%	77.1%
Grade 11	15.8%	21.5%	32.1%	67.9%
Grade 12	18.5%	26.8%	33.7%	66.3%
Cocaine or Crack				
All	2.0%	2.1%	3.5%	96.5%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	1.9%	2.2%	2.7%	97.3%
Grade 9	0.8%	0.8%	2.4%	97.6%
Grade 10	4.2%	4.2%	5.9%	94.1%
Grade 11	2.4%	2.4%	6.5%	93.5%
Grade 12	4.7%	4.7%	5.8%	94.2%
Cocaine				
All	2.0%	2.0%	3.4%	96.6%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	1.5%	1.8%	2.2%	97.8%
Grade 9	0.8%	0.8%	2.4%	97.6%
Grade 10	4.2%	4.2%	5.9%	94.1%
Grade 11	2.4%	2.4%	6.5%	93.5%
Grade 12	4.7%	4.7%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	1.4%	1.4%	1.4%	98.6%
Hallucinogens				
All	1.0%	1.7%	4.0%	96.0%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	1.2%	2.2%	3.0%	97.0%
Grade 9	0.5%	1.5%	1.8%	98.2%
Grade 10	1.5%	1.7%	6.1%	93.9%
Grade 11	1.0%	2.6%	7.1%	92.9%
Grade 12	2.3%	2.8%	9.3%	90.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.5%	0.8%	2.5%	97.5%
Grade 7	0.7%	0.9%	1.9%	98.1%
Grade 8	1.0%	1.0%	2.5%	97.5%
Grade 9	0.6%	1.3%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.8%	5.3%	94.7%
Grade 12	0.5%	0.5%	1.1%	98.9%
Ecstasy				
All	1.2%	1.7%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.9%	1.4%	2.0%	98.0%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	2.5%	3.0%	4.2%	95.8%
Grade 11	2.7%	3.1%	8.0%	92.0%
Grade 12	1.9%	4.7%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.7%	0.9%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.9%	98.1%
Synthetic Marijuana				
All	1.1%	1.3%	3.9%	96.1%
Grade 7	0.2%	0.3%	1.3%	98.7%
Grade 8	1.9%	2.9%	3.5%	96.5%
Grade 9	0.8%	0.8%	4.0%	96.0%
Grade 10	1.2%	1.2%	3.7%	96.3%
Grade 11	1.3%	1.3%	6.2%	93.8%
Grade 12	1.4%	1.4%	7.4%	92.6%
Methamphetamine				
All	0.6%	0.7%	1.7%	98.3%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	0.1%	0.4%	1.1%	98.9%
Grade 9	1.0%	1.0%	2.4%	97.6%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.8%	0.8%	2.4%	97.6%
Grade 12	0.0%	1.4%	2.5%	97.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.5%	22.9%	36.2%	63.8%
Grade 7	4.4%	5.4%	10.9%	89.1%
Grade 8	13.1%	15.0%	28.7%	71.3%
Grade 9	24.9%	30.8%	43.3%	56.7%
Grade 10	25.9%	30.9%	48.2%	51.8%
Grade 11	25.2%	28.9%	46.6%	53.4%
Grade 12	29.8%	33.2%	49.4%	50.6%
Any Alcohol Product				
All	30.8%	34.5%	54.5%	45.5%
Grade 7	15.4%	18.7%	37.9%	62.1%
Grade 8	25.9%	31.1%	50.3%	49.7%
Grade 9	36.7%	39.7%	63.6%	36.4%
Grade 10	38.2%	40.6%	62.3%	37.7%
Grade 11	36.2%	42.7%	63.7%	36.3%
Grade 12	38.4%	39.9%	55.3%	44.7%
Any Illicit Drug				
All	8.3%	11.7%	17.3%	82.7%
Grade 7	4.6%	6.3%	8.8%	91.2%
Grade 8	8.6%	9.7%	11.4%	88.6%
Grade 9	8.1%	14.0%	17.3%	82.7%
Grade 10	7.8%	13.2%	21.7%	78.3%
Grade 11	6.7%	10.3%	23.9%	76.1%
Grade 12	15.1%	18.2%	25.0%	75.0%
Any Prescription Drug				
All	8.3%	11.9%	20.6%	79.4%
Grade 7	7.7%	8.9%	14.6%	85.4%
Grade 8	7.4%	11.2%	18.5%	81.5%
Grade 9	7.8%	13.2%	21.4%	78.6%
Grade 10	7.8%	11.9%	22.8%	77.2%
Grade 11	11.9%	14.5%	26.1%	73.9%
Grade 12	7.5%	12.8%	22.8%	77.2%
Any Inhalant				
All	4.0%	5.7%	11.9%	88.1%
Grade 7	6.3%	7.8%	12.5%	87.5%
Grade 8	5.6%	9.2%	20.4%	79.6%
Grade 9	3.2%	4.4%	10.7%	89.3%
Grade 10	3.7%	5.4%	14.5%	85.5%
Grade 11	1.8%	3.9%	6.3%	93.7%
Grade 12	2.2%	2.2%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.2%	16.0%	26.7%	73.3%
Grade 7	2.3%	3.8%	8.2%	91.8%
Grade 8	7.7%	10.4%	21.4%	78.6%
Grade 9	13.0%	17.9%	30.7%	69.3%
Grade 10	14.9%	21.1%	34.4%	65.6%
Grade 11	19.2%	23.7%	39.1%	60.9%
Grade 12	20.1%	24.4%	33.8%	66.2%
Marijuana				
All	7.7%	10.0%	15.8%	84.2%
Grade 7	3.1%	3.7%	5.5%	94.5%
Grade 8	8.0%	8.3%	10.0%	90.0%
Grade 9	7.1%	11.6%	14.9%	85.1%
Grade 10	7.8%	11.6%	20.8%	79.2%
Grade 11	6.7%	10.3%	23.9%	76.1%
Grade 12	15.1%	16.9%	25.0%	75.0%
Marijuana Only				
All	4.9%	6.9%	11.8%	88.2%
Grade 7	2.1%	2.6%	4.0%	96.0%
Grade 8	4.4%	4.4%	5.9%	94.1%
Grade 9	5.1%	8.1%	10.5%	89.5%
Grade 10	3.8%	7.6%	15.5%	84.5%
Grade 11	4.8%	8.4%	22.0%	78.0%
Grade 12	10.2%	12.0%	18.1%	81.9%
Cocaine or Crack				
All	1.3%	1.4%	1.7%	98.3%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.7%	2.1%	2.4%	97.6%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	3.1%	3.1%	3.7%	96.3%
Cocaine				
All	1.2%	1.3%	1.6%	98.4%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.0%	0.2%	0.7%	99.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.7%	2.1%	2.4%	97.6%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	3.1%	3.1%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	0.4%	0.9%	2.0%	98.0%
Grade 9	0.0%	1.0%	1.9%	98.1%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.3%	0.3%	2.1%	97.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.5%	98.5%
Grade 7	0.3%	0.3%	2.0%	98.0%
Grade 8	1.2%	1.4%	2.0%	98.0%
Grade 9	0.3%	0.3%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.6%	1.1%	2.0%	98.0%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.9%	2.8%	97.2%
Grade 10	0.6%	2.0%	3.6%	96.4%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	0.8%	1.5%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.6%	0.8%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.1%	0.3%	1.5%	98.5%
Grade 8	0.9%	1.9%	2.2%	97.8%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.8%	1.4%	3.7%	96.3%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.9%	1.9%	98.1%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.8%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 75 of 126

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	27.3%	32.5%	47.7%	52.3%
Grade 7	9.8%	12.7%	25.3%	74.7%
Grade 8	20.7%	24.2%	35.4%	64.6%
Grade 9	24.0%	30.7%	50.4%	49.6%
Grade 10	34.6%	41.5%	57.7%	42.3%
Grade 11	34.0%	41.0%	59.6%	40.4%
Grade 12	44.0%	46.6%	57.9%	42.1%
Any Alcohol Product				
All	43.0%	50.6%	69.0%	31.0%
Grade 7	21.2%	25.1%	50.1%	49.9%
Grade 8	37.3%	43.7%	62.8%	37.2%
Grade 9	41.5%	50.4%	68.0%	32.0%
Grade 10	52.8%	60.3%	75.8%	24.2%
Grade 11	46.8%	58.4%	78.7%	21.3%
Grade 12	62.1%	68.5%	79.9%	20.1%
Any Illicit Drug				
All	20.9%	26.5%	33.3%	66.7%
Grade 7	7.5%	9.7%	12.4%	87.6%
Grade 8	14.7%	18.2%	22.1%	77.9%
Grade 9	19.0%	24.3%	35.0%	65.0%
Grade 10	21.6%	27.8%	37.1%	62.9%
Grade 11	31.4%	40.1%	47.4%	52.6%
Grade 12	33.6%	41.6%	47.3%	52.7%
Any Prescription Drug				
All	12.0%	17.3%	28.6%	71.4%
Grade 7	10.0%	13.1%	21.5%	78.5%
Grade 8	10.7%	14.7%	24.3%	75.7%
Grade 9	13.2%	18.5%	27.5%	72.5%
Grade 10	15.9%	21.6%	36.6%	63.4%
Grade 11	12.3%	17.7%	30.0%	70.0%
Grade 12	7.9%	17.5%	31.5%	68.5%
Any Inhalant				
All	6.2%	7.9%	18.1%	81.9%
Grade 7	8.2%	10.1%	18.8%	81.2%
Grade 8	8.2%	10.1%	22.8%	77.2%
Grade 9	6.0%	7.8%	16.7%	83.3%
Grade 10	6.2%	8.4%	21.7%	78.3%
Grade 11	5.5%	7.3%	16.7%	83.3%
Grade 12	2.2%	2.2%	9.1%	90.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.3%	21.5%	36.8%	63.2%
Grade 7	5.2%	8.5%	17.7%	82.3%
Grade 8	12.3%	15.5%	27.8%	72.2%
Grade 9	13.0%	17.9%	35.3%	64.7%
Grade 10	19.8%	29.9%	50.2%	49.8%
Grade 11	14.8%	24.4%	45.0%	55.0%
Grade 12	30.1%	35.4%	44.6%	55.4%
Marijuana				
All	20.5%	24.2%	31.7%	68.3%
Grade 7	6.7%	7.3%	9.8%	90.2%
Grade 8	14.2%	16.6%	20.0%	80.0%
Grade 9	19.0%	22.2%	34.5%	65.5%
Grade 10	20.7%	22.9%	33.2%	66.8%
Grade 11	31.4%	38.3%	47.4%	52.6%
Grade 12	33.6%	40.7%	46.9%	53.1%
Marijuana Only				
All	12.3%	14.9%	21.0%	79.0%
Grade 7	4.0%	4.6%	6.5%	93.5%
Grade 8	8.3%	10.1%	13.1%	86.9%
Grade 9	12.3%	14.5%	23.7%	76.3%
Grade 10	12.5%	14.1%	23.0%	77.0%
Grade 11	18.1%	22.4%	28.9%	71.1%
Grade 12	20.0%	26.2%	32.3%	67.7%
Cocaine or Crack				
All	2.1%	2.3%	3.8%	96.2%
Grade 7	1.2%	1.2%	1.9%	98.1%
Grade 8	2.5%	2.9%	3.1%	96.9%
Grade 9	1.3%	1.3%	3.0%	97.0%
Grade 10	2.2%	2.6%	3.8%	96.2%
Grade 11	1.7%	1.7%	5.8%	94.2%
Grade 12	4.4%	4.8%	5.3%	94.7%
Cocaine				
All	2.0%	2.2%	3.6%	96.4%
Grade 7	1.2%	1.2%	1.3%	98.7%
Grade 8	2.1%	2.5%	2.7%	97.3%
Grade 9	1.3%	1.3%	3.0%	97.0%
Grade 10	2.2%	2.6%	3.8%	96.2%
Grade 11	1.7%	1.7%	5.8%	94.2%
Grade 12	4.4%	4.8%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.2%	2.3%	5.3%	94.7%
Grade 7	0.5%	0.9%	0.9%	99.1%
Grade 8	1.2%	1.9%	3.2%	96.8%
Grade 9	0.5%	1.6%	3.2%	96.8%
Grade 10	1.2%	1.2%	5.4%	94.6%
Grade 11	0.9%	3.5%	9.9%	90.1%
Grade 12	3.6%	5.3%	10.1%	89.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	1.1%	1.4%	3.1%	96.9%
Grade 7	1.6%	1.9%	1.9%	98.1%
Grade 8	1.1%	1.1%	3.7%	96.3%
Grade 9	2.2%	2.9%	5.2%	94.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.7%	4.8%	95.2%
Grade 12	1.6%	2.0%	2.5%	97.5%
Ecstasy				
All	1.5%	2.3%	4.3%	95.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.0%	1.6%	2.1%	97.9%
Grade 9	1.0%	1.0%	2.8%	97.2%
Grade 10	1.8%	2.2%	4.3%	95.7%
Grade 11	2.4%	4.0%	9.5%	90.5%
Grade 12	2.6%	5.7%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.7%	98.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.3%	1.6%	4.9%	95.1%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	1.7%	2.5%	4.2%	95.8%
Grade 9	1.7%	2.0%	6.0%	94.0%
Grade 10	2.1%	2.5%	5.9%	94.1%
Grade 11	1.2%	1.2%	6.6%	93.4%
Grade 12	0.0%	0.0%	4.9%	95.1%
Methamphetamine				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.1%	0.4%	1.5%	98.5%
Grade 9	0.8%	0.8%	2.3%	97.7%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	1.1%	1.1%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 79 of 126

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.9%	26.5%	40.4%	59.6%
Grade 7	5.4%	7.3%	14.7%	85.3%
Grade 8	15.2%	17.7%	30.3%	69.7%
Grade 9	25.3%	33.4%	46.5%	53.5%
Grade 10	28.4%	35.6%	52.2%	47.8%
Grade 11	27.9%	33.6%	54.1%	45.9%
Grade 12	33.9%	36.6%	50.4%	49.6%
Any Alcohol Product				
All	34.6%	40.4%	60.9%	39.1%
Grade 7	17.4%	21.1%	42.5%	57.5%
Grade 8	29.7%	34.2%	54.8%	45.2%
Grade 9	35.5%	43.0%	67.7%	32.3%
Grade 10	43.2%	49.1%	69.2%	30.8%
Grade 11	41.6%	50.0%	71.3%	28.7%
Grade 12	44.9%	49.3%	63.5%	36.5%
Any Illicit Drug				
All	12.8%	16.6%	22.2%	77.8%
Grade 7	5.2%	6.6%	9.3%	90.7%
Grade 8	9.3%	11.3%	13.8%	86.2%
Grade 9	10.6%	15.5%	22.0%	78.0%
Grade 10	13.7%	19.0%	27.1%	72.9%
Grade 11	19.5%	24.3%	34.2%	65.8%
Grade 12	21.4%	26.4%	30.6%	69.4%
Any Prescription Drug				
All	10.1%	13.8%	23.5%	76.5%
Grade 7	8.8%	10.4%	17.3%	82.7%
Grade 8	8.8%	12.2%	20.9%	79.1%
Grade 9	8.3%	12.1%	21.4%	78.6%
Grade 10	11.4%	15.8%	30.2%	69.8%
Grade 11	13.8%	17.4%	28.1%	71.9%
Grade 12	9.2%	15.2%	23.7%	76.3%
Any Inhalant				
All	4.4%	6.1%	14.0%	86.0%
Grade 7	6.8%	7.7%	13.9%	86.1%
Grade 8	6.0%	9.3%	21.5%	78.5%
Grade 9	3.7%	5.6%	11.0%	89.0%
Grade 10	4.5%	6.0%	16.5%	83.5%
Grade 11	2.4%	4.8%	11.5%	88.5%
Grade 12	2.4%	2.4%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.1%	18.1%	29.9%	70.1%
Grade 7	2.4%	4.3%	9.6%	90.4%
Grade 8	9.1%	11.9%	23.6%	76.4%
Grade 9	12.9%	18.5%	32.0%	68.0%
Grade 10	16.4%	25.4%	42.2%	57.8%
Grade 11	16.8%	23.9%	41.7%	58.3%
Grade 12	24.3%	28.2%	33.6%	66.4%
Marijuana				
All	12.4%	15.1%	21.1%	78.9%
Grade 7	3.8%	4.3%	6.5%	93.5%
Grade 8	8.9%	10.1%	12.5%	87.5%
Grade 9	9.9%	14.1%	21.3%	78.7%
Grade 10	13.7%	16.6%	25.5%	74.5%
Grade 11	19.5%	23.6%	34.2%	65.8%
Grade 12	21.4%	24.9%	30.4%	69.6%
Marijuana Only				
All	7.7%	9.9%	15.1%	84.9%
Grade 7	3.1%	3.6%	5.4%	94.6%
Grade 8	5.5%	6.3%	8.6%	91.4%
Grade 9	7.4%	11.4%	16.1%	83.9%
Grade 10	6.5%	9.1%	17.2%	82.8%
Grade 11	12.4%	14.7%	25.1%	74.9%
Grade 12	13.3%	16.6%	21.1%	78.9%
Cocaine or Crack				
All	1.4%	1.5%	2.3%	97.7%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	1.2%	1.3%	1.8%	98.2%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	2.1%	2.6%	3.0%	97.0%
Grade 11	1.3%	1.3%	3.6%	96.4%
Grade 12	3.0%	3.2%	3.7%	96.3%
Cocaine				
All	1.3%	1.5%	2.2%	97.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	2.1%	2.6%	3.0%	97.0%
Grade 11	1.3%	1.3%	3.6%	96.4%
Grade 12	3.0%	3.2%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.6%	99.4%
Hallucinogens				
All	0.4%	1.0%	2.8%	97.2%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.6%	1.1%	1.9%	98.1%
Grade 9	0.0%	0.7%	1.6%	98.4%
Grade 10	0.0%	0.1%	3.2%	96.8%
Grade 11	0.3%	2.1%	4.8%	95.2%
Grade 12	1.2%	1.4%	5.0%	95.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.8%	0.9%	1.5%	98.5%
Grade 8	0.3%	0.3%	1.6%	98.4%
Grade 9	0.2%	0.7%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.5%	2.1%	97.9%
Grade 12	0.9%	1.1%	1.3%	98.7%
Ecstasy				
All	1.0%	1.5%	2.8%	97.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	1.4%	2.5%	4.8%	95.2%
Grade 11	1.6%	2.7%	5.4%	94.6%
Grade 12	1.3%	2.5%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	0.7%	1.1%	2.7%	97.3%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.6%	1.6%	2.3%	97.7%
Grade 9	0.3%	0.5%	2.7%	97.3%
Grade 10	1.9%	2.2%	3.8%	96.2%
Grade 11	0.8%	0.8%	2.8%	97.2%
Grade 12	0.6%	1.1%	4.2%	95.8%
Methamphetamine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	0.0%	0.6%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	31.8%	34.4%	49.4%	50.6%
Grade 7	16.6%	18.3%	33.7%	66.3%
Grade 8	22.0%	25.6%	38.1%	61.9%
Grade 9	29.3%	30.3%	56.2%	43.8%
Grade 10	36.3%	38.5%	48.9%	51.1%
Grade 11	40.4%	42.9%	52.5%	47.5%
Grade 12	43.6%	47.9%	62.3%	37.7%
Any Alcohol Product				
All	50.0%	54.6%	71.3%	28.7%
Grade 7	30.2%	33.4%	57.8%	42.2%
Grade 8	39.9%	49.6%	67.0%	33.0%
Grade 9	58.6%	63.6%	78.8%	21.2%
Grade 10	60.6%	60.6%	75.1%	24.9%
Grade 11	46.2%	54.2%	73.8%	26.2%
Grade 12	58.2%	59.1%	71.0%	29.0%
Any Illicit Drug				
All	19.5%	28.0%	37.4%	62.6%
Grade 7	15.2%	22.3%	23.9%	76.1%
Grade 8	18.7%	23.3%	28.2%	71.8%
Grade 9	17.1%	27.1%	36.9%	63.1%
Grade 10	12.6%	23.0%	36.8%	63.2%
Grade 11	20.2%	36.3%	46.5%	53.5%
Grade 12	31.9%	35.3%	49.3%	50.7%
Any Prescription Drug				
All	9.6%	16.1%	28.7%	71.3%
Grade 7	12.5%	18.5%	25.3%	74.7%
Grade 8	9.2%	15.1%	27.5%	72.5%
Grade 9	14.4%	23.9%	30.7%	69.3%
Grade 10	14.5%	18.0%	25.8%	74.2%
Grade 11	6.6%	10.5%	26.7%	73.3%
Grade 12	0.9%	9.6%	34.3%	65.7%
Any Inhalant				
All	9.6%	11.7%	20.8%	79.2%
Grade 7	14.7%	22.4%	25.9%	74.1%
Grade 8	11.1%	14.3%	23.7%	76.3%
Grade 9	11.8%	12.7%	33.1%	66.9%
Grade 10	10.0%	12.1%	25.8%	74.2%
Grade 11	9.9%	9.9%	12.9%	87.1%
Grade 12	1.7%	1.7%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.0%	22.0%	39.0%	61.0%
Grade 7	12.3%	15.9%	25.8%	74.2%
Grade 8	12.8%	15.1%	26.3%	73.7%
Grade 9	18.4%	20.7%	42.3%	57.7%
Grade 10	19.0%	26.8%	36.2%	63.8%
Grade 11	12.4%	19.0%	45.1%	54.9%
Grade 12	25.0%	32.8%	55.1%	44.9%
Marijuana				
All	19.0%	23.5%	33.6%	66.4%
Grade 7	12.8%	14.6%	16.8%	83.2%
Grade 8	17.2%	19.2%	22.5%	77.5%
Grade 9	17.1%	20.0%	31.6%	68.4%
Grade 10	12.6%	17.0%	32.0%	68.0%
Grade 11	20.2%	33.4%	46.5%	53.5%
Grade 12	31.9%	35.3%	49.3%	50.7%
Marijuana Only				
All	11.1%	14.7%	22.6%	77.4%
Grade 7	7.4%	9.2%	9.6%	90.4%
Grade 8	10.7%	11.7%	14.5%	85.5%
Grade 9	9.6%	9.6%	20.4%	79.6%
Grade 10	10.1%	14.4%	25.6%	74.4%
Grade 11	7.7%	20.9%	28.9%	71.1%
Grade 12	19.4%	21.9%	34.0%	66.0%
Cocaine or Crack				
All	3.0%	3.0%	4.3%	95.7%
Grade 7	2.3%	2.3%	2.6%	97.4%
Grade 8	1.2%	1.2%	1.7%	98.3%
Grade 9	1.3%	1.3%	2.2%	97.8%
Grade 10	1.9%	1.9%	4.6%	95.4%
Grade 11	3.7%	3.7%	6.3%	93.7%
Grade 12	7.8%	7.8%	8.7%	91.3%
Cocaine				
All	2.9%	2.9%	4.2%	95.8%
Grade 7	2.3%	2.3%	2.6%	97.4%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	1.3%	1.3%	2.2%	97.8%
Grade 10	1.9%	1.9%	4.6%	95.4%
Grade 11	3.7%	3.7%	6.3%	93.7%
Grade 12	7.8%	7.8%	8.7%	91.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	1.7%	1.7%	1.9%	98.1%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.7%	2.6%	4.7%	95.3%
Grade 7	2.9%	3.1%	3.1%	96.9%
Grade 8	0.6%	1.8%	3.7%	96.3%
Grade 9	1.5%	1.5%	5.3%	94.7%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	5.4%	94.6%
Grade 12	4.5%	8.1%	9.0%	91.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.9%	0.9%	4.5%	95.5%
Grade 7	1.8%	1.8%	6.3%	93.7%
Grade 8	0.5%	0.5%	3.4%	96.6%
Grade 9	3.0%	3.0%	8.9%	91.1%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	8.3%	91.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	1.2%	2.0%	3.3%	96.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	1.3%	1.3%	3.9%	96.1%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	1.4%	1.4%	3.7%	96.3%
Grade 12	3.5%	7.9%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	1.8%	1.8%	4.9%	95.1%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.4%	5.9%	94.1%
Grade 7	1.0%	1.0%	3.4%	96.6%
Grade 8	3.3%	4.1%	5.5%	94.5%
Grade 9	1.4%	1.4%	7.6%	92.4%
Grade 10	0.0%	0.0%	4.6%	95.4%
Grade 11	0.0%	1.4%	7.0%	93.0%
Grade 12	0.0%	0.0%	6.2%	93.8%
Methamphetamine				
All	0.1%	0.1%	1.6%	98.4%
Grade 7	0.7%	0.7%	5.8%	94.2%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	26,202	49.5%
Female	26,750	50.5%
Frequency Missing	357	

Hispanic or Latino

Q5a	Frequency	Percent
No	39,283	77.0%
Yes	11,729	23.0%
Frequency Missing	2,298	

Grade

Q2	Frequency	Percent
Grade 7	9,466	17.9%
Grade 8	9,479	17.9%
Grade 9	9,438	17.9%
Grade 10	8,850	16.8%
Grade 11	8,385	15.9%
Grade 12	7,210	13.6%
Frequency Missing	480	

Ethnicity

Q5b	Frequency	Percent
American Indian	730	1.5%
Asian American	100	0.2%
African American	11,269	22.6%
Pacific Islander	114	0.2%
White	29,576	59.3%
Other	3,874	7.8%
More Than One Race	4,247	8.5%
Frequency Missing	3,399	

Live with Both Parents

Q3	Frequency	Percent
No	25,418	48.5%
Yes	26,976	51.5%
Frequency Missing	916	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	144	0.3%
Mostly D's	363	0.8%
Mostly C's	4,978	11.2%
Mostly B's	20,312	45.8%
Mostly A's	18,564	41.8%
Frequency Missing	8,949	

Age

Q4	Frequency	Percent
11 or younger	155	0.3%
12	4,126	7.8%
13	8,758	16.5%
14	8,752	16.5%
15	8,578	16.2%
16	8,985	16.9%
17	8,636	16.3%
18	4,426	8.3%
19 or older	694	1.3%
Frequency Missing	200	

Do You Have a Job

Q7	Frequency	Percent
No	36,807	82.2%
Yes	7,975	17.8%
Frequency Missing	8,527	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	14,476	32.5%
Yes	20,428	45.8%
Don't Know	9,671	21.7%
Frequency Missing	8,734	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	33,460	88.1%
Yes	4,540	11.9%
Frequency Missing	15,309	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	17,285	40.9%
Yes	25,016	59.1%
Frequency Missing	11,008	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	27,805	70.9%
Yes	11,428	29.1%
Frequency Missing	14,077	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	31,439	80.4%
Yes	7,661	19.6%
Frequency Missing	14,210	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	27,727	71.9%
Yes	10,845	28.1%
Frequency Missing	14,738	

Participate in School Choir

Q9c	Frequency	Percent
No	35,288	92.8%
Yes	2,729	7.2%
Frequency Missing	15,293	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	26,915	69.5%
Yes	11,807	30.5%
Frequency Missing	14,587	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	33,894	88.7%
Yes	4,326	11.3%
Frequency Missing	15,090	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	31,761	82.9%
Yes	6,574	17.1%
Frequency Missing	14,975	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	45,855	86.5%
Somewhat Safe	6,441	12.1%
Not Very Safe	334	0.6%
Not Safe At All	18	0.0%
Don't Know	391	0.7%
Frequency Missing	272	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	3,162	6.5%
Some High School	5,472	11.2%
Finished High School	13,111	26.9%
Some College	7,432	15.2%
Finished College	9,360	19.2%
Post-Secondary	3,895	8.0%
Don't Know or N/A	6,377	13.1%
Frequency Missing	4,499	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	25,684	48.9%
Somewhat Safe	20,377	38.8%
Not Very Safe	3,833	7.3%
Not Safe At All	672	1.3%
Don't Know	1,904	3.6%
Frequency Missing	839	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	30,150	68.9%
Yes	13,608	31.1%
Frequency Missing	9,551	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	20,289	38.6%
Somewhat Safe	23,492	44.7%
Not Very Safe	4,075	7.8%
Not Safe At All	2,617	5.0%
Don't Know	2,095	4.0%
Frequency Missing	741	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	2,409	4.6%
A Few	11,347	21.8%
Some	10,634	20.5%
Most	20,141	38.7%
All	7,462	14.4%
Frequency Missing	1,317	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	3,430	7.1%
Some High School	6,544	13.5%
Finished High School	15,963	33.0%
Some College	4,908	10.1%
Finished College	6,049	12.5%
Post-Secondary	2,509	5.2%
Don't Know or N/A	8,974	18.5%
Frequency Missing	4,932	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,384	2.7%
A Few	5,901	11.3%
Some	13,147	25.2%
Most	20,844	40.0%
All	10,849	20.8%
Frequency Missing	1,184	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	24,524	47.7%
A Few	15,666	30.5%
Some	6,790	13.2%
Most	2,519	4.9%
All	1,944	3.8%
Frequency Missing	1,866	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	48,683	93.6%
In Your Lifetime	2,394	4.6%
Since School Began	325	0.6%
In the Past Month	602	1.2%
Frequency Missing	1,306	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	32,990	63.9%
A Few	9,484	18.4%
Some	4,362	8.5%
Most	3,363	6.5%
All	1,400	2.7%
Frequency Missing	1,711	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	51,021	99.0%
In Your Lifetime	296	0.6%
Since School Began	128	0.2%
In the Past Month	111	0.2%
Frequency Missing	1,753	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	44,684	85.8%
A Few	4,402	8.5%
Some	1,531	2.9%
Most	726	1.4%
All	723	1.4%
Frequency Missing	1,242	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	48,254	92.7%
In Your Lifetime	2,295	4.4%
Since School Began	596	1.1%
In the Past Month	914	1.8%
Frequency Missing	1,250	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	51,245	97.9%
In Your Lifetime	908	1.7%
Since School Began	57	0.1%
In the Past Month	153	0.3%
Frequency Missing	946	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	51,452	98.9%
In Your Lifetime	413	0.8%
Since School Began	28	0.1%
In the Past Month	156	0.3%
Frequency Missing	1,261	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	51,267	98.9%
In Your Lifetime	433	0.8%
Since School Began	28	0.1%
In the Past Month	109	0.2%
Frequency Missing	1,473	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	43,452	83.9%
In Your Lifetime	4,241	8.2%
Since School Began	1,028	2.0%
In the Past Month	3,051	5.9%
Frequency Missing	1,538	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	50,365	96.9%
In Your Lifetime	978	1.9%
Since School Began	193	0.4%
In the Past Month	424	0.8%
Frequency Missing	1,349	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	28,440	56.2%
In Your Lifetime	10,715	21.2%
Since School Began	3,313	6.5%
In the Past Month	8,163	16.1%
Frequency Missing	2,678	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	30,882	59.7%
In Your Lifetime	9,683	18.7%
Since School Began	3,799	7.3%
In the Past Month	7,334	14.2%
Frequency Missing	1,612	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	51,137	98.3%
In Your Lifetime	576	1.1%
Since School Began	78	0.1%
In the Past Month	254	0.5%
Frequency Missing	1,264	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	32,922	65.6%
In Your Lifetime	10,050	20.0%
Since School Began	2,935	5.8%
In the Past Month	4,286	8.5%
Frequency Missing	3,116	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	39,767	76.4%
In Your Lifetime	7,032	13.5%
Since School Began	1,523	2.9%
In the Past Month	3,756	7.2%
Frequency Missing	1,232	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	29,901	58.0%
In Your Lifetime	9,450	18.3%
Since School Began	4,179	8.1%
In the Past Month	8,027	15.6%
Frequency Missing	1,752	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	50,564	97.6%
In Your Lifetime	685	1.3%
Since School Began	206	0.4%
In the Past Month	375	0.7%
Frequency Missing	1,481	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	49,266	94.8%
In Your Lifetime	1,897	3.7%
Since School Began	254	0.5%
In the Past Month	530	1.0%
Frequency Missing	1,363	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	51,180	99.6%
In Your Lifetime	147	0.3%
Since School Began	2	0.0%
In the Past Month	39	0.1%
Frequency Missing	1,942	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	35,681	68.4%
In Your Lifetime	6,782	13.0%
Since School Began	2,619	5.0%
In the Past Month	7,069	13.6%
Frequency Missing	1,159	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	50,036	96.7%
In Your Lifetime	974	1.9%
Since School Began	352	0.7%
In the Past Month	376	0.7%
Frequency Missing	1,571	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	40,647	78.1%
In Your Lifetime	5,516	10.6%
Since School Began	2,322	4.5%
In the Past Month	3,551	6.8%
Frequency Missing	1,274	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	51,490	99.7%
In Your Lifetime	108	0.2%
Since School Began	0	0.0%
In the Past Month	44	0.1%
Frequency Missing	1,668	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	50,660	98.1%
In Your Lifetime	552	1.1%
Since School Began	105	0.2%
In the Past Month	333	0.6%
Frequency Missing	1,660	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	49,929	97.1%
In Your Lifetime	1,035	2.0%
Since School Began	79	0.2%
In the Past Month	401	0.8%
Frequency Missing	1,865	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	50,056	97.1%
In Your Lifetime	667	1.3%
Since School Began	413	0.8%
In the Past Month	397	0.8%
Frequency Missing	1,777	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	41,366	80.8%
In Your Lifetime	4,811	9.4%
Since School Began	2,026	4.0%
In the Past Month	2,975	5.8%
Frequency Missing	2,131	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	51,337	99.5%
In Your Lifetime	123	0.2%
Since School Began	0	0.0%
In the Past Month	112	0.2%
Frequency Missing	1,737	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	48,390	94.9%
In Your Lifetime	1,443	2.8%
Since School Began	409	0.8%
In the Past Month	727	1.4%
Frequency Missing	2,341	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	51,211	99.0%
In Your Lifetime	257	0.5%
Since School Began	28	0.1%
In the Past Month	223	0.4%
Frequency Missing	1,590	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	47,649	93.7%
In Your Lifetime	1,572	3.1%
Since School Began	773	1.5%
In the Past Month	854	1.7%
Frequency Missing	2,461	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	47,981	94.4%
In Your Lifetime	1,307	2.6%
Since School Began	646	1.3%
In the Past Month	879	1.7%
Frequency Missing	2,497	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	34,137	67.1%
1-2 times	8,826	17.3%
3-10 times	5,207	10.2%
11+ times	2,724	5.4%
Frequency Missing	2,415	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	45,362	89.6%
In Your Lifetime	2,453	4.8%
Since School Began	488	1.0%
In the Past Month	2,349	4.6%
Frequency Missing	2,658	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	49,936	98.0%
1-2 times	685	1.3%
3-10 times	134	0.3%
11+ times	194	0.4%
Frequency Missing	2,360	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	49,455	96.7%
In Your Lifetime	890	1.7%
Since School Began	301	0.6%
In the Past Month	518	1.0%
Frequency Missing	2,145	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	44,436	86.7%
1-2 times	3,535	6.9%
3-10 times	1,481	2.9%
11+ times	1,811	3.5%
Frequency Missing	2,046	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	43,252	84.5%
1-2 times	3,580	7.0%
3-10 times	1,590	3.1%
11+ times	2,776	5.4%
Frequency Missing	2,112	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	50,375	98.6%
1-2 times	423	0.8%
3-10 times	239	0.5%
11+ times	62	0.1%
Frequency Missing	2,210	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	50,948	99.8%
1-2 times	75	0.1%
3-10 times	8	0.0%
11+ times	37	0.1%
Frequency Missing	2,241	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	28,874	57.0%
A few	10,321	20.4%
Some	5,155	10.2%
Most	5,016	9.9%
All	1,291	2.5%
Frequency Missing	2,653	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	28,041	54.9%
A few	11,277	22.1%
Some	6,293	12.3%
Most	4,623	9.1%
All	823	1.6%
Frequency Missing	2,253	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	36,545	73.6%
8 or younger	1,338	2.7%
9 years old	529	1.1%
10 years old	968	1.9%
11 years old	879	1.8%
12 years old	2,110	4.2%
13 years old	1,629	3.3%
14 years old	1,894	3.8%
15 years old	1,435	2.9%
16 years old	1,206	2.4%
17 years old	730	1.5%
18 or older	387	0.8%
Frequency Missing	3,660	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	20,093	39.6%
A few	12,204	24.0%
Some	7,886	15.5%
Most	7,923	15.6%
All	2,650	5.2%
Frequency Missing	2,552	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	24,360	49.1%
8 or younger	3,338	6.7%
9 years old	1,030	2.1%
10 years old	1,509	3.0%
11 years old	1,583	3.2%
12 years old	3,277	6.6%
13 years old	3,734	7.5%
14 years old	4,046	8.2%
15 years old	3,108	6.3%
16 years old	2,540	5.1%
17 years old	927	1.9%
18 or older	180	0.4%
Frequency Missing	3,676	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	47,421	93.2%
A few	2,371	4.7%
Some	735	1.4%
Most	255	0.5%
All	85	0.2%
Frequency Missing	2,442	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	47,455	95.8%
8 or younger	476	1.0%
9 years old	98	0.2%
10 years old	114	0.2%
11 years old	189	0.4%
12 years old	349	0.7%
13 years old	369	0.7%
14 years old	131	0.3%
15 years old	211	0.4%
16 years old	107	0.2%
17 years old	0	0.0%
18 or older	13	0.0%
Frequency Missing	3,796	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	48,779	97.7%
8 or younger	18	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	17	0.0%
12 years old	46	0.1%
13 years old	102	0.2%
14 years old	218	0.4%
15 years old	267	0.5%
16 years old	148	0.3%
17 years old	222	0.4%
18 or older	86	0.2%
Frequency Missing	3,406	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	38,979	78.1%
8 or younger	231	0.5%
9 years old	347	0.7%
10 years old	376	0.8%
11 years old	544	1.1%
12 years old	1,022	2.0%
13 years old	2,009	4.0%
14 years old	2,059	4.1%
15 years old	2,073	4.2%
16 years old	1,736	3.5%
17 years old	491	1.0%
18 or older	48	0.1%
Frequency Missing	3,394	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	49,833	99.7%
8 or younger	3	0.0%
9 years old	0	0.0%
10 years old	8	0.0%
11 years old	25	0.0%
12 years old	19	0.0%
13 years old	27	0.1%
14 years old	0	0.0%
15 years old	31	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	33	0.1%
Frequency Missing	3,330	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	49,036	98.7%
8 or younger	108	0.2%
9 years old	53	0.1%
10 years old	20	0.0%
11 years old	18	0.0%
12 years old	116	0.2%
13 years old	94	0.2%
14 years old	44	0.1%
15 years old	50	0.1%
16 years old	89	0.2%
17 years old	35	0.1%
18 or older	0	0.0%
Frequency Missing	3,646	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	49,667	99.6%
8 or younger	83	0.2%
9 years old	0	0.0%
10 years old	8	0.0%
11 years old	18	0.0%
12 years old	29	0.1%
13 years old	21	0.0%
14 years old	9	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	17	0.0%
18 or older	0	0.0%
Frequency Missing	3,458	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	48,292	97.2%
8 or younger	0	0.0%
9 years old	9	0.0%
10 years old	0	0.0%
11 years old	2	0.0%
12 years old	74	0.1%
13 years old	76	0.2%
14 years old	255	0.5%
15 years old	193	0.4%
16 years old	511	1.0%
17 years old	225	0.5%
18 or older	30	0.1%
Frequency Missing	3,643	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	49,563	99.3%
8 or younger	39	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	51	0.1%
12 years old	31	0.1%
13 years old	62	0.1%
14 years old	74	0.1%
15 years old	10	0.0%
16 years old	62	0.1%
17 years old	37	0.1%
18 or older	0	0.0%
Frequency Missing	3,380	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	48,476	97.2%
8 or younger	0	0.0%
9 years old	8	0.0%
10 years old	23	0.0%
11 years old	142	0.3%
12 years old	119	0.2%
13 years old	509	1.0%
14 years old	129	0.3%
15 years old	112	0.2%
16 years old	205	0.4%
17 years old	134	0.3%
18 or older	0	0.0%
Frequency Missing	3,451	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	14,272	28.2%
Impossible	8,348	16.5%
Very Difficult	3,086	6.1%
Somewhat diff	3,906	7.7%
Somewhat easy	7,722	15.2%
Very easy	13,316	26.3%
Frequency Missing	2,659	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	10,914	21.6%
Impossible	6,568	13.0%
Very Difficult	2,982	5.9%
Somewhat diff	5,204	10.3%
Somewhat easy	10,663	21.1%
Very easy	14,189	28.1%
Frequency Missing	2,789	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	24,112	48.0%
Impossible	8,107	16.1%
Very Difficult	1,778	3.5%
Somewhat diff	2,577	5.1%
Somewhat easy	4,248	8.5%
Very easy	9,381	18.7%
Frequency Missing	3,107	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	16,165	32.0%
Impossible	11,019	21.8%
Very Difficult	3,530	7.0%
Somewhat diff	5,047	10.0%
Somewhat easy	6,566	13.0%
Very easy	8,172	16.2%
Frequency Missing	2,811	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	22,510	44.8%
Impossible	15,254	30.4%
Very Difficult	5,403	10.8%
Somewhat diff	3,266	6.5%
Somewhat easy	2,030	4.0%
Very easy	1,782	3.5%
Frequency Missing	3,065	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	23,589	47.1%
Impossible	15,715	31.4%
Very Difficult	5,389	10.8%
Somewhat diff	2,389	4.8%
Somewhat easy	1,369	2.7%
Very easy	1,608	3.2%
Frequency Missing	3,249	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	24,570	48.9%
Impossible	14,541	28.9%
Very Difficult	4,825	9.6%
Somewhat diff	2,987	5.9%
Somewhat easy	1,638	3.3%
Very easy	1,732	3.4%
Frequency Missing	3,016	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	26,531	52.7%
Impossible	13,068	25.9%
Very Difficult	3,855	7.7%
Somewhat diff	2,588	5.1%
Somewhat easy	1,988	3.9%
Very easy	2,328	4.6%
Frequency Missing	2,951	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	27,527	55.0%
Impossible	12,911	25.8%
Very Difficult	4,059	8.1%
Somewhat diff	2,366	4.7%
Somewhat easy	1,594	3.2%
Very easy	1,626	3.2%
Frequency Missing	3,226	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	2,010	4.0%
Several times/wk	903	1.8%
Several times/mo	1,374	2.8%
About once/month	2,421	4.9%
About once/year	1,693	3.4%
Less than once/year	3,200	6.4%
Never used	38,281	76.7%
Frequency Missing	3,427	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	26,319	52.2%
Impossible	15,446	30.7%
Very Difficult	4,630	9.2%
Somewhat diff	1,767	3.5%
Somewhat easy	934	1.9%
Very easy	1,292	2.6%
Frequency Missing	2,921	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	239	0.5%
Several times/wk	1,337	2.7%
Several times/mo	5,033	10.1%
About once/month	7,220	14.5%
About once/year	5,627	11.3%
Less than once/year	4,349	8.7%
Never used	25,938	52.1%
Frequency Missing	3,566	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	26,869	53.4%
Impossible	14,184	28.2%
Very Difficult	4,698	9.3%
Somewhat diff	1,786	3.6%
Somewhat easy	1,229	2.4%
Very easy	1,528	3.0%
Frequency Missing	3,014	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	36	0.1%
Several times/wk	66	0.1%
Several times/mo	139	0.3%
About once/month	461	0.9%
About once/year	425	0.8%
Less than once/year	649	1.3%
Never used	48,308	96.5%
Frequency Missing	3,226	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	61	0.1%
Less than once/year	0	0.0%
Never used	49,909	99.9%
Frequency Missing	3,340	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	886	1.8%
Several times/wk	929	1.9%
Several times/mo	1,585	3.2%
About once/month	2,016	4.0%
About once/year	2,083	4.2%
Less than once/year	2,184	4.4%
Never used	40,283	80.6%
Frequency Missing	3,344	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	38	0.1%
About once/month	31	0.1%
About once/year	162	0.3%
Less than once/year	206	0.4%
Never used	49,508	99.1%
Frequency Missing	3,364	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	114	0.2%
Several times/mo	94	0.2%
About once/month	218	0.4%
About once/year	310	0.6%
Less than once/year	290	0.6%
Never used	48,973	97.9%
Frequency Missing	3,311	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	70	0.1%
Several times/mo	216	0.4%
About once/month	81	0.2%
About once/year	647	1.3%
Less than once/year	276	0.6%
Never used	48,437	97.4%
Frequency Missing	3,583	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	18	0.0%
Several times/mo	33	0.1%
About once/month	32	0.1%
About once/year	49	0.1%
Less than once/year	58	0.1%
Never used	49,810	99.6%
Frequency Missing	3,309	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	28,820	57.4%
12+ drinks	2,810	5.6%
9-11 drinks	1,432	2.9%
5-8 drinks	2,536	5.0%
3-4 drinks	3,151	6.3%
2 drinks	2,766	5.5%
1 drink	3,235	6.4%
Less than 1 drink	5,462	10.9%
Frequency Missing	3,097	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	5	0.0%
Several times/wk	18	0.0%
Several times/mo	18	0.0%
About once/month	33	0.1%
About once/year	52	0.1%
Less than once/year	181	0.4%
Never used	49,501	99.4%
Frequency Missing	3,501	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	29,464	58.7%
12+ drinks	1,599	3.2%
9-11 drinks	1,166	2.3%
5-8 drinks	2,474	4.9%
3-4 drinks	4,190	8.4%
2 drinks	3,721	7.4%
1 drink	3,836	7.6%
Less than 1 drink	3,717	7.4%
Frequency Missing	3,144	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	88	0.2%
Several times/wk	44	0.1%
Several times/mo	40	0.1%
About once/month	170	0.3%
About once/year	225	0.5%
Less than once/year	517	1.0%
Never used	48,372	97.8%
Frequency Missing	3,855	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	32,699	65.7%
12+ drinks	634	1.3%
9-11 drinks	347	0.7%
5-8 drinks	785	1.6%
3-4 drinks	1,575	3.2%
2 drinks	2,992	6.0%
1 drink	4,318	8.7%
Less than 1 drink	6,393	12.9%
Frequency Missing	3,566	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	28,967	57.7%
12+ drinks	2,415	4.8%
9-11 drinks	1,388	2.8%
5-8 drinks	2,656	5.3%
3-4 drinks	3,675	7.3%
2 drinks	3,285	6.5%
1 drink	3,376	6.7%
Less than 1 drink	4,462	8.9%
Frequency Missing	3,085	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	25,024	50.3%
Never	8,638	17.3%
Seldom	7,097	14.3%
Most of the Time	6,709	13.5%
Always	2,324	4.7%
Frequency Missing	3,517	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	26,048	52.4%
0 days	14,681	29.5%
1 day	3,040	6.1%
2 days	1,722	3.5%
3 to 5 days	1,660	3.3%
6 to 9 days	1,030	2.1%
10 or more days	1,532	3.1%
Frequency Missing	3,596	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	26,423	53.1%
Never	17,565	35.3%
Seldom	2,718	5.5%
Most of the Time	1,791	3.6%
Always	1,242	2.5%
Frequency Missing	3,571	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	25,509	51.1%
Never	9,224	18.5%
Seldom	9,908	19.9%
Most of the Time	3,589	7.2%
Always	1,684	3.4%
Frequency Missing	3,395	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	24,509	49.1%
Never	8,187	16.4%
Seldom	5,671	11.4%
Most of the Time	6,163	12.4%
Always	5,346	10.7%
Frequency Missing	3,433	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	27,268	55.0%
Never	11,429	23.0%
Seldom	4,994	10.1%
Most of the Time	3,138	6.3%
Always	2,764	5.6%
Frequency Missing	3,718	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	25,834	51.8%
Somewhat	12,978	26.0%
Not very	6,654	13.3%
Not at all	1,690	3.4%
Don't know	2,717	5.4%
Frequency Missing	3,435	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	43,414	87.4%
Somewhat	2,830	5.7%
Not very	348	0.7%
Not at all	186	0.4%
Don't know	2,917	5.9%
Frequency Missing	3,614	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	22,765	45.9%
Somewhat	14,704	29.6%
Not very	8,079	16.3%
Not at all	1,873	3.8%
Don't know	2,201	4.4%
Frequency Missing	3,688	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	43,855	88.2%
Somewhat	2,096	4.2%
Not very	388	0.8%
Not at all	169	0.3%
Don't know	3,204	6.4%
Frequency Missing	3,597	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	37,290	75.4%
Somewhat	6,335	12.8%
Not very	1,478	3.0%
Not at all	743	1.5%
Don't know	3,625	7.3%
Frequency Missing	3,839	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	41,109	82.8%
Somewhat	2,990	6.0%
Not very	694	1.4%
Not at all	291	0.6%
Don't know	4,557	9.2%
Frequency Missing	3,670	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	30,046	60.4%
Somewhat	5,729	11.5%
Not very	5,713	11.5%
Not at all	5,820	11.7%
Don't know	2,432	4.9%
Frequency Missing	3,569	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	38,903	78.8%
Somewhat	4,521	9.2%
Not very	1,466	3.0%
Not at all	459	0.9%
Don't know	4,039	8.2%
Frequency Missing	3,923	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	43,861	88.3%
Somewhat	1,591	3.2%
Not very	220	0.4%
Not at all	184	0.4%
Don't know	3,807	7.7%
Frequency Missing	3,647	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	28,048	56.7%
Somewhat	5,502	11.1%
Not very	7,040	14.2%
Not at all	5,290	10.7%
Don't know	3,555	7.2%
Frequency Missing	3,874	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	43,971	88.8%
Somewhat	1,530	3.1%
Not very	287	0.6%
Not at all	217	0.4%
Don't know	3,492	7.1%
Frequency Missing	3,812	

Days Skipped Since September

Q28a	Frequency	Percent
None	35,939	72.6%
1-3 days	10,550	21.3%
4-9 days	2,017	4.1%
10+ days	979	2.0%
Frequency Missing	3,825	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	41,994	84.8%
Somewhat	2,459	5.0%
Not very	724	1.5%
Not at all	429	0.9%
Don't know	3,927	7.9%
Frequency Missing	3,777	

Days Ill Since September

Q28b	Frequency	Percent
None	16,605	33.6%
1-3 days	24,604	49.8%
4-9 days	6,906	14.0%
10+ days	1,279	2.6%
Frequency Missing	3,917	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	38,870	78.3%
Somewhat	4,888	9.8%
Not very	1,598	3.2%
Not at all	739	1.5%
Don't know	3,536	7.1%
Frequency Missing	3,678	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	18,266	37.5%
1-3 days	25,229	51.8%
4-9 days	3,988	8.2%
10+ days	1,223	2.5%
Frequency Missing	4,603	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	42,650	86.6%
1-3 days	5,165	10.5%
4-9 days	935	1.9%
10+ days	523	1.1%
Frequency Missing	4,035	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	47,830	97.5%
1-3 times	1,072	2.2%
4-9 times	68	0.1%
10+ times	67	0.1%
Frequency Missing	4,272	

Someone Called Home Since September

Q28e	Frequency	Percent
None	44,188	89.8%
1-3 days	3,980	8.1%
4-9 days	620	1.3%
10+ days	431	0.9%
Frequency Missing	4,091	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	47,076	96.1%
1-3 times	1,362	2.8%
4-9 times	262	0.5%
10+ times	297	0.6%
Frequency Missing	4,312	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	47,009	95.4%
1-3 times	1,857	3.8%
4-9 times	326	0.7%
10+ times	68	0.1%
Frequency Missing	4,049	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	46,037	94.0%
1-3 days	2,214	4.5%
4-9 days	364	0.7%
10+ days	370	0.8%
Frequency Missing	4,325	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	47,073	95.8%
1-3 times	1,487	3.0%
4-9 times	342	0.7%
10+ times	233	0.5%
Frequency Missing	4,174	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	45,494	93.1%
1-3 days	1,990	4.1%
4-9 days	625	1.3%
10+ days	775	1.6%
Frequency Missing	4,425	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	48,165	98.8%
1-3 days	366	0.8%
4-9 days	91	0.2%
10+ days	105	0.2%
Frequency Missing	4,583	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	41,642	93.7%
Yes	2,818	6.3%
Frequency Missing	8,849	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	46,861	96.4%
1-3 days	1,059	2.2%
4-9 days	336	0.7%
10+ days	336	0.7%
Frequency Missing	4,718	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	31,764	66.6%
Yes	15,909	33.4%
Frequency Missing	5,636	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	21,758	44.5%
Seldom	2,959	6.0%
Half the time	2,424	5.0%
Most of the Time	5,138	10.5%
Always	7,064	14.4%
Don't Know	722	1.5%
Didn't attend	8,873	18.1%
Frequency Missing	4,372	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	38,314	80.6%
Yes	9,220	19.4%
Frequency Missing	5,776	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	29,597	62.4%
Yes	17,816	37.6%
Frequency Missing	5,896	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	26,914	55.0%
Seldom	3,298	6.7%
Half the time	2,636	5.4%
Most of the Time	2,655	5.4%
Always	3,288	6.7%
Don't Know	1,149	2.3%
Didn't attend	8,986	18.4%
Frequency Missing	4,384	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	14,803	31.0%
Yes	33,006	69.0%
Frequency Missing	5,501	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	22,772	48.1%
Yes	24,580	51.9%
Frequency Missing	5,957	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	33,997	74.5%
Yes	11,625	25.5%
Frequency Missing	7,688	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	19,607	41.3%
Yes	27,893	58.7%
Frequency Missing	5,810	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	28,873	63.2%
Yes	16,836	36.8%
Frequency Missing	7,600	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	19,814	41.7%
Yes	27,738	58.3%
Frequency Missing	5,757	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	36,328	79.8%
Yes	9,187	20.2%
Frequency Missing	7,795	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	30,136	63.5%
Yes	17,332	36.5%
Frequency Missing	5,842	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	40,006	88.1%
Yes	5,407	11.9%
Frequency Missing	7,896	

Would Not Seek Help

Q33i	Frequency	Percent
No	38,742	83.6%
Yes	7,618	16.4%
Frequency Missing	6,949	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	36,040	79.8%
Yes	9,104	20.2%
Frequency Missing	8,166	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	40,251	89.3%
Yes	4,818	10.7%
Frequency Missing	8,241	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	32,935	72.5%
Yes	12,469	27.5%
Frequency Missing	7,906	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	36,025	79.8%
Yes	9,132	20.2%
Frequency Missing	8,152	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	31,099	63.5%
Mild disapprove	5,495	11.2%
Neither	6,431	13.1%
Mildly approve	1,112	2.3%
Strongly approve	410	0.8%
Don't know	4,463	9.1%
Frequency Missing	4,300	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	25,664	52.4%
Mild disapprove	7,758	15.8%
Neither	8,187	16.7%
Mildly approve	2,936	6.0%
Strongly approve	589	1.2%
Don't know	3,835	7.8%
Frequency Missing	4,340	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	35,810	73.3%
Mild disapprove	3,190	6.5%
Neither	4,288	8.8%
Mildly approve	921	1.9%
Strongly approve	531	1.1%
Don't know	4,130	8.5%
Frequency Missing	4,439	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

