
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



HHSC REGION 6 AND 7 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	17.1%	20.9%	30.5%	69.5%
Grade 7	5.5%	6.7%	13.2%	86.8%
Grade 8	7.9%	10.1%	18.3%	81.7%
Grade 9	14.8%	19.2%	29.6%	70.4%
Grade 10	20.6%	26.1%	36.6%	63.4%
Grade 11	25.3%	29.8%	42.0%	58.0%
Grade 12	33.1%	38.7%	48.8%	51.2%
Cigarettes?				
All	3.1%	4.9%	11.7%	88.3%
Grade 7	1.4%	1.8%	6.0%	94.0%
Grade 8	1.4%	2.4%	6.6%	93.4%
Grade 9	2.5%	3.7%	10.2%	89.8%
Grade 10	3.3%	5.2%	14.2%	85.8%
Grade 11	4.7%	7.5%	17.5%	82.5%
Grade 12	6.2%	10.4%	17.8%	82.2%
Smokeless Tobacco?				
All	2.5%	3.6%	6.7%	93.3%
Grade 7	0.8%	1.1%	3.3%	96.7%
Grade 8	1.4%	3.0%	5.2%	94.8%
Grade 9	2.1%	2.8%	5.4%	94.6%
Grade 10	2.8%	4.4%	8.2%	91.8%
Grade 11	3.5%	5.0%	9.3%	90.7%
Grade 12	5.0%	6.1%	10.2%	89.8%
Electronic Vapor Products?				
All	14.0%	18.2%	26.9%	73.1%
Grade 7	3.1%	4.3%	9.0%	91.0%
Grade 8	4.4%	7.1%	14.2%	85.8%
Grade 9	13.5%	18.0%	27.1%	72.9%
Grade 10	17.4%	22.9%	33.2%	66.8%
Grade 11	20.8%	26.4%	38.4%	61.6%
Grade 12	28.7%	35.0%	44.9%	55.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 126

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.1%	1.0%	1.0%	1.4%	2.2%	2.2%	4.0%
Grade 7	96.0%	0.1%	0.0%	0.2%	0.9%	1.2%	1.4%
Grade 8	92.6%	0.0%	0.4%	1.1%	1.1%	1.6%	3.1%
Grade 9	90.1%	0.4%	0.6%	0.9%	2.1%	2.0%	4.0%
Grade 10	86.1%	1.4%	1.2%	1.4%	3.1%	1.9%	4.9%
Grade 11	82.4%	2.2%	1.7%	2.5%	2.7%	3.6%	4.9%
Grade 12	78.9%	2.5%	2.6%	2.4%	3.9%	3.2%	6.6%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.4	11.0	11.4	12.4	13.2	14.0	15.1

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.8%	20.2%	6.7%	9.2%	14.1%	20.1%
Grade 7	41.5%	32.4%	6.2%	6.8%	7.6%	5.4%
Grade 8	35.5%	27.2%	8.7%	9.0%	10.6%	8.9%
Grade 9	28.4%	21.0%	7.5%	9.7%	15.8%	17.5%
Grade 10	27.4%	16.9%	7.3%	12.7%	15.3%	20.4%
Grade 11	24.3%	12.1%	5.3%	10.0%	19.8%	28.5%
Grade 12	18.4%	7.9%	4.5%	7.0%	16.5%	45.7%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	72.1%	17.1%	7.1%	3.0%	0.8%
Grade 7	87.3%	8.6%	2.9%	0.8%	0.3%
Grade 8	82.4%	13.0%	2.9%	1.4%	0.4%
Grade 9	75.7%	15.1%	6.3%	2.7%	0.3%
Grade 10	67.7%	19.5%	8.7%	3.5%	0.5%
Grade 11	59.9%	23.8%	10.3%	4.2%	1.7%
Grade 12	53.9%	25.6%	12.9%	5.9%	1.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.7%	7.1%	5.6%	0.6%	0.6%	6.5%
Grade 7	85.2%	2.3%	2.4%	0.5%	1.0%	8.6%
Grade 8	84.3%	4.9%	3.2%	0.4%	0.2%	6.9%
Grade 9	81.4%	6.9%	5.3%	0.3%	0.7%	5.4%
Grade 10	78.4%	7.1%	6.3%	0.7%	0.5%	6.9%
Grade 11	76.1%	9.5%	7.4%	0.8%	0.5%	5.8%
Grade 12	70.3%	13.1%	9.8%	1.4%	0.5%	4.8%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	60.7%	24.0%	8.1%	1.8%	5.3%
Grade 7	75.5%	15.9%	3.2%	0.5%	4.9%
Grade 8	70.4%	19.1%	4.9%	0.9%	4.7%
Grade 9	58.5%	24.7%	9.3%	1.9%	5.6%
Grade 10	53.6%	28.1%	9.8%	1.8%	6.7%
Grade 11	53.4%	27.8%	9.8%	3.2%	5.8%
Grade 12	49.4%	30.3%	13.1%	3.0%	4.3%
Electronic Vapor Products?					
All	51.9%	12.3%	16.0%	13.1%	6.6%
Grade 7	71.1%	11.0%	6.4%	5.1%	6.5%
Grade 8	63.3%	12.8%	10.0%	7.4%	6.5%
Grade 9	48.2%	12.6%	17.5%	15.6%	6.2%
Grade 10	40.8%	13.7%	21.7%	15.7%	8.0%
Grade 11	43.3%	12.6%	20.7%	17.5%	5.9%
Grade 12	41.0%	10.8%	22.0%	19.3%	7.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.9%	34.3%	50.7%	49.3%
Grade 7	15.7%	18.2%	34.5%	65.5%
Grade 8	18.6%	22.2%	39.4%	60.6%
Grade 9	26.2%	30.4%	47.4%	52.6%
Grade 10	34.1%	40.8%	57.0%	43.0%
Grade 11	35.2%	43.6%	61.1%	38.9%
Grade 12	49.0%	57.1%	70.7%	29.3%
Beer?				
All	11.5%	17.6%	38.6%	61.4%
Grade 7	3.1%	5.1%	24.6%	75.4%
Grade 8	5.2%	8.5%	29.9%	70.1%
Grade 9	9.7%	16.5%	35.6%	64.4%
Grade 10	14.7%	21.7%	43.0%	57.0%
Grade 11	14.6%	23.3%	47.0%	53.0%
Grade 12	25.0%	34.8%	56.9%	43.1%
Wine Coolers?				
All	10.4%	16.0%	32.6%	67.4%
Grade 7	2.3%	4.1%	16.0%	84.0%
Grade 8	5.9%	8.6%	21.3%	78.7%
Grade 9	7.8%	12.6%	28.8%	71.2%
Grade 10	12.7%	18.8%	39.6%	60.4%
Grade 11	13.8%	21.8%	42.1%	57.9%
Grade 12	22.9%	35.0%	54.0%	46.0%
Wine?				
All	8.6%	14.3%	34.0%	66.0%
Grade 7	3.5%	5.1%	19.8%	80.2%
Grade 8	5.1%	8.3%	22.7%	77.3%
Grade 9	7.0%	12.3%	33.1%	66.9%
Grade 10	9.9%	17.0%	38.7%	61.3%
Grade 11	10.0%	17.4%	41.8%	58.2%
Grade 12	18.2%	29.5%	53.4%	46.6%
Liquor?				
All	13.0%	19.2%	35.8%	64.2%
Grade 7	2.7%	4.3%	15.4%	84.6%
Grade 8	5.4%	8.1%	21.0%	79.0%
Grade 9	10.0%	16.4%	33.3%	66.7%
Grade 10	15.5%	23.9%	42.4%	57.6%
Grade 11	18.9%	27.1%	48.8%	51.2%
Grade 12	30.3%	41.5%	60.9%	39.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.0%	0.3%	1.7%	6.4%	11.9%	9.4%	8.3%
Grade 7	82.2%	0.1%	0.2%	1.3%	4.6%	5.1%	6.6%
Grade 8	76.5%	0.2%	0.6%	2.9%	4.7%	6.9%	8.3%
Grade 9	65.4%	0.2%	1.7%	5.6%	10.6%	8.9%	7.6%
Grade 10	55.6%	0.5%	2.0%	6.7%	16.5%	9.9%	8.7%
Grade 11	47.7%	0.4%	2.6%	10.3%	16.9%	13.4%	8.7%
Grade 12	37.2%	0.3%	3.4%	13.9%	21.2%	13.7%	10.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	65.1%	34.9%	6.1%	16.5%	12.3%
	Grade 7	78.7%	21.3%	1.2%	7.6%	12.5%
	Grade 8	74.3%	25.7%	2.4%	10.2%	13.1%
	Grade 9	67.7%	32.3%	4.6%	15.3%	12.3%
	Grade 10	61.1%	38.9%	6.8%	19.7%	12.4%
	Grade 11	57.1%	42.9%	10.1%	22.6%	10.2%
	Grade 12	47.1%	52.9%	13.4%	26.4%	13.0%
Wine Coolers						
	All	70.0%	30.0%	5.8%	16.9%	7.3%
	Grade 7	85.9%	14.1%	0.8%	7.0%	6.3%
	Grade 8	81.8%	18.2%	1.9%	9.1%	7.2%
	Grade 9	73.3%	26.7%	5.2%	14.2%	7.2%
	Grade 10	63.7%	36.3%	7.8%	19.8%	8.7%
	Grade 11	60.4%	39.6%	8.1%	25.2%	6.4%
	Grade 12	49.3%	50.7%	12.9%	29.5%	8.3%
Wine						
	All	69.7%	30.3%	2.3%	15.8%	12.2%
	Grade 7	82.5%	17.5%	0.2%	6.9%	10.4%
	Grade 8	80.9%	19.1%	1.3%	8.0%	9.8%
	Grade 9	71.2%	28.8%	1.6%	13.7%	13.4%
	Grade 10	64.5%	35.5%	3.0%	19.4%	13.1%
	Grade 11	62.9%	37.1%	3.1%	21.9%	12.1%
	Grade 12	51.8%	48.2%	5.2%	28.4%	14.6%
Liquor						
	All	66.4%	33.6%	8.3%	17.1%	8.3%
	Grade 7	86.1%	13.9%	1.2%	5.6%	7.2%
	Grade 8	81.9%	18.1%	2.7%	7.4%	8.0%
	Grade 9	69.0%	31.0%	7.0%	15.6%	8.4%
	Grade 10	59.4%	40.6%	10.4%	20.6%	9.7%
	Grade 11	53.8%	46.2%	11.8%	25.8%	8.6%
	Grade 12	41.3%	58.7%	19.4%	31.7%	7.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.4%	4.2%	2.5%	2.5%	0.8%	1.6%
Grade 7	95.7%	2.1%	1.1%	0.2%	0.1%	0.8%
Grade 8	94.8%	2.4%	1.0%	1.1%	0.3%	0.4%
Grade 9	90.2%	3.7%	2.6%	2.0%	0.6%	0.9%
Grade 10	87.5%	4.4%	2.3%	2.7%	1.4%	1.6%
Grade 11	84.9%	5.4%	3.3%	2.9%	0.8%	2.8%
Grade 12	74.5%	7.9%	5.1%	7.0%	2.0%	3.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.4	11.1	12.3	13.1	13.8	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.2%	13.2%	5.2%	10.8%	18.9%	28.8%
Grade 7	36.2%	23.4%	6.1%	10.0%	12.0%	12.1%
Grade 8	30.0%	19.2%	6.4%	11.6%	16.2%	16.6%
Grade 9	21.1%	13.2%	4.8%	9.4%	20.1%	31.5%
Grade 10	19.4%	10.0%	5.4%	12.3%	19.4%	33.4%
Grade 11	17.2%	7.0%	3.1%	9.5%	24.0%	39.3%
Grade 12	12.2%	3.9%	4.9%	12.0%	22.9%	44.1%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.9%	3.0%	0.7%	0.4%
Grade 7	97.3%	1.9%	0.7%	0.1%
Grade 8	97.7%	1.8%	0.4%	0.1%
Grade 9	95.0%	4.1%	0.2%	0.7%
Grade 10	94.9%	4.0%	0.5%	0.6%
Grade 11	95.5%	3.2%	0.8%	0.5%
Grade 12	94.9%	2.9%	1.8%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.0
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.0%	3.2%	0.4%	0.4%
Grade 9	97.5%	2.0%	0.3%	0.2%
Grade 10	97.3%	2.5%	0.0%	0.2%
Grade 11	95.7%	3.4%	0.6%	0.3%
Grade 12	93.0%	5.7%	0.5%	0.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.1%	3.4%	0.4%	0.2%
Grade 7	98.5%	1.4%	0.1%	0.1%
Grade 8	97.7%	2.1%	0.2%	0.0%
Grade 9	96.0%	3.3%	0.3%	0.4%
Grade 10	95.9%	3.7%	0.4%	0.0%
Grade 11	94.6%	4.6%	0.7%	0.1%
Grade 12	93.1%	5.7%	0.7%	0.5%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	50.1%	22.9%	13.6%	10.4%	3.1%
Grade 7	75.5%	16.7%	5.3%	2.0%	0.4%
Grade 8	67.7%	19.6%	8.4%	3.7%	0.6%
Grade 9	51.2%	24.5%	12.8%	10.0%	1.6%
Grade 10	41.8%	25.1%	18.2%	13.0%	2.0%
Grade 11	32.0%	28.1%	18.3%	15.8%	5.8%
Grade 12	24.4%	24.2%	20.7%	20.9%	9.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	50.3%	7.3%	5.7%	8.0%	10.0%	1.9%	16.7%
Grade 7	70.0%	5.2%	3.5%	3.9%	2.3%	2.6%	12.4%
Grade 8	65.9%	7.1%	4.6%	3.6%	3.4%	2.8%	12.6%
Grade 9	51.3%	8.7%	7.1%	7.6%	5.6%	2.2%	17.5%
Grade 10	43.7%	7.6%	7.1%	10.3%	10.6%	1.3%	19.4%
Grade 11	35.3%	7.2%	6.7%	10.5%	18.1%	1.7%	20.5%
Grade 12	30.2%	8.3%	5.3%	13.5%	23.8%	0.5%	18.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	59.1%	14.8%	17.1%	5.9%	3.0%
	Grade 7	72.4%	15.3%	9.7%	1.8%	0.7%
	Grade 8	69.5%	14.2%	12.8%	2.6%	0.8%
	Grade 9	61.5%	15.3%	14.4%	5.5%	3.2%
	Grade 10	55.3%	13.8%	20.6%	7.3%	3.0%
	Grade 11	49.7%	13.8%	22.3%	9.1%	5.1%
	Grade 12	41.4%	16.5%	25.5%	10.5%	6.2%
Friends?						
	All	60.4%	16.4%	10.9%	9.3%	3.1%
	Grade 7	77.2%	17.8%	3.7%	1.0%	0.4%
	Grade 8	72.9%	17.4%	5.8%	2.9%	1.0%
	Grade 9	63.6%	16.2%	9.7%	8.2%	2.3%
	Grade 10	55.3%	17.2%	11.6%	12.9%	3.0%
	Grade 11	47.6%	15.3%	18.0%	14.5%	4.7%
	Grade 12	39.6%	13.7%	19.3%	19.0%	8.3%
A Store?						
	All	63.0%	29.7%	3.7%	2.4%	1.3%
	Grade 7	77.9%	19.9%	1.6%	0.4%	0.2%
	Grade 8	74.1%	22.6%	1.7%	1.0%	0.6%
	Grade 9	64.9%	29.9%	3.0%	1.5%	0.6%
	Grade 10	58.7%	33.2%	3.7%	2.8%	1.6%
	Grade 11	53.1%	35.8%	5.7%	3.8%	1.6%
	Grade 12	43.8%	39.5%	7.3%	5.5%	3.8%
Parties?						
	All	58.5%	14.6%	10.1%	9.4%	7.4%
	Grade 7	73.1%	15.7%	6.9%	2.7%	1.6%
	Grade 8	68.9%	15.3%	8.1%	5.3%	2.3%
	Grade 9	61.5%	14.9%	9.4%	8.9%	5.3%
	Grade 10	54.3%	14.1%	11.7%	11.1%	8.8%
	Grade 11	48.8%	12.1%	12.9%	14.3%	11.8%
	Grade 12	39.3%	15.3%	12.5%	15.7%	17.2%
Other Sources?						
	All	63.8%	22.0%	6.7%	4.0%	3.5%
	Grade 7	76.8%	16.9%	3.9%	1.6%	0.7%
	Grade 8	72.4%	18.0%	4.8%	2.9%	1.9%
	Grade 9	65.9%	20.9%	6.2%	3.5%	3.5%
	Grade 10	60.0%	23.5%	8.0%	4.5%	4.0%
	Grade 11	54.6%	24.3%	9.8%	5.4%	5.8%
	Grade 12	48.3%	30.5%	8.1%	7.0%	6.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.2%	15.0%	12.9%	3.9%	0.9%	6.1%
Grade 7	75.5%	8.1%	4.7%	1.9%	1.5%	8.4%
Grade 8	72.2%	9.1%	8.4%	2.4%	0.6%	7.3%
Grade 9	62.9%	15.9%	12.8%	2.7%	0.9%	4.8%
Grade 10	55.5%	18.8%	14.0%	4.2%	0.8%	6.8%
Grade 11	53.7%	17.9%	17.8%	5.0%	0.9%	4.6%
Grade 12	42.9%	21.6%	21.9%	8.6%	1.0%	4.0%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	48.0%	30.8%	14.2%	2.7%	4.4%
Grade 7	59.6%	24.3%	9.8%	1.4%	4.8%
Grade 8	52.9%	27.2%	13.9%	2.0%	4.0%
Grade 9	47.4%	30.5%	15.0%	3.0%	4.2%
Grade 10	41.2%	34.7%	15.6%	2.6%	5.9%
Grade 11	45.8%	31.3%	14.5%	4.4%	4.0%
Grade 12	38.8%	38.6%	16.9%	2.8%	2.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 13 of 126

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.9%	18.3%	23.9%	76.1%
Grade 7	4.5%	7.1%	9.7%	90.3%
Grade 8	7.4%	9.7%	12.4%	87.6%
Grade 9	13.2%	17.2%	21.1%	78.9%
Grade 10	15.9%	20.9%	27.3%	72.7%
Grade 11	20.1%	25.9%	35.2%	64.8%
Grade 12	25.9%	33.5%	43.6%	56.4%
Marijuana?				
All	13.5%	16.4%	22.3%	77.7%
Grade 7	4.3%	5.6%	7.7%	92.3%
Grade 8	7.1%	8.2%	11.0%	89.0%
Grade 9	12.9%	15.2%	19.2%	80.8%
Grade 10	15.7%	19.1%	25.9%	74.1%
Grade 11	19.2%	23.4%	33.4%	66.6%
Grade 12	25.6%	31.3%	42.2%	57.8%
Cocaine?				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.8%	1.0%	1.4%	98.6%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	0.9%	1.0%	2.3%	97.7%
Grade 11	1.3%	1.7%	2.9%	97.1%
Grade 12	2.4%	3.1%	5.6%	94.4%
Crack?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.9%	99.1%
Hallucinogens?				
All	0.9%	1.6%	3.3%	96.7%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.8%	1.4%	2.6%	97.4%
Grade 10	0.9%	1.7%	4.0%	96.0%
Grade 11	1.7%	2.8%	5.2%	94.8%
Grade 12	2.1%	4.2%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.5%	99.5%
Steroids?				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.5%	0.8%	2.2%	97.8%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.6%	1.5%	98.5%
Grade 10	0.3%	0.8%	2.3%	97.7%
Grade 11	0.6%	0.7%	2.5%	97.5%
Grade 12	0.4%	0.7%	1.2%	98.8%
Ecstasy?				
All	0.7%	1.2%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.9%	1.3%	2.0%	98.0%
Grade 10	0.8%	1.4%	3.1%	96.9%
Grade 11	1.0%	2.0%	3.8%	96.2%
Grade 12	1.1%	2.1%	4.5%	95.5%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.3%	99.7%
Methamphetamine?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.3%	0.6%	1.1%	98.9%
Grade 11	0.6%	0.7%	1.2%	98.8%
Grade 12	0.3%	0.6%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.7%	3.6%	96.4%
Grade 7	0.5%	1.1%	1.6%	98.4%
Grade 8	0.8%	1.4%	2.3%	97.7%
Grade 9	1.3%	1.9%	4.1%	95.9%
Grade 10	1.2%	2.0%	4.4%	95.6%
Grade 11	1.7%	2.4%	4.6%	95.4%
Grade 12	0.7%	1.6%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.1%	1.6%	2.1%	3.5%	3.7%	3.9%	4.1%
	Grade 7	95.0%	0.1%	0.2%	0.9%	1.3%	0.6%	1.9%
	Grade 8	91.5%	0.4%	0.8%	1.5%	1.9%	1.6%	2.3%
	Grade 9	82.9%	1.5%	2.7%	3.6%	3.4%	3.2%	2.8%
	Grade 10	77.9%	2.2%	2.6%	3.8%	4.8%	4.6%	4.2%
	Grade 11	71.5%	2.5%	2.7%	5.1%	5.4%	7.0%	5.8%
	Grade 12	62.6%	3.3%	4.2%	7.0%	6.5%	7.7%	8.7%
Cocaine?								
	All	98.5%	0.0%	0.1%	0.1%	0.2%	0.5%	0.6%
	Grade 7	99.7%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 9	99.0%	0.0%	0.1%	0.1%	0.4%	0.2%	0.2%
	Grade 10	98.5%	0.1%	0.1%	0.1%	0.2%	0.2%	0.8%
	Grade 11	97.9%	0.0%	0.1%	0.1%	0.2%	0.7%	1.0%
	Grade 12	95.9%	0.0%	0.2%	0.3%	0.7%	1.6%	1.3%
Crack?								
	All	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
	Grade 11	99.7%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Steroids?								
	All	99.2%	0.1%	0.0%	0.0%	0.1%	0.2%	0.4%
	Grade 7	98.8%	0.1%	0.0%	0.1%	0.1%	0.4%	0.4%
	Grade 8	99.5%	0.0%	0.0%	0.1%	0.0%	0.2%	0.2%
	Grade 9	99.2%	0.1%	0.0%	0.0%	0.1%	0.3%	0.2%
	Grade 10	99.1%	0.2%	0.0%	0.0%	0.1%	0.0%	0.6%
	Grade 11	99.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.6%
	Grade 12	99.4%	0.0%	0.1%	0.0%	0.0%	0.1%	0.4%
Ecstasy?								
	All	98.2%	0.0%	0.1%	0.3%	0.3%	0.6%	0.6%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.4%	0.1%	0.0%	0.1%	0.2%	0.2%	0.0%
	Grade 9	98.1%	0.1%	0.1%	0.6%	0.0%	0.8%	0.3%
	Grade 10	97.8%	0.0%	0.1%	0.4%	0.6%	0.5%	0.8%
	Grade 11	96.9%	0.0%	0.0%	0.2%	0.7%	1.2%	1.1%
	Grade 12	96.7%	0.0%	0.2%	0.4%	0.3%	1.0%	1.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 126

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 8	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.6%	0.0%	0.1%	0.1%	0.0%	0.0%	0.2%
	Grade 10	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
	Grade 11	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 9	99.6%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.1%	0.2%	0.1%	0.0%	0.3%	0.0%	0.3%
	Grade 11	99.0%	0.1%	0.0%	0.1%	0.1%	0.2%	0.5%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.2%	0.4%	0.4%
Synthetic Marijuana?								
	All	97.5%	0.0%	0.1%	0.3%	0.5%	0.6%	0.9%
	Grade 7	99.0%	0.0%	0.0%	0.3%	0.3%	0.3%	0.1%
	Grade 8	98.7%	0.0%	0.1%	0.3%	0.3%	0.3%	0.3%
	Grade 9	96.5%	0.1%	0.5%	0.2%	0.3%	1.2%	1.3%
	Grade 10	96.6%	0.0%	0.0%	0.5%	0.5%	0.8%	1.6%
	Grade 11	97.3%	0.1%	0.1%	0.5%	0.9%	0.3%	0.8%
	Grade 12	96.9%	0.0%	0.0%	0.1%	0.4%	0.8%	1.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.1	11.6	12.1	13.3	13.9	14.5	15.3
Cocaine	14.9	11.0	12.3	13.4	14.5	15.5	15.9
Crack	13.7	8.0	12.6	13.4	13.9	14.6	13.8
Steroids	12.4	10.7	11.5	11.8	12.3	14.1	14.4
Ecstasy	14.9	11.3	12.9	13.5	14.4	15.3	16.2
Heroin	12.8	11.5	10.8	13.5	13.1	13.0	14.6
Methamphetamine	14.3	10.6	12.8	14.0	13.7	14.9	15.0
Synthetic Marijuana	13.6	11.2	12.1	13.2	13.8	14.4	14.6

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 19 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	27.9%	21.5%	6.9%	8.7%	12.5%	22.5%
	Grade 7	42.8%	36.3%	6.9%	4.6%	4.5%	5.0%
	Grade 8	36.2%	32.2%	8.5%	7.2%	7.6%	8.1%
	Grade 9	24.9%	21.5%	8.1%	10.1%	13.0%	22.3%
	Grade 10	23.4%	15.9%	5.7%	11.5%	15.6%	27.9%
	Grade 11	20.6%	10.7%	5.8%	9.0%	18.3%	35.7%
	Grade 12	16.1%	8.4%	6.0%	10.2%	17.6%	41.6%
Cocaine?							
	All	38.2%	32.3%	12.0%	8.8%	4.2%	4.6%
	Grade 7	47.4%	39.9%	6.5%	3.9%	1.0%	1.2%
	Grade 8	43.8%	38.8%	8.7%	4.8%	1.8%	2.1%
	Grade 9	35.2%	33.0%	13.8%	9.1%	4.2%	4.7%
	Grade 10	35.9%	29.4%	15.1%	10.0%	4.6%	5.0%
	Grade 11	33.9%	27.6%	13.9%	11.1%	6.8%	6.8%
	Grade 12	30.9%	22.1%	15.2%	15.2%	7.8%	8.7%
Crack?							
	All	40.0%	33.7%	12.5%	7.2%	3.1%	3.5%
	Grade 7	49.2%	39.4%	6.0%	3.4%	1.0%	1.0%
	Grade 8	45.0%	38.7%	9.1%	3.7%	1.6%	1.9%
	Grade 9	35.7%	34.9%	13.8%	8.0%	4.0%	3.7%
	Grade 10	37.7%	31.6%	15.1%	8.0%	3.4%	4.1%
	Grade 11	36.5%	29.8%	14.9%	9.0%	4.3%	5.5%
	Grade 12	34.2%	25.4%	17.9%	12.6%	4.7%	5.2%
Steroids?							
	All	42.0%	31.5%	11.8%	7.4%	3.3%	3.9%
	Grade 7	51.8%	35.8%	6.0%	3.9%	1.5%	1.1%
	Grade 8	47.7%	35.9%	8.5%	3.9%	2.1%	1.9%
	Grade 9	37.6%	33.2%	12.3%	8.4%	3.8%	4.6%
	Grade 10	40.0%	30.4%	13.0%	9.0%	3.6%	4.1%
	Grade 11	38.0%	28.7%	13.8%	8.7%	4.7%	6.0%
	Grade 12	35.4%	23.1%	18.7%	11.6%	4.8%	6.4%
Ecstasy?							
	All	48.1%	27.9%	9.5%	6.0%	4.3%	4.2%
	Grade 7	63.3%	28.9%	3.9%	2.1%	1.1%	0.6%
	Grade 8	57.2%	31.1%	6.4%	2.6%	1.4%	1.2%
	Grade 9	45.3%	29.6%	10.0%	6.3%	4.5%	4.2%
	Grade 10	43.7%	27.5%	12.0%	7.2%	3.7%	5.9%
	Grade 11	39.9%	27.4%	10.1%	7.8%	8.1%	6.7%
	Grade 12	35.4%	21.4%	15.8%	11.6%	8.3%	7.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	45.3%	34.3%	11.1%	4.6%	2.0%	2.8%
	Grade 7	56.5%	34.4%	4.9%	2.2%	1.1%	1.0%
	Grade 8	51.6%	37.2%	6.9%	2.3%	1.0%	1.0%
	Grade 9	41.8%	36.3%	11.1%	5.7%	1.9%	3.3%
	Grade 10	41.8%	34.2%	13.3%	4.6%	2.4%	3.7%
	Grade 11	40.2%	33.4%	14.0%	5.0%	2.9%	4.4%
	Grade 12	37.6%	28.9%	18.1%	8.6%	2.6%	4.2%
Methamphetamine?							
	All	47.4%	32.5%	10.5%	4.4%	2.1%	3.1%
	Grade 7	59.9%	31.7%	4.7%	1.7%	1.4%	0.6%
	Grade 8	54.6%	34.6%	6.6%	2.2%	0.9%	1.1%
	Grade 9	43.3%	35.2%	10.8%	5.3%	2.2%	3.3%
	Grade 10	43.7%	32.4%	12.6%	5.2%	2.2%	3.8%
	Grade 11	41.8%	32.4%	12.5%	5.7%	2.7%	4.9%
	Grade 12	38.4%	27.7%	17.6%	6.9%	4.0%	5.4%
Synthetic Marijuana?							
	All	47.1%	26.7%	8.3%	6.5%	5.2%	6.3%
	Grade 7	60.5%	29.9%	4.3%	2.0%	1.6%	1.6%
	Grade 8	53.5%	31.4%	7.4%	2.8%	2.2%	2.6%
	Grade 9	43.6%	27.0%	8.6%	8.3%	5.6%	6.9%
	Grade 10	42.5%	25.8%	9.7%	8.7%	5.9%	7.4%
	Grade 11	42.6%	24.4%	8.2%	7.1%	8.7%	9.1%
	Grade 12	37.2%	20.5%	12.1%	10.7%	8.4%	11.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	92.7%	4.2%	1.4%	1.8%
Grade 7	96.9%	2.5%	0.4%	0.2%
Grade 8	96.1%	3.1%	0.4%	0.5%
Grade 9	92.6%	3.8%	1.6%	1.9%
Grade 10	90.6%	5.1%	1.5%	2.7%
Grade 11	91.1%	5.0%	1.7%	2.2%
Grade 12	87.4%	6.1%	3.0%	3.5%
Attended Class While High from Use of Some Other Drug?				
All	96.7%	2.1%	0.6%	0.6%
Grade 7	98.6%	1.0%	0.2%	0.1%
Grade 8	98.3%	0.9%	0.1%	0.7%
Grade 9	95.9%	2.6%	0.5%	1.1%
Grade 10	95.3%	3.2%	1.2%	0.3%
Grade 11	96.5%	2.2%	0.7%	0.7%
Grade 12	94.9%	3.2%	0.8%	1.1%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.3
Marijuana Non-Users	3.3
Average Days Conduct Problems Reported	
Marijuana Users	3.6
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.6%	4.1%	0.9%	1.4%
Grade 9	96.6%	2.8%	0.3%	0.4%
Grade 10	96.2%	2.2%	1.0%	0.6%
Grade 11	93.2%	4.5%	1.0%	1.3%
Grade 12	87.0%	7.6%	1.6%	3.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.2%	3.0%	0.4%	0.3%
Grade 7	98.4%	1.5%	0.1%	0.1%
Grade 8	97.3%	2.1%	0.4%	0.1%
Grade 9	96.0%	3.0%	0.6%	0.5%
Grade 10	94.8%	4.6%	0.3%	0.3%
Grade 11	95.8%	3.2%	0.6%	0.4%
Grade 12	94.7%	4.3%	0.6%	0.4%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	56.6%	18.6%	11.8%	10.0%	3.0%
Grade 7	81.8%	9.6%	4.8%	3.1%	0.8%
Grade 8	71.7%	15.8%	6.6%	4.7%	1.2%
Grade 9	57.7%	18.3%	11.5%	10.2%	2.4%
Grade 10	48.5%	21.6%	14.6%	11.9%	3.5%
Grade 11	39.8%	24.7%	15.9%	15.0%	4.6%
Grade 12	32.9%	23.5%	20.0%	17.0%	6.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.0%	5.7%	4.4%	6.1%	6.2%	2.0%	16.7%
Grade 7	80.0%	2.6%	1.3%	1.1%	0.8%	1.7%	12.5%
Grade 8	75.2%	3.7%	2.3%	1.9%	1.5%	2.5%	12.8%
Grade 9	59.2%	5.4%	4.5%	6.5%	4.1%	2.6%	17.7%
Grade 10	51.1%	7.6%	5.8%	7.5%	6.7%	2.0%	19.3%
Grade 11	44.6%	7.5%	5.6%	9.3%	10.9%	2.0%	20.2%
Grade 12	38.0%	7.8%	7.4%	11.8%	15.7%	0.9%	18.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.0%	7.6%	7.3%	1.9%	1.2%	6.1%
Grade 7	85.0%	1.7%	2.7%	0.9%	1.1%	8.6%
Grade 8	83.6%	4.0%	4.9%	0.9%	0.4%	6.3%
Grade 9	77.2%	7.6%	7.5%	1.9%	1.2%	4.6%
Grade 10	72.9%	8.0%	8.2%	2.5%	1.3%	7.2%
Grade 11	68.2%	12.7%	10.4%	2.7%	1.2%	4.8%
Grade 12	66.7%	12.9%	11.0%	2.8%	2.0%	4.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	54.2%	13.8%	13.0%	14.1%	4.9%
	Grade 7	77.3%	9.9%	4.5%	3.4%	4.9%
	Grade 8	68.2%	13.3%	8.1%	6.4%	4.0%
	Grade 9	53.5%	16.6%	11.5%	13.3%	5.0%
	Grade 10	42.2%	16.5%	17.6%	17.7%	6.0%
	Grade 11	41.0%	12.6%	18.6%	22.9%	4.8%
	Grade 12	37.0%	13.8%	20.4%	24.2%	4.5%
Cocaine?						
	All	86.2%	6.5%	0.9%	0.6%	5.8%
	Grade 7	88.7%	5.0%	0.6%	0.4%	5.3%
	Grade 8	88.8%	5.7%	1.0%	0.3%	4.3%
	Grade 9	85.1%	6.9%	1.0%	0.8%	6.2%
	Grade 10	83.4%	7.4%	1.1%	0.3%	7.7%
	Grade 11	85.5%	7.2%	0.9%	1.1%	5.4%
	Grade 12	85.4%	6.7%	0.8%	0.8%	6.3%
Crack?						
	All	87.2%	5.3%	0.8%	0.5%	6.2%
	Grade 7	88.8%	4.8%	0.5%	0.3%	5.5%
	Grade 8	89.2%	5.2%	0.7%	0.2%	4.6%
	Grade 9	85.9%	5.4%	0.9%	0.7%	7.1%
	Grade 10	84.1%	6.6%	0.9%	0.2%	8.1%
	Grade 11	87.8%	5.3%	0.7%	1.0%	5.2%
	Grade 12	87.1%	4.4%	1.0%	0.4%	7.1%
Ecstasy?						
	All	79.8%	8.3%	2.0%	0.7%	9.2%
	Grade 7	83.9%	4.6%	0.7%	0.3%	10.4%
	Grade 8	84.2%	5.9%	1.4%	0.1%	8.3%
	Grade 9	79.0%	8.6%	2.0%	1.2%	9.3%
	Grade 10	76.9%	10.4%	2.3%	0.5%	9.9%
	Grade 11	77.6%	10.2%	3.2%	1.6%	7.4%
	Grade 12	76.0%	10.9%	2.8%	0.9%	9.5%
Steroids?						
	All	75.2%	12.4%	3.7%	1.1%	7.6%
	Grade 7	80.9%	8.3%	2.4%	0.5%	7.9%
	Grade 8	80.2%	11.0%	2.0%	0.7%	6.2%
	Grade 9	73.5%	12.7%	5.4%	1.0%	7.4%
	Grade 10	71.1%	15.3%	3.3%	1.3%	9.0%
	Grade 11	72.8%	13.8%	4.8%	2.1%	6.6%
	Grade 12	71.8%	14.0%	4.3%	1.5%	8.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.6%	4.5%	0.6%	0.5%	6.9%
	Grade 7	87.2%	4.4%	0.4%	0.4%	7.6%
	Grade 8	88.4%	4.7%	0.8%	0.2%	5.9%
	Grade 9	87.0%	4.7%	0.7%	0.6%	7.0%
	Grade 10	85.8%	4.8%	1.0%	0.5%	7.9%
	Grade 11	89.1%	4.5%	0.3%	0.7%	5.5%
	Grade 12	88.3%	3.5%	0.3%	0.5%	7.4%
Methamphetamine?						
	All	87.3%	4.4%	0.6%	0.5%	7.3%
	Grade 7	87.2%	4.1%	0.4%	0.5%	7.8%
	Grade 8	88.3%	3.9%	0.7%	0.3%	6.8%
	Grade 9	85.7%	4.9%	1.0%	0.7%	7.7%
	Grade 10	85.6%	5.0%	0.7%	0.2%	8.4%
	Grade 11	88.8%	4.4%	0.5%	0.8%	5.4%
	Grade 12	88.1%	3.8%	0.4%	0.3%	7.3%
Synthetic Marijuana?						
	All	78.9%	8.5%	2.7%	1.1%	8.7%
	Grade 7	84.7%	4.8%	1.4%	0.6%	8.5%
	Grade 8	83.3%	6.9%	2.5%	0.4%	6.8%
	Grade 9	75.5%	10.6%	3.2%	1.4%	9.3%
	Grade 10	74.8%	10.0%	3.8%	1.3%	10.1%
	Grade 11	77.6%	9.6%	2.4%	2.1%	8.4%
	Grade 12	76.6%	9.5%	3.1%	1.2%	9.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.2%	10.8%	19.1%	80.9%
Grade 7	5.8%	8.0%	14.1%	85.9%
Grade 8	6.5%	8.3%	14.5%	85.5%
Grade 9	7.5%	11.5%	18.4%	81.6%
Grade 10	6.8%	11.8%	21.2%	78.8%
Grade 11	8.2%	12.5%	23.7%	76.3%
Grade 12	8.9%	13.5%	24.6%	75.4%
Codeine Cough Syrup?				
All	3.7%	6.4%	12.6%	87.4%
Grade 7	3.2%	5.1%	9.4%	90.6%
Grade 8	4.1%	5.5%	10.3%	89.7%
Grade 9	4.7%	7.7%	13.4%	86.6%
Grade 10	3.4%	7.0%	13.9%	86.1%
Grade 11	3.6%	6.7%	15.1%	84.9%
Grade 12	2.9%	6.5%	14.5%	85.5%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	2.2%	4.3%	95.7%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.7%	1.2%	1.6%	98.4%
Grade 9	1.2%	2.3%	3.9%	96.1%
Grade 10	1.0%	2.2%	5.6%	94.4%
Grade 11	1.3%	3.4%	6.2%	93.8%
Grade 12	2.1%	4.2%	8.9%	91.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.6%	2.6%	5.3%	94.7%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.9%	1.3%	2.2%	97.8%
Grade 9	2.3%	3.9%	6.2%	93.8%
Grade 10	1.9%	3.4%	7.0%	93.0%
Grade 11	1.5%	2.9%	6.7%	93.3%
Grade 12	2.4%	4.0%	9.5%	90.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.8%	2.9%	5.1%	94.9%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	1.7%	2.8%	4.6%	95.4%
Grade 10	1.5%	3.1%	5.9%	94.1%
Grade 11	3.2%	5.0%	8.7%	91.3%
Grade 12	3.6%	5.5%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.4%	4.6%	8.5%	91.5%
Grade 7	3.2%	4.4%	8.1%	91.9%
Grade 8	3.1%	4.0%	6.9%	93.1%
Grade 9	3.3%	4.5%	8.2%	91.8%
Grade 10	2.9%	4.5%	8.9%	91.1%
Grade 11	4.0%	5.7%	9.9%	90.1%
Grade 12	3.8%	4.9%	9.1%	90.9%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.4%	1.9%	3.7%	96.3%
Grade 7	1.5%	2.1%	4.5%	95.5%
Grade 8	1.2%	1.8%	3.8%	96.2%
Grade 9	1.6%	2.5%	4.4%	95.6%
Grade 10	1.1%	1.6%	3.1%	96.9%
Grade 11	1.6%	2.0%	3.4%	96.6%
Grade 12	1.1%	1.4%	2.9%	97.1%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.4%	14.7%	3.7%	1.3%	6.9%
Grade 7	81.2%	8.9%	2.9%	0.8%	6.3%
Grade 8	77.4%	11.5%	3.7%	1.0%	6.5%
Grade 9	73.1%	14.9%	4.1%	1.3%	6.6%
Grade 10	68.6%	18.4%	3.6%	0.8%	8.6%
Grade 11	69.7%	17.4%	4.4%	2.3%	6.1%
Grade 12	68.7%	18.8%	3.9%	1.4%	7.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.2%	5.7%	11.6%	88.4%
Grade 7	5.0%	6.5%	12.8%	87.2%
Grade 8	5.4%	6.8%	12.3%	87.7%
Grade 9	4.4%	6.3%	13.0%	87.0%
Grade 10	3.1%	4.7%	10.3%	89.7%
Grade 11	3.1%	4.4%	10.3%	89.7%
Grade 12	3.6%	5.1%	10.1%	89.9%
Spray Paint?				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.4%	0.5%	1.9%	98.1%
Grade 8	0.1%	0.4%	1.2%	98.8%
Grade 9	0.1%	0.4%	2.2%	97.8%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.2%	0.7%	2.1%	97.9%
Grade 12	0.5%	0.6%	1.2%	98.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.4%	4.4%	95.6%
Grade 7	1.2%	2.0%	5.8%	94.2%
Grade 8	1.2%	2.0%	4.9%	95.1%
Grade 9	1.4%	1.8%	5.6%	94.4%
Grade 10	0.5%	0.7%	2.9%	97.1%
Grade 11	1.0%	1.1%	4.1%	95.9%
Grade 12	0.6%	0.7%	2.5%	97.5%
Computer Dusting Sprays?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.6%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.6%	1.0%	1.2%	98.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.2%	5.8%	94.2%
Grade 7	1.6%	2.2%	5.8%	94.2%
Grade 8	1.7%	2.3%	5.0%	95.0%
Grade 9	1.3%	2.3%	7.7%	92.3%
Grade 10	1.4%	2.3%	5.1%	94.9%
Grade 11	0.8%	1.6%	5.3%	94.7%
Grade 12	2.0%	2.9%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.5%	0.6%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.3%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.8%	99.2%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.7%	1.0%	99.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	1.1%	1.3%	2.2%	97.8%
Grade 8	1.3%	1.4%	1.9%	98.1%
Grade 9	0.3%	0.6%	2.4%	97.6%
Grade 10	0.6%	0.7%	1.4%	98.6%
Grade 11	0.6%	0.8%	2.5%	97.5%
Grade 12	0.5%	0.6%	1.0%	99.0%
Other Aerosols/Sprays?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.7%	0.8%	1.7%	98.3%
Grade 8	0.5%	0.7%	1.7%	98.3%
Grade 9	0.1%	0.4%	1.4%	98.6%
Grade 10	0.6%	0.7%	1.3%	98.7%
Grade 11	0.2%	0.3%	1.1%	98.9%
Grade 12	0.3%	0.5%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.2%	0.1%	0.2%	0.3%	0.4%	0.7%	1.2%
Grade 7	96.2%	0.1%	0.5%	0.4%	0.6%	0.8%	1.4%
Grade 8	96.8%	0.1%	0.1%	0.5%	0.3%	1.4%	0.9%
Grade 9	96.5%	0.0%	0.1%	0.4%	0.7%	0.3%	1.9%
Grade 10	98.2%	0.2%	0.0%	0.1%	0.2%	0.3%	1.0%
Grade 11	97.2%	0.2%	0.0%	0.3%	0.5%	0.7%	1.1%
Grade 12	98.4%	0.0%	0.2%	0.0%	0.1%	0.4%	0.8%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.3%	6.0%	2.7%	1.0%
Grade 7	88.9%	6.8%	3.0%	1.3%
Grade 8	90.3%	5.8%	3.5%	0.4%
Grade 9	88.3%	6.9%	3.7%	1.1%
Grade 10	91.7%	5.5%	2.2%	0.7%
Grade 11	91.4%	4.7%	2.5%	1.3%
Grade 12	92.3%	5.9%	0.7%	1.1%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.7	10.9	11.7	12.2	12.2	14.5

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.5%	0.1%	0.2%
Grade 7	99.1%	0.6%	0.2%	0.1%
Grade 8	98.8%	0.9%	0.1%	0.1%
Grade 9	98.9%	0.7%	0.0%	0.5%
Grade 10	99.2%	0.4%	0.1%	0.4%
Grade 11	99.5%	0.4%	0.1%	0.0%
Grade 12	99.4%	0.1%	0.1%	0.3%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.3
Inhalant Non-Users	3.4
Average Days Conduct Problems Reported	
Inhalant Users	3.2
Inhalant Non-Users	1.4

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.4%	4.5%	1.4%	0.4%	0.2%
Grade 7	92.9%	4.9%	1.6%	0.4%	0.2%
Grade 8	93.5%	4.6%	1.3%	0.5%	0.1%
Grade 9	92.2%	5.4%	1.7%	0.5%	0.3%
Grade 10	94.0%	4.3%	1.3%	0.5%	0.0%
Grade 11	93.9%	4.3%	1.3%	0.3%	0.3%
Grade 12	94.4%	3.5%	1.5%	0.3%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.5%	15.3%	5.3%	1.7%	8.1%
Grade 7	74.2%	13.3%	4.2%	1.3%	7.0%
Grade 8	73.5%	13.2%	5.7%	1.0%	6.6%
Grade 9	67.3%	16.7%	6.0%	2.3%	7.7%
Grade 10	66.0%	16.9%	6.1%	1.6%	9.4%
Grade 11	67.9%	15.4%	5.0%	2.0%	9.6%
Grade 12	67.6%	16.9%	4.9%	1.9%	8.8%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.2%	16.1%	3.8%	4.9%	8.2%	25.8%
Grade 7	49.8%	23.4%	4.3%	4.3%	4.9%	13.2%
Grade 8	45.9%	22.8%	3.8%	4.5%	6.8%	16.2%
Grade 9	37.4%	16.0%	3.8%	4.6%	9.6%	28.5%
Grade 10	40.3%	13.0%	4.0%	5.5%	9.3%	27.9%
Grade 11	37.8%	12.1%	3.0%	4.7%	9.7%	32.7%
Grade 12	34.4%	6.6%	3.8%	5.7%	9.5%	39.9%

Percentages have been weighted to reflect proportions within the population.

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	34.7%
	Grade 7	34.8%
	Grade 8	47.5%
	Grade 9	34.2%
	Grade 10	31.7%
	Grade 11	30.5%
	Grade 12	28.4%
An Assembly Program		
	All	33.3%
	Grade 7	38.0%
	Grade 8	40.5%
	Grade 9	31.2%
	Grade 10	30.8%
	Grade 11	29.3%
	Grade 12	29.1%
Guidance Counselor		
	All	19.7%
	Grade 7	28.2%
	Grade 8	26.2%
	Grade 9	17.7%
	Grade 10	16.9%
	Grade 11	14.0%
	Grade 12	13.8%
School Nurse		
	All	12.8%
	Grade 7	20.4%
	Grade 8	15.0%
	Grade 9	11.5%
	Grade 10	10.5%
	Grade 11	8.7%
	Grade 12	9.7%
Science or Social Studies Class		
	All	24.2%
	Grade 7	30.8%
	Grade 8	24.9%
	Grade 9	24.1%
	Grade 10	21.3%
	Grade 11	22.6%
	Grade 12	20.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 33 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.0%
	Grade 7	12.5%
	Grade 8	10.5%
	Grade 9	13.8%
	Grade 10	11.5%
	Grade 11	11.0%
	Grade 12	12.3%
An Invited School Guest		
	All	20.9%
	Grade 7	25.0%
	Grade 8	26.9%
	Grade 9	16.9%
	Grade 10	18.4%
	Grade 11	19.2%
	Grade 12	19.1%
Another Source at School		
	All	26.0%
	Grade 7	28.5%
	Grade 8	29.4%
	Grade 9	25.4%
	Grade 10	25.5%
	Grade 11	24.5%
	Grade 12	22.1%
Any School Source		
	All	58.5%
	Grade 7	61.5%
	Grade 8	70.7%
	Grade 9	57.4%
	Grade 10	56.2%
	Grade 11	54.0%
	Grade 12	49.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	37.0%
	Grade 7	50.8%
	Grade 8	46.9%
	Grade 9	34.7%
	Grade 10	28.4%
	Grade 11	32.5%
	Grade 12	26.4%
School Nurse		
	All	21.7%
	Grade 7	34.3%
	Grade 8	27.6%
	Grade 9	19.8%
	Grade 10	15.3%
	Grade 11	17.5%
	Grade 12	13.7%
Another Adult In School		
	All	40.0%
	Grade 7	48.8%
	Grade 8	46.9%
	Grade 9	36.9%
	Grade 10	33.1%
	Grade 11	37.4%
	Grade 12	36.0%
Counselor/Program Outside-School		
	All	38.4%
	Grade 7	45.4%
	Grade 8	45.8%
	Grade 9	36.4%
	Grade 10	33.8%
	Grade 11	37.0%
	Grade 12	30.7%
Your Parents		
	All	69.5%
	Grade 7	78.2%
	Grade 8	74.8%
	Grade 9	68.8%
	Grade 10	65.7%
	Grade 11	66.7%
	Grade 12	60.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	58.1%
	Grade 7	69.1%
	Grade 8	67.0%
	Grade 9	54.3%
	Grade 10	49.6%
	Grade 11	55.5%
	Grade 12	51.3%
Your Friends		
	All	63.1%
	Grade 7	49.9%
	Grade 8	57.0%
	Grade 9	64.0%
	Grade 10	67.8%
	Grade 11	70.3%
	Grade 12	71.4%
Another Adult		
	All	58.9%
	Grade 7	63.6%
	Grade 8	62.9%
	Grade 9	58.3%
	Grade 10	56.9%
	Grade 11	56.8%
	Grade 12	53.8%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.3%
	Grade 7	5.9%
	Grade 8	5.0%
	Grade 9	6.6%
	Grade 10	6.2%
	Grade 11	8.1%
	Grade 12	5.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 36 of 126

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.0%	20.0%	22.8%	38.4%	13.8%
Grade 7	7.1%	18.9%	20.0%	34.7%	19.2%
Grade 8	5.7%	21.4%	21.8%	35.9%	15.1%
Grade 9	4.5%	19.7%	21.4%	41.4%	13.0%
Grade 10	4.3%	21.8%	23.6%	37.5%	12.9%
Grade 11	4.5%	20.3%	23.5%	39.7%	12.1%
Grade 12	3.3%	17.5%	27.3%	42.2%	9.6%
Sometimes Carry Weapons?					
All	78.6%	13.8%	4.6%	2.1%	1.0%
Grade 7	86.2%	9.3%	2.6%	0.8%	1.0%
Grade 8	83.2%	10.4%	3.5%	2.2%	0.6%
Grade 9	79.7%	13.3%	5.0%	1.3%	0.8%
Grade 10	77.5%	14.7%	4.5%	2.1%	1.1%
Grade 11	73.0%	16.9%	5.1%	3.8%	1.3%
Grade 12	68.9%	19.7%	7.3%	2.6%	1.5%
Care About Making Good Grades?					
All	2.1%	10.5%	23.0%	43.8%	20.6%
Grade 7	3.2%	13.1%	23.9%	36.6%	23.1%
Grade 8	2.3%	10.1%	23.8%	41.4%	22.3%
Grade 9	2.0%	11.1%	23.6%	44.0%	19.2%
Grade 10	1.2%	9.9%	22.7%	46.2%	20.1%
Grade 11	2.0%	8.8%	21.9%	47.0%	20.3%
Grade 12	1.6%	9.6%	21.3%	49.6%	18.0%
Belong/Want to Belong to a Gang?					
All	84.8%	10.2%	3.0%	1.1%	0.8%
Grade 7	84.8%	10.7%	2.9%	0.9%	0.8%
Grade 8	84.4%	10.8%	2.9%	1.2%	0.7%
Grade 9	83.3%	11.1%	3.1%	1.6%	0.9%
Grade 10	83.7%	11.3%	3.5%	0.9%	0.6%
Grade 11	85.6%	8.6%	3.7%	1.4%	0.7%
Grade 12	87.8%	8.0%	2.0%	0.8%	1.4%
Wish They Could Drop Out of School?					
All	50.8%	28.6%	11.8%	5.4%	3.4%
Grade 7	62.3%	23.8%	8.1%	4.4%	1.4%
Grade 8	56.8%	26.8%	10.5%	4.7%	1.2%
Grade 9	45.8%	31.1%	12.9%	5.8%	4.4%
Grade 10	45.7%	32.9%	12.1%	6.3%	3.0%
Grade 11	45.1%	29.5%	13.8%	5.8%	5.8%
Grade 12	47.8%	27.7%	14.3%	5.3%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 126

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.7%	12.6%	0.7%	0.4%	0.7%
Grade 7	85.3%	12.8%	0.6%	0.5%	0.8%
Grade 8	85.3%	13.5%	0.5%	0.2%	0.5%
Grade 9	84.8%	13.7%	0.6%	0.3%	0.6%
Grade 10	85.8%	12.4%	0.9%	0.5%	0.4%
Grade 11	87.1%	10.9%	0.6%	0.5%	0.8%
Grade 12	85.9%	12.1%	0.9%	0.3%	0.8%
Out In Your Neighborhood?					
All	45.5%	45.1%	5.9%	1.2%	2.3%
Grade 7	35.3%	49.1%	10.5%	1.5%	3.6%
Grade 8	35.1%	52.1%	7.7%	1.7%	3.3%
Grade 9	47.9%	44.5%	4.6%	1.0%	2.0%
Grade 10	50.4%	42.2%	4.4%	1.2%	1.9%
Grade 11	54.3%	40.3%	3.3%	0.5%	1.7%
Grade 12	52.3%	41.0%	4.3%	1.3%	1.0%
At School?					
All	32.1%	49.5%	10.3%	4.4%	3.7%
Grade 7	36.8%	46.7%	8.7%	2.8%	4.9%
Grade 8	34.1%	48.8%	10.0%	2.8%	4.4%
Grade 9	29.2%	52.3%	10.0%	4.6%	3.9%
Grade 10	27.4%	51.5%	12.0%	5.4%	3.6%
Grade 11	29.6%	49.7%	11.0%	6.9%	2.8%
Grade 12	35.9%	47.8%	10.4%	4.0%	1.9%

Percentages have been weighted to reflect proportions within the population.

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.1%	20.9%	30.5%	69.5%
Grade 7	5.5%	6.7%	13.2%	86.8%
Grade 8	7.9%	10.1%	18.3%	81.7%
Grade 9	14.8%	19.2%	29.6%	70.4%
Grade 10	20.6%	26.1%	36.6%	63.4%
Grade 11	25.3%	29.8%	42.0%	58.0%
Grade 12	33.1%	38.7%	48.8%	51.2%
Any Alcohol Product				
All	28.9%	34.3%	50.7%	49.3%
Grade 7	15.7%	18.2%	34.5%	65.5%
Grade 8	18.6%	22.2%	39.4%	60.6%
Grade 9	26.2%	30.4%	47.4%	52.6%
Grade 10	34.1%	40.8%	57.0%	43.0%
Grade 11	35.2%	43.6%	61.1%	38.9%
Grade 12	49.0%	57.1%	70.7%	29.3%
Any Illicit Drug				
All	13.9%	18.3%	23.9%	76.1%
Grade 7	4.5%	7.1%	9.7%	90.3%
Grade 8	7.4%	9.7%	12.4%	87.6%
Grade 9	13.2%	17.2%	21.1%	78.9%
Grade 10	15.9%	20.9%	27.3%	72.7%
Grade 11	20.1%	25.9%	35.2%	64.8%
Grade 12	25.9%	33.5%	43.6%	56.4%
Any Prescription Drug				
All	7.2%	10.8%	19.1%	80.9%
Grade 7	5.8%	8.0%	14.1%	85.9%
Grade 8	6.5%	8.3%	14.5%	85.5%
Grade 9	7.5%	11.5%	18.4%	81.6%
Grade 10	6.8%	11.8%	21.2%	78.8%
Grade 11	8.2%	12.5%	23.7%	76.3%
Grade 12	8.9%	13.5%	24.6%	75.4%
Any Inhalant				
All	4.2%	5.7%	11.6%	88.4%
Grade 7	5.0%	6.5%	12.8%	87.2%
Grade 8	5.4%	6.8%	12.3%	87.7%
Grade 9	4.4%	6.3%	13.0%	87.0%
Grade 10	3.1%	4.7%	10.3%	89.7%
Grade 11	3.1%	4.4%	10.3%	89.7%
Grade 12	3.6%	5.1%	10.1%	89.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	18.2%	26.9%	73.1%
Grade 7	3.1%	4.3%	9.0%	91.0%
Grade 8	4.4%	7.1%	14.2%	85.8%
Grade 9	13.5%	18.0%	27.1%	72.9%
Grade 10	17.4%	22.9%	33.2%	66.8%
Grade 11	20.8%	26.4%	38.4%	61.6%
Grade 12	28.7%	35.0%	44.9%	55.1%
Marijuana				
All	13.5%	16.4%	22.3%	77.7%
Grade 7	4.3%	5.6%	7.7%	92.3%
Grade 8	7.1%	8.2%	11.0%	89.0%
Grade 9	12.9%	15.2%	19.2%	80.8%
Grade 10	15.7%	19.1%	25.9%	74.1%
Grade 11	19.2%	23.4%	33.4%	66.6%
Grade 12	25.6%	31.3%	42.2%	57.8%
Marijuana Only				
All	8.1%	10.4%	15.2%	84.8%
Grade 7	2.4%	3.6%	5.4%	94.6%
Grade 8	4.1%	4.9%	7.0%	93.0%
Grade 9	7.8%	9.5%	12.7%	87.3%
Grade 10	9.2%	12.1%	18.1%	81.9%
Grade 11	11.8%	15.4%	23.8%	76.2%
Grade 12	15.1%	19.4%	28.2%	71.8%
Cocaine or Crack				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.6%	98.4%
Grade 9	1.1%	1.1%	1.5%	98.5%
Grade 10	1.0%	1.1%	2.4%	97.6%
Grade 11	1.4%	1.8%	3.1%	96.9%
Grade 12	2.5%	3.2%	6.0%	94.0%
Cocaine				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.8%	1.0%	1.4%	98.6%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	0.9%	1.0%	2.3%	97.7%
Grade 11	1.3%	1.7%	2.9%	97.1%
Grade 12	2.4%	3.1%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.9%	99.1%
Hallucinogens				
All	0.9%	1.6%	3.3%	96.7%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.8%	1.4%	2.6%	97.4%
Grade 10	0.9%	1.7%	4.0%	96.0%
Grade 11	1.7%	2.8%	5.2%	94.8%
Grade 12	2.1%	4.2%	8.0%	92.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.5%	99.5%
Steroids				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.5%	0.8%	2.2%	97.8%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.6%	1.5%	98.5%
Grade 10	0.3%	0.8%	2.3%	97.7%
Grade 11	0.6%	0.7%	2.5%	97.5%
Grade 12	0.4%	0.7%	1.2%	98.8%
Ecstasy				
All	0.7%	1.2%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.9%	1.3%	2.0%	98.0%
Grade 10	0.8%	1.4%	3.1%	96.9%
Grade 11	1.0%	2.0%	3.8%	96.2%
Grade 12	1.1%	2.1%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	1.0%	1.7%	3.6%	96.4%
Grade 7	0.5%	1.1%	1.6%	98.4%
Grade 8	0.8%	1.4%	2.3%	97.7%
Grade 9	1.3%	1.9%	4.1%	95.9%
Grade 10	1.2%	2.0%	4.4%	95.6%
Grade 11	1.7%	2.4%	4.6%	95.4%
Grade 12	0.7%	1.6%	4.8%	95.2%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.3%	0.6%	1.1%	98.9%
Grade 11	0.6%	0.7%	1.2%	98.8%
Grade 12	0.3%	0.6%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 43 of 126

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.9%	21.5%	30.6%	69.4%
Grade 7	7.1%	7.9%	12.9%	87.1%
Grade 8	7.3%	9.9%	20.5%	79.5%
Grade 9	15.3%	19.1%	27.6%	72.4%
Grade 10	20.6%	25.5%	35.0%	65.0%
Grade 11	26.1%	30.7%	42.5%	57.5%
Grade 12	36.4%	41.7%	51.3%	48.7%
Any Alcohol Product				
All	25.6%	30.6%	47.3%	52.7%
Grade 7	14.1%	16.8%	34.2%	65.8%
Grade 8	17.2%	21.8%	40.3%	59.7%
Grade 9	19.4%	23.6%	39.2%	60.8%
Grade 10	29.6%	34.6%	51.3%	48.7%
Grade 11	32.3%	40.4%	57.5%	42.5%
Grade 12	47.1%	53.4%	67.5%	32.5%
Any Illicit Drug				
All	13.2%	17.2%	22.6%	77.4%
Grade 7	4.5%	6.7%	10.0%	90.0%
Grade 8	6.6%	8.9%	11.9%	88.1%
Grade 9	11.3%	14.5%	17.7%	82.3%
Grade 10	14.1%	19.6%	25.0%	75.0%
Grade 11	19.3%	25.0%	33.3%	66.7%
Grade 12	27.7%	33.2%	44.1%	55.9%
Any Prescription Drug				
All	7.1%	10.9%	19.5%	80.5%
Grade 7	5.4%	9.0%	15.1%	84.9%
Grade 8	6.8%	9.0%	14.8%	85.2%
Grade 9	7.0%	10.4%	17.9%	82.1%
Grade 10	6.7%	11.6%	20.6%	79.4%
Grade 11	8.0%	12.2%	23.6%	76.4%
Grade 12	9.4%	14.2%	27.3%	72.7%
Any Inhalant				
All	3.7%	4.9%	10.4%	89.6%
Grade 7	3.7%	4.6%	10.8%	89.2%
Grade 8	5.5%	6.8%	12.5%	87.5%
Grade 9	3.1%	4.6%	10.4%	89.6%
Grade 10	2.6%	4.1%	8.4%	91.6%
Grade 11	3.0%	3.7%	9.3%	90.7%
Grade 12	4.4%	5.4%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.5%	18.4%	26.7%	73.3%
Grade 7	4.3%	5.1%	9.1%	90.9%
Grade 8	3.7%	6.7%	14.9%	85.1%
Grade 9	14.3%	17.8%	24.8%	75.2%
Grade 10	16.7%	21.7%	31.1%	68.9%
Grade 11	21.8%	27.2%	39.5%	60.5%
Grade 12	30.3%	37.0%	46.5%	53.5%
Marijuana				
All	12.7%	15.4%	21.1%	78.9%
Grade 7	4.1%	5.1%	8.0%	92.0%
Grade 8	6.2%	7.7%	10.8%	89.2%
Grade 9	10.9%	12.6%	16.0%	84.0%
Grade 10	13.7%	17.3%	23.6%	76.4%
Grade 11	18.4%	22.3%	31.5%	68.5%
Grade 12	27.1%	31.8%	42.7%	57.3%
Marijuana Only				
All	7.1%	9.1%	13.8%	86.2%
Grade 7	2.6%	3.4%	6.0%	94.0%
Grade 8	3.1%	4.1%	6.5%	93.5%
Grade 9	6.8%	7.8%	10.8%	89.2%
Grade 10	8.6%	11.6%	17.2%	82.8%
Grade 11	10.1%	13.6%	21.0%	79.0%
Grade 12	13.3%	16.5%	25.1%	74.9%
Cocaine or Crack				
All	1.0%	1.4%	2.5%	97.5%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.7%	0.8%	1.0%	99.0%
Grade 10	0.3%	0.4%	1.5%	98.5%
Grade 11	1.5%	2.1%	3.6%	96.4%
Grade 12	3.3%	4.5%	8.0%	92.0%
Cocaine				
All	1.0%	1.3%	2.4%	97.6%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.7%	1.0%	1.6%	98.4%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	1.5%	2.1%	3.5%	96.5%
Grade 12	3.3%	4.5%	8.0%	92.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.5%	0.5%	0.6%	99.4%
Hallucinogens				
All	1.3%	2.0%	3.9%	96.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	1.3%	98.7%
Grade 9	0.7%	1.0%	2.5%	97.5%
Grade 10	1.2%	1.8%	3.9%	96.1%
Grade 11	2.4%	3.5%	5.9%	94.1%
Grade 12	3.4%	6.3%	11.2%	88.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.6%	0.7%	1.7%	98.3%
Grade 7	0.7%	0.9%	2.9%	97.1%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.8%	1.2%	98.8%
Grade 10	0.5%	0.5%	1.7%	98.3%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	0.8%	1.2%	1.7%	98.3%
Ecstasy				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.8%	1.2%	1.9%	98.1%
Grade 10	0.7%	0.9%	2.2%	97.8%
Grade 11	1.7%	2.8%	4.8%	95.2%
Grade 12	1.0%	2.3%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.5%	0.6%	1.2%	98.8%
Grade 12	0.4%	0.4%	0.5%	99.5%
Synthetic Marijuana				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.1%	0.5%	1.2%	98.8%
Grade 8	0.9%	1.4%	2.6%	97.4%
Grade 9	1.3%	2.1%	3.9%	96.1%
Grade 10	1.0%	1.3%	3.4%	96.6%
Grade 11	1.4%	1.9%	4.3%	95.7%
Grade 12	1.1%	2.3%	6.0%	94.0%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.5%	0.6%	1.2%	98.8%
Grade 12	0.5%	0.9%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.4%	20.4%	30.3%	69.7%
Grade 7	4.2%	5.7%	13.5%	86.5%
Grade 8	8.5%	10.3%	16.3%	83.7%
Grade 9	14.4%	19.4%	31.5%	68.5%
Grade 10	20.5%	26.6%	37.7%	62.3%
Grade 11	24.7%	29.1%	41.6%	58.4%
Grade 12	30.2%	36.0%	46.6%	53.4%
Any Alcohol Product				
All	32.0%	37.7%	53.8%	46.2%
Grade 7	17.3%	19.5%	34.9%	65.1%
Grade 8	20.0%	22.7%	38.6%	61.4%
Grade 9	32.5%	36.8%	55.1%	44.9%
Grade 10	38.5%	46.6%	62.2%	37.8%
Grade 11	38.2%	47.1%	64.8%	35.2%
Grade 12	50.5%	60.3%	73.0%	27.0%
Any Illicit Drug				
All	14.6%	19.3%	25.0%	75.0%
Grade 7	4.5%	7.5%	9.3%	90.7%
Grade 8	8.2%	10.5%	12.8%	87.2%
Grade 9	14.9%	19.8%	24.3%	75.7%
Grade 10	17.7%	21.9%	29.2%	70.8%
Grade 11	20.9%	26.8%	37.0%	63.0%
Grade 12	24.5%	33.4%	42.9%	57.1%
Any Prescription Drug				
All	7.3%	10.7%	18.7%	81.3%
Grade 7	6.1%	7.2%	13.3%	86.7%
Grade 8	6.4%	7.8%	14.2%	85.8%
Grade 9	7.9%	12.6%	18.9%	81.1%
Grade 10	7.0%	12.0%	21.4%	78.6%
Grade 11	8.4%	12.7%	23.7%	76.3%
Grade 12	8.3%	12.6%	22.0%	78.0%
Any Inhalant				
All	4.6%	6.5%	12.6%	87.4%
Grade 7	6.3%	8.1%	14.4%	85.6%
Grade 8	5.3%	6.9%	12.2%	87.8%
Grade 9	5.7%	7.9%	15.5%	84.5%
Grade 10	3.6%	5.4%	11.8%	88.2%
Grade 11	3.3%	5.0%	11.4%	88.6%
Grade 12	3.0%	4.9%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.5%	18.0%	27.1%	72.9%
Grade 7	2.0%	3.6%	8.8%	91.2%
Grade 8	5.1%	7.6%	13.6%	86.4%
Grade 9	13.0%	18.2%	29.4%	70.6%
Grade 10	17.8%	23.8%	34.7%	65.3%
Grade 11	19.8%	25.7%	37.6%	62.4%
Grade 12	27.5%	33.7%	43.7%	56.3%
Marijuana				
All	14.3%	17.3%	23.3%	76.7%
Grade 7	4.5%	6.1%	7.5%	92.5%
Grade 8	7.9%	8.7%	11.0%	89.0%
Grade 9	14.7%	17.6%	22.2%	77.8%
Grade 10	17.6%	20.6%	27.9%	72.1%
Grade 11	19.9%	24.5%	35.2%	64.8%
Grade 12	24.4%	30.4%	41.4%	58.6%
Marijuana Only				
All	9.0%	11.5%	16.5%	83.5%
Grade 7	2.3%	3.7%	5.0%	95.0%
Grade 8	5.1%	5.6%	7.4%	92.6%
Grade 9	8.8%	11.0%	14.7%	85.3%
Grade 10	9.9%	12.7%	19.1%	80.9%
Grade 11	13.6%	17.2%	26.5%	73.5%
Grade 12	16.5%	21.6%	30.8%	69.2%
Cocaine or Crack				
All	1.3%	1.4%	2.3%	97.7%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.1%	1.1%	1.6%	98.4%
Grade 9	1.4%	1.4%	2.0%	98.0%
Grade 10	1.7%	1.9%	3.2%	96.8%
Grade 11	1.4%	1.5%	2.7%	97.3%
Grade 12	1.9%	2.0%	4.0%	96.0%
Cocaine				
All	1.1%	1.3%	2.0%	98.0%
Grade 7	0.5%	0.6%	0.6%	99.4%
Grade 8	0.8%	1.0%	1.1%	98.9%
Grade 9	1.4%	1.4%	1.9%	98.1%
Grade 10	1.6%	1.7%	3.1%	96.9%
Grade 11	1.1%	1.3%	2.4%	97.6%
Grade 12	1.7%	1.8%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.0%	99.0%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	1.1%	98.9%
Hallucinogens				
All	0.6%	1.3%	2.7%	97.3%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.9%	1.7%	2.7%	97.3%
Grade 10	0.5%	1.4%	3.6%	96.4%
Grade 11	1.1%	2.0%	4.4%	95.6%
Grade 12	1.2%	2.4%	5.1%	94.9%
Synthetic Cathinones				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.4%	0.5%	0.6%	99.4%
Steroids				
All	0.3%	0.6%	1.9%	98.1%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.6%	0.8%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.8%	98.2%
Grade 10	0.2%	1.0%	2.7%	97.3%
Grade 11	0.3%	0.4%	3.2%	96.8%
Grade 12	0.1%	0.2%	0.8%	99.2%
Ecstasy				
All	0.6%	1.1%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	0.9%	1.4%	2.1%	97.9%
Grade 10	0.9%	1.8%	3.9%	96.1%
Grade 11	0.3%	1.3%	2.8%	97.2%
Grade 12	1.1%	1.9%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	1.1%	1.8%	3.7%	96.3%
Grade 7	0.9%	1.5%	1.8%	98.2%
Grade 8	0.7%	1.4%	2.1%	97.9%
Grade 9	1.3%	1.7%	4.2%	95.8%
Grade 10	1.4%	2.6%	5.5%	94.5%
Grade 11	2.0%	2.8%	5.0%	95.0%
Grade 12	0.3%	1.1%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.2%	0.7%	1.3%	98.7%
Grade 11	0.7%	0.9%	1.3%	98.7%
Grade 12	0.1%	0.4%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.1%	24.5%	33.3%	66.7%
Grade 7	3.3%	4.3%	11.9%	88.1%
Grade 8	8.9%	10.6%	17.6%	82.4%
Grade 9	15.6%	19.7%	28.5%	71.5%
Grade 10	25.2%	30.0%	40.6%	59.4%
Grade 11	33.7%	38.0%	47.9%	52.1%
Grade 12	39.6%	43.9%	52.7%	47.3%
Any Alcohol Product				
All	30.2%	35.7%	53.3%	46.7%
Grade 7	13.7%	16.5%	34.3%	65.7%
Grade 8	18.8%	21.6%	40.4%	59.6%
Grade 9	23.3%	28.3%	45.0%	55.0%
Grade 10	34.8%	41.4%	60.7%	39.3%
Grade 11	39.0%	47.9%	65.2%	34.8%
Grade 12	52.0%	59.0%	74.3%	25.7%
Any Illicit Drug				
All	11.9%	16.7%	22.2%	77.8%
Grade 7	0.7%	3.3%	5.9%	94.1%
Grade 8	3.4%	4.0%	6.5%	93.5%
Grade 9	10.0%	15.4%	18.5%	81.5%
Grade 10	14.3%	19.3%	24.9%	75.1%
Grade 11	19.0%	25.1%	35.4%	64.6%
Grade 12	23.9%	32.4%	41.7%	58.3%
Any Prescription Drug				
All	7.7%	11.5%	20.2%	79.8%
Grade 7	7.3%	9.9%	16.1%	83.9%
Grade 8	4.5%	6.4%	13.4%	86.6%
Grade 9	6.7%	11.5%	17.7%	82.3%
Grade 10	8.4%	13.7%	22.3%	77.7%
Grade 11	8.2%	12.2%	25.5%	74.5%
Grade 12	11.0%	15.3%	25.8%	74.2%
Any Inhalant				
All	3.2%	4.8%	10.6%	89.4%
Grade 7	4.1%	4.9%	11.7%	88.3%
Grade 8	3.6%	4.6%	7.6%	92.4%
Grade 9	2.6%	5.2%	11.4%	88.6%
Grade 10	1.7%	3.3%	9.5%	90.5%
Grade 11	2.9%	4.0%	10.4%	89.6%
Grade 12	4.3%	7.0%	13.2%	86.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.6%	21.4%	29.6%	70.4%
Grade 7	1.9%	3.0%	8.4%	91.6%
Grade 8	5.0%	7.2%	12.1%	87.9%
Grade 9	14.2%	18.2%	26.1%	73.9%
Grade 10	21.2%	26.3%	36.2%	63.8%
Grade 11	27.3%	32.9%	45.2%	54.8%
Grade 12	35.5%	40.3%	48.3%	51.7%
Marijuana				
All	11.6%	14.7%	20.8%	79.2%
Grade 7	0.7%	2.2%	4.1%	95.9%
Grade 8	2.9%	3.1%	6.1%	93.9%
Grade 9	9.8%	12.5%	16.3%	83.7%
Grade 10	14.1%	17.5%	23.5%	76.5%
Grade 11	18.2%	22.7%	34.3%	65.7%
Grade 12	23.7%	30.0%	40.6%	59.4%
Marijuana Only				
All	6.7%	9.1%	14.4%	85.6%
Grade 7	0.7%	2.2%	3.5%	96.5%
Grade 8	2.0%	2.2%	4.3%	95.7%
Grade 9	5.4%	7.5%	10.6%	89.4%
Grade 10	8.5%	10.8%	16.6%	83.4%
Grade 11	10.0%	13.3%	23.7%	76.3%
Grade 12	13.2%	18.5%	27.9%	72.1%
Cocaine or Crack				
All	1.3%	1.6%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	1.5%	1.7%	3.1%	96.9%
Grade 11	2.2%	2.8%	4.5%	95.5%
Grade 12	2.8%	3.6%	6.4%	93.6%
Cocaine				
All	1.3%	1.6%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	1.2%	1.4%	2.9%	97.1%
Grade 11	2.2%	2.8%	4.5%	95.5%
Grade 12	2.7%	3.5%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.4%	1.1%	98.9%
Hallucinogens				
All	1.0%	2.0%	4.0%	96.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.9%	2.3%	97.7%
Grade 10	0.8%	2.5%	5.6%	94.4%
Grade 11	1.6%	3.4%	6.8%	93.2%
Grade 12	3.2%	5.3%	9.0%	91.0%
Synthetic Cathinones				
All	0.0%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.1%	0.8%	99.2%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.1%	0.3%	0.3%	99.7%
Steroids				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.3%	0.8%	2.5%	97.5%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.7%	98.3%
Grade 10	0.5%	0.6%	2.9%	97.1%
Grade 11	0.9%	0.9%	2.5%	97.5%
Grade 12	0.8%	1.5%	1.9%	98.1%
Ecstasy				
All	0.4%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.8%	3.1%	96.9%
Grade 11	0.9%	2.2%	3.4%	96.6%
Grade 12	1.0%	2.6%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	0.9%	99.1%
Grade 9	1.0%	1.1%	3.1%	96.9%
Grade 10	0.7%	1.3%	2.7%	97.3%
Grade 11	1.6%	2.2%	4.7%	95.3%
Grade 12	0.8%	1.3%	2.5%	97.5%
Methamphetamine				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	1.1%	1.6%	2.2%	97.8%
Grade 12	0.4%	0.7%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.1%	12.9%	20.6%	79.4%
Grade 7	4.8%	5.6%	9.9%	90.1%
Grade 8	5.7%	8.2%	15.0%	85.0%
Grade 9	4.2%	7.2%	17.8%	82.2%
Grade 10	4.4%	9.9%	18.8%	81.2%
Grade 11	19.2%	21.9%	30.9%	69.1%
Grade 12	23.8%	36.0%	44.4%	55.6%
Any Alcohol Product				
All	22.2%	28.2%	43.9%	56.1%
Grade 7	14.5%	17.8%	30.2%	69.8%
Grade 8	17.2%	20.9%	35.1%	64.9%
Grade 9	17.9%	20.2%	41.2%	58.8%
Grade 10	25.0%	27.5%	43.2%	56.8%
Grade 11	28.5%	42.3%	63.0%	37.0%
Grade 12	40.8%	55.8%	67.2%	32.8%
Any Illicit Drug				
All	13.8%	17.1%	22.3%	77.7%
Grade 7	4.9%	8.6%	10.6%	89.4%
Grade 8	7.2%	9.2%	11.3%	88.7%
Grade 9	11.3%	13.9%	18.2%	81.8%
Grade 10	9.4%	15.1%	24.4%	75.6%
Grade 11	30.9%	34.8%	42.1%	57.9%
Grade 12	30.5%	32.3%	42.6%	57.4%
Any Prescription Drug				
All	6.4%	8.8%	17.0%	83.0%
Grade 7	4.7%	6.8%	10.0%	90.0%
Grade 8	7.1%	8.1%	13.8%	86.2%
Grade 9	4.5%	5.1%	11.9%	88.1%
Grade 10	7.3%	10.9%	18.0%	82.0%
Grade 11	9.6%	11.2%	31.1%	68.9%
Grade 12	6.0%	12.8%	24.9%	75.1%
Any Inhalant				
All	4.4%	5.9%	10.6%	89.4%
Grade 7	5.9%	7.5%	11.6%	88.4%
Grade 8	6.6%	7.7%	13.6%	86.4%
Grade 9	2.5%	2.5%	9.0%	91.0%
Grade 10	4.1%	5.1%	7.1%	92.9%
Grade 11	3.3%	7.6%	14.0%	86.0%
Grade 12	1.8%	2.9%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	10.7%	18.2%	81.8%
Grade 7	0.8%	2.0%	6.0%	94.0%
Grade 8	2.0%	4.7%	11.4%	88.6%
Grade 9	4.4%	7.5%	15.3%	84.7%
Grade 10	2.7%	6.9%	16.2%	83.8%
Grade 11	15.5%	19.8%	30.3%	69.7%
Grade 12	22.4%	35.3%	44.9%	55.1%
Marijuana				
All	13.1%	15.0%	20.7%	79.3%
Grade 7	4.1%	5.9%	7.9%	92.1%
Grade 8	5.8%	6.3%	8.8%	91.2%
Grade 9	11.3%	13.9%	18.2%	81.8%
Grade 10	9.5%	12.7%	23.4%	76.6%
Grade 11	28.8%	32.7%	41.1%	58.9%
Grade 12	30.5%	30.5%	40.8%	59.2%
Marijuana Only				
All	9.7%	11.6%	15.9%	84.1%
Grade 7	2.4%	4.1%	6.1%	93.9%
Grade 8	4.6%	5.0%	6.5%	93.5%
Grade 9	10.6%	13.2%	17.4%	82.6%
Grade 10	7.1%	10.1%	19.2%	80.8%
Grade 11	19.8%	23.6%	27.5%	72.5%
Grade 12	22.1%	22.1%	30.3%	69.7%
Cocaine or Crack				
All	1.0%	1.3%	1.3%	98.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	1.3%	1.9%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.6%	99.4%
Grade 11	2.2%	2.2%	2.2%	97.8%
Grade 12	3.5%	4.1%	4.1%	95.9%
Cocaine				
All	0.8%	1.2%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	1.5%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	2.2%	2.2%	2.2%	97.8%
Grade 12	3.5%	4.1%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.2%	1.5%	98.5%
Grade 7	0.8%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	3.1%	4.6%	6.1%	93.9%
Grade 12	2.5%	2.5%	2.5%	97.5%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.8%	1.8%	1.8%	98.2%
Steroids				
All	0.5%	0.6%	2.1%	97.9%
Grade 7	1.3%	1.3%	2.5%	97.5%
Grade 8	0.0%	0.4%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.7%	98.3%
Grade 11	0.0%	0.0%	5.4%	94.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.8%	2.5%	5.7%	94.3%
Grade 12	2.4%	2.4%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.8%	2.5%	97.5%
Grade 7	1.2%	1.3%	1.3%	98.7%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	0.8%	2.2%	5.0%	95.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
Methamphetamine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.6%	21.9%	32.5%	67.5%
Grade 7	7.0%	8.3%	14.4%	85.6%
Grade 8	8.1%	10.4%	18.9%	81.1%
Grade 9	17.4%	22.7%	34.6%	65.4%
Grade 10	23.5%	30.1%	40.9%	59.1%
Grade 11	22.5%	28.2%	42.8%	57.2%
Grade 12	31.7%	37.4%	49.5%	50.5%
Any Alcohol Product				
All	31.0%	36.3%	52.2%	47.8%
Grade 7	16.3%	18.3%	34.9%	65.1%
Grade 8	20.2%	23.5%	40.4%	59.6%
Grade 9	31.2%	35.3%	51.3%	48.7%
Grade 10	38.7%	46.7%	61.3%	38.7%
Grade 11	35.7%	43.2%	60.2%	39.8%
Grade 12	50.2%	58.5%	72.1%	27.9%
Any Illicit Drug				
All	15.6%	20.3%	26.1%	73.9%
Grade 7	6.6%	8.9%	11.0%	89.0%
Grade 8	10.3%	13.7%	16.5%	83.5%
Grade 9	16.3%	19.7%	23.9%	76.1%
Grade 10	19.4%	24.6%	31.4%	68.6%
Grade 11	18.3%	25.0%	34.3%	65.7%
Grade 12	26.4%	35.1%	46.5%	53.5%
Any Prescription Drug				
All	7.1%	10.9%	18.8%	81.2%
Grade 7	4.7%	6.7%	13.1%	86.9%
Grade 8	7.5%	9.1%	15.1%	84.9%
Grade 9	8.8%	13.0%	19.9%	80.1%
Grade 10	6.1%	11.9%	22.4%	77.6%
Grade 11	7.4%	12.4%	20.5%	79.5%
Grade 12	8.6%	12.5%	23.4%	76.6%
Any Inhalant				
All	4.6%	6.1%	12.1%	87.9%
Grade 7	5.3%	7.1%	13.2%	86.8%
Grade 8	6.1%	7.6%	13.8%	86.2%
Grade 9	5.6%	7.4%	14.6%	85.4%
Grade 10	3.8%	5.8%	12.2%	87.8%
Grade 11	2.8%	3.4%	9.1%	90.9%
Grade 12	3.2%	4.0%	8.3%	91.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.3%	19.1%	28.7%	71.3%
Grade 7	4.6%	5.8%	9.9%	90.1%
Grade 8	5.0%	7.9%	15.4%	84.6%
Grade 9	16.0%	21.3%	32.0%	68.0%
Grade 10	19.9%	26.6%	37.8%	62.2%
Grade 11	18.4%	25.1%	38.2%	61.8%
Grade 12	25.9%	32.6%	44.7%	55.3%
Marijuana				
All	15.4%	18.6%	24.4%	75.6%
Grade 7	6.4%	7.5%	9.6%	90.4%
Grade 8	10.3%	12.2%	14.9%	85.1%
Grade 9	15.9%	17.8%	21.9%	78.1%
Grade 10	19.1%	23.0%	30.1%	69.9%
Grade 11	17.6%	22.3%	31.8%	68.2%
Grade 12	26.2%	33.3%	45.5%	54.5%
Marijuana Only				
All	8.9%	11.4%	16.4%	83.6%
Grade 7	3.5%	4.2%	6.3%	93.7%
Grade 8	5.5%	6.7%	9.1%	90.9%
Grade 9	9.2%	10.3%	13.5%	86.5%
Grade 10	10.5%	14.0%	20.1%	79.9%
Grade 11	10.9%	14.9%	23.6%	76.4%
Grade 12	16.1%	21.4%	31.0%	69.0%
Cocaine or Crack				
All	1.1%	1.3%	2.4%	97.6%
Grade 7	0.7%	1.0%	1.2%	98.8%
Grade 8	1.0%	1.0%	1.7%	98.3%
Grade 9	1.4%	1.5%	1.9%	98.1%
Grade 10	1.1%	1.1%	2.7%	97.3%
Grade 11	1.0%	1.2%	2.8%	97.2%
Grade 12	1.9%	2.4%	5.1%	94.9%
Cocaine				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.5%	0.8%	0.8%	99.2%
Grade 8	0.9%	1.0%	1.4%	98.6%
Grade 9	1.3%	1.3%	1.6%	98.4%
Grade 10	1.1%	1.1%	2.7%	97.3%
Grade 11	0.7%	1.0%	2.3%	97.7%
Grade 12	1.9%	2.3%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.7%	99.3%
Hallucinogens				
All	0.8%	1.4%	3.3%	96.7%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.4%	98.6%
Grade 9	1.4%	1.9%	3.5%	96.5%
Grade 10	1.2%	1.8%	4.2%	95.8%
Grade 11	1.3%	1.9%	4.1%	95.9%
Grade 12	0.9%	3.1%	7.5%	92.5%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.4%	0.4%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.6%	1.7%	98.3%
Grade 10	0.0%	0.8%	2.2%	97.8%
Grade 11	0.4%	0.5%	1.8%	98.2%
Grade 12	0.3%	0.3%	1.1%	98.9%
Ecstasy				
All	0.9%	1.5%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.8%	1.2%	1.9%	98.1%
Grade 9	1.5%	2.2%	3.3%	96.7%
Grade 10	1.4%	2.2%	4.2%	95.8%
Grade 11	1.1%	2.0%	3.9%	96.1%
Grade 12	0.7%	1.2%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.2%	1.1%	98.9%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.4%	2.4%	4.7%	95.3%
Grade 7	0.6%	1.7%	2.5%	97.5%
Grade 8	1.3%	2.0%	3.5%	96.5%
Grade 9	1.7%	2.7%	5.6%	94.4%
Grade 10	1.8%	3.1%	6.5%	93.5%
Grade 11	2.1%	2.8%	4.8%	95.2%
Grade 12	0.7%	2.2%	6.1%	93.9%
Methamphetamine				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.5%	1.0%	1.4%	98.6%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.1%	0.7%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.9%	17.2%	25.1%	74.9%
Grade 7	3.4%	3.7%	9.7%	90.3%
Grade 8	5.5%	8.5%	15.2%	84.8%
Grade 9	9.3%	12.2%	19.9%	80.1%
Grade 10	15.1%	18.9%	27.1%	72.9%
Grade 11	19.9%	23.1%	32.8%	67.2%
Grade 12	29.6%	35.5%	44.8%	55.2%
Any Alcohol Product				
All	25.3%	30.5%	47.3%	52.7%
Grade 7	12.5%	14.6%	29.1%	70.9%
Grade 8	16.0%	18.3%	36.9%	63.1%
Grade 9	17.9%	21.9%	37.5%	62.5%
Grade 10	26.6%	34.1%	51.5%	48.5%
Grade 11	33.5%	39.8%	59.5%	40.5%
Grade 12	45.1%	53.9%	69.5%	30.5%
Any Illicit Drug				
All	8.9%	12.9%	17.6%	82.4%
Grade 7	1.1%	3.7%	5.7%	94.3%
Grade 8	3.7%	5.1%	7.2%	92.8%
Grade 9	6.6%	10.0%	12.6%	87.4%
Grade 10	9.0%	12.3%	16.4%	83.6%
Grade 11	14.4%	18.6%	27.2%	72.8%
Grade 12	18.3%	27.3%	36.0%	64.0%
Any Prescription Drug				
All	5.9%	9.1%	15.8%	84.2%
Grade 7	4.8%	7.7%	14.3%	85.7%
Grade 8	7.1%	8.3%	12.5%	87.5%
Grade 9	3.9%	7.4%	11.3%	88.7%
Grade 10	5.4%	10.4%	17.5%	82.5%
Grade 11	9.4%	12.5%	23.2%	76.8%
Grade 12	5.8%	8.8%	17.3%	82.7%
Any Inhalant				
All	2.8%	4.0%	8.8%	91.2%
Grade 7	3.4%	4.8%	9.5%	90.5%
Grade 8	3.7%	6.3%	11.8%	88.2%
Grade 9	2.8%	4.4%	8.7%	91.3%
Grade 10	1.7%	2.3%	7.6%	92.4%
Grade 11	2.9%	3.2%	8.7%	91.3%
Grade 12	2.3%	3.1%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.1%	15.6%	22.8%	77.2%
Grade 7	1.3%	2.1%	5.4%	94.6%
Grade 8	3.7%	7.2%	13.1%	86.9%
Grade 9	9.3%	12.0%	19.2%	80.8%
Grade 10	13.5%	17.0%	25.2%	74.8%
Grade 11	16.9%	20.5%	30.5%	69.5%
Grade 12	27.0%	33.4%	42.0%	58.0%
Marijuana				
All	8.6%	11.2%	16.2%	83.8%
Grade 7	1.1%	1.8%	3.5%	96.5%
Grade 8	3.2%	4.1%	6.4%	93.6%
Grade 9	6.3%	7.6%	10.5%	89.5%
Grade 10	8.8%	10.7%	15.4%	84.6%
Grade 11	14.3%	16.9%	26.4%	73.6%
Grade 12	17.8%	25.3%	34.6%	65.4%
Marijuana Only				
All	5.4%	7.4%	11.8%	88.2%
Grade 7	0.4%	1.0%	2.6%	97.4%
Grade 8	2.1%	2.5%	4.3%	95.7%
Grade 9	3.1%	3.9%	6.2%	93.8%
Grade 10	6.3%	7.9%	12.2%	87.8%
Grade 11	9.1%	11.6%	19.8%	80.2%
Grade 12	11.5%	17.2%	25.4%	74.6%
Cocaine or Crack				
All	0.9%	1.2%	1.9%	98.1%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.0%	1.1%	98.9%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.6%	1.7%	2.9%	97.1%
Grade 12	2.2%	2.9%	4.8%	95.2%
Cocaine				
All	0.8%	1.2%	1.8%	98.2%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	1.0%	1.0%	1.1%	98.9%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.6%	1.7%	2.9%	97.1%
Grade 12	2.2%	2.9%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.6%	0.7%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.4%	2.4%	97.6%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.6%	1.1%	1.4%	98.6%
Grade 10	0.6%	1.1%	1.6%	98.4%
Grade 11	1.7%	3.0%	4.2%	95.8%
Grade 12	1.9%	3.2%	5.7%	94.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.8%	1.7%	98.3%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.2%	1.0%	2.3%	97.7%
Grade 11	0.1%	0.1%	3.5%	96.5%
Grade 12	0.6%	0.8%	0.9%	99.1%
Ecstasy				
All	0.3%	0.7%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.8%	1.6%	98.4%
Grade 10	0.1%	0.5%	0.8%	99.2%
Grade 11	0.7%	1.8%	1.8%	98.2%
Grade 12	0.7%	1.4%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.4%	0.6%	99.4%
Grade 9	0.9%	1.1%	2.0%	98.0%
Grade 10	0.6%	1.0%	2.0%	98.0%
Grade 11	0.3%	1.0%	3.1%	96.9%
Grade 12	0.1%	0.6%	1.8%	98.2%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.8%	0.9%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 67 of 126

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.7%	22.7%	33.1%	66.9%
Grade 7	6.2%	7.7%	14.3%	85.7%
Grade 8	8.2%	10.1%	19.5%	80.5%
Grade 9	18.6%	24.0%	35.7%	64.3%
Grade 10	23.2%	29.8%	41.7%	58.3%
Grade 11	29.7%	35.0%	48.6%	51.4%
Grade 12	37.8%	42.3%	53.0%	47.0%
Any Alcohol Product				
All	30.5%	36.0%	52.6%	47.4%
Grade 7	16.6%	19.4%	37.1%	62.9%
Grade 8	19.2%	23.5%	40.3%	59.7%
Grade 9	31.1%	35.4%	53.3%	46.7%
Grade 10	38.7%	45.2%	61.3%	38.7%
Grade 11	37.9%	47.3%	63.7%	36.3%
Grade 12	53.4%	60.5%	73.3%	26.7%
Any Illicit Drug				
All	16.5%	20.8%	27.1%	72.9%
Grade 7	5.8%	8.5%	11.2%	88.8%
Grade 8	9.2%	11.7%	14.7%	85.3%
Grade 9	16.7%	20.8%	25.5%	74.5%
Grade 10	20.3%	25.5%	33.8%	66.2%
Grade 11	24.1%	30.6%	40.3%	59.7%
Grade 12	32.0%	38.7%	51.8%	48.2%
Any Prescription Drug				
All	7.8%	11.4%	21.0%	79.0%
Grade 7	6.1%	7.6%	13.9%	86.1%
Grade 8	6.1%	8.3%	15.5%	84.5%
Grade 9	9.6%	14.2%	23.7%	76.3%
Grade 10	8.1%	12.9%	23.0%	77.0%
Grade 11	7.8%	12.9%	25.7%	74.3%
Grade 12	11.0%	15.8%	29.9%	70.1%
Any Inhalant				
All	5.0%	6.7%	13.1%	86.9%
Grade 7	5.7%	7.2%	13.7%	86.3%
Grade 8	6.0%	7.0%	12.2%	87.8%
Grade 9	5.3%	7.3%	15.9%	84.1%
Grade 10	3.5%	5.3%	11.1%	88.9%
Grade 11	3.9%	5.8%	12.0%	88.0%
Grade 12	5.2%	7.1%	13.9%	86.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.1%	19.4%	29.1%	70.9%
Grade 7	4.0%	5.3%	10.6%	89.4%
Grade 8	4.5%	7.0%	14.6%	85.4%
Grade 9	16.6%	22.1%	32.8%	67.2%
Grade 10	18.9%	25.3%	37.4%	62.6%
Grade 11	24.5%	31.0%	44.5%	55.5%
Grade 12	32.0%	37.6%	48.7%	51.3%
Marijuana				
All	16.0%	18.8%	25.3%	74.7%
Grade 7	5.5%	7.0%	9.3%	90.7%
Grade 8	8.8%	10.1%	13.0%	87.0%
Grade 9	16.4%	19.2%	23.9%	76.1%
Grade 10	20.3%	23.5%	32.4%	67.6%
Grade 11	22.7%	27.6%	38.1%	61.9%
Grade 12	31.7%	36.1%	50.1%	49.9%
Marijuana Only				
All	9.5%	11.7%	17.0%	83.0%
Grade 7	3.2%	4.5%	6.4%	93.6%
Grade 8	5.0%	5.9%	8.3%	91.7%
Grade 9	10.5%	12.6%	16.5%	83.5%
Grade 10	11.5%	14.0%	21.9%	78.1%
Grade 11	14.1%	17.9%	26.3%	73.7%
Grade 12	17.9%	21.1%	32.2%	67.8%
Cocaine or Crack				
All	1.3%	1.5%	2.6%	97.4%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	1.0%	1.2%	1.9%	98.1%
Grade 9	0.9%	1.0%	1.6%	98.4%
Grade 10	1.4%	1.6%	3.4%	96.6%
Grade 11	1.8%	1.8%	3.2%	96.8%
Grade 12	2.8%	3.6%	7.2%	92.8%
Cocaine				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.9%	1.2%	1.5%	98.5%
Grade 9	0.9%	1.0%	1.5%	98.5%
Grade 10	1.3%	1.4%	3.1%	96.9%
Grade 11	1.8%	1.8%	3.2%	96.8%
Grade 12	2.6%	3.4%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.7%	0.8%	1.6%	98.4%
Hallucinogens				
All	0.9%	1.7%	3.7%	96.3%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.7%	1.4%	3.1%	96.9%
Grade 10	1.1%	2.1%	5.5%	94.5%
Grade 11	2.1%	2.8%	6.0%	94.0%
Grade 12	1.9%	4.7%	9.9%	90.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.1%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.2%	0.5%	99.5%
Steroids				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.7%	0.8%	2.5%	97.5%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.6%	0.7%	2.0%	98.0%
Grade 10	0.5%	0.6%	1.7%	98.3%
Grade 11	0.8%	0.9%	2.2%	97.8%
Grade 12	0.2%	0.5%	1.5%	98.5%
Ecstasy				
All	0.9%	1.5%	2.9%	97.1%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	1.2%	1.5%	2.2%	97.8%
Grade 10	1.6%	2.5%	4.4%	95.6%
Grade 11	1.2%	2.2%	5.0%	95.0%
Grade 12	1.1%	2.7%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.7%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.4%	1.4%	98.6%
Grade 11	0.5%	0.6%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.5%	99.5%
Synthetic Marijuana				
All	1.4%	2.2%	4.5%	95.5%
Grade 7	0.7%	1.4%	2.0%	98.0%
Grade 8	1.4%	2.0%	3.2%	96.8%
Grade 9	1.4%	2.1%	5.3%	94.7%
Grade 10	1.8%	2.5%	5.4%	94.6%
Grade 11	2.3%	3.2%	5.8%	94.2%
Grade 12	0.9%	2.5%	7.0%	93.0%
Methamphetamine				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.5%	0.9%	1.8%	98.2%
Grade 11	0.6%	0.8%	1.4%	98.6%
Grade 12	0.2%	0.6%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	18.3%	26.6%	73.4%
Grade 7	3.9%	4.8%	9.6%	90.4%
Grade 8	6.5%	7.8%	15.0%	85.0%
Grade 9	12.7%	16.5%	25.1%	74.9%
Grade 10	19.5%	24.4%	32.8%	67.2%
Grade 11	21.7%	25.9%	37.5%	62.5%
Grade 12	31.0%	35.8%	46.4%	53.6%
Any Alcohol Product				
All	26.1%	31.0%	46.5%	53.5%
Grade 7	12.5%	15.3%	31.5%	68.5%
Grade 8	17.5%	20.5%	36.0%	64.0%
Grade 9	22.6%	26.5%	41.2%	58.8%
Grade 10	31.2%	36.9%	53.0%	47.0%
Grade 11	31.6%	39.4%	56.6%	43.4%
Grade 12	47.2%	54.3%	67.8%	32.2%
Any Illicit Drug				
All	10.8%	14.9%	19.4%	80.6%
Grade 7	2.4%	4.8%	6.5%	93.5%
Grade 8	5.8%	8.0%	10.2%	89.8%
Grade 9	9.6%	13.4%	16.8%	83.2%
Grade 10	12.1%	16.3%	20.2%	79.8%
Grade 11	15.4%	20.1%	28.5%	71.5%
Grade 12	23.2%	31.0%	40.4%	59.6%
Any Prescription Drug				
All	6.5%	9.3%	16.7%	83.3%
Grade 7	5.3%	7.4%	12.7%	87.3%
Grade 8	6.2%	7.5%	12.5%	87.5%
Grade 9	6.3%	9.8%	15.8%	84.2%
Grade 10	5.4%	9.0%	16.7%	83.3%
Grade 11	7.3%	10.6%	21.0%	79.0%
Grade 12	8.9%	12.5%	23.5%	76.5%
Any Inhalant				
All	3.8%	5.0%	10.6%	89.4%
Grade 7	4.4%	5.6%	11.3%	88.7%
Grade 8	5.1%	6.6%	11.7%	88.3%
Grade 9	4.0%	5.2%	11.6%	88.4%
Grade 10	3.5%	4.8%	11.0%	89.0%
Grade 11	2.9%	3.3%	8.5%	91.5%
Grade 12	2.7%	4.0%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.4%	16.2%	23.7%	76.3%
Grade 7	2.1%	3.1%	6.6%	93.4%
Grade 8	3.5%	5.2%	10.9%	89.1%
Grade 9	11.6%	15.5%	23.5%	76.5%
Grade 10	17.1%	22.4%	30.7%	69.3%
Grade 11	17.6%	22.8%	33.8%	66.2%
Grade 12	26.7%	33.1%	42.8%	57.2%
Marijuana				
All	10.6%	12.9%	17.7%	82.3%
Grade 7	2.2%	3.2%	4.7%	95.3%
Grade 8	5.6%	6.6%	8.7%	91.3%
Grade 9	9.4%	10.9%	14.4%	85.6%
Grade 10	12.0%	14.6%	19.1%	80.9%
Grade 11	14.7%	17.5%	26.3%	73.7%
Grade 12	22.8%	28.6%	39.1%	60.9%
Marijuana Only				
All	6.4%	8.3%	12.5%	87.5%
Grade 7	1.4%	2.1%	3.4%	96.6%
Grade 8	3.8%	4.5%	6.2%	93.8%
Grade 9	5.5%	6.9%	10.0%	90.0%
Grade 10	7.1%	9.5%	13.1%	86.9%
Grade 11	9.7%	11.7%	19.6%	80.4%
Grade 12	13.1%	17.7%	26.7%	73.3%
Cocaine or Crack				
All	0.9%	1.0%	1.9%	98.1%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	1.1%	1.2%	1.4%	98.6%
Grade 10	0.8%	0.9%	1.7%	98.3%
Grade 11	0.9%	1.0%	2.2%	97.8%
Grade 12	1.8%	2.3%	4.8%	95.2%
Cocaine				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.9%	1.0%	1.3%	98.7%
Grade 10	0.7%	0.8%	1.6%	98.4%
Grade 11	0.7%	0.8%	1.9%	98.1%
Grade 12	1.7%	2.2%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.8%	99.2%
Hallucinogens				
All	0.8%	1.4%	2.6%	97.4%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.9%	1.0%	1.9%	98.1%
Grade 10	0.7%	1.4%	3.1%	96.9%
Grade 11	1.3%	2.2%	3.9%	96.1%
Grade 12	2.2%	3.9%	7.3%	92.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.2%	0.3%	0.3%	99.7%
Steroids				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.2%	0.5%	1.4%	98.6%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.5%	0.7%	1.5%	98.5%
Grade 10	0.5%	1.0%	2.1%	97.9%
Grade 11	0.4%	0.5%	2.6%	97.4%
Grade 12	0.4%	0.6%	0.9%	99.1%
Ecstasy				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	0.8%	1.4%	2.3%	97.7%
Grade 11	0.5%	1.5%	2.9%	97.1%
Grade 12	0.7%	1.7%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	0.7%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	1.2%	1.9%	2.9%	97.1%
Grade 10	1.0%	1.3%	3.6%	96.4%
Grade 11	0.8%	1.2%	2.2%	97.8%
Grade 12	0.8%	1.4%	3.2%	96.8%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.5%	1.0%	99.0%
Grade 12	0.1%	0.4%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 75 of 126

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.6%	25.4%	36.9%	63.1%
Grade 7	8.5%	10.3%	20.1%	79.9%
Grade 8	10.2%	13.9%	23.5%	76.5%
Grade 9	17.9%	23.7%	36.9%	63.1%
Grade 10	22.8%	29.3%	43.3%	56.7%
Grade 11	30.8%	35.8%	48.0%	52.0%
Grade 12	36.7%	43.4%	52.9%	47.1%
Any Alcohol Product				
All	33.6%	40.1%	57.7%	42.3%
Grade 7	21.9%	23.8%	41.0%	59.0%
Grade 8	20.5%	25.2%	44.4%	55.6%
Grade 9	32.1%	37.1%	58.1%	41.9%
Grade 10	38.6%	47.0%	63.5%	36.5%
Grade 11	40.8%	50.3%	67.6%	32.4%
Grade 12	51.6%	61.5%	75.3%	24.7%
Any Illicit Drug				
All	19.5%	24.5%	31.7%	68.3%
Grade 7	8.2%	11.4%	15.7%	84.3%
Grade 8	10.4%	12.8%	16.6%	83.4%
Grade 9	19.6%	24.3%	29.0%	71.0%
Grade 10	22.2%	28.6%	38.8%	61.2%
Grade 11	28.0%	35.2%	45.2%	54.8%
Grade 12	30.9%	37.9%	48.8%	51.2%
Any Prescription Drug				
All	8.4%	13.2%	23.2%	76.8%
Grade 7	6.6%	8.9%	16.7%	83.3%
Grade 8	6.9%	9.2%	17.5%	82.5%
Grade 9	9.9%	14.8%	23.4%	76.6%
Grade 10	8.9%	16.3%	28.4%	71.6%
Grade 11	9.2%	15.2%	27.7%	72.3%
Grade 12	9.0%	15.3%	26.4%	73.6%
Any Inhalant				
All	4.8%	6.8%	13.1%	86.9%
Grade 7	6.3%	8.3%	15.6%	84.4%
Grade 8	6.0%	7.6%	13.9%	86.1%
Grade 9	5.0%	7.5%	15.1%	84.9%
Grade 10	2.5%	4.8%	9.5%	90.5%
Grade 11	3.7%	6.2%	12.6%	87.4%
Grade 12	5.2%	6.5%	11.6%	88.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.6%	21.7%	32.4%	67.6%
Grade 7	4.7%	6.5%	13.5%	86.5%
Grade 8	5.7%	10.3%	19.5%	80.5%
Grade 9	17.1%	22.6%	33.1%	66.9%
Grade 10	18.1%	24.1%	37.8%	62.2%
Grade 11	25.3%	31.7%	45.1%	54.9%
Grade 12	31.9%	38.4%	48.5%	51.5%
Marijuana				
All	18.9%	22.8%	30.2%	69.8%
Grade 7	7.9%	9.9%	13.3%	86.7%
Grade 8	9.8%	11.2%	15.3%	84.7%
Grade 9	19.3%	23.2%	27.7%	72.3%
Grade 10	21.8%	26.6%	37.0%	63.0%
Grade 11	26.5%	33.0%	44.2%	55.8%
Grade 12	30.6%	35.9%	47.3%	52.7%
Marijuana Only				
All	11.1%	14.0%	20.2%	79.8%
Grade 7	4.4%	6.2%	9.3%	90.7%
Grade 8	4.6%	5.7%	8.7%	91.3%
Grade 9	12.3%	14.4%	18.2%	81.8%
Grade 10	12.8%	16.3%	26.2%	73.8%
Grade 11	15.4%	21.1%	30.0%	70.0%
Grade 12	18.5%	22.2%	30.9%	69.1%
Cocaine or Crack				
All	1.7%	2.1%	3.4%	96.6%
Grade 7	0.7%	0.8%	0.8%	99.2%
Grade 8	1.7%	2.1%	2.7%	97.3%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	1.4%	1.6%	3.6%	96.4%
Grade 11	2.2%	3.0%	4.6%	95.4%
Grade 12	3.7%	4.7%	8.0%	92.0%
Cocaine				
All	1.6%	2.0%	3.3%	96.7%
Grade 7	0.7%	0.8%	0.8%	99.2%
Grade 8	1.4%	2.0%	2.6%	97.4%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	1.3%	1.5%	3.4%	96.6%
Grade 11	2.2%	3.0%	4.6%	95.4%
Grade 12	3.6%	4.6%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.1%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.3%	0.3%	1.0%	99.0%
Hallucinogens				
All	1.1%	2.1%	4.4%	95.6%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.1%	0.1%	1.1%	98.9%
Grade 9	0.6%	2.0%	3.6%	96.4%
Grade 10	1.1%	2.3%	5.4%	94.6%
Grade 11	2.4%	3.8%	7.3%	92.7%
Grade 12	1.9%	4.5%	9.3%	90.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.5%	0.5%	0.8%	99.2%
Steroids				
All	0.6%	0.8%	2.2%	97.8%
Grade 7	1.1%	1.2%	3.5%	96.5%
Grade 8	0.6%	0.8%	1.3%	98.7%
Grade 9	0.3%	0.4%	1.4%	98.6%
Grade 10	0.1%	0.5%	2.7%	97.3%
Grade 11	0.9%	1.0%	2.4%	97.6%
Grade 12	0.5%	0.9%	1.7%	98.3%
Ecstasy				
All	1.1%	1.7%	3.3%	96.7%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.7%	1.1%	1.4%	98.6%
Grade 9	1.2%	2.2%	3.1%	96.9%
Grade 10	0.9%	1.3%	4.3%	95.7%
Grade 11	2.0%	2.9%	5.3%	94.7%
Grade 12	1.8%	2.6%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.8%	0.8%	1.7%	98.3%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	1.5%	2.7%	5.8%	94.2%
Grade 7	1.2%	2.4%	3.6%	96.4%
Grade 8	1.4%	2.3%	4.0%	96.0%
Grade 9	1.4%	1.9%	6.2%	93.8%
Grade 10	1.6%	3.0%	5.8%	94.2%
Grade 11	3.1%	4.3%	8.2%	91.8%
Grade 12	0.4%	2.0%	7.2%	92.8%
Methamphetamine				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.5%	0.8%	1.7%	98.3%
Grade 11	1.2%	1.2%	1.6%	98.4%
Grade 12	0.5%	1.0%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.0%	19.5%	28.9%	71.1%
Grade 7	4.4%	5.7%	12.3%	87.7%
Grade 8	7.5%	9.1%	17.1%	82.9%
Grade 9	12.6%	16.5%	25.5%	74.5%
Grade 10	19.6%	24.4%	34.8%	65.2%
Grade 11	24.8%	29.2%	41.5%	58.5%
Grade 12	32.7%	38.6%	48.9%	51.1%
Any Alcohol Product				
All	27.3%	32.8%	49.6%	50.4%
Grade 7	14.1%	16.7%	34.0%	66.0%
Grade 8	17.2%	20.6%	37.4%	62.6%
Grade 9	23.2%	27.3%	44.9%	55.1%
Grade 10	34.8%	41.5%	57.8%	42.2%
Grade 11	33.3%	42.6%	61.0%	39.0%
Grade 12	48.1%	56.2%	70.1%	29.9%
Any Illicit Drug				
All	12.4%	16.7%	21.9%	78.1%
Grade 7	3.4%	6.0%	8.7%	91.3%
Grade 8	7.1%	9.1%	11.5%	88.5%
Grade 9	10.8%	14.7%	18.3%	81.7%
Grade 10	13.9%	19.4%	25.2%	74.8%
Grade 11	18.1%	23.8%	32.4%	67.6%
Grade 12	24.8%	32.1%	41.5%	58.5%
Any Prescription Drug				
All	6.4%	9.7%	17.5%	82.5%
Grade 7	5.6%	7.3%	13.1%	86.9%
Grade 8	5.9%	7.7%	13.7%	86.3%
Grade 9	6.4%	10.0%	16.8%	83.2%
Grade 10	6.1%	10.7%	19.8%	80.2%
Grade 11	7.0%	11.4%	21.2%	78.8%
Grade 12	8.0%	11.9%	22.1%	77.9%
Any Inhalant				
All	3.5%	4.8%	10.4%	89.6%
Grade 7	4.0%	5.3%	12.1%	87.9%
Grade 8	4.8%	6.0%	11.0%	89.0%
Grade 9	3.5%	4.6%	10.3%	89.7%
Grade 10	2.9%	4.7%	10.7%	89.3%
Grade 11	2.7%	3.8%	9.7%	90.3%
Grade 12	2.9%	4.0%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.2%	17.1%	25.5%	74.5%
Grade 7	2.6%	3.8%	8.4%	91.6%
Grade 8	4.0%	6.2%	13.0%	87.0%
Grade 9	11.4%	15.1%	23.2%	76.8%
Grade 10	16.5%	21.9%	32.0%	68.0%
Grade 11	20.7%	26.1%	38.2%	61.8%
Grade 12	28.6%	35.4%	45.4%	54.6%
Marijuana				
All	12.1%	14.9%	20.4%	79.6%
Grade 7	3.2%	4.5%	6.7%	93.3%
Grade 8	6.8%	7.8%	10.4%	89.6%
Grade 9	10.6%	12.7%	16.6%	83.4%
Grade 10	13.7%	17.4%	23.9%	76.1%
Grade 11	17.4%	22.0%	31.0%	69.0%
Grade 12	24.6%	29.9%	40.0%	60.0%
Marijuana Only				
All	7.5%	9.9%	14.5%	85.5%
Grade 7	1.8%	2.9%	4.8%	95.2%
Grade 8	4.2%	4.9%	6.9%	93.1%
Grade 9	7.2%	8.8%	12.2%	87.8%
Grade 10	8.9%	12.0%	17.8%	82.2%
Grade 11	10.6%	14.5%	22.2%	77.8%
Grade 12	15.0%	19.1%	27.9%	72.1%
Cocaine or Crack				
All	0.9%	1.2%	2.1%	97.9%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	1.0%	1.1%	1.9%	98.1%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	1.0%	1.1%	2.0%	98.0%
Grade 11	1.0%	1.4%	2.9%	97.1%
Grade 12	1.8%	2.5%	4.9%	95.1%
Cocaine				
All	0.9%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.9%	1.0%	1.6%	98.4%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.9%	1.1%	2.0%	98.0%
Grade 11	1.0%	1.4%	2.8%	97.2%
Grade 12	1.8%	2.4%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.8%	1.4%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.5%	0.9%	1.7%	98.3%
Grade 10	0.6%	1.5%	3.1%	96.9%
Grade 11	1.8%	2.6%	5.1%	94.9%
Grade 12	2.0%	3.9%	6.8%	93.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	1.6%	98.4%
Grade 7	0.3%	0.5%	1.8%	98.2%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.6%	1.5%	98.5%
Grade 10	0.4%	0.7%	2.1%	97.9%
Grade 11	0.4%	0.4%	2.1%	97.9%
Grade 12	0.1%	0.3%	0.9%	99.1%
Ecstasy				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.6%	1.1%	1.2%	98.8%
Grade 10	0.4%	0.9%	2.1%	97.9%
Grade 11	0.7%	1.7%	3.2%	96.8%
Grade 12	0.7%	1.6%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	0.8%	1.5%	3.0%	97.0%
Grade 7	0.4%	0.9%	1.3%	98.7%
Grade 8	0.9%	1.4%	2.1%	97.9%
Grade 9	0.8%	1.4%	2.9%	97.1%
Grade 10	0.8%	1.5%	3.7%	96.3%
Grade 11	1.4%	2.3%	4.4%	95.6%
Grade 12	0.6%	1.4%	4.4%	95.6%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.5%	0.7%	1.3%	98.7%
Grade 12	0.2%	0.4%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	25.4%	31.4%	41.1%	58.9%
Grade 7	13.9%	15.3%	24.0%	76.0%
Grade 8	9.9%	15.0%	24.3%	75.7%
Grade 9	28.4%	37.3%	48.7%	51.3%
Grade 10	27.6%	35.3%	46.1%	53.9%
Grade 11	33.2%	38.9%	49.4%	50.6%
Grade 12	33.6%	38.7%	45.5%	54.5%
Any Alcohol Product				
All	38.8%	45.2%	59.6%	40.4%
Grade 7	28.7%	31.6%	45.6%	54.4%
Grade 8	24.8%	30.3%	46.5%	53.5%
Grade 9	41.1%	46.5%	62.8%	37.2%
Grade 10	33.8%	42.9%	58.6%	41.4%
Grade 11	49.5%	54.8%	66.4%	33.6%
Grade 12	50.0%	59.8%	72.3%	27.7%
Any Illicit Drug				
All	22.3%	28.6%	36.3%	63.7%
Grade 7	9.2%	14.1%	17.3%	82.7%
Grade 8	9.9%	15.0%	22.2%	77.8%
Grade 9	25.0%	29.9%	34.1%	65.9%
Grade 10	22.9%	27.9%	35.4%	64.6%
Grade 11	31.1%	38.9%	49.5%	50.5%
Grade 12	30.0%	40.0%	53.3%	46.7%
Any Prescription Drug				
All	12.0%	17.3%	28.6%	71.4%
Grade 7	8.6%	13.1%	22.6%	77.4%
Grade 8	8.6%	10.4%	16.1%	83.9%
Grade 9	14.9%	21.4%	30.8%	69.2%
Grade 10	10.8%	18.3%	28.8%	71.2%
Grade 11	15.0%	18.7%	36.8%	63.2%
Grade 12	12.6%	18.9%	32.4%	67.6%
Any Inhalant				
All	7.5%	10.0%	17.2%	82.8%
Grade 7	12.5%	15.5%	21.3%	78.7%
Grade 8	6.0%	9.7%	17.9%	82.1%
Grade 9	9.7%	12.8%	22.7%	77.3%
Grade 10	4.0%	5.5%	10.9%	89.1%
Grade 11	7.2%	9.5%	14.6%	85.4%
Grade 12	6.4%	8.1%	16.6%	83.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	20.9%	27.0%	36.3%	63.7%
Grade 7	7.6%	9.0%	16.5%	83.5%
Grade 8	6.1%	12.5%	20.1%	79.9%
Grade 9	26.4%	36.0%	46.1%	53.9%
Grade 10	23.6%	30.4%	41.5%	58.5%
Grade 11	27.5%	33.4%	45.4%	54.6%
Grade 12	27.1%	32.8%	38.6%	61.4%
Marijuana				
All	21.5%	25.5%	33.3%	66.7%
Grade 7	9.2%	12.3%	14.6%	85.4%
Grade 8	8.9%	10.1%	16.2%	83.8%
Grade 9	23.9%	27.1%	31.0%	69.0%
Grade 10	22.6%	26.1%	33.3%	66.7%
Grade 11	28.9%	33.0%	45.5%	54.5%
Grade 12	29.8%	38.3%	51.9%	48.1%
Marijuana Only				
All	12.3%	15.4%	21.9%	78.1%
Grade 7	4.9%	7.5%	9.9%	90.1%
Grade 8	5.9%	7.2%	13.3%	86.7%
Grade 9	9.9%	11.9%	14.4%	85.6%
Grade 10	11.7%	14.0%	20.4%	79.6%
Grade 11	18.8%	22.4%	33.8%	66.2%
Grade 12	20.4%	26.4%	36.2%	63.8%
Cocaine or Crack				
All	2.2%	2.5%	4.2%	95.8%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	3.7%	3.8%	5.2%	94.8%
Grade 10	1.1%	1.2%	4.5%	95.5%
Grade 11	3.8%	3.9%	4.7%	95.3%
Grade 12	3.6%	4.1%	8.1%	91.9%
Cocaine				
All	1.9%	2.1%	3.4%	96.6%
Grade 7	0.0%	0.4%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	3.1%	3.3%	4.1%	95.9%
Grade 10	0.8%	0.9%	4.0%	96.0%
Grade 11	2.9%	3.1%	3.9%	96.1%
Grade 12	3.6%	4.1%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	1.5%	1.5%	2.3%	97.7%
Grade 10	0.5%	0.5%	1.6%	98.4%
Grade 11	1.3%	1.4%	1.4%	98.6%
Grade 12	0.0%	0.2%	1.8%	98.2%
Hallucinogens				
All	1.5%	2.9%	5.8%	94.2%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	2.3%	4.2%	7.9%	92.1%
Grade 10	1.4%	2.8%	6.5%	93.5%
Grade 11	1.9%	4.2%	6.2%	93.8%
Grade 12	2.3%	4.2%	11.2%	88.8%
Synthetic Cathinones				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	1.2%	1.2%	1.7%	98.3%
Steroids				
All	0.8%	1.2%	2.9%	97.1%
Grade 7	0.9%	1.5%	2.5%	97.5%
Grade 8	0.0%	0.3%	1.4%	98.6%
Grade 9	0.7%	1.0%	2.5%	97.5%
Grade 10	0.4%	1.3%	4.3%	95.7%
Grade 11	2.1%	2.2%	5.2%	94.8%
Grade 12	0.6%	0.6%	1.0%	99.0%
Ecstasy				
All	2.1%	2.4%	5.1%	94.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	2.7%	2.9%	7.0%	93.0%
Grade 10	2.9%	2.9%	6.7%	93.3%
Grade 11	3.1%	4.1%	7.3%	92.7%
Grade 12	2.5%	3.4%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	1.3%	1.3%	1.8%	98.2%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.2%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	2.4%	2.8%	5.9%	94.1%
Grade 7	1.3%	2.4%	4.1%	95.9%
Grade 8	1.6%	1.6%	2.6%	97.4%
Grade 9	4.1%	4.6%	10.6%	89.4%
Grade 10	2.6%	3.0%	6.8%	93.2%
Grade 11	3.4%	3.7%	6.2%	93.8%
Grade 12	1.0%	1.1%	3.2%	96.8%
Methamphetamine				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	1.2%	1.4%	3.6%	96.4%
Grade 10	0.3%	1.5%	2.5%	97.5%
Grade 11	1.1%	1.3%	1.7%	98.3%
Grade 12	0.5%	1.1%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	379,534	48.1%
Female	409,595	51.9%
Frequency Missing	3,939	

Hispanic or Latino

Q5a	Frequency	Percent
No	402,466	51.8%
Yes	374,008	48.2%
Frequency Missing	16,594	

Grade

Q2	Frequency	Percent
Grade 7	140,490	17.8%
Grade 8	139,800	17.7%
Grade 9	145,562	18.4%
Grade 10	130,489	16.5%
Grade 11	125,213	15.8%
Grade 12	109,708	13.9%
Frequency Missing	1,807	

Ethnicity

Q5b	Frequency	Percent
American Indian	19,778	2.8%
Asian American	24,198	3.4%
African American	108,899	15.3%
Pacific Islander	4,103	0.6%
White	312,930	43.9%
Other	128,923	18.1%
More Than One Race	114,480	16.0%
Frequency Missing	79,756	

Live with Both Parents

Q3	Frequency	Percent
No	289,554	37.0%
Yes	492,808	63.0%
Frequency Missing	10,707	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,422	0.3%
Mostly D's	7,021	1.0%
Mostly C's	80,211	11.5%
Mostly B's	344,955	49.6%
Mostly A's	260,846	37.5%
Frequency Missing	97,614	

Age

Q4	Frequency	Percent
11 or younger	471	0.1%
12	58,404	7.4%
13	135,571	17.2%
14	125,787	16.0%
15	144,984	18.4%
16	123,373	15.6%
17	126,672	16.1%
18	67,769	8.6%
19 or older	5,461	0.7%
Frequency Missing	4,576	

Do You Have a Job

Q7	Frequency	Percent
No	556,819	79.4%
Yes	144,250	20.6%
Frequency Missing	91,999	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	278,308	40.1%
Yes	257,776	37.1%
Don't Know	158,505	22.8%
Frequency Missing	98,479	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	553,758	92.7%
Yes	43,767	7.3%
Frequency Missing	195,543	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	355,417	54.3%
Yes	298,621	45.7%
Frequency Missing	139,030	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	463,928	76.3%
Yes	144,180	23.7%
Frequency Missing	184,961	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	480,371	77.9%
Yes	136,638	22.1%
Frequency Missing	176,060	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	436,013	71.6%
Yes	173,204	28.4%
Frequency Missing	183,851	

Participate in School Choir

Q9c	Frequency	Percent
No	532,641	88.2%
Yes	71,191	11.8%
Frequency Missing	189,236	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	424,849	68.5%
Yes	195,528	31.5%
Frequency Missing	172,691	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	556,735	92.9%
Yes	42,431	7.1%
Frequency Missing	193,902	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	461,606	75.5%
Yes	149,517	24.5%
Frequency Missing	181,945	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	674,449	85.7%
Somewhat Safe	99,454	12.6%
Not Very Safe	5,432	0.7%
Not Safe At All	2,880	0.4%
Don't Know	5,187	0.7%
Frequency Missing	5,666	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	50,719	6.8%
Some High School	69,503	9.4%
Finished High School	141,250	19.0%
Some College	121,988	16.4%
Finished College	179,791	24.2%
Post-Secondary	106,729	14.4%
Don't Know or N/A	73,319	9.9%
Frequency Missing	49,769	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	356,211	45.5%
Somewhat Safe	353,328	45.1%
Not Very Safe	46,198	5.9%
Not Safe At All	9,512	1.2%
Don't Know	18,073	2.3%
Frequency Missing	9,746	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	434,440	63.6%
Yes	248,751	36.4%
Frequency Missing	109,877	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	251,069	32.1%
Somewhat Safe	387,636	49.5%
Not Very Safe	80,782	10.3%
Not Safe At All	34,227	4.4%
Don't Know	28,774	3.7%
Frequency Missing	10,580	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	38,443	5.0%
A Few	154,616	20.0%
Some	176,045	22.8%
Most	297,312	38.4%
All	107,002	13.8%
Frequency Missing	19,650	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	54,315	7.3%
Some High School	82,791	11.2%
Finished High School	162,057	21.8%
Some College	102,504	13.8%
Finished College	140,513	18.9%
Post-Secondary	94,261	12.7%
Don't Know or N/A	105,305	14.2%
Frequency Missing	51,321	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	16,130	2.1%
A Few	81,510	10.5%
Some	178,075	23.0%
Most	340,106	43.8%
All	159,797	20.6%
Frequency Missing	17,450	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	386,566	50.8%
A Few	217,947	28.6%
Some	90,063	11.8%
Most	40,733	5.4%
All	25,632	3.4%
Frequency Missing	32,127	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	740,700	95.6%
In Your Lifetime	23,066	3.0%
Since School Began	3,141	0.4%
In the Past Month	7,822	1.0%
Frequency Missing	18,338	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	603,776	78.6%
A Few	105,798	13.8%
Some	34,974	4.6%
Most	15,960	2.1%
All	7,982	1.0%
Frequency Missing	24,578	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	763,737	99.2%
In Your Lifetime	3,140	0.4%
Since School Began	1,235	0.2%
In the Past Month	1,917	0.2%
Frequency Missing	23,040	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	656,062	84.8%
A Few	78,654	10.2%
Some	23,404	3.0%
Most	8,714	1.1%
All	6,542	0.8%
Frequency Missing	19,693	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	728,628	94.2%
In Your Lifetime	27,715	3.6%
Since School Began	6,340	0.8%
In the Past Month	11,053	1.4%
Frequency Missing	19,332	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	764,793	98.3%
In Your Lifetime	8,923	1.1%
Since School Began	1,914	0.2%
In the Past Month	2,201	0.3%
Frequency Missing	15,237	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	764,020	98.9%
In Your Lifetime	5,434	0.7%
Since School Began	1,203	0.2%
In the Past Month	2,239	0.3%
Frequency Missing	20,173	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	764,596	99.2%
In Your Lifetime	3,272	0.4%
Since School Began	928	0.1%
In the Past Month	1,884	0.2%
Frequency Missing	22,389	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	716,938	93.3%
In Your Lifetime	24,174	3.1%
Since School Began	8,445	1.1%
In the Past Month	19,068	2.5%
Frequency Missing	24,443	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	756,732	98.1%
In Your Lifetime	7,820	1.0%
Since School Began	1,262	0.2%
In the Past Month	5,729	0.7%
Frequency Missing	21,525	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	498,494	66.0%
In Your Lifetime	120,213	15.9%
Since School Began	47,381	6.3%
In the Past Month	89,727	11.9%
Frequency Missing	37,252	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	547,147	71.7%
In Your Lifetime	90,863	11.9%
Since School Began	43,821	5.7%
In the Past Month	80,820	10.6%
Frequency Missing	30,417	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	762,442	98.6%
In Your Lifetime	6,637	0.9%
Since School Began	1,199	0.2%
In the Past Month	3,087	0.4%
Frequency Missing	19,703	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	529,871	70.1%
In Your Lifetime	114,070	15.1%
Since School Began	44,691	5.9%
In the Past Month	66,861	8.9%
Frequency Missing	37,575	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	683,355	88.3%
In Your Lifetime	52,468	6.8%
Since School Began	13,964	1.8%
In the Past Month	24,122	3.1%
Frequency Missing	19,159	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	516,422	67.8%
In Your Lifetime	95,800	12.6%
Since School Began	48,155	6.3%
In the Past Month	101,756	13.4%
Frequency Missing	30,935	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	756,749	98.0%
In Your Lifetime	8,232	1.1%
Since School Began	2,319	0.3%
In the Past Month	4,559	0.6%
Frequency Missing	21,209	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	744,848	96.7%
In Your Lifetime	15,836	2.1%
Since School Began	3,037	0.4%
In the Past Month	6,218	0.8%
Frequency Missing	23,130	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	767,043	99.6%
In Your Lifetime	1,921	0.2%
Since School Began	414	0.1%
In the Past Month	792	0.1%
Frequency Missing	22,899	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	563,482	73.1%
In Your Lifetime	67,531	8.8%
Since School Began	32,356	4.2%
In the Past Month	107,788	14.0%
Frequency Missing	21,911	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	744,465	96.7%
In Your Lifetime	12,851	1.7%
Since School Began	5,530	0.7%
In the Past Month	7,049	0.9%
Frequency Missing	23,173	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	610,713	79.1%
In Your Lifetime	64,462	8.3%
Since School Began	30,766	4.0%
In the Past Month	66,612	8.6%
Frequency Missing	20,515	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	767,367	99.5%
In Your Lifetime	2,355	0.3%
Since School Began	607	0.1%
In the Past Month	846	0.1%
Frequency Missing	21,893	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	759,435	98.6%
In Your Lifetime	6,674	0.9%
Since School Began	1,468	0.2%
In the Past Month	2,880	0.4%
Frequency Missing	22,612	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	744,213	96.8%
In Your Lifetime	14,637	1.9%
Since School Began	4,305	0.6%
In the Past Month	5,915	0.8%
Frequency Missing	23,999	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	751,698	97.9%
In Your Lifetime	8,169	1.1%
Since School Began	3,376	0.4%
In the Past Month	4,725	0.6%
Frequency Missing	25,100	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	660,709	87.4%
In Your Lifetime	47,069	6.2%
Since School Began	20,669	2.7%
In the Past Month	27,817	3.7%
Frequency Missing	36,804	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	767,333	99.6%
In Your Lifetime	1,645	0.2%
Since School Began	99	0.0%
In the Past Month	1,309	0.2%
Frequency Missing	22,681	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	723,517	95.7%
In Your Lifetime	15,672	2.1%
Since School Began	8,505	1.1%
In the Past Month	8,190	1.1%
Frequency Missing	37,183	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	764,810	99.2%
In Your Lifetime	3,535	0.5%
Since School Began	661	0.1%
In the Past Month	1,717	0.2%
Frequency Missing	22,345	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	712,593	94.7%
In Your Lifetime	19,818	2.6%
Since School Began	7,944	1.1%
In the Past Month	11,945	1.6%
Frequency Missing	40,768	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	715,421	94.9%
In Your Lifetime	16,214	2.2%
Since School Began	8,749	1.2%
In the Past Month	13,202	1.8%
Frequency Missing	39,483	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	562,294	74.9%
1-2 times	118,460	15.8%
3-10 times	50,298	6.7%
11+ times	20,155	2.7%
Frequency Missing	41,861	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	687,361	91.5%
In Your Lifetime	28,820	3.8%
Since School Began	9,396	1.3%
In the Past Month	25,392	3.4%
Frequency Missing	42,098	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	741,371	98.5%
1-2 times	7,644	1.0%
3-10 times	2,112	0.3%
11+ times	1,291	0.2%
Frequency Missing	40,649	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	725,405	96.3%
In Your Lifetime	13,657	1.8%
Since School Began	4,273	0.6%
In the Past Month	10,316	1.4%
Frequency Missing	39,417	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	657,264	87.3%
1-2 times	45,465	6.0%
3-10 times	25,021	3.3%
11+ times	25,124	3.3%
Frequency Missing	40,194	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	700,938	93.0%
1-2 times	29,063	3.9%
3-10 times	10,236	1.4%
11+ times	13,145	1.7%
Frequency Missing	39,686	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	748,146	99.1%
1-2 times	4,251	0.6%
3-10 times	1,349	0.2%
11+ times	1,024	0.1%
Frequency Missing	38,299	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	752,375	99.7%
1-2 times	1,359	0.2%
3-10 times	341	0.0%
11+ times	365	0.0%
Frequency Missing	38,628	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	424,927	56.6%
A few	139,701	18.6%
Some	88,940	11.8%
Most	74,825	10.0%
All	22,661	3.0%
Frequency Missing	42,013	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	541,461	72.1%
A few	128,685	17.1%
Some	53,104	7.1%
Most	22,256	3.0%
All	5,831	0.8%
Frequency Missing	41,731	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	652,308	87.3%
8 or younger	6,551	0.9%
9 years old	3,029	0.4%
10 years old	5,319	0.7%
11 years old	5,846	0.8%
12 years old	10,151	1.4%
13 years old	14,248	1.9%
14 years old	12,964	1.7%
15 years old	14,900	2.0%
16 years old	12,619	1.7%
17 years old	6,397	0.9%
18 or older	2,574	0.3%
Frequency Missing	46,161	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	376,019	50.1%
A few	171,751	22.9%
Some	101,926	13.6%
Most	78,273	10.4%
All	23,129	3.1%
Frequency Missing	41,970	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	439,278	59.1%
8 or younger	34,922	4.7%
9 years old	9,144	1.2%
10 years old	17,732	2.4%
11 years old	16,923	2.3%
12 years old	36,812	5.0%
13 years old	39,710	5.3%
14 years old	42,582	5.7%
15 years old	52,104	7.0%
16 years old	33,614	4.5%
17 years old	16,037	2.2%
18 or older	4,279	0.6%
Frequency Missing	49,931	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	700,065	93.4%
A few	33,901	4.5%
Some	10,761	1.4%
Most	3,145	0.4%
All	1,371	0.2%
Frequency Missing	43,825	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	720,859	96.8%
8 or younger	3,432	0.5%
9 years old	1,967	0.3%
10 years old	2,878	0.4%
11 years old	1,828	0.2%
12 years old	5,046	0.7%
13 years old	3,351	0.4%
14 years old	2,422	0.3%
15 years old	1,689	0.2%
16 years old	1,110	0.1%
17 years old	253	0.0%
18 or older	168	0.0%
Frequency Missing	48,065	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	735,481	98.3%
8 or younger	124	0.0%
9 years old	102	0.0%
10 years old	310	0.0%
11 years old	22	0.0%
12 years old	693	0.1%
13 years old	1,246	0.2%
14 years old	2,173	0.3%
15 years old	2,165	0.3%
16 years old	2,917	0.4%
17 years old	2,279	0.3%
18 or older	437	0.1%
Frequency Missing	45,121	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	593,715	79.5%
8 or younger	3,088	0.4%
9 years old	2,183	0.3%
10 years old	3,851	0.5%
11 years old	6,530	0.9%
12 years old	16,102	2.2%
13 years old	20,351	2.7%
14 years old	29,324	3.9%
15 years old	33,747	4.5%
16 years old	24,461	3.3%
17 years old	9,368	1.3%
18 or older	3,768	0.5%
Frequency Missing	46,581	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	745,491	99.7%
8 or younger	58	0.0%
9 years old	182	0.0%
10 years old	128	0.0%
11 years old	99	0.0%
12 years old	69	0.0%
13 years old	243	0.0%
14 years old	556	0.1%
15 years old	202	0.0%
16 years old	603	0.1%
17 years old	99	0.0%
18 or older	0	0.0%
Frequency Missing	45,338	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	734,542	98.6%
8 or younger	1,833	0.2%
9 years old	516	0.1%
10 years old	382	0.1%
11 years old	709	0.1%
12 years old	1,091	0.1%
13 years old	1,918	0.3%
14 years old	1,278	0.2%
15 years old	800	0.1%
16 years old	1,142	0.2%
17 years old	522	0.1%
18 or older	0	0.0%
Frequency Missing	48,335	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	744,092	99.7%
8 or younger	112	0.0%
9 years old	91	0.0%
10 years old	368	0.0%
11 years old	134	0.0%
12 years old	214	0.0%
13 years old	473	0.1%
14 years old	554	0.1%
15 years old	264	0.0%
16 years old	246	0.0%
17 years old	38	0.0%
18 or older	0	0.0%
Frequency Missing	46,484	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	728,482	98.1%
8 or younger	60	0.0%
9 years old	39	0.0%
10 years old	60	0.0%
11 years old	266	0.0%
12 years old	356	0.0%
13 years old	1,611	0.2%
14 years old	3,870	0.5%
15 years old	2,810	0.4%
16 years old	2,952	0.4%
17 years old	1,536	0.2%
18 or older	725	0.1%
Frequency Missing	50,302	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	742,882	99.4%
8 or younger	115	0.0%
9 years old	27	0.0%
10 years old	326	0.0%
11 years old	32	0.0%
12 years old	313	0.0%
13 years old	469	0.1%
14 years old	475	0.1%
15 years old	1,130	0.2%
16 years old	805	0.1%
17 years old	270	0.0%
18 or older	203	0.0%
Frequency Missing	46,020	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	723,660	97.1%
8 or younger	511	0.1%
9 years old	119	0.0%
10 years old	811	0.1%
11 years old	1,905	0.3%
12 years old	2,383	0.3%
13 years old	4,207	0.6%
14 years old	3,689	0.5%
15 years old	5,257	0.7%
16 years old	1,377	0.2%
17 years old	1,145	0.2%
18 or older	232	0.0%
Frequency Missing	47,771	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	220,957	29.8%
Impossible	149,836	20.2%
Very Difficult	49,642	6.7%
Somewhat diff	68,422	9.2%
Somewhat easy	104,552	14.1%
Very easy	149,064	20.1%
Frequency Missing	50,596	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	171,593	23.2%
Impossible	97,993	13.2%
Very Difficult	38,167	5.2%
Somewhat diff	79,703	10.8%
Somewhat easy	140,024	18.9%
Very easy	213,360	28.8%
Frequency Missing	52,227	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	303,772	41.2%
Impossible	118,504	16.1%
Very Difficult	27,908	3.8%
Somewhat diff	35,906	4.9%
Somewhat easy	60,802	8.2%
Very easy	190,130	25.8%
Frequency Missing	56,046	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	206,038	27.9%
Impossible	159,145	21.5%
Very Difficult	51,234	6.9%
Somewhat diff	64,230	8.7%
Somewhat easy	92,255	12.5%
Very easy	166,523	22.5%
Frequency Missing	53,643	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	282,246	38.2%
Impossible	238,611	32.3%
Very Difficult	88,997	12.0%
Somewhat diff	64,917	8.8%
Somewhat easy	30,982	4.2%
Very easy	33,657	4.6%
Frequency Missing	53,659	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	294,849	40.0%
Impossible	248,116	33.7%
Very Difficult	92,384	12.5%
Somewhat diff	53,337	7.2%
Somewhat easy	22,773	3.1%
Very easy	25,601	3.5%
Frequency Missing	56,009	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	309,327	42.0%
Impossible	232,204	31.5%
Very Difficult	86,702	11.8%
Somewhat diff	54,546	7.4%
Somewhat easy	24,620	3.3%
Very easy	28,819	3.9%
Frequency Missing	56,850	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	346,860	47.1%
Impossible	197,072	26.7%
Very Difficult	60,871	8.3%
Somewhat diff	47,603	6.5%
Somewhat easy	38,617	5.2%
Very easy	46,084	6.3%
Frequency Missing	55,962	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	353,272	48.1%
Impossible	205,118	27.9%
Very Difficult	69,483	9.5%
Somewhat diff	44,416	6.0%
Somewhat easy	31,730	4.3%
Very easy	30,899	4.2%
Frequency Missing	58,150	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	7,623	1.0%
Several times/wk	7,455	1.0%
Several times/mo	10,036	1.4%
About once/month	16,436	2.2%
About once/year	16,173	2.2%
Less than once/year	29,752	4.0%
Never used	650,626	88.1%
Frequency Missing	54,967	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	334,396	45.3%
Impossible	252,971	34.3%
Very Difficult	81,785	11.1%
Somewhat diff	33,924	4.6%
Somewhat easy	14,413	2.0%
Very easy	21,028	2.8%
Frequency Missing	54,551	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	1,964	0.3%
Several times/wk	12,242	1.7%
Several times/mo	47,315	6.4%
About once/month	87,855	11.9%
About once/year	69,311	9.4%
Less than once/year	60,800	8.3%
Never used	456,194	62.0%
Frequency Missing	57,387	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	350,570	47.4%
Impossible	240,714	32.5%
Very Difficult	77,727	10.5%
Somewhat diff	32,485	4.4%
Somewhat easy	15,874	2.1%
Very easy	22,820	3.1%
Frequency Missing	52,880	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	704	0.1%
Several times/wk	1,112	0.2%
Several times/mo	2,193	0.3%
About once/month	3,032	0.4%
About once/year	4,902	0.7%
Less than once/year	9,038	1.2%
Never used	716,879	97.2%
Frequency Missing	55,208	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	84	0.0%
Several times/wk	120	0.0%
Several times/mo	179	0.0%
About once/month	556	0.1%
About once/year	242	0.0%
Less than once/year	854	0.1%
Never used	735,581	99.7%
Frequency Missing	55,453	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	11,694	1.6%
Several times/wk	15,512	2.1%
Several times/mo	25,692	3.5%
About once/month	27,478	3.7%
About once/year	28,969	3.9%
Less than once/year	30,149	4.1%
Never used	597,299	81.1%
Frequency Missing	56,276	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	574	0.1%
Several times/wk	208	0.0%
Several times/mo	323	0.0%
About once/month	561	0.1%
About once/year	1,363	0.2%
Less than once/year	2,963	0.4%
Never used	729,682	99.2%
Frequency Missing	57,394	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	105	0.0%
Several times/wk	671	0.1%
Several times/mo	966	0.1%
About once/month	1,822	0.2%
About once/year	3,386	0.5%
Less than once/year	4,075	0.6%
Never used	725,528	98.5%
Frequency Missing	56,515	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	232	0.0%
Several times/wk	433	0.1%
Several times/mo	2,028	0.3%
About once/month	2,039	0.3%
About once/year	4,284	0.6%
Less than once/year	4,216	0.6%
Never used	722,342	98.2%
Frequency Missing	57,495	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	101	0.0%
Several times/wk	390	0.1%
Several times/mo	110	0.0%
About once/month	271	0.0%
About once/year	194	0.0%
Less than once/year	1,262	0.2%
Never used	734,742	99.7%
Frequency Missing	55,999	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	482,507	65.1%
12+ drinks	14,514	2.0%
9-11 drinks	9,149	1.2%
5-8 drinks	21,514	2.9%
3-4 drinks	33,817	4.6%
2 drinks	37,495	5.1%
1 drink	50,946	6.9%
Less than 1 drink	90,930	12.3%
Frequency Missing	52,196	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	477	0.1%
Several times/wk	236	0.0%
Several times/mo	257	0.0%
About once/month	674	0.1%
About once/year	761	0.1%
Less than once/year	1,735	0.2%
Never used	732,075	99.4%
Frequency Missing	56,853	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	518,024	70.0%
12+ drinks	11,128	1.5%
9-11 drinks	8,451	1.1%
5-8 drinks	23,601	3.2%
3-4 drinks	39,045	5.3%
2 drinks	38,529	5.2%
1 drink	47,281	6.4%
Less than 1 drink	54,000	7.3%
Frequency Missing	53,010	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	262	0.0%
Several times/wk	781	0.1%
Several times/mo	2,314	0.3%
About once/month	3,399	0.5%
About once/year	4,495	0.6%
Less than once/year	6,933	0.9%
Never used	717,358	97.5%
Frequency Missing	57,526	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	515,269	69.7%
12+ drinks	4,883	0.7%
9-11 drinks	3,677	0.5%
5-8 drinks	8,259	1.1%
3-4 drinks	21,494	2.9%
2 drinks	31,210	4.2%
1 drink	64,244	8.7%
Less than 1 drink	89,792	12.2%
Frequency Missing	54,242	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	490,503	66.4%
12+ drinks	15,364	2.1%
9-11 drinks	14,018	1.9%
5-8 drinks	31,644	4.3%
3-4 drinks	44,415	6.0%
2 drinks	37,942	5.1%
1 drink	43,849	5.9%
Less than 1 drink	61,010	8.3%
Frequency Missing	54,323	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	445,792	60.4%
Never	120,914	16.4%
Seldom	80,753	10.9%
Most of the Time	68,512	9.3%
Always	22,657	3.1%
Frequency Missing	54,440	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	434,267	59.2%
0 days	214,021	29.2%
1 day	30,463	4.2%
2 days	18,138	2.5%
3 to 5 days	18,323	2.5%
6 to 9 days	6,095	0.8%
10 or more days	11,731	1.6%
Frequency Missing	60,029	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	464,550	63.0%
Never	218,810	29.7%
Seldom	27,061	3.7%
Most of the Time	17,405	2.4%
Always	9,582	1.3%
Frequency Missing	55,660	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	437,532	59.1%
Never	109,497	14.8%
Seldom	126,622	17.1%
Most of the Time	43,723	5.9%
Always	22,403	3.0%
Frequency Missing	53,292	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	432,736	58.5%
Never	107,854	14.6%
Seldom	74,586	10.1%
Most of the Time	69,213	9.4%
Always	54,797	7.4%
Frequency Missing	53,883	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	467,672	63.8%
Never	161,144	22.0%
Seldom	48,874	6.7%
Most of the Time	29,491	4.0%
Always	25,981	3.5%
Frequency Missing	59,905	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	444,768	60.7%
Somewhat	175,517	24.0%
Not very	59,552	8.1%
Not at all	13,391	1.8%
Don't know	39,149	5.3%
Frequency Missing	60,692	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	629,546	86.2%
Somewhat	47,218	6.5%
Not very	6,629	0.9%
Not at all	4,357	0.6%
Don't know	42,534	5.8%
Frequency Missing	62,784	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	351,215	48.0%
Somewhat	224,985	30.8%
Not very	103,480	14.2%
Not at all	19,450	2.7%
Don't know	31,836	4.4%
Frequency Missing	62,103	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	637,090	87.2%
Somewhat	38,823	5.3%
Not very	5,722	0.8%
Not at all	3,492	0.5%
Don't know	45,671	6.2%
Frequency Missing	62,270	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	506,170	69.5%
Somewhat	111,668	15.3%
Not very	38,819	5.3%
Not at all	12,229	1.7%
Don't know	58,969	8.1%
Frequency Missing	65,213	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	582,067	79.8%
Somewhat	60,505	8.3%
Not very	14,671	2.0%
Not at all	5,463	0.7%
Don't know	66,756	9.2%
Frequency Missing	63,605	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	395,639	54.2%
Somewhat	100,830	13.8%
Not very	95,195	13.0%
Not at all	103,093	14.1%
Don't know	35,802	4.9%
Frequency Missing	62,510	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	548,635	75.2%
Somewhat	90,339	12.4%
Not very	26,695	3.7%
Not at all	8,383	1.1%
Don't know	55,128	7.6%
Frequency Missing	63,887	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	639,494	87.6%
Somewhat	32,596	4.5%
Not very	4,323	0.6%
Not at all	3,426	0.5%
Don't know	50,145	6.9%
Frequency Missing	63,084	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	377,140	51.9%
Somewhat	89,268	12.3%
Not very	116,373	16.0%
Not at all	95,390	13.1%
Don't know	48,211	6.6%
Frequency Missing	66,685	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	637,252	87.3%
Somewhat	32,020	4.4%
Not very	4,474	0.6%
Not at all	3,517	0.5%
Don't know	52,959	7.3%
Frequency Missing	62,847	

Days Skipped Since September

Q28a	Frequency	Percent
None	585,400	80.8%
1-3 days	99,355	13.7%
4-9 days	24,180	3.3%
10+ days	15,489	2.1%
Frequency Missing	68,644	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	574,774	78.9%
Somewhat	62,018	8.5%
Not very	19,841	2.7%
Not at all	8,362	1.1%
Don't know	63,621	8.7%
Frequency Missing	64,452	

Days Ill Since September

Q28b	Frequency	Percent
None	248,397	34.3%
1-3 days	370,152	51.1%
4-9 days	84,955	11.7%
10+ days	20,545	2.8%
Frequency Missing	69,019	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	532,943	73.4%
Somewhat	106,966	14.7%
Not very	27,161	3.7%
Not at all	9,158	1.3%
Don't know	49,741	6.9%
Frequency Missing	67,100	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	300,056	41.9%
1-3 days	345,811	48.3%
4-9 days	52,789	7.4%
10+ days	17,056	2.4%
Frequency Missing	77,357	

Percentages and frequencies have been weighted to reflect proportions within the population.

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	630,586	87.3%
1-3 days	69,876	9.7%
4-9 days	12,244	1.7%
10+ days	10,023	1.4%
Frequency Missing	70,340	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	690,757	96.2%
1-3 times	21,886	3.0%
4-9 times	3,001	0.4%
10+ times	2,074	0.3%
Frequency Missing	75,350	

Someone Called Home Since September

Q28e	Frequency	Percent
None	644,652	89.4%
1-3 days	58,018	8.0%
4-9 days	9,923	1.4%
10+ days	8,234	1.1%
Frequency Missing	72,241	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	683,613	95.5%
1-3 times	20,814	2.9%
4-9 times	4,777	0.7%
10+ times	6,643	0.9%
Frequency Missing	77,220	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	692,023	96.1%
1-3 times	24,183	3.4%
4-9 times	2,625	0.4%
10+ times	1,203	0.2%
Frequency Missing	73,034	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	688,294	95.9%
1-3 days	21,424	3.0%
4-9 days	4,895	0.7%
10+ days	2,897	0.4%
Frequency Missing	75,559	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	697,286	97.1%
1-3 times	16,739	2.3%
4-9 times	2,433	0.3%
10+ times	1,714	0.2%
Frequency Missing	74,897	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	663,916	92.7%
1-3 days	29,980	4.2%
4-9 days	9,860	1.4%
10+ days	12,632	1.8%
Frequency Missing	76,680	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	709,313	99.1%
1-3 days	3,843	0.5%
4-9 days	666	0.1%
10+ days	1,669	0.2%
Frequency Missing	77,577	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	607,347	93.7%
Yes	40,706	6.3%
Frequency Missing	145,015	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	690,010	96.7%
1-3 days	15,314	2.1%
4-9 days	3,997	0.6%
10+ days	4,540	0.6%
Frequency Missing	79,207	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	437,819	63.0%
Yes	257,396	37.0%
Frequency Missing	97,853	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	359,894	50.3%
Seldom	52,374	7.3%
Half the time	40,966	5.7%
Most of the Time	57,205	8.0%
Always	71,804	10.0%
Don't Know	13,708	1.9%
Didn't attend	119,111	16.7%
Frequency Missing	78,007	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	540,974	78.3%
Yes	149,650	21.7%
Frequency Missing	102,445	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	413,732	60.0%
Yes	275,769	40.0%
Frequency Missing	103,567	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	420,127	59.0%
Seldom	40,329	5.7%
Half the time	30,995	4.4%
Most of the Time	43,451	6.1%
Always	44,410	6.2%
Don't Know	14,100	2.0%
Didn't attend	118,859	16.7%
Frequency Missing	80,798	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	212,348	30.5%
Yes	484,098	69.5%
Frequency Missing	96,623	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	288,320	41.9%
Yes	399,672	58.1%
Frequency Missing	105,075	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	446,305	65.3%
Yes	237,459	34.7%
Frequency Missing	109,304	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	254,818	36.9%
Yes	435,091	63.1%
Frequency Missing	103,160	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	455,011	66.7%
Yes	226,976	33.3%
Frequency Missing	111,081	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	283,377	41.1%
Yes	406,367	58.9%
Frequency Missing	103,324	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	545,984	80.3%
Yes	133,880	19.7%
Frequency Missing	113,204	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	424,502	61.6%
Yes	264,995	38.4%
Frequency Missing	103,571	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	592,260	87.2%
Yes	86,719	12.8%
Frequency Missing	114,089	

Would Not Seek Help

Q33i	Frequency	Percent
No	551,507	82.1%
Yes	119,848	17.9%
Frequency Missing	121,714	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	514,371	75.8%
Yes	164,536	24.2%
Frequency Missing	114,161	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	595,863	88.0%
Yes	81,109	12.0%
Frequency Missing	116,097	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	535,646	79.1%
Yes	141,952	20.9%
Frequency Missing	115,470	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	499,991	74.0%
Yes	175,773	26.0%
Frequency Missing	117,305	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	572,757	79.7%
Mild disapprove	50,792	7.1%
Neither	40,043	5.6%
Mildly approve	4,645	0.6%
Strongly approve	4,208	0.6%
Don't know	46,415	6.5%
Frequency Missing	74,207	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	438,455	61.2%
Mild disapprove	107,193	15.0%
Neither	92,466	12.9%
Mildly approve	28,187	3.9%
Strongly approve	6,728	0.9%
Don't know	43,520	6.1%
Frequency Missing	76,520	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	544,912	76.0%
Mild disapprove	54,270	7.6%
Neither	52,110	7.3%
Mildly approve	13,641	1.9%
Strongly approve	8,568	1.2%
Don't know	43,378	6.1%
Frequency Missing	76,189	

Percentages and frequencies have been weighted to reflect proportions within the population.

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

