

HHSC REGION 1 AND 2 REPORT

Prepared by

The Public Policy Research Institute Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

In	ntroduction	1
1	General Substance Use Tables Tobacco Alcohol Drugs Inhalants Miscellaneous	$7 \\ 15 \\ 30$
2	Prevalence TablesTable B-1: All StudentsTable B-2: Male StudentsTable B-2: Male StudentsTable B-3: Female StudentsTable B-4: White Non-Hispanic StudentsTable B-5: African American Non-Hispanic StudentsTable B-6: Hispanic or Latino StudentsTable B-7: Students Reporting A Grades on AverageTable B-8: Students Reporting Grades Lower Than an A on AverageTable B-9: Students Not Living with 2 ParentsTable B-10: Students Not Living with 2 ParentsTable B-11: Students Who Would Seek Help from Adults for Substance Abuse ProblemsTable B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	$\begin{array}{c} 45 \\ 49 \\ 53 \\ 57 \\ 61 \\ 65 \\ 69 \\ 73 \\ 77 \\ 81 \end{array}$
3	Margin Tables	89
\mathbf{A}	ppendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 1 and 2. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

Jump to Table of Contents Page 2 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

1 General Substance Use Tables

Jump to Table of Contents Page 3 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Tobacco

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	17.1%	22.9%	37.7%	62.3%
Grade 7	5.2%	7.6%	18.2%	81.8%
Grade 8	10.8%	16.1%	29.7%	70.3%
Grade 9	17.1%	23.0%	38.7%	61.3%
Grade 10	19.6%	25.9%	41.7%	58.3%
Grade 11	25.3%	33.8%	50.2%	49.8%
Grade 12	28.5%	35.8%	53.1%	46.9%
Cigarettes?				
All	4.1%	6.1%	16.0%	84.0%
Grade 7	1.0%	1.4%	6.8%	93.2%
Grade 8	1.5%	3.5%	14.5%	85.5%
Grade 9	4.0%	5.7%	15.0%	85.0%
Grade 10	3.1%	4.4%	15.0%	85.0%
Grade 11	7.3%	10.7%	20.5%	79.5%
Grade 12	9.0%	12.5%	27.2%	72.8%
Smokeless Tobacco?				
All	3.0%	4.4%	9.3%	90.7%
Grade 7	0.6%	0.7%	2.9%	97.1%
Grade 8	0.7%	1.5%	5.8%	94.2%
Grade 9	2.7%	4.7%	8.2%	91.8%
Grade 10	2.5%	4.9%	11.9%	88.1%
Grade 11	5.2%	6.5%	13.3%	86.7%
Grade 12	7.4%	9.2%	16.2%	83.8%
Electronic Vapor Products?				
All	12.7%	19.7%	33.9%	66.1%
Grade 7	3.8%	6.1%	15.3%	84.7%
Grade 8	6.7%	12.5%	26.4%	73.6%
Grade 9	12.8%	20.4%	34.6%	65.4%
Grade 10	14.6%	22.6%	38.6%	61.4%
Grade 11	20.0%	30.3%	46.4%	53.6%
Grade 12	21.0%	30.2%	46.9%	53.1%

Table T-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 4 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	82.4%	2.6%	1.6%	1.6%	3.1%	2.7%	6.0%
Grade 7	95.0%	0.1%	0.0%	0.3%	1.4%	0.9%	2.3%
Grade 8	88.4%	0.3%	0.5%	0.9%	1.7%	2.5%	5.7%
Grade 9	85.4%	1.3%	2.5%	0.9%	2.4%	2.5%	5.0%
Grade 10	78.3%	3.3%	1.4%	1.4%	3.7%	3.4%	8.5%
Grade 11	73.9%	4.0%	2.7%	3.5%	4.4%	2.9%	8.6%
Grade 12	70.0%	7.9%	2.7%	3.2%	5.6%	4.3%	6.4%

Table T-2: How Often Do You Normally Use Tobacco?

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.4	11.1	12.4	13.2	13.9	14.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.0%	22.7%	9.6%	11.8%	14.4%	17.6%
Grade 7	30.7%	38.9%	9.8%	8.1%	6.8%	5.7%
Grade 8	23.8%	28.2%	13.3%	11.1%	12.6%	11.1%
Grade 9	28.7%	23.5%	7.7%	9.7%	12.9%	17.4%
Grade 10	20.3%	17.9%	12.0%	15.7%	16.0%	18.1%
Grade 11	18.6%	14.9%	8.2%	13.9%	21.3%	23.1%
Grade 12	19.8%	8.5%	5.9%	13.2%	18.6%	34.0%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	66.7%	20.0%	8.3%	4.1%	0.9%
Grade 7	86.2%	10.3%	3.0%	0.4%	0.1%
Grade 8	79.2%	14.2%	4.9%	1.5%	0.2%
Grade 9	69.5%	18.8%	6.3%	3.8%	1.6%
Grade 10	61.3%	23.3%	9.9%	4.3%	1.1%
Grade 11	52.7%	28.5%	11.9%	5.9%	1.0%
Grade 12	44.6%	28.0%	15.8%	9.9%	1.6%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 5 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.1%	8.3%	7.2%	1.1%	0.9%	6.5%
Grade 7	85.4%	3.3%	3.2%	0.4%	0.3%	7.4%
Grade 8	82.3%	4.7%	3.4%	0.4%	0.5%	8.7%
Grade 9	75.6%	9.6%	7.0%	1.1%	0.7%	6.0%
Grade 10	74.7%	9.8%	7.6%	1.2%	1.7%	5.1%
Grade 11	71.1%	12.6%	8.8%	1.5%	1.0%	5.0%
Grade 12	65.0%	10.3%	14.8%	2.1%	1.1%	6.7%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	60.6%	26.1%	7.5%	1.6%	4.3%
Grade 7	75.3%	17.4%	3.0%	0.8%	3.5%
Grade 8	67.8%	21.0%	6.2%	0.5%	4.6%
Grade 9	63.0%	25.3%	6.7%	0.8%	4.3%
Grade 10	56.9%	29.5%	7.6%	2.0%	4.0%
Grade 11	52.8%	31.0%	9.7%	2.1%	4.4%
Grade 12	43.5%	34.9%	12.9%	4.0%	4.7%
Electronic Vapor Products?					
All	64.0%	18.7%	10.3%	3.4%	3.6%
Grade 7	76.1%	12.8%	5.3%	2.2%	3.7%
Grade 8	72.0%	14.7%	7.8%	2.3%	3.2%
Grade 9	62.9%	19.2%	10.7%	3.1%	4.1%
Grade 10	59.4%	20.7%	13.0%	3.6%	3.3%
Grade 11	56.0%	23.4%	13.6%	3.9%	3.1%
Grade 12	54.6%	23.0%	12.0%	6.2%	4.2%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 6 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Alcohol

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	31.6%	36.9%	57.8%	42.2%
Grade 7	17.5%	21.1%	42.2%	57.8%
Grade 8	28.1%	31.9%	56.5%	43.5%
Grade 9	32.3%	36.8%	56.7%	43.3%
Grade 10	33.1%	38.6%	59.1%	40.9%
Grade 11	38.9%	46.7%	66.2%	33.8%
Grade 12	43.8%	51.0%	70.2%	29.8%
Beer?				
All	12.4%	19.5%	45.9%	54.1%
Grade 7	4.9%	7.6%	32.8%	67.2%
Grade 8	9.1%	15.4%	45.8%	54.2%
Grade 9	11.3%	18.5%	42.7%	57.3%
Grade 10	12.5%	21.1%	47.2%	52.8%
Grade 11	19.3%	28.7%	54.3%	45.7%
Grade 12	19.9%	28.9%	56.0%	44.0%
Wine Coolers?				
All	9.5%	15.1%	34.8%	65.2%
Grade 7	2.5%	4.6%	16.5%	83.5%
Grade 8	6.2%	10.0%	30.3%	69.7%
Grade 9	8.0%	13.9%	31.8%	68.2%
Grade 10	10.6%	18.0%	39.0%	61.0%
Grade 10 Grade 11	15.7%	23.4%	47.2%	52.8%
Grade 12	16.4%	24.2%	49.3%	50.7%
Wine?				
All	7.4%	12.1%	35.7%	64.3%
Grade 7	3.5%	6.6%	24.7%	75.3%
Grade 8	4.9%	9.2%	32.5%	67.5%
Grade 9	7.7%	11.8%	34.5%	65.5%
Grade 10	7.1%	12.3%	35.0%	65.0%
Grade 11	10.5%	17.0%	44.2%	55.8%
Grade 12	12.3%	17.4%	46.7%	53.3%
Liquor?				
All	11.6%	19.0%	40.7%	59.3%
Grade 7	3.2%	6.1%	19.4%	80.6%
Grade 8	6.1%	11.4%	34.5%	65.5%
Grade 9	11.0%	17.5%	38.9%	61.1%
Grade 10	12.5%	22.3%	45.3%	54.7%
Grade 11	17.8%	28.0%	53.1%	46.9%
Grade 12	21.8%	33.1%	59.0%	41.0%

Table A-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 7 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	55.1%	0.3%	1.6%	7.1%	11.7%	12.2%	11.9%
Grade 7	75.8%	0.4%	0.7%	1.4%	5.2%	5.9%	10.6%
Grade 8	59.4%	0.1%	0.4%	5.2%	8.3%	13.6%	12.9%
Grade 9	57.1%	0.2%	2.3%	4.4%	12.4%	12.1%	11.4%
Grade 10	51.2%	0.2%	2.3%	7.1%	12.2%	11.5%	15.4%
Grade 11	43.1%	0.4%	2.3%	12.9%	15.1%	14.8%	11.4%
Grade 12	39.4%	0.6%	2.1%	13.1%	18.8%	16.4%	9.7%

Table A-2: How Often Do You Normally Use Alcohol?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	58.8%	41.2%	9.3%	18.3%	13.6%
	Grade 7	71.7%	28.3%	2.1%	9.5%	16.7%
	Grade 8	58.7%	41.3%	4.4%	18.6%	18.3%
	Grade 9	62.3%	37.7%	8.1%	17.1%	12.6%
	Grade 10	57.4%	42.6%	10.4%	20.0%	12.2%
	Grade 11	51.2%	48.8%	15.4%	21.2%	12.1%
	Grade 12	48.3%	51.7%	17.7%	25.6%	8.4%
Wine Coolers						
	All	68.5%	31.5%	7.4%	16.6%	7.6%
	Grade 7	86.1%	13.9%	1.0%	6.6%	6.3%
	Grade 8	73.0%	27.0%	3.4%	13.5%	10.0%
	Grade 9	71.4%	28.6%	6.6%	14.9%	7.1%
	Grade 10	64.6%	35.4%	7.8%	21.0%	6.6%
	Grade 11	56.4%	43.6%	14.8%	21.2%	7.6%
	Grade 12	55.0%	45.0%	12.4%	24.7%	7.9%
Wine						
	All	68.7%	31.3%	3.5%	14.7%	13.2%
	Grade 7	79.3%	20.7%	0.9%	6.5%	13.3%
	Grade 8	70.5%	29.5%	3.1%	10.2%	16.2%
	Grade 9	69.2%	30.8%	3.7%	13.9%	13.2%
	Grade 10	69.4%	30.6%	3.2%	16.2%	11.2%
	Grade 11	61.1%	38.9%	5.1%	19.7%	14.0%
	Grade 12	60.0%	40.0%	5.6%	23.9%	10.6%
Liquor						
	All	61.9%	38.1%	10.2%	16.9%	11.0%
	Grade 7	83.0%	17.0%	2.4%	5.4%	9.2%
	Grade 8	67.9%	32.1%	5.1%	11.0%	16.0%
	Grade 9	64.0%	36.0%	9.1%	16.5%	10.4%
	Grade 10	57.1%	42.9%	12.0%	20.9%	10.1%
	Grade 11	49.9%	50.1%	17.5%	22.5%	10.1%
	Grade 12	44.2%	55.8%	17.7%	28.2%	9.9%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 9 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	86.6%	4.8%	3.1%	2.6%	1.0%	2.0%
Grade 7	95.3%	2.2%	0.4%	1.0%	0.5%	0.6%
Grade 8	91.1%	3.5%	1.6%	1.5%	0.3%	2.1%
Grade 9	86.9%	4.9%	2.8%	2.3%	1.3%	1.7%
Grade 10	84.6%	5.0%	4.3%	2.8%	0.6%	2.7%
Grade 11	79.9%	6.7%	4.6%	4.4%	2.1%	2.4%
Grade 12	80.2%	7.2%	5.2%	3.8%	1.2%	2.5%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.6	11.3	12.4	13.2	13.5	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	17.5%	14.6%	7.8%	12.9%	19.8%	27.4%
Grade 7	25.4%	24.1%	11.8%	11.0%	14.9%	12.9%
Grade 8	17.6%	19.0%	7.9%	13.9%	18.7%	22.9%
Grade 9	19.9%	15.5%	6.2%	13.1%	17.3%	28.0%
Grade 10	15.2%	10.4%	9.9%	14.1%	21.3%	29.2%
Grade 11	11.5%	10.7%	6.2%	12.5%	23.6%	35.5%
Grade 12	13.8%	5.2%	4.0%	13.0%	24.6%	39.5%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.7%	3.5%	0.5%	0.2%
Grade 7	97.9%	1.7%	0.3%	0.0%
Grade 8	95.9%	3.5%	0.2%	0.3%
Grade 9	95.1%	3.6%	0.8%	0.4%
Grade 10	95.6%	3.8%	0.4%	0.2%
Grade 11	93.9%	5.4%	0.5%	0.1%
Grade 12	95.8%	3.1%	0.7%	0.4%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 10 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	4.1
Alcohol Non-Users	3.3
	Average Days Conduct Problems Reported
Alcohol Users	1.9
Alcohol Non-Users	0.6

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Had a Good Bit to Drink?				
High School	94.4%	4.4%	0.7%	0.5%
Grade 9	98.1%	1.6%	0.3%	0.0%
Grade 10	95.6%	3.3%	0.6%	0.4%
Grade 11	92.2%	6.4%	0.9%	0.5%
Grade 12	90.6%	7.0%	1.3%	1.1%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drinking?				
All	95.5%	3.7%	0.6%	0.2%
Grade 7	96.7%	2.5%	0.4%	0.4%
Grade 8	96.3%	3.1%	0.4%	0.1%
Grade 9	95.2%	4.1%	0.6%	0.1%
Grade 10	94.5%	4.1%	1.0%	0.3%
Grade 11	94.3%	5.1%	0.6%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	45.2%	26.6%	15.4%	10.4%	2.4%
Grade 7	70.3%	19.8%	6.7%	2.9%	0.3%
Grade 8	53.7%	28.4%	11.8%	4.6%	1.5%
Grade 9	46.0%	26.4%	15.6%	10.0%	2.0%
Grade 10	39.7%	28.8%	15.9%	13.0%	2.6%
Grade 11	29.7%	29.9%	20.7%	15.3%	4.3%
Grade 12	25.4%	27.5%	23.9%	18.6%	4.6%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 11 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	46.5%	7.0%	6.0%	8.5%	9.2%	2.2%	20.6%
Grade 7	66.0%	6.2%	3.8%	4.2%	2.6%	2.1%	15.0%
Grade 8	56.1%	7.1%	5.6%	7.1%	4.6%	3.3%	16.2%
Grade 9	46.3%	8.6%	5.7%	10.4%	5.4%	2.8%	20.7%
Grade 10	39.0%	8.2%	6.4%	10.2%	12.0%	1.4%	22.9%
Grade 11	31.9%	6.4%	6.9%	10.2%	16.4%	2.0%	26.1%
Grade 12	35.2%	5.5%	8.2%	9.5%	16.6%	1.3%	23.8%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 12 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	55.3%	18.5%	17.5%	5.9%	2.8%
	Grade 7	65.3%	19.3%	11.5%	2.9%	1.0%
	Grade 8	59.1%	15.6%	17.5%	5.0%	2.7%
	Grade 9	57.0%	18.4%	16.1%	5.8%	2.7%
	Grade 10	55.0%	18.7%	17.1%	6.4%	2.8%
	Grade 11	46.8%	20.8%	21.4%	7.8%	3.3%
	Grade 12	45.4%	18.3%	23.3%	8.0%	4.9%
Friends?						
	All	55.0%	19.0%	14.4%	9.0%	2.6%
	Grade 7	68.8%	21.2%	6.4%	2.8%	0.8%
	Grade 8	61.2%	24.2%	8.8%	4.5%	1.3%
	Grade 9	58.0%	18.7%	13.8%	8.0%	1.5%
	Grade 10	52.3%	18.1%	15.7%	10.9%	3.0%
	Grade 11	42.6%	17.3%	20.5%	14.9%	4.6%
	Grade 12	43.3%	13.0%	24.0%	14.9%	4.8%
A Store?						
	All	57.9%	35.2%	3.6%	1.9%	1.4%
	Grade 7	69.9%	27.8%	1.3%	0.6%	0.4%
	Grade 8	63.0%	34.6%	1.4%	0.7%	0.3%
	Grade 9	59.9%	33.6%	3.7%	1.7%	1.0%
	Grade 10	54.1%	38.7%	3.9%	1.4%	1.8%
	Grade 11	48.9%	38.9%	5.1%	3.9%	3.2%
	Grade 12	48.3%	38.7%	7.1%	3.5%	2.4%
Parties?						
	All	53.2%	18.8%	10.8%	9.9%	7.2%
	Grade 7	65.6%	22.0%	6.5%	3.9%	1.9%
	Grade 8	58.7%	20.8%	10.1%	7.6%	2.7%
	Grade 9	55.4%	17.7%	10.8%	9.6%	6.5%
	Grade 10	49.8%	16.8%	13.4%	11.2%	8.8%
	Grade 11	42.3%	19.5%	11.5%	12.4%	14.2%
	Grade 12	44.4%	15.4%	13.3%	16.0%	10.9%
Other Sources?						
	All	57.3%	23.2%	9.8%	5.3%	4.4%
	Grade 7	67.9%	20.2%	7.9%	2.5%	1.5%
	Grade 8	61.8%	23.2%	8.6%	4.5%	1.9%
	Grade 9	59.3%	21.9%	9.3%	4.9%	4.5%
	Grade 10	53.9%	24.7%	9.5%	6.8%	5.2%
	Grade 11	49.6%	25.1%	11.3%	6.5%	7.4%
	Grade 12	48.1%	24.6%	13.3%	6.9%	7.1%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 13 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.4%	16.1%	14.3%	4.3%	1.2%	5.7%
Grade 7	72.2%	11.8%	7.0%	2.1%	0.4%	6.5%
Grade 8	63.7%	15.5%	8.4%	4.4%	0.7%	7.3%
Grade 9	58.6%	15.4%	14.5%	4.3%	1.4%	5.9%
Grade 10	55.5%	17.0%	17.8%	4.1%	1.3%	4.3%
Grade 11	51.5%	19.4%	16.4%	6.4%	1.4%	4.9%
Grade 12	45.6%	18.4%	23.7%	5.1%	2.3%	4.8%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.0%	32.7%	14.8%	2.3%	3.1%
Grade 7	60.5%	23.9%	10.5%	1.1%	4.1%
Grade 8	49.4%	29.2%	17.0%	1.8%	2.7%
Grade 9	46.7%	33.4%	15.6%	1.6%	2.7%
Grade 10	45.3%	33.3%	14.7%	2.9%	3.8%
Grade 11	42.0%	35.8%	15.8%	3.6%	2.8%
Grade 12	35.6%	42.9%	15.6%	3.3%	2.6%

Drugs

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
	All 14.3%	18.0%	24.9%	75.1%
Grad	e 7 4.6%	6.6%	7.9%	92.1%
Grad	e 8 8.2%	11.3%	15.8%	84.2%
Grad	e 9 14.8%	18.5%	24.4%	75.6%
Grade		19.2%	28.9%	71.1%
Grade	11 21.9%	27.5%	37.1%	62.9%
Grade	12 23.2%	28.4%	41.0%	59.0%
Marijuana?				
-	All 13.6%	15.8%	23.3%	76.7%
Grad		4.4%	5.9%	94.1%
Grad		8.6%	13.3%	86.7%
Grad		17.0%	23.5%	76.5%
Grade		17.2%	27.5%	72.5%
Grade		24.3%	34.7%	65.3%
Grade		26.9%	40.4%	59.6%
Cocaine?				
	All 0.8%	1.0%	1.9%	98.1%
Grad		0.2%	0.2%	99.8%
Grad		1.1%	1.6%	98.4%
Grad		0.9%	1.7%	98.3%
Grade		0.5%	1.3%	98.7%
Grade		1.9%	3.8%	96.2%
Grade		1.3%	3.0%	97.0%
Crack?				
	All 0.4%	0.5%	0.9%	99.1%
Grad	0.12/0	0.2%	0.3%	99.7%
Grad		0.9%	1.1%	98.9%
Grad		0.6%	0.8%	99.2%
Grade		0.5%	1.0%	99.0%
Grade		0.5%	1.2%	98.8%
Grade	•	0.7%	1.2%	98.8%
Hallucinogens?				
8	All 0.9%	1.3%	3.1%	96.9%
Grad		0.3%	0.7%	99.3%
Grad		0.5%	1.6%	98.4%
Grad		0.9%	2.2%	97.8%
Grade		1.6%	3.6%	96.4%
Grade		2.5%	5.0%	95.0%
Grade		2.4%	6.0%	94.0%

Table D-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 15 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Table D-1: How Recently, If Ever, Have You Used...

(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids?				
All	0.4%	0.6%	2.0%	98.0%
Grade 7	0.3%	0.6%	2.2%	97.8%
Grade 8	0.6%	0.8%	2.5%	97.5%
Grade 9	0.2%	0.4%	1.8%	98.2%
Grade 10	0.3%	0.5%	2.4%	97.6%
Grade 11	0.8%	0.9%	2.0%	98.0%
Grade 12	0.2%	0.2%	1.1%	98.9%
Ecstasy?				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.4%	0.6%	2.0%	98.0%
Grade 10	1.1%	1.3%	1.8%	98.2%
Grade 11	0.8%	0.9%	4.1%	95.9%
Grade 12	0.5%	1.1%	2.7%	97.3%
Heroin?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.2%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.4%	99.6%
Methamphetamine?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.5%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	0.2%	0.2%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 16 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.5%	1.9%	4.0%	96.0%
Grade 7	0.9%	1.0%	1.6%	98.4%
Grade 8	0.8%	1.7%	3.8%	96.2%
Grade 9	1.8%	2.2%	4.5%	95.5%
Grade 10	3.2%	3.8%	6.0%	94.0%
Grade 11	1.9%	2.3%	5.8%	94.2%
Grade 12	0.4%	0.6%	2.3%	97.7%

Table D-1: How Recently, If Ever, Have You Used...

(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
5	All	80.1%	2.0%	2.3%	2.9%	3.6%	3.6%	5.5%
	Grade 7	95.5%	0.5%	0.6%	0.8%	1.0%	0.5%	1.2%
	Grade 8	87.9%	0.6%	1.0%	1.6%	2.6%	1.8%	4.5%
	Grade 9	81.5%	1.4%	3.5%	3.1%	3.6%	3.3%	3.6%
	Grade 10	77.0%	1.2%	2.4%	4.0%	3.6%	3.8%	8.0%
	Grade 11	69.7%	3.7%	3.8%	3.9%	5.7%	5.2%	8.1%
	Grade 12	64.9%	5.2%	2.9%	4.2%	5.7%	8.3%	8.7%
Cocaine?								
	All	98.9%	0.0%	0.0%	0.1%	0.3%	0.3%	0.4%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 8	99.0%	0.0%	0.0%	0.0%	0.5%	0.1%	0.4%
	Grade 9	99.0%	0.0%	0.0%	0.1%	0.2%	0.3%	0.3%
	Grade 10	99.2%	0.0%	0.1%	0.1%	0.2%	0.1%	0.3%
	Grade 11	97.8%	0.0%	0.0%	0.0%	0.3%	0.8%	1.1%
	Grade 12	98.0%	0.0%	0.0%	0.2%	0.3%	0.7%	0.7%
Crack?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 10	99.3%	0.1%	0.0%	0.0%	0.3%	0.1%	0.3%
	Grade 11	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.0%	0.1%	0.6%
Steroids?								
	All	99.0%	0.1%	0.0%	0.0%	0.1%	0.3%	0.6%
	Grade 7	99.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.5%
	Grade 8	98.7%	0.1%	0.0%	0.1%	0.0%	0.5%	0.5%
	Grade 9	98.8%	0.0%	0.0%	0.0%	0.2%	0.3%	0.7%
	Grade 10	98.5%	0.1%	0.0%	0.0%	0.3%	0.5%	0.7%
	Grade 11	99.4%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 12	99.4%	0.0%	0.1%	0.0%	0.0%	0.1%	0.5%
Ecstasy?								
	All	98.6%	0.0%	0.0%	0.1%	0.2%	0.4%	0.7%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.1%
	Grade 9	98.1%	0.0%	0.0%	0.2%	0.4%	0.3%	0.9%
	Grade 10	98.8%	0.0%	0.0%	0.2%	0.4%	0.2%	0.4%
	Grade 11	97.1%	0.0%	0.1%	0.0%	0.1%	0.8%	1.8%
	Grade 12	97.9%	0.0%	0.0%	0.0%	0.1%	1.1%	0.9%

Table D-2: How Often Do You Normally Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 18 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never	Every	Several	Several	About	About	Less
	Used	Day	Times	Times	Once a	Once a	Than
			a Week	a	Month	Year	Once a
				Month			Year
Heroin?							
All	99.6%	0.0%	0.1%	0.1%	0.0%	0.0%	0.2%
Grade 7	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
Grade 8	99.5%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 10	99.1%	0.2%	0.2%	0.1%	0.1%	0.0%	0.3%
Grade 11	99.5%	0.1%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?							
All	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.4%
Grade 7	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.2%	0.0%	0.1%	0.0%	0.3%	0.1%	0.3%
Grade 9	99.3%	0.0%	0.0%	0.1%	0.1%	0.0%	0.5%
Grade 10	99.4%	0.1%	0.1%	0.1%	0.1%	0.0%	0.2%
Grade 11	98.6%	0.0%	0.1%	0.2%	0.0%	0.3%	0.8%
Grade 12	99.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.8%
Synthetic Marijuana?							
All	97.3%	0.1%	0.2%	0.4%	0.4%	0.5%	1.0%
Grade 7	98.5%	0.2%	0.2%	0.1%	0.2%	0.1%	0.6%
Grade 8	97.8%	0.1%	0.0%	0.4%	0.8%	0.2%	0.7%
Grade 9	96.7%	0.0%	0.6%	0.4%	0.3%	1.1%	1.0%
Grade 10	95.8%	0.1%	0.3%	1.3%	0.7%	0.8%	1.0%
Grade 11	96.0%	0.1%	0.3%	0.3%	0.4%	0.8%	2.2%
Grade 12	99.0%	0.0%	0.0%	0.0%	0.3%	0.2%	0.6%

Table D-2: How Often Do You Normally Use...

(Continued)

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.8	11.1	11.7	13.0	13.9	14.4	14.9
Cocaine	14.0	10.6	11.4	13.8	14.3	14.2	15.7
Crack	13.5	11.1	10.1	13.5	13.1	14.4	16.5
Steroids	12.2	11.4	10.2	13.3	13.0	13.9	11.9
Ecstasy	14.1	11.2	10.8	13.9	15.1	14.3	15.3
Heroin	12.4	9.3	11.3	12.5	12.1	14.1	14.6
Metham- phetamine	12.9	10.5	10.8	11.9	13.2	13.5	15.3
Synthetic Marijuana	13.5	11.6	10.7	13.4	13.7	14.5	15.3

Table D-3: Average Age of First Use of...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
5	All	24.3%	27.9%	9.4%	10.6%	10.2%	17.7%
	Grade 7	33.3%	46.9%	8.4%	3.9%	3.0%	4.4%
	Grade 8	25.5%	38.2%	10.3%	8.3%	7.8%	9.9%
	Grade 9	25.6%	26.4%	8.5%	12.3%	9.7%	17.5%
	Grade 10	20.8%	24.8%	10.7%	11.6%	11.4%	20.6%
	Grade 11	18.8%	15.2%	9.4%	15.4%	15.1%	26.2%
	Grade 12	19.6%	10.8%	9.1%	13.1%	15.9%	31.5%
Cocaine?							
	All	35.5%	40.0%	12.4%	5.8%	2.8%	3.4%
	Grade 7	37.0%	51.4%	7.3%	2.0%	1.4%	0.9%
	Grade 8	32.0%	48.0%	9.3%	6.3%	1.6%	2.9%
	Grade 9	38.2%	37.4%	12.9%	5.2%	2.1%	4.1%
	Grade 10	34.4%	40.2%	14.5%	4.5%	3.5%	3.0%
	Grade 11	33.9%	33.0%	15.4%	9.1%	4.0%	4.6%
	Grade 12	37.5%	26.9%	16.5%	8.7%	4.8%	5.7%
Crack?							
	All	36.8%	40.8%	12.2%	5.2%	2.1%	2.8%
	Grade 7	38.5%	50.2%	7.2%	1.8%	1.3%	1.1%
	Grade 8	33.7%	48.0%	8.5%	5.4%	1.5%	2.7%
	Grade 9	38.8%	37.9%	12.8%	4.9%	1.4%	4.2%
	Grade 10	34.8%	41.6%	14.3%	4.3%	2.6%	2.5%
	Grade 11	35.6%	34.3%	16.3%	7.2%	3.1%	3.4%
	Grade 12	39.4%	30.0%	15.6%	8.4%	3.2%	3.3%
Steroids?							
	All	37.9%	37.8%	11.9%	6.5%	3.3%	2.7%
	Grade 7	39.5%	45.5%	7.5%	4.7%	2.1%	0.8%
	Grade 8	34.1%	43.9%	9.7%	5.9%	2.4%	4.0%
	Grade 9	38.9%	38.0%	11.6%	5.5%	2.6%	3.4%
	Grade 10	36.6%	37.8%	14.1%	6.6%	2.6%	2.3%
	Grade 11	37.1%	31.1%	15.7%	9.0%	4.6%	2.5%
	Grade 12	41.4%	27.7%	13.6%	7.8%	5.9%	3.7%
Ecstasy?							
	All	48.3%	32.1%	9.8%	4.6%	2.5%	2.7%
	Grade 7	58.1%	33.8%	5.1%	1.8%	0.8%	0.4%
	Grade 8	49.7%	35.9%	6.6%	4.5%	1.0%	2.4%
	Grade 9	50.6%	30.5%	9.2%	3.7%	2.3%	3.8%
	Grade 10	44.1%	34.6%	12.7%	4.0%	2.1%	2.5%
	Grade 11	41.0%	30.2%	13.2%	7.1%	4.9%	3.6%
	Grade 12	44.1%	26.5%	13.4%	7.6%	4.7%	3.8%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 21 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	42.7%	39.3%	10.7%	3.3%	1.5%	2.4%
Grade 7	48.0%	42.0%	6.7%	1.2%	1.0%	1.0%
Grade 8	40.8%	43.2%	7.5%	4.3%	1.4%	2.8%
Grade 9	42.4%	40.1%	9.5%	3.1%	1.6%	3.2%
Grade 10	39.0%	41.5%	13.1%	2.9%	1.2%	2.3%
Grade 11	40.8%	36.1%	13.8%	5.0%	1.9%	2.3%
Grade 12	45.1%	31.3%	15.1%	3.6%	1.9%	3.0%
Methamphetamine?						
All	43.6%	37.6%	10.2%	3.9%	1.9%	2.9%
Grade 7	51.8%	38.4%	5.6%	2.3%	1.3%	0.7%
Grade 8	43.5%	41.6%	7.6%	3.9%	0.8%	2.6%
Grade 9	42.6%	39.2%	8.9%	3.5%	1.5%	4.2%
Grade 10	39.6%	40.4%	12.3%	3.5%	1.6%	2.5%
Grade 11	40.0%	34.3%	12.7%	5.6%	4.0%	3.4%
Grade 12	42.9%	30.1%	15.6%	5.1%	2.4%	3.9%
Synthetic Marijuana?						
All	45.0%	32.1%	8.8%	5.6%	3.8%	4.7%
Grade 7	53.4%	36.3%	6.0%	1.5%	1.6%	1.3%
Grade 8	44.8%	37.4%	6.5%	4.0%	3.0%	4.3%
Grade 9	45.6%	33.1%	6.7%	5.0%	3.1%	6.6%
Grade 10	40.1%	31.3%	11.7%	7.4%	4.7%	4.9%
Grade 11	41.1%	27.0%	12.2%	8.7%	5.8%	5.2%
Grade 12	44.3%	25.7%	10.5%	7.9%	5.2%	6.5%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get... (Continued)

	None	1 to 3 Days	4 to $9~\mathrm{Days}$	10+ Days
Attended Class While High				
from Marijuana Use?				
All	92.4%	4.3%	1.3%	2.0%
Grade 7	98.4%	1.1%	0.3%	0.2%
Grade 8	95.6%	2.6%	0.9%	0.9%
Grade 9	90.3%	6.6%	1.2%	1.8%
Grade 10	93.0%	4.4%	1.1%	1.6%
Grade 11	87.6%	5.8%	2.6%	3.9%
Grade 12	88.4%	5.4%	1.8%	4.4%
Attended Class While High				
from Use of Some Other				
Drug? All	97.3%	1.6%	0.5%	0.5%
Grade 7	98.9%	0.9%	0.2%	0.0%
Grade 8	98.2%	1.3%	0.3%	0.3%
Grade 9	96.8%	2.3%	0.5%	0.4%
Grade 10	97.6%	1.2%	0.8%	0.4%
Grade 11	94.9%	2.9%	1.0%	1.2%
Grade 12	97.4%	1.1%	0.6%	1.0%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.4
Marijuana Non-Users	3.5
	Average Days Conduct Problems Reported
Marijuana Users	2.6
Marijuana Non-Users	0.9

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Felt High from Drugs?				
High School	93.3%	3.9%	0.9%	1.9%
Grade 9	97.1%	1.7%	0.7%	0.5%
Grade 10	95.4%	2.9%	0.8%	0.9%
Grade 11	90.7%	5.7%	0.6%	2.9%
Grade 12	89.1%	5.7%	1.4%	3.8%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drug Use?				
All	96.6%	2.9%	0.4%	0.1%
Grade 7	97.8%	2.2%	0.0%	0.0%
Grade 8	96.5%	3.0%	0.4%	0.2%
Grade 9	96.0%	3.5%	0.4%	0.2%
Grade 10	96.2%	3.0%	0.7%	0.1%
Grade 11	95.8%	3.3%	0.9%	0.0%
Grade 12	97.1%	2.2%	0.2%	0.4%

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	60.3%	17.9%	10.5%	8.5%	2.9%
Grade 7	85.2%	9.1%	2.5%	2.3%	0.9%
Grade 8	76.5%	11.9%	6.4%	3.9%	1.3%
Grade 9	57.3%	18.3%	10.6%	9.9%	3.9%
Grade 10	54.3%	22.2%	10.8%	10.2%	2.5%
Grade 11	42.8%	26.7%	15.4%	10.6%	4.5%
Grade 12	39.2%	21.1%	19.4%	15.7%	4.5%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.9%	5.7%	3.9%	4.6%	4.4%	2.2%	20.3%
Grade 7	77.3%	2.1%	1.6%	1.8%	0.8%	1.7%	14.7%
Grade 8	71.9%	3.2%	3.0%	2.7%	1.5%	2.2%	15.6%
Grade 9	57.7%	5.5%	5.0%	4.5%	4.0%	2.3%	21.0%
Grade 10	54.0%	6.9%	3.2%	6.8%	4.1%	2.2%	22.7%
Grade 11	43.4%	10.2%	4.2%	6.4%	7.7%	2.7%	25.3%
Grade 12	44.6%	7.2%	6.5%	6.2%	9.7%	2.1%	23.7%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 24 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.6%	6.7%	7.9%	1.8%	2.0%	6.0%
Grade 7	86.2%	2.3%	3.1%	0.8%	0.8%	6.8%
Grade 8	84.7%	2.6%	3.6%	1.1%	0.8%	7.3%
Grade 9	72.8%	7.8%	9.4%	1.3%	2.6%	6.0%
Grade 10	73.1%	9.9%	8.1%	2.2%	2.2%	4.6%
Grade 11	69.3%	9.0%	10.7%	3.3%	2.5%	5.1%
Grade 12	65.2%	9.4%	13.9%	2.6%	2.9%	5.9%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?		0	0	0.0		
manjuana:	All	58.1%	15.2%	12.1%	10.7%	3.9%
	Grade 7	82.4%	7.5%	4.2%	2.7%	3.2%
	Grade 8	70.6%	14.9%	6.5%	5.5%	2.6%
	Grade 9	57.1%	14.3% 16.3%	12.5%	10.0%	4.2%
	Grade 10	51.4%	10.3% 18.0%	12.5% 14.5%	10.0% 11.8%	4.2% 4.3%
	Grade 10 Grade 11	44.7%	18.0% 18.1%	14.5% 15.4%	11.8% 17.5%	4.3% 4.4%
	Grade 12	36.4%	17.2%	22.0%	19.3%	5.1%
Cocaine?						
	All	89.5%	5.7%	0.4%	0.4%	4.0%
	Grade 7	90.8%	4.6%	0.3%	0.4%	3.9%
	Grade 8	89.9%	6.1%	0.3%	0.2%	3.5%
	Grade 9	87.8%	6.8%	0.2%	0.2%	5.1%
	Grade 10	90.0%	5.5%	0.2%	0.6%	3.7%
	Grade 11	88.8%	6.3%	0.2%	0.4%	4.2%
	Grade 11 Grade 12	90.1%	4.8%	1.0%	0.5%	3.7%
	Grade 12	50.170	1.070	1.070	0.070	0.170
Crack?						
	All	90.0%	4.8%	0.4%	0.5%	4.3%
	Grade 7	91.2%	4.2%	0.2%	0.4%	4.0%
	Grade 8	89.6%	5.2%	0.4%	0.6%	4.2%
	Grade 9	88.8%	6.0%	0.2%	0.4%	4.6%
	Grade 10	90.0%	4.9%	0.3%	0.6%	4.1%
	Grade 11	89.1%	5.1%	0.7%	0.5%	4.7%
	Grade 12	91.3%	3.4%	0.5%	0.4%	4.3%
Footogr?						
Ecstasy?	All	83.7%	6.8%	1.2%	0.6%	7.6%
	Grade 7	86.2%	4.2%	0.2%	0.070 0.4%	9.1%
	Grade 8	85.0%	$\frac{4.270}{5.6\%}$	1.0%	0.4%	$\frac{9.176}{8.2\%}$
	Grade 9	81.0%	9.0%	1.0% 1.0%	0.2% 0.8%	8.2% 8.1%
	Grade 10	81.0% 85.2%	9.0% 5.5%	1.0% 1.9%	0.8% 0.6%	6.8%
	Grade 10 Grade 11	80.1%	9.3%	1.9% 2.1%	0.6%	0.8% 7.9%
			9.3% 7.5%			
	Grade 12	84.9%	(.3%)	1.3%	0.9%	5.4%
Steroids?						
	All	78.9%	11.3%	3.1%	0.8%	6.0%
	Grade 7	82.4%	10.0%	1.7%	0.6%	5.3%
	Grade 8	82.8%	8.6%	2.0%	0.3%	6.4%
	Grade 9	78.0%	12.0%	2.9%	1.0%	6.2%
	Grade 10	77.8%	11.4%	4.2%	0.7%	5.9%
	Grade 11	75.0%	13.1%	4.2%	1.4%	6.4%
	Grade 12	76.6%	13.0%	3.9%	0.8%	5.7%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 26 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very	Somewhat	Not Very	Not at All	Do Not
	Dangerous	Dangerous	Dangerous	Dangerous	Know
Heroin?					
All	90.7%	3.6%	0.3%	0.5%	5.0%
Grade 7	89.4%	3.6%	0.3%	0.5%	6.2%
Grade 8	89.6%	4.0%	0.5%	0.2%	5.7%
Grade 9	88.6%	5.6%	0.2%	0.4%	5.2%
Grade 10	92.6%	2.8%	0.1%	0.7%	3.9%
Grade 11	91.8%	3.3%	0.2%	0.5%	4.3%
Grade 12	92.9%	1.9%	0.4%	0.5%	4.4%
Methamphetamine?					
All	90.2%	3.7%	0.4%	0.4%	5.3%
Grade 7	88.9%	4.5%	0.4%	0.5%	5.8%
Grade 8	88.8%	4.5%	0.4%	0.2%	6.1%
Grade 9	88.5%	4.7%	0.7%	0.4%	5.7%
Grade 10	91.7%	3.0%	0.2%	0.6%	4.5%
Grade 11	91.6%	2.4%	0.8%	0.5%	4.8%
Grade 12	92.2%	2.5%	0.1%	0.6%	4.6%
Synthetic Marijuana?					
All	82.5%	7.7%	2.2%	1.2%	6.4%
Grade 7	86.3%	5.4%	0.9%	0.9%	6.4%
Grade 8	85.1%	6.5%	1.4%	0.9%	6.1%
Grade 9	78.8%	9.9%	2.6%	1.1%	7.6%
Grade 10	79.7%	9.4%	3.7%	1.7%	5.5%
Grade 11	81.2%	8.4%	2.6%	1.2%	6.6%
Grade 12	83.9%	6.3%	2.0%	1.7%	6.1%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use... (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.4%	9.5%	19.8%	80.2%
Grade 7	6.6%	9.0%	16.6%	83.4%
Grade 8	6.3%	9.8%	22.6%	77.4%
Grade 9	6.9%	9.6%	19.9%	80.1%
Grade 10	4.5%	7.4%	16.5%	83.5%
Grade 11	8.5%	11.7%	23.0%	77.0%
Grade 12	5.9%	9.7%	20.5%	79.5%
Grade 12	0.070	5.170	20.070	15.570
Codeine Cough Syrup?				
All	3.3%	5.7%	13.5%	86.5%
Grade 7	3.9%	6.0%	12.8%	87.2%
Grade 8	3.3%	6.3%	16.1%	83.9%
Grade 9	3.6%	5.4%	14.2%	85.8%
Grade 10	2.9%	5.9%	12.1%	87.9%
Grade 10 Grade 11	4.2%	6.3%	12.9%	87.1%
Grade 12	1.9%	4.1%	12.7%	87.3%
OxyContin, Percodan, Per-				
cocet, Oxycodone, Vicodin,				
Lortab, Lorcet, or Hy-				
drocodone?	1	1 001		
All	1.0%	1.6%	4.1%	95.9%
Grade 7	0.1%	0.2%	1.4%	98.6%
Grade 8	0.5%	0.9%	2.6%	97.4%
Grade 9	0.9%	1.4%	2.2%	97.8%
Grade 10	1.5%	2.1%	3.9%	96.1%
Grade 11	2.3%	3.1%	8.2%	91.8%
Grade 12	1.1%	2.2%	7.4%	92.6%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.3%	2.2%	5.1%	94.9%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.8%	1.6%	4.0%	96.0%
Grade 9	1.2%	2.1%	4.3%	95.7%
Grade 10	1.6%	2.8%	5.2%	94.8%
Grade 11	2.4%	3.4%	8.6%	91.4%
Grade 12	1.6%	3.2%	8.8%	91.2%
Adderall, Ritalin, Dexedrine,				
Concerta, or Focalin?	1.4%	2.1%	4.9%	05 107
All Cura da 7				95.1%
Grade 7	0.9%	1.3%	3.4%	96.6%
Grade 8	1.1%	1.3%	3.0%	97.0%
Grade 9	0.9%	1.7%	4.9%	95.1%
Grade 10	1.3%	2.0%	4.1%	95.9%
Grade 11	2.6%	3.6%	7.8%	92.2%
Grade 12	2.1%	3.1%	6.7%	93.3%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 28 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug				
Not Listed Above?				
All	2.9%	4.3%	9.5%	90.5%
Grade 7	3.8%	5.3%	10.4%	89.6%
Grade 8	2.0%	3.6%	12.0%	88.0%
Grade 9	3.1%	4.6%	9.4%	90.6%
Grade 10	3.2%	4.1%	7.1%	92.9%
Grade 11	3.7%	4.8%	10.4%	89.6%
Grade 12	1.6%	3.3%	7.5%	92.5%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You... (Continued)

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.6%	3.7%	96.3%
Grade 7	0.7%	1.2%	2.8%	97.2%
Grade 8	1.2%	1.7%	5.0%	95.0%
Grade 9	1.3%	1.9%	4.9%	95.1%
Grade 10	1.7%	2.0%	3.7%	96.3%
Grade 11	1.9%	1.9%	3.1%	96.9%
Grade 12	0.4%	0.6%	2.5%	97.5%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.0%	12.2%	3.4%	1.1%	5.3%
Grade 7	81.4%	10.6%	2.4%	1.1%	4.5%
Grade 8	80.7%	9.1%	3.8%	0.7%	5.7%
Grade 9	78.4%	11.6%	3.4%	1.2%	5.4%
Grade 10	74.9%	15.4%	2.8%	1.0%	5.9%
Grade 11	73.5%	15.7%	4.8%	1.6%	4.4%
Grade 12	78.3%	11.4%	3.7%	0.9%	5.7%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 29 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Inhalants

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.3%	7.4%	15.5%	84.5%
Grade 7	6.4%	8.8%	15.0%	85.0%
Grade 8	7.0%	10.3%	21.8%	78.2%
Grade 9	5.5%	8.0%	15.5%	84.5%
Grade 10	5.1%	6.3%	13.4%	86.6%
Grade 11	4.6%	6.6%	15.7%	84.3%
Grade 12	2.9%	3.9%	10.8%	89.2%
Spray Paint?				
All	0.3%	0.8%	3.0%	97.0%
Grade 7	0.4%	0.6%	2.7%	97.3%
Grade 8	0.7%	1.6%	4.6%	95.4%
Grade 9	0.1%	0.9%	2.5%	97.5%
Grade 10	0.4%	0.5%	3.4%	96.6%
Grade 11	0.3%	0.6%	2.8%	97.2%
Grade 12	0.2%	0.3%	2.0%	98.0%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.3%	2.2%	6.5%	93.5%
Grade 7	1.9%	2.9%	7.1%	92.9%
Grade 8	2.1%	3.8%	11.0%	89.0%
Grade 9	1.1%	2.6%	7.7%	92.3%
Grade 10	1.3%	1.6%	5.4%	94.6%
Grade 11	0.5%	0.9%	3.8%	96.2%
Grade 12	0.5%	0.8%	2.9%	97.1%
Computer Dusting Sprays?				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.4%	0.7%	1.4%	98.6%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.1%	0.5%	1.4%	98.6%
Grade 10	0.3%	0.4%	1.6%	98.4%
Grade 11	0.2%	0.3%	1.4%	98.6%
Grade 12	0.0%	0.3%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.7%	2.8%	8.0%	92.0%
Grade 7	1.1%	2.6%	7.3%	92.7%
Grade 8	2.6%	3.8%	10.3%	89.7%
Grade 9	1.7%	2.5%	7.2%	92.8%
Grade 10	2.0%	3.2%	7.9%	92.1%
Grade 11	1.9%	2.9%	9.4%	90.6%
Grade 12	0.6%	1.5%	5.6%	94.4%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 30 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.6%	1.7%	98.3%
Grade 7	0.6%	1.2%	1.9%	98.1%
Grade 8	0.2%	0.8%	3.4%	96.6%
Grade 9	0.0%	0.3%	1.1%	98.9%
Grade 10	0.6%	0.8%	2.2%	97.8%
Grade 11	0.1%	0.3%	0.7%	99.3%
Grade 12	0.1%	0.2%	0.6%	99.4%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	0.7%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.6%	98.4%
Grade 8	0.0%	0.4%	1.3%	98.7%
Grade 9	0.2%	0.5%	0.5%	99.5%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.3%	0.8%	1.7%	98.3%
Grade 12	0.5%	0.8%	1.3%	98.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	1.1%	2.9%	97.1%
Grade 7	0.9%	1.4%	3.6%	96.4%
Grade 8	0.9%	1.2%	4.3%	95.7%
Grade 9	0.3%	1.3%	2.6%	97.4%
Grade 10	0.9%	1.1%	2.3%	97.7%
Grade 11	0.2%	0.6%	2.3%	97.7%
Grade 12	0.5%	0.8%	2.0%	98.0%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.8%	1.1%	2.0%	98.0%
Grade 8	0.3%	0.6%	2.8%	97.2%
Grade 9	0.5%	0.7%	1.5%	98.5%
Grade 10	0.5%	0.7%	2.1%	97.9%
Grade 11	0.5%	0.7%	1.7%	98.3%
Grade 12	0.2%	0.3%	1.1%	98.9%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High... (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 31 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.0%	0.1%	0.3%	0.5%	0.8%	1.0%	1.4%
Grade 7	94.9%	0.1%	1.0%	0.9%	0.7%	1.0%	1.4%
Grade 8	93.8%	0.3%	0.1%	0.8%	1.7%	1.3%	2.0%
Grade 9	95.6%	0.0%	0.3%	0.2%	1.2%	0.8%	1.8%
Grade 10	97.2%	0.0%	0.0%	0.7%	0.4%	0.6%	1.1%
Grade 11	96.2%	0.2%	0.1%	0.1%	0.4%	2.0%	1.0%
Grade 12	99.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.6%

Table I-2: How Often Do You Normally Use Inhalants?

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	86.8%	7.3%	4.1%	1.8%
Grade 7	87.3%	6.4%	4.3%	2.0%
Grade 8	79.9%	11.2%	6.2%	2.6%
Grade 9	86.7%	7.5%	4.3%	1.5%
Grade 10	88.9%	5.5%	3.4%	2.2%
Grade 11	87.0%	8.2%	3.4%	1.4%
Grade 12	91.8%	4.5%	2.7%	1.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.6	10.9	11.5	11.9	13.4	14.1

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.7%	1.0%	0.2%	0.1%
Grade 7	98.5%	1.3%	0.3%	0.0%
Grade 8	98.6%	1.0%	0.1%	0.3%
Grade 9	98.3%	1.5%	0.2%	0.0%
Grade 10	98.9%	0.8%	0.2%	0.1%
Grade 11	98.4%	1.3%	0.2%	0.1%
Grade 12	99.4%	0.3%	0.1%	0.3%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 32 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons		
Inhalant Users	4.7		
Inhalant Non-Users	3.6		
	Average Days Conduct Problems Reported		
Inhalant Users	3.0		
Inhalant Non-Users	1.1		

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.4%	5.0%	1.6%	0.7%	0.3%
Grade 7	91.9%	5.2%	1.5%	1.1%	0.4%
Grade 8	89.4%	8.1%	2.0%	0.3%	0.2%
Grade 9	91.7%	5.7%	1.8%	0.5%	0.3%
Grade 10	93.6%	4.6%	0.9%	0.6%	0.3%
Grade 11	92.8%	3.0%	2.2%	1.8%	0.3%
Grade 12	96.0%	3.0%	0.9%	0.1%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.6%	14.4%	3.6%	1.2%	6.3%
Grade 7	76.3%	13.0%	3.9%	1.3%	5.6%
Grade 8	75.6%	12.8%	5.0%	1.7%	4.9%
Grade 9	74.6%	14.3%	2.9%	1.1%	7.1%
Grade 10	73.8%	15.1%	3.4%	1.2%	6.5%
Grade 11	72.9%	16.0%	3.6%	0.5%	6.9%
Grade 12	74.1%	15.4%	2.6%	1.1%	6.7%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	38.2%	19.0%	4.6%	6.1%	9.9%	22.2%
Grade 7	38.8%	24.4%	5.6%	5.3%	9.8%	16.2%
Grade 8	34.1%	23.7%	4.4%	7.1%	9.0%	21.8%
Grade 9	40.6%	20.7%	3.4%	6.5%	9.7%	19.1%
Grade 10	37.6%	17.3%	5.4%	5.4%	10.4%	23.9%
Grade 11	36.6%	14.6%	4.5%	7.1%	9.5%	27.5%
Grade 12	41.6%	10.9%	4.3%	5.3%	11.1%	26.8%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents

Page 33 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Miscellaneous

	Yes
A School Health Class	
All	31.0%
Grade 7	26.0%
Grade 8	47.2%
Grade 9	29.3%
Grade 10	32.2%
Grade 11	24.3%
Grade 12	26.2%
An Assembly Program	
All	51.2%
Grade 7	54.2%
Grade 8	59.3%
Grade 9	46.6%
Grade 10	52.5%
Grade 10 Grade 11	47.9%
Grade 11 Grade 12	47.370 45.8%
	2010/10
Guidance Counselor	00.907
All Create 7	20.3%
Grade 7	18.4%
Grade 8	24.6%
Grade 9	20.1%
Grade 10	20.6%
Grade 11 Grade 12	18.2%
Grade 12	19.9%
School Nurse	
All	13.4%
Grade 7	12.7%
Grade 8	19.7%
Grade 9	12.8%
Grade 10	13.6%
Grade 11	9.1%
Grade 12	12.3%
Science or Social Studies Class	
All	25.9%
Grade 7	28.9%
Grade 8	23.6%
Grade 9	23.0% 22.7%
Grade 9 Grade 10	22.1% 27.4%
	27.4% 24.3%
Grade 11	

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 34 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

	Yes
Student Group or Club Meeting at School	
All	11.4%
Grade 7	8.8%
Grade 8	12.8%
Grade 9	11.7%
Grade 10	13.0%
Grade 11	9.1%
Grade 12	13.1%
An Invited School Guest	
All	36.0%
Grade 7	38.5%
Grade 8	41.0%
Grade 9	29.0%
Grade 10	34.8%
Grade 11	37.4%
Grade 12	35.9%
Another Source at School	
All	26.4%
Grade 7	27.9%
Grade 8	29.8%
Grade 9	25.6%
Grade 10	29.3%
Grade 11	21.3%
Grade 12	23.9%
Any School Source	
All	67.6%
Grade 7	69.6%
Grade 8	77.2%
Grade 9	65.1%
Grade 10	67.6%
Grade 11	63.1%
Grade 12	62.0%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 35 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Yes
Counselor/Program In-School	
All	37.4%
Grade 7	50.2%
Grade 8	44.4%
Grade 9	36.1%
Grade 10	32.2%
Grade 11	30.5%
Grade 12	28.2%
School Nurse	
All	22.5%
Grade 7	33.3%
Grade 8	28.0%
Grade 9	21.6%
Grade 10	18.6%
Grade 11	16.7%
Grade 12	15.1%
Another Adult In School	
All	43.2%
Grade 7	47.7%
Grade 8	47.0%
Grade 9	42.1%
Grade 10	42.2%
Grade 11	42.5%
Grade 12	36.9%
Counselor/Program Outside-School	
All	42.5%
Grade 7	48.7%
Grade 8	46.8%
Grade 9	41.6%
Grade 10	40.0%
Grade 11	40.1%
Grade 12	36.2%
Your Parents	
All	71.0%
Grade 7	78.5%
Grade 8	74.1%
Grade 9	70.8%
Grade 10	71.7%
Grade 11	64.7%
Grade 12	64.4%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 36 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Yes
A Medical Doctor		
	All	55.0%
	Grade 7	65.8%
	Grade 8	63.8%
	Grade 9	54.5%
	Grade 10	49.6%
	Grade 11	47.5%
	Grade 12	46.4%
Your Friends		
	All	63.8%
	Grade 7	49.6%
	Grade 8	59.2%
	Grade 9	63.3%
	Grade 10	68.6%
	Grade 11	71.8%
	Grade 12	73.1%
Another Adult		
	All	62.4%
	Grade 7	63.3%
	Grade 8	67.3%
	Grade 9	59.8%
	Grade 10	63.0%
	Grade 11	60.4%
	Grade 12	60.2%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To? (Continued)

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	6.0%
Grade 7	5.9%
Grade 8	6.9%
Grade 9	6.0%
Grade 10	5.2%
Grade 11	7.1%
Grade 12	5.0%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 37 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.3%	21.8%	23.1%	38.6%	12.2%
Grade 7	6.9%	19.4%	17.7%	37.9%	18.1%
Grade 8	3.8%	22.2%	19.8%	43.7%	10.5%
Grade 9	5.5%	23.1%	26.6%	35.1%	9.8%
Grade 10	3.3%	20.9%	23.2%	41.2%	11.4%
Grade 11	2.9%	22.3%	26.7%	36.7%	11.5%
Grade 12	2.8%	23.2%	25.5%	37.0%	11.4%
Sometimes Carry Weapons?					
All	67.3%	19.2%	8.7%	3.7%	1.0%
Grade 7	78.1%	13.6%	5.9%	1.9%	0.4%
Grade 8	74.6%	15.5%	7.1%	2.1%	0.7%
Grade 9	67.6%	20.9%	6.3%	4.2%	1.0%
Grade 10	64.3%	21.2%	10.0%	3.2%	1.3%
Grade 11	57.5%	24.1%	11.5%	5.7%	1.2%
Grade 12	58.7%	21.0%	12.8%	5.9%	1.5%
Care About Making Good Grades?					
All	2.5%	12.1%	24.5%	43.8%	17.2%
Grade 7	4.2%	12.3%	23.1%	37.6%	22.7%
Grade 8	2.4%	11.7%	24.6%	43.9%	17.4%
Grade 9	2.5%	13.3%	25.5%	45.9%	12.8%
Grade 10	1.4%	11.3%	23.3%	48.3%	15.8%
Grade 11	2.1%	11.9%	26.6%	40.9%	18.4%
Grade 12	1.9%	11.7%	23.9%	46.9%	15.6%
Belong/Want to Belong to a Gang?					
All	82.0%	11.4%	3.8%	1.7%	1.0%
Grade 7	85.1%	10.4%	2.7%	1.5%	0.3%
Grade 8	81.4%	12.0%	4.4%	1.2%	1.0%
Grade 9	78.4%	13.8%	4.0%	2.0%	1.8%
Grade 10	85.3%	9.7%	2.6%	1.6%	0.8%
Grade 11	79.2%	12.4%	5.3%	1.8%	1.3%
Grade 12	82.7%	10.1%	3.9%	2.5%	0.8%
Wish They Could Drop Out of School?					
All	40.6%	32.6%	14.2%	7.7%	4.8%
Grade 7	48.7%	29.4%	12.2%	5.7%	4.0%
Grade 8	44.1%	28.6%	14.9%	7.7%	4.7%
Grade 9	39.1%	34.3%	14.0%	8.8%	3.9%
Grade 10	37.9%	35.3%	15.0%	7.3%	4.5%
	33.5%	36.3%	14.0%	8.9%	7.3%
Grade 11	·)·).() /0				

Table X-4: About How Many of Your Close Friends...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 38 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.3%	11.6%	1.0%	0.3%	0.8%
Grade 7	86.5%	11.9%	0.9%	0.0%	0.7%
Grade 8	85.6%	11.9%	1.1%	0.2%	1.3%
Grade 9	83.5%	13.5%	1.4%	0.8%	0.8%
Grade 10	89.8%	8.7%	0.6%	0.2%	0.7%
Grade 11	85.8%	12.4%	0.9%	0.4%	0.5%
Grade 12	87.3%	10.8%	0.9%	0.2%	0.8%
Out In Your Neighborhood?					
All	45.2%	44.9%	6.3%	1.4%	2.2%
Grade 7	38.3%	48.2%	8.0%	1.8%	3.8%
Grade 8	41.4%	47.7%	7.1%	1.3%	2.5%
Grade 9	42.2%	48.5%	5.1%	1.1%	3.0%
Grade 10	50.2%	42.8%	4.8%	1.0%	1.2%
Grade 11	48.7%	42.5%	6.6%	1.7%	0.6%
Grade 12	52.6%	37.9%	6.3%	1.5%	1.7%
At School?					
All	41.3%	43.8%	8.3%	3.3%	3.3%
Grade 7	42.5%	42.3%	9.4%	2.8%	2.9%
Grade 8	43.6%	41.7%	6.6%	3.9%	4.1%
Grade 9	37.2%	45.6%	10.1%	3.5%	3.6%
Grade 10	43.3%	43.5%	7.6%	3.0%	2.5%
Grade 11	38.1%	46.1%	8.8%	3.2%	3.8%
Grade 12	43.1%	43.5%	7.2%	3.6%	2.6%

Table X-5: How Safe Do You Feel When You Are...

2 Prevalence Tables

Jump to Table of Contents Page 40 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.1%	22.9%	37.7%	62.3%
Grade 7	5.2%	7.6%	18.2%	81.8%
Grade 8	10.8%	16.1%	29.7%	70.3%
Grade 9	17.1%	23.0%	38.7%	61.3%
Grade 10	19.6%	25.9%	41.7%	58.3%
Grade 11	25.3%	33.8%	50.2%	49.8%
Grade 12	28.5%	35.8%	53.1%	46.9%
Any Alcohol Product				
All	31.6%	36.9%	57.8%	42.2%
Grade 7	17.5%	21.1%	42.2%	57.8%
Grade 8	28.1%	31.9%	56.5%	43.5%
Grade 9	32.3%	36.8%	56.7%	43.3%
Grade 10	33.1%	38.6%	59.1%	40.9%
Grade 11	38.9%	46.7%	66.2%	33.8%
Grade 12	43.8%	51.0%	70.2%	29.8%
Any Illicit Drug				
All	14.3%	18.0%	24.9%	75.1%
Grade 7	4.6%	6.6%	7.9%	92.1%
Grade 8	8.2%	11.3%	15.8%	84.2%
Grade 9	14.8%	18.5%	24.4%	75.6%
Grade 10	15.8%	19.2%	28.9%	71.1%
Grade 11	21.9%	27.5%	37.1%	62.9%
Grade 12	23.2%	28.4%	41.0%	59.0%
Any Prescription Drug				
All	6.4%	9.5%	19.8%	80.2%
Grade 7	6.6%	9.0%	16.6%	83.4%
Grade 8	6.3%	9.8%	22.6%	77.4%
Grade 9	6.9%	9.6%	19.9%	80.1%
Grade 10	4.5%	7.4%	16.5%	83.5%
Grade 11	8.5%	11.7%	23.0%	77.0%
Grade 12	5.9%	9.7%	20.5%	79.5%
Any Inhalant				
All	5.3%	7.4%	15.5%	84.5%
Grade 7	6.4%	8.8%	15.0%	85.0%
Grade 8	7.0%	10.3%	21.8%	78.2%
Grade 9	5.5%	8.0%	15.5%	84.5%
Grade 10	5.1%	6.3%	13.4%	86.6%
Grade 10 Grade 11	4.6%	6.6%	15.7%	84.3%
Grade 12	2.9%	3.9%	10.8%	89.2%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 41 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.7%	19.7%	33.9%	66.1%
Grade 7	3.8%	6.1%	15.3%	84.7%
Grade 8	6.7%	12.5%	26.4%	73.6%
Grade 9	12.8%	20.4%	34.6%	65.4%
Grade 10	14.6%	22.6%	38.6%	61.4%
Grade 11	20.0%	30.3%	46.4%	53.6%
Grade 12	21.0%	30.2%	46.9%	53.1%
Marijuana				
All	13.6%	15.8%	23.3%	76.7%
Grade 7	4.0%	4.4%	5.9%	94.1%
Grade 8	7.2%	8.6%	13.3%	86.7%
Grade 9	14.3%	17.0%	23.5%	76.5%
Grade 10	15.6%	17.2%	27.5%	72.5%
Grade 11	21.1%	24.3%	34.7%	65.3%
Grade 12	22.6%	26.9%	40.4%	59.6%
Marijuana Only				
All	8.3%	10.0%	16.4%	83.6%
Grade 7	2.3%	2.6%	3.8%	96.2%
Grade 8	4.0%	4.9%	8.1%	91.9%
Grade 9	8.9%	10.9%	16.5%	83.5%
Grade 10	8.0%	9.6%	19.0%	81.0%
Grade 11	13.0%	15.4%	23.7%	76.3%
Grade 12	15.7%	19.4%	31.5%	68.5%
Cocaine or Crack				
All	1.0%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.9%	1.2%	1.7%	98.3%
Grade 9	1.1%	1.1%	2.2%	97.8%
Grade 10	0.7%	0.8%	1.5%	98.5%
Grade 11	1.6%	2.1%	4.0%	96.0%
Grade 12	1.5%	1.5%	3.4%	96.6%
Cocaine				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.9%	0.9%	1.7%	98.3%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	1.4%	1.9%	3.8%	96.2%
Grade 12	1.3%	1.3%	3.0%	97.0%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 42 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.9%	1.1%	98.9%
Grade 9	0.2%	0.6%	0.8%	99.2%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.7%	0.7%	1.2%	98.8%
Hallucinogens				
All	0.9%	1.3%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.5%	1.6%	98.4%
Grade 9	0.6%	0.9%	2.2%	97.8%
Grade 10	1.2%	1.6%	3.6%	96.4%
Grade 10 Grade 11	1.2%	2.5%	5.0%	95.0%
Grade 12	1.8%	2.4%	6.0%	94.0%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	0.0%	0.5% 0.1%	0.6%	99.6%
Grade 10 Grade 11	0.4%	0.1% 0.5%	0.1%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	2.0%	98.0%
Grade 7	0.3%	0.6%	2.2%	97.8%
Grade 8	0.6%	0.8%	2.5%	97.5%
Grade 9	0.2%	0.4%	1.8%	98.2%
Grade 10	0.3%	0.5%	2.4%	97.6%
Grade 11	0.8%	0.9%	2.0%	98.0%
Grade 12	0.2%	0.2%	1.1%	98.9%
Ecstasy				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.4%	0.6%	2.0%	98.0%
Grade 10	1.1%	1.3%	1.8%	98.2%
Grade 11	0.8%	0.9%	4.1%	95.9%
Grade 12	0.5%	1.1%	2.7%	97.3%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 43 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.2%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.5%	1.9%	4.0%	96.0%
Grade 7	0.9%	1.0%	1.6%	98.4%
Grade 8	0.8%	1.7%	3.8%	96.2%
Grade 9	1.8%	2.2%	4.5%	95.5%
Grade 10	3.2%	3.8%	6.0%	94.0%
Grade 11	1.9%	2.3%	5.8%	94.2%
Grade 12	0.4%	0.6%	2.3%	97.7%
Methamphetamine				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.5%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	0.2%	0.2%	0.9%	99.1%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.5%	23.5%	37.8%	62.2%
Grade 7	3.2%	4.7%	16.5%	83.5%
Grade 8	10.3%	13.4%	27.2%	72.8%
Grade 9	20.0%	26.0%	40.3%	59.7%
Grade 10	20.7%	27.3%	43.6%	56.4%
Grade 11	27.8%	34.8%	50.9%	49.1%
Grade 12	33.8%	40.1%	54.7%	45.3%
Any Alcohol Product				
All	31.1%	35.5%	55.6%	44.4%
Grade 7	16.0%	20.2%	39.6%	60.4%
Grade 8	21.9%	24.3%	51.1%	48.9%
Grade 9	31.6%	34.4%	55.4%	44.6%
Grade 10	33.2%	37.3%	56.5%	43.5%
Grade 11	40.3%	48.0%	66.9%	33.1%
Grade 12	48.1%	54.2%	68.7%	31.3%
Any Illicit Drug				
All	14.3%	17.3%	24.9%	75.1%
Grade 7	3.3%	5.6%	6.6%	93.4%
Grade 8	7.2%	8.7%	12.2%	87.8%
Grade 9	13.6%	17.8%	24.6%	75.4%
Grade 10	16.8%	20.1%	31.8%	68.2%
Grade 11	23.5%	27.8%	38.7%	61.3%
Grade 12	25.0%	28.0%	41.7%	58.3%
Any Prescription Drug				
All	6.2%	9.1%	19.0%	81.0%
Grade 7	5.8%	8.8%	14.0%	86.0%
Grade 8	5.5%	8.5%	18.5%	81.5%
Grade 9	5.8%	8.0%	19.2%	80.8%
Grade 10	5.0%	7.8%	18.3%	81.7%
Grade 11	8.7%	11.7%	22.6%	77.4%
Grade 12	6.4%	10.1%	22.6%	77.4%
Any Inhalant				
All	4.3%	6.3%	14.3%	85.7%
Grade 7	3.7%	5.5%	13.0%	87.0%
Grade 8	4.5%	7.7%	19.2%	80.8%
Grade 9	4.3%	6.8%	14.9%	85.1%
Grade 10	6.2%	7.3%	13.5%	86.5%
Grade 10 Grade 11	4.7%	6.5%	14.7%	85.3%
Grade 12	2.7%	3.5%	10.2%	89.8%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 45 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.9%	19.4%	33.4%	66.6%
Grade 7	2.0%	3.5%	13.0%	87.0%
Grade 8	4.9%	9.1%	23.0%	77.0%
Grade 9	13.5%	21.7%	35.8%	64.2%
Grade 10	14.1%	22.2%	39.5%	60.5%
Grade 11	22.7%	32.7%	48.3%	51.7%
Grade 12	23.7%	31.8%	46.6%	53.4%
Marijuana				
All	13.5%	15.4%	23.5%	76.5%
Grade 7	2.4%	2.8%	4.1%	95.9%
Grade 8	6.5%	6.8%	10.7%	89.3%
Grade 9	12.9%	16.1%	23.0%	77.0%
Grade 10	16.3%	18.3%	30.9%	69.1%
Grade 11	22.5%	25.8%	37.5%	62.5%
Grade 12	24.0%	26.7%	41.0%	59.0%
Marijuana Only				
All	7.9%	9.4%	16.2%	83.8%
Grade 7	1.7%	1.9%	3.1%	96.9%
Grade 8	3.6%	3.7%	6.4%	93.6%
Grade 9	6.6%	9.5%	15.5%	84.5%
Grade 10	8.3%	10.2%	22.1%	77.9%
Grade 11	14.5%	16.4%	25.0%	75.0%
Grade 12	15.2%	17.1%	29.3%	70.7%
Cocaine or Crack				
All	1.0%	1.2%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	1.8%	1.8%	3.0%	97.0%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	1.9%	2.9%	4.9%	95.1%
Grade 12	1.4%	1.4%	3.9%	96.1%
Cocaine				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	1.4%	1.4%	2.3%	97.7%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	1.5%	2.4%	4.4%	95.6%
Grade 12	0.9%	0.9%	3.1%	96.9%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 46 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.5%	0.9%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	0.9%	0.9%	1.2%	98.8%
Hallucinogens				
All	1.1%	1.5%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.2%	1.7%	98.3%
Grade 9	1.0%	1.4%	2.4%	97.6%
Grade 10	1.9%	2.3%	4.0%	96.0%
Grade 11	0.9%	1.8%	4.3%	95.7%
Grade 12	3.2%	3.7%	8.7%	91.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.4%	0.5%	1.9%	98.1%
Grade 7	0.4%	0.7%	1.8%	98.2%
Grade 8	0.6%	0.6%	2.8%	97.2%
Grade 9	0.3%	0.4%	1.5%	98.5%
Grade 10	0.4%	0.4%	2.3%	97.7%
Grade 11	0.3%	0.6%	1.3%	98.7%
Grade 12	0.2%	0.2%	1.7%	98.3%
Ecstasy				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.6%	2.3%	97.7%
Grade 10	1.3%	1.5%	1.9%	98.1%
Grade 11	1.1%	1.3%	4.1%	95.9%
Grade 12	0.8%	1.9%	3.9%	96.1%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 47 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.7%	0.9%	0.9%	99.1%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.6%	0.6%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.4%	1.7%	3.3%	96.7%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	1.3%	2.8%	97.2%
Grade 9	2.1%	2.3%	3.6%	96.4%
Grade 10	3.3%	4.0%	5.5%	94.5%
Grade 11	1.4%	1.7%	5.6%	94.4%
Grade 12	0.5%	0.5%	2.4%	97.6%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.7%	0.9%	1.5%	98.5%
Grade 12	0.3%	0.3%	1.3%	98.7%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	22.3%	37.5%	62.5%
Grade 7	7.3%	10.6%	20.0%	80.0%
Grade 8	11.3%	18.3%	31.8%	68.2%
Grade 9	14.4%	20.2%	37.2%	62.8%
Grade 10	18.4%	24.4%	39.8%	60.2%
Grade 11	22.8%	32.8%	49.5%	50.5%
Grade 12	22.5%	30.9%	51.2%	48.8%
Any Alcohol Product				
All	32.2%	38.3%	59.9%	40.1%
Grade 7	19.1%	22.0%	44.9%	55.1%
Grade 8	33.7%	38.9%	61.6%	38.4%
Grade 9	32.8%	39.0%	57.7%	42.3%
Grade 10	33.1%	40.0%	61.5%	38.5%
Grade 11	37.7%	45.4%	65.4%	34.6%
Grade 12	38.9%	47.3%	71.8%	28.2%
Any Illicit Drug				
All	14.1%	18.6%	24.8%	75.2%
Grade 7	6.0%	7.7%	9.3%	90.7%
Grade 8	8.9%	13.4%	18.9%	81.1%
Grade 9	15.8%	19.1%	24.1%	75.9%
Grade 10	14.7%	18.3%	25.8%	74.2%
Grade 11	20.3%	27.2%	35.6%	64.4%
Grade 12	21.2%	28.8%	40.0%	60.0%
Any Prescription Drug				
All	6.7%	9.9%	20.5%	79.5%
Grade 7	7.4%	9.1%	19.3%	80.7%
Grade 8	7.1%	11.2%	26.6%	73.4%
Grade 9	7.8%	10.9%	20.4%	79.6%
Grade 10	4.1%	7.0%	14.6%	85.4%
Grade 11	8.3%	11.7%	23.4%	76.6%
Grade 12	5.3%	9.4%	18.1%	81.9%
Any Inhalant				
All	6.3%	8.6%	16.6%	83.4%
Grade 7	9.3%	12.3%	17.1%	82.9%
Grade 8	9.3%	12.7%	23.9%	76.1%
Grade 9	6.6%	9.0%	16.0%	84.0%
Grade 10	3.9%	5.2%	13.3%	86.7%
Grade 11	4.6%	6.6%	16.7%	83.3%
Grade 12	3.1%	4.3%	11.5%	88.5%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 49 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.4%	19.9%	34.2%	65.8%
Grade 7	5.7%	8.8%	17.7%	82.3%
Grade 8	8.3%	15.5%	29.3%	70.7%
Grade 9	12.0%	19.1%	33.6%	66.4%
Grade 10	15.0%	22.8%	37.6%	62.4%
Grade 11	17.5%	28.0%	44.6%	55.4%
Grade 12	17.8%	28.4%	47.0%	53.0%
Marijuana				
All	13.7%	16.2%	23.0%	77.0%
Grade 7	5.6%	6.2%	7.7%	92.3%
Grade 8	7.7%	10.1%	15.5%	84.5%
Grade 9	15.5%	17.9%	24.0%	76.0%
Grade 10	14.7%	16.1%	24.1%	75.9%
Grade 11	19.7%	23.0%	32.1%	67.9%
Grade 12	20.9%	27.0%	39.5%	60.5%
Marijuana Only				
All	8.7%	10.7%	16.5%	83.5%
Grade 7	3.0%	3.3%	4.5%	95.5%
Grade 8	4.5%	6.0%	9.7%	90.3%
Grade 9	10.9%	12.3%	17.3%	82.7%
Grade 10	7.6%	8.9%	15.7%	84.3%
Grade 10 Grade 11	11.6%	14.5%	22.4%	77.6%
Grade 12	16.3%	21.9%	34.0%	66.0%
Cocaine or Crack				
All	1.0%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	1.2%	1.7%	1.9%	98.1%
Grade 9	0.5%	0.5%	1.5%	98.5%
Grade 10	1.0%	1.1%	2.1%	97.9%
Grade 11	1.4%	1.4%	3.2%	96.8%
Grade 12	1.7%	1.7%	2.9%	97.1%
Cocaine				
All	0.9%	1.0%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	1.0%	1.5%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.8%	0.8%	1.9%	98.1%
Grade 11	1.4%	1.4%	3.2%	96.8%
Grade 12	1.7%	1.7%	2.9%	97.1%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 50 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	1.1%	1.4%	1.6%	98.4%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.5%	0.5%	1.2%	98.8%
Hallucinogens				
All	0.6%	1.1%	2.7%	97.3%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.7%	0.7%	1.6%	98.4%
Grade 9	0.2%	0.4%	2.1%	97.9%
Grade 10	0.7%	0.9%	3.3%	96.7%
Grade 10 Grade 11	1.5%	3.1%	5.8%	94.2%
Grade 12	0.2%	1.0%	2.9%	97.1%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.3%	0.6%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.6%	0.7%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	2.2%	97.8%
Grade 7	0.2%	0.5%	2.6%	97.4%
Grade 8	0.7%	1.0%	2.2%	97.8%
Grade 9	0.0%	0.4%	2.2%	97.8%
Grade 10	0.1%	0.6%	2.6%	97.4%
Grade 11	1.1%	1.2%	2.6%	97.4%
Grade 12	0.2%	0.2%	0.6%	99.4%
Ecstasy				
All	0.4%	0.5%	1.7%	98.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.3%	0.7%	1.7%	98.3%
Grade 10	1.0%	1.2%	1.7%	98.3%
Grade 11	0.5%	0.5%	4.2%	95.8%
Grade 12	0.2%	0.2%	1.4%	98.6%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 51 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.7%	2.2%	4.6%	95.4%
Grade 7	1.6%	1.7%	2.7%	97.3%
Grade 8	1.1%	2.1%	4.3%	95.7%
Grade 9	1.4%	2.1%	5.4%	94.6%
Grade 10	3.0%	3.5%	6.5%	93.5%
Grade 11	2.4%	2.8%	6.1%	93.9%
Grade 12	0.3%	0.6%	2.2%	97.8%
Methamphetamine				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.6%	1.4%	98.6%
Grade 9	0.2%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.4%	0.4%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.5%	99.5%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.3%	21.9%	35.1%	64.9%
Grade 7	2.6%	5.4%	13.2%	86.8%
Grade 8	7.4%	13.1%	26.9%	73.1%
Grade 9	13.8%	19.4%	30.7%	69.3%
Grade 10	16.7%	24.1%	36.3%	63.7%
Grade 11	25.6%	36.6%	54.1%	45.9%
Grade 12	28.6%	36.6%	54.4%	45.6%
Any Alcohol Product				
All	28.6%	34.0%	56.5%	43.5%
Grade 7	14.8%	17.7%	39.4%	60.6%
Grade 8	25.3%	29.3%	57.8%	42.2%
Grade 9	27.3%	30.9%	52.5%	47.5%
Grade 10	29.5%	33.7%	54.0%	46.0%
Grade 11	38.2%	48.5%	68.2%	31.8%
Grade 12	39.1%	47.4%	70.4%	29.6%
Any Illicit Drug				
All	9.3%	12.9%	19.8%	80.2%
Grade 7	2.6%	4.1%	5.4%	94.6%
Grade 8	4.0%	6.4%	10.7%	89.3%
Grade 9	8.3%	10.5%	15.9%	84.1%
Grade 10	10.5%	14.9%	22.6%	77.4%
Grade 11	16.1%	23.5%	34.4%	65.6%
Grade 12	15.7%	20.3%	32.9%	67.1%
Any Prescription Drug				
All	5.7%	8.9%	19.2%	80.8%
Grade 7	6.1%	8.8%	17.8%	82.2%
Grade 8	5.1%	7.7%	22.5%	77.5%
Grade 9	7.5%	9.9%	20.0%	80.0%
Grade 10	3.0%	5.9%	13.0%	87.0%
Grade 11	9.0%	11.8%	23.4%	76.6%
Grade 12	3.4%	9.4%	18.5%	81.5%
Any Inhalant				
All	4.4%	6.8%	14.6%	85.4%
Grade 7	5.4%	8.4%	13.9%	86.1%
Grade 8	6.2%	9.2%	19.3%	80.7%
Grade 9	4.1%	6.4%	12.6%	87.4%
Grade 10	3.8%	5.4%	13.7%	86.3%
Grade 11	4.6%	7.9%	18.0%	82.0%
Grade 12	2.1%	2.9%	9.6%	90.4%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 53 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.8%	18.7%	31.5%	68.5%
Grade 7	1.5%	4.2%	10.4%	89.6%
Grade 8	4.0%	9.2%	23.0%	77.0%
Grade 9	9.6%	17.7%	27.4%	72.6%
Grade 10	12.8%	20.8%	32.8%	67.2%
Grade 10 Grade 11	18.9%	31.6%	50.8%	49.2%
Grade 12	20.5%	32.0%	48.7%	51.3%
Marijuana				
All	8.7%	10.7%	17.8%	82.2%
Grade 7	1.7%	1.7%	2.6%	97.4%
Grade 8	3.1%	4.4%	8.8%	91.2%
Grade 9	8.3%	9.5%	15.0%	85.0%
Grade 10	10.0%	11.5%	20.3%	79.7%
Grade 11	15.4%	20.0%	31.7%	68.3%
Grade 12	15.3%	19.3%	32.0%	68.0%
Marijuana Only				
All	5.4%	7.0%	12.8%	87.2%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	1.8%	2.4%	5.3%	94.7%
Grade 9	5.2%	6.3%	10.6%	89.4%
Grade 10	6.4%	7.9%	16.4%	83.6%
Grade 10 Grade 11	9.0%	12.5%	20.7%	79.3%
Grade 12	10.1%	13.8%	25.1%	74.9%
Cocaine or Crack				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.0%	0.0% 0.1%	0.1%	99.9%
Grade 8	0.4%	0.8%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.2%	0.0%	0.8%	99.2%
Grade 10 Grade 11	1.2%	2.3%	4.0%	96.0%
Grade 12	0.9%	0.9%	1.9%	98.1%
Cocaine				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.2%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	1.0%	2.1%	3.8%	96.2%
Grade 12	0.4%	0.4%	1.3%	98.7%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 54 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.2%	0.2%	1.5%	98.5%
Grade 12	0.8%	0.8%	1.5%	98.5%
Hallucinogens				
All	0.4%	0.8%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.4%	2.0%	98.0%
Grade 10	1.1%	1.2%	1.8%	98.2%
Grade 11	0.5%	2.1%	4.9%	95.1%
Grade 12	0.6%	1.4%	4.5%	95.5%
Synthetic Cathinones				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.4%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.4%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	2.2%	97.8%
Grade 7	0.1%	0.5%	1.9%	98.1%
Grade 8	0.6%	0.6%	2.4%	97.6%
Grade 9	0.0%	0.5%	2.3%	97.7%
Grade 10	0.2%	0.7%	3.5%	96.5%
Grade 11	0.7%	0.8%	1.4%	98.6%
Grade 12	0.0%	0.0%	1.6%	98.4%
Ecstasy				
All	0.1%	0.2%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.3%	1.9%	98.1%
Grade 10	0.4%	0.5%	0.5%	99.5%
Grade 11	0.1%	0.3%	2.8%	97.2%
Grade 12	0.0%	0.2%	1.4%	98.6%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 55 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.4%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.9%	1.1%	3.0%	97.0%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.3%	0.3%	3.2%	96.8%
Grade 9	0.8%	1.4%	2.5%	97.5%
Grade 10	1.5%	1.7%	2.7%	97.3%
Grade 11	1.4%	1.7%	6.9%	93.1%
Grade 12	0.3%	0.6%	1.8%	98.2%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.6%	0.6%	2.5%	97.5%
Grade 12	0.1%	0.1%	0.9%	99.1%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.9%	14.3%	27.8%	72.2%
Grade 7	4.2%	4.2%	8.8%	91.2%
Grade 8	11.8%	11.8%	24.7%	75.3%
Grade 9	6.3%	13.9%	29.5%	70.5%
Grade 10	14.9%	17.5%	27.2%	72.8%
Grade 11	16.3%	22.9%	42.2%	57.8%
Grade 12	15.5%	20.1%	42.1%	57.9%
Any Alcohol Product				
All	24.9%	27.7%	46.9%	53.1%
Grade 7	2.3%	2.3%	24.1%	75.9%
Grade 8	31.7%	$\frac{2.070}{31.7\%}$	49.5%	50.5%
Grade 9	31.3%	31.3%	42.0%	58.0%
Grade 10	20.0%	25.0%	53.1%	46.9%
Grade 10 Grade 11	24.8%	35.4%	57.5%	40.5%
Grade 12	43.8%	48.0%	64.1%	35.9%
Any Illicit Drug				
All	19.0%	21.3%	30.5%	69.5%
Grade 7	4.2%	4.2%	4.2%	95.8%
Grade 8	16.2%	22.2%	35.2%	64.8%
Grade 9	19.3%	19.9%	29.9%	70.1%
Grade 10	19.5% 14.8%	17.4%	24.8%	75.2%
Grade 10 Grade 11	31.1%	32.0%	46.8%	53.2%
Grade 12	35.3%	39.6%	52.0%	48.0%
Any Prescription Drug				
All	5.8%	7.1%	17.6%	82.4%
Grade 7	6.9%	6.9%	14.6%	85.4%
Grade 8	7.0%	9.9%	17.7%	82.3%
Grade 9	8.0%	10.4%	13.8%	86.2%
Grade 10	0.0%	0.0%	17.8%	82.2%
Grade 10 Grade 11	7.0%	7.0%	19.0%	81.0%
Grade 12	4.7%	6.9%	25.1%	74.9%
Any Inhalant				
All	7.4%	7.9%	17.1%	82.9%
Grade 7	12.6%	12.6%	12.6%	87.4%
Grade 8	6.6%	8.0%	30.7%	69.3%
Grade 9	6.4%	7.0%	7.6%	92.4%
Grade 10	4.9%	4.9%	26.6%	73.4%
Grade 10 Grade 11	2.9%	3.8%	8.2%	91.8%
Grade 11 Grade 12	9.6%	9.6%	17.5%	82.5%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 57 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	12.8%	23.6%	76.4%
Grade 7	4.2%	4.2%	8.8%	91.2%
Grade 8	8.3%	8.3%	20.7%	79.3%
Grade 9	3.4%	13.9%	23.1%	76.9%
Grade 10	7.7%	17.5%	27.2%	72.8%
Grade 11	16.5%	23.7%	43.1%	56.9%
Grade 12	9.0%	13.7%	27.2%	72.8%
Marijuana				
All	18.4%	19.9%	29.3%	70.7%
Grade 7	4.2%	4.2%	4.2%	95.8%
Grade 7 Grade 8	4.2% 13.3%	4.2% 16.2%	4.2% 29.2%	95.8% 70.8%
Grade 9	13.3% 19.3%	10.2% 19.3%	29.2% 29.3%	70.8% 70.7%
0.200000	19.3% 14.8%			70.7% 75.2%
Grade 10 Grade 11		17.4%	24.8%	
Grade 11 Grade 12	31.1%	31.1%	45.9%	54.1%
Grade 12	34.9%	39.2%	53.2%	46.8%
Marijuana Only				
All	13.3%	14.7%	23.9%	76.1%
Grade 7	4.2%	4.2%	4.2%	95.8%
Grade 8	6.8%	9.6%	22.2%	77.8%
Grade 9	18.7%	18.7%	28.7%	71.3%
Grade 10	7.6%	10.2%	17.6%	82.4%
Grade 11	21.7%	21.7%	36.2%	63.8%
Grade 12	25.1%	28.2%	41.8%	58.2%
Cocaine or Crack				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.5%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.5%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0% 100.0%
Grade 10 Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0% 100.0%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 58 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.5%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.2%	1.4%	3.2%	96.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.2%	4.2%	4.2%	95.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 10 Grade 11	2.3%	2.3%	4.5%	95.5%
Grade 12	1.3%	2.5%	10.7%	89.3%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	0.7%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.2%	3.2%	6.6%	93.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	4.4%	95.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.2%	98.8%
Ecstasy				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.2%	2.2%	4.4%	95.6%
Grade 12	0.0%	0.0%	3.1%	96.9%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 59 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.8%	2.8%	4.4%	95.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.7%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.3%	6.3%	6.3%	93.7%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	7.2%	92.8%
Grade 11	4.4%	4.4%	8.9%	91.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	3.5%	3.5%	96.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.8%	25.2%	42.0%	58.0%
Grade 7	7.2%	9.4%	24.5%	75.5%
Grade 8	13.7%	19.4%	32.1%	67.9%
Grade 9	21.4%	27.3%	47.3%	52.7%
Grade 10	23.1%	28.7%	49.1%	50.9%
Grade 11	26.4%	33.1%	48.3%	51.7%
Grade 12	31.0%	38.5%	55.8%	44.2%
Any Alcohol Product				
All	35.9%	41.6%	60.9%	39.1%
Grade 7	21.6%	26.4%	47.2%	52.8%
Grade 8	30.4%	34.4%	55.9%	44.1%
Grade 9	37.8%	44.2%	62.4%	37.6%
Grade 10	38.6%	45.7%	65.6%	34.4%
Grade 11	42.3%	47.2%	65.2%	34.8%
Grade 12	49.6%	56.6%	73.7%	26.3%
Any Illicit Drug				
All	18.4%	22.7%	29.6%	70.4%
Grade 7	6.7%	9.7%	11.1%	88.9%
Grade 8	10.6%	13.9%	17.2%	82.8%
Grade 9	19.6%	25.6%	31.3%	68.7%
Grade 10	20.6%	22.8%	35.0%	65.0%
Grade 11	27.9%	32.6%	40.5%	59.5%
Grade 12	29.7%	36.4%	49.4%	50.6%
Any Prescription Drug				
All	7.3%	10.5%	20.4%	79.6%
Grade 7	7.0%	9.2%	15.5%	84.5%
Grade 8	6.7%	11.1%	22.2%	77.8%
Grade 9	6.5%	9.4%	19.6%	80.4%
Grade 10	6.6%	9.6%	19.5%	80.5%
Grade 11	8.9%	13.3%	24.8%	75.2%
Grade 12	8.7%	11.0%	22.1%	77.9%
Any Inhalant				
All	6.1%	8.0%	16.3%	83.7%
Grade 7	6.7%	8.4%	16.2%	83.8%
Grade 8	7.4%	10.9%	22.1%	77.9%
Grade 9	6.8%	9.6%	19.0%	81.0%
Grade 10	6.6%	7.3%	11.7%	88.3%
Grade 11	5.2%	6.0%	15.4%	84.6%
Grade 12	2.9%	4.3%	12.2%	87.8%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 61 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.2%	21.8%	38.3%	61.7%
Grade 7	5.7%	7.9%	21.1%	78.9%
Grade 8	8.9%	16.2%	29.8%	70.2%
Grade 9	16.5%	23.3%	42.8%	57.2%
Grade 10	17.2%	24.7%	45.9%	54.1%
Grade 11	22.1%	30.8%	43.6%	56.4%
Grade 12	23.9%	32.0%	50.8%	49.2%
Marijuana				
All	17.8%	20.4%	28.2%	71.8%
Grade 7	6.1%	7.2%	9.3%	90.7%
Grade 8	10.0%	11.1%	14.7%	85.3%
Grade 9	18.8%	23.8%	30.8%	69.2%
Grade 10	20.4%	21.9%	34.3%	65.7%
Grade 11	26.7%	29.2%	37.9%	62.1%
Grade 12	28.9%	34.0%	48.9%	51.1%
Marijuana Only				
All	10.6%	12.5%	19.1%	80.9%
Grade 7	3.4%	4.1%	5.9%	94.1%
Grade 8	5.4%	6.1%	8.1%	91.9%
Grade 9	11.1%	14.5%	20.6%	79.4%
Grade 10	9.7%	11.1%	21.8%	78.2%
Grade 11	17.0%	18.8%	26.4%	73.6%
Grade 12	20.1%	24.2%	37.6%	62.4%
Cocaine or Crack				
All	1.5%	1.5%	3.0%	97.0%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	1.1%	1.3%	2.4%	97.6%
Grade 9	1.9%	1.9%	3.5%	96.5%
Grade 10	1.1%	1.1%	1.7%	98.3%
Grade 11	2.3%	2.3%	4.5%	95.5%
Grade 12	2.6%	2.6%	6.0%	94.0%
Cocaine				
All	1.3%	1.3%	2.7%	97.3%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	1.0%	1.2%	2.3%	97.7%
Grade 9	1.4%	1.4%	2.7%	97.3%
Grade 10	0.9%	0.9%	1.5%	98.5%
Grade 11	2.0%	2.0%	4.3%	95.7%
Grade 12	2.6%	2.6%	5.7%	94.3%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 62 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	0.5%	0.9%	1.3%	98.7%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.8%	0.8%	1.3%	98.7%
Grade 12	0.8%	0.8%	1.1%	98.9%
Hallucinogens				
All	1.3%	1.7%	3.7%	96.3%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.2%	0.3%	2.7%	97.3%
Grade 9	0.9%	1.4%	2.7%	97.3%
Grade 10	1.6%	2.1%	4.6%	95.4%
Grade 11	1.9%	3.0%	5.2%	94.8%
Grade 12	2.9%	3.4%	7.4%	92.6%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.4%	0.5%	1.8%	98.2%
Grade 7	0.6%	0.9%	2.8%	97.2%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.4%	0.4%	1.8%	98.2%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	1.0%	1.0%	2.7%	97.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Ecstasy				
All	0.9%	1.2%	2.6%	97.4%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.8%	1.0%	2.2%	97.8%
Grade 10	2.0%	2.4%	2.8%	97.2%
Grade 11	1.3%	1.3%	5.7%	94.3%
Grade 12	1.2%	2.4%	4.4%	95.6%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 63 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	2.4%	2.9%	5.1%	94.9%
Grade 7	1.3%	1.4%	2.4%	97.6%
Grade 8	1.4%	2.6%	4.1%	95.9%
Grade 9	2.9%	3.1%	6.9%	93.1%
Grade 10	5.4%	6.5%	8.9%	91.1%
Grade 11	2.3%	2.8%	4.8%	95.2%
Grade 12	0.6%	0.6%	3.2%	96.8%
Methamphetamine				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.4%	0.7%	1.5%	98.5%
Grade 12	0.2%	0.2%	1.2%	98.8%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.0%	19.3%	33.4%	66.6%
Grade 7	3.2%	5.1%	13.9%	86.1%
Grade 8	6.9%	11.9%	24.3%	75.7%
Grade 9	11.0%	14.6%	27.2%	72.8%
Grade 10	16.2%	24.8%	39.8%	60.2%
Grade 11	18.6%	29.6%	47.0%	53.0%
Grade 12	21.5%	28.8%	46.7%	53.3%
Any Alcohol Product				
All	28.5%	34.3%	56.8%	43.2%
Grade 7	16.3%	18.3%	40.4%	59.6%
Grade 8	24.2%	29.4%	57.3%	42.7%
Grade 9	23.3%	26.9%	47.1%	52.9%
Grade 10	29.9%	36.0%	58.8%	41.2%
Grade 11	36.8%	44.9%	66.4%	33.6%
Grade 12	39.7%	49.5%	69.9%	30.1%
Any Illicit Drug				
All	9.2%	12.7%	19.4%	80.6%
Grade 7	1.8%	2.3%	3.0%	97.0%
Grade 8	3.5%	5.2%	11.0%	89.0%
Grade 9	7.0%	9.5%	15.1%	84.9%
Grade 10	11.1%	13.9%	22.3%	77.7%
Grade 11	14.5%	20.7%	27.6%	72.4%
Grade 12	16.9%	23.8%	36.2%	63.8%
Any Prescription Drug				
All	4.3%	7.0%	16.8%	83.2%
Grade 7	6.3%	9.7%	16.8%	83.2%
Grade 8	2.1%	5.3%	21.4%	78.6%
Grade 9	7.1%	7.8%	17.5%	82.5%
Grade 10	2.3%	4.7%	12.3%	87.7%
Grade 10 Grade 11	4.6%	7.6%	12.5% 18.5%	81.5%
Grade 12	3.9%	7.3%	14.9%	85.1%
Any Inhalant				
All	3.4%	5.0%	13.2%	86.8%
Grade 7	3.1%	5.5%	13.2% 13.9%	86.1%
Grade 8	5.0%	7.4%	19.3%	80.7%
Grade 9	4.3%	7.4%	13.0%	87.0%
Grade 9 Grade 10	$\frac{4.3\%}{2.9\%}$	3.5%	9.3%	90.7%
Grade 10 Grade 11	3.4%	4.6%	9.3% 16.3%	90.7% 83.7%
Grade 11 Grade 12	1.8%	1.9%	8.2%	91.8%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 65 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	18.0%	31.0%	69.0%
Grade 7	1.6%	3.3%	10.8%	89.2%
Grade 8	4.3%	10.6%	22.8%	77.2%
Grade 9	9.6%	14.1%	24.0%	76.0%
Grade 10	13.7%	23.2%	38.5%	61.5%
Grade 11	15.5%	28.2%	43.5%	56.5%
Grade 12	17.7%	27.2%	44.6%	55.4%
Marijuana				
J	8.8%	11.3%	18.5%	81.5%
Grade 7	1.2%	1.4%	1.8%	98.2%
Grade 8	3.3%	4.2%	9.6%	90.4%
Grade 9	6.5%	9.0%	14.9%	85.1%
Grade 10	10.9%	12.5%	21.5%	78.5%
Grade 11	13.9%	17.3%	26.1%	73.9%
Grade 12	16.5%	22.5%	35.6%	64.4%
Marijuana Only				
All	6.1%	8.2%	14.5%	85.5%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	2.2%	2.7%	6.3%	93.7%
Grade 9	4.2%	5.8%	10.9%	89.1%
Grade 10	7.1%	8.6%	16.8%	83.2%
Grade 11	9.4%	12.6%	20.1%	79.9%
Grade 12	13.1%	18.5%	30.5%	69.5%
Cocaine or Crack				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.9%	1.7%	98.3%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.6%	98.4%
Grade 12	1.4%	1.4%	2.3%	97.7%
Cocaine				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	1.5%	98.5%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	1.0%	1.0%	1.6%	98.4%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 66 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.9%	99.1%
Hallucinogens				
All	0.3%	0.6%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.4%	1.2%	98.8%
Grade 10	0.6%	0.7%	2.2%	97.8%
Grade 11	0.2%	1.5%	3.4%	96.6%
Grade 12	0.5%	0.7%	3.0%	97.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.6%	0.9%	99.1%
Grade 8	0.5%	0.5%	1.8%	98.2%
Grade 9	0.0%	0.1%	1.3%	98.7%
Grade 10	0.2%	0.7%	1.5%	98.5%
Grade 11	1.2%	1.3%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.5%	99.5%
Ecstasy				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.6%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.6%	0.6%	2.2%	97.8%
Grade 12	0.0%	0.0%	1.5%	98.5%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 67 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.6%	0.9%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.7%	1.6%	98.4%
Grade 9	0.5%	1.0%	3.1%	96.9%
Grade 10	1.3%	1.8%	3.1%	96.9%
Grade 11	1.2%	1.7%	3.5%	96.5%
Grade 12	0.0%	0.0%	1.9%	98.1%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.3%	99.7%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.1%	25.4%	40.3%	59.7%
Grade 7	6.8%	9.5%	20.8%	79.2%
Grade 8	13.5%	19.6%	33.9%	66.1%
Grade 9	20.5%	27.8%	43.5%	56.5%
Grade 10	20.9%	24.9%	40.5%	59.5%
Grade 11	28.4%	34.3%	50.5%	49.5%
Grade 12	36.9%	43.2%	60.0%	40.0%
Any Alcohol Product				
All	34.1%	38.8%	58.0%	42.0%
Grade 7	17.9%	23.0%	42.3%	57.7%
Grade 8	31.2%	34.2%	57.3%	42.7%
Grade 9	37.0%	41.9%	60.3%	39.7%
Grade 9 Grade 10	33.0%	36.9%	56.6%	43.4%
Grade 10 Grade 11	40.3%	47.1%	64.5%	35.5%
Grade 11 Grade 12	$\frac{40.3\%}{50.8\%}$	55.8%	72.4%	27.6%
Any Illicit Drug All	17.5%	21.7%	28.6%	71.4%
Grade 7	6.3%	9.3%	11.4%	88.6%
Grade 7 Grade 8	10.9%	9.3% 15.3%	11.4% 19.3%	80.7%
Grade 9 Grade 10	18.3%	23.0%	28.6%	71.4%
0.201010 20	18.8%	22.5% 32.3%	$31.5\%\ 42.1\%$	68.5%
Grade 11 Grade 12	$26.8\% \\ 29.0\%$	32.3% 33.0%	42.1% 47.0%	$57.9\%\ 53.0\%$
	201070	00.070	11.070	00.070
Any Prescription Drug				
All	8.1%	11.2%	21.9%	78.1%
Grade 7	6.9%	9.0%	17.4%	82.6%
Grade 8	8.8%	12.3%	23.6%	76.4%
Grade 9	6.6%	10.1%	20.3%	79.7%
Grade 10	6.0%	8.8%	16.5%	83.5%
Grade 11	12.3%	15.7%	28.5%	71.5%
Grade 12	8.7%	12.4%	27.1%	72.9%
Any Inhalant				
All	6.5%	8.9%	17.5%	82.5%
Grade 7	7.8%	10.3%	16.5%	83.5%
Grade 8	8.2%	12.5%	24.4%	75.6%
Grade 9	5.9%	8.4%	16.7%	83.3%
Grade 10	6.9%	8.4%	17.3%	82.7%
Grade 11	5.7%	7.3%	15.9%	84.1%
Grade 12	4.1%	5.6%	13.1%	86.9%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 69 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	20.6%	35.4%	64.6%
Grade 7	5.0%	7.7%	18.3%	81.7%
Grade 8	8.2%	14.6%	29.1%	70.9%
Grade 9	14.0%	23.6%	39.3%	60.7%
Grade 10	14.6%	19.9%	35.7%	64.3%
Grade 11	21.7%	29.3%	45.9%	54.1%
Grade 12	25.4%	33.7%	50.0%	50.0%
Marijuana				
All	16.6%	18.9%	26.4%	73.6%
Grade 7	5.6%	6.3%	8.7%	91.3%
Grade 8	9.3%	10.8%	15.4%	84.6%
Grade 9	17.6%	21.0%	27.2%	72.8%
Grade 10	18.5%	21.0% 20.2%	30.2%	69.8%
Grade 10 Grade 11	25.6%	29.0%	38.8%	61.2%
Grade 12	28.1%	31.3%	46.2%	53.8%
Marijuana Only				
All	9.7%	11.3%	17.8%	82.2%
Grade 7	3.1%	3.5%	5.5%	94.5%
Grade 8	4.8%	5.7%	9.0%	91.0%
Grade 9	11.3%	14.0%	19.3%	80.7%
Grade 10	8.2%	9.8%	19.3%	80.7%
Grade 10 Grade 11	15.5%	17.3%	25.6%	74.4%
Grade 12	18.4%	20.9%	34.2%	65.8%
Cocaine or Crack				
All	1.4%	1.6%	2.7%	97.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	1.3%	1.5%	1.9%	98.1%
Grade 9	1.8%	1.8%	2.7%	97.3%
Grade 10	0.9%	1.1%	1.7%	98.3%
Grade 10 Grade 11	2.4%	3.4%	5.5%	94.5%
Grade 12	2.0%	2.0%	4.7%	95.3%
Cocaine				
All	1.2%	1.4%	2.5%	97.5%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	1.3%	1.5%	1.9%	98.1%
Grade 9	1.4%	1.4%	2.2%	97.8%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	2.2%	3.1%	5.3%	94.7%
Grade 12	1.7%	1.7%	4.4%	95.6%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 70 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	0.4%	1.1%	1.2%	98.8%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.6%	98.4%
Grade 12	1.2%	1.2%	1.7%	98.3%
TT 11 ·				
Hallucinogens	1.007	1 007	0.007	00.007
All	1.3%	1.8%	3.8%	96.2%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.9%	1.0%	2.1%	97.9%
Grade 9	1.0%	1.3%	2.7%	97.3%
Grade 10	2.0%	2.6%	4.7%	95.3%
Grade 11	1.7%	3.0%	6.0%	94.0%
Grade 12	2.5%	3.5%	8.5%	91.5%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 10 Grade 11	0.6%	0.6%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.4%	99.6%
Steroids				
All	0.5%	0.7%	2.7%	97.3%
Grade 7	0.5%	0.8%	3.2%	96.8%
Grade 7 Grade 8	0.3%	0.9%	2.9%	97.1%
Grade 9	0.3%	0.7%	2.5%	97.1% 97.5%
Grade 9 Grade 10	0.3% 0.4%	0.4%	3.2%	97.5% 96.8%
Grade 11 Grade 12	$0.6\% \\ 0.4\%$	$0.7\% \\ 0.4\%$	$2.5\% \\ 1.7\%$	$97.5\%\ 98.3\%$
				4
Ecstasy All	0.7%	1.0%	2.6%	97.4%
Grade 7	0.0%	0.1%	0.2%	97.4% 99.8%
	0.0% 0.3%	0.1% 0.4%	1.7%	99.8% 98.3%
Grade 8 Grade 9				
Grade 9	0.6%	0.8%	2.3%	97.7%
Grade 10	1.6%	2.0%	2.6%	97.4%
Grade 11	1.1%	1.2%	5.9%	94.1%
Grade 12	0.7%	1.8%	3.8%	96.2%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 71 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	0.9%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	2.1%	2.6%	4.7%	95.3%
Grade 7	1.7%	1.8%	2.8%	97.2%
Grade 8	1.2%	2.5%	5.2%	94.8%
Grade 9	1.9%	2.3%	4.8%	95.2%
Grade 10	5.2%	5.8%	7.8%	92.2%
Grade 11	2.1%	2.1%	5.8%	94.2%
Grade 12	0.9%	1.2%	2.3%	97.7%
Methamphetamine				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	1.0%	1.9%	98.1%
Grade 9	0.4%	0.7%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.4%	98.6%
Grade 11	0.7%	0.9%	2.3%	97.7%
Grade 12	0.3%	0.3%	1.6%	98.4%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.6%	18.6%	32.6%	67.4%
Grade 7	2.1%	3.9%	14.7%	85.3%
Grade 8	8.0%	11.9%	22.7%	77.3%
Grade 9	11.2%	15.1%	30.5%	69.5%
Grade 10	17.3%	23.0%	38.8%	61.2%
Grade 11	24.5%	32.5%	48.7%	51.3%
Grade 12	23.2%	30.8%	47.5%	52.5%
Any Alcohol Product				
All	27.7%	32.3%	53.5%	46.5%
Grade 7	16.0%	18.3%	36.8%	63.2%
Grade 8	24.4%	27.7%	53.2%	46.8%
Grade 9	24.6%	28.2%	49.8%	50.2%
Grade 10	30.5%	35.2%	55.3%	44.7%
Grade 11	35.8%	43.4%	63.7%	36.3%
Grade 12	39.6%	46.7%	68.1%	31.9%
Any Illicit Drug				
All	10.0%	13.1%	18.7%	81.3%
Grade 7	1.9%	3.7%	4.7%	95.3%
Grade 8	4.0%	5.7%	9.0%	91.0%
Grade 9	9.0%	10.9%	15.4%	84.6%
Grade 10	11.4%	15.2%	22.6%	77.4%
Grade 11	16.5%	22.1%	30.1%	69.9%
Grade 12	21.0%	25.7%	37.0%	63.0%
Any Prescription Drug				
All	5.3%	7.9%	16.2%	83.8%
Grade 7	5.2%	7.2%	12.9%	87.1%
Grade 8	5.7%	8.8%	12.0% 19.5%	80.5%
Grade 9	5.0%	7.0%	15.4%	84.6%
Grade 10	4.1%	6.4%	13.8%	86.2%
Grade 11	6.4%	9.6%	19.0%	81.0%
Grade 12	5.1%	8.6%	17.4%	82.6%
Any Inhalant				
All	4.9%	6.6%	14.0%	86.0%
Grade 7	6.9%	8.8%	15.6%	84.4%
Grade 8	5.8%	7.7%	17.8%	82.2%
Grade 9	4.5%	7.0%	13.1%	86.9%
Grade 10	4.3%	5.0%	10.1% 10.9%	89.1%
Grade 11	4.9%	6.9%	15.9%	84.1%
Grade 12	2.2%	3.0%	9.8%	90.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 73 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.0%	15.7%	29.5%	70.5%
Grade 7	1.3%	3.0%	12.1%	87.9%
Grade 8	4.8%	8.8%	20.8%	79.2%
Grade 9	7.8%	13.8%	26.8%	73.2%
Grade 10	12.7%	18.7%	35.0%	65.0%
Grade 11	19.2%	28.9%	45.8%	54.2%
Grade 12	18.2%	26.2%	43.0%	57.0%
		- ••		
Marijuana				
All	9.3%	11.0%	17.2%	82.8%
Grade 7	1.6%	1.6%	3.3%	96.7%
Grade 8	3.0%	3.5%	6.9%	93.1%
Grade 9	7.9%	9.3%	14.7%	85.3%
Grade 10	11.1%	13.4%	21.1%	78.9%
Grade 11	15.9%	18.6%	27.9%	72.1%
Grade 12	20.4%	24.4%	36.1%	63.9%
Marijuana Only				
All	5.9%	7.2%	12.5%	87.5%
Grade 7	1.0%	1.0%	2.2%	97.8%
Grade 8	1.9%	2.0%	3.9%	96.1%
Grade 9	5.7%	6.4%	10.9%	89.1%
Grade 10	6.2%	8.6%	15.8%	84.2%
Grade 10 Grade 11	9.7%	11.9%	20.1%	79.9%
Grade 12	13.6%	11.9% 17.0%	20.1% 27.4%	79.9% 72.6%
Grade 12	10.070	11.070	21.470	12.070
Cocaine or Crack				
All	0.7%	0.8%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	1.1%	1.6%	98.4%
Grade 9	0.8%	0.8%	1.8%	98.2%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	1.2%	1.4%	3.6%	96.4%
Grade 12	0.7%	0.7%	3.1%	96.9%
Cocaine				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.6%	1.1%	1.6%	98.4%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 10 Grade 11	1.0%	1.2%	3.4%	96.6%
Grade 12	0.2%	0.2%	2.3%	97.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 74 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.7%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.6%	0.6%	1.5%	98.5%
Grade 12	0.7%	0.7%	1.1%	98.9%
Hallucinogens				
All	0.8%	1.1%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.8%	1.1%	2.1%	97.9%
Grade 11	1.3%	2.7%	4.7%	95.3%
Grade 12	1.8%	2.4%	6.3%	93.7%
Synthetic Cathinones				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.5%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.8%	1.6%	98.4%
Grade 8	1.1%	1.3%	2.4%	97.6%
Grade 9	0.0%	0.1%	0.7%	99.3%
Grade 10	0.3%	0.3%	2.3%	97.7%
Grade 11	0.9%	0.9%	1.9%	98.1%
Grade 12	0.2%	0.2%	0.9%	99.1%
Ecstasy				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	1.1%	1.3%	3.9%	96.1%
Grade 12	0.8%	1.7%	3.0%	97.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 75 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	0.9%	1.1%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.4%	1.6%	98.4%
Grade 9	0.7%	0.7%	1.8%	98.2%
Grade 10	2.1%	2.4%	3.5%	96.5%
Grade 11	1.4%	1.8%	3.5%	96.5%
Grade 12	0.8%	0.8%	1.7%	98.3%
Methamphetamine				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.9%	0.9%	2.1%	97.9%
Grade 12	0.3%	0.3%	1.3%	98.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.5%	28.4%	44.1%	55.9%
Grade 7	9.6%	12.7%	23.2%	76.8%
Grade 8	14.6%	22.0%	39.8%	60.2%
Grade 9	23.2%	31.2%	46.8%	53.2%
Grade 10	22.9%	29.6%	45.6%	54.4%
Grade 11	25.8%	35.1%	51.9%	48.1%
Grade 12	34.2%	41.3%	59.2%	40.8%
Any Alcohol Product				
All	36.5%	42.7%	63.1%	36.9%
Grade 7	19.9%	25.4%	49.7%	50.3%
Grade 8	33.6%	38.2%	62.4%	37.6%
Grade 9	39.5%	44.9%	62.9%	37.1%
Grade 10	37.0%	43.6%	64.1%	35.9%
Grade 11	42.5%	50.5%	69.0%	31.0%
Grade 12	48.1%	55.6%	72.6%	27.4%
Any Illicit Drug				
All	19.5%	24.1%	32.8%	67.2%
Grade 7	8.5%	10.9%	12.6%	87.4%
Grade 8	13.8%	18.8%	25.1%	74.9%
Grade 9	20.5%	26.2%	33.4%	66.6%
Grade 10	22.0%	25.0%	37.7%	62.3%
Grade 11	27.9%	33.6%	45.3%	54.7%
Grade 12	25.5%	31.3%	45.5%	54.5%
Any Prescription Drug				
All	7.9%	11.5%	24.2%	75.8%
Grade 7	8.4%	11.3%	21.3%	78.7%
Grade 8	7.1%	11.4%	27.4%	72.6%
Grade 9	8.8%	12.3%	24.7%	75.3%
Grade 10	5.1%	8.9%	19.8%	80.2%
Grade 11	11.1%	14.4%	28.1%	71.9%
Grade 12	6.8%	10.4%	23.6%	76.4%
Any Inhalant				
All	5.9%	8.6%	17.4%	82.6%
Grade 7	5.6%	8.8%	14.2%	85.8%
Grade 8	8.5%	13.7%	27.5%	72.5%
Grade 9	6.6%	9.1%	18.2%	81.8%
Grade 10	6.2%	8.0%	16.7%	83.3%
Grade 11	4.3%	6.2%	15.7%	84.3%
Grade 11 Grade 12	3.7%	5.0%	11.8%	88.2%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 77 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.9%	24.6%	39.4%	60.6%
Grade 7	7.3%	10.4%	19.8%	80.2%
Grade 8	9.2%	17.7%	34.4%	65.6%
Grade 9	17.8%	27.2%	42.5%	57.5%
Grade 10	17.3%	27.5%	43.4%	56.6%
Grade 11	21.2%	31.7%	47.0%	53.0%
Grade 12	23.7%	34.5%	51.2%	48.8%
Marijuana				
All	18.8%	21.7%	30.9%	69.1%
Grade 7	7.2%	8.4%	9.6%	90.4%
Grade 8	13.0%	15.5%	22.0%	78.0%
Grade 9	20.5%	24.7%	32.5%	67.5%
Grade 10	20.5% 21.8%	22.5%	36.6%	63.4%
Grade 10 Grade 11	26.9%	30.8%	42.7%	57.3%
Grade 12	24.8%	29.5%	45.1%	54.9%
Marijuana Only				
All	11.3%	13.5%	21.2%	78.8%
Grade 7	4.2%	4.9%	6.0%	94.0%
Grade 8	6.9%	8.7%	13.7%	86.3%
Grade 9	11.9%	15.4%	22.1%	77.9%
Grade 10	10.6%	10.4% 11.1%	23.4%	76.6%
Grade 10 Grade 11	17.1%	19.8%	23.4% 28.2%	71.8%
Grade 12	17.9%	21.9%	36.3%	63.7%
Cocaine or Crack				
All	1.4%	1.6%	2.4%	97.6%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	1.3%	1.5%	2.0%	98.0%
Grade 9	1.5%	1.5%	2.6%	97.4%
Grade 10	0.6%	0.8%	1.9%	98.1%
Grade 11	2.2%	3.1%	4.1%	95.9%
Grade 12	2.6%	2.6%	3.7%	96.3%
Cocaine				
All	1.3%	1.5%	2.2%	97.8%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	1.0%	1.2%	1.8%	98.2%
Grade 9	1.5%	1.5%	2.3%	97.7%
Grade 10	0.6%	0.6%	1.7%	98.3%
Grade 11	2.0%	2.8%	3.8%	96.2%
Grade 12	2.6%	2.6%	3.7%	96.3%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 78 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.5%	98.5%
Grade 9	0.0%	0.8%	1.1%	98.9%
Grade 10	0.0%	0.2%	1.2%	98.8%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.7%	0.7%	1.2%	98.8%
Hallucinogens				
All	1.0%	1.5%	3.9%	96.1%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.5%	2.2%	97.8%
Grade 9	0.8%	1.4%	3.5%	96.5%
Grade 10	1.9%	2.3%	5.7%	94.3%
Grade 11	1.2%	2.3%	5.5%	94.5%
Grade 12	1.5%	2.2%	5.5%	94.5%
Synthetic Cathinones				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.7%	0.8%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	2.5%	97.5%
Grade 7	0.4%	0.4%	3.0%	97.0%
Grade 8	0.0%	0.1%	2.6%	97.4%
Grade 9	0.3%	0.7%	3.0%	97.0%
Grade 10	0.3%	0.8%	2.6%	97.4%
Grade 11	0.5%	0.9%	2.0%	98.0%
Grade 12	0.2%	0.2%	1.4%	98.6%
Ecstasy				
All	0.5%	0.8%	2.7%	97.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.6%	2.2%	97.8%
Grade 9	0.7%	1.3%	3.8%	96.2%
Grade 10	1.4%	1.9%	2.4%	97.6%
Grade 11	0.4%	0.4%	4.5%	95.5%
Grade 12	0.2%	0.4%	2.5%	97.5%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 79 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	1.0%	1.1%	1.1%	98.9%
Grade 8	0.4%	0.7%	2.0%	98.0%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	2.3%	3.0%	6.3%	93.7%
Grade 7	1.7%	1.8%	2.8%	97.2%
Grade 8	1.7%	3.5%	6.8%	93.2%
Grade 9	2.8%	3.7%	7.3%	92.7%
Grade 10	4.7%	5.6%	9.4%	90.6%
Grade 11	2.5%	2.9%	8.6%	91.4%
Grade 12	0.0%	0.3%	3.0%	97.0%
Methamphetamine				
All	0.2%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	1.2%	2.4%	97.6%
Grade 9	0.2%	0.7%	1.4%	98.6%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.1%	0.4%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.5%	99.5%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	20.8%	35.0%	65.0%
Grade 7	4.0%	6.6%	16.4%	83.6%
Grade 8	8.1%	13.0%	25.6%	74.4%
Grade 9	13.3%	19.6%	34.4%	65.6%
Grade 10	18.1%	24.6%	40.7%	59.3%
Grade 11	23.5%	31.3%	47.6%	52.4%
Grade 12	26.2%	33.8%	50.7%	49.3%
Any Alcohol Product				
All	29.4%	34.6%	56.4%	43.6%
Grade 7	15.3%	18.1%	39.9%	60.1%
Grade 8	24.5%	27.8%	54.0%	46.0%
Grade 9	24.5% 28.2%	33.3%	53.5%	46.5%
Grade 9 Grade 10				
Grade 10 Grade 11	$32.1\%\ 38.5\%$	$38.3\% \\ 45.2\%$	$59.3\%\ 65.6\%$	$40.7\%\ 34.4\%$
Grade 12	41.8%	49.4%	70.6%	29.4%
Any Illicit Drug				
All	12.5%	15.8%	22.8%	77.2%
Grade 7	3.7%	5.2%	6.8%	93.2%
Grade 8	6.5%	8.1%	12.7%	87.3%
Grade 9	11.6%	15.4%	20.9%	79.1%
Grade 10	14.4%	17.6%	27.6%	72.4%
Grade 11	20.5%	25.2%	34.5%	65.5%
Grade 12	21.5%	27.1%	39.1%	60.9%
Any Prescription Drug				
All	5.4%	8.3%	17.7%	82.3%
Grade 7	6.4%	8.3%	16.3%	83.7%
Grade 8	4.7%	7.8%	20.1%	79.9%
Grade 9	5.5%	7.9%	16.6%	83.4%
Grade 10	4.0%	7.1%	14.8%	85.2%
Grade 11	7.0%	10.3%	20.6%	79.4%
Grade 12	5.1%	8.5%	18.3%	81.7%
Any Inhalant				
All	4.5%	6.0%	13.3%	86.7%
Grade 7	5.1%	7.5%	13.4%	86.6%
Grade 7 Grade 8	6.1%	7.9%	13.4% 18.6%	81.4%
Grade 9	4.5%	6.3%	13.0%	87.0%
Grade 9 Grade 10	4.5% 3.9%	5.1%	13.0% 11.7%	88.3%
Grade 10 Grade 11	$\frac{3.9\%}{4.8\%}$		11.7% 13.4%	86.6%
		5.9%		
Grade 12	2.5%	2.8%	9.2%	90.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 81 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	18.0%	31.6%	68.4%
Grade 7	2.7%	5.2%	13.7%	86.3%
Grade 8	5.5%	10.7%	23.2%	76.8%
Grade 9	9.8%	17.7%	30.5%	69.5%
Grade 10	13.4%	21.4%	37.6%	62.4%
Grade 11	18.2%	28.4%	44.5%	55.5%
Grade 12	18.5%	28.3%	45.0%	55.0%
Marijuana				
All	12.0%	14.1%	21.3%	78.7%
Grade 7	3.0%	3.3%	4.7%	95.3%
Grade 8	5.6%	6.5%	11.2%	88.8%
Grade 9	11.6%	14.4%	20.2%	79.8%
Grade 10	14.1%	15.8%	26.0%	74.0%
Grade 10 Grade 11	19.8%	22.5%	32.0%	68.0%
Grade 12	21.1%	25.6%	38.6%	61.4%
Marijuana Only				
All	7.9%	9.6%	15.9%	84.1%
Grade 7	2.2%	2.5%	3.6%	96.4%
Grade 8	3.6%	3.9%	7.3%	92.7%
Grade 9	8.1%	10.3%	15.6%	84.4%
Grade 10	6.9%	8.6%	17.9%	82.1%
Grade 10 Grade 11	13.5%	15.9%	24.4%	75.6%
Grade 12	15.1%	19.1%	30.9%	69.1%
Cocaine or Crack				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.8%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.6%	0.8%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.9%	98.1%
Grade 12	1.2%	1.2%	3.1%	96.9%
Cocaine				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.4%	1.2%	98.8%
Grade 11	0.7%	0.7%	1.9%	98.1%
Grade 12	1.2%	1.2%	2.9%	97.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 82 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.7%	99.3%
Hallucinogens				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	1.3%	1.7%	3.7%	96.3%
Grade 11	0.8%	1.8%	3.7%	96.3%
Grade 12	1.3%	1.6%	5.1%	94.9%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.5%	0.6%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.1%	99.9%
Steroids				
All	0.3%	0.4%	1.9%	98.1%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.3%	0.4%	2.4%	97.6%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.2%	0.5%	2.5%	97.5%
Grade 11	0.9%	1.0%	2.1%	97.9%
Grade 12	0.2%	0.2%	1.2%	98.8%
Ecstasy				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.9%	99.1%
Grade 10	1.1%	1.4%	1.9%	98.1%
Grade 11	0.5%	0.5%	2.7%	97.3%
Grade 12	0.3%	1.1%	2.9%	97.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 83 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.5%	3.2%	96.8%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.4%	1.0%	2.9%	97.1%
Grade 9	1.6%	1.6%	2.9%	97.1%
Grade 10	2.9%	3.5%	5.6%	94.4%
Grade 11	1.5%	1.7%	4.6%	95.4%
Grade 12	0.5%	0.7%	2.5%	97.5%
Methamphetamine				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.4%	0.4%	1.5%	98.5%
Grade 12	0.1%	0.1%	0.5%	99.5%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	31.2%	36.7%	54.3%	45.7%
Grade 7	11.0%	12.5%	27.8%	72.2%
Grade 8	28.1%	35.8%	58.4%	41.6%
Grade 9	36.0%	38.8%	58.5%	41.5%
Grade 10	29.5%	33.9%	48.3%	51.7%
Grade 11	36.6%	47.9%	61.6%	38.4%
Grade 12	42.8%	48.5%	67.6%	32.4%
Any Alcohol Product				
All	45.4%	52.0%	67.1%	32.9%
Grade 7	29.9%	38.8%	61.2%	38.8%
Grade 8	50.4%	57.4%	73.2%	26.8%
Grade 9	51.5%	54.1%	68.6%	31.4%
Grade 10	41.9%	45.0%	61.7%	38.3%
Grade 10 Grade 11	41.9% 42.5%	56.3%	68.1%	31.9%
Grade 11 Grade 12	53.0%	58.8%	69.0%	31.9% 31.0%
Grade 12	00.070	00.070	00.070	01.070
Any Illicit Drug All	24.007	21 007	38.2%	C1 007
All Grade 7	24.0%	31.0%	$\frac{38.2\%}{16.6\%}$	61.8%
	9.5%	16.2%	• •	83.4%
Grade 8	19.0%	29.9%	36.5%	63.5%
Grade 9	29.8%	34.8%	40.1%	59.9%
Grade 10	23.0%	28.9%	35.3%	64.7%
Grade 11 Grade 12	$28.0\% \\ 31.2\%$	$38.6\%\ 35.6\%$	$48.1\% \\ 50.2\%$	$51.9\%\ 49.8\%$
Grade 12	31.270	33.0%	50.2%	49.870
Any Prescription Drug				
All	12.2%	16.9%	32.5%	67.5%
Grade 7	10.4%	17.4%	23.9%	76.1%
Grade 8	12.6%	18.2%	35.2%	64.8%
Grade 9	14.1%	18.8%	36.4%	63.6%
Grade 10	7.9%	9.3%	26.9%	73.1%
Grade 11	19.2%	21.3%	39.9%	60.1%
Grade 12	8.5%	15.8%	31.2%	68.8%
Any Inhalant				
All	9.6%	15.5%	27.1%	72.9%
Grade 7	13.6%	16.6%	25.6%	74.4%
Grade 8	12.0%	27.0%	41.2%	58.8%
Grade 9	12.6%	19.1%	28.6%	71.4%
Grade 10	10.3%	12.2%	21.7%	78.3%
Grade 11	3.3%	8.2%	26.1%	73.9%
Grade 12	5.1%	10.0%	20.2%	79.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 85 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	24.2%	31.4%	47.8%	52.2%
Grade 7	8.9%	11.2%	23.8%	76.2%
Grade 8	12.6%	23.7%	49.1%	50.9%
Grade 9	28.4%	34.8%	53.7%	46.3%
Grade 10	25.2%	31.2%	45.8%	54.2%
Grade 11	30.9%	42.0%	54.4%	45.6%
Grade 12	35.8%	42.3%	56.8%	43.2%
Marijuana				
All	22.7%	25.9%	35.4%	64.6%
Grade 7	9.3%	10.7%	13.5%	86.5%
	9.5% 17.6%	20.0%		73.6%
Grade 8			26.4%	
Grade 9	26.5%	30.3%	38.8%	61.2%
Grade 10	22.7%	24.6%	35.3%	64.7%
Grade 11	27.3%	33.2%	45.7%	54.3%
Grade 12	30.3%	33.6%	49.3%	50.7%
Marijuana Only				
All	11.1%	13.0%	19.9%	80.1%
Grade 7	2.5%	3.2%	5.8%	94.2%
Grade 8	7.4%	9.4%	13.0%	87.0%
Grade 9	12.4%	14.2%	20.7%	79.3%
Grade 10	11.9%	13.5%	23.3%	76.7%
Grade 11	10.7%	13.3%	18.3%	81.7%
Grade 12	20.1%	23.0%	36.4%	63.6%
Cocaine or Crack				
All	3.0%	3.9%	6.2%	93.8%
Grade 7	0.0%	0.7%	0.2%	99.3%
Grade 8	2.5%	4.0%	5.8%	94.2%
Grade 9	4.2%	4.2%	8.3%	91.2% 91.7%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 10 Grade 11	5.7%	9.3%	14.0%	86.0%
Grade 12	3.8%	3.8%	6.1%	93.9%
Cocaine				
All	2.2%	3.1%	5.1%	94.9%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 7 Grade 8	2.5%	4.0%	5.8%	94.2%
Grade 9 Grade 9	2.3% 2.8%	2.8%	5.8%	94.2% 94.1%
Grade 9 Grade 10	1.0%	1.0%	1.0%	94.1% 99.0%
Grade 10 Grade 11	4.2%	1.0% 7.8%	1.0% 12.4%	99.0% 87.6%
Grade 12	2.1%	2.1%	4.3%	95.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 86 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	2.0%	2.2%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	2.5%	2.5%	3.2%	96.8%
Grade 9	1.4%	2.4%	3.4%	96.6%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	3.4%	3.4%	5.8%	94.2%
Grade 12	3.8%	3.8%	3.8%	96.2%
Hallucinogens				
All	2.2%	3.0%	7.2%	92.8%
Grade 7	1.5%	1.5%	3.4%	96.6%
Grade 8	0.9%	0.9%	6.5%	93.5%
Grade 9	1.6%	2.2%	7.6%	92.4%
Grade 10	0.7%	0.7%	4.1%	95.9%
Grade 10 Grade 11	4.4%	6.7%	11.8%	88.2%
Grade 12	4.1%	5.6%	9.2%	90.8%
Synthetic Cathinones				
All	0.6%	0.9%	1.3%	98.7%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	2.0%	3.1%	3.4%	96.6%
Grade 10	0.0%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Steroids				
All	0.8%	1.3%	2.9%	97.1%
Grade 7	0.4%	0.4%	4.3%	95.7%
Grade 8	2.6%	3.1%	3.5%	96.5%
Grade 9	1.1%	2.4%	4.0%	96.0%
Grade 10	0.7%	0.7%	2.8%	97.2%
Grade 10 Grade 11	0.0%	0.7%	1.5%	98.5%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	1.4%	1.7%	4.3%	95.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.2%	1.2%	1.9%	98.1%
Grade 9	1.1%	2.4%	6.9%	93.1%
Grade 10	1.7%	1.7%	1.7%	98.3%
Grade 10 Grade 11	2.7%	3.3%	11.8%	88.2%
Grade 11 Grade 12	1.6%	1.6%	2.3%	97.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 87 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.7%	2.6%	97.4%
Grade 9	0.0%	1.1%	2.1%	97.9%
Grade 10	0.7%	0.7%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	2.9%	4.0%	8.1%	91.9%
Grade 7	3.1%	3.1%	3.8%	96.2%
Grade 8	4.5%	6.0%	9.8%	90.2%
Grade 9	1.7%	4.2%	11.0%	89.0%
Grade 10	4.9%	5.8%	9.7%	90.3%
Grade 11	4.0%	5.1%	12.5%	87.5%
Grade 12	0.0%	0.0%	1.1%	98.9%
Methamphetamine				
All	0.4%	1.1%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.7%	3.9%	96.1%
Grade 9	1.6%	3.4%	5.4%	94.6%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.8%	3.6%	96.4%
Grade 12	0.0%	0.0%	2.8%	97.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems (Continued)

3 Margin Tables

Jump to Table of Contents Page 89 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q1	Frequency	Percent
Male	$56,\!515$	49.7%
Female	$57,\!173$	50.3%
Frequency Missing	147	

Gender

Hispanic or Latino

Q5a	Frequency	Percent
No	61,084	54.6%
Yes	50,848	45.4%
Frequency Missing	1,903	

Grade

Q2	Frequency	Percent
Grade 7	20,892	18.4%
Grade 8	19,771	17.4%
Grade 9	20,520	18.1%
Grade 10	$18,\!559$	16.4%
Grade 11	17,418	15.3%
Grade 12	16,327	14.4%
Frequency Missing	348	

Ethnicity

Q5b	Frequency	Percent
American Indian	2,928	2.8%
Asian American	759	0.7%
African American	$8,\!189$	7.9%
Pacific Islander	214	0.2%
White	$57,\!624$	55.4%
Other	15,742	15.1%
More Than One Race	18,592	17.9%
Frequency Missing	9,787	

Live with Both Parents

Q3	Frequency	Percent
No	50,702	44.9%
Yes	$62,\!172$	55.1%
Frequency Missing	960	

Age

Q4	Frequency	Percent
11 or younger	60	0.1%
12	9,245	8.2%
13	19,066	16.9%
14	$19,\!841$	17.5%
15	$19,\!608$	17.3%
16	18,718	16.5%
17	$17,\!310$	15.3%
18	$8,\!681$	7.7%
19 or older	612	0.5%
Frequency Missing	694	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	280	0.3%
Mostly D's	1,035	1.0%
Mostly C's	10,801	10.6%
Mostly B's	45,779	45.1%
Mostly A's	43,577	42.9%
Frequency Missing	12,364	

Do You Have a Job

Q7	Frequency	Percent
No	79,793	78.0%
Yes	$22,\!547$	22.0%
Frequency Missing	$11,\!495$	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 90 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

Q8	Frequency	Percent
No	29,033	28.6%
Yes	41,085	40.4%
Don't Know	31,508	31.0%
Frequency Missing	12,209	

Qualify for Free/Reduced Lunch

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	77,081	87.2%
Yes	$11,\!273$	12.8%
Frequency Missing	$25,\!481$	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	34,758	35.4%
Yes	63,339	64.6%
Frequency Missing	15,738	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	58,325	63.9%
Yes	32,895	36.1%
Frequency Missing	$22,\!616$	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	58,757	63.8%
Yes	33,380	36.2%
Frequency Missing	$21,\!699$	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No Yes	$67,116 \\ 21,713$	$75.6\%\ 24.4\%$
Frequency Missing	25,007	

Participate in School Choir

Q9c	Frequency	Percent
No	80,462	91.4%
Yes	$7,\!603$	8.6%
Frequency Missing	25,770	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	63,641	70.6%
Yes	$26,\!484$	29.4%
Frequency Missing	23,710	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	79,631	90.4%
Yes	$8,\!488$	9.6%
Frequency Missing	25,716	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No Yes Frequency Missing	69,466 19,178 25,191	$78.4\% \\ 21.6\%$

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 91 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q10a	Frequency	Percent
Very Safe	97,760	86.3%
Somewhat Safe	13,131	11.6%
Not Very Safe	1,088	1.0%
Not Safe At All	350	0.3%
Don't Know	898	0.8%
Frequency Missing	608	

Do You Feel Safe in Your Home

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	6,047	5.6%
Some High School	$10,\!643$	9.9%
Finished High School	24,320	22.7%
Some College	$17,\!623$	16.5%
Finished College	25,873	24.2%
Post-Secondary	11,274	10.5%
Don't Know or N/A	11,347	10.6%
Frequency Missing	6,707	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	50,884	45.2%
Somewhat Safe	50,562	44.9%
Not Very Safe	$7,\!119$	6.3%
Not Safe At All	1,573	1.4%
Don't Know	2,464	2.2%
Frequency Missing	1,233	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	57,520	56.4%
Yes	44,476	43.6%
Frequency Missing	11,839	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	46,505	41.3%
Somewhat Safe	49,308	43.8%
Not Very Safe	9,402	8.3%
Not Safe At All	3,758	3.3%
Don't Know	$3,\!686$	3.3%
Frequency Missing	$1,\!177$	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	4,853	4.3%
A Few	24,525	21.8%
Some	$25,\!973$	23.1%
Most	$43,\!477$	38.6%
All	$13,\!696$	12.2%
Frequency Missing	1,311	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	6,297	5.9%
Some High School	13,185	12.4%
Finished High School	29,014	27.3%
Some College	14,621	13.7%
Finished College	16,067	15.1%
Post-Secondary	8,048	7.6%
Don't Know or N/A	19,144	18.0%
Frequency Missing	$7,\!459$	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	2,777	2.5%
A Few	$13,\!579$	12.1%
Some	$27,\!597$	24.5%
Most	49,310	43.8%
All	19,324	17.2%
Frequency Missing	1,249	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 92 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q13c	Frequency	Percent
None	44,989	40.6%
A Few	36,100	32.6%
Some	15,733	14.2%
Most	8,553	7.7%
All	$5,\!350$	4.8%
Frequency Missing	3,111	

Friends Wishing to Drop Out of School

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	105,223	93.5%
In Your Lifetime	4,872	4.3%
Since School Began	1,028	0.9%
In the Past Month	1,416	1.3%
Frequency Missing	$1,\!297$	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	74,884	67.3%
A Few	21,356	19.2%
Some	9,728	8.7%
Most	4,154	3.7%
All	1,121	1.0%
Frequency Missing	2,591	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	$110,\!358$	98.7%
In Your Lifetime	943	0.8%
Since School Began	227	0.2%
In the Past Month	238	0.2%
Frequency Missing	2,068	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	91,902	82.0%
A Few	12,808	11.4%
Some	4,256	3.8%
Most	1,957	1.7%
All	1,119	1.0%
Frequency Missing	1,793	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	$103,\!450$	92.0%
In Your Lifetime	5,814	5.2%
Since School Began	1,278	1.1%
In the Past Month	1,861	1.7%
Frequency Missing	$1,\!432$	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	109,414	97.0%
In Your Lifetime	2,549	2.3%
Since School Began	482	0.4%
In the Past Month	389	0.3%
Frequency Missing	1,002	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	110,323	98.3%
In Your Lifetime	$1,\!195$	1.1%
Since School Began	375	0.3%
In the Past Month	333	0.3%
Frequency Missing	$1,\!610$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 93 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q14f	Frequency	Percent
Never Heard/Used	110,753	98.6%
In Your Lifetime	788	0.7%
Since School Began	288	0.3%
In the Past Month	446	0.4%
Frequency Missing	1,560	

Recent Inhalant Use - Gasoline, Octane

In Your Lifetime Since School Began

In the Past Month

Frequency Missing

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	101,273	90.7%
In Your Lifetime	5,539	5.0%
Since School Began	1,571	1.4%
In the Past Month	3,331	3.0%
Frequency Missing	2,121	

Recent Beer Use

Booster, Carburetor Cleaner			
Q14g	Frequency	Percent	
Never Heard/Used In Your Lifetime	$108,979 \\ 2,041$	97.1% 1.8%	

490

713

1,611

0.4%

0.6%

Q15c	Frequency	Percent
Never Heard/Used	65,371	59.0%
In Your Lifetime	23,432	21.1%
Since School Began	7,973	7.2%
In the Past Month	14,016	12.7%
Frequency Missing	3,043	

Recent Wine Cooler Use

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	110,181	98.1%
In Your Lifetime	1,345	1.2%
Since School Began	257	0.2%
In the Past Month	545	0.5%
Frequency Missing	1,507	

Q15d	Frequency	Percent
Never Heard/Used	$78,\!482$	70.4%
In Your Lifetime	15,978	14.3%
Since School Began	6,355	5.7%
In the Past Month	10,741	9.6%
Frequency Missing	2,279	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	76,368	69.3%
In Your Lifetime	20,138	18.3%
Since School Began	5,235	4.8%
In the Past Month	8,392	7.6%
Frequency Missing	3,703	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	94,430	84.0%
In Your Lifetime	11,169	9.9%
Since School Began	2,183	1.9%
In the Past Month	4,626	4.1%
Frequency Missing	1,427	

Percentages and frequencies have been weighted to reflect proportions within the population.

_

Jump to Table of Contents Page 94 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q15f	Frequency	Percent
Never Heard/Used	$70,\!615$	63.6%
In Your Lifetime	$18,\!899$	17.0%
Since School Began	$8,\!387$	7.6%
In the Past Month	13,062	11.8%
Frequency Missing	$2,\!872$	

Recent Liquor Use

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	110,209	98.3%
In Your Lifetime	1,138	1.0%
Since School Began	273	0.2%
In the Past Month	446	0.4%
Frequency Missing	1,768	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	106,234	95.2%
In Your Lifetime	$3,\!559$	3.2%
Since School Began	609	0.5%
In the Past Month	1,151	1.0%
Frequency Missing	2,282	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	111,079	99.4%
In Your Lifetime	349	0.3%
Since School Began	142	0.1%
In the Past Month	195	0.2%
Frequency Missing	2,070	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	74,166	66.1%
In Your Lifetime	15,913	14.2%
Since School Began	$7,\!892$	7.0%
In the Past Month	14,198	12.7%
Frequency Missing	$1,\!666$	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	108,460	96.9%
In Your Lifetime	1,984	1.8%
Since School Began	456	0.4%
In the Past Month	992	0.9%
Frequency Missing	1,942	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	87,691	78.1%
In Your Lifetime	11,215	10.0%
Since School Began	$3,\!897$	3.5%
In the Past Month	9,413	8.4%
Frequency Missing	$1,\!619$	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	111,283	99.5%
In Your Lifetime	285	0.3%
Since School Began	90	0.1%
In the Past Month	202	0.2%
Frequency Missing	1,975	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 95 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q16g	Frequency	Percent
Never Heard/Used	110,039	98.4%
In Your Lifetime	1,298	1.2%
Since School Began	169	0.2%
In the Past Month	377	0.3%
Frequency Missing	1,951	

Recent Steroid Use

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	107,771	96.4%
In Your Lifetime	2,347	2.1%
Since School Began	252	0.2%
In the Past Month	1,390	1.2%
Frequency Missing	2,075	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	109,989	98.5%
In Your Lifetime	1,062	1.0%
Since School Began	147	0.1%
In the Past Month	507	0.5%
Frequency Missing	$2,\!130$	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	96,579	86.5%
In Your Lifetime	8,711	7.8%
Since School Began	2,626	2.4%
In the Past Month	3,734	3.3%
Frequency Missing	$2,\!185$	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	$111,\!395$	99.5%
In Your Lifetime	299	0.3%
Since School Began	74	0.1%
In the Past Month	208	0.2%
Frequency Missing	1,859	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	106,995	95.9%
In Your Lifetime	2,774	2.5%
Since School Began	615	0.6%
In the Past Month	$1,\!154$	1.0%
Frequency Missing	2,298	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	110,958	99.2%
In Your Lifetime	661	0.6%
Since School Began	86	0.1%
In the Past Month	180	0.2%
Frequency Missing	$1,\!949$	

Recent Prescription Drug Use -Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	105,797	94.9%
In Your Lifetime	3,258	2.9%
Since School Began	1,031	0.9%
In the Past Month	$1,\!440$	1.3%
Frequency Missing	2,309	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 96 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

_

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	105,759	95.1%
In Your Lifetime	3,083	2.8%
Since School Began	742	0.7%
In the Past Month	1,602	1.4%
Frequency Missing	$2,\!648$	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	80,411	72.2%
1-2 times	19,777	17.8%
3-10 times	7,710	6.9%
11 + times	$3,\!430$	3.1%
Frequency Missing	2,507	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	100,401	90.5%
In Your Lifetime	5,772	5.2%
Since School Began	1,553	1.4%
In the Past Month	3,262	2.9%
Frequency Missing	$2,\!848$	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	108,604	97.7%
1-2 times	$1,\!845$	1.7%
3-10 times	471	0.4%
11 + times	279	0.3%
Frequency Missing	$2,\!636$	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	107,037	96.3%
In Your Lifetime	2,375	2.1%
Since School Began	421	0.4%
In the Past Month	1,324	1.2%
Frequency Missing	$2,\!678$	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	97,163	87.3%
1-2 times	6,152	5.5%
3-10 times	3,139	2.8%
11 + times	4,844	4.4%
Frequency Missing	2,536	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	99,768	89.6%
1-2 times	5,554	5.0%
3-10 times	2,059	1.8%
11 + times	4,003	3.6%
Frequency Missing	$2,\!451$	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	110,698	99.2%
1-2 times	562	0.5%
3-10 times	84	0.1%
11 + times	200	0.2%
Frequency Missing	2,291	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 97 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q19f	Frequency	Percent
Never Heard/Used	$111,\!155$	99.7%
1-2 times	230	0.2%
3-10 times	14	0.0%
11 + times	139	0.1%
Frequency Missing	2,297	

Crack Use in Past Month

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	66,865	60.3%
A few	19,792	17.9%
Some	11,588	10.5%
Most	9,429	8.5%
All	3,168	2.9%
Frequency Missing	2,993	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	74,089	66.7%
A few	22,257	20.0%
Some	9,196	8.3%
Most	4,536	4.1%
All	1,017	0.9%
Frequency Missing	2,739	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	50,211	45.2%
A few	29,592	26.6%
Some	17,085	15.4%
Most	11,504	10.4%
All	$2,\!688$	2.4%
Frequency Missing	2,755	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	102,266	92.4%
A few	5,568	5.0%
Some	1,744	1.6%
Most	791	0.7%
All	279	0.3%
Frequency Missing	$3,\!188$	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	89,332	81.7%
8 or younger	1,530	1.4%
9 years old	884	0.8%
10 years old	1,204	1.1%
11 years old	1,358	1.2%
12 years old	2,393	2.2%
13 years old	2,574	2.4%
14 years old	2,877	2.6%
15 years old	3,166	2.9%
16 years old	2,550	2.3%
17 years old	1,052	1.0%
18 or older	484	0.4%
Frequency Missing	4,429	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	56,454	51.7%
8 or younger	$5,\!970$	5.5%
9 years old	1,955	1.8%
10 years old	3,010	2.8%
11 years old	4,020	3.7%
12 years old	6,277	5.8%
13 years old	$7,\!379$	6.8%
14 years old	$7,\!600$	7.0%
15 years old	8,466	7.8%
16 years old	4,629	4.2%
17 years old	2,557	2.3%
18 or older	786	0.7%
Frequency Missing	4,732	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 98 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q21c	Frequency	Percent
Never used it	104,500	95.8%
8 or younger	551	0.5%
9 years old	365	0.3%
10 years old	656	0.6%
11 years old	606	0.6%
12 years old	654	0.6%
13 years old	557	0.5%
14 years old	457	0.4%
15 years old	361	0.3%
16 years old	229	0.2%
17 years old	101	0.1%
18 or older	0	0.0%
Frequency Missing	4,798	

Age When First Used Inhalants

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	107,891	98.6%
8 or younger	62	0.1%
9 years old	44	0.0%
10 years old	36	0.0%
11 years old	21	0.0%
12 years old	91	0.1%
13 years old	217	0.2%
14 years old	357	0.3%
15 years old	386	0.4%
16 years old	222	0.2%
17 years old	82	0.1%
18 or older	34	0.0%
Frequency Missing	$4,\!391$	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	85,371	78.1%
8 or younger	813	0.7%
9 years old	678	0.6%
10 years old	822	0.8%
11 years old	928	0.8%
12 years old	2,235	2.0%
13 years old	3,582	3.3%
14 years old	4,853	4.4%
15 years old	4,852	4.4%
16 years old	3,372	3.1%
17 years old	$1,\!608$	1.5%
18 or older	216	0.2%
Frequency Missing	4,505	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	109,103	99.5%
8 or younger	57	0.1%
9 years old	44	0.0%
10 years old	50	0.0%
11 years old	0	0.0%
12 years old	58	0.1%
13 years old	0	0.0%
14 years old	41	0.0%
15 years old	113	0.1%
16 years old	72	0.1%
17 years old	119	0.1%
Frequency Missing	$4,\!178$	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	107,742	98.5%
8 or younger	372	0.3%
9 years old	70	0.1%
10 years old	37	0.0%
11 years old	71	0.1%
12 years old	185	0.2%
13 years old	266	0.2%
14 years old	155	0.1%
15 years old	316	0.3%
16 years old	37	0.0%
17 years old	91	0.1%
18 or older	10	0.0%
Frequency Missing	$4,\!482$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 99 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q21i	Frequency	Percent
Never used it	107,770	98.5%
8 or younger	94	0.1%
9 years old	0	0.0%
10 years old	12	0.0%
11 years old	114	0.1%
12 years old	84	0.1%
13 years old	230	0.2%
14 years old	248	0.2%
15 years old	388	0.4%
16 years old	307	0.3%
17 years old	147	0.1%
18 or older	0	0.0%
Frequency Missing	4,442	

Age When First Used Ecstasy

Q21k	Frequency	Percent
Never used it	108,641	99.2%
8 or younger	100	0.1%
9 years old	53	0.0%
10 years old	52	0.0%
11 years old	46	0.0%
12 years old	81	0.1%
13 years old	57	0.1%
14 years old	187	0.2%
15 years old	120	0.1%
16 years old	158	0.1%
17 years old	11	0.0%
18 or older	0	0.0%
Frequency Missing	4,328	

Age When First Used Methamphetamine

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	109,103	99.6%
8 or younger	128	0.1%
9 years old	0	0.0%
10 years old	34	0.0%
11 years old	12	0.0%
12 years old	16	0.0%
13 years old	66	0.1%
14 years old	19	0.0%
15 years old	74	0.1%
16 years old	65	0.1%
17 years old	38	0.0%
Frequency Missing	4,280	

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	106,298	97.0%
8 or younger	164	0.1%
9 years old	60	0.1%
10 years old	150	0.1%
11 years old	222	0.2%
12 years old	305	0.3%
13 years old	669	0.6%
14 years old	526	0.5%
15 years old	391	0.4%
16 years old	637	0.6%
17 years old	124	0.1%
18 or older	0	0.0%
Frequency Missing	4,288	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	26,494	24.0%
Impossible	25,067	22.7%
Very Difficult	10,581	9.6%
Somewhat diff	13,032	11.8%
Somewhat easy	15,900	14.4%
Very easy	19,460	17.6%
Frequency Missing	3,303	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 100 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q22b	Frequency	Percent
Never heard of	19,343	17.5%
Impossible	16,102	14.6%
Very Difficult	8,579	7.8%
Somewhat diff	$14,\!243$	12.9%
Somewhat easy	21,845	19.8%
Very easy	30,225	27.4%
Frequency Missing	$3,\!498$	

Difficult to Get Alcohol

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	40,517	36.8%
Impossible	44,901	40.8%
Very Difficult	$13,\!445$	12.2%
Somewhat diff	5,719	5.2%
Somewhat easy	2,341	2.1%
Very easy	3,135	2.8%
Frequency Missing	3,777	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	41,792	38.2%
Impossible	20,760	19.0%
Very Difficult	5,021	4.6%
Somewhat diff	6,708	6.1%
Somewhat easy	10,809	9.9%
Very easy	$24,\!347$	22.2%
Frequency Missing	4,397	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	41,473	37.9%
Impossible	41,382	37.8%
Very Difficult	12,993	11.9%
Somewhat diff	7,121	6.5%
Somewhat easy	3,561	3.3%
Very easy	2,994	2.7%
Frequency Missing	4,311	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	26,720	24.3%
Impossible	30,730	27.9%
Very Difficult	10,333	9.4%
Somewhat diff	$11,\!645$	10.6%
Somewhat easy	11,200	10.2%
Very easy	$19,\!485$	17.7%
Frequency Missing	3,722	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	52,937	48.3%
Impossible	35,137	32.1%
Very Difficult	10,758	9.8%
Somewhat diff	5,085	4.6%
Somewhat easy	2,764	2.5%
Very easy	2,949	2.7%
Frequency Missing	4,205	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	39,021	35.5%
Impossible	44,009	40.0%
Very Difficult	$13,\!655$	12.4%
Somewhat diff	6,377	5.8%
Somewhat easy	3,090	2.8%
Very easy	3,773	3.4%
Frequency Missing	$3,\!911$	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	46,981	42.7%
Impossible	43,242	39.3%
Very Difficult	$11,\!804$	10.7%
Somewhat diff	$3,\!639$	3.3%
Somewhat easy	$1,\!636$	1.5%
Very easy	2,663	2.4%
Frequency Missing	3,869	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 101 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

.

Q22k	Frequency	Percent
Never heard of	47,801	43.6%
Impossible	41,263	37.6%
Very Difficult	11,209	10.2%
Somewhat diff	4,296	3.9%
Somewhat easy	2,049	1.9%
Very easy	3,142	2.9%
Frequency Missing	4,074	

Difficult to Get Methamphetamine

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	335	0.3%
Several times/wk	1,793	1.6%
Several times/mo	7,701	7.1%
About once/month	12,772	11.7%
About once/year	13,314	12.2%
Less than once/year	12,974	11.9%
Never used	59,933	55.1%
Frequency Missing	5,012	

Difficult to Get Synthetic Marijuana

Q221	Frequency	Percent
Never heard of	49,250	45.0%
Impossible	35,089	32.1%
Very Difficult	9,585	8.8%
Somewhat diff	6,107	5.6%
Somewhat easy	4,166	3.8%
Very easy	5,174	4.7%
Frequency Missing	4,464	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	112	0.1%
Several times/wk	297	0.3%
Several times/mo	513	0.5%
About once/month	857	0.8%
About once/year	1,062	1.0%
Less than once/year	1,503	1.4%
Never used	104,916	96.0%
Frequency Missing	4,576	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	2,866	2.6%
Several times/wk	1,723	1.6%
Several times/mo	1,763	1.6%
About once/month	3,393	3.1%
About once/year	2,938	2.7%
Less than once/year	$6,\!545$	6.0%
Never used	90,078	82.4%
Frequency Missing	4,529	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	2,141	2.0%
Several times/wk	2,530	2.3%
Several times/mo	3,126	2.9%
About once/month	3,940	3.6%
About once/year	3,989	3.6%
Less than once/year	6,008	5.5%
Never used	87,645	80.1%
Frequency Missing	$4,\!457$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 102 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	21	0.0%
Several times/mo	91	0.1%
About once/month	307	0.3%
About once/year	354	0.3%
Less than once/year	483	0.4%
Never used	108, 191	98.9%
Frequency Missing	4,389	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	22	0.0%
Several times/mo	121	0.1%
About once/month	237	0.2%
About once/year	451	0.4%
Less than once/year	732	0.7%
Never used	107,785	98.6%
Frequency Missing	4,488	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	36	0.0%
Several times/wk	0	0.0%
Several times/mo	8	0.0%
About once/month	111	0.1%
About once/year	92	0.1%
Less than once/year	243	0.2%
Never used	109,184	99.6%
Frequency Missing	4,161	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	46	0.0%
Several times/wk	59	0.1%
Several times/mo	56	0.1%
About once/month	40	0.0%
About once/year	42	0.0%
Less than once/year	194	0.2%
Never used	108,929	99.6%
Frequency Missing	4,469	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	55	0.1%
Several times/wk	12	0.0%
Several times/mo	18	0.0%
About once/month	132	0.1%
About once/year	314	0.3%
Less than once/year	608	0.6%
Never used	$108,\!458$	99.0%
Frequency Missing	4,239	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	35	0.0%
Several times/wk	49	0.0%
Several times/mo	85	0.1%
About once/month	99	0.1%
About once/year	71	0.1%
Less than once/year	461	0.4%
Never used	$108,\!497$	99.3%
Frequency Missing	4,538	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 103 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q231	Frequency	Percent
Every day	101	0.1%
Several times/wk	266	0.2%
Several times/mo	469	0.4%
About once/month	470	0.4%
About once/year	567	0.5%
Less than once/year	1,084	1.0%
Never used	105,838	97.3%
Frequency Missing	5,040	

How Often Normally Use Synthetic Marijuana

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	74,935	68.7%
12+ drinks	$1,\!154$	1.1%
9-11 drinks	977	0.9%
5-8 drinks	$1,\!698$	1.6%
3-4 drinks	$3,\!105$	2.8%
2 drinks	4,665	4.3%
1 drink	8,235	7.5%
Less than 1 drink	14,378	13.2%
Frequency Missing	4,688	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	64,702	58.8%
12+ drinks	3,565	3.2%
9-11 drinks	2,197	2.0%
5-8 drinks	4,457	4.1%
3-4 drinks	6,250	5.7%
2 drinks	6,219	5.7%
1 drink	$7,\!687$	7.0%
Less than 1 drink	14,915	13.6%
Frequency Missing	$3,\!844$	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	67,841	61.9%
12 + drinks	3,931	3.6%
9-11 drinks	2,143	2.0%
5-8 drinks	$5,\!157$	4.7%
3-4 drinks	6,126	5.6%
2 drinks	6,186	5.6%
1 drink	6,224	5.7%
Less than 1 drink	12,040	11.0%
Frequency Missing	4,186	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	75,119	68.5%
12+ drinks	2,409	2.2%
9-11 drinks	1,739	1.6%
5-8 drinks	3,914	3.6%
3-4 drinks	6,045	5.5%
2 drinks	5,598	5.1%
1 drink	$6,\!537$	6.0%
Less than 1 drink	8,310	7.6%
Frequency Missing	4,164	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	61,462	56.7%
0 days	32,514	30.0%
1 day	5,216	4.8%
2 days	3,314	3.1%
3 to 5 days	2,774	2.6%
6 to 9 days	1,052	1.0%
10 or more days	$2,\!140$	2.0%
Frequency Missing	5,363	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 104 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

-

Q26a	Frequency	Percent
Do not Drink	60,395	55.3%
Never	20,182	18.5%
Seldom	$19,\!155$	17.5%
Most of the Time	$6,\!426$	5.9%
Always	3,097	2.8%
Frequency Missing	4,579	

Get Alcoholic Beverages from Home

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	62,108	57.3%
Never	$25,\!125$	23.2%
Seldom	$10,\!675$	9.8%
Most of the Time	5,708	5.3%
Always	4,814	4.4%
Frequency Missing	$5,\!404$	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	60,065	55.0%
Never	20,705	19.0%
Seldom	15,770	14.4%
Most of the Time	9,841	9.0%
Always	2,805	2.6%
Frequency Missing	$4,\!650$	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	66,260	60.6%
Somewhat	28,550	26.1%
Not very	8,150	7.5%
Not at all	1,733	1.6%
Don't know	$4,\!654$	4.3%
Frequency Missing	4,489	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	63,044	57.9%
Never	38,283	35.2%
Seldom	$3,\!938$	3.6%
Most of the Time	2,063	1.9%
Always	1,564	1.4%
Frequency Missing	4,943	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	$51,\!458$	47.0%
Somewhat	35,752	32.7%
Not very	16,202	14.8%
Not at all	2,530	2.3%
Don't know	$3,\!431$	3.1%
Frequency Missing	4,462	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	58,035	53.2%
Never	20,506	18.8%
Seldom	$11,\!803$	10.8%
Most of the Time	10,793	9.9%
Always	$7,\!890$	7.2%
Frequency Missing	4,808	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	81,176	74.6%
Somewhat	$15,\!622$	14.4%
Not very	3,912	3.6%
Not at all	1,258	1.2%
Don't know	6,814	6.3%
Frequency Missing	5,052	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 105 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q27d	Frequency	Percent
Very	$63,\!178$	58.1%
Somewhat	16,504	15.2%
Not very	13,220	12.1%
Not at all	$11,\!657$	10.7%
Don't know	4,264	3.9%
Frequency Missing	5,013	

Dangerous for Kids to Use Marijuana

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	85,764	78.9%
Somewhat	$12,\!251$	11.3%
Not very	3,334	3.1%
Not at all	856	0.8%
Don't know	6,503	6.0%
Frequency Missing	$5,\!128$	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	97,633	89.5%
Somewhat	6,213	5.7%
Not very	405	0.4%
Not at all	413	0.4%
Don't know	4,378	4.0%
Frequency Missing	4,792	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	98,808	90.7%
Somewhat	3,913	3.6%
Not very	290	0.3%
Not at all	496	0.5%
Don't know	$5,\!441$	5.0%
Frequency Missing	4,887	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	98,141	90.0%
Somewhat	5,286	4.8%
Not very	394	0.4%
Not at all	531	0.5%
Don't know	4,716	4.3%
Frequency Missing	4,766	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	98,144	90.2%
Somewhat	4,016	3.7%
Not very	465	0.4%
Not at all	489	0.4%
Don't know	5,744	5.3%
Frequency Missing	4,976	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	91,044	83.7%
Somewhat	7,399	6.8%
Not very	1,323	1.2%
Not at all	647	0.6%
Don't know	8,312	7.6%
Frequency Missing	$5,\!110$	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	89,698	82.5%
Somewhat	8,333	7.7%
Not very	2,371	2.2%
Not at all	1,336	1.2%
Don't know	6,968	6.4%
Frequency Missing	$5,\!129$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 106 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Dangerous for Kids to Use Any Prescription

Q271	Frequency	Percent
Very	84,770	78.0%
Somewhat	$13,\!293$	12.2%
Not very	3,728	3.4%
Not at all	1,162	1.1%
Don't know	5,720	5.3%
Frequency Missing	5,163	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	43,742	40.7%
1-3 days	52,822	49.2%
4-9 days	8,013	7.5%
10+ days	2,830	2.6%
Frequency Missing	6,429	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	69,503	64.0%
Somewhat	20,354	18.7%
Not very	11,144	10.3%
Not at all	3,720	3.4%
Don't know	3,924	3.6%
Frequency Missing	$5,\!191$	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	96,340	88.5%
1-3 days	10,083	9.3%
4-9 days	1,374	1.3%
10+ days	1,039	1.0%
Frequency Missing	4,999	

Someone Called Home Since September

Q28e	Frequency	Percent
None	99,805	91.9%
1-3 days	6,919	6.4%
4-9 days	1,092	1.0%
10+ days	733	0.7%
Frequency Missing	$5,\!286$	

Days Skipped Since September

Q28a	Frequency	Percent
None	$90,\!654$	83.3%
1-3 days	$14,\!484$	13.3%
4-9 days	2,538	2.3%
10+ days	$1,\!175$	1.1%
Frequency Missing	4,984	

Days Ill Since September

Q28b	Frequency	Percent
None	39,614	36.5%
1-3 days	$53,\!408$	49.1%
4-9 days	12,720	11.7%
10+ days	2,925	2.7%
Frequency Missing	5,168	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	103,354	95.5%
1-3 times	3,999	3.7%
4-9 times	634	0.6%
10+ times	197	0.2%
Frequency Missing	$5,\!651$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 107 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

_

-

Q29b	Frequency	Percent
None	103,439	95.9%
1-3 times	3,532	3.3%
4-9 times	556	0.5%
10+ times	348	0.3%
Frequency Missing	5,960	

Driven a Car After a Good Bit to Drink

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	99,384	92.4%
1-3 days	4,596	4.3%
4-9 days	1,372	1.3%
10+ days	2,202	2.0%
Frequency Missing	6,280	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	104,366	96.6%
1-3 times	3,095	2.9%
4-9 times	461	0.4%
10+ times	153	0.1%
Frequency Missing	5,760	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	$105,\!956$	98.7%
1-3 days	$1,\!126$	1.0%
4-9 days	171	0.2%
10+ days	141	0.1%
Frequency Missing	6,442	

Driven a Car While High from Drugs

_

Q29d	Frequency	Percent
None	102,697	95.2%
1-3 times	3,128	2.9%
4-9 times	658	0.6%
10+ times	1,368	1.3%
Frequency Missing	$5,\!984$	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	$104,\!575$	97.3%
1-3 days	1,725	1.6%
4-9 days	567	0.5%
10+ days	569	0.5%
Frequency Missing	6,399	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	103,273	95.7%
1-3 days	3,795	3.5%
4-9 days	528	0.5%
10+ days	264	0.2%
Frequency Missing	$5,\!976$	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	50,171	46.5%
Seldom	$7,\!603$	7.0%
Half the time	$6,\!492$	6.0%
Most of the Time	9,200	8.5%
Always	9,939	9.2%
Don't Know	2,367	2.2%
Didn't attend	22,221	20.6%
Frequency Missing	$5,\!842$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 108 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q31b	Frequency	Percent
Never	63,468	58.9%
Seldom	6,170	5.7%
Half the time	4,160	3.9%
Most of the Time	4,977	4.6%
Always	4,784	4.4%
Don't Know	2,350	2.2%
Didn't attend	21,855	20.3%
Frequency Missing	6,071	

Sought Help for Drug/Alcohol Problem

Frequency

92,732

 $5,\!970$

15,133

Percent

94.0%

6.0%

Q32

No

Yes

Frequency Missing

Drug Use at Parties This School Year

Would Seek Help from Parents

Q33d	Frequency	Percent
No Yes Frequency Missing	30,685 75,086 8,064	29.0% 71.0%

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	47,301	45.0%
Yes	$57,\!870$	55.0%
Frequency Missing	8,664	

Would Seek Help from Friends

Q33f	Frequency	Percent
No Yes Frequency Missing	$37,954 \\ 66,985 \\ 8,895$	$36.2\% \\ 63.8\%$

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	66,162	62.6%
Yes Frequency Missing	$39,461 \\ 8,212$	37.4%

Would	Seek	Help	from	School	Nurse
-------	------	------	------	--------	-------

Q33b	Frequency	Percent
No Yes Frequency Missing	81,447 23,708 8,680	77.5% 22.5%

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No Yes	59,443	$56.8\%\ 43.2\%$
Frequency Missing	$45,277 \\ 9,115$	43.270

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	39,663	37.6%
Yes	65,763	62.4%
Frequency Missing	8,409	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	60,300	57.5%
Yes	44,510	42.5%
Frequency Missing	9,024	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 109 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q33i	Frequency	Percent
No	85,182	83.3%
Yes	$17,\!111$	16.7%
Frequency Missing	$11,\!542$	

Would Not Seek Help

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No Yes Frequency Missing	75,671 26,473 11,691	$74.1\% \\ 25.9\%$

Drug/Alcohol Info-School Health Class

Q34a	Frequency	Percent
No	71,170	69.0%
Yes	$31,\!970$	31.0%
Frequency Missing	$10,\!695$	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	90,637	88.6%
Yes	$11,\!659$	11.4%
Frequency Missing	$11,\!540$	

Drug/Alcohol Info-School Assembly Program

Q34b	Frequency	Percent
No	$50,\!445$	48.8%
Yes	52,858	51.2%
Frequency Missing	10,532	

Drug/Alcohol Info-Invited School Guest

Q34g	Frequency	Percent
No Yes	65,768 37.035	64.0% 36.0%
Frequency Missing	11,033	00.070

Drug/Alcohol Info-School Guidance Counselor

Q34c	Frequency	Percent
No Yes Frequency Missing	81,616 20,823 11,397	79.7% 20.3%

Drug/Alcohol Info-Another School Source

Q34h	Frequency	Percent
No	$75,\!275$	73.6%
Yes	26,982	26.4%
Frequency Missing	11,578	

Drug/Alcohol Info-School Nurse

Q34d	Frequency	Percent
No	88,550	86.6%
Yes	13,745	13.4%
Frequency Missing	11,539	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	81,358	76.1%
Mild disapprove	8,825	8.3%
Neither	7,714	7.2%
Mildly approve	1,163	1.1%
Strongly approve	933	0.9%
Don't know	6,951	6.5%
Frequency Missing	$6,\!891$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 110 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q35b	Frequency	Percent
Strongly disapprove	62,424	58.4%
Mild disapprove	17,209	16.1%
Neither	15,301	14.3%
Mildly approve	$4,\!641$	4.3%
Strongly approve	1,315	1.2%
Don't know	6,066	5.7%
Frequency Missing	$6,\!879$	

Parents Feel About Kids Drinking Alcohol

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	80,841	75.6%
Mild disapprove	7,166	6.7%
Neither	8,470	7.9%
Mildly approve	1,943	1.8%
Strongly approve	2,086	2.0%
Don't know	6,419	6.0%
Frequency Missing	6,911	

Percentages and frequencies have been weighted to reflect proportions within the population. Jump to Table of Contents Page 111 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Appendix: Reporting Methods for Prevalence & Recency of Use

Jump to Table of Contents Page 112 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Toba	acco Product
tobacco, & electronic vapor products. The init reported usage from among those substances. T	individual tobacco products; cigarettes, smokeless ial values for this category will be the most recent The questions below are used to update these initial alues.
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer		
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.		
Question Updating Rule		
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".	
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".	

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
$(Q21b: alc_1)$	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar⊥u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

C	Cocaine
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year" "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Crack Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ec	stasy
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Н	eroin
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic	Marijuana
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q211 : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Any Illicit Drug

This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.

Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used
"Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".