

HHSC REGION 3 AND 4 REPORT

Prepared by

The Public Policy Research Institute Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

In	ntroduction	1
1	General Substance Use Tables Tobacco Alcohol Drugs Inhalants Miscellaneous	$7 \\ 15 \\ 30$
2	Prevalence TablesTable B-1: All StudentsTable B-2: Male StudentsTable B-2: Male StudentsTable B-3: Female StudentsTable B-4: White Non-Hispanic StudentsTable B-5: African American Non-Hispanic StudentsTable B-6: Hispanic or Latino StudentsTable B-7: Students Reporting A Grades on AverageTable B-8: Students Reporting Grades Lower Than an A on AverageTable B-9: Students Not Living with 2 ParentsTable B-10: Students Not Living with 2 ParentsTable B-11: Students Who Would Seek Help from Adults for Substance Abuse ProblemsTable B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	$\begin{array}{c} 45 \\ 49 \\ 53 \\ 57 \\ 61 \\ 65 \\ 69 \\ 73 \\ 77 \\ 81 \end{array}$
3	Margin Tables	89
A	ppendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 3 and 4. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

Jump to Table of Contents Page 2 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

1 General Substance Use Tables

Jump to Table of Contents Page 3 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Tobacco

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	10.5%	13.3%	24.1%	75.9%
Grade 7	4.2%	4.8%	14.0%	86.0%
Grade 8	10.5%	12.7%	24.2%	75.8%
Grade 9	8.3%	10.0%	17.9%	82.1%
Grade 10	9.1%	13.7%	26.2%	73.8%
Grade 11	14.6%	18.0%	29.8%	70.2%
Grade 12	18.3%	23.3%	35.4%	64.6%
Cigarettes?				
All	1.8%	2.7%	8.3%	91.7%
Grade 7	0.4%	0.5%	4.4%	95.6%
Grade 8	1.5%	2.2%	8.8%	91.2%
Grade 9	1.0%	1.7%	6.2%	93.8%
Grade 10	2.1%	3.4%	7.9%	92.1%
Grade 11	1.8%	3.3%	8.6%	91.4%
Grade 12	4.8%	5.7%	15.1%	84.9%
Smokeless Tobacco?				
All	1.6%	2.1%	4.6%	95.4%
Grade 7	0.3%	0.5%	1.8%	98.2%
Grade 8	1.5%	1.6%	3.4%	96.6%
Grade 9	0.9%	1.3%	3.1%	96.9%
Grade 10	2.2%	2.5%	5.4%	94.6%
Grade 11	1.8%	2.7%	5.8%	94.2%
Grade 12	3.3%	4.5%	8.8%	91.2%
Electronic Vapor Products?				
All	8.4%	11.6%	22.0%	78.0%
Grade 7	1.8%	2.8%	11.7%	88.3%
Grade 8	7.7%	10.3%	22.2%	77.8%
Grade 9	7.1%	8.9%	16.3%	83.7%
Grade 10	7.3%	12.4%	23.3%	76.7%
Grade 11	12.7%	16.3%	28.0%	72.0%
Grade 12	15.3%	21.4%	33.2%	66.8%

Table T-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 4 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	90.9%	1.4%	0.9%	1.1%	1.2%	1.5%	3.0%
Grade 7	96.1%	0.0%	0.1%	0.5%	0.3%	0.5%	2.4%
Grade 8	92.0%	0.3%	0.6%	1.1%	1.1%	1.7%	3.2%
Grade 9	92.7%	0.3%	0.0%	1.9%	1.1%	1.4%	2.6%
Grade 10	91.5%	1.1%	0.7%	0.5%	1.8%	1.2%	3.1%
Grade 11	87.5%	2.5%	2.0%	1.4%	2.0%	1.6%	3.1%
Grade 12	84.5%	4.9%	2.1%	0.9%	1.0%	3.0%	3.5%

Table T-2: How Often Do You Normally Use Tobacco?

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	11.0	11.6	12.2	13.5	14.2	14.4

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.3%	21.9%	9.1%	9.9%	12.6%	13.2%
Grade 7	42.1%	32.0%	7.4%	7.2%	6.6%	4.6%
Grade 8	29.2%	31.2%	10.4%	9.9%	10.5%	8.8%
Grade 9	32.5%	23.0%	10.5%	11.1%	12.0%	10.9%
Grade 10	28.2%	15.7%	11.7%	11.4%	15.7%	17.3%
Grade 11	29.0%	15.3%	7.5%	12.0%	16.6%	19.6%
Grade 12	39.2%	11.8%	6.8%	7.7%	15.2%	19.5%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	80.0%	11.3%	4.8%	3.0%	0.8%
Grade 7	89.7%	8.4%	1.4%	0.2%	0.3%
Grade 8	80.6%	12.2%	4.9%	2.0%	0.3%
Grade 9	82.6%	11.4%	2.9%	2.8%	0.2%
Grade 10	79.5%	10.3%	5.5%	4.4%	0.2%
Grade 11	71.7%	13.1%	8.0%	4.3%	3.0%
Grade 12	73.9%	13.0%	7.1%	4.9%	1.0%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 5 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	81.5%	7.3%	3.3%	0.9%	0.4%	6.6%
Grade 7	84.0%	4.4%	1.9%	0.1%	0.1%	9.5%
Grade 8	85.0%	4.2%	2.5%	0.9%	0.7%	6.7%
Grade 9	85.4%	5.4%	2.6%	0.6%	0.4%	5.6%
Grade 10	83.1%	8.2%	2.7%	0.5%	0.8%	4.8%
Grade 11	78.4%	11.0%	3.6%	1.1%	0.2%	5.7%
Grade 12	71.4%	11.5%	6.8%	2.5%	0.2%	7.5%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	64.8%	23.2%	6.1%	1.2%	4.7%
Grade 7	76.0%	15.5%	3.9%	0.0%	4.4%
Grade 8	67.5%	22.9%	4.5%	1.0%	4.1%
Grade 9	69.7%	19.7%	5.9%	1.5%	3.2%
Grade 10	62.5%	22.4%	7.2%	1.6%	6.2%
Grade 11	54.0%	30.5%	9.1%	1.9%	4.5%
Grade 12	56.4%	30.2%	6.0%	1.4%	5.9%
Electronic Vapor Products?					
All	66.0%	17.3%	8.9%	2.6%	5.2%
Grade 7	78.9%	10.6%	5.1%	0.7%	4.8%
Grade 8	70.2%	15.3%	6.1%	3.4%	4.9%
Grade 9	68.1%	18.2%	6.6%	1.6%	5.5%
Grade 10	63.0%	18.3%	9.6%	3.3%	5.8%
Grade 11	57.0%	20.5%	14.1%	4.3%	4.1%
Grade 12	57.1%	21.6%	12.7%	2.5%	6.2%

Alcohol

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.7%	25.4%	42.7%	57.3%
Grade 7	16.6%	19.8%	36.3%	63.7%
Grade 8	19.4%	22.8%	40.7%	59.3%
Grade 9	19.1%	21.6%	39.6%	60.4%
Grade 10	23.1%	26.6%	45.4%	54.6%
Grade 11	23.7%	29.7%	45.8%	54.2%
Grade 12	30.0%	34.3%	50.0%	50.0%
Beer?				
All	7.7%	12.1%	30.4%	69.6%
Grade 7	3.9%	6.5%	26.5%	73.5%
Grade 8	5.3%	7.3%	30.2%	69.8%
Grade 9	6.9%	10.2%	25.4%	74.6%
Grade 9 Grade 10	9.3%	15.7%	32.6%	67.4%
Grade 10 Grade 11	9.7%	16.1%	33.6%	66.4%
Grade 12	12.2%	18.5%	35.4%	64.6%
Wine Coolers?				
All	6.9%	10.9%	24.2%	75.8%
Grade 7	1.6%	3.6%	13.5%	86.5%
Grade 8	4.1%	6.8%	20.5%	79.5%
Grade 9	5.8%	8.9%	20.5% 21.8%	79.5% 78.2%
Grade 10	8.4%	12.5%	27.2%	72.8%
Grade 10 Grade 11	10.4%	12.5% 15.9%	30.6%	69.4%
Grade 12	12.7%	19.6%	33.9%	66.1%
Wine?				
All	5.9%	9.6%	27.2%	72.8%
Grade 7	3.3%	5.4%	21.2% 21.9%	72.8% 78.1%
Grade 7 Grade 8	4.9%	7.6%	26.0%	73.1% 74.0%
Grade 9	4.9%	8.4%	25.1%	74.0% 74.9%
Grade 9 Grade 10	6.2%	9.9%	27.7%	74.9% 72.3%
Grade 10 Grade 11	6.3%	12.0%	30.1%	69.9%
Grade 12	10.6%	12.0% 15.5%	34.1%	65.9%
Liquor?				
All	8.1%	12.4%	26.8%	73.2%
Grade 7	2.3%	4.0%	15.7%	84.3%
Grade 8	5.2%	7.3%	23.2%	76.8%
Grade 9	7.8%	10.3%	23.2% 23.9%	76.1%
Grade 10	8.7%	14.7%	30.3%	69.7%
Grade 11	11.8%	18.7%	31.7%	68.3%
Grade 11 Grade 12	14.2%	21.5%	38.6%	61.4%

Table A-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 7 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	70.6%	0.1%	0.7%	4.5%	7.5%	8.6%	7.9%
Grade 7	81.1%	0.0%	0.2%	1.3%	3.0%	5.9%	8.5%
Grade 8	73.1%	0.2%	0.3%	3.3%	4.7%	8.5%	9.9%
Grade 9	73.7%	0.2%	0.0%	3.1%	7.6%	6.8%	8.6%
Grade 10	68.3%	0.0%	1.6%	4.2%	8.6%	9.9%	7.4%
Grade 11	64.5%	0.0%	1.2%	6.7%	11.0%	11.0%	5.5%
Grade 12	61.2%	0.2%	0.8%	9.5%	11.0%	10.0%	7.3%

Table A-2: How Often Do You Normally Use Alcohol?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Thai 1
Beer						
	All	72.8%	27.2%	4.2%	12.3%	10.6%
	Grade 7	76.1%	23.9%	0.9%	10.8%	12.2%
	Grade 8	74.1%	25.9%	3.1%	9.1%	13.6%
	Grade 9	77.4%	22.6%	2.1%	8.9%	11.5%
	Grade 10	71.0%	29.0%	5.6%	13.0%	10.3%
	Grade 11	69.8%	30.2%	6.6%	15.6%	8.0%
	Grade 12	66.7%	33.3%	7.9%	18.0%	7.4%
Wine Coolers						
	All	78.3%	21.7%	3.6%	11.9%	6.3%
	Grade 7	87.9%	12.1%	0.4%	5.4%	6.3%
	Grade 8	81.8%	18.2%	2.1%	8.4%	7.8%
	Grade 9	80.6%	19.4%	2.7%	9.5%	7.2%
	Grade 10	75.8%	24.2%	3.3%	14.8%	6.2%
	Grade 11	72.7%	27.3%	4.8%	17.3%	5.3%
	Grade 12	68.7%	31.3%	9.1%	17.4%	4.8%
Wine						
	All	76.8%	23.2%	1.3%	11.1%	10.7%
	Grade 7	81.0%	19.0%	0.6%	7.1%	11.3%
	Grade 8	78.2%	21.8%	1.3%	10.1%	10.4%
	Grade 9	78.8%	21.2%	0.9%	8.9%	11.5%
	Grade 10	75.6%	24.4%	1.5%	11.7%	11.3%
	Grade 11	75.4%	24.6%	2.0%	13.0%	9.6%
	Grade 12	70.9%	29.1%	2.1%	17.0%	10.1%
Liquor						
	All	75.3%	24.7%	5.8%	11.3%	7.7%
	Grade 7	85.2%	14.8%	1.4%	4.7%	8.8%
	Grade 8	80.3%	19.7%	3.6%	7.0%	9.0%
	Grade 9	78.5%	21.5%	5.0%	9.2%	7.3%
	Grade 10	71.6%	28.4%	5.6%	15.6%	7.2%
	Grade 11	69.7%	30.3%	9.2%	14.8%	6.3%
	Grade 12	63.8%	36.2%	11.1%	17.9%	7.2%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 9 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Davs
				0 to 5 Days	$10 \pm Days$
92.8%	2.3%	1.6%	1.8%	0.7%	0.8%
96.6%	1.5%	0.1%	0.3%	0.2%	1.2%
96.1%	1.0%	1.3%	0.8%	0.3%	0.6%
93.8%	2.0%	1.5%	2.1%	0.3%	0.4%
92.8%	3.0%	0.7%	1.5%	1.2%	0.8%
88.7%	3.4%	2.6%	3.2%	1.2%	0.9%
87.6%	3.5%	4.0%	2.9%	1.1%	1.0%
	96.6% 96.1% 93.8% 92.8% 88.7%	$\begin{array}{cccc} 96.6\% & 1.5\% \\ 96.1\% & 1.0\% \\ 93.8\% & 2.0\% \\ 92.8\% & 3.0\% \\ 88.7\% & 3.4\% \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.7	10.2	11.1	12.2	12.8	14.2	14.8

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.5%	14.9%	6.0%	10.1%	17.3%	24.2%
Grade 7	33.7%	23.8%	8.0%	11.2%	10.9%	12.3%
Grade 8	23.7%	19.9%	8.1%	12.5%	17.5%	18.3%
Grade 9	28.2%	15.3%	4.7%	10.6%	16.1%	25.1%
Grade 10	23.7%	8.0%	5.2%	11.1%	20.4%	31.6%
Grade 11	23.6%	10.9%	4.9%	8.9%	18.6%	33.0%
Grade 12	32.4%	10.3%	5.3%	5.2%	20.9%	25.9%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.4%	2.2%	0.3%	0.1%
Grade 7	98.3%	1.5%	0.2%	0.1%
Grade 8	96.8%	2.8%	0.3%	0.0%
Grade 9	97.3%	2.6%	0.1%	0.0%
Grade 10	96.7%	2.8%	0.4%	0.0%
Grade 11	98.0%	1.4%	0.2%	0.4%
Grade 12	97.5%	1.7%	0.8%	0.0%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 10 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	3.9
Alcohol Non-Users	2.9
	Average Days Conduct Problems Reported
Alcohol Users	1.8
Alcohol Non-Users	0.7

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Had a Good Bit to Drink?				
High School	97.5%	1.6%	0.6%	0.4%
Grade 9	98.4%	1.3%	0.2%	0.1%
Grade 10	97.9%	1.7%	0.3%	0.1%
Grade 11	97.2%	1.7%	0.4%	0.8%
Grade 12	96.0%	1.7%	1.6%	0.7%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drinking?				
All	96.7%	2.9%	0.2%	0.3%
Grade 7	97.2%	1.7%	0.1%	1.0%
Grade 8	97.7%	2.2%	0.1%	0.0%
Grade 9	97.5%	2.4%	0.0%	0.1%
Grade 10	96.4%	3.3%	0.3%	0.1%
Grade 11	96.1%	3.3%	0.0%	0.5%
Grade II				

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	62.0%	19.3%	9.7%	7.1%	1.8%
Grade 7	80.0%	15.1%	3.2%	1.2%	0.5%
Grade 8	65.0%	22.1%	8.2%	3.6%	1.1%
Grade 9	65.1%	21.8%	6.5%	5.8%	0.7%
Grade 10	56.0%	19.5%	13.0%	9.3%	2.2%
Grade 11	49.2%	17.5%	15.9%	12.4%	5.0%
Grade 12	53.7%	19.5%	13.0%	11.9%	1.8%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 11 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.6%	6.9%	3.3%	6.1%	7.3%	1.6%	16.2%
Grade 7	73.5%	7.7%	2.4%	2.3%	1.1%	1.3%	11.8%
Grade 8	62.0%	7.4%	4.8%	3.3%	5.4%	2.3%	14.8%
Grade 9	63.6%	7.2%	2.7%	4.3%	4.7%	2.6%	14.9%
Grade 10	49.2%	6.7%	3.1%	11.6%	8.7%	1.7%	19.0%
Grade 11	46.3%	5.3%	3.7%	8.9%	13.8%	1.0%	21.1%
Grade 12	55.7%	6.9%	3.1%	6.7%	11.3%	0.6%	15.8%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 12 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	68.8%	13.2%	12.5%	3.7%	1.9%
	Grade 7	71.6%	12.2%	12.7%	3.3%	0.2%
	Grade 8	68.5%	15.6%	11.7%	3.1%	1.1%
	Grade 9	75.2%	9.9%	10.2%	3.3%	1.4%
	Grade 10	67.6%	12.5%	13.3%	3.6%	3.1%
	Grade 11	67.9%	14.1%	13.1%	2.7%	2.2%
	Grade 12	60.0%	16.0%	14.4%	6.1%	3.5%
	Grade 12	00.070	10.070	14.470	0.170	0.070
Friends?						
	All	70.4%	14.4%	7.3%	5.9%	1.9%
	Grade 7	78.9%	18.1%	1.8%	1.0%	0.2%
	Grade 8	70.9%	17.1%	6.0%	4.8%	1.1%
	Grade 9	75.3%	12.4%	6.0%	3.9%	2.3%
	Grade 10	69.3%	11.5%	9.6%	8.3%	1.3%
	Grade 11	64.3%	12.6%	10.5%	8.5%	4.1%
	Grade 12	61.3%	14.9%	10.9%	9.9%	3.0%
	Grade 12	01.070	11.070	10.070	5.570	0.070
A Store?						
	All	73.1%	22.0%	2.2%	1.6%	1.2%
	Grade 7	79.8%	17.5%	1.2%	1.5%	0.1%
	Grade 8	72.7%	23.9%	1.6%	0.8%	0.9%
	Grade 9	77.7%	18.9%	2.3%	0.7%	0.4%
	Grade 10	71.9%	22.4%	2.4%	1.4%	1.8%
	Grade 11	68.3%	23.6%	3.4%	2.9%	1.8%
	Grade 12	66.3%	26.5%	2.4%	2.7%	2.2%
Parties?	All	68.9%	11.9%	7.9%	7.1%	4.1%
	Grade 7	76.8%	13.6%	5.6%	3.3%	0.7%
	Grade 8	69.1%	15.0% 16.0%	$\frac{5.0\%}{8.0\%}$	3.6%	$\frac{0.7\%}{3.3\%}$
	Grade 8 Grade 9	73.2%	9.7%	$\frac{8.0\%}{7.9\%}$	5.6%	3.5% 3.6%
	Grade 9 Grade 10	67.6%	9.7% 10.7%	7.9% 8.6%	8.7%	
		67.0% 64.2%				4.4%
	Grade 11 Grada 12		10.2%	9.0%	10.7%	5.9%
	Grade 12	60.9%	11.3%	8.7%	11.6%	7.5%
Other Sources?						
	All	73.4%	16.9%	5.3%	2.5%	1.9%
	Grade 7	78.8%	15.9%	3.3%	1.1%	0.9%
	Grade 8	72.7%	17.2%	5.7%	2.2%	2.1%
	Grade 9	78.3%	14.3%	4.6%	1.8%	1.0%
	Grade 10	71.1%	17.9%	6.0%	2.5%	2.6%
	Grade 11	70.2%	17.8%	6.4%	3.4%	2.0%
	Grade 12	67.8%	19.3%	5.9%	4.1%	3.0%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 13 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	65.6%	14.1%	10.1%	3.0%	0.7%	6.4%
Grade 7	74.1%	8.9%	5.4%	1.2%	0.3%	10.2%
Grade 8	73.5%	11.0%	7.4%	1.6%	0.8%	5.8%
Grade 9	70.0%	14.7%	7.8%	2.2%	0.4%	4.9%
Grade 10	61.6%	18.5%	10.0%	3.3%	1.7%	4.9%
Grade 11	59.2%	16.8%	14.0%	4.0%	0.7%	5.3%
Grade 12	54.1%	14.5%	16.8%	6.4%	0.6%	7.6%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	54.5%	27.0%	12.1%	2.3%	4.2%
Grade 7	62.8%	23.4%	7.4%	1.3%	5.0%
Grade 8	56.7%	26.3%	10.5%	2.4%	4.1%
Grade 9	58.1%	24.3%	12.3%	2.6%	2.6%
Grade 10	48.6%	28.1%	16.8%	1.9%	4.6%
Grade 11	46.4%	31.2%	14.7%	4.1%	3.6%
Grade 12	52.9%	29.6%	10.6%	1.5%	5.4%

Drugs

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.9%	12.5%	17.1%	82.9%
Grade 7	3.0%	3.7%	5.6%	94.4%
Grade 8	6.4%	9.3%	12.9%	87.1%
Grade 9	7.1%	9.6%	12.4%	87.6%
Grade 10	10.2%	15.1%	19.2%	80.8%
Grade 11	14.7%	18.9%	25.5%	74.5%
Grade 12	13.8%	21.0%	30.4%	69.6%
Marijuana?				
All	8.5%	10.9%	15.6%	84.4%
Grade 7	2.2%	2.5%	3.4%	96.6%
Grade 8	6.0%	6.7%	9.7%	90.3%
Grade 9	6.8%	8.7%	11.6%	88.4%
Grade 10	9.8%	13.2%	17.5%	82.5%
Grade 11	14.5%	18.3%	25.1%	74.9%
Grade 12	13.1%	17.8%	29.8%	70.2%
Cocaine?				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.3%	0.2%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.8%	1.1%	1.5%	98.5%
Grade 12	1.6%	1.7%	3.3%	96.7%
Crack?				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.5%	0.7%	1.1%	98.9%
Hallucinogens?				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.2%	1.3%	98.7%
Grade 9	0.8%	1.3%	2.8%	97.2%
Grade 10	1.0%	1.4%	2.3%	97.7%
Grade 10 Grade 11	1.7%	2.7%	5.0%	95.0%
Grade 12	1.1%	1.3%	3.6%	96.4%

Table D-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 15 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Table D-1: How Recently, If Ever, Have You Used...

(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.3%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids?				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.1%	0.2%	1.5%	98.5%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.7%	1.2%	2.3%	97.7%
Grade 10	0.3%	0.3%	2.1%	97.9%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.3%	0.6%	99.4%
Ecstasy?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.5%	1.8%	98.2%
Grade 12	0.6%	0.8%	1.3%	98.7%
Heroin?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.8%	1.0%	99.0%
Grade 12	0.4%	0.8%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 16 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	1.1%	1.3%	2.7%	97.3%
Grade 9	1.4%	1.5%	2.8%	97.2%
Grade 10	0.8%	1.1%	2.3%	97.7%
Grade 11	1.0%	1.8%	3.8%	96.2%
Grade 12	0.9%	0.9%	2.0%	98.0%

Table D-1: How Recently, If Ever, Have You Used...

(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 17 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
0	All	87.2%	1.0%	1.4%	1.8%	2.6%	2.8%	3.2%
	Grade 7	98.5%	0.0%	0.0%	0.3%	0.3%	0.4%	0.5%
	Grade 8	92.1%	0.0%	1.2%	1.0%	0.9%	1.8%	3.0%
	Grade 9	90.6%	1.7%	1.1%	1.4%	1.6%	1.7%	1.9%
	Grade 10	84.6%	0.2%	1.9%	2.6%	3.0%	3.5%	4.2%
	Grade 11	79.1%	1.9%	2.5%	2.4%	4.6%	4.0%	5.4%
	Grade 12	76.1%	2.2%	1.7%	3.3%	5.6%	6.4%	4.8%
Cocaine?								
	All	99.2%	0.0%	0.0%	0.0%	0.0%	0.2%	0.6%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.3%	0.0%	0.0%	0.0%	0.0%	0.1%	0.6%
	Grade 9	99.4%	0.0%	0.1%	0.0%	0.0%	0.1%	0.3%
	Grade 10	99.3%	0.0%	0.0%	0.0%	0.0%	0.3%	0.4%
	Grade 11	98.7%	0.0%	0.1%	0.3%	0.0%	0.5%	0.4%
	Grade 12	98.2%	0.0%	0.0%	0.0%	0.0%	0.2%	1.6%
Crack?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.5%
	Grade 9	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.0%	0.4%	0.3%
Steroids?								
	All	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 7	99.5%	0.0%	0.0%	0.1%	0.1%	0.2%	0.1%
	Grade 8	99.5%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 9	99.0%	0.4%	0.0%	0.0%	0.5%	0.0%	0.1%
	Grade 10	99.2%	0.3%	0.0%	0.0%	0.0%	0.2%	0.4%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Ecstasy?								
	All	99.2%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.1%	0.0%	0.0%	0.4%	0.1%	0.1%	0.4%
	Grade 9	99.4%	0.0%	0.1%	0.0%	0.0%	0.0%	0.5%
	Grade 10	99.5%	0.0%	0.1%	0.0%	0.0%	0.3%	0.1%
	Grade 11	98.5%	0.0%	0.0%	0.3%	0.0%	0.6%	0.6%
	Grade 12	98.9%	0.0%	0.3%	0.0%	0.4%	0.1%	0.3%

Table D-2: How Often Do You Normally Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 18 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never	Every	Several	Several	About	About	Less
	Used	Day	Times	Times	Once a	Once a	Than
			a Week	a	Month	Year	Once a
				Month			Year
Heroin?							
All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 7	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	99.7%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?							
All	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 8	99.7%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.7%
Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Synthetic Marijuana?							
All	98.4%	0.1%	0.1%	0.1%	0.3%	0.5%	0.5%
Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Grade 8	98.3%	0.0%	0.5%	0.4%	0.1%	0.2%	0.6%
Grade 9	98.1%	0.1%	0.0%	0.2%	0.3%	0.5%	0.9%
Grade 10	98.7%	0.0%	0.1%	0.1%	0.3%	0.3%	0.5%
Grade 11	96.8%	0.2%	0.2%	0.1%	0.9%	1.4%	0.5%
Grade 12	98.7%	0.4%	0.0%	0.0%	0.0%	0.9%	0.0%

Table D-2: How Often Do You Normally Use...

(Continued)

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.2	11.7	12.4	12.7	14.1	14.6	15.4
Cocaine	13.9	10.3	11.5	11.7	14.4	14.5	16.0
Crack	12.6	11.2	13.2	14.3	N/A	13.5	13.2
Steroids	12.4	8.9	11.2	11.6	13.9	14.7	16.8
Ecstasy	13.8	12.0	11.8	13.1	14.0	14.4	16.7
Heroin	12.1	10.2	12.0	13.4	13.0	13.2	N/A
Metham- phetamine	14.8	11.4	10.8	12.9	13.0	16.7	17.0
Synthetic Marijuana	13.6	9.3	12.3	13.4	13.8	14.9	14.4

Table D-3: Average Age of First Use of...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
Ū	All	32.8%	24.9%	8.0%	8.7%	11.2%	14.4%
	Grade 7	44.6%	38.8%	6.6%	5.6%	2.3%	2.0%
	Grade 8	30.7%	36.2%	11.1%	6.5%	6.9%	8.5%
	Grade 9	30.7%	26.5%	9.9%	9.9%	12.0%	11.0%
	Grade 10	27.1%	17.6%	8.4%	10.5%	16.6%	19.8%
	Grade 11	27.6%	15.6%	5.5%	11.7%	16.2%	23.3%
	Grade 12	36.0%	11.8%	5.9%	7.6%	14.2%	24.5%
Cocaine?							
	All	39.8%	35.2%	13.1%	6.3%	2.5%	3.1%
	Grade 7	46.7%	43.7%	5.1%	2.7%	1.1%	0.7%
	Grade 8	34.9%	46.0%	11.3%	3.6%	1.2%	3.0%
	Grade 9	37.0%	36.4%	15.2%	6.5%	3.0%	2.0%
	Grade 10	35.1%	31.3%	16.6%	9.0%	4.0%	4.1%
	Grade 11	38.2%	27.3%	17.2%	10.3%	2.8%	4.2%
	Grade 12	48.2%	24.2%	13.3%	5.9%	3.3%	5.1%
Crack?							
	All	41.7%	35.9%	13.1%	5.1%	1.7%	2.5%
	Grade 7	48.4%	42.1%	5.3%	2.8%	0.9%	0.6%
	Grade 8	37.0%	46.6%	9.8%	2.8%	0.8%	3.0%
	Grade 9	38.4%	36.4%	15.4%	5.4%	2.5%	1.8%
	Grade 10	37.3%	32.8%	15.9%	8.0%	2.3%	3.7%
	Grade 11	40.9%	30.1%	17.7%	6.6%	1.4%	3.3%
	Grade 12	49.5%	25.1%	15.4%	4.8%	2.4%	2.7%
Steroids?							
	All	42.6%	33.5%	12.3%	6.0%	2.6%	3.2%
	Grade 7	49.7%	39.2%	6.5%	2.6%	0.9%	1.1%
	Grade 8	39.4%	41.9%	11.0%	4.2%	0.5%	2.9%
	Grade 9	38.5%	35.0%	12.9%	7.6%	4.1%	1.8%
	Grade 10	38.1%	29.2%	16.0%	7.0%	4.6%	5.1%
	Grade 11	40.3%	28.0%	13.8%	9.4%	2.4%	6.1%
	Grade 12	50.7%	25.7%	13.9%	4.9%	2.7%	2.1%
Ecstasy?							
	All	49.8%	28.9%	10.9%	5.1%	2.5%	2.8%
	Grade 7	61.7%	30.5%	4.8%	1.4%	0.7%	0.9%
	Grade 8	52.6%	32.8%	8.4%	2.9%	1.1%	2.1%
	Grade 9	46.1%	31.2%	11.5%	6.3%	3.1%	1.7%
	Grade 10	44.3%	28.2%	13.2%	7.0%	3.1%	4.1%
	Grade 11	43.6%	26.0%	14.7%	8.3%	2.3%	5.1%
	Grade 12	50.8%	23.3%	13.5%	4.4%	5.0%	3.1%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 21 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	45.2%	36.9%	10.9%	3.9%	0.9%	2.2%
Grade 7	52.4%	38.7%	4.6%	2.5%	0.4%	1.4%
Grade 8	42.6%	42.5%	9.8%	2.3%	0.8%	2.0%
Grade 9	42.3%	38.9%	11.7%	3.8%	1.5%	1.7%
Grade 10	40.2%	37.5%	12.2%	5.7%	1.2%	3.1%
Grade 11	42.9%	32.4%	15.1%	5.5%	0.6%	3.4%
Grade 12	51.9%	29.8%	12.3%	3.5%	0.8%	1.6%
Methamphetamine?						
All	47.8%	34.7%	10.0%	3.4%	1.6%	2.5%
Grade 7	56.9%	35.6%	4.4%	2.0%	0.5%	0.6%
Grade 8	47.8%	37.7%	8.7%	3.1%	0.3%	2.5%
Grade 9	44.8%	35.9%	11.5%	3.2%	2.1%	2.5%
Grade 10	41.8%	36.5%	11.0%	4.2%	3.2%	3.3%
Grade 11	44.2%	31.6%	13.7%	5.6%	1.1%	3.7%
Grade 12	51.6%	29.7%	11.4%	2.4%	2.5%	2.4%
Synthetic Marijuana?						
All	50.0%	28.6%	9.1%	5.0%	3.2%	4.1%
Grade 7	59.2%	33.5%	3.8%	2.0%	0.6%	0.9%
Grade 8	49.1%	34.0%	7.5%	2.9%	1.9%	4.6%
Grade 9	49.1%	29.7%	9.6%	4.7%	3.3%	3.7%
Grade 10	43.5%	26.8%	11.3%	7.1%	5.9%	5.4%
Grade 11	46.6%	22.8%	13.2%	7.7%	3.4%	6.3%
Grade 12	53.0%	23.8%	9.8%	5.6%	4.0%	3.7%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get... (Continued)

	None	1 to 3 Days	4 to $9~\mathrm{Days}$	10+ Days
Attended Class While High				
from Marijuana Use?				
All	95.1%	2.3%	0.9%	1.6%
Grade 7	99.3%	0.6%	0.1%	0.0%
Grade 8	96.8%	1.9%	0.8%	0.5%
Grade 9	94.5%	1.9%	1.1%	2.4%
Grade 10	94.8%	2.9%	1.2%	1.1%
Grade 11	92.2%	3.7%	1.1%	3.0%
Grade 12	92.9%	3.2%	1.2%	2.6%
Attended Class While High				
from Use of Some Other Drug?				
All	97.7%	1.6%	0.3%	0.4%
Grade 7	99.6%	0.3%	0.0%	0.1%
Grade 8	97.1%	2.4%	0.1%	0.4%
Grade 9	97.3%	0.8%	1.4%	0.6%
Grade 10	98.7%	0.9%	0.1%	0.3%
Grade 11	96.5%	2.5%	0.1%	1.0%
Grade 12	97.1%	2.9%	0.0%	0.0%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.8
Marijuana Non-Users	3.0
	Average Days Conduct Problems Reported
Marijuana Users	2.8
Marijuana Non-Users	0.8

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Felt High from Drugs?				
High School	95.5%	2.5%	0.5%	1.5%
Grade 9	98.3%	0.5%	0.4%	0.8%
Grade 10	98.1%	0.8%	0.2%	0.8%
Grade 11	93.1%	4.2%	0.4%	2.3%
Grade 12	91.5%	5.1%	1.1%	2.3%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drug Use?				
All	97.8%	1.8%	0.3%	0.2%
Grade 7	99.4%	0.5%	0.0%	0.0%
Grade 8	96.5%	2.5%	0.7%	0.2%
Grade 9	98.1%	1.1%	0.4%	0.4%
Grade 10	97.7%	2.0%	0.2%	0.2%
Grade 11	96.4%	3.0%	0.3%	0.4%
Grade 12	98.3%	1.7%	0.0%	0.0%

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	68.9%	15.1%	8.1%	6.5%	1.3%
Grade 7	88.3%	9.9%	1.1%	0.5%	0.2%
Grade 8	74.9%	15.6%	3.8%	4.6%	1.1%
Grade 9	72.4%	14.6%	6.1%	5.1%	1.8%
Grade 10	62.9%	18.9%	8.5%	7.9%	1.8%
Grade 11	55.7%	15.9%	14.2%	12.7%	1.5%
Grade 12	55.4%	16.0%	17.1%	9.6%	1.8%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	65.7%	5.1%	3.2%	3.9%	3.8%	2.1%	16.2%
Grade 7	84.4%	1.7%	0.7%	0.3%	0.1%	1.0%	11.7%
Grade 8	73.5%	4.1%	1.3%	1.3%	3.1%	1.9%	14.8%
Grade 9	67.3%	5.4%	1.9%	2.8%	3.6%	3.9%	14.9%
Grade 10	55.9%	7.6%	5.8%	5.0%	4.4%	2.5%	18.9%
Grade 11	51.6%	6.4%	5.1%	9.1%	5.3%	1.3%	21.3%
Grade 12	59.5%	5.4%	4.9%	5.5%	7.0%	1.3%	16.2%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 24 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.1%	7.8%	6.0%	1.6%	1.0%	6.5%
Grade 7	85.2%	1.8%	2.5%	1.2%	0.1%	9.2%
Grade 8	84.3%	5.0%	2.8%	1.2%	0.9%	5.8%
Grade 9	81.1%	7.7%	3.6%	1.1%	1.0%	5.6%
Grade 10	72.9%	10.1%	8.3%	1.0%	1.8%	5.9%
Grade 11	72.6%	10.4%	8.1%	1.9%	1.5%	5.4%
Grade 12	64.9%	12.3%	11.7%	3.3%	0.7%	7.2%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?		0	0	0		
manjuana:	All	61.3%	12.9%	11.0%	9.9%	4.8%
	Grade 7	81.4%	8.3%	2.5%	3.3%	4.6%
	Grade 7 Grade 8	71.4%	10.6%	8.3%	4.3%	5.4%
	Grade 9	67.9%	10.0% 11.8%	9.3%	6.8%	4.2%
	Grade 10	50.1%	11.8% 15.0%	9.5% 15.5%	13.8%	$\frac{4.276}{5.6\%}$
	Grade 10 Grade 11	46.9%	16.0%	16.0%	13.8% 17.1%	3.9%
	Grade 11 Grade 12	40.9% 45.5%	16.9%	15.9%	16.3%	
	Grade 12	43.3%	10.9%	13.9%	10.5%	5.4%
Cocaine?						
	All	88.3%	5.9%	0.6%	0.4%	4.9%
	Grade 7	89.6%	5.0%	0.5%	0.0%	4.8%
	Grade 8	88.0%	6.7%	0.4%	0.2%	4.7%
	Grade 9	90.3%	4.4%	0.4%	0.7%	4.2%
	Grade 10	85.8%	7.5%	0.5%	0.2%	6.0%
	Grade 11	88.3%	5.4%	1.1%	1.0%	4.3%
	Grade 11 Grade 12	87.5%	6.6%	0.5%	0.2%	5.3%
	Grade 12	01.070	0.070	0.070	0.270	0.070
Crack?						
	All	89.0%	4.8%	0.5%	0.3%	5.4%
	Grade 7	89.2%	5.3%	0.6%	0.0%	4.8%
	Grade 8	88.2%	5.3%	0.8%	0.1%	5.6%
	Grade 9	89.8%	3.9%	0.5%	0.5%	5.4%
	Grade 10	87.6%	5.7%	0.5%	0.2%	6.0%
	Grade 11	90.0%	4.3%	0.4%	0.8%	4.6%
	Grade 12	88.9%	4.7%	0.4%	0.2%	5.8%
Ecstasy?						
Ecstasy:	All	83.2%	7.2%	1.6%	0.5%	7.6%
	Grade 7	85.4%	5.2%	0.6%	0.1%	8.9%
	Grade 8	81.8%	7.1%	0.7%	0.0%	10.4%
	Grade 9	85.8%	4.5%	1.8%	0.6%	7.3%
	Grade 10	81.5%	7.8%	2.4%	1.1%	7.3%
	Grade 10 Grade 11	79.8%	11.5%	2.470 2.5%	1.1% 1.2%	5.0%
	Grade 11 Grade 12	84.4%	7.4%	1.7%	0.2%	6.3%
	Grade 12	01.1/0		1.170	0.270	0.070
Steroids?						
	All	78.8%	11.3%	3.3%	0.8%	5.8%
	Grade 7	85.5%	7.0%	1.3%	0.3%	5.9%
	Grade 8	79.2%	10.9%	2.1%	0.6%	7.2%
	Grade 9	80.5%	9.5%	3.8%	1.2%	5.0%
	Grade 10	74.1%	14.3%	3.8%	1.3%	6.6%
	Grade 11	74.0%	14.7%	5.6%	1.0%	4.6%
	Grade 12	78.8%	12.1%	3.2%	0.4%	5.5%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 26 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very	Somewhat	Not Very	Not at All	Do Not
	Dangerous	Dangerous	Dangerous	Dangerous	Know
Heroin?					
All	89.9%	3.8%	0.3%	0.3%	5.8%
Grade 7	89.5%	4.2%	0.2%	0.0%	6.0%
Grade 8	87.9%	4.8%	0.5%	0.1%	6.8%
Grade 9	90.9%	3.1%	0.3%	0.4%	5.2%
Grade 10	89.1%	4.2%	0.4%	0.2%	6.1%
Grade 11	92.2%	2.8%	0.5%	0.8%	3.8%
Grade 12	89.7%	3.5%	0.0%	0.2%	6.6%
Methamphetamine?					
All	89.5%	3.9%	0.3%	0.3%	6.0%
Grade 7	89.4%	3.7%	0.3%	0.0%	6.6%
Grade 8	86.6%	5.0%	0.5%	0.0%	8.0%
Grade 9	90.7%	3.2%	0.4%	0.4%	5.4%
Grade 10	88.8%	4.6%	0.2%	0.2%	6.1%
Grade 11	91.7%	3.5%	0.2%	1.0%	3.6%
Grade 12	90.0%	3.4%	0.0%	0.2%	6.4%
Synthetic Marijuana?					
All	81.4%	7.5%	2.1%	0.9%	8.1%
Grade 7	85.6%	5.7%	0.7%	0.3%	7.7%
Grade 8	80.5%	8.2%	1.9%	0.4%	9.0%
Grade 9	84.6%	6.2%	2.1%	0.4%	6.6%
Grade 10	80.5%	8.3%	2.3%	1.0%	7.9%
Grade 11	77.5%	9.2%	2.9%	1.7%	8.7%
Grade 12	78.9%	7.7%	3.0%	1.5%	8.8%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use... $({\rm Continued})$

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.9%	8.7%	15.7%	84.3%
Grade 7	5.8%	9.0%	15.2%	84.8%
Grade 8	8.2%	11.6%	20.7%	79.3%
Grade 9	7.0%	8.8%	16.1%	83.9%
Grade 10	3.9%	7.2%	13.9%	86.1%
Grade 10 Grade 11	5.8%	8.3%	13.8%	86.2%
Grade 12	4.6%	7.0%		85.9%
Grade 12	4.0%	1.0%	14.1%	83.970
Codeine Cough Syrup?				
All	2.9%	4.4%	10.0%	90.0%
Grade 7	3.8%	5.5%	10.8%	89.2%
Grade 8	4.2%	6.3%	13.7%	86.3%
Grade 9	3.6%	4.5%	10.2%	89.8%
Grade 10	0.9%	2.9%	8.5%	91.5%
Grade 10 Grade 11	1.8%	2.9% 2.9%	7.7%	92.3%
Grade 11 Grade 12	2.6%		8.5%	
Grade 12	2.0%	4.2%	0.0%	91.5%
OxyContin, Percodan, Per-				
cocet, Oxycodone, Vicodin,				
Lortab, Lorcet, or Hy-				
drocodone?				
All	0.6%	1.0%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.6%	0.1%	1.4%	98.6%
Grade 9	0.0%	1.0%	2.4%	97.6%
Grade 9 Grade 10	$0.9\% \\ 0.1\%$	0.2%	1.4%	97.0% 98.6%
Grade 11 Grade 12	0.8%	2.1%	4.1%	95.9%
Grade 12	1.0%	2.5%	6.3%	93.7%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.9%	1.8%	3.8%	96.2%
Grade 7	0.3%	1.0%	1.8%	98.2%
Grade 8	0.3%	1.6%	3.7%	96.3%
Grade 9	1.8%	2.5%	4.5%	90.5% 95.5%
Grade 10	0.4%	1.3%	3.5%	96.5%
Grade 11	1.4%	2.5%	4.9%	95.1%
Grade 12	0.9%	2.0%	5.0%	95.0%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.9%	2.9%	4.9%	95.1%
Grade 7	0.6%	1.6%	3.6%	96.4%
Grade 8	1.0%	1.0% 1.4%	3.0%	97.0%
Grade 9 Create 10	2.6%	3.0%	5.3%	94.7%
Grade 10	1.2%	2.9%	4.5%	95.5%
Grade 11	4.1%	5.3%	7.1%	92.9%
Grade 12	2.4%	3.5%	6.4%	93.6%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 28 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug				
Not Listed Above?				
All	2.6%	4.2%	8.0%	92.0%
Grade 7	2.6%	5.2%	10.0%	90.0%
Grade 8	5.3%	7.2%	12.9%	87.1%
Grade 9	3.0%	3.9%	7.5%	92.5%
Grade 10	2.0%	2.8%	5.7%	94.3%
Grade 11	0.9%	3.5%	5.2%	94.8%
Grade 12	1.3%	1.8%	5.7%	94.3%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You... (Continued)

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.3%	2.8%	97.2%
Grade 7	0.7%	1.2%	2.7%	97.3%
Grade 8	2.4%	2.9%	4.5%	95.5%
Grade 9	0.4%	0.6%	2.0%	98.0%
Grade 10	0.6%	0.7%	2.5%	97.5%
Grade 11	1.2%	1.7%	2.4%	97.6%
Grade 12	0.7%	0.7%	2.6%	97.4%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.8%	13.4%	3.8%	1.0%	6.0%
Grade 7	81.9%	8.6%	2.3%	0.4%	6.7%
Grade 8	74.7%	13.2%	4.8%	1.0%	6.3%
Grade 9	75.1%	12.7%	5.0%	1.8%	5.3%
Grade 10	75.1%	14.2%	3.7%	1.1%	5.9%
Grade 11	71.7%	17.7%	4.8%	0.7%	5.1%
Grade 12	76.1%	14.5%	1.8%	0.5%	7.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 29 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Inhalants

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.6%	4.5%	10.2%	89.8%
Grade 7	4.9%	5.2%	13.7%	86.3%
Grade 8	4.6%	5.8%	11.8%	88.2%
Grade 9	4.2%	5.3%	11.2%	88.8%
Grade 10	2.4%	3.5%	8.7%	91.3%
Grade 11	1.7%	2.7%	6.6%	93.4%
Grade 12	3.6%	4.2%	8.1%	91.9%
Spray Paint?				
All	0.5%	0.9%	2.1%	97.9%
Grade 7	0.6%	0.8%	2.6%	97.4%
Grade 8	0.5%	1.2%	2.6%	97.4%
Grade 9	0.0%	0.3%	1.5%	98.5%
Grade 10	0.5%	1.4%	1.9%	98.1%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	0.7%	1.1%	3.4%	96.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.6%	4.5%	95.5%
Grade 7	0.8%	1.2%	7.4%	92.6%
Grade 8	1.9%	2.8%	5.6%	94.4%
Grade 9	1.2%	2.0%	5.6%	94.4%
Grade 10	0.4%	1.6%	2.5%	97.5%
Grade 11	0.4%	0.6%	1.8%	98.2%
Grade 12	1.0%	1.4%	3.3%	96.7%
Computer Dusting Sprays?				
All	0.3%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.3%	0.5%	1.0%	99.0%
Grade 10	0.5%	1.0%	1.5%	98.5%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	1.0%	1.3%	2.1%	97.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.9%	1.3%	4.7%	95.3%
Grade 7	1.3%	1.4%	6.0%	94.0%
Grade 8	1.1%	1.5%	5.6%	94.4%
Grade 9	0.7%	1.3%	4.2%	95.8%
Grade 10	1.0%	2.0%	5.9%	94.1%
Grade 11	0.5%	0.8%	2.4%	97.6%
Grade 12	0.6%	0.7%	3.8%	96.2%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 30 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.1%	0.4%	0.9%	99.1%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.6%	1.3%	2.1%	97.9%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	1.1%	98.9%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.4%	1.1%	98.9%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.6%	1.3%	2.1%	97.9%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	0.8%	1.0%	2.5%	97.5%
Grade 8	0.8%	0.9%	2.6%	97.4%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.7%	1.1%	98.9%
Grade 12	1.0%	1.0%	3.1%	96.9%
Other Aerosols/Sprays?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.5%	0.8%	1.8%	98.2%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.8%	99.2%
Grade 12	1.3%	1.3%	2.1%	97.9%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High... (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 31 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.6%	0.0%	0.2%	0.2%	0.5%	0.6%	1.0%
Grade 7	96.9%	0.0%	0.7%	0.3%	0.5%	0.5%	1.2%
Grade 8	97.0%	0.3%	0.3%	0.4%	0.6%	0.8%	0.8%
Grade 9	97.4%	0.0%	0.0%	0.1%	0.4%	0.8%	1.4%
Grade 10	98.3%	0.0%	0.0%	0.0%	0.4%	0.3%	0.9%
Grade 11	98.6%	0.0%	0.0%	0.3%	0.0%	0.5%	0.6%
Grade 12	97.7%	0.0%	0.0%	0.0%	0.9%	0.4%	1.0%

Table I-2: How Often Do You Normally Use Inhalants?

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.3%	5.0%	2.5%	1.2%
Grade 7	88.8%	5.6%	4.1%	1.5%
Grade 8	88.8%	6.9%	3.3%	1.0%
Grade 9	90.4%	6.0%	2.5%	1.2%
Grade 10	92.5%	4.1%	2.3%	1.1%
Grade 11	94.5%	3.9%	1.1%	0.4%
Grade 12	93.6%	2.9%	1.1%	2.4%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.8	10.7	11.2	11.4	12.2	14.2	14.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.6%	0.2%	0.2%
Grade 7	99.1%	0.3%	0.1%	0.5%
Grade 8	98.2%	1.7%	0.1%	0.0%
Grade 9	98.5%	0.7%	0.6%	0.2%
Grade 10	99.6%	0.2%	0.1%	0.1%
Grade 11	99.4%	0.2%	0.0%	0.4%
Grade 12	99.5%	0.5%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 32 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons			
Inhalant Users	4.2			
Inhalant Non-Users	3.1			
	Average Days Conduct Problems Reported			
Inhalant Users	4.0			
Inhalant Non-Users	0.9			

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.2%	4.0%	1.3%	0.3%	0.2%
Grade 7	93.7%	3.6%	1.8%	0.4%	0.5%
Grade 8	91.7%	5.9%	1.7%	0.5%	0.2%
Grade 9	94.1%	4.1%	1.3%	0.4%	0.1%
Grade 10	94.9%	4.2%	0.7%	0.2%	0.0%
Grade 11	95.3%	3.5%	0.9%	0.0%	0.3%
Grade 12	95.7%	2.7%	1.0%	0.5%	0.1%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.7%	14.7%	4.7%	1.4%	7.6%
Grade 7	76.9%	12.4%	3.5%	0.8%	6.4%
Grade 8	68.4%	15.7%	6.1%	1.4%	8.5%
Grade 9	72.1%	15.3%	4.1%	1.9%	6.6%
Grade 10	69.9%	14.8%	5.4%	1.1%	8.7%
Grade 11	69.1%	17.0%	5.5%	1.2%	7.2%
Grade 12	73.6%	12.7%	3.7%	1.7%	8.2%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.9%	17.7%	5.3%	5.3%	8.3%	21.4%
Grade 7	48.7%	24.0%	4.8%	4.8%	6.8%	10.9%
Grade 8	40.0%	22.5%	5.3%	4.7%	7.4%	20.1%
Grade 9	38.4%	19.4%	6.0%	7.0%	8.7%	20.4%
Grade 10	37.1%	11.9%	7.4%	6.1%	9.9%	27.6%
Grade 11	39.2%	14.0%	3.9%	5.7%	7.4%	29.9%
Grade 12	48.9%	13.0%	4.3%	3.2%	10.1%	20.5%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents

Page 33 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Miscellaneous

	Yes
A School Health Class	
All	41.9%
Grade 7	30.0%
Grade 8	54.9%
Grade 9	42.6%
Grade 10	40.8%
Grade 11	35.8%
Grade 12	48.1%
An Assembly Program	
All	51.2%
Grade 7	45.2%
Grade 8	52.9%
Grade 9	53.1%
Grade 10	52.2%
Grade 10 Grade 11	44.3%
Grade 11 Grade 12	44.3% 60.1%
Grade 12	00.170
Guidance Counselor	
All	27.8%
Grade 7	30.9%
Grade 8	31.5%
Grade 9	26.0%
Grade 10	21.7%
Grade 11	23.8%
Grade 12	34.2%
School Nurse	
All	16.2%
Grade 7	15.8%
Grade 8	15.2%
Grade 9	16.2%
Grade 10	15.9%
Grade 11	11.7%
Grade 12	22.6%
Science or Social Studies Class All	26.8%
Grade 7	25.2%
Grade 8	23.2% 24.4%
Grade 9	35.7%
Grade 9 Grade 10	35.7% 25.5%
Grade 10 Grade 11	25.5% 20.7%
	ZUL (70

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 34 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

	Yes
Student Group or Club Meeting at School	
All	16.5%
Grade 7	10.1%
Grade 8	13.7%
Grade 9	19.4%
Grade 10	15.9%
Grade 11	16.3%
Grade 12	23.4%
An Invited School Guest	
All	37.0%
Grade 7	29.5%
Grade 8	35.8%
Grade 9	39.9%
Grade 10	37.9%
Grade 11	32.0%
Grade 12	47.2%
Another Source at School	
All	32.5%
Grade 7	27.9%
Grade 8	32.1%
Grade 9	33.2%
Grade 10	32.2%
Grade 11	33.0%
Grade 12	36.9%
Any School Source	
All	71.9%
Grade 7	68.1%
Grade 8	77.0%
Grade 9	75.2%
Grade 10	72.2%
Grade 11	64.0%
Grade 12	74.9%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 35 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Yes
Counselor/Program In-School	
All	36.9%
Grade 7	48.9%
Grade 8	42.7%
Grade 9	34.2%
Grade 10	29.0%
Grade 11	28.6%
Grade 12	38.0%
School Nurse	
All	24.4%
Grade 7	34.5%
Grade 8	26.1%
Grade 9	25.7%
Grade 10	16.6%
Grade 11	20.2%
Grade 12	23.0%
Another Adult In School	
All	44.9%
Grade 7	50.9%
Grade 8	48.2%
Grade 9	42.2%
Grade 10	40.5%
Grade 11	40.1%
Grade 12	48.2%
Counselor/Program Outside-School	
All	40.4%
Grade 7	47.1%
Grade 8	42.3%
Grade 9	39.8%
Grade 10	35.9%
Grade 11	35.0%
Grade 12	42.1%
Your Parents	
All	68.5%
Grade 7	73.0%
Grade 8	71.5%
Grade 9	68.8%
Grade 10	62.4%
Grade 11	67.1%
Grade 12	68.5%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 36 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Yes
A Medical Doctor		
	All	57.3%
	Grade 7	68.9%
	Grade 8	66.1%
	Grade 9	56.7%
	Grade 10	47.4%
	Grade 11	51.2%
	Grade 12	53.4%
Your Friends		
	All	65.4%
	Grade 7	49.1%
	Grade 8	63.8%
	Grade 9	62.7%
	Grade 10	72.8%
	Grade 11	74.3%
	Grade 12	70.4%
Another Adult		
	All	56.4%
	Grade 7	59.2%
	Grade 8	60.4%
	Grade 9	54.8%
	Grade 10	51.2%
	Grade 11	54.6%
	Grade 12	58.7%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To? (Continued)

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	5.1%
Grade 7	4.5%
Grade 8	5.6%
Grade 9	7.9%
Grade 10	4.6%
Grade 11	1.9%
Grade 12	5.6%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 37 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.2%	17.8%	20.6%	40.6%	16.8%
Grade 7	5.2%	18.0%	15.7%	39.1%	22.0%
Grade 8	5.5%	19.6%	18.3%	38.9%	17.6%
Grade 9	2.0%	16.9%	25.3%	39.9%	15.9%
Grade 10	3.1%	19.1%	19.8%	44.4%	13.6%
Grade 11	3.4%	12.8%	23.9%	43.9%	16.1%
Grade 12	6.2%	20.8%	20.8%	37.1%	15.1%
Sometimes Carry Weapons?					
All	84.1%	10.5%	3.4%	1.5%	0.5%
Grade 7	86.7%	9.2%	2.8%	0.4%	0.8%
Grade 8	85.3%	10.3%	3.0%	1.0%	0.5%
Grade 9	84.8%	10.6%	2.8%	1.2%	0.6%
Grade 10	82.5%	11.3%	3.0%	2.5%	0.7%
Grade 11	84.3%	10.4%	4.1%	0.7%	0.3%
Grade 12	80.0%	11.3%	5.3%	3.1%	0.3%
Care About Making Good Grades?					
All	1.6%	9.4%	19.8%	46.4%	22.8%
Grade 7	3.4%	11.2%	21.6%	39.3%	24.5%
Grade 8	1.4%	11.0%	24.5%	42.0%	21.0%
Grade 9	1.2%	7.4%	18.8%	48.3%	24.3%
Grade 10	0.8%	8.8%	19.6%	51.4%	19.4%
Grade 11	1.1%	5.7%	17.6%	52.8%	22.9%
Grade 12	1.7%	12.3%	16.2%	44.7%	25.1%
Belong/Want to Belong to a Gang?					
All	88.9%	7.4%	2.3%	0.7%	0.7%
Grade 7	87.5%	7.6%	3.3%	0.7%	0.9%
Grade 8	85.7%	10.3%	2.5%	1.0%	0.5%
Grade 9	91.3%	4.8%	1.9%	1.2%	0.8%
Grade 10	88.4%	8.2%	2.1%	0.9%	0.4%
Grade 11	91.5%	5.7%	1.4%	0.2%	1.2%
Grade 12	89.1%	7.8%	2.4%	0.0%	0.7%
Wish They Could Drop Out of School?					
All	49.2%	27.7%	12.8%	6.0%	4.2%
Grade 7	56.3%	21.2%	11.4%	7.4%	3.7%
Grade 8	50.1%	31.9%	10.2%	4.7%	3.0%
Grade 9	45.3%	27.3%	14.9%	6.3%	6.2%
Grade 10	42.3%	31.4%	16.5%	6.0%	3.8%
Grade 11	52.1%	27.1%	13.0%	3.7%	4.1%
Grade 12	49.8%	27.6%	10.4%	7.8%	4.4%

Table X-4: About How Many of Your Close Friends...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 38 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.8%	11.0%	0.8%	0.5%	0.8%
Grade 7	84.8%	12.7%	1.4%	0.2%	0.9%
Grade 8	83.4%	13.6%	0.9%	0.3%	1.9%
Grade 9	87.6%	10.9%	0.4%	0.7%	0.3%
Grade 10	85.8%	11.7%	1.1%	0.9%	0.4%
Grade 11	90.5%	7.7%	0.2%	0.9%	0.6%
Grade 12	89.4%	9.0%	0.8%	0.0%	0.8%
Out In Your Neighborhood?					
All	55.0%	37.2%	4.2%	1.3%	2.3%
Grade 7	46.0%	40.9%	6.9%	1.9%	4.4%
Grade 8	44.8%	46.3%	5.4%	1.0%	2.5%
Grade 9	56.6%	37.2%	2.8%	1.6%	1.7%
Grade 10	60.8%	33.3%	3.6%	0.2%	2.1%
Grade 11	63.9%	31.5%	1.6%	1.0%	1.9%
Grade 12	58.9%	32.9%	5.2%	1.9%	1.1%
At School?					
All	44.9%	42.8%	6.0%	3.5%	2.9%
Grade 7	43.2%	43.2%	6.4%	4.1%	3.1%
Grade 8	44.0%	41.7%	7.7%	3.2%	3.4%
Grade 9	39.7%	45.9%	7.5%	4.2%	2.8%
Grade 10	42.2%	46.6%	5.2%	3.0%	3.0%
Grade 11	52.8%	36.6%	4.3%	3.3%	3.1%
Grade 12	49.1%	41.7%	4.5%	3.0%	1.7%

Table X-5: How Safe Do You Feel When You Are...

2 Prevalence Tables

Jump to Table of Contents Page 40 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.5%	13.3%	24.1%	75.9%
Grade 7	4.2%	4.8%	14.0%	86.0%
Grade 8	10.5%	12.7%	24.2%	75.8%
Grade 9	8.3%	10.0%	17.9%	82.1%
Grade 10	9.1%	13.7%	26.2%	73.8%
Grade 11	14.6%	18.0%	29.8%	70.2%
Grade 12	18.3%	23.3%	35.4%	64.6%
Any Alcohol Product				
All	21.7%	25.4%	42.7%	57.3%
Grade 7	16.6%	19.8%	36.3%	63.7%
Grade 8	19.4%	22.8%	40.7%	59.3%
Grade 9	19.1%	21.6%	39.6%	60.4%
Grade 10	23.1%	26.6%	45.4%	54.6%
Grade 11	23.7%	29.7%	45.8%	54.2%
Grade 12	30.0%	34.3%	50.0%	50.0%
Any Illicit Drug				
All	8.9%	12.5%	17.1%	82.9%
Grade 7	3.0%	3.7%	5.6%	94.4%
Grade 8	6.4%	9.3%	12.9%	87.1%
Grade 9	7.1%	9.6%	12.4%	87.6%
Grade 10	10.2%	15.1%	19.2%	80.8%
Grade 11	14.7%	18.9%	25.5%	74.5%
Grade 12	13.8%	21.0%	30.4%	69.6%
Any Prescription Drug				
All	5.9%	8.7%	15.7%	84.3%
Grade 7	5.8%	9.0%	15.2%	84.8%
Grade 8	8.2%	11.6%	20.7%	79.3%
Grade 9	7.0%	8.8%	16.1%	83.9%
Grade 10	3.9%	7.2%	13.9%	86.1%
Grade 11	5.8%	8.3%	13.8%	86.2%
Grade 12	4.6%	7.0%	14.1%	85.9%
Any Inhalant				
All	3.6%	4.5%	10.2%	89.8%
Grade 7	4.9%	5.2%	13.7%	86.3%
Grade 8	4.6%	5.8%	11.8%	88.2%
Grade 9	4.2%	5.3%	11.2%	88.8%
Grade 10	2.4%	3.5%	8.7%	91.3%
Grade 11	1.7%	2.7%	6.6%	93.4%
Grade 12	3.6%	4.2%	8.1%	91.9%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 41 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.4%	11.6%	22.0%	78.0%
Grade 7	1.8%	2.8%	11.7%	88.3%
Grade 8	7.7%	10.3%	22.2%	77.8%
Grade 9	7.1%	8.9%	16.3%	83.7%
Grade 10	7.3%	12.4%	23.3%	76.7%
Grade 11	12.7%	16.3%	28.0%	72.0%
Grade 12	15.3%	21.4%	33.2%	66.8%
Marijuana				
3 All	8.5%	10.9%	15.6%	84.4%
Grade 7	2.2%	2.5%	3.4%	96.6%
Grade 8	6.0%	6.7%	9.7%	90.3%
Grade 9	6.8%	8.7%	11.6%	88.4%
Grade 10	9.8%	13.2%	17.5%	82.5%
Grade 11	14.5%	18.3%	25.1%	74.9%
Grade 12	13.1%	17.8%	29.8%	70.2%
Marijuana Only				
All	4.9%	6.8%	10.8%	89.2%
Grade 7	1.1%	1.5%	2.3%	97.7%
Grade 8	3.7%	4.3%	6.4%	93.6%
Grade 9	2.6%	4.3%	6.6%	93.4%
Grade 10	6.6%	9.5%	13.1%	86.9%
Grade 11	8.2%	10.9%	16.0%	84.0%
Grade 12	8.4%	11.9%	22.7%	77.3%
Cocaine or Crack				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.5%	0.8%	1.1%	98.9%
Grade 11	0.8%	1.1%	1.7%	98.3%
Grade 12	1.6%	1.8%	3.3%	96.7%
Cocaine				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.8%	1.1%	1.5%	98.5%
Grade 12	1.6%	1.7%	3.3%	96.7%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 42 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.7%	0.7%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.5%	0.7%	1.1%	98.9%
Hallucinogens				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.2%	1.3%	98.7%
Grade 9	0.8%	1.3%	2.8%	97.2%
Grade 10	1.0%	1.4%	2.3%	97.7%
Grade 11	1.7%	2.7%	5.0%	95.0%
Grade 12	1.1%	1.3%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.3%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.1%	0.2%	1.5%	98.5%
Grade 8	0.2%	0.5%	1.1%	98.9%
Grade 9	0.7%	1.2%	2.3%	97.7%
Grade 10	0.3%	0.3%	2.1%	97.9%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.3%	0.6%	99.4%
Ecstasy				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.5%	1.8%	98.2%
Grade 12	0.6%	0.8%	1.3%	98.7%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 43 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	1.1%	1.3%	2.7%	97.3%
Grade 9	1.4%	1.5%	2.8%	97.2%
Grade 10	0.8%	1.1%	2.3%	97.7%
Grade 11	1.0%	1.8%	3.8%	96.2%
Grade 12	0.9%	0.9%	2.0%	98.0%
Methamphetamine				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.8%	1.0%	99.0%
Grade 12	0.4%	0.8%	0.8%	99.2%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.0%	12.7%	23.2%	76.8%
Grade 7	6.1%	6.5%	15.6%	84.4%
Grade 8	9.7%	11.4%	22.6%	77.4%
Grade 9	9.5%	10.6%	15.2%	84.8%
Grade 10	8.8%	10.2%	24.2%	75.8%
Grade 11	14.4%	16.4%	26.7%	73.3%
Grade 12	20.1%	24.3%	38.3%	61.7%
Any Alcohol Product				
All	20.2%	24.0%	40.8%	59.2%
Grade 7	18.5%	23.5%	41.7%	58.3%
Grade 8	17.7%	19.8%	36.7%	63.3%
Grade 9	18.0%	19.1%	34.9%	65.1%
Grade 10	20.3%	24.0%	41.3%	58.7%
Grade 11	19.0%	25.8%	40.5%	59.5%
Grade 12	30.3%	34.2%	52.0%	48.0%
Any Illicit Drug				
All	9.3%	12.6%	17.1%	82.9%
Grade 7	3.4%	4.0%	6.4%	93.6%
Grade 8	7.0%	9.5%	12.1%	87.9%
Grade 9	8.1%	10.1%	12.8%	87.2%
Grade 10	9.5%	12.8%	17.2%	82.8%
Grade 11	14.2%	18.4%	25.1%	74.9%
Grade 12	15.9%	24.1%	34.4%	65.6%
Any Prescription Drug				
All	6.7%	9.7%	16.7%	83.3%
Grade 7	7.0%	10.2%	16.6%	83.4%
Grade 8	8.5%	11.2%	19.5%	80.5%
Grade 9	9.9%	11.6%	17.4%	82.6%
Grade 10	4.5%	8.7%	13.8%	86.2%
Grade 11	5.3%	7.6%	14.8%	85.2%
Grade 12	4.8%	8.4%	18.0%	82.0%
Any Inhalant				
All	3.3%	4.4%	8.9%	91.1%
Grade 7	4.4%	4.6%	12.5%	87.5%
Grade 8	2.2%	3.5%	7.3%	92.7%
Grade 9	4.2%	6.1%	10.5%	89.5%
Grade 10	2.5%	3.8%	6.6%	93.4%
Grade 11	1.7%	2.5%	5.3%	94.7%
Grade 12	5.4%	6.2%	11.3%	88.7%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 45 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.8%	10.2%	20.6%	79.4%
Grade 7	2.2%	2.7%	13.4%	86.6%
Grade 8	5.7%	7.7%	20.1%	79.9%
Grade 9	8.4%	9.3%	13.5%	86.5%
Grade 10	6.7%	8.8%	21.0%	79.0%
Grade 11	12.1%	14.5%	24.8%	75.2%
Grade 12	14.6%	22.0%	35.0%	65.0%
Marijuana				
All	8.7%	10.7%	15.1%	84.9%
Grade 7	2.0%	2.2%	3.3%	96.7%
Grade 8	6.3%	6.7%	7.8%	92.2%
Grade 9	7.7%	9.6%	12.3%	87.7%
Grade 10	8.7%	10.5%	12.5% 15.1%	84.9%
Grade 10 Grade 11	13.9%	10.5% 17.6%	24.1%	75.9%
Grade 12	15.8%	20.7%	34.1%	65.9%
Marijuana Only	4 407	F 007	0 507	00 507
All	4.4%	5.8%	9.5%	90.5%
Grade 7	1.3%	1.5%	2.6%	97.4%
Grade 8	4.1%	4.5%	5.3%	94.7%
Grade 9	0.9%	2.4%	4.1%	95.9%
Grade 10	5.6%	6.9%	10.5%	89.5%
Grade 11	6.3%	8.3%	13.3%	86.7%
Grade 12	9.3%	12.8%	24.8%	75.2%
Cocaine or Crack				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	0.8%	0.9%	1.7%	98.3%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	1.1%	1.1%	1.6%	98.4%
Grade 12	2.0%	2.3%	4.6%	95.4%
Cocaine				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	1.1%	1.1%	1.6%	98.4%
Grade 12	1.9%	2.1%	4.4%	95.6%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 46 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.9%	99.1%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	1.0%	1.6%	2.5%	97.5%
Hallucinogens				
All	1.2%	1.6%	3.2%	96.8%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	1.3%	1.5%	4.4%	95.6%
Grade 10	1.5%	1.9%	2.8%	97.2%
Grade 10 Grade 11	2.3%	3.3%	6.4%	93.6%
Grade 12	2.4%	2.8%	5.0%	95.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.6%	98.4%
Grade 7	0.1%	0.3%	2.0%	98.0%
Grade 8	0.0%	0.1%	1.2%	98.8%
Grade 9	0.5%	0.5%	2.3%	97.7%
Grade 10	0.5%	0.5%	2.9%	97.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.6%	0.8%	99.2%
Ecstasy				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.7%	0.8%	1.6%	98.4%
Grade 9	0.5%	0.5%	1.8%	98.2%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.6%	0.6%	1.7%	98.3%
Grade 12	1.4%	1.7%	2.7%	97.3%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 47 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.4%	2.5%	97.5%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	1.0%	1.3%	2.0%	98.0%
Grade 9	2.2%	2.2%	3.7%	96.3%
Grade 10	1.3%	1.3%	2.2%	97.8%
Grade 11	1.1%	1.9%	4.1%	95.9%
Grade 12	1.4%	1.4%	2.7%	97.3%
Methamphetamine				
All	0.3%	0.6%	0.8%	99.2%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.4%	0.7%	0.7%	99.3%
Grade 12	0.8%	1.6%	1.6%	98.4%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.9%	13.8%	24.8%	75.2%
Grade 7	1.8%	2.7%	11.9%	88.1%
Grade 8	11.5%	14.2%	26.0%	74.0%
Grade 9	7.1%	9.2%	19.7%	80.3%
Grade 10	9.4%	17.4%	28.5%	71.5%
Grade 11	14.6%	19.4%	32.6%	67.4%
Grade 12	16.5%	22.3%	32.9%	67.1%
Any Alcohol Product				
All	23.0%	26.7%	44.3%	55.7%
Grade 7	14.1%	15.5%	30.2%	69.8%
Grade 8	21.5%	25.9%	45.0%	55.0%
Grade 9	19.7%	23.2%	42.8%	57.2%
Grade 10	26.2%	29.5%	50.1%	49.9%
Grade 11	28.1%	33.4%	50.8%	49.2%
Grade 12	30.0%	34.7%	48.5%	51.5%
Any Illicit Drug				
All	8.5%	12.5%	17.0%	83.0%
Grade 7	2.6%	3.4%	4.8%	95.2%
Grade 8	5.8%	9.1%	13.9%	86.1%
Grade 9	6.0%	8.9%	11.9%	88.1%
Grade 10	11.1%	17.7%	21.4%	78.6%
Grade 11	14.9%	19.2%	25.9%	74.1%
Grade 12	12.0%	18.5%	27.1%	72.9%
Any Prescription Drug				
All	5.2%	7.8%	14.6%	85.4%
Grade 7	4.6%	7.9%	13.9%	86.1%
Grade 8	7.5%	11.8%	21.5%	78.5%
Grade 9	4.9%	6.7%	14.8%	85.2%
Grade 10	3.3%	5.7%	14.0%	86.0%
Grade 11	6.3%	9.0%	12.6%	87.4%
Grade 12	4.6%	5.9%	10.8%	89.2%
Any Inhalant				
All	3.9%	4.6%	11.3%	88.7%
Grade 7	5.4%	5.8%	14.6%	85.4%
Grade 8	7.5%	8.0%	16.8%	83.2%
Grade 9	4.2%	4.7%	11.8%	88.2%
Grade 10	2.1%	3.1%	10.9%	89.1%
Grade 10 Grade 11	1.7%	2.9%	7.7%	92.3%
Grade 12	2.2%	2.6%	5.5%	94.5%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 49 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.8%	12.8%	23.0%	77.0%
Grade 7	1.5%	2.4%	9.7%	90.3%
Grade 8	10.1%	13.2%	24.6%	75.4%
Grade 9	6.1%	8.6%	18.1%	81.9%
Grade 10	8.0%	16.3%	25.8%	74.2%
Grade 11	13.2%	17.7%	31.0%	69.0%
Grade 12	15.6%	20.6%	31.7%	68.3%
Marijuana				
All	8.3%	11.0%	15.9%	84.1%
Grade 7	2.3%	2.9%	3.5%	96.5%
Grade 8	5.8%	6.7%	11.8%	88.2%
Grade 9	5.8%	7.7%	10.9%	89.1%
Grade 10	11.1%	16.3%	20.4%	79.6%
Grade 11	15.0%	18.9%	25.9%	74.1%
Grade 12	11.0%	15.4%	26.0%	74.0%
Marijuana Only				
All	5.5%	7.8%	11.9%	88.1%
Grade 7	0.9%	1.4%	2.1%	97.9%
Grade 8	3.2%	4.1%	7.7%	92.3%
Grade 9	3.9%	5.7%	8.4%	91.6%
Grade 10	7.8%	12.5%	16.1%	83.9%
Grade 11	10.0%	13.3%	18.6%	81.4%
Grade 12	7.7%	11.0%	20.7%	79.3%
Cocaine or Crack				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	1.0%	1.5%	1.9%	98.1%
Grade 11	0.5%	1.2%	1.9%	98.1%
Grade 12	1.4%	1.4%	2.3%	97.7%
Cocaine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	1.0%	1.2%	1.6%	98.4%
Grade 11	0.5%	1.2%	1.5%	98.5%
Grade 12	1.4%	1.4%	2.3%	97.7%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 50 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.1%	1.4%	98.6%
Grade 9	0.5%	1.2%	1.5%	98.5%
Grade 10	0.5%	0.9%	1.7%	98.3%
Grade 11	1.1%	2.1%	3.6%	96.4%
Grade 12	0.1%	0.1%	2.6%	97.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.2%	0.9%	99.1%
Grade 8	0.5%	0.9%	1.1%	98.9%
Grade 9	0.8%	1.7%	2.3%	97.7%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.5%	0.5%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.4%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.1%	99.9%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 51 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	1.3%	1.3%	3.4%	96.6%
Grade 9	0.9%	1.0%	1.8%	98.2%
Grade 10	0.3%	0.9%	2.5%	97.5%
Grade 11	0.9%	1.7%	3.5%	96.5%
Grade 12	0.5%	0.5%	1.5%	98.5%
Methamphetamine				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	1.0%	1.4%	98.6%
Grade 12	0.1%	0.1%	0.1%	99.9%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.6%	17.2%	26.6%	73.4%
Grade 7	2.7%	3.8%	9.4%	90.6%
Grade 8	9.4%	11.9%	18.4%	81.6%
Grade 9	9.0%	11.5%	16.7%	83.3%
Grade 10	10.8%	16.3%	28.9%	71.1%
Grade 11	18.7%	22.0%	36.2%	63.8%
Grade 12	32.8%	39.6%	52.9%	47.1%
Any Alcohol Product				
All	25.4%	29.4%	45.0%	55.0%
Grade 7	13.3%	14.4%	27.5%	72.5%
Grade 8	14.1%	19.1%	31.4%	68.6%
Grade 9	22.8%	25.2%	41.6%	58.4%
Grade 10	28.3%	32.5%	51.6%	48.4%
Grade 11	29.2%	37.2%	52.0%	48.0%
Grade 12	46.2%	50.0%	67.8%	32.2%
Any Illicit Drug				
All	9.2%	13.0%	18.0%	82.0%
Grade 7	1.5%	2.0%	2.4%	97.6%
Grade 8	6.2%	8.3%	10.6%	89.4%
Grade 9	5.2%	7.5%	12.3%	87.7%
Grade 10	8.2%	13.0%	12.6% 17.6%	82.4%
Grade 11	14.5%	19.0% 19.1%	27.4%	72.6%
Grade 12	21.0%	29.9%	39.5%	60.5%
Any Prescription Drug				
All	5.6%	8.6%	16.5%	83.5%
Grade 7	3.0%	6.5%	14.3%	85.7%
Grade 8	8.0%	10.5%	19.4%	80.6%
Grade 9	5.0%	6.7%	12.6%	87.4%
Grade 10	4.8%	8.8%	12.0% 14.7%	85.3%
Grade 11	4.4%	7.4%	13.1%	86.9%
Grade 12	8.5%	12.0%	25.6%	74.4%
Any Inhalant				
All	2.6%	3.2%	8.8%	91.2%
Grade 7	2.4%	2.8%	8.7%	91.3%
Grade 8	3.9%	4.6%	12.0%	88.0%
Grade 9	3.3%	3.6%	11.0%	89.0%
Grade 10	1.1%	2.3%	6.8%	93.2%
Grade 11	1.8%	2.5%	6.1%	93.9%
Grade 12	3.0%	3.7%	8.1%	91.9%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 53 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.1%	15.4%	24.3%	75.7%
Grade 7	1.8%	3.1%	6.6%	93.4%
Grade 8	6.7%	10.0%	16.3%	83.7%
Grade 9	7.8%	10.9%	15.5%	84.5%
Grade 10	8.5%	15.3%	25.0%	75.0%
Grade 11	16.2%	20.3%	34.8%	65.2%
Grade 12	27.1%	34.7%	50.6%	49.4%
Marijuana				
All	8.7%	11.3%	16.6%	83.4%
Grade 7	1.3%	1.7%	2.2%	97.8%
Grade 8	5.1%	6.0%	7.7%	92.3%
Grade 9	4.8%	5.8%	10.9%	89.1%
Grade 10	7.1%	11.3%	16.0%	84.0%
Grade 11	14.5%	17.6%	25.9%	74.1%
Grade 12	20.9%	26.7%	39.2%	60.8%
Marijuana Only				
All	5.2%	7.0%	11.4%	88.6%
Grade 7	0.8%	1.2%	1.7%	98.3%
Grade 8	2.8%	3.7%	5.3%	94.7%
Grade 9	2.1%	2.7%	6.5%	93.5%
Grade 10	4.4%	8.0%	11.0%	89.0%
Grade 11	8.4%	10.4%	17.9%	82.1%
Grade 12	13.2%	17.0%	27.7%	72.3%
Cocaine or Crack				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.7%	0.8%	1.8%	98.2%
Grade 10	0.5%	0.8%	1.2%	98.8%
Grade 11	0.6%	0.6%	2.2%	97.8%
Grade 12	2.1%	2.4%	5.4%	94.6%
Cocaine				
All	0.6%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.7%	0.8%	1.8%	98.2%
Grade 10	0.5%	0.8%	1.2%	98.8%
Grade 11	0.6%	0.6%	1.7%	98.3%
Grade 12	2.0%	2.3%	5.2%	94.8%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 54 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.2%	2.0%	2.0%	98.0%
Hallucinogens				
All	0.9%	1.4%	3.4%	96.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.2%	1.4%	98.6%
Grade 9	1.1%	1.6%	2.3%	97.7%
Grade 10	1.5%	2.1%	3.9%	96.1%
Grade 11	1.0%	2.4%	6.1%	93.9%
Grade 12	1.8%	2.1%	6.8%	93.2%
Synthetic Cathinones				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.0%	1.1%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	0.5%	0.6%	1.6%	98.4%
Grade 9	0.5%	0.7%	1.5%	98.5%
Grade 10	0.5%	0.5%	3.0%	97.0%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.7%	0.7%	99.3%
Ecstasy				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.6%	0.7%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.1%	0.1%	2.5%	97.5%
Grade 12	0.7%	0.9%	1.8%	98.2%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 55 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.4%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	1.0%	1.1%	2.2%	97.8%
Grade 9	0.7%	0.9%	2.0%	98.0%
Grade 10	1.3%	1.8%	2.7%	97.3%
Grade 11	0.5%	1.2%	2.3%	97.7%
Grade 12	0.7%	0.7%	3.1%	96.9%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	1.0%	1.1%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.4%	1.0%	99.0%
Grade 12	0.2%	0.2%	0.2%	99.8%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.5%	9.6%	19.1%	80.9%
Grade 7	3.9%	4.3%	13.2%	86.8%
Grade 8	11.9%	15.2%	27.3%	72.7%
Grade 9	9.3%	10.2%	14.6%	85.4%
Grade 10	4.6%	9.1%	23.6%	76.4%
Grade 11	9.4%	11.7%	20.5%	79.5%
Grade 12	5.3%	6.3%	15.0%	85.0%
Any Alcohol Product				
All	15.4%	18.3%	35.7%	64.3%
Grade 7	8.5%	8.8%	30.1%	69.9%
Grade 8	22.2%	24.2%	42.6%	57.4%
Grade 9	17.3%	17.8%	35.6%	64.4%
Grade 10	16.4%	18.3%	35.1%	64.9%
Grade 11	19.5%	24.0%	40.0%	60.0%
Grade 12	7.4%	17.1%	30.1%	69.9%
Any Illicit Drug				
All	8.1%	11.1%	15.7%	84.3%
Grade 7	0.8%	1.2%	4.8%	95.2%
Grade 8	8.8%	12.1%	16.1%	83.9%
Grade 9	9.3%	9.7%	10.6%	89.4%
Grade 10	9.1%	11.4%	18.1%	81.9%
Grade 11	18.0%	20.0%	22.3%	77.7%
Grade 12	2.3%	14.0%	26.1%	73.9%
Any Prescription Drug				
All	9.5%	11.7%	16.5%	83.5%
Grade 7	11.0%	11.0%	17.6%	82.4%
Grade 8	14.1%	18.0%	24.5%	75.5%
Grade 9	10.2%	13.5%	20.0%	80.0%
Grade 10	5.6%	8.6%	11.7%	88.3%
Grade 10 Grade 11	10.3%	10.3%	14.6%	85.4%
Grade 12	4.3%	6.7%	7.4%	92.6%
Any Inhalant				
All	3.2%	3.9%	9.3%	90.7%
Grade 7	5.3%	5.6%	12.8%	87.2%
Grade 8	3.3%	3.3%	9.0%	91.0%
Grade 9	0.5%	3.2%	6.5%	93.5%
Grade 9 Grade 10	4.0%	4.5%	9.4%	90.6%
Grade 10 Grade 11	0.0%	4.5%	6.8%	93.2%
Grade 11 Grade 12	6.7%	7.3%	11.6%	93.2% 88.4%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 57 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.0%	8.1%	17.3%	82.7%
Grade 7	0.4%	0.8%	11.2%	88.8%
Grade 8	9.9%	13.3%	26.5%	73.5%
Grade 9	8.7%	9.2%	14.1%	85.9%
Grade 10	1.9%	7.0%	17.2%	82.8%
Grade 11	9.4%	11.7%	19.1%	80.9%
Grade 12	5.6%	6.6%	15.7%	84.3%
Marijuana				
All	8.0%	9.1%	14.4%	85.6%
Grade 7	0.4%	0.8%	0.8%	99.2%
Grade 8	8.8%	8.8%	12.7%	87.3%
Grade 9	9.3%	9.3%	12.7% 10.2%	87.3% 89.8%
Grade 9 Grade 10	9.3% 8.7%	9.3% 11.4%	10.2% 18.1%	89.8% 81.9%
Grade 10 Grade 11	$\frac{8.7\%}{18.0\%}$	11.4% 20.0%	18.1% 22.3%	81.9% 77.7%
Grade 11 Grade 12	18.0% 2.3%	4.7%	22.3% 26.1%	77.7% 73.9%
Grade 12	2.370	4.770	20.170	13.970
Marijuana Only				
All	4.3%	5.0%	10.0%	90.0%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	6.6%	6.6%	10.4%	89.6%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	7.9%	10.0%	16.5%	83.5%
Grade 11	10.2%	12.1%	14.4%	85.6%
Grade 12	1.5%	1.5%	20.7%	79.3%
Cocaine or Crack				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
Cocaine				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 10 Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 11 Grade 12	0.6%	0.6%	0.6%	99.4%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 58 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.0%	0.0%	2.8%	97.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.1%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	4.2%	95.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.7%	1.2%	98.8%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	2.8%	2.8%	97.2%
Grade 10	0.4%	0.4%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.6%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	2.8%	97.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.6%	99.4%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 59 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.1%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	1.7%	1.7%	98.3%
Grade 9	2.8%	2.8%	6.1%	93.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	2.0%	2.0%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.4%	2.4%	97.6%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.3%	11.9%	24.3%	75.7%
Grade 7	5.2%	5.7%	16.8%	83.2%
Grade 8	11.3%	13.0%	27.2%	72.8%
Grade 9	7.8%	8.9%	21.0%	79.0%
Grade 10	9.8%	14.0%	26.4%	73.6%
Grade 11	11.8%	14.9%	27.0%	73.0%
Grade 12	11.1%	16.8%	29.9%	70.1%
Any Alcohol Product				
All	22.2%	26.1%	45.1%	54.9%
Grade 7	22.3%	28.9%	47.2%	52.8%
Grade 8	23.5%	26.3%	47.7%	52.3%
Grade 9	18.6%	21.3%	42.4%	57.6%
Grade 10	23.0%	26.1%	45.3%	54.7%
Grade 11	20.6%	26.0%	42.8%	57.2%
Grade 12	25.9%	29.1%	44.9%	55.1%
Any Illicit Drug				
All	9.3%	13.0%	17.6%	82.4%
Grade 7	4.3%	4.7%	7.1%	92.9%
Grade 8	5.5%	9.2%	13.9%	86.1%
Grade 9	7.9%	11.5%	13.8%	86.2%
Grade 10	13.7%	20.2%	23.1%	76.9%
Grade 11	13.3%	18.0%	25.5%	74.5%
Grade 12	12.6%	16.4%	25.9%	74.1%
Any Prescription Drug				
All	5.2%	8.1%	15.4%	84.6%
Grade 7	6.0%	9.8%	14.6%	85.4%
Grade 8	6.7%	11.0%	20.3%	79.7%
Grade 9	8.3%	9.5%	18.8%	81.2%
Grade 10	2.8%	6.5%	15.7%	84.3%
Grade 11	4.6%	7.8%	13.8%	86.2%
Grade 12	1.7%	2.8%	6.8%	93.2%
Any Inhalant				
All	4.4%	5.7%	11.6%	88.4%
Grade 7	5.7%	5.8%	16.7%	83.3%
Grade 8	6.3%	8.4%	12.5%	87.5%
Grade 9	6.4%	7.8%	13.5%	86.5%
Grade 10	3.1%	4.3%	11.1%	88.9%
Grade 11	0.4%	2.4%	5.8%	94.2%
Grade 12	3.8%	4.4%	8.0%	92.0%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 61 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.2%	10.1%	22.2%	77.8%
Grade 7	2.2%	3.2%	15.0%	85.0%
Grade 8	7.7%	9.5%	24.6%	75.4%
Grade 9	6.3%	7.8%	18.8%	81.2%
Grade 10	8.6%	13.1%	24.8%	75.2%
Grade 11	9.8%	12.4%	24.4%	75.6%
Grade 12	9.4%	16.9%	27.6%	72.4%
Marijuana				
All	8.8%	11.5%	15.8%	84.2%
Grade 7	2.8%	2.8%	4.3%	95.7%
Grade 8	5.5%	6.3%	9.9%	90.1%
Grade 9	7.8%	11.3%	13.6%	86.4%
Grade 10	13.8%	17.1%	20.4%	79.6%
Grade 11	12.9%	18.1%	25.6%	74.4%
Grade 12	11.6%	15.4%	24.9%	75.1%
Marijuana Only				
y y All	5.3%	7.6%	11.1%	88.9%
Grade 7	1.7%	1.7%	3.2%	96.8%
Grade 8	3.5%	4.3%	6.6%	93.4%
Grade 9	3.9%	7.3%	9.3%	90.7%
Grade 10	8.8%	11.7%	14.8%	85.2%
Grade 11	7.3%	10.8%	15.3%	84.7%
Grade 12	7.5%	11.3%	20.2%	79.8%
Cocaine or Crack				
All	0.9%	1.0%	1.5%	98.5%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.8%	1.3%	1.7%	98.3%
Grade 11	0.7%	1.2%	1.2%	98.8%
Grade 12	2.0%	2.0%	3.1%	96.9%
Cocaine				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.7%	1.2%	1.2%	98.8%
Grade 12	2.0%	2.0%	3.1%	96.9%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 62 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	1.5%	1.5%	1.7%	98.3%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.0%	99.0%
Hallucinogens				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	1.2%	1.7%	3.0%	97.0%
Grade 10	1.2%	1.7%	2.3%	97.7%
Grade 11	2.6%	2.6%	4.6%	95.4%
Grade 12	1.2%	1.3%	2.6%	97.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.2%	2.2%	97.8%
Grade 8	0.0%	0.5%	0.8%	99.2%
Grade 9	1.2%	1.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.2%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.0%	1.1%	1.4%	98.6%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 63 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.3%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.1%	1.2%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	1.2%	1.2%	2.4%	97.6%
Grade 9	1.6%	1.7%	2.4%	97.6%
Grade 10	0.9%	0.9%	3.0%	97.0%
Grade 11	0.9%	1.7%	4.7%	95.3%
Grade 12	1.7%	1.7%	2.3%	97.7%
Methamphetamine				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.3%	1.3%	98.7%
Grade 12	1.0%	1.0%	1.0%	99.0%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.2%	10.9%	19.1%	80.9%
Grade 7	0.6%	0.7%	4.5%	95.5%
Grade 8	7.2%	9.1%	17.6%	82.4%
Grade 9	4.6%	6.1%	11.5%	88.5%
Grade 10	5.7%	10.1%	20.6%	79.4%
Grade 11	12.7%	14.8%	27.7%	72.3%
Grade 12	19.4%	24.8%	32.6%	67.4%
Any Alcohol Product				
All	19.2%	22.3%	38.7%	61.3%
Grade 7	10.9%	13.9%	24.7%	75.3%
Grade 8	16.4%	19.3%	35.3%	64.7%
Grade 9	15.5%	16.7%	32.9%	67.1%
Grade 10	18.7%	22.8%	42.7%	57.3%
Grade 11	24.5%	28.7%	46.7%	53.3%
Grade 12	29.3%	32.9%	48.5%	51.5%
Any Illicit Drug				
All	5.9%	9.5%	12.6%	87.4%
Grade 7	1.1%	1.5%	2.6%	97.4%
Grade 8	4.0%	6.0%	7.7%	92.3%
Grade 9	3.7%	5.8%	7.3%	92.7%
Grade 10	4.2%	10.9%	13.8%	86.2%
Grade 11	12.3%	14.6%	20.8%	79.2%
Grade 12	10.0%	17.9%	23.3%	76.7%
Any Prescription Drug				
All	5.5%	7.8%	13.5%	86.5%
Grade 7	6.8%	10.5%	15.5%	84.5%
Grade 8	5.9%	9.6%	18.8%	81.2%
Grade 9	7.6%	8.3%	12.9%	87.1%
Grade 10	2.5%	5.1%	9.8%	90.2%
Grade 11	5.6%	7.6%	11.1%	88.9%
Grade 12	4.6%	6.3%	14.6%	85.4%
Any Inhalant				
All	1.8%	2.6%	7.9%	92.1%
Grade 7	2.4%	2.6%	10.7%	89.3%
Grade 8	3.4%	4.1%	9.5%	90.5%
Grade 9	2.4%	3.0%	10.0%	90.0%
Grade 10	2.0%	2.9%	7.8%	92.2%
Grade 11	0.4%	2.2%	5.2%	94.8%
Grade 12	0.4%	0.6%	4.2%	95.8%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 65 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.1%	9.7%	17.5%	82.5%
Grade 7	0.5%	0.7%	4.2%	95.8%
Grade 8	5.6%	7.7%	16.2%	83.8%
Grade 9	4.0%	5.3%	10.4%	89.6%
Grade 10	5.1%	9.6%	18.0%	82.0%
Grade 11	11.1%	14.0%	26.7%	73.3%
Grade 12	16.9%	21.3%	29.4%	70.6%
Marijuana				
All	5.5%	7.7%	11.3%	88.7%
Grade 7	0.7%	1.0%	2.1%	97.9%
Grade 7 Grade 8	2.9%	3.2%	5.1%	94.9%
Grade 9	3.2%	4.1%	5.9%	94.9% 94.1%
Grade 10	4.0%	$\frac{4.1}{8.5\%}$	11.4%	$\frac{94.1}{88.6\%}$
Grade 11	11.9%	14.2%	20.4%	79.6%
Grade 12	9.8%	14.2% 14.7%	20.4% 23.0%	79.0% 77.0%
Marijuana Only				
All	3.4%	5.1%	8.1%	91.9%
Grade 7	0.0%	0.3%	1.4%	98.6%
Grade 7 Grade 8	1.8%	2.0%	3.3%	96.7%
Grade 9	1.3% 1.2%	2.0%	3.3%	96.7%
Grade 9 Grade 10	2.9%	7.1%	9.6%	90.1% 90.4%
Grade 10 Grade 11	6.7%	7.7%	12.2%	90.4% 87.8%
Grade 11 Grade 12	6.7% 7.9%	11.3%	12.2% 18.7%	87.8% 81.3%
Grade 12	1.970	11.370	10.770	01.370
Cocaine or Crack	0.104	0.4M	1.00	00.007
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.0%	0.1%	0.8%	99.2%
Grade 11	0.4%	1.2%	1.2%	98.8%
Grade 12	1.1%	1.3%	2.6%	97.4%
Cocaine				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.1%	0.8%	99.2%
Grade 11	0.4%	1.2%	1.2%	98.8%
Grade 12	1.0%	1.1%	2.4%	97.6%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 66 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.3%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.5%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	1.5%	2.6%	3.9%	96.1%
Grade 12	0.0%	0.2%	2.0%	98.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.8%	99.2%
Ecstasy				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.6%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.2%	99.8%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 67 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.6%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.2%	0.4%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.6%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.9%	98.1%
Grade 10	0.0%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.5%	4.5%	95.5%
Grade 12	0.0%	0.0%	0.9%	99.1%
Methamphetamine				
All	0.2%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	1.3%	98.7%
Grade 9	0.2%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	1.2%	1.2%	98.8%
Grade 12	0.2%	0.2%	0.2%	99.8%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.6%	14.4%	27.5%	72.5%
Grade 7	6.5%	7.5%	20.1%	79.9%
Grade 8	13.7%	15.4%	30.1%	69.9%
Grade 9	11.3%	12.6%	22.6%	77.4%
Grade 10	11.6%	15.8%	31.1%	68.9%
Grade 11	12.7%	17.1%	27.5%	72.5%
Grade 12	14.6%	19.8%	35.4%	64.6%
Any Alcohol Product				
All	23.1%	27.3%	46.1%	53.9%
Grade 7	21.1%	24.4%	45.2%	54.8%
Grade 8	22.0%	25.7%	46.4%	53.6%
Grade 9	21.4%	24.8%	44.5%	55.5%
Grade 10	26.4%	29.6%	48.3%	51.7%
Grade 10 Grade 11	18.4%	25.0%	41.6%	58.4%
Grade 12	29.4%	34.2%	50.2%	49.8%
Any Illicit Drug				
All	10.8%	14.5%	20.5%	79.5%
Grade 7	3.9%	5.1%	7.9%	92.1%
Grade 8	7.9%	11.1%	16.7%	83.3%
Grade 9	10.2%	13.4%	16.3%	83.7%
Grade 10	15.1%	18.6%	24.2%	75.8%
Grade 11	15.0%	20.2%	27.7%	72.3%
Grade 12	15.0%	21.6%	34.0%	66.0%
Any Prescription Drug				
All	5.9%	9.0%	17.4%	82.6%
Grade 7	5.1%	8.8%	16.4%	83.6%
Grade 8	8.9%	12.1%	22.0%	78.0%
Grade 9	7.0%	9.8%	19.9%	80.1%
Grade 10	5.0%	8.8%	16.9%	83.1%
Grade 11	5.4%	8.5%	16.8%	83.2%
Grade 12	3.5%	5.3%	11.6%	88.4%
Any Inhalant				
All	4.6%	5.7%	11.8%	88.2%
Grade 7	6.4%	6.7%	15.4%	84.6%
Grade 8	5.7%	7.4%	13.7%	86.3%
Grade 9	5.2%	7.0%	11.9%	88.1%
Grade 10	2.6%	3.7%	9.9%	90.1%
Grade 11	1.7%	2.2%	7.8%	92.2%
Grade 12	5.5%	6.4%	10.8%	89.2%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 69 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	12.1%	24.9%	75.1%
Grade 7	2.9%	4.1%	16.8%	83.2%
Grade 8	9.6%	11.8%	27.4%	72.6%
Grade 9	9.4%	11.1%	20.4%	79.6%
Grade 10	9.3%	14.2%	27.7%	72.3%
Grade 11	11.0%	14.7%	25.4%	74.6%
Grade 12	12.3%	18.9%	34.0%	66.0%
Marijuana				
J	10.4%	12.8%	18.7%	81.3%
Grade 7	3.3%	3.8%	4.8%	95.2%
Grade 8	7.8%	8.8%	13.2%	86.8%
Grade 9	10.1%	13.0%	15.9%	84.1%
Grade 10	14.4%	16.8%	22.9%	77.1%
Grade 11	15.0%	19.2%	27.1%	72.9%
Grade 12	14.0%	18.1%	33.0%	67.0%
Marijuana Only				
All	6.1%	7.9%	12.9%	87.1%
Grade 7	1.7%	2.2%	3.2%	96.8%
Grade 8	4.7%	5.7%	8.8%	91.2%
Grade 9	3.9%	6.3%	8.7%	91.3%
Grade 10	9.6%	11.3%	16.1%	83.9%
Grade 11	8.9%	12.0%	18.2%	81.8%
Grade 12	9.0%	11.9%	25.6%	74.4%
Cocaine or Crack				
All	0.9%	1.0%	1.7%	98.3%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.8%	0.8%	1.5%	98.5%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.7%	1.0%	1.2%	98.8%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	2.2%	2.3%	4.1%	95.9%
Cocaine				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.3%	0.3%	1.4%	98.6%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	2.2%	2.3%	4.1%	95.9%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 70 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.7%	1.2%	1.9%	98.1%
Hallusinggong				
Hallucinogens All	1.0%	1.4%	3.1%	96.9%
All Grade 7	0.0%			96.9% 98.7%
Grade 7 Grade 8	$0.0\% \\ 0.2\%$	$0.0\% \\ 0.4\%$	1.3%	
			2.0%	98.0%
Grade 9	1.5%	1.9%	4.7%	95.3%
Grade 10	1.5%	2.2%	3.5%	96.5%
Grade 11	0.9%	1.7%	4.6%	95.4%
Grade 12	2.0%	2.2%	3.2%	96.8%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.4%	0.7%	2.1%	97.9%
Grade 7	0.1%	0.1%	2.3%	97.7%
Grade 8	0.1%	0.5%	0.8%	99.2%
Grade 9	1.1%	2.1%	4.2%	95.8%
Grade 10	0.3%	0.3%	3.1%	96.9%
Grade 11	0.6%	0.6%	1.1%	98.9%
Grade 12	0.0%	0.5%	0.5%	99.5%
Ecstasy				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 10 Grade 11	0.1%	0.2% 0.1%	1.3%	98.7%
Grade 11 Grade 12	1.2%	1.4%	2.2%	98.1% 97.8%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 71 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.7%	2.8%	97.2%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	1.7%	1.9%	3.7%	96.3%
Grade 9	2.5%	2.6%	3.7%	96.3%
Grade 10	1.5%	1.5%	3.5%	96.5%
Grade 11	1.4%	2.8%	3.2%	96.8%
Grade 12	1.6%	1.6%	2.2%	97.8%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.7%	1.1%	98.9%
Grade 12	0.7%	1.3%	1.3%	98.7%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.3%	10.8%	20.4%	79.6%
Grade 7	2.1%	2.6%	8.5%	91.5%
Grade 8	7.7%	9.3%	16.0%	84.0%
Grade 9	5.4%	6.8%	14.1%	85.9%
Grade 10	7.8%	11.8%	25.2%	74.8%
Grade 11	14.2%	17.1%	29.0%	71.0%
Grade 12	14.9%	19.9%	33.6%	66.4%
Any Alcohol Product				
All	20.4%	23.2%	38.8%	61.2%
Grade 7	17.3%	18.7%	29.9%	70.1%
Grade 8	16.1%	18.2%	34.7%	65.3%
Grade 9	15.9%	17.5%	33.0%	67.0%
Grade 10	23.9%	27.5%	44.8%	55.2%
Grade 11	23.8%	28.5%	44.7%	55.3%
Grade 12	28.9%	31.1%	49.1%	50.9%
Any Illicit Drug				
All	7.0%	10.2%	14.1%	85.9%
Grade 7	1.9%	2.5%	4.5%	95.5%
Grade 8	4.4%	6.8%	8.7%	91.3%
Grade 9	4.1%	6.2%	8.5%	91.5%
Grade 10	8.9%	13.6%	16.7%	83.3%
Grade 11	12.4%	17.2%	23.0%	77.0%
Grade 12	11.4%	16.8%	26.8%	73.2%
Any Prescription Drug				
All	5.1%	7.6%	13.5%	86.5%
Grade 7	5.0%	8.9%	14.3%	85.7%
Grade 8	7.4%	9.6%	16.5%	83.5%
Grade 9	6.2%	7.8%	13.0%	87.0%
Grade 10	3.8%	7.1%	13.3%	86.7%
Grade 11	5.3%	7.3%	11.6%	88.4%
Grade 12	2.4%	4.5%	12.0%	88.0%
Any Inhalant				
All	3.0%	3.9%	8.4%	91.6%
Grade 7	4.3%	4.5%	12.2%	87.8%
Grade 8	3.9%	4.9%	8.2%	91.8%
Grade 9	4.2%	5.0%	9.5%	90.5%
Grade 10	1.8%	3.2%	7.9%	92.1%
Grade 11	1.4%	2.7%	5.4%	94.6%
Grade 12	1.9%	2.6%	6.9%	93.1%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 73 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.6%	9.4%	18.4%	81.6%
Grade 7	1.0%	1.5%	7.2%	92.8%
Grade 8	5.4%	7.4%	14.4%	85.6%
Grade 9	4.6%	6.2%	12.5%	87.5%
Grade 10	6.3%	11.1%	22.4%	77.6%
Grade 11	12.3%	15.3%	27.3%	72.7%
Grade 12	11.2%	17.0%	30.1%	69.9%
Marijuana				
All	6.6%	8.7%	12.6%	87.4%
Grade 7	1.2%	1.5%	2.7%	97.3%
Grade 8	3.8%	4.4%	5.2%	94.8%
Grade 9	3.7%	5.2%	7.7%	92.3%
Grade 10	8.3%	11.5%	14.9%	85.1%
Grade 11	12.5%	16.4%	22.4%	77.6%
Grade 12	11.3%	14.7%	26.6%	73.4%
Marijuana Only				
J J All	4.1%	5.8%	9.3%	90.7%
Grade 7	0.2%	0.5%	1.7%	98.3%
Grade 8	2.6%	3.1%	3.9%	96.1%
Grade 9	1.6%	2.9%	4.8%	95.2%
Grade 10	5.4%	8.0%	10.7%	89.3%
Grade 11	7.4%	10.2%	15.4%	84.6%
Grade 12	8.9%	11.8%	22.7%	77.3%
Cocaine or Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.7%	1.1%	1.2%	98.8%
Grade 11	0.6%	0.8%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.2%	98.8%
Cocaine				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.7%	0.8%	1.0%	99.0%
Grade 11	0.6%	0.8%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.1%	98.9%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 74 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.4%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.4%	0.6%	2.4%	97.6%
Grade 10	1.3%	1.6%	1.9%	98.1%
Grade 11	2.1%	2.5%	4.8%	95.2%
Grade 12	0.7%	0.8%	2.2%	97.8%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.0%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.1%	0.2%	1.6%	98.4%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.9%	0.9%	1.3%	98.7%
Grade 10	0.3%	0.3%	1.8%	98.2%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
Ecstasy				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	1.1%	98.9%
Grade 12	0.0%	0.1%	0.5%	99.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 75 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.8%	1.0%	1.4%	98.6%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.6%	1.0%	2.0%	98.0%
Grade 11	0.4%	0.4%	2.4%	97.6%
Grade 12	0.0%	0.0%	1.2%	98.8%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	18.8%	32.0%	68.0%
Grade 7	8.0%	9.1%	24.0%	76.0%
Grade 8	15.8%	18.5%	39.3%	60.7%
Grade 9	16.6%	19.2%	29.3%	70.7%
Grade 10	12.0%	17.7%	28.7%	71.3%
Grade 11	16.2%	21.3%	31.8%	68.2%
Grade 12	23.5%	28.7%	38.1%	61.9%
Any Alcohol Product				
All	24.6%	30.5%	51.1%	48.9%
Grade 7	15.8%	22.4%	48.8%	51.2%
Grade 8	25.4%	31.0%	51.8%	48.2%
Grade 9	27.9%	32.8%	58.8%	41.2%
Grade 10	21.5%	24.9%	47.1%	52.9%
Grade 11	27.1%	34.7%	50.8%	49.2%
Grade 12	32.0%	39.4%	50.3%	49.7%
Any Illicit Drug				
All	13.2%	17.5%	23.7%	76.3%
Grade 7	5.1%	6.0%	7.9%	92.1%
Grade 8	9.7%	13.5%	20.3%	79.7%
Grade 9	16.1%	19.7%	24.3%	75.7%
Grade 10	13.5%	18.6%	24.5% 25.0%	75.0%
Grade 11	20.5%	23.3%	32.6%	67.4%
Grade 12	17.6%	27.6%	36.2%	63.8%
Any Prescription Drug				
All	7.7%	10.9%	20.3%	79.7%
Grade 7	6.6%	8.7%	16.0%	84.0%
Grade 8	9.9%	15.0%	28.3%	71.7%
Grade 9	9.7%	12.0%	24.9%	75.1%
Grade 9 Grade 10	4.2%	7.5%	15.3%	84.7%
Grade 10 Grade 11	7.4%	11.5%	20.7%	79.3%
Grade 12	8.2%	10.7%	17.1%	82.9%
Any Inhalant				
All	4.9%	5.8%	14.0%	86.0%
Grade 7	6.1%	6.6%	14.0% 16.5%	83.5%
Grade 7 Grade 8	6.1%	7.5%	10.5% 18.7%	81.3%
Grade 9	4.0%	6.1%	16.4%	83.6%
Grade 9 Grade 10	3.4%	4.1%	10.4% 10.4%	89.6%
Grade 10 Grade 11	2.5%	2.8%	10.4% 10.2%	89.0% 89.8%
Grade 11	2.0/0	2.0/0	10.270	09.070

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 77 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.3%	16.3%	29.5%	70.5%
Grade 7	3.4%	5.1%	20.0%	80.0%
Grade 8	12.2%	15.2%	36.6%	63.4%
Grade 9	14.1%	16.5%	27.5%	72.5%
Grade 10	9.5%	15.2%	25.2%	74.8%
Grade 11	14.5%	19.7%	29.9%	70.1%
Grade 12	21.8%	28.4%	38.0%	62.0%
Marijuana				
All	12.5%	15.5%	22.0%	78.0%
Grade 7	4.0%	4.5%	4.8%	95.2%
Grade 8	9.7%	10.5%	17.4%	82.6%
Grade 9	15.9%	19.1%	23.8%	76.2%
Grade 10	13.3%	17.4%	23.8%	76.2%
Grade 11	19.8%	23.2%	32.6%	67.4%
Grade 12	16.2%	22.5%	34.8%	65.2%
Marijuana Only				
All	6.7%	8.9%	13.9%	86.1%
Grade 7	2.7%	3.2%	3.4%	96.6%
Grade 8	5.2%	6.0%	10.6%	89.4%
Grade 9	5.6%	8.3%	11.8%	88.2%
Grade 10	9.5%	13.2%	18.7%	81.3%
Grade 11	11.0%	13.3%	18.5%	81.5%
Grade 12	7.8%	11.8%	22.6%	77.4%
Cocaine or Crack				
All	1.4%	1.6%	2.9%	97.1%
Grade 7	1.0%	1.0%	1.9%	98.1%
Grade 8	1.1%	1.1%	2.4%	97.6%
Grade 9	1.0%	1.2%	2.5%	97.5%
Grade 10	0.0%	0.1%	0.9%	99.1%
Grade 11	1.5%	2.1%	3.2%	96.8%
Grade 12	3.6%	4.0%	6.6%	93.4%
Cocaine				
All	1.0%	1.2%	2.7%	97.3%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.3%	0.3%	2.4%	97.6%
Grade 9	0.7%	0.9%	2.3%	97.7%
Grade 10	0.0%	0.1%	0.9%	99.1%
Grade 11	1.5%	2.1%	3.0%	97.0%
Grade 12	3.6%	4.0%	6.6%	93.4%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 78 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	1.2%	1.2%	1.7%	98.3%
Grade 9	0.4%	0.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	1.0%	1.7%	2.7%	97.3%
Hallucinogens				
All	0.8%	1.6%	3.8%	96.2%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.1%	0.4%	3.3%	96.7%
Grade 9	2.0%	3.6%	4.1%	95.9%
Grade 10	0.4%	1.0%	3.1%	96.9%
Grade 11	0.6%	3.1%	5.8%	94.2%
Grade 12	1.8%	2.1%	6.1%	93.9%
Synthetic Cathinones				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.5%	0.5%	0.5%	99.5%
Steroids				
All	0.2%	0.7%	2.1%	97.9%
Grade 7	0.0%	0.2%	1.3%	98.7%
Grade 8	0.2%	0.8%	1.4%	98.6%
Grade 9	0.1%	2.1%	5.3%	94.7%
Grade 10	0.2%	0.2%	2.6%	97.4%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	0.0%	0.7%	1.4%	98.6%
Ecstasy				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	1.0%	1.1%	2.4%	97.6%
Grade 9	0.6%	0.7%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	1.0%	1.6%	3.8%	96.2%
Grade 12	1.6%	1.8%	2.6%	97.4%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 79 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.6%	0.6%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.6%	2.1%	4.0%	96.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	1.7%	1.9%	5.1%	94.9%
Grade 9	3.3%	3.7%	7.4%	92.6%
Grade 10	1.3%	1.3%	3.0%	97.0%
Grade 11	1.6%	4.6%	6.7%	93.3%
Grade 12	2.3%	2.3%	3.4%	96.6%
Methamphetamine				
All	0.2%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.6%	1.4%	98.6%
Grade 12	1.1%	2.0%	2.0%	98.0%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.2%	11.7%	21.7%	78.3%
Grade 7	2.7%	3.1%	11.3%	88.7%
Grade 8	9.0%	10.3%	21.2%	78.8%
Grade 9	5.6%	7.6%	15.7%	84.3%
Grade 10	8.8%	13.5%	24.2%	75.8%
Grade 11	12.9%	15.8%	27.2%	72.8%
Grade 12	18.2%	22.1%	33.9%	66.1%
Any Alcohol Product				
All	19.7%	23.2%	40.9%	59.1%
Grade 7	11.9%	15.1%	30.0%	70.0%
Grade 7 Grade 8	16.6%	19.1% 19.5%	37.8%	62.2%
Grade 9	16.5%	19.5% 18.8%	38.0%	62.0%
	10.3% 22.2%			
Grade 10		26.1%	45.5%	54.5%
Grade 11	21.5%	27.1%	45.0%	55.0%
Grade 12	31.2%	35.0%	51.0%	49.0%
Any Illicit Drug				
All	7.9%	11.3%	15.5%	84.5%
Grade 7	2.3%	2.7%	3.4%	96.6%
Grade 8	5.5%	8.1%	10.7%	89.3%
Grade 9	4.4%	6.7%	9.9%	90.1%
Grade 10	10.5%	14.6%	18.9%	81.1%
Grade 11	11.4%	15.5%	22.7%	77.3%
Grade 12	14.6%	22.9%	30.8%	69.2%
Any Prescription Drug				
All	5.4%	8.0%	14.3%	85.7%
Grade 7	6.1%	8.6%	13.8%	86.2%
Grade 8	8.1%	11.0%	20.5%	79.5%
Grade 9	4.9%	6.6%	12.6%	87.4%
Grade 10	3.0%	6.7%	12.0%	88.0%
Grade 10 Grade 11	5.0%	8.0%	12.3%	87.7%
Grade 12	5.4%	7.6%	14.5%	85.5%
Any Inhalant				
Any Inhalant All	0 407	9 907	Q 107	01 607
	2.4%	3.3%	8.4%	91.6%
Grade 7	3.1%	3.2%	10.1%	89.9%
Grade 8	4.3%	5.7%	11.2%	88.8%
Grade 9	3.1%	4.6%	9.9%	90.1%
Grade 10	0.8%	2.1%	7.2%	92.8%
Grade 11	1.3%	1.8%	5.2%	94.8%
Grade 12	1.9%	2.4%	6.1%	93.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 81 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	10.4%	19.9%	80.1%
Grade 7	1.5%	2.1%	9.4%	90.6%
Grade 8	6.6%	8.2%	19.4%	80.6%
Grade 9	5.2%	7.0%	14.1%	85.9%
Grade 10	6.8%	12.1%	21.6%	78.4%
Grade 11	10.7%	14.1%	25.5%	74.5%
Grade 12	16.3%	20.9%	32.1%	67.9%
Marijuana				
J	7.3%	9.7%	14.4%	85.6%
Grade 7	1.3%	1.5%	2.1%	97.9%
Grade 8	5.0%	5.6%	8.0%	92.0%
Grade 9	4.2%	6.0%	9.3%	90.7%
Grade 10	10.0%	13.6%	17.9%	82.1%
Grade 11	11.2%	14.9%	22.3%	77.7%
Grade 12	13.9%	18.8%	29.9%	70.1%
Marijuana Only				
All	4.7%	6.7%	10.8%	89.2%
Grade 7	1.2%	1.4%	2.0%	98.0%
Grade 8	2.5%	3.0%	4.7%	95.3%
Grade 9	2.3%	3.9%	6.6%	93.4%
Grade 10	7.2%	10.5%	14.5%	85.5%
Grade 11	6.9%	10.1%	16.3%	83.7%
Grade 12	9.3%	12.8%	23.5%	76.5%
Cocaine or Crack				
All	0.6%	0.6%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.8%	1.0%	1.2%	98.8%
Grade 12	1.2%	1.2%	2.8%	97.2%
Cocaine				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.8%	1.0%	1.0%	99.0%
Grade 12	1.2%	1.2%	2.8%	97.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 82 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.2%	1.7%	98.3%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	1.3%	1.8%	2.2%	97.8%
Grade 11	1.1%	1.8%	3.0%	97.0%
Grade 12	1.1%	1.3%	3.7%	96.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.1%	1.4%	98.6%
Grade 8	0.0%	0.1%	0.6%	99.4%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.2%	0.3%	0.4%	99.6%
Grade 11	0.4%	0.6%	1.3%	98.7%
Grade 12	0.5%	0.6%	1.2%	98.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 83 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.4%	1.6%	2.6%	97.4%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.7%	1.1%	1.8%	98.2%
Grade 11	0.9%	1.7%	2.5%	97.5%
Grade 12	0.8%	0.8%	2.1%	97.9%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.6%	1.1%	1.1%	98.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.8%	19.9%	33.7%	66.3%
Grade 7	6.4%	7.2%	21.7%	78.3%
Grade 8	21.4%	25.4%	38.3%	61.7%
Grade 9	20.6%	21.7%	28.6%	71.4%
Grade 10	9.4%	14.4%	32.8%	67.2%
Grade 11	21.3%	24.6%	41.5%	58.5%
Grade 12	22.8%	27.1%	39.6%	60.4%
Any Alcohol Product				
All	31.4%	36.6%	53.0%	47.0%
Grade 7	37.0%	42.3%	63.4%	36.6%
Grade 8	37.0% 30.6%	42.3% 34.5%	55.8%	44.2%
Grade 8 Grade 9	30.0% 34.0%	34.5% 38.1%	50.8%	44.2% 49.1%
Grade 10	27.0%	30.8%	48.2%	51.8%
Grade 11	35.2%	44.5%	57.3%	42.7%
Grade 12	24.5%	29.3%	43.6%	56.4%
Any Illicit Drug				
All	14.1%	19.7%	25.5%	74.5%
Grade 7	5.5%	7.9%	10.8%	89.2%
Grade 8	9.7%	18.4%	27.4%	72.6%
Grade 9	18.7%	23.9%	25.2%	74.8%
Grade 10	10.6%	19.2%	22.5%	77.5%
Grade 11	26.8%	32.3%	36.9%	63.1%
Grade 12	11.3%	14.0%	29.5%	70.5%
Any Prescription Drug				
All	9.1%	11.9%	21.8%	78.2%
Grade 7	4.1%	9.9%	17.4%	82.6%
Grade 8	12.4%	17.9%	26.2%	73.8%
Grade 9	18.3%	18.4%	31.7%	68.3%
Grade 10	7.1%	8.2%	18.8%	81.2%
Grade 10 Grade 11	10.1%	11.6%	22.1%	77.9%
Grade 12	3.0%	6.5%	15.1%	84.9%
Any Inhalant				
All	6.1%	7.5%	14.8%	85.2%
Grade 7	7.2%	8.9%	14.8% 18.3%	81.7%
Grade 7 Grade 8	5.4%	7.0%	18.3% 16.2%	83.8%
	6.9%			
Grade 9 Crede 10		7.1%	17.7%	82.3% 87.0%
Grade 10	6.9%	7.8%	12.1%	87.9%
Grade 11	2.5%	5.9%	12.2%	87.8%
Grade 12	8.0%	8.3%	13.2%	86.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 85 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.3%	17.6%	31.5%	68.5%
Grade 7	4.5%	5.3%	19.2%	80.8%
Grade 8	15.7%	20.1%	33.9%	66.1%
Grade 9	16.3%	19.6%	28.1%	71.9%
Grade 10	8.6%	13.9%	32.7%	67.3%
Grade 11	20.8%	23.3%	40.2%	59.8%
Grade 12	14.0%	23.6%	34.6%	65.4%
Marijuana				
All	13.9%	16.9%	22.0%	78.0%
Grade 7	5.1%	5.7%	5.9%	94.1%
Grade 8	9.7%	11.6%	16.9%	83.1%
Grade 9	18.4%	22.3%	23.5%	76.5%
Grade 10	10.3%	13.7%	18.2%	81.8%
Grade 11	26.8%	31.4%	36.0%	64.0%
Grade 12	10.9%	13.7%	29.1%	70.9%
Marijuana Only				
All	6.9%	8.8%	13.0%	87.0%
Grade 7	1.5%	2.0%	2.2%	97.8%
Grade 8	7.3%	9.2%	14.1%	85.9%
Grade 9	6.3%	9.5%	9.8%	90.2%
Grade 10	6.6%	8.4%	12.2%	87.8%
Grade 11	13.2%	14.5%	17.3%	82.7%
Grade 12	6.0%	8.4%	22.2%	77.8%
Cocaine or Crack				
All	1.1%	1.4%	2.9%	97.1%
Grade 7	0.4%	0.4%	3.1%	96.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	1.2%	1.3%	2.8%	97.2%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.5%	1.5%	3.5%	96.5%
Grade 12	4.4%	4.8%	6.9%	93.1%
Cocaine				
All	1.1%	1.4%	2.8%	97.2%
Grade 7	0.4%	0.4%	3.1%	96.9%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	1.2%	1.3%	2.8%	97.2%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.5%	1.5%	3.5%	96.5%
Grade 12	4.0%	4.4%	6.6%	93.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 86 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	1.1%	1.5%	98.5%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.9%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.0%	1.0%	99.0%
Grade 12	2.8%	4.4%	4.4%	95.6%
Hallucinogens				
All	1.9%	2.8%	5.8%	94.2%
Grade 7	0.1%	0.2%	2.9%	97.1%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	4.6%	6.2%	11.1%	88.9%
Grade 10	0.4%	0.4%	1.9%	98.1%
Grade 11	4.1%	6.9%	13.0%	87.0%
Grade 12	1.7%	1.7%	3.9%	96.1%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	1.0%	3.4%	96.6%
Grade 7	0.0%	0.6%	2.6%	97.4%
Grade 8	1.7%	1.7%	3.2%	96.8%
Grade 9	1.8%	1.8%	3.3%	96.7%
Grade 10	0.4%	0.4%	7.0%	93.0%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	1.6%	3.0%	97.0%
Ecstasy				
All	0.6%	0.6%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	3.8%	96.2%
Grade 9	0.9%	1.0%	1.2%	98.8%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.3%	3.4%	96.6%
Grade 12	1.6%	1.6%	1.6%	98.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 87 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.6%	2.5%	97.5%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.3%	2.5%	5.1%	94.9%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.7%	1.1%	3.7%	96.3%
Grade 9	8.9%	8.9%	10.4%	89.6%
Grade 10	0.6%	0.6%	3.9%	96.1%
Grade 11	1.2%	2.2%	8.7%	91.3%
Grade 12	1.6%	1.6%	2.3%	97.7%
Methamphetamine				
All	0.2%	0.7%	0.8%	99.2%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	2.9%	3.0%	97.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems (Continued)

3 Margin Tables

Jump to Table of Contents Page 89 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q1	Frequency	Percent
Male	$372,\!315$	49.3%
Female	383,372	50.7%
Frequency Missing	$2,\!874$	

Gender

Hispanic or Latino

Q5a	Frequency	Percent
No	452,247	60.6%
Yes	294,523	39.4%
Frequency Missing	11,792	

Grade

Q2	Frequency	Percent
Grade 7	$128,\!535$	17.1%
Grade 8	$127,\!939$	17.0%
Grade 9	$139,\!671$	18.6%
Grade 10	$127,\!362$	16.9%
Grade 11	119,014	15.8%
Grade 12	110,311	14.7%
Frequency Missing	5,729	

Ethnicity

Q5b	Frequency	Percent
American Indian	10,085	1.4%
Asian American	39,085	5.5%
African American	$134,\!267$	19.0%
Pacific Islander	1,837	0.3%
White	$336,\!689$	47.6%
Other	$96,\!645$	13.7%
More Than One Race	88,712	12.5%
Frequency Missing	51,241	

Live with Both Parents

Q3	Frequency	Percent
No	241,918	32.2%
Yes	$508,\!352$	67.8%
Frequency Missing	8,293	

Age

Q4	Frequency	Percent
11 or younger	1,736	0.2%
12	$63,\!349$	8.4%
13	119,827	15.9%
14	132,717	17.6%
15	138,046	18.3%
16	123,710	16.4%
17	116,865	15.5%
18	$53,\!978$	7.2%
19 or older	3,738	0.5%
Frequency Missing	4,596	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,314	0.3%
Mostly D's	$3,\!673$	0.5%
Mostly C's	76,959	11.4%
Mostly B's	$308,\!616$	45.9%
Mostly A's	280,990	41.8%
Frequency Missing	86,010	

Do You Have a Job

Q7	Frequency	Percent
No	542,755	80.0%
Yes	135,288	20.0%
Frequency Missing	80,520	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 90 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

Q8	Frequency	Percent
No	303,136	44.9%
Yes	$216,\!251$	32.1%
Don't Know	$155,\!144$	23.0%
Frequency Missing	84,031	

Qualify for Free/Reduced Lunch

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	525,774	91.7%
Yes	47,751	8.3%
Frequency Missing	$185,\!037$	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	$267,\!459$	41.8%
Yes	$373,\!033$	58.2%
Frequency Missing	$118,\!071$	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	435,096	74.4%
Yes	149,636	25.6%
Frequency Missing	$173,\!830$	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	451,697	76.2%
Yes	140,917	23.8%
Frequency Missing	$165,\!948$	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	411,673	70.2%
Yes	174,846	29.8%
Frequency Missing	172,042	

Participate in School Choir

Q9c	Frequency	Percent
No	521,851	90.5%
Yes	$54,\!698$	9.5%
Frequency Missing	182,013	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	386, 385	64.4%
Yes	213,322	35.6%
Frequency Missing	$158,\!855$	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No Yes Frequency Missing	532,369 46,595 179,598	$92.0\%\ 8.0\%$

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	433,844	74.1%
Yes	$151,\!464$	25.9%
Frequency Missing	$173,\!255$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 91 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q10a	Frequency	Percent
Very Safe	$651,\!566$	86.8%
Somewhat Safe	82,849	11.0%
Not Very Safe	5,927	0.8%
Not Safe At All	3,824	0.5%
Don't Know	6,276	0.8%
Frequency Missing	8,120	

Do You Feel Safe in Your Home

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	48,338	6.7%
Some High School	57,004	7.9%
Finished High School	104,448	14.6%
Some College	88,086	12.3%
Finished College	195,744	27.3%
Post-Secondary	154,177	21.5%
Don't Know or N/A	69,273	9.7%
Frequency Missing	41,491	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	410,151	55.0%
Somewhat Safe	$277,\!492$	37.2%
Not Very Safe	$31,\!601$	4.2%
Not Safe At All	9,385	1.3%
Don't Know	$17,\!286$	2.3%
Frequency Missing	$12,\!647$	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	431,578	63.1%
Yes	$251,\!845$	36.9%
Frequency Missing	$75,\!140$	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	334,684	44.9%
Somewhat Safe	$319,\!195$	42.8%
Not Very Safe	44,822	6.0%
Not Safe At All	26,008	3.5%
Don't Know	$21,\!393$	2.9%
Frequency Missing	12,460	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	30,877	4.2%
A Few	131,880	17.8%
Some	152,718	20.6%
Most	300,214	40.6%
All	$123,\!961$	16.8%
Frequency Missing	18,913	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	47,006	6.6%
Some High School	64,149	8.9%
Finished High School	$121,\!556$	16.9%
Some College	72,330	10.1%
Finished College	$141,\!364$	19.7%
Post-Secondary	164,738	23.0%
Don't Know or N/A	106,089	14.8%
Frequency Missing	41,331	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	11,863	1.6%
A Few	69,191	9.4%
Some	$146,\!812$	19.8%
Most	342,915	46.4%
All	169,007	22.8%
Frequency Missing	18,776	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 92 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q13c	Frequency	Percent
None	358,111	49.2%
A Few	$201,\!630$	27.7%
Some	$93,\!375$	12.8%
Most	43,317	6.0%
All	30,861	4.2%
Frequency Missing	31,268	

Friends Wishing to Drop Out of School

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	705,832	95.5%
In Your Lifetime	20,994	2.8%
Since School Began	5,025	0.7%
In the Past Month	7,002	0.9%
Frequency Missing	19,709	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	618,337	84.1%
A Few	$77,\!104$	10.5%
Some	25,254	3.4%
Most	10,779	1.5%
All	4,014	0.5%
Frequency Missing	23,074	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	728,237	98.9%
In Your Lifetime	$3,\!804$	0.5%
Since School Began	1,704	0.2%
In the Past Month	2,479	0.3%
Frequency Missing	22,338	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	655,087	88.9%
A Few	$54,\!416$	7.4%
Some	$16,\!684$	2.3%
Most	5,153	0.7%
All	5,441	0.7%
Frequency Missing	21,781	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	703,290	95.3%
In Your Lifetime	24,891	3.4%
Since School Began	3,251	0.4%
In the Past Month	6,403	0.9%
Frequency Missing	20,728	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	$726,\!520$	97.9%
In Your Lifetime	9,162	1.2%
Since School Began	3,098	0.4%
In the Past Month	$3,\!541$	0.5%
Frequency Missing	16,242	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	730,263	98.8%
In Your Lifetime	$5,\!493$	0.7%
Since School Began	1,267	0.2%
In the Past Month	2,363	0.3%
Frequency Missing	$19,\!176$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 93 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q14f	Frequency	Percent
Never Heard/Used	731,729	99.1%
In Your Lifetime	3,486	0.5%
Since School Began	1,836	0.2%
In the Past Month	1,447	0.2%
Frequency Missing	20,063	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Frequency

724,623

 8,515

1,331

5,066

19,027

Percent

98.0%

1.2%

0.2%

0.7%

Q14g

Never Heard/Used

Since School Began

In the Past Month

Frequency Missing

In Your Lifetime

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	702,305	95.4%
In Your Lifetime	18,230	2.5%
Since School Began	3,714	0.5%
In the Past Month	$11,\!629$	1.6%
Frequency Missing	$22,\!684$	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	536,871	73.9%
In Your Lifetime	99,870	13.7%
Since School Began	$32,\!643$	4.5%
In the Past Month	$57,\!309$	7.9%
Frequency Missing	31,868	

Recent Wine Cooler Use

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	729,164	98.7%
In Your Lifetime	6,374	0.9%
Since School Began	949	0.1%
In the Past Month	2,484	0.3%
Frequency Missing	19,591	

Q15d	Frequency	Percent
Never Heard/Used	585,295	79.9%
In Your Lifetime	66,345	9.1%
Since School Began	29,244	4.0%
In the Past Month	51,303	7.0%
Frequency Missing	26,374	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	560, 115	76.8%
In Your Lifetime	98,238	13.5%
Since School Began	$27,\!483$	3.8%
In the Past Month	43,639	6.0%
Frequency Missing	29,087	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	680,154	91.7%
In Your Lifetime	41,291	5.6%
Since School Began	6,392	0.9%
In the Past Month	13,529	1.8%
Frequency Missing	$17,\!196$	

Percentages and frequencies have been weighted to reflect proportions within the population.

_

Jump to Table of Contents Page 94 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q15f	Frequency	Percent
Never Heard/Used	562,374	76.6%
In Your Lifetime	80,409	10.9%
Since School Began	31,792	4.3%
In the Past Month	59,902	8.2%
Frequency Missing	$24,\!085$	

Recent Liquor Use

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	727,634	98.8%
In Your Lifetime	$5,\!891$	0.8%
Since School Began	$1,\!159$	0.2%
In the Past Month	$1,\!604$	0.2%
Frequency Missing	22,275	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	713,873	96.9%
In Your Lifetime	14,253	1.9%
Since School Began	2,791	0.4%
In the Past Month	$5,\!443$	0.7%
Frequency Missing	22,201	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	730,421	99.6%
In Your Lifetime	2,192	0.3%
Since School Began	739	0.1%
In the Past Month	277	0.0%
Frequency Missing	24,933	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	575,604	78.0%
In Your Lifetime	76,375	10.4%
Since School Began	23,803	3.2%
In the Past Month	61,726	8.4%
Frequency Missing	21,054	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	713,171	97.4%
In Your Lifetime	10,428	1.4%
Since School Began	2,572	0.4%
In the Past Month	5,730	0.8%
Frequency Missing	26,661	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	630,020	85.4%
In Your Lifetime	$53,\!147$	7.2%
Since School Began	19,243	2.6%
In the Past Month	$35,\!355$	4.8%
Frequency Missing	20,797	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	731,619	99.6%
In Your Lifetime	1,521	0.2%
Since School Began	217	0.0%
In the Past Month	899	0.1%
Frequency Missing	24,306	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 95 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q16g	Frequency	Percent
Never Heard/Used	726,155	98.9%
In Your Lifetime	5,740	0.8%
Since School Began	440	0.1%
In the Past Month	1,661	0.2%
Frequency Missing	24,566	

Recent Steroid Use

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	718,334	98.0%
In Your Lifetime	$7,\!999$	1.1%
Since School Began	1,224	0.2%
In the Past Month	5,711	0.8%
Frequency Missing	$25,\!294$	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	727,865	99.2%
In Your Lifetime	3,393	0.5%
Since School Began	738	0.1%
In the Past Month	1,533	0.2%
Frequency Missing	25,033	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	654,036	90.0%
In Your Lifetime	40,305	5.5%
Since School Began	11,499	1.6%
In the Past Month	20,831	2.9%
Frequency Missing	$31,\!891$	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	733,807	99.8%
In Your Lifetime	671	0.1%
Since School Began	246	0.0%
In the Past Month	499	0.1%
Frequency Missing	23,340	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	706,027	97.4%
In Your Lifetime	11,176	1.5%
Since School Began	$3,\!446$	0.5%
In the Past Month	4,091	0.6%
Frequency Missing	$33,\!821$	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	$731,\!658$	99.5%
In Your Lifetime	1,307	0.2%
Since School Began	1,411	0.2%
In the Past Month	980	0.1%
Frequency Missing	23,206	

Recent Prescription Drug Use -Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	694,056	96.2%
In Your Lifetime	14,827	2.1%
Since School Began	$6,\!196$	0.9%
In the Past Month	6,727	0.9%
Frequency Missing	36,756	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 96 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q17dFrequencyPercentNever Heard/Used682,72495.1%

14,415

6,851

13,937

40,636

2.0%

1.0%

1.9%

In Your Lifetime

Since School Began

In the Past Month

Frequency Missing

Recent Prescription Drug Use - Adderall Etc

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	$593,\!560$	82.0%
1-2 times	86,125	11.9%
3-10 times	35,462	4.9%
11 + times	9,062	1.3%
Frequency Missing	34,353	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	661,937	92.0%
In Your Lifetime	27,216	3.8%
Since School Began	11,354	1.6%
In the Past Month	$18,\!654$	2.6%
Frequency Missing	39,401	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	712,989	98.5%
1-2 times	7,092	1.0%
3-10 times	2,230	0.3%
11 + times	1,189	0.2%
Frequency Missing	35,062	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	703,292	97.2%
In Your Lifetime	10,808	1.5%
Since School Began	2,130	0.3%
In the Past Month	$7,\!356$	1.0%
Frequency Missing	$34,\!976$	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	$665,\!534$	91.9%
1-2 times	29,770	4.1%
3-10 times	11,162	1.5%
11 + times	$17,\!840$	2.5%
Frequency Missing	34,257	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	687,492	94.8%
1-2 times	16,355	2.3%
3-10 times	$7,\!569$	1.0%
11 + times	$13,\!683$	1.9%
Frequency Missing	33,464	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	719,790	99.5%
1-2 times	2,566	0.4%
3-10 times	336	0.0%
11 + times	406	0.1%
Frequency Missing	35,464	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 97 of 127 ©Copyright 2020 Texas A&M University

All Rights Reserved

Q19f	Frequency	Percent
Never Heard/Used	$721,\!526$	99.7%
1-2 times	1,850	0.3%
3-10 times	49	0.0%
11 + times	166	0.0%
Frequency Missing	$34,\!971$	

Crack Use in Past Month

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	495,040	68.9%
A few	108,477	15.1%
Some	58,015	8.1%
Most	47,026	6.5%
All	$9,\!613$	1.3%
Frequency Missing	40,390	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	$576,\!419$	80.0%
A few	$81,\!585$	11.3%
Some	34,742	4.8%
Most	21,855	3.0%
All	5,871	0.8%
Frequency Missing	38,090	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	445,007	62.0%
A few	$138,\!538$	19.3%
Some	69,804	9.7%
Most	51,309	7.1%
All	$13,\!159$	1.8%
Frequency Missing	40,745	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	675,681	94.2%
A few	28,882	4.0%
Some	9,077	1.3%
Most	2,504	0.3%
All	1,355	0.2%
Frequency Missing	41,063	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	632,329	89.5%
8 or younger	4,505	0.6%
9 years old	$1,\!488$	0.2%
10 years old	4,268	0.6%
11 years old	4,315	0.6%
12 years old	10,703	1.5%
13 years old	$11,\!607$	1.6%
14 years old	13,788	2.0%
15 years old	12,140	1.7%
16 years old	7,110	1.0%
17 years old	$3,\!489$	0.5%
18 or older	1,083	0.2%
Frequency Missing	51,737	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	473,364	67.5%
8 or younger	30,555	4.4%
9 years old	8,206	1.2%
10 years old	16,103	2.3%
11 years old	$13,\!661$	1.9%
12 years old	24,182	3.4%
13 years old	36,261	5.2%
14 years old	29,009	4.1%
15 years old	29,173	4.2%
16 years old	27,214	3.9%
17 years old	8,890	1.3%
18 or older	4,477	0.6%
Frequency Missing	57,466	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 98 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

Q21c	Frequency	Percent
Never used it	679,786	97.4%
8 or younger	2,239	0.3%
9 years old	1,177	0.2%
10 years old	1,974	0.3%
11 years old	2,572	0.4%
12 years old	2,996	0.4%
13 years old	$3,\!400$	0.5%
14 years old	1,135	0.2%
15 years old	1,532	0.2%
16 years old	578	0.1%
17 years old	657	0.1%
18 or older	0	0.0%
Frequency Missing	60,516	

Age When First Used Inhalants

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	693,833	99.1%
8 or younger	151	0.0%
9 years old	166	0.0%
10 years old	410	0.1%
11 years old	717	0.1%
12 years old	156	0.0%
13 years old	1,018	0.1%
14 years old	547	0.1%
15 years old	1,256	0.2%
16 years old	814	0.1%
17 years old	969	0.1%
18 or older	130	0.0%
Frequency Missing	58,397	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	601,380	85.7%
8 or younger	1,408	0.2%
9 years old	1,349	0.2%
10 years old	2,030	0.3%
11 years old	4,477	0.6%
12 years old	9,229	1.3%
13 years old	13,979	2.0%
14 years old	18,610	2.7%
15 years old	23,340	3.3%
16 years old	16,640	2.4%
17 years old	9,057	1.3%
18 or older	534	0.1%
Frequency Missing	56,527	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	696,199	99.6%
8 or younger	173	0.0%
9 years old	42	0.0%
10 years old	0	0.0%
11 years old	418	0.1%
12 years old	195	0.0%
13 years old	795	0.1%
14 years old	654	0.1%
15 years old	259	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	59,826	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	692,614	99.0%
8 or younger	973	0.1%
9 years old	69	0.0%
10 years old	221	0.0%
11 years old	$1,\!159$	0.2%
12 years old	909	0.1%
13 years old	1,235	0.2%
14 years old	913	0.1%
15 years old	505	0.1%
16 years old	742	0.1%
17 years old	196	0.0%
18 or older	0	0.0%
Frequency Missing	59,025	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 99 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q21i	Frequency	Percent
Never used it	694,159	99.3%
8 or younger	194	0.0%
9 years old	115	0.0%
10 years old	0	0.0%
11 years old	516	0.1%
12 years old	151	0.0%
13 years old	951	0.1%
14 years old	783	0.1%
15 years old	838	0.1%
16 years old	914	0.1%
17 years old	315	0.0%
18 or older	0	0.0%
Frequency Missing	$59,\!624$	

Age When First Used Ecstasy

C	-	
Q21k	Frequency	Percent

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	696,631	99.7%
8 or younger	102	0.0%
9 years old	15	0.0%
10 years old	0	0.0%
11 years old	115	0.0%
12 years old	375	0.1%
13 years old	182	0.0%
14 years old	183	0.0%
15 years old	61	0.0%
16 years old	180	0.0%
17 years old	$1,\!116$	0.2%
18 or older	0	0.0%
Frequency Missing	$59,\!601$	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	697,980	99.8%
8 or younger	203	0.0%
9 years old	333	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	211	0.0%
13 years old	175	0.0%
14 years old	137	0.0%
15 years old	259	0.0%
16 years old	180	0.0%
17 years old	0	0.0%
Frequency Missing	59,085	

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	$686,\!458$	98.2%
8 or younger	133	0.0%
9 years old	537	0.1%
10 years old	370	0.1%
11 years old	166	0.0%
12 years old	$1,\!635$	0.2%
13 years old	2,632	0.4%
14 years old	1,833	0.3%
15 years old	$3,\!553$	0.5%
16 years old	$1,\!137$	0.2%
17 years old	293	0.0%
18 or older	0	0.0%
Frequency Missing	59,815	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	$236,\!695$	33.3%
Impossible	$155,\!391$	21.9%
Very Difficult	64,944	9.1%
Somewhat diff	70,525	9.9%
Somewhat easy	$89,\!639$	12.6%
Very easy	93,467	13.2%
Frequency Missing	47,902	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 100 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q22bFrequency Percent Never heard of 195,35327.5%Impossible 105,789 14.9%Very Difficult 42,908 6.0%Somewhat diff 71,52010.1%Somewhat easy 122,723 17.3%Very easy 24.2%172,015 Frequency Missing 48,254

Difficult to Get Alcohol

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	$294{,}501$	41.7%
Impossible	$253,\!297$	35.9%
Very Difficult	92,835	13.1%
Somewhat diff	35,779	5.1%
Somewhat easy	12,237	1.7%
Very easy	$17,\!630$	2.5%
Frequency Missing	52,284	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	$296{,}517$	41.9%
Impossible	$125,\!202$	17.7%
Very Difficult	$37,\!809$	5.3%
Somewhat diff	37,562	5.3%
Somewhat easy	59,093	8.3%
Very easy	$151,\!845$	21.4%
Frequency Missing	$50,\!534$	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	299,604	42.6%
Impossible	$235,\!453$	33.5%
Very Difficult	86,394	12.3%
Somewhat diff	41,923	6.0%
Somewhat easy	17,973	2.6%
Very easy	22,192	3.2%
Frequency Missing	55,022	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	231,853	32.8%
Impossible	$176,\!156$	24.9%
Very Difficult	$56,\!672$	8.0%
Somewhat diff	61,210	8.7%
Somewhat easy	79,313	11.2%
Very easy	$101,\!887$	14.4%
Frequency Missing	$51,\!472$	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	349,776	49.8%
Impossible	$202,\!600$	28.9%
Very Difficult	76,766	10.9%
Somewhat diff	$35,\!534$	5.1%
Somewhat easy	17,508	2.5%
Very easy	19,729	2.8%
Frequency Missing	$56,\!649$	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	281,339	39.8%
Impossible	248,986	35.2%
Very Difficult	92,359	13.1%
Somewhat diff	44,533	6.3%
Somewhat easy	17,945	2.5%
Very easy	21,895	3.1%
Frequency Missing	$51,\!505$	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	319,891	45.2%
Impossible	260,997	36.9%
Very Difficult	77,074	10.9%
Somewhat diff	$27,\!432$	3.9%
Somewhat easy	$6,\!457$	0.9%
Very easy	$15,\!430$	2.2%
Frequency Missing	51,281	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 101 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

-

Q22k	Frequency	Percent
Never heard of	337,109	47.8%
Impossible	244,778	34.7%
Very Difficult	70,869	10.0%
Somewhat diff	24,037	3.4%
Somewhat easy	11,328	1.6%
Very easy	$17,\!621$	2.5%
Frequency Missing	52,820	

Difficult to Get Methamphetamine

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	711	0.1%
Several times/wk	$4,\!671$	0.7%
Several times/mo	31,835	4.5%
About once/month	52,776	7.5%
About once/year	60,345	8.6%
Less than once/year	55,560	7.9%
Never used	$495,\!418$	70.6%
Frequency Missing	$57,\!246$	

Difficult to Get Synthetic Marijuana

Q221	Frequency	Percent
Never heard of	351,790	50.0%
Impossible	$201,\!374$	28.6%
Very Difficult	64,237	9.1%
Somewhat diff	34,833	5.0%
Somewhat easy	22,313	3.2%
Very easy	$28,\!678$	4.1%
Frequency Missing	55,336	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	320	0.0%
Several times/wk	1,261	0.2%
Several times/mo	1,237	0.2%
About once/month	3,285	0.5%
About once/year	3,861	0.6%
Less than once/year	6,694	1.0%
Never used	$682,\!452$	97.6%
Frequency Missing	59,453	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	10,029	1.4%
Several times/wk	6,088	0.9%
Several times/mo	$7,\!484$	1.1%
About once/month	8,493	1.2%
About once/year	10,794	1.5%
Less than once/year	20,967	3.0%
Never used	639,722	90.9%
Frequency Missing	54,985	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	6,960	1.0%
Several times/wk	9,660	1.4%
Several times/mo	12,485	1.8%
About once/month	17,896	2.6%
About once/year	19,870	2.8%
Less than once/year	22,561	3.2%
Never used	$611,\!232$	87.2%
Frequency Missing	57,898	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 102 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	20	0.0%
Several times/wk	181	0.0%
Several times/mo	286	0.0%
About once/month	94	0.0%
About once/year	1,349	0.2%
Less than once/year	3,872	0.6%
Never used	$692,\!205$	99.2%
Frequency Missing	$60,\!556$	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	478	0.1%
Several times/mo	753	0.1%
About once/month	579	0.1%
About once/year	1,279	0.2%
Less than once/year	2,310	0.3%
Never used	$691,\!800$	99.2%
Frequency Missing	61,363	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	80	0.0%
Several times/mo	49	0.0%
About once/month	14	0.0%
About once/year	602	0.1%
Less than once/year	$1,\!159$	0.2%
Never used	$698,\!284$	99.7%
Frequency Missing	$58,\!374$	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	317	0.0%
Several times/wk	92	0.0%
Several times/mo	0	0.0%
About once/month	166	0.0%
About once/year	119	0.0%
Less than once/year	308	0.0%
Never used	700,352	99.9%
Frequency Missing	57,207	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	861	0.1%
Several times/wk	86	0.0%
Several times/mo	158	0.0%
About once/month	1,067	0.2%
About once/year	789	0.1%
Less than once/year	1,064	0.2%
Never used	$695,\!859$	99.4%
Frequency Missing	$58,\!678$	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	491	0.1%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	88	0.0%
About once/year	84	0.0%
Less than once/year	$1,\!673$	0.2%
Never used	697,719	99.7%
Frequency Missing	58,506	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 103 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q231	Frequency	Percent
Every day	725	0.1%
Several times/wk	860	0.1%
Several times/mo	973	0.1%
About once/month	1,832	0.3%
About once/year	$3,\!587$	0.5%
Less than once/year	3,359	0.5%
Never used	$683,\!678$	98.4%
Frequency Missing	$63,\!548$	

How Often Normally Use Synthetic Marijuana

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	538,727	76.8%
12+ drinks	3,843	0.5%
9-11 drinks	2,082	0.3%
5-8 drinks	3,505	0.5%
3-4 drinks	15,986	2.3%
2 drinks	19,984	2.8%
1 drink	41,818	6.0%
Less than 1 drink	75,263	10.7%
Frequency Missing	57,354	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	512,769	72.8%
12+ drinks	9,821	1.4%
9-11 drinks	$6,\!470$	0.9%
5-8 drinks	$13,\!397$	1.9%
3-4 drinks	20,856	3.0%
2 drinks	27,412	3.9%
1 drink	$38,\!675$	5.5%
Less than 1 drink	74,951	10.6%
Frequency Missing	54,211	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	527,328	75.3%
12 + drinks	10,511	1.5%
9-11 drinks	$9,\!175$	1.3%
5-8 drinks	20,921	3.0%
3-4 drinks	26,040	3.7%
2 drinks	$21,\!897$	3.1%
1 drink	31,026	4.4%
Less than 1 drink	$53,\!644$	7.7%
Frequency Missing	58,020	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	548,730	78.3%
12+ drinks	5,443	0.8%
9-11 drinks	5,446	0.8%
5-8 drinks	14,013	2.0%
3-4 drinks	$23,\!661$	3.4%
2 drinks	27,860	4.0%
1 drink	31,569	4.5%
Less than 1 drink	44,202	6.3%
Frequency Missing	$57,\!639$	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	441,391	63.4%
0 days	204,911	29.4%
1 day	16,364	2.3%
2 days	11,404	1.6%
3 to 5 days	12,254	1.8%
6 to 9 days	4,765	0.7%
10 or more days	$5,\!445$	0.8%
Frequency Missing	62,028	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 104 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q26a	Frequency	Percent
Do not Drink	480,980	68.8%
Never	$92,\!540$	13.2%
Seldom	$87,\!299$	12.5%
Most of the Time	25,531	3.7%
Always	13,006	1.9%
Frequency Missing	59,205	

Get Alcoholic Beverages from Home

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	508,646	73.4%
Never	117,422	16.9%
Seldom	36,518	5.3%
Most of the Time	17,020	2.5%
Always	13,199	1.9%
Frequency Missing	65,757	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	491,743	70.4%
Never	100,723	14.4%
Seldom	$51,\!243$	7.3%
Most of the Time	41,394	5.9%
Always	$13,\!530$	1.9%
Frequency Missing	59,928	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	442,642	64.8%
Somewhat	$158,\!453$	23.2%
Not very	41,481	6.1%
Not at all	8,317	1.2%
Don't know	32,090	4.7%
Frequency Missing	75,579	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	506,663	73.1%
Never	$152,\!332$	22.0%
Seldom	15,164	2.2%
Most of the Time	11,183	1.6%
Always	8,076	1.2%
Frequency Missing	$65,\!145$	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	$371,\!359$	54.5%
Somewhat	$183,\!984$	27.0%
Not very	82,273	12.1%
Not at all	15,712	2.3%
Don't know	28,512	4.2%
Frequency Missing	76,723	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	478,230	68.9%
Never	$82,\!669$	11.9%
Seldom	55,035	7.9%
Most of the Time	49,055	7.1%
Always	$28,\!661$	4.1%
Frequency Missing	64,912	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	486,139	71.7%
Somewhat	99,381	14.7%
Not very	32,163	4.7%
Not at all	9,182	1.4%
Don't know	$51,\!270$	7.6%
Frequency Missing	80,426	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 105 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q27d	Frequency	Percent
Very	414,559	61.3%
Somewhat	$87,\!479$	12.9%
Not very	$74,\!510$	11.0%
Not at all	67,177	9.9%
Don't know	32,710	4.8%
Frequency Missing	82,128	

Dangerous for Kids to Use Marijuana

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	$530,\!147$	78.8%
Somewhat	76,073	11.3%
Not very	22,149	3.3%
Not at all	5,296	0.8%
Don't know	39,104	5.8%
Frequency Missing	85,793	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	596, 185	88.3%
Somewhat	39,806	5.9%
Not very	3,720	0.6%
Not at all	$2,\!670$	0.4%
Don't know	$32,\!819$	4.9%
Frequency Missing	83,363	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	607,009	89.9%
Somewhat	25,527	3.8%
Not very	2,111	0.3%
Not at all	1,920	0.3%
Don't know	$38,\!843$	5.8%
Frequency Missing	83,152	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	599,818	89.0%
Somewhat	$32,\!694$	4.8%
Not very	3,557	0.5%
Not at all	2,075	0.3%
Don't know	36,132	5.4%
Frequency Missing	84,287	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	604,086	89.5%
Somewhat	26,343	3.9%
Not very	1,887	0.3%
Not at all	2,017	0.3%
Don't know	40,606	6.0%
Frequency Missing	83,622	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	561,219	83.2%
Somewhat	48,299	7.2%
Not very	10,765	1.6%
Not at all	$3,\!447$	0.5%
Don't know	51,169	7.6%
Frequency Missing	83,663	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	546,094	81.4%
Somewhat	50,391	7.5%
Not very	14,218	2.1%
Not at all	5,709	0.9%
Don't know	54,137	8.1%
Frequency Missing	88,012	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 106 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q271	Frequency	Percent
Very	510,075	75.8%
Somewhat	90,060	13.4%
Not very	25,510	3.8%
Not at all	6,427	1.0%

40,649

85,841

6.0%

Don't know

Frequency Missing

Dangerous for Kids to Use Any Prescription

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	$298,\!153$	45.1%
1-3 days	301,890	45.6%
4-9 days	46,074	7.0%
10+ days	15,218	2.3%
Frequency Missing	97,228	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	444,001	66.0%
Somewhat	$116,\!540$	17.3%
Not very	$59,\!645$	8.9%
Not at all	$17,\!444$	2.6%
Don't know	35,000	5.2%
Frequency Missing	85,932	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	598,503	88.7%
1-3 days	62,384	9.2%
4-9 days	6,507	1.0%
10+ days	$7,\!177$	1.1%
Frequency Missing	83,990	

Someone Called Home Since September

Q28e	Frequency	Percent
None	622,722	92.5%
1-3 days	39,513	5.9%
4-9 days	5,021	0.7%
10+ days	$5,\!658$	0.8%
Frequency Missing	85,648	

Days Skipped Since September

Q28a	Frequency	Percent
None	579,307	85.5%
1-3 days	76,833	11.3%
4-9 days	14,366	2.1%
10+ days	6,905	1.0%
Frequency Missing	$81,\!151$	

Days Ill Since September

Q28b	Frequency	Percent
None	250,858	37.3%
1-3 days	$333,\!217$	49.6%
4-9 days	$71,\!683$	10.7%
10+ days	$16,\!127$	2.4%
Frequency Missing	86,677	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	649,868	96.7%
1-3 times	19,251	2.9%
4-9 times	$1,\!107$	0.2%
10+ times	1,966	0.3%
Frequency Missing	86,369	

Percentages and frequencies have been weighted to reflect proportions within the population.

-

Jump to Table of Contents Page 107 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

-

Q29b	Frequency	Percent
None	$658,\!580$	98.2%
1-3 times	7,479	1.1%
4-9 times	2,631	0.4%
10+ times	$1,\!638$	0.2%
Frequency Missing	88,234	

Driven a Car After a Good Bit to Drink

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	627,482	95.1%
1-3 days	15,342	2.3%
4-9 days	$6,\!171$	0.9%
10+ days	10,510	1.6%
Frequency Missing	99,057	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	$653,\!686$	97.8%
1-3 times	11,818	1.8%
4-9 times	1,793	0.3%
10+ times	1,433	0.2%
Frequency Missing	89,832	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	$651,\!552$	99.0%
1-3 days	3,892	0.6%
4-9 days	1,020	0.2%
10+ days	1,476	0.2%
Frequency Missing	100,622	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	643,545	96.8%
1-3 times	12,391	1.9%
4-9 times	2,348	0.4%
10+ times	6,878	1.0%
Frequency Missing	$93,\!400$	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	640,121	97.7%
1-3 days	10,242	1.6%
4-9 days	2,039	0.3%
10+ days	$2,\!603$	0.4%
Frequency Missing	$103,\!557$	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	646,620	97.4%
1-3 days	$14,\!410$	2.2%
4-9 days	2,071	0.3%
10+ days	523	0.1%
Frequency Missing	$94,\!938$	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	387,289	58.6%
Seldom	45,506	6.9%
Half the time	21,769	3.3%
Most of the Time	40,447	6.1%
Always	48,103	7.3%
Don't Know	10,743	1.6%
Didn't attend	106,783	16.2%
Frequency Missing	97,922	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 108 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q31b	Frequency	Percent
Never	433,442	65.7%
Seldom	$33,\!601$	5.1%
Half the time	21,285	3.2%
Most of the Time	25,745	3.9%
Always	25,288	3.8%
Don't Know	$13,\!608$	2.1%
Didn't attend	$107,\!200$	16.2%
Frequency Missing	$98,\!393$	

Sought Help for Drug/Alcohol Problem

Frequency

583,812

31,284

143,466

Percent

94.9%

5.1%

Q32

No

Yes

Frequency Missing

Drug Use at Parties This School Year

Would Seek Help from Parents

Q33d	Frequency	Percent
No Yes Frequency Missing	$206,731 \\ 449,871 \\ 101,961$	$31.5\% \\ 68.5\%$

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	$277,\!256$	42.7%
Yes	371,749	57.3%
Frequency Missing	109,557	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	$226,\!365$	34.6%
Yes	$427,\!357$	65.4%
Frequency Missing	104,840	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	412,908	63.1%
Yes	241,214	36.9%
Frequency Missing	104,440	

Would	Seek	Help	from	School	Nurse
-------	------	------	------	--------	-------

Q33b	Frequency	Percent
No	491,913	75.6%
Yes	158,723	24.4%
Frequency Missing	$107,\!926$	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	$357,\!854$	55.1%
Yes	291,558	44.9%
Frequency Missing	109,149	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	$283,\!971$	43.6%
Yes	366,766	56.4%
Frequency Missing	$107,\!824$	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No Yes Frequency Missing	387,517 262,194 108,851	59.6% 40.4%

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 109 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q33i	Frequency	Percent
No	524,025	82.3%
Yes	$112,\!498$	17.7%
Frequency Missing	$122,\!039$	

Would Not Seek Help

Drug/Alcohol Info-Science or Social Studies Class

Q34e	Frequency	Percent
No Yes Frequency Missing	$\begin{array}{c} 462,423 \\ 169,138 \\ 127,002 \end{array}$	73.2% 26.8%

Drug/Alcohol Info-School Health Class

Q34a	Frequency	Percent
No	$371,\!356$	58.1%
Yes	267,869	41.9%
Frequency Missing	119,337	

Drug/Alcohol Info-School Student Group or Club

Q34f	Frequency	Percent
No	529,064	83.5%
Yes	104,346	16.5%
Frequency Missing	$125,\!152$	

Drug/Alcohol Info-School Assembly Program

Q34b	Frequency	Percent
No	313,170	48.8%
Yes	329,073	51.2%
Frequency Missing	$116,\!318$	

Drug/Alcohol Info-Invited School Guest

Q34g	Frequency	Percent
No	401,629	63.0%
Yes	$236,\!150$	37.0%
Frequency Missing	120,783	

Drug/Alcohol Info-School Guidance Counselor

Q34c	Frequency	Percent
No	459,696	72.2%
Yes	$177,\!040$	27.8%
Frequency Missing	$121,\!826$	

Drug/Alcohol Info-Another School Source

Q34h	Frequency	Percent
No	426,936	67.5%
Yes	$205,\!807$	32.5%
Frequency Missing	$125,\!819$	

Drug/Alcohol Info-School Nurse

Q34d	Frequency	Percent
No	532,030	83.8%
Yes	102,737	16.2%
Frequency Missing	123,795	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	539,762	81.5%
Mild disapprove	48,483	7.3%
Neither	$21,\!673$	3.3%
Mildly approve	6,054	0.9%
Strongly approve	2,718	0.4%
Don't know	43,773	6.6%
Frequency Missing	96,098	

Percentages and frequencies have been weighted to reflect proportions within the population.

-

Jump to Table of Contents Page 110 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q35b	Frequency	Percent
Strongly disapprove	434,219	65.6%
Mild disapprove	93,302	14.1%
Neither	66,485	10.1%
Mildly approve	20,054	3.0%
Strongly approve	4,936	0.7%
Don't know	42,465	6.4%
Frequency Missing	97,100	

Parents Feel About Kids Drinking Alcohol

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	509,499	77.1%
Mild disapprove	51,729	7.8%
Neither	39,894	6.0%
Mildly approve	10,411	1.6%
Strongly approve	6,545	1.0%
Don't know	43,041	6.5%
Frequency Missing	97,442	

Appendix: Reporting Methods for Prevalence & Recency of Use

Jump to Table of Contents Page 112 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Toba	acco Product
tobacco, & electronic vapor products. The init reported usage from among those substances. T	f individual tobacco products; cigarettes, smokeless ial values for this category will be the most recent The questions below are used to update these initial alues.
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer		
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.		
Question Updating Rule		
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".	
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".	

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days $(Q25 : binge_30)$	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Mari	uana
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
$\mathbf{Question}$	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Cocaine Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

(Crack
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ste	roids
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
$\mathbf{Question}$	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

He	roin
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic	Marijuana
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q211 : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Any Illicit Drug

This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.

Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".