

HHSC REGION 4 AND 5 REPORT

Prepared by

The Public Policy Research Institute Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

In	ntroduction	1
1	General Substance Use Tables Tobacco Alcohol Drugs Inhalants Miscellaneous	$7 \\ 15 \\ 30$
2	Prevalence TablesTable B-1: All StudentsTable B-2: Male StudentsTable B-2: Male StudentsTable B-3: Female StudentsTable B-4: White Non-Hispanic StudentsTable B-5: African American Non-Hispanic StudentsTable B-6: Hispanic or Latino StudentsTable B-7: Students Reporting A Grades on AverageTable B-8: Students Reporting Grades Lower Than an A on AverageTable B-9: Students Not Living with 2 ParentsTable B-10: Students Not Living with 2 ParentsTable B-11: Students Who Would Seek Help from Adults for Substance Abuse ProblemsTable B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	$\begin{array}{c} 45 \\ 49 \\ 53 \\ 57 \\ 61 \\ 65 \\ 69 \\ 73 \\ 77 \\ 81 \end{array}$
3	Margin Tables	89
\mathbf{A}	ppendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 4 and 5. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

Jump to Table of Contents Page 2 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

1 General Substance Use Tables

Jump to Table of Contents Page 3 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Tobacco

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	17.8%	21.8%	33.1%	66.9%
Grade 7	5.5%	7.8%	15.6%	84.4%
Grade 8	10.1%	13.5%	24.2%	75.8%
Grade 9	15.2%	18.7%	30.1%	69.9%
Grade 10	22.3%	26.8%	41.5%	58.5%
Grade 11	26.2%	32.5%	43.8%	56.2%
Grade 12	31.7%	36.3%	49.0%	51.0%
Cigarettes?				
All	4.7%	6.5%	14.8%	85.2%
Grade 7	1.1%	1.4%	5.4%	94.6%
Grade 8	1.3%	2.8%	10.1%	89.9%
Grade 9	4.7%	5.9%	12.2%	87.8%
Grade 10	5.9%	8.9%	17.8%	82.2%
Grade 11	8.3%	11.0%	20.7%	79.3%
Grade 12	8.1%	10.6%	26.2%	73.8%
Smokeless Tobacco?				
All	4.2%	5.4%	10.4%	89.6%
Grade 7	0.6%	0.7%	2.6%	97.4%
Grade 8	2.0%	2.7%	4.8%	95.2%
Grade 9	3.6%	5.1%	9.5%	90.5%
Grade 10	4.3%	7.0%	13.4%	86.6%
Grade 11	8.2%	9.7%	18.3%	81.7%
Grade 12	8.1%	9.1%	16.4%	83.6%
Electronic Vapor Products?				
All	12.7%	17.3%	29.1%	70.9%
Grade 7	3.2%	6.0%	12.2%	87.8%
Grade 8	7.0%	11.2%	21.2%	78.8%
Grade 9	9.3%	13.4%	27.8%	72.2%
Grade 10	17.1%	22.4%	38.0%	62.0%
Grade 11	18.8%	25.3%	36.5%	63.5%
Grade 12	24.3%	29.2%	43.3%	56.7%

Table T-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 4 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	83.1%	3.7%	1.3%	1.9%	3.1%	2.1%	4.8%
Grade 7	95.5%	0.0%	0.1%	0.6%	0.8%	1.3%	1.7%
Grade 8	90.6%	0.2%	1.0%	1.4%	1.4%	1.4%	4.0%
Grade 9	85.8%	2.3%	1.1%	1.5%	3.3%	1.6%	4.5%
Grade 10	79.6%	5.0%	1.5%	1.8%	3.9%	2.3%	5.9%
Grade 11	73.7%	5.8%	2.7%	4.0%	5.1%	2.6%	6.2%
Grade 12	69.6%	10.7%	1.6%	2.5%	4.6%	3.9%	7.1%

Table T-2: How Often Do You Normally Use Tobacco?

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.0	10.2	11.3	12.2	12.9	13.3	14.4

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.0%	20.1%	7.9%	10.3%	13.5%	19.2%
Grade 7	38.6%	31.2%	8.1%	8.6%	7.3%	6.1%
Grade 8	30.3%	29.9%	9.1%	10.9%	10.0%	9.9%
Grade 9	29.1%	22.0%	9.6%	9.9%	13.3%	16.1%
Grade 10	26.5%	15.6%	8.1%	11.4%	16.0%	22.5%
Grade 11	24.8%	10.3%	6.1%	10.6%	18.6%	29.6%
Grade 12	23.6%	8.6%	6.0%	10.2%	16.9%	34.8%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	64.8%	18.3%	8.9%	6.4%	1.5%
Grade 7	89.8%	7.9%	2.1%	0.2%	0.0%
Grade 8	79.6%	13.3%	5.7%	0.8%	0.7%
Grade 9	60.8%	23.0%	10.0%	4.9%	1.4%
Grade 10	57.0%	21.8%	11.0%	8.4%	1.7%
Grade 11	47.0%	25.9%	10.9%	13.3%	2.9%
Grade 12	49.1%	19.3%	15.3%	13.5%	2.8%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 5 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.2%	8.0%	7.3%	1.8%	0.8%	8.9%
Grade 7	85.7%	2.6%	1.9%	0.4%	0.4%	9.0%
Grade 8	80.5%	6.1%	3.9%	0.9%	0.3%	8.3%
Grade 9	75.5%	6.9%	5.6%	1.1%	0.5%	10.3%
Grade 10	73.7%	8.7%	7.8%	1.7%	0.7%	7.5%
Grade 11	65.3%	10.4%	10.3%	3.9%	1.2%	9.0%
Grade 12	55.1%	14.6%	16.1%	3.4%	1.6%	9.3%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	60.0%	24.1%	9.0%	2.3%	4.6%
Grade 7	78.6%	14.5%	3.1%	0.1%	3.7%
Grade 8	67.9%	21.7%	5.4%	0.9%	4.1%
Grade 9	61.0%	25.5%	8.3%	2.1%	3.1%
Grade 10	55.7%	23.0%	12.0%	3.3%	6.0%
Grade 11	50.4%	29.5%	11.5%	3.9%	4.6%
Grade 12	42.5%	32.2%	14.5%	4.2%	6.6%
Electronic Vapor Products?					
All	67.2%	15.7%	8.5%	3.7%	4.8%
Grade 7	80.8%	9.8%	4.3%	1.9%	3.2%
Grade 8	71.5%	15.0%	7.0%	2.7%	3.8%
Grade 9	69.0%	17.0%	7.8%	2.8%	3.3%
Grade 10	60.3%	17.5%	10.1%	5.5%	6.6%
Grade 11	61.4%	16.8%	11.0%	4.7%	6.1%
Grade 12	57.7%	18.8%	11.9%	5.2%	6.4%

Alcohol

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	27.3%	32.2%	50.6%	49.4%
Grade 7	14.7%	16.4%	35.0%	65.0%
Grade 8	19.5%	22.7%	42.8%	57.2%
Grade 9	27.2%	32.5%	49.7%	50.3%
Grade 10	30.2%	37.8%	59.4%	40.6%
Grade 11	33.5%	38.8%	56.7%	43.3%
Grade 12	43.1%	49.8%	63.8%	36.2%
Beer?				
All	10.5%	15.6%	37.8%	62.2%
Grade 7	2.8%	4.3%	26.6%	73.4%
Grade 8	5.8%	8.3%	$\frac{20.070}{31.9\%}$	68.1%
Grade 9	7.5%	12.9%	33.7%	66.3%
Grade 10	13.7%	20.9%	45.0%	55.0%
Grade 10 Grade 11	16.8%	23.1%	42.0%	58.0%
Grade 12	19.4%	28.1%	51.2%	48.8%
Wine Coolers?				
All	9.1%	14.8%	32.7%	67.3%
Grade 7	2.3%	3.2%	16.1%	83.9%
Grade 8	3.8%	6.4%	21.9%	78.1%
Grade 9	7.5%	13.5%	32.7%	67.3%
Grade 10	11.0%	18.9%	39.0%	61.0%
Grade 11	14.1%	20.7%	40.3%	59.7%
Grade 12	18.5%	30.0%	51.3%	48.7%
Wine?				
All	6.5%	11.0%	32.0%	68.0%
Grade 7	3.9%	5.0%	20.3%	79.7%
Grade 8	3.1%	6.9%	29.0%	71.0%
Grade 9	4.0%	10.4%	29.6%	70.4%
Grade 10	7.5%	12.2%	35.8%	64.2%
Grade 11	11.8%	16.6%	37.6%	62.4%
Grade 12	10.3%	17.2%	42.9%	57.1%
Liquor?				
All	10.9%	16.8%	34.8%	65.2%
Grade 7	3.0%	4.0%	14.6%	85.4%
Grade 8	4.6%	7.5%	24.7%	75.3%
Grade 9	8.1%	14.1%	33.3%	66.7%
Grade 10	14.7%	21.7%	43.9%	56.1%
Grade 11	16.6%	25.3%	44.5%	55.5%
Grade 12	22.0%	32.9%	53.6%	46.4%

Table A-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 7 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	63.3%	0.4%	1.3%	6.7%	10.3%	10.2%	7.9%
Grade 7	82.8%	0.0%	0.4%	1.4%	3.1%	4.8%	7.5%
Grade 8	72.0%	0.2%	0.2%	4.0%	5.3%	9.4%	8.8%
Grade 9	62.2%	0.4%	1.0%	4.4%	11.0%	11.9%	8.9%
Grade 10	56.0%	0.3%	0.9%	7.6%	13.2%	11.9%	10.1%
Grade 11	56.6%	0.8%	2.8%	10.1%	13.2%	10.7%	5.7%
Grade 12	46.0%	0.7%	2.7%	14.7%	17.3%	13.0%	5.7%

Table A-2: How Often Do You Normally Use Alcohol?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	66.7%	33.3%	8.2%	14.7%	10.4%
	Grade 7	76.4%	23.6%	0.9%	10.7%	12.0%
	Grade 8	70.8%	29.2%	3.2%	11.8%	14.2%
	Grade 9	72.1%	27.9%	5.4%	11.9%	10.7%
	Grade 10	60.2%	39.8%	11.8%	16.9%	11.1%
	Grade 11	62.8%	37.2%	15.0%	16.2%	6.0%
	Grade 12	54.9%	45.1%	15.0%	22.6%	7.5%
Wine Coolers						
	All	70.8%	29.2%	7.3%	15.2%	6.7%
	Grade 7	85.7%	14.3%	0.6%	6.3%	7.4%
	Grade 8	79.7%	20.3%	1.8%	11.4%	7.1%
	Grade 9	70.6%	29.4%	6.2%	14.4%	8.7%
	Grade 10	67.8%	32.2%	8.6%	16.1%	7.5%
	Grade 11	64.7%	35.3%	12.4%	18.9%	4.0%
	Grade 12	52.1%	47.9%	16.7%	26.2%	5.0%
Wine						
	All	73.1%	26.9%	3.2%	13.5%	10.2%
	Grade 7	82.0%	18.0%	0.7%	6.7%	10.5%
	Grade 8	74.8%	25.2%	1.7%	11.0%	12.5%
	Grade 9	77.4%	22.6%	3.4%	10.7%	8.5%
	Grade 10	70.8%	29.2%	4.2%	14.8%	10.2%
	Grade 11	68.6%	31.4%	4.4%	17.7%	9.3%
	Grade 12	62.5%	37.5%	4.9%	22.1%	10.5%
Liquor						
	All	67.6%	32.4%	7.8%	16.2%	8.4%
	Grade 7	87.4%	12.6%	1.1%	6.9%	4.6%
	Grade 8	77.3%	22.7%	3.0%	9.8%	9.9%
	Grade 9	69.6%	30.4%	5.8%	13.9%	10.8%
	Grade 10	58.3%	41.7%	8.6%	21.9%	11.2%
	Grade 11	59.6%	40.4%	14.4%	19.2%	6.7%
	Grade 12	49.3%	50.7%	16.1%	28.0%	6.6%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 9 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never/None	1 Day	2 Days	$3 \ {\rm to} \ 5 \ {\rm Days}$	$6~{\rm to}~9~{\rm Days}$	10+ Days
All	88.3%	4.0%	2.6%	2.8%	0.6%	1.7%
Grade 7	95.8%	2.4%	0.8%	0.2%	0.2%	0.6%
Grade 8	94.3%	2.1%	1.2%	1.4%	0.2%	0.8%
Grade 9	91.7%	3.5%	1.7%	1.7%	0.6%	0.7%
Grade 10	87.5%	3.8%	3.0%	2.8%	0.8%	2.1%
Grade 11	82.3%	4.8%	3.5%	5.1%	1.0%	3.3%
Grade 12	74.8%	8.4%	6.5%	6.3%	0.8%	3.2%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.9	10.3	11.2	12.6	12.9	13.8	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.3%	14.1%	7.8%	11.2%	17.6%	25.0%
Grade 7	32.5%	23.5%	11.2%	12.0%	11.3%	9.5%
Grade 8	24.9%	21.1%	9.1%	13.0%	13.5%	18.5%
Grade 9	25.4%	12.1%	9.0%	14.5%	18.3%	20.7%
Grade 10	20.9%	10.7%	5.4%	10.5%	21.3%	31.2%
Grade 11	20.7%	8.3%	6.1%	8.1%	21.9%	34.9%
Grade 12	19.8%	7.0%	5.4%	8.3%	20.2%	39.4%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.5%	3.4%	0.8%	0.3%
Grade 7	97.5%	1.8%	0.2%	0.4%
Grade 8	96.5%	2.9%	0.5%	0.2%
Grade 9	94.0%	4.5%	1.1%	0.4%
Grade 10	95.3%	3.7%	0.7%	0.3%
Grade 11	94.9%	3.5%	1.6%	0.0%
Grade 12	95.0%	3.7%	0.7%	0.6%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 10 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	3.9
Alcohol Non-Users	2.9
	Average Days Conduct Problems Reported
Alcohol Users	2.0
Alcohol Non-Users	0.8

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Had a Good Bit to Drink?				
High School	94.9%	3.4%	0.8%	0.9%
Grade 9	97.6%	1.5%	0.3%	0.6%
Grade 10	97.2%	2.3%	0.1%	0.4%
Grade 11	93.8%	4.1%	1.6%	0.5%
Grade 12	89.7%	6.5%	1.6%	2.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.9%	3.5%	0.3%	0.3%
Grade 7	98.2%	1.8%	0.0%	0.0%
Grade 8	97.1%	2.5%	0.1%	0.3%
Grade 9	96.2%	2.8%	0.3%	0.7%
Grade 10	95.0%	4.2%	0.3%	0.4%
	94.9%	4.8%	0.4%	0.0%
Grade 11	94.970	1.070		

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	51.4%	22.1%	12.3%	10.9%	3.3%
Grade 7	79.8%	15.0%	4.1%	1.0%	0.2%
Grade 8	64.4%	23.7%	8.1%	2.5%	1.4%
Grade 9	44.7%	28.6%	14.1%	10.4%	2.3%
Grade 10	42.1%	21.7%	17.5%	15.3%	3.5%
Grade 11	38.0%	22.9%	15.0%	19.1%	5.0%
Grade 12	34.1%	20.4%	16.3%	20.1%	9.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 11 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	53.2%	6.9%	3.7%	6.9%	8.9%	1.8%	18.7%
Grade 7	71.8%	6.0%	2.8%	2.4%	1.8%	2.2%	13.0%
Grade 8	59.7%	8.1%	3.4%	4.2%	4.1%	2.5%	17.9%
Grade 9	53.8%	7.9%	3.7%	6.4%	6.7%	2.0%	19.6%
Grade 10	43.2%	6.7%	4.3%	10.2%	10.6%	2.2%	22.8%
Grade 11	47.4%	6.3%	4.0%	9.8%	12.4%	1.0%	19.1%
Grade 12	40.7%	6.2%	4.1%	9.3%	19.9%	0.2%	19.7%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 12 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	61.5%	16.3%	14.6%	5.2%	2.4%
	Grade 7	71.8%	14.9%	9.4%	3.1%	0.7%
	Grade 8	63.6%	20.0%	11.5%	3.8%	1.1%
	Grade 9	61.9%	16.6%	15.3%	4.1%	2.1%
	Grade 10	59.6%	15.3%	16.6%	5.3%	3.2%
	Grade 11	59.7%	13.2%	18.2%	6.2%	2.7%
	Grade 12	49.7%	18.0%	17.6%	9.5%	5.2%
	Glade 12	49.170	10.070	17.070	9.070	0.270
Friends?						
	All	61.8%	15.7%	11.6%	8.1%	2.8%
	Grade 7	75.9%	19.3%	2.9%	1.5%	0.4%
	Grade 8	64.7%	21.4%	8.6%	4.6%	0.8%
	Grade 9	64.2%	16.1%	10.1%	6.6%	3.1%
	Grade 10	58.6%	13.8%	15.4%	9.5%	2.6%
	Grade 11	57.4%	10.6%	15.3%	12.0%	4.7%
	Grade 12	46.7%	11.7%	19.0%	16.6%	6.0%
	Glade 12	10.170	11.170	10.070	10.070	0.070
A Store?						
	All	64.8%	28.6%	3.2%	2.2%	1.2%
	Grade 7	75.6%	22.3%	1.5%	0.5%	0.1%
	Grade 8	65.9%	30.7%	1.6%	1.4%	0.4%
	Grade 9	66.8%	28.6%	2.9%	1.3%	0.4%
	Grade 10	63.4%	30.7%	2.1%	2.2%	1.6%
	Grade 11	61.3%	27.2%	5.4%	3.8%	2.3%
	Grade 12	53.0%	32.8%	6.5%	5.0%	2.8%
Parties?	All	61.8%	15.8%	8.9%	7.9%	5.6%
	Grade 7	74.1%	17.8%	4.5%	3.1%	0.6%
	Grade 7 Grade 8	64.4%	23.1%	4.5% 5.6%	4.1%	2.7%
	Grade 8 Grade 9	62.2%	23.1% 17.4%	$\frac{5.0\%}{8.4\%}$	6.2%	$\frac{2.1\%}{5.8\%}$
	Grade 9 Grade 10	52.2% 58.1%	17.4% 14.8%	10.4%	10.4%	6.4%
	Grade 11 Grada 12	59.9%	9.7%	11.1%	11.5%	7.8%
	Grade 12	49.3%	10.9%	14.6%	13.9%	11.4%
Other Sources?						
	All	65.3%	20.2%	7.6%	4.1%	2.9%
	Grade 7	74.8%	18.6%	4.3%	2.1%	0.2%
	Grade 8	66.8%	22.3%	6.0%	3.1%	1.8%
	Grade 9	66.2%	20.6%	6.7%	3.3%	3.2%
	Grade 10	61.7%	19.5%	10.2%	5.5%	3.1%
	Grade 11	66.1%	18.0%	8.4%	3.9%	3.6%
	Grade 12	54.0%	22.2%	10.4%	7.3%	6.1%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 13 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.0%	13.2%	12.5%	3.8%	1.1%	8.4%
Grade 7	77.6%	5.7%	6.1%	1.0%	0.7%	9.0%
Grade 8	71.1%	10.5%	8.5%	2.5%	0.1%	7.2%
Grade 9	60.9%	13.0%	11.3%	3.9%	0.7%	10.1%
Grade 10	57.9%	16.6%	12.0%	4.8%	1.4%	7.3%
Grade 11	52.8%	16.4%	15.7%	4.2%	2.1%	8.8%
Grade 12	42.2%	17.8%	23.6%	6.6%	1.6%	8.2%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.2%	28.1%	11.7%	2.9%	4.0%
Grade 7	67.6%	20.2%	7.6%	1.4%	3.1%
Grade 8	54.7%	28.0%	11.4%	2.6%	3.2%
Grade 9	54.6%	27.1%	13.8%	2.5%	2.1%
Grade 10	47.5%	28.9%	13.2%	4.8%	5.5%
Grade 11	49.7%	30.8%	12.0%	2.9%	4.5%
Grade 12	43.2%	35.5%	11.9%	3.4%	6.0%

Drugs

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	9.8%	13.3%	18.0%	82.0%
Grade 7	2.8%	4.0%	4.8%	95.2%
Grade 8	5.1%	7.1%	9.9%	90.1%
Grade 9	8.9%	12.5%	15.8%	84.2%
Grade 10	11.1%	16.6%	21.7%	78.3%
Grade 11	15.6%	20.1%	27.4%	72.6%
Grade 12	17.6%	22.7%	33.3%	66.7%
Marijuana?				
All	9.1%	11.3%	16.2%	83.8%
Grade 7		2.4%	3.1%	96.9%
Grade 8		5.6%	8.5%	91.5%
Grade 9		9.4%	12.7%	87.3%
Grade 10		14.0%	12.170 19.2%	80.8%
Grade 11		14.0% 18.6%	26.3%	73.7%
Grade 12	/ -	20.9%	32.7%	67.3%
Cocaine?				
All	0.8%	0.9%	1.6%	98.4%
Grade 7		0.3%	0.6%	99.4%
Grade 8		0.4%	0.6%	99.4%
Grade 9		1.8%	1.8%	98.2%
Grade 10 Grade 10		0.7%	1.9%	98.1%
Grade 11		0.7%	2.4%	97.6%
Grade 12 Grade 12		1.4%	2.6%	97.4%
Crack?				
All	0.1%	0.1%	0.4%	99.6%
Grade 7		0.1%	0.4% 0.5%	99.5%
Grade 8		0.2% 0.1%	0.3%	99.7%
Grade 9		0.1%	0.3% 0.1%	99.1% 99.9%
Grade 10		0.1%	0.1% 0.5%	99.5%
Grade 10 Grade 11		0.1% 0.2%	0.5% 0.6%	99.5% 99.4%
Grade 12 Grade 12		0.2%	0.0% $0.2%$	99.4% 99.8%
Hallucinogens?				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8		0.9%	1.1%	98.9%
Grade 9		1.1%	1.8%	98.2%
Grade 10		0.8%	2.4%	97.6%
Grade 11		1.1%	3.9%	96.1%
Grade 12		2.2%	3.4%	96.6%

Table D-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 15 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Table D-1: How Recently, If Ever, Have You Used...

(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids?				
All	0.2%	0.4%	1.4%	98.6%
Grade 7	0.0%	0.6%	1.5%	98.5%
Grade 8	0.2%	0.5%	2.0%	98.0%
Grade 9	0.3%	0.4%	1.6%	98.4%
Grade 10	0.4%	0.4%	1.6%	98.4%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.1%	0.1%	1.1%	98.9%
Ecstasy?				
All	0.8%	1.4%	2.4%	97.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.2%	1.8%	98.2%
Grade 10	0.8%	1.2%	2.2%	97.8%
Grade 11	2.2%	3.2%	5.4%	94.6%
Grade 12	1.0%	2.3%	4.8%	95.2%
Heroin?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.5%	0.8%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.3%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.5%	1.7%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 16 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.7%	1.1%	1.7%	98.3%
Grade 9	1.1%	1.1%	3.2%	96.8%
Grade 10	0.2%	0.5%	1.7%	98.3%
Grade 11	1.3%	2.2%	3.6%	96.4%
Grade 12	0.6%	0.8%	3.6%	96.4%

Table D-1: How Recently, If Ever, Have You Used...

(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 17 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
0	All	86.3%	1.3%	1.2%	2.1%	2.6%	2.8%	3.6%
	Grade 7	98.2%	0.1%	0.1%	0.5%	0.6%	0.1%	0.5%
	Grade 8	92.8%	0.2%	0.7%	1.3%	0.7%	1.9%	2.4%
	Grade 9	89.5%	0.5%	0.7%	1.5%	2.5%	2.4%	2.7%
	Grade 10	83.7%	1.2%	1.1%	2.5%	3.2%	3.7%	4.6%
	Grade 11	77.2%	3.4%	2.8%	2.0%	4.3%	4.4%	5.9%
	Grade 12	72.9%	2.9%	2.2%	5.7%	4.7%	5.3%	6.2%
Cocaine?								
	All	99.0%	0.0%	0.1%	0.1%	0.1%	0.2%	0.5%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.8%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	99.0%	0.0%	0.5%	0.1%	0.0%	0.0%	0.5%
	Grade 10	98.9%	0.0%	0.0%	0.0%	0.2%	0.3%	0.7%
	Grade 11	98.5%	0.0%	0.1%	0.0%	0.5%	0.1%	0.9%
	Grade 12	98.2%	0.0%	0.0%	0.3%	0.0%	0.7%	0.7%
Crack?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.6%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.2%	0.0%	0.0%	0.0%	0.2%	0.1%	0.4%
	Grade 8	98.5%	0.1%	0.0%	0.1%	0.0%	0.3%	1.0%
	Grade 9	99.5%	0.1%	0.1%	0.0%	0.2%	0.0%	0.1%
	Grade 10	99.3%	0.4%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 12	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
Ecstasy?								
	All	98.2%	0.0%	0.0%	0.2%	0.4%	0.4%	0.7%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.2%	0.0%	0.0%	0.2%	0.2%	0.0%	0.4%
	Grade 9	99.1%	0.0%	0.1%	0.0%	0.1%	0.2%	0.6%
	Grade 10	98.3%	0.1%	0.0%	0.0%	0.4%	0.7%	0.5%
	Grade 11	95.4%	0.0%	0.1%	0.9%	0.9%	1.2%	1.5%
	Grade 12	96.3%	0.0%	0.0%	0.5%	0.9%	0.7%	1.5%

Table D-2: How Often Do You Normally Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 18 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
Grade 7	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 9	99.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
Grade 10	99.7%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 9	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Grade 10	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.6%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
Grade 12	98.8%	0.0%	0.0%	0.1%	0.0%	0.0%	1.2%
Synthetic Marijuana?							
All	98.6%	0.0%	0.0%	0.1%	0.3%	0.2%	0.7%
Grade 7	99.7%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%
Grade 8	98.5%	0.0%	0.0%	0.6%	0.2%	0.1%	0.6%
Grade 9	98.7%	0.0%	0.0%	0.0%	0.2%	0.1%	1.0%
Grade 10	99.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.7%
Grade 11	96.8%	0.1%	0.0%	0.1%	0.8%	0.8%	1.4%
Grade 12	98.3%	0.1%	0.0%	0.1%	0.2%	0.4%	0.9%

Table D-2: How Often Do You Normally Use...

(Continued)

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.6	12.3	13.4	13.7	14.0	15.2
Cocaine	14.8	9.3	13.3	14.8	15.0	14.8	16.6
Crack	11.1	9.1	N/A	N/A	13.0	13.9	8.0
Steroids	12.2	10.3	11.4	13.4	11.0	14.2	14.6
Ecstasy	15.2	8.0	13.1	14.1	14.4	15.5	16.3
Heroin	11.4	10.8	13.0	10.1	N/A	15.0	N/A
Metham- phetamine	14.1	10.9	12.5	11.1	13.7	14.8	16.2
Synthetic Marijuana	13.9	12.0	11.9	13.7	12.4	14.9	16.1

Table D-3: Average Age of First Use of...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 20 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
U	All	32.5%	26.9%	8.3%	9.1%	10.0%	13.3%
	Grade 7	43.8%	41.7%	6.0%	4.6%	2.2%	1.7%
	Grade 8	33.0%	38.2%	11.5%	7.6%	6.0%	3.6%
	Grade 9	31.5%	29.8%	6.7%	11.1%	10.7%	10.3%
	Grade 10	28.3%	21.6%	9.1%	12.1%	12.0%	17.1%
	Grade 11	28.1%	15.3%	8.5%	9.3%	15.6%	23.1%
	Grade 12	29.1%	10.4%	8.0%	10.0%	15.0%	27.5%
Cocaine?							
	All	41.6%	36.4%	10.6%	5.9%	2.6%	2.9%
	Grade 7	45.4%	45.1%	5.9%	2.4%	0.7%	0.5%
	Grade 8	37.6%	46.0%	11.3%	3.2%	1.3%	0.7%
	Grade 9	40.4%	41.2%	9.2%	5.2%	1.7%	2.3%
	Grade 10	42.9%	32.7%	11.9%	7.5%	2.4%	2.5%
	Grade 11	41.7%	26.3%	13.1%	7.4%	5.5%	5.9%
	Grade 12	42.0%	23.3%	12.9%	10.6%	4.7%	6.6%
Crack?							
	All	43.1%	36.9%	10.4%	4.9%	2.2%	2.5%
	Grade 7	46.6%	44.6%	5.9%	2.2%	0.5%	0.3%
	Grade 8	38.9%	47.0%	9.3%	3.0%	1.3%	0.6%
	Grade 9	41.9%	41.4%	9.0%	4.3%	1.0%	2.4%
	Grade 10	43.9%	33.8%	11.6%	6.3%	2.3%	2.1%
	Grade 11	42.5%	27.2%	14.4%	6.1%	3.9%	6.0%
	Grade 12	45.0%	23.9%	13.2%	8.3%	4.9%	4.6%
Steroids?							
	All	44.9%	34.3%	9.4%	5.6%	2.8%	3.0%
	Grade 7	49.3%	40.9%	5.3%	2.6%	1.1%	0.8%
	Grade 8	41.1%	40.6%	9.3%	6.1%	1.6%	1.3%
	Grade 9	42.9%	39.2%	8.8%	5.3%	1.4%	2.4%
	Grade 10	45.6%	31.4%	11.6%	5.5%	3.7%	2.2%
	Grade 11	44.5%	26.6%	11.0%	6.9%	5.1%	6.0%
	Grade 12	46.3%	24.1%	11.0%	8.0%	4.5%	6.2%
Ecstasy?							
	All	52.3%	29.0%	7.9%	4.7%	2.8%	3.4%
	Grade 7	64.7%	28.8%	4.9%	1.0%	0.4%	0.2%
	Grade 8	56.2%	32.5%	6.9%	2.3%	1.0%	1.0%
	Grade 9	51.8%	33.9%	6.6%	4.0%	1.0%	2.7%
	Grade 10	48.7%	30.7%	8.9%	5.4%	3.1%	3.2%
	Grade 11	44.5%	24.0%	10.8%	7.7%	5.7%	7.3%
	Grade 12	45.9%	21.9%	10.0%	8.5%	6.4%	7.2%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 21 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	47.9%	36.3%	8.9%	2.9%	1.7%	2.3%
Grade 7	55.9%	36.7%	4.8%	1.6%	0.4%	0.7%
Grade 8	45.3%	42.6%	8.2%	1.9%	1.3%	0.7%
Grade 9	43.9%	42.8%	7.2%	3.0%	0.7%	2.3%
Grade 10	46.8%	35.7%	9.8%	4.3%	2.1%	1.3%
Grade 11	47.3%	29.3%	12.4%	2.9%	3.3%	4.7%
Grade 12	48.4%	28.3%	11.7%	3.9%	3.0%	4.7%
Methamphetamine?						
All	49.5%	34.0%	8.3%	3.2%	2.0%	3.0%
Grade 7	57.8%	35.7%	4.6%	1.1%	0.3%	0.5%
Grade 8	49.2%	38.4%	8.2%	2.5%	0.7%	1.1%
Grade 9	46.3%	39.2%	7.3%	3.3%	1.6%	2.3%
Grade 10	48.3%	33.9%	9.1%	4.0%	2.6%	2.0%
Grade 11	46.8%	28.6%	11.4%	4.0%	3.1%	6.1%
Grade 12	48.2%	26.0%	10.0%	4.7%	4.1%	6.9%
Synthetic Marijuana?						
All	51.5%	29.2%	7.6%	4.4%	3.3%	4.0%
Grade 7	60.6%	31.5%	4.9%	1.5%	0.9%	0.5%
Grade 8	50.5%	34.3%	8.1%	3.0%	2.0%	2.1%
Grade 9	49.7%	32.9%	5.6%	6.2%	2.5%	3.1%
Grade 10	49.0%	30.5%	8.7%	5.9%	3.1%	2.8%
Grade 11	48.8%	22.0%	10.6%	4.6%	5.3%	8.7%
Grade 12	49.6%	22.0%	8.1%	5.3%	6.7%	8.3%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get... (Continued)

	None	1 to 3 Days	4 to $9~\mathrm{Days}$	10+ Days
Attended Class While High				
from Marijuana Use?				
All	95.1%	2.6%	1.2%	1.0%
Grade 7	98.8%	0.9%	0.2%	0.1%
Grade 8	98.1%	1.4%	0.3%	0.3%
Grade 9	96.0%	2.1%	1.2%	0.7%
Grade 10	94.5%	2.5%	1.7%	1.3%
Grade 11	90.7%	4.4%	2.4%	2.6%
Grade 12	91.7%	4.9%	1.9%	1.5%
Attended Class While High				
from Use of Some Other				
Drug?				
All	97.7%	1.6%	0.3%	0.4%
Grade 7	98.8%	0.9%	0.2%	0.1%
Grade 8	98.0%	1.6%	0.3%	0.1%
Grade 9	96.8%	2.2%	0.5%	0.6%
Grade 10	97.0%	2.2%	0.3%	0.5%
Grade 11	96.9%	2.2%	0.4%	0.5%
Grade 12	99.1%	0.4%	0.1%	0.4%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.2
Marijuana Non-Users	3.2
	Average Days Conduct Problems Reported
Marijuana Users	3.3
Marijuana Non-Users	1.0

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Felt High from Drugs?				
High School	94.0%	3.5%	0.7%	1.8%
Grade 9	97.7%	1.3%	0.3%	0.8%
Grade 10	96.5%	1.5%	0.4%	1.6%
Grade 11	91.7%	5.2%	1.3%	1.8%
Grade 12	88.8%	6.6%	1.1%	3.5%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drug Use?				
All	97.5%	1.9%	0.3%	0.4%
Grade 7	99.2%	0.6%	0.1%	0.0%
Grade 8	98.5%	1.1%	0.2%	0.1%
Grade 9	97.1%	2.4%	0.0%	0.6%
Grade 10	96.4%	2.0%	0.4%	1.2%
Grade 11	96.8%	2.2%	0.8%	0.2%
Grade 12	96.7%	3.3%	0.0%	0.0%

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	69.5%	15.0%	7.6%	6.0%	1.9%
Grade 7	92.0%	5.6%	1.6%	0.6%	0.1%
Grade 8	80.9%	12.5%	3.2%	2.2%	1.2%
Grade 9	70.6%	12.8%	9.9%	4.8%	1.8%
Grade 10	60.3%	21.0%	8.3%	8.0%	2.4%
Grade 11	55.9%	19.6%	11.4%	10.5%	2.6%
Grade 12	51.1%	20.4%	12.9%	12.1%	3.4%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.2%	5.0%	3.3%	3.3%	4.6%	1.9%	18.7%
Grade 7	83.2%	1.0%	1.2%	0.3%	0.2%	1.0%	12.9%
Grade 8	71.3%	3.7%	1.2%	1.7%	1.8%	2.3%	18.1%
Grade 9	63.7%	4.6%	2.7%	3.7%	2.5%	3.2%	19.6%
Grade 10	53.0%	8.3%	3.4%	3.4%	6.2%	2.6%	23.0%
Grade 11	55.1%	4.5%	7.3%	6.1%	6.3%	1.5%	19.1%
Grade 12	49.9%	8.1%	4.6%	4.9%	12.1%	0.7%	19.6%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 24 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.4%	5.6%	6.0%	1.5%	1.2%	8.2%
Grade 7	87.2%	1.6%	1.7%	0.5%	0.4%	8.6%
Grade 8	84.2%	4.0%	3.3%	0.7%	0.3%	7.5%
Grade 9	79.6%	4.9%	3.7%	2.0%	0.5%	9.3%
Grade 10	76.5%	6.7%	7.0%	1.3%	1.2%	7.3%
Grade 11	69.2%	7.2%	9.5%	2.4%	3.5%	8.3%
Grade 12	65.3%	9.6%	12.3%	2.6%	1.7%	8.5%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?		0	0	0.0		
Manjuana:	All	64.3%	12.0%	9.6%	9.8%	4.3%
	Grade 7	84.7%	5.9%	2.4%	2.3%	4.3% 4.7%
	Grade 8	75.7%	11.3%	6.1%	3.6%	3.3%
	Grade 9	65.0%	13.7%	10.5%	7.6%	3.2%
	Grade 10	56.2%	12.6%	13.8%	12.1%	5.3%
	Grade 11	52.8%	13.7%	13.0%	15.5%	5.0%
	Grade 12	46.7%	15.8%	12.8%	20.1%	4.6%
Cocaine?						
	All	89.5%	4.5%	0.8%	0.6%	4.6%
	Grade 7	92.1%	3.4%	0.6%	0.1%	3.8%
	Grade 8	91.2%	5.0%	0.7%	0.2%	2.9%
	Grade 9	89.9%	5.5%	0.7%	0.2%	3.3%
	Grade 10	86.7%	4.7%	1.7%	0.9%	6.1%
	Grade 11	88.3%	4.3%	0.5%	1.0%	6.0%
	Grade 12	88.3%	4.3%	0.5%	1.0% 1.3%	5.6%
	Glade 12	00.370	4.370	0.370	1.370	5.070
Crack?						
	All	90.0%	3.6%	0.8%	0.6%	4.9%
	Grade 7	92.8%	2.0%	0.6%	0.1%	4.5%
	Grade 8	90.4%	4.9%	0.7%	0.1%	3.9%
	Grade 9	90.3%	4.9%	0.7%	0.6%	3.5%
	Grade 10	87.5%	3.8%	1.7%	0.9%	6.1%
	Grade 11	89.1%	3.0%	0.6%	0.9%	6.4%
	Grade 12	90.0%	2.9%	0.4%	1.2%	5.4%
Ecstasy?						
Ecstasy!	All	84.2%	5.9%	1.5%	0.8%	7.7%
	Grade 7	89.0%	2.6%	0.5%	0.1%	7.8%
	Grade 8	84.6%	5.1%	0.7%	0.1%	9.6%
	Grade 9	85.0%	5.6%	1.1%	1.3%	7.0%
	Grade 10	82.5%	6.7%	1.1% 1.9%	1.5% 1.1%	7.8%
	Grade 10 Grade 11	82.5% 81.2%	8.2%	2.0%	1.1% 1.1%	7.3% 7.4%
	Grade 11 Grade 12	81.2% 81.9%	7.5%	3.2%	1.1% 1.0%	6.4%
	Glade 12	01.970	1.570	3.270	1.070	0.470
Steroids?						
	All	79.4%	9.6%	3.3%	1.1%	6.5%
	Grade 7	83.6%	7.1%	2.0%	0.5%	6.8%
	Grade 8	79.8%	10.0%	3.8%	0.2%	6.2%
	Grade 9	78.0%	13.1%	3.5%	1.2%	4.2%
	Grade 10	78.3%	9.1%	3.5%	1.8%	7.3%
	Grade 11	77.6%	9.8%	2.4%	1.7%	8.5%
	Grade 12	79.2%	8.4%	4.8%	1.1%	6.5%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 26 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very	Somewhat	Not Very	Not at All	Do Not
	Dangerous	Dangerous	Dangerous	Dangerous	Know
Heroin?					
All	89.7%	3.3%	0.5%	0.6%	6.0%
Grade 7	90.8%	2.4%	0.3%	0.2%	6.2%
Grade 8	88.8%	5.0%	0.6%	0.1%	5.6%
Grade 9	91.5%	3.7%	0.6%	0.6%	3.6%
Grade 10	87.4%	2.9%	0.9%	0.9%	7.9%
Grade 11	89.5%	2.6%	0.1%	1.0%	6.9%
Grade 12	90.1%	3.0%	0.3%	1.0%	5.6%
Methamphetamine?					
All	89.8%	2.9%	0.7%	0.6%	6.0%
Grade 7	91.4%	2.2%	0.5%	0.1%	5.8%
Grade 8	88.3%	3.8%	0.7%	0.1%	7.1%
Grade 9	91.0%	3.5%	1.0%	0.6%	3.9%
Grade 10	88.0%	3.3%	1.0%	0.9%	6.9%
Grade 11	89.8%	2.3%	0.2%	0.9%	6.8%
Grade 12	90.1%	2.4%	0.6%	1.0%	5.8%
Synthetic Marijuana?					
All	84.2%	6.0%	1.5%	1.1%	7.2%
Grade 7	88.6%	4.0%	0.6%	0.4%	6.5%
Grade 8	83.9%	6.1%	1.4%	0.9%	7.7%
Grade 9	82.5%	8.1%	2.5%	1.2%	5.8%
Grade 10	82.0%	6.3%	1.7%	1.6%	8.4%
Grade 11	82.5%	6.7%	1.4%	1.4%	8.0%
Grade 12	85.8%	4.9%	1.5%	1.1%	6.7%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use... (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.6%	8.1%	16.9%	83.1%
Grade 7	4.6%	6.6%	10.6%	89.4%
Grade 8	6.8%	9.4%	15.8%	84.2%
Grade 9	4.5%	6.9%	18.1%	81.9%
Grade 10	6.3%	8.9%	18.7%	81.3%
Grade 10 Grade 11	5.2%	7.4%	18.0%	82.0%
Grade 11 Grade 12	6.1%	9.4%	21.3%	78.7%
Grade 12	0.170	9.470	21.370	10.170
Codeine Cough Syrup?				
All	2.6%	4.5%	11.2%	88.8%
Grade 7	2.8%	4.0%	6.9%	93.1%
Grade 8	3.4%	5.8%	12.2%	87.8%
Grade 9	2.2%	3.4%	11.1%	88.9%
Grade 10	2.4%	3.6%	11.1%	88.9%
Grade 11	2.3%	4.4%	12.6%	87.4%
Grade 12	2.6%	5.8%	13.8%	86.2%
OxyContin, Percodan, Per- cocet, Oxycodone, Vicodin,				
Lortab, Lorcet, or Hy- drocodone?				
	0.007	1.007	9.007	00.007
All	0.6%	1.0%	3.2%	96.8%
Grade 7	0.1%	0.2%	1.1%	98.9%
Grade 8	0.4%	0.7%	1.7%	98.3%
Grade 9	0.3%	0.3%	2.5%	97.5%
Grade 10	0.3%	0.6%	2.8%	97.2%
Grade 11	1.3%	1.9%	5.6%	94.4%
Grade 12	1.4%	3.0%	6.8%	93.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.1%	1.8%	4.2%	95.8%
Grade 7	0.6%	0.7%	1.3%	98.7%
Grade 8	0.8%	1.1%	2.2%	97.8%
Grade 9	0.7%	0.9%	3.4%	96.6%
Grade 10	0.8%	2.3%	4.6%	95.4%
Grade 10 Grade 11	2.2%	3.0%	6.5%	93.5%
Grade 12	1.7%	3.3%	8.1%	93.9% 91.9%
Adderall, Ritalin, Dexedrine,				
Concerta, or Focalin?		~	~	
All	1.3%	1.9%	4.4%	95.6%
Grade 7	1.0%	1.3%	2.2%	97.8%
Grade 8	0.6%	1.0%	2.6%	97.4%
Grade 9	1.0%	1.1%	2.9%	97.1%
Grade 10	1.7%	2.4%	4.6%	95.4%
Grade 11	1.8%	3.2%	7.4%	92.6%
Grade 12	1.7%	2.6%	7.7%	92.3%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 28 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug				
Not Listed Above?				
All	3.0%	4.3%	8.0%	92.0%
Grade 7	2.1%	3.4%	6.0%	94.0%
Grade 8	3.6%	5.0%	9.3%	90.7%
Grade 9	2.6%	4.1%	8.4%	91.6%
Grade 10	4.0%	5.7%	9.3%	90.7%
Grade 11	2.2%	3.1%	6.8%	93.2%
Grade 12	3.3%	4.4%	7.9%	92.1%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You... (Continued)

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.4%	2.7%	97.3%
Grade 7	1.2%	1.6%	2.8%	97.2%
Grade 8	1.5%	1.5%	2.9%	97.1%
Grade 9	0.9%	1.0%	2.4%	97.6%
Grade 10	0.3%	1.2%	1.5%	98.5%
Grade 11	1.6%	2.2%	3.3%	96.7%
Grade 12	1.1%	1.1%	3.8%	96.2%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.0%	11.7%	3.3%	1.1%	5.9%
Grade 7	83.6%	7.8%	2.1%	0.5%	6.0%
Grade 8	78.6%	13.2%	2.7%	0.9%	4.6%
Grade 9	78.1%	12.8%	4.1%	1.3%	3.7%
Grade 10	74.3%	12.2%	4.3%	1.6%	7.5%
Grade 11	75.8%	11.8%	3.2%	1.4%	7.8%
Grade 12	77.0%	12.2%	3.2%	1.1%	6.4%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 29 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Inhalants

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.5%	6.0%	12.9%	87.1%
Grade 7	5.4%	6.4%	13.4%	86.6%
Grade 8	4.8%	5.6%	12.8%	87.2%
Grade 9	3.9%	6.2%	13.2%	86.8%
Grade 10	3.9%	6.5%	15.2%	84.8%
Grade 11	4.5%	5.4%	11.6%	88.4%
Grade 12	4.3%	6.2%	10.5%	89.5%
Spray Paint?				
All	0.2%	0.5%	2.5%	97.5%
Grade 7	0.6%	0.9%	2.4%	97.6%
Grade 8	0.3%	0.7%	2.1%	97.9%
Grade 9	0.1%	0.7%	3.6%	96.4%
Grade 10	0.0%	0.1%	2.6%	97.4%
Grade 11	0.1%	0.1%	2.8%	97.2%
Grade 12	0.2%	0.7%	1.2%	98.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.3%	1.9%	5.7%	94.3%
Grade 7	2.0%	2.9%	8.1%	91.9%
Grade 8	1.9%	2.1%	5.4%	94.6%
Grade 9	1.8%	3.0%	7.4%	92.6%
Grade 10	0.9%	1.1%	5.1%	94.9%
Grade 11	0.1%	0.2%	4.4%	95.6%
Grade 12	0.6%	1.5%	2.8%	97.2%
Computer Dusting Sprays?				
All	0.5%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.4%	1.9%	98.1%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	0.4%	0.4%	2.1%	97.9%
Grade 11	0.2%	0.6%	2.0%	98.0%
Grade 12	0.7%	1.4%	1.8%	98.2%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.3%	6.1%	93.9%
Grade 7	1.7%	2.1%	5.8%	94.2%
Grade 8	1.3%	1.7%	5.6%	94.4%
Grade 9	1.8%	2.9%	6.6%	93.4%
Grade 10	0.7%	2.5%	7.3%	92.7%
Grade 11	1.8%	2.6%	6.7%	93.3%
Grade 12	1.6%	1.8%	4.3%	95.7%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 30 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.8%	1.0%	2.5%	97.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.1%	0.9%	99.1%
Grade 11	0.4%	0.4%	2.3%	97.7%
Grade 12	0.4%	0.5%	0.9%	99.1%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.8%	1.4%	98.6%
Grade 8	0.1%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.8%	1.3%	98.7%
Grade 11	0.4%	0.8%	1.9%	98.1%
Grade 12	0.7%	0.9%	1.1%	98.9%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	1.1%	1.4%	2.9%	97.1%
Grade 7	1.0%	1.2%	2.2%	97.8%
Grade 8	1.4%	1.4%	3.1%	96.9%
Grade 9	1.6%	2.0%	3.6%	96.4%
Grade 10	1.1%	1.5%	2.4%	97.6%
Grade 11	1.0%	1.7%	3.7%	96.3%
Grade 12	0.6%	0.7%	2.6%	97.4%
Other Aerosols/Sprays?				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	0.5%	1.0%	2.3%	97.7%
Grade 8	0.9%	0.9%	1.7%	98.3%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	0.2%	0.2%	0.9%	99.1%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High... (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 31 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.1%	0.1%	0.3%	0.4%	0.4%	1.6%
Grade 7	96.9%	0.0%	0.4%	0.4%	0.6%	0.6%	1.0%
Grade 8	96.3%	0.4%	0.1%	0.7%	0.6%	0.4%	1.5%
Grade 9	97.8%	0.0%	0.0%	0.0%	0.0%	0.5%	1.7%
Grade 10	97.1%	0.0%	0.1%	0.4%	0.1%	0.6%	1.8%
Grade 11	97.3%	0.0%	0.0%	0.2%	0.4%	0.2%	1.9%
Grade 12	97.0%	0.1%	0.1%	0.0%	0.7%	0.3%	1.8%

Table I-2: How Often Do You Normally Use Inhalants?

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.0%	6.0%	3.3%	1.6%
Grade 7	87.8%	6.4%	4.2%	1.6%
Grade 8	88.7%	6.8%	3.3%	1.2%
Grade 9	88.3%	6.3%	3.4%	2.0%
Grade 10	87.2%	7.9%	3.7%	1.2%
Grade 11	90.1%	3.9%	3.5%	2.4%
Grade 12	92.5%	4.4%	1.6%	1.5%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.8	11.0	11.5	11.5	12.0	12.1	13.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.8%	0.1%	0.2%
Grade 7	99.0%	0.7%	0.1%	0.2%
Grade 8	98.7%	1.2%	0.1%	0.0%
Grade 9	98.4%	1.0%	0.5%	0.1%
Grade 10	98.7%	0.9%	0.0%	0.5%
Grade 11	99.0%	1.0%	0.0%	0.0%
Grade 12	99.9%	0.0%	0.0%	0.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 32 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons		
Inhalant Users	4.9		
Inhalant Non-Users	3.2		
	Average Days Conduct Problems Reported		
Inhalant Users	3.8		
Inhalant Non-Users	1.2		

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.4%	5.2%	1.5%	0.5%	0.4%
Grade 7	93.5%	4.6%	1.5%	0.2%	0.2%
Grade 8	92.7%	5.7%	1.2%	0.1%	0.4%
Grade 9	91.0%	5.7%	1.9%	0.6%	0.7%
Grade 10	92.3%	5.2%	1.6%	0.8%	0.1%
Grade 11	92.2%	6.5%	1.1%	0.2%	0.0%
Grade 12	93.2%	3.4%	1.7%	0.8%	0.9%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.1%	13.1%	4.2%	1.3%	7.4%
Grade 7	80.3%	8.5%	4.0%	1.1%	6.1%
Grade 8	73.6%	16.2%	3.7%	0.6%	5.9%
Grade 9	73.3%	14.5%	5.0%	1.2%	6.0%
Grade 10	69.6%	13.6%	4.6%	1.6%	10.6%
Grade 11	75.2%	13.1%	3.3%	1.0%	7.5%
Grade 12	72.2%	12.5%	4.4%	2.3%	8.6%

Table I-9: If You	Wanted Some,	How Difficult	Would It Be to	o Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.1%	18.3%	4.6%	5.1%	8.1%	19.9%
Grade 7	49.6%	24.7%	3.9%	5.0%	3.9%	13.0%
Grade 8	41.3%	24.3%	5.9%	5.3%	7.3%	15.9%
Grade 9	42.9%	20.1%	5.2%	5.2%	8.1%	18.6%
Grade 10	43.8%	16.5%	3.7%	5.9%	9.2%	20.8%
Grade 11	41.8%	11.7%	5.5%	5.0%	10.9%	25.0%
Grade 12	45.0%	10.2%	3.2%	3.7%	9.8%	28.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 33 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

Miscellaneous

	Yes
A School Health Class	
All	34.3%
Grade 7	28.4%
Grade 8	39.0%
Grade 9	33.7%
Grade 10	34.3%
Grade 11	35.0%
Grade 12	35.5%
An Assembly Program	
All	52.4%
Grade 7	41.7%
Grade 8	49.0%
Grade 9	59.7%
Grade 10	59.0%
Grade 11	55.7%
Grade 12	48.1%
Guidance Counselor	
All	22.8%
Grade 7	19.7%
Grade 8	23.1%
Grade 9	24.0%
Grade 10	24.070 22.6%
Grade 10 Grade 11	27.1%
Grade 12	19.7%
School Nurse	
All	15.0%
Grade 7	14.6%
Grade 8	14.5%
Grade 9	13.0%
Grade 10	14.4%
Grade 11	18.0%
Grade 12	15.9%
Science or Social Studies Class	
All	23.9%
Grade 7	23.6%
Grade 8	25.7%
Grade 9	23.7% 24.9%
Grade 9 Grade 10	24.9% 22.6%
Grade 10 Grade 11	22.0% 24.4%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 34 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

	Yes
Student Group or Club Meeting at School	
All	13.5%
Grade 7	9.4%
Grade 8	12.8%
Grade 9	12.9%
Grade 10	13.9%
Grade 11	18.0%
Grade 12	14.4%
An Invited School Guest	
All	35.5%
Grade 7	31.6%
Grade 8	39.2%
Grade 9	38.1%
Grade 10	35.2%
Grade 11	36.0%
Grade 12	32.2%
Another Source at School	
All	26.5%
Grade 7	24.9%
Grade 8	23.4%
Grade 9	28.4%
Grade 10	30.2%
Grade 11	29.3%
Grade 12	22.0%
Any School Source	
All	67.6%
Grade 7	62.0%
Grade 8	70.1%
Grade 9	71.3%
Grade 10	71.1%
Grade 11	65.8%
Grade 12	64.5%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 35 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Yes
Counselor/Program In-School	
All	35.1%
Grade 7	45.1%
Grade 8	41.0%
Grade 9	38.5%
Grade 10	30.0%
Grade 11	28.7%
Grade 12	24.9%
School Nurse	
All	21.5%
Grade 7	32.0%
Grade 8	23.9%
Grade 9	21.2%
Grade 10	20.0%
Grade 11	16.2%
Grade 12	14.2%
Another Adult In School	
All	41.9%
Grade 7	46.4%
Grade 8	43.9%
Grade 9	45.9%
Grade 10	38.8%
Grade 11	35.9%
Grade 12	40.0%
Counselor/Program Outside-School	
All	40.5%
Grade 7	45.6%
Grade 8	44.4%
Grade 9	47.5%
Grade 10	35.8%
Grade 11	34.3%
Grade 12	34.1%
Your Parents	
All	68.9%
Grade 7	77.4%
Grade 8	73.1%
Grade 9	74.6%
Grade 10	61.9%
Grade 11	62.1%
Grade 12	63.2%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 36 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Yes
A Medical Doctor		
	All	55.0%
	Grade 7	68.7%
	Grade 8	62.9%
	Grade 9	54.7%
	Grade 10	48.1%
	Grade 11	46.4%
	Grade 12	47.7%
Your Friends		
	All	60.7%
	Grade 7	45.3%
	Grade 8	58.0%
	Grade 9	64.1%
	Grade 10	67.6%
	Grade 11	62.3%
	Grade 12	68.2%
Another Adult		
	All	59.1%
	Grade 7	64.0%
	Grade 8	63.7%
	Grade 9	61.6%
	Grade 10	55.3%
	Grade 11	54.6%
	Grade 12	54.3%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

(Continued)

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes
All	4.7%
Grade 7	4.9%
Grade 8	3.8%
Grade 9	6.1%
Grade 10	4.2%
Grade 11	4.3%
Grade 12	4.7%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 37 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.3%	21.3%	19.7%	37.8%	15.9%
Grade 7	5.7%	15.9%	15.4%	36.1%	27.0%
Grade 8	4.5%	19.7%	18.6%	40.9%	16.3%
Grade 9	4.6%	21.5%	19.6%	38.3%	16.1%
Grade 10	4.3%	22.4%	19.4%	40.8%	13.1%
Grade 11	4.5%	23.6%	23.3%	36.8%	11.8%
Grade 12	8.6%	26.1%	23.4%	32.7%	9.2%
Sometimes Carry Weapons?					
All	68.2%	18.2%	7.1%	4.4%	2.0%
Grade 7	84.1%	11.6%	2.5%	0.4%	1.3%
Grade 8	79.6%	12.0%	5.6%	1.8%	1.1%
Grade 9	67.6%	20.3%	5.6%	5.0%	1.5%
Grade 10	62.1%	20.8%	7.9%	6.3%	2.9%
Grade 11	55.7%	24.0%	10.8%	6.3%	3.2%
Grade 12	55.8%	21.9%	12.1%	7.7%	2.6%
Care About Making Good Grades?					
All	2.2%	12.7%	24.0%	40.9%	20.2%
Grade 7	1.9%	13.6%	18.3%	37.8%	28.5%
Grade 8	1.9%	12.3%	23.7%	39.7%	22.4%
Grade 9	2.1%	12.3%	23.8%	39.2%	22.7%
Grade 10	0.9%	11.6%	28.0%	43.7%	15.7%
Grade 11	2.7%	12.4%	25.5%	43.7%	15.7%
Grade 12	3.9%	14.2%	25.4%	42.3%	14.2%
Belong/Want to Belong to a Gang?					
All	86.8%	8.2%	2.6%	1.4%	1.0%
Grade 7	88.3%	7.6%	2.8%	0.8%	0.5%
Grade 8	85.8%	9.1%	3.0%	1.7%	0.3%
Grade 9	87.5%	8.2%	1.5%	1.6%	1.2%
Grade 10	84.4%	9.5%	2.4%	1.7%	2.0%
Grade 11	86.8%	6.5%	3.6%	1.4%	1.6%
Grade 12	87.9%	8.2%	2.4%	1.1%	0.5%
Wish They Could Drop Out of School?					
All	43.3%	29.2%	14.2%	6.7%	6.5%
Grade 7	59.5%	20.4%	12.4%	3.9%	3.8%
Grade 8	52.5%	28.3%	10.0%	6.2%	3.0%
Grade 9	39.2%	32.1%	13.7%	6.2%	8.8%
Grade 10	37.4%	34.0%	14.8%	7.4%	6.4%
Grade 11	34.5%	34.5%	16.4%	7.7%	6.9%
Grade 12	33.4%	26.5%	19.2%	9.9%	11.0%

Table X-4: About How Many of Your Close Friends...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 38 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.1%	11.0%	0.7%	0.2%	1.1%
Grade 7	86.2%	11.2%	0.7%	0.0%	2.0%
Grade 8	86.7%	10.7%	0.5%	0.4%	1.7%
Grade 9	86.6%	11.9%	0.5%	0.1%	0.9%
Grade 10	86.5%	12.3%	0.5%	0.0%	0.6%
Grade 11	88.7%	9.9%	0.9%	0.2%	0.4%
Grade 12	88.3%	9.6%	1.0%	0.4%	0.6%
Out In Your Neighborhood?					
All	53.8%	35.9%	5.2%	1.6%	3.4%
Grade 7	48.5%	34.4%	8.3%	3.0%	5.8%
Grade 8	45.8%	42.7%	6.1%	1.5%	3.8%
Grade 9	55.0%	36.4%	5.1%	0.5%	3.0%
Grade 10	56.0%	36.5%	3.3%	1.6%	2.7%
Grade 11	54.4%	38.6%	2.7%	0.8%	3.6%
Grade 12	66.1%	25.3%	5.3%	2.2%	1.1%
At School?					
All	43.3%	40.8%	7.6%	4.6%	3.7%
Grade 7	43.4%	39.5%	8.6%	4.3%	4.3%
Grade 8	45.2%	42.8%	5.8%	3.2%	3.0%
Grade 9	37.8%	46.3%	7.7%	3.6%	4.5%
Grade 10	42.3%	41.2%	7.9%	4.3%	4.2%
Grade 11	45.1%	38.7%	7.0%	6.0%	3.2%
Grade 12	47.0%	34.2%	9.0%	7.2%	2.7%

Table X-5: How Safe Do You Feel When You Are...

2 Prevalence Tables

Jump to Table of Contents Page 40 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.8%	21.8%	33.1%	66.9%
Grade 7	5.5%	7.8%	15.6%	84.4%
Grade 8	10.1%	13.5%	24.2%	75.8%
Grade 9	15.2%	18.7%	30.1%	69.9%
Grade 10	22.3%	26.8%	41.5%	58.5%
Grade 11	26.2%	32.5%	43.8%	56.2%
Grade 12	31.7%	36.3%	49.0%	51.0%
Any Alcohol Product				
All	27.3%	32.2%	50.6%	49.4%
Grade 7	14.7%	16.4%	35.0%	65.0%
Grade 8	19.5%	22.7%	42.8%	57.2%
Grade 9	27.2%	32.5%	49.7%	50.3%
Grade 10	30.2%	37.8%	59.4%	40.6%
Grade 11	33.5%	38.8%	56.7%	43.3%
Grade 12	43.1%	49.8%	63.8%	36.2%
Any Illicit Drug				
All	9.8%	13.3%	18.0%	82.0%
Grade 7	2.8%	4.0%	4.8%	95.2%
Grade 8	5.1%	7.1%	9.9%	90.1%
Grade 9	8.9%	12.5%	15.8%	84.2%
Grade 10	11.1%	16.6%	21.7%	78.3%
Grade 10 Grade 11	15.6%	20.1%	27.4%	72.6%
Grade 12	17.6%	20.170 22.7%	33.3%	66.7%
Any Prescription Drug				
All	5.6%	8.1%	16.9%	83.1%
Grade 7	4.6%	6.6%	10.9% 10.6%	89.4%
Grade 7 Grade 8	6.8%	9.4%	15.8%	84.2%
Grade 9	4.5%	6.9%	18.1%	81.9%
Grade 10	6.3%	8.9%	18.7%	81.3%
Grade 10 Grade 11	5.2%	7.4%	18.0%	82.0%
Grade 12	6.1%	9.4%	21.3%	78.7%
Any Inhalant				
Any mnaiant All	4.5%	6.0%	12.9%	87.1%
Grade 7	4.3% 5.4%	6.4%	12.9% 13.4%	86.6%
Grade 7 Grade 8	4.8%	5.6%	13.4% 12.8%	80.0% 87.2%
Grade 8 Grade 9	4.8% 3.9%	6.2%	12.8% 13.2%	86.8%
Grade 9 Grade 10	3.9% 3.9%	6.2% 6.5%	13.2% 15.2%	$86.8\%\ 84.8\%$
Grade 11 Cracks 12	4.5%	5.4%	11.6%	88.4%
Grade 12	4.3%	6.2%	10.5%	89.5%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 41 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.7%	17.3%	29.1%	70.9%
Grade 7	3.2%	6.0%	12.2%	87.8%
Grade 8	7.0%	11.2%	21.2%	78.8%
Grade 9	9.3%	13.4%	27.8%	72.2%
Grade 10	17.1%	22.4%	38.0%	62.0%
Grade 11	18.8%	25.3%	36.5%	63.5%
Grade 12	24.3%	29.2%	43.3%	56.7%
Marijuana				
All	9.1%	11.3%	16.2%	83.8%
Grade 7	2.1%	2.4%	3.1%	96.9%
Grade 8	5.0%	5.6%	8.5%	91.5%
Grade 9	7.1%	9.4%	12.7%	87.3%
Grade 10	10.3%	14.0%	19.2%	80.8%
Grade 11	15.6%	18.6%	26.3%	73.7%
Grade 12	17.2%	20.9%	32.7%	67.3%
Marijuana Only				
All	5.0%	6.6%	10.8%	89.2%
Grade 7	1.2%	1.6%	2.1%	97.9%
Grade 8	2.8%	3.3%	5.7%	94.3%
Grade 9	3.1%	5.1%	8.0%	92.0%
Grade 10	6.4%	8.8%	13.3%	86.7%
Grade 11	8.5%	10.8%	17.6%	82.4%
Grade 12	9.5%	11.9%	21.3%	78.7%
Cocaine or Crack				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.8%	1.9%	1.9%	98.1%
Grade 10	0.7%	0.7%	1.9%	98.1%
Grade 11	0.6%	0.7%	2.6%	97.4%
Grade 12	1.2%	1.6%	2.8%	97.2%
Cocaine				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	1.6%	1.8%	1.8%	98.2%
Grade 10	0.7%	0.7%	1.9%	98.1%
Grade 11	0.6%	0.7%	2.4%	97.6%
Grade 12	1.0%	1.4%	2.6%	97.4%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 42 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.6%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.9%	1.1%	98.9%
Grade 9	1.0%	1.1%	1.8%	98.2%
Grade 10	0.6%	0.8%	2.4%	97.6%
Grade 10 Grade 11	1.0%	1.1%	3.9%	96.1%
Grade 12	0.6%	2.2%	3.4%	96.6%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 10 Grade 11	0.1%	0.0% 0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.2%	0.4%	1.4%	98.6%
Grade 7	0.0%	0.6%	1.5%	98.5%
Grade 8	0.2%	0.5%	2.0%	98.0%
Grade 9	0.3%	0.4%	1.6%	98.4%
Grade 10	0.4%	0.4%	1.6%	98.4%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.1%	0.1%	1.1%	98.9%
Ecstasy				
All	0.8%	1.4%	2.4%	97.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.2%	1.8%	98.2%
Grade 10	0.8%	1.2%	2.2%	97.8%
Grade 11	2.2%	3.2%	5.4%	94.6%
Grade 12	1.0%	2.3%	4.8%	95.2%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 43 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.5%	0.8%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.7%	1.1%	1.7%	98.3%
Grade 9	1.1%	1.1%	3.2%	96.8%
Grade 10	0.2%	0.5%	1.7%	98.3%
Grade 11	1.3%	2.2%	3.6%	96.4%
Grade 12	0.6%	0.8%	3.6%	96.4%
Methamphetamine				
All	0.3%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.5%	1.7%	1.8%	98.2%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.9%	22.9%	33.9%	66.1%
Grade 7	5.4%	7.0%	14.9%	85.1%
Grade 8	9.4%	11.5%	23.2%	76.8%
Grade 9	18.1%	20.7%	32.2%	67.8%
Grade 10	26.7%	30.1%	42.9%	57.1%
Grade 11	30.0%	34.9%	46.4%	53.6%
Grade 12	35.3%	39.6%	49.7%	50.3%
Any Alcohol Product				
All	25.3%	29.7%	47.7%	52.3%
Grade 7	12.7%	15.0%	35.4%	64.6%
Grade 8	18.9%	20.9%	41.3%	58.7%
Grade 9	24.7%	20.5% 29.5%	41.3% 45.2%	54.8%
Grade 10	30.0%	36.0%	56.1%	43.9%
Grade 10 Grade 11	34.1%	39.1%	53.7%	45.3%
Grade 12	34.1% 35.4%	42.2%	57.6%	40.3% 42.4%
Any Illicit Drug	10.007	10 507	17 007	00 407
All	10.0%	13.5%	17.6%	82.4%
Grade 7	3.2%	4.0%	4.7%	95.3%
Grade 8	4.6%	7.2%	9.5%	90.5%
Grade 9	7.7%	9.8%	14.2%	85.8%
Grade 10	12.0%	18.7%	22.5%	77.5%
Grade 11	19.0%	22.4%	29.4%	70.6%
Grade 12	15.7%	21.7%	29.6%	70.4%
Any Prescription Drug				
All	5.3%	7.9%	17.0%	83.0%
Grade 7	5.0%	7.1%	10.3%	89.7%
Grade 8	5.5%	8.5%	15.8%	84.2%
Grade 9	6.7%	7.9%	17.9%	82.1%
Grade 10	5.5%	8.1%	18.7%	81.3%
Grade 11	5.8%	8.5%	19.3%	80.7%
Grade 12	2.5%	6.8%	21.6%	78.4%
Any Inhalant				
All	4.5%	6.4%	12.6%	87.4%
Grade 7	4.1%	5.1%	10.4%	89.6%
Grade 8	3.8%	5.2%	11.5%	88.5%
Grade 9	5.6%	8.2%	14.7%	85.3%
Grade 10	3.7%	6.3%	14.9%	85.1%
Grade 11	6.0%	7.2%	12.7%	87.3%
Grade 12	4.1%	6.5%	10.7%	89.3%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 45 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.3%	17.0%	29.1%	70.9%
Grade 7	3.2%	4.6%	11.6%	88.4%
Grade 8	5.6%	8.3%	20.5%	79.5%
Grade 9	10.6%	14.7%	29.0%	71.0%
Grade 10	20.5%	24.5%	37.7%	62.3%
Grade 11	20.0%	25.4%	39.2%	60.8%
Grade 12	23.5%	28.4%	40.8%	59.2%
Marijuana				
All	9.4%	11.7%	15.9%	84.1%
Grade 7	2.2%	2.4%	3.0%	97.0%
Grade 8	4.5%	5.2%	7.5%	92.5%
Grade 9	6.5%	8.4%	12.2%	87.8%
Grade 10	10.9%	16.1%	19.7%	80.3%
Grade 11	19.0%	21.8%	29.0%	71.0%
Grade 12	15.4%	19.4%	28.7%	71.3%
Marijuana Only				
All	4.9%	6.6%	10.0%	90.0%
Grade 7	1.6%	1.8%	2.2%	97.8%
Grade 8	1.8%	2.5%	4.3%	95.7%
Grade 9	2.5%	4.4%	7.4%	92.6%
Grade 10	6.2%	9.5%	12.4%	87.6%
Grade 11	10.1%	12.1%	17.6%	82.4%
Grade 12	8.7%	10.7%	19.1%	80.9%
Cocaine or Crack				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	2.6%	2.8%	2.8%	97.2%
Grade 10	0.8%	0.8%	2.5%	97.5%
Grade 11	0.4%	0.6%	2.7%	97.3%
Grade 12	1.9%	2.8%	4.4%	95.6%
Cocaine				
All	1.0%	1.2%	2.1%	97.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	2.6%	2.8%	2.8%	97.2%
Grade 10	0.8%	0.8%	2.5%	97.5%
Grade 11	0.4%	0.6%	2.7%	97.3%
Grade 12	1.6%	2.5%	4.1%	95.9%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 46 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.8%	1.3%	2.7%	97.3%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	1.8%	2.1%	2.8%	97.2%
Grade 10	0.9%	1.2%	2.2%	97.8%
Grade 11	1.3%	1.5%	6.3%	93.7%
Grade 12	0.2%	1.9%	3.7%	96.3%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.2%	0.5%	1.5%	98.5%
Grade 7	0.0%	0.6%	1.5%	98.5%
Grade 8	0.0%	0.5%	3.2%	96.8%
Grade 9	0.1%	0.5%	1.2%	98.8%
Grade 10	0.8%	0.8%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy				
All	1.2%	1.9%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	1.0%	1.5%	98.5%
Grade 9	2.0%	2.5%	2.9%	97.1%
Grade 10	1.2%	1.8%	2.6%	97.4%
Grade 11	3.5%	4.6%	7.2%	92.8%
Grade 12	0.0%	1.4%	4.8%	95.2%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 47 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.7%	1.1%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.4%	2.4%	97.6%
Grade 7	0.8%	1.1%	1.1%	98.9%
Grade 8	0.8%	1.4%	2.1%	97.9%
Grade 9	1.8%	2.0%	3.1%	96.9%
Grade 10	0.2%	0.8%	2.5%	97.5%
Grade 11	1.1%	2.4%	4.2%	95.8%
Grade 12	0.3%	0.3%	1.2%	98.8%
Methamphetamine				
All	0.1%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.8%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	1.9%	1.9%	98.1%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.4%	20.2%	32.0%	68.0%
Grade 7	4.6%	7.5%	15.3%	84.7%
Grade 8	10.8%	15.6%	25.3%	74.7%
Grade 9	12.5%	16.8%	28.2%	71.8%
Grade 10	16.8%	22.4%	39.3%	60.7%
Grade 11	22.3%	29.1%	40.3%	59.7%
Grade 12	28.7%	33.6%	48.4%	51.6%
Any Alcohol Product				
All	29.0%	34.2%	53.1%	46.9%
Grade 7	15.7%	17.0%	34.1%	65.9%
Grade 8	20.2%	24.3%	44.3%	55.7%
Grade 9	29.0%	34.8%	53.3%	46.7%
Grade 10	29.9%	39.1%	62.7%	37.3%
Grade 11	33.1%	37.7%	59.5%	40.5%
Grade 12	49.1%	55.8%	68.4%	31.6%
Any Illicit Drug				
All	9.6%	13.2%	18.4%	81.6%
Grade 7	2.5%	4.2%	4.9%	95.1%
Grade 8	5.6%	6.9%	10.2%	89.8%
Grade 9	9.8%	14.8%	16.9%	83.1%
Grade 10	10.2%	14.4%	21.0%	79.0%
Grade 11	12.0%	17.9%	25.4%	74.6%
Grade 12	19.2%	23.1%	35.9%	64.1%
Any Prescription Drug				
All	5.9%	8.3%	16.7%	83.3%
Grade 7	4.3%	6.1%	11.0%	89.0%
Grade 8	8.3%	10.4%	15.8%	84.2%
Grade 9	2.8%	6.1%	18.4%	81.6%
Grade 10	7.2%	9.7%	18.6%	81.4%
Grade 10 Grade 11	4.7%	6.3%	15.7%	84.3%
Grade 12	8.9%	11.5%	21.2%	78.8%
Any Inhalant				
All	4.3%	5.6%	12.8%	87.2%
Grade 7	6.7%	7.6%	15.4%	84.6%
Grade 8	5.8%	6.0%	14.1%	85.9%
Grade 9	2.4%	4.5%	11.9%	88.1%
Grade 10	3.5%	6.0%	15.1%	84.9%
Grade 10 Grade 11	2.7%	3.4%	9.5%	90.5%
Grade 11 Grade 12	4.5%	6.0%	10.3%	89.7%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 49 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.1%	17.1%	28.8%	71.2%
Grade 7	3.3%	6.3%	11.9%	88.1%
Grade 8	8.4%	14.1%	22.1%	77.9%
Grade 9	8.0%	12.1%	26.6%	73.4%
Grade 10	13.5%	19.7%	37.9%	62.1%
Grade 11	17.7%	24.4%	32.9%	67.1%
Grade 12	24.8%	29.6%	45.3%	54.7%
Marijuana				
All	8.9%	10.8%	16.5%	83.5%
Grade 7	2.0%	2.4%	3.2%	96.8%
Grade 8	5.4%	5.9%	9.4%	90.6%
Grade 9	7.4%	10.2%	12.9%	87.1%
Grade 10	9.6%	11.9%	18.8%	81.2%
Grade 10 Grade 11	12.0%	15.3%	23.6%	76.4%
Grade 12	12.070 18.7%	21.7%	35.5%	64.5%
Marijuana Only				
All	5.0%	6.7%	11.5%	88.5%
Grade 7	0.8%	1.3%	2.0%	98.0%
Grade 8	3.8%	4.3%	7.1%	92.9%
Grade 9	3.4%	5.6%	8.2%	91.8%
Grade 10	6.5%	8.2%	14.4%	85.6%
Grade 11	6.7%	9.5%	17.8%	82.2%
Grade 12	10.1%	12.5%	22.8%	77.2%
Cocaine or Crack				
All	0.6%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	99.9%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 10 Grade 11	0.9%	0.9%	2.5%	97.5%
Grade 12	0.6%	0.6%	1.5%	98.5%
Cocaine				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 10 Grade 11	0.9%	0.9%	2.2%	97.8%
Grade 11 Grade 12	0.6%	0.6%	1.5%	98.5%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 50 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.8%	1.5%	98.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.8%	0.9%	99.1%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.2%	0.5%	2.7%	97.3%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	1.0%	2.3%	3.1%	96.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.5%	1.5%	98.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.4%	2.0%	98.0%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.2%	98.8%
Ecstasy				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.2%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.7%	98.3%
Grade 11	0.7%	1.6%	3.3%	96.7%
Grade 12	1.7%	3.0%	4.8%	95.2%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 51 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.6%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.7%	2.3%	97.7%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.5%	0.5%	3.3%	96.7%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	1.6%	2.0%	3.0%	97.0%
Grade 12	0.8%	1.2%	5.5%	94.5%
Methamphetamine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.6%	0.9%	99.1%
Grade 9	1.4%	1.4%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.9%	1.5%	1.7%	98.3%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.2%	25.9%	37.0%	63.0%
Grade 7	4.9%	7.3%	15.1%	84.9%
Grade 8	11.6%	16.2%	25.0%	75.0%
Grade 9	19.7%	23.5%	33.1%	66.9%
Grade 10	25.1%	30.6%	46.6%	53.4%
Grade 11	33.7%	40.9%	53.1%	46.9%
Grade 12	34.8%	40.1%	52.7%	47.3%
Any Alcohol Product				
All	29.4%	34.6%	52.8%	47.2%
Grade 7	9.7%	11.4%	30.6%	69.4%
Grade 8	19.1%	22.7%	42.8%	57.2%
Grade 9	30.2%	35.0%	52.2%	47.8%
Grade 10	36.9%	42.6%	62.7%	37.3%
Grade 10 Grade 11	40.1%	47.9%	64.5%	35.5%
Grade 12	43.4%	51.6%	67.3%	32.7%
Any Illicit Drug				
All	9.9%	13.3%	18.1%	81.9%
Grade 7	1.5%	2.3%	3.1%	96.9%
Grade 8	6.1%	8.3%	10.5%	89.5%
Grade 9	10.8%	12.9%	17.1%	82.9%
Grade 10	10.0% 11.0%	12.5% 14.5%	20.0%	80.0%
Grade 11	15.0%	21.3%	29.3%	70.7%
Grade 12	15.9%	21.0%	31.1%	68.9%
Any Prescription Drug				
All	6.2%	9.3%	18.7%	81.3%
Grade 7	4.1%	6.4%	10.7% 10.8%	89.2%
Grade 8	6.9%	10.6%	17.2%	82.8%
Grade 9	6.0%	9.9%	21.7%	78.3%
Grade 9 Grade 10	9.1%	12.6%	21.7% 22.6%	77.4%
Grade 11	5.8%	8.1%	18.7%	81.3%
Grade 12	5.6%	8.3%	21.0%	79.0%
Any Inhalant				
Any milaiant All	4.2%	5.7%	13.0%	87.0%
Grade 7	3.7%	4.5%	9.8%	90.2%
Grade 7 Grade 8	4.0%	4.6%	12.1%	87.9%
Grade 9	5.2%	7.1%	15.3%	84.7%
Grade 10	4.4%	7.1% 7.4%	15.5% 17.7%	82.3%
Grade 10 Grade 11	4.4% 4.5%	5.6%	17.7% 13.2%	86.8%
Grade 12	3.3%	4.7%	9.7%	90.3%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 53 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.6%	21.5%	32.9%	67.1%
Grade 7	3.4%	5.5%	12.1%	87.9%
Grade 8	7.8%	13.5%	21.9%	78.1%
Grade 9	13.6%	19.1%	30.1%	69.9%
Grade 10	19.0%	25.4%	42.7%	57.3%
Grade 11	24.9%	34.5%	46.7%	53.3%
Grade 12	26.9%	33.4%	46.8%	53.2%
Marijuana				
All	9.4%	11.4%	16.5%	83.5%
Grade 7	1.3%	1.5%	2.3%	97.7%
Grade 8	5.9%	6.7%	8.9%	91.1%
Grade 9	9.1%	10.0%	14.4%	85.6%
Grade 10	10.5%	12.9%	18.3%	81.7%
Grade 11	15.0%	18.7%	27.5%	72.5%
Grade 12	15.6%	20.1%	30.3%	69.7%
Marijuana Only				
y y All	5.4%	7.0%	11.5%	88.5%
Grade 7	0.9%	1.1%	1.8%	98.2%
Grade 8	3.6%	4.4%	6.2%	93.8%
Grade 9	3.9%	4.3%	8.1%	91.9%
Grade 10	6.5%	8.4%	12.6%	87.4%
Grade 11	8.9%	12.1%	20.4%	79.6%
Grade 12	9.2%	13.1%	22.0%	78.0%
Cocaine or Crack				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	1.6%	1.9%	1.9%	98.1%
Grade 10	0.3%	0.3%	2.1%	97.9%
Grade 11	0.5%	0.5%	3.5%	96.5%
Grade 12	0.5%	1.2%	2.6%	97.4%
Cocaine				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	1.4%	1.6%	1.6%	98.4%
Grade 10	0.3%	0.3%	2.1%	97.9%
Grade 11	0.5%	0.5%	3.2%	96.8%
Grade 12	0.3%	1.0%	2.3%	97.7%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 54 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.5%	1.0%	1.1%	98.9%
Grade 9	1.9%	2.0%	3.1%	96.9%
Grade 10	0.8%	1.3%	2.9%	97.1%
Grade 11	1.1%	1.3%	3.6%	96.4%
Grade 12	0.3%	0.9%	2.1%	97.9%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.1%	0.3%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.6%	1.8%	98.2%
Grade 9	0.5%	0.8%	2.2%	97.8%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.1%	0.1%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.5%	99.5%
Ecstasy				
All	0.8%	1.3%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	1.6%	2.3%	3.0%	97.0%
Grade 10	1.2%	2.0%	3.5%	96.5%
Grade 11	1.4%	2.6%	4.2%	95.8%
Grade 12	0.5%	0.8%	3.6%	96.4%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 55 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.3%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.2%	2.3%	97.7%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	1.2%	1.6%	2.0%	98.0%
Grade 9	2.1%	2.2%	4.3%	95.7%
Grade 10	0.3%	0.4%	1.5%	98.5%
Grade 11	1.0%	1.6%	2.9%	97.1%
Grade 12	0.5%	0.9%	2.9%	97.1%
Methamphetamine				
All	0.4%	0.6%	0.9%	99.1%
Grade 7	0.1%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.6%	1.2%	98.8%
Grade 9	1.5%	1.5%	1.8%	98.2%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.6%	99.4%

Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.6%	13.9%	23.7%	76.3%
Grade 7	3.1%	4.7%	14.9%	85.1%
Grade 8	5.0%	5.0%	17.1%	82.9%
Grade 9	8.8%	11.9%	24.2%	75.8%
Grade 10	19.1%	20.7%	28.8%	71.2%
Grade 11	13.6%	20.2%	30.8%	69.2%
Grade 12	25.3%	26.9%	30.7%	69.3%
Any Alcohol Product				
All	23.4%	27.9%	43.5%	56.5%
Grade 7	19.1%	19.8%	38.8%	61.2%
Grade 8	17.6%	18.8%	38.7%	61.3%
Grade 9	27.8%	34.3%	42.9%	57.1%
Grade 10	21.3%	33.7%	47.9%	57.1%
Grade 11	21.0% 20.0%	20.0%	41.5% 44.6%	52.170 55.4%
Grade 12	38.4%	43.6%	50.7%	49.3%
Any Illicit Drug				
All	10.5%	14.5%	18.8%	81.2%
Grade 7	3.5%	5.2%	5.7%	94.3%
Grade 8	5.0%	5.0%	11.8%	88.2%
Grade 9	6.1%	14.5%	17.5%	82.5%
Grade 10	15.9%	14.0% 18.6%	18.6%	81.4%
Grade 11	21.8%	24.0%	31.5%	68.5%
Grade 12	15.3%	24.0% 25.3%	36.2%	63.8%
Any Prescription Drug				
All	5.1%	7.3%	15.4%	84.6%
Grade 7	4.4%	4.9%	9.2%	90.8%
Grade 8	9.7%	10.6%	14.7%	85.3%
Grade 9	1.5%	1.5%	17.8%	82.2%
Grade 10	2.1%	6.4%	12.7%	87.3%
Grade 11	10.0%	10.0%	20.4%	79.6%
Grade 12	3.6%	12.6%	20.4%	80.0%
Any Inhalant				
Any milaiant All	4.2%	5.2%	11.2%	88.8%
Grade 7	$\frac{4.2\%}{6.8\%}$	8.0%	11.2% 16.0%	84.0%
Grade 7 Grade 8	7.6%	7.6%	10.0% 11.4%	84.0% 88.6%
Grade 8 Grade 9	0.0%	0.0%	7.5%	92.5%
Grade 9 Grade 10	4.6%		12.6%	92.5% 87.4%
Grade 10 Grade 11	4.6% 0.0%	$6.5\% \\ 0.0\%$	12.6% 7.4%	87.4% 92.6%
Grade 12	5.9%	10.1%	12.0%	88.0%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 57 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.1%	10.9%	21.1%	78.9%
Grade 7	1.0%	2.7%	8.3%	91.7%
Grade 8	3.6%	3.6%	13.4%	86.6%
Grade 9	1.4%	4.6%	24.2%	75.8%
Grade 10	15.3%	20.0%	29.3%	70.7%
Grade 11	10.6%	17.3%	25.5%	74.5%
Grade 12	22.0%	23.7%	29.1%	70.9%
	22.070	20.170	20.170	10.570
Marijuana				
All	9.1%	12.6%	17.3%	82.7%
Grade 7	1.5%	2.2%	2.7%	97.3%
Grade 8	5.0%	5.0%	11.8%	88.2%
Grade 9	3.4%	9.5%	12.5%	87.5%
Grade 10	12.9%	18.6%	18.6%	81.4%
Grade 11	21.8%	24.0%	31.5%	68.5%
Grade 12	15.3%	22.7%	36.2%	63.8%
Marijuana Only				
All	4.7%	6.4%	10.8%	89.2%
Grade 7	0.9%	1.6%	2.0%	98.0%
Grade 7 Grade 8	2.8%	2.8%	9.6%	90.4%
Grade 9	0.0%	5.6%	8.3%	90.4% 91.7%
Grade 9 Grade 10	8.7%	8.7%	8.3% 8.7%	91.7% 91.3%
Grade 11	12.0%	14.1%	21.4%	78.6%
Grade 12	7.0%	8.5%	20.6%	79.4%
Cocaine or Crack				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.6%	2.6%	2.6%	97.4%
Cocaine				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.6%	2.6%	2.6%	97.4%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 58 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.2%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	1.0%	1.0%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.6%	97.4%
Synthetic Cathinones				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	1.0%	1.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.6%	2.0%	98.0%
Grade 7	0.0%	1.6%	2.6%	97.4%
Grade 8	0.0%	0.0%	3.6%	96.4%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.6%	98.4%
Ecstasy				
All	1.0%	1.0%	2.2%	97.8%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	5.3%	5.3%	9.3%	90.7%
Grade 12	0.0%	0.0%	4.2%	95.8%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 59 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	3.0%	3.0%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.2%	0.5%	2.2%	97.8%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	3.4%	96.6%
Grade 10	0.0%	1.7%	4.6%	95.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.3%	96.7%
Methamphetamine				
All	0.2%	0.9%	0.9%	99.1%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	5.7%	5.7%	94.3%

Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.4%	16.6%	28.9%	71.1%
Grade 7	6.9%	9.3%	14.8%	85.2%
Grade 8	10.3%	13.9%	25.8%	74.2%
Grade 9	7.8%	11.4%	24.4%	75.6%
Grade 10	18.5%	21.2%	36.0%	64.0%
Grade 11	15.8%	20.0%	30.3%	69.7%
Grade 12	25.4%	28.4%	49.5%	50.5%
Any Alcohol Product				
All	23.7%	28.1%	48.3%	51.7%
Grade 7	19.9%	22.1%	38.8%	61.2%
Grade 8	21.4%	24.7%	43.9%	56.1%
Grade 9	19.4%	24.9%	46.0%	54.0%
Grade 10	19.9%	28.4%	56.5%	43.5%
Grade 11	25.5%	28.3%	46.8%	53.2%
Grade 12	41.9%	46.3%	62.8%	37.2%
Any Illicit Drug				
All	7.5%	11.2%	15.0%	85.0%
Grade 7	4.7%	6.3%	7.2%	92.8%
Grade 8	3.4%	5.9%	7.2%	92.8%
Grade 9	5.3%	8.7%	9.4%	90.6%
Grade 10	6.3%	18.3%	22.8%	77.2%
Grade 11	10.4%	11.8%	15.9%	84.1%
Grade 12	19.2%	19.2%	34.3%	65.7%
Any Prescription Drug				
All	4.1%	5.4%	13.3%	86.7%
Grade 7	5.4%	7.2%	10.5%	89.5%
Grade 8	4.5%	6.1%	12.4%	87.6%
Grade 9	3.0%	3.0%	10.4%	89.6%
Grade 10	3.5%	3.5%	14.1%	85.9%
Grade 11	0.7%	3.5%	13.0%	87.0%
Grade 12	8.3%	10.2%	22.5%	77.5%
Any Inhalant				
All	4.3%	6.4%	12.5%	87.5%
Grade 7	7.8%	8.9%	18.1%	81.9%
Grade 8	4.0%	5.3%	12.8%	87.2%
Grade 9	2.1%	6.8%	11.4%	88.6%
Grade 10	1.6%	3.9%	9.9%	90.1%
Grade 11	4.8%	6.2%	10.4%	89.6%
Grade 12	5.8%	7.7%	10.1% 11.6%	88.4%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 61 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	11.6%	24.6%	75.4%
Grade 7	3.7%	8.3%	13.0%	87.0%
Grade 8	7.1%	11.0%	23.7%	76.3%
Grade 9	3.7%	6.0%	21.6%	78.4%
Grade 10	14.6%	17.6%	31.5%	68.5%
Grade 11	9.1%	9.1%	20.8%	79.2%
Grade 12	19.2%	20.4%	42.9%	57.1%
Marijuana		0.007	10 50	
All	7.0%	8.8%	12.7%	87.3%
Grade 7	3.7%	4.2%	4.7%	95.3%
Grade 8	3.4%	3.9%	5.2%	94.8%
Grade 9	3.6%	6.2%	6.9%	93.1%
Grade 10	6.3%	11.9%	17.0%	83.0%
Grade 11	10.4%	11.8%	15.9%	84.1%
Grade 12	19.2%	19.2%	34.3%	65.7%
Marijuana Only				
J All	3.8%	5.4%	8.2%	91.8%
Grade 7	2.0%	2.4%	2.7%	97.3%
Grade 8	1.6%	2.2%	2.6%	97.4%
Grade 9	2.2%	4.8%	5.5%	94.5%
Grade 10	3.3%	8.9%	14.0%	86.0%
Grade 10 Grade 11	5.5%	5.5%	7.5%	92.5%
Grade 12	10.7%	10.7%	21.3%	78.7%
Cocaine or Crack				
All	1.3%	1.3%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.8%	98.2%
Grade 7 Grade 8	0.5%	0.5%	1.8%	98.2% 98.9%
Grade 8 Grade 9	1.7%	1.7%	1.1% 1.7%	98.9% 98.3%
Grade 9 Grade 10	1.7% 1.8%	1.7% 1.8%	1.7% 1.8%	98.3% 98.2%
0.201010 20	- , ,	- , .		
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.4%	1.4%	3.3%	96.7%
Cocaine				
All	1.3%	1.3%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.8%	98.2%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	1.8%	1.8%	1.8%	98.2%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	1.4%	1.4%	3.3%	96.7%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 62 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.8%	0.8%	1.6%	98.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	1.1%	2.2%	97.8%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.0%	0.0%	4.1%	95.9%
Grade 12	1.9%	7.2%	7.2%	92.8%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.2%	0.9%	99.1%
Grade 7	0.0%	1.0%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.9%	98.1%
Ecstasy				
All	0.6%	1.4%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.8%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	2.1%	3.5%	4.8%	95.2%
Grade 12	1.4%	5.3%	5.3%	94.7%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 63 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.4%	0.5%	99.5%
Grade 7	0.3%	1.1%	1.8%	98.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	1.1%	2.3%	97.7%
Grade 7	0.5%	0.9%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.7%	4.8%	6.2%	93.8%
Grade 12	1.2%	1.2%	5.5%	94.5%
Methamphetamine				
All	0.0%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.5%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.4%	1.4%	98.6%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	17.7%	27.7%	72.3%
Grade 7	2.3%	3.0%	8.7%	91.3%
Grade 8	5.9%	9.8%	20.0%	80.0%
Grade 9	10.0%	12.2%	18.5%	81.5%
Grade 10	15.7%	18.7%	31.7%	68.3%
Grade 11	18.4%	25.5%	37.4%	62.6%
Grade 12	26.0%	31.6%	43.3%	56.7%
Any Alcohol Product				
All	23.7%	29.3%	47.4%	52.6%
Grade 7	6.4%	8.2%	22.1%	77.9%
Grade 8	17.4%	21.4%	43.0%	57.0%
Grade 9	17.3%	20.0%	36.2%	63.8%
Grade 10	24.2%	35.5%	55.9%	44.1%
Grade 11	31.6%	37.1%	59.1%	40.9%
Grade 12	39.8%	46.9%	60.3%	39.7%
Any Illicit Drug				
All	7.6%	10.7%	14.3%	85.7%
Grade 7	1.3%	2.6%	2.7%	97.3%
Grade 8	3.9%	5.8%	7.9%	92.1%
Grade 9	6.9%	8.5%	9.9%	90.1%
Grade 10	5.4%	10.2%	14.5%	85.5%
Grade 11	11.7%	16.2%	20.1%	79.9%
Grade 12	14.3%	17.8%	26.6%	73.4%
Any Prescription Drug				
All	4.8%	7.1%	14.0%	86.0%
Grade 7	4.3%	6.1%	10.6%	89.4%
Grade 8	7.5%	10.8%	16.8%	83.2%
Grade 9	2.3%	5.9%	11.2%	88.8%
Grade 10	5.3%	7.0%	13.8%	86.2%
Grade 11	3.7%	5.2%	13.7%	86.3%
Grade 12	5.9%	8.1%	17.6%	82.4%
Any Inhalant				
All	3.2%	4.1%	9.8%	90.2%
Grade 7	4.2%	5.0%	10.7%	89.3%
Grade 8	3.1%	3.7%	9.7%	90.3%
Grade 9	3.1%	3.6%	9.6%	90.4%
Grade 10	2.6%	5.3%	12.4%	87.6%
Grade 10 Grade 11	4.3%	4.7%	10.2%	89.8%
Grade 12	2.2%	2.4%	6.5%	93.5%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 65 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.4%	14.4%	24.4%	75.6%
Grade 7	1.6%	2.0%	6.6%	93.4%
Grade 8	4.1%	8.6%	16.0%	84.0%
Grade 9	7.6%	9.5%	17.8%	82.2%
Grade 10	12.3%	16.0%	29.7%	70.3%
Grade 11	12.0%	18.8%	30.3%	69.7%
Grade 12	21.7%	27.4%	39.9%	60.1%
Marijuana				
All	7.0%	8.9%	12.8%	87.2%
Grade 7	1.3%	2.1%	2.3%	97.7%
Grade 8	3.7%	4.3%	6.6%	93.4%
Grade 9	5.3%	5.7%	7.8%	92.2%
Grade 10	4.7%	7.3%	11.6%	88.4%
Grade 10 Grade 11	11.7%	15.3%	19.3%	80.7%
Grade 12	13.5%	16.3%	25.9%	74.1%
Marijuana Only				
All	3.7%	5.1%	8.2%	91.8%
Grade 7	0.2%	1.0%	1.0%	99.0%
Grade 8	2.5%	3.1%	5.3%	94.7%
Grade 9	1.0%	1.0%	3.0%	97.0%
Grade 10	2.4%	4.1%	7.3%	92.7%
Grade 11	5.1%	7.8%	11.4%	88.6%
Grade 12	9.9%	12.1%	18.9%	81.1%
Cocaine or Crack				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.9%	1.2%	1.9%	98.1%
Cocaine				
All	0.5%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.6%	0.9%	1.6%	98.4%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 66 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.8%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.8%	1.8%	2.2%	97.8%
Grade 10	0.4%	0.8%	2.0%	98.0%
Grade 11	1.6%	1.6%	3.2%	96.8%
Grade 12	0.4%	1.3%	2.1%	97.9%
Synthetic Cathinones				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.0%	0.8%	1.8%	98.2%
Grade 8	0.1%	0.2%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.0%	1.0%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.8%	98.2%
Ecstasy				
All	1.2%	1.6%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	1.8%	2.3%	2.4%	97.6%
Grade 10	0.7%	1.2%	2.0%	98.0%
Grade 11	2.9%	3.6%	6.4%	93.6%
Grade 12	1.5%	1.5%	2.7%	97.3%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 67 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.7%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.9%	1.1%	98.9%
Grade 9	1.6%	1.8%	3.8%	96.2%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	0.6%	1.7%	3.2%	96.8%
Grade 12	0.4%	0.8%	2.2%	97.8%
Methamphetamine				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.8%	1.4%	1.6%	98.4%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.4%	24.3%	36.2%	63.8%
Grade 7	5.9%	8.8%	17.3%	82.7%
Grade 8	12.6%	15.7%	26.3%	73.7%
Grade 9	17.4%	21.9%	37.4%	62.6%
Grade 10	26.9%	32.1%	47.7%	52.3%
Grade 11	33.8%	39.0%	48.7%	51.3%
Grade 12	37.1%	40.2%	52.1%	47.9%
Any Alcohol Product				
All	29.0%	33.3%	51.3%	48.7%
Grade 7	17.5%	19.0%	39.6%	60.4%
Grade 8	20.7%	23.4%	42.7%	57.3%
Grade 9	32.1%	39.0%	55.5%	44.5%
Grade 10	33.5%	37.6%	60.3%	39.7%
Grade 11	35.5%	40.6%	52.6%	47.4%
Grade 12	43.2%	49.9%	64.8%	35.2%
Any Illicit Drug				
All	11.0%	15.3%	20.7%	79.3%
Grade 7	3.8%	4.9%	6.1%	93.9%
Grade 8	6.0%	8.3%	11.8%	88.2%
Grade 9	9.7%	15.2%	20.0%	80.0%
Grade 10	14.5%	21.2%	26.7%	73.3%
Grade 11	14.5% 18.3%	21.2% 22.9%	32.8%	67.2%
Grade 12	19.5%	26.7%	37.8%	62.2%
Any Prescription Drug				
All	6.2%	8.9%	19.5%	80.5%
Grade 7	5.3%	7.4%	11.8%	88.2%
Grade 8	6.4%	8.6%	16.0%	84.0%
Grade 9	6.4%	7.9%	21.6%	78.4%
Grade 10	7.0%	10.6%	22.9%	77.1%
Grade 10 Grade 11	7.0%	10.0% 10.1%	23.0%	77.0%
Grade 12	5.4%	9.7%	25.6%	74.4%
Any Inhalant				
All	5.3%	7.5%	14.8%	85.2%
Grade 7	5.7%	6.9%	13.7%	86.3%
Grade 8	6.1%	7.2%	15.2%	84.8%
Grade 9	4.0%	7.4%	14.8%	85.2%
Grade 10	4.5%	7.2%	14.8% 16.8%	83.2%
Grade 11	4.9%	6.3%	13.2%	86.8%
Grade 12	7.0%	11.0%	15.5%	84.5%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 69 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.4%	19.0%	31.5%	68.5%
Grade 7	4.1%	7.0%	13.1%	86.9%
Grade 8	8.5%	12.6%	23.3%	76.7%
Grade 9	10.3%	14.9%	34.1%	65.9%
Grade 10	20.8%	27.6%	43.2%	56.8%
Grade 11	25.1%	31.1%	42.5%	57.5%
Grade 12	25.6%	29.5%	42.9%	57.1%
Marijuana				
All	10.2%	12.8%	18.5%	81.5%
Grade 7	2.5%	2.6%	3.6%	96.4%
Grade 8	5.9%	6.5%	10.2%	89.8%
Grade 9	7.5%	11.7%	16.1%	83.9%
Grade 10	13.9%	18.7%	24.3%	75.7%
Grade 10 Grade 11	18.3%	20.7%	31.4%	68.6%
Grade 12	19.5%	24.4%	37.5%	62.5%
Marijuana Only				
All	5.8%	7.9%	12.8%	87.2%
Grade 7	1.7%	1.7%	2.6%	97.4%
Grade 8	3.3%	3.8%	6.5%	93.5%
Grade 9	3.8%	7.7%	11.4%	88.6%
Grade 10	9.7%	13.2%	18.4%	81.6%
Grade 10 Grade 11	10.6%	12.6%	21.8%	78.2%
Grade 12	9.0%	11.9%	23.9%	76.1%
Cocaine or Crack				
All	1.1%	1.3%	2.1%	97.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	2.1%	2.4%	2.4%	97.6%
Grade 10	1.2%	1.2%	2.2%	97.8%
Grade 10 Grade 11	1.1%	1.3%	4.0%	96.0%
Grade 12	1.6%	2.1%	3.7%	96.3%
Cocaine				
All	1.1%	1.2%	2.0%	98.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	1.9%	2.1%	2.1%	97.9%
Grade 10	1.2%	1.2%	2.2%	97.8%
Grade 11	1.1%	1.3%	3.7%	96.3%
Grade 12	1.6%	2.1%	3.7%	96.3%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 70 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.1%	2.4%	97.6%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.8%	1.6%	1.8%	98.2%
Grade 9	0.6%	0.8%	1.7%	98.3%
Grade 10	0.6%	0.6%	2.1%	97.9%
Grade 11	0.6%	0.7%	4.8%	95.2%
Grade 12	1.0%	3.4%	4.9%	95.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.2%	0.4%	1.4%	98.6%
Grade 7	0.0%	0.3%	1.0%	99.0%
Grade 8	0.2%	0.6%	2.1%	97.9%
Grade 9	0.5%	0.8%	2.9%	97.1%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.4%	99.6%
Ecstasy				
All	0.5%	1.2%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.4%	0.9%	1.7%	98.3%
Grade 11	1.5%	2.9%	4.2%	95.8%
Grade 12	0.3%	3.2%	7.1%	92.9%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 71 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	1.5%	98.5%
Grade 10	0.0%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.2%	2.3%	97.7%
Grade 7	0.7%	0.9%	1.0%	99.0%
Grade 8	1.1%	1.3%	2.3%	97.7%
Grade 9	0.8%	0.8%	2.5%	97.5%
Grade 10	0.3%	0.9%	2.4%	97.6%
Grade 11	2.1%	2.8%	4.3%	95.7%
Grade 12	0.9%	0.9%	2.0%	98.0%
Methamphetamine				
All	0.2%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.8%	1.2%	98.8%
Grade 8	0.1%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.0%	2.0%	2.0%	98.0%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	17.8%	26.6%	73.4%
Grade 7	4.6%	6.2%	11.0%	89.0%
Grade 8	5.7%	8.9%	15.5%	84.5%
Grade 9	13.0%	15.9%	23.9%	76.1%
Grade 10	19.4%	22.5%	35.2%	64.8%
Grade 11	23.2%	30.0%	41.8%	58.2%
Grade 12	24.6%	29.1%	39.8%	60.2%
Any Alcohol Product				
All	23.2%	27.4%	43.4%	56.6%
Grade 7	12.1%	14.3%	29.9%	70.1%
Grade 8	15.8%	19.2%	34.7%	65.3%
Grade 9	23.4%	26.9%	41.4%	58.6%
Grade 10	25.3%	31.2%	49.8%	50.2%
Grade 11	32.7%	38.7%	54.6%	45.4%
Grade 12	35.6%	40.6%	56.9%	43.1%
Any Illicit Drug				
All	6.4%	9.5%	13.0%	87.0%
Grade 7	2.1%	3.1%	3.8%	96.2%
Grade 8	2.3%	3.6%	5.0%	95.0%
Grade 9	7.1%	9.7%	11.3%	88.7%
Grade 10	5.6%	11.8%	14.9%	85.1%
Grade 11	11.8%	16.2%	23.1%	76.9%
Grade 12	11.6%	15.6%	25.2%	74.8%
Any Prescription Drug				
All	4.6%	6.7%	14.2%	85.8%
Grade 7	4.2%	5.4%	9.8%	90.2%
Grade 8	5.7%	7.9%	14.7%	85.3%
Grade 9	5.1%	7.4%	15.7%	84.3%
Grade 10	5.6%	8.3%	15.5%	84.5%
Grade 11	3.2%	4.3%	14.1%	85.9%
Grade 12	3.7%	7.0%	16.5%	83.5%
Any Inhalant				
All	3.7%	5.1%	10.6%	89.4%
Grade 7	4.9%	5.4%	10.6%	89.4%
Grade 8	4.2%	4.2%	9.9%	90.1%
Grade 9	2.2%	5.0%	11.2%	88.8%
Grade 10	3.2%	5.0%	11.2% 12.0%	88.0%
Grade 10 Grade 11	5.5%	5.8%	12.0% 11.5%	88.5%
Grade 11 Grade 12	2.3%	5.1%	8.3%	91.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 73 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.9%	13.6%	23.3%	76.7%
Grade 7	3.2%	4.5%	8.5%	91.5%
Grade 8	3.5%	6.9%	14.6%	85.4%
Grade 9	6.9%	11.3%	22.3%	77.7%
Grade 10	15.4%	18.5%	31.6%	68.4%
Grade 11	16.5%	23.5%	33.9%	66.1%
Grade 12	17.5%	21.8%	35.0%	65.0%
		- • •		
Marijuana				
All	5.5%	7.1%	10.8%	89.2%
Grade 7	1.3%	1.6%	2.2%	97.8%
Grade 8	2.2%	2.5%	3.8%	96.2%
Grade 9	4.3%	5.2%	7.0%	93.0%
Grade 10	5.3%	8.5%	11.6%	88.4%
Grade 11	11.8%	14.5%	21.7%	78.3%
Grade 12	10.8%	14.0%	24.5%	75.5%
Marijuana Only				
J J All	3.1%	4.4%	7.4%	92.6%
Grade 7	0.8%	1.1%	1.6%	98.4%
Grade 8	1.3%	1.5%	2.6%	97.4%
Grade 9	2.3%	3.2%	4.9%	95.1%
Grade 10	3.4%	5.9%	8.4%	91.6%
Grade 11	6.0%	8.0%	14.2%	85.8%
Grade 12	5.7%	8.4%	16.8%	83.2%
Cocaine or Crack				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 10 Grade 11	0.8%	1.0%	2.7%	97.3%
Grade 12	1.2%	1.4%	2.1%	97.9%
Cocaine				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 10 Grade 11	0.8%	1.0%	2.4%	97.6%
Grade 12	1.0%	1.1%	1.8%	98.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 74 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.6%	1.3%	98.7%
Grade 11	1.8%	1.8%	4.7%	95.3%
Grade 12	0.0%	1.0%	2.3%	97.7%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.1%	0.3%	1.5%	98.5%
Grade 7	0.0%	0.4%	1.2%	98.8%
Grade 8	0.0%	0.4%	2.5%	97.5%
Grade 9	0.4%	0.4%	2.0%	98.0%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.2%	0.2%	1.1%	98.9%
Ecstasy				
All	0.4%	0.8%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.6%	0.9%	1.6%	98.4%
Grade 11	1.5%	2.4%	4.3%	95.7%
Grade 12	0.4%	1.5%	3.5%	96.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 75 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	1.6%	3.0%	3.8%	96.2%
Grade 12	0.0%	0.0%	3.1%	96.9%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	1.2%	2.1%	97.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.5%	0.5%	0.5%	99.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.7%	27.4%	42.4%	57.6%
Grade 7	7.0%	10.3%	23.3%	76.7%
Grade 8	16.6%	20.4%	37.0%	63.0%
Grade 9	18.2%	22.7%	38.7%	61.3%
Grade 10	25.2%	31.5%	49.1%	50.9%
Grade 11	30.0%	35.6%	46.3%	53.7%
Grade 12	41.4%	46.2%	61.8%	38.2%
Any Alcohol Product				
All	33.0%	38.8%	60.5%	39.5%
Grade 7	18.9%	20.1%	44.1%	55.9%
Grade 8	24.9%	27.6%	53.7%	46.3%
Grade 9	32.7%	40.2%	61.5%	38.5%
Grade 10	35.9%	45.6%	71.1%	28.9%
Grade 11	34.4%	38.9%	59.3%	40.7%
Grade 12	53.6%	62.6%	73.3%	26.7%
Any Illicit Drug				
All	14.6%	18.8%	25.2%	74.8%
Grade 7	4.2%	5.9%	6.7%	93.3%
Grade 8	9.1%	12.1%	16.9%	83.1%
Grade 9	11.3%	16.3%	21.7%	78.3%
Grade 10	17.9%	22.8%	30.5%	69.5%
Grade 11	20.4%	25.0%	32.8%	67.2%
Grade 12	25.7%	32.4%	44.5%	55.5%
Any Prescription Drug				
All	6.8%	9.8%	20.6%	79.4%
Grade 7	5.3%	8.6%	12.1%	87.9%
Grade 8	8.4%	11.8%	17.4%	82.6%
Grade 9	4.0%	6.4%	21.6%	78.4%
Grade 10	6.6%	9.0%	21.0% 22.1%	77.9%
Grade 11	7.9%	11.4%	23.1%	76.9%
Grade 12	9.1%	12.5%	28.0%	72.0%
Any Inhalant				
All	5.3%	7.3%	16.0%	84.0%
Grade 7	6.0%	7.8%	18.1%	81.9%
Grade 8	5.5%	7.5%	17.1%	82.9%
Grade 9	6.2%	7.9%	15.9%	84.1%
Grade 10	4.2%	7.7%	19.0%	81.0%
Grade 10 Grade 11	3.2%	4.9%	11.7%	88.3%
Grade 11 Grade 12	7.1%	7.9%	13.5%	86.5%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 77 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.7%	22.2%	37.4%	62.6%
Grade 7	3.2%	8.4%	18.4%	81.6%
Grade 8	12.1%	17.4%	31.0%	69.0%
Grade 9	12.5%	16.2%	35.4%	64.6%
Grade 10	18.9%	26.6%	45.6%	54.4%
Grade 11	21.7%	27.6%	39.9%	60.1%
Grade 12	33.5%	39.2%	54.8%	45.2%
Marijuana				
All	14.1%	17.1%	23.9%	76.1%
Grade 7	3.5%	3.9%	4.8%	95.2%
Grade 8	8.9%	10.0%	15.3%	84.7%
Grade 9	10.8%	15.1%	20.4%	79.6%
Grade 10	16.5%	21.1%	29.1%	70.9%
Grade 11	20.4%	23.7%	32.1%	67.9%
Grade 12	25.7%	30.2%	43.9%	56.1%
Marijuana Only				
All	7.7%	9.8%	15.6%	84.4%
Grade 7	1.9%	2.3%	3.0%	97.0%
Grade 8	4.8%	5.8%	10.2%	89.8%
Grade 9	4.1%	7.7%	12.2%	87.8%
Grade 10	10.2%	12.7%	12.2% 19.7%	80.3%
Grade 10 Grade 11	10.2% 11.5%	12.170 14.3%	21.9%	78.1%
Grade 12	14.4%	16.7%	27.5%	72.5%
Cocaine or Crack				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	2.0%	2.2%	2.2%	97.8%
Grade 10	1.2%	1.2%	2.2%	97.6%
Grade 10 Grade 11	0.4%	0.4%	2.4%	97.6%
Grade 12	1.1%	1.8%	3.8%	96.2%
Cocaine				
All	0.9%	1.0%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	1.7%	2.0%	2.0%	98.0%
Grade 10	1.2%	1.2%	2.4%	97.6%
Grade 10 Grade 11	0.4%	0.4%	2.4%	97.6%
Grade 12	1.1%	1.8%	3.8%	96.2%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 78 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.0%	1.6%	3.1%	96.9%
Grade 7	0.0%	0.3%	0.9%	99.1%
Grade 8	0.9%	1.8%	2.1%	97.9%
Grade 9	2.4%	2.7%	3.7%	96.3%
Grade 10	1.0%	1.2%	3.9%	96.1%
Grade 11	0.1%	0.4%	3.0%	97.0%
Grade 12	1.3%	3.4%	4.7%	95.3%
Synthetic Cathinones				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.0%	1.0%	2.0%	98.0%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.1%	0.5%	1.1%	98.9%
Grade 10	0.8%	0.8%	1.9%	98.1%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	1.5%	2.2%	3.6%	96.4%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	2.1%	2.9%	3.4%	96.6%
Grade 10	1.1%	1.6%	2.9%	97.1%
Grade 11	2.9%	4.1%	6.7%	93.3%
Grade 12	1.7%	3.4%	6.5%	93.5%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 79 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.3%	2.2%	97.8%
Grade 10	1.2%	1.2%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.6%	3.4%	96.6%
Grade 7	0.4%	0.8%	1.0%	99.0%
Grade 8	1.8%	2.3%	3.4%	96.6%
Grade 9	2.5%	2.6%	5.7%	94.3%
Grade 10	0.1%	0.8%	2.5%	97.5%
Grade 11	1.0%	1.1%	3.3%	96.7%
Grade 12	1.4%	1.9%	4.2%	95.8%
Methamphetamine				
All	0.3%	0.9%	1.2%	98.8%
Grade 7	0.4%	0.8%	1.2%	98.8%
Grade 8	0.2%	0.8%	1.9%	98.1%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.6%	3.3%	3.6%	96.4%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.8%	19.8%	31.5%	68.5%
Grade 7	3.9%	5.3%	12.7%	87.3%
Grade 8	8.2%	11.1%	20.6%	79.4%
Grade 9	12.9%	17.4%	29.2%	70.8%
Grade 10	20.6%	25.0%	39.9%	60.1%
Grade 11	23.7%	30.6%	43.5%	56.5%
Grade 12	30.0%	34.9%	49.6%	50.4%
Any Alcohol Product				
All	25.5%	30.1%	49.1%	50.9%
Grade 7	11.1%	12.9%	31.9%	68.1%
Grade 8	17.5%	20.5%	41.0%	59.0%
Grade 9	25.2%	31.0%	48.9%	51.1%
Grade 10	28.6%	35.0%	56.7%	43.3%
Grade 11	31.1%	36.8%	55.9%	44.1%
Grade 12	45.0%	50.5%	65.9%	34.1%
Any Illicit Drug				
All	8.0%	11.2%	15.5%	84.5%
Grade 7	1.4%	2.0%	2.8%	97.2%
Grade 8	4.4%	5.9%	8.0%	92.0%
Grade 9	5.9%	9.7%	12.8%	87.2%
Grade 10	8.8%	12.9%	12.0% 18.0%	82.0%
Grade 11	14.5%	12.5% 19.4%	25.0%	75.0%
Grade 12	14.5% 15.6%	20.3%	31.3%	68.7%
Any Prescription Drug				
All	5.3%	7.6%	15.8%	84.2%
Grade 7	4.2%	6.0%	10.0%	90.0%
Grade 8	7.1%	10.1%	15.6%	84.4%
Grade 9	4.9%	7.4%	18.1%	81.9%
Grade 10	4.8%	7.5%	16.5%	83.5%
Grade 10 Grade 11	4.7%	5.7%	15.2%	84.8%
Grade 12	6.4%	9.0%	20.5%	79.5%
Any Inhalant				
Any minarant All	4.1%	5.3%	11.1%	88.9%
Grade 7	4.5%	5.3%	10.9%	89.1%
Grade 8	4.2%	4.6%	10.9% 10.7%	89.3%
Grade 9	3.8%	5.6%	10.7% 11.4%	89.5% 88.6%
Grade 9 Grade 10	2.8%	4.9%	11.4% 13.5%	86.5%
Grade 10 Grade 11	5.1%	4.9% 5.4%	13.5% 11.0%	80.5% 89.0%
Grade 11 Grade 12	$\frac{5.1\%}{4.1\%}$	6.1%	9.1%	90.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 81 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	15.5%	27.6%	72.4%
Grade 7	2.7%	4.0%	10.2%	89.8%
Grade 8	5.8%	9.1%	17.9%	82.1%
Grade 9	8.1%	12.0%	26.2%	73.8%
Grade 10	16.0%	20.9%	36.8%	63.2%
Grade 11	16.0%	23.2%	35.1%	64.9%
Grade 12	22.8%	27.9%	45.2%	54.8%
Marijuana				
J	7.7%	9.6%	14.2%	85.8%
Grade 7	0.9%	1.0%	1.6%	98.4%
Grade 8	4.4%	4.6%	6.7%	93.3%
Grade 9	5.3%	7.5%	10.8%	89.2%
Grade 10	8.4%	11.3%	16.6%	83.4%
Grade 11	14.5%	17.7%	23.6%	76.4%
Grade 12	15.6%	19.1%	30.8%	69.2%
Marijuana Only				
All	4.2%	5.8%	9.8%	90.2%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	2.8%	3.0%	4.9%	95.1%
Grade 9	3.5%	5.6%	8.6%	91.4%
Grade 10	5.6%	8.1%	13.2%	86.8%
Grade 11	7.4%	9.8%	15.4%	84.6%
Grade 12	6.8%	8.9%	18.3%	81.7%
Cocaine or Crack				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.6%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.9%	98.1%
Grade 12	1.2%	1.2%	2.6%	97.4%
Cocaine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.6%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.7%	98.3%
Grade 12	1.2%	1.2%	2.6%	97.4%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 82 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.9%	1.2%	98.8%
Grade 9	0.1%	0.2%	1.0%	99.0%
Grade 10	0.1%	0.2%	1.3%	98.7%
Grade 11	1.3%	1.4%	3.7%	96.3%
Grade 12	0.9%	2.7%	4.2%	95.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.1%	0.2%	1.1%	98.9%
Grade 7	0.0%	0.4%	1.1%	98.9%
Grade 8	0.0%	0.3%	1.5%	98.5%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.1%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%
Ecstasy				
All	0.8%	1.3%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	2.8%	3.6%	5.9%	94.1%
Grade 12	1.0%	2.8%	6.1%	93.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 83 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.1%	98.9%
Grade 11	1.6%	2.5%	4.3%	95.7%
Grade 12	0.5%	0.8%	4.1%	95.9%
Methamphetamine				
All	0.1%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.4%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.2%	1.8%	1.9%	98.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	27.3%	32.0%	41.8%	58.2%
Grade 7	11.2%	16.0%	24.2%	75.8%
Grade 8	21.6%	27.7%	39.8%	60.2%
Grade 9	29.8%	30.6%	42.0%	58.0%
Grade 10	25.4%	30.7%	43.1%	56.9%
Grade 11	34.6%	40.2%	47.3%	52.7%
Grade 12	37.8%	42.6%	49.9%	50.1%
Any Alcohol Product				
All	36.8%	43.7%	60.6%	39.4%
Grade 7	32.0%	34.7%	50.8%	49.2%
Grade 8	35.1%	36.6%	57.9%	43.2% 42.1%
Grade 9	36.6%	39.7%	57.9% 55.0%	42.1% 45.0%
Grade 9 Grade 10	35.9%	49.0%	69.8%	30.2%
Grade 10 Grade 11	35.9% 41.7%	49.0% 45.6%	62.6%	30.2% 37.4%
Grade 11 Grade 12	$\frac{41.7\%}{38.2\%}$	45.0% 51.7%	61.3%	37.4% 38.7%
Grade 12	38.2%	51.7%	01.3%	38.1%
Any Illicit Drug				
All	17.5%	23.7%	29.8%	70.2%
Grade 7	10.2%	15.9%	16.2%	83.8%
Grade 8	8.7%	14.7%	20.4%	79.6%
Grade 9	19.9%	23.6%	27.1%	72.9%
Grade 10	20.1%	30.4%	34.4%	65.6%
Grade 11	21.9%	23.6%	35.7%	64.3%
Grade 12	21.0%	29.5%	38.9%	61.1%
Any Prescription Drug				
All	7.3%	11.0%	21.7%	78.3%
Grade 7	8.7%	10.9%	17.0%	83.0%
Grade 8	6.6%	7.9%	18.4%	81.6%
Grade 9	6.4%	9.3%	19.7%	80.3%
Grade 10	9.4%	11.6%	22.4%	77.6%
Grade 11	6.3%	12.7%	23.7%	76.3%
Grade 12	6.0%	12.7%	26.8%	73.2%
Any Inhalant				
Any milaiant All	5.5%	8.7%	18.1%	81.9%
Grade 7	12.6%	15.5%	21.9%	78.1%
Grade 7 Grade 8	6.6%	9.9%	21.9% 22.5%	78.1% 77.5%
Grade 8 Grade 9	2.5%	5.7%	17.9%	82.1%
	6.2%		17.9% 21.8%	
Grade 10 Grada 11		10.7%		78.2%
Grade 11 Creade 12	3.1%	6.7%	12.6%	87.4%
Grade 12	3.4%	4.7%	12.8%	87.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 85 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	18.9%	25.3%	36.7%	63.3%
Grade 7	6.3%	12.0%	19.1%	80.9%
Grade 8	14.0%	22.7%	31.7%	68.3%
Grade 9	14.1%	23.5%	41.4%	58.6%
Grade 10	18.0%	24.2%	40.9%	59.1%
Grade 10 Grade 11	27.7%	32.1%	42.5%	57.5%
Grade 11 Grade 12	28.4%	33.7%	39.4%	60.6%
Marijuana				
All	15.9%	19.3%	26.1%	73.9%
Grade 7	8.0%	9.9%	10.7%	89.3%
Grade 8	8.7%	11.2%	17.7%	82.3%
Grade 9	16.4%	18.7%	21.0%	79.0%
Grade 10	17.9%	24.2%	27.7%	72.3%
Grade 11	21.9%	22.5%	35.7%	64.3%
Grade 12	18.9%	24.5%	37.3%	62.7%
Marijuana Only				
J J All	9.5%	12.0%	18.0%	82.0%
Grade 7	5.0%	6.9%	7.2%	92.8%
Grade 8	3.4%	5.9%	11.6%	88.4%
Grade 9	4.2%	5.6%	7.9%	92.1%
Grade 10	10.9%	14.0%	16.7%	83.3%
Grade 11	14.8%	15.4%	28.5%	71.5%
Grade 12	15.3%	20.1%	30.5%	69.5%
Cocaine or Crack				
All	2.0%	2.2%	4.2%	95.8%
Grade 7	1.7%	1.7%	3.6%	96.4%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	5.0%	5.0%	5.0%	95.0%
Grade 10	2.8%	2.8%	5.7%	94.3%
Grade 11	0.5%	0.5%	6.0%	94.0%
Grade 12	1.5%	2.8%	3.4%	96.6%
Cocaine				
All	1.7%	1.9%	3.9%	96.1%
Grade 7	1.7%	1.7%	3.6%	96.4%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	4.1%	4.1%	4.1%	95.9%
Grade 10	2.8%	2.8%	5.7%	94.3%
Grade 10 Grade 11	0.5%	0.5%	6.0%	94.0%
Grade 12	0.7%	2.0%	2.6%	97.4%

Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 86 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	1.3%	98.7%
Grade 7	1.3%	1.3%	3.1%	96.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.9%	98.1%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	0.6%	1.2%	2.3%	97.7%
Grade 7	0.0%	1.0%	1.5%	98.5%
Grade 8	0.6%	1.5%	1.5%	98.5%
Grade 9	0.5%	1.1%	1.6%	98.4%
Grade 10	1.8%	2.6%	5.7%	94.3%
Grade 11	0.5%	0.5%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.0%	2.3%	3.7%	96.3%
Grade 8	1.1%	1.1%	2.7%	97.3%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.7%	1.7%	2.3%	97.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	3.3%	96.7%
Ecstasy				
All	0.7%	1.5%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.6%	2.9%	97.1%
Grade 9	1.3%	2.1%	2.7%	97.3%
Grade 10	1.1%	2.3%	4.4%	95.6%
Grade 11	0.0%	2.2%	4.5%	95.5%
Grade 12	1.0%	1.0%	1.0%	99.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 87 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	1.0%	1.4%	98.6%
Grade 7	0.7%	2.5%	2.9%	97.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	1.7%	3.0%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.1%	1.4%	3.8%	96.2%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	2.6%	3.6%	4.9%	95.1%
Grade 9	2.3%	2.3%	11.8%	88.2%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.5%	1.4%	1.9%	98.1%
Grade 12	1.1%	1.1%	2.7%	97.3%
Methamphetamine				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.0%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	3.4%	96.6%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	1.8%	1.8%	1.8%	98.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems (Continued)

3 Margin Tables

Jump to Table of Contents Page 89 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q1	Frequency	Percent
Male	71,217	49.2%
Female	$73,\!490$	50.8%
Frequency Missing	554	

Gender

Hispanic or Latino

Q5a	Frequency	Percent
No	103,972	73.7%
Yes	$37,\!112$	26.3%
Frequency Missing	4,177	

Grade

Q2	Frequency	Percent
Grade 7	23,986	16.8%
Grade 8	$25,\!353$	17.8%
Grade 9	$26,\!350$	18.5%
Grade 10	$24,\!623$	17.3%
Grade 11	22,046	15.4%
Grade 12	20,371	14.3%
Frequency Missing	2,533	

Ethnicity

Q5b	Frequency	Percent
American Indian	2,237	1.6%
Asian American	652	0.5%
African American	25,995	18.7%
Pacific Islander	280	0.2%
White	$81,\!549$	58.7%
Other	14,046	10.1%
More Than One Race	14,242	10.2%
Frequency Missing	6,260	

Live with Both Parents

Q3	Frequency	Percent
No Yes	61,077 82,831	42.4% 57.6%
Frequency Missing	1,353	01.070

Age

Q4	Frequency	Percent
11 or younger	1,032	0.7%
12	12,707	8.8%
13	23,362	16.1%
14	24,857	17.2%
15	$25,\!416$	17.6%
16	23,099	16.0%
17	$21,\!841$	15.1%
18	$11,\!611$	8.0%
19 or older	867	0.6%
Frequency Missing	470	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	324	0.2%
Mostly D's	914	0.7%
Mostly C's	13,576	10.1%
Mostly B's	60,173	44.7%
Mostly A's	59,752	44.3%
Frequency Missing	10,522	

Do You Have a Job

Q7	Frequency	Percent
No	111,899	82.8%
Yes	23,286	17.2%
Frequency Missing	10,075	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 90 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

Q8	Frequency	Percent
No	43,567	32.3%
Yes	$50,\!897$	37.8%
Don't Know	40,229	29.9%
Frequency Missing	10,568	

Qualify for Free/Reduced Lunch

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	102,811	90.7%
Yes	10,533	9.3%
Frequency Missing	$31,\!917$	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	45,777	35.2%
Yes	84,146	64.8%
Frequency Missing	$15,\!338$	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	77,293	66.1%
Yes	39,690	33.9%
Frequency Missing	28,278	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	80,644	68.7%
Yes	36,823	31.3%
Frequency Missing	27,794	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	82,517	71.6%
Yes	$32,\!686$	28.4%
Frequency Missing	30,058	

Participate in School Choir

Q9c	Frequency	Percent
No	107,718	96.5%
Yes	3,940	3.5%
Frequency Missing	33,603	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	79,210	67.5%
Yes	38,075	32.5%
Frequency Missing	27,976	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	100,787	89.5%
Yes	$11,\!880$	10.5%
Frequency Missing	32,594	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	$92,\!345$	81.4%
Yes	21,135	18.6%
Frequency Missing	31,782	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 91 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q10a	Frequency	Percent
Very Safe	125,338	87.1%
Somewhat Safe	15,806	11.0%
Not Very Safe	975	0.7%
Not Safe At All	253	0.2%
Don't Know	1,547	1.1%
Frequency Missing	1,342	

Do You Feel Safe in Your Home

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	10,157	7.5%
Some High School	12,530	9.2%
Finished High School	26,153	19.2%
Some College	22,114	16.2%
Finished College	32,381	23.8%
Post-Secondary	15,460	11.4%
Don't Know or N/A	17,332	12.7%
Frequency Missing	9,133	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	$76,\!568$	53.8%
Somewhat Safe	$51,\!110$	35.9%
Not Very Safe	7,394	5.2%
Not Safe At All	2,277	1.6%
Don't Know	4,849	3.4%
Frequency Missing	3,064	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	81,701	61.6%
Yes	50,993	38.4%
Frequency Missing	12,567	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	61,949	43.3%
Somewhat Safe	58,364	40.8%
Not Very Safe	10,923	7.6%
Not Safe At All	$6,\!639$	4.6%
Don't Know	5,315	3.7%
Frequency Missing	2,071	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	7,496	5.3%
A Few	30,326	21.3%
Some	28,089	19.7%
Most	53,773	37.8%
All	$22,\!674$	15.9%
Frequency Missing	2,903	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	11,012	8.1%
Some High School	14,178	10.4%
Finished High School	36,525	26.9%
Some College	16,789	12.4%
Finished College	20,996	15.5%
Post-Secondary	9,822	7.2%
Don't Know or N/A	26,489	19.5%
Frequency Missing	$9,\!449$	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	3,090	2.2%
A Few	18,144	12.7%
Some	34,311	24.0%
Most	$58,\!459$	40.9%
All	$28,\!938$	20.2%
Frequency Missing	2,318	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 92 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q13c	Frequency	Percent
None	61,041	43.3%
A Few	41,193	29.2%
Some	$19,\!991$	14.2%
Most	9,502	6.7%
All	9,160	6.5%
Frequency Missing	4,374	

Friends Wishing to Drop Out of School

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	134,246	94.3%
In Your Lifetime	$5,\!399$	3.8%
Since School Began	836	0.6%
In the Past Month	1,821	1.3%
Frequency Missing	2,959	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	96,627	68.2%
A Few	25,759	18.2%
Some	10,128	7.1%
Most	6,273	4.4%
All	2,898	2.0%
Frequency Missing	$3,\!576$	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	$138,\!965$	98.3%
In Your Lifetime	1,521	1.1%
Since School Began	235	0.2%
In the Past Month	664	0.5%
Frequency Missing	$3,\!876$	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	$123,\!454$	86.8%
A Few	11,724	8.2%
Some	3,710	2.6%
Most	1,985	1.4%
All	1,426	1.0%
Frequency Missing	2,962	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	133,280	93.9%
In Your Lifetime	5,418	3.8%
Since School Began	1,148	0.8%
In the Past Month	2,105	1.5%
Frequency Missing	3,311	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	138,856	97.5%
In Your Lifetime	2,804	2.0%
Since School Began	408	0.3%
In the Past Month	324	0.2%
Frequency Missing	2,868	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	139,894	98.6%
In Your Lifetime	1,265	0.9%
Since School Began	116	0.1%
In the Past Month	546	0.4%
Frequency Missing	$3,\!440$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 93 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q14f	Frequency	Percent
Never Heard/Used	139,926	98.8%
In Your Lifetime	783	0.6%
Since School Began	444	0.3%
In the Past Month	437	0.3%
Frequency Missing	$3,\!671$	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Frequency

137,954

2,128

450

1,595

3,133

Percent

97.1%

1.5%

0.3%

1.1%

Q14g

Never Heard/Used

Since School Began

In the Past Month

Frequency Missing

In Your Lifetime

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	126,930	89.6%
In Your Lifetime	7,071	5.0%
Since School Began	1,722	1.2%
In the Past Month	$5,\!999$	4.2%
Frequency Missing	3,538	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	93,315	66.5%
In Your Lifetime	24,598	17.5%
Since School Began	$7,\!308$	5.2%
In the Past Month	15,044	10.7%
Frequency Missing	4,996	

Recent Wine Cooler Use

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	139,578	98.4%
In Your Lifetime	1,332	0.9%
Since School Began	148	0.1%
In the Past Month	793	0.6%
Frequency Missing	$3,\!410$	

Q15dFrequency Percent Never Heard/Used 71.6%100,718 In Your Lifetime 18,873 13.4%Since School Began 8,065 5.7%In the Past Month 12,966 9.2%Frequency Missing 4,639

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	$101,\!574$	72.5%
In Your Lifetime	22,858	16.3%
Since School Began	$6,\!455$	4.6%
In the Past Month	9,269	6.6%
Frequency Missing	$5,\!104$	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	121,446	85.2%
In Your Lifetime	11,846	8.3%
Since School Began	2,594	1.8%
In the Past Month	6,671	4.7%
Frequency Missing	2,704	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 94 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q15f	Frequency	Percent
Never Heard/Used	97,314	68.9%
In Your Lifetime	19,947	14.1%
Since School Began	$8,\!350$	5.9%
In the Past Month	$15,\!636$	11.1%
Frequency Missing	4,015	

Recent Liquor Use

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	139,746	98.6%
In Your Lifetime	1,466	1.0%
Since School Began	208	0.1%
In the Past Month	368	0.3%
Frequency Missing	$3,\!474$	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	$136,\!345$	96.2%
In Your Lifetime	3,265	2.3%
Since School Began	811	0.6%
In the Past Month	1,318	0.9%
Frequency Missing	3,522	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	141,316	99.8%
In Your Lifetime	225	0.2%
Since School Began	0	0.0%
In the Past Month	78	0.1%
Frequency Missing	3,643	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	100,930	70.9%
In Your Lifetime	16,909	11.9%
Since School Began	6,492	4.6%
In the Past Month	18,096	12.7%
Frequency Missing	2,835	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	$138,\!568$	97.9%
In Your Lifetime	1,519	1.1%
Since School Began	551	0.4%
In the Past Month	888	0.6%
Frequency Missing	3,735	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	120,239	84.8%
In Your Lifetime	10,258	7.2%
Since School Began	$3,\!824$	2.7%
In the Past Month	7,471	5.3%
Frequency Missing	3,469	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	141,119	99.7%
In Your Lifetime	169	0.1%
Since School Began	22	0.0%
In the Past Month	247	0.2%
Frequency Missing	3,704	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 95 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q16g	Frequency	Percent
Never Heard/Used	140,185	99.0%
In Your Lifetime	1,157	0.8%
Since School Began	182	0.1%
In the Past Month	81	0.1%
Frequency Missing	$3,\!656$	

Recent Steroid Use

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	138,599	97.9%
In Your Lifetime	1,813	1.3%
Since School Began	289	0.2%
In the Past Month	846	0.6%
Frequency Missing	3,713	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	138,601	97.9%
In Your Lifetime	1,502	1.1%
Since School Began	456	0.3%
In the Past Month	956	0.7%
Frequency Missing	3,745	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	123,826	88.8%
In Your Lifetime	9,319	6.7%
Since School Began	2,577	1.8%
In the Past Month	$3,\!643$	2.6%
Frequency Missing	5,895	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	140,801	99.5%
In Your Lifetime	398	0.3%
Since School Began	119	0.1%
In the Past Month	122	0.1%
Frequency Missing	$3,\!821$	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	134,673	96.8%
In Your Lifetime	3,079	2.2%
Since School Began	615	0.4%
In the Past Month	822	0.6%
Frequency Missing	6,073	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	140,448	99.2%
In Your Lifetime	339	0.2%
Since School Began	358	0.3%
In the Past Month	437	0.3%
Frequency Missing	$3,\!678$	

Recent Prescription Drug Use -Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	$133,\!347$	95.8%
In Your Lifetime	3,245	2.3%
Since School Began	1,043	0.7%
In the Past Month	$1,\!497$	1.1%
Frequency Missing	$6,\!129$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 96 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

_

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	132,957	95.6%
In Your Lifetime	3,470	2.5%
Since School Began	864	0.6%
In the Past Month	1,748	1.3%
Frequency Missing	6,223	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	105,982	75.9%
1-2 times	21,016	15.1%
3-10 times	$8,\!408$	6.0%
11 + times	4,207	3.0%
Frequency Missing	$5,\!648$	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	127,342	92.0%
In Your Lifetime	5,093	3.7%
Since School Began	1,837	1.3%
In the Past Month	4,105	3.0%
Frequency Missing	$6,\!884$	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	137,318	98.1%
1-2 times	$1,\!682$	1.2%
3-10 times	594	0.4%
11 + times	439	0.3%
Frequency Missing	5,228	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	$134,\!833$	97.3%
In Your Lifetime	1,806	1.3%
Since School Began	458	0.3%
In the Past Month	1,517	1.1%
Frequency Missing	$6,\!647$	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	128,873	91.8%
1-2 times	5,367	3.8%
3-10 times	2,556	1.8%
11 + times	3,565	2.5%
Frequency Missing	4,900	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	125,071	88.9%
1-2 times	6,738	4.8%
3-10 times	2,759	2.0%
11 + times	6,092	4.3%
Frequency Missing	4,601	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	$139,\!472$	99.4%
1-2 times	626	0.4%
3-10 times	146	0.1%
11 + times	98	0.1%
Frequency Missing	4,920	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$

Jump to Table of Contents Page 97 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q19f	Frequency	Percent
Never Heard/Used	140,076	99.9%
1-2 times	84	0.1%
3-10 times	44	0.0%
11 + times	0	0.0%
Frequency Missing	5,057	

Crack Use in Past Month

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	96,046	69.5%
A few	20,753	15.0%
Some	10,549	7.6%
Most	8,350	6.0%
All	2,565	1.9%
Frequency Missing	$6,\!998$	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	90,171	64.8%
A few	$25,\!476$	18.3%
Some	12,369	8.9%
Most	8,952	6.4%
All	2,088	1.5%
Frequency Missing	6,204	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	71,289	51.4%
A few	$30,\!644$	22.1%
Some	17,100	12.3%
Most	$15,\!144$	10.9%
All	4,635	3.3%
Frequency Missing	$6,\!449$	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	128,266	92.4%
A few	7,236	5.2%
Some	2,091	1.5%
Most	646	0.5%
All	515	0.4%
Frequency Missing	6,507	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	112,519	82.1%
8 or younger	1,954	1.4%
9 years old	1,024	0.7%
10 years old	1,918	1.4%
11 years old	$1,\!645$	1.2%
12 years old	$2,\!624$	1.9%
13 years old	$3,\!645$	2.7%
14 years old	4,331	3.2%
15 years old	3,507	2.6%
16 years old	2,667	1.9%
17 years old	847	0.6%
18 or older	393	0.3%
Frequency Missing	8,185	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	80,833	59.4%
8 or younger	$6,\!615$	4.9%
9 years old	1,444	1.1%
10 years old	3,528	2.6%
11 years old	$2,\!684$	2.0%
12 years old	6,019	4.4%
13 years old	9,146	6.7%
14 years old	$8,\!652$	6.4%
15 years old	8,547	6.3%
16 years old	$5,\!694$	4.2%
17 years old	2,065	1.5%
18 or older	847	0.6%
Frequency Missing	$9,\!188$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 98 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

-

18 or older

Frequency Missing

Q21c	Frequency	Percent
Never used it	131,618	96.8%
8 or younger	493	0.4%
9 years old	337	0.2%
10 years old	389	0.3%
11 years old	580	0.4%
12 years old	874	0.6%
13 years old	657	0.5%
14 years old	509	0.4%
15 years old	133	0.1%
16 years old	298	0.2%
17 years old	82	0.1%
18 or older	0	0.0%
Frequency Missing	9,291	

Age When First Used Inhalants

Q21e	Frequency	Percent
Never used it	134,607	99.0%
8 or younger	78	0.1%
9 years old	0	0.0%
10 years old	20	0.0%
11 years old	26	0.0%
12 years old	38	0.0%
13 years old	83	0.1%
14 years old	227	0.2%
15 years old	299	0.2%
16 years old	346	0.3%
17 years old	198	0.1%

Age When First Used Cocaine

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	115,806	85.3%
8 or younger	512	0.4%
9 years old	310	0.2%
10 years old	557	0.4%
11 years old	791	0.6%
12 years old	1,892	1.4%
13 years old	2,663	2.0%
14 years old	4,276	3.1%
15 years old	4,164	3.1%
16 years old	3,493	2.6%
17 years old	1,073	0.8%
18 or older	297	0.2%
Frequency Missing	9,427	

Age When First Used Crack

61

9,278

0.0%

Q21f	Frequency	Percent
Never used it	$135,\!418$	99.8%
8 or younger	87	0.1%
9 years old	22	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	43	0.0%
13 years old	49	0.0%
14 years old	0	0.0%
15 years old	26	0.0%
16 years old	0	0.0%
17 years old	14	0.0%
Frequency Missing	$9,\!601$	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	$134,\!186$	99.0%
8 or younger	217	0.2%
9 years old	24	0.0%
10 years old	121	0.1%
11 years old	76	0.1%
12 years old	259	0.2%
13 years old	281	0.2%
14 years old	217	0.2%
15 years old	41	0.0%
16 years old	139	0.1%
17 years old	18	0.0%
18 or older	0	0.0%
Frequency Missing	$9,\!682$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 99 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q21i	Frequency	Percent
Never used it	132,717	98.2%
8 or younger	33	0.0%
9 years old	0	0.0%
10 years old	25	0.0%
11 years old	0	0.0%
12 years old	32	0.0%
13 years old	151	0.1%
14 years old	543	0.4%
15 years old	573	0.4%
16 years old	437	0.3%
17 years old	537	0.4%
18 or older	66	0.0%
Frequency Missing	10,147	

Age When First Used Ecstasy

Frequency	Percent
135,077	99.5%
35	0.0%
17	0.0%
0	0.0%
22	0.0%
152	0.1%
92	0.1%
65	0.0%
40	0.0%
135	0.1%
185	0.1%
0	0.0%
$9,\!442$	
	$\begin{array}{c} 1 \\ 135,077 \\ 35 \\ 17 \\ 0 \\ 22 \\ 152 \\ 92 \\ 65 \\ 40 \\ 135 \\ 185 \\ 0 \end{array}$

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	$135,\!846$	99.8%
8 or younger	58	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	14	0.0%
12 years old	93	0.1%
13 years old	34	0.0%
14 years old	0	0.0%
15 years old	26	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	9,190	

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	133,773	98.6%
8 or younger	0	0.0%
9 years old	83	0.1%
10 years old	137	0.1%
11 years old	26	0.0%
12 years old	126	0.1%
13 years old	330	0.2%
14 years old	423	0.3%
15 years old	468	0.3%
16 years old	212	0.2%
17 years old	112	0.1%
18 or older	40	0.0%
Frequency Missing	9,531	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	40,168	29.0%
Impossible	27,823	20.1%
Very Difficult	10,974	7.9%
Somewhat diff	14,187	10.3%
Somewhat easy	$18,\!676$	13.5%
Very easy	26,491	19.2%
Frequency Missing	6,942	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 100 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Age When First Used Methamphetamine

Q22b	Frequency	Percent
Never heard of	$33,\!524$	24.3%
Impossible	19,469	14.1%
Very Difficult	10,782	7.8%
Somewhat diff	15,515	11.2%
Somewhat easy	24,284	17.6%
Very easy	$34,\!602$	25.0%
Frequency Missing	7,084	

Difficult to Get Alcohol

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	59,149	43.1%
Impossible	50,701	36.9%
Very Difficult	14,249	10.4%
Somewhat diff	6,740	4.9%
Somewhat easy	2,977	2.2%
Very easy	$3,\!472$	2.5%
Frequency Missing	$7,\!973$	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	60,502	44.1%
Impossible	25,126	18.3%
Very Difficult	6,305	4.6%
Somewhat diff	6,941	5.1%
Somewhat easy	11,065	8.1%
Very easy	27,243	19.9%
Frequency Missing	8,080	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	61,484	44.9%
Impossible	46,883	34.3%
Very Difficult	12,905	9.4%
Somewhat diff	7,703	5.6%
Somewhat easy	3,801	2.8%
Very easy	4,093	3.0%
Frequency Missing	8,392	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	44,419	32.5%
Impossible	36,744	26.9%
Very Difficult	11,303	8.3%
Somewhat diff	$12,\!452$	9.1%
Somewhat easy	$13,\!678$	10.0%
Very easy	$18,\!158$	13.3%
Frequency Missing	8,507	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	71,527	52.3%
Impossible	$39,\!619$	29.0%
Very Difficult	10,813	7.9%
Somewhat diff	6,371	4.7%
Somewhat easy	$3,\!807$	2.8%
Very easy	4,700	3.4%
Frequency Missing	8,424	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	57,171	41.6%
Impossible	49,940	36.4%
Very Difficult	$14,\!541$	10.6%
Somewhat diff	8,044	5.9%
Somewhat easy	3,555	2.6%
Very easy	4,025	2.9%
Frequency Missing	$7,\!985$	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	65,788	47.9%
Impossible	49,831	36.3%
Very Difficult	12,171	8.9%
Somewhat diff	3,975	2.9%
Somewhat easy	2,398	1.7%
Very easy	$3,\!141$	2.3%
Frequency Missing	7,958	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 101 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

-

Q22k	Frequency	Percent
Never heard of	68,031	49.5%
Impossible	$46,\!684$	34.0%
Very Difficult	$11,\!441$	8.3%
Somewhat diff	4,432	3.2%
Somewhat easy	2,720	2.0%
Very easy	4,076	3.0%
Frequency Missing	7,876	

Difficult to Get Methamphetamine

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	546	0.4%
Several times/wk	1,721	1.3%
Several times/mo	9,232	6.7%
About once/month	14,068	10.3%
About once/year	13,941	10.2%
Less than once/year	10,826	7.9%
Never used	$86,\!646$	63.3%
Frequency Missing	8,280	

Difficult to Get Synthetic Marijuana

Q221	Frequency	Percent
Never heard of	70,265	51.5%
Impossible	39,934	29.2%
Very Difficult	10,366	7.6%
Somewhat diff	5,983	4.4%
Somewhat easy	4,465	3.3%
Very easy	5,517	4.0%
Frequency Missing	8,731	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	106	0.1%
Several times/wk	169	0.1%
Several times/mo	401	0.3%
About once/month	548	0.4%
About once/year	607	0.4%
Less than once/year	2,183	1.6%
Never used	133,316	97.1%
Frequency Missing	7,931	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	5,154	3.7%
Several times/wk	1,765	1.3%
Several times/mo	2,584	1.9%
About once/month	4,284	3.1%
About once/year	2,891	2.1%
Less than once/year	$6,\!633$	4.8%
Never used	$114,\!326$	83.1%
Frequency Missing	7,624	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	1,767	1.3%
Several times/wk	$1,\!658$	1.2%
Several times/mo	2,937	2.1%
About once/month	3,554	2.6%
About once/year	3,902	2.8%
Less than once/year	4,921	3.6%
Never used	$118,\!458$	86.3%
Frequency Missing	8,064	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 102 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	21	0.0%
Several times/wk	127	0.1%
Several times/mo	81	0.1%
About once/month	143	0.1%
About once/year	268	0.2%
Less than once/year	689	0.5%
Never used	$135,\!930$	99.0%
Frequency Missing	8,002	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	14	0.0%
Several times/wk	40	0.0%
Several times/mo	334	0.2%
About once/month	547	0.4%
About once/year	613	0.4%
Less than once/year	977	0.7%
Never used	$134,\!342$	98.2%
Frequency Missing	8,394	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	14	0.0%
Several times/mo	0	0.0%
About once/month	7	0.0%
About once/year	0	0.0%
Less than once/year	85	0.1%
Never used	$137,\!351$	99.9%
Frequency Missing	$7,\!805$	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	20	0.0%
Several times/wk	83	0.1%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	178	0.1%
Never used	137,045	99.8%
Frequency Missing	7,935	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	147	0.1%
Several times/wk	37	0.0%
Several times/mo	30	0.0%
About once/month	110	0.1%
About once/year	112	0.1%
Less than once/year	452	0.3%
Never used	$136,\!352$	99.4%
Frequency Missing	8,022	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	26	0.0%
Several times/wk	14	0.0%
Several times/mo	48	0.0%
About once/month	0	0.0%
About once/year	25	0.0%
Less than once/year	339	0.2%
Never used	$136,\!832$	99.7%
Frequency Missing	7,976	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 103 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q231	Frequency	Percent
Every day	45	0.0%
Several times/wk	17	0.0%
Several times/mo	187	0.1%
About once/month	358	0.3%
About once/year	310	0.2%
Less than once/year	1,018	0.7%
Never used	$134,\!581$	98.6%
Frequency Missing	8,745	

How Often Normally Use Synthetic Marijuana

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	99,875	73.1%
12+ drinks	1,855	1.4%
9-11 drinks	835	0.6%
5-8 drinks	$1,\!625$	1.2%
3-4 drinks	4,001	2.9%
2 drinks	5,759	4.2%
1 drink	8,639	6.3%
Less than 1 drink	13,995	10.2%
Frequency Missing	8,677	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	91,345	66.7%
12+ drinks	3,730	2.7%
9-11 drinks	2,527	1.8%
5-8 drinks	4,970	3.6%
3-4 drinks	5,727	4.2%
2 drinks	6,362	4.6%
1 drink	8,083	5.9%
Less than 1 drink	14,268	10.4%
Frequency Missing	8,250	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	92,382	67.6%
12 + drinks	3,895	2.9%
9-11 drinks	1,964	1.4%
5-8 drinks	4,791	3.5%
3-4 drinks	8,254	6.0%
2 drinks	6,754	4.9%
1 drink	7,163	5.2%
Less than 1 drink	11,461	8.4%
Frequency Missing	8,597	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	96,799	70.8%
12+ drinks	3,240	2.4%
9-11 drinks	1,764	1.3%
5-8 drinks	5,040	3.7%
3-4 drinks	6,519	4.8%
2 drinks	$7,\!481$	5.5%
1 drink	6,721	4.9%
Less than 1 drink	9,191	6.7%
Frequency Missing	8,506	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	73,850	54.7%
0 days	45,404	33.6%
1 day	5,418	4.0%
2 days	3,550	2.6%
3 to 5 days	3,761	2.8%
6 to 9 days	800	0.6%
10 or more days	2,336	1.7%
Frequency Missing	10,140	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 104 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q26a	Frequency	Percent
Do not Drink	83,357	61.5%
Never	22,123	16.3%
Seldom	19,806	14.6%
Most of the Time	7,025	5.2%
Always	3,291	2.4%
Frequency Missing	$9,\!659$	

Get Alcoholic Beverages from Home

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	88,103	65.3%
Never	27,219	20.2%
Seldom	10,202	7.6%
Most of the Time	5,542	4.1%
Always	3,888	2.9%
Frequency Missing	10,308	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	83,681	61.8%
Never	21,219	15.7%
Seldom	$15,\!683$	11.6%
Most of the Time	11,003	8.1%
Always	3,794	2.8%
Frequency Missing	9,881	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	80,499	60.0%
Somewhat	32,326	24.1%
Not very	12,010	9.0%
Not at all	$3,\!141$	2.3%
Don't know	6,213	4.6%
Frequency Missing	11,072	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	87,576	64.8%
Never	$38,\!634$	28.6%
Seldom	4,294	3.2%
Most of the Time	3,017	2.2%
Always	1,592	1.2%
Frequency Missing	$10,\!148$	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	$71,\!145$	53.2%
Somewhat	$37,\!615$	28.1%
Not very	$15,\!615$	11.7%
Not at all	3,912	2.9%
Don't know	$5,\!348$	4.0%
Frequency Missing	11,626	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	83,734	61.8%
Never	$21,\!479$	15.8%
Seldom	$12,\!053$	8.9%
Most of the Time	10,766	7.9%
Always	$7,\!551$	5.6%
Frequency Missing	$9,\!678$	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	98,248	74.1%
Somewhat	$17,\!371$	13.1%
Not very	$5,\!543$	4.2%
Not at all	$1,\!692$	1.3%
Don't know	9,787	7.4%
Frequency Missing	$12,\!619$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 105 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q27dFrequency Percent Very 85,140 64.3%Somewhat 15,92212.0%Not very 12,7529.6%Not at all 12,9609.8%Don't know 5,7194.3%12,769 Frequency Missing

Dangerous for Kids to Use Marijuana

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	105,031	79.4%
Somewhat	12,752	9.6%
Not very	4,377	3.3%
Not at all	1,414	1.1%
Don't know	$8,\!637$	6.5%
Frequency Missing	$13,\!049$	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	118,261	89.5%
Somewhat	5,988	4.5%
Not very	1,061	0.8%
Not at all	846	0.6%
Don't know	6,017	4.6%
Frequency Missing	13,087	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	118,307	89.7%
Somewhat	4,331	3.3%
Not very	647	0.5%
Not at all	789	0.6%
Don't know	7,850	6.0%
Frequency Missing	13,335	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	119,323	90.0%
Somewhat	4,815	3.6%
Not very	1,055	0.8%
Not at all	810	0.6%
Don't know	6,527	4.9%
Frequency Missing	12,731	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	$118,\!658$	89.8%
Somewhat	$3,\!890$	2.9%
Not very	886	0.7%
Not at all	781	0.6%
Don't know	$7,\!953$	6.0%
Frequency Missing	13,093	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	111,140	84.2%
Somewhat	7,739	5.9%
Not very	1,976	1.5%
Not at all	1,012	0.8%
Don't know	10,183	7.7%
Frequency Missing	13,211	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	$111,\!349$	84.2%
Somewhat	$7,\!987$	6.0%
Not very	2,015	1.5%
Not at all	1,428	1.1%
Don't know	$9,\!486$	7.2%
Frequency Missing	12,996	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 106 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Dangerous for Kids to Use Any Prescription

Q271	Frequency	Percent
Very	102,822	78.0%
Somewhat	$15,\!390$	11.7%
Not very	4,342	3.3%
Not at all	$1,\!490$	1.1%
Don't know	$7,\!830$	5.9%
Frequency Missing	$13,\!388$	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	56,332	43.0%
1-3 days	62,002	47.4%
4-9 days	8,734	6.7%
10+ days	3,859	2.9%
Frequency Missing	14,333	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	88,670	67.2%
Somewhat	20,747	15.7%
Not very	$11,\!277$	8.5%
Not at all	4,938	3.7%
Don't know	6,371	4.8%
Frequency Missing	13,258	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	114,832	86.5%
1-3 days	14,552	11.0%
4-9 days	1,999	1.5%
10+ days	1,321	1.0%
Frequency Missing	12,556	

Someone Called Home Since September

Q28e	Frequency	Percent
None	121,573	91.5%
1-3 days	9,264	7.0%
4-9 days	969	0.7%
10+ days	1,090	0.8%
Frequency Missing	12,366	

Days Skipped Since September

Q28a	Frequency	Percent
None	106,810	80.5%
1-3 days	$20,\!617$	15.5%
4-9 days	3,504	2.6%
10+ days	1,817	1.4%
Frequency Missing	12,513	

Days Ill Since September

Q28b	Frequency	Percent
None	53,323	40.3%
1-3 days	61,972	46.9%
4-9 days	$14,\!243$	10.8%
10+ days	2,698	2.0%
Frequency Missing	13,025	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	127,268	95.9%
1-3 times	4,669	3.5%
4-9 times	349	0.3%
10 + times	384	0.3%
Frequency Missing	12,590	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 107 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

_

_

-

Q29b	Frequency	Percent
None	$127,\!520$	96.4%
1-3 times	3,220	2.4%
4-9 times	721	0.5%
10+ times	792	0.6%
Frequency Missing	13,009	

Driven a Car After a Good Bit to Drink

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	124,187	95.1%
1-3 days	3,390	2.6%
4-9 days	$1,\!620$	1.2%
10+ days	1,355	1.0%
Frequency Missing	14,709	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	128,490	97.5%
1-3 times	2,500	1.9%
4-9 times	338	0.3%
10+ times	475	0.4%
Frequency Missing	$13,\!458$	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	129,021	98.9%
1-3 days	1,048	0.8%
4-9 days	155	0.1%
10+ days	201	0.2%
Frequency Missing	$14,\!837$	

Driven a Car While High from Drugs

_

Q29d	Frequency	Percent
None	126,117	95.8%
1-3 times	3,134	2.4%
4-9 times	626	0.5%
10+ times	1,735	1.3%
Frequency Missing	$13,\!649$	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	126,924	97.7%
1-3 days	2,099	1.6%
4-9 days	404	0.3%
10+ days	465	0.4%
Frequency Missing	15,369	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	$125,\!156$	95.5%
1-3 days	4,391	3.4%
4-9 days	1,059	0.8%
10+ days	409	0.3%
Frequency Missing	$14,\!246$	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	69,442	53.2%
Seldom	8,999	6.9%
Half the time	4,823	3.7%
Most of the Time	9,028	6.9%
Always	11,575	8.9%
Don't Know	2,299	1.8%
Didn't attend	24,367	18.7%
Frequency Missing	14,729	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 108 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q31b	Frequency	Percent
Never	82,001	63.2%
Seldom	6,441	5.0%
Half the time	4,288	3.3%
Most of the Time	4,265	3.3%
Always	5,993	4.6%
Don't Know	2,512	1.9%
Didn't attend	24,297	18.7%
Frequency Missing	$15,\!464$	

Sought Help for Drug/Alcohol Problem

Frequency

118,396

 $5,\!804$

21,061

Percent

95.3%

4.7%

Q32

No

Yes

Frequency Missing

Drug Use at Parties This School Year

Would Seek Help from Parents

Q33d	Frequency	Percent
No Yes Frequency Missing	40,064 88,806 16,391	$31.1\% \\ 68.9\%$

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	$57,\!571$	45.0%
Yes	70,452	55.0%
Frequency Missing	17,239	

Would Seek Help from Friends

Q33f	Frequency	Percent
No Yes Frequency Missing	50,372 77,949 16,940	$39.3\% \\ 60.7\%$

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	83,289	64.9%
Yes	44,971	35.1%
Frequency Missing	17,001	

Would	Seek	Help	from	School	Nurse
-------	------	------	------	--------	-------

Q33b	Frequency	Percent
No	100,355	78.5%
Yes	$27,\!553$	21.5%
Frequency Missing	$17,\!353$	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	74,213	58.1%
Yes	$53,\!561$	41.9%
Frequency Missing	$17,\!487$	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	$52,\!456$	40.9%
Yes	75,722	59.1%
Frequency Missing	17,084	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No Yes	$75,\!862 \\ 51,\!671$	$59.5\%\ 40.5\%$
Frequency Missing	17,728	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 109 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q33i	Frequency	Percent
No	102,954	82.0%
Yes	$22,\!614$	18.0%
Frequency Missing	$19,\!693$	

Would Not Seek Help

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No Yes Frequency Missing	95,348 30,002 19,911	76.1% 23.9%

Drug/Alcohol Info-School Health Class

Q34a	Frequency	Percent
No	82,730	65.7%
Yes Frequency Missing	$43,107 \\ 19,424$	34.3%

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	107,954	86.5%
Yes	16,914	13.5%
Frequency Missing	20,393	

Drug/Alcohol Info-School Assembly Program

Q34b	Frequency	Percent
No	60,152	47.6%
Yes	66,095	52.4%
Frequency Missing	$19,\!014$	

Drug/Alcohol Info-Invited School Guest

Q34g	Frequency	Percent
No Yes Frequency Missing	81,002 44,517 19,741	$64.5\%\ 35.5\%$

Drug/Alcohol Info-School Guidance Counselor

Q34c	Frequency	Percent
No Yes Frequency Missing	96,907 28,556 19,798	77.2% 22.8%

Drug/Alcohol Info-Another School Source

Q34h	Frequency	Percent
No	91,921	73.5%
Yes Frequency Missing	$33,099 \\ 20,241$	26.5%

Drug/Alcohol Info-School Nurse

Q34d	Frequency	Percent
No	106,209	85.0%
Yes	18,784	15.0%
Frequency Missing	20,268	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	95,999	73.2%
Mild disapprove	10,523	8.0%
Neither	9,612	7.3%
Mildly approve	2,396	1.8%
Strongly approve	997	0.8%
Don't know	$11,\!655$	8.9%
Frequency Missing	14,079	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 110 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q35b	Frequency	Percent
Strongly disapprove	79,903	61.0%
Mild disapprove	17,299	13.2%
Neither	16,428	12.5%
Mildly approve	4,950	3.8%
Strongly approve	1,406	1.1%
Don't know	$11,\!050$	8.4%
Frequency Missing	$14,\!225$	

Parents Feel About Kids Drinking Alcohol

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	101,288	77.4%
Mild disapprove	7,281	5.6%
Neither	7,899	6.0%
Mildly approve	2,013	1.5%
Strongly approve	$1,\!613$	1.2%
Don't know	10,783	8.2%
Frequency Missing	$14,\!383$	

Appendix: Reporting Methods for Prevalence & Recency of Use

Jump to Table of Contents Page 112 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Toba	acco Product
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question Updating Rule	
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question Updating Rule	
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
$(Q21b: alc_1)$	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marij	uana
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Cocaine Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year" "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
$\mathbf{Question}$	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q211 : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Any Illicit Drug

This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.

Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used
"Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".