

State - Grades 7-12
Spring 2002

Table T-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|---------------------|----------|---------------|----------------|--------------|---------------|
| Any tobacco product | All | 18.2% | 25.3% | 44.9% | 55.1% |
| | Grade 7 | 8.7% | 12.7% | 28.2% | 71.8% |
| | Grade 8 | 11.7% | 17.7% | 36.0% | 64.0% |
| | Grade 9 | 19.2% | 27.8% | 48.2% | 51.8% |
| | Grade 10 | 20.5% | 28.4% | 49.5% | 50.5% |
| | Grade 11 | 23.5% | 32.7% | 53.3% | 46.7% |
| | Grade 12 | 29.8% | 36.5% | 58.7% | 41.3% |
| Cigarettes | All | 16.4% | 23.1% | 43.1% | 56.9% |
| | Grade 7 | 7.9% | 11.6% | 26.7% | 73.3% |
| | Grade 8 | 10.9% | 16.7% | 35.0% | 65.0% |
| | Grade 9 | 16.2% | 24.6% | 46.3% | 53.7% |
| | Grade 10 | 18.6% | 25.9% | 47.2% | 52.8% |
| | Grade 11 | 21.8% | 30.2% | 50.9% | 49.1% |
| | Grade 12 | 26.8% | 33.7% | 57.0% | 43.0% |
| Smokeless tobacco | All | 4.8% | 7.1% | 12.6% | 87.4% |
| | Grade 7 | 2.0% | 3.1% | 6.6% | 93.4% |
| | Grade 8 | 2.6% | 3.9% | 8.4% | 91.6% |
| | Grade 9 | 5.6% | 8.1% | 13.2% | 86.8% |
| | Grade 10 | 6.1% | 8.8% | 14.8% | 85.2% |
| | Grade 11 | 5.7% | 9.4% | 16.2% | 83.8% |
| | Grade 12 | 7.6% | 10.5% | 18.5% | 81.5% |

Table T-2: How often do you normally use...

Any tobacco product?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 61.6% | 5.8% | 3.6% | 4.6% | 7.1% | 6.0% | 11.3% |
| Grade 7 | 77.9% | 1.2% | 1.8% | 2.5% | 4.3% | 5.0% | 7.4% |
| Grade 8 | 68.7% | 2.1% | 2.8% | 3.7% | 6.6% | 6.5% | 9.6% |
| Grade 9 | 57.6% | 5.7% | 3.8% | 5.0% | 9.1% | 6.4% | 12.3% |
| Grade 10 | 58.7% | 6.4% | 4.1% | 5.0% | 7.6% | 6.3% | 11.7% |
| Grade 11 | 53.5% | 10.0% | 3.9% | 5.3% | 7.7% | 5.6% | 13.9% |
| Grade 12 | 48.3% | 11.9% | 5.5% | 7.1% | 7.5% | 6.1% | 13.6% |

Cigarettes?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 62.8% | 4.7% | 3.3% | 4.4% | 7.0% | 6.0% | 11.8% |
| Grade 7 | 78.8% | 0.9% | 1.8% | 2.6% | 3.7% | 4.7% | 7.5% |
| Grade 8 | 69.3% | 2.1% | 2.5% | 3.7% | 6.3% | 6.5% | 9.6% |
| Grade 9 | 59.4% | 3.8% | 3.5% | 4.3% | 9.0% | 7.2% | 12.8% |
| Grade 10 | 60.9% | 5.4% | 3.8% | 4.4% | 7.7% | 6.0% | 11.8% |
| Grade 11 | 54.5% | 8.5% | 3.8% | 5.5% | 7.1% | 5.3% | 15.3% |
| Grade 12 | 49.1% | 10.1% | 5.0% | 6.6% | 8.0% | 6.2% | 15.0% |

State - Grades 7-12
Spring 2002

Smokeless tobacco?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 88.9% | 1.4% | 0.9% | 1.2% | 1.8% | 1.9% | 3.9% |
| Grade 7 | 94.7% | 0.3% | 0.3% | 0.6% | 1.0% | 1.2% | 1.8% |
| Grade 8 | 93.1% | 0.2% | 0.8% | 0.5% | 1.1% | 1.5% | 2.7% |
| Grade 9 | 88.0% | 2.2% | 0.8% | 1.3% | 2.1% | 1.9% | 3.8% |
| Grade 10 | 86.8% | 1.6% | 1.1% | 1.5% | 2.5% | 2.3% | 4.3% |
| Grade 11 | 85.1% | 1.9% | 1.2% | 1.6% | 2.3% | 2.3% | 5.6% |
| Grade 12 | 83.7% | 2.5% | 1.5% | 2.0% | 1.6% | 2.8% | 5.7% |

Table T-3: In the past 30 days, how many cigarettes have you smoked?

| | None | <1 Per Day | >1 But <10 Per Day | >10 But <1 Pack Per Day | >1 Pack But <2 Packs/Day | >2 Packs Per Day |
|----------|-------|------------|--------------------|-------------------------|--------------------------|------------------|
| All | 81.9% | 9.9% | 5.5% | 1.6% | 0.8% | 0.2% |
| Grade 7 | 90.9% | 5.7% | 2.2% | 0.6% | 0.3% | 0.3% |
| Grade 8 | 87.3% | 8.0% | 3.1% | 0.9% | 0.4% | 0.2% |
| Grade 9 | 81.2% | 10.8% | 6.0% | 1.0% | 0.6% | 0.3% |
| Grade 10 | 80.5% | 11.1% | 5.8% | 1.7% | 0.8% | 0.2% |
| Grade 11 | 76.4% | 11.1% | 7.8% | 3.3% | 1.1% | 0.2% |
| Grade 12 | 71.8% | 13.5% | 9.4% | 2.9% | 2.2% | 0.2% |

Table T-4: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------|---------|---------|---------|----------|----------|----------|
| Tobacco | 10.6 | 11.2 | 11.8 | 12.6 | 13.1 | 13.6 |

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|----------------|------------|----------------|--------------------|---------------|-----------|
| All | 9.0% | 12.6% | 5.1% | 9.3% | 19.5% | 44.4% |
| Grade 7 | 15.9% | 28.8% | 9.1% | 10.7% | 16.2% | 19.3% |
| Grade 8 | 10.2% | 19.0% | 7.7% | 13.2% | 21.0% | 28.9% |
| Grade 9 | 10.0% | 9.7% | 5.3% | 10.2% | 23.4% | 41.5% |
| Grade 10 | 6.5% | 7.8% | 3.9% | 10.1% | 24.0% | 47.8% |
| Grade 11 | 5.6% | 4.3% | 2.0% | 6.4% | 18.4% | 63.3% |
| Grade 12 | 3.6% | 2.8% | 1.4% | 2.7% | 11.5% | 78.0% |

State - Grades 7-12
Spring 2002

Smokeless Tobacco?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 21.0% | 18.4% | 7.3% | 9.7% | 13.8% | 29.8% |
| Grade 7 | 28.2% | 37.0% | 10.1% | 8.2% | 8.1% | 8.4% |
| Grade 8 | 25.5% | 27.3% | 10.8% | 11.8% | 11.2% | 13.4% |
| Grade 9 | 22.7% | 16.6% | 8.1% | 10.9% | 16.8% | 24.9% |
| Grade 10 | 18.3% | 12.0% | 5.9% | 12.3% | 18.4% | 33.1% |
| Grade 11 | 15.7% | 7.9% | 4.4% | 8.8% | 16.6% | 46.6% |
| Grade 12 | 12.2% | 4.9% | 2.3% | 4.5% | 11.3% | 64.8% |

Table T-6: About how many of your close friends...

Use any tobacco product?

| | Never heard None | A Few | Some | Most | All |
|----------|---------------------|--------|-------|-------|------|
| All | 35.9% | 31.9 % | 17.6% | 12.1% | 2.5% |
| Grade 7 | 59.8% | 26.4 % | 7.8% | 5.0% | 1.0% |
| Grade 8 | 48.2% | 32.8 % | 11.1% | 6.3% | 1.6% |
| Grade 9 | 31.5% | 33.3 % | 17.9% | 13.7% | 3.6% |
| Grade 10 | 27.6% | 33.7 % | 22.2% | 13.9% | 2.6% |
| Grade 11 | 22.3% | 32.9 % | 24.1% | 17.5% | 3.2% |
| Grade 12 | 20.5% | 32.6 % | 25.8% | 17.9% | 3.2% |

Smoke cigarettes?

| | Never heard None | A Few | Some | Most | All |
|----------|---------------------|--------|-------|-------|------|
| All | 38.8% | 33.3 % | 15.6% | 10.1% | 2.2% |
| Grade 7 | 61.6% | 26.0 % | 6.9% | 4.6% | 0.9% |
| Grade 8 | 50.4% | 32.2 % | 10.1% | 5.9% | 1.5% |
| Grade 9 | 35.2% | 35.9 % | 16.0% | 10.1% | 2.8% |
| Grade 10 | 31.9% | 34.6 % | 19.1% | 12.2% | 2.1% |
| Grade 11 | 26.0% | 34.8 % | 22.8% | 13.8% | 2.6% |
| Grade 12 | 22.2% | 37.1 % | 21.4% | 16.2% | 3.1% |

Use a smokeless tobacco product?

| | Never heard None | A Few | Some | Most | All |
|----------|---------------------|--------|-------|------|------|
| All | 68.1% | 17.9 % | 9.0% | 4.1% | 0.9% |
| Grade 7 | 85.4% | 9.2 % | 3.6% | 1.4% | 0.4% |
| Grade 8 | 80.2% | 13.5 % | 4.2% | 1.6% | 0.5% |
| Grade 9 | 65.6% | 18.9 % | 8.2% | 5.9% | 1.4% |
| Grade 10 | 60.9% | 21.8 % | 11.6% | 4.8% | 0.9% |
| Grade 11 | 57.3% | 22.5 % | 12.6% | 6.7% | 0.9% |
| Grade 12 | 54.9% | 23.6 % | 16.2% | 4.5% | 0.8% |

State - Grades 7-12
Spring 2002

Table T-7: How do your parents feel about kids your age smoking cigarettes?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't Know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|---------------|
| All | 70.5% | 11.1% | 7.8% | 1.1% | 0.8% | 8.6% |
| Grade 7 | 78.4% | 4.8% | 2.6% | 0.7% | 0.9% | 12.6% |
| Grade 8 | 77.3% | 6.9% | 5.1% | 0.8% | 0.9% | 9.0% |
| Grade 9 | 70.7% | 10.9% | 6.6% | 1.3% | 1.1% | 9.5% |
| Grade 10 | 69.1% | 12.0% | 9.9% | 1.1% | 0.5% | 7.4% |
| Grade 11 | 67.2% | 14.7% | 9.9% | 1.2% | 0.8% | 6.3% |
| Grade 12 | 56.6% | 20.4% | 15.0% | 2.1% | 0.6% | 5.3% |

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| All | 47.2% | 30.6% | 13.0% | 3.4% | 5.9% |
| Grade 7 | 64.5% | 21.4% | 6.2% | 1.3% | 6.6% |
| Grade 8 | 54.5% | 28.2% | 9.3% | 1.7% | 6.2% |
| Grade 9 | 45.0% | 30.6% | 13.6% | 3.9% | 6.8% |
| Grade 10 | 41.1% | 35.0% | 14.9% | 3.4% | 5.5% |
| Grade 11 | 37.7% | 34.5% | 17.1% | 5.4% | 5.4% |
| Grade 12 | 36.4% | 36.0% | 18.7% | 5.1% | 3.8% |

State - Grades 7-12
Spring 2002

Table A-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|---------------------|----------|---------------|----------------|--------------|---------------|
| Any alcohol product | All | 34.5% | 47.8% | 71.0% | 29.0% |
| | Grade 7 | 17.8% | 25.3% | 52.8% | 47.2% |
| | Grade 8 | 26.0% | 37.4% | 64.0% | 36.0% |
| | Grade 9 | 36.4% | 51.3% | 73.7% | 26.3% |
| | Grade 10 | 39.9% | 55.8% | 77.3% | 22.7% |
| | Grade 11 | 41.8% | 57.9% | 79.2% | 20.8% |
| | Grade 12 | 51.0% | 65.8% | 83.4% | 16.6% |
| Beer | All | 24.7% | 35.6% | 55.0% | 45.0% |
| | Grade 7 | 10.9% | 16.2% | 35.9% | 64.1% |
| | Grade 8 | 15.8% | 24.4% | 46.3% | 53.7% |
| | Grade 9 | 25.3% | 37.8% | 58.4% | 41.6% |
| | Grade 10 | 29.4% | 43.0% | 61.3% | 38.7% |
| | Grade 11 | 32.0% | 45.1% | 63.9% | 36.1% |
| | Grade 12 | 40.3% | 53.0% | 69.0% | 31.0% |
| Wine coolers | All | 21.1% | 34.0% | 56.0% | 44.0% |
| | Grade 7 | 11.7% | 18.0% | 37.7% | 62.3% |
| | Grade 8 | 17.5% | 27.8% | 49.4% | 50.6% |
| | Grade 9 | 23.9% | 37.5% | 59.6% | 40.4% |
| | Grade 10 | 23.6% | 39.2% | 60.4% | 39.6% |
| | Grade 11 | 24.8% | 41.1% | 65.8% | 34.2% |
| | Grade 12 | 27.3% | 44.4% | 67.9% | 32.1% |
| Wine | All | 15.6% | 26.8% | 48.2% | 51.8% |
| | Grade 7 | 9.0% | 14.9% | 32.9% | 67.1% |
| | Grade 8 | 12.8% | 21.8% | 42.5% | 57.5% |
| | Grade 9 | 16.5% | 28.6% | 50.3% | 49.7% |
| | Grade 10 | 19.4% | 32.8% | 53.8% | 46.2% |
| | Grade 11 | 18.2% | 31.4% | 55.3% | 44.7% |
| | Grade 12 | 18.9% | 34.3% | 58.5% | 41.5% |
| Liquor | All | 22.5% | 33.3% | 48.6% | 51.4% |
| | Grade 7 | 7.7% | 12.0% | 23.2% | 76.8% |
| | Grade 8 | 13.4% | 20.5% | 35.5% | 64.5% |
| | Grade 9 | 24.6% | 35.6% | 51.7% | 48.3% |
| | Grade 10 | 27.8% | 41.7% | 57.7% | 42.3% |
| | Grade 11 | 29.2% | 44.3% | 61.8% | 38.2% |
| | Grade 12 | 37.7% | 52.6% | 69.3% | 30.7% |

Table A-2: How often do you normally use...

Any alcohol product?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 36.1% | 0.7% | 6.6% | 15.0% | 17.1% | 13.5% | 11.0% |
| Grade 7 | 56.0% | 0.6% | 3.3% | 6.8% | 9.3% | 12.4% | 11.6% |
| Grade 8 | 44.1% | 1.0% | 5.2% | 10.0% | 14.2% | 14.2% | 11.4% |
| Grade 9 | 33.6% | 0.5% | 6.8% | 16.0% | 18.5% | 13.3% | 11.2% |
| Grade 10 | 29.3% | 0.7% | 7.6% | 17.5% | 20.3% | 14.5% | 10.1% |
| Grade 11 | 26.9% | 0.9% | 8.6% | 19.2% | 18.9% | 14.5% | 11.1% |
| Grade 12 | 20.7% | 0.8% | 9.2% | 23.7% | 23.8% | 11.7% | 10.2% |

State - Grades 7-12
Spring 2002

Beer?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 48.2% | 0.4% | 5.4% | 11.9% | 13.5% | 10.3% | 10.3% |
| Grade 7 | 68.2% | 0.2% | 2.2% | 5.4% | 6.7% | 7.9% | 9.4% |
| Grade 8 | 57.3% | 0.4% | 3.5% | 7.9% | 10.5% | 10.3% | 10.3% |
| Grade 9 | 45.1% | 0.3% | 5.4% | 11.3% | 15.0% | 11.3% | 11.6% |
| Grade 10 | 41.6% | 0.5% | 6.2% | 14.4% | 16.8% | 10.7% | 9.7% |
| Grade 11 | 38.7% | 0.5% | 7.7% | 15.8% | 14.5% | 11.9% | 11.0% |
| Grade 12 | 32.5% | 0.5% | 8.6% | 19.7% | 19.3% | 9.7% | 9.6% |

Wine coolers?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 47.4% | 0.2% | 3.5% | 9.7% | 14.0% | 14.1% | 11.1% |
| Grade 7 | 67.5% | 0.3% | 2.0% | 5.4% | 6.9% | 9.2% | 8.8% |
| Grade 8 | 54.7% | 0.4% | 3.6% | 7.4% | 11.6% | 12.3% | 10.0% |
| Grade 9 | 44.7% | 0.2% | 4.3% | 10.7% | 14.7% | 13.8% | 11.7% |
| Grade 10 | 41.9% | 0.1% | 3.3% | 11.6% | 15.5% | 16.4% | 11.2% |
| Grade 11 | 37.1% | 0.1% | 4.7% | 12.1% | 17.3% | 16.3% | 12.4% |
| Grade 12 | 32.6% | 0.2% | 3.3% | 12.3% | 20.3% | 18.1% | 13.3% |

Wine?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 54.4% | 0.2% | 2.4% | 6.7% | 10.5% | 14.4% | 11.5% |
| Grade 7 | 71.1% | 0.3% | 1.4% | 3.3% | 5.2% | 9.2% | 9.5% |
| Grade 8 | 61.4% | 0.3% | 2.1% | 5.1% | 8.7% | 12.7% | 9.7% |
| Grade 9 | 53.0% | 0.1% | 3.0% | 7.7% | 11.0% | 14.0% | 11.2% |
| Grade 10 | 47.9% | 0.1% | 2.4% | 8.5% | 12.8% | 16.5% | 11.8% |
| Grade 11 | 46.8% | 0.1% | 3.0% | 8.1% | 12.9% | 16.0% | 13.1% |
| Grade 12 | 41.2% | 0.1% | 2.3% | 8.1% | 13.4% | 19.9% | 14.9% |

Liquor?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 54.8% | 0.3% | 3.7% | 10.6% | 12.3% | 10.1% | 8.1% |
| Grade 7 | 80.4% | 0.2% | 1.4% | 3.4% | 4.1% | 5.2% | 5.3% |
| Grade 8 | 67.7% | 0.4% | 2.8% | 5.7% | 7.9% | 8.2% | 7.4% |
| Grade 9 | 52.2% | 0.2% | 4.2% | 12.4% | 12.4% | 10.0% | 8.6% |
| Grade 10 | 45.1% | 0.3% | 4.7% | 13.3% | 15.5% | 12.0% | 9.1% |
| Grade 11 | 41.8% | 0.4% | 5.2% | 14.5% | 15.5% | 13.2% | 9.4% |
| Grade 12 | 33.1% | 0.3% | 4.4% | 16.7% | 22.1% | 13.8% | 9.6% |

State - Grades 7-12
Spring 2002

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

Beer

| | Never | Ever | 5 or More | 1 to 4 | Less Than 1 |
|----------|-------|-------|-----------|--------|-------------|
| All | 45.8% | 54.2% | 16.7% | 24.8% | 12.8% |
| Grade 7 | 64.2% | 35.8% | 5.1% | 18.4% | 12.3% |
| Grade 8 | 52.7% | 47.3% | 9.3% | 22.3% | 15.6% |
| Grade 9 | 43.0% | 57.0% | 16.3% | 27.4% | 13.3% |
| Grade 10 | 39.0% | 61.0% | 21.6% | 27.9% | 11.6% |
| Grade 11 | 38.3% | 61.7% | 23.5% | 26.1% | 12.1% |
| Grade 12 | 33.4% | 66.6% | 28.7% | 27.0% | 10.8% |

Wine Coolers

| | Never | Ever | 5 or More | 1 to 4 | Less Than 1 |
|----------|-------|-------|-----------|--------|-------------|
| All | 44.0% | 56.0% | 14.1% | 32.5% | 9.3% |
| Grade 7 | 62.3% | 37.7% | 7.4% | 20.5% | 9.9% |
| Grade 8 | 50.1% | 49.9% | 11.1% | 28.8% | 10.0% |
| Grade 9 | 40.4% | 59.6% | 15.9% | 34.5% | 9.2% |
| Grade 10 | 39.0% | 61.0% | 15.6% | 36.0% | 9.4% |
| Grade 11 | 35.7% | 64.3% | 18.5% | 37.0% | 8.8% |
| Grade 12 | 33.0% | 67.0% | 17.7% | 41.0% | 8.3% |

Wine

| | Never | Ever | 5 or More | 1 to 4 | Less Than 1 |
|----------|-------|-------|-----------|--------|-------------|
| All | 51.8% | 48.2% | 5.7% | 26.8% | 15.7% |
| Grade 7 | 66.4% | 33.6% | 3.2% | 17.4% | 13.0% |
| Grade 8 | 56.6% | 43.4% | 5.6% | 22.8% | 15.0% |
| Grade 9 | 48.6% | 51.4% | 5.1% | 30.4% | 15.9% |
| Grade 10 | 46.1% | 53.9% | 7.1% | 29.8% | 17.1% |
| Grade 11 | 46.1% | 53.9% | 7.4% | 29.4% | 17.0% |
| Grade 12 | 44.3% | 55.7% | 6.4% | 32.5% | 16.9% |

Liquor

| | Never | Ever | 5 or More | 1 to 4 | Less Than 1 |
|----------|-------|-------|-----------|--------|-------------|
| All | 51.0% | 49.0% | 13.6% | 25.5% | 9.9% |
| Grade 7 | 76.9% | 23.1% | 4.1% | 11.3% | 7.8% |
| Grade 8 | 63.9% | 36.1% | 7.4% | 18.7% | 10.0% |
| Grade 9 | 47.5% | 52.5% | 14.9% | 26.8% | 10.8% |
| Grade 10 | 41.5% | 58.5% | 18.5% | 30.1% | 9.8% |
| Grade 11 | 38.5% | 61.5% | 20.2% | 30.8% | 10.5% |
| Grade 12 | 30.4% | 69.6% | 19.1% | 39.9% | 10.6% |

State - Grades 7-12
Spring 2002

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

Beer

| | Never | Ever | Several Times/Week | Several Times/Month | Less Than Once/Month |
|----------|-------|-------|-----------------------|------------------------|-------------------------|
| All | 66.0% | 34.0% | 3.7% | 16.4% | 13.9% |
| Grade 7 | 81.5% | 18.5% | 1.3% | 6.9% | 10.3% |
| Grade 8 | 74.2% | 25.8% | 2.3% | 10.1% | 13.4% |
| Grade 9 | 64.9% | 35.1% | 3.4% | 16.2% | 15.5% |
| Grade 10 | 60.5% | 39.5% | 4.8% | 20.3% | 14.4% |
| Grade 11 | 58.2% | 41.8% | 5.5% | 21.5% | 14.8% |
| Grade 12 | 52.0% | 48.0% | 5.7% | 27.0% | 15.3% |

Wine Coolers

| | Never | Ever | Several Times/Week | Several Times/Month | Less Than Once/Month |
|----------|-------|-------|-----------------------|------------------------|-------------------------|
| All | 64.8% | 35.2% | 2.6% | 15.4% | 17.2% |
| Grade 7 | 78.7% | 21.3% | 2.5% | 7.0% | 11.7% |
| Grade 8 | 70.3% | 29.7% | 2.4% | 12.8% | 14.5% |
| Grade 9 | 62.0% | 38.0% | 3.1% | 17.9% | 17.0% |
| Grade 10 | 60.9% | 39.1% | 2.8% | 18.3% | 18.0% |
| Grade 11 | 58.0% | 42.0% | 2.4% | 18.4% | 21.2% |
| Grade 12 | 55.6% | 44.4% | 2.3% | 19.3% | 22.7% |

Wine

| | Never | Ever | Several Times/Week | Several Times/Month | Less Than Once/Month |
|----------|-------|-------|-----------------------|------------------------|-------------------------|
| All | 71.2% | 28.8% | 1.5% | 9.7% | 17.6% |
| Grade 7 | 82.9% | 17.1% | 1.1% | 4.8% | 11.2% |
| Grade 8 | 76.3% | 23.7% | 1.3% | 7.6% | 14.8% |
| Grade 9 | 68.6% | 31.4% | 1.6% | 11.9% | 18.0% |
| Grade 10 | 67.1% | 32.9% | 2.0% | 12.0% | 18.9% |
| Grade 11 | 65.7% | 34.3% | 1.5% | 11.6% | 21.1% |
| Grade 12 | 64.3% | 35.7% | 1.3% | 10.7% | 23.7% |

Liquor

| | Never | Ever | Several Times/Week | Several Times/Month | Less Than Once/Month |
|----------|-------|-------|-----------------------|------------------------|-------------------------|
| All | 66.4% | 33.6% | 2.9% | 16.3% | 14.4% |
| Grade 7 | 87.1% | 12.9% | 1.4% | 5.0% | 6.5% |
| Grade 8 | 77.6% | 22.4% | 1.9% | 9.6% | 10.9% |
| Grade 9 | 63.7% | 36.3% | 2.9% | 18.7% | 14.8% |
| Grade 10 | 58.6% | 41.4% | 4.0% | 20.2% | 17.2% |
| Grade 11 | 56.7% | 43.3% | 4.2% | 21.6% | 17.5% |
| Grade 12 | 48.8% | 51.2% | 3.5% | 25.5% | 22.2% |

State - Grades 7-12
Spring 2002

Table A-5: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------|---------|---------|---------|----------|----------|----------|
| Alcohol | 10.5 | 11.1 | 11.8 | 12.5 | 13.1 | 13.7 |

Table A-6: If you wanted some, how difficult would it be to get...

Beer?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 7.7% | 10.9% | 5.4% | 11.5% | 22.6% | 41.8% |
| Grade 7 | 14.9% | 23.4% | 9.2% | 12.7% | 15.6% | 24.3% |
| Grade 8 | 8.4% | 16.4% | 7.2% | 13.2% | 20.9% | 34.0% |
| Grade 9 | 8.8% | 8.7% | 5.4% | 10.8% | 23.0% | 43.3% |
| Grade 10 | 5.0% | 6.6% | 3.7% | 11.2% | 25.2% | 48.2% |
| Grade 11 | 4.2% | 4.5% | 2.6% | 9.4% | 23.1% | 56.1% |
| Grade 12 | 3.0% | 3.4% | 3.3% | 11.8% | 29.7% | 48.8% |

Wine coolers?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 9.5% | 11.3% | 5.7% | 11.9% | 22.7% | 38.9% |
| Grade 7 | 18.7% | 25.7% | 9.5% | 11.6% | 14.2% | 20.2% |
| Grade 8 | 10.8% | 16.6% | 7.9% | 13.3% | 20.1% | 31.2% |
| Grade 9 | 10.1% | 8.9% | 5.2% | 12.8% | 23.5% | 39.5% |
| Grade 10 | 6.2% | 6.8% | 4.3% | 11.6% | 25.8% | 45.4% |
| Grade 11 | 5.2% | 4.1% | 3.0% | 10.0% | 24.4% | 53.4% |
| Grade 12 | 3.9% | 2.8% | 3.3% | 11.4% | 30.3% | 48.3% |

Wine?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 10.1% | 13.1% | 7.2% | 13.2% | 20.7% | 35.7% |
| Grade 7 | 18.0% | 27.6% | 10.7% | 12.5% | 12.3% | 18.9% |
| Grade 8 | 11.6% | 18.8% | 9.8% | 14.6% | 17.9% | 27.3% |
| Grade 9 | 11.1% | 11.1% | 7.5% | 13.2% | 20.7% | 36.3% |
| Grade 10 | 7.1% | 8.1% | 5.1% | 13.8% | 23.9% | 42.1% |
| Grade 11 | 6.0% | 5.5% | 4.4% | 11.7% | 23.2% | 49.3% |
| Grade 12 | 4.6% | 3.9% | 4.4% | 13.2% | 29.0% | 44.9% |

Liquor?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 9.9% | 14.8% | 7.9% | 11.9% | 18.9% | 36.6% |
| Grade 7 | 19.3% | 32.7% | 11.1% | 10.3% | 9.9% | 16.8% |
| Grade 8 | 12.2% | 22.4% | 11.1% | 12.4% | 15.0% | 27.0% |
| Grade 9 | 10.2% | 11.7% | 7.2% | 12.5% | 19.0% | 39.4% |
| Grade 10 | 6.1% | 8.7% | 6.6% | 11.6% | 23.0% | 44.0% |
| Grade 11 | 5.4% | 5.8% | 5.0% | 11.4% | 22.7% | 49.7% |
| Grade 12 | 3.6% | 3.7% | 5.3% | 13.5% | 26.9% | 47.0% |

State - Grades 7-12
Spring 2002

Table A-7: Since school began in the fall, on how many days (if any) have you..

Attended class while drunk on alcohol?

| | None | 1-3 Days | 4-9 Days | 10+ Days |
|----------|------|----------|----------|----------|
| All | 91% | 7.1% | 1.3% | 1.0% |
| Grade 7 | 93% | 5.6% | 0.8% | 0.6% |
| Grade 8 | 92% | 6.5% | 1.0% | 1.1% |
| Grade 9 | 89% | 8.0% | 1.8% | 0.8% |
| Grade 10 | 90% | 7.0% | 1.5% | 1.0% |
| Grade 11 | 89% | 8.1% | 1.1% | 1.7% |
| Grade 12 | 90% | 7.4% | 1.6% | 0.9% |

Gotten into trouble with teachers because of your drinking?

| | None | 1-3 Days | 4-9 Days | 10+ Days |
|----------|------|----------|----------|----------|
| All | 99% | 1.0% | 0.1% | 0.1% |
| Grade 7 | 99% | 0.6% | 0.1% | 0.1% |
| Grade 8 | 99% | 0.8% | 0.2% | 0.2% |
| Grade 9 | 98% | 1.4% | 0.1% | 0.1% |
| Grade 10 | 99% | 0.9% | 0.1% | 0.1% |
| Grade 11 | 98% | 1.2% | 0.2% | 0.2% |
| Grade 12 | 99% | 1.1% | 0.1% | 0.1% |

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons:

| | |
|--------------------|----------------------|
| Alcohol Users: | 4.9 days per student |
| Alcohol Non-users: | 3.7 days per student |

Average days conduct problems reported:

| | |
|--------------------|----------------------|
| Alcohol Users: | 3.1 days per student |
| Alcohol Non-users: | 1.1 days per student |

Table A-9: During the past twelve months, how many times have you...

Driven a car when you've had a good bit to drink?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 86.6% | 9.8% | 2.1% | 1.5% |
| Grade 9 | 92.0% | 6.5% | 1.1% | 0.4% |
| Grade 10 | 89.7% | 7.9% | 1.6% | 0.8% |
| Grade 11 | 83.7% | 11.2% | 2.7% | 2.4% |
| Grade 12 | 77.5% | 15.9% | 3.5% | 3.0% |

State - Grades 7-12
Spring 2002

Gotten into trouble with the police because of drinking?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 96.1% | 3.3% | 0.4% | 0.2% |
| Grade 7 | 98.2% | 1.4% | 0.2% | 0.2% |
| Grade 8 | 97.5% | 2.0% | 0.3% | 0.3% |
| Grade 9 | 95.9% | 3.0% | 0.8% | 0.2% |
| Grade 10 | 95.8% | 3.8% | 0.2% | 0.2% |
| Grade 11 | 94.5% | 5.0% | 0.3% | 0.2% |
| Grade 12 | 94.0% | 5.5% | 0.4% | 0.1% |

Table A-10: About how many of your close friends use...

Any alcohol product?

| | Never heard | | | | |
|----------|-------------|--------|-------|-------|-------|
| | None | A Few | Some | Most | All |
| All | 22.9% | 25.2 % | 18.7% | 22.1% | 11.1% |
| Grade 7 | 48.0% | 27.9 % | 11.5% | 8.2% | 4.5% |
| Grade 8 | 31.9% | 30.7 % | 16.3% | 13.8% | 7.3% |
| Grade 9 | 18.0% | 25.5 % | 19.9% | 24.6% | 12.0% |
| Grade 10 | 14.0% | 22.5 % | 22.2% | 27.7% | 13.7% |
| Grade 11 | 10.9% | 22.8 % | 23.8% | 28.0% | 14.5% |
| Grade 12 | 9.4% | 19.9 % | 19.8% | 34.4% | 16.5% |

Beer?

| | Never heard | | | | |
|----------|-------------|--------|-------|-------|-------|
| | None | A Few | Some | Most | All |
| All | 30.0% | 24.1 % | 18.2% | 19.3% | 8.3% |
| Grade 7 | 57.8% | 23.7 % | 9.4% | 6.1% | 2.9% |
| Grade 8 | 42.0% | 28.0 % | 15.0% | 10.8% | 4.3% |
| Grade 9 | 25.0% | 25.9 % | 19.9% | 20.8% | 8.4% |
| Grade 10 | 19.8% | 22.3 % | 22.3% | 25.0% | 10.7% |
| Grade 11 | 16.2% | 23.0 % | 23.7% | 25.4% | 11.8% |
| Grade 12 | 13.9% | 20.2 % | 20.2% | 31.8% | 13.9% |

Wine coolers?

| | Never heard | | | | |
|----------|-------------|--------|-------|-------|------|
| | None | A Few | Some | Most | All |
| All | 35.8% | 25.4 % | 18.1% | 14.5% | 6.2% |
| Grade 7 | 59.6% | 22.1 % | 9.0% | 5.8% | 3.5% |
| Grade 8 | 45.1% | 26.2 % | 13.6% | 10.1% | 5.1% |
| Grade 9 | 31.7% | 26.7 % | 17.6% | 16.5% | 7.5% |
| Grade 10 | 28.8% | 24.4 % | 22.5% | 16.8% | 7.4% |
| Grade 11 | 23.0% | 27.3 % | 24.6% | 18.1% | 7.0% |
| Grade 12 | 21.3% | 26.1 % | 24.3% | 21.5% | 6.9% |

State - Grades 7-12
Spring 2002

Wine?

| | Never heard | | | | |
|----------|-------------|--------|-------|-------|------|
| | None | A Few | Some | Most | All |
| All | 49.8% | 24.2 % | 13.1% | 8.6% | 4.2% |
| Grade 7 | 69.9% | 18.0 % | 6.4% | 3.6% | 2.0% |
| Grade 8 | 57.9% | 23.3 % | 9.8% | 5.6% | 3.4% |
| Grade 9 | 45.5% | 24.2 % | 15.0% | 10.2% | 5.2% |
| Grade 10 | 41.5% | 25.9 % | 16.4% | 11.0% | 5.1% |
| Grade 11 | 41.7% | 25.8 % | 16.1% | 11.2% | 5.1% |
| Grade 12 | 38.5% | 30.0 % | 16.1% | 10.7% | 4.7% |

Liquor?

| | Never heard | | | | |
|----------|-------------|--------|-------|-------|-------|
| | None | A Few | Some | Most | All |
| All | 40.4% | 20.4 % | 15.7% | 16.3% | 7.2% |
| Grade 7 | 71.7% | 16.3 % | 6.0% | 3.9% | 2.1% |
| Grade 8 | 55.5% | 22.3 % | 10.3% | 8.0% | 4.0% |
| Grade 9 | 34.7% | 21.4 % | 16.7% | 19.4% | 7.8% |
| Grade 10 | 28.7% | 21.6 % | 19.3% | 20.9% | 9.4% |
| Grade 11 | 25.2% | 20.6 % | 21.2% | 23.1% | 9.9% |
| Grade 12 | 19.6% | 20.0 % | 23.5% | 25.5% | 11.4% |

Table A-11: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drinking?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 91.7% | 7.2% | 0.8% | 0.3% |
| Grade 7 | 95.9% | 3.6% | 0.3% | 0.2% |
| Grade 8 | 95.1% | 4.1% | 0.5% | 0.3% |
| Grade 9 | 90.5% | 8.3% | 0.9% | 0.2% |
| Grade 10 | 91.3% | 7.1% | 1.2% | 0.4% |
| Grade 11 | 89.0% | 9.7% | 1.1% | 0.2% |
| Grade 12 | 87.3% | 11.4% | 0.8% | 0.5% |

Been criticized by someone you were dating because of drinking?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 93.2% | 5.8% | 0.6% | 0.5% |
| Grade 7 | 97.5% | 2.0% | 0.4% | 0.2% |
| Grade 8 | 96.1% | 3.1% | 0.5% | 0.3% |
| Grade 9 | 92.9% | 6.1% | 0.5% | 0.6% |
| Grade 10 | 91.7% | 7.4% | 0.5% | 0.3% |
| Grade 11 | 90.5% | 8.1% | 0.8% | 0.6% |
| Grade 12 | 89.2% | 8.9% | 1.0% | 0.9% |

State - Grades 7-12
Spring 2002

Table A-12: Thinking of parties you attended this school year, how often was

| | Never | Seldom | Half the Time | Most Of the Time | Always | Don't Know | Didn't Attend |
|----------|-------|--------|------------------|---------------------|--------|---------------|------------------|
| All | 35% | 10.6% | 7.8% | 13.4% | 20.3% | 2.2% | 11.1% |
| Grade 7 | 64% | 11.1% | 6.1% | 4.4% | 3.9% | 2.6% | 8.3% |
| Grade 8 | 51% | 14.4% | 7.4% | 8.0% | 8.3% | 2.6% | 8.6% |
| Grade 9 | 29% | 11.6% | 9.7% | 15.9% | 19.1% | 2.3% | 11.9% |
| Grade 10 | 24% | 9.7% | 8.4% | 19.4% | 24.8% | 1.9% | 11.5% |
| Grade 11 | 18% | 7.0% | 7.4% | 16.9% | 33.5% | 2.0% | 15.5% |
| Grade 12 | 15% | 8.4% | 6.9% | 16.6% | 39.5% | 1.6% | 11.7% |

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

| | Do Not Drink | Never | Seldom | Most of the time | Always |
|----------|-----------------|-------|--------|---------------------|--------|
| All | 39.9% | 26.3% | 23.1% | 7.8% | 2.9% |
| Grade 7 | 54.2% | 20.4% | 17.6% | 5.6% | 2.1% |
| Grade 8 | 44.9% | 22.4% | 22.6% | 7.8% | 2.3% |
| Grade 9 | 38.1% | 25.3% | 24.3% | 8.9% | 3.4% |
| Grade 10 | 35.1% | 28.3% | 24.4% | 8.7% | 3.5% |
| Grade 11 | 34.7% | 31.6% | 24.5% | 6.6% | 2.5% |
| Grade 12 | 29.1% | 32.5% | 25.6% | 9.4% | 3.4% |

From friends

| | Do Not Drink | Never | Seldom | Most of the time | Always |
|----------|-----------------|-------|--------|---------------------|--------|
| All | 35.5% | 16.3% | 17.1% | 21.3% | 9.9% |
| Grade 7 | 55.0% | 26.1% | 8.9% | 7.6% | 2.5% |
| Grade 8 | 44.2% | 20.6% | 16.3% | 14.4% | 4.4% |
| Grade 9 | 32.9% | 15.5% | 18.7% | 23.2% | 9.7% |
| Grade 10 | 28.2% | 13.1% | 20.0% | 26.0% | 12.8% |
| Grade 11 | 27.5% | 10.8% | 19.0% | 27.4% | 15.2% |
| Grade 12 | 20.8% | 9.1% | 20.3% | 32.6% | 17.1% |

From a store

| | Do Not Drink | Never | Seldom | Most of the time | Always |
|----------|-----------------|-------|--------|---------------------|--------|
| All | 38.1% | 41.0% | 10.2% | 6.8% | 3.8% |
| Grade 7 | 57.0% | 37.5% | 3.3% | 1.4% | 0.9% |
| Grade 8 | 46.3% | 43.8% | 5.9% | 2.6% | 1.4% |
| Grade 9 | 35.6% | 42.7% | 12.0% | 6.2% | 3.6% |
| Grade 10 | 31.3% | 43.5% | 12.1% | 8.7% | 4.3% |
| Grade 11 | 29.8% | 36.8% | 15.0% | 11.8% | 6.6% |
| Grade 12 | 24.3% | 41.3% | 14.6% | 12.6% | 7.3% |

State - Grades 7-12
Spring 2002

At parties

| | Do Not Drink | Never | Seldom | Most of the time | Always |
|----------|-----------------|-------|--------|---------------------|--------|
| All | 34.8% | 14.8% | 13.6% | 18.2% | 18.5% |
| Grade 7 | 51.9% | 21.8% | 11.1% | 9.1% | 6.1% |
| Grade 8 | 42.4% | 18.8% | 13.6% | 14.7% | 10.4% |
| Grade 9 | 32.9% | 14.6% | 13.6% | 18.8% | 20.0% |
| Grade 10 | 28.4% | 12.5% | 14.2% | 22.8% | 22.2% |
| Grade 11 | 28.0% | 10.1% | 13.7% | 21.1% | 27.1% |
| Grade 12 | 21.4% | 9.1% | 16.1% | 24.7% | 28.7% |

Other source

| | Do Not Drink | Never | Seldom | Most of the time | Always |
|----------|-----------------|-------|--------|---------------------|--------|
| All | 38.7% | 23.9% | 16.1% | 10.5% | 10.8% |
| Grade 7 | 55.1% | 23.4% | 10.9% | 5.8% | 4.9% |
| Grade 8 | 46.0% | 23.6% | 14.2% | 9.2% | 7.0% |
| Grade 9 | 36.3% | 24.6% | 15.3% | 10.9% | 12.9% |
| Grade 10 | 31.7% | 25.3% | 19.2% | 11.8% | 11.9% |
| Grade 11 | 31.6% | 21.4% | 19.6% | 12.6% | 14.8% |
| Grade 12 | 27.1% | 24.8% | 19.0% | 14.0% | 15.1% |

Table A-14: How do your parents feel about kids your age drinking beer?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't Know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|---------------|
| All | 63.0% | 15.6% | 9.6% | 2.7% | 1.2% | 7.9% |
| Grade 7 | 72.4% | 7.9% | 5.1% | 1.5% | 1.0% | 12.1% |
| Grade 8 | 68.5% | 11.9% | 7.6% | 1.7% | 1.4% | 8.8% |
| Grade 9 | 62.3% | 16.1% | 8.8% | 3.0% | 1.6% | 8.3% |
| Grade 10 | 59.0% | 18.3% | 12.0% | 3.2% | 0.8% | 6.7% |
| Grade 11 | 60.3% | 18.5% | 11.3% | 3.3% | 1.1% | 5.5% |
| Grade 12 | 52.4% | 23.6% | 14.7% | 3.8% | 1.0% | 4.5% |

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| All | 46.5% | 33.4% | 13.5% | 2.7% | 4.0% |
| Grade 7 | 57.4% | 24.9% | 10.4% | 2.5% | 4.9% |
| Grade 8 | 47.6% | 29.9% | 14.1% | 3.2% | 5.1% |
| Grade 9 | 42.9% | 34.4% | 14.8% | 3.0% | 4.8% |
| Grade 10 | 44.1% | 34.6% | 15.4% | 2.6% | 3.3% |
| Grade 11 | 44.2% | 36.9% | 13.6% | 2.4% | 2.9% |
| Grade 12 | 41.8% | 42.0% | 12.0% | 2.0% | 2.1% |

State - Grades 7-12
Spring 2002

Table D-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|----------------|----------|---------------|----------------|--------------|---------------|
| Marijuana? | All | 14.4% | 21.0% | 32.3% | 67.7% |
| | Grade 7 | 5.7% | 7.7% | 13.4% | 86.6% |
| | Grade 8 | 9.4% | 14.2% | 23.3% | 76.7% |
| | Grade 9 | 15.8% | 22.7% | 34.4% | 65.6% |
| | Grade 10 | 18.5% | 27.1% | 38.9% | 61.1% |
| | Grade 11 | 19.6% | 28.4% | 44.0% | 56.0% |
| | Grade 12 | 19.5% | 29.3% | 44.8% | 55.2% |
| Cocaine? | All | 3.0% | 4.8% | 8.1% | 91.9% |
| | Grade 7 | 1.3% | 1.7% | 2.9% | 97.1% |
| | Grade 8 | 1.8% | 2.8% | 4.8% | 95.2% |
| | Grade 9 | 3.3% | 5.3% | 8.6% | 91.4% |
| | Grade 10 | 3.9% | 5.5% | 9.7% | 90.3% |
| | Grade 11 | 4.2% | 7.3% | 11.7% | 88.3% |
| | Grade 12 | 3.7% | 7.2% | 12.3% | 87.7% |
| Crack? | All | 0.7% | 1.3% | 2.7% | 97.3% |
| | Grade 7 | 0.8% | 1.2% | 2.1% | 97.9% |
| | Grade 8 | 0.6% | 1.5% | 2.7% | 97.3% |
| | Grade 9 | 0.8% | 1.6% | 3.3% | 96.7% |
| | Grade 10 | 1.0% | 1.5% | 2.5% | 97.5% |
| | Grade 11 | 0.5% | 1.0% | 2.9% | 97.1% |
| | Grade 12 | 0.4% | 1.0% | 2.4% | 97.6% |
| Hallucinogens? | All | 1.2% | 2.4% | 4.5% | 95.5% |
| | Grade 7 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 9 | 1.4% | 3.0% | 4.5% | 95.5% |
| | Grade 10 | 1.5% | 2.5% | 5.2% | 94.8% |
| | Grade 11 | 2.4% | 3.7% | 7.5% | 92.5% |
| | Grade 12 | 1.3% | 3.7% | 7.8% | 92.2% |
| Uppers? | All | 3.3% | 4.7% | 7.3% | 92.7% |
| | Grade 7 | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 8 | 1.3% | 2.0% | 3.2% | 96.8% |
| | Grade 9 | 4.0% | 5.7% | 8.3% | 91.7% |
| | Grade 10 | 4.4% | 6.2% | 8.5% | 91.5% |
| | Grade 11 | 5.7% | 7.7% | 12.8% | 87.2% |
| | Grade 12 | 4.3% | 6.6% | 11.3% | 88.7% |
| Downers? | All | 3.4% | 4.7% | 7.1% | 92.9% |
| | Grade 7 | 0.6% | 0.9% | 1.4% | 98.6% |
| | Grade 8 | 1.3% | 2.0% | 3.0% | 97.0% |
| | Grade 9 | 3.7% | 5.2% | 7.8% | 92.2% |
| | Grade 10 | 4.9% | 6.6% | 8.6% | 91.4% |
| | Grade 11 | 5.6% | 7.4% | 12.2% | 87.8% |
| | Grade 12 | 4.8% | 7.0% | 11.4% | 88.6% |
| Rohypnol? | All | 1.8% | 2.8% | 4.9% | 95.1% |
| | Grade 7 | 1.1% | 1.5% | 2.7% | 97.3% |
| | Grade 8 | 1.9% | 2.8% | 4.6% | 95.4% |
| | Grade 9 | 2.7% | 4.3% | 6.5% | 93.5% |
| | Grade 10 | 2.0% | 3.3% | 5.2% | 94.8% |
| | Grade 11 | 1.3% | 2.3% | 4.8% | 95.2% |
| | Grade 12 | 1.3% | 2.2% | 5.2% | 94.8% |

State - Grades 7-12
Spring 2002

| | | Past Month | School Year | Ever Used | Never Used |
|-----------|----------|---------------|----------------|--------------|---------------|
| Steroids? | All | 0.7% | 1.3% | 2.3% | 97.7% |
| | Grade 7 | 0.7% | 1.1% | 2.0% | 98.0% |
| | Grade 8 | 0.6% | 1.0% | 1.9% | 98.1% |
| | Grade 9 | 0.8% | 1.4% | 2.5% | 97.5% |
| | Grade 10 | 0.7% | 1.4% | 2.5% | 97.5% |
| | Grade 11 | 0.5% | 1.5% | 2.7% | 97.3% |
| | Grade 12 | 0.9% | 1.3% | 2.4% | 97.6% |
| Ecstasy? | All | 3.1% | 5.1% | 8.6% | 91.4% |
| | Grade 7 | 1.4% | 2.2% | 3.6% | 96.4% |
| | Grade 8 | 2.1% | 3.2% | 5.6% | 94.4% |
| | Grade 9 | 3.8% | 5.7% | 9.3% | 90.7% |
| | Grade 10 | 3.3% | 5.8% | 9.2% | 90.8% |
| | Grade 11 | 4.6% | 7.1% | 12.6% | 87.4% |
| | Grade 12 | 3.6% | 7.4% | 12.7% | 87.3% |
| Heroin? | All | 0.5% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 8 | 0.5% | 0.8% | 1.9% | 98.1% |
| | Grade 9 | 0.5% | 0.9% | 1.8% | 98.2% |
| | Grade 10 | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 11 | 0.5% | 0.9% | 1.9% | 98.1% |
| | Grade 12 | 0.3% | 1.0% | 1.7% | 98.3% |

Table D-2: How often do you normally use...

Marijuana?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 72.1% | 3.0% | 3.9% | 4.9% | 5.7% | 4.7% | 5.8% |
| Grade 7 | 88.6% | 0.8% | 2.0% | 2.0% | 2.4% | 1.6% | 2.6% |
| Grade 8 | 79.7% | 1.8% | 2.8% | 4.5% | 3.8% | 3.3% | 4.0% |
| Grade 9 | 70.1% | 3.5% | 4.5% | 5.7% | 6.0% | 4.9% | 5.3% |
| Grade 10 | 65.4% | 4.0% | 4.6% | 5.6% | 8.4% | 5.6% | 6.5% |
| Grade 11 | 62.2% | 3.4% | 4.7% | 6.4% | 7.9% | 6.6% | 8.7% |
| Grade 12 | 61.5% | 4.8% | 4.9% | 5.5% | 6.5% | 7.1% | 9.6% |

Cocaine?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 93.4% | 0.2% | 0.5% | 1.1% | 1.5% | 1.5% | 1.8% |
| Grade 7 | 97.6% | 0.1% | 0.2% | 0.3% | 0.7% | 0.8% | 0.4% |
| Grade 8 | 96.2% | 0.2% | 0.4% | 0.4% | 0.9% | 0.8% | 1.1% |
| Grade 9 | 93.2% | 0.3% | 0.7% | 1.5% | 1.3% | 1.3% | 1.5% |
| Grade 10 | 92.0% | 0.1% | 0.7% | 1.8% | 1.8% | 1.3% | 2.4% |
| Grade 11 | 90.1% | 0.1% | 0.7% | 1.1% | 2.8% | 2.6% | 2.6% |
| Grade 12 | 89.7% | 0.1% | 0.5% | 1.3% | 2.2% | 2.6% | 3.6% |

State - Grades 7-12
Spring 2002

Crack?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 97.7% | 0.0% | 0.1% | 0.3% | 0.4% | 0.6% | 0.8% |
| Grade 7 | 98.3% | 0.0% | 0.2% | 0.1% | 0.5% | 0.4% | 0.5% |
| Grade 8 | 97.6% | 0.1% | 0.1% | 0.4% | 0.4% | 0.3% | 1.1% |
| Grade 9 | 97.0% | 0.0% | 0.1% | 0.5% | 0.5% | 1.1% | 0.7% |
| Grade 10 | 98.0% | 0.0% | 0.1% | 0.4% | 0.4% | 0.5% | 0.6% |
| Grade 11 | 97.6% | 0.0% | 0.1% | 0.2% | 0.2% | 0.6% | 1.4% |
| Grade 12 | 98.1% | 0.1% | 0.1% | 0.2% | 0.2% | 0.8% | 0.7% |

Hallucinogens?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 96.2% | 0.1% | 0.1% | 0.3% | 0.7% | 1.2% | 1.4% |
| Grade 7 | 99.1% | 0.0% | 0.1% | 0.1% | 0.4% | 0.1% | 0.3% |
| Grade 8 | 98.4% | 0.0% | 0.1% | 0.1% | 0.3% | 0.6% | 0.5% |
| Grade 9 | 96.3% | 0.2% | 0.1% | 0.4% | 0.9% | 1.1% | 1.1% |
| Grade 10 | 95.3% | 0.0% | 0.1% | 0.4% | 0.8% | 1.7% | 1.6% |
| Grade 11 | 93.7% | 0.0% | 0.1% | 0.4% | 1.4% | 2.2% | 2.3% |
| Grade 12 | 93.1% | 0.0% | 0.1% | 0.3% | 0.9% | 2.2% | 3.5% |

Uppers?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 93.2% | 0.2% | 0.6% | 1.3% | 1.8% | 1.5% | 1.4% |
| Grade 7 | 98.6% | 0.1% | 0.2% | 0.2% | 0.4% | 0.3% | 0.2% |
| Grade 8 | 97.1% | 0.1% | 0.2% | 0.5% | 0.8% | 0.6% | 0.7% |
| Grade 9 | 92.1% | 0.1% | 0.6% | 2.1% | 1.8% | 2.0% | 1.3% |
| Grade 10 | 91.8% | 0.2% | 0.9% | 1.7% | 2.6% | 1.4% | 1.4% |
| Grade 11 | 88.1% | 0.4% | 1.3% | 1.8% | 2.6% | 2.5% | 3.3% |
| Grade 12 | 89.6% | 0.2% | 0.6% | 1.8% | 3.2% | 2.5% | 2.1% |

Downers?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 93.6% | 0.1% | 0.5% | 1.5% | 1.7% | 1.4% | 1.1% |
| Grade 7 | 98.8% | 0.0% | 0.1% | 0.3% | 0.2% | 0.2% | 0.2% |
| Grade 8 | 97.3% | 0.1% | 0.3% | 0.7% | 0.5% | 0.7% | 0.6% |
| Grade 9 | 92.5% | 0.1% | 0.6% | 1.8% | 1.7% | 2.2% | 1.1% |
| Grade 10 | 92.1% | 0.3% | 0.8% | 1.9% | 2.3% | 1.4% | 1.3% |
| Grade 11 | 89.4% | 0.3% | 1.0% | 2.6% | 2.6% | 2.0% | 2.2% |
| Grade 12 | 90.0% | 0.1% | 0.6% | 1.8% | 3.6% | 2.0% | 1.9% |

State - Grades 7-12
Spring 2002

Rohypnol?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 96.3% | 0.1% | 0.3% | 0.6% | 1.0% | 0.8% | 0.9% |
| Grade 7 | 97.7% | 0.1% | 0.3% | 0.4% | 0.6% | 0.4% | 0.6% |
| Grade 8 | 96.5% | 0.1% | 0.4% | 0.9% | 0.8% | 0.7% | 0.6% |
| Grade 9 | 95.2% | 0.1% | 0.4% | 0.8% | 1.5% | 1.4% | 0.7% |
| Grade 10 | 96.0% | 0.1% | 0.2% | 0.8% | 1.0% | 0.7% | 1.2% |
| Grade 11 | 96.0% | 0.1% | 0.2% | 0.3% | 1.1% | 0.9% | 1.3% |
| Grade 12 | 96.6% | 0.0% | 0.1% | 0.6% | 0.6% | 0.7% | 1.3% |

Steroids?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 98.1% | 0.1% | 0.1% | 0.2% | 0.3% | 0.4% | 0.8% |
| Grade 7 | 98.3% | 0.1% | 0.1% | 0.2% | 0.3% | 0.3% | 0.7% |
| Grade 8 | 98.2% | 0.1% | 0.2% | 0.3% | 0.3% | 0.4% | 0.5% |
| Grade 9 | 97.9% | 0.1% | 0.1% | 0.3% | 0.3% | 0.6% | 0.7% |
| Grade 10 | 98.0% | 0.0% | 0.3% | 0.2% | 0.4% | 0.3% | 0.8% |
| Grade 11 | 97.9% | 0.1% | 0.1% | 0.2% | 0.2% | 0.5% | 1.0% |
| Grade 12 | 98.0% | 0.1% | 0.1% | 0.2% | 0.2% | 0.3% | 1.1% |

Ecstasy?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 92.3% | 0.1% | 0.4% | 0.9% | 1.8% | 2.4% | 2.2% |
| Grade 7 | 97.0% | 0.1% | 0.3% | 0.3% | 0.6% | 1.0% | 0.7% |
| Grade 8 | 95.1% | 0.1% | 0.5% | 0.6% | 1.3% | 1.2% | 1.2% |
| Grade 9 | 91.2% | 0.0% | 0.7% | 1.3% | 2.0% | 2.2% | 2.6% |
| Grade 10 | 91.8% | 0.0% | 0.2% | 0.8% | 2.2% | 2.8% | 2.2% |
| Grade 11 | 88.4% | 0.0% | 0.2% | 1.2% | 2.4% | 3.9% | 3.8% |
| Grade 12 | 89.0% | 0.0% | 0.2% | 0.9% | 2.4% | 4.0% | 3.5% |

Heroin?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| All | 98.5% | 0.0% | 0.1% | 0.2% | 0.2% | 0.4% | 0.6% |
| Grade 7 | 98.3% | 0.1% | 0.1% | 0.2% | 0.4% | 0.5% | 0.4% |
| Grade 8 | 98.4% | 0.0% | 0.1% | 0.4% | 0.3% | 0.5% | 0.3% |
| Grade 9 | 98.3% | 0.0% | 0.1% | 0.2% | 0.2% | 0.5% | 0.8% |
| Grade 10 | 98.9% | 0.0% | 0.0% | 0.1% | 0.2% | 0.2% | 0.5% |
| Grade 11 | 98.4% | 0.0% | 0.0% | 0.1% | 0.1% | 0.2% | 1.1% |
| Grade 12 | 98.8% | 0.0% | 0.1% | 0.1% | 0.1% | 0.4% | 0.4% |

State - Grades 7-12
Spring 2002

Table D-3: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------------|---------|---------|---------|----------|----------|----------|
| Marijuana | 11.5 | 12.2 | 12.9 | 13.6 | 14.3 | 14.8 |
| Cocaine | 11.8 | 12.7 | 13.6 | 14.5 | 15.1 | 15.9 |
| Crack | 11.6 | 12.5 | 13.5 | 14.4 | 15.3 | 15.3 |
| Hallucinogens | 12.4 | 12.8 | 13.2 | 14.4 | 14.9 | 15.5 |
| Uppers | 11.4 | 12.6 | 13.3 | 14.2 | 14.6 | 15.6 |
| Downers | 11.6 | 12.4 | 13.3 | 14.1 | 14.5 | 15.6 |
| Rohypnol | 11.5 | 12.3 | 13.4 | 14.3 | 14.7 | 15.6 |
| Steroids | 10.9 | 12.0 | 13.7 | 14.2 | 15.0 | 15.1 |
| Ecstasy | 11.8 | 12.6 | 13.9 | 14.8 | 15.4 | 16.3 |
| Heroin | 11.6 | 12.7 | 13.6 | 14.1 | 15.6 | 15.6 |

Table D-4: Age of first use of marijuana by family situation:

Two parent family

| | Never | 9/Under | 10-11 | 12-13 | 14-15 | 16-17 | 18/Over |
|----------|-------|---------|-------|-------|-------|-------|---------|
| All | 70.9% | 0.9% | 2.8% | 9.1% | 11.0% | 5.0% | 0.3% |
| Grade 7 | 89.6% | 0.8% | 3.5% | 5.9% | 0.3% | 0.0% | 0.0% |
| Grade 8 | 80.1% | 1.4% | 3.7% | 11.3% | 3.4% | 0.0% | 0.0% |
| Grade 9 | 71.0% | 1.0% | 3.2% | 12.3% | 12.1% | 0.3% | 0.0% |
| Grade 10 | 64.4% | 1.0% | 2.5% | 8.6% | 19.3% | 4.1% | 0.0% |
| Grade 11 | 59.0% | 0.6% | 2.0% | 9.0% | 17.3% | 12.0% | 0.2% |
| Grade 12 | 57.7% | 0.5% | 1.7% | 6.7% | 14.3% | 17.2% | 1.8% |

Other family situation

| | Never | 9/Under | 10-11 | 12-13 | 14-15 | 16-17 | 18/Over |
|----------|-------|---------|-------|-------|-------|-------|---------|
| All | 55.8% | 2.7% | 5.9% | 14.2% | 15.2% | 5.8% | 0.4% |
| Grade 7 | 78.3% | 3.1% | 6.1% | 11.9% | 0.5% | 0.0% | 0.0% |
| Grade 8 | 65.8% | 3.1% | 6.6% | 17.6% | 6.5% | * % | 0.4% |
| Grade 9 | 51.5% | 3.7% | 6.5% | 18.4% | 19.2% | 0.6% | 0.0% |
| Grade 10 | 47.9% | 2.7% | 5.6% | 15.2% | 24.1% | 4.6% | 0.0% |
| Grade 11 | 45.9% | 2.0% | 4.2% | 10.4% | 20.7% | 16.4% | 0.4% |
| Grade 12 | 43.3% | 0.8% | 5.8% | 8.8% | 20.8% | 18.4% | 2.1% |

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 10.9% | 21.7% | 8.3% | 11.7% | 17.1% | 30.3% |
| Grade 7 | 19.3% | 45.6% | 9.8% | 7.7% | 7.3% | 10.3% |
| Grade 8 | 13.0% | 31.8% | 11.7% | 11.3% | 13.0% | 19.2% |
| Grade 9 | 11.7% | 17.0% | 7.6% | 13.0% | 18.1% | 32.6% |
| Grade 10 | 7.2% | 13.3% | 7.0% | 12.8% | 21.4% | 38.3% |
| Grade 11 | 6.9% | 9.1% | 6.0% | 12.4% | 21.9% | 43.8% |
| Grade 12 | 5.3% | 9.2% | 7.2% | 13.5% | 23.0% | 41.8% |

State - Grades 7-12
Spring 2002

Cocaine?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 17.1% | 31.3% | 15.3% | 14.2% | 9.7% | 12.3% |
| Grade 7 | 23.8% | 51.2% | 10.9% | 6.1% | 3.5% | 4.5% |
| Grade 8 | 19.0% | 41.8% | 15.9% | 9.6% | 6.1% | 7.7% |
| Grade 9 | 18.6% | 27.9% | 14.8% | 15.3% | 9.8% | 13.7% |
| Grade 10 | 14.4% | 24.4% | 16.8% | 17.2% | 12.0% | 15.3% |
| Grade 11 | 13.5% | 18.7% | 16.7% | 19.0% | 14.2% | 17.9% |
| Grade 12 | 11.4% | 19.8% | 17.4% | 20.2% | 14.4% | 16.8% |

Crack?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 19.4% | 32.8% | 16.3% | 13.9% | 8.1% | 9.7% |
| Grade 7 | 25.8% | 50.5% | 10.8% | 5.3% | 3.6% | 4.0% |
| Grade 8 | 20.5% | 43.1% | 15.4% | 9.1% | 5.6% | 6.2% |
| Grade 9 | 20.8% | 29.5% | 14.8% | 15.7% | 8.0% | 11.2% |
| Grade 10 | 16.5% | 27.1% | 18.7% | 16.5% | 9.9% | 11.2% |
| Grade 11 | 16.9% | 20.8% | 18.5% | 19.2% | 11.2% | 13.4% |
| Grade 12 | 13.5% | 21.4% | 21.3% | 19.3% | 11.2% | 13.2% |

Hallucinogens?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 36.6% | 25.9% | 13.8% | 10.6% | 6.0% | 7.2% |
| Grade 7 | 52.3% | 33.1% | 7.4% | 2.9% | 1.8% | 2.5% |
| Grade 8 | 43.6% | 32.4% | 10.8% | 6.3% | 2.9% | 4.1% |
| Grade 9 | 38.5% | 24.9% | 12.5% | 10.6% | 5.7% | 7.9% |
| Grade 10 | 30.7% | 23.8% | 16.0% | 13.5% | 7.0% | 8.9% |
| Grade 11 | 25.9% | 19.1% | 18.2% | 15.7% | 10.6% | 10.6% |
| Grade 12 | 23.5% | 20.2% | 20.1% | 16.7% | 9.3% | 10.2% |

Uppers?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 42.0% | 20.5% | 9.9% | 9.1% | 8.2% | 10.4% |
| Grade 7 | 57.0% | 28.4% | 6.0% | 3.1% | 2.1% | 3.3% |
| Grade 8 | 50.1% | 25.8% | 9.2% | 6.3% | 4.1% | 4.4% |
| Grade 9 | 41.9% | 19.9% | 9.2% | 9.2% | 8.9% | 11.0% |
| Grade 10 | 37.7% | 17.3% | 11.0% | 11.1% | 9.3% | 13.6% |
| Grade 11 | 31.6% | 14.3% | 11.5% | 13.1% | 13.6% | 15.9% |
| Grade 12 | 28.9% | 14.9% | 13.4% | 13.5% | 12.8% | 16.5% |

Downers?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 42.1% | 20.5% | 9.8% | 8.9% | 8.3% | 10.4% |
| Grade 7 | 57.2% | 28.5% | 6.0% | 3.2% | 2.1% | 3.0% |
| Grade 8 | 50.1% | 25.9% | 9.2% | 5.9% | 4.4% | 4.5% |
| Grade 9 | 42.1% | 19.9% | 9.5% | 8.9% | 9.3% | 10.4% |
| Grade 10 | 37.8% | 17.9% | 10.6% | 10.7% | 9.5% | 13.6% |
| Grade 11 | 31.8% | 14.3% | 11.2% | 13.7% | 12.4% | 16.6% |
| Grade 12 | 28.8% | 14.4% | 13.3% | 13.0% | 13.8% | 16.7% |

State - Grades 7-12
Spring 2002

Rohypnol?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 44.8% | 20.8% | 10.3% | 8.3% | 6.5% | 9.3% |
| Grade 7 | 56.0% | 27.5% | 6.0% | 3.1% | 3.4% | 3.9% |
| Grade 8 | 48.0% | 26.5% | 9.2% | 5.7% | 4.1% | 6.5% |
| Grade 9 | 45.6% | 19.2% | 9.7% | 7.7% | 7.1% | 10.7% |
| Grade 10 | 41.4% | 19.2% | 11.6% | 9.5% | 7.3% | 11.1% |
| Grade 11 | 39.0% | 15.3% | 12.2% | 13.0% | 8.4% | 12.1% |
| Grade 12 | 35.6% | 15.3% | 14.8% | 12.8% | 9.1% | 12.4% |

Steroids?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 24.0% | 30.1% | 15.0% | 12.7% | 8.7% | 9.5% |
| Grade 7 | 33.4% | 44.0% | 9.8% | 4.9% | 3.8% | 4.0% |
| Grade 8 | 26.5% | 39.2% | 14.7% | 8.9% | 5.4% | 5.4% |
| Grade 9 | 25.3% | 28.1% | 15.1% | 13.2% | 9.0% | 9.2% |
| Grade 10 | 21.0% | 25.4% | 17.0% | 15.9% | 9.2% | 11.5% |
| Grade 11 | 18.5% | 20.6% | 15.5% | 18.0% | 13.5% | 13.8% |
| Grade 12 | 16.5% | 19.2% | 18.8% | 17.3% | 13.1% | 15.2% |

Ecstasy?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 25.1% | 25.6% | 11.9% | 11.0% | 11.0% | 15.4% |
| Grade 7 | 42.9% | 36.9% | 7.0% | 4.6% | 3.8% | 4.8% |
| Grade 8 | 29.7% | 36.2% | 12.4% | 7.7% | 6.1% | 8.0% |
| Grade 9 | 25.1% | 24.3% | 11.5% | 11.9% | 10.5% | 16.6% |
| Grade 10 | 18.5% | 21.0% | 12.9% | 14.5% | 13.7% | 19.4% |
| Grade 11 | 15.8% | 16.0% | 12.7% | 14.3% | 16.5% | 24.7% |
| Grade 12 | 14.4% | 15.1% | 16.0% | 14.1% | 18.5% | 22.0% |

Heroin?

| | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------|-------------------|------------|-------------------|-----------------------|------------------|--------------|
| All | 24.1% | 35.6% | 16.1% | 10.6% | 5.9% | 7.7% |
| Grade 7 | 33.1% | 48.0% | 8.0% | 3.9% | 3.0% | 4.1% |
| Grade 8 | 26.2% | 44.5% | 13.4% | 7.0% | 3.7% | 5.2% |
| Grade 9 | 25.0% | 33.1% | 15.3% | 11.6% | 6.7% | 8.4% |
| Grade 10 | 21.3% | 31.8% | 18.9% | 12.9% | 6.5% | 8.7% |
| Grade 11 | 19.0% | 25.7% | 21.0% | 14.8% | 9.1% | 10.4% |
| Grade 12 | 17.0% | 26.8% | 23.3% | 15.2% | 7.4% | 10.5% |

State - Grades 7-12
Spring 2002

Table D-6: Since school began in the fall, on how many days (if any) have you..

Attended class while high from marijuana use?

| | None | 1-3 Days | 4-9 Days | 10+ Days |
|----------|------|----------|----------|----------|
| All | 88% | 6.8% | 2.2% | 3.3% |
| Grade 7 | 94% | 4.3% | 0.7% | 1.0% |
| Grade 8 | 91% | 5.6% | 1.8% | 1.9% |
| Grade 9 | 85% | 8.4% | 2.9% | 4.1% |
| Grade 10 | 85% | 8.9% | 2.4% | 3.3% |
| Grade 11 | 84% | 7.4% | 3.3% | 4.8% |
| Grade 12 | 87% | 6.0% | 2.4% | 5.0% |

Attended class while high from use of some other drug?

| | None | 1-3 Days | 4-9 Days | 10+ Days |
|----------|------|----------|----------|----------|
| All | 93% | 4.3% | 1.3% | 1.3% |
| Grade 7 | 96% | 2.8% | 0.6% | 0.7% |
| Grade 8 | 95% | 3.3% | 0.6% | 0.9% |
| Grade 9 | 90% | 6.0% | 2.2% | 1.5% |
| Grade 10 | 93% | 4.3% | 1.3% | 1.4% |
| Grade 11 | 91% | 5.4% | 1.6% | 2.0% |
| Grade 12 | 94% | 3.2% | 1.7% | 1.5% |

Gotten into trouble with teachers because of your drug use?

| | None | 1-3 Days | 4-9 Days | 10+ Days |
|----------|------|----------|----------|----------|
| All | 98% | 1.2% | 0.2% | 0.2% |
| Grade 7 | 99% | 0.9% | 0.1% | 0.2% |
| Grade 8 | 98% | 1.1% | 0.3% | 0.2% |
| Grade 9 | 98% | 1.6% | 0.6% | 0.2% |
| Grade 10 | 98% | 1.4% | 0.1% | 0.2% |
| Grade 11 | 99% | 1.0% | 0.1% | 0.2% |
| Grade 12 | 99% | 0.7% | 0.1% | 0.2% |

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 5.3 days per student
Marijuana Non-users: 4.0 days per student

Average days conduct problems reported:

Marijuana Users: 4.5 days per student
Marijuana Non-users: 1.4 days per student

State - Grades 7-12
Spring 2002

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 87.3% | 7.4% | 2.4% | 2.9% |
| Grade 9 | 92.1% | 4.5% | 1.7% | 1.6% |
| Grade 10 | 88.7% | 7.2% | 2.4% | 1.7% |
| Grade 11 | 83.5% | 9.0% | 2.9% | 4.6% |
| Grade 12 | 82.1% | 10.4% | 2.8% | 4.7% |

Gotten into trouble with the police because of drug use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 97.4% | 2.1% | 0.2% | 0.3% |
| Grade 7 | 98.3% | 1.1% | 0.2% | 0.4% |
| Grade 8 | 97.4% | 2.1% | 0.2% | 0.3% |
| Grade 9 | 96.7% | 2.7% | 0.3% | 0.3% |
| Grade 10 | 97.4% | 2.2% | 0.2% | 0.2% |
| Grade 11 | 97.2% | 2.4% | 0.2% | 0.2% |
| Grade 12 | 97.9% | 1.7% | 0.2% | 0.2% |

Table D-9: About how many of your close friends use marijuana?

| | Never heard None | A Few | Some | Most | All |
|----------|---------------------|--------|-------|-------|------|
| All | 46.5% | 20.6 % | 13.7% | 12.9% | 6.3% |
| Grade 7 | 73.9% | 13.0 % | 6.0% | 4.5% | 2.6% |
| Grade 8 | 56.2% | 19.9 % | 9.6% | 8.8% | 5.6% |
| Grade 9 | 41.0% | 20.5 % | 14.5% | 15.5% | 8.6% |
| Grade 10 | 36.3% | 21.6 % | 18.0% | 16.9% | 7.2% |
| Grade 11 | 33.0% | 25.0 % | 17.4% | 17.7% | 6.9% |
| Grade 12 | 33.4% | 25.8 % | 19.0% | 15.2% | 6.6% |

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 93.7% | 5.3% | 0.7% | 0.3% |
| Grade 7 | 96.5% | 3.0% | 0.4% | 0.2% |
| Grade 8 | 95.0% | 4.2% | 0.6% | 0.3% |
| Grade 9 | 92.2% | 6.3% | 1.1% | 0.5% |
| Grade 10 | 92.6% | 6.4% | 0.7% | 0.3% |
| Grade 11 | 92.4% | 6.7% | 0.5% | 0.4% |
| Grade 12 | 93.7% | 5.2% | 0.8% | 0.3% |

State - Grades 7-12
Spring 2002

Been criticized by someone you were dating because of drug use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| All | 94.0% | 4.5% | 0.8% | 0.6% |
| Grade 7 | 97.5% | 1.8% | 0.4% | 0.4% |
| Grade 8 | 96.3% | 2.9% | 0.4% | 0.4% |
| Grade 9 | 93.1% | 4.7% | 1.2% | 0.9% |
| Grade 10 | 92.5% | 6.0% | 0.9% | 0.6% |
| Grade 11 | 92.7% | 5.7% | 1.0% | 0.6% |
| Grade 12 | 91.6% | 6.6% | 1.0% | 0.9% |

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

| | Never | Seldom | Half the Time | Most Of the Time | Always | Don't Know | Didn't Attend |
|----------|-------|--------|---------------|------------------|--------|------------|---------------|
| All | 46% | 10.9% | 8.0% | 9.5% | 11.5% | 3.1% | 11.2% |
| Grade 7 | 73% | 7.2% | 2.9% | 2.9% | 3.1% | 2.5% | 8.4% |
| Grade 8 | 62% | 9.8% | 5.9% | 5.7% | 5.3% | 2.7% | 8.5% |
| Grade 9 | 42% | 11.0% | 9.2% | 9.6% | 13.0% | 3.1% | 12.3% |
| Grade 10 | 35% | 13.0% | 9.9% | 12.0% | 14.8% | 3.7% | 11.3% |
| Grade 11 | 28% | 11.7% | 9.7% | 13.3% | 18.0% | 3.8% | 15.8% |
| Grade 12 | 28% | 14.0% | 11.2% | 15.9% | 16.6% | 2.6% | 11.6% |

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't Know |
|----------|-------|--------|---------------|------------------|--------|------------|
| All | 70.7% | 9.7% | 6.7% | 7.5% | 4.2% | 1.3% |
| Grade 7 | 85.4% | 5.0% | 3.6% | 3.3% | 1.8% | 0.9% |
| Grade 8 | 76.4% | 8.5% | 5.3% | 5.3% | 3.3% | 1.3% |
| Grade 9 | 68.6% | 10.8% | 6.9% | 7.0% | 5.1% | 1.5% |
| Grade 10 | 66.6% | 9.4% | 8.0% | 9.9% | 5.1% | 1.0% |
| Grade 11 | 64.7% | 11.4% | 8.4% | 8.7% | 4.8% | 1.9% |
| Grade 12 | 62.3% | 13.3% | 7.7% | 11.0% | 4.6% | 1.1% |

Blunts?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't Know |
|----------|-------|--------|---------------|------------------|--------|------------|
| All | 75.1% | 10.0% | 5.2% | 4.4% | 4.1% | 1.3% |
| Grade 7 | 88.9% | 4.7% | 2.1% | 1.8% | 1.5% | 0.9% |
| Grade 8 | 81.3% | 6.7% | 4.8% | 3.0% | 2.9% | 1.3% |
| Grade 9 | 73.2% | 9.6% | 5.0% | 5.3% | 5.4% | 1.4% |
| Grade 10 | 70.5% | 11.1% | 7.0% | 5.7% | 4.8% | 0.8% |
| Grade 11 | 69.1% | 12.9% | 6.8% | 4.6% | 4.6% | 2.0% |
| Grade 12 | 67.6% | 15.4% | 5.4% | 5.6% | 4.9% | 1.1% |

State - Grades 7-12
Spring 2002

Bongs or water pipes?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't Know |
|----------|-------|--------|---------------|------------------|--------|------------|
| All | 78.8% | 8.6% | 4.7% | 4.1% | 2.6% | 1.2% |
| Grade 7 | 92.2% | 3.0% | 1.6% | 1.4% | 0.9% | 0.8% |
| Grade 8 | 84.4% | 6.1% | 3.4% | 3.0% | 1.9% | 1.2% |
| Grade 9 | 77.7% | 7.8% | 4.2% | 5.3% | 3.7% | 1.4% |
| Grade 10 | 75.4% | 10.3% | 5.9% | 4.6% | 3.1% | 0.7% |
| Grade 11 | 72.6% | 12.6% | 5.8% | 4.5% | 2.6% | 1.9% |
| Grade 12 | 70.4% | 12.5% | 7.9% | 5.2% | 3.2% | 0.9% |

Pipes?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't Know |
|----------|-------|--------|---------------|------------------|--------|------------|
| All | 77.5% | 7.6% | 5.1% | 5.4% | 3.3% | 1.1% |
| Grade 7 | 91.3% | 3.4% | 1.7% | 1.5% | 1.3% | 0.9% |
| Grade 8 | 83.8% | 5.8% | 3.6% | 3.0% | 2.7% | 1.1% |
| Grade 9 | 76.0% | 7.2% | 4.8% | 6.1% | 4.7% | 1.1% |
| Grade 10 | 73.6% | 8.4% | 7.2% | 6.6% | 3.5% | 0.7% |
| Grade 11 | 70.6% | 10.5% | 6.1% | 7.4% | 3.5% | 1.8% |
| Grade 12 | 69.5% | 10.4% | 7.5% | 8.0% | 3.6% | 1.0% |

Some other way?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't Know |
|----------|-------|--------|---------------|------------------|--------|------------|
| All | 84.3% | 6.9% | 2.2% | 1.6% | 2.1% | 2.8% |
| Grade 7 | 92.7% | 2.8% | 1.1% | 0.7% | 1.4% | 1.4% |
| Grade 8 | 87.5% | 4.7% | 2.1% | 1.7% | 1.7% | 2.3% |
| Grade 9 | 82.0% | 6.0% | 2.3% | 2.6% | 3.3% | 3.8% |
| Grade 10 | 82.2% | 8.7% | 2.3% | 1.7% | 2.1% | 3.0% |
| Grade 11 | 79.9% | 10.2% | 2.9% | 1.5% | 2.0% | 3.4% |
| Grade 12 | 81.8% | 9.9% | 2.7% | 1.0% | 2.1% | 2.7% |

Table D-13: How do your parents feel about kids your age using marijuana?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't Know |
|----------|---------------------|-------------------|---------|----------------|------------------|------------|
| All | 80.8% | 5.4% | 4.1% | 1.0% | 1.2% | 7.5% |
| Grade 7 | 82.4% | 2.3% | 1.7% | 0.5% | 1.2% | 11.9% |
| Grade 8 | 82.2% | 4.4% | 3.2% | 0.8% | 1.2% | 8.2% |
| Grade 9 | 78.9% | 5.0% | 4.5% | 1.4% | 1.9% | 8.2% |
| Grade 10 | 78.9% | 7.4% | 5.0% | 1.2% | 0.8% | 6.7% |
| Grade 11 | 82.4% | 6.0% | 4.9% | 0.9% | 1.1% | 4.6% |
| Grade 12 | 80.3% | 8.4% | 5.7% | 0.9% | 0.8% | 3.9% |

State - Grades 7-12
Spring 2002

Table D-14: How dangerous do you think it is for kids your age to use...

Marijuana?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|----------------|--------------------|--------------------|----------------------|-------------|
| All | 57.7% | 18.0% | 11.7% | 8.4% | 4.2% |
| Grade 7 | 77.7% | 10.4% | 3.8% | 3.0% | 5.1% |
| Grade 8 | 67.6% | 15.6% | 7.4% | 5.1% | 4.3% |
| Grade 9 | 53.6% | 19.5% | 11.7% | 10.3% | 4.9% |
| Grade 10 | 48.6% | 20.1% | 16.4% | 10.7% | 4.3% |
| Grade 11 | 48.0% | 21.3% | 16.7% | 10.8% | 3.2% |
| Grade 12 | 48.1% | 22.2% | 15.6% | 11.6% | 2.6% |

Cocaine?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|----------------|--------------------|--------------------|----------------------|-------------|
| All | 84.6% | 8.4% | 1.6% | 0.7% | 4.8% |
| Grade 7 | 86.1% | 6.9% | 1.3% | 0.6% | 5.1% |
| Grade 8 | 85.3% | 7.5% | 1.6% | 0.7% | 4.9% |
| Grade 9 | 81.1% | 9.9% | 1.9% | 0.8% | 6.4% |
| Grade 10 | 85.2% | 8.6% | 1.8% | 0.6% | 3.8% |
| Grade 11 | 83.9% | 9.8% | 2.0% | 0.7% | 3.6% |
| Grade 12 | 86.9% | 7.5% | 1.0% | 0.4% | 4.2% |

Crack?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|----------------|--------------------|--------------------|----------------------|-------------|
| All | 86.7% | 6.6% | 1.1% | 0.5% | 5.2% |
| Grade 7 | 86.7% | 6.3% | 1.3% | 0.5% | 5.2% |
| Grade 8 | 86.5% | 7.0% | 1.0% | 0.7% | 4.9% |
| Grade 9 | 83.0% | 8.1% | 1.4% | 0.6% | 6.8% |
| Grade 10 | 87.7% | 6.2% | 0.9% | 0.6% | 4.6% |
| Grade 11 | 87.6% | 6.5% | 1.1% | 0.4% | 4.3% |
| Grade 12 | 90.2% | 4.4% | 0.4% | 0.3% | 4.7% |

Ecstasy?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|----------------|--------------------|--------------------|----------------------|-------------|
| All | 79.3% | 10.2% | 2.8% | 1.3% | 6.5% |
| Grade 7 | 81.9% | 6.5% | 1.7% | 1.0% | 9.0% |
| Grade 8 | 80.8% | 8.6% | 2.3% | 1.0% | 7.3% |
| Grade 9 | 76.9% | 10.4% | 3.4% | 1.8% | 7.5% |
| Grade 10 | 79.1% | 11.7% | 2.9% | 1.3% | 5.0% |
| Grade 11 | 77.4% | 12.8% | 3.7% | 1.4% | 4.7% |
| Grade 12 | 79.9% | 11.9% | 2.8% | 1.1% | 4.3% |

State - Grades 7-12
Spring 2002

Steroids?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| All | 75.2% | 13.1% | 3.6% | 1.1% | 7.0% |
| Grade 7 | 79.0% | 9.5% | 2.5% | 1.1% | 7.9% |
| Grade 8 | 75.2% | 12.9% | 3.2% | 1.4% | 7.3% |
| Grade 9 | 72.4% | 14.6% | 3.7% | 1.2% | 8.1% |
| Grade 10 | 74.5% | 13.4% | 4.6% | 1.2% | 6.4% |
| Grade 11 | 75.5% | 13.8% | 3.9% | 1.0% | 5.9% |
| Grade 12 | 75.3% | 14.6% | 4.0% | 0.7% | 5.4% |

Heroin?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| All | 88.2% | 4.6% | 0.7% | 0.5% | 5.9% |
| Grade 7 | 86.4% | 4.9% | 1.1% | 0.5% | 7.1% |
| Grade 8 | 86.8% | 5.6% | 0.7% | 0.6% | 6.4% |
| Grade 9 | 85.8% | 5.5% | 0.8% | 0.6% | 7.3% |
| Grade 10 | 89.4% | 4.1% | 0.9% | 0.6% | 4.9% |
| Grade 11 | 91.1% | 3.7% | 0.4% | 0.4% | 4.5% |
| Grade 12 | 91.6% | 3.3% | 0.3% | 0.3% | 4.4% |

State - Grades 7-12
Spring 2002

Table I-1: How recently, if ever, have you used...

| | | Past Month | School Year | Ever Used | Never Used |
|--------------------------|----------|---------------|----------------|--------------|---------------|
| Any inhalant? | All | 6.8% | 9.8% | 18.0% | 82.0% |
| | Grade 7 | 9.1% | 11.9% | 19.3% | 80.7% |
| | Grade 8 | 8.2% | 11.2% | 18.8% | 81.2% |
| | Grade 9 | 8.1% | 12.2% | 20.2% | 79.8% |
| | Grade 10 | 5.3% | 7.6% | 16.0% | 84.0% |
| | Grade 11 | 4.4% | 6.9% | 16.7% | 83.3% |
| | Grade 12 | 4.0% | 7.3% | 15.4% | 84.6% |
| Liquid or spray paint | All | 1.4% | 2.3% | 6.9% | 93.1% |
| | Grade 7 | 2.0% | 3.2% | 7.8% | 92.2% |
| | Grade 8 | 1.7% | 3.2% | 7.5% | 92.5% |
| | Grade 9 | 1.6% | 2.7% | 8.1% | 91.9% |
| | Grade 10 | 1.4% | 2.0% | 6.6% | 93.4% |
| | Grade 11 | 0.7% | 1.2% | 5.3% | 94.7% |
| | Grade 12 | 0.8% | 1.1% | 4.9% | 95.1% |
| Whiteout, correction fld | All | 1.8% | 3.0% | 7.2% | 92.8% |
| | Grade 7 | 2.9% | 4.9% | 9.7% | 90.3% |
| | Grade 8 | 2.7% | 4.4% | 8.8% | 91.2% |
| | Grade 9 | 2.3% | 3.7% | 8.7% | 91.3% |
| | Grade 10 | 1.1% | 1.6% | 5.7% | 94.3% |
| | Grade 11 | 0.7% | 1.0% | 4.6% | 95.4% |
| | Grade 12 | 0.5% | 1.2% | 4.3% | 95.7% |
| Gasoline? | All | 1.2% | 1.8% | 4.1% | 95.9% |
| | Grade 7 | 1.6% | 2.5% | 5.1% | 94.9% |
| | Grade 8 | 1.5% | 2.3% | 4.8% | 95.2% |
| | Grade 9 | 1.4% | 2.1% | 4.5% | 95.5% |
| | Grade 10 | 0.9% | 1.1% | 3.2% | 96.8% |
| | Grade 11 | 0.7% | 0.9% | 2.6% | 97.4% |
| | Grade 12 | 0.6% | 1.1% | 3.9% | 96.1% |
| Freon? | All | 0.5% | 0.8% | 2.0% | 98.0% |
| | Grade 7 | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 0.7% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 0.7% | 1.1% | 2.4% | 97.6% |
| | Grade 10 | 0.5% | 0.9% | 2.1% | 97.9% |
| | Grade 11 | 0.3% | 0.6% | 2.4% | 97.6% |
| | Grade 12 | 0.3% | 0.5% | 1.4% | 98.6% |
| Poppers, Locker Room | All | 0.7% | 1.1% | 1.9% | 98.1% |
| | Grade 7 | 0.9% | 1.2% | 2.0% | 98.0% |
| | Grade 8 | 0.7% | 1.1% | 2.0% | 98.0% |
| | Grade 9 | 1.1% | 1.7% | 2.6% | 97.4% |
| | Grade 10 | 0.6% | 0.9% | 1.8% | 98.2% |
| | Grade 11 | 0.5% | 0.7% | 1.6% | 98.4% |
| | Grade 12 | 0.3% | 0.5% | 1.3% | 98.7% |
| Glue? | All | 0.9% | 1.5% | 3.8% | 96.2% |
| | Grade 7 | 1.9% | 3.0% | 5.9% | 94.1% |
| | Grade 8 | 1.1% | 1.7% | 5.1% | 94.9% |
| | Grade 9 | 0.8% | 1.2% | 3.5% | 96.5% |
| | Grade 10 | 0.9% | 1.2% | 3.3% | 96.7% |
| | Grade 11 | 0.5% | 0.7% | 1.9% | 98.1% |
| | Grade 12 | 0.3% | 0.5% | 2.7% | 97.3% |

State - Grades 7-12
Spring 2002

| | | Past Month | School Year | Ever Used | Never Used |
|------------------------|----------|---------------|----------------|--------------|---------------|
| Paint, lacquer thinner | All | 1.2% | 1.9% | 4.0% | 96.0% |
| | Grade 7 | 1.8% | 2.6% | 4.7% | 95.3% |
| | Grade 8 | 1.3% | 2.2% | 4.7% | 95.3% |
| | Grade 9 | 1.7% | 2.8% | 5.2% | 94.8% |
| | Grade 10 | 1.0% | 1.6% | 3.6% | 96.4% |
| | Grade 11 | 0.5% | 0.8% | 2.8% | 97.2% |
| | Grade 12 | 0.3% | 0.6% | 2.4% | 97.6% |
| Nitrous oxide | All | 1.6% | 2.6% | 6.0% | 94.0% |
| | Grade 7 | 1.2% | 1.7% | 4.0% | 96.0% |
| | Grade 8 | 1.5% | 2.2% | 4.4% | 95.6% |
| | Grade 9 | 2.2% | 3.5% | 6.7% | 93.3% |
| | Grade 10 | 1.6% | 2.6% | 5.3% | 94.7% |
| | Grade 11 | 1.2% | 2.5% | 8.1% | 91.9% |
| | Grade 12 | 1.8% | 3.5% | 8.1% | 91.9% |
| Octane booster? | All | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 7 | 0.4% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 0.6% | 0.8% | 1.3% | 98.7% |
| | Grade 9 | 0.6% | 0.8% | 1.5% | 98.5% |
| | Grade 10 | 0.3% | 0.6% | 1.2% | 98.8% |
| | Grade 11 | 0.3% | 0.4% | 1.0% | 99.0% |
| | Grade 12 | 0.2% | 0.4% | 0.8% | 99.2% |
| Other sprays? | All | 1.1% | 1.8% | 3.7% | 96.3% |
| | Grade 7 | 1.8% | 2.9% | 5.1% | 94.9% |
| | Grade 8 | 1.7% | 2.4% | 4.8% | 95.2% |
| | Grade 9 | 1.1% | 2.3% | 4.6% | 95.4% |
| | Grade 10 | 0.6% | 1.0% | 2.5% | 97.5% |
| | Grade 11 | 0.5% | 0.7% | 2.0% | 98.0% |
| | Grade 12 | 0.3% | 0.6% | 2.0% | 98.0% |
| Other inhalants? | All | 2.9% | 4.2% | 8.4% | 91.6% |
| | Grade 7 | 3.5% | 5.3% | 10.2% | 89.8% |
| | Grade 8 | 3.7% | 5.2% | 10.2% | 89.8% |
| | Grade 9 | 3.9% | 5.6% | 10.0% | 90.0% |
| | Grade 10 | 2.2% | 3.3% | 7.2% | 92.8% |
| | Grade 11 | 1.6% | 2.7% | 6.6% | 93.4% |
| | Grade 12 | 1.5% | 2.1% | 4.7% | 95.3% |

Table I-2: How often do you normally use inhalants?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less Than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 93.0% | 0.1% | 0.4% | 0.8% | 1.2% | 1.5% | 3.1% |
| Grade 7 | 91.1% | 0.3% | 0.8% | 1.3% | 1.8% | 1.9% | 2.8% |
| Grade 8 | 91.2% | 0.3% | 0.6% | 1.3% | 1.6% | 1.8% | 3.2% |
| Grade 9 | 93.0% | 0.1% | 0.4% | 0.7% | 1.7% | 1.5% | 2.8% |
| Grade 10 | 94.3% | 0.1% | 0.1% | 0.5% | 0.9% | 1.3% | 2.8% |
| Grade 11 | 94.8% | 0.1% | 0.1% | 0.2% | 0.4% | 0.9% | 3.5% |
| Grade 12 | 94.4% | 0.0% | 0.1% | 0.4% | 0.4% | 1.1% | 3.6% |

State - Grades 7-12
Spring 2002

Table I-3: Number of different kinds of inhalants used:

| | 0 | 1 | 2-3 | 4+ |
|----------|-------|------|------|------|
| All | 84.3% | 7.0% | 5.4% | 3.3% |
| Grade 7 | 83.4% | 6.2% | 6.0% | 4.4% |
| Grade 8 | 83.8% | 6.2% | 6.1% | 3.9% |
| Grade 9 | 82.0% | 8.1% | 6.3% | 3.7% |
| Grade 10 | 86.1% | 6.5% | 4.6% | 2.8% |
| Grade 11 | 85.8% | 7.7% | 4.2% | 2.3% |
| Grade 12 | 86.0% | 7.4% | 4.3% | 2.3% |

Table I-4: Average age of first use of:

| | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|-----------|---------|---------|---------|----------|----------|----------|
| Inhalants | 10.6 | 11.5 | 12.3 | 12.6 | 13.2 | 13.2 |

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

| | None | 1-3 Days | 4-9 Days | 10+ Days |
|----------|------|----------|----------|----------|
| All | 98% | 1.5% | 0.3% | 0.4% |
| Grade 7 | 97% | 2.2% | 0.4% | 0.4% |
| Grade 8 | 97% | 1.9% | 0.5% | 0.6% |
| Grade 9 | 97% | 1.7% | 0.5% | 0.3% |
| Grade 10 | 98% | 1.3% | 0.3% | 0.4% |
| Grade 11 | 99% | 0.7% | 0.1% | 0.3% |
| Grade 12 | 99% | 1.0% | 0.1% | 0.2% |

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users: 5.1 days per student
Inhalants Non-users: 4.2 days per student

Average days conduct problems reported:

Inhalants Users: 4.6 days per student
Inhalants Non-users: 1.8 days per student

State - Grades 7-12
Spring 2002

Table I-7: About how many of your close friends use inhalants?

| | Never heard None | A Few | Some | Most | All |
|----------|---------------------|--------|------|------|------|
| All | 84.2% | 10.8 % | 3.3% | 1.2% | 0.5% |
| Grade 7 | 83.1% | 10.9 % | 3.6% | 1.6% | 0.7% |
| Grade 8 | 81.7% | 12.3 % | 4.0% | 1.3% | 0.7% |
| Grade 9 | 82.3% | 10.7 % | 4.6% | 1.9% | 0.5% |
| Grade 10 | 85.2% | 10.2 % | 3.4% | 0.8% | 0.3% |
| Grade 11 | 87.1% | 10.3 % | 1.9% | 0.5% | 0.2% |
| Grade 12 | 87.8% | 9.9 % | 1.3% | 0.4% | 0.6% |

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

| | Very Dangerous | Somewhat Dangerous | Not Very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|----------------|
| All | 77.0% | 13.8% | 2.6% | 1.0% | 5.6% |
| Grade 7 | 78.4% | 11.7% | 2.8% | 1.4% | 5.7% |
| Grade 8 | 76.7% | 14.6% | 2.7% | 0.9% | 5.1% |
| Grade 9 | 74.5% | 14.6% | 3.0% | 1.0% | 6.9% |
| Grade 10 | 75.4% | 15.7% | 3.0% | 0.8% | 5.0% |
| Grade 11 | 78.2% | 13.6% | 2.1% | 0.9% | 5.2% |
| Grade 12 | 80.2% | 12.4% | 1.8% | 0.7% | 4.9% |

State - Grades 7-12
Spring 2002

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

Health class

| | No | Yes |
|----------|-------|-------|
| All | 52.2% | 47.8% |
| Grade 7 | 52.4% | 47.6% |
| Grade 8 | 59.3% | 40.7% |
| Grade 9 | 42.6% | 57.4% |
| Grade 10 | 44.9% | 55.1% |
| Grade 11 | 56.2% | 43.8% |
| Grade 12 | 62.1% | 37.9% |

An assembly program

| | No | Yes |
|----------|-------|-------|
| All | 53.4% | 46.6% |
| Grade 7 | 51.7% | 48.3% |
| Grade 8 | 49.6% | 50.4% |
| Grade 9 | 54.7% | 45.3% |
| Grade 10 | 55.1% | 44.9% |
| Grade 11 | 54.7% | 45.3% |
| Grade 12 | 54.3% | 45.7% |

Guidance counselor

| | No | Yes |
|----------|-------|-------|
| All | 75.5% | 24.5% |
| Grade 7 | 67.7% | 32.3% |
| Grade 8 | 68.8% | 31.2% |
| Grade 9 | 77.4% | 22.6% |
| Grade 10 | 77.6% | 22.4% |
| Grade 11 | 81.9% | 18.1% |
| Grade 12 | 80.2% | 19.8% |

Science class

| | No | Yes |
|----------|-------|-------|
| All | 71.2% | 28.8% |
| Grade 7 | 48.5% | 51.5% |
| Grade 8 | 68.3% | 31.7% |
| Grade 9 | 71.6% | 28.4% |
| Grade 10 | 74.0% | 26.0% |
| Grade 11 | 81.0% | 19.0% |
| Grade 12 | 86.1% | 13.9% |

Social studies class

| | No | Yes |
|----------|-------|-------|
| All | 87.0% | 13.0% |
| Grade 7 | 83.1% | 16.9% |
| Grade 8 | 87.7% | 12.3% |
| Grade 9 | 85.2% | 14.8% |
| Grade 10 | 88.1% | 11.9% |
| Grade 11 | 88.1% | 11.9% |
| Grade 12 | 90.7% | 9.3% |

State - Grades 7-12
Spring 2002

Student group session

| | No | Yes |
|----------|-------|-------|
| All | 84.4% | 15.6% |
| Grade 7 | 83.6% | 16.4% |
| Grade 8 | 85.2% | 14.8% |
| Grade 9 | 81.7% | 18.3% |
| Grade 10 | 85.2% | 14.8% |
| Grade 11 | 86.3% | 13.7% |
| Grade 12 | 85.5% | 14.5% |

An invited school guest

| | No | Yes |
|----------|-------|-------|
| All | 63.5% | 36.5% |
| Grade 7 | 58.4% | 41.6% |
| Grade 8 | 60.5% | 39.5% |
| Grade 9 | 64.4% | 35.6% |
| Grade 10 | 66.1% | 33.9% |
| Grade 11 | 66.5% | 33.5% |
| Grade 12 | 65.2% | 34.8% |

Some other school source

| | No | Yes |
|----------|-------|-------|
| All | 67.0% | 33.0% |
| Grade 7 | 64.6% | 35.4% |
| Grade 8 | 64.8% | 35.2% |
| Grade 9 | 67.7% | 32.3% |
| Grade 10 | 66.8% | 33.2% |
| Grade 11 | 69.7% | 30.3% |
| Grade 12 | 68.5% | 31.5% |

Any school source

| | No | Yes |
|----------|-------|-------|
| All | 39.4% | 60.6% |
| Grade 7 | 41.7% | 58.3% |
| Grade 8 | 42.6% | 57.4% |
| Grade 9 | 35.9% | 64.1% |
| Grade 10 | 37.0% | 63.0% |
| Grade 11 | 39.3% | 60.7% |
| Grade 12 | 40.6% | 59.4% |

State - Grades 7-12
Spring 2002

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

| | No | Yes |
|----------|-------|-------|
| All | 67.1% | 32.9% |
| Grade 7 | 53.9% | 46.1% |
| Grade 8 | 63.5% | 36.5% |
| Grade 9 | 68.4% | 31.6% |
| Grade 10 | 71.5% | 28.5% |
| Grade 11 | 73.6% | 26.4% |
| Grade 12 | 74.5% | 25.5% |

Another adult in school (such as a nurse or teacher)

| | No | Yes |
|----------|-------|-------|
| All | 69.6% | 30.4% |
| Grade 7 | 63.7% | 36.3% |
| Grade 8 | 67.0% | 33.0% |
| Grade 9 | 71.7% | 28.3% |
| Grade 10 | 73.8% | 26.2% |
| Grade 11 | 70.4% | 29.6% |
| Grade 12 | 70.9% | 29.1% |

A counselor or program outside of school

| | No | Yes |
|----------|-------|-------|
| All | 63.4% | 36.6% |
| Grade 7 | 59.7% | 40.3% |
| Grade 8 | 62.8% | 37.2% |
| Grade 9 | 65.7% | 34.3% |
| Grade 10 | 64.9% | 35.1% |
| Grade 11 | 62.2% | 37.8% |
| Grade 12 | 65.2% | 34.8% |

Your parents

| | No | Yes |
|----------|-------|-------|
| All | 41.5% | 58.5% |
| Grade 7 | 35.1% | 64.9% |
| Grade 8 | 40.1% | 59.9% |
| Grade 9 | 43.6% | 56.4% |
| Grade 10 | 44.0% | 56.0% |
| Grade 11 | 44.4% | 55.6% |
| Grade 12 | 42.1% | 57.9% |

A medical doctor

| | No | Yes |
|----------|-------|-------|
| All | 62.4% | 37.6% |
| Grade 7 | 55.8% | 44.2% |
| Grade 8 | 61.7% | 38.3% |
| Grade 9 | 64.4% | 35.6% |
| Grade 10 | 64.7% | 35.3% |
| Grade 11 | 65.0% | 35.0% |
| Grade 12 | 62.6% | 37.4% |

State - Grades 7-12
Spring 2002

Your friends

| | No | Yes |
|----------|-------|-------|
| All | 27.0% | 73.0% |
| Grade 7 | 36.7% | 63.3% |
| Grade 8 | 29.2% | 70.8% |
| Grade 9 | 27.9% | 72.1% |
| Grade 10 | 22.1% | 77.9% |
| Grade 11 | 23.8% | 76.2% |
| Grade 12 | 19.7% | 80.3% |

Another adult (a relative, clergyman, or other family friend)

| | No | Yes |
|----------|-------|-------|
| All | 40.5% | 59.5% |
| Grade 7 | 41.2% | 58.8% |
| Grade 8 | 39.9% | 60.1% |
| Grade 9 | 41.5% | 58.5% |
| Grade 10 | 40.8% | 59.2% |
| Grade 11 | 41.0% | 59.0% |
| Grade 12 | 38.3% | 61.7% |

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

| | No | Yes |
|----------|-------|------|
| All | 92.2% | 7.8% |
| Grade 7 | 91.5% | 8.5% |
| Grade 8 | 90.8% | 9.2% |
| Grade 9 | 90.1% | 9.9% |
| Grade 10 | 93.2% | 6.8% |
| Grade 11 | 93.2% | 6.8% |
| Grade 12 | 95.6% | 4.4% |

Table X-4: About how many of your friends:

Feel close to their parents?

| | None | A Few | Some | Most | All |
|----------|------|-------|-------|-------|-------|
| All | 5.2% | 28.4% | 25.5% | 32.2% | 8.7% |
| Grade 7 | 6.5% | 26.3% | 21.6% | 31.1% | 14.4% |
| Grade 8 | 6.5% | 27.2% | 24.3% | 31.7% | 10.3% |
| Grade 9 | 6.4% | 32.2% | 24.6% | 29.4% | 7.4% |
| Grade 10 | 3.9% | 28.7% | 26.9% | 33.4% | 7.0% |
| Grade 11 | 3.6% | 29.8% | 28.5% | 32.4% | 5.7% |
| Grade 12 | 2.9% | 25.2% | 28.5% | 36.9% | 6.5% |

State - Grades 7-12
Spring 2002

Sometimes carry weapons?

| | None | A Few | Some | Most | All |
|----------|-------|-------|-------|------|------|
| All | 64.4% | 20.7% | 9.4% | 3.7% | 1.7% |
| Grade 7 | 75.7% | 15.4% | 5.5% | 2.0% | 1.4% |
| Grade 8 | 68.7% | 19.4% | 7.0% | 3.6% | 1.4% |
| Grade 9 | 60.5% | 20.8% | 11.4% | 5.2% | 2.1% |
| Grade 10 | 59.0% | 23.3% | 11.2% | 4.4% | 2.2% |
| Grade 11 | 62.4% | 21.5% | 10.4% | 4.0% | 1.7% |
| Grade 12 | 58.6% | 25.3% | 11.6% | 2.9% | 1.5% |

Care about making good grades?

| | None | A Few | Some | Most | All |
|----------|------|-------|-------|-------|-------|
| All | 3.4% | 15.0% | 22.6% | 40.3% | 18.6% |
| Grade 7 | 4.0% | 15.8% | 20.1% | 34.3% | 25.8% |
| Grade 8 | 4.9% | 16.1% | 22.3% | 36.4% | 20.3% |
| Grade 9 | 4.1% | 18.9% | 24.4% | 37.4% | 15.2% |
| Grade 10 | 2.3% | 13.9% | 24.5% | 43.1% | 16.1% |
| Grade 11 | 2.4% | 11.9% | 22.5% | 46.1% | 17.1% |
| Grade 12 | 2.0% | 11.3% | 21.4% | 48.5% | 16.8% |

Belong/want to belong to a gang?

| | None | A Few | Some | Most | All |
|----------|-------|-------|------|------|------|
| All | 77.5% | 12.7% | 5.6% | 2.8% | 1.4% |
| Grade 7 | 75.3% | 14.1% | 5.8% | 3.0% | 1.8% |
| Grade 8 | 71.6% | 15.7% | 7.0% | 4.2% | 1.6% |
| Grade 9 | 73.9% | 14.1% | 7.0% | 3.7% | 1.3% |
| Grade 10 | 77.7% | 12.3% | 6.0% | 2.3% | 1.6% |
| Grade 11 | 83.5% | 10.7% | 3.4% | 1.7% | 0.7% |
| Grade 12 | 87.1% | 7.5% | 3.1% | 1.1% | 1.1% |

Wish they could drop out of school?

| | None | A Few | Some | Most | All |
|----------|-------|-------|-------|------|------|
| All | 58.1% | 27.2% | 8.8% | 3.7% | 2.2% |
| Grade 7 | 65.0% | 22.2% | 7.1% | 3.1% | 2.5% |
| Grade 8 | 59.6% | 24.5% | 9.2% | 4.4% | 2.2% |
| Grade 9 | 52.6% | 29.0% | 10.4% | 5.7% | 2.2% |
| Grade 10 | 56.0% | 29.1% | 9.4% | 3.2% | 2.3% |
| Grade 11 | 55.8% | 31.6% | 8.2% | 2.7% | 1.8% |
| Grade 12 | 60.8% | 27.4% | 7.6% | 2.4% | 1.9% |

State - Grades 7-12
Spring 2002

Table X-5: How safe do you feel when you are:

in your home

| | Very Safe | Somewhat Safe | Not Very Safe | Not Safe At All | Do not Know |
|----------|--------------|------------------|------------------|--------------------|----------------|
| All | 78.3% | 18.7% | 1.2% | 0.5% | 1.3% |
| Grade 7 | 75.3% | 20.4% | 1.5% | 0.7% | 2.1% |
| Grade 8 | 74.3% | 21.9% | 1.8% | 0.3% | 1.7% |
| Grade 9 | 75.2% | 21.5% | 1.2% | 0.7% | 1.4% |
| Grade 10 | 80.0% | 17.6% | 1.0% | 0.4% | 0.9% |
| Grade 11 | 83.3% | 14.9% | 0.8% | 0.3% | 0.7% |
| Grade 12 | 84.7% | 13.3% | 0.5% | 0.7% | 0.7% |

out in your neighbourhood

| | Very Safe | Somewhat Safe | Not Very Safe | Not Safe At All | Do not Know |
|----------|--------------|------------------|------------------|--------------------|----------------|
| All | 42.4% | 44.6% | 8.4% | 2.3% | 2.3% |
| Grade 7 | 36.0% | 46.0% | 11.4% | 3.1% | 3.5% |
| Grade 8 | 37.6% | 46.6% | 10.6% | 2.8% | 2.3% |
| Grade 9 | 39.4% | 46.1% | 9.0% | 2.4% | 3.1% |
| Grade 10 | 44.3% | 45.2% | 6.7% | 2.0% | 1.9% |
| Grade 11 | 49.4% | 41.7% | 6.5% | 1.2% | 1.2% |
| Grade 12 | 52.3% | 40.0% | 4.9% | 2.0% | 0.8% |

at school

| | Very Safe | Somewhat Safe | Not Very Safe | Not Safe At All | Do not Know |
|----------|--------------|------------------|------------------|--------------------|----------------|
| All | 35.2% | 47.8% | 9.5% | 4.3% | 3.2% |
| Grade 7 | 40.7% | 41.6% | 9.8% | 4.3% | 3.6% |
| Grade 8 | 36.4% | 46.6% | 9.3% | 4.3% | 3.4% |
| Grade 9 | 29.4% | 49.5% | 11.4% | 5.0% | 4.7% |
| Grade 10 | 31.1% | 51.7% | 10.0% | 4.2% | 3.1% |
| Grade 11 | 35.7% | 50.5% | 8.0% | 3.9% | 1.9% |
| Grade 12 | 40.1% | 47.3% | 7.3% | 3.6% | 1.7% |

State - Grades 7-12
Spring 2002

Table B1: Prevalence and recency of use of selected substances by grade
--> All students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 18.2% | 25.3% | 44.9% | 55.1% |
| | Grade 7 | 8.7% | 12.7% | 28.2% | 71.8% |
| | Grade 8 | 11.7% | 17.7% | 36.0% | 64.0% |
| | Grade 9 | 19.2% | 27.8% | 48.2% | 51.8% |
| | Grade 10 | 20.5% | 28.4% | 49.5% | 50.5% |
| | Grade 11 | 23.5% | 32.7% | 53.3% | 46.7% |
| | Grade 12 | 29.8% | 36.5% | 58.7% | 41.3% |
| Alcohol | All | 34.5% | 47.8% | 71.0% | 29.0% |
| | Grade 7 | 17.8% | 25.3% | 52.8% | 47.2% |
| | Grade 8 | 26.0% | 37.4% | 64.0% | 36.0% |
| | Grade 9 | 36.4% | 51.3% | 73.7% | 26.3% |
| | Grade 10 | 39.9% | 55.8% | 77.3% | 22.7% |
| | Grade 11 | 41.8% | 57.9% | 79.2% | 20.8% |
| | Grade 12 | 51.0% | 65.8% | 83.4% | 16.6% |
| Inhalants | All | 6.8% | 9.8% | 18.0% | 82.0% |
| | Grade 7 | 9.1% | 11.9% | 19.3% | 80.7% |
| | Grade 8 | 8.2% | 11.2% | 18.8% | 81.2% |
| | Grade 9 | 8.1% | 12.2% | 20.2% | 79.8% |
| | Grade 10 | 5.3% | 7.6% | 16.0% | 84.0% |
| | Grade 11 | 4.4% | 6.9% | 16.7% | 83.3% |
| | Grade 12 | 4.0% | 7.3% | 15.4% | 84.6% |
| Any Illicit Drug | All | 16.0% | 22.3% | 33.6% | 66.4% |
| | Grade 7 | 6.8% | 8.8% | 14.9% | 85.1% |
| | Grade 8 | 10.6% | 15.6% | 25.0% | 75.0% |
| | Grade 9 | 18.0% | 24.2% | 35.9% | 64.1% |
| | Grade 10 | 20.2% | 28.8% | 40.3% | 59.7% |
| | Grade 11 | 21.4% | 29.8% | 45.3% | 54.7% |
| | Grade 12 | 21.2% | 30.4% | 45.7% | 54.3% |
| Marijuana | All | 14.4% | 21.0% | 32.3% | 67.7% |
| | Grade 7 | 5.7% | 7.7% | 13.4% | 86.6% |
| | Grade 8 | 9.4% | 14.2% | 23.3% | 76.7% |
| | Grade 9 | 15.8% | 22.7% | 34.4% | 65.6% |
| | Grade 10 | 18.5% | 27.1% | 38.9% | 61.1% |
| | Grade 11 | 19.6% | 28.4% | 44.0% | 56.0% |
| | Grade 12 | 19.5% | 29.3% | 44.8% | 55.2% |
| Marijuana Only | All | 5.4% | 8.8% | 16.5% | 83.5% |
| | Grade 7 | 2.5% | 3.5% | 7.1% | 92.9% |
| | Grade 8 | 4.1% | 6.8% | 13.1% | 86.9% |
| | Grade 9 | 5.8% | 8.8% | 16.7% | 83.3% |
| | Grade 10 | 7.2% | 11.7% | 20.1% | 79.9% |
| | Grade 11 | 6.7% | 11.8% | 22.3% | 77.7% |
| | Grade 12 | 6.5% | 12.1% | 22.7% | 77.3% |
| Cocaine or Crack | All | 3.2% | 5.1% | 8.7% | 91.3% |
| | Grade 7 | 1.7% | 2.2% | 3.8% | 96.2% |
| | Grade 8 | 2.0% | 3.2% | 5.6% | 94.4% |
| | Grade 9 | 3.5% | 5.7% | 9.6% | 90.4% |
| | Grade 10 | 4.3% | 5.9% | 10.2% | 89.8% |
| | Grade 11 | 4.4% | 7.4% | 11.8% | 88.2% |
| | Grade 12 | 3.7% | 7.3% | 12.7% | 87.3% |
| Cocaine | All | 3.0% | 4.8% | 8.1% | 91.9% |
| | Grade 7 | 1.3% | 1.7% | 2.9% | 97.1% |
| | Grade 8 | 1.8% | 2.8% | 4.8% | 95.2% |
| | Grade 9 | 3.3% | 5.3% | 8.6% | 91.4% |
| | Grade 10 | 3.9% | 5.5% | 9.7% | 90.3% |
| | Grade 11 | 4.2% | 7.3% | 11.7% | 88.3% |
| | Grade 12 | 3.7% | 7.2% | 12.3% | 87.7% |

State - Grades 7-12
Spring 2002

Table B1 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.7% | 1.3% | 2.7% | 97.3% |
| | Grade 7 | 0.8% | 1.2% | 2.1% | 97.9% |
| | Grade 8 | 0.6% | 1.5% | 2.7% | 97.3% |
| | Grade 9 | 0.8% | 1.6% | 3.3% | 96.7% |
| | Grade 10 | 1.0% | 1.5% | 2.5% | 97.5% |
| | Grade 11 | 0.5% | 1.0% | 2.9% | 97.1% |
| | Grade 12 | 0.4% | 1.0% | 2.4% | 97.6% |
| Hallucinogens | All | 1.2% | 2.4% | 4.5% | 95.5% |
| | Grade 7 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 9 | 1.4% | 3.0% | 4.5% | 95.5% |
| | Grade 10 | 1.5% | 2.5% | 5.2% | 94.8% |
| | Grade 11 | 2.4% | 3.7% | 7.5% | 92.5% |
| | Grade 12 | 1.3% | 3.7% | 7.8% | 92.2% |
| Uppers | All | 3.3% | 4.7% | 7.3% | 92.7% |
| | Grade 7 | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 8 | 1.3% | 2.0% | 3.2% | 96.8% |
| | Grade 9 | 4.0% | 5.7% | 8.3% | 91.7% |
| | Grade 10 | 4.4% | 6.2% | 8.5% | 91.5% |
| | Grade 11 | 5.7% | 7.7% | 12.8% | 87.2% |
| | Grade 12 | 4.3% | 6.6% | 11.3% | 88.7% |
| Downers | All | 3.4% | 4.7% | 7.1% | 92.9% |
| | Grade 7 | 0.6% | 0.9% | 1.4% | 98.6% |
| | Grade 8 | 1.3% | 2.0% | 3.0% | 97.0% |
| | Grade 9 | 3.7% | 5.2% | 7.8% | 92.2% |
| | Grade 10 | 4.9% | 6.6% | 8.6% | 91.4% |
| | Grade 11 | 5.6% | 7.4% | 12.2% | 87.8% |
| | Grade 12 | 4.8% | 7.0% | 11.4% | 88.6% |
| Rohypnol | All | 1.8% | 2.8% | 4.9% | 95.1% |
| | Grade 7 | 1.1% | 1.5% | 2.7% | 97.3% |
| | Grade 8 | 1.9% | 2.8% | 4.6% | 95.4% |
| | Grade 9 | 2.7% | 4.3% | 6.5% | 93.5% |
| | Grade 10 | 2.0% | 3.3% | 5.2% | 94.8% |
| | Grade 11 | 1.3% | 2.3% | 4.8% | 95.2% |
| | Grade 12 | 1.3% | 2.2% | 5.2% | 94.8% |
| Steroids | All | 0.7% | 1.3% | 2.3% | 97.7% |
| | Grade 7 | 0.7% | 1.1% | 2.0% | 98.0% |
| | Grade 8 | 0.6% | 1.0% | 1.9% | 98.1% |
| | Grade 9 | 0.8% | 1.4% | 2.5% | 97.5% |
| | Grade 10 | 0.7% | 1.4% | 2.5% | 97.5% |
| | Grade 11 | 0.5% | 1.5% | 2.7% | 97.3% |
| | Grade 12 | 0.9% | 1.3% | 2.4% | 97.6% |
| Ecstasy | All | 3.1% | 5.1% | 8.6% | 91.4% |
| | Grade 7 | 1.4% | 2.2% | 3.6% | 96.4% |
| | Grade 8 | 2.1% | 3.2% | 5.6% | 94.4% |
| | Grade 9 | 3.8% | 5.7% | 9.3% | 90.7% |
| | Grade 10 | 3.3% | 5.8% | 9.2% | 90.8% |
| | Grade 11 | 4.6% | 7.1% | 12.6% | 87.4% |
| | Grade 12 | 3.6% | 7.4% | 12.7% | 87.3% |
| Heroin | All | 0.5% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 8 | 0.5% | 0.8% | 1.9% | 98.1% |
| | Grade 9 | 0.5% | 0.9% | 1.8% | 98.2% |
| | Grade 10 | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 11 | 0.5% | 0.9% | 1.9% | 98.1% |
| | Grade 12 | 0.3% | 1.0% | 1.7% | 98.3% |

State - Grades 7-12
Spring 2002

Table B2: Prevalence and recency of use of selected substances by grade
--> Male students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 20.7% | 28.3% | 47.4% | 52.6% |
| | Grade 7 | 10.0% | 14.5% | 30.8% | 69.2% |
| | Grade 8 | 11.8% | 17.7% | 35.4% | 64.6% |
| | Grade 9 | 21.3% | 29.8% | 51.2% | 48.8% |
| | Grade 10 | 23.2% | 32.2% | 53.5% | 46.5% |
| | Grade 11 | 27.5% | 37.9% | 55.6% | 44.4% |
| | Grade 12 | 35.6% | 43.4% | 63.3% | 36.7% |
| Alcohol | All | 34.9% | 47.4% | 70.6% | 29.4% |
| | Grade 7 | 18.7% | 26.5% | 53.9% | 46.1% |
| | Grade 8 | 24.4% | 36.3% | 62.7% | 37.3% |
| | Grade 9 | 35.1% | 48.8% | 72.5% | 27.5% |
| | Grade 10 | 39.4% | 55.1% | 76.0% | 24.0% |
| | Grade 11 | 44.5% | 59.6% | 80.2% | 19.8% |
| | Grade 12 | 55.0% | 66.1% | 83.8% | 16.2% |
| Inhalants | All | 6.9% | 9.9% | 18.5% | 81.5% |
| | Grade 7 | 9.2% | 11.1% | 19.2% | 80.8% |
| | Grade 8 | 7.2% | 10.0% | 17.7% | 82.3% |
| | Grade 9 | 8.1% | 12.1% | 20.2% | 79.8% |
| | Grade 10 | 5.1% | 7.6% | 16.9% | 83.1% |
| | Grade 11 | 5.3% | 8.0% | 18.2% | 81.8% |
| | Grade 12 | 5.3% | 9.9% | 18.7% | 81.3% |
| Any Illicit Drug | All | 18.2% | 24.9% | 37.2% | 62.8% |
| | Grade 7 | 7.5% | 9.6% | 16.8% | 83.2% |
| | Grade 8 | 11.7% | 17.1% | 27.2% | 72.8% |
| | Grade 9 | 19.5% | 25.8% | 39.1% | 60.9% |
| | Grade 10 | 23.0% | 32.3% | 45.5% | 54.5% |
| | Grade 11 | 25.4% | 34.7% | 50.2% | 49.8% |
| | Grade 12 | 25.5% | 35.2% | 51.8% | 48.2% |
| Marijuana | All | 16.6% | 23.9% | 36.7% | 63.3% |
| | Grade 7 | 6.6% | 8.8% | 16.0% | 84.0% |
| | Grade 8 | 11.0% | 16.3% | 26.6% | 73.4% |
| | Grade 9 | 16.9% | 24.8% | 38.4% | 61.6% |
| | Grade 10 | 20.9% | 30.6% | 45.0% | 55.0% |
| | Grade 11 | 23.8% | 33.8% | 49.6% | 50.4% |
| | Grade 12 | 23.7% | 34.0% | 51.3% | 48.7% |
| Marijuana Only | All | 6.7% | 10.7% | 19.7% | 80.3% |
| | Grade 7 | 3.1% | 4.3% | 8.9% | 91.1% |
| | Grade 8 | 5.4% | 8.5% | 16.1% | 83.9% |
| | Grade 9 | 7.5% | 11.2% | 21.1% | 78.9% |
| | Grade 10 | 9.1% | 14.6% | 24.7% | 75.3% |
| | Grade 11 | 8.1% | 13.3% | 24.4% | 75.6% |
| | Grade 12 | 7.7% | 14.0% | 26.0% | 74.0% |
| Cocaine or Crack | All | 3.6% | 5.6% | 9.2% | 90.8% |
| | Grade 7 | 1.7% | 2.1% | 3.6% | 96.4% |
| | Grade 8 | 1.7% | 2.6% | 4.6% | 95.4% |
| | Grade 9 | 3.9% | 5.9% | 9.5% | 90.5% |
| | Grade 10 | 4.6% | 6.2% | 10.9% | 89.1% |
| | Grade 11 | 5.7% | 9.4% | 14.8% | 85.2% |
| | Grade 12 | 4.9% | 9.3% | 14.7% | 85.3% |
| Cocaine | All | 3.3% | 5.3% | 8.8% | 91.2% |
| | Grade 7 | 1.4% | 1.7% | 2.9% | 97.1% |
| | Grade 8 | 1.5% | 2.3% | 4.1% | 95.9% |
| | Grade 9 | 3.4% | 5.4% | 8.6% | 91.4% |
| | Grade 10 | 4.3% | 5.9% | 10.5% | 89.5% |
| | Grade 11 | 5.5% | 9.4% | 14.7% | 85.3% |
| | Grade 12 | 4.8% | 9.1% | 14.6% | 85.4% |

State - Grades 7-12
Spring 2002

Table B2 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.8% | 1.5% | 2.8% | 97.2% |
| | Grade 7 | 0.9% | 1.1% | 1.9% | 98.1% |
| | Grade 8 | 0.6% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 1.0% | 1.9% | 3.1% | 96.9% |
| | Grade 10 | 1.0% | 1.5% | 2.3% | 97.7% |
| | Grade 11 | 0.7% | 1.6% | 4.4% | 95.6% |
| | Grade 12 | 0.6% | 1.5% | 3.3% | 96.7% |
| Hallucinogens | All | 1.5% | 2.7% | 5.1% | 94.9% |
| | Grade 7 | 0.4% | 0.8% | 1.6% | 98.4% |
| | Grade 8 | 0.8% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 1.5% | 3.2% | 5.0% | 95.0% |
| | Grade 10 | 1.8% | 2.7% | 5.8% | 94.2% |
| | Grade 11 | 2.9% | 4.5% | 9.1% | 90.9% |
| | Grade 12 | 1.8% | 4.9% | 9.4% | 90.6% |
| Uppers | All | 3.1% | 4.5% | 7.2% | 92.8% |
| | Grade 7 | 0.7% | 1.0% | 1.9% | 98.1% |
| | Grade 8 | 0.9% | 1.4% | 2.7% | 97.3% |
| | Grade 9 | 2.7% | 4.4% | 7.0% | 93.0% |
| | Grade 10 | 4.3% | 5.9% | 7.9% | 92.1% |
| | Grade 11 | 6.6% | 8.5% | 14.0% | 86.0% |
| | Grade 12 | 4.7% | 7.4% | 12.4% | 87.6% |
| Downers | All | 3.7% | 4.9% | 7.5% | 92.5% |
| | Grade 7 | 0.7% | 1.0% | 1.6% | 98.4% |
| | Grade 8 | 0.9% | 1.6% | 2.7% | 97.3% |
| | Grade 9 | 2.7% | 3.9% | 6.6% | 93.4% |
| | Grade 10 | 5.8% | 7.1% | 9.2% | 90.8% |
| | Grade 11 | 7.2% | 9.2% | 14.6% | 85.4% |
| | Grade 12 | 6.3% | 8.7% | 13.3% | 86.7% |
| Rohypnol | All | 1.8% | 2.7% | 4.7% | 95.3% |
| | Grade 7 | 1.0% | 1.3% | 3.0% | 97.0% |
| | Grade 8 | 1.7% | 2.8% | 4.3% | 95.7% |
| | Grade 9 | 2.5% | 3.6% | 6.0% | 94.0% |
| | Grade 10 | 1.9% | 2.8% | 4.5% | 95.5% |
| | Grade 11 | 1.5% | 2.5% | 4.8% | 95.2% |
| | Grade 12 | 1.9% | 3.1% | 5.7% | 94.3% |
| Steroids | All | 0.9% | 1.5% | 2.8% | 97.2% |
| | Grade 7 | 0.6% | 1.1% | 2.3% | 97.7% |
| | Grade 8 | 0.9% | 1.4% | 2.5% | 97.5% |
| | Grade 9 | 1.0% | 1.7% | 2.8% | 97.2% |
| | Grade 10 | 1.1% | 1.6% | 2.9% | 97.1% |
| | Grade 11 | 0.8% | 1.8% | 3.2% | 96.8% |
| | Grade 12 | 1.2% | 1.8% | 3.3% | 96.7% |
| Ecstasy | All | 3.0% | 5.2% | 8.4% | 91.6% |
| | Grade 7 | 1.1% | 2.0% | 3.2% | 96.8% |
| | Grade 8 | 1.9% | 2.7% | 4.6% | 95.4% |
| | Grade 9 | 3.1% | 4.9% | 8.2% | 91.8% |
| | Grade 10 | 3.2% | 5.8% | 9.0% | 91.0% |
| | Grade 11 | 5.6% | 8.8% | 13.8% | 86.2% |
| | Grade 12 | 4.1% | 8.7% | 14.4% | 85.6% |
| Heroin | All | 0.4% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.3% | 0.5% | 1.4% | 98.6% |
| | Grade 8 | 0.5% | 0.9% | 1.5% | 98.5% |
| | Grade 9 | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 10 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 11 | 0.4% | 0.7% | 1.8% | 98.2% |
| | Grade 12 | 0.4% | 1.8% | 2.7% | 97.3% |

State - Grades 7-12
Spring 2002

Table B3: Prevalence and recency of use of selected substances by grade
--> Female students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 16.0% | 22.5% | 42.5% | 57.5% |
| | Grade 7 | 7.3% | 10.7% | 25.6% | 74.4% |
| | Grade 8 | 11.7% | 17.7% | 36.6% | 63.4% |
| | Grade 9 | 17.4% | 26.1% | 45.3% | 54.7% |
| | Grade 10 | 17.9% | 24.7% | 45.6% | 54.4% |
| | Grade 11 | 19.8% | 27.9% | 51.2% | 48.8% |
| | Grade 12 | 24.4% | 30.1% | 54.6% | 45.4% |
| Alcohol | All | 34.1% | 48.1% | 71.3% | 28.7% |
| | Grade 7 | 16.9% | 24.2% | 51.9% | 48.1% |
| | Grade 8 | 27.2% | 38.2% | 65.0% | 35.0% |
| | Grade 9 | 37.5% | 53.3% | 74.8% | 25.2% |
| | Grade 10 | 40.4% | 56.4% | 78.6% | 21.4% |
| | Grade 11 | 39.2% | 56.3% | 78.2% | 21.8% |
| | Grade 12 | 47.3% | 65.5% | 83.2% | 16.8% |
| Inhalants | All | 6.7% | 9.7% | 17.4% | 82.6% |
| | Grade 7 | 9.1% | 12.7% | 19.5% | 80.5% |
| | Grade 8 | 9.1% | 12.3% | 19.8% | 80.2% |
| | Grade 9 | 8.1% | 12.3% | 20.4% | 79.6% |
| | Grade 10 | 5.5% | 7.6% | 15.2% | 84.8% |
| | Grade 11 | 3.6% | 6.0% | 15.1% | 84.9% |
| | Grade 12 | 2.7% | 4.9% | 12.3% | 87.7% |
| Any Illicit Drug | All | 13.9% | 19.9% | 30.2% | 69.8% |
| | Grade 7 | 6.2% | 8.1% | 12.8% | 87.2% |
| | Grade 8 | 9.3% | 13.9% | 22.9% | 77.1% |
| | Grade 9 | 16.7% | 22.9% | 33.1% | 66.9% |
| | Grade 10 | 17.5% | 25.4% | 35.3% | 64.7% |
| | Grade 11 | 17.6% | 25.2% | 40.7% | 59.3% |
| | Grade 12 | 17.3% | 26.0% | 40.1% | 59.9% |
| Marijuana | All | 12.2% | 18.2% | 28.1% | 71.9% |
| | Grade 7 | 4.9% | 6.7% | 10.6% | 89.4% |
| | Grade 8 | 7.6% | 12.0% | 20.2% | 79.8% |
| | Grade 9 | 14.8% | 20.9% | 30.9% | 69.1% |
| | Grade 10 | 16.1% | 23.7% | 33.2% | 66.8% |
| | Grade 11 | 15.6% | 23.5% | 39.0% | 61.0% |
| | Grade 12 | 15.6% | 24.9% | 38.8% | 61.2% |
| Marijuana Only | All | 4.0% | 7.0% | 13.4% | 86.6% |
| | Grade 7 | 1.9% | 2.7% | 5.2% | 94.8% |
| | Grade 8 | 2.7% | 5.0% | 10.2% | 89.8% |
| | Grade 9 | 4.2% | 6.5% | 12.7% | 87.3% |
| | Grade 10 | 5.4% | 8.9% | 15.7% | 84.3% |
| | Grade 11 | 5.2% | 10.0% | 20.2% | 79.8% |
| | Grade 12 | 5.4% | 10.4% | 19.7% | 80.3% |
| Cocaine or Crack | All | 2.8% | 4.7% | 8.2% | 91.8% |
| | Grade 7 | 1.6% | 2.4% | 4.0% | 96.0% |
| | Grade 8 | 2.3% | 3.7% | 6.5% | 93.5% |
| | Grade 9 | 3.3% | 5.5% | 9.6% | 90.4% |
| | Grade 10 | 3.9% | 5.6% | 9.5% | 90.5% |
| | Grade 11 | 3.2% | 5.6% | 9.3% | 90.7% |
| | Grade 12 | 2.7% | 5.5% | 10.8% | 89.2% |
| Cocaine | All | 2.6% | 4.3% | 7.4% | 92.6% |
| | Grade 7 | 1.3% | 1.8% | 2.8% | 97.2% |
| | Grade 8 | 2.0% | 3.1% | 5.4% | 94.6% |
| | Grade 9 | 3.2% | 5.1% | 8.7% | 91.3% |
| | Grade 10 | 3.5% | 5.1% | 8.9% | 91.1% |
| | Grade 11 | 3.1% | 5.6% | 9.1% | 90.9% |
| | Grade 12 | 2.6% | 5.4% | 10.3% | 89.7% |

State - Grades 7-12
Spring 2002

Table B3 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.6% | 1.2% | 2.6% | 97.4% |
| | Grade 7 | 0.8% | 1.3% | 2.3% | 97.7% |
| | Grade 8 | 0.6% | 1.6% | 3.4% | 96.6% |
| | Grade 9 | 0.7% | 1.3% | 3.5% | 96.5% |
| | Grade 10 | 0.9% | 1.6% | 2.7% | 97.3% |
| | Grade 11 | 0.4% | 0.6% | 1.7% | 98.3% |
| | Grade 12 | 0.3% | 0.5% | 1.6% | 98.4% |
| Hallucinogens | All | 1.0% | 2.0% | 3.9% | 96.1% |
| | Grade 7 | 0.2% | 0.4% | 0.6% | 99.4% |
| | Grade 8 | 0.7% | 1.0% | 2.3% | 97.7% |
| | Grade 9 | 1.4% | 2.9% | 4.0% | 96.0% |
| | Grade 10 | 1.1% | 2.4% | 4.6% | 95.4% |
| | Grade 11 | 2.0% | 3.1% | 6.2% | 93.8% |
| | Grade 12 | 0.8% | 2.6% | 6.4% | 93.6% |
| Uppers | All | 3.4% | 4.9% | 7.5% | 92.5% |
| | Grade 7 | 0.5% | 0.8% | 1.6% | 98.4% |
| | Grade 8 | 1.6% | 2.4% | 3.6% | 96.4% |
| | Grade 9 | 5.1% | 7.0% | 9.5% | 90.5% |
| | Grade 10 | 4.5% | 6.5% | 9.0% | 91.0% |
| | Grade 11 | 4.9% | 7.0% | 11.9% | 88.1% |
| | Grade 12 | 3.9% | 5.9% | 10.2% | 89.8% |
| Downers | All | 3.1% | 4.4% | 6.7% | 93.3% |
| | Grade 7 | 0.5% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 1.6% | 2.2% | 3.3% | 96.7% |
| | Grade 9 | 4.7% | 6.4% | 9.0% | 91.0% |
| | Grade 10 | 4.1% | 6.0% | 8.0% | 92.0% |
| | Grade 11 | 4.2% | 5.9% | 10.1% | 89.9% |
| | Grade 12 | 3.3% | 5.4% | 9.6% | 90.4% |
| Rohypnol | All | 1.8% | 2.9% | 5.0% | 95.0% |
| | Grade 7 | 1.1% | 1.6% | 2.4% | 97.6% |
| | Grade 8 | 2.0% | 2.7% | 4.8% | 95.2% |
| | Grade 9 | 2.9% | 4.9% | 6.9% | 93.1% |
| | Grade 10 | 2.1% | 3.8% | 5.8% | 94.2% |
| | Grade 11 | 1.1% | 2.2% | 4.9% | 95.1% |
| | Grade 12 | 0.8% | 1.4% | 4.6% | 95.4% |
| Steroids | All | 0.5% | 1.0% | 1.9% | 98.1% |
| | Grade 7 | 0.8% | 1.1% | 1.7% | 98.3% |
| | Grade 8 | 0.3% | 0.6% | 1.4% | 98.6% |
| | Grade 9 | 0.6% | 1.2% | 2.2% | 97.8% |
| | Grade 10 | 0.3% | 1.2% | 2.1% | 97.9% |
| | Grade 11 | 0.2% | 1.3% | 2.2% | 97.8% |
| | Grade 12 | 0.6% | 0.8% | 1.5% | 98.5% |
| Ecstasy | All | 3.2% | 5.0% | 8.7% | 91.3% |
| | Grade 7 | 1.7% | 2.4% | 3.9% | 96.1% |
| | Grade 8 | 2.3% | 3.6% | 6.5% | 93.5% |
| | Grade 9 | 4.3% | 6.4% | 10.4% | 89.6% |
| | Grade 10 | 3.5% | 5.9% | 9.3% | 90.7% |
| | Grade 11 | 3.8% | 5.7% | 11.6% | 88.4% |
| | Grade 12 | 3.2% | 6.2% | 11.1% | 88.9% |
| Heroin | All | 0.6% | 0.9% | 1.8% | 98.2% |
| | Grade 7 | 1.0% | 1.2% | 2.0% | 98.0% |
| | Grade 8 | 0.5% | 0.7% | 2.3% | 97.7% |
| | Grade 9 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 10 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 0.5% | 1.2% | 2.0% | 98.0% |
| | Grade 12 | 0.2% | 0.3% | 0.8% | 99.2% |

State - Grades 7-12
Spring 2002

Table B4: Prevalence and recency of use of selected substances by grade
--> White students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 20.5% | 27.8% | 46.1% | 53.9% |
| | Grade 7 | 8.0% | 11.7% | 27.0% | 73.0% |
| | Grade 8 | 10.3% | 15.8% | 33.4% | 66.6% |
| | Grade 9 | 22.4% | 32.4% | 49.9% | 50.1% |
| | Grade 10 | 22.6% | 30.6% | 50.2% | 49.8% |
| | Grade 11 | 27.4% | 36.8% | 56.4% | 43.6% |
| | Grade 12 | 34.5% | 41.6% | 62.4% | 37.6% |
| Alcohol | All | 34.4% | 49.2% | 71.3% | 28.7% |
| | Grade 7 | 13.9% | 21.7% | 50.0% | 50.0% |
| | Grade 8 | 20.5% | 32.9% | 61.3% | 38.7% |
| | Grade 9 | 37.3% | 55.6% | 75.7% | 24.3% |
| | Grade 10 | 40.3% | 58.0% | 78.1% | 21.9% |
| | Grade 11 | 43.9% | 60.8% | 80.0% | 20.0% |
| | Grade 12 | 53.3% | 68.9% | 85.0% | 15.0% |
| Inhalants | All | 6.6% | 9.9% | 17.9% | 82.1% |
| | Grade 7 | 8.9% | 11.4% | 17.2% | 82.8% |
| | Grade 8 | 6.6% | 8.6% | 14.4% | 85.6% |
| | Grade 9 | 9.5% | 14.3% | 22.1% | 77.9% |
| | Grade 10 | 4.7% | 7.6% | 15.8% | 84.2% |
| | Grade 11 | 4.8% | 7.8% | 19.6% | 80.4% |
| | Grade 12 | 4.7% | 9.1% | 18.3% | 81.7% |
| Any Illicit Drug | All | 15.8% | 22.2% | 32.2% | 67.8% |
| | Grade 7 | 4.7% | 5.9% | 11.6% | 88.4% |
| | Grade 8 | 7.4% | 12.6% | 20.2% | 79.8% |
| | Grade 9 | 19.0% | 25.4% | 35.9% | 64.1% |
| | Grade 10 | 20.2% | 29.8% | 38.6% | 61.4% |
| | Grade 11 | 23.4% | 30.6% | 45.5% | 54.5% |
| | Grade 12 | 21.1% | 30.8% | 43.6% | 56.4% |
| Marijuana | All | 14.4% | 21.3% | 31.3% | 68.7% |
| | Grade 7 | 4.0% | 5.2% | 10.6% | 89.4% |
| | Grade 8 | 6.9% | 11.6% | 19.4% | 80.6% |
| | Grade 9 | 17.2% | 24.4% | 35.2% | 64.8% |
| | Grade 10 | 18.5% | 28.1% | 37.2% | 62.8% |
| | Grade 11 | 21.4% | 29.5% | 44.3% | 55.7% |
| | Grade 12 | 19.4% | 30.1% | 43.2% | 56.8% |
| Marijuana Only | All | 4.7% | 8.3% | 15.2% | 84.8% |
| | Grade 7 | 1.2% | 1.6% | 4.5% | 95.5% |
| | Grade 8 | 3.5% | 6.4% | 11.9% | 88.1% |
| | Grade 9 | 5.4% | 8.1% | 15.9% | 84.1% |
| | Grade 10 | 6.5% | 11.9% | 18.7% | 81.3% |
| | Grade 11 | 6.5% | 11.0% | 20.5% | 79.5% |
| | Grade 12 | 5.2% | 11.4% | 20.8% | 79.2% |
| Cocaine or Crack | All | 2.4% | 4.7% | 7.8% | 92.2% |
| | Grade 7 | 1.5% | 2.0% | 3.2% | 96.8% |
| | Grade 8 | 0.8% | 1.8% | 3.3% | 96.7% |
| | Grade 9 | 2.4% | 5.0% | 8.6% | 91.4% |
| | Grade 10 | 3.1% | 4.4% | 7.3% | 92.7% |
| | Grade 11 | 4.1% | 8.1% | 12.1% | 87.9% |
| | Grade 12 | 2.6% | 7.5% | 13.1% | 86.9% |
| Cocaine | All | 2.2% | 4.3% | 7.0% | 93.0% |
| | Grade 7 | 1.4% | 1.6% | 2.3% | 97.7% |
| | Grade 8 | 0.7% | 1.4% | 2.7% | 97.3% |
| | Grade 9 | 2.0% | 4.2% | 6.9% | 93.1% |
| | Grade 10 | 2.8% | 3.8% | 6.5% | 93.5% |
| | Grade 11 | 4.0% | 8.1% | 12.1% | 87.9% |
| | Grade 12 | 2.5% | 7.4% | 12.6% | 87.4% |

State - Grades 7-12
Spring 2002

Table B4 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.5% | 1.2% | 2.9% | 97.1% |
| | Grade 7 | 0.8% | 1.2% | 2.2% | 97.8% |
| | Grade 8 | 0.2% | 1.2% | 2.4% | 97.6% |
| | Grade 9 | 0.7% | 1.7% | 4.4% | 95.6% |
| | Grade 10 | 0.6% | 1.1% | 2.0% | 98.0% |
| | Grade 11 | 0.3% | 1.0% | 3.7% | 96.3% |
| | Grade 12 | 0.3% | 1.1% | 2.6% | 97.4% |
| Hallucinogens | All | 1.6% | 3.4% | 6.5% | 93.5% |
| | Grade 7 | 0.1% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 0.8% | 1.2% | 2.2% | 97.8% |
| | Grade 9 | 2.3% | 5.1% | 6.8% | 93.2% |
| | Grade 10 | 1.9% | 3.2% | 7.3% | 92.7% |
| | Grade 11 | 3.0% | 4.9% | 10.5% | 89.5% |
| | Grade 12 | 1.5% | 5.7% | 11.6% | 88.4% |
| Uppers | All | 4.7% | 6.9% | 10.2% | 89.8% |
| | Grade 7 | 0.5% | 0.6% | 1.8% | 98.2% |
| | Grade 8 | 1.6% | 2.2% | 3.6% | 96.4% |
| | Grade 9 | 6.5% | 9.8% | 12.6% | 87.4% |
| | Grade 10 | 5.5% | 8.1% | 10.9% | 89.1% |
| | Grade 11 | 8.7% | 11.7% | 18.6% | 81.4% |
| | Grade 12 | 5.9% | 9.4% | 14.8% | 85.2% |
| Downers | All | 4.5% | 6.3% | 9.1% | 90.9% |
| | Grade 7 | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 1.1% | 1.9% | 3.0% | 97.0% |
| | Grade 9 | 5.7% | 7.9% | 10.1% | 89.9% |
| | Grade 10 | 6.0% | 8.2% | 10.4% | 89.6% |
| | Grade 11 | 7.9% | 10.3% | 16.8% | 83.2% |
| | Grade 12 | 5.9% | 9.1% | 14.3% | 85.7% |
| Rohypnol | All | 1.3% | 2.2% | 4.2% | 95.8% |
| | Grade 7 | 0.8% | 1.0% | 2.7% | 97.3% |
| | Grade 8 | 1.1% | 1.6% | 2.6% | 97.4% |
| | Grade 9 | 2.4% | 4.5% | 6.4% | 93.6% |
| | Grade 10 | 1.2% | 2.3% | 3.8% | 96.2% |
| | Grade 11 | 0.7% | 1.6% | 4.5% | 95.5% |
| | Grade 12 | 1.4% | 2.0% | 4.7% | 95.3% |
| Steroids | All | 0.8% | 1.6% | 2.9% | 97.1% |
| | Grade 7 | 1.0% | 1.5% | 2.7% | 97.3% |
| | Grade 8 | 0.5% | 1.0% | 2.2% | 97.8% |
| | Grade 9 | 1.2% | 2.4% | 3.6% | 96.4% |
| | Grade 10 | 0.6% | 1.9% | 2.9% | 97.1% |
| | Grade 11 | 0.4% | 1.5% | 3.1% | 96.9% |
| | Grade 12 | 1.0% | 1.5% | 3.0% | 97.0% |
| Ecstasy | All | 3.3% | 5.6% | 9.2% | 90.8% |
| | Grade 7 | 1.4% | 2.4% | 3.5% | 96.5% |
| | Grade 8 | 1.4% | 2.0% | 3.9% | 96.1% |
| | Grade 9 | 4.8% | 7.2% | 10.1% | 89.9% |
| | Grade 10 | 2.8% | 5.8% | 9.6% | 90.4% |
| | Grade 11 | 5.9% | 8.5% | 15.3% | 84.7% |
| | Grade 12 | 3.5% | 8.1% | 13.7% | 86.3% |
| Heroin | All | 0.4% | 0.8% | 1.7% | 98.3% |
| | Grade 7 | 0.7% | 0.8% | 1.7% | 98.3% |
| | Grade 8 | 0.2% | 0.5% | 2.0% | 98.0% |
| | Grade 9 | 0.3% | 0.8% | 1.7% | 98.3% |
| | Grade 10 | 0.5% | 0.7% | 1.1% | 98.9% |
| | Grade 11 | 0.6% | 0.8% | 2.2% | 97.8% |
| | Grade 12 | 0.2% | 1.4% | 1.9% | 98.1% |

State - Grades 7-12
Spring 2002

Table B5: Prevalence and recency of use of selected substances by grade
--> Black students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 8.2% | 11.9% | 31.9% | 68.1% |
| | Grade 7 | 6.0% | 8.9% | 24.3% | 75.7% |
| | Grade 8 | 6.4% | 9.9% | 28.4% | 71.6% |
| | Grade 9 | 10.1% | 14.3% | 34.2% | 65.8% |
| | Grade 10 | 7.6% | 11.5% | 35.3% | 64.7% |
| | Grade 11 | 8.2% | 11.9% | 34.5% | 65.5% |
| | Grade 12 | 11.8% | 15.3% | 37.1% | 62.9% |
| Alcohol | All | 25.4% | 37.8% | 66.5% | 33.5% |
| | Grade 7 | 17.9% | 25.4% | 52.2% | 47.8% |
| | Grade 8 | 23.2% | 33.3% | 62.1% | 37.9% |
| | Grade 9 | 28.4% | 40.6% | 70.1% | 29.9% |
| | Grade 10 | 23.3% | 38.2% | 70.8% | 29.2% |
| | Grade 11 | 25.9% | 43.3% | 71.4% | 28.6% |
| | Grade 12 | 37.5% | 51.3% | 77.2% | 22.8% |
| Inhalants | All | 4.2% | 5.7% | 11.8% | 88.2% |
| | Grade 7 | 6.9% | 9.1% | 16.7% | 83.3% |
| | Grade 8 | 6.0% | 7.9% | 14.9% | 85.1% |
| | Grade 9 | 3.8% | 5.3% | 12.1% | 87.9% |
| | Grade 10 | 3.2% | 4.3% | 8.9% | 91.1% |
| | Grade 11 | 2.2% | 3.2% | 7.2% | 92.8% |
| | Grade 12 | 1.7% | 3.1% | 7.9% | 92.1% |
| Any Illicit Drug | All | 11.3% | 15.9% | 29.3% | 70.7% |
| | Grade 7 | 5.1% | 7.0% | 12.8% | 87.2% |
| | Grade 8 | 8.8% | 11.9% | 23.6% | 76.4% |
| | Grade 9 | 11.9% | 17.5% | 31.0% | 69.0% |
| | Grade 10 | 12.8% | 18.2% | 33.5% | 66.5% |
| | Grade 11 | 13.2% | 19.3% | 40.0% | 60.0% |
| | Grade 12 | 19.7% | 25.8% | 41.5% | 58.5% |
| Marijuana | All | 10.8% | 15.4% | 28.7% | 71.3% |
| | Grade 7 | 4.3% | 6.1% | 11.7% | 88.3% |
| | Grade 8 | 8.1% | 11.2% | 22.7% | 77.3% |
| | Grade 9 | 11.2% | 16.7% | 30.4% | 69.6% |
| | Grade 10 | 12.3% | 18.0% | 33.0% | 67.0% |
| | Grade 11 | 12.6% | 19.0% | 39.8% | 60.2% |
| | Grade 12 | 19.6% | 25.7% | 42.0% | 58.0% |
| Marijuana Only | All | 7.2% | 10.7% | 21.6% | 78.4% |
| | Grade 7 | 2.8% | 4.2% | 8.6% | 91.4% |
| | Grade 8 | 5.1% | 7.1% | 16.6% | 83.4% |
| | Grade 9 | 8.4% | 12.7% | 23.8% | 76.2% |
| | Grade 10 | 8.4% | 12.9% | 25.2% | 74.8% |
| | Grade 11 | 8.3% | 13.6% | 32.3% | 67.7% |
| | Grade 12 | 11.7% | 16.6% | 28.4% | 71.6% |
| Cocaine or Crack | All | 0.7% | 0.9% | 1.9% | 98.1% |
| | Grade 7 | 0.7% | 1.1% | 1.7% | 98.3% |
| | Grade 8 | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 0.6% | 0.8% | 1.7% | 98.3% |
| | Grade 10 | 0.4% | 0.6% | 2.8% | 97.2% |
| | Grade 11 | 1.0% | 1.3% | 2.2% | 97.8% |
| | Grade 12 | 0.8% | 0.9% | 1.4% | 98.6% |
| Cocaine | All | 0.5% | 0.7% | 1.6% | 98.4% |
| | Grade 7 | 0.5% | 0.7% | 1.1% | 98.9% |
| | Grade 8 | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 9 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 10 | 0.4% | 0.5% | 2.6% | 97.4% |
| | Grade 11 | 0.7% | 1.3% | 2.1% | 97.9% |
| | Grade 12 | 0.6% | 0.8% | 1.2% | 98.8% |

State - Grades 7-12
Spring 2002

Table B5 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.1% | 0.3% | 0.7% | 99.3% |
| | Grade 9 | 0.4% | 0.4% | 0.7% | 99.3% |
| | Grade 10 | 0.1% | 0.1% | 0.4% | 99.6% |
| | Grade 11 | 0.4% | 0.5% | 0.6% | 99.4% |
| | Grade 12 | 0.3% | 0.4% | 0.5% | 99.5% |
| Hallucinogens | All | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 7 | 0.3% | 0.3% | 0.6% | 99.4% |
| | Grade 8 | 0.2% | 0.2% | 0.6% | 99.4% |
| | Grade 9 | 0.2% | 0.4% | 1.0% | 99.0% |
| | Grade 10 | 0.2% | 0.3% | 0.7% | 99.3% |
| | Grade 11 | 0.8% | 0.9% | 1.6% | 98.4% |
| | Grade 12 | 0.4% | 0.5% | 1.0% | 99.0% |
| Uppers | All | 0.5% | 0.9% | 1.4% | 98.6% |
| | Grade 7 | 0.3% | 0.5% | 0.7% | 99.3% |
| | Grade 8 | 0.5% | 0.8% | 1.4% | 98.6% |
| | Grade 9 | 0.2% | 0.5% | 1.2% | 98.8% |
| | Grade 10 | 0.9% | 1.1% | 1.5% | 98.5% |
| | Grade 11 | 0.6% | 1.0% | 1.8% | 98.2% |
| | Grade 12 | 1.0% | 1.7% | 2.0% | 98.0% |
| Downers | All | 0.7% | 1.0% | 1.5% | 98.5% |
| | Grade 7 | 0.2% | 0.4% | 0.5% | 99.5% |
| | Grade 8 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 9 | 0.6% | 0.7% | 1.3% | 98.7% |
| | Grade 10 | 1.2% | 1.5% | 1.9% | 98.1% |
| | Grade 11 | 0.9% | 1.1% | 1.9% | 98.1% |
| | Grade 12 | 1.5% | 2.5% | 3.0% | 97.0% |
| Rohypnol | All | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 7 | 0.5% | 0.6% | 0.8% | 99.2% |
| | Grade 8 | 0.4% | 0.6% | 0.9% | 99.1% |
| | Grade 9 | 0.2% | 0.5% | 0.6% | 99.4% |
| | Grade 10 | 0.2% | 0.4% | 0.9% | 99.1% |
| | Grade 11 | 0.4% | 0.7% | 0.9% | 99.1% |
| | Grade 12 | 0.7% | 0.9% | 3.9% | 96.1% |
| Steroids | All | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 7 | 0.2% | 0.4% | 1.0% | 99.0% |
| | Grade 8 | 0.3% | 0.4% | 1.2% | 98.8% |
| | Grade 9 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 10 | 0.7% | 1.0% | 1.6% | 98.4% |
| | Grade 11 | 0.3% | 0.6% | 1.0% | 99.0% |
| | Grade 12 | 0.5% | 0.6% | 1.4% | 98.6% |
| Ecstasy | All | 1.6% | 2.6% | 4.9% | 95.1% |
| | Grade 7 | 1.0% | 1.2% | 2.5% | 97.5% |
| | Grade 8 | 1.8% | 2.2% | 4.9% | 95.1% |
| | Grade 9 | 1.3% | 2.6% | 4.5% | 95.5% |
| | Grade 10 | 1.4% | 2.4% | 4.1% | 95.9% |
| | Grade 11 | 2.3% | 2.8% | 4.8% | 95.2% |
| | Grade 12 | 2.3% | 5.7% | 10.3% | 89.7% |
| Heroin | All | 0.2% | 0.3% | 0.6% | 99.4% |
| | Grade 7 | 0.2% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.3% | 0.4% | 0.7% | 99.3% |
| | Grade 9 | 0.1% | 0.1% | 0.5% | 99.5% |
| | Grade 10 | 0.2% | 0.3% | 0.5% | 99.5% |
| | Grade 11 | * % | 0.1% | 0.5% | 99.5% |
| | Grade 12 | 0.3% | 0.4% | 0.4% | 99.6% |

State - Grades 7-12
Spring 2002

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 20.1% | 28.3% | 49.5% | 50.5% |
| | Grade 7 | 10.8% | 16.0% | 32.3% | 67.7% |
| | Grade 8 | 15.7% | 23.4% | 42.9% | 57.1% |
| | Grade 9 | 20.0% | 28.7% | 52.4% | 47.6% |
| | Grade 10 | 23.4% | 32.8% | 55.6% | 44.4% |
| | Grade 11 | 25.5% | 37.0% | 58.5% | 41.5% |
| | Grade 12 | 31.6% | 38.5% | 63.7% | 36.3% |
| Alcohol | All | 39.5% | 51.4% | 73.6% | 26.4% |
| | Grade 7 | 22.4% | 30.0% | 57.5% | 42.5% |
| | Grade 8 | 34.2% | 45.2% | 69.1% | 30.9% |
| | Grade 9 | 39.7% | 52.1% | 74.3% | 25.7% |
| | Grade 10 | 47.3% | 61.5% | 80.7% | 19.3% |
| | Grade 11 | 47.3% | 61.6% | 82.7% | 17.3% |
| | Grade 12 | 55.1% | 69.3% | 85.7% | 14.3% |
| Inhalants | All | 8.0% | 11.5% | 20.7% | 79.3% |
| | Grade 7 | 10.5% | 14.0% | 23.3% | 76.7% |
| | Grade 8 | 10.7% | 15.3% | 24.8% | 75.2% |
| | Grade 9 | 8.6% | 13.3% | 22.2% | 77.8% |
| | Grade 10 | 6.6% | 8.8% | 19.1% | 80.9% |
| | Grade 11 | 4.9% | 7.3% | 16.7% | 83.3% |
| | Grade 12 | 3.5% | 6.3% | 14.1% | 85.9% |
| Any Illicit Drug | All | 18.6% | 25.7% | 38.1% | 61.9% |
| | Grade 7 | 9.9% | 12.9% | 19.6% | 80.4% |
| | Grade 8 | 15.1% | 20.9% | 32.0% | 68.0% |
| | Grade 9 | 19.9% | 26.4% | 38.4% | 61.6% |
| | Grade 10 | 23.9% | 32.6% | 46.7% | 53.3% |
| | Grade 11 | 23.2% | 34.3% | 49.3% | 50.7% |
| | Grade 12 | 23.3% | 33.2% | 52.5% | 47.5% |
| Marijuana | All | 16.3% | 23.6% | 35.9% | 64.1% |
| | Grade 7 | 8.2% | 11.2% | 17.5% | 82.5% |
| | Grade 8 | 12.8% | 18.7% | 28.9% | 71.1% |
| | Grade 9 | 16.9% | 24.1% | 35.9% | 64.1% |
| | Grade 10 | 21.4% | 30.2% | 45.0% | 55.0% |
| | Grade 11 | 21.2% | 32.2% | 47.6% | 52.4% |
| | Grade 12 | 20.8% | 31.0% | 50.5% | 49.5% |
| Marijuana Only | All | 5.9% | 9.3% | 17.1% | 82.9% |
| | Grade 7 | 4.0% | 5.5% | 9.7% | 90.3% |
| | Grade 8 | 4.7% | 7.6% | 14.0% | 86.0% |
| | Grade 9 | 5.5% | 8.4% | 15.6% | 84.4% |
| | Grade 10 | 8.1% | 11.8% | 21.2% | 78.8% |
| | Grade 11 | 6.9% | 12.9% | 22.3% | 77.7% |
| | Grade 12 | 7.0% | 12.5% | 25.0% | 75.0% |
| Cocaine or Crack | All | 5.3% | 7.4% | 12.5% | 87.5% |
| | Grade 7 | 2.3% | 3.0% | 5.3% | 94.7% |
| | Grade 8 | 4.0% | 5.7% | 9.9% | 90.1% |
| | Grade 9 | 5.9% | 8.3% | 13.2% | 86.8% |
| | Grade 10 | 7.2% | 9.9% | 16.8% | 83.2% |
| | Grade 11 | 6.4% | 9.4% | 16.1% | 83.9% |
| | Grade 12 | 6.7% | 9.9% | 16.9% | 83.1% |
| Cocaine | All | 4.9% | 7.1% | 11.9% | 88.1% |
| | Grade 7 | 1.7% | 2.3% | 4.4% | 95.6% |
| | Grade 8 | 3.6% | 5.2% | 8.7% | 91.3% |
| | Grade 9 | 5.7% | 8.1% | 12.7% | 87.3% |
| | Grade 10 | 6.6% | 9.6% | 16.5% | 83.5% |
| | Grade 11 | 6.3% | 9.3% | 15.9% | 84.1% |
| | Grade 12 | 6.6% | 9.8% | 16.7% | 83.3% |

State - Grades 7-12
Spring 2002

Table B6 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 1.1% | 1.8% | 3.2% | 96.8% |
| | Grade 7 | 1.0% | 1.5% | 2.5% | 97.5% |
| | Grade 8 | 1.1% | 2.1% | 3.8% | 96.2% |
| | Grade 9 | 1.2% | 1.8% | 3.3% | 96.7% |
| | Grade 10 | 1.7% | 2.5% | 3.8% | 96.2% |
| | Grade 11 | 0.9% | 1.3% | 2.8% | 97.2% |
| | Grade 12 | 0.6% | 1.2% | 2.6% | 97.4% |
| Hallucinogens | All | 1.1% | 1.9% | 3.4% | 96.6% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 1.2% | 2.4% | 97.6% |
| | Grade 9 | 1.0% | 2.0% | 3.4% | 96.6% |
| | Grade 10 | 1.1% | 2.3% | 4.1% | 95.9% |
| | Grade 11 | 2.4% | 3.4% | 6.0% | 94.0% |
| | Grade 12 | 1.4% | 2.3% | 4.8% | 95.2% |
| Uppers | All | 2.7% | 3.7% | 6.3% | 93.7% |
| | Grade 7 | 0.8% | 1.2% | 1.9% | 98.1% |
| | Grade 8 | 1.5% | 2.2% | 3.5% | 96.5% |
| | Grade 9 | 2.9% | 3.8% | 7.0% | 93.0% |
| | Grade 10 | 4.4% | 5.8% | 8.0% | 92.0% |
| | Grade 11 | 3.8% | 5.3% | 9.5% | 90.5% |
| | Grade 12 | 3.3% | 4.7% | 10.0% | 90.0% |
| Downers | All | 3.1% | 4.3% | 6.9% | 93.1% |
| | Grade 7 | 0.9% | 1.4% | 1.9% | 98.1% |
| | Grade 8 | 1.8% | 2.6% | 4.0% | 96.0% |
| | Grade 9 | 3.1% | 4.4% | 8.3% | 91.7% |
| | Grade 10 | 5.0% | 6.5% | 8.9% | 91.1% |
| | Grade 11 | 4.5% | 6.3% | 10.1% | 89.9% |
| | Grade 12 | 4.5% | 6.0% | 10.6% | 89.4% |
| Rohypnol | All | 2.9% | 4.4% | 7.2% | 92.8% |
| | Grade 7 | 1.6% | 2.3% | 3.6% | 96.4% |
| | Grade 8 | 3.3% | 4.9% | 8.0% | 92.0% |
| | Grade 9 | 3.8% | 5.4% | 8.8% | 91.2% |
| | Grade 10 | 3.7% | 5.7% | 8.5% | 91.5% |
| | Grade 11 | 2.6% | 4.2% | 7.2% | 92.8% |
| | Grade 12 | 1.7% | 3.0% | 6.7% | 93.3% |
| Steroids | All | 0.7% | 1.1% | 2.0% | 98.0% |
| | Grade 7 | 0.6% | 0.9% | 1.6% | 98.4% |
| | Grade 8 | 0.8% | 1.1% | 1.9% | 98.1% |
| | Grade 9 | 0.6% | 1.0% | 2.1% | 97.9% |
| | Grade 10 | 0.6% | 0.9% | 2.3% | 97.7% |
| | Grade 11 | 0.7% | 1.8% | 2.5% | 97.5% |
| | Grade 12 | 0.6% | 1.0% | 1.7% | 98.3% |
| Ecstasy | All | 3.4% | 5.4% | 9.0% | 91.0% |
| | Grade 7 | 1.6% | 2.4% | 4.0% | 96.0% |
| | Grade 8 | 3.0% | 5.0% | 7.7% | 92.3% |
| | Grade 9 | 3.8% | 5.4% | 9.9% | 90.1% |
| | Grade 10 | 4.5% | 7.1% | 10.3% | 89.7% |
| | Grade 11 | 3.9% | 7.1% | 12.1% | 87.9% |
| | Grade 12 | 4.2% | 7.1% | 11.9% | 88.1% |
| Heroin | All | 0.7% | 1.1% | 2.1% | 97.9% |
| | Grade 7 | 0.8% | 1.1% | 2.2% | 97.8% |
| | Grade 8 | 1.0% | 1.3% | 2.3% | 97.7% |
| | Grade 9 | 0.9% | 1.2% | 2.3% | 97.7% |
| | Grade 10 | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 11 | 0.5% | 1.5% | 2.2% | 97.8% |
| | Grade 12 | 0.4% | 0.6% | 1.7% | 98.3% |

State - Grades 7-12
Spring 2002

Table B7: Prevalence and recency of use of selected substances by grade
--> Students reporting A and B grades

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 15.7% | 22.0% | 41.4% | 58.6% |
| | Grade 7 | 7.0% | 10.2% | 24.6% | 75.4% |
| | Grade 8 | 9.5% | 14.4% | 31.9% | 68.1% |
| | Grade 9 | 15.3% | 22.7% | 43.6% | 56.4% |
| | Grade 10 | 17.2% | 24.9% | 45.5% | 54.5% |
| | Grade 11 | 20.3% | 28.8% | 50.2% | 49.8% |
| | Grade 12 | 28.2% | 34.7% | 57.3% | 42.7% |
| Alcohol | All | 31.8% | 45.4% | 69.0% | 31.0% |
| | Grade 7 | 14.9% | 22.3% | 49.8% | 50.2% |
| | Grade 8 | 22.8% | 33.7% | 61.1% | 38.9% |
| | Grade 9 | 32.7% | 48.1% | 71.4% | 28.6% |
| | Grade 10 | 36.8% | 53.7% | 76.0% | 24.0% |
| | Grade 11 | 38.9% | 55.5% | 77.6% | 22.4% |
| | Grade 12 | 50.2% | 65.3% | 82.8% | 17.2% |
| Inhalants | All | 5.6% | 8.4% | 15.7% | 84.3% |
| | Grade 7 | 7.4% | 9.7% | 16.2% | 83.8% |
| | Grade 8 | 6.4% | 9.0% | 15.9% | 84.1% |
| | Grade 9 | 6.7% | 10.4% | 17.6% | 82.4% |
| | Grade 10 | 4.4% | 6.4% | 13.3% | 86.7% |
| | Grade 11 | 4.3% | 6.8% | 15.6% | 84.4% |
| | Grade 12 | 3.8% | 7.2% | 14.8% | 85.2% |
| Any Illicit Drug | All | 13.3% | 19.1% | 29.7% | 70.3% |
| | Grade 7 | 5.1% | 6.6% | 11.9% | 88.1% |
| | Grade 8 | 7.7% | 11.8% | 20.5% | 79.5% |
| | Grade 9 | 14.1% | 19.5% | 30.5% | 69.5% |
| | Grade 10 | 17.1% | 25.2% | 35.5% | 64.5% |
| | Grade 11 | 18.8% | 26.5% | 41.9% | 58.1% |
| | Grade 12 | 19.5% | 28.5% | 43.0% | 57.0% |
| Marijuana | All | 12.0% | 18.0% | 28.4% | 71.6% |
| | Grade 7 | 4.3% | 5.7% | 10.6% | 89.4% |
| | Grade 8 | 6.6% | 10.6% | 18.8% | 81.2% |
| | Grade 9 | 12.6% | 18.2% | 29.0% | 71.0% |
| | Grade 10 | 15.5% | 23.6% | 34.0% | 66.0% |
| | Grade 11 | 17.3% | 25.6% | 40.9% | 59.1% |
| | Grade 12 | 17.9% | 27.5% | 42.1% | 57.9% |
| Marijuana Only | All | 4.5% | 7.8% | 15.1% | 84.9% |
| | Grade 7 | 1.9% | 2.6% | 5.7% | 94.3% |
| | Grade 8 | 2.9% | 5.3% | 11.3% | 88.7% |
| | Grade 9 | 4.7% | 7.4% | 15.1% | 84.9% |
| | Grade 10 | 6.4% | 10.9% | 18.7% | 81.3% |
| | Grade 11 | 5.5% | 10.3% | 21.0% | 79.0% |
| | Grade 12 | 6.1% | 11.7% | 21.5% | 78.5% |
| Cocaine or Crack | All | 2.4% | 4.2% | 7.2% | 92.8% |
| | Grade 7 | 1.3% | 1.8% | 2.9% | 97.1% |
| | Grade 8 | 1.3% | 2.2% | 4.1% | 95.9% |
| | Grade 9 | 2.8% | 4.6% | 7.7% | 92.3% |
| | Grade 10 | 3.3% | 4.6% | 8.0% | 92.0% |
| | Grade 11 | 3.2% | 6.3% | 10.4% | 89.6% |
| | Grade 12 | 2.8% | 6.4% | 11.6% | 88.4% |
| Cocaine | All | 2.3% | 4.0% | 6.7% | 93.3% |
| | Grade 7 | 1.1% | 1.4% | 2.2% | 97.8% |
| | Grade 8 | 1.1% | 1.9% | 3.4% | 96.6% |
| | Grade 9 | 2.7% | 4.5% | 7.0% | 93.0% |
| | Grade 10 | 2.9% | 4.2% | 7.5% | 92.5% |
| | Grade 11 | 3.2% | 6.3% | 10.3% | 89.7% |
| | Grade 12 | 2.8% | 6.3% | 11.2% | 88.8% |

State - Grades 7-12
Spring 2002

Table B7 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.5% | 1.0% | 2.2% | 97.8% |
| | Grade 7 | 0.7% | 1.0% | 1.6% | 98.4% |
| | Grade 8 | 0.5% | 1.1% | 2.0% | 98.0% |
| | Grade 9 | 0.5% | 1.0% | 2.8% | 97.2% |
| | Grade 10 | 0.8% | 1.2% | 2.1% | 97.9% |
| | Grade 11 | 0.4% | 0.9% | 2.8% | 97.2% |
| | Grade 12 | 0.3% | 0.8% | 2.1% | 97.9% |
| Hallucinogens | All | 0.9% | 1.9% | 3.9% | 96.1% |
| | Grade 7 | 0.2% | 0.3% | 0.7% | 99.3% |
| | Grade 8 | 0.4% | 0.6% | 1.5% | 98.5% |
| | Grade 9 | 1.1% | 2.6% | 3.8% | 96.2% |
| | Grade 10 | 1.2% | 2.1% | 4.5% | 95.5% |
| | Grade 11 | 1.7% | 3.1% | 6.6% | 93.4% |
| | Grade 12 | 1.0% | 3.4% | 7.6% | 92.4% |
| Uppers | All | 2.8% | 4.1% | 6.5% | 93.5% |
| | Grade 7 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 0.9% | 1.4% | 2.3% | 97.7% |
| | Grade 9 | 3.0% | 4.6% | 6.8% | 93.2% |
| | Grade 10 | 3.8% | 5.3% | 7.3% | 92.7% |
| | Grade 11 | 5.0% | 7.1% | 12.1% | 87.9% |
| | Grade 12 | 4.1% | 6.3% | 10.6% | 89.4% |
| Downers | All | 2.8% | 4.0% | 6.2% | 93.8% |
| | Grade 7 | 0.4% | 0.6% | 0.8% | 99.2% |
| | Grade 8 | 0.8% | 1.3% | 2.0% | 98.0% |
| | Grade 9 | 2.9% | 4.1% | 6.6% | 93.4% |
| | Grade 10 | 4.2% | 5.5% | 7.1% | 92.9% |
| | Grade 11 | 5.0% | 6.8% | 11.6% | 88.4% |
| | Grade 12 | 4.2% | 6.4% | 10.6% | 89.4% |
| Rohypnol | All | 1.3% | 2.1% | 3.9% | 96.1% |
| | Grade 7 | 0.8% | 1.1% | 2.2% | 97.8% |
| | Grade 8 | 1.0% | 1.8% | 3.4% | 96.6% |
| | Grade 9 | 2.1% | 3.3% | 5.1% | 94.9% |
| | Grade 10 | 1.4% | 2.3% | 3.6% | 96.4% |
| | Grade 11 | 1.0% | 1.9% | 4.4% | 95.6% |
| | Grade 12 | 1.1% | 1.8% | 4.9% | 95.1% |
| Steroids | All | 0.6% | 1.1% | 2.1% | 97.9% |
| | Grade 7 | 0.7% | 1.1% | 1.8% | 98.2% |
| | Grade 8 | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 0.6% | 1.3% | 2.4% | 97.6% |
| | Grade 10 | 0.6% | 1.2% | 2.1% | 97.9% |
| | Grade 11 | 0.4% | 1.3% | 2.4% | 97.6% |
| | Grade 12 | 0.8% | 1.2% | 2.2% | 97.8% |
| Ecstasy | All | 2.5% | 4.3% | 7.3% | 92.7% |
| | Grade 7 | 1.1% | 1.7% | 2.8% | 97.2% |
| | Grade 8 | 1.5% | 2.3% | 4.3% | 95.7% |
| | Grade 9 | 3.1% | 4.6% | 7.3% | 92.7% |
| | Grade 10 | 2.4% | 4.8% | 7.6% | 92.4% |
| | Grade 11 | 3.9% | 5.9% | 10.9% | 89.1% |
| | Grade 12 | 3.3% | 6.9% | 12.1% | 87.9% |
| Heroin | All | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 7 | 0.6% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 0.4% | 0.5% | 1.2% | 98.8% |
| | Grade 9 | 0.3% | 0.7% | 1.5% | 98.5% |
| | Grade 10 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 11 | 0.5% | 1.0% | 1.9% | 98.1% |
| | Grade 12 | 0.2% | 1.0% | 1.6% | 98.4% |

State - Grades 7-12
Spring 2002

Table B8: Prevalence and recency of use of selected substances by grade
--> Students reporting C, D, and F grades

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 28.3% | 38.3% | 58.7% | 41.3% |
| | Grade 7 | 15.8% | 23.3% | 43.8% | 56.2% |
| | Grade 8 | 19.7% | 29.6% | 51.0% | 49.0% |
| | Grade 9 | 31.2% | 43.3% | 62.5% | 37.5% |
| | Grade 10 | 32.8% | 41.6% | 64.6% | 35.4% |
| | Grade 11 | 37.9% | 49.8% | 67.2% | 32.8% |
| | Grade 12 | 39.2% | 47.2% | 67.9% | 32.1% |
| Alcohol | All | 45.1% | 57.5% | 78.9% | 21.1% |
| | Grade 7 | 29.9% | 38.3% | 66.1% | 33.9% |
| | Grade 8 | 36.9% | 50.2% | 74.0% | 26.0% |
| | Grade 9 | 47.8% | 61.4% | 81.5% | 18.5% |
| | Grade 10 | 52.1% | 64.3% | 82.8% | 17.2% |
| | Grade 11 | 54.6% | 68.3% | 86.3% | 13.7% |
| | Grade 12 | 56.1% | 69.0% | 87.9% | 12.1% |
| Inhalants | All | 11.1% | 15.4% | 27.2% | 72.8% |
| | Grade 7 | 16.4% | 21.3% | 32.9% | 67.1% |
| | Grade 8 | 14.6% | 19.0% | 29.4% | 70.6% |
| | Grade 9 | 12.0% | 17.7% | 28.2% | 71.8% |
| | Grade 10 | 8.6% | 12.2% | 26.4% | 73.6% |
| | Grade 11 | 4.9% | 7.4% | 21.4% | 78.6% |
| | Grade 12 | 5.1% | 8.2% | 19.2% | 80.8% |
| Any Illicit Drug | All | 26.5% | 34.7% | 48.8% | 51.2% |
| | Grade 7 | 14.1% | 17.9% | 27.4% | 72.6% |
| | Grade 8 | 20.5% | 28.4% | 40.6% | 59.4% |
| | Grade 9 | 29.8% | 38.3% | 52.2% | 47.8% |
| | Grade 10 | 32.0% | 42.3% | 58.7% | 41.3% |
| | Grade 11 | 32.8% | 43.9% | 59.8% | 40.2% |
| | Grade 12 | 33.0% | 41.6% | 62.4% | 37.6% |
| Marijuana | All | 23.7% | 32.6% | 47.2% | 52.8% |
| | Grade 7 | 11.8% | 15.9% | 25.3% | 74.7% |
| | Grade 8 | 18.6% | 26.3% | 38.8% | 61.2% |
| | Grade 9 | 25.6% | 36.1% | 50.4% | 49.6% |
| | Grade 10 | 30.1% | 40.6% | 57.8% | 42.2% |
| | Grade 11 | 29.5% | 40.8% | 57.6% | 42.4% |
| | Grade 12 | 30.5% | 40.0% | 61.4% | 38.6% |
| Marijuana Only | All | 8.8% | 12.7% | 21.8% | 78.2% |
| | Grade 7 | 5.1% | 7.3% | 13.0% | 87.0% |
| | Grade 8 | 7.7% | 11.5% | 19.1% | 80.9% |
| | Grade 9 | 9.1% | 12.8% | 21.3% | 78.7% |
| | Grade 10 | 10.3% | 14.7% | 25.5% | 74.5% |
| | Grade 11 | 12.1% | 18.0% | 27.9% | 72.1% |
| | Grade 12 | 9.4% | 13.5% | 29.6% | 70.4% |
| Cocaine or Crack | All | 6.3% | 8.9% | 14.5% | 85.5% |
| | Grade 7 | 3.1% | 3.9% | 7.2% | 92.8% |
| | Grade 8 | 4.8% | 7.1% | 11.3% | 88.7% |
| | Grade 9 | 5.7% | 9.1% | 15.3% | 84.7% |
| | Grade 10 | 7.9% | 11.0% | 18.7% | 81.3% |
| | Grade 11 | 9.1% | 12.1% | 17.6% | 82.4% |
| | Grade 12 | 9.8% | 13.1% | 20.0% | 80.0% |
| Cocaine | All | 5.7% | 8.1% | 13.5% | 86.5% |
| | Grade 7 | 2.3% | 3.1% | 5.8% | 94.2% |
| | Grade 8 | 4.2% | 6.0% | 10.2% | 89.8% |
| | Grade 9 | 4.9% | 7.5% | 13.6% | 86.4% |
| | Grade 10 | 7.7% | 10.6% | 18.2% | 81.8% |
| | Grade 11 | 8.8% | 11.9% | 17.3% | 82.7% |
| | Grade 12 | 9.6% | 13.0% | 19.8% | 80.2% |

State - Grades 7-12
Spring 2002

Table B8 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 1.5% | 2.6% | 4.5% | 95.5% |
| | Grade 7 | 1.5% | 2.1% | 4.2% | 95.8% |
| | Grade 8 | 1.2% | 2.8% | 5.4% | 94.6% |
| | Grade 9 | 2.0% | 3.4% | 5.1% | 94.9% |
| | Grade 10 | 1.8% | 2.7% | 4.2% | 95.8% |
| | Grade 11 | 1.1% | 1.7% | 3.4% | 96.6% |
| | Grade 12 | 1.2% | 2.0% | 4.1% | 95.9% |
| Hallucinogens | All | 2.6% | 4.0% | 6.5% | 93.5% |
| | Grade 7 | 0.7% | 1.6% | 2.8% | 97.2% |
| | Grade 8 | 1.8% | 2.5% | 3.9% | 96.1% |
| | Grade 9 | 2.6% | 4.4% | 6.3% | 93.7% |
| | Grade 10 | 2.7% | 4.4% | 7.9% | 92.1% |
| | Grade 11 | 5.4% | 6.7% | 11.3% | 88.7% |
| | Grade 12 | 3.5% | 5.7% | 9.6% | 90.4% |
| Uppers | All | 5.3% | 7.2% | 10.8% | 89.2% |
| | Grade 7 | 1.1% | 1.7% | 3.2% | 96.8% |
| | Grade 8 | 2.9% | 4.1% | 6.5% | 93.5% |
| | Grade 9 | 6.8% | 9.1% | 12.9% | 87.1% |
| | Grade 10 | 6.7% | 9.9% | 13.2% | 86.8% |
| | Grade 11 | 8.7% | 10.6% | 16.2% | 83.8% |
| | Grade 12 | 6.0% | 8.8% | 16.1% | 83.9% |
| Downers | All | 5.6% | 7.4% | 10.6% | 89.4% |
| | Grade 7 | 1.5% | 2.1% | 3.5% | 96.5% |
| | Grade 8 | 3.2% | 4.2% | 6.7% | 93.3% |
| | Grade 9 | 6.4% | 8.4% | 11.7% | 88.3% |
| | Grade 10 | 7.0% | 10.0% | 13.7% | 86.3% |
| | Grade 11 | 8.3% | 10.3% | 14.7% | 85.3% |
| | Grade 12 | 8.7% | 11.3% | 16.8% | 83.2% |
| Rohypnol | All | 3.7% | 5.6% | 8.7% | 91.3% |
| | Grade 7 | 2.0% | 2.8% | 4.9% | 95.1% |
| | Grade 8 | 4.8% | 6.1% | 8.6% | 91.4% |
| | Grade 9 | 4.6% | 7.2% | 10.8% | 89.2% |
| | Grade 10 | 4.3% | 7.4% | 11.5% | 88.5% |
| | Grade 11 | 2.5% | 4.0% | 6.6% | 93.4% |
| | Grade 12 | 3.0% | 4.6% | 7.3% | 92.7% |
| Steroids | All | 1.0% | 1.9% | 3.3% | 96.7% |
| | Grade 7 | 0.7% | 1.1% | 2.9% | 97.1% |
| | Grade 8 | 0.8% | 1.7% | 3.6% | 96.4% |
| | Grade 9 | 1.6% | 1.9% | 2.6% | 97.4% |
| | Grade 10 | 1.0% | 2.2% | 4.3% | 95.7% |
| | Grade 11 | 0.7% | 2.6% | 3.6% | 96.4% |
| | Grade 12 | 1.2% | 1.9% | 3.2% | 96.8% |
| Ecstasy | All | 5.5% | 8.4% | 13.7% | 86.3% |
| | Grade 7 | 3.0% | 4.6% | 7.0% | 93.0% |
| | Grade 8 | 4.2% | 6.1% | 10.1% | 89.9% |
| | Grade 9 | 5.9% | 8.8% | 15.3% | 84.7% |
| | Grade 10 | 7.0% | 9.8% | 15.2% | 84.8% |
| | Grade 11 | 7.5% | 12.4% | 19.9% | 80.1% |
| | Grade 12 | 6.0% | 10.4% | 17.0% | 83.0% |
| Heroin | All | 0.9% | 1.4% | 3.1% | 96.9% |
| | Grade 7 | 0.9% | 1.5% | 3.5% | 96.5% |
| | Grade 8 | 0.8% | 1.7% | 4.5% | 95.5% |
| | Grade 9 | 1.1% | 1.5% | 2.7% | 97.3% |
| | Grade 10 | 1.2% | 1.7% | 2.8% | 97.2% |
| | Grade 11 | 0.6% | 0.7% | 2.0% | 98.0% |
| | Grade 12 | 0.8% | 1.3% | 2.6% | 97.4% |

State - Grades 7-12
Spring 2002

Table B9: Prevalence and recency of use of selected substances by grade
--> Students living with two parents

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 16.1% | 22.4% | 40.1% | 59.9% |
| | Grade 7 | 6.0% | 9.3% | 21.9% | 78.1% |
| | Grade 8 | 9.8% | 14.9% | 31.7% | 68.3% |
| | Grade 9 | 17.7% | 24.1% | 42.6% | 57.4% |
| | Grade 10 | 19.7% | 27.7% | 46.2% | 53.8% |
| | Grade 11 | 20.7% | 29.6% | 48.8% | 51.2% |
| | Grade 12 | 26.2% | 32.8% | 55.6% | 44.4% |
| Alcohol | All | 32.4% | 44.7% | 67.2% | 32.8% |
| | Grade 7 | 15.4% | 22.2% | 47.7% | 52.3% |
| | Grade 8 | 23.1% | 33.3% | 59.5% | 40.5% |
| | Grade 9 | 34.0% | 46.4% | 69.4% | 30.6% |
| | Grade 10 | 38.7% | 53.9% | 74.7% | 25.3% |
| | Grade 11 | 41.3% | 57.3% | 77.4% | 22.6% |
| | Grade 12 | 48.2% | 62.4% | 80.7% | 19.3% |
| Inhalants | All | 5.9% | 8.8% | 16.0% | 84.0% |
| | Grade 7 | 7.9% | 10.2% | 17.2% | 82.8% |
| | Grade 8 | 7.2% | 10.5% | 17.5% | 82.5% |
| | Grade 9 | 7.2% | 10.6% | 17.8% | 82.2% |
| | Grade 10 | 4.7% | 7.0% | 13.8% | 86.2% |
| | Grade 11 | 4.2% | 7.1% | 15.9% | 84.1% |
| | Grade 12 | 3.1% | 6.1% | 12.4% | 87.6% |
| Any Illicit Drug | All | 13.0% | 18.2% | 28.0% | 72.0% |
| | Grade 7 | 4.9% | 6.2% | 10.6% | 89.4% |
| | Grade 8 | 8.5% | 11.9% | 19.6% | 80.4% |
| | Grade 9 | 13.7% | 19.0% | 28.4% | 71.6% |
| | Grade 10 | 17.0% | 24.3% | 34.2% | 65.8% |
| | Grade 11 | 18.5% | 26.2% | 40.8% | 59.2% |
| | Grade 12 | 17.9% | 25.7% | 41.1% | 58.9% |
| Marijuana | All | 11.5% | 16.9% | 26.6% | 73.4% |
| | Grade 7 | 4.0% | 5.2% | 9.5% | 90.5% |
| | Grade 8 | 7.3% | 10.5% | 17.7% | 82.3% |
| | Grade 9 | 12.0% | 17.4% | 26.5% | 73.5% |
| | Grade 10 | 15.3% | 22.8% | 32.9% | 67.1% |
| | Grade 11 | 16.7% | 24.8% | 39.3% | 60.7% |
| | Grade 12 | 16.1% | 24.8% | 40.1% | 59.9% |
| Marijuana Only | All | 4.5% | 7.3% | 13.9% | 86.1% |
| | Grade 7 | 1.9% | 2.5% | 5.4% | 94.6% |
| | Grade 8 | 3.2% | 4.6% | 9.6% | 90.4% |
| | Grade 9 | 4.4% | 6.7% | 13.1% | 86.9% |
| | Grade 10 | 6.6% | 10.7% | 18.0% | 82.0% |
| | Grade 11 | 5.9% | 10.5% | 19.6% | 80.4% |
| | Grade 12 | 5.7% | 10.6% | 21.4% | 78.6% |
| Cocaine or Crack | All | 2.8% | 4.3% | 7.2% | 92.8% |
| | Grade 7 | 1.1% | 1.7% | 2.6% | 97.4% |
| | Grade 8 | 1.7% | 2.6% | 5.0% | 95.0% |
| | Grade 9 | 3.1% | 4.7% | 7.4% | 92.6% |
| | Grade 10 | 4.0% | 5.2% | 8.7% | 91.3% |
| | Grade 11 | 4.2% | 6.7% | 10.8% | 89.2% |
| | Grade 12 | 2.8% | 5.8% | 10.2% | 89.8% |
| Cocaine | All | 2.5% | 4.0% | 6.7% | 93.3% |
| | Grade 7 | 0.8% | 1.2% | 1.9% | 98.1% |
| | Grade 8 | 1.5% | 2.3% | 4.2% | 95.8% |
| | Grade 9 | 3.0% | 4.3% | 6.8% | 93.2% |
| | Grade 10 | 3.5% | 4.9% | 8.2% | 91.8% |
| | Grade 11 | 4.0% | 6.6% | 10.7% | 89.3% |
| | Grade 12 | 2.7% | 5.8% | 9.8% | 90.2% |

State - Grades 7-12
Spring 2002

Table B9 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.6% | 1.1% | 2.2% | 97.8% |
| | Grade 7 | 0.6% | 1.1% | 1.6% | 98.4% |
| | Grade 8 | 0.6% | 1.1% | 2.3% | 97.7% |
| | Grade 9 | 0.6% | 1.2% | 2.3% | 97.7% |
| | Grade 10 | 1.1% | 1.5% | 2.3% | 97.7% |
| | Grade 11 | 0.5% | 1.2% | 2.6% | 97.4% |
| | Grade 12 | 0.3% | 0.6% | 2.0% | 98.0% |
| Hallucinogens | All | 0.8% | 1.7% | 3.3% | 96.7% |
| | Grade 7 | 0.2% | 0.3% | 0.6% | 99.4% |
| | Grade 8 | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 9 | 0.9% | 1.9% | 2.6% | 97.4% |
| | Grade 10 | 1.0% | 2.0% | 4.3% | 95.7% |
| | Grade 11 | 1.6% | 2.8% | 6.2% | 93.8% |
| | Grade 12 | 1.1% | 2.9% | 6.0% | 94.0% |
| Uppers | All | 2.6% | 3.6% | 5.8% | 94.2% |
| | Grade 7 | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 1.0% | 1.5% | 2.4% | 97.6% |
| | Grade 9 | 3.0% | 4.0% | 6.1% | 93.9% |
| | Grade 10 | 3.6% | 4.9% | 6.9% | 93.1% |
| | Grade 11 | 4.4% | 6.2% | 11.0% | 89.0% |
| | Grade 12 | 3.9% | 5.3% | 9.0% | 91.0% |
| Downers | All | 2.8% | 3.8% | 5.7% | 94.3% |
| | Grade 7 | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 0.9% | 1.5% | 2.3% | 97.7% |
| | Grade 9 | 3.3% | 4.2% | 6.3% | 93.7% |
| | Grade 10 | 3.6% | 5.1% | 6.7% | 93.3% |
| | Grade 11 | 4.6% | 6.6% | 10.5% | 89.5% |
| | Grade 12 | 4.4% | 5.8% | 8.8% | 91.2% |
| Rohypnol | All | 1.4% | 2.3% | 4.0% | 96.0% |
| | Grade 7 | 0.8% | 1.0% | 1.9% | 98.1% |
| | Grade 8 | 1.1% | 2.0% | 3.6% | 96.4% |
| | Grade 9 | 2.4% | 3.5% | 5.6% | 94.4% |
| | Grade 10 | 1.9% | 3.0% | 4.2% | 95.8% |
| | Grade 11 | 1.2% | 2.3% | 4.6% | 95.4% |
| | Grade 12 | 0.9% | 1.6% | 3.8% | 96.2% |
| Steroids | All | 0.7% | 1.1% | 2.0% | 98.0% |
| | Grade 7 | 0.6% | 0.8% | 1.9% | 98.1% |
| | Grade 8 | 0.7% | 0.9% | 1.6% | 98.4% |
| | Grade 9 | 0.7% | 1.0% | 2.0% | 98.0% |
| | Grade 10 | 0.6% | 1.1% | 2.1% | 97.9% |
| | Grade 11 | 0.5% | 1.7% | 2.6% | 97.4% |
| | Grade 12 | 0.9% | 1.2% | 2.2% | 97.8% |
| Ecstasy | All | 2.5% | 4.0% | 6.6% | 93.4% |
| | Grade 7 | 1.0% | 1.8% | 2.5% | 97.5% |
| | Grade 8 | 1.5% | 2.6% | 4.6% | 95.4% |
| | Grade 9 | 3.1% | 4.3% | 6.7% | 93.3% |
| | Grade 10 | 2.7% | 4.7% | 7.4% | 92.6% |
| | Grade 11 | 4.0% | 6.0% | 10.6% | 89.4% |
| | Grade 12 | 2.7% | 5.5% | 9.0% | 91.0% |
| Heroin | All | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 7 | 0.5% | 0.7% | 1.2% | 98.8% |
| | Grade 8 | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grade 9 | 0.4% | 0.6% | 1.5% | 98.5% |
| | Grade 10 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 11 | 0.7% | 1.3% | 2.1% | 97.9% |
| | Grade 12 | 0.2% | 0.4% | 0.9% | 99.1% |

State - Grades 7-12
Spring 2002

Table B10: Prevalence and recency of use of selected substances by grade
--> Students not living with two parents

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 21.7% | 30.1% | 52.5% | 47.5% |
| | Grade 7 | 13.3% | 18.8% | 39.7% | 60.3% |
| | Grade 8 | 14.7% | 22.2% | 43.0% | 57.0% |
| | Grade 9 | 21.6% | 33.4% | 56.3% | 43.7% |
| | Grade 10 | 21.7% | 29.4% | 55.2% | 44.8% |
| | Grade 11 | 27.6% | 37.1% | 60.3% | 39.7% |
| | Grade 12 | 36.3% | 43.1% | 64.3% | 35.7% |
| Alcohol | All | 37.9% | 52.8% | 77.0% | 23.0% |
| | Grade 7 | 22.0% | 30.8% | 62.0% | 38.0% |
| | Grade 8 | 30.6% | 43.7% | 70.9% | 29.1% |
| | Grade 9 | 39.9% | 58.4% | 80.2% | 19.8% |
| | Grade 10 | 41.8% | 58.8% | 82.0% | 18.0% |
| | Grade 11 | 42.4% | 58.6% | 81.9% | 18.1% |
| | Grade 12 | 55.9% | 71.6% | 88.3% | 11.7% |
| Inhalants | All | 8.1% | 11.5% | 21.2% | 78.8% |
| | Grade 7 | 11.3% | 14.9% | 23.1% | 76.9% |
| | Grade 8 | 9.9% | 12.4% | 21.0% | 79.0% |
| | Grade 9 | 9.4% | 14.6% | 23.8% | 76.2% |
| | Grade 10 | 6.2% | 8.6% | 19.8% | 80.2% |
| | Grade 11 | 4.7% | 6.7% | 17.6% | 82.4% |
| | Grade 12 | 5.4% | 9.2% | 20.4% | 79.6% |
| Any Illicit Drug | All | 20.9% | 28.9% | 42.7% | 57.3% |
| | Grade 7 | 10.3% | 13.5% | 22.6% | 77.4% |
| | Grade 8 | 14.0% | 21.3% | 33.6% | 66.4% |
| | Grade 9 | 24.5% | 32.1% | 47.2% | 52.8% |
| | Grade 10 | 25.5% | 36.2% | 50.7% | 49.3% |
| | Grade 11 | 25.6% | 35.0% | 52.0% | 48.0% |
| | Grade 12 | 27.1% | 38.7% | 53.8% | 46.2% |
| Marijuana | All | 18.9% | 27.5% | 41.4% | 58.6% |
| | Grade 7 | 8.8% | 12.0% | 20.3% | 79.7% |
| | Grade 8 | 12.6% | 19.9% | 32.1% | 67.9% |
| | Grade 9 | 21.6% | 30.8% | 46.2% | 53.8% |
| | Grade 10 | 23.5% | 34.1% | 49.2% | 50.8% |
| | Grade 11 | 23.7% | 33.7% | 51.3% | 48.7% |
| | Grade 12 | 25.5% | 37.2% | 53.0% | 47.0% |
| Marijuana Only | All | 6.8% | 11.3% | 20.7% | 79.3% |
| | Grade 7 | 3.7% | 5.3% | 10.2% | 89.8% |
| | Grade 8 | 5.5% | 10.1% | 18.6% | 81.4% |
| | Grade 9 | 7.9% | 11.9% | 22.0% | 78.0% |
| | Grade 10 | 8.3% | 13.5% | 23.9% | 76.1% |
| | Grade 11 | 7.5% | 13.3% | 26.3% | 73.7% |
| | Grade 12 | 8.1% | 14.8% | 25.0% | 75.0% |
| Cocaine or Crack | All | 3.9% | 6.5% | 11.1% | 88.9% |
| | Grade 7 | 2.6% | 3.2% | 5.8% | 94.2% |
| | Grade 8 | 2.5% | 4.2% | 6.6% | 93.4% |
| | Grade 9 | 4.3% | 7.2% | 12.8% | 87.2% |
| | Grade 10 | 4.7% | 7.1% | 12.8% | 87.2% |
| | Grade 11 | 4.7% | 8.4% | 13.4% | 86.6% |
| | Grade 12 | 5.5% | 9.9% | 17.1% | 82.9% |
| Cocaine | All | 3.7% | 6.1% | 10.4% | 89.6% |
| | Grade 7 | 2.2% | 2.7% | 4.7% | 95.3% |
| | Grade 8 | 2.3% | 3.6% | 5.8% | 94.2% |
| | Grade 9 | 3.8% | 6.7% | 11.4% | 88.6% |
| | Grade 10 | 4.6% | 6.6% | 12.3% | 87.7% |
| | Grade 11 | 4.7% | 8.5% | 13.3% | 86.7% |
| | Grade 12 | 5.2% | 9.7% | 16.8% | 83.2% |

State - Grades 7-12
Spring 2002

Table B10 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.8% | 1.7% | 3.5% | 96.5% |
| | Grade 7 | 1.1% | 1.4% | 2.9% | 97.1% |
| | Grade 8 | 0.7% | 2.0% | 3.3% | 96.7% |
| | Grade 9 | 1.2% | 2.1% | 4.9% | 95.1% |
| | Grade 10 | 0.8% | 1.6% | 2.9% | 97.1% |
| | Grade 11 | 0.5% | 0.9% | 3.5% | 96.5% |
| | Grade 12 | 0.6% | 1.7% | 3.2% | 96.8% |
| Hallucinogens | All | 1.9% | 3.5% | 6.4% | 93.6% |
| | Grade 7 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 8 | 1.2% | 1.6% | 3.0% | 97.0% |
| | Grade 9 | 2.3% | 4.8% | 7.2% | 92.8% |
| | Grade 10 | 2.3% | 3.3% | 6.8% | 93.2% |
| | Grade 11 | 3.7% | 5.3% | 9.6% | 90.4% |
| | Grade 12 | 1.6% | 5.1% | 11.2% | 88.8% |
| Uppers | All | 4.4% | 6.5% | 9.8% | 90.2% |
| | Grade 7 | 0.8% | 1.2% | 2.2% | 97.8% |
| | Grade 8 | 1.8% | 2.7% | 4.4% | 95.6% |
| | Grade 9 | 5.4% | 8.3% | 11.7% | 88.3% |
| | Grade 10 | 5.8% | 8.4% | 11.1% | 88.9% |
| | Grade 11 | 7.6% | 10.1% | 15.8% | 84.2% |
| | Grade 12 | 5.1% | 8.9% | 15.3% | 84.7% |
| Downers | All | 4.4% | 6.1% | 9.4% | 90.6% |
| | Grade 7 | 0.9% | 1.3% | 1.8% | 98.2% |
| | Grade 8 | 2.0% | 2.7% | 4.1% | 95.9% |
| | Grade 9 | 4.5% | 6.7% | 10.2% | 89.8% |
| | Grade 10 | 7.2% | 9.1% | 11.9% | 88.1% |
| | Grade 11 | 7.1% | 8.8% | 14.8% | 85.2% |
| | Grade 12 | 5.3% | 9.1% | 15.8% | 84.2% |
| Rohypnol | All | 2.3% | 3.7% | 6.3% | 93.7% |
| | Grade 7 | 1.5% | 2.2% | 4.2% | 95.8% |
| | Grade 8 | 3.0% | 4.0% | 6.1% | 93.9% |
| | Grade 9 | 3.1% | 5.4% | 7.8% | 92.2% |
| | Grade 10 | 2.2% | 3.9% | 7.0% | 93.0% |
| | Grade 11 | 1.4% | 2.4% | 5.1% | 94.9% |
| | Grade 12 | 2.2% | 3.3% | 7.5% | 92.5% |
| Steroids | All | 0.7% | 1.6% | 2.8% | 97.2% |
| | Grade 7 | 0.9% | 1.5% | 2.3% | 97.7% |
| | Grade 8 | 0.5% | 1.1% | 2.6% | 97.4% |
| | Grade 9 | 0.9% | 2.1% | 3.2% | 96.8% |
| | Grade 10 | 0.7% | 1.8% | 3.1% | 96.9% |
| | Grade 11 | 0.4% | 1.3% | 2.7% | 97.3% |
| | Grade 12 | 0.9% | 1.3% | 2.6% | 97.4% |
| Ecstasy | All | 4.1% | 6.8% | 11.8% | 88.2% |
| | Grade 7 | 2.2% | 3.1% | 5.5% | 94.5% |
| | Grade 8 | 3.0% | 4.1% | 7.2% | 92.8% |
| | Grade 9 | 4.7% | 7.8% | 13.2% | 86.8% |
| | Grade 10 | 4.1% | 7.4% | 11.8% | 88.2% |
| | Grade 11 | 5.6% | 9.0% | 15.8% | 84.2% |
| | Grade 12 | 5.1% | 10.7% | 19.1% | 80.9% |
| Heroin | All | 0.6% | 1.2% | 2.4% | 97.6% |
| | Grade 7 | 0.8% | 1.1% | 2.6% | 97.4% |
| | Grade 8 | 0.7% | 1.1% | 2.8% | 97.2% |
| | Grade 9 | 0.6% | 1.3% | 2.3% | 97.7% |
| | Grade 10 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 11 | 0.2% | 0.4% | 1.7% | 98.3% |
| | Grade 12 | 0.4% | 2.2% | 3.1% | 96.9% |

State - Grades 7-12
Spring 2002

Table B11: Prevalence and recency of use of selected substances by grade

--> Students who would seek help from adults for substance abuse problems

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 16.7% | 23.2% | 42.5% | 57.5% |
| | Grade 7 | 6.8% | 10.0% | 25.1% | 74.9% |
| | Grade 8 | 9.6% | 14.8% | 32.2% | 67.8% |
| | Grade 9 | 17.8% | 25.9% | 45.5% | 54.5% |
| | Grade 10 | 18.8% | 26.3% | 47.4% | 52.6% |
| | Grade 11 | 22.8% | 31.0% | 52.4% | 47.6% |
| | Grade 12 | 28.3% | 34.9% | 57.6% | 42.4% |
| Alcohol | All | 32.5% | 45.7% | 69.6% | 30.4% |
| | Grade 7 | 15.7% | 22.3% | 49.9% | 50.1% |
| | Grade 8 | 22.4% | 33.3% | 60.7% | 39.3% |
| | Grade 9 | 34.3% | 49.7% | 73.2% | 26.8% |
| | Grade 10 | 38.0% | 54.2% | 76.7% | 23.3% |
| | Grade 11 | 40.0% | 56.2% | 79.0% | 21.0% |
| | Grade 12 | 50.1% | 64.7% | 83.0% | 17.0% |
| Inhalants | All | 5.9% | 8.5% | 15.8% | 84.2% |
| | Grade 7 | 7.4% | 10.1% | 16.5% | 83.5% |
| | Grade 8 | 7.2% | 10.0% | 16.8% | 83.2% |
| | Grade 9 | 6.9% | 9.6% | 16.9% | 83.1% |
| | Grade 10 | 4.7% | 6.9% | 14.7% | 85.3% |
| | Grade 11 | 4.0% | 6.2% | 14.5% | 85.5% |
| | Grade 12 | 4.0% | 7.0% | 14.9% | 85.1% |
| Any Illicit Drug | All | 14.0% | 19.7% | 30.7% | 69.3% |
| | Grade 7 | 5.3% | 6.8% | 11.9% | 88.1% |
| | Grade 8 | 8.4% | 12.7% | 21.7% | 78.3% |
| | Grade 9 | 15.3% | 20.5% | 32.6% | 67.4% |
| | Grade 10 | 17.5% | 25.4% | 36.7% | 63.3% |
| | Grade 11 | 19.4% | 27.3% | 43.1% | 56.9% |
| | Grade 12 | 20.3% | 29.1% | 43.3% | 56.7% |
| Marijuana | All | 12.6% | 18.5% | 29.3% | 70.7% |
| | Grade 7 | 4.6% | 6.1% | 10.7% | 89.3% |
| | Grade 8 | 7.5% | 11.6% | 20.0% | 80.0% |
| | Grade 9 | 13.3% | 19.0% | 30.9% | 69.1% |
| | Grade 10 | 15.9% | 23.9% | 35.3% | 64.7% |
| | Grade 11 | 17.6% | 26.0% | 41.8% | 58.2% |
| | Grade 12 | 18.9% | 28.0% | 42.4% | 57.6% |
| Marijuana Only | All | 5.0% | 8.1% | 15.7% | 84.3% |
| | Grade 7 | 1.9% | 2.7% | 6.0% | 94.0% |
| | Grade 8 | 3.5% | 5.9% | 11.9% | 88.1% |
| | Grade 9 | 5.5% | 8.3% | 16.5% | 83.5% |
| | Grade 10 | 6.6% | 10.4% | 19.0% | 81.0% |
| | Grade 11 | 6.8% | 11.3% | 22.3% | 77.7% |
| | Grade 12 | 6.3% | 11.5% | 20.9% | 79.1% |
| Cocaine or Crack | All | 2.5% | 4.2% | 7.4% | 92.6% |
| | Grade 7 | 1.3% | 1.8% | 2.8% | 97.2% |
| | Grade 8 | 1.5% | 2.6% | 4.7% | 95.3% |
| | Grade 9 | 2.9% | 4.3% | 7.6% | 92.4% |
| | Grade 10 | 3.0% | 4.4% | 8.4% | 91.6% |
| | Grade 11 | 3.4% | 6.2% | 10.4% | 89.6% |
| | Grade 12 | 3.3% | 6.8% | 12.1% | 87.9% |
| Cocaine | All | 2.3% | 3.9% | 6.9% | 93.1% |
| | Grade 7 | 1.1% | 1.3% | 2.2% | 97.8% |
| | Grade 8 | 1.3% | 2.2% | 3.9% | 96.1% |
| | Grade 9 | 2.6% | 3.9% | 7.0% | 93.0% |
| | Grade 10 | 2.8% | 4.1% | 8.1% | 91.9% |
| | Grade 11 | 3.4% | 6.1% | 10.3% | 89.7% |
| | Grade 12 | 3.3% | 6.7% | 11.8% | 88.2% |

State - Grades 7-12
Spring 2002

Table B11 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.6% | 1.0% | 2.0% | 98.0% |
| | Grade 7 | 0.7% | 1.1% | 1.4% | 98.6% |
| | Grade 8 | 0.5% | 1.2% | 2.4% | 97.6% |
| | Grade 9 | 0.7% | 1.1% | 2.2% | 97.8% |
| | Grade 10 | 0.7% | 1.2% | 2.0% | 98.0% |
| | Grade 11 | 0.4% | 0.6% | 2.1% | 97.9% |
| | Grade 12 | 0.3% | 0.8% | 2.1% | 97.9% |
| Hallucinogens | All | 0.9% | 1.8% | 3.8% | 96.2% |
| | Grade 7 | 0.2% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.5% | 0.8% | 1.8% | 98.2% |
| | Grade 9 | 1.0% | 1.9% | 3.2% | 96.8% |
| | Grade 10 | 1.1% | 1.9% | 4.7% | 95.3% |
| | Grade 11 | 1.7% | 2.9% | 6.4% | 93.6% |
| | Grade 12 | 1.1% | 3.4% | 7.5% | 92.5% |
| Uppers | All | 2.7% | 4.0% | 6.5% | 93.5% |
| | Grade 7 | 0.4% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 1.2% | 1.7% | 2.8% | 97.2% |
| | Grade 9 | 2.7% | 4.4% | 6.6% | 93.4% |
| | Grade 10 | 3.7% | 5.4% | 7.4% | 92.6% |
| | Grade 11 | 4.6% | 6.4% | 11.4% | 88.6% |
| | Grade 12 | 4.1% | 6.5% | 11.2% | 88.8% |
| Downers | All | 2.7% | 3.9% | 6.2% | 93.8% |
| | Grade 7 | 0.4% | 0.7% | 1.0% | 99.0% |
| | Grade 8 | 1.0% | 1.5% | 2.5% | 97.5% |
| | Grade 9 | 2.9% | 4.1% | 6.4% | 93.6% |
| | Grade 10 | 3.8% | 5.3% | 7.1% | 92.9% |
| | Grade 11 | 4.4% | 6.0% | 10.6% | 89.4% |
| | Grade 12 | 4.4% | 6.6% | 11.2% | 88.8% |
| Rohypnol | All | 1.3% | 2.1% | 4.0% | 96.0% |
| | Grade 7 | 0.9% | 1.2% | 2.1% | 97.9% |
| | Grade 8 | 1.3% | 2.1% | 3.7% | 96.3% |
| | Grade 9 | 1.7% | 2.5% | 4.8% | 95.2% |
| | Grade 10 | 1.7% | 2.9% | 4.4% | 95.6% |
| | Grade 11 | 1.0% | 2.0% | 4.0% | 96.0% |
| | Grade 12 | 1.2% | 2.0% | 5.1% | 94.9% |
| Steroids | All | 0.6% | 1.1% | 2.1% | 97.9% |
| | Grade 7 | 0.4% | 0.8% | 1.7% | 98.3% |
| | Grade 8 | 0.5% | 0.7% | 1.7% | 98.3% |
| | Grade 9 | 0.9% | 1.3% | 2.4% | 97.6% |
| | Grade 10 | 0.5% | 1.3% | 2.4% | 97.6% |
| | Grade 11 | 0.4% | 1.5% | 2.4% | 97.6% |
| | Grade 12 | 0.9% | 1.2% | 2.3% | 97.7% |
| Ecstasy | All | 2.5% | 4.3% | 7.6% | 92.4% |
| | Grade 7 | 1.1% | 1.9% | 3.0% | 97.0% |
| | Grade 8 | 1.7% | 2.6% | 4.7% | 95.3% |
| | Grade 9 | 3.0% | 4.1% | 7.5% | 92.5% |
| | Grade 10 | 2.6% | 4.8% | 8.1% | 91.9% |
| | Grade 11 | 4.0% | 6.1% | 11.2% | 88.8% |
| | Grade 12 | 3.2% | 7.0% | 12.6% | 87.4% |
| Heroin | All | 0.3% | 0.6% | 1.4% | 98.6% |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 0.3% | 0.5% | 1.6% | 98.4% |
| | Grade 9 | 0.4% | 0.5% | 1.4% | 98.6% |
| | Grade 10 | 0.2% | 0.4% | 0.8% | 99.2% |
| | Grade 11 | 0.5% | 1.0% | 1.7% | 98.3% |
| | Grade 12 | 0.2% | 1.1% | 1.6% | 98.4% |

State - Grades 7-12
Spring 2002

Table B12: Prevalence and recency of use of selected substances by grade
--> Students who wouldn't seek help from adults for substance abuse problems

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 24.3% | 34.3% | 54.5% | 45.5% |
| | Grade 7 | 15.5% | 23.2% | 41.3% | 58.7% |
| | Grade 8 | 18.7% | 28.2% | 50.6% | 49.4% |
| | Grade 9 | 24.0% | 34.6% | 56.9% | 43.1% |
| | Grade 10 | 27.3% | 37.3% | 57.1% | 42.9% |
| | Grade 11 | 25.6% | 39.5% | 56.7% | 43.3% |
| | Grade 12 | 39.5% | 47.2% | 67.2% | 32.8% |
| Alcohol | All | 43.1% | 57.4% | 77.1% | 22.9% |
| | Grade 7 | 25.5% | 36.2% | 64.3% | 35.7% |
| | Grade 8 | 38.1% | 52.4% | 76.6% | 23.4% |
| | Grade 9 | 44.7% | 58.2% | 76.8% | 23.2% |
| | Grade 10 | 48.4% | 64.3% | 81.6% | 18.4% |
| | Grade 11 | 47.5% | 63.9% | 79.7% | 20.3% |
| | Grade 12 | 58.6% | 74.4% | 86.5% | 13.5% |
| Inhalants | All | 10.2% | 15.1% | 26.7% | 73.3% |
| | Grade 7 | 16.2% | 19.9% | 31.3% | 68.7% |
| | Grade 8 | 12.1% | 15.7% | 26.5% | 73.5% |
| | Grade 9 | 11.7% | 20.8% | 31.6% | 68.4% |
| | Grade 10 | 7.9% | 10.4% | 22.0% | 78.0% |
| | Grade 11 | 6.5% | 10.0% | 25.9% | 74.1% |
| | Grade 12 | 3.8% | 9.2% | 18.6% | 81.4% |
| Any Illicit Drug | All | 24.0% | 33.0% | 44.6% | 55.4% |
| | Grade 7 | 11.7% | 15.6% | 25.9% | 74.1% |
| | Grade 8 | 18.4% | 26.9% | 36.6% | 63.4% |
| | Grade 9 | 27.3% | 37.0% | 47.1% | 52.9% |
| | Grade 10 | 30.9% | 41.9% | 52.6% | 47.4% |
| | Grade 11 | 28.8% | 38.3% | 52.4% | 47.6% |
| | Grade 12 | 26.7% | 38.7% | 56.5% | 43.5% |
| Marijuana | All | 21.4% | 31.0% | 43.1% | 56.9% |
| | Grade 7 | 9.1% | 13.2% | 23.4% | 76.6% |
| | Grade 8 | 16.3% | 24.3% | 34.9% | 65.1% |
| | Grade 9 | 24.5% | 35.5% | 46.1% | 53.9% |
| | Grade 10 | 28.0% | 39.1% | 50.8% | 49.2% |
| | Grade 11 | 26.6% | 36.6% | 51.0% | 49.0% |
| | Grade 12 | 22.9% | 37.2% | 55.2% | 44.8% |
| Marijuana Only | All | 6.7% | 11.7% | 19.5% | 80.5% |
| | Grade 7 | 4.0% | 5.5% | 10.1% | 89.9% |
| | Grade 8 | 6.2% | 10.4% | 17.4% | 82.6% |
| | Grade 9 | 6.7% | 10.8% | 18.0% | 82.0% |
| | Grade 10 | 9.1% | 15.9% | 23.3% | 76.7% |
| | Grade 11 | 6.1% | 12.5% | 21.8% | 78.2% |
| | Grade 12 | 8.3% | 16.8% | 30.2% | 69.8% |
| Cocaine or Crack | All | 5.9% | 9.0% | 13.7% | 86.3% |
| | Grade 7 | 3.2% | 4.3% | 8.3% | 91.7% |
| | Grade 8 | 3.8% | 5.7% | 8.5% | 91.5% |
| | Grade 9 | 5.8% | 10.2% | 16.1% | 83.9% |
| | Grade 10 | 9.0% | 11.6% | 15.9% | 84.1% |
| | Grade 11 | 8.2% | 12.6% | 17.9% | 82.1% |
| | Grade 12 | 5.4% | 9.7% | 15.1% | 84.9% |
| Cocaine | All | 5.5% | 8.4% | 12.4% | 87.6% |
| | Grade 7 | 2.6% | 3.5% | 6.1% | 93.9% |
| | Grade 8 | 3.5% | 5.2% | 7.7% | 92.3% |
| | Grade 9 | 5.6% | 9.2% | 14.0% | 86.0% |
| | Grade 10 | 8.0% | 10.6% | 14.6% | 85.4% |
| | Grade 11 | 8.0% | 12.5% | 17.8% | 82.2% |
| | Grade 12 | 5.0% | 9.3% | 14.4% | 85.6% |

State - Grades 7-12
Spring 2002

Table B12 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 1.3% | 2.6% | 5.4% | 94.6% |
| | Grade 7 | 1.2% | 1.8% | 5.3% | 94.7% |
| | Grade 8 | 1.3% | 2.6% | 3.9% | 96.1% |
| | Grade 9 | 1.2% | 2.7% | 6.9% | 93.1% |
| | Grade 10 | 2.2% | 3.2% | 4.8% | 95.2% |
| | Grade 11 | 1.1% | 3.0% | 6.6% | 93.4% |
| | Grade 12 | 1.0% | 1.8% | 3.7% | 96.3% |
| Hallucinogens | All | 2.8% | 4.8% | 7.2% | 92.8% |
| | Grade 7 | 0.7% | 1.1% | 2.6% | 97.4% |
| | Grade 8 | 1.5% | 1.9% | 3.1% | 96.9% |
| | Grade 9 | 3.2% | 7.0% | 8.7% | 91.3% |
| | Grade 10 | 3.2% | 4.9% | 7.1% | 92.9% |
| | Grade 11 | 5.8% | 7.5% | 12.1% | 87.9% |
| | Grade 12 | 2.4% | 6.0% | 10.6% | 89.4% |
| Uppers | All | 6.0% | 7.6% | 10.8% | 89.2% |
| | Grade 7 | 0.9% | 1.4% | 1.9% | 98.1% |
| | Grade 8 | 1.9% | 2.9% | 4.8% | 95.2% |
| | Grade 9 | 9.1% | 10.5% | 13.8% | 86.2% |
| | Grade 10 | 8.1% | 10.1% | 13.4% | 86.6% |
| | Grade 11 | 9.6% | 12.7% | 18.3% | 81.7% |
| | Grade 12 | 5.5% | 7.5% | 12.5% | 87.5% |
| Downers | All | 6.2% | 8.0% | 10.8% | 89.2% |
| | Grade 7 | 1.1% | 1.6% | 2.3% | 97.7% |
| | Grade 8 | 2.2% | 3.4% | 4.9% | 95.1% |
| | Grade 9 | 7.3% | 8.8% | 12.2% | 87.8% |
| | Grade 10 | 10.3% | 12.6% | 15.3% | 84.7% |
| | Grade 11 | 9.6% | 12.6% | 18.3% | 81.7% |
| | Grade 12 | 6.7% | 9.1% | 12.4% | 87.6% |
| Rohypnol | All | 3.5% | 5.4% | 8.0% | 92.0% |
| | Grade 7 | 1.4% | 2.1% | 5.7% | 94.3% |
| | Grade 8 | 3.7% | 5.6% | 7.2% | 92.8% |
| | Grade 9 | 6.5% | 10.7% | 12.5% | 87.5% |
| | Grade 10 | 3.3% | 4.6% | 8.3% | 91.7% |
| | Grade 11 | 2.3% | 3.6% | 6.6% | 93.4% |
| | Grade 12 | 1.7% | 2.9% | 4.9% | 95.1% |
| Steroids | All | 1.0% | 1.7% | 3.0% | 97.0% |
| | Grade 7 | 2.0% | 2.5% | 3.7% | 96.3% |
| | Grade 8 | 0.8% | 1.9% | 2.7% | 97.3% |
| | Grade 9 | 0.6% | 1.1% | 2.0% | 98.0% |
| | Grade 10 | 1.2% | 1.8% | 3.4% | 96.6% |
| | Grade 11 | 0.9% | 1.4% | 3.9% | 96.1% |
| | Grade 12 | 1.0% | 1.6% | 2.6% | 97.4% |
| Ecstasy | All | 5.4% | 8.5% | 12.5% | 87.5% |
| | Grade 7 | 3.1% | 3.9% | 6.2% | 93.8% |
| | Grade 8 | 3.6% | 5.3% | 8.9% | 91.1% |
| | Grade 9 | 7.0% | 10.9% | 14.8% | 85.2% |
| | Grade 10 | 6.9% | 10.7% | 13.8% | 86.2% |
| | Grade 11 | 6.1% | 10.2% | 17.2% | 82.8% |
| | Grade 12 | 5.5% | 9.3% | 13.6% | 86.4% |
| Heroin | All | 1.1% | 1.8% | 3.1% | 96.9% |
| | Grade 7 | 1.8% | 2.2% | 4.3% | 95.7% |
| | Grade 8 | 0.9% | 2.0% | 3.2% | 96.8% |
| | Grade 9 | 1.0% | 2.3% | 3.3% | 96.7% |
| | Grade 10 | 1.5% | 1.8% | 2.8% | 97.2% |
| | Grade 11 | 0.4% | 0.9% | 2.9% | 97.1% |
| | Grade 12 | 0.7% | 1.1% | 2.0% | 98.0% |

State - Grades 7-12
Spring 2002

Table B13: Prevalence and recency of use of selected substances by grade
--> Students living in town three years or less

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 18.7% | 26.0% | 46.5% | 53.5% |
| | Grade 7 | 10.9% | 14.8% | 31.1% | 68.9% |
| | Grade 8 | 14.4% | 21.7% | 42.5% | 57.5% |
| | Grade 9 | 20.3% | 28.9% | 49.2% | 50.8% |
| | Grade 10 | 21.5% | 29.2% | 52.9% | 47.1% |
| | Grade 11 | 24.3% | 34.1% | 57.7% | 42.3% |
| | Grade 12 | 30.9% | 38.9% | 59.3% | 40.7% |
| Alcohol | All | 33.0% | 45.2% | 69.5% | 30.5% |
| | Grade 7 | 20.8% | 27.5% | 54.8% | 45.2% |
| | Grade 8 | 27.6% | 39.0% | 65.4% | 34.6% |
| | Grade 9 | 34.2% | 49.6% | 72.2% | 27.8% |
| | Grade 10 | 38.4% | 52.6% | 76.3% | 23.7% |
| | Grade 11 | 42.6% | 57.1% | 78.6% | 21.4% |
| | Grade 12 | 49.4% | 61.2% | 82.4% | 17.6% |
| Inhalants | All | 7.7% | 10.5% | 19.4% | 80.6% |
| | Grade 7 | 10.2% | 12.1% | 19.0% | 81.0% |
| | Grade 8 | 9.7% | 12.8% | 21.9% | 78.1% |
| | Grade 9 | 8.5% | 12.5% | 22.2% | 77.8% |
| | Grade 10 | 5.8% | 8.0% | 16.9% | 83.1% |
| | Grade 11 | 4.4% | 7.1% | 17.9% | 82.1% |
| | Grade 12 | 3.4% | 5.5% | 14.7% | 85.3% |
| Any Illicit Drug | All | 15.9% | 22.1% | 33.9% | 66.1% |
| | Grade 7 | 9.2% | 11.0% | 17.4% | 82.6% |
| | Grade 8 | 11.8% | 18.2% | 29.0% | 71.0% |
| | Grade 9 | 16.9% | 23.0% | 35.3% | 64.7% |
| | Grade 10 | 20.3% | 28.4% | 42.4% | 57.6% |
| | Grade 11 | 23.0% | 31.1% | 47.3% | 52.7% |
| | Grade 12 | 19.7% | 30.8% | 47.2% | 52.8% |
| Marijuana | All | 14.1% | 20.4% | 32.6% | 67.4% |
| | Grade 7 | 7.7% | 9.5% | 15.8% | 84.2% |
| | Grade 8 | 10.6% | 16.7% | 27.7% | 72.3% |
| | Grade 9 | 14.8% | 21.9% | 34.4% | 65.6% |
| | Grade 10 | 17.8% | 25.7% | 40.4% | 59.6% |
| | Grade 11 | 21.0% | 29.1% | 45.6% | 54.4% |
| | Grade 12 | 18.4% | 29.7% | 46.2% | 53.8% |
| Marijuana Only | All | 5.5% | 8.8% | 16.9% | 83.1% |
| | Grade 7 | 3.0% | 3.9% | 7.6% | 92.4% |
| | Grade 8 | 5.3% | 9.4% | 17.1% | 82.9% |
| | Grade 9 | 5.5% | 8.1% | 15.7% | 84.3% |
| | Grade 10 | 6.1% | 10.2% | 20.3% | 79.7% |
| | Grade 11 | 9.0% | 13.8% | 26.3% | 73.7% |
| | Grade 12 | 6.0% | 11.8% | 22.0% | 78.0% |
| Cocaine or Crack | All | 3.6% | 5.4% | 8.9% | 91.1% |
| | Grade 7 | 2.5% | 3.3% | 4.6% | 95.4% |
| | Grade 8 | 2.3% | 3.5% | 5.7% | 94.3% |
| | Grade 9 | 3.8% | 6.3% | 9.8% | 90.2% |
| | Grade 10 | 4.3% | 6.2% | 11.9% | 88.1% |
| | Grade 11 | 5.3% | 7.3% | 11.5% | 88.5% |
| | Grade 12 | 5.2% | 8.5% | 15.2% | 84.8% |
| Cocaine | All | 3.4% | 4.9% | 8.3% | 91.7% |
| | Grade 7 | 2.0% | 2.4% | 3.4% | 96.6% |
| | Grade 8 | 2.1% | 2.8% | 5.1% | 94.9% |
| | Grade 9 | 3.7% | 6.2% | 9.7% | 90.3% |
| | Grade 10 | 4.2% | 5.6% | 11.2% | 88.8% |
| | Grade 11 | 5.2% | 7.2% | 11.2% | 88.8% |
| | Grade 12 | 5.0% | 8.4% | 14.8% | 85.2% |

State - Grades 7-12
Spring 2002

Table B13 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.8% | 1.7% | 3.3% | 96.7% |
| | Grade 7 | 1.5% | 2.1% | 2.8% | 97.2% |
| | Grade 8 | 0.5% | 1.4% | 3.1% | 96.9% |
| | Grade 9 | 0.6% | 1.9% | 4.0% | 96.0% |
| | Grade 10 | 0.9% | 1.7% | 3.2% | 96.8% |
| | Grade 11 | 0.7% | 1.1% | 2.2% | 97.8% |
| | Grade 12 | 0.6% | 2.4% | 5.0% | 95.0% |
| Hallucinogens | All | 1.5% | 2.6% | 4.9% | 95.1% |
| | Grade 7 | 0.3% | 0.8% | 1.6% | 98.4% |
| | Grade 8 | 1.0% | 1.4% | 2.6% | 97.4% |
| | Grade 9 | 1.6% | 4.0% | 6.0% | 94.0% |
| | Grade 10 | 1.8% | 2.3% | 5.6% | 94.4% |
| | Grade 11 | 4.1% | 5.0% | 8.4% | 91.6% |
| | Grade 12 | 1.1% | 2.5% | 8.7% | 91.3% |
| Uppers | All | 3.0% | 4.4% | 7.0% | 93.0% |
| | Grade 7 | 0.8% | 1.1% | 2.6% | 97.4% |
| | Grade 8 | 1.4% | 2.2% | 3.6% | 96.4% |
| | Grade 9 | 2.9% | 5.4% | 8.5% | 91.5% |
| | Grade 10 | 4.7% | 6.6% | 8.8% | 91.2% |
| | Grade 11 | 5.5% | 6.9% | 10.8% | 89.2% |
| | Grade 12 | 4.9% | 7.2% | 13.2% | 86.8% |
| Downers | All | 3.2% | 4.3% | 6.9% | 93.1% |
| | Grade 7 | 0.9% | 1.1% | 1.9% | 98.1% |
| | Grade 8 | 1.8% | 2.4% | 3.5% | 96.5% |
| | Grade 9 | 3.2% | 4.8% | 8.6% | 91.4% |
| | Grade 10 | 5.7% | 6.8% | 9.5% | 90.5% |
| | Grade 11 | 4.7% | 7.0% | 10.9% | 89.1% |
| | Grade 12 | 4.6% | 6.8% | 12.2% | 87.8% |
| Rohypnol | All | 1.9% | 2.9% | 5.1% | 94.9% |
| | Grade 7 | 1.7% | 2.0% | 4.1% | 95.9% |
| | Grade 8 | 2.2% | 2.8% | 4.7% | 95.3% |
| | Grade 9 | 2.3% | 4.3% | 6.4% | 93.6% |
| | Grade 10 | 2.2% | 2.9% | 4.7% | 95.3% |
| | Grade 11 | 1.3% | 2.9% | 4.3% | 95.7% |
| | Grade 12 | 0.8% | 2.0% | 7.7% | 92.3% |
| Steroids | All | 0.9% | 1.7% | 2.8% | 97.2% |
| | Grade 7 | 1.2% | 1.9% | 2.6% | 97.4% |
| | Grade 8 | 0.5% | 0.8% | 2.4% | 97.6% |
| | Grade 9 | 1.1% | 2.5% | 3.9% | 96.1% |
| | Grade 10 | 1.0% | 1.4% | 2.7% | 97.3% |
| | Grade 11 | 0.5% | 1.5% | 2.4% | 97.6% |
| | Grade 12 | 1.3% | 1.6% | 2.3% | 97.7% |
| Ecstasy | All | 3.1% | 5.3% | 9.0% | 91.0% |
| | Grade 7 | 2.2% | 3.8% | 4.9% | 95.1% |
| | Grade 8 | 2.2% | 3.4% | 5.9% | 94.1% |
| | Grade 9 | 3.7% | 6.0% | 10.3% | 89.7% |
| | Grade 10 | 3.8% | 5.8% | 9.8% | 90.2% |
| | Grade 11 | 3.6% | 7.4% | 12.5% | 87.5% |
| | Grade 12 | 3.1% | 7.1% | 15.8% | 84.2% |
| Heroin | All | 0.6% | 1.1% | 2.4% | 97.6% |
| | Grade 7 | 1.2% | 1.5% | 2.6% | 97.4% |
| | Grade 8 | 0.6% | 0.9% | 2.9% | 97.1% |
| | Grade 9 | 0.4% | 1.2% | 2.7% | 97.3% |
| | Grade 10 | 0.4% | 0.7% | 1.6% | 98.4% |
| | Grade 11 | 0.3% | 0.6% | 1.2% | 98.8% |
| | Grade 12 | 0.6% | 2.8% | 3.5% | 96.5% |

State - Grades 7-12
Spring 2002

Table B14: Prevalence and recency of use of selected substances by grade
--> Students living in town more than three years

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | All | 18.1% | 25.0% | 44.1% | 55.9% |
| | Grade 7 | 7.4% | 11.4% | 26.5% | 73.5% |
| | Grade 8 | 10.6% | 16.0% | 33.0% | 67.0% |
| | Grade 9 | 18.8% | 27.4% | 47.7% | 52.3% |
| | Grade 10 | 20.2% | 28.2% | 48.1% | 51.9% |
| | Grade 11 | 23.1% | 32.1% | 51.7% | 48.3% |
| | Grade 12 | 29.5% | 35.9% | 58.4% | 41.6% |
| Alcohol | All | 35.2% | 48.9% | 71.7% | 28.3% |
| | Grade 7 | 16.4% | 24.4% | 52.0% | 48.0% |
| | Grade 8 | 25.1% | 36.5% | 63.3% | 36.7% |
| | Grade 9 | 37.3% | 52.1% | 74.5% | 25.5% |
| | Grade 10 | 40.7% | 57.3% | 77.9% | 22.1% |
| | Grade 11 | 41.4% | 58.0% | 79.4% | 20.6% |
| | Grade 12 | 51.3% | 66.8% | 83.6% | 16.4% |
| Inhalants | All | 6.3% | 9.4% | 17.3% | 82.7% |
| | Grade 7 | 8.5% | 11.5% | 18.9% | 81.1% |
| | Grade 8 | 7.6% | 10.5% | 17.4% | 82.6% |
| | Grade 9 | 7.9% | 12.1% | 19.5% | 80.5% |
| | Grade 10 | 4.9% | 7.2% | 15.5% | 84.5% |
| | Grade 11 | 4.4% | 6.6% | 16.1% | 83.9% |
| | Grade 12 | 4.1% | 7.7% | 15.6% | 84.4% |
| Any Illicit Drug | All | 16.0% | 22.4% | 33.5% | 66.5% |
| | Grade 7 | 5.6% | 7.7% | 13.5% | 86.5% |
| | Grade 8 | 10.1% | 14.5% | 23.3% | 76.7% |
| | Grade 9 | 18.5% | 24.9% | 36.1% | 63.9% |
| | Grade 10 | 20.3% | 29.1% | 39.5% | 60.5% |
| | Grade 11 | 20.5% | 29.0% | 44.4% | 55.6% |
| | Grade 12 | 21.3% | 30.2% | 45.4% | 54.6% |
| Marijuana | All | 14.4% | 21.2% | 32.1% | 67.9% |
| | Grade 7 | 4.7% | 6.7% | 12.1% | 87.9% |
| | Grade 8 | 8.9% | 13.2% | 21.4% | 78.6% |
| | Grade 9 | 16.3% | 23.2% | 34.3% | 65.7% |
| | Grade 10 | 18.8% | 27.7% | 38.3% | 61.7% |
| | Grade 11 | 18.8% | 27.9% | 43.3% | 56.7% |
| | Grade 12 | 19.5% | 29.1% | 44.4% | 55.6% |
| Marijuana Only | All | 5.3% | 8.9% | 16.3% | 83.7% |
| | Grade 7 | 2.3% | 3.3% | 6.7% | 93.3% |
| | Grade 8 | 3.6% | 5.7% | 11.3% | 88.7% |
| | Grade 9 | 5.9% | 9.1% | 16.9% | 83.1% |
| | Grade 10 | 7.6% | 12.3% | 19.9% | 80.1% |
| | Grade 11 | 5.9% | 11.1% | 21.0% | 79.0% |
| | Grade 12 | 6.7% | 12.3% | 23.0% | 77.0% |
| Cocaine or Crack | All | 3.0% | 5.0% | 8.6% | 91.4% |
| | Grade 7 | 1.2% | 1.6% | 3.3% | 96.7% |
| | Grade 8 | 1.9% | 3.1% | 5.6% | 94.4% |
| | Grade 9 | 3.5% | 5.5% | 9.5% | 90.5% |
| | Grade 10 | 4.2% | 5.8% | 9.5% | 90.5% |
| | Grade 11 | 3.9% | 7.4% | 11.7% | 88.3% |
| | Grade 12 | 3.5% | 7.1% | 12.3% | 87.7% |
| Cocaine | All | 2.8% | 4.8% | 8.0% | 92.0% |
| | Grade 7 | 1.0% | 1.4% | 2.6% | 97.4% |
| | Grade 8 | 1.7% | 2.8% | 4.7% | 95.3% |
| | Grade 9 | 3.1% | 4.9% | 8.3% | 91.7% |
| | Grade 10 | 3.8% | 5.5% | 9.1% | 90.9% |
| | Grade 11 | 3.8% | 7.4% | 11.6% | 88.4% |
| | Grade 12 | 3.4% | 7.0% | 11.9% | 88.1% |

State - Grades 7-12
Spring 2002

Table B14 continued from previous page

| | | Past Month | School Year | Ever Used | Never Used |
|---------------|----------|---------------|----------------|--------------|---------------|
| Crack | All | 0.7% | 1.2% | 2.4% | 97.6% |
| | Grade 7 | 0.4% | 0.7% | 1.7% | 98.3% |
| | Grade 8 | 0.7% | 1.5% | 2.6% | 97.4% |
| | Grade 9 | 0.9% | 1.4% | 3.1% | 96.9% |
| | Grade 10 | 1.0% | 1.5% | 2.3% | 97.7% |
| | Grade 11 | 0.4% | 1.0% | 2.9% | 97.1% |
| | Grade 12 | 0.4% | 0.7% | 1.9% | 98.1% |
| Hallucinogens | All | 1.1% | 2.3% | 4.3% | 95.7% |
| | Grade 7 | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 8 | 0.6% | 0.9% | 1.8% | 98.2% |
| | Grade 9 | 1.4% | 2.7% | 3.8% | 96.2% |
| | Grade 10 | 1.3% | 2.6% | 5.1% | 94.9% |
| | Grade 11 | 1.8% | 3.3% | 7.2% | 92.8% |
| | Grade 12 | 1.3% | 4.0% | 7.7% | 92.3% |
| Uppers | All | 3.4% | 4.8% | 7.4% | 92.6% |
| | Grade 7 | 0.4% | 0.7% | 1.2% | 98.8% |
| | Grade 8 | 1.3% | 1.9% | 3.0% | 97.0% |
| | Grade 9 | 4.4% | 5.9% | 8.3% | 91.7% |
| | Grade 10 | 4.3% | 6.1% | 8.4% | 91.6% |
| | Grade 11 | 5.5% | 7.7% | 13.3% | 86.7% |
| | Grade 12 | 4.2% | 6.5% | 10.7% | 89.3% |
| Downers | All | 3.4% | 4.8% | 7.2% | 92.8% |
| | Grade 7 | 0.4% | 0.8% | 1.1% | 98.9% |
| | Grade 8 | 1.1% | 1.8% | 2.8% | 97.2% |
| | Grade 9 | 4.0% | 5.4% | 7.6% | 92.4% |
| | Grade 10 | 4.6% | 6.5% | 8.3% | 91.7% |
| | Grade 11 | 5.9% | 7.6% | 12.7% | 87.3% |
| | Grade 12 | 4.5% | 6.8% | 10.9% | 89.1% |
| Rohypnol | All | 1.7% | 2.8% | 4.7% | 95.3% |
| | Grade 7 | 0.7% | 1.2% | 2.0% | 98.0% |
| | Grade 8 | 1.7% | 2.8% | 4.5% | 95.5% |
| | Grade 9 | 2.9% | 4.3% | 6.6% | 93.4% |
| | Grade 10 | 1.9% | 3.5% | 5.4% | 94.6% |
| | Grade 11 | 1.3% | 2.1% | 4.7% | 95.3% |
| | Grade 12 | 1.4% | 2.2% | 4.7% | 95.3% |
| Steroids | All | 0.6% | 1.1% | 2.1% | 97.9% |
| | Grade 7 | 0.4% | 0.7% | 1.7% | 98.3% |
| | Grade 8 | 0.6% | 1.0% | 1.8% | 98.2% |
| | Grade 9 | 0.7% | 1.0% | 1.9% | 98.1% |
| | Grade 10 | 0.5% | 1.4% | 2.4% | 97.6% |
| | Grade 11 | 0.5% | 1.5% | 2.8% | 97.2% |
| | Grade 12 | 0.8% | 1.2% | 2.4% | 97.6% |
| Ecstasy | All | 3.1% | 5.0% | 8.4% | 91.6% |
| | Grade 7 | 1.1% | 1.5% | 3.0% | 97.0% |
| | Grade 8 | 2.1% | 3.1% | 5.5% | 94.5% |
| | Grade 9 | 3.8% | 5.6% | 9.0% | 91.0% |
| | Grade 10 | 3.1% | 5.9% | 9.0% | 91.0% |
| | Grade 11 | 4.7% | 6.8% | 12.4% | 87.6% |
| | Grade 12 | 3.7% | 7.5% | 12.2% | 87.8% |
| Heroin | All | 0.4% | 0.7% | 1.5% | 98.5% |
| | Grade 7 | 0.4% | 0.6% | 1.3% | 98.7% |
| | Grade 8 | 0.4% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 0.6% | 0.7% | 1.4% | 98.6% |
| | Grade 10 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 11 | 0.6% | 1.1% | 2.2% | 97.8% |
| | Grade 12 | 0.2% | 0.7% | 1.4% | 98.6% |

State - Grades 7-12
Spring 2002

The FREQ Procedure

GENDER

| q1 | Frequency | Percent |
|--------|-----------|---------|
| Female | 899630.2 | 51.80 |
| Male | 837201.4 | 48.20 |

Frequency Missing = 4975.8505999

GRADE

| q2 | Frequency | Percent |
|----------|-----------|---------|
| Grade 7 | 311721.9 | 17.90 |
| Grade 8 | 305522.8 | 17.54 |
| Grade 9 | 359705.7 | 20.65 |
| Grade 10 | 287212.4 | 16.49 |
| Grade 11 | 255034.7 | 14.64 |
| Grade 12 | 222609.9 | 12.78 |

LIVE WITH BOTH PARENTS

| q3 | Frequency | Percent |
|-----|-----------|---------|
| No | 660987 | 38.12 |
| Yes | 1072873 | 61.88 |

Frequency Missing = 7947.7577469

AGE

| q4 | Frequency | Percent |
|---------------|-----------|---------|
| 11 or younger | 1154.901 | 0.07 |
| 12 | 91660.17 | 5.27 |
| 13 | 274082.4 | 15.77 |
| 14 | 308068.3 | 17.73 |
| 15 | 327928.6 | 18.87 |
| 16 | 300782.9 | 17.31 |
| 17 | 252012.9 | 14.50 |
| 18 | 160960.2 | 9.26 |
| 19 or older | 21201.98 | 1.22 |

Frequency Missing = 3955.1425544

ETHNICITY

| q5 | Frequency | Percent |
|------------------|-----------|---------|
| African/American | 244203.3 | 14.02 |
| Asian/American | 49892.78 | 2.86 |
| Mexican/American | 648409.5 | 37.23 |
| Native/American | 4793.473 | 0.28 |
| Other | 26165.34 | 1.50 |
| White | 768343.1 | 44.11 |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

ON AVERAGE WHAT GRADES DO YOU GET

| q6 | Frequency | Percent |
|------------|-----------|---------|
| Mostly A's | 484266.6 | 28.10 |
| Mostly B's | 889269.8 | 51.61 |
| Mostly C's | 297535.6 | 17.27 |
| Mostly D's | 37904.03 | 2.20 |
| Mostly F's | 14118.74 | 0.82 |

Frequency Missing = 18712.663023

LENGTH OF TIME IN THIS DISTRICT

| q7 | Frequency | Percent |
|-----------|-----------|---------|
| <1 year | 182476.6 | 10.63 |
| 2-3 years | 302474.8 | 17.61 |
| >4 years | 1232415 | 71.76 |

Frequency Missing = 24441.376779

DO YOU HAVE A JOB

| q8 | Frequency | Percent |
|-----|-----------|---------|
| No | 1231997 | 71.69 |
| Yes | 486394 | 28.31 |

Frequency Missing = 23416.10177

DO YOU GET AN ALLOWANCE

| q9 | Frequency | Percent |
|-----|-----------|---------|
| No | 980720.6 | 57.33 |
| Yes | 730058.9 | 42.67 |

Frequency Missing = 31027.982969

EITHER PARENT COLLEGE GRADUATE

| q10 | Frequency | Percent |
|------------|-----------|---------|
| Don't Know | 276342.6 | 16.11 |
| No | 675982.7 | 39.40 |
| Yes | 763225.9 | 44.49 |

Frequency Missing = 26256.231387

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

QUALIFY FOR FREE/REDUCED PRICE LUNCH

| q11 | Frequency | Percent |
|------------|-----------|---------|
| Don't Know | 251907.6 | 14.67 |
| No | 857004.6 | 49.91 |
| Yes | 608348.2 | 35.43 |

Frequency Missing = 24547.004428

PARTICIPATE IN ATHLETICS

| q12a | Frequency | Percent |
|------|-----------|---------|
| No | 720391.2 | 45.81 |
| Yes | 852340 | 54.19 |

Frequency Missing = 169076.26972

PARTICIPATE IN BAND/ORCHESTRA

| q12b | Frequency | Percent |
|------|-----------|---------|
| No | 1052911 | 77.58 |
| Yes | 304259.6 | 22.42 |

Frequency Missing = 384637.06679

PARTICIPATE IN CHOIR

| q12c | Frequency | Percent |
|------|-----------|---------|
| No | 1088275 | 84.75 |
| Yes | 195750 | 15.25 |

Frequency Missing = 457782.03095

PARTICIPATE IN DRAMA/SPEECH

| q12d | Frequency | Percent |
|------|-----------|---------|
| No | 1082638 | 83.64 |
| Yes | 211782.6 | 16.36 |

Frequency Missing = 447386.50887

PARTICIPATE IN DRILL TEAM/CHEERLEADING

| q12e | Frequency | Percent |
|------|-----------|---------|
| No | 1142523 | 87.83 |
| Yes | 158370.6 | 12.17 |

Frequency Missing = 440914.36915

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

PARTICIPATE IN STUDENT GOVERNMENT

| q12f | Frequency | Percent |
|------|-----------|---------|
| No | 1225923 | 94.30 |
| Yes | 74059.89 | 5.70 |

Frequency Missing = 441824.27961

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK

| q12g | Frequency | Percent |
|------|-----------|---------|
| No | 1241875 | 93.75 |
| Yes | 82759.6 | 6.25 |

Frequency Missing = 417172.49986

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES

| q12h | Frequency | Percent |
|------|-----------|---------|
| No | 1101973 | 79.22 |
| Yes | 289045.9 | 20.78 |

Frequency Missing = 350788.97106

PARTICIPATE IN SERVICE CLUBS

| q12i | Frequency | Percent |
|------|-----------|---------|
| No | 1225652 | 88.71 |
| Yes | 155998.2 | 11.29 |

Frequency Missing = 360157.60071

PARTICIPATE IN VOE/DE/WORK-STUDY

| q12j | Frequency | Percent |
|------|-----------|---------|
| No | 1347018 | 96.26 |
| Yes | 52336.25 | 3.74 |

Frequency Missing = 342453.20727

PARTICIPATE IN OTHER CLUBS

| q12k | Frequency | Percent |
|------|-----------|---------|
| No | 1025704 | 69.60 |
| Yes | 447929.1 | 30.40 |

Frequency Missing = 268173.97824

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DO YOU FEEL SAFE IN YOUR HOME

| q13a | Frequency | Percent |
|-----------------|-----------|---------|
| Very Safe | 1342967 | 78.26 |
| Somewhat Safe | 321017 | 18.71 |
| Not Very Safe | 20524.72 | 1.20 |
| Not Safe At All | 9266.877 | 0.54 |
| Don't Know | 22344.41 | 1.30 |

Frequency Missing = 25687.137683

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

| q13b | Frequency | Percent |
|-----------------|-----------|---------|
| Very Safe | 724599.5 | 42.44 |
| Somewhat Safe | 761020 | 44.57 |
| Not Very Safe | 144115.8 | 8.44 |
| Not Safe At All | 39192.09 | 2.30 |
| Don't Know | 38424.99 | 2.25 |

Frequency Missing = 34455.078833

DO YOU FEEL SAFE AT SCHOOL

| q13c | Frequency | Percent |
|-----------------|-----------|---------|
| Very Safe | 602965.1 | 35.24 |
| Somewhat Safe | 818099.1 | 47.81 |
| Not Very Safe | 162291.2 | 9.48 |
| Not Safe At All | 72836.32 | 4.26 |
| Don't Know | 55069.64 | 3.22 |

Frequency Missing = 30546.110858

FRIENDS FEELING CLOSE TO THEIR PARENTS

| q14a | Frequency | Percent |
|-------|-----------|---------|
| None | 88527.34 | 5.17 |
| A Few | 487362.3 | 28.44 |
| Some | 436860.8 | 25.49 |
| Most | 551542.4 | 32.18 |
| All | 149564.2 | 8.73 |

Frequency Missing = 27950.404541

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

HOW MANY FRIENDS CARRY WEAPONS

| q14b | Frequency | Percent |
|-------|-----------|---------|
| None | 1084204 | 64.41 |
| A Few | 348194.8 | 20.69 |
| Some | 158845.9 | 9.44 |
| Most | 62782.72 | 3.73 |
| All | 29188.43 | 1.73 |

Frequency Missing = 58591.310486

HOW MANY FRIENDS CARE ABOUT GOOD GRADES

| q14c | Frequency | Percent |
|-------|-----------|---------|
| None | 56757.14 | 3.42 |
| A Few | 249410.6 | 15.02 |
| Some | 375735.3 | 22.63 |
| Most | 670028.6 | 40.35 |
| All | 308766.3 | 18.59 |

Frequency Missing = 81109.577077

HOW MANY FRIENDS BELONG TO A GANG

| q14d | Frequency | Percent |
|-------|-----------|---------|
| None | 1318715 | 77.50 |
| A Few | 216342.2 | 12.71 |
| Some | 95219.92 | 5.60 |
| Most | 47710.25 | 2.80 |
| All | 23592.58 | 1.39 |

Frequency Missing = 40227.623056

FRIENDS WISHING TO DROP OUT OF SCHOOL

| q14e | Frequency | Percent |
|-------|-----------|---------|
| None | 990659.7 | 58.12 |
| A Few | 463532.3 | 27.19 |
| Some | 149160.5 | 8.75 |
| Most | 63832.15 | 3.74 |
| All | 37324.89 | 2.19 |

Frequency Missing = 37297.863974

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES

| q15 | Frequency | Percent |
|-----|-----------|---------|
| No | 898761.6 | 55.91 |
| Yes | 708773 | 44.09 |

Frequency Missing = 134272.88974

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

EVER INHALED SPRAY PAINT FOR KICKS

| q16a | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1532624 | 93.14 |
| In Your Lifetime | 74598.28 | 4.53 |
| Since School Began | 15423.02 | 0.94 |
| In the Past Month | 22874.38 | 1.39 |

Frequency Missing = 96287.694574

EVER INHALED WHITEOUT FOR KICKS

| q16b | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1490302 | 92.76 |
| In Your Lifetime | 68749.41 | 4.28 |
| Since School Began | 18809.71 | 1.17 |
| In the Past Month | 28731.22 | 1.79 |

Frequency Missing = 135214.82952

EVER INHALED GASOLINE FOR KICKS

| q16c | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1515532 | 95.91 |
| In Your Lifetime | 36948.43 | 2.34 |
| Since School Began | 9402.107 | 0.59 |
| In the Past Month | 18311.63 | 1.16 |

Frequency Missing = 161613.34515

EVER INHALED FREON FOR KICKS

| q16d | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1544381 | 98.05 |
| In Your Lifetime | 17605.5 | 1.12 |
| Since School Began | 5221.125 | 0.33 |
| In the Past Month | 7891.153 | 0.50 |

Frequency Missing = 166708.28268

EVER INHALED POPPERS, ETC. FOR KICKS

| q16e | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1549024 | 98.08 |
| In Your Lifetime | 13389.29 | 0.85 |
| Since School Began | 5938.078 | 0.38 |
| In the Past Month | 11074.06 | 0.70 |

Frequency Missing = 162382.35983

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

EVER INHALED GLUE FOR KICKS

| q16f | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1523642 | 96.16 |
| In Your Lifetime | 37764.75 | 2.38 |
| Since School Began | 8302.671 | 0.52 |
| In the Past Month | 14700.47 | 0.93 |

Frequency Missing = 157397.54266

EVER INHALED PAINT THINNERS FOR KICKS

| q16g | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1530904 | 95.97 |
| In Your Lifetime | 34691 | 2.17 |
| Since School Began | 10818.8 | 0.68 |
| In the Past Month | 18812.64 | 1.18 |

Frequency Missing = 146580.72493

EVER INHALED NITROUS OXIDE FOR KICKS

| q16h | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1519950 | 94.02 |
| In Your Lifetime | 54011.76 | 3.34 |
| Since School Began | 17021.23 | 1.05 |
| In the Past Month | 25686.46 | 1.59 |

Frequency Missing = 125138.15571

EVER INHALED OCTANE BOOSTER FOR KICKS

| q16i | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1608544 | 98.84 |
| In Your Lifetime | 8343.41 | 0.51 |
| Since School Began | 3711.338 | 0.23 |
| In the Past Month | 6828.167 | 0.42 |

Frequency Missing = 114381.01596

EVER INHALED OTHER SPRAYS FOR KICKS

| q16j | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1590614 | 96.35 |
| In Your Lifetime | 30929.08 | 1.87 |
| Since School Began | 11720.37 | 0.71 |
| In the Past Month | 17623.61 | 1.07 |

Frequency Missing = 90920.479815

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

EVER INHALED OTHER INHALANTS FOR KICKS

| q16k | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1525097 | 91.58 |
| In Your Lifetime | 69727.4 | 4.19 |
| Since School Began | 22788.08 | 1.37 |
| In the Past Month | 47726.55 | 2.87 |

Frequency Missing = 76468.775967

RECENT CIGARETTE USE

| q17a | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 966568.4 | 56.92 |
| In Your Lifetime | 338645.3 | 19.94 |
| Since School Began | 114392.5 | 6.74 |
| In the Past Month | 278555.8 | 16.40 |

Frequency Missing = 43645.435322

RECENT SMOKELESS TOBACCO USE

| q17b | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1463891 | 87.42 |
| In Your Lifetime | 91998.86 | 5.49 |
| Since School Began | 38505.92 | 2.30 |
| In the Past Month | 80248.88 | 4.79 |

Frequency Missing = 67163.113085

RECENT BEER USE

| q17c | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 751035.6 | 45.02 |
| In Your Lifetime | 323448 | 19.39 |
| Since School Began | 181256.3 | 10.86 |
| In the Past Month | 412527.4 | 24.73 |

Frequency Missing = 73540.154446

RECENT WINE COOLER USE

| q17d | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 735516.3 | 43.97 |
| In Your Lifetime | 367871.9 | 21.99 |
| Since School Began | 215992.1 | 12.91 |
| In the Past Month | 353318.1 | 21.12 |

Frequency Missing = 69109.138875

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

RECENT WINE USE

| q17e | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 868266.6 | 51.77 |
| In Your Lifetime | 358874.6 | 21.40 |
| Since School Began | 188880.5 | 11.26 |
| In the Past Month | 261197.8 | 15.57 |

Frequency Missing = 64587.973901

RECENT LIQUOR USE

| q17f | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 871788.3 | 51.41 |
| In Your Lifetime | 259761.6 | 15.32 |
| Since School Began | 181881.8 | 10.73 |
| In the Past Month | 382189.5 | 22.54 |

Frequency Missing = 46186.181549

RECENT MARIJUANA USE

| q18a | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1147908 | 67.75 |
| In Your Lifetime | 191334.8 | 11.29 |
| Since School Began | 111832.7 | 6.60 |
| In the Past Month | 243345.6 | 14.36 |

Frequency Missing = 47385.877504

RECENT COCAINE USE

| q18b | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1540427 | 91.94 |
| In Your Lifetime | 54639.46 | 3.26 |
| Since School Began | 30682.75 | 1.83 |
| In the Past Month | 49737.82 | 2.97 |

Frequency Missing = 66320.080545

RECENT CRACK USE

| q18c | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1615055 | 97.30 |
| In Your Lifetime | 22645.96 | 1.36 |
| Since School Began | 10177.06 | 0.61 |
| In the Past Month | 11967.76 | 0.72 |

Frequency Missing = 81961.533454

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

RECENT HALLUCINOGEN USE

| q18e | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1580453 | 95.54 |
| In Your Lifetime | 34746.58 | 2.10 |
| Since School Began | 18377.02 | 1.11 |
| In the Past Month | 20586.52 | 1.24 |

Frequency Missing = 87644.06528

RECENT UPPER USE

| q18f | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1528926 | 92.67 |
| In Your Lifetime | 43412.87 | 2.63 |
| Since School Began | 23482.9 | 1.42 |
| In the Past Month | 53968.02 | 3.27 |

Frequency Missing = 92017.657657

RECENT DOWNER USE

| q18g | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1529494 | 92.92 |
| In Your Lifetime | 39846.26 | 2.42 |
| Since School Began | 21437.17 | 1.30 |
| In the Past Month | 55335.01 | 3.36 |

Frequency Missing = 95695.456555

RECENT ROHYPNOL USE

| q18h | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1567880 | 95.15 |
| In Your Lifetime | 33850.87 | 2.05 |
| Since School Began | 17154.93 | 1.04 |
| In the Past Month | 28994.94 | 1.76 |

Frequency Missing = 93926.650318

RECENT STEROID USE

| q18i | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1600471 | 97.69 |
| In Your Lifetime | 17081.52 | 1.04 |
| Since School Began | 9519.898 | 0.58 |
| In the Past Month | 11314.98 | 0.69 |

Frequency Missing = 103420.01272

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

RECENT ECSTASY USE

| q18j | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1518833 | 91.45 |
| In Your Lifetime | 57489.6 | 3.46 |
| Since School Began | 33103.04 | 1.99 |
| In the Past Month | 51475.85 | 3.10 |

Frequency Missing = 80906.197476

RECENT HEROIN USE

| q18k | Frequency | Percent |
|--------------------|-----------|---------|
| Never Heard/Used | 1648422 | 98.29 |
| In Your Lifetime | 14454.57 | 0.86 |
| Since School Began | 6134.124 | 0.37 |
| In the Past Month | 8136.595 | 0.49 |

Frequency Missing = 64660.088906

TOBACCO USE IN PAST MONTH

| q19a | Frequency | Percent |
|------------------|-----------|---------|
| Never Heard/Used | 1436775 | 85.54 |
| 1-2 times | 77986.67 | 4.64 |
| 3-10 times | 56698.35 | 3.38 |
| 11+ times | 108169.3 | 6.44 |

Frequency Missing = 62177.768883

ALCOHOL USE IN PAST MONTH

| q19b | Frequency | Percent |
|------------------|-----------|---------|
| Never Heard/Used | 1183047 | 70.77 |
| 1-2 times | 231407 | 13.84 |
| 3-10 times | 178706.3 | 10.69 |
| 11+ times | 78565.44 | 4.70 |

Frequency Missing = 70081.93299

INHALANT USE IN PAST MONTH

| q19c | Frequency | Percent |
|------------------|-----------|---------|
| Never Heard/Used | 1584767 | 95.97 |
| 1-2 times | 50117.89 | 3.03 |
| 3-10 times | 13108.29 | 0.79 |
| 11+ times | 3358.959 | 0.20 |

Frequency Missing = 90455.075622

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

MARIJUANA USE IN PAST MONTH

| q19d | Frequency | Percent |
|------------------|-----------|---------|
| Never Heard/Used | 1416623 | 85.89 |
| 1-2 times | 85896.41 | 5.21 |
| 3-10 times | 68470.67 | 4.15 |
| 11+ times | 78444.36 | 4.76 |

Frequency Missing = 92372.907945

COCAINE USE IN PAST MONTH

| q19e | Frequency | Percent |
|------------------|-----------|---------|
| Never Heard/Used | 1606582 | 97.15 |
| 1-2 times | 26209.45 | 1.58 |
| 3-10 times | 11724.66 | 0.71 |
| 11+ times | 9165.666 | 0.55 |

Frequency Missing = 88125.486478

CRACK USE IN PAST MONTH

| q19f | Frequency | Percent |
|------------------|-----------|---------|
| Never Heard/Used | 1656834 | 99.18 |
| 1-2 times | 9552.395 | 0.57 |
| 3-10 times | 2452.22 | 0.15 |
| 11+ times | 1672.593 | 0.10 |

Frequency Missing = 71295.758091

CLOSE FRIENDS USE CIGARETTES

| q20a | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 640162.4 | 38.75 |
| A few | 550368.8 | 33.31 |
| Some | 258499.8 | 15.65 |
| Most | 167450.7 | 10.14 |
| All | 35545.1 | 2.15 |

Frequency Missing = 89780.722406

CLOSE FRIENDS USE SMOKELESS TOBACCO

| q20b | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 1105220 | 68.10 |
| A few | 290980.7 | 17.93 |
| Some | 145921.5 | 8.99 |
| Most | 66865.83 | 4.12 |
| All | 13990.27 | 0.86 |

Frequency Missing = 118829.587

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

CLOSE FRIENDS USE BEER

| q20c | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 487875.3 | 29.99 |
| A few | 391786.4 | 24.09 |
| Some | 296741 | 18.24 |
| Most | 314666.7 | 19.35 |
| All | 135463.2 | 8.33 |

Frequency Missing = 115274.85021

CLOSE FRIENDS USE WINE COOLERS

| q20d | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 582796.1 | 35.78 |
| A few | 414149.9 | 25.42 |
| Some | 295506.3 | 18.14 |
| Most | 235615.8 | 14.46 |
| All | 100958.3 | 6.20 |

Frequency Missing = 112781.0921

CLOSE FRIENDS USE WINE

| q20e | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 814058.3 | 49.79 |
| A few | 396221.6 | 24.24 |
| Some | 214906.9 | 13.14 |
| Most | 140546.9 | 8.60 |
| All | 69177.9 | 4.23 |

Frequency Missing = 106895.89188

CLOSE FRIENDS USE LIQUOR

| q20f | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 665357.6 | 40.44 |
| A few | 335354.6 | 20.38 |
| Some | 258336.2 | 15.70 |
| Most | 267923.1 | 16.29 |
| All | 118176.2 | 7.18 |

Frequency Missing = 96659.871993

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

CLOSE FRIENDS USE INHALANTS

| q20g | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 1382693 | 84.24 |
| A few | 176827.6 | 10.77 |
| Some | 53971.77 | 3.29 |
| Most | 19380.45 | 1.18 |
| All | 8529.842 | 0.52 |

Frequency Missing = 100404.70805

CLOSE FRIENDS USE MARIJUANA

| q20h | Frequency | Percent |
|------------------|-----------|---------|
| Never heard/None | 778770.3 | 46.48 |
| A few | 345359.7 | 20.61 |
| Some | 229919.5 | 13.72 |
| Most | 216536.2 | 12.92 |
| All | 104893.7 | 6.26 |

Frequency Missing = 66328.028066

DIFFICULT TO GET CIGARETTES

| q21a | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 146723.3 | 8.99 |
| Impossible | 206552.9 | 12.65 |
| Very difficult | 83920.19 | 5.14 |
| Somewhat diff | 151089.1 | 9.25 |
| Somewhat easy | 318993.1 | 19.54 |
| Very easy | 725602.1 | 44.44 |

Frequency Missing = 108926.68042

DIFFICULT TO GET SMOKELESS TOBACCO

| q21b | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 339439.8 | 21.03 |
| Impossible | 297770.5 | 18.45 |
| Very difficult | 117046.9 | 7.25 |
| Somewhat diff | 156104.6 | 9.67 |
| Somewhat easy | 223342 | 13.83 |
| Very easy | 480658.2 | 29.77 |

Frequency Missing = 127445.51531

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DIFFICULT TO GET BEER

| q21c | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 123959.1 | 7.73 |
| Impossible | 175453.5 | 10.94 |
| Very difficult | 86680.64 | 5.40 |
| Somewhat diff | 184759.5 | 11.52 |
| Somewhat easy | 362333.4 | 22.59 |
| Very easy | 670532.7 | 41.81 |

Frequency Missing = 138088.64754

DIFFICULT TO GET WINE COOLERS

| q21d | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 152675.4 | 9.55 |
| Impossible | 181079.1 | 11.32 |
| Very difficult | 90913.22 | 5.68 |
| Somewhat diff | 189917.6 | 11.87 |
| Somewhat easy | 363088.5 | 22.70 |
| Very easy | 621663.7 | 38.87 |

Frequency Missing = 142469.98157

DIFFICULT TO GET WINE

| q21e | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 162590.1 | 10.11 |
| Impossible | 209913.2 | 13.06 |
| Very difficult | 115689 | 7.20 |
| Somewhat diff | 212177.1 | 13.20 |
| Somewhat easy | 332909.2 | 20.71 |
| Very easy | 574162.8 | 35.72 |

Frequency Missing = 134366.11802

DIFFICULT TO GET LIQUOR

| q21f | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 159358.7 | 9.89 |
| Impossible | 238671.5 | 14.81 |
| Very difficult | 126605.1 | 7.86 |
| Somewhat diff | 191852.7 | 11.91 |
| Somewhat easy | 305212.9 | 18.94 |
| Very easy | 589363.1 | 36.58 |

Frequency Missing = 130743.43765

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DIFFICULT TO GET INHALANTS

| q21g | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 297197 | 18.63 |
| Impossible | 233887.9 | 14.66 |
| Very difficult | 65975.57 | 4.14 |
| Somewhat diff | 90167.22 | 5.65 |
| Somewhat easy | 168278.9 | 10.55 |
| Very easy | 739902.8 | 46.38 |

Frequency Missing = 146398.06284

DIFFICULT TO GET MARIJUANA

| q21h | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 174008 | 10.91 |
| Impossible | 345764.4 | 21.68 |
| Very difficult | 132427.4 | 8.31 |
| Somewhat diff | 187168.2 | 11.74 |
| Somewhat easy | 272581.2 | 17.10 |
| Very easy | 482558.7 | 30.26 |

Frequency Missing = 147299.52147

DIFFICULT TO GET COCAINE

| q21i | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 271476.4 | 17.15 |
| Impossible | 495687.5 | 31.31 |
| Very difficult | 242049.7 | 15.29 |
| Somewhat diff | 224994.3 | 14.21 |
| Somewhat easy | 153436.9 | 9.69 |
| Very easy | 195366.8 | 12.34 |

Frequency Missing = 158795.83766

DIFFICULT TO GET CRACK

| q21j | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 308155.2 | 19.36 |
| Impossible | 521441.2 | 32.76 |
| Very difficult | 259225.7 | 16.29 |
| Somewhat diff | 220782.9 | 13.87 |
| Somewhat easy | 128180.4 | 8.05 |
| Very easy | 153954.5 | 9.67 |

Frequency Missing = 150067.63947

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DIFFICULT TO GET HALLUCINOGENS

| q21l | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 574611.4 | 36.60 |
| Impossible | 407207.2 | 25.94 |
| Very difficult | 216210.7 | 13.77 |
| Somewhat diff | 165891.2 | 10.57 |
| Somewhat easy | 93475.04 | 5.95 |
| Very easy | 112497.1 | 7.17 |

Frequency Missing = 171914.86083

DIFFICULT TO GET UPPERS

| q21m | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 660049.1 | 42.00 |
| Impossible | 321638.6 | 20.47 |
| Very difficult | 154790.9 | 9.85 |
| Somewhat diff | 143047.9 | 9.10 |
| Somewhat easy | 128416.3 | 8.17 |
| Very easy | 163531.4 | 10.41 |

Frequency Missing = 170333.21996

DIFFICULT TO GET DOWNERS

| q21n | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 669522.3 | 42.07 |
| Impossible | 326844.9 | 20.54 |
| Very difficult | 155460.6 | 9.77 |
| Somewhat diff | 142170.9 | 8.93 |
| Somewhat easy | 131874.5 | 8.29 |
| Very easy | 165393.9 | 10.39 |

Frequency Missing = 150540.28389

DIFFICULT TO GET ROHYPNOL

| q21o | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 710111.5 | 44.81 |
| Impossible | 329442.1 | 20.79 |
| Very difficult | 163528.8 | 10.32 |
| Somewhat diff | 132041.7 | 8.33 |
| Somewhat easy | 102292.8 | 6.46 |
| Very easy | 147214.7 | 9.29 |

Frequency Missing = 157175.85094

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DIFFICULT TO GET STEROIDS

| q21p | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 383051.1 | 24.03 |
| Impossible | 479102.8 | 30.05 |
| Very difficult | 239001.7 | 14.99 |
| Somewhat diff | 202710.8 | 12.71 |
| Somewhat easy | 138946.7 | 8.72 |
| Very easy | 151524 | 9.50 |

Frequency Missing = 147470.23698

DIFFICULT TO GET ECSTASY

| q21q | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 406860.1 | 25.11 |
| Impossible | 414577.5 | 25.58 |
| Very difficult | 192523.6 | 11.88 |
| Somewhat diff | 177543.8 | 10.96 |
| Somewhat easy | 178985.8 | 11.05 |
| Very easy | 249909.1 | 15.42 |

Frequency Missing = 121407.53223

DIFFICULT TO GET HEROIN

| q21r | Frequency | Percent |
|----------------|-----------|---------|
| Never heard of | 395618.6 | 24.08 |
| Impossible | 584403.9 | 35.57 |
| Very difficult | 265314.8 | 16.15 |
| Somewhat diff | 173854.2 | 10.58 |
| Somewhat easy | 97329.44 | 5.92 |
| Very easy | 126540.7 | 7.70 |

Frequency Missing = 98745.881609

AGE WHEN FIRST USED CIGARETTES

| q22a | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 119403.8 | 15.75 |
| 10 years old | 79556.4 | 10.49 |
| 11 years old | 84161.18 | 11.10 |
| 12 years old | 118636.5 | 15.65 |
| 13 years old | 116637.5 | 15.39 |
| 14 years old | 92724.64 | 12.23 |
| 15 years old | 74108.85 | 9.78 |
| 16 years old | 41776.31 | 5.51 |
| 17 years old | 24219.77 | 3.19 |
| 18 or older | 6838.614 | 0.90 |

Frequency Missing = 983743.9488

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED SMOKELESS TOBACCO

| q22b | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 27991.14 | 12.73 |
| 10 years old | 17020.03 | 7.74 |
| 11 years old | 17021.84 | 7.74 |
| 12 years old | 28741.43 | 13.07 |
| 13 years old | 32639.67 | 14.84 |
| 14 years old | 33199.06 | 15.10 |
| 15 years old | 32249.67 | 14.67 |
| 16 years old | 19950.01 | 9.07 |
| 17 years old | 8151.309 | 3.71 |
| 18 or older | 2906.614 | 1.32 |

Frequency Missing = 1521936.6936

AGE WHEN FIRST USED BEER

| q22c | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 205419 | 21.08 |
| 10 years old | 83580.28 | 8.58 |
| 11 years old | 80882.07 | 8.30 |
| 12 years old | 118378.6 | 12.15 |
| 13 years old | 144353.3 | 14.81 |
| 14 years old | 133456.2 | 13.70 |
| 15 years old | 112996.6 | 11.60 |
| 16 years old | 62718.47 | 6.44 |
| 17 years old | 26278.03 | 2.70 |
| 18 or older | 6414.099 | 0.66 |

Frequency Missing = 767330.70429

AGE WHEN FIRST USED WINE COOLERS

| q22d | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 125062.2 | 13.02 |
| 10 years old | 76503.3 | 7.96 |
| 11 years old | 96059.85 | 10.00 |
| 12 years old | 138084.7 | 14.37 |
| 13 years old | 170198.3 | 17.72 |
| 14 years old | 141961.8 | 14.78 |
| 15 years old | 116262.4 | 12.10 |
| 16 years old | 65229.09 | 6.79 |
| 17 years old | 25333.35 | 2.64 |
| 18 or older | 6061.112 | 0.63 |

Frequency Missing = 781051.20788

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED WINE

| q22e | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 117013.5 | 13.92 |
| 10 years old | 62630.13 | 7.45 |
| 11 years old | 79881.06 | 9.50 |
| 12 years old | 127110.1 | 15.12 |
| 13 years old | 142249.5 | 16.93 |
| 14 years old | 115040.1 | 13.69 |
| 15 years old | 107069.4 | 12.74 |
| 16 years old | 60239.59 | 7.17 |
| 17 years old | 22666.54 | 2.70 |
| 18 or older | 6564.972 | 0.78 |

Frequency Missing = 901342.65352

AGE WHEN FIRST USED LIQUOR

| q22f | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 71643.75 | 9.04 |
| 10 years old | 39624 | 5.00 |
| 11 years old | 54111.23 | 6.83 |
| 12 years old | 98485.59 | 12.43 |
| 13 years old | 134486.5 | 16.97 |
| 14 years old | 136168.5 | 17.18 |
| 15 years old | 133674.7 | 16.87 |
| 16 years old | 81982.94 | 10.34 |
| 17 years old | 33924.66 | 4.28 |
| 18 or older | 8431.95 | 1.06 |

Frequency Missing = 949273.59991

AGE WHEN FIRST USED INHALANTS

| q22g | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 24831.53 | 16.08 |
| 10 years old | 14368.09 | 9.30 |
| 11 years old | 24252.46 | 15.70 |
| 12 years old | 25095.48 | 16.25 |
| 13 years old | 27456.23 | 17.78 |
| 14 years old | 21209.38 | 13.73 |
| 15 years old | 9293.746 | 6.02 |
| 16 years old | 5552.993 | 3.60 |
| 17 years old | 2038.031 | 1.32 |
| 18 or older | 363.2443 | 0.24 |

Frequency Missing = 1587346.2704

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED MARIJUANA

| q22h | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 24071.22 | 4.56 |
| 10 years old | 24186.85 | 4.59 |
| 11 years old | 35956.12 | 6.82 |
| 12 years old | 64902.48 | 12.31 |
| 13 years old | 103360 | 19.60 |
| 14 years old | 105103.7 | 19.93 |
| 15 years old | 84982.86 | 16.12 |
| 16 years old | 56320.68 | 10.68 |
| 17 years old | 23408.91 | 4.44 |
| 18 or older | 5010.357 | 0.95 |

Frequency Missing = 1214504.3301

AGE WHEN FIRST USED COCAINE

| q22i | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 2536.66 | 1.95 |
| 10 years old | 2181.735 | 1.68 |
| 11 years old | 5030.92 | 3.88 |
| 12 years old | 10754.98 | 8.29 |
| 13 years old | 17838.89 | 13.74 |
| 14 years old | 25226.37 | 19.44 |
| 15 years old | 27700.24 | 21.34 |
| 16 years old | 21901.95 | 16.88 |
| 17 years old | 12868.3 | 9.92 |
| 18 or older | 3744.53 | 2.89 |

Frequency Missing = 1612022.8945

AGE WHEN FIRST USED CRACK

| q22j | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 1297.366 | 3.22 |
| 10 years old | 1130.846 | 2.81 |
| 11 years old | 3573.71 | 8.88 |
| 12 years old | 5234.948 | 13.01 |
| 13 years old | 7157.117 | 17.78 |
| 14 years old | 6376.848 | 15.85 |
| 15 years old | 6749.502 | 16.77 |
| 16 years old | 5920.949 | 14.71 |
| 17 years old | 2175.018 | 5.40 |
| 18 or older | 626.2312 | 1.56 |

Frequency Missing = 1701564.9275

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED HALLUCINOGENS

| q22l | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 1267.713 | 1.76 |
| 10 years old | 1480.603 | 2.06 |
| 11 years old | 2508.736 | 3.48 |
| 12 years old | 4596.604 | 6.38 |
| 13 years old | 11796.41 | 16.38 |
| 14 years old | 14801.63 | 20.55 |
| 15 years old | 17214.75 | 23.91 |
| 16 years old | 11720.34 | 16.28 |
| 17 years old | 4863.309 | 6.75 |
| 18 or older | 1760.505 | 2.44 |

Frequency Missing = 1669796.8583

AGE WHEN FIRST USED UPPERS

| q22m | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 3593.636 | 2.89 |
| 10 years old | 3138.941 | 2.52 |
| 11 years old | 6160.214 | 4.95 |
| 12 years old | 10301.79 | 8.28 |
| 13 years old | 18521.46 | 14.88 |
| 14 years old | 24378.06 | 19.58 |
| 15 years old | 26670.3 | 21.43 |
| 16 years old | 19197.77 | 15.42 |
| 17 years old | 9758.954 | 7.84 |
| 18 or older | 2758.167 | 2.22 |

Frequency Missing = 1617328.159

AGE WHEN FIRST USED DOWNERS

| q22n | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 2427.603 | 2.08 |
| 10 years old | 3070.382 | 2.63 |
| 11 years old | 5169.842 | 4.43 |
| 12 years old | 10448.99 | 8.95 |
| 13 years old | 17503.6 | 15.00 |
| 14 years old | 24646.61 | 21.12 |
| 15 years old | 25884.38 | 22.18 |
| 16 years old | 17195.67 | 14.73 |
| 17 years old | 8825.544 | 7.56 |
| 18 or older | 1543.435 | 1.32 |

Frequency Missing = 1625091.3949

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED ROHYPNOL

| q22o | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 2158.155 | 3.15 |
| 10 years old | 2403.648 | 3.51 |
| 11 years old | 4438.702 | 6.48 |
| 12 years old | 7990.622 | 11.67 |
| 13 years old | 12365.61 | 18.05 |
| 14 years old | 15032.84 | 21.95 |
| 15 years old | 13010.94 | 18.99 |
| 16 years old | 6839.556 | 9.99 |
| 17 years old | 2780.865 | 4.06 |
| 18 or older | 1476.898 | 2.16 |

Frequency Missing = 1673309.6323

AGE WHEN FIRST USED STEROIDS

| q22p | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 3682.763 | 10.05 |
| 10 years old | 1993.554 | 5.44 |
| 11 years old | 1690.162 | 4.61 |
| 12 years old | 3203.751 | 8.74 |
| 13 years old | 7430.633 | 20.27 |
| 14 years old | 5182.634 | 14.14 |
| 15 years old | 6091.433 | 16.62 |
| 16 years old | 5112.727 | 13.95 |
| 17 years old | 1831.549 | 5.00 |
| 18 or older | 431.0818 | 1.18 |

Frequency Missing = 1705157.176

AGE WHEN FIRST USED ECSTASY

| q22q | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 2759.452 | 1.95 |
| 10 years old | 2667.194 | 1.88 |
| 11 years old | 4704.583 | 3.32 |
| 12 years old | 9219 | 6.51 |
| 13 years old | 16768.24 | 11.85 |
| 14 years old | 24266.23 | 17.14 |
| 15 years old | 33810.32 | 23.89 |
| 16 years old | 26744.12 | 18.89 |
| 17 years old | 14943.62 | 10.56 |
| 18 or older | 5660.34 | 4.00 |

Frequency Missing = 1600264.3706

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AGE WHEN FIRST USED HEROIN

| q22r | Frequency | Percent |
|--------------|-----------|---------|
| 9 or younger | 1354.926 | 5.02 |
| 10 years old | 1278.97 | 4.73 |
| 11 years old | 1881.979 | 6.97 |
| 12 years old | 2992.381 | 11.08 |
| 13 years old | 5132.226 | 19.00 |
| 14 years old | 4208.016 | 15.58 |
| 15 years old | 5191.094 | 19.21 |
| 16 years old | 2012.346 | 7.45 |
| 17 years old | 2366.385 | 8.76 |
| 18 or older | 598.9617 | 2.22 |

Frequency Missing = 1714790.1782

HOW OFTEN NORMALLY USE CIGARETTES

| q23a | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 79522.47 | 4.73 |
| Several times/wk | 55569.52 | 3.31 |
| Several times/mo | 73789.85 | 4.39 |
| About once/month | 116980.2 | 6.96 |
| About once/year | 101456.1 | 6.03 |
| < once/year | 197928.4 | 11.77 |
| Never used | 1056033 | 62.81 |

Frequency Missing = 60528.217924

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO

| q23b | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 24154.76 | 1.43 |
| Several times/wk | 15159.84 | 0.90 |
| Several times/mo | 20405.61 | 1.21 |
| About once/month | 29982.43 | 1.77 |
| About once/year | 32820.6 | 1.94 |
| < once/year | 65248.14 | 3.85 |
| Never used | 1505251 | 88.91 |

Frequency Missing = 48785.252058

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

HOW OFTEN NORMALLY USE BEER

| q23c | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 6133.462 | 0.37 |
| Several times/wk | 88845.73 | 5.39 |
| Several times/mo | 196300.9 | 11.91 |
| About once/month | 222947.7 | 13.53 |
| About once/year | 170093 | 10.32 |
| < once/year | 169852.8 | 10.31 |
| Never used | 793387.2 | 48.16 |

Frequency Missing = 94246.61017

HOW OFTEN NORMALLY USE WINE COOLERS

| q23d | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 3482.932 | 0.21 |
| Several times/wk | 57614.11 | 3.51 |
| Several times/mo | 160101.5 | 9.74 |
| About once/month | 230293.6 | 14.01 |
| About once/year | 231246.9 | 14.07 |
| < once/year | 182488.7 | 11.10 |
| Never used | 778287.4 | 47.36 |

Frequency Missing = 98292.275671

HOW OFTEN NORMALLY USE WINE

| q23e | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 2952.281 | 0.18 |
| Several times/wk | 39028.35 | 2.36 |
| Several times/mo | 110708.4 | 6.70 |
| About once/month | 172710 | 10.46 |
| About once/year | 237802.8 | 14.40 |
| < once/year | 189643.9 | 11.48 |
| Never used | 898473.4 | 54.41 |

Frequency Missing = 90488.3294

HOW OFTEN NORMALLY USE LIQUOR

| q23f | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 4737.432 | 0.29 |
| Several times/wk | 61563.86 | 3.71 |
| Several times/mo | 176356.7 | 10.62 |
| About once/month | 204944.8 | 12.34 |
| About once/year | 167718.5 | 10.10 |
| < once/year | 134811 | 8.12 |
| Never used | 910757.3 | 54.84 |

Frequency Missing = 80917.831165

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

HOW OFTEN NORMALLY USE INHALANTS

| q23g | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 2255.848 | 0.13 |
| Several times/wk | 6299.128 | 0.37 |
| Several times/mo | 12737.87 | 0.75 |
| About once/month | 20320.55 | 1.20 |
| About once/year | 24697.16 | 1.46 |
| < once/year | 52043.94 | 3.07 |
| Never used | 1574687 | 93.01 |

Frequency Missing = 48765.827718

HOW OFTEN NORMALLY USE MARIJUANA

| q23h | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 49441.54 | 2.96 |
| Several times/wk | 64713.37 | 3.87 |
| Several times/mo | 81782.04 | 4.89 |
| About once/month | 95499.43 | 5.71 |
| About once/year | 77964.19 | 4.66 |
| < once/year | 97436.4 | 5.83 |
| Never used | 1204906 | 72.07 |

Frequency Missing = 70064.6419

HOW OFTEN NORMALLY USE COCAINE

| q23i | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 2728.783 | 0.16 |
| Several times/wk | 8852.245 | 0.53 |
| Several times/mo | 17793.15 | 1.06 |
| About once/month | 25779.22 | 1.53 |
| About once/year | 24679.92 | 1.47 |
| < once/year | 30607.22 | 1.82 |
| Never used | 1571413 | 93.43 |

Frequency Missing = 59953.985117

HOW OFTEN NORMALLY USE CRACK

| q23j | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 703.0009 | 0.04 |
| Several times/wk | 1829.913 | 0.11 |
| Several times/mo | 5157.094 | 0.31 |
| About once/month | 6461.933 | 0.38 |
| About once/year | 10532.39 | 0.63 |
| < once/year | 13596.73 | 0.81 |
| Never used | 1644404 | 97.73 |

Frequency Missing = 59122.604844

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

HOW OFTEN NORMALLY USE HALLUCINOGENS

| q23l | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 998.1382 | 0.06 |
| Several times/wk | 1563.509 | 0.09 |
| Several times/mo | 4705.422 | 0.28 |
| About once/month | 12490.37 | 0.75 |
| About once/year | 20899.34 | 1.25 |
| < once/year | 23203.02 | 1.38 |
| Never used | 1611457 | 96.19 |

Frequency Missing = 66491.058894

HOW OFTEN NORMALLY USE UPPERS

| q23m | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 2728.415 | 0.16 |
| Several times/wk | 10329.84 | 0.62 |
| Several times/mo | 22204.41 | 1.33 |
| About once/month | 30373.92 | 1.82 |
| About once/year | 25056.07 | 1.50 |
| < once/year | 23644.71 | 1.41 |
| Never used | 1557090 | 93.16 |

Frequency Missing = 70379.65912

HOW OFTEN NORMALLY USE DOWNERS

| q23n | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 2350.774 | 0.14 |
| Several times/wk | 9059.729 | 0.54 |
| Several times/mo | 24609.09 | 1.47 |
| About once/month | 28720.93 | 1.72 |
| About once/year | 23111.67 | 1.38 |
| < once/year | 19213.22 | 1.15 |
| Never used | 1565416 | 93.60 |

Frequency Missing = 69326.196581

HOW OFTEN NORMALLY USE ROHYPNOL

| q23o | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 1279.697 | 0.08 |
| Several times/wk | 4800.161 | 0.29 |
| Several times/mo | 10702.88 | 0.64 |
| About once/month | 16507.93 | 0.99 |
| About once/year | 13603.38 | 0.82 |
| < once/year | 14824.52 | 0.89 |
| Never used | 1606419 | 96.30 |

Frequency Missing = 73670.103515

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

HOW OFTEN NORMALLY USE STEROIDS

| q23p | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 1372.873 | 0.08 |
| Several times/wk | 2296.571 | 0.14 |
| Several times/mo | 4028.485 | 0.24 |
| About once/month | 4881.857 | 0.29 |
| About once/year | 6825.379 | 0.41 |
| < once/year | 12916.82 | 0.77 |
| Never used | 1634710 | 98.06 |

Frequency Missing = 74775.096168

HOW OFTEN NORMALLY USE ECSTASY

| q23q | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 974.7807 | 0.06 |
| Several times/wk | 6200.818 | 0.37 |
| Several times/mo | 14264.15 | 0.85 |
| About once/month | 30018.8 | 1.79 |
| About once/year | 39963.61 | 2.38 |
| < once/year | 37511.72 | 2.24 |
| Never used | 1548072 | 92.31 |

Frequency Missing = 64801.884887

HOW OFTEN NORMALLY USE HEROIN

| q23r | Frequency | Percent |
|------------------|-----------|---------|
| Every day | 651.0178 | 0.04 |
| Several times/wk | 1064.395 | 0.06 |
| Several times/mo | 2956.954 | 0.17 |
| About once/month | 3911.658 | 0.23 |
| About once/year | 6748.402 | 0.40 |
| < once/year | 10167.42 | 0.60 |
| Never used | 1670047 | 98.50 |

Frequency Missing = 46260.692141

HOW MANY CIGARETTES IN PAST 30 DAYS

| q24 | Frequency | Percent |
|------------------|-----------|---------|
| None | 1377678 | 81.95 |
| Less than 1 | 165685.2 | 9.86 |
| > 1 and < 10 | 92384.47 | 5.50 |
| > 10 and < 1pk | 27415.2 | 1.63 |
| > 1pk and < 2pks | 13789.72 | 0.82 |
| More than 2pks | 4171.394 | 0.25 |

Frequency Missing = 60683.68376

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AMOUNT OF BEER AT ONE TIME

| q25a | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 756512.8 | 45.82 |
| 12+ drinks | 85509.31 | 5.18 |
| 9-11 drinks | 60261.03 | 3.65 |
| 5-8 drinks | 129175.5 | 7.82 |
| 3-4 drinks | 140616.1 | 8.52 |
| 2 drinks | 124435.4 | 7.54 |
| 1 drink | 144020.7 | 8.72 |
| < 1 drink | 210685.3 | 12.76 |

Frequency Missing = 90591.388395

AMOUNT OF WINE COOLERS AT ONE TIME

| q25b | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 722432.9 | 44.04 |
| 12+ drinks | 65829.72 | 4.01 |
| 9-11 drinks | 50705.48 | 3.09 |
| 5-8 drinks | 115418.8 | 7.04 |
| 3-4 drinks | 181058.1 | 11.04 |
| 2 drinks | 166821.1 | 10.17 |
| 1 drink | 185311.8 | 11.30 |
| < 1 drink | 152757.9 | 9.31 |

Frequency Missing = 101471.60101

AMOUNT OF WINE AT ONE TIME

| q25c | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 848400.7 | 51.78 |
| 12+ drinks | 27885.35 | 1.70 |
| 9-11 drinks | 19682.35 | 1.20 |
| 5-8 drinks | 45608.65 | 2.78 |
| 3-4 drinks | 96083.03 | 5.86 |
| 2 drinks | 131874 | 8.05 |
| 1 drink | 211358.3 | 12.90 |
| < 1 drink | 257564.5 | 15.72 |

Frequency Missing = 103350.55186

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

AMOUNT OF LIQUOR AT ONE TIME

| q25d | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 840742.5 | 50.97 |
| 12+ drinks | 59607.47 | 3.61 |
| 9-11 drinks | 53716.31 | 3.26 |
| 5-8 drinks | 111662.7 | 6.77 |
| 3-4 drinks | 149545.6 | 9.07 |
| 2 drinks | 129118.4 | 7.83 |
| 1 drink | 141517.6 | 8.58 |
| < 1 drink | 163436.6 | 9.91 |

Frequency Missing = 92460.411695

BEERS, FIVE OR MORE AT ONE TIME

| q26a | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 816997.8 | 49.93 |
| Never 5+ at time | 263398.2 | 16.10 |
| Every day | 3720.617 | 0.23 |
| Several times/wk | 56665.1 | 3.46 |
| Several times/mo | 140863.2 | 8.61 |
| About once/month | 127309.4 | 7.78 |
| < once/month | 105279 | 6.43 |
| < once/year | 122157.7 | 7.47 |

Frequency Missing = 105416.52428

WINE COOLERS, FIVE OR MORE AT ONE TIME

| q26b | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 780086.6 | 48.29 |
| Never 5+ at time | 266149.8 | 16.48 |
| Every day | 4277.788 | 0.26 |
| Several times/wk | 38007.27 | 2.35 |
| Several times/mo | 118387.1 | 7.33 |
| About once/month | 131096.7 | 8.12 |
| < once/month | 132957 | 8.23 |
| < once/year | 144415.7 | 8.94 |

Frequency Missing = 126429.66341

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

WINE, FIVE OR MORE AT ONE TIME

| q26c | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 888457.4 | 55.24 |
| Never 5+ at time | 256251.1 | 15.93 |
| Every day | 1664.318 | 0.10 |
| Several times/wk | 22131.95 | 1.38 |
| Several times/mo | 63131.78 | 3.93 |
| About once/month | 93335.58 | 5.80 |
| < once/month | 118795.2 | 7.39 |
| < once/year | 164462.5 | 10.23 |

Frequency Missing = 133577.64629

LIQUOR, FIVE OR MORE AT ONE TIME

| q26d | Frequency | Percent |
|------------------|-----------|---------|
| Never drink this | 863693.3 | 53.06 |
| Never 5+ at time | 216396.7 | 13.29 |
| Every day | 4195.166 | 0.26 |
| Several times/wk | 43546.76 | 2.68 |
| Several times/mo | 135029.1 | 8.30 |
| About once/month | 130006.8 | 7.99 |
| < once/month | 116164.7 | 7.14 |
| < once/year | 118708.5 | 7.29 |

Frequency Missing = 114066.41716

GET ALCOHOLIC BEVERAGES FROM HOME

| q27a | Frequency | Percent |
|------------------|-----------|---------|
| Do not Drink | 648800.3 | 39.88 |
| Never | 428487.6 | 26.34 |
| Seldom | 375541.3 | 23.09 |
| Most of the Time | 127292.3 | 7.83 |
| Always | 46580.73 | 2.86 |

Frequency Missing = 115105.18485

GET ALCOHOLIC BEVERAGES FROM FRIENDS

| q27b | Frequency | Percent |
|------------------|-----------|---------|
| Do not Drink | 569873.4 | 35.48 |
| Never | 261030.4 | 16.25 |
| Seldom | 274506.4 | 17.09 |
| Most of the Time | 342545.8 | 21.33 |
| Always | 158240.8 | 9.85 |

Frequency Missing = 135610.63834

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

GET ALCOHOLIC BEVERAGES FROM A STORE

| q27c | Frequency | Percent |
|------------------|-----------|---------|
| Do not Drink | 605101.9 | 38.05 |
| Never | 652711.9 | 41.05 |
| Seldom | 162921.2 | 10.25 |
| Most of the Time | 108825.7 | 6.84 |
| Always | 60531.24 | 3.81 |

Frequency Missing = 151715.51313

GET ALCOHOLIC BEVERAGES AT PARTIES

| q27d | Frequency | Percent |
|------------------|-----------|---------|
| Do not Drink | 556532.2 | 34.83 |
| Never | 236978 | 14.83 |
| Seldom | 217328.8 | 13.60 |
| Most of the Time | 291149.1 | 18.22 |
| Always | 295909.4 | 18.52 |

Frequency Missing = 143909.87864

GET ALCOHOLIC BEVERAGES FROM OTHER

| q27e | Frequency | Percent |
|------------------|-----------|---------|
| Do not Drink | 611990.6 | 38.66 |
| Never | 378104.2 | 23.88 |
| Seldom | 254912.6 | 16.10 |
| Most of the Time | 166373.7 | 10.51 |
| Always | 171768.7 | 10.85 |

Frequency Missing = 158657.69693

DANGEROUS FOR KIDS TO USE TOBACCO

| q28a | Frequency | Percent |
|------------|-----------|---------|
| Very | 775476.2 | 47.25 |
| Somewhat | 501889.4 | 30.58 |
| Not very | 212702.3 | 12.96 |
| Not at all | 55064.31 | 3.35 |
| Don't know | 96176.73 | 5.86 |

Frequency Missing = 100498.47975

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DANGEROUS FOR KIDS TO USE ALCOHOL

| q28b | Frequency | Percent |
|------------|-----------|---------|
| Very | 751367 | 46.49 |
| Somewhat | 539035.2 | 33.35 |
| Not very | 218236 | 13.50 |
| Not at all | 43119.35 | 2.67 |
| Don't know | 64431.65 | 3.99 |

Frequency Missing = 125618.24956

DANGEROUS FOR KIDS TO USE INHALANTS

| q28c | Frequency | Percent |
|------------|-----------|---------|
| Very | 1221222 | 77.01 |
| Somewhat | 219521.1 | 13.84 |
| Not very | 41516.85 | 2.62 |
| Not at all | 15374.49 | 0.97 |
| Don't know | 88260.05 | 5.57 |

Frequency Missing = 155913.0171

DANGEROUS FOR KIDS TO USE MARIJUANA

| q28d | Frequency | Percent |
|------------|-----------|---------|
| Very | 909284.8 | 57.75 |
| Somewhat | 283186.7 | 17.98 |
| Not very | 183561 | 11.66 |
| Not at all | 132983.2 | 8.45 |
| Don't know | 65590.39 | 4.17 |

Frequency Missing = 167201.36995

DANGEROUS FOR KIDS TO USE COCAINE

| q28e | Frequency | Percent |
|------------|-----------|---------|
| Very | 1304661 | 84.57 |
| Somewhat | 129721.6 | 8.41 |
| Not very | 24773.46 | 1.61 |
| Not at all | 10155.12 | 0.66 |
| Don't know | 73423.07 | 4.76 |

Frequency Missing = 199073.41183

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DANGEROUS FOR KIDS TO USE CRACK

| q28f | Frequency | Percent |
|------------|-----------|---------|
| Very | 1341762 | 86.67 |
| Somewhat | 101754.2 | 6.57 |
| Not very | 16596.25 | 1.07 |
| Not at all | 8015.537 | 0.52 |
| Don't know | 80054.46 | 5.17 |

Frequency Missing = 193625.41901

DANGEROUS FOR KIDS TO USE ECSTASY

| q28g | Frequency | Percent |
|------------|-----------|---------|
| Very | 1236441 | 79.28 |
| Somewhat | 158591.1 | 10.17 |
| Not very | 43603.15 | 2.80 |
| Not at all | 19942.01 | 1.28 |
| Don't know | 101024.1 | 6.48 |

Frequency Missing = 182206.13109

DANGEROUS FOR KIDS TO USE STEROIDS

| q28h | Frequency | Percent |
|------------|-----------|---------|
| Very | 1185574 | 75.22 |
| Somewhat | 206597.1 | 13.11 |
| Not very | 57026.46 | 3.62 |
| Not at all | 17319.5 | 1.10 |
| Don't know | 109718.4 | 6.96 |

Frequency Missing = 165572.24836

DANGEROUS FOR KIDS TO USE HEROIN

| q28i | Frequency | Percent |
|------------|-----------|---------|
| Very | 1415994 | 88.21 |
| Somewhat | 74160.38 | 4.62 |
| Not very | 11784.13 | 0.73 |
| Not at all | 8427.41 | 0.53 |
| Don't know | 94802.29 | 5.91 |

Frequency Missing = 136639.64664

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

USE MARIJUANA AS JOINTS

| q29a | Frequency | Percent |
|------------------|-----------|---------|
| Never | 846870.3 | 70.66 |
| Seldom | 116523.1 | 9.72 |
| Half the time | 79770.16 | 6.66 |
| Most of the time | 89771.47 | 7.49 |
| Always | 50117.14 | 4.18 |
| Don't know | 15383.08 | 1.28 |

Frequency Missing = 543372.23012

USE MARIJUANA AS BLUNTS

| q29b | Frequency | Percent |
|------------------|-----------|---------|
| Never | 885823.6 | 75.10 |
| Seldom | 117658.7 | 9.98 |
| Half the time | 61571.64 | 5.22 |
| Most of the time | 51441.4 | 4.36 |
| Always | 48098.67 | 4.08 |
| Don't know | 14874.81 | 1.26 |

Frequency Missing = 562338.64588

USE MARIJUANA IN BONGS OR WATER PIPES

| q29c | Frequency | Percent |
|------------------|-----------|---------|
| Never | 926038.1 | 78.83 |
| Seldom | 101373.3 | 8.63 |
| Half the time | 55566.44 | 4.73 |
| Most of the time | 47595.55 | 4.05 |
| Always | 30517.78 | 2.60 |
| Don't know | 13603.1 | 1.16 |

Frequency Missing = 567113.17667

USE MARIJUANA IN PIPES

| q29d | Frequency | Percent |
|------------------|-----------|---------|
| Never | 911246.7 | 77.47 |
| Seldom | 88928.33 | 7.56 |
| Half the time | 60436.87 | 5.14 |
| Most of the time | 64017.56 | 5.44 |
| Always | 38454.41 | 3.27 |
| Don't know | 13112.61 | 1.11 |

Frequency Missing = 565611.00219

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

USE MARIJUANA OTHER WAYS

| q29e | Frequency | Percent |
|------------------|-----------|---------|
| Never | 1001168 | 84.30 |
| Seldom | 82469.24 | 6.94 |
| Half the time | 26379.19 | 2.22 |
| Most of the time | 18890.86 | 1.59 |
| Always | 25489.65 | 2.15 |
| Don't know | 33236.33 | 2.80 |

Frequency Missing = 554174.49531

DAYS SKIPPED SINCE SEPTEMBER

| q30a | Frequency | Percent |
|----------|-----------|---------|
| None | 1205082 | 73.89 |
| 1-3 days | 296174 | 18.16 |
| 4-9 days | 81804.5 | 5.02 |
| 10+ days | 47896.15 | 2.94 |

Frequency Missing = 110850.82841

DAYS ILL SINCE SEPTEMBER

| q30b | Frequency | Percent |
|----------|-----------|---------|
| None | 430863.1 | 26.58 |
| 1-3 days | 796981.7 | 49.16 |
| 4-9 days | 309934.1 | 19.12 |
| 10+ days | 83439.29 | 5.15 |

Frequency Missing = 120589.25489

OTHER DAYS MISSED SINCE SEPTEMBER

| q30c | Frequency | Percent |
|----------|-----------|---------|
| None | 624191.6 | 38.63 |
| 1-3 days | 801652.4 | 49.61 |
| 4-9 days | 141024.4 | 8.73 |
| 10+ days | 49001.9 | 3.03 |

Frequency Missing = 125937.15675

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

| q30d | Frequency | Percent |
|----------|-----------|---------|
| None | 1306682 | 80.55 |
| 1-3 days | 232188.1 | 14.31 |
| 4-9 days | 51177.69 | 3.15 |
| 10+ days | 32213.39 | 1.99 |

Frequency Missing = 119546.4644

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

SOMEONE CALLED HOME SINCE SEPTEMBER

| q30e | Frequency | Percent |
|----------|-----------|---------|
| None | 1394384 | 86.39 |
| 1-3 days | 175316.8 | 10.86 |
| 4-9 days | 28711.57 | 1.78 |
| 10+ days | 15578.59 | 0.97 |

Frequency Missing = 127816.71536

IN TROUBLE FOR DRINKING SINCE SEPTEMBER

| q30f | Frequency | Percent |
|----------|-----------|---------|
| None | 1580853 | 98.73 |
| 1-3 days | 16016.86 | 1.00 |
| 4-9 days | 2067.71 | 0.13 |
| 10+ days | 2224.736 | 0.14 |

Frequency Missing = 140645.49405

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER

| q30g | Frequency | Percent |
|----------|-----------|---------|
| None | 1594173 | 98.39 |
| 1-3 days | 19112.62 | 1.18 |
| 4-9 days | 3801.219 | 0.23 |
| 10+ days | 3133.668 | 0.19 |

Frequency Missing = 121587.20981

DAYS SKIPPED IN PAST MONTH

| q31a | Frequency | Percent |
|----------|-----------|---------|
| None | 1355758 | 84.51 |
| 1-3 days | 207784.4 | 12.95 |
| 4-9 days | 28996.45 | 1.81 |
| 10+ days | 11698.76 | 0.73 |

Frequency Missing = 137570.28684

DAYS ILL IN PAST MONTH

| q31b | Frequency | Percent |
|----------|-----------|---------|
| None | 1003494 | 62.99 |
| 1-3 days | 516664.5 | 32.43 |
| 4-9 days | 59042.5 | 3.71 |
| 10+ days | 13925.59 | 0.87 |

Frequency Missing = 148680.65636

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

OTHER DAYS MISSED IN PAST MONTH

| q31c | Frequency | Percent |
|----------|-----------|---------|
| None | 1067052 | 67.20 |
| 1-3 days | 464742.7 | 29.27 |
| 4-9 days | 43411.99 | 2.73 |
| 10+ days | 12729.93 | 0.80 |

Frequency Missing = 153870.74953

SENT TO PRINCIPAL/DEAN IN PAST MONTH

| q31d | Frequency | Percent |
|----------|-----------|---------|
| None | 1438500 | 90.51 |
| 1-3 days | 122345 | 7.70 |
| 4-9 days | 18122.38 | 1.14 |
| 10+ days | 10354.48 | 0.65 |

Frequency Missing = 152485.27692

SOMEONE CALLED HOME IN PAST MONTH

| q31e | Frequency | Percent |
|----------|-----------|---------|
| None | 1500652 | 93.77 |
| 1-3 days | 82814.5 | 5.17 |
| 4-9 days | 10315.73 | 0.64 |
| 10+ days | 6645.54 | 0.42 |

Frequency Missing = 141380.02109

TROUBLE WITH FRIENDS BECAUSE OF DRINKING

| q32a | Frequency | Percent |
|-----------|-----------|---------|
| None | 1445657 | 91.71 |
| 1-3 times | 113088.2 | 7.17 |
| 4-9 times | 12695.45 | 0.81 |
| 10+ times | 4921.645 | 0.31 |

Frequency Missing = 165444.90075

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

| q32b | Frequency | Percent |
|-----------|-----------|---------|
| None | 1401584 | 89.89 |
| 1-3 times | 115908.5 | 7.43 |
| 4-9 times | 23350.09 | 1.50 |
| 10+ times | 18320.13 | 1.17 |

Frequency Missing = 182644.60843

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

CRITICIZED BY DATE BECAUSE OF DRINKING

| q32c | Frequency | Percent |
|-----------|-----------|---------|
| None | 1448918 | 93.18 |
| 1-3 times | 89728.67 | 5.77 |
| 4-9 times | 9048.838 | 0.58 |
| 10+ times | 7295.506 | 0.47 |

Frequency Missing = 186816.8894

TROUBLE WITH POLICE BECAUSE OF DRINKING

| q32d | Frequency | Percent |
|-----------|-----------|---------|
| None | 1495131 | 96.10 |
| 1-3 times | 51455.32 | 3.31 |
| 4-9 times | 6125.219 | 0.39 |
| 10+ times | 3174.039 | 0.20 |

Frequency Missing = 185921.38592

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

| q32e | Frequency | Percent |
|-----------|-----------|---------|
| None | 1419874 | 93.70 |
| 1-3 times | 80132.43 | 5.29 |
| 4-9 times | 10440.44 | 0.69 |
| 10+ times | 4938.391 | 0.33 |

Frequency Missing = 226422.2236

DRIVEN A CAR WHILE HIGH FROM DRUGS

| q32f | Frequency | Percent |
|-----------|-----------|---------|
| None | 1375976 | 90.47 |
| 1-3 times | 86670.16 | 5.70 |
| 4-9 times | 26802.06 | 1.76 |
| 10+ times | 31407.56 | 2.07 |

Frequency Missing = 220951.58462

CRITICIZED BY DATE BECAUSE OF DRUG USE

| q32g | Frequency | Percent |
|-----------|-----------|---------|
| None | 1447985 | 94.04 |
| 1-3 times | 69383.46 | 4.51 |
| 4-9 times | 12755.55 | 0.83 |
| 10+ times | 9689.467 | 0.63 |

Frequency Missing = 201994.41109

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

TROUBLE WITH POLICE BECAUSE OF DRUG USE

| q32h | Frequency | Percent |
|-----------|-----------|---------|
| None | 1525264 | 97.45 |
| 1-3 times | 32312.81 | 2.06 |
| 4-9 times | 3609.036 | 0.23 |
| 10+ times | 4003.28 | 0.26 |

Frequency Missing = 176617.93654

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

| q33a | Frequency | Percent |
|----------|-----------|---------|
| None | 1444482 | 90.63 |
| 1-3 days | 112914.2 | 7.08 |
| 4-9 days | 20761.87 | 1.30 |
| 10+ days | 15657.89 | 0.98 |

Frequency Missing = 147991.77636

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

| q33b | Frequency | Percent |
|----------|-----------|---------|
| None | 1389342 | 87.67 |
| 1-3 days | 107982.1 | 6.81 |
| 4-9 days | 35613.78 | 2.25 |
| 10+ days | 51850.7 | 3.27 |

Frequency Missing = 157018.51677

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

| q33c | Frequency | Percent |
|----------|-----------|---------|
| None | 1553562 | 97.77 |
| 1-3 days | 24324.53 | 1.53 |
| 4-9 days | 5240.051 | 0.33 |
| 10+ days | 5892.28 | 0.37 |

Frequency Missing = 152788.7089

CLASS DAYS HIGH ON OTHER DRUG(S)

| q33d | Frequency | Percent |
|----------|-----------|---------|
| None | 1493119 | 93.11 |
| 1-3 days | 68335.9 | 4.26 |
| 4-9 days | 21284.66 | 1.33 |
| 10+ days | 20884.52 | 1.30 |

Frequency Missing = 138183.71086

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

| q34a | Frequency | Percent |
|------------------|-----------|---------|
| Never | 562283.1 | 34.64 |
| Seldom | 171836.2 | 10.59 |
| Half the time | 125880.1 | 7.76 |
| Most of the time | 216784.3 | 13.36 |
| Always | 329714.3 | 20.31 |
| Don't know | 35722.35 | 2.20 |
| Didn't attend | 180933.9 | 11.15 |

Frequency Missing = 118653.15453

DRUG USE AT PARTIES THIS SCHOOL YEAR

| q34b | Frequency | Percent |
|------------------|-----------|---------|
| Never | 742168 | 45.80 |
| Seldom | 177293.4 | 10.94 |
| Half the time | 129130.3 | 7.97 |
| Most of the time | 154207.6 | 9.52 |
| Always | 185703.5 | 11.46 |
| Don't know | 50079.08 | 3.09 |
| Didn't attend | 181759.4 | 11.22 |

Frequency Missing = 121466.31226

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

| q35 | Frequency | Percent |
|-----|-----------|---------|
| No | 1380036 | 92.17 |
| Yes | 117160 | 7.83 |

Frequency Missing = 244611.22392

WOULD SEEK HELP FROM SCHOOL COUNSELOR

| q36a | Frequency | Percent |
|------|-----------|---------|
| No | 1063677 | 67.08 |
| Yes | 521963.1 | 32.92 |

Frequency Missing = 156167.48418

WOULD SEEK HELP OUTSIDE OF SCHOOL

| q36b | Frequency | Percent |
|------|-----------|---------|
| No | 1082271 | 69.56 |
| Yes | 473715.8 | 30.44 |

Frequency Missing = 185820.67762

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

WOULD SEEK HELP FROM OTHER COUNSELOR

| q36c | Frequency | Percent |
|------|-----------|---------|
| No | 975535 | 63.43 |
| Yes | 562453.9 | 36.57 |

Frequency Missing = 203818.59691

WOULD SEEK HELP FROM PARENTS

| q36d | Frequency | Percent |
|------|-----------|---------|
| No | 643036.7 | 41.52 |
| Yes | 905613 | 58.48 |

Frequency Missing = 193157.71988

WOULD SEEK HELP FROM A MEDICAL DOCTOR

| q36e | Frequency | Percent |
|------|-----------|---------|
| No | 962316.8 | 62.35 |
| Yes | 581046.7 | 37.65 |

Frequency Missing = 198443.96807

WOULD SEEK HELP FROM FRIENDS

| q36f | Frequency | Percent |
|------|-----------|---------|
| No | 420724.1 | 27.03 |
| Yes | 1136055 | 72.97 |

Frequency Missing = 185028.45622

WOULD SEEK HELP FROM ANOTHER ADULT

| q36g | Frequency | Percent |
|------|-----------|---------|
| No | 635372.1 | 40.55 |
| Yes | 931532.2 | 59.45 |

Frequency Missing = 174903.15586

WOULD NOT SEEK HELP

| q36h | Frequency | Percent |
|------|-----------|---------|
| No | 1298125 | 83.71 |
| Yes | 252532.8 | 16.29 |

Frequency Missing = 191149.186

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DRUG/ALCOHOL INFO--HEALTH CLASS

| q37a | Frequency | Percent |
|------|-----------|---------|
| No | 702420.6 | 52.23 |
| Yes | 642419.9 | 47.77 |

Frequency Missing = 396967.02638

DRUG/ALCOHOL INFO--ASSEMBLY PROGRAM

| q37b | Frequency | Percent |
|------|-----------|---------|
| No | 703322.3 | 53.36 |
| Yes | 614727.8 | 46.64 |

Frequency Missing = 423757.35351

DRUG/ALCOHOL INFO--GUIDANCE COUNSELOR

| q37c | Frequency | Percent |
|------|-----------|---------|
| No | 990149.6 | 75.47 |
| Yes | 321815.7 | 24.53 |

Frequency Missing = 429842.14163

DRUG/ALCOHOL INFO--SCIENCE CLASS

| q37d | Frequency | Percent |
|------|-----------|---------|
| No | 933000.8 | 71.19 |
| Yes | 377653.1 | 28.81 |

Frequency Missing = 431153.5781

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

| q37e | Frequency | Percent |
|------|-----------|---------|
| No | 1144858 | 86.97 |
| Yes | 171461.7 | 13.03 |

Frequency Missing = 425487.41908

DRUG/ALCOHOL INFO--DRUG RAP SESSION

| q37f | Frequency | Percent |
|------|-----------|---------|
| No | 1111544 | 84.42 |
| Yes | 205088.9 | 15.58 |

Frequency Missing = 425174.98313

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

| q37g | Frequency | Percent |
|------|-----------|---------|
| No | 843385.1 | 63.49 |
| Yes | 485017.5 | 36.51 |

Frequency Missing = 413404.81647

DRUG/ALCOHOL INFO--OTHER SCHOOL SOURCE

| q37h | Frequency | Percent |
|------|-----------|---------|
| No | 899890.5 | 66.98 |
| Yes | 443630.9 | 33.02 |

Frequency Missing = 398286.02943

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

| q38a | Frequency | Percent |
|-------------------|-----------|---------|
| Strong disapprove | 1117297 | 70.53 |
| Mild disapprove | 176557.3 | 11.15 |
| Neither | 123505.6 | 7.80 |
| Mildly approve | 18169.24 | 1.15 |
| Strongly approve | 13020.89 | 0.82 |
| Don't know | 135518.5 | 8.56 |

Frequency Missing = 157739.29216

PARENTS FEEL ABOUT KIDS DRINKING BEER

| q38b | Frequency | Percent |
|-------------------|-----------|---------|
| Strong disapprove | 990234 | 62.98 |
| Mild disapprove | 246013.5 | 15.65 |
| Neither | 151304.7 | 9.62 |
| Mildly approve | 42392.56 | 2.70 |
| Strongly approve | 18479.07 | 1.18 |
| Don't know | 123926.4 | 7.88 |

Frequency Missing = 169457.14949

PARENTS FEEL ABOUT KIDS USING MARIJUANA

| q38c | Frequency | Percent |
|-------------------|-----------|---------|
| Strong disapprove | 1280611 | 80.80 |
| Mild disapprove | 86095.51 | 5.43 |
| Neither | 64652.22 | 4.08 |
| Mildly approve | 15523.91 | 0.98 |
| Strongly approve | 19434.89 | 1.23 |
| Don't know | 118608.6 | 7.48 |

Frequency Missing = 156881.50609

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State - Grades 7-12
Spring 2002

The FREQ Procedure

PURCHASED LOTTERY TICKET IN PAST YEAR

| q39 | Frequency | Percent |
|-----|-----------|---------|
| No | 1280845 | 79.67 |
| Yes | 326791.4 | 20.33 |

Frequency Missing = 134171.25245

NON-LOTTERY GAMBLING IN PAST YEAR

| q40 | Frequency | Percent |
|-----|-----------|---------|
| No | 1102849 | 68.72 |
| Yes | 501942.6 | 31.28 |

Frequency Missing = 137015.71266

MONEY SPENT ON GAMBLING IN PAST YEAR

| q41 | Frequency | Percent |
|--------------|-----------|---------|
| \$0 | 1022690 | 63.65 |
| \$1 - \$10 | 303668.7 | 18.90 |
| \$11 - \$50 | 164846.4 | 10.26 |
| \$51 - \$100 | 49941.09 | 3.11 |
| \$100+ | 65705.98 | 4.09 |

Frequency Missing = 134954.83515

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state