

Grade 4	2.9	2.8
Grade 5	2.9	2.8
Grade 6	3.6	3.4

Cigarettes

	School Year	Lifetime
All	3.1	2.9
Grade 4	2.6	2.6
Grade 5	2.7	2.6
Grade 6	3.4	3.2

Smokeless tobacco

	School Year	Lifetime
All	3.0	2.7
Grade 4	3.0	2.7
Grade 5	2.9	2.6
Grade 6	3.0	2.7

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	2.0%	81.1%	15.2%	1.7%
Grade 4	3.3%	85.9%	9.6%	1.1%
Grade 5	1.4%	83.5%	13.7%	1.3%
Grade 6	1.3%	73.8%	22.2%	2.7%

Cigarettes?

	Never Heard of	None	Some	Most
All	3.2%	81.2%	14.3%	1.4%
Grade 4	5.1%	85.5%	8.6%	0.8%
Grade 5	2.5%	83.7%	12.8%	1.0%
Grade 6	2.0%	74.5%	21.2%	2.3%

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	5.4%	89.6%	4.3%	0.7%
Grade 4	9.0%	87.4%	2.9%	0.6%
Grade 5	4.4%	91.4%	3.7%	0.5%
Grade 6	2.8%	89.9%	6.3%	1.0%

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Lifetime
All	4.5	4.9
Grade 4	3.6	3.7
Grade 5	3.9	4.1
Grade 6	5.4	5.9

Beer

	School Year	Lifetime
All	2.7	2.7
Grade 4	2.5	2.5
Grade 5	2.5	2.5
Grade 6	3.0	3.0

Liquor

	School Year	Lifetime
All	2.8	2.9
Grade 4	2.4	2.6
Grade 5	2.5	2.4
Grade 6	3.0	3.1

Grade 5	88.7%	7.2%	2.2%	1.9%	11.3%
Grade 6	84.1%	8.8%	3.3%	3.8%	15.9%

Wine Coolers?

	Never	1 Time	2 Times	3+ Times	Ever
All	89.9%	5.3%	2.3%	2.4%	10.1%
Grade 4	94.2%	3.3%	1.1%	1.5%	5.8%
Grade 5	91.6%	5.0%	1.9%	1.5%	8.4%
Grade 6	84.1%	7.7%	3.8%	4.3%	15.9%

Wine?

	Never	1 Time	2 Times	3+ Times	Ever
All	89.3%	6.5%	2.2%	2.0%	10.7%
Grade 4	91.8%	5.0%	1.6%	1.6%	8.2%
Grade 5	90.9%	5.8%	1.9%	1.4%	9.1%
Grade 6	85.2%	8.7%	3.1%	3.0%	14.8%

Liquor?

	Never	1 Time	2 Times	3+ Times	Ever
All	94.7%	2.7%	1.1%	1.4%	5.3%
Grade 4	97.3%	1.5%	0.4%	0.9%	2.7%
Grade 5	96.1%	2.1%	0.9%	0.9%	3.9%
Grade 6	90.9%	4.5%	2.0%	2.5%	9.1%

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

AA

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	75.6%	11.5%	12.9%
Grade 4	79.1%	9.2%	11.7%
Grade 5	77.4%	10.3%	12.3%
Grade 6	70.1%	15.1%	14.7%

Friends?

	Don't Drink	Yes	No
All	77.0%	4.1%	18.9%
Grade 4	79.9%	1.9%	18.2%
Grade 5	79.4%	2.8%	17.9%
Grade 6	71.7%	7.6%	20.7%

Somewhere else?

	Don't Drink	Yes	No
All	75.3%	9.6%	15.2%
Grade 4	78.2%	6.7%	15.1%
Grade 5	77.6%	8.3%	14.1%
Grade 6	70.1%	13.7%	16.3%

Grade 5	1.8%	25.0%	73.2%
Grade 6	1.4%	34.4%	64.2%

Beer?

	Never Heard of	Yes	No
All	2.2%	20.6%	77.2%
Grade 4	2.8%	15.0%	82.2%
Grade 5	2.0%	19.3%	78.7%
Grade 6	1.7%	27.3%	71.0%

Wine coolers?

	Never Heard of	Yes	No
All	13.6%	11.1%	75.3%
Grade 4	18.4%	5.6%	75.9%
Grade 5	13.0%	9.3%	77.6%
Grade 6	9.3%	18.2%	72.4%

Wine?

	Never Heard of	Yes	No
All	3.7%	12.3%	83.9%
Grade 4	5.2%	8.0%	86.7%
Grade 5	3.5%	10.9%	85.5%
Grade 6	2.4%	17.9%	79.7%

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

AA

Liquor?

	Never Heard of	Yes	No
All	8.8%	7.4%	83.8%
Grade 4	14.8%	3.6%	81.7%
Grade 5	7.4%	5.9%	86.7%
Grade 6	4.2%	12.7%	83.0%

AA

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	81.5%	2.2%	1.0%	15.3%
Grade 4	82.0%	1.8%	1.0%	15.2%
Grade 5	82.4%	1.8%	0.9%	14.8%
Grade 6	80.0%	3.1%	1.1%	15.7%

AA

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know

All	1.1%	70.1%	21.3%	2.6%	5.0%
Grade 4	1.6%	74.9%	16.8%	1.6%	5.2%
Grade 5	0.9%	71.9%	20.9%	1.9%	4.3%
Grade 6	0.8%	63.5%	26.2%	4.2%	5.4%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.1%	50.8%	34.2%	5.4%	8.4%
Grade 4	1.6%	56.0%	29.6%	3.7%	9.1%
Grade 5	1.0%	52.6%	34.5%	4.5%	7.3%
Grade 6	0.8%	43.9%	38.5%	8.0%	8.8%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	12.1%	43.9%	24.9%	7.4%	11.8%
Grade 4	16.3%	50.1%	18.7%	4.0%	10.9%
Grade 5	12.0%	45.1%	25.5%	6.0%	11.5%
Grade 6	8.0%	36.5%	30.4%	12.1%	12.9%

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

AA

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.2%	49.0%	30.6%	7.6%	10.6%
Grade 4	3.4%	56.0%	25.9%	4.7%	10.0%
Grade 5	2.0%	51.0%	30.9%	6.2%	10.0%
Grade 6	1.2%	40.3%	35.0%	11.7%	11.7%

Liquor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.6%	63.7%	20.0%	2.2%	7.4%
Grade 4	11.4%	65.9%	14.5%	1.1%	7.1%
Grade 5	5.8%	66.1%	19.7%	1.7%	6.7%
Grade 6	2.8%	59.2%	25.8%	3.9%	8.4%

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7/Under	8	9	10	11	12/Over
All	98.4%	0.2%	0.1%	0.1%	0.3%	0.4%	0.4%
Grade 4	99.2%	0.3%	0.1%	0.1%	0.2%	0.1%	0.0%
Grade 5	99.0%	0.2%	0.1%	0.1%	0.3%	0.2%	0.1%
Grade 6	96.9%	0.2%	0.2%	0.2%	0.5%	0.9%	1.1%

Other Family Situation

	Never	7/Under	8	9	10	11	12/Over
All	96.1%	0.5%	0.3%	0.5%	0.9%	0.8%	0.9%
Grade 4	98.8%	0.2%	0.1%	0.3%	0.4%	0.1%	0.0%
Grade 5	97.5%	0.4%	0.2%	0.3%	0.8%	0.5%	0.2%
Grade 6	92.4%	0.8%	0.4%	0.7%	1.4%	1.8%	2.4%

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	9.3%	7.0%	83.7%
Grade 4	16.0%	3.6%	80.4%
Grade 5	7.9%	5.3%	86.8%
Grade 6	4.1%	12.0%	83.9%

AA

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	85.1%	1.1%	0.5%	13.4%
Grade 4	82.0%	0.8%	0.4%	16.8%
Grade 5	86.3%	0.9%	0.4%	12.3%
Grade 6	86.9%	1.6%	0.6%	10.9%

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

AA

Table I-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Inhalants	All	10.5%	7.6%	2.9%	89.5%
	Grade 4	9.6%	7.0%	2.6%	90.4%
	Grade 5	8.8%	6.5%	2.3%	91.2%
	Grade 6	13.0%	9.4%	3.7%	87.0%

AA

Table I-2: Have you ever sniffed any of the following inhalants to get high?

Correction Fluid/Whiteout

	Not Used	Used
All	96.4%	3.6%
Grade 4	97.4%	2.6%
Grade 5	97.4%	2.6%
Grade 6	94.6%	5.4%

Gasoline

	Not Used	Used
All	97.0%	3.0%
Grade 4	96.7%	3.3%
Grade 5	97.4%	2.6%
Grade 6	96.9%	3.1%

Glue

	Not Used	Used
All	96.6%	3.4%
Grade 4	96.0%	4.0%
Grade 5	97.4%	2.6%
Grade 6	96.5%	3.5%

Paint Thinner

	Not Used	Used
All	97.8%	2.2%
Grade 4	97.3%	2.7%
Grade 5	98.2%	1.8%
Grade 6	97.8%	2.2%

Spray Paint

	Not Used	Used
All	96.8%	3.2%
Grade 4	96.4%	3.6%
Grade 5	97.6%	2.4%
Grade 6	96.3%	3.7%

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

AA

Other Inhalants

	Not Used	Used
All	95.1%	4.9%
Grade 4	96.6%	3.4%
Grade 5	96.1%	3.9%
Grade 6	92.8%	7.2%

AA

Table I-3: Average number of times inhalants were used by those reporting usage
:

	School Year	Lifetime
All	3.5	3.5
Grade 4	3.5	3.4
Grade 5	3.3	3.3
Grade 6	3.7	3.6

AA

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	90.1%	4.9%	3.9%	1.1%
Grade 4	91.0%	4.1%	3.8%	1.2%
Grade 5	91.8%	4.4%	3.0%	0.8%

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

AA

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	39.6%	60.4%
Grade 4	39.1%	60.9%
Grade 5	37.0%	63.0%
Grade 6	42.8%	57.2%

Guidance Counselor?

	No	Yes
All	46.2%	53.8%
Grade 4	40.7%	59.3%
Grade 5	47.1%	52.9%
Grade 6	50.8%	49.2%

Visitor to Class?

	No	Yes
All	43.2%	56.8%
Grade 4	50.5%	49.5%
Grade 5	34.8%	65.2%
Grade 6	44.5%	55.5%

Someone Else at School?

	No	Yes
All	57.6%	42.4%
Grade 4	60.4%	39.6%
Grade 5	57.4%	42.6%
Grade 6	55.1%	44.9%

Your Teacher?

	No	Yes
All	34.8%	65.2%
Grade 4	35.8%	64.2%
Grade 5	36.9%	63.1%
Grade 6	31.9%	68.1%

Any School Source?

	No	Yes
All	10.0%	90.0%
Grade 4	11.6%	88.4%
Grade 5	7.9%	92.1%
Grade 6	10.5%	89.5%

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	8.2%	4.5%	3.8%	91.8%
	Grade 4	4.6%	2.5%	2.2%	95.4%
	Grade 5	7.0%	3.7%	3.2%	93.0%
	Grade 6	13.1%	7.2%	5.9%	86.9%
Alcohol	All	25.5%	16.1%	9.4%	74.5%
	Grade 4	18.3%	11.6%	6.7%	81.7%
	Grade 5	23.4%	14.5%	9.0%	76.6%
	Grade 6	34.7%	22.2%	12.5%	65.3%
Inhalants	All	10.5%	7.6%	2.9%	89.5%
	Grade 4	9.6%	7.0%	2.6%	90.4%
	Grade 5	8.8%	6.5%	2.3%	91.2%
	Grade 6	13.0%	9.4%	3.7%	87.0%
Marijuana	All	2.4%	1.7%	0.8%	97.6%
	Grade 4	1.0%	0.6%	0.4%	99.0%
	Grade 5	1.4%	1.0%	0.4%	98.6%
	Grade 6	4.9%	3.5%	1.4%	95.1%

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

		Ever Used	School Year	Not Past Year	Never Used

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

Table B3: Prevalence and recency of use of selected substances by grade
 --> Female Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.7%	3.7%	3.0%	93.3%
	Grade 4	3.5%	1.9%	1.6%	96.5%
	Grade 5	5.2%	3.0%	2.2%	94.8%
	Grade 6	11.4%	6.2%	5.2%	88.6%
Alcohol	All	22.9%	14.8%	8.1%	77.1%
	Grade 4	14.7%	9.5%	5.2%	85.3%
	Grade 5	21.1%	13.2%	7.9%	78.9%
	Grade 6	32.6%	21.5%	11.1%	67.4%
Inhalants	All	9.3%	6.8%	2.5%	90.7%
	Grade 4	8.3%	6.0%	2.3%	91.7%
	Grade 5	7.6%	5.8%	1.8%	92.4%
	Grade 6	11.9%	8.7%	3.2%	88.1%
Marijuana	All	1.9%	1.4%	0.5%	98.1%
	Grade 4	0.7%	0.5%	0.3%	99.3%
	Grade 5	1.1%	0.8%	0.3%	98.9%
	Grade 6	3.8%	2.8%	1.0%	96.2%

Table B4: Prevalence and recency of use of selected substances by grade
 --> White Students

		Ever Used	School Year	Not Past Year	Never Used

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

Table B5: Prevalence and recency of use of selected substances by grade
 --> African/American Students

	Ever Used	School Year	Not Past Year	Never Used
Tobacco				
All	9.1%	4.9%	4.3%	90.9%
Grade 4	5.9%	3.3%	2.6%	94.1%
Grade 5	8.1%	4.3%	3.7%	91.9%
Grade 6	13.5%	7.1%	6.4%	86.5%
Alcohol				
All	28.8%	17.2%	11.6%	71.2%
Grade 4	20.6%	13.5%	7.1%	79.4%
Grade 5	25.9%	15.5%	10.4%	74.1%
Grade 6	39.9%	22.7%	17.2%	60.1%
Inhalants				
All	9.4%	6.9%	2.5%	90.6%
Grade 4	7.5%	5.4%	2.1%	92.5%
Grade 5	8.9%	6.9%	2.0%	91.1%
Grade 6	11.8%	8.4%	3.4%	88.2%
Marijuana				
All	2.4%	1.7%	0.7%	97.6%
Grade 4	1.1%	0.5%	0.6%	98.9%
Grade 5	0.8%	0.5%	0.3%	99.2%
Grade 6	5.3%	4.0%	1.2%	94.7%

Table B6: Prevalence and recency of use of selected substances by grade
 --> Mexican/American Students

	Ever Used	School Year	Not Past Year	Never Used

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

Table B7: Prevalence and recency of use of selected substances by grade
 --> Students Reporting A and B Grades

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.9%	3.6%	3.3%	93.1%
	Grade 4	3.8%	1.9%	1.9%	96.2%
	Grade 5	6.1%	3.2%	2.9%	93.9%
	Grade 6	10.7%	5.7%	5.1%	89.3%
Alcohol	All	23.7%	14.6%	9.1%	76.3%
	Grade 4	17.0%	10.7%	6.4%	83.0%
	Grade 5	22.0%	13.0%	9.0%	78.0%
	Grade 6	32.0%	20.2%	11.8%	68.0%
Inhalants	All	9.4%	6.9%	2.6%	90.6%
	Grade 4	9.0%	6.6%	2.4%	91.0%
	Grade 5	7.9%	5.9%	2.0%	92.1%
	Grade 6	11.5%	8.1%	3.4%	88.5%
Marijuana	All	1.8%	1.3%	0.6%	98.2%
	Grade 4	0.6%	0.3%	0.3%	99.4%
	Grade 5	1.1%	0.8%	0.3%	98.9%
	Grade 6	3.8%	2.7%	1.1%	96.2%

Table B8: Prevalence and recency of use of selected substances by grade
 --> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used

State: Grades 4-6 Large
 Spring 2004 V3(9/15/04)

Table B9: Prevalence and recency of use of selected substances by grade
 --> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	6.2%	3.4%	2.8%	93.8%
	Grade 4	3.9%	2.1%	1.8%	96.1%
	Grade 5	5.1%	2.6%	2.4%	94.9%
	Grade 6	9.8%	5.4%	4.4%	90.2%
Alcohol	All	22.1%	13.7%	8.4%	77.9%
	Grade 4	16.2%	10.0%	6.2%	83.8%
	Grade 5	20.4%	12.4%	8.0%	79.6%
	Grade 6	30.0%	19.0%	11.0%	70.0%
Inhalants	All	9.9%	7.3%	2.6%	90.1%
	Grade 4	9.9%	7.2%	2.7%	90.1%
	Grade 5	8.0%	6.0%	2.1%	92.0%
	Grade 6	11.7%	8.6%	3.1%	88.3%
Marijuana	All	1.7%	1.2%	0.6%	98.3%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	0.9%	0.6%	0.3%	99.1%
	Grade 6	3.4%	2.5%	1.0%	96.6%

Table B10: Prevalence and recency of use of selected substances by grade
 --> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

Table B11: Prevalence and recency of use of selected substances by grade
--> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	8.1%	4.4%	3.7%	91.9%
	Grade 4	4.5%	2.4%	2.1%	95.5%
	Grade 5	6.6%	3.6%	3.1%	93.4%
	Grade 6	12.8%	7.2%	5.7%	87.2%
Alcohol	All	25.9%	16.4%	9.4%	74.1%
	Grade 4	18.5%	11.7%	6.8%	81.5%
	Grade 5	23.7%	14.7%	9.0%	76.3%
	Grade 6	34.6%	22.3%	12.3%	65.4%
Inhalants	All	10.4%	7.6%	2.8%	89.6%
	Grade 4	9.6%	7.0%	2.6%	90.4%
	Grade 5	8.7%	6.4%	2.3%	91.3%
	Grade 6	13.0%	9.4%	3.6%	87.0%
Marijuana	All	2.4%	1.6%	0.7%	97.6%
	Grade 4	0.7%	0.3%	0.4%	99.3%
	Grade 5	1.4%	1.0%	0.4%	98.6%
	Grade 6	4.9%	3.5%	1.3%	95.1%

Table B12: Prevalence and recency of use of selected substances by grade
--> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
AAAAAA					

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

GENDER

Q1	Frequency	Percent
Female	465E3	50.22
Male	46E4	49.78

Frequency Missing = 925.98414405

GRADE LEVEL

Q2	Frequency	Percent
Grade 4	308E3	33.27
Grade 5	31E4	33.43
Grade 6	308E3	33.30

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
No	3E5	32.77
Yes	616E3	67.23

Frequency Missing = 9365.5551354

AGE

Q4	Frequency	Percent
----	-----------	---------

8 or younger	900	0.10
9	90119	9.77
10	28E4	30.30
11	302E3	32.68
12	223E3	24.18
13 or older	27454	2.98

Frequency Missing = 3227.6135149

ETHNICITY

Q5	Frequency	Percent

African/American	133E3	14.39
Asian/American	24121	2.61
Mexican/American	377E3	40.71
Native/American	2915	0.31
Other	13887	1.50
White	375E3	40.48

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
Mostly A's	324E3	35.74
Mostly B's	413E3	45.49
Mostly C's	137E3	15.06
Mostly D's	20200	2.23
Mostly F's	13478	1.49

Frequency Missing = 18711.616335

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
Don't Know	67248	7.31
No	134E3	14.53
Yes	719E3	78.16

Frequency Missing = 6459.9766611

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
Don't Know	312E3	34.06
No	175E3	19.12
Yes	428E3	46.82

Frequency Missing = 10832.578385

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?

Q9	Frequency	Percent
Don't Know	274E3	30.28
No	276E3	30.48
Yes	355E3	39.24

Frequency Missing = 20447.569432

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
Don't Know	2849	0.31
No	424E3	46.90
Yes	478E3	52.78

Frequency Missing = 20852.569258

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

EVER INHALED GASOLINE TO GET HIGH?

Q11a	Frequency	Percent
Not Used	861E3	96.99
Used	26729	3.01

Frequency Missing = 37856.007565

EVER INHALED PAINT THINNER TO GET HIGH?

Q11b	Frequency	Percent
Not Used	854E3	97.80
Used	19203	2.20

Frequency Missing = 52715.242972

EVER INHALED GLUE TO GET HIGH?

Q11c	Frequency	Percent
Not Used	842E3	96.64
Used	29293	3.36

Frequency Missing = 54501.543076

EVER INHALED WHITEOUT TO GET HIGH?

Q11d	Frequency	Percent
------	-----------	---------

```

-----
Not Used      841E3      96.44
Used         31046      3.56

```

Frequency Missing = 53889.034355

EVER INHALED SPRAY PAINT TO GET HIGH?

```

Q11e          Frequency      Percent
-----
Not Used      849E3      96.77
Used         28358      3.23

```

Frequency Missing = 48284.414261

EVER USED OTHER INHALANTS TO GET HIGH?

```

Q11f          Frequency      Percent
-----
Not Used      839E3      95.14
Used         42839      4.86

```

Frequency Missing = 43789.363184

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

CIGARETTE USE DURING LIFETIME

Q12a	Frequency	Percent
Never heard of	39103	4.34
Never used	8E5	88.75
1-2 times	47401	5.26
3-10 times	9720	1.08
11+ times	5137	0.57

Frequency Missing = 25000.145816

SNUFF/CHEWING TOBACCO USE IN LIFETIME

Q12b	Frequency	Percent
Never heard of	82459	9.34
Never used	786E3	89.04
1-2 times	11849	1.34
3-10 times	1430	0.16
11+ times	999	0.11

Frequency Missing = 42979.691229

BEER USE DURING LIFETIME

Q12c	Frequency	Percent
Never heard of	17589	2.00
Never used	724E3	82.48
1-2 times	108E3	12.30

3-10 times	19746	2.25
11+ times	8569	0.98

Frequency Missing = 47905.223858

WINE COOLER USE DURING LIFETIME

Q12d	Frequency	Percent
-----	-----	-----
Never heard of	157E3	17.88
Never used	624E3	70.98
1-2 times	75221	8.56
3-10 times	15845	1.80
11+ times	6822	0.78

Frequency Missing = 46844.599141

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

WINE USE DURING LIFETIME

Q12e	Frequency	Percent
Never heard of	35211	4.03
Never used	728E3	83.32
1-2 times	91249	10.44
3-10 times	13569	1.55
11+ times	5716	0.65

Frequency Missing = 51878.412516

LIQUOR USE DURING LIFETIME

Q12f	Frequency	Percent
Never heard of	113E3	12.84
Never used	713E3	81.07
1-2 times	41285	4.69
3-10 times	8645	0.98
11+ times	3623	0.41

Frequency Missing = 46511.920068

INHALANT USE DURING LIFETIME

Q12h	Frequency	Percent
Never heard of	86762	9.86
Never used	746E3	84.76
1-2 times	32411	3.68

3-10 times	9121	1.04
11+ times	5820	0.66

Frequency Missing = 45655.0014

MARIJUANA USE DURING LIFETIME

Q12i	Frequency	Percent
-----	-----	-----
Never heard of	114E3	12.79
Never used	757E3	84.95
1-2 times	11617	1.30
3-10 times	4664	0.52
11+ times	3892	0.44

Frequency Missing = 35059.663621

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

CIGARETTE USE IN PAST SCHOOL YEAR

Q13a	Frequency	Percent
Never heard of	35768	3.98
Never used	826E3	92.01
1-2 times	26537	2.95
3-10 times	6251	0.70
11+ times	3239	0.36

Frequency Missing = 27804.830134

SNUFF/CHEWING TOBACCO USE IN PAST YEAR

Q13b	Frequency	Percent
Never heard of	70010	7.91
Never used	807E3	91.18
1-2 times	6205	0.70
3-10 times	1152	0.13
11+ times	666	0.08

Frequency Missing = 40935.398079

BEER USE IN PAST SCHOOL YEAR

Q13c	Frequency	Percent
Never heard of	17688	2.01
Never used	782E3	88.96
1-2 times	62455	7.10

3-10 times	12034	1.37
11+ times	4898	0.56

Frequency Missing = 46288.745049

WINE COOLER USE IN PAST SCHOOL YEAR

Q13d	Frequency	Percent
-----	-----	-----
Never heard of	149E3	16.88
Never used	668E3	75.87
1-2 times	50246	5.71
3-10 times	9870	1.12
11+ times	3659	0.42

Frequency Missing = 45547.14758

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

WINE USE IN PAST SCHOOL YEAR

Q13e	Frequency	Percent
Never heard of	33094	3.77
Never used	773E3	88.09
1-2 times	58969	6.72
3-10 times	9179	1.05
11+ times	3283	0.37

Frequency Missing = 48240.573881

LIQUOR USE IN PAST SCHOOL YEAR

Q13f	Frequency	Percent
Never heard of	103E3	11.62
Never used	747E3	84.46
1-2 times	26930	3.05
3-10 times	5592	0.63
11+ times	2124	0.24

Frequency Missing = 41456.657318

INHALANT USE IN PAST SCHOOL YEAR

Q13h	Frequency	Percent
Never heard of	81105	9.20
Never used	763E3	86.60
1-2 times	25101	2.85

3-10 times	7850	0.89
11+ times	4028	0.46

Frequency Missing = 44413.299637

MARIJUANA USE IN PAST SCHOOL YEAR

Q13i	Frequency	Percent
-----	-----	-----
Never heard of	107E3	12.04
Never used	763E3	86.23
1-2 times	8999	1.02
3-10 times	3318	0.38
11+ times	3008	0.34

Frequency Missing = 41047.612132

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

AGE WHEN FIRST USED CIGARETTES

Q14a	Frequency	Percent
7 or younger	15039	1.70
8 years old	7734	0.87
9 years old	11022	1.25
10 years old	14046	1.59
11 years old	12344	1.40
12 or older	6679	0.75
Never heard/used	818E3	92.44

Frequency Missing = 41082.22101

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14b	Frequency	Percent
7 or younger	4422	0.51
8 years old	2179	0.25
9 years old	2287	0.26
10 years old	3121	0.36
11 years old	2700	0.31
12 or older	1469	0.17
Never heard/used	858E3	98.15

Frequency Missing = 51322.450278

AGE WHEN FIRST USED BEER

Q14c	Frequency	Percent
------	-----------	---------

	Frequency	Percent
7 or younger	46097	5.30
8 years old	19603	2.25
9 years old	23203	2.67
10 years old	25021	2.88
11 years old	17949	2.06
12 or older	8871	1.02
Never heard/used	729E3	83.82

Frequency Missing = 56097.136111

AGE WHEN FIRST USED WINE COOLERS

	Q14d	Frequency	Percent
7 or younger		14348	1.65
8 years old		11388	1.31
9 years old		16641	1.92
10 years old		21967	2.53
11 years old		20918	2.41
12 or older		10981	1.27
Never heard/used		771E3	88.91

Frequency Missing = 58211.992176

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

AGE WHEN FIRST USED WINE

Q14e	Frequency	Percent
7 or younger	16435	1.90
8 years old	14698	1.70
9 years old	21286	2.47
10 years old	24972	2.89
11 years old	20659	2.39
12 or older	10759	1.25
Never heard/used	755E3	87.40

Frequency Missing = 62465.972528

AGE WHEN FIRST USED LIQUOR

Q14f	Frequency	Percent
7 or younger	5467	0.63
8 years old	4803	0.55
9 years old	6709	0.77
10 years old	10661	1.23
11 years old	12541	1.44
12 or older	8158	0.94
Never heard/used	821E3	94.44

Frequency Missing = 56877.180653

AGE WHEN FIRST USED INHALANTS

Q14h	Frequency	Percent
------	-----------	---------

	Frequency	Percent
7 or younger	10620	1.22
8 years old	5512	0.63
9 years old	7462	0.86
10 years old	9287	1.07
11 years old	9342	1.07
12 or older	5941	0.68
Never heard/used	821E3	94.46

Frequency Missing = 56600.257394

AGE WHEN FIRST USED MARIJUANA

Q14i	Frequency	Percent
7 or younger	2831	0.32
8 years old	1537	0.18
9 years old	1989	0.23
10 years old	4603	0.53
11 years old	4669	0.53
12 or older	5053	0.58
Never heard/used	852E3	97.63

Frequency Missing = 52904.311243

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

CLOSE FRIENDS USE CIGARETTES

Q15a	Frequency	Percent
Never heard of	28054	3.18
None	717E3	81.22
Some	126E3	14.25
Most	11953	1.35

Frequency Missing = 43010.619837

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15b	Frequency	Percent
Never heard of	46878	5.43
None	774E3	89.57
Some	37244	4.31
Most	5982	0.69

Frequency Missing = 62230.917439

CLOSE FRIENDS USE BEER

Q15c	Frequency	Percent
Never heard of	15908	1.85
None	675E3	78.55
Some	144E3	16.81
Most	23898	2.78

Frequency Missing = 67216.186233

CLOSE FRIENDS USE WINE COOLERS

Q15d	Frequency	Percent
Never heard of	109E3	12.75
None	638E3	74.36
Some	89674	10.45
Most	20962	2.44

Frequency Missing = 67542.236805

CLOSE FRIENDS USE WINE

Q15e	Frequency	Percent
Never heard of	26578	3.11
None	719E3	84.09
Some	93930	10.99
Most	15496	1.81

Frequency Missing = 71286.801282

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

CLOSE FRIENDS USE LIQUOR

Q15f	Frequency	Percent
Never heard of	72563	8.45
None	713E3	83.05
Some	59447	6.92
Most	13556	1.58

Frequency Missing = 67235.666925

CLOSE FRIENDS USE INHALANTS

Q15h	Frequency	Percent
Never heard of	61141	7.12
None	708E3	82.36
Some	71796	8.36
Most	18595	2.16

Frequency Missing = 66628.775629

CLOSE FRIENDS USE MARIJUANA

Q15i	Frequency	Percent
Never heard of	80084	9.25
None	717E3	82.80
Some	52541	6.07
Most	16252	1.88

Frequency Missing = 60236.546324

EVER BEEN OFFERED CIGARETTES

Q16a	Frequency	Percent
Never heard of	30622	3.49
No	71E4	80.89
Yes	137E3	15.63

Frequency Missing = 47802.271447

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16b	Frequency	Percent
Never heard of	53206	6.27
No	749E3	88.24
Yes	46520	5.48

Frequency Missing = 77630.572577

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

EVER BEEN OFFERED BEER

Q16c	Frequency	Percent
Never heard of	18256	2.16
No	652E3	77.25
Yes	174E3	20.59

Frequency Missing = 82280.033868

EVER BEEN OFFERED WINE COOLERS

Q16d	Frequency	Percent
Never heard of	114E3	13.56
No	636E3	75.33
Yes	93806	11.12

Frequency Missing = 81898.709651

EVER BEEN OFFERED WINE

Q16e	Frequency	Percent
Never heard of	31483	3.72
No	711E3	83.95
Yes	104E3	12.33

Frequency Missing = 79197.597552

EVER BEEN OFFERED LIQUOR

Q16f	Frequency	Percent
Never heard of	74188	8.76
No	71E4	83.81
Yes	62910	7.43

Frequency Missing = 78894.427492

EVER BEEN OFFERED INHALANTS

Q16h	Frequency	Percent
Never heard of	63602	7.47
No	727E3	85.34
Yes	61278	7.19

Frequency Missing = 74026.08973

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	79794	9.28
No	72E4	83.70
Yes	60409	7.02

Frequency Missing = 65598.661146

IS ALCOHOL OBTAINED FROM HOME

Q17a	Frequency	Percent
Do Not Drink	656E3	75.56
No	112E3	12.92
Yes	1E5	11.51

Frequency Missing = 57391.478713

IS ALCOHOL OBTAINED FROM FRIENDS

Q17b	Frequency	Percent
Do Not Drink	652E3	76.97
No	16E4	18.92
Yes	34831	4.11

Frequency Missing = 78479.2035

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17c	Frequency	Percent
Do Not Drink	645E3	75.25
No	13E4	15.17
Yes	82066	9.57

Frequency Missing = 68487.67443

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18a	Frequency	Percent
Very dangerous	576E3	65.25
Dangerous	229E3	25.88
Not at all	10437	1.18
Don't know	47584	5.39
Never heard of	20303	2.30

Frequency Missing = 42909.781083

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18b	Frequency	Percent
Very dangerous	582E3	67.08
Dangerous	178E3	20.51
Not at all	13025	1.50
Don't know	58368	6.73
Never heard of	36202	4.17

Frequency Missing = 58711.825923

DANGEROUS FOR KIDS TO USE BEER

Q18c	Frequency	Percent
Very dangerous	437E3	50.81
Dangerous	294E3	34.24
Not at all	46484	5.41
Don't know	72297	8.41
Never heard of	9745	1.13

Frequency Missing = 66288.891704

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18d	Frequency	Percent
Very dangerous	377E3	43.87
Dangerous	214E3	24.93
Not at all	63255	7.37

Don't know	101E3	11.77
Never heard of	104E3	12.06

Frequency Missing = 67569.124025

DANGEROUS FOR KIDS TO USE WINE

Q18e	Frequency	Percent
Very dangerous	421E3	49.04
Dangerous	263E3	30.63
Not at all	64979	7.56
Don't know	90900	10.58
Never heard of	18801	2.19

Frequency Missing = 66445.307235

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

DANGEROUS FOR KIDS TO USE LIQUOR

Q18f	Frequency	Percent
Very dangerous	549E3	63.70
Dangerous	173E3	20.05
Not at all	19338	2.24
Don't know	63810	7.40
Never heard of	56983	6.61

Frequency Missing = 63839.03651

DANGEROUS FOR KIDS TO USE INHALANTS

Q18h	Frequency	Percent
Very dangerous	543E3	63.01
Dangerous	172E3	19.94
Not at all	26083	3.03
Don't know	72586	8.42
Never heard of	48292	5.60

Frequency Missing = 64146.169009

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18i	Frequency	Percent
Very dangerous	68E4	78.17
Dangerous	71747	8.25
Not at all	11004	1.27

Don't know	43807	5.04
Never heard of	63265	7.28

Frequency Missing = 56401.067306

DRUG/ALCOHOL INFO FROM TEACHER

Q19a	Frequency	Percent
No	296E3	34.83
Yes	554E3	65.17

Frequency Missing = 75465.65055

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19b	Frequency	Percent
No	364E3	43.21
Yes	478E3	56.79

Frequency Missing = 84636.380652

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

DRUG/ALC INFO FROM ASSEMBLY PROGRAM

Q19c	Frequency	Percent
No	331E3	39.63
Yes	505E3	60.37

Frequency Missing = 89576.818341

DRUG/ALC INFO FROM GUIDE COUNSELOR

Q19d	Frequency	Percent
No	388E3	46.24
Yes	451E3	53.76

Frequency Missing = 87490.383006

DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL

Q19e	Frequency	Percent
No	484E3	57.59
Yes	356E3	42.41

Frequency Missing = 86218.078912

BEER, TWO OR MORE AT ONE TIME

Q20a	Frequency	Percent
------	-----------	---------

	Frequency	Percent
Never	763E3	87.20
1 time	67708	7.74
2 times	22302	2.55
3+ times	21937	2.51

Frequency Missing = 51356.736022

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20b	Frequency	Percent
Never	771E3	89.94
1 time	45841	5.34
2 times	19570	2.28
3+ times	20911	2.44

Frequency Missing = 68051.070381

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

WINE, TWO OR MORE AT ONE TIME

Q20c	Frequency	Percent
Never	765E3	89.28
1 time	55904	6.52
2 times	18914	2.21
3+ times	17018	1.99

Frequency Missing = 69049.612249

LIQUOR, TWO OR MORE AT ONE TIME

Q20d	Frequency	Percent
Never	815E3	94.71
1 time	23578	2.74
2 times	9605	1.12
3+ times	12292	1.43

Frequency Missing = 65486.831038

MISSED SCHOOL WITHOUT PARENT'S CONSENT

Q21	Frequency	Percent
No	867E3	97.10
Yes	25916	2.90

Frequency Missing = 32716.406327

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	65E4	72.75
Yes	244E3	27.25

Frequency Missing = 32140.938386

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
Don't like it	727E3	81.48
Don't care	20008	2.24
Think it's O.K.	9093	1.02
Don't know	136E3	15.26

Frequency Missing = 33561.216537

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

State: Grades 4-6 Large
Spring 2004 V3(9/15/04)

The FREQ Procedure

PARENTS FEEL ABOUT KIDS USING MARIJUANA

Q24	Frequency	Percent
Don't like it	759E3	85.08
Don't care	9679	1.08
Think it's O.K.	4298	0.48
Don't know	119E3	13.35

Frequency Missing = 33753.616218

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state