

**State : Grades 7-12 Large  
SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	12.9%	17.9%	31.7%	68.3%
	<b>Grade 7</b>	4.8%	6.9%	16.6%	83.4%
	<b>Grade 8</b>	6.4%	9.9%	22.7%	77.3%
	<b>Grade 9</b>	10.7%	16.2%	30.0%	70.0%
	<b>Grade 10</b>	15.6%	21.1%	36.2%	63.8%
	<b>Grade 11</b>	19.0%	25.8%	41.3%	58.7%
	<b>Grade 12</b>	24.0%	31.4%	47.8%	52.2%
<b>Cigarettes</b>					
	<b>All</b>	11.5%	16.4%	30.1%	69.9%
	<b>Grade 7</b>	4.3%	6.4%	15.9%	84.1%
	<b>Grade 8</b>	5.7%	8.7%	21.4%	78.6%
	<b>Grade 9</b>	9.3%	14.5%	28.4%	71.6%
	<b>Grade 10</b>	13.8%	19.1%	34.3%	65.7%
	<b>Grade 11</b>	17.3%	23.8%	39.3%	60.7%
	<b>Grade 12</b>	21.8%	29.4%	45.7%	54.3%
<b>Smokeless tobacco</b>					
	<b>All</b>	3.8%	5.6%	9.6%	90.4%
	<b>Grade 7</b>	1.2%	1.8%	3.8%	96.2%
	<b>Grade 8</b>	1.9%	3.3%	6.4%	93.6%
	<b>Grade 9</b>	3.4%	5.0%	8.6%	91.4%
	<b>Grade 10</b>	4.8%	7.0%	11.4%	88.6%
	<b>Grade 11</b>	5.0%	8.0%	13.7%	86.3%
	<b>Grade 12</b>	7.2%	9.7%	15.7%	84.3%

**State : Grades 7-12 Large  
SPRING 2008**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
<b>All</b>	71.7%	3.5%	2.6%	3.7%	5.4%	4.7%	8.4%
<b>Grade 7</b>	85.5%	0.4%	1.3%	1.4%	2.9%	2.9%	5.6%
<b>Grade 8</b>	80.1%	1.0%	1.5%	2.3%	4.2%	3.8%	7.1%
<b>Grade 9</b>	73.4%	2.0%	2.4%	3.7%	5.2%	4.8%	8.4%
<b>Grade 10</b>	66.9%	4.5%	3.1%	4.4%	6.4%	5.3%	9.4%
<b>Grade 11</b>	63.4%	6.1%	4.0%	4.5%	6.8%	5.7%	9.6%
<b>Grade 12</b>	56.6%	8.9%	4.0%	6.4%	7.5%	5.7%	10.8%
<b>Cigarettes?</b>							
<b>All</b>	72.8%	2.8%	2.5%	3.6%	5.3%	4.6%	8.5%
<b>Grade 7</b>	85.9%	0.3%	1.2%	1.4%	2.8%	2.9%	5.5%
<b>Grade 8</b>	81.1%	0.8%	1.4%	2.2%	3.9%	3.5%	7.1%
<b>Grade 9</b>	74.5%	1.5%	2.1%	3.6%	5.0%	4.8%	8.5%
<b>Grade 10</b>	68.5%	3.7%	2.8%	4.1%	6.2%	5.3%	9.5%
<b>Grade 11</b>	64.7%	4.9%	3.8%	4.5%	6.5%	5.5%	10.1%
<b>Grade 12</b>	58.2%	7.2%	3.8%	6.2%	7.9%	5.8%	10.8%
<b>Smokeless tobacco?</b>							
<b>All</b>	91.3%	0.9%	0.7%	0.9%	1.5%	1.6%	3.0%
<b>Grade 7</b>	96.9%	0.1%	0.2%	0.3%	0.6%	0.7%	1.2%
<b>Grade 8</b>	94.5%	0.2%	0.3%	0.6%	1.2%	1.1%	2.0%
<b>Grade 9</b>	92.3%	0.7%	0.8%	1.0%	1.5%	1.3%	2.4%
<b>Grade 10</b>	89.2%	1.2%	1.0%	1.2%	2.1%	2.0%	3.4%
<b>Grade 11</b>	87.9%	1.6%	0.8%	1.0%	2.0%	2.3%	4.4%
<b>Grade 12</b>	85.5%	2.2%	1.1%	1.4%	1.9%	2.4%	5.6%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>	11.0	11.5	12.2	12.9	13.7	14.5
<b>Smokeless tobacco</b>	11.2	12.0	12.6	13.5	14.3	15.3
<b>Any Tobacco</b>	10.9	11.5	12.2	12.9	13.6	14.5

**State : Grades 7-12 Large  
SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Any tobacco product??</b>							
	<b>All</b>	12.1%	16.5%	6.0%	9.0%	17.5%	38.9%
	<b>Grade 7</b>	19.5%	31.9%	9.5%	10.3%	13.1%	15.6%
	<b>Grade 8</b>	13.6%	23.7%	9.0%	11.6%	17.5%	24.5%
	<b>Grade 9</b>	12.6%	16.1%	6.4%	10.8%	21.1%	32.9%
	<b>Grade 10</b>	8.8%	11.5%	4.8%	8.9%	21.8%	44.3%
	<b>Grade 11</b>	8.6%	8.3%	3.7%	7.4%	19.4%	52.6%
	<b>Grade 12</b>	8.2%	4.0%	1.6%	3.7%	10.0%	72.5%
<b>Cigarettes?</b>							
	<b>All</b>	12.3%	17.1%	6.3%	9.4%	17.8%	37.0%
	<b>Grade 7</b>	19.8%	32.9%	9.8%	10.3%	13.0%	14.2%
	<b>Grade 8</b>	13.9%	24.9%	9.3%	11.9%	17.5%	22.5%
	<b>Grade 9</b>	12.8%	16.8%	6.9%	11.5%	21.5%	30.6%
	<b>Grade 10</b>	9.0%	12.1%	5.0%	9.6%	22.6%	41.7%
	<b>Grade 11</b>	8.6%	8.5%	3.9%	7.9%	20.3%	50.7%
	<b>Grade 12</b>	8.2%	4.1%	1.5%	3.9%	10.3%	72.0%
<b>Smokeless Tobacco?</b>							
	<b>All</b>	23.2%	21.4%	8.2%	10.3%	12.6%	24.3%
	<b>Grade 7</b>	32.2%	36.7%	10.4%	7.9%	6.6%	6.1%
	<b>Grade 8</b>	25.6%	30.3%	10.9%	11.7%	10.4%	11.1%
	<b>Grade 9</b>	24.2%	22.1%	9.6%	12.8%	13.8%	17.5%
	<b>Grade 10</b>	19.9%	16.2%	7.8%	12.3%	17.0%	26.9%
	<b>Grade 11</b>	18.5%	12.6%	5.7%	9.8%	17.1%	36.3%
	<b>Grade 12</b>	16.7%	6.2%	3.1%	6.4%	10.8%	56.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table T-5: About how many of your close friends...**

	<b>None</b>	<b>A Few</b>	<b>Some</b>	<b>Most</b>	<b>ALL</b>
<b>Use any tobacco product?</b>					
<b>All</b>	42.9%	30.4%	16.2%	8.8%	1.7%
<b>Grade 7</b>	69.3%	20.8%	6.1%	2.8%	0.9%
<b>Grade 8</b>	55.0%	28.0%	11.3%	4.6%	1.0%
<b>Grade 9</b>	41.7%	33.6%	15.6%	7.3%	1.7%
<b>Grade 10</b>	33.1%	33.9%	19.9%	10.8%	2.2%
<b>Grade 11</b>	29.1%	33.5%	21.6%	13.9%	1.8%
<b>Grade 12</b>	23.7%	33.0%	25.0%	15.7%	2.6%
<b>Smoke cigarettes?</b>					
<b>All</b>	45.3%	30.8%	14.8%	7.7%	1.5%
<b>Grade 7</b>	70.8%	20.3%	5.6%	2.5%	0.8%
<b>Grade 8</b>	57.4%	27.8%	9.6%	4.3%	0.9%
<b>Grade 9</b>	44.7%	33.7%	13.7%	6.4%	1.6%
<b>Grade 10</b>	36.5%	34.4%	17.9%	9.1%	2.0%
<b>Grade 11</b>	31.1%	35.4%	20.3%	11.7%	1.5%
<b>Grade 12</b>	26.0%	34.0%	23.9%	13.8%	2.3%
<b>Use a smokeless tobacco product?</b>					
<b>All</b>	70.3%	17.6%	8.3%	3.0%	0.8%
<b>Grade 7</b>	87.1%	8.9%	2.5%	0.9%	0.5%
<b>Grade 8</b>	78.6%	14.1%	5.1%	1.7%	0.5%
<b>Grade 9</b>	70.9%	18.1%	7.6%	2.5%	0.9%
<b>Grade 10</b>	64.1%	20.4%	10.6%	3.9%	1.0%
<b>Grade 11</b>	60.1%	22.4%	12.1%	4.7%	0.7%
<b>Grade 12</b>	57.5%	23.3%	13.0%	5.2%	1.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	75.1%	8.4%	6.7%	1.2%	1.0%	7.6%
<b>Grade 7</b>	84.5%	2.7%	1.7%	0.4%	1.0%	9.7%
<b>Grade 8</b>	81.4%	5.6%	3.4%	0.8%	0.8%	8.0%
<b>Grade 9</b>	78.1%	7.0%	5.0%	0.9%	1.0%	8.0%
<b>Grade 10</b>	74.0%	9.6%	7.0%	1.5%	1.1%	6.8%
<b>Grade 11</b>	69.0%	11.9%	10.2%	1.7%	1.1%	6.2%
<b>Grade 12</b>	60.2%	15.6%	14.6%	2.2%	1.2%	6.2%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	49.8%	27.2%	13.9%	4.2%	4.9%
<b>Grade 7</b>	69.3%	19.1%	5.6%	1.2%	4.7%
<b>Grade 8</b>	58.7%	24.4%	9.0%	2.4%	5.5%
<b>Grade 9</b>	48.8%	29.0%	13.2%	3.3%	5.6%
<b>Grade 10</b>	43.5%	29.6%	16.8%	5.2%	5.0%
<b>Grade 11</b>	39.3%	30.8%	18.8%	6.1%	5.0%
<b>Grade 12</b>	36.0%	30.9%	21.4%	8.2%	3.5%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Any alcohol product</b>					
	All	30.4%	41.7%	62.9%	37.1%
	Grade 7	16.9%	22.4%	44.9%	55.1%
	Grade 8	22.4%	32.3%	55.9%	44.1%
	Grade 9	29.4%	41.5%	63.5%	36.5%
	Grade 10	34.2%	47.6%	68.8%	31.2%
	Grade 11	38.0%	52.5%	72.1%	27.9%
	Grade 12	45.2%	58.4%	76.0%	24.0%
<b>Beer</b>					
	All	19.8%	29.1%	47.7%	52.3%
	Grade 7	9.3%	13.4%	30.4%	69.6%
	Grade 8	12.6%	19.8%	39.9%	60.1%
	Grade 9	18.1%	27.9%	47.5%	52.5%
	Grade 10	23.0%	34.3%	53.5%	46.5%
	Grade 11	25.9%	38.5%	56.7%	43.3%
	Grade 12	33.3%	44.9%	62.3%	37.7%
<b>Wine coolers</b>					
	All	18.1%	28.6%	46.5%	53.5%
	Grade 7	10.1%	14.2%	28.3%	71.7%
	Grade 8	13.8%	21.8%	39.6%	60.4%
	Grade 9	17.9%	28.5%	46.9%	53.1%
	Grade 10	21.1%	33.7%	52.8%	47.2%
	Grade 11	22.7%	36.4%	55.9%	44.1%
	Grade 12	25.0%	40.0%	58.8%	41.2%
<b>Wine</b>					
	All	12.3%	21.6%	42.1%	57.9%
	Grade 7	7.7%	11.6%	26.7%	73.3%
	Grade 8	9.5%	16.9%	36.1%	63.9%
	Grade 9	12.5%	22.2%	43.6%	56.4%
	Grade 10	13.1%	24.0%	46.3%	53.7%
	Grade 11	15.0%	26.9%	50.4%	49.6%
	Grade 12	17.0%	30.3%	52.2%	47.8%
<b>Liquor</b>					
	All	19.1%	29.1%	43.6%	56.4%
	Grade 7	6.8%	10.4%	19.7%	80.3%
	Grade 8	10.9%	17.7%	31.7%	68.3%
	Grade 9	16.9%	27.4%	42.5%	57.5%
	Grade 10	22.8%	35.2%	52.1%	47.9%
	Grade 11	27.0%	40.7%	57.6%	42.4%
	Grade 12	34.5%	48.7%	63.6%	36.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	43.2%	0.7%	4.5%	13.1%	14.9%	13.1%	10.5%
	<b>Grade 7</b>	63.6%	0.6%	2.4%	5.6%	7.7%	9.3%	10.8%
	<b>Grade 8</b>	51.1%	0.4%	3.5%	8.3%	12.0%	13.4%	11.2%
	<b>Grade 9</b>	42.1%	0.8%	4.6%	12.1%	15.3%	14.0%	11.1%
	<b>Grade 10</b>	36.8%	0.7%	4.9%	15.7%	17.6%	14.1%	10.2%
	<b>Grade 11</b>	33.2%	0.6%	5.0%	18.1%	18.3%	14.7%	10.0%
	<b>Grade 12</b>	28.7%	1.0%	7.2%	20.6%	20.0%	13.0%	9.6%
<b>Beer?</b>								
	<b>All</b>	54.4%	0.3%	3.4%	9.8%	12.0%	10.1%	10.0%
	<b>Grade 7</b>	72.6%	0.2%	1.6%	3.9%	6.0%	6.6%	9.1%
	<b>Grade 8</b>	62.2%	0.1%	2.4%	5.7%	9.4%	10.2%	10.0%
	<b>Grade 9</b>	54.5%	0.4%	3.3%	8.4%	11.9%	10.7%	10.8%
	<b>Grade 10</b>	48.3%	0.3%	3.9%	12.0%	14.8%	10.8%	9.9%
	<b>Grade 11</b>	44.9%	0.3%	3.9%	14.2%	15.1%	11.5%	10.1%
	<b>Grade 12</b>	40.0%	0.5%	5.9%	16.6%	16.2%	10.7%	10.1%
<b>Wine coolers?</b>								
	<b>All</b>	57.4%	0.2%	2.4%	7.8%	11.6%	11.5%	9.0%
	<b>Grade 7</b>	77.4%	0.3%	1.5%	3.2%	4.7%	6.5%	6.4%
	<b>Grade 8</b>	65.3%	0.2%	2.0%	5.3%	8.5%	10.3%	8.3%
	<b>Grade 9</b>	57.1%	0.4%	2.7%	7.6%	11.8%	11.6%	8.7%
	<b>Grade 10</b>	50.4%	0.2%	2.5%	10.0%	13.6%	13.1%	10.1%
	<b>Grade 11</b>	47.1%	0.1%	2.4%	10.8%	15.1%	14.1%	10.3%
	<b>Grade 12</b>	43.2%	0.1%	3.2%	10.9%	17.2%	14.5%	10.9%
<b>Wine?</b>								
	<b>All</b>	60.0%	0.1%	1.6%	5.3%	8.6%	13.0%	11.4%
	<b>Grade 7</b>	77.2%	0.1%	1.1%	2.7%	4.1%	7.5%	7.3%
	<b>Grade 8</b>	66.1%	0.1%	1.4%	3.9%	6.8%	11.5%	10.3%
	<b>Grade 9</b>	58.9%	0.0%	1.9%	5.0%	9.0%	13.3%	11.8%
	<b>Grade 10</b>	54.8%	0.1%	1.6%	6.3%	9.7%	14.8%	12.9%
	<b>Grade 11</b>	51.1%	0.1%	1.6%	6.9%	10.7%	16.0%	13.5%
	<b>Grade 12</b>	49.0%	0.2%	1.9%	7.4%	12.4%	15.8%	13.3%
<b>Liquor?</b>								
	<b>All</b>	58.5%	0.2%	2.7%	9.4%	11.6%	10.1%	7.4%
	<b>Grade 7</b>	83.1%	0.1%	1.2%	2.6%	3.5%	4.5%	4.9%
	<b>Grade 8</b>	70.2%	0.1%	1.9%	4.8%	7.6%	8.4%	7.1%
	<b>Grade 9</b>	59.4%	0.2%	2.7%	8.1%	11.4%	10.4%	7.8%
	<b>Grade 10</b>	49.7%	0.2%	3.1%	11.8%	14.3%	12.3%	8.6%
	<b>Grade 11</b>	44.8%	0.3%	2.9%	14.6%	15.9%	13.2%	8.4%
	<b>Grade 12</b>	38.7%	0.5%	4.6%	16.8%	18.6%	12.9%	8.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	55.6%	44.4%	12.0%	23.4%	9.0%
	<b>Grade 7</b>	80.7%	19.3%	2.9%	9.1%	7.3%
	<b>Grade 8</b>	66.5%	33.5%	5.9%	16.9%	10.7%
	<b>Grade 9</b>	56.2%	43.8%	11.3%	22.6%	9.9%
	<b>Grade 10</b>	47.0%	53.0%	15.4%	28.1%	9.5%
	<b>Grade 11</b>	42.2%	57.8%	18.5%	30.9%	8.4%
	<b>Grade 12</b>	35.8%	64.2%	20.7%	36.0%	7.5%
<b>Wine Coolers</b>						
	<b>All</b>	57.7%	42.3%	3.7%	22.4%	16.3%
	<b>Grade 7</b>	72.9%	27.1%	2.0%	11.8%	13.3%
	<b>Grade 8</b>	61.9%	38.1%	2.8%	18.8%	16.5%
	<b>Grade 9</b>	55.7%	44.3%	3.6%	22.9%	17.8%
	<b>Grade 10</b>	54.0%	46.0%	4.5%	25.5%	16.1%
	<b>Grade 11</b>	50.2%	49.8%	4.6%	27.5%	17.7%
	<b>Grade 12</b>	49.0%	51.0%	5.2%	29.6%	16.3%
<b>Wine</b>						
	<b>All</b>	54.3%	45.7%	9.6%	27.0%	9.1%
	<b>Grade 7</b>	73.8%	26.2%	3.8%	13.7%	8.7%
	<b>Grade 8</b>	61.2%	38.8%	6.1%	22.2%	10.4%
	<b>Grade 9</b>	52.9%	47.1%	10.0%	27.6%	9.5%
	<b>Grade 10</b>	47.3%	52.7%	12.5%	31.4%	8.8%
	<b>Grade 11</b>	44.8%	55.2%	13.1%	33.4%	8.7%
	<b>Grade 12</b>	42.2%	57.8%	13.2%	36.2%	8.4%
<b>Liquor</b>						
	<b>All</b>	51.6%	48.4%	13.1%	22.4%	12.9%
	<b>Grade 7</b>	68.3%	31.7%	4.1%	14.1%	13.5%
	<b>Grade 8</b>	57.8%	42.2%	7.0%	19.3%	15.8%
	<b>Grade 9</b>	51.0%	49.0%	11.3%	23.9%	13.8%
	<b>Grade 10</b>	46.5%	53.5%	16.7%	24.8%	12.0%
	<b>Grade 11</b>	43.0%	57.0%	19.4%	26.4%	11.2%
	<b>Grade 12</b>	39.4%	60.6%	22.6%	27.3%	10.7%



**State : Grades 7-12 Large  
SPRING 2008**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		<b>Never/None</b>	<b>1 day</b>	<b>2 days</b>	<b>3 to 5 days</b>	<b>6 to 9 days</b>	<b>10 or more days</b>
<b>Alcohol</b>	<b>All</b>	79.4%	6.4%	4.7%	4.9%	2.2%	2.4%
	<b>Grade 7</b>	91.3%	3.3%	1.8%	1.8%	0.7%	1.1%
	<b>Grade 8</b>	86.7%	4.9%	3.2%	2.7%	1.0%	1.5%
	<b>Grade 9</b>	80.7%	6.6%	4.3%	4.3%	1.9%	2.2%
	<b>Grade 10</b>	75.9%	7.0%	5.8%	5.9%	2.7%	2.7%
	<b>Grade 11</b>	72.1%	7.8%	6.7%	7.3%	3.3%	2.7%
	<b>Grade 12</b>	66.0%	9.7%	7.0%	8.8%	4.1%	4.3%

**Table A-5: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Beer</b>	10.6	11.2	12.1	12.8	13.5	14.3
<b>Wine Coolers</b>	11.1	11.8	12.4	13.1	13.8	14.4
<b>Wine</b>	11.1	11.6	12.4	13.0	13.7	14.3
<b>Liquor</b>	11.5	12.2	13.1	13.8	14.5	15.1
<b>Any Alcohol</b>	10.6	11.2	11.9	12.6	13.3	13.9

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Beer?</b>							
	<b>All</b>	10.7%	13.0%	5.7%	11.1%	20.9%	38.7%
	<b>Grade 7</b>	17.4%	26.1%	8.5%	11.4%	14.4%	22.2%
	<b>Grade 8</b>	12.3%	17.7%	7.5%	11.4%	19.0%	32.0%
	<b>Grade 9</b>	11.2%	11.8%	5.6%	11.7%	20.9%	38.9%
	<b>Grade 10</b>	7.3%	8.7%	4.3%	11.3%	22.6%	45.8%
	<b>Grade 11</b>	7.5%	6.9%	3.9%	9.9%	23.2%	48.6%
	<b>Grade 12</b>	7.3%	4.6%	3.4%	10.9%	26.6%	47.3%
<b>Wine coolers?</b>							
	<b>All</b>	15.1%	14.4%	6.7%	11.9%	19.6%	32.4%
	<b>Grade 7</b>	26.1%	28.4%	9.3%	10.0%	11.7%	14.5%
	<b>Grade 8</b>	18.1%	20.1%	9.2%	12.1%	16.5%	24.0%
	<b>Grade 9</b>	15.1%	13.8%	6.5%	13.1%	19.7%	31.8%
	<b>Grade 10</b>	10.6%	9.3%	5.7%	12.7%	23.0%	38.8%
	<b>Grade 11</b>	9.4%	7.2%	4.7%	11.5%	23.0%	44.3%
	<b>Grade 12</b>	9.1%	4.7%	3.8%	11.9%	25.5%	45.1%
<b>Wine?</b>							
	<b>All</b>	12.9%	15.4%	7.5%	12.8%	19.0%	32.4%
	<b>Grade 7</b>	20.3%	29.1%	10.4%	11.3%	12.9%	16.0%
	<b>Grade 8</b>	14.2%	22.0%	9.7%	13.2%	15.5%	25.4%
	<b>Grade 9</b>	13.4%	14.3%	7.7%	13.4%	18.8%	32.5%
	<b>Grade 10</b>	9.9%	10.6%	6.9%	13.7%	21.5%	37.4%
	<b>Grade 11</b>	9.3%	8.0%	5.5%	12.4%	21.9%	42.9%
	<b>Grade 12</b>	8.9%	5.6%	4.1%	12.8%	24.9%	43.7%
<b>Liquor?</b>							
	<b>All</b>	12.8%	17.6%	8.4%	11.4%	18.1%	31.8%
	<b>Grade 7</b>	21.9%	33.9%	11.6%	9.2%	9.7%	13.6%
	<b>Grade 8</b>	14.5%	25.5%	10.5%	11.6%	14.8%	23.1%
	<b>Grade 9</b>	13.0%	16.6%	9.0%	12.2%	17.4%	31.8%
	<b>Grade 10</b>	8.9%	11.6%	7.3%	12.1%	21.1%	38.9%
	<b>Grade 11</b>	8.4%	8.9%	6.1%	11.5%	22.0%	43.1%
	<b>Grade 12</b>	8.3%	5.6%	4.8%	11.9%	25.3%	44.0%
<b>Any alcohol product?</b>							
	<b>All</b>	9.7%	10.4%	4.5%	9.3%	20.0%	46.0%
	<b>Grade 7</b>	16.1%	21.6%	7.6%	10.5%	16.1%	28.1%
	<b>Grade 8</b>	11.2%	13.9%	6.2%	10.5%	18.9%	39.3%
	<b>Grade 9</b>	10.1%	9.2%	3.9%	9.5%	19.9%	47.4%
	<b>Grade 10</b>	6.6%	6.5%	3.2%	8.4%	21.2%	54.0%
	<b>Grade 11</b>	6.6%	5.4%	2.9%	8.0%	20.9%	56.2%
	<b>Grade 12</b>	6.7%	3.7%	2.3%	8.9%	24.4%	54.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	91.9%	6.1%	1.0%	1.0%
<b>Grade 7</b>	94.2%	4.6%	0.6%	0.5%
<b>Grade 8</b>	92.0%	6.1%	0.9%	0.9%
<b>Grade 9</b>	91.4%	6.4%	1.3%	0.9%
<b>Grade 10</b>	91.1%	6.6%	1.1%	1.2%
<b>Grade 11</b>	92.0%	5.9%	1.0%	1.1%
<b>Grade 12</b>	90.3%	6.8%	1.1%	1.8%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.7%	0.8%	0.2%	0.3%
<b>Grade 7</b>	99.0%	0.6%	0.1%	0.2%
<b>Grade 8</b>	98.8%	0.8%	0.1%	0.3%
<b>Grade 9</b>	98.7%	0.9%	0.2%	0.2%
<b>Grade 10</b>	98.8%	0.7%	0.1%	0.3%
<b>Grade 11</b>	98.7%	0.8%	0.3%	0.1%
<b>Grade 12</b>	98.1%	1.2%	0.3%	0.5%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	4.7
Alcohol Non-use	3.7
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.7
Alcohol Non-use	1.4

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
All	89.2%	8.2%	1.4%	1.2%
Grade 9	94.9%	3.9%	0.7%	0.5%
Grade 10	91.4%	6.8%	1.0%	0.9%
Grade 11	86.6%	10.3%	1.8%	1.3%
Grade 12	80.9%	13.9%	2.7%	2.6%
<b>Gotten into trouble with the police because of drinking?</b>				
All	96.6%	2.8%	0.4%	0.3%
Grade 7	98.6%	1.0%	0.2%	0.2%
Grade 8	97.8%	1.6%	0.3%	0.3%
Grade 9	96.8%	2.5%	0.4%	0.3%
Grade 10	96.3%	2.9%	0.5%	0.3%
Grade 11	94.9%	4.5%	0.3%	0.2%
Grade 12	94.3%	5.0%	0.4%	0.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	28.4%	22.9%	18.8%	20.8%	9.1%
	<b>Grade 7</b>	54.9%	23.5%	10.6%	7.6%	3.4%
	<b>Grade 8</b>	38.3%	25.6%	17.1%	13.3%	5.7%
	<b>Grade 9</b>	25.0%	25.5%	20.8%	20.1%	8.6%
	<b>Grade 10</b>	17.9%	22.5%	23.7%	25.2%	10.6%
	<b>Grade 11</b>	16.5%	20.2%	20.8%	29.6%	12.9%
	<b>Grade 12</b>	13.6%	18.3%	20.2%	32.8%	15.1%
<b>Beer?</b>						
	<b>All</b>	34.0%	22.9%	18.2%	18.1%	6.8%
	<b>Grade 7</b>	62.3%	20.7%	9.0%	5.8%	2.3%
	<b>Grade 8</b>	44.9%	25.6%	15.1%	10.6%	3.9%
	<b>Grade 9</b>	31.2%	25.7%	20.2%	16.9%	6.0%
	<b>Grade 10</b>	23.3%	23.5%	23.0%	21.9%	8.3%
	<b>Grade 11</b>	21.3%	21.2%	21.0%	26.7%	9.8%
	<b>Grade 12</b>	16.7%	19.7%	21.3%	30.1%	12.2%
<b>Wine coolers?</b>						
	<b>All</b>	44.3%	21.5%	16.8%	12.4%	5.0%
	<b>Grade 7</b>	71.1%	15.7%	6.8%	4.2%	2.2%
	<b>Grade 8</b>	54.8%	20.7%	13.0%	7.8%	3.7%
	<b>Grade 9</b>	42.2%	23.8%	17.0%	11.8%	5.2%
	<b>Grade 10</b>	34.6%	22.4%	22.0%	15.4%	5.6%
	<b>Grade 11</b>	31.3%	22.7%	21.1%	18.0%	6.9%
	<b>Grade 12</b>	27.0%	23.8%	22.6%	19.5%	7.1%
<b>Wine?</b>						
	<b>All</b>	53.5%	23.6%	13.0%	7.0%	2.9%
	<b>Grade 7</b>	73.8%	16.2%	5.9%	2.7%	1.3%
	<b>Grade 8</b>	62.2%	20.8%	9.9%	5.1%	2.0%
	<b>Grade 9</b>	51.9%	24.5%	13.5%	7.1%	2.9%
	<b>Grade 10</b>	47.4%	25.9%	15.6%	7.9%	3.2%
	<b>Grade 11</b>	42.5%	27.5%	16.2%	10.0%	3.8%
	<b>Grade 12</b>	39.3%	28.2%	18.2%	10.1%	4.2%
<b>Liquor?</b>						
	<b>All</b>	42.0%	19.7%	16.3%	15.9%	6.1%
	<b>Grade 7</b>	74.2%	14.5%	5.9%	3.9%	1.5%
	<b>Grade 8</b>	56.3%	20.1%	11.8%	8.5%	3.3%
	<b>Grade 9</b>	40.2%	22.6%	16.9%	14.8%	5.4%
	<b>Grade 10</b>	29.5%	21.4%	21.9%	19.7%	7.4%
	<b>Grade 11</b>	25.3%	20.0%	20.7%	24.6%	9.3%
	<b>Grade 12</b>	20.4%	18.9%	22.0%	27.4%	11.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
All	92.8%	6.1%	0.7%	0.4%
Grade 7	96.6%	2.9%	0.4%	0.2%
Grade 8	94.7%	4.5%	0.5%	0.3%
Grade 9	93.1%	5.7%	0.7%	0.5%
Grade 10	90.9%	7.9%	0.8%	0.5%
Grade 11	91.3%	7.5%	0.9%	0.3%
Grade 12	89.4%	9.1%	1.0%	0.5%
<b>Been criticized by someone you were dating because of drinking?</b>				
All	92.5%	6.1%	0.8%	0.5%
Grade 7	97.2%	2.3%	0.3%	0.2%
Grade 8	95.1%	4.1%	0.4%	0.4%
Grade 9	93.3%	5.5%	0.7%	0.5%
Grade 10	90.0%	8.3%	1.1%	0.7%
Grade 11	90.1%	8.4%	1.1%	0.5%
Grade 12	88.6%	9.2%	1.4%	0.8%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	42.3%	10.5%	7.3%	12.2%	15.8%	1.9%	10.0%
Grade 7	68.6%	8.9%	5.2%	4.1%	3.3%	1.9%	7.9%
Grade 8	57.0%	12.1%	6.8%	7.6%	6.5%	2.2%	7.8%
Grade 9	40.9%	12.5%	8.6%	12.8%	12.3%	2.5%	10.4%
Grade 10	31.8%	11.1%	8.5%	15.5%	19.8%	1.9%	11.4%
Grade 11	27.2%	8.7%	7.8%	16.5%	25.9%	1.6%	12.3%
Grade 12	23.7%	8.7%	6.5%	18.1%	31.5%	1.1%	10.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>At home</b>						
	<b>All</b>	45.6%	25.0%	20.5%	6.1%	2.7%
	<b>Grade 7</b>	58.7%	22.1%	13.4%	3.9%	1.8%
	<b>Grade 8</b>	51.1%	22.3%	18.4%	5.6%	2.6%
	<b>Grade 9</b>	44.2%	24.3%	22.1%	6.7%	2.6%
	<b>Grade 10</b>	42.3%	25.5%	21.9%	7.0%	3.2%
	<b>Grade 11</b>	38.7%	27.7%	23.2%	7.3%	3.1%
	<b>Grade 12</b>	36.1%	29.3%	25.0%	6.4%	3.3%
<b>From friends</b>						
	<b>All</b>	42.9%	17.9%	15.2%	16.7%	7.3%
	<b>Grade 7</b>	60.1%	24.7%	8.3%	5.2%	1.7%
	<b>Grade 8</b>	50.5%	22.8%	13.3%	10.0%	3.4%
	<b>Grade 9</b>	42.2%	19.2%	16.1%	16.3%	6.2%
	<b>Grade 10</b>	37.6%	14.3%	18.5%	20.6%	9.0%
	<b>Grade 11</b>	33.4%	13.6%	18.1%	24.1%	10.8%
	<b>Grade 12</b>	29.8%	10.7%	17.6%	27.1%	14.8%
<b>From a store</b>						
	<b>All</b>	44.6%	40.5%	7.7%	4.6%	2.5%
	<b>Grade 7</b>	60.0%	35.4%	2.7%	1.4%	0.5%
	<b>Grade 8</b>	51.6%	40.4%	4.7%	2.2%	1.1%
	<b>Grade 9</b>	44.1%	42.5%	7.3%	3.8%	2.3%
	<b>Grade 10</b>	40.1%	42.0%	9.3%	5.5%	3.1%
	<b>Grade 11</b>	35.8%	40.7%	11.7%	7.7%	4.1%
	<b>Grade 12</b>	32.7%	42.3%	12.0%	8.2%	4.8%
<b>At parties</b>						
	<b>All</b>	41.3%	16.1%	13.0%	15.0%	14.5%
	<b>Grade 7</b>	56.6%	21.4%	9.8%	7.0%	5.2%
	<b>Grade 8</b>	48.0%	18.9%	13.6%	11.0%	8.5%
	<b>Grade 9</b>	40.6%	16.3%	14.4%	15.4%	13.2%
	<b>Grade 10</b>	36.5%	13.5%	14.1%	18.0%	17.8%
	<b>Grade 11</b>	33.4%	13.5%	12.7%	19.6%	20.9%
	<b>Grade 12</b>	29.9%	11.9%	13.6%	20.5%	24.1%
<b>Other source</b>						
	<b>All</b>	44.7%	25.3%	13.7%	8.7%	7.7%
	<b>Grade 7</b>	59.0%	25.0%	8.7%	4.0%	3.3%
	<b>Grade 8</b>	50.5%	25.0%	12.2%	6.8%	5.5%
	<b>Grade 9</b>	44.3%	25.2%	14.0%	9.1%	7.4%
	<b>Grade 10</b>	40.4%	24.5%	15.8%	10.1%	9.2%
	<b>Grade 11</b>	36.5%	25.7%	15.9%	11.5%	10.4%
	<b>Grade 12</b>	33.9%	26.7%	16.3%	11.3%	11.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	63.3%	14.9%	10.0%	3.4%	1.3%	7.1%
<b>Grade 7</b>	74.9%	8.3%	4.6%	1.5%	1.0%	9.7%
<b>Grade 8</b>	69.6%	12.1%	6.9%	2.4%	1.2%	7.9%
<b>Grade 9</b>	64.0%	14.5%	9.4%	3.4%	1.4%	7.3%
<b>Grade 10</b>	59.1%	17.5%	12.0%	4.1%	1.4%	5.9%
<b>Grade 11</b>	57.2%	17.8%	13.6%	4.1%	1.4%	5.8%
<b>Grade 12</b>	52.6%	20.5%	14.7%	5.1%	1.6%	5.5%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	44.1%	32.4%	15.8%	4.0%	3.6%
<b>Grade 7</b>	56.7%	24.2%	12.2%	2.8%	4.1%
<b>Grade 8</b>	47.0%	28.3%	16.0%	4.5%	4.2%
<b>Grade 9</b>	41.3%	32.8%	17.6%	4.7%	3.5%
<b>Grade 10</b>	40.8%	34.6%	16.8%	4.5%	3.3%
<b>Grade 11</b>	40.2%	36.0%	16.8%	3.6%	3.4%
<b>Grade 12</b>	37.9%	39.9%	15.4%	3.8%	3.1%



**State : Grades 7-12 Large  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Marijuana?</b>					
	<b>All</b>	10.0%	14.9%	24.6%	75.4%
	<b>Grade 7</b>	4.0%	5.6%	9.5%	90.5%
	<b>Grade 8</b>	5.7%	8.3%	14.9%	85.1%
	<b>Grade 9</b>	9.8%	14.2%	23.1%	76.9%
	<b>Grade 10</b>	12.7%	18.9%	30.1%	69.9%
	<b>Grade 11</b>	14.2%	21.6%	35.4%	64.6%
	<b>Grade 12</b>	15.3%	23.2%	38.6%	61.4%
<b>Cocaine?</b>					
	<b>All</b>	2.1%	3.4%	6.5%	93.5%
	<b>Grade 7</b>	0.9%	1.4%	2.3%	97.7%
	<b>Grade 8</b>	1.2%	1.8%	3.4%	96.6%
	<b>Grade 9</b>	2.1%	3.2%	5.7%	94.3%
	<b>Grade 10</b>	2.5%	4.2%	7.9%	92.1%
	<b>Grade 11</b>	2.9%	4.6%	9.7%	90.3%
	<b>Grade 12</b>	3.2%	6.0%	11.3%	88.7%
<b>Crack?</b>					
	<b>All</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 7</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	0.6%	0.9%	1.8%	98.2%
	<b>Grade 9</b>	0.6%	1.0%	1.8%	98.2%
	<b>Grade 10</b>	0.5%	0.8%	1.8%	98.2%
	<b>Grade 11</b>	0.3%	0.6%	1.4%	98.6%
	<b>Grade 12</b>	0.7%	1.0%	1.9%	98.1%
<b>Hallucinogens?</b>					
	<b>All</b>	1.5%	2.4%	4.4%	95.6%
	<b>Grade 7</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	0.8%	1.1%	2.1%	97.9%
	<b>Grade 9</b>	1.3%	2.2%	3.8%	96.2%
	<b>Grade 10</b>	2.2%	3.2%	6.0%	94.0%
	<b>Grade 11</b>	2.0%	3.4%	6.5%	93.5%
	<b>Grade 12</b>	2.6%	4.6%	7.7%	92.3%
<b>Uppers?</b>					
	<b>All</b>	2.1%	3.3%	5.3%	94.7%
	<b>Grade 7</b>	0.7%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	0.8%	1.3%	2.2%	97.8%
	<b>Grade 9</b>	1.8%	2.8%	4.4%	95.6%
	<b>Grade 10</b>	2.9%	4.5%	6.9%	93.1%
	<b>Grade 11</b>	3.1%	5.1%	8.4%	91.6%
	<b>Grade 12</b>	3.5%	6.1%	9.9%	90.1%
<b>Downers?</b>					
	<b>All</b>	2.2%	3.5%	5.5%	94.5%
	<b>Grade 7</b>	0.6%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	0.8%	1.1%	1.9%	98.1%
	<b>Grade 9</b>	1.9%	2.9%	4.5%	95.5%
	<b>Grade 10</b>	2.9%	4.8%	7.4%	92.6%
	<b>Grade 11</b>	3.5%	5.4%	8.7%	91.3%
	<b>Grade 12</b>	4.0%	6.5%	10.8%	89.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol?</b>	<b>All</b>	0.9%	1.4%	2.4%	97.6%
	<b>Grade 7</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 9</b>	1.2%	1.8%	2.8%	97.2%
	<b>Grade 10</b>	1.3%	2.0%	3.4%	96.6%
	<b>Grade 11</b>	0.8%	1.3%	2.6%	97.4%
	<b>Grade 12</b>	1.0%	1.4%	2.6%	97.4%
	<b>Steroids?</b>	<b>All</b>	0.5%	0.8%	1.5%
<b>Grade 7</b>		0.5%	0.8%	1.4%	98.6%
<b>Grade 8</b>		0.5%	0.7%	1.5%	98.5%
<b>Grade 9</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 10</b>		0.8%	1.1%	1.8%	98.2%
<b>Grade 11</b>		0.5%	0.9%	1.6%	98.4%
<b>Grade 12</b>		0.7%	1.1%	1.7%	98.3%
<b>Ecstasy?</b>		<b>All</b>	1.8%	3.0%	5.1%
	<b>Grade 7</b>	0.7%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	0.9%	1.4%	2.3%	97.7%
	<b>Grade 9</b>	1.6%	2.7%	4.4%	95.6%
	<b>Grade 10</b>	2.4%	3.6%	6.6%	93.4%
	<b>Grade 11</b>	2.5%	4.4%	7.9%	92.1%
	<b>Grade 12</b>	3.4%	5.5%	9.4%	90.6%
	<b>Heroin?</b>	<b>All</b>	0.5%	0.8%	1.4%
<b>Grade 7</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 8</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.5%	0.7%	1.5%	98.5%
<b>Grade 11</b>		0.5%	0.8%	1.4%	98.6%
<b>Grade 12</b>		0.4%	1.0%	1.8%	98.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	All	78.0%	2.3%	2.7%	3.8%	4.2%	3.8%	5.3%
	Grade 7	91.4%	0.9%	1.3%	1.7%	1.7%	1.2%	1.8%
	Grade 8	86.7%	1.0%	1.8%	2.3%	2.8%	2.3%	3.0%
	Grade 9	78.7%	2.2%	3.0%	3.9%	4.0%	3.8%	4.4%
	Grade 10	73.0%	2.6%	3.1%	5.1%	5.3%	4.7%	6.3%
	Grade 11	68.4%	3.2%	3.5%	5.1%	6.1%	5.8%	8.0%
	Grade 12	66.8%	4.2%	3.4%	4.8%	5.9%	5.6%	9.3%
<b>Cocaine?</b>								
	All	94.4%	0.1%	0.4%	0.9%	1.1%	1.2%	1.9%
	Grade 7	97.9%	0.1%	0.2%	0.5%	0.5%	0.4%	0.5%
	Grade 8	97.3%	0.1%	0.2%	0.4%	0.6%	0.7%	0.8%
	Grade 9	94.9%	0.1%	0.6%	0.9%	0.9%	1.2%	1.4%
	Grade 10	93.2%	0.2%	0.4%	1.2%	1.3%	1.4%	2.2%
	Grade 11	91.8%	0.2%	0.5%	1.0%	1.6%	1.8%	3.1%
	Grade 12	90.5%	0.1%	0.8%	1.4%	1.8%	1.8%	3.7%
<b>Crack?</b>								
	All	98.6%	0.1%	0.1%	0.1%	0.3%	0.3%	0.5%
	Grade 7	98.7%	0.1%	0.2%	0.2%	0.3%	0.2%	0.3%
	Grade 8	98.6%	0.1%	0.1%	0.2%	0.2%	0.4%	0.4%
	Grade 9	98.4%	0.1%	0.1%	0.2%	0.3%	0.4%	0.5%
	Grade 10	98.5%	0.1%	0.1%	0.2%	0.4%	0.2%	0.5%
	Grade 11	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.5%
	Grade 12	98.4%	0.1%	0.2%	0.1%	0.3%	0.3%	0.7%
<b>Hallucinogens?</b>								
	All	96.4%	0.1%	0.1%	0.3%	0.8%	1.1%	1.2%
	Grade 7	99.0%	0.0%	0.1%	0.1%	0.3%	0.2%	0.3%
	Grade 8	98.3%	0.0%	0.1%	0.2%	0.4%	0.5%	0.5%
	Grade 9	97.0%	0.1%	0.2%	0.3%	0.6%	0.9%	0.9%
	Grade 10	95.1%	0.1%	0.2%	0.5%	1.1%	1.4%	1.6%
	Grade 11	94.5%	0.0%	0.1%	0.4%	1.1%	1.6%	2.2%
	Grade 12	93.5%	0.1%	0.2%	0.5%	1.4%	2.4%	1.8%
<b>Uppers?</b>								
	All	95.0%	0.2%	0.4%	0.8%	1.2%	1.2%	1.3%
	Grade 7	98.6%	0.0%	0.3%	0.2%	0.2%	0.4%	0.3%
	Grade 8	97.9%	0.1%	0.1%	0.4%	0.5%	0.3%	0.5%
	Grade 9	95.7%	0.1%	0.3%	0.8%	0.9%	1.1%	1.1%
	Grade 10	93.5%	0.3%	0.5%	1.3%	1.6%	1.3%	1.6%
	Grade 11	92.1%	0.2%	0.5%	1.0%	2.1%	1.9%	2.2%
	Grade 12	90.9%	0.4%	0.5%	1.3%	1.9%	2.2%	2.8%
<b>Downers?</b>								
	All	94.9%	0.1%	0.4%	0.9%	1.2%	1.1%	1.4%
	Grade 7	98.6%	0.0%	0.2%	0.3%	0.3%	0.3%	0.3%
	Grade 8	98.0%	0.0%	0.2%	0.4%	0.6%	0.3%	0.6%
	Grade 9	95.9%	0.2%	0.4%	0.8%	0.9%	0.9%	1.0%
	Grade 10	93.2%	0.2%	0.7%	1.5%	1.4%	1.5%	1.4%
	Grade 11	91.8%	0.2%	0.6%	1.0%	2.2%	1.9%	2.3%
	Grade 12	90.2%	0.1%	0.7%	1.4%	2.3%	2.3%	3.1%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-2: How often do you normally use...  
(Continued)**

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Rohypnol?</b>								
	<b>All</b>	98.0%	0.1%	0.2%	0.3%	0.4%	0.5%	0.5%
	<b>Grade 7</b>	98.9%	0.1%	0.2%	0.1%	0.3%	0.3%	0.1%
	<b>Grade 8</b>	98.5%	0.0%	0.1%	0.2%	0.4%	0.4%	0.4%
	<b>Grade 9</b>	97.7%	0.1%	0.3%	0.4%	0.6%	0.5%	0.4%
	<b>Grade 10</b>	97.3%	0.0%	0.4%	0.3%	0.5%	0.6%	0.8%
	<b>Grade 11</b>	97.9%	0.0%	0.2%	0.3%	0.4%	0.5%	0.7%
	<b>Grade 12</b>	97.8%	0.1%	0.1%	0.1%	0.5%	0.4%	0.9%
<b>Steroids?</b>								
	<b>All</b>	98.8%	0.2%	0.1%	0.1%	0.2%	0.2%	0.5%
	<b>Grade 7</b>	99.2%	0.1%	0.1%	0.1%	0.1%	0.2%	0.2%
	<b>Grade 8</b>	98.7%	0.2%	0.1%	0.1%	0.2%	0.3%	0.4%
	<b>Grade 9</b>	98.8%	0.2%	0.1%	0.1%	0.1%	0.2%	0.5%
	<b>Grade 10</b>	98.6%	0.2%	0.1%	0.1%	0.2%	0.1%	0.6%
	<b>Grade 11</b>	98.9%	0.0%	0.2%	0.1%	0.2%	0.3%	0.4%
	<b>Grade 12</b>	98.4%	0.3%	0.1%	0.1%	0.3%	0.3%	0.5%
<b>Ecstasy?</b>								
	<b>All</b>	95.3%	0.1%	0.2%	0.6%	1.0%	1.3%	1.5%
	<b>Grade 7</b>	98.8%	0.1%	0.1%	0.1%	0.2%	0.4%	0.4%
	<b>Grade 8</b>	97.8%	0.0%	0.1%	0.3%	0.6%	0.5%	0.5%
	<b>Grade 9</b>	96.2%	0.1%	0.3%	0.5%	1.0%	0.9%	1.0%
	<b>Grade 10</b>	93.8%	0.1%	0.2%	1.1%	1.4%	1.5%	1.9%
	<b>Grade 11</b>	93.0%	0.1%	0.1%	0.8%	1.4%	2.3%	2.4%
	<b>Grade 12</b>	91.3%	0.1%	0.3%	1.1%	1.7%	2.6%	2.9%
<b>Heroin?</b>								
	<b>All</b>	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.5%
	<b>Grade 7</b>	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.3%
	<b>Grade 8</b>	99.0%	0.0%	0.1%	0.1%	0.2%	0.3%	0.3%
	<b>Grade 9</b>	98.9%	0.2%	0.0%	0.1%	0.1%	0.3%	0.4%
	<b>Grade 10</b>	98.8%	0.0%	0.1%	0.1%	0.3%	0.2%	0.5%
	<b>Grade 11</b>	98.9%	0.1%	0.0%	0.1%	0.2%	0.2%	0.5%
	<b>Grade 12</b>	98.4%	0.0%	0.2%	0.1%	0.3%	0.3%	0.8%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Marijuana</b>	11.6	12.2	12.9	13.5	14.4	14.8
<b>Cocaine</b>	11.8	13.0	13.7	14.3	15.2	15.6
<b>Crack</b>	11.6	12.4	13.2	14.1	14.5	15.4
<b>Hallucinogens</b>	11.8	12.6	13.5	14.3	15.2	15.8
<b>Uppers</b>	11.9	12.4	13.5	14.1	14.7	15.2
<b>Downers</b>	12.0	12.5	13.3	14.1	14.8	15.2
<b>Rohypnol</b>	11.7	12.3	13.2	13.7	14.5	15.1
<b>Steroids</b>	11.6	12.0	12.4	13.4	14.8	15.4
<b>Ecstasy</b>	12.0	12.8	13.8	14.6	15.5	16.0
<b>Heroin</b>	11.5	12.5	12.8	14.0	14.5	15.6

**Table D-4: Age of first use of marijuana by family situation:**

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
<b>Two parent family</b>								
	<b>All</b>	80.2%	0.6%	1.8%	5.5%	7.4%	4.0%	0.4%
	<b>Grade 7</b>	93.5%	0.6%	1.8%	3.8%	0.4%	0.0%	0.0%
	<b>Grade 8</b>	89.3%	0.6%	2.1%	5.7%	2.1%	0.0%	0.0%
	<b>Grade 9</b>	81.7%	0.9%	1.9%	6.8%	8.5%	0.3%	0.0%
	<b>Grade 10</b>	77.1%	0.6%	1.7%	6.3%	12.1%	2.2%	0.0%
	<b>Grade 11</b>	68.9%	0.5%	1.8%	5.6%	12.5%	10.7%	0.1%
	<b>Grade 12</b>	66.2%	0.6%	1.4%	4.7%	10.3%	14.2%	2.6%
<b>Other family situation</b>								
	<b>All</b>	65.4%	2.5%	4.1%	10.3%	12.0%	5.3%	0.4%
	<b>Grade 7</b>	84.0%	2.2%	4.8%	8.2%	0.7%	0.0%	0.1%
	<b>Grade 8</b>	76.9%	2.4%	4.8%	11.3%	4.6%	0.0%	0.0%
	<b>Grade 9</b>	66.0%	3.7%	3.9%	11.3%	14.6%	0.5%	0.0%
	<b>Grade 10</b>	58.6%	2.4%	4.9%	11.6%	17.7%	4.8%	0.1%
	<b>Grade 11</b>	53.6%	2.0%	2.8%	9.9%	18.1%	13.5%	0.1%
	<b>Grade 12</b>	51.9%	1.6%	3.4%	9.2%	15.7%	15.9%	2.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	<b>All</b>	15.0%	27.1%	8.9%	10.2%	13.4%	25.4%
	<b>Grade 7</b>	23.8%	47.4%	9.2%	5.8%	5.9%	7.9%
	<b>Grade 8</b>	16.9%	38.9%	11.0%	9.5%	8.7%	15.0%
	<b>Grade 9</b>	14.7%	26.6%	9.5%	10.9%	14.6%	23.7%
	<b>Grade 10</b>	11.4%	19.3%	8.5%	11.4%	16.1%	33.2%
	<b>Grade 11</b>	10.8%	14.7%	7.6%	11.5%	17.6%	37.8%
	<b>Grade 12</b>	11.3%	11.0%	6.9%	12.4%	18.8%	39.6%
<b>Cocaine?</b>							
	<b>All</b>	18.9%	34.3%	14.2%	12.4%	8.8%	11.4%
	<b>Grade 7</b>	26.3%	52.5%	10.0%	5.1%	2.9%	3.2%
	<b>Grade 8</b>	19.5%	45.1%	13.9%	8.6%	5.4%	7.5%
	<b>Grade 9</b>	18.8%	34.3%	14.6%	12.4%	9.3%	10.6%
	<b>Grade 10</b>	16.0%	27.8%	15.0%	14.8%	12.1%	14.2%
	<b>Grade 11</b>	15.6%	22.5%	15.7%	16.9%	12.1%	17.2%
	<b>Grade 12</b>	16.0%	18.7%	16.5%	18.6%	12.2%	18.1%
<b>Crack?</b>							
	<b>All</b>	20.8%	35.3%	15.4%	12.3%	7.5%	8.6%
	<b>Grade 7</b>	27.5%	52.1%	9.8%	4.8%	2.8%	3.0%
	<b>Grade 8</b>	20.8%	45.6%	13.7%	8.2%	5.0%	6.6%
	<b>Grade 9</b>	20.8%	35.2%	15.6%	11.7%	8.1%	8.6%
	<b>Grade 10</b>	18.2%	29.5%	16.9%	15.1%	9.6%	10.7%
	<b>Grade 11</b>	17.9%	24.6%	18.0%	17.4%	10.1%	12.0%
	<b>Grade 12</b>	19.2%	20.4%	19.8%	18.8%	9.8%	12.1%
<b>Hallucinogens?</b>							
	<b>All</b>	36.5%	27.0%	12.4%	9.8%	6.5%	7.8%
	<b>Grade 7</b>	54.0%	32.4%	6.7%	3.1%	1.7%	2.1%
	<b>Grade 8</b>	42.9%	33.4%	10.0%	5.5%	3.4%	4.7%
	<b>Grade 9</b>	36.4%	27.8%	13.0%	9.0%	6.7%	7.1%
	<b>Grade 10</b>	29.5%	25.1%	13.8%	12.4%	8.6%	10.6%
	<b>Grade 11</b>	27.4%	22.2%	14.8%	14.6%	9.7%	11.3%
	<b>Grade 12</b>	25.4%	18.8%	17.0%	16.0%	10.0%	12.7%
<b>Uppers?</b>							
	<b>All</b>	46.4%	21.1%	8.8%	7.8%	6.6%	9.2%
	<b>Grade 7</b>	61.0%	27.2%	5.4%	2.6%	1.6%	2.1%
	<b>Grade 8</b>	52.9%	26.6%	7.7%	4.8%	3.1%	4.9%
	<b>Grade 9</b>	47.9%	21.2%	9.2%	7.6%	5.8%	8.3%
	<b>Grade 10</b>	40.1%	19.8%	9.6%	9.3%	9.2%	11.9%
	<b>Grade 11</b>	38.0%	16.4%	10.0%	11.3%	9.8%	14.6%
	<b>Grade 12</b>	35.1%	13.6%	11.7%	13.0%	11.5%	15.2%
<b>Downers?</b>							
	<b>All</b>	46.5%	21.0%	8.8%	7.8%	6.5%	9.4%
	<b>Grade 7</b>	61.4%	26.9%	5.3%	2.7%	1.6%	2.1%
	<b>Grade 8</b>	52.7%	26.7%	7.8%	4.6%	3.3%	4.9%
	<b>Grade 9</b>	48.0%	20.9%	9.4%	7.5%	5.9%	8.4%
	<b>Grade 10</b>	39.9%	19.8%	9.6%	9.4%	9.0%	12.3%
	<b>Grade 11</b>	38.1%	16.2%	9.7%	11.5%	9.6%	14.9%
	<b>Grade 12</b>	34.9%	13.4%	11.6%	13.0%	11.3%	15.8%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>							
	<b>All</b>	48.9%	22.3%	9.7%	7.4%	4.8%	6.8%
	<b>Grade 7</b>	61.7%	27.8%	4.9%	2.2%	1.5%	1.9%
	<b>Grade 8</b>	53.3%	27.3%	7.8%	4.4%	2.9%	4.4%
	<b>Grade 9</b>	48.5%	22.6%	10.0%	6.7%	5.2%	7.0%
	<b>Grade 10</b>	44.2%	20.8%	10.5%	9.0%	6.6%	9.0%
	<b>Grade 11</b>	42.8%	17.9%	11.8%	10.8%	6.9%	9.8%
	<b>Grade 12</b>	40.8%	15.8%	14.2%	12.5%	6.5%	10.1%
<b>Steroids?</b>							
	<b>All</b>	23.7%	36.4%	14.6%	10.5%	6.9%	7.8%
	<b>Grade 7</b>	30.2%	50.2%	9.5%	4.2%	3.0%	3.0%
	<b>Grade 8</b>	24.2%	46.2%	13.1%	7.5%	3.9%	5.1%
	<b>Grade 9</b>	24.6%	36.6%	15.0%	10.2%	7.0%	6.7%
	<b>Grade 10</b>	20.2%	32.6%	16.8%	12.6%	8.4%	9.4%
	<b>Grade 11</b>	21.1%	26.3%	16.7%	14.7%	10.0%	11.1%
	<b>Grade 12</b>	20.6%	22.7%	17.5%	15.7%	10.4%	13.2%
<b>Ecstasy?</b>							
	<b>All</b>	31.8%	28.7%	11.8%	9.3%	7.6%	10.7%
	<b>Grade 7</b>	54.0%	33.2%	5.9%	2.9%	1.7%	2.3%
	<b>Grade 8</b>	38.5%	35.8%	10.2%	5.2%	4.2%	6.0%
	<b>Grade 9</b>	30.1%	30.7%	12.9%	8.5%	8.1%	9.7%
	<b>Grade 10</b>	22.7%	27.5%	13.6%	12.5%	9.4%	14.3%
	<b>Grade 11</b>	21.5%	23.1%	14.0%	13.4%	11.7%	16.3%
	<b>Grade 12</b>	20.4%	19.1%	15.3%	15.2%	11.9%	18.1%
<b>Heroin?</b>							
	<b>All</b>	28.3%	36.2%	14.4%	9.0%	5.2%	7.0%
	<b>Grade 7</b>	38.6%	45.3%	7.7%	3.6%	2.0%	2.7%
	<b>Grade 8</b>	29.8%	44.1%	11.5%	5.6%	3.6%	5.4%
	<b>Grade 9</b>	27.8%	36.7%	14.4%	8.5%	5.7%	6.9%
	<b>Grade 10</b>	24.0%	33.5%	16.3%	10.9%	6.5%	8.8%
	<b>Grade 11</b>	24.0%	29.2%	18.1%	12.5%	6.9%	9.4%
	<b>Grade 12</b>	24.1%	25.6%	19.8%	14.4%	6.7%	9.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	90.9%	5.1%	1.5%	2.5%
Grade 7	95.7%	2.8%	0.8%	0.8%
Grade 8	93.9%	3.9%	1.0%	1.2%
Grade 9	90.1%	5.8%	1.6%	2.4%
Grade 10	88.4%	6.3%	2.1%	3.3%
Grade 11	88.3%	6.4%	1.7%	3.6%
Grade 12	88.4%	5.5%	1.9%	4.3%
<b>Attended class while high from use of some other drug?</b>				
All	94.2%	3.6%	1.0%	1.2%
Grade 7	97.0%	2.1%	0.5%	0.5%
Grade 8	95.9%	2.8%	0.7%	0.6%
Grade 9	93.9%	3.9%	0.9%	1.2%
Grade 10	92.6%	4.4%	1.4%	1.6%
Grade 11	92.8%	4.3%	1.3%	1.6%
Grade 12	92.9%	4.1%	1.5%	1.5%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	98.5%	1.0%	0.2%	0.3%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	98.6%	0.8%	0.2%	0.3%
Grade 9	98.3%	1.2%	0.3%	0.3%
Grade 10	98.6%	0.8%	0.2%	0.4%
Grade 11	98.6%	0.9%	0.3%	0.2%
Grade 12	97.9%	1.4%	0.2%	0.5%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	5.1
Marijuana Non-use	4.0

  

<b>Average days conduct problems reported</b>	
Marijuana Users:	5.8
Marijuana Non-use	1.7



**State : Grades 7-12 Large  
SPRING 2008**

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
All	91.1%	5.4%	1.5%	2.0%
Grade 9	95.5%	3.0%	0.7%	0.7%
Grade 10	92.9%	4.6%	1.1%	1.4%
Grade 11	88.7%	7.0%	2.0%	2.3%
Grade 12	85.3%	8.0%	2.6%	4.1%
<b>Gotten into trouble with the police because of drug use?</b>				
All	97.5%	1.9%	0.3%	0.3%
Grade 7	98.6%	1.0%	0.3%	0.2%
Grade 8	98.0%	1.5%	0.2%	0.3%
Grade 9	96.9%	2.3%	0.5%	0.4%
Grade 10	97.2%	2.1%	0.3%	0.4%
Grade 11	97.4%	2.2%	0.2%	0.2%
Grade 12	97.2%	2.3%	0.3%	0.3%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
All	51.8%	19.2%	13.2%	11.5%	4.3%
Grade 7	77.3%	11.4%	5.0%	4.3%	1.9%
Grade 8	64.4%	15.3%	9.7%	7.5%	3.1%
Grade 9	49.4%	19.9%	13.3%	12.3%	5.1%
Grade 10	41.9%	21.1%	16.2%	15.5%	5.4%
Grade 11	37.6%	24.1%	17.6%	15.7%	5.0%
Grade 12	35.9%	24.6%	19.3%	14.8%	5.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	94.2%	4.6%	0.7%	0.5%
<b>Grade 7</b>	97.0%	2.5%	0.3%	0.2%
<b>Grade 8</b>	95.1%	3.9%	0.6%	0.3%
<b>Grade 9</b>	93.6%	5.0%	0.7%	0.6%
<b>Grade 10</b>	92.7%	5.7%	1.0%	0.6%
<b>Grade 11</b>	93.5%	5.3%	0.8%	0.4%
<b>Grade 12</b>	93.3%	5.2%	1.0%	0.5%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	93.9%	4.8%	0.7%	0.6%
<b>Grade 7</b>	97.1%	2.2%	0.3%	0.3%
<b>Grade 8</b>	95.6%	3.4%	0.6%	0.5%
<b>Grade 9</b>	94.0%	4.7%	0.7%	0.6%
<b>Grade 10</b>	91.9%	6.2%	1.2%	0.7%
<b>Grade 11</b>	92.2%	6.4%	0.7%	0.6%
<b>Grade 12</b>	92.0%	6.1%	0.9%	0.9%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	54.9%	10.6%	7.2%	7.1%	7.4%	2.9%	10.1%
<b>Grade 7</b>	78.4%	5.0%	2.7%	1.9%	2.2%	1.9%	7.9%
<b>Grade 8</b>	69.8%	8.3%	4.4%	3.8%	3.5%	2.4%	7.8%
<b>Grade 9</b>	54.9%	11.1%	6.9%	6.5%	6.6%	3.5%	10.6%
<b>Grade 10</b>	45.5%	12.5%	9.0%	8.6%	9.8%	2.9%	11.6%
<b>Grade 11</b>	38.6%	13.5%	10.3%	11.2%	10.6%	3.4%	12.3%
<b>Grade 12</b>	37.3%	14.0%	10.8%	11.6%	12.8%	3.1%	10.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	81.3%	7.4%	4.1%	3.9%	2.5%	0.8%
	<b>Grade 7</b>	91.2%	2.9%	1.8%	1.8%	1.4%	1.0%
	<b>Grade 8</b>	87.3%	4.3%	3.1%	3.0%	1.7%	0.7%
	<b>Grade 9</b>	81.2%	6.7%	4.5%	3.9%	2.9%	0.7%
	<b>Grade 10</b>	77.6%	8.7%	5.0%	4.8%	3.1%	0.8%
	<b>Grade 11</b>	74.4%	11.3%	5.1%	5.3%	3.0%	0.9%
	<b>Grade 12</b>	74.0%	12.1%	5.5%	4.7%	2.9%	0.7%
<b>Blunts?</b>	<b>All</b>	81.2%	6.2%	3.6%	4.2%	3.9%	0.8%
	<b>Grade 7</b>	91.7%	2.3%	1.7%	1.8%	1.5%	1.0%
	<b>Grade 8</b>	87.7%	4.2%	2.5%	2.8%	2.0%	0.8%
	<b>Grade 9</b>	81.1%	6.3%	3.6%	3.7%	4.3%	0.9%
	<b>Grade 10</b>	76.9%	7.6%	4.0%	5.5%	5.3%	0.8%
	<b>Grade 11</b>	74.0%	8.3%	5.0%	6.1%	5.8%	0.7%
	<b>Grade 12</b>	73.8%	9.2%	5.4%	5.8%	5.1%	0.6%
<b>Bongs or water pipes?</b>	<b>All</b>	87.0%	5.4%	2.6%	2.5%	1.9%	0.6%
	<b>Grade 7</b>	95.2%	1.8%	0.9%	0.7%	0.7%	0.7%
	<b>Grade 8</b>	92.6%	3.2%	1.4%	1.4%	0.9%	0.5%
	<b>Grade 9</b>	88.2%	4.5%	2.5%	2.2%	2.0%	0.7%
	<b>Grade 10</b>	83.9%	6.7%	3.1%	3.1%	2.5%	0.7%
	<b>Grade 11</b>	79.9%	8.3%	4.1%	4.4%	2.5%	0.6%
	<b>Grade 12</b>	79.6%	9.2%	3.9%	3.8%	2.9%	0.6%
<b>Pipes?</b>	<b>All</b>	86.0%	5.1%	2.8%	3.2%	2.3%	0.6%
	<b>Grade 7</b>	95.1%	1.7%	0.9%	0.8%	0.8%	0.6%
	<b>Grade 8</b>	92.1%	2.9%	1.6%	1.6%	1.2%	0.5%
	<b>Grade 9</b>	86.9%	4.7%	2.7%	2.6%	2.4%	0.7%
	<b>Grade 10</b>	83.2%	5.4%	3.3%	4.4%	3.0%	0.7%
	<b>Grade 11</b>	78.5%	8.0%	4.2%	5.4%	3.3%	0.6%
	<b>Grade 12</b>	77.3%	8.7%	4.7%	5.2%	3.5%	0.6%
<b>Some other way?</b>	<b>All</b>	89.3%	4.8%	1.4%	1.3%	1.6%	1.6%
	<b>Grade 7</b>	94.8%	1.6%	0.9%	0.7%	0.9%	1.0%
	<b>Grade 8</b>	92.8%	2.7%	1.2%	1.0%	1.2%	1.1%
	<b>Grade 9</b>	89.2%	4.6%	1.3%	1.4%	1.8%	1.7%
	<b>Grade 10</b>	87.0%	5.7%	1.7%	1.7%	2.0%	1.8%
	<b>Grade 11</b>	85.0%	7.5%	1.8%	1.7%	2.0%	2.1%
	<b>Grade 12</b>	85.8%	7.4%	1.6%	1.3%	1.8%	2.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	81.7%	4.8%	4.1%	1.1%	1.4%	6.9%
<b>Grade 7</b>	85.7%	1.9%	1.6%	0.4%	0.9%	9.4%
<b>Grade 8</b>	84.6%	3.0%	2.8%	1.0%	1.1%	7.4%
<b>Grade 9</b>	81.7%	4.4%	4.0%	1.0%	1.7%	7.3%
<b>Grade 10</b>	80.0%	6.2%	5.1%	1.0%	1.6%	6.0%
<b>Grade 11</b>	78.8%	6.6%	6.0%	1.4%	1.5%	5.7%
<b>Grade 12</b>	78.3%	7.5%	5.9%	1.7%	1.3%	5.3%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
<b>Marijuana?</b>						
	All	59.6%	16.4%	11.2%	9.1%	3.8%
	Grade 7	79.7%	9.1%	4.4%	3.1%	3.7%
	Grade 8	71.5%	12.6%	6.3%	5.2%	4.4%
	Grade 9	58.8%	18.0%	10.8%	8.4%	4.1%
	Grade 10	51.8%	19.2%	13.2%	12.1%	3.7%
	Grade 11	48.1%	19.5%	16.3%	12.7%	3.4%
	Grade 12	44.8%	20.2%	17.3%	14.3%	3.4%
<b>Cocaine?</b>						
	All	82.3%	10.0%	2.0%	1.1%	4.7%
	Grade 7	86.6%	6.8%	1.4%	0.8%	4.4%
	Grade 8	83.6%	8.4%	1.9%	1.1%	5.0%
	Grade 9	80.7%	11.2%	1.9%	1.0%	5.2%
	Grade 10	81.1%	11.3%	2.0%	1.2%	4.4%
	Grade 11	80.7%	11.7%	2.1%	1.1%	4.4%
	Grade 12	81.4%	10.5%	2.6%	1.3%	4.2%
<b>Crack?</b>						
	All	84.6%	8.2%	1.3%	1.0%	5.0%
	Grade 7	87.4%	6.2%	1.2%	0.7%	4.5%
	Grade 8	83.8%	8.1%	1.6%	1.0%	5.5%
	Grade 9	82.5%	9.6%	1.3%	0.9%	5.7%
	Grade 10	84.0%	8.9%	1.1%	1.2%	4.7%
	Grade 11	84.5%	8.8%	1.1%	0.9%	4.7%
	Grade 12	85.6%	7.7%	1.2%	0.9%	4.6%
<b>Ecstasy?</b>						
	All	79.1%	9.8%	2.7%	1.4%	6.9%
	Grade 7	83.3%	6.2%	1.2%	0.9%	8.5%
	Grade 8	80.4%	7.7%	2.4%	1.3%	8.2%
	Grade 9	77.2%	10.8%	2.8%	1.5%	7.7%
	Grade 10	77.9%	11.1%	3.4%	2.0%	5.8%
	Grade 11	77.8%	11.9%	3.4%	1.5%	5.3%
	Grade 12	78.1%	11.6%	3.5%	1.6%	5.1%
<b>Steroids?</b>						
	All	74.0%	14.1%	4.3%	1.6%	5.9%
	Grade 7	79.4%	11.0%	2.7%	1.2%	5.8%
	Grade 8	76.0%	12.1%	4.2%	1.5%	6.2%
	Grade 9	72.9%	14.7%	4.5%	1.5%	6.3%
	Grade 10	71.7%	15.8%	4.8%	2.0%	5.7%
	Grade 11	71.9%	15.7%	5.1%	1.6%	5.7%
	Grade 12	72.0%	15.5%	5.0%	1.9%	5.6%
<b>Heroin?</b>						
	All	86.5%	5.7%	1.0%	0.9%	5.9%
	Grade 7	87.0%	5.0%	0.8%	0.7%	6.4%
	Grade 8	85.3%	5.8%	1.5%	0.9%	6.4%
	Grade 9	84.8%	6.7%	1.0%	0.9%	6.6%
	Grade 10	86.5%	6.1%	1.0%	1.1%	5.4%
	Grade 11	87.8%	5.4%	0.7%	0.8%	5.3%
	Grade 12	88.3%	5.0%	1.0%	0.8%	4.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Methamphetamine?</b>				
<b>All</b>	0.8%	1.6%	3.5%	96.5%
<b>Grade 7</b>	0.7%	1.0%	2.3%	97.7%
<b>Grade 8</b>	0.6%	1.1%	2.7%	97.3%
<b>Grade 9</b>	0.7%	1.5%	2.9%	97.1%
<b>Grade 10</b>	1.1%	2.0%	4.6%	95.4%
<b>Grade 11</b>	0.8%	1.7%	3.9%	96.1%
<b>Grade 12</b>	1.2%	2.1%	4.8%	95.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-16: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Codeine?</b>					
	All	4.8%	8.6%	12.7%	87.3%
	Grade 7	3.4%	5.5%	7.9%	92.1%
	Grade 8	4.6%	7.3%	10.8%	89.2%
	Grade 9	5.0%	8.3%	11.9%	88.1%
	Grade 10	5.5%	10.8%	15.2%	84.8%
	Grade 11	5.0%	9.8%	15.2%	84.8%
	Grade 12	5.3%	10.6%	16.3%	83.7%
<b>Oxycontin, Percodan or Percocet?</b>					
	All	0.9%	2.1%	3.5%	96.5%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.6%	1.1%	2.0%	98.0%
	Grade 9	0.9%	1.7%	2.4%	97.6%
	Grade 10	1.4%	2.8%	4.6%	95.4%
	Grade 11	1.2%	3.1%	5.5%	94.5%
	Grade 12	1.4%	3.9%	6.2%	93.8%
<b>Vicodin, Lortab or Lorcet?</b>					
	All	2.2%	4.2%	6.3%	93.7%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	1.0%	1.8%	2.5%	97.5%
	Grade 9	2.0%	3.3%	4.5%	95.5%
	Grade 10	2.9%	6.0%	8.3%	91.7%
	Grade 11	3.3%	6.7%	10.7%	89.3%
	Grade 12	4.2%	8.0%	11.9%	88.1%
<b>Valium or Diazepam?</b>					
	All	0.9%	1.9%	3.0%	97.0%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.5%	98.5%
	Grade 9	0.8%	1.5%	2.2%	97.8%
	Grade 10	1.1%	2.5%	3.9%	96.1%
	Grade 11	1.0%	2.8%	5.0%	95.0%
	Grade 12	1.7%	3.8%	5.6%	94.4%
<b>Xanax or Alprazolam?</b>					
	All	1.8%	3.4%	5.2%	94.8%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.1%	1.6%	2.8%	97.2%
	Grade 9	1.5%	2.5%	3.6%	96.4%
	Grade 10	2.4%	5.0%	6.9%	93.1%
	Grade 11	2.6%	5.2%	8.4%	91.6%
	Grade 12	3.0%	6.4%	9.9%	90.1%

**State : Grades 7-12 Large  
SPRING 2008**

**Table D-17: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>				
<b>All</b>	2.3%	4.0%	6.8%	93.2%
<b>Grade 7</b>	1.9%	2.7%	4.3%	95.7%
<b>Grade 8</b>	2.8%	3.8%	6.0%	94.0%
<b>Grade 9</b>	2.4%	3.8%	6.1%	93.9%
<b>Grade 10</b>	2.6%	5.2%	8.6%	91.4%
<b>Grade 11</b>	2.3%	4.6%	8.3%	91.7%
<b>Grade 12</b>	1.8%	4.2%	8.1%	91.9%



**State : Grades 7-12 Large  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>					
	<b>All</b>	2.7%	4.3%	9.3%	90.7%
	<b>Grade 7</b>	3.9%	5.7%	10.7%	89.3%
	<b>Grade 8</b>	3.5%	5.5%	10.6%	89.4%
	<b>Grade 9</b>	2.5%	4.3%	9.4%	90.6%
	<b>Grade 10</b>	2.3%	4.1%	9.6%	90.4%
	<b>Grade 11</b>	1.6%	2.9%	7.7%	92.3%
	<b>Grade 12</b>	2.1%	3.1%	7.1%	92.9%

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	93.3%	0.2%	0.5%	0.8%	1.3%	1.4%	2.6%
<b>Grade 7</b>	92.0%	0.3%	0.9%	1.3%	1.5%	1.8%	2.2%
<b>Grade 8</b>	91.9%	0.3%	0.7%	1.3%	1.7%	1.5%	2.6%
<b>Grade 9</b>	93.5%	0.1%	0.5%	0.7%	1.3%	1.7%	2.2%
<b>Grade 10</b>	93.2%	0.2%	0.4%	0.7%	1.3%	1.3%	3.1%
<b>Grade 11</b>	94.6%	0.1%	0.2%	0.4%	0.8%	1.0%	2.8%
<b>Grade 12</b>	95.0%	0.1%	0.3%	0.5%	0.7%	0.8%	2.6%

**Table I-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Inhalants</b>	10.9	11.6	12.3	12.9	13.4	13.7

**State : Grades 7-12 Large  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	97.7%	1.5%	0.4%	0.4%
<b>Grade 7</b>	97.2%	1.9%	0.4%	0.4%
<b>Grade 8</b>	96.9%	2.1%	0.4%	0.6%
<b>Grade 9</b>	97.4%	1.9%	0.3%	0.4%
<b>Grade 10</b>	98.1%	1.1%	0.4%	0.4%
<b>Grade 11</b>	98.6%	0.8%	0.3%	0.3%
<b>Grade 12</b>	98.3%	0.9%	0.4%	0.4%

**Table I-5: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	5.1
Inhalants Non-use	4.1

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	6.3
Inhalants Non-use	2.1

**Table I-6: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	81.1%	12.2%	4.2%	1.8%	0.7%
<b>Grade 7</b>	82.3%	10.9%	3.8%	2.1%	0.9%
<b>Grade 8</b>	78.8%	12.9%	5.0%	2.4%	0.9%
<b>Grade 9</b>	78.7%	13.8%	5.0%	1.8%	0.8%
<b>Grade 10</b>	80.9%	12.4%	4.4%	1.6%	0.6%
<b>Grade 11</b>	82.2%	12.0%	4.0%	1.4%	0.4%
<b>Grade 12</b>	85.1%	10.5%	2.7%	1.2%	0.5%

**State : Grades 7-12 Large  
SPRING 2008**

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	71.8%	16.1%	4.9%	1.8%	5.4%
<b>Grade 7</b>	74.3%	13.4%	5.5%	1.8%	5.0%
<b>Grade 8</b>	71.2%	15.7%	5.4%	2.2%	5.4%
<b>Grade 9</b>	70.4%	17.2%	4.9%	1.6%	5.9%
<b>Grade 10</b>	70.9%	17.2%	4.6%	2.1%	5.2%
<b>Grade 11</b>	72.0%	16.5%	4.6%	1.5%	5.4%
<b>Grade 12</b>	72.1%	16.5%	4.2%	1.6%	5.7%

**Table I-8: If you wanted some, how difficult would it be to get..**

	<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Inhalants?</b>						
<b>All</b>	20.7%	18.1%	5.6%	6.8%	10.5%	38.4%
<b>Grade 7</b>	26.5%	28.2%	5.6%	5.3%	7.9%	26.6%
<b>Grade 8</b>	20.4%	23.6%	6.1%	6.1%	9.8%	34.0%
<b>Grade 9</b>	21.0%	17.5%	5.8%	7.1%	11.0%	37.6%
<b>Grade 10</b>	18.0%	15.2%	5.3%	7.4%	12.1%	42.0%
<b>Grade 11</b>	18.9%	12.2%	5.8%	8.0%	11.4%	43.8%
<b>Grade 12</b>	18.4%	9.3%	4.7%	7.2%	10.8%	49.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 48.5%
	Grade 7 42.7%
	Grade 8 49.0%
	Grade 9 55.3%
	Grade 10 52.4%
	Grade 11 45.6%
	Grade 12 43.6%
<b>An assembly program</b>	All 46.9%
	Grade 7 53.4%
	Grade 8 53.8%
	Grade 9 51.1%
	Grade 10 40.9%
	Grade 11 39.6%
	Grade 12 40.9%
<b>Guidance counselor</b>	All 24.3%
	Grade 7 30.4%
	Grade 8 29.4%
	Grade 9 26.2%
	Grade 10 20.3%
	Grade 11 19.5%
	Grade 12 18.6%
<b>Science class</b>	All 32.1%
	Grade 7 41.4%
	Grade 8 35.0%
	Grade 9 35.8%
	Grade 10 31.2%
	Grade 11 24.3%
	Grade 12 21.8%
<b>Social studies class</b>	All 14.1%
	Grade 7 14.0%
	Grade 8 13.0%
	Grade 9 14.9%
	Grade 10 13.8%
	Grade 11 15.1%
	Grade 12 13.8%
<b>Student group session</b>	All 15.4%
	Grade 7 14.7%
	Grade 8 14.4%
	Grade 9 16.5%
	Grade 10 14.3%
	Grade 11 15.5%
	Grade 12 16.8%

**State : Grades 7-12 Large  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

CATEGORY	Yes
<b>An invited school guest</b>	All 32.6%
	Grade 7 38.5%
	Grade 8 38.5%
	Grade 9 35.6%
	Grade 10 27.2%
	Grade 11 26.1%
	Grade 12 28.5%
<b>Another source at school</b>	All 32.6%
	Grade 7 32.6%
	Grade 8 33.3%
	Grade 9 35.7%
	Grade 10 31.6%
	Grade 11 30.7%
	Grade 12 31.0%
<b>Any school source</b>	All 59.8%
	Grade 7 60.3%
	Grade 8 59.6%
	Grade 9 63.6%
	Grade 10 60.3%
	Grade 11 57.6%
	Grade 12 55.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
<b>A counselor or program in</b>	All 32.5%
	Grade 7 43.5%
	Grade 8 36.8%
	Grade 9 32.3%
	Grade 10 27.8%
	Grade 11 27.9%
	Grade 12 24.4%
<b>Another adult in school (</b>	All 32.3%
	Grade 7 39.2%
	Grade 8 33.9%
	Grade 9 32.2%
	Grade 10 29.1%
	Grade 11 30.5%
	Grade 12 28.0%
<b>A counselor or program ou</b>	All 37.9%
	Grade 7 40.3%
	Grade 8 38.4%
	Grade 9 38.0%
	Grade 10 36.8%
	Grade 11 36.7%
	Grade 12 36.8%
<b>Your parents</b>	All 60.9%
	Grade 7 68.7%
	Grade 8 62.2%
	Grade 9 59.9%
	Grade 10 58.1%
	Grade 11 58.3%
	Grade 12 57.4%
<b>A medical doctor</b>	All 43.6%
	Grade 7 50.8%
	Grade 8 45.3%
	Grade 9 42.6%
	Grade 10 40.3%
	Grade 11 40.8%
	Grade 12 41.4%
<b>Your friends</b>	All 71.8%
	Grade 7 62.9%
	Grade 8 69.0%
	Grade 9 72.3%
	Grade 10 75.9%
	Grade 11 76.1%
	Grade 12 75.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)**

CATEGORY		Yes
Another adult (a relative)	All	61.5%
	Grade 7	63.5%
	Grade 8	61.2%
	Grade 9	62.0%
	Grade 10	62.1%
	Grade 11	60.3%
	Grade 12	59.3%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	7.5%
	Grade 7	7.4%
	Grade 8	7.7%
	Grade 9	8.7%
	Grade 10	7.4%
	Grade 11	7.0%
	Grade 12	6.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	4.8%	26.3%	26.3%	33.6%	8.9%
<b>Grade 7</b>	6.6%	24.8%	21.4%	32.3%	14.8%
<b>Grade 8</b>	5.5%	25.9%	24.5%	33.8%	10.3%
<b>Grade 9</b>	5.2%	26.6%	27.5%	33.0%	7.6%
<b>Grade 10</b>	4.7%	28.3%	28.4%	32.1%	6.5%
<b>Grade 11</b>	3.1%	26.7%	27.8%	35.4%	7.0%
<b>Grade 12</b>	3.3%	25.5%	28.1%	36.0%	7.0%
<b>Sometimes carry weapons?</b>					
<b>All</b>	63.8%	21.7%	9.4%	3.7%	1.4%
<b>Grade 7</b>	77.4%	15.0%	4.7%	1.9%	0.9%
<b>Grade 8</b>	66.1%	21.2%	8.7%	3.0%	1.0%
<b>Grade 9</b>	61.6%	22.9%	10.3%	3.8%	1.3%
<b>Grade 10</b>	59.5%	23.4%	11.0%	4.4%	1.8%
<b>Grade 11</b>	59.2%	23.5%	11.1%	4.8%	1.4%
<b>Grade 12</b>	57.6%	24.7%	11.1%	4.3%	2.2%
<b>Care about making good grades?</b>					
<b>All</b>	3.0%	14.4%	23.8%	41.9%	16.9%
<b>Grade 7</b>	3.6%	17.2%	21.8%	34.9%	22.6%
<b>Grade 8</b>	3.7%	16.2%	23.3%	37.9%	19.1%
<b>Grade 9</b>	3.5%	14.9%	24.6%	41.5%	15.6%
<b>Grade 10</b>	2.3%	14.5%	25.7%	44.0%	13.5%
<b>Grade 11</b>	2.4%	11.6%	24.1%	46.9%	15.0%
<b>Grade 12</b>	2.5%	11.2%	22.9%	48.3%	15.1%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	65.9%	18.0%	9.1%	5.2%	1.8%
<b>Grade 7</b>	67.7%	17.4%	7.6%	4.9%	2.4%
<b>Grade 8</b>	62.3%	19.7%	9.9%	6.2%	1.9%
<b>Grade 9</b>	60.8%	20.0%	10.6%	6.5%	2.2%
<b>Grade 10</b>	63.8%	18.8%	10.3%	5.3%	1.8%
<b>Grade 11</b>	70.1%	16.2%	8.4%	4.1%	1.2%
<b>Grade 12</b>	73.8%	14.6%	6.8%	3.6%	1.3%
<b>Wish they could drop out of school?</b>					
<b>All</b>	56.4%	28.0%	9.8%	3.8%	2.0%
<b>Grade 7</b>	65.5%	22.1%	7.1%	3.3%	2.1%
<b>Grade 8</b>	57.9%	26.9%	9.5%	3.8%	1.9%
<b>Grade 9</b>	52.1%	29.6%	11.2%	4.7%	2.4%
<b>Grade 10</b>	51.1%	30.9%	11.8%	4.2%	2.0%
<b>Grade 11</b>	53.0%	31.9%	10.1%	3.2%	1.8%
<b>Grade 12</b>	59.5%	26.8%	9.1%	2.8%	1.9%



**State : Grades 7-12 Large  
SPRING 2008**

**Table X-5: How safe do you feel when you are:**

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
<b>In your home?</b>					
<b>All</b>	79.2%	18.2%	1.3%	0.4%	1.0%
<b>Grade 7</b>	78.6%	18.4%	1.5%	0.4%	1.1%
<b>Grade 8</b>	76.7%	20.1%	1.6%	0.3%	1.4%
<b>Grade 9</b>	77.4%	19.5%	1.3%	0.5%	1.4%
<b>Grade 10</b>	79.8%	18.0%	1.1%	0.4%	0.7%
<b>Grade 11</b>	81.2%	16.7%	0.9%	0.5%	0.6%
<b>Grade 12</b>	82.5%	15.4%	1.1%	0.4%	0.6%
<b>Out in your neighbourhood</b>					
<b>All</b>	40.4%	46.9%	8.4%	2.3%	2.0%
<b>Grade 7</b>	36.4%	48.2%	9.9%	2.7%	2.8%
<b>Grade 8</b>	36.5%	49.1%	9.3%	2.7%	2.5%
<b>Grade 9</b>	37.9%	48.7%	8.5%	2.3%	2.5%
<b>Grade 10</b>	41.3%	47.7%	7.5%	2.2%	1.4%
<b>Grade 11</b>	44.6%	44.1%	8.0%	2.0%	1.3%
<b>Grade 12</b>	48.0%	41.9%	7.1%	2.0%	1.0%
<b>At school</b>					
<b>All</b>	36.1%	48.0%	9.1%	3.9%	2.9%
<b>Grade 7</b>	43.4%	41.4%	8.7%	3.5%	3.0%
<b>Grade 8</b>	38.3%	45.4%	9.1%	3.4%	3.8%
<b>Grade 9</b>	32.7%	50.6%	9.6%	3.7%	3.4%
<b>Grade 10</b>	31.9%	52.1%	8.8%	4.5%	2.8%
<b>Grade 11</b>	33.1%	50.7%	9.3%	4.4%	2.4%
<b>Grade 12</b>	37.5%	47.4%	9.0%	4.3%	1.8%

**State : Grades 7-12 Large  
SPRING 2008**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A website or online chat</b>	All 25.8%
	Grade 7 18.6%
	Grade 8 23.6%
	Grade 9 27.4%
	Grade 10 27.6%
	Grade 11 28.1%
	Grade 12 30.7%
<b>Books, magazines, poster</b>	All 45.8%
	Grade 7 40.0%
	Grade 8 44.6%
	Grade 9 49.0%
	Grade 10 47.5%
	Grade 11 46.2%
	Grade 12 47.2%
<b>TV, radio, or other audi</b>	All 51.8%
	Grade 7 46.3%
	Grade 8 49.8%
	Grade 9 54.4%
	Grade 10 54.6%
	Grade 11 52.3%
	Grade 12 53.6%
<b>Your parents</b>	All 48.7%
	Grade 7 49.5%
	Grade 8 48.9%
	Grade 9 51.5%
	Grade 10 49.6%
	Grade 11 45.7%
	Grade 12 46.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.9%	17.9%	31.7%	68.3%
	Grade 7	4.8%	6.9%	16.6%	83.4%
	Grade 8	6.4%	9.9%	22.7%	77.3%
	Grade 9	10.7%	16.2%	30.0%	70.0%
	Grade 10	15.6%	21.1%	36.2%	63.8%
	Grade 11	19.0%	25.8%	41.3%	58.7%
	Grade 12	24.0%	31.4%	47.8%	52.2%
<b>Alcohol</b>					
	All	30.4%	41.7%	62.9%	37.1%
	Grade 7	16.9%	22.4%	44.9%	55.1%
	Grade 8	22.4%	32.3%	55.9%	44.1%
	Grade 9	29.4%	41.5%	63.5%	36.5%
	Grade 10	34.2%	47.6%	68.8%	31.2%
	Grade 11	38.0%	52.5%	72.1%	27.9%
	Grade 12	45.2%	58.4%	76.0%	24.0%
<b>Inhalants</b>					
	All	2.7%	4.3%	9.3%	90.7%
	Grade 7	3.9%	5.7%	10.7%	89.3%
	Grade 8	3.5%	5.5%	10.6%	89.4%
	Grade 9	2.5%	4.3%	9.4%	90.6%
	Grade 10	2.3%	4.1%	9.6%	90.4%
	Grade 11	1.6%	2.9%	7.7%	92.3%
	Grade 12	2.1%	3.1%	7.1%	92.9%
<b>Any Illicit Drug</b>					
	All	11.7%	16.6%	26.4%	73.6%
	Grade 7	5.2%	7.0%	11.6%	88.4%
	Grade 8	6.9%	9.7%	16.8%	83.2%
	Grade 9	11.6%	16.2%	25.2%	74.8%
	Grade 10	14.8%	20.8%	32.0%	68.0%
	Grade 11	16.1%	23.5%	37.2%	62.8%
	Grade 12	17.4%	24.9%	39.7%	60.3%
<b>Marijuana</b>					
	All	10.0%	14.9%	24.6%	75.4%
	Grade 7	4.0%	5.6%	9.5%	90.5%
	Grade 8	5.7%	8.3%	14.9%	85.1%
	Grade 9	9.8%	14.2%	23.1%	76.9%
	Grade 10	12.7%	18.9%	30.1%	69.9%
	Grade 11	14.2%	21.6%	35.4%	64.6%
	Grade 12	15.3%	23.2%	38.6%	61.4%
<b>Marijuana Only</b>					
	All	3.9%	6.5%	12.9%	87.1%
	Grade 7	1.8%	2.6%	5.3%	94.7%
	Grade 8	2.6%	4.1%	8.7%	91.3%
	Grade 9	4.1%	6.4%	12.3%	87.7%
	Grade 10	4.8%	7.9%	15.6%	84.4%
	Grade 11	5.2%	9.3%	18.1%	81.9%
	Grade 12	5.4%	9.4%	19.5%	80.5%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.2%	3.6%	6.8%	93.2%
	Grade 7	1.0%	1.7%	2.9%	97.1%
	Grade 8	1.4%	2.1%	4.1%	95.9%
	Grade 9	2.3%	3.5%	6.1%	93.9%
	Grade 10	2.5%	4.3%	8.1%	91.9%
	Grade 11	2.9%	4.8%	9.8%	90.2%
	Grade 12	3.3%	6.0%	11.3%	88.7%
<b>Cocaine</b>					
	All	2.1%	3.4%	6.5%	93.5%
	Grade 7	0.9%	1.4%	2.3%	97.7%
	Grade 8	1.2%	1.8%	3.4%	96.6%
	Grade 9	2.1%	3.2%	5.7%	94.3%
	Grade 10	2.5%	4.2%	7.9%	92.1%
	Grade 11	2.9%	4.6%	9.7%	90.3%
	Grade 12	3.2%	6.0%	11.3%	88.7%
<b>Crack</b>					
	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.6%	1.0%	1.8%	98.2%
	Grade 10	0.5%	0.8%	1.8%	98.2%
	Grade 11	0.3%	0.6%	1.4%	98.6%
	Grade 12	0.7%	1.0%	1.9%	98.1%
<b>Hallucinogens</b>					
	All	1.5%	2.4%	4.4%	95.6%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.8%	1.1%	2.1%	97.9%
	Grade 9	1.3%	2.2%	3.8%	96.2%
	Grade 10	2.2%	3.2%	6.0%	94.0%
	Grade 11	2.0%	3.4%	6.5%	93.5%
	Grade 12	2.6%	4.6%	7.7%	92.3%
<b>Uppers</b>					
	All	2.1%	3.3%	5.3%	94.7%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	0.8%	1.3%	2.2%	97.8%
	Grade 9	1.8%	2.8%	4.4%	95.6%
	Grade 10	2.9%	4.5%	6.9%	93.1%
	Grade 11	3.1%	5.1%	8.4%	91.6%
	Grade 12	3.5%	6.1%	9.9%	90.1%
<b>Downers</b>					
	All	2.2%	3.5%	5.5%	94.5%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	0.8%	1.1%	1.9%	98.1%
	Grade 9	1.9%	2.9%	4.5%	95.5%
	Grade 10	2.9%	4.8%	7.4%	92.6%
	Grade 11	3.5%	5.4%	8.7%	91.3%
	Grade 12	4.0%	6.5%	10.8%	89.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.9%	1.4%	2.4%	97.6%
	<b>Grade 7</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 9</b>	1.2%	1.8%	2.8%	97.2%
	<b>Grade 10</b>	1.3%	2.0%	3.4%	96.6%
	<b>Grade 11</b>	0.8%	1.3%	2.6%	97.4%
	<b>Grade 12</b>	1.0%	1.4%	2.6%	97.4%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 7</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grade 9</b>	0.4%	0.6%	1.3%	98.7%
	<b>Grade 10</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 11</b>	0.5%	0.9%	1.6%	98.4%
	<b>Grade 12</b>	0.7%	1.1%	1.7%	98.3%
<b>Ecstasy</b>					
	<b>All</b>	1.8%	3.0%	5.1%	94.9%
	<b>Grade 7</b>	0.7%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	0.9%	1.4%	2.3%	97.7%
	<b>Grade 9</b>	1.6%	2.7%	4.4%	95.6%
	<b>Grade 10</b>	2.4%	3.6%	6.6%	93.4%
	<b>Grade 11</b>	2.5%	4.4%	7.9%	92.1%
	<b>Grade 12</b>	3.4%	5.5%	9.4%	90.6%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 7</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.4%	0.6%	1.3%	98.7%
	<b>Grade 9</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 10</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grade 11</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 12</b>	0.4%	1.0%	1.8%	98.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	15.0%	20.3%	34.5%	65.5%
	Grade 7	5.3%	7.7%	17.9%	82.1%
	Grade 8	6.8%	10.7%	24.8%	75.2%
	Grade 9	11.9%	17.3%	32.7%	67.3%
	Grade 10	18.3%	24.0%	39.0%	61.0%
	Grade 11	22.8%	30.6%	45.6%	54.4%
	Grade 12	29.3%	36.6%	51.9%	48.1%
<b>Alcohol</b>					
	All	30.3%	40.8%	61.7%	38.3%
	Grade 7	16.8%	22.6%	45.6%	54.4%
	Grade 8	21.5%	31.1%	54.4%	45.6%
	Grade 9	28.1%	39.5%	61.7%	38.3%
	Grade 10	33.9%	46.0%	66.4%	33.6%
	Grade 11	38.9%	52.2%	70.8%	29.2%
	Grade 12	47.5%	58.7%	75.2%	24.8%
<b>Inhalants</b>					
	All	2.3%	3.9%	8.6%	91.4%
	Grade 7	3.0%	5.1%	9.8%	90.2%
	Grade 8	2.6%	4.1%	8.3%	91.7%
	Grade 9	2.0%	3.4%	8.2%	91.8%
	Grade 10	2.2%	3.6%	9.3%	90.7%
	Grade 11	1.8%	3.4%	8.2%	91.8%
	Grade 12	2.3%	3.3%	7.8%	92.2%
<b>Any Illicit Drug</b>					
	All	13.1%	18.3%	28.5%	71.5%
	Grade 7	5.4%	7.5%	12.6%	87.4%
	Grade 8	7.5%	10.4%	17.9%	82.1%
	Grade 9	12.1%	16.9%	26.7%	73.3%
	Grade 10	16.3%	22.7%	34.4%	65.6%
	Grade 11	18.2%	26.2%	40.2%	59.8%
	Grade 12	21.7%	29.2%	43.9%	56.1%
<b>Marijuana</b>					
	All	11.5%	16.8%	27.2%	72.8%
	Grade 7	4.2%	6.3%	11.0%	89.0%
	Grade 8	6.6%	9.3%	16.5%	83.5%
	Grade 9	10.6%	15.1%	25.3%	74.7%
	Grade 10	14.2%	21.4%	33.3%	66.7%
	Grade 11	16.1%	24.4%	38.9%	61.1%
	Grade 12	19.4%	27.6%	42.8%	57.2%
<b>Marijuana Only</b>					
	All	4.5%	7.5%	14.6%	85.4%
	Grade 7	2.2%	3.5%	6.8%	93.2%
	Grade 8	3.3%	4.8%	10.0%	90.0%
	Grade 9	4.6%	7.0%	14.0%	86.0%
	Grade 10	5.5%	9.4%	17.7%	82.3%
	Grade 11	5.7%	10.5%	20.4%	79.6%
	Grade 12	6.5%	10.8%	21.1%	78.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.4%	3.7%	7.0%	93.0%
	Grade 7	0.9%	1.2%	2.6%	97.4%
	Grade 8	1.4%	2.0%	4.2%	95.8%
	Grade 9	2.2%	3.2%	6.0%	94.0%
	Grade 10	3.0%	4.6%	8.7%	91.3%
	Grade 11	3.3%	5.1%	9.8%	90.2%
	Grade 12	4.4%	6.9%	12.2%	87.8%
<b>Cocaine</b>					
	All	2.3%	3.5%	6.7%	93.3%
	Grade 7	0.7%	1.0%	2.1%	97.9%
	Grade 8	1.2%	1.8%	3.7%	96.3%
	Grade 9	2.0%	2.9%	5.7%	94.3%
	Grade 10	2.9%	4.5%	8.6%	91.4%
	Grade 11	3.1%	4.8%	9.6%	90.4%
	Grade 12	4.4%	6.9%	12.1%	87.9%
<b>Crack</b>					
	All	0.6%	0.9%	1.7%	98.3%
	Grade 7	0.4%	0.5%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	0.6%	0.9%	1.6%	98.4%
	Grade 10	0.6%	1.0%	2.2%	97.8%
	Grade 11	0.5%	0.9%	1.7%	98.3%
	Grade 12	1.1%	1.4%	2.5%	97.5%
<b>Hallucinogens</b>					
	All	2.1%	3.3%	5.5%	94.5%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	1.8%	2.9%	4.6%	95.4%
	Grade 10	3.0%	4.3%	7.6%	92.4%
	Grade 11	3.0%	4.9%	8.6%	91.4%
	Grade 12	4.0%	6.2%	9.4%	90.6%
<b>Uppers</b>					
	All	2.1%	3.3%	5.1%	94.9%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	1.6%	2.4%	4.0%	96.0%
	Grade 10	2.7%	4.3%	6.8%	93.2%
	Grade 11	3.4%	5.3%	8.4%	91.6%
	Grade 12	4.0%	6.9%	10.0%	90.0%
<b>Downers</b>					
	All	2.3%	3.6%	5.6%	94.4%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	1.7%	2.6%	4.3%	95.7%
	Grade 10	2.8%	4.5%	7.5%	92.5%
	Grade 11	4.0%	6.0%	9.0%	91.0%
	Grade 12	5.0%	8.0%	12.0%	88.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.0%	1.5%	2.5%	97.5%
	<b>Grade 7</b>	0.6%	0.8%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.3%	1.9%	98.1%
	<b>Grade 9</b>	1.0%	1.5%	2.6%	97.4%
	<b>Grade 10</b>	1.3%	2.0%	3.2%	96.8%
	<b>Grade 11</b>	0.9%	1.5%	2.6%	97.4%
	<b>Grade 12</b>	1.3%	1.8%	3.2%	96.8%
<b>Steroids</b>					
	<b>All</b>	0.8%	1.3%	2.2%	97.8%
	<b>Grade 7</b>	0.7%	1.1%	1.9%	98.1%
	<b>Grade 8</b>	0.7%	1.0%	1.8%	98.2%
	<b>Grade 9</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 10</b>	1.3%	1.6%	2.4%	97.6%
	<b>Grade 11</b>	0.8%	1.5%	2.5%	97.5%
	<b>Grade 12</b>	1.3%	2.0%	3.0%	97.0%
<b>Ecstasy</b>					
	<b>All</b>	2.1%	3.3%	5.4%	94.6%
	<b>Grade 7</b>	0.5%	0.8%	1.3%	98.7%
	<b>Grade 8</b>	0.8%	1.3%	2.0%	98.0%
	<b>Grade 9</b>	1.6%	2.5%	4.3%	95.7%
	<b>Grade 10</b>	2.9%	4.1%	6.9%	93.1%
	<b>Grade 11</b>	3.0%	5.2%	8.6%	91.4%
	<b>Grade 12</b>	4.4%	6.8%	10.6%	89.4%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.9%	1.5%	98.5%
	<b>Grade 7</b>	0.4%	0.6%	1.0%	99.0%
	<b>Grade 8</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 9</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 10</b>	0.6%	1.1%	1.7%	98.3%
	<b>Grade 11</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 12</b>	0.6%	1.6%	2.5%	97.5%



**State : Grades 7-12 Large  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.9%	15.7%	29.2%	70.8%
	Grade 7	4.3%	6.2%	15.5%	84.5%
	Grade 8	5.9%	9.1%	20.8%	79.2%
	Grade 9	9.6%	15.2%	27.6%	72.4%
	Grade 10	13.2%	18.5%	33.5%	66.5%
	Grade 11	15.4%	21.4%	37.3%	62.7%
	Grade 12	19.1%	26.6%	44.2%	55.8%
<b>Alcohol</b>					
	All	30.4%	42.5%	64.1%	35.9%
	Grade 7	17.1%	22.2%	44.3%	55.7%
	Grade 8	23.3%	33.5%	57.3%	42.7%
	Grade 9	30.8%	43.6%	65.4%	34.6%
	Grade 10	34.5%	49.0%	70.9%	29.1%
	Grade 11	36.9%	52.6%	73.3%	26.7%
	Grade 12	43.0%	58.1%	76.6%	23.4%
<b>Inhalants</b>					
	All	3.0%	4.8%	9.9%	90.1%
	Grade 7	4.7%	6.3%	11.5%	88.5%
	Grade 8	4.4%	6.7%	12.6%	87.4%
	Grade 9	3.1%	5.0%	10.4%	89.6%
	Grade 10	2.4%	4.5%	9.9%	90.1%
	Grade 11	1.4%	2.4%	7.2%	92.8%
	Grade 12	1.9%	3.0%	6.5%	93.5%
<b>Any Illicit Drug</b>					
	All	10.4%	15.1%	24.5%	75.5%
	Grade 7	5.0%	6.5%	10.7%	89.3%
	Grade 8	6.3%	9.0%	15.8%	84.2%
	Grade 9	11.1%	15.6%	23.8%	76.2%
	Grade 10	13.3%	19.1%	29.9%	70.1%
	Grade 11	14.0%	20.8%	34.4%	65.6%
	Grade 12	13.5%	21.0%	35.9%	64.1%
<b>Marijuana</b>					
	All	8.7%	13.1%	22.1%	77.9%
	Grade 7	3.8%	5.0%	8.1%	91.9%
	Grade 8	4.8%	7.3%	13.2%	86.8%
	Grade 9	9.2%	13.5%	21.2%	78.8%
	Grade 10	11.4%	16.6%	27.2%	72.8%
	Grade 11	12.3%	18.9%	31.9%	68.1%
	Grade 12	11.5%	19.2%	34.7%	65.3%
<b>Marijuana Only</b>					
	All	3.3%	5.5%	11.3%	88.7%
	Grade 7	1.4%	1.8%	3.9%	96.1%
	Grade 8	2.0%	3.4%	7.5%	92.5%
	Grade 9	3.7%	5.8%	10.8%	89.2%
	Grade 10	4.1%	6.6%	13.7%	86.3%
	Grade 11	4.5%	7.9%	15.9%	84.1%
	Grade 12	4.3%	8.0%	18.0%	82.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.0%	3.6%	6.7%	93.3%
	Grade 7	1.2%	2.1%	3.2%	96.8%
	Grade 8	1.4%	2.2%	4.0%	96.0%
	Grade 9	2.4%	3.8%	6.1%	93.9%
	Grade 10	2.1%	4.1%	7.5%	92.5%
	Grade 11	2.6%	4.5%	9.9%	90.1%
	Grade 12	2.2%	5.1%	10.5%	89.5%
<b>Cocaine</b>					
	All	1.9%	3.4%	6.3%	93.7%
	Grade 7	1.0%	1.7%	2.6%	97.4%
	Grade 8	1.1%	1.8%	3.2%	96.8%
	Grade 9	2.2%	3.4%	5.7%	94.3%
	Grade 10	2.1%	4.0%	7.3%	92.7%
	Grade 11	2.6%	4.5%	9.8%	90.2%
	Grade 12	2.1%	5.1%	10.5%	89.5%
<b>Crack</b>					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.5%	1.0%	1.5%	98.5%
	Grade 8	0.6%	1.1%	2.1%	97.9%
	Grade 9	0.6%	1.1%	2.0%	98.0%
	Grade 10	0.3%	0.6%	1.5%	98.5%
	Grade 11	0.2%	0.4%	1.2%	98.8%
	Grade 12	0.4%	0.7%	1.4%	98.6%
<b>Hallucinogens</b>					
	All	1.0%	1.7%	3.4%	96.6%
	Grade 7	0.4%	0.8%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	0.9%	1.6%	3.0%	97.0%
	Grade 10	1.4%	2.2%	4.5%	95.5%
	Grade 11	1.1%	2.1%	4.7%	95.3%
	Grade 12	1.4%	3.2%	6.1%	93.9%
<b>Uppers</b>					
	All	2.1%	3.3%	5.5%	94.5%
	Grade 7	0.9%	1.2%	1.7%	98.3%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	2.0%	3.1%	4.9%	95.1%
	Grade 10	3.1%	4.7%	7.1%	92.9%
	Grade 11	2.8%	4.9%	8.4%	91.6%
	Grade 12	3.1%	5.4%	9.9%	90.1%
<b>Downers</b>					
	All	2.1%	3.3%	5.5%	94.5%
	Grade 7	0.8%	1.3%	1.8%	98.2%
	Grade 8	0.8%	1.2%	1.9%	98.1%
	Grade 9	2.0%	3.1%	4.7%	95.3%
	Grade 10	3.0%	5.0%	7.3%	92.7%
	Grade 11	3.0%	4.8%	8.4%	91.6%
	Grade 12	3.1%	5.2%	9.8%	90.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.9%	1.4%	2.4%	97.6%
	<b>Grade 7</b>	0.4%	0.8%	1.3%	98.7%
	<b>Grade 8</b>	0.6%	1.0%	1.7%	98.3%
	<b>Grade 9</b>	1.5%	2.0%	3.0%	97.0%
	<b>Grade 10</b>	1.3%	2.0%	3.6%	96.4%
	<b>Grade 11</b>	0.6%	1.2%	2.6%	97.4%
	<b>Grade 12</b>	0.7%	1.0%	2.1%	97.9%
<b>Steroids</b>					
	<b>All</b>	0.3%	0.4%	0.9%	99.1%
	<b>Grade 7</b>	0.3%	0.4%	0.8%	99.2%
	<b>Grade 8</b>	0.3%	0.6%	1.1%	98.9%
	<b>Grade 9</b>	0.3%	0.4%	0.9%	99.1%
	<b>Grade 10</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 11</b>	0.2%	0.3%	0.9%	99.1%
	<b>Grade 12</b>	0.1%	0.2%	0.6%	99.4%
<b>Ecstasy</b>					
	<b>All</b>	1.6%	2.7%	4.9%	95.1%
	<b>Grade 7</b>	1.0%	1.1%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.5%	2.7%	97.3%
	<b>Grade 9</b>	1.7%	2.8%	4.5%	95.5%
	<b>Grade 10</b>	1.9%	3.2%	6.2%	93.8%
	<b>Grade 11</b>	2.0%	3.6%	7.3%	92.7%
	<b>Grade 12</b>	2.4%	4.4%	8.3%	91.7%
<b>Heroin</b>					
	<b>All</b>	0.4%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.6%	0.8%	1.7%	98.3%
	<b>Grade 8</b>	0.4%	0.8%	1.5%	98.5%
	<b>Grade 9</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 10</b>	0.3%	0.4%	1.3%	98.7%
	<b>Grade 11</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 12</b>	0.3%	0.5%	1.3%	98.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.2%	20.9%	31.6%	68.4%
	<b>Grade 7</b>	2.7%	4.8%	13.0%	87.0%
	<b>Grade 8</b>	6.6%	10.8%	20.2%	79.8%
	<b>Grade 9</b>	11.7%	16.6%	27.2%	72.8%
	<b>Grade 10</b>	19.7%	25.7%	37.4%	62.6%
	<b>Grade 11</b>	23.0%	31.1%	42.6%	57.4%
	<b>Grade 12</b>	28.7%	37.2%	50.5%	49.5%
<b>Alcohol</b>					
	<b>All</b>	28.9%	40.8%	59.9%	40.1%
	<b>Grade 7</b>	10.5%	16.5%	37.9%	62.1%
	<b>Grade 8</b>	17.3%	28.0%	49.3%	50.7%
	<b>Grade 9</b>	25.7%	38.8%	59.5%	40.5%
	<b>Grade 10</b>	33.5%	47.8%	65.6%	34.4%
	<b>Grade 11</b>	38.6%	53.2%	70.1%	29.9%
	<b>Grade 12</b>	48.7%	61.0%	77.4%	22.6%
<b>Inhalants</b>					
	<b>All</b>	1.9%	3.5%	8.3%	91.7%
	<b>Grade 7</b>	2.7%	4.0%	7.9%	92.1%
	<b>Grade 8</b>	2.6%	4.7%	9.4%	90.6%
	<b>Grade 9</b>	1.7%	3.5%	7.8%	92.2%
	<b>Grade 10</b>	1.4%	3.1%	9.7%	90.3%
	<b>Grade 11</b>	1.2%	2.6%	7.7%	92.3%
	<b>Grade 12</b>	1.9%	2.9%	7.3%	92.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	10.5%	15.4%	23.2%	76.8%
	<b>Grade 7</b>	2.1%	3.3%	6.2%	93.8%
	<b>Grade 8</b>	4.4%	6.8%	11.6%	88.4%
	<b>Grade 9</b>	8.6%	12.8%	19.0%	81.0%
	<b>Grade 10</b>	13.0%	19.3%	28.0%	72.0%
	<b>Grade 11</b>	17.2%	24.8%	35.5%	64.5%
	<b>Grade 12</b>	18.1%	25.9%	40.1%	59.9%
<b>Marijuana</b>					
	<b>All</b>	9.0%	14.0%	21.6%	78.4%
	<b>Grade 7</b>	1.5%	2.6%	4.8%	95.2%
	<b>Grade 8</b>	3.6%	5.8%	9.9%	90.1%
	<b>Grade 9</b>	7.3%	11.1%	16.8%	83.2%
	<b>Grade 10</b>	10.9%	17.2%	26.2%	73.8%
	<b>Grade 11</b>	15.2%	23.2%	33.6%	66.4%
	<b>Grade 12</b>	15.8%	24.5%	39.4%	60.6%
<b>Marijuana Only</b>					
	<b>All</b>	2.9%	5.3%	10.5%	89.5%
	<b>Grade 7</b>	0.6%	1.1%	2.7%	97.3%
	<b>Grade 8</b>	1.5%	2.7%	5.6%	94.4%
	<b>Grade 9</b>	3.2%	5.2%	9.3%	90.7%
	<b>Grade 10</b>	3.0%	5.9%	12.0%	88.0%
	<b>Grade 11</b>	4.3%	8.6%	15.5%	84.5%
	<b>Grade 12</b>	4.8%	8.4%	18.4%	81.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.3%	2.7%	5.2%	94.8%
	Grade 7	0.3%	0.5%	1.3%	98.7%
	Grade 8	0.8%	1.2%	2.6%	97.4%
	Grade 9	0.9%	1.7%	2.8%	97.2%
	Grade 10	1.5%	3.0%	6.0%	94.0%
	Grade 11	1.9%	3.9%	8.2%	91.8%
	Grade 12	2.4%	5.9%	10.8%	89.2%
<b>Cocaine</b>					
	All	1.2%	2.5%	4.9%	95.1%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.6%	1.0%	2.1%	97.9%
	Grade 9	0.8%	1.4%	2.5%	97.5%
	Grade 10	1.5%	3.0%	5.9%	94.1%
	Grade 11	1.8%	3.8%	8.1%	91.9%
	Grade 12	2.3%	5.9%	10.8%	89.2%
<b>Crack</b>					
	All	0.3%	0.6%	1.3%	98.7%
	Grade 7	0.1%	0.2%	0.8%	99.2%
	Grade 8	0.3%	0.6%	1.4%	98.6%
	Grade 9	0.2%	0.5%	0.9%	99.1%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.4%	0.6%	1.2%	98.8%
	Grade 12	0.5%	0.8%	1.8%	98.2%
<b>Hallucinogens</b>					
	All	2.1%	3.6%	6.1%	93.9%
	Grade 7	0.4%	0.8%	1.3%	98.7%
	Grade 8	0.9%	1.3%	2.3%	97.7%
	Grade 9	1.5%	2.5%	4.4%	95.6%
	Grade 10	3.0%	4.8%	8.3%	91.7%
	Grade 11	3.1%	5.3%	9.9%	90.1%
	Grade 12	3.6%	6.9%	10.8%	89.2%
<b>Uppers</b>					
	All	2.6%	4.6%	7.3%	92.7%
	Grade 7	0.3%	0.6%	0.9%	99.1%
	Grade 8	1.1%	1.6%	2.3%	97.7%
	Grade 9	2.2%	3.3%	5.2%	94.8%
	Grade 10	3.9%	6.5%	9.4%	90.6%
	Grade 11	4.5%	7.6%	12.3%	87.7%
	Grade 12	4.0%	8.2%	14.1%	85.9%
<b>Downers</b>					
	All	2.8%	4.6%	7.1%	92.9%
	Grade 7	0.4%	0.7%	0.9%	99.1%
	Grade 8	0.6%	1.1%	1.6%	98.4%
	Grade 9	2.0%	3.1%	4.6%	95.4%
	Grade 10	3.6%	6.3%	9.3%	90.7%
	Grade 11	5.0%	7.7%	12.0%	88.0%
	Grade 12	5.2%	9.3%	14.6%	85.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.5%	0.8%	1.6%	98.4%
	<b>Grade 7</b>	0.1%	0.2%	0.4%	99.6%
	<b>Grade 8</b>	0.4%	0.6%	0.9%	99.1%
	<b>Grade 9</b>	0.6%	0.8%	1.2%	98.8%
	<b>Grade 10</b>	0.6%	1.1%	2.5%	97.5%
	<b>Grade 11</b>	0.7%	1.2%	2.3%	97.7%
	<b>Grade 12</b>	0.5%	0.8%	2.0%	98.0%
<b>Steroids</b>					
	<b>All</b>	0.6%	1.0%	1.9%	98.1%
	<b>Grade 7</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.3%	0.4%	1.4%	98.6%
	<b>Grade 9</b>	0.5%	0.7%	1.7%	98.3%
	<b>Grade 10</b>	1.1%	1.4%	2.7%	97.3%
	<b>Grade 11</b>	0.6%	1.0%	2.1%	97.9%
	<b>Grade 12</b>	1.0%	1.5%	2.4%	97.6%
<b>Ecstasy</b>					
	<b>All</b>	1.8%	3.4%	5.7%	94.3%
	<b>Grade 7</b>	0.3%	0.5%	0.7%	99.3%
	<b>Grade 8</b>	0.7%	1.2%	2.0%	98.0%
	<b>Grade 9</b>	1.5%	2.5%	3.4%	96.6%
	<b>Grade 10</b>	2.2%	3.9%	7.3%	92.7%
	<b>Grade 11</b>	2.7%	5.7%	9.8%	90.2%
	<b>Grade 12</b>	3.8%	6.6%	11.5%	88.5%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.6%	1.3%	98.7%
	<b>Grade 7</b>	0.1%	0.2%	0.8%	99.2%
	<b>Grade 8</b>	0.3%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 10</b>	0.3%	0.6%	1.5%	98.5%
	<b>Grade 11</b>	0.3%	0.7%	1.1%	98.9%
	<b>Grade 12</b>	0.4%	0.9%	2.1%	97.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	6.6%	9.3%	23.0%	77.0%
	Grade 7	4.3%	6.0%	17.3%	82.7%
	Grade 8	2.4%	3.9%	18.1%	81.9%
	Grade 9	7.0%	10.6%	24.2%	75.8%
	Grade 10	6.8%	9.8%	22.0%	78.0%
	Grade 11	6.6%	9.9%	26.5%	73.5%
	Grade 12	13.5%	16.8%	31.5%	68.5%
<b>Alcohol</b>					
	All	25.3%	35.9%	60.2%	39.8%
	Grade 7	20.2%	24.3%	47.1%	52.9%
	Grade 8	20.7%	31.0%	57.9%	42.1%
	Grade 9	25.0%	36.5%	61.1%	38.9%
	Grade 10	24.8%	35.5%	63.7%	36.3%
	Grade 11	28.6%	42.7%	68.2%	31.8%
	Grade 12	34.7%	48.2%	64.9%	35.1%
<b>Inhalants</b>					
	All	2.1%	2.9%	6.0%	94.0%
	Grade 7	3.6%	4.6%	9.1%	90.9%
	Grade 8	2.1%	3.4%	8.1%	91.9%
	Grade 9	2.0%	2.4%	5.7%	94.3%
	Grade 10	1.1%	1.7%	3.6%	96.4%
	Grade 11	1.1%	2.0%	4.6%	95.4%
	Grade 12	2.7%	3.4%	4.8%	95.2%
<b>Any Illicit Drug</b>					
	All	10.7%	15.1%	25.4%	74.6%
	Grade 7	6.4%	8.4%	13.4%	86.6%
	Grade 8	5.2%	6.8%	14.3%	85.7%
	Grade 9	10.3%	14.3%	24.9%	75.1%
	Grade 10	14.6%	21.6%	33.3%	66.7%
	Grade 11	11.8%	17.8%	34.7%	65.3%
	Grade 12	17.6%	23.9%	35.0%	65.0%
<b>Marijuana</b>					
	All	9.7%	14.1%	24.6%	75.4%
	Grade 7	5.2%	7.2%	11.4%	88.6%
	Grade 8	4.2%	5.9%	13.3%	86.7%
	Grade 9	9.2%	13.0%	24.2%	75.8%
	Grade 10	13.6%	20.6%	32.2%	67.8%
	Grade 11	10.8%	16.8%	34.6%	65.4%
	Grade 12	16.5%	23.1%	34.6%	65.4%
<b>Marijuana Only</b>					
	All	6.0%	9.3%	18.2%	81.8%
	Grade 7	2.9%	4.6%	8.4%	91.6%
	Grade 8	3.1%	4.3%	10.7%	89.3%
	Grade 9	5.4%	8.4%	17.0%	83.0%
	Grade 10	9.0%	14.4%	25.2%	74.8%
	Grade 11	7.6%	12.2%	27.7%	72.3%
	Grade 12	8.6%	13.5%	22.3%	77.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.9%	1.4%	2.0%	98.0%
	Grade 7	0.5%	1.1%	1.1%	98.9%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	0.9%	1.1%	1.6%	98.4%
	Grade 10	0.7%	1.5%	2.7%	97.3%
	Grade 11	0.6%	1.0%	1.2%	98.8%
	Grade 12	2.3%	3.4%	4.4%	95.6%
<b>Cocaine</b>					
	All	0.8%	1.3%	1.8%	98.2%
	Grade 7	0.5%	1.0%	1.1%	98.9%
	Grade 8	0.2%	0.4%	0.8%	99.2%
	Grade 9	0.6%	0.9%	1.4%	98.6%
	Grade 10	0.7%	1.5%	2.4%	97.6%
	Grade 11	0.6%	0.9%	1.2%	98.8%
	Grade 12	2.3%	3.4%	4.5%	95.5%
<b>Crack</b>					
	All	0.6%	0.8%	1.0%	99.0%
	Grade 7	0.5%	0.5%	0.6%	99.4%
	Grade 8	0.5%	0.6%	0.8%	99.2%
	Grade 9	0.6%	0.8%	0.8%	99.2%
	Grade 10	0.2%	0.5%	0.9%	99.1%
	Grade 11	0.1%	0.5%	0.6%	99.4%
	Grade 12	2.1%	2.2%	2.8%	97.2%
<b>Hallucinogens</b>					
	All	0.9%	1.1%	1.8%	98.2%
	Grade 7	0.7%	0.7%	0.8%	99.2%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	1.1%	1.2%	1.8%	98.2%
	Grade 10	0.6%	0.7%	1.9%	98.1%
	Grade 11	0.5%	0.8%	1.2%	98.8%
	Grade 12	2.7%	3.1%	4.9%	95.1%
<b>Uppers</b>					
	All	1.1%	1.7%	2.3%	97.7%
	Grade 7	1.3%	1.8%	2.9%	97.1%
	Grade 8	0.4%	0.7%	1.0%	99.0%
	Grade 9	0.4%	1.0%	1.6%	98.4%
	Grade 10	1.5%	2.1%	3.1%	96.9%
	Grade 11	0.8%	1.0%	1.3%	98.7%
	Grade 12	2.6%	4.0%	4.6%	95.4%
<b>Downers</b>					
	All	1.3%	1.9%	2.9%	97.1%
	Grade 7	0.7%	1.7%	2.7%	97.3%
	Grade 8	0.6%	0.8%	1.1%	98.9%
	Grade 9	0.7%	0.9%	1.8%	98.2%
	Grade 10	1.9%	2.9%	4.6%	95.4%
	Grade 11	1.4%	1.7%	2.5%	97.5%
	Grade 12	2.8%	3.7%	5.5%	94.5%



**State : Grades 7-12 Large  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	0.5%	0.7%	1.1%	98.9%
	Grade 7	0.6%	1.1%	1.2%	98.8%
	Grade 8	0.3%	0.3%	0.4%	99.6%
	Grade 9	0.2%	0.2%	0.7%	99.3%
	Grade 10	0.8%	1.3%	1.9%	98.1%
	Grade 11	0.3%	0.5%	0.8%	99.2%
	Grade 12	1.0%	1.2%	1.8%	98.2%
<b>Steroids</b>					
	All	0.4%	0.9%	1.5%	98.5%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	0.3%	1.1%	2.0%	98.0%
	Grade 9	0.2%	0.5%	1.0%	99.0%
	Grade 10	0.6%	0.7%	1.1%	98.9%
	Grade 11	0.6%	0.9%	1.5%	98.5%
	Grade 12	0.4%	1.2%	1.9%	98.1%
<b>Ecstasy</b>					
	All	1.5%	2.0%	3.3%	96.7%
	Grade 7	0.8%	0.9%	1.6%	98.4%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	1.9%	2.2%	3.7%	96.3%
	Grade 10	1.5%	2.4%	3.6%	96.4%
	Grade 11	1.5%	2.3%	3.9%	96.1%
	Grade 12	3.2%	4.3%	6.8%	93.2%
<b>Heroin</b>					
	All	0.4%	0.8%	0.9%	99.1%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.4%	0.4%	0.6%	99.4%
	Grade 9	0.4%	0.6%	0.6%	99.4%
	Grade 10	0.3%	0.6%	0.8%	99.2%
	Grade 11	0.5%	0.5%	0.8%	99.2%
	Grade 12	0.9%	2.6%	2.8%	97.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.1%	18.7%	35.0%	65.0%
	Grade 7	6.5%	9.0%	19.5%	80.5%
	Grade 8	7.6%	11.3%	26.6%	73.4%
	Grade 9	11.3%	18.0%	34.2%	65.8%
	Grade 10	15.2%	21.3%	40.0%	60.0%
	Grade 11	19.8%	27.0%	45.7%	54.3%
	Grade 12	23.6%	31.5%	51.8%	48.2%
<b>Alcohol</b>					
	All	33.7%	44.8%	66.6%	33.4%
	Grade 7	21.2%	26.6%	49.9%	50.1%
	Grade 8	27.5%	36.7%	60.7%	39.3%
	Grade 9	34.0%	45.8%	67.5%	32.5%
	Grade 10	38.3%	52.0%	73.7%	26.3%
	Grade 11	40.9%	55.7%	75.5%	24.5%
	Grade 12	45.8%	59.7%	78.1%	21.9%
<b>Inhalants</b>					
	All	3.6%	5.5%	11.1%	88.9%
	Grade 7	4.8%	7.3%	13.4%	86.6%
	Grade 8	4.7%	6.7%	12.2%	87.8%
	Grade 9	3.4%	5.4%	11.6%	88.4%
	Grade 10	3.5%	5.8%	11.5%	88.5%
	Grade 11	2.1%	3.4%	8.7%	91.3%
	Grade 12	2.1%	3.2%	7.6%	92.4%
<b>Any Illicit Drug</b>					
	All	13.2%	18.3%	29.7%	70.3%
	Grade 7	7.2%	9.5%	15.5%	84.5%
	Grade 8	9.7%	13.2%	21.9%	78.1%
	Grade 9	14.3%	19.6%	30.0%	70.0%
	Grade 10	16.1%	21.6%	35.0%	65.0%
	Grade 11	17.0%	24.5%	40.7%	59.3%
	Grade 12	17.2%	24.6%	41.3%	58.7%
<b>Marijuana</b>					
	All	11.1%	16.0%	27.3%	72.7%
	Grade 7	5.5%	7.5%	12.7%	87.3%
	Grade 8	7.9%	11.2%	19.5%	80.5%
	Grade 9	11.9%	17.1%	27.7%	72.3%
	Grade 10	13.7%	19.3%	32.8%	67.2%
	Grade 11	14.8%	21.9%	38.1%	61.9%
	Grade 12	14.8%	22.4%	39.4%	60.6%
<b>Marijuana Only</b>					
	All	4.1%	6.5%	13.4%	86.6%
	Grade 7	2.3%	3.2%	6.5%	93.5%
	Grade 8	3.5%	5.2%	10.7%	89.3%
	Grade 9	4.5%	6.7%	13.1%	86.9%
	Grade 10	4.5%	7.1%	15.4%	84.6%
	Grade 11	5.4%	9.0%	17.9%	82.1%
	Grade 12	5.2%	9.1%	19.9%	80.1%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.5%	5.3%	10.0%	90.0%
	Grade 7	1.7%	2.8%	4.8%	95.2%
	Grade 8	2.2%	3.4%	6.4%	93.6%
	Grade 9	3.9%	5.7%	10.1%	89.9%
	Grade 10	4.2%	6.5%	11.8%	88.2%
	Grade 11	4.9%	7.0%	14.7%	85.3%
	Grade 12	4.7%	7.3%	14.4%	85.6%
<b>Cocaine</b>					
	All	3.3%	5.0%	9.5%	90.5%
	Grade 7	1.4%	2.3%	3.9%	96.1%
	Grade 8	2.0%	3.0%	5.6%	94.4%
	Grade 9	3.6%	5.3%	9.6%	90.4%
	Grade 10	4.1%	6.3%	11.5%	88.5%
	Grade 11	4.8%	6.8%	14.5%	85.5%
	Grade 12	4.7%	7.2%	14.3%	85.7%
<b>Crack</b>					
	All	0.7%	1.1%	2.2%	97.8%
	Grade 7	0.7%	1.2%	2.0%	98.0%
	Grade 8	0.8%	1.2%	2.4%	97.6%
	Grade 9	0.9%	1.3%	2.7%	97.3%
	Grade 10	0.6%	0.9%	2.3%	97.7%
	Grade 11	0.3%	0.7%	1.8%	98.2%
	Grade 12	0.6%	0.9%	1.7%	98.3%
<b>Hallucinogens</b>					
	All	1.2%	1.8%	3.7%	96.3%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.8%	1.1%	2.3%	97.7%
	Grade 9	1.3%	2.2%	3.8%	96.2%
	Grade 10	1.9%	2.6%	5.2%	94.8%
	Grade 11	1.3%	2.3%	5.0%	95.0%
	Grade 12	1.4%	2.5%	5.2%	94.8%
<b>Uppers</b>					
	All	1.8%	2.7%	4.5%	95.5%
	Grade 7	0.8%	0.9%	1.4%	98.6%
	Grade 8	0.8%	1.2%	2.3%	97.7%
	Grade 9	2.0%	3.0%	4.9%	95.1%
	Grade 10	2.1%	3.4%	5.5%	94.5%
	Grade 11	2.6%	4.1%	7.1%	92.9%
	Grade 12	3.1%	4.6%	7.2%	92.8%
<b>Downers</b>					
	All	2.0%	3.0%	5.1%	94.9%
	Grade 7	0.8%	1.0%	1.6%	98.4%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	2.2%	3.4%	5.4%	94.6%
	Grade 10	2.5%	4.0%	6.5%	93.5%
	Grade 11	2.7%	4.4%	7.6%	92.4%
	Grade 12	3.0%	4.6%	8.7%	91.3%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.5%	2.2%	3.7%	96.3%
	<b>Grade 7</b>	0.7%	1.2%	2.3%	97.7%
	<b>Grade 8</b>	1.4%	1.9%	3.0%	97.0%
	<b>Grade 9</b>	2.2%	3.1%	4.7%	95.3%
	<b>Grade 10</b>	2.1%	3.1%	4.9%	95.1%
	<b>Grade 11</b>	1.1%	1.8%	3.6%	96.4%
	<b>Grade 12</b>	1.4%	1.9%	3.5%	96.5%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.6%	0.9%	1.3%	98.7%
	<b>Grade 9</b>	0.4%	0.5%	1.1%	98.9%
	<b>Grade 10</b>	0.4%	0.7%	1.1%	98.9%
	<b>Grade 11</b>	0.3%	0.8%	1.2%	98.8%
	<b>Grade 12</b>	0.5%	0.6%	1.1%	98.9%
<b>Ecstasy</b>					
	<b>All</b>	1.9%	2.9%	5.2%	94.8%
	<b>Grade 7</b>	1.0%	1.2%	1.8%	98.2%
	<b>Grade 8</b>	1.2%	1.9%	3.1%	96.9%
	<b>Grade 9</b>	1.6%	2.8%	5.2%	94.8%
	<b>Grade 10</b>	2.8%	3.8%	6.8%	93.2%
	<b>Grade 11</b>	2.5%	3.9%	7.6%	92.4%
	<b>Grade 12</b>	2.9%	4.9%	8.3%	91.7%
<b>Heroin</b>					
	<b>All</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 7</b>	0.9%	1.2%	2.1%	97.9%
	<b>Grade 8</b>	0.4%	0.8%	1.6%	98.4%
	<b>Grade 9</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 10</b>	0.7%	0.9%	1.6%	98.4%
	<b>Grade 11</b>	0.7%	0.9%	1.9%	98.1%
	<b>Grade 12</b>	0.3%	0.5%	1.2%	98.8%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	6.1%	9.3%	18.4%	81.6%
	Grade 7	0.7%	1.8%	7.0%	93.0%
	Grade 8	2.0%	3.4%	10.5%	89.5%
	Grade 9	3.6%	6.0%	14.7%	85.3%
	Grade 10	8.6%	12.4%	22.7%	77.3%
	Grade 11	9.3%	14.5%	26.0%	74.0%
	Grade 12	16.2%	23.2%	37.5%	62.5%
<b>Alcohol</b>					
	All	19.8%	29.9%	51.4%	48.6%
	Grade 7	7.9%	11.8%	32.6%	67.4%
	Grade 8	12.9%	21.1%	43.6%	56.4%
	Grade 9	16.7%	27.2%	50.8%	49.2%
	Grade 10	22.8%	35.0%	57.3%	42.7%
	Grade 11	27.2%	41.9%	62.4%	37.6%
	Grade 12	38.4%	52.3%	71.0%	29.0%
<b>Inhalants</b>					
	All	1.3%	2.2%	5.4%	94.6%
	Grade 7	2.1%	2.8%	5.8%	94.2%
	Grade 8	1.9%	3.1%	6.6%	93.4%
	Grade 9	0.7%	1.4%	4.9%	95.1%
	Grade 10	0.9%	1.6%	5.9%	94.1%
	Grade 11	1.0%	1.7%	4.0%	96.0%
	Grade 12	1.1%	2.1%	4.8%	95.2%
<b>Any Illicit Drug</b>					
	All	5.2%	8.2%	13.8%	86.2%
	Grade 7	1.4%	1.9%	3.4%	96.6%
	Grade 8	2.0%	3.5%	6.6%	93.4%
	Grade 9	3.8%	5.9%	11.1%	88.9%
	Grade 10	7.5%	11.3%	17.9%	82.1%
	Grade 11	8.4%	13.5%	21.7%	78.3%
	Grade 12	11.0%	17.9%	28.7%	71.3%
<b>Marijuana</b>					
	All	4.3%	7.2%	12.4%	87.6%
	Grade 7	1.0%	1.4%	2.4%	97.6%
	Grade 8	1.3%	2.5%	5.2%	94.8%
	Grade 9	3.0%	4.8%	9.4%	90.6%
	Grade 10	6.3%	9.8%	16.2%	83.8%
	Grade 11	7.2%	12.2%	20.0%	80.0%
	Grade 12	9.6%	17.0%	28.3%	71.7%
<b>Marijuana Only</b>					
	All	1.5%	3.3%	7.0%	93.0%
	Grade 7	0.3%	0.5%	1.3%	98.7%
	Grade 8	0.5%	1.3%	3.1%	96.9%
	Grade 9	1.4%	2.4%	5.7%	94.3%
	Grade 10	2.1%	4.3%	9.0%	91.0%
	Grade 11	2.6%	5.8%	11.3%	88.7%
	Grade 12	3.2%	7.3%	15.4%	84.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.8%	1.5%	2.9%	97.1%
	Grade 7	0.1%	0.4%	0.6%	99.4%
	Grade 8	0.3%	0.6%	1.3%	98.7%
	Grade 9	0.5%	0.8%	1.7%	98.3%
	Grade 10	1.5%	2.1%	3.9%	96.1%
	Grade 11	1.3%	2.4%	4.8%	95.2%
	Grade 12	1.6%	3.5%	6.8%	93.2%
<b>Cocaine</b>					
	All	0.7%	1.3%	2.7%	97.3%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.4%	0.9%	99.1%
	Grade 9	0.4%	0.6%	1.5%	98.5%
	Grade 10	1.5%	2.1%	3.7%	96.3%
	Grade 11	1.1%	2.2%	4.6%	95.4%
	Grade 12	1.5%	3.4%	6.9%	93.1%
<b>Crack</b>					
	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.4%	0.9%	99.1%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.6%	0.9%	1.2%	98.8%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.4%	0.6%	1.4%	98.6%
<b>Hallucinogens</b>					
	All	0.9%	1.5%	2.6%	97.4%
	Grade 7	0.1%	0.3%	0.5%	99.5%
	Grade 8	0.2%	0.4%	1.1%	98.9%
	Grade 9	0.4%	0.9%	1.8%	98.2%
	Grade 10	1.7%	2.4%	3.9%	96.1%
	Grade 11	1.5%	2.4%	4.3%	95.7%
	Grade 12	1.9%	3.4%	5.6%	94.4%
<b>Uppers</b>					
	All	1.0%	1.8%	3.1%	96.9%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.5%	1.2%	2.1%	97.9%
	Grade 10	1.6%	3.0%	4.2%	95.8%
	Grade 11	1.7%	2.8%	5.2%	94.8%
	Grade 12	2.1%	3.6%	7.2%	92.8%
<b>Downers</b>					
	All	1.0%	1.8%	3.1%	96.9%
	Grade 7	0.1%	0.4%	0.6%	99.4%
	Grade 8	0.3%	0.5%	0.8%	99.2%
	Grade 9	0.7%	1.4%	2.3%	97.7%
	Grade 10	1.5%	2.8%	4.1%	95.9%
	Grade 11	1.7%	2.8%	4.8%	95.2%
	Grade 12	2.2%	4.0%	7.8%	92.2%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.1%	0.2%	0.3%	99.7%
	Grade 8	0.1%	0.3%	0.7%	99.3%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.5%	0.9%	1.6%	98.4%
	Grade 11	0.4%	0.5%	0.9%	99.1%
	Grade 12	0.4%	0.7%	1.5%	98.5%
<b>Steroids</b>					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.3%	0.5%	1.1%	98.9%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.9%	0.9%	1.4%	98.6%
	Grade 11	0.4%	0.6%	1.4%	98.6%
	Grade 12	0.7%	1.2%	1.6%	98.4%
<b>Ecstasy</b>					
	All	0.9%	1.5%	2.6%	97.4%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.2%	0.5%	0.8%	99.2%
	Grade 9	0.4%	1.1%	1.9%	98.1%
	Grade 10	1.3%	2.0%	3.2%	96.8%
	Grade 11	1.0%	2.0%	3.8%	96.2%
	Grade 12	2.6%	4.1%	7.1%	92.9%
<b>Heroin</b>					
	All	0.2%	0.4%	0.7%	99.3%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.1%	0.3%	0.5%	99.5%
	Grade 10	0.4%	0.6%	0.9%	99.1%
	Grade 11	0.2%	0.4%	0.7%	99.3%
	Grade 12	0.4%	0.9%	1.4%	98.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	15.6%	21.5%	37.1%	62.9%
	Grade 7	6.8%	9.5%	21.4%	78.6%
	Grade 8	8.3%	12.8%	28.6%	71.4%
	Grade 9	13.3%	20.0%	35.9%	64.1%
	Grade 10	17.8%	23.9%	40.3%	59.7%
	Grade 11	22.4%	30.0%	46.8%	53.2%
	Grade 12	27.4%	35.0%	52.4%	47.6%
<b>Alcohol</b>					
	All	34.8%	46.6%	67.7%	32.3%
	Grade 7	21.4%	27.6%	50.9%	49.1%
	Grade 8	27.0%	37.5%	61.7%	38.3%
	Grade 9	34.3%	47.1%	68.5%	31.5%
	Grade 10	37.9%	51.6%	72.5%	27.5%
	Grade 11	41.9%	56.4%	75.8%	24.2%
	Grade 12	48.2%	61.1%	78.2%	21.8%
<b>Inhalants</b>					
	All	3.2%	5.2%	10.8%	89.2%
	Grade 7	4.7%	7.2%	13.1%	86.9%
	Grade 8	4.4%	6.7%	12.5%	87.5%
	Grade 9	3.2%	5.2%	11.0%	89.0%
	Grade 10	2.7%	4.8%	10.8%	89.2%
	Grade 11	1.9%	3.3%	9.0%	91.0%
	Grade 12	2.6%	3.6%	8.2%	91.8%
<b>Any Illicit Drug</b>					
	All	14.4%	20.0%	31.6%	68.4%
	Grade 7	7.0%	9.5%	15.5%	84.5%
	Grade 8	9.3%	12.6%	21.5%	78.5%
	Grade 9	14.6%	20.3%	30.7%	69.3%
	Grade 10	17.1%	23.8%	36.4%	63.6%
	Grade 11	18.8%	27.0%	42.7%	57.3%
	Grade 12	20.3%	28.0%	44.7%	55.3%
<b>Marijuana</b>					
	All	12.4%	18.0%	29.5%	70.5%
	Grade 7	5.4%	7.7%	12.9%	87.1%
	Grade 8	7.7%	10.9%	19.3%	80.7%
	Grade 9	12.4%	17.9%	28.4%	71.6%
	Grade 10	14.8%	21.7%	34.5%	65.5%
	Grade 11	16.7%	25.0%	40.9%	59.1%
	Grade 12	17.8%	26.0%	43.1%	56.9%
<b>Marijuana Only</b>					
	All	4.9%	7.7%	15.3%	84.7%
	Grade 7	2.5%	3.7%	7.3%	92.7%
	Grade 8	3.6%	5.3%	11.3%	88.7%
	Grade 9	5.2%	7.9%	14.9%	85.1%
	Grade 10	5.6%	9.0%	17.5%	82.5%
	Grade 11	6.2%	10.6%	20.7%	79.3%
	Grade 12	6.4%	10.4%	21.5%	78.5%



**State : Grades 7-12 Large  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.8%	4.5%	8.4%	91.6%
	Grade 7	1.5%	2.3%	4.0%	96.0%
	Grade 8	1.9%	2.9%	5.5%	94.5%
	Grade 9	3.0%	4.5%	7.8%	92.2%
	Grade 10	2.8%	5.0%	9.4%	90.6%
	Grade 11	3.5%	5.6%	11.6%	88.4%
	Grade 12	4.0%	7.1%	13.2%	86.8%
<b>Cocaine</b>					
	All	2.6%	4.3%	8.0%	92.0%
	Grade 7	1.2%	2.0%	3.3%	96.7%
	Grade 8	1.6%	2.5%	4.7%	95.3%
	Grade 9	2.8%	4.2%	7.3%	92.7%
	Grade 10	2.7%	4.9%	9.3%	90.7%
	Grade 11	3.4%	5.4%	11.4%	88.6%
	Grade 12	4.0%	7.1%	13.2%	86.8%
<b>Crack</b>					
	All	0.6%	1.0%	2.0%	98.0%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	0.7%	1.1%	2.2%	97.8%
	Grade 9	0.7%	1.2%	2.3%	97.7%
	Grade 10	0.4%	0.7%	2.0%	98.0%
	Grade 11	0.4%	0.7%	1.6%	98.4%
	Grade 12	0.9%	1.2%	2.1%	97.9%
<b>Hallucinogens</b>					
	All	1.8%	2.8%	5.1%	94.9%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.1%	1.4%	2.5%	97.5%
	Grade 9	1.7%	2.7%	4.4%	95.6%
	Grade 10	2.3%	3.4%	6.6%	93.4%
	Grade 11	2.2%	3.7%	7.3%	92.7%
	Grade 12	3.0%	5.1%	8.6%	91.4%
<b>Uppers</b>					
	All	2.5%	3.9%	6.2%	93.8%
	Grade 7	0.9%	1.1%	1.8%	98.2%
	Grade 8	1.1%	1.5%	2.6%	97.4%
	Grade 9	2.3%	3.3%	5.3%	94.7%
	Grade 10	3.3%	5.1%	7.8%	92.2%
	Grade 11	3.6%	6.0%	9.6%	90.4%
	Grade 12	4.1%	7.2%	11.1%	88.9%
<b>Downers</b>					
	All	2.7%	4.1%	6.6%	93.4%
	Grade 7	0.9%	1.2%	1.9%	98.1%
	Grade 8	0.9%	1.4%	2.3%	97.7%
	Grade 9	2.4%	3.4%	5.4%	94.6%
	Grade 10	3.3%	5.4%	8.5%	91.5%
	Grade 11	4.1%	6.3%	10.0%	90.0%
	Grade 12	4.8%	7.7%	12.3%	87.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	1.2%	1.8%	3.1%	96.9%
	<b>Grade 7</b>	0.7%	1.1%	1.9%	98.1%
	<b>Grade 8</b>	1.2%	1.5%	2.3%	97.7%
	<b>Grade 9</b>	1.6%	2.3%	3.6%	96.4%
	<b>Grade 10</b>	1.5%	2.3%	4.0%	96.0%
	<b>Grade 11</b>	0.9%	1.6%	3.2%	96.8%
	<b>Grade 12</b>	1.2%	1.6%	3.1%	96.9%
<b>Steroids</b>					
	<b>All</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 7</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 8</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 9</b>	0.4%	0.6%	1.3%	98.7%
	<b>Grade 10</b>	0.8%	1.1%	2.0%	98.0%
	<b>Grade 11</b>	0.5%	1.0%	1.8%	98.2%
	<b>Grade 12</b>	0.7%	1.0%	1.8%	98.2%
<b>Ecstasy</b>					
	<b>All</b>	2.3%	3.6%	6.2%	93.8%
	<b>Grade 7</b>	1.0%	1.3%	1.9%	98.1%
	<b>Grade 8</b>	1.2%	1.9%	3.2%	96.8%
	<b>Grade 9</b>	2.1%	3.3%	5.3%	94.7%
	<b>Grade 10</b>	2.7%	4.1%	7.7%	92.3%
	<b>Grade 11</b>	3.0%	5.1%	9.3%	90.7%
	<b>Grade 12</b>	3.7%	6.1%	10.4%	89.6%
<b>Heroin</b>					
	<b>All</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 7</b>	0.7%	1.0%	1.8%	98.2%
	<b>Grade 8</b>	0.5%	0.9%	1.7%	98.3%
	<b>Grade 9</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 10</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 11</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 12</b>	0.5%	1.0%	2.1%	97.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.6%	15.1%	26.6%	73.4%
	Grade 7	3.3%	5.0%	11.8%	88.2%
	Grade 8	5.1%	7.8%	17.4%	82.6%
	Grade 9	8.4%	13.2%	24.6%	75.4%
	Grade 10	12.8%	17.2%	30.2%	69.8%
	Grade 11	16.3%	23.1%	37.3%	62.7%
	Grade 12	21.4%	29.0%	44.1%	55.9%
<b>Alcohol</b>					
	All	27.3%	37.7%	58.1%	41.9%
	Grade 7	13.9%	18.5%	39.5%	60.5%
	Grade 8	19.7%	28.6%	50.2%	49.8%
	Grade 9	26.0%	37.1%	58.1%	41.9%
	Grade 10	31.1%	43.4%	63.7%	36.3%
	Grade 11	35.6%	49.4%	68.8%	31.2%
	Grade 12	42.6%	55.5%	73.6%	26.4%
<b>Inhalants</b>					
	All	2.3%	3.7%	8.0%	92.0%
	Grade 7	3.1%	4.6%	9.0%	91.0%
	Grade 8	2.9%	4.4%	8.7%	91.3%
	Grade 9	2.0%	3.5%	8.1%	91.9%
	Grade 10	2.3%	3.8%	8.5%	91.5%
	Grade 11	1.5%	2.7%	6.9%	93.1%
	Grade 12	1.9%	3.0%	6.4%	93.6%
<b>Any Illicit Drug</b>					
	All	9.2%	13.2%	21.0%	79.0%
	Grade 7	3.9%	5.2%	8.2%	91.8%
	Grade 8	5.3%	7.2%	12.5%	87.5%
	Grade 9	8.8%	12.5%	19.9%	80.1%
	Grade 10	11.3%	15.7%	24.6%	75.4%
	Grade 11	13.5%	20.1%	31.7%	68.3%
	Grade 12	14.7%	21.4%	34.1%	65.9%
<b>Marijuana</b>					
	All	7.6%	11.5%	19.1%	80.9%
	Grade 7	3.0%	4.0%	6.4%	93.6%
	Grade 8	4.1%	5.9%	10.6%	89.4%
	Grade 9	7.1%	10.6%	17.5%	82.5%
	Grade 10	9.2%	13.4%	22.4%	77.6%
	Grade 11	11.3%	18.1%	29.5%	70.5%
	Grade 12	12.9%	20.0%	32.9%	67.1%
<b>Marijuana Only</b>					
	All	2.9%	4.9%	9.9%	90.1%
	Grade 7	1.3%	1.7%	3.2%	96.8%
	Grade 8	1.9%	2.9%	6.2%	93.8%
	Grade 9	3.0%	4.6%	9.2%	90.8%
	Grade 10	3.2%	5.3%	11.1%	88.9%
	Grade 11	4.1%	7.8%	15.1%	84.9%
	Grade 12	4.6%	8.4%	17.1%	82.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.9%	3.0%	5.7%	94.3%
	Grade 7	0.7%	1.4%	2.2%	97.8%
	Grade 8	1.1%	1.8%	3.4%	96.6%
	Grade 9	2.0%	2.9%	5.1%	94.9%
	Grade 10	2.2%	3.5%	6.4%	93.6%
	Grade 11	2.8%	4.3%	8.9%	91.1%
	Grade 12	2.7%	4.8%	9.3%	90.7%
<b>Cocaine</b>					
	All	1.7%	2.8%	5.3%	94.7%
	Grade 7	0.5%	1.1%	1.7%	98.3%
	Grade 8	0.9%	1.4%	2.8%	97.2%
	Grade 9	1.8%	2.6%	4.7%	95.3%
	Grade 10	2.2%	3.4%	6.1%	93.9%
	Grade 11	2.7%	4.2%	8.6%	91.4%
	Grade 12	2.7%	4.7%	9.3%	90.7%
<b>Crack</b>					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.6%	1.1%	98.9%
	Grade 8	0.5%	0.8%	1.4%	98.6%
	Grade 9	0.6%	0.9%	1.5%	98.5%
	Grade 10	0.4%	0.6%	1.6%	98.4%
	Grade 11	0.4%	0.6%	1.4%	98.6%
	Grade 12	0.5%	0.7%	1.3%	98.7%
<b>Hallucinogens</b>					
	All	1.2%	2.0%	3.5%	96.5%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.9%	1.5%	2.8%	97.2%
	Grade 10	1.8%	2.6%	4.5%	95.5%
	Grade 11	1.8%	3.1%	5.9%	94.1%
	Grade 12	1.9%	3.9%	6.3%	93.7%
<b>Uppers</b>					
	All	1.6%	2.6%	4.1%	95.9%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	0.6%	0.9%	1.5%	98.5%
	Grade 9	1.4%	2.0%	3.3%	96.7%
	Grade 10	2.0%	3.2%	4.5%	95.5%
	Grade 11	2.5%	4.4%	7.3%	92.7%
	Grade 12	2.9%	5.0%	8.4%	91.6%
<b>Downers</b>					
	All	1.6%	2.6%	4.2%	95.8%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	1.3%	2.1%	3.4%	96.6%
	Grade 10	1.9%	3.1%	4.8%	95.2%
	Grade 11	2.7%	4.4%	7.1%	92.9%
	Grade 12	3.1%	5.5%	9.1%	90.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	0.7%	1.1%	1.9%	98.1%
	<b>Grade 7</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	0.7%	0.9%	1.3%	98.7%
	<b>Grade 9</b>	0.9%	1.3%	2.0%	98.0%
	<b>Grade 10</b>	1.0%	1.6%	2.5%	97.5%
	<b>Grade 11</b>	0.6%	1.0%	2.3%	97.7%
	<b>Grade 12</b>	0.8%	1.2%	2.3%	97.7%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 7</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.3%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 10</b>	0.6%	1.0%	1.5%	98.5%
	<b>Grade 11</b>	0.5%	0.9%	1.5%	98.5%
	<b>Grade 12</b>	0.6%	1.1%	1.5%	98.5%
<b>Ecstasy</b>					
	<b>All</b>	1.4%	2.3%	3.9%	96.1%
	<b>Grade 7</b>	0.6%	0.9%	1.1%	98.9%
	<b>Grade 8</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 9</b>	1.1%	1.8%	3.2%	96.8%
	<b>Grade 10</b>	1.9%	2.8%	5.0%	95.0%
	<b>Grade 11</b>	1.9%	3.6%	6.4%	93.6%
	<b>Grade 12</b>	2.7%	4.4%	7.4%	92.6%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 7</b>	0.3%	0.5%	1.0%	99.0%
	<b>Grade 8</b>	0.4%	0.5%	1.1%	98.9%
	<b>Grade 9</b>	0.4%	0.6%	1.0%	99.0%
	<b>Grade 10</b>	0.3%	0.4%	1.0%	99.0%
	<b>Grade 11</b>	0.5%	0.6%	1.3%	98.7%
	<b>Grade 12</b>	0.2%	0.6%	1.3%	98.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	16.5%	22.5%	40.1%	59.9%
	Grade 7	7.3%	10.5%	25.4%	74.6%
	Grade 8	8.4%	13.4%	31.7%	68.3%
	Grade 9	14.4%	21.1%	39.0%	61.0%
	Grade 10	19.7%	26.9%	44.7%	55.3%
	Grade 11	23.5%	30.5%	48.1%	51.9%
	Grade 12	28.0%	34.9%	53.6%	46.4%
<b>Alcohol</b>					
	All	35.4%	48.3%	71.0%	29.0%
	Grade 7	22.5%	29.5%	54.8%	45.2%
	Grade 8	27.1%	38.6%	65.5%	34.5%
	Grade 9	35.1%	49.2%	72.9%	27.1%
	Grade 10	38.9%	53.8%	76.1%	23.9%
	Grade 11	41.9%	57.7%	77.7%	22.3%
	Grade 12	49.0%	62.8%	79.6%	20.4%
<b>Inhalants</b>					
	All	3.2%	5.3%	11.3%	88.7%
	Grade 7	5.2%	7.7%	13.8%	86.2%
	Grade 8	4.6%	7.2%	13.7%	86.3%
	Grade 9	3.3%	5.4%	11.4%	88.6%
	Grade 10	2.2%	4.4%	11.2%	88.8%
	Grade 11	1.8%	3.2%	9.0%	91.0%
	Grade 12	2.4%	3.4%	8.3%	91.7%
<b>Any Illicit Drug</b>					
	All	15.8%	22.3%	35.3%	64.7%
	Grade 7	7.5%	10.4%	17.7%	82.3%
	Grade 8	9.6%	13.8%	23.9%	76.1%
	Grade 9	16.3%	22.6%	34.1%	65.9%
	Grade 10	19.9%	28.3%	42.9%	57.1%
	Grade 11	20.5%	29.1%	46.5%	53.5%
	Grade 12	21.8%	30.5%	48.8%	51.2%
<b>Marijuana</b>					
	All	14.0%	20.5%	33.6%	66.4%
	Grade 7	5.9%	8.5%	15.1%	84.9%
	Grade 8	8.2%	12.3%	21.8%	78.2%
	Grade 9	14.3%	20.3%	32.5%	67.5%
	Grade 10	17.9%	26.8%	41.3%	58.7%
	Grade 11	19.0%	27.5%	45.3%	54.7%
	Grade 12	19.2%	28.4%	47.7%	52.3%
<b>Marijuana Only</b>					
	All	5.6%	9.0%	18.0%	82.0%
	Grade 7	2.7%	4.4%	9.2%	90.8%
	Grade 8	3.8%	6.0%	13.0%	87.0%
	Grade 9	6.1%	9.5%	17.7%	82.3%
	Grade 10	7.1%	11.8%	22.2%	77.8%
	Grade 11	7.1%	11.7%	23.4%	76.6%
	Grade 12	6.6%	10.9%	23.5%	76.5%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.7%	4.6%	8.7%	91.3%
	Grade 7	1.6%	2.2%	4.1%	95.9%
	Grade 8	1.8%	2.6%	5.3%	94.7%
	Grade 9	2.7%	4.4%	7.7%	92.3%
	Grade 10	2.9%	5.6%	10.5%	89.5%
	Grade 11	3.2%	5.5%	11.5%	88.5%
	Grade 12	4.1%	7.8%	14.3%	85.7%
<b>Cocaine</b>					
	All	2.6%	4.5%	8.4%	91.6%
	Grade 7	1.4%	2.0%	3.5%	96.5%
	Grade 8	1.6%	2.3%	4.4%	95.6%
	Grade 9	2.6%	4.1%	7.3%	92.7%
	Grade 10	2.9%	5.5%	10.4%	89.6%
	Grade 11	3.2%	5.4%	11.5%	88.5%
	Grade 12	4.0%	7.8%	14.3%	85.7%
<b>Crack</b>					
	All	0.6%	1.1%	2.2%	97.8%
	Grade 7	0.7%	1.1%	1.9%	98.1%
	Grade 8	0.6%	0.9%	2.4%	97.6%
	Grade 9	0.6%	1.1%	2.3%	97.7%
	Grade 10	0.6%	1.1%	2.2%	97.8%
	Grade 11	0.3%	0.7%	1.4%	98.6%
	Grade 12	1.2%	1.6%	2.9%	97.1%
<b>Hallucinogens</b>					
	All	2.1%	3.2%	5.8%	94.2%
	Grade 7	0.6%	1.0%	1.7%	98.3%
	Grade 8	1.1%	1.5%	2.9%	97.1%
	Grade 9	2.1%	3.3%	5.4%	94.6%
	Grade 10	2.6%	4.0%	7.9%	92.1%
	Grade 11	2.3%	3.9%	7.5%	92.5%
	Grade 12	3.9%	5.8%	10.0%	90.0%
<b>Uppers</b>					
	All	2.9%	4.6%	7.3%	92.7%
	Grade 7	0.9%	1.1%	1.9%	98.1%
	Grade 8	1.2%	1.9%	3.3%	96.7%
	Grade 9	2.6%	4.0%	6.2%	93.8%
	Grade 10	4.2%	6.6%	10.3%	89.7%
	Grade 11	4.1%	6.3%	10.4%	89.6%
	Grade 12	4.5%	7.8%	12.5%	87.5%
<b>Downers</b>					
	All	3.2%	4.9%	7.7%	92.3%
	Grade 7	1.1%	1.4%	2.1%	97.9%
	Grade 8	1.3%	2.0%	2.9%	97.1%
	Grade 9	2.8%	4.2%	6.3%	93.7%
	Grade 10	4.5%	7.2%	11.2%	88.8%
	Grade 11	4.6%	6.9%	11.2%	88.8%
	Grade 12	5.2%	8.1%	13.6%	86.4%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.3%	1.9%	3.3%	96.7%
	<b>Grade 7</b>	0.8%	1.1%	1.9%	98.1%
	<b>Grade 8</b>	1.1%	1.5%	2.5%	97.5%
	<b>Grade 9</b>	1.8%	2.6%	4.1%	95.9%
	<b>Grade 10</b>	1.7%	2.7%	4.8%	95.2%
	<b>Grade 11</b>	1.1%	1.8%	3.1%	96.9%
	<b>Grade 12</b>	1.2%	1.7%	3.2%	96.8%
<b>Steroids</b>					
	<b>All</b>	0.7%	1.0%	1.8%	98.2%
	<b>Grade 7</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	0.7%	0.9%	1.9%	98.1%
	<b>Grade 9</b>	0.6%	0.8%	1.5%	98.5%
	<b>Grade 10</b>	1.0%	1.2%	2.2%	97.8%
	<b>Grade 11</b>	0.5%	0.9%	1.8%	98.2%
	<b>Grade 12</b>	0.8%	1.1%	2.1%	97.9%
<b>Ecstasy</b>					
	<b>All</b>	2.5%	4.1%	7.1%	92.9%
	<b>Grade 7</b>	0.9%	1.1%	1.9%	98.1%
	<b>Grade 8</b>	1.0%	1.9%	3.2%	96.8%
	<b>Grade 9</b>	2.6%	4.2%	6.4%	93.6%
	<b>Grade 10</b>	3.0%	4.7%	8.6%	91.4%
	<b>Grade 11</b>	3.5%	5.8%	10.4%	89.6%
	<b>Grade 12</b>	4.5%	7.3%	12.7%	87.3%
<b>Heroin</b>					
	<b>All</b>	0.7%	1.1%	2.0%	98.0%
	<b>Grade 7</b>	0.8%	1.0%	1.8%	98.2%
	<b>Grade 8</b>	0.4%	0.9%	1.7%	98.3%
	<b>Grade 9</b>	0.7%	1.0%	1.7%	98.3%
	<b>Grade 10</b>	0.8%	1.2%	2.3%	97.7%
	<b>Grade 11</b>	0.6%	1.0%	1.6%	98.4%
	<b>Grade 12</b>	0.8%	1.7%	2.7%	97.3%



**State : Grades 7-12 Large  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	11.2%	15.8%	28.9%	71.1%
	Grade 7	3.3%	4.9%	13.6%	86.4%
	Grade 8	5.0%	8.0%	19.6%	80.4%
	Grade 9	9.0%	13.9%	27.1%	72.9%
	Grade 10	13.4%	18.3%	32.9%	67.1%
	Grade 11	17.1%	23.9%	39.0%	61.0%
	Grade 12	22.7%	30.0%	46.2%	53.8%
<b>Alcohol</b>					
	All	28.0%	39.0%	60.8%	39.2%
	Grade 7	14.0%	19.3%	41.6%	58.4%
	Grade 8	19.4%	28.3%	52.2%	47.8%
	Grade 9	26.9%	38.8%	61.9%	38.1%
	Grade 10	31.9%	44.7%	67.1%	32.9%
	Grade 11	36.2%	50.9%	71.1%	28.9%
	Grade 12	44.5%	57.7%	75.4%	24.6%
<b>Inhalants</b>					
	All	2.0%	3.3%	7.7%	92.3%
	Grade 7	2.6%	4.2%	8.4%	91.6%
	Grade 8	2.6%	4.0%	8.8%	91.2%
	Grade 9	2.0%	3.4%	8.0%	92.0%
	Grade 10	1.8%	3.3%	8.1%	91.9%
	Grade 11	1.4%	2.5%	6.7%	93.3%
	Grade 12	1.4%	2.3%	6.0%	94.0%
<b>Any Illicit Drug</b>					
	All	9.8%	14.0%	23.1%	76.9%
	Grade 7	3.4%	4.7%	8.6%	91.4%
	Grade 8	5.1%	7.3%	13.7%	86.3%
	Grade 9	9.4%	13.5%	21.7%	78.3%
	Grade 10	12.5%	17.8%	28.2%	71.8%
	Grade 11	14.2%	20.8%	34.0%	66.0%
	Grade 12	16.1%	22.8%	37.4%	62.6%
<b>Marijuana</b>					
	All	8.4%	12.5%	21.5%	78.5%
	Grade 7	2.5%	3.5%	6.6%	93.4%
	Grade 8	4.1%	6.2%	12.0%	88.0%
	Grade 9	7.9%	11.8%	20.1%	79.9%
	Grade 10	10.8%	16.0%	26.5%	73.5%
	Grade 11	12.7%	19.4%	32.4%	67.6%
	Grade 12	14.4%	21.1%	36.1%	63.9%
<b>Marijuana Only</b>					
	All	3.4%	5.6%	11.8%	88.2%
	Grade 7	1.1%	1.6%	3.8%	96.2%
	Grade 8	2.0%	3.1%	7.3%	92.7%
	Grade 9	3.4%	5.4%	11.1%	88.9%
	Grade 10	4.5%	7.2%	14.5%	85.5%
	Grade 11	4.9%	9.0%	17.7%	82.3%
	Grade 12	5.2%	8.8%	19.1%	80.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.6%	2.8%	5.6%	94.4%
	Grade 7	0.6%	1.1%	2.1%	97.9%
	Grade 8	0.9%	1.5%	3.1%	96.9%
	Grade 9	1.8%	2.7%	4.9%	95.1%
	Grade 10	1.9%	3.3%	6.7%	93.3%
	Grade 11	2.3%	3.8%	8.3%	91.7%
	Grade 12	2.5%	4.8%	9.8%	90.2%
<b>Cocaine</b>					
	All	1.5%	2.6%	5.3%	94.7%
	Grade 7	0.5%	0.9%	1.7%	98.3%
	Grade 8	0.7%	1.2%	2.6%	97.4%
	Grade 9	1.7%	2.5%	4.6%	95.4%
	Grade 10	1.8%	3.3%	6.5%	93.5%
	Grade 11	2.2%	3.8%	8.2%	91.8%
	Grade 12	2.5%	4.8%	9.8%	90.2%
<b>Crack</b>					
	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.2%	0.5%	0.9%	99.1%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.3%	0.6%	1.2%	98.8%
	Grade 10	0.2%	0.5%	1.4%	98.6%
	Grade 11	0.2%	0.4%	1.1%	98.9%
	Grade 12	0.4%	0.7%	1.6%	98.4%
<b>Hallucinogens</b>					
	All	1.2%	2.0%	3.7%	96.3%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	1.0%	1.7%	3.2%	96.8%
	Grade 10	1.5%	2.4%	4.8%	95.2%
	Grade 11	1.7%	3.0%	5.7%	94.3%
	Grade 12	2.2%	3.9%	6.7%	93.3%
<b>Uppers</b>					
	All	1.6%	2.7%	4.5%	95.5%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	1.3%	2.1%	3.4%	96.6%
	Grade 10	2.1%	3.5%	5.6%	94.4%
	Grade 11	2.8%	4.6%	7.3%	92.7%
	Grade 12	3.0%	5.1%	8.9%	91.1%
<b>Downers</b>					
	All	1.7%	2.8%	4.6%	95.4%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.6%	1.0%	1.6%	98.4%
	Grade 9	1.3%	2.2%	3.5%	96.5%
	Grade 10	2.0%	3.6%	5.9%	94.1%
	Grade 11	3.0%	4.6%	7.3%	92.7%
	Grade 12	3.4%	5.4%	9.4%	90.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 7</b>	0.3%	0.6%	1.0%	99.0%
	<b>Grade 8</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 9</b>	0.9%	1.3%	2.2%	97.8%
	<b>Grade 10</b>	0.9%	1.4%	2.7%	97.3%
	<b>Grade 11</b>	0.5%	1.0%	2.1%	97.9%
	<b>Grade 12</b>	0.9%	1.1%	2.2%	97.8%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 7</b>	0.3%	0.5%	0.9%	99.1%
	<b>Grade 8</b>	0.3%	0.5%	1.2%	98.8%
	<b>Grade 9</b>	0.4%	0.6%	1.1%	98.9%
	<b>Grade 10</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 11</b>	0.3%	0.6%	1.2%	98.8%
	<b>Grade 12</b>	0.5%	0.9%	1.3%	98.7%
<b>Ecstasy</b>					
	<b>All</b>	1.4%	2.3%	4.2%	95.8%
	<b>Grade 7</b>	0.5%	0.7%	1.0%	99.0%
	<b>Grade 8</b>	0.5%	0.9%	1.7%	98.3%
	<b>Grade 9</b>	1.2%	2.2%	3.7%	96.3%
	<b>Grade 10</b>	2.0%	2.9%	5.5%	94.5%
	<b>Grade 11</b>	2.0%	3.3%	6.2%	93.8%
	<b>Grade 12</b>	2.7%	4.6%	8.4%	91.6%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 7</b>	0.3%	0.4%	0.9%	99.1%
	<b>Grade 8</b>	0.2%	0.4%	0.9%	99.1%
	<b>Grade 9</b>	0.2%	0.5%	1.0%	99.0%
	<b>Grade 10</b>	0.4%	0.5%	1.1%	98.9%
	<b>Grade 11</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 12</b>	0.3%	0.8%	1.5%	98.5%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	20.1%	27.1%	42.8%	57.2%
	Grade 7	11.6%	15.6%	29.1%	70.9%
	Grade 8	12.0%	18.1%	35.0%	65.0%
	Grade 9	16.8%	24.7%	40.5%	59.5%
	Grade 10	24.1%	31.9%	47.6%	52.4%
	Grade 11	26.5%	34.3%	49.6%	50.4%
	Grade 12	30.2%	38.3%	54.6%	45.4%
<b>Alcohol</b>					
	All	40.2%	53.0%	71.7%	28.3%
	Grade 7	28.6%	35.5%	58.8%	41.2%
	Grade 8	33.8%	47.1%	69.0%	31.0%
	Grade 9	39.5%	52.0%	70.7%	29.3%
	Grade 10	44.2%	60.4%	76.1%	23.9%
	Grade 11	44.7%	59.2%	76.2%	23.8%
	Grade 12	49.4%	62.0%	78.6%	21.4%
<b>Inhalants</b>					
	All	5.1%	7.9%	15.0%	85.0%
	Grade 7	9.5%	12.3%	21.1%	78.9%
	Grade 8	7.9%	11.9%	18.9%	81.1%
	Grade 9	4.3%	7.2%	13.9%	86.1%
	Grade 10	3.5%	7.0%	15.2%	84.8%
	Grade 11	2.5%	4.4%	11.5%	88.5%
	Grade 12	3.4%	4.9%	10.1%	89.9%
<b>Any Illicit Drug</b>					
	All	19.5%	26.9%	39.0%	61.0%
	Grade 7	12.8%	16.4%	24.0%	76.0%
	Grade 8	13.8%	18.2%	28.3%	71.7%
	Grade 9	19.6%	26.6%	38.4%	61.6%
	Grade 10	22.4%	30.8%	44.7%	55.3%
	Grade 11	24.0%	34.7%	49.2%	50.8%
	Grade 12	23.5%	34.3%	48.8%	51.2%
<b>Marijuana</b>					
	All	16.2%	23.9%	35.9%	64.1%
	Grade 7	10.2%	13.7%	20.5%	79.5%
	Grade 8	10.8%	15.5%	24.7%	75.3%
	Grade 9	16.6%	23.1%	34.0%	66.0%
	Grade 10	18.9%	27.7%	42.0%	58.0%
	Grade 11	20.3%	31.4%	46.4%	53.6%
	Grade 12	20.0%	31.9%	47.2%	52.8%
<b>Marijuana Only</b>					
	All	6.1%	10.0%	17.5%	82.5%
	Grade 7	4.5%	6.5%	10.8%	89.2%
	Grade 8	5.0%	7.6%	13.9%	86.1%
	Grade 9	7.2%	11.1%	18.3%	81.7%
	Grade 10	6.1%	10.6%	20.2%	79.8%
	Grade 11	6.7%	11.2%	19.8%	80.2%
	Grade 12	6.3%	12.2%	21.1%	78.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	4.4%	6.7%	11.2%	88.8%
	Grade 7	3.1%	4.1%	6.4%	93.6%
	Grade 8	2.7%	4.1%	7.0%	93.0%
	Grade 9	4.3%	5.8%	9.2%	90.8%
	Grade 10	4.7%	7.4%	12.1%	87.9%
	Grade 11	5.3%	8.2%	15.5%	84.5%
	Grade 12	6.2%	10.8%	17.3%	82.7%
<b>Cocaine</b>					
	All	4.1%	6.3%	10.6%	89.4%
	Grade 7	2.5%	3.4%	5.2%	94.8%
	Grade 8	2.2%	3.3%	5.7%	94.3%
	Grade 9	3.7%	5.4%	8.6%	91.4%
	Grade 10	4.7%	7.2%	12.0%	88.0%
	Grade 11	5.2%	7.8%	15.2%	84.8%
	Grade 12	6.2%	10.6%	17.2%	82.8%
<b>Crack</b>					
	All	1.6%	2.1%	3.5%	96.5%
	Grade 7	1.7%	2.1%	3.2%	96.8%
	Grade 8	1.3%	2.2%	4.0%	96.0%
	Grade 9	1.8%	2.4%	3.9%	96.1%
	Grade 10	1.5%	2.2%	3.5%	96.5%
	Grade 11	0.7%	1.4%	2.5%	97.5%
	Grade 12	2.1%	2.5%	3.5%	96.5%
<b>Hallucinogens</b>					
	All	2.8%	4.2%	7.3%	92.7%
	Grade 7	0.7%	1.0%	2.3%	97.7%
	Grade 8	1.5%	2.3%	4.1%	95.9%
	Grade 9	2.6%	3.8%	6.2%	93.8%
	Grade 10	4.2%	5.8%	10.0%	90.0%
	Grade 11	3.7%	5.4%	9.7%	90.3%
	Grade 12	3.8%	6.9%	11.6%	88.4%
<b>Uppers</b>					
	All	3.8%	5.9%	9.0%	91.0%
	Grade 7	2.0%	2.0%	3.0%	97.0%
	Grade 8	1.9%	2.4%	3.5%	96.5%
	Grade 9	3.4%	4.9%	7.9%	92.1%
	Grade 10	5.5%	8.2%	11.6%	88.4%
	Grade 11	4.3%	7.5%	13.3%	86.7%
	Grade 12	5.5%	10.1%	14.7%	85.3%
<b>Downers</b>					
	All	3.9%	6.1%	9.3%	90.7%
	Grade 7	1.7%	2.0%	2.9%	97.1%
	Grade 8	1.4%	2.1%	2.9%	97.1%
	Grade 9	3.5%	4.9%	7.5%	92.5%
	Grade 10	6.1%	8.8%	12.2%	87.8%
	Grade 11	5.0%	8.5%	14.4%	85.6%
	Grade 12	5.8%	10.4%	16.4%	83.6%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.9%	2.7%	4.0%	96.0%
	<b>Grade 7</b>	1.5%	1.8%	2.8%	97.2%
	<b>Grade 8</b>	2.0%	2.7%	3.3%	96.7%
	<b>Grade 9</b>	2.3%	3.2%	4.2%	95.8%
	<b>Grade 10</b>	2.6%	3.9%	5.2%	94.8%
	<b>Grade 11</b>	1.4%	2.4%	4.4%	95.6%
	<b>Grade 12</b>	1.1%	2.0%	3.9%	96.1%
<b>Steroids</b>					
	<b>All</b>	1.3%	1.6%	2.7%	97.3%
	<b>Grade 7</b>	1.6%	1.9%	2.9%	97.1%
	<b>Grade 8</b>	1.2%	1.5%	2.6%	97.4%
	<b>Grade 9</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 10</b>	1.6%	1.8%	2.9%	97.1%
	<b>Grade 11</b>	1.2%	1.9%	2.6%	97.4%
	<b>Grade 12</b>	1.5%	2.0%	3.7%	96.3%
<b>Ecstasy</b>					
	<b>All</b>	3.5%	5.5%	8.8%	91.2%
	<b>Grade 7</b>	2.2%	2.3%	3.9%	96.1%
	<b>Grade 8</b>	1.9%	2.9%	4.7%	95.3%
	<b>Grade 9</b>	3.2%	4.5%	6.8%	93.2%
	<b>Grade 10</b>	3.9%	6.3%	10.2%	89.8%
	<b>Grade 11</b>	3.9%	8.6%	14.5%	85.5%
	<b>Grade 12</b>	5.8%	8.3%	12.9%	87.1%
<b>Heroin</b>					
	<b>All</b>	1.0%	1.6%	2.8%	97.2%
	<b>Grade 7</b>	1.2%	1.5%	2.7%	97.3%
	<b>Grade 8</b>	0.9%	1.2%	2.7%	97.3%
	<b>Grade 9</b>	1.6%	1.9%	2.6%	97.4%
	<b>Grade 10</b>	0.7%	1.5%	2.6%	97.4%
	<b>Grade 11</b>	0.7%	1.5%	2.7%	97.3%
	<b>Grade 12</b>	0.8%	2.1%	3.3%	96.7%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.4%	18.5%	34.2%	65.8%
	Grade 7	6.0%	8.6%	20.5%	79.5%
	Grade 8	7.6%	11.1%	27.3%	72.7%
	Grade 9	13.6%	20.6%	36.0%	64.0%
	Grade 10	16.0%	21.2%	38.4%	61.6%
	Grade 11	20.1%	26.7%	42.9%	57.1%
	Grade 12	26.5%	33.2%	54.3%	45.7%
<b>Alcohol</b>					
	All	30.9%	41.9%	64.4%	35.6%
	Grade 7	20.7%	25.7%	48.6%	51.4%
	Grade 8	24.8%	35.5%	59.7%	40.3%
	Grade 9	32.5%	44.1%	65.5%	34.5%
	Grade 10	34.2%	48.0%	71.5%	28.5%
	Grade 11	38.8%	53.5%	74.2%	25.8%
	Grade 12	43.8%	55.9%	77.2%	22.8%
<b>Inhalants</b>					
	All	3.2%	5.2%	10.7%	89.3%
	Grade 7	4.2%	6.7%	11.4%	88.6%
	Grade 8	3.8%	6.0%	11.8%	88.2%
	Grade 9	3.1%	5.3%	10.5%	89.5%
	Grade 10	2.7%	4.9%	11.3%	88.7%
	Grade 11	2.0%	3.3%	8.1%	91.9%
	Grade 12	2.4%	3.9%	10.1%	89.9%
<b>Any Illicit Drug</b>					
	All	13.7%	18.6%	29.7%	70.3%
	Grade 7	6.9%	8.7%	14.7%	85.3%
	Grade 8	9.3%	12.0%	20.8%	79.2%
	Grade 9	14.8%	20.3%	31.1%	68.9%
	Grade 10	17.3%	24.2%	37.5%	62.5%
	Grade 11	18.7%	26.3%	41.1%	58.9%
	Grade 12	19.6%	27.4%	44.5%	55.5%
<b>Marijuana</b>					
	All	11.9%	17.1%	27.7%	72.3%
	Grade 7	5.9%	7.5%	12.4%	87.6%
	Grade 8	7.6%	10.4%	18.3%	81.7%
	Grade 9	12.7%	18.0%	29.1%	70.9%
	Grade 10	15.4%	22.7%	35.7%	64.3%
	Grade 11	16.5%	24.7%	39.6%	60.4%
	Grade 12	18.1%	26.6%	43.3%	56.7%
<b>Marijuana Only</b>					
	All	5.0%	7.7%	15.1%	84.9%
	Grade 7	2.7%	3.6%	7.2%	92.8%
	Grade 8	3.6%	5.2%	11.1%	88.9%
	Grade 9	5.5%	8.2%	16.0%	84.0%
	Grade 10	6.2%	10.1%	19.4%	80.6%
	Grade 11	7.3%	12.0%	21.9%	78.1%
	Grade 12	5.1%	8.8%	19.1%	80.9%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.5%	4.0%	7.3%	92.7%
	Grade 7	1.3%	1.8%	3.4%	96.6%
	Grade 8	2.1%	2.6%	5.0%	95.0%
	Grade 9	3.2%	4.6%	7.6%	92.4%
	Grade 10	2.7%	4.9%	9.0%	91.0%
	Grade 11	3.2%	5.2%	10.0%	90.0%
	Grade 12	2.7%	6.1%	12.6%	87.4%
<b>Cocaine</b>					
	All	2.4%	3.8%	6.9%	93.1%
	Grade 7	1.2%	1.6%	2.8%	97.2%
	Grade 8	1.9%	2.4%	4.3%	95.7%
	Grade 9	3.0%	4.4%	7.3%	92.7%
	Grade 10	2.6%	4.8%	8.8%	91.2%
	Grade 11	3.1%	5.1%	9.8%	90.2%
	Grade 12	2.8%	6.0%	12.6%	87.4%
<b>Crack</b>					
	All	0.7%	1.0%	2.0%	98.0%
	Grade 7	0.5%	0.9%	1.7%	98.3%
	Grade 8	0.9%	1.1%	2.3%	97.7%
	Grade 9	1.0%	1.3%	2.2%	97.8%
	Grade 10	0.7%	1.2%	2.5%	97.5%
	Grade 11	0.2%	0.5%	1.4%	98.6%
	Grade 12	0.6%	0.7%	1.8%	98.2%
<b>Hallucinogens</b>					
	All	1.7%	2.5%	4.7%	95.3%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.3%	1.5%	2.5%	97.5%
	Grade 9	1.7%	2.4%	4.2%	95.8%
	Grade 10	2.6%	3.9%	7.6%	92.4%
	Grade 11	2.0%	3.2%	6.7%	93.3%
	Grade 12	2.9%	5.4%	9.2%	90.8%
<b>Uppers</b>					
	All	2.2%	3.5%	5.5%	94.5%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	1.3%	1.7%	2.6%	97.4%
	Grade 9	2.2%	3.2%	4.9%	95.1%
	Grade 10	3.4%	5.5%	8.0%	92.0%
	Grade 11	3.4%	5.2%	8.5%	91.5%
	Grade 12	3.6%	7.6%	12.4%	87.6%
<b>Downers</b>					
	All	2.4%	3.9%	6.1%	93.9%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	0.7%	1.3%	2.1%	97.9%
	Grade 9	2.1%	3.3%	4.8%	95.2%
	Grade 10	3.6%	6.2%	9.6%	90.4%
	Grade 11	4.1%	5.8%	9.0%	91.0%
	Grade 12	5.8%	9.8%	15.1%	84.9%



**State : Grades 7-12 Large  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.2%	1.7%	2.9%	97.1%
	<b>Grade 7</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 8</b>	1.5%	1.9%	2.6%	97.4%
	<b>Grade 9</b>	1.6%	2.1%	3.5%	96.5%
	<b>Grade 10</b>	1.3%	1.9%	3.7%	96.3%
	<b>Grade 11</b>	1.0%	1.7%	2.9%	97.1%
	<b>Grade 12</b>	1.4%	1.7%	3.4%	96.6%
<b>Steroids</b>					
	<b>All</b>	0.6%	0.9%	1.8%	98.2%
	<b>Grade 7</b>	0.4%	0.9%	1.6%	98.4%
	<b>Grade 8</b>	0.4%	0.9%	1.8%	98.2%
	<b>Grade 9</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 10</b>	1.1%	1.3%	2.4%	97.6%
	<b>Grade 11</b>	0.4%	0.9%	1.8%	98.2%
	<b>Grade 12</b>	0.4%	0.5%	1.3%	98.7%
<b>Ecstasy</b>					
	<b>All</b>	2.2%	3.3%	5.9%	94.1%
	<b>Grade 7</b>	0.9%	1.1%	1.6%	98.4%
	<b>Grade 8</b>	1.5%	2.0%	2.9%	97.1%
	<b>Grade 9</b>	2.6%	3.9%	6.1%	93.9%
	<b>Grade 10</b>	2.2%	3.6%	7.7%	92.3%
	<b>Grade 11</b>	3.4%	5.0%	8.9%	91.1%
	<b>Grade 12</b>	4.0%	6.4%	13.6%	86.4%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.9%	1.8%	98.2%
	<b>Grade 7</b>	0.8%	1.0%	1.8%	98.2%
	<b>Grade 8</b>	0.5%	0.9%	1.8%	98.2%
	<b>Grade 9</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 10</b>	0.5%	0.9%	2.0%	98.0%
	<b>Grade 11</b>	0.4%	0.7%	1.4%	98.6%
	<b>Grade 12</b>	0.2%	0.7%	2.0%	98.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.7%	17.7%	30.7%	69.3%
	Grade 7	4.2%	6.2%	14.8%	85.2%
	Grade 8	5.8%	9.3%	20.6%	79.4%
	Grade 9	9.5%	14.4%	27.3%	72.7%
	Grade 10	15.5%	21.1%	34.8%	65.2%
	Grade 11	18.6%	25.5%	40.7%	59.3%
	Grade 12	23.5%	31.0%	46.7%	53.3%
<b>Alcohol</b>					
	All	30.2%	41.6%	62.4%	37.6%
	Grade 7	15.1%	20.8%	43.3%	56.7%
	Grade 8	21.3%	30.9%	54.3%	45.7%
	Grade 9	28.4%	40.7%	62.8%	37.2%
	Grade 10	34.2%	47.3%	67.4%	32.6%
	Grade 11	37.6%	52.0%	71.3%	28.7%
	Grade 12	45.2%	58.6%	75.6%	24.4%
<b>Inhalants</b>					
	All	2.5%	4.0%	8.7%	91.3%
	Grade 7	3.7%	5.3%	10.4%	89.6%
	Grade 8	3.4%	5.2%	10.0%	90.0%
	Grade 9	2.3%	3.9%	8.9%	91.1%
	Grade 10	2.1%	3.7%	8.8%	91.2%
	Grade 11	1.4%	2.7%	7.5%	92.5%
	Grade 12	2.0%	2.9%	6.5%	93.5%
<b>Any Illicit Drug</b>					
	All	10.9%	15.8%	25.1%	74.9%
	Grade 7	4.4%	6.3%	10.1%	89.9%
	Grade 8	5.8%	8.6%	15.0%	85.0%
	Grade 9	10.2%	14.5%	22.6%	77.4%
	Grade 10	13.6%	19.2%	29.4%	70.6%
	Grade 11	15.1%	22.4%	35.8%	64.2%
	Grade 12	16.9%	24.4%	38.9%	61.1%
<b>Marijuana</b>					
	All	9.3%	14.0%	23.3%	76.7%
	Grade 7	3.1%	4.7%	8.1%	91.9%
	Grade 8	4.7%	7.3%	13.2%	86.8%
	Grade 9	8.6%	12.6%	20.5%	79.5%
	Grade 10	11.5%	17.1%	27.5%	72.5%
	Grade 11	13.3%	20.5%	33.7%	66.3%
	Grade 12	14.7%	22.5%	37.7%	62.3%
<b>Marijuana Only</b>					
	All	3.5%	6.0%	12.1%	87.9%
	Grade 7	1.3%	2.1%	4.4%	95.6%
	Grade 8	2.2%	3.6%	7.7%	92.3%
	Grade 9	3.6%	5.6%	10.7%	89.3%
	Grade 10	4.1%	6.8%	13.8%	86.2%
	Grade 11	4.5%	8.3%	16.9%	83.1%
	Grade 12	5.4%	9.5%	19.7%	80.3%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.1%	3.5%	6.6%	93.4%
	Grade 7	0.9%	1.6%	2.7%	97.3%
	Grade 8	1.1%	1.9%	3.7%	96.3%
	Grade 9	1.9%	3.0%	5.4%	94.6%
	Grade 10	2.5%	4.1%	7.6%	92.4%
	Grade 11	2.8%	4.5%	9.7%	90.3%
	Grade 12	3.4%	6.0%	11.1%	88.9%
<b>Cocaine</b>					
	All	1.9%	3.3%	6.3%	93.7%
	Grade 7	0.7%	1.3%	2.1%	97.9%
	Grade 8	0.8%	1.5%	3.1%	96.9%
	Grade 9	1.7%	2.7%	5.0%	95.0%
	Grade 10	2.4%	4.0%	7.5%	92.5%
	Grade 11	2.7%	4.4%	9.5%	90.5%
	Grade 12	3.3%	6.0%	11.1%	88.9%
<b>Crack</b>					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.4%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.4%	0.6%	1.6%	98.4%
	Grade 11	0.4%	0.7%	1.4%	98.6%
	Grade 12	0.8%	1.1%	1.9%	98.1%
<b>Hallucinogens</b>					
	All	1.4%	2.4%	4.2%	95.8%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.5%	0.9%	1.9%	98.1%
	Grade 9	1.2%	2.1%	3.6%	96.4%
	Grade 10	2.0%	2.9%	5.1%	94.9%
	Grade 11	2.0%	3.5%	6.5%	93.5%
	Grade 12	2.6%	4.5%	7.4%	92.6%
<b>Uppers</b>					
	All	2.0%	3.2%	5.2%	94.8%
	Grade 7	0.8%	1.0%	1.4%	98.6%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	1.6%	2.6%	4.3%	95.7%
	Grade 10	2.7%	4.2%	6.4%	93.6%
	Grade 11	3.0%	5.1%	8.4%	91.6%
	Grade 12	3.4%	5.8%	9.4%	90.6%
<b>Downers</b>					
	All	2.1%	3.3%	5.3%	94.7%
	Grade 7	0.6%	0.9%	1.3%	98.7%
	Grade 8	0.7%	1.0%	1.7%	98.3%
	Grade 9	1.8%	2.7%	4.4%	95.6%
	Grade 10	2.7%	4.1%	6.3%	93.7%
	Grade 11	3.3%	5.2%	8.5%	91.5%
	Grade 12	3.6%	5.9%	10.0%	90.0%

**State : Grades 7-12 Large  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.8%	1.3%	2.3%	97.7%
	<b>Grade 7</b>	0.5%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	1.1%	1.7%	2.5%	97.5%
	<b>Grade 10</b>	1.3%	2.1%	3.3%	96.7%
	<b>Grade 11</b>	0.7%	1.1%	2.4%	97.6%
	<b>Grade 12</b>	0.8%	1.2%	2.4%	97.6%
<b>Steroids</b>					
	<b>All</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 7</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 9</b>	0.4%	0.5%	1.2%	98.8%
	<b>Grade 10</b>	0.7%	1.0%	1.6%	98.4%
	<b>Grade 11</b>	0.5%	0.9%	1.6%	98.4%
	<b>Grade 12</b>	0.7%	1.2%	1.8%	98.2%
<b>Ecstasy</b>					
	<b>All</b>	1.7%	2.9%	4.8%	95.2%
	<b>Grade 7</b>	0.7%	0.9%	1.3%	98.7%
	<b>Grade 8</b>	0.6%	1.1%	2.1%	97.9%
	<b>Grade 9</b>	1.2%	2.2%	3.7%	96.3%
	<b>Grade 10</b>	2.5%	3.6%	6.1%	93.9%
	<b>Grade 11</b>	2.1%	4.1%	7.4%	92.6%
	<b>Grade 12</b>	3.2%	5.4%	8.7%	91.3%
<b>Heroin</b>					
	<b>All</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 7</b>	0.4%	0.6%	1.1%	98.9%
	<b>Grade 8</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 9</b>	0.4%	0.6%	1.1%	98.9%
	<b>Grade 10</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 11</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 12</b>	0.5%	1.1%	1.8%	98.2%

**State : Grades 7-12 Large  
Spring 2008**

The FREQ Procedure

<b>GENDER</b>		
<b>q1</b>	<b>Frequency</b>	<b>Percent</b>
Female	102E4	51.82
Male	944E3	48.18

Frequency Missing = 7284.6974677

<b>GRADE</b>		
<b>q2</b>	<b>Frequency</b>	<b>Percent</b>
Grade 7	338E3	17.21
Grade 8	332E3	16.87
Grade 9	399E3	20.28
Grade 10	332E3	16.87
Grade 11	292E3	14.87
Grade 12	273E3	13.89

<b>LIVE WITH BOTH PARENTS</b>		
<b>q3</b>	<b>Frequency</b>	<b>Percent</b>
No	738E3	37.78
Yes	122E4	62.22

Frequency Missing = 12224.841839

<b>AGE</b>		
<b>q4</b>	<b>Frequency</b>	<b>Percent</b>
11 or younger	1189	0.06
12	76780	3.92
13	295E3	15.09
14	344E3	17.57
15	372E3	19.01
16	344E3	17.58
17	302E3	15.43
18	2E5	10.22
19 or older	21895	1.12

Frequency Missing = 8794.3547682

<b>ETHNICITY</b>		
<b>q5</b>	<b>Frequency</b>	<b>Percent</b>
African/American	283E3	14.71
Asian/American	22574	1.17
Mexican/American	84E4	43.62
Native/American	5662	0.29
Other	43667	2.27
White	73E4	37.93

Frequency Missing = 41002.770263

<b>ON AVERAGE WHAT GRADES DO YOU GET</b>		
<b>q6</b>	<b>Frequency</b>	<b>Percent</b>
Mostly A's	567E3	29.24
Mostly B's	976E3	50.31
Mostly C's	335E3	17.26
Mostly D's	44880	2.31
Mostly F's	17127	0.88

Frequency Missing = 26881.945173

<b>LENGTH OF TIME IN THIS DISTRICT</b>		
<b>q7</b>	<b>Frequency</b>	<b>Percent</b>
<1 year	205E3	10.55
2-3 years	345E3	17.82
>4 years	139E4	71.62

Frequency Missing = 28607.669089

<b>DO YOU HAVE A JOB</b>		
<b>q8</b>	<b>Frequency</b>	<b>Percent</b>
No	143E4	73.79
Yes	508E3	26.21

Frequency Missing = 29188.93958

<b>DO YOU GET AN ALLOWANCE</b>		
<b>q9</b>	<b>Frequency</b>	<b>Percent</b>
No	121E4	62.98
Yes	713E3	37.02

Frequency Missing = 39499.905574

<b>EITHER PARENT COLLEGE GRADUATE</b>		
<b>q10</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	297E3	15.34
No	742E3	38.27
Yes	9E5	46.39

Frequency Missing = 27492.831499

<b>QUALIFY FOR FREE/REDUCED PRICE LUNCH</b>		
<b>q11</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	3E5	15.50
No	915E3	47.22
Yes	723E3	37.28

Frequency Missing = 28155.275515

<b>PARTICIPATE IN SCHOOL ATHLETICS</b>		
<b>q12a</b>	<b>Frequency</b>	<b>Percent</b>
No	943E3	51.90
Yes	874E3	48.10

Frequency Missing = 150465.89832

<b>PARTICIPATE IN SCHOOL BAND/ORCHESTRA</b>		
<b>q12b</b>	<b>Frequency</b>	<b>Percent</b>
No	136E4	81.58
Yes	306E3	18.42

Frequency Missing = 302932.05769

<b>PARTICIPATE IN SCHOOL CHOIR</b>		
<b>q12c</b>	<b>Frequency</b>	<b>Percent</b>
No	143E4	89.81
Yes	162E3	10.19

Frequency Missing = 377834.57225

<b>PARTICIPATE IN DRAMA/SPEECH/ART CLUBS</b>		
<b>q12d</b>	<b>Frequency</b>	<b>Percent</b>
No	129E4	81.41
Yes	295E3	18.59

Frequency Missing = 381117.16795

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	143E4	91.74
<b>Yes</b>	129E3	8.26

Frequency Missing = 403811.31213

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	152E4	91.00
<b>Yes</b>	15E4	9.00

Frequency Missing = 300674.96565

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	783E3	40.37
<b>Somewhat Safe</b>	909E3	46.87
<b>Not Very Safe</b>	164E3	8.44
<b>Not Safe At All</b>	45431	2.34
<b>Don't Know</b>	38297	1.97

Frequency Missing = 27168.1554

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	15E5	95.72
<b>Yes</b>	67054	4.28

Frequency Missing = 399851.29953

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	132E4	78.52
<b>Yes</b>	362E3	21.48

Frequency Missing = 279579.41519

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	7E5	36.08
<b>Somewhat Safe</b>	93E4	47.96
<b>Not Very Safe</b>	177E3	9.10
<b>Not Safe At All</b>	76306	3.93
<b>Don't Know</b>	56760	2.93

Frequency Missing = 27218.455584

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	151E4	94.99
<b>Yes</b>	79397	5.01

Frequency Missing = 380260.33182

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	11E5	62.81
<b>Yes</b>	653E3	37.19

Frequency Missing = 210512.95756

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	93710	4.84
<b>A Few</b>	51E4	26.31
<b>Some</b>	509E3	26.26
<b>Most</b>	652E3	33.64
<b>All</b>	173E3	8.95

Frequency Missing = 29787.821355

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	138E4	84.38
<b>Yes</b>	255E3	15.62

Frequency Missing = 336593.05488

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	119E4	68.26
<b>Yes</b>	552E3	31.74

Frequency Missing = 227029.51042

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	143E4	86.73
<b>Yes</b>	218E3	13.27

Frequency Missing = 322531.78247

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	154E4	79.16
<b>Somewhat Safe</b>	354E3	18.15
<b>Not Very Safe</b>	24421	1.25
<b>Not Safe At All</b>	8248	0.42
<b>Don't Know</b>	19588	1.01

Frequency Missing = 19353.745378

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	122E4	63.81
<b>A Few</b>	414E3	21.69
<b>Some</b>	18E4	9.43
<b>Most</b>	69999	3.67
<b>All</b>	26750	1.40

Frequency Missing = 59187.469517

**State : Grades 7-12 Large  
Spring 2008**

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c</b>	<b>Frequency</b>	<b>Percent</b>
None	56996	3.04
A Few	271E3	14.44
Some	446E3	23.76
Most	786E3	41.91
All	316E3	16.85

Frequency Missing = 90663.598492

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d</b>	<b>Frequency</b>	<b>Percent</b>
None	127E4	65.93
A Few	347E3	17.97
Some	175E3	9.07
Most	1E5	5.19
All	35562	1.84

Frequency Missing = 37782.536678

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e</b>	<b>Frequency</b>	<b>Percent</b>
None	109E4	56.37
A Few	542E3	28.01
Some	19E4	9.83
Most	72509	3.75
All	39294	2.03

Frequency Missing = 33077.128338

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15</b>	<b>Frequency</b>	<b>Percent</b>
No	102E4	60.96
Yes	654E3	39.04

Frequency Missing = 292627.58028

<b>RECENT CIGARETTE USE</b>		
<b>Q16A</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	135E4	69.89
In Your Lifetime	264E3	13.72
Since School Began	93895	4.87
In the Past Month	222E3	11.52

Frequency Missing = 39960.78111

<b>RECENT SMOKELESS TOBACCO USE</b>		
<b>Q16B</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	173E4	90.37
In Your Lifetime	76861	4.02
Since School Began	35193	1.84
In the Past Month	71840	3.76

Frequency Missing = 56561.30697

<b>RECENT BEER USE</b>		
<b>Q16C</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	988E3	52.27
In Your Lifetime	352E3	18.64
Since School Began	176E3	9.31
In the Past Month	374E3	19.79

Frequency Missing = 76592.900152

<b>RECENT WINE COOLER USE</b>		
<b>Q16D</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	102E4	53.53
In Your Lifetime	341E3	17.89
Since School Began	199E3	10.46
In the Past Month	345E3	18.12

Frequency Missing = 62057.464431

<b>RECENT WINE USE</b>		
<b>Q16E</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	108E4	57.85
In Your Lifetime	383E3	20.52
Since School Began	175E3	9.35
In the Past Month	229E3	12.28

Frequency Missing = 99825.398709

<b>RECENT LIQUOR USE</b>		
<b>Q16F</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	108E4	56.38
In Your Lifetime	277E3	14.51
Since School Began	19E4	9.98
In the Past Month	365E3	19.12

Frequency Missing = 58831.871459

<b>RECENT INHALANT USE</b>		
<b>Q16G</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	174E4	90.74
In Your Lifetime	94530	4.94
Since School Began	31283	1.64
In the Past Month	51340	2.68

Frequency Missing = 53487.773156

<b>RECENT MARIJUANA USE</b>		
<b>Q17A</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	144E4	75.45
In Your Lifetime	184E3	9.66
Since School Began	92893	4.87
In the Past Month	191E3	10.03

Frequency Missing = 60162.528541

<b>RECENT COCAINE USE</b>		
<b>Q17B</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	177E4	93.52
In Your Lifetime	57654	3.05
Since School Began	25869	1.37
In the Past Month	38945	2.06

Frequency Missing = 77053.351668

<b>RECENT CRACK USE</b>		
<b>Q17C</b>	<b>Frequency</b>	<b>Percent</b>
Never Heard/Used	184E4	98.31
In Your Lifetime	15785	0.84
Since School Began	5842	0.31
In the Past Month	9957	0.53

Frequency Missing = 97533.451122

**State : Grades 7-12 Large  
Spring 2008**

<b>RECENT HALLUCINOGEN USE</b>		
	<b>Q17E</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	178E4	95.63
<b>In Your Lifetime</b>	35871	1.93
<b>Since School Began</b>	17351	0.93
<b>In the Past Month</b>	28114	1.51

Frequency Missing = 106770.48425

<b>RECENT UPPER USE</b>		
	<b>Q17F</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	176E4	94.67
<b>In Your Lifetime</b>	37532	2.02
<b>Since School Began</b>	23195	1.25
<b>In the Past Month</b>	38415	2.07

Frequency Missing = 107369.16999

<b>RECENT DOWNER USE</b>		
	<b>Q17G</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	176E4	94.46
<b>In Your Lifetime</b>	38818	2.09
<b>Since School Began</b>	23683	1.27
<b>In the Past Month</b>	40551	2.18

Frequency Missing = 105866.14776

<b>RECENT ROHYPNOL USE</b>		
	<b>Q17H</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	182E4	97.56
<b>In Your Lifetime</b>	19176	1.03
<b>Since School Began</b>	8741	0.47
<b>In the Past Month</b>	17608	0.94

Frequency Missing = 102994.44311

<b>RECENT STEROID USE</b>		
	<b>Q17I</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	183E4	98.47
<b>In Your Lifetime</b>	12886	0.69
<b>Since School Began</b>	5526	0.30
<b>In the Past Month</b>	10089	0.54

Frequency Missing = 107774.85849

<b>RECENT ECSTASY USE</b>		
	<b>Q17J</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	178E4	94.88
<b>In Your Lifetime</b>	40216	2.14
<b>Since School Began</b>	21248	1.13
<b>In the Past Month</b>	34640	1.85

Frequency Missing = 91197.746167

<b>RECENT HEROIN USE</b>		
	<b>Q17K</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	185E4	98.57
<b>In Your Lifetime</b>	12820	0.68
<b>Since School Began</b>	5451	0.29
<b>In the Past Month</b>	8643	0.46

Frequency Missing = 87650.996626

<b>TOBACCO USE IN PAST MONTH</b>		
	<b>q18a</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	163E4	85.59
<b>1-2 times</b>	125E3	6.53
<b>3-10 times</b>	61605	3.23
<b>11+ times</b>	88829	4.65

Frequency Missing = 58157.289867

<b>ALCOHOL USE IN PAST MONTH</b>		
	<b>q18b</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	126E4	65.97
<b>1-2 times</b>	377E3	19.82
<b>3-10 times</b>	197E3	10.34
<b>11+ times</b>	73690	3.87

Frequency Missing = 63518.73131

<b>INHALANT USE IN PAST MONTH</b>		
	<b>q18c</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	182E4	96.31
<b>1-2 times</b>	50034	2.65
<b>3-10 times</b>	13567	0.72
<b>11+ times</b>	5927	0.31

Frequency Missing = 80287.435653

<b>MARIJUANA USE IN PAST MONTH</b>		
	<b>q18d</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	162E4	86.17
<b>1-2 times</b>	123E3	6.52
<b>3-10 times</b>	68765	3.65
<b>11+ times</b>	68949	3.66

Frequency Missing = 83382.150284

<b>COCAINE USE IN PAST MONTH</b>		
	<b>q18e</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	184E4	96.93
<b>1-2 times</b>	37378	1.97
<b>3-10 times</b>	12705	0.67
<b>11+ times</b>	8120	0.43

Frequency Missing = 71160.58231

<b>CRACK USE IN PAST MONTH</b>		
	<b>q18f</b>	<b>Frequency Percent</b>
<b>Never Heard/Used</b>	188E4	99.05
<b>1-2 times</b>	11189	0.59
<b>3-10 times</b>	3594	0.19
<b>11+ times</b>	3206	0.17

Frequency Missing = 63862.704166

<b>CLOSE FRIENDS USE CIGARETTES</b>		
	<b>q19a</b>	<b>Frequency Percent</b>
<b>Never heard/None</b>	838E3	45.27
<b>A few</b>	57E4	30.81
<b>Some</b>	273E3	14.75
<b>Most</b>	142E3	7.67
<b>All</b>	27661	1.50

Frequency Missing = 116393.57595

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
	<b>q19b</b>	<b>Frequency Percent</b>
<b>Never heard/None</b>	129E4	70.35
<b>A few</b>	323E3	17.62
<b>Some</b>	151E3	8.26
<b>Most</b>	55237	3.02
<b>All</b>	13995	0.76

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**State : Grades 7-12 Large  
Spring 2008**

Frequency Missing = 134878.36407

<b>CLOSE FRIENDS USE BEER</b>		
<b>q19c Frequency Percent</b>		
Never heard/None	622E3	34.03
A few	419E3	22.92
Some	332E3	18.15
Most	331E3	18.09
All	125E3	6.81

Frequency Missing = 137462.71726

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>q19d Frequency Percent</b>		
Never heard/None	805E3	44.28
A few	39E4	21.47
Some	306E3	16.83
Most	225E3	12.41
All	91071	5.01

Frequency Missing = 149141.88415

<b>CLOSE FRIENDS USE WINE</b>		
<b>q19e Frequency Percent</b>		
Never heard/None	969E3	53.51
A few	428E3	23.65
Some	235E3	13.00
Most	127E3	6.99
All	51761	2.86

Frequency Missing = 154857.94927

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>q19f Frequency Percent</b>		
Never heard/None	768E3	41.98
A few	36E4	19.70
Some	298E3	16.28
Most	291E3	15.92
All	112E3	6.12

Frequency Missing = 137530.68978

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>q19g Frequency Percent</b>		
Never heard/None	148E4	81.12
A few	223E3	12.19
Some	76931	4.21
Most	32210	1.76
All	13141	0.72

Frequency Missing = 138998.59056

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>q19h Frequency Percent</b>		
Never heard/None	957E3	51.80
A few	354E3	19.15
Some	244E3	13.23
Most	213E3	11.52
All	79476	4.30

Frequency Missing = 118844.57565

<b>DIFFICULT TO GET CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
Never heard of	228E3	12.30
Impossible	317E3	17.15
Very difficult	116E3	6.29
Somewhat diff	175E3	9.43
Somewhat easy	33E4	17.81
Very easy	685E3	37.01

Frequency Missing = 116049.0264

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
Never heard of	425E3	23.22
Impossible	392E3	21.38
Very difficult	15E4	8.17
Somewhat diff	189E3	10.35
Somewhat easy	231E3	12.59
Very easy	445E3	24.29

Frequency Missing = 135542.10987

<b>DIFFICULT TO GET BEER</b>		
<b>q20c Frequency Percent</b>		
Never heard of	195E3	10.70
Impossible	237E3	13.00
Very difficult	103E3	5.66
Somewhat diff	203E3	11.13
Somewhat easy	381E3	20.86
Very easy	705E3	38.65

Frequency Missing = 142252.33435

<b>DIFFICULT TO GET WINE COOLERS</b>		
<b>q20d Frequency Percent</b>		
Never heard of	275E3	15.06
Impossible	263E3	14.37
Very difficult	122E3	6.66
Somewhat diff	218E3	11.91
Somewhat easy	359E3	19.61
Very easy	592E3	32.39

Frequency Missing = 138240.83976

<b>DIFFICULT TO GET WINE</b>		
<b>q20e Frequency Percent</b>		
Never heard of	233E3	12.90
Impossible	278E3	15.36
Very difficult	136E3	7.53
Somewhat diff	232E3	12.83
Somewhat easy	343E3	18.99
Very easy	586E3	32.39

Frequency Missing = 158001.52924

<b>DIFFICULT TO GET LIQUOR</b>		
<b>q20f Frequency Percent</b>		
Never heard of	234E3	12.76
Impossible	322E3	17.57
Very difficult	154E3	8.42
Somewhat diff	209E3	11.42
Somewhat easy	331E3	18.06
Very easy	582E3	31.77

Frequency Missing = 133712.94188

**State : Grades 7-12 Large  
Spring 2008**

<b>DIFFICULT TO GET INHALANTS</b>		
	<b>q20g</b>	<b>Frequency Percent</b>
Never heard of	375E3	20.67
Impossible	327E3	18.05
Very difficult	101E3	5.57
Somewhat diff	123E3	6.79
Somewhat easy	19E4	10.49
Very easy	697E3	38.44

Frequency Missing = 153146.43582

<b>DIFFICULT TO GET MARIJUANA</b>		
	<b>q20h</b>	<b>Frequency Percent</b>
Never heard of	272E3	15.02
Impossible	49E4	27.11
Very difficult	161E3	8.91
Somewhat diff	184E3	10.17
Somewhat easy	242E3	13.39
Very easy	459E3	25.40

Frequency Missing = 158616.45685

<b>DIFFICULT TO GET COCAINE</b>		
	<b>q20i</b>	<b>Frequency Percent</b>
Never heard of	34E4	18.89
Impossible	616E3	34.26
Very difficult	255E3	14.19
Somewhat diff	223E3	12.43
Somewhat easy	158E3	8.80
Very easy	205E3	11.43

Frequency Missing = 169013.08872

<b>DIFFICULT TO GET CRACK</b>		
	<b>q20j</b>	<b>Frequency Percent</b>
Never heard of	374E3	20.85
Impossible	634E3	35.31
Very difficult	277E3	15.42
Somewhat diff	221E3	12.33
Somewhat easy	134E3	7.46
Very easy	155E3	8.64

Frequency Missing = 171264.17903

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
	<b>q20l</b>	<b>Frequency Percent</b>
Never heard of	657E3	36.51
Impossible	487E3	27.02
Very difficult	223E3	12.37
Somewhat diff	176E3	9.77
Somewhat easy	118E3	6.53
Very easy	141E3	7.81

Frequency Missing = 165898.01685

<b>DIFFICULT TO GET UPPERS</b>		
	<b>q20m</b>	<b>Frequency Percent</b>
Never heard of	83E4	46.44
Impossible	378E3	21.13
Very difficult	158E3	8.84
Somewhat diff	14E4	7.84
Somewhat easy	118E3	6.58
Very easy	164E3	9.17

Frequency Missing = 180157.95354

<b>DIFFICULT TO GET DOWNERS</b>		
	<b>q20n</b>	<b>Frequency Percent</b>
Never heard of	831E3	46.45
Impossible	376E3	21.00
Very difficult	158E3	8.82
Somewhat diff	14E4	7.84
Somewhat easy	117E3	6.53
Very easy	168E3	9.36

Frequency Missing = 177221.36675

<b>DIFFICULT TO GET ROHYPNOL</b>		
	<b>q20o</b>	<b>Frequency Percent</b>
Never heard of	874E3	48.94
Impossible	399E3	22.33
Very difficult	173E3	9.68
Somewhat diff	132E3	7.36
Somewhat easy	86432	4.84
Very easy	122E3	6.84

Frequency Missing = 179836.89242

<b>DIFFICULT TO GET STEROIDS</b>		
	<b>q20p</b>	<b>Frequency Percent</b>
Never heard of	423E3	23.68
Impossible	651E3	36.41
Very difficult	262E3	14.64
Somewhat diff	188E3	10.54
Somewhat easy	124E3	6.92
Very easy	139E3	7.80

Frequency Missing = 179455.63412

<b>DIFFICULT TO GET ECSTASY</b>		
	<b>q20q</b>	<b>Frequency Percent</b>
Never heard of	569E3	31.76
Impossible	514E3	28.72
Very difficult	212E3	11.84
Somewhat diff	167E3	9.30
Somewhat easy	137E3	7.63
Very easy	192E3	10.74

Frequency Missing = 175680.39704

<b>DIFFICULT TO GET HEROIN</b>		
	<b>q20r</b>	<b>Frequency Percent</b>
Never heard of	507E3	28.28
Impossible	649E3	36.22
Very difficult	258E3	14.38
Somewhat diff	161E3	8.98
Somewhat easy	92495	5.16
Very easy	125E3	6.96

Frequency Missing = 175518.78742

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>q21a</b>	<b>Frequency Percent</b>
9 or younger	80260	13.65
10 years old	46857	7.97
11 years old	45502	7.74
12 years old	72054	12.25
13 years old	86107	14.64
14 years old	82558	14.04
15 years old	80338	13.66
16 years old	54688	9.30
17 years old	28718	4.88
18 or older	11103	1.89

Frequency Missing = 1378354.4278

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q21b Frequency	Percent
9 or younger	13574	7.91
10 years old	9202	5.36
11 years old	11488	6.69
12 years old	15646	9.11
13 years old	23900	13.92
14 years old	25903	15.09
15 years old	29268	17.05
16 years old	24540	14.29
17 years old	13496	7.86
18 or older	4666	2.72

Frequency Missing = 1794857.83

AGE WHEN FIRST USED BEER		
	q21c Frequency	Percent
9 or younger	185E3	19.42
10 years old	69574	7.31
11 years old	67985	7.15
12 years old	113E3	11.89
13 years old	138E3	14.50
14 years old	132E3	13.88
15 years old	126E3	13.20
16 years old	78612	8.26
17 years old	31510	3.31
18 or older	10220	1.07

Frequency Missing = 1015373.622

AGE WHEN FIRST USED WINE COOLERS		
	q21d Frequency	Percent
9 or younger	93332	10.95
10 years old	58002	6.80
11 years old	68021	7.98
12 years old	115E3	13.51
13 years old	142E3	16.68
14 years old	135E3	15.84
15 years old	128E3	14.98
16 years old	74768	8.77
17 years old	30314	3.56
18 or older	7950	0.93

Frequency Missing = 1114054.2342

AGE WHEN FIRST USED WINE		
	q21e Frequency	Percent
9 or younger	99495	12.33
10 years old	62957	7.80
11 years old	70973	8.80
12 years old	11E4	13.67
13 years old	131E3	16.26
14 years old	117E3	14.53
15 years old	112E3	13.94
16 years old	66158	8.20
17 years old	26776	3.32
18 or older	9136	1.13

Frequency Missing = 1159821.7884

AGE WHEN FIRST USED LIQUOR		
	q21f Frequency	Percent
9 or younger	47797	5.85
10 years old	31303	3.83
11 years old	45697	5.59
12 years old	88918	10.88
13 years old	136E3	16.58
14 years old	151E3	18.51
15 years old	157E3	19.16
16 years old	99454	12.17
17 years old	47527	5.82
18 or older	13205	1.62

Frequency Missing = 1149255.6774

AGE WHEN FIRST USED INHALANTS		
	q21g Frequency	Percent
9 or younger	22112	15.40
10 years old	13794	9.60
11 years old	15249	10.62
12 years old	23682	16.49
13 years old	24806	17.27
14 years old	19865	13.83
15 years old	13768	9.59
16 years old	7155	4.98
17 years old	2494	1.74
18 or older	704	0.49

Frequency Missing = 1822908.4867

AGE WHEN FIRST USED MARIJUANA		
	q21h Frequency	Percent
9 or younger	23468	5.28
10 years old	19232	4.32
11 years old	27678	6.22
12 years old	51895	11.67
13 years old	76560	17.22
14 years old	81916	18.42
15 years old	78333	17.61
16 years old	52007	11.69
17 years old	26818	6.03
18 or older	6799	1.53

Frequency Missing = 1521835.0933

AGE WHEN FIRST USED COCAINE		
	q21i Frequency	Percent
9 or younger	1609	1.40
10 years old	2141	1.86
11 years old	4128	3.59
12 years old	8109	7.04
13 years old	16771	14.57
14 years old	19738	17.14
15 years old	27123	23.56
16 years old	22444	19.49
17 years old	10584	9.19
18 or older	2497	2.17

Frequency Missing = 1851394.3161

AGE WHEN FIRST USED CRACK		
	q21j Frequency	Percent
9 or younger	1617	5.75
10 years old	930	3.31
11 years old	1999	7.10
12 years old	3647	12.96
13 years old	5838	20.75
14 years old	4642	16.50
15 years old	4094	14.55
16 years old	3016	10.72
17 years old	1782	6.33
18 or older	569	2.02

Frequency Missing = 1938405.839

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
9 or younger	1793	2.56
10 years old	1272	1.82
11 years old	2601	3.72
12 years old	4769	6.81
13 years old	9221	13.18
14 years old	11127	15.90
15 years old	14597	20.86
16 years old	13838	19.77
17 years old	8762	12.52
18 or older	1996	2.85

Frequency Missing = 1896562.0891

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
9 or younger	1986	5.24
10 years old	1229	3.24
11 years old	2760	7.29
12 years old	4766	12.58
13 years old	6370	16.82
14 years old	7562	19.96
15 years old	6770	17.87
16 years old	4168	11.00
17 years old	1787	4.72
18 or older	484	1.28

Frequency Missing = 1928656.9539

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	2009	8.89
10 years old	1016	4.50
11 years old	1620	7.17
12 years old	2374	10.50
13 years old	3535	15.64
14 years old	3771	16.68
15 years old	3489	15.44
16 years old	2229	9.86
17 years old	1876	8.30
18 or older	685	3.03

Frequency Missing = 1943936.1126

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	3018	3.09
10 years old	2470	2.53
11 years old	4028	4.13
12 years old	7210	7.38
13 years old	13262	13.58
14 years old	18787	19.24
15 years old	23034	23.59
16 years old	17633	18.06
17 years old	6544	6.70
18 or older	1651	1.69

Frequency Missing = 1868902.8816

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	3567	14.99
10 years old	1366	5.74
11 years old	912	3.83
12 years old	2555	10.74
13 years old	2982	12.53
14 years old	3693	15.52
15 years old	3010	12.65
16 years old	2943	12.37
17 years old	2171	9.12
18 or older	599	2.52

Frequency Missing = 1942742.3533

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	52611	2.85
Several times/wk	45291	2.45
Several times/mo	65644	3.56
About once/month	97554	5.28
About once/year	84508	4.58
< once/year	157E3	8.48
Never used	134E4	72.80

Frequency Missing = 120226.42694

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
9 or younger	2367	2.38
10 years old	2330	2.34
11 years old	4704	4.73
12 years old	6906	6.94
13 years old	12921	12.99
14 years old	19560	19.67
15 years old	24704	24.84
16 years old	18158	18.26
17 years old	6213	6.25
18 or older	1592	1.60

Frequency Missing = 1867084.4114

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
9 or younger	1509	1.69
10 years old	1029	1.15
11 years old	2327	2.61
12 years old	3976	4.46
13 years old	10227	11.48
14 years old	13815	15.51
15 years old	20846	23.40
16 years old	19675	22.09
17 years old	12126	13.61
18 or older	3542	3.98

Frequency Missing = 1877467.7421

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Every day	17330	0.95
Several times/wk	12932	0.71
Several times/mo	15919	0.87
About once/month	28200	1.54
About once/year	29054	1.59
< once/year	55377	3.03
Never used	167E4	91.32

Frequency Missing = 136375.15584

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

<b>HOW OFTEN NORMALLY USE BEER</b>		
<b>q22c Frequency Percent</b>		
Every day	5633	0.31
Several times/wk	62861	3.43
Several times/mo	179E3	9.78
About once/month	221E3	12.04
About once/year	185E3	10.06
< once/year	184E3	10.02
Never used	998E3	54.38

Frequency Missing = 131839.93384

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
<b>q22d Frequency Percent</b>		
Every day	4217	0.23
Several times/wk	43497	2.37
Several times/mo	144E3	7.84
About once/month	213E3	11.60
About once/year	211E3	11.52
< once/year	166E3	9.03
Never used	105E4	57.41

Frequency Missing = 132040.25489

<b>HOW OFTEN NORMALLY USE WINE</b>		
<b>q22e Frequency Percent</b>		
Every day	1690	0.09
Several times/wk	28560	1.57
Several times/mo	95576	5.25
About once/month	157E3	8.62
About once/year	237E3	13.00
< once/year	208E3	11.44
Never used	109E4	60.02

Frequency Missing = 147513.9741

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
<b>q22f Frequency Percent</b>		
Every day	3942	0.21
Several times/wk	49066	2.66
Several times/mo	173E3	9.41
About once/month	213E3	11.57
About once/year	187E3	10.15
< once/year	137E3	7.45
Never used	108E4	58.55

Frequency Missing = 124143.51644

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
<b>q22g Frequency Percent</b>		
Every day	3451	0.19
Several times/wk	8859	0.50
Several times/mo	14628	0.82
About once/month	22445	1.26
About once/year	24519	1.37
< once/year	45847	2.57
Never used	167E4	93.29

Frequency Missing = 181318.64481

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
<b>q22h Frequency Percent</b>		
Every day	40432	2.27
Several times/wk	47641	2.67
Several times/mo	67103	3.76
About once/month	74934	4.20
About once/year	68152	3.82
< once/year	93838	5.26
Never used	139E4	78.03

Frequency Missing = 181625.42046

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
<b>q22i Frequency Percent</b>		
Every day	2176	0.12
Several times/wk	7806	0.44
Several times/mo	15714	0.88
About once/month	18891	1.06
About once/year	21125	1.19
< once/year	33176	1.86
Never used	168E4	94.45

Frequency Missing = 185899.71612

<b>HOW OFTEN NORMALLY USE CRACK</b>		
<b>q22j Frequency Percent</b>		
Every day	1408	0.08
Several times/wk	2239	0.13
Several times/mo	2678	0.15
About once/month	5060	0.28
About once/year	5635	0.31
< once/year	8882	0.50
Never used	176E4	98.55

Frequency Missing = 176231.89007

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
<b>q22l Frequency Percent</b>		
Every day	1233	0.07
Several times/wk	2267	0.13
Several times/mo	5987	0.34
About once/month	14272	0.80
About once/year	19946	1.12
< once/year	20558	1.16
Never used	171E4	96.38

Frequency Missing = 193155.54709

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
<b>q22m Frequency Percent</b>		
Every day	3089	0.17
Several times/wk	6276	0.35
Several times/mo	14447	0.82
About once/month	20607	1.16
About once/year	20642	1.17
< once/year	23889	1.35
Never used	168E4	94.98

Frequency Missing = 195696.20258

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
<b>q22n Frequency Percent</b>		
Every day	2256	0.13
Several times/wk	7922	0.44
Several times/mo	15282	0.86
About once/month	21737	1.22
About once/year	20475	1.15
< once/year	24185	1.35
Never used	169E4	94.86

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

Frequency Missing = 180529.71511

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
	<b>q22o Frequency</b>	<b>Percent</b>
Every day	911	0.05
Several times/wk	4055	0.23
Several times/mo	4597	0.26
About once/month	7866	0.44
About once/year	8055	0.45
< once/year	9658	0.54
Never used	174E4	98.02

Frequency Missing = 187397.78997

<b>HOW OFTEN NORMALLY USE STEROIDS</b>		
	<b>q22p Frequency</b>	<b>Percent</b>
Every day	3042	0.17
Several times/wk	1962	0.11
Several times/mo	2092	0.12
About once/month	3132	0.17
About once/year	3810	0.21
< once/year	8063	0.45
Never used	177E4	98.77

Frequency Missing = 176732.97652

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
	<b>q22q Frequency</b>	<b>Percent</b>
Every day	1270	0.07
Several times/wk	3739	0.21
Several times/mo	11265	0.62
About once/month	18346	1.02
About once/year	23332	1.29
< once/year	26264	1.45
Never used	172E4	95.34

Frequency Missing = 160647.01677

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
	<b>q22r Frequency</b>	<b>Percent</b>
Every day	1329	0.07
Several times/wk	1553	0.09
Several times/mo	1969	0.11
About once/month	3976	0.22
About once/year	4570	0.25
< once/year	8196	0.45
Never used	18E5	98.81

Frequency Missing = 149655.88541

<b>AMOUNT OF BEER AT ONE TIME</b>		
	<b>q23a Frequency</b>	<b>Percent</b>
Never drink this	102E4	55.65
12+ drinks	60639	3.32
9-11 drinks	47394	2.59
5-8 drinks	112E3	6.12
3-4 drinks	161E3	8.78
2 drinks	129E3	7.07
1 drink	138E3	7.52
< 1 drink	164E3	8.95

Frequency Missing = 137860.97405

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
	<b>q23b Frequency</b>	<b>Percent</b>
Never drink this	105E4	57.67
12+ drinks	22874	1.26
9-11 drinks	11493	0.63
5-8 drinks	33192	1.82
3-4 drinks	73107	4.02
2 drinks	115E3	6.32
1 drink	219E3	12.02
< 1 drink	296E3	16.26

Frequency Missing = 145891.04244

<b>AMOUNT OF WINE AT ONE TIME</b>		
	<b>q23c Frequency</b>	<b>Percent</b>
Never drink this	992E3	54.27
12+ drinks	46860	2.56
9-11 drinks	34604	1.89
5-8 drinks	93979	5.14
3-4 drinks	157E3	8.58
2 drinks	159E3	8.72
1 drink	178E3	9.72
< 1 drink	167E3	9.11

Frequency Missing = 138265.36118

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
	<b>q23d Frequency</b>	<b>Percent</b>
Never drink this	949E3	51.58
12+ drinks	75193	4.09
9-11 drinks	51530	2.80
5-8 drinks	113E3	6.17
3-4 drinks	139E3	7.57
2 drinks	124E3	6.75
1 drink	149E3	8.11
< 1 drink	238E3	12.94

Frequency Missing = 126554.70924

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
	<b>q24 Frequency</b>	<b>Percent</b>
Never 5+ at time	832E3	44.49
None	652E3	34.88
1 day	12E4	6.42
2 days	87910	4.70
3 to 5 days	92401	4.94
6 to 9 days	41382	2.21
10 or more days	43990	2.35

Frequency Missing = 96577.695333

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
	<b>q25a Frequency</b>	<b>Percent</b>
Do not Drink	841E3	45.60
Never	461E3	25.01
Seldom	378E3	20.53
Most of the Time	113E3	6.13
Always	50347	2.73

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

Frequency Missing = 123233.00126

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
	<b>q25b</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	785E3	42.85
<b>Never</b>	328E3	17.90
<b>Seldom</b>	278E3	15.20
<b>Most of the Time</b>	306E3	16.73
<b>Always</b>	134E3	7.32

Frequency Missing = 134788.87209

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
	<b>q25c</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	811E3	44.57
<b>Never</b>	737E3	40.53
<b>Seldom</b>	141E3	7.75
<b>Most of the Time</b>	84069	4.62
<b>Always</b>	45918	2.52

Frequency Missing = 147593.32426

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
	<b>q25d</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	757E3	41.34
<b>Never</b>	295E3	16.12
<b>Seldom</b>	239E3	13.04
<b>Most of the Time</b>	275E3	14.99
<b>Always</b>	266E3	14.50

Frequency Missing = 135129.30324

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
	<b>q25e</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	814E3	44.66
<b>Never</b>	461E3	25.28
<b>Seldom</b>	249E3	13.68
<b>Most of the Time</b>	158E3	8.66
<b>Always</b>	141E3	7.72

Frequency Missing = 143829.34792

<b>USE MARIJUANA AS JOINTS</b>		
	<b>q26a</b>	<b>Frequency Percent</b>
<b>Never</b>	15E5	81.32
<b>Seldom</b>	137E3	7.43
<b>Half the time</b>	75732	4.12
<b>Most of the time</b>	70896	3.86
<b>Always</b>	45598	2.48
<b>Don't know</b>	14634	0.80

Frequency Missing = 127930.12082

<b>USE MARIJUANA AS BLUNTS</b>		
	<b>q26b</b>	<b>Frequency Percent</b>
<b>Never</b>	149E4	81.23
<b>Seldom</b>	113E3	6.19
<b>Half the time</b>	66704	3.64
<b>Most of the time</b>	76627	4.18
<b>Always</b>	71995	3.93
<b>Don't know</b>	15037	0.82

Frequency Missing = 135392.461

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
	<b>q26c</b>	<b>Frequency Percent</b>
<b>Never</b>	158E4	86.99
<b>Seldom</b>	98468	5.41
<b>Half the time</b>	46877	2.58
<b>Most of the time</b>	45738	2.51
<b>Always</b>	34111	1.88
<b>Don't know</b>	11459	0.63

Frequency Missing = 147270.20863

<b>USE MARIJUANA IN PIPES</b>		
	<b>q26d</b>	<b>Frequency Percent</b>
<b>Never</b>	156E4	85.96
<b>Seldom</b>	92174	5.08
<b>Half the time</b>	50548	2.79
<b>Most of the time</b>	58381	3.22
<b>Always</b>	42205	2.33
<b>Don't know</b>	11255	0.62

Frequency Missing = 153219.20162

<b>USE MARIJUANA OTHER WAYS</b>		
	<b>q26e</b>	<b>Frequency Percent</b>
<b>Never</b>	162E4	89.31
<b>Seldom</b>	86670	4.78
<b>Half the time</b>	24981	1.38
<b>Most of the time</b>	23692	1.31
<b>Always</b>	29240	1.61
<b>Don't know</b>	29178	1.61

Frequency Missing = 153200.62598

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
	<b>q27</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	178E4	96.54
<b>At least once/month</b>	15695	0.85
<b>At least once/year</b>	13076	0.71
<b>At least once/life</b>	35263	1.91

Frequency Missing = 118453.46407

<b>RECENT PRESCRIPTION DRUG USE - CODEINE</b>		
	<b>Q28A</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	155E4	87.31
<b>At least once/month</b>	84901	4.78
<b>At least once/year</b>	67859	3.82
<b>At least once/life</b>	72449	4.08

Frequency Missing = 192207.13391

<b>RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC</b>		
	<b>Q28B</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	169E4	96.52
<b>At least once/month</b>	16435	0.94
<b>At least once/year</b>	20054	1.15
<b>At least once/life</b>	24292	1.39

Frequency Missing = 219184.82923

<b>RECENT PRESCRIPTION DRUG USE - VICODIN ETC</b>		
	<b>Q28C</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	163E4	93.74
<b>At least once/month</b>	38851	2.23
<b>At least once/year</b>	35059	2.01
<b>At least once/life</b>	35034	2.01

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

Frequency Missing = 225407.54014

<b>RECENT PRESCRIPTION DRUG USE - VALIUM ETC</b>		
<b>Q28D Frequency Percent</b>		
Never heard/used	17E5	96.96
At least once/month	15999	0.91
At least once/year	17673	1.01
At least once/life	19728	1.12

Frequency Missing = 211334.48317

<b>RECENT PRESCRIPTION DRUG USE - XANAX ETC</b>		
<b>Q28E Frequency Percent</b>		
Never heard/used	168E4	94.77
At least once/month	31492	1.78
At least once/year	28980	1.63
At least once/life	32242	1.82

Frequency Missing = 192508.86196

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q29 Frequency Percent</b>		
Never heard/used	167E4	93.21
At least once/month	41465	2.32
At least once/year	30482	1.70
At least once/life	49545	2.77

Frequency Missing = 177599.18996

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a Frequency Percent</b>		
Very	84E4	49.75
Somewhat	459E3	27.20
Not very	234E3	13.87
Not at all	71529	4.24
Don't know	83526	4.95

Frequency Missing = 278366.95701

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b Frequency Percent</b>		
Very	736E3	44.13
Somewhat	54E4	32.37
Not very	264E3	15.85
Not at all	67101	4.02
Don't know	60491	3.63

Frequency Missing = 298840.47851

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c Frequency Percent</b>		
Very	116E4	71.78
Somewhat	259E3	16.09
Not very	78444	4.87
Not at all	29380	1.83
Don't know	87284	5.42

Frequency Missing = 357268.01265

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d Frequency Percent</b>		
Very	959E3	59.57
Somewhat	263E3	16.36
Not very	18E4	11.17
Not at all	147E3	9.11
Don't know	61007	3.79

Frequency Missing = 356503.67438

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e Frequency Percent</b>		
Very	13E5	82.34
Somewhat	157E3	9.96
Not very	30939	1.96
Not at all	16979	1.08
Don't know	73337	4.65

Frequency Missing = 390956.216

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f Frequency Percent</b>		
Very	135E4	84.57
Somewhat	132E3	8.24
Not very	20124	1.26
Not at all	15246	0.96
Don't know	79452	4.98

Frequency Missing = 370282.876

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g Frequency Percent</b>		
Very	128E4	79.14
Somewhat	159E3	9.81
Not very	44453	2.75
Not at all	23365	1.44
Don't know	111E3	6.85

Frequency Missing = 347355.56822

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h Frequency Percent</b>		
Very	123E4	74.05
Somewhat	234E3	14.08
Not very	72062	4.34
Not at all	26659	1.60
Don't know	98470	5.93

Frequency Missing = 305118.37148

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i Frequency Percent</b>		
Very	146E4	86.51
Somewhat	96402	5.72
Not very	17022	1.01
Not at all	14675	0.87
Don't know	99363	5.89

Frequency Missing = 280493.79968



**State : Grades 7-12 Large  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q30j Frequency Percent</b>		
<b>Very</b>	146E4	84.05
<b>Somewhat</b>	101E3	5.82
<b>Not very</b>	17133	0.99
<b>Not at all</b>	15628	0.90
<b>Don't know</b>	143E3	8.24

Frequency Missing = 232872.16678

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d Frequency Percent</b>		
<b>None</b>	142E4	79.01
<b>1-3 days</b>	266E3	14.83
<b>4-9 days</b>	62412	3.48
<b>10+ days</b>	48022	2.68

Frequency Missing = 175492.17808

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a Frequency Percent</b>		
<b>None</b>	163E4	92.80
<b>1-3 times</b>	107E3	6.14
<b>4-9 times</b>	12149	0.69
<b>10+ times</b>	6417	0.37

Frequency Missing = 214957.29951

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a Frequency Percent</b>		
<b>None</b>	129E4	71.65
<b>1-3 days</b>	355E3	19.72
<b>4-9 days</b>	93649	5.20
<b>10+ days</b>	61730	3.43

Frequency Missing = 166728.31813

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e Frequency Percent</b>		
<b>None</b>	148E4	83.60
<b>1-3 days</b>	218E3	12.35
<b>4-9 days</b>	42179	2.39
<b>10+ days</b>	29354	1.66

Frequency Missing = 199586.26943

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q32b Frequency Percent</b>		
<b>None</b>	16E5	91.94
<b>1-3 times</b>	106E3	6.11
<b>4-9 times</b>	18167	1.04
<b>10+ times</b>	15812	0.91

Frequency Missing = 226908.31963

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b Frequency Percent</b>		
<b>None</b>	468E3	26.14
<b>1-3 days</b>	919E3	51.33
<b>4-9 days</b>	319E3	17.83
<b>10+ days</b>	84188	4.70

Frequency Missing = 176511.74131

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f Frequency Percent</b>		
<b>None</b>	174E4	98.72
<b>1-3 days</b>	14348	0.81
<b>4-9 days</b>	3521	0.20
<b>10+ days</b>	4767	0.27

Frequency Missing = 200423.58297

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q32c Frequency Percent</b>		
<b>None</b>	16E5	92.54
<b>1-3 times</b>	106E3	6.15
<b>4-9 times</b>	13971	0.81
<b>10+ times</b>	8666	0.50

Frequency Missing = 237100.55435

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c Frequency Percent</b>		
<b>None</b>	659E3	37.02
<b>1-3 days</b>	918E3	51.57
<b>4-9 days</b>	153E3	8.59
<b>10+ days</b>	50249	2.82

Frequency Missing = 186287.28342

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g Frequency Percent</b>		
<b>None</b>	175E4	98.48
<b>1-3 days</b>	17594	0.99
<b>4-9 days</b>	3818	0.21
<b>10+ days</b>	5678	0.32

Frequency Missing = 186690.79527

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q32d Frequency Percent</b>		
<b>None</b>	166E4	96.56
<b>1-3 times</b>	48544	2.82
<b>4-9 times</b>	6030	0.35
<b>10+ times</b>	4678	0.27

Frequency Missing = 246190.65342

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q32e Frequency Percent</b>		
<b>None</b>	159E4	94.23
<b>1-3 times</b>	77379	4.59
<b>4-9 times</b>	12289	0.73
<b>10+ times</b>	7603	0.45

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2008**

Frequency Missing = 279528.24753

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q32f Frequency Percent</b>		
None	157E4	93.38
1-3 times	69237	4.12
4-9 times	18377	1.09
10+ times	23723	1.41

Frequency Missing = 284289.08312

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q32g Frequency Percent</b>		
None	158E4	93.91
1-3 times	80188	4.77
4-9 times	12426	0.74
10+ times	9844	0.59

Frequency Missing = 284601.74126

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q32h Frequency Percent</b>		
None	167E4	97.52
1-3 times	32248	1.88
4-9 times	5026	0.29
10+ times	5115	0.30

Frequency Missing = 254660.56945

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q33a Frequency Percent</b>		
None	164E4	91.90
1-3 days	108E3	6.05
4-9 days	18079	1.02
10+ days	18472	1.04

Frequency Missing = 186700.20282

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q33b Frequency Percent</b>		
None	162E4	90.87
1-3 days	91145	5.12
4-9 days	26390	1.48
10+ days	44873	2.52

Frequency Missing = 187649.42462

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q33c Frequency Percent</b>		
None	174E4	97.71
1-3 days	26541	1.49
4-9 days	6534	0.37
10+ days	7523	0.42

Frequency Missing = 190398.05766

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q33d Frequency Percent</b>		
None	168E4	94.25
1-3 days	63903	3.58
4-9 days	18231	1.02
10+ days	20599	1.15

Frequency Missing = 181084.23703

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34a Frequency Percent</b>		
Never	762E3	42.30
Seldom	188E3	10.46
Half the time	132E3	7.31
Most of the time	22E4	12.20
Always	284E3	15.80
Don't know	34520	1.92
Didn't attend	18E4	10.01

Frequency Missing = 166260.73417

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34b Frequency Percent</b>		
Never	989E3	54.86
Seldom	191E3	10.60
Half the time	13E4	7.18
Most of the time	127E3	7.05
Always	133E3	7.37
Don't know	51640	2.86
Didn't attend	181E3	10.07

Frequency Missing = 163848.14992

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q35 Frequency Percent</b>		
No	153E4	92.47
Yes	125E3	7.53

Frequency Missing = 309357.55008

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q36a Frequency Percent</b>		
No	119E4	67.55
Yes	569E3	32.45

Frequency Missing = 212116.96354

<b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b>		
<b>q36b Frequency Percent</b>		
No	118E4	67.68
Yes	563E3	32.32

Frequency Missing = 226031.10718

<b>WOULD SEEK HELP FROM OTHER COUNSELOR</b>		
<b>q36c Frequency Percent</b>		
No	107E4	62.12
Yes	653E3	37.88

Frequency Missing = 243479.46635

**State : Grades 7-12 Large  
Spring 2008**

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q36d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	678E3	39.09
<b>Yes</b>	106E4	60.91

Frequency Missing = 232186.74216

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q37a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	804E3	51.48
<b>Yes</b>	757E3	48.52

Frequency Missing = 405526.82043

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q37f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	13E5	84.65
<b>Yes</b>	235E3	15.35

Frequency Missing = 433421.53711

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q36e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	971E3	56.36
<b>Yes</b>	752E3	43.64

Frequency Missing = 243248.08514

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q37b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	815E3	53.05
<b>Yes</b>	721E3	46.95

Frequency Missing = 430738.89727

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q37g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	103E4	67.37
<b>Yes</b>	501E3	32.63

Frequency Missing = 430417.45799

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q36f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	489E3	28.15
<b>Yes</b>	125E4	71.85

Frequency Missing = 229953.05225

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q37c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	115E4	75.71
<b>Yes</b>	368E3	24.29

Frequency Missing = 450594.49476

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q37h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	105E4	67.36
<b>Yes</b>	508E3	32.64

Frequency Missing = 411310.65506

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q36g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	672E3	38.51
<b>Yes</b>	107E4	61.49

Frequency Missing = 222116.642

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q37d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	103E4	67.93
<b>Yes</b>	488E3	32.07

Frequency Missing = 446393.42579

<b>DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	127E4	74.15
<b>Yes</b>	444E3	25.85

Frequency Missing = 249817.47873

<b>WOULD NOT SEEK HELP</b>		
<b>q36h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	147E4	85.36
<b>Yes</b>	252E3	14.64

Frequency Missing = 242440.58906

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q37e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	13E5	85.88
<b>Yes</b>	214E3	14.12

Frequency Missing = 448667.42422

<b>DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PAMPHLETS</b>		
<b>q38b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>		927E3
<b>Yes</b>		783E3

**State : Grades 7-12 Large  
Spring 2008**

Frequency Missing = 212021.61207

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
No	54.21
Yes	45.79

Frequency Missing = 256824.80027

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
No	824E3	48.16
Yes	887E3	51.84

Frequency Missing = 255754.15419

<b>DRUG/ALCOHOL INFO--PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
No	883E3	51.25
Yes	84E4	48.75

Frequency Missing = 243490.8288

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	132E4	75.15
Mild disapprove	148E3	8.42
Neither	117E3	6.65
Mildly approve	21014	1.19
Strongly approve	18077	1.03
Don't know	133E3	7.56

Frequency Missing = 206459.49811

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	111E4	63.34
Mild disapprove	261E3	14.89
Neither	175E3	9.99
Mildly approve	59077	3.37
Strongly approve	23407	1.33
Don't know	124E3	7.09

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	143E4	81.67
Mild disapprove	84812	4.83
Neither	72868	4.15
Mildly approve	18592	1.06
Strongly approve	24036	1.37
Don't know	122E3	6.93

Frequency Missing = 210071.20425

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
No	152E4	85.69
Yes	254E3	14.31

Frequency Missing = 194386.20915

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41</b>	<b>Frequency</b>	<b>Percent</b>
No	153E4	86.76
Yes	233E3	13.24

Frequency Missing = 203970.93761