

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
AA					
Any tobacco product	All	11.2%	6.8%	4.5%	88.8%
	Grade 4	5.9%	3.4%	2.6%	94.1%
	Grade 5	9.6%	5.6%	3.9%	90.4%
	Grade 6	18.7%	11.5%	7.1%	81.3%
AA					
Cigarettes	All	10.7%	6.4%	4.3%	89.3%
	Grade 4	5.5%	3.2%	2.3%	94.5%
	Grade 5	9.1%	5.4%	3.7%	90.9%
	Grade 6	17.9%	11.1%	6.8%	82.1%
AA					
Smokeless tobacco	All	1.5%	0.8%	0.7%	98.5%
	Grade 4	0.9%	0.5%	0.4%	99.1%
	Grade 5	1.2%	0.7%	0.5%	98.8%
	Grade 6	2.6%	1.3%	1.2%	97.4%

AA

Table T-2: Average number of times selected tobacco products were used by those who reported use of ...

Any tobacco product

	School Year	Li feti me
All	3.2	3.2
Grade 4	2.6	2.6
Grade 5	2.9	2.8
Grade 6	3.6	3.7

Cigarettes

	School Year	Li feti me
All	3.0	3.0
Grade 4	2.5	2.5
Grade 5	2.6	2.7
Grade 6	3.4	3.4

Smokeless tobacco

	School Year	Li feti me
--	----------------	------------

00Border456. OUT

All	2.9	3.0
Grade 4	2.3	2.6
Grade 5	3.3	2.9
Grade 6	2.9	3.1

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Tobacco	8.3	9.0	9.9

AA

Table T-4: Average age of first use of tobacco by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	90.2%	1.9%	1.4%	1.5%	2.3%	1.9%	0.8%
Grade 4	94.6%	1.7%	1.5%	1.4%	0.7%	0.1%	0.0%
Grade 5	91.6%	2.0%	1.2%	1.5%	2.5%	1.1%	0.1%
Grade 6	84.0%	2.2%	1.4%	1.6%	3.7%	4.7%	2.4%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	83.3%	3.2%	2.8%	2.9%	3.4%	2.9%	1.6%
Grade 4	90.8%	3.1%	2.6%	2.1%	1.2%	0.3%	* %
Grade 5	86.2%	3.0%	2.5%	2.8%	3.3%	1.7%	0.5%
Grade 6	73.6%	3.4%	3.2%	3.8%	5.6%	6.4%	4.0%

AA

Table T-5: About how many of your close friends use ...

Any tobacco product?

	Never Heard of	None	Some	Most
All	3.3%	74.2%	19.7%	2.8%
Grade 4	5.0%	81.5%	11.7%	1.7%
Grade 5	3.2%	77.1%	17.8%	1.9%
Grade 6	1.7%	63.6%	30.0%	4.7%

00Border456. OUT

Cigarettes?

	Never Heard of	None	Some	Most
All	4.6%	73.9%	19.0%	2.5%
Grade 4	6.7%	80.8%	11.0%	1.5%
Grade 5	4.5%	76.6%	17.3%	1.6%
Grade 6	2.5%	63.9%	29.2%	4.4%

Smokeless tobacco?

	Never Heard of	None	Some	Most
All	7.3%	87.2%	4.7%	0.9%
Grade 4	11.6%	84.9%	2.8%	0.6%
Grade 5	6.3%	89.4%	3.6%	0.6%
Grade 6	3.6%	87.5%	7.6%	1.3%

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table T-6: Have you ever been offered ...

Any tobacco product?

	Never Heard of	Yes	No
All	3.1%	20.2%	76.7%
Grade 4	4.6%	13.6%	81.9%
Grade 5	2.7%	18.0%	79.3%
Grade 6	1.9%	29.6%	68.5%

Cigarettes?

	Never Heard of	Yes	No
All	4.3%	19.1%	76.6%
Grade 4	6.1%	12.5%	81.4%
Grade 5	3.8%	17.1%	79.1%
Grade 6	2.8%	28.2%	69.0%

Smokeless tobacco?

	Never Heard of	Yes	No
All	7.1%	4.9%	88.0%
Grade 4	10.9%	3.2%	85.9%

	Grade 5	6.0%	3.8%	90.3%
	Grade 6	4.3%	7.7%	88.1%

AA

Table T-7: How dangerous do you think it is for kids your age to use ...

Any tobacco product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.2%	72.0%	18.1%	1.3%	6.3%
Grade 4	3.3%	76.3%	13.1%	0.8%	6.5%
Grade 5	1.8%	74.7%	16.8%	1.1%	5.6%
Grade 6	1.5%	64.8%	24.9%	2.1%	6.8%

Cigarettes?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.3%	55.9%	30.5%	2.0%	8.3%
Grade 4	4.8%	62.4%	23.4%	1.1%	8.2%
Grade 5	2.9%	58.0%	29.9%	1.7%	7.5%
Grade 6	2.2%	47.0%	38.6%	3.2%	9.1%

Smokeless tobacco?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.0%	66.0%	18.3%	1.3%	9.4%
Grade 4	8.2%	69.2%	12.5%	0.8%	9.3%
Grade 5	3.9%	68.9%	17.9%	1.1%	8.2%
Grade 6	2.8%	59.6%	24.9%	2.1%	10.6%

♀
♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table A-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product	All	28.4%	20.2%	8.2%	71.6%
	Grade 4	19.2%	13.8%	5.4%	80.8%
	Grade 5	27.0%	18.8%	8.1%	73.0%
	Grade 6	39.6%	28.5%	11.1%	60.4%
Beer	All	18.2%	11.8%	6.4%	81.8%

00Border456. OUT

Grade 4	12.2%	8.3%	3.9%	87.8%	
Grade 5	16.9%	10.6%	6.3%	83.1%	
Grade 6	25.7%	16.6%	9.0%	74.3%	
AA					
Wine coolers	All	16.7%	11.7%	5.0%	83.3%
	Grade 4	9.0%	6.5%	2.5%	91.0%
	Grade 5	15.0%	10.2%	4.8%	85.0%
	Grade 6	26.5%	18.6%	7.9%	73.5%
AA					
Wine	All	13.0%	8.6%	4.4%	87.0%
	Grade 4	7.2%	5.0%	2.3%	92.8%
	Grade 5	11.8%	8.0%	3.8%	88.2%
	Grade 6	20.4%	13.1%	7.3%	79.6%
AA					
Liquor	All	7.0%	4.5%	2.5%	93.0%
	Grade 4	2.6%	1.7%	0.9%	97.4%
	Grade 5	5.5%	3.3%	2.2%	94.5%
	Grade 6	13.1%	8.8%	4.3%	86.9%

AA

Table A-2: Average number of times selected alcohol products were used by those who reported use of ...

Any alcohol product

	School Year	Li fete me
All	4.6	5.0
Grade 4	3.6	3.7
Grade 5	4.0	4.4
Grade 6	5.7	6.2

Beer

	School Year	Li fete me
All	2.8	2.9
Grade 4	2.5	2.6
Grade 5	2.6	2.6
Grade 6	3.2	3.2

Liquor

	School Year	Li fete me
All	2.7	2.7
Grade 4	2.6	2.2
Grade 5	2.4	2.5
Grade 6	2.9	2.9

AA

Wi ne

	School Year	Li feti me
All	2.4	2.4
Grade 4	2.1	2.1
Grade 5	2.2	2.3
Grade 6	2.6	2.7

Wi ne cool ers

	School Year	Li feti me
All	2.7	2.9
Grade 4	2.4	2.3
Grade 5	2.4	2.7
Grade 6	3.0	3.2

AA

Table A-3: In the past year, how many times have you had two or more drinks at one time of ...

Beer?

	Never	1 Time	2 Times	3+ Times	Ever
All	83.1%	9.1%	4.0%	3.8%	16.9%
Grade 4	86.9%	7.7%	3.1%	2.3%	13.1%
Grade 5	84.7%	8.9%	3.6%	2.9%	15.3%
Grade 6	77.4%	11.0%	5.3%	6.4%	22.6%

Wi ne Cool ers?

	Never	1 Time	2 Times	3+ Times	Ever
All	84.0%	8.2%	4.0%	3.7%	16.0%
Grade 4	90.8%	5.3%	2.4%	1.5%	9.2%
Grade 5	85.4%	8.2%	3.7%	2.7%	14.6%
Grade 6	75.5%	11.3%	6.1%	7.1%	24.5%

Wi ne?

	Never	1 Time	2 Times	3+ Times	Ever
All	87.7%	7.4%	2.8%	2.2%	12.3%
Grade 4	92.1%	5.4%	1.4%	1.1%	7.9%
Grade 5	89.1%	6.9%	2.4%	1.6%	10.9%
Grade 6	81.5%	9.9%	4.7%	3.8%	18.5%

Li quor?

00Border456. OUT

	Never	1 Time	2 Times	3+ Times	Ever
All	93.6%	3.2%	1.5%	1.7%	6.4%
Grade 4	97.5%	1.3%	0.5%	0.7%	2.5%
Grade 5	95.1%	2.5%	1.2%	1.2%	4.9%
Grade 6	88.0%	5.8%	2.8%	3.4%	12.0%

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Alcohol	8.3	8.9	9.7
Beer	8.2	8.8	9.5
Wine Coolers	8.7	9.4	10.3
Wine	8.6	9.5	10.3
Liquor	8.6	9.5	10.4

AA

Table A-5: Average age of first use of alcohol by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	75.0%	6.2%	3.5%	4.5%	4.9%	4.0%	2.0%
Grade 4	83.5%	5.5%	3.8%	4.7%	2.2%	0.2%	0.1%
Grade 5	75.4%	6.4%	3.4%	4.1%	6.8%	3.5%	0.4%
Grade 6	65.1%	6.8%	3.3%	4.5%	5.9%	8.6%	5.7%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	65.2%	8.3%	5.0%	5.8%	6.7%	5.7%	3.3%
Grade 4	75.5%	9.1%	4.8%	7.0%	3.3%	0.3%	0.1%
Grade 5	69.0%	8.4%	4.6%	4.8%	8.0%	4.3%	0.9%
Grade 6	52.3%	7.5%	5.5%	5.7%	8.6%	11.9%	8.4%

AA

Table A-6: Lifetime prevalence of use of alcohol by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
--	---------------------------------	------------	-------------------	------

Alcohol 20.1% 63.6% 45.5% 72.4%

AA

Table A-7: When you drink alcohol, do you get it from ...

Home?

	Don't Drink	Yes	No
All	67.8%	11.4%	20.9%
Grade 4	72.1%	8.2%	19.7%
Grade 5	70.2%	10.4%	19.4%
Grade 6	61.2%	15.4%	23.4%

Friends?

	Don't Drink	Yes	No
All	67.6%	7.1%	25.3%
Grade 4	72.0%	2.9%	25.1%
Grade 5	70.2%	4.8%	25.1%
Grade 6	60.9%	13.3%	25.8%

State - Border Counties Grades 4-6
Spring 2000

AA

Somewhere else?

	Don't Drink	Yes	No
All	65.9%	12.9%	21.2%
Grade 4	70.7%	7.3%	22.0%
Grade 5	68.2%	11.1%	20.7%
Grade 6	59.1%	20.0%	20.9%

AA

Table A-8: About how many of your close friends use ...

Any alcohol product?

	Never Heard of	None	Some	Most
All	2.6%	63.3%	27.0%	7.1%
Grade 4	3.9%	71.9%	20.3%	3.9%
Grade 5	2.4%	65.5%	26.6%	5.5%
Grade 6	1.4%	52.0%	34.6%	12.0%

Beer?

	Never Heard of	None	Some	Most
All	3.0%	70.6%	21.9%	4.6%
Grade 4	4.4%	77.0%	16.0%	2.6%
Grade 5	2.8%	72.8%	21.0%	3.5%
Grade 6	1.6%	61.5%	29.2%	7.7%

Wi ne cool ers?

	Never Heard of	None	Some	Most
All	8.9%	69.7%	17.6%	3.8%
Grade 4	13.9%	74.0%	10.5%	1.6%
Grade 5	8.7%	72.6%	16.3%	2.5%
Grade 6	3.9%	62.4%	26.4%	7.3%

Wi ne?

	Never Heard of	None	Some	Most
All	5.5%	78.4%	13.6%	2.5%
Grade 4	8.5%	81.3%	8.9%	1.4%
Grade 5	5.3%	80.7%	12.1%	1.9%
Grade 6	2.5%	73.1%	20.0%	4.3%

Li quor?

	Never Heard of	None	Some	Most
All	9.4%	79.9%	8.7%	2.0%
Grade 4	16.0%	79.1%	4.0%	0.9%
Grade 5	8.0%	83.8%	6.9%	1.3%
Grade 6	3.8%	77.0%	15.5%	3.8%

‡

State - Border Counties Grades 4-6
Spring 2000

AA

Table A-9: Have you ever been offered ...

Any al coh ol product?

	Never Heard of	Yes	No
All	2.4%	30.5%	67.0%
Grade 4	3.3%	23.1%	73.6%

00Border456.OUT

Grade 5	2.2%	29.1%	68.7%
Grade 6	1.8%	39.9%	58.3%

Beer?

	Never Heard of	Yes	No
All	2.7%	24.8%	72.5%
Grade 4	3.7%	18.7%	77.6%
Grade 5	2.4%	23.6%	74.0%
Grade 6	2.0%	32.4%	65.6%

Wi ne coolers?

	Never Heard of	Yes	No
All	8.7%	15.7%	75.6%
Grade 4	12.9%	9.0%	78.1%
Grade 5	8.3%	13.6%	78.0%
Grade 6	4.6%	24.9%	70.5%

Wi ne?

	Never Heard of	Yes	No
All	5.1%	12.3%	82.5%
Grade 4	7.4%	7.4%	85.2%
Grade 5	4.7%	10.8%	84.5%
Grade 6	3.2%	19.1%	77.7%

Li quor?

	Never Heard of	Yes	No
All	8.9%	8.3%	82.9%
Grade 4	14.3%	3.9%	81.8%
Grade 5	7.6%	6.3%	86.1%
Grade 6	4.4%	14.9%	80.7%

AA

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	80.2%	2.1%	1.1%	16.6%
Grade 4	80.7%	1.6%	1.0%	16.6%
Grade 5	80.3%	2.0%	0.9%	16.7%
Grade 6	79.5%	2.7%	1.4%	16.4%

State - Border Counties Grades 4-6
Spring 2000

AA

Table A-11: How dangerous do you think it is for kids your age to use ...

Any alcohol product?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	1.8%	66.5%	22.1%	3.0%	6.6%
Grade 4	2.7%	72.2%	16.0%	1.8%	7.2%
Grade 5	1.4%	68.7%	21.6%	2.5%	5.8%
Grade 6	1.3%	58.1%	29.0%	4.7%	6.8%

Beer?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	2.0%	44.5%	36.7%	6.5%	10.4%
Grade 4	2.9%	50.4%	31.1%	4.6%	11.0%
Grade 5	1.5%	46.2%	37.1%	5.6%	9.6%
Grade 6	1.4%	36.5%	42.2%	9.6%	10.4%

Wine coolers?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.1%	40.7%	29.1%	9.4%	13.8%
Grade 4	10.9%	48.2%	22.6%	4.9%	13.5%
Grade 5	6.7%	42.0%	29.9%	8.1%	13.3%
Grade 6	3.5%	31.3%	35.2%	15.5%	14.6%

Wine?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	3.9%	46.7%	30.1%	6.5%	12.9%
Grade 4	5.9%	53.4%	24.2%	3.5%	13.0%
Grade 5	3.4%	48.2%	30.7%	5.8%	12.0%
Grade 6	2.1%	38.0%	35.9%	10.3%	13.6%

Liquor?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.5%	60.1%	20.8%	2.6%	10.0%
Grade 4	11.2%	63.8%	13.7%	1.5%	9.8%
Grade 5	5.3%	62.6%	20.8%	2.1%	9.2%

Grade 6 2.9% 53.5% 28.5% 4.3% 10.8%

±

State - Border Counties Grades 4-6
Spring 2000

AA

Table D-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Marijuana	All	2.6%	1.9%	0.7%	97.4%
	Grade 4	0.9%	0.7%	0.3%	99.1%
	Grade 5	1.6%	1.0%	0.6%	98.4%
	Grade 6	5.4%	4.2%	1.2%	94.6%

AA

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Li feti me
All	3.9	4.0
Grade 4	2.7	3.0
Grade 5	3.5	3.9
Grade 6	4.3	4.2

AA

Table D-3: Average age of first use of marijuana:

	Grade 4	Grade 5	Grade 6
Marijuana	8.6	9.7	10.7

AA

Table D-4: Average age of first use of marijuana by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	98.3%	0.2%	0.1%	0.3%	0.3%	0.5%	0.4%
Grade 4	99.4%	0.2%	0.0%	0.2%	0.1%	0.0%	0.0%
Grade 5	98.9%	0.1%	0.1%	0.3%	0.3%	0.3%	0.1%
Grade 6	96.5%	0.2%	0.1%	0.4%	0.5%	1.1%	1.2%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
--	-------	------------	---	---	----	----	------------

00Border456. OUT

All	95.3%	0.5%	0.3%	0.5%	0.9%	1.2%	1.3%
Grade 4	98.3%	0.5%	0.3%	0.4%	0.4%	0.1%	0.0%
Grade 5	97.3%	0.5%	0.2%	0.5%	0.4%	0.7%	0.4%
Grade 6	90.8%	0.4%	0.4%	0.6%	1.7%	2.8%	3.3%

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table D-5: Lifetime prevalence of use of marijuana by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Marijuana	0.8%	19.6%	6.6%	25.3%

AA

Table D-6: About how many of your close friends use marijuana?

	Never Heard of	None	Some	Most
All	8.6%	81.3%	7.7%	2.4%
Grade 4	14.0%	81.7%	3.2%	1.0%
Grade 5	7.4%	85.3%	5.9%	1.5%
Grade 6	4.1%	77.0%	14.2%	4.7%

AA

Table D-7: Have you ever been offered marijuana?

	Never Heard of	Yes	No
All	7.7%	8.5%	83.8%
Grade 4	12.3%	4.2%	83.5%
Grade 5	6.5%	6.7%	86.8%
Grade 6	4.1%	14.9%	81.0%

AA

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like It	Don't Care	Think It's OK	Don't Know
All	83.6%	1.7%	0.7%	14.1%
Grade 4	82.4%	1.2%	0.6%	15.8%
Grade 5	83.9%	1.6%	0.5%	13.9%
Grade 6	84.6%	2.3%	0.9%	12.3%

AA

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.6%	77.3%	8.7%	1.4%	7.0%
Grade 4	9.6%	74.5%	7.3%	0.8%	7.8%
Grade 5	4.6%	80.2%	7.8%	1.3%	6.1%
Grade 6	2.5%	77.3%	11.1%	2.2%	6.9%

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table I-1: How recently, if ever, have you used...

	Ever Used	School Year	Not Past Year	Never Used
Inhalants				
All	12.9%	9.5%	3.4%	87.1%
Grade 4	10.7%	7.9%	2.8%	89.3%
Grade 5	11.5%	8.4%	3.1%	88.5%
Grade 6	16.6%	12.3%	4.3%	83.4%

AA

Table I-2: Have you ever sniffed any of the following inhalants to get high?

Correction Fluid/Whitout

	Not Used	Used
All	94.9%	5.1%
Grade 4	96.8%	3.2%
Grade 5	95.9%	4.1%
Grade 6	92.1%	7.9%

Gasoline

	Not Used	Used
All	96.6%	3.4%
Grade 4	96.9%	3.1%
Grade 5	96.6%	3.4%
Grade 6	96.4%	3.6%

Glue

Not Used	Used
----------	------

	00Border	456. OUT
All	95.5%	4.5%
Grade 4	95.4%	4.6%
Grade 5	96.2%	3.8%
Grade 6	95.0%	5.0%

Paint Thinner

	Not Used	Used
All	97.3%	2.7%
Grade 4	97.5%	2.5%
Grade 5	97.7%	2.3%
Grade 6	96.8%	3.2%

Spray Paint

	Not Used	Used
All	96.0%	4.0%
Grade 4	96.4%	3.6%
Grade 5	96.6%	3.4%
Grade 6	95.1%	4.9%

Other Inhalants

	Not Used	Used
All	94.8%	5.2%
Grade 4	96.1%	3.9%
Grade 5	95.4%	4.6%
Grade 6	92.9%	7.1%

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Li feti me
All	3.1	3.1
Grade 4	2.9	2.7
Grade 5	2.9	3.0
Grade 6	3.3	3.3

AA

Table I-4: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	88.2%	5.9%	4.5%	1.5%

		00Border456. OUT		
Grade 4	90.1%	4.9%	3.9%	1.1%
Grade 5	89.3%	5.4%	4.2%	1.1%
Grade 6	85.3%	7.3%	5.3%	2.2%

AA

Table I-5: Average age of first use of inhalants:

	Grade 4	Grade 5	Grade 6
Inhalants	8.3	9.2	10.2

AA

Table I-6: Average age of first use of inhalants by family situation:

Two Parent Family

	Never	7 or Under	8	9	10	11	12 or Over
All	94.7%	0.9%	0.6%	0.9%	1.1%	1.1%	0.7%
Grade 4	97.2%	1.0%	0.6%	0.8%	0.4%	0.0%	0.0%
Grade 5	95.1%	1.0%	0.6%	0.8%	1.4%	1.0%	0.1%
Grade 6	91.4%	0.9%	0.6%	1.1%	1.6%	2.4%	2.0%

Other Family Situation

	Never	7 or Under	8	9	10	11	12 or Over
All	92.8%	1.0%	0.7%	1.3%	1.4%	1.9%	0.9%
Grade 4	96.6%	0.9%	0.6%	1.2%	0.6%	0.1%	* %
Grade 5	93.5%	1.3%	0.9%	1.1%	1.6%	1.7%	0.0%
Grade 6	88.9%	0.9%	0.5%	1.6%	2.0%	3.7%	2.4%

AA

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

	No Absences or Conduct Problems	Cut School	Sent to Principal	Both
Inhalants	3.5%	26.0%	11.9%	30.2%

♀

State - Border Counties Grades 4-6
Spring 2000

AA

Table I-8: About how many of your close friends use inhalants?

	Never Heard of	None	Some	Most
--	----------------	------	------	------

00Border456. OUT

All	8.4%	78.8%	10.1%	2.6%
Grade 4	14.3%	79.3%	5.2%	1.2%
Grade 5	7.0%	82.2%	8.8%	2.1%
Grade 6	3.7%	75.0%	16.7%	4.6%

AA

Table I-9: Have you ever been offered inhalants?

	Never Heard of	Yes	No
All	7.8%	8.0%	84.1%
Grade 4	12.5%	4.0%	83.5%
Grade 5	6.6%	6.8%	86.6%
Grade 6	4.2%	13.5%	82.3%

AA

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	5.9%	61.2%	19.7%	2.9%	10.3%
Grade 4	9.8%	61.4%	16.1%	1.8%	11.0%
Grade 5	5.0%	62.9%	19.7%	2.5%	9.8%
Grade 6	2.6%	59.4%	23.6%	4.3%	10.1%

o
+

State - Border Counties Grades 4-6
Spring 2000

AA

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...

An Assembly Program?

	No	Yes
All	30.9%	69.1%
Grade 4	30.6%	69.4%
Grade 5	26.1%	73.9%
Grade 6	35.5%	64.5%

Guidance Counselor?

	No	Yes
All	26.3%	73.7%
Grade 4	22.5%	77.5%

		00Border456. OUT		
Visitor to Class?		Grade 5	20.8%	79.2%
		Grade 6	35.1%	64.9%
			No	Yes
		All	30.6%	69.4%
		Grade 4	36.4%	63.6%
		Grade 5	23.5%	76.5%
		Grade 6	31.7%	68.3%
Someone Else at School?			No	Yes
		All	47.3%	52.7%
		Grade 4	50.6%	49.4%
		Grade 5	46.2%	53.8%
		Grade 6	45.3%	54.7%
Your Teacher?			No	Yes
		All	27.5%	72.5%
		Grade 4	27.0%	73.0%
		Grade 5	27.0%	73.0%
		Grade 6	28.4%	71.6%
Any School Source?			No	Yes
		All	7.6%	92.4%
		Grade 4	9.4%	90.6%
		Grade 5	4.9%	95.1%
		Grade 6	8.4%	91.6%

State - Border Counties Grades 4-6
Spring 2000

Table B1: Prevalence and recency of use of selected substances by grade
--> All Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco		11.2%	6.8%	4.5%	88.8%
	All				
	Grade 4	5.9%	3.4%	2.6%	94.1%
	Grade 5	9.6%	5.6%	3.9%	90.4%
	Grade 6	18.7%	11.5%	7.1%	81.3%
Alcohol		28.4%	20.2%	8.2%	71.6%
	All				
	Grade 4	19.2%	13.8%	5.4%	80.8%

00Border456. OUT						
	Grade 5	27.0%	18.8%	8.1%	73.0%	
	Grade 6	39.6%	28.5%	11.1%	60.4%	
AAAAA	Inhalants	All	12.9%	9.5%	3.4%	87.1%
	Grade 4	10.7%	7.9%	2.8%	89.3%	
	Grade 5	11.5%	8.4%	3.1%	88.5%	
	Grade 6	16.6%	12.3%	4.3%	83.4%	
AAAAA	Marijuana	All	2.6%	1.9%	0.7%	97.4%
	Grade 4	0.9%	0.7%	0.3%	99.1%	
	Grade 5	1.6%	1.0%	0.6%	98.4%	
	Grade 6	5.4%	4.2%	1.2%	94.6%	
AAAAA						

Table B2: Prevalence and recency of use of selected substances by grade
--> Male Students

00Border456. OUT						
		Ever Used	School Year	Not Past Year	Never Used	
AAAAA	Tobacco	All	14.0%	8.3%	5.7%	86.0%
	Grade 4	8.3%	4.9%	3.4%	91.7%	
	Grade 5	12.8%	7.5%	5.2%	87.2%	
	Grade 6	21.3%	12.7%	8.7%	78.7%	
AAAAA	Alcohol	All	32.9%	22.8%	10.1%	67.1%
	Grade 4	24.5%	17.6%	7.0%	75.5%	
	Grade 5	32.2%	21.9%	10.2%	67.8%	
	Grade 6	42.5%	29.2%	13.3%	57.5%	
AAAAA	Inhalants	All	15.0%	10.9%	4.1%	85.0%
	Grade 4	13.7%	10.1%	3.6%	86.3%	
	Grade 5	14.3%	10.4%	3.8%	85.7%	
	Grade 6	17.1%	12.1%	5.0%	82.9%	
AAAAA	Marijuana	All	3.4%	2.5%	0.9%	96.6%
	Grade 4	1.4%	1.0%	0.4%	98.6%	
	Grade 5	2.4%	1.6%	0.9%	97.6%	
	Grade 6	6.4%	5.0%	1.4%	93.6%	
AAAAA						

State - Border Counties Grades 4-6
Spring 2000

Table B3: Prevalence and recency of use of selected substances by grade
--> Female Students

		Ever Used	School Year	Not Past Year	Never Used	
AAAAA	Tobacco	All	8.5%	5.3%	3.3%	91.5%
	Grade 4	3.6%	1.9%	1.7%	96.4%	
	Grade 5	6.5%	3.8%	2.6%	93.5%	
	Grade 6	16.0%	10.4%	5.7%	84.0%	

00Border456. OUT

AA					
Alcohol	All	24.0%	17.8%	6.2%	76.0%
	Grade 4	14.1%	10.2%	3.9%	85.9%
	Grade 5	21.8%	15.8%	6.0%	78.2%
	Grade 6	36.9%	27.9%	9.0%	63.1%
AA					
Inhalants	All	10.9%	8.2%	2.7%	89.1%
	Grade 4	7.8%	5.7%	2.1%	92.2%
	Grade 5	8.9%	6.5%	2.3%	91.1%
	Grade 6	16.1%	12.4%	3.7%	83.9%
AA					
Marijuana	All	1.9%	1.4%	0.5%	98.1%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	0.9%	0.5%	0.4%	99.1%
	Grade 6	4.3%	3.4%	0.9%	95.7%
AA					

Table B4: Prevalence and recency of use of selected substances by grade
--> White Students

AA					
		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	11.7%	6.2%	5.5%	88.3%
	Grade 4	6.0%	3.3%	2.8%	94.0%
	Grade 5	7.6%	3.8%	3.8%	92.4%
	Grade 6	21.4%	11.5%	10.0%	78.6%
AA					
Alcohol	All	24.0%	16.1%	7.8%	76.0%
	Grade 4	15.9%	10.0%	5.8%	84.1%
	Grade 5	21.0%	13.7%	7.3%	79.0%
	Grade 6	35.4%	25.0%	10.5%	64.6%
AA					
Inhalants	All	12.0%	9.1%	2.9%	88.0%
	Grade 4	11.5%	9.0%	2.5%	88.5%
	Grade 5	10.2%	7.6%	2.6%	89.8%
	Grade 6	14.0%	10.4%	3.6%	86.0%
AA					
Marijuana	All	2.1%	1.5%	0.6%	97.9%
	Grade 4	0.8%	0.7%	0.1%	99.2%
	Grade 5	0.6%	0.3%	0.2%	99.4%
	Grade 6	4.9%	3.3%	1.6%	95.1%
AA					

State - Border Counties Grades 4-6
Spring 2000

Table B5: Prevalence and recency of use of selected substances by grade
--> African/American Students

AA					
		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	15.2%	8.4%	6.9%	84.8%

00Border456. OUT

	Grade 4	10.2%	4.8%	5.5%	89.8%
	Grade 5	15.2%	9.1%	6.1%	84.8%
	Grade 6	26.6%	15.5%	11.1%	73.4%
AA					
Alcohol	All	28.7%	20.0%	8.7%	71.3%
	Grade 4	23.1%	15.1%	8.0%	76.9%
	Grade 5	30.1%	21.5%	8.6%	69.9%
	Grade 6	38.8%	28.3%	10.5%	61.2%
AA					
Inhalants	All	19.1%	13.9%	5.2%	80.9%
	Grade 4	22.7%	16.5%	6.2%	77.3%
	Grade 5	17.6%	11.2%	6.4%	82.4%
	Grade 6	13.3%	11.9%	1.5%	86.7%
AA					
Marijuana	All	6.1%	3.5%	2.5%	93.9%
	Grade 4	4.7%	2.9%	1.8%	95.3%
	Grade 5	0.0%	* %	* %	100.0%
	Grade 6	17.5%	10.0%	7.5%	82.5%
AA					

Table B6: Prevalence and recency of use of selected substances by grade
--> Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	11.1%	6.8%	4.4%	88.9%
	Grade 4	5.8%	3.3%	2.5%	94.2%
	Grade 5	9.6%	5.7%	3.9%	90.4%
	Grade 6	18.3%	11.5%	6.8%	81.7%
AA					
Alcohol	All	28.8%	20.6%	8.2%	71.2%
	Grade 4	19.4%	14.1%	5.3%	80.6%
	Grade 5	27.4%	19.2%	8.2%	72.6%
	Grade 6	40.1%	28.9%	11.2%	59.9%
AA					
Inhalants	All	12.9%	9.5%	3.4%	87.1%
	Grade 4	10.2%	7.5%	2.7%	89.8%
	Grade 5	11.5%	8.4%	3.1%	88.5%
	Grade 6	16.9%	12.5%	4.5%	83.1%
AA					
Marijuana	All	2.6%	1.9%	0.6%	97.4%
	Grade 4	0.8%	0.6%	0.3%	99.2%
	Grade 5	1.8%	1.1%	0.6%	98.2%
	Grade 6	5.2%	4.2%	1.0%	94.8%
AA					

State - Border Counties Grades 4-6
Spring 2000

Table B7: Prevalence and recency of use of selected substances by grade
--> Students Reporting A and B Grades

	Ever	School	Not Past	Never
--	------	--------	----------	-------

00Border456. OUT

		Used	Year	Year	Used
AA					
Tobacco	All	9.9%	5.7%	4.3%	90.1%
	Grade 4	5.3%	2.8%	2.5%	94.7%
	Grade 5	8.6%	5.0%	3.6%	91.4%
	Grade 6	16.3%	9.4%	6.8%	83.7%
AA					
Alcohol	All	26.4%	18.6%	7.9%	73.6%
	Grade 4	18.0%	12.6%	5.4%	82.0%
	Grade 5	25.0%	17.2%	7.8%	75.0%
	Grade 6	37.1%	26.3%	10.7%	62.9%
AA					
Inhalants	All	11.4%	8.4%	3.0%	88.6%
	Grade 4	9.5%	7.0%	2.5%	90.5%
	Grade 5	10.2%	7.4%	2.7%	89.8%
	Grade 6	14.5%	10.8%	3.7%	85.5%
AA					
Marijuana	All	2.1%	1.5%	0.6%	97.9%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	1.3%	0.8%	0.5%	98.7%
	Grade 6	4.2%	3.2%	1.0%	95.8%
AA					

Table B8: Prevalence and recency of use of selected substances by grade
--> Students Reporting C, D, and F Grades

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	16.3%	10.7%	5.5%	83.7%
	Grade 4	8.6%	5.8%	2.9%	91.4%
	Grade 5	12.9%	7.8%	5.1%	87.1%
	Grade 6	27.1%	18.6%	8.5%	72.9%
AA					
Alcohol	All	35.5%	26.4%	9.1%	64.5%
	Grade 4	24.3%	18.7%	5.7%	75.7%
	Grade 5	33.6%	24.4%	9.3%	66.4%
	Grade 6	48.3%	36.0%	12.3%	51.7%
AA					
Inhalants	All	18.6%	13.6%	5.0%	81.4%
	Grade 4	15.4%	11.4%	4.0%	84.6%
	Grade 5	16.2%	11.9%	4.3%	83.8%
	Grade 6	23.8%	17.4%	6.4%	76.2%
AA					
Marijuana	All	4.6%	3.6%	1.0%	95.4%
	Grade 4	1.8%	1.2%	0.5%	98.2%
	Grade 5	2.6%	1.7%	0.9%	97.4%
	Grade 6	9.3%	7.6%	1.7%	90.7%
AA					

State - Border Counties Grades 4-6
Spring 2000

Table B9: Prevalence and recency of use of selected substances by grade

00Border456.OUT

--> Students Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	9.6%	5.8%	3.8%	90.4%
	Grade 4	5.2%	3.0%	2.2%	94.8%
	Grade 5	8.3%	5.0%	3.3%	91.7%
	Grade 6	15.8%	9.8%	6.0%	84.2%
AA					
Alcohol	All	26.0%	18.5%	7.4%	74.0%
	Grade 4	17.6%	12.5%	5.0%	82.4%
	Grade 5	25.4%	17.8%	7.6%	74.6%
	Grade 6	35.9%	26.0%	10.0%	64.1%
AA					
Inhalants	All	12.1%	8.9%	3.2%	87.9%
	Grade 4	10.2%	7.6%	2.7%	89.8%
	Grade 5	10.9%	8.0%	2.9%	89.1%
	Grade 6	15.5%	11.3%	4.2%	84.5%
AA					
Marijuana	All	1.9%	1.4%	0.5%	98.1%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	1.3%	0.8%	0.5%	98.7%
	Grade 6	3.9%	3.0%	0.9%	96.1%
AA					

Table B10: Prevalence and recency of use of selected substances by grade
--> Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	16.4%	9.7%	6.8%	83.6%
	Grade 4	8.4%	4.6%	3.8%	91.6%
	Grade 5	13.5%	7.5%	5.9%	86.5%
	Grade 6	26.6%	16.4%	10.2%	73.4%
AA					
Alcohol	All	36.0%	25.6%	10.4%	64.0%
	Grade 4	24.7%	17.9%	6.8%	75.3%
	Grade 5	32.1%	22.1%	10.0%	67.9%
	Grade 6	49.9%	35.8%	14.0%	50.1%
AA					
Inhalants	All	15.3%	11.4%	3.9%	84.7%
	Grade 4	12.2%	8.8%	3.4%	87.8%
	Grade 5	13.3%	9.7%	3.6%	86.7%
	Grade 6	19.7%	15.1%	4.6%	80.3%
AA					
Marijuana	All	4.9%	3.7%	1.2%	95.1%
	Grade 4	1.9%	1.3%	0.6%	98.1%
	Grade 5	2.8%	1.8%	1.0%	97.2%
	Grade 6	9.5%	7.6%	1.9%	90.5%
AA					

State - Border Counties Grades 4-6
Spring 2000

Table B11: Prevalence and recency of use of selected substances by grade
 --> Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	11.5%	7.0%	4.5%	88.5%
	Grade 4	5.9%	3.4%	2.6%	94.1%
	Grade 5	9.6%	5.7%	3.8%	90.4%
	Grade 6	18.8%	11.7%	7.0%	81.2%
AA					
Alcohol	All	29.4%	21.2%	8.2%	70.6%
	Grade 4	19.9%	14.5%	5.4%	80.1%
	Grade 5	27.5%	19.4%	8.1%	72.5%
	Grade 6	40.3%	29.3%	11.0%	59.7%
AA					
Inhalants	All	13.0%	9.5%	3.4%	87.0%
	Grade 4	10.5%	7.8%	2.7%	89.5%
	Grade 5	11.6%	8.5%	3.1%	88.4%
	Grade 6	16.6%	12.2%	4.5%	83.4%
AA					
Marijuana	All	2.7%	2.0%	0.6%	97.3%
	Grade 4	1.0%	0.7%	0.3%	99.0%
	Grade 5	1.6%	1.0%	0.6%	98.4%
	Grade 6	5.4%	4.3%	1.0%	94.6%
AA					

Table B12: Prevalence and recency of use of selected substances by grade
 --> Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
AA					
Tobacco	All	11.3%	5.9%	5.4%	88.7%
	Grade 4	6.1%	3.2%	2.9%	93.9%
	Grade 5	10.8%	5.5%	5.3%	89.2%
	Grade 6	18.4%	9.8%	8.5%	81.6%
AA					
Alcohol	All	25.7%	16.5%	9.3%	74.3%
	Grade 4	18.0%	11.8%	6.2%	82.0%
	Grade 5	25.5%	15.8%	9.8%	74.5%
	Grade 6	35.6%	23.0%	12.6%	64.4%
AA					
Inhalants	All	13.3%	10.1%	3.2%	86.7%
	Grade 4	10.7%	7.6%	3.1%	89.3%
	Grade 5	11.5%	8.7%	2.8%	88.5%
	Grade 6	18.0%	14.2%	3.8%	82.0%
AA					
Marijuana	All	2.6%	1.5%	1.1%	97.4%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	2.1%	1.2%	0.9%	97.9%
	Grade 6	5.5%	3.2%	2.4%	94.5%
AA					

00Border456. OUT

State - Border Counties Grades 4-6
Spring 2000

The FREQ Procedure

GENDER

Q1	Frequency	Percent
Female	60587.55	50.74
Male	58825.21	49.26

Frequency Missing = 111.23743672

GRADE LEVEL

Q2	Frequency	Percent
Grade 4	40605.97	33.97
Grade 5	37624.47	31.48
Grade 6	41293.56	34.55

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
No	29290.76	24.66
Yes	89470.84	75.34

Frequency Missing = 762.39636612

AGE

Q4	Frequency	Percent
8 or younger	104.622	0.09
9	12056.48	10.11
10	36797.68	30.84
11	39202.13	32.86
12	27612.37	23.14
13 or older	3529.837	2.96

Frequency Missing = 220.87124226

ETHNICITY

Q5	Frequency	Percent
African/American	2297.483	1.92
Asian/American	218.3363	0.18
Mexican/American	106685.6	89.26

	00Border456. OUT	
Nati ve/Ameri can	367. 0553	0. 31
Other	975. 5396	0. 82
Whi te	8979. 971	7. 51

WHAT GRADES DO YOU USUALLY GET

Q6	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Mostly A's	33867. 99	28. 85
Mostly B's	57555. 87	49. 02
Mostly C's	20954. 37	17. 85
Mostly D's	3169. 561	2. 70
Mostly F's	1856. 768	1. 58

Frequency Mi ssi ng = 2119. 428226

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Border Counties Grades 4-6
Spring 2000

♀

The FREQ Procedure

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS

Q7	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don't Know	8864. 011	7. 45
No	13525. 04	11. 37
Yes	96529. 48	81. 17

Frequency Mi ssi ng = 605. 46507972

EITHER PARENT GRADUATE FROM COLLEGE

Q8	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don't Know	53983. 06	45. 50
No	27947. 5	23. 56
Yes	36704. 81	30. 94

Frequency Mi ssi ng = 888. 62073287

QUALI FY FOR A FREE/REDUCED PRI CE LUNCH?

Q9	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		

	00Border456. OUT	
Don' t Know	29102.56	24.96
No	17102.89	14.67
Yes	70409.55	60.38

Frequency Mi ssi ng = 2909.0003266

PARENTS ATTEND PTA MEETINGS?

Q10	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don' t Know	42.26217	0.04
No	44433.5	38.97
Yes	69554.61	61.00

Frequency Mi ssi ng = 5493.6215804

EVER INHALED GASOLINE TO GET HIGH?

Q11a	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Not Used	110582.5	96.62
Used	3873.041	3.38

Frequency Mi ssi ng = 5068.4759215

EVER INHALED PAINT THINNER TO GET HIGH?

Q11b	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Not Used	109792.4	97.34
Used	3002.805	2.66

Frequency Mi ssi ng = 6728.8227853

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Border Counties Grades 4-6
Spring 2000

The FREQ Procedure

EVER INHALED GLUE TO GET HIGH?

00Border456. OUT
 Q11c Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 107636 95.53
 Used 5032.468 4.47

Frequency Missing = 6855.5226671

EVER INHALED WHITEOUT TO GET HIGH?

Q11d Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 106882.9 94.87
 Used 5776.249 5.13

Frequency Missing = 6864.8968298

EVER INHALED SPRAY PAINT TO GET HIGH?

Q11e Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 108981.7 96.03
 Used 4504.798 3.97

Frequency Missing = 6037.4876682

EVER USED OTHER INHALANTS TO GET HIGH?

Q11f Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Not Used 107385.7 94.75
 Used 5948.462 5.25

Frequency Missing = 6189.8803881

CIGARETTE USE DURING LIFETIME

Q12a Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never heard of 5654.827 5.08
 Never used 94168.3 84.66
 1-2 times 8710.693 7.83
 3-10 times 1794.163 1.61
 11+ times 909.4301 0.82

Frequency Missing = 8286.5844923

SNUFF/CHEWING TOBACCO USE IN LIFETIME

Q12b Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 Never heard of 11600.76 10.62

	00Border456. OUT	
Never used	96158.97	88.02
1-2 times	1184.959	1.08
3-10 times	217.8236	0.20
11+ times	85.76279	0.08

Frequency Missing = 10275.722842

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Border Counties Grades 4-6
Spring 2000

The FREQ Procedure

BEER USE DURING LIFETIME

Q12c	Frequency	Percent
AA		
Never heard of	2503.823	2.29
Never used	87864.4	80.28
1-2 times	14795.72	13.52
3-10 times	2997.908	2.74
11+ times	1284.237	1.17

Frequency Missing = 10077.902247

WINE COOLER USE DURING LIFETIME

Q12d	Frequency	Percent
AA		
Never heard of	12702.97	11.63
Never used	79057.92	72.40
1-2 times	13481.42	12.35
3-10 times	2848.665	2.61
11+ times	1100.262	1.01

Frequency Missing = 10332.76205

WINE USE DURING LIFETIME

Q12e	Frequency	Percent
AA		
Never heard of	6481.055	5.96
Never used	88724.96	81.65
1-2 times	11228.76	10.33
3-10 times	1714.928	1.58

00Border456. OUT
 11+ times 518.2109 0.48

Frequency Missing = 10856.079998

LIQUOR USE DURING LIFETIME

Q12f	Frequency	Percent
AA		
Never heard of	13615.28	12.43
Never used	88581.39	80.90
1-2 times	5868.853	5.36
3-10 times	1021.431	0.93
11+ times	404.6927	0.37

Frequency Missing = 10032.345802

INHALANT USE DURING LIFETIME

Q12h	Frequency	Percent
AA		
Never heard of	11022.26	10.04
Never used	92392.75	84.13
1-2 times	4704.171	4.28
3-10 times	1302.018	1.19
11+ times	401.3149	0.37

Frequency Missing = 9701.4825477

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

♀

The FREQ Procedure

MARIJUANA USE DURING LIFETIME

Q12i	Frequency	Percent
AA		
Never heard of	11361.37	10.23
Never used	97003.83	87.31
1-2 times	1739.021	1.57
3-10 times	576.2952	0.52
11+ times	422.1133	0.38

00Border456.OUT
Frequency Missing = 8421.371071

CIGARETTE USE IN PAST SCHOOL YEAR

Q13a	Frequency	Percent
Never heard of	5266.063	4.67
Never used	100045.6	88.78
1-2 times	5584.09	4.96
3-10 times	1286.188	1.14
11+ times	504.8577	0.45

Frequency Missing = 6837.1597704

SNUFF/CHEWING TOBACCO USE IN PAST YEAR

Q13b	Frequency	Percent
Never heard of	10219.61	9.22
Never used	99683.59	89.95
1-2 times	725.646	0.65
3-10 times	145.5365	0.13
11+ times	48.39419	0.04

Frequency Missing = 8701.2181952

BEER USE IN PAST SCHOOL YEAR

Q13c	Frequency	Percent
Never heard of	2350.888	2.13
Never used	94715.54	85.80
1-2 times	10400.53	9.42
3-10 times	2107.705	1.91
11+ times	818.3282	0.74

Frequency Missing = 9131.0078871

WINE COOLER USE IN PAST SCHOOL YEAR

Q13d	Frequency	Percent
Never heard of	12189.4	11.05
Never used	84982.56	77.04
1-2 times	10519.03	9.54
3-10 times	1944.628	1.76
11+ times	667.6319	0.61

Frequency Missing = 9220.7558686

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

♀

The FREQ Procedure

WINE USE IN PAST SCHOOL YEAR

Q13e	Frequency	Percent
Never heard of	6276.423	5.70
Never used	94034.92	85.46
1-2 times	8314.947	7.56
3-10 times	1039.758	0.94
11+ times	371.0065	0.34

Frequency Missing = 9486.9423371

LIQUOR USE IN PAST SCHOOL YEAR

Q13f	Frequency	Percent
Never heard of	12750.66	11.55
Never used	92535.18	83.82
1-2 times	4072.885	3.69
3-10 times	779.9603	0.71
11+ times	265.3191	0.24

Frequency Missing = 9119.9913027

INHALANT USE IN PAST SCHOOL YEAR

Q13h	Frequency	Percent
Never heard of	10196.21	9.24
Never used	95017.12	86.10
1-2 times	3790.488	3.43
3-10 times	1014.07	0.92
11+ times	343.0294	0.31

Frequency Missing = 9163.0827255

MARIJUANA USE IN PAST SCHOOL YEAR

Q13i	Frequency	Percent
------	-----------	---------

00Border456. OUT

AA		
Never heard of	10581.78	9.55
Never used	98020.98	88.48
1-2 times	1404.515	1.27
3-10 times	454.9694	0.41
11+ times	323.4052	0.29

Frequency Missing = 8738.3461465

AGE WHEN FIRST USED CIGARETTES

Q14a	Frequency	Percent
AA		
7 or younger	2295.516	2.06
8 years old	1828.582	1.64
9 years old	1995.112	1.79
10 years old	2819.361	2.53
11 years old	2363.493	2.12
12 or older	1096.793	0.98
Never heard/used	99077.5	88.88

Frequency Missing = 8047.6350276

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state
State - Border Counties Grades 4-6
Spring 2000

♀

The FREQ Procedure

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO

Q14b	Frequency	Percent
AA		
7 or younger	318.7742	0.29
8 years old	233.8906	0.21
9 years old	244.3485	0.22
10 years old	297.8831	0.27
11 years old	298.6521	0.27
12 or older	168.9743	0.15
Never heard/used	108261.5	98.58

Frequency Missing = 9699.9632254

AGE WHEN FIRST USED BEER

Q14c	Frequency	Percent
------	-----------	---------

00Border456. OUT

AA		
7 or younger	5350.859	4.86
8 years old	3120.607	2.84
9 years old	3356.367	3.05
10 years old	3640.134	3.31
11 years old	2765.228	2.51
12 or older	1582.561	1.44
Never heard/used	90192.69	81.99

Frequency Missing = 9515.5500685

AGE WHEN FIRST USED WINE COOLERS

Q14d	Frequency	Percent
AA		
7 or younger	2117.894	1.93
8 years old	1919.749	1.75
9 years old	3284.147	3.00
10 years old	4147.144	3.78
11 years old	3814.54	3.48
12 or older	2283.451	2.08
Never heard/used	92041.78	83.97

Frequency Missing = 9915.2957951

AGE WHEN FIRST USED WINE

Q14e	Frequency	Percent
AA		
7 or younger	1569.046	1.44
8 years old	1431.064	1.31
9 years old	2206.987	2.02
10 years old	3122.874	2.86
11 years old	2993.294	2.74
12 or older	1682.777	1.54
Never heard/used	96159.63	88.09

Frequency Missing = 10358.322983

The frequencies have been weighted so that the analysis reflects the distribution of students by grade

♀

00Border456.OUT
Level in the state
State - Border Counties Grades 4-6
Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED LIQUOR

Q14f	Frequency	Percent
7 or younger	673.6203	0.61
8 years old	680.3053	0.62
9 years old	823.866	0.75
10 years old	1440.701	1.31
11 years old	1754.221	1.60
12 or older	1164.119	1.06
Never heard/used	103358.7	94.05

Frequency Missing = 9628.4459233

AGE WHEN FIRST USED INHALANTS

Q14h	Frequency	Percent
7 or younger	1056.031	0.96
8 years old	675.6525	0.62
9 years old	1098.289	1.00
10 years old	1322.475	1.20
11 years old	1422.054	1.30
12 or older	775.1326	0.71
Never heard/used	103421.4	94.22

Frequency Missing = 9752.9427387

AGE WHEN FIRST USED MARIJUANA

Q14i	Frequency	Percent
7 or younger	255.2551	0.23
8 years old	141.0037	0.13
9 years old	376.6139	0.34
10 years old	494.9672	0.45
11 years old	711.8002	0.65
12 or older	692.6903	0.63
Never heard/used	107550.4	97.58

Frequency Missing = 9301.2733706

CLOSE FRIENDS USE CIGARETTES

Q15a	Frequency	Percent
Never heard of	5129.543	4.60

	00Border456. OUT	
None	82433.66	73.94
Some	21149.69	18.97
Most	2781.493	2.49

Frequency Missing = 8029.6113451

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO

Q15b	Frequency	Percent
AA		
Never heard of	7944.26	7.26
None	95504.27	87.23
Some	5104.663	4.66
Most	931.5714	0.85

Frequency Missing = 10039.23212

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

♀

The FREQ Procedure

CLOSE FRIENDS USE BEER

Q15c	Frequency	Percent
AA		
Never heard of	3238.585	2.96
None	77244.48	70.55
Some	24003.5	21.92
Most	5000.974	4.57

Frequency Missing = 10036.458468

CLOSE FRIENDS USE WINE COOLERS

Q15d	Frequency	Percent
AA		
Never heard of	9692.162	8.89
None	76006.77	69.74
Some	19191.91	17.61
Most	4088.023	3.75

Frequency Missing = 10545.127805

CLOSE FRIENDS USE WINE

Q15e	Frequency	Percent
Never heard of	5928.962	5.47
None	84938.47	78.43
Some	14725.74	13.60
Most	2698.969	2.49

Frequency Missing = 11231.860913

CLOSE FRIENDS USE LIQUOR

Q15f	Frequency	Percent
Never heard of	10197.87	9.38
None	86931.28	79.94
Some	9475.49	8.71
Most	2146.809	1.97

Frequency Missing = 10772.5489

CLOSE FRIENDS USE INHALANTS

Q15h	Frequency	Percent
Never heard of	9190.231	8.45
None	85777.61	78.83
Some	11026.35	10.13
Most	2825.02	2.60

Frequency Missing = 10704.786443

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

The FREQ Procedure

CLOSE FRIENDS USE MARIJUANA

Q15i	Frequency	Percent
Never heard of	9397.141	8.58
None	89101.73	81.32
Some	8452.569	7.71
Most	2619.322	2.39

Frequency Missing = 9953.2363159

EVER BEEN OFFERED CIGARETTES

Q16a	Frequency	Percent
Never heard of	4775.616	4.29
No	85244.24	76.59
Yes	21281.04	19.12

Frequency Missing = 8223.1008451

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO

Q16b	Frequency	Percent
Never heard of	7708.552	7.11
No	95426.17	88.03
Yes	5267.444	4.86

Frequency Missing = 11121.831036

EVER BEEN OFFERED BEER

Q16c	Frequency	Percent
Never heard of	2944.869	2.72
No	78429.61	72.48
Yes	26831.3	24.80

Frequency Missing = 11318.216298

EVER BEEN OFFERED WINE COOLERS

Q16d	Frequency	Percent
Never heard of	9375.104	8.70
No	81452.38	75.59
Yes	16934.15	15.71

Frequency Missing = 11762.361073

EVER BEEN OFFERED WINE

00Border456. OUT		
Q16e	Frequency	Percent
Never heard of	5545.881	5.15
No	88913.01	82.52
Yes	13289.46	12.33

Frequency Missing = 11775.642994

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

The FREQ Procedure

EVER BEEN OFFERED LIQUOR

Q16f	Frequency	Percent
Never heard of	9578.851	8.85
No	89657.26	82.86
Yes	8969.351	8.29

Frequency Missing = 11318.536199

EVER BEEN OFFERED INHALANTS

Q16h	Frequency	Percent
Never heard of	8468.277	7.81
No	91176.96	84.14
Yes	8717.523	8.04

Frequency Missing = 11161.232313

EVER BEEN OFFERED MARIJUANA

Q16i	Frequency	Percent
Never heard of	8445.256	7.70
No	91914.16	83.79
Yes	9332.265	8.51

Frequency Missing = 9832.317106

IS ALCOHOL OBTAINED FROM HOME

00Border456. OUT

Q17a	Frequency	Percent
Do Not Drink	76290.97	67.76
No	23503.66	20.87
Yes	12802.55	11.37

Frequency Missing = 6926.812259

IS ALCOHOL OBTAINED FROM FRIENDS

Q17b	Frequency	Percent
Do Not Drink	74236.81	67.56
No	27854.74	25.35
Yes	7797.758	7.10

Frequency Missing = 9634.6960413

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q17c	Frequency	Percent
Do Not Drink	73138.63	65.89
No	23541.13	21.21
Yes	14316.22	12.90

Frequency Missing = 8528.0154645

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
State - Border Counties Grades 4-6
Spring 2000

The FREQ Procedure

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18a	Frequency	Percent
Very dangerous	62001.03	55.95
Dangerous	33762.85	30.47
Not at all	2197.673	1.98
Don't know	9161.16	8.27
Never heard of	3700.349	3.34

00Border456. OUT
Frequency Missing = 8700.9360419

DANGEROUS TO USE SNUFF/CHEWING TOBACCO

Q18b	Frequency	Percent
Very dangerous	71697.3	65.96
Dangerous	19903.24	18.31
Not at all	1451.11	1.34
Don't know	10189.03	9.37
Never heard of	5451.764	5.02

Frequency Missing = 10831.550592

DANGEROUS FOR KIDS TO USE BEER

Q18c	Frequency	Percent
Very dangerous	48233.89	44.47
Dangerous	39778.09	36.67
Not at all	7101.601	6.55
Don't know	11237.46	10.36
Never heard of	2122.014	1.96

Frequency Missing = 11050.942489

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18d	Frequency	Percent
Very dangerous	43965.73	40.65
Dangerous	31460.44	29.09
Not at all	10131.8	9.37
Don't know	14874.33	13.75
Never heard of	7716.59	7.14

Frequency Missing = 11375.102553

DANGEROUS FOR KIDS TO USE WINE

Q18e	Frequency	Percent
Very dangerous	50549.23	46.68
Dangerous	32647.34	30.15
Not at all	7008.109	6.47
Don't know	13919.12	12.85
Never heard of	4172.156	3.85

Frequency Missing = 11228.051229

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

♀

The FREQ Procedure

DANGEROUS FOR KIDS TO USE LIQUOR

Q18f	Frequency	Percent
Very dangerous	65201.23	60.06
Dangerous	22612.93	20.83
Not at all	2833.859	2.61
Don't know	10815.02	9.96
Never heard of	7091.319	6.53

Frequency Missing = 10969.639253

DANGEROUS FOR KIDS TO USE INHALANTS

Q18h	Frequency	Percent
Very dangerous	66240.95	61.23
Dangerous	21340.48	19.73
Not at all	3093.295	2.86
Don't know	11175.68	10.33
Never heard of	6330.636	5.85

Frequency Missing = 11342.958331

DANGEROUS FOR KIDS TO USE MARIJUANA

Q18i	Frequency	Percent
Very dangerous	84514.13	77.28
Dangerous	9525.229	8.71
Not at all	1568.277	1.43
Don't know	7602.079	6.95
Never heard of	6155.898	5.63

Frequency Missing = 10158.385605

DRUG/ALCOHOL INFO FROM TEACHER

Q19a	Frequency	Percent
------	-----------	---------

OOBorder456. OUT
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 30176.27 27.47
 Yes 79690.54 72.53

Frequency Missing = 9657.1865039

DRUG/ALC INFO FROM VISITOR TO CLASS

Q19b Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 33366.15 30.65
 Yes 75511.29 69.35

Frequency Missing = 10646.561408

DRUG/ALC INFO FROM ASSEMBLY PROGRAM

Q19c Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 33502.95 30.85
 Yes 75083.88 69.15

Frequency Missing = 10937.166431

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state
 State - Border Counties Grades 4-6
 Spring 2000

The FREQ Procedure

DRUG/ALC INFO FROM GUIDE COUNSELOR

Q19d Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 28768.27 26.29
 Yes 80654.29 73.71

Frequency Missing = 10101.436377

DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL

Q19e Frequency Percent
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
 No 51313.98 47.35
 Yes 57067.87 52.65

Frequency Missing = 11142.146154

BEER, TWO OR MORE AT ONE TIME

Q20a	Frequency	Percent
Never	91692.93	83.09
1 time	10085.09	9.14
2 times	4369.072	3.96
3+ times	4212.323	3.82

Frequency Missing = 9164.5807445

WINE COOLERS, TWO OR MORE AT ONE TIME

Q20b	Frequency	Percent
Never	91176.27	84.01
1 time	8924.862	8.22
2 times	4373.585	4.03
3+ times	4049.86	3.73

Frequency Missing = 10999.422405

WINE, TWO OR MORE AT ONE TIME

Q20c	Frequency	Percent
Never	94882.24	87.65
1 time	7963.252	7.36
2 times	3065.68	2.83
3+ times	2338.276	2.16

Frequency Missing = 11274.545006

LIQUOR, TWO OR MORE AT ONE TIME

Q20d	Frequency	Percent
Never	101593	93.61
1 time	3474.139	3.20
2 times	1579.553	1.46
3+ times	1879.786	1.73

Frequency Missing = 10997.475278

The frequencies have been weighted so that the analysis reflects the distribution of students by grade

♀

00Border456.OUT
Level in the state
State - Border Counties Grades 4-6
Spring 2000

The FREQ Procedure

MI SSED SCHOOL WI THOUT PARENT' S CONSENT

Q21	Frequency	Percent
AA		
No	107873.1	96.02
Yes	4472.995	3.98

Frequency Mi ssi ng = 7177.9484485

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
AA		
No	85225.13	73.58
Yes	30595.09	26.42

Frequency Mi ssi ng = 3703.7748405

PARENTS FEEL ABOUT KIDS DRINKING BEER

Q23	Frequency	Percent
AA		
Don't like it	89167.46	80.22
Don't care	2333.308	2.10
Think it's O.K.	1232.543	1.11
Don't know	18427.12	16.58

Frequency Mi ssi ng = 8363.5618298

PARENTS FEEL ABOUT KIDS USI NG MARI JUANA

Q24	Frequency	Percent
AA		
Don't like it	91887.18	83.59
Don't care	1860.86	1.69
Think it's O.K.	721.946	0.66
Don't know	15454.52	14.06

Frequency Mi ssi ng = 9599.4865557

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the state