

**Border - Grades 7-12 Large
SPRING 2008**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	13.8%	18.9%	33.4%	66.6%
	Grade 7	5.4%	7.5%	17.8%	82.2%
	Grade 8	7.9%	11.2%	24.2%	75.8%
	Grade 9	12.5%	17.9%	32.4%	67.6%
	Grade 10	17.1%	23.1%	40.2%	59.8%
	Grade 11	21.5%	28.5%	44.9%	55.1%
	Grade 12	23.9%	32.8%	49.9%	50.1%
Cigarettes					
	All	13.1%	18.3%	32.9%	67.1%
	Grade 7	4.9%	7.0%	17.4%	82.6%
	Grade 8	7.5%	10.7%	23.8%	76.2%
	Grade 9	11.8%	17.0%	31.8%	68.2%
	Grade 10	16.2%	22.2%	39.5%	60.5%
	Grade 11	20.5%	27.6%	44.5%	55.5%
	Grade 12	23.1%	32.1%	49.1%	50.9%
Smokeless tobacco					
	All	2.9%	4.3%	7.5%	92.5%
	Grade 7	1.6%	2.2%	3.7%	96.3%
	Grade 8	1.8%	2.7%	5.6%	94.4%
	Grade 9	3.1%	4.5%	7.7%	92.3%
	Grade 10	3.0%	5.0%	8.8%	91.2%
	Grade 11	4.4%	5.8%	9.6%	90.4%
	Grade 12	4.5%	6.6%	11.6%	88.4%

**Border - Grades 7-12 Large
SPRING 2008**

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	69.7%	1.7%	3.6%	4.9%	6.7%	5.6%	7.9%
	Grade 7	84.4%	0.4%	1.0%	2.1%	3.4%	3.6%	5.1%
	Grade 8	78.4%	0.5%	2.0%	3.0%	4.8%	4.3%	7.0%
	Grade 9	70.5%	1.2%	3.4%	4.7%	6.4%	6.1%	7.7%
	Grade 10	63.0%	1.9%	5.2%	6.0%	8.3%	6.7%	8.9%
	Grade 11	59.9%	2.8%	5.3%	7.2%	8.7%	6.8%	9.4%
	Grade 12	54.3%	4.4%	5.9%	8.1%	10.1%	6.5%	10.6%
Cigarettes?								
	All	69.8%	1.6%	3.5%	4.9%	6.7%	5.6%	8.0%
	Grade 7	84.4%	0.4%	1.0%	2.0%	3.4%	3.7%	5.1%
	Grade 8	78.6%	0.4%	2.0%	3.1%	4.9%	4.2%	7.0%
	Grade 9	70.7%	1.1%	3.4%	4.5%	6.4%	6.1%	7.8%
	Grade 10	63.3%	1.8%	4.9%	6.0%	8.3%	6.6%	9.1%
	Grade 11	59.7%	2.6%	5.2%	7.3%	8.6%	7.0%	9.6%
	Grade 12	54.5%	4.2%	5.9%	8.0%	10.2%	6.5%	10.7%
Smokeless tobacco?								
	All	94.1%	0.2%	0.7%	0.8%	1.1%	1.2%	1.8%
	Grade 7	97.3%	0.1%	0.3%	0.5%	0.6%	0.5%	0.7%
	Grade 8	95.6%	0.1%	0.4%	0.5%	0.8%	0.8%	1.7%
	Grade 9	94.3%	0.1%	0.6%	1.0%	1.1%	1.0%	1.8%
	Grade 10	93.5%	0.3%	0.9%	0.9%	1.4%	1.2%	1.8%
	Grade 11	92.3%	0.3%	0.8%	0.8%	1.6%	1.9%	2.3%
	Grade 12	90.0%	0.5%	1.2%	1.2%	1.2%	2.4%	3.5%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes						
	11.0	11.7	12.6	13.3	13.9	14.7
Smokeless tobacco						
	11.4	12.3	12.8	13.5	14.7	15.4
Any Tobacco						
	11.0	11.7	12.6	13.3	13.9	14.7

**Border - Grades 7-12 Large
SPRING 2008**

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product??							
	All	19.7%	16.7%	5.3%	9.2%	17.1%	32.1%
	Grade 7	31.0%	28.1%	7.6%	8.7%	12.1%	12.5%
	Grade 8	23.6%	24.0%	6.9%	10.4%	15.3%	19.8%
	Grade 9	18.7%	16.4%	5.7%	10.6%	20.0%	28.6%
	Grade 10	15.2%	11.4%	4.3%	10.0%	21.9%	37.2%
	Grade 11	12.3%	8.3%	3.0%	8.3%	19.6%	48.4%
	Grade 12	13.1%	5.7%	2.3%	5.0%	12.4%	61.6%
Cigarettes?							
	All	19.9%	16.8%	5.2%	9.2%	17.3%	31.5%
	Grade 7	31.3%	28.3%	7.6%	8.7%	12.3%	11.8%
	Grade 8	24.1%	24.2%	6.7%	10.5%	15.4%	19.1%
	Grade 9	18.9%	16.6%	5.7%	10.6%	20.0%	28.1%
	Grade 10	15.3%	11.4%	4.3%	10.0%	22.5%	36.4%
	Grade 11	12.5%	8.5%	2.9%	8.4%	20.0%	47.6%
	Grade 12	12.9%	5.6%	2.2%	5.0%	12.7%	61.6%
Smokeless Tobacco?							
	All	36.0%	21.6%	7.4%	9.8%	10.2%	15.0%
	Grade 7	45.1%	32.2%	8.1%	6.2%	4.1%	4.3%
	Grade 8	38.3%	29.4%	8.7%	9.9%	6.8%	6.9%
	Grade 9	35.0%	22.3%	8.2%	11.0%	11.1%	12.3%
	Grade 10	34.0%	16.1%	7.9%	12.3%	13.0%	16.6%
	Grade 11	30.5%	13.7%	5.7%	10.7%	15.2%	24.2%
	Grade 12	29.2%	8.9%	3.8%	8.3%	13.3%	36.4%

**Border - Grades 7-12 Large
SPRING 2008**

Table T-5: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	41.6%	31.9%	15.7%	8.5%	2.2%
	Grade 7	66.9%	22.4%	6.9%	2.6%	1.1%
	Grade 8	55.3%	28.1%	11.1%	4.2%	1.3%
	Grade 9	40.1%	34.7%	15.4%	7.5%	2.3%
	Grade 10	29.1%	37.7%	19.3%	10.6%	3.2%
	Grade 11	24.9%	36.0%	21.7%	14.7%	2.7%
	Grade 12	22.3%	34.0%	24.4%	15.9%	3.3%
Smoke cigarettes?						
	All	42.4%	32.5%	14.9%	8.2%	2.1%
	Grade 7	67.5%	22.7%	6.5%	2.3%	0.9%
	Grade 8	56.4%	28.3%	10.0%	4.1%	1.2%
	Grade 9	41.1%	35.1%	14.4%	7.1%	2.2%
	Grade 10	29.9%	38.3%	18.4%	10.4%	2.9%
	Grade 11	25.4%	37.3%	20.7%	14.2%	2.5%
	Grade 12	22.6%	34.8%	23.9%	15.4%	3.2%
Use a smokeless tobacco product?						
	All	76.6%	14.4%	6.1%	2.1%	0.8%
	Grade 7	87.6%	8.2%	2.6%	1.0%	0.6%
	Grade 8	82.0%	12.1%	4.4%	1.0%	0.5%
	Grade 9	76.0%	14.6%	6.4%	2.3%	0.7%
	Grade 10	71.4%	17.6%	7.5%	2.2%	1.2%
	Grade 11	69.0%	18.7%	8.4%	3.1%	0.7%
	Grade 12	68.9%	17.5%	9.0%	3.6%	1.0%

**Border - Grades 7-12 Large
SPRING 2008**

Table T-6: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	76.8%	5.8%	4.4%	1.1%	1.1%	10.8%
Grade 7	78.7%	2.7%	2.2%	0.6%	0.9%	14.9%
Grade 8	80.2%	3.3%	2.7%	0.6%	0.9%	12.2%
Grade 9	77.6%	5.3%	3.8%	1.0%	1.4%	10.9%
Grade 10	76.6%	7.6%	4.5%	1.3%	1.2%	8.8%
Grade 11	75.0%	7.9%	6.0%	1.5%	0.9%	8.8%
Grade 12	70.3%	10.0%	8.9%	1.7%	1.2%	7.8%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	55.9%	24.7%	10.1%	3.2%	6.1%
Grade 7	69.5%	18.2%	4.6%	1.4%	6.4%
Grade 8	63.1%	21.2%	6.7%	1.9%	7.1%
Grade 9	55.3%	24.7%	10.2%	2.9%	6.9%
Grade 10	48.8%	28.1%	12.8%	4.4%	5.9%
Grade 11	47.5%	29.1%	13.9%	4.4%	5.1%
Grade 12	45.7%	30.1%	14.5%	5.5%	4.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	31.0%	40.7%	61.1%	38.9%
	Grade 7	17.4%	22.1%	45.0%	55.0%
	Grade 8	23.6%	31.9%	54.6%	45.4%
	Grade 9	30.9%	41.3%	61.0%	39.0%
	Grade 10	38.4%	49.7%	69.6%	30.4%
	Grade 11	39.3%	51.5%	70.4%	29.6%
	Grade 12	43.5%	56.1%	73.2%	26.8%
Beer					
	All	20.9%	28.9%	47.2%	52.8%
	Grade 7	10.1%	13.5%	31.1%	68.9%
	Grade 8	14.1%	20.6%	39.9%	60.1%
	Grade 9	19.5%	27.7%	46.0%	54.0%
	Grade 10	26.8%	37.2%	56.3%	43.7%
	Grade 11	28.6%	39.4%	57.1%	42.9%
	Grade 12	32.8%	43.5%	61.0%	39.0%
Wine coolers					
	All	20.9%	29.7%	46.6%	53.4%
	Grade 7	10.9%	15.1%	29.8%	70.2%
	Grade 8	15.8%	23.1%	40.0%	60.0%
	Grade 9	20.6%	29.5%	46.7%	53.3%
	Grade 10	26.7%	36.8%	54.2%	45.8%
	Grade 11	27.2%	38.5%	56.6%	43.4%
	Grade 12	29.2%	42.1%	59.4%	40.6%
Wine					
	All	12.8%	20.5%	38.6%	61.4%
	Grade 7	7.0%	10.2%	24.5%	75.5%
	Grade 8	10.0%	16.1%	33.6%	66.4%
	Grade 9	13.2%	21.9%	39.9%	60.1%
	Grade 10	14.8%	24.0%	44.2%	55.8%
	Grade 11	16.3%	25.8%	46.5%	53.5%
	Grade 12	18.4%	28.7%	48.0%	52.0%
Liquor					
	All	17.4%	25.3%	38.7%	61.3%
	Grade 7	5.8%	8.9%	17.3%	82.7%
	Grade 8	10.0%	15.6%	28.0%	72.0%
	Grade 9	16.0%	24.1%	38.0%	62.0%
	Grade 10	23.3%	33.3%	49.3%	50.7%
	Grade 11	25.8%	37.0%	53.0%	47.0%
	Grade 12	30.9%	42.4%	56.9%	43.1%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	45.6%	0.8%	6.0%	12.8%	13.7%	11.4%	9.7%
	Grade 7	64.1%	0.8%	2.7%	5.5%	7.7%	10.0%	9.2%
	Grade 8	53.7%	0.6%	4.7%	8.0%	11.4%	10.9%	10.7%
	Grade 9	45.2%	0.7%	6.2%	12.3%	14.2%	11.9%	9.6%
	Grade 10	35.6%	0.9%	7.4%	17.9%	16.4%	12.3%	9.5%
	Grade 11	35.1%	0.7%	7.6%	17.4%	17.0%	12.7%	9.4%
	Grade 12	32.2%	1.0%	8.9%	19.7%	17.8%	10.5%	9.8%
Beer?								
	All	54.9%	0.3%	5.0%	10.3%	11.5%	8.9%	9.1%
	Grade 7	71.9%	0.3%	1.8%	4.0%	6.9%	6.9%	8.3%
	Grade 8	62.8%	0.3%	3.4%	6.5%	9.0%	8.6%	9.5%
	Grade 9	55.1%	0.3%	4.7%	9.9%	11.3%	9.2%	9.5%
	Grade 10	45.8%	0.3%	6.3%	14.2%	14.5%	10.2%	8.7%
	Grade 11	45.4%	0.5%	6.8%	14.5%	14.0%	9.9%	9.0%
	Grade 12	41.2%	0.6%	8.4%	16.3%	15.7%	8.6%	9.2%
Wine coolers?								
	All	58.2%	0.3%	3.5%	9.2%	11.0%	10.0%	7.7%
	Grade 7	76.4%	0.5%	1.9%	3.7%	5.2%	6.4%	5.8%
	Grade 8	66.2%	0.3%	2.8%	6.0%	8.2%	8.6%	7.9%
	Grade 9	58.3%	0.4%	4.0%	8.9%	11.1%	10.1%	7.1%
	Grade 10	49.2%	0.2%	4.2%	12.7%	14.0%	11.7%	8.0%
	Grade 11	47.2%	0.2%	4.0%	12.9%	14.6%	12.2%	8.9%
	Grade 12	44.8%	0.1%	4.6%	13.8%	15.1%	12.2%	9.4%
Wine?								
	All	64.3%	0.1%	2.3%	5.6%	7.7%	11.2%	8.8%
	Grade 7	79.8%	0.1%	1.0%	2.5%	3.7%	7.1%	5.8%
	Grade 8	70.5%	0.1%	1.7%	3.7%	5.8%	9.4%	8.8%
	Grade 9	63.9%	0.0%	2.5%	5.0%	8.3%	11.5%	8.7%
	Grade 10	57.7%	0.2%	2.7%	7.7%	8.9%	13.5%	9.4%
	Grade 11	55.8%	0.1%	2.7%	7.7%	9.5%	13.6%	10.6%
	Grade 12	52.0%	0.3%	3.6%	8.5%	11.1%	13.8%	10.7%
Liquor?								
	All	63.4%	0.2%	3.4%	8.7%	9.4%	8.6%	6.3%
	Grade 7	84.8%	0.1%	1.0%	2.0%	3.6%	4.3%	4.2%
	Grade 8	74.5%	0.0%	2.3%	4.6%	6.3%	6.4%	5.8%
	Grade 9	64.0%	0.1%	3.4%	8.1%	9.6%	8.5%	6.5%
	Grade 10	52.8%	0.4%	4.6%	12.0%	11.7%	11.3%	7.2%
	Grade 11	49.2%	0.1%	4.4%	14.1%	13.2%	11.6%	7.4%
	Grade 12	45.2%	0.3%	5.6%	15.3%	14.8%	11.6%	7.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	60.2%	39.8%	11.2%	20.7%	7.9%
	Grade 7	82.7%	17.3%	2.0%	9.5%	5.8%
	Grade 8	71.5%	28.5%	5.4%	14.3%	8.8%
	Grade 9	60.0%	40.0%	10.9%	20.8%	8.3%
	Grade 10	49.1%	50.9%	15.6%	26.2%	9.1%
	Grade 11	45.6%	54.4%	18.1%	28.6%	7.6%
	Grade 12	41.7%	58.3%	20.1%	30.4%	7.8%
Wine Coolers						
	All	61.3%	38.7%	4.9%	20.9%	12.9%
	Grade 7	75.6%	24.4%	1.8%	11.6%	11.0%
	Grade 8	66.8%	33.2%	3.4%	17.3%	12.6%
	Grade 9	60.5%	39.5%	4.9%	21.6%	13.0%
	Grade 10	55.3%	44.7%	5.5%	25.1%	14.1%
	Grade 11	53.5%	46.5%	7.3%	25.0%	14.2%
	Grade 12	50.3%	49.7%	8.0%	28.4%	13.3%
Wine						
	All	54.1%	45.9%	11.6%	26.5%	7.7%
	Grade 7	71.8%	28.2%	4.2%	16.0%	7.9%
	Grade 8	61.9%	38.1%	7.0%	21.5%	9.6%
	Grade 9	53.3%	46.7%	12.1%	27.4%	7.2%
	Grade 10	45.3%	54.7%	15.5%	31.9%	7.3%
	Grade 11	43.9%	56.1%	16.3%	33.2%	6.6%
	Grade 12	41.1%	58.9%	17.9%	33.2%	7.8%
Liquor						
	All	51.3%	48.7%	14.4%	22.8%	11.5%
	Grade 7	66.9%	33.1%	4.3%	16.5%	12.3%
	Grade 8	58.4%	41.6%	7.5%	20.2%	13.9%
	Grade 9	50.8%	49.2%	14.1%	23.5%	11.6%
	Grade 10	43.1%	56.9%	18.4%	27.7%	10.9%
	Grade 11	42.5%	57.5%	21.8%	25.9%	9.8%
	Grade 12	39.7%	60.3%	26.3%	24.5%	9.5%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	78.3%	7.0%	4.5%	5.4%	2.2%	2.6%
	Grade 7	90.4%	3.8%	2.0%	2.1%	0.7%	1.1%
	Grade 8	85.9%	4.8%	3.0%	3.3%	1.2%	1.8%
	Grade 9	78.8%	7.4%	4.4%	5.5%	1.9%	1.9%
	Grade 10	72.2%	8.5%	5.8%	7.0%	3.1%	3.4%
	Grade 11	70.3%	8.9%	6.6%	7.3%	3.4%	3.6%
	Grade 12	64.9%	10.0%	6.6%	9.1%	4.2%	5.1%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer						
	10.8	11.5	12.5	13.2	13.8	14.4
Wine Coolers						
	11.3	12.1	12.9	13.5	14.1	14.7
Wine						
	11.2	11.9	12.9	13.4	14.0	14.7
Liquor						
	11.6	12.3	13.3	14.0	14.6	15.1
Any Alcohol						
	10.8	11.5	12.4	13.0	13.6	14.2

**Border - Grades 7-12 Large
SPRING 2008**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	17.7%	13.4%	5.2%	10.4%	19.7%	33.6%
	Grade 7	29.0%	23.1%	7.0%	9.7%	13.4%	17.9%
	Grade 8	21.5%	18.0%	7.0%	9.6%	17.8%	26.1%
	Grade 9	16.7%	13.1%	5.3%	11.6%	20.4%	33.0%
	Grade 10	12.8%	8.5%	4.1%	10.7%	22.7%	41.2%
	Grade 11	10.7%	7.4%	3.0%	9.2%	22.9%	46.8%
	Grade 12	11.3%	5.9%	3.1%	11.5%	23.6%	44.6%
Wine coolers?							
	All	22.2%	14.3%	5.4%	10.6%	18.2%	29.2%
	Grade 7	36.5%	23.8%	6.7%	9.6%	10.5%	12.8%
	Grade 8	27.3%	19.5%	7.1%	10.7%	15.3%	20.2%
	Grade 9	21.6%	14.0%	5.9%	11.2%	18.8%	28.5%
	Grade 10	15.3%	9.4%	5.0%	11.2%	21.7%	37.4%
	Grade 11	12.9%	8.2%	3.5%	10.1%	22.3%	43.1%
	Grade 12	13.8%	6.2%	3.0%	10.9%	23.5%	42.7%
Wine?							
	All	22.1%	16.8%	7.0%	12.5%	16.7%	24.9%
	Grade 7	34.0%	27.3%	8.3%	9.2%	10.6%	10.6%
	Grade 8	25.6%	22.7%	8.5%	12.2%	13.2%	17.7%
	Grade 9	21.5%	16.5%	7.7%	14.0%	16.6%	23.7%
	Grade 10	17.4%	11.4%	6.6%	14.2%	20.5%	29.9%
	Grade 11	14.1%	10.0%	4.9%	12.5%	20.7%	37.8%
	Grade 12	15.5%	7.4%	4.5%	13.0%	22.1%	37.5%
Liquor?							
	All	21.5%	18.0%	7.7%	11.2%	15.6%	26.0%
	Grade 7	36.0%	29.7%	9.1%	8.1%	7.4%	9.7%
	Grade 8	25.8%	24.8%	10.2%	10.4%	11.4%	17.5%
	Grade 9	20.2%	18.2%	8.6%	12.5%	16.0%	24.4%
	Grade 10	15.7%	11.7%	6.9%	12.7%	20.0%	33.0%
	Grade 11	12.6%	9.8%	5.2%	11.3%	20.4%	40.6%
	Grade 12	13.6%	7.3%	4.4%	12.2%	22.2%	40.3%
Any alcohol product?							
	All	16.4%	11.5%	4.4%	9.1%	19.1%	39.4%
	Grade 7	27.2%	20.3%	6.2%	9.4%	15.0%	22.0%
	Grade 8	20.0%	15.3%	6.0%	9.1%	17.7%	31.9%
	Grade 9	15.3%	11.1%	4.6%	9.9%	19.8%	39.4%
	Grade 10	11.6%	6.9%	3.5%	8.8%	21.3%	47.9%
	Grade 11	9.9%	6.2%	2.5%	7.5%	20.4%	53.6%
	Grade 12	10.7%	5.5%	2.4%	9.5%	22.1%	49.8%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	91.8%	6.3%	1.0%	0.9%
Grade 7	93.5%	5.4%	0.6%	0.5%
Grade 8	92.0%	6.4%	0.9%	0.7%
Grade 9	91.7%	6.0%	1.1%	1.2%
Grade 10	90.8%	6.7%	1.4%	1.1%
Grade 11	91.5%	6.8%	0.9%	0.8%
Grade 12	90.7%	6.7%	1.3%	1.3%
Gotten into trouble with teachers because of your drinking?				
All	98.3%	1.0%	0.3%	0.4%
Grade 7	98.8%	0.6%	0.3%	0.3%
Grade 8	98.4%	1.1%	0.1%	0.4%
Grade 9	98.2%	1.1%	0.3%	0.5%
Grade 10	98.2%	1.0%	0.4%	0.4%
Grade 11	98.5%	0.8%	0.4%	0.3%
Grade 12	97.8%	1.2%	0.4%	0.5%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.4
Alcohol Non-use	3.2
Average days conduct problems reported	
Alcohol Users:	3.8
Alcohol Non-use	1.4

**Border - Grades 7-12 Large
SPRING 2008**

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	89.4%	8.0%	1.6%	1.1%
Grade 9	93.9%	4.9%	0.6%	0.7%
Grade 10	91.0%	7.1%	1.1%	0.8%
Grade 11	87.2%	9.5%	2.1%	1.1%
Grade 12	81.1%	13.4%	3.4%	2.1%
Gotten into trouble with the police because of drinking?				
All	97.0%	2.3%	0.4%	0.3%
Grade 7	98.4%	1.1%	0.3%	0.2%
Grade 8	97.8%	1.5%	0.3%	0.3%
Grade 9	96.7%	2.4%	0.4%	0.5%
Grade 10	96.2%	2.9%	0.5%	0.4%
Grade 11	97.0%	2.6%	0.2%	0.1%
Grade 12	95.3%	3.9%	0.3%	0.5%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	27.7%	23.9%	18.2%	19.9%	10.4%
	Grade 7	52.4%	24.9%	12.3%	6.9%	3.5%
	Grade 8	38.4%	27.1%	16.6%	12.3%	5.6%
	Grade 9	24.0%	26.8%	20.2%	19.2%	9.8%
	Grade 10	15.5%	21.9%	21.1%	27.6%	14.0%
	Grade 11	14.2%	20.3%	20.2%	29.3%	16.0%
	Grade 12	13.3%	18.4%	19.3%	31.3%	17.7%
Beer?						
	All	31.6%	24.3%	17.7%	18.1%	8.2%
	Grade 7	58.4%	23.5%	10.5%	5.4%	2.2%
	Grade 8	43.3%	27.1%	15.3%	10.2%	4.1%
	Grade 9	28.7%	26.8%	19.8%	17.1%	7.6%
	Grade 10	18.2%	23.7%	21.4%	25.5%	11.2%
	Grade 11	16.9%	22.0%	19.9%	28.3%	13.0%
	Grade 12	14.6%	20.0%	20.6%	29.6%	15.2%
Wine coolers?						
	All	41.8%	21.5%	16.3%	13.8%	6.6%
	Grade 7	67.8%	17.1%	8.5%	4.3%	2.3%
	Grade 8	54.4%	21.8%	12.4%	8.0%	3.3%
	Grade 9	40.3%	23.6%	16.4%	13.3%	6.4%
	Grade 10	28.8%	22.5%	20.8%	18.7%	9.2%
	Grade 11	25.6%	22.0%	20.6%	21.4%	10.5%
	Grade 12	23.3%	21.8%	22.3%	22.7%	9.9%
Wine?						
	All	52.5%	22.7%	13.0%	8.0%	3.8%
	Grade 7	73.5%	16.1%	6.7%	2.6%	1.1%
	Grade 8	61.9%	21.2%	10.2%	4.9%	1.8%
	Grade 9	51.8%	22.8%	13.2%	8.4%	3.8%
	Grade 10	42.4%	26.6%	15.9%	9.8%	5.3%
	Grade 11	38.7%	26.5%	16.7%	12.2%	5.8%
	Grade 12	37.5%	25.0%	18.3%	12.2%	6.9%
Liquor?						
	All	45.4%	20.0%	14.5%	13.6%	6.5%
	Grade 7	75.6%	14.9%	5.4%	2.7%	1.4%
	Grade 8	60.7%	19.5%	10.7%	6.6%	2.6%
	Grade 9	43.4%	22.8%	15.4%	12.7%	5.7%
	Grade 10	30.1%	22.0%	20.1%	18.5%	9.3%
	Grade 11	26.6%	20.7%	18.5%	23.2%	11.0%
	Grade 12	23.8%	19.3%	20.1%	24.5%	12.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.8%	5.3%	0.6%	0.3%
Grade 7	96.7%	2.8%	0.3%	0.2%
Grade 8	95.1%	4.2%	0.3%	0.5%
Grade 9	93.8%	5.2%	0.7%	0.4%
Grade 10	92.1%	6.8%	0.9%	0.3%
Grade 11	92.4%	6.7%	0.7%	0.2%
Grade 12	91.6%	7.3%	0.7%	0.4%
Been criticized by someone you were dating because of drinking?				
All	93.0%	5.8%	0.6%	0.6%
Grade 7	96.8%	2.7%	0.3%	0.3%
Grade 8	94.8%	3.9%	0.5%	0.7%
Grade 9	93.0%	6.1%	0.5%	0.4%
Grade 10	91.0%	7.3%	1.0%	0.8%
Grade 11	91.2%	7.6%	0.7%	0.5%
Grade 12	89.7%	8.4%	1.0%	0.9%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	42.3%	10.9%	7.8%	12.2%	16.5%	2.5%	7.8%
Grade 7	66.2%	10.9%	5.9%	5.2%	3.0%	2.9%	5.9%
Grade 8	55.2%	12.9%	8.9%	7.7%	5.8%	3.0%	6.4%
Grade 9	39.9%	12.7%	9.3%	13.3%	13.6%	2.9%	8.3%
Grade 10	29.5%	10.2%	8.6%	17.1%	23.8%	1.9%	8.9%
Grade 11	26.7%	8.1%	7.2%	16.8%	28.8%	1.8%	10.6%
Grade 12	26.9%	8.7%	5.4%	15.8%	34.2%	1.7%	7.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	47.6%	30.8%	15.2%	4.8%	1.6%
	Grade 7	58.0%	27.2%	10.4%	3.5%	0.8%
	Grade 8	51.9%	28.2%	13.9%	4.8%	1.2%
	Grade 9	48.5%	29.6%	15.4%	4.8%	1.7%
	Grade 10	41.5%	34.3%	17.3%	4.8%	2.0%
	Grade 11	41.4%	33.3%	17.6%	5.9%	1.8%
	Grade 12	38.7%	35.1%	18.3%	5.6%	2.2%
From friends						
	All	40.9%	20.1%	15.4%	16.1%	7.4%
	Grade 7	56.4%	27.9%	8.6%	5.7%	1.3%
	Grade 8	49.1%	25.9%	12.8%	8.7%	3.6%
	Grade 9	41.4%	19.8%	16.2%	16.6%	6.0%
	Grade 10	32.3%	16.2%	19.3%	21.9%	10.3%
	Grade 11	30.8%	14.2%	19.1%	23.9%	12.1%
	Grade 12	27.6%	12.7%	18.9%	25.3%	15.5%
From a store						
	All	42.9%	40.7%	8.1%	5.2%	3.0%
	Grade 7	56.7%	38.0%	3.3%	1.3%	0.6%
	Grade 8	49.7%	42.0%	4.4%	2.4%	1.5%
	Grade 9	43.9%	41.8%	7.6%	4.5%	2.2%
	Grade 10	35.6%	43.4%	9.9%	7.1%	3.9%
	Grade 11	33.6%	39.3%	12.8%	9.1%	5.2%
	Grade 12	31.2%	39.1%	13.6%	9.3%	6.8%
At parties						
	All	38.1%	15.5%	12.9%	15.9%	17.6%
	Grade 7	51.5%	21.8%	11.6%	10.0%	5.1%
	Grade 8	44.6%	19.9%	13.4%	13.0%	9.1%
	Grade 9	38.5%	14.2%	14.5%	16.0%	16.8%
	Grade 10	30.6%	12.1%	13.0%	20.6%	23.7%
	Grade 11	30.1%	11.8%	11.9%	18.7%	27.5%
	Grade 12	27.0%	11.1%	12.3%	19.1%	30.5%
Other source						
	All	43.3%	26.2%	12.4%	9.1%	9.0%
	Grade 7	55.6%	28.2%	8.2%	5.0%	3.0%
	Grade 8	49.3%	26.8%	11.4%	7.2%	5.3%
	Grade 9	44.3%	25.4%	12.5%	9.1%	8.8%
	Grade 10	36.1%	26.2%	14.5%	11.6%	11.5%
	Grade 11	35.8%	24.4%	13.9%	12.4%	13.5%
	Grade 12	32.0%	26.0%	15.6%	11.2%	15.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	66.7%	12.0%	7.3%	2.5%	1.4%	10.2%
Grade 7	71.2%	7.9%	4.3%	0.9%	1.2%	14.5%
Grade 8	70.5%	8.8%	5.7%	1.8%	1.2%	12.1%
Grade 9	66.8%	11.8%	6.9%	2.7%	1.6%	10.3%
Grade 10	63.7%	15.3%	8.8%	2.9%	1.6%	7.7%
Grade 11	64.0%	14.4%	9.3%	3.4%	1.2%	7.6%
Grade 12	61.1%	16.2%	10.4%	3.7%	1.6%	7.1%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	47.9%	29.1%	14.4%	3.9%	4.6%
Grade 7	55.6%	24.0%	12.5%	2.5%	5.4%
Grade 8	49.9%	26.7%	13.4%	4.1%	5.9%
Grade 9	46.3%	29.1%	15.6%	4.1%	5.0%
Grade 10	42.6%	31.3%	16.2%	5.4%	4.5%
Grade 11	45.9%	32.1%	15.4%	3.7%	2.9%
Grade 12	46.4%	34.0%	12.6%	3.9%	3.1%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	9.3%	13.4%	21.5%	78.5%
	Grade 7	3.3%	4.8%	8.7%	91.3%
	Grade 8	6.0%	8.7%	14.1%	85.9%
	Grade 9	9.5%	14.3%	21.5%	78.5%
	Grade 10	12.3%	17.2%	27.6%	72.4%
	Grade 11	12.8%	19.1%	30.5%	69.5%
	Grade 12	14.6%	20.3%	33.3%	66.7%
Cocaine?					
	All	3.7%	5.6%	9.9%	90.1%
	Grade 7	1.2%	2.2%	3.7%	96.3%
	Grade 8	2.1%	3.2%	5.7%	94.3%
	Grade 9	4.0%	6.2%	10.1%	89.9%
	Grade 10	4.2%	6.7%	12.5%	87.5%
	Grade 11	5.8%	8.2%	15.2%	84.8%
	Grade 12	5.7%	8.5%	15.7%	84.3%
Crack?					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.8%	1.3%	2.1%	97.9%
	Grade 8	1.2%	1.6%	2.5%	97.5%
	Grade 9	1.0%	1.5%	3.1%	96.9%
	Grade 10	0.8%	1.3%	2.9%	97.1%
	Grade 11	0.4%	0.9%	2.1%	97.9%
	Grade 12	0.8%	1.3%	2.2%	97.8%
Hallucinogens?					
	All	1.3%	1.9%	3.2%	96.8%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.5%	2.5%	97.5%
	Grade 9	1.1%	1.8%	3.2%	96.8%
	Grade 10	1.6%	2.3%	4.2%	95.8%
	Grade 11	1.6%	2.3%	3.9%	96.1%
	Grade 12	1.8%	2.8%	4.7%	95.3%
Uppers?					
	All	1.7%	2.4%	3.7%	96.3%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.5%	2.3%	97.7%
	Grade 9	1.6%	2.4%	3.7%	96.3%
	Grade 10	1.9%	2.9%	4.6%	95.4%
	Grade 11	2.8%	3.8%	5.7%	94.3%
	Grade 12	2.6%	3.7%	5.7%	94.3%
Downers?					
	All	2.1%	3.0%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	1.1%	1.7%	2.4%	97.6%
	Grade 9	2.3%	3.4%	5.2%	94.8%
	Grade 10	3.0%	4.2%	6.2%	93.8%
	Grade 11	3.2%	4.3%	6.3%	93.7%
	Grade 12	3.1%	4.1%	6.8%	93.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	2.3%	3.5%	5.8%	94.2%
	Grade 7	1.0%	1.4%	2.5%	97.5%
	Grade 8	1.8%	2.5%	4.0%	96.0%
	Grade 9	3.0%	4.7%	7.1%	92.9%
	Grade 10	3.1%	4.5%	7.7%	92.3%
	Grade 11	2.4%	3.9%	7.0%	93.0%
	Grade 12	2.7%	3.7%	7.3%	92.7%
Steroids?					
	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.2%	98.8%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.5%	0.6%	1.2%	98.8%
	Grade 12	0.3%	0.5%	0.7%	99.3%
Ecstasy?					
	All	1.7%	2.5%	4.2%	95.8%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.0%	1.4%	2.1%	97.9%
	Grade 9	1.3%	2.3%	4.5%	95.5%
	Grade 10	2.7%	3.9%	6.3%	93.7%
	Grade 11	2.7%	3.5%	5.9%	94.1%
	Grade 12	2.8%	3.9%	6.7%	93.3%
Heroin?					
	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.8%	1.0%	1.9%	98.1%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.2%	98.8%
	Grade 10	0.6%	0.8%	1.5%	98.5%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.5%	0.7%	1.0%	99.0%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	80.9%	1.9%	2.7%	3.3%	3.8%	3.3%	4.0%
	Grade 7	91.8%	0.7%	1.3%	1.4%	1.5%	1.4%	2.1%
	Grade 8	87.5%	1.4%	2.1%	2.1%	2.8%	1.7%	2.4%
	Grade 9	80.3%	2.0%	3.1%	3.7%	4.1%	3.5%	3.3%
	Grade 10	76.3%	2.5%	3.0%	4.4%	4.9%	4.1%	4.7%
	Grade 11	73.4%	2.2%	3.4%	4.8%	4.9%	5.3%	6.1%
	Grade 12	71.8%	3.4%	3.4%	3.9%	5.5%	4.6%	7.3%
Cocaine?								
	All	91.5%	0.3%	1.1%	1.5%	1.7%	1.6%	2.3%
	Grade 7	96.7%	0.1%	0.5%	0.6%	0.8%	0.7%	0.6%
	Grade 8	95.4%	0.1%	0.6%	0.7%	0.9%	1.0%	1.3%
	Grade 9	90.6%	0.4%	1.4%	1.5%	1.8%	1.9%	2.2%
	Grade 10	89.4%	0.3%	1.4%	2.2%	2.0%	2.1%	2.6%
	Grade 11	87.3%	0.3%	1.4%	2.4%	2.7%	2.1%	3.9%
	Grade 12	87.9%	0.4%	1.6%	2.1%	2.0%	1.9%	4.2%
Crack?								
	All	97.9%	0.1%	0.3%	0.3%	0.4%	0.5%	0.5%
	Grade 7	98.2%	0.1%	0.3%	0.2%	0.5%	0.2%	0.4%
	Grade 8	97.9%	0.0%	0.4%	0.3%	0.4%	0.5%	0.5%
	Grade 9	97.8%	0.1%	0.2%	0.2%	0.5%	0.6%	0.6%
	Grade 10	97.5%	0.1%	0.3%	0.4%	0.5%	0.8%	0.5%
	Grade 11	98.3%	0.1%	0.2%	0.2%	0.3%	0.4%	0.5%
	Grade 12	98.1%	0.1%	0.2%	0.3%	0.4%	0.5%	0.4%
Hallucinogens?								
	All	97.4%	0.0%	0.2%	0.4%	0.6%	0.8%	0.7%
	Grade 7	98.9%	0.0%	0.1%	0.1%	0.3%	0.2%	0.3%
	Grade 8	98.0%	0.0%	0.2%	0.4%	0.4%	0.6%	0.4%
	Grade 9	97.4%	0.1%	0.2%	0.4%	0.6%	0.7%	0.6%
	Grade 10	96.6%	0.0%	0.3%	0.7%	1.0%	0.7%	0.8%
	Grade 11	96.4%	0.0%	0.1%	0.4%	0.7%	1.5%	1.1%
	Grade 12	96.3%	0.0%	0.2%	0.4%	0.9%	1.2%	1.0%
Uppers?								
	All	96.3%	0.1%	0.4%	0.6%	0.9%	0.9%	0.9%
	Grade 7	98.3%	0.0%	0.4%	0.2%	0.3%	0.4%	0.4%
	Grade 8	97.5%	0.2%	0.3%	0.4%	0.6%	0.5%	0.5%
	Grade 9	96.4%	0.1%	0.4%	0.7%	0.9%	0.7%	0.8%
	Grade 10	95.2%	0.2%	0.6%	0.9%	1.3%	0.8%	1.1%
	Grade 11	94.6%	0.1%	0.4%	0.8%	1.2%	1.8%	1.1%
	Grade 12	94.8%	0.1%	0.5%	0.8%	0.9%	1.3%	1.5%
Downers?								
	All	95.9%	0.1%	0.4%	0.8%	1.0%	0.8%	0.9%
	Grade 7	98.7%	0.0%	0.2%	0.2%	0.3%	0.3%	0.3%
	Grade 8	97.6%	0.1%	0.3%	0.4%	0.8%	0.3%	0.6%
	Grade 9	95.6%	0.1%	0.4%	1.2%	1.0%	0.8%	0.8%
	Grade 10	94.4%	0.1%	0.8%	1.2%	1.4%	1.1%	1.1%
	Grade 11	94.4%	0.1%	0.4%	1.2%	1.2%	1.3%	1.3%
	Grade 12	93.7%	0.2%	0.5%	1.0%	1.5%	1.3%	1.8%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	95.0%	0.1%	0.6%	0.8%	1.2%	1.2%	1.1%
	Grade 7	97.9%	0.0%	0.5%	0.3%	0.3%	0.5%	0.5%
	Grade 8	96.7%	0.0%	0.4%	0.6%	0.9%	0.9%	0.6%
	Grade 9	93.9%	0.1%	0.7%	1.3%	1.5%	1.3%	1.1%
	Grade 10	93.3%	0.2%	0.9%	0.8%	1.6%	1.7%	1.5%
	Grade 11	93.9%	0.2%	0.2%	0.9%	1.5%	1.7%	1.6%
	Grade 12	94.2%	0.0%	0.5%	0.6%	1.3%	1.5%	1.9%
Steroids?								
	All	99.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	99.1%	0.1%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 10	99.1%	0.1%	0.0%	0.1%	0.1%	0.1%	0.5%
	Grade 11	98.8%	0.0%	0.2%	0.2%	0.2%	0.2%	0.4%
	Grade 12	99.3%	0.0%	0.2%	0.1%	0.0%	0.2%	0.3%
Ecstasy?								
	All	96.2%	0.1%	0.2%	0.6%	0.9%	0.9%	1.0%
	Grade 7	99.0%	0.0%	0.0%	0.2%	0.1%	0.3%	0.3%
	Grade 8	98.1%	0.1%	0.1%	0.2%	0.7%	0.4%	0.5%
	Grade 9	96.3%	0.1%	0.3%	0.5%	1.0%	0.9%	0.9%
	Grade 10	94.5%	0.1%	0.3%	1.1%	1.2%	1.4%	1.4%
	Grade 11	94.3%	0.1%	0.2%	1.2%	1.5%	1.3%	1.4%
	Grade 12	93.8%	0.0%	0.4%	0.9%	1.2%	1.6%	2.0%
Heroin?								
	All	98.9%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 8	98.6%	0.0%	0.1%	0.2%	0.1%	0.5%	0.4%
	Grade 9	99.2%	0.0%	0.1%	0.2%	0.1%	0.2%	0.3%
	Grade 10	98.8%	0.0%	0.2%	0.1%	0.3%	0.3%	0.3%
	Grade 11	98.9%	0.0%	0.0%	0.0%	0.2%	0.2%	0.5%
	Grade 12	99.2%	0.0%	0.1%	0.0%	0.2%	0.1%	0.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.8	12.3	13.0	13.7	14.5	14.7
Cocaine	12.1	13.0	13.6	14.3	14.9	15.5
Crack	11.6	12.6	13.3	14.5	14.6	15.2
Hallucinogens	11.7	12.5	13.5	14.2	14.9	15.7
Uppers	11.5	12.4	13.4	14.1	14.8	15.4
Downers	11.4	12.5	13.5	14.3	14.7	15.4
Rohypnol	11.8	12.8	13.7	14.3	14.8	15.1
Steroids	11.8	12.1	13.7	13.6	14.6	15.6
Ecstasy	12.1	13.0	13.7	14.9	15.5	16.2
Heroin	11.6	12.6	12.9	14.2	13.9	15.1

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	81.5%	0.8%	1.8%	5.6%	6.9%	3.2%	0.3%
	Grade 7	93.0%	0.6%	2.0%	3.6%	0.6%	0.0%	0.1%
	Grade 8	87.9%	0.7%	1.9%	7.0%	2.4%	0.0%	0.0%
	Grade 9	82.5%	1.0%	1.6%	6.9%	7.3%	0.5%	0.1%
	Grade 10	77.6%	0.8%	2.3%	5.3%	10.9%	3.0%	0.1%
	Grade 11	71.8%	0.3%	1.6%	4.9%	11.9%	9.3%	0.2%
	Grade 12	68.3%	0.9%	1.0%	5.1%	11.2%	11.6%	1.9%
Other family situation								
	All	70.2%	1.7%	3.7%	9.3%	10.0%	4.5%	0.6%
	Grade 7	86.7%	1.6%	3.4%	7.1%	1.1%	0.0%	0.1%
	Grade 8	80.5%	2.1%	3.8%	8.8%	4.5%	0.0%	0.2%
	Grade 9	68.4%	1.8%	4.0%	12.6%	12.5%	0.5%	0.1%
	Grade 10	62.9%	1.9%	3.0%	9.9%	16.6%	5.4%	0.3%
	Grade 11	60.8%	1.0%	3.0%	8.2%	14.4%	12.3%	0.3%
	Grade 12	58.8%	1.8%	4.9%	6.9%	10.4%	13.9%	3.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	24.4%	24.8%	6.9%	8.4%	11.9%	23.5%
	Grade 7	35.9%	37.8%	7.4%	5.3%	5.8%	7.8%
	Grade 8	27.8%	34.0%	8.2%	7.6%	8.3%	14.1%
	Grade 9	22.8%	25.0%	7.1%	9.4%	12.2%	23.4%
	Grade 10	20.3%	17.4%	6.6%	9.5%	15.0%	31.1%
	Grade 11	17.3%	15.3%	5.0%	9.6%	16.7%	36.2%
	Grade 12	18.8%	12.1%	5.8%	9.9%	16.5%	36.8%
Cocaine?							
	All	27.9%	28.3%	8.9%	9.7%	9.7%	15.5%
	Grade 7	39.3%	40.3%	8.0%	4.8%	3.3%	4.3%
	Grade 8	31.9%	37.7%	8.6%	7.5%	5.8%	8.7%
	Grade 9	26.1%	29.0%	9.6%	10.1%	10.2%	15.0%
	Grade 10	23.2%	21.5%	9.8%	12.3%	13.2%	19.9%
	Grade 11	21.1%	18.4%	8.4%	12.2%	14.6%	25.3%
	Grade 12	22.0%	15.1%	8.4%	13.5%	14.3%	26.7%
Crack?							
	All	32.1%	29.2%	10.0%	10.4%	7.7%	10.5%
	Grade 7	43.2%	39.4%	7.4%	4.3%	2.6%	3.2%
	Grade 8	34.6%	37.6%	8.6%	7.3%	4.9%	7.0%
	Grade 9	29.9%	30.0%	10.7%	10.1%	8.3%	11.0%
	Grade 10	28.1%	23.7%	11.3%	13.7%	9.5%	13.7%
	Grade 11	26.6%	20.3%	11.5%	14.4%	11.6%	15.7%
	Grade 12	27.9%	16.9%	11.4%	16.2%	11.7%	16.0%
Hallucinogens?							
	All	47.9%	23.1%	8.4%	7.9%	5.4%	7.4%
	Grade 7	61.3%	27.0%	5.2%	2.8%	1.6%	2.1%
	Grade 8	53.3%	28.5%	6.8%	4.7%	3.0%	3.6%
	Grade 9	46.8%	24.2%	9.0%	7.3%	5.2%	7.5%
	Grade 10	43.7%	19.7%	10.0%	10.2%	6.6%	9.8%
	Grade 11	39.2%	18.4%	9.2%	12.3%	9.2%	11.7%
	Grade 12	36.9%	16.6%	11.6%	13.4%	8.9%	12.5%
Uppers?							
	All	53.0%	19.5%	6.7%	6.5%	5.5%	8.8%
	Grade 7	64.9%	24.6%	4.5%	2.6%	1.2%	2.2%
	Grade 8	58.8%	24.6%	5.4%	4.5%	2.7%	4.0%
	Grade 9	52.1%	20.4%	7.2%	5.9%	5.7%	8.8%
	Grade 10	49.5%	16.5%	7.7%	8.2%	6.5%	11.7%
	Grade 11	44.8%	14.5%	6.9%	9.6%	10.0%	14.3%
	Grade 12	42.5%	12.1%	9.2%	11.0%	9.5%	15.7%
Downers?							
	All	52.9%	19.3%	6.5%	6.4%	5.7%	9.2%
	Grade 7	65.8%	24.0%	4.1%	2.6%	1.5%	2.1%
	Grade 8	58.3%	24.7%	5.7%	4.4%	2.8%	4.2%
	Grade 9	51.4%	20.2%	7.1%	6.0%	5.8%	9.5%
	Grade 10	48.9%	16.0%	7.6%	8.1%	6.6%	12.8%
	Grade 11	44.8%	14.5%	6.6%	9.0%	9.9%	15.1%
	Grade 12	42.6%	12.1%	8.6%	10.8%	10.0%	15.9%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	46.8%	20.7%	6.9%	7.1%	6.9%	11.6%
	Grade 7	62.9%	25.0%	4.7%	2.7%	1.8%	3.0%
	Grade 8	52.9%	26.3%	5.9%	5.0%	3.9%	5.9%
	Grade 9	43.9%	21.6%	7.3%	7.3%	7.8%	12.1%
	Grade 10	41.2%	17.3%	7.5%	8.7%	8.9%	16.4%
	Grade 11	37.3%	16.3%	7.5%	9.7%	11.3%	18.0%
	Grade 12	38.0%	13.5%	9.6%	11.3%	9.3%	18.3%
Steroids?							
	All	35.6%	31.0%	10.3%	9.0%	6.3%	7.8%
	Grade 7	44.8%	38.9%	6.7%	4.1%	2.7%	2.8%
	Grade 8	37.7%	38.9%	9.0%	6.1%	3.5%	4.6%
	Grade 9	34.5%	32.5%	10.8%	9.0%	6.1%	7.2%
	Grade 10	32.7%	27.4%	11.8%	11.7%	6.9%	9.5%
	Grade 11	30.2%	22.4%	11.6%	12.9%	10.5%	12.3%
	Grade 12	30.9%	19.0%	12.9%	13.0%	10.1%	14.1%
Ecstasy?							
	All	42.6%	24.3%	8.5%	7.6%	6.5%	10.5%
	Grade 7	62.1%	27.2%	4.7%	2.7%	1.3%	2.1%
	Grade 8	50.1%	30.2%	7.1%	4.8%	3.1%	4.8%
	Grade 9	40.8%	26.0%	8.7%	7.7%	6.9%	9.9%
	Grade 10	33.8%	22.6%	10.8%	9.8%	8.6%	14.3%
	Grade 11	30.5%	18.8%	9.5%	11.5%	11.2%	18.4%
	Grade 12	30.8%	16.2%	11.7%	12.0%	10.6%	18.7%
Heroin?							
	All	41.9%	28.9%	10.0%	7.7%	4.6%	6.9%
	Grade 7	54.6%	32.4%	5.9%	2.6%	1.6%	2.9%
	Grade 8	45.1%	34.8%	7.9%	4.9%	2.7%	4.6%
	Grade 9	39.6%	31.2%	9.9%	7.6%	4.9%	6.8%
	Grade 10	38.2%	26.3%	11.7%	10.1%	5.2%	8.5%
	Grade 11	34.9%	22.9%	12.5%	11.9%	7.5%	10.3%
	Grade 12	35.3%	21.1%	14.3%	12.0%	6.9%	10.4%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	91.7%	5.0%	1.4%	1.9%
Grade 7	95.8%	2.8%	0.6%	0.9%
Grade 8	93.8%	3.9%	0.9%	1.4%
Grade 9	90.0%	6.2%	1.6%	2.2%
Grade 10	90.3%	5.8%	1.7%	2.2%
Grade 11	90.3%	5.5%	1.9%	2.3%
Grade 12	89.5%	5.8%	2.1%	2.6%
Attended class while high from use of some other drug?				
All	94.3%	3.6%	1.1%	1.1%
Grade 7	96.1%	2.6%	0.6%	0.7%
Grade 8	96.2%	2.7%	0.6%	0.5%
Grade 9	93.3%	4.1%	1.2%	1.4%
Grade 10	92.6%	4.6%	1.5%	1.3%
Grade 11	93.4%	3.9%	1.4%	1.3%
Grade 12	93.8%	3.5%	1.3%	1.4%
Gotten into trouble with teachers because of your drug use?				
All	97.9%	1.4%	0.3%	0.4%
Grade 7	98.4%	1.0%	0.3%	0.3%
Grade 8	98.5%	0.9%	0.2%	0.4%
Grade 9	97.1%	2.0%	0.3%	0.6%
Grade 10	97.7%	1.4%	0.5%	0.4%
Grade 11	98.1%	1.1%	0.4%	0.4%
Grade 12	97.6%	1.5%	0.3%	0.6%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	5.0
Marijuana Non-use	3.5
Average days conduct problems reported	
Marijuana Users:	6.2
Marijuana Non-use	1.8

**Border - Grades 7-12 Large
SPRING 2008**

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	92.9%	4.4%	1.3%	1.3%
Grade 9	95.6%	2.8%	0.7%	0.8%
Grade 10	93.2%	4.4%	1.1%	1.3%
Grade 11	91.7%	5.5%	1.6%	1.2%
Grade 12	88.8%	6.4%	2.5%	2.3%
Gotten into trouble with the police because of drug use?				
All	97.5%	1.7%	0.4%	0.4%
Grade 7	98.5%	0.9%	0.3%	0.2%
Grade 8	98.0%	1.4%	0.3%	0.3%
Grade 9	96.8%	2.2%	0.4%	0.6%
Grade 10	97.0%	2.2%	0.5%	0.3%
Grade 11	98.0%	1.5%	0.4%	0.2%
Grade 12	96.7%	2.3%	0.4%	0.5%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	54.2%	19.0%	12.1%	10.1%	4.7%
Grade 7	76.8%	12.2%	4.8%	4.1%	2.1%
Grade 8	63.7%	16.8%	9.5%	6.7%	3.3%
Grade 9	51.9%	19.1%	12.6%	10.9%	5.4%
Grade 10	42.4%	22.9%	15.6%	12.7%	6.4%
Grade 11	41.0%	22.3%	16.6%	14.7%	5.4%
Grade 12	41.2%	22.9%	16.3%	13.6%	6.0%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.4%	4.3%	0.8%	0.5%
Grade 7	96.4%	2.9%	0.5%	0.2%
Grade 8	95.2%	3.6%	0.7%	0.4%
Grade 9	92.9%	5.5%	0.8%	0.7%
Grade 10	93.0%	5.5%	0.8%	0.7%
Grade 11	94.5%	4.0%	0.9%	0.6%
Grade 12	94.5%	4.1%	0.9%	0.5%
Been criticized by someone you were dating because of drug use?				
All	94.4%	4.2%	0.8%	0.6%
Grade 7	97.6%	1.9%	0.2%	0.3%
Grade 8	95.8%	2.6%	0.7%	0.9%
Grade 9	93.3%	5.2%	0.9%	0.6%
Grade 10	93.2%	5.1%	1.0%	0.7%
Grade 11	93.3%	5.3%	0.8%	0.6%
Grade 12	92.7%	5.3%	1.4%	0.7%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	57.2%	9.6%	6.3%	7.1%	8.1%	3.8%	7.9%
Grade 7	78.6%	5.6%	3.0%	2.2%	2.1%	2.5%	6.0%
Grade 8	70.8%	8.5%	3.8%	4.0%	3.5%	2.9%	6.5%
Grade 9	57.2%	9.8%	6.5%	7.1%	6.7%	4.2%	8.4%
Grade 10	45.4%	12.5%	8.8%	9.9%	10.6%	4.2%	8.6%
Grade 11	39.4%	11.5%	9.3%	11.1%	13.4%	4.6%	10.8%
Grade 12	41.6%	11.0%	8.1%	10.4%	17.1%	4.6%	7.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	81.5%	5.4%	3.6%	4.9%	3.5%	1.0%
	Grade 7	91.0%	2.9%	1.8%	1.7%	1.6%	0.9%
	Grade 8	86.8%	3.5%	2.9%	3.5%	2.3%	1.0%
	Grade 9	80.1%	5.3%	4.3%	5.2%	4.0%	1.1%
	Grade 10	77.7%	6.9%	4.0%	6.1%	4.3%	1.0%
	Grade 11	75.4%	7.3%	4.4%	7.0%	4.9%	1.0%
	Grade 12	74.3%	8.2%	4.4%	7.2%	4.6%	1.3%
Blunts?	All	84.5%	4.9%	3.6%	3.4%	2.8%	0.8%
	Grade 7	93.5%	2.3%	1.5%	1.0%	0.9%	0.7%
	Grade 8	89.4%	3.1%	2.8%	2.3%	1.6%	0.9%
	Grade 9	82.8%	5.2%	4.3%	3.7%	3.0%	1.0%
	Grade 10	80.6%	6.2%	4.3%	4.5%	3.8%	0.7%
	Grade 11	79.4%	6.3%	4.3%	5.2%	4.2%	0.5%
	Grade 12	78.3%	7.4%	5.1%	4.7%	3.7%	0.9%
Bongs or water pipes?	All	87.9%	4.6%	2.6%	2.2%	2.0%	0.8%
	Grade 7	95.5%	1.4%	1.0%	0.7%	0.7%	0.7%
	Grade 8	91.8%	2.7%	2.0%	1.4%	1.1%	1.0%
	Grade 9	87.1%	4.8%	2.8%	2.2%	2.2%	1.0%
	Grade 10	85.1%	5.6%	3.2%	3.0%	2.2%	1.0%
	Grade 11	83.0%	6.9%	3.1%	3.3%	3.2%	0.5%
	Grade 12	81.7%	7.4%	4.3%	3.0%	2.9%	0.6%
Pipes?	All	86.9%	4.8%	2.7%	2.6%	2.3%	0.8%
	Grade 7	94.8%	2.0%	1.0%	0.8%	0.8%	0.5%
	Grade 8	91.2%	3.2%	1.9%	1.7%	1.3%	0.8%
	Grade 9	86.3%	4.8%	3.1%	2.4%	2.3%	1.1%
	Grade 10	84.2%	5.7%	3.2%	3.1%	2.8%	1.0%
	Grade 11	81.5%	6.6%	3.6%	4.1%	3.6%	0.6%
	Grade 12	79.7%	7.8%	4.2%	4.3%	3.6%	0.5%
Some other way?	All	89.1%	4.2%	1.5%	1.5%	1.9%	1.8%
	Grade 7	94.5%	1.8%	0.8%	0.7%	1.1%	1.1%
	Grade 8	92.3%	2.2%	1.2%	1.1%	1.3%	1.8%
	Grade 9	88.2%	4.5%	1.7%	1.7%	2.0%	2.0%
	Grade 10	87.3%	4.9%	1.8%	1.6%	2.4%	2.0%
	Grade 11	85.1%	6.4%	2.1%	2.0%	2.3%	2.1%
	Grade 12	85.7%	6.3%	1.6%	2.0%	2.3%	2.2%

Border - Grades 7-12 Large
SPRING 2008

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.6%	3.2%	3.0%	0.8%	1.4%	9.9%
Grade 7	80.1%	2.1%	2.0%	0.5%	1.1%	14.2%
Grade 8	81.7%	2.0%	2.6%	0.9%	1.1%	11.6%
Grade 9	81.1%	3.3%	2.9%	0.8%	1.9%	10.0%
Grade 10	82.9%	3.8%	3.3%	1.0%	1.5%	7.6%
Grade 11	82.6%	4.3%	3.6%	0.7%	1.3%	7.3%
Grade 12	81.7%	4.6%	4.1%	0.9%	1.6%	7.0%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.9%	15.3%	7.6%	5.3%	4.9%
	Grade 7	79.5%	9.9%	3.4%	1.9%	5.3%
	Grade 8	73.5%	12.1%	5.1%	3.4%	5.8%
	Grade 9	65.7%	15.3%	7.8%	5.4%	5.7%
	Grade 10	60.7%	18.6%	9.7%	6.3%	4.6%
	Grade 11	59.2%	18.7%	11.5%	7.6%	3.1%
	Grade 12	58.5%	19.7%	9.3%	8.9%	3.7%
Cocaine?						
	All	80.5%	10.3%	2.5%	1.4%	5.4%
	Grade 7	84.2%	7.4%	1.6%	1.0%	5.8%
	Grade 8	82.1%	8.3%	1.8%	1.5%	6.3%
	Grade 9	78.2%	11.0%	2.8%	1.4%	6.5%
	Grade 10	77.9%	12.4%	3.2%	1.4%	5.1%
	Grade 11	79.6%	12.4%	2.8%	1.5%	3.7%
	Grade 12	81.5%	10.7%	2.6%	1.4%	3.8%
Crack?						
	All	82.5%	8.4%	1.5%	1.3%	6.3%
	Grade 7	84.0%	7.1%	1.2%	0.9%	6.8%
	Grade 8	81.7%	8.0%	1.4%	1.5%	7.5%
	Grade 9	80.7%	9.4%	1.8%	1.2%	6.9%
	Grade 10	81.5%	9.2%	2.0%	1.5%	5.9%
	Grade 11	83.7%	9.2%	1.0%	1.4%	4.7%
	Grade 12	85.2%	7.4%	1.5%	1.1%	4.9%
Ecstasy?						
	All	78.9%	9.1%	2.3%	1.4%	8.3%
	Grade 7	80.8%	6.2%	1.1%	1.0%	10.8%
	Grade 8	79.4%	7.3%	1.7%	1.1%	10.4%
	Grade 9	76.4%	9.9%	2.9%	1.4%	9.3%
	Grade 10	78.0%	10.8%	2.4%	2.0%	6.7%
	Grade 11	79.2%	11.1%	2.9%	1.7%	5.2%
	Grade 12	80.9%	9.7%	2.8%	1.3%	5.2%
Steroids?						
	All	75.8%	12.1%	3.3%	1.6%	7.2%
	Grade 7	77.5%	10.2%	2.9%	1.3%	8.2%
	Grade 8	75.2%	11.5%	3.2%	1.8%	8.3%
	Grade 9	74.2%	13.0%	3.3%	1.5%	8.0%
	Grade 10	75.9%	11.8%	3.6%	2.1%	6.5%
	Grade 11	75.4%	14.3%	3.5%	1.7%	5.0%
	Grade 12	77.6%	11.8%	3.3%	1.4%	5.9%
Heroin?						
	All	83.8%	6.3%	1.3%	1.0%	7.5%
	Grade 7	83.2%	5.9%	1.1%	0.8%	8.9%
	Grade 8	82.8%	5.9%	1.1%	1.4%	8.8%
	Grade 9	81.8%	7.2%	1.5%	0.9%	8.6%
	Grade 10	84.3%	6.4%	1.5%	1.1%	6.8%
	Grade 11	85.7%	6.9%	1.2%	1.1%	5.1%
	Grade 12	87.4%	5.4%	1.2%	0.8%	5.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-15: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	1.0%	1.5%	2.9%	97.1%
Grade 7	1.2%	1.5%	2.8%	97.2%
Grade 8	1.0%	1.5%	2.6%	97.4%
Grade 9	1.0%	1.5%	2.8%	97.2%
Grade 10	1.2%	1.6%	3.6%	96.4%
Grade 11	0.8%	1.7%	3.0%	97.0%
Grade 12	0.9%	1.4%	2.7%	97.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-16: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Codeine?					
	All	3.7%	5.9%	8.2%	91.8%
	Grade 7	3.2%	4.5%	6.3%	93.7%
	Grade 8	3.6%	5.5%	7.5%	92.5%
	Grade 9	3.6%	5.9%	8.3%	91.7%
	Grade 10	4.4%	6.9%	9.1%	90.9%
	Grade 11	4.1%	7.0%	9.3%	90.7%
	Grade 12	3.7%	6.1%	9.9%	90.1%
Oxycontin, Percodan or Percocet?					
	All	0.7%	1.0%	1.6%	98.4%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.5%	0.8%	1.3%	98.7%
	Grade 10	1.1%	1.6%	2.2%	97.8%
	Grade 11	0.9%	1.4%	2.1%	97.9%
	Grade 12	1.0%	1.4%	2.2%	97.8%
Vicodin, Lortab or Lorcet?					
	All	0.9%	1.4%	2.1%	97.9%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.5%	0.8%	1.3%	98.7%
	Grade 9	0.8%	1.2%	1.8%	98.2%
	Grade 10	1.2%	2.2%	3.0%	97.0%
	Grade 11	1.3%	1.9%	2.8%	97.2%
	Grade 12	1.2%	2.2%	3.5%	96.5%
Valium or Diazepam?					
	All	0.7%	1.1%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.6%	0.8%	1.2%	98.8%
	Grade 9	0.4%	0.8%	1.5%	98.5%
	Grade 10	1.0%	1.5%	2.0%	98.0%
	Grade 11	1.0%	1.6%	2.2%	97.8%
	Grade 12	0.9%	1.5%	2.5%	97.5%
Xanax or Alprazolam?					
	All	1.3%	1.9%	2.8%	97.2%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	0.8%	1.1%	1.6%	98.4%
	Grade 9	1.0%	1.5%	2.4%	97.6%
	Grade 10	2.0%	3.0%	3.9%	96.1%
	Grade 11	1.9%	3.1%	4.3%	95.7%
	Grade 12	1.9%	3.1%	4.5%	95.5%

**Border - Grades 7-12 Large
SPRING 2008**

Table D-17: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	2.1%	3.1%	4.8%	95.2%
	Grade 7	2.1%	2.7%	4.6%	95.4%
	Grade 8	2.0%	3.1%	4.4%	95.6%
	Grade 9	2.3%	3.3%	4.7%	95.3%
	Grade 10	2.4%	3.8%	5.8%	94.2%
	Grade 11	1.9%	3.0%	5.0%	95.0%
	Grade 12	1.6%	2.6%	4.7%	95.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	3.8%	5.8%	10.9%	89.1%
	Grade 7	4.3%	6.4%	11.9%	88.1%
	Grade 8	4.1%	6.1%	10.8%	89.2%
	Grade 9	3.7%	6.0%	11.1%	88.9%
	Grade 10	4.0%	5.9%	11.7%	88.3%
	Grade 11	3.6%	5.3%	10.3%	89.7%
	Grade 12	3.1%	4.6%	8.4%	91.6%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.1%	0.3%	1.0%	1.2%	1.6%	1.5%	2.3%
Grade 7	90.4%	0.7%	1.6%	1.3%	1.8%	2.1%	2.2%
Grade 8	91.8%	0.3%	1.2%	1.4%	1.6%	1.4%	2.3%
Grade 9	92.0%	0.2%	0.9%	1.2%	1.5%	2.0%	2.2%
Grade 10	92.0%	0.3%	0.8%	1.1%	2.2%	1.2%	2.4%
Grade 11	93.1%	0.1%	0.6%	1.1%	1.4%	1.3%	2.4%
Grade 12	93.6%	0.1%	0.5%	1.0%	1.4%	0.8%	2.6%

Table I-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	11.7	12.7	13.5	13.9	14.4

**Border - Grades 7-12 Large
SPRING 2008**

Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	96.8%	2.2%	0.6%	0.5%
Grade 7	96.6%	2.2%	0.6%	0.6%
Grade 8	96.7%	2.3%	0.6%	0.4%
Grade 9	96.4%	2.5%	0.5%	0.6%
Grade 10	97.1%	2.0%	0.4%	0.5%
Grade 11	97.2%	1.8%	0.6%	0.4%
Grade 12	97.1%	1.8%	0.7%	0.5%

Table I-5: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.9
Inhalants Non-use	3.6

Average days conduct problems reported	
Inhalants Users:	6.7
Inhalants Non-use	2.1

Table I-6: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	76.0%	14.3%	6.0%	2.5%	1.2%
Grade 7	80.4%	11.1%	4.6%	2.4%	1.5%
Grade 8	76.8%	14.4%	5.5%	2.4%	0.9%
Grade 9	74.8%	14.7%	6.3%	2.6%	1.5%
Grade 10	73.5%	16.1%	6.6%	2.6%	1.2%
Grade 11	74.6%	14.5%	7.3%	2.6%	1.0%
Grade 12	75.5%	15.3%	5.5%	2.6%	1.1%

**Border - Grades 7-12 Large
SPRING 2008**

Table I-7: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	72.2%	15.3%	4.5%	1.9%	6.1%
Grade 7	71.7%	14.3%	5.4%	2.4%	6.2%
Grade 8	71.2%	14.1%	5.0%	2.4%	7.2%
Grade 9	70.5%	16.8%	4.4%	1.6%	6.7%
Grade 10	71.8%	16.0%	4.3%	1.8%	6.1%
Grade 11	74.5%	15.3%	3.9%	1.7%	4.6%
Grade 12	75.5%	14.8%	3.4%	1.7%	4.6%

Table I-8: If you wanted some, how difficult would it be to get..

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?						
All	30.9%	18.3%	4.9%	6.1%	9.5%	30.3%
Grade 7	38.6%	24.1%	4.8%	4.4%	7.2%	20.9%
Grade 8	33.4%	22.9%	4.9%	5.0%	7.5%	26.3%
Grade 9	30.0%	18.5%	5.3%	6.5%	9.7%	29.9%
Grade 10	27.4%	15.7%	5.0%	7.7%	11.0%	33.2%
Grade 11	26.6%	13.1%	4.5%	7.0%	11.6%	37.1%
Grade 12	26.9%	11.5%	4.7%	6.7%	10.7%	39.5%

**Border - Grades 7-12 Large
SPRING 2008**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A school health class	All	57.1%
	Grade 7	51.6%
	Grade 8	54.1%
	Grade 9	54.7%
	Grade 10	61.5%
	Grade 11	63.4%
	Grade 12	60.6%
An assembly program	All	49.8%
	Grade 7	51.7%
	Grade 8	51.3%
	Grade 9	49.3%
	Grade 10	47.4%
	Grade 11	48.8%
Guidance counselor	Grade 12	50.2%
	All	39.7%
	Grade 7	45.6%
	Grade 8	45.7%
	Grade 9	40.7%
	Grade 10	33.0%
Science class	Grade 11	35.4%
	Grade 12	34.7%
	All	37.6%
	Grade 7	41.2%
	Grade 8	36.1%
	Grade 9	40.7%
Social studies class	Grade 10	35.4%
	Grade 11	36.5%
	Grade 12	32.9%
	All	21.1%
	Grade 7	18.4%
	Grade 8	19.5%
Student group session	Grade 9	22.9%
	Grade 10	20.6%
	Grade 11	22.3%
	Grade 12	23.2%
	All	21.8%
	Grade 7	18.8%
	Grade 8	19.6%
	Grade 9	23.2%
	Grade 10	20.4%
	Grade 11	23.7%
	Grade 12	26.2%

**Border - Grades 7-12 Large
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY		Yes
An invited school guest	All	40.4%
	Grade 7	38.7%
	Grade 8	42.2%
	Grade 9	39.3%
	Grade 10	38.6%
	Grade 11	40.6%
	Grade 12	44.2%
Another source at school	All	38.9%
	Grade 7	35.6%
	Grade 8	38.3%
	Grade 9	39.7%
	Grade 10	37.5%
	Grade 11	41.5%
	Grade 12	41.5%
Any school source	All	59.9%
	Grade 7	57.8%
	Grade 8	61.0%
	Grade 9	58.0%
	Grade 10	60.5%
	Grade 11	62.3%
	Grade 12	61.8%

**Border - Grades 7-12 Large
SPRING 2008**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY		Yes
A counselor or program in	All	41.8%
	Grade 7	53.1%
	Grade 8	45.2%
	Grade 9	40.4%
	Grade 10	35.0%
	Grade 11	37.8%
	Grade 12	35.7%
Another adult in school (All	40.7%
	Grade 7	45.1%
	Grade 8	40.0%
	Grade 9	40.4%
	Grade 10	37.5%
	Grade 11	40.2%
	Grade 12	40.2%
A counselor or program ou	All	40.1%
	Grade 7	42.3%
	Grade 8	39.7%
	Grade 9	39.4%
	Grade 10	38.0%
	Grade 11	40.7%
	Grade 12	40.8%
Your parents	All	63.4%
	Grade 7	69.4%
	Grade 8	62.5%
	Grade 9	62.7%
	Grade 10	62.0%
	Grade 11	60.9%
	Grade 12	62.0%
A medical doctor	All	46.4%
	Grade 7	52.6%
	Grade 8	46.0%
	Grade 9	45.4%
	Grade 10	43.6%
	Grade 11	44.3%
	Grade 12	45.5%
Your friends	All	67.7%
	Grade 7	59.5%
	Grade 8	65.6%
	Grade 9	67.5%
	Grade 10	71.1%
	Grade 11	73.1%
	Grade 12	72.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	61.7%
	Grade 7	61.9%
	Grade 8	61.2%
	Grade 9	60.5%
	Grade 10	63.2%
	Grade 11	62.4%
	Grade 12	61.3%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	11.0%
	Grade 7	9.3%
	Grade 8	11.0%
	Grade 9	12.7%
	Grade 10	11.4%
	Grade 11	9.7%
	Grade 12	11.3%

**Border - Grades 7-12 Large
SPRING 2008**

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	7.2%	29.0%	26.1%	28.3%	9.3%
Grade 7	9.4%	28.1%	22.3%	25.9%	14.3%
Grade 8	8.3%	28.0%	25.1%	27.2%	11.4%
Grade 9	7.7%	29.0%	27.3%	27.3%	8.7%
Grade 10	6.4%	30.7%	27.0%	29.0%	6.9%
Grade 11	5.2%	29.5%	27.8%	31.4%	6.1%
Grade 12	4.4%	29.3%	27.8%	31.4%	7.1%
Sometimes carry weapons?					
All	72.9%	16.4%	7.1%	2.3%	1.3%
Grade 7	81.0%	12.1%	4.6%	1.4%	0.9%
Grade 8	73.2%	17.2%	6.5%	2.0%	1.1%
Grade 9	72.1%	16.6%	7.4%	2.7%	1.3%
Grade 10	71.1%	17.3%	7.4%	2.5%	1.6%
Grade 11	69.3%	18.4%	8.5%	2.5%	1.3%
Grade 12	68.5%	18.0%	8.9%	3.1%	1.5%
Care about making good grades?					
All	3.9%	16.9%	24.6%	36.9%	17.6%
Grade 7	4.4%	19.8%	23.7%	30.9%	21.2%
Grade 8	3.6%	17.3%	24.4%	34.5%	20.2%
Grade 9	4.9%	17.7%	25.6%	36.6%	15.1%
Grade 10	3.3%	17.0%	25.2%	38.2%	16.4%
Grade 11	3.1%	14.6%	24.9%	40.9%	16.5%
Grade 12	3.3%	13.2%	23.2%	44.1%	16.3%
Belong/want to belong to a gang?					
All	60.4%	20.8%	11.0%	5.6%	2.3%
Grade 7	59.9%	21.5%	9.9%	6.0%	2.6%
Grade 8	57.4%	22.2%	11.3%	6.3%	2.7%
Grade 9	56.0%	21.7%	12.7%	7.0%	2.6%
Grade 10	59.5%	21.7%	11.8%	4.7%	2.3%
Grade 11	64.8%	19.3%	10.2%	4.2%	1.6%
Grade 12	69.8%	16.2%	8.7%	3.8%	1.5%
Wish they could drop out of school?					
All	54.8%	28.1%	11.0%	4.0%	2.1%
Grade 7	64.6%	21.6%	7.9%	3.5%	2.4%
Grade 8	59.1%	26.0%	9.5%	3.6%	1.7%
Grade 9	50.5%	29.8%	12.6%	4.7%	2.4%
Grade 10	48.9%	31.6%	13.1%	4.4%	2.0%
Grade 11	49.6%	32.1%	12.3%	4.2%	1.8%
Grade 12	55.9%	28.9%	10.1%	3.1%	1.9%

**Border - Grades 7-12 Large
SPRING 2008**

Table X-5: How safe do you feel when you are:

		Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	79.8%	17.1%	1.4%	0.4%	1.3%
	Grade 7	79.5%	16.8%	1.7%	0.2%	1.9%
	Grade 8	78.4%	17.9%	1.7%	0.3%	1.7%
	Grade 9	78.5%	18.1%	1.6%	0.5%	1.3%
	Grade 10	79.8%	17.7%	1.0%	0.4%	1.0%
	Grade 11	81.4%	16.1%	1.2%	0.4%	0.9%
	Grade 12	83.3%	15.0%	0.8%	0.2%	0.7%
Out in your neighbourhood						
	All	31.3%	50.8%	12.4%	2.9%	2.5%
	Grade 7	29.3%	49.4%	14.2%	3.1%	4.0%
	Grade 8	29.4%	50.6%	13.1%	3.9%	3.0%
	Grade 9	30.1%	52.0%	12.2%	3.0%	2.7%
	Grade 10	30.7%	52.8%	12.2%	2.7%	1.6%
	Grade 11	33.7%	49.8%	12.3%	2.4%	1.8%
	Grade 12	37.4%	49.7%	9.7%	2.0%	1.2%
At school						
	All	33.8%	48.2%	10.7%	4.3%	3.1%
	Grade 7	43.2%	40.5%	8.9%	3.6%	3.8%
	Grade 8	42.0%	42.8%	8.2%	3.4%	3.5%
	Grade 9	30.4%	50.9%	11.6%	4.0%	3.1%
	Grade 10	26.7%	53.9%	11.7%	4.9%	2.9%
	Grade 11	26.6%	52.9%	12.6%	5.2%	2.6%
	Grade 12	32.3%	49.1%	11.4%	5.4%	1.8%

**Border - Grades 7-12 Large
SPRING 2008**

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A website or online chat	All	30.7%
	Grade 7	22.3%
	Grade 8	26.2%
	Grade 9	30.5%
	Grade 10	33.1%
	Grade 11	37.2%
	Grade 12	39.4%
Books, magazines, poster	All	50.8%
	Grade 7	43.9%
	Grade 8	47.1%
	Grade 9	51.6%
	Grade 10	53.4%
	Grade 11	56.2%
	Grade 12	55.7%
TV, radio, or other audi	All	54.4%
	Grade 7	48.6%
	Grade 8	51.1%
	Grade 9	54.7%
	Grade 10	56.9%
	Grade 11	58.3%
	Grade 12	59.1%
Your parents	All	56.3%
	Grade 7	53.1%
	Grade 8	53.9%
	Grade 9	59.1%
	Grade 10	57.7%
	Grade 11	55.6%
	Grade 12	58.4%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.8%	18.9%	33.4%	66.6%
	Grade 7	5.4%	7.5%	17.8%	82.2%
	Grade 8	7.9%	11.2%	24.2%	75.8%
	Grade 9	12.5%	17.9%	32.4%	67.6%
	Grade 10	17.1%	23.1%	40.2%	59.8%
	Grade 11	21.5%	28.5%	44.9%	55.1%
	Grade 12	23.9%	32.8%	49.9%	50.1%
Alcohol					
	All	31.0%	40.7%	61.1%	38.9%
	Grade 7	17.4%	22.1%	45.0%	55.0%
	Grade 8	23.6%	31.9%	54.6%	45.4%
	Grade 9	30.9%	41.3%	61.0%	39.0%
	Grade 10	38.4%	49.7%	69.6%	30.4%
	Grade 11	39.3%	51.5%	70.4%	29.6%
	Grade 12	43.5%	56.1%	73.2%	26.8%
Inhalants					
	All	3.8%	5.8%	10.9%	89.1%
	Grade 7	4.3%	6.4%	11.9%	88.1%
	Grade 8	4.1%	6.1%	10.8%	89.2%
	Grade 9	3.7%	6.0%	11.1%	88.9%
	Grade 10	4.0%	5.9%	11.7%	88.3%
	Grade 11	3.6%	5.3%	10.3%	89.7%
	Grade 12	3.1%	4.6%	8.4%	91.6%
Any Illicit Drug					
	All	11.6%	15.9%	24.4%	75.6%
	Grade 7	5.3%	7.1%	11.7%	88.3%
	Grade 8	8.1%	10.9%	16.9%	83.1%
	Grade 9	12.2%	17.1%	24.4%	75.6%
	Grade 10	14.8%	19.7%	30.7%	69.3%
	Grade 11	15.5%	21.7%	33.8%	66.2%
	Grade 12	16.9%	22.5%	35.9%	64.1%
Marijuana					
	All	9.3%	13.4%	21.5%	78.5%
	Grade 7	3.3%	4.8%	8.7%	91.3%
	Grade 8	6.0%	8.7%	14.1%	85.9%
	Grade 9	9.5%	14.3%	21.5%	78.5%
	Grade 10	12.3%	17.2%	27.6%	72.4%
	Grade 11	12.8%	19.1%	30.5%	69.5%
	Grade 12	14.6%	20.3%	33.3%	66.7%
Marijuana Only					
	All	2.9%	4.7%	9.0%	91.0%
	Grade 7	1.0%	1.5%	3.7%	96.3%
	Grade 8	2.2%	3.2%	6.5%	93.5%
	Grade 9	2.9%	4.7%	8.3%	91.7%
	Grade 10	3.5%	5.7%	11.2%	88.8%
	Grade 11	3.8%	6.9%	13.0%	87.0%
	Grade 12	4.9%	7.6%	14.3%	85.7%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.9%	5.9%	10.3%	89.7%
	Grade 7	1.6%	2.6%	4.4%	95.6%
	Grade 8	2.5%	3.6%	6.2%	93.8%
	Grade 9	4.4%	6.7%	10.6%	89.4%
	Grade 10	4.4%	7.0%	12.7%	87.3%
	Grade 11	5.8%	8.3%	15.3%	84.7%
	Grade 12	5.8%	8.6%	15.8%	84.2%
Cocaine					
	All	3.7%	5.6%	9.9%	90.1%
	Grade 7	1.2%	2.2%	3.7%	96.3%
	Grade 8	2.1%	3.2%	5.7%	94.3%
	Grade 9	4.0%	6.2%	10.1%	89.9%
	Grade 10	4.2%	6.7%	12.5%	87.5%
	Grade 11	5.8%	8.2%	15.2%	84.8%
	Grade 12	5.7%	8.5%	15.7%	84.3%
Crack					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.8%	1.3%	2.1%	97.9%
	Grade 8	1.2%	1.6%	2.5%	97.5%
	Grade 9	1.0%	1.5%	3.1%	96.9%
	Grade 10	0.8%	1.3%	2.9%	97.1%
	Grade 11	0.4%	0.9%	2.1%	97.9%
	Grade 12	0.8%	1.3%	2.2%	97.8%
Hallucinogens					
	All	1.3%	1.9%	3.2%	96.8%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.5%	2.5%	97.5%
	Grade 9	1.1%	1.8%	3.2%	96.8%
	Grade 10	1.6%	2.3%	4.2%	95.8%
	Grade 11	1.6%	2.3%	3.9%	96.1%
	Grade 12	1.8%	2.8%	4.7%	95.3%
Uppers					
	All	1.7%	2.4%	3.7%	96.3%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.5%	2.3%	97.7%
	Grade 9	1.6%	2.4%	3.7%	96.3%
	Grade 10	1.9%	2.9%	4.6%	95.4%
	Grade 11	2.8%	3.8%	5.7%	94.3%
	Grade 12	2.6%	3.7%	5.7%	94.3%
Downers					
	All	2.1%	3.0%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	1.1%	1.7%	2.4%	97.6%
	Grade 9	2.3%	3.4%	5.2%	94.8%
	Grade 10	3.0%	4.2%	6.2%	93.8%
	Grade 11	3.2%	4.3%	6.3%	93.7%
	Grade 12	3.1%	4.1%	6.8%	93.2%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.3%	3.5%	5.8%	94.2%
	Grade 7	1.0%	1.4%	2.5%	97.5%
	Grade 8	1.8%	2.5%	4.0%	96.0%
	Grade 9	3.0%	4.7%	7.1%	92.9%
	Grade 10	3.1%	4.5%	7.7%	92.3%
	Grade 11	2.4%	3.9%	7.0%	93.0%
	Grade 12	2.7%	3.7%	7.3%	92.7%
Steroids					
	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.2%	98.8%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.4%	0.6%	1.1%	98.9%
	Grade 11	0.5%	0.6%	1.2%	98.8%
	Grade 12	0.3%	0.5%	0.7%	99.3%
Ecstasy					
	All	1.7%	2.5%	4.2%	95.8%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.0%	1.4%	2.1%	97.9%
	Grade 9	1.3%	2.3%	4.5%	95.5%
	Grade 10	2.7%	3.9%	6.3%	93.7%
	Grade 11	2.7%	3.5%	5.9%	94.1%
	Grade 12	2.8%	3.9%	6.7%	93.3%
Heroin					
	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.8%	1.0%	1.9%	98.1%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.2%	98.8%
	Grade 10	0.6%	0.8%	1.5%	98.5%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.5%	0.7%	1.0%	99.0%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.6%	21.2%	36.1%	63.9%
	Grade 7	6.2%	8.8%	20.1%	79.9%
	Grade 8	9.3%	13.2%	27.7%	72.3%
	Grade 9	12.0%	17.0%	33.2%	66.8%
	Grade 10	19.9%	26.4%	44.0%	56.0%
	Grade 11	24.9%	32.5%	47.9%	52.1%
	Grade 12	30.0%	39.9%	54.6%	45.4%
Alcohol					
	All	31.0%	39.9%	59.6%	40.4%
	Grade 7	17.4%	22.5%	44.8%	55.2%
	Grade 8	24.4%	32.4%	54.9%	45.1%
	Grade 9	27.8%	36.7%	57.0%	43.0%
	Grade 10	39.8%	50.4%	68.6%	31.4%
	Grade 11	40.2%	51.8%	68.1%	31.9%
	Grade 12	45.5%	56.8%	73.1%	26.9%
Inhalants					
	All	3.6%	5.3%	10.1%	89.9%
	Grade 7	3.6%	5.3%	10.3%	89.7%
	Grade 8	3.6%	4.9%	8.7%	91.3%
	Grade 9	3.0%	4.7%	9.7%	90.3%
	Grade 10	3.5%	5.4%	11.3%	88.7%
	Grade 11	4.5%	6.4%	10.7%	89.3%
	Grade 12	4.0%	5.5%	10.0%	90.0%
Any Illicit Drug					
	All	13.1%	17.8%	27.1%	72.9%
	Grade 7	5.8%	7.9%	13.5%	86.5%
	Grade 8	9.5%	12.9%	20.3%	79.7%
	Grade 9	12.2%	17.5%	25.5%	74.5%
	Grade 10	17.7%	23.3%	34.6%	65.4%
	Grade 11	16.9%	23.7%	37.0%	63.0%
	Grade 12	21.4%	27.1%	39.8%	60.2%
Marijuana					
	All	11.0%	15.5%	24.8%	75.2%
	Grade 7	3.7%	5.4%	10.8%	89.2%
	Grade 8	7.5%	10.8%	17.7%	82.3%
	Grade 9	10.2%	15.1%	23.6%	76.4%
	Grade 10	15.4%	20.9%	33.0%	67.0%
	Grade 11	14.7%	21.7%	34.4%	65.6%
	Grade 12	18.5%	24.2%	37.2%	62.8%
Marijuana Only					
	All	3.6%	5.8%	11.0%	89.0%
	Grade 7	1.3%	2.1%	5.2%	94.8%
	Grade 8	3.5%	4.7%	9.4%	90.6%
	Grade 9	3.6%	5.7%	10.0%	90.0%
	Grade 10	4.5%	7.7%	14.6%	85.4%
	Grade 11	3.9%	7.7%	15.3%	84.7%
	Grade 12	5.9%	8.6%	15.2%	84.8%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.2%	6.2%	10.8%	89.2%
	Grade 7	1.3%	2.4%	4.3%	95.7%
	Grade 8	2.4%	3.7%	6.8%	93.2%
	Grade 9	3.9%	5.9%	10.6%	89.4%
	Grade 10	5.2%	7.8%	13.2%	86.8%
	Grade 11	6.5%	9.1%	15.7%	84.3%
	Grade 12	7.5%	10.7%	17.7%	82.3%
Cocaine					
	All	4.0%	5.9%	10.4%	89.6%
	Grade 7	0.9%	1.9%	3.5%	96.5%
	Grade 8	2.3%	3.5%	6.4%	93.6%
	Grade 9	3.8%	5.6%	10.2%	89.8%
	Grade 10	4.9%	7.4%	13.2%	86.8%
	Grade 11	6.5%	8.9%	15.5%	84.5%
	Grade 12	7.5%	10.7%	17.6%	82.4%
Crack					
	All	0.8%	1.4%	2.5%	97.5%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	1.0%	1.4%	2.1%	97.9%
	Grade 9	0.8%	1.2%	2.9%	97.1%
	Grade 10	0.8%	1.5%	2.8%	97.2%
	Grade 11	0.4%	1.3%	2.4%	97.6%
	Grade 12	1.2%	2.1%	2.9%	97.1%
Hallucinogens					
	All	1.6%	2.3%	4.1%	95.9%
	Grade 7	0.8%	1.1%	1.9%	98.1%
	Grade 8	1.2%	1.6%	2.9%	97.1%
	Grade 9	1.3%	2.1%	4.2%	95.8%
	Grade 10	2.2%	3.3%	5.5%	94.5%
	Grade 11	2.5%	3.3%	5.4%	94.6%
	Grade 12	2.2%	3.4%	5.9%	94.1%
Uppers					
	All	1.6%	2.3%	3.6%	96.4%
	Grade 7	0.6%	0.8%	1.6%	98.4%
	Grade 8	1.0%	1.8%	2.3%	97.7%
	Grade 9	1.1%	1.7%	2.9%	97.1%
	Grade 10	1.9%	2.9%	4.5%	95.5%
	Grade 11	2.8%	3.7%	5.2%	94.8%
	Grade 12	3.2%	4.3%	6.7%	93.3%
Downers					
	All	2.2%	3.2%	4.7%	95.3%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.4%	2.1%	2.7%	97.3%
	Grade 9	1.9%	2.9%	4.7%	95.3%
	Grade 10	3.1%	4.5%	6.3%	93.7%
	Grade 11	3.5%	4.6%	6.3%	93.7%
	Grade 12	3.9%	5.3%	8.3%	91.7%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.4%	3.5%	5.6%	94.4%
	Grade 7	0.8%	1.1%	2.4%	97.6%
	Grade 8	2.0%	2.7%	4.1%	95.9%
	Grade 9	2.3%	3.6%	6.0%	94.0%
	Grade 10	3.0%	4.6%	7.3%	92.7%
	Grade 11	3.2%	4.7%	6.8%	93.2%
	Grade 12	4.0%	5.3%	8.6%	91.4%
Steroids					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.8%	0.9%	1.8%	98.2%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.6%	0.9%	99.1%
	Grade 10	0.8%	1.1%	1.9%	98.1%
	Grade 11	0.6%	0.8%	1.6%	98.4%
	Grade 12	0.5%	1.0%	1.4%	98.6%
Ecstasy					
	All	2.0%	2.9%	4.8%	95.2%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	1.1%	1.6%	2.4%	97.6%
	Grade 9	1.1%	2.1%	4.8%	95.2%
	Grade 10	3.0%	4.5%	6.6%	93.4%
	Grade 11	3.4%	4.3%	7.0%	93.0%
	Grade 12	4.3%	5.4%	8.6%	91.4%
Heroin					
	All	0.7%	0.8%	1.5%	98.5%
	Grade 7	1.0%	1.2%	1.8%	98.2%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	0.4%	0.6%	1.3%	98.7%
	Grade 10	1.0%	1.1%	2.0%	98.0%
	Grade 11	0.7%	0.7%	1.5%	98.5%
	Grade 12	0.7%	0.9%	1.2%	98.8%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.0%	16.8%	30.8%	69.2%
	Grade 7	4.5%	6.2%	15.6%	84.4%
	Grade 8	6.6%	9.4%	21.1%	78.9%
	Grade 9	13.0%	18.7%	31.6%	68.4%
	Grade 10	14.6%	20.1%	36.9%	63.1%
	Grade 11	18.4%	24.6%	42.0%	58.0%
	Grade 12	17.7%	25.7%	45.0%	55.0%
Alcohol					
	All	31.0%	41.4%	62.4%	37.6%
	Grade 7	17.4%	21.8%	45.2%	54.8%
	Grade 8	22.8%	31.4%	54.2%	45.8%
	Grade 9	33.8%	45.6%	64.9%	35.1%
	Grade 10	37.2%	49.2%	70.7%	29.3%
	Grade 11	38.3%	51.1%	72.2%	27.8%
	Grade 12	41.5%	55.4%	73.1%	26.9%
Inhalants					
	All	4.1%	6.3%	11.6%	88.4%
	Grade 7	4.9%	7.4%	13.6%	86.4%
	Grade 8	4.7%	7.1%	12.8%	87.2%
	Grade 9	4.3%	7.2%	12.5%	87.5%
	Grade 10	4.5%	6.3%	12.1%	87.9%
	Grade 11	2.9%	4.4%	9.9%	90.1%
	Grade 12	2.2%	3.7%	6.9%	93.1%
Any Illicit Drug					
	All	10.2%	14.0%	21.9%	78.1%
	Grade 7	4.8%	6.3%	9.9%	90.1%
	Grade 8	6.8%	9.0%	13.8%	86.2%
	Grade 9	12.1%	16.7%	23.3%	76.7%
	Grade 10	12.1%	16.5%	27.2%	72.8%
	Grade 11	14.1%	19.7%	30.9%	69.1%
	Grade 12	12.4%	18.0%	32.0%	68.0%
Marijuana					
	All	7.7%	11.5%	18.4%	81.6%
	Grade 7	2.8%	4.1%	6.6%	93.4%
	Grade 8	4.7%	6.9%	10.8%	89.2%
	Grade 9	8.8%	13.5%	19.5%	80.5%
	Grade 10	9.6%	13.9%	22.9%	77.1%
	Grade 11	11.1%	16.6%	27.0%	73.0%
	Grade 12	10.7%	16.4%	29.4%	70.6%
Marijuana Only					
	All	2.3%	3.6%	7.0%	93.0%
	Grade 7	0.8%	1.0%	2.3%	97.7%
	Grade 8	1.1%	1.9%	3.9%	96.1%
	Grade 9	2.2%	3.6%	6.7%	93.3%
	Grade 10	2.7%	4.0%	8.2%	91.8%
	Grade 11	3.7%	6.3%	11.1%	88.9%
	Grade 12	4.0%	6.5%	13.5%	86.5%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.6%	5.6%	9.9%	90.1%
	Grade 7	1.9%	2.8%	4.5%	95.5%
	Grade 8	2.5%	3.5%	5.6%	94.4%
	Grade 9	4.8%	7.5%	10.7%	89.3%
	Grade 10	3.6%	6.2%	12.2%	87.8%
	Grade 11	5.0%	7.4%	14.9%	85.1%
	Grade 12	4.0%	6.4%	13.7%	86.3%
Cocaine					
	All	3.3%	5.2%	9.4%	90.6%
	Grade 7	1.5%	2.4%	3.8%	96.2%
	Grade 8	2.0%	2.9%	5.0%	95.0%
	Grade 9	4.2%	6.8%	10.0%	90.0%
	Grade 10	3.5%	6.0%	11.8%	88.2%
	Grade 11	5.0%	7.4%	14.9%	85.1%
	Grade 12	3.9%	6.3%	13.7%	86.3%
Crack					
	All	0.9%	1.3%	2.5%	97.5%
	Grade 7	0.9%	1.5%	2.2%	97.8%
	Grade 8	1.4%	1.8%	2.9%	97.1%
	Grade 9	1.2%	1.8%	3.2%	96.8%
	Grade 10	0.8%	1.2%	2.9%	97.1%
	Grade 11	0.4%	0.6%	1.8%	98.2%
	Grade 12	0.4%	0.6%	1.4%	98.6%
Hallucinogens					
	All	1.0%	1.4%	2.3%	97.7%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	1.1%	1.4%	2.0%	98.0%
	Grade 9	0.9%	1.5%	2.4%	97.6%
	Grade 10	1.1%	1.5%	3.0%	97.0%
	Grade 11	0.9%	1.3%	2.5%	97.5%
	Grade 12	1.3%	2.2%	3.4%	96.6%
Uppers					
	All	1.7%	2.5%	3.8%	96.2%
	Grade 7	0.6%	1.0%	1.5%	98.5%
	Grade 8	0.9%	1.2%	2.3%	97.7%
	Grade 9	2.2%	3.1%	4.4%	95.6%
	Grade 10	2.0%	2.9%	4.7%	95.3%
	Grade 11	2.8%	3.9%	5.8%	94.2%
	Grade 12	2.0%	3.1%	4.8%	95.2%
Downers					
	All	2.0%	2.8%	4.4%	95.6%
	Grade 7	0.5%	0.9%	1.3%	98.7%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	2.7%	3.9%	5.7%	94.3%
	Grade 10	2.9%	4.0%	6.2%	93.8%
	Grade 11	2.9%	4.1%	6.2%	93.8%
	Grade 12	2.2%	2.9%	5.3%	94.7%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.3%	3.4%	5.9%	94.1%
	Grade 7	1.2%	1.8%	2.6%	97.4%
	Grade 8	1.6%	2.4%	3.8%	96.2%
	Grade 9	3.7%	5.6%	8.1%	91.9%
	Grade 10	3.2%	4.5%	8.1%	91.9%
	Grade 11	1.6%	3.1%	6.8%	93.2%
	Grade 12	1.5%	2.1%	6.0%	94.0%
Steroids					
	All	0.2%	0.3%	0.6%	99.4%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.4%	0.7%	1.1%	98.9%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.4%	99.6%
	Grade 11	0.3%	0.5%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Ecstasy					
	All	1.5%	2.1%	3.7%	96.3%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	0.9%	1.2%	1.8%	98.2%
	Grade 9	1.5%	2.5%	4.1%	95.9%
	Grade 10	2.5%	3.4%	6.0%	94.0%
	Grade 11	2.0%	2.8%	4.9%	95.1%
	Grade 12	1.4%	2.4%	4.7%	95.3%
Heroin					
	All	0.5%	0.7%	1.3%	98.7%
	Grade 7	0.6%	0.9%	1.9%	98.1%
	Grade 8	0.6%	0.9%	1.6%	98.4%
	Grade 9	0.5%	0.8%	1.1%	98.9%
	Grade 10	0.3%	0.5%	1.0%	99.0%
	Grade 11	0.7%	0.7%	1.0%	99.0%
	Grade 12	0.3%	0.5%	0.8%	99.2%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	18.3%	25.0%	36.2%	63.8%
	Grade 7	3.7%	5.8%	15.8%	84.2%
	Grade 8	9.2%	14.0%	20.5%	79.5%
	Grade 9	13.8%	20.2%	31.6%	68.4%
	Grade 10	25.5%	36.9%	47.0%	53.0%
	Grade 11	27.7%	35.1%	51.9%	48.1%
	Grade 12	35.0%	44.4%	57.9%	42.1%
Alcohol					
	All	33.5%	43.8%	62.4%	37.6%
	Grade 7	19.5%	22.3%	47.2%	52.8%
	Grade 8	24.6%	32.1%	52.0%	48.0%
	Grade 9	29.8%	39.2%	57.2%	42.8%
	Grade 10	39.1%	51.4%	70.0%	30.0%
	Grade 11	45.7%	60.1%	77.8%	22.2%
	Grade 12	46.9%	63.8%	75.8%	24.2%
Inhalants					
	All	3.5%	5.8%	10.2%	89.8%
	Grade 7	5.4%	6.9%	9.2%	90.8%
	Grade 8	2.5%	5.7%	10.4%	89.6%
	Grade 9	1.8%	3.0%	6.5%	93.5%
	Grade 10	3.3%	7.6%	14.4%	85.6%
	Grade 11	5.6%	6.8%	11.5%	88.5%
	Grade 12	3.5%	5.5%	10.0%	90.0%
Any Illicit Drug					
	All	14.1%	18.8%	27.8%	72.2%
	Grade 7	4.2%	8.7%	13.3%	86.7%
	Grade 8	9.7%	10.8%	15.2%	84.8%
	Grade 9	9.9%	14.8%	19.9%	80.1%
	Grade 10	21.3%	27.8%	36.3%	63.7%
	Grade 11	22.5%	26.1%	41.4%	58.6%
	Grade 12	20.4%	29.6%	48.5%	51.5%
Marijuana					
	All	11.9%	17.0%	24.4%	75.6%
	Grade 7	1.9%	5.5%	7.9%	92.1%
	Grade 8	8.2%	9.2%	10.4%	89.6%
	Grade 9	8.6%	12.3%	16.3%	83.7%
	Grade 10	18.5%	27.1%	35.3%	64.7%
	Grade 11	18.5%	25.1%	38.7%	61.3%
	Grade 12	18.5%	28.2%	47.2%	52.8%
Marijuana Only					
	All	4.1%	6.8%	11.1%	88.9%
	Grade 7	0.3%	3.4%	4.4%	95.6%
	Grade 8	3.1%	3.1%	4.4%	95.6%
	Grade 9	3.9%	6.8%	9.4%	90.6%
	Grade 10	4.8%	7.5%	12.9%	87.1%
	Grade 11	7.0%	9.2%	16.9%	83.1%
	Grade 12	6.3%	12.2%	21.7%	78.3%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.3%	4.7%	8.4%	91.6%
	Grade 7	1.0%	1.0%	1.8%	98.2%
	Grade 8	3.3%	3.3%	7.6%	92.4%
	Grade 9	2.7%	2.7%	4.9%	95.1%
	Grade 10	2.8%	4.9%	11.3%	88.7%
	Grade 11	6.9%	8.9%	12.5%	87.5%
	Grade 12	2.9%	8.7%	14.0%	86.0%
Cocaine					
	All	3.0%	4.5%	7.8%	92.2%
	Grade 7	0.0%	0.4%	1.0%	99.0%
	Grade 8	3.1%	3.1%	6.1%	93.9%
	Grade 9	2.4%	2.4%	4.3%	95.7%
	Grade 10	2.8%	5.0%	10.8%	89.2%
	Grade 11	7.1%	9.2%	12.7%	87.3%
	Grade 12	2.9%	8.9%	14.3%	85.7%
Crack					
	All	0.6%	0.7%	2.1%	97.9%
	Grade 7	1.1%	1.1%	1.6%	98.4%
	Grade 8	0.8%	0.8%	3.1%	96.9%
	Grade 9	0.6%	0.6%	2.0%	98.0%
	Grade 10	0.0%	0.7%	2.9%	97.1%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.5%	0.5%	1.2%	98.8%
Hallucinogens					
	All	1.8%	3.6%	6.4%	93.6%
	Grade 7	1.1%	2.8%	3.3%	96.7%
	Grade 8	1.5%	1.8%	4.0%	96.0%
	Grade 9	0.6%	1.1%	3.4%	96.6%
	Grade 10	2.6%	9.0%	13.0%	87.0%
	Grade 11	2.1%	2.9%	7.3%	92.7%
	Grade 12	3.6%	5.5%	9.1%	90.9%
Uppers					
	All	2.4%	3.8%	6.1%	93.9%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.8%	2.6%	2.6%	97.4%
	Grade 9	1.5%	2.1%	2.4%	97.6%
	Grade 10	4.3%	6.0%	8.5%	91.5%
	Grade 11	5.7%	8.3%	11.9%	88.1%
	Grade 12	2.5%	4.4%	13.7%	86.3%
Downers					
	All	2.6%	4.0%	6.2%	93.8%
	Grade 7	1.4%	1.4%	1.7%	98.3%
	Grade 8	0.7%	2.4%	2.4%	97.6%
	Grade 9	0.9%	1.8%	2.7%	97.3%
	Grade 10	5.0%	7.2%	8.7%	91.3%
	Grade 11	3.8%	6.6%	11.1%	88.9%
	Grade 12	5.3%	6.1%	13.9%	86.1%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.9%	2.8%	5.0%	95.0%
	Grade 7	0.4%	0.7%	1.0%	99.0%
	Grade 8	1.6%	1.8%	2.3%	97.7%
	Grade 9	1.9%	1.9%	3.8%	96.2%
	Grade 10	1.2%	4.8%	10.0%	90.0%
	Grade 11	4.0%	5.5%	9.9%	90.1%
	Grade 12	2.7%	2.7%	4.3%	95.7%
Steroids					
	All	0.9%	1.0%	2.3%	97.7%
	Grade 7	2.6%	2.6%	5.3%	94.7%
	Grade 8	0.0%	0.0%	1.8%	98.2%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.5%	0.9%	2.2%	97.8%
	Grade 11	2.2%	2.9%	4.5%	95.5%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy					
	All	2.1%	3.4%	5.5%	94.5%
	Grade 7	0.0%	0.4%	1.6%	98.4%
	Grade 8	0.3%	0.5%	2.5%	97.5%
	Grade 9	2.1%	3.0%	3.2%	96.8%
	Grade 10	4.5%	6.7%	10.9%	89.1%
	Grade 11	3.1%	6.4%	8.9%	91.1%
	Grade 12	3.0%	4.4%	7.8%	92.2%
Heroin					
	All	0.7%	0.8%	1.6%	98.4%
	Grade 7	0.5%	0.5%	2.3%	97.7%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 9	0.8%	0.8%	1.4%	98.6%
	Grade 10	0.7%	1.1%	1.6%	98.4%
	Grade 11	0.4%	0.9%	1.1%	98.9%
	Grade 12	1.9%	1.9%	2.5%	97.5%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.9%	16.4%	29.4%	70.6%
	Grade 7	6.9%	9.0%	23.4%	76.6%
	Grade 8	12.7%	13.9%	27.5%	72.5%
	Grade 9	9.1%	11.6%	25.3%	74.7%
	Grade 10	10.3%	18.0%	29.0%	71.0%
	Grade 11	36.9%	36.9%	52.0%	48.0%
	Grade 12	32.0%	32.0%	39.9%	60.1%
Alcohol					
	All	27.4%	35.6%	56.3%	43.7%
	Grade 7	17.4%	18.8%	39.9%	60.1%
	Grade 8	29.0%	36.1%	60.4%	39.6%
	Grade 9	32.6%	37.9%	56.8%	43.2%
	Grade 10	34.6%	44.6%	68.3%	31.7%
	Grade 11	24.1%	45.5%	62.6%	37.4%
	Grade 12	21.3%	40.4%	51.0%	49.0%
Inhalants					
	All	4.7%	7.6%	15.7%	84.3%
	Grade 7	1.8%	7.1%	21.0%	79.0%
	Grade 8	1.3%	2.5%	10.4%	89.6%
	Grade 9	10.9%	11.7%	14.5%	85.5%
	Grade 10	3.5%	13.1%	18.7%	81.3%
	Grade 11	12.4%	12.4%	23.2%	76.8%
	Grade 12	0.0%	0.0%	11.7%	88.3%
Any Illicit Drug					
	All	13.7%	17.0%	26.4%	73.6%
	Grade 7	7.6%	7.6%	16.9%	83.1%
	Grade 8	9.8%	12.5%	24.3%	75.7%
	Grade 9	20.4%	21.3%	30.9%	69.1%
	Grade 10	21.0%	22.2%	29.0%	71.0%
	Grade 11	8.2%	16.5%	28.1%	71.9%
	Grade 12	15.5%	34.5%	38.3%	61.7%
Marijuana					
	All	9.9%	13.6%	23.5%	76.5%
	Grade 7	6.7%	6.7%	14.7%	85.3%
	Grade 8	8.2%	12.4%	23.9%	76.1%
	Grade 9	10.2%	11.2%	25.6%	74.4%
	Grade 10	14.1%	16.7%	21.8%	78.2%
	Grade 11	8.2%	16.5%	28.1%	71.9%
	Grade 12	16.9%	34.6%	38.7%	61.3%
Marijuana Only					
	All	3.1%	3.7%	10.5%	89.5%
	Grade 7	0.0%	0.0%	7.0%	93.0%
	Grade 8	3.4%	3.4%	12.5%	87.5%
	Grade 9	6.4%	7.3%	12.8%	87.2%
	Grade 10	4.7%	5.9%	9.7%	90.3%
	Grade 11	1.5%	4.4%	15.7%	84.3%
	Grade 12	0.0%	0.0%	3.1%	96.9%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.7%	7.1%	8.6%	91.4%
	Grade 7	0.7%	4.6%	6.1%	93.9%
	Grade 8	2.5%	5.3%	7.2%	92.8%
	Grade 9	1.0%	1.8%	2.8%	97.2%
	Grade 10	10.2%	12.2%	12.2%	87.8%
	Grade 11	5.2%	5.2%	7.9%	92.1%
	Grade 12	7.7%	27.0%	29.9%	70.1%
Cocaine					
	All	3.3%	7.0%	8.2%	91.8%
	Grade 7	0.7%	4.6%	5.4%	94.6%
	Grade 8	1.8%	5.3%	7.2%	92.8%
	Grade 9	1.0%	1.8%	2.8%	97.2%
	Grade 10	9.4%	11.6%	11.6%	88.4%
	Grade 11	5.2%	5.2%	5.2%	94.8%
	Grade 12	7.7%	27.0%	29.9%	70.1%
Crack					
	All	1.6%	2.8%	4.4%	95.6%
	Grade 7	0.7%	0.7%	5.4%	94.6%
	Grade 8	2.5%	2.5%	2.5%	97.5%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	3.4%	3.4%	3.4%	96.6%
	Grade 11	2.6%	2.6%	5.2%	94.8%
	Grade 12	0.0%	16.1%	19.2%	80.8%
Hallucinogens					
	All	1.4%	2.0%	5.0%	95.0%
	Grade 7	0.8%	0.8%	1.6%	98.4%
	Grade 8	0.5%	1.8%	8.1%	91.9%
	Grade 9	0.0%	0.0%	1.6%	98.4%
	Grade 10	2.5%	3.9%	7.1%	92.9%
	Grade 11	2.6%	2.6%	5.3%	94.7%
	Grade 12	6.2%	6.2%	6.2%	93.8%
Uppers					
	All	1.5%	1.9%	3.0%	97.0%
	Grade 7	2.0%	2.0%	2.0%	98.0%
	Grade 8	0.8%	1.4%	2.2%	97.8%
	Grade 9	1.0%	1.0%	3.7%	96.3%
	Grade 10	1.4%	2.6%	4.5%	95.5%
	Grade 11	2.7%	2.7%	2.7%	97.3%
	Grade 12	3.3%	3.3%	3.3%	96.7%
Downers					
	All	2.0%	2.6%	3.8%	96.2%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	1.9%	1.9%	1.9%	98.1%
	Grade 9	2.9%	2.9%	4.7%	95.3%
	Grade 10	3.9%	5.1%	6.9%	93.1%
	Grade 11	2.8%	5.6%	5.6%	94.4%
	Grade 12	0.0%	3.1%	7.7%	92.3%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.8%	3.6%	4.5%	95.5%
	Grade 7	2.1%	2.1%	2.1%	97.9%
	Grade 8	3.6%	4.3%	4.3%	95.7%
	Grade 9	0.7%	0.7%	2.5%	97.5%
	Grade 10	5.0%	7.4%	8.6%	91.4%
	Grade 11	2.8%	2.8%	2.8%	97.2%
	Grade 12	3.1%	6.0%	10.7%	89.3%
Steroids					
	All	1.4%	2.0%	2.8%	97.2%
	Grade 7	0.7%	1.5%	1.5%	98.5%
	Grade 8	0.6%	1.3%	2.1%	97.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	4.4%	5.8%	9.6%	90.4%
	Grade 11	5.5%	5.5%	5.5%	94.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy					
	All	4.9%	4.9%	6.3%	93.7%
	Grade 7	1.9%	1.9%	1.9%	98.1%
	Grade 8	4.1%	4.1%	4.1%	95.9%
	Grade 9	6.8%	6.8%	9.2%	90.8%
	Grade 10	4.9%	4.9%	8.3%	91.7%
	Grade 11	4.1%	4.1%	4.1%	95.9%
	Grade 12	10.8%	10.8%	15.5%	84.5%
Heroin					
	All	1.1%	1.5%	1.8%	98.2%
	Grade 7	1.6%	1.6%	2.4%	97.6%
	Grade 8	1.1%	1.1%	1.8%	98.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	2.5%	2.5%	97.5%
	Grade 11	2.6%	2.6%	2.6%	97.4%
	Grade 12	3.1%	3.1%	3.1%	96.9%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.7%	18.9%	33.6%	66.4%
	Grade 7	5.4%	7.5%	17.8%	82.2%
	Grade 8	7.8%	11.2%	24.4%	75.6%
	Grade 9	12.6%	18.0%	32.7%	67.3%
	Grade 10	17.1%	23.0%	40.5%	59.5%
	Grade 11	21.4%	28.4%	44.9%	55.1%
	Grade 12	23.7%	32.5%	49.9%	50.1%
Alcohol					
	All	31.1%	40.9%	61.4%	38.6%
	Grade 7	17.3%	22.2%	45.2%	54.8%
	Grade 8	23.6%	32.0%	55.0%	45.0%
	Grade 9	30.9%	41.4%	61.4%	38.6%
	Grade 10	38.6%	50.1%	69.9%	30.1%
	Grade 11	39.5%	51.6%	70.5%	29.5%
	Grade 12	43.8%	56.2%	73.4%	26.6%
Inhalants					
	All	3.8%	5.8%	10.9%	89.1%
	Grade 7	4.2%	6.2%	11.8%	88.2%
	Grade 8	4.3%	6.2%	10.9%	89.1%
	Grade 9	3.6%	6.0%	11.3%	88.7%
	Grade 10	4.0%	5.8%	11.6%	88.4%
	Grade 11	3.6%	5.3%	10.3%	89.7%
	Grade 12	3.1%	4.6%	8.4%	91.6%
Any Illicit Drug					
	All	11.6%	15.9%	24.5%	75.5%
	Grade 7	5.3%	7.1%	11.6%	88.4%
	Grade 8	8.1%	11.0%	17.0%	83.0%
	Grade 9	12.1%	17.1%	24.5%	75.5%
	Grade 10	14.8%	19.8%	30.8%	69.2%
	Grade 11	15.4%	21.8%	34.0%	66.0%
	Grade 12	16.8%	22.3%	35.6%	64.4%
Marijuana					
	All	9.3%	13.5%	21.6%	78.4%
	Grade 7	3.2%	4.7%	8.6%	91.4%
	Grade 8	6.0%	8.7%	14.1%	85.9%
	Grade 9	9.5%	14.4%	21.7%	78.3%
	Grade 10	12.3%	17.2%	27.8%	72.2%
	Grade 11	12.7%	19.1%	30.7%	69.3%
	Grade 12	14.6%	20.1%	32.9%	67.1%
Marijuana Only					
	All	2.9%	4.7%	9.0%	91.0%
	Grade 7	1.0%	1.5%	3.7%	96.3%
	Grade 8	2.3%	3.3%	6.6%	93.4%
	Grade 9	2.8%	4.5%	8.2%	91.8%
	Grade 10	3.5%	5.8%	11.3%	88.7%
	Grade 11	3.7%	6.9%	13.0%	87.0%
	Grade 12	5.0%	7.5%	14.3%	85.7%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.0%	6.0%	10.5%	89.5%
	Grade 7	1.7%	2.6%	4.5%	95.5%
	Grade 8	2.5%	3.6%	6.2%	93.8%
	Grade 9	4.5%	6.9%	10.9%	89.1%
	Grade 10	4.4%	7.1%	12.8%	87.2%
	Grade 11	5.9%	8.4%	15.7%	84.3%
	Grade 12	5.7%	8.3%	15.7%	84.3%
Cocaine					
	All	3.7%	5.6%	10.1%	89.9%
	Grade 7	1.3%	2.2%	3.8%	96.2%
	Grade 8	2.1%	3.2%	5.7%	94.3%
	Grade 9	4.1%	6.4%	10.4%	89.6%
	Grade 10	4.2%	6.8%	12.6%	87.4%
	Grade 11	5.9%	8.3%	15.6%	84.4%
	Grade 12	5.7%	8.3%	15.6%	84.4%
Crack					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.7%	1.3%	2.0%	98.0%
	Grade 8	1.2%	1.6%	2.5%	97.5%
	Grade 9	1.0%	1.6%	3.1%	96.9%
	Grade 10	0.8%	1.3%	2.8%	97.2%
	Grade 11	0.4%	0.9%	2.1%	97.9%
	Grade 12	0.9%	1.2%	2.1%	97.9%
Hallucinogens					
	All	1.3%	1.8%	3.1%	96.9%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.6%	2.3%	97.7%
	Grade 9	1.1%	1.8%	3.3%	96.7%
	Grade 10	1.6%	2.1%	4.0%	96.0%
	Grade 11	1.6%	2.2%	3.8%	96.2%
	Grade 12	1.7%	2.7%	4.5%	95.5%
Uppers					
	All	1.6%	2.4%	3.7%	96.3%
	Grade 7	0.6%	0.9%	1.6%	98.4%
	Grade 8	0.9%	1.5%	2.4%	97.6%
	Grade 9	1.6%	2.4%	3.8%	96.2%
	Grade 10	1.9%	2.9%	4.5%	95.5%
	Grade 11	2.7%	3.7%	5.6%	94.4%
	Grade 12	2.7%	3.7%	5.5%	94.5%
Downers					
	All	2.1%	3.0%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	1.1%	1.7%	2.4%	97.6%
	Grade 9	2.3%	3.5%	5.3%	94.7%
	Grade 10	3.0%	4.2%	6.2%	93.8%
	Grade 11	3.2%	4.2%	6.2%	93.8%
	Grade 12	3.1%	4.1%	6.6%	93.4%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.4%	3.5%	5.9%	94.1%
	Grade 7	0.9%	1.4%	2.5%	97.5%
	Grade 8	1.8%	2.5%	4.1%	95.9%
	Grade 9	3.1%	4.8%	7.3%	92.7%
	Grade 10	3.2%	4.6%	7.7%	92.3%
	Grade 11	2.4%	3.9%	7.0%	93.0%
	Grade 12	2.7%	3.7%	7.3%	92.7%
Steroids					
	All	0.4%	0.5%	1.0%	99.0%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.6%	1.2%	98.8%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.4%	0.5%	0.9%	99.1%
	Grade 11	0.4%	0.6%	1.1%	98.9%
	Grade 12	0.3%	0.5%	0.7%	99.3%
Ecstasy					
	All	1.7%	2.5%	4.2%	95.8%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.0%	1.4%	2.1%	97.9%
	Grade 9	1.2%	2.3%	4.5%	95.5%
	Grade 10	2.7%	3.9%	6.2%	93.8%
	Grade 11	2.7%	3.5%	5.9%	94.1%
	Grade 12	2.7%	3.8%	6.6%	93.4%
Heroin					
	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.8%	1.1%	1.9%	98.1%
	Grade 8	0.5%	0.8%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.6%	0.7%	1.5%	98.5%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.5%	0.6%	0.9%	99.1%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.4%	9.4%	20.9%	79.1%
	Grade 7	1.6%	2.0%	7.4%	92.6%
	Grade 8	3.8%	5.6%	16.1%	83.9%
	Grade 9	4.5%	7.3%	18.1%	81.9%
	Grade 10	7.5%	12.0%	25.3%	74.7%
	Grade 11	12.3%	17.8%	33.6%	66.4%
	Grade 12	15.5%	21.0%	40.1%	59.9%
Alcohol					
	All	19.3%	28.8%	51.1%	48.9%
	Grade 7	10.0%	14.4%	37.2%	62.8%
	Grade 8	14.1%	21.6%	47.3%	52.7%
	Grade 9	17.9%	29.3%	48.9%	51.1%
	Grade 10	22.7%	34.7%	57.3%	42.7%
	Grade 11	29.3%	42.1%	63.4%	36.6%
	Grade 12	33.4%	45.8%	66.6%	33.4%
Inhalants					
	All	2.2%	3.3%	6.7%	93.3%
	Grade 7	2.1%	2.9%	6.8%	93.2%
	Grade 8	2.6%	4.1%	7.6%	92.4%
	Grade 9	2.0%	2.8%	5.6%	94.4%
	Grade 10	1.9%	3.6%	7.7%	92.3%
	Grade 11	2.1%	3.1%	5.8%	94.2%
	Grade 12	2.2%	3.2%	6.6%	93.4%
Any Illicit Drug					
	All	5.4%	7.5%	12.3%	87.7%
	Grade 7	1.5%	2.0%	4.2%	95.8%
	Grade 8	3.3%	4.5%	7.2%	92.8%
	Grade 9	4.8%	7.2%	11.2%	88.8%
	Grade 10	7.8%	10.0%	16.2%	83.8%
	Grade 11	8.5%	11.2%	18.5%	81.5%
	Grade 12	11.0%	16.6%	26.2%	73.8%
Marijuana					
	All	4.3%	6.1%	10.3%	89.7%
	Grade 7	0.7%	0.8%	2.4%	97.6%
	Grade 8	2.1%	3.0%	5.5%	94.5%
	Grade 9	3.8%	6.0%	8.6%	91.4%
	Grade 10	6.1%	8.1%	13.6%	86.4%
	Grade 11	7.1%	10.0%	17.1%	82.9%
	Grade 12	10.0%	14.9%	24.4%	75.6%
Marijuana Only					
	All	1.4%	2.5%	5.0%	95.0%
	Grade 7	0.1%	0.1%	0.7%	99.3%
	Grade 8	0.3%	0.5%	2.1%	97.9%
	Grade 9	1.2%	2.6%	4.1%	95.9%
	Grade 10	2.2%	3.3%	6.7%	93.3%
	Grade 11	2.3%	4.3%	8.0%	92.0%
	Grade 12	3.9%	7.2%	13.7%	86.3%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.5%	2.2%	4.0%	96.0%
	Grade 7	0.5%	0.8%	1.8%	98.2%
	Grade 8	1.5%	1.7%	2.4%	97.6%
	Grade 9	1.7%	2.5%	4.0%	96.0%
	Grade 10	1.8%	2.6%	5.5%	94.5%
	Grade 11	2.6%	3.5%	6.7%	93.3%
	Grade 12	1.9%	3.2%	6.2%	93.8%
Cocaine					
	All	1.5%	2.1%	3.7%	96.3%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.2%	1.4%	1.9%	98.1%
	Grade 9	1.7%	2.5%	3.9%	96.1%
	Grade 10	1.8%	2.6%	5.2%	94.8%
	Grade 11	2.6%	3.5%	6.7%	93.3%
	Grade 12	1.9%	3.2%	6.2%	93.8%
Crack					
	All	0.5%	0.6%	1.2%	98.8%
	Grade 7	0.2%	0.3%	1.1%	98.9%
	Grade 8	1.2%	1.2%	1.4%	98.6%
	Grade 9	0.6%	0.8%	1.5%	98.5%
	Grade 10	0.3%	0.4%	0.9%	99.1%
	Grade 11	0.2%	0.3%	1.0%	99.0%
	Grade 12	0.4%	0.4%	0.9%	99.1%
Hallucinogens					
	All	0.7%	1.2%	1.8%	98.2%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.9%	1.1%	1.9%	98.1%
	Grade 9	0.3%	0.6%	1.4%	98.6%
	Grade 10	0.7%	1.4%	2.2%	97.8%
	Grade 11	1.1%	1.8%	2.8%	97.2%
	Grade 12	1.5%	2.3%	3.1%	96.9%
Uppers					
	All	0.9%	1.2%	2.0%	98.0%
	Grade 7	0.1%	0.2%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.4%	98.6%
	Grade 9	1.1%	1.2%	2.3%	97.7%
	Grade 10	0.8%	1.1%	1.8%	98.2%
	Grade 11	1.8%	2.1%	3.2%	96.8%
	Grade 12	1.6%	2.6%	3.7%	96.3%
Downers					
	All	1.1%	1.4%	2.3%	97.7%
	Grade 7	0.2%	0.3%	1.0%	99.0%
	Grade 8	0.9%	1.0%	1.2%	98.8%
	Grade 9	0.9%	1.4%	2.7%	97.3%
	Grade 10	1.6%	1.7%	3.1%	96.9%
	Grade 11	2.2%	2.9%	4.4%	95.6%
	Grade 12	1.3%	2.0%	3.2%	96.8%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	0.1%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.8%	1.7%	98.3%
	Grade 9	1.6%	2.4%	3.3%	96.7%
	Grade 10	0.8%	1.4%	2.2%	97.8%
	Grade 11	0.4%	0.9%	2.6%	97.4%
	Grade 12	1.0%	1.5%	3.3%	96.7%
Steroids					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.3%	0.7%	1.5%	98.5%
	Grade 9	0.1%	0.1%	0.5%	99.5%
	Grade 10	0.6%	0.6%	1.4%	98.6%
	Grade 11	0.5%	0.7%	1.1%	98.9%
	Grade 12	0.1%	0.1%	0.2%	99.8%
Ecstasy					
	All	1.0%	1.3%	2.3%	97.7%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.9%	1.2%	1.8%	98.2%
	Grade 9	0.7%	0.9%	2.1%	97.9%
	Grade 10	1.5%	2.1%	2.8%	97.2%
	Grade 11	1.8%	2.2%	3.8%	96.2%
	Grade 12	1.6%	2.2%	4.2%	95.8%
Heroin					
	All	0.4%	0.4%	0.9%	99.1%
	Grade 7	0.2%	0.3%	0.9%	99.1%
	Grade 8	0.6%	0.6%	1.2%	98.8%
	Grade 9	0.0%	0.3%	0.9%	99.1%
	Grade 10	0.3%	0.5%	0.6%	99.4%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.8%	0.9%	1.0%	99.0%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.4%	21.1%	36.3%	63.7%
	Grade 7	6.4%	9.1%	20.9%	79.1%
	Grade 8	9.0%	12.9%	26.5%	73.5%
	Grade 9	13.9%	19.8%	35.2%	64.8%
	Grade 10	18.7%	25.0%	42.9%	57.1%
	Grade 11	23.1%	30.3%	47.0%	53.0%
	Grade 12	26.0%	35.7%	52.4%	47.6%
Alcohol					
	All	33.7%	43.5%	63.5%	36.5%
	Grade 7	19.4%	24.3%	47.4%	52.6%
	Grade 8	26.4%	35.0%	56.8%	43.2%
	Grade 9	33.3%	43.7%	63.6%	36.4%
	Grade 10	41.2%	52.6%	72.0%	28.0%
	Grade 11	41.0%	53.2%	71.6%	28.4%
	Grade 12	45.9%	58.6%	74.9%	25.1%
Inhalants					
	All	4.2%	6.3%	11.8%	88.2%
	Grade 7	4.9%	7.4%	13.4%	86.6%
	Grade 8	4.7%	6.7%	11.9%	88.1%
	Grade 9	3.9%	6.4%	12.0%	88.0%
	Grade 10	4.4%	6.3%	12.5%	87.5%
	Grade 11	4.0%	5.8%	11.1%	88.9%
	Grade 12	3.3%	5.0%	8.9%	91.1%
Any Illicit Drug					
	All	13.0%	17.8%	27.2%	72.8%
	Grade 7	6.4%	8.5%	13.8%	86.2%
	Grade 8	9.5%	12.7%	19.7%	80.3%
	Grade 9	13.5%	18.9%	26.9%	73.1%
	Grade 10	16.1%	21.5%	33.4%	66.6%
	Grade 11	16.6%	23.5%	36.6%	63.4%
	Grade 12	18.4%	24.0%	38.3%	61.7%
Marijuana					
	All	10.4%	15.1%	24.1%	75.9%
	Grade 7	4.0%	5.9%	10.4%	89.6%
	Grade 8	7.2%	10.4%	16.5%	83.5%
	Grade 9	10.5%	15.9%	23.9%	76.1%
	Grade 10	13.4%	18.8%	30.2%	69.8%
	Grade 11	13.8%	20.8%	33.0%	67.0%
	Grade 12	15.8%	21.7%	35.6%	64.4%
Marijuana Only					
	All	3.2%	5.2%	9.9%	90.1%
	Grade 7	1.3%	1.9%	4.6%	95.4%
	Grade 8	2.8%	4.0%	7.8%	92.2%
	Grade 9	3.2%	5.1%	9.1%	90.9%
	Grade 10	3.8%	6.1%	12.0%	88.0%
	Grade 11	4.0%	7.4%	14.0%	86.0%
	Grade 12	5.1%	7.6%	14.4%	85.6%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.5%	6.7%	11.8%	88.2%
	Grade 7	2.0%	3.1%	5.1%	94.9%
	Grade 8	2.7%	4.1%	7.3%	92.7%
	Grade 9	5.0%	7.4%	11.8%	88.2%
	Grade 10	4.8%	7.8%	14.0%	86.0%
	Grade 11	6.3%	9.1%	16.8%	83.2%
	Grade 12	6.8%	9.9%	18.2%	81.8%
Cocaine					
	All	4.2%	6.3%	11.3%	88.7%
	Grade 7	1.5%	2.5%	4.3%	95.7%
	Grade 8	2.4%	3.7%	6.7%	93.3%
	Grade 9	4.5%	6.9%	11.2%	88.8%
	Grade 10	4.6%	7.4%	13.8%	86.2%
	Grade 11	6.3%	8.9%	16.7%	83.3%
	Grade 12	6.7%	9.9%	18.1%	81.9%
Crack					
	All	0.9%	1.5%	2.8%	97.2%
	Grade 7	0.9%	1.6%	2.4%	97.6%
	Grade 8	1.2%	1.6%	2.8%	97.2%
	Grade 9	1.1%	1.7%	3.4%	96.6%
	Grade 10	0.9%	1.5%	3.2%	96.8%
	Grade 11	0.4%	1.1%	2.3%	97.7%
	Grade 12	1.0%	1.6%	2.5%	97.5%
Hallucinogens					
	All	1.4%	2.0%	3.5%	96.5%
	Grade 7	0.8%	1.0%	1.7%	98.3%
	Grade 8	1.3%	1.7%	2.6%	97.4%
	Grade 9	1.3%	2.0%	3.6%	96.4%
	Grade 10	1.8%	2.5%	4.6%	95.4%
	Grade 11	1.8%	2.4%	4.1%	95.9%
	Grade 12	1.8%	2.9%	5.1%	94.9%
Uppers					
	All	1.8%	2.7%	4.1%	95.9%
	Grade 7	0.8%	1.1%	1.8%	98.2%
	Grade 8	1.0%	1.7%	2.6%	97.4%
	Grade 9	1.7%	2.5%	3.9%	96.1%
	Grade 10	2.1%	3.2%	5.1%	94.9%
	Grade 11	3.0%	4.1%	6.1%	93.9%
	Grade 12	2.9%	4.0%	6.2%	93.8%
Downers					
	All	2.4%	3.4%	5.1%	94.9%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.2%	1.9%	2.8%	97.2%
	Grade 9	2.6%	3.8%	5.7%	94.3%
	Grade 10	3.3%	4.7%	6.9%	93.1%
	Grade 11	3.4%	4.6%	6.7%	93.3%
	Grade 12	3.5%	4.6%	7.8%	92.2%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.7%	4.0%	6.6%	93.4%
	Grade 7	1.2%	1.8%	3.0%	97.0%
	Grade 8	2.1%	3.0%	4.6%	95.4%
	Grade 9	3.2%	5.0%	7.7%	92.3%
	Grade 10	3.5%	5.1%	8.8%	91.2%
	Grade 11	2.8%	4.5%	7.8%	92.2%
	Grade 12	3.2%	4.3%	8.3%	91.7%
Steroids					
	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.3%	0.4%	0.7%	99.3%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.5%	0.6%	1.3%	98.7%
	Grade 12	0.3%	0.6%	0.9%	99.1%
Ecstasy					
	All	1.9%	2.8%	4.7%	95.3%
	Grade 7	0.6%	0.9%	1.3%	98.7%
	Grade 8	1.0%	1.5%	2.2%	97.8%
	Grade 9	1.4%	2.6%	4.9%	95.1%
	Grade 10	2.9%	4.2%	6.9%	93.1%
	Grade 11	2.8%	3.8%	6.3%	93.7%
	Grade 12	3.1%	4.3%	7.3%	92.7%
Heroin					
	All	0.7%	0.9%	1.5%	98.5%
	Grade 7	1.0%	1.2%	2.1%	97.9%
	Grade 8	0.5%	0.9%	1.6%	98.4%
	Grade 9	0.6%	0.8%	1.3%	98.7%
	Grade 10	0.6%	0.8%	1.6%	98.4%
	Grade 11	0.7%	0.8%	1.3%	98.7%
	Grade 12	0.5%	0.6%	1.0%	99.0%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.2%	16.4%	29.4%	70.6%
	Grade 7	4.8%	6.4%	15.3%	84.7%
	Grade 8	6.6%	9.0%	20.6%	79.4%
	Grade 9	10.6%	14.7%	27.6%	72.4%
	Grade 10	15.0%	19.8%	35.4%	64.6%
	Grade 11	19.9%	25.8%	41.0%	59.0%
	Grade 12	22.8%	31.5%	47.0%	53.0%
Alcohol					
	All	29.3%	38.3%	58.0%	42.0%
	Grade 7	16.5%	20.9%	42.8%	57.2%
	Grade 8	22.4%	29.8%	51.6%	48.4%
	Grade 9	28.8%	38.6%	57.8%	42.2%
	Grade 10	35.8%	46.7%	65.7%	34.3%
	Grade 11	37.7%	48.8%	67.1%	32.9%
	Grade 12	43.1%	55.4%	71.8%	28.2%
Inhalants					
	All	3.6%	5.3%	9.7%	90.3%
	Grade 7	4.2%	6.0%	11.1%	88.9%
	Grade 8	4.0%	5.7%	9.6%	90.4%
	Grade 9	3.2%	5.0%	9.4%	90.6%
	Grade 10	3.9%	5.5%	10.6%	89.4%
	Grade 11	3.5%	5.0%	9.4%	90.6%
	Grade 12	2.7%	4.2%	7.7%	92.3%
Any Illicit Drug					
	All	9.8%	13.3%	20.6%	79.4%
	Grade 7	4.7%	6.0%	9.5%	90.5%
	Grade 8	6.4%	8.5%	13.7%	86.3%
	Grade 9	9.5%	13.6%	19.9%	80.1%
	Grade 10	12.2%	16.5%	25.7%	74.3%
	Grade 11	14.0%	19.5%	30.3%	69.7%
	Grade 12	16.0%	20.9%	32.5%	67.5%
Marijuana					
	All	7.6%	11.1%	18.0%	82.0%
	Grade 7	2.9%	4.0%	7.0%	93.0%
	Grade 8	4.8%	6.7%	11.4%	88.6%
	Grade 9	7.3%	11.4%	17.2%	82.8%
	Grade 10	9.3%	13.5%	22.8%	77.2%
	Grade 11	11.2%	17.2%	27.1%	72.9%
	Grade 12	13.8%	18.8%	30.2%	69.8%
Marijuana Only					
	All	2.5%	4.2%	7.9%	92.1%
	Grade 7	0.9%	1.3%	3.0%	97.0%
	Grade 8	1.9%	2.6%	5.6%	94.4%
	Grade 9	2.3%	4.2%	7.2%	92.8%
	Grade 10	3.1%	4.8%	10.0%	90.0%
	Grade 11	3.6%	6.6%	11.8%	88.2%
	Grade 12	4.7%	7.7%	13.8%	86.2%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.3%	4.9%	8.4%	91.6%
	Grade 7	1.4%	2.3%	3.7%	96.3%
	Grade 8	2.0%	2.9%	4.9%	95.1%
	Grade 9	3.6%	5.0%	8.1%	91.9%
	Grade 10	3.8%	6.3%	10.4%	89.6%
	Grade 11	4.8%	7.0%	13.4%	86.6%
	Grade 12	5.4%	7.6%	13.9%	86.1%
Cocaine					
	All	3.0%	4.5%	8.1%	91.9%
	Grade 7	1.0%	1.8%	2.9%	97.1%
	Grade 8	1.7%	2.6%	4.5%	95.5%
	Grade 9	3.1%	4.5%	7.6%	92.4%
	Grade 10	3.6%	5.8%	10.1%	89.9%
	Grade 11	4.8%	6.9%	13.3%	86.7%
	Grade 12	5.4%	7.6%	13.9%	86.1%
Crack					
	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.6%	1.0%	1.7%	98.3%
	Grade 8	1.1%	1.3%	1.9%	98.1%
	Grade 9	1.0%	1.3%	2.3%	97.7%
	Grade 10	0.8%	1.3%	2.6%	97.4%
	Grade 11	0.4%	0.7%	1.8%	98.2%
	Grade 12	0.9%	1.4%	2.1%	97.9%
Hallucinogens					
	All	1.1%	1.5%	2.6%	97.4%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	1.1%	1.3%	2.0%	98.0%
	Grade 9	0.8%	1.2%	2.2%	97.8%
	Grade 10	1.4%	2.0%	3.7%	96.3%
	Grade 11	1.5%	2.0%	3.7%	96.3%
	Grade 12	1.8%	2.5%	4.1%	95.9%
Uppers					
	All	1.4%	2.0%	3.1%	96.9%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.7%	1.2%	1.9%	98.1%
	Grade 9	1.4%	1.9%	2.9%	97.1%
	Grade 10	1.6%	2.3%	3.8%	96.2%
	Grade 11	2.5%	3.5%	5.2%	94.8%
	Grade 12	2.5%	3.4%	5.2%	94.8%
Downers					
	All	1.7%	2.3%	3.6%	96.4%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.3%	1.8%	98.2%
	Grade 9	1.8%	2.5%	3.8%	96.2%
	Grade 10	2.3%	3.1%	4.9%	95.1%
	Grade 11	2.7%	3.8%	5.3%	94.7%
	Grade 12	2.9%	3.7%	6.1%	93.9%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.8%	2.7%	4.6%	95.4%
	Grade 7	0.8%	1.2%	1.8%	98.2%
	Grade 8	1.4%	1.9%	2.9%	97.1%
	Grade 9	2.3%	3.3%	5.4%	94.6%
	Grade 10	2.5%	3.7%	6.1%	93.9%
	Grade 11	1.8%	3.2%	6.3%	93.7%
	Grade 12	2.4%	3.1%	6.2%	93.8%
Steroids					
	All	0.4%	0.5%	0.9%	99.1%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	0.3%	0.6%	0.9%	99.1%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.4%	0.6%	1.2%	98.8%
	Grade 11	0.5%	0.7%	1.2%	98.8%
	Grade 12	0.2%	0.3%	0.6%	99.4%
Ecstasy					
	All	1.4%	1.9%	3.2%	96.8%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.9%	1.1%	1.6%	98.4%
	Grade 9	0.9%	1.6%	3.1%	96.9%
	Grade 10	2.4%	3.3%	5.1%	94.9%
	Grade 11	2.3%	3.0%	4.6%	95.4%
	Grade 12	2.5%	3.4%	5.6%	94.4%
Heroin					
	All	0.6%	0.7%	1.2%	98.8%
	Grade 7	0.7%	1.0%	1.7%	98.3%
	Grade 8	0.6%	0.9%	1.3%	98.7%
	Grade 9	0.4%	0.5%	0.8%	99.2%
	Grade 10	0.7%	0.9%	1.5%	98.5%
	Grade 11	0.8%	0.8%	1.4%	98.6%
	Grade 12	0.2%	0.4%	0.6%	99.4%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.9%	24.1%	41.8%	58.2%
	Grade 7	6.2%	9.8%	23.5%	76.5%
	Grade 8	10.4%	15.7%	31.7%	68.3%
	Grade 9	16.5%	24.5%	42.3%	57.7%
	Grade 10	20.6%	28.8%	48.9%	51.1%
	Grade 11	25.0%	34.0%	53.1%	46.9%
	Grade 12	26.3%	35.2%	55.2%	44.8%
Alcohol					
	All	34.7%	45.8%	67.7%	32.3%
	Grade 7	19.2%	24.8%	50.2%	49.8%
	Grade 8	25.9%	36.2%	60.9%	39.1%
	Grade 9	35.4%	47.0%	67.9%	32.1%
	Grade 10	43.1%	55.4%	76.5%	23.5%
	Grade 11	42.9%	57.3%	77.6%	22.4%
	Grade 12	44.7%	57.7%	76.0%	24.0%
Inhalants					
	All	4.3%	6.8%	13.2%	86.8%
	Grade 7	4.2%	7.0%	13.8%	86.2%
	Grade 8	4.6%	6.9%	13.4%	86.6%
	Grade 9	4.7%	8.0%	14.9%	85.1%
	Grade 10	4.1%	6.7%	13.9%	86.1%
	Grade 11	4.0%	6.1%	12.1%	87.9%
	Grade 12	3.8%	5.4%	9.8%	90.2%
Any Illicit Drug					
	All	15.5%	21.1%	32.4%	67.6%
	Grade 7	6.6%	9.3%	16.4%	83.6%
	Grade 8	11.7%	15.7%	23.6%	76.4%
	Grade 9	17.8%	24.3%	33.8%	66.2%
	Grade 10	19.7%	25.9%	40.1%	59.9%
	Grade 11	18.7%	26.2%	41.3%	58.7%
	Grade 12	18.8%	25.7%	42.1%	57.9%
Marijuana					
	All	12.8%	18.2%	28.9%	71.1%
	Grade 7	4.2%	6.3%	12.4%	87.6%
	Grade 8	8.7%	12.9%	19.4%	80.6%
	Grade 9	14.2%	20.3%	30.4%	69.6%
	Grade 10	17.8%	24.1%	36.7%	63.3%
	Grade 11	16.1%	23.3%	37.7%	62.3%
	Grade 12	16.4%	23.3%	39.2%	60.8%
Marijuana Only					
	All	3.7%	5.7%	11.2%	88.8%
	Grade 7	1.2%	2.1%	5.4%	94.6%
	Grade 8	3.0%	4.7%	8.5%	91.5%
	Grade 9	4.2%	5.7%	10.6%	89.4%
	Grade 10	4.5%	7.5%	13.6%	86.4%
	Grade 11	4.3%	7.7%	15.7%	84.3%
	Grade 12	5.4%	7.4%	15.4%	84.6%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.2%	8.0%	14.2%	85.8%
	Grade 7	2.2%	3.4%	5.7%	94.3%
	Grade 8	3.4%	4.8%	8.8%	91.2%
	Grade 9	6.0%	10.2%	16.0%	84.0%
	Grade 10	5.4%	8.4%	17.1%	82.9%
	Grade 11	8.0%	11.1%	19.2%	80.8%
	Grade 12	6.3%	10.1%	19.2%	80.8%
Cocaine					
	All	4.9%	7.7%	13.7%	86.3%
	Grade 7	1.7%	3.0%	5.0%	95.0%
	Grade 8	2.8%	4.1%	7.9%	92.1%
	Grade 9	5.7%	9.7%	15.3%	84.7%
	Grade 10	5.3%	8.4%	17.0%	83.0%
	Grade 11	8.0%	10.9%	19.1%	80.9%
	Grade 12	6.2%	10.1%	18.9%	81.1%
Crack					
	All	0.9%	1.7%	3.4%	96.6%
	Grade 7	1.0%	1.8%	2.9%	97.1%
	Grade 8	1.5%	2.2%	3.9%	96.1%
	Grade 9	1.0%	2.0%	4.7%	95.3%
	Grade 10	0.9%	1.4%	3.3%	96.7%
	Grade 11	0.4%	1.4%	2.7%	97.3%
	Grade 12	0.6%	1.2%	2.3%	97.7%
Hallucinogens					
	All	1.6%	2.6%	4.4%	95.6%
	Grade 7	0.9%	1.3%	2.5%	97.5%
	Grade 8	1.2%	2.0%	3.3%	96.7%
	Grade 9	1.7%	3.0%	5.4%	94.6%
	Grade 10	2.0%	2.9%	5.1%	94.9%
	Grade 11	1.9%	2.8%	4.3%	95.7%
	Grade 12	1.8%	3.3%	5.7%	94.3%
Uppers					
	All	2.2%	3.3%	5.0%	95.0%
	Grade 7	1.2%	1.7%	2.6%	97.4%
	Grade 8	1.3%	2.0%	3.3%	96.7%
	Grade 9	2.1%	3.4%	5.5%	94.5%
	Grade 10	2.6%	4.0%	6.1%	93.9%
	Grade 11	3.3%	4.5%	6.6%	93.4%
	Grade 12	2.9%	4.2%	6.5%	93.5%
Downers					
	All	2.9%	4.3%	6.5%	93.5%
	Grade 7	0.8%	1.5%	2.0%	98.0%
	Grade 8	1.5%	2.5%	3.6%	96.4%
	Grade 9	3.3%	5.3%	8.3%	91.7%
	Grade 10	4.2%	6.2%	8.6%	91.4%
	Grade 11	4.2%	5.5%	8.2%	91.8%
	Grade 12	3.5%	4.8%	8.2%	91.8%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	3.4%	5.1%	8.3%	91.7%
	Grade 7	1.4%	2.2%	4.1%	95.9%
	Grade 8	2.6%	3.9%	6.1%	93.9%
	Grade 9	4.6%	7.4%	10.7%	89.3%
	Grade 10	4.3%	6.1%	10.6%	89.4%
	Grade 11	3.6%	5.3%	8.3%	91.7%
	Grade 12	3.4%	4.8%	9.1%	90.9%
Steroids					
	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.8%	1.0%	1.9%	98.1%
	Grade 9	0.3%	0.3%	0.8%	99.2%
	Grade 10	0.4%	0.5%	0.8%	99.2%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.3%	0.8%	1.1%	98.9%
Ecstasy					
	All	2.4%	3.6%	6.2%	93.8%
	Grade 7	0.8%	1.0%	1.7%	98.3%
	Grade 8	1.3%	2.1%	3.0%	97.0%
	Grade 9	2.3%	3.9%	7.2%	92.8%
	Grade 10	3.4%	5.1%	8.5%	91.5%
	Grade 11	3.5%	4.8%	8.7%	91.3%
	Grade 12	3.4%	4.8%	8.7%	91.3%
Heroin					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.9%	1.1%	2.4%	97.6%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.6%	1.1%	2.1%	97.9%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.5%	0.5%	0.8%	99.2%
	Grade 12	1.1%	1.2%	1.8%	98.2%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	11.6%	16.4%	30.5%	69.5%
	Grade 7	4.2%	6.0%	15.5%	84.5%
	Grade 8	5.9%	8.8%	21.2%	78.8%
	Grade 9	10.8%	15.3%	29.1%	70.9%
	Grade 10	14.1%	19.7%	35.9%	64.1%
	Grade 11	18.5%	25.4%	42.7%	57.3%
	Grade 12	21.2%	30.0%	47.1%	52.9%
Alcohol					
	All	29.1%	38.6%	59.7%	40.3%
	Grade 7	15.7%	20.1%	42.8%	57.2%
	Grade 8	21.3%	29.2%	52.9%	47.1%
	Grade 9	29.1%	39.2%	59.9%	40.1%
	Grade 10	35.9%	47.4%	68.0%	32.0%
	Grade 11	37.2%	49.4%	69.2%	30.8%
	Grade 12	42.1%	55.4%	72.6%	27.4%
Inhalants					
	All	2.9%	4.6%	9.0%	91.0%
	Grade 7	3.0%	4.7%	9.6%	90.4%
	Grade 8	3.5%	5.1%	9.7%	90.3%
	Grade 9	2.9%	4.8%	9.0%	91.0%
	Grade 10	3.0%	4.4%	9.4%	90.6%
	Grade 11	2.9%	4.5%	9.0%	91.0%
	Grade 12	2.0%	3.4%	6.9%	93.1%
Any Illicit Drug					
	All	9.6%	13.2%	21.3%	78.7%
	Grade 7	4.2%	5.7%	9.6%	90.4%
	Grade 8	5.7%	8.4%	14.2%	85.8%
	Grade 9	10.1%	13.9%	20.7%	79.3%
	Grade 10	11.5%	15.8%	26.1%	73.9%
	Grade 11	13.3%	18.8%	30.6%	69.4%
	Grade 12	15.3%	20.5%	33.3%	66.7%
Marijuana					
	All	7.6%	11.1%	18.6%	81.4%
	Grade 7	2.5%	3.7%	7.0%	93.0%
	Grade 8	4.0%	6.4%	11.3%	88.7%
	Grade 9	7.7%	11.6%	18.1%	81.9%
	Grade 10	9.5%	13.6%	23.3%	76.7%
	Grade 11	11.2%	16.6%	27.5%	72.5%
	Grade 12	13.1%	18.4%	30.5%	69.5%
Marijuana Only					
	All	2.6%	4.2%	8.3%	91.7%
	Grade 7	0.8%	1.3%	3.2%	96.8%
	Grade 8	1.4%	2.3%	5.4%	94.6%
	Grade 9	2.6%	4.3%	7.7%	92.3%
	Grade 10	2.8%	4.6%	10.0%	90.0%
	Grade 11	4.0%	6.8%	12.5%	87.5%
	Grade 12	5.0%	7.5%	14.2%	85.8%

**Border - Grades 7-12 Large
SPRING 2008**

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.0%	4.7%	8.7%	91.3%
	Grade 7	1.3%	2.1%	3.7%	96.3%
	Grade 8	1.7%	2.8%	5.2%	94.8%
	Grade 9	3.6%	5.4%	8.4%	91.6%
	Grade 10	3.4%	5.5%	10.4%	89.6%
	Grade 11	4.2%	6.5%	13.3%	86.7%
	Grade 12	4.6%	7.1%	13.8%	86.2%
Cocaine					
	All	2.9%	4.5%	8.3%	91.7%
	Grade 7	1.1%	1.9%	3.3%	96.7%
	Grade 8	1.4%	2.4%	4.6%	95.4%
	Grade 9	3.4%	5.0%	8.0%	92.0%
	Grade 10	3.3%	5.3%	10.2%	89.8%
	Grade 11	4.2%	6.4%	13.3%	86.7%
	Grade 12	4.5%	7.0%	13.6%	86.4%
Crack					
	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	0.5%	0.9%	1.4%	98.6%
	Grade 8	0.8%	1.1%	1.9%	98.1%
	Grade 9	0.6%	1.2%	2.0%	98.0%
	Grade 10	0.6%	1.0%	2.0%	98.0%
	Grade 11	0.3%	0.7%	1.6%	98.4%
	Grade 12	0.8%	1.3%	1.9%	98.1%
Hallucinogens					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.5%	0.9%	1.7%	98.3%
	Grade 9	1.1%	1.5%	2.8%	97.2%
	Grade 10	1.0%	1.6%	3.0%	97.0%
	Grade 11	1.4%	1.9%	3.3%	96.7%
	Grade 12	1.4%	2.4%	3.6%	96.4%
Uppers					
	All	1.3%	1.9%	3.1%	96.9%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.3%	2.2%	97.8%
	Grade 9	1.3%	2.0%	3.1%	96.9%
	Grade 10	1.6%	2.1%	3.6%	96.4%
	Grade 11	2.0%	3.0%	4.4%	95.6%
	Grade 12	1.9%	2.9%	4.8%	95.2%
Downers					
	All	1.6%	2.3%	3.6%	96.4%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.9%	1.3%	2.0%	98.0%
	Grade 9	1.9%	2.8%	4.3%	95.7%
	Grade 10	2.1%	2.9%	4.5%	95.5%
	Grade 11	2.3%	3.3%	4.9%	95.1%
	Grade 12	2.2%	3.1%	5.8%	94.2%

**Border - Grades 7-12 Large
SPRING 2008**

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.7%	2.6%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.9%	98.1%
	Grade 8	1.2%	1.8%	3.0%	97.0%
	Grade 9	2.2%	3.3%	5.1%	94.9%
	Grade 10	2.4%	3.6%	6.2%	93.8%
	Grade 11	1.8%	2.9%	5.7%	94.3%
	Grade 12	2.1%	2.8%	6.2%	93.8%
Steroids					
	All	0.2%	0.3%	0.8%	99.2%
	Grade 7	0.4%	0.4%	0.9%	99.1%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.2%	0.3%	0.5%	99.5%
	Grade 10	0.2%	0.4%	0.9%	99.1%
	Grade 11	0.2%	0.4%	0.8%	99.2%
	Grade 12	0.1%	0.3%	0.5%	99.5%
Ecstasy					
	All	1.3%	1.9%	3.3%	96.7%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	1.2%	2.1%	3.8%	96.2%
	Grade 10	2.2%	2.8%	4.9%	95.1%
	Grade 11	1.8%	2.4%	4.5%	95.5%
	Grade 12	2.2%	3.0%	5.6%	94.4%
Heroin					
	All	0.4%	0.5%	0.9%	99.1%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.3%	0.5%	0.9%	99.1%
	Grade 10	0.4%	0.5%	0.9%	99.1%
	Grade 11	0.4%	0.4%	0.6%	99.4%
	Grade 12	0.4%	0.5%	0.9%	99.1%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	20.1%	26.9%	42.3%	57.7%
	Grade 7	9.8%	13.0%	26.9%	73.1%
	Grade 8	12.8%	17.3%	33.4%	66.6%
	Grade 9	16.4%	24.4%	40.2%	59.8%
	Grade 10	26.0%	34.8%	52.1%	47.9%
	Grade 11	30.6%	38.2%	52.4%	47.6%
	Grade 12	33.3%	41.7%	56.9%	43.1%
Alcohol					
	All	36.9%	47.3%	65.7%	34.3%
	Grade 7	23.9%	30.0%	52.9%	47.1%
	Grade 8	30.5%	40.4%	61.2%	38.8%
	Grade 9	35.4%	46.5%	64.1%	35.9%
	Grade 10	46.4%	58.5%	74.9%	25.1%
	Grade 11	45.1%	56.6%	72.7%	27.3%
	Grade 12	45.7%	57.8%	72.9%	27.1%
Inhalants					
	All	7.0%	10.2%	17.4%	82.6%
	Grade 7	9.0%	12.7%	22.2%	77.8%
	Grade 8	7.1%	10.6%	16.2%	83.8%
	Grade 9	5.7%	9.4%	17.2%	82.8%
	Grade 10	8.3%	12.2%	20.2%	79.8%
	Grade 11	6.1%	7.7%	15.0%	85.0%
	Grade 12	6.7%	8.5%	12.5%	87.5%
Any Illicit Drug					
	All	18.6%	24.2%	34.4%	65.6%
	Grade 7	10.2%	12.9%	21.0%	79.0%
	Grade 8	14.9%	18.3%	25.3%	74.7%
	Grade 9	18.4%	24.4%	33.5%	66.5%
	Grade 10	24.9%	31.9%	44.3%	55.7%
	Grade 11	21.9%	30.4%	45.5%	54.5%
	Grade 12	24.5%	31.4%	43.3%	56.7%
Marijuana					
	All	14.8%	20.4%	30.3%	69.7%
	Grade 7	6.2%	8.6%	15.3%	84.7%
	Grade 8	12.1%	15.4%	22.3%	77.7%
	Grade 9	14.9%	20.1%	29.4%	70.6%
	Grade 10	20.0%	27.6%	39.7%	60.3%
	Grade 11	17.3%	26.9%	40.8%	59.2%
	Grade 12	21.0%	27.8%	40.6%	59.4%
Marijuana Only					
	All	4.2%	6.4%	11.8%	88.2%
	Grade 7	1.9%	2.5%	6.0%	94.0%
	Grade 8	5.3%	6.7%	10.9%	89.1%
	Grade 9	4.1%	6.3%	11.1%	88.9%
	Grade 10	5.8%	8.7%	15.7%	84.3%
	Grade 11	3.1%	6.5%	14.8%	85.2%
	Grade 12	5.1%	8.5%	14.3%	85.7%

**Border - Grades 7-12 Large
SPRING 2008**

Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	7.0%	9.7%	14.9%	85.1%
	Grade 7	3.1%	4.9%	7.3%	92.7%
	Grade 8	4.1%	5.1%	8.2%	91.8%
	Grade 9	6.9%	9.2%	14.3%	85.7%
	Grade 10	8.8%	13.2%	19.9%	80.1%
	Grade 11	10.3%	14.1%	23.0%	77.0%
	Grade 12	11.1%	14.8%	21.3%	78.7%
Cocaine					
	All	6.4%	9.0%	14.2%	85.8%
	Grade 7	2.0%	3.2%	5.0%	95.0%
	Grade 8	3.7%	4.6%	7.7%	92.3%
	Grade 9	5.8%	8.7%	13.5%	86.5%
	Grade 10	8.1%	12.1%	19.7%	80.3%
	Grade 11	10.4%	13.9%	23.0%	77.0%
	Grade 12	11.1%	14.8%	21.2%	78.8%
Crack					
	All	1.7%	2.3%	4.2%	95.8%
	Grade 7	1.6%	2.5%	4.4%	95.6%
	Grade 8	2.1%	2.6%	4.1%	95.9%
	Grade 9	2.3%	2.8%	4.9%	95.1%
	Grade 10	2.1%	3.1%	5.3%	94.7%
	Grade 11	0.9%	1.5%	3.6%	96.4%
	Grade 12	0.6%	1.0%	2.2%	97.8%
Hallucinogens					
	All	2.3%	3.2%	5.2%	94.8%
	Grade 7	1.5%	1.7%	2.7%	97.3%
	Grade 8	2.1%	2.6%	3.5%	96.5%
	Grade 9	1.4%	2.6%	4.6%	95.4%
	Grade 10	4.0%	5.0%	8.2%	91.8%
	Grade 11	2.8%	3.6%	6.0%	94.0%
	Grade 12	2.6%	4.2%	7.6%	92.4%
Uppers					
	All	3.0%	4.0%	5.7%	94.3%
	Grade 7	1.5%	1.9%	2.9%	97.1%
	Grade 8	1.4%	2.0%	2.6%	97.4%
	Grade 9	2.6%	3.1%	4.6%	95.4%
	Grade 10	3.6%	5.8%	7.7%	92.3%
	Grade 11	5.1%	6.4%	9.8%	90.2%
	Grade 12	5.4%	6.5%	9.0%	91.0%
Downers					
	All	3.7%	5.1%	7.1%	92.9%
	Grade 7	1.2%	1.5%	2.8%	97.2%
	Grade 8	1.8%	2.6%	3.3%	96.7%
	Grade 9	3.6%	4.9%	6.7%	93.3%
	Grade 10	5.9%	8.8%	11.1%	88.9%
	Grade 11	4.9%	6.7%	10.4%	89.6%
	Grade 12	6.4%	7.6%	10.6%	89.4%

**Border - Grades 7-12 Large
SPRING 2008**

Table B12: Prevalence and recency of use of selected substances by grade
Students wouldn't seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	4.3%	6.1%	9.1%	90.9%
	Grade 7	2.4%	2.5%	4.5%	95.5%
	Grade 8	4.1%	5.0%	6.6%	93.4%
	Grade 9	4.9%	7.4%	10.5%	89.5%
	Grade 10	5.1%	7.8%	11.0%	89.0%
	Grade 11	3.8%	6.7%	11.7%	88.3%
	Grade 12	5.2%	7.0%	10.9%	89.1%
Steroids					
	All	1.1%	1.3%	1.9%	98.1%
	Grade 7	1.1%	1.2%	2.3%	97.7%
	Grade 8	1.5%	1.9%	2.4%	97.6%
	Grade 9	0.4%	0.6%	1.0%	99.0%
	Grade 10	1.4%	1.7%	2.3%	97.7%
	Grade 11	1.7%	2.2%	3.2%	96.8%
	Grade 12	0.7%	0.7%	0.7%	99.3%
Ecstasy					
	All	3.1%	4.4%	6.6%	93.4%
	Grade 7	1.0%	1.4%	2.5%	97.5%
	Grade 8	2.4%	3.1%	3.9%	96.1%
	Grade 9	2.1%	2.8%	5.5%	94.5%
	Grade 10	4.5%	7.4%	10.6%	89.4%
	Grade 11	5.3%	7.2%	10.8%	89.2%
	Grade 12	4.7%	6.2%	8.8%	91.2%
Heroin					
	All	1.4%	1.7%	2.9%	97.1%
	Grade 7	1.2%	1.5%	3.4%	96.6%
	Grade 8	1.6%	2.1%	3.1%	96.9%
	Grade 9	1.2%	1.7%	2.7%	97.3%
	Grade 10	1.5%	1.8%	3.2%	96.8%
	Grade 11	1.7%	1.8%	3.2%	96.8%
	Grade 12	1.0%	1.0%	1.4%	98.6%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.3%	19.2%	34.3%	65.7%
	Grade 7	5.7%	7.8%	18.4%	81.6%
	Grade 8	9.5%	13.0%	25.4%	74.6%
	Grade 9	15.5%	21.4%	37.1%	62.9%
	Grade 10	16.9%	22.7%	40.9%	59.1%
	Grade 11	23.8%	30.4%	47.8%	52.2%
	Grade 12	24.5%	33.5%	56.7%	43.3%
Alcohol					
	All	30.8%	39.5%	59.1%	40.9%
	Grade 7	16.6%	20.8%	41.4%	58.6%
	Grade 8	25.4%	32.6%	54.7%	45.3%
	Grade 9	31.6%	41.8%	60.3%	39.7%
	Grade 10	37.9%	48.8%	68.5%	31.5%
	Grade 11	42.1%	53.1%	71.1%	28.9%
	Grade 12	49.9%	60.2%	77.2%	22.8%
Inhalants					
	All	4.3%	6.1%	11.3%	88.7%
	Grade 7	4.7%	6.4%	11.4%	88.6%
	Grade 8	4.1%	6.0%	11.5%	88.5%
	Grade 9	4.2%	6.5%	11.7%	88.3%
	Grade 10	3.8%	5.8%	11.6%	88.4%
	Grade 11	5.7%	6.6%	10.5%	89.5%
	Grade 12	1.7%	2.8%	8.6%	91.4%
Any Illicit Drug					
	All	12.8%	16.6%	24.9%	75.1%
	Grade 7	6.4%	8.0%	12.7%	87.3%
	Grade 8	10.2%	13.0%	18.8%	81.2%
	Grade 9	14.1%	19.9%	27.5%	72.5%
	Grade 10	15.0%	18.7%	31.1%	68.9%
	Grade 11	19.9%	24.6%	35.4%	64.6%
	Grade 12	14.5%	18.0%	34.8%	65.2%
Marijuana					
	All	10.2%	14.0%	22.1%	77.9%
	Grade 7	4.3%	5.6%	9.8%	90.2%
	Grade 8	7.5%	10.1%	15.8%	84.2%
	Grade 9	11.1%	16.5%	24.6%	75.4%
	Grade 10	13.2%	17.4%	28.2%	71.8%
	Grade 11	16.0%	21.4%	32.4%	67.6%
	Grade 12	13.1%	17.4%	32.7%	67.3%
Marijuana Only					
	All	3.0%	4.4%	8.3%	91.7%
	Grade 7	1.7%	2.0%	4.8%	95.2%
	Grade 8	2.7%	3.6%	6.9%	93.1%
	Grade 9	3.1%	4.6%	8.4%	91.6%
	Grade 10	3.1%	5.1%	10.1%	89.9%
	Grade 11	4.3%	6.9%	11.4%	88.6%
	Grade 12	5.1%	6.3%	13.1%	86.9%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.1%	6.4%	11.2%	88.8%
	Grade 7	1.2%	2.4%	4.3%	95.7%
	Grade 8	3.0%	4.2%	6.9%	93.1%
	Grade 9	5.1%	8.2%	13.3%	86.7%
	Grade 10	4.4%	7.5%	14.7%	85.3%
	Grade 11	7.5%	10.0%	16.8%	83.2%
	Grade 12	5.0%	7.4%	17.0%	83.0%
Cocaine					
	All	4.0%	6.1%	10.9%	89.1%
	Grade 7	1.1%	2.2%	3.8%	96.2%
	Grade 8	2.4%	3.6%	6.3%	93.7%
	Grade 9	5.0%	8.0%	13.1%	86.9%
	Grade 10	4.3%	7.2%	14.3%	85.7%
	Grade 11	7.5%	10.0%	16.8%	83.2%
	Grade 12	5.0%	7.2%	16.8%	83.2%
Crack					
	All	0.9%	1.5%	3.1%	96.9%
	Grade 7	0.5%	1.0%	1.9%	98.1%
	Grade 8	1.7%	2.3%	4.0%	96.0%
	Grade 9	1.0%	1.8%	4.0%	96.0%
	Grade 10	1.1%	1.7%	3.2%	96.8%
	Grade 11	0.2%	0.7%	2.2%	97.8%
	Grade 12	0.4%	1.2%	2.2%	97.8%
Hallucinogens					
	All	1.6%	2.2%	3.6%	96.4%
	Grade 7	1.0%	1.3%	1.9%	98.1%
	Grade 8	1.7%	1.9%	2.7%	97.3%
	Grade 9	1.6%	2.5%	3.8%	96.2%
	Grade 10	1.4%	2.4%	5.0%	95.0%
	Grade 11	2.2%	2.8%	4.4%	95.6%
	Grade 12	2.3%	3.2%	5.7%	94.3%
Uppers					
	All	2.0%	2.8%	4.3%	95.7%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	1.3%	2.0%	3.1%	96.9%
	Grade 9	2.4%	3.4%	5.2%	94.8%
	Grade 10	2.2%	3.2%	5.6%	94.4%
	Grade 11	4.4%	5.7%	7.2%	92.8%
	Grade 12	0.8%	1.2%	5.8%	94.2%
Downers					
	All	2.2%	3.3%	4.9%	95.1%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	1.1%	1.9%	2.8%	97.2%
	Grade 9	2.7%	4.4%	6.3%	93.7%
	Grade 10	2.4%	4.4%	6.7%	93.3%
	Grade 11	4.8%	6.0%	7.6%	92.4%
	Grade 12	2.3%	2.7%	7.6%	92.4%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.6%	4.0%	6.8%	93.2%
	Grade 7	1.0%	1.5%	2.5%	97.5%
	Grade 8	2.9%	4.3%	5.5%	94.5%
	Grade 9	3.1%	5.0%	8.6%	91.4%
	Grade 10	3.5%	5.1%	9.6%	90.4%
	Grade 11	3.4%	5.4%	8.4%	91.6%
	Grade 12	1.7%	1.9%	6.5%	93.5%
Steroids					
	All	0.4%	0.7%	1.2%	98.8%
	Grade 7	0.3%	0.3%	1.0%	99.0%
	Grade 8	0.8%	1.3%	1.8%	98.2%
	Grade 9	0.3%	0.7%	0.9%	99.1%
	Grade 10	0.2%	0.3%	1.0%	99.0%
	Grade 11	0.8%	1.0%	1.6%	98.4%
	Grade 12	0.2%	0.5%	0.6%	99.4%
Ecstasy					
	All	2.0%	2.9%	5.2%	94.8%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	1.9%	2.6%	3.2%	96.8%
	Grade 9	1.8%	3.4%	6.9%	93.1%
	Grade 10	3.2%	4.5%	7.9%	92.1%
	Grade 11	3.8%	4.5%	7.4%	92.6%
	Grade 12	1.0%	1.5%	6.0%	94.0%
Heroin					
	All	0.8%	1.1%	1.9%	98.1%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.0%	1.4%	2.3%	97.7%
	Grade 9	0.8%	1.0%	1.8%	98.2%
	Grade 10	0.4%	0.6%	1.9%	98.1%
	Grade 11	1.1%	1.1%	1.8%	98.2%
	Grade 12	0.7%	0.9%	1.3%	98.7%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.7%	19.0%	33.3%	66.7%
	Grade 7	5.2%	7.5%	17.7%	82.3%
	Grade 8	7.4%	10.7%	23.9%	76.1%
	Grade 9	11.4%	16.7%	30.9%	69.1%
	Grade 10	17.2%	23.3%	39.9%	60.1%
	Grade 11	21.1%	28.1%	44.1%	55.9%
	Grade 12	23.8%	32.7%	49.2%	50.8%
Alcohol					
	All	31.2%	41.2%	61.9%	38.1%
	Grade 7	17.7%	22.7%	46.6%	53.4%
	Grade 8	23.0%	31.6%	54.8%	45.2%
	Grade 9	30.8%	41.4%	61.8%	38.2%
	Grade 10	38.7%	50.0%	69.9%	30.1%
	Grade 11	38.5%	51.2%	70.2%	29.8%
	Grade 12	42.6%	55.6%	72.6%	27.4%
Inhalants					
	All	3.7%	5.7%	10.8%	89.2%
	Grade 7	4.1%	6.4%	12.3%	87.7%
	Grade 8	4.2%	6.1%	10.6%	89.4%
	Grade 9	3.6%	5.9%	11.0%	89.0%
	Grade 10	4.1%	5.9%	11.7%	88.3%
	Grade 11	3.0%	5.0%	10.3%	89.7%
	Grade 12	3.2%	4.7%	8.3%	91.7%
Any Illicit Drug					
	All	11.3%	15.7%	24.3%	75.7%
	Grade 7	4.9%	6.7%	11.3%	88.7%
	Grade 8	7.3%	10.2%	16.2%	83.8%
	Grade 9	11.5%	16.1%	23.3%	76.7%
	Grade 10	14.8%	20.2%	30.6%	69.4%
	Grade 11	14.1%	20.8%	33.4%	66.6%
	Grade 12	17.1%	23.0%	36.0%	64.0%
Marijuana					
	All	9.0%	13.3%	21.4%	78.6%
	Grade 7	2.9%	4.5%	8.2%	91.8%
	Grade 8	5.5%	8.2%	13.4%	86.6%
	Grade 9	9.0%	13.5%	20.4%	79.6%
	Grade 10	12.0%	17.2%	27.5%	72.5%
	Grade 11	11.7%	18.4%	30.0%	70.0%
	Grade 12	14.8%	20.7%	33.3%	66.7%
Marijuana Only					
	All	2.9%	4.8%	9.2%	90.8%
	Grade 7	0.8%	1.4%	3.4%	96.6%
	Grade 8	2.1%	3.1%	6.3%	93.7%
	Grade 9	2.9%	4.7%	8.2%	91.8%
	Grade 10	3.7%	6.0%	11.6%	88.4%
	Grade 11	3.6%	6.9%	13.6%	86.4%
	Grade 12	5.0%	7.8%	14.6%	85.4%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.8%	5.8%	10.1%	89.9%
	Grade 7	1.7%	2.7%	4.4%	95.6%
	Grade 8	2.3%	3.4%	6.1%	93.9%
	Grade 9	4.1%	6.2%	9.8%	90.2%
	Grade 10	4.4%	6.8%	12.0%	88.0%
	Grade 11	5.4%	7.9%	14.8%	85.2%
	Grade 12	5.7%	8.6%	15.6%	84.4%
Cocaine					
	All	3.5%	5.4%	9.6%	90.4%
	Grade 7	1.2%	2.1%	3.6%	96.4%
	Grade 8	2.0%	3.0%	5.5%	94.5%
	Grade 9	3.6%	5.6%	9.1%	90.9%
	Grade 10	4.2%	6.5%	11.8%	88.2%
	Grade 11	5.4%	7.7%	14.7%	85.3%
	Grade 12	5.7%	8.6%	15.5%	84.5%
Crack					
	All	0.9%	1.3%	2.4%	97.6%
	Grade 7	0.9%	1.4%	2.2%	97.8%
	Grade 8	1.1%	1.4%	2.1%	97.9%
	Grade 9	1.0%	1.5%	2.8%	97.2%
	Grade 10	0.7%	1.2%	2.7%	97.3%
	Grade 11	0.5%	1.0%	2.0%	98.0%
	Grade 12	0.9%	1.3%	2.2%	97.8%
Hallucinogens					
	All	1.2%	1.8%	3.1%	96.9%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.0%	1.5%	2.4%	97.6%
	Grade 9	0.9%	1.6%	3.1%	96.9%
	Grade 10	1.7%	2.3%	4.0%	96.0%
	Grade 11	1.5%	2.1%	3.8%	96.2%
	Grade 12	1.7%	2.8%	4.5%	95.5%
Uppers					
	All	1.6%	2.3%	3.6%	96.4%
	Grade 7	0.6%	1.0%	1.8%	98.2%
	Grade 8	0.8%	1.4%	2.1%	97.9%
	Grade 9	1.4%	2.1%	3.2%	96.8%
	Grade 10	1.8%	2.8%	4.3%	95.7%
	Grade 11	2.3%	3.2%	5.2%	94.8%
	Grade 12	2.8%	3.9%	5.6%	94.4%
Downers					
	All	2.1%	2.9%	4.4%	95.6%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.2%	1.6%	2.3%	97.7%
	Grade 9	2.2%	3.1%	4.8%	95.2%
	Grade 10	3.2%	4.2%	6.1%	93.9%
	Grade 11	2.7%	3.8%	5.9%	94.1%
	Grade 12	3.1%	4.2%	6.6%	93.4%

**Border - Grades 7-12 Large
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.3%	3.3%	5.5%	94.5%
	Grade 7	1.0%	1.4%	2.5%	97.5%
	Grade 8	1.4%	1.9%	3.4%	96.6%
	Grade 9	3.0%	4.6%	6.6%	93.4%
	Grade 10	3.0%	4.4%	7.1%	92.9%
	Grade 11	2.1%	3.5%	6.5%	93.5%
	Grade 12	2.9%	3.8%	7.2%	92.8%
Steroids					
	All	0.4%	0.5%	1.0%	99.0%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.3%	0.5%	1.1%	98.9%
	Grade 9	0.2%	0.3%	0.6%	99.4%
	Grade 10	0.5%	0.7%	1.1%	98.9%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.3%	0.5%	0.7%	99.3%
Ecstasy					
	All	1.6%	2.4%	3.9%	96.1%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.7%	1.0%	1.7%	98.3%
	Grade 9	1.2%	1.9%	3.7%	96.3%
	Grade 10	2.6%	3.7%	5.8%	94.2%
	Grade 11	2.4%	3.3%	5.5%	94.5%
	Grade 12	3.0%	4.1%	6.7%	93.3%
Heroin					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.8%	0.9%	1.8%	98.2%
	Grade 8	0.4%	0.6%	1.2%	98.8%
	Grade 9	0.4%	0.6%	1.1%	98.9%
	Grade 10	0.7%	0.8%	1.3%	98.7%
	Grade 11	0.5%	0.6%	1.0%	99.0%
	Grade 12	0.5%	0.7%	1.0%	99.0%

Border - Grades 7-12 Large Spring 2008

The FREQ Procedure

GENDER		
q1	Frequency	Percent
Female	16E4	51.55
Male	151E3	48.45

Frequency Missing = 882.62049975

GRADE		
q2	Frequency	Percent
Grade 7	56525	18.14
Grade 8	53995	17.33
Grade 9	73059	23.44
Grade 10	47694	15.30
Grade 11	43580	13.98
Grade 12	36778	11.80

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	1E5	32.45
Yes	209E3	67.55

Frequency Missing = 2151.1162616

AGE		
q4	Frequency	Percent
11 or younger	275	0.09
12	15377	4.96
13	46160	14.90
14	57091	18.43
15	62978	20.33
16	50636	16.34
17	45339	14.63
18	26636	8.60
19 or older	5317	1.72

Frequency Missing = 1820.3134352

ETHNICITY		
q5	Frequency	Percent
African/American	3129	1.02
Asian/American	534	0.17
Mexican/American	291E3	94.80
Native/American	705	0.23
Other	4038	1.32
White	7550	2.46

Frequency Missing = 5101.6042748

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	56860	18.54
Mostly B's	172E3	55.99
Mostly C's	67095	21.88
Mostly D's	8160	2.66
Mostly F's	2853	0.93

Frequency Missing = 4979.8898261

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	25632	8.40
2-3 years	48807	15.99
>4 years	231E3	75.61

Frequency Missing = 6401.5812806

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	263E3	85.75
Yes	43745	14.25

Frequency Missing = 4606.0358168

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	172E3	57.00
Yes	13E4	43.00

Frequency Missing = 9121.1535179

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	66949	21.81
No	147E3	48.01
Yes	92647	30.18

Frequency Missing = 4651.0565248

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	74545	24.46
No	32736	10.74
Yes	197E3	64.79

Frequency Missing = 6905.8936171

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	146E3	50.77
Yes	142E3	49.23

Frequency Missing = 23849.155651

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	219E3	81.94
Yes	48270	18.06

Frequency Missing = 44362.669976

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	229E3	89.95
Yes	25591	10.05

Frequency Missing = 56987.639047

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	209E3	82.32
Yes	44786	17.68

Frequency Missing = 58315.596471

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2008

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	23E4	92.12
Yes	19722	7.88

Frequency Missing = 61463.739876

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	253E3	95.11
Yes	13011	4.89

Frequency Missing = 45575.921492

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	96137	31.29
Somewhat Safe	156E3	50.84
Not Very Safe	38195	12.43
Not Safe At All	9016	2.93
Don't Know	7719	2.51

Frequency Missing = 4360.3750421

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	241E3	96.24
Yes	9428	3.76

Frequency Missing = 61192.190155

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	217E3	80.28
Yes	53367	19.72

Frequency Missing = 41018.883211

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	104E3	33.84
Somewhat Safe	148E3	48.17
Not Very Safe	32756	10.65
Not Safe At All	13168	4.28
Don't Know	9418	3.06

Frequency Missing = 4084.9160039

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	242E3	94.82
Yes	13209	5.18

Frequency Missing = 56860.511671

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	188E3	67.73
Yes	89720	32.27

Frequency Missing = 33583.790666

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	21952	7.17
A Few	88911	29.05
Some	79866	26.09
Most	86751	28.34
All	28606	9.35

Frequency Missing = 5544.7820731

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	228E3	87.46
Yes	32641	12.54

Frequency Missing = 51262.804564

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	208E3	75.18
Yes	68677	24.82

Frequency Missing = 34951.557552

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	227E3	86.07
Yes	36782	13.93

Frequency Missing = 47567.864446

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	246E3	79.85
Somewhat Safe	52730	17.11
Not Very Safe	4302	1.40
Not Safe At All	1101	0.36
Don't Know	3988	1.29

Frequency Missing = 3387.8901327

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	22E4	72.92
A Few	49500	16.41
Some	21354	7.08
Most	7032	2.33
All	3813	1.26

Frequency Missing = 9982.9380307

Border - Grades 7-12 Large Spring 2008

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	11628	3.91
A Few	50434	16.94
Some	73229	24.60
Most	11E4	36.93
All	52483	17.63

Frequency Missing = 13896.895272

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	184E3	60.36
A Few	63278	20.76
Some	33550	11.00
Most	16990	5.57
All	7030	2.31

Frequency Missing = 6751.6038654

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	168E3	54.80
A Few	86050	28.14
Some	33515	10.96
Most	12263	4.01
All	6396	2.09

Frequency Missing = 5816.6802613

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	133E3	51.27
Yes	126E3	48.73

Frequency Missing = 52444.40706

RECENT CIGARETTE USE		
Q16A	Frequency	Percent
Never Heard/Used	203E3	67.10
In Your Lifetime	44276	14.64
Since School Began	15621	5.16
In the Past Month	39637	13.10

Frequency Missing = 9098.5026321

RECENT SMOKELESS TOBACCO USE		
Q16B	Frequency	Percent
Never Heard/Used	277E3	92.48
In Your Lifetime	9727	3.25
Since School Began	4018	1.34
In the Past Month	8809	2.94

Frequency Missing = 11889.260967

RECENT BEER USE		
Q16C	Frequency	Percent
Never Heard/Used	157E3	52.77
In Your Lifetime	54415	18.31
Since School Began	23849	8.02
In the Past Month	62119	20.90

Frequency Missing = 14405.146704

RECENT WINE COOLER USE		
Q16D	Frequency	Percent
Never Heard/Used	16E4	53.41
In Your Lifetime	50601	16.86
Since School Began	26398	8.80
In the Past Month	62778	20.92

Frequency Missing = 11586.89614

RECENT WINE USE		
Q16E	Frequency	Percent
Never Heard/Used	181E3	61.38
In Your Lifetime	53429	18.13
Since School Began	22527	7.64
In the Past Month	37856	12.84

Frequency Missing = 16914.74246

RECENT LIQUOR USE		
Q16F	Frequency	Percent
Never Heard/Used	184E3	61.33
In Your Lifetime	40045	13.35
Since School Began	23717	7.90
In the Past Month	52283	17.42

Frequency Missing = 11576.08494

RECENT INHALANT USE		
Q16G	Frequency	Percent
Never Heard/Used	268E3	89.13
In Your Lifetime	15304	5.08
Since School Began	5853	1.94
In the Past Month	11571	3.84

Frequency Missing = 10422.74067

RECENT MARIJUANA USE		
Q17A	Frequency	Percent
Never Heard/Used	238E3	78.49
In Your Lifetime	24401	8.06
Since School Began	12568	4.15
In the Past Month	28122	9.29

Frequency Missing = 9023.9252211

RECENT COCAINE USE		
Q17B	Frequency	Percent
Never Heard/Used	271E3	90.09
In Your Lifetime	13005	4.33
Since School Began	5761	1.92
In the Past Month	11011	3.67

Frequency Missing = 11219.496841

RECENT CRACK USE		
Q17C	Frequency	Percent
Never Heard/Used	289E3	97.47
In Your Lifetime	3448	1.16
Since School Began	1495	0.50
In the Past Month	2552	0.86

Frequency Missing = 14963.42099

Border - Grades 7-12 Large Spring 2008

RECENT HALLUCINOGEN USE		
	Q17E Frequency	Percent
Never Heard/Used	286E3	96.81
In Your Lifetime	3947	1.33
Since School Began	1744	0.59
In the Past Month	3744	1.27

Frequency Missing = 15858.564901

RECENT UPPER USE		
	Q17F Frequency	Percent
Never Heard/Used	285E3	96.26
In Your Lifetime	3956	1.34
Since School Began	2201	0.74
In the Past Month	4902	1.66

Frequency Missing = 15868.612995

RECENT DOWNER USE		
	Q17G Frequency	Percent
Never Heard/Used	282E3	95.47
In Your Lifetime	4530	1.53
Since School Began	2608	0.88
In the Past Month	6220	2.11

Frequency Missing = 16476.521433

RECENT ROHYPNOL USE		
	Q17H Frequency	Percent
Never Heard/Used	279E3	94.18
In Your Lifetime	6946	2.35
Since School Began	3361	1.14
In the Past Month	6921	2.34

Frequency Missing = 15527.745271

RECENT STEROID USE		
	Q17I Frequency	Percent
Never Heard/Used	292E3	98.99
In Your Lifetime	1365	0.46
Since School Began	494	0.17
In the Past Month	1127	0.38

Frequency Missing = 16829.350273

RECENT ECSTASY USE		
	Q17J Frequency	Percent
Never Heard/Used	285E3	95.79
In Your Lifetime	5136	1.73
Since School Began	2312	0.78
In the Past Month	5073	1.70

Frequency Missing = 13966.499002

RECENT HEROIN USE		
	Q17K Frequency	Percent
Never Heard/Used	294E3	98.61
In Your Lifetime	1804	0.61
Since School Began	562	0.19
In the Past Month	1784	0.60

Frequency Missing = 13913.295491

TOBACCO USE IN PAST MONTH		
	q18a Frequency	Percent
Never Heard/Used	262E3	86.58
1-2 times	21527	7.12
3-10 times	9930	3.29
11+ times	9110	3.01

Frequency Missing = 9438.792747

ALCOHOL USE IN PAST MONTH		
	q18b Frequency	Percent
Never Heard/Used	203E3	67.42
1-2 times	57521	19.07
3-10 times	28211	9.35
11+ times	12534	4.16

Frequency Missing = 9998.1435165

INHALANT USE IN PAST MONTH		
	q18c Frequency	Percent
Never Heard/Used	284E3	94.76
1-2 times	10969	3.67
3-10 times	3313	1.11
11+ times	1402	0.47

Frequency Missing = 12429.780012

MARIJUANA USE IN PAST MONTH		
	q18d Frequency	Percent
Never Heard/Used	259E3	86.81
1-2 times	20817	6.96
3-10 times	9584	3.21
11+ times	9032	3.02

Frequency Missing = 12703.841527

COCAINE USE IN PAST MONTH		
	q18e Frequency	Percent
Never Heard/Used	284E3	94.45
1-2 times	10111	3.36
3-10 times	4001	1.33
11+ times	2585	0.86

Frequency Missing = 10563.153528

CRACK USE IN PAST MONTH		
	q18f Frequency	Percent
Never Heard/Used	298E3	98.63
1-2 times	2715	0.90
3-10 times	775	0.26
11+ times	646	0.21

Frequency Missing = 9297.9392295

CLOSE FRIENDS USE CIGARETTES		
	q19a Frequency	Percent
Never heard/None	124E3	42.36
A few	95155	32.50
Some	43496	14.86
Most	24016	8.20
All	6086	2.08

Frequency Missing = 18873.036361

CLOSE FRIENDS USE SMOKELESS TOBACCO		
	q19b Frequency	Percent
Never heard/None	221E3	76.58
A few	41605	14.40
Some	17654	6.11
Most	6098	2.11
All	2280	0.79

The frequencies have been weighted so that the
analysis reflects the distribution of students by grade
level in the district

Border - Grades 7-12 Large Spring 2008

Frequency Missing = 22779.292579

CLOSE FRIENDS USE BEER		
q19c	Frequency	Percent
Never heard/None	91720	31.63
A few	70528	24.33
Some	51328	17.70
Most	52549	18.12
All	23810	8.21

Frequency Missing = 21697.457063

CLOSE FRIENDS USE WINE COOLERS		
q19d	Frequency	Percent
Never heard/None	12E4	41.83
A few	61879	21.52
Some	46768	16.26
Most	39762	13.83
All	18853	6.56

Frequency Missing = 24066.954396

CLOSE FRIENDS USE WINE		
q19e	Frequency	Percent
Never heard/None	151E3	52.45
A few	65309	22.71
Some	37453	13.02
Most	22905	7.97
All	11068	3.85

Frequency Missing = 24066.571409

CLOSE FRIENDS USE LIQUOR		
q19f	Frequency	Percent
Never heard/None	132E3	45.41
A few	57903	19.98
Some	42090	14.52
Most	39448	13.61
All	18755	6.47

Frequency Missing = 21816.81086

CLOSE FRIENDS USE INHALANTS		
q19g	Frequency	Percent
Never heard/None	22E4	76.01
A few	41261	14.27
Some	17233	5.96
Most	7313	2.53
All	3569	1.23

Frequency Missing = 22441.337426

CLOSE FRIENDS USE MARIJUANA		
q19h	Frequency	Percent
Never heard/None	159E3	54.18
A few	55622	18.96
Some	35566	12.12
Most	29564	10.08
All	13662	4.66

Frequency Missing = 18286.941773

DIFFICULT TO GET CIGARETTES		
q20a	Frequency	Percent
Never heard of	58313	19.90
Impossible	49327	16.83
Very difficult	15299	5.22
Somewhat diff	26994	9.21
Somewhat easy	50751	17.32
Very easy	92323	31.51

Frequency Missing = 18623.706351

DIFFICULT TO GET SMOKELESS TOBACCO		
q20b	Frequency	Percent
Never heard of	104E3	35.96
Impossible	62779	21.64
Very difficult	21365	7.37
Somewhat diff	28398	9.79
Somewhat easy	29651	10.22
Very easy	43568	15.02

Frequency Missing = 21561.759119

DIFFICULT TO GET BEER		
q20c	Frequency	Percent
Never heard of	51177	17.67
Impossible	38795	13.39
Very difficult	14948	5.16
Somewhat diff	30166	10.41
Somewhat easy	57168	19.74
Very easy	97408	33.63

Frequency Missing = 21969.080636

DIFFICULT TO GET WINE COOLERS		
q20d	Frequency	Percent
Never heard of	64229	22.22
Impossible	41324	14.30
Very difficult	15714	5.44
Somewhat diff	30727	10.63
Somewhat easy	52507	18.17
Very easy	84540	29.25

Frequency Missing = 22591.077591

DIFFICULT TO GET WINE		
q20e	Frequency	Percent
Never heard of	63490	22.11
Impossible	48171	16.78
Very difficult	20113	7.00
Somewhat diff	35924	12.51
Somewhat easy	48068	16.74
Very easy	71365	24.85

Frequency Missing = 24500.115249

DIFFICULT TO GET LIQUOR		
q20f	Frequency	Percent
Never heard of	62483	21.51
Impossible	52323	18.02
Very difficult	22478	7.74
Somewhat diff	32438	11.17
Somewhat easy	45286	15.59
Very easy	75424	25.97

Frequency Missing = 21197.063574

Border - Grades 7-12 Large Spring 2008

DIFFICULT TO GET INHALANTS		
q20g	Frequency	Percent
Never heard of	88563	30.92
Impossible	52360	18.28
Very difficult	14056	4.91
Somewhat diff	17586	6.14
Somewhat easy	27089	9.46
Very easy	86767	30.29

Frequency Missing = 25208.842699

DIFFICULT TO GET MARIJUANA		
q20h	Frequency	Percent
Never heard of	69766	24.37
Impossible	71119	24.84
Very difficult	19622	6.85
Somewhat diff	24169	8.44
Somewhat easy	34202	11.95
Very easy	67381	23.54

Frequency Missing = 25373.060274

DIFFICULT TO GET COCAINE		
q20i	Frequency	Percent
Never heard of	79477	27.86
Impossible	80706	28.29
Very difficult	25300	8.87
Somewhat diff	27692	9.71
Somewhat easy	27751	9.73
Very easy	44342	15.54

Frequency Missing = 26364.050481

DIFFICULT TO GET CRACK		
q20j	Frequency	Percent
Never heard of	91434	32.14
Impossible	82994	29.18
Very difficult	28503	10.02
Somewhat diff	29672	10.43
Somewhat easy	21907	7.70
Very easy	29942	10.53

Frequency Missing = 27178.353124

DIFFICULT TO GET HALLUCINOGENS		
q20l	Frequency	Percent
Never heard of	136E3	47.86
Impossible	65704	23.07
Very difficult	24013	8.43
Somewhat diff	22478	7.89
Somewhat easy	15293	5.37
Very easy	21043	7.39

Frequency Missing = 26764.932101

DIFFICULT TO GET UPERS		
q20m	Frequency	Percent
Never heard of	15E4	53.00
Impossible	54935	19.47
Very difficult	18826	6.67
Somewhat diff	18415	6.53
Somewhat easy	15616	5.53
Very easy	24807	8.79

Frequency Missing = 29485.460326

DIFFICULT TO GET DOWNERS		
q20n	Frequency	Percent
Never heard of	15E4	52.90
Impossible	54553	19.29
Very difficult	18328	6.48
Somewhat diff	18124	6.41
Somewhat easy	16054	5.68
Very easy	26162	9.25

Frequency Missing = 28793.387508

DIFFICULT TO GET ROHYPNOL		
q20o	Frequency	Percent
Never heard of	133E3	46.84
Impossible	58650	20.67
Very difficult	19655	6.93
Somewhat diff	20131	7.10
Somewhat easy	19512	6.88
Very easy	32880	11.59

Frequency Missing = 27922.45039

DIFFICULT TO GET STEROIDS		
q20p	Frequency	Percent
Never heard of	101E3	35.59
Impossible	87771	31.00
Very difficult	29108	10.28
Somewhat diff	25602	9.04
Somewhat easy	17706	6.25
Very easy	22186	7.84

Frequency Missing = 28482.970838

DIFFICULT TO GET ECSTASY		
q20q	Frequency	Percent
Never heard of	121E3	42.58
Impossible	68717	24.26
Very difficult	24058	8.49
Somewhat diff	21652	7.64
Somewhat easy	18436	6.51
Very easy	29758	10.51

Frequency Missing = 28409.606846

DIFFICULT TO GET HEROIN		
q20r	Frequency	Percent
Never heard of	118E3	41.85
Impossible	81843	28.95
Very difficult	28215	9.98
Somewhat diff	21908	7.75
Somewhat easy	12951	4.58
Very easy	19500	6.90

Frequency Missing = 28880.983289

AGE WHEN FIRST USED CIGARETTES		
q21a	Frequency	Percent
9 or younger	12031	11.81
10 years old	7303	7.17
11 years old	8201	8.05
12 years old	11846	11.63
13 years old	15317	15.03
14 years old	15737	15.44
15 years old	14464	14.19
16 years old	9249	9.08
17 years old	5179	5.08
18 or older	2570	2.52

Frequency Missing = 209732.84665

Border - Grades 7-12 Large Spring 2008

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q21b Frequency Percent		
9 or younger	1368	7.61
10 years old	932	5.19
11 years old	1249	6.95
12 years old	2149	11.95
13 years old	2415	13.44
14 years old	2588	14.40
15 years old	2887	16.06
16 years old	2405	13.38
17 years old	1216	6.77
18 or older	768	4.27

Frequency Missing = 293653.09959

AGE WHEN FIRST USED WINE		
q21e Frequency Percent		
9 or younger	10156	8.95
10 years old	7889	6.95
11 years old	8267	7.28
12 years old	14685	12.94
13 years old	18616	16.40
14 years old	19349	17.05
15 years old	19130	16.86
16 years old	9266	8.17
17 years old	4001	3.53
18 or older	2122	1.87

Frequency Missing = 198150.40427

AGE WHEN FIRST USED MARIJUANA		
q21h Frequency Percent		
9 or younger	3017	4.86
10 years old	2838	4.57
11 years old	3857	6.22
12 years old	7686	12.39
13 years old	11360	18.31
14 years old	11631	18.74
15 years old	10439	16.82
16 years old	6642	10.70
17 years old	3500	5.64
18 or older	1081	1.74

Frequency Missing = 249580.51751

AGE WHEN FIRST USED BEER		
q21c Frequency Percent		
9 or younger	24595	16.57
10 years old	10184	6.86
11 years old	9768	6.58
12 years old	18199	12.26
13 years old	22324	15.04
14 years old	22638	15.25
15 years old	21888	14.75
16 years old	11565	7.79
17 years old	4950	3.34
18 or older	2287	1.54

Frequency Missing = 163234.55067

AGE WHEN FIRST USED LIQUOR		
q21f Frequency Percent		
9 or younger	5186	4.55
10 years old	4879	4.28
11 years old	6110	5.37
12 years old	11203	9.84
13 years old	18192	15.98
14 years old	21304	18.71
15 years old	24132	21.19
16 years old	14409	12.65
17 years old	5972	5.24
18 or older	2483	2.18

Frequency Missing = 197760.59208

AGE WHEN FIRST USED COCAINE		
q21i Frequency Percent		
9 or younger	567	2.02
10 years old	540	1.93
11 years old	1102	3.93
12 years old	2368	8.45
13 years old	4178	14.91
14 years old	5538	19.77
15 years old	6352	22.67
16 years old	4789	17.09
17 years old	2051	7.32
18 or older	533	1.90

Frequency Missing = 283612.49379

AGE WHEN FIRST USED WINE COOLERS		
q21d Frequency Percent		
9 or younger	10346	7.88
10 years old	7937	6.04
11 years old	9516	7.25
12 years old	17260	13.14
13 years old	23364	17.79
14 years old	22996	17.51
15 years old	21911	16.68
16 years old	11551	8.79
17 years old	4602	3.50
18 or older	1856	1.41

Frequency Missing = 180293.66748

AGE WHEN FIRST USED INHALANTS		
q21g Frequency Percent		
9 or younger	3298	12.55
10 years old	1898	7.22
11 years old	2708	10.31
12 years old	4095	15.58
13 years old	4454	16.95
14 years old	3900	14.84
15 years old	2935	11.17
16 years old	1855	7.06
17 years old	893	3.40
18 or older	239	0.91

Frequency Missing = 285355.95039

AGE WHEN FIRST USED CRACK		
q21j Frequency Percent		
9 or younger	443	7.05
10 years old	224	3.56
11 years old	414	6.59
12 years old	662	10.54
13 years old	1197	19.06
14 years old	1019	16.22
15 years old	1271	20.24
16 years old	698	11.11
17 years old	290	4.61
18 or older	63	1.01

Frequency Missing = 305350.11896

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2008

AGE WHEN FIRST USED HALLUCINOGENS		
q21l Frequency Percent		
9 or younger	401	4.97
10 years old	144	1.78
11 years old	304	3.77
12 years old	816	10.12
13 years old	1205	14.94
14 years old	1448	17.96
15 years old	1642	20.36
16 years old	1212	15.03
17 years old	661	8.19
18 or older	233	2.89

Frequency Missing = 303565.16447

AGE WHEN FIRST USED ROHYPNOL		
q21o Frequency Percent		
9 or younger	468	2.98
10 years old	334	2.13
11 years old	674	4.30
12 years old	1267	8.08
13 years old	2674	17.05
14 years old	3670	23.40
15 years old	3312	21.12
16 years old	2327	14.84
17 years old	840	5.35
18 or older	116	0.74

Frequency Missing = 295949.52409

AGE WHEN FIRST USED HEROIN		
q21r Frequency Percent		
9 or younger	358	11.31
10 years old	140	4.43
11 years old	293	9.28
12 years old	304	9.62
13 years old	543	17.18
14 years old	573	18.11
15 years old	466	14.74
16 years old	281	8.88
17 years old	175	5.54
18 or older	28	0.89

Frequency Missing = 308468.73727

AGE WHEN FIRST USED UPPERS		
q21m Frequency Percent		
9 or younger	370	3.30
10 years old	298	2.66
11 years old	626	5.58
12 years old	1005	8.96
13 years old	1849	16.49
14 years old	2267	20.22
15 years old	2232	19.91
16 years old	1674	14.93
17 years old	728	6.49
18 or older	162	1.45

Frequency Missing = 300418.88674

AGE WHEN FIRST USED STEROIDS		
q21p Frequency Percent		
9 or younger	383	13.60
10 years old	85	3.01
11 years old	120	4.25
12 years old	365	12.97
13 years old	514	18.27
14 years old	479	17.01
15 years old	307	10.89
16 years old	350	12.43
17 years old	170	6.05
18 or older	43	1.53

Frequency Missing = 308814.60961

HOW OFTEN NORMALLY USE CIGARETTES		
q22a Frequency Percent		
Every day	4531	1.56
Several times/wk	10164	3.50
Several times/mo	14143	4.88
About once/month	19345	6.67
About once/year	16232	5.60
< once/year	23176	7.99
Never used	202E3	69.80

Frequency Missing = 21577.616181

AGE WHEN FIRST USED DOWNERS		
q21n Frequency Percent		
9 or younger	387	3.07
10 years old	307	2.44
11 years old	577	4.59
12 years old	1243	9.87
13 years old	1854	14.72
14 years old	2695	21.40
15 years old	2550	20.25
16 years old	1834	14.56
17 years old	840	6.67
18 or older	305	2.42

Frequency Missing = 299037.42574

AGE WHEN FIRST USED ECSTASY		
q21q Frequency Percent		
9 or younger	226	1.95
10 years old	360	3.11
11 years old	186	1.61
12 years old	690	5.96
13 years old	1247	10.76
14 years old	1850	15.97
15 years old	2552	22.04
16 years old	2448	21.13
17 years old	1653	14.27
18 or older	371	3.20

Frequency Missing = 300049.00703

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q22b Frequency Percent		
Every day	613	0.21
Several times/wk	1971	0.69
Several times/mo	2346	0.82
About once/month	3133	1.09
About once/year	3432	1.20
< once/year	5296	1.85
Never used	27E4	94.15

Frequency Missing = 24834.042024

Border - Grades 7-12 Large Spring 2008

HOW OFTEN NORMALLY USE BEER		
q22c Frequency Percent		
Every day	1004	0.35
Several times/wk	14305	4.96
Several times/mo	29839	10.34
About once/month	33239	11.52
About once/year	25549	8.86
< once/year	26129	9.06
Never used	158E3	54.91

Frequency Missing = 23165.61868

HOW OFTEN NORMALLY USE WINE COOLERS		
q22d Frequency Percent		
Every day	911	0.32
Several times/wk	10167	3.52
Several times/mo	26671	9.24
About once/month	31738	11.00
About once/year	28878	10.01
< once/year	22153	7.68
Never used	168E3	58.24

Frequency Missing = 23028.203188

HOW OFTEN NORMALLY USE WINE		
q22e Frequency Percent		
Every day	331	0.12
Several times/wk	6558	2.30
Several times/mo	15876	5.56
About once/month	21880	7.67
About once/year	32013	11.22
< once/year	25232	8.84
Never used	183E3	64.29

Frequency Missing = 26305.091616

HOW OFTEN NORMALLY USE LIQUOR		
q22f Frequency Percent		
Every day	452	0.16
Several times/wk	9706	3.36
Several times/mo	25240	8.74
About once/month	27226	9.43
About once/year	24908	8.63
< once/year	18145	6.29
Never used	183E3	63.39

Frequency Missing = 22995.939813

HOW OFTEN NORMALLY USE INHALANTS		
q22g Frequency Percent		
Every day	739	0.27
Several times/wk	2675	0.96
Several times/mo	3399	1.22
About once/month	4584	1.65
About once/year	4286	1.54
< once/year	6441	2.31
Never used	256E3	92.06

Frequency Missing = 33112.197098

HOW OFTEN NORMALLY USE MARIJUANA		
q22h Frequency Percent		
Every day	5405	1.94
Several times/wk	7506	2.69
Several times/mo	9270	3.33
About once/month	10660	3.82
About once/year	9188	3.30
< once/year	11258	4.04
Never used	225E3	80.89

Frequency Missing = 32852.194828

HOW OFTEN NORMALLY USE COCAINE		
q22i Frequency Percent		
Every day	735	0.26
Several times/wk	3147	1.13
Several times/mo	4252	1.53
About once/month	4637	1.67
About once/year	4420	1.59
< once/year	6462	2.32
Never used	255E3	91.50

Frequency Missing = 33342.295427

HOW OFTEN NORMALLY USE CRACK		
q22j Frequency Percent		
Every day	241	0.09
Several times/wk	712	0.25
Several times/mo	754	0.27
About once/month	1200	0.43
About once/year	1416	0.51
< once/year	1447	0.52
Never used	274E3	97.94

Frequency Missing = 31561.716861

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q22l Frequency Percent		
Every day	64	0.02
Several times/wk	499	0.18
Several times/mo	1055	0.38
About once/month	1708	0.62
About once/year	2124	0.77
< once/year	1838	0.67
Never used	269E3	97.36

Frequency Missing = 35808.739435

HOW OFTEN NORMALLY USE UPPERS		
q22m Frequency Percent		
Every day	287	0.10
Several times/wk	1082	0.39
Several times/mo	1745	0.63
About once/month	2370	0.86
About once/year	2392	0.87
< once/year	2371	0.86
Never used	265E3	96.28

Frequency Missing = 36275.55947

HOW OFTEN NORMALLY USE DOWNERS		
q22n Frequency Percent		
Every day	223	0.08
Several times/wk	1239	0.44
Several times/mo	2340	0.84
About once/month	2791	1.00
About once/year	2252	0.81
< once/year	2547	0.91
Never used	267E3	95.91

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2008

Frequency Missing = 32921.107432

HOW OFTEN NORMALLY USE ROHYPNOL		
q22o Frequency Percent		
Every day	293	0.11
Several times/wk	1558	0.56
Several times/mo	2197	0.79
About once/month	3238	1.16
About once/year	3392	1.22
< once/year	3151	1.13
Never used	264E3	95.03

Frequency Missing = 33549.295342

HOW OFTEN NORMALLY USE STEROIDS		
q22p Frequency Percent		
Every day	205	0.07
Several times/wk	192	0.07
Several times/mo	238	0.09
About once/month	326	0.12
About once/year	548	0.20
< once/year	901	0.32
Never used	277E3	99.14

Frequency Missing = 32221.544931

HOW OFTEN NORMALLY USE ECSTASY		
q22q Frequency Percent		
Every day	158	0.06
Several times/wk	618	0.22
Several times/mo	1819	0.65
About once/month	2555	0.91
About once/year	2610	0.93
< once/year	2886	1.02
Never used	271E3	96.22

Frequency Missing = 29708.103568

HOW OFTEN NORMALLY USE HEROIN		
q22r Frequency Percent		
Every day	114	0.04
Several times/wk	278	0.10
Several times/mo	308	0.11
About once/month	551	0.19
About once/year	786	0.28
< once/year	1054	0.37
Never used	281E3	98.91

Frequency Missing = 27800.85782

AMOUNT OF BEER AT ONE TIME		
q23a Frequency Percent		
Never drink this	173E3	60.15
12+ drinks	9858	3.43
9-11 drinks	6655	2.32
5-8 drinks	15675	5.45
3-4 drinks	21404	7.45
2 drinks	18430	6.41
1 drink	19753	6.87
< 1 drink	22739	7.91

Frequency Missing = 24269.007418

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b Frequency Percent		
Never drink this	176E3	61.31
12+ drinks	5198	1.82
9-11 drinks	2236	0.78
5-8 drinks	6547	2.29
3-4 drinks	12539	4.38
2 drinks	17669	6.17
1 drink	29633	10.35
< 1 drink	36985	12.92

Frequency Missing = 25268.174521

AMOUNT OF WINE AT ONE TIME		
q23c Frequency Percent		
Never drink this	156E3	54.09
12+ drinks	9438	3.28
9-11 drinks	7069	2.46
5-8 drinks	16966	5.89
3-4 drinks	26146	9.08
2 drinks	25360	8.81
1 drink	24930	8.66
< 1 drink	22300	7.74

Frequency Missing = 23681.722457

AMOUNT OF LIQUOR AT ONE TIME		
q23d Frequency Percent		
Never drink this	149E3	51.34
12+ drinks	14598	5.04
9-11 drinks	9113	3.15
5-8 drinks	17959	6.20
3-4 drinks	22808	7.87
2 drinks	20065	6.93
1 drink	23042	7.96
< 1 drink	33366	11.52

Frequency Missing = 21984.509747

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24 Frequency Percent		
Never 5+ at time	118E3	39.95
None	113E3	38.33
1 day	20593	6.99
2 days	13283	4.51
3 to 5 days	15920	5.40
6 to 9 days	6571	2.23
10 or more days	7636	2.59

Frequency Missing = 16915.281662

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a Frequency Percent		
Do not Drink	138E3	47.57
Never	89534	30.82
Seldom	44147	15.20
Most of the Time	14021	4.83
Always	4617	1.59

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2008

Frequency Missing = 21115.904783

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	118E3	40.88
Never	58291	20.14
Seldom	44692	15.45
Most of the Time	46705	16.14
Always	21372	7.39

Frequency Missing = 22271.141492

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	123E3	42.95
Never	117E3	40.73
Seldom	23248	8.09
Most of the Time	14896	5.19
Always	8728	3.04

Frequency Missing = 24426.670852

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	11E4	38.13
Never	44874	15.52
Seldom	37344	12.92
Most of the Time	45844	15.86
Always	50794	17.57

Frequency Missing = 22552.977288

GET ALCOHOLIC BEVERAGES FROM OTHER		
q25e	Frequency	Percent
Do not Drink	124E3	43.30
Never	75214	26.20
Seldom	35567	12.39
Most of the Time	26208	9.13
Always	25815	8.99

Frequency Missing = 24521.38826

USE MARIJUANA AS JOINTS		
q26a	Frequency	Percent
Never	236E3	81.53
Seldom	15742	5.43
Half the time	10431	3.60
Most of the time	14195	4.90
Always	10183	3.51
Don't know	2995	1.03

Frequency Missing = 21786.91069

USE MARIJUANA AS BLUNTS		
q26b	Frequency	Percent
Never	244E3	84.51
Seldom	14039	4.87
Half the time	10493	3.64
Most of the time	9884	3.43
Always	7935	2.75
Don't know	2348	0.81

Frequency Missing = 23093.749415

USE MARIJUANA IN BONGS OR WATER PIPES		
q26c	Frequency	Percent
Never	252E3	87.88
Seldom	13051	4.56
Half the time	7484	2.61
Most of the time	6217	2.17
Always	5597	1.95
Don't know	2351	0.82

Frequency Missing = 25320.539371

USE MARIJUANA IN PIPES		
q26d	Frequency	Percent
Never	249E3	86.87
Seldom	13689	4.78
Half the time	7829	2.73
Most of the time	7383	2.58
Always	6485	2.26
Don't know	2237	0.78

Frequency Missing = 25069.615213

USE MARIJUANA OTHER WAYS		
q26e	Frequency	Percent
Never	255E3	89.15
Seldom	11899	4.16
Half the time	4306	1.50
Most of the time	4216	1.47
Always	5369	1.88
Don't know	5265	1.84

Frequency Missing = 25424.731528

USED METHAMPHETAMINE EVEN ONE TIME		
q27	Frequency	Percent
Never heard/used	281E3	97.10
At least once/month	2917	1.01
At least once/year	1504	0.52
At least once/life	3968	1.37

Frequency Missing = 22421.652604

RECENT PRESCRIPTION DRUG USE - CODEINE		
Q28A	Frequency	Percent
Never heard/used	254E3	91.75
At least once/month	10299	3.73
At least once/year	6048	2.19
At least once/life	6444	2.33

Frequency Missing = 35335.121564

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC		
Q28B	Frequency	Percent
Never heard/used	269E3	98.45
At least once/month	1905	0.70
At least once/year	887	0.32
At least once/life	1454	0.53

Frequency Missing = 37940.125133

RECENT PRESCRIPTION DRUG USE - VICODIN ETC		
Q28C	Frequency	Percent
Never heard/used	267E3	97.89
At least once/month	2419	0.89
At least once/year	1438	0.53
At least once/life	1888	0.69

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2008

Frequency Missing = 38925.309071

RECENT PRESCRIPTION DRUG USE - VALIUM ETC		
Q28D Frequency Percent		
Never heard/used	271E3	98.36
At least once/month	1857	0.67
At least once/year	1110	0.40
At least once/life	1550	0.56

Frequency Missing = 36205.169649

RECENT PRESCRIPTION DRUG USE - XANAX ETC		
Q28E Frequency Percent		
Never heard/used	271E3	97.23
At least once/month	3539	1.27
At least once/year	1823	0.66
At least once/life	2342	0.84

Frequency Missing = 33332.758649

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q29 Frequency Percent		
Never heard/used	267E3	95.16
At least once/month	5832	2.08
At least once/year	2845	1.01
At least once/life	4897	1.75

Frequency Missing = 31261.902016

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a Frequency Percent		
Very	146E3	55.85
Somewhat	64601	24.75
Not very	26265	10.06
Not at all	8424	3.23
Don't know	15942	6.11

Frequency Missing = 50616.222872

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b Frequency Percent		
Very	124E3	47.91
Somewhat	75429	29.13
Not very	37225	14.38
Not at all	10211	3.94
Don't know	12004	4.64

Frequency Missing = 52731.910632

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c Frequency Percent		
Very	18E4	72.22
Somewhat	38139	15.29
Not very	11205	4.49
Not at all	4818	1.93
Don't know	15126	6.07

Frequency Missing = 62254.598138

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d Frequency Percent		
Very	167E3	66.92
Somewhat	38305	15.31
Not very	18963	7.58
Not at all	13311	5.32
Don't know	12180	4.87

Frequency Missing = 61472.210846

DANGEROUS FOR KIDS TO USE COCAINE		
q30e Frequency Percent		
Very	199E3	80.49
Somewhat	25372	10.28
Not very	6056	2.45
Not at all	3357	1.36
Don't know	13367	5.42

Frequency Missing = 64887.474568

DANGEROUS FOR KIDS TO USE CRACK		
q30f Frequency Percent		
Very	206E3	82.52
Somewhat	21111	8.44
Not very	3751	1.50
Not at all	3155	1.26
Don't know	15702	6.28

Frequency Missing = 61584.621179

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g Frequency Percent		
Very	199E3	78.89
Somewhat	22966	9.10
Not very	5760	2.28
Not at all	3591	1.42
Don't know	20983	8.31

Frequency Missing = 59200.053467

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h Frequency Percent		
Very	197E3	75.81
Somewhat	31341	12.08
Not very	8544	3.29
Not at all	4191	1.62
Don't know	18671	7.20

Frequency Missing = 52187.381057

DANGEROUS FOR KIDS TO USE HEROIN		
q30i Frequency Percent		
Very	221E3	83.82
Somewhat	16714	6.35
Not very	3412	1.30
Not at all	2665	1.01
Don't know	19802	7.52

Frequency Missing = 48371.166528

Border - Grades 7-12 Large Spring 2008

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q30j	Frequency	Percent
Very	221E3	81.69
Somewhat	16428	6.06
Not very	2687	0.99
Not at all	2813	1.04
Don't know	27722	10.23

Frequency Missing = 40530.770268

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	195E3	69.68
1-3 days	55034	19.68
4-9 days	15962	5.71
10+ days	13785	4.93

Frequency Missing = 32053.961093

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	91124	32.81
1-3 days	135E3	48.75
4-9 days	39554	14.24
10+ days	11635	4.19

Frequency Missing = 33933.337271

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	109E3	39.56
1-3 days	135E3	48.81
4-9 days	23501	8.51
10+ days	8615	3.12

Frequency Missing = 35517.156642

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	226E3	81.35
1-3 days	37493	13.49
4-9 days	8506	3.06
10+ days	5818	2.09

Frequency Missing = 33783.467289

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	228E3	83.04
1-3 days	36090	13.17
4-9 days	6166	2.25
10+ days	4204	1.53

Frequency Missing = 37620.150945

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	271E3	98.34
1-3 days	2669	0.97
4-9 days	818	0.30
10+ days	1078	0.39

Frequency Missing = 36467.927734

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	27E4	97.87
1-3 days	3745	1.36
4-9 days	922	0.33
10+ days	1218	0.44

Frequency Missing = 35387.602101

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	254E3	93.81
1-3 times	14369	5.30
4-9 times	1537	0.57
10+ times	879	0.32

Frequency Missing = 40385.887984

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b	Frequency	Percent
None	248E3	91.89
1-3 times	16543	6.14
4-9 times	3202	1.19
10+ times	2128	0.79

Frequency Missing = 42015.981431

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c	Frequency	Percent
None	249E3	93.04
1-3 times	15453	5.78
4-9 times	1667	0.62
10+ times	1493	0.56

Frequency Missing = 44061.511456

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d	Frequency	Percent
None	259E3	97.00
1-3 times	6150	2.31
4-9 times	939	0.35
10+ times	913	0.34

Frequency Missing = 44857.315681

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e	Frequency	Percent
None	246E3	94.36
1-3 times	11295	4.33
4-9 times	2023	0.78
10+ times	1386	0.53

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2008

Frequency Missing = 50733.128197

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f Frequency Percent		
None	247E3	94.62
1-3 times	8973	3.43
4-9 times	2555	0.98
10+ times	2521	0.96

Frequency Missing = 50247.482026

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g Frequency Percent		
None	247E3	94.41
1-3 times	10925	4.18
4-9 times	2059	0.79
10+ times	1648	0.63

Frequency Missing = 49979.212778

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h Frequency Percent		
None	26E4	97.49
1-3 times	4651	1.74
4-9 times	1032	0.39
10+ times	1002	0.38

Frequency Missing = 45056.682211

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a Frequency Percent		
None	254E3	91.79
1-3 days	17335	6.27
4-9 days	2777	1.00
10+ days	2588	0.94

Frequency Missing = 35243.063851

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b Frequency Percent		
None	253E3	91.73
1-3 days	13732	4.97
4-9 days	3899	1.41
10+ days	5207	1.89

Frequency Missing = 35434.322903

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c Frequency Percent		
None	267E3	96.79
1-3 days	5925	2.15
4-9 days	1538	0.56
10+ days	1370	0.50

Frequency Missing = 36158.211714

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d Frequency Percent		
None	261E3	94.31
1-3 days	9827	3.55
4-9 days	2910	1.05
10+ days	3006	1.09

Frequency Missing = 35166.77129

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a Frequency Percent		
Never	118E3	42.28
Seldom	30353	10.89
Half the time	21605	7.75
Most of the time	34081	12.23
Always	46039	16.52
Don't know	6948	2.49
Didn't attend	21857	7.84

Frequency Missing = 32896.91154

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b Frequency Percent		
Never	16E4	57.23
Seldom	26853	9.63
Half the time	17654	6.33
Most of the time	19697	7.07
Always	22650	8.13
Don't know	10472	3.76
Didn't attend	21898	7.86

Frequency Missing = 32894.464293

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35 Frequency Percent		
No	224E3	89.01
Yes	27629	10.99

Frequency Missing = 60325.643697

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a Frequency Percent		
No	158E3	58.24
Yes	113E3	41.76

Frequency Missing = 40961.451306

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b Frequency Percent		
No	159E3	59.33
Yes	109E3	40.67

Frequency Missing = 43465.661951

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c Frequency Percent		
No	159E3	59.88
Yes	106E3	40.12

Frequency Missing = 46501.084597

Border - Grades 7-12 Large Spring 2008

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	97611	36.57
Yes	169E3	63.43

Frequency Missing = 44727.860092

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	143E3	53.64
Yes	123E3	46.36

Frequency Missing = 45911.495393

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	86626	32.32
Yes	181E3	67.68

Frequency Missing = 43567.798296

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	103E3	38.33
Yes	166E3	61.67

Frequency Missing = 42850.907383

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	218E3	82.00
Yes	47907	18.00

Frequency Missing = 45410.153621

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	101E3	42.92
Yes	135E3	57.08

Frequency Missing = 75957.999057

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	116E3	50.18
Yes	115E3	49.82

Frequency Missing = 80091.291596

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	138E3	60.26
Yes	91019	39.74

Frequency Missing = 82605.713476

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q37d	Frequency	Percent
No	143E3	62.39
Yes	86392	37.61

Frequency Missing = 81910.538567

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	181E3	78.87
Yes	48438	21.13

Frequency Missing = 82431.871641

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	181E3	78.18
Yes	50561	21.82

Frequency Missing = 79873.702174

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	137E3	59.61
Yes	92934	40.39

Frequency Missing = 81518.694984

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	144E3	61.12
Yes	91546	38.88

Frequency Missing = 76181.530075

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	183E3	69.29
Yes	81212	30.71

Frequency Missing = 47214.726978

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS		
q38b	Frequency	
No		129E3
Yes		134E3

Border - Grades 7-12 Large Spring 2008

Frequency Missing = 43044.206899

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	219E3	81.59
Mild disapprove	8713	3.24
Neither	8078	3.01
Mildly approve	2160	0.80
Strongly approve	3849	1.43
Don't know	26666	9.93

Frequency Missing = 42971.581766

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	244E3	89.74
Yes	27874	10.26

Frequency Missing = 40009.232692

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	226E3	83.66
Yes	44171	16.34

Frequency Missing = 41328.598731

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	49.16
Yes	50.84

Frequency Missing = 48377.803561

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	12E4	45.63
Yes	144E3	54.37

Frequency Missing = 47624.920279

DRUG/ALCOHOL INFO--PARENTS		
q38d	Frequency	Percent
No	116E3	43.69
Yes	149E3	56.31

Frequency Missing = 46360.815584

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	207E3	76.83
Mild disapprove	15590	5.79
Neither	11788	4.38
Mildly approve	2868	1.07
Strongly approve	2954	1.10
Don't know	29185	10.84

Frequency Missing = 42384.258293

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	179E3	66.67
Mild disapprove	32212	11.99
Neither	19521	7.27
Mildly approve	6648	2.48
Strongly approve	3742	1.39
Don't know	27388	10.20

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district