

**Border: Grades 4-6
Spring 2010**

**Texas School Survey
of Drug and Alcohol Use
2010
Part II: State Results**

**Border: Grades 4-6
Spring 2010**

1. General Substance Tables

**Border: Grades 4-6
Spring 2010**

**Border: Grades 4-6
Spring 2010**

Table T-1: How recently, if ever, have you used...

		Ever Used	School Year	Not Past Year	Never Used
Any tobacco product?					
	All	4.8%	2.8%	2.0%	95.2%
	Grade 4	2.2%	1.4%	0.8%	97.8%
	Grade 5	3.7%	1.9%	1.7%	96.3%
	Grade 6	9.3%	5.5%	3.8%	90.7%
Cigarettes?					
	All	4.5%	2.6%	1.9%	95.5%
	Grade 4	1.8%	1.2%	0.6%	98.2%
	Grade 5	3.4%	1.8%	1.6%	96.6%
	Grade 6	8.8%	5.2%	3.7%	91.2%
Smokeless tobacco?					
	All	0.8%	0.4%	0.4%	99.2%
	Grade 4	0.5%	0.2%	0.3%	99.5%
	Grade 5	0.5%	0.2%	0.4%	99.5%
	Grade 6	1.5%	1.0%	0.5%	98.5%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ..

	School Year	Lifetime
All	2.9	2.9
Grade 4	2.3	2.9
Grade 5	2.9	2.7
Grade 6	3.0	3.0

**Border: Grades 4-6
Spring 2010**

Table T-3: Average age of first use of tobacco:

	Grade 4	Grade 5	Grade 6
Cigarettes			
	8.2	9.4	10.0
Smokeless Tobacco			
	8.6	8.8	10.3
Any Tobacco			
	8.3	9.2	10.0

Table T-4: Age of first use of tobacco by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	96.0%	0.8%	0.4%	0.6%	0.7%	0.8%	0.7%
	Grade 4	98.0%	0.7%	0.3%	0.5%	0.3%	0.1%	0.0%
	Grade 5	97.4%	0.5%	0.3%	0.5%	0.7%	0.5%	0.1%
	Grade 6	91.7%	1.3%	0.5%	0.9%	1.2%	2.0%	2.4%
Other Family Situation								
	All	92.9%	1.3%	1.2%	1.0%	1.6%	1.1%	0.9%
	Grade 4	96.3%	1.3%	1.0%	0.5%	0.9%	0.0%	0.0%
	Grade 5	93.6%	1.3%	1.2%	1.2%	1.4%	1.0%	0.4%
	Grade 6	88.7%	1.3%	1.5%	1.2%	2.5%	2.3%	2.3%

**Border: Grades 4-6
Spring 2010**

Table T-5: About how many of your close friends use ...

		Never Heard Of	None	Some	Most
Any tobacco product?					
	All	3.8%	83.0%	12.0%	1.1%
	Grade 4	4.9%	87.3%	7.1%	0.6%
	Grade 5	3.8%	86.6%	8.8%	0.8%
	Grade 6	2.5%	73.8%	21.5%	2.1%
Cigarettes?					
	All	5.5%	82.3%	11.3%	0.9%
	Grade 4	7.3%	85.6%	6.6%	0.4%
	Grade 5	5.3%	85.8%	8.3%	0.7%
	Grade 6	3.5%	74.3%	20.4%	1.9%
Smokeless tobacco?					
	All	9.8%	86.2%	3.6%	0.4%
	Grade 4	14.8%	83.2%	1.7%	0.2%
	Grade 5	8.4%	88.8%	2.5%	0.3%
	Grade 6	5.4%	86.7%	6.9%	0.9%

Table T-6: Have you ever been offered ...

		Never Heard Of	Yes	No
Any tobacco product?				
	All	4.2%	9.4%	86.3%
	Grade 4	5.6%	6.2%	88.3%
	Grade 5	4.0%	7.9%	88.1%
	Grade 6	2.9%	15.1%	82.0%
Cigarettes?				
	All	5.9%	8.5%	85.6%
	Grade 4	7.6%	5.5%	86.9%
	Grade 5	5.8%	7.1%	87.1%
	Grade 6	3.9%	13.7%	82.4%
Smokeless tobacco?				
	All	10.3%	2.8%	87.0%
	Grade 4	15.0%	1.8%	83.2%
	Grade 5	8.9%	2.0%	89.1%
	Grade 6	6.2%	4.8%	89.1%

**Border: Grades 4-6
Spring 2010**

Table T-7: How dangerous do you think it is for kids your age to use ...

		Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any tobacco product?						
	All	2.7%	76.3%	15.3%	0.9%	4.7%
	Grade 4	3.8%	79.0%	11.9%	0.6%	4.7%
	Grade 5	2.6%	78.4%	14.2%	0.5%	4.2%
	Grade 6	1.5%	70.6%	20.8%	1.8%	5.4%
Cigarettes?						
	All	4.0%	64.8%	23.8%	1.3%	6.1%
	Grade 4	5.6%	69.6%	18.0%	0.9%	5.9%
	Grade 5	3.7%	67.0%	23.1%	0.9%	5.3%
	Grade 6	2.5%	56.6%	31.5%	2.2%	7.1%
Smokeless tobacco?						
	All	7.7%	69.0%	15.8%	1.0%	6.6%
	Grade 4	12.3%	69.2%	11.5%	0.6%	6.4%
	Grade 5	6.4%	72.4%	14.9%	0.6%	5.6%
	Grade 6	3.6%	64.7%	21.9%	1.8%	8.0%

Table T-8: How do your parents feel about kids your age smoking cigarettes?

	Don't Like	Don't Care	Think It's OK	Don't know
All	86.7%	1.5%	0.4%	11.4%
Grade 4	86.5%	0.8%	0.5%	12.2%
Grade 5	88.1%	1.3%	0.3%	10.3%
Grade 6	85.4%	2.4%	0.4%	11.8%

**Border: Grades 4-6
Spring 2010**

Table A-1: How recently, if ever, have you used..

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product?					
	All	17.9%	11.6%	6.3%	82.1%
	Grade 4	12.1%	7.9%	4.2%	87.9%
	Grade 5	15.5%	9.3%	6.2%	84.5%
	Grade 6	27.6%	18.8%	8.8%	72.4%
Beer?					
	All	12.1%	7.1%	4.9%	87.9%
	Grade 4	8.3%	4.8%	3.4%	91.7%
	Grade 5	10.5%	5.8%	4.7%	89.5%
	Grade 6	18.5%	11.4%	7.0%	81.5%
Wine coolers?					
	All	7.3%	4.6%	2.6%	92.7%
	Grade 4	3.9%	2.5%	1.4%	96.1%
	Grade 5	5.8%	3.5%	2.3%	94.2%
	Grade 6	12.8%	8.5%	4.4%	87.2%
Wine?					
	All	7.2%	4.5%	2.8%	92.8%
	Grade 4	4.1%	2.6%	1.5%	95.9%
	Grade 5	5.2%	3.3%	1.9%	94.8%
	Grade 6	13.3%	8.1%	5.2%	86.7%
Liquor?					
	All	4.1%	2.6%	1.5%	95.9%
	Grade 4	1.7%	1.0%	0.7%	98.3%
	Grade 5	2.8%	1.8%	1.0%	97.2%
	Grade 6	8.6%	5.6%	3.0%	91.4%

**Border: Grades 4-6
Spring 2010**

Table A-2: Average number of times selected alcohol products were used by those who reported use of ..

		School Year	Lifetime
Beer	All	2.7	2.8
	Grade 4	2.2	2.3
	Grade 5	2.5	2.5
	Grade 6	3.1	3.2
Liquor	All	2.8	3.0
	Grade 4	2.2	1.9
	Grade 5	2.5	2.9
	Grade 6	3.1	3.2
Wine	All	2.3	2.4
	Grade 4	1.8	1.9
	Grade 5	2.3	2.4
	Grade 6	2.5	2.6

**Border: Grades 4-6
Spring 2010**

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

		Never	1 Time	2 Times	3+ Times	Ever
Beer?						
	All	88.0%	7.3%	2.3%	2.4%	12.0%
	Grade 4	91.3%	5.9%	1.5%	1.4%	8.7%
	Grade 5	89.9%	6.3%	1.8%	2.0%	10.1%
	Grade 6	81.8%	10.1%	4.0%	4.2%	18.2%
Wine Coolers?						
	All	94.9%	2.9%	1.2%	1.1%	5.1%
	Grade 4	97.6%	1.6%	0.5%	0.3%	2.4%
	Grade 5	96.1%	2.6%	0.8%	0.6%	3.9%
	Grade 6	90.3%	4.7%	2.4%	2.5%	9.7%
Wine?						
	All	96.0%	2.2%	0.8%	1.1%	4.0%
	Grade 4	97.9%	1.4%	0.3%	0.4%	2.1%
	Grade 5	97.6%	1.3%	0.5%	0.6%	2.4%
	Grade 6	91.8%	4.0%	1.7%	2.4%	8.2%
Liquor?						
	All	96.1%	2.1%	0.8%	1.1%	3.9%
	Grade 4	98.1%	1.3%	0.3%	0.4%	1.9%
	Grade 5	97.6%	1.3%	0.5%	0.6%	2.4%
	Grade 6	91.8%	4.0%	1.7%	2.4%	8.2%

**Border: Grades 4-6
Spring 2010**

Table A-4: Average age of first use of alcohol:

	Grade 4	Grade 5	Grade 6
Beer	8.1	8.7	9.6
Wine Coolers	8.4	9.5	10.4
Wine	8.4	9.6	10.4
Liquor	8.4	9.9	10.5
Any Alcohol	8.2	8.9	9.8

Table A-5: Age of first use of alcohol by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	84.3%	4.1%	2.2%	2.4%	3.0%	2.5%	1.6%
	Grade 4	89.0%	4.3%	2.3%	2.6%	1.5%	0.2%	0.1%
	Grade 5	86.8%	3.7%	2.0%	2.3%	3.0%	2.0%	0.3%
	Grade 6	75.4%	4.5%	2.2%	2.3%	4.7%	5.9%	5.0%
Other Family Situation								
	All	79.2%	6.6%	2.2%	2.9%	3.5%	3.1%	2.5%
	Grade 4	87.1%	6.5%	1.7%	2.8%	1.6%	0.3%	0.0%
	Grade 5	81.3%	6.5%	2.3%	2.5%	4.1%	2.7%	0.6%
	Grade 6	68.8%	6.7%	2.7%	3.5%	4.9%	6.4%	7.0%

**Border: Grades 4-6
Spring 2010**

Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
12.8%	51.5%	31.7%	59.1%

Table A-7: When you drink alcohol, do you get it from ..

		Don't Drink	Yes	No
Home?	All	79.2%	6.3%	14.6%
	Grade 4	80.7%	4.1%	15.2%
	Grade 5	82.1%	5.5%	12.4%
	Grade 6	73.8%	9.8%	16.3%
Friends?	All	79.3%	2.7%	18.0%
	Grade 4	80.6%	0.9%	18.5%
	Grade 5	82.4%	1.8%	15.7%
	Grade 6	74.0%	5.9%	20.1%
Somewhere else?	All	78.3%	6.5%	15.3%
	Grade 4	79.6%	4.2%	16.2%
	Grade 5	81.4%	4.9%	13.6%
	Grade 6	73.0%	11.0%	16.1%

**Border: Grades 4-6
Spring 2010**

Table A-8: About how many of your close friends use ..

		Never Heard Of	None	Some	Most
Any alcohol product?					
	All	2.9%	76.0%	17.2%	3.8%
	Grade 4	3.5%	82.0%	12.3%	2.2%
	Grade 5	2.9%	79.5%	15.1%	2.5%
	Grade 6	2.3%	65.0%	25.6%	7.2%
Beer?					
	All	3.5%	78.9%	15.1%	2.5%
	Grade 4	4.2%	83.9%	10.4%	1.4%
	Grade 5	3.4%	81.8%	13.3%	1.6%
	Grade 6	2.8%	69.6%	22.6%	5.0%
Wine coolers?					
	All	13.6%	78.2%	6.6%	1.6%
	Grade 4	17.5%	78.0%	3.8%	0.6%
	Grade 5	13.7%	80.6%	4.9%	0.9%
	Grade 6	8.9%	75.8%	11.8%	3.5%
Wine?					
	All	6.8%	84.3%	7.8%	1.1%
	Grade 4	9.0%	85.7%	4.8%	0.5%
	Grade 5	6.8%	86.7%	5.8%	0.7%
	Grade 6	4.2%	80.0%	13.6%	2.3%
Liquor?					
	All	10.1%	82.8%	5.9%	1.2%
	Grade 4	14.9%	82.7%	1.9%	0.4%
	Grade 5	9.7%	85.2%	4.4%	0.7%
	Grade 6	4.9%	80.1%	12.4%	2.7%

**Border: Grades 4-6
Spring 2010**

Table A-9: Have you ever been offered ..

		Never Heard Of	Yes	No
Any alcohol product?				
	All	3.1%	17.9%	79.0%
	Grade 4	3.6%	14.2%	82.2%
	Grade 5	3.1%	15.8%	81.1%
	Grade 6	2.6%	24.7%	72.7%
Beer?				
	All	3.4%	14.7%	81.8%
	Grade 4	4.0%	11.9%	84.1%
	Grade 5	3.2%	12.7%	84.0%
	Grade 6	2.9%	20.4%	76.7%
Wine coolers?				
	All	13.4%	6.3%	80.3%
	Grade 4	16.8%	3.5%	79.6%
	Grade 5	12.9%	5.1%	82.0%
	Grade 6	9.8%	11.0%	79.1%
Wine?				
	All	6.5%	6.9%	86.5%
	Grade 4	8.2%	4.6%	87.3%
	Grade 5	6.6%	5.6%	87.7%
	Grade 6	4.4%	11.2%	84.4%
Liquor?				
	All	10.1%	5.0%	84.9%
	Grade 4	14.8%	2.4%	82.8%
	Grade 5	9.4%	3.7%	86.9%
	Grade 6	5.3%	9.6%	85.1%

**Border: Grades 4-6
Spring 2010**

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like	Don't Care	Think It's OK	Don't know
All	84.2%	2.0%	1.2%	12.7%
Grade 4	85.2%	1.4%	0.9%	12.5%
Grade 5	84.9%	1.7%	1.0%	12.4%
Grade 6	82.0%	3.0%	1.6%	13.3%

Table A-11: How dangerous do you think it is for kids your age to use ..

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any alcohol product?					
All	2.0%	73.1%	17.7%	1.9%	5.4%
Grade 4	2.4%	78.0%	13.2%	1.1%	5.2%
Grade 5	1.9%	75.6%	16.3%	1.6%	4.6%
Grade 6	1.5%	64.1%	24.7%	3.3%	6.4%
Beer?					
All	2.2%	54.7%	29.8%	4.6%	8.7%
Grade 4	2.8%	60.8%	24.8%	2.9%	8.6%
Grade 5	2.1%	56.6%	30.0%	3.8%	7.5%
Grade 6	1.6%	45.0%	35.6%	7.6%	10.3%
Wine coolers?					
All	11.1%	55.8%	20.0%	3.3%	9.8%
Grade 4	14.3%	60.6%	14.3%	1.5%	9.3%
Grade 5	10.9%	58.7%	19.9%	2.5%	8.0%
Grade 6	7.5%	46.9%	26.7%	6.4%	12.5%
Wine?					
All	4.7%	56.8%	24.9%	4.3%	9.3%
Grade 4	6.2%	63.1%	19.8%	2.5%	8.5%
Grade 5	4.8%	59.2%	24.5%	3.4%	8.1%
Grade 6	2.8%	46.6%	31.3%	7.5%	11.8%
Liquor?					
All	7.5%	64.9%	18.4%	1.9%	7.4%
Grade 4	11.6%	67.3%	13.1%	0.8%	7.2%
Grade 5	6.7%	68.5%	17.3%	1.3%	6.2%
Grade 6	3.6%	58.1%	25.7%	3.7%	8.9%

**Border: Grades 4-6
Spring 2010**

Table D-1: How recently, if ever, have you used Marijuana?

	Ever Used	School Year	Not Past Year	Never Used
All	2.0%	1.5%	0.5%	98.0%
Grade 4	0.6%	0.4%	0.2%	99.4%
Grade 5	1.1%	0.7%	0.4%	98.9%
Grade 6	4.6%	3.6%	1.0%	95.4%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	3.8	4.3
Grade 4	2.7	3.7
Grade 5	2.3	2.9
Grade 6	4.3	4.8

**Border: Grades 4-6
Spring 2010**

Table D-3: Average age of first use of marijuana:

Grade 4	Grade 5	Grade 6
9.1	10.1	10.8

Table D-4: Age of first use of marijuana by family situation:

	Never	Under 8	8	9	10	11	Over 11
Two Parent Family							
All	98.6%	0.1%	0.0%	0.1%	0.3%	0.3%	0.5%
Grade 4	99.7%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
Grade 5	99.1%	0.1%	0.0%	0.1%	0.3%	0.2%	0.1%
Grade 6	96.7%	0.2%	0.1%	0.1%	0.4%	0.8%	1.7%
Other Family Situation							
All	96.9%	0.3%	0.1%	0.3%	0.6%	0.5%	1.1%
Grade 4	99.4%	0.2%	0.1%	0.2%	0.2%	0.0%	0.0%
Grade 5	98.2%	0.2%	0.1%	0.2%	0.5%	0.4%	0.4%
Grade 6	93.1%	0.6%	0.3%	0.6%	1.2%	1.3%	3.0%

Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
0.5%	18.8%	6.0%	22.3%

**Border: Grades 4-6
Spring 2010**

Table D-6: About how many of your close friends use marijuana?

	Never Heard Of	None	Some	Most
All	11.7%	80.5%	6.0%	1.7%
Grade 4	17.3%	79.9%	2.3%	0.5%
Grade 5	10.8%	84.4%	4.0%	0.9%
Grade 6	6.3%	77.0%	12.7%	4.0%

Table D-7: Have you ever been offered marijuana?

	Never Heard Of	Yes	No
All	10.9%	5.3%	83.7%
Grade 4	15.9%	2.7%	81.4%
Grade 5	10.0%	4.0%	86.1%
Grade 6	6.1%	10.0%	83.9%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like	Don't Care	Think It's OK	Don't know
All	86.4%	1.1%	0.4%	12.1%
Grade 4	83.8%	0.7%	0.4%	15.0%
Grade 5	87.9%	0.9%	0.2%	11.0%
Grade 6	87.7%	1.9%	0.5%	9.9%

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	8.7%	75.2%	8.8%	1.4%	5.8%
Grade 4	13.2%	72.9%	7.2%	0.7%	6.0%
Grade 5	7.9%	77.4%	8.6%	0.8%	5.2%
Grade 6	4.4%	75.5%	11.0%	2.9%	6.3%

**Border: Grades 4-6
Spring 2010**

Table I-1: How recently, if ever, have you used Inhalants?

	Ever Used	School Year	Not Past Year	Never Used
All	10.3%	7.7%	2.6%	89.7%
Grade 4	10.2%	7.9%	2.3%	89.8%
Grade 5	7.9%	5.4%	2.5%	92.1%
Grade 6	13.1%	10.1%	3.0%	86.9%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

	Not Used	Used
Correction Fluid/Whiteout		
All	93.2%	6.8%
Grade 4	94.7%	5.3%
Grade 5	94.7%	5.3%
Grade 6	89.6%	10.4%
Gasoline		
All	97.0%	3.0%
Grade 4	96.6%	3.4%
Grade 5	97.5%	2.5%
Grade 6	97.0%	3.0%
Glue		
All	96.6%	3.4%
Grade 4	95.6%	4.4%
Grade 5	97.4%	2.6%
Grade 6	96.8%	3.2%
Paint Thinner		
All	97.8%	2.2%
Grade 4	97.8%	2.2%
Grade 5	98.3%	1.7%
Grade 6	97.3%	2.7%
Spray Paint		
All	97.3%	2.7%
Grade 4	97.1%	2.9%
Grade 5	98.0%	2.0%
Grade 6	96.7%	3.3%
Computer dusting sprays		
All	98.0%	2.0%
Grade 4	97.0%	3.0%
Grade 5	98.7%	1.3%
Grade 6	98.5%	1.5%
Other Inhalants		
All	96.5%	3.5%
Grade 4	96.6%	3.4%
Grade 5	97.3%	2.7%
Grade 6	95.4%	4.6%

**Border: Grades 4-6
Spring 2010**

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.1	3.0
Grade 4	2.8	3.0
Grade 5	3.1	2.8
Grade 6	3.3	3.2

Table I-4: Number of different kinds of inhalants used:

	None	One	Two to Three	Four Plus
All	89.4%	4.9%	4.2%	1.6%
Grade 4	89.7%	4.5%	4.1%	1.7%
Grade 5	91.8%	3.9%	3.1%	1.2%
Grade 6	86.4%	6.4%	5.4%	1.8%

**Border: Grades 4-6
Spring 2010**

Table I-5: Average age of first use of inhalants:

Grade 4	Grade 5	Grade 6
8.2	9.3	10.3

Table I-6: Age of first use of inhalants by family situation:

		Never	Under 8	8	9	10	11	Over 11
Two Parent Family								
	All	96.0%	0.7%	0.6%	0.5%	0.7%	0.7%	0.7%
	Grade 4	97.4%	0.6%	0.9%	0.7%	0.3%	0.0%	0.0%
	Grade 5	97.0%	0.6%	0.4%	0.4%	1.0%	0.6%	0.1%
	Grade 6	93.2%	0.8%	0.5%	0.6%	0.9%	1.8%	2.2%
Other Family Situation								
	All	94.7%	1.0%	0.6%	0.7%	0.9%	1.2%	0.9%
	Grade 4	97.7%	1.2%	0.6%	0.3%	0.2%	0.0%	0.0%
	Grade 5	96.0%	0.8%	0.6%	0.5%	0.9%	1.1%	0.1%
	Grade 6	90.4%	0.9%	0.6%	1.2%	1.6%	2.7%	2.6%

**Border: Grades 4-6
Spring 2010**

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
2.8%	21.7%	9.2%	24.1%

Table I-8: About how many of your close friends use inhalants?

	Never Heard Of	None	Some	Most
All	9.8%	81.0%	7.3%	1.9%
Grade 4	14.4%	81.8%	3.2%	0.6%
Grade 5	9.4%	83.9%	5.7%	1.0%
Grade 6	4.9%	76.9%	13.8%	4.4%

Table I-9: Have you ever been offered inhalants?

	Never Heard Of	Yes	No
All	9.7%	5.4%	84.8%
Grade 4	14.0%	2.5%	83.5%
Grade 5	9.1%	4.0%	86.9%
Grade 6	5.5%	10.4%	84.1%

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.2%	64.6%	16.8%	2.6%	8.8%
Grade 4	10.6%	66.6%	13.1%	1.1%	8.6%
Grade 5	7.5%	66.6%	15.8%	2.2%	8.0%
Grade 6	3.1%	60.1%	22.2%	4.6%	10.0%

**Border: Grades 4-6
Spring 2010**

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..

CATEGORY		Yes
An Assembly Program?	All	64.0%
	Grade 4	59.2%
	Grade 5	67.9%
	Grade 6	65.1%
Guidance Counselor?	All	64.5%
	Grade 4	65.9%
	Grade 5	69.0%
	Grade 6	57.7%
Visitor to Class?	All	51.9%
	Grade 4	48.1%
	Grade 5	53.3%
	Grade 6	54.9%
Someone Else at School?	All	43.7%
	Grade 4	40.5%
	Grade 5	45.2%
	Grade 6	45.7%
Your Teacher?	All	56.1%
	Grade 4	53.8%
	Grade 5	55.9%
	Grade 6	58.9%
Any School Source?	All	85.6%
	Grade 4	83.4%
	Grade 5	86.8%
	Grade 6	87.0%

2. Prevalence Tables

**Border: Grades 4-6
Spring 2010**

**Border: Grades 4-6
Spring 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.8%	2.8%	2.0%	95.2%
	Grade 4	2.2%	1.4%	0.8%	97.8%
	Grade 5	3.7%	1.9%	1.7%	96.3%
	Grade 6	9.3%	5.5%	3.8%	90.7%
Alcohol					
	All	17.9%	11.6%	6.3%	82.1%
	Grade 4	12.1%	7.9%	4.2%	87.9%
	Grade 5	15.5%	9.3%	6.2%	84.5%
	Grade 6	27.6%	18.8%	8.8%	72.4%
Inhalants					
	All	10.3%	7.7%	2.6%	89.7%
	Grade 4	10.2%	7.9%	2.3%	89.8%
	Grade 5	7.9%	5.4%	2.5%	92.1%
	Grade 6	13.1%	10.1%	3.0%	86.9%
Marijuana					
	All	2.0%	1.5%	0.5%	98.0%
	Grade 4	0.6%	0.4%	0.2%	99.4%
	Grade 5	1.1%	0.7%	0.4%	98.9%
	Grade 6	4.6%	3.6%	1.0%	95.4%

**Border: Grades 4-6
Spring 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	6.0%	3.4%	2.7%	94.0%
	Grade 4	2.8%	1.7%	1.1%	97.2%
	Grade 5	4.6%	2.2%	2.4%	95.4%
	Grade 6	11.7%	6.8%	4.9%	88.3%
Alcohol					
	All	20.4%	12.8%	7.6%	79.6%
	Grade 4	15.2%	9.8%	5.4%	84.8%
	Grade 5	17.7%	10.4%	7.2%	82.3%
	Grade 6	30.1%	19.3%	10.8%	69.9%
Inhalants					
	All	11.0%	8.2%	2.8%	89.0%
	Grade 4	11.7%	9.2%	2.5%	88.3%
	Grade 5	9.0%	5.8%	3.2%	91.0%
	Grade 6	12.3%	9.6%	2.6%	87.7%
Marijuana					
	All	2.7%	1.9%	0.8%	97.3%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	1.7%	1.0%	0.7%	98.3%
	Grade 6	6.1%	4.6%	1.4%	93.9%

**Border: Grades 4-6
Spring 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	3.6%	2.2%	1.4%	96.4%
	Grade 4	1.6%	1.1%	0.5%	98.4%
	Grade 5	2.8%	1.7%	1.1%	97.2%
	Grade 6	7.0%	4.2%	2.7%	93.0%
Alcohol					
	All	15.4%	10.5%	4.9%	84.6%
	Grade 4	9.0%	6.1%	2.9%	91.0%
	Grade 5	13.4%	8.2%	5.2%	86.6%
	Grade 6	25.2%	18.2%	7.0%	74.8%
Inhalants					
	All	9.6%	7.2%	2.4%	90.4%
	Grade 4	8.7%	6.5%	2.2%	91.3%
	Grade 5	6.8%	4.9%	1.9%	93.2%
	Grade 6	13.9%	10.6%	3.4%	86.1%
Marijuana					
	All	1.3%	1.0%	0.3%	98.7%
	Grade 4	0.2%	0.2%	0.1%	99.8%
	Grade 5	0.6%	0.4%	0.2%	99.4%
	Grade 6	3.2%	2.6%	0.6%	96.8%

**Border: Grades 4-6
Spring 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	3.3%	2.0%	1.3%	96.7%
	Grade 4	1.5%	1.0%	0.5%	98.5%
	Grade 5	2.9%	1.4%	1.5%	97.1%
	Grade 6	7.0%	4.6%	2.4%	93.0%
Alcohol					
	All	14.7%	9.4%	5.2%	85.3%
	Grade 4	8.9%	6.4%	2.5%	91.1%
	Grade 5	11.2%	6.9%	4.3%	88.8%
	Grade 6	30.0%	18.6%	11.4%	70.0%
Inhalants					
	All	11.2%	8.3%	2.9%	88.8%
	Grade 4	13.9%	12.0%	1.8%	86.1%
	Grade 5	8.6%	4.6%	4.0%	91.4%
	Grade 6	10.3%	7.2%	3.1%	89.7%
Marijuana					
	All	1.6%	1.3%	0.3%	98.4%
	Grade 4	1.4%	1.4%	0.0%	98.6%
	Grade 5	0.1%	0.1%	0.0%	99.9%
	Grade 6	4.2%	3.1%	1.1%	95.8%

**Border: Grades 4-6
Spring 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	3.8%	2.1%	1.7%	96.2%
	Grade 4	3.3%	2.3%	1.1%	96.7%
	Grade 5	4.1%	2.3%	1.8%	95.9%
	Grade 6	4.0%	1.6%	2.3%	96.0%
Alcohol					
	All	16.1%	11.4%	4.7%	83.9%
	Grade 4	12.7%	10.4%	2.3%	87.3%
	Grade 5	15.1%	10.8%	4.3%	84.9%
	Grade 6	22.4%	13.7%	8.7%	77.6%
Inhalants					
	All	11.7%	7.7%	4.0%	88.3%
	Grade 4	10.6%	8.3%	2.3%	89.4%
	Grade 5	12.2%	6.8%	5.4%	87.8%
	Grade 6	12.6%	8.1%	4.5%	87.4%
Marijuana					
	All	1.5%	0.9%	0.6%	98.5%
	Grade 4	1.1%	0.4%	0.7%	98.9%
	Grade 5	2.0%	1.6%	0.4%	98.0%
	Grade 6	1.6%	0.9%	0.8%	98.4%

**Border: Grades 4-6
Spring 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.1%	3.0%	2.2%	94.9%
	Grade 4	2.1%	1.3%	0.8%	97.9%
	Grade 5	3.8%	2.0%	1.8%	96.2%
	Grade 6	10.2%	6.1%	4.2%	89.8%
Alcohol					
	All	18.4%	12.0%	6.4%	81.6%
	Grade 4	12.4%	7.9%	4.5%	87.6%
	Grade 5	16.3%	9.8%	6.5%	83.7%
	Grade 6	28.0%	19.4%	8.6%	72.0%
Inhalants					
	All	10.2%	7.8%	2.4%	89.8%
	Grade 4	9.8%	7.5%	2.3%	90.2%
	Grade 5	7.6%	5.4%	2.2%	92.4%
	Grade 6	13.5%	10.7%	2.8%	86.5%
Marijuana					
	All	2.1%	1.6%	0.5%	97.9%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	1.1%	0.7%	0.4%	98.9%
	Grade 6	5.0%	3.9%	1.0%	95.0%

**Border: Grades 4-6
Spring 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco	All	2.7%	1.4%	1.3%	97.3%
	Grade 4	1.7%	1.0%	0.7%	98.3%
	Grade 5	1.8%	0.8%	1.0%	98.2%
	Grade 6	5.3%	2.8%	2.4%	94.7%
Alcohol	All	13.9%	8.2%	5.7%	86.1%
	Grade 4	10.6%	6.5%	4.1%	89.4%
	Grade 5	13.4%	6.7%	6.7%	86.6%
	Grade 6	19.5%	12.8%	6.8%	80.5%
Inhalants	All	7.6%	5.6%	2.0%	92.4%
	Grade 4	8.3%	6.4%	1.9%	91.7%
	Grade 5	5.7%	3.9%	1.9%	94.3%
	Grade 6	9.3%	7.0%	2.3%	90.7%
Marijuana	All	0.7%	0.5%	0.2%	99.3%
	Grade 4	0.1%	0.1%	0.0%	99.9%
	Grade 5	0.5%	0.3%	0.2%	99.5%
	Grade 6	1.8%	1.4%	0.4%	98.2%

**Border: Grades 4-6
Spring 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students Reporting grades lower than A**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.8%	3.4%	2.4%	94.2%
	Grade 4	2.4%	1.6%	0.8%	97.6%
	Grade 5	4.6%	2.5%	2.1%	95.4%
	Grade 6	10.8%	6.4%	4.4%	89.2%
Alcohol					
	All	19.5%	13.1%	6.5%	80.5%
	Grade 4	12.8%	8.6%	4.2%	87.2%
	Grade 5	16.6%	10.5%	6.1%	83.4%
	Grade 6	30.1%	20.7%	9.5%	69.9%
Inhalants					
	All	11.5%	8.6%	2.9%	88.5%
	Grade 4	11.3%	8.7%	2.6%	88.7%
	Grade 5	8.9%	6.1%	2.8%	91.1%
	Grade 6	14.4%	11.1%	3.3%	85.6%
Marijuana					
	All	2.5%	1.9%	0.6%	97.5%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	1.4%	0.9%	0.6%	98.6%
	Grade 6	5.6%	4.4%	1.2%	94.4%

**Border: Grades 4-6
Spring 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.0%	2.3%	1.7%	96.0%
	Grade 4	1.9%	1.3%	0.6%	98.1%
	Grade 5	2.7%	1.4%	1.2%	97.3%
	Grade 6	8.1%	4.6%	3.5%	91.9%
Alcohol					
	All	16.4%	10.7%	5.7%	83.6%
	Grade 4	11.4%	7.7%	3.7%	88.6%
	Grade 5	14.1%	8.5%	5.6%	85.9%
	Grade 6	25.5%	17.3%	8.2%	74.5%
Inhalants					
	All	10.0%	7.5%	2.4%	90.0%
	Grade 4	10.2%	8.0%	2.1%	89.8%
	Grade 5	7.8%	5.4%	2.4%	92.2%
	Grade 6	12.3%	9.5%	2.8%	87.7%
Marijuana					
	All	1.4%	1.0%	0.4%	98.6%
	Grade 4	0.3%	0.3%	0.1%	99.7%
	Grade 5	0.9%	0.5%	0.5%	99.1%
	Grade 6	3.3%	2.6%	0.7%	96.7%

**Border: Grades 4-6
Spring 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	7.0%	4.0%	3.0%	93.0%
	Grade 4	2.9%	1.6%	1.3%	97.1%
	Grade 5	6.4%	3.3%	3.1%	93.6%
	Grade 6	11.9%	7.3%	4.6%	88.1%
Alcohol					
	All	21.8%	14.0%	7.8%	78.2%
	Grade 4	13.8%	8.6%	5.3%	86.2%
	Grade 5	19.5%	11.5%	8.0%	80.5%
	Grade 6	32.4%	22.1%	10.3%	67.6%
Inhalants					
	All	11.2%	8.1%	3.1%	88.8%
	Grade 4	10.3%	7.6%	2.8%	89.7%
	Grade 5	8.3%	5.4%	2.9%	91.7%
	Grade 6	14.9%	11.4%	3.6%	85.1%
Marijuana					
	All	3.4%	2.6%	0.8%	96.6%
	Grade 4	1.2%	0.8%	0.4%	98.8%
	Grade 5	1.6%	1.2%	0.4%	98.4%
	Grade 6	7.5%	5.8%	1.6%	92.5%

**Border: Grades 4-6
Spring 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students Living in Town More Than 3 Years**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.9%	2.8%	2.1%	95.1%
	Grade 4	2.2%	1.3%	0.8%	97.8%
	Grade 5	3.7%	2.0%	1.7%	96.3%
	Grade 6	9.3%	5.5%	3.8%	90.7%
Alcohol					
	All	18.3%	12.0%	6.4%	81.7%
	Grade 4	12.4%	8.3%	4.2%	87.6%
	Grade 5	15.8%	9.3%	6.5%	84.2%
	Grade 6	27.7%	19.0%	8.6%	72.3%
Inhalants					
	All	10.3%	7.8%	2.5%	89.7%
	Grade 4	9.9%	7.7%	2.1%	90.1%
	Grade 5	8.0%	5.5%	2.5%	92.0%
	Grade 6	13.2%	10.4%	2.9%	86.8%
Marijuana					
	All	2.0%	1.5%	0.6%	98.0%
	Grade 4	0.6%	0.4%	0.2%	99.4%
	Grade 5	1.1%	0.6%	0.5%	98.9%
	Grade 6	4.5%	3.5%	1.0%	95.5%

**Border: Grades 4-6
Spring 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students Living in Town 3 Years or Less**

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	6.0%	3.7%	2.3%	94.0%
	Grade 4	3.3%	2.4%	0.8%	96.7%
	Grade 5	5.0%	2.8%	2.2%	95.0%
	Grade 6	10.8%	6.3%	4.5%	89.2%
Alcohol					
	All	20.5%	12.7%	7.8%	79.5%
	Grade 4	13.8%	8.3%	5.5%	86.2%
	Grade 5	18.7%	12.1%	6.6%	81.3%
	Grade 6	31.7%	19.2%	12.4%	68.3%
Inhalants					
	All	10.7%	7.7%	3.0%	89.3%
	Grade 4	11.3%	7.7%	3.6%	88.7%
	Grade 5	7.7%	5.5%	2.2%	92.3%
	Grade 6	13.4%	10.3%	3.2%	86.6%
Marijuana					
	All	2.4%	2.0%	0.3%	97.6%
	Grade 4	0.5%	0.5%	0.0%	99.5%
	Grade 5	1.6%	1.5%	0.2%	98.4%
	Grade 6	5.7%	4.7%	1.0%	94.3%

3. Margin Tables

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

©Copyright 2010, Texas A & M University
All rights reserved.

**Border: Grades 4-6
Spring 2010**

The FREQ Procedure

Frequency Missing = 9662.5910664

PARENTS ATTEND PTA MEETINGS		
Q10	Frequency	Percent
No	66011	42.42
Yes	89587	57.58

Frequency Missing = 7582.5227252

EVER INHALED - GASOLINE		
Q11a	Frequency	Percent
Not Used	152E3	97.03
Used	4664	2.97

Frequency Missing = 6130.5616641

EVER INHALED - PAINT THINNER		
Q11b	Frequency	Percent
Not Used	151E3	97.82
Used	3379	2.18

Frequency Missing = 8395.8636585

EVER INHALED - GLUE		
Q11c	Frequency	Percent
Not Used	149E3	96.57
Used	5299	3.43

Frequency Missing = 8703.3786186

EVER INHALED - WHITEOUT		
Q11d	Frequency	Percent
Not Used	143E3	93.17
Used	10523	6.83

Frequency Missing = 9166.7628663

GENDER		
Q1	Frequency	Percent
Female	81950	50.33
Male	80886	49.67

Frequency Missing = 345.40373156

GRADE LEVEL		
Q2	Frequency	Percent
Grade 4	59172	36.26
Grade 5	55373	33.93
Grade 6	48635	29.80

WHAT GRADES DO YOU USUALLY GET		
Q6	Frequency	Percent
Mostly A's	45006	28.32
Mostly B's	80815	50.86
Mostly C's	26591	16.73
Mostly D's	4451	2.80
Mostly F's	2037	1.28

Frequency Missing = 4280.6316515

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS		
Q7	Frequency	Percent
Don't Know	17169	10.62
No	14072	8.70
Yes	13E4	80.68

Frequency Missing = 1470.6870334

EITHER PARENT GRADUATE FROM COLLEGE		
Q8	Frequency	Percent
Don't Know	69389	43.02
No	36834	22.84
Yes	55079	34.15

Frequency Missing = 1879.0797728

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
Q9	Frequency	Percent
Don't Know	56579	36.19
No	22729	14.54
Yes	77027	49.27

Frequency Missing = 6846.128185

LIVE WITH BOTH PARENTS		
Q3	Frequency	Percent
No	45513	28.18
Yes	116E3	71.76
YN	94	0.06

Frequency Missing = 1671.0399607

AGE		
Q4	Frequency	Percent
8 or younger	48	0.03
9	17234	10.60
10	51039	31.39
11	52105	32.05
12	35520	21.85
13 or older	6642	4.09

Frequency Missing = 592.32708279

ETHNICITY		
Q5	Frequency	Percent
African/American	5709	3.72
Asian/American	358	0.23
Mexican/American	132E3	85.94
Native/American	1424	0.93
Other	3040	1.98
White	11057	7.20

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

EVER INHALED - SPRAY PAINT		
Q11e	Frequency	Percent
Not Used	149E3	97.30
Used	4147	2.70

Frequency Missing = 9669.675593

EVER INHALED - COMPUTER DUSTING SPRAYS		
Q11f	Frequency	Percent
Not Used	151E3	98.02
Used	3037	1.98

Frequency Missing = 9583.0111134

EVER INHALED - OTHER INHALANTS		
Q11g	Frequency	Percent
Not Used	149E3	96.47
Used	5454	3.53

Frequency Missing = 8660.8168757

CIGARETTE USE DURING LIFETIME		
Q12A Frequency Percent		
Never heard of	12205	7.65
Never used	141E3	88.12
1-2 times	5301	3.32
3-10 times	951	0.60
11+ times	490	0.31

Frequency Missing = 3728.4497406

SNUFF/CHEWING TOBACCO USE IN LIFETIME		
Q12B Frequency Percent		
Never heard of	26331	16.69
Never used	13E4	82.63
1-2 times	836	0.53
3-10 times	182	0.12
11+ times	68	0.04

Frequency Missing = 5379.9598468

BEER USE DURING LIFETIME		
Q12C Frequency Percent		
Never heard of	4878	3.18
Never used	13E4	85.10
1-2 times	14362	9.37
3-10 times	2457	1.60
11+ times	1128	0.74

Frequency Missing = 9962.218177

WINE COOLER USE DURING LIFETIME		
Q12D Frequency Percent		
Never heard of	34005	21.81
Never used	111E3	71.23
1-2 times	8233	5.28
3-10 times	1620	1.04
11+ times	1016	0.65

Frequency Missing = 7231.1049332

WINE USE DURING LIFETIME		
Q12E Frequency Percent		
Never heard of	12737	8.44
Never used	128E3	84.50
1-2 times	9144	6.06
3-10 times	1000	0.66
11+ times	503	0.33

Frequency Missing = 12279.720562

LIQUOR USE DURING LIFETIME		
Q12F Frequency Percent		
Never heard of	23298	14.95
Never used	126E3	81.17
1-2 times	4673	3.00
3-10 times	926	0.59
11+ times	447	0.29

Frequency Missing = 7381.2132754

INHALANT USE DURING LIFETIME		
Q12H Frequency Percent		
Never heard of	20664	13.29
Never used	128E3	82.43
1-2 times	5085	3.27
3-10 times	1055	0.68
11+ times	522	0.34

Frequency Missing = 7669.0848077

MARIJUANA USE DURING LIFETIME		
Q12I Frequency Percent		
Never heard of	25909	16.49
Never used	128E3	81.70
1-2 times	1723	1.10
3-10 times	587	0.37
11+ times	538	0.34

Frequency Missing = 6032.8107395

CIGARETTE USE IN PAST SCHOOL YEAR		
Q13A Frequency Percent		
Never heard of	10661	6.71
Never used	144E3	90.66
1-2 times	3253	2.05
3-10 times	720	0.45
11+ times	217	0.14

Frequency Missing = 4233.4704618

SNUFF/CHEWING TOBACCO USE IN PAST YEAR		
Q13B Frequency Percent		
Never heard of	23138	14.75
Never used	133E3	84.80
1-2 times	587	0.37
3-10 times	81	0.05
11+ times	44	0.03

Frequency Missing = 6262.3224217

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

BEER USE IN PAST SCHOOL YEAR		
	Q13C Frequency	Percent
Never heard of	4701	3.06
Never used	138E3	89.53
1-2 times	9245	6.02
3-10 times	1575	1.02
11+ times	575	0.37

Frequency Missing = 9509.3621184

WINE COOLER USE IN PAST SCHOOL YEAR		
	Q13D Frequency	Percent
Never heard of	30766	19.76
Never used	118E3	75.48
1-2 times	5702	3.66
3-10 times	1131	0.73
11+ times	566	0.36

Frequency Missing = 7512.5736462

WINE USE IN PAST SCHOOL YEAR		
	Q13E Frequency	Percent
Never heard of	11908	7.79
Never used	134E3	87.56
1-2 times	6198	4.05
3-10 times	672	0.44
11+ times	248	0.16

Frequency Missing = 10242.127609

LIQUOR USE IN PAST SCHOOL YEAR		
	Q13F Frequency	Percent
Never heard of	22001	14.17
Never used	129E3	83.14
1-2 times	3309	2.13
3-10 times	587	0.38
11+ times	284	0.18

Frequency Missing = 7885.0477749

INHALANT USE IN PAST SCHOOL YEAR		
	Q13H Frequency	Percent
Never heard of	19770	12.72
Never used	13E4	83.75
1-2 times	4119	2.65
3-10 times	937	0.60
11+ times	436	0.28

Frequency Missing = 7743.972632

MARIJUANA USE IN PAST SCHOOL YEAR		
	Q13I Frequency	Percent
Never heard of	24113	15.55
Never used	129E3	82.95
1-2 times	1559	1.01
3-10 times	413	0.27
11+ times	349	0.23

Frequency Missing = 8143.9996971

AGE WHEN FIRST USED CIGARETTES		
	Q14A Frequency	Percent
7 or younger	1309	0.83
8 years old	898	0.57
9 years old	1067	0.68
10 years old	1364	0.86
11 years old	1341	0.85
12 or older	1192	0.75
Never heard/used	151E3	95.46

Frequency Missing = 5309.8786582

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO		
	Q14B Frequency	Percent
7 or younger	259	0.17
8 years old	112	0.07
9 years old	206	0.13
10 years old	283	0.18
11 years old	235	0.15
12 or older	207	0.13
Never heard/used	155E3	99.17

Frequency Missing = 6891.4766077

AGE WHEN FIRST USED BEER		
	Q14C Frequency	Percent
7 or younger	5784	3.77
8 years old	2495	1.63
9 years old	2749	1.79
10 years old	2950	1.92
11 years old	2581	1.68
12 or older	1910	1.25
Never heard/used	135E3	87.95

Frequency Missing = 9897.6831419

AGE WHEN FIRST USED WINE COOLERS		
	Q14D Frequency	Percent
7 or younger	1367	0.88
8 years old	968	0.63
9 years old	1499	0.97
10 years old	1963	1.27
11 years old	2237	1.45
12 or older	1667	1.08
Never heard/used	145E3	93.73

Frequency Missing = 8435.3212472

AGE WHEN FIRST USED WINE		
	Q14E Frequency	Percent
7 or younger	1278	0.84
8 years old	1099	0.72
9 years old	1677	1.10
10 years old	2295	1.51
11 years old	2304	1.52
12 or older	1659	1.09
Never heard/used	142E3	93.21

Frequency Missing = 11286.389013

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

AGE WHEN FIRST USED LIQUOR		
Q14F Frequency Percent		
7 or younger	626	0.41
8 years old	471	0.31
9 years old	721	0.47
10 years old	1005	0.65
11 years old	1409	0.92
12 or older	1410	0.92
Never heard/used	148E3	96.33

Frequency Missing = 9243.7648232

AGE WHEN FIRST USED INHALANTS		
Q14H Frequency Percent		
7 or younger	1143	0.74
8 years old	942	0.61
9 years old	887	0.58
10 years old	1203	0.78
11 years old	1329	0.86
12 or older	1166	0.76
Never heard/used	147E3	95.66

Frequency Missing = 9355.5854601

AGE WHEN FIRST USED MARIJUANA		
Q14I Frequency Percent		
7 or younger	242	0.16
8 years old	102	0.07
9 years old	254	0.16
10 years old	558	0.36
11 years old	608	0.39
12 or older	1097	0.71
Never heard/used	151E3	98.14

Frequency Missing = 9112.2918086

CLOSE FRIENDS USE CIGARETTES		
Q15A Frequency Percent		
Never heard of	8543	5.46
None	129E3	82.28
Some	17695	11.31
Most	1475	0.94

Frequency Missing = 6756.9870044

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO		
Q15B Frequency Percent		
Never heard of	15097	9.79
None	133E3	86.18
Some	5512	3.58
Most	692	0.45

Frequency Missing = 9010.9788504

CLOSE FRIENDS USE BEER		
Q15C Frequency Percent		
Never heard of	5347	3.50
None	12E4	78.87
Some	23010	15.08
Most	3879	2.54

Frequency Missing = 10594.162229

CLOSE FRIENDS USE WINE COOLERS		
Q15D Frequency Percent		
Never heard of	20785	13.60
None	12E4	78.21
Some	10106	6.61
Most	2418	1.58

Frequency Missing = 10307.913453

CLOSE FRIENDS USE WINE		
Q15E Frequency Percent		
Never heard of	10147	6.76
None	127E3	84.30
Some	11728	7.81
Most	1690	1.13

Frequency Missing = 13051.60616

CLOSE FRIENDS USE LIQUOR		
Q15F Frequency Percent		
Never heard of	15339	10.10
None	126E3	82.79
Some	8985	5.92
Most	1807	1.19

Frequency Missing = 11345.289963

CLOSE FRIENDS USE INHALANTS		
Q15H Frequency Percent		
Never heard of	14984	9.83
None	123E3	81.00
Some	11126	7.30
Most	2852	1.87

Frequency Missing = 10764.2082

CLOSE FRIENDS USE MARIJUANA		
Q15I Frequency Percent		
Never heard of	17916	11.74
None	123E3	80.54
Some	9197	6.03
Most	2567	1.68

Frequency Missing = 10635.902985

EVER BEEN OFFERED CIGARETTES		
Q16a	Frequency Percent	
Never heard of	9163	5.87
No	134E3	85.64
Yes	13250	8.49

Frequency Missing = 7099.0971447

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO		
Q16b	Frequency Percent	
Never heard of	15772	10.27
No	134E3	86.98
Yes	4230	2.75

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

Frequency Missing = 9545.5978656

EVER BEEN OFFERED BEER		
Q16c	Frequency	Percent
Never heard of	5232	3.43
No	125E3	81.84
Yes	22468	14.73

Frequency Missing = 10653.527713

EVER BEEN OFFERED WINE COOLERS		
Q16d	Frequency	Percent
Never heard of	20287	13.39
No	122E3	80.29
Yes	9587	6.33

Frequency Missing = 11638.418302

EVER BEEN OFFERED WINE		
Q16e	Frequency	Percent
Never heard of	9865	6.52
No	131E3	86.55
Yes	10496	6.93

Frequency Missing = 11812.464842

EVER BEEN OFFERED LIQUOR		
Q16f	Frequency	Percent
Never heard of	15249	10.09
No	128E3	84.91
Yes	7551	5.00

Frequency Missing = 12084.477921

EVER BEEN OFFERED INHALANTS		
Q16h	Frequency	Percent
Never heard of	14687	9.74
No	128E3	84.84
Yes	8185	5.43

Frequency Missing = 12348.511302

EVER BEEN OFFERED MARIJUANA		
Q16i	Frequency	Percent
Never heard of	16643	10.93
No	128E3	83.74
Yes	8132	5.34

Frequency Missing = 10845.024199

IS ALCOHOL OBTAINED FROM HOME		
Q17a	Frequency	Percent
Do Not Drink	123E3	79.16
No	22582	14.58
Yes	9701	6.26

Frequency Missing = 8296.8065524

IS ALCOHOL OBTAINED FROM FRIENDS		
Q17b	Frequency	Percent
Do Not Drink	12E4	79.28
No	27280	18.01
Yes	4097	2.70

Frequency Missing = 11710.889203

IS ALCOHOL OBTAINED SOMEWHERE ELSE		
Q17c	Frequency	Percent
Do Not Drink	119E3	78.26
No	23322	15.28
Yes	9856	6.46

Frequency Missing = 10553.192109

DANGEROUS FOR KIDS TO USE CIGARETTES

Q18A Frequency Percent		
Very dangerous	102E3	64.84
Dangerous	37219	23.77
Not at all	2014	1.29
Don't know	9484	6.06
Never heard of	6325	4.04

Frequency Missing = 6626.2989427

DANGEROUS FOR KIDS TO USE SNUFF/CHEWING TOBACCO

Q18B Frequency Percent		
Very dangerous	106E3	68.95
Dangerous	24263	15.77
Not at all	1527	0.99
Don't know	10185	6.62
Never heard of	11806	7.67

Frequency Missing = 9288.185406

DANGEROUS FOR KIDS TO USE BEER

Q18C Frequency Percent		
Very dangerous	83324	54.67
Dangerous	45396	29.78
Not at all	7064	4.63
Don't know	13270	8.71
Never heard of	3372	2.21

Frequency Missing = 10754.821208

DANGEROUS FOR KIDS TO USE WINE COOLERS

Q18D Frequency Percent		
Very dangerous	85084	55.84
Dangerous	30404	19.95
Not at all	5081	3.33
Don't know	14915	9.79
Never heard of	16900	11.09

Frequency Missing = 10797.006372

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

DANGEROUS FOR KIDS TO USE WINE		
	Q18E	Frequency Percent
Very dangerous	85949	56.78
Dangerous	37623	24.85
Not at all	6517	4.31
Don't know	14142	9.34
Never heard of	7139	4.72

Frequency Missing = 11809.7436

DANGEROUS FOR KIDS TO USE LIQUOR		
	Q18F	Frequency Percent
Very dangerous	98484	64.90
Dangerous	27870	18.37
Not at all	2812	1.85
Don't know	11201	7.38
Never heard of	11382	7.50

Frequency Missing = 11431.219929

DANGEROUS FOR KIDS TO USE INHALANTS		
	Q18H	Frequency Percent
Very dangerous	97977	64.61
Dangerous	25440	16.78
Not at all	3879	2.56
Don't know	13345	8.80
Never heard of	10991	7.25

Frequency Missing = 11547.83616

DANGEROUS FOR KIDS TO USE MARIJUANA		
	Q18I	Frequency Percent
Very dangerous	115E3	75.21
Dangerous	13511	8.82
Not at all	2137	1.39
Don't know	8939	5.83
Never heard of	13401	8.74

Frequency Missing = 9926.0397271

DRUG/ALCOHOL INFO FROM TEACHER		
	Q19a	Frequency Percent
No	65403	43.94
Yes	83440	56.06

Frequency Missing = 14337.573193

DRUG/ALC INFO FROM VISITOR TO CLASS		
	Q19b	Frequency Percent
No	70750	48.06
Yes	76456	51.94

Frequency Missing = 15973.952811

DRUG/ALC INFO FROM ASSEMBLY PROGRAM		
	Q19c	Frequency Percent
No	53228	36.00
Yes	94614	64.00

Frequency Missing = 15337.905613

DRUG/ALC INFO FROM SCHOOL COUNSELOR		
	Q19d	Frequency Percent
No	52511	35.49
Yes	95453	64.51

Frequency Missing = 15217.101916

DRUG/ALC INFO FROM SOMEONE ELSE AT SCHOOL		
	Q19e	Frequency Percent
No	82853	56.32
Yes	64264	43.68

Frequency Missing = 16063.435972

BEER, TWO OR MORE AT ONE TIME		
	Q20a	Frequency Percent
Never	138E3	88.00
1 time	11360	7.25
2 times	3650	2.33
3+ times	3790	2.42

Frequency Missing = 6574.4362257

WINE COOLERS, TWO OR MORE AT ONE TIME		
	Q20b	Frequency Percent
Never	145E3	94.90
1 time	4416	2.89
2 times	1764	1.15
3+ times	1617	1.06

Frequency Missing = 10280.459633

WINE, TWO OR MORE AT ONE TIME		
	Q20c	Frequency Percent
Never	147E3	95.99
1 time	3305	2.16
2 times	1204	0.79
3+ times	1622	1.06

Frequency Missing = 10228.386919

LIQUOR, TWO OR MORE AT ONE TIME		
	Q20d	Frequency Percent
Never	147E3	96.05
1 time	3236	2.12
2 times	1190	0.78
3+ times	1608	1.05

Frequency Missing = 10255.324963

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border: Grades 4-6
Spring 2010**

MISSED SCHOOL WITHOUT PARENT'S CONSENT		
Q21	Frequency	Percent
No	153E3	96.84
Yes	5000	3.16

Frequency Missing = 4846.5287644

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q25 Frequency Percent		
Don't like it	136E3	86.36
Don't care	1808	1.15
Think it's O.K.	576	0.37
Don't know	19111	12.12

Frequency Missing = 5544.8970547

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
Q22	Frequency	Percent
No	123E3	77.90
Yes	34913	22.10

Frequency Missing = 5217.5401958

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
Q23 Frequency Percent		
Don't like it	137E3	86.73
Don't care	2290	1.45
Think it's O.K.	642	0.41
Don't know	17951	11.40

Frequency Missing = 5760.8704905

PARENTS FEEL ABOUT KIDS DRINKING BEER		
Q24 Frequency Percent		
Don't like it	132E3	84.18
Don't care	3101	1.97
Think it's O.K.	1819	1.16
Don't know	19965	12.69

Frequency Missing = 5861.5317546

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district