

**Border - Grades 7-12 Large
SPRING 2010**

**Texas School Survey
of Drug and Alcohol Use
2010
Part II: State Results**

Border - Grades 7-12 Large
SPRING 2010

**Border - Grades 7-12 Large
SPRING 2010**

1. General Substance Tables

Border - Grades 7-12 Large
SPRING 2010

**Border - Grades 7-12 Large
SPRING 2010**

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product?					
	All	14.0%	19.0%	32.6%	67.4%
	Grade 7	5.1%	7.2%	15.6%	84.4%
	Grade 8	9.5%	12.9%	26.3%	73.7%
	Grade 9	12.4%	17.1%	31.0%	69.0%
	Grade 10	15.6%	21.6%	36.8%	63.2%
	Grade 11	18.6%	25.0%	41.4%	58.6%
	Grade 12	25.7%	33.7%	48.7%	51.3%
Cigarettes?					
	All	13.3%	18.2%	31.8%	68.2%
	Grade 7	4.8%	6.8%	15.0%	85.0%
	Grade 8	8.5%	12.0%	25.5%	74.5%
	Grade 9	11.9%	16.6%	30.5%	69.5%
	Grade 10	14.7%	20.6%	35.7%	64.3%
	Grade 11	17.9%	24.1%	40.4%	59.6%
	Grade 12	24.9%	32.7%	47.9%	52.1%
Smokeless tobacco?					
	All	3.1%	4.2%	7.5%	92.5%
	Grade 7	1.3%	1.8%	3.3%	96.7%
	Grade 8	2.7%	3.4%	5.6%	94.4%
	Grade 9	2.6%	3.7%	6.8%	93.2%
	Grade 10	4.3%	5.4%	8.9%	91.1%
	Grade 11	3.4%	5.3%	9.7%	90.3%
	Grade 12	4.7%	6.4%	11.8%	88.2%

**Border - Grades 7-12 Large
SPRING 2010**

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	70.7%	1.5%	3.6%	4.6%	6.5%	5.5%	7.5%
	Grade 7	85.9%	0.3%	0.9%	1.8%	3.0%	3.5%	4.6%
	Grade 8	76.6%	0.6%	3.0%	3.1%	5.3%	4.5%	6.9%
	Grade 9	73.0%	0.9%	3.1%	4.2%	6.0%	5.6%	7.2%
	Grade 10	66.3%	1.5%	4.2%	5.2%	6.9%	7.2%	8.7%
	Grade 11	62.7%	2.2%	5.2%	6.5%	7.7%	6.3%	9.4%
	Grade 12	55.6%	4.2%	6.1%	7.6%	11.0%	6.6%	8.9%
Cigarettes?								
	All	71.2%	1.4%	3.5%	4.5%	6.5%	5.5%	7.5%
	Grade 7	86.3%	0.2%	0.8%	1.9%	2.9%	3.4%	4.4%
	Grade 8	77.0%	0.5%	2.8%	3.1%	5.3%	4.5%	6.8%
	Grade 9	73.3%	0.8%	3.2%	4.2%	5.8%	5.4%	7.3%
	Grade 10	67.1%	1.4%	4.1%	4.9%	6.9%	7.1%	8.5%
	Grade 11	63.2%	1.9%	5.1%	6.3%	7.7%	6.4%	9.3%
	Grade 12	56.0%	4.1%	6.0%	7.2%	11.1%	6.5%	9.1%
Smokeless tobacco?								
	All	93.5%	0.3%	0.7%	0.7%	1.3%	1.3%	2.1%
	Grade 7	97.2%	0.1%	0.3%	0.4%	0.5%	0.7%	0.8%
	Grade 8	95.4%	0.1%	0.7%	0.7%	1.2%	0.8%	1.2%
	Grade 9	93.9%	0.2%	0.6%	0.6%	1.3%	1.3%	2.0%
	Grade 10	92.8%	0.4%	1.0%	0.8%	1.3%	1.3%	2.3%
	Grade 11	91.2%	0.4%	1.0%	1.0%	1.2%	1.5%	3.6%
	Grade 12	89.6%	0.5%	0.8%	1.1%	2.4%	2.5%	3.1%

Table T-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Cigarettes						
	11.0	11.7	12.6	13.3	14.0	14.8
Smokeless tobacco						
	11.8	12.0	12.8	13.6	14.5	15.4
Any Tobacco						
	11.1	11.7	12.6	13.3	14.0	14.8

**Border - Grades 7-12 Large
SPRING 2010**

Table T-4: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Any tobacco product?							
	All	20.2%	16.5%	5.5%	9.4%	16.8%	31.6%
	Grade 7	29.9%	30.8%	7.6%	9.6%	10.5%	11.7%
	Grade 8	24.7%	21.3%	7.8%	10.6%	16.1%	19.4%
	Grade 9	21.8%	15.4%	5.6%	10.4%	20.4%	26.3%
	Grade 10	15.7%	12.7%	5.3%	10.1%	21.3%	34.8%
	Grade 11	14.0%	9.8%	3.8%	8.7%	21.6%	42.0%
	Grade 12	12.5%	6.1%	2.0%	6.0%	11.0%	62.4%
Cigarettes?							
	All	20.5%	16.7%	5.5%	9.6%	16.8%	30.9%
	Grade 7	30.2%	31.1%	7.7%	9.7%	10.4%	11.0%
	Grade 8	24.9%	21.9%	7.7%	10.9%	15.8%	18.8%
	Grade 9	22.2%	15.5%	5.6%	10.7%	20.4%	25.6%
	Grade 10	16.0%	12.6%	5.4%	10.6%	21.7%	33.7%
	Grade 11	14.2%	9.7%	3.9%	9.3%	21.7%	41.1%
	Grade 12	12.6%	6.1%	1.9%	6.1%	11.2%	62.1%
Smokeless Tobacco?							
	All	35.8%	20.9%	7.4%	9.8%	10.6%	15.5%
	Grade 7	43.2%	33.9%	8.8%	6.8%	3.7%	3.7%
	Grade 8	40.0%	27.2%	8.4%	10.0%	7.5%	6.9%
	Grade 9	36.6%	20.3%	8.7%	11.4%	12.0%	11.0%
	Grade 10	32.4%	18.1%	7.3%	12.2%	13.4%	16.6%
	Grade 11	31.0%	14.0%	6.4%	10.6%	15.3%	22.7%
	Grade 12	29.3%	8.7%	3.7%	7.9%	13.1%	37.2%

**Border - Grades 7-12 Large
SPRING 2010**

Table T-5: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	41.4%	31.3%	16.2%	8.9%	2.2%
	Grade 7	68.1%	22.2%	7.1%	2.1%	0.6%
	Grade 8	52.7%	28.8%	12.3%	4.7%	1.5%
	Grade 9	40.5%	34.1%	15.7%	7.6%	2.1%
	Grade 10	31.9%	35.0%	20.4%	10.4%	2.3%
	Grade 11	27.8%	35.7%	21.0%	12.3%	3.1%
	Grade 12	21.4%	33.0%	23.0%	18.3%	4.3%
Smoke cigarettes?						
	All	42.5%	31.5%	15.4%	8.5%	2.1%
	Grade 7	69.2%	22.1%	6.3%	1.9%	0.5%
	Grade 8	53.8%	29.0%	11.4%	4.4%	1.4%
	Grade 9	41.6%	34.1%	15.0%	7.3%	2.0%
	Grade 10	33.1%	35.7%	19.5%	9.9%	1.9%
	Grade 11	28.8%	36.1%	20.2%	11.9%	3.0%
	Grade 12	22.2%	33.5%	22.4%	17.8%	4.0%
Use a smokeless tobacco product?						
	All	74.1%	16.3%	6.5%	2.3%	0.8%
	Grade 7	87.4%	8.9%	2.6%	0.8%	0.3%
	Grade 8	79.7%	13.6%	4.5%	1.6%	0.6%
	Grade 9	74.7%	15.9%	6.0%	2.4%	1.0%
	Grade 10	69.2%	18.2%	8.9%	2.6%	1.1%
	Grade 11	66.1%	21.3%	8.7%	2.9%	1.0%
	Grade 12	64.3%	21.6%	9.4%	3.8%	0.9%

Border - Grades 7-12 Large
SPRING 2010

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	77.0%	6.9%	4.9%	1.2%	0.9%	9.2%
Grade 7	80.9%	3.0%	2.0%	0.5%	0.7%	12.9%
Grade 8	80.1%	4.3%	2.8%	1.0%	0.9%	10.9%
Grade 9	79.4%	6.2%	3.4%	1.1%	0.9%	8.9%
Grade 10	78.6%	6.3%	5.5%	1.2%	0.8%	7.6%
Grade 11	74.6%	10.2%	6.5%	1.3%	0.8%	6.7%
Grade 12	66.0%	12.8%	10.4%	2.2%	1.1%	7.4%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	55.5%	24.4%	10.8%	3.0%	6.3%
Grade 7	71.0%	16.1%	4.8%	1.8%	6.4%
Grade 8	61.8%	20.5%	7.7%	2.8%	7.2%
Grade 9	54.3%	25.6%	10.3%	3.0%	6.8%
Grade 10	50.1%	27.6%	12.9%	2.9%	6.4%
Grade 11	48.2%	28.2%	13.9%	3.8%	5.8%
Grade 12	43.7%	30.4%	16.7%	4.3%	4.8%

**Border - Grades 7-12 Large
SPRING 2010**

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product?					
	All	30.4%	39.8%	61.5%	38.5%
	Grade 7	16.7%	21.7%	43.1%	56.9%
	Grade 8	23.9%	31.2%	55.2%	44.8%
	Grade 9	30.9%	40.0%	61.7%	38.3%
	Grade 10	34.7%	46.4%	69.0%	31.0%
	Grade 11	35.3%	48.0%	70.1%	29.9%
	Grade 12	44.0%	55.3%	73.6%	26.4%
Beer?					
	All	22.0%	30.4%	49.8%	50.2%
	Grade 7	10.2%	14.6%	32.2%	67.8%
	Grade 8	16.1%	22.3%	43.7%	56.3%
	Grade 9	21.6%	30.0%	49.4%	50.6%
	Grade 10	25.3%	36.2%	56.5%	43.5%
	Grade 11	27.0%	37.8%	59.1%	40.9%
	Grade 12	34.5%	45.3%	62.1%	37.9%
Wine coolers?					
	All	19.1%	27.2%	43.7%	56.3%
	Grade 7	9.9%	13.5%	26.5%	73.5%
	Grade 8	13.5%	19.6%	35.2%	64.8%
	Grade 9	20.2%	27.5%	43.7%	56.3%
	Grade 10	22.4%	32.9%	50.5%	49.5%
	Grade 11	23.0%	34.1%	53.0%	47.0%
	Grade 12	28.0%	39.3%	57.5%	42.5%
Wine?					
	All	13.3%	20.5%	38.5%	61.5%
	Grade 7	7.6%	10.2%	24.0%	76.0%
	Grade 8	10.4%	15.7%	32.8%	67.2%
	Grade 9	13.9%	20.8%	39.2%	60.8%
	Grade 10	15.5%	24.6%	44.0%	56.0%
	Grade 11	15.6%	25.2%	45.4%	54.6%
	Grade 12	17.9%	28.7%	48.5%	51.5%
Liquor?					
	All	18.8%	27.0%	41.3%	58.7%
	Grade 7	6.4%	9.0%	17.6%	82.4%
	Grade 8	12.2%	17.7%	31.2%	68.8%
	Grade 9	18.5%	25.9%	40.4%	59.6%
	Grade 10	22.1%	33.2%	50.4%	49.6%
	Grade 11	24.6%	36.9%	53.9%	46.1%
	Grade 12	32.1%	44.6%	60.5%	39.5%

**Border - Grades 7-12 Large
SPRING 2010**

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	45.6%	0.6%	5.7%	12.8%	13.5%	12.5%	9.5%
	Grade 7	65.2%	0.4%	2.6%	5.2%	7.7%	9.6%	9.4%
	Grade 8	53.1%	0.5%	4.4%	8.8%	10.8%	12.1%	10.3%
	Grade 9	46.0%	0.7%	5.7%	12.5%	13.5%	11.8%	9.8%
	Grade 10	37.8%	0.7%	6.4%	14.9%	16.1%	15.0%	9.3%
	Grade 11	35.3%	0.4%	7.1%	15.9%	17.3%	13.8%	10.2%
	Grade 12	31.4%	0.6%	8.6%	21.7%	16.9%	13.1%	7.6%
Beer?								
	All	53.7%	0.3%	4.6%	10.9%	11.4%	9.9%	9.2%
	Grade 7	71.7%	0.2%	1.9%	4.1%	6.1%	7.4%	8.7%
	Grade 8	60.3%	0.2%	3.4%	7.1%	9.6%	9.4%	10.1%
	Grade 9	54.3%	0.3%	4.4%	10.4%	12.1%	9.5%	9.0%
	Grade 10	47.6%	0.3%	5.0%	13.5%	12.8%	12.3%	8.6%
	Grade 11	44.1%	0.2%	6.1%	13.6%	15.0%	11.2%	9.8%
	Grade 12	39.8%	0.4%	7.8%	18.6%	14.2%	10.4%	8.7%
Wine coolers?								
	All	60.9%	0.2%	3.2%	8.4%	10.2%	9.9%	7.2%
	Grade 7	79.5%	0.2%	1.3%	3.0%	5.3%	5.3%	5.4%
	Grade 8	70.1%	0.2%	2.7%	5.6%	7.3%	7.5%	6.5%
	Grade 9	61.2%	0.4%	3.2%	8.3%	10.1%	9.1%	7.7%
	Grade 10	52.9%	0.2%	3.4%	10.5%	12.5%	12.8%	7.8%
	Grade 11	51.0%	0.1%	3.8%	11.4%	12.8%	12.4%	8.5%
	Grade 12	45.4%	0.1%	5.3%	13.0%	14.5%	13.8%	7.9%
Wine?								
	All	63.9%	0.1%	2.0%	5.3%	7.4%	12.2%	9.1%
	Grade 7	81.1%	0.1%	0.8%	2.0%	3.7%	6.3%	6.0%
	Grade 8	70.5%	0.2%	1.8%	4.2%	5.6%	10.5%	7.2%
	Grade 9	63.9%	0.1%	2.0%	5.2%	8.3%	11.6%	8.8%
	Grade 10	56.7%	0.0%	2.5%	6.3%	8.3%	15.4%	10.7%
	Grade 11	55.5%	0.0%	2.3%	7.3%	9.0%	14.2%	11.7%
	Grade 12	51.8%	0.1%	2.9%	7.3%	10.1%	17.0%	10.7%
Liquor?								
	All	61.6%	0.1%	3.3%	8.7%	10.3%	9.4%	6.5%
	Grade 7	84.3%	0.0%	1.1%	2.0%	3.6%	4.3%	4.6%
	Grade 8	72.2%	0.1%	2.2%	5.0%	7.2%	7.6%	5.7%
	Grade 9	62.5%	0.2%	3.1%	8.9%	9.3%	9.1%	6.9%
	Grade 10	52.4%	0.3%	4.0%	11.0%	11.8%	12.6%	7.8%
	Grade 11	48.7%	0.2%	4.4%	12.1%	14.7%	12.1%	7.8%
	Grade 12	43.3%	0.1%	5.9%	14.8%	17.0%	12.1%	6.8%

Border - Grades 7-12 Large
SPRING 2010

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	49.6%	50.4%	13.7%	24.2%	12.5%
	Grade 7	66.5%	33.5%	4.2%	16.7%	12.6%
	Grade 8	54.6%	45.4%	7.8%	22.8%	14.8%
	Grade 9	50.2%	49.8%	12.2%	25.1%	12.5%
	Grade 10	44.0%	56.0%	16.7%	27.0%	12.3%
	Grade 11	41.0%	59.0%	20.3%	27.3%	11.4%
	Grade 12	37.2%	62.8%	24.4%	27.4%	11.0%
Wine Coolers	All	56.6%	43.4%	9.6%	25.5%	8.3%
	Grade 7	75.5%	24.5%	3.1%	13.2%	8.1%
	Grade 8	64.9%	35.1%	6.3%	20.2%	8.5%
	Grade 9	56.8%	43.2%	9.7%	25.7%	7.8%
	Grade 10	49.1%	50.9%	11.6%	30.9%	8.3%
	Grade 11	46.5%	53.5%	13.6%	31.1%	8.8%
	Grade 12	41.8%	58.2%	15.2%	34.9%	8.0%
Wine	All	60.9%	39.1%	4.2%	21.1%	13.8%
	Grade 7	76.9%	23.1%	1.9%	11.3%	9.9%
	Grade 8	66.0%	34.0%	3.3%	18.0%	12.7%
	Grade 9	60.6%	39.4%	4.9%	21.3%	13.2%
	Grade 10	55.3%	44.7%	4.9%	24.6%	15.1%
	Grade 11	52.6%	47.4%	6.0%	25.2%	16.2%
	Grade 12	50.4%	49.6%	4.5%	28.1%	17.0%
Liquor	All	57.7%	42.3%	11.0%	22.8%	8.6%
	Grade 7	81.4%	18.6%	2.2%	9.9%	6.5%
	Grade 8	68.0%	32.0%	5.9%	17.2%	8.9%
	Grade 9	58.5%	41.5%	10.7%	22.1%	8.7%
	Grade 10	48.8%	51.2%	14.0%	26.9%	10.2%
	Grade 11	44.6%	55.4%	16.5%	30.0%	8.9%
	Grade 12	38.4%	61.6%	19.3%	34.0%	8.4%

**Border - Grades 7-12 Large
SPRING 2010**

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	77.8%	7.4%	4.9%	5.4%	2.1%	2.5%
	Grade 7	90.5%	3.8%	2.0%	1.9%	0.9%	0.9%
	Grade 8	84.2%	6.3%	3.3%	3.3%	1.4%	1.5%
	Grade 9	78.8%	7.0%	5.2%	4.8%	1.6%	2.6%
	Grade 10	73.7%	8.3%	6.3%	6.0%	2.4%	3.1%
	Grade 11	72.4%	8.6%	5.7%	7.1%	2.8%	3.5%
	Grade 12	63.2%	11.1%	7.6%	10.3%	4.3%	3.6%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.8	11.5	12.3	13.1	13.9	14.5
Wine Coolers	11.3	12.0	12.8	13.4	14.1	14.8
Wine	11.2	11.9	12.8	13.3	14.1	14.8
Liquor	11.6	12.4	13.2	14.0	14.6	15.2
Any Alcohol	10.8	11.4	12.3	12.9	13.7	14.3

**Border - Grades 7-12 Large
SPRING 2010**

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	17.9%	12.7%	5.6%	11.3%	19.5%	33.0%
	Grade 7	27.1%	23.9%	8.0%	10.7%	13.8%	16.4%
	Grade 8	22.3%	16.6%	6.4%	11.8%	17.4%	25.4%
	Grade 9	18.7%	11.6%	6.0%	11.4%	19.1%	33.2%
	Grade 10	13.5%	9.2%	5.0%	11.1%	21.0%	40.2%
	Grade 11	11.8%	7.2%	4.0%	10.4%	23.0%	43.6%
	Grade 12	11.5%	5.6%	3.6%	12.3%	23.8%	43.2%
Wine coolers?							
	All	23.4%	14.3%	5.9%	11.7%	17.6%	27.1%
	Grade 7	36.8%	26.3%	7.8%	8.4%	9.6%	11.1%
	Grade 8	29.3%	19.0%	6.4%	12.7%	14.9%	17.6%
	Grade 9	23.6%	13.2%	6.3%	12.2%	18.3%	26.3%
	Grade 10	16.4%	10.4%	6.0%	13.9%	19.4%	33.9%
	Grade 11	15.2%	8.5%	4.4%	10.4%	22.9%	38.5%
	Grade 12	15.4%	5.7%	3.9%	12.8%	22.1%	40.0%
Wine?							
	All	21.9%	16.4%	7.4%	13.2%	16.7%	24.4%
	Grade 7	31.8%	29.9%	9.3%	9.9%	9.3%	9.8%
	Grade 8	27.4%	20.4%	8.6%	12.8%	13.5%	17.3%
	Grade 9	22.7%	15.6%	7.5%	13.9%	17.1%	23.2%
	Grade 10	16.6%	13.4%	7.6%	13.1%	19.6%	29.7%
	Grade 11	15.4%	9.8%	5.6%	13.5%	21.2%	34.4%
	Grade 12	14.5%	6.7%	5.3%	16.3%	21.4%	35.8%
Liquor?							
	All	21.2%	17.3%	8.0%	11.6%	15.8%	26.1%
	Grade 7	33.8%	31.5%	9.8%	7.5%	8.5%	8.9%
	Grade 8	26.7%	22.2%	9.4%	12.0%	12.1%	17.6%
	Grade 9	21.5%	16.6%	8.8%	12.0%	16.0%	25.3%
	Grade 10	15.5%	13.2%	7.5%	12.2%	19.1%	32.5%
	Grade 11	13.9%	9.8%	6.1%	12.0%	20.4%	37.8%
	Grade 12	12.9%	7.2%	5.5%	14.7%	20.4%	39.3%
Any alcohol product?							
	All	16.7%	11.2%	4.6%	10.1%	19.3%	38.1%
	Grade 7	25.6%	21.9%	7.5%	10.0%	14.4%	20.6%
	Grade 8	21.0%	14.4%	5.3%	11.0%	17.9%	30.5%
	Grade 9	17.6%	9.8%	4.7%	10.0%	19.4%	38.5%
	Grade 10	11.9%	7.8%	3.8%	10.4%	20.4%	45.7%
	Grade 11	10.6%	6.7%	3.2%	8.9%	21.3%	49.3%
	Grade 12	10.8%	4.8%	2.7%	10.4%	23.2%	48.1%

**Border - Grades 7-12 Large
SPRING 2010**

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	92.6%	5.7%	0.9%	0.8%
Grade 7	94.3%	4.2%	0.9%	0.5%
Grade 8	92.0%	6.6%	0.7%	0.7%
Grade 9	91.8%	6.7%	0.8%	0.8%
Grade 10	93.0%	5.3%	0.8%	0.9%
Grade 11	92.6%	5.8%	0.9%	0.7%
Grade 12	92.2%	5.4%	1.3%	1.1%
Gotten into trouble with teachers because of your drinking?				
All	98.7%	0.8%	0.2%	0.3%
Grade 7	99.2%	0.4%	0.2%	0.2%
Grade 8	98.3%	1.1%	0.2%	0.3%
Grade 9	98.5%	0.9%	0.3%	0.3%
Grade 10	98.5%	1.1%	0.2%	0.3%
Grade 11	99.0%	0.7%	0.0%	0.3%
Grade 12	98.5%	0.9%	0.2%	0.4%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.4
Alcohol Non-use	3.2
Average days conduct problems reported	
Alcohol Users:	3.0
Alcohol Non-use	1.1

**Border - Grades 7-12 Large
SPRING 2010**

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	88.5%	8.8%	1.5%	1.3%
Grade 9	93.7%	5.0%	0.8%	0.6%
Grade 10	90.9%	6.8%	1.2%	1.1%
Grade 11	88.0%	8.9%	1.8%	1.3%
Grade 12	80.1%	15.4%	2.2%	2.3%
Gotten into trouble with the police because of drinking?				
All	97.0%	2.4%	0.3%	0.2%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	97.7%	1.7%	0.3%	0.3%
Grade 9	97.0%	2.4%	0.3%	0.2%
Grade 10	97.2%	2.3%	0.3%	0.1%
Grade 11	96.6%	2.7%	0.5%	0.2%
Grade 12	94.5%	4.8%	0.3%	0.5%

**Border - Grades 7-12 Large
SPRING 2010**

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	27.8%	23.2%	18.1%	20.6%	10.3%
	Grade 7	54.1%	24.7%	11.8%	6.6%	2.8%
	Grade 8	37.2%	26.5%	16.8%	13.5%	6.0%
	Grade 9	24.5%	25.7%	20.3%	20.0%	9.5%
	Grade 10	17.7%	22.7%	20.5%	26.4%	12.7%
	Grade 11	15.4%	20.4%	21.8%	28.2%	14.3%
	Grade 12	13.0%	17.6%	17.8%	32.6%	19.0%
Beer?						
	All	31.2%	23.5%	18.1%	18.8%	8.4%
	Grade 7	58.9%	23.8%	10.2%	5.3%	1.8%
	Grade 8	42.1%	26.0%	15.9%	11.5%	4.6%
	Grade 9	27.7%	26.7%	20.4%	17.5%	7.7%
	Grade 10	20.5%	23.4%	21.4%	24.2%	10.4%
	Grade 11	17.2%	21.8%	22.4%	26.9%	11.7%
	Grade 12	15.0%	17.8%	19.2%	31.9%	16.1%
Wine coolers?						
	All	44.7%	20.7%	15.6%	12.9%	6.1%
	Grade 7	72.5%	15.0%	7.0%	3.9%	1.7%
	Grade 8	57.4%	19.7%	11.4%	7.8%	3.7%
	Grade 9	41.9%	23.5%	16.5%	12.1%	6.0%
	Grade 10	34.9%	22.0%	19.0%	16.5%	7.6%
	Grade 11	29.6%	22.0%	21.5%	18.4%	8.6%
	Grade 12	25.5%	22.5%	19.8%	21.6%	10.6%
Wine?						
	All	53.2%	22.9%	13.0%	7.2%	3.6%
	Grade 7	76.4%	15.0%	5.5%	2.1%	1.0%
	Grade 8	62.4%	20.4%	9.6%	5.4%	2.2%
	Grade 9	50.0%	25.1%	13.9%	7.2%	3.8%
	Grade 10	44.4%	26.3%	15.5%	9.1%	4.7%
	Grade 11	41.7%	26.2%	17.2%	10.1%	4.8%
	Grade 12	39.6%	25.8%	18.0%	10.6%	6.0%
Liquor?						
	All	43.4%	20.5%	15.0%	14.5%	6.7%
	Grade 7	75.0%	14.7%	5.8%	3.0%	1.5%
	Grade 8	57.2%	20.2%	11.7%	8.0%	2.8%
	Grade 9	40.9%	24.5%	15.8%	12.9%	5.8%
	Grade 10	32.2%	23.0%	18.5%	18.0%	8.3%
	Grade 11	26.6%	20.7%	21.5%	21.0%	10.1%
	Grade 12	21.1%	19.5%	18.3%	27.4%	13.6%

**Border - Grades 7-12 Large
SPRING 2010**

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.8%	5.5%	0.5%	0.3%
Grade 7	97.1%	2.3%	0.3%	0.2%
Grade 8	94.5%	4.8%	0.3%	0.4%
Grade 9	93.2%	5.7%	0.7%	0.3%
Grade 10	91.5%	7.7%	0.5%	0.3%
Grade 11	93.3%	5.9%	0.5%	0.3%
Grade 12	92.5%	6.8%	0.4%	0.3%
Been criticized by someone you were dating because of drinking?				
All	92.6%	6.1%	0.8%	0.6%
Grade 7	96.9%	2.8%	0.2%	0.2%
Grade 8	94.3%	4.8%	0.4%	0.4%
Grade 9	92.7%	6.0%	0.9%	0.4%
Grade 10	90.0%	8.1%	1.1%	0.8%
Grade 11	91.7%	6.7%	0.8%	0.8%
Grade 12	89.0%	8.8%	1.2%	1.0%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	41.3%	10.2%	7.5%	11.9%	17.7%	2.6%	8.8%
Grade 7	65.3%	9.7%	6.4%	5.1%	3.3%	2.9%	7.5%
Grade 8	53.0%	12.8%	7.3%	9.0%	7.2%	3.4%	7.3%
Grade 9	41.1%	11.7%	9.5%	13.2%	13.2%	2.9%	8.3%
Grade 10	31.0%	10.7%	8.6%	15.6%	23.0%	2.1%	9.0%
Grade 11	27.2%	8.3%	7.5%	14.6%	28.2%	2.0%	12.2%
Grade 12	24.1%	7.1%	5.7%	15.3%	36.7%	1.7%	9.4%

Border - Grades 7-12 Large
SPRING 2010

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home?						
	All	47.2%	29.7%	16.4%	5.0%	1.7%
	Grade 7	58.1%	26.9%	10.9%	3.4%	0.7%
	Grade 8	51.8%	28.0%	13.8%	5.0%	1.5%
	Grade 9	48.6%	28.4%	16.6%	4.9%	1.4%
	Grade 10	42.1%	29.7%	20.4%	5.8%	2.0%
	Grade 11	41.7%	31.6%	19.1%	5.5%	2.1%
	Grade 12	37.7%	34.9%	19.1%	5.6%	2.7%
From friends?						
	All	41.1%	20.0%	15.5%	16.4%	7.0%
	Grade 7	58.3%	27.2%	7.7%	5.5%	1.2%
	Grade 8	47.8%	24.8%	13.6%	10.4%	3.4%
	Grade 9	41.3%	20.8%	17.4%	14.9%	5.6%
	Grade 10	33.6%	17.6%	18.7%	21.5%	8.6%
	Grade 11	32.6%	16.0%	18.6%	21.9%	11.0%
	Grade 12	29.2%	11.2%	18.2%	27.4%	14.0%
From a store?						
	All	43.9%	40.5%	7.6%	5.1%	3.0%
	Grade 7	58.5%	37.3%	2.5%	1.1%	0.5%
	Grade 8	50.0%	41.6%	4.9%	2.5%	1.0%
	Grade 9	44.8%	41.5%	7.5%	4.0%	2.3%
	Grade 10	38.0%	42.1%	9.3%	7.4%	3.2%
	Grade 11	35.8%	41.6%	10.2%	7.1%	5.2%
	Grade 12	32.4%	39.0%	12.3%	9.6%	6.7%
At parties?						
	All	38.5%	15.6%	12.5%	16.0%	17.3%
	Grade 7	53.0%	21.9%	10.9%	9.3%	4.9%
	Grade 8	43.4%	18.3%	13.8%	14.3%	10.2%
	Grade 9	39.3%	15.6%	13.2%	16.3%	15.7%
	Grade 10	31.9%	14.5%	13.1%	17.8%	22.7%
	Grade 11	31.2%	12.0%	13.4%	18.7%	24.7%
	Grade 12	28.9%	9.3%	10.7%	21.2%	29.8%
Other source?						
	All	44.3%	26.4%	12.8%	8.5%	8.0%
	Grade 7	56.7%	28.4%	7.5%	4.7%	2.8%
	Grade 8	49.3%	26.5%	11.7%	7.3%	5.1%
	Grade 9	44.6%	25.1%	13.7%	8.8%	7.8%
	Grade 10	39.5%	26.6%	14.8%	9.7%	9.3%
	Grade 11	38.1%	27.0%	13.8%	10.0%	11.1%
	Grade 12	34.1%	24.8%	16.3%	11.2%	13.7%

Border - Grades 7-12 Large
SPRING 2010

Table A-14: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	65.6%	13.1%	8.4%	3.1%	1.2%	8.6%
Grade 7	73.9%	7.2%	3.8%	1.6%	1.0%	12.6%
Grade 8	69.0%	10.1%	6.6%	2.3%	1.2%	10.8%
Grade 9	66.9%	13.3%	7.5%	3.1%	1.2%	8.0%
Grade 10	63.6%	15.1%	9.4%	3.6%	1.2%	7.1%
Grade 11	61.3%	16.0%	11.5%	3.6%	1.3%	6.3%
Grade 12	56.1%	18.8%	12.9%	5.1%	1.2%	5.9%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	47.9%	28.9%	14.8%	3.7%	4.6%
Grade 7	58.7%	22.4%	10.7%	3.0%	5.1%
Grade 8	49.9%	24.1%	15.0%	4.9%	6.2%
Grade 9	45.7%	28.9%	16.2%	4.2%	5.0%
Grade 10	44.8%	31.2%	15.8%	3.8%	4.4%
Grade 11	43.2%	33.8%	15.7%	3.8%	3.6%
Grade 12	43.4%	35.2%	16.0%	2.3%	3.0%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	11.0%	15.5%	24.7%	75.3%
	Grade 7	4.4%	6.0%	9.9%	90.1%
	Grade 8	7.7%	10.3%	17.1%	82.9%
	Grade 9	11.2%	15.6%	24.7%	75.3%
	Grade 10	13.1%	18.3%	30.2%	69.8%
	Grade 11	14.3%	20.8%	32.7%	67.3%
	Grade 12	16.9%	24.3%	37.3%	62.7%
Cocaine?					
	All	2.7%	4.1%	7.5%	92.5%
	Grade 7	1.0%	1.6%	2.4%	97.6%
	Grade 8	1.7%	2.1%	4.1%	95.9%
	Grade 9	2.7%	3.9%	6.9%	93.1%
	Grade 10	2.6%	4.0%	7.3%	92.7%
	Grade 11	4.1%	6.2%	11.3%	88.7%
	Grade 12	4.4%	7.6%	14.3%	85.7%
Crack?					
	All	0.7%	1.0%	2.1%	97.9%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	0.8%	1.2%	2.3%	97.7%
	Grade 9	0.7%	1.0%	2.4%	97.6%
	Grade 10	0.7%	0.9%	1.9%	98.1%
	Grade 11	0.7%	1.0%	2.1%	97.9%
	Grade 12	0.7%	0.9%	2.5%	97.5%
Hallucinogens?					
	All	1.7%	2.5%	4.7%	95.3%
	Grade 7	0.7%	0.8%	1.6%	98.4%
	Grade 8	1.4%	2.1%	3.8%	96.2%
	Grade 9	1.9%	2.7%	4.8%	95.2%
	Grade 10	2.2%	3.1%	6.0%	94.0%
	Grade 11	2.3%	3.6%	6.4%	93.6%
	Grade 12	1.8%	3.0%	6.1%	93.9%
Uppers?					
	All	2.8%	4.0%	6.1%	93.9%
	Grade 7	1.0%	1.2%	1.7%	98.3%
	Grade 8	1.7%	2.2%	3.6%	96.4%
	Grade 9	3.4%	4.9%	7.0%	93.0%
	Grade 10	3.2%	4.7%	7.4%	92.6%
	Grade 11	4.2%	6.1%	8.9%	91.1%
	Grade 12	3.5%	5.7%	8.9%	91.1%
Downers?					
	All	3.2%	4.6%	7.3%	92.7%
	Grade 7	1.0%	1.3%	2.0%	98.0%
	Grade 8	1.7%	2.7%	4.2%	95.8%
	Grade 9	4.0%	5.6%	8.4%	91.6%
	Grade 10	3.8%	5.5%	8.9%	91.1%
	Grade 11	4.7%	6.6%	10.7%	89.3%
	Grade 12	4.3%	6.5%	11.1%	88.9%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	2.3%	3.5%	5.8%	94.2%
	Grade 7	0.8%	1.4%	2.5%	97.5%
	Grade 8	2.1%	2.9%	4.6%	95.4%
	Grade 9	2.8%	4.2%	6.8%	93.2%
	Grade 10	2.6%	3.7%	6.1%	93.9%
	Grade 11	2.9%	4.6%	7.4%	92.6%
	Grade 12	2.5%	4.2%	7.7%	92.3%
Steroids?					
	All	0.5%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.2%	98.8%
	Grade 9	0.4%	0.5%	1.3%	98.7%
	Grade 10	0.3%	0.4%	0.8%	99.2%
	Grade 11	0.6%	0.8%	1.5%	98.5%
	Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy?					
	All	4.9%	7.1%	10.7%	89.3%
	Grade 7	2.0%	2.6%	3.9%	96.1%
	Grade 8	3.4%	4.7%	6.7%	93.3%
	Grade 9	5.3%	7.4%	11.4%	88.6%
	Grade 10	5.7%	8.0%	12.4%	87.6%
	Grade 11	6.8%	10.0%	14.6%	85.4%
	Grade 12	6.6%	11.1%	16.8%	83.2%
Heroin?					
	All	0.7%	0.9%	1.5%	98.5%
	Grade 7	0.5%	0.6%	1.4%	98.6%
	Grade 8	1.1%	1.3%	2.0%	98.0%
	Grade 9	0.9%	1.4%	2.2%	97.8%
	Grade 10	0.6%	0.8%	1.3%	98.7%
	Grade 11	0.4%	0.5%	1.1%	98.9%
	Grade 12	0.5%	0.9%	1.1%	98.9%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	78.1%	2.3%	3.1%	4.1%	4.3%	3.7%	4.3%
	Grade 7	91.3%	0.7%	1.5%	1.7%	1.8%	1.6%	1.4%
	Grade 8	84.2%	1.0%	2.9%	3.3%	3.5%	2.2%	3.0%
	Grade 9	77.8%	2.6%	3.8%	4.4%	4.3%	3.6%	3.5%
	Grade 10	72.9%	2.7%	3.7%	5.2%	5.3%	4.9%	5.4%
	Grade 11	71.1%	3.3%	3.6%	5.4%	5.4%	4.8%	6.4%
	Grade 12	67.8%	4.2%	3.4%	5.3%	6.4%	6.0%	6.9%
Cocaine?								
	All	94.1%	0.2%	0.5%	0.9%	1.4%	1.2%	1.8%
	Grade 7	98.0%	0.1%	0.1%	0.3%	0.5%	0.3%	0.6%
	Grade 8	96.2%	0.1%	0.5%	0.4%	0.9%	0.7%	1.1%
	Grade 9	94.3%	0.1%	0.6%	1.1%	1.3%	1.2%	1.4%
	Grade 10	94.2%	0.1%	0.5%	0.8%	1.4%	1.3%	1.8%
	Grade 11	91.0%	0.3%	0.5%	1.5%	1.7%	2.1%	3.0%
	Grade 12	90.0%	0.4%	0.6%	1.1%	2.6%	2.2%	3.2%
Crack?								
	All	98.3%	0.1%	0.1%	0.2%	0.4%	0.4%	0.5%
	Grade 7	98.6%	0.0%	0.2%	0.2%	0.3%	0.3%	0.3%
	Grade 8	98.1%	0.0%	0.2%	0.2%	0.4%	0.6%	0.4%
	Grade 9	98.0%	0.0%	0.2%	0.3%	0.5%	0.5%	0.5%
	Grade 10	98.5%	0.2%	0.1%	0.4%	0.3%	0.2%	0.4%
	Grade 11	98.5%	0.0%	0.0%	0.2%	0.3%	0.3%	0.7%
	Grade 12	98.3%	0.1%	0.0%	0.1%	0.3%	0.5%	0.7%
Hallucinogens?								
	All	96.1%	0.0%	0.2%	0.4%	0.9%	1.2%	1.1%
	Grade 7	99.0%	0.0%	0.1%	0.1%	0.3%	0.2%	0.2%
	Grade 8	97.0%	0.1%	0.2%	0.6%	0.8%	0.7%	0.6%
	Grade 9	95.9%	0.0%	0.4%	0.5%	0.9%	1.4%	0.9%
	Grade 10	94.7%	0.1%	0.1%	0.4%	1.4%	1.5%	1.8%
	Grade 11	94.3%	0.0%	0.2%	0.4%	1.2%	1.9%	2.0%
	Grade 12	95.3%	0.0%	0.3%	0.3%	0.8%	1.7%	1.6%
Uppers?								
	All	94.2%	0.1%	0.7%	1.0%	1.5%	1.3%	1.0%
	Grade 7	98.2%	0.0%	0.2%	0.5%	0.5%	0.4%	0.2%
	Grade 8	96.0%	0.1%	0.6%	1.0%	0.9%	0.5%	0.8%
	Grade 9	93.5%	0.1%	0.8%	1.5%	1.6%	1.7%	0.8%
	Grade 10	92.7%	0.1%	0.7%	1.3%	2.4%	1.5%	1.3%
	Grade 11	91.6%	0.1%	1.1%	1.1%	2.1%	2.1%	1.9%
	Grade 12	92.4%	0.2%	1.2%	0.7%	2.0%	2.2%	1.4%
Downers?								
	All	93.4%	0.1%	0.8%	1.2%	1.8%	1.5%	1.3%
	Grade 7	98.3%	0.1%	0.2%	0.4%	0.4%	0.4%	0.2%
	Grade 8	95.7%	0.1%	0.7%	1.0%	1.0%	0.5%	1.0%
	Grade 9	92.5%	0.2%	0.9%	1.5%	1.8%	1.9%	1.1%
	Grade 10	91.5%	0.1%	0.8%	1.6%	2.6%	1.9%	1.6%
	Grade 11	90.6%	0.2%	1.1%	1.4%	2.3%	2.0%	2.3%
	Grade 12	90.6%	0.1%	1.1%	1.3%	2.7%	2.2%	1.9%

**Border - Grades 7-12 Large
SPRING 2010**

**Table D-2: How often do you normally use...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	95.2%	0.1%	0.6%	1.1%	1.0%	1.1%	1.0%
	Grade 7	97.7%	0.1%	0.3%	0.6%	0.4%	0.5%	0.5%
	Grade 8	96.4%	0.0%	0.5%	1.0%	0.9%	0.5%	0.6%
	Grade 9	94.5%	0.1%	0.6%	1.9%	1.0%	1.2%	0.9%
	Grade 10	94.6%	0.1%	1.0%	0.9%	1.2%	1.3%	1.0%
	Grade 11	93.8%	0.0%	0.6%	1.0%	1.4%	1.5%	1.7%
	Grade 12	93.7%	0.1%	0.5%	1.0%	1.1%	2.2%	1.5%
Steroids?								
	All	99.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.1%	0.3%	0.1%	0.0%	0.1%	0.2%	0.2%
	Grade 8	99.3%	0.0%	0.1%	0.1%	0.0%	0.2%	0.1%
	Grade 9	99.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.4%
	Grade 10	99.4%	0.0%	0.1%	0.2%	0.0%	0.0%	0.2%
	Grade 11	98.8%	0.1%	0.1%	0.2%	0.2%	0.1%	0.5%
	Grade 12	98.9%	0.1%	0.0%	0.1%	0.1%	0.2%	0.5%
Ecstasy?								
	All	90.0%	0.1%	1.1%	2.0%	2.5%	2.4%	1.8%
	Grade 7	96.6%	0.2%	0.3%	0.6%	0.6%	1.0%	0.6%
	Grade 8	93.5%	0.1%	1.0%	1.7%	1.6%	1.2%	1.0%
	Grade 9	89.3%	0.2%	1.4%	2.5%	2.8%	2.3%	1.6%
	Grade 10	87.8%	0.1%	1.6%	2.3%	3.7%	2.2%	2.4%
	Grade 11	86.5%	0.1%	1.2%	2.6%	3.5%	3.5%	2.7%
	Grade 12	85.2%	0.2%	1.1%	2.5%	3.5%	4.5%	3.0%
Heroin?								
	All	98.9%	0.1%	0.2%	0.2%	0.2%	0.2%	0.3%
	Grade 7	99.0%	0.1%	0.1%	0.2%	0.1%	0.2%	0.3%
	Grade 8	98.8%	0.0%	0.2%	0.2%	0.3%	0.2%	0.2%
	Grade 9	98.4%	0.0%	0.2%	0.3%	0.3%	0.2%	0.5%
	Grade 10	99.0%	0.1%	0.2%	0.1%	0.1%	0.3%	0.3%
	Grade 11	99.1%	0.1%	0.1%	0.0%	0.0%	0.3%	0.4%
	Grade 12	99.2%	0.0%	0.1%	0.0%	0.2%	0.1%	0.3%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.8	12.3	13.1	13.8	14.4	14.9
Cocaine	11.9	12.8	13.7	14.2	14.9	15.4
Crack	11.9	12.6	13.6	14.6	14.8	15.1
Hallucinogens	12.4	12.5	13.6	14.7	15.3	16.0
Uppers	12.3	12.7	13.7	14.4	15.1	15.6
Downers	12.2	12.8	13.8	14.5	15.1	15.5
Rohypnol	12.4	12.7	13.8	14.3	14.9	15.3
Steroids	11.1	12.4	12.4	13.9	14.5	14.7
Ecstasy	12.1	12.9	14.1	14.8	15.7	16.5
Heroin	12.1	12.4	13.3	13.5	14.6	16.2

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	80.0%	0.7%	1.9%	5.3%	7.5%	4.2%	0.4%
	Grade 7	93.0%	0.4%	1.6%	4.5%	0.5%	0.0%	0.0%
	Grade 8	87.0%	0.7%	2.3%	6.9%	3.0%	0.0%	0.0%
	Grade 9	80.5%	0.9%	1.9%	6.9%	9.3%	0.5%	0.0%
	Grade 10	75.3%	0.8%	1.7%	4.4%	14.1%	3.6%	0.1%
	Grade 11	72.7%	1.1%	1.5%	4.5%	11.0%	8.8%	0.5%
	Grade 12	66.9%	0.7%	2.4%	3.6%	8.8%	15.3%	2.3%
Other family situation								
	All	65.8%	1.9%	3.8%	10.3%	11.3%	6.2%	0.7%
	Grade 7	86.1%	1.7%	4.0%	7.3%	0.6%	0.0%	0.3%
	Grade 8	73.2%	2.8%	5.0%	13.9%	5.2%	0.0%	0.0%
	Grade 9	65.7%	1.8%	3.9%	13.4%	14.4%	0.6%	0.2%
	Grade 10	58.6%	2.3%	4.5%	10.1%	18.4%	6.0%	0.0%
	Grade 11	58.3%	1.1%	2.1%	9.1%	15.7%	13.1%	0.6%
	Grade 12	52.1%	1.5%	3.2%	6.8%	13.8%	19.4%	3.1%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	24.2%	23.3%	7.1%	8.8%	12.5%	24.1%
	Grade 7	34.2%	39.9%	7.8%	5.6%	5.3%	7.3%
	Grade 8	28.7%	29.6%	8.1%	8.4%	9.6%	15.6%
	Grade 9	24.6%	22.1%	7.0%	9.1%	13.3%	23.9%
	Grade 10	18.9%	18.0%	6.4%	10.5%	16.0%	30.2%
	Grade 11	18.1%	15.0%	6.3%	9.4%	16.5%	34.7%
	Grade 12	17.9%	11.5%	7.0%	10.0%	15.9%	37.7%
Cocaine?							
	All	29.9%	28.9%	11.1%	9.8%	8.8%	11.4%
	Grade 7	38.2%	43.2%	8.4%	4.2%	2.9%	3.2%
	Grade 8	34.1%	34.6%	11.1%	7.8%	6.3%	6.0%
	Grade 9	30.8%	27.7%	11.2%	10.3%	9.1%	10.9%
	Grade 10	25.9%	25.7%	11.9%	12.5%	10.7%	13.3%
	Grade 11	24.3%	22.6%	10.8%	12.4%	12.1%	17.8%
	Grade 12	24.0%	16.3%	13.8%	13.0%	13.1%	19.7%
Crack?							
	All	34.0%	29.5%	11.6%	9.9%	7.0%	8.1%
	Grade 7	42.2%	41.3%	7.4%	3.6%	2.8%	2.8%
	Grade 8	37.2%	34.7%	11.2%	7.4%	4.8%	4.6%
	Grade 9	34.5%	28.6%	11.1%	10.2%	7.5%	8.1%
	Grade 10	29.8%	26.7%	13.0%	11.5%	9.3%	9.6%
	Grade 11	29.2%	24.3%	12.2%	12.7%	9.2%	12.4%
	Grade 12	28.7%	18.4%	15.7%	15.3%	9.1%	12.8%
Hallucinogens?							
	All	45.6%	22.1%	9.6%	8.4%	6.6%	7.7%
	Grade 7	60.2%	27.9%	5.6%	2.8%	1.6%	1.9%
	Grade 8	51.8%	25.2%	8.3%	6.4%	3.9%	4.3%
	Grade 9	45.7%	22.2%	8.9%	8.5%	7.3%	7.5%
	Grade 10	39.0%	20.7%	11.9%	10.0%	8.0%	10.5%
	Grade 11	37.5%	19.0%	10.9%	10.3%	10.0%	12.3%
	Grade 12	35.6%	15.8%	13.1%	13.9%	10.0%	11.5%
Uppers?							
	All	51.4%	18.0%	6.9%	6.9%	6.7%	10.1%
	Grade 7	64.1%	24.8%	4.6%	2.6%	1.7%	2.2%
	Grade 8	58.3%	20.9%	6.5%	4.0%	4.5%	5.8%
	Grade 9	50.2%	18.0%	6.6%	7.2%	7.6%	10.3%
	Grade 10	46.6%	15.8%	7.7%	8.5%	8.5%	12.8%
	Grade 11	43.3%	15.2%	7.1%	9.0%	9.9%	15.5%
	Grade 12	42.4%	11.5%	9.5%	11.2%	9.0%	16.4%
Downers?							
	All	51.0%	18.1%	6.7%	6.9%	6.6%	10.7%
	Grade 7	64.0%	24.7%	4.5%	2.7%	1.6%	2.5%
	Grade 8	58.1%	20.9%	6.4%	4.4%	4.4%	5.8%
	Grade 9	49.7%	18.0%	6.6%	7.4%	7.3%	11.0%
	Grade 10	46.1%	16.0%	7.7%	8.3%	7.9%	13.9%
	Grade 11	42.7%	15.2%	7.4%	8.5%	9.6%	16.5%
	Grade 12	41.8%	12.3%	8.2%	11.1%	9.9%	16.7%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	46.6%	21.2%	8.1%	6.9%	6.9%	10.3%
	Grade 7	60.6%	27.4%	4.7%	2.5%	2.2%	2.6%
	Grade 8	52.5%	25.1%	7.0%	5.0%	4.3%	6.1%
	Grade 9	44.7%	21.5%	8.4%	7.2%	7.6%	10.6%
	Grade 10	40.4%	19.7%	10.0%	8.2%	7.8%	14.0%
	Grade 11	39.6%	17.7%	9.1%	8.3%	10.3%	15.1%
	Grade 12	38.8%	14.1%	10.2%	11.0%	10.5%	15.4%
Steroids?							
	All	36.5%	31.3%	11.4%	8.7%	5.5%	6.6%
	Grade 7	42.9%	41.1%	7.7%	3.6%	2.1%	2.5%
	Grade 8	40.1%	35.7%	10.5%	5.7%	4.0%	4.0%
	Grade 9	36.8%	31.7%	11.2%	9.1%	5.6%	5.7%
	Grade 10	32.5%	30.2%	12.5%	10.3%	6.7%	7.9%
	Grade 11	31.6%	25.2%	12.2%	12.2%	8.4%	10.5%
	Grade 12	33.2%	21.1%	15.4%	12.7%	7.1%	10.6%
Ecstasy?							
	All	36.9%	22.1%	7.5%	7.6%	9.0%	17.0%
	Grade 7	56.0%	28.8%	5.9%	2.9%	2.4%	3.9%
	Grade 8	45.7%	25.8%	7.3%	6.6%	6.0%	8.6%
	Grade 9	34.8%	22.5%	7.9%	8.2%	9.5%	17.0%
	Grade 10	27.9%	20.6%	8.4%	9.0%	11.5%	22.6%
	Grade 11	26.9%	18.4%	7.4%	8.4%	12.8%	26.0%
	Grade 12	25.5%	14.5%	8.3%	10.8%	13.2%	27.6%
Heroin?							
	All	41.9%	29.2%	10.6%	7.4%	4.6%	6.3%
	Grade 7	51.3%	36.0%	5.8%	2.8%	1.6%	2.4%
	Grade 8	45.2%	32.9%	9.0%	5.4%	3.5%	4.0%
	Grade 9	42.1%	28.0%	10.8%	7.7%	5.1%	6.3%
	Grade 10	37.1%	28.1%	12.5%	8.6%	6.2%	7.5%
	Grade 11	36.7%	26.4%	11.7%	10.4%	5.9%	9.0%
	Grade 12	36.7%	22.3%	14.9%	10.5%	6.0%	9.6%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	89.6%	6.0%	1.9%	2.4%
Grade 7	94.8%	3.7%	1.0%	0.5%
Grade 8	91.4%	5.8%	1.5%	1.4%
Grade 9	88.8%	6.9%	1.8%	2.5%
Grade 10	88.0%	6.4%	2.0%	3.6%
Grade 11	86.7%	7.5%	2.4%	3.4%
Grade 12	87.1%	6.2%	2.9%	3.8%
Attended class while high from use of some other drug?				
All	93.6%	4.3%	1.1%	1.0%
Grade 7	96.6%	2.4%	0.4%	0.5%
Grade 8	94.3%	4.1%	0.7%	0.8%
Grade 9	92.2%	5.6%	1.2%	1.1%
Grade 10	92.1%	4.8%	1.6%	1.5%
Grade 11	93.3%	4.4%	1.1%	1.2%
Grade 12	92.7%	4.6%	1.7%	1.1%
Gotten into trouble with teachers because of your drug use?				
All	98.0%	1.4%	0.2%	0.4%
Grade 7	98.6%	1.0%	0.2%	0.2%
Grade 8	97.8%	1.6%	0.1%	0.5%
Grade 9	97.4%	2.0%	0.2%	0.4%
Grade 10	98.1%	1.4%	0.2%	0.3%
Grade 11	98.4%	1.1%	0.2%	0.2%
Grade 12	97.9%	1.2%	0.3%	0.6%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.7
Marijuana Non-use	3.5
Average days conduct problems reported	
Marijuana Users:	4.6
Marijuana Non-use	1.3

**Border - Grades 7-12 Large
SPRING 2010**

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.8%	6.0%	1.4%	1.7%
Grade 9	94.3%	4.0%	0.9%	0.8%
Grade 10	92.0%	5.7%	1.3%	0.9%
Grade 11	90.5%	5.9%	1.3%	2.3%
Grade 12	85.7%	8.9%	2.3%	3.1%
Gotten into trouble with the police because of drug use?				
All	97.2%	2.3%	0.2%	0.3%
Grade 7	98.6%	1.1%	0.1%	0.1%
Grade 8	96.9%	2.4%	0.4%	0.3%
Grade 9	96.8%	2.6%	0.3%	0.3%
Grade 10	97.2%	2.4%	0.2%	0.2%
Grade 11	97.0%	2.4%	0.2%	0.4%
Grade 12	96.3%	2.9%	0.2%	0.7%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	48.7%	19.6%	13.6%	12.6%	5.4%
Grade 7	73.6%	13.5%	6.1%	4.7%	2.1%
Grade 8	57.0%	17.6%	11.6%	9.6%	4.1%
Grade 9	46.9%	20.0%	15.1%	12.5%	5.6%
Grade 10	38.4%	23.2%	15.9%	16.1%	6.3%
Grade 11	37.4%	21.9%	17.1%	16.4%	7.3%
Grade 12	33.9%	22.9%	17.2%	18.2%	7.8%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.5%	5.3%	0.7%	0.5%
Grade 7	96.2%	2.8%	0.8%	0.2%
Grade 8	93.8%	5.1%	0.6%	0.5%
Grade 9	92.7%	5.9%	0.9%	0.5%
Grade 10	91.8%	6.7%	1.0%	0.5%
Grade 11	92.9%	6.2%	0.6%	0.4%
Grade 12	93.6%	5.1%	0.6%	0.7%
Been criticized by someone you were dating because of drug use?				
All	92.8%	5.6%	0.8%	0.8%
Grade 7	96.5%	2.9%	0.2%	0.3%
Grade 8	94.3%	4.3%	0.7%	0.6%
Grade 9	92.4%	6.0%	0.9%	0.7%
Grade 10	90.6%	7.5%	1.3%	0.7%
Grade 11	91.3%	6.8%	0.6%	1.3%
Grade 12	91.0%	6.6%	1.2%	1.2%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	54.0%	9.2%	6.5%	7.7%	10.2%	3.3%	9.0%
Grade 7	77.1%	5.2%	2.9%	2.5%	2.0%	2.8%	7.5%
Grade 8	67.0%	8.7%	4.6%	4.8%	4.8%	2.7%	7.4%
Grade 9	55.1%	10.2%	6.7%	7.3%	8.4%	3.7%	8.5%
Grade 10	46.0%	10.8%	7.7%	10.2%	12.9%	3.2%	9.2%
Grade 11	39.1%	10.3%	7.8%	10.4%	16.3%	3.8%	12.2%
Grade 12	33.5%	10.7%	10.0%	12.8%	19.5%	3.7%	9.8%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.2%	6.6%	4.7%	5.3%	3.4%	0.8%
	Grade 7	90.9%	2.9%	2.1%	2.1%	1.5%	0.5%
	Grade 8	83.1%	4.7%	3.9%	4.6%	2.6%	1.0%
	Grade 9	78.4%	6.0%	5.2%	5.6%	3.9%	0.9%
	Grade 10	74.4%	8.6%	5.6%	6.7%	3.6%	1.1%
	Grade 11	74.0%	8.8%	5.4%	6.2%	4.6%	1.0%
	Grade 12	71.6%	10.0%	6.0%	7.3%	4.5%	0.6%
Blunts?	All	81.5%	6.2%	4.5%	4.0%	3.0%	0.8%
	Grade 7	92.7%	2.1%	2.0%	1.5%	1.2%	0.6%
	Grade 8	86.5%	3.9%	3.8%	3.1%	1.9%	0.9%
	Grade 9	80.7%	6.4%	5.0%	4.0%	2.9%	0.9%
	Grade 10	76.9%	7.8%	5.6%	5.6%	3.2%	1.0%
	Grade 11	76.5%	7.7%	4.9%	5.3%	4.6%	1.1%
	Grade 12	72.8%	10.4%	5.9%	5.3%	5.0%	0.6%
Bongs or water pipes?	All	84.8%	5.9%	3.2%	3.0%	2.4%	0.7%
	Grade 7	94.4%	1.7%	1.3%	1.2%	0.8%	0.5%
	Grade 8	89.4%	3.6%	2.5%	2.3%	1.5%	0.8%
	Grade 9	84.4%	5.4%	3.8%	3.2%	2.3%	0.9%
	Grade 10	80.6%	8.1%	3.7%	4.0%	2.8%	0.8%
	Grade 11	80.2%	7.3%	4.1%	4.0%	3.5%	0.9%
	Grade 12	77.0%	10.5%	4.2%	3.9%	3.8%	0.5%
Pipes?	All	83.3%	5.4%	3.5%	4.1%	3.1%	0.6%
	Grade 7	92.9%	2.2%	1.7%	1.6%	1.1%	0.5%
	Grade 8	87.8%	3.6%	2.9%	2.8%	2.1%	0.8%
	Grade 9	82.7%	5.2%	4.0%	4.1%	3.3%	0.7%
	Grade 10	80.3%	6.7%	3.7%	5.0%	3.6%	0.7%
	Grade 11	78.9%	6.6%	3.9%	5.5%	4.4%	0.8%
	Grade 12	74.6%	9.0%	5.0%	6.3%	4.8%	0.4%
Some other way?	All	86.4%	5.3%	2.1%	1.9%	2.4%	1.9%
	Grade 7	94.3%	1.6%	0.9%	1.1%	1.1%	1.0%
	Grade 8	89.8%	3.0%	1.9%	1.8%	1.7%	1.8%
	Grade 9	86.0%	4.8%	2.3%	2.3%	2.6%	1.9%
	Grade 10	82.8%	7.5%	2.1%	2.2%	2.8%	2.5%
	Grade 11	82.4%	7.5%	2.1%	2.1%	3.4%	2.4%
	Grade 12	81.3%	8.5%	3.3%	2.0%	2.9%	2.0%

Border - Grades 7-12 Large
SPRING 2010

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	81.6%	4.0%	3.6%	0.9%	1.3%	8.6%
Grade 7	81.7%	2.2%	1.9%	0.5%	1.1%	12.6%
Grade 8	81.4%	3.0%	2.7%	0.9%	1.4%	10.6%
Grade 9	82.4%	3.8%	3.3%	1.1%	1.4%	8.0%
Grade 10	82.3%	4.7%	3.6%	1.1%	1.3%	7.0%
Grade 11	81.0%	5.4%	5.1%	0.9%	1.4%	6.3%
Grade 12	80.2%	5.9%	5.5%	0.9%	1.2%	6.2%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	63.1%	14.7%	9.5%	7.9%	4.8%
	Grade 7	80.1%	8.9%	4.0%	2.2%	4.8%
	Grade 8	69.2%	12.4%	7.2%	5.2%	6.0%
	Grade 9	61.9%	15.7%	9.2%	7.9%	5.3%
	Grade 10	57.1%	16.8%	12.1%	9.3%	4.7%
	Grade 11	53.7%	17.8%	12.6%	12.0%	3.9%
	Grade 12	52.9%	18.0%	12.9%	12.1%	4.0%
Cocaine?						
	All	81.6%	9.7%	2.2%	1.1%	5.4%
	Grade 7	85.2%	6.7%	2.0%	0.7%	5.4%
	Grade 8	81.3%	8.8%	2.1%	1.4%	6.3%
	Grade 9	80.5%	10.1%	2.2%	1.2%	6.0%
	Grade 10	80.9%	10.6%	1.9%	1.3%	5.2%
	Grade 11	78.8%	12.7%	2.5%	1.4%	4.6%
	Grade 12	82.9%	10.0%	2.3%	0.5%	4.3%
Crack?						
	All	83.1%	8.4%	1.7%	1.0%	5.8%
	Grade 7	84.9%	6.5%	1.5%	1.0%	6.1%
	Grade 8	81.8%	8.4%	2.1%	1.1%	6.7%
	Grade 9	81.5%	9.1%	2.1%	1.2%	6.1%
	Grade 10	83.1%	9.3%	1.5%	0.8%	5.3%
	Grade 11	82.2%	9.8%	1.9%	1.2%	4.8%
	Grade 12	85.4%	7.7%	1.1%	0.5%	5.3%
Ecstasy?						
	All	75.4%	12.1%	4.0%	1.9%	6.6%
	Grade 7	80.9%	6.6%	2.9%	1.1%	8.5%
	Grade 8	76.3%	9.8%	3.7%	2.2%	8.0%
	Grade 9	73.6%	13.5%	4.0%	2.3%	6.6%
	Grade 10	72.5%	14.8%	4.9%	2.0%	5.8%
	Grade 11	73.5%	14.6%	4.8%	2.2%	4.8%
	Grade 12	75.3%	14.2%	4.1%	1.4%	5.0%
Steroids?						
	All	76.2%	12.2%	3.4%	1.5%	6.8%
	Grade 7	79.5%	9.4%	2.7%	1.5%	6.9%
	Grade 8	76.9%	10.7%	3.1%	1.3%	8.0%
	Grade 9	75.3%	13.9%	2.9%	1.7%	6.2%
	Grade 10	74.6%	13.5%	3.9%	1.4%	6.6%
	Grade 11	73.6%	13.5%	4.4%	1.7%	6.7%
	Grade 12	76.8%	12.2%	3.8%	1.2%	5.9%
Heroin?						
	All	84.5%	6.7%	1.3%	0.9%	6.7%
	Grade 7	84.4%	5.8%	1.3%	0.9%	7.7%
	Grade 8	82.4%	7.0%	1.7%	1.0%	7.9%
	Grade 9	83.1%	7.6%	1.3%	1.0%	6.9%
	Grade 10	85.4%	6.6%	1.2%	0.8%	6.1%
	Grade 11	84.4%	7.5%	1.3%	1.0%	5.8%
	Grade 12	88.4%	5.3%	0.8%	0.5%	5.1%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-15: How recently, if ever, have you taken...

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	1.0%	1.5%	3.0%	97.0%
Grade 7	1.1%	1.4%	2.4%	97.6%
Grade 8	1.3%	1.7%	3.3%	96.7%
Grade 9	0.9%	1.4%	3.1%	96.9%
Grade 10	0.7%	1.4%	2.8%	97.2%
Grade 11	0.7%	1.3%	3.1%	96.9%
Grade 12	1.0%	1.6%	3.6%	96.4%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...

		Past Month	School Year	Ever Used	Never Used
Codeine?					
	All	4.7%	7.5%	10.5%	89.5%
	Grade 7	2.7%	3.9%	5.5%	94.5%
	Grade 8	4.2%	5.7%	7.9%	92.1%
	Grade 9	5.4%	8.2%	11.1%	88.9%
	Grade 10	5.2%	9.4%	12.9%	87.1%
	Grade 11	5.7%	8.9%	12.8%	87.2%
	Grade 12	5.4%	9.6%	14.1%	85.9%
Oxycontin, Percodan or Percocet?					
	All	0.8%	1.4%	2.1%	97.9%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.7%	1.0%	1.6%	98.4%
	Grade 9	1.1%	1.7%	2.4%	97.6%
	Grade 10	0.8%	1.5%	2.2%	97.8%
	Grade 11	0.9%	2.0%	3.0%	97.0%
	Grade 12	1.0%	1.7%	2.9%	97.1%
Vicodin, Lortab or Lorcet?					
	All	1.1%	1.9%	2.8%	97.2%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.5%	1.1%	1.5%	98.5%
	Grade 9	1.2%	1.8%	2.4%	97.6%
	Grade 10	1.0%	1.8%	3.0%	97.0%
	Grade 11	1.7%	3.0%	4.2%	95.8%
	Grade 12	2.3%	3.6%	5.6%	94.4%
Valium or Diazepam?					
	All	0.8%	1.2%	1.8%	98.2%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.8%	1.2%	98.8%
	Grade 9	1.0%	1.3%	1.9%	98.1%
	Grade 10	0.6%	1.0%	1.6%	98.4%
	Grade 11	0.9%	1.7%	2.7%	97.3%
	Grade 12	1.5%	2.1%	2.9%	97.1%
Xanax or Alprazolam?					
	All	1.5%	2.6%	3.6%	96.4%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.3%	2.0%	98.0%
	Grade 9	1.6%	2.6%	3.6%	96.4%
	Grade 10	1.5%	2.9%	4.3%	95.7%
	Grade 11	2.2%	3.9%	5.7%	94.3%
	Grade 12	2.9%	4.8%	6.2%	93.8%

**Border - Grades 7-12 Large
SPRING 2010**

Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	2.0%	3.0%	4.8%	95.2%
	Grade 7	1.9%	2.5%	3.7%	96.3%
	Grade 8	2.0%	3.1%	4.8%	95.2%
	Grade 9	2.7%	3.6%	5.7%	94.3%
	Grade 10	2.4%	3.5%	5.6%	94.4%
	Grade 11	1.4%	2.5%	4.4%	95.6%
	Grade 12	1.8%	2.6%	4.4%	95.6%

**Border - Grades 7-12 Large
SPRING 2010**

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Spray paint?					
	All	1.4%	2.2%	5.5%	94.5%
	Grade 7	1.8%	2.7%	6.3%	93.7%
	Grade 8	2.1%	3.1%	6.7%	93.3%
	Grade 9	1.6%	2.8%	6.6%	93.4%
	Grade 10	1.4%	1.9%	5.4%	94.6%
	Grade 11	0.7%	1.1%	4.3%	95.7%
	Grade 12	0.8%	1.0%	3.1%	96.9%
Whiteout,correction fld?					
	All	3.2%	4.8%	10.2%	89.8%
	Grade 7	5.1%	7.2%	13.9%	86.1%
	Grade 8	5.2%	7.6%	14.6%	85.4%
	Grade 9	3.8%	5.4%	10.7%	89.3%
	Grade 10	1.9%	3.5%	9.1%	90.9%
	Grade 11	1.7%	2.5%	7.1%	92.9%
	Grade 12	0.8%	1.5%	3.9%	96.1%
Computer dusting sprays?					
	All	1.6%	2.8%	5.2%	94.8%
	Grade 7	1.1%	1.6%	2.7%	97.3%
	Grade 8	1.3%	2.2%	4.0%	96.0%
	Grade 9	2.1%	3.5%	6.2%	93.8%
	Grade 10	1.5%	2.6%	5.2%	94.8%
	Grade 11	1.8%	2.8%	6.4%	93.6%
	Grade 12	2.2%	3.9%	6.9%	93.1%
Helium,butane,propane,whippets,freon?					
	All	2.8%	4.3%	8.4%	91.6%
	Grade 7	3.0%	4.0%	7.7%	92.3%
	Grade 8	3.4%	4.6%	8.6%	91.4%
	Grade 9	3.0%	4.7%	8.9%	91.1%
	Grade 10	2.6%	4.2%	8.5%	91.5%
	Grade 11	2.3%	4.0%	8.2%	91.8%
	Grade 12	2.6%	4.4%	8.3%	91.7%
Glue?					
	All	0.7%	1.1%	2.5%	97.5%
	Grade 7	1.3%	1.8%	3.9%	96.1%
	Grade 8	0.8%	1.5%	3.2%	96.8%
	Grade 9	1.1%	1.5%	3.0%	97.0%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.3%	0.5%	1.5%	98.5%
	Grade 12	0.4%	0.5%	1.3%	98.7%
Toluene,paint thinner,other solvents?					
	All	0.8%	1.2%	2.3%	97.7%
	Grade 7	0.9%	1.5%	2.4%	97.6%
	Grade 8	1.1%	1.6%	2.9%	97.1%
	Grade 9	0.9%	1.3%	3.1%	96.9%
	Grade 10	0.8%	1.2%	2.2%	97.8%
	Grade 11	0.6%	0.9%	1.9%	98.1%
	Grade 12	0.4%	0.7%	1.3%	98.7%

**Border - Grades 7-12 Large
SPRING 2010**

Table I-1: How recently, if ever, have you used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Gasoline,octane booster,carburetor cleaner?				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	2.0%	2.5%	4.4%	95.6%
Grade 8	2.0%	3.1%	5.1%	94.9%
Grade 9	1.5%	2.1%	4.2%	95.8%
Grade 10	0.6%	1.4%	3.6%	96.4%
Grade 11	0.7%	1.2%	2.7%	97.3%
Grade 12	0.4%	0.7%	1.4%	98.6%
Other aerosols/sprays?				
All	1.3%	1.9%	4.1%	95.9%
Grade 7	2.3%	3.0%	5.6%	94.4%
Grade 8	2.0%	2.6%	5.2%	94.8%
Grade 9	1.6%	2.6%	4.8%	95.2%
Grade 10	0.8%	1.1%	3.6%	96.4%
Grade 11	0.8%	1.1%	2.6%	97.4%
Grade 12	0.4%	0.6%	1.9%	98.1%
Any inhalant?				
All	7.4%	10.5%	19.0%	81.0%
Grade 7	9.7%	12.7%	21.2%	78.8%
Grade 8	10.1%	13.3%	22.2%	77.8%
Grade 9	8.3%	11.4%	20.2%	79.8%
Grade 10	6.1%	9.4%	18.0%	82.0%
Grade 11	4.7%	7.9%	16.6%	83.4%
Grade 12	4.2%	7.4%	14.5%	85.5%

**Border - Grades 7-12 Large
SPRING 2010**

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.5%	0.2%	0.5%	1.0%	1.4%	1.5%	2.7%
Grade 7	91.4%	0.4%	1.2%	1.2%	1.8%	1.3%	2.7%
Grade 8	90.4%	0.4%	0.6%	1.9%	2.2%	2.1%	2.5%
Grade 9	91.4%	0.3%	0.7%	1.2%	1.6%	2.2%	2.7%
Grade 10	93.5%	0.1%	0.2%	0.6%	1.2%	1.3%	3.0%
Grade 11	93.6%	0.1%	0.2%	0.5%	0.8%	1.3%	3.4%
Grade 12	96.0%	0.1%	0.1%	0.3%	0.6%	0.8%	2.2%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	81.2%	8.8%	6.9%	3.0%
Grade 7	79.1%	9.7%	7.6%	3.6%
Grade 8	78.0%	9.9%	8.0%	4.1%
Grade 9	80.0%	9.1%	7.3%	3.6%
Grade 10	82.2%	8.4%	6.4%	3.0%
Grade 11	83.5%	7.9%	6.7%	1.9%
Grade 12	85.7%	7.5%	5.2%	1.6%

**Border - Grades 7-12 Large
SPRING 2010**

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.1	11.8	12.6	12.9	13.9	14.4

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.2%	1.9%	0.5%	0.3%
Grade 7	97.0%	2.2%	0.6%	0.2%
Grade 8	96.7%	2.1%	0.5%	0.6%
Grade 9	96.4%	2.7%	0.6%	0.3%
Grade 10	97.2%	2.1%	0.3%	0.4%
Grade 11	98.3%	1.2%	0.3%	0.2%
Grade 12	98.2%	1.0%	0.5%	0.3%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.5
Inhalants Non-use	3.6
Average days conduct problems reported	
Inhalants Users:	4.1
Inhalants Non-use	1.6

**Border - Grades 7-12 Large
SPRING 2010**

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	76.6%	14.4%	5.9%	2.2%	0.9%
Grade 7	80.8%	11.4%	4.8%	2.2%	0.9%
Grade 8	75.0%	15.0%	6.5%	2.4%	1.1%
Grade 9	73.7%	16.2%	6.6%	2.4%	1.0%
Grade 10	75.1%	15.9%	6.2%	2.1%	0.7%
Grade 11	75.9%	15.1%	6.5%	1.8%	0.7%
Grade 12	79.5%	12.6%	4.9%	2.1%	0.9%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	72.2%	14.8%	4.8%	1.7%	6.4%
Grade 7	72.7%	12.9%	6.1%	1.9%	6.4%
Grade 8	70.1%	14.2%	5.2%	2.5%	7.9%
Grade 9	70.1%	16.0%	5.2%	1.9%	6.7%
Grade 10	70.8%	16.9%	5.0%	1.5%	5.8%
Grade 11	73.7%	15.2%	4.3%	1.2%	5.5%
Grade 12	76.9%	13.8%	2.8%	0.8%	5.7%

**Border - Grades 7-12 Large
SPRING 2010**

Table I-9: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Inhalants?							
	All	32.5%	17.1%	4.5%	6.8%	9.9%	29.1%
	Grade 7	38.2%	25.6%	4.7%	5.1%	6.3%	20.1%
	Grade 8	34.6%	20.6%	5.3%	6.0%	9.4%	24.2%
	Grade 9	32.6%	17.1%	4.5%	8.0%	10.3%	27.5%
	Grade 10	29.6%	14.6%	4.5%	6.7%	11.0%	33.6%
	Grade 11	28.4%	12.9%	4.4%	7.9%	11.3%	35.1%
	Grade 12	30.3%	10.1%	3.6%	7.1%	12.0%	37.0%

**Border - Grades 7-12 Large
SPRING 2010**

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A school health class	All	52.8%
	Grade 7	46.9%
	Grade 8	56.3%
	Grade 9	51.7%
	Grade 10	55.5%
	Grade 11	55.9%
	Grade 12	50.9%
An assembly program	All	53.6%
	Grade 7	56.5%
	Grade 8	60.2%
	Grade 9	54.0%
	Grade 10	49.8%
	Grade 11	49.7%
	Grade 12	50.1%
Guidance counselor	All	39.0%
	Grade 7	47.6%
	Grade 8	47.2%
	Grade 9	37.4%
	Grade 10	33.2%
	Grade 11	34.4%
	Grade 12	32.3%
Science class	All	34.1%
	Grade 7	31.6%
	Grade 8	32.2%
	Grade 9	39.8%
	Grade 10	35.1%
	Grade 11	34.5%
	Grade 12	30.6%
Social studies class	All	19.3%
	Grade 7	17.8%
	Grade 8	18.0%
	Grade 9	21.7%
	Grade 10	20.0%
	Grade 11	20.3%
	Grade 12	18.0%
Student group session	All	20.6%
	Grade 7	17.2%
	Grade 8	19.1%
	Grade 9	20.8%
	Grade 10	20.4%
	Grade 11	23.1%
	Grade 12	23.3%

Border - Grades 7-12 Large
SPRING 2010

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY		Yes
An invited school guest	All	44.2%
	Grade 7	47.7%
	Grade 8	50.2%
	Grade 9	41.2%
	Grade 10	41.0%
	Grade 11	42.3%
	Grade 12	41.8%
Another source at school	All	38.3%
	Grade 7	35.7%
	Grade 8	37.9%
	Grade 9	40.1%
	Grade 10	38.6%
	Grade 11	38.9%
	Grade 12	38.6%
Any school source	All	63.4%
	Grade 7	63.5%
	Grade 8	66.7%
	Grade 9	62.2%
	Grade 10	64.4%
	Grade 11	64.8%
	Grade 12	58.6%

**Border - Grades 7-12 Large
SPRING 2010**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY		Yes
Counselor/program in-school	All	41.4%
	Grade 7	55.6%
	Grade 8	44.8%
	Grade 9	40.5%
	Grade 10	34.7%
	Grade 11	34.8%
	Grade 12	35.1%
Another adult in school	All	40.5%
	Grade 7	47.4%
	Grade 8	40.9%
	Grade 9	40.0%
	Grade 10	38.6%
	Grade 11	37.4%
	Grade 12	37.4%
Counselor/program outside-school	All	39.1%
	Grade 7	43.3%
	Grade 8	39.4%
	Grade 9	39.9%
	Grade 10	36.9%
	Grade 11	36.9%
	Grade 12	37.5%
Your parents	All	61.8%
	Grade 7	67.4%
	Grade 8	62.1%
	Grade 9	61.5%
	Grade 10	59.5%
	Grade 11	59.9%
	Grade 12	59.5%
A medical doctor	All	48.1%
	Grade 7	55.4%
	Grade 8	48.1%
	Grade 9	46.7%
	Grade 10	45.1%
	Grade 11	46.1%
	Grade 12	46.1%
Your friends	All	66.5%
	Grade 7	57.3%
	Grade 8	62.9%
	Grade 9	67.5%
	Grade 10	69.8%
	Grade 11	71.3%
	Grade 12	71.8%

**Border - Grades 7-12 Large
SPRING 2010**

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult	All	61.2%
	Grade 7	60.4%
	Grade 8	60.2%
	Grade 9	62.5%
	Grade 10	60.6%
	Grade 11	62.7%
	Grade 12	60.8%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	11.0%
	Grade 7	9.3%
	Grade 8	11.4%
	Grade 9	12.6%
	Grade 10	11.5%
	Grade 11	10.8%
	Grade 12	10.3%

**Border - Grades 7-12 Large
SPRING 2010**

Table X-4: About how many of your friends:

		None	A Few	Some	Most	ALL
Feel close to their parents?						
	All	7.0%	28.3%	26.0%	29.7%	9.0%
	Grade 7	10.8%	27.7%	21.5%	27.3%	12.7%
	Grade 8	8.0%	28.7%	24.7%	28.0%	10.7%
	Grade 9	7.4%	27.7%	27.8%	28.8%	8.4%
	Grade 10	6.0%	27.7%	28.7%	29.8%	7.9%
	Grade 11	4.9%	28.3%	27.2%	32.0%	7.6%
	Grade 12	4.1%	30.1%	26.3%	33.4%	6.0%
Sometimes carry weapons?						
	All	73.5%	16.4%	7.0%	2.1%	1.0%
	Grade 7	82.1%	12.2%	4.1%	1.1%	0.5%
	Grade 8	75.3%	16.0%	6.0%	1.8%	0.9%
	Grade 9	69.6%	18.9%	8.3%	2.1%	1.2%
	Grade 10	72.8%	16.8%	6.8%	2.6%	0.9%
	Grade 11	71.4%	16.4%	8.6%	2.6%	1.1%
	Grade 12	68.9%	18.2%	9.0%	2.5%	1.4%
Care about making good grades?						
	All	4.3%	16.2%	24.2%	37.8%	17.5%
	Grade 7	5.0%	18.2%	22.4%	32.4%	22.1%
	Grade 8	5.0%	17.2%	23.8%	33.9%	20.2%
	Grade 9	4.5%	17.2%	27.1%	36.4%	14.8%
	Grade 10	3.9%	14.9%	25.4%	40.3%	15.5%
	Grade 11	3.7%	14.5%	22.0%	42.6%	17.2%
	Grade 12	3.2%	14.3%	24.1%	43.4%	15.0%
Belong/want to belong to a gang?						
	All	65.5%	19.2%	9.2%	4.4%	1.6%
	Grade 7	69.5%	17.8%	7.5%	3.5%	1.6%
	Grade 8	62.3%	20.6%	10.3%	5.0%	1.7%
	Grade 9	61.1%	21.0%	11.0%	5.2%	1.6%
	Grade 10	66.3%	18.7%	9.7%	3.8%	1.5%
	Grade 11	67.2%	18.7%	8.3%	4.4%	1.4%
	Grade 12	67.6%	18.2%	8.2%	4.3%	1.7%
Wish they could drop out of school?						
	All	59.2%	26.7%	9.1%	3.3%	1.7%
	Grade 7	69.7%	19.9%	6.1%	2.7%	1.7%
	Grade 8	60.3%	24.9%	9.1%	3.7%	1.9%
	Grade 9	55.0%	27.8%	11.8%	3.7%	1.7%
	Grade 10	53.2%	32.5%	9.3%	3.3%	1.7%
	Grade 11	55.6%	29.2%	9.9%	3.7%	1.5%
	Grade 12	60.9%	26.5%	8.5%	2.5%	1.7%

**Border - Grades 7-12 Large
SPRING 2010**

Table X-5: How safe do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	82.7%	14.8%	0.9%	0.4%	1.1%
	Grade 7	83.5%	13.9%	0.9%	0.4%	1.2%
	Grade 8	81.2%	16.0%	0.9%	0.3%	1.6%
	Grade 9	80.4%	16.7%	1.1%	0.4%	1.3%
	Grade 10	82.7%	15.1%	0.9%	0.3%	1.0%
	Grade 11	83.5%	14.2%	0.9%	0.5%	0.9%
	Grade 12	85.7%	12.5%	0.8%	0.3%	0.6%
Out in your neighborhood?						
	All	36.7%	49.3%	9.1%	2.3%	2.5%
	Grade 7	33.0%	50.0%	10.6%	2.4%	3.9%
	Grade 8	34.1%	49.7%	10.4%	2.5%	3.3%
	Grade 9	36.2%	50.4%	8.9%	2.0%	2.4%
	Grade 10	37.7%	49.9%	8.0%	2.1%	2.2%
	Grade 11	39.6%	47.9%	8.4%	2.5%	1.6%
	Grade 12	40.9%	47.7%	8.1%	2.4%	1.0%
At school?						
	All	41.3%	44.3%	7.8%	3.4%	3.1%
	Grade 7	50.3%	38.2%	5.9%	2.4%	3.2%
	Grade 8	47.3%	38.5%	7.0%	2.9%	4.2%
	Grade 9	37.1%	46.5%	8.9%	3.7%	3.7%
	Grade 10	36.5%	48.3%	8.4%	4.1%	2.6%
	Grade 11	37.1%	46.8%	9.7%	3.6%	2.7%
	Grade 12	38.2%	49.0%	6.9%	3.9%	2.0%

2. Prevalence Tables

Border - Grades 7-12 Large
SPRING 2010

**Border - Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.0%	19.0%	32.6%	67.4%
	Grade 7	5.1%	7.2%	15.6%	84.4%
	Grade 8	9.5%	12.9%	26.3%	73.7%
	Grade 9	12.4%	17.1%	31.0%	69.0%
	Grade 10	15.6%	21.6%	36.8%	63.2%
	Grade 11	18.6%	25.0%	41.4%	58.6%
	Grade 12	25.7%	33.7%	48.7%	51.3%
Alcohol					
	All	30.4%	39.8%	61.5%	38.5%
	Grade 7	16.7%	21.7%	43.1%	56.9%
	Grade 8	23.9%	31.2%	55.2%	44.8%
	Grade 9	30.9%	40.0%	61.7%	38.3%
	Grade 10	34.7%	46.4%	69.0%	31.0%
	Grade 11	35.3%	48.0%	70.1%	29.9%
	Grade 12	44.0%	55.3%	73.6%	26.4%
Inhalants					
	All	7.4%	10.5%	19.0%	81.0%
	Grade 7	9.7%	12.7%	21.2%	78.8%
	Grade 8	10.1%	13.3%	22.2%	77.8%
	Grade 9	8.3%	11.4%	20.2%	79.8%
	Grade 10	6.1%	9.4%	18.0%	82.0%
	Grade 11	4.7%	7.9%	16.6%	83.4%
	Grade 12	4.2%	7.4%	14.5%	85.5%
Any Illicit Drug					
	All	14.2%	18.7%	28.0%	72.0%
	Grade 7	6.6%	8.3%	12.8%	87.2%
	Grade 8	10.8%	13.8%	20.5%	79.5%
	Grade 9	14.4%	18.7%	28.0%	72.0%
	Grade 10	16.4%	22.0%	33.7%	66.3%
	Grade 11	17.7%	24.4%	35.7%	64.3%
	Grade 12	20.9%	27.6%	40.7%	59.3%
Marijuana					
	All	11.0%	15.5%	24.7%	75.3%
	Grade 7	4.4%	6.0%	9.9%	90.1%
	Grade 8	7.7%	10.3%	17.1%	82.9%
	Grade 9	11.2%	15.6%	24.7%	75.3%
	Grade 10	13.1%	18.3%	30.2%	69.8%
	Grade 11	14.3%	20.8%	32.7%	67.3%
	Grade 12	16.9%	24.3%	37.3%	62.7%
Marijuana Only					
	All	3.4%	5.0%	9.8%	90.2%
	Grade 7	1.5%	2.1%	4.3%	95.7%
	Grade 8	2.7%	3.6%	7.2%	92.8%
	Grade 9	3.0%	4.6%	9.2%	90.8%
	Grade 10	4.5%	6.8%	13.2%	86.8%
	Grade 11	4.1%	6.5%	12.7%	87.3%
	Grade 12	4.8%	7.3%	13.8%	86.2%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.9%	4.4%	7.9%	92.1%
	Grade 7	1.4%	2.0%	2.9%	97.1%
	Grade 8	2.0%	2.6%	4.9%	95.1%
	Grade 9	3.0%	4.2%	7.5%	92.5%
	Grade 10	2.8%	4.2%	7.5%	92.5%
	Grade 11	4.3%	6.4%	11.5%	88.5%
	Grade 12	4.6%	7.8%	14.5%	85.5%
Cocaine					
	All	2.7%	4.1%	7.5%	92.5%
	Grade 7	1.0%	1.6%	2.4%	97.6%
	Grade 8	1.7%	2.1%	4.1%	95.9%
	Grade 9	2.7%	3.9%	6.9%	93.1%
	Grade 10	2.6%	4.0%	7.3%	92.7%
	Grade 11	4.1%	6.2%	11.3%	88.7%
	Grade 12	4.4%	7.6%	14.3%	85.7%
Crack					
	All	0.7%	1.0%	2.1%	97.9%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	0.8%	1.2%	2.3%	97.7%
	Grade 9	0.7%	1.0%	2.4%	97.6%
	Grade 10	0.7%	0.9%	1.9%	98.1%
	Grade 11	0.7%	1.0%	2.1%	97.9%
	Grade 12	0.7%	0.9%	2.5%	97.5%
Hallucinogens					
	All	1.7%	2.5%	4.7%	95.3%
	Grade 7	0.7%	0.8%	1.6%	98.4%
	Grade 8	1.4%	2.1%	3.8%	96.2%
	Grade 9	1.9%	2.7%	4.8%	95.2%
	Grade 10	2.2%	3.1%	6.0%	94.0%
	Grade 11	2.3%	3.6%	6.4%	93.6%
	Grade 12	1.8%	3.0%	6.1%	93.9%
Uppers					
	All	2.8%	4.0%	6.1%	93.9%
	Grade 7	1.0%	1.2%	1.7%	98.3%
	Grade 8	1.7%	2.2%	3.6%	96.4%
	Grade 9	3.4%	4.9%	7.0%	93.0%
	Grade 10	3.2%	4.7%	7.4%	92.6%
	Grade 11	4.2%	6.1%	8.9%	91.1%
	Grade 12	3.5%	5.7%	8.9%	91.1%
Downers					
	All	3.2%	4.6%	7.3%	92.7%
	Grade 7	1.0%	1.3%	2.0%	98.0%
	Grade 8	1.7%	2.7%	4.2%	95.8%
	Grade 9	4.0%	5.6%	8.4%	91.6%
	Grade 10	3.8%	5.5%	8.9%	91.1%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.7%	6.6%	10.7%	89.3%
Grade 12	4.3%	6.5%	11.1%	88.9%

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.3%	3.5%	5.8%	94.2%
Grade 7	0.8%	1.4%	2.5%	97.5%
Grade 8	2.1%	2.9%	4.6%	95.4%
Grade 9	2.8%	4.2%	6.8%	93.2%
Grade 10	2.6%	3.7%	6.1%	93.9%
Grade 11	2.9%	4.6%	7.4%	92.6%
Grade 12	2.5%	4.2%	7.7%	92.3%
Steroids				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.6%	0.8%	1.2%	98.8%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.6%	0.8%	1.5%	98.5%
Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy				
All	4.9%	7.1%	10.7%	89.3%
Grade 7	2.0%	2.6%	3.9%	96.1%
Grade 8	3.4%	4.7%	6.7%	93.3%
Grade 9	5.3%	7.4%	11.4%	88.6%
Grade 10	5.7%	8.0%	12.4%	87.6%
Grade 11	6.8%	10.0%	14.6%	85.4%
Grade 12	6.6%	11.1%	16.8%	83.2%
Heroin				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	0.9%	1.4%	2.2%	97.8%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.4%	0.5%	1.1%	98.9%
Grade 12	0.5%	0.9%	1.1%	98.9%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.0%	21.2%	34.9%	65.1%
	Grade 7	6.1%	8.4%	16.9%	83.1%
	Grade 8	10.2%	13.8%	28.9%	71.1%
	Grade 9	13.5%	18.8%	32.6%	67.4%
	Grade 10	17.3%	23.4%	39.9%	60.1%
	Grade 11	21.1%	27.8%	43.3%	56.7%
	Grade 12	30.1%	37.8%	51.1%	48.9%
Alcohol					
	All	29.5%	38.6%	59.7%	40.3%
	Grade 7	15.9%	21.6%	42.4%	57.6%
	Grade 8	23.0%	30.4%	54.1%	45.9%
	Grade 9	30.1%	38.5%	59.9%	40.1%
	Grade 10	32.2%	43.4%	66.3%	33.7%
	Grade 11	35.0%	46.4%	67.5%	32.5%
	Grade 12	42.9%	54.0%	70.6%	29.4%
Inhalants					
	All	7.0%	9.9%	18.1%	81.9%
	Grade 7	8.6%	11.8%	19.5%	80.5%
	Grade 8	8.3%	10.9%	20.2%	79.8%
	Grade 9	8.4%	11.0%	18.5%	81.5%
	Grade 10	5.8%	9.1%	17.8%	82.2%
	Grade 11	5.2%	8.7%	17.0%	83.0%
	Grade 12	5.0%	7.4%	15.3%	84.7%
Any Illicit Drug					
	All	15.8%	20.5%	30.7%	69.3%
	Grade 7	6.7%	8.9%	13.7%	86.3%
	Grade 8	12.0%	15.3%	24.0%	76.0%
	Grade 9	15.4%	19.6%	29.8%	70.2%
	Grade 10	17.5%	22.9%	37.0%	63.0%
	Grade 11	19.6%	26.4%	38.9%	61.1%
	Grade 12	24.8%	31.9%	43.9%	56.1%
Marijuana					
	All	12.7%	17.7%	28.3%	71.7%
	Grade 7	4.8%	7.2%	11.7%	88.3%
	Grade 8	9.4%	11.9%	21.1%	78.9%
	Grade 9	12.4%	17.0%	27.7%	72.3%
	Grade 10	14.4%	20.4%	34.4%	65.6%
	Grade 11	16.4%	23.5%	36.8%	63.2%
	Grade 12	20.2%	28.0%	41.1%	58.9%
Marijuana Only					
	All	4.0%	6.0%	12.1%	87.9%
	Grade 7	1.8%	2.9%	5.5%	94.5%
	Grade 8	3.8%	4.8%	10.3%	89.7%
	Grade 9	3.3%	5.2%	11.1%	88.9%
	Grade 10	5.2%	8.0%	17.0%	83.0%
	Grade 11	4.9%	7.6%	15.1%	84.9%
	Grade 12	5.6%	8.3%	15.1%	84.9%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.4%	5.0%	8.8%	91.2%
	Grade 7	1.3%	1.6%	2.8%	97.2%
	Grade 8	2.3%	3.1%	5.4%	94.6%
	Grade 9	3.2%	4.4%	8.0%	92.0%
	Grade 10	2.8%	4.1%	7.9%	92.1%
	Grade 11	4.8%	7.2%	13.3%	86.7%
	Grade 12	6.1%	9.9%	16.3%	83.7%
Cocaine					
	All	3.2%	4.8%	8.5%	91.5%
	Grade 7	1.2%	1.5%	2.4%	97.6%
	Grade 8	2.2%	2.7%	4.8%	95.2%
	Grade 9	3.0%	4.1%	7.6%	92.4%
	Grade 10	2.5%	4.0%	7.8%	92.2%
	Grade 11	4.6%	7.1%	13.2%	86.8%
	Grade 12	6.0%	9.9%	16.2%	83.8%
Crack					
	All	0.7%	0.9%	2.1%	97.9%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.2%	2.2%	97.8%
	Grade 9	0.6%	1.0%	2.1%	97.9%
	Grade 10	0.7%	0.8%	1.9%	98.1%
	Grade 11	0.9%	1.2%	2.4%	97.6%
	Grade 12	0.7%	0.8%	3.0%	97.0%
Hallucinogens					
	All	2.1%	3.1%	5.6%	94.4%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	1.6%	2.5%	4.2%	95.8%
	Grade 9	2.3%	3.2%	5.8%	94.2%
	Grade 10	2.7%	4.0%	7.2%	92.8%
	Grade 11	3.1%	4.8%	7.7%	92.3%
	Grade 12	2.5%	3.6%	7.6%	92.4%
Uppers					
	All	2.6%	3.9%	5.9%	94.1%
	Grade 7	0.8%	1.1%	1.4%	98.6%
	Grade 8	1.7%	2.3%	3.7%	96.3%
	Grade 9	3.1%	4.2%	6.3%	93.7%
	Grade 10	3.2%	4.3%	6.4%	93.6%
	Grade 11	3.8%	5.8%	8.7%	91.3%
	Grade 12	3.4%	5.8%	9.3%	90.7%
Downers					
	All	3.3%	4.8%	7.5%	92.5%
	Grade 7	0.8%	1.2%	1.6%	98.4%
	Grade 8	1.9%	2.8%	4.2%	95.8%
	Grade 9	3.9%	5.7%	8.5%	91.5%
	Grade 10	4.2%	5.4%	8.0%	92.0%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.2%	6.2%	10.7%	89.3%
Grade 12	5.2%	7.7%	12.7%	87.3%

**Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.4%	3.8%	5.9%	94.1%
Grade 7	0.8%	1.3%	2.0%	98.0%
Grade 8	2.1%	3.0%	4.6%	95.4%
Grade 9	3.2%	4.8%	7.3%	92.7%
Grade 10	2.6%	3.5%	5.0%	95.0%
Grade 11	2.9%	4.5%	7.8%	92.2%
Grade 12	3.1%	5.6%	8.7%	91.3%
Steroids				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.8%	1.1%	1.8%	98.2%
Grade 9	0.5%	0.6%	1.7%	98.3%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	1.0%	1.3%	2.4%	97.6%
Grade 12	0.8%	1.2%	2.1%	97.9%
Ecstasy				
All	4.8%	7.0%	10.7%	89.3%
Grade 7	1.8%	2.5%	3.8%	96.2%
Grade 8	3.0%	4.3%	6.6%	93.4%
Grade 9	5.5%	7.4%	11.7%	88.3%
Grade 10	5.2%	7.3%	11.7%	88.3%
Grade 11	6.2%	9.3%	14.1%	85.9%
Grade 12	7.6%	11.6%	17.3%	82.7%
Heroin				
All	0.6%	0.9%	1.5%	98.5%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.8%	0.9%	1.5%	98.5%
Grade 9	0.6%	1.1%	1.9%	98.1%
Grade 10	0.6%	0.7%	1.4%	98.6%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.7%	1.5%	1.9%	98.1%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.1%	16.8%	30.5%	69.5%
	Grade 7	4.2%	6.1%	14.6%	85.4%
	Grade 8	8.7%	11.9%	24.1%	75.9%
	Grade 9	11.4%	15.6%	29.7%	70.3%
	Grade 10	14.2%	20.1%	34.3%	65.7%
	Grade 11	16.3%	22.1%	39.6%	60.4%
	Grade 12	20.7%	29.2%	46.1%	53.9%
Alcohol					
	All	31.2%	40.8%	63.2%	36.8%
	Grade 7	17.5%	21.9%	43.8%	56.2%
	Grade 8	24.6%	31.9%	56.2%	43.8%
	Grade 9	31.9%	41.7%	63.6%	36.4%
	Grade 10	37.0%	49.0%	71.4%	28.6%
	Grade 11	35.7%	49.5%	72.7%	27.3%
	Grade 12	44.8%	56.4%	76.8%	23.2%
Inhalants					
	All	7.7%	11.1%	19.8%	80.2%
	Grade 7	10.7%	13.5%	22.7%	77.3%
	Grade 8	11.8%	15.4%	23.9%	76.1%
	Grade 9	8.3%	11.8%	21.8%	78.2%
	Grade 10	6.3%	9.7%	18.2%	81.8%
	Grade 11	4.2%	7.2%	16.3%	83.7%
	Grade 12	3.3%	7.5%	13.6%	86.4%
Any Illicit Drug					
	All	12.8%	17.1%	25.5%	74.5%
	Grade 7	6.6%	7.8%	11.9%	88.1%
	Grade 8	9.8%	12.6%	17.5%	82.5%
	Grade 9	13.6%	17.9%	26.5%	73.5%
	Grade 10	15.5%	21.3%	31.0%	69.0%
	Grade 11	15.9%	22.6%	32.7%	67.3%
	Grade 12	17.0%	23.4%	37.7%	62.3%
Marijuana					
	All	9.4%	13.5%	21.4%	78.6%
	Grade 7	4.0%	4.9%	8.4%	91.6%
	Grade 8	6.2%	8.9%	13.5%	86.5%
	Grade 9	10.2%	14.3%	22.0%	78.0%
	Grade 10	12.0%	16.4%	26.6%	73.4%
	Grade 11	12.3%	18.3%	28.8%	71.2%
	Grade 12	13.6%	20.6%	33.7%	66.3%
Marijuana Only					
	All	2.8%	4.1%	7.7%	92.3%
	Grade 7	1.3%	1.5%	3.2%	96.8%
	Grade 8	1.8%	2.6%	4.6%	95.4%
	Grade 9	2.7%	4.0%	7.5%	92.5%
	Grade 10	3.9%	5.7%	9.9%	90.1%
	Grade 11	3.3%	5.5%	10.3%	89.7%
	Grade 12	4.0%	6.2%	12.4%	87.6%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.5%	3.9%	7.1%	92.9%
	Grade 7	1.4%	2.2%	3.1%	96.9%
	Grade 8	1.6%	2.2%	4.4%	95.6%
	Grade 9	2.7%	4.0%	7.1%	92.9%
	Grade 10	2.8%	4.3%	7.3%	92.7%
	Grade 11	3.9%	5.6%	9.8%	90.2%
	Grade 12	3.2%	5.6%	12.7%	87.3%
Cocaine					
	All	2.2%	3.5%	6.6%	93.4%
	Grade 7	0.9%	1.7%	2.4%	97.6%
	Grade 8	1.2%	1.6%	3.5%	96.5%
	Grade 9	2.5%	3.8%	6.3%	93.7%
	Grade 10	2.7%	4.1%	7.0%	93.0%
	Grade 11	3.7%	5.4%	9.5%	90.5%
	Grade 12	2.9%	5.3%	12.4%	87.6%
Crack					
	All	0.8%	1.0%	2.2%	97.8%
	Grade 7	0.9%	1.4%	2.1%	97.9%
	Grade 8	0.9%	1.1%	2.3%	97.7%
	Grade 9	0.7%	0.9%	2.7%	97.3%
	Grade 10	0.8%	0.9%	2.0%	98.0%
	Grade 11	0.6%	0.8%	1.8%	98.2%
	Grade 12	0.6%	0.9%	2.0%	98.0%
Hallucinogens					
	All	1.3%	2.0%	3.8%	96.2%
	Grade 7	0.7%	0.7%	1.7%	98.3%
	Grade 8	1.1%	1.7%	3.5%	96.5%
	Grade 9	1.6%	2.2%	3.9%	96.1%
	Grade 10	1.8%	2.3%	4.9%	95.1%
	Grade 11	1.5%	2.6%	5.1%	94.9%
	Grade 12	1.1%	2.5%	4.5%	95.5%
Uppers					
	All	2.9%	4.2%	6.3%	93.7%
	Grade 7	1.1%	1.4%	2.0%	98.0%
	Grade 8	1.7%	2.2%	3.6%	96.4%
	Grade 9	3.7%	5.5%	7.7%	92.3%
	Grade 10	3.3%	5.1%	8.3%	91.7%
	Grade 11	4.7%	6.4%	9.1%	90.9%
	Grade 12	3.7%	5.6%	8.4%	91.6%
Downers					
	All	3.0%	4.4%	7.2%	92.8%
	Grade 7	1.1%	1.4%	2.3%	97.7%
	Grade 8	1.5%	2.7%	4.2%	95.8%
	Grade 9	4.0%	5.5%	8.3%	91.7%
	Grade 10	3.4%	5.6%	9.6%	90.4%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	5.2%	7.0%	10.6%	89.4%
Grade 12	3.5%	5.3%	9.4%	90.6%

**Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.1%	3.2%	5.7%	94.3%
Grade 7	0.9%	1.5%	2.9%	97.1%
Grade 8	2.1%	2.9%	4.5%	95.5%
Grade 9	2.4%	3.7%	6.5%	93.5%
Grade 10	2.6%	3.9%	7.0%	93.0%
Grade 11	2.9%	4.7%	7.0%	93.0%
Grade 12	1.9%	2.7%	6.7%	93.3%
Steroids				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.4%	0.7%	99.3%
Grade 12	0.1%	0.2%	0.5%	99.5%
Ecstasy				
All	4.9%	7.3%	10.7%	89.3%
Grade 7	2.1%	2.7%	4.0%	96.0%
Grade 8	3.8%	5.0%	6.9%	93.1%
Grade 9	5.2%	7.3%	11.2%	88.8%
Grade 10	6.0%	8.7%	13.1%	86.9%
Grade 11	7.4%	10.6%	15.1%	84.9%
Grade 12	5.5%	10.7%	16.4%	83.6%
Heroin				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	1.3%	1.5%	2.4%	97.6%
Grade 9	1.2%	1.7%	2.5%	97.5%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.1%	98.9%
Grade 12	0.2%	0.3%	0.4%	99.6%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.5%	19.3%	31.1%	68.9%
	Grade 7	2.0%	2.7%	7.4%	92.6%
	Grade 8	6.1%	7.3%	17.4%	82.6%
	Grade 9	9.9%	14.7%	23.2%	76.8%
	Grade 10	12.6%	17.6%	35.2%	64.8%
	Grade 11	20.4%	30.6%	42.2%	57.8%
	Grade 12	28.7%	33.5%	48.9%	51.1%
Alcohol					
	All	29.1%	40.8%	61.0%	39.0%
	Grade 7	11.3%	16.6%	35.6%	64.4%
	Grade 8	18.0%	22.5%	46.3%	53.7%
	Grade 9	24.7%	35.6%	55.0%	45.0%
	Grade 10	30.0%	42.7%	68.8%	31.2%
	Grade 11	34.0%	50.4%	68.6%	31.4%
	Grade 12	47.2%	64.1%	79.6%	20.4%
Inhalants					
	All	4.9%	7.8%	21.1%	78.9%
	Grade 7	3.2%	7.5%	18.5%	81.5%
	Grade 8	8.8%	10.2%	19.2%	80.8%
	Grade 9	6.9%	10.0%	19.7%	80.3%
	Grade 10	5.3%	8.3%	25.6%	74.4%
	Grade 11	2.6%	4.9%	18.6%	81.4%
	Grade 12	3.1%	6.7%	24.2%	75.8%
Any Illicit Drug					
	All	12.8%	17.7%	27.0%	73.0%
	Grade 7	1.4%	1.5%	5.5%	94.5%
	Grade 8	5.4%	7.3%	12.6%	87.4%
	Grade 9	9.3%	13.9%	23.2%	76.8%
	Grade 10	14.0%	17.8%	31.9%	68.1%
	Grade 11	18.7%	30.9%	36.4%	63.6%
	Grade 12	21.8%	25.8%	41.7%	58.3%
Marijuana					
	All	10.1%	14.3%	22.9%	77.1%
	Grade 7	1.4%	1.4%	2.7%	97.3%
	Grade 8	3.5%	5.4%	7.7%	92.3%
	Grade 9	7.7%	12.5%	20.7%	79.3%
	Grade 10	9.3%	11.9%	23.8%	76.2%
	Grade 11	15.2%	24.6%	31.4%	68.6%
	Grade 12	18.4%	22.7%	40.5%	59.5%
Marijuana Only					
	All	3.6%	4.9%	9.6%	90.4%
	Grade 7	0.7%	0.7%	1.6%	98.4%
	Grade 8	1.3%	1.6%	3.2%	96.8%
	Grade 9	2.6%	3.9%	8.5%	91.5%
	Grade 10	4.4%	5.2%	12.7%	87.3%
	Grade 11	3.9%	6.9%	10.5%	89.5%
	Grade 12	7.3%	8.8%	17.1%	82.9%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.9%	3.4%	6.6%	93.4%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	1.7%	1.8%	2.4%	97.6%
	Grade 9	1.5%	2.7%	4.3%	95.7%
	Grade 10	0.4%	1.3%	2.5%	97.5%
	Grade 11	1.8%	6.1%	10.4%	89.6%
	Grade 12	4.7%	6.4%	14.9%	85.1%
Cocaine					
	All	1.8%	3.4%	6.5%	93.5%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	1.7%	1.8%	2.2%	97.8%
	Grade 9	1.0%	2.5%	4.2%	95.8%
	Grade 10	0.3%	1.2%	2.3%	97.7%
	Grade 11	1.8%	6.1%	10.4%	89.6%
	Grade 12	4.8%	6.4%	15.0%	85.0%
Crack					
	All	0.4%	0.4%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	1.0%	1.0%	1.6%	98.4%
	Grade 9	0.7%	0.7%	0.7%	99.3%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.4%	0.4%	0.7%	99.3%
	Grade 12	0.2%	0.2%	1.1%	98.9%
Hallucinogens					
	All	2.2%	3.1%	6.4%	93.6%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.7%	2.2%	4.4%	95.6%
	Grade 9	2.4%	3.5%	5.5%	94.5%
	Grade 10	4.4%	4.5%	7.3%	92.7%
	Grade 11	3.5%	4.9%	10.8%	89.2%
	Grade 12	1.3%	2.1%	7.3%	92.7%
Uppers					
	All	2.9%	4.5%	7.4%	92.6%
	Grade 7	0.8%	0.8%	3.1%	96.9%
	Grade 8	1.0%	1.2%	1.9%	98.1%
	Grade 9	2.3%	2.9%	4.8%	95.2%
	Grade 10	5.4%	6.1%	9.8%	90.2%
	Grade 11	4.2%	7.6%	11.2%	88.8%
	Grade 12	2.8%	6.4%	10.8%	89.2%
Downers					
	All	3.6%	5.0%	7.8%	92.2%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	1.2%	1.5%	2.5%	97.5%
	Grade 9	1.9%	2.2%	5.6%	94.4%
	Grade 10	6.2%	7.5%	9.7%	90.3%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.8%	8.3%	12.3%	87.7%
Grade 12	5.7%	7.4%	12.3%	87.7%

**Table B4: Prevalence and recency of use of selected substances by grade
White students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.3%	3.4%	5.5%	94.5%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	1.2%	2.3%	97.7%
Grade 9	0.3%	0.3%	4.9%	95.1%
Grade 10	2.8%	3.6%	4.4%	95.6%
Grade 11	4.7%	8.8%	11.6%	88.4%
Grade 12	3.8%	3.9%	6.3%	93.7%
Steroids				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	1.6%	1.7%	2.1%	97.9%
Grade 9	0.0%	0.0%	3.5%	96.5%
Grade 10	0.1%	0.7%	1.4%	98.6%
Grade 11	0.9%	0.9%	2.2%	97.8%
Grade 12	0.5%	0.9%	1.7%	98.3%
Ecstasy				
All	5.6%	7.8%	11.3%	88.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	3.2%	4.3%	6.8%	93.2%
Grade 9	3.4%	5.5%	9.8%	90.2%
Grade 10	6.2%	9.1%	12.1%	87.9%
Grade 11	8.2%	11.2%	16.3%	83.7%
Grade 12	9.7%	12.7%	17.0%	83.0%
Heroin				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.7%	1.5%	2.3%	97.7%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.5%	99.5%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.7%	18.5%	33.3%	66.7%
	Grade 7	6.1%	7.1%	17.0%	83.0%
	Grade 8	10.3%	19.9%	36.6%	63.4%
	Grade 9	10.6%	14.7%	27.9%	72.1%
	Grade 10	21.9%	26.2%	42.6%	57.4%
	Grade 11	21.2%	28.3%	48.4%	51.6%
	Grade 12	9.2%	18.6%	32.7%	67.3%
Alcohol					
	All	32.6%	42.2%	60.6%	39.4%
	Grade 7	22.8%	25.2%	39.1%	60.9%
	Grade 8	18.4%	33.3%	63.2%	36.8%
	Grade 9	33.6%	46.5%	59.5%	40.5%
	Grade 10	45.8%	55.9%	76.6%	23.4%
	Grade 11	53.6%	63.4%	80.3%	19.7%
	Grade 12	26.8%	33.6%	50.9%	49.1%
Inhalants					
	All	10.4%	13.8%	26.8%	73.2%
	Grade 7	16.1%	19.3%	32.6%	67.4%
	Grade 8	19.6%	21.1%	26.4%	73.6%
	Grade 9	7.8%	14.6%	33.7%	66.3%
	Grade 10	12.0%	13.2%	24.4%	75.6%
	Grade 11	7.7%	10.9%	25.2%	74.8%
	Grade 12	0.0%	3.0%	16.0%	84.0%
Any Illicit Drug					
	All	19.3%	24.0%	34.8%	65.2%
	Grade 7	19.5%	19.5%	22.7%	77.3%
	Grade 8	17.9%	20.7%	25.3%	74.7%
	Grade 9	11.9%	19.6%	29.7%	70.3%
	Grade 10	25.1%	29.6%	43.4%	56.6%
	Grade 11	26.4%	32.9%	56.2%	43.8%
	Grade 12	19.0%	25.7%	38.3%	61.7%
Marijuana					
	All	14.2%	18.9%	29.8%	70.2%
	Grade 7	9.0%	9.5%	16.1%	83.9%
	Grade 8	13.3%	17.6%	22.1%	77.9%
	Grade 9	7.4%	14.4%	25.7%	74.3%
	Grade 10	22.5%	26.4%	39.1%	60.9%
	Grade 11	24.9%	29.9%	49.3%	50.7%
	Grade 12	12.7%	19.4%	32.1%	67.9%
Marijuana Only					
	All	5.0%	7.2%	13.8%	86.2%
	Grade 7	4.0%	4.0%	5.0%	95.0%
	Grade 8	10.3%	10.3%	13.5%	86.5%
	Grade 9	2.1%	5.9%	12.1%	87.9%
	Grade 10	2.6%	3.6%	12.3%	87.7%
	Grade 11	6.6%	10.8%	23.6%	76.4%
	Grade 12	4.8%	8.7%	17.7%	82.3%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.3%	4.9%	7.4%	92.6%
	Grade 7	6.6%	6.6%	8.8%	91.2%
	Grade 8	1.0%	1.0%	2.5%	97.5%
	Grade 9	2.2%	2.2%	4.2%	95.8%
	Grade 10	6.3%	7.1%	8.9%	91.1%
	Grade 11	8.0%	11.4%	14.6%	85.4%
	Grade 12	3.4%	3.4%	7.9%	92.1%
Cocaine					
	All	3.8%	4.4%	6.8%	93.2%
	Grade 7	6.6%	6.6%	7.0%	93.0%
	Grade 8	1.0%	1.0%	2.6%	97.4%
	Grade 9	2.2%	2.2%	4.3%	95.7%
	Grade 10	6.3%	7.1%	8.9%	91.1%
	Grade 11	7.4%	10.9%	15.3%	84.7%
	Grade 12	1.1%	1.1%	5.7%	94.3%
Crack					
	All	2.0%	2.8%	3.5%	96.5%
	Grade 7	5.5%	5.5%	7.7%	92.3%
	Grade 8	0.5%	0.5%	2.1%	97.9%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	1.9%	3.7%	3.7%	96.3%
	Grade 11	2.8%	6.3%	6.3%	93.7%
	Grade 12	2.3%	2.3%	2.3%	97.7%
Hallucinogens					
	All	3.2%	4.5%	6.9%	93.1%
	Grade 7	3.4%	3.4%	4.8%	95.2%
	Grade 8	3.8%	3.8%	3.8%	96.2%
	Grade 9	1.7%	2.5%	3.7%	96.3%
	Grade 10	4.6%	6.8%	11.3%	88.7%
	Grade 11	6.8%	9.5%	15.6%	84.4%
	Grade 12	0.0%	2.4%	4.9%	95.1%
Uppers					
	All	3.4%	4.4%	5.5%	94.5%
	Grade 7	1.5%	1.5%	1.5%	98.5%
	Grade 8	5.4%	7.7%	7.7%	92.3%
	Grade 9	2.5%	3.3%	5.8%	94.2%
	Grade 10	7.8%	10.6%	11.2%	88.8%
	Grade 11	4.6%	4.6%	8.2%	91.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Downers					
	All	3.4%	4.0%	6.2%	93.8%
	Grade 7	6.1%	6.1%	9.3%	90.7%
	Grade 8	2.8%	5.2%	5.2%	94.8%
	Grade 9	3.1%	3.9%	7.0%	93.0%
	Grade 10	4.6%	4.6%	7.2%	92.8%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	1.2%	1.2%	5.9%	94.1%
Grade 12	2.4%	2.4%	2.4%	97.6%

**Table B5: Prevalence and recency of use of selected substances by grade
Black students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.4%	2.8%	4.2%	95.8%
Grade 7	0.6%	1.1%	1.1%	98.9%
Grade 8	2.3%	2.3%	2.9%	97.1%
Grade 9	3.7%	3.7%	5.1%	94.9%
Grade 10	3.7%	4.6%	4.6%	95.4%
Grade 11	4.0%	5.8%	13.3%	86.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	3.7%	4.0%	5.7%	94.3%
Grade 7	7.5%	7.5%	9.7%	90.3%
Grade 8	1.0%	1.9%	3.4%	96.6%
Grade 9	2.6%	3.0%	5.2%	94.8%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	4.7%	4.7%	6.5%	93.5%
Grade 12	4.9%	4.9%	7.4%	92.6%
Ecstasy				
All	5.4%	9.0%	13.1%	86.9%
Grade 7	1.0%	4.4%	4.9%	95.1%
Grade 8	2.3%	4.7%	6.4%	93.6%
Grade 9	5.3%	9.4%	12.4%	87.6%
Grade 10	12.0%	17.4%	25.3%	74.7%
Grade 11	11.6%	13.2%	21.6%	78.4%
Grade 12	3.1%	7.7%	12.2%	87.8%
Heroin				
All	2.2%	2.5%	3.4%	96.6%
Grade 7	3.3%	3.3%	3.6%	96.4%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.9%	0.9%	2.6%	97.4%
Grade 10	3.4%	5.3%	6.7%	93.3%
Grade 11	4.4%	4.4%	4.4%	95.6%
Grade 12	2.3%	2.3%	2.3%	97.7%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.0%	19.0%	32.8%	67.2%
	Grade 7	5.4%	7.5%	16.2%	83.8%
	Grade 8	9.8%	13.2%	27.0%	73.0%
	Grade 9	12.4%	17.3%	31.6%	68.4%
	Grade 10	15.7%	21.8%	37.1%	62.9%
	Grade 11	18.1%	24.0%	41.0%	59.0%
	Grade 12	25.3%	33.7%	48.6%	51.4%
Alcohol					
	All	30.5%	39.9%	61.9%	38.1%
	Grade 7	17.1%	22.3%	44.1%	55.9%
	Grade 8	24.4%	31.9%	55.9%	44.1%
	Grade 9	31.5%	40.6%	62.6%	37.4%
	Grade 10	35.0%	46.7%	69.2%	30.8%
	Grade 11	34.8%	47.2%	70.1%	29.9%
	Grade 12	43.9%	55.1%	73.6%	26.4%
Inhalants					
	All	7.5%	10.7%	18.8%	81.2%
	Grade 7	10.0%	13.0%	21.5%	78.5%
	Grade 8	10.1%	13.5%	22.6%	77.4%
	Grade 9	8.5%	11.6%	20.1%	79.9%
	Grade 10	6.0%	9.4%	17.5%	82.5%
	Grade 11	4.7%	7.9%	16.0%	84.0%
	Grade 12	4.3%	7.6%	13.5%	86.5%
Any Illicit Drug					
	All	14.1%	18.7%	28.0%	72.0%
	Grade 7	6.7%	8.6%	13.1%	86.9%
	Grade 8	11.2%	14.2%	21.1%	78.9%
	Grade 9	14.7%	19.0%	28.5%	71.5%
	Grade 10	16.5%	22.3%	34.0%	66.0%
	Grade 11	17.2%	23.4%	34.9%	65.1%
	Grade 12	20.2%	27.4%	40.5%	59.5%
Marijuana					
	All	10.9%	15.5%	24.8%	75.2%
	Grade 7	4.4%	6.2%	10.3%	89.7%
	Grade 8	8.0%	10.6%	17.8%	82.2%
	Grade 9	11.4%	15.8%	25.0%	75.0%
	Grade 10	13.2%	18.6%	30.7%	69.3%
	Grade 11	13.8%	19.9%	32.1%	67.9%
	Grade 12	16.6%	24.3%	37.2%	62.8%
Marijuana Only					
	All	3.3%	5.0%	9.9%	90.1%
	Grade 7	1.5%	2.2%	4.4%	95.6%
	Grade 8	2.7%	3.7%	7.5%	92.5%
	Grade 9	3.0%	4.6%	9.2%	90.8%
	Grade 10	4.5%	6.9%	13.3%	86.7%
	Grade 11	4.0%	6.4%	12.7%	87.3%
	Grade 12	4.8%	7.4%	13.7%	86.3%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.9%	4.3%	7.9%	92.1%
	Grade 7	1.4%	2.0%	2.9%	97.1%
	Grade 8	2.0%	2.8%	5.2%	94.8%
	Grade 9	3.0%	4.2%	7.8%	92.2%
	Grade 10	2.9%	4.3%	7.9%	92.1%
	Grade 11	4.4%	6.3%	11.5%	88.5%
	Grade 12	3.9%	7.2%	13.9%	86.1%
Cocaine					
	All	2.6%	4.0%	7.5%	92.5%
	Grade 7	0.9%	1.6%	2.4%	97.6%
	Grade 8	1.7%	2.2%	4.3%	95.7%
	Grade 9	2.7%	3.9%	7.1%	92.9%
	Grade 10	2.7%	4.2%	7.7%	92.3%
	Grade 11	4.2%	6.1%	11.3%	88.7%
	Grade 12	3.8%	7.1%	13.7%	86.3%
Crack					
	All	0.7%	1.0%	2.2%	97.8%
	Grade 7	0.6%	0.9%	1.4%	98.6%
	Grade 8	0.9%	1.2%	2.3%	97.7%
	Grade 9	0.7%	1.0%	2.5%	97.5%
	Grade 10	0.8%	0.9%	2.0%	98.0%
	Grade 11	0.7%	0.9%	2.1%	97.9%
	Grade 12	0.6%	0.8%	2.5%	97.5%
Hallucinogens					
	All	1.5%	2.4%	4.4%	95.6%
	Grade 7	0.6%	0.7%	1.6%	98.4%
	Grade 8	1.3%	2.0%	3.8%	96.2%
	Grade 9	1.9%	2.7%	4.9%	95.1%
	Grade 10	2.0%	2.9%	5.8%	94.2%
	Grade 11	1.9%	3.2%	5.6%	94.4%
	Grade 12	1.6%	2.9%	5.4%	94.6%
Uppers					
	All	2.7%	4.0%	6.0%	94.0%
	Grade 7	1.0%	1.3%	1.7%	98.3%
	Grade 8	1.7%	2.2%	3.7%	96.3%
	Grade 9	3.4%	4.9%	7.2%	92.8%
	Grade 10	3.0%	4.5%	7.3%	92.7%
	Grade 11	4.2%	5.9%	8.6%	91.4%
	Grade 12	3.5%	5.5%	8.4%	91.6%
Downers					
	All	3.1%	4.5%	7.3%	92.7%
	Grade 7	0.9%	1.3%	2.0%	98.0%
	Grade 8	1.7%	2.8%	4.4%	95.6%
	Grade 9	4.0%	5.7%	8.5%	91.5%
	Grade 10	3.6%	5.3%	8.9%	91.1%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.8%	6.5%	10.3%	89.7%
Grade 12	3.8%	6.1%	10.6%	89.4%

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.2%	3.4%	5.8%	94.2%
Grade 7	0.9%	1.5%	2.6%	97.4%
Grade 8	2.3%	3.1%	4.8%	95.2%
Grade 9	2.9%	4.4%	7.0%	93.0%
Grade 10	2.6%	3.7%	6.3%	93.7%
Grade 11	2.6%	4.1%	6.9%	93.1%
Grade 12	2.1%	3.8%	7.5%	92.5%
Steroids				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.5%	0.7%	1.4%	98.6%
Grade 12	0.4%	0.5%	1.2%	98.8%
Ecstasy				
All	4.7%	7.0%	10.6%	89.4%
Grade 7	2.1%	2.7%	4.1%	95.9%
Grade 8	3.5%	4.7%	6.7%	93.3%
Grade 9	5.4%	7.5%	11.6%	88.4%
Grade 10	5.6%	7.9%	12.3%	87.7%
Grade 11	6.4%	9.6%	14.1%	85.9%
Grade 12	5.9%	10.4%	16.1%	83.9%
Heroin				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	1.2%	1.3%	2.0%	98.0%
Grade 9	1.0%	1.4%	2.2%	97.8%
Grade 10	0.6%	0.7%	1.3%	98.7%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.4%	0.8%	1.1%	98.9%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	6.8%	9.9%	20.2%	79.8%
	Grade 7	1.1%	2.0%	7.6%	92.4%
	Grade 8	3.2%	4.6%	13.8%	86.2%
	Grade 9	4.6%	8.3%	17.8%	82.2%
	Grade 10	7.4%	11.5%	23.7%	76.3%
	Grade 11	10.7%	13.8%	26.7%	73.3%
	Grade 12	15.8%	21.9%	36.2%	63.8%
Alcohol					
	All	21.8%	30.9%	52.7%	47.3%
	Grade 7	10.0%	14.5%	35.9%	64.1%
	Grade 8	14.1%	21.7%	44.8%	55.2%
	Grade 9	21.2%	30.0%	51.3%	48.7%
	Grade 10	25.2%	40.2%	62.2%	37.8%
	Grade 11	26.3%	37.9%	62.1%	37.9%
	Grade 12	38.4%	48.1%	67.2%	32.8%
Inhalants					
	All	5.0%	7.7%	14.0%	86.0%
	Grade 7	6.6%	9.2%	16.2%	83.8%
	Grade 8	7.3%	9.3%	14.9%	85.1%
	Grade 9	4.2%	6.5%	13.5%	86.5%
	Grade 10	4.0%	7.2%	14.6%	85.4%
	Grade 11	4.7%	7.6%	13.7%	86.3%
	Grade 12	2.3%	6.0%	10.4%	89.6%
Any Illicit Drug					
	All	7.7%	11.0%	17.0%	83.0%
	Grade 7	2.4%	3.9%	6.9%	93.1%
	Grade 8	4.2%	6.3%	10.5%	89.5%
	Grade 9	6.2%	9.1%	15.1%	84.9%
	Grade 10	8.8%	13.7%	20.4%	79.6%
	Grade 11	11.4%	15.1%	22.9%	77.1%
	Grade 12	15.5%	20.9%	30.7%	69.3%
Marijuana					
	All	5.9%	9.0%	14.7%	85.3%
	Grade 7	1.8%	3.1%	5.4%	94.6%
	Grade 8	2.6%	4.3%	8.6%	91.4%
	Grade 9	4.8%	7.6%	12.4%	87.6%
	Grade 10	6.0%	10.5%	17.2%	82.8%
	Grade 11	8.6%	12.4%	19.3%	80.7%
	Grade 12	13.1%	18.5%	29.1%	70.9%
Marijuana Only					
	All	2.2%	3.8%	7.2%	92.8%
	Grade 7	0.7%	1.5%	3.1%	96.9%
	Grade 8	0.7%	1.4%	3.6%	96.4%
	Grade 9	2.3%	3.4%	6.7%	93.3%
	Grade 10	2.8%	5.4%	8.9%	91.1%
	Grade 11	2.9%	5.0%	8.8%	91.2%
	Grade 12	4.6%	7.1%	13.8%	86.2%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	1.2%	1.7%	3.5%	96.5%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	0.7%	1.8%	98.2%
	Grade 9	0.8%	1.3%	3.0%	97.0%
	Grade 10	0.9%	1.0%	2.6%	97.4%
	Grade 11	2.1%	3.1%	5.3%	94.7%
	Grade 12	2.6%	4.0%	8.0%	92.0%
Cocaine					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.4%	0.6%	1.4%	98.6%
	Grade 9	0.6%	1.1%	2.3%	97.7%
	Grade 10	0.9%	1.0%	2.6%	97.4%
	Grade 11	2.0%	3.1%	5.3%	94.7%
	Grade 12	2.5%	4.0%	8.0%	92.0%
Crack					
	All	0.3%	0.4%	1.0%	99.0%
	Grade 7	0.4%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.5%	1.1%	98.9%
	Grade 9	0.3%	0.3%	1.1%	98.9%
	Grade 10	0.1%	0.2%	0.4%	99.6%
	Grade 11	0.3%	0.6%	1.1%	98.9%
	Grade 12	0.2%	0.3%	1.8%	98.2%
Hallucinogens					
	All	1.1%	1.7%	2.9%	97.1%
	Grade 7	0.2%	0.2%	0.9%	99.1%
	Grade 8	1.0%	1.5%	2.7%	97.3%
	Grade 9	0.5%	1.1%	2.2%	97.8%
	Grade 10	1.3%	2.6%	4.3%	95.7%
	Grade 11	2.6%	4.1%	5.5%	94.5%
	Grade 12	1.2%	1.6%	2.8%	97.2%
Uppers					
	All	1.4%	2.0%	3.2%	96.8%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	1.1%	1.5%	2.3%	97.7%
	Grade 9	0.8%	1.7%	2.8%	97.2%
	Grade 10	1.5%	2.5%	4.1%	95.9%
	Grade 11	2.7%	3.7%	5.5%	94.5%
	Grade 12	2.3%	2.7%	4.5%	95.5%
Downers					
	All	1.4%	2.1%	3.7%	96.3%
	Grade 7	0.2%	0.2%	1.1%	98.9%
	Grade 8	1.2%	1.9%	2.9%	97.1%
	Grade 9	0.5%	0.9%	2.7%	97.3%
	Grade 10	2.3%	3.4%	5.9%	94.1%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	2.2%	2.9%	5.4%	94.6%
Grade 12	2.5%	3.8%	5.6%	94.4%

**Table B7: Prevalence and recency of use of selected substances by grade
Students reporting A grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	0.8%	1.4%	2.3%	97.7%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	1.1%	1.6%	2.9%	97.1%
Grade 9	1.0%	1.5%	2.5%	97.5%
Grade 10	0.8%	1.6%	2.0%	98.0%
Grade 11	1.1%	1.9%	3.2%	96.8%
Grade 12	0.7%	1.9%	3.1%	96.9%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.4%	0.8%	1.9%	98.1%
Grade 12	0.5%	0.7%	1.6%	98.4%
Ecstasy				
All	2.4%	3.7%	5.8%	94.2%
Grade 7	0.5%	0.8%	1.4%	98.6%
Grade 8	1.8%	2.4%	3.4%	96.6%
Grade 9	2.1%	3.3%	5.4%	94.6%
Grade 10	3.3%	4.3%	6.3%	93.7%
Grade 11	4.4%	6.4%	8.1%	91.9%
Grade 12	3.3%	6.3%	11.7%	88.3%
Heroin				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.7%	0.8%	0.9%	99.1%
Grade 12	0.5%	1.3%	1.3%	98.7%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.2%	21.7%	36.4%	63.6%
	Grade 7	6.6%	9.2%	18.7%	81.3%
	Grade 8	11.4%	15.4%	30.2%	69.8%
	Grade 9	14.4%	19.3%	34.5%	65.5%
	Grade 10	17.6%	24.1%	40.1%	59.9%
	Grade 11	21.0%	28.2%	45.6%	54.4%
	Grade 12	28.9%	37.8%	53.0%	47.0%
Alcohol					
	All	33.0%	42.4%	64.3%	35.7%
	Grade 7	19.3%	24.5%	46.0%	54.0%
	Grade 8	26.8%	34.2%	58.4%	41.6%
	Grade 9	33.6%	42.8%	64.6%	35.4%
	Grade 10	37.1%	48.0%	70.9%	29.1%
	Grade 11	37.8%	50.9%	72.6%	27.4%
	Grade 12	45.9%	57.5%	75.7%	24.3%
Inhalants					
	All	8.1%	11.4%	20.5%	79.5%
	Grade 7	10.8%	13.9%	22.9%	77.1%
	Grade 8	11.0%	14.5%	24.5%	75.5%
	Grade 9	9.4%	12.7%	21.9%	78.1%
	Grade 10	6.5%	9.9%	18.8%	81.2%
	Grade 11	4.7%	7.9%	17.2%	82.8%
	Grade 12	4.9%	8.0%	16.2%	83.8%
Any Illicit Drug					
	All	16.2%	21.1%	31.4%	68.6%
	Grade 7	8.2%	10.0%	15.0%	85.0%
	Grade 8	12.9%	16.2%	23.6%	76.4%
	Grade 9	16.5%	21.1%	31.5%	68.5%
	Grade 10	18.3%	24.0%	37.1%	62.9%
	Grade 11	19.5%	27.1%	39.3%	60.7%
	Grade 12	23.0%	30.4%	44.9%	55.1%
Marijuana					
	All	12.6%	17.5%	27.8%	72.2%
	Grade 7	5.3%	7.1%	11.6%	88.4%
	Grade 8	9.3%	12.1%	19.7%	80.3%
	Grade 9	12.8%	17.6%	27.9%	72.1%
	Grade 10	14.9%	20.2%	33.4%	66.6%
	Grade 11	16.0%	23.2%	36.5%	63.5%
	Grade 12	18.5%	26.7%	40.8%	59.2%
Marijuana Only					
	All	3.7%	5.4%	10.7%	89.3%
	Grade 7	1.8%	2.3%	4.7%	95.3%
	Grade 8	3.4%	4.4%	8.4%	91.6%
	Grade 9	3.2%	4.9%	10.0%	90.0%
	Grade 10	4.9%	7.1%	14.2%	85.8%
	Grade 11	4.4%	7.0%	13.9%	86.1%
	Grade 12	5.0%	7.4%	13.9%	86.1%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.5%	5.2%	9.3%	90.7%
	Grade 7	1.8%	2.5%	3.7%	96.3%
	Grade 8	2.4%	3.2%	5.9%	94.1%
	Grade 9	3.5%	4.9%	8.6%	91.4%
	Grade 10	3.3%	5.0%	8.9%	91.1%
	Grade 11	5.0%	7.4%	13.3%	86.7%
	Grade 12	5.4%	9.2%	17.0%	83.0%
Cocaine					
	All	3.2%	4.9%	8.8%	91.2%
	Grade 7	1.3%	2.0%	3.1%	96.9%
	Grade 8	2.1%	2.6%	5.0%	95.0%
	Grade 9	3.3%	4.6%	8.0%	92.0%
	Grade 10	3.0%	4.8%	8.6%	91.4%
	Grade 11	4.7%	7.2%	13.0%	87.0%
	Grade 12	5.2%	9.0%	16.7%	83.3%
Crack					
	All	0.9%	1.2%	2.5%	97.5%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	1.0%	1.4%	2.7%	97.3%
	Grade 9	0.7%	1.1%	2.7%	97.3%
	Grade 10	0.9%	1.1%	2.3%	97.7%
	Grade 11	0.9%	1.1%	2.4%	97.6%
	Grade 12	0.8%	1.1%	2.8%	97.2%
Hallucinogens					
	All	1.9%	2.7%	5.2%	94.8%
	Grade 7	0.9%	1.0%	1.8%	98.2%
	Grade 8	1.5%	2.2%	4.2%	95.8%
	Grade 9	2.2%	3.0%	5.3%	94.7%
	Grade 10	2.5%	3.2%	6.4%	93.6%
	Grade 11	2.2%	3.5%	6.6%	93.4%
	Grade 12	2.0%	3.6%	7.3%	92.7%
Uppers					
	All	3.2%	4.6%	7.0%	93.0%
	Grade 7	1.2%	1.6%	2.0%	98.0%
	Grade 8	1.9%	2.4%	4.0%	96.0%
	Grade 9	4.1%	5.5%	7.9%	92.1%
	Grade 10	3.7%	5.3%	8.3%	91.7%
	Grade 11	4.6%	6.7%	9.8%	90.2%
	Grade 12	4.0%	6.8%	10.6%	89.4%
Downers					
	All	3.7%	5.3%	8.4%	91.6%
	Grade 7	1.3%	1.7%	2.3%	97.7%
	Grade 8	1.8%	3.0%	4.6%	95.4%
	Grade 9	4.9%	6.7%	9.8%	90.2%
	Grade 10	4.1%	6.0%	9.6%	90.4%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	5.3%	7.5%	12.0%	88.0%
Grade 12	5.0%	7.5%	13.2%	86.8%

**Table B8: Prevalence and recency of use of selected substances by grade
Students reporting grades lower than A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.7%	4.1%	6.8%	93.2%
Grade 7	1.1%	1.9%	3.2%	96.8%
Grade 8	2.4%	3.3%	5.1%	94.9%
Grade 9	3.1%	4.7%	7.8%	92.2%
Grade 10	3.1%	4.3%	7.1%	92.9%
Grade 11	3.4%	5.4%	8.5%	91.5%
Grade 12	3.2%	5.0%	9.5%	90.5%
Steroids				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.7%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.4%	98.6%
Grade 12	0.5%	0.7%	1.2%	98.8%
Ecstasy				
All	5.6%	8.2%	12.2%	87.8%
Grade 7	2.6%	3.3%	4.9%	95.1%
Grade 8	3.9%	5.3%	7.7%	92.3%
Grade 9	6.1%	8.5%	13.0%	87.0%
Grade 10	6.3%	9.0%	13.9%	86.1%
Grade 11	7.4%	11.0%	16.4%	83.6%
Grade 12	7.8%	13.0%	18.8%	81.2%
Heroin				
All	0.8%	1.0%	1.7%	98.3%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	1.2%	1.4%	2.2%	97.8%
Grade 9	1.0%	1.6%	2.5%	97.5%
Grade 10	0.6%	0.8%	1.4%	98.6%
Grade 11	0.3%	0.5%	1.1%	98.9%
Grade 12	0.5%	0.8%	1.1%	98.9%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.2%	16.6%	28.6%	71.4%
	Grade 7	4.1%	5.8%	12.5%	87.5%
	Grade 8	7.3%	9.7%	21.6%	78.4%
	Grade 9	10.5%	14.8%	27.0%	73.0%
	Grade 10	14.2%	19.0%	32.6%	67.4%
	Grade 11	16.6%	22.7%	38.4%	61.6%
	Grade 12	24.1%	32.2%	45.5%	54.5%
Alcohol					
	All	27.9%	36.5%	57.9%	42.1%
	Grade 7	15.2%	19.5%	39.7%	60.3%
	Grade 8	20.7%	27.3%	50.5%	49.5%
	Grade 9	28.7%	37.2%	58.1%	41.9%
	Grade 10	32.3%	42.5%	65.5%	34.5%
	Grade 11	33.0%	45.0%	67.6%	32.4%
	Grade 12	41.8%	53.6%	72.0%	28.0%
Inhalants					
	All	6.9%	9.8%	17.4%	82.6%
	Grade 7	8.9%	11.6%	19.3%	80.7%
	Grade 8	9.9%	12.7%	21.3%	78.7%
	Grade 9	8.1%	11.0%	18.5%	81.5%
	Grade 10	4.9%	8.4%	16.3%	83.7%
	Grade 11	4.3%	7.6%	15.2%	84.8%
	Grade 12	3.8%	6.3%	12.4%	87.6%
Any Illicit Drug					
	All	11.5%	15.4%	23.1%	76.9%
	Grade 7	5.2%	6.5%	9.8%	90.2%
	Grade 8	8.0%	10.6%	15.8%	84.2%
	Grade 9	12.2%	15.6%	23.0%	77.0%
	Grade 10	13.3%	17.7%	28.6%	71.4%
	Grade 11	14.6%	20.4%	30.8%	69.2%
	Grade 12	17.9%	24.5%	35.1%	64.9%
Marijuana					
	All	8.7%	12.3%	19.9%	80.1%
	Grade 7	3.2%	4.5%	7.3%	92.7%
	Grade 8	5.4%	7.5%	12.6%	87.4%
	Grade 9	8.9%	12.5%	19.9%	80.1%
	Grade 10	10.0%	14.0%	24.9%	75.1%
	Grade 11	11.7%	17.3%	27.8%	72.2%
	Grade 12	14.6%	21.1%	31.5%	68.5%
Marijuana Only					
	All	2.8%	4.1%	8.1%	91.9%
	Grade 7	1.0%	1.5%	2.8%	97.2%
	Grade 8	2.0%	2.8%	5.5%	94.5%
	Grade 9	2.7%	4.0%	7.9%	92.1%
	Grade 10	4.1%	5.9%	11.7%	88.3%
	Grade 11	2.9%	5.0%	11.0%	89.0%
	Grade 12	4.6%	6.6%	11.7%	88.3%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.3%	3.6%	6.4%	93.6%
	Grade 7	1.1%	1.7%	2.6%	97.4%
	Grade 8	1.4%	2.1%	3.6%	96.4%
	Grade 9	2.7%	3.5%	6.2%	93.8%
	Grade 10	2.0%	3.4%	6.0%	94.0%
	Grade 11	3.2%	5.2%	9.5%	90.5%
	Grade 12	3.4%	6.4%	12.1%	87.9%
Cocaine					
	All	2.0%	3.3%	6.0%	94.0%
	Grade 7	0.8%	1.4%	2.2%	97.8%
	Grade 8	1.1%	1.5%	2.8%	97.2%
	Grade 9	2.4%	3.3%	5.7%	94.3%
	Grade 10	1.9%	3.2%	5.7%	94.3%
	Grade 11	3.1%	5.2%	9.4%	90.6%
	Grade 12	3.3%	6.3%	11.9%	88.1%
Crack					
	All	0.6%	0.8%	1.8%	98.2%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	0.7%	1.0%	2.3%	97.7%
	Grade 10	0.5%	0.7%	1.7%	98.3%
	Grade 11	0.3%	0.5%	1.4%	98.6%
	Grade 12	0.6%	0.9%	2.1%	97.9%
Hallucinogens					
	All	1.3%	1.9%	3.7%	96.3%
	Grade 7	0.5%	0.6%	1.3%	98.7%
	Grade 8	1.2%	1.6%	3.0%	97.0%
	Grade 9	1.5%	2.0%	3.7%	96.3%
	Grade 10	1.8%	2.2%	4.8%	95.2%
	Grade 11	1.8%	3.0%	5.2%	94.8%
	Grade 12	1.1%	2.3%	5.2%	94.8%
Uppers					
	All	2.2%	3.1%	4.9%	95.1%
	Grade 7	0.7%	0.9%	1.3%	98.7%
	Grade 8	1.3%	1.5%	2.7%	97.3%
	Grade 9	3.0%	3.8%	5.6%	94.4%
	Grade 10	2.3%	3.7%	6.3%	93.7%
	Grade 11	3.6%	5.2%	7.4%	92.6%
	Grade 12	2.4%	4.0%	7.3%	92.7%
Downers					
	All	2.3%	3.5%	5.9%	94.1%
	Grade 7	0.7%	0.8%	1.5%	98.5%
	Grade 8	1.1%	2.0%	3.2%	96.8%
	Grade 9	3.1%	4.1%	6.5%	93.5%
	Grade 10	2.8%	4.0%	6.9%	93.1%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.0%	5.4%	8.8%	91.2%
Grade 12	2.8%	5.2%	10.0%	90.0%

**Table B9: Prevalence and recency of use of selected substances by grade
Students living with two parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	1.7%	2.6%	4.5%	95.5%
Grade 7	0.7%	1.1%	2.1%	97.9%
Grade 8	1.6%	2.3%	3.4%	96.6%
Grade 9	2.2%	3.2%	5.5%	94.5%
Grade 10	1.9%	3.0%	4.6%	95.4%
Grade 11	2.3%	3.7%	6.3%	93.7%
Grade 12	1.4%	2.6%	5.9%	94.1%
Steroids				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.6%	1.2%	98.8%
Grade 10	0.2%	0.4%	0.9%	99.1%
Grade 11	0.6%	0.8%	1.7%	98.3%
Grade 12	0.4%	0.6%	1.1%	98.9%
Ecstasy				
All	3.8%	5.6%	8.4%	91.6%
Grade 7	1.5%	1.9%	2.8%	97.2%
Grade 8	2.7%	3.5%	4.8%	95.2%
Grade 9	4.4%	5.8%	8.7%	91.3%
Grade 10	4.6%	6.6%	10.4%	89.6%
Grade 11	5.4%	8.1%	11.7%	88.3%
Grade 12	4.7%	8.7%	14.0%	86.0%
Heroin				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	1.0%	1.4%	2.1%	97.9%
Grade 10	0.6%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.2%	0.8%	99.2%
Grade 12	0.3%	0.5%	0.8%	99.2%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.4%	23.5%	40.2%	59.8%
	Grade 7	7.4%	10.3%	22.6%	77.4%
	Grade 8	13.7%	18.9%	35.5%	64.5%
	Grade 9	15.6%	21.4%	38.6%	61.4%
	Grade 10	18.2%	26.4%	44.4%	55.6%
	Grade 11	22.4%	29.1%	47.2%	52.8%
	Grade 12	27.7%	35.7%	53.8%	46.2%
Alcohol					
	All	35.1%	45.9%	68.4%	31.6%
	Grade 7	19.9%	26.6%	50.5%	49.5%
	Grade 8	30.1%	38.8%	64.4%	35.6%
	Grade 9	35.1%	45.5%	68.5%	31.5%
	Grade 10	39.2%	53.8%	75.7%	24.3%
	Grade 11	39.9%	54.1%	75.3%	24.7%
	Grade 12	47.0%	57.7%	76.3%	23.7%
Inhalants					
	All	8.2%	11.9%	22.1%	77.9%
	Grade 7	11.3%	15.1%	25.4%	74.6%
	Grade 8	10.7%	14.7%	24.4%	75.6%
	Grade 9	8.5%	12.0%	23.5%	76.5%
	Grade 10	8.1%	11.3%	21.0%	79.0%
	Grade 11	5.6%	8.5%	19.4%	80.6%
	Grade 12	4.9%	9.5%	18.1%	81.9%
Any Illicit Drug					
	All	19.3%	25.1%	37.4%	62.6%
	Grade 7	9.8%	12.2%	19.2%	80.8%
	Grade 8	16.5%	20.1%	29.6%	70.4%
	Grade 9	18.5%	24.5%	37.6%	62.4%
	Grade 10	22.2%	29.9%	43.3%	56.7%
	Grade 11	23.6%	32.0%	45.3%	54.7%
	Grade 12	25.9%	32.9%	50.3%	49.7%
Marijuana					
	All	15.5%	21.5%	33.9%	66.1%
	Grade 7	7.0%	9.2%	15.7%	84.3%
	Grade 8	12.1%	15.8%	25.8%	74.2%
	Grade 9	15.4%	21.3%	33.8%	66.2%
	Grade 10	18.7%	26.1%	39.9%	60.1%
	Grade 11	19.1%	27.5%	41.9%	58.1%
	Grade 12	20.9%	29.8%	47.3%	52.7%
Marijuana Only					
	All	4.5%	6.8%	13.1%	86.9%
	Grade 7	2.7%	3.7%	7.5%	92.5%
	Grade 8	4.2%	5.3%	10.5%	89.5%
	Grade 9	3.5%	5.8%	11.9%	88.1%
	Grade 10	5.2%	8.4%	15.8%	84.2%
	Grade 11	6.3%	9.5%	16.1%	83.9%
	Grade 12	5.3%	8.5%	17.3%	82.7%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.2%	5.9%	10.8%	89.2%
	Grade 7	2.0%	2.5%	3.7%	96.3%
	Grade 8	2.9%	3.6%	7.5%	92.5%
	Grade 9	3.5%	5.5%	10.0%	90.0%
	Grade 10	4.1%	5.7%	10.3%	89.7%
	Grade 11	6.3%	8.5%	15.2%	84.8%
	Grade 12	6.6%	10.0%	18.6%	81.4%
Cocaine					
	All	3.9%	5.6%	10.2%	89.8%
	Grade 7	1.4%	2.0%	3.0%	97.0%
	Grade 8	2.6%	3.2%	6.6%	93.4%
	Grade 9	3.3%	5.2%	9.2%	90.8%
	Grade 10	4.0%	5.6%	10.3%	89.7%
	Grade 11	6.0%	8.2%	14.9%	85.1%
	Grade 12	6.3%	9.8%	18.2%	81.8%
Crack					
	All	1.0%	1.3%	2.7%	97.3%
	Grade 7	0.8%	1.3%	1.8%	98.2%
	Grade 8	1.1%	1.5%	3.2%	96.8%
	Grade 9	0.7%	0.9%	2.6%	97.4%
	Grade 10	1.1%	1.2%	2.4%	97.6%
	Grade 11	1.4%	1.8%	3.3%	96.7%
	Grade 12	0.8%	0.9%	3.1%	96.9%
Hallucinogens					
	All	2.4%	3.6%	6.4%	93.6%
	Grade 7	1.1%	1.2%	2.2%	97.8%
	Grade 8	1.7%	3.0%	5.5%	94.5%
	Grade 9	2.6%	3.8%	6.9%	93.1%
	Grade 10	3.1%	4.8%	8.1%	91.9%
	Grade 11	3.1%	4.7%	8.3%	91.7%
	Grade 12	3.0%	4.4%	7.6%	92.4%
Uppers					
	All	3.9%	5.8%	8.4%	91.6%
	Grade 7	1.5%	2.0%	2.7%	97.3%
	Grade 8	2.5%	3.6%	5.5%	94.5%
	Grade 9	4.2%	6.8%	9.6%	90.4%
	Grade 10	4.9%	6.8%	9.6%	90.4%
	Grade 11	5.3%	7.7%	11.7%	88.3%
	Grade 12	5.3%	8.4%	11.5%	88.5%
Downers					
	All	4.7%	6.7%	10.0%	90.0%
	Grade 7	1.5%	2.3%	3.0%	97.0%
	Grade 8	2.7%	4.2%	6.2%	93.8%
	Grade 9	5.4%	8.1%	11.7%	88.3%
	Grade 10	5.7%	8.2%	12.6%	87.4%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	6.1%	8.7%	14.0%	86.0%
Grade 12	7.0%	8.7%	13.0%	87.0%

**Table B10: Prevalence and recency of use of selected substances by grade
Students not living with two parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	3.4%	5.1%	8.1%	91.9%
Grade 7	1.0%	2.3%	3.4%	96.6%
Grade 8	3.1%	4.2%	6.9%	93.1%
Grade 9	3.6%	5.8%	9.2%	90.8%
Grade 10	4.0%	5.0%	8.8%	91.2%
Grade 11	4.1%	6.3%	9.5%	90.5%
Grade 12	4.4%	6.8%	10.8%	89.2%
Steroids				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.0%	1.3%	1.5%	98.5%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	0.6%	0.8%	1.1%	98.9%
Grade 12	0.6%	0.8%	1.8%	98.2%
Ecstasy				
All	6.8%	10.0%	15.1%	84.9%
Grade 7	3.0%	4.2%	6.3%	93.7%
Grade 8	4.8%	6.9%	10.2%	89.8%
Grade 9	6.8%	10.1%	16.4%	83.6%
Grade 10	7.7%	10.7%	16.3%	83.7%
Grade 11	9.4%	13.4%	20.0%	80.0%
Grade 12	9.6%	15.2%	21.5%	78.5%
Heroin				
All	1.0%	1.3%	2.1%	97.9%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	2.0%	2.3%	3.4%	96.6%
Grade 9	0.8%	1.3%	2.4%	97.6%
Grade 10	0.6%	0.9%	1.6%	98.4%
Grade 11	1.0%	1.2%	1.5%	98.5%
Grade 12	0.8%	1.5%	1.7%	98.3%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	12.0%	16.5%	29.8%	70.2%
	Grade 7	4.0%	5.4%	13.1%	86.9%
	Grade 8	6.9%	10.1%	22.2%	77.8%
	Grade 9	10.7%	14.9%	28.4%	71.6%
	Grade 10	13.4%	19.4%	34.9%	65.1%
	Grade 11	16.0%	21.7%	38.3%	61.7%
	Grade 12	24.1%	31.6%	47.0%	53.0%
Alcohol					
	All	28.3%	37.6%	59.8%	40.2%
	Grade 7	14.3%	18.9%	39.3%	60.7%
	Grade 8	21.5%	28.3%	52.4%	47.6%
	Grade 9	29.3%	38.1%	60.2%	39.8%
	Grade 10	32.2%	44.9%	69.2%	30.8%
	Grade 11	33.5%	46.4%	69.3%	30.7%
	Grade 12	43.2%	54.5%	74.0%	26.0%
Inhalants					
	All	6.2%	9.0%	16.8%	83.2%
	Grade 7	7.9%	10.2%	18.0%	82.0%
	Grade 8	8.1%	11.0%	19.1%	80.9%
	Grade 9	7.2%	10.0%	18.6%	81.4%
	Grade 10	5.5%	8.3%	16.5%	83.5%
	Grade 11	4.3%	7.1%	14.7%	85.3%
	Grade 12	3.5%	6.3%	12.7%	87.3%
Any Illicit Drug					
	All	12.1%	16.2%	24.9%	75.1%
	Grade 7	4.7%	6.1%	9.7%	90.3%
	Grade 8	8.6%	11.2%	17.1%	82.9%
	Grade 9	12.5%	16.6%	25.6%	74.4%
	Grade 10	14.4%	19.1%	30.4%	69.6%
	Grade 11	15.1%	21.1%	32.3%	67.7%
	Grade 12	19.1%	25.9%	38.5%	61.5%
Marijuana					
	All	9.3%	13.3%	21.9%	78.1%
	Grade 7	3.0%	4.3%	7.4%	92.6%
	Grade 8	6.2%	8.4%	14.6%	85.4%
	Grade 9	9.4%	13.5%	22.0%	78.0%
	Grade 10	11.4%	15.9%	27.1%	72.9%
	Grade 11	12.0%	17.6%	29.2%	70.8%
	Grade 12	15.4%	23.0%	35.5%	64.5%
Marijuana Only					
	All	3.1%	4.8%	9.4%	90.6%
	Grade 7	1.3%	1.8%	3.6%	96.4%
	Grade 8	2.3%	3.1%	6.6%	93.4%
	Grade 9	2.7%	4.3%	9.0%	91.0%
	Grade 10	4.4%	6.6%	13.1%	86.9%
	Grade 11	3.8%	6.4%	12.5%	87.5%
	Grade 12	4.8%	7.3%	13.6%	86.4%

**Border - Grades 7-12 Large
SPRING 2010**

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.2%	3.4%	6.5%	93.5%
	Grade 7	1.0%	1.3%	2.2%	97.8%
	Grade 8	1.4%	1.8%	4.0%	96.0%
	Grade 9	2.4%	3.6%	6.5%	93.5%
	Grade 10	2.1%	3.0%	5.9%	94.1%
	Grade 11	3.1%	4.9%	9.3%	90.7%
	Grade 12	3.9%	6.4%	12.6%	87.4%
Cocaine					
	All	2.1%	3.2%	6.2%	93.8%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	1.3%	1.7%	3.6%	96.4%
	Grade 9	2.2%	3.3%	5.9%	94.1%
	Grade 10	2.0%	2.9%	5.7%	94.3%
	Grade 11	3.0%	4.9%	9.2%	90.8%
	Grade 12	3.9%	6.3%	12.5%	87.5%
Crack					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.6%	0.6%	1.7%	98.3%
	Grade 9	0.5%	0.9%	2.3%	97.7%
	Grade 10	0.5%	0.5%	1.2%	98.8%
	Grade 11	0.5%	0.6%	1.5%	98.5%
	Grade 12	0.5%	0.6%	1.8%	98.2%
Hallucinogens					
	All	1.3%	2.0%	3.9%	96.1%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	0.9%	1.4%	3.1%	96.9%
	Grade 9	1.4%	2.3%	4.1%	95.9%
	Grade 10	2.1%	2.9%	5.3%	94.7%
	Grade 11	1.8%	2.9%	4.9%	95.1%
	Grade 12	1.1%	2.2%	5.3%	94.7%
Uppers					
	All	2.1%	3.2%	5.0%	95.0%
	Grade 7	0.7%	0.8%	1.0%	99.0%
	Grade 8	1.3%	1.7%	3.1%	96.9%
	Grade 9	2.6%	4.0%	5.9%	94.1%
	Grade 10	2.7%	4.1%	6.5%	93.5%
	Grade 11	3.1%	4.2%	6.3%	93.7%
	Grade 12	3.0%	4.9%	7.9%	92.1%
Downers					
	All	2.4%	3.5%	5.9%	94.1%
	Grade 7	0.5%	0.8%	1.1%	98.9%
	Grade 8	1.3%	2.3%	3.7%	96.3%
	Grade 9	3.3%	4.6%	7.4%	92.6%
	Grade 10	3.1%	4.5%	7.0%	93.0%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	3.3%	4.5%	8.1%	91.9%
Grade 12	3.3%	4.7%	9.2%	90.8%

Table B11: Prevalence and recency of use of selected substances by grade
Students would seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	1.6%	2.6%	4.6%	95.4%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	1.4%	2.1%	3.6%	96.4%
Grade 9	2.0%	3.4%	5.8%	94.2%
Grade 10	2.0%	2.9%	4.7%	95.3%
Grade 11	1.8%	2.8%	5.3%	94.7%
Grade 12	2.0%	3.8%	7.0%	93.0%
Steroids				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.6%	0.7%	1.4%	98.6%
Grade 12	0.4%	0.6%	1.2%	98.8%
Ecstasy				
All	4.2%	6.1%	9.4%	90.6%
Grade 7	1.4%	2.0%	2.9%	97.1%
Grade 8	2.6%	3.7%	5.7%	94.3%
Grade 9	4.9%	6.9%	10.4%	89.6%
Grade 10	5.0%	7.0%	10.7%	89.3%
Grade 11	5.4%	8.0%	12.2%	87.8%
Grade 12	6.4%	10.3%	16.1%	83.9%
Heroin				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.8%	1.0%	1.5%	98.5%
Grade 9	0.7%	1.1%	1.9%	98.1%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.3%	0.6%	0.8%	99.2%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	21.0%	27.3%	42.3%	57.7%
	Grade 7	9.3%	14.2%	26.3%	73.7%
	Grade 8	18.0%	22.1%	39.8%	60.2%
	Grade 9	19.1%	25.0%	39.4%	60.6%
	Grade 10	23.2%	29.0%	43.7%	56.3%
	Grade 11	28.2%	36.4%	51.8%	48.2%
	Grade 12	29.0%	38.6%	53.7%	46.3%
Alcohol					
	All	37.9%	47.9%	67.6%	32.4%
	Grade 7	24.9%	32.0%	56.6%	43.4%
	Grade 8	32.8%	42.7%	65.4%	34.6%
	Grade 9	37.0%	47.0%	65.5%	34.5%
	Grade 10	43.3%	52.7%	70.0%	30.0%
	Grade 11	43.4%	56.5%	74.9%	25.1%
	Grade 12	46.8%	57.6%	74.0%	26.0%
Inhalants					
	All	11.0%	15.4%	26.0%	74.0%
	Grade 7	16.7%	21.0%	32.1%	67.9%
	Grade 8	17.9%	21.4%	33.7%	66.3%
	Grade 9	11.7%	15.9%	26.9%	73.1%
	Grade 10	6.4%	11.4%	22.0%	78.0%
	Grade 11	5.6%	10.4%	22.0%	78.0%
	Grade 12	6.5%	11.3%	17.8%	82.2%
Any Illicit Drug					
	All	21.9%	28.1%	39.4%	60.6%
	Grade 7	15.6%	18.3%	24.9%	75.1%
	Grade 8	17.9%	22.3%	32.6%	67.4%
	Grade 9	22.4%	27.2%	37.4%	62.6%
	Grade 10	23.7%	33.1%	45.4%	54.6%
	Grade 11	26.8%	36.8%	48.5%	51.5%
	Grade 12	25.6%	32.5%	49.2%	50.8%
Marijuana					
	All	16.9%	22.9%	34.3%	65.7%
	Grade 7	10.2%	13.1%	19.3%	80.7%
	Grade 8	11.2%	14.9%	25.0%	75.0%
	Grade 9	18.1%	23.6%	34.0%	66.0%
	Grade 10	20.1%	26.8%	40.3%	59.7%
	Grade 11	23.1%	32.6%	45.5%	54.5%
	Grade 12	19.8%	28.1%	43.7%	56.3%
Marijuana Only					
	All	4.4%	6.5%	11.9%	88.1%
	Grade 7	2.4%	3.7%	6.3%	93.7%
	Grade 8	3.9%	5.1%	10.1%	89.9%
	Grade 9	4.7%	6.9%	10.8%	89.2%
	Grade 10	5.8%	8.4%	14.0%	86.0%
	Grade 11	5.4%	7.9%	15.3%	84.7%
	Grade 12	4.3%	7.2%	15.6%	84.4%

**Border - Grades 7-12 Large
SPRING 2010**

Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.3%	7.7%	12.5%	87.5%
	Grade 7	2.9%	4.8%	6.6%	93.4%
	Grade 8	3.7%	5.3%	8.4%	91.6%
	Grade 9	5.3%	6.4%	11.3%	88.7%
	Grade 10	4.5%	7.2%	12.4%	87.6%
	Grade 11	8.5%	11.7%	18.0%	82.0%
	Grade 12	7.2%	12.0%	19.7%	80.3%
Cocaine					
	All	4.6%	7.0%	11.7%	88.3%
	Grade 7	2.1%	3.8%	5.7%	94.3%
	Grade 8	2.8%	3.4%	6.2%	93.8%
	Grade 9	4.9%	6.1%	10.7%	89.3%
	Grade 10	4.4%	7.0%	12.3%	87.7%
	Grade 11	7.6%	11.0%	17.5%	82.5%
	Grade 12	6.3%	11.4%	19.2%	80.8%
Crack					
	All	1.6%	2.2%	4.2%	95.8%
	Grade 7	1.9%	2.5%	3.8%	96.2%
	Grade 8	1.9%	3.2%	4.4%	95.6%
	Grade 9	1.2%	1.4%	3.2%	96.8%
	Grade 10	1.5%	1.9%	3.7%	96.3%
	Grade 11	1.6%	2.4%	4.9%	95.1%
	Grade 12	1.6%	1.9%	5.5%	94.5%
Hallucinogens					
	All	2.9%	3.9%	7.4%	92.6%
	Grade 7	1.6%	1.7%	3.4%	96.6%
	Grade 8	2.3%	3.0%	5.1%	94.9%
	Grade 9	3.3%	3.7%	6.8%	93.2%
	Grade 10	2.6%	3.9%	8.9%	91.1%
	Grade 11	3.7%	6.7%	12.6%	87.4%
	Grade 12	4.2%	4.7%	8.4%	91.6%
Uppers					
	All	5.0%	7.0%	9.6%	90.4%
	Grade 7	2.7%	3.1%	4.4%	95.6%
	Grade 8	3.4%	4.0%	5.7%	94.3%
	Grade 9	6.9%	8.0%	10.5%	89.5%
	Grade 10	5.3%	7.5%	10.5%	89.5%
	Grade 11	7.3%	12.2%	16.3%	83.7%
	Grade 12	4.6%	7.5%	11.0%	89.0%
Downers					
	All	5.7%	8.3%	11.9%	88.1%
	Grade 7	3.1%	3.6%	5.0%	95.0%
	Grade 8	3.0%	3.9%	5.3%	94.7%
	Grade 9	6.1%	8.2%	11.0%	89.0%
	Grade 10	6.2%	9.9%	15.7%	84.3%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	8.5%	12.8%	17.9%	82.1%
Grade 12	7.9%	12.1%	18.2%	81.8%

Table B12: Prevalence and recency of use of selected substances by grade
Students would not seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	4.4%	6.0%	9.4%	90.6%
Grade 7	2.0%	2.6%	5.5%	94.5%
Grade 8	4.6%	5.5%	7.7%	92.3%
Grade 9	5.3%	6.5%	9.7%	90.3%
Grade 10	4.8%	7.1%	11.0%	89.0%
Grade 11	5.5%	9.2%	12.5%	87.5%
Grade 12	3.9%	5.0%	10.3%	89.7%
Steroids				
All	0.9%	1.2%	1.8%	98.2%
Grade 7	1.7%	1.9%	2.4%	97.6%
Grade 8	1.1%	1.4%	2.1%	97.9%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.7%	0.9%	1.4%	98.6%
Grade 11	0.8%	1.4%	1.9%	98.1%
Grade 12	1.0%	1.1%	2.0%	98.0%
Ecstasy				
All	7.3%	11.0%	15.4%	84.6%
Grade 7	4.8%	5.7%	7.9%	92.1%
Grade 8	6.5%	8.0%	10.6%	89.4%
Grade 9	7.1%	9.8%	15.2%	84.8%
Grade 10	7.4%	11.7%	18.0%	82.0%
Grade 11	11.2%	17.1%	23.2%	76.8%
Grade 12	7.2%	14.7%	18.6%	81.4%
Heroin				
All	1.5%	1.9%	3.1%	96.9%
Grade 7	1.9%	2.2%	3.9%	96.1%
Grade 8	2.0%	2.2%	4.0%	96.0%
Grade 9	1.6%	2.1%	2.9%	97.1%
Grade 10	0.9%	1.2%	2.4%	97.6%
Grade 11	1.2%	1.6%	2.7%	97.3%
Grade 12	1.4%	2.2%	2.9%	97.1%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.1%	18.6%	32.8%	67.2%
	Grade 7	5.5%	7.2%	16.3%	83.7%
	Grade 8	9.0%	13.0%	26.6%	73.4%
	Grade 9	13.9%	18.9%	33.8%	66.2%
	Grade 10	18.2%	23.6%	39.8%	60.2%
	Grade 11	19.4%	25.5%	42.8%	57.2%
	Grade 12	30.4%	37.1%	52.7%	47.3%
Alcohol					
	All	29.9%	37.6%	59.8%	40.2%
	Grade 7	16.0%	21.0%	40.8%	59.2%
	Grade 8	24.6%	31.6%	56.2%	43.8%
	Grade 9	32.6%	39.7%	60.4%	39.6%
	Grade 10	36.5%	44.9%	67.5%	32.5%
	Grade 11	35.1%	46.8%	70.3%	29.7%
	Grade 12	47.0%	54.7%	77.9%	22.1%
Inhalants					
	All	7.7%	11.2%	19.9%	80.1%
	Grade 7	9.3%	11.5%	19.3%	80.7%
	Grade 8	9.7%	13.4%	21.5%	78.5%
	Grade 9	8.2%	10.8%	20.8%	79.2%
	Grade 10	6.1%	10.2%	19.8%	80.2%
	Grade 11	5.4%	10.0%	19.2%	80.8%
	Grade 12	6.0%	11.1%	16.3%	83.7%
Any Illicit Drug					
	All	15.3%	19.5%	29.0%	71.0%
	Grade 7	7.5%	9.3%	13.3%	86.7%
	Grade 8	12.2%	15.5%	22.7%	77.3%
	Grade 9	17.9%	21.4%	31.1%	68.9%
	Grade 10	16.5%	23.3%	36.9%	63.1%
	Grade 11	18.7%	24.9%	37.7%	62.3%
	Grade 12	26.2%	31.6%	44.6%	55.4%
Marijuana					
	All	12.1%	16.1%	25.8%	74.2%
	Grade 7	5.2%	6.7%	10.9%	89.1%
	Grade 8	9.3%	12.0%	18.6%	81.4%
	Grade 9	14.2%	18.0%	27.6%	72.4%
	Grade 10	13.1%	19.1%	32.6%	67.4%
	Grade 11	15.4%	21.2%	35.3%	64.7%
	Grade 12	22.3%	27.7%	42.2%	57.8%
Marijuana Only					
	All	3.4%	4.9%	9.9%	90.1%
	Grade 7	2.1%	2.7%	4.9%	95.1%
	Grade 8	3.2%	4.0%	7.8%	92.2%
	Grade 9	4.3%	5.6%	10.2%	89.8%
	Grade 10	3.0%	6.1%	12.6%	87.4%
	Grade 11	3.8%	6.0%	13.3%	86.7%
	Grade 12	4.9%	6.7%	14.2%	85.8%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.3%	4.8%	8.3%	91.7%
	Grade 7	1.7%	2.3%	3.3%	96.7%
	Grade 8	2.0%	2.7%	5.3%	94.7%
	Grade 9	3.6%	5.3%	8.6%	91.4%
	Grade 10	3.1%	4.9%	9.3%	90.7%
	Grade 11	4.9%	6.8%	12.4%	87.6%
	Grade 12	6.7%	11.3%	17.3%	82.7%
Cocaine					
	All	2.9%	4.4%	7.7%	92.3%
	Grade 7	1.4%	1.9%	2.7%	97.3%
	Grade 8	1.8%	2.1%	4.7%	95.3%
	Grade 9	3.1%	4.7%	7.5%	92.5%
	Grade 10	2.7%	4.6%	9.0%	91.0%
	Grade 11	4.5%	6.5%	12.1%	87.9%
	Grade 12	6.7%	11.4%	17.4%	82.6%
Crack					
	All	0.9%	1.2%	2.9%	97.1%
	Grade 7	0.6%	1.2%	1.9%	98.1%
	Grade 8	0.8%	1.1%	2.7%	97.3%
	Grade 9	1.2%	1.6%	3.0%	97.0%
	Grade 10	1.2%	1.6%	3.1%	96.9%
	Grade 11	0.8%	1.0%	3.0%	97.0%
	Grade 12	0.5%	0.5%	5.7%	94.3%
Hallucinogens					
	All	2.1%	2.9%	5.3%	94.7%
	Grade 7	0.9%	1.0%	1.9%	98.1%
	Grade 8	2.0%	2.5%	4.5%	95.5%
	Grade 9	2.0%	2.8%	5.4%	94.6%
	Grade 10	2.6%	3.5%	7.0%	93.0%
	Grade 11	2.9%	4.1%	7.5%	92.5%
	Grade 12	4.0%	5.5%	7.9%	92.1%
Uppers					
	All	3.4%	4.5%	6.5%	93.5%
	Grade 7	0.7%	0.9%	1.2%	98.8%
	Grade 8	2.1%	2.5%	4.2%	95.8%
	Grade 9	4.8%	6.2%	8.3%	91.7%
	Grade 10	5.0%	6.3%	8.9%	91.1%
	Grade 11	4.8%	6.9%	10.0%	90.0%
	Grade 12	2.8%	4.8%	7.7%	92.3%
Downers					
	All	3.9%	5.3%	7.8%	92.2%
	Grade 7	1.0%	1.1%	1.6%	98.4%
	Grade 8	1.8%	2.7%	4.5%	95.5%
	Grade 9	5.3%	6.8%	9.9%	90.1%
	Grade 10	5.9%	7.6%	10.8%	89.2%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	5.7%	8.1%	11.8%	88.2%
Grade 12	4.3%	7.0%	11.4%	88.6%

**Table B13: Prevalence and recency of use of selected substances by grade
Students living in town three years or less
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	3.0%	4.2%	6.5%	93.5%
Grade 7	1.2%	2.2%	3.1%	96.9%
Grade 8	2.3%	3.1%	4.8%	95.2%
Grade 9	3.9%	5.3%	8.2%	91.8%
Grade 10	3.5%	4.4%	6.8%	93.2%
Grade 11	3.9%	5.6%	8.5%	91.5%
Grade 12	3.1%	5.8%	9.0%	91.0%
Steroids				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	1.3%	1.5%	1.8%	98.2%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	1.0%	1.1%	1.8%	98.2%
Grade 12	0.7%	0.7%	1.8%	98.2%
Ecstasy				
All	5.5%	7.7%	11.7%	88.3%
Grade 7	1.8%	2.7%	4.4%	95.6%
Grade 8	3.6%	5.0%	7.7%	92.3%
Grade 9	6.8%	8.6%	13.4%	86.6%
Grade 10	6.6%	9.7%	14.5%	85.5%
Grade 11	8.2%	10.9%	17.0%	83.0%
Grade 12	8.7%	13.5%	18.3%	81.7%
Heroin				
All	0.8%	1.2%	1.9%	98.1%
Grade 7	0.8%	0.9%	1.5%	98.5%
Grade 8	1.1%	1.3%	2.2%	97.8%
Grade 9	1.1%	1.6%	2.2%	97.8%
Grade 10	0.6%	0.9%	1.6%	98.4%
Grade 11	0.6%	0.6%	1.2%	98.8%
Grade 12	0.5%	2.7%	2.8%	97.2%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.1%	19.1%	32.7%	67.3%
	Grade 7	5.0%	7.0%	15.3%	84.7%
	Grade 8	9.6%	12.8%	26.1%	73.9%
	Grade 9	11.9%	16.4%	29.7%	70.3%
	Grade 10	14.7%	20.9%	36.0%	64.0%
	Grade 11	18.4%	24.8%	41.1%	58.9%
	Grade 12	25.0%	33.3%	48.3%	51.7%
Alcohol					
	All	30.7%	40.6%	62.3%	37.7%
	Grade 7	17.0%	22.0%	44.4%	55.6%
	Grade 8	23.7%	31.2%	55.1%	44.9%
	Grade 9	30.3%	40.2%	62.2%	37.8%
	Grade 10	34.2%	47.3%	69.9%	30.1%
	Grade 11	35.5%	48.7%	70.4%	29.6%
	Grade 12	43.5%	55.3%	73.2%	26.8%
Inhalants					
	All	7.2%	10.3%	18.7%	81.3%
	Grade 7	9.8%	13.2%	22.1%	77.9%
	Grade 8	10.2%	13.3%	22.3%	77.7%
	Grade 9	8.4%	11.6%	19.9%	80.1%
	Grade 10	6.1%	9.2%	17.4%	82.6%
	Grade 11	4.5%	7.2%	15.7%	84.3%
	Grade 12	4.0%	7.0%	14.3%	85.7%
Any Illicit Drug					
	All	13.9%	18.6%	27.8%	72.2%
	Grade 7	6.4%	8.0%	12.7%	87.3%
	Grade 8	10.4%	13.4%	19.8%	80.2%
	Grade 9	13.1%	17.7%	26.9%	73.1%
	Grade 10	16.3%	21.5%	32.6%	67.4%
	Grade 11	17.4%	24.3%	35.2%	64.8%
	Grade 12	20.2%	27.1%	40.2%	59.8%
Marijuana					
	All	10.7%	15.4%	24.5%	75.5%
	Grade 7	4.1%	5.8%	9.7%	90.3%
	Grade 8	7.3%	9.9%	16.6%	83.4%
	Grade 9	10.0%	14.6%	23.5%	76.5%
	Grade 10	13.1%	18.0%	29.5%	70.5%
	Grade 11	13.9%	20.7%	31.8%	68.2%
	Grade 12	16.1%	23.9%	36.7%	63.3%
Marijuana Only					
	All	3.4%	5.1%	9.9%	90.1%
	Grade 7	1.3%	1.9%	4.1%	95.9%
	Grade 8	2.6%	3.6%	7.1%	92.9%
	Grade 9	2.5%	4.2%	8.8%	91.2%
	Grade 10	5.0%	7.1%	13.4%	86.6%
	Grade 11	4.2%	6.8%	12.6%	87.4%
	Grade 12	4.8%	7.4%	13.8%	86.2%

**Border - Grades 7-12 Large
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.8%	4.3%	7.8%	92.2%
	Grade 7	1.3%	1.8%	2.8%	97.2%
	Grade 8	1.8%	2.6%	4.7%	95.3%
	Grade 9	2.7%	3.8%	7.1%	92.9%
	Grade 10	2.7%	4.0%	7.0%	93.0%
	Grade 11	4.1%	6.3%	11.2%	88.8%
	Grade 12	4.3%	7.3%	14.1%	85.9%
Cocaine					
	All	2.6%	4.0%	7.4%	92.6%
	Grade 7	0.9%	1.5%	2.4%	97.6%
	Grade 8	1.5%	2.0%	3.9%	96.1%
	Grade 9	2.5%	3.6%	6.7%	93.3%
	Grade 10	2.6%	3.9%	6.8%	93.2%
	Grade 11	4.0%	6.2%	11.0%	89.0%
	Grade 12	4.1%	7.1%	13.8%	86.2%
Crack					
	All	0.7%	0.9%	1.9%	98.1%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	0.9%	1.3%	2.1%	97.9%
	Grade 9	0.4%	0.7%	2.1%	97.9%
	Grade 10	0.6%	0.6%	1.5%	98.5%
	Grade 11	0.7%	1.0%	1.8%	98.2%
	Grade 12	0.7%	0.9%	2.1%	97.9%
Hallucinogens					
	All	1.6%	2.4%	4.5%	95.5%
	Grade 7	0.6%	0.7%	1.5%	98.5%
	Grade 8	1.2%	1.9%	3.6%	96.4%
	Grade 9	1.9%	2.6%	4.6%	95.4%
	Grade 10	2.1%	3.0%	5.6%	94.4%
	Grade 11	2.1%	3.5%	5.9%	94.1%
	Grade 12	1.5%	2.8%	5.9%	94.1%
Uppers					
	All	2.6%	3.9%	6.0%	94.0%
	Grade 7	1.1%	1.4%	1.9%	98.1%
	Grade 8	1.5%	2.1%	3.4%	96.6%
	Grade 9	2.8%	4.3%	6.5%	93.5%
	Grade 10	2.7%	4.3%	7.0%	93.0%
	Grade 11	4.0%	5.9%	8.6%	91.4%
	Grade 12	3.7%	5.8%	9.1%	90.9%
Downers					
	All	2.9%	4.4%	7.2%	92.8%
	Grade 7	1.0%	1.3%	2.1%	97.9%
	Grade 8	1.5%	2.7%	4.0%	96.0%
	Grade 9	3.4%	5.1%	7.8%	92.2%
	Grade 10	3.0%	4.7%	8.2%	91.8%

**Border - Grades 7-12 Large
SPRING 2010**

	Past Month	School Year	Ever Used	Never Used
Grade 11	4.4%	6.1%	10.3%	89.7%
Grade 12	4.4%	6.4%	11.1%	88.9%

**Table B14: Prevalence and recency of use of selected substances by grade
Students living in town more than three years
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Rohypnol				
All	2.1%	3.2%	5.6%	94.4%
Grade 7	0.7%	1.2%	2.3%	97.7%
Grade 8	2.0%	2.8%	4.4%	95.6%
Grade 9	2.3%	3.8%	6.3%	93.7%
Grade 10	2.3%	3.5%	5.8%	94.2%
Grade 11	2.6%	4.3%	7.1%	92.9%
Grade 12	2.4%	4.0%	7.6%	92.4%
Steroids				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.4%	0.7%	1.4%	98.6%
Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy				
All	4.6%	6.9%	10.4%	89.6%
Grade 7	2.1%	2.6%	3.7%	96.3%
Grade 8	3.3%	4.5%	6.3%	93.7%
Grade 9	4.7%	6.9%	10.7%	89.3%
Grade 10	5.2%	7.4%	11.7%	88.3%
Grade 11	6.3%	9.5%	13.7%	86.3%
Grade 12	6.3%	10.9%	16.7%	83.3%
Heroin				
All	0.6%	0.8%	1.4%	98.6%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	1.0%	1.2%	1.8%	98.2%
Grade 9	0.8%	1.2%	2.1%	97.9%
Grade 10	0.6%	0.7%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.5%	0.6%	0.9%	99.1%

3. Margin Tables

Border - Grades 7-12 Large
SPRING 2010

Border - Grades 7-12 Large Spring 2010

The FREQ Procedure

GENDER			
q1	Frequency	Percent	
Female	161E3	51.71	
Male	15E4	48.29	

Frequency Missing = 969.47038898

GRADE			
q2	Frequency	Percent	
Grade 7	54727	17.55	
Grade 8	55352	17.75	
Grade 9	59376	19.04	
Grade 10	49253	15.79	
Grade 11	46257	14.83	
Grade 12	46939	15.05	

LIVE WITH BOTH PARENTS			
q3	Frequency	Percent	
No	108E3	34.76	
Yes	202E3	65.24	

Frequency Missing = 2555.4782207

AGE			
q4	Frequency	Percent	
11 or younger	212	0.07	
12	15276	4.92	
13	48649	15.66	
14	55064	17.73	
15	55689	17.93	
16	51789	16.67	
17	49657	15.99	
18	28800	9.27	
19 or older	5498	1.77	

Frequency Missing = 1270.0972972

ETHNICITY			
q5	Frequency	Percent	
African/American	6481	2.12	
Asian/American	1047	0.34	
Mexican/American	272E3	88.92	
Native/American	1076	0.35	
Other	7041	2.31	
White	18185	5.95	

Frequency Missing = 6506.8160887

ON AVERAGE WHAT GRADES DO YOU GET			
q6	Frequency	Percent	
Mostly A's	72466	23.55	
Mostly B's	175E3	56.92	
Mostly C's	52672	17.12	
Mostly D's	5623	1.83	
Mostly F's	1799	0.58	

Frequency Missing = 4201.292694

LENGTH OF TIME IN THIS DISTRICT			
q7	Frequency	Percent	
<1 year	25083	8.17	
2-3 years	50949	16.60	
>4 years	231E3	75.23	

Frequency Missing = 4985.874769

DO YOU HAVE A JOB			
q8	Frequency	Percent	
No	272E3	88.19	
Yes	36444	11.81	

Frequency Missing = 3199.6563118

DO YOU GET AN ALLOWANCE			
q9	Frequency	Percent	
No	188E3	61.96	
Yes	116E3	38.04	

Frequency Missing = 7825.8127035

EITHER PARENT COLLEGE GRADUATE			
q10	Frequency	Percent	
Don't Know	67789	22.00	
No	138E3	44.95	
Yes	102E3	33.05	

Frequency Missing = 3830.2868696

QUALIFY FOR FREE/REDUCED PRICE LUNCH			
q11	Frequency	Percent	
Don't Know	68758	22.46	
No	57505	18.78	
Yes	18E4	58.76	

Frequency Missing = 5762.5267159

PARTICIPATE IN SCHOOL ATHLETICS			
q12a	Frequency	Percent	
No	147E3	50.76	
Yes	142E3	49.24	

Frequency Missing = 23182.387393

PARTICIPATE IN SCHOOL BAND/ORCHESTRA			
q12b	Frequency	Percent	
No	22E4	81.69	
Yes	49381	18.31	

Frequency Missing = 42213.90093

PARTICIPATE IN SCHOOL CHOIR			
q12c	Frequency	Percent	
No	242E3	92.94	
Yes	18401	7.06	

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

Frequency Missing = 51275.133075

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	218E3	82.85
Yes	45181	17.15

Frequency Missing = 48394.590397

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	243E3	92.48
Yes	19786	7.52

Frequency Missing = 48835.025653

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	249E3	95.86
Yes	10755	4.14

Frequency Missing = 51882.930573

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	245E3	93.96
Yes	15735	6.04

Frequency Missing = 51253.326959

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	225E3	84.88
Yes	40113	15.12

Frequency Missing = 46693.379226

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	229E3	85.63
Yes	38389	14.37

Frequency Missing = 44771.216937

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	247E3	93.73
Yes	16528	6.27

Frequency Missing = 48390.145263

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	208E3	78.05
Yes	58390	21.95

Frequency Missing = 45918.143105

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	186E3	68.26
Yes	86276	31.74

Frequency Missing = 40052.29328

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	207E3	77.00
Yes	61848	23.00

Frequency Missing = 42966.05043

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	255E3	82.72
Somewhat Safe	45790	14.84
Not Very Safe	2861	0.93
Not Safe At All	1201	0.39
Don't Know	3466	1.12

Frequency Missing = 3287.3084973

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	113E3	36.71
Somewhat Safe	151E3	49.34
Not Very Safe	28070	9.14
Not Safe At All	7119	2.32
Don't Know	7615	2.48

Frequency Missing = 4918.8905812

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	127E3	41.33
Somewhat Safe	136E3	44.33
Not Very Safe	23874	7.78
Not Safe At All	10504	3.42
Don't Know	9626	3.14

Frequency Missing = 4987.576472

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

**Border - Grades 7-12 Large
Spring 2010**

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a Frequency Percent		
None	21452	7.01
A Few	86662	28.32
Some	79489	25.98
Most	90922	29.71
All	27492	8.98

Frequency Missing = 5889.086433

HOW MANY FRIENDS CARRY WEAPONS		
q14b Frequency Percent		
None	221E3	73.46
A Few	49288	16.39
Some	21180	7.04
Most	6283	2.09
All	3043	1.01

Frequency Missing = 11254.997354

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c Frequency Percent		
None	12705	4.27
A Few	48171	16.18
Some	72050	24.20
Most	113E3	37.84
All	52157	17.52

Frequency Missing = 14165.519363

HOW MANY FRIENDS BELONG TO A GANG		
q14d Frequency Percent		
None	199E3	65.50
A Few	58591	19.25
Some	28127	9.24
Most	13424	4.41
All	4895	1.61

Frequency Missing = 7483.8288734

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e Frequency Percent		
None	18E4	59.21
A Few	81169	26.68
Some	27839	9.15
Most	9936	3.27
All	5180	1.70

Frequency Missing = 7635.2262894

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15 Frequency Percent		
No	146E3	54.99
Yes	12E4	45.01

Frequency Missing = 45905.281514

RECENT INHALANT USE - SPRAY PAINT		
Q16A Frequency Percent		
Never Heard/Used	289E3	94.48
In Your Lifetime	10143	3.32
Since School Began	2338	0.76
In the Past Month	4404	1.44

Frequency Missing = 5976.0268573

RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS		
Q16B Frequency Percent		
Never Heard/Used	273E3	89.84
In Your Lifetime	16321	5.38
Since School Began	4705	1.55
In the Past Month	9818	3.24

Frequency Missing = 8466.8781307

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
Q16C Frequency Percent		
Never Heard/Used	285E3	94.84
In Your Lifetime	7211	2.40
Since School Began	3343	1.11
In the Past Month	4951	1.65

Frequency Missing = 11410.388487

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
Q16D Frequency Percent		
Never Heard/Used	277E3	91.63
In Your Lifetime	12192	4.03
Since School Began	4618	1.53
In the Past Month	8510	2.81

Frequency Missing = 9435.9075433

RECENT INHALANT USE - GLUE		
Q16E Frequency Percent		
Never Heard/Used	292E3	97.47
In Your Lifetime	4189	1.40
Since School Began	1159	0.39
In the Past Month	2231	0.75

Frequency Missing = 12516.727661

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
Q16F Frequency Percent		
Never Heard/Used	293E3	97.66
In Your Lifetime	3344	1.12
Since School Began	1311	0.44
In the Past Month	2370	0.79

Frequency Missing = 12087.638536

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
Q16G Frequency Percent		
Never Heard/Used	288E3	96.33
In Your Lifetime	5287	1.77
Since School Began	1918	0.64
In the Past Month	3756	1.26

Frequency Missing = 13020.993882

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
Q16H Frequency Percent		
Never Heard/Used	29E4	95.92
In Your Lifetime	6546	2.16
Since School Began	1720	0.57
In the Past Month	4079	1.35

Frequency Missing = 9232.2798894

RECENT CIGARETTE USE		
Q17A Frequency Percent		
Never Heard/Used	207E3	68.17
In Your Lifetime	41297	13.60
Since School Began	14856	4.89
In the Past Month	40481	13.33

Frequency Missing = 8280.6015324

RECENT SMOKELESS TOBACCO USE		
Q17B Frequency Percent		
Never Heard/Used	277E3	92.53
In Your Lifetime	9775	3.27
Since School Began	3332	1.11
In the Past Month	9265	3.09

Frequency Missing = 12537.508715

RECENT BEER USE		
Q17C Frequency Percent		
Never Heard/Used	149E3	50.15
In Your Lifetime	57884	19.47
Since School Began	25017	8.41
In the Past Month	65321	21.97

Frequency Missing = 14544.393114

RECENT WINE COOLER USE		
Q17D Frequency Percent		
Never Heard/Used	169E3	56.34
In Your Lifetime	49262	16.44
Since School Began	24288	8.11
In the Past Month	57271	19.12

Frequency Missing = 12300.82378

RECENT WINE USE		
Q17E Frequency Percent		
Never Heard/Used	181E3	61.54
In Your Lifetime	52901	17.98
Since School Began	21179	7.20
In the Past Month	39082	13.28

Frequency Missing = 17704.672088

RECENT LIQUOR USE		
Q17F Frequency Percent		
Never Heard/Used	175E3	58.66
In Your Lifetime	42634	14.29
Since School Began	24722	8.29
In the Past Month	55955	18.76

Frequency Missing = 13611.393912

RECENT INHALANT USE		
Q17G Frequency Percent		
Never Heard/Used	271E3	90.87
In Your Lifetime	14262	4.78
Since School Began	4629	1.55
In the Past Month	8344	2.80

Frequency Missing = 13649.613579

RECENT MARIJUANA USE		
Q18A Frequency Percent		
Never Heard/Used	228E3	75.29
In Your Lifetime	27895	9.23
Since School Began	13502	4.47
In the Past Month	33280	11.01

Frequency Missing = 9661.4806439

RECENT COCAINE USE		
Q18B Frequency Percent		
Never Heard/Used	277E3	92.54
In Your Lifetime	10027	3.35
Since School Began	4287	1.43
In the Past Month	8021	2.68

Frequency Missing = 12534.120391

RECENT CRACK USE		
Q18C Frequency Percent		
Never Heard/Used	291E3	97.87
In Your Lifetime	3408	1.15
Since School Began	756	0.25
In the Past Month	2158	0.73

Frequency Missing = 14453.154817

RECENT HALLUCINOGEN USE		
Q18E Frequency Percent		
Never Heard/Used	283E3	95.32
In Your Lifetime	6439	2.17
Since School Began	2444	0.82
In the Past Month	4988	1.68

Frequency Missing = 15209.878489

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

Frequency Missing = 16101.367644

RECENT HEROIN USE		
Q18K Frequency Percent		
Never Heard/Used	293E3	98.46
In Your Lifetime	1827	0.61
Since School Began	718	0.24
In the Past Month	2042	0.69

Frequency Missing = 14559.251728

TOBACCO USE IN PAST MONTH		
q19a Frequency Percent		
Never Heard/Used	26E4	86.01
1-2 times	22500	7.46
3-10 times	9977	3.31
11+ times	9725	3.22

Frequency Missing = 10155.127503

ALCOHOL USE IN PAST MONTH		
q19b Frequency Percent		
Never Heard/Used	198E3	65.69
1-2 times	60120	19.99
3-10 times	29711	9.88
11+ times	13363	4.44

Frequency Missing = 11145.269916

INHALANT USE IN PAST MONTH		
q19c Frequency Percent		
Never Heard/Used	286E3	95.34
1-2 times	10797	3.60
3-10 times	2417	0.81
11+ times	777	0.26

Frequency Missing = 11963.523148

RECENT ECSTASY USE		
Q18J Frequency Percent		
Never Heard/Used	264E3	89.29
In Your Lifetime	10666	3.61
Since School Began	6659	2.25
In the Past Month	14362	4.86

MARIJUANA USE IN PAST MONTH

q19d Frequency Percent		
Never Heard/Used	251E3	84.19
1-2 times	22185	7.45
3-10 times	11757	3.95
11+ times	13140	4.41

Frequency Missing = 14046.431723

COCAINE USE IN PAST MONTH

q19e Frequency Percent		
Never Heard/Used	288E3	96.13
1-2 times	7425	2.47
3-10 times	2525	0.84
11+ times	1675	0.56

Frequency Missing = 11883.204021

CRACK USE IN PAST MONTH

q19f Frequency Percent		
Never Heard/Used	297E3	98.83
1-2 times	2623	0.87
3-10 times	508	0.17
11+ times	397	0.13

Frequency Missing = 11189.335199

CLOSE FRIENDS USE CIGARETTES

q20a Frequency Percent		
Never heard/None	126E3	42.47
A few	93272	31.54
Some	45588	15.42
Most	25154	8.51
All	6102	2.06

Frequency Missing = 16193.161654

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

CLOSE FRIENDS USE SMOKELESS TOBACCO		
q20b	Frequency	Percent
Never heard/None	216E3	74.13
A few	47480	16.27
Some	18994	6.51
Most	6653	2.28
All	2346	0.80

Frequency Missing = 20141.07526

CLOSE FRIENDS USE BEER		
q20c	Frequency	Percent
Never heard/None	91134	31.22
A few	68499	23.47
Some	52774	18.08
Most	55019	18.85
All	24488	8.39

Frequency Missing = 19990.883888

CLOSE FRIENDS USE WINE COOLERS		
q20d	Frequency	Percent
Never heard/None	131E3	44.67
A few	60483	20.69
Some	45487	15.56
Most	37776	12.92
All	17973	6.15

Frequency Missing = 19625.866185

CLOSE FRIENDS USE WINE		
q20e	Frequency	Percent
Never heard/None	154E3	53.24
A few	66274	22.93
Some	37572	13.00
Most	20851	7.21
All	10474	3.62

Frequency Missing = 22860.27889

CLOSE FRIENDS USE LIQUOR		
q20f	Frequency	Percent
Never heard/None	126E3	43.37
A few	59454	20.47
Some	43483	14.97
Most	41980	14.45
All	19575	6.74

Frequency Missing = 21440.651568

CLOSE FRIENDS USE INHALANTS		
q20g	Frequency	Percent
Never heard/None	223E3	76.62
A few	41825	14.40
Some	17257	5.94
Most	6361	2.19
All	2489	0.86

Frequency Missing = 21384.367367

CLOSE FRIENDS USE MARIJUANA		
q20h	Frequency	Percent
Never heard/None	142E3	48.69
A few	57469	19.65
Some	39868	13.63
Most	36910	12.62
All	15827	5.41

Frequency Missing = 19395.734199

DIFFICULT TO GET CIGARETTES		
q21a	Frequency	Percent
Never heard of	59760	20.48
Impossible	48673	16.68
Very difficult	16054	5.50
Somewhat diff	28123	9.64
Somewhat easy	49122	16.84
Very easy	90007	30.85

Frequency Missing = 20165.285285

DIFFICULT TO GET SMOKELESS TOBACCO		
q21b	Frequency	Percent
Never heard of	103E3	35.78
Impossible	60302	20.92
Very difficult	21248	7.37
Somewhat diff	28271	9.81
Somewhat easy	30495	10.58
Very easy	44767	15.53

Frequency Missing = 23718.347873

DIFFICULT TO GET BEER		
q21c	Frequency	Percent
Never heard of	51364	17.91
Impossible	36508	12.73
Very difficult	16126	5.62
Somewhat diff	32394	11.29
Somewhat easy	55817	19.46
Very easy	94652	33.00

Frequency Missing = 25043.386885

DIFFICULT TO GET WINE COOLERS		
q21d	Frequency	Percent
Never heard of	67278	23.35
Impossible	41244	14.32
Very difficult	17004	5.90
Somewhat diff	33743	11.71
Somewhat easy	50675	17.59
Very easy	78170	27.13

Frequency Missing = 23789.984769

DIFFICULT TO GET WINE		
q21e	Frequency	Percent
Never heard of	62243	21.86
Impossible	46755	16.42
Very difficult	21124	7.42
Somewhat diff	37528	13.18
Somewhat easy	47591	16.72
Very easy	69445	24.39

Frequency Missing = 27219.356715

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

DIFFICULT TO GET LIQUOR		
	q21f	Frequency Percent
Never heard of	61423	21.24
Impossible	49902	17.26
Very difficult	23091	7.99
Somewhat diff	33627	11.63
Somewhat easy	45614	15.78
Very easy	75494	26.11

Frequency Missing = 22754.451785

DIFFICULT TO GET INHALANTS		
	q21g	Frequency Percent
Never heard of	93214	32.51
Impossible	49166	17.15
Very difficult	12972	4.52
Somewhat diff	19400	6.77
Somewhat easy	28531	9.95
Very easy	83478	29.11

Frequency Missing = 25143.770303

DIFFICULT TO GET MARIJUANA		
	q21h	Frequency Percent
Never heard of	68963	24.17
Impossible	66482	23.30
Very difficult	20373	7.14
Somewhat diff	24968	8.75
Somewhat easy	35717	12.52
Very easy	68831	24.12

Frequency Missing = 26570.735818

DIFFICULT TO GET COCAINE		
	q21i	Frequency Percent
Never heard of	84855	29.94
Impossible	81932	28.91
Very difficult	31508	11.12
Somewhat diff	27903	9.84
Somewhat easy	24953	8.80
Very easy	32295	11.39

Frequency Missing = 28458.838787

DIFFICULT TO GET CRACK		
	q21j	Frequency Percent
Never heard of	96104	33.95
Impossible	83529	29.51
Very difficult	32894	11.62
Somewhat diff	27912	9.86
Somewhat easy	19678	6.95
Very easy	22925	8.10

Frequency Missing = 28862.680425

DIFFICULT TO GET HALLUCINOGENS		
	q21l	Frequency Percent
Never heard of	129E3	45.58
Impossible	62687	22.07
Very difficult	27292	9.61
Somewhat diff	23890	8.41
Somewhat easy	18709	6.59
Very easy	21969	7.74

Frequency Missing = 27929.031968

DIFFICULT TO GET UPPERS		
	q21m	Frequency Percent
Never heard of	145E3	51.37
Impossible	50697	18.00
Very difficult	19432	6.90
Somewhat diff	19434	6.90
Somewhat easy	18860	6.70
Very easy	28536	10.13

Frequency Missing = 30296.782916

DIFFICULT TO GET DOWNERS		
	q21n	Frequency Percent
Never heard of	144E3	50.96
Impossible	51088	18.14
Very difficult	18934	6.72
Somewhat diff	19437	6.90
Somewhat easy	18598	6.60
Very easy	30076	10.68

Frequency Missing = 30253.337807

DIFFICULT TO GET ROHYPNOL		
	q21o	Frequency Percent
Never heard of	131E3	46.56
Impossible	59810	21.23
Very difficult	22873	8.12
Somewhat diff	19349	6.87
Somewhat easy	19490	6.92
Very easy	29017	10.30

Frequency Missing = 30187.778623

DIFFICULT TO GET STEROIDS		
	q21p	Frequency Percent
Never heard of	103E3	36.46
Impossible	87925	31.27
Very difficult	32153	11.43
Somewhat diff	24464	8.70
Somewhat easy	15469	5.50
Very easy	18651	6.63

Frequency Missing = 30722.652302

DIFFICULT TO GET ECSTASY		
	q21q	Frequency Percent
Never heard of	104E3	36.87
Impossible	62399	22.08
Very difficult	21250	7.52
Somewhat diff	21336	7.55
Somewhat easy	25422	9.00
Very easy	47970	16.98

Frequency Missing = 29347.221884

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

DIFFICULT TO GET HEROIN		
q21r Frequency Percent		
Never heard of	118E3	41.88
Impossible	82357	29.20
Very difficult	29972	10.63
Somewhat diff	20807	7.38
Somewhat easy	13088	4.64
Very easy	17717	6.28

Frequency Missing = 29842.216029

AGE WHEN FIRST USED CIGARETTES		
q22a Frequency Percent		
9 or younger	10491	10.78
10 years old	6167	6.34
11 years old	6236	6.41
12 years old	12754	13.10
13 years old	14856	15.26
14 years old	14430	14.83
15 years old	14075	14.46
16 years old	9958	10.23
17 years old	6069	6.24
18 or older	2283	2.35

Frequency Missing = 214586.34434

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b Frequency Percent		
9 or younger	1340	6.47
10 years old	1221	5.90
11 years old	1094	5.29
12 years old	2197	10.61
13 years old	2984	14.41
14 years old	2923	14.12
15 years old	3641	17.59
16 years old	3110	15.02
17 years old	1410	6.81
18 or older	785	3.79

Frequency Missing = 291199.05219

AGE WHEN FIRST USED BEER		
q22c Frequency Percent		
9 or younger	23603	15.47
10 years old	10834	7.10
11 years old	11092	7.27
12 years old	17773	11.65
13 years old	22102	14.49
14 years old	23110	15.15
15 years old	23002	15.08
16 years old	12694	8.32
17 years old	6348	4.16
18 or older	1966	1.29

Frequency Missing = 159380.02035

AGE WHEN FIRST USED WINE COOLERS		
q22d Frequency Percent		
9 or younger	9819	7.83
10 years old	6570	5.24
11 years old	9248	7.37
12 years old	15601	12.44
13 years old	20555	16.39
14 years old	21747	17.34
15 years old	22984	18.33
16 years old	11822	9.43
17 years old	5440	4.34
18 or older	1621	1.29

Frequency Missing = 186497.31276

AGE WHEN FIRST USED WINE		
q22e Frequency Percent		
9 or younger	9639	8.36
10 years old	7620	6.61
11 years old	8577	7.44
12 years old	14904	12.93
13 years old	18146	15.74
14 years old	19680	17.07
15 years old	18837	16.34
16 years old	10682	9.27
17 years old	5363	4.65
18 or older	1830	1.59

Frequency Missing = 196627.40588

AGE WHEN FIRST USED LIQUOR		
q22f Frequency Percent		
9 or younger	5010	4.17
10 years old	4244	3.53
11 years old	6169	5.13
12 years old	12576	10.46
13 years old	18774	15.61
14 years old	22913	19.05
15 years old	24947	20.74
16 years old	16070	13.36
17 years old	7383	6.14
18 or older	2197	1.83

Frequency Missing = 191623.32472

AGE WHEN FIRST USED INHALANTS		
q22g Frequency Percent		
9 or younger	3269	12.51
10 years old	2111	8.08
11 years old	2576	9.86
12 years old	4721	18.06
13 years old	4876	18.65
14 years old	3787	14.49
15 years old	2557	9.78
16 years old	1448	5.54
17 years old	617	2.36
18 or older	176	0.67

Frequency Missing = 285766.0495

AGE WHEN FIRST USED MARIJUANA		
q22h Frequency Percent		
9 or younger	3239	4.56
10 years old	2967	4.18
11 years old	4326	6.09
12 years old	7920	11.14
13 years old	12073	16.99
14 years old	13346	18.78
15 years old	11832	16.65
16 years old	9774	13.75
17 years old	4142	5.83
18 or older	1447	2.04

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

Frequency Missing = 240838.09221

AGE WHEN FIRST USED COCAINE		
q22i Frequency Percent		
9 or younger	462	2.24
10 years old	300	1.46
11 years old	813	3.95
12 years old	1755	8.53
13 years old	2986	14.51
14 years old	3966	19.27
15 years old	4283	20.81
16 years old	3587	17.43
17 years old	2058	10.00
18 or older	367	1.78

Frequency Missing = 291328.25265

AGE WHEN FIRST USED CRACK		
q22j Frequency Percent		
9 or younger	219	4.24
10 years old	182	3.53
11 years old	240	4.66
12 years old	569	11.03
13 years old	1172	22.73
14 years old	1050	20.35
15 years old	636	12.32
16 years old	557	10.80
17 years old	444	8.61
18 or older	90	1.74

Frequency Missing = 306747.6303

AGE WHEN FIRST USED HALLUCINOGENS		
q22l Frequency Percent		
9 or younger	337	2.71
10 years old	248	2.00
11 years old	403	3.24
12 years old	986	7.92
13 years old	1783	14.33
14 years old	2370	19.05
15 years old	2485	19.97
16 years old	2227	17.90
17 years old	1085	8.72
18 or older	518	4.17

Frequency Missing = 299463.10065

AGE WHEN FIRST USED UPPERS		
q22m Frequency Percent		
9 or younger	336	1.88
10 years old	400	2.24
11 years old	645	3.62
12 years old	1119	6.27
13 years old	3034	17.00
14 years old	3538	19.82
15 years old	4015	22.49
16 years old	2631	14.74
17 years old	1852	10.38
18 or older	281	1.57

Frequency Missing = 294053.62449

AGE WHEN FIRST USED DOWNERS		
q22n Frequency Percent		
9 or younger	438	2.13
10 years old	445	2.16
11 years old	600	2.92
12 years old	1047	5.09
13 years old	3090	15.02
14 years old	4171	20.28
15 years old	5085	24.72
16 years old	3459	16.82
17 years old	1879	9.14
18 or older	356	1.73

Frequency Missing = 291335.51721

AGE WHEN FIRST USED ROHYPNOL		
q22o Frequency Percent		
9 or younger	235	1.47
10 years old	463	2.90
11 years old	682	4.27
12 years old	1334	8.36
13 years old	2670	16.72
14 years old	3335	20.89
15 years old	3634	22.76
16 years old	2371	14.85
17 years old	904	5.66
18 or older	335	2.10

Frequency Missing = 295941.99971

AGE WHEN FIRST USED STEROIDS		
q22p Frequency Percent		
9 or younger	495	15.64
10 years old	201	6.36
11 years old	150	4.74
12 years old	317	10.03
13 years old	330	10.43
14 years old	570	18.01
15 years old	431	13.64
16 years old	384	12.15
17 years old	137	4.34
18 or older	147	4.66

Frequency Missing = 308741.78613

AGE WHEN FIRST USED ECSTASY		
q22q Frequency Percent		
9 or younger	488	1.60
10 years old	330	1.09
11 years old	604	1.99
12 years old	1624	5.34
13 years old	3602	11.86
14 years old	4944	16.27
15 years old	6922	22.78
16 years old	5947	19.57
17 years old	4489	14.77
18 or older	1435	4.72

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

Frequency Missing = 281521.07546

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	226	6.64
10 years old	159	4.68
11 years old	256	7.54
12 years old	471	13.87
13 years old	541	15.91
14 years old	646	19.01
15 years old	483	14.21
16 years old	240	7.06
17 years old	260	7.65
18 or older	116	3.42

Frequency Missing = 308506.41426

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	4080	1.40
Several times/wk	10270	3.53
Several times/mo	12969	4.45
About once/month	18797	6.45
About once/year	15938	5.47
< once/year	21783	7.48
Never used	207E3	71.22

Frequency Missing = 20602.874713

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	763	0.27
Several times/wk	2065	0.72
Several times/mo	2157	0.75
About once/month	3697	1.29
About once/year	3826	1.33
< once/year	6069	2.11
Never used	269E3	93.54

Frequency Missing = 24252.415815

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	735	0.26
Several times/wk	13264	4.62
Several times/mo	31210	10.87
About once/month	32871	11.45
About once/year	28568	9.95
< once/year	26315	9.16
Never used	154E3	53.70

Frequency Missing = 24698.740876

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	626	0.22
Several times/wk	9281	3.21
Several times/mo	24228	8.39
About once/month	29413	10.18
About once/year	28636	9.91
< once/year	20901	7.24
Never used	176E3	60.85

Frequency Missing = 23032.555959

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	283	0.10
Several times/wk	5765	2.02
Several times/mo	15046	5.27
About once/month	21072	7.38
About once/year	34959	12.25
< once/year	25833	9.05
Never used	182E3	63.93

Frequency Missing = 26456.209575

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	422	0.15
Several times/wk	9637	3.34
Several times/mo	25003	8.67
About once/month	29648	10.28
About once/year	27207	9.43
< once/year	18861	6.54
Never used	178E3	61.59

Frequency Missing = 23528.142253

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	710	0.25
Several times/wk	1451	0.51
Several times/mo	2827	0.99
About once/month	4039	1.41
About once/year	4406	1.54
< once/year	7850	2.75
Never used	264E3	92.55

Frequency Missing = 26302.191852

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	6686	2.35
Several times/wk	8857	3.11
Several times/mo	11801	4.15
About once/month	12319	4.33
About once/year	10592	3.72
< once/year	12121	4.26
Never used	222E3	78.08

Frequency Missing = 27388.678484

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	455	0.16
Several times/wk	1326	0.47
Several times/mo	2411	0.85
About once/month	3830	1.36
About once/year	3497	1.24
< once/year	5012	1.78
Never used	266E3	94.14

Frequency Missing = 29623.905409

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	363	0.13
Several times/wk	2087	0.74
Several times/mo	2877	1.02
About once/month	4321	1.54
About once/year	3768	1.34
< once/year	2875	1.02
Never used	265E3	94.21

Frequency Missing = 30664.754043

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	280	0.10
Several times/wk	316	0.11
Several times/mo	320	0.11
About once/month	233	0.08
About once/year	428	0.15
< once/year	895	0.32
Never used	279E3	99.12

Frequency Missing = 30693.223608

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	160	0.06
Several times/wk	309	0.11
Several times/mo	685	0.24
About once/month	994	0.35
About once/year	1132	0.40
< once/year	1439	0.51
Never used	279E3	98.34

Frequency Missing = 28340.689227

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	363	0.13
Several times/wk	2166	0.77
Several times/mo	3363	1.20
About once/month	4947	1.76
About once/year	4097	1.46
< once/year	3693	1.31
Never used	263E3	93.38

Frequency Missing = 30502.756117

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	393	0.14
Several times/wk	3079	1.09
Several times/mo	5688	2.01
About once/month	7198	2.55
About once/year	6673	2.36
< once/year	5098	1.80
Never used	255E3	90.05

Frequency Missing = 29253.115531

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	125	0.04
Several times/wk	556	0.20
Several times/mo	1112	0.39
About once/month	2538	0.90
About once/year	3445	1.22
< once/year	3194	1.13
Never used	273E3	96.13

Frequency Missing = 28404.728965

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	186	0.07
Several times/wk	1649	0.58
Several times/mo	3003	1.06
About once/month	2709	0.96
About once/year	3237	1.15
< once/year	2781	0.98
Never used	269E3	95.20

Frequency Missing = 29491.191115

HOW OFTEN NORMALLY USE HEROIN		
q23r	Frequency	Percent
Every day	146	0.05
Several times/wk	442	0.16
Several times/mo	433	0.15
About once/month	501	0.18
About once/year	677	0.24
< once/year	903	0.32
Never used	281E3	98.91

Frequency Missing = 27490.682335

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

AMOUNT OF BEER AT ONE TIME		
	q24a Frequency	Percent
Never drink this	143E3	49.58
12+ drinks	12406	4.30
9-11 drinks	8708	3.02
5-8 drinks	18492	6.41
3-4 drinks	23052	8.00
2 drinks	22226	7.71
1 drink	24421	8.47
< 1 drink	36046	12.50

Frequency Missing = 23597.454838

AMOUNT OF WINE COOLERS AT ONE TIME		
	q24b Frequency	Percent
Never drink this	162E3	56.60
12+ drinks	6485	2.26
9-11 drinks	5886	2.05
5-8 drinks	15293	5.33
3-4 drinks	24767	8.63
2 drinks	23700	8.26
1 drink	24707	8.61
< 1 drink	23682	8.25

Frequency Missing = 24958.951519

AMOUNT OF WINE AT ONE TIME		
	q24c Frequency	Percent
Never drink this	173E3	60.91
12+ drinks	3461	1.22
9-11 drinks	2369	0.83
5-8 drinks	6051	2.13
3-4 drinks	11256	3.96
2 drinks	17312	6.09
1 drink	31363	11.02
< 1 drink	39396	13.85

Frequency Missing = 27408.703004

AMOUNT OF LIQUOR AT ONE TIME		
	q24d Frequency	Percent
Never drink this	165E3	57.66
12+ drinks	8697	3.04
9-11 drinks	7201	2.52
5-8 drinks	15598	5.45
3-4 drinks	23075	8.06
2 drinks	20636	7.21
1 drink	21420	7.49
< 1 drink	24531	8.57

Frequency Missing = 25743.498077

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
	q25 Frequency	Percent
Never 5+ at time	12E4	40.93
None	108E3	36.84
1 day	21515	7.36
2 days	14345	4.91
3 to 5 days	15682	5.36
6 to 9 days	6270	2.14
10 or more days	7183	2.46

Frequency Missing = 19553.013926

GET ALCOHOLIC BEVERAGES FROM HOME		
	q26a Frequency	Percent
Do not Drink	136E3	47.19
Never	85505	29.72
Seldom	47237	16.42
Most of the Time	14344	4.99
Always	4871	1.69

Frequency Missing = 24174.055077

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
	q26b Frequency	Percent
Do not Drink	117E3	41.14
Never	57089	20.01
Seldom	44234	15.51
Most of the Time	46708	16.37
Always	19868	6.96

Frequency Missing = 26636.062419

GET ALCOHOLIC BEVERAGES FROM A STORE		
	q26c Frequency	Percent
Do not Drink	125E3	43.88
Never	115E3	40.52
Seldom	21464	7.56
Most of the Time	14355	5.06
Always	8460	2.98

Frequency Missing = 28101.518328

GET ALCOHOLIC BEVERAGES AT PARTIES		
	q26d Frequency	Percent
Do not Drink	11E4	38.52
Never	44481	15.57
Seldom	35830	12.55
Most of the Time	45755	16.02
Always	49513	17.34

Frequency Missing = 26308.075227

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
	q26e Frequency	Percent
Do not Drink	126E3	44.28
Never	74894	26.41
Seldom	36332	12.81
Most of the Time	24047	8.48
Always	22762	8.03

Frequency Missing = 28282.690416

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

USE MARIJUANA AS JOINTS		
q27a	Frequency	Percent
Never	227E3	79.17
Seldom	18924	6.61
Half the time	13333	4.66
Most of the time	15193	5.31
Always	9718	3.40
Don't know	2423	0.85

Frequency Missing = 25787.403483

USE MARIJUANA AS BLUNTS		
q27b	Frequency	Percent
Never	232E3	81.46
Seldom	17621	6.18
Half the time	12733	4.47
Most of the time	11474	4.02
Always	8626	3.03
Don't know	2411	0.85

Frequency Missing = 26796.08885

USE MARIJUANA IN BONGS OR WATER PIPES		
q27c	Frequency	Percent
Never	239E3	84.76
Seldom	16606	5.88
Half the time	9081	3.22
Most of the time	8532	3.02
Always	6699	2.37
Don't know	2086	0.74

Frequency Missing = 29718.861168

USE MARIJUANA IN PIPES		
q27d	Frequency	Percent
Never	235E3	83.29
Seldom	15213	5.38
Half the time	9822	3.47
Most of the time	11568	4.09
Always	8841	3.13
Don't know	1804	0.64

Frequency Missing = 29198.049708

USE MARIJUANA OTHER WAYS		
q27e	Frequency	Percent
Never	244E3	86.44
Seldom	14944	5.29
Half the time	5816	2.06
Most of the time	5389	1.91
Always	6675	2.36
Don't know	5453	1.93

Frequency Missing = 29532.380049

USED METHAMPHETAMINE EVEN ONE TIME		
q28	Frequency	Percent
Never heard/used	281E3	96.95
At least once/month	2830	0.97
At least once/year	1423	0.49
At least once/life	4593	1.58

Frequency Missing = 21595.391589

RECENT PRESCRIPTION DRUG USE - CODEINE		
q29a	Frequency	Percent
Never heard/used	255E3	89.49
At least once/month	13446	4.73
At least once/year	7853	2.76
At least once/life	8602	3.02

Frequency Missing = 27341.676525

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC		
q29b	Frequency	Percent
Never heard/used	275E3	97.90
At least once/month	2312	0.82
At least once/year	1582	0.56
At least once/life	2019	0.72

Frequency Missing = 30519.745621

RECENT PRESCRIPTION DRUG USE - VICODIN ETC		
q29c	Frequency	Percent
Never heard/used	271E3	97.19
At least once/month	3179	1.14
At least once/year	2098	0.75
At least once/life	2566	0.92

Frequency Missing = 32568.161627

RECENT PRESCRIPTION DRUG USE - VALIUM ETC		
q29d	Frequency	Percent
Never heard/used	275E3	98.20
At least once/month	2244	0.80
At least once/year	1150	0.41
At least once/life	1636	0.58

Frequency Missing = 31645.418825

RECENT PRESCRIPTION DRUG USE - XANAX ETC		
q29e	Frequency	Percent
Never heard/used	271E3	96.36
At least once/month	4248	1.51
At least once/year	2974	1.06
At least once/life	2987	1.06

Frequency Missing = 31159.883114

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
q30	Frequency	Percent
Never heard/used	269E3	95.22
At least once/month	5778	2.04
At least once/year	2691	0.95
At least once/life	5055	1.79

Frequency Missing = 28907.517998

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

**Border - Grades 7-12 Large
Spring 2010**

DANGEROUS FOR KIDS TO USE TOBACCO		
q31a	Frequency	Percent
Very	157E3	55.48
Somewhat	69165	24.40
Not very	30513	10.77
Not at all	8630	3.05
Don't know	17881	6.31

Frequency Missing = 28488.081525

DANGEROUS FOR KIDS TO USE COCAINE		
q31e	Frequency	Percent
Very	222E3	81.63
Somewhat	26475	9.71
Not very	5910	2.17
Not at all	3009	1.10
Don't know	14683	5.39

Frequency Missing = 39369.756833

DANGEROUS FOR KIDS TO USE HEROIN		
q31i	Frequency	Percent
Very	231E3	84.54
Somewhat	18242	6.66
Not very	3480	1.27
Not at all	2374	0.87
Don't know	18245	6.66

Frequency Missing = 38109.054433

DANGEROUS FOR KIDS TO USE ALCOHOL		
q31b	Frequency	Percent
Very	134E3	47.89
Somewhat	81099	28.92
Not very	41588	14.83
Not at all	10422	3.72
Don't know	13014	4.64

Frequency Missing = 31500.545155

DANGEROUS FOR KIDS TO USE CRACK		
q31f	Frequency	Percent
Very	227E3	83.10
Somewhat	22974	8.42
Not very	4682	1.72
Not at all	2689	0.99
Don't know	15760	5.78

Frequency Missing = 39105.509376

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q31j	Frequency	Percent
Very	229E3	82.44
Somewhat	17619	6.34
Not very	3264	1.17
Not at all	2389	0.86
Don't know	25525	9.18

Frequency Missing = 33995.024587

DANGEROUS FOR KIDS TO USE INHALANTS		
q31c	Frequency	Percent
Very	2E5	72.22
Somewhat	40947	14.82
Not very	13398	4.85
Not at all	4689	1.70
Don't know	17740	6.42

Frequency Missing = 35576.31009

DANGEROUS FOR KIDS TO USE ECSTASY		
q31g	Frequency	Percent
Very	205E3	75.44
Somewhat	32852	12.07
Not very	10961	4.03
Not at all	5163	1.90
Don't know	17840	6.56

Frequency Missing = 39820.732616

DAYS SKIPPED SINCE SEPTEMBER		
q32a	Frequency	Percent
None	215E3	75.42
1-3 days	49695	17.47
4-9 days	12080	4.25
10+ days	8133	2.86

Frequency Missing = 27478.910617

DANGEROUS FOR KIDS TO USE MARIJUANA		
q31d	Frequency	Percent
Very	174E3	63.13
Somewhat	40621	14.73
Not very	26072	9.45
Not at all	21664	7.86
Don't know	13326	4.83

Frequency Missing = 36130.228359

DANGEROUS FOR KIDS TO USE STEROIDS		
q31h	Frequency	Percent
Very	208E3	76.17
Somewhat	33230	12.16
Not very	9361	3.42
Not at all	4047	1.48
Don't know	18479	6.76

Frequency Missing = 38601.897527

DAYS ILL SINCE SEPTEMBER		
q32b	Frequency	Percent
None	93519	33.13
1-3 days	138E3	48.77
4-9 days	39603	14.03
10+ days	11477	4.07

Frequency Missing = 29658.314621

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER		
q32c Frequency Percent		
None	116E3	41.45
1-3 days	133E3	47.60
4-9 days	22230	7.93
10+ days	8457	3.02

Frequency Missing = 31648.438081

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q32d Frequency Percent		
None	242E3	85.50
1-3 days	30822	10.88
4-9 days	5913	2.09
10+ days	4328	1.53

Frequency Missing = 28703.362153

SOMEONE CALLED HOME SINCE SEPTEMBER		
q32e Frequency Percent		
None	242E3	86.15
1-3 days	30454	10.86
4-9 days	5035	1.80
10+ days	3334	1.19

Frequency Missing = 31499.140933

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q32f Frequency Percent		
None	275E3	98.67
1-3 days	2345	0.84
4-9 days	553	0.20
10+ days	812	0.29

Frequency Missing = 32811.430993

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q32g Frequency Percent		
None	274E3	98.02
1-3 days	3912	1.40
4-9 days	620	0.22
10+ days	1003	0.36

Frequency Missing = 32411.50737

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q33a Frequency Percent		
None	263E3	93.76
1-3 times	15331	5.46
4-9 times	1315	0.47
10+ times	880	0.31

Frequency Missing = 30950.753392

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q33b Frequency Percent		
None	254E3	91.48
1-3 times	18214	6.56
4-9 times	2987	1.08
10+ times	2447	0.88

Frequency Missing = 34313.611515

CRITICIZED BY DATE BECAUSE OF DRINKING		
q33c Frequency Percent		
None	255E3	92.61
1-3 times	16672	6.06
4-9 times	2107	0.77
10+ times	1555	0.56

Frequency Missing = 36711.719919

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q33d Frequency Percent		
None	265E3	97.04
1-3 times	6567	2.41
4-9 times	839	0.31
10+ times	669	0.25

Frequency Missing = 39057.089663

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q33e Frequency Percent		
None	256E3	93.52
1-3 times	14443	5.28
4-9 times	2026	0.74
10+ times	1238	0.45

Frequency Missing = 38491.173404

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q33f Frequency Percent		
None	251E3	93.24
1-3 times	12103	4.49
4-9 times	2870	1.06
10+ times	3249	1.20

Frequency Missing = 42227.25004

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q33g Frequency Percent		
None	249E3	92.82
1-3 times	14989	5.60
4-9 times	2166	0.81
10+ times	2070	0.77

Frequency Missing = 44079.47415

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q33h Frequency Percent		
None	262E3	97.17
1-3 times	6125	2.27
4-9 times	657	0.24
10+ times	857	0.32

Frequency Missing = 42031.29173

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q34a Frequency Percent		
None	262E3	92.63
1-3 days	16086	5.69
4-9 days	2509	0.89
10+ days	2233	0.79

Frequency Missing = 29130.755275

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q34b Frequency Percent		
None	253E3	89.65
1-3 days	17024	6.03
4-9 days	5293	1.88
10+ days	6899	2.44

Frequency Missing = 29681.124084

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q34c Frequency Percent		
None	273E3	97.23
1-3 days	5470	1.95
4-9 days	1366	0.49
10+ days	956	0.34

Frequency Missing = 30742.429251

CLASS DAYS HIGH ON OTHER DRUG(S)		
q34d Frequency Percent		
None	263E3	93.58
1-3 days	12093	4.30
4-9 days	3045	1.08
10+ days	2886	1.03

Frequency Missing = 30959.238028

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q35a Frequency Percent		
Never	117E3	41.30
Seldom	28779	10.18
Half the time	21336	7.54
Most of the time	33686	11.91
Always	49996	17.68
Don't know	7239	2.56
Didn't attend	24963	8.83

Frequency Missing = 29095.137038

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q35b Frequency Percent		
Never	152E3	54.05
Seldom	26064	9.24
Half the time	18264	6.47
Most of the time	21839	7.74
Always	28747	10.19
Don't know	9358	3.32
Didn't attend	25376	8.99

Frequency Missing = 29767.409476

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q36 Frequency Percent		
No	23E4	88.98
Yes	28425	11.02

Frequency Missing = 53900.715338

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q37a Frequency Percent		
No	162E3	58.59
Yes	114E3	41.41

Frequency Missing = 35903.819901

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q37b Frequency Percent		
No	164E3	59.52
Yes	111E3	40.48

Frequency Missing = 36840.681909

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q37c Frequency Percent		
No	165E3	60.86
Yes	106E3	39.14

Frequency Missing = 40304.338849

WOULD SEEK HELP FROM PARENTS		
q37d Frequency Percent		
No	104E3	38.20
Yes	169E3	61.80

Frequency Missing = 38546.560429

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q37e Frequency Percent		
No	141E3	51.93
Yes	13E4	48.07

Frequency Missing = 40713.762577

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

Border - Grades 7-12 Large Spring 2010

WOULD SEEK HELP FROM FRIENDS		
q37f	Frequency	Percent
No	91598	33.54
Yes	181E3	66.46

Frequency Missing = 38816.853421

WOULD SEEK HELP FROM ANOTHER ADULT		
q37g	Frequency	Percent
No	106E3	38.81
Yes	167E3	61.19

Frequency Missing = 38412.36418

WOULD NOT SEEK HELP		
q37h	Frequency	Percent
No	22E4	81.64
Yes	49490	18.36

Frequency Missing = 42334.884507

DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS		
q38a	Frequency	Percent
No	117E3	47.16
Yes	131E3	52.84

Frequency Missing = 63171.281059

DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM		
q38b	Frequency	Percent
No	114E3	46.38
Yes	132E3	53.62

Frequency Missing = 66225.979672

DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR		
q38c	Frequency	Percent
No	148E3	60.99
Yes	94784	39.01

Frequency Missing = 68923.15096

DRUG/ALCOHOL INFO--SCIENCE CLASS		
q38d	Frequency	Percent
No	16E4	65.94
Yes	82645	34.06

Frequency Missing = 69255.944898

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS		
q38e	Frequency	Percent
No	195E3	80.68
Yes	46745	19.32

Frequency Missing = 69949.780242

DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB		
q38f	Frequency	Percent
No	192E3	79.44
Yes	49775	20.56

Frequency Missing = 69854.323625

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST		
q38g	Frequency	Percent
No	134E3	55.83
Yes	106E3	44.17

Frequency Missing = 71203.991494

DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE		
q38h	Frequency	Percent
No	15E4	61.72
Yes	93159	38.28

Frequency Missing = 68570.193096

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
q39a	Frequency	Percent
Strong disapprove	214E3	76.98
Mild disapprove	19168	6.88
Neither	13614	4.89
Mildly approve	3276	1.18
Strongly approve	2418	0.87
Don't know	25651	9.21

Frequency Missing = 33385.953419

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	182E3	65.56
Mild disapprove	36365	13.12
Neither	23245	8.39
Mildly approve	8667	3.13
Strongly approve	3313	1.20
Don't know	23848	8.61

Frequency Missing = 34799.5809

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	226E3	81.55
Mild disapprove	11195	4.05
Neither	9927	3.59
Mildly approve	2472	0.89
Strongly approve	3594	1.30
Don't know	23828	8.62

Frequency Missing = 35370.210198

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Border - Grades 7-12 Large
Spring 2010**

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	242E3	88.26
Yes	32215	11.74

Frequency Missing = 37437.494175

The frequencies have been weighted so that the analysis reflects
the distribution of students by grade level in the district