

Texas School Survey of Drug and Alcohol Use: 2014

Border Report Grades 6-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.6%	10.5%	20.4%	79.6%
Grade 6	2.0%	2.3%	6.1%	93.9%
Grade 7	3.5%	4.6%	11.5%	88.5%
Grade 8	6.7%	10.0%	19.0%	81.1%
Grade 9	6.7%	8.2%	19.1%	81.0%
Grade 10	9.2%	13.3%	26.0%	73.9%
Grade 11	13.3%	19.1%	31.3%	68.6%
Grade 12	15.4%	21.2%	37.9%	62.1%
Cigarettes?				
All	6.8%	9.6%	19.3%	80.7%
Grade 6	1.6%	1.9%	5.2%	94.8%
Grade 7	2.9%	3.9%	10.6%	89.4%
Grade 8	5.8%	9.1%	18.1%	82.0%
Grade 9	6.2%	7.5%	18.1%	81.9%
Grade 10	8.1%	12.3%	25.5%	74.6%
Grade 11	12.0%	17.7%	30.3%	69.7%
Grade 12	14.6%	19.6%	34.9%	65.1%
Smokeless Tobacco?				
All	2.3%	3.6%	6.1%	93.9%
Grade 6	0.6%	0.7%	1.5%	98.4%
Grade 7	1.0%	1.5%	3.1%	96.9%
Grade 8	2.3%	3.9%	6.0%	93.9%
Grade 9	2.2%	3.1%	5.7%	94.3%
Grade 10	2.8%	4.6%	7.1%	92.8%
Grade 11	3.6%	5.9%	8.9%	91.1%
Grade 12	4.5%	7.3%	12.7%	87.2%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	86.9%	0.5%	1.3%	1.7%	3.0%	2.6%	4.0%
Grade 6	97.2%	0.0%	0.1%	0.3%	0.8%	0.5%	1.1%
Grade 7	95.2%	0.3%	0.1%	0.3%	0.9%	1.2%	2.0%
Grade 8	88.6%	0.3%	1.1%	2.0%	2.0%	3.0%	3.1%
Grade 9	86.8%	0.5%	0.9%	1.5%	2.1%	2.5%	5.8%
Grade 10	82.8%	0.1%	2.0%	2.2%	4.9%	3.4%	4.7%
Grade 11	79.9%	1.0%	2.0%	3.1%	5.7%	4.0%	4.3%
Grade 12	71.8%	1.5%	3.4%	3.5%	5.9%	5.0%	8.9%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.6	11.0	11.8	12.6	13.4	14.3	15.2

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.1%	20.0%	6.2%	7.7%	10.9%	15.0%
Grade 6	55.9%	29.6%	6.0%	3.4%	2.5%	2.7%
Grade 7	49.4%	29.5%	6.7%	5.3%	3.7%	5.4%
Grade 8	39.8%	22.8%	7.6%	7.9%	10.6%	11.3%
Grade 9	43.4%	16.2%	6.5%	8.9%	11.9%	13.2%
Grade 10	29.6%	14.4%	5.9%	13.0%	17.9%	19.1%
Grade 11	29.2%	14.4%	5.4%	9.1%	17.2%	24.7%
Grade 12	26.5%	7.7%	4.8%	7.8%	16.3%	36.9%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	70.5%	17.8%	7.6%	3.3%	0.8%
Grade 6	91.4%	6.5%	1.5%	0.4%	0.2%
Grade 7	83.1%	11.5%	3.8%	1.1%	0.5%
Grade 8	71.2%	18.7%	6.3%	3.4%	0.4%
Grade 9	70.2%	16.7%	8.9%	3.0%	1.2%
Grade 10	62.3%	24.0%	9.7%	3.5%	0.5%
Grade 11	55.4%	26.0%	10.6%	7.0%	1.1%
Grade 12	50.5%	26.1%	15.4%	6.2%	1.7%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.4%	5.2%	3.4%	1.1%	1.0%	10.9%
Grade 6	78.9%	2.1%	0.5%	0.3%	1.0%	17.3%
Grade 7	77.4%	3.2%	1.5%	0.3%	1.3%	16.3%
Grade 8	80.8%	4.1%	2.4%	1.1%	0.9%	10.7%
Grade 9	79.8%	3.3%	4.1%	1.4%	1.9%	9.5%
Grade 10	81.5%	5.3%	3.6%	0.5%	0.7%	8.4%
Grade 11	77.4%	10.0%	5.0%	1.4%	0.7%	5.6%
Grade 12	71.9%	10.3%	8.2%	3.0%	0.7%	6.0%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	71.2%	16.8%	5.2%	1.1%	5.7%
Grade 6	85.3%	7.4%	2.0%	0.6%	4.6%
Grade 7	79.4%	10.9%	3.3%	0.9%	5.4%
Grade 8	69.0%	17.3%	6.4%	0.7%	6.6%
Grade 9	71.6%	18.2%	3.2%	1.0%	6.0%
Grade 10	63.6%	21.0%	7.1%	1.5%	6.8%
Grade 11	61.6%	24.7%	7.1%	1.3%	5.3%
Grade 12	62.5%	21.7%	8.6%	2.0%	5.2%

Alcohol

Table A-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	19.7%	25.8%	44.9%	55.1%
Grade 6	8.2%	9.4%	22.2%	77.8%
Grade 7	9.2%	11.7%	28.5%	71.5%
Grade 8	16.1%	20.4%	43.9%	56.1%
Grade 9	18.5%	24.4%	43.2%	56.8%
Grade 10	26.3%	35.3%	57.7%	42.2%
Grade 11	33.5%	43.1%	64.0%	36.0%
Grade 12	33.5%	46.8%	66.3%	33.8%
Beer?				
All	13.1%	18.3%	34.7%	65.3%
Grade 6	4.0%	4.6%	13.1%	87.0%
Grade 7	5.6%	7.1%	20.8%	79.2%
Grade 8	10.9%	13.6%	33.6%	66.4%
Grade 9	12.5%	18.0%	33.6%	66.5%
Grade 10	16.3%	24.8%	45.5%	54.5%
Grade 11	23.7%	32.1%	51.0%	49.0%
Grade 12	24.7%	37.3%	56.8%	43.3%
Wine Coolers?				
All	10.9%	15.3%	26.5%	73.5%
Grade 6	3.3%	4.0%	8.7%	91.3%
Grade 7	4.0%	5.6%	13.2%	86.8%
Grade 8	7.1%	9.7%	20.9%	79.0%
Grade 9	9.7%	12.9%	24.8%	75.2%
Grade 10	15.6%	23.1%	38.3%	61.7%
Grade 11	20.0%	27.4%	42.8%	57.3%
Grade 12	22.2%	32.8%	47.2%	52.7%
Wine?				
All	8.3%	11.9%	25.3%	74.6%
Grade 6	3.3%	4.1%	10.2%	89.8%
Grade 7	3.9%	5.6%	13.5%	86.5%
Grade 8	6.5%	8.9%	23.2%	76.8%
Grade 9	9.4%	12.2%	26.3%	73.7%
Grade 10	11.1%	16.9%	33.3%	66.8%
Grade 11	13.1%	19.6%	37.4%	62.6%
Grade 12	13.9%	20.9%	41.5%	58.5%
Liquor?				
All	10.9%	16.3%	27.9%	72.1%
Grade 6	0.8%	1.5%	5.3%	94.7%
Grade 7	3.8%	5.4%	12.1%	87.9%
Grade 8	7.1%	9.9%	21.1%	79.0%
Grade 9	10.8%	16.9%	27.5%	72.4%
Grade 10	14.4%	24.0%	41.3%	58.6%
Grade 11	22.2%	30.9%	49.0%	51.0%
Grade 12	23.3%	34.5%	51.1%	48.8%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	66.3%	0.4%	2.0%	5.9%	9.7%	8.3%	7.3%
Grade 6	90.1%	0.3%	0.5%	0.9%	2.9%	2.0%	3.3%
Grade 7	83.7%	0.5%	1.2%	1.3%	2.8%	5.3%	5.3%
Grade 8	71.8%	0.4%	1.9%	3.6%	6.6%	8.0%	7.7%
Grade 9	67.1%	0.3%	1.5%	4.7%	10.7%	8.6%	7.1%
Grade 10	51.4%	0.2%	2.4%	10.5%	13.9%	11.7%	10.0%
Grade 11	46.3%	0.3%	4.3%	12.2%	16.5%	11.0%	9.4%
Grade 12	40.7%	0.8%	3.4%	11.5%	19.1%	14.7%	9.8%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	64.6%	35.5%	7.4%	18.0%	10.1%
	Grade 6	82.2%	17.9%	1.2%	8.4%	8.3%
	Grade 7	78.7%	21.2%	2.6%	10.3%	8.3%
	Grade 8	65.3%	34.8%	4.1%	18.1%	12.6%
	Grade 9	65.6%	34.3%	5.2%	18.5%	10.6%
	Grade 10	53.7%	46.3%	12.0%	22.2%	12.1%
	Grade 11	49.5%	50.5%	14.7%	26.7%	9.1%
	Grade 12	47.1%	52.9%	16.6%	26.7%	9.6%
Wine Coolers						
	All	72.6%	27.5%	5.8%	16.1%	5.6%
	Grade 6	90.7%	9.2%	1.0%	5.1%	3.1%
	Grade 7	86.9%	13.1%	2.3%	6.4%	4.4%
	Grade 8	76.3%	23.7%	3.2%	12.6%	7.9%
	Grade 9	73.5%	26.6%	5.7%	14.8%	6.1%
	Grade 10	60.5%	39.5%	8.9%	23.5%	7.1%
	Grade 11	57.2%	42.7%	11.5%	25.6%	5.6%
	Grade 12	52.4%	47.5%	10.8%	31.3%	5.4%
Wine						
	All	74.3%	25.7%	2.3%	13.6%	9.8%
	Grade 6	90.7%	9.2%	0.4%	3.5%	5.3%
	Grade 7	85.5%	14.4%	1.2%	7.2%	6.0%
	Grade 8	75.7%	24.3%	1.7%	12.1%	10.5%
	Grade 9	72.5%	27.5%	2.8%	15.0%	9.7%
	Grade 10	63.2%	36.9%	4.1%	20.5%	12.3%
	Grade 11	64.6%	35.5%	4.6%	18.2%	12.7%
	Grade 12	60.2%	39.8%	2.6%	23.1%	14.1%
Liquor						
	All	70.9%	29.0%	7.3%	15.1%	6.6%
	Grade 6	93.8%	6.2%	1.1%	2.7%	2.4%
	Grade 7	88.7%	11.3%	1.5%	4.9%	4.9%
	Grade 8	77.1%	22.8%	4.1%	11.9%	6.8%
	Grade 9	70.5%	29.4%	7.4%	14.8%	7.2%
	Grade 10	56.4%	43.7%	12.4%	21.9%	9.4%
	Grade 11	50.6%	49.2%	15.2%	25.2%	8.8%
	Grade 12	45.9%	54.2%	14.1%	31.8%	8.3%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	86.8%	5.4%	2.9%	2.3%	0.9%	1.7%
Grade 6	95.4%	2.7%	0.8%	0.8%	0.1%	0.3%
Grade 7	94.1%	2.6%	1.4%	0.4%	0.4%	0.9%
Grade 8	89.7%	4.8%	1.9%	1.6%	0.8%	1.1%
Grade 9	88.8%	4.1%	2.3%	2.2%	0.6%	2.0%
Grade 10	81.5%	7.7%	4.7%	3.1%	1.5%	1.6%
Grade 11	77.0%	9.2%	4.8%	4.5%	1.3%	3.3%
Grade 12	75.9%	8.7%	6.1%	4.3%	1.8%	3.1%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	10.1	10.6	11.4	12.7	13.5	14.2	14.9

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.2%	15.1%	5.3%	9.6%	15.3%	21.5%
Grade 6	52.5%	26.1%	6.0%	4.7%	4.8%	5.9%
Grade 7	43.5%	24.5%	5.6%	7.8%	7.5%	11.0%
Grade 8	32.4%	17.1%	5.3%	11.2%	17.4%	16.7%
Grade 9	35.1%	12.3%	5.2%	11.8%	15.2%	20.4%
Grade 10	21.3%	8.9%	5.0%	9.6%	23.0%	32.2%
Grade 11	18.2%	8.1%	5.4%	11.4%	20.6%	36.4%
Grade 12	21.8%	3.3%	4.3%	12.1%	22.5%	36.0%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.9%	3.2%	0.5%	0.4%
Grade 6	98.0%	1.7%	0.1%	0.2%
Grade 7	97.0%	2.4%	0.1%	0.5%
Grade 8	95.8%	3.3%	0.4%	0.5%
Grade 9	96.8%	2.1%	0.3%	0.8%
Grade 10	95.0%	3.7%	0.9%	0.4%
Grade 11	95.6%	3.7%	0.4%	0.4%
Grade 12	92.3%	6.0%	1.4%	0.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	3.9
Alcohol Non-Users	2.8
Average days conduct problems reported	
Alcohol Users	2.3
Alcohol Non-Users	0.9

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	94.4%	4.3%	0.8%	0.5%
Grade 9	96.9%	2.3%	0.3%	0.5%
Grade 10	95.7%	3.2%	1.0%	0.1%
Grade 11	94.2%	4.3%	0.8%	0.7%
Grade 12	89.8%	8.0%	1.3%	1.0%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.3%	3.3%	0.2%	0.1%
Grade 6	98.9%	1.0%	0.0%	0.1%
Grade 7	97.3%	2.5%	0.1%	0.1%
Grade 8	97.1%	2.6%	0.2%	0.0%
Grade 9	97.1%	2.3%	0.2%	0.5%
Grade 10	95.6%	4.3%	0.1%	0.0%
Grade 11	93.1%	6.1%	0.7%	0.1%
Grade 12	93.7%	5.8%	0.5%	0.0%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.5%	4.0%	0.3%	0.2%
Grade 6	98.8%	1.2%	0.0%	0.0%
Grade 7	97.6%	2.0%	0.0%	0.4%
Grade 8	96.4%	3.5%	0.1%	0.0%
Grade 9	95.7%	3.6%	0.2%	0.5%
Grade 10	93.8%	5.3%	0.6%	0.3%
Grade 11	91.1%	8.3%	0.5%	0.1%
Grade 12	93.3%	5.3%	1.1%	0.3%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	51.2%	22.1%	13.0%	10.3%	3.4%
Grade 6	84.7%	10.8%	3.6%	0.6%	0.2%
Grade 7	71.2%	19.0%	6.0%	2.8%	1.0%
Grade 8	54.6%	26.2%	11.7%	5.9%	1.6%
Grade 9	50.4%	24.1%	13.6%	8.7%	3.2%
Grade 10	29.2%	27.4%	21.7%	16.7%	4.9%
Grade 11	25.6%	28.8%	17.1%	22.2%	6.3%
Grade 12	28.3%	20.7%	21.3%	20.9%	8.8%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	53.7%	7.2%	5.8%	8.0%	10.4%	2.4%	12.5%
Grade 6	81.3%	3.6%	3.8%	2.2%	0.7%	1.9%	6.5%
Grade 7	70.8%	6.4%	3.6%	4.2%	1.7%	3.1%	10.2%
Grade 8	58.9%	9.8%	5.7%	5.9%	3.8%	3.4%	12.5%
Grade 9	51.2%	8.7%	7.0%	8.6%	8.4%	2.1%	13.9%
Grade 10	37.4%	9.8%	8.6%	13.3%	15.8%	2.3%	12.8%
Grade 11	32.3%	7.4%	6.9%	11.6%	22.3%	2.6%	16.8%
Grade 12	32.5%	5.1%	5.3%	12.5%	26.8%	1.2%	16.7%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	59.6%	23.8%	11.6%	3.8%	1.1%
	Grade 6	71.1%	24.1%	3.1%	1.6%	0.2%
	Grade 7	68.3%	24.3%	4.9%	2.2%	0.2%
	Grade 8	61.6%	23.9%	10.5%	3.0%	0.9%
	Grade 9	61.9%	18.9%	13.0%	4.8%	1.3%
	Grade 10	52.3%	23.7%	18.6%	4.1%	1.3%
	Grade 11	49.1%	24.8%	17.4%	5.8%	2.8%
	Grade 12	45.9%	27.6%	18.1%	6.6%	1.7%
Friends?	All	56.1%	19.9%	11.2%	9.6%	3.2%
	Grade 6	71.9%	24.1%	2.3%	1.3%	0.4%
	Grade 7	67.3%	23.5%	5.2%	3.6%	0.5%
	Grade 8	58.9%	25.2%	8.5%	5.8%	1.5%
	Grade 9	59.6%	16.9%	11.9%	8.7%	3.0%
	Grade 10	45.1%	18.0%	18.6%	12.5%	5.8%
	Grade 11	42.1%	15.1%	16.0%	20.3%	6.5%
	Grade 12	39.3%	13.6%	20.4%	20.2%	6.5%
Store?	All	58.6%	33.0%	3.9%	2.9%	1.6%
	Grade 6	72.1%	26.7%	0.5%	0.3%	0.3%
	Grade 7	69.2%	28.3%	1.4%	0.9%	0.3%
	Grade 8	61.5%	33.6%	3.0%	0.9%	0.9%
	Grade 9	62.0%	30.6%	3.1%	2.6%	1.7%
	Grade 10	48.8%	39.5%	5.8%	4.1%	1.8%
	Grade 11	47.3%	36.6%	6.8%	6.0%	3.3%
	Grade 12	41.6%	38.7%	8.6%	7.2%	3.9%
Parties?	All	53.0%	16.3%	9.7%	11.0%	10.1%
	Grade 6	67.4%	23.6%	3.7%	4.2%	1.1%
	Grade 7	64.6%	19.8%	6.9%	6.3%	2.4%
	Grade 8	54.7%	19.0%	11.4%	9.7%	5.2%
	Grade 9	57.4%	12.4%	10.1%	10.6%	9.5%
	Grade 10	41.6%	13.3%	12.4%	14.8%	17.9%
	Grade 11	39.6%	11.7%	12.9%	17.2%	18.6%
	Grade 12	37.5%	10.8%	12.3%	17.6%	21.7%
Other Source?	All	59.3%	24.0%	6.9%	5.1%	4.6%
	Grade 6	72.3%	23.6%	2.1%	1.5%	0.5%
	Grade 7	68.2%	23.3%	4.6%	3.1%	0.9%
	Grade 8	60.9%	25.4%	6.8%	3.7%	3.3%
	Grade 9	64.1%	19.7%	6.8%	3.7%	5.7%
	Grade 10	50.2%	26.0%	9.3%	7.5%	6.9%
	Grade 11	48.4%	25.1%	9.3%	8.9%	8.2%
	Grade 12	43.5%	25.7%	12.0%	9.7%	9.1%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	68.6%	10.2%	6.8%	2.7%	1.3%	10.4%
Grade 6	76.8%	2.7%	1.7%	0.6%	1.1%	17.0%
Grade 7	72.1%	5.8%	3.1%	1.1%	1.4%	16.7%
Grade 8	72.5%	9.6%	4.7%	1.6%	0.6%	11.0%
Grade 9	69.1%	9.3%	7.4%	3.0%	2.1%	9.2%
Grade 10	66.3%	13.8%	7.5%	4.4%	1.3%	6.8%
Grade 11	62.8%	15.9%	11.0%	4.5%	1.1%	4.8%
Grade 12	56.4%	17.6%	15.1%	5.1%	1.4%	4.5%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	58.9%	23.7%	10.6%	2.0%	4.7%
Grade 6	76.2%	12.8%	5.1%	0.5%	5.5%
Grade 7	64.6%	19.4%	8.5%	2.3%	5.3%
Grade 8	55.5%	25.5%	11.6%	2.3%	5.0%
Grade 9	58.2%	23.7%	10.9%	2.6%	4.6%
Grade 10	50.0%	28.0%	13.1%	2.7%	6.3%
Grade 11	50.5%	31.5%	12.6%	2.1%	3.3%
Grade 12	52.8%	28.1%	14.5%	1.8%	2.8%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	8.9%	12.5%	22.1%	78.0%
Grade 6	1.3%	1.7%	4.0%	96.0%
Grade 7	3.4%	4.2%	8.4%	91.6%
Grade 8	6.7%	9.7%	17.5%	82.6%
Grade 9	9.9%	14.1%	24.2%	75.7%
Grade 10	12.7%	17.7%	31.8%	68.2%
Grade 11	14.2%	20.7%	37.0%	63.0%
Grade 12	18.2%	24.9%	40.7%	59.3%
Cocaine?				
All	0.9%	1.3%	2.7%	97.2%
Grade 6	0.1%	0.2%	0.2%	99.9%
Grade 7	0.7%	0.9%	1.3%	98.6%
Grade 8	0.5%	0.7%	1.8%	98.3%
Grade 9	1.7%	1.9%	2.6%	97.5%
Grade 10	0.7%	1.2%	3.7%	96.3%
Grade 11	1.0%	1.8%	4.7%	95.3%
Grade 12	2.4%	3.3%	6.8%	93.2%
Crack?				
All	0.3%	0.4%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens?				
All	0.7%	1.0%	1.9%	98.0%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.5%	0.7%	99.2%
Grade 8	0.8%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.2%	2.2%	97.8%
Grade 10	1.3%	1.7%	3.8%	96.2%
Grade 11	0.8%	1.0%	2.8%	97.3%
Grade 12	1.0%	2.1%	3.7%	96.3%
Rohypnol?				
All	0.5%	0.6%	1.4%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.3%	0.7%	99.4%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.8%	98.1%
Grade 10	1.0%	1.1%	2.1%	98.0%
Grade 11	0.5%	0.7%	2.6%	97.4%
Grade 12	0.4%	0.6%	1.7%	98.4%

Table D-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.4%	0.5%	0.9%	99.1%
Grade 6	0.4%	0.4%	1.0%	99.0%
Grade 7	0.6%	0.8%	1.0%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.7%	0.7%	1.0%	98.9%
Grade 11	0.8%	1.0%	1.6%	98.5%
Grade 12	0.4%	0.5%	0.6%	99.4%
Ecstasy?				
All	1.3%	1.9%	3.8%	96.1%
Grade 6	0.0%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	1.4%	1.5%	2.5%	97.5%
Grade 9	1.3%	2.4%	3.8%	96.2%
Grade 10	2.6%	3.9%	6.6%	93.4%
Grade 11	2.0%	2.5%	6.5%	93.6%
Grade 12	2.5%	3.8%	9.0%	91.1%
Heroin?				
All	0.1%	0.2%	0.4%	99.5%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.3%	99.6%
Grade 8	0.3%	0.5%	0.8%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.4%	0.9%	99.1%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.3%	99.7%
Methamphetamine?				
All	0.2%	0.3%	0.7%	99.4%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.1%	0.2%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana?				
All	2.6%	3.7%	7.6%	92.4%
Grade 6	0.4%	0.4%	1.5%	98.5%
Grade 7	1.5%	2.2%	3.7%	96.3%
Grade 8	3.3%	4.7%	6.9%	93.1%
Grade 9	4.1%	4.9%	8.6%	91.3%
Grade 10	3.1%	5.4%	12.1%	88.0%
Grade 11	3.1%	4.3%	12.4%	87.6%
Grade 12	3.1%	4.8%	10.5%	89.4%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	80.6%	1.9%	2.4%	3.1%	3.8%	3.4%	4.8%
	Grade 6	96.4%	0.4%	0.4%	0.6%	1.2%	0.6%	0.4%
	Grade 7	92.2%	0.6%	1.0%	1.4%	1.8%	1.1%	1.9%
	Grade 8	85.6%	1.3%	2.2%	2.0%	2.9%	2.1%	3.8%
	Grade 9	78.6%	2.5%	2.4%	3.5%	3.9%	4.1%	5.0%
	Grade 10	71.5%	2.4%	4.2%	4.8%	4.7%	5.2%	7.2%
	Grade 11	67.8%	2.8%	3.8%	4.5%	6.2%	6.0%	8.9%
	Grade 12	63.4%	4.2%	4.0%	6.4%	7.2%	6.5%	8.3%
Cocaine?								
	All	98.3%	0.2%	0.0%	0.2%	0.3%	0.5%	0.6%
	Grade 6	99.6%	0.0%	0.0%	0.1%	0.1%	0.2%	0.0%
	Grade 7	99.4%	0.2%	0.0%	0.1%	0.0%	0.2%	0.1%
	Grade 8	99.0%	0.0%	0.0%	0.1%	0.1%	0.6%	0.2%
	Grade 9	98.3%	0.3%	0.0%	0.2%	0.3%	0.5%	0.4%
	Grade 10	98.4%	0.0%	0.0%	0.2%	0.2%	0.7%	0.4%
	Grade 11	96.8%	0.0%	0.1%	0.3%	0.3%	0.8%	1.6%
	Grade 12	95.5%	0.5%	0.0%	0.4%	1.5%	0.4%	1.6%
Crack?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.7%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
	Grade 9	99.6%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 11	99.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 6	99.4%	0.2%	0.0%	0.2%	0.2%	0.0%	0.0%
	Grade 7	99.3%	0.3%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 8	99.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.1%	0.0%	0.2%	0.1%	0.1%	0.2%
	Grade 11	98.8%	0.1%	0.2%	0.1%	0.0%	0.2%	0.5%
	Grade 12	99.3%	0.1%	0.1%	0.2%	0.0%	0.0%	0.4%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	96.9%	0.0%	0.2%	0.2%	0.8%	0.9%	1.0%
	Grade 6	99.4%	0.1%	0.1%	0.1%	0.2%	0.0%	0.2%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.1%	0.4%	0.1%
	Grade 8	98.1%	0.0%	0.4%	0.5%	0.2%	0.6%	0.1%
	Grade 9	97.1%	0.0%	0.2%	0.0%	1.1%	0.8%	0.8%
	Grade 10	94.4%	0.1%	0.3%	0.7%	1.6%	1.9%	0.9%
	Grade 11	94.8%	0.0%	0.3%	0.2%	0.9%	1.8%	2.0%
	Grade 12	93.7%	0.0%	0.0%	0.2%	1.5%	0.8%	3.7%
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 8	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 6	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.3%	0.1%	0.2%	0.2%	0.0%	0.0%	0.2%
	Grade 11	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Synthetic Marijuana?								
	All	93.5%	0.3%	0.5%	0.4%	1.3%	1.5%	2.4%
	Grade 6	98.6%	0.2%	0.0%	0.2%	0.4%	0.3%	0.3%
	Grade 7	96.6%	0.2%	0.2%	0.3%	1.3%	0.5%	1.0%
	Grade 8	94.2%	0.8%	0.8%	0.3%	1.8%	1.0%	1.1%
	Grade 9	91.5%	0.8%	1.1%	0.6%	1.0%	2.1%	2.8%
	Grade 10	90.4%	0.0%	0.4%	0.6%	1.6%	2.7%	4.3%
	Grade 11	89.7%	0.1%	0.3%	0.5%	2.6%	2.2%	4.6%
	Grade 12	91.5%	0.0%	0.7%	0.1%	0.9%	2.7%	4.0%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.4	11.6	12.3	13.0	13.7	14.2	15.0
Cocaine	11.7	11.4	12.2	13.7	14.5	15.0	16.2
Crack	12.0	11.5	11.9	10.2	14.0	13.6	12.0
Steroids	10.4	10.4	11.3	*	12.6	15.4	14.7
Ecstasy	10.9	12.7	12.9	13.8	14.2	15.0	16.2
Heroin	9.2	10.3	8.6	15.0	12.9	11.7	17.0
Methamphetamine	12.5	10.9	12.3	13.9	13.2	12.7	15.0
Synthetic Marijuana	12.1	12.1	12.6	13.5	14.0	14.9	15.4

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	83.5%	0.3%	0.2%	1.6%	5.0%	6.1%	3.1%	0.2%	
Grade 6	96.2%	0.0%	0.2%	2.0%	1.5%	0.0%	0.0%	0.0%	
Grade 7	93.6%	0.4%	0.1%	1.7%	3.8%	0.3%	0.0%	0.0%	
Grade 8	88.0%	0.4%	0.2%	1.8%	8.1%	1.6%	0.0%	0.0%	
Grade 9	82.0%	0.2%	0.0%	2.3%	6.6%	8.2%	0.7%	0.0%	
Grade 10	75.4%	0.3%	0.0%	2.0%	5.4%	14.8%	2.2%	0.0%	
Grade 11	69.5%	0.7%	0.4%	1.0%	5.9%	13.1%	9.2%	0.2%	
Grade 12	71.4%	0.4%	0.2%	0.5%	4.1%	8.8%	13.0%	1.5%	
Other Family Situation									
All	69.6%	0.8%	0.4%	2.9%	10.4%	11.0%	4.6%	0.2%	
Grade 6	94.4%	0.2%	0.2%	2.1%	2.9%	0.2%	0.0%	0.0%	
Grade 7	85.7%	0.7%	0.5%	4.1%	7.6%	1.5%	0.0%	0.0%	
Grade 8	76.4%	1.3%	0.0%	3.0%	14.6%	4.5%	0.0%	0.1%	
Grade 9	66.8%	0.9%	1.2%	4.2%	13.8%	12.7%	0.5%	0.0%	
Grade 10	58.9%	1.0%	0.2%	3.8%	12.6%	19.7%	3.7%	0.0%	
Grade 11	54.5%	0.2%	0.4%	2.3%	10.4%	23.4%	8.7%	0.0%	
Grade 12	42.7%	1.1%	0.4%	0.6%	10.6%	19.4%	23.5%	1.7%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	36.3%	18.9%	5.4%	7.7%	11.6%	20.1%
	Grade 6	56.1%	29.9%	6.2%	2.5%	2.1%	3.2%
	Grade 7	45.2%	29.8%	4.9%	6.2%	5.9%	8.0%
	Grade 8	37.6%	20.7%	7.5%	9.1%	10.6%	14.5%
	Grade 9	36.0%	14.8%	4.0%	9.1%	14.9%	21.3%
	Grade 10	23.3%	12.9%	5.0%	9.9%	16.9%	32.0%
	Grade 11	23.6%	11.2%	4.2%	9.7%	15.6%	35.7%
	Grade 12	24.8%	7.2%	5.5%	8.4%	19.1%	35.1%
Cocaine	All	46.0%	24.9%	9.5%	7.7%	5.7%	6.1%
	Grade 6	60.7%	30.0%	5.8%	1.1%	0.8%	1.5%
	Grade 7	52.6%	31.9%	6.1%	3.9%	2.9%	2.7%
	Grade 8	45.8%	27.0%	11.3%	6.9%	4.8%	4.1%
	Grade 9	46.5%	23.1%	8.4%	9.1%	6.4%	6.5%
	Grade 10	36.6%	22.9%	9.9%	12.4%	9.4%	8.6%
	Grade 11	37.2%	20.0%	12.3%	11.2%	10.5%	8.8%
	Grade 12	37.2%	15.2%	15.0%	12.1%	7.5%	13.0%
Crack	All	50.1%	25.0%	9.6%	7.0%	3.8%	4.5%
	Grade 6	65.5%	26.6%	5.1%	0.9%	0.4%	1.5%
	Grade 7	56.8%	30.8%	4.9%	3.0%	2.2%	2.3%
	Grade 8	49.0%	27.1%	10.5%	6.2%	3.6%	3.6%
	Grade 9	50.0%	23.4%	8.5%	7.5%	4.7%	5.8%
	Grade 10	40.6%	24.6%	11.2%	11.8%	5.9%	5.9%
	Grade 11	42.1%	22.0%	13.0%	10.3%	6.5%	6.1%
	Grade 12	40.9%	18.1%	17.0%	11.7%	4.8%	7.5%
Steroids	All	51.2%	25.3%	8.2%	6.6%	4.7%	4.1%
	Grade 6	65.5%	26.0%	4.0%	1.4%	1.6%	1.5%
	Grade 7	58.3%	29.5%	5.2%	2.8%	2.6%	1.6%
	Grade 8	50.5%	27.8%	8.1%	6.2%	3.5%	3.9%
	Grade 9	51.3%	24.5%	8.1%	6.6%	4.9%	4.8%
	Grade 10	42.2%	24.4%	11.1%	11.0%	7.0%	4.4%
	Grade 11	42.8%	22.9%	10.9%	8.5%	8.9%	6.0%
	Grade 12	42.1%	19.7%	12.1%	12.2%	6.1%	7.8%

**Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	54.2%	20.3%	6.9%	6.2%	5.9%	6.5%
	Grade 6	74.0%	19.8%	4.2%	1.0%	0.3%	0.7%
	Grade 7	65.1%	25.5%	4.2%	2.0%	1.6%	1.6%
	Grade 8	57.7%	23.2%	6.3%	5.8%	3.3%	3.7%
	Grade 9	53.0%	19.2%	6.0%	9.0%	6.7%	6.3%
	Grade 10	40.7%	21.2%	9.5%	9.3%	9.0%	10.3%
	Grade 11	41.4%	18.6%	9.2%	8.7%	10.5%	11.6%
	Grade 12	38.9%	12.7%	10.3%	10.1%	13.4%	14.6%
Heroin?							
	All	56.0%	24.8%	8.4%	4.8%	2.8%	3.2%
	Grade 6	73.2%	21.7%	3.2%	0.5%	0.3%	1.1%
	Grade 7	63.8%	27.6%	3.8%	1.9%	1.3%	1.6%
	Grade 8	57.3%	25.2%	8.1%	4.3%	2.4%	2.7%
	Grade 9	54.3%	25.3%	8.1%	4.6%	3.7%	3.9%
	Grade 10	44.9%	27.6%	10.3%	8.4%	4.6%	4.3%
	Grade 11	46.8%	25.1%	12.6%	6.9%	4.5%	4.0%
	Grade 12	45.1%	20.8%	15.8%	8.9%	3.5%	5.9%
Methamphetamine?							
	All	58.4%	23.3%	8.2%	4.5%	2.4%	3.2%
	Grade 6	74.8%	20.3%	3.5%	0.4%	0.4%	0.7%
	Grade 7	65.4%	26.5%	3.8%	1.9%	1.5%	1.0%
	Grade 8	61.2%	22.5%	7.8%	3.9%	1.7%	3.0%
	Grade 9	56.8%	23.2%	8.1%	4.6%	3.4%	3.9%
	Grade 10	49.2%	24.7%	9.6%	7.9%	3.6%	4.9%
	Grade 11	49.3%	24.3%	12.0%	6.2%	3.8%	4.4%
	Grade 12	45.8%	21.9%	15.1%	8.6%	2.9%	5.8%
Synthetic Marijuana?							
	All	53.5%	18.3%	5.7%	5.8%	6.5%	10.1%
	Grade 6	72.1%	20.5%	2.9%	1.6%	1.2%	1.8%
	Grade 7	61.2%	25.4%	4.7%	2.1%	2.4%	4.3%
	Grade 8	55.5%	19.6%	5.4%	6.4%	5.7%	7.4%
	Grade 9	51.8%	15.6%	5.7%	6.9%	7.7%	12.2%
	Grade 10	42.3%	16.8%	6.6%	7.7%	12.4%	14.2%
	Grade 11	42.5%	16.2%	6.6%	8.7%	9.7%	16.2%
	Grade 12	42.2%	11.7%	9.4%	8.9%	8.6%	19.1%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	91.5%	5.2%	1.2%	2.1%
Grade 6	98.0%	1.5%	0.3%	0.3%
Grade 7	95.0%	3.7%	0.7%	0.6%
Grade 8	92.7%	4.9%	1.1%	1.3%
Grade 9	89.7%	6.2%	1.0%	3.0%
Grade 10	88.3%	7.0%	1.8%	2.9%
Grade 11	88.8%	6.4%	1.3%	3.5%
Grade 12	85.1%	8.1%	2.7%	4.1%
Attended Class While High From Use Of Some Other Drug?				
All	96.6%	2.3%	0.5%	0.6%
Grade 6	98.9%	0.9%	0.1%	0.2%
Grade 7	97.1%	2.1%	0.2%	0.6%
Grade 8	97.1%	1.8%	0.5%	0.6%
Grade 9	95.9%	2.7%	0.5%	0.9%
Grade 10	95.2%	3.1%	1.0%	0.7%
Grade 11	96.1%	2.6%	0.5%	0.9%
Grade 12	95.3%	3.6%	0.8%	0.3%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.2
Marijuana Non-Users	2.9
Average days conduct problems reported	
Marijuana Users	3.2
Marijuana Non-Users	1.0

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	92.9%	4.6%	0.8%	1.7%
Grade 9	96.3%	2.4%	0.0%	1.3%
Grade 10	95.4%	2.9%	0.6%	1.2%
Grade 11	91.6%	6.0%	1.3%	1.1%
Grade 12	87.2%	7.6%	1.7%	3.5%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.8%	3.4%	0.4%	0.3%
Grade 6	99.0%	0.9%	0.1%	0.0%
Grade 7	97.3%	2.2%	0.3%	0.2%
Grade 8	96.2%	2.7%	0.8%	0.3%
Grade 9	94.3%	5.1%	0.3%	0.3%
Grade 10	94.3%	4.7%	0.8%	0.1%
Grade 11	94.4%	5.0%	0.5%	0.2%
Grade 12	94.6%	4.2%	0.2%	1.0%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.3%	3.6%	0.7%	0.4%
Grade 6	98.7%	1.2%	0.0%	0.1%
Grade 7	97.5%	1.9%	0.2%	0.4%
Grade 8	96.4%	2.6%	0.6%	0.3%
Grade 9	94.2%	4.4%	1.0%	0.3%
Grade 10	92.5%	6.0%	0.9%	0.6%
Grade 11	92.1%	5.4%	1.9%	0.6%
Grade 12	94.3%	4.6%	0.4%	0.8%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	54.9%	18.7%	11.5%	10.9%	4.0%
Grade 6	85.1%	10.0%	2.1%	1.7%	1.1%
Grade 7	71.5%	15.0%	6.3%	5.2%	2.0%
Grade 8	57.1%	19.6%	11.2%	9.4%	2.7%
Grade 9	50.6%	20.4%	13.6%	11.1%	4.3%
Grade 10	36.6%	25.1%	14.4%	18.4%	5.5%
Grade 11	34.2%	24.8%	17.5%	18.2%	5.3%
Grade 12	36.8%	18.6%	19.0%	16.5%	9.2%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	59.9%	5.7%	4.9%	6.5%	7.9%	2.8%	12.4%
Grade 6	85.7%	2.4%	1.7%	0.9%	0.4%	2.8%	6.2%
Grade 7	75.5%	3.4%	4.1%	2.7%	1.6%	2.5%	10.1%
Grade 8	65.9%	6.3%	3.1%	4.3%	4.4%	3.7%	12.3%
Grade 9	57.6%	6.0%	5.9%	7.6%	6.6%	2.3%	14.1%
Grade 10	46.4%	8.1%	8.4%	9.7%	11.4%	3.2%	12.9%
Grade 11	39.9%	8.3%	5.3%	11.0%	15.8%	2.9%	16.8%
Grade 12	37.5%	6.3%	6.7%	11.9%	19.2%	2.3%	16.1%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.7%	4.0%	4.0%	1.3%	1.8%	10.3%
Grade 6	79.4%	1.6%	0.7%	0.0%	1.2%	17.1%
Grade 7	76.5%	2.1%	2.1%	0.8%	1.7%	16.7%
Grade 8	80.0%	3.5%	2.8%	1.1%	2.0%	10.6%
Grade 9	78.5%	4.3%	4.0%	1.6%	2.6%	8.9%
Grade 10	79.5%	4.9%	5.5%	1.8%	1.5%	6.9%
Grade 11	79.9%	6.8%	5.7%	1.7%	1.6%	4.2%
Grade 12	77.2%	5.4%	8.5%	2.0%	1.8%	5.1%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?						
	All	64.4%	11.6%	9.0%	10.4%	4.6%
	Grade 6	89.2%	4.9%	1.7%	0.9%	3.3%
	Grade 7	78.9%	8.0%	4.4%	3.9%	4.8%
	Grade 8	68.2%	12.3%	7.9%	6.3%	5.2%
	Grade 9	60.6%	12.9%	8.8%	13.3%	4.4%
	Grade 10	47.8%	16.1%	14.4%	15.7%	6.1%
	Grade 11	49.6%	14.8%	12.8%	17.8%	5.0%
	Grade 12	46.2%	14.3%	16.7%	19.2%	3.6%
Cocaine?						
	All	88.1%	5.3%	1.1%	0.6%	5.0%
	Grade 6	92.1%	2.6%	0.5%	0.4%	4.4%
	Grade 7	88.1%	4.2%	1.7%	0.9%	5.2%
	Grade 8	86.0%	7.1%	1.4%	0.3%	5.3%
	Grade 9	87.1%	6.3%	0.5%	0.6%	5.5%
	Grade 10	84.8%	7.4%	1.2%	0.7%	5.9%
	Grade 11	89.0%	5.1%	0.9%	0.5%	4.5%
	Grade 12	89.4%	4.7%	1.4%	0.8%	3.8%
Crack?						
	All	88.8%	4.6%	0.8%	0.6%	5.3%
	Grade 6	91.1%	2.6%	0.7%	0.4%	5.3%
	Grade 7	88.5%	4.0%	1.0%	0.8%	5.7%
	Grade 8	86.3%	6.8%	1.1%	0.5%	5.4%
	Grade 9	88.1%	4.3%	0.5%	1.0%	6.1%
	Grade 10	86.1%	6.7%	1.1%	0.3%	5.8%
	Grade 11	90.6%	4.1%	0.4%	0.6%	4.2%
	Grade 12	91.2%	3.8%	0.3%	0.7%	4.0%
Ecstasy?						
	All	83.0%	7.3%	2.1%	1.1%	6.6%
	Grade 6	89.0%	3.4%	0.8%	0.5%	6.3%
	Grade 7	86.0%	4.6%	0.7%	0.7%	8.0%
	Grade 8	81.6%	7.1%	2.5%	1.2%	7.6%
	Grade 9	81.0%	8.0%	2.3%	1.4%	7.3%
	Grade 10	79.1%	10.0%	3.2%	1.0%	6.8%
	Grade 11	81.9%	9.2%	2.5%	1.4%	4.9%
	Grade 12	80.4%	10.3%	3.1%	1.3%	4.9%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	83.2%	5.3%	1.7%	1.0%	8.9%
	Grade 6	88.7%	3.0%	0.6%	0.6%	7.1%
	Grade 7	85.1%	4.6%	0.8%	0.6%	8.9%
	Grade 8	81.7%	5.6%	1.8%	0.6%	10.3%
	Grade 9	83.0%	4.6%	1.6%	1.0%	9.9%
	Grade 10	79.1%	6.6%	2.9%	0.9%	10.5%
	Grade 11	81.5%	5.7%	2.4%	1.4%	8.9%
	Grade 12	81.6%	7.9%	2.2%	1.8%	6.4%
Steroids?	All	80.8%	9.2%	2.5%	1.1%	6.4%
	Grade 6	86.8%	5.2%	1.3%	1.0%	5.7%
	Grade 7	83.6%	7.1%	1.5%	0.8%	7.0%
	Grade 8	79.6%	9.7%	2.8%	0.7%	7.2%
	Grade 9	80.6%	9.6%	2.1%	0.8%	6.9%
	Grade 10	75.6%	12.5%	3.7%	1.5%	6.8%
	Grade 11	79.7%	10.5%	3.0%	1.3%	5.5%
	Grade 12	78.2%	11.2%	3.7%	1.5%	5.4%
Heroin?	All	88.3%	4.2%	0.7%	0.4%	6.4%
	Grade 6	89.6%	3.1%	0.4%	0.4%	6.4%
	Grade 7	86.5%	4.4%	0.8%	0.6%	7.7%
	Grade 8	85.2%	5.8%	1.4%	0.2%	7.3%
	Grade 9	88.2%	4.5%	0.3%	0.6%	6.4%
	Grade 10	86.9%	4.9%	0.8%	0.3%	7.0%
	Grade 11	90.9%	3.5%	0.4%	0.5%	4.7%
	Grade 12	92.0%	2.8%	0.3%	0.5%	4.4%
Methamphetamine?	All	88.1%	3.8%	0.7%	0.5%	6.9%
	Grade 6	89.7%	2.1%	1.0%	0.4%	6.8%
	Grade 7	85.8%	5.1%	0.9%	0.7%	7.6%
	Grade 8	84.7%	5.4%	1.1%	0.3%	8.4%
	Grade 9	87.8%	3.8%	0.3%	0.8%	7.3%
	Grade 10	86.7%	4.4%	0.8%	0.3%	7.7%
	Grade 11	90.4%	3.7%	0.4%	0.4%	5.0%
	Grade 12	92.7%	2.0%	0.2%	0.6%	4.4%
Synthetic Marijuana?	All	81.1%	7.5%	2.6%	1.6%	7.2%
	Grade 6	89.0%	3.3%	0.6%	0.5%	6.6%
	Grade 7	84.5%	5.3%	1.9%	1.4%	6.9%
	Grade 8	78.6%	8.2%	3.1%	1.8%	8.4%
	Grade 9	78.7%	8.8%	3.0%	1.8%	7.6%
	Grade 10	75.6%	9.7%	4.2%	1.9%	8.5%
	Grade 11	79.5%	10.1%	2.6%	1.6%	6.2%
	Grade 12	80.3%	8.0%	3.3%	2.2%	6.2%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.7%	5.4%	8.8%	91.2%
Grade 6	1.5%	1.9%	3.1%	96.9%
Grade 7	1.7%	2.3%	4.2%	95.8%
Grade 8	2.4%	2.8%	6.3%	93.7%
Grade 9	3.6%	5.2%	9.0%	91.0%
Grade 10	4.2%	7.5%	12.2%	87.8%
Grade 11	7.0%	9.8%	14.5%	85.5%
Grade 12	6.8%	10.4%	15.3%	84.6%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	0.7%	1.0%	1.6%	98.3%
Grade 6	0.3%	0.3%	0.5%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.9%	99.0%
Grade 10	0.7%	1.2%	2.1%	97.9%
Grade 11	2.0%	2.4%	3.6%	96.4%
Grade 12	1.3%	3.1%	3.9%	96.1%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	1.4%	1.8%	3.1%	96.9%
Grade 6	0.1%	0.1%	0.9%	99.1%
Grade 7	0.4%	0.5%	1.0%	98.9%
Grade 8	0.4%	0.4%	0.8%	99.3%
Grade 9	1.2%	1.2%	2.1%	98.0%
Grade 10	2.2%	3.2%	4.5%	95.4%
Grade 11	3.1%	3.8%	6.2%	93.8%
Grade 12	3.5%	4.5%	7.8%	92.2%
Valium Or Diazepam?				
All	0.5%	0.6%	1.0%	99.0%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	1.3%	1.6%	2.1%	98.0%
Grade 12	0.9%	1.2%	1.8%	98.2%
Xanax Or Alprazolam?				
All	1.5%	2.0%	3.0%	97.0%
Grade 6	0.2%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.9%	1.3%	98.8%
Grade 9	1.8%	2.2%	3.7%	96.3%
Grade 10	1.1%	2.2%	3.4%	96.5%
Grade 11	5.2%	5.7%	7.5%	92.5%
Grade 12	2.3%	3.5%	5.3%	94.7%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.4%	1.7%	3.1%	97.0%
Grade 6	1.0%	1.1%	2.1%	97.9%
Grade 7	1.1%	1.4%	3.1%	96.9%
Grade 8	0.8%	0.9%	2.4%	97.6%
Grade 9	1.9%	2.2%	3.6%	96.4%
Grade 10	2.2%	3.0%	5.0%	95.0%
Grade 11	1.9%	2.2%	3.4%	96.7%
Grade 12	0.8%	0.9%	1.6%	98.4%

Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.9%	1.1%	2.7%	97.3%
Grade 6	1.4%	1.5%	2.5%	97.6%
Grade 7	1.3%	1.9%	4.1%	96.0%
Grade 8	1.3%	1.7%	4.7%	95.3%
Grade 9	0.4%	0.4%	1.0%	98.9%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	0.2%	0.4%	2.4%	97.6%
Grade 12	0.6%	0.6%	1.4%	98.6%
Whiteout, Correction Fluid, Magic Markers?				
All	2.4%	3.3%	7.3%	92.7%
Grade 6	3.4%	4.7%	8.5%	91.6%
Grade 7	3.5%	5.4%	11.1%	88.8%
Grade 8	3.6%	4.5%	9.7%	90.3%
Grade 9	1.9%	2.4%	5.5%	94.5%
Grade 10	1.7%	2.8%	6.7%	93.3%
Grade 11	1.3%	1.7%	5.5%	94.4%
Grade 12	0.3%	0.5%	2.3%	97.6%
Computer Dusting Sprays?				
All	0.7%	0.9%	2.0%	98.0%
Grade 6	0.7%	0.7%	0.9%	99.1%
Grade 7	0.9%	1.4%	2.2%	97.8%
Grade 8	1.0%	1.1%	1.9%	98.1%
Grade 9	0.8%	1.0%	1.4%	98.6%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.4%	0.5%	1.9%	98.1%
Grade 12	0.0%	0.3%	3.3%	96.6%
Helium, Butane, Propane, Whip-pets, Freon?				
All	2.2%	3.0%	7.2%	92.8%
Grade 6	2.5%	3.0%	6.3%	93.7%
Grade 7	2.3%	3.2%	7.7%	92.4%
Grade 8	2.6%	3.5%	9.3%	90.7%
Grade 9	2.0%	2.2%	5.0%	95.0%
Grade 10	2.6%	3.4%	9.6%	90.4%
Grade 11	1.9%	2.8%	6.6%	93.4%
Grade 12	1.4%	2.8%	5.7%	94.4%
Glue?				
All	0.5%	0.7%	1.3%	98.7%
Grade 6	0.8%	1.2%	1.6%	98.4%
Grade 7	0.6%	1.2%	2.3%	97.7%
Grade 8	0.8%	0.9%	1.7%	98.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.1%	0.6%	99.5%

**Table I-1: How recently, if ever, have you used ...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.7%	1.0%	1.5%	98.5%
Grade 6	0.7%	0.8%	1.0%	99.1%
Grade 7	1.0%	1.6%	2.4%	97.6%
Grade 8	1.3%	1.8%	2.4%	97.6%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.6%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.3%	0.6%	1.1%	98.9%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	1.0%	1.3%	2.5%	97.5%
Grade 6	1.3%	1.7%	2.9%	97.1%
Grade 7	1.5%	2.2%	3.9%	96.1%
Grade 8	1.7%	2.0%	4.1%	95.9%
Grade 9	0.7%	1.0%	1.4%	98.6%
Grade 10	0.9%	0.9%	2.2%	97.8%
Grade 11	0.4%	0.9%	1.9%	98.1%
Grade 12	0.1%	0.2%	0.3%	99.7%
Other Aerosols/Sprays?				
All	1.1%	1.4%	2.6%	97.5%
Grade 6	2.2%	2.6%	4.0%	96.1%
Grade 7	1.7%	2.5%	4.6%	95.4%
Grade 8	1.7%	2.0%	3.3%	96.7%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.3%	1.3%	98.6%
Grade 11	0.5%	0.8%	1.7%	98.3%
Grade 12	0.1%	0.1%	0.6%	99.4%
Any Inhalant?				
All	5.7%	6.9%	14.3%	85.7%
Grade 6	7.6%	8.6%	15.0%	85.0%
Grade 7	7.5%	9.4%	17.3%	82.7%
Grade 8	7.6%	8.8%	18.0%	82.0%
Grade 9	4.5%	5.0%	10.8%	89.2%
Grade 10	5.0%	5.9%	14.8%	85.2%
Grade 11	3.9%	5.2%	12.7%	87.3%
Grade 12	2.3%	4.3%	9.8%	90.2%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.2%	0.2%	0.3%	0.5%	0.6%	0.7%	1.5%
Grade 6	95.6%	0.3%	0.4%	1.2%	0.5%	0.8%	1.2%
Grade 7	94.4%	0.2%	0.7%	0.8%	1.1%	1.1%	1.7%
Grade 8	94.1%	0.6%	0.5%	0.4%	1.0%	1.3%	2.1%
Grade 9	97.0%	0.0%	0.1%	0.2%	0.9%	0.5%	1.4%
Grade 10	97.4%	0.0%	0.0%	0.4%	0.4%	0.5%	1.3%
Grade 11	97.4%	0.2%	0.2%	0.1%	0.1%	0.6%	1.5%
Grade 12	98.4%	0.0%	0.0%	0.0%	0.3%	0.3%	1.0%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	85.9%	7.9%	4.6%	1.6%
Grade 6	85.2%	8.6%	4.6%	1.6%
Grade 7	82.8%	8.6%	5.2%	3.3%
Grade 8	82.2%	8.1%	7.7%	2.0%
Grade 9	89.3%	6.6%	3.4%	0.7%
Grade 10	85.4%	8.2%	5.1%	1.3%
Grade 11	87.5%	8.4%	2.7%	1.4%
Grade 12	90.2%	6.6%	2.9%	0.3%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.4	11.0	10.9	11.8	12.3	13.0	13.7

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	98.6%	1.1%	0.2%	0.2%
Grade 6	98.5%	1.0%	0.3%	0.2%
Grade 7	97.8%	1.8%	0.2%	0.2%
Grade 8	97.9%	1.9%	0.1%	0.2%
Grade 9	98.5%	1.0%	0.1%	0.4%
Grade 10	99.3%	0.4%	0.3%	0.0%
Grade 11	99.3%	0.6%	0.0%	0.0%
Grade 12	99.1%	0.6%	0.0%	0.4%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	3.9
Inhalants Non-Users	3.1
	Average days conduct problems reported
Inhalants Users	3.4
Inhalants Non-Users	1.2

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	87.9%	8.0%	2.9%	0.9%	0.3%
Grade 6	88.5%	8.1%	2.4%	0.7%	0.3%
Grade 7	84.4%	10.4%	3.4%	1.2%	0.6%
Grade 8	86.4%	8.2%	3.7%	1.1%	0.6%
Grade 9	89.4%	6.6%	2.5%	1.3%	0.1%
Grade 10	87.2%	8.9%	3.1%	0.7%	0.1%
Grade 11	88.9%	6.9%	3.3%	0.7%	0.3%
Grade 12	91.9%	5.8%	1.6%	0.5%	0.2%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	78.7%	9.8%	3.6%	0.9%	7.0%
Grade 6	82.2%	7.9%	4.3%	0.6%	5.2%
Grade 7	78.2%	9.1%	4.6%	1.4%	6.7%
Grade 8	73.8%	12.5%	4.9%	1.2%	7.5%
Grade 9	78.4%	10.3%	2.1%	1.1%	8.1%
Grade 10	74.8%	11.4%	4.2%	0.8%	8.8%
Grade 11	81.4%	9.0%	2.5%	0.9%	6.2%
Grade 12	82.6%	8.6%	2.2%	0.4%	6.3%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	49.0%	14.9%	3.8%	5.0%	8.3%	19.0%
Grade 6	59.0%	20.4%	2.6%	2.0%	4.4%	11.6%
Grade 7	53.9%	21.0%	4.2%	3.5%	6.2%	11.2%
Grade 8	46.8%	16.4%	5.1%	4.0%	8.2%	19.4%
Grade 9	51.3%	13.1%	3.3%	5.1%	9.0%	18.2%
Grade 10	42.5%	12.6%	3.0%	6.4%	10.3%	25.3%
Grade 11	43.5%	10.2%	3.9%	6.4%	10.3%	25.8%
Grade 12	42.5%	7.2%	4.4%	9.3%	11.5%	25.1%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	50.8%
	Grade 6	41.3%
	Grade 7	59.2%
	Grade 8	53.6%
	Grade 9	45.9%
	Grade 10	54.8%
	Grade 11	53.4%
	Grade 12	47.3%
An Assembly Program		
	All	50.6%
	Grade 6	52.9%
	Grade 7	62.2%
	Grade 8	65.1%
	Grade 9	44.5%
	Grade 10	42.8%
	Grade 11	38.8%
	Grade 12	43.7%
Guidance Counselor		
	All	39.3%
	Grade 6	43.3%
	Grade 7	49.1%
	Grade 8	51.1%
	Grade 9	37.1%
	Grade 10	29.6%
	Grade 11	30.3%
	Grade 12	30.3%
Science Or Social Studies Class		
	All	32.4%
	Grade 6	26.8%
	Grade 7	36.1%
	Grade 8	34.1%
	Grade 9	36.5%
	Grade 10	31.1%
	Grade 11	29.6%
	Grade 12	32.3%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

		Yes
<hr/>		
Student Group Or Club Meeting At School		
All		21.9%
Grade 6		20.3%
Grade 7		24.7%
Grade 8		22.6%
Grade 9		24.4%
Grade 10		19.6%
Grade 11		19.4%
Grade 12		22.0%
An Invited School Guest		
All		40.5%
Grade 6		41.7%
Grade 7		48.3%
Grade 8		51.5%
Grade 9		35.1%
Grade 10		35.2%
Grade 11		32.1%
Grade 12		36.6%
Another Source At School		
All		35.1%
Grade 6		30.5%
Grade 7		40.9%
Grade 8		38.5%
Grade 9		36.2%
Grade 10		31.4%
Grade 11		32.2%
Grade 12		34.7%
Any School Source		
All		72.5%
Grade 6		71.4%
Grade 7		79.3%
Grade 8		78.5%
Grade 9		66.1%
Grade 10		73.5%
Grade 11		69.7%
Grade 12		67.3%
<hr/>		

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	48.0%
	Grade 6	60.5%
	Grade 7	56.6%
	Grade 8	52.8%
	Grade 9	44.4%
	Grade 10	39.9%
	Grade 11	37.6%
	Grade 12	39.2%
Another Adult In School		
	All	48.5%
	Grade 6	54.3%
	Grade 7	53.3%
	Grade 8	52.4%
	Grade 9	46.2%
	Grade 10	41.9%
	Grade 11	41.3%
	Grade 12	47.8%
Counselor/Program Outside-School		
	All	45.2%
	Grade 6	50.0%
	Grade 7	48.2%
	Grade 8	47.3%
	Grade 9	46.6%
	Grade 10	39.1%
	Grade 11	39.5%
	Grade 12	43.6%
Your Parents		
	All	68.6%
	Grade 6	75.1%
	Grade 7	73.7%
	Grade 8	69.6%
	Grade 9	64.4%
	Grade 10	63.6%
	Grade 11	66.8%
	Grade 12	65.2%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	57.7%
	Grade 6	70.4%
	Grade 7	62.1%
	Grade 8	58.8%
	Grade 9	55.9%
	Grade 10	48.5%
	Grade 11	52.6%
	Grade 12	52.4%
Your Friends		
	All	56.9%
	Grade 6	38.0%
	Grade 7	50.9%
	Grade 8	54.7%
	Grade 9	62.6%
	Grade 10	62.0%
	Grade 11	65.6%
	Grade 12	69.4%
Another Adult		
	All	60.7%
	Grade 6	58.4%
	Grade 7	59.3%
	Grade 8	60.7%
	Grade 9	58.9%
	Grade 10	60.4%
	Grade 11	64.2%
	Grade 12	64.6%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	10.8%
	Grade 6	9.3%
	Grade 7	11.1%
	Grade 8	12.8%
	Grade 9	12.4%
	Grade 10	8.4%
	Grade 11	10.6%
	Grade 12	10.9%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	8.8%	26.4%	24.1%	29.0%	11.7%
Grade 6	14.4%	24.2%	18.5%	22.9%	20.0%
Grade 7	12.7%	27.4%	17.9%	26.3%	15.6%
Grade 8	8.6%	25.4%	27.5%	26.8%	11.6%
Grade 9	8.2%	25.6%	24.8%	32.7%	8.7%
Grade 10	4.9%	25.2%	27.8%	33.6%	8.5%
Grade 11	6.2%	27.4%	28.6%	30.4%	7.4%
Grade 12	4.7%	30.6%	25.1%	31.8%	7.8%
Sometimes Carry Weapons?					
All	81.1%	12.5%	4.6%	1.3%	0.6%
Grade 6	88.5%	8.0%	2.3%	0.5%	0.7%
Grade 7	85.2%	10.4%	3.0%	1.0%	0.5%
Grade 8	80.3%	13.2%	4.5%	1.3%	0.7%
Grade 9	81.7%	11.7%	5.2%	1.1%	0.3%
Grade 10	78.8%	14.5%	5.1%	1.2%	0.4%
Grade 11	76.5%	14.8%	5.6%	2.5%	0.7%
Grade 12	73.5%	16.5%	7.5%	1.5%	0.9%
Care About Making Good Grades?					
All	3.0%	14.6%	22.4%	37.4%	22.5%
Grade 6	3.0%	16.6%	20.5%	30.6%	29.2%
Grade 7	4.2%	17.9%	21.9%	32.7%	23.2%
Grade 8	2.8%	18.5%	25.1%	32.3%	21.3%
Grade 9	3.0%	15.5%	22.5%	36.9%	22.2%
Grade 10	1.7%	12.3%	24.7%	43.5%	17.8%
Grade 11	2.4%	9.1%	24.0%	42.0%	22.5%
Grade 12	3.7%	10.1%	17.5%	48.4%	20.2%
Belong/Want To Belong To A Gang?					
All	77.4%	13.7%	5.7%	2.3%	0.9%
Grade 6	83.5%	10.9%	3.1%	1.4%	1.0%
Grade 7	75.5%	13.0%	7.0%	3.7%	0.8%
Grade 8	70.3%	17.6%	7.6%	2.8%	1.6%
Grade 9	73.8%	14.7%	8.0%	2.5%	0.9%
Grade 10	76.9%	16.6%	4.2%	1.9%	0.4%
Grade 11	81.3%	11.5%	4.4%	2.3%	0.5%
Grade 12	81.6%	11.1%	5.5%	1.2%	0.6%
Wish They Could Drop Out Of School?					
All	65.0%	22.2%	8.2%	2.8%	1.8%
Grade 6	72.1%	17.4%	5.7%	2.6%	2.2%
Grade 7	67.6%	18.7%	9.2%	2.7%	1.9%
Grade 8	57.3%	27.0%	10.3%	3.5%	1.8%
Grade 9	64.1%	22.3%	8.9%	3.2%	1.6%
Grade 10	59.2%	25.8%	9.6%	2.8%	2.6%
Grade 11	65.6%	24.0%	7.1%	2.1%	1.1%
Grade 12	69.1%	21.0%	6.3%	2.3%	1.4%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	85.7%	12.2%	0.9%	0.2%	1.0%
	Grade 6	89.9%	8.6%	0.8%	0.0%	0.8%
	Grade 7	83.8%	12.4%	2.1%	0.3%	1.5%
	Grade 8	81.3%	15.1%	1.7%	0.1%	1.7%
	Grade 9	83.8%	15.0%	0.4%	0.1%	0.8%
	Grade 10	87.7%	11.2%	0.4%	0.1%	0.6%
	Grade 11	87.6%	10.7%	0.7%	0.4%	0.5%
	Grade 12	86.0%	12.9%	0.2%	0.3%	0.6%
Out In Your Neighborhood?						
	All	35.9%	48.5%	10.1%	2.3%	3.2%
	Grade 6	31.9%	44.7%	14.7%	3.8%	5.0%
	Grade 7	30.7%	47.1%	12.9%	4.0%	5.2%
	Grade 8	32.9%	50.6%	10.4%	1.5%	4.6%
	Grade 9	38.7%	48.6%	9.2%	1.0%	2.5%
	Grade 10	38.1%	51.7%	7.2%	1.0%	2.0%
	Grade 11	40.3%	48.2%	9.0%	1.7%	0.8%
	Grade 12	40.9%	49.3%	5.8%	2.8%	1.2%
At School?						
	All	44.5%	41.8%	7.2%	3.0%	3.5%
	Grade 6	60.4%	28.4%	5.5%	2.5%	3.3%
	Grade 7	51.6%	36.2%	6.2%	2.3%	3.7%
	Grade 8	46.6%	40.5%	5.2%	3.1%	4.4%
	Grade 9	35.7%	46.8%	10.7%	3.0%	3.9%
	Grade 10	33.2%	52.2%	7.8%	2.8%	4.0%
	Grade 11	35.5%	49.4%	8.7%	4.3%	2.1%
	Grade 12	44.9%	42.9%	6.4%	3.4%	2.4%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.6%	10.5%	20.4%	79.6%
	Grade 6	2.0%	2.3%	6.1%	93.9%
	Grade 7	3.5%	4.6%	11.5%	88.5%
	Grade 8	6.7%	10.0%	19.0%	81.1%
	Grade 9	6.7%	8.2%	19.1%	81.0%
	Grade 10	9.2%	13.3%	26.0%	73.9%
	Grade 11	13.3%	19.1%	31.3%	68.6%
	Grade 12	15.4%	21.2%	37.9%	62.1%
Alcohol	All	19.7%	25.8%	44.9%	55.1%
	Grade 6	8.2%	9.4%	22.2%	77.8%
	Grade 7	9.2%	11.7%	28.5%	71.5%
	Grade 8	16.1%	20.4%	43.9%	56.1%
	Grade 9	18.5%	24.4%	43.2%	56.8%
	Grade 10	26.3%	35.3%	57.7%	42.2%
	Grade 11	33.5%	43.1%	64.0%	36.0%
	Grade 12	33.5%	46.8%	66.3%	33.8%
Inhalants	All	5.7%	6.9%	14.3%	85.7%
	Grade 6	7.6%	8.6%	15.0%	85.0%
	Grade 7	7.5%	9.4%	17.3%	82.7%
	Grade 8	7.6%	8.8%	18.0%	82.0%
	Grade 9	4.5%	5.0%	10.8%	89.2%
	Grade 10	5.0%	5.9%	14.8%	85.2%
	Grade 11	3.9%	5.2%	12.7%	87.3%
	Grade 12	2.3%	4.3%	9.8%	90.2%
Any Illicit Drug	All	10.1%	13.7%	23.2%	76.9%
	Grade 6	1.6%	2.0%	4.6%	95.4%
	Grade 7	4.5%	5.3%	9.8%	90.3%
	Grade 8	8.0%	10.9%	19.1%	80.9%
	Grade 9	11.1%	15.0%	25.0%	75.0%
	Grade 10	14.1%	19.5%	32.5%	67.5%
	Grade 11	16.2%	22.4%	38.3%	61.7%
	Grade 12	19.1%	26.4%	42.5%	57.5%
Marijuana	All	8.9%	12.5%	22.1%	78.0%
	Grade 6	1.3%	1.7%	4.0%	96.0%
	Grade 7	3.4%	4.2%	8.4%	91.6%
	Grade 8	6.7%	9.7%	17.5%	82.6%
	Grade 9	9.9%	14.1%	24.2%	75.7%
	Grade 10	12.7%	17.7%	31.8%	68.2%
	Grade 11	14.2%	20.7%	37.0%	63.0%
	Grade 12	18.2%	24.9%	40.7%	59.3%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.5%	5.1%	11.6%	88.4%
Grade 6	0.4%	0.6%	1.8%	98.2%
Grade 7	1.6%	1.7%	4.6%	95.5%
Grade 8	2.9%	3.9%	9.2%	90.9%
Grade 9	3.1%	5.2%	13.1%	86.9%
Grade 10	4.8%	7.0%	15.9%	84.1%
Grade 11	5.6%	8.5%	19.4%	80.6%
Grade 12	7.7%	11.5%	22.8%	77.2%
Cocaine Or Crack				
All	1.1%	1.5%	3.0%	96.9%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.8%	1.0%	1.5%	98.4%
Grade 8	0.8%	1.3%	2.5%	97.5%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	1.1%	1.7%	4.3%	95.7%
Grade 11	1.1%	1.9%	4.8%	95.3%
Grade 12	2.4%	3.3%	6.8%	93.2%
Cocaine				
All	0.9%	1.3%	2.7%	97.2%
Grade 6	0.1%	0.2%	0.2%	99.9%
Grade 7	0.7%	0.9%	1.3%	98.6%
Grade 8	0.5%	0.7%	1.8%	98.3%
Grade 9	1.7%	1.9%	2.6%	97.5%
Grade 10	0.7%	1.2%	3.7%	96.3%
Grade 11	1.0%	1.8%	4.7%	95.3%
Grade 12	2.4%	3.3%	6.8%	93.2%
Crack				
All	0.3%	0.4%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.7%	1.0%	1.9%	98.0%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.5%	0.7%	99.2%
Grade 8	0.8%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.2%	2.2%	97.8%
Grade 10	1.3%	1.7%	3.8%	96.2%
Grade 11	0.8%	1.0%	2.8%	97.3%
Grade 12	1.0%	2.1%	3.7%	96.3%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.4%	98.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.3%	0.7%	99.4%
	Grade 8	0.6%	0.7%	1.5%	98.5%
	Grade 9	1.1%	1.2%	1.8%	98.1%
	Grade 10	1.0%	1.1%	2.1%	98.0%
	Grade 11	0.5%	0.7%	2.6%	97.4%
	Grade 12	0.4%	0.6%	1.7%	98.4%
Steroids	All	0.4%	0.5%	0.9%	99.1%
	Grade 6	0.4%	0.4%	1.0%	99.0%
	Grade 7	0.6%	0.8%	1.0%	99.1%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.3%	0.3%	0.5%	99.5%
	Grade 10	0.7%	0.7%	1.0%	98.9%
	Grade 11	0.8%	1.0%	1.6%	98.5%
	Grade 12	0.4%	0.5%	0.6%	99.4%
Ecstasy	All	1.3%	1.9%	3.8%	96.1%
	Grade 6	0.0%	0.1%	0.2%	99.8%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	1.4%	1.5%	2.5%	97.5%
	Grade 9	1.3%	2.4%	3.8%	96.2%
	Grade 10	2.6%	3.9%	6.6%	93.4%
	Grade 11	2.0%	2.5%	6.5%	93.6%
	Grade 12	2.5%	3.8%	9.0%	91.1%
Heroin	All	0.1%	0.2%	0.4%	99.5%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.3%	99.6%
	Grade 8	0.3%	0.5%	0.8%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.1%	0.4%	0.9%	99.1%
	Grade 11	0.0%	0.5%	0.6%	99.4%
	Grade 12	0.1%	0.1%	0.3%	99.7%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.6%	3.7%	7.6%	92.4%
Grade 6	0.4%	0.4%	1.5%	98.5%
Grade 7	1.5%	2.2%	3.7%	96.3%
Grade 8	3.3%	4.7%	6.9%	93.1%
Grade 9	4.1%	4.9%	8.6%	91.3%
Grade 10	3.1%	5.4%	12.1%	88.0%
Grade 11	3.1%	4.3%	12.4%	87.6%
Grade 12	3.1%	4.8%	10.5%	89.4%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.4%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.1%	0.2%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	10.9%	21.2%	78.8%
	Grade 6	1.3%	1.7%	7.2%	92.8%
	Grade 7	2.8%	3.9%	11.2%	88.7%
	Grade 8	5.5%	8.8%	18.5%	81.5%
	Grade 9	7.0%	8.7%	20.4%	79.5%
	Grade 10	7.6%	11.5%	24.8%	75.2%
	Grade 11	15.3%	21.6%	34.0%	66.0%
	Grade 12	21.2%	28.4%	42.8%	57.3%
Alcohol	All	18.3%	24.1%	41.8%	58.2%
	Grade 6	7.4%	9.4%	22.7%	77.3%
	Grade 7	8.7%	11.5%	25.7%	74.3%
	Grade 8	15.2%	18.7%	39.9%	60.0%
	Grade 9	17.0%	21.7%	39.9%	60.1%
	Grade 10	22.2%	30.8%	54.0%	46.1%
	Grade 11	31.3%	40.4%	59.7%	40.3%
	Grade 12	35.5%	49.6%	64.2%	35.8%
Inhalants	All	5.2%	6.1%	12.1%	87.8%
	Grade 6	7.5%	8.0%	13.7%	86.3%
	Grade 7	6.2%	7.8%	13.7%	86.3%
	Grade 8	6.6%	7.1%	12.9%	87.1%
	Grade 9	3.8%	3.8%	7.4%	92.6%
	Grade 10	3.9%	4.5%	12.5%	87.4%
	Grade 11	5.0%	5.8%	13.2%	86.8%
	Grade 12	2.4%	5.0%	11.7%	88.3%
Any Illicit Drug	All	11.0%	14.2%	23.5%	76.5%
	Grade 6	2.1%	2.5%	5.7%	94.3%
	Grade 7	4.2%	5.2%	9.6%	90.4%
	Grade 8	9.2%	12.3%	19.8%	80.1%
	Grade 9	11.5%	14.2%	25.6%	74.3%
	Grade 10	12.8%	17.7%	30.8%	69.2%
	Grade 11	16.8%	22.6%	39.2%	60.8%
	Grade 12	26.6%	33.1%	45.4%	54.6%
Marijuana	All	9.7%	12.9%	22.5%	77.6%
	Grade 6	1.6%	2.0%	5.0%	95.0%
	Grade 7	3.3%	3.9%	8.4%	91.5%
	Grade 8	7.6%	10.8%	17.8%	82.2%
	Grade 9	9.8%	13.1%	24.8%	75.1%
	Grade 10	11.4%	16.1%	29.9%	70.1%
	Grade 11	14.6%	20.0%	37.3%	62.6%
	Grade 12	25.9%	32.0%	45.0%	55.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.8%	5.0%	11.2%	88.8%
Grade 6	0.7%	0.9%	2.6%	97.4%
Grade 7	1.2%	1.3%	4.4%	95.6%
Grade 8	3.8%	4.9%	10.1%	89.9%
Grade 9	2.9%	4.5%	13.2%	86.8%
Grade 10	4.1%	5.5%	13.9%	86.1%
Grade 11	5.2%	7.4%	17.8%	82.3%
Grade 12	11.5%	14.4%	22.0%	78.0%
Cocaine Or Crack				
All	1.2%	1.7%	3.2%	96.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.7%	1.1%	98.9%
Grade 8	0.1%	0.5%	1.2%	98.8%
Grade 9	2.2%	2.2%	3.1%	96.9%
Grade 10	1.5%	2.2%	4.2%	95.7%
Grade 11	1.1%	2.1%	6.0%	94.1%
Grade 12	4.4%	5.5%	9.6%	90.4%
Cocaine				
All	1.2%	1.6%	3.0%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.7%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	2.2%	2.2%	3.1%	96.9%
Grade 10	1.4%	2.1%	3.5%	96.5%
Grade 11	0.9%	1.9%	5.8%	94.2%
Grade 12	4.4%	5.5%	9.6%	90.4%
Crack				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.2%	0.5%	99.6%
Grade 8	0.0%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	1.0%	98.9%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.8%	1.3%	2.5%	97.5%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.7%	1.3%	1.6%	98.3%
Grade 9	0.6%	1.2%	2.4%	97.5%
Grade 10	1.3%	1.8%	4.6%	95.5%
Grade 11	0.9%	0.9%	3.4%	96.6%
Grade 12	2.1%	3.8%	6.0%	94.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.2%	98.8%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	0.9%	0.9%	1.5%	98.5%
	Grade 10	1.2%	1.2%	1.8%	98.2%
	Grade 11	0.4%	0.4%	1.7%	98.3%
	Grade 12	0.3%	0.5%	1.1%	99.0%
Steroids	All	0.6%	0.7%	1.1%	99.0%
	Grade 6	0.3%	0.3%	1.3%	98.7%
	Grade 7	0.5%	0.7%	0.7%	99.4%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.5%	0.5%	0.8%	99.1%
	Grade 10	1.0%	1.0%	1.3%	98.7%
	Grade 11	1.4%	1.7%	2.7%	97.3%
	Grade 12	0.4%	0.6%	0.6%	99.4%
Ecstasy	All	1.5%	2.1%	4.0%	95.9%
	Grade 6	0.1%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.4%	0.9%	99.1%
	Grade 8	2.2%	2.4%	3.6%	96.4%
	Grade 9	1.4%	2.3%	3.7%	96.3%
	Grade 10	2.7%	3.9%	6.4%	93.6%
	Grade 11	2.0%	2.4%	6.7%	93.3%
	Grade 12	2.9%	4.8%	9.6%	90.4%
Heroin	All	0.1%	0.3%	0.4%	99.5%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.2%	99.7%
	Grade 8	0.4%	0.4%	0.6%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.6%	0.7%	99.2%
	Grade 11	0.0%	0.9%	1.1%	98.8%
	Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.9%	4.2%	8.3%	91.8%
Grade 6	0.7%	0.7%	1.9%	98.1%
Grade 7	1.7%	2.5%	4.0%	95.9%
Grade 8	3.6%	5.0%	6.5%	93.5%
Grade 9	3.8%	4.6%	9.2%	90.8%
Grade 10	2.1%	4.6%	11.0%	89.0%
Grade 11	4.5%	6.0%	16.3%	83.7%
Grade 12	4.2%	6.6%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.3%
Grade 6	0.2%	0.3%	0.8%	99.1%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.1%	0.3%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.5%	10.2%	19.7%	80.3%
	Grade 6	2.8%	3.1%	5.2%	94.8%
	Grade 7	4.4%	5.4%	11.9%	88.1%
	Grade 8	8.0%	11.3%	19.5%	80.5%
	Grade 9	6.3%	7.5%	17.3%	82.7%
	Grade 10	10.6%	15.0%	27.0%	73.0%
	Grade 11	11.4%	16.8%	28.9%	71.1%
	Grade 12	10.6%	15.2%	33.8%	66.2%
Alcohol	All	21.2%	27.5%	48.0%	51.9%
	Grade 6	9.0%	9.4%	21.9%	78.2%
	Grade 7	9.9%	12.1%	31.4%	68.7%
	Grade 8	17.2%	22.4%	48.7%	51.3%
	Grade 9	20.2%	27.6%	47.2%	52.9%
	Grade 10	30.2%	39.6%	61.1%	38.8%
	Grade 11	35.6%	45.5%	68.3%	31.7%
	Grade 12	32.0%	44.6%	68.3%	31.6%
Inhalants	All	6.1%	7.7%	16.4%	83.5%
	Grade 6	7.7%	9.1%	16.3%	83.7%
	Grade 7	8.7%	10.9%	21.0%	79.0%
	Grade 8	8.8%	10.8%	23.9%	76.2%
	Grade 9	5.4%	6.5%	14.9%	85.1%
	Grade 10	6.1%	7.3%	16.8%	83.2%
	Grade 11	2.7%	4.5%	12.0%	88.0%
	Grade 12	2.3%	3.7%	8.3%	91.7%
Any Illicit Drug	All	9.2%	13.1%	22.8%	77.3%
	Grade 6	1.2%	1.6%	3.6%	96.4%
	Grade 7	4.8%	5.4%	9.8%	90.2%
	Grade 8	6.6%	9.3%	18.3%	81.8%
	Grade 9	10.6%	15.8%	24.2%	75.7%
	Grade 10	15.3%	20.9%	33.8%	66.2%
	Grade 11	15.7%	22.4%	37.2%	62.8%
	Grade 12	13.0%	20.8%	40.1%	59.9%
Marijuana	All	8.1%	12.0%	21.5%	78.4%
	Grade 6	0.9%	1.3%	3.0%	97.0%
	Grade 7	3.6%	4.5%	8.4%	91.7%
	Grade 8	5.7%	8.4%	17.0%	83.0%
	Grade 9	10.0%	15.3%	23.6%	76.5%
	Grade 10	13.8%	18.9%	33.2%	66.9%
	Grade 11	13.9%	21.5%	36.5%	63.6%
	Grade 12	11.8%	19.0%	37.2%	62.8%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	5.2%	12.0%	88.0%
Grade 6	0.2%	0.5%	1.1%	98.9%
Grade 7	2.0%	2.0%	4.7%	95.3%
Grade 8	1.8%	2.7%	8.1%	92.0%
Grade 9	3.4%	6.0%	13.0%	87.0%
Grade 10	5.4%	8.4%	17.7%	82.4%
Grade 11	6.0%	9.7%	20.8%	79.1%
Grade 12	4.5%	9.0%	23.4%	76.6%
Cocaine Or Crack				
All	1.0%	1.4%	2.9%	97.1%
Grade 6	0.3%	0.4%	0.4%	99.6%
Grade 7	1.3%	1.4%	2.0%	97.9%
Grade 8	1.6%	2.1%	3.8%	96.1%
Grade 9	1.4%	1.8%	2.1%	97.8%
Grade 10	0.6%	1.2%	4.3%	95.7%
Grade 11	1.1%	1.8%	3.6%	96.4%
Grade 12	0.7%	1.5%	4.6%	95.5%
Cocaine				
All	0.7%	1.1%	2.6%	97.4%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	1.2%	1.3%	1.8%	98.2%
Grade 8	0.9%	1.3%	3.0%	97.1%
Grade 9	1.0%	1.4%	1.7%	98.2%
Grade 10	0.1%	0.3%	3.8%	96.2%
Grade 11	1.1%	1.8%	3.6%	96.4%
Grade 12	0.7%	1.5%	4.6%	95.5%
Crack				
All	0.5%	0.6%	0.8%	99.3%
Grade 6	0.1%	0.1%	0.1%	99.8%
Grade 7	0.4%	0.4%	0.7%	99.2%
Grade 8	0.9%	1.0%	1.6%	98.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.5%	0.9%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.6%	99.3%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.7%	0.9%	1.6%	98.5%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.4%	0.4%	0.5%	99.4%
Grade 8	0.8%	0.8%	1.1%	98.8%
Grade 9	1.2%	1.2%	1.9%	98.1%
Grade 10	1.4%	1.7%	3.3%	96.7%
Grade 11	0.7%	1.0%	2.0%	98.0%
Grade 12	0.1%	0.7%	1.7%	98.3%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.6%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.6%	0.6%	1.4%	98.6%
	Grade 9	1.3%	1.6%	2.3%	97.7%
	Grade 10	0.7%	0.9%	2.3%	97.7%
	Grade 11	0.7%	1.1%	3.6%	96.4%
	Grade 12	0.5%	0.6%	2.1%	97.9%
Steroids	All	0.3%	0.3%	0.7%	99.3%
	Grade 6	0.5%	0.5%	0.7%	99.3%
	Grade 7	0.7%	0.8%	1.2%	98.7%
	Grade 8	0.0%	0.0%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.6%	1.0%	99.0%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.4%	0.4%	0.6%	99.4%
Ecstasy	All	1.2%	1.8%	3.8%	96.3%
	Grade 6	0.0%	0.1%	0.3%	99.7%
	Grade 7	0.4%	0.5%	0.6%	99.3%
	Grade 8	0.4%	0.4%	1.2%	98.8%
	Grade 9	1.2%	2.5%	3.9%	96.1%
	Grade 10	2.5%	3.9%	6.8%	93.2%
	Grade 11	1.9%	2.5%	6.2%	93.8%
	Grade 12	2.1%	3.0%	8.5%	91.5%
Heroin	All	0.1%	0.2%	0.4%	99.6%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.2%	0.4%	99.5%
	Grade 8	0.2%	0.6%	1.0%	99.1%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.3%	0.3%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.2%	99.8%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.3%	3.2%	7.0%	93.0%
Grade 6	0.1%	0.1%	1.1%	98.8%
Grade 7	1.2%	1.8%	3.2%	96.8%
Grade 8	2.9%	4.4%	7.4%	92.6%
Grade 9	4.4%	5.2%	8.0%	91.9%
Grade 10	3.9%	5.7%	12.7%	87.4%
Grade 11	1.7%	2.6%	8.6%	91.4%
Grade 12	2.3%	3.5%	9.6%	90.4%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.1%	1.1%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.6%	10.8%	22.0%	78.1%
	Grade 6	0.0%	0.6%	1.2%	98.9%
	Grade 7	3.8%	3.8%	16.8%	83.2%
	Grade 8	4.5%	5.3%	9.0%	91.0%
	Grade 9	0.0%	2.3%	8.4%	91.7%
	Grade 10	8.9%	13.4%	23.4%	76.6%
	Grade 11	13.5%	20.1%	33.5%	66.6%
	Grade 12	14.2%	19.2%	40.3%	59.8%
Alcohol	All	19.8%	26.9%	41.1%	58.9%
	Grade 6	4.9%	7.0%	9.2%	90.8%
	Grade 7	3.0%	5.1%	21.6%	78.4%
	Grade 8	18.8%	19.6%	25.9%	74.1%
	Grade 9	9.1%	23.6%	34.2%	65.8%
	Grade 10	23.0%	33.5%	57.4%	42.6%
	Grade 11	32.2%	44.5%	64.8%	35.2%
	Grade 12	32.5%	40.6%	58.1%	41.9%
Inhalants	All	3.8%	4.6%	12.9%	87.1%
	Grade 6	4.1%	7.0%	14.2%	85.9%
	Grade 7	5.6%	6.6%	10.6%	89.4%
	Grade 8	0.9%	0.9%	10.9%	89.2%
	Grade 9	0.0%	0.0%	8.1%	91.9%
	Grade 10	13.9%	14.9%	27.9%	72.1%
	Grade 11	3.8%	3.8%	15.5%	84.5%
	Grade 12	1.2%	1.6%	8.0%	92.1%
Any Illicit Drug	All	10.2%	14.0%	22.8%	77.2%
	Grade 6	1.9%	1.9%	5.6%	94.4%
	Grade 7	1.2%	1.2%	3.2%	96.8%
	Grade 8	1.6%	2.4%	8.0%	92.0%
	Grade 9	0.0%	6.1%	11.7%	88.4%
	Grade 10	12.8%	19.6%	31.8%	68.3%
	Grade 11	19.6%	26.1%	38.8%	61.2%
	Grade 12	19.9%	25.4%	39.2%	60.7%
Marijuana	All	9.4%	12.8%	21.4%	78.5%
	Grade 6	0.0%	0.6%	1.4%	98.6%
	Grade 7	1.2%	1.2%	3.2%	96.8%
	Grade 8	1.6%	2.4%	8.1%	91.9%
	Grade 9	0.0%	3.8%	11.6%	88.4%
	Grade 10	11.9%	15.2%	29.7%	70.2%
	Grade 11	18.9%	26.1%	36.6%	63.4%
	Grade 12	18.7%	24.2%	38.4%	61.5%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.0%	5.5%	11.5%	88.5%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.8%	0.8%	4.5%	95.5%
Grade 9	0.0%	1.4%	6.7%	93.3%
Grade 10	10.9%	12.1%	20.1%	79.9%
Grade 11	6.7%	8.8%	15.1%	84.9%
Grade 12	6.6%	10.2%	21.4%	78.6%
Cocaine Or Crack				
All	0.5%	0.6%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	1.4%	1.4%	4.2%	95.8%
Grade 12	0.8%	1.3%	3.0%	97.0%
Cocaine				
All	0.5%	0.6%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	1.4%	1.4%	4.2%	95.8%
Grade 12	0.8%	1.3%	3.0%	97.0%
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.6%	0.9%	2.0%	98.0%
Grade 6	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.8%	1.8%	1.8%	98.2%
Grade 11	0.7%	0.7%	5.3%	94.7%
Grade 12	0.8%	2.1%	3.8%	96.3%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.4%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.0%	99.0%
	Grade 11	0.7%	0.7%	2.0%	98.0%
	Grade 12	1.1%	1.1%	1.1%	98.9%
Steroids	All	0.9%	0.9%	1.6%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	4.1%	4.1%	5.2%	94.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.3%	2.3%	3.6%	96.5%
	Grade 11	0.0%	0.0%	3.2%	96.8%
	Grade 12	0.6%	0.6%	0.6%	99.4%
Ecstasy	All	0.9%	1.8%	3.0%	97.0%
	Grade 6	0.0%	0.9%	0.9%	99.1%
	Grade 7	1.3%	1.3%	1.3%	98.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.0%	4.5%	4.5%	95.5%
	Grade 11	2.4%	2.4%	8.2%	91.8%
	Grade 12	1.2%	2.4%	3.7%	96.3%
Heroin	All	0.1%	0.1%	0.7%	99.2%
	Grade 6	0.9%	0.9%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.0%	98.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	2.0%	98.0%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.0%	7.7%	92.3%
Grade 6	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.6%	3.6%	96.4%
Grade 9	0.0%	4.5%	4.5%	95.5%
Grade 10	1.0%	2.0%	6.1%	93.8%
Grade 11	3.4%	5.0%	14.7%	85.3%
Grade 12	4.5%	4.9%	14.7%	85.3%
Methamphetamine				
All	0.1%	0.1%	1.1%	98.9%
Grade 6	0.9%	0.9%	4.3%	95.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.4%	97.6%
Grade 12	0.0%	0.0%	0.3%	99.7%

Table B-5: Prevalence and recency of use of selected substances by grade African/American Students

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	5.7%	9.6%	13.8%	86.3%
Grade 6	0.0%	1.4%	1.4%	98.6%
Grade 7	1.8%	1.8%	3.6%	96.4%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Alcohol				
All	22.1%	26.9%	43.8%	56.2%
Grade 6	13.9%	13.9%	18.3%	81.7%
Grade 7	3.4%	3.4%	32.1%	67.9%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Inhalants				
All	5.2%	5.2%	9.6%	90.4%
Grade 6	3.9%	3.9%	7.6%	92.5%
Grade 7	1.6%	1.6%	4.9%	95.1%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Any Illicit Drug				
All	11.2%	12.6%	19.5%	80.5%
Grade 6	2.2%	2.2%	2.2%	97.8%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Marijuana				
All	6.9%	8.3%	15.2%	84.8%
Grade 6	2.2%	2.2%	2.2%	97.8%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.9%	6.2%	7.4%	92.6%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Cocaine Or Crack				
All	0.0%	0.0%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Cocaine				
All	0.0%	0.0%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Crack				
All	0.0%	0.0%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Hallucinogens				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Steroids	All	4.3%	4.3%	8.2%	91.8%
	Grade 6	0.0%	0.0%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Ecstasy	All	4.3%	4.3%	6.5%	93.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Heroin	All	0.0%	4.4%	4.4%	95.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.5%	0.5%	10.6%	89.5%
Grade 6	0.0%	0.0%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Methamphetamine				
All	0.0%	0.0%	4.3%	95.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.6%	10.5%	20.7%	79.3%
	Grade 6	2.2%	2.5%	6.5%	93.5%
	Grade 7	3.7%	4.9%	11.8%	88.2%
	Grade 8	6.7%	9.6%	19.1%	80.9%
	Grade 9	6.9%	8.4%	19.8%	80.2%
	Grade 10	8.8%	13.0%	26.2%	73.8%
	Grade 11	13.2%	18.9%	31.5%	68.4%
	Grade 12	15.6%	21.6%	38.0%	62.0%
Alcohol	All	19.7%	25.8%	45.5%	54.5%
	Grade 6	8.5%	9.6%	23.6%	76.4%
	Grade 7	9.4%	12.1%	29.1%	71.0%
	Grade 8	15.8%	20.1%	44.6%	55.4%
	Grade 9	19.2%	24.9%	44.5%	55.4%
	Grade 10	25.9%	35.0%	57.6%	42.4%
	Grade 11	32.6%	42.0%	63.7%	36.3%
	Grade 12	34.0%	47.9%	67.2%	32.7%
Inhalants	All	5.8%	7.1%	14.6%	85.4%
	Grade 6	8.3%	9.1%	15.8%	84.1%
	Grade 7	7.4%	9.4%	17.9%	82.1%
	Grade 8	7.4%	8.7%	18.0%	82.0%
	Grade 9	4.9%	5.4%	11.3%	88.7%
	Grade 10	4.7%	5.7%	14.5%	85.5%
	Grade 11	3.6%	5.0%	12.7%	87.4%
	Grade 12	2.6%	4.7%	9.8%	90.1%
Any Illicit Drug	All	10.0%	13.7%	23.5%	76.5%
	Grade 6	1.7%	2.2%	4.5%	95.6%
	Grade 7	4.9%	5.8%	10.5%	89.6%
	Grade 8	7.9%	10.9%	19.1%	80.8%
	Grade 9	11.8%	15.6%	26.2%	73.8%
	Grade 10	14.1%	19.6%	32.9%	67.1%
	Grade 11	15.1%	21.6%	38.5%	61.5%
	Grade 12	18.6%	26.2%	43.0%	56.9%
Marijuana	All	8.9%	12.5%	22.4%	77.6%
	Grade 6	1.4%	1.9%	4.2%	95.9%
	Grade 7	3.7%	4.6%	9.0%	91.1%
	Grade 8	6.8%	9.7%	17.5%	82.6%
	Grade 9	10.6%	14.7%	25.3%	74.7%
	Grade 10	12.6%	17.8%	32.2%	67.8%
	Grade 11	13.4%	20.1%	37.7%	62.3%
	Grade 12	17.6%	24.7%	41.0%	58.9%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.4%	5.1%	11.9%	88.1%
Grade 6	0.5%	0.8%	1.9%	98.2%
Grade 7	1.8%	1.9%	4.7%	95.3%
Grade 8	3.1%	4.1%	9.6%	90.4%
Grade 9	3.4%	5.4%	13.7%	86.2%
Grade 10	4.2%	6.5%	15.6%	84.4%
Grade 11	5.3%	8.4%	20.2%	79.9%
Grade 12	7.4%	11.4%	23.2%	76.9%
Cocaine Or Crack				
All	1.2%	1.7%	3.3%	96.8%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.9%	1.2%	1.8%	98.2%
Grade 8	0.9%	1.4%	2.6%	97.4%
Grade 9	2.0%	2.2%	2.9%	97.1%
Grade 10	1.1%	1.8%	4.4%	95.6%
Grade 11	1.1%	1.7%	4.7%	95.2%
Grade 12	2.5%	3.5%	7.5%	92.5%
Cocaine				
All	1.0%	1.4%	2.9%	97.1%
Grade 6	0.1%	0.2%	0.2%	99.9%
Grade 7	0.8%	1.1%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.8%	98.1%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	0.7%	1.2%	3.7%	96.3%
Grade 11	1.0%	1.6%	4.6%	95.3%
Grade 12	2.5%	3.5%	7.5%	92.5%
Crack				
All	0.3%	0.4%	0.6%	99.3%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.5%	0.7%	1.2%	98.9%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.1%	2.0%	98.0%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.8%	1.2%	1.5%	98.5%
Grade 9	0.9%	1.3%	2.3%	97.7%
Grade 10	1.4%	1.8%	3.9%	96.1%
Grade 11	0.8%	1.0%	2.4%	97.6%
Grade 12	1.1%	2.1%	3.4%	96.6%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.4%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	1.0%	1.1%	1.8%	98.1%
	Grade 10	1.0%	1.1%	2.1%	97.8%
	Grade 11	0.6%	0.8%	2.8%	97.2%
	Grade 12	0.3%	0.5%	1.7%	98.4%
Steroids	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.5%	0.5%	1.1%	98.9%
	Grade 7	0.5%	0.7%	0.9%	99.2%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.7%	0.7%	1.0%	99.0%
	Grade 11	0.3%	0.5%	0.9%	99.0%
	Grade 12	0.3%	0.4%	0.5%	99.5%
Ecstasy	All	1.3%	1.9%	3.8%	96.1%
	Grade 6	0.0%	0.1%	0.2%	99.8%
	Grade 7	0.3%	0.5%	0.9%	99.2%
	Grade 8	1.2%	1.3%	2.3%	97.7%
	Grade 9	1.3%	2.4%	3.9%	96.1%
	Grade 10	2.8%	4.0%	6.8%	93.2%
	Grade 11	1.5%	2.0%	5.8%	94.1%
	Grade 12	2.8%	4.1%	9.6%	90.4%
Heroin	All	0.2%	0.3%	0.4%	99.7%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.5%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.5%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.1%	0.1%	0.2%	99.8%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.6%	3.8%	7.6%	92.4%
Grade 6	0.4%	0.4%	1.5%	98.5%
Grade 7	1.7%	2.5%	4.1%	96.0%
Grade 8	2.9%	4.5%	6.4%	93.6%
Grade 9	4.3%	5.0%	9.0%	91.0%
Grade 10	3.2%	5.7%	12.5%	87.4%
Grade 11	3.2%	4.5%	12.4%	87.6%
Grade 12	3.1%	5.1%	9.8%	90.2%
Methamphetamine				
All	0.3%	0.4%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.2%	99.7%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.7%	99.4%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.7%	0.9%	1.2%	98.8%
Grade 11	0.1%	0.2%	0.6%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.9%	7.0%	16.1%	83.9%
	Grade 6	0.7%	1.0%	1.7%	98.3%
	Grade 7	1.3%	1.3%	8.6%	91.5%
	Grade 8	4.1%	5.3%	13.5%	86.4%
	Grade 9	4.8%	5.3%	14.0%	86.0%
	Grade 10	4.7%	10.0%	19.2%	80.7%
	Grade 11	12.6%	16.9%	27.2%	72.7%
	Grade 12	6.9%	9.6%	26.8%	73.3%
Alcohol	All	16.0%	22.8%	40.9%	59.0%
	Grade 6	6.8%	9.0%	19.7%	80.3%
	Grade 7	4.2%	5.4%	20.4%	79.6%
	Grade 8	8.7%	11.1%	34.5%	65.5%
	Grade 9	14.8%	19.8%	36.3%	63.7%
	Grade 10	22.9%	32.2%	52.5%	47.4%
	Grade 11	25.2%	39.9%	60.7%	39.3%
	Grade 12	27.3%	39.2%	59.7%	40.3%
Inhalants	All	3.1%	4.4%	10.8%	89.2%
	Grade 6	5.4%	6.6%	15.4%	84.7%
	Grade 7	2.9%	3.4%	11.4%	88.6%
	Grade 8	5.4%	6.5%	14.0%	86.1%
	Grade 9	1.5%	1.5%	8.0%	92.0%
	Grade 10	2.6%	3.9%	10.5%	89.5%
	Grade 11	1.9%	3.7%	7.8%	92.2%
	Grade 12	2.3%	5.3%	9.1%	90.9%
Any Illicit Drug	All	6.6%	9.6%	18.5%	81.5%
	Grade 6	1.5%	1.5%	3.0%	97.0%
	Grade 7	1.0%	1.5%	6.9%	93.1%
	Grade 8	3.2%	5.2%	11.1%	88.9%
	Grade 9	1.6%	4.4%	11.6%	88.4%
	Grade 10	8.1%	13.6%	22.0%	78.0%
	Grade 11	14.2%	17.6%	30.1%	69.8%
	Grade 12	14.6%	20.5%	39.3%	60.7%
Marijuana	All	5.5%	8.4%	17.2%	82.9%
	Grade 6	0.5%	0.5%	1.1%	98.9%
	Grade 7	0.0%	0.5%	5.4%	94.6%
	Grade 8	2.9%	4.9%	10.3%	89.7%
	Grade 9	1.6%	3.9%	10.5%	89.5%
	Grade 10	7.4%	12.2%	22.1%	78.0%
	Grade 11	9.0%	14.7%	27.2%	72.7%
	Grade 12	14.3%	18.8%	37.7%	62.2%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.6%	4.0%	10.2%	89.7%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	2.9%	97.1%
Grade 8	0.5%	0.9%	5.6%	94.5%
Grade 9	0.0%	0.7%	5.0%	95.0%
Grade 10	3.6%	5.6%	12.0%	87.9%
Grade 11	4.8%	7.3%	16.0%	83.9%
Grade 12	7.7%	11.3%	25.6%	74.4%
Cocaine Or Crack				
All	0.4%	0.9%	1.8%	98.2%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	1.6%	3.4%	96.7%
Grade 11	0.5%	1.8%	2.3%	97.7%
Grade 12	0.8%	1.9%	4.2%	95.8%
Cocaine				
All	0.3%	0.8%	1.7%	98.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	1.6%	3.4%	96.7%
Grade 11	0.0%	1.3%	1.8%	98.2%
Grade 12	0.8%	1.9%	4.3%	95.7%
Crack				
All	0.2%	0.2%	0.2%	99.8%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.6%	1.1%	99.0%
Grade 6	0.1%	0.4%	0.4%	99.5%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.9%	1.9%	98.1%
Grade 11	0.4%	0.4%	1.3%	98.6%
Grade 12	0.2%	1.5%	2.3%	97.7%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.4%	0.6%	0.8%	99.2%
Steroids	All	0.3%	0.4%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	2.4%	2.4%	2.9%	97.1%
	Grade 12	0.2%	0.5%	0.8%	99.2%
Ecstasy	All	1.0%	1.4%	2.4%	97.5%
	Grade 6	0.0%	0.6%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.9%	1.9%	1.9%	98.1%
	Grade 9	0.0%	0.7%	1.6%	98.4%
	Grade 10	2.0%	2.5%	3.8%	96.2%
	Grade 11	2.9%	2.9%	6.5%	93.5%
	Grade 12	0.5%	1.4%	3.0%	96.9%
Heroin	All	0.1%	0.5%	0.6%	99.3%
	Grade 6	0.5%	0.5%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.4%	0.4%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.9%	0.9%	99.1%
	Grade 11	0.0%	2.4%	2.4%	97.6%
	Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.2%	5.2%	94.8%
Grade 6	0.7%	0.7%	0.9%	99.2%
Grade 7	0.7%	1.2%	3.2%	96.7%
Grade 8	2.4%	4.0%	4.7%	95.3%
Grade 9	0.0%	0.5%	4.3%	95.7%
Grade 10	0.7%	3.2%	7.5%	92.4%
Grade 11	2.8%	3.1%	9.4%	90.6%
Grade 12	1.7%	2.3%	6.3%	93.7%
Methamphetamine				
All	0.0%	0.1%	0.8%	99.1%
Grade 6	0.3%	0.3%	1.4%	98.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.2%	11.1%	21.1%	78.9%
	Grade 6	2.0%	2.3%	6.9%	93.1%
	Grade 7	4.1%	5.2%	12.0%	88.0%
	Grade 8	7.4%	11.2%	20.9%	79.1%
	Grade 9	7.4%	9.4%	19.2%	80.8%
	Grade 10	10.6%	14.6%	27.8%	72.1%
	Grade 11	12.4%	18.4%	32.2%	67.8%
	Grade 12	21.5%	27.0%	43.7%	56.3%
Alcohol	All	20.4%	26.3%	45.5%	54.5%
	Grade 6	9.0%	10.0%	23.5%	76.5%
	Grade 7	10.4%	13.0%	29.8%	70.2%
	Grade 8	17.7%	22.5%	47.3%	52.7%
	Grade 9	20.6%	27.3%	45.4%	54.6%
	Grade 10	27.5%	36.9%	58.4%	41.6%
	Grade 11	34.5%	42.7%	64.2%	35.8%
	Grade 12	36.0%	50.4%	69.6%	30.4%
Inhalants	All	6.4%	7.8%	15.5%	84.5%
	Grade 6	8.3%	9.4%	15.8%	84.2%
	Grade 7	8.5%	10.8%	18.3%	81.7%
	Grade 8	8.4%	9.8%	19.3%	80.6%
	Grade 9	4.8%	5.5%	10.6%	89.3%
	Grade 10	5.9%	6.9%	16.8%	83.1%
	Grade 11	3.8%	4.7%	13.0%	87.0%
	Grade 12	2.3%	4.4%	12.3%	87.8%
Any Illicit Drug	All	10.8%	14.4%	23.8%	76.2%
	Grade 6	1.3%	1.9%	4.6%	95.5%
	Grade 7	5.0%	6.0%	10.2%	89.7%
	Grade 8	8.9%	12.1%	20.6%	79.4%
	Grade 9	13.8%	17.8%	27.6%	72.5%
	Grade 10	16.3%	21.7%	34.8%	65.2%
	Grade 11	16.4%	22.5%	40.0%	60.0%
	Grade 12	22.6%	31.0%	46.7%	53.3%
Marijuana	All	9.7%	13.3%	22.8%	77.2%
	Grade 6	1.0%	1.6%	4.1%	95.8%
	Grade 7	4.1%	5.1%	9.0%	91.1%
	Grade 8	7.4%	10.6%	19.2%	80.9%
	Grade 9	12.0%	16.6%	26.7%	73.3%
	Grade 10	14.9%	19.9%	33.6%	66.3%
	Grade 11	14.9%	20.7%	38.7%	61.2%
	Grade 12	22.1%	30.3%	45.9%	54.1%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.5%	5.1%	11.4%	88.7%
Grade 6	0.2%	0.6%	2.0%	98.0%
Grade 7	1.9%	2.0%	4.7%	95.4%
Grade 8	3.2%	4.3%	9.7%	90.4%
Grade 9	3.7%	6.1%	14.0%	86.0%
Grade 10	4.7%	6.9%	15.3%	84.7%
Grade 11	5.6%	8.2%	19.7%	80.2%
Grade 12	8.3%	12.1%	22.8%	77.2%
Cocaine Or Crack				
All	1.3%	1.7%	3.4%	96.6%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.9%	1.3%	1.9%	98.1%
Grade 8	1.1%	1.7%	3.1%	97.0%
Grade 9	2.4%	2.4%	3.4%	96.6%
Grade 10	1.3%	2.1%	5.0%	95.1%
Grade 11	1.4%	2.0%	5.2%	94.8%
Grade 12	2.9%	3.5%	8.2%	91.8%
Cocaine				
All	1.2%	1.5%	3.1%	96.9%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.9%	1.3%	1.7%	98.3%
Grade 8	0.7%	0.9%	2.1%	97.9%
Grade 9	2.4%	2.4%	3.4%	96.6%
Grade 10	0.7%	1.2%	4.0%	96.1%
Grade 11	1.4%	2.0%	5.2%	94.8%
Grade 12	2.9%	3.5%	8.2%	91.8%
Crack				
All	0.3%	0.4%	0.7%	99.2%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.3%	0.7%	99.2%
Grade 8	0.5%	0.9%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.7%	1.0%	1.8%	98.3%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.1%	99.8%
Hallucinogens				
All	0.9%	1.3%	2.3%	97.7%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.0%	1.5%	1.9%	98.1%
Grade 9	1.0%	1.5%	2.7%	97.2%
Grade 10	2.0%	2.4%	5.0%	95.0%
Grade 11	0.8%	1.0%	2.9%	97.1%
Grade 12	1.4%	2.6%	4.7%	95.4%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.8%	1.6%	98.3%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.7%	99.3%
	Grade 8	0.7%	0.9%	1.9%	98.1%
	Grade 9	1.6%	1.6%	2.5%	97.4%
	Grade 10	1.5%	1.6%	2.5%	97.5%
	Grade 11	0.7%	0.8%	2.9%	97.1%
	Grade 12	0.4%	0.4%	1.5%	98.5%
Steroids	All	0.5%	0.6%	0.9%	99.1%
	Grade 6	0.6%	0.6%	1.0%	99.0%
	Grade 7	0.8%	1.0%	1.2%	98.8%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	1.2%	1.2%	1.3%	98.7%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.7%	0.7%	0.7%	99.3%
Ecstasy	All	1.5%	2.1%	4.5%	95.6%
	Grade 6	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.3%	1.4%	2.5%	97.5%
	Grade 9	1.9%	2.6%	4.4%	95.5%
	Grade 10	2.9%	4.3%	7.5%	92.4%
	Grade 11	1.5%	2.2%	6.9%	93.1%
	Grade 12	3.4%	5.1%	13.9%	86.1%
Heroin	All	0.2%	0.3%	0.5%	99.6%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.3%	99.7%
	Grade 8	0.3%	0.4%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.4%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.9%	4.2%	8.4%	91.5%
Grade 6	0.2%	0.2%	1.5%	98.5%
Grade 7	1.6%	2.5%	4.0%	96.1%
Grade 8	3.4%	4.9%	7.5%	92.5%
Grade 9	5.3%	6.4%	10.5%	89.5%
Grade 10	4.0%	6.6%	14.1%	85.9%
Grade 11	2.7%	4.1%	12.5%	87.5%
Grade 12	4.4%	6.8%	14.5%	85.5%
Methamphetamine				
All	0.3%	0.3%	0.5%	99.4%
Grade 6	0.2%	0.3%	0.4%	99.6%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.5%
Grade 10	0.6%	0.6%	1.0%	98.9%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.0%	8.5%	16.5%	83.4%
	Grade 6	2.0%	2.4%	5.3%	94.7%
	Grade 7	3.5%	4.4%	10.4%	89.5%
	Grade 8	5.3%	7.8%	15.2%	84.7%
	Grade 9	4.7%	6.3%	14.3%	85.7%
	Grade 10	6.2%	9.5%	20.3%	79.7%
	Grade 11	10.7%	16.8%	26.5%	73.5%
	Grade 12	12.7%	17.1%	31.1%	68.9%
Alcohol	All	17.3%	22.8%	41.0%	59.0%
	Grade 6	7.7%	8.8%	20.2%	79.8%
	Grade 7	8.3%	10.4%	26.7%	73.3%
	Grade 8	14.2%	17.5%	41.0%	59.0%
	Grade 9	15.1%	21.3%	37.3%	62.7%
	Grade 10	23.3%	30.6%	54.3%	45.7%
	Grade 11	30.7%	40.1%	59.9%	40.1%
	Grade 12	29.5%	41.9%	60.5%	39.4%
Inhalants	All	5.2%	6.2%	13.2%	86.8%
	Grade 6	7.3%	8.0%	14.6%	85.4%
	Grade 7	6.6%	8.2%	16.0%	84.0%
	Grade 8	6.3%	7.7%	16.3%	83.7%
	Grade 9	4.2%	4.8%	10.0%	90.1%
	Grade 10	4.8%	5.8%	14.4%	85.6%
	Grade 11	3.9%	5.0%	11.5%	88.5%
	Grade 12	1.6%	2.3%	7.1%	92.8%
Any Illicit Drug	All	7.7%	10.6%	17.9%	82.0%
	Grade 6	1.7%	2.2%	3.7%	96.3%
	Grade 7	3.2%	3.5%	7.4%	92.7%
	Grade 8	5.7%	8.5%	14.2%	85.8%
	Grade 9	8.8%	11.9%	19.9%	80.0%
	Grade 10	11.0%	15.1%	25.6%	74.5%
	Grade 11	12.6%	18.1%	32.5%	67.4%
	Grade 12	15.0%	21.3%	32.0%	68.0%
Marijuana	All	6.6%	9.5%	16.9%	83.2%
	Grade 6	1.3%	1.8%	3.2%	96.7%
	Grade 7	2.5%	2.8%	6.1%	93.9%
	Grade 8	4.2%	7.2%	12.7%	87.3%
	Grade 9	7.7%	10.9%	19.1%	80.8%
	Grade 10	9.8%	13.5%	24.6%	75.5%
	Grade 11	10.6%	15.8%	30.8%	69.3%
	Grade 12	13.5%	19.7%	30.2%	69.8%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.7%	4.2%	9.2%	90.8%
Grade 6	0.5%	0.7%	1.2%	98.8%
Grade 7	1.4%	1.4%	3.9%	96.1%
Grade 8	1.7%	2.6%	6.7%	93.3%
Grade 9	2.5%	4.5%	11.0%	89.0%
Grade 10	4.2%	5.8%	12.5%	87.5%
Grade 11	4.8%	7.4%	17.7%	82.4%
Grade 12	5.5%	9.6%	16.6%	83.3%
Cocaine Or Crack				
All	0.9%	1.2%	2.3%	97.6%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.5%	1.1%	2.0%	98.0%
Grade 9	2.3%	2.3%	2.6%	97.4%
Grade 10	1.1%	1.6%	3.8%	96.2%
Grade 11	0.8%	1.5%	3.6%	96.4%
Grade 12	1.7%	2.1%	4.7%	95.4%
Cocaine				
All	0.8%	1.1%	2.2%	97.8%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	2.0%	2.0%	2.3%	97.7%
Grade 10	0.6%	1.1%	3.5%	96.5%
Grade 11	0.8%	1.5%	3.6%	96.4%
Grade 12	1.7%	2.1%	4.7%	95.4%
Crack				
All	0.3%	0.4%	0.5%	99.6%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.7%	99.2%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.5%	0.6%	1.3%	98.6%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.9%	1.2%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	1.0%	1.1%	2.4%	97.7%
Grade 11	0.4%	0.6%	1.9%	98.1%
Grade 12	0.4%	0.7%	2.6%	97.3%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.6%	0.8%	1.2%	98.7%
	Grade 9	1.4%	1.4%	1.9%	98.1%
	Grade 10	1.1%	1.1%	1.6%	98.4%
	Grade 11	0.5%	0.7%	2.2%	97.7%
	Grade 12	0.2%	0.2%	1.4%	98.6%
Steroids	All	0.5%	0.6%	1.0%	99.1%
	Grade 6	0.4%	0.4%	1.0%	99.0%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.5%	0.5%	0.8%	99.2%
	Grade 10	0.6%	0.7%	0.9%	99.1%
	Grade 11	0.9%	1.2%	2.2%	97.9%
	Grade 12	0.5%	0.6%	0.8%	99.2%
Ecstasy	All	1.1%	1.4%	2.6%	97.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.9%	1.0%	1.7%	98.3%
	Grade 9	1.2%	2.2%	2.7%	97.3%
	Grade 10	2.2%	2.7%	4.5%	95.5%
	Grade 11	2.2%	2.5%	5.4%	94.6%
	Grade 12	1.7%	2.4%	5.4%	94.5%
Heroin	All	0.1%	0.3%	0.5%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.3%	0.4%	99.5%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.5%	99.4%
	Grade 11	0.0%	0.8%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.1%	2.8%	5.6%	94.4%
Grade 6	0.4%	0.4%	1.2%	98.8%
Grade 7	0.7%	1.0%	2.1%	97.9%
Grade 8	2.5%	4.0%	5.1%	94.9%
Grade 9	4.3%	4.9%	7.0%	93.0%
Grade 10	2.0%	3.3%	8.8%	91.1%
Grade 11	2.6%	3.0%	9.0%	90.9%
Grade 12	2.9%	3.7%	7.7%	92.3%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.1%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.3%	13.9%	27.2%	72.8%
	Grade 6	2.1%	2.3%	7.9%	92.2%
	Grade 7	3.7%	5.1%	14.0%	86.1%
	Grade 8	8.9%	13.5%	25.0%	75.0%
	Grade 9	9.5%	10.8%	26.4%	73.6%
	Grade 10	13.7%	19.2%	35.1%	64.8%
	Grade 11	17.7%	23.1%	39.7%	60.3%
	Grade 12	19.5%	27.2%	48.2%	51.8%
Alcohol	All	23.9%	31.0%	51.7%	48.3%
	Grade 6	9.4%	10.7%	26.6%	73.5%
	Grade 7	11.4%	13.8%	32.2%	67.8%
	Grade 8	19.3%	25.3%	49.0%	51.0%
	Grade 9	23.3%	28.9%	52.5%	47.5%
	Grade 10	31.4%	43.4%	63.8%	36.2%
	Grade 11	38.3%	48.4%	70.6%	29.4%
	Grade 12	39.6%	54.1%	75.1%	25.0%
Inhalants	All	6.5%	8.1%	16.2%	83.8%
	Grade 6	8.3%	9.8%	16.1%	83.9%
	Grade 7	9.5%	12.2%	19.7%	80.4%
	Grade 8	9.7%	10.7%	20.9%	79.1%
	Grade 9	4.7%	5.1%	12.0%	88.0%
	Grade 10	5.0%	5.9%	15.3%	84.7%
	Grade 11	3.9%	5.4%	14.8%	85.3%
	Grade 12	3.1%	7.0%	13.8%	86.2%
Any Illicit Drug	All	14.0%	18.6%	31.9%	68.1%
	Grade 6	1.6%	1.9%	6.5%	93.6%
	Grade 7	7.1%	8.9%	14.5%	85.5%
	Grade 8	11.7%	14.8%	27.1%	72.9%
	Grade 9	14.1%	19.2%	32.5%	67.5%
	Grade 10	18.8%	26.2%	43.7%	56.3%
	Grade 11	22.1%	29.4%	47.8%	52.2%
	Grade 12	25.6%	34.2%	58.5%	41.4%
Marijuana	All	12.8%	17.5%	30.8%	69.1%
	Grade 6	1.1%	1.4%	5.5%	94.5%
	Grade 7	5.4%	7.2%	13.1%	86.9%
	Grade 8	10.7%	13.6%	24.9%	75.0%
	Grade 9	13.0%	18.8%	31.7%	68.3%
	Grade 10	17.0%	24.1%	43.4%	56.7%
	Grade 11	20.2%	28.8%	47.5%	52.5%
	Grade 12	25.6%	32.9%	56.8%	43.2%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.8%	6.7%	15.8%	84.2%
Grade 6	0.3%	0.5%	3.0%	97.0%
Grade 7	2.0%	2.2%	5.7%	94.3%
Grade 8	4.7%	5.8%	13.1%	86.9%
Grade 9	4.3%	6.4%	16.7%	83.3%
Grade 10	5.6%	8.9%	21.6%	78.4%
Grade 11	6.9%	10.5%	22.6%	77.4%
Grade 12	11.1%	14.5%	32.3%	67.7%
Cocaine Or Crack				
All	1.4%	2.0%	4.2%	95.8%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	1.4%	1.9%	2.8%	97.1%
Grade 8	1.3%	1.5%	3.1%	96.9%
Grade 9	0.8%	1.3%	2.5%	97.5%
Grade 10	1.1%	2.0%	5.2%	94.8%
Grade 11	1.5%	2.4%	6.5%	93.4%
Grade 12	3.5%	5.3%	10.3%	89.7%
Cocaine				
All	1.2%	1.8%	3.9%	96.2%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	1.4%	1.9%	2.6%	97.3%
Grade 8	0.4%	0.4%	1.9%	98.1%
Grade 9	0.8%	1.3%	2.5%	97.5%
Grade 10	0.9%	1.3%	4.0%	96.0%
Grade 11	1.3%	2.2%	6.3%	93.6%
Grade 12	3.5%	5.3%	10.3%	89.7%
Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.6%	0.8%	99.1%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.9%	1.6%	98.4%
Grade 11	0.2%	0.2%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.1%	1.8%	3.0%	97.0%
Grade 6	0.1%	0.3%	0.4%	99.6%
Grade 7	0.9%	1.2%	1.5%	98.5%
Grade 8	0.5%	0.9%	1.6%	98.4%
Grade 9	0.9%	1.8%	2.5%	97.5%
Grade 10	2.0%	2.9%	6.5%	93.6%
Grade 11	1.4%	1.6%	4.0%	96.1%
Grade 12	2.0%	4.2%	5.2%	94.8%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.9%	98.1%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.2%	0.5%	1.3%	98.6%
	Grade 8	0.5%	0.5%	1.9%	98.1%
	Grade 9	0.7%	1.0%	1.8%	98.1%
	Grade 10	0.7%	0.9%	2.7%	97.3%
	Grade 11	0.6%	0.8%	3.2%	96.8%
	Grade 12	0.7%	1.1%	2.0%	98.0%
Steroids	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	0.4%	0.4%	1.0%	99.0%
	Grade 7	0.8%	1.2%	1.3%	98.6%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	1.4%	98.6%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Ecstasy	All	1.7%	2.8%	5.9%	94.1%
	Grade 6	0.1%	0.4%	0.6%	99.3%
	Grade 7	0.4%	1.0%	1.0%	99.0%
	Grade 8	2.1%	2.2%	3.8%	96.2%
	Grade 9	1.1%	2.3%	5.1%	94.9%
	Grade 10	3.3%	5.9%	10.1%	89.9%
	Grade 11	1.6%	2.4%	8.2%	91.8%
	Grade 12	3.6%	5.9%	14.6%	85.5%
Heroin	All	0.2%	0.3%	0.4%	99.5%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.2%	0.4%	0.4%	99.6%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.2%	1.0%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.3%	0.3%	0.8%	99.3%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.3%	5.2%	11.1%	88.9%
Grade 6	0.4%	0.4%	2.0%	97.9%
Grade 7	3.0%	4.6%	6.9%	93.1%
Grade 8	4.5%	5.8%	9.8%	90.2%
Grade 9	3.4%	4.6%	11.0%	89.0%
Grade 10	4.3%	8.1%	16.7%	83.3%
Grade 11	3.9%	6.4%	17.8%	82.2%
Grade 12	3.5%	6.4%	14.7%	85.2%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.2%
Grade 6	0.3%	0.4%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.9%	1.4%	98.6%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.8%	9.5%	19.0%	81.0%
	Grade 6	1.6%	1.9%	4.9%	95.0%
	Grade 7	2.6%	3.5%	9.4%	90.5%
	Grade 8	5.3%	7.9%	16.7%	83.4%
	Grade 9	7.1%	8.6%	18.3%	81.7%
	Grade 10	7.4%	11.6%	23.9%	76.1%
	Grade 11	12.3%	17.6%	29.2%	70.8%
	Grade 12	14.2%	19.5%	37.5%	62.5%
Alcohol	All	18.9%	24.6%	43.7%	56.3%
	Grade 6	7.8%	9.0%	20.4%	79.7%
	Grade 7	8.3%	10.6%	25.5%	74.5%
	Grade 8	14.5%	17.8%	41.4%	58.6%
	Grade 9	18.7%	23.7%	44.0%	55.9%
	Grade 10	24.8%	33.2%	55.4%	44.6%
	Grade 11	32.5%	41.2%	63.3%	36.7%
	Grade 12	32.4%	45.7%	66.8%	33.3%
Inhalants	All	5.2%	6.2%	13.4%	86.6%
	Grade 6	7.5%	8.2%	14.3%	85.8%
	Grade 7	7.0%	8.3%	15.9%	84.0%
	Grade 8	6.3%	7.4%	16.6%	83.4%
	Grade 9	4.0%	4.7%	10.4%	89.7%
	Grade 10	4.8%	5.7%	14.3%	85.7%
	Grade 11	2.9%	4.1%	11.6%	88.5%
	Grade 12	2.6%	3.9%	9.5%	90.5%
Any Illicit Drug	All	8.9%	12.3%	21.6%	78.4%
	Grade 6	1.9%	2.2%	4.0%	96.0%
	Grade 7	4.3%	4.8%	8.4%	91.6%
	Grade 8	6.4%	9.0%	16.8%	83.2%
	Grade 9	10.5%	14.4%	23.8%	76.2%
	Grade 10	12.4%	16.7%	29.8%	70.2%
	Grade 11	14.2%	20.6%	35.7%	64.3%
	Grade 12	15.7%	23.6%	41.3%	58.7%
Marijuana	All	8.0%	11.4%	20.6%	79.4%
	Grade 6	1.4%	1.8%	3.5%	96.6%
	Grade 7	3.4%	3.9%	7.1%	92.9%
	Grade 8	5.7%	8.0%	15.3%	84.7%
	Grade 9	9.3%	13.4%	22.7%	77.3%
	Grade 10	11.6%	15.4%	29.0%	70.9%
	Grade 11	12.6%	19.4%	34.8%	65.3%
	Grade 12	15.3%	22.9%	40.1%	59.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	4.8%	11.4%	88.6%
Grade 6	0.5%	0.6%	1.5%	98.5%
Grade 7	1.6%	1.7%	4.0%	96.1%
Grade 8	2.5%	3.2%	8.8%	91.2%
Grade 9	3.6%	5.7%	13.7%	86.3%
Grade 10	5.5%	7.6%	16.5%	83.4%
Grade 11	4.9%	7.9%	18.4%	81.7%
Grade 12	5.3%	9.5%	22.0%	78.1%
Cocaine Or Crack				
All	1.0%	1.4%	2.8%	97.2%
Grade 6	0.3%	0.4%	0.4%	99.7%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	0.8%	1.3%	2.4%	97.7%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	1.0%	1.5%	3.3%	96.7%
Grade 11	0.7%	1.7%	4.4%	95.6%
Grade 12	2.3%	2.7%	6.5%	93.5%
Cocaine				
All	0.8%	1.1%	2.5%	97.5%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.8%	1.1%	1.6%	98.4%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	0.6%	0.9%	2.6%	97.4%
Grade 11	0.7%	1.7%	4.4%	95.6%
Grade 12	2.3%	2.7%	6.5%	93.5%
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.6%	99.5%
Grade 8	0.5%	0.8%	1.2%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.8%	1.5%	98.5%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.7%	0.9%	99.2%
Grade 9	0.2%	0.6%	1.2%	98.7%
Grade 10	0.9%	1.2%	3.0%	97.1%
Grade 11	0.4%	0.6%	2.0%	98.0%
Grade 12	1.0%	2.0%	3.1%	96.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.4%	0.6%	1.1%	99.0%
	Grade 9	1.0%	1.0%	1.4%	98.6%
	Grade 10	0.5%	0.5%	1.6%	98.5%
	Grade 11	0.6%	0.7%	2.5%	97.5%
	Grade 12	0.4%	0.5%	1.7%	98.4%
Steroids	All	0.4%	0.4%	0.6%	99.3%
	Grade 6	0.5%	0.5%	1.0%	99.0%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.7%	0.7%	1.1%	98.9%
	Grade 11	0.7%	0.8%	1.0%	98.9%
	Grade 12	0.3%	0.4%	0.5%	99.5%
Ecstasy	All	1.0%	1.6%	3.4%	96.6%
	Grade 6	0.1%	0.3%	0.3%	99.8%
	Grade 7	0.2%	0.4%	0.7%	99.4%
	Grade 8	1.1%	1.2%	1.9%	98.1%
	Grade 9	1.0%	2.0%	3.2%	96.8%
	Grade 10	1.9%	3.0%	5.2%	94.8%
	Grade 11	1.5%	2.0%	5.9%	94.1%
	Grade 12	1.6%	3.2%	8.6%	91.4%
Heroin	All	0.1%	0.2%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.1%	0.5%	99.5%
	Grade 11	0.0%	0.6%	0.8%	99.3%
	Grade 12	0.1%	0.1%	0.2%	99.8%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.2%	3.2%	6.8%	93.1%
Grade 6	0.4%	0.4%	1.8%	98.2%
Grade 7	1.5%	1.9%	3.1%	97.0%
Grade 8	2.6%	4.1%	5.6%	94.4%
Grade 9	3.6%	4.5%	7.2%	92.8%
Grade 10	2.3%	3.8%	9.6%	90.4%
Grade 11	2.6%	3.9%	12.4%	87.7%
Grade 12	3.1%	4.7%	10.8%	89.2%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 6	0.2%	0.3%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.6%	14.6%	27.3%	72.7%
	Grade 6	3.5%	4.0%	8.3%	91.7%
	Grade 7	9.6%	10.9%	24.7%	75.3%
	Grade 8	16.0%	19.9%	30.3%	69.8%
	Grade 9	5.4%	6.3%	22.1%	78.0%
	Grade 10	14.5%	19.4%	34.4%	65.5%
	Grade 11	18.3%	25.3%	41.2%	58.8%
	Grade 12	18.8%	22.9%	37.0%	62.9%
Alcohol	All	24.3%	33.2%	51.8%	48.2%
	Grade 6	14.4%	15.6%	30.2%	69.8%
	Grade 7	13.6%	17.7%	45.2%	54.8%
	Grade 8	25.1%	32.9%	55.0%	45.0%
	Grade 9	16.1%	25.5%	38.4%	61.6%
	Grade 10	33.6%	47.7%	70.0%	30.0%
	Grade 11	37.3%	51.3%	66.7%	33.3%
	Grade 12	37.8%	51.3%	67.6%	32.4%
Inhalants	All	7.9%	10.3%	18.3%	81.8%
	Grade 6	9.2%	9.7%	14.8%	85.2%
	Grade 7	10.9%	17.1%	29.1%	70.9%
	Grade 8	11.7%	13.8%	23.8%	76.2%
	Grade 9	6.0%	6.0%	11.2%	88.8%
	Grade 10	5.3%	6.8%	17.8%	82.2%
	Grade 11	9.6%	11.6%	19.0%	80.9%
	Grade 12	1.7%	7.8%	13.2%	86.9%
Any Illicit Drug	All	15.7%	20.0%	30.4%	69.6%
	Grade 6	0.5%	1.6%	3.2%	96.8%
	Grade 7	6.7%	9.7%	18.9%	81.0%
	Grade 8	15.5%	19.7%	28.5%	71.6%
	Grade 9	14.5%	16.9%	28.8%	71.2%
	Grade 10	21.2%	30.2%	42.6%	57.4%
	Grade 11	26.2%	32.0%	53.3%	46.8%
	Grade 12	30.9%	37.0%	46.4%	53.6%
Marijuana	All	13.8%	18.1%	29.4%	70.7%
	Grade 6	0.5%	1.6%	3.2%	96.7%
	Grade 7	4.5%	7.4%	16.8%	83.3%
	Grade 8	13.9%	19.1%	27.0%	73.0%
	Grade 9	12.8%	16.0%	28.8%	71.2%
	Grade 10	16.9%	25.6%	41.9%	58.1%
	Grade 11	23.2%	29.1%	51.6%	48.4%
	Grade 12	29.8%	33.5%	43.7%	56.2%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.8%	7.7%	14.2%	85.7%
Grade 6	0.2%	1.3%	2.3%	97.7%
Grade 7	2.2%	2.2%	8.1%	92.0%
Grade 8	6.2%	8.2%	12.3%	87.8%
Grade 9	2.3%	4.0%	11.4%	88.6%
Grade 10	4.6%	6.9%	15.5%	84.5%
Grade 11	10.7%	14.8%	29.4%	70.6%
Grade 12	19.3%	22.2%	27.3%	72.6%
Cocaine Or Crack				
All	2.1%	2.7%	4.6%	95.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	1.1%	1.8%	98.2%
Grade 8	1.5%	2.0%	3.2%	96.8%
Grade 9	4.4%	4.4%	4.4%	95.6%
Grade 10	2.1%	3.2%	7.8%	92.2%
Grade 11	2.0%	2.0%	6.8%	93.3%
Grade 12	3.1%	6.1%	9.2%	90.8%
Cocaine				
All	1.7%	2.2%	4.0%	96.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	1.0%	1.0%	2.2%	97.7%
Grade 9	3.5%	3.5%	3.5%	96.5%
Grade 10	1.6%	2.7%	7.3%	92.7%
Grade 11	1.3%	1.3%	6.1%	94.0%
Grade 12	3.1%	6.1%	9.3%	90.7%
Crack				
All	0.7%	0.8%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	1.2%	98.7%
Grade 8	0.5%	1.0%	1.0%	99.1%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.4%	0.4%	0.8%	99.1%
Grade 11	0.7%	0.7%	2.2%	97.9%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	1.7%	2.2%	4.3%	95.8%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.5%	2.2%	3.7%	96.3%
Grade 9	3.6%	3.6%	5.9%	94.0%
Grade 10	1.2%	2.2%	5.6%	94.4%
Grade 11	3.3%	3.3%	6.3%	93.7%
Grade 12	1.5%	3.3%	7.2%	92.8%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.1%	1.4%	2.3%	97.7%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.8%	1.8%	3.3%	96.7%
	Grade 9	1.8%	2.5%	4.2%	95.8%
	Grade 10	2.5%	3.1%	3.8%	96.2%
	Grade 11	0.3%	0.8%	1.9%	98.1%
	Grade 12	0.4%	0.9%	2.0%	98.0%
Steroids	All	0.7%	0.8%	1.3%	98.7%
	Grade 6	0.3%	0.3%	1.6%	98.4%
	Grade 7	1.6%	2.1%	2.4%	97.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.2%	1.4%	1.8%	98.2%
	Grade 11	1.1%	1.1%	2.7%	97.3%
	Grade 12	1.1%	1.1%	1.1%	98.9%
Ecstasy	All	1.7%	2.6%	5.0%	95.0%
	Grade 6	0.0%	0.0%	0.6%	99.4%
	Grade 7	1.0%	1.5%	1.5%	98.4%
	Grade 8	1.7%	2.0%	3.6%	96.4%
	Grade 9	2.7%	4.3%	6.8%	93.2%
	Grade 10	3.0%	5.8%	9.0%	91.0%
	Grade 11	1.6%	2.3%	7.0%	93.0%
	Grade 12	2.0%	2.0%	6.9%	93.1%
Heroin	All	0.3%	0.4%	0.4%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.6%	1.1%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	4.1%	5.9%	11.3%	88.7%
Grade 6	0.3%	0.3%	0.6%	99.4%
Grade 7	2.3%	5.3%	8.7%	91.2%
Grade 8	6.7%	8.5%	12.9%	87.1%
Grade 9	6.9%	6.9%	13.7%	86.3%
Grade 10	4.7%	8.6%	19.6%	80.4%
Grade 11	5.5%	7.0%	15.3%	84.8%
Grade 12	1.7%	4.7%	8.3%	91.8%
Methamphetamine				
All	0.5%	0.6%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.0%	1.0%	1.0%	98.9%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	2.5%	2.5%	3.7%	96.3%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	171,708	50.5%
Female	168,635	49.5%
Frequency Missing = 1368		

GRADE		
q2	Frequency	Percent
Grade 6	56,007	16.4%
Grade 7	54,460	15.9%
Grade 8	51,707	15.1%
Grade 9	49,053	14.4%
Grade 10	46,831	13.7%
Grade 11	43,843	12.8%
Grade 12	39,813	11.7%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	126,125	37.2%
Yes	213,014	62.8%
Frequency Missing = 2572		

AGE		
q4	Frequency	Percent
10 or below	31	0.0%
11	21,665	6.4%
12	49,215	14.5%
13	54,251	16.0%
14	48,945	14.4%
15	49,317	14.5%
16	48,609	14.3%
17	41,741	12.3%
18	23,348	6.9%
19 or older	3,002	0.9%
Frequency Missing = 1589		

ETHNICITY		
q5	Frequency	Percent
African Am.	4,818	1.4%
Asian Am.	2,328	0.7%
Mexican Am.	303,149	91.2%
Native Am.	553	0.2%
Other	1,474	0.4%
White	19,959	6.0%
Frequency Missing = 9431		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	68,869	23.5%
Mostly B's	165,195	56.3%
Mostly C's	53,307	18.2%
Mostly D's	4,996	1.7%
Mostly F's	1,257	0.4%
Frequency Missing = 48088		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	270,692	90.6%
Yes	28,054	9.4%
Frequency Missing = 42966		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	70,998	24.3%
No	45,113	15.5%
Yes	175,489	60.2%
Frequency Missing = 50111		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	157,942	55.9%
Yes	124,516	44.1%
Frequency Missing = 59253		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	202,314	74.6%
Yes	68,719	25.4%
Frequency Missing = 70678		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	241,427	91.1%
Yes	23,717	8.9%
Frequency Missing = 76567		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	183,408	67.7%
Yes	87,547	32.3%
Frequency Missing = 70756		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	244,907	92.3%
Yes	20,353	7.7%
Frequency Missing = 76451		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	212,956	80.2%
Yes	52,505	19.8%
Frequency Missing = 76250		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	246,427	93.0%
Yes	18,614	7.0%
Frequency Missing = 76670		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	289,145	85.7%
Somewhat Safe	41,245	12.2%
Not Very Safe	3,196	0.9%
Not Safe At All	647	0.2%
Don't Know	3,235	1.0%
Frequency Missing = 4244		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	203,110	75.7%
Yes	65,067	24.3%
Frequency Missing = 73535		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	119,651	35.9%
Somewhat Safe	161,841	48.5%
Not Very Safe	33,859	10.1%
Not Safe At All	7,668	2.3%
Don't Know	10,729	3.2%
Frequency Missing = 7964		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	201,689	75.8%
Yes	64,534	24.2%
Frequency Missing = 75488		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	148,692	44.5%
Somewhat Safe	139,731	41.8%
Not Very Safe	23,898	7.2%
Not Safe At All	10,056	3.0%
Don't Know	11,524	3.5%
Frequency Missing = 7811		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	29,259	8.8%
A Few	87,643	26.4%
Some	79,865	24.1%
Most	96,119	29.0%
All	38,922	11.7%

Frequency Missing = 9903

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	215,940	65.0%
A Few	73,854	22.2%
Some	27,234	8.2%
Most	9,191	2.8%
All	6,042	1.8%

Frequency Missing = 9450

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	266,084	81.1%
A Few	40,999	12.5%
Some	15,023	4.6%
Most	4,147	1.3%
All	1,897	0.6%

Frequency Missing = 13561

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	118,433	53.7%
Yes	102,137	46.3%

Frequency Missing = 121141

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	9,735	3.0%
A Few	47,584	14.6%
Some	72,951	22.4%
Most	121,934	37.4%
All	73,389	22.5%

Frequency Missing = 16118

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	326,958	97.3%
Heard/Used		
In Your Life-time	5,378	1.6%
Since School Began	804	0.2%
In the Past Month	2,952	0.9%

Frequency Missing = 5619

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	256,797	77.4%
A Few	45,436	13.7%
Some	19,002	5.7%
Most	7,609	2.3%
All	2,890	0.9%

Frequency Missing = 9978

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	310,947	92.7%
Heard/Used		
In Your Life-time	13,446	4.0%
Since School Began	3,179	0.9%
In the Past Month	8,003	2.4%

Frequency Missing = 6136

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
q13c	Frequency	Percent
Never	326,578	98.0%
Heard/Used		
In Your Life-time	3,735	1.1%
Since School Began	580	0.2%
In the Past Month	2,203	0.7%

Frequency Missing = 8615

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
q13f	Frequency	Percent
Never	329,420	98.5%
Heard/Used		
In Your Life-time	1,782	0.5%
Since School Began	852	0.3%
In the Past Month	2,224	0.7%

Frequency Missing = 7434

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
q13d	Frequency	Percent
Never	311,149	92.8%
Heard/Used		
In Your Life-time	14,049	4.2%
Since School Began	2,591	0.8%
In the Past Month	7,362	2.2%

Frequency Missing = 6560

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
q13g	Frequency	Percent
Never	325,755	97.5%
Heard/Used		
In Your Life-time	3,909	1.2%
Since School Began	1,169	0.3%
In the Past Month	3,282	1.0%

Frequency Missing = 7596

RECENT INHALANT USE - GLUE		
q13e	Frequency	Percent
Never	329,933	98.7%
Heard/Used		
In Your Life-time	1,953	0.6%
Since School Began	707	0.2%
In the Past Month	1,542	0.5%

Frequency Missing = 7576

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
q13h	Frequency	Percent
Never	326,546	97.5%
Heard/Used		
In Your Life-time	3,862	1.2%
Since School Began	1,024	0.3%
In the Past Month	3,593	1.1%

Frequency Missing = 6687

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	270,184	80.7%
Heard/Used		
In Your Life-time	32,542	9.7%
Since School Began	9,365	2.8%
In the Past Month	22,870	6.8%

Frequency Missing = 6750

RECENT WINE USE		
q14e	Frequency	Percent
Never	243,702	74.6%
Heard/Used		
In Your Life-time	43,717	13.4%
Since School Began	11,850	3.6%
In the Past Month	27,237	8.3%

Frequency Missing = 15206

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	311,263	93.9%
Heard/Used		
In Your Life-time	8,141	2.5%
Since School Began	4,425	1.3%
In the Past Month	7,645	2.3%

Frequency Missing = 10237

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	240,414	72.1%
Heard/Used		
In Your Life-time	38,500	11.6%
Since School Began	17,986	5.4%
In the Past Month	36,402	10.9%

Frequency Missing = 8408

RECENT BEER USE		
q14c	Frequency	Percent
Never	213,462	65.3%
Heard/Used		
In Your Life-time	53,489	16.4%
Since School Began	17,055	5.2%
In the Past Month	42,824	13.1%

Frequency Missing = 14883

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	322,276	95.4%
Heard/Used		
In Your Life-time	8,075	2.4%
Since School Began	2,673	0.8%
In the Past Month	4,851	1.4%

Frequency Missing = 3837

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	243,497	73.5%
Heard/Used		
In Your Life-time	36,952	11.2%
Since School Began	14,609	4.4%
In the Past Month	36,218	10.9%

Frequency Missing = 10435

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	259,748	78.0%
Heard/Used		
In Your Life-time	31,948	9.6%
Since School Began	11,848	3.6%
In the Past Month	29,659	8.9%

Frequency Missing = 8508

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	323,442	97.2%
Heard/Used		
In Your Life-time	4,811	1.4%
Since School Began	1,263	0.4%
In the Past Month	3,152	0.9%
Frequency Missing = 9043		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	328,779	99.1%
Heard/Used		
In Your Life-time	1,227	0.4%
Since School Began	203	0.1%
In the Past Month	1,478	0.4%
Frequency Missing = 10025		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	330,108	99.4%
Heard/Used		
In Your Life-time	752	0.2%
Since School Began	272	0.1%
In the Past Month	996	0.3%
Frequency Missing = 9584		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	317,211	96.1%
Heard/Used		
In Your Life-time	6,355	1.9%
Since School Began	2,034	0.6%
In the Past Month	4,447	1.3%
Frequency Missing = 11665		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	324,559	98.0%
Heard/Used		
In Your Life-time	3,108	0.9%
Since School Began	1,087	0.3%
In the Past Month	2,428	0.7%
Frequency Missing = 10529		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	329,939	99.5%
Heard/Used		
In Your Life-time	528	0.2%
Since School Began	497	0.1%
In the Past Month	469	0.1%
Frequency Missing = 10278		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	327,136	98.6%
Heard/Used		
In Your Life-time	2,587	0.8%
Since School Began	408	0.1%
In the Past Month	1,702	0.5%
Frequency Missing = 9877		

	RECENT METHAM-PHETAMINE USE	
q15j	Frequency	Percent
Never	329,365	99.4%
Heard/Used		
In Your Life-time	1,166	0.4%
Since School Began	180	0.1%
In the Past Month	793	0.2%
Frequency Missing = 10208		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	306,281	92.4%
Heard/Used		
In Your Life- time	12,981	3.9%
Since School Began	3,772	1.1%
In the Past Month	8,551	2.6%

Frequency Missing = 10126

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG
q16d	Frequency	Percent
Never	328,663	99.0%
Heard/Used		
In Your Life- time	1,186	0.4%
Since School Began	361	0.1%
In the Past Month	1,631	0.5%

Frequency Missing = 9870

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG
q16a	Frequency	Percent
Never	304,340	91.2%
Heard/Used		
In Your Life- time	11,352	3.4%
Since School Began	5,658	1.7%
In the Past Month	12,250	3.7%

Frequency Missing = 8111

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG
q16e	Frequency	Percent
Never	322,497	97.0%
Heard/Used		
In Your Life- time	3,260	1.0%
Since School Began	1,685	0.5%
In the Past Month	5,058	1.5%

Frequency Missing = 9212

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG
q16b	Frequency	Percent
Never	327,051	98.3%
Heard/Used		
In Your Life- time	2,015	0.6%
Since School Began	1,124	0.3%
In the Past Month	2,373	0.7%

Frequency Missing = 9148

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	314,531	97.0%
Heard/Used		
In Your Life- time	4,425	1.4%
Since School Began	910	0.3%
In the Past Month	4,423	1.4%

Frequency Missing = 17422

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG
q16c	Frequency	Percent
Never	322,355	96.9%
Heard/Used		
In Your Life- time	4,231	1.3%
Since School Began	1,237	0.4%
In the Past Month	4,712	1.4%

Frequency Missing = 9177

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	303,885	91.5%
Heard/Used		
1-2 times	17,992	5.4%
3-10 times	6,259	1.9%
11+ times	3,825	1.2%

Frequency Missing = 9750

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	253,926	76.8%
Heard/Used		
1-2 times	48,511	14.7%
3-10 times	20,320	6.1%
11+ times	7,798	2.4%
Frequency Missing = 11157		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	322,748	97.2%
Heard/Used		
1-2 times	6,984	2.1%
3-10 times	1,760	0.5%
11+ times	715	0.2%
Frequency Missing = 9503		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	287,221	86.3%
Heard/Used		
1-2 times	22,540	6.8%
3-10 times	9,986	3.0%
11+ times	13,134	3.9%
Frequency Missing = 8830		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	327,668	98.5%
Heard/Used		
1-2 times	3,787	1.1%
3-10 times	815	0.2%
11+ times	488	0.1%
Frequency Missing = 8953		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	331,996	99.8%
Heard/Used		
1-2 times	460	0.1%
3-10 times	118	0.0%
11+ times	237	0.1%
Frequency Missing = 8900		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	232,660	70.5%
heard/None		
A few	58,713	17.8%
Some	25,052	7.6%
Most	10,853	3.3%
All	2,503	0.8%
Frequency Missing = 11930		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	168,349	51.2%
heard/None		
A few	72,782	22.1%
Some	42,611	13.0%
Most	33,885	10.3%
All	11,328	3.4%
Frequency Missing = 12755		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	288,570	87.9%
heard/None		
A few	26,096	8.0%
Some	9,427	2.9%
Most	2,965	0.9%
All	1,059	0.3%
Frequency Missing = 13594		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	180,318	54.9%
A few	61,627	18.7%
Some	37,644	11.5%
Most	35,875	10.9%
All	13,264	4.0%

Frequency Missing = 12982

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	116,456	36.3%
Impossible	60,747	18.9%
Very difficult	17,207	5.4%
Somewhat diff	24,579	7.7%
Somewhat easy	37,203	11.6%
Very easy	64,595	20.1%

Frequency Missing = 20925

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	129,250	40.1%
Impossible	64,465	20.0%
Very difficult	19,947	6.2%
Somewhat diff	24,896	7.7%
Somewhat easy	35,042	10.9%
Very easy	48,447	15.0%

Frequency Missing = 19664

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	147,997	46.0%
Impossible	79,927	24.9%
Very difficult	30,691	9.5%
Somewhat diff	24,812	7.7%
Somewhat easy	18,476	5.7%
Very easy	19,527	6.1%

Frequency Missing = 20281

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	106,578	33.2%
Impossible	48,625	15.1%
Very difficult	16,975	5.3%
Somewhat diff	30,861	9.6%
Somewhat easy	48,996	15.3%
Very easy	69,120	21.5%

Frequency Missing = 20557

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	160,953	50.1%
Impossible	80,428	25.0%
Very difficult	30,982	9.6%
Somewhat diff	22,375	7.0%
Somewhat easy	12,363	3.8%
Very easy	14,318	4.5%

Frequency Missing = 20292

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	156,921	49.0%
Impossible	47,698	14.9%
Very difficult	12,057	3.8%
Somewhat diff	16,067	5.0%
Somewhat easy	26,667	8.3%
Very easy	60,680	19.0%

Frequency Missing = 21622

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	164,353	51.2%
Impossible	81,122	25.3%
Very difficult	26,323	8.2%
Somewhat diff	21,093	6.6%
Somewhat easy	15,228	4.7%
Very easy	13,007	4.1%

Frequency Missing = 20585

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	173,483	54.2%
Impossible	65,152	20.3%
Very difficult	21,940	6.9%
Somewhat diff	19,942	6.2%
Somewhat easy	19,016	5.9%
Very easy	20,701	6.5%
Frequency Missing = 21476		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	2,365	4.6%
9 years old	1,615	3.1%
10 years old	3,492	6.8%
11 years old	4,112	8.0%
12 years old	5,434	10.6%
13 years old	7,835	15.2%
14 years old	6,653	12.9%
15 years old	8,258	16.1%
16 years old	7,271	14.1%
17 years old	3,184	6.2%
18 or older	1,199	2.3%
Frequency Missing = 290293		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	180,429	56.0%
Impossible	80,058	24.8%
Very difficult	27,098	8.4%
Somewhat diff	15,475	4.8%
Somewhat easy	8,913	2.8%
Very easy	10,279	3.2%
Frequency Missing = 19458		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	11,162	8.7%
9 years old	4,805	3.8%
10 years old	7,091	5.6%
11 years old	10,217	8.0%
12 years old	12,803	10.0%
13 years old	19,902	15.6%
14 years old	19,025	14.9%
15 years old	22,622	17.7%
16 years old	12,705	9.9%
17 years old	5,575	4.4%
18 or older	1,793	1.4%
Frequency Missing = 214011		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	188,259	58.4%
Impossible	75,204	23.3%
Very difficult	26,255	8.2%
Somewhat diff	14,500	4.5%
Somewhat easy	7,678	2.4%
Very easy	10,252	3.2%
Frequency Missing = 19563		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	1,731	10.9%
9 years old	1,421	9.0%
10 years old	2,425	15.3%
11 years old	2,325	14.7%
12 years old	3,145	19.8%
13 years old	2,158	13.6%
14 years old	1,261	8.0%
15 years old	711	4.5%
16 years old	619	3.9%
17 years old	54	0.3%
Frequency Missing = 325861		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	172,431	53.5%
Impossible	59,103	18.3%
Very difficult	18,392	5.7%
Somewhat diff	18,595	5.8%
Somewhat easy	20,973	6.5%
Very easy	32,650	10.1%
Frequency Missing = 19567		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	1,699	2.3%
9 years old	859	1.2%
10 years old	3,246	4.4%
11 years old	4,155	5.6%
12 years old	9,708	13.2%
13 years old	13,951	18.9%
14 years old	14,179	19.2%
15 years old	12,823	17.4%
16 years old	8,680	11.8%
17 years old	3,701	5.0%
18 or older	690	0.9%

Frequency Missing = 268020

AGE WHEN FIRST USED STEROIDS		
q21h	Frequency	Percent
8 or younger	564	20.9%
9 years old	41	1.5%
10 years old	30	1.1%
11 years old	323	12.0%
12 years old	460	17.1%
13 years old	94	3.5%
14 years old	107	4.0%
15 years old	506	18.8%
16 years old	283	10.5%
17 years old	241	9.0%
18 or older	43	1.6%

Frequency Missing = 339019

AGE WHEN FIRST USED COCAINE		
q21e	Frequency	Percent
8 or younger	182	2.2%
9 years old	80	1.0%
10 years old	165	2.0%
11 years old	602	7.2%
12 years old	614	7.3%
13 years old	965	11.5%
14 years old	1,083	13.0%
15 years old	1,339	16.0%
16 years old	1,772	21.2%
17 years old	1,353	16.2%
18 or older	208	2.5%

Frequency Missing = 333349

AGE WHEN FIRST USED ECSTASY		
q21i	Frequency	Percent
8 or younger	23	0.2%
9 years old	41	0.4%
10 years old	363	3.2%
11 years old	239	2.1%
12 years old	570	5.1%
13 years old	1,655	14.7%
14 years old	2,118	18.9%
15 years old	2,314	20.6%
16 years old	2,123	18.9%
17 years old	1,386	12.3%
18 or older	399	3.6%

Frequency Missing = 330481

AGE WHEN FIRST USED CRACK		
q21f	Frequency	Percent
8 or younger	126	10.4%
9 years old	33	2.7%
10 years old	76	6.3%
11 years old	253	21.0%
12 years old	217	18.0%
13 years old	142	11.7%
14 years old	142	11.8%
15 years old	31	2.6%
16 years old	76	6.3%
17 years old	111	9.2%

Frequency Missing = 340503

AGE WHEN FIRST USED HEROIN		
q21j	Frequency	Percent
8 or younger	140	13.1%
9 years old	258	24.2%
10 years old	35	3.3%
11 years old	82	7.7%
12 years old	81	7.6%
13 years old	120	11.3%
15 years old	276	25.9%
17 years old	73	6.9%

Frequency Missing = 340647

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	112	10.0%
9 years old	79	7.1%
10 years old	100	8.9%
11 years old	23	2.0%
12 years old	89	7.9%
13 years old	231	20.6%
14 years old	54	4.8%
15 years old	347	31.0%
16 years old	85	7.6%

Frequency Missing = 340591

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	1,249	0.4%
Several times/wk	6,651	2.0%
Several times/mo	19,184	5.9%
About once/- month	31,574	9.7%
About on- ce/year	27,102	8.3%
< once/year	23,709	7.3%
Never used	215,403	66.3%

Frequency Missing = 16840

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	269	1.1%
9 years old	269	1.1%
10 years old	697	2.7%
11 years old	1,081	4.2%
12 years old	2,458	9.6%
13 years old	4,407	17.2%
14 years old	5,858	22.9%
15 years old	5,008	19.6%
16 years old	3,990	15.6%
17 years old	1,422	5.6%
18 or older	127	0.5%

Frequency Missing = 316124

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	631	0.2%
Several times/wk	913	0.3%
Several times/mo	1,555	0.5%
About once/- month	2,110	0.6%
About on- ce/year	2,390	0.7%
< once/year	4,804	1.5%
Never used	312,877	96.2%

Frequency Missing = 16431

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	1,582	0.5%
Several times/wk	4,090	1.3%
Several times/mo	5,620	1.7%
About once/- month	9,664	3.0%
About on- ce/year	8,642	2.6%
< once/year	13,141	4.0%
Never used	283,973	86.9%

Frequency Missing = 14999

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	6,235	1.9%
Several times/wk	7,918	2.4%
Several times/mo	10,153	3.1%
About once/- month	12,332	3.8%
About on- ce/year	11,226	3.4%
< once/year	15,610	4.8%
Never used	263,871	80.6%

Frequency Missing = 14366

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	504	0.2%
Several times/wk	57	0.0%
Several times/mo	585	0.2%
About once/- month	1,075	0.3%
About on- ce/year	1,545	0.5%
< once/year	1,803	0.6%
Never used	321,191	98.3%
Frequency Missing = 14950		

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	125	0.0%
Several times/wk	531	0.2%
Several times/mo	803	0.2%
About once/- month	2,513	0.8%
About on- ce/year	2,782	0.9%
< once/year	3,301	1.0%
Never used	316,708	96.9%
Frequency Missing = 14948		

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	331	0.1%
Several times/wk	89	0.0%
Several times/mo	22	0.0%
About once/- month	114	0.0%
About on- ce/year	123	0.0%
< once/year	194	0.1%
Never used	326,879	99.7%
Frequency Missing = 13960		

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	98	0.0%
Several times/wk	23	0.0%
Several times/mo	62	0.0%
About once/- month	99	0.0%
About on- ce/year	13	0.0%
< once/year	220	0.1%
Never used	326,423	99.8%
Frequency Missing = 14773		

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	427	0.1%
Several times/wk	128	0.0%
Several times/mo	339	0.1%
About once/- month	151	0.0%
About on- ce/year	152	0.0%
< once/year	855	0.3%
Never used	325,372	99.4%
Frequency Missing = 14287		

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	104	0.0%
Several times/wk	88	0.0%
Several times/mo	202	0.1%
About once/- month	32	0.0%
About on- ce/year	39	0.0%
< once/year	495	0.2%
Never used	325,795	99.7%
Frequency Missing = 14957		

q22l	HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA	
	Frequency	Percent
Every day	1,071	0.3%
Several times/wk	1,634	0.5%
Several times/mo	1,225	0.4%
About once/-month	4,340	1.3%
About once/year	5,049	1.5%
< once/year	7,982	2.4%
Never used	305,011	93.5%

Frequency Missing = 15399

q23a	AMOUNT OF BEER AT ONE TIME	
	Frequency	Percent
Never drink this	208,766	64.6%
12+ drinks	7,360	2.3%
9-11 drinks	5,267	1.6%
5-8 drinks	11,294	3.5%
3-4 drinks	17,779	5.5%
2 drinks	19,348	6.0%
1 drink	21,063	6.5%
< 1 drink	32,513	10.1%

Frequency Missing = 18323

q23b	AMOUNT OF WINE COOLERS AT ONE TIME	
	Frequency	Percent
Never drink this	234,143	72.6%
12+ drinks	5,050	1.6%
9-11 drinks	4,397	1.4%
5-8 drinks	9,124	2.8%
3-4 drinks	16,529	5.1%
2 drinks	16,674	5.2%
1 drink	18,556	5.8%
< 1 drink	18,130	5.6%

Frequency Missing = 19109

q23c	AMOUNT OF WINE AT ONE TIME	
	Frequency	Percent
Never drink this	239,027	74.3%
12+ drinks	2,867	0.9%
9-11 drinks	1,720	0.5%
5-8 drinks	3,003	0.9%
3-4 drinks	7,300	2.3%
2 drinks	12,427	3.9%
1 drink	23,868	7.4%
< 1 drink	31,427	9.8%

Frequency Missing = 20072

q23d	AMOUNT OF LIQUOR AT ONE TIME	
	Frequency	Percent
Never drink this	229,084	70.9%
12+ drinks	8,523	2.6%
9-11 drinks	4,540	1.4%
5-8 drinks	10,733	3.3%
3-4 drinks	15,860	4.9%
2 drinks	14,824	4.6%
1 drink	18,071	5.6%
< 1 drink	21,439	6.6%

Frequency Missing = 18638

q24	HOW MANY 5+ DRINKS IN PAST 30 DAYS	
	Frequency	Percent
Never 5+ at time	147,030	45.2%
None	135,360	41.6%
1 day	17,700	5.4%
2 days	9,553	2.9%
3 to 5 days	7,365	2.3%
6 to 9 days	2,802	0.9%
10 or more days	5,411	1.7%

Frequency Missing = 16491

q25a	GET ALCOHOLIC BEVERAGES FROM HOME	
	Frequency	Percent
Do not Drink	193,491	59.6%
Never	77,363	23.8%
Seldom	37,815	11.6%
Most of the Time	12,434	3.8%
Always	3,639	1.1%

Frequency Missing = 16970

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	181,246	56.1%
Never	64,280	19.9%
Seldom	36,155	11.2%
Most of the Time	30,904	9.6%
Always	10,320	3.2%

Frequency Missing = 18806

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	188,979	58.6%
Never	106,338	33.0%
Seldom	12,531	3.9%
Most of the Time	9,235	2.9%
Always	5,184	1.6%

Frequency Missing = 19444

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	171,475	53.0%
Never	52,578	16.3%
Seldom	31,322	9.7%
Most of the Time	35,473	11.0%
Always	32,651	10.1%

Frequency Missing = 18213

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	190,158	59.3%
Never	76,996	24.0%
Seldom	22,284	6.9%
Most of the Time	16,439	5.1%
Always	14,769	4.6%

Frequency Missing = 21065

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	231,055	71.2%
Somewhat	54,583	16.8%
Not very	16,872	5.2%
Not at all	3,549	1.1%
Don't know	18,501	5.7%

Frequency Missing = 17151

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	190,862	58.9%
Somewhat	76,710	23.7%
Not very	34,499	10.6%
Not at all	6,590	2.0%
Don't know	15,391	4.7%

Frequency Missing = 17659

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	255,076	78.7%
Somewhat	31,881	9.8%
Not very	11,760	3.6%
Not at all	2,980	0.9%
Don't know	22,582	7.0%

Frequency Missing = 17432

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	209,258	64.4%
Somewhat	37,642	11.6%
Not very	29,374	9.0%
Not at all	33,636	10.4%
Don't know	14,999	4.6%

Frequency Missing = 16803

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	285,769	88.1%
Somewhat	17,209	5.3%
Not very	3,492	1.1%
Not at all	1,930	0.6%
Don't know	16,082	5.0%

Frequency Missing = 17229

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	287,813	88.8%
Somewhat	14,939	4.6%
Not very	2,438	0.8%
Not at all	2,000	0.6%
Don't know	17,068	5.3%
Frequency Missing = 17453		

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	263,413	81.1%
Somewhat	24,284	7.5%
Not very	8,454	2.6%
Not at all	5,062	1.6%
Don't know	23,470	7.2%
Frequency Missing = 17029		

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	268,912	83.0%
Somewhat	23,600	7.3%
Not very	6,733	2.1%
Not at all	3,407	1.1%
Don't know	21,508	6.6%
Frequency Missing = 17552		

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	270,229	83.2%
Somewhat	17,252	5.3%
Not very	5,478	1.7%
Not at all	3,116	1.0%
Don't know	28,869	8.9%
Frequency Missing = 16767		

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	262,113	80.8%
Somewhat	29,863	9.2%
Not very	8,129	2.5%
Not at all	3,471	1.1%
Don't know	20,782	6.4%
Frequency Missing = 17354		

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	268,179	83.4%
1-3 days	36,587	11.4%
4-9 days	9,414	2.9%
10+ days	7,463	2.3%
Frequency Missing = 20067		

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	286,814	88.3%
Somewhat	13,636	4.2%
Not very	2,126	0.7%
Not at all	1,426	0.4%
Don't know	20,729	6.4%
Frequency Missing = 16979		

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	132,853	41.5%
1-3 days	146,092	45.6%
4-9 days	31,218	9.7%
10+ days	10,205	3.2%
Frequency Missing = 21343		

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	286,369	88.1%
Somewhat	12,502	3.8%
Not very	2,301	0.7%
Not at all	1,669	0.5%
Don't know	22,286	6.9%
Frequency Missing = 16584		

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	157,326	49.6%
1-3 days	136,316	42.9%
4-9 days	16,981	5.4%
10+ days	6,771	2.1%
Frequency Missing = 24317		

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	284,578	88.8%
1-3 days	28,450	8.9%
4-9 days	4,421	1.4%
10+ days	2,891	0.9%
Frequency Missing = 21371		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	305,344	95.8%
1-3 times	10,942	3.4%
4-9 times	1,388	0.4%
10+ times	923	0.3%
Frequency Missing = 23115		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	285,837	89.3%
1-3 days	26,876	8.4%
4-9 days	4,297	1.3%
10+ days	3,085	1.0%
Frequency Missing = 21617		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	304,688	95.7%
1-3 times	8,912	2.8%
4-9 times	1,714	0.5%
10+ times	3,048	1.0%
Frequency Missing = 23350		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	308,318	96.3%
1-3 times	10,702	3.3%
4-9 times	740	0.2%
10+ times	418	0.1%
Frequency Missing = 21533		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	303,200	95.3%
1-3 times	11,451	3.6%
4-9 times	2,190	0.7%
10+ times	1,362	0.4%
Frequency Missing = 23508		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	307,697	96.4%
1-3 times	8,805	2.8%
4-9 times	1,483	0.5%
10+ times	1,077	0.3%
Frequency Missing = 22649		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	304,966	95.9%
1-3 days	10,064	3.2%
4-9 days	1,495	0.5%
10+ days	1,348	0.4%
Frequency Missing = 23838		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	302,301	95.5%
1-3 times	12,698	4.0%
4-9 times	971	0.3%
10+ times	689	0.2%
Frequency Missing = 25053		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	290,774	91.5%
1-3 days	16,553	5.2%
4-9 days	3,828	1.2%
10+ days	6,728	2.1%
Frequency Missing = 23829		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	312,720	98.6%
1-3 days	3,391	1.1%
4-9 days	493	0.2%
10+ days	603	0.2%
Frequency Missing = 24504		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	306,086	96.6%
1-3 days	7,329	2.3%
4-9 days	1,562	0.5%
10+ days	1,851	0.6%
Frequency Missing = 24884		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	170,065	53.7%
Seldom	22,945	7.2%
Half the time	18,274	5.8%
Most of the time	25,309	8.0%
Always	33,014	10.4%
Don't know	7,630	2.4%
Didn't attend	39,638	12.5%
Frequency Missing = 24836		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	189,493	59.9%
Seldom	17,995	5.7%
Half the time	15,447	4.9%
Most of the time	20,565	6.5%
Always	24,865	7.9%
Don't know	8,998	2.8%
Didn't attend	39,176	12.4%
Frequency Missing = 25173		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	251,060	89.2%
Yes	30,437	10.8%
Frequency Missing = 60214		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	162,158	52.0%
Yes	149,655	48.0%
Frequency Missing = 29898		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	160,077	51.5%
Yes	150,963	48.5%
Frequency Missing = 30672		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	169,252	54.8%
Yes	139,536	45.2%
Frequency Missing = 32923		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	97,906	31.4%
Yes	214,254	68.6%
Frequency Missing = 29551		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	131,264	42.3%
Yes	179,088	57.7%
Frequency Missing = 31359		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	133,704	43.1%
Yes	176,573	56.9%
Frequency Missing = 31434		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	122,028	39.3%
Yes	188,798	60.7%
Frequency Missing = 30885		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	241,768	79.5%
Yes	62,380	20.5%
Frequency Missing = 37563		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	144,176	49.2%
Yes	148,850	50.8%
Frequency Missing = 48685		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	143,810	49.4%
Yes	147,489	50.6%
Frequency Missing = 50413		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	176,570	60.7%
Yes	114,274	39.3%
Frequency Missing = 50867		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	195,689	67.6%
Yes	93,962	32.4%
Frequency Missing = 52060		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	225,957	78.1%
Yes	63,462	21.9%
Frequency Missing = 52292		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	173,070	59.5%
Yes	117,784	40.5%
Frequency Missing = 50858		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	187,757	64.9%
Yes	101,398	35.1%
Frequency Missing = 52556		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	246,298	78.4%
Mild disapprove	16,397	5.2%
Neither	10,708	3.4%
Mildly approve	3,324	1.1%
Strongly approve	3,282	1.0%
Don't know	34,155	10.9%
Frequency Missing = 27548		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL		
q34b	Frequency	Percent
Strong disapprove	215,188	68.6%
Mild disapprove	32,136	10.2%
Neither	21,374	6.8%
Mildly approve	8,520	2.7%
Strongly approve	4,018	1.3%
Don't know	32,633	10.4%
Frequency Missing = 27842		

		PARENTS FEEL ABOUT KIDS USING MARIJUANA	
q34c		Frequency	Percent
Strongly disapprove		247,497	78.7%
Mildly disapprove		12,451	4.0%
Neither		12,471	4.0%
Mildly approve		3,955	1.3%
Strongly approve		5,595	1.8%
Don't know		32,409	10.3%
		Frequency Missing = 27334	

			TESTED FOR DRUG USE AT SCHOOL
q35		Frequency	Percent
No		285,626	90.6%
Yes		29,516	9.4%
		Frequency Missing = 26569	

		DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	
q36		Frequency	Percent
Do not know		75,331	23.8%
No		66,866	21.1%
Yes		174,022	55.0%
		Frequency Missing = 25492	