Table T-1: How recently, if ever, have you used ..

| | | Past Month | School Year | Ever Used | Never Used |
|---------------------|----------|---------------|----------------|--------------|---------------|
| Any tobacco product | | | | | |
| | All | 15.0% | 20.5% | 34.8% | 65.2% |
| | Grade 7 | 6.1% | 8.9% | 19.0% | 81.0% |
| | Grade 8 | 8.8% | 13.5% | 26.8% | 73.2% |
| | Grade 9 | 14.0% | 19.9% | 35.2% | 64.8% |
| | Grade 10 | 17.5% | 24.0% | 39.6% | 60.4% |
| | Grade 11 | 21.6% | 28.0% | 43.9% | 56.1% |
| | Grade 12 | 25.3% | 33.0% | 48.7% | 51.3% |
| Cigarettes | | | | | |
| | All | 13.5% | 18.8% | 32.9% | 67.1% |
| | Grade 7 | 5.4% | 8.1% | 17.9% | 82.1% |
| | Grade 8 | 7.9% | 12.4% | 25.1% | 74.9% |
| | Grade 9 | 12.4% | 17.8% | 33.0% | 67.0% |
| | Grade 10 | 15.7% | 21.8% | 37.4% | 62.6% |
| | Grade 11 | 19.7% | 25.7% | 41.8% | 58.2% |
| | Grade 12 | 23.6% | 31.1% | 46.7% | 53.3% |
| Smokeless tobacco | | | | | |
| | All | 4.0% | 6.0% | 10.4% | 89.6% |
| | Grade 7 | 1.5% | 2.3% | 4.8% | 95.2% |
| | Grade 8 | 2.3% | 3.7% | 7.2% | 92.8% |
| | Grade 9 | 3.8% | 5.8% | 9.9% | 90.1% |
| | Grade 10 | 4.7% | 7.2% | 12.2% | 87.8% |
| | Grade 11 | 5.9% | 8.7% | 14.3% | 85.7% |
| | Grade 12 | 7.0% | 9.8% | 16.2% | 83.8% |

Table T-2: How often do you normally use ..

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any tobacco product? | | | | | | | |
| All | 68.4% | 4.7% | 3.1% | 3.9% | 5.8% | 4.9% | 9.2% |
| Grade 7 | 83.2% | 0.9% | 1.3% | 2.0% | 3.1% | 3.8% | 5.6% |
| Grade 8 | 75.9% | 1.7% | 2.0% | 3.0% | 4.8% | 4.3% | 8.3% |
| Grade 9 | 68.2% | 3.8% | 3.2% | 4.0% | 6.5% | 4.7% | 9.6% |
| Grade 10 | 63.9% | 5.2% | 3.9% | 4.8% | 6.2% | 5.6% | 10.3% |
| Grade 11 | 60.0% | 7.9% | 3.9% | 4.9% | 7.0% | 5.7% | 10.7% |
| Grade 12 | 55.0% | 10.7% | 4.3% | 5.2% | 7.7% | 5.9% | 11.1% |
| Cigarettes? | | | | | | | |
| All | 69.9% | 3.9% | 2.8% | 3.8% | 5.6% | 4.7% | 9.2% |
| Grade 7 | 84.0% | 0.7% | 1.2% | 1.9% | 3.0% | 3.6% | 5.5% |
| Grade 8 | 77.2% | 1.5% | 1.7% | 2.8% | 4.5% | 4.1% | 8.3% |
| Grade 9 | 70.1% | 3.1% | 2.8% | 3.7% | 6.1% | 4.5% | 9.7% |
| Grade 10 | 65.9% | 4.3% | 3.5% | 4.6% | 5.9% | 5.2% | 10.5% |
| Grade 11 | 61.6% | 6.4% | 3.8% | 4.7% | 7.1% | 5.6% | 10.9% |
| Grade 12 | 56.5% | 9.1% | 4.0% | 5.4% | 7.8% | 5.9% | 11.2% |
| Smokeless tobacco? | | | | | | | |
| All | 89.8% | 1.1% | 0.8% | 1.0% | 1.7% | 1.9% | 3.7% |
| Grade 7 | 95.5% | 0.2% | 0.3% | 0.4% | 0.8% | 1.0% | 1.8% |
| Grade 8 | 93.2% | 0.4% | 0.5% | 0.8% | 1.6% | 1.2% | 2.2% |
| Grade 9 | 89.9% | 0.9% | 0.9% | 1.2% | 1.7% | 1.7% | 3.7% |
| Grade 10 | 88.1% | 1.2% | 1.1% | 1.0% | 1.9% | 2.3% | 4.3% |
| Grade 11 | 86.3% | 2.0% | 0.8% | 1.3% | 2.2% | 2.6% | 4.9% |
| Grade 12 | 84.2% | 2.4% | 1.2% | 1.2% | 2.4% | 2.8% | 5.8% |

T-3: In the past 30 days, how many cigarettes have you smoked?

| | None | <1 Per Day | 1-9 Per Day | | 1 Pack but <2 Packs Per Day | >2 Packs Per Day |
|----------|-------|------------|-------------|------|--------------------------------|---------------------|
| All | 85.2% | 8.1% | 4.5% | 1.3% | 0.6% | 0.3% |
| Grade 7 | 93.5% | 4.4% | 1.5% | 0.3% | 0.1% | 0.2% |
| Grade 8 | 90.3% | 6.2% | 2.7% | 0.4% | 0.3% | 0.1% |
| Grade 9 | 85.9% | 7.8% | 4.3% | 1.0% | 0.6% | 0.3% |
| Grade 10 | 83.4% | 8.7% | 5.4% | 1.6% | 0.7% | 0.3% |
| Grade 11 | 79.9% | 10.2% | 6.5% | 2.3% | 1.0% | 0.2% |
| Grade 12 | 74.8% | 12.4% | 8.0% | 3.0% | 1.4% | 0.4% |

Table T-4: Average age of first use of:

| Grade 7 | Grade 8 | Grade 8 Grade 9 Grad | | Grade 11 | Grade 12 | |
|---------|---------|----------------------|------|----------|----------|--|
| Tobacco | | | | | | |
| 10.7 | 11.2 | 12.0 | 12.8 | 13.4 | 14.2 | |

Table T-5: If you wanted some, how difficult would it be to get...

| | Never | | Very | Somewhat | Somewhat | |
|--------------------|-----------------|------------|-----------|-----------|----------|-----------|
| | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Cigarettes? | | | | | | |
| All | 9.8% | 16.6% | 6.5% | 9.4% | 18.3% | 39.4% |
| Grade 7 | 15.8% | 34.1% | 9.9% | 9.9% | 14.1% | 16.2% |
| Grade 8 | 10.1% | 24.4% | 10.1% | 12.0% | 19.1% | 24.3% |
| Grade 9 | 10.1% | 15.1% | 6.8% | 11.5% | 21.5% | 35.1% |
| Grade 10 | 7.8% | 10.2% | 5.1% | 9.7% | 22.5% | 44.7% |
| Grade 11 | 7.3% | 7.5% | 3.7% | 7.6% | 19.8% | 54.1% |
| Grade 12 | 6.1% | 3.8% | 1.6% | 3.4% | 10.8% | 74.4% |
| Smokeless Tobacco? | | | | | | |
| All | 20.0% | 21.5% | 8.6% | 10.1% | 13.1% | 26.8% |
| Grade 7 | 27.4% | 40.3% | 10.9% | 7.6% | 6.4% | 7.3% |
| Grade 8 | 21.8% | 31.9% | 11.7% | 10.9% | 11.1% | 12.7% |
| Grade 9 | 20.6% | 20.0% | 10.1% | 12.9% | 15.4% | 20.9% |
| Grade 10 | 17.5% | 14.2% | 7.4% | 12.0% | 18.0% | 31.0% |
| Grade 11 | 16.6% | 10.6% | 6.3% | 10.1% | 16.8% | 39.6% |
| Grade 12 | 13.4% | 6.1% | 2.9% | 5.9% | 11.0% | 60.6% |

Table T-6: About how many of your close friends...

| | None | A Few | Some | Most | ALL |
|---------------------------------|-------|-------|-------|-------|------|
| Use any tobacco product? | | | | | |
| All | 42.3% | 29.7% | 15.7% | 9.5% | 2.8% |
| Grade 7 | 67.3% | 21.7% | 6.4% | 2.8% | 1.9% |
| Grade 8 | 54.6% | 27.2% | 10.6% | 5.2% | 2.4% |
| Grade 9 | 40.5% | 31.5% | 15.7% | 9.6% | 2.7% |
| Grade 10 | 32.1% | 33.4% | 19.4% | 12.3% | 2.8% |
| Grade 11 | 29.5% | 32.5% | 20.8% | 13.7% | 3.4% |
| Grade 12 | 24.4% | 32.5% | 23.6% | 15.5% | 4.1% |
| Smoke cigarettes? | | | | | |
| All | 45.2% | 30.2% | 14.1% | 8.1% | 2.3% |
| Grade 7 | 69.1% | 21.1% | 5.7% | 2.5% | 1.7% |
| Grade 8 | 57.3% | 26.9% | 9.2% | 4.5% | 2.1% |
| Grade 9 | 44.5% | 31.7% | 13.7% | 7.8% | 2.3% |
| Grade 10 | 36.0% | 34.4% | 17.1% | 10.4% | 2.1% |
| Grade 11 | 32.4% | 34.4% | 19.0% | 11.4% | 2.9% |
| Grade 12 | 26.4% | 34.2% | 22.2% | 13.9% | 3.2% |
| Use a smokeless tobacco product | ? | | | | |
| All | 69.8% | 17.3% | 8.1% | 3.2% | 1.7% |
| Grade 7 | 87.0% | 8.2% | 2.4% | 1.0% | 1.4% |
| Grade 8 | 79.6% | 12.2% | 4.7% | 1.9% | 1.7% |
| Grade 9 | 69.3% | 18.0% | 7.9% | 3.3% | 1.5% |
| Grade 10 | 61.8% | 21.5% | 10.9% | 4.2% | 1.5% |
| Grade 11 | 59.8% | 22.3% | 11.2% | 5.0% | 1.8% |
| Grade 12 | 57.0% | 23.2% | 12.9% | 4.6% | 2.3% |

Table T-7: How do your parents feel about kids your age smoking cigarettes?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 74.2% | 9.7% | 6.9% | 1.2% | 0.9% | 7.1% |
| Grade 7 | 81.1% | 4.3% | 2.6% | 0.6% | 1.1% | 10.2% |
| Grade 8 | 81.1% | 6.2% | 3.8% | 0.8% | 0.8% | 7.4% |
| Grade 9 | 76.8% | 8.2% | 5.5% | 1.2% | 0.9% | 7.4% |
| Grade 10 | 73.1% | 11.3% | 7.7% | 1.2% | 0.9% | 5.9% |
| Grade 11 | 68.9% | 13.8% | 9.6% | 1.4% | 0.9% | 5.4% |
| Grade 12 | 59.9% | 17.0% | 14.4% | 2.3% | 0.9% | 5.4% |

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 49.2% | 28.7% | 13.5% | 3.8% | 4.8% |
| Grade 7 | 67.7% | 19.8% | 5.6% | 1.4% | 5.5% |
| Grade 8 | 57.2% | 26.3% | 9.1% | 2.1% | 5.4% |
| Grade 9 | 48.6% | 29.7% | 12.9% | 3.6% | 5.1% |
| Grade 10 | 41.9% | 32.5% | 16.3% | 4.6% | 4.7% |
| Grade 11 | 39.8% | 31.8% | 18.8% | 5.7% | 3.9% |
| Grade 12 | 35.8% | 33.3% | 20.8% | 6.4% | 3.7% |

Table A-1: How recently, if ever, have you used...

| | | Past | School | Ever | Never |
|---------------------|----------|--------|--------|--------|--------|
| Any alcohol product | | Month | Year | Used | Used |
| Any alcohol product | All | 30.8% | 43.1% | 65.6% | 34.4% |
| | Grade 7 | 16.0% | 22.9% | 47.0% | 53.0% |
| | Grade 8 | 22.3% | 33.1% | 59.3% | 40.7% |
| | Grade 9 | 30.6% | 43.6% | 67.1% | 32.9% |
| | Grade 10 | 36.1% | 50.8% | 72.3% | 27.7% |
| | Grade 11 | 39.4% | 54.2% | 74.6% | 25.4% |
| | Grade 12 | 45.2% | 59.8% | 77.4% | 22.6% |
| Beer | 31uuc 12 | .5.270 | 23.070 | ,,,,,, | 22.070 |
| Deci | All | 20.9% | 30.8% | 49.3% | 50.7% |
| | Grade 7 | 9.0% | 13.7% | 32.2% | 67.8% |
| | Grade 8 | 13.1% | 21.3% | 41.5% | 58.5% |
| | Grade 9 | 19.7% | 30.2% | 49.8% | 50.2% |
| | Grade 10 | 25.7% | 37.8% | 56.3% | 43.7% |
| | Grade 11 | 28.5% | 40.6% | 58.1% | 41.9% |
| | Grade 12 | 33.8% | 46.5% | 62.5% | 37.5% |
| Wine coolers | 3144012 | 22.070 | 10.070 | 02.070 | 07.070 |
| | All | 15.4% | 25.6% | 43.9% | 56.1% |
| | Grade 7 | 8.3% | 12.7% | 25.8% | 74.2% |
| | Grade 8 | 12.1% | 19.8% | 37.0% | 63.0% |
| | Grade 9 | 16.0% | 26.2% | 44.6% | 55.4% |
| | Grade 10 | 18.8% | 31.0% | 50.9% | 49.1% |
| | Grade 11 | 18.6% | 32.0% | 53.5% | 46.5% |
| | Grade 12 | 20.5% | 35.1% | 56.3% | 43.7% |
| Wine | | | | | |
| | All | 13.4% | 23.7% | 45.3% | 54.7% |
| | Grade 7 | 7.8% | 12.6% | 29.6% | 70.4% |
| | Grade 8 | 11.1% | 18.8% | 40.3% | 59.7% |
| | Grade 9 | 13.3% | 24.1% | 46.5% | 53.5% |
| | Grade 10 | 15.5% | 27.7% | 51.1% | 48.9% |
| | Grade 11 | 15.9% | 29.0% | 52.4% | 47.6% |
| | Grade 12 | 18.1% | 32.8% | 55.7% | 44.3% |
| Liquor | | | | | |
| • | All | 21.1% | 31.3% | 46.0% | 54.0% |
| | Grade 7 | 7.0% | 10.8% | 21.1% | 78.9% |
| | Grade 8 | 12.2% | 19.3% | 33.9% | 66.1% |
| | Grade 9 | 20.1% | 30.6% | 46.4% | 53.6% |
| | Grade 10 | 26.1% | 39.4% | 55.1% | 44.9% |
| | Grade 11 | 30.0% | 44.0% | 60.5% | 39.5% |
| | Grade 12 | 35.8% | 50.5% | 65.6% | 34.4% |

Table A-2: How often do you normally use...

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| Any alcohol product? | | | | | | | |
| All | 39.4% | 0.7% | 4.6% | 13.9% | 16.2% | 13.9% | 11.3% |
| Grade 7 | 59.7% | 0.4% | 2.6% | 5.4% | 9.0% | 11.0% | 11.9% |
| Grade 8 | 46.5% | 0.7% | 3.0% | 8.8% | 13.0% | 14.6% | 13.4% |
| Grade 9 | 37.6% | 0.8% | 4.5% | 13.5% | 17.2% | 14.9% | 11.5% |
| Grade 10 | 32.4% | 0.7% | 5.0% | 17.8% | 18.7% | 14.4% | 11.0% |
| Grade 11 | 30.0% | 0.8% | 5.6% | 18.9% | 19.5% | 15.2% | 10.1% |
| Grade 12 | 26.2% | 1.2% | 7.7% | 21.6% | 21.0% | 13.0% | 9.3% |
| Beer? | | | | | | | |
| All | 51.3% | 0.4% | 3.5% | 10.5% | 13.0% | 10.4% | 10.8% |
| Grade 7 | 70.3% | 0.2% | 1.7% | 3.4% | 6.6% | 7.8% | 10.1% |
| Grade 8 | 59.9% | 0.3% | 1.9% | 6.0% | 9.9% | 10.0% | 11.9% |
| Grade 9 | 50.0% | 0.4% | 3.3% | 9.6% | 13.6% | 11.6% | 11.5% |
| Grade 10 | 44.2% | 0.3% | 3.8% | 13.9% | 15.8% | 11.2% | 10.8% |
| Grade 11 | 41.8% | 0.4% | 4.4% | 14.9% | 16.4% | 11.6% | 10.4% |
| Grade 12 | 37.3% | 0.9% | 6.7% | 17.7% | 17.0% | 10.3% | 10.0% |
| Wine coolers? | | | | | | | |
| All | 56.9% | 0.2% | 2.0% | 7.4% | 11.4% | 12.2% | 10.0% |
| Grade 7 | 75.9% | 0.2% | 1.6% | 3.2% | 5.8% | 6.8% | 6.6% |
| Grade 8 | 64.3% | 0.2% | 1.5% | 5.0% | 8.7% | 10.9% | 9.4% |
| Grade 9 | 56.2% | 0.2% | 2.1% | 7.6% | 11.5% | 12.6% | 9.7% |
| Grade 10 | 50.1% | 0.2% | 2.2% | 9.7% | 13.6% | 13.4% | 10.9% |
| Grade 11 | 46.8% | 0.2% | 2.0% | 9.3% | 14.0% | 15.6% | 12.1% |
| Grade 12 | 43.8% | 0.2% | 2.4% | 10.3% | 15.9% | 15.2% | 12.3% |
| Wine? | | | | | | | |
| All | 55.1% | 0.2% | 1.7% | 6.0% | 10.1% | 14.6% | 12.3% |
| Grade 7 | 72.4% | 0.1% | 1.3% | 2.8% | 5.1% | 8.9% | 9.4% |
| Grade 8 | 60.8% | 0.2% | 1.3% | 4.4% | 8.5% | 13.1% | 11.8% |
| Grade 9 | 53.7% | 0.1% | 1.9% | 6.2% | 10.6% | 15.0% | 12.5% |
| Grade 10 | 49.3% | 0.2% | 2.0% | 7.6% | 11.6% | 16.3% | 13.0% |
| Grade 11 | 47.4% | 0.2% | 1.8% | 7.5% | 12.2% | 17.7% | 13.4% |
| Grade 12 | 43.5% | 0.3% | 2.1% | 8.3% | 13.5% | 17.9% | 14.3% |
| Liquor? | | | | | | | |
| All | 55.3% | 0.4% | 2.9% | 10.5% | 12.7% | 10.4% | 7.9% |
| Grade 7 | 80.2% | 0.2% | 1.2% | 2.8% | 4.4% | 5.6% | 5.6% |
| Grade 8 | 67.3% | 0.3% | 1.8% | 5.3% | 8.5% | 9.0% | 7.8% |
| Grade 9 | 55.0% | 0.4% | 3.0% | 9.6% | 12.6% | 11.2% | 8.1% |
| Grade 10 | 46.1% | 0.3% | 3.3% | 14.3% | 15.8% | 11.7% | 8.5% |
| Grade 11 | 41.1% | 0.5% | 3.5% | 15.5% | 17.3% | 13.1% | 9.0% |
| Grade 12 | 35.6% | 0.5% | 4.9% | 18.1% | 20.1% | 12.2% | 8.7% |

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

| | | Never | Ever | 5 or More | 1 to 4 | Less than 1 |
|--------------|----------|-------|-------|-----------|--------|-------------|
| Beer | | | | | | |
| | All | 50.6% | 49.4% | 12.6% | 22.6% | 14.1% |
| | Grade 7 | 67.4% | 32.6% | 3.3% | 14.2% | 15.1% |
| | Grade 8 | 57.8% | 42.2% | 5.8% | 19.0% | 17.4% |
| | Grade 9 | 49.6% | 50.4% | 11.2% | 24.3% | 14.8% |
| | Grade 10 | 44.2% | 55.8% | 15.9% | 26.6% | 13.2% |
| | Grade 11 | 42.4% | 57.6% | 19.7% | 25.9% | 12.0% |
| | Grade 12 | 38.6% | 61.4% | 23.4% | 27.0% | 11.1% |
| Wine Coolers | | | | | | |
| | All | 55.4% | 44.6% | 8.5% | 26.1% | 10.0% |
| | Grade 7 | 72.8% | 27.2% | 4.0% | 14.1% | 9.1% |
| | Grade 8 | 61.6% | 38.4% | 5.2% | 22.0% | 11.1% |
| | Grade 9 | 54.0% | 46.0% | 9.1% | 26.9% | 10.0% |
| | Grade 10 | 49.1% | 50.9% | 11.1% | 30.3% | 9.5% |
| | Grade 11 | 46.8% | 53.2% | 11.6% | 31.7% | 10.0% |
| | Grade 12 | 44.7% | 55.3% | 11.4% | 34.0% | 9.9% |
| Wine | | | | | | |
| | All | 54.5% | 45.5% | 4.0% | 23.8% | 17.7% |
| | Grade 7 | 69.4% | 30.6% | 2.2% | 13.0% | 15.5% |
| | Grade 8 | 58.5% | 41.5% | 2.8% | 19.8% | 18.9% |
| | Grade 9 | 52.2% | 47.8% | 4.5% | 24.6% | 18.7% |
| | Grade 10 | 49.6% | 50.4% | 4.5% | 28.1% | 17.9% |
| | Grade 11 | 48.8% | 51.2% | 5.1% | 28.5% | 17.6% |
| | Grade 12 | 45.8% | 54.2% | 5.6% | 30.8% | 17.8% |
| Liquor | | | | | | |
| - | All | 53.5% | 46.5% | 12.6% | 24.0% | 9.9% |
| | Grade 7 | 78.2% | 21.8% | 3.1% | 10.0% | 8.8% |
| | Grade 8 | 65.7% | 34.3% | 6.1% | 16.5% | 11.7% |
| | Grade 9 | 52.9% | 47.1% | 12.1% | 24.3% | 10.7% |
| | Grade 10 | 44.3% | 55.7% | 17.3% | 28.6% | 9.7% |
| | Grade 11 | 39.2% | 60.8% | 19.2% | 32.3% | 9.3% |
| | Grade 12 | 34.0% | 66.0% | 21.1% | 36.3% | 8.6% |

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

| | | Never/None | 1 day | 2 days | 3 to 5 days | 6 to 9 days | 10 or more days |
|---------|----------|------------|-------|--------|-------------|-------------|--------------------|
| Alcohol | | | | | | | |
| | All | 78.8% | 6.8% | 4.5% | 5.1% | 2.5% | 2.3% |
| | Grade 7 | 91.9% | 3.5% | 1.6% | 1.5% | 0.6% | 0.8% |
| | Grade 8 | 87.5% | 4.9% | 3.0% | 2.3% | 1.0% | 1.5% |
| | Grade 9 | 79.2% | 7.2% | 4.7% | 4.4% | 2.1% | 2.4% |
| | Grade 10 | 73.8% | 8.0% | 5.9% | 6.7% | 2.9% | 2.7% |
| | Grade 11 | 71.0% | 8.7% | 5.9% | 7.8% | 3.5% | 3.1% |
| | Grade 12 | 64.9% | 9.3% | 6.8% | 9.3% | 5.6% | 4.2% |

Table A-5: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|--------------|---------|---------|----------|----------|----------|
| Alcohol | | | | | |
| 10.4 | 11.0 | 11.7 | 12.4 | 13.1 | 13.8 |
| Beer | | | | | |
| 10.4 | 11.0 | 11.8 | 12.6 | 13.4 | 14.1 |
| Wine Coolers | | | | | |
| 10.8 | 11.5 | 12.1 | 12.8 | 13.5 | 14.2 |
| Wine | | | | | |
| 10.8 | 11.4 | 12.1 | 12.8 | 13.4 | 14.2 |
| Liquor | | | | | |
| 11.1 | 11.8 | 12.7 | 13.5 | 14.2 | 14.9 |

Table A-6: If you wanted some, how difficult would it be to get...

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|---------------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Beer? | | nearu Oi | Impossible | Difficult | Difficult | Easy | very Easy |
| Deer: | All | 8.8% | 12.7% | 5.8% | 11.3% | 21.5% | 39.9% |
| | Grade 7 | 14.3% | 26.4% | 9.3% | 12.6% | 15.6% | |
| | | | | | | | 21.9% |
| | Grade 8 | 9.0% | 18.1% | 7.9% | 12.8% | 20.4% | 31.8% |
| | Grade 9 | 9.1% | 10.5% | 5.6% | 11.8% | 21.5% | 41.6% |
| | Grade 10 | 7.0% | 7.8% | 4.1% | 10.5% | 22.8% | 47.9% |
| | Grade 11 | 6.5% | 6.1% | 3.6% | 9.6% | 23.4% | 50.8% |
| | Grade 12 | 5.6% | 4.4% | 3.1% | 9.9% | 27.4% | 49.6% |
| Wine coolers? | | | | | | | |
| | All | 14.1% | 14.3% | 6.6% | 11.8% | 19.9% | 33.3% |
| | Grade 7 | 24.7% | 29.4% | 8.7% | 10.4% | 11.8% | 14.9% |
| | Grade 8 | 16.5% | 20.5% | 9.2% | 12.8% | 16.9% | 24.2% |
| | Grade 9 | 13.7% | 12.7% | 7.3% | 13.4% | 20.4% | 32.6% |
| | Grade 10 | 10.5% | 8.7% | 5.4% | 12.2% | 22.1% | 41.1% |
| | Grade 11 | 9.1% | 6.4% | 4.4% | 10.5% | 23.7% | 45.8% |
| | Grade 12 | 7.2% | 4.5% | 3.5% | 10.9% | 27.2% | 46.7% |
| Wine? | | | | | | | |
| | All | 10.5% | 14.8% | 7.3% | 12.3% | 20.1% | 35.1% |
| | Grade 7 | 16.5% | 30.5% | 10.7% | 11.6% | 13.3% | 17.4% |
| | Grade 8 | 10.9% | 20.9% | 9.7% | 13.1% | 17.9% | 27.5% |
| | Grade 9 | 10.8% | 12.7% | 7.5% | 13.3% | 20.4% | 35.2% |
| | Grade 10 | 8.5% | 9.1% | 5.9% | 12.8% | 21.6% | 42.1% |
| | Grade 11 | 8.0% | 7.0% | 4.8% | 11.2% | 22.9% | 46.0% |
| | Grade 12 | 6.8% | 4.7% | 3.8% | 11.3% | 26.3% | 47.1% |
| Liquor? | | | | | | | |
| 1 | All | 10.3% | 17.2% | 7.7% | 10.9% | 18.5% | 35.4% |
| | Grade 7 | 17.9% | 36.3% | 10.6% | 9.3% | 10.4% | 15.4% |
| | Grade 8 | 11.4% | 25.4% | 10.5% | 11.3% | 15.9% | 25.4% |
| | Grade 9 | 10.2% | 14.9% | 8.2% | 11.7% | 18.8% | 36.2% |
| | Grade 10 | 7.5% | 10.2% | 6.2% | 11.2% | 20.6% | 44.3% |
| | Grade 11 | 7.1% | 7.3% | 5.0% | 10.5% | 21.8% | 48.3% |
| | Grade 12 | 6.2% | 4.8% | 4.4% | 11.1% | 25.8% | 47.8% |

Table A-7: Since school began in the fall, on how many days (if any) have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|-----------|-----------|-----------|
| Attended class while drunk on alcoh | nol? | | | |
| All | 91.0% | 6.7% | 1.2% | 1.1% |
| Grade 7 | 93.9% | 4.7% | 0.8% | 0.6% |
| Grade 8 | 92.5% | 5.7% | 0.9% | 0.8% |
| Grade 9 | 90.5% | 7.0% | 1.2% | 1.3% |
| Grade 10 | 90.0% | 7.2% | 1.6% | 1.2% |
| Grade 11 | 89.5% | 7.8% | 1.3% | 1.4% |
| Grade 12 | 88.5% | 8.3% | 1.8% | 1.3% |
| Gotten into trouble with teachers be | ecause of your | drinking? | | |
| All | 98.6% | 0.9% | 0.2% | 0.3% |
| Grade 7 | 99.0% | 0.6% | 0.1% | 0.2% |
| Grade 8 | 98.7% | 0.9% | 0.2% | 0.2% |
| Grade 9 | 98.5% | 0.9% | 0.2% | 0.4% |
| Grade 10 | 98.5% | 1.0% | 0.3% | 0.2% |
| Grade 11 | 98.5% | 1.0% | 0.3% | 0.3% |
| Grade 12 | 98.7% | 0.9% | 0.2% | 0.2% |

Table A-8: School year use of alcohol by absences and conduct problems:

| | Average days absent due to illness or other reasons | | |
|--------------------|---|--|--|
| Alcohol Users: | 4.6 | | |
| Alcohol Non-users: | 3.6 | | |

| | Average days conduct problems reported |
|--------------------|--|
| Alcohol Users: | 3.3 |
| Alcohol Non-users: | 1.2 |

Table A-9: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|-------------------------------------|----------------|-----------|-----------|-----------|
| Driven a car when you've had a goo | d bit to drink | ? | | |
| All | 88.2% | 8.6% | 1.8% | 1.5% |
| Grade 9 | 94.7% | 4.1% | 0.7% | 0.6% |
| Grade 10 | 90.8% | 7.1% | 1.1% | 1.0% |
| Grade 11 | 84.7% | 11.1% | 2.4% | 1.8% |
| Grade 12 | 79.2% | 14.2% | 3.4% | 3.2% |
| Gotten into trouble with the police | because of dri | nking? | | |
| All | 96.5% | 2.9% | 0.3% | 0.3% |
| Grade 7 | 98.4% | 1.2% | 0.2% | 0.2% |
| Grade 8 | 98.0% | 1.5% | 0.2% | 0.3% |
| Grade 9 | 96.8% | 2.4% | 0.4% | 0.4% |
| Grade 10 | 96.1% | 3.4% | 0.4% | 0.2% |
| Grade 11 | 95.0% | 4.5% | 0.3% | 0.3% |
| Grade 12 | 94.0% | 5.4% | 0.4% | 0.2% |

Table A-10: About how many of your close friends use...

| | None | A Few | Some | Most | ALL |
|----------------------|-------|-------|-------|-------|-------|
| Any alcohol product? | | | | | |
| All | 28.2% | 24.5% | 18.0% | 20.2% | 9.1% |
| Grade 7 | 54.6% | 24.8% | 10.5% | 6.3% | 3.8% |
| Grade 8 | 38.8% | 27.9% | 16.1% | 11.7% | 5.6% |
| Grade 9 | 24.1% | 27.1% | 19.9% | 20.2% | 8.8% |
| Grade 10 | 17.7% | 23.7% | 21.2% | 26.7% | 10.7% |
| Grade 11 | 15.9% | 22.3% | 20.4% | 29.0% | 12.3% |
| Grade 12 | 13.3% | 19.8% | 20.7% | 31.1% | 15.1% |
| Beer? | | | | | |
| All | 35.0% | 23.5% | 17.5% | 17.3% | 6.8% |
| Grade 7 | 62.8% | 21.5% | 8.5% | 4.5% | 2.6% |
| Grade 8 | 47.3% | 25.6% | 14.9% | 8.5% | 3.6% |
| Grade 9 | 31.6% | 26.3% | 19.2% | 16.6% | 6.2% |
| Grade 10 | 23.5% | 23.6% | 21.5% | 23.4% | 8.0% |
| Grade 11 | 21.2% | 22.3% | 21.1% | 25.6% | 9.7% |
| Grade 12 | 17.6% | 20.0% | 21.1% | 29.2% | 12.2% |
| Wine coolers? | | | | | |
| All | 48.6% | 21.5% | 14.8% | 10.5% | 4.6% |
| Grade 7 | 71.7% | 14.9% | 6.9% | 3.9% | 2.6% |
| Grade 8 | 58.9% | 19.8% | 10.8% | 7.0% | 3.6% |
| Grade 9 | 46.7% | 22.3% | 15.4% | 10.7% | 4.9% |
| Grade 10 | 39.4% | 24.0% | 18.0% | 13.5% | 5.1% |
| Grade 11 | 37.2% | 24.2% | 18.6% | 14.4% | 5.7% |
| Grade 12 | 32.6% | 25.0% | 20.9% | 15.0% | 6.4% |
| Wine? | | | | | |
| All | 54.9% | 22.8% | 11.7% | 7.1% | 3.6% |
| Grade 7 | 74.4% | 15.1% | 5.8% | 2.6% | 2.1% |
| Grade 8 | 63.6% | 19.8% | 9.1% | 4.9% | 2.6% |
| Grade 9 | 53.3% | 23.9% | 11.9% | 7.2% | 3.6% |
| Grade 10 | 46.9% | 26.1% | 13.8% | 9.2% | 3.9% |
| Grade 11 | 45.6% | 25.7% | 14.6% | 9.5% | 4.5% |
| Grade 12 | 40.9% | 27.2% | 16.4% | 10.2% | 5.2% |
| Liquor? | | | | | |
| All | 43.0% | 19.5% | 15.0% | 15.9% | 6.6% |
| Grade 7 | 73.9% | 14.1% | 6.1% | 3.6% | 2.3% |
| Grade 8 | 57.9% | 19.2% | 11.2% | 8.0% | 3.6% |
| Grade 9 | 39.8% | 22.7% | 15.9% | 15.2% | 6.4% |
| Grade 10 | 30.7% | 21.0% | 18.4% | 21.8% | 8.1% |
| Grade 11 | 26.1% | 20.5% | 19.5% | 24.5% | 9.4% |
| Grade 12 | 22.3% | 19.1% | 20.8% | 26.6% | 11.2% |

Table A-11: During the past twelve months, how many times have you...

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|------------------|-----------|-----------|
| Had difficulties of any kind with yo | ur friends bec | ause of your dri | nking? | |
| All | 92.0% | 6.9% | 0.8% | 0.4% |
| Grade 7 | 96.7% | 2.7% | 0.3% | 0.3% |
| Grade 8 | 95.1% | 4.2% | 0.3% | 0.3% |
| Grade 9 | 91.8% | 6.9% | 0.7% | 0.6% |
| Grade 10 | 90.0% | 8.7% | 0.9% | 0.4% |
| Grade 11 | 89.3% | 9.2% | 1.1% | 0.4% |
| Grade 12 | 87.4% | 10.9% | 1.3% | 0.5% |
| Been criticized by someone you wer | e dating beca | use of drinking? | • | |
| All | 92.8% | 5.9% | 0.8% | 0.5% |
| Grade 7 | 97.5% | 2.0% | 0.3% | 0.2% |
| Grade 8 | 95.9% | 3.2% | 0.4% | 0.4% |
| Grade 9 | 93.0% | 5.7% | 0.8% | 0.6% |
| Grade 10 | 90.8% | 7.7% | 1.0% | 0.5% |
| Grade 11 | 89.8% | 8.5% | 1.0% | 0.6% |
| Grade 12 | 88.5% | 9.4% | 1.4% | 0.7% |

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|----------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 40.2% | 10.4% | 7.3% | 12.2% | 16.7% | 1.9% | 11.2% |
| Grade 7 | 66.2% | 9.8% | 5.4% | 4.2% | 3.0% | 2.0% | 9.4% |
| Grade 8 | 55.9% | 13.3% | 7.5% | 7.1% | 5.4% | 2.3% | 8.7% |
| Grade 9 | 37.4% | 11.8% | 9.1% | 12.8% | 14.0% | 2.3% | 12.6% |
| Grade 10 | 28.7% | 10.6% | 8.1% | 16.9% | 21.9% | 1.9% | 11.9% |
| Grade 11 | 24.6% | 8.6% | 7.1% | 16.4% | 28.3% | 1.4% | 13.5% |
| Grade 12 | 21.8% | 7.6% | 6.4% | 17.9% | 33.8% | 1.1% | 11.4% |

Table A-13: How often, if ever, do you get alcoholic beverages from..

| | D | o Not Drink | Never | Seldom | Most of the Time | Always |
|--------------|-------|-------------|-------|--------|------------------|--------|
| At home | | | | | | |
| | All | 41.5% | 25.4% | 23.0% | 7.0% | 3.0% |
| Gra | ade 7 | 54.3% | 23.5% | 16.0% | 4.5% | 1.7% |
| Gra | ade 8 | 46.1% | 23.0% | 21.2% | 7.0% | 2.7% |
| Gra | ade 9 | 40.5% | 23.2% | 24.8% | 7.9% | 3.6% |
| Gra | de 10 | 36.4% | 26.9% | 25.5% | 8.0% | 3.3% |
| Gra | de 11 | 36.2% | 28.0% | 25.2% | 7.4% | 3.3% |
| Gra | de 12 | 32.6% | 29.8% | 26.0% | 7.7% | 3.9% |
| From friends | | | | | | |
| | All | 39.2% | 19.4% | 15.3% | 18.2% | 7.9% |
| Gra | ade 7 | 56.4% | 27.8% | 8.3% | 5.8% | 1.8% |
| Gra | ade 8 | 46.7% | 25.8% | 13.3% | 10.8% | 3.3% |
| Gra | ade 9 | 38.5% | 19.7% | 17.1% | 18.0% | 6.7% |
| | de 10 | 32.4% | 16.0% | 17.6% | 23.3% | 10.7% |
| Gra | de 11 | 30.7% | 13.0% | 18.2% | 26.0% | 12.1% |
| Gra | de 12 | 26.9% | 10.8% | 17.8% | 29.2% | 15.3% |
| From a store | | | | | | |
| | All | 41.1% | 43.1% | 8.4% | 4.8% | 2.6% |
| Gra | ade 7 | 56.8% | 38.7% | 2.5% | 1.4% | 0.6% |
| Gra | ade 8 | 47.8% | 44.7% | 4.7% | 1.9% | 1.0% |
| Gra | ade 9 | 40.6% | 45.6% | 8.3% | 3.5% | 1.9% |
| | de 10 | 34.8% | 45.5% | 10.7% | 6.0% | 3.0% |
| Gra | de 11 | 33.5% | 41.8% | 12.3% | 8.1% | 4.4% |
| | de 12 | 29.8% | 41.4% | 13.6% | 9.6% | 5.6% |
| At parties | | | | | | |
| • | All | 38.3% | 18.6% | 12.9% | 15.6% | 14.6% |
| Gra | ade 7 | 53.0% | 24.7% | 9.7% | 8.2% | 4.4% |
| | ade 8 | 45.0% | 23.9% | 12.8% | 10.9% | 7.4% |
| Gra | ade 9 | 37.5% | 18.9% | 14.2% | 15.4% | 14.0% |
| Gra | de 10 | 32.5% | 16.2% | 13.4% | 18.6% | 19.3% |
| Gra | de 11 | 31.0% | 13.6% | 14.0% | 20.1% | 21.3% |
| Gra | de 12 | 27.5% | 11.8% | 13.5% | 22.6% | 24.5% |
| Other source | | | | | | |
| | All | 41.0% | 26.9% | 14.9% | 9.0% | 8.1% |
| Gra | ade 7 | 55.1% | 27.0% | 9.7% | 4.9% | 3.3% |
| | ade 8 | 46.5% | 27.3% | 13.2% | 7.6% | 5.4% |
| | ade 9 | 40.1% | 26.8% | 15.4% | 9.3% | 8.4% |
| | de 10 | 35.2% | 26.6% | 17.1% | 11.0% | 10.1% |
| | de 11 | 34.5% | 26.4% | 17.3% | 10.6% | 11.2% |
| | de 12 | 31.3% | 27.6% | 17.8% | 11.5% | 11.7% |

Table A-14: How do your parents feel about kids your age drinking beer?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 62.6% | 15.7% | 10.3% | 3.3% | 1.3% | 6.9% |
| Grade 7 | 72.5% | 9.2% | 5.0% | 1.5% | 1.2% | 10.6% |
| Grade 8 | 69.8% | 12.2% | 7.2% | 2.3% | 1.0% | 7.6% |
| Grade 9 | 63.0% | 15.4% | 9.7% | 3.4% | 1.3% | 7.3% |
| Grade 10 | 58.5% | 18.1% | 12.4% | 3.9% | 1.3% | 5.7% |
| Grade 11 | 56.7% | 19.8% | 13.2% | 4.2% | 1.4% | 4.8% |
| Grade 12 | 51.6% | 21.4% | 15.7% | 5.2% | 1.5% | 4.6% |

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| All | 45.8% | 32.1% | 15.1% | 3.5% | 3.5% |
| Grade 7 | 58.4% | 23.9% | 10.9% | 2.6% | 4.2% |
| Grade 8 | 48.2% | 29.1% | 14.9% | 3.6% | 4.1% |
| Grade 9 | 44.6% | 31.3% | 16.6% | 3.8% | 3.6% |
| Grade 10 | 40.7% | 35.0% | 17.0% | 4.2% | 3.2% |
| Grade 11 | 41.8% | 36.4% | 15.4% | 3.6% | 2.7% |
| Grade 12 | 39.3% | 39.0% | 15.8% | 3.1% | 2.7% |

Table D-1: How recently, if ever, have you used...

| | Past | School | Ever | Never |
|----------------|-------|--------|-------|-------|
| | Month | Year | Used | Used |
| Marijuana? | | | | _ |
| All | 11.2% | 16.7% | 26.8% | 73.2% |
| Grade 7 | 4.0% | 5.6% | 9.7% | 90.3% |
| Grade 8 | 6.7% | 10.1% | 16.8% | 83.2% |
| Grade 9 | 11.0% | 16.5% | 26.1% | 73.9% |
| Grade 10 | 13.7% | 20.7% | 32.8% | 67.2% |
| Grade 11 | 16.8% | 24.6% | 38.8% | 61.2% |
| Grade 12 | 17.6% | 26.3% | 41.9% | 58.1% |
| Cocaine? | | | | |
| All | 2.2% | 3.6% | 6.3% | 93.7% |
| Grade 7 | 0.6% | 1.0% | 2.2% | 97.8% |
| Grade 8 | 1.1% | 1.7% | 3.2% | 96.8% |
| Grade 9 | 2.0% | 3.3% | 5.5% | 94.5% |
| Grade 10 | 2.5% | 4.4% | 7.6% | 92.4% |
| Grade 11 | 3.6% | 5.9% | 10.1% | 89.9% |
| Grade 12 | 3.6% | 6.2% | 11.0% | 89.0% |
| Crack? | | | | |
| All | 0.6% | 1.0% | 2.1% | 97.9% |
| Grade 7 | 0.5% | 0.8% | 1.8% | 98.2% |
| Grade 8 | 0.6% | 1.0% | 2.0% | 98.0% |
| Grade 9 | 0.7% | 1.2% | 2.2% | 97.8% |
| Grade 10 | 0.6% | 1.0% | 2.2% | 97.8% |
| Grade 11 | 0.6% | 1.1% | 2.3% | 97.7% |
| Grade 12 | 0.5% | 1.0% | 2.2% | 97.8% |
| Hallucinogens? | | | | |
| All | 1.5% | 2.6% | 4.9% | 95.1% |
| Grade 7 | 0.5% | 0.7% | 1.2% | 98.8% |
| Grade 8 | 0.7% | 1.3% | 2.5% | 97.5% |
| Grade 9 | 1.4% | 2.3% | 4.5% | 95.5% |
| Grade 10 | 2.1% | 3.6% | 6.8% | 93.2% |
| Grade 11 | 2.1% | 3.8% | 7.3% | 92.7% |
| Grade 12 | 2.4% | 4.4% | 8.4% | 91.6% |
| Uppers? | | | | |
| All | 2.5% | 4.0% | 6.2% | 93.8% |
| Grade 7 | 0.4% | 0.6% | 0.9% | 99.1% |
| Grade 8 | 1.0% | 1.6% | 2.6% | 97.4% |
| Grade 9 | 2.0% | 3.5% | 5.3% | 94.7% |
| Grade 10 | 3.8% | 5.6% | 8.4% | 91.6% |
| Grade 11 | 4.5% | 7.0% | 10.7% | 89.3% |
| Grade 12 | 4.2% | 6.8% | 11.2% | 88.8% |
| Downers? | | | | |
| All | 2.7% | 4.2% | 6.4% | 93.6% |
| Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| Grade 8 | 0.9% | 1.5% | 2.4% | 97.6% |
| Grade 9 | 2.2% | 3.8% | 5.4% | 94.6% |
| Grade 10 | 4.1% | 6.0% | 8.7% | 91.3% |
| Grade 11 | 4.8% | 7.2% | 11.3% | 88.7% |
| Grade 12 | 4.7% | 7.5% | 12.0% | 88.0% |

Table D-1: How recently, if ever, have you used... (Continued)

| | Past | School | Ever | Never |
|-----------|-----------------|--------|------|-------|
| | Month | Year | Used | Used |
| Rohypnol? | | | | |
| A | 0.8% | 1.2% | 2.0% | 98.0% |
| Grade | 7 0.5% | 0.6% | 1.0% | 99.0% |
| Grade | 8 0.7% | 1.1% | 1.8% | 98.2% |
| Grade | 9 0.9% | 1.4% | 2.4% | 97.6% |
| Grade 1 | 0.9% | 1.6% | 2.7% | 97.3% |
| Grade 1 | 0.9% | 1.3% | 2.4% | 97.6% |
| Grade 1 | 0.7% | 1.1% | 2.1% | 97.9% |
| Steroids? | | | | |
| A | 0.6% | 0.8% | 1.6% | 98.4% |
| Grade | 7 0.5% | 0.7% | 1.4% | 98.6% |
| Grade | 8 0.5% | 0.8% | 1.5% | 98.5% |
| Grade | 9 0.5% | 0.7% | 1.4% | 98.6% |
| Grade 1 | 0.6% | 0.9% | 1.8% | 98.2% |
| Grade 1 | 0.7% | 0.9% | 1.6% | 98.4% |
| Grade 1 | 0.8% | 1.1% | 1.8% | 98.2% |
| Ecstasy? | | | | |
| | 1. 9% | 3.1% | 5.5% | 94.5% |
| Grade | 7 0.5% | 0.8% | 1.6% | 98.4% |
| Grade | | 1.8% | 3.1% | 96.9% |
| Grade | 9 2.0% | 3.0% | 5.3% | 94.7% |
| Grade 1 | | 4.2% | 7.0% | 93.0% |
| Grade 1 | | 4.5% | 8.1% | 91.9% |
| Grade 1 | | 5.3% | 9.1% | 90.9% |
| Heroin? | | | | |
| | All 0.5% | 0.8% | 1.5% | 98.5% |
| Grade | | 0.5% | 1.1% | 98.9% |
| Grade | | 0.8% | 1.7% | 98.3% |
| Grade | | 0.9% | 1.7% | 98.3% |
| Grade 1 | | 0.8% | 1.4% | 98.6% |
| Grade 1 | | 0.8% | 1.7% | 98.3% |
| Grade | | 0.8% | 1.5% | 98.5% |

Table D-2: How often do you normally use...

| | | Never | Every | Several Times a | Several Times a | About Once a | About Once a | Less than Once a |
|----------------|----------------------|----------------|--------------|--------------------|--------------------|-----------------|-----------------|---------------------|
| M 2 | | Used | Day | Week | Month | Month | Year | Year |
| Marijuana? | A 11 | 76.00/ | 2.60/ | 2.8% | 2.00/ | 4.70/ | 4.20/ | 5.6% |
| | All Grade 7 | 76.0% 91.0% | 2.6% 0.7% | 1.4% | 3.9% 1.7% | 4.7% 1.7% | 4.3% 1.6% | 1.8% |
| | Grade 7 Grade 8 | 84.1% | 1.3% | 2.2% | 2.8% | 3.4% | 2.8% | 3.4% |
| | Grade 9 | 76.5% | 2.4% | 3.0% | 4.2% | 4.8% | 3.8% | 5.2% |
| | Grade 10 | 70.3% | 2.4% | 3.5% | 5.2% | 5.8% | 5.3% | 7.0% |
| | Grade 10 Grade 11 | 66.1% | 4.1% | 3.6% | 4.9% | 6.3% | 6.7% | 8.2% |
| | Grade 11 Grade 12 | 64.4% | 4.1% | 3.5% | 4.9% | 7.0% | 6.4% | 9.4% |
| Cocaine? | Grade 12 | 04.4% | 4.0% | 3.5% | 4.0% | 7.0% | 0.4% | 9.4% |
| Cocame: | All | 94.4% | 0.1% | 0.4% | 0.8% | 1.2% | 1.3% | 1.8% |
| | Grade 7 | 98.0% | 0.1% | 0.4% | 0.8% | 0.4% | 0.4% | 0.6% |
| | Grade 8 | 98.0% | 0.1% | 0.2% | 0.2% | 0.4% | 0.4% | 0.0% |
| | Grade 9 | 95.0% | 0.1% | 0.3% | 0.4% | 1.0% | 1.2% | 1.4% |
| | Grade 10 | 93.0% | 0.1% | 0.4% | 1.0% | 1.5% | 1.6% | 2.1% |
| | Grade 10 Grade 11 | 93.1% | 0.1% | 0.5% | 1.0% | 1.5% | 2.0% | 3.1% |
| | | | | | | | | |
| Con al-2 | Grade 12 | 90.5% | 0.1% | 0.5% | 1.2% | 2.1% | 2.2% | 3.4% |
| Crack? | A 11 | 98.1% | 0.10/ | 0.10/ | 0.20/ | 0.3% | 0.4% | 0.70/ |
| | All | | 0.1% | 0.1% | 0.2% | | | 0.7% |
| | Grade 7 | 98.3% | 0.1% | 0.2% | 0.2% | 0.3% | 0.4% | 0.5% |
| | Grade 8 | 98.1% | 0.1% | 0.2% | 0.3% | 0.3% | 0.4% | 0.6% |
| | Grade 9 | 98.1% | 0.1% | 0.1% | 0.3% | 0.4% | 0.5% | 0.7% |
| | Grade 10 | 98.0% | 0.0% | 0.1% | 0.2% | 0.4% | 0.5% | 0.8% |
| | Grade 11 | 98.0% | 0.1% | 0.1% | 0.2% | 0.3% | 0.4% | 1.0% |
| Hallmainagang? | Grade 12 | 98.1% | 0.0% | 0.1% | 0.2% | 0.3% | 0.4% | 0.9% |
| Hallucinogens? | All | 95.8% | 0.0% | 0.1% | 0.4% | 0.9% | 1.3% | 1.5% |
| | All Grade 7 | | 0.0% | 0.1% | | | 0.3% | |
| | Grade 7 Grade 8 | 98.9% | 0.0% | | 0.2% | 0.2% | 0.5% | 0.4% |
| | | 97.9% | | 0.1% | 0.2% | 0.5% | | 0.7% |
| | Grade 9 | 96.2% | 0.1% | 0.2% | 0.4% | 0.9% | 1.0% | 1.2% |
| | Grade 10 | 94.3% | 0.0% | 0.2% | 0.5% | 1.4% | 1.8% | 2.0% |
| | Grade 11 | 93.6% | 0.1% | 0.1% | 0.5% | 1.1% | 2.2% | 2.3% |
| II | Grade 12 | 92.6% | 0.0% | 0.1% | 0.4% | 1.5% | 2.5% | 2.9% |
| Uppers? | All | 93.9% | 0.2% | 0.4% | 1.0% | 1.7% | 1.3% | 1.4% |
| | | 93.9% | 0.2% | 0.4% | 0.1% | 0.3% | 0.2% | 0.2% |
| | Grade 7 | 97.4% | 0.1% | 0.1% | 0.1% | 0.5% | 0.2% | 0.2% |
| | Grade 8 | | | | | | | |
| | Grade 9 Grade 10 | 94.6% | 0.2% | 0.5% | 0.8% | 1.7% | 1.1% | 1.0% |
| | | 91.6% | 0.2% | 0.7% | 1.6% | 2.4% | 1.8% | 1.7% |
| | Grade 11 | 89.5% | 0.4% | 0.6% | 1.7% | 2.7% | 2.3% | 2.7% |
| Da2 | Grade 12 | 89.4% | 0.3% | 0.5% | 1.5% | 2.8% | 2.6% | 2.8% |
| Downers? | A 11 | 02 70/ | 0.20/ | 0.50/ | 1 10/ | 1 90/ | 1 40/ | 1 //0/ |
| | All | 93.7% | 0.2% | 0.5% | 1.1% | 1.8% | 1.4% | 1.4% |
| | Grade 7 | 99.1% | 0.0% | 0.1% | 0.1% | 0.2% | 0.2% | 0.2% |
| | Grade 8 | 97.6% | 0.1% | 0.2% | 0.5% | 0.6% | 0.5% | 0.5% |
| | Grade 9 | 94.5% | 0.3% | 0.6% | 0.9% | 1.7% | 1.2% | 0.9% |
| | Grade 10 | 91.3% | 0.3% | 0.8% | 1.6% | 2.6% | 1.7% | 1.6% |
| | Grade 11 | 89.3% | 0.3% | 0.6% | 2.0% | 2.9% | 2.3% | 2.6% |
| | Grade 12 | 88.6% | 0.2% | 0.5% | 1.9% | 3.1% | 2.7% | 3.0% |

Table D-2: How often do you normally use... (Continued)

| | | Never | Every | Several Times a | Several Times a | About Once a | About Once a | Less than Once a |
|-----------|----------|--------|-------|--------------------|--------------------|-----------------|-----------------|---------------------|
| D. I. 10 | | Used | Day | Week | Month | Month | Year | Year |
| Rohypnol? | | 00.00 | 0.4 | 0.454 | 0.004 | 0.454 | 0.454 | 0.70 |
| | All | 98.3% | 0.1% | 0.1% | 0.3% | 0.4% | 0.4% | 0.5% |
| | Grade 7 | 99.1% | 0.0% | 0.1% | 0.2% | 0.2% | 0.2% | 0.2% |
| | Grade 8 | 98.5% | 0.1% | 0.1% | 0.2% | 0.3% | 0.4% | 0.3% |
| | Grade 9 | 97.9% | 0.0% | 0.2% | 0.3% | 0.5% | 0.4% | 0.6% |
| | Grade 10 | 97.8% | 0.1% | 0.2% | 0.3% | 0.5% | 0.5% | 0.7% |
| | Grade 11 | 98.1% | 0.1% | 0.2% | 0.3% | 0.3% | 0.4% | 0.6% |
| | Grade 12 | 98.3% | 0.1% | 0.1% | 0.2% | 0.4% | 0.4% | 0.6% |
| Steroids? | | | | | | | | |
| | All | 98.7% | 0.2% | 0.1% | 0.1% | 0.2% | 0.2% | 0.5% |
| | Grade 7 | 98.9% | 0.1% | 0.1% | 0.1% | 0.1% | 0.3% | 0.4% |
| | Grade 8 | 98.6% | 0.2% | 0.0% | 0.1% | 0.2% | 0.2% | 0.6% |
| | Grade 9 | 98.9% | 0.2% | 0.1% | 0.2% | 0.1% | 0.2% | 0.5% |
| | Grade 10 | 98.5% | 0.2% | 0.1% | 0.2% | 0.2% | 0.3% | 0.5% |
| | Grade 11 | 98.6% | 0.2% | 0.2% | 0.2% | 0.1% | 0.2% | 0.4% |
| | Grade 12 | 98.5% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | 0.6% |
| Ecstasy? | | | | | | | | |
| · | All | 94.8% | 0.1% | 0.2% | 0.6% | 1.2% | 1.5% | 1.7% |
| | Grade 7 | 98.5% | 0.0% | 0.1% | 0.2% | 0.3% | 0.5% | 0.4% |
| | Grade 8 | 96.8% | 0.1% | 0.2% | 0.2% | 0.7% | 0.8% | 1.0% |
| | Grade 9 | 95.1% | 0.1% | 0.2% | 0.7% | 1.2% | 1.2% | 1.5% |
| | Grade 10 | 93.3% | 0.1% | 0.2% | 0.7% | 1.6% | 2.1% | 2.0% |
| | Grade 11 | 92.5% | 0.1% | 0.1% | 0.8% | 1.7% | 2.2% | 2.6% |
| | Grade 12 | 91.6% | 0.1% | 0.1% | 1.0% | 1.8% | 2.6% | 2.9% |
| Heroin? | 31440 12 | 71.070 | 0.170 | 0.170 | 1.070 | 11070 | 2.070 | 2.,,,, |
| nerom. | All | 98.7% | 0.1% | 0.1% | 0.1% | 0.2% | 0.3% | 0.6% |
| | Grade 7 | 99.0% | 0.0% | 0.1% | 0.1% | 0.2% | 0.3% | 0.4% |
| | Grade 8 | 98.5% | 0.0% | 0.1% | 0.1% | 0.2% | 0.3% | 0.4% |
| | Grade 9 | 98.6% | 0.1% | 0.1% | 0.2% | 0.2% | 0.3% | 0.6% |
| | | | 0.1% | 0.1% | 0.2% | 0.2% | 0.3% | 0.6% |
| | Grade 10 | 98.5% | | | | | | |
| | Grade 11 | 98.7% | 0.1% | 0.0% | 0.1% | 0.2% | 0.3% | 0.6% |
| | Grade 12 | 98.7% | 0.1% | 0.0% | 0.1% | 0.2% | 0.3% | 0.5% |

Table D-3: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|---------------|---------|---------|----------|----------|----------|
| Marijuana | | | | | |
| 11.5 | 12.2 | 12.8 | 13.5 | 14.2 | 14.8 |
| Cocaine | | | | | |
| 11.9 | 12.6 | 13.6 | 14.4 | 15.2 | 16.0 |
| Crack | | | | | |
| 11.6 | 12.3 | 13.5 | 14.0 | 14.7 | 15.7 |
| Hallucinogens | | | | | |
| 11.6 | 12.5 | 13.5 | 14.3 | 15.0 | 15.9 |
| Uppers | | | | | |
| 11.4 | 12.6 | 13.3 | 14.1 | 14.7 | 15.5 |
| Downers | | | | | |
| 11.5 | 12.5 | 13.2 | 14.0 | 14.7 | 15.4 |
| Rohypnol | | | | | |
| 11.0 | 12.5 | 13.1 | 13.7 | 14.3 | 15.1 |
| Steroids | | | | | |
| 11.1 | 11.9 | 12.7 | 13.4 | 14.1 | 15.2 |
| Ecstasy | | | | | |
| 11.9 | 13.0 | 13.7 | 14.6 | 15.4 | 16.0 |
| Heroin | | | | | |
| 11.7 | 12.4 | 13.4 | 14.0 | 14.9 | 15.4 |

Table D-4: Age of first use of marijuana by family situation:

| | Never | 9/Under | 10 to 11 | 12 to 13 | 14 to 15 | 16 to 17 | Over 17 |
|------------------------|-------|---------|----------|----------|----------|----------|---------|
| Two parent family | | | | | | | |
| All | 78.5% | 0.8% | 1.8% | 6.2% | 8.4% | 4.0% | 0.3% |
| Grade 7 | 93.1% | 0.9% | 1.9% | 3.8% | 0.3% | 0.0% | 0.0% |
| Grade 8 | 88.1% | 0.8% | 2.0% | 6.5% | 2.5% | 0.0% | 0.0% |
| Grade 9 | 80.4% | 1.0% | 2.2% | 7.8% | 8.2% | 0.3% | 0.0% |
| Grade 10 | 73.9% | 0.8% | 1.6% | 7.0% | 14.0% | 2.7% | 0.0% |
| Grade 11 | 67.2% | 0.8% | 1.7% | 6.5% | 14.0% | 9.7% | 0.1% |
| Grade 12 | 63.3% | 0.4% | 1.0% | 5.1% | 13.2% | 15.1% | 1.8% |
| Other family situation | | | | | | | |
| All | 63.6% | 2.4% | 4.6% | 11.8% | 12.5% | 4.7% | 0.4% |
| Grade 7 | 84.6% | 2.3% | 5.0% | 7.4% | 0.7% | 0.0% | 0.0% |
| Grade 8 | 74.9% | 2.5% | 5.5% | 12.6% | 4.3% | 0.0% | 0.1% |
| Grade 9 | 62.6% | 3.2% | 5.5% | 14.5% | 13.9% | 0.4% | 0.0% |
| Grade 10 | 55.6% | 2.6% | 4.5% | 13.7% | 20.1% | 3.6% | 0.0% |
| Grade 11 | 51.7% | 2.3% | 3.6% | 11.0% | 19.1% | 11.9% | 0.4% |
| Grade 12 | 48.1% | 1.3% | 2.7% | 10.3% | 18.5% | 16.8% | 2.4% |

Table D-5: If you wanted some, how difficult would it be to get..

| | | Never Heard Of | Impossible | Very Difficult | Somewhat Difficult | Somewhat Easy | Very Easy |
|----------------|----------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| Marijuana? | | | | | | | |
| | All | 11.8% | 26.8% | 9.2% | 10.5% | 14.4% | 27.3% |
| | Grade 7 | 19.6% | 50.9% | 9.0% | 5.8% | 5.8% | 8.9% |
| | Grade 8 | 12.5% | 40.3% | 11.0% | 9.6% | 10.1% | 16.4% |
| | Grade 9 | 11.4% | 24.8% | 10.5% | 11.6% | 14.7% | 26.9% |
| | Grade 10 | 9.2% | 17.0% | 9.2% | 12.6% | 17.0% | 35.0% |
| | Grade 11 | 8.5% | 12.7% | 7.8% | 11.5% | 19.7% | 39.8% |
| | Grade 12 | 7.9% | 9.0% | 6.6% | 12.6% | 21.6% | 42.3% |
| Cocaine? | | | | | | | |
| | All | 16.1% | 34.6% | 14.8% | 13.6% | 9.4% | 11.5% |
| | Grade 7 | 22.5% | 55.6% | 9.6% | 4.9% | 3.2% | 4.2% |
| | Grade 8 | 16.2% | 48.8% | 13.3% | 9.6% | 5.2% | 6.9% |
| | Grade 9 | 16.6% | 33.6% | 16.0% | 13.5% | 8.9% | 11.4% |
| | Grade 10 | 13.7% | 25.2% | 16.9% | 17.1% | 12.3% | 14.8% |
| | Grade 11 | 13.5% | 21.7% | 16.5% | 18.1% | 14.0% | 16.1% |
| | Grade 12 | 12.8% | 16.7% | 17.5% | 20.9% | 14.6% | 17.5% |
| Crack? | | | | | | | |
| | All | 17.5% | 35.5% | 16.0% | 13.5% | 8.3% | 9.3% |
| | Grade 7 | 23.3% | 54.9% | 9.7% | 5.0% | 3.0% | 4.1% |
| | Grade 8 | 16.9% | 49.0% | 13.7% | 8.9% | 5.1% | 6.2% |
| | Grade 9 | 17.6% | 34.2% | 17.3% | 12.6% | 8.7% | 9.6% |
| | Grade 10 | 15.4% | 26.8% | 18.3% | 17.0% | 10.4% | 12.0% |
| | Grade 11 | 15.6% | 23.5% | 18.2% | 18.6% | 12.0% | 12.2% |
| | Grade 12 | 15.1% | 18.7% | 20.3% | 21.6% | 11.7% | 12.7% |
| Hallucinogens? | | | | | | | |
| | All | 34.0% | 26.7% | 13.1% | 10.6% | 7.2% | 8.4% |
| | Grade 7 | 50.8% | 34.2% | 6.5% | 3.3% | 2.1% | 3.2% |
| | Grade 8 | 40.6% | 34.7% | 9.9% | 6.2% | 3.6% | 5.0% |
| | Grade 9 | 32.9% | 28.3% | 13.9% | 10.2% | 7.0% | 7.7% |
| | Grade 10 | 27.6% | 22.8% | 15.4% | 13.4% | 9.3% | 11.5% |
| | Grade 11 | 25.0% | 20.5% | 16.2% | 15.7% | 10.8% | 11.8% |
| | Grade 12 | 23.3% | 16.4% | 18.3% | 17.5% | 11.8% | 12.8% |
| Uppers? | | | | | | | |
| | All | 45.0% | 20.4% | 8.9% | 8.3% | 7.2% | 10.2% |
| | Grade 7 | 59.0% | 28.4% | 5.5% | 2.5% | 1.7% | 2.8% |
| | Grade 8 | 50.9% | 27.2% | 7.9% | 5.3% | 3.4% | 5.3% |
| | Grade 9 | 44.9% | 21.0% | 9.5% | 8.4% | 6.8% | 9.5% |
| | Grade 10 | 40.6% | 16.2% | 10.1% | 10.0% | 9.6% | 13.5% |
| | Grade 11 | 36.7% | 15.0% | 10.0% | 11.8% | 11.0% | 15.5% |
| | Grade 12 | 34.1% | 11.2% | 11.4% | 13.8% | 12.6% | 17.0% |
| Downers? | | | | | | | |
| | All | 45.0% | 20.5% | 8.8% | 8.2% | 7.3% | 10.3% |
| | Grade 7 | 58.9% | 28.6% | 5.4% | 2.7% | 1.7% | 2.8% |
| | Grade 8 | 51.1% | 27.2% | 7.8% | 5.1% | 3.4% | 5.4% |
| | Grade 9 | 45.0% | 21.0% | 9.3% | 8.3% | 6.9% | 9.5% |
| | Grade 10 | 40.6% | 16.3% | 9.9% | 9.7% | 9.7% | 13.9% |
| | Grade 11 | 36.4% | 15.1% | 9.8% | 11.6% | 11.2% | 15.8% |
| | Grade 12 | 33.9% | 11.3% | 11.5% | 13.6% | 12.8% | 17.0% |

Table D-5: If you wanted some, how difficult would it be to get.. Continued

| | | Never | | Very | Somewhat | Somewhat | |
|--|----------|----------|------------|-----------|-----------|----------|-----------|
| | | Heard Of | Impossible | Difficult | Difficult | Easy | Very Easy |
| Rohypnol? | | | | | | | |
| | All | 50.2% | 21.1% | 9.6% | 7.6% | 4.7% | 6.8% |
| | Grade 7 | 59.8% | 28.2% | 5.2% | 2.5% | 1.5% | 2.9% |
| | Grade 8 | 53.3% | 27.4% | 7.7% | 4.4% | 2.7% | 4.6% |
| | Grade 9 | 48.7% | 21.8% | 10.1% | 7.7% | 5.0% | 6.8% |
| | Grade 10 | 46.8% | 17.5% | 11.2% | 9.4% | 6.1% | 9.0% |
| | Grade 11 | 46.5% | 15.7% | 11.0% | 10.7% | 6.9% | 9.2% |
| | Grade 12 | 44.1% | 13.3% | 13.6% | 12.6% | 6.9% | 9.6% |
| Steroids? | | | | | | | |
| | All | 20.9% | 35.5% | 14.9% | 11.7% | 7.8% | 9.2% |
| | Grade 7 | 27.0% | 52.9% | 9.3% | 4.6% | 2.7% | 3.6% |
| | Grade 8 | 20.6% | 48.5% | 12.8% | 7.9% | 4.5% | 5.7% |
| | Grade 9 | 21.1% | 36.0% | 16.0% | 11.4% | 7.2% | 8.3% |
| | Grade 10 | 18.7% | 27.3% | 16.9% | 14.9% | 9.9% | 12.2% |
| | Grade 11 | 18.8% | 23.5% | 17.2% | 16.3% | 11.4% | 12.7% |
| | Grade 12 | 18.1% | 19.0% | 17.9% | 17.5% | 12.8% | 14.7% |
| Ecstasy? | | | | | | | |
| , and the second | All | 26.5% | 30.0% | 12.9% | 10.5% | 8.8% | 11.3% |
| | Grade 7 | 46.8% | 38.0% | 6.5% | 3.4% | 2.2% | 3.2% |
| | Grade 8 | 31.4% | 40.8% | 10.8% | 6.2% | 4.7% | 6.2% |
| | Grade 9 | 24.1% | 32.0% | 14.3% | 10.4% | 8.6% | 10.5% |
| | Grade 10 | 18.9% | 25.5% | 14.7% | 14.0% | 11.4% | 15.5% |
| | Grade 11 | 17.7% | 22.0% | 15.5% | 14.7% | 13.3% | 16.8% |
| | Grade 12 | 16.8% | 16.9% | 16.5% | 16.7% | 14.5% | 18.6% |
| Heroin? | | | | | | | |
| | All | 23.4% | 37.4% | 16.0% | 10.1% | 5.4% | 7.6% |
| | Grade 7 | 34.9% | 49.0% | 7.7% | 3.3% | 1.9% | 3.2% |
| | Grade 8 | 24.3% | 49.0% | 11.9% | 6.1% | 3.2% | 5.5% |
| | Grade 9 | 22.5% | 37.7% | 16.4% | 10.0% | 5.6% | 7.7% |
| | Grade 10 | 19.0% | 31.8% | 18.9% | 13.2% | 6.9% | 10.2% |
| | Grade 11 | 19.3% | 28.8% | 20.1% | 14.1% | 8.0% | 9.7% |
| | Grade 12 | 18.8% | 23.6% | 23.4% | 16.2% | 7.8% | 10.1% |

Table D-6: Since school began in the fall, on how many days (if any) have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|-----------|-----------|-----------|
| Attended class while high from mar | ijuana use? | | | |
| All | 90.0% | 5.5% | 1.8% | 2.8% |
| Grade 7 | 95.3% | 2.9% | 0.9% | 1.0% |
| Grade 8 | 92.9% | 4.5% | 1.2% | 1.4% |
| Grade 9 | 89.6% | 5.9% | 1.7% | 2.8% |
| Grade 10 | 87.7% | 6.6% | 2.3% | 3.5% |
| Grade 11 | 86.7% | 6.6% | 2.6% | 4.1% |
| Grade 12 | 86.4% | 6.7% | 2.3% | 4.7% |
| Attended class while high from use | of some other | drug? | | |
| All | 93.4% | 4.1% | 1.2% | 1.3% |
| Grade 7 | 96.7% | 2.2% | 0.5% | 0.6% |
| Grade 8 | 95.3% | 3.1% | 0.7% | 0.9% |
| Grade 9 | 92.5% | 4.7% | 1.4% | 1.4% |
| Grade 10 | 91.4% | 5.1% | 1.9% | 1.6% |
| Grade 11 | 91.6% | 5.1% | 1.5% | 1.8% |
| Grade 12 | 92.6% | 4.5% | 1.5% | 1.5% |
| Gotten into trouble with teachers be | ecause of your | drug use? | | |
| All | 98.4% | 1.1% | 0.2% | 0.3% |
| Grade 7 | 99.0% | 0.7% | 0.1% | 0.2% |
| Grade 8 | 98.4% | 1.1% | 0.2% | 0.3% |
| Grade 9 | 98.1% | 1.3% | 0.2% | 0.4% |
| Grade 10 | 97.9% | 1.6% | 0.2% | 0.3% |
| Grade 11 | 98.3% | 1.1% | 0.2% | 0.3% |
| Grade 12 | 98.7% | 1.0% | 0.2% | 0.2% |

Table D-7: School year use of marijuana by absences and conduct problems:

| | Average days absent due to illness or other reasons |
|----------------------|---|
| Marijuana Users: | 4.8 |
| Marijuana Non-users: | 3.9 |

| | Average days conduct problems reported |
|---------------------|--|
| Marijuana Users: | 5.1 |
| Marijuana Non-users | : 1.6 |

Table D-8: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|-------------------------------------|----------------|-----------|-----------|-----------|
| Driven a car when you've felt high | from drugs? | | | |
| All | 90.0% | 5.9% | 1.6% | 2.5% |
| Grade 9 | 95.4% | 3.0% | 0.8% | 0.8% |
| Grade 10 | 91.5% | 5.6% | 1.3% | 1.6% |
| Grade 11 | 87.0% | 7.4% | 2.2% | 3.5% |
| Grade 12 | 83.7% | 8.8% | 2.6% | 4.8% |
| Gotten into trouble with the police | because of dru | ıg use? | | |
| All | 97.4% | 2.0% | 0.3% | 0.3% |
| Grade 7 | 98.5% | 1.0% | 0.3% | 0.2% |
| Grade 8 | 97.9% | 1.6% | 0.3% | 0.3% |
| Grade 9 | 96.9% | 2.3% | 0.4% | 0.4% |
| Grade 10 | 96.9% | 2.6% | 0.3% | 0.3% |
| Grade 11 | 97.2% | 2.3% | 0.3% | 0.2% |
| Grade 12 | 97.2% | 2.5% | 0.1% | 0.1% |

Table D-9: About how many of your close friends use marijuana?

| | None | A Few | Some | Most | ALL |
|----------|-------|-------|-------|-------|------|
| All | 52.2% | 19.3% | 12.7% | 10.9% | 5.0% |
| Grade 7 | 78.3% | 10.4% | 4.5% | 4.2% | 2.6% |
| Grade 8 | 63.5% | 16.3% | 8.8% | 7.4% | 4.0% |
| Grade 9 | 49.3% | 20.3% | 13.2% | 11.5% | 5.7% |
| Grade 10 | 41.5% | 22.5% | 15.9% | 14.3% | 5.7% |
| Grade 11 | 38.0% | 23.3% | 17.5% | 14.7% | 6.5% |
| Grade 12 | 36.7% | 24.5% | 18.4% | 14.7% | 5.6% |

Table D-10: During the past twelve months, how many times have you..

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|--------------------------------------|----------------|------------------|-----------|-----------|
| Had difficulties of any kind with yo | ur friends bec | ause of your dr | ug use? | |
| All | 93.5% | 5.2% | 0.8% | 0.5% |
| Grade 7 | 96.7% | 2.7% | 0.4% | 0.3% |
| Grade 8 | 94.9% | 4.1% | 0.5% | 0.5% |
| Grade 9 | 92.8% | 5.6% | 1.0% | 0.7% |
| Grade 10 | 91.5% | 6.9% | 1.0% | 0.6% |
| Grade 11 | 92.4% | 6.2% | 0.9% | 0.4% |
| Grade 12 | 92.5% | 6.2% | 0.9% | 0.4% |
| Been criticized by someone you wer | e dating becar | use of drug use? | | |
| All | 93.6% | 4.7% | 0.8% | 0.7% |
| Grade 7 | 97.6% | 1.9% | 0.2% | 0.2% |
| Grade 8 | 95.3% | 3.4% | 0.6% | 0.6% |
| Grade 9 | 93.4% | 4.8% | 0.9% | 0.9% |
| Grade 10 | 91.7% | 6.2% | 1.1% | 0.9% |
| Grade 11 | 91.6% | 6.1% | 1.1% | 1.0% |
| Grade 12 | 91.4% | 6.4% | 1.1% | 0.8% |

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

| | Never | Seldom | Half the Time | Most of the Time | Always | Don't know | Didn't attend |
|----------|-------|--------|------------------|------------------|--------|------------|------------------|
| All | 51.5% | 10.8% | 7.4% | 8.0% | 8.3% | 2.8% | 11.3% |
| Grade 7 | 76.8% | 5.0% | 2.8% | 2.2% | 2.0% | 1.8% | 9.4% |
| Grade 8 | 67.7% | 8.5% | 4.5% | 4.4% | 3.7% | 2.4% | 8.8% |
| Grade 9 | 49.7% | 11.8% | 7.4% | 7.6% | 7.6% | 3.2% | 12.6% |
| Grade 10 | 40.6% | 12.9% | 10.0% | 10.5% | 10.6% | 3.3% | 12.0% |
| Grade 11 | 35.0% | 12.8% | 10.0% | 12.1% | 13.5% | 3.0% | 13.6% |
| Grade 12 | 32.5% | 14.5% | 11.1% | 13.2% | 14.3% | 3.0% | 11.5% |

Table D-12: How often, if ever, do you smoke marijuana in..

| | | | | Half | Most of | | _ |
|-----------------------|----------|-------|--------|----------|----------|--------|------------|
| CATEGORY | | Never | Seldom | the Time | the Time | Always | Don't know |
| Joints? | All | 80.1% | 8.2% | 4.4% | 3.7% | 2.6% | 1.0% |
| | Grade 7 | 90.8% | 3.1% | 2.1% | 1.7% | 1.4% | 0.8% |
| | Grade 8 | 85.8% | 5.0% | 3.2% | 3.0% | 2.1% | 1.0% |
| | Grade 9 | 79.6% | 7.3% | 4.4% | 4.4% | 3.1% | 1.1% |
| | Grade 10 | 76.3% | 9.3% | 5.4% | 4.6% | 3.3% | 1.1% |
| | Grade 11 | 73.0% | 12.5% | 6.1% | 4.4% | 3.3% | 0.7% |
| | Grade 12 | 72.5% | 13.7% | 6.0% | 4.2% | 2.6% | 1.0% |
| Blunts? | All | 80.1% | 6.6% | 3.9% | 4.1% | 4.4% | 0.9% |
| | Grade 7 | 91.3% | 2.7% | 2.0% | 1.7% | 1.5% | 0.9% |
| | Grade 8 | 86.5% | 4.3% | 2.7% | 2.7% | 2.9% | 0.9% |
| | Grade 9 | 80.1% | 6.1% | 4.2% | 3.9% | 4.7% | 1.1% |
| | Grade 10 | 75.7% | 7.7% | 4.7% | 5.2% | 5.8% | 1.1% |
| | Grade 11 | 72.3% | 10.4% | 4.7% | 5.8% | 6.1% | 0.7% |
| | Grade 12 | 71.4% | 10.1% | 5.4% | 6.1% | 6.1% | 0.9% |
| Bongs or water pipes? | All | 85.6% | 5.9% | 2.9% | 2.7% | 2.1% | 0.8% |
| | Grade 7 | 95.1% | 1.8% | 1.0% | 0.8% | 0.7% | 0.7% |
| | Grade 8 | 91.8% | 3.4% | 1.5% | 1.5% | 1.1% | 0.7% |
| | Grade 9 | 86.3% | 5.4% | 2.6% | 2.5% | 2.3% | 0.9% |
| | Grade 10 | 81.9% | 7.3% | 3.5% | 3.6% | 2.8% | 0.9% |
| | Grade 11 | 78.7% | 8.8% | 4.6% | 4.2% | 3.1% | 0.6% |
| | Grade 12 | 76.8% | 10.2% | 5.0% | 4.4% | 2.8% | 0.8% |
| Pipes? | All | 84.3% | 5.2% | 3.0% | 3.8% | 2.9% | 0.8% |
| | Grade 7 | 94.4% | 2.1% | 1.0% | 1.0% | 0.9% | 0.7% |
| | Grade 8 | 91.3% | 3.1% | 1.6% | 1.8% | 1.4% | 0.8% |
| | Grade 9 | 84.7% | 5.0% | 2.9% | 3.5% | 3.1% | 0.8% |
| | Grade 10 | 80.3% | 6.3% | 3.9% | 4.4% | 4.0% | 1.0% |
| | Grade 11 | 77.0% | 7.7% | 4.2% | 6.3% | 4.2% | 0.6% |
| | Grade 12 | 74.9% | 8.1% | 5.1% | 7.1% | 4.1% | 0.8% |
| Some other way? | All | 88.6% | 5.3% | 1.4% | 1.3% | 1.6% | 1.7% |
| | Grade 7 | 94.8% | 1.7% | 0.8% | 0.7% | 0.8% | 1.1% |
| | Grade 8 | 92.5% | 3.1% | 1.0% | 0.8% | 1.3% | 1.3% |
| | Grade 9 | 88.3% | 5.0% | 1.4% | 1.5% | 2.1% | 1.7% |
| | Grade 10 | 85.8% | 6.6% | 1.9% | 1.7% | 1.9% | 2.2% |
| | Grade 11 | 84.7% | 7.9% | 1.8% | 1.5% | 2.1% | 1.9% |
| | Grade 12 | 84.1% | 9.1% | 1.7% | 1.4% | 1.7% | 2.0% |

Table D-13: How do your parents feel about kids your age using marijuana?

| | Strongly Disapprove | Mildly Disapprove | Neither | Mildly Approve | Strongly Approve | Don't know |
|----------|------------------------|----------------------|---------|-------------------|---------------------|------------|
| All | 81.9% | 5.3% | 4.1% | 1.0% | 1.3% | 6.4% |
| Grade 7 | 84.3% | 2.1% | 2.0% | 0.5% | 1.4% | 9.7% |
| Grade 8 | 84.8% | 3.6% | 2.9% | 0.7% | 1.0% | 7.0% |
| Grade 9 | 81.8% | 5.0% | 3.8% | 1.2% | 1.4% | 6.7% |
| Grade 10 | 80.7% | 6.7% | 5.0% | 1.2% | 1.2% | 5.0% |
| Grade 11 | 80.2% | 7.3% | 5.4% | 1.1% | 1.4% | 4.6% |
| Grade 12 | 78.9% | 7.9% | 6.1% | 1.4% | 1.2% | 4.6% |

Table D-14: How dangerous do you think it is for kids your age to use...

| | | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know |
|------------|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|
| Marijuana? | | | | | | |
| | All | 60.8% | 17.2% | 11.1% | 7.1% | 3.8% |
| | Grade 7 | 80.1% | 9.1% | 3.8% | 2.3% | 4.6% |
| | Grade 8 | 71.7% | 13.1% | 7.0% | 4.1% | 4.1% |
| | Grade 9 | 60.2% | 17.7% | 11.0% | 7.2% | 3.9% |
| | Grade 10 | 53.1% | 20.6% | 13.6% | 9.0% | 3.7% |
| | Grade 11 | 49.0% | 21.7% | 15.7% | 10.6% | 3.0% |
| | Grade 12 | 46.1% | 22.9% | 17.3% | 10.6% | 3.1% |
| Cocaine? | | | | | | |
| | All | 83.5% | 9.4% | 1.8% | 0.9% | 4.4% |
| | Grade 7 | 86.3% | 6.5% | 1.3% | 0.8% | 5.0% |
| | Grade 8 | 84.3% | 8.6% | 1.6% | 0.9% | 4.7% |
| | Grade 9 | 81.8% | 10.4% | 2.0% | 1.1% | 4.7% |
| | Grade 10 | 81.1% | 11.3% | 2.1% | 1.1% | 4.4% |
| | Grade 11 | 82.9% | 10.4% | 2.1% | 1.0% | 3.5% |
| | Grade 12 | 84.6% | 9.5% | 1.5% | 0.8% | 3.6% |
| Crack? | | | | | | |
| | All | 85.1% | 8.0% | 1.4% | 0.9% | 4.6% |
| | Grade 7 | 86.7% | 6.3% | 1.2% | 0.7% | 5.2% |
| | Grade 8 | 84.7% | 7.9% | 1.6% | 0.9% | 4.8% |
| | Grade 9 | 83.2% | 9.2% | 1.7% | 1.1% | 4.8% |
| | Grade 10 | 83.3% | 9.5% | 1.5% | 0.8% | 4.8% |
| | Grade 11 | 85.9% | 8.0% | 1.3% | 0.9% | 3.9% |
| | Grade 12 | 87.9% | 6.8% | 0.9% | 0.8% | 3.7% |
| Ecstasy? | | | | | | |
| | All | 81.5% | 8.9% | 2.2% | 1.1% | 6.3% |
| | Grade 7 | 82.4% | 5.7% | 1.2% | 0.8% | 9.9% |
| | Grade 8 | 81.8% | 7.4% | 2.0% | 1.1% | 7.7% |
| | Grade 9 | 80.6% | 9.7% | 2.3% | 1.3% | 6.0% |
| | Grade 10 | 80.7% | 10.5% | 2.6% | 1.0% | 5.2% |
| | Grade 11 | 81.9% | 10.2% | 2.6% | 1.2% | 4.1% |
| | Grade 12 | 82.0% | 10.6% | 2.5% | 1.0% | 3.9% |
| Steroids? | | | | | | |
| | All | 74.9% | 14.1% | 4.0% | 1.4% | 5.5% |
| | Grade 7 | 79.7% | 9.8% | 2.7% | 1.1% | 6.7% |
| | Grade 8 | 76.3% | 12.5% | 3.6% | 1.4% | 6.2% |
| | Grade 9 | 73.2% | 15.3% | 4.1% | 1.7% | 5.8% |
| | Grade 10 | 72.5% | 16.1% | 4.9% | 1.3% | 5.3% |
| | Grade 11 | 73.3% | 16.0% | 4.7% | 1.6% | 4.5% |
| | Grade 12 | 74.6% | 15.7% | 4.0% | 1.4% | 4.3% |
| Heroin? | | | | | | |
| | All | 86.9% | 5.7% | 0.9% | 0.8% | 5.7% |
| | Grade 7 | 85.4% | 5.2% | 0.9% | 0.6% | 7.8% |
| | Grade 8 | 85.5% | 5.9% | 1.1% | 0.8% | 6.7% |
| | Grade 9 | 85.8% | 6.8% | 0.9% | 0.9% | 5.6% |
| | Grade 10 | 86.9% | 6.4% | 0.9% | 0.7% | 5.1% |
| | Grade 11 | 89.0% | 5.0% | 0.7% | 1.0% | 4.3% |
| | Grade 12 | 90.3% | 4.6% | 0.5% | 0.7% | 3.9% |

Table D-15: How recently, if ever, have you taken...

| | | Past | School | Ever | Never |
|----------------|----------|-------|--------|-------|-------|
| | | Month | Year | Used | Used |
| DXM, Triple C? | | | | | |
| | All | 1.4% | 3.2% | 5.4% | 94.6% |
| | Grade 7 | 0.4% | 1.6% | 2.6% | 97.4% |
| | Grade 8 | 0.6% | 2.0% | 3.2% | 96.8% |
| | Grade 9 | 1.4% | 3.7% | 5.5% | 94.5% |
| | Grade 10 | 2.0% | 4.6% | 7.3% | 92.7% |
| | Grade 11 | 2.0% | 4.1% | 7.2% | 92.8% |
| | Grade 12 | 1.8% | 3.5% | 7.6% | 92.4% |
| Codeine? | | | | | |
| | All | 2.4% | 5.8% | 9.0% | 91.0% |
| | Grade 7 | 0.6% | 1.8% | 3.3% | 96.7% |
| | Grade 8 | 1.2% | 3.3% | 5.6% | 94.4% |
| | Grade 9 | 2.3% | 5.9% | 8.7% | 91.3% |
| | Grade 10 | 3.4% | 8.1% | 11.8% | 88.2% |
| | Grade 11 | 3.8% | 8.2% | 12.5% | 87.5% |
| | Grade 12 | 3.9% | 8.0% | 13.7% | 86.3% |

Table I-1: How recently, if ever, have you used...

| | | Past | School | Ever | Never |
|---------------------------|----------|-------|--------|-------|-------|
| Any inhalant? | | Month | Year | Used | Used |
| Any milatant. | All | 5.6% | 8.4% | 16.3% | 83.7% |
| | Grade 7 | 8.0% | 10.8% | 18.4% | 81.6% |
| | Grade 8 | 7.2% | 10.8% | 19.9% | 80.1% |
| | Grade 9 | 6.0% | 9.0% | 17.5% | 82.5% |
| | Grade 10 | 4.8% | 7.6% | 15.8% | 84.2% |
| | Grade 11 | 3.8% | 5.8% | 13.1% | 86.9% |
| | Grade 12 | 3.0% | 4.9% | 11.6% | 88.4% |
| Liquid or spray paint? | | | | | |
| | All | 1.4% | 2.4% | 6.5% | 93.5% |
| | Grade 7 | 1.9% | 3.1% | 6.8% | 93.2% |
| | Grade 8 | 2.0% | 3.5% | 8.6% | 91.4% |
| | Grade 9 | 1.5% | 2.6% | 7.3% | 92.7% |
| | Grade 10 | 1.2% | 2.0% | 6.4% | 93.6% |
| | Grade 11 | 0.6% | 1.3% | 5.0% | 95.0% |
| | Grade 12 | 0.9% | 1.4% | 4.3% | 95.7% |
| Whiteout, correction fld? | | | | | |
| | All | 1.4% | 2.5% | 6.3% | 93.7% |
| | Grade 7 | 2.4% | 3.9% | 7.8% | 92.2% |
| | Grade 8 | 1.9% | 3.7% | 8.7% | 91.3% |
| | Grade 9 | 1.4% | 2.6% | 7.1% | 92.9% |
| | Grade 10 | 0.9% | 1.8% | 5.6% | 94.4% |
| | Grade 11 | 0.7% | 1.3% | 4.0% | 96.0% |
| | Grade 12 | 0.7% | 1.0% | 3.1% | 96.9% |
| Gasoline? | | | | | |
| | All | 1.1% | 1.7% | 4.0% | 96.0% |
| | Grade 7 | 1.6% | 2.2% | 4.6% | 95.4% |
| | Grade 8 | 1.6% | 2.4% | 5.2% | 94.8% |
| | Grade 9 | 1.1% | 1.7% | 4.2% | 95.8% |
| | Grade 10 | 0.9% | 1.5% | 3.8% | 96.2% |
| | Grade 11 | 0.6% | 0.9% | 2.9% | 97.1% |
| | Grade 12 | 0.7% | 1.0% | 2.6% | 97.4% |
| Freon? | | | | | |
| | All | 0.5% | 0.8% | 1.8% | 98.2% |
| | Grade 7 | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 0.6% | 1.0% | 2.0% | 98.0% |
| | Grade 10 | 0.5% | 0.9% | 2.1% | 97.9% |
| | Grade 11 | 0.4% | 0.8% | 1.9% | 98.1% |
| | Grade 12 | 0.5% | 0.8% | 2.1% | 97.9% |
| Poppers, Locker Room? | | | | | |
| | All | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.9% | 1.3% | 2.1% | 97.9% |
| | Grade 8 | 0.6% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 10 | 0.5% | 0.9% | 1.8% | 98.2% |
| | Grade 11 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 12 | 0.4% | 0.6% | 1.2% | 98.8% |

Table I-1: How recently, if ever, have you used... (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------------|----------|---------------|----------------|--------------|---------------|
| Glue? | | | | | |
| | All | 0.8% | 1.3% | 3.4% | 96.6% |
| | Grade 7 | 1.3% | 2.0% | 4.6% | 95.4% |
| | Grade 8 | 1.1% | 1.9% | 4.3% | 95.7% |
| | Grade 9 | 0.7% | 1.3% | 3.4% | 96.6% |
| | Grade 10 | 0.6% | 1.0% | 3.1% | 96.9% |
| | Grade 11 | 0.5% | 0.8% | 2.2% | 97.8% |
| | Grade 12 | 0.4% | 0.6% | 1.9% | 98.1% |
| Paint,lacquer thinner? | | | | | |
| | All | 1.0% | 1.7% | 4.1% | 95.9% |
| | Grade 7 | 1.3% | 2.1% | 4.0% | 96.0% |
| | Grade 8 | 1.2% | 2.4% | 5.2% | 94.8% |
| | Grade 9 | 1.2% | 1.9% | 4.9% | 95.1% |
| | Grade 10 | 0.8% | 1.4% | 4.0% | 96.0% |
| | Grade 11 | 0.6% | 1.2% | 3.1% | 96.9% |
| | Grade 12 | 0.6% | 1.1% | 2.7% | 97.3% |
| Nitrous oxide? | | | | | |
| | All | 1.2% | 2.1% | 4.7% | 95.3% |
| | Grade 7 | 1.0% | 1.6% | 3.3% | 96.7% |
| | Grade 8 | 1.3% | 2.2% | 4.6% | 95.4% |
| | Grade 9 | 1.2% | 2.2% | 4.7% | 95.3% |
| | Grade 10 | 1.2% | 2.2% | 5.2% | 94.8% |
| | Grade 11 | 1.3% | 2.2% | 5.3% | 94.7% |
| | Grade 12 | 1.2% | 2.3% | 5.2% | 94.8% |
| Octane booster? | | | | | |
| | All | 0.4% | 0.5% | 1.0% | 99.0% |
| | Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.3% | 0.6% | 1.0% | 99.0% |
| | Grade 9 | 0.4% | 0.6% | 1.1% | 98.9% |
| | Grade 10 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 11 | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 12 | 0.4% | 0.5% | 0.8% | 99.2% |
| Other sprays? | | | | | |
| | All | 1.1% | 1.8% | 3.9% | 96.1% |
| | Grade 7 | 1.7% | 2.7% | 5.2% | 94.8% |
| | Grade 8 | 1.5% | 2.6% | 5.4% | 94.6% |
| | Grade 9 | 1.1% | 2.1% | 4.3% | 95.7% |
| | Grade 10 | 0.8% | 1.4% | 3.7% | 96.3% |
| | Grade 11 | 0.5% | 1.0% | 2.4% | 97.6% |
| | Grade 12 | 0.4% | 0.8% | 1.8% | 98.2% |
| Other inhalants? | | | | | |
| | All | 2.7% | 4.2% | 8.5% | 91.5% |
| | Grade 7 | 3.6% | 5.5% | 10.3% | 89.7% |
| | Grade 8 | 3.3% | 5.3% | 10.6% | 89.4% |
| | Grade 9 | 3.2% | 5.0% | 9.8% | 90.2% |
| | Grade 10 | 2.5% | 3.8% | 8.1% | 91.9% |
| | Grade 11 | 1.7% | 2.6% | 6.1% | 93.9% |
| | Grade 12 | 1.1% | 1.9% | 4.7% | 95.3% |

Table I-2: How often do you normally use inhalants?

| | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|----------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| All | 92.5% | 0.2% | 0.4% | 0.7% | 1.3% | 1.5% | 3.3% |
| Grade 7 | 91.2% | 0.4% | 0.8% | 1.3% | 1.8% | 1.9% | 2.5% |
| Grade 8 | 90.1% | 0.3% | 0.7% | 1.2% | 2.3% | 1.8% | 3.6% |
| Grade 9 | 91.6% | 0.2% | 0.6% | 0.8% | 1.6% | 1.6% | 3.7% |
| Grade 10 | 92.9% | 0.1% | 0.3% | 0.5% | 1.0% | 1.6% | 3.7% |
| Grade 11 | 94.6% | 0.1% | 0.1% | 0.4% | 0.5% | 1.1% | 3.2% |
| Grade 12 | 95.5% | 0.1% | 0.0% | 0.1% | 0.5% | 0.9% | 2.8% |

I-3: Number of different kinds of inhalants used

| | None | One | Two to Three | Four Plus |
|----------|-------|------|--------------|-----------|
| All | 86.1% | 5.8% | 4.7% | 3.4% |
| Grade 7 | 84.5% | 6.3% | 5.5% | 3.7% |
| Grade 8 | 83.1% | 6.3% | 6.3% | 4.3% |
| Grade 9 | 85.2% | 5.8% | 5.2% | 3.8% |
| Grade 10 | 86.6% | 5.7% | 4.1% | 3.6% |
| Grade 11 | 88.8% | 5.1% | 3.7% | 2.4% |
| Grade 12 | 89.8% | 5.3% | 2.9% | 2.1% |

Table I-4: Average age of first use of:

| Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|-----------|---------|---------|----------|----------|----------|
| Inhalants | | | | | |
| 10.8 | 11.4 | 12.0 | 12.6 | 13.0 | 13.8 |

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

| | None | 1-3 Times | 4-9 Times | 10+ Times |
|----------|-------|-----------|-----------|-----------|
| | | | | |
| All | 97.6% | 1.6% | 0.4% | 0.4% |
| Grade 7 | 96.8% | 2.3% | 0.5% | 0.4% |
| Grade 8 | 96.5% | 2.4% | 0.5% | 0.5% |
| Grade 9 | 97.2% | 1.8% | 0.4% | 0.6% |
| Grade 10 | 98.0% | 1.4% | 0.3% | 0.3% |
| Grade 11 | 98.6% | 0.9% | 0.2% | 0.4% |
| Grade 12 | 98.7% | 0.8% | 0.3% | 0.2% |

Table I-6: School year use of inhalants by absences and conduct problems:

| | Average days absent due to illness or other reasons | | |
|----------------------|---|--|--|
| Inhalants Users: | 5.0 | | |
| Inhalants Non-users: | 3.9 | | |

| | Average days conduct problems reported | | |
|----------------------|--|--|--|
| Inhalants Users: | 5.1 | | |
| Inhalants Non-users: | 1.9 | | |

Table I-7: About how many of your close friends use inhalants?

| | None | A Few | Some | Most | ALL |
|----------|-------|-------|------|------|------|
| All | 84.1% | 10.4% | 3.2% | 1.2% | 1.2% |
| Grade 7 | 83.9% | 9.8% | 3.5% | 1.6% | 1.2% |
| Grade 8 | 81.6% | 11.3% | 4.1% | 1.4% | 1.6% |
| Grade 9 | 81.7% | 12.2% | 3.6% | 1.4% | 1.1% |
| Grade 10 | 83.4% | 11.4% | 3.3% | 1.1% | 0.9% |
| Grade 11 | 86.8% | 9.1% | 2.3% | 0.7% | 1.0% |
| Grade 12 | 88.8% | 7.5% | 1.8% | 0.7% | 1.3% |

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

| | *7 | G 1 . | NT 4 | NT 4 4 111 | | |
|----------|-------------------|-----------------------|-----------------------|-------------------------|-------------|--|
| | Very Dangerous | Somewhat Dangerous | Not very Dangerous | Not at All Dangerous | Do Not Know | |
| All | 74.6% | 15.5% | 3.6% | 1.2% | 5.1% | |
| Grade 7 | 77.6% | 11.8% | 3.5% | 1.2% | 6.0% | |
| Grade 8 | 74.1% | 15.1% | 3.9% | 1.3% | 5.5% | |
| Grade 9 | 72.6% | 16.8% | 4.0% | 1.5% | 5.1% | |
| Grade 10 | 72.5% | 17.3% | 4.0% | 1.2% | 5.0% | |
| Grade 11 | 74.7% | 16.6% | 3.2% | 1.2% | 4.3% | |
| Grade 12 | 76.5% | 15.5% | 2.6% | 0.9% | 4.5% | |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|-----------------------|----------------------|----------------|
| A school health class | All | 47.7% |
| | Grade 7 | 46.2% |
| | Grade 8 | 49.4% |
| | Grade 9 | 57.4% |
| | Grade 10 | 51.3% |
| | Grade 11 | 40.7% |
| | Grade 12 | 37.3% |
| An assembly program | All | 48.6% |
| | Grade 7 | 51.2% |
| | Grade 8 | 55.9% |
| | Grade 9 | 48.9% |
| | Grade 10 | 45.6% |
| | Grade 11 | 42.7% |
| | Grade 12 | 46.3% |
| Guidance counselor | All | 21.4% |
| | Grade 7 | 28.1% |
| | Grade 8 | 29.0% |
| | Grade 9 | 21.2% |
| | Grade 10 | 17.5% |
| | Grade 11 | 15.5% |
| | Grade 12 | 16.1% |
| Science class | All | 31.7% |
| | Grade 7 | 45.7% |
| | Grade 8 | 36.9% |
| | Grade 9 | 31.9% |
| | Grade 10 | 31.1% |
| | Grade 11 | 22.9% |
| | Grade 12 | 18.7% |
| Social studies class | All | 12.7% |
| | Grade 7 | 13.4% |
| | Grade 8 | 12.8% |
| | Grade 9 | 12.6% |
| | Grade 10 | 11.9% |
| | Grade 11 | 13.0% |
| C4-14 | Grade 12 | 12.6% |
| Student group session | All | 14.5% |
| | Grade 7 | 14.0% |
| | Grade 8 Grade 9 | 14.5% |
| | Grade 9 Grade 10 | 13.7% 14.4% |
| | Grade 10 Grade 11 | 14.4% |
| | | |
| | Grade 12 | 15.8% |

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

(Continued)

| CATEGORY | | Yes |
|--------------------------|----------|-------|
| An invited school guest | All | 33.8% |
| | Grade 7 | 38.5% |
| | Grade 8 | 41.1% |
| | Grade 9 | 34.0% |
| | Grade 10 | 29.9% |
| | Grade 11 | 27.8% |
| | Grade 12 | 30.2% |
| Another source at school | All | 32.8% |
| | Grade 7 | 33.8% |
| | Grade 8 | 35.6% |
| | Grade 9 | 33.9% |
| | Grade 10 | 33.0% |
| | Grade 11 | 30.2% |
| | Grade 12 | 29.3% |
| Any school source | All | 61.1% |
| | Grade 7 | 59.6% |
| | Grade 8 | 63.8% |
| | Grade 9 | 63.9% |
| | Grade 10 | 61.7% |
| | Grade 11 | 58.2% |
| | Grade 12 | 58.0% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

| CATEGORY | | Yes |
|---------------------------|----------|-------|
| A counselor or program in | All | 30.6% |
| | Grade 7 | 43.0% |
| | Grade 8 | 33.9% |
| | Grade 9 | 30.7% |
| | Grade 10 | 26.1% |
| | Grade 11 | 23.6% |
| | Grade 12 | 23.5% |
| Another adult in school (| All | 29.9% |
| | Grade 7 | 37.8% |
| | Grade 8 | 32.1% |
| | Grade 9 | 28.7% |
| | Grade 10 | 26.1% |
| | Grade 11 | 26.5% |
| | Grade 12 | 27.1% |
| A counselor or program ou | All | 37.3% |
| | Grade 7 | 40.6% |
| | Grade 8 | 37.0% |
| | Grade 9 | 36.5% |
| | Grade 10 | 36.1% |
| | Grade 11 | 36.2% |
| | Grade 12 | 37.3% |
| Your parents | All | 59.1% |
| | Grade 7 | 68.2% |
| | Grade 8 | 60.9% |
| | Grade 9 | 56.5% |
| | Grade 10 | 55.6% |
| | Grade 11 | 55.4% |
| | Grade 12 | 56.9% |
| A medical doctor | All | 41.8% |
| | Grade 7 | 50.6% |
| | Grade 8 | 42.2% |
| | Grade 9 | 39.9% |
| | Grade 10 | 38.4% |
| | Grade 11 | 38.1% |
| | Grade 12 | 40.8% |
| Your friends | All | 72.4% |
| | Grade 7 | 62.4% |
| | Grade 8 | 69.0% |
| | Grade 9 | 73.0% |
| | Grade 10 | 76.3% |
| | Grade 11 | 76.9% |
| | Grade 12 | 78.5% |

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

(Continued)

| CATEGORY | | Yes |
|---------------------------|----------|-------|
| Another adult (a relative | All | 59.8% |
| | Grade 7 | 61.5% |
| | Grade 8 | 59.4% |
| | Grade 9 | 59.4% |
| | Grade 10 | 59.5% |
| | Grade 11 | 59.5% |
| | Grade 12 | 59.6% |

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

| CATE | GORY | Yes |
|-----------|----------|------|
| Seek Help | All | 6.8% |
| | Grade 7 | 7.0% |
| | Grade 8 | 6.8% |
| | Grade 9 | 7.8% |
| | Grade 10 | 6.9% |
| | Grade 11 | 6.1% |
| | Grade 12 | 5.4% |

Table X-4: About how many of your friends:

| | None | A Few | Some | Most | ALL |
|----------------------------------|-------|-------|-------|-------|-------|
| Feel close to their parents? | | | | | |
| All | 5.0% | 26.3% | 26.0% | 34.1% | 8.6% |
| Grade 7 | 7.2% | 24.3% | 21.4% | 32.3% | 14.7% |
| Grade 8 | 5.7% | 25.6% | 25.2% | 33.5% | 10.0% |
| Grade 9 | 5.4% | 28.2% | 26.4% | 32.4% | 7.6% |
| Grade 10 | 3.9% | 27.4% | 28.2% | 34.4% | 6.1% |
| Grade 11 | 3.6% | 26.2% | 28.1% | 35.8% | 6.3% |
| Grade 12 | 3.5% | 25.6% | 27.0% | 37.9% | 6.0% |
| Sometimes carry weapons? | | | | | |
| All | 62.6% | 22.1% | 9.7% | 4.0% | 1.5% |
| Grade 7 | 76.9% | 14.7% | 5.2% | 2.2% | 1.0% |
| Grade 8 | 66.0% | 21.0% | 8.6% | 3.3% | 1.1% |
| Grade 9 | 60.5% | 23.4% | 10.2% | 4.3% | 1.6% |
| Grade 10 | 56.1% | 25.2% | 11.7% | 4.9% | 2.1% |
| Grade 11 | 57.7% | 24.4% | 11.7% | 4.5% | 1.6% |
| Grade 12 | 56.8% | 24.6% | 11.5% | 5.1% | 2.0% |
| Care about making good grades? | ? | | | | |
| All | 2.9% | 14.1% | 22.8% | 42.4% | 17.8% |
| Grade 7 | 3.9% | 15.7% | 19.9% | 35.9% | 24.5% |
| Grade 8 | 3.1% | 15.9% | 23.0% | 38.4% | 19.7% |
| Grade 9 | 3.2% | 15.7% | 24.4% | 40.9% | 15.8% |
| Grade 10 | 2.7% | 13.5% | 24.2% | 45.1% | 14.5% |
| Grade 11 | 2.1% | 11.4% | 22.2% | 47.9% | 16.4% |
| Grade 12 | 2.1% | 10.9% | 23.2% | 48.3% | 15.5% |
| Belong/want to belong to a gang? | | | | | |
| All | 71.6% | 15.1% | 7.5% | 4.0% | 1.8% |
| Grade 7 | 72.5% | 14.6% | 7.0% | 4.0% | 1.9% |
| Grade 8 | 67.5% | 16.9% | 8.7% | 5.1% | 1.8% |
| Grade 9 | 67.2% | 17.4% | 8.6% | 4.8% | 2.0% |
| Grade 10 | 70.8% | 15.4% | 7.9% | 4.0% | 2.0% |
| Grade 11 | 75.3% | 13.5% | 6.5% | 3.4% | 1.4% |
| Grade 12 | 79.2% | 11.4% | 5.7% | 2.3% | 1.4% |
| Wish they could drop out of scho | ool? | | | | |
| All | 59.0% | 26.7% | 8.7% | 3.4% | 2.2% |
| Grade 7 | 65.8% | 21.7% | 6.8% | 3.4% | 2.3% |
| Grade 8 | 61.6% | 25.2% | 7.6% | 3.6% | 2.0% |
| Grade 9 | 54.9% | 28.9% | 9.8% | 4.0% | 2.3% |
| Grade 10 | 53.6% | 30.2% | 10.2% | 3.6% | 2.3% |
| Grade 11 | 57.2% | 28.3% | 9.5% | 3.1% | 2.0% |
| Grade 12 | 61.3% | 26.0% | 7.9% | 2.6% | 2.1% |

Table X-5: How safe do you feel when you are:

| - | | Somewha | Not Very | Not Safe | Don't |
|---------------------------|-----------|---------|----------|----------|-------|
| | Very Safe | t Safe | Safe | at All | Know |
| In your home? | | | | | |
| All | 78.5% | 18.7% | 1.3% | 0.5% | 1.1% |
| Grade 7 | 76.6% | 19.8% | 1.6% | 0.6% | 1.4% |
| Grade 8 | 75.9% | 20.9% | 1.5% | 0.4% | 1.3% |
| Grade 9 | 76.4% | 20.6% | 1.3% | 0.4% | 1.3% |
| Grade 10 | 78.3% | 18.8% | 1.2% | 0.6% | 0.9% |
| Grade 11 | 82.2% | 15.6% | 1.0% | 0.4% | 0.8% |
| Grade 12 | 83.5% | 14.7% | 0.9% | 0.4% | 0.6% |
| Out in your neighbourhood | | | | | |
| All | 41.1% | 46.0% | 8.5% | 2.4% | 2.0% |
| Grade 7 | 33.6% | 48.9% | 11.5% | 3.0% | 3.0% |
| Grade 8 | 36.0% | 49.7% | 9.4% | 2.6% | 2.2% |
| Grade 9 | 38.6% | 47.9% | 8.7% | 2.4% | 2.4% |
| Grade 10 | 44.1% | 44.1% | 7.6% | 2.4% | 1.8% |
| Grade 11 | 46.7% | 43.5% | 6.7% | 1.9% | 1.2% |
| Grade 12 | 51.1% | 39.7% | 6.2% | 1.9% | 1.2% |
| At school | | | | | |
| All | 35.8% | 48.3% | 9.0% | 4.0% | 2.8% |
| Grade 7 | 41.1% | 43.3% | 8.5% | 3.8% | 3.4% |
| Grade 8 | 40.4% | 45.8% | 7.5% | 3.2% | 3.1% |
| Grade 9 | 31.2% | 51.2% | 10.1% | 4.0% | 3.3% |
| Grade 10 | 31.3% | 51.2% | 10.0% | 4.7% | 2.8% |
| Grade 11 | 32.9% | 51.0% | 9.5% | 4.5% | 2.2% |
| Grade 12 | 38.9% | 46.9% | 8.4% | 3.9% | 1.9% |

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

| CATEGORY | | Yes |
|--------------------------|----------|-------|
| A website or online chat | All | 24.3% |
| | Grade 7 | 17.2% |
| | Grade 8 | 22.5% |
| | Grade 9 | 25.4% |
| | Grade 10 | 27.2% |
| | Grade 11 | 27.1% |
| | Grade 12 | 27.5% |
| Books, magazines, poster | All | 49.0% |
| | Grade 7 | 43.7% |
| | Grade 8 | 49.9% |
| | Grade 9 | 50.7% |
| | Grade 10 | 52.1% |
| | Grade 11 | 49.8% |
| | Grade 12 | 47.3% |
| TV, radio, or other audi | All | 55.4% |
| | Grade 7 | 50.7% |
| | Grade 8 | 56.1% |
| | Grade 9 | 56.9% |
| | Grade 10 | 57.5% |
| | Grade 11 | 56.3% |
| | Grade 12 | 55.0% |
| Your parents | All | 49.8% |
| | Grade 7 | 52.8% |
| | Grade 8 | 53.1% |
| | Grade 9 | 50.8% |
| | Grade 10 | 49.7% |
| | Grade 11 | 46.4% |
| | Grade 12 | 44.3% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | MIMIMI | 1 cai | Oscu | Oscu |
| All | 15.0% | 20.5% | 34.8% | 65.2% |
| Grade 7 | 6.1% | 8.9% | 19.0% | 81.0% |
| Grade 8 | 8.8% | 13.5% | 26.8% | 73.2% |
| Grade 9 | 14.0% | 19.9% | 35.2% | 64.8% |
| Grade 10 | 17.5% | 24.0% | 39.6% | 60.4% |
| Grade 11 | 21.6% | 28.0% | 43.9% | 56.1% |
| Grade 12 | 25.3% | 33.0% | 48.7% | 51.3% |
| Alcohol | | | | |
| All | 30.8% | 43.1% | 65.6% | 34.4% |
| Grade 7 | 16.0% | 22.9% | 47.0% | 53.0% |
| Grade 8 | 22.3% | 33.1% | 59.3% | 40.7% |
| Grade 9 | 30.6% | 43.6% | 67.1% | 32.9% |
| Grade 10 | 36.1% | 50.8% | 72.3% | 27.7% |
| Grade 11 | 39.4% | 54.2% | 74.6% | 25.4% |
| Grade 12 | 45.2% | 59.8% | 77.4% | 22.6% |
| Inhalants | | | | |
| All | 5.6% | 8.4% | 16.3% | 83.7% |
| Grade 7 | 8.0% | 10.8% | 18.4% | 81.6% |
| Grade 8 | 7.2% | 10.8% | 19.9% | 80.1% |
| Grade 9 | 6.0% | 9.0% | 17.5% | 82.5% |
| Grade 10 | 4.8% | 7.6% | 15.8% | 84.2% |
| Grade 11 | 3.8% | 5.8% | 13.1% | 86.9% |
| Grade 12 | 3.0% | 4.9% | 11.6% | 88.4% |
| Any Illicit Drug | | | | |
| All | 12.7% | 18.1% | 28.2% | 71.8% |
| Grade 7 | 4.8% | 6.6% | 11.2% | 88.8% |
| Grade 8 | 7.6% | 11.1% | 18.3% | 81.7% |
| Grade 9 | 12.6% | 18.1% | 27.8% | 72.2% |
| Grade 10 | 15.8% | 22.6% | 34.2% | 65.8% |
| Grade 11 | 18.6% | 26.1% | 40.1% | 59.9% |
| Grade 12 | 19.3% | 27.7% | 42.9% | 57.1% |
| Marijuana | | | | |
| All | 11.2% | 16.7% | 26.8% | 73.2% |
| Grade 7 | 4.0% | 5.6% | 9.7% | 90.3% |
| Grade 8 | 6.7% | 10.1% | 16.8% | 83.2% |
| Grade 9 | 11.0% | 16.5% | 26.1% | 73.9% |
| Grade 10 | 13.7% | 20.7% | 32.8% | 67.2% |
| Grade 11 | 16.8% | 24.6% | 38.8% | 61.2% |
| Grade 12 | 17.6% | 26.3% | 41.9% | 58.1% |
| Marijuana Only | | | | |
| All | 4.5% | 7.5% | 14.5% | 85.5% |
| Grade 7 | 2.0% | 3.0% | 5.7% | 94.3% |
| Grade 8 | 3.2% | 5.0% | 9.9% | 90.1% |
| Grade 9 | 4.9% | 7.8% | 14.6% | 85.4% |
| Grade 10 | 5.2% | 9.0% | 17.2% | 82.8% |
| Grade 11 | 6.3% | 10.4% | 20.3% | 79.7% |
| Grade 12 | 6.4% | 11.2% | 21.7% | 78.3% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | | Past | School | Ever | Never |
|------------------|---------------------|--------------|--------------|--------------|----------------|
| Cocaine or Crack | | Month | Year | Used | Used |
| Cocame of Crack | All | 2.4% | 3.9% | 6.9% | 93.1% |
| | Grade 7 | 0.9% | 1.4% | 3.1% | 96.9% |
| | Grade 8 | 1.4% | 2.2% | 4.1% | 95.9% |
| | Grade 9 | 2.3% | 3.7% | 6.2% | 93.8% |
| | Grade 10 | 2.7% | 4.7% | 8.0% | 92.0% |
| | Grade 11 | 3.8% | 6.1% | 10.4% | 89.6% |
| | Grade 12 | 3.8% | 6.4% | 11.3% | 88.7% |
| Cocaine | | | | | |
| | All | 2.2% | 3.6% | 6.3% | 93.7% |
| | Grade 7 | 0.6% | 1.0% | 2.2% | 97.8% |
| | Grade 8 | 1.1% | 1.7% | 3.2% | 96.8% |
| | Grade 9 | 2.0% | 3.3% | 5.5% | 94.5% |
| | Grade 10 | 2.5% | 4.4% | 7.6% | 92.4% |
| | Grade 11 | 3.6% | 5.9% | 10.1% | 89.9% |
| | Grade 12 | 3.6% | 6.2% | 11.0% | 89.0% |
| Crack | | | | | |
| | All | 0.6% | 1.0% | 2.1% | 97.9% |
| | Grade 7 | 0.5% | 0.8% | 1.8% | 98.2% |
| | Grade 8 | 0.6% | 1.0% | 2.0% | 98.0% |
| | Grade 9 | 0.7% | 1.2% | 2.2% | 97.8% |
| | Grade 10 | 0.6% | 1.0% | 2.2% | 97.8% |
| | Grade 11 | 0.6% | 1.1% | 2.3% | 97.7% |
| TT 11 . | Grade 12 | 0.5% | 1.0% | 2.2% | 97.8% |
| Hallucinogens | A 77 | 1.50/ | 2.60/ | 4.00/ | 05.10/ |
| | All | 1.5% | 2.6% | 4.9% | 95.1% |
| | Grade 7 | 0.5% 0.7% | 0.7% 1.3% | 1.2% 2.5% | 98.8% |
| | Grade 8 Grade 9 | | 2.3% | 4.5% | 97.5% 95.5% |
| | Grade 9 Grade 10 | 1.4% 2.1% | 3.6% | 6.8% | 93.3% |
| | Grade 10 | 2.1% | 3.8% | 7.3% | 92.7% |
| | Grade 12 | 2.4% | 4.4% | 8.4% | 91.6% |
| Uppers | Grade 12 | 2.470 | 4.470 | 0.470 | 71.070 |
| Оррего | All | 2.5% | 4.0% | 6.2% | 93.8% |
| | Grade 7 | 0.4% | 0.6% | 0.9% | 99.1% |
| | Grade 8 | 1.0% | 1.6% | 2.6% | 97.4% |
| | Grade 9 | 2.0% | 3.5% | 5.3% | 94.7% |
| | Grade 10 | 3.8% | 5.6% | 8.4% | 91.6% |
| | Grade 11 | 4.5% | 7.0% | 10.7% | 89.3% |
| | Grade 12 | 4.2% | 6.8% | 11.2% | 88.8% |
| Downers | | | | | |
| | All | 2.7% | 4.2% | 6.4% | 93.6% |
| | Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 1.5% | 2.4% | 97.6% |
| | Grade 9 | 2.2% | 3.8% | 5.4% | 94.6% |
| | Grade 10 | 4.1% | 6.0% | 8.7% | 91.3% |
| | Grade 11 | 4.8% | 7.2% | 11.3% | 88.7% |
| | Grade 12 | 4.7% | 7.5% | 12.0% | 88.0% |

Table B1: Prevalence and recency of use of selected substances by grade All students

| | | Past | School | Ever | Never |
|-------------|----------|-------|--------|------|-------|
| Rohypnol | | Month | Year | Used | Used |
| Non's pilot | All | 0.8% | 1.2% | 2.0% | 98.0% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.7% | 1.1% | 1.8% | 98.2% |
| | Grade 9 | 0.9% | 1.4% | 2.4% | 97.6% |
| | Grade 10 | 0.9% | 1.6% | 2.7% | 97.3% |
| | Grade 11 | 0.9% | 1.3% | 2.4% | 97.6% |
| | Grade 12 | 0.7% | 1.1% | 2.1% | 97.9% |
| Steroids | | | | | |
| | All | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 8 | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 10 | 0.6% | 0.9% | 1.8% | 98.2% |
| | Grade 11 | 0.7% | 0.9% | 1.6% | 98.4% |
| | Grade 12 | 0.8% | 1.1% | 1.8% | 98.2% |
| Ecstasy | | | | | |
| • | All | 1.9% | 3.1% | 5.5% | 94.5% |
| | Grade 7 | 0.5% | 0.8% | 1.6% | 98.4% |
| | Grade 8 | 1.0% | 1.8% | 3.1% | 96.9% |
| | Grade 9 | 2.0% | 3.0% | 5.3% | 94.7% |
| | Grade 10 | 2.4% | 4.2% | 7.0% | 93.0% |
| | Grade 11 | 2.6% | 4.5% | 8.1% | 91.9% |
| | Grade 12 | 2.9% | 5.3% | 9.1% | 90.9% |
| Heroin | | | | | |
| | All | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 0.5% | 0.8% | 1.7% | 98.3% |
| | Grade 9 | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 10 | 0.6% | 0.8% | 1.4% | 98.6% |
| | Grade 11 | 0.4% | 0.8% | 1.7% | 98.3% |
| | Grade 12 | 0.5% | 0.8% | 1.5% | 98.5% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | 1/101111 | 1001 | CSCu | CSCU |
| All | 17.1% | 22.8% | 36.9% | 63.1% |
| Grade 7 | 6.8% | 9.9% | 21.0% | 79.0% |
| Grade 8 | 9.3% | 14.1% | 27.8% | 72.2% |
| Grade 9 | 15.6% | 21.4% | 36.9% | 63.1% |
| Grade 10 | 19.9% | 26.4% | 41.5% | 58.5% |
| Grade 11 | 25.0% | 31.6% | 47.1% | 52.9% |
| Grade 12 | 31.5% | 39.5% | 53.1% | 46.9% |
| Alcohol | | | | |
| All | 30.7% | 42.4% | 64.0% | 36.0% |
| Grade 7 | 15.8% | 23.0% | 47.1% | 52.9% |
| Grade 8 | 21.8% | 32.5% | 57.9% | 42.1% |
| Grade 9 | 29.7% | 42.1% | 65.0% | 35.0% |
| Grade 10 | 35.5% | 49.0% | 70.0% | 30.0% |
| Grade 11 | 40.3% | 53.7% | 72.7% | 27.3% |
| Grade 12 | 47.7% | 61.5% | 76.3% | 23.7% |
| Inhalants | | | | |
| All | 5.5% | 8.3% | 16.5% | 83.5% |
| Grade 7 | 7.7% | 10.5% | 18.7% | 81.3% |
| Grade 8 | 6.4% | 9.7% | 18.6% | 81.4% |
| Grade 9 | 5.4% | 8.2% | 16.2% | 83.8% |
| Grade 10 | 4.5% | 7.1% | 15.5% | 84.5% |
| Grade 11 | 4.6% | 6.9% | 14.3% | 85.7% |
| Grade 12 | 3.9% | 6.3% | 14.9% | 85.1% |
| Any Illicit Drug | | | | |
| All | 14.0% | 19.6% | 30.2% | 69.8% |
| Grade 7 | 5.4% | 7.4% | 12.6% | 87.4% |
| Grade 8 | 7.8% | 11.4% | 19.5% | 80.5% |
| Grade 9 | 13.4% | 19.3% | 30.3% | 69.7% |
| Grade 10 | 17.1% | 24.2% | 36.3% | 63.7% |
| Grade 11 | 21.4% | 28.8% | 43.0% | 57.0% |
| Grade 12 | 22.7% | 31.1% | 46.5% | 53.5% |
| Marijuana | | | | |
| All | 12.6% | 18.3% | 29.2% | 70.8% |
| Grade 7 | 4.5% | 6.5% | 11.5% | 88.5% |
| Grade 8 | 7.0% | 10.6% | 18.5% | 81.5% |
| Grade 9 | 12.0% | 18.0% | 29.1% | 70.9% |
| Grade 10 | 15.2% | 22.3% | 35.0% | 65.0% |
| Grade 11 | 19.6% | 27.3% | 42.2% | 57.8% |
| Grade 12 | 21.0% | 29.8% | 45.6% | 54.4% |
| Marijuana Only | | | | |
| All | 5.3% | 8.7% | 16.4% | 83.6% |
| Grade 7 | 2.4% | 3.6% | 7.1% | 92.9% |
| Grade 8 | 3.6% | 5.8% | 11.7% | 88.3% |
| Grade 9 | 5.5% | 8.9% | 17.2% | 82.8% |
| Grade 10 | 6.4% | 10.7% | 19.6% | 80.4% |
| Grade 11 | 7.8% | 12.2% | 22.9% | 77.1% |
| Grade 12 | 7.3% | 12.3% | 22.7% | 77.3% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| Cocaine or Crack All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Cocaine | onth 2.6% 0.9% 1.4% 2.4% 4.2% 4.44% 2.3% 0.6% 1.1% | 4.0% 1.3% 1.9% 3.7% 4.7% 6.6% 7.3% 3.7% 1.0% 1.5% | 7.0% 2.9% 3.7% 6.0% 8.2% 10.9% 12.9% | 93.0% 97.1% 96.3% 94.0% 91.8% 89.1% 87.1% |
|--|--|--|--|---|
| All Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Cocaine | 0.9% 1.4% 2.4% 2.9% 4.2% 4.4% 2.3% 0.6% | 1.3% 1.9% 3.7% 4.7% 6.6% 7.3% 3.7% 1.0% | 2.9% 3.7% 6.0% 8.2% 10.9% 12.9% | 97.1% 96.3% 94.0% 91.8% 89.1% 87.1% |
| Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Cocaine | 0.9% 1.4% 2.4% 2.9% 4.2% 4.4% 2.3% 0.6% | 1.3% 1.9% 3.7% 4.7% 6.6% 7.3% 3.7% 1.0% | 2.9% 3.7% 6.0% 8.2% 10.9% 12.9% | 97.1% 96.3% 94.0% 91.8% 89.1% 87.1% |
| Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Cocaine | 1.4% 2.4% 2.9% 4.2% 4.4% 2.3% 0.6% 1.1% | 1.9% 3.7% 4.7% 6.6% 7.3% 3.7% 1.0% | 3.7% 6.0% 8.2% 10.9% 12.9% | 96.3% 94.0% 91.8% 89.1% 87.1% |
| Grade 9 Grade 10 Grade 11 Grade 12 Cocaine | 2.9% 4.2% 4.4% 2.3% 0.6% 1.1% | 4.7% 6.6% 7.3% 3.7% 1.0% | 8.2% 10.9% 12.9% 6.5% | 94.0% 91.8% 89.1% 87.1% |
| Grade 11 Grade 12 Cocaine | 4.2% 4.4% 2.3% 0.6% 1.1% | 6.6% 7.3% 3.7% 1.0% | 8.2% 10.9% 12.9% 6.5% | 91.8% 89.1% 87.1% |
| Grade 12 Cocaine | 4.4% 2.3% 0.6% 1.1% | 7.3% 3.7% 1.0% | 12.9% 6.5% | 87.1% |
| Cocaine | 2.3% 0.6% 1.1% | 3.7% 1.0% | 6.5% | |
| | 0.6% 1.1% | 1.0% | | 93.5% |
| A 11 | 0.6% 1.1% | 1.0% | | 93.5% |
| All | 1.1% | | 2.20/ | , 5.5 /0 |
| Grade 7 | | 1 50/ | 2.2% | 97.8% |
| Grade 8 | 1.0/ | 1.3% | 2.9% | 97.1% |
| | 2.1% | 3.3% | 5.4% | 94.6% |
| Grade 10 | 2.7% | 4.4% | 7.8% | 92.2% |
| | 3.9% | 6.4% | 10.7% | 89.3% |
| Grade 12 | 4.3% | 7.1% | 12.7% | 87.3% |
| Crack | | | | |
| | 0.6% | 1.0% | 2.1% | 97.9% |
| | 0.5% | 0.8% | 1.7% | 98.3% |
| | 0.6% | 0.8% | 1.8% | 98.2% |
| | 0.8% | 1.3% | 2.2% | 97.8% |
| | 0.5% | 0.8% | 2.2% | 97.8% |
| | 0.7% | 1.3% | 2.3% | 97.7% |
| | 0.6% | 1.2% | 2.6% | 97.4% |
| Hallucinogens | 1 00/ | 2.20/ | C 00/ | 0.4.00/ |
| | 1.9% | 3.2% | 6.0% | 94.0% |
| | 0.5% | 0.8% | 1.4% | 98.6% |
| | 0.8% 1.8% | 1.5% 2.8% | 2.9% 5.4% | 97.1% |
| | 2.6% | 4.2% | 7.6% | 94.6% |
| | 2.0% | 5.1% | 9.3% | 92.4% 90.7% |
| | 3.5% | 6.3% | 11.5% | 88.5% |
| Uppers | 3.3/0 | 0.570 | 11.5/0 | 00.570 |
| | 2.3% | 3.7% | 5.6% | 94.4% |
| | 0.4% | 0.5% | 1.0% | 99.0% |
| | 0.8% | 1.1% | 2.1% | 97.9% |
| | 1.8% | 3.2% | 4.5% | 95.5% |
| | 2.9% | 4.6% | 7.0% | 93.0% |
| | 4.4% | 6.9% | 10.1% | 89.9% |
| | 4.8% | 7.3% | 11.6% | 88.4% |
| Downers | | | | |
| | 2.7% | 4.1% | 6.1% | 93.9% |
| | 0.4% | 0.6% | 1.0% | 99.0% |
| | 0.8% | 1.2% | 2.0% | 98.0% |
| Grade 9 | 2.1% | 3.6% | 5.1% | 94.9% |
| Grade 10 | 3.7% | 5.4% | 7.8% | 92.2% |
| Grade 11 | 5.1% | 7.5% | 11.0% | 89.0% |
| Grade 12 | 5.6% | 8.3% | 12.9% | 87.1% |

Table B2: Prevalence and recency of use of selected substances by grade Male students

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|-------|--------|
| | | Month | Year | Used | Used |
| Rohypnol | | 0.004 | | 4.004 | 00.4** |
| | All | 0.8% | 1.1% | 1.9% | 98.1% |
| | Grade 7 | 0.5% | 0.7% | 1.1% | 98.9% |
| | Grade 8 | 0.6% | 1.0% | 1.7% | 98.3% |
| | Grade 9 | 1.0% | 1.5% | 2.4% | 97.6% |
| | Grade 10 | 0.7% | 1.2% | 2.3% | 97.7% |
| | Grade 11 | 1.2% | 1.6% | 2.3% | 97.7% |
| | Grade 12 | 0.7% | 1.0% | 1.7% | 98.3% |
| Steroids | | | | | |
| | All | 1.0% | 1.3% | 2.2% | 97.8% |
| | Grade 7 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 8 | 0.7% | 1.0% | 1.9% | 98.1% |
| | Grade 9 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 10 | 1.1% | 1.5% | 2.7% | 97.3% |
| | Grade 11 | 1.3% | 1.7% | 2.6% | 97.4% |
| | Grade 12 | 1.4% | 1.9% | 3.1% | 96.9% |
| Ecstasy | | | | | |
| • | All | 2.0% | 3.2% | 5.3% | 94.7% |
| | Grade 7 | 0.5% | 0.8% | 1.3% | 98.7% |
| | Grade 8 | 0.9% | 1.4% | 2.5% | 97.5% |
| | Grade 9 | 2.0% | 3.0% | 5.0% | 95.0% |
| | Grade 10 | 2.6% | 4.1% | 6.7% | 93.3% |
| | Grade 11 | 2.9% | 4.7% | 8.3% | 91.7% |
| | Grade 12 | 3.8% | 6.2% | 9.8% | 90.2% |
| Heroin | Graue 12 | 3.670 | 0.270 | 9.670 | 90.270 |
| Heroin | All | 0.6% | 0.9% | 1.6% | 98.4% |
| | | | | | |
| | Grade 7 | 0.5% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 0.6% | 0.8% | 1.5% | 98.5% |
| | Grade 9 | 0.6% | 1.0% | 1.7% | 98.3% |
| | Grade 10 | 0.8% | 1.0% | 1.6% | 98.4% |
| | Grade 11 | 0.6% | 1.1% | 2.0% | 98.0% |
| | Grade 12 | 0.7% | 1.1% | 1.8% | 98.2% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 13.0% | 18.5% | 32.8% | 67.2% |
| Grade 7 | 5.4% | 7.9% | 17.0% | 83.0% |
| Grade 8 | 8.4% | 13.0% | 25.9% | 74.1% |
| Grade 9 | 12.6% | 18.4% | 33.6% | 66.4% |
| Grade 10 | 15.3% | 21.9% | 38.0% | 62.0% |
| Grade 11 | 18.5% | 24.8% | 41.0% | 59.0% |
| Grade 12 | 20.0% | 27.5% | 44.9% | 55.1% |
| Alcohol | | | | |
| All | 30.9% | 43.8% | 67.1% | 32.9% |
| Grade 7 | 16.1% | 22.9% | 46.9% | 53.1% |
| Grade 8 | 22.7% | 33.8% | 60.8% | 39.2% |
| Grade 9 | 31.4% | 45.0% | 69.1% | 30.9% |
| Grade 10 | 36.7% | 52.3% | 74.3% | 25.7% |
| Grade 11 | 38.6% | 54.6% | 76.2% | 23.8% |
| Grade 12 | 43.1% | 58.4% | 78.5% | 21.5% |
| Inhalants | | | | |
| All | 5.7% | 8.4% | 16.2% | 83.8% |
| Grade 7 | 8.3% | 11.2% | 18.2% | 81.8% |
| Grade 8 | 7.9% | 11.7% | 21.1% | 78.9% |
| Grade 9 | 6.6% | 9.8% | 18.7% | 81.3% |
| Grade 10 | 5.1% | 8.0% | 16.2% | 83.8% |
| Grade 11 | 3.0% | 4.9% | 11.9% | 88.1% |
| Grade 12 | 2.1% | 3.6% | 8.7% | 91.3% |
| Any Illicit Drug | | | | |
| All | 11.5% | 16.8% | 26.3% | 73.7% |
| Grade 7 | 4.3% | 5.8% | 9.8% | 90.2% |
| Grade 8 | 7.4% | 10.7% | 17.0% | 83.0% |
| Grade 9 | 11.7% | 16.9% | 25.4% | 74.6% |
| Grade 10 | 14.6% | 21.1% | 32.3% | 67.7% |
| Grade 11 | 16.1% | 23.7% | 37.5% | 62.5% |
| Grade 12 | 16.5% | 24.8% | 39.8% | 60.2% |
| Marijuana | | | | |
| All | 10.0% | 15.3% | 24.6% | 75.4% |
| Grade 7 | 3.4% | 4.8% | 8.1% | 91.9% |
| Grade 8 | 6.5% | 9.6% | 15.2% | 84.8% |
| Grade 9 | 10.0% | 15.1% | 23.3% | 76.7% |
| Grade 10 | 12.4% | 19.3% | 30.8% | 69.2% |
| Grade 11 | 14.3% | 22.1% | 35.7% | 64.3% |
| Grade 12 | 14.7% | 23.3% | 38.6% | 61.4% |
| Marijuana Only | | | | |
| All | 3.8% | 6.5% | 12.8% | 87.2% |
| Grade 7 | 1.5% | 2.3% | 4.4% | 95.6% |
| Grade 8 | 2.8% | 4.3% | 8.3% | 91.7% |
| Grade 9 | 4.2% | 6.8% | 12.3% | 87.7% |
| Grade 10 | 4.2% | 7.5% | 15.1% | 84.9% |
| Grade 11 | 4.9% | 8.9% | 18.0% | 82.0% |
| Grade 12 | 5.7% | 10.3% | 20.8% | 79.2% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| Month Year Used Used | | | Past | School | Ever | Never |
|--|------------------|----------|-------|--------|-------|--------|
| All | Cocsing or Crack | | Month | Y ear | Usea | Usea |
| Grade 7 0.9% 1.4% 3.2% 96.8% | Cocame of Clack | All | 2.2% | 3.8% | 6.7% | 93.3% |
| Grade 8 1.4% 2.4% 4.4% 95.6% Grade 10 2.5% 4.7% 7.9% 92.1% Grade 11 3.4% 5.7% 9.9% 90.1% Grade 12 3.3% 5.6% 9.9% 90.1% Grade 12 3.3% 5.6% 9.9% 90.1% Grade 13 3.4% 5.7% 9.9% 90.1% Grade 14 2.0% 3.4% 6.1% 93.9% Grade 7 0.6% 1.0% 2.2% 97.8% Grade 8 1.1% 1.9% 3.4% 96.6% Grade 10 2.4% 4.4% 7.4% 92.6% Grade 11 3.3% 5.5% 9.6% 90.4% Grade 12 3.1% 5.5% 9.6% 90.4% Grade 13 3.6% 5.5% 9.6% 90.4% Grade 14 3.6% 5.5% 9.6% 90.4% Grade 15 3.6% 1.0% 2.1% 97.9% Grade 8 0.6% 1.1% 2.2% 97.8% Grade 9 0.7% 1.2% 2.3% 97.7% Grade 10 0.7% 1.2% 2.3% 97.7% Grade 10 0.7% 1.2% 2.3% 97.7% Grade 11 0.5% 0.9% 2.3% 97.7% Grade 12 0.5% 0.9% 2.3% 97.7% Grade 13 0.5% 0.9% 2.3% 97.7% Grade 14 0.5% 0.9% 2.3% 97.7% Grade 15 0.5% 0.9% 2.3% 97.7% Grade 16 0.7% 1.2% 2.1% 97.9% Grade 17 0.4% 0.7% 1.1% 98.9% Grade 18 0.5% 1.0% 2.1% 97.9% Grade 19 0.7% 1.8% 3.6% 96.1% Grade 10 1.7% 3.0% 6.1% 93.9% Grade 11 1.3% 2.6% 5.5% 94.5% Grade 12 1.7% 3.0% 6.1% 93.9% Grade 13 3.7% 3.9% 6.0% 99.1% Grade 14 3.7% 4.3% 6.7% 93.3% Grade 15 3.7% 3.9% 6.0% 99.1% Grade 16 4.6% 6.5% 9.6% 90.4% Grade 17 0.5% 0.6% 0.9% 99.1% Grade 19 2.3% 3.9% 6.0% 99.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 6.6% 5.9% 90.4% Grade 12 3.7% 6.5% 10.9% 99.1% Grade 14 4.6% 6.5% 9.6% 90.4% Grade 15 3.7% 3.9% 6.0% 90.4% Grade 16 3.7% 4.3% 6.6% 93.4% Grade 17 0.4% 0.6% 1.0% 90.9% Grade 18 2.9% 3.9% 6.0% 90.4% Grade 19 2.3% 3.9% 6.0% 90.4% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 10 4.6% 6.5% 9.6% 90.9% Grade 10 4.6% 6.5% 9.6% | | | | | | |
| Grade 9 2.3% 3.6% 6.4% 93.6% Grade 10 2.5% 4.7% 7.9% 92.1% Grade 11 3.4% 5.7% 9.9% 90.1% 90.2% 90.8% 90.4% 90.6% 90.4% 90.6% 90.4% 90.6% 90.4% 90.6% 90.4% 90.6% 90.4% 90.6% 90.4% 90.6% 90.4% 90.6% 90.6% 90.4% 90.6% 90.6% 90.4% 90.6 | | | | | | |
| Grade 10 2.5% 4.7% 7.9% 92.1% Grade 11 3.4% 5.7% 9.9% 90.1 | | | | | | |
| Create | | | | 4.7% | 7.9% | |
| Cocaine | | Grade 11 | 3.4% | 5.7% | | |
| All 2.0% 3.4% 6.1% 93.9% Grade 7 0.6% 1.0% 2.2% 97.8% Grade 8 1.1% 1.9% 3.4% 96.6% Grade 9 2.0% 3.2% 5.6% 94.4% Grade 10 2.4% 4.4% 7.4% 92.6% Grade 11 3.3% 5.5% 9.6% 90.4% Grade 12 3.1% 5.3% 9.6% 90.4% Grade 13 3.3% 5.5% 9.6% 90.4% Grade 7 0.6% 0.9% 2.1% 97.9% Grade 8 0.6% 1.1% 2.2% 97.8% Grade 9 0.7% 1.2% 2.3% 97.7% Grade 11 0.5% 0.9% 2.3% 97.7% Grade 12 0.5% 0.9% 1.9% 98.1% Hallucinogens | | Grade 12 | 3.3% | 5.6% | 9.9% | 90.1% |
| Grade 7 | Cocaine | | | | | |
| Grade 8 | | All | 2.0% | 3.4% | 6.1% | 93.9% |
| Grade 9 2.0% 3.2% 5.6% 94.4% Grade 10 2.4% 4.4% 7.4% 92.6% Grade 11 3.3% 5.5% 9.6% 90.4% Grade 12 3.1% 5.3% 9.6% 90.4% Grade 12 3.1% 5.3% 9.6% 90.4% Grade 13 3.1% 5.3% 9.6% 90.4% Grade 14 0.6% 1.0% 2.1% 97.9% Grade 7 0.6% 0.9% 2.0% 98.0% Grade 8 0.6% 1.1% 2.2% 97.8% Grade 9 0.7% 1.2% 2.3% 97.7% Grade 10 0.7% 1.2% 2.3% 97.7% Grade 11 0.5% 0.9% 0.9% 2.3% 97.7% Grade 12 0.5% 0.9% 1.9% 98.1% Hallucinogens | | Grade 7 | 0.6% | 1.0% | 2.2% | 97.8% |
| Grade 10 2.4% 4.4% 7.4% 92.6% Grade 11 3.3% 5.5% 9.6% 90.4% Grade 12 3.1% 5.3% 9.6% 90.4% Frace State State | | Grade 8 | 1.1% | 1.9% | 3.4% | 96.6% |
| Grade 11 3.3% 5.5% 9.6% 90.4% Grade 12 3.1% 5.3% 9.6% 90.4% 90.4% | | Grade 9 | 2.0% | 3.2% | 5.6% | 94.4% |
| Grade 12 3.1% 5.3% 9.6% 90.4% All 0.6% 1.0% 2.1% 97.9% Grade 7 0.6% 0.9% 2.0% 98.0% Grade 8 0.6% 1.1% 2.2% 97.8% Grade 9 0.7% 1.2% 2.3% 97.7% Grade 11 0.5% 0.9% 1.9% 98.1% All 0.5% 0.9% 1.9% 98.1% Failed 1 0.5% 0.9% 1.9% 98.1% All 1.1% 1.9% 3.9% 96.1% Grade 7 0.4% 0.7% 1.1% 98.9% Grade 8 0.5% 1.0% 2.1% 97.9% Grade 9 1.1% 1.8% 3.6% 96.4% Grade 10 1.7% 3.0% 6.1% 93.9% Grade 11 1.3% 2.6% 5.5% 94.5% All 2.7% 4.3% 6.7% | | Grade 10 | 2.4% | 4.4% | 7.4% | 92.6% |
| Crack All O.6% Grade 7 O.6% O.9% C.0% 98.0% Grade 8 O.6% I.1% 2.2% 97.8% Grade 9 O.7% I.2% 2.3% 97.7% Grade 10 O.7% I.2% 2.3% 97.7% Grade 11 O.5% O.9% I.2% 2.1% 97.8% 98.0% I.2% 2.1% 97.9% 98.0% I.2% 2.1% 97.8% 97.9% I.2% 2.1% 97.9% 98.1% I.2% 2.1% 97.9% 98.1% II.2% II. | | | 3.3% | 5.5% | 9.6% | |
| All | | Grade 12 | 3.1% | 5.3% | 9.6% | 90.4% |
| Grade 7 | Crack | | | | | |
| Grade 8 0.6% 1.1% 2.2% 97.8% Grade 9 0.7% 1.2% 2.3% 97.7% Grade 10 0.7% 1.2% 2.1% 97.9% Grade 11 0.5% 0.9% 2.3% 97.7% Grade 12 0.5% 0.9% 1.9% 98.1% Hallucinogens | | | | 1.0% | | 97.9% |
| Grade 9 0.7% 1.2% 2.3% 97.7% Grade 10 0.7% 1.2% 2.1% 97.9% Grade 11 0.5% 0.9% 2.3% 97.7% Grade 12 0.5% 0.9% 1.9% 98.1% Hallucinogens | | | | | | |
| Grade 10 0.7% 1.2% 2.1% 97.9% Grade 11 0.5% 0.9% 2.3% 97.7% 98.1% 98.9% 98.1% 98.9% 98. | | | | | | |
| Grade 11 0.5% 0.9% 2.3% 97.7% Grade 12 0.5% 0.9% 1.9% 98.1% | | | | | | |
| Mallucinogens | | | | | | |
| Mall | | | | | | |
| All | | Grade 12 | 0.5% | 0.9% | 1.9% | 98.1% |
| Grade 7 0.4% 0.7% 1.1% 98.9% Grade 8 0.5% 1.0% 2.1% 97.9% Grade 9 1.1% 1.8% 3.6% 96.4% Grade 10 1.7% 3.0% 6.1% 93.9% Grade 11 1.3% 2.6% 5.5% 94.5% Grade 12 1.4% 2.8% 5.8% 94.2% Example 12 1.4% 2.8% 5.8% 94.2% Example 13 1.4% 2.8% 6.7% 93.3% Grade 7 0.5% 0.6% 0.9% 99.1% Grade 8 1.2% 2.0% 3.0% 97.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Example 14 2.7% 4.3% 6.6% 93.4% Grade 18 2.7% 4.3% 6.6% 93.4% Grade 19 2.3% 3.9% 5.6% 90.9% Grade 19 2.3% 3.9% 5.6% 90.9% Grade 10 4.5% 0.6% 1.0% 99.0% Grade 10 4.5% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.6% 9.5% 90.5% 90.5% Grade 11 4.5% 6.6% 9.5% 90.5% | Hallucinogens | | 1.10/ | 1.00/ | 2.00/ | 0 < 10 |
| Grade 8 0.5% 1.0% 2.1% 97.9% Grade 9 1.1% 1.8% 3.6% 96.4% Grade 10 1.7% 3.0% 6.1% 93.9% Grade 11 1.3% 2.6% 5.5% 94.5% Grade 12 1.4% 2.8% 5.8% 94.2% Uppers | | | | | | |
| Grade 9 1.1% 1.8% 3.6% 96.4% Grade 10 1.7% 3.0% 6.1% 93.9% Grade 11 1.3% 2.6% 5.5% 94.5% Grade 12 1.4% 2.8% 5.8% 94.2% Uppers | | | | | | |
| Grade 10 1.7% 3.0% 6.1% 93.9% Grade 11 1.3% 2.6% 5.5% 94.5% Grade 12 1.4% 2.8% 5.8% 94.2% | | | | | | |
| Grade 11 1.3% 2.6% 5.5% 94.5% Grade 12 1.4% 2.8% 5.8% 94.2% Uppers All 2.7% 4.3% 6.7% 93.3% Grade 7 0.5% 0.6% 0.9% 99.1% Grade 8 1.2% 2.0% 3.0% 97.0% Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Downers All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6. | | | | | | |
| Uppers All 2.7% 4.3% 5.8% 94.2% All 2.7% 4.3% 6.7% 93.3% Grade 7 0.5% 0.6% 0.9% 99.1% Grade 8 1.2% 2.0% 3.0% 97.0% Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Bowners All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.6% 9.5% 90.5% | | | | | | |
| Mail 2.7% 4.3% 6.7% 93.3% Grade 7 0.5% 0.6% 0.9% 99.1% Grade 8 1.2% 2.0% 3.0% 97.0% Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Downers | | | | | | |
| All 2.7% 4.3% 6.7% 93.3% Grade 7 0.5% 0.6% 0.9% 99.1% Grade 8 1.2% 2.0% 3.0% 97.0% Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Downers | Unnore | Grade 12 | 1.470 | 2.0% | 3.6% | 94.2% |
| Grade 7 0.5% 0.6% 0.9% 99.1% Grade 8 1.2% 2.0% 3.0% 97.0% Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Downers All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | Oppers | A 11 | 2.7% | 4 3% | 6.7% | 93.3% |
| Grade 8 1.2% 2.0% 3.0% 97.0% Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Downers All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | | | | | |
| Grade 9 2.3% 3.9% 6.0% 94.0% Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | | | | | |
| Grade 10 4.6% 6.5% 9.6% 90.4% Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% 9.5% 90.5% Grade 10 4.5% 6.6% 9.5% 11.6% 88.4% | | | | | | |
| Grade 11 4.5% 7.1% 11.2% 88.8% Grade 12 3.7% 6.5% 10.9% 89.1% Downers All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | | | | | |
| Downers Grade 12 3.7% 6.5% 10.9% 89.1% Downers All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | | | | | |
| Downers All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | | | | | |
| All 2.7% 4.3% 6.6% 93.4% Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | Downers | | | | | |
| Grade 7 0.4% 0.6% 1.0% 99.0% Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | All | 2.7% | 4.3% | 6.6% | 93.4% |
| Grade 8 1.0% 1.8% 2.7% 97.3% Grade 9 2.3% 3.9% 5.6% 94.4% Grade 10 4.5% 6.6% 9.5% 90.5% Grade 11 4.5% 6.9% 11.6% 88.4% | | | | | | |
| Grade 92.3%3.9%5.6%94.4%Grade 104.5%6.6%9.5%90.5%Grade 114.5%6.9%11.6%88.4% | | | | | | |
| Grade 104.5%6.6%9.5%90.5%Grade 114.5%6.9%11.6%88.4% | | | | | | |
| | | Grade 10 | 4.5% | 6.6% | 9.5% | 90.5% |
| Grade 12 3.9% 6.7% 11.2% 88.8% | | Grade 11 | 4.5% | 6.9% | 11.6% | 88.4% |
| | | Grade 12 | 3.9% | 6.7% | 11.2% | 88.8% |

Table B3: Prevalence and recency of use of selected substances by grade Female students

| | Past | School | Ever | Never |
|----------|-------|--------|-------|--------|
| | Month | Year | Used | Used |
| Rohypnol | 0.00/ | 1.20/ | 0.10/ | 07.00/ |
| All | 0.8% | 1.3% | 2.1% | 97.9% |
| Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| Grade 8 | 0.8% | 1.3% | 1.9% | 98.1% |
| Grade 9 | 0.8% | 1.3% | 2.3% | 97.7% |
| Grade 10 | 1.0% | 1.9% | 3.0% | 97.0% |
| Grade 11 | 0.7% | 1.1% | 2.4% | 97.6% |
| Grade 12 | 0.8% | 1.2% | 2.4% | 97.6% |
| Steroids | | | | |
| All | 0.3% | 0.4% | 1.0% | 99.0% |
| Grade 7 | 0.3% | 0.4% | 1.0% | 99.0% |
| Grade 8 | 0.3% | 0.5% | 1.2% | 98.8% |
| Grade 9 | 0.3% | 0.4% | 1.1% | 98.9% |
| Grade 10 | 0.2% | 0.4% | 1.0% | 99.0% |
| Grade 11 | 0.2% | 0.3% | 0.7% | 99.3% |
| Grade 12 | 0.3% | 0.5% | 0.7% | 99.3% |
| Ecstasy | | | | |
| All | 1.7% | 3.1% | 5.6% | 94.4% |
| Grade 7 | 0.5% | 0.8% | 1.8% | 98.2% |
| Grade 8 | 1.2% | 2.1% | 3.6% | 96.4% |
| Grade 9 | 1.9% | 3.1% | 5.5% | 94.5% |
| Grade 10 | 2.3% | 4.3% | 7.1% | 92.9% |
| Grade 11 | 2.3% | 4.2% | 7.8% | 92.2% |
| Grade 12 | 2.2% | 4.5% | 8.5% | 91.5% |
| Heroin | 2.270 | 4.370 | 8.570 | 91.570 |
| All | 0.4% | 0.6% | 1.4% | 98.6% |
| | | | | |
| Grade 7 | 0.4% | 0.4% | 1.1% | 98.9% |
| Grade 8 | 0.5% | 0.8% | 1.8% | 98.2% |
| Grade 9 | 0.5% | 0.7% | 1.8% | 98.2% |
| Grade 10 | 0.4% | 0.6% | 1.3% | 98.7% |
| Grade 11 | 0.3% | 0.6% | 1.4% | 98.6% |
| Grade 12 | 0.3% | 0.5% | 1.2% | 98.8% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 17.9% | 23.9% | 36.0% | 64.0% |
| Grade 7 | 4.5% | 6.9% | 15.1% | 84.9% |
| Grade 8 | 8.6% | 13.2% | 24.0% | 76.0% |
| Grade 9 | 15.6% | 21.4% | 34.5% | 65.5% |
| Grade 10 | 21.0% | 28.0% | 40.8% | 59.2% |
| Grade 11 | 26.9% | 34.2% | 47.9% | 52.1% |
| Grade 12 | 31.3% | 40.0% | 53.7% | 46.3% |
| Alcohol | | | | |
| All | 32.2% | 45.6% | 65.4% | 34.6% |
| Grade 7 | 11.7% | 19.3% | 41.9% | 58.1% |
| Grade 8 | 19.2% | 31.4% | 55.2% | 44.8% |
| Grade 9 | 30.6% | 44.8% | 66.1% | 33.9% |
| Grade 10 | 38.4% | 53.9% | 72.3% | 27.7% |
| Grade 11 | 43.5% | 58.1% | 75.9% | 24.1% |
| Grade 12 | 50.1% | 65.5% | 80.1% | 19.9% |
| Inhalants | | | | |
| All | 5.0% | 8.0% | 15.9% | 84.1% |
| Grade 7 | 5.3% | 8.0% | 14.5% | 85.5% |
| Grade 8 | 6.2% | 9.9% | 18.2% | 81.8% |
| Grade 9 | 5.6% | 8.8% | 17.2% | 82.8% |
| Grade 10 | 5.3% | 8.4% | 16.9% | 83.1% |
| Grade 11 | 4.1% | 6.8% | 14.5% | 85.5% |
| Grade 12 | 3.2% | 5.7% | 13.2% | 86.8% |
| Any Illicit Drug | | | | |
| All | 12.5% | 18.0% | 26.6% | 73.4% |
| Grade 7 | 2.2% | 3.5% | 6.6% | 93.4% |
| Grade 8 | 5.6% | 8.4% | 13.3% | 86.7% |
| Grade 9 | 10.8% | 15.8% | 23.6% | 76.4% |
| Grade 10 | 15.6% | 22.7% | 32.2% | 67.8% |
| Grade 11 | 20.1% | 27.8% | 40.0% | 60.0% |
| Grade 12 | 20.7% | 29.9% | 44.4% | 55.6% |
| Marijuana | | | | |
| All | 10.9% | 16.5% | 25.2% | 74.8% |
| Grade 7 | 1.7% | 2.8% | 5.3% | 94.7% |
| Grade 8 | 4.9% | 7.4% | 12.0% | 88.0% |
| Grade 9 | 9.1% | 14.0% | 21.7% | 78.3% |
| Grade 10 | 13.1% | 20.6% | 30.5% | 69.5% |
| Grade 11 | 17.9% | 26.2% | 38.7% | 61.3% |
| Grade 12 | 18.9% | 28.2% | 43.2% | 56.8% |
| Marijuana Only | | | | |
| All | 3.5% | 6.3% | 12.2% | 87.8% |
| Grade 7 | 0.8% | 1.3% | 3.0% | 97.0% |
| Grade 8 | 1.8% | 3.1% | 6.2% | 93.8% |
| Grade 9 | 3.4% | 5.9% | 11.4% | 88.6% |
| Grade 10 | 4.1% | 8.0% | 14.5% | 85.5% |
| Grade 11 | 5.2% | 9.2% | 17.8% | 82.2% |
| Grade 12 | 5.7% | 10.5% | 20.7% | 79.3% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | Month | Tear | Oscu | Cscu |
| | All | 2.2% | 3.9% | 6.5% | 93.5% |
| | Grade 7 | 0.3% | 0.7% | 1.8% | 98.2% |
| | Grade 8 | 0.9% | 1.5% | 2.8% | 97.2% |
| | Grade 9 | 1.5% | 2.8% | 4.7% | 95.3% |
| | Grade 10 | 2.6% | 4.6% | 7.7% | 92.3% |
| | Grade 11 | 3.7% | 6.8% | 10.8% | 89.2% |
| | Grade 12 | 4.0% | 6.9% | 11.7% | 88.3% |
| Cocaine | | | | | |
| | All | 2.0% | 3.5% | 6.0% | 94.0% |
| | Grade 7 | 0.2% | 0.4% | 1.1% | 98.9% |
| | Grade 8 | 0.8% | 1.1% | 2.1% | 97.9% |
| | Grade 9 | 1.4% | 2.5% | 4.0% | 96.0% |
| | Grade 10 | 2.4% | 4.4% | 7.2% | 92.8% |
| | Grade 11 | 3.6% | 6.5% | 10.5% | 89.5% |
| | Grade 12 | 3.8% | 6.6% | 11.3% | 88.7% |
| Crack | | | | | |
| | All | 0.4% | 0.9% | 2.0% | 98.0% |
| | Grade 7 | 0.2% | 0.5% | 1.3% | 98.7% |
| | Grade 8 | 0.2% | 0.6% | 1.2% | 98.8% |
| | Grade 9 | 0.5% | 1.0% | 1.9% | 98.1% |
| | Grade 10 | 0.6% | 1.0% | 2.3% | 97.7% |
| | Grade 11 | 0.5% | 1.2% | 2.6% | 97.4% |
| | Grade 12 | 0.6% | 1.3% | 2.4% | 97.6% |
| Hallucinogens | | | | | |
| | All | 1.9% | 3.4% | 6.5% | 93.5% |
| | Grade 7 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 0.9% | 1.6% | 3.0% | 97.0% |
| | Grade 9 | 1.8% | 2.9% | 5.4% | 94.6% |
| | Grade 10 | 2.4% | 4.3% | 8.2% | 91.8% |
| | Grade 11 | 3.0% | 5.4% | 10.1% | 89.9% |
| | Grade 12 | 3.0% | 5.8% | 11.1% | 88.9% |
| Uppers | | | | | |
| | All | 3.4% | 5.5% | 8.3% | 91.7% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 1.1% | 1.8% | 3.0% | 97.0% |
| | Grade 9 | 2.6% | 4.6% | 6.8% | 93.2% |
| | Grade 10 | 5.0% | 7.4% | 10.8% | 89.2% |
| | Grade 11 | 6.1% | 9.6% | 14.4% | 85.6% |
| | Grade 12 | 5.4% | 9.0% | 14.5% | 85.5% |
| Downers | | | | | |
| | All | 3.5% | 5.4% | 8.1% | 91.9% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 1.1% | 1.8% | 2.7% | 97.3% |
| | Grade 9 | 2.7% | 4.6% | 6.4% | 93.6% |
| | Grade 10 | 5.1% | 7.5% | 10.6% | 89.4% |
| | Grade 11 | 6.0% | 9.0% | 13.9% | 86.1% |
| | Grade 12 | 5.7% | 9.3% | 14.6% | 85.4% |

Table B4: Prevalence and recency of use of selected substances by grade White students

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|--------|--------|
| | | Month | Year | Used | Used |
| Rohypnol | | 0.004 | 1.00/ | 2.00/ | 00.00/ |
| | All | 0.8% | 1.2% | 2.0% | 98.0% |
| | Grade 7 | 0.3% | 0.5% | 0.6% | 99.4% |
| | Grade 8 | 0.6% | 1.0% | 1.5% | 98.5% |
| | Grade 9 | 1.0% | 1.4% | 2.1% | 97.9% |
| | Grade 10 | 0.9% | 1.5% | 2.6% | 97.4% |
| | Grade 11 | 1.0% | 1.5% | 2.5% | 97.5% |
| | Grade 12 | 0.8% | 1.2% | 2.4% | 97.6% |
| Steroids | | | | | |
| | All | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.4% | 0.6% | 1.5% | 98.5% |
| | Grade 8 | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 9 | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 10 | 0.7% | 1.2% | 2.1% | 97.9% |
| | Grade 11 | 0.8% | 1.1% | 1.9% | 98.1% |
| | Grade 12 | 0.8% | 1.1% | 1.9% | 98.1% |
| Ecstasy | | | | | |
| v | All | 2.1% | 3.6% | 6.0% | 94.0% |
| | Grade 7 | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 8 | 0.9% | 1.5% | 2.7% | 97.3% |
| | Grade 9 | 1.8% | 2.7% | 4.7% | 95.3% |
| | Grade 10 | 2.9% | 5.2% | 7.8% | 92.2% |
| | Grade 11 | 3.1% | 5.3% | 9.6% | 90.4% |
| | Grade 12 | 3.3% | 6.1% | 10.2% | 89.8% |
| Heroin | Grade 12 | 3.570 | 0.170 | 10.270 | 07.070 |
| Herom | All | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 7 | 0.3% | 0.7% | 0.8% | 99.2% |
| | Grade 8 | 0.3% | 0.6% | 1.3% | 98.7% |
| | | | | | |
| | Grade 9 | 0.4% | 0.6% | 1.3% | 98.7% |
| | Grade 10 | 0.6% | 0.9% | 1.4% | 98.6% |
| | Grade 11 | 0.4% | 0.9% | 2.1% | 97.9% |
| | Grade 12 | 0.6% | 0.9% | 1.6% | 98.4% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | Month | 1 ear | Useu | Useu |
| | All | 7.3% | 10.3% | 24.3% | 75.7% |
| | Grade 7 | 5.0% | 7.2% | 18.3% | 81.7% |
| | Grade 8 | 5.5% | 8.7% | 22.2% | 77.8% |
| | Grade 9 | 8.2% | 11.4% | 27.0% | 73.0% |
| | Grade 10 | 7.2% | 10.0% | 26.1% | 73.9% |
| | Grade 11 | 8.3% | 11.2% | 26.0% | 74.0% |
| | Grade 12 | 11.0% | 15.3% | 28.6% | 71.4% |
| Alcohol | | | | | |
| | All | 24.6% | 35.5% | 62.8% | 37.2% |
| | Grade 7 | 16.4% | 22.5% | 49.7% | 50.3% |
| | Grade 8 | 22.3% | 31.2% | 61.3% | 38.7% |
| | Grade 9 | 25.8% | 36.1% | 64.4% | 35.6% |
| | Grade 10 | 27.1% | 40.6% | 68.1% | 31.9% |
| | Grade 11 | 27.4% | 42.4% | 68.5% | 31.5% |
| | Grade 12 | 32.4% | 46.5% | 69.2% | 30.8% |
| Inhalants | | | | | |
| | All | 4.3% | 5.8% | 11.3% | 88.7% |
| | Grade 7 | 8.3% | 10.8% | 18.4% | 81.6% |
| | Grade 8 | 5.3% | 7.3% | 14.9% | 85.1% |
| | Grade 9 | 3.7% | 5.6% | 10.9% | 89.1% |
| | Grade 10 | 2.5% | 3.7% | 8.9% | 91.1% |
| | Grade 11 | 1.9% | 2.7% | 5.9% | 94.1% |
| | Grade 12 | 2.2% | 2.4% | 5.1% | 94.9% |
| Any Illicit Drug | | | | | |
| | All | 10.6% | 15.3% | 26.0% | 74.0% |
| | Grade 7 | 3.9% | 5.5% | 10.1% | 89.9% |
| | Grade 8 | 7.1% | 10.1% | 18.2% | 81.8% |
| | Grade 9 | 10.7% | 15.5% | 26.9% | 73.1% |
| | Grade 10 | 14.3% | 20.3% | 33.8% | 66.2% |
| | Grade 11 | 15.2% | 22.1% | 37.1% | 62.9% |
| | Grade 12 | 16.4% | 24.0% | 38.7% | 61.3% |
| Marijuana | | | | | |
| | All | 9.9% | 14.7% | 25.5% | 74.5% |
| | Grade 7 | 3.5% | 5.1% | 9.5% | 90.5% |
| | Grade 8 | 6.4% | 9.2% | 17.1% | 82.9% |
| | Grade 9 | 9.6% | 14.7% | 26.3% | 73.7% |
| | Grade 10 | 13.6% | 19.5% | 33.2% | 66.8% |
| | Grade 11 | 14.4% | 21.1% | 36.9% | 63.1% |
| | Grade 12 | 16.0% | 23.9% | 38.8% | 61.2% |
| Marijuana Only | | | | | |
| | All | 7.1% | 10.8% | 20.2% | 79.8% |
| | Grade 7 | 2.1% | 3.3% | 6.7% | 93.3% |
| | Grade 8 | 4.5% | 6.7% | 13.6% | 86.4% |
| | Grade 9 | 7.2% | 11.1% | 21.4% | 78.6% |
| | Grade 10 | 9.9% | 14.9% | 27.0% | 73.0% |
| | Grade 11 | 10.9% | 16.2% | 29.6% | 70.4% |
| | Grade 12 | 10.7% | 16.9% | 29.6% | 70.4% |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | | Past | School | Ever | Never |
|------------------|----------------------|-------|--------------|--------------|--------|
| Cocaine or Crack | | Month | Year | Used | Used |
| Cocaine of Crack | All | 0.7% | 1.1% | 1.7% | 98.3% |
| | Grade 7 | 0.4% | 0.7% | 1.8% | 98.2% |
| | Grade 8 | 0.7% | 1.3% | 1.7% | 98.3% |
| | Grade 9 | 1.1% | 1.3% | 1.7% | 98.3% |
| | Grade 10 | 0.5% | 0.8% | 1.4% | 98.6% |
| | Grade 11 | 0.8% | 1.0% | 1.6% | 98.4% |
| | Grade 12 | 0.8% | 1.3% | 2.2% | 97.8% |
| Cocaine | | | | | |
| | All | 0.6% | 0.9% | 1.4% | 98.6% |
| | Grade 7 | 0.3% | 0.6% | 1.4% | 98.6% |
| | Grade 8 | 0.6% | 1.0% | 1.3% | 98.7% |
| | Grade 9 | 0.6% | 0.9% | 1.2% | 98.8% |
| | Grade 10 | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 0.7% | 1.0% | 1.6% | 98.4% |
| | Grade 12 | 0.8% | 1.3% | 2.1% | 97.9% |
| Crack | | | | | |
| | All | 0.4% | 0.5% | 0.8% | 99.2% |
| | Grade 7 | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 8 | 0.4% | 0.7% | 1.1% | 98.9% |
| | Grade 9 | 0.7% | 0.8% | 1.0% | 99.0% |
| | Grade 10 | 0.2% | 0.3% | 0.3% | 99.7% |
| | Grade 11 | 0.4% | 0.5% | 0.5% | 99.5% |
| | Grade 12 | 0.3% | 0.4% | 1.1% | 98.9% |
| Hallucinogens | | 0.407 | 0.504 | 1.10/ | 00.00/ |
| | All | 0.4% | 0.7% | 1.1% | 98.9% |
| | Grade 7 | 0.5% | 0.6% | 0.7% | 99.3% |
| | Grade 8 | 0.3% | 0.5% | 0.8% | 99.2% |
| | Grade 9 | 0.4% | 0.6% | 0.9% | 99.1% |
| | Grade 10 | 0.5% | 0.8% | 1.5% | 98.5% |
| | Grade 11 Grade 12 | 0.2% | 0.8% 0.9% | 1.4% 1.7% | 98.6% |
| Uppers | Grade 12 | 0.7% | 0.9% | 1.770 | 98.3% |
| Oppers | All | 0.6% | 1.1% | 1.6% | 98.4% |
| | Grade 7 | 0.2% | 0.4% | 0.6% | 99.4% |
| | Grade 8 | 0.6% | 0.8% | 1.2% | 98.8% |
| | Grade 9 | 0.5% | 0.8% | 1.1% | 98.9% |
| | Grade 10 | 0.7% | 1.3% | 2.1% | 97.9% |
| | Grade 11 | 0.9% | 1.6% | 2.5% | 97.5% |
| | Grade 12 | 1.3% | 2.2% | 3.1% | 96.9% |
| Downers | | | | | |
| | All | 0.9% | 1.4% | 2.1% | 97.9% |
| | Grade 7 | 0.2% | 0.2% | 0.4% | 99.6% |
| | Grade 8 | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 9 | 0.7% | 1.1% | 1.4% | 98.6% |
| | Grade 10 | 1.5% | 2.1% | 2.8% | 97.2% |
| | Grade 11 | 1.4% | 2.3% | 3.3% | 96.7% |
| | Grade 12 | 1.7% | 2.8% | 5.0% | 95.0% |
| | | | | | |

Table B5: Prevalence and recency of use of selected substances by grade Black students

| | | Past | School | Ever | Never |
|----------|----------------------|-------|--------|-------|--------|
| | | Month | Year | Used | Used |
| Rohypnol | | 0.004 | 0.50 | 0 === | 00.004 |
| | All | 0.3% | 0.5% | 0.7% | 99.3% |
| | Grade 7 | 0.2% | 0.2% | 0.4% | 99.6% |
| | Grade 8 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 9 | 0.5% | 0.6% | 0.9% | 99.1% |
| | Grade 10 | 0.1% | 0.2% | 0.4% | 99.6% |
| | Grade 11 | 0.4% | 0.5% | 0.5% | 99.5% |
| | Grade 12 | 0.3% | 0.6% | 0.7% | 99.3% |
| Steroids | | | | | |
| | All | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 7 | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 0.6% | 0.7% | 1.6% | 98.4% |
| | Grade 9 | 0.2% | 0.5% | 0.6% | 99.4% |
| | Grade 10 | 0.4% | 0.5% | 1.3% | 98.7% |
| | Grade 11 | 0.7% | 1.2% | 1.5% | 98.5% |
| | Grade 12 | 0.6% | 0.8% | 1.3% | 98.7% |
| Ecstasy | | | | | |
| • | All | 1.1% | 1.7% | 2.9% | 97.1% |
| | Grade 7 | 0.3% | 0.7% | 1.2% | 98.8% |
| | Grade 8 | 1.0% | 1.5% | 2.3% | 97.7% |
| | Grade 9 | 1.1% | 1.6% | 2.8% | 97.2% |
| | Grade 10 | 1.2% | 1.8% | 3.3% | 96.7% |
| | Grade 11 | 1.1% | 2.3% | 4.0% | 96.0% |
| | Grade 12 | 2.2% | 3.3% | 4.4% | 95.6% |
| Heroin | 31uut 12 | 2.270 | 3.370 | 1.170 | 75.070 |
| 11010111 | All | 0.4% | 0.5% | 0.7% | 99.3% |
| | Grade 7 | 0.4% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.6% | 0.8% | 1.1% | 98.9% |
| | Grade 9 | 0.0% | 0.3% | 0.5% | 99.5% |
| | Grade 10 | 0.2% | 0.3% | 0.5% | 99.5% |
| | Grade 10 Grade 11 | 0.2% | 0.5% | 0.5% | 99.5% |
| | | | | | |
| | Grade 12 | 0.4% | 0.6% | 0.8% | 99.2% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 16.1% | 22.9% | 41.2% | 58.8% |
| Grade 7 | 8.9% | 12.9% | 25.1% | 74.9% |
| Grade 8 | 12.3% | 18.6% | 36.1% | 63.9% |
| Grade 9 | 15.9% | 23.6% | 43.1% | 56.9% |
| Grade 10 | 19.2% | 27.8% | 49.4% | 50.6% |
| Grade 11 | 22.2% | 29.3% | 50.4% | 49.6% |
| Grade 12 | 24.7% | 33.6% | 54.5% | 45.5% |
| Alcohol | | | | |
| All | 34.3% | 46.2% | 70.3% | 29.7% |
| Grade 7 | 21.9% | 28.9% | 54.0% | 46.0% |
| Grade 8 | 28.5% | 39.8% | 67.8% | 32.2% |
| Grade 9 | 34.8% | 47.8% | 73.0% | 27.0% |
| Grade 10 | 40.7% | 55.1% | 78.0% | 22.0% |
| Grade 11 | 43.0% | 57.4% | 78.5% | 21.5% |
| Grade 12 | 47.4% | 61.1% | 80.4% | 19.6% |
| Inhalants | | | | |
| All | 7.6% | 10.6% | 20.3% | 79.7% |
| Grade 7 | 11.2% | 14.4% | 23.5% | 76.5% |
| Grade 8 | 9.9% | 13.9% | 25.7% | 74.3% |
| Grade 9 | 7.8% | 11.2% | 21.5% | 78.5% |
| Grade 10 | 6.0% | 9.0% | 18.7% | 81.3% |
| Grade 11 | 3.9% | 6.0% | 14.6% | 85.4% |
| Grade 12 | 3.0% | 4.6% | 12.7% | 87.3% |
| Any Illicit Drug | | | | |
| All | 15.8% | 22.0% | 34.6% | 65.4% |
| Grade 7 | 8.9% | 11.7% | 18.4% | 81.6% |
| Grade 8 | 12.0% | 17.0% | 28.0% | 72.0% |
| Grade 9 | 17.5% | 24.7% | 37.3% | 62.7% |
| Grade 10 | 19.9% | 27.6% | 42.5% | 57.5% |
| Grade 11 | 20.0% | 28.3% | 45.7% | 54.3% |
| Grade 12 | 20.9% | 29.3% | 46.9% | 53.1% |
| Marijuana | | | | |
| All | 13.9% | 20.3% | 32.9% | 67.1% |
| Grade 7 | 7.3% | 10.1% | 16.2% | 83.8% |
| Grade 8 | 10.6% | 15.8% | 26.1% | 73.9% |
| Grade 9 | 15.8% | 23.2% | 35.8% | 64.2% |
| Grade 10 | 17.7% | 25.4% | 41.4% | 58.6% |
| Grade 11 | 18.0% | 26.4% | 44.0% | 56.0% |
| Grade 12 | 18.4% | 27.4% | 45.5% | 54.5% |
| Marijuana Only | | | | |
| All | 5.4% | 8.5% | 16.5% | 83.5% |
| Grade 7 | 3.4% | 5.1% | 9.1% | 90.9% |
| Grade 8 | 5.1% | 7.8% | 14.9% | 85.1% |
| Grade 9 | 6.7% | 10.0% | 18.2% | 81.8% |
| Grade 10 | 5.2% | 8.8% | 18.3% | 81.7% |
| Grade 11 | 6.2% | 10.6% | 21.3% | 78.7% |
| Grade 12 | 6.4% | 10.5% | 21.4% | 78.6% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------------------|---------------|----------------|--------------|----------------|
| Cocaine or Crack | | Month | Tear | Oscu | Cscu |
| | All | 4.0% | 6.2% | 11.3% | 88.7% |
| | Grade 7 | 2.1% | 2.9% | 5.7% | 94.3% |
| | Grade 8 | 2.6% | 3.7% | 7.9% | 92.1% |
| | Grade 9 | 4.3% | 6.4% | 11.1% | 88.9% |
| | Grade 10 | 4.7% | 8.3% | 14.2% | 85.8% |
| | Grade 11 | 6.3% | 9.2% | 16.6% | 83.4% |
| | Grade 12 | 5.8% | 9.5% | 18.0% | 82.0% |
| Cocaine | | | | | |
| | All | 3.7% | 5.6% | 10.4% | 89.6% |
| | Grade 7 | 1.5% | 2.1% | 4.3% | 95.7% |
| | Grade 8 | 2.0% | 2.9% | 6.3% | 93.7% |
| | Grade 9 | 4.1% | 6.0% | 10.5% | 89.5% |
| | Grade 10 | 4.4% | 7.8% | 13.4% | 86.6% |
| | Grade 11 | 6.2% | 8.9% | 16.2% | 83.8% |
| | Grade 12 | 5.8% | 9.4% | 17.9% | 82.1% |
| Crack | | | | | |
| | All | 0.9% | 1.5% | 3.2% | 96.8% |
| | Grade 7 | 1.2% | 1.6% | 3.2% | 96.8% |
| | Grade 8 | 1.1% | 1.7% | 3.7% | 96.3% |
| | Grade 9 | 0.9% | 1.7% | 3.3% | 96.7% |
| | Grade 10 | 1.0% | 1.6% | 3.3% | 96.7% |
| | Grade 11 | 0.7% | 1.3% | 3.2% | 96.8% |
| | Grade 12 | 0.4% | 1.0% | 2.7% | 97.3% |
| Hallucinogens | | | | | |
| | All | 1.3% | 2.3% | 4.5% | 95.5% |
| | Grade 7 | 0.7% | 1.0% | 1.4% | 98.6% |
| | Grade 8 | 0.6% | 1.2% | 2.7% | 97.3% |
| | Grade 9 | 1.2% | 2.4% | 4.7% | 95.3% |
| | Grade 10 | 2.5% | 3.9% | 7.8% | 92.2% |
| | Grade 11 | 1.3% | 2.6% | 5.8% | 94.2% |
| ** | Grade 12 | 2.1% | 3.6% | 7.2% | 92.8% |
| Uppers | 4.77 | 2.40/ | 2.60/ | 5 60/ | 0.4.40/ |
| | All | 2.4% | 3.6% | 5.6% | 94.4% |
| | Grade 7 | 0.8% | 0.8% | 1.2% | 98.8% |
| | Grade 8 | 1.0% | 1.7% | 2.8% | 97.2% |
| | Grade 9 | 2.0% | 3.4% | 5.2% | 94.8% |
| | Grade 10 | 3.9% | 5.6% | 8.8% | 91.2% |
| | Grade 11 | 4.3% | 6.6% | 9.5% | 90.5% |
| D | Grade 12 | 4.0% | 5.9% | 10.1% | 89.9% |
| Downers | A 11 | 2 00/ | 4.20/ | 6 50/ | 02.50/ |
| | All | 2.8% | 4.2% | 6.5% | 93.5% |
| | Grade 7 | 0.7% | 0.9% | 1.5% | 98.5% |
| | Grade 8 | 0.9% | 1.6% | 2.6% | 97.4% |
| | Grade 9 | 2.3% | 4.0% | 6.1% | 93.9% |
| | Grade 10 | 4.4% | 6.3% | 9.7% | 90.3% |
| | Grade 11 Grade 12 | 5.8% 4.9% | 7.9% 7.4% | 12.3% | 87.7% 88.2% |
| | Graue 12 | 4.7% | 7.4% | 11.8% | 88.2% |

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American students

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|-------|--------|
| | | Month | Year | Used | Used |
| Rohypnol | | | | | |
| | All | 1.2% | 1.9% | 3.2% | 96.8% |
| | Grade 7 | 1.0% | 1.3% | 2.1% | 97.9% |
| | Grade 8 | 1.1% | 1.8% | 3.0% | 97.0% |
| | Grade 9 | 1.2% | 2.0% | 3.6% | 96.4% |
| | Grade 10 | 1.5% | 2.8% | 4.5% | 95.5% |
| | Grade 11 | 1.2% | 1.9% | 3.7% | 96.3% |
| | Grade 12 | 1.2% | 1.6% | 2.6% | 97.4% |
| Steroids | | | | | |
| | All | 0.6% | 0.8% | 1.5% | 98.5% |
| | Grade 7 | 0.5% | 0.7% | 1.1% | 98.9% |
| | Grade 8 | 0.6% | 1.0% | 2.0% | 98.0% |
| | Grade 9 | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 10 | 0.6% | 0.7% | 1.6% | 98.4% |
| | Grade 11 | 0.2% | 0.2% | 0.9% | 99.1% |
| | Grade 12 | 1.1% | 1.4% | 2.1% | 97.9% |
| Ecstasy | | | | | |
| · | All | 2.0% | 3.3% | 6.2% | 93.8% |
| | Grade 7 | 0.7% | 0.9% | 2.2% | 97.8% |
| | Grade 8 | 1.2% | 2.3% | 4.3% | 95.7% |
| | Grade 9 | 2.5% | 3.9% | 7.1% | 92.9% |
| | Grade 10 | 2.9% | 4.6% | 8.5% | 91.5% |
| | Grade 11 | 2.6% | 4.7% | 8.3% | 91.7% |
| | Grade 12 | 2.8% | 5.2% | 9.6% | 90.4% |
| Heroin | Grade 12 | 2.070 | 3.270 | 7.070 | 70.470 |
| Heroin | All | 0.7% | 1.0% | 2.1% | 97.9% |
| | Grade 7 | 0.7% | 0.9% | 1.7% | 98.3% |
| | | 0.8% | | 2.6% | |
| | Grade 8 | | 1.1% | | 97.4% |
| | Grade 9 | 0.8% | 1.2% | 2.7% | 97.3% |
| | Grade 10 | 0.8% | 0.9% | 2.2% | 97.8% |
| | Grade 11 | 0.5% | 0.9% | 1.8% | 98.2% |
| | Grade 12 | 0.2% | 0.4% | 1.4% | 98.6% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | 141011111 | 1 cai | Oscu | USEU |
| | All | 8.3% | 12.3% | 22.3% | 77.7% |
| | Grade 7 | 1.7% | 3.3% | 9.2% | 90.8% |
| | Grade 8 | 3.8% | 6.2% | 14.4% | 85.6% |
| | Grade 9 | 5.9% | 9.6% | 18.8% | 81.2% |
| | Grade 10 | 9.6% | 13.9% | 25.6% | 74.4% |
| | Grade 11 | 12.2% | 17.9% | 29.7% | 70.3% |
| | Grade 12 | 18.7% | 25.8% | 39.7% | 60.3% |
| Alcohol | | | | | |
| | All | 22.5% | 34.1% | 56.1% | 43.9% |
| | Grade 7 | 8.7% | 14.7% | 36.2% | 63.8% |
| | Grade 8 | 13.8% | 23.6% | 47.5% | 52.5% |
| | Grade 9 | 20.6% | 32.5% | 54.9% | 45.1% |
| | Grade 10 | 26.1% | 39.7% | 63.0% | 37.0% |
| | Grade 11 | 29.7% | 44.5% | 66.0% | 34.0% |
| | Grade 12 | 40.0% | 54.7% | 73.4% | 26.6% |
| Inhalants | | | | | |
| | All | 3.0% | 4.8% | 10.1% | 89.9% |
| | Grade 7 | 3.9% | 5.6% | 11.2% | 88.8% |
| | Grade 8 | 3.9% | 6.3% | 12.4% | 87.6% |
| | Grade 9 | 3.1% | 5.2% | 10.8% | 89.2% |
| | Grade 10 | 2.6% | 4.2% | 9.9% | 90.1% |
| | Grade 11 | 2.2% | 3.4% | 7.5% | 92.5% |
| | Grade 12 | 2.0% | 3.5% | 8.3% | 91.7% |
| Any Illicit Drug | | | | | |
| | All | 6.2% | 9.7% | 15.8% | 84.2% |
| | Grade 7 | 1.3% | 1.9% | 3.9% | 96.1% |
| | Grade 8 | 2.3% | 4.0% | 6.9% | 93.1% |
| | Grade 9 | 4.4% | 7.3% | 12.0% | 88.0% |
| | Grade 10 | 8.4% | 12.3% | 19.6% | 80.4% |
| | Grade 11 | 10.5% | 15.9% | 24.8% | 75.2% |
| | Grade 12 | 12.4% | 19.2% | 31.7% | 68.3% |
| Marijuana | | | | | |
| | All | 5.3% | 8.7% | 14.7% | 85.3% |
| | Grade 7 | 1.0% | 1.5% | 3.2% | 96.8% |
| | Grade 8 | 1.6% | 3.1% | 5.7% | 94.3% |
| | Grade 9 | 3.6% | 6.3% | 10.9% | 89.1% |
| | Grade 10 | 6.8% | 10.7% | 17.9% | 82.1% |
| | Grade 11 | 9.1% | 14.6% | 23.4% | 76.6% |
| | Grade 12 | 11.0% | 18.1% | 30.9% | 69.1% |
| Marijuana Only | | | | | |
| | All | 2.0% | 4.0% | 8.3% | 91.7% |
| | Grade 7 | 0.3% | 0.6% | 1.8% | 98.2% |
| | Grade 8 | 0.6% | 1.5% | 3.3% | 96.7% |
| | Grade 9 | 1.6% | 3.2% | 6.6% | 93.4% |
| | Grade 10 | 2.8% | 5.0% | 9.9% | 90.1% |
| | Grade 11 | 3.5% | 6.9% | 13.3% | 86.7% |
| | Grade 12 | 4.1% | 8.1% | 17.1% | 82.9% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades (Continued)

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | | | |
| All | 1.0% | 1.8% | 3.2% | 96.8% |
| Grade 7 | 0.3% | 0.6% | 1.1% | 98.9% |
| Grade 8 | 0.4% | 0.7% | 1.3% | 98.7% |
| Grade 9 | 0.7% | 1.2% | 2.2% | 97.8% |
| Grade 10 | 1.0% | 1.8% | 3.4% | 96.6% |
| Grade 11 | 1.9% | 3.1% | 5.2% | 94.8% |
| Grade 12 | 2.1% | 3.6% | 6.7% | 93.3% |
| Cocaine | | | | |
| All | 0.9% | 1.6% | 2.9% | 97.1% |
| Grade 7 | 0.2% | 0.4% | 0.8% | 99.2% |
| Grade 8 | 0.2% | 0.4% | 1.0% | 99.0% |
| Grade 9 | 0.5% | 1.0% | 1.8% | 98.2% |
| Grade 10 | 0.9% | 1.7% | 3.2% | 96.8% |
| Grade 11 | 1.8% | 3.0% | 5.0% | 95.0% |
| Grade 12 | 1.9% | 3.5% | 6.5% | 93.5% |
| Crack | | | | |
| All | 0.3% | 0.6% | 1.1% | 98.9% |
| Grade 7 | 0.2% | 0.4% | 0.8% | 99.2% |
| Grade 8 | 0.3% | 0.4% | 0.8% | 99.2% |
| Grade 9 | 0.3% | 0.6% | 1.1% | 98.9% |
| Grade 10 | 0.4% | 0.6% | 1.1% | 98.9% |
| Grade 11 | 0.5% | 0.7% | 1.2% | 98.8% |
| Grade 12 | 0.4% | 0.8% | 1.5% | 98.5% |
| Hallucinogens | | | | |
| All | 0.8% | 1.4% | 3.0% | 97.0% |
| Grade 7 | 0.2% | 0.3% | 0.5% | 99.5% |
| Grade 8 | 0.2% | 0.4% | 1.3% | 98.7% |
| Grade 9 | 0.6% | 1.1% | 2.4% | 97.6% |
| Grade 10 | 1.0% | 1.8% | 4.0% | 96.0% |
| Grade 11 | 1.4% | 2.3% | 4.5% | 95.5% |
| Grade 12 | 1.4% | 2.9% | 5.8% | 94.2% |
| Uppers | | | | |
| All | 1.3% | 2.3% | 3.7% | 96.3% |
| Grade 7 | 0.2% | 0.3% | 0.6% | 99.4% |
| Grade 8 | 0.5% | 0.7% | 1.4% | 98.6% |
| Grade 9 | 0.9% | 1.5% | 2.5% | 97.5% |
| Grade 10 | 1.9% | 3.0% | 4.6% | 95.4% |
| Grade 11 | 2.6% | 4.0% | 6.2% | 93.8% |
| Grade 12 | 2.4% | 4.6% | 8.2% | 91.8% |
| Downers | | | | |
| All | 1.3% | 2.2% | 3.6% | 96.4% |
| Grade 7 | 0.2% | 0.2% | 0.5% | 99.5% |
| Grade 8 | 0.3% | 0.5% | 0.9% | 99.1% |
| Grade 9 | 0.7% | 1.2% | 2.1% | 97.9% |
| Grade 10 | 2.1% | 3.2% | 4.8% | 95.2% |
| Grade 11 | 2.5% | 3.8% | 6.2% | 93.8% |
| Grade 12 | 2.6% | 4.9% | 8.1% | 91.9% |

Table B7: Prevalence and recency of use of selected substances by grade Students reporting A grades (Continued)

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|-------|--------|
| | | Month | Year | Used | Used |
| Rohypnol | | 0.004 | 0.454 | 0.01 | 00.444 |
| | All | 0.3% | 0.4% | 0.9% | 99.1% |
| | Grade 7 | 0.2% | 0.2% | 0.4% | 99.6% |
| | Grade 8 | 0.2% | 0.2% | 0.6% | 99.4% |
| | Grade 9 | 0.2% | 0.4% | 1.2% | 98.8% |
| | Grade 10 | 0.4% | 0.5% | 1.0% | 99.0% |
| | Grade 11 | 0.6% | 0.9% | 1.2% | 98.8% |
| | Grade 12 | 0.3% | 0.5% | 1.2% | 98.8% |
| Steroids | | | | | |
| | All | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 7 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 8 | 0.4% | 0.7% | 1.5% | 98.5% |
| | Grade 9 | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 10 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 0.7% | 1.0% | 1.5% | 98.5% |
| | Grade 12 | 0.6% | 1.0% | 1.4% | 98.6% |
| Ecstasy | | | | | |
| V | All | 0.9% | 1.5% | 2.8% | 97.2% |
| | Grade 7 | 0.1% | 0.2% | 0.6% | 99.4% |
| | Grade 8 | 0.3% | 0.5% | 1.1% | 98.9% |
| | Grade 9 | 0.9% | 1.4% | 2.5% | 97.5% |
| | Grade 10 | 1.3% | 2.1% | 3.5% | 96.5% |
| | Grade 11 | 1.4% | 2.5% | 4.6% | 95.4% |
| | Grade 12 | 1.5% | 2.9% | 5.2% | 94.8% |
| Heroin | Grade 12 | 1.570 | 2.770 | 3.270 | 74.070 |
| Heroin | All | 0.2% | 0.4% | 0.7% | 99.3% |
| | Grade 7 | 0.2% | 0.4% | 0.7% | 99.5% |
| | | | | | |
| | Grade 8 | 0.2% | 0.3% | 0.6% | 99.4% |
| | Grade 9 | 0.2% | 0.4% | 0.7% | 99.3% |
| | Grade 10 | 0.4% | 0.5% | 0.7% | 99.3% |
| | Grade 11 | 0.3% | 0.5% | 0.9% | 99.1% |
| | Grade 12 | 0.4% | 0.5% | 1.0% | 99.0% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | MINIMI | 1 Cai | Oscu | USCU |
| | All | 18.3% | 24.7% | 41.0% | 59.0% |
| | Grade 7 | 8.3% | 11.9% | 24.0% | 76.0% |
| | Grade 8 | 11.3% | 17.3% | 33.2% | 66.8% |
| | Grade 9 | 17.6% | 24.4% | 42.4% | 57.6% |
| | Grade 10 | 21.2% | 28.7% | 46.3% | 53.7% |
| | Grade 11 | 25.9% | 32.8% | 50.5% | 49.5% |
| | Grade 12 | 29.6% | 37.7% | 54.5% | 45.5% |
| Alcohol | | | | | |
| | All | 35.0% | 47.7% | 70.5% | 29.5% |
| | Grade 7 | 19.7% | 27.2% | 52.7% | 47.3% |
| | Grade 8 | 26.5% | 38.0% | 65.5% | 34.5% |
| | Grade 9 | 35.1% | 48.6% | 72.7% | 27.3% |
| | Grade 10 | 40.8% | 55.9% | 76.7% | 23.3% |
| | Grade 11 | 44.0% | 58.9% | 78.7% | 21.3% |
| | Grade 12 | 48.7% | 63.3% | 80.2% | 19.8% |
| Inhalants | | | | | |
| | All | 6.9% | 10.2% | 19.4% | 80.6% |
| | Grade 7 | 10.1% | 13.6% | 22.2% | 77.8% |
| | Grade 8 | 8.9% | 13.1% | 23.7% | 76.3% |
| | Grade 9 | 7.3% | 10.7% | 20.5% | 79.5% |
| | Grade 10 | 6.0% | 9.2% | 18.5% | 81.5% |
| | Grade 11 | 4.5% | 7.0% | 15.6% | 84.4% |
| | Grade 12 | 3.5% | 5.7% | 13.6% | 86.4% |
| Any Illicit Drug | | | | | |
| | All | 15.9% | 22.4% | 34.3% | 65.7% |
| | Grade 7 | 6.6% | 9.1% | 15.0% | 85.0% |
| | Grade 8 | 10.3% | 14.7% | 24.1% | 75.9% |
| | Grade 9 | 16.2% | 22.9% | 34.7% | 65.3% |
| | Grade 10 | 19.2% | 27.3% | 41.0% | 59.0% |
| | Grade 11 | 22.3% | 30.9% | 47.1% | 52.9% |
| | Grade 12 | 23.9% | 33.3% | 50.1% | 49.9% |
| Marijuana | | | | | |
| | All | 14.2% | 20.8% | 32.8% | 67.2% |
| | Grade 7 | 5.5% | 7.8% | 13.1% | 86.9% |
| | Grade 8 | 9.3% | 13.6% | 22.5% | 77.5% |
| | Grade 9 | 14.3% | 21.1% | 32.8% | 67.2% |
| | Grade 10 | 16.8% | 25.3% | 39.6% | 60.4% |
| | Grade 11 | 20.3% | 29.2% | 45.8% | 54.2% |
| | Grade 12 | 21.9% | 31.6% | 48.9% | 51.1% |
| Marijuana Only | | | | | |
| | All | 5.8% | 9.3% | 17.6% | 82.4% |
| | Grade 7 | 2.8% | 4.2% | 7.8% | 92.2% |
| | Grade 8 | 4.5% | 6.8% | 13.3% | 86.7% |
| | Grade 9 | 6.3% | 9.8% | 18.1% | 81.9% |
| | Grade 10 | 6.2% | 10.8% | 20.6% | 79.4% |
| | Grade 11 | 7.5% | 12.0% | 23.5% | 76.5% |
| | Grade 12 | 8.0% | 13.3% | 24.7% | 75.3% |

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A

(Continued) Past **School** Ever Never Month Year Used Used Cocaine or Crack All 3.1% 5.0% 8.7% 91.3% Grade 7 1.2% 1.8% 4.0% 96.0% Grade 8 1.9% 2.9% 5.5% 94.5% Grade 9 3.1% 4.7% 92.1% 7.9% Grade 10 3.4% 6.0% 10.2% 89.8% Grade 11 4.7% 7.5% 12.8% 87.2% Grade 12 4.9% 8.2% 14.3% 85.7% Cocaine All 2.8% 4.6% 8.0% 92.0% Grade 7 0.8% 1.3% 2.9% 97.1% 1.6% 2.4% 4.4% 95.6% Grade 8 Grade 9 2.8% 4.3% 7.2% 92.8% Grade 10 3.3% 5.6% 9.6% 90.4% Grade 11 4.5% 7.2% 12.5% 87.5% Grade 12 4.8% 7.9% 14.0% 86.0% Crack All 0.7% 1.3% 2.7% 97.3% Grade 7 0.7% 2.4% 97.6% 1.1% Grade 8 0.8% 1.3% 2.7% 97.3% Grade 9 0.9% 1.5% 2.8% 97.2% Grade 10 0.7% 1.2% 2.7% 97.3% Grade 11 0.7% 1.3% 2.9% 97.1% Grade 12 97.3% 0.6% 1.2% 2.7% Hallucinogens All 1.8% 3.1% 5.9% 94.1% Grade 7 0.6% 0.9% 1.6% 98.4% 96.9% Grade 8 0.9% 1.7% 3.1% Grade 9 1.8% 2.8% 5.4% 94.6% Grade 10 2.6% 4.4% 8.2% 91.8% Grade 11 2.4% 4.4% 8.6% 91.4% Grade 12 3.0% 5.4% 10.1% 89.9% **Uppers** All 3.1% 4.9% 7.5% 92.5% Grade 7 0.6% 0.7% 1.1% 98.9% Grade 8 1.3% 2.1% 3.3% 96.7% Grade 9 2.6% 4.5% 6.6% 93.4% Grade 10 4.7% 6.8% 10.1% 89.9% Grade 11 5.4% 8.5% 12.9% 87.1% Grade 12 5.4% 8.3% 13.2% 86.8% **Downers** 3.4% 5.2% 7.9% 92.1% All Grade 7 0.5% 0.8% 1.2% 98.8%Grade 8 1.2% 2.0% 96.9% 3.1% Grade 9 2.9% 4.9% 6.9% 93.1% Grade 10 5.1% 7.3% 10.5% 89.5% Grade 11 6.0% 8.8%13.8% 86.2% Grade 12 6.1% 9.2% 14.6% 85.4%

Table B8: Prevalence and recency of use of selected substances by grade Students reporting grades lower than A (Continued)

| | Past Month | School Year | Ever Used | Never Used |
|----------|---------------|----------------|--------------|---------------|
| Rohypnol | Month | Tear | Oscu | Oscu |
| All | 1.0% | 1.6% | 2.6% | 97.4% |
| Grade 7 | 0.6% | 0.9% | 1.3% | 98.7% |
| Grade 8 | 1.0% | 1.6% | 2.4% | 97.6% |
| Grade 9 | 1.3% | 1.9% | 2.9% | 97.1% |
| Grade 10 | 1.1% | 2.1% | 3.5% | 96.5% |
| Grade 11 | 1.1% | 1.5% | 2.9% | 97.1% |
| Grade 12 | 1.0% | 1.5% | 2.6% | 97.4% |
| Steroids | | | | |
| All | 0.6% | 0.9% | 1.7% | 98.3% |
| Grade 7 | 0.5% | 0.7% | 1.6% | 98.4% |
| Grade 8 | 0.6% | 0.8% | 1.6% | 98.4% |
| Grade 9 | 0.5% | 0.8% | 1.5% | 98.5% |
| Grade 10 | 0.7% | 1.0% | 2.0% | 98.0% |
| Grade 11 | 0.6% | 0.9% | 1.6% | 98.4% |
| Grade 12 | 1.0% | 1.2% | 2.1% | 97.9% |
| Ecstasy | | | | |
| All | 2.3% | 4.0% | 6.8% | 93.2% |
| Grade 7 | 0.7% | 1.1% | 2.1% | 97.9% |
| Grade 8 | 1.4% | 2.5% | 4.1% | 95.9% |
| Grade 9 | 2.5% | 3.8% | 6.5% | 93.5% |
| Grade 10 | 2.9% | 5.2% | 8.5% | 91.5% |
| Grade 11 | 3.2% | 5.4% | 9.7% | 90.3% |
| Grade 12 | 3.8% | 6.8% | 11.6% | 88.4% |
| Heroin | | | | |
| All | 0.7% | 1.0% | 1.9% | 98.1% |
| Grade 7 | 0.6% | 0.7% | 1.4% | 98.6% |
| Grade 8 | 0.7% | 1.1% | 2.2% | 97.8% |
| Grade 9 | 0.7% | 1.1% | 2.2% | 97.8% |
| Grade 10 | 0.7% | 0.9% | 1.8% | 98.2% |
| Grade 11 | 0.5% | 1.0% | 2.0% | 98.0% |
| Grade 12 | 0.6% | 1.0% | 1.7% | 98.3% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 12.9% | 18.0% | 30.1% | 69.9% |
| Grade 7 | 4.7% | 7.1% | 14.9% | 85.1% |
| Grade 8 | 6.8% | 10.7% | 21.6% | 78.4% |
| Grade 9 | 11.4% | 16.5% | 28.9% | 71.1% |
| Grade 10 | 14.9% | 21.1% | 34.6% | 65.4% |
| Grade 11 | 19.6% | 25.9% | 40.3% | 59.7% |
| Grade 12 | 23.5% | 31.4% | 46.2% | 53.8% |
| Alcohol | | | | |
| All | 28.1% | 39.6% | 60.9% | 39.1% |
| Grade 7 | 13.5% | 19.8% | 41.6% | 58.4% |
| Grade 8 | 19.4% | 28.9% | 53.3% | 46.7% |
| Grade 9 | 27.3% | 39.8% | 62.5% | 37.5% |
| Grade 10 | 33.2% | 46.6% | 67.6% | 32.4% |
| Grade 11 | 37.1% | 51.4% | 70.9% | 29.1% |
| Grade 12 | 43.3% | 57.5% | 74.6% | 25.4% |
| Inhalants | | | | |
| All | 5.0% | 7.4% | 14.5% | 85.5% |
| Grade 7 | 7.3% | 9.7% | 16.4% | 83.6% |
| Grade 8 | 6.2% | 9.4% | 17.4% | 82.6% |
| Grade 9 | 5.1% | 8.0% | 15.7% | 84.3% |
| Grade 10 | 4.1% | 6.3% | 13.4% | 86.6% |
| Grade 11 | 3.2% | 5.3% | 12.0% | 88.0% |
| Grade 12 | 2.9% | 4.8% | 10.7% | 89.3% |
| Any Illicit Drug | | | | |
| All | 10.1% | 14.5% | 22.6% | 77.4% |
| Grade 7 | 3.6% | 4.9% | 8.0% | 92.0% |
| Grade 8 | 5.7% | 8.1% | 13.3% | 86.7% |
| Grade 9 | 9.4% | 13.6% | 20.9% | 79.1% |
| Grade 10 | 12.5% | 18.1% | 27.3% | 72.7% |
| Grade 11 | 15.5% | 22.1% | 33.8% | 66.2% |
| Grade 12 | 16.7% | 24.2% | 37.5% | 62.5% |
| Marijuana | | | | |
| All | 8.8% | 13.2% | 21.1% | 78.9% |
| Grade 7 | 2.7% | 3.9% | 6.8% | 93.2% |
| Grade 8 | 4.9% | 7.1% | 11.8% | 88.2% |
| Grade 9 | 8.0% | 12.2% | 19.3% | 80.7% |
| Grade 10 | 10.7% | 16.3% | 25.8% | 74.2% |
| Grade 11 | 13.8% | 20.6% | 32.5% | 67.5% |
| Grade 12 | 15.0% | 22.8% | 36.4% | 63.6% |
| Marijuana Only | | | | |
| All | 3.5% | 5.9% | 11.3% | 88.7% |
| Grade 7 | 1.3% | 2.0% | 3.8% | 96.2% |
| Grade 8 | 2.5% | 3.6% | 6.8% | 93.2% |
| Grade 9 | 3.4% | 5.5% | 10.6% | 89.4% |
| Grade 10 | 4.1% | 7.3% | 13.5% | 86.5% |
| Grade 11 | 5.1% | 8.8% | 17.0% | 83.0% |
| Grade 12 | 5.8% | 9.9% | 19.0% | 81.0% |

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents

(Continued) Past **School Ever** Never Month Year Used Used Cocaine or Crack All 2.0% 3.2% 5.6% 94.4% Grade 7 0.8% 1.2% 2.5% 97.5% Grade 8 1.2% 1.8% 3.3% 96.7% Grade 9 2.0% 2.9% 5.1% 94.9% Grade 10 2.0% 3.4% 6.0% 94.0% Grade 11 3.2% 5.0% 8.6% 91.4% Grade 12 3.0% 5.5% 9.8% 90.2% Cocaine All 1.7% 2.8% 5.1% 94.9% Grade 7 0.5% 0.8% 1.8% 98.2% 0.9% 1.3% 2.5% 97.5% Grade 8 Grade 9 1.7% 2.6% 4.5% 95.5% Grade 10 1.8% 3.2% 5.6% 94.4% Grade 11 3.0% 4.8% 8.3% 91.7% Grade 12 2.9% 9.5% 5.2% 90.5% Crack All 0.6% 0.9% 1.9% 98.1% Grade 7 0.5% 0.7% 98.4% 1.6% Grade 8 0.6% 0.9%1.8% 98.2% Grade 9 0.7% 1.1% 1.9% 98.1% Grade 10 0.5% 0.8% 1.7% 98.3% Grade 11 0.5% 0.9% 2.0% 98.0% Grade 12 0.5% 1.1% 2.2% 97.8% Hallucinogens All 1.2% 2.1% 4.0% 96.0% Grade 7 0.4%0.6% 0.9% 99.1% Grade 8 0.4% 0.8%1.8% 98.2% Grade 9 1.0% 1.8% 3.5% 96.5% 1.9% Grade 10 3.1% 5.6% 94.4% Grade 11 1.7% 3.0% 6.0% 94.0% Grade 12 2.0% 3.9% 7.5% 92.5% **Uppers** All 2.0% 3.1% 4.8% 95.2% Grade 7 0.4% 0.4% 0.7% 99.3% Grade 8 0.7% 1.2% 1.8% 98.2% Grade 9 1.4% 2.6% 3.9% 96.1% Grade 10 3.1% 4.5% 6.6% 93.4% Grade 11 3.4% 5.3% 8.4% 91.6% Grade 12 3.6% 5.6% 9.5% 90.5% **Downers** 2.1% 3.2% 4.9% 95.1% All Grade 7 0.3% 0.4% 0.7% 99.3% Grade 8 1.0% 98.4% 0.6% 1.6% Grade 9 1.5% 2.7% 3.9% 96.1% Grade 10 3.2% 4.7% 6.6% 93.4% Grade 11 3.7% 5.5% 9.0% 91.0% Grade 12 9.8% 90.2% 3.9% 6.2%

Table B9: Prevalence and recency of use of selected substances by grade Students living with two parents (Continued)

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|-------|---------|
| n | | Month | Year | Used | Used |
| Rohypnol | A 11 | 0.60/ | 0.00/ | 1.50/ | 00.50/ |
| | All | 0.6% | 0.9% | 1.5% | 98.5% |
| | Grade 7 | 0.4% | 0.5% | 0.8% | 99.2% |
| | Grade 8 | 0.4% | 0.8% | 1.2% | 98.8% |
| | Grade 9 | 0.8% | 1.1% | 1.8% | 98.2% |
| | Grade 10 | 0.6% | 1.1% | 1.8% | 98.2% |
| | Grade 11 | 0.7% | 1.0% | 1.8% | 98.2% |
| | Grade 12 | 0.7% | 1.1% | 1.9% | 98.1% |
| Steroids | | | | | |
| | All | 0.6% | 0.8% | 1.6% | 98.4% |
| | Grade 7 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 0.8% | 1.6% | 98.4% |
| | Grade 9 | 0.6% | 0.8% | 1.5% | 98.5% |
| | Grade 10 | 0.7% | 0.9% | 1.7% | 98.3% |
| | Grade 11 | 0.5% | 0.8% | 1.4% | 98.6% |
| | Grade 12 | 0.9% | 1.1% | 1.9% | 98.1% |
| Ecstasy | | | | | |
| | All | 1.5% | 2.4% | 4.3% | 95.7% |
| | Grade 7 | 0.3% | 0.6% | 1.1% | 98.9% |
| | Grade 8 | 0.6% | 1.1% | 2.1% | 97.9% |
| | Grade 9 | 1.8% | 2.5% | 4.2% | 95.8% |
| | Grade 10 | 2.0% | 3.3% | 5.6% | 94.4% |
| | Grade 11 | 1.9% | 3.4% | 6.3% | 93.7% |
| | Grade 12 | 2.4% | 4.1% | 7.7% | 92.3% |
| Heroin | 31440 12 | 2, | , | ,,,, | ,210,70 |
| | All | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.4% | 0.7% | 1.3% | 98.7% |
| | Grade 9 | 0.4% | 0.7% | 1.5% | 98.5% |
| | Grade 10 | 0.5% | 0.6% | 1.2% | 98.8% |
| | | | | | |
| | Grade 11 | 0.3% | 0.6% | 1.4% | 98.6% |
| | Grade 12 | 0.5% | 0.8% | 1.4% | 98.6% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 18.3% | 24.6% | 42.2% | 57.8% |
| Grade 7 | 8.4% | 12.1% | 25.9% | 74.1% |
| Grade 8 | 12.0% | 18.1% | 35.1% | 64.9% |
| Grade 9 | 18.1% | 25.2% | 45.0% | 55.0% |
| Grade 10 | 21.5% | 28.4% | 47.4% | 52.6% |
| Grade 11 | 24.6% | 31.3% | 49.5% | 50.5% |
| Grade 12 | 28.1% | 35.6% | 52.9% | 47.1% |
| Alcohol | | | | |
| All | 35.2% | 48.9% | 73.2% | 26.8% |
| Grade 7 | 20.1% | 28.3% | 56.1% | 43.9% |
| Grade 8 | 26.8% | 39.8% | 68.9% | 31.1% |
| Grade 9 | 35.7% | 49.7% | 74.5% | 25.5% |
| Grade 10 | 40.8% | 57.3% | 79.6% | 20.4% |
| Grade 11 | 43.2% | 58.9% | 80.5% | 19.5% |
| Grade 12 | 48.3% | 63.6% | 82.1% | 17.9% |
| Inhalants | | | | |
| All | 6.7% | 9.9% | 19.3% | 80.7% |
| Grade 7 | 9.1% | 12.7% | 21.8% | 78.2% |
| Grade 8 | 8.8% | 12.9% | 23.8% | 76.2% |
| Grade 9 | 7.3% | 10.7% | 20.4% | 79.6% |
| Grade 10 | 6.0% | 9.6% | 19.6% | 80.4% |
| Grade 11 | 4.6% | 6.7% | 14.6% | 85.4% |
| Grade 12 | 3.1% | 5.0% | 13.1% | 86.9% |
| Any Illicit Drug | | | | |
| All | 16.9% | 23.9% | 37.2% | 62.8% |
| Grade 7 | 7.0% | 9.5% | 16.4% | 83.6% |
| Grade 8 | 10.6% | 15.9% | 26.0% | 74.0% |
| Grade 9 | 17.6% | 25.2% | 38.5% | 61.5% |
| Grade 10 | 21.0% | 29.7% | 45.0% | 55.0% |
| Grade 11 | 23.6% | 32.4% | 49.9% | 50.1% |
| Grade 12 | 23.8% | 33.7% | 51.8% | 48.2% |
| Marijuana | | | | |
| All | 15.2% | 22.4% | 35.8% | 64.2% |
| Grade 7 | 6.1% | 8.5% | 14.7% | 85.3% |
| Grade 8 | 9.6% | 14.8% | 24.8% | 75.2% |
| Grade 9 | 15.8% | 23.3% | 36.9% | 63.1% |
| Grade 10 | 18.5% | 27.7% | 43.6% | 56.4% |
| Grade 11 | 21.4% | 30.8% | 48.7% | 51.3% |
| Grade 12 | 22.0% | 32.2% | 50.8% | 49.2% |
| Marijuana Only | | | | |
| All | 6.2% | 10.1% | 19.6% | 80.4% |
| Grade 7 | 3.1% | 4.6% | 9.0% | 91.0% |
| Grade 8 | 4.4% | 7.4% | 14.8% | 85.2% |
| Grade 9 | 7.2% | 11.3% | 20.9% | 79.1% |
| Grade 10 | 6.9% | 11.8% | 23.0% | 77.0% |
| Grade 11 | 8.1% | 13.0% | 25.6% | 74.4% |
| Grade 12 | 7.6% | 13.4% | 26.1% | 73.9% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | 1,1011011 | 2 0 11 | 0.504 | |
| | All | 3.1% | 5.1% | 8.9% | 91.1% |
| | Grade 7 | 1.1% | 1.8% | 4.0% | 96.0% |
| | Grade 8 | 1.7% | 2.7% | 5.2% | 94.8% |
| | Grade 9 | 2.9% | 4.8% | 7.9% | 92.1% |
| | Grade 10 | 3.8% | 6.7% | 11.2% | 88.8% |
| | Grade 11 | 4.8% | 7.9% | 13.1% | 86.9% |
| | Grade 12 | 5.0% | 7.9% | 13.8% | 86.2% |
| Cocaine | | | | | |
| | All | 2.9% | 4.8% | 8.3% | 91.7% |
| | Grade 7 | 0.8% | 1.3% | 3.0% | 97.0% |
| | Grade 8 | 1.5% | 2.2% | 4.2% | 95.8% |
| | Grade 9 | 2.6% | 4.4% | 7.2% | 92.8% |
| | Grade 10 | 3.6% | 6.4% | 10.7% | 89.3% |
| | Grade 11 | 4.6% | 7.6% | 12.9% | 87.1% |
| | Grade 12 | 4.9% | 7.8% | 13.5% | 86.5% |
| Crack | | | | | |
| | All | 0.7% | 1.2% | 2.6% | 97.4% |
| | Grade 7 | 0.6% | 1.1% | 2.2% | 97.8% |
| | Grade 8 | 0.6% | 1.1% | 2.4% | 97.6% |
| | Grade 9 | 0.8% | 1.4% | 2.8% | 97.2% |
| | Grade 10 | 0.7% | 1.3% | 2.9% | 97.1% |
| | Grade 11 | 0.7% | 1.4% | 2.8% | 97.2% |
| | Grade 12 | 0.5% | 1.0% | 2.3% | 97.7% |
| Hallucinogens | | | | | |
| | All | 1.9% | 3.3% | 6.3% | 93.7% |
| | Grade 7 | 0.6% | 1.0% | 1.8% | 98.2% |
| | Grade 8 | 1.1% | 1.9% | 3.5% | 96.5% |
| | Grade 9 | 2.1% | 3.2% | 6.0% | 94.0% |
| | Grade 10 | 2.4% | 4.4% | 8.7% | 91.3% |
| | Grade 11 | 2.8% | 5.0% | 9.3% | 90.7% |
| | Grade 12 | 2.8% | 5.2% | 10.0% | 90.0% |
| Uppers | | | | | |
| | All | 3.5% | 5.5% | 8.4% | 91.6% |
| | Grade 7 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 8 | 1.5% | 2.3% | 3.9% | 96.1% |
| | Grade 9 | 3.0% | 5.0% | 7.6% | 92.4% |
| | Grade 10 | 5.0% | 7.3% | 11.2% | 88.8% |
| | Grade 11 | 6.2% | 9.8% | 14.3% | 85.7% |
| | Grade 12 | 5.3% | 8.9% | 14.1% | 85.9% |
| Downers | | | | | |
| | All | 3.8% | 5.8% | 8.8% | 91.2% |
| | Grade 7 | 0.5% | 0.8% | 1.3% | 98.7% |
| | Grade 8 | 1.3% | 2.2% | 3.5% | 96.5% |
| | Grade 9 | 3.4% | 5.5% | 7.8% | 92.2% |
| | Grade 10 | 5.7% | 8.2% | 11.9% | 88.1% |
| | Grade 11 | 6.6% | 9.8% | 15.0% | 85.0% |
| | Grade 12 | 5.9% | 9.7% | 15.7% | 84.3% |

Table B10: Prevalence and recency of use of selected substances by grade Students not living with two parents (Continued)

| | | Past | School | Ever | Never |
|----------|----------|-------|--------|--------|--------|
| D.1 | | Month | Year | Used | Used |
| Rohypnol | All | 1.1% | 1.7% | 2.9% | 97.1% |
| | | | | | |
| | Grade 7 | 0.6% | 0.8% | 1.3% | 98.7% |
| | Grade 8 | 1.0% | 1.7% | 2.7% | 97.3% |
| | Grade 9 | 1.2% | 2.0% | 3.3% | 96.7% |
| | Grade 10 | 1.3% | 2.4% | 4.1% | 95.9% |
| | Grade 11 | 1.3% | 1.9% | 3.3% | 96.7% |
| | Grade 12 | 0.9% | 1.1% | 2.5% | 97.5% |
| Steroids | | | | | |
| | All | 0.6% | 0.9% | 1.6% | 98.4% |
| | Grade 7 | 0.5% | 0.7% | 1.6% | 98.4% |
| | Grade 8 | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 9 | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grade 10 | 0.6% | 0.9% | 2.0% | 98.0% |
| | Grade 11 | 0.9% | 1.2% | 1.8% | 98.2% |
| | Grade 12 | 0.8% | 1.1% | 1.6% | 98.4% |
| Ecstasy | | | | | |
| • | All | 2.5% | 4.3% | 7.3% | 92.7% |
| | Grade 7 | 0.8% | 1.1% | 2.4% | 97.6% |
| | Grade 8 | 1.7% | 2.8% | 4.6% | 95.4% |
| | Grade 9 | 2.3% | 3.8% | 7.0% | 93.0% |
| | Grade 10 | 3.0% | 5.6% | 9.0% | 91.0% |
| | Grade 11 | 3.7% | 6.2% | 10.8% | 89.2% |
| | Grade 12 | 3.8% | 7.3% | 11.4% | 88.6% |
| Heroin | G1440 12 | 3.070 | 7.570 | 11.170 | 00.070 |
| Tier om | All | 0.7% | 0.9% | 1.9% | 98.1% |
| | Grade 7 | 0.7% | 0.8% | 1.5% | 98.5% |
| | Grade 8 | 0.7% | 1.0% | 2.2% | 97.8% |
| | | | 0.9% | | |
| | Grade 9 | 0.6% | | 2.1% | 97.9% |
| | Grade 10 | 0.8% | 1.0% | 1.9% | 98.1% |
| | Grade 11 | 0.6% | 1.1% | 2.2% | 97.8% |
| | Grade 12 | 0.6% | 0.8% | 1.5% | 98.5% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 13.3% | 18.4% | 32.3% | 67.7% |
| Grade 7 | 4.7% | 7.1% | 16.5% | 83.5% |
| Grade 8 | 7.2% | 11.4% | 23.9% | 76.1% |
| Grade 9 | 12.1% | 17.6% | 32.2% | 67.8% |
| Grade 10 | 15.6% | 21.7% | 37.1% | 62.9% |
| Grade 11 | 20.0% | 26.3% | 42.1% | 57.9% |
| Grade 12 | 23.8% | 31.1% | 47.4% | 52.6% |
| Alcohol | | | | |
| All | 28.6% | 40.7% | 63.9% | 36.1% |
| Grade 7 | 13.7% | 20.2% | 44.1% | 55.9% |
| Grade 8 | 19.7% | 30.2% | 57.0% | 43.0% |
| Grade 9 | 28.2% | 40.8% | 65.1% | 34.9% |
| Grade 10 | 34.2% | 48.7% | 71.3% | 28.7% |
| Grade 11 | 37.9% | 52.8% | 73.9% | 26.1% |
| Grade 12 | 43.4% | 58.4% | 77.1% | 22.9% |
| Inhalants | | | | |
| All | 4.7% | 7.2% | 14.5% | 85.5% |
| Grade 7 | 6.6% | 9.1% | 15.8% | 84.2% |
| Grade 8 | 6.0% | 9.2% | 17.7% | 82.3% |
| Grade 9 | 5.0% | 7.7% | 15.6% | 84.4% |
| Grade 10 | 4.2% | 6.7% | 14.3% | 85.7% |
| Grade 11 | 3.1% | 5.1% | 11.8% | 88.2% |
| Grade 12 | 2.5% | 4.2% | 10.4% | 89.6% |
| Any Illicit Drug | | | | |
| All | 10.8% | 15.6% | 25.1% | 74.9% |
| Grade 7 | 3.5% | 5.0% | 8.8% | 91.2% |
| Grade 8 | 6.1% | 8.9% | 15.2% | 84.8% |
| Grade 9 | 10.2% | 15.0% | 24.2% | 75.8% |
| Grade 10 | 13.7% | 19.6% | 30.8% | 69.2% |
| Grade 11 | 16.4% | 23.5% | 37.0% | 63.0% |
| Grade 12 | 17.8% | 25.9% | 40.8% | 59.2% |
| Marijuana | | | | |
| All | 9.6% | 14.5% | 23.9% | 76.1% |
| Grade 7 | 2.9% | 4.3% | 7.7% | 92.3% |
| Grade 8 | 5.5% | 8.2% | 14.1% | 85.9% |
| Grade 9 | 9.1% | 13.7% | 22.7% | 77.3% |
| Grade 10 | 11.9% | 18.0% | 29.6% | 70.4% |
| Grade 11 | 14.7% | 22.1% | 35.7% | 64.3% |
| Grade 12 | 16.2% | 24.6% | 39.9% | 60.1% |
| Marijuana Only | | | | |
| All | 4.0% | 6.6% | 13.4% | 86.6% |
| Grade 7 | 1.6% | 2.4% | 4.8% | 95.2% |
| Grade 8 | 2.7% | 4.2% | 8.6% | 91.4% |
| Grade 9 | 4.1% | 6.7% | 13.3% | 86.7% |
| Grade 10 | 4.7% | 8.0% | 16.2% | 83.8% |
| Grade 11 | 5.4% | 9.4% | 19.0% | 81.0% |
| Grade 12 | 6.1% | 10.8% | 21.3% | 78.7% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Continued)

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | WIGHT | Tear | Oscu | Oscu |
| All | 1.9% | 3.3% | 5.9% | 94.1% |
| Grade 7 | 0.6% | 0.9% | 2.2% | 97.8% |
| Grade 8 | 1.0% | 1.7% | 3.0% | 97.0% |
| Grade 9 | 1.8% | 3.0% | 5.2% | 94.8% |
| Grade 10 | 2.1% | 3.9% | 6.9% | 93.1% |
| Grade 11 | 3.3% | 5.5% | 9.4% | 90.6% |
| Grade 12 | 3.2% | 5.7% | 10.2% | 89.8% |
| Cocaine | | | | |
| All | 1.7% | 3.0% | 5.4% | 94.6% |
| Grade 7 | 0.4% | 0.7% | 1.6% | 98.4% |
| Grade 8 | 0.8% | 1.3% | 2.3% | 97.7% |
| Grade 9 | 1.5% | 2.7% | 4.7% | 95.3% |
| Grade 10 | 2.0% | 3.7% | 6.4% | 93.6% |
| Grade 11 | 3.2% | 5.3% | 9.1% | 90.9% |
| Grade 12 | 3.1% | 5.5% | 10.0% | 90.0% |
| Crack | | | | |
| All | 0.4% | 0.8% | 1.7% | 98.3% |
| Grade 7 | 0.3% | 0.5% | 1.3% | 98.7% |
| Grade 8 | 0.4% | 0.7% | 1.5% | 98.5% |
| Grade 9 | 0.5% | 0.8% | 1.7% | 98.3% |
| Grade 10 | 0.5% | 0.8% | 1.7% | 98.3% |
| Grade 11 | 0.4% | 0.8% | 2.0% | 98.0% |
| Grade 12 | 0.4% | 0.9% | 1.9% | 98.1% |
| Hallucinogens | | | | |
| All | 1.2% | 2.1% | 4.2% | 95.8% |
| Grade 7 | 0.3% | 0.5% | 0.9% | 99.1% |
| Grade 8 | 0.5% | 0.9% | 1.9% | 98.1% |
| Grade 9 | 1.1% | 1.9% | 3.7% | 96.3% |
| Grade 10 | 1.7% | 3.0% | 6.0% | 94.0% |
| Grade 11 | 1.6% | 3.1% | 6.5% | 93.5% |
| Grade 12 | 2.0% | 3.8% | 7.5% | 92.5% |
| Uppers | | | | |
| All | 2.1% | 3.4% | 5.4% | 94.6% |
| Grade 7 | 0.3% | 0.4% | 0.7% | 99.3% |
| Grade 8 | 0.8% | 1.3% | 2.1% | 97.9% |
| Grade 9 | 1.6% | 2.9% | 4.6% | 95.4% |
| Grade 10 | 2.9% | 4.6% | 7.2% | 92.8% |
| Grade 11 | 3.8% | 6.3% | 9.8% | 90.2% |
| Grade 12 | 3.7% | 6.2% | 10.5% | 89.5% |
| Downers | | _ | _ | |
| All | 2.2% | 3.6% | 5.6% | 94.4% |
| Grade 7 | 0.3% | 0.4% | 0.7% | 99.3% |
| Grade 8 | 0.7% | 1.3% | 1.9% | 98.1% |
| Grade 9 | 1.7% | 3.1% | 4.5% | 95.5% |
| Grade 10 | 3.3% | 5.0% | 7.4% | 92.6% |
| Grade 11 | 4.1% | 6.4% | 10.4% | 89.6% |
| Grade 12 | 4.0% | 6.7% | 11.1% | 88.9% |

Table B11: Prevalence and recency of use of selected substances by grade Students would seek help from adults for substance abuse problems (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|-------------|----------|---------------|----------------|--------------|---------------|
| Rohypnol | | Month | 1 cai | Oscu | Oscu |
| J. P. L. L. | All | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 7 | 0.3% | 0.4% | 0.8% | 99.2% |
| | Grade 8 | 0.5% | 0.8% | 1.4% | 98.6% |
| | Grade 9 | 0.7% | 1.1% | 1.9% | 98.1% |
| | Grade 10 | 0.7% | 1.3% | 2.4% | 97.6% |
| | Grade 11 | 0.8% | 1.2% | 2.2% | 97.8% |
| | Grade 12 | 0.5% | 0.9% | 1.8% | 98.2% |
| Steroids | | | | | |
| | All | 0.4% | 0.6% | 1.3% | 98.7% |
| | Grade 7 | 0.3% | 0.5% | 1.0% | 99.0% |
| | Grade 8 | 0.4% | 0.6% | 1.2% | 98.8% |
| | Grade 9 | 0.4% | 0.5% | 1.3% | 98.7% |
| | Grade 10 | 0.4% | 0.6% | 1.5% | 98.5% |
| | Grade 11 | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 12 | 0.6% | 0.9% | 1.5% | 98.5% |
| Ecstasy | | | | | |
| • | All | 1.4% | 2.5% | 4.6% | 95.4% |
| | Grade 7 | 0.2% | 0.4% | 1.0% | 99.0% |
| | Grade 8 | 0.8% | 1.4% | 2.5% | 97.5% |
| | Grade 9 | 1.4% | 2.3% | 4.1% | 95.9% |
| | Grade 10 | 1.9% | 3.4% | 5.8% | 94.2% |
| | Grade 11 | 2.1% | 3.7% | 7.2% | 92.8% |
| | Grade 12 | 2.4% | 4.6% | 8.3% | 91.7% |
| Heroin | | | | | |
| | All | 0.3% | 0.5% | 1.1% | 98.9% |
| | Grade 7 | 0.2% | 0.3% | 0.7% | 99.3% |
| | Grade 8 | 0.3% | 0.5% | 1.2% | 98.8% |
| | Grade 9 | 0.4% | 0.6% | 1.4% | 98.6% |
| | Grade 10 | 0.4% | 0.5% | 1.1% | 98.9% |
| | Grade 11 | 0.3% | 0.6% | 1.3% | 98.7% |
| | Grade 12 | 0.3% | 0.6% | 1.2% | 98.8% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems

| | Past Month | School Year | Ever Used | Never Used |
|------------------|------------------|----------------|--------------|---------------|
| Tobacco | | | | |
| A | All 21.8% | 29.3% | 44.8% | 55.2% |
| Grade | 7 11.5% | 17.1% | 30.4% | 69.6% |
| Grade | 8 15.8% | 22.7% | 39.8% | 60.2% |
| Grade | 9 20.9% | 27.8% | 45.3% | 54.7% |
| Grade | 10 24.5% | 32.7% | 48.4% | 51.6% |
| Grade | | 35.4% | 50.9% | 49.1% |
| Grade | 12 31.4% | 41.7% | 54.2% | 45.8% |
| Alcohol | | | | |
| | All 40.1% | 53.7% | 73.1% | 26.9% |
| Grade | 7 26.0% | 36.1% | 61.6% | 38.4% |
| Grade | 8 33.6% | 46.5% | 70.0% | 30.0% |
| Grade | 9 39.2% | 53.8% | 74.2% | 25.8% |
| Grade | | 59.7% | 75.9% | 24.1% |
| Grade | 11 45.5% | 60.0% | 76.8% | 23.2% |
| Grade | 12 53.9% | 67.0% | 79.4% | 20.6% |
| Inhalants | | | | |
| | All 9.0% | 13.1% | 23.7% | 76.3% |
| Grade | 7 14.4% | 19.1% | 30.3% | 69.7% |
| Grade | | 17.6% | 29.7% | 70.3% |
| Grade | 9.1% | 13.4% | 24.4% | 75.6% |
| Grade | 10 7.6% | 11.5% | 22.9% | 77.1% |
| Grade | 11 6.4% | 8.9% | 18.1% | 81.9% |
| Grade | 12 4.5% | 7.4% | 15.7% | 84.3% |
| Any Illicit Drug | | | | |
| | All 19.9% | 27.7% | 39.8% | 60.2% |
| Grade | | 14.5% | 21.8% | 78.2% |
| Grade | | 20.6% | 30.5% | 69.5% |
| Grade | | 27.6% | 39.0% | 61.0% |
| Grade | | 32.6% | 45.7% | 54.3% |
| Grade | | 35.9% | 51.0% | 49.0% |
| Grade | 12 26.3% | 35.6% | 51.8% | 48.2% |
| Marijuana | | | | |
| | All 17.5% | 25.3% | 37.5% | 62.5% |
| Grade | | 12.2% | 18.8% | 81.2% |
| Grade | | 18.0% | 27.5% | 72.5% |
| Grade | | 24.9% | 36.5% | 63.5% |
| Grade | | 29.8% | 43.1% | 56.9% |
| Grade | 11 24.2% | 33.5% | 49.5% | 50.5% |
| Grade | 12 24.1% | 34.0% | 50.4% | 49.6% |
| Marijuana Only | | | | |
| | All 6.9% | 11.3% | 19.3% | 80.7% |
| Grade | | 6.0% | 10.2% | 89.8% |
| Grade | | 8.8% | 15.2% | 84.8% |
| Grade | 9 7.0% | 11.9% | 19.6% | 80.4% |
| Grade | 10 7.0% | 12.9% | 21.3% | 78.7% |
| Grade | 9.4% | 14.4% | 24.9% | 75.1% |
| Grade | 12 8.6% | 13.8% | 24.9% | 75.1% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems (Continued)

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | Month | 1 cai | Oseu | Oseu |
| All | 4.4% | 6.5% | 10.9% | 89.1% |
| Grade 7 | 2.3% | 3.4% | 6.7% | 93.3% |
| Grade 8 | 2.9% | 4.4% | 7.9% | 92.1% |
| Grade 9 | 4.0% | 5.9% | 9.3% | 90.7% |
| Grade 10 | 4.9% | 7.4% | 12.2% | 87.8% |
| Grade 11 | 5.9% | 8.5% | 14.2% | 85.8% |
| Grade 12 | 6.6% | 9.9% | 16.2% | 83.8% |
| Cocaine | | | | |
| All | 3.9% | 5.9% | 10.0% | 90.0% |
| Grade 7 | 1.7% | 2.6% | 5.1% | 94.9% |
| Grade 8 | 2.3% | 3.5% | 6.5% | 93.5% |
| Grade 9 | 3.5% | 5.1% | 7.9% | 92.1% |
| Grade 10 | 4.6% | 7.1% | 11.6% | 88.4% |
| Grade 11 | 5.4% | 8.2% | 14.0% | 86.0% |
| Grade 12 | 6.5% | 9.7% | 16.0% | 84.0% |
| Crack | | | | |
| All | 1.3% | 2.1% | 3.8% | 96.2% |
| Grade 7 | 1.5% | 2.1% | 4.2% | 95.8% |
| Grade 8 | 1.3% | 2.2% | 4.1% | 95.9% |
| Grade 9 | 1.6% | 2.6% | 4.0% | 96.0% |
| Grade 10 | 1.0% | 1.5% | 3.4% | 96.6% |
| Grade 11 | 1.2% | 2.0% | 3.5% | 96.5% |
| Grade 12 | 1.2% | 1.7% | 3.3% | 96.7% |
| Hallucinogens | | | | |
| All | 2.7% | 4.4% | 7.6% | 92.4% |
| Grade 7 | 1.3% | 2.0% | 2.9% | 97.1% |
| Grade 8 | 1.5% | 2.7% | 4.5% | 95.5% |
| Grade 9 | 2.5% | 3.7% | 6.9% | 93.1% |
| Grade 10 | 3.6% | 5.8% | 9.5% | 90.5% |
| Grade 11 | 3.7% | 6.2% | 10.4% | 89.6% |
| Grade 12 | 3.7% | 6.8% | 12.1% | 87.9% |
| Uppers | | | | |
| All | 4.6% | 6.6% | 9.4% | 90.6% |
| Grade 7 | 1.3% | 1.6% | 2.4% | 97.6% |
| Grade 8 | 1.9% | 3.0% | 4.5% | 95.5% |
| Grade 9 | 3.8% | 6.0% | 8.1% | 91.9% |
| Grade 10 | 7.0% | 9.4% | 12.6% | 87.4% |
| Grade 11 | 7.4% | 10.3% | 14.9% | 85.1% |
| Grade 12 | 6.5% | 9.6% | 14.2% | 85.8% |
| Downers | | ند پ | | |
| All | 4.7% | 6.8% | 9.6% | 90.4% |
| Grade 7 | 1.0% | 1.4% | 2.1% | 97.9% |
| Grade 8 | 1.7% | 2.8% | 3.9% | 96.1% |
| Grade 9 | 3.6% | 5.8% | 8.0% | 92.0% |
| Grade 10 | 7.0% | 9.3% | 12.9% | 87.1% |
| Grade 11 | 8.1% | 11.0% | 15.8% | 84.2% |
| Grade 12 | 7.2% | 10.9% | 15.7% | 84.3% |

Table B12: Prevalence and recency of use of selected substances by grade Students wouldn"t seek help from adults for substance abuse problems (Continued)

| | Past | School | Ever | Never |
|----------------------|-------|--------|-------|---------|
| Rohypnol | Month | Year | Used | Used |
| All | 1.6% | 2.3% | 3.2% | 96.8% |
| Grade 7 | 1.5% | 1.9% | 2.2% | 97.8% |
| Grade 8 | 1.7% | 2.6% | 3.4% | 96.6% |
| Grade 9 | 1.8% | 2.4% | 3.7% | 96.3% |
| Grade 10 | 1.4% | 2.6% | 3.6% | 96.4% |
| Grade 10 Grade 11 | 1.3% | 2.0% | 3.1% | 96.9% |
| Grade 12 | 1.6% | 2.0% | 3.1% | 96.9% |
| Steroids State 12 | 1.070 | 2.070 | 3.170 | 70.770 |
| All | 1.1% | 1.6% | 2.7% | 97.3% |
| Grade 7 | 0.9% | 1.0% | 2.7% | 97.3% |
| | 0.9% | 1.5% | 2.9% | |
| Grade 8 | | | | 97.1% |
| Grade 9 | 0.9% | 1.2% | 2.0% | 98.0% |
| Grade 10 | 1.4% | 1.9% | 3.1% | 96.9% |
| Grade 11 | 1.2% | 1.5% | 2.3% | 97.7% |
| Grade 12 | 1.7% | 2.0% | 3.0% | 97.0% |
| Ecstasy | 2 | | 0 = | 0.4.004 |
| All | 3.6% | 5.6% | 8.7% | 91.3% |
| Grade 7 | 1.8% | 2.6% | 4.0% | 96.0% |
| Grade 8 | 2.4% | 3.7% | 5.8% | 94.2% |
| Grade 9 | 3.8% | 5.4% | 8.6% | 91.4% |
| Grade 10 | 4.2% | 6.8% | 10.7% | 89.3% |
| Grade 11 | 4.1% | 7.1% | 11.3% | 88.7% |
| Grade 12 | 5.2% | 8.0% | 12.2% | 87.8% |
| Heroin | | | | |
| All | 1.2% | 1.7% | 2.9% | 97.1% |
| Grade 7 | 1.5% | 1.6% | 2.9% | 97.1% |
| Grade 8 | 1.3% | 2.2% | 3.6% | 96.4% |
| Grade 9 | 1.0% | 1.5% | 2.7% | 97.3% |
| Grade 10 | 1.2% | 1.6% | 2.5% | 97.5% |
| Grade 11 | 1.1% | 1.8% | 3.1% | 96.9% |
| Grade 12 | 1.4% | 1.7% | 2.9% | 97.1% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Tobacco | | Wilding | Teur | CSCU | CSCG |
| | All | 15.0% | 20.2% | 36.3% | 63.7% |
| | Grade 7 | 7.0% | 10.2% | 21.7% | 78.3% |
| | Grade 8 | 9.7% | 14.9% | 29.9% | 70.1% |
| | Grade 9 | 16.0% | 21.7% | 38.9% | 61.1% |
| | Grade 10 | 19.2% | 25.2% | 43.4% | 56.6% |
| | Grade 11 | 22.7% | 28.8% | 47.0% | 53.0% |
| | Grade 12 | 25.6% | 32.5% | 52.9% | 47.1% |
| Alcohol | | | | | |
| | All | 29.6% | 41.1% | 64.8% | 35.2% |
| | Grade 7 | 17.2% | 24.5% | 48.5% | 51.5% |
| | Grade 8 | 23.4% | 33.4% | 60.5% | 39.5% |
| | Grade 9 | 30.8% | 43.7% | 68.0% | 32.0% |
| | Grade 10 | 37.0% | 50.7% | 73.3% | 26.7% |
| | Grade 11 | 39.7% | 53.7% | 74.5% | 25.5% |
| | Grade 12 | 43.2% | 58.4% | 78.7% | 21.3% |
| Inhalants | | | | | |
| | All | 6.7% | 9.7% | 18.9% | 81.1% |
| | Grade 7 | 8.6% | 11.7% | 20.0% | 80.0% |
| | Grade 8 | 8.4% | 12.0% | 22.5% | 77.5% |
| | Grade 9 | 6.4% | 9.5% | 18.9% | 81.1% |
| | Grade 10 | 5.3% | 8.7% | 18.2% | 81.8% |
| | Grade 11 | 4.9% | 6.9% | 15.4% | 84.6% |
| | Grade 12 | 3.4% | 5.7% | 14.3% | 85.7% |
| Any Illicit Drug | | | | | |
| | All | 12.9% | 18.2% | 29.2% | 70.8% |
| | Grade 7 | 5.4% | 7.1% | 12.4% | 87.6% |
| | Grade 8 | 8.9% | 12.6% | 21.0% | 79.0% |
| | Grade 9 | 13.8% | 19.9% | 31.7% | 68.3% |
| | Grade 10 | 17.4% | 24.7% | 39.0% | 61.0% |
| | Grade 11 | 20.1% | 28.2% | 43.3% | 56.7% |
| | Grade 12 | 19.3% | 28.3% | 45.3% | 54.7% |
| Marijuana | | | | | |
| | All | 11.5% | 16.9% | 27.9% | 72.1% |
| | Grade 7 | 4.7% | 6.2% | 11.1% | 88.9% |
| | Grade 8 | 7.9% | 11.5% | 19.4% | 80.6% |
| | Grade 9 | 12.2% | 18.3% | 30.4% | 69.6% |
| | Grade 10 | 15.3% | 22.9% | 37.7% | 62.3% |
| | Grade 11 | 18.3% | 26.6% | 42.0% | 58.0% |
| | Grade 12 | 17.8% | 27.2% | 44.6% | 55.4% |
| Marijuana Only | | | | | |
| | All | 4.7% | 7.6% | 15.2% | 84.8% |
| | Grade 7 | 2.3% | 3.2% | 6.6% | 93.4% |
| | Grade 8 | 3.9% | 5.8% | 11.3% | 88.7% |
| | Grade 9 | 5.3% | 8.4% | 16.9% | 83.1% |
| | Grade 10 | 5.8% | 9.7% | 19.9% | 80.1% |
| | Grade 11 | 7.0% | 11.2% | 22.1% | 77.9% |
| | Grade 12 | 5.8% | 11.5% | 22.9% | 77.1% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | MIOHH | 1 ear | Useu | Used |
| All | 2.5% | 3.9% | 7.3% | 92.7% |
| Grade 7 | 0.9% | 1.4% | 3.2% | 96.8% |
| Grade 8 | 1.8% | 2.5% | 4.7% | 95.3% |
| Grade 9 | 2.9% | 4.0% | 7.2% | 92.8% |
| Grade 10 | 3.0% | 5.3% | 9.7% | 90.3% |
| Grade 11 | 3.9% | 6.2% | 11.4% | 88.6% |
| Grade 12 | 4.9% | 7.2% | 13.3% | 86.7% |
| Cocaine | | | | |
| All | 2.3% | 3.5% | 6.6% | 93.4% |
| Grade 7 | 0.6% | 0.9% | 2.4% | 97.6% |
| Grade 8 | 1.5% | 2.1% | 3.9% | 96.1% |
| Grade 9 | 2.5% | 3.4% | 6.2% | 93.8% |
| Grade 10 | 2.9% | 5.0% | 9.2% | 90.8% |
| Grade 11 | 3.6% | 5.8% | 11.1% | 88.9% |
| Grade 12 | 4.7% | 7.2% | 13.1% | 86.9% |
| Crack | | | | |
| All | 0.7% | 1.1% | 2.5% | 97.5% |
| Grade 7 | 0.4% | 0.8% | 1.9% | 98.1% |
| Grade 8 | 0.7% | 0.9% | 2.2% | 97.8% |
| Grade 9 | 0.9% | 1.2% | 2.7% | 97.3% |
| Grade 10 | 0.6% | 1.3% | 3.0% | 97.0% |
| Grade 11 | 0.8% | 1.3% | 2.9% | 97.1% |
| Grade 12 | 0.5% | 1.1% | 2.7% | 97.3% |
| Hallucinogens | | | | |
| All | 1.5% | 2.5% | 5.1% | 94.9% |
| Grade 7 | 0.6% | 0.9% | 1.6% | 98.4% |
| Grade 8 | 1.0% | 1.6% | 3.1% | 96.9% |
| Grade 9 | 1.3% | 2.3% | 4.8% | 95.2% |
| Grade 10 | 2.3% | 3.8% | 7.8% | 92.2% |
| Grade 11 | 2.0% | 4.1% | 8.3% | 91.7% |
| Grade 12 | 2.9% | 4.5% | 10.1% | 89.9% |
| Uppers | | | | |
| All | 2.3% | 3.7% | 6.0% | 94.0% |
| Grade 7 | 0.5% | 0.5% | 0.9% | 99.1% |
| Grade 8 | 1.0% | 1.6% | 2.8% | 97.2% |
| Grade 9 | 2.1% | 4.0% | 6.3% | 93.7% |
| Grade 10 | 3.7% | 5.5% | 9.3% | 90.7% |
| Grade 11 | 4.3% | 7.5% | 11.6% | 88.4% |
| Grade 12 | 4.4% | 6.5% | 11.3% | 88.7% |
| Downers | | | | |
| All | 2.4% | 3.7% | 6.1% | 93.9% |
| Grade 7 | 0.4% | 0.6% | 0.9% | 99.1% |
| Grade 8 | 1.0% | 1.6% | 2.6% | 97.4% |
| Grade 9 | 2.4% | 4.1% | 6.3% | 93.7% |
| Grade 10 | 3.8% | 5.7% | 9.6% | 90.4% |
| Grade 11 | 4.6% | 7.3% | 11.4% | 88.6% |
| Grade 12 | 4.8% | 6.7% | 12.2% | 87.8% |

Table B13: Prevalence and recency of use of selected substances by grade Students living in town three years or less (Continued)

| | | Past | School | Ever | Never |
|----------|---------------------|-------|--------|--------|--------|
| Dahamad | | Month | Year | Used | Used |
| Rohypnol | A 11 | 0.00/ | 1 20/ | 2 404 | 07.6% |
| | All | 0.9% | 1.3% | 2.4% | 97.6% |
| | Grade 7 | 0.5% | 0.7% | 1.1% | 98.9% |
| | Grade 8 | 0.9% | 1.3% | 2.2% | 97.8% |
| | Grade 9 | 1.2% | 1.6% | 2.7% | 97.3% |
| | Grade 10 | 1.2% | 2.0% | 3.5% | 96.5% |
| | Grade 11 | 1.0% | 1.4% | 2.8% | 97.2% |
| | Grade 12 | 0.7% | 1.0% | 2.5% | 97.5% |
| Steroids | | | | | |
| | All | 0.5% | 0.7% | 1.6% | 98.4% |
| | Grade 7 | 0.3% | 0.5% | 1.3% | 98.7% |
| | Grade 8 | 0.5% | 0.8% | 2.0% | 98.0% |
| | Grade 9 | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 10 | 0.4% | 0.6% | 1.5% | 98.5% |
| | Grade 11 | 0.8% | 1.0% | 1.6% | 98.4% |
| | Grade 12 | 0.8% | 1.0% | 1.5% | 98.5% |
| Ecstasy | | | | | |
| | All | 1.9% | 3.1% | 5.8% | 94.2% |
| | Grade 7 | 0.5% | 0.7% | 1.5% | 98.5% |
| | Grade 8 | 1.4% | 2.3% | 4.0% | 96.0% |
| | Grade 9 | 2.1% | 3.4% | 6.2% | 93.8% |
| | Grade 10 | 2.6% | 4.4% | 7.7% | 92.3% |
| | Grade 11 | 2.7% | 4.8% | 9.4% | 90.6% |
| | Grade 12 | 3.7% | 6.0% | 11.1% | 88.9% |
| Heroin | 31444 12 | 2.7,0 | 0.070 | 111170 | 00.570 |
| | All | 0.6% | 0.9% | 1.9% | 98.1% |
| | Grade 7 | 0.4% | 0.5% | 1.2% | 98.8% |
| | Grade 8 | 0.4% | 1.2% | 2.3% | 97.7% |
| | Grade 9 | 0.5% | 0.8% | 1.8% | 98.2% |
| | Grade 9 Grade 10 | 0.5% | 0.8% | 1.8% | 98.2% |
| | | | | | |
| | Grade 11 | 0.7% | 1.0% | 2.2% | 97.8% |
| | Grade 12 | 0.8% | 1.1% | 2.3% | 97.7% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years

| | Past Month | School Year | Ever Used | Never Used |
|------------------|---------------|----------------|--------------|---------------|
| Tobacco | | | | |
| All | 15.0% | 20.7% | 34.2% | 65.8% |
| Grade 7 | 5.6% | 8.2% | 17.5% | 82.5% |
| Grade 8 | 8.5% | 12.9% | 25.4% | 74.6% |
| Grade 9 | 13.2% | 19.2% | 33.6% | 66.4% |
| Grade 10 | 16.8% | 23.5% | 38.2% | 61.8% |
| Grade 11 | 21.1% | 27.7% | 42.6% | 57.4% |
| Grade 12 | 25.3% | 33.1% | 47.9% | 52.1% |
| Alcohol | | | | |
| All | 31.3% | 44.0% | 66.1% | 33.9% |
| Grade 7 | 15.2% | 22.0% | 46.2% | 53.8% |
| Grade 8 | 21.8% | 33.1% | 58.9% | 41.1% |
| Grade 9 | 30.5% | 43.6% | 66.9% | 33.1% |
| Grade 10 | 35.8% | 50.9% | 72.0% | 28.0% |
| Grade 11 | 39.3% | 54.5% | 74.7% | 25.3% |
| Grade 12 | 45.6% | 60.1% | 77.2% | 22.8% |
| Inhalants | | | | |
| All | 5.2% | 7.8% | 15.3% | 84.7% |
| Grade 7 | 7.7% | 10.3% | 17.5% | 82.5% |
| Grade 8 | 6.6% | 10.2% | 18.7% | 81.3% |
| Grade 9 | 5.7% | 8.8% | 16.9% | 83.1% |
| Grade 10 | 4.7% | 7.2% | 14.9% | 85.1% |
| Grade 11 | 3.3% | 5.4% | 12.1% | 87.9% |
| Grade 12 | 2.9% | 4.7% | 11.1% | 88.9% |
| Any Illicit Drug | | | | |
| All | 12.6% | 18.1% | 27.7% | 72.3% |
| Grade 7 | 4.4% | 6.4% | 10.5% | 89.5% |
| Grade 8 | 7.0% | 10.5% | 17.0% | 83.0% |
| Grade 9 | 11.9% | 17.3% | 26.0% | 74.0% |
| Grade 10 | 15.3% | 21.9% | 32.4% | 67.6% |
| Grade 11 | | 25.3% | 38.8% | 61.2% |
| Grade 12 | 19.4% | 27.6% | 42.4% | 57.6% |
| Marijuana | | | | |
| All | 11.2% | 16.7% | 26.3% | 73.7% |
| Grade 7 | 3.6% | 5.3% | 9.0% | 91.0% |
| Grade 8 | 6.2% | 9.5% | 15.6% | 84.4% |
| Grade 9 | 10.5% | 15.7% | 24.3% | 75.7% |
| Grade 10 | 13.2% | 20.0% | 30.9% | 69.1% |
| Grade 11 | 16.1% | 23.8% | 37.4% | 62.6% |
| Grade 12 | 17.7% | 26.2% | 41.3% | 58.7% |
| Marijuana Only | | | | |
| All | | 7.5% | 14.2% | 85.8% |
| Grade 7 | | 2.8% | 5.3% | 94.7% |
| Grade 8 | 2.9% | 4.7% | 9.3% | 90.7% |
| Grade 9 | 4.6% | 7.5% | 13.6% | 86.4% |
| Grade 10 | 5.0% | 8.8% | 16.2% | 83.8% |
| Grade 11 | 6.0% | 10.2% | 19.6% | 80.4% |
| Grade 12 | 6.6% | 11.1% | 21.5% | 78.5% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past Month | School Year | Ever Used | Never Used |
|------------------|----------|---------------|----------------|--------------|---------------|
| Cocaine or Crack | | Month | 1 cai | Oseu | Oseu |
| | All | 2.3% | 3.9% | 6.7% | 93.3% |
| | Grade 7 | 0.9% | 1.4% | 3.0% | 97.0% |
| | Grade 8 | 1.2% | 2.1% | 3.8% | 96.2% |
| | Grade 9 | 2.1% | 3.5% | 5.8% | 94.2% |
| | Grade 10 | 2.6% | 4.5% | 7.4% | 92.6% |
| | Grade 11 | 3.7% | 6.0% | 9.9% | 90.1% |
| | Grade 12 | 3.6% | 6.2% | 10.9% | 89.1% |
| Cocaine | | | | | |
| | All | 2.1% | 3.6% | 6.2% | 93.8% |
| | Grade 7 | 0.6% | 1.0% | 2.1% | 97.9% |
| | Grade 8 | 1.0% | 1.5% | 2.9% | 97.1% |
| | Grade 9 | 1.9% | 3.2% | 5.3% | 94.7% |
| | Grade 10 | 2.4% | 4.2% | 7.1% | 92.9% |
| | Grade 11 | 3.6% | 5.9% | 9.7% | 90.3% |
| | Grade 12 | 3.4% | 6.0% | 10.6% | 89.4% |
| Crack | | | | | |
| | All | 0.6% | 1.0% | 2.0% | 98.0% |
| | Grade 7 | 0.6% | 0.8% | 1.8% | 98.2% |
| | Grade 8 | 0.5% | 1.0% | 2.0% | 98.0% |
| | Grade 9 | 0.6% | 1.2% | 2.0% | 98.0% |
| | Grade 10 | 0.6% | 0.9% | 1.9% | 98.1% |
| | Grade 11 | 0.5% | 1.0% | 2.1% | 97.9% |
| | Grade 12 | 0.5% | 1.0% | 2.1% | 97.9% |
| Hallucinogens | | | | | |
| | All | 1.5% | 2.6% | 4.8% | 95.2% |
| | Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.5% | 1.1% | 2.2% | 97.8% |
| | Grade 9 | 1.5% | 2.3% | 4.3% | 95.7% |
| | Grade 10 | 2.0% | 3.5% | 6.4% | 93.6% |
| | Grade 11 | 2.1% | 3.6% | 6.9% | 93.1% |
| | Grade 12 | 2.2% | 4.4% | 8.1% | 91.9% |
| Uppers | | | | | |
| | All | 2.6% | 4.1% | 6.3% | 93.7% |
| | Grade 7 | 0.5% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 1.0% | 1.6% | 2.6% | 97.4% |
| | Grade 9 | 2.0% | 3.4% | 5.0% | 95.0% |
| | Grade 10 | 3.8% | 5.6% | 8.0% | 92.0% |
| | Grade 11 | 4.6% | 6.8% | 10.3% | 89.7% |
| | Grade 12 | 4.2% | 6.9% | 11.2% | 88.8% |
| Downers | | | | | |
| | All | 2.8% | 4.4% | 6.6% | 93.4% |
| | Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.9% | 1.5% | 2.2% | 97.8% |
| | Grade 9 | 2.1% | 3.6% | 5.0% | 95.0% |
| | Grade 10 | 4.3% | 6.1% | 8.4% | 91.6% |
| | Grade 11 | 4.9% | 7.1% | 11.3% | 88.7% |
| | Grade 12 | 4.7% | 7.7% | 12.0% | 88.0% |

Table B14: Prevalence and recency of use of selected substances by grade Students living in town more than three years (Continued)

| | | Past | School | Ever | Never |
|----------|----------------------|-------|--------|-------|-------|
| Rohypnol | | Month | Year | Used | Used |
| Konyphoi | All | 0.7% | 1.2% | 1.9% | 98.1% |
| | Grade 7 | 0.4% | 0.6% | 1.0% | 99.0% |
| | Grade 8 | 0.6% | 1.1% | 1.6% | 98.4% |
| | Grade 9 | 0.8% | 1.1% | 2.2% | 97.8% |
| | Grade 10 | 0.8% | 1.4% | 2.4% | 97.6% |
| | Grade 10 | 0.8% | 1.4% | 2.3% | 97.0% |
| | Grade 11 Grade 12 | 0.9% | 1.4% | 2.0% | 98.0% |
| Steroids | Grade 12 | 0.7% | 1.170 | 2.0% | 96.0% |
| Steroius | A 11 | 0.6% | 0.9% | 1 60/ | 98.4% |
| | All | | | 1.6% | |
| | Grade 7 | 0.6% | 0.8% | 1.4% | 98.6% |
| | Grade 8 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 9 | 0.6% | 0.7% | 1.4% | 98.6% |
| | Grade 10 | 0.7% | 1.0% | 1.9% | 98.1% |
| | Grade 11 | 0.6% | 0.9% | 1.6% | 98.4% |
| | Grade 12 | 0.8% | 1.1% | 1.9% | 98.1% |
| Ecstasy | | | | | |
| | All | 1.8% | 3.1% | 5.3% | 94.7% |
| | Grade 7 | 0.5% | 0.8% | 1.7% | 98.3% |
| | Grade 8 | 0.9% | 1.6% | 2.7% | 97.3% |
| | Grade 9 | 1.9% | 2.8% | 4.8% | 95.2% |
| | Grade 10 | 2.4% | 4.1% | 6.7% | 93.3% |
| | Grade 11 | 2.6% | 4.4% | 7.5% | 92.5% |
| | Grade 12 | 2.8% | 5.1% | 8.7% | 91.3% |
| Heroin | | | | | |
| | All | 0.5% | 0.7% | 1.4% | 98.6% |
| | Grade 7 | 0.4% | 0.5% | 1.0% | 99.0% |
| | Grade 8 | 0.4% | 0.7% | 1.4% | 98.6% |
| | Grade 9 | 0.6% | 0.9% | 1.7% | 98.3% |
| | Grade 10 | 0.5% | 0.7% | 1.3% | 98.7% |
| | Grade 11 | 0.3% | 0.8% | 1.5% | 98.5% |
| | Grade 12 | 0.5% | 0.7% | 1.3% | 98.7% |

| The FREQ Prod | ceaure |
|---------------|--------|
|---------------|--------|

| q1 | Frequency | Percent |
|----|-----------|---------|
| F | 805E3 | 52.21 |
| M | 737E3 | 47.79 |

Frequency Missing = 3814.9803911

| q2 | Frequency | Percent |
|-----------|-----------|---------|
| 7 | 271E3 | 17.54 |
| 8 | 268E3 | 17.31 |
| 9 | 308E3 | 19.95 |
| 10 | 26E4 | 16.81 |
| 11 | 231E3 | 14.95 |
| 12 | 208E3 | 13.43 |

| q3 | Frequency | Percent |
|----|-----------|---------|
| N | 592E3 | 38.55 |
| Y | 945E3 | 61.45 |

Frequency Missing = 8360.8208781

| q4 | Frequency | Percent |
|----|-----------|---------|
| 11 | 1265 | 0.08 |
| 12 | 77551 | 5.03 |
| 13 | 238E3 | 15.46 |
| 14 | 278E3 | 18.02 |
| 15 | 291E3 | 18.88 |
| 16 | 264E3 | 17.12 |
| 17 | 233E3 | 15.15 |
| 18 | 144E3 | 9.36 |
| 19 | 13647 | 0.89 |
| | | |

Frequency Missing = 5062.0367235

| q5 | Frequency | Percent |
|----|-----------|---------|
| AF | 246E3 | 16.22 |
| AS | 55552 | 3.66 |
| MA | 386E3 | 25.41 |
| NA | 14019 | 0.92 |
| OT | 93995 | 6.19 |
| WT | 723E3 | 47.60 |

Frequency Missing = 27228.653609

| q6 | Frequency | Percent |
|--------------|-----------|---------|
| A | 509E3 | 33.35 |
| В | 722E3 | 47.30 |
| \mathbf{C} | 246E3 | 16.13 |
| D | 34076 | 2.23 |
| F | 15056 | 0.99 |

Frequency Missing = 18888.377658

| q 7 | Frequency | Percent |
|------------|-----------|---------|
| 1 | 179E3 | 11.73 |
| 2 | 266E3 | 17.41 |
| 3 | 108E4 | 70.86 |
| | | |

Frequency Missing = 19773.508506

| q8 | Frequency | Percent |
|----|-----------|---------|
| N | 112E4 | 73.56 |
| Y | 403E3 | 26.44 |

Frequency Missing = 19650.701384

| q9 | Frequency | Percent |
|-----------|-----------|---------|
| N | 923E3 | 60.81 |
| Y | 595E3 | 39.19 |

Frequency Missing = 27450.977919

| q10 | Frequency | Percent |
|-----|-----------|---------|
| D | 22E4 | 14.42 |
| N | 514E3 | 33.72 |
| Y | 79E4 | 51.85 |
| | | |

Frequency Missing = 22150.304686

| q11 | Frequency | Percent |
|-----|-----------|---------|
| D | 21E4 | 13.82 |
| N | 839E3 | 55.15 |
| Y | 472E3 | 31.03 |
| | | |

Frequency Missing = 23027.61761

| q12a | Frequency | Percent |
|------|-----------|---------|
| N | 747E3 | 52.94 |
| Y | 664E3 | 47.06 |

Frequency Missing = 133479.18167

| q12b | Frequency | Percent |
|------|-----------|---------|
| N | 104E4 | 80.56 |
| Y | 251E3 | 19.44 |

Frequency Missing = 254243.36455

| q12c | Frequency | Percent |
|------|-----------|---------|
| N | 108E4 | 88.77 |
| Y | 136E3 | 11.23 |
| | | |

Frequency Missing = 332217.33303

| q12d | Frequency | Percent |
|------|-----------|---------|
| N | 997E3 | 81.49 |
| Y | 226E3 | 18.51 |
| | | |

Frequency Missing = 321747.00189

| q12e | Frequency | Percent |
|------|-----------|---------|
| N | 109E4 | 90.38 |
| Y | 116E3 | 9.62 |

Frequency Missing = 337723.25244

| q12f | Frequency | Percent |
|------|-----------|---------|
| N | 116E4 | 94.89 |
| Y | 62146 | 5.11 |

Frequency Missing = 328041.51176

| q12g | Frequency | Percent |
|------|-----------|---------|
| N | 116E4 | 94.53 |
| Y | 67034 | 5.47 |

Frequency Missing = 320174.94143

| q12h | Frequency | Percent |
|------|-----------|---------|
| N | 104E4 | 81.93 |
| Y | 23E4 | 18.07 |
| | | |

Frequency Missing = 273846.42148

| | | | q13b Frequency | Perce |
|------|-----------|---------|----------------|-------|
| q12i | Frequency | Percent | 1 627E3 | 41. |
| N | 109E4 | 85.22 | 2 701E3 | 45.9 |
| Y | 188E3 | 14.78 | 3 129E3 | 8.4 |
| | | | 4 36700 | 2.4 |
| | | | 5 31130 | 2.0 |

q14d Frequency Percent 109E4 71.60 2 229E3 15.08 3 114E3 7.51 61091 4.02

Frequency Missing = 271965.55627

| q12j | Frequency | Percent |
|------|-----------|---------|
| N | 117E4 | 89.76 |
| Y | 133E3 | 10.24 |

Frequency Missing = 19615.409718

q13c Frequency Percent

| | 5 | 27060 | 1.78 | |
|-------|-----------|------------|------------|---|
| | | | | |
| Frequ | uency Mis | ssing = 27 | 018.779842 | 2 |

| Frequency | Missing = | 244599.9167 |
|-----------|-----------|-------------|

| | | | 1 | 547E3 | 35.83 | |
|----------------------------|-----------|---------|-------|-------|-------|------|
| ency Missing = 244599.9167 | | 2 | 737E3 | 48.27 | | |
| | | 7107 | 3 | 138E3 | 9.05 | |
| | | | 4 | 61089 | 4.00 | |
| 12k | Frequency | Percent | | 5 | 43409 | 2.84 |
| | 102E4 | 76.77 | | | | |

| q14e | Frequency | Percent |
|------|-----------|---------|
| 1 | 897E3 | 58.96 |
| 2 | 407E3 | 26.75 |
| 3 | 132E3 | 8.69 |
| 4 | 52276 | 3.44 |
| 5 | 33010 | 2.17 |

Frequency Missing = 221925.19624

307E3

23.23

| q12l | Frequency | Percent |
|-------------|-----------|---------|
| N | 856E3 | 62.21 |
| Y | 52E4 | 37.79 |

Frequency Missing = 19147.154326

| Frequency | Missing | = 24779 | .340209 |
|-----------|---------|---------|---------|
|-----------|---------|---------|---------|

| q14a F | requency | Percent |
|--------|----------|---------|
| 1 | 76021 | 4.98 |
| 2 | 401E3 | 26.29 |
| 3 | 396E3 | 25.98 |
| 4 | 521E3 | 34.15 |
| 5 | 131E3 | 8.60 |

| q15 | Frequency | Percent |
|-----|-----------|---------|
| N | 857E3 | 60.40 |
| Y | 562E3 | 39.60 |

Frequency Missing = 168894.35639

| | 5 | 131E3 | 8.60 |
|---|---|-------|------|
| _ | | | |
| | | | |

Frequency Missing = 20072.817837

Frequency Missing = 127196.67293

| q12m | Frequency | Percent |
|------|-----------|---------|
| N | 894E3 | 65.34 |
| Y | 474E3 | 34.66 |

| q14b | Frequency | Percent |
|------|-----------|---------|
| 1 | 942E3 | 62.65 |
| 2 | 332E3 | 22.08 |
| 3 | 146E3 | 9.72 |
| 4 | 60216 | 4.01 |
| 5 | 23194 | 1.54 |

| q16a | Frequency | Percent |
|------|-----------|---------|
| 0 | 141E4 | 93.46 |
| 1 | 62735 | 4.16 |
| 2 | 15060 | 1.00 |
| 3 | 20794 | 1.38 |

Frequency Missing = 176552.53653

| q16b | Frequency | Percent |
|------|-----------|---------|
| 0 | 14E5 | 93.75 |
| 1 | 56681 | 3.79 |
| 2 | 15885 | 1.06 |
| 3 | 20936 | 1.40 |

Frequency Missing = 37807.353352

| q13a | Frequency | Percent |
|------|-----------|---------|
| 1 | 12E5 | 78.48 |
| 2 | 286E3 | 18.66 |
| 3 | 19567 | 1.28 |
| 4 | 7458 | 0.49 |
| 5 | 16659 | 1.09 |
| | | |

q14c Frequency Percent

| 2 | 207E3 | 14.07 |
|---|-------|-------|
| 3 | 337E3 | 22.85 |
| 4 | 625E3 | 42.37 |

Frequency Missing = 49508.710032

Frequency Missing = 13697.219543

| 1 | 42731 | 2.90 |
|---|-------|-------|
| 2 | 207E3 | 14.07 |
| 3 | 337E3 | 22.85 |
| 4 | 625E3 | 42.37 |
| 5 | 263E3 | 17.82 |

| q16 | c | Frequency | Percent |
|-----|---|-----------|---------|
| (|) | 142E4 | 96.05 |
| 1 | l | 33949 | 2.29 |
| 2 | 2 | 7992 | 0.54 |
| 3 | 3 | 16583 | 1.12 |

Frequency Missing = 70858.067026

Frequency Missing = 63880.986848

| q16d | Frequency | Percent |
|------|-----------|---------|
| 0 | 146E4 | 98.19 |
| 1 | 14344 | 0.97 |
| 2 | 5017 | 0.34 |
| 3 | 7467 | 0.50 |

Frequency Missing = 62990.186504

| q16e | Frequency | Percent |
|------|-----------|---------|
| 0 | 145E4 | 98.29 |
| 1 | 11397 | 0.77 |
| 2 | 5096 | 0.34 |
| 3 | 8870 | 0.60 |
| 3 | 8870 | U |

Frequency Missing = 65493.233403

| q16f | Frequency | Percent |
|------|-----------|---------|
| 0 | 143E4 | 96.65 |
| 1 | 30242 | 2.04 |
| 2 | 7610 | 0.51 |
| 3 | 11782 | 0.80 |

Frequency Missing = 64308.258685

| Frequency | Percent |
|-----------|----------------|
| 142E4 | 95.93 |
| 34893 | 2.36 |
| 10828 | 0.73 |
| 14531 | 0.98 |
| | 34893 10828 |

Frequency Missing = 66257.558077

| q16h | Frequency | Percent |
|------|-----------|---------|
| 0 | 142E4 | 95.32 |
| 1 | 38597 | 2.60 |
| 2 | 13081 | 0.88 |
| 3 | 17909 | 1.20 |

Frequency Missing = 58995.94537

| q16i | Frequency | Percent |
|------|-----------|---------|
| 0 | 147E4 | 99.02 |
| 1 | 6419 | 0.43 |
| 2 | 2848 | 0.19 |
| 3 | 5192 | 0.35 |

Frequency Missing = 64699.313583

| q16j | Frequency | Percen |
|------|-----------|--------|
| 0 | 144E4 | 96.0 |
| 1 | 31470 | 2.1 |
| 2 | 11238 | 0.73 |
| 3 | 15853 | 1.0 |

Frequency Missing = 50937.999755

| q16k | Frequency | Percent |
|------|-----------|---------|
| 0 | 137E4 | 91.49 |
| 1 | 65132 | 4.36 |
| 2 | 22177 | 1.48 |
| 3 | 39885 | 2.67 |

Frequency Missing = 50169.287451

| Frequency | Percent |
|-----------|----------------|
| 101E4 | 67.13 |
| 212E3 | 14.05 |
| 79736 | 5.28 |
| 204E3 | 13.54 |
| | 212E3 79736 |

Frequency Missing = 35635.775036

| q17b | Frequency | Percent |
|------|-----------|---------|
| 0 | 134E4 | 89.57 |
| 1 | 66130 | 4.41 |
| 2 | 29606 | 1.98 |
| 3 | 60597 | 4.04 |

Frequency Missing = 46864.251741

| q17c | Frequency | Percent |
|------|-----------|---------|
| 0 | 757E3 | 50.66 |
| 1 | 277E3 | 18.52 |
| 2 | 148E3 | 9.92 |
| 3 | 312E3 | 20.90 |
| | | |

Frequency Missing = 52107.127829

| q17d | Frequency | Percent |
|------|-----------|---------|
| 0 | 838E3 | 56.07 |
| 1 | 274E3 | 18.34 |
| 2 | 152E3 | 10.16 |
| 3 | 23E4 | 15.42 |

Frequency Missing = 50706.495801

| q17e | Frequency | Percent |
|------|-----------|---------|
| 0 | 819E3 | 54.65 |
| 1 | 325E3 | 21.67 |
| 2 | 154E3 | 10.31 |
| 3 | 2E5 | 13.36 |

Frequency Missing = 47588.795986

| q17f | Frequency | Percent |
|------|-----------|---------|
| 0 | 817E3 | 54.03 |
| 1 | 222E3 | 14.66 |
| 2 | 155E3 | 10.25 |
| 3 | 318E3 | 21.06 |
| | | |

Frequency Missing = 33119.796677

| q18a | Frequency | Percent |
|------|-----------|---------|
| 0 | 11E5 | 73.22 |
| 1 | 151E3 | 10.04 |
| 2 | 82784 | 5.49 |
| 3 | 17E4 | 11.25 |

Frequency Missing = 37798.756609

| q18b | Frequency | Percent |
|------|-----------|---------|
| 0 | 14E5 | 93.68 |
| 1 | 41071 | 2.74 |
| 2 | 21081 | 1.41 |
| 3 | 32391 | 2.16 |
| | | |

Frequency Missing = 48467.461494

| q18c | Frequency | Percent |
|------|-----------|---------|
| 0 | 145E4 | 97.87 |
| 1 | 16352 | 1.10 |
| 2 | 6392 | 0.43 |
| 3 | 8893 | 0.60 |

Frequency Missing = 62327.539793

| q18e | Frequency | Percent |
|------|-----------|---------|
| 0 | 141E4 | 95.09 |
| 1 | 34798 | 2.35 |
| 2 | 16172 | 1.09 |
| 3 | 21738 | 1.47 |

Frequency Missing = 63168.055429

| q18f | Frequency | Percent |
|------|-----------|---------|
| 0 | 139E4 | 93.81 |
| 1 | 32467 | 2.19 |
| 2 | 21603 | 1.46 |
| 3 | 37578 | 2.54 |

Frequency Missing = 64151.770023

| q18g | Frequency | Percent |
|------|-----------|---------|
| 0 | 138E4 | 93.58 |
| 1 | 32680 | 2.21 |
| 2 | 22042 | 1.49 |
| 3 | 40034 | 2.71 |

Frequency Missing = 68467.400384

| q18h | Frequency | Percent |
|------|-----------|---------|
| 0 | 145E4 | 97.95 |
| 1 | 12416 | 0.84 |
| 2 | 6322 | 0.43 |
| 3 | 11513 | 0.78 |

Frequency Missing = 67140.098073

| q18i | Frequency | Percent |
|------|-----------|---------|
| 0 | 145E4 | 98.42 |
| 1 | 10927 | 0.74 |
| 2 | 3572 | 0.24 |
| 3 | 8695 | 0.59 |

Frequency Missing = 75804.450503

| q18j | Frequency | Percent |
|------|-----------|---------|
| 0 | 14E5 | 94.53 |
| 1 | 34649 | 2.33 |
| 2 | 19091 | 1.29 |
| 3 | 27492 | 1.85 |

Frequency Missing = 60624.810124

| q18k | Frequency | Percent |
|------|-----------|---------|
| 0 | 147E4 | 98.47 |
| 1 | 11456 | 0.77 |
| 2 | 3604 | 0.24 |
| 3 | 7705 | 0.52 |

Frequency Missing = 53663.359142

| q19a | Frequency | Percent |
|------|-----------|---------|
| 1 | 131E4 | 87.59 |
| 2 | 61536 | 4.12 |
| 3 | 44266 | 2.97 |
| 4 | 79443 | 5.32 |

Frequency Missing = 52888.990122

| q19b | Frequency | Percent |
|------|-----------|---------|
| 1 | 11E5 | 73.85 |
| 2 | 193E3 | 13.00 |
| 3 | 141E3 | 9.49 |
| 4 | 54549 | 3.67 |

Frequency Missing = 58280.984291

| q19c | Frequency | Percent |
|------|-----------|---------|
| 1 | 142E4 | 95.86 |
| 2 | 44310 | 2.99 |
| 3 | 11917 | 0.80 |
| 4 | 5168 | 0.35 |

Frequency Missing = 63639.653904

| q19d | Frequency | Percent |
|------|-----------|---------|
| 1 | 132E4 | 89.09 |
| 2 | 61416 | 4.16 |
| 3 | 45842 | 3.10 |
| 4 | 54030 | 3.66 |

Frequency Missing = 67441.320385

| q19e | Frequency | Percent |
|------|-----------|---------|
| 1 | 145E4 | 97.94 |
| 2 | 16888 | 1.14 |
| 3 | 8187 | 0.55 |
| 4 | 5479 | 0.37 |

Frequency Missing = 60186.334283

| q19f | Frequency | Percent |
|------|-----------|---------|
| 1 | 148E4 | 99.39 |
| 2 | 5546 | 0.37 |
| 3 | 2186 | 0.15 |
| 4 | 1426 | 0.10 |

Frequency Missing = 55483.491215

| q20a | Frequency | Percent |
|------|-----------|---------|
| 1 | 657E3 | 45.24 |
| 2 | 439E3 | 30.25 |
| 3 | 204E3 | 14.07 |
| 4 | 118E3 | 8.12 |
| 5 | 33723 | 2.32 |

Frequency Missing = 93866.010031

| q20b | Frequency | Percent |
|------|-----------|---------|
| 1 | 101E4 | 69.78 |
| 2 | 249E3 | 17.25 |
| 3 | 116E3 | 8.06 |
| 4 | 46610 | 3.23 |
| 5 | 24231 | 1.68 |

Frequency Missing = 102874.77978

| q20c Fi | requency | Percent |
|---------|----------|---------|
| 1 | 502E3 | 34.95 |
| 2 | 337E3 | 23.46 |
| 3 | 252E3 | 17.52 |
| 4 | 248E3 | 17.29 |
| 5 | 97253 | 6.78 |

Frequency Missing = 109930.52849

| q20d | Frequency | Percent |
|------|-----------|---------|
| 1 | 698E3 | 48.59 |
| 2 | 309E3 | 21.52 |
| 3 | 212E3 | 14.78 |
| 4 | 151E3 | 10.48 |
| 5 | 66569 | 4.63 |

Frequency Missing = 107986.57337

| q20e F | requency | Percent |
|--------|----------|---------|
| 1 | 789E3 | 54.88 |
| 2 | 327E3 | 22.76 |
| 3 | 168E3 | 11.69 |
| 4 | 102E3 | 7.07 |
| 5 | 51628 | 3.59 |
| | 31020 | 3.5 |

Frequency Missing = 107085.66646

| q20f | Frequency | Percent |
|------|-----------|---------|
| 1 | 617E3 | 43.02 |
| 2 | 28E4 | 19.51 |
| 3 | 215E3 | 14.98 |
| 4 | 228E3 | 15.91 |
| 5 | 94438 | 6.58 |

Frequency Missing = 110617.80506

| q20g | Frequency | Percent |
|------|-----------|---------|
| 1 | 122E4 | 84.08 |
| 2 | 151E3 | 10.38 |
| 3 | 46123 | 3.17 |
| 4 | 17365 | 1.19 |
| 5 | 17214 | 1.18 |

Frequency Missing = 88930.808996

| q20h | Frequency | Percent |
|------|-----------|---------|
| 1 | 765E3 | 52.16 |
| 2 | 283E3 | 19.27 |
| 3 | 186E3 | 12.72 |
| 4 | 16E4 | 10.89 |
| 5 | 72836 | 4.97 |

Frequency Missing = 79251.079475

| q21a | Frequency | Percent |
|------|-----------|---------|
| 1 | 138E3 | 9.79 |
| 2 | 235E3 | 16.63 |
| 3 | 91709 | 6.50 |
| 4 | 132E3 | 9.36 |
| 5 | 258E3 | 18.27 |
| 6 | 557E3 | 39.45 |

Frequency Missing = 134494.62167

| q21b | Frequency | Percent |
|------|-----------|---------|
| 1 | 28E4 | 19.95 |
| 2 | 302E3 | 21.47 |
| 3 | 12E4 | 8.57 |
| 4 | 142E3 | 10.12 |
| 5 | 185E3 | 13.14 |
| 6 | 376E3 | 26.75 |

Frequency Missing = 139719.98401

| q21c] | Frequency | Percent |
|--------|-----------|---------|
| 1 | 121E3 | 8.78 |
| 2 | 176E3 | 12.71 |
| 3 | 79761 | 5.77 |
| 4 | 156E3 | 11.31 |
| 5 | 298E3 | 21.53 |
| 6 | 552E3 | 39.90 |

Frequency Missing = 163229.36006

| q21d | Frequency | Percent |
|------|-----------|---------|
| 1 | 195E3 | 14.06 |
| 2 | 199E3 | 14.32 |
| 3 | 92000 | 6.62 |
| 4 | 164E3 | 11.81 |
| 5 | 277E3 | 19.93 |
| 6 | 462E3 | 33.25 |

Frequency Missing = 156615.30681

| q21e | Frequency | Percent |
|------|-----------|---------|
| 1 | 145E3 | 10.46 |
| 2 | 204E3 | 14.76 |
| 3 | 101E3 | 7.30 |
| 4 | 171E3 | 12.31 |
| 5 | 278E3 | 20.07 |
| 6 | 486E3 | 35.10 |

Frequency Missing = 159961.43947

| q21f | Frequency | Percent |
|------|-----------|---------|
| 1 | 143E3 | 10.31 |
| 2 | 239E3 | 17.25 |
| 3 | 107E3 | 7.70 |
| 4 | 151E3 | 10.88 |
| 5 | 256E3 | 18.49 |
| 6 | 49E4 | 35.38 |

Frequency Missing = 159350.09371

| q21g | Frequency | Percent |
|------|-----------|---------|
| 1 | 256E3 | 18.59 |
| 2 | 231E3 | 16.77 |
| 3 | 66139 | 4.81 |
| 4 | 86684 | 6.30 |
| 5 | 15E4 | 10.90 |
| 6 | 586E3 | 42.62 |
| | | |

Frequency Missing = 170187.47105

| q21h | Frequency | Percent |
|------|-----------|---------|
| 1 | 164E3 | 11.77 |
| 2 | 373E3 | 26.82 |
| 3 | 128E3 | 9.19 |
| 4 | 147E3 | 10.54 |
| 5 | 2E5 | 14.41 |
| 6 | 379E3 | 27.26 |
| | | |

Frequency Missing = 154990.75467

| q21i | Frequency | Percent |
|------|-----------|---------|
| 1 | 224E3 | 16.09 |
| 2 | 482E3 | 34.59 |
| 3 | 207E3 | 14.85 |
| 4 | 19E4 | 13.64 |
| 5 | 131E3 | 9.38 |
| 6 | 16E4 | 11.45 |

Frequency Missing = 151256.92104

| q21j | Frequency | Percent |
|------|-----------|---------|
| 1 | 245E3 | 17.46 |
| 2 | 497E3 | 35.46 |
| 3 | 225E3 | 16.03 |
| 4 | 189E3 | 13.50 |
| 5 | 116E3 | 8.27 |
| 6 | 13E4 | 9.26 |

Frequency Missing = 144333.04511

| q211 | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 475E3 | 34.00 |
| 2 | 374E3 | 26.74 |
| 3 | 183E3 | 13.09 |
| 4 | 149E3 | 10.62 |
| 5 | 1E5 | 7.17 |
| 6 | 117E3 | 8.38 |
| | | |

Frequency Missing = 147396.92524

| q21m | Frequency | Percent |
|------|-----------|---------|
| 1 | 627E3 | 45.01 |
| 2 | 284E3 | 20.39 |
| 3 | 125E3 | 8.94 |
| 4 | 116E3 | 8.30 |
| 5 | 99915 | 7.18 |
| 6 | 142E3 | 10.19 |

Frequency Missing = 152951.14756

| q21n | Frequency | Percent |
|------|-----------|---------|
| 1 | 631E3 | 45.01 |
| 2 | 287E3 | 20.46 |
| 3 | 124E3 | 8.81 |
| 4 | 115E3 | 8.18 |
| 5 | 102E3 | 7.27 |
| 6 | 144E3 | 10.28 |

Frequency Missing = 142247.50351

| q21 o | Frequency | Percent |
|--------------|-----------|---------|
| 1 | 703E3 | 50.16 |
| 2 | 296E3 | 21.10 |
| 3 | 135E3 | 9.61 |
| 4 | 107E3 | 7.61 |
| 5 | 65712 | 4.69 |
| 6 | 95741 | 6.83 |

Frequency Missing = 143506.56761

| q21p | Frequency | Percent |
|------|-----------|---------|
| 1 | 294E3 | 20.89 |
| 2 | 499E3 | 35.49 |
| 3 | 209E3 | 14.87 |
| 4 | 165E3 | 11.75 |
| 5 | 11E4 | 7.80 |
| 6 | 129E3 | 9.21 |

Frequency Missing = 139996.68667

| q21q | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 373E3 | 26.52 |
| 2 | 422E3 | 29.97 |
| 3 | 181E3 | 12.88 |
| 4 | 148E3 | 10.53 |
| 5 | 123E3 | 8.76 |
| 6 | 16E4 | 11.34 |

Frequency Missing = 138059.33833

| q21r | Frequency | Percent |
|------|-----------|---------|
| 1 | 34E4 | 23.42 |
| 2 | 543E3 | 37.44 |
| 3 | 232E3 | 16.02 |
| 4 | 147E3 | 10.13 |
| 5 | 78703 | 5.42 |
| 6 | 11E4 | 7.58 |

Frequency Missing = 93923.022379

| q22a | Frequency | Percent |
|------|-----------|---------|
| 9 | 82521 | 15.99 |
| 10 | 45625 | 8.84 |
| 11 | 45780 | 8.87 |
| 12 | 66858 | 12.95 |
| 13 | 77082 | 14.93 |
| 14 | 68048 | 13.18 |
| 15 | 62312 | 12.07 |
| 16 | 41206 | 7.98 |
| 17 | 20053 | 3.88 |
| 18 | 6725 | 1.30 |
| | • | |

Frequency Missing = 1029162.7589

| q22b | Frequency | Percent |
|------|-----------|---------|
| 9 | 16494 | 10.16 |
| 10 | 9051 | 5.58 |
| 11 | 10558 | 6.50 |
| 12 | 16378 | 10.09 |
| 13 | 24009 | 14.79 |
| 14 | 25423 | 15.66 |
| 15 | 27621 | 17.02 |
| 16 | 19761 | 12.17 |
| 17 | 10024 | 6.18 |
| 18 | 2992 | 1.84 |

Frequency Missing = 1383060.01

| q22c | Frequency | Percent |
|------|-----------|---------|
| 9 | 17E4 | 21.43 |
| 10 | 67413 | 8.48 |
| 11 | 63750 | 8.02 |
| 12 | 92010 | 11.58 |
| 13 | 114E3 | 14.34 |
| 14 | 106E3 | 13.30 |
| 15 | 96897 | 12.20 |
| 16 | 58032 | 7.30 |
| 17 | 20959 | 2.64 |
| 18 | 5594 | 0.70 |

Frequency Missing = 750806.69423

| q22d | Frequency | Percent |
|------|-----------|---------|
| 9 | 92770 | 13.53 |
| 10 | 55955 | 8.16 |
| 11 | 64371 | 9.39 |
| 12 | 92832 | 13.54 |
| 13 | 117E3 | 17.07 |
| 14 | 103E3 | 14.96 |
| 15 | 86141 | 12.56 |
| 16 | 51067 | 7.45 |
| 17 | 17828 | 2.60 |
| 18 | 5071 | 0.74 |

Frequency Missing = 859674.91414

| q22e Fi | requency | Percent |
|---------|----------|---------|
| 9 | 106E3 | 14.75 |
| 10 | 62471 | 8.73 |
| 11 | 66131 | 9.24 |
| 12 | 101E3 | 14.09 |
| 13 | 113E3 | 15.78 |
| 14 | 102E3 | 14.28 |
| 15 | 86153 | 12.03 |
| 16 | 52681 | 7.36 |
| 17 | 20737 | 2.90 |
| 18 | 5976 | 0.83 |

| q22h | Frequency | Percent |
|------|-----------|---------|
| 9 | 20451 | 5.27 |
| 10 | 16548 | 4.27 |
| 11 | 24387 | 6.29 |
| 12 | 46012 | 11.86 |
| 13 | 72882 | 18.79 |
| 14 | 74490 | 19.20 |
| 15 | 67098 | 17.30 |
| 16 | 43219 | 11.14 |
| 17 | 18227 | 4.70 |
| 18 | 4586 | 1.18 |

| q22l | Frequency | Percent |
|------|-----------|---------|
| 9 | 1561 | 2.35 |
| 10 | 1452 | 2.19 |
| 11 | 2680 | 4.04 |
| 12 | 5035 | 7.59 |
| 13 | 8159 | 12.29 |
| 14 | 11047 | 16.64 |
| 15 | 14974 | 22.56 |
| 16 | 13226 | 19.92 |
| 17 | 6794 | 10.24 |
| 18 | 1452 | 2.19 |
| | | |

Frequency Missing = 829511.64896

Frequency Missing = 1157471.9378

Frequency Missing = 1478993.7358

| q22f F | requency | Percent |
|---------------|----------|---------|
| 9 | 60048 | 8.85 |
| 10 | 34839 | 5.13 |
| 11 | 42679 | 6.29 |
| 12 | 77121 | 11.37 |
| 13 | 115E3 | 16.89 |
| 14 | 12E4 | 17.67 |
| 15 | 116E3 | 17.07 |
| 16 | 76205 | 11.23 |
| 17 | 29551 | 4.36 |
| 18 | 7725 | 1.14 |

| q22i | Frequency | Percent |
|------|-----------|---------|
| 9 | 1814 | 1.99 |
| 10 | 1850 | 2.03 |
| 11 | 2976 | 3.26 |
| 12 | 6162 | 6.76 |
| 13 | 11501 | 12.61 |
| 14 | 16301 | 17.88 |
| 15 | 20018 | 21.96 |
| 16 | 18280 | 20.05 |
| 17 | 10214 | 11.20 |
| 18 | 2056 | 2.26 |

| q22m | Frequency | Percent |
|------|-----------|---------|
| 9 | 2585 | 2.79 |
| 10 | 1193 | 1.29 |
| 11 | 3400 | 3.67 |
| 12 | 6677 | 7.21 |
| 13 | 14139 | 15.27 |
| 14 | 18735 | 20.23 |
| 15 | 21431 | 23.14 |
| 16 | 16413 | 17.72 |
| 17 | 6703 | 7.24 |
| 18 | 1343 | 1.45 |
| | | |

Frequency Missing = 866907.53204

Frequency Missing = 1454200.4469

Frequency Missing = 1452754.4376

| q22g Fr | requency | Percent |
|---------|----------|---------|
| 9 | 23959 | 17.55 |
| 10 | 14471 | 10.60 |
| 11 | 16377 | 12.00 |
| 12 | 23690 | 17.35 |
| 13 | 24023 | 17.60 |
| 14 | 17253 | 12.64 |
| 15 | 10171 | 7.45 |
| 16 | 4298 | 3.15 |
| 17 | 1691 | 1.24 |
| 18 | 570 | 0.42 |

| q22j F1 | requency | Percent |
|----------------|----------|---------|
| 9 | 1459 | 4.99 |
| 10 | 1326 | 4.53 |
| 11 | 1929 | 6.59 |
| 12 | 3310 | 11.31 |
| 13 | 5277 | 18.04 |
| 14 | 4986 | 17.04 |
| 15 | 5136 | 17.55 |
| 16 | 3351 | 11.45 |
| 17 | 1908 | 6.52 |
| 18 | 577 | 1.97 |

| q22n | Frequency | Percent |
|------|-----------|---------|
| 9 | 2573 | 2.70 |
| 10 | 1569 | 1.64 |
| 11 | 3668 | 3.84 |
| 12 | 7083 | 7.42 |
| 13 | 13551 | 14.20 |
| 14 | 20067 | 21.02 |
| 15 | 22912 | 24.00 |
| 16 | 16080 | 16.85 |
| 17 | 6619 | 6.93 |
| 18 | 1333 | 1.40 |
| | | |

Frequency Missing = 1408869.3071

Frequency Missing = 1516114.2861

Frequency Missing = 1449915.4971

| q22o | Frequency | Percent |
|-------------|-----------|---------|
| 9 | 1626 | 6.25 |
| 10 | 1008 | 3.87 |
| 11 | 1910 | 7.34 |
| 12 | 3011 | 11.58 |
| 13 | 4989 | 19.19 |
| 14 | 5356 | 20.59 |
| 15 | 4210 | 16.19 |
| 16 | 2416 | 9.29 |
| 17 | 1102 | 4.24 |
| 18 | 379 | 1.46 |

| q22r | Frequency | Percent |
|------|-----------|---------|
| 9 | 1340 | 6.76 |
| 10 | 970 | 4.89 |
| 11 | 1185 | 5.98 |
| 12 | 1999 | 10.08 |
| 13 | 3501 | 17.65 |
| 14 | 3626 | 18.29 |
| 15 | 3207 | 16.17 |
| 16 | 2142 | 10.80 |
| 17 | 1077 | 5.43 |
| 18 | 783 | 3.95 |

| q23d | Frequency | Percent |
|------|-----------|---------|
| 2 | 2829 | 0.20 |
| 3 | 28124 | 1.97 |
| 4 | 105E3 | 7.37 |
| 5 | 162E3 | 11.35 |
| 6 | 174E3 | 12.22 |
| 7 | 143E3 | 10.01 |
| 8 | 811E3 | 56.87 |
| | | |

Frequency Missing = 1519366.3643

| q22p | Frequency | Percent |
|------|-----------|---------|
| 9 | 3604 | 16.94 |
| 10 | 1389 | 6.53 |
| 11 | 1223 | 5.75 |
| 12 | 2191 | 10.30 |
| 13 | 3052 | 14.34 |

 11
 1223
 5.75

 12
 2191
 10.30

 13
 3052
 14.34

 14
 2652
 12.46

 15
 2855
 13.42

 16
 2109
 9.91

 17
 1463
 6.88

Frequency Missing = 1524094.6761

739

3.48

18

| q22q | Frequency | Percent |
|------|-----------|---------|
| 9 | 1271 | 1.62 |
| 10 | 1318 | 1.68 |
| 11 | 2781 | 3.54 |
| 12 | 4277 | 5.44 |
| 13 | 9391 | 11.95 |
| 14 | 14078 | 17.91 |
| 15 | 17223 | 21.91 |
| 16 | 16428 | 20.90 |
| 17 | 9473 | 12.05 |
| 18 | 2371 | 3.02 |
| | | |

Frequency Missing = 1466759.9672

Frequency Missing = 1525541.8188

| q23a | Frequency | Percent |
|------|-----------|---------|
| 2 | 56805 | 3.93 |
| 3 | 40222 | 2.79 |
| 4 | 54335 | 3.76 |
| 5 | 81319 | 5.63 |
| 6 | 68534 | 4.75 |
| 7 | 133E3 | 9.22 |
| 8 | 101E4 | 69.92 |

Frequency Missing = 101487.85446

| q23b | Frequency | Percent |
|------|-----------|---------|
| 2 | 15689 | 1.10 |
| 3 | 11370 | 0.80 |
| 4 | 13924 | 0.98 |
| 5 | 24628 | 1.73 |
| 6 | 26887 | 1.89 |
| 7 | 52392 | 3.67 |
| 8 | 128E4 | 89.84 |

Frequency Missing = 119635.02075

| q23c | Frequency | Percent |
|-------------|-----------|---------|
| 2 | 5727 | 0.40 |
| 3 | 49805 | 3.49 |
| 4 | 15E4 | 10.54 |
| 5 | 185E3 | 12.98 |
| 6 | 149E3 | 10.44 |
| 7 | 155E3 | 10.84 |
| 8 | 731E3 | 51.31 |

Frequency Missing = 119801.43507

| q23e | Frequency | Percent |
|------|-----------|---------|
| 2 | 2517 | 0.18 |
| 3 | 24164 | 1.70 |
| 4 | 85583 | 6.02 |
| 5 | 143E3 | 10.07 |
| 6 | 208E3 | 14.65 |
| 7 | 175E3 | 12.29 |
| 8 | 783E3 | 55.10 |

Frequency Missing = 119753.95997

Frequency Missing = 123945.5444

| q23f | Frequency | Percent |
|------|-----------|---------|
| 2 | 5019 | 0.35 |
| 3 | 41042 | 2.87 |
| 4 | 15E4 | 10.51 |
| 5 | 182E3 | 12.72 |
| 6 | 148E3 | 10.35 |
| 7 | 113E3 | 7.92 |
| 8 | 789E3 | 55.27 |
| | | |

Frequency Missing = 117361.21419

| q23g | Frequency | Percent |
|------|-----------|---------|
| 2 | 3032 | 0.22 |
| 3 | 6145 | 0.44 |
| 4 | 10438 | 0.74 |
| 5 | 18893 | 1.34 |
| 6 | 21554 | 1.53 |
| 7 | 46069 | 3.27 |
| 8 | 13E5 | 92.46 |

Frequency Missing = 137714.70961

| q23h | Frequency | Percent |
|------|-----------|---------|
| 2 | 36304 | 2.58 |
| 3 | 39959 | 2.84 |
| 4 | 54756 | 3.89 |
| 5 | 66506 | 4.72 |
| 6 | 60618 | 4.31 |
| 7 | 79098 | 5.62 |
| 8 | 107E4 | 76.04 |

| q23m | Frequency | Percent |
|------|-----------|---------|
| 2 | 3040 | 0.22 |
| 3 | 5930 | 0.43 |
| 4 | 14056 | 1.01 |
| 5 | 23621 | 1.70 |
| 6 | 18692 | 1.34 |
| 7 | 19759 | 1.42 |
| 8 | 131E4 | 93.89 |

| q23q | Frequency | Percent |
|------|-----------|---------|
| 2 | 1080 | 0.08 |
| 3 | 2313 | 0.17 |
| 4 | 7839 | 0.57 |
| 5 | 16176 | 1.17 |
| 6 | 20843 | 1.51 |
| 7 | 23178 | 1.68 |
| 8 | 131E4 | 94.83 |
| | | |

Frequency Missing = 137784.2909

Frequency Missing = 153071.26143

Frequency Missing = 164657.24947

| q23i | Frequency | Percent |
|------|-----------|---------|
| 2 | 1719 | 0.12 |
| 3 | 5965 | 0.43 |
| 4 | 10651 | 0.76 |
| 5 | 16926 | 1.21 |
| 6 | 18193 | 1.30 |
| 7 | 24907 | 1.79 |
| 8 | 132E4 | 94.38 |

| q23n | Frequency | Percent |
|------|-----------|---------|
| 2 | 2943 | 0.21 |
| 3 | 6625 | 0.47 |
| 4 | 15671 | 1.12 |
| 5 | 24683 | 1.76 |
| 6 | 19128 | 1.36 |
| 7 | 19245 | 1.37 |
| 8 | 131E4 | 93.70 |

| q23r | Frequency | Percent |
|------|-----------|---------|
| 2 | 1096 | 0.08 |
| 3 | 957 | 0.07 |
| 4 | 1712 | 0.12 |
| 5 | 2988 | 0.21 |
| 6 | 4040 | 0.29 |
| 7 | 7850 | 0.56 |
| 8 | 138E4 | 98.67 |
| | | |

Frequency Missing = 150585.32761

Frequency Missing = 142881.52502

Frequency Missing = 146863.96292

| q23j | Frequency | Percent |
|------|-----------|---------|
| 2 | 872 | 0.06 |
| 3 | 1869 | 0.13 |
| 4 | 2981 | 0.21 |
| 5 | 4704 | 0.34 |
| 6 | 6281 | 0.45 |
| 7 | 10178 | 0.73 |
| 8 | 137E4 | 98.08 |

| q23o | Frequency | Percent |
|------|-----------|---------|
| 2 | 850 | 0.06 |
| 3 | 1932 | 0.14 |
| 4 | 3523 | 0.25 |
| 5 | 4946 | 0.36 |
| 6 | 5607 | 0.41 |
| 7 | 7102 | 0.51 |
| 8 | 136E4 | 98.27 |

| q24 | Frequency | Percent |
|-----|-----------|---------|
| 1 | 127E4 | 85.19 |
| 2 | 12E4 | 8.06 |
| 3 | 67830 | 4.55 |
| 4 | 19810 | 1.33 |
| 5 | 9315 | 0.62 |
| 6 | 3763 | 0.25 |
| | | |

Frequency Missing = 144829.83652

Frequency Missing = 163350.64223

Frequency Missing = 53695.076737

| q231 | Frequency | Percent |
|------|-----------|---------|
| 2 | 555 | 0.04 |
| 3 | 1669 | 0.12 |
| 4 | 5112 | 0.36 |
| 5 | 12533 | 0.89 |
| 6 | 18602 | 1.32 |
| 7 | 21088 | 1.50 |
| 8 | 135E4 | 95.76 |

| q23p | Frequency | Percent |
|------|-----------|---------|
| 2 | 2520 | 0.18 |
| 3 | 1461 | 0.11 |
| 4 | 1944 | 0.14 |
| 5 | 2102 | 0.15 |
| 6 | 3170 | 0.23 |
| 7 | 7061 | 0.51 |
| 8 | 136E4 | 98.68 |

| q25a | Frequency | Percent |
|------|-----------|---------|
| 1 | 744E3 | 50.63 |
| 2 | 53250 | 3.62 |
| 3 | 39889 | 2.71 |
| 4 | 92164 | 6.27 |
| 5 | 108E3 | 7.33 |
| 6 | 101E3 | 6.88 |
| 7 | 124E3 | 8.42 |
| 8 | 208E3 | 14.12 |
| | | |

Frequency Missing = 140145.62585

Frequency Missing = 165211.69314

Frequency Missing = 75604.974912

| q25b | Frequency | Percent |
|------|-----------|---------|
| 1 | 81E4 | 55.43 |
| 2 | 33139 | 2.27 |
| 3 | 24577 | 1.68 |
| 4 | 67195 | 4.60 |
| 5 | 115E3 | 7.88 |
| 6 | 12E4 | 8.21 |
| 7 | 146E3 | 9.98 |
| 8 | 145E3 | 9.95 |

| q27a Fi | Percent | |
|---------|---------|-------|
| 1 | 604E3 | 41.49 |
| 2 | 37E4 | 25.44 |
| 3 | 335E3 | 22.99 |
| 4 | 103E3 | 7.05 |
| 5 | 44125 | 3.03 |

| q28a | Frequency | Percent |
|------|-----------|---------|
| 1 | 116E4 | 80.12 |
| 2 | 119E3 | 8.16 |
| 3 | 64413 | 4.43 |
| 4 | 53449 | 3.68 |
| 5 | 38399 | 2.64 |
| 6 | 13985 | 0.96 |
| | | |

Frequency Missing = 88825.783667

Frequency Missing = 92352.599784

| q25c | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 795E3 | 54.47 |
| 2 | 19183 | 1.32 |
| 3 | 10700 | 0.73 |
| 4 | 28934 | 1.98 |
| 5 | 63656 | 4.36 |
| 6 | 96980 | 6.65 |
| 7 | 186E3 | 12.75 |
| 8 | 259E3 | 17.74 |
| | | |

Frequency Missing = 83951.035017

| q27b | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 566E3 | 39.24 |
| 2 | 279E3 | 19.35 |
| 3 | 22E4 | 15.26 |
| 4 | 263E3 | 18.25 |
| 5 | 114E3 | 7.91 |

| q28b | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 116E4 | 80.06 |
| 2 | 95873 | 6.63 |
| 3 | 55986 | 3.87 |
| 4 | 59255 | 4.10 |
| 5 | 63565 | 4.40 |
| 6 | 13549 | 0.94 |
| | | |

Frequency Missing = 86618.206156

| rrequency | wissing = | 103104.23337 |
|-----------|-----------|--------------|
| | | |
| | | |

| Frequency | Missing | = | 99648 | .9584 | 28 |
|-----------|---------|---|-------|-------|----|
| | | | | | |

| q25d | Frequency | Percent |
|------|-----------|---------|
| 1 | 785E3 | 53.46 |
| 2 | 46017 | 3.14 |
| 3 | 38821 | 2.65 |
| 4 | 101E3 | 6.87 |
| 5 | 134E3 | 9.14 |
| 6 | 104E3 | 7.06 |
| 7 | 114E3 | 7.80 |
| 8 | 145E3 | 9.89 |
| | | |

| q27c | Frequency | Percent |
|------|-----------|---------|
| 1 | 588E3 | 41.12 |
| 2 | 617E3 | 43.09 |
| 3 | 12E4 | 8.39 |
| 4 | 68760 | 4.81 |
| 5 | 37054 | 2.59 |
| | | |

| q28c | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 123E4 | 85.61 |
| 2 | 84781 | 5.91 |
| 3 | 41610 | 2.90 |
| 4 | 38988 | 2.72 |
| 5 | 29647 | 2.07 |
| 6 | 11229 | 0.78 |

Frequency Missing = 77943.534118

Frequency Missing = 114546.0183

| q27d | Frequency | Percent |
|------|-----------|---------|
| 1 | 551E3 | 38.32 |
| 2 | 267E3 | 18.56 |
| 3 | 186E3 | 12.92 |
| 4 | 224E3 | 15.59 |
| 5 | 21E4 | 14.61 |

| Frequency | Missing = | 112037 | 225 |
|-----------|-----------|--------|-----|

| | 4 | 224E3 | 15.59 | |
|----------------------------------|---|-------|-------|--|
| | 5 | 21E4 | 14.61 | |
| | | | | |
| | | | | |
| Frequency Missing = 107976.68152 | | | | |

| q28d | Frequency | Percent |
|------|-----------|---------|
| 1 | 121E4 | 84.31 |
| 2 | 74863 | 5.20 |
| 3 | 43241 | 3.01 |
| 4 | 55144 | 3.83 |
| 5 | 41368 | 2.87 |
| 6 | 11111 | 0.77 |

| q26a | Frequency | Percent |
|------|-----------|---------|

| 1 | 668E3 | 45.12 |
|---|-------|-------|
| 2 | 498E3 | 33.67 |
| 3 | 1E5 | 6.78 |
| 4 | 67021 | 4.53 |
| 5 | 75159 | 5.08 |
| 6 | 36524 | 2.47 |
| 7 | 34685 | 2.34 |

| q27e | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 586E3 | 41.00 |
| 2 | 385E3 | 26.92 |
| 3 | 213E3 | 14.92 |
| 4 | 129E3 | 9.03 |
| 5 | 116E3 | 8.14 |
| | | |

Frequency Missing = 106449.42534

Frequency Missing = 65663.72731

| q27e | Frequency | Percent |
|------|-----------|---------|
| 1 | 586E3 | 41.00 |
| 2 | 385E3 | 26.92 |
| 3 | 213E3 | 14.92 |
| 4 | 129E3 | 9.03 |
| 5 | 116E3 | 8.14 |

| q28e | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 127E4 | 88.64 |
| 2 | 76827 | 5.35 |
| 3 | 20156 | 1.40 |
| 4 | 18290 | 1.27 |
| 5 | 23599 | 1.64 |
| 6 | 24317 | 1.69 |
| | | |

Frequency Missing = 115641.6196

q30d Frequency Percent 838E3

237E3

153E3 97740

51783

2

3

60.84

17.22

11.09

7.10

3.76

Frequency Missing = 108852.11443

| q29a | Frequency | Percent |
|------|-----------|---------|
| 1 | 134E4 | 94.58 |
| 2 | 26437 | 1.86 |
| 3 | 19433 | 1.37 |
| 4 | 31199 | 2.20 |

Frequency Missing = 168202.04455

| q30i | Frequency | Percent |
|------|-----------|---------|
| 1 | 123E4 | 86.95 |
| 2 | 81380 | 5.75 |
| 3 | 12279 | 0.87 |
| 4 | 11098 | 0.78 |
| 5 | 80041 | 5.65 |
| | | |

Frequency Missing = 124558.7283

| q29b F | requency | Percent |
|---------------|----------|---------|
| 1 | 131E4 | 90.99 |
| 2 | 47819 | 3.32 |
| 3 | 35208 | 2.45 |
| 4 | 46676 | 3.24 |

| q30e | Frequency | Percent |
|------|-----------|---------|
| 1 | 113E4 | 83.45 |
| 2 | 128E3 | 9.43 |
| 3 | 24129 | 1.78 |
| 4 | 12832 | 0.95 |
| 5 | 59534 | 4.39 |

q31a Frequency Percent 107E4 75.04 2 257E3 17.98 3 60789 4.26 38732 2.71

Frequency Missing = 129336.72402

Frequency Missing = 105490.79674

| q30a | Frequency | Percent |
|------|-----------|---------|
| 1 | 682E3 | 49.20 |
| 2 | 397E3 | 28.68 |
| 3 | 187E3 | 13.52 |
| 4 | 52955 | 3.82 |
| 5 | 66251 | 4.78 |

Frequency Missing = 188263.76027

| Percent |
|---------|
| |
| 85.13 |
| 8.00 |
| 1.37 |
| 0.89 |
| 4.61 |
| |

Frequency Missing = 118729.7172

| q31b | Frequency | Percent |
|------|-----------|---------|
| 1 | 383E3 | 26.93 |
| 2 | 734E3 | 51.60 |
| 3 | 246E3 | 17.25 |
| 4 | 60162 | 4.23 |
| | | |

Frequency Missing = 160012.99635

| q30b | Frequency | Percent |
|------|-----------|---------|
| 1 | 633E3 | 45.84 |
| 2 | 443E3 | 32.07 |
| 3 | 208E3 | 15.10 |
| 4 | 48545 | 3.52 |
| 5 | 47921 | 3.47 |
| | | |

Frequency Missing = 169974.05819

| Frequency | Percent |
|-----------|----------------------------------|
| 113E4 | 81.53 |
| 123E3 | 8.93 |
| 29997 | 2.17 |
| 15050 | 1.09 |
| 86506 | 6.27 |
| | 113E4 123E3 29997 15050 |

Frequency Missing = 122060.77961

| q31c | Frequency | Percent |
|------|-----------|---------|
| 1 | 541E3 | 38.39 |
| 2 | 715E3 | 50.79 |
| 3 | 115E3 | 8.20 |
| 4 | 36894 | 2.62 |
| | | |

Frequency Missing = 165138.10925

| q30c | Frequency | Percent |
|------|-----------|---------|
| 1 | 102E4 | 74.56 |
| 2 | 211E3 | 15.52 |
| 3 | 48902 | 3.59 |
| 4 | 16695 | 1.23 |
| 5 | 69414 | 5.10 |

Frequency Missing = 165505.8409

| q30h F | requency | Percent |
|--------|----------|---------|
| 1 | 105E4 | 74.95 |
| 2 | 198E3 | 14.13 |
| 3 | 55680 | 3.97 |
| 4 | 20057 | 1.43 |
| 5 | 77504 | 5.52 |
| | | |

Frequency Missing = 136716.91304

| q31d | Frequency | Percent |
|------|-----------|---------|
| 1 | 113E4 | 79.07 |
| 2 | 215E3 | 15.00 |
| 3 | 48640 | 3.40 |
| 4 | 36246 | 2.53 |
| | | |

Frequency Missing = 183728.52018

Frequency Missing = 142417.66254

Frequency Missing = 114130.09166

| q31e | Frequency | Percent |
|------|-----------|---------|
| 1 | 12E5 | 84.99 |
| 2 | 162E3 | 11.51 |
| 3 | 29448 | 2.09 |
| 4 | 19806 | 1.41 |
| | | |

| 9017.30033 |
|------------|
| |

| q31f | Frequency | Percent |
|------|-----------|---------|
| 1 | 14E5 | 98.65 |
| 2 | 12488 | 0.88 |
| 3 | 2897 | 0.20 |
| 4 | 3766 | 0.27 |

| Frequency | Percent |
|-----------|------------------------|
| 135E4 | 96.52 |
| 40698 | 2.90 |
| 4353 | 0.31 |
| 3722 | 0.27 |
| | 135E4 40698 4353 |

| q33a | Frequency | Percent |
|------|-----------|---------|
| 1 | 13E5 | 90.96 |
| 2 | 96060 | 6.73 |
| 3 | 17421 | 1.22 |
| 4 | 15517 | 1.09 |

Frequency Missing = 143834.71622

| Fred | III Ancv | Missing | _ 1 | 188// | 12230 |
|------|----------|------------|-----|--------|-------|
| LIEG | luciicy | IVIISSITIG | = 1 | 10044. | 12233 |

| | . N 41 1 | 407005 40774 |
|-----------|--------------|--------------|
| Frequency | / Wiissina = | 127385.48774 |

| q31g | Frequency | Percent |
|------|-----------|---------|
| 1 | 14E5 | 98.38 |
| 2 | 16272 | 1.15 |
| 3 | 2706 | 0.19 |
| 4 | 4019 | 0.28 |

| q32 | e | Frequency | Percent |
|-----|---|-----------|---------|
| | 1 | 13E5 | 93.52 |
| | 2 | 72458 | 5.22 |
| | 3 | 10819 | 0.78 |
| | 4 | 6668 | 0.48 |

| q33b | Frequency | Percent |
|------|-----------|---------|
| 1 | 128E4 | 89.97 |
| 2 | 77818 | 5.46 |
| 3 | 25320 | 1.78 |
| 4 | 39864 | 2.80 |
| | | |

Frequency Missing = 157946.33739

| Frequency | Missing | = 119703.6479 |
|-----------|---------|---------------|
|-----------|---------|---------------|

Frequency Missing = 124726.4639

| q32a Fı | equency | Percent |
|---------|---------|---------|
| 1 | 13E5 | 91.96 |
| 2 | 96812 | 6.85 |
| 3 | 10606 | 0.75 |
| 4 | 6109 | 0.43 |

| q32f | Frequency | Percent |
|------|-----------|---------|
| 1 | 129E4 | 92.80 |
| 2 | 59822 | 4.31 |
| 3 | 16075 | 1.16 |
| 4 | 24042 | 1.73 |

| q33c | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 139E4 | 97.57 |
| 2 | 23417 | 1.64 |
| 3 | 5160 | 0.36 |
| 4 | 6063 | 0.43 |
| | | |

Frequency Missing = 156794.33364

Frequency Missing = 121682.2037

Frequency Missing = 132517.39306

| q32b Fi | requency | Percent |
|---------|----------|---------|
| 1 | 129E4 | 91.52 |
| 2 | 86928 | 6.18 |
| 3 | 17255 | 1.23 |
| 4 | 15102 | 1.07 |

| q32g | Frequency | Percen |
|------|-----------|--------|
| 1 | 13E5 | 93.62 |
| 2 | 65316 | 4.69 |
| 3 | 11464 | 0.82 |
| 4 | 9948 | 0.71 |
| 5 | 676 | 0.05 |
| 6 | 241 | 0.02 |
| 7 | 1135 | 0.08 |

q33d Frequency Percent 1 134E4 93.44 2 58182 4.06 3 17478 1.22 4 18325 1.28

Frequency Missing = 113238.37282

q34a Frequency Percent

40.16

10.45 7.34 12.23

16.71

1.90 11.22

Frequency Missing = 138018.18886

| Frequency | Missing = | 152986.62984 |
|-----------|-----------|--------------|
|-----------|-----------|--------------|

2

3

4

| q32c Fi | requency | Percent |
|---------|----------|---------|
| 1 | 13E5 | 92.82 |
| 2 | 82533 | 5.89 |
| 3 | 11234 | 0.80 |
| 4 | 6906 | 0.49 |

| J | | 1 | 576E3 |
|-----------|---------|-------|-------|
| | | 2 | 15E4 |
| Frequency | Percent | 3 | 105E3 |
| 136E4 | 97.43 | 4 | 175E3 |
| 28451 | 2.04 | 5 | 24E4 |
| 3816 | 0.27 | 6 | 27219 |
| 3641 | 0.26 | 7 | 161E3 |

Frequency Missing = 143360.77512

Frequency Missing = 148208.99784

Frequency Missing = 111135.25548

| q34b | Frequency | Percent |
|------|-----------|---------|
| 1 | 744E3 | 51.50 |
| 2 | 155E3 | 10.77 |
| 3 | 107E3 | 7.41 |
| 4 | 116E3 | 8.02 |
| 5 | 119E3 | 8.25 |
| 6 | 40184 | 2.78 |
| 7 | 163E3 | 11.28 |

Frequency Missing = 163157.92949

| q36f | Frequency | Percent |
|------|-----------|---------|
| N | 385E3 | 27.65 |
| Y | 101E4 | 72.35 |

Frequency Missing = 152856.47575

q36g Frequency Percent 558E3

83E4

40.19

q37e Frequency Percent N 104E4 87.30 Y 152E3 12.70

Frequency Missing = 349583.72928

| q37f | Frequency | Percent |
|------|-----------|---------|
| N | 103E4 | 85.50 |
| Y | 175E3 | 14.50 |

Frequency Missing = 338033.21858

| q37g | Frequency | Percent |
|------|-----------|---------|
| N | 802E3 | 66.25 |
| Y | 409E3 | 33.75 |

Frequency Missing = 334299.95399

| q37h | Frequency | Percent |
|------|-----------|---------|
| N | 819E3 | 67.21 |
| Y | 399E3 | 32.79 |

Frequency Missing = 327116.22175

| q38a | Frequency | Percent |
|------|-----------|---------|
| N | 104E4 | 75.67 |
| Y | 335E3 | 24.33 |

Frequency Missing = 168273.75322

| q38b | Frequency | Percent |
|------|-----------|---------|
| N | 702E3 | 51.03 |
| Y | 674E3 | 48.97 |
| | | |

Frequency Missing = 169275.82331

| q38c | Frequency | Percent |
|------|-----------|---------|
| N | 614E3 | 44.58 |
| Y | 763E3 | 55.42 |

Frequency Missing = 168510.76442

Frequency Missing = 101377.00684

| q35 | Frequency | Percent |
|-----|-----------|---------|
| N | 123E4 | 93.25 |
| Y | 89327 | 6.75 |

Frequency Missing = 157698.55972

| q36h | Frequency | Percent |
|------|-----------|---------|
| N | 118E4 | 85.46 |
| Y | 202E3 | 14.54 |

Frequency Missing = 159292.41385

| q37a | Frequency | Percent |
|------|-----------|---------|
| N | 64E4 | 52.29 |
| Y | 584E3 | 47.71 |

Frequency Missing = 322282.34706

| q37b | Frequency | Percent |
|------|-----------|---------|
| N | 623E3 | 51.42 |
| Y | 589E3 | 48.58 |

Frequency Missing = 333240.31367

| q37c | Frequency | Percent |
|------|-----------|---------|
| N | 938E3 | 78.57 |
| Y | 256E3 | 21.43 |
| | | |

Frequency Missing = 351273.76592

| q37d | Frequency | Percent |
|------|-----------|---------|
| N | 819E3 | 68.35 |
| Y | 379E3 | 31.65 |

Frequency Missing = 347469.48742

Frequency Missing = 222487.43039

| q36a | Frequency | Percent |
|------|-----------|---------|
| N | 978E3 | 69.43 |
| Y | 431E3 | 30.57 |

Frequency Missing = 136254.91835

| q36b | Frequency | Percent |
|------|-----------|---------|
| N | 973E3 | 70.10 |
| Y | 415E3 | 29.90 |

Frequency Missing = 157708.54496

| q36c | Frequency | Percent |
|-------------|-----------|---------|
| N | 866E3 | 62.70 |
| Y | 515E3 | 37.30 |

Frequency Missing = 164588.67205

| q36d | Frequency | Percent |
|------|-----------|---------|
| N | 571E3 | 40.95 |
| Y | 823E3 | 59.05 |

Frequency Missing = 151901.56043

| q36e | Frequency | Percent |
|------|-----------|---------|
| N | 805E3 | 58.24 |
| Y | 577E3 | 41.76 |

| q38d | Frequency | Percent |
|------|-----------|---------|
| N | 696E3 | 50.19 |
| Y | 69E4 | 49.81 |

Frequency Missing = 159314.85062

| q39a | Frequency | Percent |
|------|-----------|---------|
| 1 | 105E4 | 74.17 |
| 2 | 137E3 | 9.71 |
| 3 | 97509 | 6.91 |
| 4 | 17209 | 1.22 |
| 5 | 13134 | 0.93 |
| 6 | 99675 | 7.06 |

Frequency Missing = 133417.70472

| q39b | Frequency | Percent |
|------|-----------|---------|
| 1 | 881E3 | 62.56 |
| 2 | 221E3 | 15.69 |
| 3 | 144E3 | 10.25 |
| 4 | 46886 | 3.33 |
| 5 | 18017 | 1.28 |
| 6 | 97017 | 6.89 |
| | | |

Frequency Missing = 136381.79029

| q39c | Frequency | Percent |
|-------------|-----------|---------|
| 1 | 115E4 | 81.94 |
| 2 | 74471 | 5.29 |
| 3 | 57347 | 4.07 |
| 4 | 14549 | 1.03 |
| 5 | 17778 | 1.26 |
| 6 | 90115 | 6.40 |

Frequency Missing = 137345.61898

| q40 | Frequency | Percent |
|-----|-----------|---------|
| N | 127E4 | 89.49 |
| Y | 149E3 | 10.51 |

Frequency Missing = 126157.12609

| q41 | Frequency | Percent |
|-----|-----------|---------|
| N | 121E4 | 85.73 |
| Y | 202E3 | 14.27 |

Frequency Missing = 131890.17455