

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

|                            |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|----------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Any tobacco product</b> |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 12.7%                 | 17.7%                  | 31.4%                | 68.6%                 |
|                            | <b>Grade 7</b>  | 4.7%                  | 6.8%                   | 16.4%                | 83.6%                 |
|                            | <b>Grade 8</b>  | 6.1%                  | 9.6%                   | 22.5%                | 77.5%                 |
|                            | <b>Grade 9</b>  | 10.2%                 | 15.8%                  | 29.4%                | 70.6%                 |
|                            | <b>Grade 10</b> | 15.4%                 | 20.8%                  | 35.5%                | 64.5%                 |
|                            | <b>Grade 11</b> | 18.5%                 | 25.4%                  | 40.7%                | 59.3%                 |
|                            | <b>Grade 12</b> | 24.0%                 | 31.2%                  | 47.5%                | 52.5%                 |
| <b>Cigarettes</b>          |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 11.2%                 | 16.0%                  | 29.6%                | 70.4%                 |
|                            | <b>Grade 7</b>  | 4.2%                  | 6.3%                   | 15.6%                | 84.4%                 |
|                            | <b>Grade 8</b>  | 5.3%                  | 8.3%                   | 21.0%                | 79.0%                 |
|                            | <b>Grade 9</b>  | 8.7%                  | 14.0%                  | 27.6%                | 72.4%                 |
|                            | <b>Grade 10</b> | 13.4%                 | 18.5%                  | 33.4%                | 66.6%                 |
|                            | <b>Grade 11</b> | 16.7%                 | 23.2%                  | 38.4%                | 61.6%                 |
|                            | <b>Grade 12</b> | 21.6%                 | 29.0%                  | 45.2%                | 54.8%                 |
| <b>Smokeless tobacco</b>   |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 3.9%                  | 5.9%                   | 10.0%                | 90.0%                 |
|                            | <b>Grade 7</b>  | 1.2%                  | 1.8%                   | 3.8%                 | 96.2%                 |
|                            | <b>Grade 8</b>  | 1.9%                  | 3.4%                   | 6.5%                 | 93.5%                 |
|                            | <b>Grade 9</b>  | 3.4%                  | 5.1%                   | 8.8%                 | 91.2%                 |
|                            | <b>Grade 10</b> | 5.0%                  | 7.3%                   | 11.9%                | 88.1%                 |
|                            | <b>Grade 11</b> | 5.1%                  | 8.4%                   | 14.4%                | 85.6%                 |
|                            | <b>Grade 12</b> | 7.6%                  | 10.2%                  | 16.3%                | 83.7%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table T-2: How often do you normally use ..**

|                             | Never Used | Every Day | Several Times a Week | Several Times a Month | About Once a Month | About Once a Year | Less than Once a Year |
|-----------------------------|------------|-----------|----------------------|-----------------------|--------------------|-------------------|-----------------------|
| <b>Any tobacco product?</b> |            |           |                      |                       |                    |                   |                       |
| <b>All</b>                  | 72.1%      | 3.9%      | 2.5%                 | 3.5%                  | 5.2%               | 4.5%              | 8.5%                  |
| <b>Grade 7</b>              | 85.7%      | 0.4%      | 1.3%                 | 1.3%                  | 2.8%               | 2.7%              | 5.7%                  |
| <b>Grade 8</b>              | 80.5%      | 1.1%      | 1.4%                 | 2.2%                  | 4.0%               | 3.7%              | 7.1%                  |
| <b>Grade 9</b>              | 74.1%      | 2.2%      | 2.2%                 | 3.5%                  | 4.9%               | 4.5%              | 8.6%                  |
| <b>Grade 10</b>             | 67.5%      | 4.9%      | 2.7%                 | 4.1%                  | 6.1%               | 5.1%              | 9.5%                  |
| <b>Grade 11</b>             | 64.0%      | 6.7%      | 3.8%                 | 4.0%                  | 6.5%               | 5.5%              | 9.6%                  |
| <b>Grade 12</b>             | 57.0%      | 9.6%      | 3.7%                 | 6.1%                  | 7.1%               | 5.6%              | 10.9%                 |
| <b>Cigarettes?</b>          |            |           |                      |                       |                    |                   |                       |
| <b>All</b>                  | 73.4%      | 3.1%      | 2.3%                 | 3.3%                  | 5.0%               | 4.4%              | 8.6%                  |
| <b>Grade 7</b>              | 86.1%      | 0.3%      | 1.3%                 | 1.3%                  | 2.7%               | 2.7%              | 5.6%                  |
| <b>Grade 8</b>              | 81.6%      | 0.9%      | 1.3%                 | 2.0%                  | 3.7%               | 3.4%              | 7.2%                  |
| <b>Grade 9</b>              | 75.4%      | 1.5%      | 1.9%                 | 3.4%                  | 4.7%               | 4.5%              | 8.7%                  |
| <b>Grade 10</b>             | 69.3%      | 4.0%      | 2.5%                 | 3.8%                  | 5.9%               | 5.1%              | 9.6%                  |
| <b>Grade 11</b>             | 65.6%      | 5.3%      | 3.5%                 | 4.0%                  | 6.2%               | 5.2%              | 10.2%                 |
| <b>Grade 12</b>             | 58.8%      | 7.7%      | 3.5%                 | 5.9%                  | 7.6%               | 5.7%              | 10.8%                 |
| <b>Smokeless tobacco?</b>   |            |           |                      |                       |                    |                   |                       |
| <b>All</b>                  | 90.8%      | 1.1%      | 0.7%                 | 0.9%                  | 1.6%               | 1.7%              | 3.2%                  |
| <b>Grade 7</b>              | 96.8%      | 0.1%      | 0.2%                 | 0.2%                  | 0.6%               | 0.7%              | 1.3%                  |
| <b>Grade 8</b>              | 94.3%      | 0.2%      | 0.3%                 | 0.6%                  | 1.3%               | 1.2%              | 2.0%                  |
| <b>Grade 9</b>              | 91.9%      | 0.8%      | 0.9%                 | 0.9%                  | 1.6%               | 1.4%              | 2.5%                  |
| <b>Grade 10</b>             | 88.4%      | 1.4%      | 1.0%                 | 1.2%                  | 2.2%               | 2.1%              | 3.6%                  |
| <b>Grade 11</b>             | 87.1%      | 1.8%      | 0.8%                 | 1.0%                  | 2.1%               | 2.4%              | 4.7%                  |
| <b>Grade 12</b>             | 84.8%      | 2.4%      | 1.1%                 | 1.4%                  | 2.0%               | 2.4%              | 6.0%                  |

**Table T-3: Average age of first use of:**

|                          | Grade 7 | Grade 8 | Grade 9 | Grade 10 | Grade 11 | Grade 12 |
|--------------------------|---------|---------|---------|----------|----------|----------|
| <b>Cigarettes</b>        | 10.9    | 11.4    | 12.1    | 12.9     | 13.7     | 14.4     |
| <b>Smokeless tobacco</b> | 11.2    | 11.9    | 12.6    | 13.5     | 14.3     | 15.3     |
| <b>Any Tobacco</b>       | 10.9    | 11.4    | 12.1    | 12.8     | 13.6     | 14.4     |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

|                              |                 | <b>Never<br/>Heard Of</b> | <b>Impossible</b> | <b>Very<br/>Difficult</b> | <b>Somewhat<br/>Difficult</b> | <b>Somewhat<br/>Easy</b> | <b>Very Easy</b> |
|------------------------------|-----------------|---------------------------|-------------------|---------------------------|-------------------------------|--------------------------|------------------|
| <b>Any tobacco product??</b> |                 |                           |                   |                           |                               |                          |                  |
|                              | <b>All</b>      | 10.7%                     | 16.4%             | 6.2%                      | 9.0%                          | 17.5%                    | 40.2%            |
|                              | <b>Grade 7</b>  | 17.3%                     | 32.6%             | 9.9%                      | 10.6%                         | 13.4%                    | 16.3%            |
|                              | <b>Grade 8</b>  | 11.6%                     | 23.6%             | 9.5%                      | 11.8%                         | 18.0%                    | 25.5%            |
|                              | <b>Grade 9</b>  | 11.2%                     | 16.0%             | 6.6%                      | 10.9%                         | 21.4%                    | 33.9%            |
|                              | <b>Grade 10</b> | 7.7%                      | 11.5%             | 4.8%                      | 8.7%                          | 21.8%                    | 45.5%            |
|                              | <b>Grade 11</b> | 7.9%                      | 8.3%              | 3.8%                      | 7.2%                          | 19.4%                    | 53.3%            |
|                              | <b>Grade 12</b> | 7.5%                      | 3.8%              | 1.5%                      | 3.5%                          | 9.6%                     | 74.2%            |
| <b>Cigarettes?</b>           |                 |                           |                   |                           |                               |                          |                  |
|                              | <b>All</b>      | 10.9%                     | 17.2%             | 6.5%                      | 9.5%                          | 17.9%                    | 38.0%            |
|                              | <b>Grade 7</b>  | 17.5%                     | 33.9%             | 10.2%                     | 10.6%                         | 13.1%                    | 14.7%            |
|                              | <b>Grade 8</b>  | 12.0%                     | 25.0%             | 9.8%                      | 12.2%                         | 18.0%                    | 23.1%            |
|                              | <b>Grade 9</b>  | 11.4%                     | 16.8%             | 7.1%                      | 11.7%                         | 21.9%                    | 31.1%            |
|                              | <b>Grade 10</b> | 7.9%                      | 12.2%             | 5.1%                      | 9.5%                          | 22.7%                    | 42.6%            |
|                              | <b>Grade 11</b> | 8.0%                      | 8.5%              | 4.1%                      | 7.8%                          | 20.4%                    | 51.2%            |
|                              | <b>Grade 12</b> | 7.5%                      | 3.9%              | 1.4%                      | 3.7%                          | 9.9%                     | 73.6%            |
| <b>Smokeless Tobacco?</b>    |                 |                           |                   |                           |                               |                          |                  |
|                              | <b>All</b>      | 20.8%                     | 21.3%             | 8.3%                      | 10.4%                         | 13.0%                    | 26.0%            |
|                              | <b>Grade 7</b>  | 29.6%                     | 37.6%             | 10.9%                     | 8.3%                          | 7.2%                     | 6.4%             |
|                              | <b>Grade 8</b>  | 23.1%                     | 30.4%             | 11.3%                     | 12.0%                         | 11.1%                    | 12.0%            |
|                              | <b>Grade 9</b>  | 21.7%                     | 22.0%             | 9.9%                      | 13.2%                         | 14.4%                    | 18.8%            |
|                              | <b>Grade 10</b> | 17.6%                     | 16.2%             | 7.7%                      | 12.2%                         | 17.7%                    | 28.6%            |
|                              | <b>Grade 11</b> | 16.4%                     | 12.4%             | 5.7%                      | 9.6%                          | 17.4%                    | 38.4%            |
|                              | <b>Grade 12</b> | 14.8%                     | 5.8%              | 2.9%                      | 6.1%                          | 10.4%                    | 60.0%            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table T-5: About how many of your close friends...**

|   | <b>None</b> | <b>A Few</b> | <b>Some</b> | <b>Most</b> | <b>ALL</b> |
|---|-------------|--------------|-------------|-------------|------------|
| <b>Use any tobacco product?</b>         |             |              |             |             |            |
| <b>All</b>                              | 43.1%       | 30.1%        | 16.3%       | 8.9%        | 1.6%       |
| <b>Grade 7</b>                          | 69.8%       | 20.5%        | 6.0%        | 2.9%        | 0.9%       |
| <b>Grade 8</b>                          | 55.0%       | 28.0%        | 11.3%       | 4.7%        | 1.0%       |
| <b>Grade 9</b>                          | 42.1%       | 33.3%        | 15.7%       | 7.3%        | 1.6%       |
| <b>Grade 10</b>                         | 33.8%       | 33.3%        | 20.0%       | 10.8%       | 2.1%       |
| <b>Grade 11</b>                         | 29.9%       | 33.1%        | 21.6%       | 13.7%       | 1.7%       |
| <b>Grade 12</b>                         | 23.9%       | 32.8%        | 25.1%       | 15.7%       | 2.5%       |
| <b>Smoke cigarettes?</b>                |             |              |             |             |            |
| <b>All</b>                              | 45.8%       | 30.5%        | 14.7%       | 7.6%        | 1.4%       |
| <b>Grade 7</b>                          | 71.4%       | 19.9%        | 5.4%        | 2.6%        | 0.7%       |
| <b>Grade 8</b>                          | 57.6%       | 27.7%        | 9.6%        | 4.3%        | 0.9%       |
| <b>Grade 9</b>                          | 45.5%       | 33.3%        | 13.6%       | 6.2%        | 1.4%       |
| <b>Grade 10</b>                         | 37.6%       | 33.8%        | 17.9%       | 8.9%        | 1.9%       |
| <b>Grade 11</b>                         | 32.1%       | 35.0%        | 20.2%       | 11.3%       | 1.4%       |
| <b>Grade 12</b>                         | 26.5%       | 33.9%        | 24.0%       | 13.5%       | 2.2%       |
| <b>Use a smokeless tobacco product?</b> |             |              |             |             |            |
| <b>All</b>                              | 69.2%       | 18.2%        | 8.7%        | 3.2%        | 0.8%       |
| <b>Grade 7</b>                          | 87.0%       | 9.1%         | 2.5%        | 0.9%        | 0.5%       |
| <b>Grade 8</b>                          | 77.9%       | 14.5%        | 5.3%        | 1.8%        | 0.5%       |
| <b>Grade 9</b>                          | 69.7%       | 18.9%        | 7.9%        | 2.5%        | 0.9%       |
| <b>Grade 10</b>                         | 62.8%       | 20.9%        | 11.1%       | 4.2%        | 1.0%       |
| <b>Grade 11</b>                         | 58.5%       | 23.0%        | 12.8%       | 5.0%        | 0.7%       |
| <b>Grade 12</b>                         | 55.7%       | 24.2%        | 13.6%       | 5.4%        | 1.0%       |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

|                 | <b>Strongly Disapprove</b> | <b>Mildly Disapprove</b> | <b>Neither</b> | <b>Mildly Approve</b> | <b>Strongly Approve</b> | <b>Don't know</b> |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| <b>All</b>      | 74.8%                      | 8.9%                     | 7.1%           | 1.2%                  | 1.0%                    | 7.0%              |
| <b>Grade 7</b>  | 85.6%                      | 2.7%                     | 1.6%           | 0.3%                  | 1.0%                    | 8.8%              |
| <b>Grade 8</b>  | 81.6%                      | 6.1%                     | 3.5%           | 0.8%                  | 0.8%                    | 7.1%              |
| <b>Grade 9</b>  | 78.3%                      | 7.3%                     | 5.3%           | 0.8%                  | 0.9%                    | 7.4%              |
| <b>Grade 10</b> | 73.6%                      | 9.9%                     | 7.4%           | 1.6%                  | 1.1%                    | 6.5%              |
| <b>Grade 11</b> | 68.0%                      | 12.6%                    | 10.9%          | 1.7%                  | 1.1%                    | 5.8%              |
| <b>Grade 12</b> | 58.6%                      | 16.5%                    | 15.4%          | 2.3%                  | 1.2%                    | 5.9%              |

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

|                 | <b>Very Dangerous</b> | <b>Somewhat Dangerous</b> | <b>Not very Dangerous</b> | <b>Not at All Dangerous</b> | <b>Do Not Know</b> |
|-----------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| <b>All</b>      | 48.6%                 | 27.6%                     | 14.6%                     | 4.4%                        | 4.7%               |
| <b>Grade 7</b>  | 69.3%                 | 19.3%                     | 5.8%                      | 1.2%                        | 4.4%               |
| <b>Grade 8</b>  | 57.9%                 | 25.0%                     | 9.5%                      | 2.4%                        | 5.2%               |
| <b>Grade 9</b>  | 47.4%                 | 30.0%                     | 13.9%                     | 3.4%                        | 5.3%               |
| <b>Grade 10</b> | 42.6%                 | 29.9%                     | 17.4%                     | 5.3%                        | 4.8%               |
| <b>Grade 11</b> | 37.9%                 | 31.0%                     | 19.7%                     | 6.3%                        | 5.0%               |
| <b>Grade 12</b> | 34.6%                 | 31.0%                     | 22.4%                     | 8.6%                        | 3.4%               |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

|                            |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|----------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Any alcohol product</b> |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 30.3%                 | 41.9%                  | 63.3%                | 36.7%                 |
|                            | <b>Grade 7</b>  | 16.9%                 | 22.5%                  | 44.8%                | 55.2%                 |
|                            | <b>Grade 8</b>  | 22.2%                 | 32.3%                  | 56.1%                | 43.9%                 |
|                            | <b>Grade 9</b>  | 29.1%                 | 41.6%                  | 64.1%                | 35.9%                 |
|                            | <b>Grade 10</b> | 33.6%                 | 47.3%                  | 68.6%                | 31.4%                 |
|                            | <b>Grade 11</b> | 37.7%                 | 52.6%                  | 72.4%                | 27.6%                 |
|                            | <b>Grade 12</b> | 45.5%                 | 58.7%                  | 76.4%                | 23.6%                 |
| <b>Beer</b>                |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 19.6%                 | 29.1%                  | 47.8%                | 52.2%                 |
|                            | <b>Grade 7</b>  | 9.1%                  | 13.4%                  | 30.3%                | 69.7%                 |
|                            | <b>Grade 8</b>  | 12.3%                 | 19.6%                  | 39.9%                | 60.1%                 |
|                            | <b>Grade 9</b>  | 17.8%                 | 27.9%                  | 47.8%                | 52.2%                 |
|                            | <b>Grade 10</b> | 22.4%                 | 33.8%                  | 53.0%                | 47.0%                 |
|                            | <b>Grade 11</b> | 25.5%                 | 38.3%                  | 56.6%                | 43.4%                 |
|                            | <b>Grade 12</b> | 33.4%                 | 45.1%                  | 62.4%                | 37.6%                 |
| <b>Wine coolers</b>        |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 17.6%                 | 28.4%                  | 46.5%                | 53.5%                 |
|                            | <b>Grade 7</b>  | 10.0%                 | 14.0%                  | 28.0%                | 72.0%                 |
|                            | <b>Grade 8</b>  | 13.4%                 | 21.6%                  | 39.5%                | 60.5%                 |
|                            | <b>Grade 9</b>  | 17.2%                 | 28.2%                  | 47.0%                | 53.0%                 |
|                            | <b>Grade 10</b> | 20.2%                 | 33.2%                  | 52.5%                | 47.5%                 |
|                            | <b>Grade 11</b> | 21.9%                 | 36.0%                  | 55.8%                | 44.2%                 |
|                            | <b>Grade 12</b> | 24.4%                 | 39.7%                  | 58.7%                | 41.3%                 |
| <b>Wine</b>                |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 12.2%                 | 21.8%                  | 42.8%                | 57.2%                 |
|                            | <b>Grade 7</b>  | 7.8%                  | 11.9%                  | 27.2%                | 72.8%                 |
|                            | <b>Grade 8</b>  | 9.4%                  | 17.0%                  | 36.6%                | 63.4%                 |
|                            | <b>Grade 9</b>  | 12.4%                 | 22.3%                  | 44.5%                | 55.5%                 |
|                            | <b>Grade 10</b> | 12.9%                 | 24.1%                  | 46.6%                | 53.4%                 |
|                            | <b>Grade 11</b> | 14.8%                 | 27.0%                  | 51.1%                | 48.9%                 |
|                            | <b>Grade 12</b> | 16.8%                 | 30.5%                  | 52.8%                | 47.2%                 |
| <b>Liquor</b>              |                 |                       |                        |                      |                       |
|                            | <b>All</b>      | 19.4%                 | 29.8%                  | 44.5%                | 55.5%                 |
|                            | <b>Grade 7</b>  | 7.0%                  | 10.6%                  | 20.2%                | 79.8%                 |
|                            | <b>Grade 8</b>  | 11.1%                 | 18.1%                  | 32.4%                | 67.6%                 |
|                            | <b>Grade 9</b>  | 17.0%                 | 28.1%                  | 43.6%                | 56.4%                 |
|                            | <b>Grade 10</b> | 22.8%                 | 35.5%                  | 52.6%                | 47.4%                 |
|                            | <b>Grade 11</b> | 27.2%                 | 41.3%                  | 58.4%                | 41.6%                 |
|                            | <b>Grade 12</b> | 35.1%                 | 49.6%                  | 64.7%                | 35.3%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-2: How often do you normally use...**

|                             |                 | Never<br>Used | Every<br>Day | Several<br>Times a<br>Week | Several<br>Times a<br>Month | About<br>Once a<br>Month | About<br>Once a<br>Year | Less than<br>Once a<br>Year |
|-----------------------------|-----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| <b>Any alcohol product?</b> |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 42.8%         | 0.7%         | 4.2%                       | 13.1%                       | 15.1%                    | 13.4%                   | 10.7%                       |
|                             | <b>Grade 7</b>  | 63.6%         | 0.6%         | 2.3%                       | 5.6%                        | 7.7%                     | 9.1%                    | 11.1%                       |
|                             | <b>Grade 8</b>  | 50.6%         | 0.4%         | 3.3%                       | 8.3%                        | 12.1%                    | 13.8%                   | 11.3%                       |
|                             | <b>Grade 9</b>  | 41.4%         | 0.9%         | 4.2%                       | 12.1%                       | 15.5%                    | 14.5%                   | 11.4%                       |
|                             | <b>Grade 10</b> | 37.0%         | 0.7%         | 4.5%                       | 15.4%                       | 17.8%                    | 14.4%                   | 10.3%                       |
|                             | <b>Grade 11</b> | 32.9%         | 0.6%         | 4.6%                       | 18.3%                       | 18.5%                    | 15.1%                   | 10.1%                       |
|                             | <b>Grade 12</b> | 28.2%         | 1.0%         | 6.9%                       | 20.8%                       | 20.3%                    | 13.3%                   | 9.5%                        |
| <b>Beer?</b>                |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 54.3%         | 0.3%         | 3.1%                       | 9.7%                        | 12.1%                    | 10.3%                   | 10.2%                       |
|                             | <b>Grade 7</b>  | 72.8%         | 0.2%         | 1.6%                       | 3.8%                        | 5.8%                     | 6.5%                    | 9.3%                        |
|                             | <b>Grade 8</b>  | 62.1%         | 0.1%         | 2.2%                       | 5.5%                        | 9.4%                     | 10.6%                   | 10.1%                       |
|                             | <b>Grade 9</b>  | 54.4%         | 0.4%         | 3.0%                       | 8.0%                        | 12.1%                    | 11.1%                   | 11.1%                       |
|                             | <b>Grade 10</b> | 48.7%         | 0.4%         | 3.5%                       | 11.6%                       | 14.9%                    | 10.9%                   | 10.1%                       |
|                             | <b>Grade 11</b> | 44.8%         | 0.3%         | 3.4%                       | 14.2%                       | 15.3%                    | 11.8%                   | 10.3%                       |
|                             | <b>Grade 12</b> | 39.8%         | 0.5%         | 5.5%                       | 16.6%                       | 16.3%                    | 11.0%                   | 10.3%                       |
| <b>Wine coolers?</b>        |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 57.3%         | 0.2%         | 2.2%                       | 7.6%                        | 11.7%                    | 11.8%                   | 9.3%                        |
|                             | <b>Grade 7</b>  | 77.6%         | 0.3%         | 1.4%                       | 3.1%                        | 4.6%                     | 6.5%                    | 6.5%                        |
|                             | <b>Grade 8</b>  | 65.2%         | 0.2%         | 1.8%                       | 5.2%                        | 8.6%                     | 10.6%                   | 8.4%                        |
|                             | <b>Grade 9</b>  | 56.8%         | 0.4%         | 2.4%                       | 7.3%                        | 12.0%                    | 11.9%                   | 9.1%                        |
|                             | <b>Grade 10</b> | 50.7%         | 0.2%         | 2.3%                       | 9.6%                        | 13.6%                    | 13.3%                   | 10.4%                       |
|                             | <b>Grade 11</b> | 47.1%         | 0.1%         | 2.1%                       | 10.5%                       | 15.2%                    | 14.4%                   | 10.6%                       |
|                             | <b>Grade 12</b> | 43.0%         | 0.1%         | 3.0%                       | 10.5%                       | 17.5%                    | 14.8%                   | 11.1%                       |
| <b>Wine?</b>                |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 59.2%         | 0.1%         | 1.4%                       | 5.2%                        | 8.8%                     | 13.3%                   | 11.9%                       |
|                             | <b>Grade 7</b>  | 76.7%         | 0.1%         | 1.1%                       | 2.8%                        | 4.2%                     | 7.6%                    | 7.6%                        |
|                             | <b>Grade 8</b>  | 65.3%         | 0.0%         | 1.3%                       | 3.9%                        | 6.9%                     | 11.9%                   | 10.6%                       |
|                             | <b>Grade 9</b>  | 57.8%         | 0.0%         | 1.7%                       | 5.0%                        | 9.1%                     | 13.7%                   | 12.6%                       |
|                             | <b>Grade 10</b> | 54.3%         | 0.1%         | 1.4%                       | 6.0%                        | 9.8%                     | 15.0%                   | 13.4%                       |
|                             | <b>Grade 11</b> | 50.3%         | 0.1%         | 1.4%                       | 6.7%                        | 10.9%                    | 16.5%                   | 14.0%                       |
|                             | <b>Grade 12</b> | 48.5%         | 0.2%         | 1.7%                       | 7.2%                        | 12.6%                    | 16.1%                   | 13.8%                       |
| <b>Liquor?</b>              |                 |               |              |                            |                             |                          |                         |                             |
|                             | <b>All</b>      | 57.6%         | 0.2%         | 2.5%                       | 9.5%                        | 12.0%                    | 10.4%                   | 7.7%                        |
|                             | <b>Grade 7</b>  | 82.8%         | 0.1%         | 1.2%                       | 2.7%                        | 3.5%                     | 4.5%                    | 5.1%                        |
|                             | <b>Grade 8</b>  | 69.3%         | 0.1%         | 1.8%                       | 4.9%                        | 7.8%                     | 8.7%                    | 7.3%                        |
|                             | <b>Grade 9</b>  | 58.3%         | 0.2%         | 2.6%                       | 8.1%                        | 11.8%                    | 10.8%                   | 8.1%                        |
|                             | <b>Grade 10</b> | 49.2%         | 0.1%         | 2.8%                       | 11.7%                       | 14.7%                    | 12.5%                   | 8.8%                        |
|                             | <b>Grade 11</b> | 44.0%         | 0.3%         | 2.7%                       | 14.6%                       | 16.3%                    | 13.5%                   | 8.5%                        |
|                             | <b>Grade 12</b> | 37.6%         | 0.5%         | 4.4%                       | 17.0%                       | 19.1%                    | 13.2%                   | 8.2%                        |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

|                     |                 | Never | Ever  | 5 or More | 1 to 4 | Less than 1 |
|---------------------|-----------------|-------|-------|-----------|--------|-------------|
| <b>Beer</b>         |                 |       |       |           |        |             |
|                     | <b>All</b>      | 54.8% | 45.2% | 12.2%     | 23.9%  | 9.1%        |
|                     | <b>Grade 7</b>  | 80.3% | 19.7% | 3.0%      | 9.1%   | 7.6%        |
|                     | <b>Grade 8</b>  | 65.5% | 34.5% | 6.0%      | 17.4%  | 11.0%       |
|                     | <b>Grade 9</b>  | 55.3% | 44.7% | 11.4%     | 23.0%  | 10.3%       |
|                     | <b>Grade 10</b> | 46.7% | 53.3% | 15.3%     | 28.4%  | 9.6%        |
|                     | <b>Grade 11</b> | 41.7% | 58.3% | 18.5%     | 31.3%  | 8.5%        |
|                     | <b>Grade 12</b> | 34.9% | 65.1% | 20.8%     | 36.9%  | 7.4%        |
| <b>Wine Coolers</b> |                 |       |       |           |        |             |
|                     | <b>All</b>      | 57.0% | 43.0% | 3.5%      | 22.6%  | 16.9%       |
|                     | <b>Grade 7</b>  | 72.4% | 27.6% | 2.1%      | 11.8%  | 13.7%       |
|                     | <b>Grade 8</b>  | 60.9% | 39.1% | 2.7%      | 19.1%  | 17.2%       |
|                     | <b>Grade 9</b>  | 54.7% | 45.3% | 3.3%      | 23.1%  | 18.9%       |
|                     | <b>Grade 10</b> | 53.8% | 46.2% | 4.3%      | 25.5%  | 16.4%       |
|                     | <b>Grade 11</b> | 49.7% | 50.3% | 4.1%      | 28.0%  | 18.3%       |
|                     | <b>Grade 12</b> | 48.8% | 51.2% | 4.7%      | 29.8%  | 16.7%       |
| <b>Wine</b>         |                 |       |       |           |        |             |
|                     | <b>All</b>      | 54.3% | 45.7% | 9.2%      | 27.1%  | 9.4%        |
|                     | <b>Grade 7</b>  | 74.2% | 25.8% | 3.7%      | 13.3%  | 8.9%        |
|                     | <b>Grade 8</b>  | 61.1% | 38.9% | 5.9%      | 22.4%  | 10.6%       |
|                     | <b>Grade 9</b>  | 52.8% | 47.2% | 9.5%      | 27.7%  | 10.0%       |
|                     | <b>Grade 10</b> | 47.7% | 52.3% | 12.0%     | 31.3%  | 9.1%        |
|                     | <b>Grade 11</b> | 45.0% | 55.0% | 12.5%     | 33.4%  | 9.1%        |
|                     | <b>Grade 12</b> | 42.3% | 57.7% | 12.5%     | 36.7%  | 8.4%        |
| <b>Liquor</b>       |                 |       |       |           |        |             |
|                     | <b>All</b>      | 51.6% | 48.4% | 12.8%     | 22.4%  | 13.2%       |
|                     | <b>Grade 7</b>  | 68.6% | 31.4% | 4.1%      | 13.6%  | 13.7%       |
|                     | <b>Grade 8</b>  | 57.7% | 42.3% | 7.0%      | 19.2%  | 16.2%       |
|                     | <b>Grade 9</b>  | 51.1% | 48.9% | 10.7%     | 24.0%  | 14.3%       |
|                     | <b>Grade 10</b> | 47.1% | 52.9% | 16.4%     | 24.3%  | 12.2%       |
|                     | <b>Grade 11</b> | 43.1% | 56.9% | 18.9%     | 26.5%  | 11.4%       |
|                     | <b>Grade 12</b> | 39.4% | 60.6% | 22.0%     | 27.7%  | 10.9%       |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

|                 | <b>Never/None</b> | <b>1 day</b> | <b>2 days</b> | <b>3 to 5 days</b> | <b>6 to 9 days</b> | <b>10 or more days</b> |
|-----------------|-------------------|--------------|---------------|--------------------|--------------------|------------------------|
| <b>Alcohol</b>  |                   |              |               |                    |                    |                        |
| <b>All</b>      | 79.6%             | 6.3%         | 4.7%          | 4.9%               | 2.2%               | 2.3%                   |
| <b>Grade 7</b>  | 91.4%             | 3.2%         | 1.8%          | 1.7%               | 0.7%               | 1.1%                   |
| <b>Grade 8</b>  | 86.8%             | 4.9%         | 3.3%          | 2.5%               | 1.0%               | 1.5%                   |
| <b>Grade 9</b>  | 81.1%             | 6.4%         | 4.3%          | 4.0%               | 1.9%               | 2.3%                   |
| <b>Grade 10</b> | 76.5%             | 6.8%         | 5.8%          | 5.7%               | 2.6%               | 2.5%                   |
| <b>Grade 11</b> | 72.4%             | 7.6%         | 6.7%          | 7.4%               | 3.3%               | 2.6%                   |
| <b>Grade 12</b> | 66.2%             | 9.6%         | 7.1%          | 8.8%               | 4.1%               | 4.2%                   |

**Table A-5: Average age of first use of:**

|                     | <b>Grade 7</b> | <b>Grade 8</b> | <b>Grade 9</b> | <b>Grade 10</b> | <b>Grade 11</b> | <b>Grade 12</b> |
|---------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|
| <b>Beer</b>         |                |                |                |                 |                 |                 |
| 10.6                | 11.2           | 12.0           | 12.7           | 13.5            | 14.2            |                 |
| <b>Wine Coolers</b> |                |                |                |                 |                 |                 |
| 11.1                | 11.7           | 12.3           | 13.1           | 13.8            | 14.4            |                 |
| <b>Wine</b>         |                |                |                |                 |                 |                 |
| 11.0                | 11.5           | 12.3           | 12.9           | 13.6            | 14.2            |                 |
| <b>Liquor</b>       |                |                |                |                 |                 |                 |
| 11.5                | 12.2           | 13.0           | 13.7           | 14.5            | 15.1            |                 |
| <b>Any Alcohol</b>  |                |                |                |                 |                 |                 |
| 10.6                | 11.1           | 11.8           | 12.5           | 13.2            | 13.8            |                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

|                             |                 | <b>Never<br/>Heard Of</b> | <b>Impossible</b> | <b>Very<br/>Difficult</b> | <b>Somewhat<br/>Difficult</b> | <b>Somewhat<br/>Easy</b> | <b>Very Easy</b> |
|-----------------------------|-----------------|---------------------------|-------------------|---------------------------|-------------------------------|--------------------------|------------------|
| <b>Beer?</b>                |                 |                           |                   |                           |                               |                          |                  |
|                             | <b>All</b>      | 9.4%                      | 12.9%             | 5.7%                      | 11.3%                         | 21.1%                    | 39.6%            |
|                             | <b>Grade 7</b>  | 15.1%                     | 26.8%             | 8.8%                      | 11.7%                         | 14.6%                    | 23.0%            |
|                             | <b>Grade 8</b>  | 10.5%                     | 17.7%             | 7.6%                      | 11.8%                         | 19.2%                    | 33.2%            |
|                             | <b>Grade 9</b>  | 9.9%                      | 11.5%             | 5.7%                      | 11.7%                         | 21.0%                    | 40.3%            |
|                             | <b>Grade 10</b> | 6.4%                      | 8.7%              | 4.4%                      | 11.4%                         | 22.6%                    | 46.5%            |
|                             | <b>Grade 11</b> | 7.0%                      | 6.8%              | 4.0%                      | 10.0%                         | 23.2%                    | 48.9%            |
|                             | <b>Grade 12</b> | 6.6%                      | 4.4%              | 3.5%                      | 10.8%                         | 27.0%                    | 47.7%            |
| <b>Wine coolers?</b>        |                 |                           |                   |                           |                               |                          |                  |
|                             | <b>All</b>      | 13.7%                     | 14.4%             | 6.9%                      | 12.2%                         | 19.9%                    | 33.0%            |
|                             | <b>Grade 7</b>  | 24.1%                     | 29.3%             | 9.8%                      | 10.0%                         | 11.9%                    | 14.9%            |
|                             | <b>Grade 8</b>  | 16.3%                     | 20.2%             | 9.6%                      | 12.4%                         | 16.8%                    | 24.8%            |
|                             | <b>Grade 9</b>  | 13.6%                     | 13.7%             | 6.7%                      | 13.5%                         | 19.9%                    | 32.6%            |
|                             | <b>Grade 10</b> | 9.8%                      | 9.3%              | 5.8%                      | 12.9%                         | 23.2%                    | 39.0%            |
|                             | <b>Grade 11</b> | 8.7%                      | 7.0%              | 4.9%                      | 11.7%                         | 23.1%                    | 44.5%            |
|                             | <b>Grade 12</b> | 8.4%                      | 4.5%              | 3.9%                      | 12.1%                         | 25.8%                    | 45.4%            |
| <b>Wine?</b>                |                 |                           |                   |                           |                               |                          |                  |
|                             | <b>All</b>      | 11.2%                     | 15.1%             | 7.6%                      | 12.9%                         | 19.4%                    | 33.8%            |
|                             | <b>Grade 7</b>  | 17.6%                     | 29.5%             | 10.8%                     | 11.7%                         | 13.3%                    | 17.1%            |
|                             | <b>Grade 8</b>  | 12.0%                     | 21.8%             | 9.9%                      | 13.4%                         | 16.0%                    | 26.9%            |
|                             | <b>Grade 9</b>  | 11.5%                     | 13.8%             | 7.7%                      | 13.2%                         | 19.3%                    | 34.5%            |
|                             | <b>Grade 10</b> | 8.6%                      | 10.5%             | 6.9%                      | 13.6%                         | 21.7%                    | 38.6%            |
|                             | <b>Grade 11</b> | 8.5%                      | 7.7%              | 5.5%                      | 12.4%                         | 22.1%                    | 43.7%            |
|                             | <b>Grade 12</b> | 7.9%                      | 5.3%              | 4.1%                      | 12.8%                         | 25.4%                    | 44.6%            |
| <b>Liquor?</b>              |                 |                           |                   |                           |                               |                          |                  |
|                             | <b>All</b>      | 11.1%                     | 17.5%             | 8.6%                      | 11.5%                         | 18.5%                    | 32.9%            |
|                             | <b>Grade 7</b>  | 19.1%                     | 34.8%             | 12.1%                     | 9.5%                          | 10.2%                    | 14.4%            |
|                             | <b>Grade 8</b>  | 12.2%                     | 25.7%             | 10.6%                     | 11.8%                         | 15.5%                    | 24.2%            |
|                             | <b>Grade 9</b>  | 11.4%                     | 16.2%             | 9.1%                      | 12.1%                         | 17.7%                    | 33.4%            |
|                             | <b>Grade 10</b> | 7.8%                      | 11.6%             | 7.4%                      | 12.0%                         | 21.3%                    | 39.9%            |
|                             | <b>Grade 11</b> | 7.7%                      | 8.7%              | 6.3%                      | 11.5%                         | 22.3%                    | 43.6%            |
|                             | <b>Grade 12</b> | 7.5%                      | 5.3%              | 4.9%                      | 11.9%                         | 25.8%                    | 44.6%            |
| <b>Any alcohol product?</b> |                 |                           |                   |                           |                               |                          |                  |
|                             | <b>All</b>      | 8.5%                      | 10.2%             | 4.5%                      | 9.4%                          | 20.2%                    | 47.3%            |
|                             | <b>Grade 7</b>  | 13.8%                     | 21.9%             | 7.9%                      | 10.7%                         | 16.3%                    | 29.3%            |
|                             | <b>Grade 8</b>  | 9.4%                      | 13.7%             | 6.3%                      | 10.8%                         | 19.1%                    | 40.7%            |
|                             | <b>Grade 9</b>  | 9.0%                      | 8.8%              | 3.7%                      | 9.4%                          | 19.9%                    | 49.2%            |
|                             | <b>Grade 10</b> | 5.8%                      | 6.5%              | 3.1%                      | 8.3%                          | 21.2%                    | 55.1%            |
|                             | <b>Grade 11</b> | 6.0%                      | 5.2%              | 3.0%                      | 8.1%                          | 20.9%                    | 56.7%            |
|                             | <b>Grade 12</b> | 6.0%                      | 3.4%              | 2.3%                      | 8.8%                          | 24.7%                    | 54.6%            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

|  | None  | 1-3 Times | 4-9 Times | 10+ Times |
|--|-------|-----------|-----------|-----------|
| <b>Attended class while drunk on alcohol?</b>                      |       |           |           |           |
| All  | 91.9% | 6.0%      | 1.0%      | 1.1%      |
| Grade 7  | 94.4% | 4.5%      | 0.7%      | 0.5%      |
| Grade 8  | 92.0% | 6.1%      | 0.9%      | 1.0%      |
| Grade 9  | 91.4% | 6.4%      | 1.3%      | 0.9%      |
| Grade 10   | 91.2% | 6.6%      | 1.1%      | 1.2%      |
| Grade 11   | 92.1% | 5.7%      | 1.0%      | 1.1%      |
| Grade 12   | 90.3% | 6.8%      | 1.1%      | 1.9%      |
| <b>Gotten into trouble with teachers because of your drinking?</b> |       |           |           |           |
| All  | 98.8% | 0.8%      | 0.2%      | 0.2%      |
| Grade 7  | 99.1% | 0.6%      | 0.1%      | 0.2%      |
| Grade 8  | 98.9% | 0.7%      | 0.1%      | 0.3%      |
| Grade 9  | 98.8% | 0.8%      | 0.2%      | 0.2%      |
| Grade 10   | 98.9% | 0.7%      | 0.1%      | 0.3%      |
| Grade 11   | 98.8% | 0.8%      | 0.3%      | 0.1%      |
| Grade 12   | 98.1% | 1.2%      | 0.2%      | 0.4%      |

**Table A-8: School year use of alcohol by absences and conduct problems:**

| <b>Average days absent due to<br/>illness or other reasons</b> |     |
|--|-----|
| Alcohol Users:   | 4.8 |
| Alcohol Non-use  | 3.8 |
| <b>Average days conduct problems<br/>reported</b>              |     |
| Alcohol Users:   | 3.7 |
| Alcohol Non-use  | 1.3 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-9: During the past twelve months, how many times have you...**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Driven a car when you've had a good bit to drink?</b>        |       |           |           |           |
| All   | 89.1% | 8.3%      | 1.4%      | 1.2%      |
| Grade 9   | 95.2% | 3.7%      | 0.7%      | 0.4%      |
| Grade 10  | 91.5% | 6.7%      | 1.0%      | 0.9%      |
| Grade 11  | 86.5% | 10.4%     | 1.7%      | 1.3%      |
| Grade 12  | 80.9% | 13.9%     | 2.5%      | 2.7%      |
| <b>Gotten into trouble with the police because of drinking?</b> |       |           |           |           |
| All   | 96.5% | 2.9%      | 0.4%      | 0.3%      |
| Grade 7   | 98.7% | 1.0%      | 0.2%      | 0.2%      |
| Grade 8   | 97.8% | 1.7%      | 0.3%      | 0.3%      |
| Grade 9   | 96.9% | 2.5%      | 0.4%      | 0.3%      |
| Grade 10  | 96.3% | 2.9%      | 0.6%      | 0.2%      |
| Grade 11  | 94.5% | 4.9%      | 0.4%      | 0.2%      |
| Grade 12  | 94.2% | 5.1%      | 0.4%      | 0.3%      |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-10: About how many of your close friends use...**

|                             |                 | None  | A Few | Some  | Most  | ALL   |
|-----------------------------|-----------------|-------|-------|-------|-------|-------|
| <b>Any alcohol product?</b> |                 |       |       |       |       |       |
|                             | <b>All</b>      | 28.5% | 22.7% | 19.0% | 21.0% | 8.8%  |
|                             | <b>Grade 7</b>  | 55.4% | 23.2% | 10.3% | 7.7%  | 3.4%  |
|                             | <b>Grade 8</b>  | 38.2% | 25.3% | 17.2% | 13.5% | 5.8%  |
|                             | <b>Grade 9</b>  | 25.2% | 25.2% | 21.0% | 20.3% | 8.3%  |
|                             | <b>Grade 10</b> | 18.4% | 22.6% | 24.1% | 24.8% | 10.1% |
|                             | <b>Grade 11</b> | 16.9% | 20.2% | 20.9% | 29.6% | 12.4% |
|                             | <b>Grade 12</b> | 13.7% | 18.3% | 20.4% | 33.0% | 14.7% |
| <b>Beer?</b>                |                 |       |       |       |       |       |
|                             | <b>All</b>      | 34.5% | 22.6% | 18.2% | 18.1% | 6.6%  |
|                             | <b>Grade 7</b>  | 63.1% | 20.1% | 8.7%  | 5.9%  | 2.3%  |
|                             | <b>Grade 8</b>  | 45.2% | 25.2% | 15.0% | 10.7% | 3.8%  |
|                             | <b>Grade 9</b>  | 31.8% | 25.4% | 20.3% | 16.9% | 5.6%  |
|                             | <b>Grade 10</b> | 24.1% | 23.5% | 23.2% | 21.4% | 7.8%  |
|                             | <b>Grade 11</b> | 22.0% | 21.1% | 21.2% | 26.5% | 9.3%  |
|                             | <b>Grade 12</b> | 17.0% | 19.7% | 21.4% | 30.2% | 11.8% |
| <b>Wine coolers?</b>        |                 |       |       |       |       |       |
|                             | <b>All</b>      | 44.7% | 21.5% | 16.9% | 12.1% | 4.7%  |
|                             | <b>Grade 7</b>  | 71.8% | 15.4% | 6.5%  | 4.2%  | 2.1%  |
|                             | <b>Grade 8</b>  | 54.8% | 20.5% | 13.1% | 7.8%  | 3.8%  |
|                             | <b>Grade 9</b>  | 42.7% | 23.8% | 17.2% | 11.4% | 4.9%  |
|                             | <b>Grade 10</b> | 35.6% | 22.4% | 22.2% | 14.8% | 5.0%  |
|                             | <b>Grade 11</b> | 32.3% | 22.8% | 21.2% | 17.4% | 6.2%  |
|                             | <b>Grade 12</b> | 27.5% | 24.1% | 22.7% | 19.0% | 6.7%  |
| <b>Wine?</b>                |                 |       |       |       |       |       |
|                             | <b>All</b>      | 53.7% | 23.8% | 13.0% | 6.8%  | 2.7%  |
|                             | <b>Grade 7</b>  | 73.9% | 16.2% | 5.8%  | 2.8%  | 1.3%  |
|                             | <b>Grade 8</b>  | 62.2% | 20.8% | 9.8%  | 5.1%  | 2.1%  |
|                             | <b>Grade 9</b>  | 51.9% | 24.9% | 13.6% | 6.8%  | 2.7%  |
|                             | <b>Grade 10</b> | 48.3% | 25.8% | 15.5% | 7.6%  | 2.9%  |
|                             | <b>Grade 11</b> | 43.2% | 27.6% | 16.1% | 9.6%  | 3.5%  |
|                             | <b>Grade 12</b> | 39.6% | 28.7% | 18.2% | 9.8%  | 3.7%  |
| <b>Liquor?</b>              |                 |       |       |       |       |       |
|                             | <b>All</b>      | 41.3% | 19.6% | 16.6% | 16.4% | 6.1%  |
|                             | <b>Grade 7</b>  | 74.0% | 14.4% | 5.9%  | 4.2%  | 1.5%  |
|                             | <b>Grade 8</b>  | 55.5% | 20.2% | 12.0% | 8.8%  | 3.5%  |
|                             | <b>Grade 9</b>  | 39.5% | 22.6% | 17.2% | 15.3% | 5.4%  |
|                             | <b>Grade 10</b> | 29.3% | 21.4% | 22.2% | 19.9% | 7.1%  |
|                             | <b>Grade 11</b> | 25.1% | 19.9% | 21.1% | 24.9% | 9.0%  |
|                             | <b>Grade 12</b> | 19.8% | 18.9% | 22.3% | 27.9% | 11.1% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-11: During the past twelve months, how many times have you...**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Had difficulties of any kind with your friends because of your drinking?</b> |       |           |           |           |
| <b>All</b>  | 92.6% | 6.3%      | 0.7%      | 0.4%      |
| <b>Grade 7</b>  | 96.6% | 2.9%      | 0.4%      | 0.2%      |
| <b>Grade 8</b>  | 94.7% | 4.5%      | 0.5%      | 0.3%      |
| <b>Grade 9</b>  | 92.9% | 5.9%      | 0.7%      | 0.5%      |
| <b>Grade 10</b>   | 90.7% | 8.0%      | 0.8%      | 0.5%      |
| <b>Grade 11</b>   | 91.2% | 7.6%      | 0.9%      | 0.3%      |
| <b>Grade 12</b>   | 89.1% | 9.4%      | 1.1%      | 0.5%      |
| <b>Been criticized by someone you were dating because of drinking?</b>          |       |           |           |           |
| <b>All</b>  | 92.5% | 6.2%      | 0.8%      | 0.5%      |
| <b>Grade 7</b>  | 97.3% | 2.2%      | 0.3%      | 0.2%      |
| <b>Grade 8</b>  | 95.1% | 4.2%      | 0.4%      | 0.3%      |
| <b>Grade 9</b>  | 93.4% | 5.4%      | 0.7%      | 0.5%      |
| <b>Grade 10</b>   | 89.8% | 8.4%      | 1.1%      | 0.7%      |
| <b>Grade 11</b>   | 89.9% | 8.5%      | 1.2%      | 0.5%      |
| <b>Grade 12</b>   | 88.4% | 9.3%      | 1.5%      | 0.8%      |

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

|                 | Never | Seldom | Half<br>the Time | Most<br>of the Time | Always | Don't know | Didn't<br>attend |
|-----------------|-------|--------|------------------|---------------------|--------|------------|------------------|
| <b>All</b>      | 42.3% | 10.4%  | 7.2%             | 12.2%               | 15.7%  | 1.8%       | 10.4%            |
| <b>Grade 7</b>  | 69.0% | 8.6%   | 5.1%             | 4.0%                | 3.3%   | 1.7%       | 8.3%             |
| <b>Grade 8</b>  | 57.4% | 11.9%  | 6.4%             | 7.6%                | 6.6%   | 2.1%       | 8.1%             |
| <b>Grade 9</b>  | 41.2% | 12.4%  | 8.4%             | 12.6%               | 12.1%  | 2.4%       | 10.9%            |
| <b>Grade 10</b> | 32.1% | 11.3%  | 8.5%             | 15.3%               | 19.1%  | 1.9%       | 11.8%            |
| <b>Grade 11</b> | 27.2% | 8.7%   | 7.9%             | 16.5%               | 25.4%  | 1.6%       | 12.6%            |
| <b>Grade 12</b> | 23.2% | 8.7%   | 6.7%             | 18.5%               | 31.0%  | 1.0%       | 10.9%            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

|                     |                 | <b>Do Not Drink</b> | <b>Never</b> | <b>Seldom</b> | <b>Most of the Time</b> | <b>Always</b> |
|---------------------|-----------------|---------------------|--------------|---------------|-------------------------|---------------|
| <b>At home</b>      |                 |                     |              |               |                         |               |
|                     | <b>All</b>      | 45.2%               | 23.9%        | 21.5%         | 6.4%                    | 2.9%          |
|                     | <b>Grade 7</b>  | 58.9%               | 21.1%        | 14.0%         | 4.0%                    | 2.0%          |
|                     | <b>Grade 8</b>  | 51.0%               | 21.1%        | 19.3%         | 5.8%                    | 2.8%          |
|                     | <b>Grade 9</b>  | 43.3%               | 23.2%        | 23.7%         | 7.1%                    | 2.8%          |
|                     | <b>Grade 10</b> | 42.4%               | 24.1%        | 22.7%         | 7.4%                    | 3.4%          |
|                     | <b>Grade 11</b> | 38.2%               | 26.7%        | 24.2%         | 7.5%                    | 3.3%          |
|                     | <b>Grade 12</b> | 35.7%               | 28.3%        | 26.0%         | 6.5%                    | 3.5%          |
| <b>From friends</b> |                 |                     |              |               |                         |               |
|                     | <b>All</b>      | 43.2%               | 17.5%        | 15.2%         | 16.8%                   | 7.3%          |
|                     | <b>Grade 7</b>  | 60.8%               | 24.0%        | 8.3%          | 5.1%                    | 1.8%          |
|                     | <b>Grade 8</b>  | 50.8%               | 22.1%        | 13.4%         | 10.3%                   | 3.4%          |
|                     | <b>Grade 9</b>  | 42.4%               | 19.1%        | 16.1%         | 16.2%                   | 6.3%          |
|                     | <b>Grade 10</b> | 38.5%               | 14.0%        | 18.3%         | 20.4%                   | 8.8%          |
|                     | <b>Grade 11</b> | 33.9%               | 13.5%        | 17.9%         | 24.1%                   | 10.6%         |
|                     | <b>Grade 12</b> | 30.2%               | 10.4%        | 17.4%         | 27.4%                   | 14.7%         |
| <b>From a store</b> |                 |                     |              |               |                         |               |
|                     | <b>All</b>      | 44.9%               | 40.5%        | 7.7%          | 4.5%                    | 2.4%          |
|                     | <b>Grade 7</b>  | 60.6%               | 34.8%        | 2.6%          | 1.4%                    | 0.5%          |
|                     | <b>Grade 8</b>  | 51.9%               | 40.1%        | 4.8%          | 2.2%                    | 1.0%          |
|                     | <b>Grade 9</b>  | 44.1%               | 42.7%        | 7.3%          | 3.7%                    | 2.3%          |
|                     | <b>Grade 10</b> | 40.8%               | 41.7%        | 9.2%          | 5.3%                    | 2.9%          |
|                     | <b>Grade 11</b> | 36.2%               | 41.0%        | 11.5%         | 7.4%                    | 3.9%          |
|                     | <b>Grade 12</b> | 33.0%               | 42.8%        | 11.7%         | 8.1%                    | 4.5%          |
| <b>At parties</b>   |                 |                     |              |               |                         |               |
|                     | <b>All</b>      | 41.9%               | 16.2%        | 13.1%         | 14.8%                   | 13.9%         |
|                     | <b>Grade 7</b>  | 57.6%               | 21.4%        | 9.4%          | 6.5%                    | 5.2%          |
|                     | <b>Grade 8</b>  | 48.7%               | 18.7%        | 13.6%         | 10.6%                   | 8.4%          |
|                     | <b>Grade 9</b>  | 41.1%               | 16.8%        | 14.4%         | 15.2%                   | 12.4%         |
|                     | <b>Grade 10</b> | 37.5%               | 13.8%        | 14.3%         | 17.6%                   | 16.9%         |
|                     | <b>Grade 11</b> | 33.9%               | 13.7%        | 12.8%         | 19.7%                   | 19.8%         |
|                     | <b>Grade 12</b> | 30.4%               | 12.1%        | 13.8%         | 20.7%                   | 23.1%         |
| <b>Other source</b> |                 |                     |              |               |                         |               |
|                     | <b>All</b>      | 44.9%               | 25.1%        | 13.9%         | 8.6%                    | 7.5%          |
|                     | <b>Grade 7</b>  | 59.7%               | 24.3%        | 8.8%          | 3.8%                    | 3.4%          |
|                     | <b>Grade 8</b>  | 50.8%               | 24.6%        | 12.3%         | 6.8%                    | 5.5%          |
|                     | <b>Grade 9</b>  | 44.3%               | 25.2%        | 14.4%         | 9.0%                    | 7.1%          |
|                     | <b>Grade 10</b> | 41.1%               | 24.2%        | 16.0%         | 9.9%                    | 8.8%          |
|                     | <b>Grade 11</b> | 36.6%               | 26.0%        | 16.2%         | 11.3%                   | 9.8%          |
|                     | <b>Grade 12</b> | 34.2%               | 26.9%        | 16.4%         | 11.3%                   | 11.2%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

|                 | <b>Strongly Disapprove</b> | <b>Mildly Disapprove</b> | <b>Neither</b> | <b>Mildly Approve</b> | <b>Strongly Approve</b> | <b>Don't know</b> |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| <b>All</b>      | 62.7%                      | 15.4%                    | 10.5%          | 3.5%                  | 1.3%                    | 6.5%              |
| <b>Grade 7</b>  | 75.6%                      | 8.3%                     | 4.7%           | 1.6%                  | 0.9%                    | 8.8%              |
| <b>Grade 8</b>  | 69.4%                      | 12.7%                    | 7.1%           | 2.5%                  | 1.2%                    | 7.0%              |
| <b>Grade 9</b>  | 63.4%                      | 15.1%                    | 9.9%           | 3.6%                  | 1.4%                    | 6.7%              |
| <b>Grade 10</b> | 58.3%                      | 17.9%                    | 12.5%          | 4.2%                  | 1.4%                    | 5.7%              |
| <b>Grade 11</b> | 56.1%                      | 18.4%                    | 14.3%          | 4.2%                  | 1.5%                    | 5.5%              |
| <b>Grade 12</b> | 51.3%                      | 21.2%                    | 15.3%          | 5.3%                  | 1.6%                    | 5.3%              |

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

|                 | <b>Very Dangerous</b> | <b>Somewhat Dangerous</b> | <b>Not very Dangerous</b> | <b>Not at All Dangerous</b> | <b>Do Not Know</b> |
|-----------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| <b>All</b>      | 43.4%                 | 33.0%                     | 16.1%                     | 4.0%                        | 3.4%               |
| <b>Grade 7</b>  | 56.9%                 | 24.2%                     | 12.2%                     | 2.8%                        | 3.9%               |
| <b>Grade 8</b>  | 46.4%                 | 28.6%                     | 16.5%                     | 4.6%                        | 3.9%               |
| <b>Grade 9</b>  | 40.2%                 | 33.6%                     | 18.1%                     | 4.9%                        | 3.2%               |
| <b>Grade 10</b> | 40.5%                 | 35.1%                     | 16.9%                     | 4.4%                        | 3.1%               |
| <b>Grade 11</b> | 39.2%                 | 36.7%                     | 17.0%                     | 3.6%                        | 3.5%               |
| <b>Grade 12</b> | 36.6%                 | 40.8%                     | 15.8%                     | 3.8%                        | 3.1%               |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

|                       |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Marijuana?</b>     |                 |                       |                        |                      |                       |
|                       | <b>All</b>      | 10.2%                 | 15.2%                  | 25.1%                | 74.9%                 |
|                       | <b>Grade 7</b>  | 4.1%                  | 5.8%                   | 9.6%                 | 90.4%                 |
|                       | <b>Grade 8</b>  | 5.6%                  | 8.2%                   | 15.0%                | 85.0%                 |
|                       | <b>Grade 9</b>  | 9.9%                  | 14.2%                  | 23.5%                | 76.5%                 |
|                       | <b>Grade 10</b> | 12.8%                 | 19.1%                  | 30.5%                | 69.5%                 |
|                       | <b>Grade 11</b> | 14.4%                 | 22.1%                  | 36.2%                | 63.8%                 |
|                       | <b>Grade 12</b> | 15.4%                 | 23.7%                  | 39.4%                | 60.6%                 |
| <b>Cocaine?</b>       |                 |                       |                        |                      |                       |
|                       | <b>All</b>      | 1.8%                  | 3.0%                   | 5.8%                 | 94.2%                 |
|                       | <b>Grade 7</b>  | 0.8%                  | 1.2%                   | 2.1%                 | 97.9%                 |
|                       | <b>Grade 8</b>  | 1.0%                  | 1.5%                   | 3.0%                 | 97.0%                 |
|                       | <b>Grade 9</b>  | 1.7%                  | 2.5%                   | 4.7%                 | 95.3%                 |
|                       | <b>Grade 10</b> | 2.2%                  | 3.8%                   | 7.1%                 | 92.9%                 |
|                       | <b>Grade 11</b> | 2.4%                  | 4.0%                   | 8.7%                 | 91.3%                 |
|                       | <b>Grade 12</b> | 2.8%                  | 5.6%                   | 10.6%                | 89.4%                 |
| <b>Crack?</b>         |                 |                       |                        |                      |                       |
|                       | <b>All</b>      | 0.5%                  | 0.7%                   | 1.5%                 | 98.5%                 |
|                       | <b>Grade 7</b>  | 0.4%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                       | <b>Grade 8</b>  | 0.4%                  | 0.7%                   | 1.6%                 | 98.4%                 |
|                       | <b>Grade 9</b>  | 0.5%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                       | <b>Grade 10</b> | 0.4%                  | 0.7%                   | 1.7%                 | 98.3%                 |
|                       | <b>Grade 11</b> | 0.3%                  | 0.6%                   | 1.3%                 | 98.7%                 |
|                       | <b>Grade 12</b> | 0.7%                  | 1.0%                   | 1.9%                 | 98.1%                 |
| <b>Hallucinogens?</b> |                 |                       |                        |                      |                       |
|                       | <b>All</b>      | 1.6%                  | 2.6%                   | 4.6%                 | 95.4%                 |
|                       | <b>Grade 7</b>  | 0.4%                  | 0.7%                   | 1.2%                 | 98.8%                 |
|                       | <b>Grade 8</b>  | 0.7%                  | 1.0%                   | 2.0%                 | 98.0%                 |
|                       | <b>Grade 9</b>  | 1.4%                  | 2.3%                   | 3.9%                 | 96.1%                 |
|                       | <b>Grade 10</b> | 2.3%                  | 3.3%                   | 6.3%                 | 93.7%                 |
|                       | <b>Grade 11</b> | 2.1%                  | 3.6%                   | 7.0%                 | 93.0%                 |
|                       | <b>Grade 12</b> | 2.7%                  | 4.9%                   | 8.1%                 | 91.9%                 |
| <b>Uppers?</b>        |                 |                       |                        |                      |                       |
|                       | <b>All</b>      | 2.1%                  | 3.5%                   | 5.6%                 | 94.4%                 |
|                       | <b>Grade 7</b>  | 0.7%                  | 0.9%                   | 1.4%                 | 98.6%                 |
|                       | <b>Grade 8</b>  | 0.8%                  | 1.3%                   | 2.2%                 | 97.8%                 |
|                       | <b>Grade 9</b>  | 1.8%                  | 2.8%                   | 4.6%                 | 95.4%                 |
|                       | <b>Grade 10</b> | 3.0%                  | 4.8%                   | 7.3%                 | 92.7%                 |
|                       | <b>Grade 11</b> | 3.2%                  | 5.3%                   | 8.9%                 | 91.1%                 |
|                       | <b>Grade 12</b> | 3.7%                  | 6.5%                   | 10.6%                | 89.4%                 |
| <b>Downers?</b>       |                 |                       |                        |                      |                       |
|                       | <b>All</b>      | 2.2%                  | 3.5%                   | 5.7%                 | 94.3%                 |
|                       | <b>Grade 7</b>  | 0.7%                  | 1.0%                   | 1.5%                 | 98.5%                 |
|                       | <b>Grade 8</b>  | 0.7%                  | 1.0%                   | 1.8%                 | 98.2%                 |
|                       | <b>Grade 9</b>  | 1.8%                  | 2.7%                   | 4.4%                 | 95.6%                 |
|                       | <b>Grade 10</b> | 2.9%                  | 4.9%                   | 7.6%                 | 92.4%                 |
|                       | <b>Grade 11</b> | 3.5%                  | 5.5%                   | 9.1%                 | 90.9%                 |
|                       | <b>Grade 12</b> | 4.1%                  | 6.9%                   | 11.5%                | 88.5%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**  
(Continued)

|                  |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol?</b> |                 |               |                |              |               |
|                  | <b>All</b>      | 0.7%          | 1.0%           | 1.8%         | 98.2%         |
|                  | <b>Grade 7</b>  | 0.4%          | 0.7%           | 1.2%         | 98.8%         |
|                  | <b>Grade 8</b>  | 0.6%          | 0.9%           | 1.4%         | 98.6%         |
|                  | <b>Grade 9</b>  | 0.8%          | 1.1%           | 1.8%         | 98.2%         |
|                  | <b>Grade 10</b> | 1.0%          | 1.6%           | 2.7%         | 97.3%         |
|                  | <b>Grade 11</b> | 0.5%          | 0.9%           | 1.8%         | 98.2%         |
|                  | <b>Grade 12</b> | 0.7%          | 1.0%           | 1.9%         | 98.1%         |
| <b>Steroids?</b> |                 |               |                |              |               |
|                  | <b>All</b>      | 0.6%          | 0.9%           | 1.6%         | 98.4%         |
|                  | <b>Grade 7</b>  | 0.5%          | 0.8%           | 1.4%         | 98.6%         |
|                  | <b>Grade 8</b>  | 0.5%          | 0.8%           | 1.5%         | 98.5%         |
|                  | <b>Grade 9</b>  | 0.4%          | 0.7%           | 1.4%         | 98.6%         |
|                  | <b>Grade 10</b> | 0.8%          | 1.2%           | 1.9%         | 98.1%         |
|                  | <b>Grade 11</b> | 0.5%          | 0.9%           | 1.7%         | 98.3%         |
|                  | <b>Grade 12</b> | 0.7%          | 1.2%           | 1.9%         | 98.1%         |
| <b>Ecstasy?</b>  |                 |               |                |              |               |
|                  | <b>All</b>      | 1.9%          | 3.1%           | 5.3%         | 94.7%         |
|                  | <b>Grade 7</b>  | 0.8%          | 1.0%           | 1.5%         | 98.5%         |
|                  | <b>Grade 8</b>  | 0.9%          | 1.4%           | 2.4%         | 97.6%         |
|                  | <b>Grade 9</b>  | 1.7%          | 2.7%           | 4.4%         | 95.6%         |
|                  | <b>Grade 10</b> | 2.3%          | 3.6%           | 6.6%         | 93.4%         |
|                  | <b>Grade 11</b> | 2.4%          | 4.5%           | 8.2%         | 91.8%         |
|                  | <b>Grade 12</b> | 3.4%          | 5.8%           | 9.8%         | 90.2%         |
| <b>Heroin?</b>   |                 |               |                |              |               |
|                  | <b>All</b>      | 0.4%          | 0.7%           | 1.4%         | 98.6%         |
|                  | <b>Grade 7</b>  | 0.5%          | 0.6%           | 1.2%         | 98.8%         |
|                  | <b>Grade 8</b>  | 0.3%          | 0.6%           | 1.3%         | 98.7%         |
|                  | <b>Grade 9</b>  | 0.5%          | 0.7%           | 1.3%         | 98.7%         |
|                  | <b>Grade 10</b> | 0.5%          | 0.7%           | 1.5%         | 98.5%         |
|                  | <b>Grade 11</b> | 0.5%          | 0.8%           | 1.4%         | 98.6%         |
|                  | <b>Grade 12</b> | 0.4%          | 1.0%           | 2.0%         | 98.0%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-2: How often do you normally use...**

|                       |                 | Never<br>Used | Every<br>Day | Several<br>Times a<br>Week | Several<br>Times a<br>Month | About<br>Once a<br>Month | About<br>Once a<br>Year | Less than<br>Once a<br>Year |
|-----------------------|-----------------|---------------|--------------|----------------------------|-----------------------------|--------------------------|-------------------------|-----------------------------|
| <b>Marijuana?</b>     |                 |               |              |                            |                             |                          |                         |                             |
|                       | <b>All</b>      | 77.5%         | 2.3%         | 2.7%                       | 3.8%                        | 4.3%                     | 3.9%                    | 5.5%                        |
|                       | <b>Grade 7</b>  | 91.4%         | 1.0%         | 1.4%                       | 1.7%                        | 1.7%                     | 1.2%                    | 1.7%                        |
|                       | <b>Grade 8</b>  | 86.6%         | 0.9%         | 1.8%                       | 2.4%                        | 2.9%                     | 2.4%                    | 3.1%                        |
|                       | <b>Grade 9</b>  | 78.4%         | 2.2%         | 3.0%                       | 4.0%                        | 3.9%                     | 3.9%                    | 4.6%                        |
|                       | <b>Grade 10</b> | 72.5%         | 2.6%         | 3.1%                       | 5.2%                        | 5.3%                     | 4.8%                    | 6.6%                        |
|                       | <b>Grade 11</b> | 67.5%         | 3.3%         | 3.5%                       | 5.1%                        | 6.3%                     | 5.9%                    | 8.4%                        |
|                       | <b>Grade 12</b> | 66.0%         | 4.3%         | 3.4%                       | 5.0%                        | 6.0%                     | 5.7%                    | 9.6%                        |
| <b>Cocaine?</b>       |                 |               |              |                            |                             |                          |                         |                             |
|                       | <b>All</b>      | 95.0%         | 0.1%         | 0.3%                       | 0.8%                        | 0.9%                     | 1.1%                    | 1.8%                        |
|                       | <b>Grade 7</b>  | 98.1%         | 0.1%         | 0.1%                       | 0.5%                        | 0.5%                     | 0.3%                    | 0.4%                        |
|                       | <b>Grade 8</b>  | 97.6%         | 0.1%         | 0.1%                       | 0.3%                        | 0.5%                     | 0.6%                    | 0.7%                        |
|                       | <b>Grade 9</b>  | 95.8%         | 0.0%         | 0.4%                       | 0.8%                        | 0.7%                     | 1.0%                    | 1.2%                        |
|                       | <b>Grade 10</b> | 93.9%         | 0.2%         | 0.2%                       | 1.0%                        | 1.1%                     | 1.3%                    | 2.2%                        |
|                       | <b>Grade 11</b> | 92.6%         | 0.1%         | 0.3%                       | 0.8%                        | 1.4%                     | 1.8%                    | 2.9%                        |
|                       | <b>Grade 12</b> | 90.9%         | 0.1%         | 0.7%                       | 1.2%                        | 1.7%                     | 1.7%                    | 3.6%                        |
| <b>Crack?</b>         |                 |               |              |                            |                             |                          |                         |                             |
|                       | <b>All</b>      | 98.7%         | 0.1%         | 0.1%                       | 0.1%                        | 0.3%                     | 0.3%                    | 0.5%                        |
|                       | <b>Grade 7</b>  | 98.8%         | 0.1%         | 0.1%                       | 0.2%                        | 0.2%                     | 0.2%                    | 0.3%                        |
|                       | <b>Grade 8</b>  | 98.7%         | 0.1%         | 0.1%                       | 0.2%                        | 0.2%                     | 0.4%                    | 0.4%                        |
|                       | <b>Grade 9</b>  | 98.5%         | 0.1%         | 0.1%                       | 0.2%                        | 0.3%                     | 0.4%                    | 0.5%                        |
|                       | <b>Grade 10</b> | 98.7%         | 0.1%         | 0.1%                       | 0.1%                        | 0.4%                     | 0.1%                    | 0.5%                        |
|                       | <b>Grade 11</b> | 98.9%         | 0.0%         | 0.0%                       | 0.0%                        | 0.2%                     | 0.2%                    | 0.5%                        |
|                       | <b>Grade 12</b> | 98.4%         | 0.0%         | 0.2%                       | 0.1%                        | 0.2%                     | 0.3%                    | 0.7%                        |
| <b>Hallucinogens?</b> |                 |               |              |                            |                             |                          |                         |                             |
|                       | <b>All</b>      | 96.2%         | 0.1%         | 0.1%                       | 0.3%                        | 0.8%                     | 1.2%                    | 1.3%                        |
|                       | <b>Grade 7</b>  | 99.0%         | 0.0%         | 0.1%                       | 0.1%                        | 0.3%                     | 0.2%                    | 0.3%                        |
|                       | <b>Grade 8</b>  | 98.4%         | 0.0%         | 0.0%                       | 0.2%                        | 0.4%                     | 0.5%                    | 0.5%                        |
|                       | <b>Grade 9</b>  | 96.9%         | 0.1%         | 0.1%                       | 0.3%                        | 0.7%                     | 1.0%                    | 0.9%                        |
|                       | <b>Grade 10</b> | 94.8%         | 0.1%         | 0.2%                       | 0.5%                        | 1.2%                     | 1.5%                    | 1.7%                        |
|                       | <b>Grade 11</b> | 94.2%         | 0.0%         | 0.1%                       | 0.5%                        | 1.2%                     | 1.6%                    | 2.3%                        |
|                       | <b>Grade 12</b> | 93.1%         | 0.2%         | 0.2%                       | 0.5%                        | 1.4%                     | 2.6%                    | 2.0%                        |
| <b>Uppers?</b>        |                 |               |              |                            |                             |                          |                         |                             |
|                       | <b>All</b>      | 94.7%         | 0.2%         | 0.3%                       | 0.8%                        | 1.2%                     | 1.2%                    | 1.4%                        |
|                       | <b>Grade 7</b>  | 98.6%         | 0.0%         | 0.2%                       | 0.2%                        | 0.2%                     | 0.4%                    | 0.3%                        |
|                       | <b>Grade 8</b>  | 98.0%         | 0.1%         | 0.1%                       | 0.4%                        | 0.5%                     | 0.3%                    | 0.5%                        |
|                       | <b>Grade 9</b>  | 95.6%         | 0.1%         | 0.3%                       | 0.8%                        | 0.9%                     | 1.2%                    | 1.2%                        |
|                       | <b>Grade 10</b> | 93.2%         | 0.3%         | 0.5%                       | 1.3%                        | 1.7%                     | 1.4%                    | 1.6%                        |
|                       | <b>Grade 11</b> | 91.6%         | 0.3%         | 0.5%                       | 1.1%                        | 2.2%                     | 2.0%                    | 2.4%                        |
|                       | <b>Grade 12</b> | 90.3%         | 0.4%         | 0.5%                       | 1.4%                        | 2.0%                     | 2.4%                    | 2.9%                        |
| <b>Downers?</b>       |                 |               |              |                            |                             |                          |                         |                             |
|                       | <b>All</b>      | 94.7%         | 0.1%         | 0.4%                       | 0.9%                        | 1.3%                     | 1.2%                    | 1.4%                        |
|                       | <b>Grade 7</b>  | 98.6%         | 0.0%         | 0.2%                       | 0.3%                        | 0.2%                     | 0.3%                    | 0.3%                        |
|                       | <b>Grade 8</b>  | 98.1%         | 0.0%         | 0.1%                       | 0.4%                        | 0.5%                     | 0.3%                    | 0.6%                        |
|                       | <b>Grade 9</b>  | 96.0%         | 0.2%         | 0.4%                       | 0.7%                        | 0.9%                     | 0.9%                    | 1.0%                        |
|                       | <b>Grade 10</b> | 93.0%         | 0.3%         | 0.7%                       | 1.5%                        | 1.4%                     | 1.6%                    | 1.5%                        |
|                       | <b>Grade 11</b> | 91.4%         | 0.2%         | 0.6%                       | 1.0%                        | 2.4%                     | 2.0%                    | 2.4%                        |
|                       | <b>Grade 12</b> | 89.6%         | 0.1%         | 0.7%                       | 1.4%                        | 2.5%                     | 2.4%                    | 3.2%                        |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-2: How often do you normally use...**  
(Continued)

|                  |                 | <b>Never<br/>Used</b> | <b>Every<br/>Day</b> | <b>Several<br/>Times a<br/>Week</b> | <b>Several<br/>Times a<br/>Month</b> | <b>About<br/>Once a<br/>Month</b> | <b>About<br/>Once a<br/>Year</b> | <b>Less than<br/>Once a<br/>Year</b> |
|------------------|-----------------|-----------------------|----------------------|-------------------------------------|--------------------------------------|-----------------------------------|----------------------------------|--------------------------------------|
| <b>Rohypnol?</b> |                 |                       |                      |                                     |                                      |                                   |                                  |                                      |
|                  | <b>All</b>      | 98.6%                 | 0.0%                 | 0.2%                                | 0.2%                                 | 0.3%                              | 0.3%                             | 0.4%                                 |
|                  | <b>Grade 7</b>  | 99.1%                 | 0.1%                 | 0.1%                                | 0.1%                                 | 0.3%                              | 0.2%                             | 0.1%                                 |
|                  | <b>Grade 8</b>  | 98.9%                 | 0.0%                 | 0.1%                                | 0.2%                                 | 0.3%                              | 0.3%                             | 0.3%                                 |
|                  | <b>Grade 9</b>  | 98.5%                 | 0.0%                 | 0.2%                                | 0.2%                                 | 0.4%                              | 0.3%                             | 0.3%                                 |
|                  | <b>Grade 10</b> | 98.0%                 | 0.0%                 | 0.3%                                | 0.2%                                 | 0.3%                              | 0.4%                             | 0.7%                                 |
|                  | <b>Grade 11</b> | 98.6%                 | 0.0%                 | 0.2%                                | 0.1%                                 | 0.2%                              | 0.3%                             | 0.5%                                 |
|                  | <b>Grade 12</b> | 98.4%                 | 0.1%                 | 0.1%                                | 0.1%                                 | 0.4%                              | 0.3%                             | 0.8%                                 |
| <b>Steroids?</b> |                 |                       |                      |                                     |                                      |                                   |                                  |                                      |
|                  | <b>All</b>      | 98.7%                 | 0.2%                 | 0.1%                                | 0.1%                                 | 0.2%                              | 0.2%                             | 0.5%                                 |
|                  | <b>Grade 7</b>  | 99.3%                 | 0.0%                 | 0.1%                                | 0.1%                                 | 0.1%                              | 0.2%                             | 0.2%                                 |
|                  | <b>Grade 8</b>  | 98.6%                 | 0.2%                 | 0.1%                                | 0.1%                                 | 0.2%                              | 0.3%                             | 0.4%                                 |
|                  | <b>Grade 9</b>  | 98.6%                 | 0.3%                 | 0.1%                                | 0.1%                                 | 0.1%                              | 0.2%                             | 0.6%                                 |
|                  | <b>Grade 10</b> | 98.5%                 | 0.2%                 | 0.1%                                | 0.2%                                 | 0.2%                              | 0.2%                             | 0.7%                                 |
|                  | <b>Grade 11</b> | 98.9%                 | 0.0%                 | 0.2%                                | 0.1%                                 | 0.1%                              | 0.3%                             | 0.4%                                 |
|                  | <b>Grade 12</b> | 98.3%                 | 0.4%                 | 0.1%                                | 0.1%                                 | 0.4%                              | 0.3%                             | 0.5%                                 |
| <b>Ecstasy?</b>  |                 |                       |                      |                                     |                                      |                                   |                                  |                                      |
|                  | <b>All</b>      | 95.2%                 | 0.1%                 | 0.2%                                | 0.6%                                 | 1.0%                              | 1.4%                             | 1.5%                                 |
|                  | <b>Grade 7</b>  | 98.8%                 | 0.1%                 | 0.1%                                | 0.1%                                 | 0.2%                              | 0.4%                             | 0.4%                                 |
|                  | <b>Grade 8</b>  | 97.8%                 | 0.0%                 | 0.2%                                | 0.3%                                 | 0.6%                              | 0.6%                             | 0.6%                                 |
|                  | <b>Grade 9</b>  | 96.2%                 | 0.1%                 | 0.3%                                | 0.5%                                 | 1.0%                              | 0.9%                             | 1.1%                                 |
|                  | <b>Grade 10</b> | 93.7%                 | 0.1%                 | 0.2%                                | 1.1%                                 | 1.4%                              | 1.5%                             | 2.0%                                 |
|                  | <b>Grade 11</b> | 92.8%                 | 0.1%                 | 0.1%                                | 0.7%                                 | 1.4%                              | 2.4%                             | 2.6%                                 |
|                  | <b>Grade 12</b> | 90.9%                 | 0.1%                 | 0.3%                                | 1.1%                                 | 1.8%                              | 2.7%                             | 3.1%                                 |
| <b>Heroin?</b>   |                 |                       |                      |                                     |                                      |                                   |                                  |                                      |
|                  | <b>All</b>      | 98.8%                 | 0.1%                 | 0.1%                                | 0.1%                                 | 0.2%                              | 0.2%                             | 0.5%                                 |
|                  | <b>Grade 7</b>  | 98.8%                 | 0.1%                 | 0.1%                                | 0.1%                                 | 0.2%                              | 0.4%                             | 0.3%                                 |
|                  | <b>Grade 8</b>  | 99.0%                 | 0.0%                 | 0.1%                                | 0.1%                                 | 0.2%                              | 0.2%                             | 0.3%                                 |
|                  | <b>Grade 9</b>  | 98.9%                 | 0.2%                 | 0.0%                                | 0.1%                                 | 0.1%                              | 0.3%                             | 0.4%                                 |
|                  | <b>Grade 10</b> | 98.8%                 | 0.0%                 | 0.1%                                | 0.1%                                 | 0.3%                              | 0.2%                             | 0.5%                                 |
|                  | <b>Grade 11</b> | 98.9%                 | 0.1%                 | 0.0%                                | 0.1%                                 | 0.2%                              | 0.2%                             | 0.5%                                 |
|                  | <b>Grade 12</b> | 98.3%                 | 0.0%                 | 0.2%                                | 0.1%                                 | 0.3%                              | 0.3%                             | 0.8%                                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-3: Average age of first use of:**

|                      | <b>Grade 7</b> | <b>Grade 8</b> | <b>Grade 9</b> | <b>Grade 10</b> | <b>Grade 11</b> | <b>Grade 12</b> |
|----------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|
| <b>Marijuana</b>     | 11.6           | 12.2           | 12.9           | 13.5            | 14.3            | 14.8            |
| <b>Cocaine</b>       | 11.7           | 12.9           | 13.8           | 14.3            | 15.2            | 15.6            |
| <b>Crack</b>         | 11.6           | 12.3           | 13.2           | 13.9            | 14.5            | 15.4            |
| <b>Hallucinogens</b> | 11.8           | 12.7           | 13.5           | 14.3            | 15.3            | 15.8            |
| <b>Uppers</b>        | 11.9           | 12.4           | 13.5           | 14.1            | 14.6            | 15.2            |
| <b>Downers</b>       | 12.1           | 12.5           | 13.3           | 14.1            | 14.8            | 15.2            |
| <b>Rohypnol</b>      | 11.7           | 12.1           | 12.7           | 13.3            | 14.2            | 15.1            |
| <b>Steroids</b>      | 11.6           | 12.0           | 12.3           | 13.4            | 14.8            | 15.3            |
| <b>Ecstasy</b>       | 12.0           | 12.7           | 13.8           | 14.6            | 15.5            | 16.0            |
| <b>Heroin</b>        | 11.5           | 12.5           | 12.8           | 14.0            | 14.6            | 15.6            |

**Table D-4: Age of first use of marijuana by family situation:**

|                               |                 | <b>Never</b> | <b>9/Under</b> | <b>10 to 11</b> | <b>12 to 13</b> | <b>14 to 15</b> | <b>16 to 17</b> | <b>Over 17</b> |
|-------------------------------|-----------------|--------------|----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| <b>Two parent family</b>      |                 |              |                |                 |                 |                 |                 |                |
|                               | <b>All</b>      | 79.9%        | 0.6%           | 1.8%            | 5.5%            | 7.5%            | 4.2%            | 0.4%           |
|                               | <b>Grade 7</b>  | 93.6%        | 0.6%           | 1.8%            | 3.8%            | 0.3%            | 0.0%            | 0.0%           |
|                               | <b>Grade 8</b>  | 89.7%        | 0.6%           | 2.2%            | 5.4%            | 2.1%            | 0.0%            | 0.0%           |
|                               | <b>Grade 9</b>  | 81.4%        | 0.9%           | 1.9%            | 6.7%            | 8.8%            | 0.2%            | 0.0%           |
|                               | <b>Grade 10</b> | 77.0%        | 0.6%           | 1.5%            | 6.5%            | 12.3%           | 2.1%            | 0.0%           |
|                               | <b>Grade 11</b> | 68.3%        | 0.5%           | 1.8%            | 5.7%            | 12.6%           | 10.9%           | 0.1%           |
|                               | <b>Grade 12</b> | 65.8%        | 0.6%           | 1.5%            | 4.6%            | 10.1%           | 14.6%           | 2.7%           |
| <b>Other family situation</b> |                 |              |                |                 |                 |                 |                 |                |
|                               | <b>All</b>      | 64.7%        | 2.6%           | 4.2%            | 10.5%           | 12.3%           | 5.4%            | 0.3%           |
|                               | <b>Grade 7</b>  | 83.6%        | 2.3%           | 5.1%            | 8.3%            | 0.6%            | 0.0%            | 0.1%           |
|                               | <b>Grade 8</b>  | 76.3%        | 2.4%           | 5.0%            | 11.7%           | 4.6%            | 0.0%            | 0.0%           |
|                               | <b>Grade 9</b>  | 65.6%        | 4.1%           | 3.9%            | 11.0%           | 15.0%           | 0.4%            | 0.0%           |
|                               | <b>Grade 10</b> | 58.0%        | 2.5%           | 5.2%            | 11.8%           | 17.8%           | 4.7%            | 0.0%           |
|                               | <b>Grade 11</b> | 52.5%        | 2.1%           | 2.8%            | 10.1%           | 18.7%           | 13.6%           | 0.1%           |
|                               | <b>Grade 12</b> | 51.0%        | 1.6%           | 3.2%            | 9.5%            | 16.4%           | 16.2%           | 2.1%           |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

|                       |                 | <b>Never<br/>Heard Of</b> | <b>Impossible</b> | <b>Very<br/>Difficult</b> | <b>Somewhat<br/>Difficult</b> | <b>Somewhat<br/>Easy</b> | <b>Very Easy</b> |
|-----------------------|-----------------|---------------------------|-------------------|---------------------------|-------------------------------|--------------------------|------------------|
| <b>Marijuana?</b>     |                 |                           |                   |                           |                               |                          |                  |
|                       | <b>All</b>      | 13.3%                     | 27.5%             | 9.3%                      | 10.5%                         | 13.7%                    | 25.7%            |
|                       | <b>Grade 7</b>  | 21.4%                     | 49.3%             | 9.5%                      | 6.0%                          | 5.9%                     | 7.9%             |
|                       | <b>Grade 8</b>  | 14.8%                     | 39.9%             | 11.6%                     | 9.9%                          | 8.7%                     | 15.1%            |
|                       | <b>Grade 9</b>  | 12.8%                     | 27.0%             | 10.1%                     | 11.2%                         | 15.1%                    | 23.8%            |
|                       | <b>Grade 10</b> | 9.9%                      | 19.6%             | 8.8%                      | 11.8%                         | 16.3%                    | 33.5%            |
|                       | <b>Grade 11</b> | 9.6%                      | 14.6%             | 8.1%                      | 11.8%                         | 17.8%                    | 38.0%            |
|                       | <b>Grade 12</b> | 10.2%                     | 10.8%             | 7.1%                      | 12.8%                         | 19.2%                    | 40.0%            |
| <b>Cocaine?</b>       |                 |                           |                   |                           |                               |                          |                  |
|                       | <b>All</b>      | 17.2%                     | 35.4%             | 15.2%                     | 12.9%                         | 8.6%                     | 10.7%            |
|                       | <b>Grade 7</b>  | 23.8%                     | 54.9%             | 10.4%                     | 5.1%                          | 2.8%                     | 3.0%             |
|                       | <b>Grade 8</b>  | 17.1%                     | 46.5%             | 14.9%                     | 8.8%                          | 5.3%                     | 7.3%             |
|                       | <b>Grade 9</b>  | 17.1%                     | 35.5%             | 15.8%                     | 13.0%                         | 9.0%                     | 9.6%             |
|                       | <b>Grade 10</b> | 14.8%                     | 28.9%             | 15.9%                     | 15.2%                         | 11.9%                    | 13.3%            |
|                       | <b>Grade 11</b> | 14.6%                     | 23.3%             | 17.0%                     | 17.8%                         | 11.6%                    | 15.8%            |
|                       | <b>Grade 12</b> | 15.0%                     | 19.2%             | 17.8%                     | 19.4%                         | 11.9%                    | 16.7%            |
| <b>Crack?</b>         |                 |                           |                   |                           |                               |                          |                  |
|                       | <b>All</b>      | 18.7%                     | 36.5%             | 16.4%                     | 12.7%                         | 7.4%                     | 8.3%             |
|                       | <b>Grade 7</b>  | 24.4%                     | 54.6%             | 10.2%                     | 4.9%                          | 2.9%                     | 3.0%             |
|                       | <b>Grade 8</b>  | 18.1%                     | 47.2%             | 14.7%                     | 8.4%                          | 5.0%                     | 6.6%             |
|                       | <b>Grade 9</b>  | 18.7%                     | 36.4%             | 16.7%                     | 12.1%                         | 8.1%                     | 8.0%             |
|                       | <b>Grade 10</b> | 16.5%                     | 30.5%             | 17.8%                     | 15.3%                         | 9.7%                     | 10.2%            |
|                       | <b>Grade 11</b> | 16.3%                     | 25.4%             | 19.1%                     | 17.9%                         | 9.8%                     | 11.4%            |
|                       | <b>Grade 12</b> | 17.8%                     | 20.9%             | 21.1%                     | 19.2%                         | 9.5%                     | 11.5%            |
| <b>Hallucinogens?</b> |                 |                           |                   |                           |                               |                          |                  |
|                       | <b>All</b>      | 34.4%                     | 27.8%             | 13.1%                     | 10.1%                         | 6.7%                     | 7.9%             |
|                       | <b>Grade 7</b>  | 52.6%                     | 33.5%             | 7.0%                      | 3.1%                          | 1.7%                     | 2.1%             |
|                       | <b>Grade 8</b>  | 40.9%                     | 34.4%             | 10.6%                     | 5.7%                          | 3.5%                     | 4.9%             |
|                       | <b>Grade 9</b>  | 33.9%                     | 28.6%             | 13.9%                     | 9.4%                          | 7.1%                     | 7.0%             |
|                       | <b>Grade 10</b> | 27.1%                     | 26.1%             | 14.5%                     | 12.8%                         | 9.0%                     | 10.7%            |
|                       | <b>Grade 11</b> | 25.3%                     | 22.8%             | 15.8%                     | 15.0%                         | 9.8%                     | 11.2%            |
|                       | <b>Grade 12</b> | 23.7%                     | 19.2%             | 17.9%                     | 16.4%                         | 10.2%                    | 12.7%            |
| <b>Uppers?</b>        |                 |                           |                   |                           |                               |                          |                  |
|                       | <b>All</b>      | 45.2%                     | 21.4%             | 9.2%                      | 8.1%                          | 6.8%                     | 9.2%             |
|                       | <b>Grade 7</b>  | 60.3%                     | 27.7%             | 5.6%                      | 2.6%                          | 1.7%                     | 2.1%             |
|                       | <b>Grade 8</b>  | 51.7%                     | 27.0%             | 8.2%                      | 4.9%                          | 3.2%                     | 5.1%             |
|                       | <b>Grade 9</b>  | 47.0%                     | 21.3%             | 9.7%                      | 7.9%                          | 5.9%                     | 8.1%             |
|                       | <b>Grade 10</b> | 38.5%                     | 20.4%             | 10.0%                     | 9.5%                          | 9.6%                     | 12.0%            |
|                       | <b>Grade 11</b> | 36.8%                     | 16.8%             | 10.5%                     | 11.6%                         | 9.7%                     | 14.6%            |
|                       | <b>Grade 12</b> | 33.9%                     | 13.8%             | 12.1%                     | 13.3%                         | 11.8%                    | 15.2%            |
| <b>Downers?</b>       |                 |                           |                   |                           |                               |                          |                  |
|                       | <b>All</b>      | 45.2%                     | 21.3%             | 9.3%                      | 8.1%                          | 6.7%                     | 9.4%             |
|                       | <b>Grade 7</b>  | 60.5%                     | 27.5%             | 5.6%                      | 2.7%                          | 1.6%                     | 2.1%             |
|                       | <b>Grade 8</b>  | 51.6%                     | 27.1%             | 8.3%                      | 4.6%                          | 3.4%                     | 5.1%             |
|                       | <b>Grade 9</b>  | 47.2%                     | 21.0%             | 9.9%                      | 7.9%                          | 5.9%                     | 8.1%             |
|                       | <b>Grade 10</b> | 38.4%                     | 20.4%             | 10.0%                     | 9.6%                          | 9.4%                     | 12.2%            |
|                       | <b>Grade 11</b> | 36.9%                     | 16.5%             | 10.2%                     | 11.9%                         | 9.5%                     | 14.9%            |
|                       | <b>Grade 12</b> | 33.7%                     | 13.6%             | 12.0%                     | 13.3%                         | 11.5%                    | 15.8%            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

|                  |                 | Never<br>Heard Of | Impossible | Very<br>Difficult | Somewhat<br>Difficult | Somewhat<br>Easy | Very Easy |
|------------------|-----------------|-------------------|------------|-------------------|-----------------------|------------------|-----------|
| <b>Rohypnol?</b> | <b>All</b>      | 49.3%             | 22.6%      | 10.2%             | 7.4%                  | 4.5%             | 5.9%      |
|                  | <b>Grade 7</b>  | 61.5%             | 28.4%      | 4.9%              | 2.1%                  | 1.4%             | 1.7%      |
|                  | <b>Grade 8</b>  | 53.3%             | 27.5%      | 8.2%              | 4.2%                  | 2.6%             | 4.0%      |
|                  | <b>Grade 9</b>  | 49.6%             | 22.8%      | 10.6%             | 6.6%                  | 4.6%             | 5.8%      |
|                  | <b>Grade 10</b> | 44.7%             | 21.3%      | 11.0%             | 9.1%                  | 6.2%             | 7.7%      |
|                  | <b>Grade 11</b> | 43.7%             | 18.1%      | 12.6%             | 11.0%                 | 6.2%             | 8.3%      |
|                  | <b>Grade 12</b> | 41.3%             | 16.2%      | 14.9%             | 12.7%                 | 6.1%             | 8.8%      |
| <b>Steroids?</b> | <b>All</b>      | 21.4%             | 37.4%      | 15.5%             | 10.8%                 | 7.0%             | 7.8%      |
|                  | <b>Grade 7</b>  | 27.4%             | 52.4%      | 10.0%             | 4.2%                  | 3.0%             | 3.0%      |
|                  | <b>Grade 8</b>  | 21.5%             | 47.7%      | 13.9%             | 7.7%                  | 3.9%             | 5.2%      |
|                  | <b>Grade 9</b>  | 22.3%             | 37.5%      | 16.0%             | 10.5%                 | 7.2%             | 6.5%      |
|                  | <b>Grade 10</b> | 18.1%             | 33.5%      | 17.7%             | 12.7%                 | 8.6%             | 9.3%      |
|                  | <b>Grade 11</b> | 19.6%             | 27.0%      | 17.6%             | 15.0%                 | 9.9%             | 10.9%     |
|                  | <b>Grade 12</b> | 19.0%             | 23.3%      | 18.2%             | 16.1%                 | 10.4%            | 13.1%     |
| <b>Ecstasy?</b>  | <b>All</b>      | 29.7%             | 29.6%      | 12.5%             | 9.6%                  | 7.8%             | 10.8%     |
|                  | <b>Grade 7</b>  | 52.4%             | 34.4%      | 6.2%              | 2.9%                  | 1.8%             | 2.3%      |
|                  | <b>Grade 8</b>  | 36.3%             | 36.9%      | 10.9%             | 5.3%                  | 4.4%             | 6.3%      |
|                  | <b>Grade 9</b>  | 27.6%             | 31.8%      | 13.8%             | 8.7%                  | 8.4%             | 9.7%      |
|                  | <b>Grade 10</b> | 20.8%             | 28.3%      | 14.0%             | 13.0%                 | 9.5%             | 14.3%     |
|                  | <b>Grade 11</b> | 19.9%             | 23.8%      | 14.7%             | 13.7%                 | 11.8%            | 16.0%     |
|                  | <b>Grade 12</b> | 18.8%             | 19.6%      | 15.8%             | 15.6%                 | 12.2%            | 18.0%     |
| <b>Heroin?</b>   | <b>All</b>      | 25.7%             | 37.6%      | 15.2%             | 9.2%                  | 5.3%             | 7.0%      |
|                  | <b>Grade 7</b>  | 35.5%             | 47.8%      | 8.1%              | 3.8%                  | 2.1%             | 2.7%      |
|                  | <b>Grade 8</b>  | 26.8%             | 45.9%      | 12.2%             | 5.8%                  | 3.8%             | 5.6%      |
|                  | <b>Grade 9</b>  | 25.1%             | 38.0%      | 15.5%             | 8.7%                  | 5.9%             | 6.9%      |
|                  | <b>Grade 10</b> | 21.7%             | 34.7%      | 17.0%             | 11.0%                 | 6.7%             | 8.9%      |
|                  | <b>Grade 11</b> | 22.1%             | 30.3%      | 19.0%             | 12.6%                 | 6.8%             | 9.2%      |
|                  | <b>Grade 12</b> | 22.4%             | 26.3%      | 20.7%             | 14.8%                 | 6.6%             | 9.2%      |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

|  | None  | 1-3 Times | 4-9 Times | 10+ Times |
|--|-------|-----------|-----------|-----------|
| <b>Attended class while high from marijuana use?</b>               |       |           |           |           |
| All  | 90.7% | 5.2%      | 1.5%      | 2.6%      |
| Grade 7  | 95.6% | 2.8%      | 0.8%      | 0.8%      |
| Grade 8  | 93.9% | 4.0%      | 1.0%      | 1.2%      |
| Grade 9  | 90.1% | 5.8%      | 1.7%      | 2.5%      |
| Grade 10   | 88.1% | 6.4%      | 2.1%      | 3.4%      |
| Grade 11   | 87.9% | 6.6%      | 1.6%      | 3.9%      |
| Grade 12   | 88.2% | 5.5%      | 1.8%      | 4.5%      |
| <b>Attended class while high from use of some other drug?</b>      |       |           |           |           |
| All  | 94.2% | 3.6%      | 1.0%      | 1.2%      |
| Grade 7  | 97.2% | 2.0%      | 0.4%      | 0.4%      |
| Grade 8  | 95.8% | 2.9%      | 0.7%      | 0.6%      |
| Grade 9  | 94.1% | 3.8%      | 0.9%      | 1.2%      |
| Grade 10   | 92.7% | 4.4%      | 1.3%      | 1.7%      |
| Grade 11   | 92.6% | 4.4%      | 1.3%      | 1.7%      |
| Grade 12   | 92.8% | 4.2%      | 1.5%      | 1.5%      |
| <b>Gotten into trouble with teachers because of your drug use?</b> |       |           |           |           |
| All  | 98.6% | 0.9%      | 0.2%      | 0.3%      |
| Grade 7  | 98.9% | 0.9%      | 0.1%      | 0.2%      |
| Grade 8  | 98.7% | 0.8%      | 0.2%      | 0.3%      |
| Grade 9  | 98.5% | 1.0%      | 0.3%      | 0.2%      |
| Grade 10   | 98.7% | 0.7%      | 0.1%      | 0.4%      |
| Grade 11   | 98.7% | 0.9%      | 0.3%      | 0.2%      |
| Grade 12   | 98.0% | 1.4%      | 0.2%      | 0.5%      |

**Table D-7: School year use of marijuana by absences and conduct problems:**

| <b>Average days absent due to illness or other reasons</b> |     |
|--|-----|
| Marijuana Users:   | 5.1 |
| Marijuana Non-use  | 4.0 |

  

| <b>Average days conduct problems reported</b> |     |
|---|-----|
| Marijuana Users:                              | 5.7 |
| Marijuana Non-use                             | 1.7 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-8: During the past twelve months, how many times have you..**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Driven a car when you've felt high from drugs?</b>           |       |           |           |           |
| All   | 90.8% | 5.6%      | 1.5%      | 2.1%      |
| Grade 9   | 95.5% | 3.1%      | 0.7%      | 0.7%      |
| Grade 10  | 92.8% | 4.6%      | 1.1%      | 1.5%      |
| Grade 11  | 88.2% | 7.2%      | 2.0%      | 2.5%      |
| Grade 12  | 84.8% | 8.3%      | 2.6%      | 4.4%      |
| <b>Gotten into trouble with the police because of drug use?</b> |       |           |           |           |
| All   | 97.5% | 1.9%      | 0.3%      | 0.3%      |
| Grade 7   | 98.6% | 1.0%      | 0.2%      | 0.2%      |
| Grade 8   | 98.0% | 1.6%      | 0.2%      | 0.3%      |
| Grade 9   | 96.9% | 2.3%      | 0.5%      | 0.3%      |
| Grade 10  | 97.2% | 2.1%      | 0.3%      | 0.5%      |
| Grade 11  | 97.3% | 2.3%      | 0.2%      | 0.2%      |
| Grade 12  | 97.2% | 2.2%      | 0.2%      | 0.3%      |

**Table D-9: About how many of your close friends use marijuana?**

|          | None  | A Few | Some  | Most  | ALL  |
|----------|-------|-------|-------|-------|------|
| All      | 51.3% | 19.2% | 13.4% | 11.8% | 4.2% |
| Grade 7  | 77.4% | 11.3% | 5.1%  | 4.4%  | 1.9% |
| Grade 8  | 64.5% | 15.0% | 9.7%  | 7.7%  | 3.1% |
| Grade 9  | 48.8% | 20.1% | 13.5% | 12.6% | 5.1% |
| Grade 10 | 41.8% | 20.8% | 16.3% | 16.0% | 5.2% |
| Grade 11 | 37.0% | 24.4% | 17.8% | 15.8% | 5.0% |
| Grade 12 | 35.1% | 24.8% | 19.8% | 15.0% | 5.3% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-10: During the past twelve months, how many times have you..**

|   | None  | 1-3 Times | 4-9 Times | 10+ Times |
|---|-------|-----------|-----------|-----------|
| <b>Had difficulties of any kind with your friends because of your drug use?</b> |       |           |           |           |
| <b>All</b>  | 94.2% | 4.6%      | 0.7%      | 0.4%      |
| <b>Grade 7</b>  | 97.1% | 2.4%      | 0.3%      | 0.2%      |
| <b>Grade 8</b>  | 95.1% | 4.0%      | 0.6%      | 0.3%      |
| <b>Grade 9</b>  | 93.7% | 4.9%      | 0.7%      | 0.6%      |
| <b>Grade 10</b>   | 92.7% | 5.7%      | 1.0%      | 0.6%      |
| <b>Grade 11</b>   | 93.3% | 5.5%      | 0.8%      | 0.4%      |
| <b>Grade 12</b>   | 93.1% | 5.4%      | 1.0%      | 0.5%      |
| <b>Been criticized by someone you were dating because of drug use?</b>          |       |           |           |           |
| <b>All</b>  | 93.8% | 4.9%      | 0.7%      | 0.6%      |
| <b>Grade 7</b>  | 97.0% | 2.3%      | 0.3%      | 0.3%      |
| <b>Grade 8</b>  | 95.5% | 3.5%      | 0.6%      | 0.4%      |
| <b>Grade 9</b>  | 94.2% | 4.6%      | 0.7%      | 0.6%      |
| <b>Grade 10</b>   | 91.7% | 6.3%      | 1.2%      | 0.7%      |
| <b>Grade 11</b>   | 92.1% | 6.6%      | 0.7%      | 0.6%      |
| <b>Grade 12</b>   | 91.9% | 6.2%      | 0.9%      | 1.0%      |

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

|                 | Never | Seldom | Half<br>the Time | Most<br>of the Time | Always | Don't know | Didn't<br>attend |
|-----------------|-------|--------|------------------|---------------------|--------|------------|------------------|
| <b>All</b>      | 54.4% | 10.8%  | 7.3%             | 7.0%                | 7.2%   | 2.7%       | 10.5%            |
| <b>Grade 7</b>  | 78.3% | 4.9%   | 2.7%             | 1.8%                | 2.2%   | 1.8%       | 8.2%             |
| <b>Grade 8</b>  | 69.6% | 8.3%   | 4.5%             | 3.7%                | 3.5%   | 2.3%       | 8.1%             |
| <b>Grade 9</b>  | 54.3% | 11.3%  | 6.9%             | 6.4%                | 6.6%   | 3.3%       | 11.1%            |
| <b>Grade 10</b> | 45.5% | 12.6%  | 9.0%             | 8.4%                | 9.7%   | 2.7%       | 12.1%            |
| <b>Grade 11</b> | 38.4% | 13.9%  | 10.5%            | 11.2%               | 10.2%  | 3.2%       | 12.6%            |
| <b>Grade 12</b> | 36.6% | 14.4%  | 11.3%            | 11.8%               | 12.1%  | 2.9%       | 10.9%            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-12: How often, if ever, do you smoke marijuana in..**

| CATEGORY                     |                 | Never | Seldom | Half<br>the Time | Most of<br>the Time | Always | Don't know |
|------------------------------|-----------------|-------|--------|------------------|---------------------|--------|------------|
| <b>Joints?</b>               | <b>All</b>      | 81.3% | 7.8%   | 4.2%             | 3.7%                | 2.3%   | 0.8%       |
|                              | <b>Grade 7</b>  | 91.2% | 2.8%   | 1.8%             | 1.8%                | 1.3%   | 1.0%       |
|                              | <b>Grade 8</b>  | 87.4% | 4.4%   | 3.2%             | 2.8%                | 1.6%   | 0.6%       |
|                              | <b>Grade 9</b>  | 81.5% | 7.1%   | 4.5%             | 3.6%                | 2.7%   | 0.7%       |
|                              | <b>Grade 10</b> | 77.6% | 9.0%   | 5.2%             | 4.6%                | 2.9%   | 0.7%       |
|                              | <b>Grade 11</b> | 74.2% | 12.0%  | 5.2%             | 5.0%                | 2.7%   | 0.8%       |
|                              | <b>Grade 12</b> | 74.0% | 12.7%  | 5.7%             | 4.4%                | 2.6%   | 0.6%       |
| <b>Blunts?</b>               | <b>All</b>      | 80.6% | 6.4%   | 3.6%             | 4.3%                | 4.2%   | 0.8%       |
|                              | <b>Grade 7</b>  | 91.4% | 2.3%   | 1.8%             | 1.9%                | 1.6%   | 1.1%       |
|                              | <b>Grade 8</b>  | 87.3% | 4.5%   | 2.5%             | 2.9%                | 2.0%   | 0.8%       |
|                              | <b>Grade 9</b>  | 80.8% | 6.5%   | 3.5%             | 3.7%                | 4.6%   | 0.9%       |
|                              | <b>Grade 10</b> | 76.3% | 7.8%   | 4.0%             | 5.7%                | 5.5%   | 0.8%       |
|                              | <b>Grade 11</b> | 73.1% | 8.6%   | 5.1%             | 6.3%                | 6.1%   | 0.8%       |
|                              | <b>Grade 12</b> | 73.1% | 9.5%   | 5.4%             | 6.0%                | 5.4%   | 0.6%       |
| <b>Bongs or water pipes?</b> | <b>All</b>      | 86.8% | 5.6%   | 2.6%             | 2.6%                | 1.9%   | 0.6%       |
|                              | <b>Grade 7</b>  | 95.2% | 1.9%   | 0.8%             | 0.8%                | 0.7%   | 0.7%       |
|                              | <b>Grade 8</b>  | 92.7% | 3.3%   | 1.3%             | 1.3%                | 0.9%   | 0.5%       |
|                              | <b>Grade 9</b>  | 88.5% | 4.4%   | 2.4%             | 2.2%                | 2.0%   | 0.6%       |
|                              | <b>Grade 10</b> | 83.7% | 6.9%   | 3.1%             | 3.1%                | 2.5%   | 0.6%       |
|                              | <b>Grade 11</b> | 79.4% | 8.6%   | 4.3%             | 4.6%                | 2.4%   | 0.7%       |
|                              | <b>Grade 12</b> | 79.3% | 9.4%   | 3.8%             | 4.0%                | 2.9%   | 0.6%       |
| <b>Pipes?</b>                | <b>All</b>      | 85.8% | 5.1%   | 2.8%             | 3.3%                | 2.3%   | 0.6%       |
|                              | <b>Grade 7</b>  | 95.2% | 1.6%   | 0.8%             | 0.8%                | 0.8%   | 0.7%       |
|                              | <b>Grade 8</b>  | 92.3% | 2.9%   | 1.5%             | 1.6%                | 1.2%   | 0.4%       |
|                              | <b>Grade 9</b>  | 87.1% | 4.7%   | 2.6%             | 2.6%                | 2.4%   | 0.6%       |
|                              | <b>Grade 10</b> | 83.0% | 5.4%   | 3.3%             | 4.6%                | 3.1%   | 0.6%       |
|                              | <b>Grade 11</b> | 78.0% | 8.3%   | 4.3%             | 5.6%                | 3.2%   | 0.6%       |
|                              | <b>Grade 12</b> | 76.9% | 8.9%   | 4.7%             | 5.4%                | 3.5%   | 0.6%       |
| <b>Some other way?</b>       | <b>All</b>      | 89.3% | 4.9%   | 1.4%             | 1.3%                | 1.6%   | 1.6%       |
|                              | <b>Grade 7</b>  | 94.9% | 1.5%   | 0.9%             | 0.7%                | 0.9%   | 1.0%       |
|                              | <b>Grade 8</b>  | 92.9% | 2.8%   | 1.2%             | 1.0%                | 1.1%   | 1.0%       |
|                              | <b>Grade 9</b>  | 89.5% | 4.7%   | 1.2%             | 1.3%                | 1.8%   | 1.6%       |
|                              | <b>Grade 10</b> | 87.0% | 5.9%   | 1.7%             | 1.8%                | 1.9%   | 1.8%       |
|                              | <b>Grade 11</b> | 85.0% | 7.7%   | 1.7%             | 1.6%                | 1.9%   | 2.1%       |
|                              | <b>Grade 12</b> | 85.8% | 7.6%   | 1.6%             | 1.2%                | 1.7%   | 1.9%       |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

|                 | <b>Strongly Disapprove</b> | <b>Mildly Disapprove</b> | <b>Neither</b> | <b>Mildly Approve</b> | <b>Strongly Approve</b> | <b>Don't know</b> |
|-----------------|----------------------------|--------------------------|----------------|-----------------------|-------------------------|-------------------|
| <b>All</b>      | 81.7%                      | 5.1%                     | 4.4%           | 1.1%                  | 1.4%                    | 6.4%              |
| <b>Grade 7</b>  | 86.8%                      | 1.9%                     | 1.5%           | 0.4%                  | 0.9%                    | 8.5%              |
| <b>Grade 8</b>  | 85.2%                      | 3.2%                     | 2.8%           | 1.0%                  | 1.1%                    | 6.6%              |
| <b>Grade 9</b>  | 81.9%                      | 4.6%                     | 4.2%           | 1.0%                  | 1.6%                    | 6.7%              |
| <b>Grade 10</b> | 79.6%                      | 6.6%                     | 5.4%           | 1.0%                  | 1.7%                    | 5.7%              |
| <b>Grade 11</b> | 78.1%                      | 7.0%                     | 6.3%           | 1.5%                  | 1.5%                    | 5.5%              |
| <b>Grade 12</b> | 77.7%                      | 8.0%                     | 6.2%           | 1.8%                  | 1.3%                    | 5.0%              |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-14: How dangerous do you think it is for kids your age to use...**

|                   |                 | <b>Very<br/>Dangerous</b> | <b>Somewhat<br/>Dangerous</b> | <b>Not very<br/>Dangerous</b> | <b>Not at All<br/>Dangerous</b> | <b>Do Not Know</b> |
|-------------------|-----------------|---------------------------|-------------------------------|-------------------------------|---------------------------------|--------------------|
| <b>Marijuana?</b> |                 |                           |                               |                               |                                 |                    |
|                   | <b>All</b>      | 58.2%                     | 16.5%                         | 11.8%                         | 9.8%                            | 3.6%               |
|                   | <b>Grade 7</b>  | 79.7%                     | 9.0%                          | 4.6%                          | 3.3%                            | 3.4%               |
|                   | <b>Grade 8</b>  | 71.1%                     | 12.7%                         | 6.5%                          | 5.5%                            | 4.1%               |
|                   | <b>Grade 9</b>  | 57.2%                     | 18.6%                         | 11.4%                         | 9.1%                            | 3.7%               |
|                   | <b>Grade 10</b> | 50.4%                     | 19.3%                         | 13.7%                         | 13.0%                           | 3.5%               |
|                   | <b>Grade 11</b> | 46.3%                     | 19.6%                         | 17.1%                         | 13.6%                           | 3.4%               |
|                   | <b>Grade 12</b> | 42.8%                     | 20.3%                         | 18.5%                         | 15.1%                           | 3.3%               |
| <b>Cocaine?</b>   |                 |                           |                               |                               |                                 |                    |
|                   | <b>All</b>      | 82.7%                     | 9.9%                          | 1.9%                          | 1.0%                            | 4.5%               |
|                   | <b>Grade 7</b>  | 87.0%                     | 6.7%                          | 1.4%                          | 0.8%                            | 4.2%               |
|                   | <b>Grade 8</b>  | 83.9%                     | 8.4%                          | 1.9%                          | 1.0%                            | 4.8%               |
|                   | <b>Grade 9</b>  | 81.2%                     | 11.2%                         | 1.7%                          | 0.9%                            | 4.9%               |
|                   | <b>Grade 10</b> | 81.6%                     | 11.1%                         | 1.7%                          | 1.2%                            | 4.3%               |
|                   | <b>Grade 11</b> | 80.8%                     | 11.6%                         | 2.0%                          | 1.1%                            | 4.5%               |
|                   | <b>Grade 12</b> | 81.4%                     | 10.5%                         | 2.6%                          | 1.2%                            | 4.3%               |
| <b>Crack?</b>     |                 |                           |                               |                               |                                 |                    |
|                   | <b>All</b>      | 84.9%                     | 8.2%                          | 1.2%                          | 0.9%                            | 4.7%               |
|                   | <b>Grade 7</b>  | 88.0%                     | 6.0%                          | 1.2%                          | 0.7%                            | 4.1%               |
|                   | <b>Grade 8</b>  | 84.2%                     | 8.1%                          | 1.6%                          | 0.9%                            | 5.1%               |
|                   | <b>Grade 9</b>  | 82.9%                     | 9.6%                          | 1.2%                          | 0.9%                            | 5.4%               |
|                   | <b>Grade 10</b> | 84.5%                     | 8.9%                          | 1.0%                          | 1.1%                            | 4.5%               |
|                   | <b>Grade 11</b> | 84.7%                     | 8.7%                          | 1.1%                          | 0.8%                            | 4.7%               |
|                   | <b>Grade 12</b> | 85.6%                     | 7.8%                          | 1.2%                          | 0.9%                            | 4.5%               |
| <b>Ecstasy?</b>   |                 |                           |                               |                               |                                 |                    |
|                   | <b>All</b>      | 79.2%                     | 9.9%                          | 2.8%                          | 1.4%                            | 6.6%               |
|                   | <b>Grade 7</b>  | 83.8%                     | 6.1%                          | 1.2%                          | 0.8%                            | 8.0%               |
|                   | <b>Grade 8</b>  | 80.6%                     | 7.8%                          | 2.5%                          | 1.3%                            | 7.7%               |
|                   | <b>Grade 9</b>  | 77.4%                     | 11.0%                         | 2.8%                          | 1.5%                            | 7.3%               |
|                   | <b>Grade 10</b> | 77.8%                     | 11.1%                         | 3.5%                          | 2.0%                            | 5.6%               |
|                   | <b>Grade 11</b> | 77.6%                     | 12.1%                         | 3.4%                          | 1.5%                            | 5.4%               |
|                   | <b>Grade 12</b> | 77.7%                     | 11.9%                         | 3.7%                          | 1.6%                            | 5.1%               |
| <b>Steroids?</b>  |                 |                           |                               |                               |                                 |                    |
|                   | <b>All</b>      | 73.7%                     | 14.5%                         | 4.5%                          | 1.6%                            | 5.7%               |
|                   | <b>Grade 7</b>  | 79.7%                     | 11.1%                         | 2.6%                          | 1.2%                            | 5.4%               |
|                   | <b>Grade 8</b>  | 76.1%                     | 12.3%                         | 4.4%                          | 1.4%                            | 5.8%               |
|                   | <b>Grade 9</b>  | 72.6%                     | 15.1%                         | 4.7%                          | 1.6%                            | 5.9%               |
|                   | <b>Grade 10</b> | 71.0%                     | 16.4%                         | 4.9%                          | 2.0%                            | 5.6%               |
|                   | <b>Grade 11</b> | 71.3%                     | 16.0%                         | 5.4%                          | 1.5%                            | 5.8%               |
|                   | <b>Grade 12</b> | 71.1%                     | 16.1%                         | 5.3%                          | 2.0%                            | 5.6%               |
| <b>Heroin?</b>    |                 |                           |                               |                               |                                 |                    |
|                   | <b>All</b>      | 87.0%                     | 5.6%                          | 1.0%                          | 0.8%                            | 5.6%               |
|                   | <b>Grade 7</b>  | 87.7%                     | 4.9%                          | 0.8%                          | 0.7%                            | 5.9%               |
|                   | <b>Grade 8</b>  | 85.8%                     | 5.8%                          | 1.6%                          | 0.9%                            | 5.9%               |
|                   | <b>Grade 9</b>  | 85.5%                     | 6.6%                          | 0.9%                          | 0.9%                            | 6.1%               |
|                   | <b>Grade 10</b> | 86.8%                     | 6.0%                          | 0.9%                          | 1.1%                            | 5.2%               |
|                   | <b>Grade 11</b> | 88.2%                     | 5.1%                          | 0.6%                          | 0.7%                            | 5.3%               |
|                   | <b>Grade 12</b> | 88.4%                     | 4.9%                          | 1.0%                          | 0.8%                            | 4.9%               |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

|                         | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Methamphetamine?</b> |                       |                        |                      |                       |
| <b>All</b>              | 0.8%                  | 1.6%                   | 3.6%                 | 96.4%                 |
| <b>Grade 7</b>          | 0.6%                  | 0.9%                   | 2.3%                 | 97.7%                 |
| <b>Grade 8</b>          | 0.5%                  | 1.1%                   | 2.7%                 | 97.3%                 |
| <b>Grade 9</b>          | 0.7%                  | 1.5%                   | 2.9%                 | 97.1%                 |
| <b>Grade 10</b>         | 1.1%                  | 2.1%                   | 4.8%                 | 95.2%                 |
| <b>Grade 11</b>         | 0.8%                  | 1.7%                   | 4.0%                 | 96.0%                 |
| <b>Grade 12</b>         | 1.3%                  | 2.3%                   | 5.1%                 | 94.9%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-16: How recently, if ever, have you used...**

|   |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|---|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Codeine?</b>                         |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 5.0%                  | 9.1%                   | 13.5%                | 86.5%                 |
|   | <b>Grade 7</b>  | 3.5%                  | 5.6%                   | 8.2%                 | 91.8%                 |
|   | <b>Grade 8</b>  | 4.7%                  | 7.7%                   | 11.4%                | 88.6%                 |
|   | <b>Grade 9</b>  | 5.4%                  | 8.8%                   | 12.7%                | 87.3%                 |
|   | <b>Grade 10</b> | 5.7%                  | 11.4%                  | 16.2%                | 83.8%                 |
|   | <b>Grade 11</b> | 5.1%                  | 10.3%                  | 16.2%                | 83.8%                 |
|   | <b>Grade 12</b> | 5.5%                  | 11.3%                  | 17.3%                | 82.7%                 |
| <b>Oxycontin, Percodan or Percocet?</b> |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 1.0%                  | 2.3%                   | 3.8%                 | 96.2%                 |
|   | <b>Grade 7</b>  | 0.3%                  | 0.5%                   | 1.0%                 | 99.0%                 |
|   | <b>Grade 8</b>  | 0.6%                  | 1.2%                   | 2.2%                 | 97.8%                 |
|   | <b>Grade 9</b>  | 1.0%                  | 1.8%                   | 2.7%                 | 97.3%                 |
|   | <b>Grade 10</b> | 1.4%                  | 3.0%                   | 5.0%                 | 95.0%                 |
|   | <b>Grade 11</b> | 1.3%                  | 3.4%                   | 6.1%                 | 93.9%                 |
|   | <b>Grade 12</b> | 1.5%                  | 4.3%                   | 6.8%                 | 93.2%                 |
| <b>Vicodin, Lortab or Lorcet?</b>       |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 2.5%                  | 4.8%                   | 7.0%                 | 93.0%                 |
|   | <b>Grade 7</b>  | 0.5%                  | 0.9%                   | 1.5%                 | 98.5%                 |
|   | <b>Grade 8</b>  | 1.1%                  | 2.0%                   | 2.8%                 | 97.2%                 |
|   | <b>Grade 9</b>  | 2.2%                  | 3.7%                   | 5.1%                 | 94.9%                 |
|   | <b>Grade 10</b> | 3.2%                  | 6.6%                   | 9.2%                 | 90.8%                 |
|   | <b>Grade 11</b> | 3.7%                  | 7.5%                   | 12.0%                | 88.0%                 |
|   | <b>Grade 12</b> | 4.7%                  | 8.9%                   | 13.2%                | 86.8%                 |
| <b>Valium or Diazepam?</b>              |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 1.0%                  | 2.1%                   | 3.3%                 | 96.7%                 |
|   | <b>Grade 7</b>  | 0.3%                  | 0.5%                   | 0.8%                 | 99.2%                 |
|   | <b>Grade 8</b>  | 0.6%                  | 0.9%                   | 1.6%                 | 98.4%                 |
|   | <b>Grade 9</b>  | 0.9%                  | 1.7%                   | 2.4%                 | 97.6%                 |
|   | <b>Grade 10</b> | 1.2%                  | 2.6%                   | 4.2%                 | 95.8%                 |
|   | <b>Grade 11</b> | 1.0%                  | 3.0%                   | 5.5%                 | 94.5%                 |
|   | <b>Grade 12</b> | 1.9%                  | 4.2%                   | 6.1%                 | 93.9%                 |
| <b>Xanax or Alprazolam?</b>             |                 |                       |                        |                      |                       |
|   | <b>All</b>      | 1.9%                  | 3.7%                   | 5.7%                 | 94.3%                 |
|   | <b>Grade 7</b>  | 0.5%                  | 0.7%                   | 1.2%                 | 98.8%                 |
|   | <b>Grade 8</b>  | 1.1%                  | 1.8%                   | 3.1%                 | 96.9%                 |
|   | <b>Grade 9</b>  | 1.6%                  | 2.7%                   | 3.9%                 | 96.1%                 |
|   | <b>Grade 10</b> | 2.4%                  | 5.3%                   | 7.4%                 | 92.6%                 |
|   | <b>Grade 11</b> | 2.7%                  | 5.5%                   | 9.1%                 | 90.9%                 |
|   | <b>Grade 12</b> | 3.2%                  | 6.9%                   | 10.8%                | 89.2%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table D-17: How recently, if ever, have you taken...**

|                       | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>DXM, Triple C?</b> |                       |                        |                      |                       |
| <b>All</b>            | 2.4%                  | 4.2%                   | 7.2%                 | 92.8%                 |
| <b>Grade 7</b>        | 1.9%                  | 2.7%                   | 4.3%                 | 95.7%                 |
| <b>Grade 8</b>        | 3.0%                  | 3.9%                   | 6.3%                 | 93.7%                 |
| <b>Grade 9</b>        | 2.4%                  | 4.0%                   | 6.4%                 | 93.6%                 |
| <b>Grade 10</b>       | 2.6%                  | 5.4%                   | 9.0%                 | 91.0%                 |
| <b>Grade 11</b>       | 2.4%                  | 4.8%                   | 8.8%                 | 91.2%                 |
| <b>Grade 12</b>       | 1.8%                  | 4.5%                   | 8.6%                 | 91.4%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

|                      |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|----------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Any inhalant?</b> |                 |                       |                        |                      |                       |
|                      | <b>All</b>      | 2.5%                  | 4.0%                   | 9.0%                 | 91.0%                 |
|                      | <b>Grade 7</b>  | 3.8%                  | 5.6%                   | 10.4%                | 89.6%                 |
|                      | <b>Grade 8</b>  | 3.4%                  | 5.4%                   | 10.5%                | 89.5%                 |
|                      | <b>Grade 9</b>  | 2.3%                  | 3.9%                   | 9.0%                 | 91.0%                 |
|                      | <b>Grade 10</b> | 2.0%                  | 3.7%                   | 9.2%                 | 90.8%                 |
|                      | <b>Grade 11</b> | 1.3%                  | 2.5%                   | 7.2%                 | 92.8%                 |
|                      | <b>Grade 12</b> | 1.9%                  | 2.9%                   | 6.9%                 | 93.1%                 |

**Table I-2: How often do you normally use inhalants?**

|                 | <b>Never<br/>Used</b> | <b>Every<br/>Day</b> | <b>Several<br/>Times a<br/>Week</b> | <b>Several<br/>Times a<br/>Month</b> | <b>About<br/>Once a<br/>Month</b> | <b>About<br/>Once a<br/>Year</b> | <b>Less than<br/>Once a<br/>Year</b> |
|-----------------|-----------------------|----------------------|-------------------------------------|--------------------------------------|-----------------------------------|----------------------------------|--------------------------------------|
| <b>All</b>      | 93.5%                 | 0.2%                 | 0.4%                                | 0.7%                                 | 1.2%                              | 1.3%                             | 2.6%                                 |
| <b>Grade 7</b>  | 92.3%                 | 0.3%                 | 0.7%                                | 1.2%                                 | 1.5%                              | 1.7%                             | 2.3%                                 |
| <b>Grade 8</b>  | 91.9%                 | 0.3%                 | 0.6%                                | 1.3%                                 | 1.7%                              | 1.5%                             | 2.7%                                 |
| <b>Grade 9</b>  | 93.8%                 | 0.1%                 | 0.4%                                | 0.6%                                 | 1.3%                              | 1.7%                             | 2.1%                                 |
| <b>Grade 10</b> | 93.4%                 | 0.1%                 | 0.3%                                | 0.6%                                 | 1.2%                              | 1.3%                             | 3.2%                                 |
| <b>Grade 11</b> | 94.9%                 | 0.2%                 | 0.2%                                | 0.3%                                 | 0.7%                              | 0.9%                             | 2.9%                                 |
| <b>Grade 12</b> | 95.3%                 | 0.1%                 | 0.3%                                | 0.5%                                 | 0.5%                              | 0.8%                             | 2.6%                                 |

**Table I-3: Average age of first use of:**

|                  | <b>Grade 7</b> | <b>Grade 8</b> | <b>Grade 9</b> | <b>Grade 10</b> | <b>Grade 11</b> | <b>Grade 12</b> |
|------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|
| <b>Inhalants</b> | 10.8           | 11.6           | 12.2           | 12.7            | 13.3            | 13.5            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

|                 | None  | 1-3 Times | 4-9 Times | 10+ Times |
|-----------------|-------|-----------|-----------|-----------|
| <b>All</b>      | 97.9% | 1.4%      | 0.3%      | 0.4%      |
| <b>Grade 7</b>  | 97.3% | 1.9%      | 0.4%      | 0.4%      |
| <b>Grade 8</b>  | 97.0% | 2.0%      | 0.4%      | 0.6%      |
| <b>Grade 9</b>  | 97.6% | 1.8%      | 0.3%      | 0.3%      |
| <b>Grade 10</b> | 98.2% | 1.0%      | 0.4%      | 0.4%      |
| <b>Grade 11</b> | 98.9% | 0.6%      | 0.2%      | 0.3%      |
| <b>Grade 12</b> | 98.5% | 0.8%      | 0.3%      | 0.4%      |

**Table I-5: School year use of inhalants by absences and conduct problems:**

| <b>Average days absent due to illness or other reasons</b> |     |
|--|-----|
| Inhalants Users:   | 5.2 |
| Inhalants Non-use  | 4.1 |

  

| <b>Average days conduct problems reported</b> |     |
|---|-----|
| Inhalants Users:                              | 6.2 |
| Inhalants Non-use                             | 2.2 |

**Table I-6: About how many of your close friends use inhalants?**

|                 | None  | A Few | Some | Most | ALL  |
|-----------------|-------|-------|------|------|------|
| <b>All</b>      | 82.1% | 11.8% | 3.9% | 1.6% | 0.6% |
| <b>Grade 7</b>  | 82.6% | 10.9% | 3.6% | 2.0% | 0.8% |
| <b>Grade 8</b>  | 79.2% | 12.6% | 4.9% | 2.4% | 0.9% |
| <b>Grade 9</b>  | 79.5% | 13.6% | 4.6% | 1.6% | 0.6% |
| <b>Grade 10</b> | 82.2% | 11.8% | 4.1% | 1.4% | 0.5% |
| <b>Grade 11</b> | 83.5% | 11.5% | 3.4% | 1.2% | 0.3% |
| <b>Grade 12</b> | 86.6% | 9.7%  | 2.3% | 1.0% | 0.4% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

|                 | <b>Very Dangerous</b> | <b>Somewhat Dangerous</b> | <b>Not very Dangerous</b> | <b>Not at All Dangerous</b> | <b>Do Not Know</b> |
|-----------------|-----------------------|---------------------------|---------------------------|-----------------------------|--------------------|
| <b>All</b>      | 71.7%                 | 16.2%                     | 4.9%                      | 1.8%                        | 5.3%               |
| <b>Grade 7</b>  | 74.8%                 | 13.2%                     | 5.5%                      | 1.7%                        | 4.8%               |
| <b>Grade 8</b>  | 71.3%                 | 16.0%                     | 5.5%                      | 2.2%                        | 5.1%               |
| <b>Grade 9</b>  | 70.3%                 | 17.3%                     | 5.0%                      | 1.7%                        | 5.7%               |
| <b>Grade 10</b> | 70.8%                 | 17.4%                     | 4.6%                      | 2.2%                        | 5.1%               |
| <b>Grade 11</b> | 71.6%                 | 16.7%                     | 4.7%                      | 1.4%                        | 5.5%               |
| <b>Grade 12</b> | 71.6%                 | 16.7%                     | 4.3%                      | 1.6%                        | 5.8%               |

**Table I-8: If you wanted some, how difficult would it be to get..**

|                   | <b>Never Heard Of</b> | <b>Impossible</b> | <b>Very Difficult</b> | <b>Somewhat Difficult</b> | <b>Somewhat Easy</b> | <b>Very Easy</b> |
|-------------------|-----------------------|-------------------|-----------------------|---------------------------|----------------------|------------------|
| <b>Inhalants?</b> |                       |                   |                       |                           |                      |                  |
| <b>All</b>        | 18.7%                 | 18.0%             | 5.7%                  | 6.9%                      | 10.7%                | 40.0%            |
| <b>Grade 7</b>    | 24.1%                 | 29.0%             | 5.8%                  | 5.5%                      | 8.0%                 | 27.7%            |
| <b>Grade 8</b>    | 17.9%                 | 23.7%             | 6.4%                  | 6.3%                      | 10.2%                | 35.5%            |
| <b>Grade 9</b>    | 18.9%                 | 17.3%             | 5.9%                  | 7.2%                      | 11.3%                | 39.4%            |
| <b>Grade 10</b>   | 16.4%                 | 15.1%             | 5.3%                  | 7.3%                      | 12.3%                | 43.5%            |
| <b>Grade 11</b>   | 17.6%                 | 12.0%             | 6.0%                  | 8.1%                      | 11.3%                | 45.0%            |
| <b>Grade 12</b>   | 17.1%                 | 9.0%              | 4.7%                  | 7.2%                      | 10.9%                | 51.1%            |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

| CATEGORY                     | Yes            |
|------------------------------|----------------|
| <b>A school health class</b> | All 47.0%      |
|                              | Grade 7 41.1%  |
|                              | Grade 8 48.0%  |
|                              | Grade 9 55.4%  |
|                              | Grade 10 51.0% |
|                              | Grade 11 42.7% |
|                              | Grade 12 41.1% |
| <b>An assembly program</b>   | All 46.4%      |
|                              | Grade 7 53.7%  |
|                              | Grade 8 54.3%  |
|                              | Grade 9 51.5%  |
|                              | Grade 10 39.8% |
|                              | Grade 11 38.1% |
|                              | Grade 12 39.6% |
| <b>Guidance counselor</b>    | All 21.5%      |
|                              | Grade 7 27.6%  |
|                              | Grade 8 26.1%  |
|                              | Grade 9 23.2%  |
|                              | Grade 10 18.3% |
|                              | Grade 11 16.9% |
|                              | Grade 12 16.2% |
| <b>Science class</b>         | All 31.1%      |
|                              | Grade 7 41.4%  |
|                              | Grade 8 34.8%  |
|                              | Grade 9 34.8%  |
|                              | Grade 10 30.5% |
|                              | Grade 11 22.3% |
|                              | Grade 12 20.1% |
| <b>Social studies class</b>  | All 12.9%      |
|                              | Grade 7 13.1%  |
|                              | Grade 8 11.7%  |
|                              | Grade 9 13.3%  |
|                              | Grade 10 12.8% |
|                              | Grade 11 13.8% |
|                              | Grade 12 12.4% |
| <b>Student group session</b> | All 14.2%      |
|                              | Grade 7 13.9%  |
|                              | Grade 8 13.4%  |
|                              | Grade 9 15.1%  |
|                              | Grade 10 13.3% |
|                              | Grade 11 14.1% |
|                              | Grade 12 15.4% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

| CATEGORY                        | Yes            |
|---------------------------------|----------------|
| <b>An invited school guest</b>  | All 31.3%      |
|                                 | Grade 7 38.5%  |
|                                 | Grade 8 37.8%  |
|                                 | Grade 9 34.8%  |
|                                 | Grade 10 25.5% |
|                                 | Grade 11 23.8% |
|                                 | Grade 12 26.2% |
| <b>Another source at school</b> | All 31.5%      |
|                                 | Grade 7 32.0%  |
|                                 | Grade 8 32.4%  |
|                                 | Grade 9 34.9%  |
|                                 | Grade 10 30.7% |
|                                 | Grade 11 28.9% |
|                                 | Grade 12 29.5% |
| <b>Any school source</b>        | All 59.8%      |
|                                 | Grade 7 60.8%  |
|                                 | Grade 8 59.4%  |
|                                 | Grade 9 64.9%  |
|                                 | Grade 10 60.2% |
|                                 | Grade 11 56.7% |
|                                 | Grade 12 54.7% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

| CATEGORY                         | Yes            |
|----------------------------------|----------------|
| <b>A counselor or program in</b> | All 30.8%      |
|                                  | Grade 7 41.7%  |
|                                  | Grade 8 35.1%  |
|                                  | Grade 9 30.6%  |
|                                  | Grade 10 26.7% |
|                                  | Grade 11 26.3% |
|                                  | Grade 12 22.7% |
| <b>Another adult in school (</b> | All 30.8%      |
|                                  | Grade 7 38.1%  |
|                                  | Grade 8 32.7%  |
|                                  | Grade 9 30.4%  |
|                                  | Grade 10 27.8% |
|                                  | Grade 11 28.8% |
|                                  | Grade 12 26.2% |
| <b>A counselor or program ou</b> | All 37.5%      |
|                                  | Grade 7 39.9%  |
|                                  | Grade 8 38.1%  |
|                                  | Grade 9 37.7%  |
|                                  | Grade 10 36.6% |
|                                  | Grade 11 36.0% |
|                                  | Grade 12 36.2% |
| <b>Your parents</b>              | All 60.4%      |
|                                  | Grade 7 68.5%  |
|                                  | Grade 8 62.2%  |
|                                  | Grade 9 59.3%  |
|                                  | Grade 10 57.5% |
|                                  | Grade 11 57.8% |
|                                  | Grade 12 56.7% |
| <b>A medical doctor</b>          | All 43.1%      |
|                                  | Grade 7 50.5%  |
|                                  | Grade 8 45.2%  |
|                                  | Grade 9 42.0%  |
|                                  | Grade 10 39.7% |
|                                  | Grade 11 40.2% |
|                                  | Grade 12 40.8% |
| <b>Your friends</b>              | All 72.6%      |
|                                  | Grade 7 63.5%  |
|                                  | Grade 8 69.7%  |
|                                  | Grade 9 73.4%  |
|                                  | Grade 10 76.7% |
|                                  | Grade 11 76.7% |
|                                  | Grade 12 76.4% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)**

| CATEGORY                   |          | Yes   |
|----------------------------|----------|-------|
| Another adult (a relative) | All      | 61.5% |
|                            | Grade 7  | 63.8% |
|                            | Grade 8  | 61.1% |
|                            | Grade 9  | 62.3% |
|                            | Grade 10 | 61.9% |
|                            | Grade 11 | 59.9% |
|                            | Grade 12 | 59.0% |

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

| CATEGORY  |          | Yes  |
|-----------|----------|------|
| Seek Help | All      | 6.9% |
|           | Grade 7  | 7.1% |
|           | Grade 8  | 7.0% |
|           | Grade 9  | 7.9% |
|           | Grade 10 | 6.7% |
|           | Grade 11 | 6.6% |
|           | Grade 12 | 5.9% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-4: About how many of your friends:**

|  | None  | A Few | Some  | Most  | ALL   |
|--|-------|-------|-------|-------|-------|
| <b>Feel close to their parents?</b>        |       |       |       |       |       |
| <b>All</b>                                 | 4.4%  | 25.8% | 26.3% | 34.6% | 8.9%  |
| <b>Grade 7</b>                             | 6.0%  | 24.2% | 21.2% | 33.6% | 14.9% |
| <b>Grade 8</b>                             | 4.9%  | 25.5% | 24.4% | 35.1% | 10.1% |
| <b>Grade 9</b>                             | 4.7%  | 26.1% | 27.6% | 34.2% | 7.4%  |
| <b>Grade 10</b>                            | 4.4%  | 27.8% | 28.6% | 32.6% | 6.5%  |
| <b>Grade 11</b>                            | 2.8%  | 26.2% | 27.8% | 36.1% | 7.1%  |
| <b>Grade 12</b>                            | 3.2%  | 24.9% | 28.2% | 36.8% | 7.0%  |
| <b>Sometimes carry weapons?</b>            |       |       |       |       |       |
| <b>All</b>                                 | 62.1% | 22.7% | 9.9%  | 3.9%  | 1.4%  |
| <b>Grade 7</b>                             | 76.7% | 15.6% | 4.7%  | 2.1%  | 0.9%  |
| <b>Grade 8</b>                             | 64.8% | 22.0% | 9.1%  | 3.2%  | 0.9%  |
| <b>Grade 9</b>                             | 59.3% | 24.3% | 11.0% | 4.0%  | 1.3%  |
| <b>Grade 10</b>                            | 57.6% | 24.4% | 11.6% | 4.7%  | 1.8%  |
| <b>Grade 11</b>                            | 57.4% | 24.4% | 11.5% | 5.2%  | 1.4%  |
| <b>Grade 12</b>                            | 56.0% | 25.8% | 11.4% | 4.5%  | 2.3%  |
| <b>Care about making good grades?</b>      |       |       |       |       |       |
| <b>All</b>                                 | 2.9%  | 14.0% | 23.6% | 42.8% | 16.7% |
| <b>Grade 7</b>                             | 3.4%  | 16.7% | 21.4% | 35.7% | 22.9% |
| <b>Grade 8</b>                             | 3.7%  | 15.9% | 23.0% | 38.5% | 18.8% |
| <b>Grade 9</b>                             | 3.2%  | 14.2% | 24.4% | 42.5% | 15.6% |
| <b>Grade 10</b>                            | 2.2%  | 14.1% | 25.8% | 44.9% | 13.0% |
| <b>Grade 11</b>                            | 2.3%  | 11.1% | 23.9% | 47.9% | 14.7% |
| <b>Grade 12</b>                            | 2.4%  | 10.9% | 22.8% | 48.9% | 14.9% |
| <b>Belong/want to belong to a gang?</b>    |       |       |       |       |       |
| <b>All</b>                                 | 67.0% | 17.4% | 8.7%  | 5.1%  | 1.8%  |
| <b>Grade 7</b>                             | 69.2% | 16.6% | 7.1%  | 4.7%  | 2.3%  |
| <b>Grade 8</b>                             | 63.2% | 19.2% | 9.7%  | 6.1%  | 1.8%  |
| <b>Grade 9</b>                             | 61.8% | 19.6% | 10.1% | 6.3%  | 2.1%  |
| <b>Grade 10</b>                            | 64.5% | 18.3% | 10.1% | 5.4%  | 1.7%  |
| <b>Grade 11</b>                            | 71.0% | 15.6% | 8.1%  | 4.0%  | 1.2%  |
| <b>Grade 12</b>                            | 74.4% | 14.3% | 6.5%  | 3.5%  | 1.3%  |
| <b>Wish they could drop out of school?</b> |       |       |       |       |       |
| <b>All</b>                                 | 56.7% | 28.0% | 9.6%  | 3.7%  | 2.0%  |
| <b>Grade 7</b>                             | 65.6% | 22.2% | 6.9%  | 3.3%  | 2.0%  |
| <b>Grade 8</b>                             | 57.6% | 27.0% | 9.5%  | 3.9%  | 2.0%  |
| <b>Grade 9</b>                             | 52.5% | 29.6% | 10.9% | 4.7%  | 2.4%  |
| <b>Grade 10</b>                            | 51.5% | 30.7% | 11.6% | 4.2%  | 2.0%  |
| <b>Grade 11</b>                            | 53.6% | 31.8% | 9.7%  | 3.1%  | 1.8%  |
| <b>Grade 12</b>                            | 60.0% | 26.5% | 8.9%  | 2.7%  | 1.9%  |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-5: How safe do you feel when you are:**

|                                  | <b>Very Safe</b> | <b>Somewha<br/>t Safe</b> | <b>Not Very<br/>Safe</b> | <b>Not Safe<br/>at All</b> | <b>Don't<br/>Know</b> |
|----------------------------------|------------------|---------------------------|--------------------------|----------------------------|-----------------------|
| <b>In your home?</b>             |                  |                           |                          |                            |                       |
| <b>All</b>                       | 79.0%            | 18.4%                     | 1.2%                     | 0.4%                       | 1.0%                  |
| <b>Grade 7</b>                   | 78.4%            | 18.7%                     | 1.4%                     | 0.5%                       | 1.0%                  |
| <b>Grade 8</b>                   | 76.4%            | 20.5%                     | 1.5%                     | 0.2%                       | 1.3%                  |
| <b>Grade 9</b>                   | 77.1%            | 19.8%                     | 1.2%                     | 0.5%                       | 1.4%                  |
| <b>Grade 10</b>                  | 79.8%            | 18.0%                     | 1.1%                     | 0.4%                       | 0.7%                  |
| <b>Grade 11</b>                  | 81.2%            | 16.8%                     | 0.9%                     | 0.5%                       | 0.6%                  |
| <b>Grade 12</b>                  | 82.3%            | 15.4%                     | 1.2%                     | 0.4%                       | 0.6%                  |
| <b>Out in your neighbourhood</b> |                  |                           |                          |                            |                       |
| <b>All</b>                       | 42.1%            | 46.1%                     | 7.7%                     | 2.2%                       | 1.9%                  |
| <b>Grade 7</b>                   | 37.9%            | 47.9%                     | 9.0%                     | 2.6%                       | 2.6%                  |
| <b>Grade 8</b>                   | 37.8%            | 48.9%                     | 8.5%                     | 2.4%                       | 2.4%                  |
| <b>Grade 9</b>                   | 39.7%            | 47.9%                     | 7.7%                     | 2.2%                       | 2.5%                  |
| <b>Grade 10</b>                  | 43.0%            | 46.8%                     | 6.7%                     | 2.1%                       | 1.4%                  |
| <b>Grade 11</b>                  | 46.5%            | 43.1%                     | 7.2%                     | 2.0%                       | 1.2%                  |
| <b>Grade 12</b>                  | 49.6%            | 40.7%                     | 6.7%                     | 2.0%                       | 0.9%                  |
| <b>At school</b>                 |                  |                           |                          |                            |                       |
| <b>All</b>                       | 36.5%            | 47.9%                     | 8.8%                     | 3.9%                       | 2.9%                  |
| <b>Grade 7</b>                   | 43.5%            | 41.6%                     | 8.6%                     | 3.5%                       | 2.8%                  |
| <b>Grade 8</b>                   | 37.6%            | 45.9%                     | 9.3%                     | 3.4%                       | 3.9%                  |
| <b>Grade 9</b>                   | 33.2%            | 50.5%                     | 9.2%                     | 3.6%                       | 3.5%                  |
| <b>Grade 10</b>                  | 32.7%            | 51.8%                     | 8.3%                     | 4.4%                       | 2.7%                  |
| <b>Grade 11</b>                  | 34.3%            | 50.4%                     | 8.7%                     | 4.3%                       | 2.4%                  |
| <b>Grade 12</b>                  | 38.3%            | 47.1%                     | 8.7%                     | 4.1%                       | 1.8%                  |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

| CATEGORY                        | Yes            |
|---------------------------------|----------------|
| <b>A website or online chat</b> | All 25.0%      |
|                                 | Grade 7 18.0%  |
|                                 | Grade 8 23.1%  |
|                                 | Grade 9 26.8%  |
|                                 | Grade 10 26.7% |
|                                 | Grade 11 26.5% |
|                                 | Grade 12 29.3% |
| <b>Books, magazines, poster</b> | All 44.9%      |
|                                 | Grade 7 39.3%  |
|                                 | Grade 8 44.1%  |
|                                 | Grade 9 48.4%  |
|                                 | Grade 10 46.6% |
|                                 | Grade 11 44.5% |
|                                 | Grade 12 45.9% |
| <b>TV, radio, or other audi</b> | All 51.4%      |
|                                 | Grade 7 45.9%  |
|                                 | Grade 8 49.6%  |
|                                 | Grade 9 54.3%  |
|                                 | Grade 10 54.3% |
|                                 | Grade 11 51.2% |
|                                 | Grade 12 52.7% |
| <b>Your parents</b>             | All 47.4%      |
|                                 | Grade 7 48.8%  |
|                                 | Grade 8 48.0%  |
|                                 | Grade 9 49.9%  |
|                                 | Grade 10 48.3% |
|                                 | Grade 11 44.0% |
|                                 | Grade 12 44.1% |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 12.7%         | 17.7%          | 31.4%        | 68.6%         |
|                         | <b>Grade 7</b>  | 4.7%          | 6.8%           | 16.4%        | 83.6%         |
|                         | <b>Grade 8</b>  | 6.1%          | 9.6%           | 22.5%        | 77.5%         |
|                         | <b>Grade 9</b>  | 10.2%         | 15.8%          | 29.4%        | 70.6%         |
|                         | <b>Grade 10</b> | 15.4%         | 20.8%          | 35.5%        | 64.5%         |
|                         | <b>Grade 11</b> | 18.5%         | 25.4%          | 40.7%        | 59.3%         |
|                         | <b>Grade 12</b> | 24.0%         | 31.2%          | 47.5%        | 52.5%         |
| <b>Alcohol</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 30.3%         | 41.9%          | 63.3%        | 36.7%         |
|                         | <b>Grade 7</b>  | 16.9%         | 22.5%          | 44.8%        | 55.2%         |
|                         | <b>Grade 8</b>  | 22.2%         | 32.3%          | 56.1%        | 43.9%         |
|                         | <b>Grade 9</b>  | 29.1%         | 41.6%          | 64.1%        | 35.9%         |
|                         | <b>Grade 10</b> | 33.6%         | 47.3%          | 68.6%        | 31.4%         |
|                         | <b>Grade 11</b> | 37.7%         | 52.6%          | 72.4%        | 27.6%         |
|                         | <b>Grade 12</b> | 45.5%         | 58.7%          | 76.4%        | 23.6%         |
| <b>Inhalants</b>        |                 |               |                |              |               |
|                         | <b>All</b>      | 2.5%          | 4.0%           | 9.0%         | 91.0%         |
|                         | <b>Grade 7</b>  | 3.8%          | 5.6%           | 10.4%        | 89.6%         |
|                         | <b>Grade 8</b>  | 3.4%          | 5.4%           | 10.5%        | 89.5%         |
|                         | <b>Grade 9</b>  | 2.3%          | 3.9%           | 9.0%         | 91.0%         |
|                         | <b>Grade 10</b> | 2.0%          | 3.7%           | 9.2%         | 90.8%         |
|                         | <b>Grade 11</b> | 1.3%          | 2.5%           | 7.2%         | 92.8%         |
|                         | <b>Grade 12</b> | 1.9%          | 2.9%           | 6.9%         | 93.1%         |
| <b>Any Illicit Drug</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 11.7%         | 16.7%          | 26.8%        | 73.2%         |
|                         | <b>Grade 7</b>  | 5.1%          | 7.0%           | 11.5%        | 88.5%         |
|                         | <b>Grade 8</b>  | 6.7%          | 9.5%           | 16.8%        | 83.2%         |
|                         | <b>Grade 9</b>  | 11.5%         | 16.0%          | 25.3%        | 74.7%         |
|                         | <b>Grade 10</b> | 14.7%         | 20.9%          | 32.2%        | 67.8%         |
|                         | <b>Grade 11</b> | 16.2%         | 23.8%          | 37.8%        | 62.2%         |
|                         | <b>Grade 12</b> | 17.5%         | 25.3%          | 40.3%        | 59.7%         |
| <b>Marijuana</b>        |                 |               |                |              |               |
|                         | <b>All</b>      | 10.2%         | 15.2%          | 25.1%        | 74.9%         |
|                         | <b>Grade 7</b>  | 4.1%          | 5.8%           | 9.6%         | 90.4%         |
|                         | <b>Grade 8</b>  | 5.6%          | 8.2%           | 15.0%        | 85.0%         |
|                         | <b>Grade 9</b>  | 9.9%          | 14.2%          | 23.5%        | 76.5%         |
|                         | <b>Grade 10</b> | 12.8%         | 19.1%          | 30.5%        | 69.5%         |
|                         | <b>Grade 11</b> | 14.4%         | 22.1%          | 36.2%        | 63.8%         |
|                         | <b>Grade 12</b> | 15.4%         | 23.7%          | 39.4%        | 60.6%         |
| <b>Marijuana Only</b>   |                 |               |                |              |               |
|                         | <b>All</b>      | 4.1%          | 6.8%           | 13.7%        | 86.3%         |
|                         | <b>Grade 7</b>  | 1.9%          | 2.8%           | 5.6%         | 94.4%         |
|                         | <b>Grade 8</b>  | 2.7%          | 4.2%           | 9.2%         | 90.8%         |
|                         | <b>Grade 9</b>  | 4.4%          | 6.8%           | 13.2%        | 86.8%         |
|                         | <b>Grade 10</b> | 5.0%          | 8.3%           | 16.3%        | 83.7%         |
|                         | <b>Grade 11</b> | 5.5%          | 9.7%           | 19.0%        | 81.0%         |
|                         | <b>Grade 12</b> | 5.4%          | 9.7%           | 20.4%        | 79.6%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 1.9%          | 3.2%           | 6.2%         | 93.8%         |
|                         | Grade 7  | 0.9%          | 1.5%           | 2.6%         | 97.4%         |
|                         | Grade 8  | 1.2%          | 1.8%           | 3.7%         | 96.3%         |
|                         | Grade 9  | 1.8%          | 2.8%           | 5.0%         | 95.0%         |
|                         | Grade 10 | 2.2%          | 3.9%           | 7.3%         | 92.7%         |
|                         | Grade 11 | 2.4%          | 4.1%           | 8.9%         | 91.1%         |
|                         | Grade 12 | 2.9%          | 5.6%           | 10.6%        | 89.4%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 1.8%          | 3.0%           | 5.8%         | 94.2%         |
|                         | Grade 7  | 0.8%          | 1.2%           | 2.1%         | 97.9%         |
|                         | Grade 8  | 1.0%          | 1.5%           | 3.0%         | 97.0%         |
|                         | Grade 9  | 1.7%          | 2.5%           | 4.7%         | 95.3%         |
|                         | Grade 10 | 2.2%          | 3.8%           | 7.1%         | 92.9%         |
|                         | Grade 11 | 2.4%          | 4.0%           | 8.7%         | 91.3%         |
|                         | Grade 12 | 2.8%          | 5.6%           | 10.6%        | 89.4%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.5%          | 0.7%           | 1.5%         | 98.5%         |
|                         | Grade 7  | 0.4%          | 0.7%           | 1.3%         | 98.7%         |
|                         | Grade 8  | 0.4%          | 0.7%           | 1.6%         | 98.4%         |
|                         | Grade 9  | 0.5%          | 0.8%           | 1.5%         | 98.5%         |
|                         | Grade 10 | 0.4%          | 0.7%           | 1.7%         | 98.3%         |
|                         | Grade 11 | 0.3%          | 0.6%           | 1.3%         | 98.7%         |
|                         | Grade 12 | 0.7%          | 1.0%           | 1.9%         | 98.1%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 1.6%          | 2.6%           | 4.6%         | 95.4%         |
|                         | Grade 7  | 0.4%          | 0.7%           | 1.2%         | 98.8%         |
|                         | Grade 8  | 0.7%          | 1.0%           | 2.0%         | 98.0%         |
|                         | Grade 9  | 1.4%          | 2.3%           | 3.9%         | 96.1%         |
|                         | Grade 10 | 2.3%          | 3.3%           | 6.3%         | 93.7%         |
|                         | Grade 11 | 2.1%          | 3.6%           | 7.0%         | 93.0%         |
|                         | Grade 12 | 2.7%          | 4.9%           | 8.1%         | 91.9%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 2.1%          | 3.5%           | 5.6%         | 94.4%         |
|                         | Grade 7  | 0.7%          | 0.9%           | 1.4%         | 98.6%         |
|                         | Grade 8  | 0.8%          | 1.3%           | 2.2%         | 97.8%         |
|                         | Grade 9  | 1.8%          | 2.8%           | 4.6%         | 95.4%         |
|                         | Grade 10 | 3.0%          | 4.8%           | 7.3%         | 92.7%         |
|                         | Grade 11 | 3.2%          | 5.3%           | 8.9%         | 91.1%         |
|                         | Grade 12 | 3.7%          | 6.5%           | 10.6%        | 89.4%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 2.2%          | 3.5%           | 5.7%         | 94.3%         |
|                         | Grade 7  | 0.7%          | 1.0%           | 1.5%         | 98.5%         |
|                         | Grade 8  | 0.7%          | 1.0%           | 1.8%         | 98.2%         |
|                         | Grade 9  | 1.8%          | 2.7%           | 4.4%         | 95.6%         |
|                         | Grade 10 | 2.9%          | 4.9%           | 7.6%         | 92.4%         |
|                         | Grade 11 | 3.5%          | 5.5%           | 9.1%         | 90.9%         |
|                         | Grade 12 | 4.1%          | 6.9%           | 11.5%        | 88.5%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.7%                  | 1.0%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 7</b>  | 0.4%                  | 0.7%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.9%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 9</b>  | 0.8%                  | 1.1%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 10</b> | 1.0%                  | 1.6%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 12</b> | 0.7%                  | 1.0%                   | 1.9%                 | 98.1%                 |
| <b>Steroids</b> | <b>All</b>      | 0.6%                  | 0.9%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 7</b>  | 0.5%                  | 0.8%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 8</b>  | 0.5%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 9</b>  | 0.4%                  | 0.7%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 10</b> | 0.8%                  | 1.2%                   | 1.9%                 | 98.1%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 12</b> | 0.7%                  | 1.2%                   | 1.9%                 | 98.1%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 1.9%                  | 3.1%                   | 5.3%                 | 94.7%                 |
|                 | <b>Grade 7</b>  | 0.8%                  | 1.0%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 8</b>  | 0.9%                  | 1.4%                   | 2.4%                 | 97.6%                 |
|                 | <b>Grade 9</b>  | 1.7%                  | 2.7%                   | 4.4%                 | 95.6%                 |
|                 | <b>Grade 10</b> | 2.3%                  | 3.6%                   | 6.6%                 | 93.4%                 |
|                 | <b>Grade 11</b> | 2.4%                  | 4.5%                   | 8.2%                 | 91.8%                 |
|                 | <b>Grade 12</b> | 3.4%                  | 5.8%                   | 9.8%                 | 90.2%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.4%                  | 0.7%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 7</b>  | 0.5%                  | 0.6%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.6%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 9</b>  | 0.5%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 10</b> | 0.5%                  | 0.7%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 0.8%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 12</b> | 0.4%                  | 1.0%                   | 2.0%                 | 98.0%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          | <b>All</b>      | 14.9%                 | 20.2%                  | 34.2%                | 65.8%                 |
|                         | <b>Grade 7</b>  | 5.1%                  | 7.5%                   | 17.4%                | 82.6%                 |
|                         | <b>Grade 8</b>  | 6.3%                  | 10.3%                  | 24.3%                | 75.7%                 |
|                         | <b>Grade 9</b>  | 11.9%                 | 17.3%                  | 32.6%                | 67.4%                 |
|                         | <b>Grade 10</b> | 18.0%                 | 23.6%                  | 38.1%                | 61.9%                 |
|                         | <b>Grade 11</b> | 22.4%                 | 30.3%                  | 45.2%                | 54.8%                 |
|                         | <b>Grade 12</b> | 29.2%                 | 36.0%                  | 51.5%                | 48.5%                 |
| <b>Alcohol</b>          | <b>All</b>      | 30.2%                 | 41.0%                  | 62.1%                | 37.9%                 |
|                         | <b>Grade 7</b>  | 16.7%                 | 22.7%                  | 45.7%                | 54.3%                 |
|                         | <b>Grade 8</b>  | 21.0%                 | 30.8%                  | 54.3%                | 45.7%                 |
|                         | <b>Grade 9</b>  | 28.1%                 | 40.1%                  | 62.7%                | 37.3%                 |
|                         | <b>Grade 10</b> | 32.9%                 | 45.3%                  | 66.0%                | 34.0%                 |
|                         | <b>Grade 11</b> | 38.7%                 | 52.2%                  | 71.2%                | 28.8%                 |
|                         | <b>Grade 12</b> | 47.8%                 | 59.0%                  | 75.5%                | 24.5%                 |
| <b>Inhalants</b>        | <b>All</b>      | 2.1%                  | 3.6%                   | 8.4%                 | 91.6%                 |
|                         | <b>Grade 7</b>  | 2.8%                  | 5.1%                   | 9.7%                 | 90.3%                 |
|                         | <b>Grade 8</b>  | 2.4%                  | 4.0%                   | 8.2%                 | 91.8%                 |
|                         | <b>Grade 9</b>  | 1.7%                  | 3.1%                   | 7.9%                 | 92.1%                 |
|                         | <b>Grade 10</b> | 1.9%                  | 3.3%                   | 8.9%                 | 91.1%                 |
|                         | <b>Grade 11</b> | 1.4%                  | 2.9%                   | 7.8%                 | 92.2%                 |
|                         | <b>Grade 12</b> | 2.0%                  | 3.0%                   | 7.5%                 | 92.5%                 |
| <b>Any Illicit Drug</b> | <b>All</b>      | 13.1%                 | 18.3%                  | 28.7%                | 71.3%                 |
|                         | <b>Grade 7</b>  | 5.3%                  | 7.4%                   | 12.4%                | 87.6%                 |
|                         | <b>Grade 8</b>  | 7.1%                  | 9.9%                   | 17.4%                | 82.6%                 |
|                         | <b>Grade 9</b>  | 12.1%                 | 16.8%                  | 27.0%                | 73.0%                 |
|                         | <b>Grade 10</b> | 16.1%                 | 22.6%                  | 34.4%                | 65.6%                 |
|                         | <b>Grade 11</b> | 18.4%                 | 26.6%                  | 40.7%                | 59.3%                 |
|                         | <b>Grade 12</b> | 21.8%                 | 29.6%                  | 44.6%                | 55.4%                 |
| <b>Marijuana</b>        | <b>All</b>      | 11.6%                 | 17.1%                  | 27.7%                | 72.3%                 |
|                         | <b>Grade 7</b>  | 4.3%                  | 6.4%                   | 11.0%                | 89.0%                 |
|                         | <b>Grade 8</b>  | 6.4%                  | 9.1%                   | 16.3%                | 83.7%                 |
|                         | <b>Grade 9</b>  | 10.7%                 | 15.1%                  | 25.7%                | 74.3%                 |
|                         | <b>Grade 10</b> | 14.0%                 | 21.5%                  | 33.4%                | 66.6%                 |
|                         | <b>Grade 11</b> | 16.3%                 | 24.9%                  | 39.7%                | 60.3%                 |
|                         | <b>Grade 12</b> | 19.5%                 | 28.2%                  | 43.7%                | 56.3%                 |
| <b>Marijuana Only</b>   | <b>All</b>      | 4.7%                  | 7.8%                   | 15.3%                | 84.7%                 |
|                         | <b>Grade 7</b>  | 2.4%                  | 3.7%                   | 7.1%                 | 92.9%                 |
|                         | <b>Grade 8</b>  | 3.2%                  | 4.8%                   | 10.1%                | 89.9%                 |
|                         | <b>Grade 9</b>  | 4.8%                  | 7.3%                   | 15.0%                | 85.0%                 |
|                         | <b>Grade 10</b> | 5.7%                  | 9.7%                   | 18.2%                | 81.8%                 |
|                         | <b>Grade 11</b> | 6.0%                  | 11.0%                  | 21.3%                | 78.7%                 |
|                         | <b>Grade 12</b> | 6.6%                  | 11.2%                  | 22.1%                | 77.9%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 2.1%          | 3.2%           | 6.3%         | 93.7%         |
|                         | <b>Grade 7</b>  | 0.8%          | 0.9%           | 2.3%         | 97.7%         |
|                         | <b>Grade 8</b>  | 1.2%          | 1.7%           | 3.7%         | 96.3%         |
|                         | <b>Grade 9</b>  | 1.9%          | 2.6%           | 5.0%         | 95.0%         |
|                         | <b>Grade 10</b> | 2.6%          | 4.1%           | 8.0%         | 92.0%         |
|                         | <b>Grade 11</b> | 2.7%          | 4.4%           | 8.9%         | 91.1%         |
|                         | <b>Grade 12</b> | 3.9%          | 6.3%           | 11.3%        | 88.7%         |
| <b>Cocaine</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 2.0%          | 3.1%           | 6.0%         | 94.0%         |
|                         | <b>Grade 7</b>  | 0.6%          | 0.8%           | 1.8%         | 98.2%         |
|                         | <b>Grade 8</b>  | 1.0%          | 1.5%           | 3.2%         | 96.8%         |
|                         | <b>Grade 9</b>  | 1.6%          | 2.3%           | 4.7%         | 95.3%         |
|                         | <b>Grade 10</b> | 2.5%          | 4.0%           | 7.8%         | 92.2%         |
|                         | <b>Grade 11</b> | 2.5%          | 4.1%           | 8.6%         | 91.4%         |
|                         | <b>Grade 12</b> | 3.9%          | 6.2%           | 11.2%        | 88.8%         |
| <b>Crack</b>            |                 |               |                |              |               |
|                         | <b>All</b>      | 0.6%          | 0.8%           | 1.6%         | 98.4%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.4%           | 1.1%         | 98.9%         |
|                         | <b>Grade 8</b>  | 0.4%          | 0.5%           | 1.2%         | 98.8%         |
|                         | <b>Grade 9</b>  | 0.6%          | 0.8%           | 1.3%         | 98.7%         |
|                         | <b>Grade 10</b> | 0.6%          | 0.9%           | 2.1%         | 97.9%         |
|                         | <b>Grade 11</b> | 0.5%          | 0.9%           | 1.6%         | 98.4%         |
|                         | <b>Grade 12</b> | 1.1%          | 1.3%           | 2.4%         | 97.6%         |
| <b>Hallucinogens</b>    |                 |               |                |              |               |
|                         | <b>All</b>      | 2.2%          | 3.4%           | 5.7%         | 94.3%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.6%           | 1.2%         | 98.8%         |
|                         | <b>Grade 8</b>  | 0.9%          | 1.2%           | 2.3%         | 97.7%         |
|                         | <b>Grade 9</b>  | 1.9%          | 3.1%           | 4.8%         | 95.2%         |
|                         | <b>Grade 10</b> | 3.1%          | 4.5%           | 8.0%         | 92.0%         |
|                         | <b>Grade 11</b> | 3.1%          | 5.2%           | 9.2%         | 90.8%         |
|                         | <b>Grade 12</b> | 4.3%          | 6.7%           | 10.0%        | 90.0%         |
| <b>Uppers</b>           |                 |               |                |              |               |
|                         | <b>All</b>      | 2.1%          | 3.5%           | 5.4%         | 94.6%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.5%           | 1.0%         | 99.0%         |
|                         | <b>Grade 8</b>  | 0.7%          | 0.9%           | 1.8%         | 98.2%         |
|                         | <b>Grade 9</b>  | 1.7%          | 2.6%           | 4.2%         | 95.8%         |
|                         | <b>Grade 10</b> | 2.8%          | 4.6%           | 7.2%         | 92.8%         |
|                         | <b>Grade 11</b> | 3.5%          | 5.6%           | 9.0%         | 91.0%         |
|                         | <b>Grade 12</b> | 4.2%          | 7.4%           | 10.6%        | 89.4%         |
| <b>Downers</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 2.3%          | 3.6%           | 5.8%         | 94.2%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.5%           | 1.0%         | 99.0%         |
|                         | <b>Grade 8</b>  | 0.5%          | 0.7%           | 1.6%         | 98.4%         |
|                         | <b>Grade 9</b>  | 1.7%          | 2.6%           | 4.2%         | 95.8%         |
|                         | <b>Grade 10</b> | 2.8%          | 4.5%           | 7.7%         | 92.3%         |
|                         | <b>Grade 11</b> | 4.1%          | 6.2%           | 9.4%         | 90.6%         |
|                         | <b>Grade 12</b> | 5.1%          | 8.4%           | 12.6%        | 87.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.7%          | 1.1%           | 1.9%         | 98.1%         |
|                 | <b>Grade 7</b>  | 0.6%          | 0.8%           | 1.3%         | 98.7%         |
|                 | <b>Grade 8</b>  | 0.9%          | 1.0%           | 1.5%         | 98.5%         |
|                 | <b>Grade 9</b>  | 0.7%          | 1.0%           | 1.8%         | 98.2%         |
|                 | <b>Grade 10</b> | 1.0%          | 1.6%           | 2.5%         | 97.5%         |
|                 | <b>Grade 11</b> | 0.6%          | 1.0%           | 1.8%         | 98.2%         |
|                 | <b>Grade 12</b> | 0.8%          | 1.2%           | 2.3%         | 97.7%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.9%          | 1.4%           | 2.3%         | 97.7%         |
|                 | <b>Grade 7</b>  | 0.7%          | 1.2%           | 2.0%         | 98.0%         |
|                 | <b>Grade 8</b>  | 0.7%          | 1.0%           | 1.9%         | 98.1%         |
|                 | <b>Grade 9</b>  | 0.5%          | 0.9%           | 1.8%         | 98.2%         |
|                 | <b>Grade 10</b> | 1.3%          | 1.7%           | 2.5%         | 97.5%         |
|                 | <b>Grade 11</b> | 0.8%          | 1.6%           | 2.6%         | 97.4%         |
|                 | <b>Grade 12</b> | 1.4%          | 2.2%           | 3.3%         | 96.7%         |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 2.1%          | 3.4%           | 5.5%         | 94.5%         |
|                 | <b>Grade 7</b>  | 0.5%          | 0.8%           | 1.3%         | 98.7%         |
|                 | <b>Grade 8</b>  | 0.8%          | 1.3%           | 1.9%         | 98.1%         |
|                 | <b>Grade 9</b>  | 1.7%          | 2.6%           | 4.2%         | 95.8%         |
|                 | <b>Grade 10</b> | 2.9%          | 4.0%           | 7.0%         | 93.0%         |
|                 | <b>Grade 11</b> | 3.0%          | 5.4%           | 8.8%         | 91.2%         |
|                 | <b>Grade 12</b> | 4.4%          | 7.0%           | 10.9%        | 89.1%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 0.4%          | 0.9%           | 1.5%         | 98.5%         |
|                 | <b>Grade 7</b>  | 0.3%          | 0.5%           | 0.8%         | 99.2%         |
|                 | <b>Grade 8</b>  | 0.2%          | 0.5%           | 1.1%         | 98.9%         |
|                 | <b>Grade 9</b>  | 0.5%          | 0.7%           | 1.3%         | 98.7%         |
|                 | <b>Grade 10</b> | 0.6%          | 1.1%           | 1.7%         | 98.3%         |
|                 | <b>Grade 11</b> | 0.6%          | 0.9%           | 1.6%         | 98.4%         |
|                 | <b>Grade 12</b> | 0.6%          | 1.7%           | 2.7%         | 97.3%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 10.7%                 | 15.5%                  | 28.8%                | 71.2%                 |
|                         | <b>Grade 7</b>  | 4.2%                  | 6.2%                   | 15.4%                | 84.6%                 |
|                         | <b>Grade 8</b>  | 5.8%                  | 9.0%                   | 20.8%                | 79.2%                 |
|                         | <b>Grade 9</b>  | 8.8%                  | 14.4%                  | 26.7%                | 73.3%                 |
|                         | <b>Grade 10</b> | 12.9%                 | 18.3%                  | 33.0%                | 67.0%                 |
|                         | <b>Grade 11</b> | 14.9%                 | 20.8%                  | 36.5%                | 63.5%                 |
|                         | <b>Grade 12</b> | 19.3%                 | 26.8%                  | 44.0%                | 56.0%                 |
| <b>Alcohol</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 30.3%                 | 42.7%                  | 64.4%                | 35.6%                 |
|                         | <b>Grade 7</b>  | 17.1%                 | 22.3%                  | 44.1%                | 55.9%                 |
|                         | <b>Grade 8</b>  | 23.4%                 | 33.9%                  | 57.9%                | 42.1%                 |
|                         | <b>Grade 9</b>  | 30.1%                 | 43.1%                  | 65.4%                | 34.6%                 |
|                         | <b>Grade 10</b> | 34.1%                 | 49.0%                  | 70.9%                | 29.1%                 |
|                         | <b>Grade 11</b> | 36.7%                 | 52.9%                  | 73.5%                | 26.5%                 |
|                         | <b>Grade 12</b> | 43.2%                 | 58.5%                  | 77.1%                | 22.9%                 |
| <b>Inhalants</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 2.9%                  | 4.5%                   | 9.5%                 | 90.5%                 |
|                         | <b>Grade 7</b>  | 4.7%                  | 6.1%                   | 11.1%                | 88.9%                 |
|                         | <b>Grade 8</b>  | 4.3%                  | 6.6%                   | 12.5%                | 87.5%                 |
|                         | <b>Grade 9</b>  | 2.8%                  | 4.6%                   | 10.0%                | 90.0%                 |
|                         | <b>Grade 10</b> | 2.0%                  | 4.2%                   | 9.5%                 | 90.5%                 |
|                         | <b>Grade 11</b> | 1.1%                  | 2.0%                   | 6.7%                 | 93.3%                 |
|                         | <b>Grade 12</b> | 1.9%                  | 2.9%                   | 6.5%                 | 93.5%                 |
| <b>Any Illicit Drug</b> |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 10.4%                 | 15.2%                  | 25.0%                | 75.0%                 |
|                         | <b>Grade 7</b>  | 5.0%                  | 6.6%                   | 10.8%                | 89.2%                 |
|                         | <b>Grade 8</b>  | 6.3%                  | 9.0%                   | 16.2%                | 83.8%                 |
|                         | <b>Grade 9</b>  | 10.9%                 | 15.4%                  | 23.9%                | 76.1%                 |
|                         | <b>Grade 10</b> | 13.6%                 | 19.5%                  | 30.3%                | 69.7%                 |
|                         | <b>Grade 11</b> | 14.0%                 | 20.9%                  | 35.0%                | 65.0%                 |
|                         | <b>Grade 12</b> | 13.6%                 | 21.5%                  | 36.5%                | 63.5%                 |
| <b>Marijuana</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 8.9%                  | 13.4%                  | 22.8%                | 77.2%                 |
|                         | <b>Grade 7</b>  | 3.9%                  | 5.2%                   | 8.4%                 | 91.6%                 |
|                         | <b>Grade 8</b>  | 4.8%                  | 7.4%                   | 13.7%                | 86.3%                 |
|                         | <b>Grade 9</b>  | 9.2%                  | 13.5%                  | 21.6%                | 78.4%                 |
|                         | <b>Grade 10</b> | 11.7%                 | 17.1%                  | 28.0%                | 72.0%                 |
|                         | <b>Grade 11</b> | 12.5%                 | 19.3%                  | 32.8%                | 67.2%                 |
|                         | <b>Grade 12</b> | 11.7%                 | 19.6%                  | 35.5%                | 64.5%                 |
| <b>Marijuana Only</b>   |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 3.5%                  | 5.8%                   | 12.1%                | 87.9%                 |
|                         | <b>Grade 7</b>  | 1.5%                  | 2.0%                   | 4.2%                 | 95.8%                 |
|                         | <b>Grade 8</b>  | 2.2%                  | 3.7%                   | 8.2%                 | 91.8%                 |
|                         | <b>Grade 9</b>  | 4.1%                  | 6.3%                   | 11.7%                | 88.3%                 |
|                         | <b>Grade 10</b> | 4.3%                  | 7.0%                   | 14.6%                | 85.4%                 |
|                         | <b>Grade 11</b> | 4.7%                  | 8.2%                   | 16.8%                | 83.2%                 |
|                         | <b>Grade 12</b> | 4.3%                  | 8.3%                   | 18.7%                | 81.3%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 1.7%          | 3.2%           | 6.1%         | 93.9%         |
|                         | <b>Grade 7</b>  | 1.0%          | 2.0%           | 2.9%         | 97.1%         |
|                         | <b>Grade 8</b>  | 1.2%          | 2.0%           | 3.7%         | 96.3%         |
|                         | <b>Grade 9</b>  | 1.8%          | 2.9%           | 5.1%         | 94.9%         |
|                         | <b>Grade 10</b> | 1.9%          | 3.7%           | 6.7%         | 93.3%         |
|                         | <b>Grade 11</b> | 2.2%          | 3.9%           | 9.0%         | 91.0%         |
|                         | <b>Grade 12</b> | 1.9%          | 4.9%           | 10.0%        | 90.0%         |
| <b>Cocaine</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 1.6%          | 3.0%           | 5.7%         | 94.3%         |
|                         | <b>Grade 7</b>  | 0.9%          | 1.6%           | 2.3%         | 97.7%         |
|                         | <b>Grade 8</b>  | 1.0%          | 1.6%           | 2.8%         | 97.2%         |
|                         | <b>Grade 9</b>  | 1.8%          | 2.7%           | 4.7%         | 95.3%         |
|                         | <b>Grade 10</b> | 1.8%          | 3.7%           | 6.5%         | 93.5%         |
|                         | <b>Grade 11</b> | 2.2%          | 3.9%           | 8.9%         | 91.1%         |
|                         | <b>Grade 12</b> | 1.9%          | 5.0%           | 10.0%        | 90.0%         |
| <b>Crack</b>            |                 |               |                |              |               |
|                         | <b>All</b>      | 0.4%          | 0.7%           | 1.5%         | 98.5%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.9%           | 1.4%         | 98.6%         |
|                         | <b>Grade 8</b>  | 0.5%          | 0.9%           | 1.9%         | 98.1%         |
|                         | <b>Grade 9</b>  | 0.5%          | 0.9%           | 1.7%         | 98.3%         |
|                         | <b>Grade 10</b> | 0.3%          | 0.5%           | 1.3%         | 98.7%         |
|                         | <b>Grade 11</b> | 0.2%          | 0.3%           | 1.1%         | 98.9%         |
|                         | <b>Grade 12</b> | 0.4%          | 0.7%           | 1.4%         | 98.6%         |
| <b>Hallucinogens</b>    |                 |               |                |              |               |
|                         | <b>All</b>      | 1.0%          | 1.8%           | 3.6%         | 96.4%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.8%           | 1.2%         | 98.8%         |
|                         | <b>Grade 8</b>  | 0.5%          | 0.8%           | 1.7%         | 98.3%         |
|                         | <b>Grade 9</b>  | 0.9%          | 1.6%           | 3.1%         | 96.9%         |
|                         | <b>Grade 10</b> | 1.5%          | 2.3%           | 4.8%         | 95.2%         |
|                         | <b>Grade 11</b> | 1.2%          | 2.2%           | 5.1%         | 94.9%         |
|                         | <b>Grade 12</b> | 1.4%          | 3.3%           | 6.5%         | 93.5%         |
| <b>Uppers</b>           |                 |               |                |              |               |
|                         | <b>All</b>      | 2.2%          | 3.5%           | 5.8%         | 94.2%         |
|                         | <b>Grade 7</b>  | 0.9%          | 1.2%           | 1.8%         | 98.2%         |
|                         | <b>Grade 8</b>  | 1.0%          | 1.5%           | 2.4%         | 97.6%         |
|                         | <b>Grade 9</b>  | 2.0%          | 3.1%           | 5.0%         | 95.0%         |
|                         | <b>Grade 10</b> | 3.2%          | 5.1%           | 7.5%         | 92.5%         |
|                         | <b>Grade 11</b> | 2.8%          | 5.1%           | 8.9%         | 91.1%         |
|                         | <b>Grade 12</b> | 3.3%          | 5.7%           | 10.7%        | 89.3%         |
| <b>Downers</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 2.1%          | 3.4%           | 5.7%         | 94.3%         |
|                         | <b>Grade 7</b>  | 0.9%          | 1.4%           | 1.9%         | 98.1%         |
|                         | <b>Grade 8</b>  | 0.7%          | 1.2%           | 1.9%         | 98.1%         |
|                         | <b>Grade 9</b>  | 1.9%          | 2.9%           | 4.5%         | 95.5%         |
|                         | <b>Grade 10</b> | 3.0%          | 5.2%           | 7.5%         | 92.5%         |
|                         | <b>Grade 11</b> | 3.0%          | 5.0%           | 8.8%         | 91.2%         |
|                         | <b>Grade 12</b> | 3.2%          | 5.6%           | 10.5%        | 89.5%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.6%                  | 1.0%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 7</b>  | 0.3%                  | 0.6%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 8</b>  | 0.4%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 9</b>  | 1.0%                  | 1.2%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 10</b> | 1.0%                  | 1.6%                   | 2.9%                 | 97.1%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 0.8%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 12</b> | 0.6%                  | 0.8%                   | 1.6%                 | 98.4%                 |
| <b>Steroids</b> | <b>All</b>      | 0.3%                  | 0.5%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 7</b>  | 0.3%                  | 0.4%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.5%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 9</b>  | 0.3%                  | 0.5%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 10</b> | 0.4%                  | 0.7%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 11</b> | 0.2%                  | 0.3%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 12</b> | 0.1%                  | 0.3%                   | 0.7%                 | 99.3%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 1.7%                  | 2.8%                   | 5.2%                 | 94.8%                 |
|                 | <b>Grade 7</b>  | 1.0%                  | 1.2%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 8</b>  | 1.0%                  | 1.6%                   | 2.8%                 | 97.2%                 |
|                 | <b>Grade 9</b>  | 1.7%                  | 2.8%                   | 4.5%                 | 95.5%                 |
|                 | <b>Grade 10</b> | 1.8%                  | 3.2%                   | 6.3%                 | 93.7%                 |
|                 | <b>Grade 11</b> | 1.9%                  | 3.8%                   | 7.7%                 | 92.3%                 |
|                 | <b>Grade 12</b> | 2.6%                  | 4.7%                   | 8.9%                 | 91.1%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.4%                  | 0.6%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 7</b>  | 0.6%                  | 0.7%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 8</b>  | 0.4%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 9</b>  | 0.5%                  | 0.7%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 10</b> | 0.3%                  | 0.4%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 11</b> | 0.4%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 12</b> | 0.3%                  | 0.5%                   | 1.3%                 | 98.7%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 15.2%                 | 20.8%                  | 31.6%                | 68.4%                 |
|                         | <b>Grade 7</b>  | 2.7%                  | 4.8%                   | 12.9%                | 87.1%                 |
|                         | <b>Grade 8</b>  | 6.5%                  | 10.8%                  | 20.2%                | 79.8%                 |
|                         | <b>Grade 9</b>  | 11.6%                 | 16.6%                  | 27.2%                | 72.8%                 |
|                         | <b>Grade 10</b> | 19.7%                 | 25.6%                  | 37.3%                | 62.7%                 |
|                         | <b>Grade 11</b> | 23.0%                 | 31.1%                  | 42.5%                | 57.5%                 |
|                         | <b>Grade 12</b> | 28.6%                 | 37.1%                  | 50.5%                | 49.5%                 |
| <b>Alcohol</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 28.8%                 | 40.7%                  | 59.9%                | 40.1%                 |
|                         | <b>Grade 7</b>  | 10.5%                 | 16.4%                  | 37.8%                | 62.2%                 |
|                         | <b>Grade 8</b>  | 17.2%                 | 28.0%                  | 49.2%                | 50.8%                 |
|                         | <b>Grade 9</b>  | 25.7%                 | 38.8%                  | 59.5%                | 40.5%                 |
|                         | <b>Grade 10</b> | 33.5%                 | 47.7%                  | 65.6%                | 34.4%                 |
|                         | <b>Grade 11</b> | 38.6%                 | 53.1%                  | 70.0%                | 30.0%                 |
|                         | <b>Grade 12</b> | 48.7%                 | 61.0%                  | 77.5%                | 22.5%                 |
| <b>Inhalants</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 1.9%                  | 3.5%                   | 8.3%                 | 91.7%                 |
|                         | <b>Grade 7</b>  | 2.7%                  | 4.0%                   | 7.9%                 | 92.1%                 |
|                         | <b>Grade 8</b>  | 2.6%                  | 4.7%                   | 9.3%                 | 90.7%                 |
|                         | <b>Grade 9</b>  | 1.7%                  | 3.5%                   | 7.8%                 | 92.2%                 |
|                         | <b>Grade 10</b> | 1.4%                  | 3.0%                   | 9.7%                 | 90.3%                 |
|                         | <b>Grade 11</b> | 1.2%                  | 2.6%                   | 7.7%                 | 92.3%                 |
|                         | <b>Grade 12</b> | 1.8%                  | 2.9%                   | 7.2%                 | 92.8%                 |
| <b>Any Illicit Drug</b> |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 10.4%                 | 15.3%                  | 23.2%                | 76.8%                 |
|                         | <b>Grade 7</b>  | 2.1%                  | 3.3%                   | 6.1%                 | 93.9%                 |
|                         | <b>Grade 8</b>  | 4.4%                  | 6.8%                   | 11.6%                | 88.4%                 |
|                         | <b>Grade 9</b>  | 8.6%                  | 12.7%                  | 19.0%                | 81.0%                 |
|                         | <b>Grade 10</b> | 12.9%                 | 19.2%                  | 27.9%                | 72.1%                 |
|                         | <b>Grade 11</b> | 17.1%                 | 24.8%                  | 35.4%                | 64.6%                 |
|                         | <b>Grade 12</b> | 18.1%                 | 25.9%                  | 40.0%                | 60.0%                 |
| <b>Marijuana</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 9.0%                  | 13.9%                  | 21.6%                | 78.4%                 |
|                         | <b>Grade 7</b>  | 1.5%                  | 2.6%                   | 4.8%                 | 95.2%                 |
|                         | <b>Grade 8</b>  | 3.5%                  | 5.8%                   | 9.9%                 | 90.1%                 |
|                         | <b>Grade 9</b>  | 7.3%                  | 11.1%                  | 16.8%                | 83.2%                 |
|                         | <b>Grade 10</b> | 10.9%                 | 17.1%                  | 26.1%                | 73.9%                 |
|                         | <b>Grade 11</b> | 15.1%                 | 23.2%                  | 33.6%                | 66.4%                 |
|                         | <b>Grade 12</b> | 15.8%                 | 24.5%                  | 39.3%                | 60.7%                 |
| <b>Marijuana Only</b>   |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 2.9%                  | 5.3%                   | 10.5%                | 89.5%                 |
|                         | <b>Grade 7</b>  | 0.6%                  | 1.0%                   | 2.7%                 | 97.3%                 |
|                         | <b>Grade 8</b>  | 1.4%                  | 2.7%                   | 5.6%                 | 94.4%                 |
|                         | <b>Grade 9</b>  | 3.2%                  | 5.2%                   | 9.3%                 | 90.7%                 |
|                         | <b>Grade 10</b> | 3.0%                  | 5.9%                   | 12.0%                | 88.0%                 |
|                         | <b>Grade 11</b> | 4.3%                  | 8.5%                   | 15.5%                | 84.5%                 |
|                         | <b>Grade 12</b> | 4.7%                  | 8.4%                   | 18.4%                | 81.6%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 1.3%          | 2.6%           | 5.2%         | 94.8%         |
|                         | <b>Grade 7</b>  | 0.3%          | 0.5%           | 1.3%         | 98.7%         |
|                         | <b>Grade 8</b>  | 0.7%          | 1.2%           | 2.5%         | 97.5%         |
|                         | <b>Grade 9</b>  | 0.9%          | 1.7%           | 2.8%         | 97.2%         |
|                         | <b>Grade 10</b> | 1.5%          | 3.0%           | 6.0%         | 94.0%         |
|                         | <b>Grade 11</b> | 1.9%          | 3.8%           | 8.1%         | 91.9%         |
|                         | <b>Grade 12</b> | 2.3%          | 5.9%           | 10.7%        | 89.3%         |
| <b>Cocaine</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 1.2%          | 2.5%           | 4.9%         | 95.1%         |
|                         | <b>Grade 7</b>  | 0.3%          | 0.4%           | 0.8%         | 99.2%         |
|                         | <b>Grade 8</b>  | 0.6%          | 1.0%           | 2.0%         | 98.0%         |
|                         | <b>Grade 9</b>  | 0.8%          | 1.4%           | 2.5%         | 97.5%         |
|                         | <b>Grade 10</b> | 1.5%          | 3.0%           | 5.9%         | 94.1%         |
|                         | <b>Grade 11</b> | 1.8%          | 3.7%           | 8.0%         | 92.0%         |
|                         | <b>Grade 12</b> | 2.3%          | 5.9%           | 10.8%        | 89.2%         |
| <b>Crack</b>            |                 |               |                |              |               |
|                         | <b>All</b>      | 0.3%          | 0.6%           | 1.3%         | 98.7%         |
|                         | <b>Grade 7</b>  | 0.1%          | 0.2%           | 0.8%         | 99.2%         |
|                         | <b>Grade 8</b>  | 0.3%          | 0.6%           | 1.4%         | 98.6%         |
|                         | <b>Grade 9</b>  | 0.2%          | 0.5%           | 0.9%         | 99.1%         |
|                         | <b>Grade 10</b> | 0.4%          | 0.7%           | 1.6%         | 98.4%         |
|                         | <b>Grade 11</b> | 0.4%          | 0.6%           | 1.2%         | 98.8%         |
|                         | <b>Grade 12</b> | 0.5%          | 0.8%           | 1.8%         | 98.2%         |
| <b>Hallucinogens</b>    |                 |               |                |              |               |
|                         | <b>All</b>      | 2.1%          | 3.6%           | 6.1%         | 93.9%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.8%           | 1.3%         | 98.7%         |
|                         | <b>Grade 8</b>  | 0.9%          | 1.3%           | 2.3%         | 97.7%         |
|                         | <b>Grade 9</b>  | 1.5%          | 2.5%           | 4.4%         | 95.6%         |
|                         | <b>Grade 10</b> | 3.1%          | 4.7%           | 8.2%         | 91.8%         |
|                         | <b>Grade 11</b> | 3.1%          | 5.4%           | 9.9%         | 90.1%         |
|                         | <b>Grade 12</b> | 3.6%          | 6.9%           | 10.8%        | 89.2%         |
| <b>Uppers</b>           |                 |               |                |              |               |
|                         | <b>All</b>      | 2.6%          | 4.6%           | 7.3%         | 92.7%         |
|                         | <b>Grade 7</b>  | 0.3%          | 0.6%           | 0.9%         | 99.1%         |
|                         | <b>Grade 8</b>  | 1.1%          | 1.6%           | 2.3%         | 97.7%         |
|                         | <b>Grade 9</b>  | 2.2%          | 3.3%           | 5.2%         | 94.8%         |
|                         | <b>Grade 10</b> | 3.9%          | 6.5%           | 9.4%         | 90.6%         |
|                         | <b>Grade 11</b> | 4.5%          | 7.6%           | 12.3%        | 87.7%         |
|                         | <b>Grade 12</b> | 4.0%          | 8.3%           | 14.1%        | 85.9%         |
| <b>Downers</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 2.8%          | 4.6%           | 7.1%         | 92.9%         |
|                         | <b>Grade 7</b>  | 0.4%          | 0.7%           | 0.9%         | 99.1%         |
|                         | <b>Grade 8</b>  | 0.6%          | 1.1%           | 1.6%         | 98.4%         |
|                         | <b>Grade 9</b>  | 2.0%          | 3.2%           | 4.6%         | 95.4%         |
|                         | <b>Grade 10</b> | 3.6%          | 6.2%           | 9.3%         | 90.7%         |
|                         | <b>Grade 11</b> | 5.0%          | 7.8%           | 12.0%        | 88.0%         |
|                         | <b>Grade 12</b> | 5.2%          | 9.3%           | 14.6%        | 85.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.5%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 7</b>  | 0.1%                  | 0.2%                   | 0.4%                 | 99.6%                 |
|                 | <b>Grade 8</b>  | 0.4%                  | 0.6%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 9</b>  | 0.6%                  | 0.8%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 10</b> | 0.6%                  | 1.0%                   | 2.4%                 | 97.6%                 |
|                 | <b>Grade 11</b> | 0.7%                  | 1.2%                   | 2.2%                 | 97.8%                 |
|                 | <b>Grade 12</b> | 0.5%                  | 0.8%                   | 2.0%                 | 98.0%                 |
| <b>Steroids</b> | <b>All</b>      | 0.6%                  | 1.0%                   | 1.9%                 | 98.1%                 |
|                 | <b>Grade 7</b>  | 0.4%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.4%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 9</b>  | 0.5%                  | 0.7%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 10</b> | 1.1%                  | 1.4%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 11</b> | 0.6%                  | 0.9%                   | 2.1%                 | 97.9%                 |
|                 | <b>Grade 12</b> | 1.0%                  | 1.6%                   | 2.4%                 | 97.6%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 1.8%                  | 3.4%                   | 5.7%                 | 94.3%                 |
|                 | <b>Grade 7</b>  | 0.3%                  | 0.5%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 8</b>  | 0.8%                  | 1.2%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 9</b>  | 1.5%                  | 2.4%                   | 3.4%                 | 96.6%                 |
|                 | <b>Grade 10</b> | 2.1%                  | 3.9%                   | 7.3%                 | 92.7%                 |
|                 | <b>Grade 11</b> | 2.7%                  | 5.7%                   | 9.8%                 | 90.2%                 |
|                 | <b>Grade 12</b> | 3.8%                  | 6.6%                   | 11.5%                | 88.5%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.3%                  | 0.6%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 7</b>  | 0.1%                  | 0.2%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.6%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 9</b>  | 0.3%                  | 0.5%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 10</b> | 0.3%                  | 0.6%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 11</b> | 0.3%                  | 0.7%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 12</b> | 0.4%                  | 0.9%                   | 2.1%                 | 97.9%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 6.5%                  | 9.2%                   | 22.9%                | 77.1%                 |
|                         | <b>Grade 7</b>  | 4.3%                  | 6.0%                   | 17.2%                | 82.8%                 |
|                         | <b>Grade 8</b>  | 2.2%                  | 3.7%                   | 17.9%                | 82.1%                 |
|                         | <b>Grade 9</b>  | 7.0%                  | 10.6%                  | 24.2%                | 75.8%                 |
|                         | <b>Grade 10</b> | 6.7%                  | 9.7%                   | 21.9%                | 78.1%                 |
|                         | <b>Grade 11</b> | 6.4%                  | 9.8%                   | 26.3%                | 73.7%                 |
|                         | <b>Grade 12</b> | 13.4%                 | 16.7%                  | 31.4%                | 68.6%                 |
| <b>Alcohol</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 25.3%                 | 35.9%                  | 60.3%                | 39.7%                 |
|                         | <b>Grade 7</b>  | 20.2%                 | 24.4%                  | 47.1%                | 52.9%                 |
|                         | <b>Grade 8</b>  | 20.5%                 | 30.9%                  | 57.9%                | 42.1%                 |
|                         | <b>Grade 9</b>  | 24.9%                 | 36.5%                  | 61.2%                | 38.8%                 |
|                         | <b>Grade 10</b> | 24.7%                 | 35.4%                  | 63.7%                | 36.3%                 |
|                         | <b>Grade 11</b> | 28.6%                 | 42.7%                  | 68.2%                | 31.8%                 |
|                         | <b>Grade 12</b> | 34.8%                 | 48.2%                  | 64.9%                | 35.1%                 |
| <b>Inhalants</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 2.0%                  | 2.9%                   | 5.9%                 | 94.1%                 |
|                         | <b>Grade 7</b>  | 3.6%                  | 4.6%                   | 8.9%                 | 91.1%                 |
|                         | <b>Grade 8</b>  | 2.1%                  | 3.4%                   | 8.1%                 | 91.9%                 |
|                         | <b>Grade 9</b>  | 1.9%                  | 2.3%                   | 5.6%                 | 94.4%                 |
|                         | <b>Grade 10</b> | 1.1%                  | 1.6%                   | 3.5%                 | 96.5%                 |
|                         | <b>Grade 11</b> | 1.0%                  | 2.0%                   | 4.4%                 | 95.6%                 |
|                         | <b>Grade 12</b> | 2.7%                  | 3.4%                   | 4.7%                 | 95.3%                 |
| <b>Any Illicit Drug</b> |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 10.7%                 | 15.1%                  | 25.4%                | 74.6%                 |
|                         | <b>Grade 7</b>  | 6.3%                  | 8.4%                   | 13.4%                | 86.6%                 |
|                         | <b>Grade 8</b>  | 5.1%                  | 6.7%                   | 14.1%                | 85.9%                 |
|                         | <b>Grade 9</b>  | 10.2%                 | 14.2%                  | 24.8%                | 75.2%                 |
|                         | <b>Grade 10</b> | 14.5%                 | 21.6%                  | 33.3%                | 66.7%                 |
|                         | <b>Grade 11</b> | 11.8%                 | 17.8%                  | 34.7%                | 65.3%                 |
|                         | <b>Grade 12</b> | 17.6%                 | 23.9%                  | 34.9%                | 65.1%                 |
| <b>Marijuana</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 9.7%                  | 14.1%                  | 24.6%                | 75.4%                 |
|                         | <b>Grade 7</b>  | 5.2%                  | 7.2%                   | 11.3%                | 88.7%                 |
|                         | <b>Grade 8</b>  | 4.2%                  | 5.7%                   | 13.1%                | 86.9%                 |
|                         | <b>Grade 9</b>  | 9.2%                  | 13.0%                  | 24.2%                | 75.8%                 |
|                         | <b>Grade 10</b> | 13.6%                 | 20.6%                  | 32.3%                | 67.7%                 |
|                         | <b>Grade 11</b> | 10.9%                 | 16.8%                  | 34.7%                | 65.3%                 |
|                         | <b>Grade 12</b> | 16.5%                 | 23.1%                  | 34.6%                | 65.4%                 |
| <b>Marijuana Only</b>   |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 6.0%                  | 9.4%                   | 18.3%                | 81.7%                 |
|                         | <b>Grade 7</b>  | 3.0%                  | 4.7%                   | 8.4%                 | 91.6%                 |
|                         | <b>Grade 8</b>  | 3.1%                  | 4.3%                   | 10.7%                | 89.3%                 |
|                         | <b>Grade 9</b>  | 5.4%                  | 8.4%                   | 17.1%                | 82.9%                 |
|                         | <b>Grade 10</b> | 9.1%                  | 14.5%                  | 25.3%                | 74.7%                 |
|                         | <b>Grade 11</b> | 7.7%                  | 12.2%                  | 27.8%                | 72.2%                 |
|                         | <b>Grade 12</b> | 8.7%                  | 13.6%                  | 22.5%                | 77.5%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 0.9%          | 1.3%           | 1.9%         | 98.1%         |
|                         | <b>Grade 7</b>  | 0.5%          | 1.0%           | 1.1%         | 98.9%         |
|                         | <b>Grade 8</b>  | 0.6%          | 0.7%           | 1.2%         | 98.8%         |
|                         | <b>Grade 9</b>  | 0.9%          | 1.1%           | 1.6%         | 98.4%         |
|                         | <b>Grade 10</b> | 0.6%          | 1.4%           | 2.6%         | 97.4%         |
|                         | <b>Grade 11</b> | 0.6%          | 0.9%           | 1.2%         | 98.8%         |
|                         | <b>Grade 12</b> | 2.3%          | 3.2%           | 4.3%         | 95.7%         |
| <b>Cocaine</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 0.7%          | 1.2%           | 1.7%         | 98.3%         |
|                         | <b>Grade 7</b>  | 0.5%          | 1.0%           | 1.0%         | 99.0%         |
|                         | <b>Grade 8</b>  | 0.2%          | 0.3%           | 0.7%         | 99.3%         |
|                         | <b>Grade 9</b>  | 0.6%          | 0.9%           | 1.4%         | 98.6%         |
|                         | <b>Grade 10</b> | 0.6%          | 1.4%           | 2.3%         | 97.7%         |
|                         | <b>Grade 11</b> | 0.6%          | 0.9%           | 1.1%         | 98.9%         |
|                         | <b>Grade 12</b> | 2.3%          | 3.2%           | 4.3%         | 95.7%         |
| <b>Crack</b>            |                 |               |                |              |               |
|                         | <b>All</b>      | 0.6%          | 0.8%           | 1.0%         | 99.0%         |
|                         | <b>Grade 7</b>  | 0.5%          | 0.5%           | 0.5%         | 99.5%         |
|                         | <b>Grade 8</b>  | 0.5%          | 0.6%           | 0.8%         | 99.2%         |
|                         | <b>Grade 9</b>  | 0.6%          | 0.8%           | 0.8%         | 99.2%         |
|                         | <b>Grade 10</b> | 0.1%          | 0.4%           | 0.8%         | 99.2%         |
|                         | <b>Grade 11</b> | 0.1%          | 0.4%           | 0.6%         | 99.4%         |
|                         | <b>Grade 12</b> | 2.1%          | 2.1%           | 2.7%         | 97.3%         |
| <b>Hallucinogens</b>    |                 |               |                |              |               |
|                         | <b>All</b>      | 0.9%          | 1.1%           | 1.7%         | 98.3%         |
|                         | <b>Grade 7</b>  | 0.7%          | 0.7%           | 0.8%         | 99.2%         |
|                         | <b>Grade 8</b>  | 0.3%          | 0.4%           | 0.6%         | 99.4%         |
|                         | <b>Grade 9</b>  | 1.1%          | 1.3%           | 1.8%         | 98.2%         |
|                         | <b>Grade 10</b> | 0.6%          | 0.7%           | 1.8%         | 98.2%         |
|                         | <b>Grade 11</b> | 0.5%          | 0.8%           | 1.2%         | 98.8%         |
|                         | <b>Grade 12</b> | 2.6%          | 3.1%           | 4.9%         | 95.1%         |
| <b>Uppers</b>           |                 |               |                |              |               |
|                         | <b>All</b>      | 1.1%          | 1.7%           | 2.3%         | 97.7%         |
|                         | <b>Grade 7</b>  | 1.3%          | 1.8%           | 2.9%         | 97.1%         |
|                         | <b>Grade 8</b>  | 0.4%          | 0.7%           | 1.0%         | 99.0%         |
|                         | <b>Grade 9</b>  | 0.4%          | 1.0%           | 1.6%         | 98.4%         |
|                         | <b>Grade 10</b> | 1.5%          | 2.0%           | 3.1%         | 96.9%         |
|                         | <b>Grade 11</b> | 0.8%          | 1.0%           | 1.3%         | 98.7%         |
|                         | <b>Grade 12</b> | 2.6%          | 4.0%           | 4.6%         | 95.4%         |
| <b>Downers</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 1.3%          | 1.8%           | 2.9%         | 97.1%         |
|                         | <b>Grade 7</b>  | 0.7%          | 1.7%           | 2.7%         | 97.3%         |
|                         | <b>Grade 8</b>  | 0.5%          | 0.8%           | 1.1%         | 98.9%         |
|                         | <b>Grade 9</b>  | 0.7%          | 0.9%           | 1.8%         | 98.2%         |
|                         | <b>Grade 10</b> | 1.9%          | 2.9%           | 4.6%         | 95.4%         |
|                         | <b>Grade 11</b> | 1.4%          | 1.7%           | 2.5%         | 97.5%         |
|                         | <b>Grade 12</b> | 2.9%          | 3.7%           | 5.5%         | 94.5%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.5%                  | 0.7%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 7</b>  | 0.6%                  | 1.1%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 8</b>  | 0.2%                  | 0.2%                   | 0.3%                 | 99.7%                 |
|                 | <b>Grade 9</b>  | 0.2%                  | 0.2%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 10</b> | 0.7%                  | 1.2%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 11</b> | 0.3%                  | 0.4%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 12</b> | 1.0%                  | 1.1%                   | 1.7%                 | 98.3%                 |
| <b>Steroids</b> | <b>All</b>      | 0.4%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 7</b>  | 0.7%                  | 0.9%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 1.1%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 9</b>  | 0.2%                  | 0.5%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 10</b> | 0.5%                  | 0.7%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 0.9%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 12</b> | 0.4%                  | 1.2%                   | 1.9%                 | 98.1%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 1.5%                  | 2.0%                   | 3.3%                 | 96.7%                 |
|                 | <b>Grade 7</b>  | 0.8%                  | 0.8%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 8</b>  | 0.2%                  | 0.4%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 9</b>  | 1.8%                  | 2.2%                   | 3.7%                 | 96.3%                 |
|                 | <b>Grade 10</b> | 1.5%                  | 2.4%                   | 3.6%                 | 96.4%                 |
|                 | <b>Grade 11</b> | 1.5%                  | 2.3%                   | 3.9%                 | 96.1%                 |
|                 | <b>Grade 12</b> | 3.2%                  | 4.3%                   | 6.7%                 | 93.3%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.4%                  | 0.8%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 7</b>  | 0.2%                  | 0.2%                   | 0.4%                 | 99.6%                 |
|                 | <b>Grade 8</b>  | 0.4%                  | 0.4%                   | 0.5%                 | 99.5%                 |
|                 | <b>Grade 9</b>  | 0.4%                  | 0.6%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 10</b> | 0.3%                  | 0.6%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 0.5%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 12</b> | 0.8%                  | 2.6%                   | 2.8%                 | 97.2%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 12.8%                 | 18.5%                  | 35.7%                | 64.3%                 |
|                         | <b>Grade 7</b>  | 7.1%                  | 9.7%                   | 20.4%                | 79.6%                 |
|                         | <b>Grade 8</b>  | 7.5%                  | 11.3%                  | 27.6%                | 72.4%                 |
|                         | <b>Grade 9</b>  | 10.5%                 | 18.0%                  | 35.1%                | 64.9%                 |
|                         | <b>Grade 10</b> | 14.3%                 | 20.5%                  | 39.7%                | 60.3%                 |
|                         | <b>Grade 11</b> | 18.9%                 | 26.2%                  | 46.1%                | 53.9%                 |
|                         | <b>Grade 12</b> | 23.5%                 | 30.9%                  | 52.8%                | 47.2%                 |
| <b>Alcohol</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 35.0%                 | 46.9%                  | 69.3%                | 30.7%                 |
|                         | <b>Grade 7</b>  | 23.1%                 | 28.8%                  | 52.4%                | 47.6%                 |
|                         | <b>Grade 8</b>  | 29.5%                 | 39.1%                  | 63.7%                | 36.3%                 |
|                         | <b>Grade 9</b>  | 35.9%                 | 48.4%                  | 71.2%                | 28.8%                 |
|                         | <b>Grade 10</b> | 38.1%                 | 52.8%                  | 75.6%                | 24.4%                 |
|                         | <b>Grade 11</b> | 41.6%                 | 58.0%                  | 78.2%                | 21.8%                 |
|                         | <b>Grade 12</b> | 46.8%                 | 61.4%                  | 80.3%                | 19.7%                 |
| <b>Inhalants</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 3.4%                  | 5.4%                   | 11.2%                | 88.8%                 |
|                         | <b>Grade 7</b>  | 5.1%                  | 7.9%                   | 14.1%                | 85.9%                 |
|                         | <b>Grade 8</b>  | 5.0%                  | 7.0%                   | 12.9%                | 87.1%                 |
|                         | <b>Grade 9</b>  | 3.2%                  | 5.0%                   | 11.8%                | 88.2%                 |
|                         | <b>Grade 10</b> | 3.2%                  | 5.8%                   | 11.4%                | 88.6%                 |
|                         | <b>Grade 11</b> | 1.3%                  | 2.4%                   | 7.8%                 | 92.2%                 |
|                         | <b>Grade 12</b> | 1.6%                  | 2.6%                   | 7.3%                 | 92.7%                 |
| <b>Any Illicit Drug</b> |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 14.1%                 | 19.5%                  | 32.4%                | 67.6%                 |
|                         | <b>Grade 7</b>  | 8.1%                  | 10.8%                  | 17.5%                | 82.5%                 |
|                         | <b>Grade 8</b>  | 10.5%                 | 14.3%                  | 24.5%                | 75.5%                 |
|                         | <b>Grade 9</b>  | 15.6%                 | 21.1%                  | 33.3%                | 66.7%                 |
|                         | <b>Grade 10</b> | 16.7%                 | 22.4%                  | 36.9%                | 63.1%                 |
|                         | <b>Grade 11</b> | 17.9%                 | 26.0%                  | 44.3%                | 55.7%                 |
|                         | <b>Grade 12</b> | 17.5%                 | 25.8%                  | 44.1%                | 55.9%                 |
| <b>Marijuana</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 12.1%                 | 17.4%                  | 30.3%                | 69.7%                 |
|                         | <b>Grade 7</b>  | 6.7%                  | 9.0%                   | 14.9%                | 85.1%                 |
|                         | <b>Grade 8</b>  | 8.9%                  | 12.5%                  | 22.2%                | 77.8%                 |
|                         | <b>Grade 9</b>  | 13.4%                 | 18.8%                  | 31.3%                | 68.7%                 |
|                         | <b>Grade 10</b> | 14.4%                 | 20.4%                  | 35.2%                | 64.8%                 |
|                         | <b>Grade 11</b> | 15.9%                 | 23.5%                  | 42.2%                | 57.8%                 |
|                         | <b>Grade 12</b> | 14.9%                 | 23.5%                  | 42.6%                | 57.4%                 |
| <b>Marijuana Only</b>   |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 4.8%                  | 7.5%                   | 15.7%                | 84.3%                 |
|                         | <b>Grade 7</b>  | 3.0%                  | 4.1%                   | 8.0%                 | 92.0%                 |
|                         | <b>Grade 8</b>  | 4.2%                  | 6.1%                   | 12.8%                | 87.2%                 |
|                         | <b>Grade 9</b>  | 5.5%                  | 8.1%                   | 16.2%                | 83.8%                 |
|                         | <b>Grade 10</b> | 4.9%                  | 7.8%                   | 17.3%                | 82.7%                 |
|                         | <b>Grade 11</b> | 6.3%                  | 10.2%                  | 20.5%                | 79.5%                 |
|                         | <b>Grade 12</b> | 5.3%                  | 9.9%                   | 22.6%                | 77.4%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 3.3%          | 4.9%           | 9.7%         | 90.3%         |
|                         | Grade 7  | 1.8%          | 2.8%           | 4.9%         | 95.1%         |
|                         | Grade 8  | 2.1%          | 3.3%           | 6.6%         | 93.4%         |
|                         | Grade 9  | 3.5%          | 4.9%           | 9.6%         | 90.4%         |
|                         | Grade 10 | 4.1%          | 6.2%           | 11.3%        | 88.7%         |
|                         | Grade 11 | 4.3%          | 6.2%           | 14.2%        | 85.8%         |
|                         | Grade 12 | 4.3%          | 6.7%           | 13.8%        | 86.2%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 3.1%          | 4.6%           | 9.2%         | 90.8%         |
|                         | Grade 7  | 1.4%          | 2.4%           | 4.0%         | 96.0%         |
|                         | Grade 8  | 1.9%          | 2.9%           | 5.5%         | 94.5%         |
|                         | Grade 9  | 3.3%          | 4.7%           | 9.2%         | 90.8%         |
|                         | Grade 10 | 4.0%          | 6.1%           | 11.0%        | 89.0%         |
|                         | Grade 11 | 4.2%          | 6.0%           | 13.9%        | 86.1%         |
|                         | Grade 12 | 4.2%          | 6.7%           | 13.7%        | 86.3%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.5%          | 0.9%           | 2.1%         | 97.9%         |
|                         | Grade 7  | 0.6%          | 1.1%           | 2.1%         | 97.9%         |
|                         | Grade 8  | 0.5%          | 1.0%           | 2.4%         | 97.6%         |
|                         | Grade 9  | 0.8%          | 1.2%           | 2.5%         | 97.5%         |
|                         | Grade 10 | 0.5%          | 0.7%           | 2.1%         | 97.9%         |
|                         | Grade 11 | 0.3%          | 0.6%           | 1.6%         | 98.4%         |
|                         | Grade 12 | 0.4%          | 0.7%           | 1.5%         | 98.5%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 1.1%          | 1.9%           | 3.9%         | 96.1%         |
|                         | Grade 7  | 0.3%          | 0.6%           | 1.3%         | 98.7%         |
|                         | Grade 8  | 0.6%          | 0.8%           | 2.3%         | 97.7%         |
|                         | Grade 9  | 1.4%          | 2.4%           | 4.1%         | 95.9%         |
|                         | Grade 10 | 2.0%          | 2.8%           | 5.7%         | 94.3%         |
|                         | Grade 11 | 1.2%          | 2.4%           | 5.6%         | 94.4%         |
|                         | Grade 12 | 1.3%          | 2.4%           | 5.5%         | 94.5%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 1.9%          | 2.9%           | 4.9%         | 95.1%         |
|                         | Grade 7  | 0.9%          | 1.0%           | 1.4%         | 98.6%         |
|                         | Grade 8  | 0.7%          | 1.1%           | 2.3%         | 97.7%         |
|                         | Grade 9  | 2.2%          | 3.3%           | 5.5%         | 94.5%         |
|                         | Grade 10 | 2.2%          | 3.7%           | 6.0%         | 94.0%         |
|                         | Grade 11 | 2.5%          | 4.4%           | 8.0%         | 92.0%         |
|                         | Grade 12 | 3.2%          | 5.0%           | 8.0%         | 92.0%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 1.9%          | 3.0%           | 5.4%         | 94.6%         |
|                         | Grade 7  | 1.0%          | 1.1%           | 1.6%         | 98.4%         |
|                         | Grade 8  | 0.7%          | 1.0%           | 2.4%         | 97.6%         |
|                         | Grade 9  | 2.2%          | 3.4%           | 5.4%         | 94.6%         |
|                         | Grade 10 | 2.3%          | 3.9%           | 6.6%         | 93.4%         |
|                         | Grade 11 | 2.5%          | 4.5%           | 8.4%         | 91.6%         |
|                         | Grade 12 | 3.0%          | 4.8%           | 9.7%         | 90.3%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 1.1%                  | 1.5%                   | 2.5%                 | 97.5%                 |
|                 | <b>Grade 7</b>  | 0.6%                  | 1.1%                   | 2.1%                 | 97.9%                 |
|                 | <b>Grade 8</b>  | 1.1%                  | 1.5%                   | 2.5%                 | 97.5%                 |
|                 | <b>Grade 9</b>  | 1.6%                  | 2.0%                   | 3.1%                 | 96.9%                 |
|                 | <b>Grade 10</b> | 1.5%                  | 2.4%                   | 3.5%                 | 96.5%                 |
|                 | <b>Grade 11</b> | 0.4%                  | 0.7%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 12</b> | 0.7%                  | 1.0%                   | 1.7%                 | 98.3%                 |
| <b>Steroids</b> | <b>All</b>      | 0.5%                  | 0.8%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 7</b>  | 0.5%                  | 0.8%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 8</b>  | 0.7%                  | 1.0%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 9</b>  | 0.5%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 10</b> | 0.4%                  | 0.8%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 11</b> | 0.3%                  | 0.9%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 12</b> | 0.6%                  | 0.6%                   | 1.3%                 | 98.7%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 2.0%                  | 3.2%                   | 5.7%                 | 94.3%                 |
|                 | <b>Grade 7</b>  | 1.2%                  | 1.5%                   | 2.2%                 | 97.8%                 |
|                 | <b>Grade 8</b>  | 1.4%                  | 2.2%                   | 3.7%                 | 96.3%                 |
|                 | <b>Grade 9</b>  | 1.8%                  | 3.2%                   | 5.6%                 | 94.4%                 |
|                 | <b>Grade 10</b> | 2.9%                  | 3.7%                   | 7.1%                 | 92.9%                 |
|                 | <b>Grade 11</b> | 2.4%                  | 4.1%                   | 8.5%                 | 91.5%                 |
|                 | <b>Grade 12</b> | 2.9%                  | 5.4%                   | 9.1%                 | 90.9%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.6%                  | 0.9%                   | 1.9%                 | 98.1%                 |
|                 | <b>Grade 7</b>  | 1.0%                  | 1.2%                   | 2.2%                 | 97.8%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.7%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 9</b>  | 0.6%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 10</b> | 0.8%                  | 1.0%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 11</b> | 0.7%                  | 1.0%                   | 2.3%                 | 97.7%                 |
|                 | <b>Grade 12</b> | 0.3%                  | 0.5%                   | 1.4%                 | 98.6%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 6.0%                  | 9.3%                   | 18.2%                | 81.8%                 |
|                         | <b>Grade 7</b>  | 0.6%                  | 1.8%                   | 6.9%                 | 93.1%                 |
|                         | <b>Grade 8</b>  | 1.8%                  | 3.1%                   | 9.7%                 | 90.3%                 |
|                         | <b>Grade 9</b>  | 3.5%                  | 5.9%                   | 14.3%                | 85.7%                 |
|                         | <b>Grade 10</b> | 8.7%                  | 12.4%                  | 22.4%                | 77.6%                 |
|                         | <b>Grade 11</b> | 9.1%                  | 14.2%                  | 25.3%                | 74.7%                 |
|                         | <b>Grade 12</b> | 16.3%                 | 23.4%                  | 37.3%                | 62.7%                 |
| <b>Alcohol</b>          |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 19.9%                 | 30.0%                  | 51.4%                | 48.6%                 |
|                         | <b>Grade 7</b>  | 7.6%                  | 11.5%                  | 32.0%                | 68.0%                 |
|                         | <b>Grade 8</b>  | 12.8%                 | 21.1%                  | 43.1%                | 56.9%                 |
|                         | <b>Grade 9</b>  | 16.6%                 | 27.0%                  | 51.0%                | 49.0%                 |
|                         | <b>Grade 10</b> | 22.8%                 | 35.1%                  | 57.2%                | 42.8%                 |
|                         | <b>Grade 11</b> | 27.0%                 | 41.9%                  | 62.3%                | 37.7%                 |
|                         | <b>Grade 12</b> | 38.9%                 | 52.9%                  | 71.4%                | 28.6%                 |
| <b>Inhalants</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 1.2%                  | 2.0%                   | 5.3%                 | 94.7%                 |
|                         | <b>Grade 7</b>  | 2.1%                  | 2.8%                   | 5.7%                 | 94.3%                 |
|                         | <b>Grade 8</b>  | 1.8%                  | 2.9%                   | 6.4%                 | 93.6%                 |
|                         | <b>Grade 9</b>  | 0.5%                  | 1.3%                   | 4.9%                 | 95.1%                 |
|                         | <b>Grade 10</b> | 0.8%                  | 1.4%                   | 5.7%                 | 94.3%                 |
|                         | <b>Grade 11</b> | 0.9%                  | 1.6%                   | 3.9%                 | 96.1%                 |
|                         | <b>Grade 12</b> | 1.0%                  | 2.0%                   | 4.6%                 | 95.4%                 |
| <b>Any Illicit Drug</b> |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 5.2%                  | 8.3%                   | 13.9%                | 86.1%                 |
|                         | <b>Grade 7</b>  | 1.4%                  | 1.9%                   | 3.3%                 | 96.7%                 |
|                         | <b>Grade 8</b>  | 1.8%                  | 3.4%                   | 6.5%                 | 93.5%                 |
|                         | <b>Grade 9</b>  | 3.7%                  | 5.8%                   | 11.1%                | 88.9%                 |
|                         | <b>Grade 10</b> | 7.5%                  | 11.4%                  | 18.0%                | 82.0%                 |
|                         | <b>Grade 11</b> | 8.4%                  | 13.7%                  | 22.0%                | 78.0%                 |
|                         | <b>Grade 12</b> | 11.0%                 | 18.0%                  | 29.0%                | 71.0%                 |
| <b>Marijuana</b>        |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 4.3%                  | 7.3%                   | 12.7%                | 87.3%                 |
|                         | <b>Grade 7</b>  | 1.0%                  | 1.5%                   | 2.4%                 | 97.6%                 |
|                         | <b>Grade 8</b>  | 1.2%                  | 2.5%                   | 5.1%                 | 94.9%                 |
|                         | <b>Grade 9</b>  | 2.9%                  | 4.7%                   | 9.5%                 | 90.5%                 |
|                         | <b>Grade 10</b> | 6.3%                  | 10.0%                  | 16.4%                | 83.6%                 |
|                         | <b>Grade 11</b> | 7.2%                  | 12.4%                  | 20.2%                | 79.8%                 |
|                         | <b>Grade 12</b> | 9.6%                  | 17.1%                  | 28.7%                | 71.3%                 |
| <b>Marijuana Only</b>   |                 |                       |                        |                      |                       |
|                         | <b>All</b>      | 1.6%                  | 3.4%                   | 7.3%                 | 92.7%                 |
|                         | <b>Grade 7</b>  | 0.3%                  | 0.6%                   | 1.3%                 | 98.7%                 |
|                         | <b>Grade 8</b>  | 0.6%                  | 1.4%                   | 3.2%                 | 96.8%                 |
|                         | <b>Grade 9</b>  | 1.4%                  | 2.4%                   | 5.9%                 | 94.1%                 |
|                         | <b>Grade 10</b> | 2.1%                  | 4.4%                   | 9.3%                 | 90.7%                 |
|                         | <b>Grade 11</b> | 2.7%                  | 5.9%                   | 11.6%                | 88.4%                 |
|                         | <b>Grade 12</b> | 3.2%                  | 7.3%                   | 15.5%                | 84.5%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 0.7%          | 1.4%           | 2.8%         | 97.2%         |
|                         | <b>Grade 7</b>  | 0.1%          | 0.3%           | 0.5%         | 99.5%         |
|                         | <b>Grade 8</b>  | 0.2%          | 0.4%           | 1.2%         | 98.8%         |
|                         | <b>Grade 9</b>  | 0.4%          | 0.6%           | 1.5%         | 98.5%         |
|                         | <b>Grade 10</b> | 1.5%          | 2.1%           | 3.7%         | 96.3%         |
|                         | <b>Grade 11</b> | 1.2%          | 2.3%           | 4.6%         | 95.4%         |
|                         | <b>Grade 12</b> | 1.5%          | 3.5%           | 6.9%         | 93.1%         |
| <b>Cocaine</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 0.6%          | 1.2%           | 2.6%         | 97.4%         |
|                         | <b>Grade 7</b>  | 0.1%          | 0.1%           | 0.3%         | 99.7%         |
|                         | <b>Grade 8</b>  | 0.1%          | 0.3%           | 0.8%         | 99.2%         |
|                         | <b>Grade 9</b>  | 0.2%          | 0.3%           | 1.2%         | 98.8%         |
|                         | <b>Grade 10</b> | 1.5%          | 2.0%           | 3.6%         | 96.4%         |
|                         | <b>Grade 11</b> | 1.0%          | 2.1%           | 4.4%         | 95.6%         |
|                         | <b>Grade 12</b> | 1.4%          | 3.5%           | 6.9%         | 93.1%         |
| <b>Crack</b>            |                 |               |                |              |               |
|                         | <b>All</b>      | 0.3%          | 0.5%           | 0.8%         | 99.2%         |
|                         | <b>Grade 7</b>  | 0.0%          | 0.2%           | 0.3%         | 99.7%         |
|                         | <b>Grade 8</b>  | 0.1%          | 0.3%           | 0.8%         | 99.2%         |
|                         | <b>Grade 9</b>  | 0.2%          | 0.4%           | 0.5%         | 99.5%         |
|                         | <b>Grade 10</b> | 0.6%          | 0.9%           | 1.2%         | 98.8%         |
|                         | <b>Grade 11</b> | 0.3%          | 0.4%           | 0.9%         | 99.1%         |
|                         | <b>Grade 12</b> | 0.4%          | 0.7%           | 1.5%         | 98.5%         |
| <b>Hallucinogens</b>    |                 |               |                |              |               |
|                         | <b>All</b>      | 0.9%          | 1.5%           | 2.7%         | 97.3%         |
|                         | <b>Grade 7</b>  | 0.1%          | 0.2%           | 0.4%         | 99.6%         |
|                         | <b>Grade 8</b>  | 0.1%          | 0.3%           | 1.0%         | 99.0%         |
|                         | <b>Grade 9</b>  | 0.4%          | 0.9%           | 1.9%         | 98.1%         |
|                         | <b>Grade 10</b> | 1.8%          | 2.5%           | 4.1%         | 95.9%         |
|                         | <b>Grade 11</b> | 1.6%          | 2.5%           | 4.5%         | 95.5%         |
|                         | <b>Grade 12</b> | 1.9%          | 3.5%           | 5.9%         | 94.1%         |
| <b>Uppers</b>           |                 |               |                |              |               |
|                         | <b>All</b>      | 1.0%          | 1.8%           | 3.2%         | 96.8%         |
|                         | <b>Grade 7</b>  | 0.2%          | 0.5%           | 0.7%         | 99.3%         |
|                         | <b>Grade 8</b>  | 0.4%          | 0.6%           | 1.1%         | 98.9%         |
|                         | <b>Grade 9</b>  | 0.5%          | 1.2%           | 2.1%         | 97.9%         |
|                         | <b>Grade 10</b> | 1.7%          | 3.2%           | 4.5%         | 95.5%         |
|                         | <b>Grade 11</b> | 1.7%          | 2.9%           | 5.4%         | 94.6%         |
|                         | <b>Grade 12</b> | 2.2%          | 3.7%           | 7.6%         | 92.4%         |
| <b>Downers</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 1.0%          | 1.8%           | 3.2%         | 96.8%         |
|                         | <b>Grade 7</b>  | 0.1%          | 0.4%           | 0.6%         | 99.4%         |
|                         | <b>Grade 8</b>  | 0.2%          | 0.4%           | 0.8%         | 99.2%         |
|                         | <b>Grade 9</b>  | 0.7%          | 1.4%           | 2.2%         | 97.8%         |
|                         | <b>Grade 10</b> | 1.5%          | 2.9%           | 4.2%         | 95.8%         |
|                         | <b>Grade 11</b> | 1.6%          | 2.8%           | 4.9%         | 95.1%         |
|                         | <b>Grade 12</b> | 2.3%          | 4.2%           | 8.2%         | 91.8%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.2%                  | 0.4%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 7</b>  | 0.1%                  | 0.2%                   | 0.3%                 | 99.7%                 |
|                 | <b>Grade 8</b>  | 0.0%                  | 0.2%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 9</b>  | 0.1%                  | 0.2%                   | 0.3%                 | 99.7%                 |
|                 | <b>Grade 10</b> | 0.5%                  | 0.9%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 11</b> | 0.4%                  | 0.5%                   | 0.8%                 | 99.2%                 |
|                 | <b>Grade 12</b> | 0.3%                  | 0.6%                   | 1.3%                 | 98.7%                 |
| <b>Steroids</b> | <b>All</b>      | 0.5%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 7</b>  | 0.3%                  | 0.4%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.4%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 9</b>  | 0.5%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 10</b> | 0.9%                  | 1.0%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 11</b> | 0.4%                  | 0.6%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 12</b> | 0.8%                  | 1.3%                   | 1.8%                 | 98.2%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 0.9%                  | 1.6%                   | 2.7%                 | 97.3%                 |
|                 | <b>Grade 7</b>  | 0.2%                  | 0.3%                   | 0.4%                 | 99.6%                 |
|                 | <b>Grade 8</b>  | 0.2%                  | 0.4%                   | 0.6%                 | 99.4%                 |
|                 | <b>Grade 9</b>  | 0.4%                  | 1.1%                   | 1.9%                 | 98.1%                 |
|                 | <b>Grade 10</b> | 1.3%                  | 2.0%                   | 3.2%                 | 96.8%                 |
|                 | <b>Grade 11</b> | 0.9%                  | 2.0%                   | 3.8%                 | 96.2%                 |
|                 | <b>Grade 12</b> | 2.7%                  | 4.3%                   | 7.4%                 | 92.6%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.2%                  | 0.4%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 7</b>  | 0.1%                  | 0.1%                   | 0.4%                 | 99.6%                 |
|                 | <b>Grade 8</b>  | 0.1%                  | 0.1%                   | 0.5%                 | 99.5%                 |
|                 | <b>Grade 9</b>  | 0.1%                  | 0.3%                   | 0.5%                 | 99.5%                 |
|                 | <b>Grade 10</b> | 0.4%                  | 0.6%                   | 0.9%                 | 99.1%                 |
|                 | <b>Grade 11</b> | 0.2%                  | 0.4%                   | 0.7%                 | 99.3%                 |
|                 | <b>Grade 12</b> | 0.4%                  | 0.9%                   | 1.4%                 | 98.6%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          |          |               |                |              |               |
|                         | All      | 15.6%         | 21.5%          | 37.3%        | 62.7%         |
|                         | Grade 7  | 6.9%          | 9.6%           | 21.5%        | 78.5%         |
|                         | Grade 8  | 8.2%          | 12.8%          | 29.0%        | 71.0%         |
|                         | Grade 9  | 13.1%         | 20.1%          | 36.1%        | 63.9%         |
|                         | Grade 10 | 17.6%         | 23.7%          | 39.8%        | 60.2%         |
|                         | Grade 11 | 22.3%         | 29.9%          | 46.8%        | 53.2%         |
|                         | Grade 12 | 27.6%         | 34.8%          | 52.4%        | 47.6%         |
| <b>Alcohol</b>          |          |               |                |              |               |
|                         | All      | 35.0%         | 47.3%          | 68.7%        | 31.3%         |
|                         | Grade 7  | 21.8%         | 28.3%          | 51.7%        | 48.3%         |
|                         | Grade 8  | 27.2%         | 38.1%          | 62.8%        | 37.2%         |
|                         | Grade 9  | 34.6%         | 48.1%          | 69.9%        | 30.1%         |
|                         | Grade 10 | 37.3%         | 51.5%          | 72.6%        | 27.4%         |
|                         | Grade 11 | 42.0%         | 57.0%          | 76.6%        | 23.4%         |
|                         | Grade 12 | 48.6%         | 61.6%          | 78.8%        | 21.2%         |
| <b>Inhalants</b>        |          |               |                |              |               |
|                         | All      | 3.0%          | 5.0%           | 10.6%        | 89.4%         |
|                         | Grade 7  | 4.7%          | 7.1%           | 13.0%        | 87.0%         |
|                         | Grade 8  | 4.3%          | 6.7%           | 12.6%        | 87.4%         |
|                         | Grade 9  | 2.9%          | 4.9%           | 10.7%        | 89.3%         |
|                         | Grade 10 | 2.4%          | 4.5%           | 10.4%        | 89.6%         |
|                         | Grade 11 | 1.4%          | 2.8%           | 8.5%         | 91.5%         |
|                         | Grade 12 | 2.4%          | 3.4%           | 8.1%         | 91.9%         |
| <b>Any Illicit Drug</b> |          |               |                |              |               |
|                         | All      | 14.7%         | 20.5%          | 32.5%        | 67.5%         |
|                         | Grade 7  | 7.1%          | 9.8%           | 15.9%        | 84.1%         |
|                         | Grade 8  | 9.2%          | 12.5%          | 22.0%        | 78.0%         |
|                         | Grade 9  | 14.9%         | 20.6%          | 31.7%        | 68.3%         |
|                         | Grade 10 | 17.3%         | 24.2%          | 37.0%        | 63.0%         |
|                         | Grade 11 | 19.3%         | 27.7%          | 44.0%        | 56.0%         |
|                         | Grade 12 | 20.6%         | 28.8%          | 45.9%        | 54.1%         |
| <b>Marijuana</b>        |          |               |                |              |               |
|                         | All      | 12.8%         | 18.7%          | 30.7%        | 69.3%         |
|                         | Grade 7  | 5.8%          | 8.1%           | 13.5%        | 86.5%         |
|                         | Grade 8  | 7.8%          | 11.0%          | 19.9%        | 80.1%         |
|                         | Grade 9  | 12.9%         | 18.4%          | 29.7%        | 70.3%         |
|                         | Grade 10 | 15.0%         | 22.3%          | 35.3%        | 64.7%         |
|                         | Grade 11 | 17.3%         | 25.9%          | 42.5%        | 57.5%         |
|                         | Grade 12 | 18.1%         | 26.8%          | 44.5%        | 55.5%         |
| <b>Marijuana Only</b>   |          |               |                |              |               |
|                         | All      | 5.2%          | 8.3%           | 16.6%        | 83.4%         |
|                         | Grade 7  | 2.8%          | 4.1%           | 7.9%         | 92.1%         |
|                         | Grade 8  | 3.8%          | 5.6%           | 12.1%        | 87.9%         |
|                         | Grade 9  | 5.7%          | 8.7%           | 16.5%        | 83.5%         |
|                         | Grade 10 | 6.0%          | 9.5%           | 18.5%        | 81.5%         |
|                         | Grade 11 | 6.6%          | 11.2%          | 22.1%        | 77.9%         |
|                         | Grade 12 | 6.6%          | 10.9%          | 22.8%        | 77.2%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 2.4%          | 4.0%           | 7.7%         | 92.3%         |
|                         | Grade 7  | 1.4%          | 2.1%           | 3.7%         | 96.3%         |
|                         | Grade 8  | 1.7%          | 2.6%           | 5.0%         | 95.0%         |
|                         | Grade 9  | 2.5%          | 3.8%           | 6.7%         | 93.3%         |
|                         | Grade 10 | 2.4%          | 4.5%           | 8.6%         | 91.4%         |
|                         | Grade 11 | 2.9%          | 4.8%           | 10.5%        | 89.5%         |
|                         | Grade 12 | 3.5%          | 6.6%           | 12.3%        | 87.7%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 2.3%          | 3.8%           | 7.3%         | 92.7%         |
|                         | Grade 7  | 1.2%          | 1.9%           | 3.1%         | 96.9%         |
|                         | Grade 8  | 1.5%          | 2.2%           | 4.2%         | 95.8%         |
|                         | Grade 9  | 2.3%          | 3.5%           | 6.2%         | 93.8%         |
|                         | Grade 10 | 2.4%          | 4.4%           | 8.4%         | 91.6%         |
|                         | Grade 11 | 2.8%          | 4.7%           | 10.4%        | 89.6%         |
|                         | Grade 12 | 3.5%          | 6.6%           | 12.3%        | 87.7%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.6%          | 0.9%           | 1.8%         | 98.2%         |
|                         | Grade 7  | 0.6%          | 0.9%           | 1.7%         | 98.3%         |
|                         | Grade 8  | 0.6%          | 0.9%           | 2.0%         | 98.0%         |
|                         | Grade 9  | 0.7%          | 1.0%           | 2.0%         | 98.0%         |
|                         | Grade 10 | 0.3%          | 0.6%           | 1.8%         | 98.2%         |
|                         | Grade 11 | 0.3%          | 0.6%           | 1.5%         | 98.5%         |
|                         | Grade 12 | 0.9%          | 1.2%           | 2.1%         | 97.9%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 1.9%          | 3.0%           | 5.4%         | 94.6%         |
|                         | Grade 7  | 0.6%          | 0.9%           | 1.6%         | 98.4%         |
|                         | Grade 8  | 1.0%          | 1.4%           | 2.5%         | 97.5%         |
|                         | Grade 9  | 1.8%          | 2.8%           | 4.7%         | 95.3%         |
|                         | Grade 10 | 2.4%          | 3.6%           | 7.0%         | 93.0%         |
|                         | Grade 11 | 2.2%          | 4.0%           | 8.0%         | 92.0%         |
|                         | Grade 12 | 3.2%          | 5.5%           | 9.2%         | 90.8%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 2.7%          | 4.2%           | 6.7%         | 93.3%         |
|                         | Grade 7  | 0.9%          | 1.1%           | 1.8%         | 98.2%         |
|                         | Grade 8  | 1.1%          | 1.4%           | 2.6%         | 97.4%         |
|                         | Grade 9  | 2.4%          | 3.6%           | 5.7%         | 94.3%         |
|                         | Grade 10 | 3.5%          | 5.4%           | 8.4%         | 91.6%         |
|                         | Grade 11 | 3.8%          | 6.3%           | 10.3%        | 89.7%         |
|                         | Grade 12 | 4.4%          | 7.8%           | 12.0%        | 88.0%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 2.7%          | 4.3%           | 6.9%         | 93.1%         |
|                         | Grade 7  | 1.0%          | 1.3%           | 2.0%         | 98.0%         |
|                         | Grade 8  | 0.9%          | 1.3%           | 2.2%         | 97.8%         |
|                         | Grade 9  | 2.3%          | 3.4%           | 5.3%         | 94.7%         |
|                         | Grade 10 | 3.3%          | 5.5%           | 8.8%         | 91.2%         |
|                         | Grade 11 | 4.2%          | 6.6%           | 10.7%        | 89.3%         |
|                         | Grade 12 | 5.0%          | 8.3%           | 13.1%        | 86.9%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> | <b>All</b>      | 0.9%                  | 1.3%                   | 2.3%                 | 97.7%                 |
|                 | <b>Grade 7</b>  | 0.6%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 8</b>  | 1.0%                  | 1.2%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 9</b>  | 1.2%                  | 1.5%                   | 2.5%                 | 97.5%                 |
|                 | <b>Grade 10</b> | 1.1%                  | 1.8%                   | 3.1%                 | 96.9%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 1.0%                   | 2.2%                 | 97.8%                 |
|                 | <b>Grade 12</b> | 0.8%                  | 1.1%                   | 2.1%                 | 97.9%                 |
| <b>Steroids</b> | <b>All</b>      | 0.6%                  | 1.0%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 7</b>  | 0.6%                  | 1.0%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 9</b>  | 0.4%                  | 0.6%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 10</b> | 0.8%                  | 1.3%                   | 2.2%                 | 97.8%                 |
|                 | <b>Grade 11</b> | 0.5%                  | 1.0%                   | 1.9%                 | 98.1%                 |
|                 | <b>Grade 12</b> | 0.7%                  | 1.1%                   | 2.0%                 | 98.0%                 |
| <b>Ecstasy</b>  | <b>All</b>      | 2.3%                  | 3.8%                   | 6.5%                 | 93.5%                 |
|                 | <b>Grade 7</b>  | 1.1%                  | 1.3%                   | 2.0%                 | 98.0%                 |
|                 | <b>Grade 8</b>  | 1.3%                  | 2.0%                   | 3.4%                 | 96.6%                 |
|                 | <b>Grade 9</b>  | 2.3%                  | 3.5%                   | 5.5%                 | 94.5%                 |
|                 | <b>Grade 10</b> | 2.7%                  | 4.1%                   | 7.8%                 | 92.2%                 |
|                 | <b>Grade 11</b> | 3.1%                  | 5.4%                   | 9.9%                 | 90.1%                 |
|                 | <b>Grade 12</b> | 3.8%                  | 6.5%                   | 10.9%                | 89.1%                 |
| <b>Heroin</b>   | <b>All</b>      | 0.5%                  | 0.9%                   | 1.8%                 | 98.2%                 |
|                 | <b>Grade 7</b>  | 0.7%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 8</b>  | 0.5%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 9</b>  | 0.6%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 10</b> | 0.5%                  | 0.8%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 11</b> | 0.6%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 12</b> | 0.5%                  | 1.1%                   | 2.2%                 | 97.8%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

|                         |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-------------------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Tobacco</b>          | <b>All</b>      | 10.3%                 | 14.9%                  | 26.0%                | 74.0%                 |
|                         | <b>Grade 7</b>  | 3.0%                  | 4.7%                   | 11.1%                | 88.9%                 |
|                         | <b>Grade 8</b>  | 4.8%                  | 7.5%                   | 16.7%                | 83.3%                 |
|                         | <b>Grade 9</b>  | 7.9%                  | 12.9%                  | 23.8%                | 76.2%                 |
|                         | <b>Grade 10</b> | 12.4%                 | 16.7%                  | 29.3%                | 70.7%                 |
|                         | <b>Grade 11</b> | 15.6%                 | 22.6%                  | 36.6%                | 63.4%                 |
|                         | <b>Grade 12</b> | 21.2%                 | 28.6%                  | 43.6%                | 56.4%                 |
| <b>Alcohol</b>          | <b>All</b>      | 26.9%                 | 37.6%                  | 58.1%                | 41.9%                 |
|                         | <b>Grade 7</b>  | 13.3%                 | 18.0%                  | 38.7%                | 61.3%                 |
|                         | <b>Grade 8</b>  | 19.1%                 | 28.3%                  | 49.9%                | 50.1%                 |
|                         | <b>Grade 9</b>  | 25.3%                 | 36.7%                  | 58.2%                | 41.8%                 |
|                         | <b>Grade 10</b> | 30.2%                 | 42.8%                  | 63.3%                | 36.7%                 |
|                         | <b>Grade 11</b> | 35.2%                 | 49.5%                  | 69.1%                | 30.9%                 |
|                         | <b>Grade 12</b> | 42.6%                 | 55.5%                  | 73.9%                | 26.1%                 |
| <b>Inhalants</b>        | <b>All</b>      | 2.1%                  | 3.4%                   | 7.7%                 | 92.3%                 |
|                         | <b>Grade 7</b>  | 2.8%                  | 4.3%                   | 8.5%                 | 91.5%                 |
|                         | <b>Grade 8</b>  | 2.7%                  | 4.2%                   | 8.5%                 | 91.5%                 |
|                         | <b>Grade 9</b>  | 1.7%                  | 3.2%                   | 7.8%                 | 92.2%                 |
|                         | <b>Grade 10</b> | 2.0%                  | 3.5%                   | 8.2%                 | 91.8%                 |
|                         | <b>Grade 11</b> | 1.2%                  | 2.3%                   | 6.5%                 | 93.5%                 |
|                         | <b>Grade 12</b> | 1.8%                  | 2.8%                   | 6.2%                 | 93.8%                 |
| <b>Any Illicit Drug</b> | <b>All</b>      | 9.1%                  | 13.1%                  | 21.1%                | 78.9%                 |
|                         | <b>Grade 7</b>  | 3.7%                  | 5.0%                   | 7.9%                 | 92.1%                 |
|                         | <b>Grade 8</b>  | 5.1%                  | 7.0%                   | 12.3%                | 87.7%                 |
|                         | <b>Grade 9</b>  | 8.6%                  | 12.2%                  | 19.9%                | 80.1%                 |
|                         | <b>Grade 10</b> | 11.1%                 | 15.5%                  | 24.3%                | 75.7%                 |
|                         | <b>Grade 11</b> | 13.4%                 | 20.2%                  | 32.0%                | 68.0%                 |
|                         | <b>Grade 12</b> | 14.5%                 | 21.5%                  | 34.4%                | 65.6%                 |
| <b>Marijuana</b>        | <b>All</b>      | 7.6%                  | 11.6%                  | 19.3%                | 80.7%                 |
|                         | <b>Grade 7</b>  | 3.0%                  | 4.0%                   | 6.3%                 | 93.7%                 |
|                         | <b>Grade 8</b>  | 4.0%                  | 5.7%                   | 10.5%                | 89.5%                 |
|                         | <b>Grade 9</b>  | 7.0%                  | 10.4%                  | 17.6%                | 82.4%                 |
|                         | <b>Grade 10</b> | 9.2%                  | 13.4%                  | 22.4%                | 77.6%                 |
|                         | <b>Grade 11</b> | 11.4%                 | 18.3%                  | 29.9%                | 70.1%                 |
|                         | <b>Grade 12</b> | 12.7%                 | 20.2%                  | 33.4%                | 66.6%                 |
| <b>Marijuana Only</b>   | <b>All</b>      | 3.0%                  | 5.1%                   | 10.3%                | 89.7%                 |
|                         | <b>Grade 7</b>  | 1.3%                  | 1.7%                   | 3.2%                 | 96.8%                 |
|                         | <b>Grade 8</b>  | 1.9%                  | 2.9%                   | 6.3%                 | 93.7%                 |
|                         | <b>Grade 9</b>  | 3.2%                  | 4.8%                   | 9.7%                 | 90.3%                 |
|                         | <b>Grade 10</b> | 3.3%                  | 5.3%                   | 11.3%                | 88.7%                 |
|                         | <b>Grade 11</b> | 4.2%                  | 8.1%                   | 15.7%                | 84.3%                 |
|                         | <b>Grade 12</b> | 4.6%                  | 8.6%                   | 17.7%                | 82.3%                 |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 1.6%          | 2.6%           | 5.1%         | 94.9%         |
|                         | Grade 7  | 0.6%          | 1.2%           | 1.9%         | 98.1%         |
|                         | Grade 8  | 0.9%          | 1.5%           | 3.0%         | 97.0%         |
|                         | Grade 9  | 1.7%          | 2.4%           | 4.4%         | 95.6%         |
|                         | Grade 10 | 2.0%          | 3.0%           | 5.6%         | 94.4%         |
|                         | Grade 11 | 2.4%          | 3.8%           | 8.0%         | 92.0%         |
|                         | Grade 12 | 2.2%          | 4.3%           | 8.6%         | 91.4%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 1.5%          | 2.4%           | 4.7%         | 95.3%         |
|                         | Grade 7  | 0.4%          | 0.9%           | 1.4%         | 98.6%         |
|                         | Grade 8  | 0.7%          | 1.2%           | 2.5%         | 97.5%         |
|                         | Grade 9  | 1.5%          | 2.2%           | 4.0%         | 96.0%         |
|                         | Grade 10 | 1.9%          | 3.0%           | 5.4%         | 94.6%         |
|                         | Grade 11 | 2.3%          | 3.7%           | 7.7%         | 92.3%         |
|                         | Grade 12 | 2.2%          | 4.3%           | 8.6%         | 91.4%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.4%          | 0.6%           | 1.2%         | 98.8%         |
|                         | Grade 7  | 0.3%          | 0.5%           | 1.0%         | 99.0%         |
|                         | Grade 8  | 0.4%          | 0.7%           | 1.2%         | 98.8%         |
|                         | Grade 9  | 0.6%          | 0.8%           | 1.3%         | 98.7%         |
|                         | Grade 10 | 0.3%          | 0.5%           | 1.4%         | 98.6%         |
|                         | Grade 11 | 0.4%          | 0.6%           | 1.3%         | 98.7%         |
|                         | Grade 12 | 0.4%          | 0.6%           | 1.1%         | 98.9%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 1.2%          | 2.1%           | 3.7%         | 96.3%         |
|                         | Grade 7  | 0.3%          | 0.5%           | 1.0%         | 99.0%         |
|                         | Grade 8  | 0.5%          | 0.7%           | 1.4%         | 98.6%         |
|                         | Grade 9  | 0.9%          | 1.6%           | 2.9%         | 97.1%         |
|                         | Grade 10 | 1.9%          | 2.8%           | 4.7%         | 95.3%         |
|                         | Grade 11 | 1.8%          | 3.3%           | 6.3%         | 93.7%         |
|                         | Grade 12 | 1.9%          | 4.2%           | 6.6%         | 93.4%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 1.6%          | 2.7%           | 4.3%         | 95.7%         |
|                         | Grade 7  | 0.6%          | 0.8%           | 1.2%         | 98.8%         |
|                         | Grade 8  | 0.6%          | 0.9%           | 1.5%         | 98.5%         |
|                         | Grade 9  | 1.4%          | 2.0%           | 3.4%         | 96.6%         |
|                         | Grade 10 | 2.1%          | 3.3%           | 4.7%         | 95.3%         |
|                         | Grade 11 | 2.5%          | 4.6%           | 7.7%         | 92.3%         |
|                         | Grade 12 | 3.0%          | 5.3%           | 8.9%         | 91.1%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 1.5%          | 2.6%           | 4.3%         | 95.7%         |
|                         | Grade 7  | 0.4%          | 0.8%           | 1.1%         | 98.9%         |
|                         | Grade 8  | 0.3%          | 0.5%           | 1.2%         | 98.8%         |
|                         | Grade 9  | 1.2%          | 2.0%           | 3.3%         | 96.7%         |
|                         | Grade 10 | 1.8%          | 3.1%           | 4.7%         | 95.3%         |
|                         | Grade 11 | 2.8%          | 4.5%           | 7.4%         | 92.6%         |
|                         | Grade 12 | 3.2%          | 5.8%           | 9.6%         | 90.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.5%          | 0.8%           | 1.3%         | 98.7%         |
|                 | <b>Grade 7</b>  | 0.3%          | 0.6%           | 1.0%         | 99.0%         |
|                 | <b>Grade 8</b>  | 0.5%          | 0.7%           | 1.0%         | 99.0%         |
|                 | <b>Grade 9</b>  | 0.6%          | 0.8%           | 1.2%         | 98.8%         |
|                 | <b>Grade 10</b> | 0.7%          | 1.1%           | 1.9%         | 98.1%         |
|                 | <b>Grade 11</b> | 0.4%          | 0.6%           | 1.5%         | 98.5%         |
|                 | <b>Grade 12</b> | 0.6%          | 0.9%           | 1.6%         | 98.4%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.5%          | 0.8%           | 1.4%         | 98.6%         |
|                 | <b>Grade 7</b>  | 0.4%          | 0.7%           | 1.3%         | 98.7%         |
|                 | <b>Grade 8</b>  | 0.3%          | 0.7%           | 1.2%         | 98.8%         |
|                 | <b>Grade 9</b>  | 0.3%          | 0.5%           | 1.3%         | 98.7%         |
|                 | <b>Grade 10</b> | 0.7%          | 1.1%           | 1.6%         | 98.4%         |
|                 | <b>Grade 11</b> | 0.5%          | 0.9%           | 1.6%         | 98.4%         |
|                 | <b>Grade 12</b> | 0.7%          | 1.2%           | 1.7%         | 98.3%         |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 1.4%          | 2.4%           | 4.1%         | 95.9%         |
|                 | <b>Grade 7</b>  | 0.7%          | 0.9%           | 1.2%         | 98.8%         |
|                 | <b>Grade 8</b>  | 0.8%          | 1.1%           | 1.8%         | 98.2%         |
|                 | <b>Grade 9</b>  | 1.1%          | 1.8%           | 3.2%         | 96.8%         |
|                 | <b>Grade 10</b> | 1.9%          | 2.8%           | 5.0%         | 95.0%         |
|                 | <b>Grade 11</b> | 1.8%          | 3.7%           | 6.7%         | 93.3%         |
|                 | <b>Grade 12</b> | 2.7%          | 4.6%           | 7.7%         | 92.3%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 0.3%          | 0.5%           | 1.1%         | 98.9%         |
|                 | <b>Grade 7</b>  | 0.3%          | 0.4%           | 0.9%         | 99.1%         |
|                 | <b>Grade 8</b>  | 0.3%          | 0.5%           | 1.0%         | 99.0%         |
|                 | <b>Grade 9</b>  | 0.3%          | 0.6%           | 1.1%         | 98.9%         |
|                 | <b>Grade 10</b> | 0.2%          | 0.3%           | 0.9%         | 99.1%         |
|                 | <b>Grade 11</b> | 0.4%          | 0.6%           | 1.3%         | 98.7%         |
|                 | <b>Grade 12</b> | 0.2%          | 0.6%           | 1.4%         | 98.6%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          |          |               |                |              |               |
|                         | All      | 16.4%         | 22.3%          | 39.8%        | 60.2%         |
|                         | Grade 7  | 7.5%          | 10.7%          | 25.7%        | 74.3%         |
|                         | Grade 8  | 8.1%          | 13.0%          | 31.6%        | 68.4%         |
|                         | Grade 9  | 14.0%         | 20.5%          | 38.4%        | 61.6%         |
|                         | Grade 10 | 19.6%         | 26.7%          | 44.1%        | 55.9%         |
|                         | Grade 11 | 23.3%         | 29.9%          | 47.3%        | 52.7%         |
|                         | Grade 12 | 28.2%         | 34.8%          | 53.4%        | 46.6%         |
| <b>Alcohol</b>          |          |               |                |              |               |
|                         | All      | 35.5%         | 48.7%          | 71.5%        | 28.5%         |
|                         | Grade 7  | 23.0%         | 30.3%          | 55.5%        | 44.5%         |
|                         | Grade 8  | 27.2%         | 39.0%          | 66.2%        | 33.8%         |
|                         | Grade 9  | 35.1%         | 49.6%          | 73.8%        | 26.2%         |
|                         | Grade 10 | 38.3%         | 53.6%          | 76.1%        | 23.9%         |
|                         | Grade 11 | 41.7%         | 57.7%          | 77.8%        | 22.2%         |
|                         | Grade 12 | 49.6%         | 63.5%          | 80.1%        | 19.9%         |
| <b>Inhalants</b>        |          |               |                |              |               |
|                         | All      | 3.1%          | 5.0%           | 11.0%        | 89.0%         |
|                         | Grade 7  | 5.4%          | 7.8%           | 13.8%        | 86.2%         |
|                         | Grade 8  | 4.6%          | 7.3%           | 13.8%        | 86.2%         |
|                         | Grade 9  | 3.0%          | 4.9%           | 10.7%        | 89.3%         |
|                         | Grade 10 | 1.9%          | 4.1%           | 10.8%        | 89.2%         |
|                         | Grade 11 | 1.4%          | 2.8%           | 8.5%         | 91.5%         |
|                         | Grade 12 | 2.2%          | 3.1%           | 8.1%         | 91.9%         |
| <b>Any Illicit Drug</b> |          |               |                |              |               |
|                         | All      | 15.9%         | 22.5%          | 35.7%        | 64.3%         |
|                         | Grade 7  | 7.7%          | 10.5%          | 17.9%        | 82.1%         |
|                         | Grade 8  | 9.3%          | 13.5%          | 24.0%        | 76.0%         |
|                         | Grade 9  | 16.0%         | 22.3%          | 34.2%        | 65.8%         |
|                         | Grade 10 | 20.0%         | 28.6%          | 43.3%        | 56.7%         |
|                         | Grade 11 | 20.8%         | 29.6%          | 47.3%        | 52.7%         |
|                         | Grade 12 | 22.2%         | 31.2%          | 49.7%        | 50.3%         |
| <b>Marijuana</b>        |          |               |                |              |               |
|                         | All      | 14.2%         | 20.9%          | 34.4%        | 65.6%         |
|                         | Grade 7  | 6.1%          | 8.9%           | 15.5%        | 84.5%         |
|                         | Grade 8  | 8.1%          | 12.2%          | 22.2%        | 77.8%         |
|                         | Grade 9  | 14.4%         | 20.4%          | 32.9%        | 67.1%         |
|                         | Grade 10 | 17.9%         | 27.2%          | 42.0%        | 58.0%         |
|                         | Grade 11 | 19.5%         | 28.2%          | 46.4%        | 53.6%         |
|                         | Grade 12 | 19.5%         | 29.2%          | 48.8%        | 51.2%         |
| <b>Marijuana Only</b>   |          |               |                |              |               |
|                         | All      | 5.9%          | 9.6%           | 19.1%        | 80.9%         |
|                         | Grade 7  | 3.0%          | 4.8%           | 9.8%         | 90.2%         |
|                         | Grade 8  | 3.9%          | 6.3%           | 13.7%        | 86.3%         |
|                         | Grade 9  | 6.5%          | 10.2%          | 19.0%        | 81.0%         |
|                         | Grade 10 | 7.5%          | 12.4%          | 23.4%        | 76.6%         |
|                         | Grade 11 | 7.5%          | 12.3%          | 24.5%        | 75.5%         |
|                         | Grade 12 | 6.8%          | 11.4%          | 24.6%        | 75.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 2.3%          | 4.1%           | 7.9%         | 92.1%         |
|                         | Grade 7  | 1.5%          | 2.1%           | 3.8%         | 96.2%         |
|                         | Grade 8  | 1.5%          | 2.3%           | 4.7%         | 95.3%         |
|                         | Grade 9  | 2.1%          | 3.3%           | 6.1%         | 93.9%         |
|                         | Grade 10 | 2.6%          | 5.2%           | 9.5%         | 90.5%         |
|                         | Grade 11 | 2.5%          | 4.7%           | 10.4%        | 89.6%         |
|                         | Grade 12 | 3.8%          | 7.5%           | 13.6%        | 86.4%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 2.2%          | 3.9%           | 7.5%         | 92.5%         |
|                         | Grade 7  | 1.4%          | 1.8%           | 3.2%         | 96.8%         |
|                         | Grade 8  | 1.4%          | 2.0%           | 3.8%         | 96.2%         |
|                         | Grade 9  | 2.0%          | 3.1%           | 5.7%         | 94.3%         |
|                         | Grade 10 | 2.5%          | 5.1%           | 9.4%         | 90.6%         |
|                         | Grade 11 | 2.5%          | 4.6%           | 10.3%        | 89.7%         |
|                         | Grade 12 | 3.7%          | 7.5%           | 13.6%        | 86.4%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.6%          | 1.0%           | 2.0%         | 98.0%         |
|                         | Grade 7  | 0.7%          | 1.0%           | 1.8%         | 98.2%         |
|                         | Grade 8  | 0.4%          | 0.7%           | 2.1%         | 97.9%         |
|                         | Grade 9  | 0.5%          | 1.0%           | 1.9%         | 98.1%         |
|                         | Grade 10 | 0.6%          | 1.0%           | 2.1%         | 97.9%         |
|                         | Grade 11 | 0.3%          | 0.6%           | 1.2%         | 98.8%         |
|                         | Grade 12 | 1.3%          | 1.7%           | 3.0%         | 97.0%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 2.2%          | 3.3%           | 6.0%         | 94.0%         |
|                         | Grade 7  | 0.6%          | 1.0%           | 1.5%         | 98.5%         |
|                         | Grade 8  | 1.0%          | 1.4%           | 2.9%         | 97.1%         |
|                         | Grade 9  | 2.2%          | 3.4%           | 5.4%         | 94.6%         |
|                         | Grade 10 | 2.7%          | 4.2%           | 8.3%         | 91.7%         |
|                         | Grade 11 | 2.4%          | 4.1%           | 8.0%         | 92.0%         |
|                         | Grade 12 | 4.2%          | 6.1%           | 10.6%        | 89.4%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 3.0%          | 4.8%           | 7.6%         | 92.4%         |
|                         | Grade 7  | 0.9%          | 1.0%           | 1.8%         | 98.2%         |
|                         | Grade 8  | 1.2%          | 1.9%           | 3.3%         | 96.7%         |
|                         | Grade 9  | 2.7%          | 4.1%           | 6.4%         | 93.6%         |
|                         | Grade 10 | 4.4%          | 6.9%           | 10.9%        | 89.1%         |
|                         | Grade 11 | 4.2%          | 6.6%           | 11.0%        | 89.0%         |
|                         | Grade 12 | 4.7%          | 8.3%           | 13.3%        | 86.7%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 3.2%          | 5.0%           | 7.9%         | 92.1%         |
|                         | Grade 7  | 1.1%          | 1.4%           | 2.1%         | 97.9%         |
|                         | Grade 8  | 1.3%          | 1.9%           | 2.8%         | 97.2%         |
|                         | Grade 9  | 2.7%          | 4.0%           | 6.0%         | 94.0%         |
|                         | Grade 10 | 4.5%          | 7.3%           | 11.5%        | 88.5%         |
|                         | Grade 11 | 4.7%          | 7.1%           | 11.6%        | 88.4%         |
|                         | Grade 12 | 5.5%          | 8.5%           | 14.4%        | 85.6%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 1.0%          | 1.4%           | 2.5%         | 97.5%         |
|                 | <b>Grade 7</b>  | 0.7%          | 0.9%           | 1.5%         | 98.5%         |
|                 | <b>Grade 8</b>  | 0.8%          | 1.1%           | 1.9%         | 98.1%         |
|                 | <b>Grade 9</b>  | 1.2%          | 1.7%           | 2.9%         | 97.1%         |
|                 | <b>Grade 10</b> | 1.3%          | 2.2%           | 3.9%         | 96.1%         |
|                 | <b>Grade 11</b> | 0.7%          | 1.3%           | 2.3%         | 97.7%         |
|                 | <b>Grade 12</b> | 0.9%          | 1.2%           | 2.4%         | 97.6%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.7%          | 1.0%           | 1.9%         | 98.1%         |
|                 | <b>Grade 7</b>  | 0.6%          | 1.0%           | 1.5%         | 98.5%         |
|                 | <b>Grade 8</b>  | 0.7%          | 0.9%           | 2.0%         | 98.0%         |
|                 | <b>Grade 9</b>  | 0.6%          | 0.9%           | 1.7%         | 98.3%         |
|                 | <b>Grade 10</b> | 1.1%          | 1.3%           | 2.4%         | 97.6%         |
|                 | <b>Grade 11</b> | 0.5%          | 0.9%           | 1.9%         | 98.1%         |
|                 | <b>Grade 12</b> | 0.8%          | 1.1%           | 2.3%         | 97.7%         |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 2.6%          | 4.2%           | 7.2%         | 92.8%         |
|                 | <b>Grade 7</b>  | 0.9%          | 1.1%           | 2.0%         | 98.0%         |
|                 | <b>Grade 8</b>  | 1.0%          | 1.9%           | 3.3%         | 96.7%         |
|                 | <b>Grade 9</b>  | 2.6%          | 4.3%           | 6.3%         | 93.7%         |
|                 | <b>Grade 10</b> | 3.0%          | 4.7%           | 8.7%         | 91.3%         |
|                 | <b>Grade 11</b> | 3.4%          | 5.9%           | 10.7%        | 89.3%         |
|                 | <b>Grade 12</b> | 4.6%          | 7.6%           | 13.2%        | 86.8%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 0.7%          | 1.1%           | 2.0%         | 98.0%         |
|                 | <b>Grade 7</b>  | 0.8%          | 1.0%           | 1.7%         | 98.3%         |
|                 | <b>Grade 8</b>  | 0.3%          | 0.9%           | 1.7%         | 98.3%         |
|                 | <b>Grade 9</b>  | 0.7%          | 1.0%           | 1.7%         | 98.3%         |
|                 | <b>Grade 10</b> | 0.8%          | 1.3%           | 2.4%         | 97.6%         |
|                 | <b>Grade 11</b> | 0.6%          | 1.0%           | 1.7%         | 98.3%         |
|                 | <b>Grade 12</b> | 0.8%          | 1.7%           | 2.8%         | 97.2%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          |          |               |                |              |               |
|                         | All      | 11.1%         | 15.7%          | 28.6%        | 71.4%         |
|                         | Grade 7  | 3.1%          | 4.7%           | 13.3%        | 86.7%         |
|                         | Grade 8  | 4.8%          | 7.9%           | 19.3%        | 80.7%         |
|                         | Grade 9  | 8.6%          | 13.6%          | 26.7%        | 73.3%         |
|                         | Grade 10 | 13.3%         | 18.1%          | 32.5%        | 67.5%         |
|                         | Grade 11 | 16.9%         | 23.7%          | 38.4%        | 61.6%         |
|                         | Grade 12 | 22.9%         | 30.0%          | 46.0%        | 54.0%         |
| <b>Alcohol</b>          |          |               |                |              |               |
|                         | All      | 27.8%         | 39.1%          | 61.0%        | 39.0%         |
|                         | Grade 7  | 13.7%         | 19.2%          | 41.4%        | 58.6%         |
|                         | Grade 8  | 19.0%         | 28.2%          | 52.1%        | 47.9%         |
|                         | Grade 9  | 26.4%         | 38.7%          | 62.3%        | 37.7%         |
|                         | Grade 10 | 31.3%         | 44.3%          | 67.0%        | 33.0%         |
|                         | Grade 11 | 36.1%         | 51.2%          | 71.4%        | 28.6%         |
|                         | Grade 12 | 44.9%         | 58.1%          | 75.9%        | 24.1%         |
| <b>Inhalants</b>        |          |               |                |              |               |
|                         | All      | 1.8%          | 3.1%           | 7.5%         | 92.5%         |
|                         | Grade 7  | 2.6%          | 4.1%           | 8.1%         | 91.9%         |
|                         | Grade 8  | 2.5%          | 3.8%           | 8.6%         | 91.4%         |
|                         | Grade 9  | 1.8%          | 3.1%           | 7.7%         | 92.3%         |
|                         | Grade 10 | 1.6%          | 3.1%           | 7.9%         | 92.1%         |
|                         | Grade 11 | 1.2%          | 2.1%           | 6.2%         | 93.8%         |
|                         | Grade 12 | 1.3%          | 2.1%           | 5.9%         | 94.1%         |
| <b>Any Illicit Drug</b> |          |               |                |              |               |
|                         | All      | 9.8%          | 14.1%          | 23.5%        | 76.5%         |
|                         | Grade 7  | 3.3%          | 4.6%           | 8.4%         | 91.6%         |
|                         | Grade 8  | 4.9%          | 7.1%           | 13.6%        | 86.4%         |
|                         | Grade 9  | 9.2%          | 13.3%          | 21.9%        | 78.1%         |
|                         | Grade 10 | 12.7%         | 18.1%          | 28.6%        | 71.4%         |
|                         | Grade 11 | 14.4%         | 21.1%          | 34.6%        | 65.4%         |
|                         | Grade 12 | 16.3%         | 23.1%          | 38.1%        | 61.9%         |
| <b>Marijuana</b>        |          |               |                |              |               |
|                         | All      | 8.6%          | 12.8%          | 22.1%        | 77.9%         |
|                         | Grade 7  | 2.5%          | 3.5%           | 6.6%         | 93.4%         |
|                         | Grade 8  | 4.1%          | 6.1%           | 12.1%        | 87.9%         |
|                         | Grade 9  | 8.0%          | 11.8%          | 20.5%        | 79.5%         |
|                         | Grade 10 | 11.0%         | 16.4%          | 27.0%        | 73.0%         |
|                         | Grade 11 | 13.0%         | 19.9%          | 33.3%        | 66.7%         |
|                         | Grade 12 | 14.6%         | 21.6%          | 37.0%        | 63.0%         |
| <b>Marijuana Only</b>   |          |               |                |              |               |
|                         | All      | 3.6%          | 5.9%           | 12.5%        | 87.5%         |
|                         | Grade 7  | 1.2%          | 1.6%           | 3.9%         | 96.1%         |
|                         | Grade 8  | 2.1%          | 3.2%           | 7.7%         | 92.3%         |
|                         | Grade 9  | 3.6%          | 5.7%           | 11.9%        | 88.1%         |
|                         | Grade 10 | 4.8%          | 7.6%           | 15.2%        | 84.8%         |
|                         | Grade 11 | 5.1%          | 9.3%           | 18.6%        | 81.4%         |
|                         | Grade 12 | 5.2%          | 9.1%           | 19.9%        | 80.1%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 1.4%          | 2.4%           | 5.1%         | 94.9%         |
|                         | Grade 7  | 0.4%          | 0.9%           | 1.8%         | 98.2%         |
|                         | Grade 8  | 0.7%          | 1.2%           | 2.7%         | 97.3%         |
|                         | Grade 9  | 1.4%          | 2.2%           | 4.2%         | 95.8%         |
|                         | Grade 10 | 1.6%          | 3.0%           | 6.1%         | 93.9%         |
|                         | Grade 11 | 2.0%          | 3.4%           | 7.5%         | 92.5%         |
|                         | Grade 12 | 2.2%          | 4.4%           | 9.2%         | 90.8%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 1.3%          | 2.3%           | 4.8%         | 95.2%         |
|                         | Grade 7  | 0.4%          | 0.8%           | 1.4%         | 98.6%         |
|                         | Grade 8  | 0.6%          | 1.0%           | 2.2%         | 97.8%         |
|                         | Grade 9  | 1.3%          | 2.0%           | 3.9%         | 96.1%         |
|                         | Grade 10 | 1.6%          | 2.9%           | 5.9%         | 94.1%         |
|                         | Grade 11 | 1.9%          | 3.3%           | 7.3%         | 92.7%         |
|                         | Grade 12 | 2.2%          | 4.5%           | 9.2%         | 90.8%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.2%          | 0.4%           | 1.1%         | 98.9%         |
|                         | Grade 7  | 0.2%          | 0.4%           | 0.9%         | 99.1%         |
|                         | Grade 8  | 0.2%          | 0.4%           | 1.1%         | 98.9%         |
|                         | Grade 9  | 0.3%          | 0.5%           | 1.0%         | 99.0%         |
|                         | Grade 10 | 0.2%          | 0.4%           | 1.3%         | 98.7%         |
|                         | Grade 11 | 0.2%          | 0.4%           | 1.0%         | 99.0%         |
|                         | Grade 12 | 0.3%          | 0.6%           | 1.5%         | 98.5%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 1.2%          | 2.1%           | 3.9%         | 96.1%         |
|                         | Grade 7  | 0.4%          | 0.7%           | 1.0%         | 99.0%         |
|                         | Grade 8  | 0.4%          | 0.6%           | 1.4%         | 98.6%         |
|                         | Grade 9  | 1.0%          | 1.8%           | 3.3%         | 96.7%         |
|                         | Grade 10 | 1.6%          | 2.6%           | 5.1%         | 94.9%         |
|                         | Grade 11 | 1.7%          | 3.1%           | 6.2%         | 93.8%         |
|                         | Grade 12 | 2.3%          | 4.2%           | 7.2%         | 92.8%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 1.7%          | 2.8%           | 4.7%         | 95.3%         |
|                         | Grade 7  | 0.4%          | 0.7%           | 1.1%         | 98.9%         |
|                         | Grade 8  | 0.6%          | 0.9%           | 1.7%         | 98.3%         |
|                         | Grade 9  | 1.3%          | 2.1%           | 3.5%         | 96.5%         |
|                         | Grade 10 | 2.2%          | 3.7%           | 5.9%         | 94.1%         |
|                         | Grade 11 | 2.9%          | 4.8%           | 7.8%         | 92.2%         |
|                         | Grade 12 | 3.2%          | 5.4%           | 9.6%         | 90.4%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 1.7%          | 2.9%           | 4.8%         | 95.2%         |
|                         | Grade 7  | 0.4%          | 0.7%           | 1.1%         | 98.9%         |
|                         | Grade 8  | 0.5%          | 0.9%           | 1.6%         | 98.4%         |
|                         | Grade 9  | 1.2%          | 2.0%           | 3.4%         | 96.6%         |
|                         | Grade 10 | 2.0%          | 3.7%           | 6.2%         | 93.8%         |
|                         | Grade 11 | 3.1%          | 4.8%           | 7.8%         | 92.2%         |
|                         | Grade 12 | 3.6%          | 5.8%           | 10.0%        | 90.0%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.5%          | 0.7%           | 1.5%         | 98.5%         |
|                 | <b>Grade 7</b>  | 0.3%          | 0.5%           | 0.9%         | 99.1%         |
|                 | <b>Grade 8</b>  | 0.4%          | 0.5%           | 1.0%         | 99.0%         |
|                 | <b>Grade 9</b>  | 0.6%          | 0.8%           | 1.6%         | 98.4%         |
|                 | <b>Grade 10</b> | 0.6%          | 1.0%           | 2.2%         | 97.8%         |
|                 | <b>Grade 11</b> | 0.3%          | 0.6%           | 1.4%         | 98.6%         |
|                 | <b>Grade 12</b> | 0.7%          | 0.9%           | 1.6%         | 98.4%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.4%          | 0.7%           | 1.3%         | 98.7%         |
|                 | <b>Grade 7</b>  | 0.2%          | 0.5%           | 0.9%         | 99.1%         |
|                 | <b>Grade 8</b>  | 0.4%          | 0.6%           | 1.2%         | 98.8%         |
|                 | <b>Grade 9</b>  | 0.4%          | 0.6%           | 1.3%         | 98.7%         |
|                 | <b>Grade 10</b> | 0.6%          | 1.0%           | 1.7%         | 98.3%         |
|                 | <b>Grade 11</b> | 0.4%          | 0.7%           | 1.3%         | 98.7%         |
|                 | <b>Grade 12</b> | 0.6%          | 1.0%           | 1.4%         | 98.6%         |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 1.5%          | 2.4%           | 4.4%         | 95.6%         |
|                 | <b>Grade 7</b>  | 0.5%          | 0.8%           | 1.0%         | 99.0%         |
|                 | <b>Grade 8</b>  | 0.5%          | 0.9%           | 1.7%         | 98.3%         |
|                 | <b>Grade 9</b>  | 1.3%          | 2.2%           | 3.7%         | 96.3%         |
|                 | <b>Grade 10</b> | 2.0%          | 2.9%           | 5.5%         | 94.5%         |
|                 | <b>Grade 11</b> | 2.0%          | 3.4%           | 6.5%         | 93.5%         |
|                 | <b>Grade 12</b> | 2.8%          | 4.9%           | 8.8%         | 91.2%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 0.3%          | 0.5%           | 1.1%         | 98.9%         |
|                 | <b>Grade 7</b>  | 0.2%          | 0.4%           | 0.8%         | 99.2%         |
|                 | <b>Grade 8</b>  | 0.2%          | 0.4%           | 0.8%         | 99.2%         |
|                 | <b>Grade 9</b>  | 0.2%          | 0.5%           | 1.1%         | 98.9%         |
|                 | <b>Grade 10</b> | 0.3%          | 0.5%           | 1.2%         | 98.8%         |
|                 | <b>Grade 11</b> | 0.4%          | 0.6%           | 1.0%         | 99.0%         |
|                 | <b>Grade 12</b> | 0.3%          | 0.8%           | 1.6%         | 98.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 20.0%         | 27.2%          | 42.9%        | 57.1%         |
|                         | <b>Grade 7</b>  | 11.9%         | 16.1%          | 29.5%        | 70.5%         |
|                         | <b>Grade 8</b>  | 11.8%         | 18.3%          | 35.4%        | 64.6%         |
|                         | <b>Grade 9</b>  | 16.9%         | 24.8%          | 40.6%        | 59.4%         |
|                         | <b>Grade 10</b> | 23.9%         | 31.5%          | 46.9%        | 53.1%         |
|                         | <b>Grade 11</b> | 25.8%         | 33.7%          | 49.2%        | 50.8%         |
|                         | <b>Grade 12</b> | 29.7%         | 37.8%          | 54.3%        | 45.7%         |
| <b>Alcohol</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 40.8%         | 54.0%          | 72.9%        | 27.1%         |
|                         | <b>Grade 7</b>  | 29.6%         | 36.7%          | 60.1%        | 39.9%         |
|                         | <b>Grade 8</b>  | 34.6%         | 48.7%          | 70.8%        | 29.2%         |
|                         | <b>Grade 9</b>  | 40.4%         | 53.2%          | 72.2%        | 27.8%         |
|                         | <b>Grade 10</b> | 43.9%         | 60.7%          | 76.3%        | 23.7%         |
|                         | <b>Grade 11</b> | 44.6%         | 59.6%          | 76.7%        | 23.3%         |
|                         | <b>Grade 12</b> | 49.9%         | 62.6%          | 79.4%        | 20.6%         |
| <b>Inhalants</b>        |                 |               |                |              |               |
|                         | <b>All</b>      | 4.7%          | 7.4%           | 14.6%        | 85.4%         |
|                         | <b>Grade 7</b>  | 9.6%          | 12.2%          | 20.9%        | 79.1%         |
|                         | <b>Grade 8</b>  | 8.1%          | 12.2%          | 19.5%        | 80.5%         |
|                         | <b>Grade 9</b>  | 4.0%          | 6.8%           | 13.2%        | 86.8%         |
|                         | <b>Grade 10</b> | 2.8%          | 6.2%           | 14.4%        | 85.6%         |
|                         | <b>Grade 11</b> | 1.9%          | 3.8%           | 11.0%        | 89.0%         |
|                         | <b>Grade 12</b> | 3.0%          | 4.4%           | 9.8%         | 90.2%         |
| <b>Any Illicit Drug</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 19.6%         | 27.4%          | 39.9%        | 60.1%         |
|                         | <b>Grade 7</b>  | 13.4%         | 17.2%          | 24.7%        | 75.3%         |
|                         | <b>Grade 8</b>  | 13.5%         | 18.2%          | 29.0%        | 71.0%         |
|                         | <b>Grade 9</b>  | 19.9%         | 27.0%          | 39.4%        | 60.6%         |
|                         | <b>Grade 10</b> | 22.0%         | 30.6%          | 44.7%        | 55.3%         |
|                         | <b>Grade 11</b> | 24.3%         | 35.4%          | 49.8%        | 50.2%         |
|                         | <b>Grade 12</b> | 23.4%         | 34.7%          | 49.6%        | 50.4%         |
| <b>Marijuana</b>        |                 |               |                |              |               |
|                         | <b>All</b>      | 16.5%         | 24.6%          | 36.9%        | 63.1%         |
|                         | <b>Grade 7</b>  | 11.0%         | 14.8%          | 21.7%        | 78.3%         |
|                         | <b>Grade 8</b>  | 10.5%         | 15.5%          | 25.2%        | 74.8%         |
|                         | <b>Grade 9</b>  | 17.0%         | 23.7%          | 35.0%        | 65.0%         |
|                         | <b>Grade 10</b> | 18.8%         | 27.8%          | 42.4%        | 57.6%         |
|                         | <b>Grade 11</b> | 20.8%         | 32.2%          | 47.4%        | 52.6%         |
|                         | <b>Grade 12</b> | 19.8%         | 32.5%          | 48.1%        | 51.9%         |
| <b>Marijuana Only</b>   |                 |               |                |              |               |
|                         | <b>All</b>      | 6.4%          | 10.6%          | 18.5%        | 81.5%         |
|                         | <b>Grade 7</b>  | 5.1%          | 7.4%           | 11.8%        | 88.2%         |
|                         | <b>Grade 8</b>  | 4.9%          | 7.8%           | 14.5%        | 85.5%         |
|                         | <b>Grade 9</b>  | 7.9%          | 12.1%          | 19.8%        | 80.2%         |
|                         | <b>Grade 10</b> | 6.1%          | 10.9%          | 20.9%        | 79.1%         |
|                         | <b>Grade 11</b> | 7.3%          | 12.0%          | 20.6%        | 79.4%         |
|                         | <b>Grade 12</b> | 6.5%          | 12.7%          | 22.1%        | 77.9%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 3.9%          | 6.1%           | 10.4%        | 89.6%         |
|                         | Grade 7  | 3.1%          | 3.9%           | 6.2%         | 93.8%         |
|                         | Grade 8  | 2.3%          | 3.9%           | 6.8%         | 93.2%         |
|                         | Grade 9  | 3.8%          | 5.1%           | 8.0%         | 92.0%         |
|                         | Grade 10 | 4.1%          | 6.5%           | 10.9%        | 89.1%         |
|                         | Grade 11 | 4.5%          | 7.2%           | 14.2%        | 85.8%         |
|                         | Grade 12 | 5.5%          | 10.2%          | 16.8%        | 83.2%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 3.6%          | 5.7%           | 9.9%         | 90.1%         |
|                         | Grade 7  | 2.6%          | 3.5%           | 5.2%         | 94.8%         |
|                         | Grade 8  | 1.8%          | 3.0%           | 5.2%         | 94.8%         |
|                         | Grade 9  | 3.2%          | 4.7%           | 7.5%         | 92.5%         |
|                         | Grade 10 | 4.1%          | 6.4%           | 10.8%        | 89.2%         |
|                         | Grade 11 | 4.4%          | 6.8%           | 13.9%        | 86.1%         |
|                         | Grade 12 | 5.4%          | 10.0%          | 16.6%        | 83.4%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 1.5%          | 2.1%           | 3.3%         | 96.7%         |
|                         | Grade 7  | 1.8%          | 2.0%           | 2.9%         | 97.1%         |
|                         | Grade 8  | 1.1%          | 2.1%           | 4.0%         | 96.0%         |
|                         | Grade 9  | 1.8%          | 2.3%           | 3.7%         | 96.3%         |
|                         | Grade 10 | 1.4%          | 2.1%           | 3.2%         | 96.8%         |
|                         | Grade 11 | 0.7%          | 1.3%           | 2.3%         | 97.7%         |
|                         | Grade 12 | 2.3%          | 2.7%           | 3.6%         | 96.4%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 2.9%          | 4.4%           | 7.7%         | 92.3%         |
|                         | Grade 7  | 0.6%          | 0.9%           | 2.3%         | 97.7%         |
|                         | Grade 8  | 1.3%          | 2.2%           | 4.2%         | 95.8%         |
|                         | Grade 9  | 2.9%          | 4.1%           | 6.5%         | 93.5%         |
|                         | Grade 10 | 4.2%          | 5.9%           | 10.2%        | 89.8%         |
|                         | Grade 11 | 3.8%          | 5.7%           | 10.2%        | 89.8%         |
|                         | Grade 12 | 3.9%          | 7.3%           | 12.1%        | 87.9%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 3.9%          | 6.2%           | 9.6%         | 90.4%         |
|                         | Grade 7  | 2.1%          | 2.1%           | 3.0%         | 97.0%         |
|                         | Grade 8  | 2.0%          | 2.4%           | 3.7%         | 96.3%         |
|                         | Grade 9  | 3.6%          | 5.3%           | 8.6%         | 91.4%         |
|                         | Grade 10 | 5.8%          | 8.6%           | 12.2%        | 87.8%         |
|                         | Grade 11 | 4.2%          | 7.7%           | 13.9%        | 86.1%         |
|                         | Grade 12 | 5.5%          | 10.7%          | 15.5%        | 84.5%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 4.0%          | 6.3%           | 9.7%         | 90.3%         |
|                         | Grade 7  | 1.8%          | 2.1%           | 2.9%         | 97.1%         |
|                         | Grade 8  | 1.4%          | 1.9%           | 2.8%         | 97.2%         |
|                         | Grade 9  | 3.4%          | 4.9%           | 7.6%         | 92.4%         |
|                         | Grade 10 | 6.1%          | 8.8%           | 12.4%        | 87.6%         |
|                         | Grade 11 | 5.0%          | 8.8%           | 15.0%        | 85.0%         |
|                         | Grade 12 | 5.7%          | 10.8%          | 17.3%        | 82.7%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 1.4%          | 2.1%           | 3.0%         | 97.0%         |
|                 | <b>Grade 7</b>  | 1.3%          | 1.6%           | 2.4%         | 97.6%         |
|                 | <b>Grade 8</b>  | 1.5%          | 2.1%           | 2.5%         | 97.5%         |
|                 | <b>Grade 9</b>  | 1.8%          | 2.2%           | 2.9%         | 97.1%         |
|                 | <b>Grade 10</b> | 2.2%          | 3.3%           | 4.2%         | 95.8%         |
|                 | <b>Grade 11</b> | 1.0%          | 1.7%           | 3.2%         | 96.8%         |
|                 | <b>Grade 12</b> | 0.5%          | 1.2%           | 2.9%         | 97.1%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 1.3%          | 1.7%           | 2.8%         | 97.2%         |
|                 | <b>Grade 7</b>  | 1.7%          | 2.0%           | 3.0%         | 97.0%         |
|                 | <b>Grade 8</b>  | 1.1%          | 1.4%           | 2.6%         | 97.4%         |
|                 | <b>Grade 9</b>  | 0.7%          | 1.1%           | 2.1%         | 97.9%         |
|                 | <b>Grade 10</b> | 1.6%          | 1.8%           | 3.0%         | 97.0%         |
|                 | <b>Grade 11</b> | 1.2%          | 1.8%           | 2.5%         | 97.5%         |
|                 | <b>Grade 12</b> | 1.6%          | 2.1%           | 4.1%         | 95.9%         |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 3.6%          | 5.7%           | 9.2%         | 90.8%         |
|                 | <b>Grade 7</b>  | 2.4%          | 2.5%           | 4.2%         | 95.8%         |
|                 | <b>Grade 8</b>  | 1.8%          | 2.8%           | 4.9%         | 95.1%         |
|                 | <b>Grade 9</b>  | 3.5%          | 4.9%           | 7.1%         | 92.9%         |
|                 | <b>Grade 10</b> | 3.8%          | 6.1%           | 10.1%        | 89.9%         |
|                 | <b>Grade 11</b> | 3.7%          | 8.8%           | 15.1%        | 84.9%         |
|                 | <b>Grade 12</b> | 5.9%          | 8.6%           | 13.5%        | 86.5%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 0.9%          | 1.6%           | 2.7%         | 97.3%         |
|                 | <b>Grade 7</b>  | 1.2%          | 1.5%           | 2.5%         | 97.5%         |
|                 | <b>Grade 8</b>  | 0.7%          | 1.0%           | 2.6%         | 97.4%         |
|                 | <b>Grade 9</b>  | 1.6%          | 1.9%           | 2.6%         | 97.4%         |
|                 | <b>Grade 10</b> | 0.5%          | 1.5%           | 2.5%         | 97.5%         |
|                 | <b>Grade 11</b> | 0.5%          | 1.5%           | 2.7%         | 97.3%         |
|                 | <b>Grade 12</b> | 0.8%          | 2.3%           | 3.6%         | 96.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          |          |               |                |              |               |
|                         | All      | 13.2%         | 18.4%          | 34.2%        | 65.8%         |
|                         | Grade 7  | 6.0%          | 8.8%           | 20.9%        | 79.1%         |
|                         | Grade 8  | 7.3%          | 10.8%          | 27.6%        | 72.4%         |
|                         | Grade 9  | 13.2%         | 20.4%          | 35.8%        | 64.2%         |
|                         | Grade 10 | 15.9%         | 21.0%          | 38.1%        | 61.9%         |
|                         | Grade 11 | 19.5%         | 26.2%          | 42.2%        | 57.8%         |
|                         | Grade 12 | 26.7%         | 33.2%          | 54.1%        | 45.9%         |
| <b>Alcohol</b>          |          |               |                |              |               |
|                         | All      | 30.9%         | 42.3%          | 65.2%        | 34.8%         |
|                         | Grade 7  | 21.4%         | 26.5%          | 49.8%        | 50.2%         |
|                         | Grade 8  | 24.7%         | 35.9%          | 60.4%        | 39.6%         |
|                         | Grade 9  | 32.6%         | 44.6%          | 66.5%        | 33.5%         |
|                         | Grade 10 | 33.7%         | 47.9%          | 72.0%        | 28.0%         |
|                         | Grade 11 | 38.3%         | 53.6%          | 74.7%        | 25.3%         |
|                         | Grade 12 | 43.2%         | 55.5%          | 77.2%        | 22.8%         |
| <b>Inhalants</b>        |          |               |                |              |               |
|                         | All      | 3.0%          | 5.1%           | 10.6%        | 89.4%         |
|                         | Grade 7  | 4.1%          | 6.7%           | 11.4%        | 88.6%         |
|                         | Grade 8  | 3.7%          | 6.0%           | 11.8%        | 88.2%         |
|                         | Grade 9  | 2.9%          | 5.1%           | 10.2%        | 89.8%         |
|                         | Grade 10 | 2.5%          | 4.8%           | 11.3%        | 88.7%         |
|                         | Grade 11 | 1.5%          | 2.7%           | 7.7%         | 92.3%         |
|                         | Grade 12 | 2.4%          | 4.0%           | 10.3%        | 89.7%         |
| <b>Any Illicit Drug</b> |          |               |                |              |               |
|                         | All      | 13.8%         | 19.0%          | 30.4%        | 69.6%         |
|                         | Grade 7  | 7.0%          | 8.8%           | 15.0%        | 85.0%         |
|                         | Grade 8  | 9.2%          | 11.9%          | 21.1%        | 78.9%         |
|                         | Grade 9  | 15.0%         | 20.4%          | 31.8%        | 68.2%         |
|                         | Grade 10 | 17.6%         | 25.0%          | 38.3%        | 61.7%         |
|                         | Grade 11 | 18.5%         | 26.5%          | 42.0%        | 58.0%         |
|                         | Grade 12 | 20.0%         | 28.3%          | 45.4%        | 54.6%         |
| <b>Marijuana</b>        |          |               |                |              |               |
|                         | All      | 12.2%         | 17.5%          | 28.6%        | 71.4%         |
|                         | Grade 7  | 6.1%          | 7.8%           | 12.8%        | 87.2%         |
|                         | Grade 8  | 7.6%          | 10.4%          | 18.7%        | 81.3%         |
|                         | Grade 9  | 13.0%         | 18.2%          | 30.0%        | 70.0%         |
|                         | Grade 10 | 15.7%         | 23.4%          | 36.7%        | 63.3%         |
|                         | Grade 11 | 16.6%         | 25.2%          | 40.8%        | 59.2%         |
|                         | Grade 12 | 18.5%         | 27.4%          | 44.3%        | 55.7%         |
| <b>Marijuana Only</b>   |          |               |                |              |               |
|                         | All      | 5.3%          | 8.2%           | 16.2%        | 83.8%         |
|                         | Grade 7  | 2.9%          | 3.8%           | 7.5%         | 92.5%         |
|                         | Grade 8  | 3.7%          | 5.4%           | 11.8%        | 88.2%         |
|                         | Grade 9  | 5.9%          | 8.9%           | 17.5%        | 82.5%         |
|                         | Grade 10 | 6.7%          | 10.8%          | 20.6%        | 79.4%         |
|                         | Grade 11 | 7.8%          | 12.9%          | 23.5%        | 76.5%         |
|                         | Grade 12 | 5.1%          | 9.0%           | 19.7%        | 80.3%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |                 |               |                |              |               |
|                         | <b>All</b>      | 2.2%          | 3.6%           | 6.7%         | 93.3%         |
|                         | <b>Grade 7</b>  | 1.3%          | 1.7%           | 3.2%         | 96.8%         |
|                         | <b>Grade 8</b>  | 2.0%          | 2.4%           | 4.7%         | 95.3%         |
|                         | <b>Grade 9</b>  | 2.9%          | 3.9%           | 6.5%         | 93.5%         |
|                         | <b>Grade 10</b> | 2.4%          | 4.5%           | 8.2%         | 91.8%         |
|                         | <b>Grade 11</b> | 2.5%          | 4.4%           | 8.9%         | 91.1%         |
|                         | <b>Grade 12</b> | 2.5%          | 5.9%           | 12.2%        | 87.8%         |
| <b>Cocaine</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 2.1%          | 3.4%           | 6.3%         | 93.7%         |
|                         | <b>Grade 7</b>  | 1.3%          | 1.5%           | 2.7%         | 97.3%         |
|                         | <b>Grade 8</b>  | 1.8%          | 2.2%           | 3.9%         | 96.1%         |
|                         | <b>Grade 9</b>  | 2.6%          | 3.7%           | 6.1%         | 93.9%         |
|                         | <b>Grade 10</b> | 2.3%          | 4.5%           | 8.0%         | 92.0%         |
|                         | <b>Grade 11</b> | 2.4%          | 4.4%           | 8.7%         | 91.3%         |
|                         | <b>Grade 12</b> | 2.5%          | 5.9%           | 12.2%        | 87.8%         |
| <b>Crack</b>            |                 |               |                |              |               |
|                         | <b>All</b>      | 0.6%          | 0.9%           | 1.9%         | 98.1%         |
|                         | <b>Grade 7</b>  | 0.5%          | 0.9%           | 1.7%         | 98.3%         |
|                         | <b>Grade 8</b>  | 0.7%          | 0.9%           | 2.1%         | 97.9%         |
|                         | <b>Grade 9</b>  | 1.0%          | 1.2%           | 1.9%         | 98.1%         |
|                         | <b>Grade 10</b> | 0.6%          | 1.1%           | 2.4%         | 97.6%         |
|                         | <b>Grade 11</b> | 0.3%          | 0.5%           | 1.2%         | 98.8%         |
|                         | <b>Grade 12</b> | 0.6%          | 0.7%           | 1.8%         | 98.2%         |
| <b>Hallucinogens</b>    |                 |               |                |              |               |
|                         | <b>All</b>      | 1.7%          | 2.6%           | 4.9%         | 95.1%         |
|                         | <b>Grade 7</b>  | 0.5%          | 0.7%           | 1.2%         | 98.8%         |
|                         | <b>Grade 8</b>  | 1.3%          | 1.4%           | 2.5%         | 97.5%         |
|                         | <b>Grade 9</b>  | 1.7%          | 2.4%           | 4.3%         | 95.7%         |
|                         | <b>Grade 10</b> | 2.7%          | 4.1%           | 8.0%         | 92.0%         |
|                         | <b>Grade 11</b> | 2.0%          | 3.3%           | 7.1%         | 92.9%         |
|                         | <b>Grade 12</b> | 2.9%          | 5.6%           | 9.5%         | 90.5%         |
| <b>Uppers</b>           |                 |               |                |              |               |
|                         | <b>All</b>      | 2.3%          | 3.6%           | 5.7%         | 94.3%         |
|                         | <b>Grade 7</b>  | 0.5%          | 0.9%           | 1.8%         | 98.2%         |
|                         | <b>Grade 8</b>  | 1.3%          | 1.7%           | 2.5%         | 97.5%         |
|                         | <b>Grade 9</b>  | 2.2%          | 3.2%           | 4.8%         | 95.2%         |
|                         | <b>Grade 10</b> | 3.6%          | 5.8%           | 8.3%         | 91.7%         |
|                         | <b>Grade 11</b> | 3.2%          | 5.2%           | 8.7%         | 91.3%         |
|                         | <b>Grade 12</b> | 3.9%          | 8.2%           | 13.1%        | 86.9%         |
| <b>Downers</b>          |                 |               |                |              |               |
|                         | <b>All</b>      | 2.5%          | 4.0%           | 6.3%         | 93.7%         |
|                         | <b>Grade 7</b>  | 0.7%          | 1.2%           | 2.1%         | 97.9%         |
|                         | <b>Grade 8</b>  | 0.7%          | 1.2%           | 2.0%         | 98.0%         |
|                         | <b>Grade 9</b>  | 2.0%          | 3.0%           | 4.5%         | 95.5%         |
|                         | <b>Grade 10</b> | 3.7%          | 6.4%           | 10.0%        | 90.0%         |
|                         | <b>Grade 11</b> | 4.0%          | 5.8%           | 9.3%         | 90.7%         |
|                         | <b>Grade 12</b> | 6.2%          | 10.5%          | 15.8%        | 84.2%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

|                 |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-----------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Rohypnol</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 1.0%          | 1.3%           | 2.3%         | 97.7%         |
|                 | <b>Grade 7</b>  | 0.5%          | 0.6%           | 1.3%         | 98.7%         |
|                 | <b>Grade 8</b>  | 1.3%          | 1.6%           | 2.2%         | 97.8%         |
|                 | <b>Grade 9</b>  | 1.3%          | 1.5%           | 2.5%         | 97.5%         |
|                 | <b>Grade 10</b> | 1.0%          | 1.5%           | 2.9%         | 97.1%         |
|                 | <b>Grade 11</b> | 0.6%          | 1.2%           | 2.1%         | 97.9%         |
|                 | <b>Grade 12</b> | 1.4%          | 1.7%           | 3.1%         | 96.9%         |
| <b>Steroids</b> |                 |               |                |              |               |
|                 | <b>All</b>      | 0.6%          | 0.9%           | 1.9%         | 98.1%         |
|                 | <b>Grade 7</b>  | 0.4%          | 0.9%           | 1.7%         | 98.3%         |
|                 | <b>Grade 8</b>  | 0.4%          | 0.8%           | 1.8%         | 98.2%         |
|                 | <b>Grade 9</b>  | 0.5%          | 0.8%           | 1.6%         | 98.4%         |
|                 | <b>Grade 10</b> | 1.2%          | 1.4%           | 2.6%         | 97.4%         |
|                 | <b>Grade 11</b> | 0.4%          | 0.9%           | 1.8%         | 98.2%         |
|                 | <b>Grade 12</b> | 0.4%          | 0.5%           | 1.3%         | 98.7%         |
| <b>Ecstasy</b>  |                 |               |                |              |               |
|                 | <b>All</b>      | 2.3%          | 3.4%           | 6.0%         | 94.0%         |
|                 | <b>Grade 7</b>  | 1.0%          | 1.2%           | 1.7%         | 98.3%         |
|                 | <b>Grade 8</b>  | 1.4%          | 2.0%           | 2.9%         | 97.1%         |
|                 | <b>Grade 9</b>  | 2.8%          | 4.0%           | 5.9%         | 94.1%         |
|                 | <b>Grade 10</b> | 2.1%          | 3.4%           | 7.7%         | 92.3%         |
|                 | <b>Grade 11</b> | 3.3%          | 5.1%           | 9.2%         | 90.8%         |
|                 | <b>Grade 12</b> | 4.3%          | 6.9%           | 14.4%        | 85.6%         |
| <b>Heroin</b>   |                 |               |                |              |               |
|                 | <b>All</b>      | 0.5%          | 0.9%           | 1.8%         | 98.2%         |
|                 | <b>Grade 7</b>  | 0.7%          | 0.9%           | 1.8%         | 98.2%         |
|                 | <b>Grade 8</b>  | 0.4%          | 0.9%           | 1.8%         | 98.2%         |
|                 | <b>Grade 9</b>  | 0.6%          | 0.9%           | 1.7%         | 98.3%         |
|                 | <b>Grade 10</b> | 0.6%          | 0.9%           | 2.1%         | 97.9%         |
|                 | <b>Grade 11</b> | 0.2%          | 0.6%           | 1.3%         | 98.7%         |
|                 | <b>Grade 12</b> | 0.2%          | 0.7%           | 2.0%         | 98.0%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

|                         |                 | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|-----------------|---------------|----------------|--------------|---------------|
| <b>Tobacco</b>          | <b>All</b>      | 12.5%         | 17.5%          | 30.1%        | 69.9%         |
|                         | <b>Grade 7</b>  | 4.0%          | 5.9%           | 14.2%        | 85.8%         |
|                         | <b>Grade 8</b>  | 5.4%          | 9.0%           | 20.0%        | 80.0%         |
|                         | <b>Grade 9</b>  | 9.0%          | 13.9%          | 26.5%        | 73.5%         |
|                         | <b>Grade 10</b> | 15.1%         | 20.7%          | 33.9%        | 66.1%         |
|                         | <b>Grade 11</b> | 18.1%         | 25.0%          | 40.0%        | 60.0%         |
|                         | <b>Grade 12</b> | 23.4%         | 30.7%          | 46.3%        | 53.7%         |
| <b>Alcohol</b>          | <b>All</b>      | 30.0%         | 41.7%          | 62.5%        | 37.5%         |
|                         | <b>Grade 7</b>  | 14.6%         | 20.4%          | 42.6%        | 57.4%         |
|                         | <b>Grade 8</b>  | 20.9%         | 30.7%          | 54.2%        | 45.8%         |
|                         | <b>Grade 9</b>  | 27.8%         | 40.5%          | 63.0%        | 37.0%         |
|                         | <b>Grade 10</b> | 33.4%         | 46.8%          | 66.9%        | 33.1%         |
|                         | <b>Grade 11</b> | 37.4%         | 52.2%          | 71.5%        | 28.5%         |
|                         | <b>Grade 12</b> | 45.6%         | 59.1%          | 76.1%        | 23.9%         |
| <b>Inhalants</b>        | <b>All</b>      | 2.3%          | 3.6%           | 8.3%         | 91.7%         |
|                         | <b>Grade 7</b>  | 3.6%          | 5.1%           | 10.1%        | 89.9%         |
|                         | <b>Grade 8</b>  | 3.3%          | 5.1%           | 9.8%         | 90.2%         |
|                         | <b>Grade 9</b>  | 2.0%          | 3.4%           | 8.4%         | 91.6%         |
|                         | <b>Grade 10</b> | 1.7%          | 3.3%           | 8.3%         | 91.7%         |
|                         | <b>Grade 11</b> | 1.2%          | 2.3%           | 7.0%         | 93.0%         |
|                         | <b>Grade 12</b> | 1.9%          | 2.6%           | 6.2%         | 93.8%         |
| <b>Any Illicit Drug</b> | <b>All</b>      | 10.9%         | 15.8%          | 25.3%        | 74.7%         |
|                         | <b>Grade 7</b>  | 4.3%          | 6.2%           | 9.9%         | 90.1%         |
|                         | <b>Grade 8</b>  | 5.5%          | 8.3%           | 14.8%        | 85.2%         |
|                         | <b>Grade 9</b>  | 9.9%          | 14.2%          | 22.5%        | 77.5%         |
|                         | <b>Grade 10</b> | 13.4%         | 19.0%          | 29.2%        | 70.8%         |
|                         | <b>Grade 11</b> | 15.3%         | 22.7%          | 36.2%        | 63.8%         |
|                         | <b>Grade 12</b> | 16.9%         | 24.6%          | 39.4%        | 60.6%         |
| <b>Marijuana</b>        | <b>All</b>      | 9.3%          | 14.2%          | 23.7%        | 76.3%         |
|                         | <b>Grade 7</b>  | 3.1%          | 4.8%           | 8.0%         | 92.0%         |
|                         | <b>Grade 8</b>  | 4.6%          | 7.1%           | 13.2%        | 86.8%         |
|                         | <b>Grade 9</b>  | 8.5%          | 12.4%          | 20.5%        | 79.5%         |
|                         | <b>Grade 10</b> | 11.4%         | 17.1%          | 27.5%        | 72.5%         |
|                         | <b>Grade 11</b> | 13.6%         | 20.9%          | 34.4%        | 65.6%         |
|                         | <b>Grade 12</b> | 14.6%         | 22.8%          | 38.4%        | 61.6%         |
| <b>Marijuana Only</b>   | <b>All</b>      | 3.6%          | 6.2%           | 12.6%        | 87.4%         |
|                         | <b>Grade 7</b>  | 1.4%          | 2.3%           | 4.6%         | 95.4%         |
|                         | <b>Grade 8</b>  | 2.2%          | 3.7%           | 7.9%         | 92.1%         |
|                         | <b>Grade 9</b>  | 3.7%          | 5.9%           | 11.3%        | 88.7%         |
|                         | <b>Grade 10</b> | 4.1%          | 7.0%           | 14.1%        | 85.9%         |
|                         | <b>Grade 11</b> | 4.6%          | 8.6%           | 17.4%        | 82.6%         |
|                         | <b>Grade 12</b> | 5.5%          | 9.7%           | 20.5%        | 79.5%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

|                         |          | Past<br>Month | School<br>Year | Ever<br>Used | Never<br>Used |
|-------------------------|----------|---------------|----------------|--------------|---------------|
| <b>Cocaine or Crack</b> |          |               |                |              |               |
|                         | All      | 1.7%          | 3.0%           | 5.9%         | 94.1%         |
|                         | Grade 7  | 0.7%          | 1.4%           | 2.3%         | 97.7%         |
|                         | Grade 8  | 0.8%          | 1.6%           | 3.2%         | 96.8%         |
|                         | Grade 9  | 1.4%          | 2.2%           | 4.4%         | 95.6%         |
|                         | Grade 10 | 2.1%          | 3.6%           | 6.8%         | 93.2%         |
|                         | Grade 11 | 2.3%          | 4.0%           | 8.8%         | 91.2%         |
|                         | Grade 12 | 3.0%          | 5.6%           | 10.3%        | 89.7%         |
| <b>Cocaine</b>          |          |               |                |              |               |
|                         | All      | 1.6%          | 2.9%           | 5.6%         | 94.4%         |
|                         | Grade 7  | 0.5%          | 1.1%           | 1.8%         | 98.2%         |
|                         | Grade 8  | 0.6%          | 1.2%           | 2.6%         | 97.4%         |
|                         | Grade 9  | 1.3%          | 2.0%           | 4.0%         | 96.0%         |
|                         | Grade 10 | 2.1%          | 3.6%           | 6.7%         | 93.3%         |
|                         | Grade 11 | 2.2%          | 3.8%           | 8.6%         | 91.4%         |
|                         | Grade 12 | 2.9%          | 5.5%           | 10.3%        | 89.7%         |
| <b>Crack</b>            |          |               |                |              |               |
|                         | All      | 0.4%          | 0.7%           | 1.4%         | 98.6%         |
|                         | Grade 7  | 0.3%          | 0.6%           | 1.0%         | 99.0%         |
|                         | Grade 8  | 0.3%          | 0.6%           | 1.4%         | 98.6%         |
|                         | Grade 9  | 0.3%          | 0.6%           | 1.3%         | 98.7%         |
|                         | Grade 10 | 0.3%          | 0.5%           | 1.4%         | 98.6%         |
|                         | Grade 11 | 0.4%          | 0.6%           | 1.3%         | 98.7%         |
|                         | Grade 12 | 0.8%          | 1.1%           | 1.9%         | 98.1%         |
| <b>Hallucinogens</b>    |          |               |                |              |               |
|                         | All      | 1.5%          | 2.5%           | 4.5%         | 95.5%         |
|                         | Grade 7  | 0.4%          | 0.7%           | 1.2%         | 98.8%         |
|                         | Grade 8  | 0.4%          | 0.8%           | 1.8%         | 98.2%         |
|                         | Grade 9  | 1.3%          | 2.2%           | 3.7%         | 96.3%         |
|                         | Grade 10 | 2.0%          | 3.0%           | 5.3%         | 94.7%         |
|                         | Grade 11 | 2.1%          | 3.8%           | 7.0%         | 93.0%         |
|                         | Grade 12 | 2.7%          | 4.8%           | 7.8%         | 92.2%         |
| <b>Uppers</b>           |          |               |                |              |               |
|                         | All      | 2.1%          | 3.4%           | 5.6%         | 94.4%         |
|                         | Grade 7  | 0.8%          | 1.0%           | 1.3%         | 98.7%         |
|                         | Grade 8  | 0.6%          | 1.0%           | 1.9%         | 98.1%         |
|                         | Grade 9  | 1.7%          | 2.7%           | 4.5%         | 95.5%         |
|                         | Grade 10 | 2.8%          | 4.4%           | 6.8%         | 93.2%         |
|                         | Grade 11 | 3.1%          | 5.4%           | 9.0%         | 91.0%         |
|                         | Grade 12 | 3.6%          | 6.1%           | 10.0%        | 90.0%         |
| <b>Downers</b>          |          |               |                |              |               |
|                         | All      | 2.1%          | 3.4%           | 5.5%         | 94.5%         |
|                         | Grade 7  | 0.7%          | 0.9%           | 1.2%         | 98.8%         |
|                         | Grade 8  | 0.6%          | 0.9%           | 1.6%         | 98.4%         |
|                         | Grade 9  | 1.7%          | 2.6%           | 4.3%         | 95.7%         |
|                         | Grade 10 | 2.5%          | 4.1%           | 6.4%         | 93.6%         |
|                         | Grade 11 | 3.4%          | 5.5%           | 9.0%         | 91.0%         |
|                         | Grade 12 | 3.7%          | 6.2%           | 10.6%        | 89.4%         |

**Non-Border - Grades 7-12 Large  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

|                 |                 | <b>Past<br/>Month</b> | <b>School<br/>Year</b> | <b>Ever<br/>Used</b> | <b>Never<br/>Used</b> |
|-----------------|-----------------|-----------------------|------------------------|----------------------|-----------------------|
| <b>Rohypnol</b> |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.6%                  | 0.9%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 7</b>  | 0.4%                  | 0.7%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.5%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 9</b>  | 0.7%                  | 1.0%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 10</b> | 0.9%                  | 1.6%                   | 2.6%                 | 97.4%                 |
|                 | <b>Grade 11</b> | 0.4%                  | 0.7%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 12</b> | 0.5%                  | 0.8%                   | 1.6%                 | 98.4%                 |
| <b>Steroids</b> |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.6%                  | 0.9%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 7</b>  | 0.5%                  | 0.7%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 8</b>  | 0.5%                  | 0.7%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 9</b>  | 0.4%                  | 0.6%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 10</b> | 0.7%                  | 1.1%                   | 1.6%                 | 98.4%                 |
|                 | <b>Grade 11</b> | 0.6%                  | 0.9%                   | 1.7%                 | 98.3%                 |
|                 | <b>Grade 12</b> | 0.8%                  | 1.3%                   | 2.0%                 | 98.0%                 |
| <b>Ecstasy</b>  |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 1.7%                  | 3.0%                   | 5.0%                 | 95.0%                 |
|                 | <b>Grade 7</b>  | 0.7%                  | 0.9%                   | 1.4%                 | 98.6%                 |
|                 | <b>Grade 8</b>  | 0.6%                  | 1.2%                   | 2.1%                 | 97.9%                 |
|                 | <b>Grade 9</b>  | 1.2%                  | 2.2%                   | 3.7%                 | 96.3%                 |
|                 | <b>Grade 10</b> | 2.5%                  | 3.6%                   | 6.1%                 | 93.9%                 |
|                 | <b>Grade 11</b> | 2.1%                  | 4.2%                   | 7.8%                 | 92.2%                 |
|                 | <b>Grade 12</b> | 3.3%                  | 5.6%                   | 9.0%                 | 91.0%                 |
| <b>Heroin</b>   |                 |                       |                        |                      |                       |
|                 | <b>All</b>      | 0.4%                  | 0.7%                   | 1.3%                 | 98.7%                 |
|                 | <b>Grade 7</b>  | 0.3%                  | 0.5%                   | 1.0%                 | 99.0%                 |
|                 | <b>Grade 8</b>  | 0.3%                  | 0.5%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 9</b>  | 0.4%                  | 0.6%                   | 1.1%                 | 98.9%                 |
|                 | <b>Grade 10</b> | 0.4%                  | 0.6%                   | 1.2%                 | 98.8%                 |
|                 | <b>Grade 11</b> | 0.6%                  | 0.8%                   | 1.5%                 | 98.5%                 |
|                 | <b>Grade 12</b> | 0.5%                  | 1.1%                   | 2.0%                 | 98.0%                 |

**Non-Border - Grades 7-12 Large  
Spring 2008**

The FREQ Procedure

| GENDER |           |         |
|--------|-----------|---------|
| q1     | Frequency | Percent |
| Female | 855E3     | 51.88   |
| Male   | 793E3     | 48.12   |

Frequency Missing = 6402.076968

| GRADE    |           |         |
|----------|-----------|---------|
| q2       | Frequency | Percent |
| Grade 7  | 282E3     | 17.04   |
| Grade 8  | 278E3     | 16.79   |
| Grade 9  | 326E3     | 19.69   |
| Grade 10 | 284E3     | 17.17   |
| Grade 11 | 249E3     | 15.04   |
| Grade 12 | 236E3     | 14.28   |

| LIVE WITH BOTH PARENTS |           |         |
|------------------------|-----------|---------|
| q3                     | Frequency | Percent |
| No                     | 638E3     | 38.78   |
| Yes                    | 101E4     | 61.22   |

Frequency Missing = 10073.725577

| AGE           |           |         |
|---------------|-----------|---------|
| q4            | Frequency | Percent |
| 11 or younger | 914       | 0.06    |
| 12            | 61403     | 3.73    |
| 13            | 249E3     | 15.13   |
| 14            | 287E3     | 17.41   |
| 15            | 309E3     | 18.76   |
| 16            | 294E3     | 17.81   |
| 17            | 257E3     | 15.58   |
| 18            | 173E3     | 10.52   |
| 19 or older   | 16577     | 1.01    |

Frequency Missing = 6974.041333

| ETHNICITY        |           |         |
|------------------|-----------|---------|
| q5               | Frequency | Percent |
| African/American | 28E4      | 17.31   |
| Asian/American   | 22040     | 1.36    |
| Mexican/American | 549E3     | 33.93   |
| Native/American  | 4957      | 0.31    |
| Other            | 39630     | 2.45    |
| White            | 723E3     | 44.65   |

Frequency Missing = 35901.165988

| ON AVERAGE WHAT GRADES DO YOU GET |           |         |
|-----------------------------------|-----------|---------|
| q6                                | Frequency | Percent |
| Mostly A's                        | 51E4      | 31.24   |
| Mostly B's                        | 804E3     | 49.25   |
| Mostly C's                        | 268E3     | 16.39   |
| Mostly D's                        | 36720     | 2.25    |
| Mostly F's                        | 14274     | 0.87    |

Frequency Missing = 21902.055347

| LENGTH OF TIME IN THIS DISTRICT |           |         |
|---------------------------------|-----------|---------|
| q7                              | Frequency | Percent |
| <1 year                         | 179E3     | 10.96   |
| 2-3 years                       | 297E3     | 18.17   |
| >4 years                        | 116E4     | 70.88   |

Frequency Missing = 22206.087808

| DO YOU HAVE A JOB |           |         |
|-------------------|-----------|---------|
| q8                | Frequency | Percent |
| No                | 117E4     | 71.54   |
| Yes               | 464E3     | 28.46   |

Frequency Missing = 24582.903763

| DO YOU GET AN ALLOWANCE |           |         |
|-------------------------|-----------|---------|
| q9                      | Frequency | Percent |
| No                      | 104E4     | 64.09   |
| Yes                     | 583E3     | 35.91   |

Frequency Missing = 30378.752056

| EITHER PARENT COLLEGE GRADUATE |           |         |
|--------------------------------|-----------|---------|
| q10                            | Frequency | Percent |
| Don't Know                     | 231E3     | 14.13   |
| No                             | 595E3     | 36.43   |
| Yes                            | 807E3     | 49.44   |

Frequency Missing = 22841.774974

| QUALIFY FOR FREE/REDUCED PRICE LUNCH |           |         |
|--------------------------------------|-----------|---------|
| q11                                  | Frequency | Percent |
| Don't Know                           | 226E3     | 13.83   |
| No                                   | 883E3     | 54.03   |
| Yes                                  | 525E3     | 32.14   |

Frequency Missing = 21249.381898

| PARTICIPATE IN SCHOOL ATHLETICS |           |         |
|---------------------------------|-----------|---------|
| q12a                            | Frequency | Percent |
| No                              | 796E3     | 52.11   |
| Yes                             | 732E3     | 47.89   |

Frequency Missing = 126616.74267

| PARTICIPATE IN SCHOOL BAND/ORCHESTRA |           |         |
|--------------------------------------|-----------|---------|
| q12b                                 | Frequency | Percent |
| No                                   | 114E4     | 81.51   |
| Yes                                  | 258E3     | 18.49   |

Frequency Missing = 258569.38771

| PARTICIPATE IN SCHOOL CHOIR |           |         |
|-----------------------------|-----------|---------|
| q12c                        | Frequency | Percent |
| No                          | 12E5      | 89.78   |
| Yes                         | 136E3     | 10.22   |

Frequency Missing = 320846.9332

| PARTICIPATE IN DRAMA/SPEECH/ART CLUBS |           |         |
|---------------------------------------|-----------|---------|
| q12d                                  | Frequency | Percent |
| No                                    | 108E4     | 81.23   |
| Yes                                   | 25E4      | 18.77   |

Frequency Missing = 322801.57148

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>PARTICIPATE IN DRILL<br/>TEAM/CHEERLEADING</b> |                  |                |
|---|------------------|----------------|
| <b>q12e</b>                                       | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 12E5             | 91.67          |
| <b>Yes</b>  | 109E3            | 8.33           |

Frequency Missing = 342347.57225

| <b>PARTICIPATE IN<br/>SCHOOL SERVICE<br/>CLUBS</b> |                  |                |
|--|------------------|----------------|
| <b>q12j</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 126E4            | 90.21          |
| <b>Yes</b>   | 137E3            | 9.79           |

Frequency Missing = 255099.04415

| <b>DO YOU FEEL SAFE IN YOUR<br/>NEIGHBORHOOD</b> |                  |                |
|--|------------------|----------------|
| <b>q13b</b>                                      | <b>Frequency</b> | <b>Percent</b> |
| <b>Very Safe</b>                                 | 687E3            | 42.08          |
| <b>Somewhat Safe</b>                             | 753E3            | 46.13          |
| <b>Not Very Safe</b>                             | 125E3            | 7.68           |
| <b>Not Safe At All</b>                           | 36415            | 2.23           |
| <b>Don't Know</b>                                | 30578            | 1.87           |

Frequency Missing = 22807.780358

| <b>PARTICIPATE IN<br/>STUDENT<br/>GOVERNMENT</b> |                  |                |
|--|------------------|----------------|
| <b>q12f</b>                                      | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 126E4            | 95.62          |
| <b>Yes</b>                                       | 57626            | 4.38           |

Frequency Missing = 338659.10938

| <b>PARTICIPATE IN<br/>OTHER SCHOOL<br/>CLUBS OR GROUPS</b> |                  |                |
|--|------------------|----------------|
| <b>q12k</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 111E4            | 78.18          |
| <b>Yes</b>   | 309E3            | 21.82          |

Frequency Missing = 238560.53198

| <b>DO YOU FEEL SAFE AT<br/>SCHOOL</b> |                  |                |
|---------------------------------------|------------------|----------------|
| <b>q13c</b>                           | <b>Frequency</b> | <b>Percent</b> |
| <b>Very Safe</b>                      | 596E3            | 36.50          |
| <b>Somewhat Safe</b>                  | 782E3            | 47.92          |
| <b>Not Very Safe</b>                  | 144E3            | 8.81           |
| <b>Not Safe At All</b>                | 63138            | 3.87           |
| <b>Don't Know</b>                     | 47342            | 2.90           |

Frequency Missing = 23133.53958

| <b>PARTICIPATE IN SCHOOL<br/>NEWSPAPER/YEARBOOK</b> |                  |                |
|---|------------------|----------------|
| <b>q12g</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 127E4            | 95.03          |
| <b>Yes</b>  | 66188            | 4.97           |

Frequency Missing = 323399.82015

| <b>PARTICIPATE IN<br/>ATHLETIC TEAMS<br/>OUTSIDE OF SCHOOL</b> |                  |                |
|--|------------------|----------------|
| <b>q12l</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 915E3            | 61.89          |
| <b>Yes</b>   | 563E3            | 38.11          |

Frequency Missing = 176929.1669

| <b>FRIENDS FEELING<br/>CLOSE TO THEIR<br/>PARENTS</b> |                  |                |
|---|------------------|----------------|
| <b>q14a</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>None</b>   | 71758            | 4.40           |
| <b>A Few</b>  | 421E3            | 25.80          |
| <b>Some</b>   | 429E3            | 26.29          |
| <b>Most</b>   | 565E3            | 34.64          |
| <b>All</b>  | 145E3            | 8.87           |

Frequency Missing = 24243.039282

| <b>PARTICIPATE IN<br/>ACADEMIC<br/>CLUBS/SOCIETIES</b> |                  |                |
|--|------------------|----------------|
| <b>q12h</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 115E4            | 83.80          |
| <b>Yes</b>   | 222E3            | 16.20          |

Frequency Missing = 285330.25032

| <b>PARTICIPATE IN<br/>OTHER CLUBS OR<br/>GROUPS OUTSIDE OF<br/>SCHOOL</b> |                  |                |
|---|------------------|----------------|
| <b>q12m</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 979E3            | 66.95          |
| <b>Yes</b>  | 483E3            | 33.05          |

Frequency Missing = 192077.95287

| <b>PARTICIPATE IN<br/>ACADEMIC<br/>COMPETITION<br/>GROUPS</b> |                  |                |
|---|------------------|----------------|
| <b>q12i</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 12E5             | 86.86          |
| <b>Yes</b>  | 181E3            | 13.14          |

Frequency Missing = 274963.91802

| <b>DO YOU FEEL SAFE IN YOUR<br/>HOME</b> |                  |                |
|--|------------------|----------------|
| <b>q13a</b>                              | <b>Frequency</b> | <b>Percent</b> |
| <b>Very Safe</b>                         | 13E5             | 79.03          |
| <b>Somewhat Safe</b>                     | 301E3            | 18.35          |
| <b>Not Very Safe</b>                     | 20119            | 1.23           |
| <b>Not Safe At All</b>                   | 7147             | 0.44           |
| <b>Don't Know</b>                        | 15600            | 0.95           |

Frequency Missing = 15965.855245

| <b>HOW MANY FRIENDS<br/>CARRY WEAPONS</b> |                  |                |
|---|------------------|----------------|
| <b>q14b</b>                               | <b>Frequency</b> | <b>Percent</b> |
| <b>None</b>                               | 997E3            | 62.10          |
| <b>A Few</b>                              | 364E3            | 22.68          |
| <b>Some</b>                               | 158E3            | 9.87           |
| <b>Most</b>                               | 62967            | 3.92           |
| <b>All</b>                                | 22937            | 1.43           |

Frequency Missing = 49204.531486

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>HOW MANY FRIENDS<br/>CARE ABOUT GOOD<br/>GRADES</b> |                  |                |
|--|------------------|----------------|
| <b>q14c</b>  | <b>Frequency</b> | <b>Percent</b> |
| None   | 45368            | 2.87           |
| A Few  | 22E4             | 13.96          |
| Some   | 373E3            | 23.61          |
| Most   | 676E3            | 42.85          |
| All  | 264E3            | 16.71          |

Frequency Missing = 76766.70322

| <b>HOW MANY FRIENDS<br/>BELONG TO A GANG</b> |                  |                |
|--|------------------|----------------|
| <b>q14d</b>                                  | <b>Frequency</b> | <b>Percent</b> |
| None   | 109E4            | 66.97          |
| A Few  | 283E3            | 17.45          |
| Some   | 141E3            | 8.70           |
| Most   | 83048            | 5.11           |
| All  | 28533            | 1.76           |

Frequency Missing = 31030.932813

| <b>FRIENDS WISHING TO<br/>DROP OUT OF<br/>SCHOOL</b> |                  |                |
|--|------------------|----------------|
| <b>q14e</b>  | <b>Frequency</b> | <b>Percent</b> |
| None   | 922E3            | 56.67          |
| A Few  | 456E3            | 27.99          |
| Some   | 157E3            | 9.62           |
| Most   | 60246            | 3.70           |
| All  | 32897            | 2.02           |

Frequency Missing = 27260.448076

| <b>PARENTS ATTEND<br/>PTA/SCHOOL OPEN<br/>HOUSES</b> |                  |                |
|--|------------------|----------------|
| <b>q15</b>   | <b>Frequency</b> | <b>Percent</b> |
| No   | 887E3            | 62.73          |
| Yes  | 527E3            | 37.27          |

Frequency Missing = 240183.17322

| <b>RECENT CIGARETTE USE</b> |                  |                |
|-----------------------------|------------------|----------------|
| <b>Q16A</b>                 | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used            | 114E4            | 70.40          |
| In Your Lifetime            | 22E4             | 13.55          |
| Since School Began          | 78273            | 4.82           |
| In the Past Month           | 182E3            | 11.22          |

Frequency Missing = 30862.278478

| <b>RECENT SMOKELESS TOBACCO<br/>USE</b> |                  |                |
|---|------------------|----------------|
| <b>Q16B</b>                             | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used                        | 145E4            | 89.98          |
| In Your Lifetime                        | 67134            | 4.17           |
| Since School Began                      | 31175            | 1.94           |
| In the Past Month                       | 63031            | 3.91           |

Frequency Missing = 44672.046003

| <b>RECENT BEER USE</b> |                  |                |
|------------------------|------------------|----------------|
| <b>Q16C</b>            | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used       | 831E3            | 52.17          |
| In Your Lifetime       | 298E3            | 18.70          |
| Since School Began     | 152E3            | 9.55           |
| In the Past Month      | 312E3            | 19.58          |

Frequency Missing = 62187.753448

| <b>RECENT WINE COOLER USE</b> |                  |                |
|-------------------------------|------------------|----------------|
| <b>Q16D</b>                   | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used              | 859E3            | 53.55          |
| In Your Lifetime              | 29E4             | 18.08          |
| Since School Began            | 173E3            | 10.77          |
| In the Past Month             | 282E3            | 17.60          |

Frequency Missing = 50470.568291

| <b>RECENT WINE USE</b> |                  |                |
|------------------------|------------------|----------------|
| <b>Q16E</b>            | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used       | 899E3            | 57.19          |
| In Your Lifetime       | 33E4             | 20.97          |
| Since School Began     | 152E3            | 9.67           |
| In the Past Month      | 191E3            | 12.18          |

Frequency Missing = 82910.65625

| <b>RECENT LIQUOR USE</b> |                  |                |
|--------------------------|------------------|----------------|
| <b>Q16F</b>              | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used         | 892E3            | 55.46          |
| In Your Lifetime         | 237E3            | 14.73          |
| Since School Began       | 167E3            | 10.37          |
| In the Past Month        | 313E3            | 19.44          |

Frequency Missing = 47255.786518

| <b>RECENT INHALANT USE</b> |                  |                |
|----------------------------|------------------|----------------|
| <b>Q16G</b>                | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used           | 147E4            | 91.04          |
| In Your Lifetime           | 79227            | 4.92           |
| Since School Began         | 25431            | 1.58           |
| In the Past Month          | 39769            | 2.47           |

Frequency Missing = 43065.032487

| <b>RECENT MARIJUANA USE</b> |                  |                |
|-----------------------------|------------------|----------------|
| <b>Q17A</b>                 | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used            | 12E5             | 74.87          |
| In Your Lifetime            | 16E4             | 9.96           |
| Since School Began          | 80325            | 5.01           |
| In the Past Month           | 163E3            | 10.16          |

Frequency Missing = 51138.60332

| <b>RECENT COCAINE USE</b> |                  |                |
|---------------------------|------------------|----------------|
| <b>Q17B</b>               | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used          | 15E5             | 94.17          |
| In Your Lifetime          | 44649            | 2.81           |
| Since School Began        | 20108            | 1.27           |
| In the Past Month         | 27934            | 1.76           |

Frequency Missing = 65833.854827

| <b>RECENT CRACK USE</b> |                  |                |
|-------------------------|------------------|----------------|
| <b>Q17C</b>             | <b>Frequency</b> | <b>Percent</b> |
| Never Heard/Used        | 155E4            | 98.47          |
| In Your Lifetime        | 12337            | 0.78           |
| Since School Began      | 4346             | 0.28           |
| In the Past Month       | 7405             | 0.47           |

Frequency Missing = 82570.030131

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>RECENT HALLUCINOGEN USE</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>Q17E</b> | <b>Frequency Percent</b> |
| Never Heard/Used               | 149E4       | 95.40                    |
| <b>In Your Lifetime</b>        | 31924       | 2.04                     |
| <b>Since School Began</b>      | 15607       | 1.00                     |
| <b>In the Past Month</b>       | 24371       | 1.56                     |

Frequency Missing = 90911.919347

| <b>RECENT UPPER USE</b>   |             |                          |
|---------------------------|-------------|--------------------------|
|                           | <b>Q17F</b> | <b>Frequency Percent</b> |
| Never Heard/Used          | 148E4       | 94.37                    |
| <b>In Your Lifetime</b>   | 33576       | 2.15                     |
| <b>Since School Began</b> | 20994       | 1.34                     |
| <b>In the Past Month</b>  | 33512       | 2.14                     |

Frequency Missing = 91500.556993

| <b>RECENT DOWNER USE</b>  |             |                          |
|---------------------------|-------------|--------------------------|
|                           | <b>Q17G</b> | <b>Frequency Percent</b> |
| Never Heard/Used          | 148E4       | 94.27                    |
| <b>In Your Lifetime</b>   | 34289       | 2.19                     |
| <b>Since School Began</b> | 21075       | 1.35                     |
| <b>In the Past Month</b>  | 34331       | 2.19                     |

Frequency Missing = 89389.626329

| <b>RECENT ROHYPNOL USE</b> |             |                          |
|----------------------------|-------------|--------------------------|
|                            | <b>Q17H</b> | <b>Frequency Percent</b> |
| Never Heard/Used           | 154E4       | 98.19                    |
| <b>In Your Lifetime</b>    | 12230       | 0.78                     |
| <b>Since School Began</b>  | 5380        | 0.34                     |
| <b>In the Past Month</b>   | 10687       | 0.68                     |

Frequency Missing = 87466.697835

| <b>RECENT STEROID USE</b> |             |                          |
|---------------------------|-------------|--------------------------|
|                           | <b>Q17I</b> | <b>Frequency Percent</b> |
| Never Heard/Used          | 154E4       | 98.37                    |
| <b>In Your Lifetime</b>   | 11521       | 0.74                     |
| <b>Since School Began</b> | 5031        | 0.32                     |
| <b>In the Past Month</b>  | 8962        | 0.57                     |

Frequency Missing = 90945.508214

| <b>RECENT ECSTASY USE</b> |             |                          |
|---------------------------|-------------|--------------------------|
|                           | <b>Q17J</b> | <b>Frequency Percent</b> |
| Never Heard/Used          | 149E4       | 94.70                    |
| <b>In Your Lifetime</b>   | 35080       | 2.22                     |
| <b>Since School Began</b> | 18936       | 1.20                     |
| <b>In the Past Month</b>  | 29567       | 1.87                     |

Frequency Missing = 77231.247165

| <b>RECENT HEROIN USE</b>  |             |                          |
|---------------------------|-------------|--------------------------|
|                           | <b>Q17K</b> | <b>Frequency Percent</b> |
| Never Heard/Used          | 156E4       | 98.56                    |
| <b>In Your Lifetime</b>   | 11016       | 0.70                     |
| <b>Since School Began</b> | 4889        | 0.31                     |
| <b>In the Past Month</b>  | 6859        | 0.43                     |

Frequency Missing = 73737.701135

| <b>TOBACCO USE IN PAST MONTH</b> |             |                          |
|----------------------------------|-------------|--------------------------|
|                                  | <b>q18a</b> | <b>Frequency Percent</b> |
| Never Heard/Used                 | 137E4       | 85.41                    |
| <b>1-2 times</b>                 | 103E3       | 6.41                     |
| <b>3-10 times</b>                | 51675       | 3.22                     |
| <b>11+ times</b>                 | 79719       | 4.96                     |

Frequency Missing = 48718.49712

| <b>ALCOHOL USE IN PAST MONTH</b> |             |                          |
|----------------------------------|-------------|--------------------------|
|                                  | <b>q18b</b> | <b>Frequency Percent</b> |
| Never Heard/Used                 | 105E4       | 65.70                    |
| <b>1-2 times</b>                 | 32E4        | 19.96                    |
| <b>3-10 times</b>                | 169E3       | 10.52                    |
| <b>11+ times</b>                 | 61157       | 3.82                     |

Frequency Missing = 53520.587793

| <b>INHALANT USE IN PAST MONTH</b> |             |                          |
|-----------------------------------|-------------|--------------------------|
|                                   | <b>q18c</b> | <b>Frequency Percent</b> |
| Never Heard/Used                  | 153E4       | 96.61                    |
| <b>1-2 times</b>                  | 39066       | 2.46                     |
| <b>3-10 times</b>                 | 10254       | 0.65                     |
| <b>11+ times</b>                  | 4526        | 0.29                     |

Frequency Missing = 67857.65564

| <b>MARIJUANA USE IN PAST MONTH</b> |             |                          |
|------------------------------------|-------------|--------------------------|
|                                    | <b>q18d</b> | <b>Frequency Percent</b> |
| Never Heard/Used                   | 136E4       | 86.05                    |
| <b>1-2 times</b>                   | 102E3       | 6.44                     |
| <b>3-10 times</b>                  | 59181       | 3.74                     |
| <b>11+ times</b>                   | 59917       | 3.78                     |

Frequency Missing = 70678.308757

| <b>COCAINE USE IN PAST MONTH</b> |             |                          |
|----------------------------------|-------------|--------------------------|
|                                  | <b>q18e</b> | <b>Frequency Percent</b> |
| Never Heard/Used                 | 155E4       | 97.40                    |
| <b>1-2 times</b>                 | 27268       | 1.71                     |
| <b>3-10 times</b>                | 8704        | 0.55                     |
| <b>11+ times</b>                 | 5535        | 0.35                     |

Frequency Missing = 60597.428782

| <b>CRACK USE IN PAST MONTH</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>q18f</b> | <b>Frequency Percent</b> |
| Never Heard/Used               | 159E4       | 99.13                    |
| <b>1-2 times</b>               | 8474        | 0.53                     |
| <b>3-10 times</b>              | 2819        | 0.18                     |
| <b>11+ times</b>               | 2559        | 0.16                     |

Frequency Missing = 54564.764936

| <b>CLOSE FRIENDS USE CIGARETTES</b> |             |                          |
|-------------------------------------|-------------|--------------------------|
|                                     | <b>q19a</b> | <b>Frequency Percent</b> |
| Never heard/None                    | 714E3       | 45.82                    |
| <b>A few</b>                        | 475E3       | 30.50                    |
| <b>Some</b>                         | 229E3       | 14.73                    |
| <b>Most</b>                         | 118E3       | 7.56                     |
| <b>All</b>                          | 21575       | 1.39                     |

Frequency Missing = 97520.539584

| <b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q19b</b> | <b>Frequency Percent</b> |
| Never heard/None                           | 107E4       | 69.18                    |
| <b>A few</b>                               | 281E3       | 18.22                    |
| <b>Some</b>                                | 134E3       | 8.66                     |
| <b>Most</b>                                | 49139       | 3.19                     |
| <b>All</b>                                 | 11715       | 0.76                     |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

Frequency Missing = 112099.07149

| <b>CLOSE FRIENDS USE BEER</b> |       |       |
|-------------------------------|-------|-------|
| <b>q19c Frequency Percent</b> |       |       |
| Never heard/None              | 531E3 | 34.48 |
| A few                         | 349E3 | 22.65 |
| Some                          | 281E3 | 18.23 |
| Most                          | 278E3 | 18.08 |
| All                           | 101E3 | 6.55  |

Frequency Missing = 115765.2602

| <b>CLOSE FRIENDS USE WINE COOLERS</b> |       |       |
|---------------------------------------|-------|-------|
| <b>q19d Frequency Percent</b>         |       |       |
| Never heard/None                      | 685E3 | 44.74 |
| A few                                 | 328E3 | 21.46 |
| Some                                  | 259E3 | 16.94 |
| Most                                  | 186E3 | 12.14 |
| All                                   | 72218 | 4.72  |

Frequency Missing = 125074.92975

| <b>CLOSE FRIENDS USE WINE</b> |       |       |
|-------------------------------|-------|-------|
| <b>q19e Frequency Percent</b> |       |       |
| Never heard/None              | 819E3 | 53.71 |
| A few                         | 363E3 | 23.83 |
| Some                          | 198E3 | 12.99 |
| Most                          | 104E3 | 6.81  |
| All                           | 40693 | 2.67  |

Frequency Missing = 130791.37787

| <b>CLOSE FRIENDS USE LIQUOR</b> |       |       |
|---------------------------------|-------|-------|
| <b>q19f Frequency Percent</b>   |       |       |
| Never heard/None                | 636E3 | 41.34 |
| A few                           | 302E3 | 19.64 |
| Some                            | 256E3 | 16.61 |
| Most                            | 252E3 | 16.35 |
| All                             | 93230 | 6.06  |

Frequency Missing = 115713.87892

| <b>CLOSE FRIENDS USE INHALANTS</b> |       |       |
|------------------------------------|-------|-------|
| <b>q19g Frequency Percent</b>      |       |       |
| Never heard/None                   | 126E4 | 82.08 |
| A few                              | 182E3 | 11.80 |
| Some                               | 59697 | 3.88  |
| Most                               | 24897 | 1.62  |
| All                                | 9573  | 0.62  |

Frequency Missing = 116557.25313

| <b>CLOSE FRIENDS USE MARIJUANA</b> |       |       |
|------------------------------------|-------|-------|
| <b>q19h Frequency Percent</b>      |       |       |
| Never heard/None                   | 798E3 | 51.35 |
| A few                              | 298E3 | 19.19 |
| Some                               | 209E3 | 13.44 |
| Most                               | 183E3 | 11.79 |
| All                                | 65814 | 4.23  |

Frequency Missing = 100557.63388

| <b>DIFFICULT TO GET CIGARETTES</b> |       |       |
|------------------------------------|-------|-------|
| <b>q20a Frequency Percent</b>      |       |       |
| Never heard of                     | 169E3 | 10.87 |
| Impossible                         | 268E3 | 17.20 |
| Very difficult                     | 101E3 | 6.49  |
| Somewhat diff                      | 148E3 | 9.48  |
| Somewhat easy                      | 279E3 | 17.90 |
| Very easy                          | 593E3 | 38.05 |

Frequency Missing = 97425.320051

| <b>DIFFICULT TO GET SMOKELESS TOBACCO</b> |       |       |
|---|-------|-------|
| <b>q20b Frequency Percent</b>             |       |       |
| Never heard of                            | 321E3 | 20.82 |
| Impossible                                | 329E3 | 21.33 |
| Very difficult                            | 128E3 | 8.32  |
| Somewhat diff                             | 161E3 | 10.45 |
| Somewhat easy                             | 201E3 | 13.04 |
| Very easy                                 | 401E3 | 26.04 |

Frequency Missing = 113980.35075

| <b>DIFFICULT TO GET BEER</b>  |       |       |
|-------------------------------|-------|-------|
| <b>q20c Frequency Percent</b> |       |       |
| Never heard of                | 144E3 | 9.38  |
| Impossible                    | 198E3 | 12.92 |
| Very difficult                | 88234 | 5.75  |
| Somewhat diff                 | 173E3 | 11.27 |
| Somewhat easy                 | 323E3 | 21.08 |
| Very easy                     | 608E3 | 39.60 |

Frequency Missing = 120283.25371

| <b>DIFFICULT TO GET WINE COOLERS</b> |       |       |
|--------------------------------------|-------|-------|
| <b>q20d Frequency Percent</b>        |       |       |
| Never heard of                       | 211E3 | 13.71 |
| Impossible                           | 221E3 | 14.38 |
| Very difficult                       | 106E3 | 6.89  |
| Somewhat diff                        | 187E3 | 12.15 |
| Somewhat easy                        | 306E3 | 19.89 |
| Very easy                            | 508E3 | 32.98 |

Frequency Missing = 115649.76217

| <b>DIFFICULT TO GET WINE</b>  |       |       |
|-------------------------------|-------|-------|
| <b>q20e Frequency Percent</b> |       |       |
| Never heard of                | 17E4  | 11.16 |
| Impossible                    | 23E4  | 15.10 |
| Very difficult                | 116E3 | 7.63  |
| Somewhat diff                 | 196E3 | 12.89 |
| Somewhat easy                 | 295E3 | 19.42 |
| Very easy                     | 514E3 | 33.81 |

Frequency Missing = 133501.41399

| <b>DIFFICULT TO GET LIQUOR</b> |       |       |
|--------------------------------|-------|-------|
| <b>q20f Frequency Percent</b>  |       |       |
| Never heard of                 | 171E3 | 11.11 |
| Impossible                     | 27E4  | 17.49 |
| Very difficult                 | 132E3 | 8.55  |
| Somewhat diff                  | 177E3 | 11.46 |
| Somewhat easy                  | 286E3 | 18.52 |
| Very easy                      | 507E3 | 32.86 |

Frequency Missing = 112515.8783

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>DIFFICULT TO GET<br/>INHALANTS</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q20g</b> | <b>Frequency Percent</b> |
| Never heard of                        | 286E3       | 18.75                    |
| Impossible                            | 275E3       | 18.01                    |
| Very difficult                        | 86860       | 5.69                     |
| Somewhat diff                         | 106E3       | 6.91                     |
| Somewhat easy                         | 163E3       | 10.68                    |
| Very easy                             | 61E4        | 39.97                    |

Frequency Missing = 127937.59312

| <b>DIFFICULT TO GET<br/>MARIJUANA</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q20h</b> | <b>Frequency Percent</b> |
| Never heard of                        | 202E3       | 13.27                    |
| Impossible                            | 419E3       | 27.54                    |
| Very difficult                        | 141E3       | 9.29                     |
| Somewhat diff                         | 16E4        | 10.50                    |
| Somewhat easy                         | 208E3       | 13.66                    |
| Very easy                             | 392E3       | 25.75                    |

Frequency Missing = 133243.39658

| <b>DIFFICULT TO GET COCAINE</b> |             |                          |
|---------------------------------|-------------|--------------------------|
|                                 | <b>q20i</b> | <b>Frequency Percent</b> |
| Never heard of                  | 26E4        | 17.20                    |
| Impossible                      | 535E3       | 35.39                    |
| Very difficult                  | 23E4        | 15.19                    |
| Somewhat diff                   | 196E3       | 12.94                    |
| Somewhat easy                   | 13E4        | 8.63                     |
| Very easy                       | 161E3       | 10.65                    |

Frequency Missing = 142649.03824

| <b>DIFFICULT TO GET CRACK</b> |             |                          |
|-------------------------------|-------------|--------------------------|
|                               | <b>q20j</b> | <b>Frequency Percent</b> |
| Never heard of                | 283E3       | 18.72                    |
| Impossible                    | 551E3       | 36.46                    |
| Very difficult                | 248E3       | 16.44                    |
| Somewhat diff                 | 192E3       | 12.68                    |
| Somewhat easy                 | 112E3       | 7.41                     |
| Very easy                     | 125E3       | 8.28                     |

Frequency Missing = 144085.82591

| <b>DIFFICULT TO GET<br/>HALLUCINOGENS</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q20l</b> | <b>Frequency Percent</b> |
| Never heard of                            | 521E3       | 34.37                    |
| Impossible                                | 421E3       | 27.77                    |
| Very difficult                            | 199E3       | 13.11                    |
| Somewhat diff                             | 153E3       | 10.12                    |
| Somewhat easy                             | 102E3       | 6.74                     |
| Very easy                                 | 12E4        | 7.89                     |

Frequency Missing = 139133.08475

| <b>DIFFICULT TO GET UPPERS</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>q20m</b> | <b>Frequency Percent</b> |
| Never heard of                 | 68E4        | 45.21                    |
| Impossible                     | 323E3       | 21.44                    |
| Very difficult                 | 139E3       | 9.24                     |
| Somewhat diff                  | 122E3       | 8.09                     |
| Somewhat easy                  | 102E3       | 6.77                     |
| Very easy                      | 139E3       | 9.24                     |

Frequency Missing = 150672.49322

| <b>DIFFICULT TO GET DOWNERS</b> |             |                          |
|---------------------------------|-------------|--------------------------|
|                                 | <b>q20n</b> | <b>Frequency Percent</b> |
| Never heard of                  | 682E3       | 45.24                    |
| Impossible                      | 321E3       | 21.32                    |
| Very difficult                  | 139E3       | 9.25                     |
| Somewhat diff                   | 122E3       | 8.11                     |
| Somewhat easy                   | 101E3       | 6.69                     |
| Very easy                       | 141E3       | 9.38                     |

Frequency Missing = 148427.97925

| <b>DIFFICULT TO GET<br/>ROHYPNOL</b> |             |                          |
|--------------------------------------|-------------|--------------------------|
|                                      | <b>q20o</b> | <b>Frequency Percent</b> |
| Never heard of                       | 742E3       | 49.34                    |
| Impossible                           | 34E4        | 22.65                    |
| Very difficult                       | 153E3       | 10.20                    |
| Somewhat diff                        | 111E3       | 7.41                     |
| Somewhat easy                        | 66919       | 4.45                     |
| Very easy                            | 89343       | 5.94                     |

Frequency Missing = 151914.44203

| <b>DIFFICULT TO GET STEROIDS</b> |             |                          |
|----------------------------------|-------------|--------------------------|
|                                  | <b>q20p</b> | <b>Frequency Percent</b> |
| Never heard of                   | 322E3       | 21.44                    |
| Impossible                       | 563E3       | 37.43                    |
| Very difficult                   | 232E3       | 15.46                    |
| Somewhat diff                    | 163E3       | 10.83                    |
| Somewhat easy                    | 106E3       | 7.05                     |
| Very easy                        | 117E3       | 7.80                     |

Frequency Missing = 150972.66329

| <b>DIFFICULT TO GET ECSTASY</b> |             |                          |
|---------------------------------|-------------|--------------------------|
|                                 | <b>q20q</b> | <b>Frequency Percent</b> |
| Never heard of                  | 448E3       | 29.73                    |
| Impossible                      | 446E3       | 29.55                    |
| Very difficult                  | 188E3       | 12.47                    |
| Somewhat diff                   | 145E3       | 9.62                     |
| Somewhat easy                   | 118E3       | 7.84                     |
| Very easy                       | 163E3       | 10.79                    |

Frequency Missing = 147270.7902

| <b>DIFFICULT TO GET HEROIN</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>q20r</b> | <b>Frequency Percent</b> |
| Never heard of                 | 388E3       | 25.74                    |
| Impossible                     | 567E3       | 37.59                    |
| Very difficult                 | 229E3       | 15.21                    |
| Somewhat diff                  | 139E3       | 9.21                     |
| Somewhat easy                  | 79544       | 5.27                     |
| Very easy                      | 105E3       | 6.98                     |

Frequency Missing = 146637.80413

| <b>AGE WHEN FIRST USED<br/>CIGARETTES</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q21a</b> | <b>Frequency Percent</b> |
| 9 or younger                              | 68228       | 14.03                    |
| 10 years old                              | 39554       | 8.13                     |
| 11 years old                              | 37301       | 7.67                     |
| 12 years old                              | 60208       | 12.38                    |
| 13 years old                              | 70790       | 14.56                    |
| 14 years old                              | 66821       | 13.74                    |
| 15 years old                              | 65874       | 13.55                    |
| 16 years old                              | 45439       | 9.34                     |
| 17 years old                              | 23540       | 4.84                     |
| 18 or older                               | 8532        | 1.75                     |

Frequency Missing = 1168621.5811

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

| AGE WHEN FIRST USED<br>SMOKELESS TOBACCO |                |         |
|--|----------------|---------|
|  | q21b Frequency | Percent |
| 9 or younger                             | 12207          | 7.94    |
| 10 years old                             | 8270           | 5.38    |
| 11 years old                             | 10238          | 6.66    |
| 12 years old                             | 13497          | 8.78    |
| 13 years old                             | 21485          | 13.98   |
| 14 years old                             | 23314          | 15.17   |
| 15 years old                             | 26381          | 17.16   |
| 16 years old                             | 22135          | 14.40   |
| 17 years old                             | 12279          | 7.99    |
| 18 or older                              | 3898           | 2.54    |

Frequency Missing = 1501204.7304

| AGE WHEN FIRST USED<br>BEER |                |         |
|-----------------------------|----------------|---------|
|                             | q21c Frequency | Percent |
| 9 or younger                | 16E4           | 19.95   |
| 10 years old                | 59389          | 7.40    |
| 11 years old                | 58217          | 7.25    |
| 12 years old                | 94894          | 11.82   |
| 13 years old                | 116E3          | 14.40   |
| 14 years old                | 109E3          | 13.62   |
| 15 years old                | 104E3          | 12.91   |
| 16 years old                | 67047          | 8.35    |
| 17 years old                | 26559          | 3.31    |
| 18 or older                 | 7934           | 0.99    |

Frequency Missing = 852139.07138

| AGE WHEN FIRST USED<br>WINE COOLERS |                |         |
|-------------------------------------|----------------|---------|
|                                     | q21d Frequency | Percent |
| 9 or younger                        | 82986          | 11.51   |
| 10 years old                        | 50065          | 6.94    |
| 11 years old                        | 58504          | 8.11    |
| 12 years old                        | 97909          | 13.58   |
| 13 years old                        | 119E3          | 16.48   |
| 14 years old                        | 112E3          | 15.53   |
| 15 years old                        | 106E3          | 14.67   |
| 16 years old                        | 63217          | 8.77    |
| 17 years old                        | 25712          | 3.57    |
| 18 or older                         | 6094           | 0.85    |

Frequency Missing = 933760.56675

| AGE WHEN FIRST USED<br>WINE |                |         |
|-----------------------------|----------------|---------|
|                             | q21e Frequency | Percent |
| 9 or younger                | 89339          | 12.89   |
| 10 years old                | 55067          | 7.94    |
| 11 years old                | 62706          | 9.05    |
| 12 years old                | 95615          | 13.79   |
| 13 years old                | 113E3          | 16.24   |
| 14 years old                | 97894          | 14.12   |
| 15 years old                | 93339          | 13.46   |
| 16 years old                | 56891          | 8.21    |
| 17 years old                | 22775          | 3.29    |
| 18 or older                 | 7014           | 1.01    |

Frequency Missing = 961671.38412

| AGE WHEN FIRST USED<br>LIQUOR |                |         |
|-------------------------------|----------------|---------|
|                               | q21f Frequency | Percent |
| 9 or younger                  | 42611          | 6.06    |
| 10 years old                  | 26424          | 3.76    |
| 11 years old                  | 39586          | 5.63    |
| 12 years old                  | 77714          | 11.05   |
| 13 years old                  | 117E3          | 16.68   |
| 14 years old                  | 13E4           | 18.48   |
| 15 years old                  | 132E3          | 18.83   |
| 16 years old                  | 85045          | 12.09   |
| 17 years old                  | 41555          | 5.91    |
| 18 or older                   | 10723          | 1.52    |

Frequency Missing = 951495.0853

| AGE WHEN FIRST USED<br>INHALANTS |                |         |
|----------------------------------|----------------|---------|
|                                  | q21g Frequency | Percent |
| 9 or younger                     | 18815          | 16.03   |
| 10 years old                     | 11896          | 10.14   |
| 11 years old                     | 12541          | 10.69   |
| 12 years old                     | 19587          | 16.69   |
| 13 years old                     | 20353          | 17.34   |
| 14 years old                     | 15965          | 13.60   |
| 15 years old                     | 10833          | 9.23    |
| 16 years old                     | 5300           | 4.52    |
| 17 years old                     | 1602           | 1.36    |
| 18 or older                      | 464            | 0.40    |

Frequency Missing = 1537552.5363

| AGE WHEN FIRST USED<br>MARIJUANA |                |         |
|----------------------------------|----------------|---------|
|                                  | q21h Frequency | Percent |
| 9 or younger                     | 20451          | 5.34    |
| 10 years old                     | 16394          | 4.28    |
| 11 years old                     | 23821          | 6.23    |
| 12 years old                     | 44209          | 11.55   |
| 13 years old                     | 65200          | 17.04   |
| 14 years old                     | 70284          | 18.37   |
| 15 years old                     | 67894          | 17.74   |
| 16 years old                     | 45365          | 11.86   |
| 17 years old                     | 23318          | 6.09    |
| 18 or older                      | 5718           | 1.49    |

Frequency Missing = 1272254.5758

| AGE WHEN FIRST USED<br>COCAINE |                |         |
|--------------------------------|----------------|---------|
|                                | q21i Frequency | Percent |
| 9 or younger                   | 1042           | 1.20    |
| 10 years old                   | 1602           | 1.84    |
| 11 years old                   | 3026           | 3.47    |
| 12 years old                   | 5741           | 6.59    |
| 13 years old                   | 12593          | 14.45   |
| 14 years old                   | 14200          | 16.30   |
| 15 years old                   | 20772          | 23.84   |
| 16 years old                   | 17655          | 20.26   |
| 17 years old                   | 8533           | 9.79    |
| 18 or older                    | 1964           | 2.25    |

Frequency Missing = 1567781.8223

| AGE WHEN FIRST USED<br>CRACK |                |         |
|------------------------------|----------------|---------|
|                              | q21j Frequency | Percent |
| 9 or younger                 | 1174           | 5.37    |
| 10 years old                 | 706            | 3.23    |
| 11 years old                 | 1585           | 7.25    |
| 12 years old                 | 2985           | 13.66   |
| 13 years old                 | 4641           | 21.24   |
| 14 years old                 | 3623           | 16.58   |
| 15 years old                 | 2823           | 12.92   |
| 16 years old                 | 2318           | 10.61   |
| 17 years old                 | 1492           | 6.83    |
| 18 or older                  | 506            | 2.32    |

Frequency Missing = 1633055.7201

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

| AGE WHEN FIRST USED<br>HALLUCINOGENS |                |         |
|--------------------------------------|----------------|---------|
|                                      | q21l Frequency | Percent |
| 9 or younger                         | 1393           | 2.25    |
| 10 years old                         | 1129           | 1.82    |
| 11 years old                         | 2298           | 3.71    |
| 12 years old                         | 3952           | 6.38    |
| 13 years old                         | 8016           | 12.95   |
| 14 years old                         | 9678           | 15.63   |
| 15 years old                         | 12955          | 20.93   |
| 16 years old                         | 12626          | 20.39   |
| 17 years old                         | 8102           | 13.09   |
| 18 or older                          | 1763           | 2.85    |

Frequency Missing = 1592996.9246

| AGE WHEN FIRST USED<br>ROHYPNOL |                |         |
|---------------------------------|----------------|---------|
|                                 | q21o Frequency | Percent |
| 9 or younger                    | 1518           | 6.84    |
| 10 years old                    | 894            | 4.03    |
| 11 years old                    | 2086           | 9.40    |
| 12 years old                    | 3499           | 15.76   |
| 13 years old                    | 3696           | 16.65   |
| 14 years old                    | 3892           | 17.53   |
| 15 years old                    | 3459           | 15.58   |
| 16 years old                    | 1841           | 8.29    |
| 17 years old                    | 948            | 4.27    |
| 18 or older                     | 368            | 1.66    |

Frequency Missing = 1632707.4298

| AGE WHEN FIRST USED<br>HEROIN |                |         |
|-------------------------------|----------------|---------|
|                               | q21r Frequency | Percent |
| 9 or younger                  | 1651           | 8.49    |
| 10 years old                  | 876            | 4.51    |
| 11 years old                  | 1326           | 6.82    |
| 12 years old                  | 2069           | 10.64   |
| 13 years old                  | 2992           | 15.39   |
| 14 years old                  | 3198           | 16.45   |
| 15 years old                  | 3023           | 15.55   |
| 16 years old                  | 1949           | 10.02   |
| 17 years old                  | 1701           | 8.75    |
| 18 or older                   | 657            | 3.38    |

Frequency Missing = 1635467.3753

| AGE WHEN FIRST USED<br>UPPERS |                |         |
|-------------------------------|----------------|---------|
|                               | q21m Frequency | Percent |
| 9 or younger                  | 2648           | 3.06    |
| 10 years old                  | 2172           | 2.51    |
| 11 years old                  | 3401           | 3.94    |
| 12 years old                  | 6205           | 7.18    |
| 13 years old                  | 11413          | 13.21   |
| 14 years old                  | 16520          | 19.11   |
| 15 years old                  | 20802          | 24.07   |
| 16 years old                  | 15959          | 18.47   |
| 17 years old                  | 5816           | 6.73    |
| 18 or older                   | 1489           | 1.72    |

Frequency Missing = 1568483.9948

| AGE WHEN FIRST USED<br>STEROIDS |                |         |
|---------------------------------|----------------|---------|
|                                 | q21p Frequency | Percent |
| 9 or younger                    | 3184           | 15.17   |
| 10 years old                    | 1281           | 6.10    |
| 11 years old                    | 792            | 3.77    |
| 12 years old                    | 2190           | 10.44   |
| 13 years old                    | 2467           | 11.76   |
| 14 years old                    | 3214           | 15.32   |
| 15 years old                    | 2704           | 12.89   |
| 16 years old                    | 2593           | 12.36   |
| 17 years old                    | 2001           | 9.54    |
| 18 or older                     | 556            | 2.65    |

Frequency Missing = 1633927.7437

| HOW OFTEN NORMALLY USE<br>CIGARETTES |                |         |
|--------------------------------------|----------------|---------|
|                                      | q22a Frequency | Percent |
| Every day                            | 48080          | 3.09    |
| Several times/wk                     | 35127          | 2.26    |
| Several times/mo                     | 51501          | 3.31    |
| About once/month                     | 78209          | 5.03    |
| About once/year                      | 68276          | 4.39    |
| < once/year                          | 133E3          | 8.58    |
| Never used                           | 114E4          | 73.35   |

Frequency Missing = 98648.810762

| AGE WHEN FIRST USED<br>DOWNERS |                |         |
|--------------------------------|----------------|---------|
|                                | q21n Frequency | Percent |
| 9 or younger                   | 1980           | 2.28    |
| 10 years old                   | 2024           | 2.33    |
| 11 years old                   | 4127           | 4.75    |
| 12 years old                   | 5663           | 6.52    |
| 13 years old                   | 11067          | 12.74   |
| 14 years old                   | 16864          | 19.42   |
| 15 years old                   | 22154          | 25.50   |
| 16 years old                   | 16324          | 18.79   |
| 17 years old                   | 5373           | 6.19    |
| 18 or older                    | 1286           | 1.48    |

Frequency Missing = 1568046.9856

| AGE WHEN FIRST USED<br>ECSTASY |                |         |
|--------------------------------|----------------|---------|
|                                | q21q Frequency | Percent |
| 9 or younger                   | 1283           | 1.66    |
| 10 years old                   | 669            | 0.86    |
| 11 years old                   | 2141           | 2.76    |
| 12 years old                   | 3286           | 4.24    |
| 13 years old                   | 8980           | 11.59   |
| 14 years old                   | 11965          | 15.44   |
| 15 years old                   | 18293          | 23.61   |
| 16 years old                   | 17227          | 22.23   |
| 17 years old                   | 10473          | 13.52   |
| 18 or older                    | 3171           | 4.09    |

Frequency Missing = 1577418.7351

| HOW OFTEN NORMALLY USE<br>SMOKELESS TOBACCO |                |         |
|---|----------------|---------|
|   | q22b Frequency | Percent |
| Every day                                   | 16717          | 1.08    |
| Several times/wk                            | 10961          | 0.71    |
| Several times/mo                            | 13573          | 0.88    |
| About once/month                            | 25068          | 1.62    |
| About once/year                             | 25622          | 1.66    |
| < once/year                                 | 50082          | 3.24    |
| Never used                                  | 14E5           | 90.80   |

Frequency Missing = 111541.11382

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>HOW OFTEN NORMALLY USE<br/>BEER</b> |       |       |
|--|-------|-------|
| <b>q22c Frequency Percent</b>          |       |       |
| Every day                              | 4629  | 0.30  |
| Several times/wk                       | 48556 | 3.14  |
| Several times/mo                       | 15E4  | 9.67  |
| About once/month                       | 188E3 | 12.13 |
| About once/year                        | 159E3 | 10.28 |
| < once/year                            | 158E3 | 10.20 |
| Never used                             | 839E3 | 54.28 |

Frequency Missing = 108674.31516

| <b>HOW OFTEN NORMALLY USE<br/>WINE COOLERS</b> |       |       |
|--|-------|-------|
| <b>q22d Frequency Percent</b>                  |       |       |
| Every day                                      | 3306  | 0.21  |
| Several times/wk                               | 33330 | 2.16  |
| Several times/mo                               | 117E3 | 7.58  |
| About once/month                               | 181E3 | 11.72 |
| About once/year                                | 182E3 | 11.80 |
| < once/year                                    | 143E3 | 9.28  |
| Never used                                     | 885E3 | 57.25 |

Frequency Missing = 109012.0517

| <b>HOW OFTEN NORMALLY USE<br/>WINE</b> |       |       |
|--|-------|-------|
| <b>q22e Frequency Percent</b>          |       |       |
| Every day                              | 1359  | 0.09  |
| Several times/wk                       | 22002 | 1.43  |
| Several times/mo                       | 79700 | 5.20  |
| About once/month                       | 135E3 | 8.79  |
| About once/year                        | 205E3 | 13.34 |
| < once/year                            | 183E3 | 11.92 |
| Never used                             | 908E3 | 59.23 |

Frequency Missing = 121208.88248

| <b>HOW OFTEN NORMALLY USE<br/>LIQUOR</b> |       |       |
|--|-------|-------|
| <b>q22f Frequency Percent</b>            |       |       |
| Every day                                | 3490  | 0.22  |
| Several times/wk                         | 39360 | 2.53  |
| Several times/mo                         | 148E3 | 9.54  |
| About once/month                         | 186E3 | 11.97 |
| About once/year                          | 162E3 | 10.43 |
| < once/year                              | 119E3 | 7.67  |
| Never used                               | 896E3 | 57.65 |

Frequency Missing = 101147.57662

| <b>HOW OFTEN NORMALLY USE<br/>INHALANTS</b> |       |       |
|---|-------|-------|
| <b>q22g Frequency Percent</b>               |       |       |
| Every day                                   | 2712  | 0.18  |
| Several times/wk                            | 6184  | 0.41  |
| Several times/mo                            | 11229 | 0.75  |
| About once/month                            | 17861 | 1.19  |
| About once/year                             | 20234 | 1.34  |
| < once/year                                 | 39406 | 2.62  |
| Never used                                  | 141E4 | 93.52 |

Frequency Missing = 148206.44771

| <b>HOW OFTEN NORMALLY USE<br/>MARIJUANA</b> |       |       |
|---|-------|-------|
| <b>q22h Frequency Percent</b>               |       |       |
| Every day                                   | 35027 | 2.33  |
| Several times/wk                            | 40135 | 2.66  |
| Several times/mo                            | 57833 | 3.84  |
| About once/month                            | 64274 | 4.27  |
| About once/year                             | 58964 | 3.91  |
| < once/year                                 | 82580 | 5.48  |
| Never used                                  | 117E4 | 77.50 |

Frequency Missing = 148773.22563

| <b>HOW OFTEN NORMALLY USE<br/>COCAINE</b> |       |       |
|---|-------|-------|
| <b>q22i Frequency Percent</b>             |       |       |
| Every day                                 | 1441  | 0.10  |
| Several times/wk                          | 4659  | 0.31  |
| Several times/mo                          | 11462 | 0.76  |
| About once/month                          | 14253 | 0.95  |
| About once/year                           | 16705 | 1.11  |
| < once/year                               | 26715 | 1.78  |
| Never used                                | 143E4 | 94.99 |

Frequency Missing = 152557.42069

| <b>HOW OFTEN NORMALLY USE<br/>CRACK</b> |       |       |
|---|-------|-------|
| <b>q22j Frequency Percent</b>           |       |       |
| Every day                               | 1168  | 0.08  |
| Several times/wk                        | 1528  | 0.10  |
| Several times/mo                        | 1924  | 0.13  |
| About once/month                        | 3860  | 0.26  |
| About once/year                         | 4220  | 0.28  |
| < once/year                             | 7434  | 0.49  |
| Never used                              | 149E4 | 98.67 |

Frequency Missing = 144670.17321

| <b>HOW OFTEN NORMALLY USE<br/>HALLUCINOGENS</b> |       |       |
|---|-------|-------|
| <b>q22l Frequency Percent</b>                   |       |       |
| Every day                                       | 1170  | 0.08  |
| Several times/wk                                | 1767  | 0.12  |
| Several times/mo                                | 4932  | 0.33  |
| About once/month                                | 12564 | 0.84  |
| About once/year                                 | 17822 | 1.19  |
| < once/year                                     | 18720 | 1.25  |
| Never used                                      | 144E4 | 96.20 |

Frequency Missing = 157346.80766

| <b>HOW OFTEN NORMALLY USE<br/>UPPERS</b> |       |       |
|--|-------|-------|
| <b>q22m Frequency Percent</b>            |       |       |
| Every day                                | 2801  | 0.19  |
| Several times/wk                         | 5194  | 0.35  |
| Several times/mo                         | 12701 | 0.85  |
| About once/month                         | 18237 | 1.22  |
| About once/year                          | 18251 | 1.22  |
| < once/year                              | 21519 | 1.44  |
| Never used                               | 142E4 | 94.74 |

Frequency Missing = 159420.64311

| <b>HOW OFTEN NORMALLY USE<br/>DOWNERS</b> |       |       |
|---|-------|-------|
| <b>q22n Frequency Percent</b>             |       |       |
| Every day                                 | 2033  | 0.13  |
| Several times/wk                          | 6683  | 0.44  |
| Several times/mo                          | 12942 | 0.86  |
| About once/month                          | 18946 | 1.26  |
| About once/year                           | 18223 | 1.21  |
| < once/year                               | 21638 | 1.44  |
| Never used                                | 143E4 | 94.66 |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

Frequency Missing = 147608.60768

| <b>HOW OFTEN NORMALLY USE<br/>ROHYPNOL</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q22o</b> | <b>Frequency Percent</b> |
| Every day                                  | 618         | 0.04                     |
| Several times/wk                           | 2497        | 0.17                     |
| Several times/mo                           | 2400        | 0.16                     |
| About once/month                           | 4628        | 0.31                     |
| About once/year                            | 4663        | 0.31                     |
| < once/year                                | 6507        | 0.43                     |
| Never used                                 | 148E4       | 98.58                    |

Frequency Missing = 153848.49463

| <b>HOW OFTEN NORMALLY USE<br/>STEROIDS</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q22p</b> | <b>Frequency Percent</b> |
| Every day                                  | 2837        | 0.19                     |
| Several times/wk                           | 1769        | 0.12                     |
| Several times/mo                           | 1854        | 0.12                     |
| About once/month                           | 2806        | 0.19                     |
| About once/year                            | 3261        | 0.22                     |
| < once/year                                | 7162        | 0.47                     |
| Never used                                 | 149E4       | 98.70                    |

Frequency Missing = 144511.43159

| <b>HOW OFTEN NORMALLY USE<br/>ECSTASY</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q22q</b> | <b>Frequency Percent</b> |
| Every day                                 | 1112        | 0.07                     |
| Several times/wk                          | 3120        | 0.20                     |
| Several times/mo                          | 9445        | 0.62                     |
| About once/month                          | 15791       | 1.04                     |
| About once/year                           | 20723       | 1.36                     |
| < once/year                               | 23378       | 1.53                     |
| Never used                                | 145E4       | 95.17                    |

Frequency Missing = 130938.9132

| <b>HOW OFTEN NORMALLY USE<br/>HEROIN</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q22r</b> | <b>Frequency Percent</b> |
| Every day                                | 1215        | 0.08                     |
| Several times/wk                         | 1275        | 0.08                     |
| Several times/mo                         | 1661        | 0.11                     |
| About once/month                         | 3425        | 0.22                     |
| About once/year                          | 3784        | 0.25                     |
| < once/year                              | 7142        | 0.47                     |
| Never used                               | 151E4       | 98.79                    |

Frequency Missing = 121855.02759

| <b>AMOUNT OF BEER AT ONE<br/>TIME</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q23a</b> | <b>Frequency Percent</b> |
| Never drink this                      | 845E3       | 54.81                    |
| 12+ drinks                            | 50781       | 3.29                     |
| 9-11 drinks                           | 40740       | 2.64                     |
| 5-8 drinks                            | 96291       | 6.25                     |
| 3-4 drinks                            | 139E3       | 9.03                     |
| 2 drinks                              | 111E3       | 7.19                     |
| 1 drink                               | 118E3       | 7.64                     |
| < 1 drink                             | 141E3       | 9.14                     |

Frequency Missing = 113591.96664

| <b>AMOUNT OF WINE COOLERS<br/>AT ONE TIME</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q23b</b> | <b>Frequency Percent</b> |
| Never drink this                              | 874E3       | 57.00                    |
| 12+ drinks                                    | 17676       | 1.15                     |
| 9-11 drinks                                   | 9257        | 0.60                     |
| 5-8 drinks                                    | 26644       | 1.74                     |
| 3-4 drinks                                    | 60568       | 3.95                     |
| 2 drinks                                      | 97374       | 6.35                     |
| 1 drink                                       | 189E3       | 12.33                    |
| < 1 drink                                     | 259E3       | 16.89                    |

Frequency Missing = 120622.86792

| <b>AMOUNT OF WINE AT ONE<br/>TIME</b> |             |                          |
|---------------------------------------|-------------|--------------------------|
|                                       | <b>q23c</b> | <b>Frequency Percent</b> |
| Never drink this                      | 836E3       | 54.31                    |
| 12+ drinks                            | 37423       | 2.43                     |
| 9-11 drinks                           | 27535       | 1.79                     |
| 5-8 drinks                            | 77014       | 5.00                     |
| 3-4 drinks                            | 131E3       | 8.48                     |
| 2 drinks                              | 134E3       | 8.70                     |
| 1 drink                               | 153E3       | 9.92                     |
| < 1 drink                             | 144E3       | 9.37                     |

Frequency Missing = 114583.63872

| <b>AMOUNT OF LIQUOR AT ONE<br/>TIME</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q23d</b> | <b>Frequency Percent</b> |
| Never drink this                        | 8E5         | 51.63                    |
| 12+ drinks                              | 60596       | 3.91                     |
| 9-11 drinks                             | 42417       | 2.74                     |
| 5-8 drinks                              | 95502       | 6.16                     |
| 3-4 drinks                              | 116E3       | 7.51                     |
| 2 drinks                                | 104E3       | 6.72                     |
| 1 drink                                 | 126E3       | 8.14                     |
| < 1 drink                               | 205E3       | 13.20                    |

Frequency Missing = 104570.1995

| <b>HOW MANY 5+ DRINKS IN PAST<br/>30 DAYS</b> |            |                          |
|---|------------|--------------------------|
|   | <b>q24</b> | <b>Frequency Percent</b> |
| Never 5+ at time                              | 714E3      | 45.34                    |
| None  | 539E3      | 34.23                    |
| 1 day   | 99519      | 6.32                     |
| 2 days  | 74627      | 4.74                     |
| 3 to 5 days                                   | 76480      | 4.86                     |
| 6 to 9 days                                   | 34812      | 2.21                     |
| 10 or more days                               | 36354      | 2.31                     |

Frequency Missing = 79662.413671

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM HOME</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q25a</b> | <b>Frequency Percent</b> |
| Do not Drink                                 | 702E3       | 45.24                    |
| Never  | 371E3       | 23.92                    |
| Seldom                                       | 334E3       | 21.52                    |
| Most of the Time                             | 99039       | 6.38                     |
| Always                                       | 45730       | 2.95                     |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

Frequency Missing = 102117.09648

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM FRIENDS</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q25b</b> | <b>Frequency Percent</b> |
| <b>Do not Drink</b>                             | 667E3       | 43.22                    |
| <b>Never</b>                                    | 27E4        | 17.48                    |
| <b>Seldom</b>                                   | 234E3       | 15.15                    |
| <b>Most of the Time</b>                         | 26E4        | 16.84                    |
| <b>Always</b>                                   | 113E3       | 7.31                     |

Frequency Missing = 112517.7306

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM A STORE</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q25c</b> | <b>Frequency Percent</b> |
| <b>Do not Drink</b>                             | 687E3       | 44.88                    |
| <b>Never</b>                                    | 62E4        | 40.49                    |
| <b>Seldom</b>                                   | 118E3       | 7.68                     |
| <b>Most of the Time</b>                         | 69173       | 4.52                     |
| <b>Always</b>                                   | 37190       | 2.43                     |

Frequency Missing = 123166.65341

| <b>GET ALCOHOLIC BEVERAGES<br/>AT PARTIES</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q25d</b> | <b>Frequency Percent</b> |
| <b>Do not Drink</b>                           | 647E3       | 41.94                    |
| <b>Never</b>                                  | 25E4        | 16.23                    |
| <b>Seldom</b>                                 | 201E3       | 13.06                    |
| <b>Most of the Time</b>                       | 229E3       | 14.83                    |
| <b>Always</b>                                 | 215E3       | 13.93                    |

Frequency Missing = 112576.32595

| <b>GET ALCOHOLIC BEVERAGES<br/>FROM OTHER</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>q25e</b> | <b>Frequency Percent</b> |
| <b>Do not Drink</b>                           | 69E4        | 44.91                    |
| <b>Never</b>                                  | 386E3       | 25.11                    |
| <b>Seldom</b>                                 | 214E3       | 13.92                    |
| <b>Most of the Time</b>                       | 132E3       | 8.58                     |
| <b>Always</b>                                 | 115E3       | 7.48                     |

Frequency Missing = 119307.95966

| <b>USE MARIJUANA AS JOINTS</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>q26a</b> | <b>Frequency Percent</b> |
| <b>Never</b>                   | 126E4       | 81.29                    |
| <b>Seldom</b>                  | 121E3       | 7.80                     |
| <b>Half the time</b>           | 65301       | 4.22                     |
| <b>Most of the time</b>        | 56700       | 3.66                     |
| <b>Always</b>                  | 35415       | 2.29                     |
| <b>Don't know</b>              | 11639       | 0.75                     |

Frequency Missing = 106143.21013

| <b>USE MARIJUANA AS BLUNTS</b> |             |                          |
|--------------------------------|-------------|--------------------------|
|                                | <b>q26b</b> | <b>Frequency Percent</b> |
| <b>Never</b>                   | 124E4       | 80.62                    |
| <b>Seldom</b>                  | 99256       | 6.43                     |
| <b>Half the time</b>           | 56212       | 3.64                     |
| <b>Most of the time</b>        | 66743       | 4.33                     |
| <b>Always</b>                  | 64060       | 4.15                     |
| <b>Don't know</b>              | 12689       | 0.82                     |

Frequency Missing = 112298.71159

| <b>USE MARIJUANA IN BONGS OR<br/>WATER PIPES</b> |             |                          |
|--|-------------|--------------------------|
|  | <b>q26c</b> | <b>Frequency Percent</b> |
| <b>Never</b>                                     | 133E4       | 86.83                    |
| <b>Seldom</b>                                    | 85416       | 5.57                     |
| <b>Half the time</b>                             | 39393       | 2.57                     |
| <b>Most of the time</b>                          | 39521       | 2.58                     |
| <b>Always</b>                                    | 28514       | 1.86                     |
| <b>Don't know</b>                                | 9109        | 0.59                     |

Frequency Missing = 121949.66926

| <b>USE MARIJUANA IN PIPES</b> |             |                          |
|-------------------------------|-------------|--------------------------|
|                               | <b>q26d</b> | <b>Frequency Percent</b> |
| <b>Never</b>                  | 131E4       | 85.79                    |
| <b>Seldom</b>                 | 78486       | 5.14                     |
| <b>Half the time</b>          | 42719       | 2.80                     |
| <b>Most of the time</b>       | 50997       | 3.34                     |
| <b>Always</b>                 | 35720       | 2.34                     |
| <b>Don't know</b>             | 9018        | 0.59                     |

Frequency Missing = 128149.58641

| <b>USE MARIJUANA OTHER WAYS</b> |             |                          |
|---------------------------------|-------------|--------------------------|
|                                 | <b>q26e</b> | <b>Frequency Percent</b> |
| <b>Never</b>                    | 136E4       | 89.35                    |
| <b>Seldom</b>                   | 74771       | 4.90                     |
| <b>Half the time</b>            | 20675       | 1.35                     |
| <b>Most of the time</b>         | 19476       | 1.28                     |
| <b>Always</b>                   | 23870       | 1.56                     |
| <b>Don't know</b>               | 23913       | 1.57                     |

Frequency Missing = 127775.89445

| <b>USED METHAMPHETAMINE EVEN<br/>ONE TIME</b> |            |                          |
|---|------------|--------------------------|
|   | <b>q27</b> | <b>Frequency Percent</b> |
| <b>Never heard/used</b>                       | 15E5       | 96.43                    |
| <b>At least once/month</b>                    | 12778      | 0.82                     |
| <b>At least once/year</b>                     | 11571      | 0.74                     |
| <b>At least once/life</b>                     | 31295      | 2.01                     |

Frequency Missing = 96031.81147

| <b>RECENT PRESCRIPTION DRUG USE<br/>- CODEINE</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>Q28A</b> | <b>Frequency Percent</b> |
| <b>Never heard/used</b>                           | 13E5        | 86.49                    |
| <b>At least once/month</b>                        | 74602       | 4.98                     |
| <b>At least once/year</b>                         | 61811       | 4.13                     |
| <b>At least once/life</b>                         | 66005       | 4.41                     |

Frequency Missing = 156872.01234

| <b>RECENT PRESCRIPTION DRUG USE<br/>- OXYCONTIN ETC</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>Q28B</b> | <b>Frequency Percent</b> |
| <b>Never heard/used</b>                                 | 142E4       | 96.16                    |
| <b>At least once/month</b>                              | 14530       | 0.99                     |
| <b>At least once/year</b>                               | 19167       | 1.30                     |
| <b>At least once/life</b>                               | 22838       | 1.55                     |

Frequency Missing = 181244.7041

| <b>RECENT PRESCRIPTION DRUG USE<br/>- VICODIN ETC</b> |             |                          |
|---|-------------|--------------------------|
|   | <b>Q28C</b> | <b>Frequency Percent</b> |
| <b>Never heard/used</b>                               | 137E4       | 92.97                    |
| <b>At least once/month</b>                            | 36432       | 2.48                     |
| <b>At least once/year</b>                             | 33621       | 2.29                     |
| <b>At least once/life</b>                             | 33146       | 2.26                     |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

Frequency Missing = 186482.23107

| <b>RECENT PRESCRIPTION DRUG USE<br/>- VALIUM ETC</b> |       |       |
|--|-------|-------|
| <b>Q28D Frequency Percent</b>                        |       |       |
| Never heard/used                                     | 143E4 | 96.70 |
| At least once/month                                  | 14142 | 0.96  |
| At least once/year                                   | 16562 | 1.12  |
| At least once/life                                   | 18178 | 1.23  |

Frequency Missing = 175129.31352

| <b>RECENT PRESCRIPTION DRUG USE<br/>- XANAX ETC</b> |       |       |
|---|-------|-------|
| <b>Q28E Frequency Percent</b>                       |       |       |
| Never heard/used                                    | 141E4 | 94.32 |
| At least once/month                                 | 27953 | 1.87  |
| At least once/year                                  | 27157 | 1.82  |
| At least once/life                                  | 29901 | 2.00  |

Frequency Missing = 159176.10331

| <b>TAKE DXM, TRIPLE CS, ETC. TO<br/>GET HIGH</b> |       |       |
|--|-------|-------|
| <b>q29 Frequency Percent</b>                     |       |       |
| Never heard/used                                 | 14E5  | 92.85 |
| At least once/month                              | 35633 | 2.36  |
| At least once/year                               | 27637 | 1.83  |
| At least once/life                               | 44649 | 2.96  |

Frequency Missing = 146337.28794

| <b>DANGEROUS FOR KIDS TO<br/>USE TOBACCO</b> |       |       |
|--|-------|-------|
| <b>q30a Frequency Percent</b>                |       |       |
| Very   | 694E3 | 48.64 |
| Somewhat                                     | 395E3 | 27.64 |
| Not very                                     | 208E3 | 14.56 |
| Not at all                                   | 63105 | 4.42  |
| Don't know                                   | 67584 | 4.74  |

Frequency Missing = 227750.73414

| <b>DANGEROUS FOR KIDS TO<br/>USE ALCOHOL</b> |       |       |
|--|-------|-------|
| <b>q30b Frequency Percent</b>                |       |       |
| Very   | 612E3 | 43.44 |
| Somewhat                                     | 464E3 | 32.96 |
| Not very                                     | 227E3 | 16.12 |
| Not at all                                   | 56890 | 4.04  |
| Don't know                                   | 48487 | 3.44  |

Frequency Missing = 246108.56788

| <b>DANGEROUS FOR KIDS TO<br/>USE INHALANTS</b> |       |       |
|--|-------|-------|
| <b>q30c Frequency Percent</b>                  |       |       |
| Very   | 975E3 | 71.70 |
| Somewhat                                       | 221E3 | 16.24 |
| Not very                                       | 67239 | 4.94  |
| Not at all                                     | 24562 | 1.81  |
| Don't know                                     | 72158 | 5.31  |

Frequency Missing = 295013.41451

| <b>DANGEROUS FOR KIDS TO<br/>USE MARIJUANA</b> |       |       |
|--|-------|-------|
| <b>q30d Frequency Percent</b>                  |       |       |
| Very   | 792E3 | 58.22 |
| Somewhat                                       | 225E3 | 16.55 |
| Not very                                       | 161E3 | 11.84 |
| Not at all                                     | 133E3 | 9.81  |
| Don't know                                     | 48827 | 3.59  |

Frequency Missing = 295031.46354

| <b>DANGEROUS FOR KIDS TO<br/>USE COCAINE</b> |       |       |
|--|-------|-------|
| <b>q30e Frequency Percent</b>                |       |       |
| Very   | 11E5  | 82.69 |
| Somewhat                                     | 132E3 | 9.90  |
| Not very                                     | 24883 | 1.87  |
| Not at all                                   | 13622 | 1.03  |
| Don't know                                   | 59970 | 4.51  |

Frequency Missing = 326068.74143

| <b>DANGEROUS FOR KIDS TO<br/>USE CRACK</b> |       |       |
|--|-------|-------|
| <b>q30f Frequency Percent</b>              |       |       |
| Very                                       | 114E4 | 84.95 |
| Somewhat                                   | 11E4  | 8.20  |
| Not very                                   | 16373 | 1.22  |
| Not at all                                 | 12090 | 0.90  |
| Don't know                                 | 63750 | 4.74  |

Frequency Missing = 308698.25482

| <b>DANGEROUS FOR KIDS TO<br/>USE ECSTASY</b> |       |       |
|--|-------|-------|
| <b>q30g Frequency Percent</b>                |       |       |
| Very   | 108E4 | 79.19 |
| Somewhat                                     | 136E3 | 9.95  |
| Not very                                     | 38693 | 2.83  |
| Not at all                                   | 19775 | 1.45  |
| Don't know                                   | 89986 | 6.58  |

Frequency Missing = 288155.51475

| <b>DANGEROUS FOR KIDS TO<br/>USE STEROIDS</b> |       |       |
|---|-------|-------|
| <b>q30h Frequency Percent</b>                 |       |       |
| Very  | 103E4 | 73.72 |
| Somewhat                                      | 203E3 | 14.46 |
| Not very                                      | 63519 | 4.53  |
| Not at all                                    | 22468 | 1.60  |
| Don't know                                    | 79799 | 5.69  |

Frequency Missing = 252930.99043

| <b>DANGEROUS FOR KIDS TO<br/>USE HEROIN</b> |       |       |
|---|-------|-------|
| <b>q30i Frequency Percent</b>               |       |       |
| Very  | 124E4 | 87.01 |
| Somewhat                                    | 79688 | 5.60  |
| Not very                                    | 13609 | 0.96  |
| Not at all                                  | 12010 | 0.84  |
| Don't know                                  | 79560 | 5.59  |

Frequency Missing = 232122.63315

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b> |       |       |
|--|-------|-------|
| <b>q30j Frequency Percent</b>                    |       |       |
| <b>Very</b>                                      | 124E4 | 84.49 |
| <b>Somewhat</b>                                  | 84533 | 5.78  |
| <b>Not very</b>                                  | 14446 | 0.99  |
| <b>Not at all</b>                                | 12815 | 0.88  |
| <b>Don't know</b>                                | 115E3 | 7.87  |

Frequency Missing = 192341.39652

| <b>DAYS SKIPPED SINCE SEPTEMBER</b> |       |       |
|-------------------------------------|-------|-------|
| <b>q31a Frequency Percent</b>       |       |       |
| <b>None</b>                         | 109E4 | 72.01 |
| <b>1-3 days</b>                     | 3E5   | 19.72 |
| <b>4-9 days</b>                     | 77686 | 5.11  |
| <b>10+ days</b>                     | 47945 | 3.15  |

Frequency Missing = 134674.35704

| <b>DAYS ILL SINCE SEPTEMBER</b> |       |       |
|---------------------------------|-------|-------|
| <b>q31b Frequency Percent</b>   |       |       |
| <b>None</b>                     | 377E3 | 24.91 |
| <b>1-3 days</b>                 | 783E3 | 51.80 |
| <b>4-9 days</b>                 | 28E4  | 18.49 |
| <b>10+ days</b>                 | 72554 | 4.80  |

Frequency Missing = 142578.40404

| <b>OTHER DAYS MISSED SINCE SEPTEMBER</b> |       |       |
|--|-------|-------|
| <b>q31c Frequency Percent</b>            |       |       |
| <b>None</b>                              | 55E4  | 36.55 |
| <b>1-3 days</b>                          | 783E3 | 52.07 |
| <b>4-9 days</b>                          | 129E3 | 8.61  |
| <b>10+ days</b>                          | 41634 | 2.77  |

Frequency Missing = 150770.12678

| <b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b> |       |       |
|---|-------|-------|
| <b>q31d Frequency Percent</b>                 |       |       |
| <b>None</b>                                   | 119E4 | 78.58 |
| <b>1-3 days</b>                               | 228E3 | 15.07 |
| <b>4-9 days</b>                               | 53905 | 3.56  |
| <b>10+ days</b>                               | 42204 | 2.79  |

Frequency Missing = 141708.7108

| <b>SOMEONE CALLED HOME SINCE SEPTEMBER</b> |       |       |
|--|-------|-------|
| <b>q31e Frequency Percent</b>              |       |       |
| <b>None</b>                                | 125E4 | 83.70 |
| <b>1-3 days</b>                            | 182E3 | 12.20 |
| <b>4-9 days</b>                            | 36013 | 2.41  |
| <b>10+ days</b>                            | 25149 | 1.68  |

Frequency Missing = 161966.11849

| <b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b> |       |       |
|--|-------|-------|
| <b>q31f Frequency Percent</b>                  |       |       |
| <b>None</b>                                    | 147E4 | 98.79 |
| <b>1-3 days</b>                                | 11679 | 0.78  |
| <b>4-9 days</b>                                | 2703  | 0.18  |
| <b>10+ days</b>                                | 3689  | 0.25  |

Frequency Missing = 163955.65524

| <b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b> |       |       |
|--|-------|-------|
| <b>q31g Frequency Percent</b>                  |       |       |
| <b>None</b>                                    | 148E4 | 98.59 |
| <b>1-3 days</b>                                | 13848 | 0.92  |
| <b>4-9 days</b>                                | 2896  | 0.19  |
| <b>10+ days</b>                                | 4459  | 0.30  |

Frequency Missing = 151303.19317

| <b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b> |       |       |
|---|-------|-------|
| <b>q32a Frequency Percent</b>                   |       |       |
| <b>None</b>                                     | 137E4 | 92.62 |
| <b>1-3 times</b>                                | 93094 | 6.29  |
| <b>4-9 times</b>                                | 10612 | 0.72  |
| <b>10+ times</b>                                | 5538  | 0.37  |

Frequency Missing = 174571.41153

| <b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b> |       |       |
|---|-------|-------|
| <b>q32b Frequency Percent</b>                 |       |       |
| <b>None</b>                                   | 135E4 | 91.95 |
| <b>1-3 times</b>                              | 89664 | 6.10  |
| <b>4-9 times</b>                              | 14964 | 1.02  |
| <b>10+ times</b>                              | 13684 | 0.93  |

Frequency Missing = 184892.3382

| <b>CRITICIZED BY DATE BECAUSE OF DRINKING</b> |       |       |
|---|-------|-------|
| <b>q32c Frequency Percent</b>                 |       |       |
| <b>None</b>                                   | 135E4 | 92.45 |
| <b>1-3 times</b>                              | 90844 | 6.21  |
| <b>4-9 times</b>                              | 12303 | 0.84  |
| <b>10+ times</b>                              | 7173  | 0.49  |

Frequency Missing = 193039.0429

| <b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b> |       |       |
|--|-------|-------|
| <b>q32d Frequency Percent</b>                  |       |       |
| <b>None</b>                                    | 14E5  | 96.47 |
| <b>1-3 times</b>                               | 42394 | 2.92  |
| <b>4-9 times</b>                               | 5091  | 0.35  |
| <b>10+ times</b>                               | 3765  | 0.26  |

Frequency Missing = 201333.33774

| <b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b> |       |       |
|---|-------|-------|
| <b>q32e Frequency Percent</b>                   |       |       |
| <b>None</b>                                     | 134E4 | 94.21 |
| <b>1-3 times</b>                                | 66084 | 4.63  |
| <b>4-9 times</b>                                | 10266 | 0.72  |
| <b>10+ times</b>                                | 6216  | 0.44  |

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Non-Border - Grades 7-12 Large  
Spring 2008**

Frequency Missing = 228795.11934

| <b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b> |       |       |
|---|-------|-------|
| <b>q32f Frequency Percent</b>             |       |       |
| None                                      | 132E4 | 93.15 |
| 1-3 times                                 | 60264 | 4.24  |
| 4-9 times                                 | 15822 | 1.11  |
| 10+ times                                 | 21201 | 1.49  |

Frequency Missing = 234041.60109

| <b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b> |       |       |
|---|-------|-------|
| <b>q32g Frequency Percent</b>                 |       |       |
| None  | 133E4 | 93.82 |
| 1-3 times                                     | 69263 | 4.88  |
| 4-9 times                                     | 10367 | 0.73  |
| 10+ times                                     | 8196  | 0.58  |

Frequency Missing = 234622.52848

| <b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b> |       |       |
|--|-------|-------|
| <b>q32h Frequency Percent</b>                  |       |       |
| None   | 141E4 | 97.53 |
| 1-3 times                                      | 27598 | 1.91  |
| 4-9 times                                      | 3994  | 0.28  |
| 10+ times                                      | 4114  | 0.28  |

Frequency Missing = 209603.88723

| <b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b> |       |       |
|---|-------|-------|
| <b>q33a Frequency Percent</b>                 |       |       |
| None  | 138E4 | 91.92 |
| 1-3 days                                      | 90363 | 6.01  |
| 4-9 days                                      | 15302 | 1.02  |
| 10+ days                                      | 15884 | 1.06  |

Frequency Missing = 151457.13897

| <b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b> |       |       |
|--|-------|-------|
| <b>q33b Frequency Percent</b>                  |       |       |
| None   | 136E4 | 90.71 |
| 1-3 days                                       | 77413 | 5.15  |
| 4-9 days                                       | 22491 | 1.50  |
| 10+ days                                       | 39666 | 2.64  |

Frequency Missing = 152215.10171

| <b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b> |       |       |
|--|-------|-------|
| <b>q33c Frequency Percent</b>                  |       |       |
| None   | 147E4 | 97.88 |
| 1-3 days                                       | 20617 | 1.37  |
| 4-9 days                                       | 4996  | 0.33  |
| 10+ days                                       | 6153  | 0.41  |

Frequency Missing = 154239.84595

| <b>CLASS DAYS HIGH ON OTHER DRUG(S)</b> |       |       |
|---|-------|-------|
| <b>q33d Frequency Percent</b>           |       |       |
| None                                    | 142E4 | 94.24 |
| 1-3 days                                | 54076 | 3.58  |
| 4-9 days                                | 15321 | 1.02  |
| 10+ days                                | 17592 | 1.17  |

Frequency Missing = 145917.46574

| <b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b> |       |       |
|--|-------|-------|
| <b>q34a Frequency Percent</b>                  |       |       |
| Never  | 644E3 | 42.31 |
| Seldom   | 158E3 | 10.38 |
| Half the time                                  | 11E4  | 7.22  |
| Most of the time                               | 186E3 | 12.20 |
| Always   | 238E3 | 15.67 |
| Don't know                                     | 27572 | 1.81  |
| Didn't attend                                  | 158E3 | 10.41 |

Frequency Missing = 133363.82263

| <b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b> |       |       |
|---|-------|-------|
| <b>q34b Frequency Percent</b>               |       |       |
| Never                                       | 83E4  | 54.43 |
| Seldom                                      | 164E3 | 10.78 |
| Half the time                               | 112E3 | 7.34  |
| Most of the time                            | 107E3 | 7.05  |
| Always                                      | 11E4  | 7.23  |
| Don't know                                  | 41168 | 2.70  |
| Didn't attend                               | 16E4  | 10.47 |

Frequency Missing = 130953.68562

| <b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b> |       |       |
|---|-------|-------|
| <b>q35 Frequency Percent</b>                |       |       |
| No  | 131E4 | 93.09 |
| Yes   | 97171 | 6.91  |

Frequency Missing = 249031.90639

| <b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b> |       |       |
|--|-------|-------|
| <b>q36a Frequency Percent</b>                |       |       |
| No   | 103E4 | 69.24 |
| Yes  | 456E3 | 30.76 |

Frequency Missing = 171155.51223

| <b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b> |       |       |
|--|-------|-------|
| <b>q36b Frequency Percent</b>            |       |       |
| No                                       | 102E4 | 69.20 |
| Yes                                      | 454E3 | 30.80 |

Frequency Missing = 182565.44523

| <b>WOULD SEEK HELP FROM OTHER COUNSELOR</b> |       |       |
|---|-------|-------|
| <b>q36c Frequency Percent</b>               |       |       |
| No  | 912E3 | 62.53 |
| Yes   | 546E3 | 37.47 |

Frequency Missing = 196978.38176

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>WOULD SEEK HELP FROM PARENTS</b> |                  |                |
|-------------------------------------|------------------|----------------|
| <b>q36d</b>                         | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                           | 58E4             | 39.55          |
| <b>Yes</b>                          | 887E3            | 60.45          |

Frequency Missing = 187458.88207

| <b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b> |                  |                |
|---|------------------|----------------|
| <b>q37a</b>                                   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                     | 702E3            | 53.00          |
| <b>Yes</b>                                    | 623E3            | 47.00          |

Frequency Missing = 329568.82138

| <b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b> |                  |                |
|--|------------------|----------------|
| <b>q37f</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 112E4            | 85.80          |
| <b>Yes</b>   | 185E3            | 14.20          |

Frequency Missing = 353547.83494

| <b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b> |                  |                |
|--|------------------|----------------|
| <b>q36e</b>                                  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                    | 829E3            | 56.86          |
| <b>Yes</b>                                   | 629E3            | 43.14          |

Frequency Missing = 197336.58975

| <b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b> |                  |                |
|---|------------------|----------------|
| <b>q37b</b>                                       | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 699E3            | 53.57          |
| <b>Yes</b>  | 606E3            | 46.43          |

Frequency Missing = 350647.60567

| <b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b> |                  |                |
|--|------------------|----------------|
| <b>q37g</b>                                    | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                      | 898E3            | 68.74          |
| <b>Yes</b>                                     | 408E3            | 31.26          |

Frequency Missing = 348898.763

| <b>WOULD SEEK HELP FROM FRIENDS</b> |                  |                |
|-------------------------------------|------------------|----------------|
| <b>q36f</b>                         | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                           | 402E3            | 27.40          |
| <b>Yes</b>                          | 107E4            | 72.60          |

Frequency Missing = 186385.25396

| <b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b> |                  |                |
|---|------------------|----------------|
| <b>q37c</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 101E4            | 78.47          |
| <b>Yes</b>  | 277E3            | 21.53          |

Frequency Missing = 367988.78128

| <b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b> |                  |                |
|---|------------------|----------------|
| <b>q37h</b>                                     | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                       | 904E3            | 68.47          |
| <b>Yes</b>                                      | 416E3            | 31.53          |

Frequency Missing = 335129.12498

| <b>WOULD SEEK HELP FROM ANOTHER ADULT</b> |                  |                |
|---|------------------|----------------|
| <b>q36g</b>                               | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                 | 569E3            | 38.54          |
| <b>Yes</b>                                | 907E3            | 61.46          |

Frequency Missing = 179265.73462

| <b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b> |                  |                |
|---|------------------|----------------|
| <b>q37d</b>                             | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                               | 889E3            | 68.91          |
| <b>Yes</b>                              | 401E3            | 31.09          |

Frequency Missing = 364482.88722

| <b>DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP</b> |                  |                |
|---|------------------|----------------|
| <b>q38a</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 109E4            | 75.04          |
| <b>Yes</b>  | 363E3            | 24.96          |

Frequency Missing = 202602.75175

| <b>WOULD NOT SEEK HELP</b> |                  |                |
|----------------------------|------------------|----------------|
| <b>q36h</b>                | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                  | 125E4            | 85.97          |
| <b>Yes</b>                 | 205E3            | 14.03          |

Frequency Missing = 197030.43544

| <b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b> |                  |                |
|--|------------------|----------------|
| <b>q37e</b>                                    | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                      | 112E4            | 87.13          |
| <b>Yes</b>                                     | 166E3            | 12.87          |

Frequency Missing = 366235.55258

| <b>DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b> |                  |                |
|--|------------------|----------------|
| <b>q38b</b>  | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  |                  | 798E3          |
| <b>Yes</b>   |                  | 649E3          |

**Non-Border - Grades 7-12 Large  
Spring 2008**

| <b>DRUG/ALCOHOL INFO--<br/>BOOKS/MAGAZINES/POSTERS/PA<br/>MPHLETS</b> |                |
|---|----------------|
| <b>q38b</b>   | <b>Percent</b> |
| <b>No</b>   | 55.13          |
| <b>Yes</b>  | 44.87          |

Frequency Missing = 208446.99671

| <b>DRUG/ALCOHOL INFO--<br/>TV/RADIO/OTHER<br/>AUDIO/VIDEO</b> |                  |                |
|---|------------------|----------------|
| <b>q38c</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>   | 703E3            | 48.62          |
| <b>Yes</b>  | 743E3            | 51.38          |

Frequency Missing = 208129.23392

| <b>DRUG/ALCOHOL<br/>INFO--PARENTS</b> |                  |                |
|---------------------------------------|------------------|----------------|
| <b>q38d</b>                           | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                             | 767E3            | 52.63          |
| <b>Yes</b>                            | 691E3            | 47.37          |

Frequency Missing = 197130.01321

| <b>PARENTS FEEL ABOUT KIDS<br/>SMOKING CIGARET</b> |       |       |
|--|-------|-------|
| <b>q39a Frequency Percent</b>                      |       |       |
| <b>Strong disapprove</b>                           | 112E4 | 74.84 |
| <b>Mild disapprove</b>                             | 133E3 | 8.89  |
| <b>Neither</b>                                     | 105E3 | 7.06  |
| <b>Mildly approve</b>                              | 18146 | 1.22  |
| <b>Strongly approve</b>                            | 15122 | 1.01  |
| <b>Don't know</b>                                  | 104E3 | 6.97  |

Frequency Missing = 164075.23982

| <b>PARENTS FEEL ABOUT KIDS<br/>DRINKING BEER</b> |       |       |
|--|-------|-------|
| <b>q39b Frequency Percent</b>                    |       |       |
| <b>Strong disapprove</b>                         | 932E3 | 62.73 |
| <b>Mild disapprove</b>                           | 229E3 | 15.41 |
| <b>Neither</b>                                   | 156E3 | 10.48 |
| <b>Mildly approve</b>                            | 52429 | 3.53  |
| <b>Strongly approve</b>                          | 19665 | 1.32  |
| <b>Don't know</b>                                | 97038 | 6.53  |

Frequency Missing = 168977.40517

| <b>PARENTS FEEL ABOUT KIDS<br/>USING MARIJUANA</b> |       |       |
|--|-------|-------|
| <b>q39c Frequency Percent</b>                      |       |       |
| <b>Strong disapprove</b>                           | 122E4 | 81.68 |
| <b>Mild disapprove</b>                             | 76099 | 5.11  |
| <b>Neither</b>                                     | 64790 | 4.35  |
| <b>Mildly approve</b>                              | 16432 | 1.10  |
| <b>Strongly approve</b>                            | 20186 | 1.36  |
| <b>Don't know</b>                                  | 95045 | 6.39  |

Frequency Missing = 167099.62248

| <b>TESTED FOR DRUG<br/>USE AT SCHOOL</b> |                  |                |
|--|------------------|----------------|
| <b>q40</b>                               | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>                                | 127E4            | 84.96          |
| <b>Yes</b>                               | 226E3            | 15.04          |

Frequency Missing = 154376.97646

| <b>PURCHASED<br/>LOTTERY TICKET IN<br/>PAST YEAR</b> |                  |                |
|--|------------------|----------------|
| <b>q41</b>   | <b>Frequency</b> | <b>Percent</b> |
| <b>No</b>  | 13E5             | 87.32          |
| <b>Yes</b>   | 189E3            | 12.68          |

Frequency Missing = 162642.33888

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district