

Texas School Survey of Drug and Alcohol Use: 2014

Non-Border Report Grades 6-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.4%	10.5%	19.9%	80.2%
Grade 6	1.6%	2.1%	5.8%	94.2%
Grade 7	2.4%	3.5%	9.8%	90.2%
Grade 8	4.8%	7.1%	14.4%	85.6%
Grade 9	6.7%	10.4%	21.3%	78.7%
Grade 10	9.6%	13.9%	25.7%	74.3%
Grade 11	13.1%	18.1%	32.3%	67.7%
Grade 12	15.9%	20.9%	33.4%	66.6%
Cigarettes?				
All	5.6%	8.3%	17.4%	82.6%
Grade 6	1.2%	1.6%	4.7%	95.3%
Grade 7	1.7%	2.5%	8.5%	91.5%
Grade 8	3.7%	5.7%	12.8%	87.3%
Grade 9	4.7%	8.0%	18.8%	81.2%
Grade 10	7.0%	11.0%	22.6%	77.5%
Grade 11	10.4%	14.8%	28.3%	71.6%
Grade 12	12.8%	17.2%	29.6%	70.5%
Smokeless Tobacco?				
All	3.4%	4.8%	8.2%	91.7%
Grade 6	0.5%	0.7%	1.8%	98.1%
Grade 7	1.0%	1.6%	3.2%	96.8%
Grade 8	2.0%	3.0%	5.6%	94.4%
Grade 9	3.2%	4.7%	8.6%	91.3%
Grade 10	4.8%	6.7%	11.1%	88.8%
Grade 11	5.7%	8.3%	13.8%	86.2%
Grade 12	7.9%	10.5%	15.6%	84.4%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	85.5%	1.7%	1.4%	1.8%	2.7%	2.5%	4.4%
Grade 6	97.7%	0.0%	0.3%	0.1%	0.4%	0.8%	0.8%
Grade 7	95.0%	0.1%	0.4%	0.4%	1.1%	1.2%	1.7%
Grade 8	90.4%	0.3%	0.7%	1.0%	1.8%	2.3%	3.5%
Grade 9	85.5%	1.2%	0.9%	2.1%	2.7%	2.3%	5.4%
Grade 10	80.6%	2.1%	1.7%	2.3%	3.1%	4.1%	6.0%
Grade 11	74.6%	2.8%	2.8%	3.6%	5.4%	3.7%	7.0%
Grade 12	70.9%	6.3%	3.4%	3.5%	5.0%	3.4%	7.4%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.1	11.0	11.4	12.3	13.2	13.9	14.8

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.9%	24.1%	8.0%	9.6%	13.1%	20.3%
Grade 6	39.1%	40.2%	7.9%	5.2%	3.8%	3.8%
Grade 7	31.7%	37.4%	9.7%	8.1%	7.5%	5.6%
Grade 8	25.9%	28.9%	12.0%	10.8%	11.9%	10.5%
Grade 9	22.2%	22.2%	8.4%	12.7%	15.4%	19.2%
Grade 10	19.1%	16.9%	6.6%	12.4%	20.3%	24.8%
Grade 11	17.2%	11.3%	6.6%	10.6%	19.2%	35.0%
Grade 12	17.5%	7.9%	3.6%	6.5%	14.3%	50.2%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	67.6%	18.9%	8.4%	4.2%	0.9%
Grade 6	91.3%	6.6%	1.4%	0.5%	0.3%
Grade 7	85.8%	9.8%	3.2%	0.7%	0.4%
Grade 8	78.4%	14.6%	4.7%	1.9%	0.4%
Grade 9	63.4%	22.2%	9.4%	4.3%	0.8%
Grade 10	55.7%	25.9%	11.9%	5.6%	0.9%
Grade 11	48.7%	28.4%	13.8%	7.5%	1.6%
Grade 12	43.8%	27.3%	16.4%	10.1%	2.5%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.5%	6.6%	5.5%	0.9%	0.9%	7.6%
Grade 6	83.8%	2.3%	1.2%	0.4%	0.9%	11.5%
Grade 7	85.8%	2.4%	2.1%	0.3%	1.1%	8.4%
Grade 8	84.0%	4.5%	3.5%	0.5%	0.4%	7.1%
Grade 9	80.1%	6.6%	5.2%	0.8%	1.1%	6.2%
Grade 10	77.5%	8.6%	6.8%	1.3%	0.3%	5.5%
Grade 11	71.4%	10.2%	8.9%	2.0%	0.7%	6.8%
Grade 12	63.0%	13.1%	12.5%	1.7%	1.6%	8.1%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	63.7%	21.8%	7.6%	2.1%	4.8%
Grade 6	82.7%	10.4%	2.2%	0.5%	4.2%
Grade 7	76.5%	15.1%	3.1%	0.7%	4.5%
Grade 8	67.0%	22.0%	5.2%	1.3%	4.5%
Grade 9	62.4%	23.0%	7.8%	2.1%	4.7%
Grade 10	54.5%	27.4%	10.6%	2.9%	4.6%
Grade 11	50.5%	28.3%	12.4%	2.8%	6.0%
Grade 12	48.3%	28.0%	13.3%	5.0%	5.5%

Alcohol

Table A-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	19.0%	26.9%	46.8%	53.2%
Grade 6	6.4%	8.7%	23.2%	76.7%
Grade 7	9.8%	12.5%	31.3%	68.7%
Grade 8	12.6%	19.6%	39.7%	60.3%
Grade 9	20.1%	28.8%	51.2%	48.8%
Grade 10	25.4%	36.5%	58.6%	41.4%
Grade 11	29.5%	41.4%	64.0%	36.0%
Grade 12	32.6%	45.7%	64.1%	36.0%
Beer?				
All	12.0%	18.2%	35.1%	64.9%
Grade 6	2.7%	4.7%	15.9%	84.2%
Grade 7	5.4%	7.2%	21.8%	78.1%
Grade 8	7.2%	12.1%	28.7%	71.4%
Grade 9	11.8%	18.5%	38.2%	61.8%
Grade 10	15.8%	24.8%	45.0%	55.0%
Grade 11	20.7%	30.9%	50.5%	49.6%
Grade 12	23.6%	34.0%	50.6%	49.5%
Wine Coolers?				
All	10.8%	16.4%	28.9%	71.0%
Grade 6	3.3%	4.4%	9.9%	90.1%
Grade 7	4.7%	5.9%	14.5%	85.4%
Grade 8	6.1%	10.6%	21.1%	79.0%
Grade 9	11.2%	17.5%	31.8%	68.1%
Grade 10	15.3%	23.4%	39.7%	60.3%
Grade 11	18.5%	27.6%	45.1%	54.9%
Grade 12	18.9%	29.4%	45.3%	54.8%
Wine?				
All	8.1%	13.5%	29.5%	70.5%
Grade 6	2.9%	4.5%	14.0%	85.9%
Grade 7	4.6%	6.5%	18.8%	81.2%
Grade 8	4.6%	8.8%	23.1%	76.9%
Grade 9	8.8%	14.9%	32.8%	67.2%
Grade 10	10.9%	18.4%	37.6%	62.3%
Grade 11	12.6%	20.5%	40.4%	59.6%
Grade 12	13.9%	23.4%	43.2%	56.9%
Liquor?				
All	11.9%	18.2%	31.2%	68.8%
Grade 6	1.9%	3.2%	7.7%	92.4%
Grade 7	3.4%	4.9%	12.0%	88.0%
Grade 8	6.8%	11.4%	22.2%	77.9%
Grade 9	12.5%	19.5%	34.4%	65.6%
Grade 10	17.0%	25.9%	44.2%	55.8%
Grade 11	21.2%	31.6%	50.8%	49.2%
Grade 12	24.0%	36.1%	53.6%	46.4%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	62.5%	0.3%	1.9%	6.5%	10.3%	10.3%	8.4%
Grade 6	88.0%	0.1%	0.5%	0.8%	1.7%	3.6%	5.3%
Grade 7	81.3%	0.1%	0.8%	1.7%	3.9%	5.9%	6.3%
Grade 8	70.5%	0.2%	1.4%	3.6%	6.6%	9.3%	8.4%
Grade 9	59.0%	0.4%	1.9%	6.8%	11.2%	11.4%	9.3%
Grade 10	49.3%	0.3%	2.0%	9.0%	15.3%	13.7%	10.4%
Grade 11	42.7%	0.3%	3.4%	11.4%	17.0%	14.8%	10.5%
Grade 12	40.9%	0.4%	3.6%	13.6%	18.5%	14.3%	8.6%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	64.8%	35.1%	7.4%	16.5%	11.2%
	Grade 6	83.7%	16.4%	0.5%	6.3%	9.6%
	Grade 7	78.0%	22.0%	1.9%	9.1%	11.0%
	Grade 8	70.1%	30.0%	3.3%	13.9%	12.8%
	Grade 9	62.7%	37.5%	7.1%	18.2%	12.2%
	Grade 10	55.5%	44.6%	10.6%	22.2%	11.8%
	Grade 11	50.3%	49.6%	14.3%	24.6%	10.7%
	Grade 12	49.5%	50.6%	17.0%	23.7%	9.9%
Wine Coolers	All	70.0%	30.0%	5.8%	17.0%	7.2%
	Grade 6	89.7%	10.5%	0.7%	4.8%	5.0%
	Grade 7	85.3%	14.7%	1.4%	6.6%	6.7%
	Grade 8	77.5%	22.6%	2.6%	12.3%	7.7%
	Grade 9	66.9%	33.1%	5.8%	18.9%	8.4%
	Grade 10	58.7%	41.2%	8.4%	24.8%	8.0%
	Grade 11	54.0%	46.1%	10.9%	27.7%	7.5%
	Grade 12	53.4%	46.7%	12.2%	27.3%	7.2%
Wine	All	70.9%	29.1%	2.1%	14.5%	12.5%
	Grade 6	87.6%	12.4%	0.4%	4.0%	8.0%
	Grade 7	81.5%	18.5%	0.8%	6.3%	11.4%
	Grade 8	75.4%	24.8%	1.5%	11.0%	12.3%
	Grade 9	68.3%	31.7%	2.3%	16.3%	13.1%
	Grade 10	61.9%	37.9%	3.4%	20.7%	13.8%
	Grade 11	59.5%	40.4%	3.2%	22.9%	14.3%
	Grade 12	58.8%	41.1%	3.7%	22.7%	14.7%
Liquor	All	68.3%	31.8%	7.4%	16.3%	8.1%
	Grade 6	92.8%	7.2%	0.5%	2.3%	4.4%
	Grade 7	87.0%	13.0%	1.5%	5.3%	6.2%
	Grade 8	77.4%	22.6%	3.5%	10.8%	8.3%
	Grade 9	65.8%	34.2%	7.3%	17.9%	9.0%
	Grade 10	54.6%	45.4%	11.5%	23.4%	10.5%
	Grade 11	48.7%	51.2%	13.9%	27.4%	9.9%
	Grade 12	46.4%	53.6%	15.9%	29.5%	8.2%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	87.9%	4.5%	2.7%	2.4%	0.9%	1.5%
Grade 6	97.5%	1.5%	0.6%	0.2%	0.1%	0.2%
Grade 7	95.6%	2.2%	1.1%	0.5%	0.3%	0.5%
Grade 8	92.5%	3.2%	1.7%	1.1%	0.3%	1.2%
Grade 9	87.4%	5.0%	2.6%	2.3%	1.2%	1.4%
Grade 10	83.8%	5.1%	4.2%	3.4%	1.1%	2.3%
Grade 11	79.5%	7.0%	4.4%	4.9%	1.6%	2.6%
Grade 12	76.6%	8.6%	5.0%	5.1%	2.1%	2.7%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.7	10.6	11.2	12.2	13.0	13.8	14.5

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.6%	16.9%	6.3%	10.6%	17.9%	27.6%
Grade 6	35.7%	34.2%	7.4%	7.5%	7.6%	7.6%
Grade 7	27.5%	27.5%	8.8%	10.7%	12.0%	13.6%
Grade 8	21.9%	19.2%	8.4%	11.1%	17.2%	22.1%
Grade 9	17.6%	13.4%	5.7%	12.5%	19.8%	31.1%
Grade 10	14.3%	9.3%	4.7%	11.4%	22.7%	37.6%
Grade 11	12.6%	7.2%	4.2%	10.4%	22.9%	42.7%
Grade 12	13.6%	5.4%	4.1%	10.4%	24.2%	42.2%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	96.1%	3.0%	0.5%	0.4%
Grade 6	98.1%	1.5%	0.1%	0.3%
Grade 7	97.0%	2.4%	0.4%	0.2%
Grade 8	96.3%	2.7%	0.6%	0.4%
Grade 9	95.8%	3.4%	0.5%	0.4%
Grade 10	95.3%	3.6%	0.6%	0.4%
Grade 11	95.3%	3.7%	0.6%	0.4%
Grade 12	94.8%	4.0%	0.8%	0.5%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.2
Average days conduct problems reported	
Alcohol Users	2.6
Alcohol Non-Users	0.9

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	95.0%	3.9%	0.7%	0.4%
Grade 9	97.8%	1.9%	0.1%	0.1%
Grade 10	96.8%	2.6%	0.3%	0.4%
Grade 11	94.2%	4.7%	0.8%	0.4%
Grade 12	90.1%	7.1%	1.8%	0.9%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.4%	3.1%	0.3%	0.1%
Grade 6	99.0%	0.9%	0.1%	0.0%
Grade 7	98.3%	1.4%	0.2%	0.1%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	96.0%	3.4%	0.5%	0.1%
Grade 10	95.8%	3.9%	0.2%	0.1%
Grade 11	94.9%	4.6%	0.4%	0.2%
Grade 12	93.4%	5.5%	0.8%	0.2%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.7%	3.7%	0.3%	0.2%
Grade 6	99.4%	0.5%	0.1%	0.0%
Grade 7	98.3%	1.5%	0.1%	0.1%
Grade 8	96.4%	3.3%	0.2%	0.1%
Grade 9	95.4%	4.0%	0.5%	0.2%
Grade 10	94.2%	5.2%	0.4%	0.3%
Grade 11	93.2%	5.8%	0.7%	0.3%
Grade 12	92.6%	6.4%	0.5%	0.5%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	50.8%	21.6%	13.5%	11.1%	3.0%
Grade 6	85.3%	10.6%	2.9%	1.0%	0.3%
Grade 7	75.1%	16.3%	5.2%	2.7%	0.7%
Grade 8	61.7%	21.3%	10.8%	4.9%	1.3%
Grade 9	42.2%	27.6%	16.2%	11.4%	2.6%
Grade 10	31.8%	27.9%	20.3%	16.2%	3.8%
Grade 11	27.0%	25.5%	20.4%	21.1%	5.9%
Grade 12	26.3%	21.6%	20.5%	24.0%	7.6%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	51.1%	6.2%	4.9%	8.2%	10.6%	1.7%	17.4%
Grade 6	80.7%	3.0%	2.0%	1.5%	0.7%	1.8%	10.3%
Grade 7	72.5%	5.3%	3.5%	3.0%	1.8%	1.9%	12.0%
Grade 8	61.3%	8.2%	5.1%	5.3%	2.8%	1.9%	15.3%
Grade 9	43.4%	7.6%	6.9%	10.2%	10.6%	1.4%	19.9%
Grade 10	33.8%	7.0%	5.8%	12.5%	15.8%	1.9%	23.2%
Grade 11	30.6%	6.8%	5.0%	13.2%	20.6%	1.7%	22.0%
Grade 12	29.8%	4.7%	5.7%	13.2%	25.9%	1.0%	19.7%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	57.1%	20.0%	15.9%	4.9%	2.2%
	Grade 6	71.4%	20.0%	7.1%	1.2%	0.2%
	Grade 7	68.4%	19.1%	9.0%	2.3%	1.2%
	Grade 8	62.4%	18.0%	14.0%	4.2%	1.4%
	Grade 9	54.6%	19.7%	18.3%	5.5%	2.0%
	Grade 10	49.8%	20.9%	19.2%	7.4%	2.7%
	Grade 11	46.6%	20.3%	22.8%	7.0%	3.3%
	Grade 12	43.0%	22.6%	22.2%	7.3%	4.9%
Friends?	All	56.8%	18.6%	11.9%	9.6%	3.2%
	Grade 6	75.1%	22.0%	1.9%	0.8%	0.3%
	Grade 7	70.9%	21.1%	4.6%	2.7%	0.8%
	Grade 8	64.5%	19.9%	8.9%	5.4%	1.4%
	Grade 9	54.7%	19.0%	14.4%	9.3%	2.7%
	Grade 10	47.2%	17.0%	17.3%	13.6%	4.9%
	Grade 11	42.2%	14.9%	18.7%	18.0%	6.2%
	Grade 12	38.5%	15.2%	18.9%	20.1%	7.2%
Store?	All	59.4%	32.8%	3.9%	2.4%	1.5%
	Grade 6	75.0%	24.1%	0.4%	0.3%	0.2%
	Grade 7	71.9%	25.7%	1.4%	0.6%	0.4%
	Grade 8	65.9%	30.0%	2.2%	1.2%	0.7%
	Grade 9	58.6%	34.9%	3.8%	1.6%	1.0%
	Grade 10	50.1%	39.2%	5.3%	3.2%	2.1%
	Grade 11	47.6%	37.9%	6.7%	4.5%	3.4%
	Grade 12	42.8%	39.3%	8.6%	6.4%	3.0%
Parties?	All	55.3%	16.7%	9.3%	9.8%	8.8%
	Grade 6	73.1%	20.7%	3.9%	1.6%	0.7%
	Grade 7	69.3%	19.1%	5.0%	4.6%	2.0%
	Grade 8	62.3%	17.2%	8.4%	7.5%	4.5%
	Grade 9	52.6%	15.3%	11.9%	11.6%	8.6%
	Grade 10	46.1%	14.6%	12.4%	13.8%	13.1%
	Grade 11	41.5%	14.9%	12.1%	15.6%	15.8%
	Grade 12	38.4%	14.9%	12.0%	15.0%	19.6%
Other Source?	All	59.4%	24.2%	8.5%	4.2%	3.7%
	Grade 6	74.9%	20.5%	3.3%	0.8%	0.5%
	Grade 7	70.8%	21.4%	4.5%	2.0%	1.4%
	Grade 8	65.0%	21.9%	7.0%	3.3%	2.8%
	Grade 9	57.6%	24.5%	9.5%	4.6%	3.8%
	Grade 10	50.7%	26.1%	11.7%	6.4%	5.1%
	Grade 11	47.9%	27.3%	12.3%	6.4%	6.2%
	Grade 12	45.2%	28.6%	12.2%	6.7%	7.3%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	66.5%	12.2%	9.8%	3.2%	1.1%	7.2%
Grade 6	78.0%	5.4%	3.4%	0.9%	0.9%	11.4%
Grade 7	78.1%	6.7%	4.4%	0.9%	1.2%	8.6%
Grade 8	73.3%	10.0%	7.2%	2.0%	0.7%	6.8%
Grade 9	65.3%	13.9%	10.6%	3.3%	1.3%	5.5%
Grade 10	61.0%	15.2%	13.0%	5.2%	0.7%	4.9%
Grade 11	54.8%	16.6%	15.9%	5.4%	1.3%	6.0%
Grade 12	51.0%	18.8%	15.9%	5.0%	1.6%	7.7%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	54.3%	28.0%	11.6%	2.2%	3.8%
Grade 6	71.7%	17.2%	6.1%	0.8%	4.1%
Grade 7	65.2%	21.0%	8.5%	1.4%	3.9%
Grade 8	55.1%	26.4%	12.2%	2.2%	4.1%
Grade 9	51.0%	29.6%	13.7%	2.7%	2.9%
Grade 10	47.1%	33.4%	13.3%	2.8%	3.3%
Grade 11	42.6%	35.6%	14.3%	3.0%	4.3%
Grade 12	45.1%	34.7%	13.5%	2.5%	4.2%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	7.7%	11.2%	20.0%	79.9%
Grade 6	0.9%	1.5%	3.5%	96.5%
Grade 7	2.7%	3.5%	6.7%	93.3%
Grade 8	4.2%	6.5%	12.4%	87.6%
Grade 9	7.8%	11.8%	21.1%	78.9%
Grade 10	10.4%	15.5%	28.4%	71.5%
Grade 11	15.4%	21.1%	35.3%	64.8%
Grade 12	14.7%	21.6%	37.7%	62.3%
Cocaine?				
All	0.5%	0.7%	1.6%	98.4%
Grade 6	0.0%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.4%	0.6%	1.3%	98.8%
Grade 10	0.3%	0.5%	1.8%	98.2%
Grade 11	1.3%	1.9%	3.2%	96.9%
Grade 12	0.9%	1.2%	3.2%	96.8%
Crack?				
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.3%	0.5%	0.7%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens?				
All	0.7%	1.1%	2.3%	97.7%
Grade 6	0.1%	0.1%	0.2%	99.9%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.7%	1.3%	2.3%	97.7%
Grade 10	0.7%	1.2%	2.8%	97.2%
Grade 11	1.7%	2.6%	4.9%	95.1%
Grade 12	1.4%	2.4%	5.0%	95.1%
Rohypnol?				
All	0.3%	0.4%	0.7%	99.3%
Grade 6	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.5%	0.9%	99.0%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.3%	0.4%	0.9%	99.1%

Table D-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.1%	0.2%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.1%	0.2%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.9%	99.0%
Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy?				
All	0.5%	0.8%	2.0%	97.9%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.5%	99.4%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.6%	1.1%	2.2%	97.7%
Grade 10	0.5%	1.0%	2.5%	97.5%
Grade 11	1.5%	1.9%	4.2%	95.8%
Grade 12	0.9%	1.7%	4.1%	95.8%
Heroin?				
All	0.2%	0.2%	0.4%	99.6%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.5%	0.6%	0.8%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.5%	99.5%
Methamphetamine?				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.4%	0.5%	0.9%	99.2%
Grade 12	0.3%	0.7%	1.1%	98.9%
Synthetic Marijuana?				
All	1.4%	2.2%	5.4%	94.6%
Grade 6	0.3%	0.5%	1.2%	98.8%
Grade 7	0.7%	1.1%	2.0%	98.0%
Grade 8	1.3%	1.7%	3.9%	96.1%
Grade 9	1.8%	3.0%	6.1%	93.9%
Grade 10	2.0%	3.2%	7.7%	92.2%
Grade 11	1.7%	3.1%	8.9%	91.2%
Grade 12	1.9%	2.8%	9.1%	90.9%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	82.4%	1.6%	1.9%	2.9%	3.3%	3.6%	4.2%
	Grade 6	97.1%	0.3%	0.4%	0.3%	0.3%	0.6%	1.0%
	Grade 7	93.8%	0.3%	0.8%	0.8%	1.3%	1.1%	1.8%
	Grade 8	88.9%	0.6%	1.3%	2.3%	2.1%	2.0%	3.0%
	Grade 9	82.0%	1.7%	1.9%	3.4%	3.6%	3.3%	4.1%
	Grade 10	74.3%	1.8%	2.6%	3.7%	5.6%	5.5%	6.5%
	Grade 11	69.1%	3.3%	3.7%	5.4%	5.4%	6.5%	6.6%
	Grade 12	67.3%	4.0%	3.0%	5.4%	5.8%	6.9%	7.6%
Cocaine?								
	All	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 6	99.8%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.3%	0.0%	0.1%	0.0%	0.2%	0.2%	0.2%
	Grade 9	99.0%	0.2%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 10	99.2%	0.0%	0.1%	0.0%	0.1%	0.3%	0.3%
	Grade 11	98.3%	0.1%	0.1%	0.1%	0.5%	0.5%	0.5%
	Grade 12	97.5%	0.2%	0.1%	0.2%	0.3%	0.5%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 6	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 6	99.5%	0.0%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 7	99.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.1%	0.1%	0.1%	0.1%	0.2%	0.1%	0.3%
	Grade 9	99.5%	0.1%	0.1%	0.0%	0.1%	0.0%	0.2%
	Grade 10	99.2%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 11	99.4%	0.1%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 12	99.2%	0.1%	0.1%	0.0%	0.0%	0.0%	0.4%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	98.4%	0.0%	0.0%	0.1%	0.3%	0.5%	0.7%
	Grade 6	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 8	98.8%	0.0%	0.1%	0.0%	0.3%	0.4%	0.4%
	Grade 9	98.3%	0.1%	0.0%	0.0%	0.4%	0.5%	0.7%
	Grade 10	98.2%	0.0%	0.0%	0.1%	0.2%	0.7%	0.8%
	Grade 11	96.9%	0.1%	0.0%	0.2%	0.9%	0.6%	1.2%
	Grade 12	97.0%	0.0%	0.0%	0.2%	0.2%	1.1%	1.5%
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 7	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 6	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?								
	All	95.6%	0.2%	0.2%	0.4%	0.7%	0.9%	2.0%
	Grade 6	99.0%	0.1%	0.1%	0.0%	0.2%	0.2%	0.3%
	Grade 7	98.2%	0.2%	0.1%	0.2%	0.3%	0.3%	0.6%
	Grade 8	97.0%	0.1%	0.2%	0.4%	0.6%	0.7%	0.9%
	Grade 9	94.7%	0.2%	0.3%	0.7%	0.8%	1.2%	2.1%
	Grade 10	93.9%	0.1%	0.3%	0.8%	1.0%	1.3%	2.6%
	Grade 11	92.7%	0.1%	0.3%	0.6%	1.0%	1.4%	3.9%
	Grade 12	93.0%	0.3%	0.3%	0.2%	1.0%	1.2%	4.1%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.0	11.5	12.2	12.9	13.8	14.4	15.1
Cocaine	10.2	11.6	12.9	13.4	14.2	15.1	16.1
Crack	11.1	12.1	12.7	12.3	12.3	13.9	14.4
Steroids	9.7	10.7	12.0	12.2	12.9	12.5	15.5
Ecstasy	10.2	11.5	12.7	13.7	14.5	15.1	16.0
Heroin	8.0	9.3	11.4	12.2	13.6	13.0	16.6
Methamphetamine	8.5	10.3	13.1	12.4	13.5	14.5	15.5
Synthetic Marijuana	11.4	11.9	12.7	13.2	14.3	15.1	15.8

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	85.3%	0.2%	0.3%	1.3%	3.9%	5.6%	3.1%	0.3%	
Grade 6	97.7%	0.1%	0.0%	1.7%	0.6%	0.0%	0.0%	0.0%	
Grade 7	95.5%	0.1%	0.5%	1.3%	2.5%	0.0%	0.0%	0.0%	
Grade 8	91.6%	0.3%	0.3%	1.4%	4.8%	1.5%	0.0%	0.0%	
Grade 9	85.2%	0.2%	0.2%	1.2%	6.4%	6.6%	0.1%	0.0%	
Grade 10	78.2%	0.3%	0.1%	1.3%	5.7%	11.1%	3.2%	0.0%	
Grade 11	70.5%	0.4%	0.4%	1.0%	4.7%	13.3%	9.5%	0.2%	
Grade 12	69.5%	0.2%	0.2%	0.8%	2.9%	10.8%	13.5%	2.1%	
Other Family Situation									
All	71.8%	0.7%	0.6%	2.9%	8.7%	10.0%	5.0%	0.4%	
Grade 6	94.1%	0.5%	0.3%	2.9%	2.1%	0.0%	0.0%	0.0%	
Grade 7	89.5%	0.4%	0.6%	3.3%	5.8%	0.4%	0.0%	0.0%	
Grade 8	80.2%	0.7%	1.0%	3.0%	12.1%	2.9%	0.0%	0.0%	
Grade 9	70.1%	0.7%	1.0%	4.2%	12.4%	11.3%	0.3%	0.0%	
Grade 10	63.0%	1.2%	0.2%	2.4%	9.6%	19.1%	4.2%	0.1%	
Grade 11	58.2%	0.5%	0.3%	2.4%	8.8%	17.0%	12.7%	0.1%	
Grade 12	53.6%	0.5%	1.0%	1.5%	7.9%	15.1%	17.7%	2.7%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	24.9%	26.3%	7.8%	8.7%	11.9%	20.4%
	Grade 6	44.4%	41.3%	6.1%	3.1%	2.4%	2.7%
	Grade 7	32.6%	42.8%	7.9%	6.3%	4.4%	6.0%
	Grade 8	25.2%	33.4%	10.4%	9.0%	9.6%	12.4%
	Grade 9	20.2%	22.7%	9.1%	11.1%	14.5%	22.4%
	Grade 10	17.2%	16.8%	7.5%	11.8%	17.5%	29.2%
	Grade 11	15.5%	12.2%	6.8%	9.5%	18.2%	37.8%
	Grade 12	17.6%	10.6%	6.2%	10.2%	18.5%	36.9%
Cocaine	All	32.5%	36.5%	13.2%	8.8%	4.1%	4.8%
	Grade 6	47.0%	42.2%	6.5%	1.9%	0.9%	1.5%
	Grade 7	37.2%	46.5%	9.9%	3.6%	1.2%	1.7%
	Grade 8	30.4%	43.0%	12.6%	7.5%	3.5%	3.1%
	Grade 9	29.1%	35.2%	14.3%	10.7%	5.1%	5.6%
	Grade 10	27.2%	32.0%	17.0%	12.6%	5.6%	5.7%
	Grade 11	27.3%	27.1%	17.1%	13.4%	6.3%	8.8%
	Grade 12	29.1%	26.9%	15.6%	13.2%	7.1%	8.1%
Crack	All	34.2%	36.9%	13.6%	7.7%	3.5%	4.1%
	Grade 6	49.8%	39.9%	6.6%	1.7%	0.7%	1.2%
	Grade 7	38.5%	45.7%	9.1%	3.9%	1.0%	1.8%
	Grade 8	31.2%	43.2%	12.7%	6.6%	3.0%	3.3%
	Grade 9	30.5%	36.2%	14.6%	9.0%	4.7%	4.9%
	Grade 10	28.3%	33.9%	16.8%	11.0%	5.0%	4.9%
	Grade 11	29.5%	28.7%	18.7%	11.0%	5.2%	6.8%
	Grade 12	31.7%	28.1%	17.6%	11.5%	5.2%	5.9%
Steroids	All	35.1%	36.0%	13.3%	7.8%	3.9%	4.0%
	Grade 6	49.2%	38.0%	7.4%	2.7%	1.3%	1.4%
	Grade 7	39.0%	44.3%	9.3%	3.4%	2.0%	2.0%
	Grade 8	32.6%	41.4%	13.3%	6.5%	3.6%	2.7%
	Grade 9	31.4%	35.9%	14.3%	9.5%	4.5%	4.4%
	Grade 10	29.2%	33.8%	15.3%	11.2%	5.5%	5.0%
	Grade 11	31.0%	28.6%	18.2%	10.7%	5.2%	6.3%
	Grade 12	33.1%	27.5%	15.8%	11.8%	5.3%	6.5%

**Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	44.3%	28.6%	10.5%	7.2%	4.5%	4.8%
	Grade 6	68.1%	26.3%	3.4%	1.0%	0.5%	0.7%
	Grade 7	58.4%	31.7%	4.9%	2.2%	1.1%	1.6%
	Grade 8	47.3%	32.4%	10.2%	5.2%	2.6%	2.2%
	Grade 9	37.6%	29.6%	12.0%	9.2%	6.1%	5.5%
	Grade 10	32.4%	30.1%	13.6%	11.4%	6.0%	6.4%
	Grade 11	31.4%	24.6%	15.5%	11.2%	8.7%	8.7%
	Grade 12	32.8%	23.9%	15.4%	11.2%	7.4%	9.3%
Heroin?							
	All	41.5%	36.0%	11.9%	5.2%	2.3%	3.1%
	Grade 6	60.3%	31.3%	4.9%	1.7%	0.7%	1.2%
	Grade 7	50.2%	38.2%	6.3%	2.7%	0.8%	1.9%
	Grade 8	40.5%	40.9%	10.3%	4.3%	2.4%	1.7%
	Grade 9	36.8%	36.2%	13.3%	6.7%	3.3%	3.8%
	Grade 10	32.6%	37.6%	15.6%	7.5%	2.8%	3.9%
	Grade 11	34.3%	33.9%	16.3%	7.4%	3.3%	4.9%
	Grade 12	35.1%	32.4%	18.2%	6.2%	3.0%	5.1%
Methamphetamine?							
	All	43.7%	34.2%	11.3%	5.0%	2.4%	3.5%
	Grade 6	62.5%	30.8%	4.4%	1.0%	0.4%	1.0%
	Grade 7	53.3%	35.5%	6.6%	2.0%	0.8%	1.8%
	Grade 8	44.9%	37.1%	9.6%	4.2%	2.0%	2.2%
	Grade 9	38.8%	35.2%	12.5%	6.3%	3.0%	4.1%
	Grade 10	34.4%	35.4%	14.5%	7.9%	3.6%	4.3%
	Grade 11	34.7%	32.6%	16.0%	7.2%	3.7%	5.9%
	Grade 12	35.6%	31.6%	16.8%	7.2%	3.3%	5.5%
Synthetic Marijuana?							
	All	43.2%	26.6%	8.4%	6.3%	6.7%	8.8%
	Grade 6	63.9%	28.6%	3.8%	1.2%	1.1%	1.5%
	Grade 7	54.3%	32.1%	6.1%	2.6%	2.1%	2.8%
	Grade 8	45.8%	30.5%	8.6%	4.8%	5.0%	5.5%
	Grade 9	37.2%	27.3%	8.5%	7.8%	8.0%	11.2%
	Grade 10	33.1%	25.0%	10.3%	9.8%	9.7%	12.0%
	Grade 11	32.6%	20.5%	10.8%	9.5%	12.2%	14.4%
	Grade 12	34.2%	20.3%	11.2%	9.2%	9.3%	15.8%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	93.2%	4.0%	1.1%	1.8%
Grade 6	98.4%	1.0%	0.1%	0.5%
Grade 7	97.1%	2.1%	0.4%	0.4%
Grade 8	95.5%	3.3%	0.6%	0.7%
Grade 9	91.8%	4.5%	1.5%	2.1%
Grade 10	91.8%	4.9%	1.0%	2.4%
Grade 11	87.6%	6.7%	2.3%	3.4%
Grade 12	88.7%	6.0%	1.6%	3.7%
Attended Class While High From Use Of Some Other Drug?				
All	97.3%	1.8%	0.4%	0.5%
Grade 6	98.9%	1.0%	0.1%	0.1%
Grade 7	98.5%	1.0%	0.2%	0.2%
Grade 8	97.4%	1.9%	0.3%	0.5%
Grade 9	97.5%	1.9%	0.3%	0.4%
Grade 10	96.5%	1.9%	0.8%	0.7%
Grade 11	95.8%	2.9%	0.8%	0.4%
Grade 12	96.4%	2.0%	0.5%	1.1%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.8
Marijuana Non-Users	3.4
Average days conduct problems reported	
Marijuana Users	3.7
Marijuana Non-Users	1.1

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	94.0%	3.9%	0.9%	1.3%
Grade 9	97.3%	2.1%	0.4%	0.2%
Grade 10	96.0%	2.6%	0.5%	0.9%
Grade 11	91.7%	5.3%	1.2%	1.7%
Grade 12	89.4%	6.0%	1.9%	2.7%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	96.4%	3.1%	0.3%	0.2%
Grade 6	98.7%	1.2%	0.0%	0.1%
Grade 7	97.6%	2.3%	0.1%	0.0%
Grade 8	96.5%	3.1%	0.3%	0.0%
Grade 9	94.8%	4.4%	0.4%	0.4%
Grade 10	95.8%	3.6%	0.5%	0.1%
Grade 11	95.3%	3.9%	0.3%	0.4%
Grade 12	95.8%	3.4%	0.5%	0.3%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	96.1%	3.1%	0.5%	0.4%
Grade 6	99.3%	0.5%	0.2%	0.0%
Grade 7	98.2%	1.5%	0.2%	0.1%
Grade 8	97.0%	2.3%	0.5%	0.2%
Grade 9	94.1%	4.7%	0.5%	0.7%
Grade 10	94.7%	4.1%	0.7%	0.5%
Grade 11	94.3%	4.5%	0.8%	0.4%
Grade 12	94.5%	4.4%	0.6%	0.5%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	58.4%	17.5%	11.4%	9.4%	3.3%
Grade 6	88.6%	6.6%	2.7%	1.4%	0.7%
Grade 7	79.5%	11.3%	4.7%	3.4%	1.1%
Grade 8	67.0%	16.6%	8.5%	6.2%	1.7%
Grade 9	51.8%	20.9%	13.6%	10.4%	3.3%
Grade 10	42.7%	22.7%	17.0%	13.5%	4.1%
Grade 11	36.5%	23.3%	16.8%	16.8%	6.6%
Grade 12	37.3%	22.1%	18.4%	15.7%	6.5%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	57.9%	5.8%	4.6%	5.7%	6.5%	2.2%	17.4%
Grade 6	84.4%	1.6%	1.1%	0.5%	0.5%	1.4%	10.5%
Grade 7	77.7%	3.5%	1.8%	1.9%	1.2%	1.8%	12.1%
Grade 8	68.5%	4.9%	3.5%	3.3%	2.5%	2.2%	15.1%
Grade 9	51.6%	7.7%	5.1%	6.7%	6.7%	2.3%	19.9%
Grade 10	42.5%	7.2%	6.8%	8.4%	9.1%	2.9%	23.2%
Grade 11	37.6%	8.4%	7.2%	8.8%	13.5%	2.6%	22.0%
Grade 12	37.9%	7.7%	7.2%	11.3%	14.5%	1.9%	19.5%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	79.5%	5.6%	5.0%	1.3%	1.5%	7.1%
Grade 6	84.1%	1.4%	1.8%	0.3%	0.9%	11.5%
Grade 7	86.2%	2.0%	2.0%	0.4%	1.3%	8.1%
Grade 8	84.0%	3.9%	4.1%	0.8%	1.0%	6.1%
Grade 9	79.6%	6.7%	5.1%	1.2%	1.9%	5.5%
Grade 10	77.0%	8.0%	6.3%	2.0%	1.5%	5.2%
Grade 11	73.1%	8.3%	8.2%	2.4%	1.8%	6.3%
Grade 12	69.9%	10.2%	8.6%	2.2%	1.9%	7.3%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	60.8%	12.6%	10.0%	12.2%	4.4%
	Grade 6	85.0%	5.5%	2.0%	1.6%	5.8%
	Grade 7	79.6%	9.0%	4.5%	2.7%	4.2%
	Grade 8	68.1%	13.5%	6.5%	7.8%	4.0%
	Grade 9	57.7%	13.6%	11.5%	13.4%	3.9%
	Grade 10	47.1%	16.5%	15.3%	17.9%	3.3%
	Grade 11	40.5%	15.6%	15.5%	23.7%	4.7%
	Grade 12	42.5%	15.1%	16.4%	21.4%	4.6%
Cocaine?	All	87.1%	6.2%	1.0%	0.5%	5.2%
	Grade 6	88.4%	4.3%	0.6%	0.3%	6.5%
	Grade 7	88.2%	5.2%	0.9%	0.5%	5.3%
	Grade 8	87.1%	6.3%	1.2%	0.5%	4.7%
	Grade 9	87.1%	6.6%	1.1%	0.7%	4.5%
	Grade 10	86.8%	7.9%	0.9%	0.5%	3.9%
	Grade 11	85.6%	7.1%	1.0%	0.6%	5.7%
	Grade 12	86.3%	6.1%	1.1%	0.5%	6.0%
Crack?	All	87.8%	5.3%	0.7%	0.6%	5.5%
	Grade 6	87.6%	3.8%	0.5%	0.4%	7.6%
	Grade 7	88.3%	4.8%	0.8%	0.5%	5.5%
	Grade 8	87.1%	6.2%	1.2%	0.6%	5.1%
	Grade 9	88.0%	5.8%	0.9%	0.7%	4.6%
	Grade 10	87.5%	6.9%	0.7%	0.6%	4.4%
	Grade 11	87.7%	5.5%	0.5%	0.6%	5.7%
	Grade 12	88.6%	4.1%	0.6%	0.5%	6.2%
Ecstasy?	All	81.1%	7.4%	2.0%	0.8%	8.7%
	Grade 6	83.3%	3.3%	0.5%	0.3%	12.6%
	Grade 7	83.1%	4.6%	0.9%	0.5%	10.9%
	Grade 8	81.9%	6.0%	1.5%	0.7%	9.9%
	Grade 9	80.7%	8.4%	2.8%	1.0%	7.0%
	Grade 10	79.8%	10.4%	2.7%	1.1%	6.0%
	Grade 11	78.5%	10.5%	3.0%	0.8%	7.2%
	Grade 12	80.2%	8.8%	2.9%	1.1%	7.0%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	79.9%	6.7%	2.3%	1.1%	10.0%
	Grade 6	82.4%	3.5%	0.6%	0.4%	13.2%
	Grade 7	83.3%	4.6%	1.1%	0.4%	10.5%
	Grade 8	81.2%	5.1%	1.7%	1.0%	11.1%
	Grade 9	80.1%	6.9%	2.7%	1.3%	9.1%
	Grade 10	77.6%	8.8%	3.3%	1.9%	8.4%
	Grade 11	76.6%	9.6%	3.0%	1.5%	9.3%
	Grade 12	77.1%	8.9%	4.1%	1.3%	8.6%
Steroids?	All	76.5%	12.3%	3.5%	1.1%	6.6%
	Grade 6	82.3%	6.5%	1.9%	0.6%	8.6%
	Grade 7	78.7%	10.7%	2.9%	0.7%	7.0%
	Grade 8	76.8%	12.0%	3.1%	1.3%	6.8%
	Grade 9	75.1%	14.1%	4.2%	1.2%	5.4%
	Grade 10	74.4%	14.6%	4.3%	1.5%	5.2%
	Grade 11	73.5%	14.8%	3.3%	1.5%	6.9%
	Grade 12	74.1%	13.4%	4.9%	1.0%	6.5%
Heroin?	All	87.4%	4.2%	0.7%	0.6%	7.2%
	Grade 6	84.2%	4.0%	0.6%	0.3%	10.9%
	Grade 7	85.6%	4.2%	0.6%	0.6%	9.0%
	Grade 8	86.8%	4.9%	0.8%	0.7%	6.8%
	Grade 9	87.9%	4.7%	0.9%	0.8%	5.7%
	Grade 10	89.0%	4.9%	0.7%	0.5%	5.0%
	Grade 11	88.9%	3.8%	0.6%	0.5%	6.2%
	Grade 12	89.5%	2.7%	0.7%	0.5%	6.6%
Methamphetamine?	All	87.4%	3.9%	0.8%	0.5%	7.4%
	Grade 6	84.7%	3.0%	0.7%	0.3%	11.3%
	Grade 7	86.3%	3.7%	0.7%	0.3%	9.0%
	Grade 8	86.1%	4.7%	1.0%	0.5%	7.8%
	Grade 9	88.2%	4.1%	0.9%	0.9%	5.9%
	Grade 10	89.2%	4.9%	0.7%	0.5%	4.7%
	Grade 11	88.8%	3.9%	0.5%	0.5%	6.3%
	Grade 12	89.2%	3.0%	0.6%	0.6%	6.7%
Synthetic Marijuana?	All	78.6%	7.7%	3.3%	1.5%	8.9%
	Grade 6	83.6%	3.6%	0.6%	0.5%	11.8%
	Grade 7	83.0%	5.4%	1.7%	0.6%	9.3%
	Grade 8	78.8%	7.4%	3.0%	1.7%	9.1%
	Grade 9	77.0%	9.2%	4.4%	1.9%	7.5%
	Grade 10	74.9%	10.4%	4.9%	2.5%	7.3%
	Grade 11	75.0%	10.0%	4.4%	1.8%	8.8%
	Grade 12	77.6%	8.0%	4.3%	1.3%	8.8%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.9%	6.7%	10.2%	89.8%
Grade 6	3.0%	3.8%	6.2%	93.9%
Grade 7	2.8%	3.8%	5.8%	94.1%
Grade 8	3.9%	5.2%	7.8%	92.3%
Grade 9	5.4%	7.1%	10.6%	89.4%
Grade 10	6.2%	8.8%	13.2%	86.8%
Grade 11	7.2%	10.0%	14.8%	85.2%
Grade 12	6.6%	9.7%	14.7%	85.3%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.2%	1.6%	2.3%	97.7%
Grade 6	0.2%	0.3%	0.7%	99.4%
Grade 7	0.3%	0.4%	0.6%	99.5%
Grade 8	0.5%	0.7%	1.2%	98.9%
Grade 9	1.1%	1.3%	2.0%	98.0%
Grade 10	2.1%	2.5%	3.5%	96.5%
Grade 11	2.5%	3.3%	4.8%	95.1%
Grade 12	2.2%	3.1%	4.3%	95.7%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.3%	3.4%	4.8%	95.2%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.5%	0.8%	99.1%
Grade 8	1.2%	1.8%	2.4%	97.6%
Grade 9	2.0%	2.8%	4.0%	96.0%
Grade 10	3.3%	4.6%	6.8%	93.1%
Grade 11	4.3%	6.9%	10.1%	89.8%
Grade 12	5.2%	7.7%	10.0%	90.0%
Valium Or Diazepam?				
All	0.5%	0.6%	0.9%	99.1%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.6%	0.8%	99.1%
Grade 10	0.7%	0.8%	1.1%	98.8%
Grade 11	0.9%	1.1%	1.9%	98.2%
Grade 12	1.1%	1.4%	1.8%	98.2%
Xanax Or Alprazolam?				
All	1.4%	2.0%	2.8%	97.3%
Grade 6	0.1%	0.1%	0.2%	99.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.4%	2.0%	2.7%	97.3%
Grade 10	2.0%	2.6%	3.6%	96.3%
Grade 11	2.6%	4.0%	6.1%	93.9%
Grade 12	3.0%	4.2%	5.2%	94.8%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.5%	2.1%	3.4%	96.7%
Grade 6	0.5%	0.9%	1.8%	98.1%
Grade 7	1.4%	1.7%	3.2%	96.8%
Grade 8	2.1%	2.8%	4.0%	96.1%
Grade 9	1.3%	1.8%	3.1%	97.0%
Grade 10	1.6%	2.6%	3.7%	96.3%
Grade 11	1.9%	2.5%	4.3%	95.8%
Grade 12	1.7%	2.4%	3.5%	96.5%

Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.6%	0.8%	2.7%	97.3%
Grade 6	1.1%	1.3%	3.1%	96.9%
Grade 7	0.7%	1.0%	2.6%	97.4%
Grade 8	0.5%	0.9%	3.1%	96.8%
Grade 9	0.4%	0.7%	2.5%	97.5%
Grade 10	0.3%	0.4%	2.3%	97.7%
Grade 11	0.8%	0.9%	2.8%	97.3%
Grade 12	0.6%	0.8%	2.8%	97.2%
Whiteout, Correction Fluid, Magic Markers?				
All	1.6%	2.2%	6.2%	93.8%
Grade 6	2.1%	2.6%	6.0%	93.9%
Grade 7	2.7%	3.6%	7.8%	92.2%
Grade 8	1.5%	2.7%	8.2%	91.7%
Grade 9	1.6%	2.4%	7.0%	93.1%
Grade 10	1.0%	1.3%	5.5%	94.5%
Grade 11	0.8%	1.1%	4.1%	95.8%
Grade 12	0.9%	1.2%	3.8%	96.3%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.3%	98.7%
Grade 6	0.4%	0.5%	1.1%	99.0%
Grade 7	0.4%	0.5%	0.9%	99.0%
Grade 8	0.3%	0.5%	1.6%	98.3%
Grade 9	0.2%	0.4%	1.3%	98.8%
Grade 10	0.2%	0.5%	1.3%	98.8%
Grade 11	0.3%	0.4%	1.5%	98.5%
Grade 12	0.6%	0.9%	1.8%	98.3%
Helium, Butane, Propane, Whip-pets, Freon?				
All	1.6%	2.2%	5.6%	94.3%
Grade 6	1.1%	1.4%	3.6%	96.4%
Grade 7	2.2%	2.6%	6.3%	93.7%
Grade 8	1.6%	2.3%	6.2%	93.7%
Grade 9	1.8%	2.6%	7.3%	92.7%
Grade 10	1.8%	2.7%	6.4%	93.6%
Grade 11	1.5%	2.2%	5.5%	94.5%
Grade 12	1.2%	1.8%	4.0%	96.1%
Glue?				
All	0.3%	0.5%	1.3%	98.7%
Grade 6	0.9%	1.4%	2.7%	97.4%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.3%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.3%
Grade 11	0.2%	0.3%	1.1%	99.0%
Grade 12	0.0%	0.1%	0.7%	99.3%

Table I-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.3%	0.4%	1.0%	98.9%
Grade 6	0.3%	0.3%	0.9%	99.1%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.7%	0.8%	1.6%	98.3%
Grade 9	0.2%	0.3%	1.2%	98.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.3%	0.8%	99.2%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.7%	0.9%	2.2%	97.8%
Grade 6	0.8%	0.9%	2.4%	97.6%
Grade 7	0.6%	0.9%	2.2%	97.8%
Grade 8	0.8%	1.3%	3.1%	97.0%
Grade 9	0.6%	0.8%	1.9%	98.1%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.5%	0.7%	2.1%	97.9%
Other Aerosols/Sprays?				
All	0.7%	1.0%	2.3%	97.7%
Grade 6	1.4%	1.9%	3.1%	96.8%
Grade 7	1.0%	1.4%	3.4%	96.7%
Grade 8	0.8%	1.3%	2.9%	97.1%
Grade 9	0.7%	0.9%	1.8%	98.3%
Grade 10	0.4%	0.7%	1.8%	98.2%
Grade 11	0.2%	0.3%	1.6%	98.5%
Grade 12	0.5%	0.8%	1.7%	98.3%
Any Inhalant?				
All	3.9%	5.1%	11.9%	88.1%
Grade 6	5.2%	6.0%	11.3%	88.6%
Grade 7	5.3%	6.5%	13.7%	86.3%
Grade 8	3.9%	6.0%	14.3%	85.7%
Grade 9	3.9%	5.2%	13.3%	86.7%
Grade 10	3.2%	4.3%	11.7%	88.4%
Grade 11	3.0%	4.0%	9.6%	90.4%
Grade 12	2.6%	3.6%	8.9%	91.2%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.6%	0.0%	0.2%	0.3%	0.6%	0.7%	1.7%
Grade 6	97.0%	0.1%	0.2%	0.4%	0.8%	0.7%	0.8%
Grade 7	95.3%	0.1%	0.3%	0.4%	0.8%	1.0%	2.0%
Grade 8	95.0%	0.0%	0.1%	0.6%	0.8%	1.2%	2.3%
Grade 9	96.9%	0.0%	0.2%	0.3%	0.5%	0.6%	1.6%
Grade 10	97.5%	0.1%	0.0%	0.3%	0.4%	0.2%	1.6%
Grade 11	97.3%	0.0%	0.0%	0.1%	0.3%	0.6%	1.7%
Grade 12	97.5%	0.0%	0.2%	0.2%	0.2%	0.3%	1.6%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	88.2%	6.7%	3.8%	1.3%
Grade 6	88.8%	5.8%	4.1%	1.4%
Grade 7	86.5%	7.7%	4.1%	1.7%
Grade 8	85.8%	7.6%	4.7%	1.8%
Grade 9	86.8%	8.2%	3.6%	1.3%
Grade 10	88.4%	6.9%	3.7%	1.0%
Grade 11	90.5%	5.7%	2.6%	1.2%
Grade 12	91.3%	4.5%	3.4%	0.9%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	9.9	10.5	11.2	11.3	12.0	12.5	13.6

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	99.1%	0.7%	0.1%	0.1%
Grade 6	99.0%	0.8%	0.1%	0.1%
Grade 7	99.0%	1.0%	0.0%	0.1%
Grade 8	98.5%	1.1%	0.2%	0.2%
Grade 9	99.0%	0.6%	0.2%	0.1%
Grade 10	99.1%	0.8%	0.0%	0.1%
Grade 11	99.5%	0.2%	0.2%	0.1%
Grade 12	99.4%	0.4%	0.1%	0.1%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	5.0
Inhalants Non-Users	3.6
	Average days conduct problems reported
Inhalants Users	4.0
Inhalants Non-Users	1.3

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	91.6%	5.9%	1.7%	0.5%	0.2%
Grade 6	94.0%	4.0%	1.2%	0.5%	0.4%
Grade 7	90.6%	6.5%	2.1%	0.6%	0.2%
Grade 8	91.1%	6.4%	2.0%	0.3%	0.1%
Grade 9	90.3%	7.1%	1.7%	0.7%	0.2%
Grade 10	90.8%	6.5%	2.0%	0.5%	0.3%
Grade 11	91.6%	5.7%	2.1%	0.5%	0.1%
Grade 12	93.7%	4.5%	1.1%	0.5%	0.2%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	75.4%	12.8%	3.5%	1.2%	7.2%
Grade 6	78.4%	9.4%	2.9%	1.0%	8.4%
Grade 7	76.1%	12.6%	3.2%	1.4%	6.6%
Grade 8	74.8%	13.8%	4.4%	1.0%	6.0%
Grade 9	75.6%	12.9%	3.7%	1.2%	6.6%
Grade 10	72.5%	15.3%	3.7%	1.5%	7.1%
Grade 11	73.8%	13.1%	4.0%	1.2%	7.8%
Grade 12	76.5%	12.2%	2.6%	0.7%	8.0%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.0%	18.2%	4.9%	6.3%	10.2%	25.4%
Grade 6	47.0%	26.4%	4.1%	3.3%	5.4%	13.8%
Grade 7	37.6%	24.8%	4.6%	6.1%	9.1%	17.8%
Grade 8	33.0%	20.2%	6.1%	6.6%	11.6%	22.5%
Grade 9	31.5%	18.6%	5.1%	7.3%	9.9%	27.7%
Grade 10	30.3%	13.1%	5.1%	8.1%	11.6%	31.8%
Grade 11	31.8%	12.6%	5.1%	6.1%	11.6%	32.7%
Grade 12	34.3%	9.9%	4.2%	6.0%	12.5%	33.2%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	42.3%
	Grade 6	42.5%
	Grade 7	38.1%
	Grade 8	47.9%
	Grade 9	44.4%
	Grade 10	42.6%
	Grade 11	42.2%
	Grade 12	37.6%
An Assembly Program		
	All	42.8%
	Grade 6	42.3%
	Grade 7	48.7%
	Grade 8	50.4%
	Grade 9	40.0%
	Grade 10	38.3%
	Grade 11	37.8%
	Grade 12	41.5%
Guidance Counselor		
	All	24.9%
	Grade 6	29.1%
	Grade 7	29.3%
	Grade 8	34.3%
	Grade 9	23.3%
	Grade 10	19.3%
	Grade 11	18.6%
	Grade 12	19.4%
Science Or Social Studies Class		
	All	28.9%
	Grade 6	26.0%
	Grade 7	34.5%
	Grade 8	28.7%
	Grade 9	30.9%
	Grade 10	28.3%
	Grade 11	25.4%
	Grade 12	27.6%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

	Yes
Student Group Or Club Meeting At School	
All	13.4%
Grade 6	12.3%
Grade 7	11.9%
Grade 8	14.8%
Grade 9	13.4%
Grade 10	13.5%
Grade 11	14.1%
Grade 12	13.7%
An Invited School Guest	
All	28.1%
Grade 6	25.6%
Grade 7	33.6%
Grade 8	37.4%
Grade 9	26.4%
Grade 10	24.1%
Grade 11	23.3%
Grade 12	25.5%
Another Source At School	
All	29.8%
Grade 6	28.1%
Grade 7	29.7%
Grade 8	30.9%
Grade 9	31.8%
Grade 10	29.8%
Grade 11	29.5%
Grade 12	28.1%
Any School Source	
All	67.2%
Grade 6	65.2%
Grade 7	71.4%
Grade 8	74.6%
Grade 9	67.6%
Grade 10	64.8%
Grade 11	63.2%
Grade 12	62.0%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	38.8%
	Grade 6	53.1%
	Grade 7	50.4%
	Grade 8	42.4%
	Grade 9	35.7%
	Grade 10	29.8%
	Grade 11	27.9%
	Grade 12	30.3%
Another Adult In School		
	All	42.3%
	Grade 6	51.8%
	Grade 7	48.9%
	Grade 8	45.5%
	Grade 9	41.1%
	Grade 10	35.3%
	Grade 11	34.0%
	Grade 12	38.3%
Counselor/Program Outside-School		
	All	42.3%
	Grade 6	48.6%
	Grade 7	48.0%
	Grade 8	47.4%
	Grade 9	40.2%
	Grade 10	37.1%
	Grade 11	35.4%
	Grade 12	38.1%
Your Parents		
	All	67.9%
	Grade 6	80.7%
	Grade 7	75.6%
	Grade 8	68.0%
	Grade 9	64.6%
	Grade 10	62.4%
	Grade 11	61.8%
	Grade 12	60.7%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	54.2%
	Grade 6	68.2%
	Grade 7	63.5%
	Grade 8	57.5%
	Grade 9	49.9%
	Grade 10	48.9%
	Grade 11	42.9%
	Grade 12	46.5%
Your Friends		
	All	61.6%
	Grade 6	42.8%
	Grade 7	54.1%
	Grade 8	62.3%
	Grade 9	64.8%
	Grade 10	68.8%
	Grade 11	70.0%
	Grade 12	69.5%
Another Adult		
	All	61.2%
	Grade 6	62.3%
	Grade 7	62.5%
	Grade 8	62.5%
	Grade 9	62.0%
	Grade 10	61.2%
	Grade 11	58.6%
	Grade 12	58.7%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	6.1%
	Grade 6	5.0%
	Grade 7	6.5%
	Grade 8	6.5%
	Grade 9	6.7%
	Grade 10	6.2%
	Grade 11	6.6%
	Grade 12	4.5%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	5.3%	22.1%	24.4%	35.6%	12.7%
Grade 6	9.0%	17.2%	18.4%	32.7%	22.8%
Grade 7	5.6%	20.7%	21.0%	36.1%	16.7%
Grade 8	4.8%	19.2%	23.6%	38.8%	13.6%
Grade 9	4.2%	24.2%	26.9%	35.1%	9.5%
Grade 10	3.8%	26.3%	26.1%	35.6%	8.3%
Grade 11	4.4%	23.8%	28.5%	34.6%	8.7%
Grade 12	5.9%	23.1%	26.5%	36.2%	8.4%
Sometimes Carry Weapons?					
All	69.8%	18.6%	7.3%	3.3%	1.0%
Grade 6	84.5%	11.8%	2.4%	1.0%	0.3%
Grade 7	81.7%	12.3%	4.2%	1.4%	0.4%
Grade 8	74.8%	17.1%	5.5%	1.6%	1.0%
Grade 9	66.7%	20.6%	7.6%	4.1%	1.0%
Grade 10	62.3%	22.2%	9.3%	4.9%	1.2%
Grade 11	59.5%	22.9%	11.3%	4.6%	1.7%
Grade 12	56.3%	24.4%	11.7%	5.8%	1.7%
Care About Making Good Grades?					
All	2.2%	11.8%	20.4%	43.2%	22.5%
Grade 6	2.5%	11.4%	16.9%	38.6%	30.5%
Grade 7	2.2%	12.4%	19.5%	39.8%	26.1%
Grade 8	2.2%	10.3%	19.4%	42.5%	25.7%
Grade 9	1.8%	13.3%	23.1%	42.6%	19.2%
Grade 10	2.2%	12.9%	22.8%	46.5%	15.7%
Grade 11	1.8%	11.4%	21.5%	46.0%	19.4%
Grade 12	2.9%	10.3%	19.1%	47.3%	20.4%
Belong/Want To Belong To A Gang?					
All	83.3%	10.9%	3.6%	1.4%	0.8%
Grade 6	86.7%	8.8%	2.5%	1.4%	0.6%
Grade 7	85.2%	9.5%	3.4%	1.4%	0.5%
Grade 8	84.9%	10.6%	2.7%	0.8%	0.8%
Grade 9	78.8%	13.3%	4.8%	2.2%	0.9%
Grade 10	82.1%	11.8%	3.7%	1.7%	0.6%
Grade 11	82.3%	11.5%	4.5%	1.1%	0.7%
Grade 12	83.7%	10.2%	3.6%	1.1%	1.3%
Wish They Could Drop Out Of School?					
All	63.1%	24.1%	7.7%	3.1%	2.0%
Grade 6	70.5%	19.7%	5.8%	2.3%	1.7%
Grade 7	70.1%	18.5%	7.0%	3.0%	1.5%
Grade 8	64.2%	25.2%	6.5%	2.4%	1.7%
Grade 9	58.0%	27.5%	8.6%	3.7%	2.2%
Grade 10	56.9%	27.2%	9.9%	3.9%	2.2%
Grade 11	56.9%	27.6%	9.5%	3.3%	2.8%
Grade 12	65.1%	22.7%	7.0%	3.0%	2.2%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	84.6%	13.5%	0.9%	0.2%	0.8%
	Grade 6	85.4%	13.1%	1.1%	0.1%	0.3%
	Grade 7	84.4%	13.9%	0.8%	0.1%	0.8%
	Grade 8	83.6%	14.5%	0.9%	0.2%	0.8%
	Grade 9	83.5%	14.5%	0.9%	0.3%	0.8%
	Grade 10	84.0%	13.9%	1.0%	0.2%	0.9%
	Grade 11	85.3%	12.6%	1.1%	0.1%	0.8%
	Grade 12	86.7%	11.3%	0.7%	0.6%	0.7%
Out In Your Neighborhood?						
	All	41.1%	47.2%	7.5%	1.7%	2.5%
	Grade 6	34.6%	49.1%	10.4%	2.8%	3.2%
	Grade 7	36.8%	50.2%	8.9%	1.5%	2.6%
	Grade 8	41.1%	47.3%	7.7%	1.4%	2.5%
	Grade 9	40.8%	48.6%	6.6%	1.6%	2.3%
	Grade 10	42.3%	47.6%	6.2%	1.3%	2.6%
	Grade 11	45.4%	43.5%	7.3%	1.7%	2.1%
	Grade 12	48.9%	42.4%	5.1%	1.7%	1.9%
At School?						
	All	44.3%	42.5%	7.0%	3.1%	3.1%
	Grade 6	56.4%	34.2%	5.2%	2.2%	1.9%
	Grade 7	45.9%	41.9%	6.4%	2.8%	2.9%
	Grade 8	45.7%	40.4%	7.0%	3.3%	3.6%
	Grade 9	38.0%	46.5%	8.6%	2.9%	3.9%
	Grade 10	38.7%	48.0%	7.2%	2.9%	3.2%
	Grade 11	40.3%	44.6%	7.4%	4.1%	3.5%
	Grade 12	45.6%	41.7%	6.8%	3.5%	2.4%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.4%	10.5%	19.9%	80.2%
	Grade 6	1.6%	2.1%	5.8%	94.2%
	Grade 7	2.4%	3.5%	9.8%	90.2%
	Grade 8	4.8%	7.1%	14.4%	85.6%
	Grade 9	6.7%	10.4%	21.3%	78.7%
	Grade 10	9.6%	13.9%	25.7%	74.3%
	Grade 11	13.1%	18.1%	32.3%	67.7%
	Grade 12	15.9%	20.9%	33.4%	66.6%
Alcohol	All	19.0%	26.9%	46.8%	53.2%
	Grade 6	6.4%	8.7%	23.2%	76.7%
	Grade 7	9.8%	12.5%	31.3%	68.7%
	Grade 8	12.6%	19.6%	39.7%	60.3%
	Grade 9	20.1%	28.8%	51.2%	48.8%
	Grade 10	25.4%	36.5%	58.6%	41.4%
	Grade 11	29.5%	41.4%	64.0%	36.0%
	Grade 12	32.6%	45.7%	64.1%	36.0%
Inhalants	All	3.9%	5.1%	11.9%	88.1%
	Grade 6	5.2%	6.0%	11.3%	88.6%
	Grade 7	5.3%	6.5%	13.7%	86.3%
	Grade 8	3.9%	6.0%	14.3%	85.7%
	Grade 9	3.9%	5.2%	13.3%	86.7%
	Grade 10	3.2%	4.3%	11.7%	88.4%
	Grade 11	3.0%	4.0%	9.6%	90.4%
	Grade 12	2.6%	3.6%	8.9%	91.2%
Any Illicit Drug	All	8.4%	11.9%	20.9%	79.1%
	Grade 6	1.3%	1.8%	4.4%	95.6%
	Grade 7	3.2%	4.2%	7.7%	92.3%
	Grade 8	4.8%	7.3%	13.7%	86.4%
	Grade 9	8.7%	12.7%	21.9%	78.1%
	Grade 10	11.1%	16.1%	29.3%	70.6%
	Grade 11	16.3%	22.0%	36.1%	63.9%
	Grade 12	15.4%	22.3%	38.2%	61.9%
Marijuana	All	7.7%	11.2%	20.0%	79.9%
	Grade 6	0.9%	1.5%	3.5%	96.5%
	Grade 7	2.7%	3.5%	6.7%	93.3%
	Grade 8	4.2%	6.5%	12.4%	87.6%
	Grade 9	7.8%	11.8%	21.1%	78.9%
	Grade 10	10.4%	15.5%	28.4%	71.5%
	Grade 11	15.4%	21.1%	35.3%	64.8%
	Grade 12	14.7%	21.6%	37.7%	62.3%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.8%	6.0%	12.4%	87.7%
Grade 6	0.4%	0.6%	1.9%	98.1%
Grade 7	1.4%	1.8%	4.0%	96.0%
Grade 8	1.7%	3.2%	7.3%	92.7%
Grade 9	4.2%	6.7%	13.2%	86.9%
Grade 10	5.3%	8.6%	18.3%	81.7%
Grade 11	7.4%	11.1%	21.1%	78.8%
Grade 12	7.1%	11.6%	23.7%	76.4%
Cocaine Or Crack				
All	0.6%	0.9%	1.9%	98.1%
Grade 6	0.3%	0.7%	1.2%	98.9%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.5%	0.7%	1.4%	98.7%
Grade 10	0.3%	0.5%	2.0%	98.0%
Grade 11	1.3%	1.9%	3.3%	96.6%
Grade 12	1.0%	1.3%	3.4%	96.6%
Cocaine				
All	0.5%	0.7%	1.6%	98.4%
Grade 6	0.0%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.4%	0.6%	1.3%	98.8%
Grade 10	0.3%	0.5%	1.8%	98.2%
Grade 11	1.3%	1.9%	3.2%	96.9%
Grade 12	0.9%	1.2%	3.2%	96.8%
Crack				
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.3%	0.5%	0.7%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens				
All	0.7%	1.1%	2.3%	97.7%
Grade 6	0.1%	0.1%	0.2%	99.9%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.7%	1.3%	2.3%	97.7%
Grade 10	0.7%	1.2%	2.8%	97.2%
Grade 11	1.7%	2.6%	4.9%	95.1%
Grade 12	1.4%	2.4%	5.0%	95.1%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.3%	0.5%	0.9%	99.0%
	Grade 10	0.4%	0.6%	0.8%	99.2%
	Grade 11	0.4%	0.4%	0.7%	99.3%
	Grade 12	0.3%	0.4%	0.9%	99.1%
Steroids	All	0.3%	0.4%	1.0%	99.0%
	Grade 6	0.1%	0.2%	1.0%	99.0%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.4%	0.5%	1.2%	98.8%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	1.1%	98.9%
	Grade 11	0.5%	0.5%	0.9%	99.0%
	Grade 12	0.5%	0.7%	1.3%	98.7%
Ecstasy	All	0.5%	0.8%	2.0%	97.9%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.1%	0.5%	99.4%
	Grade 8	0.3%	0.4%	1.3%	98.7%
	Grade 9	0.6%	1.1%	2.2%	97.7%
	Grade 10	0.5%	1.0%	2.5%	97.5%
	Grade 11	1.5%	1.9%	4.2%	95.8%
	Grade 12	0.9%	1.7%	4.1%	95.8%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.5%	0.6%	0.8%	99.3%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.7%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.3%	0.3%	0.5%	99.5%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.4%	2.2%	5.4%	94.6%
Grade 6	0.3%	0.5%	1.2%	98.8%
Grade 7	0.7%	1.1%	2.0%	98.0%
Grade 8	1.3%	1.7%	3.9%	96.1%
Grade 9	1.8%	3.0%	6.1%	93.9%
Grade 10	2.0%	3.2%	7.7%	92.2%
Grade 11	1.7%	3.1%	8.9%	91.2%
Grade 12	1.9%	2.8%	9.1%	90.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.4%	0.5%	0.9%	99.2%
Grade 12	0.3%	0.7%	1.1%	98.9%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.4%	11.7%	21.3%	78.7%
	Grade 6	1.9%	2.5%	7.2%	92.8%
	Grade 7	2.6%	3.7%	10.2%	89.9%
	Grade 8	5.0%	8.0%	15.1%	85.0%
	Grade 9	8.0%	12.2%	23.2%	76.8%
	Grade 10	10.0%	14.8%	25.8%	74.2%
	Grade 11	15.1%	19.5%	33.9%	66.1%
	Grade 12	19.2%	25.0%	39.0%	61.0%
Alcohol	All	18.2%	25.5%	45.1%	54.9%
	Grade 6	7.3%	9.9%	25.9%	74.2%
	Grade 7	9.3%	11.5%	30.3%	69.7%
	Grade 8	11.1%	18.0%	38.3%	61.7%
	Grade 9	18.6%	26.9%	48.8%	51.1%
	Grade 10	22.3%	32.6%	54.8%	45.2%
	Grade 11	28.5%	39.5%	59.3%	40.7%
	Grade 12	34.9%	45.7%	63.7%	36.2%
Inhalants	All	3.9%	4.9%	11.1%	88.9%
	Grade 6	5.7%	6.8%	12.3%	87.7%
	Grade 7	4.8%	5.8%	11.8%	88.2%
	Grade 8	3.3%	4.8%	12.6%	87.4%
	Grade 9	3.5%	4.6%	11.9%	88.0%
	Grade 10	2.8%	3.5%	10.4%	89.5%
	Grade 11	3.3%	4.0%	8.5%	91.5%
	Grade 12	3.5%	4.5%	9.6%	90.4%
Any Illicit Drug	All	8.8%	12.4%	21.9%	78.2%
	Grade 6	1.2%	2.0%	5.4%	94.6%
	Grade 7	3.7%	4.6%	8.2%	91.8%
	Grade 8	4.7%	7.3%	13.8%	86.3%
	Grade 9	8.6%	12.9%	22.9%	77.0%
	Grade 10	10.8%	14.9%	28.4%	71.6%
	Grade 11	16.3%	22.2%	37.9%	62.0%
	Grade 12	18.9%	26.2%	42.3%	57.8%
Marijuana	All	7.8%	11.4%	20.9%	79.0%
	Grade 6	0.5%	1.4%	4.3%	95.6%
	Grade 7	3.2%	4.0%	7.5%	92.4%
	Grade 8	4.0%	6.7%	12.7%	87.3%
	Grade 9	7.6%	11.9%	22.1%	77.9%
	Grade 10	9.7%	14.1%	27.4%	72.7%
	Grade 11	15.1%	20.9%	37.1%	62.9%
	Grade 12	17.5%	25.0%	41.5%	58.6%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.6%	5.6%	12.0%	88.0%
Grade 6	0.2%	0.4%	2.2%	97.7%
Grade 7	1.8%	2.2%	4.4%	95.7%
Grade 8	1.8%	3.5%	7.7%	92.3%
Grade 9	4.0%	6.4%	12.9%	87.2%
Grade 10	4.7%	7.2%	16.7%	83.3%
Grade 11	6.0%	9.2%	20.0%	80.0%
Grade 12	7.8%	12.1%	23.2%	76.8%
Cocaine Or Crack				
All	0.8%	1.2%	2.4%	97.7%
Grade 6	0.4%	1.1%	1.6%	98.3%
Grade 7	0.3%	0.3%	0.5%	99.4%
Grade 8	0.4%	0.4%	1.0%	98.9%
Grade 9	0.4%	0.7%	1.7%	98.4%
Grade 10	0.5%	0.8%	2.6%	97.5%
Grade 11	2.0%	3.0%	5.0%	95.1%
Grade 12	1.7%	2.2%	4.8%	95.2%
Cocaine				
All	0.6%	1.0%	2.1%	97.9%
Grade 6	0.0%	0.7%	1.1%	98.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.8%	2.5%	97.6%
Grade 11	2.0%	2.8%	4.7%	95.2%
Grade 12	1.5%	2.0%	4.5%	95.5%
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.4%	0.8%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.4%
Hallucinogens				
All	0.9%	1.5%	3.1%	96.9%
Grade 6	0.1%	0.1%	0.2%	99.7%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.6%	3.0%	97.0%
Grade 10	1.0%	1.5%	3.2%	96.8%
Grade 11	2.3%	3.6%	7.1%	92.8%
Grade 12	2.2%	3.6%	7.5%	92.5%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.3%	0.3%	0.4%	99.5%
	Grade 7	0.1%	0.2%	0.5%	99.6%
	Grade 8	0.1%	0.2%	0.5%	99.4%
	Grade 9	0.1%	0.4%	1.0%	99.0%
	Grade 10	0.6%	0.7%	0.8%	99.1%
	Grade 11	0.2%	0.2%	0.7%	99.3%
	Grade 12	0.5%	0.6%	1.0%	99.0%
Steroids	All	0.4%	0.5%	1.2%	98.8%
	Grade 6	0.1%	0.2%	1.1%	98.9%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.4%	0.5%	1.2%	98.8%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.8%	0.9%	1.7%	98.3%
	Grade 11	0.6%	0.7%	1.4%	98.6%
	Grade 12	0.9%	1.3%	1.9%	98.2%
Ecstasy	All	0.6%	1.0%	2.3%	97.7%
	Grade 6	0.0%	0.0%	0.0%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.3%
	Grade 8	0.4%	0.4%	1.5%	98.5%
	Grade 9	0.6%	1.2%	2.5%	97.5%
	Grade 10	0.7%	1.2%	2.6%	97.4%
	Grade 11	1.2%	1.5%	4.1%	95.8%
	Grade 12	1.5%	2.3%	5.0%	94.9%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.3%	0.4%	0.5%	99.5%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.2%	99.7%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.3%	99.7%
	Grade 12	0.5%	0.5%	0.9%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.4%	6.2%	93.8%
Grade 6	0.3%	0.5%	1.6%	98.4%
Grade 7	0.9%	1.4%	2.3%	97.8%
Grade 8	1.5%	1.7%	4.2%	95.9%
Grade 9	1.6%	2.9%	6.5%	93.4%
Grade 10	2.2%	3.4%	8.2%	91.8%
Grade 11	2.1%	3.6%	10.4%	89.5%
Grade 12	2.5%	3.8%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 6	0.0%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.4%	0.6%	99.5%
Grade 8	0.1%	0.3%	0.9%	99.2%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.4%	0.5%	1.1%	98.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.3%	9.1%	18.3%	81.7%
	Grade 6	1.2%	1.6%	4.3%	95.8%
	Grade 7	2.1%	3.2%	9.4%	90.6%
	Grade 8	4.6%	6.2%	13.5%	86.4%
	Grade 9	5.3%	8.4%	19.4%	80.5%
	Grade 10	9.1%	12.8%	25.5%	74.5%
	Grade 11	11.1%	16.7%	30.5%	69.4%
	Grade 12	12.4%	16.7%	27.7%	72.3%
Alcohol	All	19.7%	28.3%	48.5%	51.5%
	Grade 6	5.5%	7.6%	20.5%	79.4%
	Grade 7	10.3%	13.5%	32.3%	67.7%
	Grade 8	14.0%	21.2%	41.4%	58.7%
	Grade 9	21.5%	30.4%	53.5%	46.5%
	Grade 10	28.3%	40.1%	62.3%	37.7%
	Grade 11	30.8%	43.6%	68.9%	31.0%
	Grade 12	30.0%	45.3%	64.0%	35.9%
Inhalants	All	3.9%	5.3%	12.8%	87.2%
	Grade 6	4.7%	5.3%	10.5%	89.6%
	Grade 7	5.8%	7.1%	15.5%	84.5%
	Grade 8	4.4%	7.1%	16.0%	84.0%
	Grade 9	4.2%	5.6%	14.5%	85.6%
	Grade 10	3.7%	5.1%	13.0%	87.0%
	Grade 11	2.8%	4.1%	10.8%	89.2%
	Grade 12	1.5%	2.4%	7.8%	92.1%
Any Illicit Drug	All	8.0%	11.5%	20.0%	80.0%
	Grade 6	1.3%	1.5%	3.3%	96.7%
	Grade 7	2.7%	3.8%	7.2%	92.8%
	Grade 8	5.0%	7.4%	13.6%	86.4%
	Grade 9	8.7%	12.3%	20.6%	79.3%
	Grade 10	11.5%	17.4%	30.3%	69.6%
	Grade 11	16.1%	21.8%	34.3%	65.7%
	Grade 12	11.6%	18.0%	33.7%	66.3%
Marijuana	All	7.5%	10.9%	19.1%	80.9%
	Grade 6	1.2%	1.4%	2.5%	97.5%
	Grade 7	2.1%	2.8%	5.7%	94.3%
	Grade 8	4.4%	6.5%	12.2%	87.8%
	Grade 9	7.9%	11.6%	20.1%	80.0%
	Grade 10	11.2%	17.1%	29.7%	70.3%
	Grade 11	15.6%	21.3%	33.4%	66.6%
	Grade 12	11.6%	17.8%	33.6%	66.4%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.9%	6.3%	12.7%	87.3%
Grade 6	0.7%	0.8%	1.4%	98.5%
Grade 7	1.0%	1.4%	3.7%	96.4%
Grade 8	1.6%	3.0%	7.0%	93.0%
Grade 9	4.2%	6.8%	13.3%	86.7%
Grade 10	5.9%	9.9%	20.0%	80.0%
Grade 11	8.7%	13.0%	22.3%	77.7%
Grade 12	6.2%	10.7%	23.9%	76.1%
Cocaine Or Crack				
All	0.3%	0.4%	1.3%	98.6%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.8%	99.3%
Grade 8	0.4%	0.7%	2.2%	97.7%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.6%	0.9%	1.8%	98.1%
Grade 12	0.3%	0.5%	2.0%	98.0%
Cocaine				
All	0.3%	0.4%	1.0%	98.9%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.6%	0.9%	1.5%	98.5%
Grade 12	0.3%	0.5%	2.0%	98.0%
Crack				
All	0.1%	0.1%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.5%
Grade 11	0.0%	0.0%	0.4%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.4%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.3%	1.0%	98.9%
Grade 9	0.6%	0.9%	1.5%	98.5%
Grade 10	0.5%	0.9%	2.4%	97.6%
Grade 11	1.0%	1.5%	2.5%	97.4%
Grade 12	0.6%	1.2%	2.2%	97.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.1%	0.1%	0.6%	99.3%
	Grade 9	0.6%	0.8%	1.0%	99.1%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.5%	0.6%	0.8%	99.3%
	Grade 12	0.1%	0.1%	0.7%	99.3%
Steroids	All	0.2%	0.2%	0.8%	99.2%
	Grade 6	0.1%	0.2%	0.9%	99.1%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.4%	0.4%	1.2%	98.7%
	Grade 9	0.1%	0.2%	1.0%	99.0%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.5%	0.5%	0.7%	99.3%
	Grade 12	0.1%	0.1%	0.8%	99.2%
Ecstasy	All	0.4%	0.7%	1.8%	98.2%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.1%	0.4%	99.6%
	Grade 8	0.1%	0.3%	1.0%	99.0%
	Grade 9	0.7%	0.9%	1.9%	98.0%
	Grade 10	0.2%	0.7%	2.4%	97.5%
	Grade 11	1.9%	2.3%	4.3%	95.7%
	Grade 12	0.2%	1.1%	3.0%	97.0%
Heroin	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.1%	0.1%	0.5%	99.4%
	Grade 7	0.5%	0.5%	0.8%	99.2%
	Grade 8	0.0%	0.1%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.1%	0.1%	0.3%	99.8%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	2.0%	4.7%	95.4%
Grade 6	0.3%	0.5%	0.8%	99.2%
Grade 7	0.5%	0.8%	1.6%	98.3%
Grade 8	1.2%	1.8%	3.6%	96.4%
Grade 9	1.8%	2.8%	5.5%	94.5%
Grade 10	1.9%	3.2%	7.5%	92.5%
Grade 11	1.2%	2.4%	7.2%	92.8%
Grade 12	1.3%	1.9%	6.6%	93.5%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.5%	99.4%
Grade 11	0.4%	0.4%	0.8%	99.1%
Grade 12	0.3%	1.0%	1.1%	98.9%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.5%	12.1%	20.5%	79.5%
	Grade 6	0.5%	1.2%	3.6%	96.4%
	Grade 7	1.9%	2.6%	6.3%	93.7%
	Grade 8	4.0%	6.8%	12.7%	87.3%
	Grade 9	8.6%	13.3%	23.2%	76.9%
	Grade 10	12.1%	17.6%	30.0%	69.9%
	Grade 11	15.3%	20.8%	34.4%	65.6%
	Grade 12	20.6%	27.0%	39.9%	60.1%
Alcohol	All	17.4%	25.7%	44.4%	55.6%
	Grade 6	3.8%	5.3%	18.9%	81.2%
	Grade 7	4.9%	7.3%	23.1%	76.9%
	Grade 8	9.3%	17.1%	35.7%	64.3%
	Grade 9	19.5%	28.5%	49.1%	50.9%
	Grade 10	25.4%	37.7%	58.2%	41.7%
	Grade 11	29.7%	42.3%	65.3%	34.6%
	Grade 12	35.1%	49.9%	69.4%	30.6%
Inhalants	All	2.8%	4.2%	10.4%	89.5%
	Grade 6	4.2%	5.4%	9.5%	90.5%
	Grade 7	2.6%	3.4%	8.8%	91.2%
	Grade 8	2.3%	4.0%	11.5%	88.4%
	Grade 9	3.5%	4.8%	12.8%	87.2%
	Grade 10	3.8%	5.7%	12.8%	87.2%
	Grade 11	1.7%	3.1%	8.6%	91.4%
	Grade 12	1.4%	2.9%	8.7%	91.3%
Any Illicit Drug	All	6.6%	10.1%	17.1%	82.9%
	Grade 6	0.5%	0.8%	2.5%	97.5%
	Grade 7	1.4%	2.0%	3.1%	96.9%
	Grade 8	2.7%	4.2%	8.7%	91.3%
	Grade 9	7.5%	11.3%	17.5%	82.5%
	Grade 10	9.4%	14.8%	26.7%	73.3%
	Grade 11	13.3%	19.7%	31.4%	68.7%
	Grade 12	13.7%	21.5%	36.4%	63.6%
Marijuana	All	6.1%	9.6%	16.4%	83.6%
	Grade 6	0.2%	0.6%	1.5%	98.5%
	Grade 7	1.1%	1.5%	2.5%	97.5%
	Grade 8	2.4%	3.8%	8.0%	92.0%
	Grade 9	6.8%	10.7%	16.8%	83.1%
	Grade 10	9.0%	14.2%	26.0%	73.9%
	Grade 11	12.8%	19.0%	30.6%	69.4%
	Grade 12	13.1%	21.2%	36.2%	63.8%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.6%	4.6%	9.6%	90.4%
Grade 6	0.0%	0.3%	1.0%	99.0%
Grade 7	0.7%	0.9%	1.5%	98.4%
Grade 8	1.3%	2.2%	5.5%	94.5%
Grade 9	3.3%	5.2%	9.1%	90.9%
Grade 10	3.5%	6.5%	15.2%	84.8%
Grade 11	5.1%	9.5%	17.8%	82.2%
Grade 12	5.4%	9.7%	21.1%	78.9%
Cocaine Or Crack				
All	0.3%	0.5%	1.2%	98.8%
Grade 6	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.4%
Grade 9	0.3%	0.5%	0.9%	99.1%
Grade 10	0.2%	0.3%	1.5%	98.6%
Grade 11	0.6%	1.2%	2.3%	97.7%
Grade 12	0.9%	1.0%	3.0%	96.9%
Cocaine				
All	0.2%	0.3%	1.0%	98.9%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.8%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.3%	0.5%	0.9%	99.2%
Grade 10	0.2%	0.3%	1.5%	98.6%
Grade 11	0.6%	1.0%	2.1%	98.0%
Grade 12	0.7%	0.8%	2.8%	97.2%
Crack				
All	0.1%	0.2%	0.3%	99.7%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.4%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.6%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.6%
Hallucinogens				
All	0.6%	1.3%	2.7%	97.4%
Grade 6	0.1%	0.2%	0.4%	99.7%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.8%	99.3%
Grade 9	0.7%	1.7%	3.2%	96.8%
Grade 10	1.0%	1.9%	3.7%	96.3%
Grade 11	1.3%	2.5%	5.6%	94.3%
Grade 12	1.3%	2.8%	5.7%	94.3%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.4%	0.7%	99.4%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.8%	99.3%
Steroids	All	0.3%	0.4%	1.0%	99.0%
	Grade 6	0.1%	0.3%	1.0%	98.9%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.3%	0.4%	1.1%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.4%	0.4%	0.9%	99.1%
	Grade 11	0.9%	0.9%	1.5%	98.6%
	Grade 12	0.4%	0.7%	1.2%	98.8%
Ecstasy	All	0.4%	0.9%	2.0%	98.0%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.7%	1.4%	2.7%	97.3%
	Grade 10	0.4%	1.4%	2.5%	97.5%
	Grade 11	1.1%	1.6%	4.0%	96.0%
	Grade 12	0.8%	1.9%	4.6%	95.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.3%	0.4%	99.7%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.1%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.2%	99.7%
	Grade 12	0.1%	0.1%	0.4%	99.5%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.9%	1.7%	4.9%	95.1%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	2.0%	98.1%
Grade 9	1.2%	2.5%	5.7%	94.3%
Grade 10	1.8%	3.8%	8.7%	91.3%
Grade 11	1.4%	2.7%	8.6%	91.4%
Grade 12	1.1%	1.8%	9.8%	90.2%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.4%	99.5%
Grade 11	0.2%	0.2%	0.8%	99.1%
Grade 12	0.3%	0.4%	0.7%	99.3%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.0%	5.7%	14.4%	85.5%
	Grade 6	1.4%	1.9%	8.3%	91.6%
	Grade 7	1.5%	2.5%	10.4%	89.6%
	Grade 8	1.4%	2.8%	9.1%	90.8%
	Grade 9	3.5%	4.9%	14.1%	85.9%
	Grade 10	4.2%	6.0%	14.7%	85.3%
	Grade 11	7.8%	12.1%	22.2%	77.8%
	Grade 12	7.7%	9.4%	20.8%	79.3%
Alcohol	All	17.0%	23.9%	46.3%	53.7%
	Grade 6	8.3%	9.4%	24.0%	76.0%
	Grade 7	13.4%	15.2%	38.5%	61.6%
	Grade 8	8.8%	16.1%	38.2%	61.8%
	Grade 9	17.2%	24.1%	49.7%	50.3%
	Grade 10	19.8%	28.7%	55.9%	44.0%
	Grade 11	20.3%	32.5%	54.5%	45.4%
	Grade 12	28.1%	36.8%	57.3%	42.7%
Inhalants	All	3.4%	4.1%	10.2%	89.8%
	Grade 6	6.0%	6.1%	11.9%	88.1%
	Grade 7	5.6%	5.8%	13.7%	86.3%
	Grade 8	2.5%	5.6%	10.8%	89.2%
	Grade 9	3.9%	4.4%	12.2%	87.7%
	Grade 10	2.5%	2.7%	9.9%	90.1%
	Grade 11	2.3%	2.9%	7.0%	93.0%
	Grade 12	1.3%	1.6%	5.7%	94.2%
Any Illicit Drug	All	8.9%	13.2%	23.5%	76.5%
	Grade 6	1.7%	2.5%	6.0%	94.0%
	Grade 7	5.7%	7.1%	11.5%	88.5%
	Grade 8	2.3%	7.2%	11.5%	88.4%
	Grade 9	8.5%	11.9%	22.9%	77.1%
	Grade 10	9.9%	13.7%	28.0%	71.9%
	Grade 11	16.0%	23.6%	37.2%	62.8%
	Grade 12	16.5%	24.1%	42.0%	57.9%
Marijuana	All	8.1%	12.4%	22.8%	77.2%
	Grade 6	1.6%	2.0%	5.5%	94.4%
	Grade 7	4.5%	5.5%	9.3%	90.7%
	Grade 8	1.8%	6.0%	9.9%	90.1%
	Grade 9	7.7%	11.5%	22.5%	77.5%
	Grade 10	9.1%	13.3%	28.0%	72.1%
	Grade 11	14.6%	22.5%	36.9%	63.1%
	Grade 12	15.9%	24.0%	42.1%	57.9%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.2%	8.5%	17.2%	82.7%
Grade 6	1.5%	1.9%	3.8%	96.1%
Grade 7	2.7%	3.2%	6.5%	93.5%
Grade 8	1.7%	4.8%	8.6%	91.4%
Grade 9	5.5%	8.4%	17.4%	82.6%
Grade 10	5.8%	8.8%	21.2%	78.8%
Grade 11	10.3%	16.6%	27.6%	72.4%
Grade 12	7.9%	14.6%	31.2%	68.8%
Cocaine Or Crack				
All	0.3%	0.4%	0.8%	99.2%
Grade 6	0.1%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.8%	0.8%	1.9%	98.1%
Cocaine				
All	0.3%	0.4%	0.8%	99.3%
Grade 6	0.0%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	0.8%	1.9%	98.1%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.6%	1.4%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.6%	0.7%	1.9%	98.2%
Grade 11	1.0%	1.6%	2.4%	97.6%
Grade 12	1.4%	1.4%	3.5%	96.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.4%	0.5%	1.2%	98.8%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	0.2%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.7%	2.2%	97.8%
	Grade 11	0.0%	0.2%	0.3%	99.7%
	Grade 12	0.4%	0.4%	1.8%	98.1%
Ecstasy	All	0.5%	0.6%	1.4%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.4%	0.7%	99.3%
	Grade 8	0.1%	0.3%	0.3%	99.7%
	Grade 9	0.8%	0.8%	1.5%	98.5%
	Grade 10	1.1%	1.1%	2.2%	97.9%
	Grade 11	0.8%	1.0%	2.9%	97.1%
	Grade 12	0.6%	0.8%	2.4%	97.6%
Heroin	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.3%	0.3%	0.3%	99.7%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	1.8%	4.0%	96.1%
Grade 6	0.0%	0.0%	1.3%	98.7%
Grade 7	1.6%	2.4%	2.8%	97.2%
Grade 8	0.5%	0.5%	2.0%	98.0%
Grade 9	0.5%	0.9%	3.2%	96.7%
Grade 10	1.1%	1.7%	4.7%	95.3%
Grade 11	1.4%	2.8%	5.8%	94.2%
Grade 12	3.1%	3.8%	7.0%	93.1%
Methamphetamine				
All	0.1%	0.5%	0.9%	99.1%
Grade 6	0.0%	0.0%	1.7%	98.3%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	2.0%	2.4%	97.6%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	8.0%	11.2%	22.2%	77.8%
Grade 6	2.9%	3.3%	7.7%	92.3%
Grade 7	3.3%	4.8%	13.6%	86.4%
Grade 8	6.6%	8.9%	18.3%	81.7%
Grade 9	6.3%	10.1%	23.3%	76.6%
Grade 10	10.4%	14.9%	27.0%	73.0%
Grade 11	13.6%	18.6%	35.2%	64.7%
Grade 12	15.9%	21.5%	35.0%	65.0%
Alcohol				
All	22.0%	30.2%	50.6%	49.4%
Grade 6	8.7%	12.6%	28.3%	71.8%
Grade 7	13.9%	17.2%	38.4%	61.7%
Grade 8	17.0%	24.1%	45.1%	54.9%
Grade 9	22.8%	32.3%	55.5%	44.6%
Grade 10	28.5%	39.4%	61.1%	38.9%
Grade 11	33.5%	45.3%	67.5%	32.5%
Grade 12	34.1%	47.1%	63.7%	36.4%
Inhalants				
All	5.2%	6.5%	14.2%	85.8%
Grade 6	6.2%	7.0%	13.7%	86.3%
Grade 7	7.7%	9.5%	18.6%	81.4%
Grade 8	5.7%	8.0%	18.7%	81.3%
Grade 9	4.2%	5.5%	14.1%	85.9%
Grade 10	3.3%	4.1%	10.8%	89.3%
Grade 11	4.7%	5.4%	11.3%	88.7%
Grade 12	3.7%	4.5%	9.9%	90.1%
Any Illicit Drug				
All	10.2%	13.7%	24.6%	75.3%
Grade 6	2.2%	2.8%	6.4%	93.5%
Grade 7	4.4%	5.7%	11.5%	88.4%
Grade 8	7.6%	10.4%	19.7%	80.2%
Grade 9	10.5%	15.3%	26.7%	73.4%
Grade 10	13.4%	18.5%	33.0%	67.0%
Grade 11	19.8%	24.4%	41.0%	59.1%
Grade 12	16.2%	22.6%	40.5%	59.4%
Marijuana				
All	9.3%	12.8%	23.5%	76.5%
Grade 6	1.4%	2.3%	5.1%	94.8%
Grade 7	3.9%	5.1%	10.6%	89.4%
Grade 8	6.7%	9.6%	18.2%	81.8%
Grade 9	9.3%	13.8%	25.7%	74.3%
Grade 10	12.5%	17.9%	31.9%	68.1%
Grade 11	18.5%	23.0%	39.4%	60.6%
Grade 12	15.4%	21.3%	39.9%	60.1%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.6%	6.7%	13.9%	86.1%
Grade 6	0.5%	0.5%	2.4%	97.6%
Grade 7	1.8%	2.3%	6.0%	94.0%
Grade 8	2.2%	4.0%	9.3%	90.7%
Grade 9	4.8%	7.8%	15.8%	84.1%
Grade 10	7.1%	10.8%	21.0%	79.0%
Grade 11	9.0%	11.1%	22.3%	77.7%
Grade 12	8.2%	12.2%	24.3%	75.7%
Cocaine Or Crack				
All	0.9%	1.4%	3.1%	97.0%
Grade 6	0.6%	1.3%	1.9%	98.1%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	0.7%	1.0%	3.4%	96.6%
Grade 9	0.7%	1.0%	2.2%	97.8%
Grade 10	0.6%	1.0%	3.2%	96.8%
Grade 11	2.2%	3.3%	5.4%	94.6%
Grade 12	1.3%	2.0%	4.9%	95.1%
Cocaine				
All	0.8%	1.2%	2.6%	97.4%
Grade 6	0.0%	0.8%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.7%	0.8%	2.6%	97.4%
Grade 9	0.6%	0.9%	2.1%	97.9%
Grade 10	0.6%	1.0%	2.8%	97.3%
Grade 11	2.2%	3.2%	5.2%	94.7%
Grade 12	1.3%	2.0%	4.8%	95.2%
Crack				
All	0.2%	0.3%	0.8%	99.2%
Grade 6	0.6%	1.1%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.6%	99.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.9%	99.0%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	0.8%	1.2%	2.2%	97.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.8%	0.8%	1.8%	98.2%
Grade 9	0.8%	1.2%	1.9%	98.1%
Grade 10	0.6%	0.9%	2.3%	97.7%
Grade 11	1.8%	2.7%	4.7%	95.3%
Grade 12	1.4%	2.4%	4.6%	95.4%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.1%	98.9%
	Grade 6	0.4%	0.4%	0.5%	99.4%
	Grade 7	0.2%	0.3%	0.9%	99.1%
	Grade 8	0.3%	0.4%	1.3%	98.6%
	Grade 9	0.6%	0.8%	1.3%	98.8%
	Grade 10	0.8%	1.2%	1.5%	98.5%
	Grade 11	0.6%	0.7%	1.2%	98.8%
	Grade 12	0.4%	0.5%	1.3%	98.8%
Steroids	All	0.3%	0.4%	1.0%	99.1%
	Grade 6	0.0%	0.1%	1.2%	98.8%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.4%	0.4%	1.1%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	0.8%	99.2%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.4%	0.7%	1.2%	98.8%
Ecstasy	All	0.6%	0.9%	2.3%	97.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.3%	1.0%	99.0%
	Grade 8	0.4%	0.6%	2.1%	97.9%
	Grade 9	0.5%	0.9%	2.0%	98.0%
	Grade 10	0.4%	0.7%	2.5%	97.5%
	Grade 11	2.2%	2.5%	5.0%	94.9%
	Grade 12	1.1%	2.1%	4.6%	95.4%
Heroin	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.4%	0.4%	0.9%	99.2%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.5%	0.5%	0.8%	99.3%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	2.9%	6.6%	93.4%
Grade 6	0.7%	1.0%	2.0%	98.0%
Grade 7	1.2%	1.7%	3.1%	96.9%
Grade 8	2.2%	2.8%	6.3%	93.7%
Grade 9	2.8%	4.4%	7.8%	92.1%
Grade 10	2.8%	3.7%	7.9%	92.1%
Grade 11	1.9%	3.3%	10.4%	89.6%
Grade 12	2.2%	3.4%	9.6%	90.3%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.3%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.7%	0.9%	1.0%	99.0%
Grade 12	0.5%	0.6%	0.9%	99.1%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	3.8%	5.4%	11.8%	88.2%
	Grade 6	0.9%	1.1%	2.5%	97.5%
	Grade 7	0.7%	1.3%	4.5%	95.5%
	Grade 8	1.9%	2.5%	6.7%	93.4%
	Grade 9	3.0%	4.6%	12.2%	87.7%
	Grade 10	4.7%	7.7%	16.1%	83.9%
	Grade 11	7.8%	10.8%	22.4%	77.6%
	Grade 12	9.7%	13.2%	24.9%	75.1%
Alcohol	All	12.6%	19.9%	37.4%	62.6%
	Grade 6	3.4%	5.3%	17.7%	82.3%
	Grade 7	6.2%	7.9%	22.6%	77.4%
	Grade 8	6.9%	13.8%	29.7%	70.3%
	Grade 9	15.3%	23.0%	43.7%	56.4%
	Grade 10	17.7%	29.1%	49.4%	50.6%
	Grade 11	20.2%	31.5%	53.1%	46.8%
	Grade 12	24.7%	38.0%	57.6%	42.3%
Inhalants	All	2.0%	2.8%	7.5%	92.4%
	Grade 6	3.4%	3.9%	7.4%	92.6%
	Grade 7	1.4%	2.5%	6.7%	93.3%
	Grade 8	2.0%	3.0%	9.5%	90.6%
	Grade 9	1.7%	2.6%	8.1%	91.9%
	Grade 10	2.0%	3.0%	9.3%	90.7%
	Grade 11	2.1%	2.8%	6.6%	93.4%
	Grade 12	1.5%	2.0%	5.4%	94.6%
Any Illicit Drug	All	4.2%	6.3%	11.8%	88.1%
	Grade 6	0.6%	1.0%	1.9%	98.2%
	Grade 7	1.3%	1.6%	3.4%	96.6%
	Grade 8	1.3%	2.4%	4.8%	95.1%
	Grade 9	4.3%	7.0%	10.9%	89.2%
	Grade 10	5.6%	8.6%	19.2%	80.8%
	Grade 11	8.7%	12.1%	22.6%	77.4%
	Grade 12	10.7%	15.8%	27.7%	72.3%
Marijuana	All	3.8%	5.9%	11.1%	88.9%
	Grade 6	0.1%	0.3%	0.8%	99.2%
	Grade 7	1.1%	1.4%	2.9%	97.1%
	Grade 8	1.1%	2.1%	4.3%	95.7%
	Grade 9	3.8%	6.5%	9.9%	90.1%
	Grade 10	5.1%	8.4%	18.3%	81.7%
	Grade 11	7.7%	10.9%	21.4%	78.6%
	Grade 12	10.7%	15.9%	27.7%	72.3%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.0%	3.5%	7.6%	92.4%
Grade 6	0.0%	0.2%	0.4%	99.6%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.7%	1.5%	3.4%	96.6%
Grade 9	2.8%	4.7%	7.6%	92.3%
Grade 10	2.2%	4.3%	11.9%	88.1%
Grade 11	3.8%	6.1%	13.7%	86.3%
Grade 12	5.3%	9.0%	18.7%	81.4%
Cocaine Or Crack				
All	0.2%	0.3%	0.6%	99.3%
Grade 6	0.5%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.7%	99.2%
Grade 11	0.3%	0.7%	1.1%	99.0%
Grade 12	0.4%	0.6%	1.5%	98.6%
Cocaine				
All	0.1%	0.2%	0.4%	99.5%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.5%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.3%	0.7%	0.8%	99.3%
Grade 12	0.2%	0.4%	1.3%	98.7%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.3%	99.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.4%	0.7%	1.2%	98.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.3%
Grade 10	0.6%	1.3%	2.5%	97.6%
Grade 11	1.3%	2.1%	3.2%	96.9%
Grade 12	0.9%	1.8%	2.7%	97.4%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.1%	99.8%
	Grade 11	0.1%	0.1%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids	All	0.2%	0.3%	0.8%	99.2%
	Grade 6	0.1%	0.2%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.2%	0.3%	0.7%	99.4%
	Grade 10	0.2%	0.2%	0.3%	99.6%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.2%	0.4%	0.8%	99.1%
Ecstasy	All	0.2%	0.4%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.3%	0.5%	0.8%	99.2%
	Grade 10	0.1%	0.6%	1.3%	98.7%
	Grade 11	0.8%	1.1%	2.4%	97.6%
	Grade 12	0.4%	1.0%	2.0%	98.0%
Heroin	All	0.1%	0.1%	0.3%	99.8%
	Grade 6	0.0%	0.0%	0.5%	99.5%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.4%	0.7%	2.2%	97.8%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.3%	0.6%	1.4%	98.7%
Grade 10	0.9%	1.4%	4.3%	95.7%
Grade 11	0.3%	0.8%	3.7%	96.3%
Grade 12	1.3%	2.1%	6.1%	93.9%
Methamphetamine				
All	0.0%	0.1%	0.2%	99.7%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	1.1%	1.3%	98.7%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.9%	12.4%	23.4%	76.6%
	Grade 6	2.1%	2.6%	8.0%	92.0%
	Grade 7	3.0%	4.3%	12.5%	87.4%
	Grade 8	6.6%	9.8%	18.9%	81.2%
	Grade 9	7.3%	11.4%	23.4%	76.6%
	Grade 10	11.4%	16.4%	29.1%	70.9%
	Grade 11	14.4%	19.5%	35.3%	64.7%
	Grade 12	19.5%	24.9%	38.2%	61.8%
Alcohol	All	21.9%	29.6%	50.7%	49.3%
	Grade 6	8.2%	10.4%	26.6%	73.4%
	Grade 7	12.2%	14.9%	36.0%	64.0%
	Grade 8	17.5%	23.6%	44.9%	55.1%
	Grade 9	20.6%	29.3%	52.7%	47.3%
	Grade 10	28.3%	38.9%	61.2%	38.8%
	Grade 11	32.5%	43.7%	67.2%	32.8%
	Grade 12	35.9%	48.9%	67.2%	32.8%
Inhalants	All	4.6%	6.0%	13.8%	86.1%
	Grade 6	6.0%	7.2%	14.4%	85.7%
	Grade 7	7.5%	8.6%	17.4%	82.6%
	Grade 8	5.1%	7.9%	16.7%	83.3%
	Grade 9	4.4%	5.7%	14.6%	85.4%
	Grade 10	3.6%	4.7%	12.3%	87.6%
	Grade 11	3.0%	4.1%	10.3%	89.7%
	Grade 12	2.6%	3.9%	10.6%	89.4%
Any Illicit Drug	All	10.2%	14.3%	25.1%	74.9%
	Grade 6	1.7%	2.5%	6.4%	93.6%
	Grade 7	4.0%	5.1%	9.6%	90.4%
	Grade 8	6.9%	10.3%	18.8%	81.2%
	Grade 9	10.0%	14.2%	24.7%	75.4%
	Grade 10	13.3%	19.0%	33.1%	66.8%
	Grade 11	18.3%	24.8%	40.8%	59.3%
	Grade 12	17.8%	25.3%	44.8%	55.1%
Marijuana	All	9.4%	13.5%	24.1%	75.9%
	Grade 6	1.4%	2.4%	5.5%	94.5%
	Grade 7	3.2%	4.0%	8.2%	91.9%
	Grade 8	6.1%	9.3%	17.3%	82.7%
	Grade 9	9.0%	13.3%	23.9%	76.1%
	Grade 10	12.5%	18.4%	32.6%	67.4%
	Grade 11	17.3%	23.8%	39.7%	60.3%
	Grade 12	17.2%	24.8%	44.5%	55.5%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.6%	7.1%	14.7%	85.3%
Grade 6	0.6%	0.8%	2.9%	97.0%
Grade 7	1.4%	1.6%	4.5%	95.4%
Grade 8	2.2%	4.2%	9.7%	90.3%
Grade 9	4.6%	7.0%	14.3%	85.7%
Grade 10	6.8%	10.6%	21.2%	78.8%
Grade 11	8.9%	13.1%	24.3%	75.6%
Grade 12	8.3%	13.4%	27.9%	72.1%
Cocaine Or Crack				
All	0.7%	1.0%	2.4%	97.6%
Grade 6	0.1%	0.8%	1.5%	98.5%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.8%	1.1%	3.0%	97.1%
Grade 9	0.4%	0.6%	1.6%	98.4%
Grade 10	0.5%	0.8%	2.5%	97.5%
Grade 11	1.5%	2.0%	3.9%	96.1%
Grade 12	1.2%	1.6%	4.1%	95.9%
Cocaine				
All	0.6%	0.9%	2.2%	97.9%
Grade 6	0.0%	0.7%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.5%	99.6%
Grade 8	0.5%	0.6%	2.1%	97.9%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.8%	2.4%	97.7%
Grade 11	1.5%	2.0%	3.8%	96.2%
Grade 12	1.1%	1.5%	3.9%	96.1%
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 6	0.1%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.4%	99.7%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.4%
Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens				
All	0.8%	1.3%	2.7%	97.3%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.7%	1.4%	2.5%	97.5%
Grade 10	0.7%	1.1%	2.7%	97.3%
Grade 11	1.8%	2.7%	5.4%	94.6%
Grade 12	1.7%	2.7%	6.3%	93.7%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.7%	99.2%
	Grade 6	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.4%	0.8%	1.2%	98.8%
	Grade 10	0.6%	0.9%	1.2%	98.7%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids	All	0.3%	0.4%	1.1%	98.9%
	Grade 6	0.1%	0.2%	1.0%	99.0%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.5%	0.6%	1.7%	98.3%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.8%	1.6%	98.5%
	Grade 11	0.4%	0.5%	0.9%	99.1%
	Grade 12	0.5%	0.6%	1.5%	98.5%
Ecstasy	All	0.6%	1.0%	2.5%	97.5%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.8%	98.1%
	Grade 9	0.9%	1.5%	2.5%	97.5%
	Grade 10	0.6%	1.0%	2.9%	97.2%
	Grade 11	1.2%	1.7%	4.6%	95.4%
	Grade 12	0.9%	1.8%	5.0%	95.0%
Heroin	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.3%	0.4%	0.5%	99.5%
	Grade 7	0.6%	0.6%	0.8%	99.1%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.1%	0.5%	99.5%
	Grade 10	0.1%	0.1%	0.3%	99.6%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.5%	0.5%	0.8%	99.2%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.9%	2.8%	6.8%	93.2%
Grade 6	0.6%	0.9%	2.0%	98.0%
Grade 7	1.1%	1.6%	2.7%	97.3%
Grade 8	2.0%	2.4%	5.7%	94.2%
Grade 9	2.4%	3.6%	7.5%	92.6%
Grade 10	2.6%	4.2%	9.2%	90.8%
Grade 11	2.3%	3.8%	10.5%	89.5%
Grade 12	2.3%	3.1%	10.2%	89.8%
Methamphetamine				
All	0.2%	0.3%	0.8%	99.2%
Grade 6	0.0%	0.1%	0.5%	99.5%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.3%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.6%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.2%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.5%	0.5%	1.0%	98.9%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.7%	8.1%	15.7%	84.3%
	Grade 6	1.0%	1.4%	4.6%	95.4%
	Grade 7	1.7%	2.5%	7.2%	92.9%
	Grade 8	3.1%	5.0%	10.8%	89.3%
	Grade 9	5.4%	7.7%	16.3%	83.6%
	Grade 10	7.5%	10.6%	20.8%	79.2%
	Grade 11	11.4%	16.5%	28.6%	71.4%
	Grade 12	13.8%	18.6%	29.6%	70.3%
Alcohol	All	16.1%	23.4%	41.6%	58.4%
	Grade 6	5.5%	7.9%	21.3%	78.7%
	Grade 7	9.0%	10.9%	27.4%	72.6%
	Grade 8	10.2%	16.5%	35.0%	65.0%
	Grade 9	16.0%	24.1%	45.3%	54.7%
	Grade 10	22.2%	32.4%	52.6%	47.3%
	Grade 11	27.6%	39.0%	60.4%	39.6%
	Grade 12	29.4%	43.4%	60.5%	39.5%
Inhalants	All	3.7%	4.8%	10.6%	89.5%
	Grade 6	5.3%	6.0%	10.6%	89.4%
	Grade 7	4.4%	5.2%	11.6%	88.3%
	Grade 8	3.5%	5.5%	12.8%	87.2%
	Grade 9	3.6%	4.8%	11.3%	88.7%
	Grade 10	2.8%	3.9%	10.3%	89.7%
	Grade 11	3.1%	3.8%	8.9%	91.1%
	Grade 12	2.2%	3.1%	6.6%	93.4%
Any Illicit Drug	All	6.3%	8.9%	15.9%	84.0%
	Grade 6	1.0%	1.4%	3.7%	96.3%
	Grade 7	2.3%	2.7%	5.3%	94.7%
	Grade 8	3.4%	5.0%	9.5%	90.5%
	Grade 9	6.1%	8.5%	15.7%	84.2%
	Grade 10	8.9%	12.7%	23.3%	76.7%
	Grade 11	13.2%	18.9%	31.2%	68.9%
	Grade 12	12.8%	18.8%	31.8%	68.2%
Marijuana	All	5.7%	8.3%	15.1%	84.8%
	Grade 6	0.7%	1.1%	2.8%	97.3%
	Grade 7	1.8%	2.1%	4.4%	95.6%
	Grade 8	2.7%	4.1%	8.2%	91.8%
	Grade 9	5.4%	7.9%	15.0%	84.9%
	Grade 10	8.6%	12.3%	22.7%	77.3%
	Grade 11	12.5%	18.2%	30.5%	69.4%
	Grade 12	12.0%	18.1%	31.4%	68.6%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.9%	4.6%	9.5%	90.4%
Grade 6	0.2%	0.3%	1.3%	98.6%
Grade 7	0.9%	1.1%	2.5%	97.5%
Grade 8	1.2%	1.9%	4.7%	95.3%
Grade 9	2.9%	4.7%	9.6%	90.4%
Grade 10	4.1%	6.7%	14.9%	85.1%
Grade 11	6.3%	10.4%	19.1%	80.9%
Grade 12	6.8%	10.7%	20.9%	79.0%
Cocaine Or Crack				
All	0.6%	0.8%	1.6%	98.4%
Grade 6	0.4%	0.7%	1.2%	98.9%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.3%	98.7%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.4%	0.5%	1.4%	98.6%
Grade 11	1.6%	2.0%	3.3%	96.7%
Grade 12	0.8%	1.1%	2.5%	97.5%
Cocaine				
All	0.5%	0.7%	1.4%	98.7%
Grade 6	0.0%	0.3%	0.6%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.0%	99.1%
Grade 9	0.4%	0.5%	1.2%	98.9%
Grade 10	0.3%	0.4%	1.3%	98.6%
Grade 11	1.6%	1.9%	3.2%	96.8%
Grade 12	0.8%	1.1%	2.5%	97.6%
Crack				
All	0.2%	0.3%	0.5%	99.6%
Grade 6	0.4%	0.5%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.9%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens				
All	0.5%	0.9%	1.7%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.5%	0.9%	2.3%	97.6%
Grade 11	1.3%	2.2%	4.3%	95.7%
Grade 12	1.1%	2.2%	3.4%	96.6%

Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.1%	0.4%	99.7%
	Grade 8	0.0%	0.1%	0.3%	99.6%
	Grade 9	0.2%	0.3%	0.6%	99.5%
	Grade 10	0.4%	0.6%	0.8%	99.2%
	Grade 11	0.1%	0.2%	0.7%	99.3%
	Grade 12	0.3%	0.4%	0.6%	99.3%
Steroids	All	0.3%	0.4%	1.0%	99.1%
	Grade 6	0.1%	0.2%	1.1%	98.9%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.3%	0.3%	1.0%	98.9%
	Grade 9	0.1%	0.1%	0.7%	99.2%
	Grade 10	0.3%	0.4%	0.9%	99.2%
	Grade 11	0.7%	0.7%	0.9%	99.1%
	Grade 12	0.3%	0.5%	1.0%	98.9%
Ecstasy	All	0.4%	0.6%	1.4%	98.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.1%	0.2%	0.9%	99.1%
	Grade 9	0.5%	0.7%	1.5%	98.5%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	1.2%	1.5%	3.0%	97.0%
	Grade 12	0.6%	1.3%	2.8%	97.2%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.3%	0.3%	0.4%	99.6%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.4%	3.8%	96.2%
Grade 6	0.2%	0.3%	1.0%	99.1%
Grade 7	0.4%	0.5%	1.0%	98.9%
Grade 8	0.9%	1.1%	2.8%	97.2%
Grade 9	1.2%	1.7%	4.1%	95.9%
Grade 10	1.8%	2.6%	5.7%	94.3%
Grade 11	1.3%	2.2%	7.0%	93.0%
Grade 12	1.1%	1.7%	6.6%	93.4%
Methamphetamine				
All	0.1%	0.2%	0.4%	99.5%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.2%	99.7%
Grade 10	0.1%	0.1%	0.2%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.3%
Grade 12	0.2%	0.8%	1.0%	99.0%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.4%	14.5%	27.2%	72.8%
	Grade 6	3.1%	3.9%	8.9%	91.1%
	Grade 7	3.8%	5.3%	15.0%	85.0%
	Grade 8	8.2%	11.4%	21.7%	78.2%
	Grade 9	8.7%	14.6%	29.4%	70.7%
	Grade 10	13.0%	18.8%	33.0%	67.0%
	Grade 11	15.6%	20.5%	37.8%	62.1%
	Grade 12	19.0%	24.3%	39.1%	60.8%
Alcohol	All	24.2%	33.2%	56.2%	43.8%
	Grade 6	9.1%	11.3%	28.9%	71.2%
	Grade 7	11.3%	15.5%	39.2%	60.9%
	Grade 8	17.5%	25.9%	49.1%	50.9%
	Grade 9	26.8%	36.5%	61.2%	38.9%
	Grade 10	30.4%	42.6%	67.6%	32.5%
	Grade 11	32.5%	45.1%	69.7%	30.3%
	Grade 12	37.4%	49.1%	69.3%	30.7%
Inhalants	All	4.4%	5.8%	14.5%	85.6%
	Grade 6	5.1%	6.1%	13.5%	86.5%
	Grade 7	7.0%	8.8%	17.2%	82.7%
	Grade 8	4.4%	6.7%	17.1%	82.9%
	Grade 9	4.6%	5.9%	16.6%	83.5%
	Grade 10	3.6%	4.7%	13.6%	86.4%
	Grade 11	3.0%	4.3%	10.6%	89.3%
	Grade 12	3.2%	4.2%	12.1%	88.0%
Any Illicit Drug	All	12.2%	17.3%	29.8%	70.2%
	Grade 6	2.2%	3.1%	6.7%	93.3%
	Grade 7	4.8%	6.8%	12.1%	87.9%
	Grade 8	7.7%	12.0%	22.1%	77.9%
	Grade 9	13.0%	19.6%	31.7%	68.3%
	Grade 10	14.6%	21.6%	38.5%	61.5%
	Grade 11	21.0%	26.8%	43.7%	56.3%
	Grade 12	19.3%	27.3%	47.6%	52.3%
Marijuana	All	11.4%	16.5%	28.9%	71.1%
	Grade 6	1.5%	2.6%	5.6%	94.4%
	Grade 7	4.4%	6.0%	11.0%	89.0%
	Grade 8	7.2%	11.5%	21.1%	78.9%
	Grade 9	11.7%	18.2%	30.9%	69.1%
	Grade 10	13.5%	21.0%	37.4%	62.7%
	Grade 11	19.6%	25.3%	42.3%	57.7%
	Grade 12	18.7%	26.6%	47.1%	52.8%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.4%	8.4%	17.3%	82.6%
Grade 6	1.0%	1.4%	3.4%	96.7%
Grade 7	2.3%	3.0%	6.8%	93.2%
Grade 8	2.7%	5.7%	12.6%	87.4%
Grade 9	6.2%	9.8%	18.7%	81.4%
Grade 10	7.3%	11.7%	23.7%	76.3%
Grade 11	9.2%	12.4%	24.5%	75.4%
Grade 12	7.5%	12.8%	27.8%	72.2%
Cocaine Or Crack				
All	0.6%	1.0%	2.4%	97.6%
Grade 6	0.0%	0.7%	1.3%	98.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.7%	0.9%	2.4%	97.6%
Grade 9	0.5%	0.8%	1.5%	98.5%
Grade 10	0.3%	0.5%	2.6%	97.5%
Grade 11	0.9%	2.0%	3.6%	96.5%
Grade 12	1.2%	1.6%	4.6%	95.4%
Cocaine				
All	0.5%	0.9%	2.1%	98.0%
Grade 6	0.0%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.8%	98.2%
Grade 9	0.4%	0.7%	1.3%	98.6%
Grade 10	0.3%	0.5%	2.2%	97.9%
Grade 11	0.9%	1.8%	3.1%	97.0%
Grade 12	1.1%	1.5%	4.4%	95.6%
Crack				
All	0.1%	0.2%	0.6%	99.4%
Grade 6	0.0%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.0%	98.9%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	1.0%	1.6%	3.5%	96.6%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.7%	98.2%
Grade 9	1.2%	2.1%	4.2%	95.8%
Grade 10	0.9%	1.5%	3.4%	96.6%
Grade 11	2.3%	3.3%	5.8%	94.2%
Grade 12	1.8%	2.6%	7.2%	92.8%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.0%	99.0%
	Grade 6	0.7%	0.7%	0.7%	99.3%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.3%	0.3%	1.1%	98.8%
	Grade 9	0.6%	1.1%	1.7%	98.3%
	Grade 10	0.5%	0.6%	0.9%	99.1%
	Grade 11	0.7%	0.7%	0.8%	99.2%
	Grade 12	0.3%	0.4%	1.3%	98.8%
Steroids	All	0.4%	0.5%	1.1%	98.8%
	Grade 6	0.1%	0.2%	0.6%	99.4%
	Grade 7	0.1%	0.3%	0.5%	99.6%
	Grade 8	0.6%	0.8%	1.6%	98.4%
	Grade 9	0.1%	0.2%	1.0%	99.0%
	Grade 10	0.7%	0.7%	1.4%	98.6%
	Grade 11	0.4%	0.5%	1.3%	98.7%
	Grade 12	0.7%	0.9%	1.6%	98.4%
Ecstasy	All	0.8%	1.4%	3.4%	96.6%
	Grade 6	0.0%	0.1%	0.3%	99.7%
	Grade 7	0.1%	0.5%	1.2%	98.8%
	Grade 8	0.6%	0.9%	2.1%	97.9%
	Grade 9	0.9%	1.8%	3.5%	96.6%
	Grade 10	0.7%	1.5%	3.6%	96.4%
	Grade 11	1.9%	2.3%	5.9%	94.0%
	Grade 12	1.3%	2.4%	6.3%	93.8%
Heroin	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.7%	0.8%	0.8%	99.1%
	Grade 7	0.2%	0.3%	0.6%	99.3%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.6%	99.3%
	Grade 10	0.1%	0.1%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.1%	99.8%
	Grade 12	0.3%	0.3%	0.6%	99.4%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.1%	3.6%	8.3%	91.7%
Grade 6	0.7%	1.2%	2.1%	98.0%
Grade 7	1.3%	2.1%	3.6%	96.4%
Grade 8	2.1%	2.9%	6.1%	93.9%
Grade 9	2.6%	4.9%	9.1%	90.8%
Grade 10	2.5%	4.4%	10.9%	89.1%
Grade 11	2.1%	4.2%	11.4%	88.7%
Grade 12	3.1%	4.6%	12.8%	87.2%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 6	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.5%	0.8%	99.3%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	0.4%	0.6%	1.2%	98.9%
Grade 12	0.5%	0.7%	1.3%	98.7%

**Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.3%	8.8%	17.4%	82.6%
	Grade 6	1.4%	1.8%	4.9%	95.1%
	Grade 7	1.9%	2.7%	7.9%	92.2%
	Grade 8	4.1%	5.9%	12.1%	87.9%
	Grade 9	5.8%	8.3%	18.4%	81.6%
	Grade 10	7.8%	11.6%	23.3%	76.7%
	Grade 11	12.1%	16.4%	29.8%	70.2%
	Grade 12	13.7%	18.7%	31.3%	68.6%
Alcohol	All	17.2%	24.7%	44.6%	55.3%
	Grade 6	6.0%	8.4%	21.7%	78.2%
	Grade 7	8.4%	10.8%	28.4%	71.5%
	Grade 8	10.8%	16.9%	37.3%	62.8%
	Grade 9	17.8%	25.7%	49.0%	50.9%
	Grade 10	23.7%	34.2%	56.9%	43.1%
	Grade 11	27.5%	39.4%	63.0%	37.1%
	Grade 12	31.9%	45.4%	64.5%	35.5%
Inhalants	All	3.3%	4.3%	10.5%	89.5%
	Grade 6	4.8%	5.6%	10.2%	89.8%
	Grade 7	4.5%	5.4%	11.7%	88.3%
	Grade 8	3.0%	4.6%	12.0%	88.0%
	Grade 9	3.3%	4.4%	12.0%	88.0%
	Grade 10	2.5%	3.4%	10.3%	89.7%
	Grade 11	2.3%	3.2%	8.9%	91.0%
	Grade 12	2.1%	2.7%	7.4%	92.5%
Any Illicit Drug	All	6.9%	10.0%	18.2%	81.7%
	Grade 6	1.3%	1.6%	3.6%	96.4%
	Grade 7	2.0%	2.8%	5.9%	94.1%
	Grade 8	3.7%	5.6%	11.2%	88.8%
	Grade 9	7.0%	10.7%	18.9%	81.0%
	Grade 10	9.4%	13.6%	26.2%	73.7%
	Grade 11	14.0%	19.3%	33.1%	66.9%
	Grade 12	13.7%	20.7%	35.5%	64.5%
Marijuana	All	6.4%	9.5%	17.5%	82.6%
	Grade 6	0.9%	1.3%	2.6%	97.5%
	Grade 7	1.6%	2.2%	5.1%	94.9%
	Grade 8	3.2%	5.0%	10.2%	89.8%
	Grade 9	6.4%	10.0%	18.3%	81.8%
	Grade 10	9.0%	13.1%	25.5%	74.5%
	Grade 11	13.1%	18.4%	32.1%	67.9%
	Grade 12	13.2%	20.2%	35.2%	64.8%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	5.2%	11.1%	88.9%
Grade 6	0.5%	0.6%	1.4%	98.6%
Grade 7	0.8%	1.1%	3.1%	96.9%
Grade 8	1.4%	2.4%	6.0%	94.0%
Grade 9	3.4%	5.7%	11.8%	88.2%
Grade 10	4.8%	7.7%	17.4%	82.6%
Grade 11	6.5%	10.0%	19.8%	80.2%
Grade 12	6.7%	11.5%	23.0%	77.1%
Cocaine Or Crack				
All	0.4%	0.6%	1.4%	98.6%
Grade 6	0.3%	0.6%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.5%	99.6%
Grade 8	0.3%	0.5%	1.2%	98.9%
Grade 9	0.4%	0.5%	0.9%	99.1%
Grade 10	0.2%	0.4%	1.3%	98.7%
Grade 11	1.0%	1.4%	2.7%	97.3%
Grade 12	0.7%	1.0%	2.8%	97.2%
Cocaine				
All	0.3%	0.5%	1.2%	98.8%
Grade 6	0.0%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.5%	0.9%	99.2%
Grade 10	0.2%	0.4%	1.3%	98.8%
Grade 11	1.0%	1.4%	2.5%	97.4%
Grade 12	0.7%	1.0%	2.8%	97.2%
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 6	0.3%	0.5%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.8%
Grade 11	0.1%	0.1%	0.6%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.5%	0.8%	1.7%	98.2%
Grade 6	0.1%	0.1%	0.2%	99.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.9%	1.7%	98.3%
Grade 10	0.4%	0.8%	2.0%	98.0%
Grade 11	1.5%	2.3%	4.3%	95.7%
Grade 12	1.1%	2.0%	4.2%	95.7%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.4%
	Grade 6	0.2%	0.2%	0.3%	99.8%
	Grade 7	0.1%	0.2%	0.4%	99.7%
	Grade 8	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.1%	0.3%	0.6%	99.3%
	Grade 10	0.3%	0.5%	0.7%	99.4%
	Grade 11	0.3%	0.3%	0.6%	99.3%
	Grade 12	0.2%	0.3%	0.8%	99.2%
Steroids	All	0.2%	0.3%	0.9%	99.1%
	Grade 6	0.1%	0.2%	1.0%	99.0%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.3%	0.9%	99.0%
	Grade 9	0.1%	0.2%	0.9%	99.2%
	Grade 10	0.4%	0.4%	0.9%	99.0%
	Grade 11	0.4%	0.5%	0.9%	99.2%
	Grade 12	0.4%	0.5%	1.1%	98.8%
Ecstasy	All	0.4%	0.7%	1.7%	98.4%
	Grade 6	0.0%	0.0%	0.0%	99.9%
	Grade 7	0.0%	0.1%	0.3%	99.6%
	Grade 8	0.1%	0.2%	0.9%	99.1%
	Grade 9	0.6%	1.0%	1.9%	98.1%
	Grade 10	0.3%	0.7%	2.1%	98.0%
	Grade 11	1.1%	1.3%	3.1%	96.9%
	Grade 12	0.7%	1.4%	3.6%	96.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.2%	0.2%	0.5%	99.4%
	Grade 7	0.3%	0.3%	0.5%	99.4%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.2%	0.2%	0.5%	99.5%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.7%	4.6%	95.5%
Grade 6	0.3%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.7%	1.5%	98.5%
Grade 8	0.7%	1.1%	3.0%	97.0%
Grade 9	1.2%	2.2%	4.9%	95.0%
Grade 10	1.6%	2.4%	6.3%	93.7%
Grade 11	1.3%	2.6%	8.0%	91.9%
Grade 12	1.7%	2.4%	8.4%	91.6%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.1%	0.1%	0.3%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.6%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.7%	1.0%	99.0%

**Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	12.7%	18.2%	32.3%	67.7%
	Grade 6	3.0%	4.7%	13.8%	86.2%
	Grade 7	6.2%	9.3%	24.1%	75.9%
	Grade 8	9.1%	13.4%	26.5%	73.6%
	Grade 9	9.9%	18.7%	34.1%	65.9%
	Grade 10	17.7%	23.5%	36.5%	63.5%
	Grade 11	16.4%	23.0%	42.0%	58.1%
	Grade 12	21.9%	27.5%	39.4%	60.6%
Alcohol	All	27.9%	38.7%	59.1%	41.0%
	Grade 6	10.4%	12.5%	39.4%	60.6%
	Grade 7	19.8%	24.8%	51.5%	48.4%
	Grade 8	20.9%	33.1%	51.3%	48.7%
	Grade 9	30.4%	42.9%	61.5%	38.5%
	Grade 10	32.5%	47.3%	67.0%	32.9%
	Grade 11	37.7%	50.0%	70.2%	29.8%
	Grade 12	34.3%	46.0%	62.1%	37.9%
Inhalants	All	7.1%	9.3%	19.6%	80.4%
	Grade 6	7.4%	9.0%	21.4%	78.6%
	Grade 7	12.3%	15.5%	29.1%	70.9%
	Grade 8	7.7%	11.9%	26.3%	73.7%
	Grade 9	6.6%	8.6%	19.9%	80.1%
	Grade 10	6.8%	8.3%	17.1%	82.9%
	Grade 11	6.5%	7.5%	13.2%	86.8%
	Grade 12	3.8%	6.2%	13.9%	86.1%
Any Illicit Drug	All	16.0%	21.5%	34.5%	65.5%
	Grade 6	1.3%	4.0%	12.5%	87.5%
	Grade 7	9.8%	11.9%	18.8%	81.1%
	Grade 8	9.9%	14.9%	24.1%	75.9%
	Grade 9	17.5%	22.4%	35.8%	64.2%
	Grade 10	19.0%	26.5%	41.4%	58.6%
	Grade 11	25.3%	32.5%	47.3%	52.8%
	Grade 12	21.5%	28.6%	48.5%	51.5%
Marijuana	All	14.7%	20.5%	33.4%	66.6%
	Grade 6	1.2%	3.5%	12.3%	87.8%
	Grade 7	8.5%	10.6%	16.7%	83.3%
	Grade 8	8.9%	13.9%	22.7%	77.3%
	Grade 9	15.3%	21.0%	34.9%	65.1%
	Grade 10	16.9%	25.8%	40.0%	60.0%
	Grade 11	24.6%	31.8%	46.8%	53.2%
	Grade 12	19.9%	27.4%	47.5%	52.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.7%	9.8%	18.5%	81.4%
Grade 6	0.3%	1.1%	6.1%	93.9%
Grade 7	4.2%	5.4%	9.8%	90.3%
Grade 8	2.8%	6.8%	13.3%	86.7%
Grade 9	7.9%	10.7%	18.7%	81.3%
Grade 10	7.6%	11.5%	22.0%	78.0%
Grade 11	11.4%	15.3%	25.3%	74.6%
Grade 12	9.4%	13.4%	27.8%	72.2%
Cocaine Or Crack				
All	1.2%	1.8%	4.1%	95.9%
Grade 6	0.2%	1.8%	2.7%	97.4%
Grade 7	1.6%	1.7%	2.5%	97.6%
Grade 8	1.0%	1.4%	4.6%	95.5%
Grade 9	0.4%	0.6%	3.1%	96.9%
Grade 10	0.7%	1.0%	3.7%	96.3%
Grade 11	2.4%	4.0%	5.8%	94.2%
Grade 12	1.8%	2.1%	5.6%	94.3%
Cocaine				
All	1.1%	1.6%	3.6%	96.4%
Grade 6	0.2%	1.8%	2.3%	97.7%
Grade 7	1.6%	1.7%	2.0%	98.0%
Grade 8	0.5%	0.6%	3.5%	96.5%
Grade 9	0.4%	0.6%	3.0%	97.0%
Grade 10	0.7%	1.0%	3.1%	97.0%
Grade 11	2.4%	3.6%	5.3%	94.7%
Grade 12	1.6%	1.9%	5.2%	94.8%
Crack				
All	0.2%	0.3%	1.0%	99.0%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.6%	99.3%
Grade 8	0.8%	1.1%	2.7%	97.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.1%	0.1%	1.3%	98.7%
Grade 11	0.0%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens				
All	1.4%	2.4%	4.7%	95.3%
Grade 6	0.0%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.6%	1.8%	98.2%
Grade 8	0.7%	1.1%	2.6%	97.3%
Grade 9	2.0%	3.2%	5.3%	94.7%
Grade 10	1.5%	2.3%	5.6%	94.4%
Grade 11	2.3%	4.0%	7.2%	92.8%
Grade 12	2.3%	3.7%	7.5%	92.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.8%	1.3%	98.7%
	Grade 6	0.5%	0.6%	1.2%	98.8%
	Grade 7	0.2%	0.2%	1.1%	98.8%
	Grade 8	0.2%	0.2%	0.5%	99.5%
	Grade 9	1.4%	1.6%	2.5%	97.5%
	Grade 10	1.1%	1.1%	1.5%	98.5%
	Grade 11	0.5%	0.5%	0.8%	99.1%
	Grade 12	0.3%	0.5%	1.0%	98.9%
Steroids	All	0.6%	0.7%	1.4%	98.6%
	Grade 6	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	1.1%	1.1%	2.4%	97.6%
	Grade 9	0.4%	0.5%	1.3%	98.7%
	Grade 10	0.7%	0.8%	1.4%	98.6%
	Grade 11	1.2%	1.2%	2.0%	98.0%
	Grade 12	0.3%	0.8%	1.5%	98.5%
Ecstasy	All	1.3%	2.1%	4.5%	95.5%
	Grade 6	0.0%	0.2%	0.4%	99.6%
	Grade 7	0.2%	0.4%	1.9%	98.1%
	Grade 8	1.4%	1.6%	3.2%	96.9%
	Grade 9	0.9%	1.7%	4.4%	95.6%
	Grade 10	1.2%	2.5%	4.6%	95.4%
	Grade 11	3.6%	4.4%	9.0%	91.1%
	Grade 12	0.9%	2.3%	5.4%	94.5%
Heroin	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.4%	99.6%
	Grade 7	1.3%	1.5%	1.7%	98.3%
	Grade 8	0.1%	0.5%	0.6%	99.3%
	Grade 9	0.1%	0.1%	1.2%	98.8%
	Grade 10	0.3%	0.3%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.7%	0.7%	0.8%	99.2%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.2%	4.8%	10.2%	89.9%
Grade 6	0.8%	1.0%	3.9%	96.0%
Grade 7	2.1%	3.2%	4.6%	95.4%
Grade 8	4.2%	4.5%	7.1%	92.9%
Grade 9	4.3%	6.5%	12.0%	88.0%
Grade 10	4.6%	8.0%	14.8%	85.2%
Grade 11	2.6%	4.3%	12.6%	87.4%
Grade 12	2.5%	3.9%	11.8%	88.2%
Methamphetamine				
All	0.4%	0.5%	1.0%	98.9%
Grade 6	0.0%	0.0%	0.7%	99.2%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	0.0%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.4%	1.0%	99.0%
Grade 10	0.6%	0.7%	1.2%	98.8%
Grade 11	1.0%	1.0%	1.3%	98.7%
Grade 12	0.5%	0.6%	1.2%	98.7%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	1,010,976	50.1%
Female	1,005,495	49.9%
Frequency Missing = 15121		

GRADE		
q2	Frequency	Percent
Grade 6	295,144	14.5%
Grade 7	304,501	15.0%
Grade 8	298,642	14.7%
Grade 9	327,809	16.1%
Grade 10	291,757	14.4%
Grade 11	269,380	13.3%
Grade 12	244,359	12.0%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	725,604	36.0%
Yes	1,290,675	64.0%
Frequency Missing = 15313		

AGE		
q4	Frequency	Percent
10 or below	1,815	0.1%
11	107,011	5.3%
12	269,870	13.3%
13	315,210	15.6%
14	290,464	14.3%
15	313,622	15.5%
16	285,426	14.1%
17	267,272	13.2%
18	154,002	7.6%
19 or older	20,264	1.0%
Frequency Missing = 6638		

ETHNICITY		
q5	Frequency	Percent
African Am.	290,247	14.7%
Asian Am.	81,232	4.1%
Mexican Am.	803,561	40.6%
Native Am.	10,375	0.5%
Other	39,569	2.0%
White	753,101	38.1%
Frequency Missing = 53508		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	626,046	35.8%
Mostly B's	864,592	49.4%
Mostly C's	225,701	12.9%
Mostly D's	23,927	1.4%
Mostly F's	10,068	0.6%
Frequency Missing = 281258		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	1,464,528	83.2%
Yes	295,259	16.8%
Frequency Missing = 271805		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	419,006	23.9%
No	678,228	38.7%
Yes	653,237	37.3%
Frequency Missing = 281121		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	871,842	52.2%
Yes	797,555	47.8%
Frequency Missing = 362195		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	1,230,959	77.5%
Yes	356,627	22.5%
Frequency Missing = 444006		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	1,335,607	86.3%
Yes	211,307	13.7%
Frequency Missing = 484678		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	979,518	61.5%
Yes	614,371	38.5%
Frequency Missing = 437703		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	1,411,356	91.3%
Yes	134,031	8.7%
Frequency Missing = 486205		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	1,156,581	73.9%
Yes	409,188	26.1%
Frequency Missing = 465823		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	1,437,864	93.3%
Yes	103,693	6.7%
Frequency Missing = 490035		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	1,704,148	84.6%
Somewhat Safe	271,735	13.5%
Not Very Safe	18,821	0.9%
Not Safe At All	3,995	0.2%
Don't Know	15,279	0.8%
Frequency Missing = 17614		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	1,140,827	72.6%
Yes	429,814	27.4%
Frequency Missing = 460951		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	823,133	41.1%
Somewhat Safe	943,648	47.2%
Not Very Safe	150,300	7.5%
Not Safe At All	34,491	1.7%
Don't Know	49,399	2.5%
Frequency Missing = 30621		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	1,139,339	72.8%
Yes	425,549	27.2%
Frequency Missing = 466704		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	886,293	44.3%
Somewhat Safe	851,071	42.5%
Not Very Safe	139,752	7.0%
Not Safe At All	61,671	3.1%
Don't Know	61,581	3.1%
Frequency Missing = 31224		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	106,783	5.3%
A Few	440,553	22.1%
Some	486,462	24.4%
Most	710,562	35.6%
All	252,820	12.7%

Frequency Missing = 34412

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	1,259,891	63.1%
A Few	480,949	24.1%
Some	154,740	7.7%
Most	61,881	3.1%
All	40,465	2.0%

Frequency Missing = 33665

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	1,378,543	69.8%
A Few	367,136	18.6%
Some	143,862	7.3%
Most	64,748	3.3%
All	20,295	1.0%

Frequency Missing = 57008

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	945,983	61.2%
Yes	599,450	38.8%

Frequency Missing = 486159

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	43,249	2.2%
A Few	231,631	11.8%
Some	400,513	20.4%
Most	848,715	43.2%
All	441,570	22.5%

Frequency Missing = 65914

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	1,952,333	97.3%
Heard/Used		
In Your Life-time	37,451	1.9%
Since School Began	4,674	0.2%
In the Past Month	12,827	0.6%

Frequency Missing = 24307

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	1,662,143	83.3%
A Few	216,701	10.9%
Some	72,483	3.6%
Most	28,245	1.4%
All	15,323	0.8%

Frequency Missing = 36697

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	1,876,982	93.8%
Heard/Used		
In Your Life-time	79,861	4.0%
Since School Began	12,556	0.6%
In the Past Month	31,137	1.6%

Frequency Missing = 31055

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

		RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
q13c		Frequency	Percent
Never		1,965,649	98.7%
Heard/Used			
In Your Life-time		16,189	0.8%
Since School Began		3,548	0.2%
In the Past Month		6,706	0.3%

Frequency Missing = 39501

		RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
q13f		Frequency	Percent
Never		1,972,620	98.9%
Heard/Used			
In Your Life-time		12,864	0.6%
Since School Began		2,376	0.1%
In the Past Month		6,514	0.3%

Frequency Missing = 37218

		RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
q13d		Frequency	Percent
Never		1,885,000	94.3%
Heard/Used			
In Your Life-time		68,859	3.4%
Since School Began		12,908	0.6%
In the Past Month		31,926	1.6%

Frequency Missing = 32899

		RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
q13g		Frequency	Percent
Never		1,954,660	97.8%
Heard/Used			
In Your Life-time		24,992	1.3%
Since School Began		4,667	0.2%
In the Past Month		13,307	0.7%

Frequency Missing = 33965

		RECENT INHALANT USE - GLUE	
q13e		Frequency	Percent
Never		1,967,573	98.7%
Heard/Used			
In Your Life-time		15,886	0.8%
Since School Began		3,542	0.2%
In the Past Month		6,886	0.3%

Frequency Missing = 37706

		RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
q13h		Frequency	Percent
Never		1,953,309	97.7%
Heard/Used			
In Your Life-time		25,613	1.3%
Since School Began		6,329	0.3%
In the Past Month		14,654	0.7%

Frequency Missing = 31686

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	1,651,429	82.6%
Heard/Used		
In Your Life-time	181,021	9.1%
Since School Began	54,042	2.7%
In the Past Month	112,856	5.6%

Frequency Missing = 32244

RECENT WINE USE		
q14e	Frequency	Percent
Never	1,379,209	70.5%
Heard/Used		
In Your Life-time	313,143	16.0%
Since School Began	105,481	5.4%
In the Past Month	158,944	8.1%

Frequency Missing = 74816

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	1,821,257	91.7%
Heard/Used		
In Your Life-time	67,558	3.4%
Since School Began	28,558	1.4%
In the Past Month	67,983	3.4%

Frequency Missing = 46236

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	1,368,558	68.8%
Heard/Used		
In Your Life-time	258,376	13.0%
Since School Began	125,581	6.3%
In the Past Month	237,051	11.9%

Frequency Missing = 42026

RECENT BEER USE		
q14c	Frequency	Percent
Never	1,272,088	64.9%
Heard/Used		
In Your Life-time	331,808	16.9%
Since School Began	122,474	6.2%
In the Past Month	235,144	12.0%

Frequency Missing = 70079

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	1,927,330	95.7%
Heard/Used		
In Your Life-time	55,642	2.8%
Since School Began	11,253	0.6%
In the Past Month	20,268	1.0%

Frequency Missing = 17099

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	1,409,509	71.0%
Heard/Used		
In Your Life-time	248,436	12.5%
Since School Began	112,108	5.6%
In the Past Month	214,613	10.8%

Frequency Missing = 46927

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	1,584,308	79.9%
Heard/Used		
In Your Life-time	175,165	8.8%
Since School Began	69,938	3.5%
In the Past Month	153,031	7.7%

Frequency Missing = 49150

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	1,950,029	98.4%
Heard/Used		
In Your Life- time	17,947	0.9%
Since School Began	4,721	0.2%
In the Past Month	9,156	0.5%
Frequency Missing = 49739		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	1,958,853	99.0%
Heard/Used		
In Your Life- time	12,014	0.6%
Since School Began	1,622	0.1%
In the Past Month	6,293	0.3%
Frequency Missing = 52811		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	1,964,518	99.5%
Heard/Used		
In Your Life- time	5,546	0.3%
Since School Began	1,448	0.1%
In the Past Month	3,053	0.2%
Frequency Missing = 57027		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	1,931,297	97.9%
Heard/Used		
In Your Life- time	23,721	1.2%
Since School Began	6,781	0.3%
In the Past Month	10,426	0.5%
Frequency Missing = 59368		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	1,934,388	97.7%
Heard/Used		
In Your Life- time	23,006	1.2%
Since School Began	8,450	0.4%
In the Past Month	13,423	0.7%
Frequency Missing = 52324		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	1,971,475	99.6%
Heard/Used		
In Your Life- time	4,009	0.2%
Since School Began	608	0.0%
In the Past Month	3,466	0.2%
Frequency Missing = 52034		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	1,965,410	99.3%
Heard/Used		
In Your Life- time	6,351	0.3%
Since School Began	1,890	0.1%
In the Past Month	5,180	0.3%
Frequency Missing = 52760		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	1,966,873	99.4%
Heard/Used		
In Your Life- time	6,551	0.3%
Since School Began	2,282	0.1%
In the Past Month	3,856	0.2%
Frequency Missing = 52030		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	1,870,790	94.6%
Heard/Used		
In Your Life- time	63,890	3.2%
Since School Began	16,064	0.8%
In the Past Month	27,189	1.4%

Frequency Missing = 53659

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	1,969,883	99.1%
Heard/Used		
In Your Life- time	5,799	0.3%
Since School Began	2,530	0.1%
In the Past Month	10,476	0.5%

Frequency Missing = 42905

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	1,788,961	89.8%
Heard/Used		
In Your Life- time	69,203	3.5%
Since School Began	36,341	1.8%
In the Past Month	98,503	4.9%

Frequency Missing = 38583

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	1,935,689	97.3%
Heard/Used		
In Your Life- time	16,053	0.8%
Since School Began	11,040	0.6%
In the Past Month	27,446	1.4%

Frequency Missing = 41364

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	1,945,030	97.7%
Heard/Used		
In Your Life- time	14,744	0.7%
Since School Began	7,050	0.4%
In the Past Month	24,525	1.2%

Frequency Missing = 40244

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	1,870,784	96.7%
Heard/Used		
In Your Life- time	24,730	1.3%
Since School Began	11,321	0.6%
In the Past Month	28,718	1.5%

Frequency Missing = 96039

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	1,896,471	95.2%
Heard/Used		
In Your Life- time	27,860	1.4%
Since School Began	21,466	1.1%
In the Past Month	45,334	2.3%

Frequency Missing = 40461

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	1,806,473	91.2%
Heard/Used		
1-2 times	86,108	4.3%
3-10 times	37,065	1.9%
11+ times	50,939	2.6%

Frequency Missing = 51006

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	1,511,589	76.7%
Heard/Used		
1-2 times	285,050	14.5%
3-10 times	122,919	6.2%
11+ times	50,713	2.6%
Frequency Missing = 61321		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	1,940,830	98.0%
Heard/Used		
1-2 times	30,490	1.5%
3-10 times	6,475	0.3%
11+ times	2,425	0.1%
Frequency Missing = 51371		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	1,749,248	88.4%
Heard/Used		
1-2 times	106,842	5.4%
3-10 times	59,747	3.0%
11+ times	62,901	3.2%
Frequency Missing = 52854		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	1,967,609	99.3%
Heard/Used		
1-2 times	9,959	0.5%
3-10 times	1,589	0.1%
11+ times	2,243	0.1%
Frequency Missing = 50192		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	1,972,612	99.7%
Heard/Used		
1-2 times	3,885	0.2%
3-10 times	1,205	0.1%
11+ times	990	0.1%
Frequency Missing = 52900		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	1,323,031	67.6%
heard/None		
A few	371,085	18.9%
Some	164,688	8.4%
Most	81,412	4.2%
All	18,056	0.9%
Frequency Missing = 73321		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	992,806	50.8%
heard/None		
A few	422,231	21.6%
Some	264,499	13.5%
Most	217,795	11.1%
All	58,806	3.0%
Frequency Missing = 75454		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	1,789,173	91.6%
heard/None		
A few	114,751	5.9%
Some	33,949	1.7%
Most	10,245	0.5%
All	4,139	0.2%
Frequency Missing = 79334		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	1,141,663	58.4%
A few	342,314	17.5%
Some	223,775	11.4%
Most	183,208	9.4%
All	64,556	3.3%

Frequency Missing = 76077

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	476,913	24.9%
Impossible	503,668	26.3%
Very difficult	149,874	7.8%
Somewhat diff	167,063	8.7%
Somewhat easy	229,074	11.9%
Very easy	391,548	20.4%

Frequency Missing = 113452

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	478,987	24.9%
Impossible	463,623	24.1%
Very difficult	153,486	8.0%
Somewhat diff	184,652	9.6%
Somewhat easy	252,565	13.1%
Very easy	391,137	20.3%

Frequency Missing = 107142

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	622,092	32.5%
Impossible	698,949	36.5%
Very difficult	252,651	13.2%
Somewhat diff	169,218	8.8%
Somewhat easy	79,296	4.1%
Very easy	91,401	4.8%

Frequency Missing = 117985

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	396,330	20.6%
Impossible	325,016	16.9%
Very difficult	120,296	6.3%
Somewhat diff	204,080	10.6%
Somewhat easy	343,755	17.9%
Very easy	530,502	27.6%

Frequency Missing = 111613

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	655,522	34.2%
Impossible	706,500	36.9%
Very difficult	260,130	13.6%
Somewhat diff	147,432	7.7%
Somewhat easy	67,369	3.5%
Very easy	77,759	4.1%

Frequency Missing = 116881

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	670,381	35.0%
Impossible	348,813	18.2%
Very difficult	94,228	4.9%
Somewhat diff	119,775	6.3%
Somewhat easy	194,357	10.2%
Very easy	486,010	25.4%

Frequency Missing = 118027

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	670,951	35.1%
Impossible	688,653	36.0%
Very difficult	254,317	13.3%
Somewhat diff	150,207	7.8%
Somewhat easy	74,209	3.9%
Very easy	75,823	4.0%

Frequency Missing = 117432

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	847,927	44.3%
Impossible	547,064	28.6%
Very difficult	201,682	10.5%
Somewhat diff	138,262	7.2%
Somewhat easy	86,901	4.5%
Very easy	91,014	4.8%
Frequency Missing = 118742		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	24,743	7.6%
9 years old	11,398	3.5%
10 years old	21,573	6.6%
11 years old	20,994	6.5%
12 years old	36,863	11.3%
13 years old	46,965	14.5%
14 years old	44,403	13.7%
15 years old	50,094	15.4%
16 years old	39,020	12.0%
17 years old	20,335	6.3%
18 or older	8,425	2.6%
Frequency Missing = 1706779		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	797,098	41.5%
Impossible	690,282	36.0%
Very difficult	228,846	11.9%
Somewhat diff	99,241	5.2%
Somewhat easy	44,471	2.3%
Very easy	59,843	3.1%
Frequency Missing = 111811		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	102,947	12.4%
9 years old	38,228	4.6%
10 years old	53,902	6.5%
11 years old	55,637	6.7%
12 years old	98,695	11.9%
13 years old	120,561	14.5%
14 years old	118,255	14.2%
15 years old	112,197	13.5%
16 years old	80,875	9.7%
17 years old	37,020	4.5%
18 or older	13,058	1.6%
Frequency Missing = 1200218		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	837,905	43.7%
Impossible	655,652	34.2%
Very difficult	217,020	11.3%
Somewhat diff	96,898	5.0%
Somewhat easy	45,393	2.4%
Very easy	66,406	3.5%
Frequency Missing = 112318		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	15,577	16.7%
9 years old	7,021	7.5%
10 years old	12,574	13.5%
11 years old	14,767	15.8%
12 years old	12,056	12.9%
13 years old	13,017	13.9%
14 years old	9,216	9.9%
15 years old	5,247	5.6%
16 years old	2,717	2.9%
17 years old	899	1.0%
18 or older	288	0.3%
Frequency Missing = 1938212		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	829,463	43.2%
Impossible	510,287	26.6%
Very difficult	160,803	8.4%
Somewhat diff	121,275	6.3%
Somewhat easy	127,600	6.7%
Very easy	168,758	8.8%
Frequency Missing = 113405		

q21d	AGE WHEN FIRST USED MARIJUANA	
	Frequency	Percent
8 or younger	7,788	2.0%
9 years old	7,779	2.0%
10 years old	12,474	3.2%
11 years old	24,873	6.3%
12 years old	43,531	11.0%
13 years old	69,410	17.6%
14 years old	74,751	18.9%
15 years old	71,281	18.0%
16 years old	52,286	13.2%
17 years old	25,046	6.3%
18 or older	6,175	1.6%

Frequency Missing = 1636198

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	2,643	16.9%
9 years old	737	4.7%
10 years old	2,074	13.2%
11 years old	1,587	10.1%
12 years old	1,177	7.5%
13 years old	1,821	11.6%
14 years old	1,877	12.0%
15 years old	1,191	7.6%
16 years old	1,154	7.4%
17 years old	933	6.0%
18 or older	469	3.0%

Frequency Missing = 2015930

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
8 or younger	382	1.5%
9 years old	574	2.2%
10 years old	719	2.8%
11 years old	951	3.7%
12 years old	2,222	8.6%
13 years old	3,364	13.1%
14 years old	3,401	13.2%
15 years old	5,143	20.0%
16 years old	3,677	14.3%
17 years old	2,988	11.6%
18 or older	2,282	8.9%

Frequency Missing = 2005889

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	685	1.9%
9 years old	196	0.5%
10 years old	670	1.8%
11 years old	1,196	3.2%
12 years old	2,490	6.8%
13 years old	4,042	11.0%
14 years old	6,875	18.7%
15 years old	8,334	22.6%
16 years old	7,129	19.4%
17 years old	4,413	12.0%
18 or older	803	2.2%

Frequency Missing = 1994757

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	567	7.5%
9 years old	115	1.5%
10 years old	466	6.1%
11 years old	498	6.6%
12 years old	2,191	28.9%
13 years old	2,074	27.3%
14 years old	840	11.1%
15 years old	498	6.6%
16 years old	205	2.7%
17 years old	139	1.8%

Frequency Missing = 2023999

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	1,794	40.7%
9 years old	273	6.2%
10 years old	282	6.4%
11 years old	126	2.9%
12 years old	146	3.3%
13 years old	453	10.3%
14 years old	312	7.1%
15 years old	351	8.0%
16 years old	292	6.6%
17 years old	375	8.5%
18 or older	8	0.2%

Frequency Missing = 2027180

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	1,873	19.5%
9 years old	188	1.9%
10 years old	315	3.3%
11 years old	395	4.1%
12 years old	1,244	12.9%
13 years old	954	9.9%
14 years old	1,153	12.0%
15 years old	1,416	14.7%
16 years old	562	5.8%
17 years old	1,503	15.6%
18 or older	26	0.3%

Frequency Missing = 2021964

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	4,965	0.3%
Several times/wk	36,004	1.9%
Several times/mo	125,058	6.5%
About once/- month	199,598	10.3%
About on- ce/year	199,301	10.3%
< once/year	162,552	8.4%
Never used	1,210,512	62.5%

Frequency Missing = 93602

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	1,009	1.0%
9 years old	1,007	1.0%
10 years old	1,593	1.6%
11 years old	3,920	3.8%
12 years old	8,115	7.9%
13 years old	19,269	18.8%
14 years old	18,679	18.2%
15 years old	20,751	20.3%
16 years old	17,946	17.5%
17 years old	8,030	7.8%
18 or older	2,087	2.0%

Frequency Missing = 1929186

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	630	0.0%
Several times/wk	3,129	0.2%
Several times/mo	6,356	0.3%
About once/- month	10,819	0.6%
About on- ce/year	13,166	0.7%
< once/year	32,226	1.7%
Never used	1,884,794	96.6%

Frequency Missing = 80473

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	33,162	1.7%
Several times/wk	26,702	1.4%
Several times/mo	35,025	1.8%
About once/- month	52,370	2.7%
About on- ce/year	48,628	2.5%
< once/year	86,787	4.4%
Never used	1,667,738	85.5%

Frequency Missing = 81180

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	31,872	1.6%
Several times/wk	37,026	1.9%
Several times/mo	57,432	2.9%
About once/- month	65,133	3.3%
About on- ce/year	69,746	3.6%
< once/year	82,860	4.2%
Never used	1,608,293	82.4%

Frequency Missing = 79230

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	1,390	0.1%
Several times/wk	1,200	0.1%
Several times/mo	1,262	0.1%
About once/- month	4,044	0.2%
About on- ce/year	4,497	0.2%
< once/year	6,450	0.3%
Never used	1,934,178	99.0%

Frequency Missing = 78570

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	794	0.0%
Several times/wk	681	0.0%
Several times/mo	1,210	0.1%
About once/- month	5,625	0.3%
About on- ce/year	9,184	0.5%
< once/year	12,998	0.7%
Never used	1,919,267	98.4%

Frequency Missing = 81833

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	401	0.0%
Several times/wk	518	0.0%
Several times/mo	92	0.0%
About once/- month	276	0.0%
About on- ce/year	992	0.1%
< once/year	1,762	0.1%
Never used	1,949,982	99.8%

Frequency Missing = 77570

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	602	0.0%
Several times/wk	161	0.0%
Several times/mo	498	0.0%
About on- ce/year	376	0.0%
< once/year	1,242	0.1%
Never used	1,951,274	99.9%

Frequency Missing = 77439

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	1,407	0.1%
Several times/wk	961	0.0%
Several times/mo	1,122	0.1%
About once/- month	1,436	0.1%
About on- ce/year	1,849	0.1%
< once/year	5,819	0.3%
Never used	1,940,454	99.4%

Frequency Missing = 78544

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	633	0.0%
Several times/wk	466	0.0%
Several times/mo	382	0.0%
About once/- month	969	0.0%
About on- ce/year	926	0.0%
< once/year	3,130	0.2%
Never used	1,945,596	99.7%

Frequency Missing = 79490

HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA		
q22l	Frequency	Percent
Every day	3,007	0.2%
Several times/wk	4,295	0.2%
Several times/mo	8,193	0.4%
About once/-month	13,610	0.7%
About once/year	17,314	0.9%
< once/year	39,364	2.0%
Never used	1,865,160	95.6%
Frequency Missing = 80648		

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	1,363,100	70.9%
12+ drinks	13,846	0.7%
9-11 drinks	8,407	0.4%
5-8 drinks	19,229	1.0%
3-4 drinks	45,079	2.3%
2 drinks	79,189	4.1%
1 drink	155,286	8.1%
< 1 drink	239,586	12.5%
Frequency Missing = 107872		

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	1,251,081	64.8%
12+ drinks	49,378	2.6%
9-11 drinks	29,793	1.5%
5-8 drinks	64,288	3.3%
3-4 drinks	97,014	5.0%
2 drinks	101,331	5.2%
1 drink	121,197	6.3%
< 1 drink	216,097	11.2%
Frequency Missing = 101414		

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	1,323,735	68.3%
12+ drinks	42,934	2.2%
9-11 drinks	29,662	1.5%
5-8 drinks	70,747	3.7%
3-4 drinks	111,777	5.8%
2 drinks	92,778	4.8%
1 drink	109,913	5.7%
< 1 drink	156,085	8.1%
Frequency Missing = 93961		

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24	Frequency	Percent
Never 5+ at time	949,049	49.0%
None	754,350	38.9%
1 day	87,847	4.5%
2 days	52,545	2.7%
3 to 5 days	46,644	2.4%
6 to 9 days	17,763	0.9%
10 or more days	28,914	1.5%
Frequency Missing = 94480		

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	1,352,338	70.0%
12+ drinks	30,561	1.6%
9-11 drinks	22,320	1.2%
5-8 drinks	58,137	3.0%
3-4 drinks	103,377	5.3%
2 drinks	105,714	5.5%
1 drink	120,577	6.2%
< 1 drink	139,474	7.2%
Frequency Missing = 99093		

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	1,108,500	57.1%
Never	388,644	20.0%
Seldom	308,103	15.9%
Most of the Time	95,070	4.9%
Always	42,006	2.2%
Frequency Missing = 89269		

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	1,101,746	56.8%
Never	360,365	18.6%
Seldom	229,889	11.9%
Most of the Time	185,617	9.6%
Always	61,970	3.2%

Frequency Missing = 92005

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	1,246,801	63.7%
Somewhat	426,893	21.8%
Not very	148,538	7.6%
Not at all	41,104	2.1%
Don't know	94,230	4.8%

Frequency Missing = 74025

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	1,149,955	59.4%
Never	634,461	32.8%
Seldom	75,291	3.9%
Most of the Time	46,598	2.4%
Always	28,277	1.5%

Frequency Missing = 97010

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	1,059,207	54.3%
Somewhat	546,520	28.0%
Not very	226,659	11.6%
Not at all	43,035	2.2%
Don't know	74,399	3.8%

Frequency Missing = 81772

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	1,471,118	75.4%
Somewhat	249,275	12.8%
Not very	68,790	3.5%
Not at all	22,462	1.2%
Don't know	139,969	7.2%

Frequency Missing = 79977

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	1,073,799	55.3%
Never	324,730	16.7%
Seldom	180,893	9.3%
Most of the Time	189,968	9.8%
Always	171,256	8.8%

Frequency Missing = 90946

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	1,187,230	60.8%
Somewhat	246,089	12.6%
Not very	195,759	10.0%
Not at all	239,211	12.2%
Don't know	85,043	4.4%

Frequency Missing = 78260

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	1,143,417	59.4%
Never	464,708	24.2%
Seldom	163,234	8.5%
Most of the Time	81,008	4.2%
Always	71,743	3.7%

Frequency Missing = 107483

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	1,700,707	87.1%
Somewhat	121,442	6.2%
Not very	18,810	1.0%
Not at all	10,193	0.5%
Don't know	101,117	5.2%

Frequency Missing = 79322

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	1,713,742	87.8%
Somewhat	104,286	5.3%
Not very	14,547	0.7%
Not at all	10,828	0.6%
Don't know	108,059	5.5%
Frequency Missing = 80130		

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	1,535,468	78.6%
Somewhat	150,509	7.7%
Not very	64,121	3.3%
Not at all	28,611	1.5%
Don't know	174,321	8.9%
Frequency Missing = 78562		

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	1,582,517	81.1%
Somewhat	143,841	7.4%
Not very	39,592	2.0%
Not at all	15,059	0.8%
Don't know	169,707	8.7%
Frequency Missing = 80876		

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	1,559,968	79.9%
Somewhat	130,161	6.7%
Not very	45,250	2.3%
Not at all	21,515	1.1%
Don't know	196,125	10.0%
Frequency Missing = 78574		

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	1,488,631	76.5%
Somewhat	238,792	12.3%
Not very	68,262	3.5%
Not at all	21,711	1.1%
Don't know	128,939	6.6%
Frequency Missing = 85257		

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	1,567,753	81.0%
1-3 days	273,137	14.1%
4-9 days	57,124	3.0%
10+ days	37,413	1.9%
Frequency Missing = 96165		

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	1,706,111	87.4%
Somewhat	82,368	4.2%
Not very	13,558	0.7%
Not at all	10,875	0.6%
Don't know	140,042	7.2%
Frequency Missing = 78638		

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	660,908	34.2%
1-3 days	982,468	50.8%
4-9 days	231,611	12.0%
10+ days	58,046	3.0%
Frequency Missing = 98559		

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	1,707,955	87.4%
Somewhat	76,259	3.9%
Not very	14,651	0.8%
Not at all	9,906	0.5%
Don't know	144,637	7.4%
Frequency Missing = 78184		

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	839,320	43.9%
1-3 days	885,245	46.3%
4-9 days	137,012	7.2%
10+ days	50,688	2.7%
Frequency Missing = 119327		

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	1,687,891	87.2%
1-3 days	188,486	9.7%
4-9 days	34,029	1.8%
10+ days	24,624	1.3%
Frequency Missing = 96562		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	1,858,090	96.4%
1-3 times	60,357	3.1%
4-9 times	6,072	0.3%
10+ times	3,693	0.2%
Frequency Missing = 103380		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	1,744,156	90.2%
1-3 days	148,060	7.7%
4-9 days	21,133	1.1%
10+ days	19,952	1.0%
Frequency Missing = 98292		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	1,855,803	96.3%
1-3 times	45,082	2.3%
4-9 times	11,178	0.6%
10+ times	14,741	0.8%
Frequency Missing = 104788		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	1,865,130	96.4%
1-3 times	60,303	3.1%
4-9 times	6,661	0.3%
10+ times	2,545	0.1%
Frequency Missing = 96952		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	1,852,229	96.1%
1-3 times	59,999	3.1%
4-9 times	9,287	0.5%
10+ times	6,769	0.4%
Frequency Missing = 103308		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	1,870,740	96.8%
1-3 times	47,248	2.4%
4-9 times	8,432	0.4%
10+ times	5,450	0.3%
Frequency Missing = 99722		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	1,852,443	96.1%
1-3 days	58,044	3.0%
4-9 days	9,658	0.5%
10+ days	7,083	0.4%
Frequency Missing = 104364		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	1,838,621	95.7%
1-3 times	71,665	3.7%
4-9 times	6,550	0.3%
10+ times	3,979	0.2%
Frequency Missing = 110777		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	1,792,040	93.2%
1-3 days	76,764	4.0%
4-9 days	20,375	1.1%
10+ days	34,613	1.8%
Frequency Missing = 107801		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	1,903,152	99.1%
1-3 days	13,934	0.7%
4-9 days	2,178	0.1%
10+ days	2,045	0.1%
Frequency Missing = 110282		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	1,869,165	97.3%
1-3 days	34,314	1.8%
4-9 days	7,919	0.4%
10+ days	8,937	0.5%
Frequency Missing = 111257		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	982,367	51.1%
Seldom	118,505	6.2%
Half the time	93,633	4.9%
Most of the time	158,301	8.2%
Always	204,131	10.6%
Don't know	31,873	1.7%
Didn't attend	334,621	17.4%
Frequency Missing = 108160		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	1,114,956	57.9%
Seldom	111,610	5.8%
Half the time	88,347	4.6%
Most of the time	108,966	5.7%
Always	125,858	6.5%
Don't know	41,706	2.2%
Didn't attend	334,862	17.4%
Frequency Missing = 105287		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	1,649,334	93.9%
Yes	106,293	6.1%
Frequency Missing = 275964		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	1,158,831	61.2%
Yes	734,847	38.8%
Frequency Missing = 137914		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	1,092,616	57.7%
Yes	801,330	42.3%
Frequency Missing = 137646		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	1,083,035	57.7%
Yes	792,753	42.3%
Frequency Missing = 155804		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	609,647	32.1%
Yes	1,286,636	67.9%
Frequency Missing = 135309		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	861,983	45.8%
Yes	1,019,192	54.2%
Frequency Missing = 150418		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	722,343	38.4%
Yes	1,159,215	61.6%
Frequency Missing = 150034		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	733,015	38.8%
Yes	1,156,848	61.2%
Frequency Missing = 141729		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	1,533,842	86.6%
Yes	237,097	13.4%
Frequency Missing = 260654		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	1,558,727	84.0%
Yes	296,224	16.0%
Frequency Missing = 176641		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	1,277,290	71.9%
Yes	500,002	28.1%
Frequency Missing = 254301		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	1,032,092	57.7%
Yes	757,377	42.3%
Frequency Missing = 242122		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	1,246,521	70.2%
Yes	529,358	29.8%
Frequency Missing = 255713		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	1,019,517	57.2%
Yes	762,702	42.8%
Frequency Missing = 249373		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	1,508,381	78.5%
Mild disapprove	126,756	6.6%
Neither	105,847	5.5%
Mildly approve	18,125	0.9%
Strongly approve	16,524	0.9%
Don't know	146,811	7.6%
Frequency Missing = 109147		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	1,334,255	75.1%
Yes	442,044	24.9%
Frequency Missing = 255293		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL		
q34b	Frequency	Percent
Strong disapprove	1,276,779	66.5%
Mild disapprove	233,801	12.2%
Neither	188,763	9.8%
Mildly approve	60,939	3.2%
Strongly approve	21,021	1.1%
Don't know	139,106	7.2%
Frequency Missing = 111182		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	1,263,028	71.1%
Yes	514,145	28.9%
Frequency Missing = 254419		

		PARENTS ABOUT KIDS USING MARIJUANA	FEEL USING
q34c		Frequency	Percent
Strongly disapprove		1,526,215	79.5%
Mild disapprove		108,300	5.6%
Neither		96,427	5.0%
Mildly approve		24,565	1.3%
Strongly approve		28,143	1.5%
Don't know		136,476	7.1%
		Frequency Missing = 111466	

		TESTED FOR DRUG USE AT SCHOOL	
q35		Frequency	Percent
No		1,633,131	85.0%
Yes		287,488	15.0%
		Frequency Missing = 110973	

		DRUG SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	TESTING RE-
q36		Frequency	Percent
Do not know		452,415	23.4%
No		366,105	18.9%
Yes		1,114,479	57.7%
		Frequency Missing = 98594	