

region10
Spring 2006

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	16.2%	22.6%	38.5%	61.5%
	Grade 7	3.3%	5.1%	13.3%	86.7%
	Grade 8	8.4%	13.9%	26.4%	73.6%
	Grade 9	16.2%	23.8%	40.4%	59.6%
	Grade 10	18.0%	26.7%	45.3%	54.7%
	Grade 11	23.8%	31.5%	52.4%	47.6%
	Grade 12	31.1%	39.0%	59.2%	40.8%
Cigarettes					
	All	15.4%	21.6%	37.6%	62.4%
	Grade 7	2.9%	4.7%	12.9%	87.1%
	Grade 8	7.5%	13.1%	25.0%	75.0%
	Grade 9	15.5%	22.9%	40.2%	59.8%
	Grade 10	17.2%	25.0%	44.2%	55.8%
	Grade 11	22.9%	30.4%	51.6%	48.4%
	Grade 12	30.0%	37.9%	57.8%	42.2%
Smokeless tobacco					
	All	3.4%	5.2%	8.7%	91.3%
	Grade 7	1.2%	1.5%	3.0%	97.0%
	Grade 8	1.7%	3.1%	4.8%	95.2%
	Grade 9	4.1%	6.1%	9.9%	90.1%
	Grade 10	2.8%	5.0%	8.4%	91.6%
	Grade 11	4.5%	5.6%	11.5%	88.5%
	Grade 12	7.1%	10.5%	16.1%	83.9%

region10
Spring 2006

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	63.7%	2.7%	4.3%	5.3%	7.3%	6.9%	9.9%
	Grade 7	88.8%	0.2%	0.7%	0.9%	2.6%	2.9%	3.8%
	Grade 8	74.6%	0.5%	2.8%	2.4%	4.0%	6.5%	9.2%
	Grade 9	61.3%	1.3%	4.4%	5.8%	9.3%	7.7%	10.2%
	Grade 10	57.4%	2.5%	5.4%	5.2%	9.4%	8.1%	12.0%
	Grade 11	51.4%	5.2%	5.2%	8.4%	10.1%	7.5%	12.2%
	Grade 12	43.4%	8.1%	7.6%	10.5%	8.7%	8.8%	13.0%
Cigarettes?								
	All	64.0%	2.5%	4.2%	5.3%	7.1%	6.7%	10.1%
	Grade 7	88.9%	0.2%	0.6%	0.9%	2.6%	2.9%	3.8%
	Grade 8	74.8%	0.5%	2.8%	2.4%	3.9%	6.3%	9.3%
	Grade 9	61.5%	1.2%	4.4%	5.7%	9.3%	7.3%	10.6%
	Grade 10	57.9%	2.5%	5.2%	5.0%	9.7%	8.0%	11.7%
	Grade 11	51.7%	4.6%	5.5%	8.4%	9.5%	7.8%	12.4%
	Grade 12	44.4%	7.4%	7.3%	10.6%	8.2%	8.2%	13.9%
Smokeless tobacco?								
	All	92.0%	0.4%	0.4%	0.8%	1.8%	1.9%	2.7%
	Grade 7	97.6%	0.0%	0.5%	0.0%	0.3%	0.9%	0.7%
	Grade 8	95.8%	0.0%	0.2%	0.4%	1.2%	0.9%	1.6%
	Grade 9	91.3%	0.3%	0.6%	0.9%	1.5%	2.2%	3.1%
	Grade 10	94.2%	0.1%	0.7%	0.8%	1.5%	0.7%	2.0%
	Grade 11	90.5%	1.2%	0.1%	0.8%	2.1%	2.4%	2.8%
	Grade 12	81.3%	1.0%	0.5%	2.2%	4.5%	4.4%	6.1%

region10
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	83.5%	10.8%	4.4%	0.8%	0.3%	0.2%
Grade 7	95.7%	3.8%	0.2%	0.2%	0.0%	0.0%
Grade 8	92.4%	5.2%	2.2%	0.2%	0.0%	0.0%
Grade 9	82.0%	12.9%	4.2%	0.7%	0.2%	0.1%
Grade 10	81.4%	11.5%	5.2%	1.2%	0.5%	0.1%
Grade 11	76.4%	14.7%	6.6%	0.9%	0.9%	0.5%
Grade 12	69.9%	18.1%	9.1%	2.1%	0.4%	0.4%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.9	11.5	12.2	13.0	13.7	14.5

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	11.7%	14.3%	4.9%	8.7%	18.5%	41.9%
Grade 7	19.2%	31.3%	7.4%	9.7%	11.9%	20.5%
Grade 8	14.0%	22.6%	8.6%	8.9%	20.2%	25.6%
Grade 9	10.9%	10.3%	3.3%	11.8%	20.2%	43.5%
Grade 10	10.4%	5.9%	4.2%	9.0%	21.1%	49.4%
Grade 11	7.3%	7.8%	3.5%	7.2%	20.5%	53.6%
Grade 12	5.9%	3.4%	1.0%	3.5%	17.5%	68.7%
Smokeless Tobacco?						
All	25.9%	19.1%	6.1%	9.2%	11.7%	28.0%
Grade 7	29.6%	36.7%	8.2%	5.6%	5.0%	14.9%
Grade 8	28.6%	30.6%	7.5%	9.3%	7.3%	16.7%
Grade 9	26.8%	14.9%	7.3%	11.0%	11.9%	28.1%
Grade 10	23.3%	11.9%	5.8%	12.2%	14.7%	32.0%
Grade 11	23.0%	10.2%	4.9%	10.4%	17.0%	34.5%
Grade 12	22.1%	5.3%	1.5%	5.9%	16.8%	48.4%

region10
Spring 2006

Table T-6: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	34.2%	27.4%	13.8%	8.5%	16.2%
	Grade 7	67.2%	16.3%	4.7%	0.6%	11.2%
	Grade 8	47.5%	28.4%	8.1%	3.8%	12.1%
	Grade 9	28.4%	29.8%	13.4%	8.6%	19.9%
	Grade 10	23.6%	31.0%	14.4%	11.1%	19.9%
	Grade 11	18.7%	30.1%	22.1%	12.3%	16.9%
	Grade 12	14.7%	29.2%	22.9%	16.4%	16.8%
Smoke cigarettes?						
	All	36.2%	29.5%	13.3%	8.4%	12.7%
	Grade 7	69.9%	16.5%	4.5%	0.5%	8.6%
	Grade 8	49.5%	29.1%	6.6%	3.9%	10.8%
	Grade 9	31.1%	32.0%	13.0%	8.2%	15.7%
	Grade 10	25.3%	34.8%	13.7%	11.3%	15.0%
	Grade 11	20.7%	33.6%	21.4%	11.8%	12.5%
	Grade 12	15.2%	31.4%	23.6%	16.5%	13.2%
Use a smokeless tobacco product?						
	All	67.5%	12.3%	5.3%	2.1%	12.8%
	Grade 7	84.6%	4.5%	1.0%	0.1%	9.9%
	Grade 8	77.8%	8.6%	2.9%	1.0%	9.8%
	Grade 9	61.1%	13.9%	5.2%	3.3%	16.5%
	Grade 10	61.2%	15.3%	5.1%	2.3%	16.0%
	Grade 11	61.0%	15.4%	8.0%	2.9%	12.7%
	Grade 12	57.0%	17.4%	10.8%	3.4%	11.5%

region10
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	74.0%	8.4%	6.0%	1.4%	1.0%	9.1%
Grade 7	80.9%	3.4%	1.1%	0.8%	0.7%	13.2%
Grade 8	81.5%	3.7%	3.5%	0.5%	0.3%	10.4%
Grade 9	75.7%	7.9%	5.5%	1.7%	1.2%	8.0%
Grade 10	74.0%	8.9%	6.8%	1.3%	0.9%	8.0%
Grade 11	68.3%	12.6%	8.9%	1.3%	1.4%	7.6%
Grade 12	60.6%	15.9%	11.5%	3.3%	1.5%	7.1%

region10
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	50.1%	28.6%	13.4%	3.6%	4.2%
Grade 7	74.4%	15.8%	4.9%	0.8%	4.0%
Grade 8	60.6%	26.0%	6.8%	1.8%	4.8%
Grade 9	46.0%	31.2%	14.7%	4.5%	3.7%
Grade 10	44.0%	31.9%	16.1%	3.2%	4.8%
Grade 11	38.6%	34.5%	17.4%	5.6%	3.9%
Grade 12	32.9%	33.7%	22.8%	6.5%	4.2%

region10
Spring 2006

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	37.7%	47.7%	71.9%	28.1%
	Grade 7	15.2%	18.6%	47.8%	52.2%
	Grade 8	24.4%	33.8%	62.6%	37.4%
	Grade 9	39.8%	50.4%	75.7%	24.3%
	Grade 10	45.0%	57.1%	79.2%	20.8%
	Grade 11	49.3%	62.0%	83.5%	16.5%
	Grade 12	57.7%	70.8%	87.0%	13.0%
Beer					
	All	29.5%	39.2%	59.6%	40.4%
	Grade 7	9.4%	12.1%	31.9%	68.1%
	Grade 8	18.3%	25.6%	47.9%	52.1%
	Grade 9	29.5%	41.1%	62.5%	37.5%
	Grade 10	35.2%	46.9%	67.7%	32.3%
	Grade 11	40.9%	54.5%	74.9%	25.1%
	Grade 12	49.6%	61.3%	78.6%	21.4%
Wine coolers					
	All	22.4%	32.5%	52.7%	47.3%
	Grade 7	7.0%	10.9%	26.7%	73.3%
	Grade 8	15.1%	22.6%	43.1%	56.9%
	Grade 9	25.0%	36.2%	58.0%	42.0%
	Grade 10	27.8%	40.3%	60.7%	39.3%
	Grade 11	28.5%	40.4%	64.6%	35.4%
	Grade 12	34.0%	48.6%	67.2%	32.8%
Wine					
	All	16.6%	25.6%	49.1%	50.9%
	Grade 7	7.1%	10.1%	30.5%	69.5%
	Grade 8	10.7%	18.3%	40.4%	59.6%
	Grade 9	20.0%	29.4%	51.7%	48.3%
	Grade 10	19.8%	32.0%	54.9%	45.1%
	Grade 11	19.2%	31.7%	58.0%	42.0%
	Grade 12	24.0%	34.3%	62.7%	37.3%
Liquor					
	All	24.8%	33.4%	49.1%	50.9%
	Grade 7	5.9%	7.7%	16.8%	83.2%
	Grade 8	12.1%	17.4%	30.1%	69.9%
	Grade 9	23.3%	32.5%	51.4%	48.6%
	Grade 10	31.0%	42.4%	60.7%	39.3%
	Grade 11	36.4%	48.5%	68.2%	31.8%
	Grade 12	45.9%	59.2%	75.0%	25.0%

region10
Spring 2006

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	32.5%	0.7%	8.7%	18.0%	16.8%	13.6%	9.5%
	Grade 7	60.5%	0.2%	2.1%	4.0%	8.1%	12.4%	12.8%
	Grade 8	43.9%	0.2%	3.8%	8.9%	13.9%	18.4%	10.9%
	Grade 9	26.6%	0.7%	8.9%	19.4%	17.5%	16.4%	10.4%
	Grade 10	25.0%	0.8%	11.1%	21.8%	21.4%	11.5%	8.3%
	Grade 11	18.6%	1.9%	12.2%	27.6%	19.5%	12.8%	7.3%
	Grade 12	15.8%	0.8%	16.3%	29.9%	21.9%	8.8%	6.4%
Beer?								
	All	40.3%	0.5%	8.1%	15.6%	15.3%	10.2%	10.1%
	Grade 7	70.4%	0.0%	1.6%	2.9%	6.3%	8.5%	10.2%
	Grade 8	54.2%	0.0%	3.6%	7.0%	12.3%	11.4%	11.5%
	Grade 9	35.7%	0.7%	8.2%	16.8%	15.9%	12.3%	10.4%
	Grade 10	31.0%	0.3%	10.2%	19.5%	19.9%	8.1%	10.9%
	Grade 11	24.4%	1.2%	10.8%	24.3%	19.6%	11.0%	8.7%
	Grade 12	21.6%	0.8%	15.3%	26.1%	18.7%	9.1%	8.6%
Wine coolers?								
	All	48.1%	0.1%	4.3%	11.7%	14.4%	12.4%	9.1%
	Grade 7	74.9%	0.1%	1.3%	2.6%	5.4%	8.6%	7.0%
	Grade 8	59.0%	0.0%	1.7%	6.5%	10.1%	14.0%	8.7%
	Grade 9	42.8%	0.1%	4.6%	13.8%	16.2%	13.0%	9.5%
	Grade 10	39.6%	0.3%	5.4%	15.8%	18.3%	11.2%	9.4%
	Grade 11	36.6%	0.0%	5.8%	17.2%	16.0%	14.9%	9.5%
	Grade 12	31.9%	0.1%	7.7%	15.3%	21.6%	12.9%	10.5%
Wine?								
	All	51.3%	0.1%	3.2%	8.3%	10.4%	16.0%	10.7%
	Grade 7	72.8%	0.1%	0.8%	2.8%	3.2%	10.5%	9.8%
	Grade 8	63.6%	0.2%	1.7%	3.9%	5.7%	15.8%	9.0%
	Grade 9	47.3%	0.0%	3.5%	11.3%	12.7%	15.0%	10.2%
	Grade 10	43.1%	0.2%	4.0%	10.5%	13.0%	17.5%	11.7%
	Grade 11	41.6%	0.0%	4.4%	11.8%	12.6%	17.3%	12.2%
	Grade 12	35.7%	0.1%	5.3%	10.4%	16.1%	20.7%	11.7%
Liquor?								
	All	52.3%	0.3%	5.5%	13.0%	12.9%	8.9%	6.9%
	Grade 7	84.1%	0.0%	0.7%	1.9%	3.0%	5.3%	5.0%
	Grade 8	72.0%	0.0%	1.7%	4.1%	7.1%	7.8%	7.2%
	Grade 9	50.2%	0.2%	5.4%	13.9%	13.0%	9.0%	8.4%
	Grade 10	40.6%	0.5%	7.1%	16.4%	16.9%	10.8%	7.7%
	Grade 11	32.7%	1.0%	8.0%	21.8%	17.3%	12.1%	6.9%
	Grade 12	26.5%	0.4%	11.7%	23.3%	22.7%	9.2%	6.2%

region10
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	38.3%	61.7%	17.5%	29.7%	14.6%
	Grade 7	65.2%	34.8%	2.5%	15.0%	17.3%
	Grade 8	51.0%	49.0%	6.3%	25.0%	17.6%
	Grade 9	34.3%	65.7%	16.5%	33.1%	16.1%
	Grade 10	30.3%	69.7%	22.8%	33.9%	13.0%
	Grade 11	23.2%	76.8%	29.0%	37.3%	10.4%
	Grade 12	21.1%	78.9%	32.1%	35.3%	11.5%
Wine Coolers						
	All	45.2%	54.8%	11.4%	33.2%	10.2%
	Grade 7	71.7%	28.3%	2.7%	15.4%	10.2%
	Grade 8	54.6%	45.4%	5.2%	29.3%	10.9%
	Grade 9	39.4%	60.6%	13.1%	37.1%	10.5%
	Grade 10	37.0%	63.0%	14.9%	38.8%	9.2%
	Grade 11	33.7%	66.3%	17.0%	39.3%	10.0%
	Grade 12	31.3%	68.7%	17.6%	41.0%	10.1%
Wine						
	All	49.8%	50.2%	4.8%	26.1%	19.3%
	Grade 7	69.2%	30.8%	1.5%	11.5%	17.8%
	Grade 8	58.9%	41.1%	2.5%	20.0%	18.6%
	Grade 9	45.7%	54.3%	4.4%	31.9%	17.9%
	Grade 10	42.6%	57.4%	6.3%	30.8%	20.3%
	Grade 11	42.1%	57.9%	7.8%	30.6%	19.5%
	Grade 12	36.8%	63.2%	7.3%	33.3%	22.7%
Liquor						
	All	49.7%	50.3%	12.7%	27.0%	10.6%
	Grade 7	82.2%	17.8%	1.9%	6.4%	9.4%
	Grade 8	68.7%	31.3%	3.0%	16.4%	11.9%
	Grade 9	48.1%	51.9%	11.3%	27.4%	13.1%
	Grade 10	37.9%	62.1%	17.0%	34.4%	10.7%
	Grade 11	30.9%	69.1%	23.7%	37.3%	8.1%
	Grade 12	22.6%	77.4%	23.5%	44.7%	9.2%

region10
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	71.0%	8.8%	6.5%	7.6%	3.0%	3.0%
	Grade 7	93.2%	4.2%	0.9%	0.8%	0.2%	0.6%
	Grade 8	88.4%	4.7%	2.1%	2.6%	0.8%	1.3%
	Grade 9	69.9%	9.7%	7.5%	6.9%	2.6%	3.5%
	Grade 10	64.2%	10.4%	8.2%	8.8%	4.1%	4.2%
	Grade 11	56.0%	11.5%	8.8%	14.4%	5.2%	4.0%
	Grade 12	47.8%	13.4%	13.0%	14.8%	5.9%	5.0%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol						
	10.7	11.1	12.0	12.7	13.1	13.6
Beer						
	10.8	11.1	12.1	13.0	13.5	14.0
Wine Coolers						
	11.2	11.6	12.4	13.1	13.5	14.1
Wine						
	10.9	11.6	12.5	13.2	13.5	14.0
Liquor						
	11.6	11.9	12.9	13.7	14.2	14.8

region10
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	9.2%	10.3%	4.9%	10.4%	19.9%	45.3%
	Grade 7	18.0%	22.8%	8.7%	13.1%	14.7%	22.8%
	Grade 8	12.6%	15.0%	7.8%	11.7%	18.9%	34.0%
	Grade 9	8.1%	7.1%	3.4%	10.3%	24.0%	47.0%
	Grade 10	6.4%	5.6%	3.9%	8.3%	17.6%	58.2%
	Grade 11	4.3%	5.4%	2.6%	9.6%	21.0%	57.2%
	Grade 12	3.5%	3.4%	2.0%	8.7%	23.2%	59.2%
Wine coolers?							
	All	13.9%	11.2%	5.6%	10.3%	17.8%	41.1%
	Grade 7	25.6%	25.2%	8.4%	10.5%	10.7%	19.5%
	Grade 8	17.9%	18.0%	9.2%	10.3%	15.5%	29.1%
	Grade 9	12.2%	7.5%	5.9%	13.1%	18.2%	43.0%
	Grade 10	10.1%	5.7%	3.6%	8.7%	20.0%	51.8%
	Grade 11	8.2%	4.7%	3.3%	10.0%	20.3%	53.4%
	Grade 12	6.9%	3.5%	1.7%	8.5%	23.9%	55.5%
Wine?							
	All	12.8%	13.8%	6.6%	12.1%	17.4%	37.2%
	Grade 7	20.5%	29.0%	8.6%	10.3%	11.1%	20.5%
	Grade 8	16.4%	21.1%	11.2%	13.2%	12.2%	25.9%
	Grade 9	12.5%	9.4%	6.8%	11.6%	20.4%	39.3%
	Grade 10	10.6%	8.6%	4.2%	14.0%	17.2%	45.5%
	Grade 11	7.7%	6.8%	5.1%	12.7%	19.9%	47.8%
	Grade 12	7.0%	4.6%	2.4%	10.8%	25.7%	49.5%
Liquor?							
	All	11.9%	15.1%	6.9%	9.8%	15.9%	40.4%
	Grade 7	22.3%	32.5%	10.1%	7.5%	7.9%	19.7%
	Grade 8	16.2%	23.5%	9.6%	11.4%	12.0%	27.4%
	Grade 9	11.2%	11.1%	7.8%	12.0%	17.3%	40.6%
	Grade 10	7.8%	8.9%	4.7%	8.2%	18.3%	52.3%
	Grade 11	5.9%	6.6%	4.2%	10.8%	19.5%	52.9%
	Grade 12	4.7%	3.7%	3.7%	8.6%	22.6%	56.7%

region10
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	89.2%	8.7%	1.0%	1.0%
Grade 7	95.7%	3.6%	0.4%	0.4%
Grade 8	92.1%	6.4%	0.6%	0.9%
Grade 9	88.4%	9.1%	1.2%	1.2%
Grade 10	86.4%	11.3%	1.2%	1.0%
Grade 11	85.2%	12.4%	1.5%	0.9%
Grade 12	86.1%	10.6%	1.6%	1.8%
Gotten into trouble with teachers because of your drinking?				
All	98.8%	0.8%	0.2%	0.2%
Grade 7	99.1%	0.5%	0.3%	0.1%
Grade 8	99.4%	0.3%	0.0%	0.2%
Grade 9	98.5%	1.2%	0.0%	0.3%
Grade 10	98.4%	1.1%	0.1%	0.5%
Grade 11	98.6%	1.0%	0.3%	0.1%
Grade 12	98.6%	0.9%	0.5%	0.0%

region10
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	3.1
Alcohol Non-users:	2.3

Average days conduct problems reported	
Alcohol Users:	2.3
Alcohol Non-users:	0.7

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	85.2%	11.6%	2.1%	1.1%
Grade 9	91.4%	6.5%	1.7%	0.4%
Grade 10	89.3%	8.7%	1.6%	0.4%
Grade 11	83.2%	13.5%	1.9%	1.5%
Grade 12	74.2%	20.1%	3.4%	2.3%
Gotten into trouble with the police because of drinking?				
All	95.8%	3.6%	0.4%	0.3%
Grade 7	99.0%	1.0%	0.0%	0.0%
Grade 8	98.2%	1.6%	0.0%	0.2%
Grade 9	95.1%	4.2%	0.4%	0.3%
Grade 10	95.1%	3.9%	0.8%	0.2%
Grade 11	93.9%	5.1%	0.9%	0.1%
Grade 12	92.5%	6.3%	0.4%	0.8%

region10
Spring 2006

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	18.5%	18.5%	13.4%	22.0%	27.6%
	Grade 7	47.1%	23.0%	9.3%	6.1%	14.6%
	Grade 8	27.7%	26.1%	13.4%	14.3%	18.5%
	Grade 9	10.8%	19.2%	17.1%	23.1%	29.9%
	Grade 10	10.3%	14.9%	12.5%	26.2%	36.2%
	Grade 11	5.5%	15.2%	13.6%	30.6%	35.0%
	Grade 12	5.7%	10.3%	14.2%	35.9%	33.9%
Beer?						
	All	22.5%	20.3%	14.3%	21.5%	21.4%
	Grade 7	54.0%	22.5%	8.9%	4.3%	10.3%
	Grade 8	34.9%	26.4%	12.5%	11.8%	14.4%
	Grade 9	14.4%	22.2%	19.1%	22.1%	22.2%
	Grade 10	11.6%	17.2%	13.9%	28.7%	28.6%
	Grade 11	7.7%	17.9%	14.3%	31.6%	28.4%
	Grade 12	6.3%	12.9%	16.9%	36.3%	27.6%
Wine coolers?						
	All	34.7%	19.4%	14.2%	13.9%	17.8%
	Grade 7	64.3%	14.9%	7.0%	3.3%	10.5%
	Grade 8	45.4%	22.2%	9.1%	9.7%	13.6%
	Grade 9	27.4%	20.4%	17.1%	15.4%	19.7%
	Grade 10	24.4%	16.9%	17.0%	17.1%	24.7%
	Grade 11	21.9%	22.8%	19.0%	17.3%	19.0%
	Grade 12	20.4%	19.8%	17.5%	22.4%	20.0%
Wine?						
	All	43.7%	21.4%	11.0%	8.2%	15.8%
	Grade 7	68.2%	16.4%	4.3%	1.5%	9.6%
	Grade 8	54.2%	21.4%	8.9%	4.3%	11.3%
	Grade 9	36.1%	23.1%	12.2%	9.8%	18.8%
	Grade 10	35.4%	19.7%	14.2%	10.1%	20.7%
	Grade 11	34.1%	25.4%	12.5%	11.0%	17.0%
	Grade 12	31.0%	23.0%	14.5%	13.9%	17.5%
Liquor?						
	All	35.4%	16.7%	13.3%	15.6%	19.0%
	Grade 7	70.0%	11.7%	5.5%	2.9%	9.9%
	Grade 8	53.7%	19.0%	8.5%	7.5%	11.2%
	Grade 9	27.8%	21.8%	16.2%	14.7%	19.6%
	Grade 10	21.5%	16.9%	16.9%	20.5%	24.2%
	Grade 11	16.6%	16.4%	17.6%	23.8%	25.7%
	Grade 12	13.6%	12.7%	16.9%	29.6%	27.3%

region10
Spring 2006

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	91.3%	7.4%	0.9%	0.4%
Grade 7	98.2%	1.7%	0.0%	0.1%
Grade 8	95.1%	3.9%	0.9%	0.0%
Grade 9	89.1%	9.4%	0.4%	1.0%
Grade 10	89.7%	8.9%	1.2%	0.3%
Grade 11	87.9%	10.2%	1.4%	0.5%
Grade 12	86.8%	11.4%	1.5%	0.3%
Been criticized by someone you were dating because of drinking?				
All	91.7%	6.6%	1.2%	0.6%
Grade 7	98.5%	1.3%	0.2%	0.0%
Grade 8	96.5%	3.0%	0.2%	0.3%
Grade 9	90.4%	7.3%	1.2%	1.0%
Grade 10	91.2%	7.3%	1.2%	0.4%
Grade 11	87.0%	10.1%	1.9%	0.9%
Grade 12	84.9%	11.7%	2.7%	0.8%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	29.5%	10.0%	8.1%	14.4%	27.5%	3.0%	7.5%
Grade 7	60.4%	13.4%	7.2%	6.0%	2.7%	3.2%	7.1%
Grade 8	45.5%	14.6%	8.7%	10.3%	9.7%	3.0%	8.0%
Grade 9	23.4%	10.3%	12.5%	16.6%	26.1%	4.4%	6.8%
Grade 10	17.4%	8.1%	7.2%	21.6%	35.1%	3.5%	7.0%
Grade 11	14.7%	8.3%	6.2%	17.1%	44.0%	1.1%	8.6%
Grade 12	10.6%	3.7%	5.5%	15.6%	55.0%	1.9%	7.7%

region10
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	37.9%	34.9%	20.2%	5.2%	1.7%
	Grade 7	51.5%	31.3%	13.6%	2.8%	0.8%
	Grade 8	46.0%	31.4%	16.7%	4.6%	1.2%
	Grade 9	36.5%	34.7%	21.2%	5.5%	2.1%
	Grade 10	33.5%	33.9%	24.2%	6.9%	1.5%
	Grade 11	31.6%	38.3%	21.5%	6.4%	2.3%
	Grade 12	25.6%	41.5%	25.1%	5.1%	2.7%
From friends						
	All	30.4%	17.8%	16.3%	22.8%	12.6%
	Grade 7	53.1%	33.7%	7.8%	4.2%	1.2%
	Grade 8	44.4%	24.0%	15.6%	12.1%	3.9%
	Grade 9	27.2%	16.6%	18.4%	25.4%	12.4%
	Grade 10	22.0%	13.9%	19.5%	30.2%	14.5%
	Grade 11	17.6%	10.1%	19.1%	31.6%	21.7%
	Grade 12	13.9%	5.8%	17.7%	36.9%	25.8%
From a store						
	All	32.9%	45.8%	9.0%	7.4%	4.8%
	Grade 7	52.6%	44.5%	1.3%	1.1%	0.5%
	Grade 8	44.8%	47.8%	2.8%	3.3%	1.3%
	Grade 9	30.8%	49.7%	8.7%	7.6%	3.2%
	Grade 10	27.0%	47.2%	9.9%	9.6%	6.2%
	Grade 11	21.5%	42.8%	15.3%	11.0%	9.3%
	Grade 12	16.6%	41.2%	18.7%	13.4%	10.1%
At parties						
	All	27.7%	13.6%	12.5%	18.4%	27.8%
	Grade 7	45.6%	26.4%	13.8%	9.2%	5.0%
	Grade 8	38.1%	18.9%	14.4%	17.1%	11.5%
	Grade 9	24.9%	11.1%	13.8%	21.3%	29.0%
	Grade 10	21.5%	9.5%	11.4%	23.0%	34.6%
	Grade 11	17.9%	8.3%	10.9%	19.3%	43.7%
	Grade 12	14.8%	5.6%	9.7%	20.9%	49.1%
Other source						
	All	33.6%	28.4%	14.8%	10.3%	12.9%
	Grade 7	51.5%	32.5%	9.2%	3.5%	3.3%
	Grade 8	43.2%	31.6%	12.6%	6.3%	6.2%
	Grade 9	31.9%	27.6%	14.2%	12.8%	13.6%
	Grade 10	27.4%	27.5%	16.3%	14.1%	14.8%
	Grade 11	22.4%	26.1%	19.5%	12.2%	19.7%
	Grade 12	20.9%	24.1%	18.8%	13.5%	22.7%

region10
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	60.5%	16.5%	9.5%	3.3%	1.6%	8.7%
Grade 7	70.0%	11.5%	2.7%	1.5%	1.5%	12.7%
Grade 8	67.6%	13.7%	5.1%	1.8%	0.7%	11.0%
Grade 9	62.0%	15.3%	10.4%	2.7%	1.6%	8.1%
Grade 10	58.2%	17.9%	11.8%	3.5%	1.4%	7.2%
Grade 11	54.2%	18.8%	14.8%	4.0%	1.9%	6.4%
Grade 12	47.8%	23.1%	13.9%	6.8%	2.5%	5.9%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	43.1%	33.6%	16.4%	3.9%	3.0%
Grade 7	58.4%	25.9%	9.3%	2.4%	4.1%
Grade 8	47.5%	31.6%	15.7%	3.1%	2.1%
Grade 9	37.0%	34.5%	19.6%	6.5%	2.3%
Grade 10	39.5%	32.8%	20.2%	4.4%	3.0%
Grade 11	37.1%	36.7%	18.5%	4.4%	3.2%
Grade 12	37.3%	42.0%	14.9%	2.3%	3.4%

region10
Spring 2006

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	10.3%	14.7%	27.0%	73.0%
	Grade 7	1.9%	2.1%	4.9%	95.1%
	Grade 8	6.5%	9.2%	15.4%	84.6%
	Grade 9	12.6%	16.7%	29.0%	71.0%
	Grade 10	12.3%	18.1%	33.0%	67.0%
	Grade 11	13.4%	20.3%	38.8%	61.2%
	Grade 12	16.3%	24.3%	46.3%	53.7%
Cocaine?					
	All	5.1%	7.2%	13.0%	87.0%
	Grade 7	0.2%	0.6%	1.2%	98.8%
	Grade 8	1.8%	2.4%	6.2%	93.8%
	Grade 9	5.5%	7.9%	13.4%	86.6%
	Grade 10	7.1%	10.4%	16.5%	83.5%
	Grade 11	8.1%	10.9%	20.1%	79.9%
	Grade 12	9.0%	13.0%	24.1%	75.9%
Crack?					
	All	1.2%	1.7%	3.7%	96.3%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	1.2%	1.6%	3.7%	96.3%
	Grade 9	1.8%	2.7%	4.6%	95.4%
	Grade 10	1.7%	2.0%	4.4%	95.6%
	Grade 11	1.4%	2.0%	4.3%	95.7%
	Grade 12	0.8%	1.4%	4.5%	95.5%
Hallucinogens?					
	All	1.7%	2.7%	6.0%	94.0%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.5%	0.8%	2.8%	97.2%
	Grade 9	1.9%	3.0%	5.7%	94.3%
	Grade 10	2.2%	3.7%	7.1%	92.9%
	Grade 11	2.5%	3.6%	9.1%	90.9%
	Grade 12	3.2%	5.7%	12.5%	87.5%
Uppers?					
	All	1.2%	1.7%	3.4%	96.6%
	Grade 7	0.4%	0.4%	0.8%	99.2%
	Grade 8	0.1%	0.5%	1.0%	99.0%
	Grade 9	1.1%	1.4%	3.6%	96.4%
	Grade 10	1.3%	1.9%	3.8%	96.2%
	Grade 11	2.2%	2.7%	6.0%	94.0%
	Grade 12	2.3%	3.9%	6.2%	93.8%
Downers?					
	All	1.2%	1.7%	3.2%	96.8%
	Grade 7	0.1%	0.1%	0.5%	99.5%
	Grade 8	0.3%	0.6%	1.3%	98.7%
	Grade 9	1.3%	1.9%	3.9%	96.1%
	Grade 10	2.0%	2.5%	4.2%	95.8%
	Grade 11	1.7%	2.2%	5.6%	94.4%
	Grade 12	1.8%	3.2%	4.5%	95.5%

region10
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	1.0%	1.4%	2.6%	97.4%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.3%	0.8%	1.2%	98.8%
	Grade 9	1.4%	1.8%	3.4%	96.6%
	Grade 10	1.5%	2.0%	3.3%	96.7%
	Grade 11	1.8%	2.7%	4.0%	96.0%
	Grade 12	0.9%	1.2%	3.7%	96.3%
Steroids?					
	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.9%	99.1%
	Grade 8	0.8%	0.8%	1.2%	98.8%
	Grade 9	0.1%	0.1%	1.0%	99.0%
	Grade 10	1.5%	1.5%	1.9%	98.1%
	Grade 11	0.9%	0.9%	1.5%	98.5%
	Grade 12	0.5%	0.7%	1.9%	98.1%
Ecstasy?					
	All	1.5%	2.3%	4.7%	95.3%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	1.0%	1.3%	2.0%	98.0%
	Grade 9	1.8%	2.8%	5.5%	94.5%
	Grade 10	2.0%	3.3%	6.6%	93.4%
	Grade 11	1.5%	2.2%	5.6%	94.4%
	Grade 12	2.8%	4.1%	8.2%	91.8%
Heroin?					
	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.4%	0.7%	0.8%	99.2%
	Grade 8	0.3%	0.7%	1.7%	98.3%
	Grade 9	1.0%	1.2%	3.3%	96.7%
	Grade 10	0.7%	0.7%	1.5%	98.5%
	Grade 11	0.3%	0.7%	1.6%	98.4%
	Grade 12	0.5%	0.5%	0.8%	99.2%

region10
Spring 2006

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	76.0%	1.9%	2.7%	4.2%	4.4%	4.2%	6.6%
	Grade 7	95.5%	0.2%	0.5%	0.6%	0.7%	0.9%	1.5%
	Grade 8	86.3%	0.7%	1.7%	3.5%	1.9%	1.8%	4.1%
	Grade 9	72.8%	2.0%	4.4%	5.4%	4.9%	4.7%	5.8%
	Grade 10	69.8%	2.6%	3.2%	5.4%	6.2%	5.3%	7.6%
	Grade 11	67.8%	2.1%	3.5%	3.8%	7.1%	5.9%	9.8%
	Grade 12	60.0%	3.9%	3.0%	6.9%	6.5%	7.4%	12.3%
Cocaine?								
	All	88.7%	0.4%	1.0%	2.4%	2.0%	1.9%	3.5%
	Grade 7	98.8%	0.1%	0.0%	0.1%	0.3%	0.3%	0.4%
	Grade 8	94.2%	0.2%	0.6%	1.2%	1.0%	0.4%	2.3%
	Grade 9	88.4%	0.6%	1.4%	2.2%	2.2%	2.0%	3.2%
	Grade 10	85.6%	0.4%	1.8%	3.5%	3.5%	2.4%	2.7%
	Grade 11	83.4%	0.3%	0.9%	3.5%	2.8%	2.8%	6.3%
	Grade 12	79.9%	1.0%	1.6%	4.5%	2.5%	3.9%	6.8%
Crack?								
	All	97.1%	0.1%	0.1%	0.6%	0.7%	0.5%	0.9%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.3%	0.0%	0.2%
	Grade 8	96.9%	0.0%	0.0%	0.6%	0.6%	0.3%	1.5%
	Grade 9	96.8%	0.0%	0.2%	1.1%	0.9%	0.6%	0.3%
	Grade 10	96.0%	0.0%	0.2%	0.8%	1.4%	0.5%	1.1%
	Grade 11	96.7%	0.1%	0.0%	0.3%	0.8%	0.7%	1.5%
	Grade 12	96.4%	0.4%	0.2%	0.4%	0.2%	1.1%	1.3%
Hallucinogens?								
	All	94.8%	0.0%	0.1%	0.4%	1.1%	1.5%	2.0%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 8	98.0%	0.0%	0.2%	0.1%	0.5%	0.9%	0.2%
	Grade 9	94.5%	0.1%	0.1%	0.8%	1.6%	1.6%	1.4%
	Grade 10	94.4%	0.0%	0.0%	0.4%	1.1%	2.3%	1.8%
	Grade 11	92.1%	0.0%	0.4%	0.1%	1.1%	1.8%	4.5%
	Grade 12	89.0%	0.0%	0.0%	1.2%	2.4%	2.6%	4.9%
Uppers?								
	All	96.7%	0.1%	0.1%	0.6%	0.6%	0.8%	1.1%
	Grade 7	99.4%	0.0%	0.2%	0.1%	0.0%	0.0%	0.3%
	Grade 8	98.9%	0.0%	0.0%	0.0%	0.5%	0.3%	0.2%
	Grade 9	96.4%	0.0%	0.1%	0.8%	0.5%	0.9%	1.1%
	Grade 10	96.0%	0.4%	0.1%	0.6%	0.8%	0.8%	1.3%
	Grade 11	94.6%	0.3%	0.3%	0.9%	1.0%	1.3%	1.6%
	Grade 12	94.2%	0.0%	0.0%	1.4%	1.0%	1.3%	2.1%
Downers?								
	All	96.9%	0.1%	0.2%	0.6%	0.5%	0.7%	1.0%
	Grade 7	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
	Grade 8	98.4%	0.0%	0.0%	0.2%	0.5%	0.3%	0.5%
	Grade 9	96.3%	0.0%	0.2%	0.8%	0.6%	0.8%	1.3%
	Grade 10	96.2%	0.4%	0.1%	0.8%	0.9%	1.0%	0.6%
	Grade 11	95.5%	0.3%	0.3%	0.8%	0.4%	0.8%	1.9%
	Grade 12	95.2%	0.0%	0.3%	1.1%	0.6%	1.2%	1.6%

region10
Spring 2006

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	97.9%	0.0%	0.1%	0.3%	0.6%	0.5%	0.6%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.9%	0.0%	0.2%	0.2%	0.3%	0.1%	0.2%
	Grade 9	96.9%	0.0%	0.1%	0.6%	0.8%	1.2%	0.4%
	Grade 10	97.1%	0.0%	0.1%	0.6%	0.9%	0.5%	0.8%
	Grade 11	97.2%	0.3%	0.3%	0.1%	0.4%	0.8%	0.9%
	Grade 12	97.0%	0.0%	0.0%	0.1%	1.1%	0.5%	1.3%
Steroids?								
	All	99.1%	0.2%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.0%	0.4%
	Grade 9	99.3%	0.0%	0.0%	0.0%	0.0%	0.6%	0.1%
	Grade 10	98.8%	0.5%	0.1%	0.2%	0.2%	0.0%	0.3%
	Grade 11	98.8%	0.5%	0.1%	0.0%	0.3%	0.1%	0.3%
	Grade 12	98.5%	0.2%	0.3%	0.0%	0.1%	0.2%	0.8%
Ecstasy?								
	All	95.8%	0.0%	0.2%	0.4%	1.0%	1.2%	1.4%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
	Grade 8	98.0%	0.2%	0.0%	0.1%	0.5%	0.6%	0.5%
	Grade 9	95.3%	0.0%	0.2%	0.4%	1.1%	1.4%	1.6%
	Grade 10	94.1%	0.0%	0.4%	0.7%	1.7%	1.4%	1.7%
	Grade 11	94.7%	0.0%	0.2%	0.6%	0.8%	1.4%	2.2%
	Grade 12	92.2%	0.0%	0.4%	0.9%	1.8%	2.3%	2.4%
Heroin?								
	All	98.8%	0.0%	0.0%	0.1%	0.2%	0.4%	0.6%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 8	98.5%	0.0%	0.0%	0.0%	0.2%	0.8%	0.5%
	Grade 9	97.9%	0.0%	0.0%	0.2%	0.3%	1.0%	0.7%
	Grade 10	99.4%	0.0%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 11	98.7%	0.0%	0.1%	0.0%	0.1%	0.2%	1.1%
	Grade 12	98.9%	0.0%	0.0%	0.4%	0.1%	0.1%	0.5%

region10
Spring 2006

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	12.1	12.5	13.1	13.6	14.4	14.7
Cocaine	12.5	12.6	13.7	14.6	15.1	15.6
Crack	11.8	12.5	13.7	13.9	15.1	15.6
Hallucinogens	13.4	12.8	13.5	14.3	14.9	15.5
Uppers	12.4	12.4	13.1	13.5	14.2	15.3
Downers	11.1	12.6	13.1	13.2	13.9	14.9
Rohypnol	13.9	12.4	12.7	14.4	14.4	15.3
Steroids	11.4	11.3	13.5	12.8	14.8	15.5
Ecstasy	12.8	12.8	13.5	14.6	15.4	16.0
Heroin	12.8	12.1	12.9	14.0	14.9	15.6

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	76.7%	0.6%	1.5%	6.4%	10.9%	3.7%	0.2%
	Grade 7	96.6%	0.2%	0.8%	1.9%	0.3%	0.0%	0.3%
	Grade 8	88.3%	0.0%	2.0%	7.2%	2.5%	0.0%	0.0%
	Grade 9	74.9%	1.7%	1.4%	9.8%	11.9%	0.4%	0.0%
	Grade 10	73.5%	0.5%	1.7%	8.0%	14.5%	1.9%	0.0%
	Grade 11	62.7%	0.5%	2.2%	5.5%	19.6%	9.4%	0.2%
	Grade 12	56.1%	0.7%	1.0%	5.7%	21.2%	14.1%	1.2%
Other family situation								
	All	65.2%	0.7%	3.2%	12.5%	13.6%	4.6%	0.2%
	Grade 7	92.2%	0.1%	2.0%	5.4%	0.2%	0.0%	0.0%
	Grade 8	77.3%	0.3%	4.4%	14.5%	3.6%	0.0%	0.0%
	Grade 9	61.7%	1.4%	4.7%	14.3%	17.8%	0.1%	0.0%
	Grade 10	55.1%	1.4%	2.7%	17.0%	19.8%	4.0%	0.0%
	Grade 11	59.8%	0.4%	1.6%	9.5%	19.9%	8.6%	0.1%
	Grade 12	47.6%	0.3%	2.8%	12.6%	18.4%	17.2%	1.1%

region10
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	14.9%	21.3%	6.3%	10.0%	13.6%	33.8%
	Grade 7	23.0%	43.1%	6.9%	5.6%	4.3%	17.0%
	Grade 8	16.5%	35.6%	7.3%	9.5%	8.8%	22.3%
	Grade 9	12.6%	15.5%	7.8%	12.8%	14.1%	37.2%
	Grade 10	13.0%	11.2%	5.3%	11.2%	16.1%	43.0%
	Grade 11	11.7%	10.4%	5.7%	11.8%	19.9%	40.4%
	Grade 12	11.3%	6.6%	4.0%	9.2%	21.7%	47.1%
Cocaine?							
	All	17.8%	24.6%	9.5%	10.5%	10.4%	27.1%
	Grade 7	23.7%	45.3%	8.3%	4.4%	2.7%	15.6%
	Grade 8	20.1%	38.7%	10.0%	8.9%	6.3%	16.0%
	Grade 9	16.0%	21.5%	9.0%	12.0%	10.2%	31.3%
	Grade 10	17.5%	13.2%	10.4%	12.6%	12.5%	33.9%
	Grade 11	13.3%	12.0%	10.5%	14.2%	17.6%	32.4%
	Grade 12	14.9%	11.1%	9.4%	12.0%	16.2%	36.4%
Crack?							
	All	22.0%	25.4%	10.2%	11.3%	8.0%	23.1%
	Grade 7	28.4%	43.3%	7.7%	4.6%	2.6%	13.4%
	Grade 8	23.7%	39.3%	8.8%	6.9%	5.6%	15.7%
	Grade 9	19.2%	21.9%	11.1%	12.9%	8.2%	26.7%
	Grade 10	20.7%	14.8%	10.6%	14.4%	9.3%	30.3%
	Grade 11	18.9%	14.9%	12.7%	15.8%	11.8%	25.9%
	Grade 12	20.6%	13.6%	10.9%	14.6%	12.1%	28.3%
Hallucinogens?							
	All	35.2%	18.9%	9.0%	9.5%	6.2%	21.2%
	Grade 7	47.9%	28.5%	4.7%	2.9%	0.7%	15.3%
	Grade 8	43.3%	26.4%	7.3%	5.2%	3.3%	14.5%
	Grade 9	32.4%	16.3%	10.1%	10.1%	6.0%	25.0%
	Grade 10	30.6%	14.6%	10.0%	11.2%	7.4%	26.2%
	Grade 11	28.4%	14.2%	10.9%	15.4%	8.2%	22.8%
	Grade 12	25.4%	11.2%	11.9%	14.6%	13.1%	23.8%
Uppers?							
	All	44.1%	15.9%	7.3%	6.9%	4.5%	21.3%
	Grade 7	52.3%	25.4%	4.7%	2.1%	1.0%	14.5%
	Grade 8	49.2%	24.4%	5.4%	3.2%	2.2%	15.6%
	Grade 9	42.1%	14.2%	8.1%	7.3%	4.4%	24.0%
	Grade 10	41.7%	8.7%	7.6%	8.2%	6.6%	27.2%
	Grade 11	38.0%	11.3%	9.2%	11.6%	7.5%	22.4%
	Grade 12	39.5%	8.8%	9.9%	10.5%	6.4%	25.0%
Downers?							
	All	44.8%	15.7%	7.7%	6.9%	4.4%	20.6%
	Grade 7	54.4%	25.1%	4.5%	2.3%	0.9%	12.9%
	Grade 8	48.8%	23.3%	6.5%	3.3%	2.2%	15.8%
	Grade 9	42.5%	14.2%	8.4%	7.5%	4.7%	22.6%
	Grade 10	42.2%	9.2%	7.3%	8.4%	6.7%	26.2%
	Grade 11	38.9%	11.0%	9.4%	11.7%	7.3%	21.8%
	Grade 12	40.1%	8.7%	10.8%	9.7%	5.6%	25.1%

region10
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	45.7%	16.8%	7.0%	6.6%	3.7%	20.2%
	Grade 7	56.3%	24.3%	3.8%	1.4%	0.7%	13.5%
	Grade 8	52.0%	23.4%	4.5%	3.9%	2.0%	14.2%
	Grade 9	42.3%	16.5%	8.2%	6.5%	3.3%	23.2%
	Grade 10	42.4%	12.0%	6.7%	7.3%	5.9%	25.6%
	Grade 11	41.0%	11.5%	9.3%	10.1%	6.9%	21.3%
	Grade 12	38.6%	10.5%	10.4%	12.0%	4.6%	23.9%
Steroids?							
	All	24.8%	26.7%	10.3%	9.8%	6.0%	22.5%
	Grade 7	30.2%	42.3%	7.1%	3.4%	2.5%	14.4%
	Grade 8	25.7%	40.5%	8.5%	6.8%	2.9%	15.6%
	Grade 9	26.0%	22.3%	11.0%	9.3%	6.0%	25.4%
	Grade 10	23.7%	18.2%	11.6%	11.8%	7.0%	27.7%
	Grade 11	20.7%	18.5%	12.9%	15.4%	8.0%	24.5%
	Grade 12	20.6%	14.2%	11.2%	14.6%	10.8%	28.6%
Ecstasy?							
	All	31.2%	21.7%	9.2%	8.9%	6.3%	22.6%
	Grade 7	44.6%	31.9%	4.8%	2.7%	1.4%	14.5%
	Grade 8	38.7%	30.4%	8.0%	4.0%	3.3%	15.7%
	Grade 9	30.1%	19.3%	9.7%	9.2%	6.4%	25.3%
	Grade 10	25.9%	15.8%	9.8%	11.2%	8.2%	29.2%
	Grade 11	21.7%	17.1%	13.0%	14.5%	9.7%	24.1%
	Grade 12	22.7%	12.9%	11.1%	14.3%	10.3%	28.7%
Heroin?							
	All	26.7%	27.4%	11.2%	8.6%	4.9%	21.2%
	Grade 7	34.1%	41.0%	7.0%	2.7%	1.6%	13.6%
	Grade 8	29.9%	37.6%	8.7%	5.3%	3.4%	15.1%
	Grade 9	25.3%	22.4%	11.2%	9.3%	5.6%	26.1%
	Grade 10	23.4%	20.9%	12.2%	10.2%	6.3%	27.1%
	Grade 11	21.4%	21.0%	15.9%	14.1%	6.2%	21.4%
	Grade 12	24.5%	19.1%	13.9%	11.8%	7.0%	23.8%

region10
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	90.2%	5.5%	2.0%	2.3%
Grade 7	97.8%	1.5%	0.4%	0.3%
Grade 8	95.0%	3.4%	0.8%	0.8%
Grade 9	86.4%	8.4%	2.2%	2.9%
Grade 10	87.1%	6.5%	3.3%	3.1%
Grade 11	87.0%	6.3%	3.4%	3.3%
Grade 12	87.4%	6.5%	2.1%	3.9%
Attended class while high from use of some other drug?				
All	94.6%	3.1%	1.1%	1.3%
Grade 7	98.4%	1.1%	0.5%	0.0%
Grade 8	97.2%	1.7%	0.3%	0.7%
Grade 9	92.4%	4.9%	1.0%	1.7%
Grade 10	92.2%	4.2%	2.1%	1.4%
Grade 11	93.1%	3.8%	1.3%	1.9%
Grade 12	93.7%	2.7%	1.3%	2.3%
Gotten into trouble with teachers because of your drug use?				
All	98.7%	0.9%	0.2%	0.3%
Grade 7	99.4%	0.3%	0.2%	0.2%
Grade 8	99.1%	0.6%	0.0%	0.3%
Grade 9	97.6%	1.8%	0.2%	0.3%
Grade 10	98.7%	0.7%	0.4%	0.2%
Grade 11	98.9%	1.0%	0.1%	0.1%
Grade 12	98.8%	0.7%	0.1%	0.4%

region10
Spring 2006

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	3.6
Marijuana Non-users:	2.5

Average days conduct problems reported	
Marijuana Users:	3.8
Marijuana Non-users:	1.1

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	92.1%	5.6%	1.2%	1.1%
Grade 9	95.0%	3.9%	0.5%	0.6%
Grade 10	93.8%	4.9%	0.7%	0.6%
Grade 11	91.2%	6.0%	1.5%	1.3%
Grade 12	87.3%	8.2%	2.3%	2.2%
Gotten into trouble with the police because of drug use?				
All	97.4%	2.1%	0.3%	0.2%
Grade 7	98.8%	1.1%	0.1%	0.0%
Grade 8	98.1%	1.7%	0.0%	0.2%
Grade 9	96.4%	2.8%	0.6%	0.2%
Grade 10	97.0%	2.8%	0.2%	0.0%
Grade 11	96.8%	2.4%	0.6%	0.2%
Grade 12	97.3%	2.0%	0.1%	0.5%

region10
Spring 2006

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	44.6%	18.0%	10.7%	8.3%	18.5%
Grade 7	75.6%	8.1%	3.3%	1.5%	11.4%
Grade 8	55.8%	18.2%	7.7%	4.8%	13.4%
Grade 9	36.4%	17.7%	12.6%	10.7%	22.7%
Grade 10	33.8%	18.6%	12.6%	11.8%	23.2%
Grade 11	31.5%	24.2%	13.2%	11.2%	19.8%
Grade 12	29.7%	23.2%	16.0%	10.3%	20.8%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.3%	5.8%	0.6%	0.2%
Grade 7	98.6%	1.4%	0.0%	0.1%
Grade 8	95.5%	4.1%	0.3%	0.2%
Grade 9	89.3%	9.6%	0.4%	0.7%
Grade 10	93.2%	5.6%	0.9%	0.3%
Grade 11	90.7%	8.3%	0.9%	0.1%
Grade 12	92.8%	5.8%	1.3%	0.1%
Been criticized by someone you were dating because of drug use?				
All	93.6%	5.0%	0.8%	0.6%
Grade 7	98.4%	1.3%	0.2%	0.1%
Grade 8	96.4%	2.6%	0.9%	0.0%
Grade 9	91.7%	6.5%	0.6%	1.3%
Grade 10	92.6%	6.0%	0.7%	0.7%
Grade 11	91.2%	7.6%	0.7%	0.6%
Grade 12	90.6%	6.9%	1.8%	0.7%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	46.7%	12.6%	8.3%	9.5%	10.3%	5.1%	7.5%
Grade 7	79.1%	6.4%	1.2%	2.3%	0.8%	3.1%	7.2%
Grade 8	65.3%	9.9%	4.6%	5.1%	3.5%	3.5%	8.1%
Grade 9	43.5%	12.9%	8.8%	12.5%	9.4%	6.1%	6.8%
Grade 10	33.8%	16.2%	10.4%	11.9%	14.2%	6.3%	7.2%
Grade 11	29.7%	16.5%	12.2%	11.7%	16.0%	5.3%	8.7%
Grade 12	21.9%	14.8%	14.2%	14.4%	21.0%	6.3%	7.5%

region10
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	78.6%	7.5%	4.6%	5.1%	3.3%	0.9%
	Grade 7	95.1%	1.6%	0.6%	1.1%	0.5%	1.0%
	Grade 8	86.0%	5.2%	3.4%	2.9%	1.7%	0.8%
	Grade 9	76.4%	8.1%	5.9%	5.5%	3.7%	0.4%
	Grade 10	72.9%	9.1%	5.8%	7.1%	4.3%	0.9%
	Grade 11	71.6%	11.2%	5.4%	5.8%	4.8%	1.2%
	Grade 12	66.3%	11.4%	6.5%	9.2%	5.4%	1.3%
Blunts?	All	82.7%	6.9%	3.9%	3.0%	2.4%	1.1%
	Grade 7	97.0%	1.2%	0.6%	0.2%	0.1%	0.9%
	Grade 8	89.8%	4.1%	1.9%	1.7%	0.9%	1.6%
	Grade 9	80.9%	8.1%	5.4%	2.2%	2.7%	0.7%
	Grade 10	77.5%	9.1%	5.2%	4.5%	2.7%	1.0%
	Grade 11	77.7%	9.6%	3.7%	4.6%	3.3%	1.0%
	Grade 12	70.8%	10.4%	6.7%	5.8%	5.1%	1.3%
Bongs or water pipes?	All	84.6%	6.0%	3.1%	2.9%	2.5%	1.0%
	Grade 7	96.9%	0.9%	0.4%	0.5%	0.4%	0.9%
	Grade 8	91.3%	3.4%	2.0%	1.3%	0.8%	1.2%
	Grade 9	83.4%	5.6%	3.8%	3.0%	3.3%	0.9%
	Grade 10	81.4%	6.9%	4.0%	3.9%	3.1%	0.8%
	Grade 11	79.4%	7.8%	4.5%	4.0%	3.7%	0.6%
	Grade 12	72.5%	12.4%	4.0%	5.5%	4.2%	1.4%
Pipes?	All	80.6%	6.0%	3.3%	5.3%	3.8%	1.0%
	Grade 7	96.6%	1.4%	0.5%	0.6%	0.4%	0.5%
	Grade 8	89.2%	3.7%	1.1%	3.0%	1.6%	1.4%
	Grade 9	78.3%	5.6%	4.8%	5.7%	5.0%	0.6%
	Grade 10	75.0%	8.0%	5.0%	7.1%	4.0%	0.9%
	Grade 11	74.0%	7.4%	4.3%	8.6%	4.9%	0.9%
	Grade 12	67.5%	10.9%	4.4%	8.2%	7.4%	1.6%
Some other way?	All	86.8%	5.0%	1.9%	2.1%	2.1%	2.1%
	Grade 7	96.5%	1.3%	0.3%	0.2%	0.6%	1.0%
	Grade 8	92.1%	2.2%	0.6%	1.6%	1.4%	2.1%
	Grade 9	85.4%	4.8%	2.5%	2.2%	2.7%	2.3%
	Grade 10	83.0%	7.0%	3.2%	2.1%	1.9%	2.8%
	Grade 11	82.6%	6.6%	2.8%	2.9%	2.6%	2.4%
	Grade 12	78.7%	8.8%	2.3%	4.0%	3.9%	2.2%

region10
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	83.0%	3.4%	3.0%	0.8%	1.3%	8.5%
Grade 7	83.4%	0.9%	1.0%	0.6%	1.1%	13.0%
Grade 8	84.5%	2.1%	1.8%	0.5%	1.1%	9.8%
Grade 9	84.3%	3.3%	3.0%	0.4%	1.8%	7.1%
Grade 10	83.6%	3.9%	4.2%	0.6%	0.9%	6.7%
Grade 11	81.5%	4.8%	3.9%	1.3%	1.6%	6.9%
Grade 12	79.9%	5.9%	4.4%	1.3%	1.2%	7.3%

region10
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	63.7%	17.7%	10.0%	5.5%	3.1%
	Grade 7	84.8%	7.5%	2.4%	1.1%	4.2%
	Grade 8	76.4%	10.8%	7.1%	2.9%	2.8%
	Grade 9	60.0%	21.4%	9.9%	5.5%	3.2%
	Grade 10	54.4%	21.9%	13.3%	7.1%	3.4%
	Grade 11	54.3%	22.8%	12.8%	8.0%	2.2%
	Grade 12	48.1%	23.3%	15.8%	10.0%	2.9%
Cocaine?						
	All	79.8%	12.2%	2.9%	1.4%	3.7%
	Grade 7	88.6%	4.6%	0.9%	0.9%	4.9%
	Grade 8	84.4%	8.5%	2.8%	1.0%	3.3%
	Grade 9	76.8%	15.5%	3.0%	1.5%	3.2%
	Grade 10	74.2%	15.9%	4.1%	1.7%	4.1%
	Grade 11	78.7%	13.7%	2.9%	1.4%	3.3%
	Grade 12	75.4%	15.5%	3.9%	1.7%	3.5%
Crack?						
	All	82.0%	10.4%	2.0%	0.8%	4.9%
	Grade 7	88.0%	4.8%	0.7%	0.6%	5.9%
	Grade 8	84.0%	8.1%	1.7%	0.8%	5.4%
	Grade 9	78.6%	13.7%	2.6%	1.2%	4.0%
	Grade 10	78.9%	12.3%	3.4%	0.5%	5.0%
	Grade 11	82.5%	11.3%	1.3%	1.1%	3.9%
	Grade 12	80.2%	12.1%	2.3%	0.4%	4.9%
Ecstasy?						
	All	80.1%	10.3%	2.7%	1.1%	5.8%
	Grade 7	84.7%	4.7%	1.0%	0.3%	9.3%
	Grade 8	81.0%	8.1%	1.8%	1.2%	7.9%
	Grade 9	79.8%	11.5%	3.5%	1.6%	3.5%
	Grade 10	76.8%	12.8%	3.2%	1.2%	5.9%
	Grade 11	80.0%	12.9%	2.3%	1.3%	3.5%
	Grade 12	77.9%	12.6%	4.4%	0.8%	4.2%
Steroids?						
	All	74.1%	15.5%	4.4%	1.1%	4.9%
	Grade 7	82.4%	8.6%	2.1%	0.7%	6.2%
	Grade 8	77.0%	12.7%	3.8%	0.9%	5.7%
	Grade 9	71.1%	18.0%	5.7%	1.5%	3.7%
	Grade 10	71.0%	17.7%	5.1%	1.0%	5.2%
	Grade 11	72.4%	17.6%	4.3%	1.7%	4.0%
	Grade 12	70.1%	19.1%	5.5%	1.1%	4.3%
Heroin?						
	All	85.5%	7.5%	1.1%	0.7%	5.2%
	Grade 7	86.3%	4.8%	0.4%	0.5%	8.0%
	Grade 8	84.6%	7.7%	1.1%	1.0%	5.6%
	Grade 9	84.1%	10.0%	1.6%	1.2%	3.1%
	Grade 10	83.8%	8.8%	1.3%	0.4%	5.8%
	Grade 11	87.9%	6.4%	0.8%	0.7%	4.2%
	Grade 12	87.3%	6.7%	1.5%	0.2%	4.3%

region10
Spring 2006

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	0.9%	2.1%	3.8%	96.2%
	Grade 7	0.1%	1.0%	2.3%	97.7%
	Grade 8	0.9%	1.7%	3.4%	96.6%
	Grade 9	0.7%	2.4%	3.6%	96.4%
	Grade 10	1.1%	2.7%	4.1%	95.9%
	Grade 11	1.1%	2.4%	3.4%	96.6%
	Grade 12	1.7%	2.6%	6.0%	94.0%
Codeine?					
	All	0.7%	2.2%	3.9%	96.1%
	Grade 7	0.2%	0.7%	1.5%	98.5%
	Grade 8	0.7%	1.3%	2.5%	97.5%
	Grade 9	0.7%	2.5%	3.9%	96.1%
	Grade 10	0.5%	2.5%	4.4%	95.6%
	Grade 11	0.8%	3.0%	5.7%	94.3%
	Grade 12	1.4%	3.5%	6.2%	93.8%

region10
Spring 2006

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	6.2%	8.9%	19.2%	80.8%
	Grade 7	4.5%	6.2%	16.6%	83.4%
	Grade 8	6.7%	11.0%	21.1%	78.9%
	Grade 9	7.9%	10.4%	23.5%	76.5%
	Grade 10	5.4%	8.6%	19.9%	80.1%
	Grade 11	6.1%	8.7%	16.3%	83.7%
	Grade 12	6.3%	8.4%	16.3%	83.7%
Liquid or spray paint?					
	All	1.7%	2.7%	7.8%	92.2%
	Grade 7	1.0%	1.5%	3.7%	96.3%
	Grade 8	2.6%	3.2%	7.8%	92.2%
	Grade 9	2.6%	3.9%	10.8%	89.2%
	Grade 10	0.8%	2.8%	9.0%	91.0%
	Grade 11	1.5%	2.4%	6.9%	93.1%
	Grade 12	1.0%	1.9%	8.4%	91.6%
Whiteout, correction fld?					
	All	2.3%	3.5%	8.5%	91.5%
	Grade 7	3.0%	4.0%	8.8%	91.2%
	Grade 8	4.2%	6.1%	11.3%	88.7%
	Grade 9	2.5%	3.4%	10.2%	89.8%
	Grade 10	1.0%	2.5%	7.6%	92.4%
	Grade 11	1.3%	2.4%	6.3%	93.7%
	Grade 12	1.5%	2.2%	5.6%	94.4%
Gasoline?					
	All	1.3%	1.8%	3.7%	96.3%
	Grade 7	1.3%	1.5%	3.0%	97.0%
	Grade 8	2.0%	2.1%	3.9%	96.1%
	Grade 9	1.8%	2.5%	5.1%	94.9%
	Grade 10	0.7%	1.3%	3.4%	96.6%
	Grade 11	0.8%	1.2%	2.4%	97.6%
	Grade 12	0.9%	1.7%	4.0%	96.0%
Freon?					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	0.3%	0.5%	1.4%	98.6%
	Grade 9	1.2%	1.4%	2.1%	97.9%
	Grade 10	0.6%	0.7%	1.3%	98.7%
	Grade 11	0.1%	0.2%	0.5%	99.5%
	Grade 12	0.2%	0.7%	2.6%	97.4%
Poppers, Locker Room?					
	All	0.8%	1.1%	1.8%	98.2%
	Grade 7	0.6%	1.0%	1.7%	98.3%
	Grade 8	0.5%	0.5%	1.4%	98.6%
	Grade 9	1.5%	2.0%	3.1%	96.9%
	Grade 10	0.8%	1.0%	1.9%	98.1%
	Grade 11	0.9%	1.3%	1.8%	98.2%
	Grade 12	0.3%	0.4%	0.7%	99.3%

region10
Spring 2006

Table I-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	1.0%	1.5%	3.5%	96.5%
	Grade 7	1.2%	1.8%	3.5%	96.5%
	Grade 8	1.2%	1.5%	3.5%	96.5%
	Grade 9	1.1%	1.8%	4.7%	95.3%
	Grade 10	0.6%	1.0%	3.0%	97.0%
	Grade 11	0.6%	1.0%	2.5%	97.5%
	Grade 12	1.0%	1.4%	3.2%	96.8%
Paint,lacquer thinner?					
	All	1.7%	2.4%	4.9%	95.1%
	Grade 7	1.0%	1.0%	2.4%	97.6%
	Grade 8	1.9%	3.1%	5.5%	94.5%
	Grade 9	2.6%	3.7%	6.7%	93.3%
	Grade 10	1.1%	1.9%	5.2%	94.8%
	Grade 11	1.5%	1.8%	4.8%	95.2%
	Grade 12	1.7%	2.4%	4.5%	95.5%
Nitrous oxide?					
	All	1.4%	2.1%	4.3%	95.7%
	Grade 7	1.1%	1.3%	2.8%	97.2%
	Grade 8	0.9%	1.4%	3.1%	96.9%
	Grade 9	2.1%	3.1%	6.5%	93.5%
	Grade 10	1.3%	2.2%	4.4%	95.6%
	Grade 11	1.1%	1.6%	3.5%	96.5%
	Grade 12	1.8%	2.7%	5.0%	95.0%
Octane booster?					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.5%	0.5%	1.0%	99.0%
	Grade 8	0.5%	0.6%	1.7%	98.3%
	Grade 9	0.5%	1.0%	2.3%	97.7%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.1%	0.3%	0.4%	99.6%
	Grade 12	0.2%	0.3%	1.0%	99.0%
Other sprays?					
	All	1.4%	2.0%	4.3%	95.7%
	Grade 7	1.2%	1.6%	3.8%	96.2%
	Grade 8	2.4%	2.9%	5.8%	94.2%
	Grade 9	2.0%	3.2%	6.4%	93.6%
	Grade 10	0.6%	1.2%	2.8%	97.2%
	Grade 11	1.2%	1.6%	3.4%	96.6%
	Grade 12	0.6%	1.3%	2.8%	97.2%
Other inhalants?					
	All	3.5%	4.8%	9.7%	90.3%
	Grade 7	2.5%	3.7%	7.3%	92.7%
	Grade 8	3.9%	5.3%	11.5%	88.5%
	Grade 9	4.2%	5.6%	12.0%	88.0%
	Grade 10	3.9%	5.7%	10.0%	90.0%
	Grade 11	2.8%	3.6%	8.3%	91.7%
	Grade 12	3.2%	4.5%	7.9%	92.1%

region10
Spring 2006

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	92.2%	0.1%	0.5%	0.9%	1.4%	1.7%	3.2%
Grade 7	91.4%	0.0%	0.4%	1.4%	2.3%	1.5%	3.0%
Grade 8	91.6%	0.2%	0.8%	1.8%	1.6%	2.2%	1.8%
Grade 9	90.5%	0.2%	0.6%	0.6%	2.1%	2.3%	3.8%
Grade 10	93.8%	0.1%	0.2%	0.9%	1.2%	1.0%	2.8%
Grade 11	93.6%	0.1%	0.9%	0.1%	0.2%	1.1%	4.0%
Grade 12	92.6%	0.1%	0.1%	0.2%	0.9%	1.7%	4.3%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	83.7%	6.6%	6.0%	3.7%
Grade 7	85.8%	7.4%	4.4%	2.4%
Grade 8	81.7%	7.6%	6.7%	4.0%
Grade 9	80.3%	5.8%	8.3%	5.6%
Grade 10	83.1%	7.6%	6.2%	3.1%
Grade 11	86.4%	5.8%	5.1%	2.7%
Grade 12	86.1%	5.3%	4.6%	4.0%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	11.2	12.2	12.9	13.4	14.1

region10
Spring 2006

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.7%	1.6%	0.3%	0.4%
Grade 7	96.7%	3.1%	0.2%	0.0%
Grade 8	97.2%	2.2%	0.1%	0.5%
Grade 9	97.9%	1.1%	0.4%	0.6%
Grade 10	98.2%	1.0%	0.4%	0.4%
Grade 11	98.4%	1.3%	0.2%	0.2%
Grade 12	98.4%	1.0%	0.2%	0.5%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	3.3
Inhalants Non-users:	2.6

Average days conduct problems reported	
Inhalants Users:	3.7
Inhalants Non-users:	1.3

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	71.6%	10.2%	3.0%	1.5%	13.8%
Grade 7	76.4%	10.1%	2.1%	0.9%	10.5%
Grade 8	70.9%	9.6%	6.0%	1.0%	12.5%
Grade 9	65.7%	11.1%	3.5%	2.3%	17.5%
Grade 10	68.4%	10.6%	2.0%	1.9%	17.0%
Grade 11	73.6%	9.5%	2.0%	2.2%	12.7%
Grade 12	76.4%	9.7%	1.5%	0.6%	11.7%

region10
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	73.2%	17.2%	3.4%	1.3%	4.9%
Grade 7	80.1%	9.7%	2.7%	1.3%	6.2%
Grade 8	72.8%	17.1%	3.4%	1.6%	5.1%
Grade 9	69.7%	20.6%	4.5%	1.2%	4.0%
Grade 10	71.5%	18.4%	4.0%	1.0%	5.2%
Grade 11	71.8%	19.7%	2.1%	1.9%	4.5%
Grade 12	73.6%	17.7%	3.5%	0.6%	4.5%

region10
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A school health class	All	55.1%
	Grade 7	74.8%
	Grade 8	56.9%
	Grade 9	45.7%
	Grade 10	60.6%
	Grade 11	54.0%
	Grade 12	39.8%
An assembly program	All	44.6%
	Grade 7	53.7%
	Grade 8	50.8%
	Grade 9	41.9%
	Grade 10	45.7%
	Grade 11	40.4%
	Grade 12	33.7%
Guidance counselor	All	27.7%
	Grade 7	42.2%
	Grade 8	37.3%
	Grade 9	23.6%
	Grade 10	24.0%
	Grade 11	19.0%
	Grade 12	18.1%
Science class	All	28.7%
	Grade 7	39.7%
	Grade 8	37.3%
	Grade 9	24.2%
	Grade 10	26.0%
	Grade 11	23.5%
	Grade 12	20.4%
Social studies class	All	15.0%
	Grade 7	16.4%
	Grade 8	15.3%
	Grade 9	14.3%
	Grade 10	15.8%
	Grade 11	14.5%
	Grade 12	13.7%
Student group session	All	16.1%
	Grade 7	17.9%
	Grade 8	14.8%
	Grade 9	15.5%
	Grade 10	17.3%
	Grade 11	16.8%
	Grade 12	14.9%

region10
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY		Yes
An invited school guest	All	35.2%
	Grade 7	42.6%
	Grade 8	42.7%
	Grade 9	32.5%
	Grade 10	35.9%
	Grade 11	29.7%
	Grade 12	26.7%
Another source at school	All	32.8%
	Grade 7	35.0%
	Grade 8	37.1%
	Grade 9	33.4%
	Grade 10	32.1%
	Grade 11	29.4%
	Grade 12	28.3%
Any school source	All	61.3%
	Grade 7	68.2%
	Grade 8	66.0%
	Grade 9	58.3%
	Grade 10	61.3%
	Grade 11	59.8%
	Grade 12	52.9%

region10
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY		Yes
A counselor or program in	All	37.5%
	Grade 7	55.4%
	Grade 8	49.9%
	Grade 9	36.5%
	Grade 10	29.6%
	Grade 11	25.6%
	Grade 12	23.4%
Another adult in school (All	38.1%
	Grade 7	50.5%
	Grade 8	46.0%
	Grade 9	34.7%
	Grade 10	31.1%
	Grade 11	33.0%
	Grade 12	31.7%
A counselor or program ou	All	37.6%
	Grade 7	44.6%
	Grade 8	42.3%
	Grade 9	37.4%
	Grade 10	35.4%
	Grade 11	33.5%
	Grade 12	30.4%
Your parents	All	59.7%
	Grade 7	73.2%
	Grade 8	63.8%
	Grade 9	57.6%
	Grade 10	51.7%
	Grade 11	55.4%
	Grade 12	55.6%
A medical doctor	All	43.7%
	Grade 7	58.2%
	Grade 8	50.5%
	Grade 9	41.3%
	Grade 10	40.1%
	Grade 11	37.7%
	Grade 12	32.4%
Your friends	All	68.0%
	Grade 7	60.1%
	Grade 8	64.4%
	Grade 9	69.4%
	Grade 10	70.3%
	Grade 11	73.3%
	Grade 12	71.6%

region10
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	63.2%
	Grade 7	67.2%
	Grade 8	64.7%
	Grade 9	61.4%
	Grade 10	60.3%
	Grade 11	62.1%
	Grade 12	63.3%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	8.0%
	Grade 7	5.7%
	Grade 8	8.7%
	Grade 9	9.5%
	Grade 10	9.2%
	Grade 11	7.4%
	Grade 12	6.8%

region10
Spring 2006

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	6.9%	32.5%	27.4%	26.3%	6.9%
Grade 7	9.2%	29.8%	21.7%	28.4%	10.8%
Grade 8	6.8%	29.4%	27.7%	27.1%	9.0%
Grade 9	7.2%	34.4%	28.2%	24.9%	5.3%
Grade 10	6.4%	35.6%	28.5%	24.3%	5.1%
Grade 11	6.2%	33.9%	28.3%	24.9%	6.7%
Grade 12	5.1%	31.8%	30.5%	28.3%	4.3%
Sometimes carry weapons?					
All	73.0%	16.6%	7.2%	2.1%	1.1%
Grade 7	87.3%	8.5%	3.2%	0.3%	0.7%
Grade 8	75.0%	15.9%	6.4%	2.2%	0.5%
Grade 9	69.1%	17.9%	8.6%	2.9%	1.6%
Grade 10	68.6%	18.9%	8.8%	2.4%	1.4%
Grade 11	70.4%	17.4%	8.6%	2.1%	1.5%
Grade 12	67.0%	21.7%	8.1%	2.3%	1.0%
Care about making good grades?					
All	3.5%	18.6%	25.4%	35.0%	17.5%
Grade 7	2.6%	18.4%	21.5%	33.8%	23.8%
Grade 8	4.2%	19.7%	24.7%	30.6%	20.9%
Grade 9	4.1%	19.6%	26.2%	33.2%	16.9%
Grade 10	3.8%	19.7%	29.0%	35.0%	12.6%
Grade 11	4.4%	16.7%	24.1%	38.0%	16.9%
Grade 12	1.6%	16.7%	26.8%	41.6%	13.2%
Belong/want to belong to a gang?					
All	60.1%	21.2%	11.4%	5.4%	2.0%
Grade 7	74.7%	16.3%	6.4%	2.0%	0.6%
Grade 8	55.3%	24.2%	11.9%	6.5%	2.1%
Grade 9	53.4%	22.6%	15.6%	5.8%	2.6%
Grade 10	52.4%	23.6%	13.8%	8.0%	2.2%
Grade 11	60.4%	21.0%	10.4%	5.4%	2.8%
Grade 12	66.1%	18.5%	9.4%	4.3%	1.6%
Wish they could drop out of school?					
All	60.2%	25.6%	9.6%	3.2%	1.4%
Grade 7	70.7%	21.1%	5.5%	1.7%	1.0%
Grade 8	62.0%	24.3%	8.9%	3.4%	1.4%
Grade 9	57.4%	24.1%	12.3%	4.7%	1.5%
Grade 10	51.9%	29.4%	12.8%	3.5%	2.4%
Grade 11	59.0%	27.3%	10.0%	2.6%	1.2%
Grade 12	60.2%	28.4%	7.4%	3.1%	1.0%

region10
Spring 2006

Table X-5: How safe do you feel when you are:

		Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	82.8%	14.6%	0.9%	0.5%	1.2%
	Grade 7	84.3%	13.3%	1.1%	0.3%	1.0%
	Grade 8	79.7%	17.3%	1.4%	0.2%	1.4%
	Grade 9	79.6%	17.0%	1.3%	0.7%	1.4%
	Grade 10	84.2%	13.5%	0.6%	0.4%	1.2%
	Grade 11	83.9%	14.2%	0.3%	0.6%	1.1%
	Grade 12	86.5%	11.2%	0.8%	0.5%	1.0%
Out in your neighbourhood						
	All	32.6%	54.5%	8.7%	1.7%	2.5%
	Grade 7	29.4%	52.9%	12.5%	1.6%	3.6%
	Grade 8	26.1%	58.3%	10.2%	2.5%	2.8%
	Grade 9	30.3%	56.1%	9.0%	1.6%	3.0%
	Grade 10	35.7%	54.0%	7.0%	1.7%	1.5%
	Grade 11	36.9%	53.6%	6.0%	1.3%	2.2%
	Grade 12	39.6%	51.0%	6.4%	1.5%	1.5%
At school						
	All	32.0%	51.1%	9.7%	4.0%	3.2%
	Grade 7	43.5%	45.0%	6.4%	2.1%	3.0%
	Grade 8	40.2%	48.0%	7.1%	2.3%	2.4%
	Grade 9	24.9%	55.0%	11.4%	5.1%	3.7%
	Grade 10	24.2%	55.7%	12.3%	4.2%	3.6%
	Grade 11	27.9%	53.3%	10.2%	5.8%	2.8%
	Grade 12	30.8%	49.7%	10.8%	4.9%	3.7%

region10
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A website or online chat	All	24.4%
	Grade 7	23.5%
	Grade 8	20.6%
	Grade 9	22.1%
	Grade 10	27.8%
	Grade 11	29.4%
	Grade 12	24.0%
Books, magazines, poster	All	51.2%
	Grade 7	53.7%
	Grade 8	53.2%
	Grade 9	49.0%
	Grade 10	52.3%
	Grade 11	52.1%
	Grade 12	46.9%
TV, radio, or other audi	All	55.9%
	Grade 7	56.8%
	Grade 8	55.3%
	Grade 9	55.0%
	Grade 10	57.8%
	Grade 11	57.4%
	Grade 12	53.4%
Your parents	All	60.9%
	Grade 7	69.1%
	Grade 8	63.6%
	Grade 9	61.6%
	Grade 10	58.7%
	Grade 11	60.4%
	Grade 12	50.4%

region10
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.2%	22.6%	38.5%	61.5%
	Grade 7	3.3%	5.1%	13.3%	86.7%
	Grade 8	8.4%	13.9%	26.4%	73.6%
	Grade 9	16.2%	23.8%	40.4%	59.6%
	Grade 10	18.0%	26.7%	45.3%	54.7%
	Grade 11	23.8%	31.5%	52.4%	47.6%
	Grade 12	31.1%	39.0%	59.2%	40.8%
Alcohol					
	All	37.7%	47.7%	71.9%	28.1%
	Grade 7	15.2%	18.6%	47.8%	52.2%
	Grade 8	24.4%	33.8%	62.6%	37.4%
	Grade 9	39.8%	50.4%	75.7%	24.3%
	Grade 10	45.0%	57.1%	79.2%	20.8%
	Grade 11	49.3%	62.0%	83.5%	16.5%
	Grade 12	57.7%	70.8%	87.0%	13.0%
Inhalants					
	All	6.2%	8.9%	19.2%	80.8%
	Grade 7	4.5%	6.2%	16.6%	83.4%
	Grade 8	6.7%	11.0%	21.1%	78.9%
	Grade 9	7.9%	10.4%	23.5%	76.5%
	Grade 10	5.4%	8.6%	19.9%	80.1%
	Grade 11	6.1%	8.7%	16.3%	83.7%
	Grade 12	6.3%	8.4%	16.3%	83.7%
Any Illicit Drug					
	All	12.9%	17.2%	29.5%	70.5%
	Grade 7	2.7%	3.3%	6.6%	93.4%
	Grade 8	7.5%	9.6%	16.5%	83.5%
	Grade 9	15.2%	19.2%	33.1%	66.9%
	Grade 10	16.1%	22.3%	37.0%	63.0%
	Grade 11	17.3%	23.9%	41.5%	58.5%
	Grade 12	20.6%	27.7%	47.7%	52.3%
Marijuana					
	All	10.3%	14.7%	27.0%	73.0%
	Grade 7	1.9%	2.1%	4.9%	95.1%
	Grade 8	6.5%	9.2%	15.4%	84.6%
	Grade 9	12.6%	16.7%	29.0%	71.0%
	Grade 10	12.3%	18.1%	33.0%	67.0%
	Grade 11	13.4%	20.3%	38.8%	61.2%
	Grade 12	16.3%	24.3%	46.3%	53.7%
Marijuana Only					
	All	3.4%	5.2%	11.8%	88.2%
	Grade 7	1.1%	1.2%	3.4%	96.6%
	Grade 8	3.3%	4.4%	7.9%	92.1%
	Grade 9	3.7%	5.3%	12.3%	87.7%
	Grade 10	4.0%	6.8%	15.3%	84.7%
	Grade 11	3.5%	6.3%	15.2%	84.8%
	Grade 12	5.2%	7.7%	18.8%	81.2%

region10
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.5%	7.6%	13.6%	86.4%
	Grade 7	0.2%	0.6%	1.6%	98.4%
	Grade 8	2.3%	2.8%	7.1%	92.9%
	Grade 9	6.5%	8.9%	14.6%	85.4%
	Grade 10	7.7%	10.7%	17.0%	83.0%
	Grade 11	8.2%	11.0%	20.2%	79.8%
	Grade 12	9.0%	13.0%	24.2%	75.8%
Cocaine					
	All	5.1%	7.2%	13.0%	87.0%
	Grade 7	0.2%	0.6%	1.2%	98.8%
	Grade 8	1.8%	2.4%	6.2%	93.8%
	Grade 9	5.5%	7.9%	13.4%	86.6%
	Grade 10	7.1%	10.4%	16.5%	83.5%
	Grade 11	8.1%	10.9%	20.1%	79.9%
	Grade 12	9.0%	13.0%	24.1%	75.9%
Crack					
	All	1.2%	1.7%	3.7%	96.3%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	1.2%	1.6%	3.7%	96.3%
	Grade 9	1.8%	2.7%	4.6%	95.4%
	Grade 10	1.7%	2.0%	4.4%	95.6%
	Grade 11	1.4%	2.0%	4.3%	95.7%
	Grade 12	0.8%	1.4%	4.5%	95.5%
Hallucinogens					
	All	1.7%	2.7%	6.0%	94.0%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.5%	0.8%	2.8%	97.2%
	Grade 9	1.9%	3.0%	5.7%	94.3%
	Grade 10	2.2%	3.7%	7.1%	92.9%
	Grade 11	2.5%	3.6%	9.1%	90.9%
	Grade 12	3.2%	5.7%	12.5%	87.5%
Uppers					
	All	1.2%	1.7%	3.4%	96.6%
	Grade 7	0.4%	0.4%	0.8%	99.2%
	Grade 8	0.1%	0.5%	1.0%	99.0%
	Grade 9	1.1%	1.4%	3.6%	96.4%
	Grade 10	1.3%	1.9%	3.8%	96.2%
	Grade 11	2.2%	2.7%	6.0%	94.0%
	Grade 12	2.3%	3.9%	6.2%	93.8%
Downers					
	All	1.2%	1.7%	3.2%	96.8%
	Grade 7	0.1%	0.1%	0.5%	99.5%
	Grade 8	0.3%	0.6%	1.3%	98.7%
	Grade 9	1.3%	1.9%	3.9%	96.1%
	Grade 10	2.0%	2.5%	4.2%	95.8%
	Grade 11	1.7%	2.2%	5.6%	94.4%
	Grade 12	1.8%	3.2%	4.5%	95.5%

region10
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.0%	1.4%	2.6%	97.4%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.3%	0.8%	1.2%	98.8%
	Grade 9	1.4%	1.8%	3.4%	96.6%
	Grade 10	1.5%	2.0%	3.3%	96.7%
	Grade 11	1.8%	2.7%	4.0%	96.0%
	Grade 12	0.9%	1.2%	3.7%	96.3%
Steroids	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.3%	0.9%	99.1%
	Grade 8	0.8%	0.8%	1.2%	98.8%
	Grade 9	0.1%	0.1%	1.0%	99.0%
	Grade 10	1.5%	1.5%	1.9%	98.1%
	Grade 11	0.9%	0.9%	1.5%	98.5%
	Grade 12	0.5%	0.7%	1.9%	98.1%
Ecstasy	All	1.5%	2.3%	4.7%	95.3%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	1.0%	1.3%	2.0%	98.0%
	Grade 9	1.8%	2.8%	5.5%	94.5%
	Grade 10	2.0%	3.3%	6.6%	93.4%
	Grade 11	1.5%	2.2%	5.6%	94.4%
	Grade 12	2.8%	4.1%	8.2%	91.8%
Heroin	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.4%	0.7%	0.8%	99.2%
	Grade 8	0.3%	0.7%	1.7%	98.3%
	Grade 9	1.0%	1.2%	3.3%	96.7%
	Grade 10	0.7%	0.7%	1.5%	98.5%
	Grade 11	0.3%	0.7%	1.6%	98.4%
	Grade 12	0.5%	0.5%	0.8%	99.2%

region10
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	18.8%	25.4%	39.9%	60.1%
	Grade 7	3.0%	5.0%	14.6%	85.4%
	Grade 8	9.8%	14.5%	26.5%	73.5%
	Grade 9	15.3%	23.3%	38.7%	61.3%
	Grade 10	22.2%	29.9%	46.9%	53.1%
	Grade 11	27.7%	35.5%	53.7%	46.3%
	Grade 12	37.9%	46.9%	62.1%	37.9%
Alcohol					
	All	37.2%	46.2%	68.6%	31.4%
	Grade 7	14.5%	17.0%	46.2%	53.8%
	Grade 8	21.7%	31.3%	56.8%	43.2%
	Grade 9	37.0%	47.5%	71.2%	28.8%
	Grade 10	42.8%	53.0%	75.4%	24.6%
	Grade 11	48.0%	60.2%	79.3%	20.7%
	Grade 12	61.9%	70.6%	84.0%	16.0%
Inhalants					
	All	5.1%	8.2%	18.3%	81.7%
	Grade 7	3.7%	5.5%	14.2%	85.8%
	Grade 8	5.0%	10.9%	19.5%	80.5%
	Grade 9	6.4%	8.8%	21.9%	78.1%
	Grade 10	4.6%	8.1%	18.5%	81.5%
	Grade 11	7.0%	9.4%	17.6%	82.4%
	Grade 12	3.3%	6.4%	17.1%	82.9%
Any Illicit Drug					
	All	14.9%	19.3%	32.0%	68.0%
	Grade 7	2.6%	2.9%	7.5%	92.5%
	Grade 8	8.5%	11.3%	18.5%	81.5%
	Grade 9	17.2%	22.0%	35.9%	64.1%
	Grade 10	18.7%	24.4%	38.0%	62.0%
	Grade 11	19.1%	24.4%	42.6%	57.4%
	Grade 12	23.4%	31.6%	50.7%	49.3%
Marijuana					
	All	11.6%	16.8%	29.8%	70.2%
	Grade 7	1.6%	1.8%	5.9%	94.1%
	Grade 8	7.4%	11.0%	18.0%	82.0%
	Grade 9	13.3%	19.1%	32.5%	67.5%
	Grade 10	15.3%	20.9%	35.2%	64.8%
	Grade 11	14.6%	20.8%	40.4%	59.6%
	Grade 12	18.0%	27.5%	49.0%	51.0%
Marijuana Only					
	All	4.1%	5.9%	13.2%	86.8%
	Grade 7	0.9%	1.0%	4.4%	95.6%
	Grade 8	3.7%	5.4%	9.7%	90.3%
	Grade 9	4.5%	6.6%	14.8%	85.2%
	Grade 10	5.9%	8.2%	16.0%	84.0%
	Grade 11	4.3%	6.1%	14.9%	85.1%
	Grade 12	5.1%	8.3%	19.4%	80.6%

region10
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	6.1%	8.5%	14.1%	85.9%
	Grade 7	0.2%	0.4%	1.4%	98.6%
	Grade 8	1.7%	2.5%	6.7%	93.3%
	Grade 9	7.2%	10.3%	14.7%	85.3%
	Grade 10	7.5%	10.7%	15.8%	84.2%
	Grade 11	9.2%	11.8%	22.2%	77.8%
	Grade 12	11.5%	15.7%	25.0%	75.0%
Cocaine					
	All	5.8%	8.1%	13.6%	86.4%
	Grade 7	0.2%	0.3%	0.9%	99.1%
	Grade 8	1.7%	2.4%	6.6%	93.4%
	Grade 9	6.1%	9.0%	13.4%	86.6%
	Grade 10	6.9%	10.1%	15.2%	84.8%
	Grade 11	9.0%	11.5%	22.0%	78.0%
	Grade 12	11.5%	15.8%	25.1%	74.9%
Crack					
	All	1.1%	1.7%	3.1%	96.9%
	Grade 7	0.1%	0.2%	0.8%	99.2%
	Grade 8	0.6%	1.2%	1.4%	98.6%
	Grade 9	1.9%	2.7%	4.9%	95.1%
	Grade 10	1.3%	1.5%	2.9%	97.1%
	Grade 11	1.6%	2.1%	4.5%	95.5%
	Grade 12	0.9%	1.9%	4.1%	95.9%
Hallucinogens					
	All	2.0%	3.4%	7.5%	92.5%
	Grade 7	0.0%	0.1%	0.5%	99.5%
	Grade 8	1.1%	1.7%	3.8%	96.2%
	Grade 9	1.5%	3.5%	7.8%	92.2%
	Grade 10	2.5%	4.1%	7.9%	92.1%
	Grade 11	3.0%	3.7%	10.5%	89.5%
	Grade 12	4.5%	7.7%	15.8%	84.2%
Uppers					
	All	1.2%	1.8%	3.9%	96.1%
	Grade 7	0.8%	0.9%	1.0%	99.0%
	Grade 8	0.1%	0.1%	0.3%	99.7%
	Grade 9	1.1%	1.4%	3.1%	96.9%
	Grade 10	1.1%	2.0%	4.6%	95.4%
	Grade 11	2.4%	2.7%	7.5%	92.5%
	Grade 12	1.9%	4.3%	7.5%	92.5%
Downers					
	All	1.2%	1.6%	3.5%	96.5%
	Grade 7	0.0%	0.1%	0.6%	99.4%
	Grade 8	0.1%	0.2%	0.3%	99.7%
	Grade 9	1.2%	1.6%	3.2%	96.8%
	Grade 10	2.6%	2.9%	5.0%	95.0%
	Grade 11	1.6%	2.0%	7.2%	92.8%
	Grade 12	1.8%	2.8%	4.9%	95.1%

region10
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	1.2%	1.6%	2.6%	97.4%
	Grade 7	0.3%	0.4%	0.5%	99.5%
	Grade 8	0.6%	0.7%	0.7%	99.3%
	Grade 9	1.2%	1.8%	3.0%	97.0%
	Grade 10	2.0%	2.7%	4.0%	96.0%
	Grade 11	2.2%	2.3%	3.6%	96.4%
	Grade 12	1.1%	1.5%	3.8%	96.2%
Steroids					
	All	1.1%	1.2%	2.4%	97.6%
	Grade 7	0.7%	0.7%	2.2%	97.8%
	Grade 8	1.4%	1.4%	1.5%	98.5%
	Grade 9	0.1%	0.2%	1.8%	98.2%
	Grade 10	2.1%	2.1%	2.9%	97.1%
	Grade 11	1.9%	1.9%	3.0%	97.0%
	Grade 12	1.0%	1.2%	3.2%	96.8%
Ecstasy					
	All	1.7%	2.4%	5.1%	94.9%
	Grade 7	0.8%	0.8%	0.9%	99.1%
	Grade 8	1.7%	1.7%	2.3%	97.7%
	Grade 9	1.4%	1.7%	5.3%	94.7%
	Grade 10	2.3%	3.7%	6.7%	93.3%
	Grade 11	1.6%	2.3%	6.3%	93.7%
	Grade 12	2.6%	4.7%	9.4%	90.6%
Heroin					
	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.7%	0.7%	0.9%	99.1%
	Grade 8	0.0%	1.0%	1.1%	98.9%
	Grade 9	0.6%	1.1%	2.7%	97.3%
	Grade 10	0.8%	0.8%	1.2%	98.8%
	Grade 11	0.1%	0.3%	1.0%	99.0%
	Grade 12	0.9%	0.9%	1.2%	98.8%

region10
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.9%	20.2%	37.3%	62.7%
	Grade 7	3.5%	5.3%	12.4%	87.6%
	Grade 8	7.4%	13.2%	26.1%	73.9%
	Grade 9	17.1%	24.0%	41.9%	58.1%
	Grade 10	14.3%	23.8%	43.9%	56.1%
	Grade 11	20.0%	27.7%	51.2%	48.8%
	Grade 12	25.2%	32.2%	56.7%	43.3%
Alcohol					
	All	38.0%	49.1%	74.7%	25.3%
	Grade 7	15.8%	19.9%	49.2%	50.8%
	Grade 8	26.2%	35.6%	66.7%	33.3%
	Grade 9	42.3%	53.1%	80.1%	19.9%
	Grade 10	47.0%	60.8%	82.6%	17.4%
	Grade 11	50.7%	63.8%	87.7%	12.3%
	Grade 12	54.0%	71.3%	89.6%	10.4%
Inhalants					
	All	7.1%	9.5%	19.9%	80.1%
	Grade 7	5.0%	6.8%	18.6%	81.4%
	Grade 8	7.7%	10.7%	22.1%	77.9%
	Grade 9	9.3%	11.6%	24.7%	75.3%
	Grade 10	6.1%	9.0%	21.1%	78.9%
	Grade 11	5.2%	8.0%	15.1%	84.9%
	Grade 12	9.0%	10.2%	15.7%	84.3%
Any Illicit Drug					
	All	11.2%	15.3%	27.5%	72.5%
	Grade 7	2.7%	3.7%	5.9%	94.1%
	Grade 8	6.8%	8.4%	15.1%	84.9%
	Grade 9	13.1%	16.4%	30.3%	69.7%
	Grade 10	13.7%	20.4%	36.1%	63.9%
	Grade 11	15.5%	23.5%	40.5%	59.5%
	Grade 12	18.1%	24.3%	45.1%	54.9%
Marijuana					
	All	9.1%	12.9%	24.5%	75.5%
	Grade 7	2.2%	2.3%	4.2%	95.8%
	Grade 8	5.9%	7.9%	13.5%	86.5%
	Grade 9	11.7%	14.2%	25.6%	74.4%
	Grade 10	9.7%	15.6%	31.1%	68.9%
	Grade 11	12.2%	20.0%	37.2%	62.8%
	Grade 12	14.9%	21.6%	43.9%	56.1%
Marijuana Only					
	All	2.9%	4.5%	10.7%	89.3%
	Grade 7	1.2%	1.3%	2.6%	97.4%
	Grade 8	3.0%	3.6%	6.5%	93.5%
	Grade 9	3.0%	4.2%	10.0%	90.0%
	Grade 10	2.3%	5.6%	14.7%	85.3%
	Grade 11	2.8%	6.5%	15.6%	84.4%
	Grade 12	5.3%	7.2%	18.2%	81.8%

region10
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.9%	6.8%	13.3%	86.7%
	Grade 7	0.2%	0.8%	1.7%	98.3%
	Grade 8	2.7%	3.1%	7.4%	92.6%
	Grade 9	5.8%	7.6%	14.6%	85.4%
	Grade 10	7.9%	10.6%	18.1%	81.9%
	Grade 11	7.2%	10.2%	18.2%	81.8%
	Grade 12	6.8%	10.6%	23.5%	76.5%
Cocaine					
	All	4.5%	6.5%	12.6%	87.4%
	Grade 7	0.2%	0.8%	1.4%	98.6%
	Grade 8	1.9%	2.3%	5.9%	94.1%
	Grade 9	5.0%	6.9%	13.6%	86.4%
	Grade 10	7.4%	10.6%	17.6%	82.4%
	Grade 11	7.2%	10.2%	18.1%	81.9%
	Grade 12	6.8%	10.6%	23.3%	76.7%
Crack					
	All	1.3%	1.7%	4.1%	95.9%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	1.7%	1.8%	5.5%	94.5%
	Grade 9	1.8%	2.7%	4.3%	95.7%
	Grade 10	2.1%	2.4%	5.7%	94.3%
	Grade 11	1.3%	1.9%	4.1%	95.9%
	Grade 12	0.7%	1.0%	4.9%	95.1%
Hallucinogens					
	All	1.4%	2.2%	4.7%	95.3%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.1%	0.2%	2.1%	97.9%
	Grade 9	2.4%	2.5%	3.7%	96.3%
	Grade 10	2.0%	3.3%	6.4%	93.6%
	Grade 11	2.0%	3.5%	7.7%	92.3%
	Grade 12	2.1%	4.0%	9.7%	90.3%
Uppers					
	All	1.1%	1.6%	3.0%	97.0%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.1%	0.8%	1.6%	98.4%
	Grade 9	1.1%	1.3%	4.0%	96.0%
	Grade 10	1.5%	1.8%	3.1%	96.9%
	Grade 11	2.1%	2.7%	4.6%	95.4%
	Grade 12	2.8%	3.6%	5.1%	94.9%
Downers					
	All	1.1%	1.8%	3.1%	96.9%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	0.5%	1.0%	2.1%	97.9%
	Grade 9	1.5%	2.2%	4.7%	95.3%
	Grade 10	1.5%	2.0%	3.5%	96.5%
	Grade 11	1.8%	2.4%	4.0%	96.0%
	Grade 12	1.9%	3.5%	4.1%	95.9%

region10
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.3%	2.6%	97.4%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.1%	0.9%	1.6%	98.4%
	Grade 9	1.7%	1.9%	3.7%	96.3%
	Grade 10	1.0%	1.4%	2.7%	97.3%
	Grade 11	1.4%	3.1%	4.4%	95.6%
	Grade 12	0.7%	0.9%	3.7%	96.3%
Steroids					
	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.9%	0.9%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.1%	0.7%	99.3%
Ecstasy					
	All	1.4%	2.2%	4.2%	95.8%
	Grade 7	0.0%	0.1%	0.7%	99.3%
	Grade 8	0.5%	1.0%	1.8%	98.2%
	Grade 9	2.3%	3.8%	5.4%	94.6%
	Grade 10	1.7%	2.9%	6.5%	93.5%
	Grade 11	1.4%	2.0%	5.0%	95.0%
	Grade 12	2.9%	3.6%	7.2%	92.8%
Heroin					
	All	0.5%	0.8%	1.9%	98.1%
	Grade 7	0.1%	0.7%	0.8%	99.2%
	Grade 8	0.4%	0.4%	2.2%	97.8%
	Grade 9	1.3%	1.4%	3.9%	96.1%
	Grade 10	0.6%	0.6%	1.8%	98.2%
	Grade 11	0.5%	1.1%	2.1%	97.9%
	Grade 12	0.2%	0.3%	0.5%	99.5%

region10
Spring 2006

Table B4: Prevalence and recency of use of selected substances by grade
White students

Table skipped because an insufficient number of cases.

region10
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

Table skipped because an insufficient number of cases.

region10
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.0%	22.6%	38.7%	61.3%
Alcohol					
	All	38.0%	48.0%	72.1%	27.9%
Inhalants					
	All	6.1%	8.9%	18.9%	81.1%
Any Illicit Drug					
	All	13.0%	17.1%	29.5%	70.5%
Marijuana					
	All	10.3%	14.6%	27.0%	73.0%
Marijuana Only					
	All	3.5%	5.1%	11.7%	88.3%
Cocaine or Crack					
	All	5.6%	7.8%	14.0%	86.0%
Cocaine					
	All	5.2%	7.5%	13.5%	86.5%
Crack					
	All	1.2%	1.6%	3.5%	96.5%
Hallucinogens					
	All	1.7%	2.6%	5.6%	94.4%
Uppers					
	All	1.1%	1.6%	3.2%	96.8%
Downers					
	All	1.2%	1.5%	3.0%	97.0%
Rohypnol					
	All	1.1%	1.5%	2.6%	97.4%
Steroids					
	All	0.6%	0.7%	1.3%	98.7%
Ecstasy					
	All	1.6%	2.4%	4.6%	95.4%
Heroin					
	All	0.5%	0.8%	1.7%	98.3%

**region10
Spring 2006**

The FREQ Procedure

Frequency Missing = 2070.7987904

GENDER		
q1	Frequency	Percent
Female	69358	53.41
Male	60490	46.59

Frequency Missing = 301.48467648

GRADE		
q2	Frequency	Percent
Grade 7	22459	17.26
Grade 8	23009	17.68
Grade 9	25918	19.91
Grade 10	21667	16.65
Grade 11	18088	13.90
Grade 12	19009	14.61

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	49212	38.02
Yes	80217	61.98

Frequency Missing = 721.00670673

AGE		
q4	Frequency	Percent
11 or younger	530	0.41
12	11447	8.81
13	20946	16.13
14	23762	18.30
15	23187	17.85
16	21349	16.44
17	19586	15.08
18	8138	6.27
19 or older	933	0.72

Frequency Missing = 272.62158796

ETHNICITY		
q5	Frequency	Percent
African/American	2482	1.94
Asian/American	395	0.31
Mexican/American	111E3	86.91
Native/American	1623	1.27
Other	5708	4.46
White	6557	5.12

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	24825	19.27
Mostly B's	71166	55.23
Mostly C's	28075	21.79
Mostly D's	4049	3.14
Mostly F's	741	0.57

Frequency Missing = 1294.2796456

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	12967	10.11
2-3 years	21817	17.00
>4 years	93523	72.89

Frequency Missing = 1843.5590582

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	111E3	86.22
Yes	17783	13.78

Frequency Missing = 1130.8679328

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	71929	56.65
Yes	55053	43.35

Frequency Missing = 3168.5096401

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	26855	20.84
No	57959	44.98
Yes	44047	34.18

Frequency Missing = 1288.284663

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	14170	11.01
No	32739	25.44
Yes	81786	63.55

Frequency Missing = 1455.2431199

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	56687	48.08
Yes	61210	51.92

Frequency Missing = 12252.416532

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	87499	80.79
Yes	20804	19.21

Frequency Missing = 21847.601301

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	93349	91.88
Yes	8248	8.12

Frequency Missing = 28552.628391

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	83381	81.01
Yes	19543	18.99

Frequency Missing = 27226.103316

**region10
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	92280	91.02
Yes	9108	8.98

Frequency Missing = 28761.81957

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	101E3	93.80
Yes	6672	6.20

Frequency Missing = 22620.730187

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	41874	32.61
Somewhat Safe	69963	54.49
Not Very Safe	11162	8.69
Not Safe At All	2198	1.71
Don't Know	3206	2.50

Frequency Missing = 1748.6025624

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	96233	94.31
Yes	5806	5.69

Frequency Missing = 28111.737376

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	84656	76.43
Yes	26104	23.57

Frequency Missing = 19390.172122

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	41178	31.98
Somewhat Safe	65845	51.14
Not Very Safe	12460	9.68
Not Safe At All	5162	4.01
Don't Know	4120	3.20

Frequency Missing = 1385.6020167

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	95468	92.78
Yes	7427	7.22

Frequency Missing = 27255.082047

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	71907	63.34
Yes	41623	36.66

Frequency Missing = 16620.185295

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	8875	6.91
A Few	41732	32.48
Some	35216	27.41
Most	33787	26.29
All	8888	6.92

Frequency Missing = 1652.9069385

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	89847	84.26
Yes	16784	15.74

Frequency Missing = 23519.54179

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	82748	73.84
Yes	29321	26.16

Frequency Missing = 18080.776682

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	91375	86.24
Yes	14577	13.76

Frequency Missing = 24197.897773

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	107E3	82.81
Somewhat Safe	18840	14.60
Not Very Safe	1226	0.95
Not Safe At All	589	0.46
Don't Know	1538	1.19

Frequency Missing = 1082.0219286

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	91982	73.03
A Few	20884	16.58
Some	9119	7.24
Most	2586	2.05
All	1381	1.10

Frequency Missing = 4198.2987161

**region10
Spring 2006**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	4306	3.47
A Few	23052	18.59
Some	31474	25.39
Most	43411	35.02
All	21735	17.53

Frequency Missing = 6171.2345439

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	76854	60.08
A Few	27058	21.15
Some	14610	11.42
Most	6865	5.37
All	2539	1.98

Frequency Missing = 2224.0689714

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	77085	60.20
A Few	32753	25.58
Some	12256	9.57
Most	4140	3.23
All	1817	1.42

Frequency Missing = 2098.4357122

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	70057	59.47
Yes	47749	40.53

Frequency Missing = 12343.99272

EVER INHALED SPRAY PAINT FOR KICKS		
q16a	Frequency	Percent
Never Heard/Used	118E3	92.16
In Your Lifetime	6609	5.14
Since School Began	1332	1.04
In the Past Month	2125	1.65

Frequency Missing = 1677.0727191

EVER INHALED WHITEOUT FOR KICKS		
q16b	Frequency	Percent
Never Heard/Used	117E3	91.50
In Your Lifetime	6348	4.97
Since School Began	1522	1.19
In the Past Month	2982	2.34

Frequency Missing = 2447.1416852

EVER INHALED GASOLINE FOR KICKS		
q16c	Frequency	Percent
Never Heard/Used	122E3	96.29
In Your Lifetime	2456	1.95
Since School Began	591	0.47
In the Past Month	1633	1.29

Frequency Missing = 3902.7089708

EVER INHALED FREON FOR KICKS		
q16d	Frequency	Percent
Never Heard/Used	124E3	98.48
In Your Lifetime	962	0.76
Since School Began	249	0.20
In the Past Month	702	0.56

Frequency Missing = 3934.8861205

EVER INHALED POPPERS, ETC. FOR KICKS		
q16e	Frequency	Percent
Never Heard/Used	124E3	98.19
In Your Lifetime	937	0.74
Since School Began	341	0.27
In the Past Month	1009	0.80

Frequency Missing = 4148.6816592

EVER INHALED GLUE FOR KICKS		
q16f	Frequency	Percent
Never Heard/Used	122E3	96.54
In Your Lifetime	2529	2.01
Since School Began	617	0.49
In the Past Month	1212	0.96

Frequency Missing = 4187.8902429

EVER INHALED PAINT THINNERS FOR KICKS		
q16g	Frequency	Percent
Never Heard/Used	12E4	95.10
In Your Lifetime	3198	2.54
Since School Began	882	0.70
In the Past Month	2091	1.66

Frequency Missing = 4267.7568946

EVER INHALED NITROUS OXIDE FOR KICKS		
q16h	Frequency	Percent
Never Heard/Used	121E3	95.72
In Your Lifetime	2792	2.21
Since School Began	851	0.67
In the Past Month	1765	1.40

Frequency Missing = 3865.8626603

EVER INHALED OCTANE BOOSTER FOR KICKS		
q16i	Frequency	Percent
Never Heard/Used	124E3	98.71
In Your Lifetime	883	0.70
Since School Began	231	0.18
In the Past Month	509	0.40

Frequency Missing = 4309.4037898

EVER INHALED OTHER SPRAYS FOR KICKS		
q16j	Frequency	Percent
Never Heard/Used	121E3	95.70
In Your Lifetime	2858	2.25
Since School Began	853	0.67
In the Past Month	1744	1.37

Frequency Missing = 3338.328005

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region10
Spring 2006**

EVER INHALED OTHER INHALANTS FOR KICKS		
q16k	Frequency	Percent
Never Heard/Used	115E3	90.32
In Your Lifetime	6173	4.86
Since School Began	1721	1.36
In the Past Month	4385	3.46

Frequency Missing = 3256.438701

RECENT CIGARETTE USE		
q17a	Frequency	Percent
Never Heard/Used	79835	62.37
In Your Lifetime	20478	16.00
Since School Began	8007	6.26
In the Past Month	19685	15.38

Frequency Missing = 2144.5176142

RECENT SMOKELESS TOBACCO USE		
q17b	Frequency	Percent
Never Heard/Used	116E3	91.33
In Your Lifetime	4424	3.49
Since School Began	2202	1.74
In the Past Month	4366	3.44

Frequency Missing = 3346.0311338

RECENT BEER USE		
q17c	Frequency	Percent
Never Heard/Used	50968	40.36
In Your Lifetime	25842	20.46
Since School Began	12164	9.63
In the Past Month	37312	29.55

Frequency Missing = 3864.0249457

RECENT WINE COOLER USE		
q17d	Frequency	Percent
Never Heard/Used	59734	47.32
In Your Lifetime	25501	20.20
Since School Began	12714	10.07
In the Past Month	28297	22.41

Frequency Missing = 3903.6771574

RECENT WINE USE		
q17e	Frequency	Percent
Never Heard/Used	64662	50.94
In Your Lifetime	29809	23.48
Since School Began	11445	9.02
In the Past Month	21026	16.56

Frequency Missing = 3208.1332261

RECENT LIQUOR USE		
q17f	Frequency	Percent
Never Heard/Used	65050	50.94
In Your Lifetime	20031	15.69
Since School Began	10997	8.61
In the Past Month	31616	24.76

Frequency Missing = 2457.2793284

RECENT MARIJUANA USE		
q18a	Frequency	Percent
Never Heard/Used	93227	73.02
In Your Lifetime	15673	12.28
Since School Began	5626	4.41
In the Past Month	13141	10.29

Frequency Missing = 2482.6109488

RECENT COCAINE USE		
q18b	Frequency	Percent
Never Heard/Used	111E3	86.96
In Your Lifetime	7395	5.81
Since School Began	2726	2.14
In the Past Month	6471	5.08

Frequency Missing = 2865.1505811

RECENT CRACK USE		
q18c	Frequency	Percent
Never Heard/Used	121E3	96.35
In Your Lifetime	2507	1.99
Since School Began	580	0.46
In the Past Month	1514	1.20

Frequency Missing = 4225.2048999

RECENT HALLUCINOGEN USE		
q18e	Frequency	Percent
Never Heard/Used	119E3	94.00
In Your Lifetime	4143	3.28
Since School Began	1302	1.03
In the Past Month	2137	1.69

Frequency Missing = 3880.9251991

RECENT UPPER USE		
q18f	Frequency	Percent
Never Heard/Used	122E3	96.60
In Your Lifetime	2159	1.71
Since School Began	663	0.53
In the Past Month	1474	1.17

Frequency Missing = 3842.2561964

RECENT DOWNER USE		
q18g	Frequency	Percent
Never Heard/Used	122E3	96.76
In Your Lifetime	1952	1.55
Since School Began	644	0.51
In the Past Month	1475	1.17

Frequency Missing = 4410.4967955

RECENT ROHYPNOL USE		
q18h	Frequency	Percent
Never Heard/Used	122E3	97.42
In Your Lifetime	1446	1.15
Since School Began	522	0.42
In the Past Month	1272	1.01

Frequency Missing = 4412.5200441

RECENT STEROID USE		
q18i	Frequency	Percent
Never Heard/Used	123E3	98.63
In Your Lifetime	861	0.69
Since School Began	49	0.04
In the Past Month	808	0.65

Frequency Missing = 5022.2650046

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region10
Spring 2006

RECENT ECSTASY USE
q18j Frequency Percent

Never Heard/Used	12E4	95.34
In Your Lifetime	2986	2.37
Since School Began	936	0.74
In the Past Month	1949	1.55

Frequency Missing = 4220.0531668

RECENT HEROIN USE
q18k Frequency Percent

Never Heard/Used	125E3	98.32
In Your Lifetime	1123	0.89
Since School Began	340	0.27
In the Past Month	667	0.53

Frequency Missing = 3390.9434866

TOBACCO USE IN PAST MONTH
q19a Frequency Percent

Never Heard/Used	112E3	88.19
1-2 times	6622	5.22
3-10 times	4443	3.51
11+ times	3908	3.08

Frequency Missing = 3407.3170457

ALCOHOL USE IN PAST MONTH
q19b Frequency Percent

Never Heard/Used	86109	68.14
1-2 times	19590	15.50
3-10 times	14434	11.42
11+ times	6240	4.94

Frequency Missing = 3776.4771853

INHALANT USE IN PAST MONTH
q19c Frequency Percent

Never Heard/Used	12E4	95.43
1-2 times	4638	3.69
3-10 times	752	0.60
11+ times	362	0.29

Frequency Missing = 4389.7636767

MARIJUANA USE IN PAST MONTH
q19d Frequency Percent

Never Heard/Used	113E3	90.20
1-2 times	5082	4.05
3-10 times	3802	3.03
11+ times	3422	2.72

Frequency Missing = 4575.9165236

COCAINE USE IN PAST MONTH
q19e Frequency Percent

Never Heard/Used	12E4	95.27
1-2 times	3270	2.60
3-10 times	1755	1.39
11+ times	927	0.74

Frequency Missing = 4192.9382739

CRACK USE IN PAST MONTH
q19f Frequency Percent

Never Heard/Used	125E3	99.01
1-2 times	909	0.72
3-10 times	203	0.16
11+ times	145	0.11

Frequency Missing = 3780.1414492

CLOSE FRIENDS USE
CIGARETTES

q20a Frequency Percent

Never heard/None	44403	36.20
A few	36126	29.45
Some	16273	13.27
Most	10267	8.37
All	15590	12.71

Frequency Missing = 7490.8838097

CLOSE FRIENDS USE SMOKELESS
TOBACCO

q20b Frequency Percent

Never heard/None	82644	67.47
A few	15074	12.31
Some	6461	5.27
Most	2602	2.12
All	15715	12.83

Frequency Missing = 7655.0145825

CLOSE FRIENDS USE BEER
q20c Frequency Percent

Never heard/None	26842	22.51
A few	24189	20.29
Some	16994	14.25
Most	25673	21.53
All	25520	21.41

Frequency Missing = 10932.070452

CLOSE FRIENDS USE WINE
COOLERS

q20d Frequency Percent

Never heard/None	42068	34.66
A few	23588	19.44
Some	17275	14.23
Most	16814	13.86
All	21614	17.81

Frequency Missing = 8791.0115737

CLOSE FRIENDS USE WINE
q20e Frequency Percent

Never heard/None	53522	43.74
A few	26137	21.36
Some	13403	10.95
Most	10022	8.19
All	19282	15.76

Frequency Missing = 7783.3124788

CLOSE FRIENDS USE LIQUOR
q20f Frequency Percent

Never heard/None	42608	35.37
A few	20075	16.66
Some	16041	13.32
Most	18816	15.62
All	22925	19.03

Frequency Missing = 9685.9919011

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region10
Spring 2006

CLOSE FRIENDS USE INHALANTS		
q20g	Frequency	Percent
Never heard/None	88370	71.57
A few	12550	10.16
Some	3647	2.95
Most	1846	1.49
All	17062	13.82

Frequency Missing = 6674.3360318

CLOSE FRIENDS USE MARIJUANA		
q20h	Frequency	Percent
Never heard/None	55185	44.55
A few	22283	17.99
Some	13259	10.70
Most	10237	8.26
All	22905	18.49

Frequency Missing = 6281.3536802

DIFFICULT TO GET CIGARETTES		
q21a	Frequency	Percent
Never heard of	13490	11.73
Impossible	16487	14.33
Very difficult	5605	4.87
Somewhat diff	10000	8.69
Somewhat easy	21304	18.52
Very easy	48166	41.86

Frequency Missing = 15096.821647

DIFFICULT TO GET SMOKELESS TOBACCO		
q21b	Frequency	Percent
Never heard of	30457	25.87
Impossible	22490	19.10
Very difficult	7217	6.13
Somewhat diff	10793	9.17
Somewhat easy	13769	11.69
Very easy	33020	28.04

Frequency Missing = 12404.533054

DIFFICULT TO GET BEER		
q21c	Frequency	Percent
Never heard of	10475	9.21
Impossible	11727	10.31
Very difficult	5572	4.90
Somewhat diff	11848	10.42
Somewhat easy	22576	19.85
Very easy	51530	45.31

Frequency Missing = 16422.100157

DIFFICULT TO GET WINE COOLERS		
q21d	Frequency	Percent
Never heard of	15987	13.92
Impossible	12879	11.22
Very difficult	6434	5.60
Somewhat diff	11883	10.35
Somewhat easy	20451	17.81
Very easy	47204	41.11

Frequency Missing = 15312.481926

DIFFICULT TO GET WINE		
q21e	Frequency	Percent
Never heard of	14869	12.85
Impossible	15945	13.78
Very difficult	7659	6.62
Somewhat diff	14003	12.10
Somewhat easy	20171	17.43
Very easy	43091	37.23

Frequency Missing = 14411.497678

DIFFICULT TO GET LIQUOR		
q21f	Frequency	Percent
Never heard of	13644	11.87
Impossible	17386	15.13
Very difficult	7976	6.94
Somewhat diff	11287	9.82
Somewhat easy	18247	15.88
Very easy	46384	40.36

Frequency Missing = 15226.453249

DIFFICULT TO GET INHALANTS		
q21g	Frequency	Percent
Never heard of	25847	22.80
Impossible	17317	15.28
Very difficult	4604	4.06
Somewhat diff	6681	5.89
Somewhat easy	9335	8.24
Very easy	49571	43.73

Frequency Missing = 16796.014804

DIFFICULT TO GET MARIJUANA		
q21h	Frequency	Percent
Never heard of	17493	14.91
Impossible	25046	21.35
Very difficult	7405	6.31
Somewhat diff	11754	10.02
Somewhat easy	16011	13.65
Very easy	39610	33.76

Frequency Missing = 12831.416504

DIFFICULT TO GET COCAINE		
q21i	Frequency	Percent
Never heard of	21018	17.80
Impossible	29003	24.56
Very difficult	11267	9.54
Somewhat diff	12414	10.51
Somewhat easy	12332	10.44
Very easy	32061	27.15

Frequency Missing = 12054.47026

DIFFICULT TO GET CRACK		
q21j	Frequency	Percent
Never heard of	26245	22.03
Impossible	30306	25.44
Very difficult	12161	10.21
Somewhat diff	13423	11.27
Somewhat easy	9496	7.97
Very easy	27485	23.07

Frequency Missing = 11034.948624

region10
Spring 2006

DIFFICULT TO GET HALLUCINOGENS		
q21l	Frequency	Percent
Never heard of	42379	35.18
Impossible	22783	18.92
Very difficult	10846	9.00
Somewhat diff	11497	9.55
Somewhat easy	7432	6.17
Very easy	25510	21.18

Frequency Missing = 9704.3211409

DIFFICULT TO GET UPpers		
q21m	Frequency	Percent
Never heard of	53246	44.12
Impossible	19165	15.88
Very difficult	8860	7.34
Somewhat diff	8281	6.86
Somewhat easy	5434	4.50
Very easy	25691	21.29

Frequency Missing = 9472.0524573

DIFFICULT TO GET DOWNERS		
q21n	Frequency	Percent
Never heard of	54042	44.77
Impossible	18905	15.66
Very difficult	9268	7.68
Somewhat diff	8340	6.91
Somewhat easy	5346	4.43
Very easy	24813	20.56

Frequency Missing = 9437.2847016

DIFFICULT TO GET ROHYPNOL		
q21o	Frequency	Percent
Never heard of	55442	45.71
Impossible	20324	16.76
Very difficult	8497	7.01
Somewhat diff	7992	6.59
Somewhat easy	4548	3.75
Very easy	24483	20.19

Frequency Missing = 8864.483541

DIFFICULT TO GET STEROIDS		
q21p	Frequency	Percent
Never heard of	29847	24.80
Impossible	32090	26.66
Very difficult	12352	10.26
Somewhat diff	11847	9.84
Somewhat easy	7203	5.98
Very easy	27025	22.45

Frequency Missing = 9785.9146697

DIFFICULT TO GET ECSTASY		
q21q	Frequency	Percent
Never heard of	37521	31.23
Impossible	26037	21.67
Very difficult	11050	9.20
Somewhat diff	10743	8.94
Somewhat easy	7574	6.30
Very easy	27209	22.65

Frequency Missing = 10018.468814

DIFFICULT TO GET HEROIN		
q21r	Frequency	Percent
Never heard of	33138	26.66
Impossible	34037	27.39
Very difficult	13972	11.24
Somewhat diff	10705	8.61
Somewhat easy	6133	4.93
Very easy	26300	21.16

Frequency Missing = 5866.034419

AGE WHEN FIRST USED CIGARETTES		
q22a	Frequency	Percent
9 or younger	5584	10.98
10 years old	3595	7.07
11 years old	3933	7.73
12 years old	5913	11.62
13 years old	8939	17.57
14 years old	8126	15.97
15 years old	7682	15.10
16 years old	4475	8.80
17 years old	2256	4.44
18 or older	362	0.71

Frequency Missing = 79283.612674

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b	Frequency	Percent
9 or younger	738	6.84
10 years old	458	4.25
11 years old	327	3.03
12 years old	915	8.47
13 years old	1738	16.11
14 years old	1572	14.57
15 years old	1838	17.03
16 years old	1992	18.45
17 years old	1054	9.77
18 or older	160	1.48

Frequency Missing = 119357.39473

AGE WHEN FIRST USED BEER		
q22c	Frequency	Percent
9 or younger	13537	16.66
10 years old	5518	6.79
11 years old	6241	7.68
12 years old	10285	12.66
13 years old	13394	16.49
14 years old	13338	16.42
15 years old	10992	13.53
16 years old	5408	6.66
17 years old	1898	2.34
18 or older	624	0.77

Frequency Missing = 48914.760428

AGE WHEN FIRST USED WINE COOLERS		
q22d	Frequency	Percent
9 or younger	7193	10.23
10 years old	4739	6.74
11 years old	6390	9.09
12 years old	10218	14.53
13 years old	13455	19.14
14 years old	12350	17.56
15 years old	9435	13.42
16 years old	4778	6.80
17 years old	1371	1.95
18 or older	386	0.55

Frequency Missing = 59834.548997

**region10
Spring 2006**

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	7455	11.19
10 years old	4784	7.18
11 years old	6542	9.82
12 years old	8480	12.73
13 years old	12168	18.27
14 years old	11202	16.82
15 years old	9708	14.57
16 years old	4311	6.47
17 years old	1598	2.40
18 or older	371	0.56

Frequency Missing = 63530.611856

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	787	2.32
10 years old	1032	3.04
11 years old	1569	4.62
12 years old	4079	12.02
13 years old	6630	19.54
14 years old	8029	23.66
15 years old	6600	19.45
16 years old	3908	11.52
17 years old	1023	3.01
18 or older	273	0.80

Frequency Missing = 96220.455476

AGE WHEN FIRST USED HALLUCINOGENS		
q22i	Frequency	Percent
9 or younger	38	0.56
10 years old	108	1.58
11 years old	158	2.30
12 years old	405	5.92
13 years old	959	14.03
14 years old	1324	19.36
15 years old	1743	25.49
16 years old	1590	23.25
17 years old	486	7.10
18 or older	28	0.41

Frequency Missing = 123311.66385

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	3793	6.21
10 years old	2312	3.78
11 years old	3960	6.48
12 years old	6133	10.04
13 years old	10926	17.88
14 years old	12306	20.14
15 years old	11944	19.55
16 years old	6478	10.60
17 years old	2499	4.09
18 or older	755	1.24

Frequency Missing = 69043.258521

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	159	0.97
10 years old	166	1.02
11 years old	320	1.96
12 years old	1050	6.42
13 years old	1703	10.43
14 years old	3617	22.14
15 years old	5182	31.72
16 years old	2367	14.49
17 years old	1486	9.10
18 or older	286	1.75

Frequency Missing = 113813.04058

AGE WHEN FIRST USED UPPERS		
q22m	Frequency	Percent
9 or younger	84	2.14
10 years old	69	1.76
11 years old	205	5.23
12 years old	401	10.25
13 years old	654	16.70
14 years old	912	23.28
15 years old	744	19.01
16 years old	703	17.96
17 years old	144	3.69

Frequency Missing = 126234.29265

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	1475	11.91
10 years old	1301	10.50
11 years old	1541	12.44
12 years old	2360	19.06
13 years old	2068	16.70
14 years old	1757	14.19
15 years old	1104	8.91
16 years old	591	4.78
17 years old	150	1.21
18 or older	35	0.29

Frequency Missing = 117766.89676

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	119	2.70
10 years old	118	2.68
11 years old	169	3.85
12 years old	342	7.78
13 years old	778	17.72
14 years old	1033	23.52
15 years old	870	19.80
16 years old	632	14.38
17 years old	324	7.37
18 or older	9	0.20

Frequency Missing = 125758.80794

AGE WHEN FIRST USED DOWNERS		
q22n	Frequency	Percent
9 or younger	133	3.44
10 years old	99	2.55
11 years old	173	4.48
12 years old	510	13.18
13 years old	781	20.18
14 years old	923	23.83
15 years old	726	18.77
16 years old	404	10.43
17 years old	121	3.13

Frequency Missing = 126279.79284

**region10
Spring 2006**

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	54	1.87
10 years old	76	2.66
11 years old	197	6.86
12 years old	139	4.86
13 years old	568	19.80
14 years old	660	23.03
15 years old	599	20.90
16 years old	470	16.40
17 years old	97	3.39
18 or older	6	0.21

Frequency Missing = 127283.44823

AGE WHEN FIRST USED STERIODS		
q22p	Frequency	Percent
9 or younger	102	7.58
10 years old	137	10.18
11 years old	106	7.86
12 years old	158	11.71
13 years old	91	6.73
14 years old	185	13.70
15 years old	166	12.29
16 years old	247	18.34
17 years old	129	9.54
18 or older	28	2.07

Frequency Missing = 128801.41628

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	36	0.63
10 years old	75	1.32
11 years old	131	2.30
12 years old	261	4.59
13 years old	787	13.86
14 years old	1031	18.16
15 years old	1406	24.75
16 years old	1257	22.12
17 years old	641	11.28
18 or older	55	0.97

Frequency Missing = 124469.88198

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	50	2.76
10 years old	96	5.33
11 years old	169	9.33
12 years old	118	6.54
13 years old	511	28.23
14 years old	202	11.15
15 years old	456	25.20
16 years old	160	8.83
17 years old	43	2.39
18 or older	4	0.25

Frequency Missing = 128339.99692

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	3147	2.52
Several times/wk	5233	4.19
Several times/mo	6608	5.29
About once/month	8918	7.14
About once/year	8360	6.70
< once/year	12627	10.11
Never used	79944	64.04

Frequency Missing = 5313.7386622

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	498	0.41
Several times/wk	541	0.44
Several times/mo	1012	0.82
About once/month	2199	1.79
About once/year	2275	1.85
< once/year	3262	2.66
Never used	113E3	92.03

Frequency Missing = 7374.2425176

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	588	0.48
Several times/wk	9958	8.05
Several times/mo	19335	15.63
About once/month	18870	15.26
About once/year	12573	10.17
< once/year	12523	10.13
Never used	49838	40.29

Frequency Missing = 6465.0812726

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	127	0.10
Several times/wk	5245	4.27
Several times/mo	14302	11.65
About once/month	17721	14.44
About once/year	15193	12.38
< once/year	11127	9.07
Never used	59020	48.09

Frequency Missing = 7414.4765136

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	137	0.11
Several times/wk	3928	3.21
Several times/mo	10197	8.35
About once/month	12716	10.41
About once/year	19529	15.98
< once/year	13053	10.68
Never used	62637	51.26

Frequency Missing = 7953.3267213

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	423	0.34
Several times/wk	6785	5.53
Several times/mo	16000	13.03
About once/month	15894	12.95
About once/year	10951	8.92
< once/year	8527	6.95
Never used	64186	52.28

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region10
Spring 2006**

Frequency Missing = 7384.4609273

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	123	0.10
Several times/wk	596	0.49
Several times/mo	1068	0.88
About once/month	1753	1.44
About once/year	2038	1.68
< once/year	3951	3.25
Never used	112E3	92.16

Frequency Missing = 8555.9114983

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	2238	1.85
Several times/wk	3280	2.72
Several times/mo	5100	4.22
About once/month	5328	4.41
About once/year	5065	4.20
< once/year	7939	6.58
Never used	91766	76.02

Frequency Missing = 9433.752463

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	534	0.44
Several times/wk	1264	1.05
Several times/mo	2918	2.42
About once/month	2424	2.01
About once/year	2268	1.88
< once/year	4168	3.45
Never used	107E3	88.75

Frequency Missing = 9503.1450012

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	103	0.09
Several times/wk	145	0.12
Several times/mo	696	0.58
About once/month	833	0.69
About once/year	625	0.52
< once/year	1135	0.94
Never used	117E3	97.08

Frequency Missing = 9200.2111922

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	22	0.02
Several times/wk	142	0.12
Several times/mo	524	0.44
About once/month	1304	1.08
About once/year	1810	1.50
< once/year	2448	2.03
Never used	114E3	94.81

Frequency Missing = 9640.1763765

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	139	0.12
Several times/wk	142	0.12
Several times/mo	738	0.61
About once/month	745	0.62
About once/year	904	0.75
< once/year	1263	1.05
Never used	116E3	96.72

Frequency Missing = 10152.563312

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	150	0.12
Several times/wk	181	0.15
Several times/mo	779	0.65
About once/month	619	0.51
About once/year	816	0.68
< once/year	1173	0.97
Never used	117E3	96.91

Frequency Missing = 9807.5884249

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	58	0.05
Several times/wk	140	0.12
Several times/mo	329	0.28
About once/month	713	0.60
About once/year	630	0.53
< once/year	672	0.56
Never used	117E3	97.87

Frequency Missing = 10947.997365

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	236	0.20
Several times/wk	88	0.07
Several times/mo	34	0.03
About once/month	168	0.14
About once/year	174	0.15
< once/year	388	0.32
Never used	118E3	99.09

Frequency Missing = 10639.143642

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	57	0.05
Several times/wk	225	0.19
Several times/mo	498	0.42
About once/month	1139	0.96
About once/year	1478	1.25
< once/year	1618	1.36
Never used	114E3	95.78

Frequency Missing = 11433.057112

HOW OFTEN NORMALLY USE HEROIN		
q23r	Frequency	Percent
Several times/wk	17	0.01
Several times/mo	128	0.11
About once/month	183	0.15
About once/year	496	0.41
< once/year	666	0.55
Never used	119E3	98.77

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region10
Spring 2006**

Frequency Missing = 9226.5313864

HOW MANY CIGARETTES IN PAST 30 DAYS		
q24	Frequency	Percent
None	106E3	83.52
Less than 1	13603	10.76
> 1 and < 10	5579	4.41
> 10 and < 1pk	1074	0.85
> 1pk and < 2pks	385	0.30
More than 2pks	196	0.16

Frequency Missing = 3689.4270934

AMOUNT OF BEER AT ONE TIME		
q25a	Frequency	Percent
Never drink this	47850	38.29
12+ drinks	7415	5.93
9-11 drinks	4725	3.78
5-8 drinks	9701	7.76
3-4 drinks	13919	11.14
2 drinks	10857	8.69
1 drink	12294	9.84
< 1 drink	18201	14.57

Frequency Missing = 5188.7548531

AMOUNT OF WINE COOLERS AT ONE TIME		
q25b	Frequency	Percent
Never drink this	56134	45.24
12+ drinks	3167	2.55
9-11 drinks	3116	2.51
5-8 drinks	7905	6.37
3-4 drinks	12988	10.47
2 drinks	12736	10.26
1 drink	15423	12.43
< 1 drink	12622	10.17

Frequency Missing = 6060.1690993

AMOUNT OF WINE AT ONE TIME		
q25c	Frequency	Percent
Never drink this	61640	49.78
12+ drinks	1654	1.34
9-11 drinks	1770	1.43
5-8 drinks	2480	2.00
3-4 drinks	6082	4.91
2 drinks	9075	7.33
1 drink	17205	13.89
< 1 drink	23924	19.32

Frequency Missing = 6320.6251483

AMOUNT OF LIQUOR AT ONE TIME		
q25d	Frequency	Percent
Never drink this	62065	49.71
12+ drinks	4584	3.67
9-11 drinks	3611	2.89
5-8 drinks	7706	6.17
3-4 drinks	12525	10.03
2 drinks	9941	7.96
1 drink	11221	8.99
< 1 drink	13200	10.57

Frequency Missing = 5296.9190691

ALCOHOL		
q26a	Frequency	Percent
Never 5+ at time	46789	37.28
None	42312	33.72
1 day	11036	8.79
2 days	8206	6.54
3 to 5 days	9600	7.65
6 to 9 days	3737	2.98
10 or more days	3819	3.04

Frequency Missing = 4650.9237693

GET ALCOHOLIC BEVERAGES FROM HOME		
q27a	Frequency	Percent
Do not Drink	46948	37.92
Never	43224	34.92
Seldom	25052	20.24
Most of the Time	6415	5.18
Always	2152	1.74

Frequency Missing = 6358.9009528

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q27b	Frequency	Percent
Do not Drink	37524	30.42
Never	22013	17.85
Seldom	20059	16.26
Most of the Time	28157	22.83
Always	15588	12.64

Frequency Missing = 6808.8423523

GET ALCOHOLIC BEVERAGES FROM A STORE		
q27c	Frequency	Percent
Do not Drink	39974	32.95
Never	55619	45.84
Seldom	10917	9.00
Most of the Time	9012	7.43
Always	5803	4.78

Frequency Missing = 8825.3408577

GET ALCOHOLIC BEVERAGES AT PARTIES		
q27d	Frequency	Percent
Do not Drink	34081	27.70
Never	16729	13.60
Seldom	15367	12.49
Most of the Time	22673	18.43
Always	34201	27.79

Frequency Missing = 7098.7194523

GET ALCOHOLIC BEVERAGES FROM OTHER		
q27e	Frequency	Percent
Do not Drink	40634	33.60
Never	34361	28.42
Seldom	17900	14.80
Most of the Time	12431	10.28
Always	15598	12.90

Frequency Missing = 9226.267257

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region10
Spring 2006**

USE MARIJUANA AS JOINTS		
q28a	Frequency	Percent
Never	97528	78.58
Seldom	9359	7.54
Half the time	5657	4.56
Most of the time	6370	5.13
Always	4075	3.28
Don't know	1118	0.90

Frequency Missing = 6043.3803076

USE MARIJUANA AS BLUNTS		
q28b	Frequency	Percent
Never	102E3	82.74
Seldom	8545	6.93
Half the time	4780	3.88
Most of the time	3705	3.00
Always	2940	2.38
Don't know	1318	1.07

Frequency Missing = 6847.0641696

USE MARIJUANA IN BONGS OR WATER PIPES		
q28c	Frequency	Percent
Never	103E3	84.55
Seldom	7300	5.98
Half the time	3763	3.08
Most of the time	3558	2.91
Always	3071	2.51
Don't know	1175	0.96

Frequency Missing = 8006.4758221

USE MARIJUANA IN PIPES		
q28d	Frequency	Percent
Never	98856	80.58
Seldom	7321	5.97
Half the time	4072	3.32
Most of the time	6558	5.35
Always	4669	3.81
Don't know	1203	0.98

Frequency Missing = 7470.347443

USE MARIJUANA OTHER WAYS		
q28e	Frequency	Percent
Never	105E3	86.75
Seldom	5980	4.95
Half the time	2309	1.91
Most of the time	2528	2.09
Always	2591	2.15
Don't know	2593	2.15

Frequency Missing = 9383.4533107

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
q29a	Frequency	Percent
Never heard/used	117E3	96.23
At least once/month	1505	1.24
At least once/year	1073	0.89
At least once/life	1991	1.64

Frequency Missing = 8885.0149962

TAKE CODEINE COUGH SYRUP TO GET HIGH		
q29b	Frequency	Percent
Never heard/used	117E3	96.08
At least once/month	1828	1.50
At least once/year	865	0.71
At least once/life	2094	1.72

Frequency Missing = 8164.0981548

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a	Frequency	Percent
Very	59692	50.11
Somewhat	34065	28.59
Not very	16015	13.44
Not at all	4322	3.63
Don't know	5039	4.23

Frequency Missing = 11016.641974

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b	Frequency	Percent
Very	51298	43.05
Somewhat	40094	33.65
Not very	19512	16.38
Not at all	4685	3.93
Don't know	3566	2.99

Frequency Missing = 10994.955228

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c	Frequency	Percent
Very	85399	73.20
Somewhat	20053	17.19
Not very	4010	3.44
Not at all	1491	1.28
Don't know	5714	4.90

Frequency Missing = 13484.311719

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d	Frequency	Percent
Very	75327	63.71
Somewhat	20890	17.67
Not very	11772	9.96
Not at all	6556	5.54
Don't know	3690	3.12

Frequency Missing = 11915.394545

DANGEROUS FOR KIDS TO USE COCAINE		
q30e	Frequency	Percent
Very	93542	79.78
Somewhat	14317	12.21
Not very	3396	2.90
Not at all	1625	1.39
Don't know	4369	3.73

Frequency Missing = 12900.869689

**region10
Spring 2006**

DANGEROUS FOR KIDS TO USE CRACK		
q30f	Frequency	Percent
Very	96075	82.02
Somewhat	12130	10.36
Not very	2333	1.99
Not at all	916	0.78
Don't know	5682	4.85

Frequency Missing = 13013.537292

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g	Frequency	Percent
Very	93949	80.10
Somewhat	12089	10.31
Not very	3163	2.70
Not at all	1293	1.10
Don't know	6803	5.80

Frequency Missing = 12853.210242

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h	Frequency	Percent
Very	88443	74.13
Somewhat	18436	15.45
Not very	5255	4.40
Not at all	1353	1.13
Don't know	5816	4.88

Frequency Missing = 10847.307055

DANGEROUS FOR KIDS TO USE HEROIN		
q30i	Frequency	Percent
Very	103E3	85.52
Somewhat	9006	7.48
Not very	1369	1.14
Not at all	826	0.69
Don't know	6242	5.18

Frequency Missing = 9690.8758797

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	96004	78.44
1-3 days	20081	16.41
4-9 days	4916	4.02
10+ days	1391	1.14

Frequency Missing = 7758.0973101

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	54658	44.70
1-3 days	55632	45.50
4-9 days	10576	8.65
10+ days	1403	1.15

Frequency Missing = 7881.1403311

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	62109	51.25
1-3 days	51810	42.75
4-9 days	6193	5.11
10+ days	1085	0.90

Frequency Missing = 8953.186473

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	109E3	88.45
1-3 days	11538	9.37
4-9 days	1885	1.53
10+ days	797	0.65

Frequency Missing = 7019.7189253

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	105E3	86.35
1-3 days	13892	11.40
4-9 days	1896	1.56
10+ days	841	0.69

Frequency Missing = 8308.0298601

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	121E3	98.76
1-3 days	1004	0.82
4-9 days	256	0.21
10+ days	252	0.21

Frequency Missing = 8044.2848166

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	121E3	98.70
1-3 days	1073	0.88
4-9 days	215	0.18
10+ days	308	0.25

Frequency Missing = 7744.9602361

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	112E3	91.30
1-3 times	9139	7.45
4-9 times	1065	0.87
10+ times	471	0.38

Frequency Missing = 7441.4865863

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b	Frequency	Percent
None	109E3	89.67
1-3 times	10026	8.23
4-9 times	1694	1.39
10+ times	863	0.71

Frequency Missing = 8329.7748192

**region10
Spring 2006**

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c	Frequency	Percent
None	111E3	91.70
1-3 times	7960	6.56
4-9 times	1424	1.17
10+ times	677	0.56

Frequency Missing = 8898.1751625

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d	Frequency	Percent
None	117E3	95.77
1-3 times	4341	3.56
4-9 times	482	0.40
10+ times	329	0.27

Frequency Missing = 8363.3600432

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e	Frequency	Percent
None	112E3	93.34
1-3 times	6990	5.81
4-9 times	738	0.61
10+ times	294	0.24

Frequency Missing = 9756.5165499

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f	Frequency	Percent
None	114E3	94.53
1-3 times	4741	3.93
4-9 times	971	0.80
10+ times	893	0.74

Frequency Missing = 9382.2564945

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g	Frequency	Percent
None	113E3	93.59
1-3 times	6081	5.05
4-9 times	944	0.78
10+ times	692	0.57

Frequency Missing = 9731.4956155

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h	Frequency	Percent
None	118E3	97.39
1-3 times	2596	2.14
4-9 times	328	0.27
10+ times	239	0.20

Frequency Missing = 9079.5237453

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a	Frequency	Percent
None	109E3	89.19
1-3 days	10659	8.72
4-9 days	1269	1.04
10+ days	1281	1.05

Frequency Missing = 7916.6951432

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b	Frequency	Percent
None	11E4	90.22
1-3 days	6674	5.47
4-9 days	2432	1.99
10+ days	2833	2.32

Frequency Missing = 8042.1939118

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c	Frequency	Percent
None	119E3	97.74
1-3 days	1987	1.64
4-9 days	315	0.26
10+ days	437	0.36

Frequency Missing = 8768.182677

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d	Frequency	Percent
None	116E3	94.55
1-3 days	3789	3.10
4-9 days	1292	1.06
10+ days	1588	1.30

Frequency Missing = 7788.3689108

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a	Frequency	Percent
Never	36298	29.49
Seldom	12254	9.96
Half the time	9985	8.11
Most of the time	17758	14.43
Always	33906	27.55
Don't know	3651	2.97
Didn't attend	9221	7.49

Frequency Missing = 7077.3731115

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b	Frequency	Percent
Never	57315	46.67
Seldom	15450	12.58
Half the time	10205	8.31
Most of the time	11659	9.49
Always	12702	10.34
Don't know	6226	5.07
Didn't attend	9259	7.54

Frequency Missing = 7333.4985685

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35	Frequency	Percent
No	104E3	92.05
Yes	8942	7.95

Frequency Missing = 17692.963186

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a	Frequency	Percent
No	75271	62.52
Yes	45116	37.48

Frequency Missing = 9762.7152962

**region10
Spring 2006**

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b	Frequency	Percent
No	73712	61.93
Yes	45309	38.07

Frequency Missing = 11128.252609

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c	Frequency	Percent
No	73431	62.44
Yes	44164	37.56

Frequency Missing = 12555.671925

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	47995	40.25
Yes	71238	59.75

Frequency Missing = 10916.769095

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	66487	56.26
Yes	51697	43.74

Frequency Missing = 11965.998569

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	38226	32.03
Yes	81126	67.97

Frequency Missing = 10798.239534

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	43970	36.83
Yes	75420	63.17

Frequency Missing = 10760.384901

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	97784	83.18
Yes	19776	16.82

Frequency Missing = 12590.079565

DRUG/ALCOHOL INFO- -SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	47522	44.86
Yes	58421	55.14

Frequency Missing = 24207.471164

DRUG/ALCOHOL INFO- -SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	58127	55.36
Yes	46876	44.64

Frequency Missing = 25147.62874

DRUG/ALCOHOL INFO- -SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	74512	72.29
Yes	28567	27.71

Frequency Missing = 27071.510874

DRUG/ALCOHOL INFO- -SCIENCE CLASS		
q37d	Frequency	Percent
No	73988	71.27
Yes	29830	28.73

Frequency Missing = 26332.118013

DRUG/ALCOHOL INFO- -SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	88110	85.01
Yes	15537	14.99

Frequency Missing = 26503.125652

DRUG/ALCOHOL INFO- -SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	87667	83.87
Yes	16865	16.13

Frequency Missing = 25618.346788

DRUG/ALCOHOL INFO- -INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	67984	64.76
Yes	37001	35.24

Frequency Missing = 25164.57935

DRUG/ALCOHOL INFO- -ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	70836	67.24
Yes	34509	32.76

Frequency Missing = 24805.340979

DRUG/ALCOHOL INFO- -WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	88968	75.64
Yes	28651	24.36

Frequency Missing = 12530.936919

**region10
Spring 2006**

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS		
q38b	Frequency	
No	57250	
Yes	60129	

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS		
q38b	Percent	
No	48.77	
Yes	51.23	

Frequency Missing = 12770.417059

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	51923	44.07
Yes	65885	55.93

Frequency Missing = 12342.319995

DRUG/ALCOHOL INFO-- -PARENTS		
q38d	Frequency	Percent
No	46291	39.06
Yes	72216	60.94

Frequency Missing = 11643.262825

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	89287	74.03
Mild disapprove	10164	8.43
Neither	7226	5.99
Mildly approve	1729	1.43
Strongly approve	1194	0.99
Don't know	11005	9.12

Frequency Missing = 9545.8648433

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	72757	60.50
Mild disapprove	19806	16.47
Neither	11432	9.51
Mildly approve	3912	3.25
Strongly approve	1890	1.57
Don't know	10460	8.70

Frequency Missing = 9893.3308179

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	99740	83.02
Mild disapprove	4055	3.38
Neither	3569	2.97
Mildly approve	927	0.77
Strongly approve	1578	1.31
Don't know	10268	8.55

Frequency Missing = 10013.656541

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	113E3	93.99
Yes	7238	6.01

Frequency Missing = 9786.6580643

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	104E3	87.05
Yes	15540	12.95

Frequency Missing = 10118.198118