

region11
Spring 2006

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	16.8%	22.9%	37.8%	62.2%
	Grade 7	7.2%	9.7%	19.8%	80.2%
	Grade 8	11.2%	16.5%	31.2%	68.8%
	Grade 9	16.8%	23.0%	40.1%	59.9%
	Grade 10	19.4%	26.5%	43.2%	56.8%
	Grade 11	22.5%	30.6%	47.3%	52.7%
	Grade 12	29.2%	37.8%	52.5%	47.5%
Cigarettes					
	All	16.1%	22.3%	37.3%	62.7%
	Grade 7	6.7%	9.1%	19.2%	80.8%
	Grade 8	10.8%	15.9%	30.5%	69.5%
	Grade 9	16.0%	22.3%	39.6%	60.4%
	Grade 10	18.8%	26.0%	42.6%	57.4%
	Grade 11	21.5%	30.0%	46.7%	53.3%
	Grade 12	28.6%	37.3%	52.2%	47.8%
Smokeless tobacco					
	All	3.0%	4.2%	7.2%	92.8%
	Grade 7	1.6%	2.2%	3.7%	96.3%
	Grade 8	2.5%	4.0%	6.4%	93.6%
	Grade 9	3.6%	4.7%	8.1%	91.9%
	Grade 10	3.2%	4.6%	8.4%	91.6%
	Grade 11	3.3%	4.2%	7.3%	92.7%
	Grade 12	4.6%	6.1%	10.0%	90.0%

region11
Spring 2006

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	65.4%	2.2%	4.5%	5.6%	7.3%	6.5%	8.6%
	Grade 7	82.6%	0.4%	1.8%	2.5%	3.3%	4.3%	5.1%
	Grade 8	71.8%	0.6%	2.7%	4.1%	6.3%	6.3%	8.2%
	Grade 9	62.7%	2.2%	5.0%	6.1%	7.7%	7.2%	9.1%
	Grade 10	60.1%	2.5%	5.0%	6.3%	8.7%	7.0%	10.5%
	Grade 11	57.1%	2.9%	5.3%	8.0%	9.0%	7.4%	10.4%
	Grade 12	52.2%	5.7%	8.3%	8.2%	9.8%	6.6%	9.2%
Cigarettes?								
	All	65.5%	2.0%	4.4%	5.5%	7.2%	6.5%	8.8%
	Grade 7	82.8%	0.4%	1.7%	2.5%	3.2%	4.4%	5.1%
	Grade 8	71.7%	0.6%	2.7%	4.1%	6.0%	6.3%	8.5%
	Grade 9	62.9%	2.1%	4.9%	5.8%	7.8%	7.3%	9.3%
	Grade 10	60.2%	2.3%	5.0%	6.2%	8.7%	7.0%	10.5%
	Grade 11	57.5%	2.7%	5.1%	7.8%	9.0%	7.4%	10.4%
	Grade 12	52.1%	5.3%	8.4%	8.2%	9.8%	6.6%	9.6%
Smokeless tobacco?								
	All	93.7%	0.3%	0.7%	0.9%	1.2%	1.4%	1.9%
	Grade 7	96.5%	0.1%	0.5%	0.5%	0.7%	0.8%	1.0%
	Grade 8	94.8%	0.1%	0.5%	0.6%	1.5%	1.2%	1.3%
	Grade 9	93.1%	0.4%	0.8%	1.4%	1.1%	1.5%	1.8%
	Grade 10	92.5%	0.5%	0.6%	0.9%	1.1%	1.9%	2.5%
	Grade 11	93.3%	0.3%	0.6%	0.9%	1.1%	1.6%	2.1%
	Grade 12	90.9%	0.7%	1.0%	1.1%	1.9%	1.3%	3.0%

region11
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	83.1%	10.6%	4.5%	1.0%	0.4%	0.3%
Grade 7	91.8%	6.0%	1.6%	0.3%	0.1%	0.2%
Grade 8	88.6%	7.6%	2.7%	0.5%	0.2%	0.3%
Grade 9	82.2%	11.0%	4.7%	1.0%	0.6%	0.4%
Grade 10	80.9%	11.7%	5.3%	1.4%	0.5%	0.2%
Grade 11	79.1%	13.1%	5.7%	1.6%	0.4%	0.2%
Grade 12	71.5%	16.7%	8.3%	1.9%	0.9%	0.6%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	11.0	11.5	12.5	13.0	13.9	14.6

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	17.3%	16.3%	5.2%	9.2%	18.6%	33.2%
Grade 7	28.5%	31.8%	7.6%	8.5%	11.5%	12.0%
Grade 8	20.0%	22.5%	7.5%	10.7%	18.0%	21.2%
Grade 9	17.5%	13.7%	5.8%	10.5%	21.6%	30.9%
Grade 10	12.1%	10.6%	4.0%	10.5%	24.3%	38.5%
Grade 11	11.2%	8.4%	2.8%	8.3%	23.3%	45.9%
Grade 12	10.3%	5.2%	1.7%	5.0%	12.1%	65.6%
Smokeless Tobacco?						
All	34.0%	22.2%	7.3%	9.6%	11.3%	15.7%
Grade 7	40.7%	35.9%	8.4%	5.5%	4.6%	5.0%
Grade 8	35.1%	30.1%	9.4%	8.6%	8.8%	7.9%
Grade 9	35.1%	21.1%	7.6%	11.0%	11.6%	13.6%
Grade 10	31.6%	17.0%	6.9%	12.5%	14.4%	17.7%
Grade 11	30.3%	14.1%	6.0%	12.3%	16.4%	20.9%
Grade 12	27.6%	8.7%	3.7%	7.6%	14.2%	38.2%

region11
Spring 2006

Table T-6: About how many of your close friends...

	None	A Few	Some	Most	ALL
Use any tobacco product?					
All	40.4%	31.8%	15.3%	9.0%	3.4%
Grade 7	67.2%	22.0%	5.9%	2.6%	2.2%
Grade 8	52.2%	27.7%	12.5%	5.3%	2.3%
Grade 9	36.3%	34.5%	16.1%	9.5%	3.6%
Grade 10	30.7%	35.0%	18.8%	11.2%	4.3%
Grade 11	25.4%	38.0%	20.4%	12.6%	3.7%
Grade 12	21.3%	36.3%	21.4%	15.9%	5.1%
Smoke cigarettes?					
All	40.6%	32.5%	14.8%	8.8%	3.3%
Grade 7	67.7%	22.0%	5.7%	2.5%	2.2%
Grade 8	52.6%	28.7%	11.7%	5.0%	2.0%
Grade 9	37.0%	35.0%	15.2%	9.3%	3.5%
Grade 10	30.8%	36.2%	17.8%	10.9%	4.2%
Grade 11	25.1%	38.8%	20.5%	12.1%	3.4%
Grade 12	21.4%	37.0%	21.0%	15.6%	5.0%
Use a smokeless tobacco product?					
All	79.0%	12.2%	4.9%	1.9%	2.0%
Grade 7	87.7%	7.3%	2.5%	1.0%	1.5%
Grade 8	81.8%	10.2%	4.8%	1.7%	1.5%
Grade 9	77.8%	13.1%	5.0%	2.0%	2.1%
Grade 10	75.2%	13.2%	6.3%	2.5%	2.8%
Grade 11	75.7%	15.0%	5.5%	2.0%	1.7%
Grade 12	73.4%	15.9%	6.0%	2.5%	2.2%

region11
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	72.1%	8.5%	5.6%	1.3%	1.2%	11.3%
Grade 7	75.6%	3.5%	2.3%	0.7%	1.0%	17.0%
Grade 8	75.5%	5.2%	3.4%	1.1%	1.1%	13.7%
Grade 9	72.1%	8.1%	5.3%	1.1%	1.4%	11.9%
Grade 10	73.4%	9.7%	6.0%	1.4%	0.9%	8.6%
Grade 11	68.2%	13.9%	8.1%	1.6%	1.0%	7.3%
Grade 12	64.6%	14.1%	10.7%	2.6%	1.6%	6.4%

region11
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	55.2%	24.8%	10.7%	3.1%	6.1%
Grade 7	70.2%	16.2%	4.9%	1.8%	6.8%
Grade 8	60.4%	22.7%	8.1%	2.3%	6.6%
Grade 9	52.9%	25.7%	11.1%	3.5%	6.8%
Grade 10	48.6%	28.9%	13.3%	3.4%	5.8%
Grade 11	47.6%	29.6%	13.9%	4.0%	5.0%
Grade 12	46.8%	28.4%	15.1%	4.3%	5.3%

region11
Spring 2006

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	32.6%	43.0%	64.4%	35.6%
	Grade 7	17.7%	22.5%	45.3%	54.7%
	Grade 8	25.4%	34.7%	59.7%	40.3%
	Grade 9	34.7%	46.1%	67.6%	32.4%
	Grade 10	36.6%	49.7%	71.2%	28.8%
	Grade 11	41.7%	54.3%	73.5%	26.5%
	Grade 12	46.2%	58.0%	74.2%	25.8%
Beer					
	All	23.4%	32.0%	49.9%	50.1%
	Grade 7	11.0%	14.7%	32.2%	67.8%
	Grade 8	16.8%	23.9%	44.6%	55.4%
	Grade 9	24.3%	34.0%	52.2%	47.8%
	Grade 10	27.2%	38.1%	56.1%	43.9%
	Grade 11	31.1%	42.0%	59.2%	40.8%
	Grade 12	36.5%	46.6%	61.5%	38.5%
Wine coolers					
	All	20.0%	29.0%	46.0%	54.0%
	Grade 7	10.1%	13.9%	27.1%	72.9%
	Grade 8	16.3%	23.8%	40.7%	59.3%
	Grade 9	21.8%	31.5%	48.2%	51.8%
	Grade 10	23.0%	34.6%	54.1%	45.9%
	Grade 11	24.7%	36.2%	55.8%	44.2%
	Grade 12	27.6%	39.1%	56.0%	44.0%
Wine					
	All	15.9%	24.0%	41.6%	58.4%
	Grade 7	8.3%	11.8%	25.0%	75.0%
	Grade 8	12.6%	19.9%	37.3%	62.7%
	Grade 9	18.7%	27.1%	45.3%	54.7%
	Grade 10	17.3%	27.9%	48.0%	52.0%
	Grade 11	18.4%	27.9%	48.4%	51.6%
	Grade 12	21.8%	32.4%	49.4%	50.6%
Liquor					
	All	20.1%	28.1%	40.4%	59.6%
	Grade 7	6.1%	8.8%	16.1%	83.9%
	Grade 8	12.4%	18.3%	29.9%	70.1%
	Grade 9	21.2%	29.7%	42.8%	57.2%
	Grade 10	24.0%	34.5%	49.7%	50.3%
	Grade 11	29.4%	40.5%	55.2%	44.8%
	Grade 12	34.6%	45.6%	58.4%	41.6%

region11
Spring 2006

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	41.4%	0.6%	6.5%	14.2%	14.8%	12.8%	9.6%
	Grade 7	62.3%	0.5%	3.2%	5.2%	7.9%	10.9%	10.0%
	Grade 8	47.5%	0.6%	5.3%	9.5%	13.1%	13.3%	10.7%
	Grade 9	37.6%	0.5%	7.5%	15.2%	16.1%	14.0%	9.1%
	Grade 10	33.5%	0.7%	6.7%	17.3%	17.7%	14.0%	10.1%
	Grade 11	31.7%	0.6%	7.2%	20.1%	18.1%	12.9%	9.4%
	Grade 12	30.2%	1.0%	10.1%	22.1%	17.9%	10.6%	8.1%
Beer?								
	All	51.7%	0.4%	5.4%	11.5%	12.4%	9.7%	8.9%
	Grade 7	71.8%	0.2%	2.2%	3.6%	6.4%	7.2%	8.6%
	Grade 8	57.8%	0.3%	4.0%	7.2%	10.7%	10.4%	9.6%
	Grade 9	47.6%	0.3%	6.0%	12.2%	14.0%	11.2%	8.7%
	Grade 10	45.2%	0.4%	5.8%	14.4%	14.7%	10.5%	9.1%
	Grade 11	43.1%	0.4%	6.3%	16.5%	14.8%	9.7%	9.2%
	Grade 12	39.5%	0.6%	9.5%	18.4%	15.4%	8.4%	8.2%
Wine coolers?								
	All	55.7%	0.2%	3.6%	9.6%	11.9%	10.7%	8.2%
	Grade 7	75.6%	0.2%	1.8%	3.6%	5.7%	7.2%	6.0%
	Grade 8	61.4%	0.3%	3.5%	6.8%	10.3%	10.3%	7.4%
	Grade 9	52.9%	0.2%	4.3%	10.9%	12.9%	10.7%	8.1%
	Grade 10	47.9%	0.3%	3.8%	11.5%	14.6%	13.1%	8.8%
	Grade 11	45.8%	0.0%	4.2%	12.6%	14.8%	12.7%	9.8%
	Grade 12	45.0%	0.1%	4.6%	14.2%	14.9%	11.2%	10.0%
Wine?								
	All	59.9%	0.1%	3.0%	6.9%	9.5%	11.5%	9.1%
	Grade 7	78.1%	0.2%	1.7%	2.7%	4.1%	6.9%	6.3%
	Grade 8	65.2%	0.1%	2.7%	4.7%	7.7%	11.6%	8.1%
	Grade 9	56.9%	0.1%	3.7%	8.0%	10.3%	12.1%	8.9%
	Grade 10	52.2%	0.1%	2.9%	8.2%	10.9%	14.6%	11.0%
	Grade 11	51.9%	0.0%	3.6%	8.2%	12.1%	13.6%	10.5%
	Grade 12	50.2%	0.3%	3.6%	10.7%	13.5%	10.7%	11.0%
Liquor?								
	All	61.3%	0.2%	3.9%	9.5%	10.2%	8.7%	6.2%
	Grade 7	85.1%	0.2%	1.4%	2.1%	3.3%	4.4%	3.5%
	Grade 8	71.6%	0.2%	2.8%	4.8%	7.3%	7.6%	5.8%
	Grade 9	58.5%	0.2%	4.6%	10.3%	10.7%	9.1%	6.7%
	Grade 10	52.8%	0.3%	4.4%	11.6%	12.9%	11.0%	7.0%
	Grade 11	47.2%	0.2%	4.9%	14.2%	14.5%	11.3%	7.6%
	Grade 12	43.8%	0.4%	6.2%	17.7%	15.4%	9.6%	6.9%

region11
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer						
	All	49.7%	50.3%	14.1%	23.8%	12.4%
	Grade 7	68.0%	32.0%	3.7%	15.0%	13.3%
	Grade 8	54.6%	45.4%	7.4%	22.9%	15.0%
	Grade 9	46.1%	53.9%	15.1%	26.1%	12.7%
	Grade 10	43.2%	56.8%	17.8%	27.4%	11.6%
	Grade 11	41.8%	58.2%	21.8%	25.3%	11.1%
	Grade 12	39.1%	60.9%	24.3%	27.3%	9.3%
Wine Coolers						
	All	53.1%	46.9%	11.3%	26.7%	8.8%
	Grade 7	72.2%	27.8%	4.2%	14.9%	8.6%
	Grade 8	58.5%	41.5%	8.4%	23.8%	9.3%
	Grade 9	49.9%	50.1%	13.1%	28.6%	8.3%
	Grade 10	44.7%	55.3%	14.2%	31.5%	9.6%
	Grade 11	44.2%	55.8%	14.7%	32.1%	9.0%
	Grade 12	44.2%	55.8%	15.1%	32.7%	8.0%
Wine						
	All	58.1%	41.9%	5.5%	22.5%	13.9%
	Grade 7	75.7%	24.3%	2.1%	11.5%	10.7%
	Grade 8	62.9%	37.1%	4.1%	19.4%	13.6%
	Grade 9	54.6%	45.4%	6.3%	25.1%	14.1%
	Grade 10	50.6%	49.4%	6.4%	26.9%	16.1%
	Grade 11	50.6%	49.4%	7.3%	26.4%	15.7%
	Grade 12	49.9%	50.1%	8.0%	28.6%	13.6%
Liquor						
	All	58.8%	41.2%	10.5%	21.6%	9.1%
	Grade 7	83.6%	16.4%	2.0%	7.9%	6.5%
	Grade 8	69.3%	30.7%	5.5%	16.0%	9.2%
	Grade 9	55.7%	44.3%	10.8%	23.4%	10.1%
	Grade 10	49.6%	50.4%	12.9%	27.1%	10.5%
	Grade 11	44.5%	55.5%	16.5%	28.6%	10.4%
	Grade 12	40.8%	59.2%	19.5%	31.7%	8.0%

region11
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	77.1%	7.7%	5.2%	5.5%	2.1%	2.4%
	Grade 7	91.4%	3.7%	1.6%	1.7%	0.6%	0.9%
	Grade 8	83.9%	6.4%	3.8%	3.0%	1.2%	1.6%
	Grade 9	75.6%	8.5%	5.8%	5.7%	2.0%	2.4%
	Grade 10	73.5%	9.1%	6.0%	6.6%	2.4%	2.4%
	Grade 11	68.9%	10.4%	7.1%	7.8%	2.7%	3.1%
	Grade 12	63.0%	9.3%	8.5%	10.1%	4.6%	4.5%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.8	11.3	12.3	12.9	13.6	14.1
Beer	10.7	11.3	12.4	13.0	13.8	14.3
Wine Coolers	11.1	11.8	12.6	13.2	14.0	14.5
Wine	11.0	11.8	12.7	13.3	14.0	14.5
Liquor	11.3	12.0	13.1	13.8	14.4	15.0

region11
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	15.5%	13.2%	5.5%	11.3%	21.3%	33.1%
	Grade 7	26.1%	26.6%	8.5%	9.7%	13.1%	16.0%
	Grade 8	18.0%	17.7%	7.5%	12.4%	19.5%	24.9%
	Grade 9	15.5%	11.0%	4.7%	11.8%	22.0%	35.1%
	Grade 10	10.4%	8.1%	4.8%	11.6%	24.9%	40.2%
	Grade 11	9.9%	6.4%	3.3%	11.0%	25.0%	44.5%
	Grade 12	9.0%	5.4%	3.3%	11.3%	26.0%	44.9%
Wine coolers?							
	All	20.2%	13.9%	5.6%	11.5%	19.2%	29.6%
	Grade 7	33.1%	26.9%	7.4%	9.4%	11.0%	12.1%
	Grade 8	23.2%	19.3%	7.7%	12.5%	16.8%	20.6%
	Grade 9	20.9%	11.5%	5.5%	11.4%	19.4%	31.4%
	Grade 10	13.8%	9.5%	4.7%	12.8%	22.3%	37.0%
	Grade 11	13.2%	6.3%	3.6%	11.6%	24.3%	41.0%
	Grade 12	11.6%	5.7%	3.4%	11.2%	25.0%	43.1%
Wine?							
	All	19.1%	16.2%	7.2%	12.6%	17.9%	26.9%
	Grade 7	30.6%	29.9%	9.2%	8.8%	9.6%	11.9%
	Grade 8	21.7%	22.1%	9.6%	13.3%	15.1%	18.1%
	Grade 9	19.1%	14.7%	6.7%	12.4%	18.6%	28.4%
	Grade 10	14.1%	10.9%	6.1%	14.0%	21.5%	33.4%
	Grade 11	13.4%	7.7%	5.6%	13.5%	23.2%	36.6%
	Grade 12	11.8%	6.8%	4.9%	14.1%	22.5%	39.9%
Liquor?							
	All	19.1%	17.9%	7.1%	11.5%	16.9%	27.6%
	Grade 7	32.4%	33.1%	8.9%	7.1%	8.0%	10.5%
	Grade 8	22.8%	24.3%	9.6%	11.8%	13.7%	17.7%
	Grade 9	18.4%	16.1%	6.9%	12.2%	17.6%	28.9%
	Grade 10	12.8%	12.1%	6.3%	13.1%	21.7%	34.0%
	Grade 11	12.3%	8.8%	5.3%	12.6%	21.3%	39.8%
	Grade 12	10.8%	7.4%	4.0%	13.0%	22.0%	42.8%

region11
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	91.1%	6.8%	1.1%	1.0%
Grade 7	94.5%	4.1%	0.8%	0.6%
Grade 8	91.3%	6.9%	1.0%	0.8%
Grade 9	90.6%	7.4%	0.9%	1.1%
Grade 10	90.4%	7.1%	1.6%	0.9%
Grade 11	90.2%	7.5%	1.2%	1.2%
Grade 12	88.8%	8.8%	1.0%	1.4%
Gotten into trouble with teachers because of your drinking?				
All	98.5%	0.9%	0.2%	0.4%
Grade 7	99.0%	0.6%	0.2%	0.2%
Grade 8	98.7%	0.9%	0.2%	0.2%
Grade 9	98.1%	0.9%	0.3%	0.8%
Grade 10	98.4%	0.9%	0.1%	0.5%
Grade 11	98.4%	1.2%	0.2%	0.2%
Grade 12	98.2%	1.1%	0.3%	0.3%

region11
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.4
Alcohol Non-users:	3.1

Average days conduct problems reported	
Alcohol Users:	3.6
Alcohol Non-users:	1.3

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	88.0%	9.0%	1.6%	1.4%
Grade 9	93.6%	4.7%	0.9%	0.8%
Grade 10	89.4%	8.7%	1.0%	0.9%
Grade 11	84.7%	11.3%	2.5%	1.5%
Grade 12	79.9%	14.6%	2.6%	2.9%
Gotten into trouble with the police because of drinking?				
All	96.7%	2.7%	0.3%	0.3%
Grade 7	98.4%	1.2%	0.2%	0.2%
Grade 8	97.0%	2.2%	0.5%	0.3%
Grade 9	96.7%	2.7%	0.3%	0.3%
Grade 10	96.4%	3.1%	0.4%	0.2%
Grade 11	96.2%	3.3%	0.4%	0.1%
Grade 12	95.0%	4.3%	0.4%	0.3%

region11
Spring 2006

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	26.9%	25.2%	17.8%	19.9%	10.2%
	Grade 7	54.8%	26.4%	9.8%	5.3%	3.7%
	Grade 8	35.6%	28.4%	16.4%	13.1%	6.5%
	Grade 9	21.5%	26.0%	19.3%	22.1%	11.1%
	Grade 10	15.8%	24.6%	21.2%	25.6%	12.7%
	Grade 11	13.4%	23.0%	21.8%	28.3%	13.5%
	Grade 12	12.8%	20.5%	19.5%	30.5%	16.7%
Beer?						
	All	30.9%	25.1%	17.9%	18.0%	8.1%
	Grade 7	61.6%	23.0%	8.7%	3.7%	3.0%
	Grade 8	42.0%	27.3%	15.4%	10.6%	4.7%
	Grade 9	25.0%	27.1%	19.4%	20.4%	8.2%
	Grade 10	18.8%	25.1%	22.2%	23.8%	10.1%
	Grade 11	15.7%	24.5%	22.8%	25.9%	11.1%
	Grade 12	14.0%	22.1%	20.7%	28.8%	14.4%
Wine coolers?						
	All	42.8%	22.8%	15.4%	12.5%	6.5%
	Grade 7	69.4%	18.1%	6.4%	3.6%	2.7%
	Grade 8	52.0%	21.5%	13.0%	9.0%	4.5%
	Grade 9	38.6%	24.3%	15.7%	13.6%	7.7%
	Grade 10	32.4%	23.7%	19.6%	15.9%	8.3%
	Grade 11	28.7%	25.8%	20.1%	17.6%	7.8%
	Grade 12	28.0%	24.5%	20.2%	18.5%	8.8%
Wine?						
	All	52.1%	22.1%	12.5%	8.3%	5.1%
	Grade 7	75.2%	15.3%	5.0%	2.4%	2.1%
	Grade 8	60.5%	20.3%	10.0%	6.0%	3.3%
	Grade 9	47.2%	23.8%	13.3%	9.6%	6.1%
	Grade 10	43.2%	24.3%	15.7%	10.1%	6.6%
	Grade 11	40.9%	25.4%	16.1%	11.5%	6.1%
	Grade 12	39.7%	24.6%	16.8%	11.6%	7.4%
Liquor?						
	All	46.3%	19.4%	13.9%	13.3%	7.1%
	Grade 7	77.4%	13.4%	4.3%	2.8%	2.1%
	Grade 8	59.9%	18.8%	10.2%	7.1%	3.9%
	Grade 9	42.1%	21.2%	14.9%	14.2%	7.6%
	Grade 10	33.3%	22.2%	18.3%	17.2%	9.1%
	Grade 11	27.9%	22.1%	19.9%	20.4%	9.7%
	Grade 12	26.7%	19.1%	19.1%	22.7%	12.5%

region11
Spring 2006

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	93.2%	6.0%	0.5%	0.3%
Grade 7	96.9%	2.6%	0.2%	0.2%
Grade 8	94.1%	5.2%	0.5%	0.2%
Grade 9	92.7%	6.2%	0.6%	0.5%
Grade 10	92.1%	7.1%	0.5%	0.3%
Grade 11	91.2%	7.7%	0.8%	0.3%
Grade 12	90.8%	8.1%	0.6%	0.5%
Been criticized by someone you were dating because of drinking?				
All	93.4%	5.5%	0.6%	0.5%
Grade 7	97.2%	2.4%	0.2%	0.2%
Grade 8	94.7%	4.5%	0.5%	0.3%
Grade 9	92.9%	5.9%	0.6%	0.6%
Grade 10	92.3%	6.3%	0.6%	0.7%
Grade 11	90.9%	7.4%	1.0%	0.7%
Grade 12	90.7%	7.3%	1.0%	0.9%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	39.8%	10.7%	8.2%	13.9%	17.5%	2.2%	7.9%
Grade 7	67.2%	9.9%	5.5%	4.6%	2.6%	2.8%	7.3%
Grade 8	50.0%	13.3%	9.2%	10.5%	6.4%	2.9%	7.7%
Grade 9	35.0%	12.2%	10.7%	15.6%	16.1%	2.5%	8.0%
Grade 10	29.2%	10.9%	9.3%	18.4%	22.3%	1.7%	8.3%
Grade 11	23.6%	8.4%	7.7%	18.5%	31.4%	1.3%	9.0%
Grade 12	24.3%	7.5%	5.1%	18.1%	36.7%	1.3%	7.0%

region11
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	43.8%	33.4%	16.0%	5.0%	1.7%
	Grade 7	54.4%	30.9%	10.4%	3.1%	1.2%
	Grade 8	47.1%	31.7%	14.6%	5.1%	1.6%
	Grade 9	43.5%	33.3%	15.9%	5.3%	2.0%
	Grade 10	38.7%	35.1%	19.5%	5.2%	1.6%
	Grade 11	38.7%	35.1%	19.1%	5.7%	1.3%
	Grade 12	36.8%	35.7%	18.6%	6.5%	2.5%
From friends						
	All	36.7%	21.2%	15.4%	18.5%	8.2%
	Grade 7	53.7%	31.7%	7.8%	5.2%	1.6%
	Grade 8	43.5%	26.8%	13.0%	12.8%	3.9%
	Grade 9	33.9%	20.1%	18.1%	20.4%	7.5%
	Grade 10	29.4%	17.7%	18.8%	23.7%	10.5%
	Grade 11	28.2%	14.5%	18.2%	25.4%	13.7%
	Grade 12	25.8%	11.7%	17.4%	28.4%	16.7%
From a store						
	All	38.8%	42.3%	8.4%	6.5%	4.1%
	Grade 7	53.6%	41.2%	2.6%	1.7%	0.9%
	Grade 8	44.9%	44.9%	4.9%	3.6%	1.8%
	Grade 9	36.6%	45.0%	8.8%	5.6%	4.0%
	Grade 10	32.5%	43.6%	10.3%	8.7%	4.9%
	Grade 11	30.4%	40.3%	12.6%	9.9%	6.9%
	Grade 12	29.6%	35.7%	13.9%	12.4%	8.3%
At parties						
	All	34.3%	16.3%	13.4%	17.7%	18.3%
	Grade 7	48.0%	25.6%	12.0%	9.8%	4.6%
	Grade 8	39.5%	19.9%	14.4%	15.5%	10.7%
	Grade 9	32.0%	14.6%	14.6%	18.7%	20.1%
	Grade 10	28.6%	13.6%	13.8%	20.7%	23.2%
	Grade 11	27.6%	11.4%	13.0%	22.6%	25.5%
	Grade 12	25.6%	9.9%	11.6%	21.3%	31.8%
Other source						
	All	39.1%	28.0%	13.2%	9.7%	9.9%
	Grade 7	52.2%	31.8%	8.0%	5.1%	2.8%
	Grade 8	44.4%	29.1%	11.1%	8.7%	6.6%
	Grade 9	37.0%	27.8%	13.5%	10.4%	11.2%
	Grade 10	33.2%	27.1%	17.0%	11.1%	11.6%
	Grade 11	32.6%	26.3%	15.5%	12.6%	13.0%
	Grade 12	30.9%	24.4%	16.0%	11.8%	16.9%

region11
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	64.2%	13.4%	7.5%	2.9%	1.4%	10.7%
Grade 7	69.4%	7.8%	3.7%	1.2%	1.2%	16.8%
Grade 8	67.8%	10.2%	5.3%	2.4%	1.4%	12.9%
Grade 9	61.9%	14.1%	7.9%	3.1%	1.7%	11.3%
Grade 10	63.6%	15.3%	8.8%	3.1%	1.0%	8.2%
Grade 11	60.9%	18.1%	10.1%	3.4%	1.2%	6.3%
Grade 12	59.7%	17.3%	10.8%	4.7%	1.9%	5.7%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	49.2%	28.7%	13.7%	3.8%	4.6%
Grade 7	60.5%	21.9%	9.3%	3.1%	5.2%
Grade 8	50.4%	26.0%	13.9%	4.3%	5.3%
Grade 9	44.0%	29.6%	15.8%	5.0%	5.6%
Grade 10	45.1%	31.1%	15.7%	3.9%	4.1%
Grade 11	45.5%	34.2%	14.1%	3.1%	3.1%
Grade 12	49.7%	31.3%	12.8%	2.6%	3.5%

region11
Spring 2006

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	10.0%	14.6%	24.2%	75.8%
	Grade 7	4.5%	5.7%	9.6%	90.4%
	Grade 8	7.8%	11.2%	18.6%	81.4%
	Grade 9	10.1%	14.8%	25.0%	75.0%
	Grade 10	11.5%	17.3%	28.6%	71.4%
	Grade 11	13.1%	20.0%	33.0%	67.0%
	Grade 12	15.3%	22.5%	36.5%	63.5%
Cocaine?					
	All	4.5%	6.6%	11.3%	88.7%
	Grade 7	1.6%	2.1%	3.6%	96.4%
	Grade 8	3.1%	4.6%	8.0%	92.0%
	Grade 9	4.7%	6.9%	12.0%	88.0%
	Grade 10	6.1%	9.0%	14.3%	85.7%
	Grade 11	6.1%	8.6%	15.6%	84.4%
	Grade 12	6.4%	9.9%	17.7%	82.3%
Crack?					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	1.0%	1.4%	2.3%	97.7%
	Grade 8	1.1%	1.9%	3.6%	96.4%
	Grade 9	1.1%	1.6%	3.0%	97.0%
	Grade 10	1.1%	1.7%	3.7%	96.3%
	Grade 11	0.6%	1.3%	3.0%	97.0%
	Grade 12	0.8%	1.4%	3.3%	96.7%
Hallucinogens?					
	All	1.0%	1.6%	3.0%	97.0%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.7%	1.0%	2.1%	97.9%
	Grade 9	1.0%	1.5%	2.8%	97.2%
	Grade 10	1.4%	2.1%	3.9%	96.1%
	Grade 11	1.2%	1.6%	3.8%	96.2%
	Grade 12	1.8%	2.7%	5.2%	94.8%
Uppers?					
	All	1.4%	2.1%	3.5%	96.5%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	1.8%	2.5%	3.9%	96.1%
	Grade 10	1.6%	2.6%	4.3%	95.7%
	Grade 11	1.7%	2.7%	4.6%	95.4%
	Grade 12	2.3%	3.4%	5.7%	94.3%
Downers?					
	All	1.7%	2.5%	4.1%	95.9%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	1.9%	2.9%	4.6%	95.4%
	Grade 10	2.2%	3.1%	5.2%	94.8%
	Grade 11	2.2%	3.2%	5.6%	94.4%
	Grade 12	2.9%	4.1%	7.2%	92.8%

region11
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?	All	2.3%	3.5%	6.7%	93.3%
	Grade 7	1.2%	1.6%	2.8%	97.2%
	Grade 8	2.1%	3.0%	5.5%	94.5%
	Grade 9	2.9%	4.4%	7.6%	92.4%
	Grade 10	2.9%	4.4%	8.7%	91.3%
	Grade 11	2.3%	3.5%	8.2%	91.8%
	Grade 12	2.2%	3.9%	8.6%	91.4%
	Steroids?	All	0.5%	0.7%	1.2%
Grade 7		0.5%	0.7%	0.9%	99.1%
Grade 8		0.6%	0.8%	1.4%	98.6%
Grade 9		0.4%	0.6%	1.1%	98.9%
Grade 10		0.4%	0.6%	1.0%	99.0%
Grade 11		0.6%	0.8%	1.1%	98.9%
Grade 12		0.5%	0.8%	1.8%	98.2%
Ecstasy?		All	1.5%	2.3%	4.1%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	1.0%	1.5%	2.7%	97.3%
	Grade 9	1.4%	2.1%	3.7%	96.3%
	Grade 10	2.0%	2.9%	5.6%	94.4%
	Grade 11	2.0%	2.9%	5.3%	94.7%
	Grade 12	2.5%	4.0%	7.2%	92.8%
	Heroin?	All	0.5%	0.7%	1.5%
Grade 7		0.5%	0.7%	1.2%	98.8%
Grade 8		0.6%	1.0%	1.7%	98.3%
Grade 9		0.4%	0.6%	1.5%	98.5%
Grade 10		0.7%	1.0%	1.7%	98.3%
Grade 11		0.2%	0.3%	0.9%	99.1%
Grade 12		0.5%	0.8%	1.7%	98.3%

region11
Spring 2006

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	79.0%	2.0%	2.6%	3.5%	4.2%	3.9%	4.8%
	Grade 7	91.2%	0.7%	1.4%	1.9%	1.6%	1.5%	1.6%
	Grade 8	83.1%	1.2%	2.5%	3.3%	3.3%	3.3%	3.5%
	Grade 9	77.9%	2.6%	3.1%	3.8%	4.2%	3.8%	4.6%
	Grade 10	75.0%	2.1%	3.0%	4.0%	5.3%	4.4%	6.2%
	Grade 11	72.1%	2.4%	2.5%	4.6%	5.7%	6.2%	6.7%
	Grade 12	70.7%	3.3%	3.0%	4.0%	6.4%	5.2%	7.4%
Cocaine?								
	All	90.4%	0.4%	1.3%	1.8%	2.0%	1.8%	2.3%
	Grade 7	96.6%	0.2%	0.5%	0.4%	0.7%	0.6%	0.8%
	Grade 8	93.2%	0.2%	0.7%	1.2%	1.7%	1.3%	1.7%
	Grade 9	89.3%	0.7%	1.7%	2.2%	2.2%	2.1%	1.8%
	Grade 10	87.8%	0.4%	1.7%	2.9%	2.1%	2.1%	3.0%
	Grade 11	87.5%	0.4%	1.6%	2.1%	2.7%	2.2%	3.6%
	Grade 12	86.3%	0.6%	1.6%	2.2%	2.7%	2.5%	4.3%
Crack?								
	All	97.3%	0.1%	0.2%	0.4%	0.6%	0.6%	0.8%
	Grade 7	97.9%	0.2%	0.2%	0.2%	0.5%	0.4%	0.6%
	Grade 8	96.9%	0.1%	0.3%	0.4%	0.8%	0.7%	0.8%
	Grade 9	97.2%	0.0%	0.2%	0.5%	0.7%	0.7%	0.6%
	Grade 10	96.6%	0.0%	0.2%	0.5%	0.8%	0.7%	1.2%
	Grade 11	98.0%	0.0%	0.3%	0.2%	0.5%	0.4%	0.5%
	Grade 12	97.4%	0.1%	0.2%	0.2%	0.5%	0.6%	1.0%
Hallucinogens?								
	All	97.6%	0.0%	0.2%	0.2%	0.5%	0.7%	0.8%
	Grade 7	99.1%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 8	98.5%	0.0%	0.1%	0.2%	0.2%	0.6%	0.4%
	Grade 9	97.6%	0.0%	0.2%	0.2%	0.6%	0.6%	0.7%
	Grade 10	96.7%	0.1%	0.2%	0.3%	0.5%	0.9%	1.4%
	Grade 11	97.0%	0.0%	0.2%	0.3%	0.5%	0.9%	1.1%
	Grade 12	95.6%	0.0%	0.1%	0.4%	1.0%	1.4%	1.5%
Uppers?								
	All	96.6%	0.1%	0.3%	0.6%	0.8%	0.8%	0.8%
	Grade 7	98.8%	0.1%	0.2%	0.2%	0.3%	0.2%	0.2%
	Grade 8	97.8%	0.0%	0.1%	0.4%	0.6%	0.4%	0.6%
	Grade 9	95.9%	0.1%	0.4%	0.7%	1.1%	0.8%	1.0%
	Grade 10	95.9%	0.1%	0.3%	0.9%	1.0%	0.9%	0.8%
	Grade 11	95.5%	0.1%	0.3%	0.7%	1.0%	1.2%	1.3%
	Grade 12	95.2%	0.1%	0.3%	0.8%	1.1%	1.3%	1.3%
Downers?								
	All	96.4%	0.1%	0.3%	0.7%	0.8%	0.9%	0.9%
	Grade 7	99.1%	0.0%	0.2%	0.2%	0.1%	0.2%	0.2%
	Grade 8	97.9%	0.0%	0.1%	0.4%	0.4%	0.6%	0.6%
	Grade 9	95.6%	0.1%	0.4%	0.7%	1.2%	1.0%	0.9%
	Grade 10	95.4%	0.1%	0.4%	1.1%	0.9%	1.2%	0.9%
	Grade 11	95.2%	0.1%	0.3%	0.8%	1.0%	1.3%	1.4%
	Grade 12	94.2%	0.2%	0.3%	0.9%	1.2%	1.5%	1.6%

region11
Spring 2006

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	94.3%	0.1%	0.4%	0.9%	1.3%	1.4%	1.6%
	Grade 7	97.7%	0.0%	0.3%	0.4%	0.5%	0.5%	0.6%
	Grade 8	95.5%	0.0%	0.5%	0.8%	1.1%	1.0%	1.0%
	Grade 9	93.5%	0.2%	0.5%	1.3%	1.8%	1.5%	1.3%
	Grade 10	92.4%	0.1%	0.6%	1.1%	1.4%	2.1%	2.4%
	Grade 11	92.6%	0.1%	0.2%	1.2%	1.6%	1.7%	2.4%
	Grade 12	93.4%	0.1%	0.3%	0.9%	1.4%	1.8%	2.2%
Steroids?								
	All	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 7	99.1%	0.2%	0.1%	0.0%	0.1%	0.2%	0.3%
	Grade 8	98.9%	0.1%	0.1%	0.1%	0.2%	0.2%	0.5%
	Grade 9	99.0%	0.1%	0.2%	0.1%	0.2%	0.1%	0.3%
	Grade 10	99.2%	0.2%	0.1%	0.1%	0.1%	0.1%	0.2%
	Grade 11	99.0%	0.2%	0.0%	0.1%	0.3%	0.1%	0.3%
	Grade 12	98.6%	0.0%	0.0%	0.3%	0.1%	0.4%	0.5%
Ecstasy?								
	All	96.3%	0.1%	0.2%	0.6%	0.7%	1.0%	1.2%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	97.5%	0.0%	0.2%	0.4%	0.5%	0.6%	0.8%
	Grade 9	96.3%	0.0%	0.4%	0.7%	0.7%	0.8%	1.1%
	Grade 10	94.8%	0.1%	0.4%	0.6%	1.2%	1.2%	1.8%
	Grade 11	95.6%	0.0%	0.0%	0.5%	0.7%	1.6%	1.6%
	Grade 12	93.6%	0.0%	0.1%	1.2%	1.2%	2.0%	1.9%
Heroin?								
	All	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 7	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 8	98.9%	0.0%	0.1%	0.1%	0.2%	0.4%	0.4%
	Grade 9	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.4%
	Grade 10	98.6%	0.1%	0.2%	0.2%	0.3%	0.3%	0.4%
	Grade 11	99.1%	0.0%	0.1%	0.0%	0.2%	0.2%	0.4%
	Grade 12	98.6%	0.1%	0.0%	0.1%	0.2%	0.2%	0.7%

region11
Spring 2006

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.7	12.3	13.0	13.6	14.2	14.8
Cocaine	11.7	12.7	13.8	14.4	15.0	15.6
Crack	11.5	12.6	13.6	14.4	14.9	15.5
Hallucinogens	11.7	12.4	13.3	14.2	15.0	15.5
Uppers	11.0	12.3	13.3	14.3	14.5	15.2
Downers	11.3	12.4	13.4	14.2	14.6	15.1
Rohypnol	11.8	12.5	13.5	14.1	14.7	15.2
Steroids	11.9	12.1	13.0	14.0	14.7	15.2
Ecstasy	12.1	12.8	13.6	14.6	15.3	15.9
Heroin	11.9	12.4	12.8	14.3	14.5	15.0

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	79.1%	0.8%	2.0%	6.9%	7.5%	3.4%	0.3%
	Grade 7	92.8%	0.7%	2.3%	3.7%	0.4%	0.0%	0.0%
	Grade 8	84.4%	0.6%	3.1%	9.1%	2.8%	0.0%	0.0%
	Grade 9	79.6%	1.1%	2.2%	8.2%	7.8%	1.0%	0.1%
	Grade 10	76.0%	0.6%	1.8%	7.0%	12.0%	2.7%	0.0%
	Grade 11	69.3%	0.8%	1.2%	6.8%	13.5%	8.3%	0.2%
	Grade 12	65.1%	0.9%	0.9%	6.0%	11.8%	13.1%	2.3%
Other family situation								
	All	67.9%	1.9%	4.0%	11.1%	11.0%	3.6%	0.5%
	Grade 7	84.4%	1.8%	3.7%	9.1%	0.9%	0.0%	0.0%
	Grade 8	73.4%	2.8%	5.0%	13.5%	5.2%	0.0%	0.0%
	Grade 9	64.5%	1.8%	5.3%	14.1%	13.3%	1.0%	0.0%
	Grade 10	61.5%	1.7%	3.7%	10.7%	18.4%	3.5%	0.4%
	Grade 11	61.0%	0.9%	2.5%	9.9%	15.3%	9.8%	0.6%
	Grade 12	59.6%	2.1%	2.5%	6.9%	14.1%	11.9%	2.9%

region11
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	21.7%	23.7%	7.4%	9.3%	13.6%	24.3%
	Grade 7	32.2%	40.8%	7.8%	4.8%	5.7%	8.6%
	Grade 8	23.7%	32.0%	9.0%	8.8%	10.2%	16.2%
	Grade 9	22.4%	21.1%	7.6%	10.0%	13.8%	25.1%
	Grade 10	16.5%	17.2%	6.9%	11.2%	17.9%	30.3%
	Grade 11	16.1%	13.9%	5.8%	11.2%	19.6%	33.4%
	Grade 12	15.1%	10.9%	6.5%	10.5%	17.7%	39.2%
Cocaine?							
	All	25.2%	27.5%	9.5%	10.6%	10.8%	16.4%
	Grade 7	35.6%	43.1%	8.2%	4.4%	3.6%	5.1%
	Grade 8	28.1%	36.8%	10.7%	7.5%	7.4%	9.5%
	Grade 9	25.9%	24.8%	9.5%	10.8%	11.2%	17.7%
	Grade 10	19.7%	21.2%	10.0%	14.7%	13.4%	21.0%
	Grade 11	19.4%	17.7%	9.4%	14.4%	16.3%	22.8%
	Grade 12	18.1%	15.0%	9.5%	13.7%	16.3%	27.3%
Crack?							
	All	29.5%	28.3%	10.8%	11.3%	8.9%	11.2%
	Grade 7	39.4%	41.3%	8.2%	3.8%	3.1%	4.2%
	Grade 8	30.9%	36.9%	10.8%	8.1%	6.3%	7.0%
	Grade 9	30.9%	25.7%	11.0%	11.1%	8.8%	12.6%
	Grade 10	24.7%	23.3%	11.0%	15.6%	11.8%	13.5%
	Grade 11	24.5%	19.7%	11.8%	15.8%	13.2%	15.1%
	Grade 12	23.0%	17.5%	12.6%	16.5%	12.5%	17.9%
Hallucinogens?							
	All	47.9%	21.7%	9.2%	8.4%	5.4%	7.4%
	Grade 7	59.1%	28.1%	5.5%	2.8%	1.6%	2.9%
	Grade 8	53.1%	27.0%	7.4%	5.6%	3.0%	3.9%
	Grade 9	49.4%	20.7%	8.6%	7.8%	5.8%	7.7%
	Grade 10	43.0%	18.1%	11.4%	11.5%	6.7%	9.2%
	Grade 11	40.5%	17.6%	11.9%	11.8%	8.2%	10.0%
	Grade 12	36.4%	16.0%	11.9%	13.7%	8.8%	13.2%
Uppers?							
	All	53.1%	18.6%	7.0%	7.2%	5.6%	8.5%
	Grade 7	63.3%	25.3%	4.9%	2.1%	1.5%	2.9%
	Grade 8	59.3%	23.2%	5.9%	4.5%	3.0%	4.2%
	Grade 9	53.6%	17.4%	7.5%	6.9%	5.3%	9.3%
	Grade 10	51.2%	15.5%	7.0%	9.2%	7.1%	10.0%
	Grade 11	45.2%	14.9%	8.4%	10.6%	8.9%	11.9%
	Grade 12	39.9%	12.6%	8.8%	12.6%	10.3%	15.9%
Downers?							
	All	52.7%	18.8%	6.9%	7.1%	5.8%	8.8%
	Grade 7	63.1%	25.5%	5.0%	2.0%	1.6%	2.8%
	Grade 8	59.0%	23.9%	5.9%	4.3%	2.9%	4.1%
	Grade 9	52.9%	17.7%	7.3%	7.3%	5.4%	9.5%
	Grade 10	50.5%	15.7%	7.0%	8.8%	7.3%	10.7%
	Grade 11	44.7%	15.2%	8.4%	10.6%	9.0%	12.1%
	Grade 12	40.0%	12.1%	8.8%	12.0%	10.6%	16.5%

region11
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	44.7%	20.4%	7.3%	7.7%	7.8%	12.0%
	Grade 7	58.5%	27.2%	5.4%	2.7%	2.4%	3.8%
	Grade 8	49.9%	26.0%	6.7%	5.3%	5.1%	7.0%
	Grade 9	44.6%	20.2%	7.3%	7.2%	7.6%	13.1%
	Grade 10	38.9%	16.8%	7.6%	9.9%	11.1%	15.6%
	Grade 11	36.7%	15.6%	9.1%	11.0%	10.8%	16.8%
	Grade 12	34.1%	13.1%	8.7%	13.2%	11.7%	19.2%
Steroids?							
	All	34.4%	29.6%	10.0%	9.9%	7.0%	9.1%
	Grade 7	42.5%	40.8%	6.9%	3.5%	2.8%	3.5%
	Grade 8	36.2%	37.3%	10.5%	6.9%	4.1%	5.0%
	Grade 9	36.4%	27.9%	10.0%	9.2%	7.2%	9.2%
	Grade 10	30.7%	25.4%	11.1%	13.2%	8.6%	11.0%
	Grade 11	28.5%	22.2%	11.6%	14.4%	10.4%	12.9%
	Grade 12	27.8%	19.2%	10.8%	15.1%	11.1%	15.9%
Ecstasy?							
	All	40.1%	24.7%	9.1%	8.7%	7.4%	10.0%
	Grade 7	57.7%	29.7%	5.5%	2.7%	1.6%	2.8%
	Grade 8	46.8%	30.3%	8.2%	5.0%	4.4%	5.3%
	Grade 9	40.7%	24.2%	8.9%	8.6%	7.1%	10.6%
	Grade 10	32.2%	22.4%	10.8%	12.0%	10.0%	12.7%
	Grade 11	28.8%	20.6%	11.7%	13.2%	11.2%	14.5%
	Grade 12	26.6%	17.3%	11.1%	13.7%	13.1%	18.1%
Heroin?							
	All	36.8%	29.9%	11.3%	8.9%	5.5%	7.5%
	Grade 7	48.5%	36.9%	6.6%	2.9%	2.0%	3.1%
	Grade 8	40.5%	35.9%	10.1%	5.6%	3.4%	4.6%
	Grade 9	37.7%	28.7%	10.9%	8.6%	5.5%	8.6%
	Grade 10	31.9%	26.5%	13.3%	11.8%	7.2%	9.4%
	Grade 11	28.7%	25.6%	14.8%	12.2%	8.9%	9.8%
	Grade 12	28.1%	22.6%	14.6%	15.1%	8.1%	11.5%

region11
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	91.4%	5.2%	1.5%	1.9%
Grade 7	95.1%	3.4%	0.7%	0.8%
Grade 8	92.4%	5.1%	1.2%	1.3%
Grade 9	90.2%	5.7%	1.6%	2.4%
Grade 10	90.8%	5.6%	1.5%	2.1%
Grade 11	89.9%	5.9%	2.0%	2.1%
Grade 12	88.8%	5.7%	2.4%	3.1%
Attended class while high from use of some other drug?				
All	94.1%	3.7%	1.0%	1.2%
Grade 7	96.4%	2.6%	0.4%	0.6%
Grade 8	95.2%	3.3%	0.7%	0.7%
Grade 9	93.2%	4.2%	1.1%	1.5%
Grade 10	92.4%	5.0%	1.4%	1.2%
Grade 11	93.9%	3.5%	1.1%	1.5%
Grade 12	93.4%	3.3%	1.3%	1.9%
Gotten into trouble with teachers because of your drug use?				
All	98.1%	1.2%	0.2%	0.4%
Grade 7	98.7%	0.9%	0.1%	0.3%
Grade 8	98.2%	1.4%	0.2%	0.3%
Grade 9	97.3%	1.6%	0.4%	0.6%
Grade 10	98.3%	1.0%	0.2%	0.5%
Grade 11	98.5%	1.0%	0.3%	0.1%
Grade 12	98.0%	1.3%	0.2%	0.5%

region11
Spring 2006

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.9
Marijuana Non-users:	3.5

Average days conduct problems reported	
Marijuana Users:	5.5
Marijuana Non-users:	1.7

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	92.4%	4.9%	1.2%	1.5%
Grade 9	94.6%	3.7%	0.7%	0.9%
Grade 10	93.3%	4.5%	1.1%	1.1%
Grade 11	92.0%	4.8%	1.4%	1.8%
Grade 12	87.9%	7.5%	2.0%	2.6%
Gotten into trouble with the police because of drug use?				
All	97.3%	2.0%	0.3%	0.3%
Grade 7	98.5%	1.0%	0.2%	0.3%
Grade 8	97.3%	2.1%	0.4%	0.3%
Grade 9	96.6%	2.6%	0.3%	0.4%
Grade 10	97.6%	1.8%	0.3%	0.3%
Grade 11	97.3%	2.1%	0.3%	0.3%
Grade 12	96.8%	2.3%	0.5%	0.5%

region11
Spring 2006

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	54.6%	19.4%	11.9%	8.9%	5.2%
Grade 7	77.1%	11.5%	5.3%	3.7%	2.4%
Grade 8	62.5%	16.4%	9.4%	7.7%	4.1%
Grade 9	51.0%	20.8%	12.4%	9.2%	6.6%
Grade 10	45.4%	22.4%	14.2%	11.5%	6.5%
Grade 11	43.6%	23.4%	16.6%	11.1%	5.4%
Grade 12	41.9%	23.9%	15.9%	12.0%	6.3%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	94.1%	4.7%	0.7%	0.4%
Grade 7	96.6%	2.8%	0.3%	0.3%
Grade 8	94.4%	4.5%	0.7%	0.4%
Grade 9	93.5%	5.0%	0.8%	0.7%
Grade 10	92.8%	5.8%	0.8%	0.6%
Grade 11	93.7%	5.3%	0.8%	0.2%
Grade 12	93.5%	5.2%	0.8%	0.5%
Been criticized by someone you were dating because of drug use?				
All	94.4%	4.3%	0.7%	0.5%
Grade 7	97.2%	2.1%	0.3%	0.3%
Grade 8	95.1%	3.8%	0.7%	0.3%
Grade 9	94.2%	4.5%	0.7%	0.7%
Grade 10	93.3%	5.2%	0.7%	0.8%
Grade 11	93.2%	5.3%	1.1%	0.4%
Grade 12	92.6%	5.5%	1.1%	0.8%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	54.7%	10.4%	7.0%	7.4%	8.7%	3.8%	7.9%
Grade 7	78.1%	4.8%	2.9%	2.3%	1.8%	2.9%	7.2%
Grade 8	64.8%	9.2%	5.5%	5.1%	4.6%	3.3%	7.7%
Grade 9	53.8%	11.8%	7.2%	6.7%	8.0%	4.4%	8.1%
Grade 10	45.2%	12.8%	9.8%	9.4%	10.6%	3.8%	8.4%
Grade 11	38.8%	12.5%	8.6%	11.8%	14.4%	4.6%	9.2%
Grade 12	37.2%	12.6%	9.2%	12.4%	17.4%	4.1%	7.2%

region11
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.3%	5.8%	3.6%	5.5%	4.4%	1.4%
	Grade 7	89.9%	3.1%	2.3%	2.0%	1.7%	1.0%
	Grade 8	82.3%	4.6%	3.2%	4.5%	3.9%	1.4%
	Grade 9	77.8%	5.7%	3.9%	5.7%	5.1%	1.6%
	Grade 10	76.2%	6.2%	4.0%	6.6%	5.3%	1.7%
	Grade 11	73.4%	8.4%	4.1%	6.9%	5.6%	1.6%
	Grade 12	72.2%	8.4%	4.1%	8.4%	5.6%	1.3%
Blunts?	All	83.8%	5.6%	3.7%	3.0%	2.5%	1.3%
	Grade 7	93.7%	1.7%	1.4%	1.3%	1.0%	0.9%
	Grade 8	86.7%	4.2%	3.3%	2.3%	2.2%	1.3%
	Grade 9	82.5%	4.9%	4.8%	3.4%	2.8%	1.6%
	Grade 10	80.9%	7.2%	4.3%	3.3%	2.7%	1.6%
	Grade 11	79.2%	8.6%	3.6%	3.8%	3.5%	1.3%
	Grade 12	76.5%	9.1%	5.2%	4.5%	3.5%	1.2%
Bongs or water pipes?	All	87.7%	4.5%	2.7%	1.9%	1.9%	1.2%
	Grade 7	95.6%	1.4%	0.9%	0.6%	0.6%	0.9%
	Grade 8	90.9%	3.0%	2.0%	1.5%	1.4%	1.2%
	Grade 9	87.7%	4.2%	2.5%	2.0%	2.1%	1.5%
	Grade 10	85.4%	5.7%	2.9%	2.3%	2.3%	1.4%
	Grade 11	83.1%	6.9%	3.3%	2.9%	2.6%	1.1%
	Grade 12	79.3%	7.8%	5.5%	2.8%	3.4%	1.2%
Pipes?	All	86.6%	4.8%	2.9%	2.4%	2.2%	1.2%
	Grade 7	94.9%	1.9%	1.0%	0.9%	0.7%	0.7%
	Grade 8	89.8%	3.4%	2.5%	1.6%	1.5%	1.1%
	Grade 9	85.8%	4.7%	3.1%	2.5%	2.5%	1.5%
	Grade 10	84.5%	5.8%	3.1%	2.7%	2.4%	1.5%
	Grade 11	82.3%	6.7%	3.5%	3.5%	2.9%	1.0%
	Grade 12	78.6%	8.2%	4.5%	3.8%	3.7%	1.3%
Some other way?	All	89.3%	4.2%	1.5%	1.2%	1.8%	2.0%
	Grade 7	94.7%	1.8%	0.8%	0.8%	0.7%	1.1%
	Grade 8	90.7%	3.2%	1.5%	1.2%	1.5%	1.9%
	Grade 9	88.6%	3.8%	1.9%	1.3%	2.0%	2.4%
	Grade 10	87.7%	5.0%	1.4%	1.7%	2.0%	2.2%
	Grade 11	87.5%	5.5%	1.8%	1.2%	1.9%	2.1%
	Grade 12	84.8%	7.3%	1.7%	1.2%	2.8%	2.2%

region11
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	80.9%	3.5%	3.1%	0.7%	1.4%	10.4%
Grade 7	78.2%	1.8%	1.9%	0.5%	1.4%	16.3%
Grade 8	80.0%	2.5%	2.5%	0.7%	1.6%	12.7%
Grade 9	79.7%	3.7%	3.3%	0.7%	1.8%	10.9%
Grade 10	83.4%	3.4%	3.4%	0.7%	1.1%	7.9%
Grade 11	82.6%	5.3%	4.1%	0.7%	1.1%	6.3%
Grade 12	83.2%	5.3%	3.9%	0.8%	1.2%	5.6%

region11
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	67.0%	15.5%	8.0%	4.8%	4.7%
	Grade 7	81.0%	7.9%	3.7%	2.3%	5.1%
	Grade 8	72.2%	13.1%	5.7%	3.7%	5.3%
	Grade 9	64.7%	16.4%	8.0%	5.4%	5.5%
	Grade 10	61.3%	18.5%	10.4%	5.5%	4.2%
	Grade 11	59.8%	20.2%	10.7%	5.9%	3.4%
	Grade 12	58.7%	19.0%	11.6%	7.0%	3.7%
Cocaine?						
	All	81.2%	9.8%	2.4%	1.5%	5.1%
	Grade 7	86.3%	5.6%	1.4%	1.3%	5.3%
	Grade 8	81.6%	9.2%	2.1%	1.6%	5.5%
	Grade 9	77.8%	11.3%	2.7%	2.0%	6.1%
	Grade 10	79.7%	11.5%	3.3%	1.1%	4.4%
	Grade 11	80.6%	11.6%	2.5%	1.2%	4.1%
	Grade 12	81.8%	10.3%	2.1%	1.6%	4.1%
Crack?						
	All	83.4%	8.1%	1.6%	1.2%	5.7%
	Grade 7	85.6%	5.1%	1.6%	1.4%	6.3%
	Grade 8	82.1%	8.6%	1.9%	1.3%	6.1%
	Grade 9	80.6%	9.5%	1.7%	1.6%	6.7%
	Grade 10	83.3%	9.1%	2.0%	0.8%	4.8%
	Grade 11	84.1%	9.2%	1.3%	0.8%	4.6%
	Grade 12	86.3%	6.5%	1.1%	1.3%	4.7%
Ecstasy?						
	All	80.9%	8.2%	2.0%	1.3%	7.6%
	Grade 7	82.0%	5.3%	1.3%	1.3%	10.1%
	Grade 8	79.9%	7.4%	1.8%	1.4%	9.5%
	Grade 9	78.6%	9.2%	2.3%	1.7%	8.2%
	Grade 10	81.1%	9.6%	2.4%	1.1%	5.8%
	Grade 11	82.8%	8.7%	2.3%	1.0%	5.1%
	Grade 12	82.5%	9.3%	1.8%	1.5%	4.8%
Steroids?						
	All	76.9%	11.5%	3.2%	1.5%	7.0%
	Grade 7	78.9%	8.3%	2.4%	1.8%	8.6%
	Grade 8	76.7%	10.9%	3.4%	1.5%	7.5%
	Grade 9	75.6%	11.5%	3.2%	1.7%	8.0%
	Grade 10	75.4%	14.1%	3.6%	1.1%	5.9%
	Grade 11	76.9%	13.0%	3.8%	1.2%	5.2%
	Grade 12	78.7%	11.8%	2.7%	1.4%	5.4%
Heroin?						
	All	85.2%	5.8%	1.1%	1.1%	6.8%
	Grade 7	84.6%	4.6%	1.0%	1.4%	8.4%
	Grade 8	83.6%	6.3%	1.1%	1.2%	7.8%
	Grade 9	83.5%	6.3%	1.3%	1.3%	7.5%
	Grade 10	85.7%	6.5%	1.5%	0.7%	5.6%
	Grade 11	87.3%	6.2%	1.0%	0.6%	4.9%
	Grade 12	88.3%	4.6%	0.7%	1.2%	5.3%

region11
Spring 2006

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	0.5%	1.6%	3.0%	97.0%
	Grade 7	0.3%	1.4%	2.2%	97.8%
	Grade 8	0.4%	1.2%	2.2%	97.8%
	Grade 9	0.5%	1.8%	3.3%	96.7%
	Grade 10	0.8%	1.8%	3.4%	96.6%
	Grade 11	0.7%	1.6%	2.8%	97.2%
	Grade 12	0.4%	1.7%	4.1%	95.9%
Codeine?					
	All	0.9%	2.4%	4.1%	95.9%
	Grade 7	0.3%	1.2%	2.3%	97.7%
	Grade 8	0.4%	1.5%	2.9%	97.1%
	Grade 9	1.1%	3.1%	5.1%	94.9%
	Grade 10	1.0%	2.8%	4.6%	95.4%
	Grade 11	1.2%	3.0%	4.8%	95.2%
	Grade 12	1.3%	3.0%	5.6%	94.4%

region11
Spring 2006

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	6.9%	9.5%	16.8%	83.2%
	Grade 7	9.8%	11.4%	18.5%	81.5%
	Grade 8	8.9%	11.9%	20.4%	79.6%
	Grade 9	7.6%	10.7%	17.3%	82.7%
	Grade 10	5.6%	8.3%	16.1%	83.9%
	Grade 11	3.5%	6.1%	13.1%	86.9%
	Grade 12	4.1%	6.1%	13.3%	86.7%
Liquid or spray paint?					
	All	2.0%	3.1%	7.2%	92.8%
	Grade 7	3.0%	3.8%	7.5%	92.5%
	Grade 8	2.8%	4.7%	9.5%	90.5%
	Grade 9	1.7%	3.4%	7.8%	92.2%
	Grade 10	1.6%	2.4%	6.7%	93.3%
	Grade 11	1.1%	2.0%	5.1%	94.9%
	Grade 12	1.2%	1.8%	5.2%	94.8%
Whiteout, correction fld?					
	All	1.9%	3.1%	6.7%	93.3%
	Grade 7	3.1%	4.7%	8.6%	91.4%
	Grade 8	2.9%	5.1%	9.6%	90.4%
	Grade 9	1.6%	2.8%	6.5%	93.5%
	Grade 10	1.5%	2.3%	6.4%	93.6%
	Grade 11	0.8%	1.4%	3.5%	96.5%
	Grade 12	0.9%	1.4%	4.0%	96.0%
Gasoline?					
	All	1.5%	2.2%	4.3%	95.7%
	Grade 7	2.5%	3.2%	5.3%	94.7%
	Grade 8	1.8%	2.8%	5.2%	94.8%
	Grade 9	1.5%	2.2%	4.3%	95.7%
	Grade 10	1.1%	1.9%	4.1%	95.9%
	Grade 11	0.6%	1.1%	2.5%	97.5%
	Grade 12	1.0%	1.3%	3.6%	96.4%
Freon?					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.9%	1.4%	2.2%	97.8%
	Grade 8	1.1%	1.5%	2.4%	97.6%
	Grade 9	0.9%	1.5%	2.6%	97.4%
	Grade 10	1.0%	1.6%	3.1%	96.9%
	Grade 11	0.3%	1.0%	2.3%	97.7%
	Grade 12	0.6%	0.9%	2.2%	97.8%
Poppers, Locker Room?					
	All	0.8%	1.1%	1.8%	98.2%
	Grade 7	1.0%	1.5%	2.3%	97.7%
	Grade 8	0.9%	1.4%	2.1%	97.9%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.7%	1.0%	1.7%	98.3%
	Grade 11	0.3%	0.7%	1.3%	98.7%
	Grade 12	0.7%	0.9%	1.6%	98.4%

region11
Spring 2006

Table I-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	1.1%	1.7%	3.4%	96.6%
	Grade 7	1.7%	2.5%	4.3%	95.7%
	Grade 8	1.7%	2.5%	5.2%	94.8%
	Grade 9	1.0%	1.7%	3.1%	96.9%
	Grade 10	0.9%	1.2%	2.9%	97.1%
	Grade 11	0.4%	0.8%	2.0%	98.0%
	Grade 12	0.9%	1.1%	2.4%	97.6%
Paint, lacquer thinner?					
	All	1.1%	1.9%	3.9%	96.1%
	Grade 7	1.7%	2.5%	4.2%	95.8%
	Grade 8	1.8%	3.0%	5.2%	94.8%
	Grade 9	0.9%	1.8%	4.0%	96.0%
	Grade 10	0.8%	1.3%	3.9%	96.1%
	Grade 11	0.5%	0.9%	2.2%	97.8%
	Grade 12	1.0%	1.4%	3.0%	97.0%
Nitrous oxide?					
	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	1.3%	2.0%	3.4%	96.6%
	Grade 8	1.8%	2.4%	4.5%	95.5%
	Grade 9	1.4%	2.2%	4.3%	95.7%
	Grade 10	1.5%	2.3%	4.4%	95.6%
	Grade 11	1.3%	2.6%	5.0%	95.0%
	Grade 12	1.9%	3.7%	6.7%	93.3%
Octane booster?					
	All	0.5%	0.8%	1.2%	98.8%
	Grade 7	0.8%	1.0%	1.5%	98.5%
	Grade 8	0.7%	1.0%	1.5%	98.5%
	Grade 9	0.4%	0.8%	1.2%	98.8%
	Grade 10	0.6%	0.9%	1.2%	98.8%
	Grade 11	0.3%	0.5%	0.8%	99.2%
	Grade 12	0.3%	0.7%	1.2%	98.8%
Other sprays?					
	All	1.5%	2.3%	4.2%	95.8%
	Grade 7	2.3%	3.1%	5.7%	94.3%
	Grade 8	2.3%	3.3%	5.7%	94.3%
	Grade 9	1.3%	2.2%	4.0%	96.0%
	Grade 10	1.3%	2.2%	4.1%	95.9%
	Grade 11	0.6%	1.1%	2.2%	97.8%
	Grade 12	0.7%	1.0%	2.7%	97.3%
Other inhalants?					
	All	2.9%	4.4%	8.4%	91.6%
	Grade 7	3.8%	5.3%	9.0%	91.0%
	Grade 8	3.7%	5.6%	10.6%	89.4%
	Grade 9	3.0%	4.7%	8.5%	91.5%
	Grade 10	2.9%	4.2%	8.6%	91.4%
	Grade 11	1.5%	2.4%	6.1%	93.9%
	Grade 12	1.6%	2.8%	6.1%	93.9%

region11
Spring 2006

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	93.8%	0.2%	0.5%	0.8%	1.2%	1.3%	2.2%
Grade 7	92.9%	0.3%	0.8%	1.0%	1.4%	1.6%	2.0%
Grade 8	91.7%	0.4%	0.7%	1.5%	2.0%	1.5%	2.2%
Grade 9	93.9%	0.2%	0.3%	1.0%	1.2%	1.1%	2.3%
Grade 10	93.7%	0.2%	0.4%	0.5%	1.2%	1.5%	2.6%
Grade 11	96.2%	0.2%	0.3%	0.2%	0.5%	1.1%	1.6%
Grade 12	95.6%	0.2%	0.2%	0.4%	0.6%	0.8%	2.3%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	85.4%	6.2%	4.8%	3.6%
Grade 7	83.9%	6.5%	5.5%	4.0%
Grade 8	82.5%	6.5%	5.8%	5.2%
Grade 9	85.0%	6.0%	5.6%	3.4%
Grade 10	85.9%	5.9%	4.7%	3.5%
Grade 11	89.1%	5.7%	3.2%	2.1%
Grade 12	88.1%	6.4%	2.4%	3.1%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.4	12.0	12.8	13.4	14.0

**region11
Spring 2006**

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.5%	1.6%	0.4%	0.4%
Grade 7	97.0%	2.3%	0.3%	0.4%
Grade 8	96.8%	2.1%	0.6%	0.4%
Grade 9	97.7%	1.5%	0.3%	0.5%
Grade 10	97.5%	1.7%	0.5%	0.4%
Grade 11	98.2%	1.0%	0.4%	0.3%
Grade 12	98.3%	0.8%	0.3%	0.5%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.4
Inhalants Non-users:	3.6

Average days conduct problems reported	
Inhalants Users:	5.0
Inhalants Non-users:	2.0

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	83.6%	9.9%	3.4%	1.3%	1.8%
Grade 7	85.4%	8.5%	3.3%	1.2%	1.6%
Grade 8	82.3%	10.5%	4.1%	1.5%	1.6%
Grade 9	82.5%	11.0%	3.2%	1.5%	1.8%
Grade 10	80.7%	11.3%	3.9%	1.3%	2.8%
Grade 11	85.5%	8.9%	3.2%	1.0%	1.5%
Grade 12	86.5%	8.4%	2.5%	1.1%	1.6%

region11
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	74.3%	14.1%	3.7%	1.5%	6.4%
Grade 7	77.8%	9.9%	3.9%	1.6%	6.8%
Grade 8	72.8%	13.9%	3.9%	1.7%	7.7%
Grade 9	72.2%	14.5%	4.0%	1.9%	7.4%
Grade 10	72.5%	16.6%	4.2%	1.2%	5.5%
Grade 11	75.1%	16.0%	3.2%	0.9%	4.8%
Grade 12	76.7%	13.9%	2.9%	1.3%	5.2%

region11
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A school health class	All 53.2%
	Grade 7 44.9%
	Grade 8 56.7%
	Grade 9 50.5%
	Grade 10 59.4%
	Grade 11 54.8%
	Grade 12 54.1%
An assembly program	All 50.3%
	Grade 7 53.8%
	Grade 8 55.0%
	Grade 9 43.6%
	Grade 10 50.0%
	Grade 11 49.3%
	Grade 12 52.0%
Guidance counselor	All 37.5%
	Grade 7 47.5%
	Grade 8 46.8%
	Grade 9 33.7%
	Grade 10 33.1%
	Grade 11 27.8%
	Grade 12 33.0%
Science class	All 34.1%
	Grade 7 40.4%
	Grade 8 36.0%
	Grade 9 33.9%
	Grade 10 33.7%
	Grade 11 30.6%
	Grade 12 27.6%
Social studies class	All 17.8%
	Grade 7 15.9%
	Grade 8 18.0%
	Grade 9 18.2%
	Grade 10 17.6%
	Grade 11 18.1%
	Grade 12 19.6%
Student group session	All 19.7%
	Grade 7 18.1%
	Grade 8 18.1%
	Grade 9 18.9%
	Grade 10 20.1%
	Grade 11 19.9%
	Grade 12 24.5%

region11
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY	Yes
An invited school guest	All 42.9%
	Grade 7 44.2%
	Grade 8 48.8%
	Grade 9 35.8%
	Grade 10 43.0%
	Grade 11 43.0%
	Grade 12 44.4%
Another source at school	All 37.9%
	Grade 7 37.0%
	Grade 8 38.8%
	Grade 9 36.0%
	Grade 10 40.0%
	Grade 11 35.5%
	Grade 12 40.1%
Any school source	All 60.6%
	Grade 7 59.8%
	Grade 8 64.5%
	Grade 9 56.0%
	Grade 10 63.0%
	Grade 11 61.2%
	Grade 12 60.6%

region11
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY	Yes
A counselor or program in	All 40.9%
	Grade 7 54.1%
	Grade 8 47.4%
	Grade 9 39.6%
	Grade 10 33.8%
	Grade 11 30.6%
	Grade 12 35.0%
Another adult in school (All 39.6%
	Grade 7 44.9%
	Grade 8 43.3%
	Grade 9 37.8%
	Grade 10 35.9%
	Grade 11 36.7%
	Grade 12 37.7%
A counselor or program ou	All 39.8%
	Grade 7 42.3%
	Grade 8 42.6%
	Grade 9 38.9%
	Grade 10 37.8%
	Grade 11 36.8%
	Grade 12 39.3%
Your parents	All 61.4%
	Grade 7 68.8%
	Grade 8 63.4%
	Grade 9 59.6%
	Grade 10 58.7%
	Grade 11 57.4%
	Grade 12 59.0%
A medical doctor	All 45.0%
	Grade 7 51.4%
	Grade 8 46.3%
	Grade 9 43.4%
	Grade 10 41.8%
	Grade 11 41.6%
	Grade 12 44.1%
Your friends	All 68.8%
	Grade 7 58.6%
	Grade 8 67.3%
	Grade 9 69.6%
	Grade 10 72.9%
	Grade 11 74.8%
	Grade 12 72.9%

region11
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	60.5%
	Grade 7	59.3%
	Grade 8	61.7%
	Grade 9	60.0%
	Grade 10	61.3%
	Grade 11	61.3%
	Grade 12	59.7%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	10.3%
	Grade 7	10.1%
	Grade 8	12.3%
	Grade 9	11.8%
	Grade 10	8.8%
	Grade 11	8.9%
	Grade 12	8.1%

region11
Spring 2006

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	7.5%	29.9%	25.2%	27.7%	9.8%
Grade 7	10.2%	26.3%	22.2%	26.0%	15.4%
Grade 8	8.7%	28.3%	24.6%	26.9%	11.6%
Grade 9	8.5%	32.1%	26.0%	24.7%	8.7%
Grade 10	5.8%	30.6%	27.2%	28.9%	7.4%
Grade 11	5.2%	31.6%	26.1%	30.0%	7.2%
Grade 12	4.7%	30.5%	25.0%	32.5%	7.4%
Sometimes carry weapons?					
All	71.1%	17.4%	7.3%	2.7%	1.5%
Grade 7	81.1%	12.1%	3.9%	1.7%	1.3%
Grade 8	73.1%	15.6%	6.6%	3.1%	1.6%
Grade 9	65.9%	20.3%	8.9%	3.1%	1.8%
Grade 10	68.8%	19.4%	7.8%	2.8%	1.4%
Grade 11	69.3%	19.0%	8.0%	2.4%	1.3%
Grade 12	68.3%	18.2%	8.8%	3.2%	1.5%
Care about making good grades?					
All	4.0%	16.7%	24.1%	35.8%	19.3%
Grade 7	4.7%	17.6%	22.1%	30.4%	25.2%
Grade 8	4.2%	17.1%	23.7%	33.0%	22.1%
Grade 9	5.4%	18.7%	25.9%	33.5%	16.6%
Grade 10	3.1%	16.4%	24.7%	39.3%	16.5%
Grade 11	3.0%	14.6%	24.3%	39.9%	18.1%
Grade 12	2.9%	14.1%	23.3%	42.6%	17.0%
Belong/want to belong to a gang?					
All	69.8%	16.4%	7.9%	3.9%	2.0%
Grade 7	70.6%	16.1%	7.2%	3.8%	2.4%
Grade 8	63.7%	18.4%	10.2%	5.1%	2.5%
Grade 9	64.5%	19.1%	8.8%	5.3%	2.4%
Grade 10	70.0%	15.7%	8.5%	4.0%	1.8%
Grade 11	75.4%	14.5%	6.6%	2.4%	1.1%
Grade 12	80.1%	12.0%	5.0%	1.4%	1.5%
Wish they could drop out of school?					
All	58.8%	26.9%	8.7%	3.4%	2.1%
Grade 7	68.8%	19.4%	6.7%	2.6%	2.4%
Grade 8	61.1%	24.4%	8.7%	3.1%	2.7%
Grade 9	54.3%	29.1%	9.9%	4.5%	2.3%
Grade 10	54.3%	30.0%	9.8%	4.1%	1.8%
Grade 11	53.8%	32.0%	9.5%	3.1%	1.7%
Grade 12	60.4%	28.1%	7.2%	2.7%	1.5%

region11
Spring 2006

Table X-5: How safe do you feel when you are:

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
In your home?					
All	79.1%	17.4%	1.4%	0.6%	1.5%
Grade 7	79.7%	15.9%	2.0%	0.5%	1.9%
Grade 8	76.0%	19.6%	1.5%	0.6%	2.3%
Grade 9	77.3%	18.8%	1.3%	0.7%	1.9%
Grade 10	79.9%	16.9%	1.6%	0.6%	1.0%
Grade 11	82.0%	15.9%	1.0%	0.4%	0.7%
Grade 12	81.6%	16.1%	0.9%	0.6%	0.9%
Out in your neighbourhood					
All	32.3%	49.7%	12.1%	3.2%	2.7%
Grade 7	29.2%	47.8%	15.3%	3.3%	4.4%
Grade 8	28.4%	50.2%	13.8%	4.0%	3.7%
Grade 9	32.3%	49.6%	12.2%	3.3%	2.5%
Grade 10	32.1%	51.6%	11.6%	2.8%	2.0%
Grade 11	35.2%	51.7%	8.9%	2.6%	1.6%
Grade 12	39.3%	47.0%	9.4%	2.7%	1.7%
At school					
All	35.0%	46.9%	10.3%	4.8%	3.1%
Grade 7	43.4%	39.6%	8.5%	4.5%	4.0%
Grade 8	41.0%	43.2%	7.9%	3.9%	4.0%
Grade 9	31.5%	48.0%	11.6%	5.3%	3.7%
Grade 10	29.2%	51.2%	12.3%	5.0%	2.3%
Grade 11	29.7%	52.6%	11.0%	4.6%	2.0%
Grade 12	33.4%	48.9%	10.4%	5.4%	1.9%

region11
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY	Yes
A website or online chat	All 27.8%
	Grade 7 20.6%
	Grade 8 25.4%
	Grade 9 28.8%
	Grade 10 30.3%
	Grade 11 30.1%
	Grade 12 34.1%
Books, magazines, poster	All 52.4%
	Grade 7 45.8%
	Grade 8 52.7%
	Grade 9 51.6%
	Grade 10 56.1%
	Grade 11 54.2%
	Grade 12 55.9%
TV, radio, or other audi	All 56.2%
	Grade 7 50.1%
	Grade 8 56.1%
	Grade 9 56.0%
	Grade 10 59.9%
	Grade 11 57.3%
	Grade 12 59.2%
Your parents	All 57.4%
	Grade 7 57.1%
	Grade 8 56.7%
	Grade 9 57.1%
	Grade 10 59.0%
	Grade 11 56.6%
	Grade 12 57.9%

region11
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.8%	22.9%	37.8%	62.2%
	Grade 7	7.2%	9.7%	19.8%	80.2%
	Grade 8	11.2%	16.5%	31.2%	68.8%
	Grade 9	16.8%	23.0%	40.1%	59.9%
	Grade 10	19.4%	26.5%	43.2%	56.8%
	Grade 11	22.5%	30.6%	47.3%	52.7%
	Grade 12	29.2%	37.8%	52.5%	47.5%
Alcohol					
	All	32.6%	43.0%	64.4%	35.6%
	Grade 7	17.7%	22.5%	45.3%	54.7%
	Grade 8	25.4%	34.7%	59.7%	40.3%
	Grade 9	34.7%	46.1%	67.6%	32.4%
	Grade 10	36.6%	49.7%	71.2%	28.8%
	Grade 11	41.7%	54.3%	73.5%	26.5%
	Grade 12	46.2%	58.0%	74.2%	25.8%
Inhalants					
	All	6.9%	9.5%	16.8%	83.2%
	Grade 7	9.8%	11.4%	18.5%	81.5%
	Grade 8	8.9%	11.9%	20.4%	79.6%
	Grade 9	7.6%	10.7%	17.3%	82.7%
	Grade 10	5.6%	8.3%	16.1%	83.9%
	Grade 11	3.5%	6.1%	13.1%	86.9%
	Grade 12	4.1%	6.1%	13.3%	86.7%
Any Illicit Drug					
	All	12.1%	16.7%	26.6%	73.4%
	Grade 7	5.8%	7.4%	11.7%	88.3%
	Grade 8	9.6%	12.7%	20.9%	79.1%
	Grade 9	12.3%	17.0%	27.7%	72.3%
	Grade 10	14.5%	20.4%	31.3%	68.7%
	Grade 11	15.9%	22.0%	35.7%	64.3%
	Grade 12	17.5%	24.5%	38.5%	61.5%
Marijuana					
	All	10.0%	14.6%	24.2%	75.8%
	Grade 7	4.5%	5.7%	9.6%	90.4%
	Grade 8	7.8%	11.2%	18.6%	81.4%
	Grade 9	10.1%	14.8%	25.0%	75.0%
	Grade 10	11.5%	17.3%	28.6%	71.4%
	Grade 11	13.1%	20.0%	33.0%	67.0%
	Grade 12	15.3%	22.5%	36.5%	63.5%
Marijuana Only					
	All	3.3%	5.2%	10.7%	89.3%
	Grade 7	2.0%	2.7%	5.2%	94.8%
	Grade 8	2.7%	4.0%	8.4%	91.6%
	Grade 9	3.5%	5.2%	10.9%	89.1%
	Grade 10	3.3%	5.7%	11.7%	88.3%
	Grade 11	4.2%	7.1%	15.1%	84.9%
	Grade 12	4.9%	7.9%	15.6%	84.4%

region11
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	4.8%	6.9%	11.8%	88.2%
	Grade 7	2.0%	2.6%	4.2%	95.8%
	Grade 8	3.6%	5.2%	8.8%	91.2%
	Grade 9	4.9%	7.2%	12.5%	87.5%
	Grade 10	6.3%	9.2%	14.5%	85.5%
	Grade 11	6.2%	9.0%	15.9%	84.1%
	Grade 12	6.6%	10.0%	17.8%	82.2%
Cocaine					
	All	4.5%	6.6%	11.3%	88.7%
	Grade 7	1.6%	2.1%	3.6%	96.4%
	Grade 8	3.1%	4.6%	8.0%	92.0%
	Grade 9	4.7%	6.9%	12.0%	88.0%
	Grade 10	6.1%	9.0%	14.3%	85.7%
	Grade 11	6.1%	8.6%	15.6%	84.4%
	Grade 12	6.4%	9.9%	17.7%	82.3%
Crack					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	1.0%	1.4%	2.3%	97.7%
	Grade 8	1.1%	1.9%	3.6%	96.4%
	Grade 9	1.1%	1.6%	3.0%	97.0%
	Grade 10	1.1%	1.7%	3.7%	96.3%
	Grade 11	0.6%	1.3%	3.0%	97.0%
	Grade 12	0.8%	1.4%	3.3%	96.7%
Hallucinogens					
	All	1.0%	1.6%	3.0%	97.0%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	0.7%	1.0%	2.1%	97.9%
	Grade 9	1.0%	1.5%	2.8%	97.2%
	Grade 10	1.4%	2.1%	3.9%	96.1%
	Grade 11	1.2%	1.6%	3.8%	96.2%
	Grade 12	1.8%	2.7%	5.2%	94.8%
Uppers					
	All	1.4%	2.1%	3.5%	96.5%
	Grade 7	0.6%	0.7%	1.0%	99.0%
	Grade 8	0.9%	1.3%	2.2%	97.8%
	Grade 9	1.8%	2.5%	3.9%	96.1%
	Grade 10	1.6%	2.6%	4.3%	95.7%
	Grade 11	1.7%	2.7%	4.6%	95.4%
	Grade 12	2.3%	3.4%	5.7%	94.3%
Downers					
	All	1.7%	2.5%	4.1%	95.9%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	0.9%	1.4%	2.4%	97.6%
	Grade 9	1.9%	2.9%	4.6%	95.4%
	Grade 10	2.2%	3.1%	5.2%	94.8%
	Grade 11	2.2%	3.2%	5.6%	94.4%
	Grade 12	2.9%	4.1%	7.2%	92.8%

region11
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.3%	3.5%	6.7%	93.3%
	Grade 7	1.2%	1.6%	2.8%	97.2%
	Grade 8	2.1%	3.0%	5.5%	94.5%
	Grade 9	2.9%	4.4%	7.6%	92.4%
	Grade 10	2.9%	4.4%	8.7%	91.3%
	Grade 11	2.3%	3.5%	8.2%	91.8%
	Grade 12	2.2%	3.9%	8.6%	91.4%
Steroids					
	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.5%	0.7%	0.9%	99.1%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	0.4%	0.6%	1.1%	98.9%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.6%	0.8%	1.1%	98.9%
	Grade 12	0.5%	0.8%	1.8%	98.2%
Ecstasy					
	All	1.5%	2.3%	4.1%	95.9%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	1.0%	1.5%	2.7%	97.3%
	Grade 9	1.4%	2.1%	3.7%	96.3%
	Grade 10	2.0%	2.9%	5.6%	94.4%
	Grade 11	2.0%	2.9%	5.3%	94.7%
	Grade 12	2.5%	4.0%	7.2%	92.8%
Heroin					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.6%	1.0%	1.7%	98.3%
	Grade 9	0.4%	0.6%	1.5%	98.5%
	Grade 10	0.7%	1.0%	1.7%	98.3%
	Grade 11	0.2%	0.3%	0.9%	99.1%
	Grade 12	0.5%	0.8%	1.7%	98.3%

region11
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	19.1%	25.5%	40.1%	59.9%
	Grade 7	7.5%	10.4%	21.3%	78.7%
	Grade 8	12.3%	18.4%	32.3%	67.7%
	Grade 9	19.0%	25.4%	42.3%	57.7%
	Grade 10	22.7%	29.1%	45.2%	54.8%
	Grade 11	25.5%	34.2%	49.4%	50.6%
	Grade 12	34.4%	43.7%	58.3%	41.7%
Alcohol					
	All	32.9%	42.0%	63.0%	37.0%
	Grade 7	18.0%	22.4%	45.1%	54.9%
	Grade 8	24.6%	33.6%	58.8%	41.2%
	Grade 9	34.3%	44.2%	65.6%	34.4%
	Grade 10	36.9%	47.8%	68.8%	31.2%
	Grade 11	44.0%	54.7%	71.6%	28.4%
	Grade 12	47.5%	58.6%	74.2%	25.8%
Inhalants					
	All	7.0%	9.5%	17.5%	82.5%
	Grade 7	9.6%	11.1%	18.0%	82.0%
	Grade 8	8.7%	11.5%	20.4%	79.6%
	Grade 9	7.6%	10.7%	17.7%	82.3%
	Grade 10	5.5%	8.4%	17.2%	82.8%
	Grade 11	3.9%	6.4%	14.5%	85.5%
	Grade 12	4.9%	7.2%	16.3%	83.7%
Any Illicit Drug					
	All	14.5%	19.4%	30.2%	69.8%
	Grade 7	6.7%	8.4%	13.5%	86.5%
	Grade 8	10.7%	14.2%	23.1%	76.9%
	Grade 9	15.4%	20.6%	32.4%	67.6%
	Grade 10	16.9%	23.6%	35.3%	64.7%
	Grade 11	19.6%	26.0%	40.2%	59.8%
	Grade 12	21.3%	28.8%	44.0%	56.0%
Marijuana					
	All	12.2%	17.3%	28.2%	71.8%
	Grade 7	5.2%	6.8%	11.8%	88.2%
	Grade 8	9.0%	12.8%	21.4%	78.6%
	Grade 9	13.0%	18.4%	30.1%	69.9%
	Grade 10	13.6%	20.1%	32.9%	67.1%
	Grade 11	16.7%	24.1%	38.7%	61.3%
	Grade 12	18.6%	26.6%	42.0%	58.0%
Marijuana Only					
	All	4.3%	6.5%	13.2%	86.8%
	Grade 7	2.8%	3.8%	7.2%	92.8%
	Grade 8	3.3%	4.8%	10.5%	89.5%
	Grade 9	4.8%	6.9%	14.2%	85.8%
	Grade 10	4.5%	7.3%	14.5%	85.5%
	Grade 11	5.2%	8.4%	17.4%	82.6%
	Grade 12	5.9%	9.2%	17.9%	82.1%

region11
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	5.8%	8.0%	12.9%	87.1%
	Grade 7	2.0%	2.4%	4.0%	96.0%
	Grade 8	4.4%	5.8%	8.8%	91.2%
	Grade 9	6.1%	8.7%	14.1%	85.9%
	Grade 10	6.9%	9.8%	15.2%	84.8%
	Grade 11	7.9%	10.7%	17.9%	82.1%
	Grade 12	9.3%	12.9%	21.7%	78.3%
Cocaine					
	All	5.5%	7.7%	12.5%	87.5%
	Grade 7	1.6%	2.0%	3.4%	96.6%
	Grade 8	3.9%	5.1%	8.1%	91.9%
	Grade 9	5.9%	8.5%	13.6%	86.4%
	Grade 10	6.8%	9.8%	15.0%	85.0%
	Grade 11	7.7%	10.4%	17.7%	82.3%
	Grade 12	9.0%	12.7%	21.4%	78.6%
Crack					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	0.9%	1.2%	2.1%	97.9%
	Grade 8	1.3%	2.0%	3.2%	96.8%
	Grade 9	1.2%	1.7%	3.1%	96.9%
	Grade 10	0.6%	1.2%	3.3%	96.7%
	Grade 11	0.7%	1.4%	3.3%	96.7%
	Grade 12	1.1%	2.0%	4.5%	95.5%
Hallucinogens					
	All	1.4%	2.0%	3.9%	96.1%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	1.3%	1.8%	3.5%	96.5%
	Grade 10	2.0%	2.8%	5.6%	94.4%
	Grade 11	1.3%	1.8%	4.3%	95.7%
	Grade 12	2.6%	3.6%	6.9%	93.1%
Uppers					
	All	1.6%	2.2%	3.5%	96.5%
	Grade 7	0.6%	0.6%	1.0%	99.0%
	Grade 8	1.0%	1.3%	2.1%	97.9%
	Grade 9	2.0%	2.6%	3.9%	96.1%
	Grade 10	1.7%	2.5%	3.9%	96.1%
	Grade 11	1.5%	2.7%	4.6%	95.4%
	Grade 12	2.8%	4.0%	6.6%	93.4%
Downers					
	All	1.8%	2.7%	4.3%	95.7%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	1.1%	1.7%	2.3%	97.7%
	Grade 9	2.0%	3.1%	4.7%	95.3%
	Grade 10	2.3%	3.3%	4.7%	95.3%
	Grade 11	2.4%	3.8%	6.4%	93.6%
	Grade 12	3.4%	5.0%	8.4%	91.6%

region11
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.5%	3.6%	6.3%	93.7%
	Grade 7	1.2%	1.6%	2.6%	97.4%
	Grade 8	2.2%	3.0%	5.0%	95.0%
	Grade 9	3.2%	4.7%	7.1%	92.9%
	Grade 10	2.6%	3.6%	7.2%	92.8%
	Grade 11	2.6%	4.0%	8.3%	91.7%
	Grade 12	3.0%	4.8%	8.8%	91.2%
Steroids					
	All	0.8%	1.1%	1.9%	98.1%
	Grade 7	0.7%	1.0%	1.4%	98.6%
	Grade 8	0.8%	1.0%	1.8%	98.2%
	Grade 9	0.7%	1.1%	1.6%	98.4%
	Grade 10	0.8%	1.1%	1.8%	98.2%
	Grade 11	0.9%	1.5%	2.0%	98.0%
	Grade 12	0.8%	1.3%	3.0%	97.0%
Ecstasy					
	All	2.0%	2.8%	4.7%	95.3%
	Grade 7	0.8%	1.0%	1.5%	98.5%
	Grade 8	1.2%	2.0%	3.0%	97.0%
	Grade 9	1.9%	2.6%	4.0%	96.0%
	Grade 10	2.5%	3.4%	6.5%	93.5%
	Grade 11	2.9%	3.7%	6.6%	93.4%
	Grade 12	3.3%	4.8%	8.5%	91.5%
Heroin					
	All	0.6%	0.9%	1.6%	98.4%
	Grade 7	0.5%	0.8%	1.1%	98.9%
	Grade 8	0.9%	1.2%	1.8%	98.2%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.8%	1.1%	2.0%	98.0%
	Grade 11	0.3%	0.4%	0.7%	99.3%
	Grade 12	0.7%	1.0%	2.4%	97.6%

region11
Spring 2006

**Table B3: Prevalence and recency of use of selected substances by grade
Female students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	14.6%	20.5%	35.7%	64.3%
	Grade 7	6.9%	9.1%	18.4%	81.6%
	Grade 8	10.2%	14.9%	30.1%	69.9%
	Grade 9	14.8%	20.8%	38.0%	62.0%
	Grade 10	16.5%	24.3%	41.5%	58.5%
	Grade 11	19.6%	27.1%	45.0%	55.0%
	Grade 12	23.9%	32.1%	46.8%	53.2%
Alcohol					
	All	32.3%	43.8%	65.7%	34.3%
	Grade 7	17.4%	22.6%	45.6%	54.4%
	Grade 8	26.0%	35.7%	60.6%	39.4%
	Grade 9	35.0%	47.7%	69.5%	30.5%
	Grade 10	36.4%	51.5%	73.4%	26.6%
	Grade 11	39.6%	53.6%	75.2%	24.8%
	Grade 12	45.0%	57.5%	74.4%	25.6%
Inhalants					
	All	6.8%	9.3%	16.0%	84.0%
	Grade 7	10.0%	11.6%	19.1%	80.9%
	Grade 8	9.2%	12.3%	20.4%	79.6%
	Grade 9	7.4%	10.4%	16.6%	83.4%
	Grade 10	5.7%	8.4%	15.1%	84.9%
	Grade 11	3.0%	5.6%	11.5%	88.5%
	Grade 12	3.2%	5.0%	9.7%	90.3%
Any Illicit Drug					
	All	9.9%	14.0%	23.2%	76.8%
	Grade 7	5.0%	6.4%	9.9%	90.1%
	Grade 8	8.5%	11.3%	18.8%	81.2%
	Grade 9	9.3%	13.6%	23.3%	76.7%
	Grade 10	12.6%	17.9%	28.0%	72.0%
	Grade 11	12.3%	18.1%	31.4%	68.6%
	Grade 12	13.8%	20.2%	32.8%	67.2%
Marijuana					
	All	7.9%	12.0%	20.4%	79.6%
	Grade 7	3.7%	4.6%	7.6%	92.4%
	Grade 8	6.7%	9.8%	16.0%	84.0%
	Grade 9	7.3%	11.4%	20.1%	79.9%
	Grade 10	9.8%	15.0%	25.1%	74.9%
	Grade 11	9.6%	16.1%	27.8%	72.2%
	Grade 12	12.2%	18.5%	30.9%	69.1%
Marijuana Only					
	All	2.4%	4.0%	8.4%	91.6%
	Grade 7	1.3%	1.7%	3.2%	96.8%
	Grade 8	2.1%	3.2%	6.5%	93.5%
	Grade 9	2.3%	3.6%	7.9%	92.1%
	Grade 10	2.2%	4.3%	9.4%	90.6%
	Grade 11	3.2%	5.9%	13.0%	87.0%
	Grade 12	4.1%	6.7%	13.3%	86.7%

region11
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.8%	5.9%	10.7%	89.3%
	Grade 7	2.0%	2.8%	4.4%	95.6%
	Grade 8	2.8%	4.7%	8.8%	91.2%
	Grade 9	3.8%	5.8%	10.9%	89.1%
	Grade 10	5.9%	8.8%	14.0%	86.0%
	Grade 11	4.6%	7.2%	13.9%	86.1%
	Grade 12	3.8%	7.1%	13.9%	86.1%
Cocaine					
	All	3.5%	5.5%	10.2%	89.8%
	Grade 7	1.7%	2.2%	3.7%	96.3%
	Grade 8	2.4%	4.1%	7.8%	92.2%
	Grade 9	3.5%	5.4%	10.6%	89.4%
	Grade 10	5.5%	8.5%	13.7%	86.3%
	Grade 11	4.5%	6.8%	13.5%	86.5%
	Grade 12	3.8%	7.1%	14.0%	86.0%
Crack					
	All	0.9%	1.6%	3.1%	96.9%
	Grade 7	1.0%	1.6%	2.5%	97.5%
	Grade 8	1.0%	1.9%	4.0%	96.0%
	Grade 9	1.0%	1.6%	3.0%	97.0%
	Grade 10	1.5%	2.1%	4.1%	95.9%
	Grade 11	0.5%	1.3%	2.7%	97.3%
	Grade 12	0.5%	0.9%	2.1%	97.9%
Hallucinogens					
	All	0.7%	1.2%	2.1%	97.9%
	Grade 7	0.5%	0.7%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	0.6%	1.1%	2.1%	97.9%
	Grade 10	0.8%	1.5%	2.6%	97.4%
	Grade 11	1.0%	1.3%	3.3%	96.7%
	Grade 12	1.1%	1.9%	3.5%	96.5%
Uppers					
	All	1.3%	2.0%	3.4%	96.6%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	0.9%	1.2%	2.3%	97.7%
	Grade 9	1.5%	2.4%	3.9%	96.1%
	Grade 10	1.4%	2.7%	4.6%	95.4%
	Grade 11	1.9%	2.6%	4.6%	95.4%
	Grade 12	1.7%	2.8%	4.9%	95.1%
Downers					
	All	1.5%	2.2%	3.9%	96.1%
	Grade 7	0.6%	0.8%	1.1%	98.9%
	Grade 8	0.7%	1.0%	2.4%	97.6%
	Grade 9	1.8%	2.8%	4.4%	95.6%
	Grade 10	2.0%	2.9%	5.5%	94.5%
	Grade 11	2.0%	2.7%	4.8%	95.2%
	Grade 12	2.3%	3.2%	6.1%	93.9%

region11
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	2.0%	3.4%	7.1%	92.9%
	Grade 7	1.1%	1.6%	3.0%	97.0%
	Grade 8	2.0%	3.0%	5.8%	94.2%
	Grade 9	2.4%	4.1%	7.9%	92.1%
	Grade 10	3.1%	5.1%	10.0%	90.0%
	Grade 11	2.0%	2.9%	8.0%	92.0%
	Grade 12	1.3%	2.9%	8.5%	91.5%
Steroids					
	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	0.1%	0.2%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.2%	0.3%	0.5%	99.5%
Ecstasy					
	All	1.1%	1.8%	3.4%	96.6%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.8%	1.1%	2.3%	97.7%
	Grade 9	0.9%	1.7%	3.5%	96.5%
	Grade 10	1.7%	2.5%	4.8%	95.2%
	Grade 11	1.1%	2.0%	4.1%	95.9%
	Grade 12	1.8%	3.2%	5.8%	94.2%
Heroin					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.3%	0.5%	1.3%	98.7%
	Grade 10	0.6%	0.9%	1.4%	98.6%
	Grade 11	0.1%	0.3%	1.1%	98.9%
	Grade 12	0.3%	0.5%	0.9%	99.1%

region11
Spring 2006

**Table B4: Prevalence and recency of use of selected substances by grade
White students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.2%	24.2%	36.0%	64.0%
Alcohol	All	32.9%	41.9%	63.8%	36.2%
Inhalants	All	6.1%	8.0%	16.4%	83.6%
Any Illicit Drug	All	10.9%	16.0%	25.1%	74.9%
Marijuana	All	9.1%	14.5%	23.5%	76.5%
Marijuana Only	All	3.6%	5.5%	11.6%	88.4%
Cocaine or Crack	All	2.7%	5.1%	8.6%	91.4%
Cocaine	All	2.7%	4.4%	8.2%	91.8%
Crack	All	0.5%	1.8%	3.0%	97.0%
Hallucinogens	All	2.2%	2.7%	5.5%	94.5%
Uppers	All	1.6%	3.0%	4.4%	95.6%
Downers	All	1.7%	3.2%	5.1%	94.9%
Rohypnol	All	1.6%	2.7%	4.9%	95.1%
Steroids	All	0.4%	0.6%	1.6%	98.4%
Ecstasy	All	1.6%	2.1%	5.0%	95.0%
Heroin	All	0.5%	0.7%	2.7%	97.3%

region1
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

Table skipped because an insufficient number of cases.

region11
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	17.0%	23.2%	38.4%	61.6%
Alcohol	All	33.2%	43.7%	65.0%	35.0%
Inhalants	All	6.9%	9.4%	16.7%	83.3%
Any Illicit Drug	All	12.3%	16.8%	26.8%	73.2%
Marijuana	All	10.1%	14.7%	24.4%	75.6%
Marijuana Only	All	3.3%	5.2%	10.8%	89.2%
Cocaine or Crack	All	4.9%	7.2%	12.1%	87.9%
Cocaine	All	4.7%	6.9%	11.7%	88.3%
Crack	All	1.0%	1.6%	3.2%	96.8%
Hallucinogens	All	1.0%	1.5%	2.7%	97.3%
Uppers	All	1.4%	2.0%	3.4%	96.6%
Downers	All	1.7%	2.5%	4.1%	95.9%
Rohypnol	All	2.3%	3.6%	6.9%	93.1%
Steroids	All	0.4%	0.7%	1.1%	98.9%
Ecstasy	All	1.5%	2.2%	3.9%	96.1%
Heroin	All	0.5%	0.7%	1.3%	98.7%

**region11
Spring 2006**

The FREQ Procedure

Frequency Missing = 3850.3203621

GENDER		
q1	Frequency	Percent
Female	106E3	51.89
Male	98192	48.11

Frequency Missing = 813.84348515

GRADE		
q2	Frequency	Percent
Grade 7	36837	17.98
Grade 8	36686	17.90
Grade 9	44875	21.90
Grade 10	34531	16.85
Grade 11	26235	12.80
Grade 12	25743	12.56

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	66737	32.75
Yes	137E3	67.25

Frequency Missing = 1126.2804779

AGE		
q4	Frequency	Percent
11 or younger	182	0.09
12	9979	4.89
13	33351	16.34
14	36935	18.10
15	38231	18.74
16	34880	17.09
17	28636	14.03
18	18473	9.05
19 or older	3381	1.66

Frequency Missing = 860.18628643

ETHNICITY		
q5	Frequency	Percent
African/American	2018	1.00
Asian/American	2126	1.06
Mexican/American	177E3	88.11
Native/American	1622	0.81
Other	10172	5.06
White	7969	3.96

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	38152	18.88
Mostly B's	111E3	54.94
Mostly C's	45123	22.33
Mostly D's	5458	2.70
Mostly F's	2313	1.14

Frequency Missing = 2835.3223496

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	17363	8.64
2-3 years	36339	18.08
>4 years	147E3	73.28

Frequency Missing = 3923.9477833

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	174E3	85.80
Yes	28746	14.20

Frequency Missing = 2437.4453728

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	106E3	53.03
Yes	94184	46.97

Frequency Missing = 4392.1804894

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	41891	20.71
No	91781	45.37
Yes	68614	33.92

Frequency Missing = 2621.4437034

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	50367	25.10
No	21537	10.73
Yes	129E3	64.16

Frequency Missing = 4282.1364846

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	96297	50.75
Yes	93435	49.25

Frequency Missing = 15175.574854

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	14E4	79.59
Yes	35800	20.41

Frequency Missing = 29467.781986

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	147E3	89.98
Yes	16381	10.02

Frequency Missing = 41412.769328

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	137E3	83.35
Yes	27454	16.65

Frequency Missing = 39977.385757

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	15E4	91.77
Yes	13458	8.23

Frequency Missing = 41289.387695

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	168E3	94.66
Yes	9508	5.34

Frequency Missing = 26997.201969

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	65180	32.29
Somewhat Safe	1E5	49.66
Not Very Safe	24508	12.14
Not Safe At All	6408	3.17
Don't Know	5531	2.74

Frequency Missing = 3023.7160772

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	158E3	95.31
Yes	7768	4.69

Frequency Missing = 39116.312802

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	144E3	79.19
Yes	37732	20.81

Frequency Missing = 23608.229198

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	70658	34.95
Somewhat Safe	94783	46.88
Not Very Safe	20747	10.26
Not Safe At All	9648	4.77
Don't Know	6332	3.13

Frequency Missing = 2741.0284313

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	157E3	93.74
Yes	10481	6.26

Frequency Missing = 37580.867101

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	127E3	68.19
Yes	59398	31.81

Frequency Missing = 18162.165272

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	15044	7.46
A Few	60199	29.86
Some	50737	25.17
Most	55838	27.70
All	19762	9.80

Frequency Missing = 3327.740109

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	15E4	86.88
Yes	22712	13.12

Frequency Missing = 31743.298079

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	137E3	73.46
Yes	49438	26.54

Frequency Missing = 18621.35792

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	149E3	85.44
Yes	25458	14.56

Frequency Missing = 30012.433394

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	16E4	79.07
Somewhat Safe	35256	17.38
Not Very Safe	2866	1.41
Not Safe At All	1185	0.58
Don't Know	3143	1.55

Frequency Missing = 2069.8922467

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	141E3	71.10
A Few	34567	17.40
Some	14486	7.29
Most	5386	2.71
All	2979	1.50

Frequency Missing = 6242.8318355

**region11
Spring 2006**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	7926	4.04
A Few	32836	16.75
Some	47210	24.08
Most	70208	35.81
All	37868	19.32

Frequency Missing = 8860.0930179

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	14E4	69.77
A Few	32959	16.38
Some	15979	7.94
Most	7827	3.89
All	4072	2.02

Frequency Missing = 3675.0025741

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	118E3	58.79
A Few	54250	26.93
Some	17543	8.71
Most	6943	3.45
All	4272	2.12

Frequency Missing = 3486.2245917

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	91976	50.00
Yes	91990	50.00

Frequency Missing = 20941.977688

EVER INHALED SPRAY PAINT FOR KICKS		
	q16a	Frequency Percent
Never Heard/Used	186E3	92.80
In Your Lifetime	8145	4.06
Since School Began	2388	1.19
In the Past Month	3911	1.95

Frequency Missing = 4366.4913361

EVER INHALED WHITEOUT FOR KICKS		
	q16b	Frequency Percent
Never Heard/Used	186E3	93.31
In Your Lifetime	7137	3.59
Since School Began	2418	1.22
In the Past Month	3767	1.89

Frequency Missing = 5898.3269414

EVER INHALED GASOLINE FOR KICKS		
	q16c	Frequency Percent
Never Heard/Used	189E3	95.73
In Your Lifetime	4144	2.10
Since School Began	1343	0.68
In the Past Month	2946	1.49

Frequency Missing = 7231.0058801

EVER INHALED FREON FOR KICKS		
	q16d	Frequency Percent
Never Heard/Used	193E3	97.54
In Your Lifetime	2135	1.08
Since School Began	1010	0.51
In the Past Month	1715	0.87

Frequency Missing = 7521.1635847

EVER INHALED POPPERS, ETC. FOR KICKS		
	q16e	Frequency Percent
Never Heard/Used	193E3	98.15
In Your Lifetime	1424	0.72
Since School Began	729	0.37
In the Past Month	1485	0.75

Frequency Missing = 7790.7769818

EVER INHALED GLUE FOR KICKS		
	q16f	Frequency Percent
Never Heard/Used	191E3	96.56
In Your Lifetime	3415	1.73
Since School Began	1101	0.56
In the Past Month	2265	1.15

Frequency Missing = 7576.4864529

EVER INHALED PAINT THINNERS FOR KICKS		
	q16g	Frequency Percent
Never Heard/Used	189E3	96.15
In Your Lifetime	3891	1.98
Since School Began	1468	0.75
In the Past Month	2230	1.13

Frequency Missing = 7932.7224473

EVER INHALED NITROUS OXIDE FOR KICKS		
	q16h	Frequency Percent
Never Heard/Used	189E3	95.42
In Your Lifetime	4178	2.11
Since School Began	1861	0.94
In the Past Month	3039	1.53

Frequency Missing = 6905.933543

EVER INHALED OCTANE BOOSTER FOR KICKS		
	q16i	Frequency Percent
Never Heard/Used	195E3	98.75
In Your Lifetime	818	0.41
Since School Began	614	0.31
In the Past Month	1032	0.52

Frequency Missing = 7672.1705803

EVER INHALED OTHER SPRAYS FOR KICKS		
	q16j	Frequency Percent
Never Heard/Used	19E4	95.77
In Your Lifetime	3920	1.97
Since School Began	1494	0.75
In the Past Month	2991	1.50

Frequency Missing = 6151.9435695

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

**EVER INHALED OTHER
INHALANTS FOR KICKS
q16k Frequency Percent**

Never Heard/Used	183E3	91.62
In Your Lifetime	8030	4.03
Since School Began	2911	1.46
In the Past Month	5761	2.89

Frequency Missing = 5598.8127043

**RECENT CIGARETTE USE
q17a Frequency Percent**

Never Heard/Used	126E3	62.69
In Your Lifetime	30176	15.05
Since School Began	12250	6.11
In the Past Month	32386	16.15

Frequency Missing = 4375.4080572

**RECENT SMOKELESS TOBACCO
USE
q17b Frequency Percent**

Never Heard/Used	185E3	92.81
In Your Lifetime	5915	2.97
Since School Began	2338	1.18
In the Past Month	6055	3.04

Frequency Missing = 5968.3529245

**RECENT BEER USE
q17c Frequency Percent**

Never Heard/Used	99259	50.05
In Your Lifetime	35538	17.92
Since School Began	17020	8.58
In the Past Month	46483	23.44

Frequency Missing = 6608.2378598

**RECENT WINE COOLER USE
q17d Frequency Percent**

Never Heard/Used	107E3	53.98
In Your Lifetime	33696	16.99
Since School Began	17869	9.01
In the Past Month	39725	20.03

Frequency Missing = 6548.4557265

RECENT WINE USE

q17e Frequency Percent

Never Heard/Used	117E3	58.42
In Your Lifetime	35143	17.62
Since School Began	16179	8.11
In the Past Month	31617	15.85

Frequency Missing = 5460.8394246

RECENT LIQUOR USE

q17f Frequency Percent

Never Heard/Used	12E4	59.58
In Your Lifetime	24773	12.34
Since School Began	15997	7.97
In the Past Month	40338	20.10

Frequency Missing = 4234.116819

RECENT MARIJUANA USE

q18a Frequency Percent

Never Heard/Used	152E3	75.83
In Your Lifetime	19205	9.59
Since School Began	9250	4.62
In the Past Month	19943	9.96

Frequency Missing = 4686.5208609

RECENT COCAINE USE

q18b Frequency Percent

Never Heard/Used	177E3	88.67
In Your Lifetime	9450	4.74
Since School Began	4187	2.10
In the Past Month	8957	4.49

Frequency Missing = 5501.3787254

RECENT CRACK USE

q18c Frequency Percent

Never Heard/Used	191E3	96.85
In Your Lifetime	3080	1.56
Since School Began	1240	0.63
In the Past Month	1906	0.96

Frequency Missing = 7314.3487896

RECENT HALLUCINOGEN USE

q18e Frequency Percent

Never Heard/Used	192E3	97.03
In Your Lifetime	2800	1.42
Since School Began	996	0.50
In the Past Month	2069	1.05

Frequency Missing = 7467.3857262

RECENT UPPER USE

q18f Frequency Percent

Never Heard/Used	191E3	96.53
In Your Lifetime	2664	1.35
Since School Began	1367	0.69
In the Past Month	2824	1.43

Frequency Missing = 7196.7695806

RECENT DOWNER USE

q18g Frequency Percent

Never Heard/Used	189E3	95.91
In Your Lifetime	3209	1.63
Since School Began	1526	0.78
In the Past Month	3315	1.68

Frequency Missing = 8021.094268

RECENT ROHYPNOL USE

q18h Frequency Percent

Never Heard/Used	184E3	93.26
In Your Lifetime	6414	3.25
Since School Began	2423	1.23
In the Past Month	4475	2.26

Frequency Missing = 7266.7840049

RECENT STEROID USE

q18i Frequency Percent

Never Heard/Used	194E3	98.81
In Your Lifetime	950	0.48
Since School Began	425	0.22
In the Past Month	959	0.49

Frequency Missing = 8311.8759235

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

**RECENT ECSTASY USE
q18j Frequency Percent**

Never Heard/Used	19E4	95.95
In Your Lifetime	3565	1.80
Since School Began	1495	0.75
In the Past Month	2964	1.50

Frequency Missing = 6812.3009115

**RECENT HEROIN USE
q18k Frequency Percent**

Never Heard/Used	196E3	98.55
In Your Lifetime	1403	0.71
Since School Began	478	0.24
In the Past Month	1010	0.51

Frequency Missing = 5916.1947017

**TOBACCO USE IN PAST MONTH
q19a Frequency Percent**

Never Heard/Used	175E3	88.77
1-2 times	10306	5.22
3-10 times	6124	3.10
11+ times	5758	2.91

Frequency Missing = 7338.9224111

**ALCOHOL USE IN PAST MONTH
q19b Frequency Percent**

Never Heard/Used	146E3	74.01
1-2 times	26695	13.56
3-10 times	17270	8.77
11+ times	7196	3.66

Frequency Missing = 8027.9235768

**INHALANT USE IN PAST MONTH
q19c Frequency Percent**

Never Heard/Used	189E3	96.06
1-2 times	5502	2.79
3-10 times	1598	0.81
11+ times	652	0.33

Frequency Missing = 7934.1770722

**MARIJUANA USE IN PAST MONTH
q19d Frequency Percent**

Never Heard/Used	178E3	90.48
1-2 times	8363	4.26
3-10 times	5041	2.57
11+ times	5292	2.70

Frequency Missing = 8589.4590793

**COCAINE USE IN PAST MONTH
q19e Frequency Percent**

Never Heard/Used	189E3	95.68
1-2 times	4219	2.13
3-10 times	2420	1.22
11+ times	1905	0.96

Frequency Missing = 7306.6266978

**CRACK USE IN PAST MONTH
q19f Frequency Percent**

Never Heard/Used	196E3	99.00
1-2 times	1228	0.62
3-10 times	394	0.20
11+ times	365	0.18

Frequency Missing = 6831.9825963

**CLOSE FRIENDS USE
CIGARETTES**

q20a Frequency Percent

Never heard/None	78017	40.60
A few	62543	32.55
Some	28395	14.78
Most	16900	8.79
All	6311	3.28

Frequency Missing = 12741.751459

**CLOSE FRIENDS USE SMOKELESS
TOBACCO**

q20b Frequency Percent

Never heard/None	151E3	79.00
A few	23241	12.19
Some	9414	4.94
Most	3652	1.91
All	3741	1.96

Frequency Missing = 14197.948789

**CLOSE FRIENDS USE BEER
q20c Frequency Percent**

Never heard/None	58908	30.88
A few	47852	25.09
Some	34088	17.87
Most	34388	18.03
All	15510	8.13

Frequency Missing = 14162.177575

**CLOSE FRIENDS USE WINE
COOLERS**

q20d Frequency Percent

Never heard/None	81880	42.78
A few	43654	22.81
Some	29427	15.38
Most	24000	12.54
All	12427	6.49

Frequency Missing = 13519.549483

**CLOSE FRIENDS USE WINE
q20e Frequency Percent**

Never heard/None	99957	52.08
A few	42354	22.07
Some	23894	12.45
Most	15883	8.28
All	9824	5.12

Frequency Missing = 12995.300924

**CLOSE FRIENDS USE LIQUOR
q20f Frequency Percent**

Never heard/None	89255	46.34
A few	37344	19.39
Some	26815	13.92
Most	25551	13.26
All	13658	7.09

Frequency Missing = 12284.82163

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

CLOSE FRIENDS USE INHALANTS		
	q20g Frequency	Percent
Never heard/None	162E3	83.56
A few	19195	9.92
Some	6567	3.39
Most	2493	1.29
All	3557	1.84

Frequency Missing = 11434.194708

CLOSE FRIENDS USE MARIJUANA		
	q20h Frequency	Percent
Never heard/None	107E3	54.64
A few	37867	19.36
Some	23251	11.89
Most	17435	8.91
All	10161	5.19

Frequency Missing = 9315.5132948

DIFFICULT TO GET CIGARETTES		
	q21a Frequency	Percent
Never heard of	32013	17.34
Impossible	30123	16.31
Very difficult	9671	5.24
Somewhat diff	17042	9.23
Somewhat easy	34435	18.65
Very easy	61380	33.24

Frequency Missing = 20243.894573

DIFFICULT TO GET SMOKELESS TOBACCO		
	q21b Frequency	Percent
Never heard of	63513	33.97
Impossible	41540	22.22
Very difficult	13587	7.27
Somewhat diff	17919	9.58
Somewhat easy	21065	11.27
Very easy	29361	15.70

Frequency Missing = 17923.950678

DIFFICULT TO GET BEER		
	q21c Frequency	Percent
Never heard of	28071	15.49
Impossible	23957	13.22
Very difficult	10029	5.53
Somewhat diff	20523	11.32
Somewhat easy	38629	21.31
Very easy	60028	33.12

Frequency Missing = 23671.73708

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	36737	20.16
Impossible	25397	13.94
Very difficult	10184	5.59
Somewhat diff	20898	11.47
Somewhat easy	35043	19.23
Very easy	53936	29.60

Frequency Missing = 22712.869199

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	35046	19.14
Impossible	29681	16.21
Very difficult	13233	7.23
Somewhat diff	23007	12.57
Somewhat easy	32805	17.92
Very easy	49326	26.94

Frequency Missing = 21809.030046

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	35110	19.05
Impossible	33053	17.93
Very difficult	13030	7.07
Somewhat diff	21189	11.50
Somewhat easy	31124	16.89
Very easy	50789	27.56

Frequency Missing = 20613.588464

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	56551	31.30
Impossible	32225	17.83
Very difficult	8386	4.64
Somewhat diff	10648	5.89
Somewhat easy	16862	9.33
Very easy	56013	31.00

Frequency Missing = 24223.416494

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	39571	21.67
Impossible	43283	23.70
Very difficult	13516	7.40
Somewhat diff	16976	9.30
Somewhat easy	24925	13.65
Very easy	44346	24.28

Frequency Missing = 22290.353975

DIFFICULT TO GET COCAINE		
	q21i Frequency	Percent
Never heard of	46230	25.17
Impossible	50422	27.45
Very difficult	17534	9.55
Somewhat diff	19436	10.58
Somewhat easy	19879	10.82
Very easy	30169	16.43

Frequency Missing = 21237.209809

DIFFICULT TO GET CRACK		
	q21j Frequency	Percent
Never heard of	55238	29.55
Impossible	52839	28.27
Very difficult	20124	10.77
Somewhat diff	21166	11.32
Somewhat easy	16608	8.88
Very easy	20958	11.21

Frequency Missing = 17975.538377

**region11
Spring 2006**

DIFFICULT TO GET HALLUCINOGENS		
q21i	Frequency	Percent
Never heard of	89477	47.90
Impossible	40530	21.70
Very difficult	17122	9.17
Somewhat diff	15742	8.43
Somewhat easy	10065	5.39
Very easy	13861	7.42

Frequency Missing = 18111.91326

DIFFICULT TO GET UPPERS		
q21m	Frequency	Percent
Never heard of	98844	53.11
Impossible	34573	18.58
Very difficult	12953	6.96
Somewhat diff	13398	7.20
Somewhat easy	10447	5.61
Very easy	15905	8.55

Frequency Missing = 18788.379361

DIFFICULT TO GET DOWNERS		
q21n	Frequency	Percent
Never heard of	99545	52.68
Impossible	35561	18.82
Very difficult	13032	6.90
Somewhat diff	13365	7.07
Somewhat easy	10881	5.76
Very easy	16591	8.78

Frequency Missing = 15931.72929

DIFFICULT TO GET ROHYPNOL		
q21o	Frequency	Percent
Never heard of	83203	44.73
Impossible	38020	20.44
Very difficult	13612	7.32
Somewhat diff	14405	7.74
Somewhat easy	14433	7.76
Very easy	22330	12.01

Frequency Missing = 18905.330329

DIFFICULT TO GET STEROIDS		
q21p	Frequency	Percent
Never heard of	64969	34.40
Impossible	55998	29.65
Very difficult	18935	10.03
Somewhat diff	18626	9.86
Somewhat easy	13243	7.01
Very easy	17102	9.05

Frequency Missing = 16035.629266

DIFFICULT TO GET ECSTASY		
q21q	Frequency	Percent
Never heard of	75899	40.13
Impossible	46629	24.65
Very difficult	17268	9.13
Somewhat diff	16437	8.69
Somewhat easy	13962	7.38
Very easy	18940	10.01

Frequency Missing = 15772.998266

DIFFICULT TO GET HEROIN		
q21r	Frequency	Percent
Never heard of	71661	36.81
Impossible	58249	29.92
Very difficult	22092	11.35
Somewhat diff	17258	8.86
Somewhat easy	10800	5.55
Very easy	14617	7.51

Frequency Missing = 10231.671713

AGE WHEN FIRST USED CIGARETTES		
q22a	Frequency	Percent
9 or younger	9615	12.48
10 years old	6029	7.83
11 years old	6150	7.98
12 years old	9495	12.33
13 years old	12618	16.38
14 years old	11784	15.30
15 years old	9692	12.58
16 years old	6543	8.49
17 years old	3529	4.58
18 or older	1574	2.04

Frequency Missing = 127879.49339

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b	Frequency	Percent
9 or younger	1281	9.25
10 years old	1050	7.58
11 years old	1081	7.80
12 years old	1449	10.46
13 years old	2287	16.51
14 years old	1857	13.40
15 years old	2212	15.96
16 years old	1340	9.67
17 years old	769	5.55
18 or older	530	3.83

Frequency Missing = 191052.47446

AGE WHEN FIRST USED BEER		
q22c	Frequency	Percent
9 or younger	17762	17.00
10 years old	7723	7.39
11 years old	7784	7.45
12 years old	12421	11.89
13 years old	16031	15.34
14 years old	16351	15.65
15 years old	14610	13.98
16 years old	7285	6.97
17 years old	3109	2.97
18 or older	1429	1.37

Frequency Missing = 100401.76671

AGE WHEN FIRST USED WINE COOLERS		
q22d	Frequency	Percent
9 or younger	8818	9.45
10 years old	6632	7.11
11 years old	8260	8.85
12 years old	12073	12.94
13 years old	16477	17.66
14 years old	16076	17.23
15 years old	14367	15.40
16 years old	6711	7.19
17 years old	2746	2.94
18 or older	1131	1.21

Frequency Missing = 111617.15943

region11
Spring 2006

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	8719	10.25
10 years old	5647	6.64
11 years old	7166	8.42
12 years old	10781	12.67
13 years old	14263	16.76
14 years old	14313	16.82
15 years old	13856	16.29
16 years old	6385	7.50
17 years old	2783	3.27
18 or older	1168	1.37

Frequency Missing = 119826.4756

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	2178	4.67
10 years old	1901	4.07
11 years old	3183	6.82
12 years old	6461	13.84
13 years old	9221	19.75
14 years old	9192	19.69
15 years old	7218	15.46
16 years old	4688	10.04
17 years old	1882	4.03
18 or older	762	1.63

Frequency Missing = 158221.66925

AGE WHEN FIRST USED HALLUCINOGENS		
q22i	Frequency	Percent
9 or younger	146	2.84
10 years old	98	1.90
11 years old	243	4.74
12 years old	689	13.40
13 years old	745	14.49
14 years old	885	17.22
15 years old	1043	20.30
16 years old	674	13.11
17 years old	494	9.61
18 or older	122	2.38

Frequency Missing = 199769.35918

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	5340	6.88
10 years old	3650	4.70
11 years old	4654	6.00
12 years old	7791	10.04
13 years old	12961	16.71
14 years old	14719	18.97
15 years old	15130	19.50
16 years old	8319	10.72
17 years old	3602	4.64
18 or older	1422	1.83

Frequency Missing = 127319.79626

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	401	1.86
10 years old	487	2.26
11 years old	755	3.50
12 years old	1726	8.01
13 years old	3268	15.17
14 years old	4830	22.42
15 years old	4740	22.00
16 years old	3458	16.05
17 years old	1401	6.50
18 or older	480	2.23

Frequency Missing = 183361.16128

AGE WHEN FIRST USED UPPERS		
q22m	Frequency	Percent
9 or younger	252	3.56
10 years old	234	3.31
11 years old	269	3.80
12 years old	701	9.92
13 years old	1279	18.08
14 years old	1591	22.49
15 years old	1420	20.07
16 years old	788	11.13
17 years old	443	6.26
18 or older	99	1.40

Frequency Missing = 197833.01209

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	2420	16.04
10 years old	1506	9.99
11 years old	1949	12.92
12 years old	2741	18.17
13 years old	2614	17.33
14 years old	1776	11.77
15 years old	1185	7.86
16 years old	502	3.33
17 years old	312	2.07
18 or older	80	0.53

Frequency Missing = 189824.75023

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	258	4.46
10 years old	216	3.73
11 years old	246	4.24
12 years old	746	12.87
13 years old	974	16.81
14 years old	1244	21.46
15 years old	955	16.48
16 years old	632	10.91
17 years old	415	7.15
18 or older	109	1.89

Frequency Missing = 199112.12873

AGE WHEN FIRST USED DOWNERS		
q22n	Frequency	Percent
9 or younger	290	3.69
10 years old	151	1.92
11 years old	321	4.09
12 years old	696	8.85
13 years old	1312	16.68
14 years old	1877	23.88
15 years old	1695	21.56
16 years old	898	11.43
17 years old	507	6.45
18 or older	115	1.46

Frequency Missing = 197046.37589

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	306	2.50
10 years old	235	1.91
11 years old	652	5.31
12 years old	1217	9.91
13 years old	2254	18.35
14 years old	2838	23.11
15 years old	2585	21.05
16 years old	1432	11.66
17 years old	608	4.95
18 or older	153	1.25

Frequency Missing = 192626.64615

AGE WHEN FIRST USED STEROIDS		
q22p	Frequency	Percent
9 or younger	317	14.84
10 years old	124	5.82
11 years old	130	6.09
12 years old	169	7.92
13 years old	273	12.78
14 years old	263	12.30
15 years old	286	13.40
16 years old	316	14.79
17 years old	159	7.43
18 or older	99	4.62

Frequency Missing = 202770.34862

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	184	2.39
10 years old	184	2.39
11 years old	347	4.50
12 years old	514	6.67
13 years old	782	10.15
14 years old	1572	20.42
15 years old	1560	20.26
16 years old	1306	16.96
17 years old	948	12.31
18 or older	305	3.95

Frequency Missing = 197206.32196

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	221	8.83
10 years old	97	3.87
11 years old	225	8.98
12 years old	258	10.29
13 years old	436	17.41
14 years old	351	14.03
15 years old	499	19.94
16 years old	197	7.87
17 years old	145	5.79
18 or older	75	2.98

Frequency Missing = 202404.9139

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	3923	2.03
Several times/wk	8526	4.42
Several times/mo	10669	5.53
About once/month	13940	7.23
About once/year	12488	6.48
< once/year	16942	8.79
Never used	126E3	65.52

Frequency Missing = 12099.884772

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	600	0.31
Several times/wk	1260	0.66
Several times/mo	1716	0.90
About once/month	2276	1.20
About once/year	2625	1.38
< once/year	3594	1.89
Never used	178E3	93.66

Frequency Missing = 14435.673296

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	718	0.38
Several times/wk	10308	5.41
Several times/mo	21845	11.48
About once/month	23697	12.45
About once/year	18461	9.70
< once/year	16941	8.90
Never used	98386	51.68

Frequency Missing = 14551.286462

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	354	0.19
Several times/wk	6943	3.65
Several times/mo	18284	9.61
About once/month	22736	11.94
About once/year	20414	10.72
< once/year	15591	8.19
Never used	106E3	55.70

Frequency Missing = 14563.298484

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	218	0.11
Several times/wk	5699	3.00
Several times/mo	13019	6.86
About once/month	17945	9.46
About once/year	21900	11.54
< once/year	17282	9.11
Never used	114E3	59.91

Frequency Missing = 15182.341253

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	424	0.22
Several times/wk	7422	3.90
Several times/mo	18036	9.48
About once/month	19453	10.22
About once/year	16494	8.67
< once/year	11728	6.16
Never used	117E3	61.35

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region11
Spring 2006

Frequency Missing = 14596.912401

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	417	0.22
Several times/wk	865	0.46
Several times/mo	1565	0.83
About once/month	2309	1.22
About once/year	2403	1.27
< once/year	4144	2.19
Never used	177E3	93.81

Frequency Missing = 15944.169303

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	3722	1.97
Several times/wk	4845	2.57
Several times/mo	6669	3.54
About once/month	7946	4.22
About once/year	7336	3.89
< once/year	8974	4.76
Never used	149E3	79.05

Frequency Missing = 16413.674933

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	744	0.40
Several times/wk	2376	1.27
Several times/mo	3398	1.81
About once/month	3694	1.97
About once/year	3317	1.77
< once/year	4404	2.35
Never used	17E4	90.44

Frequency Missing = 17400.938121

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	133	0.07
Several times/wk	559	0.30
Several times/mo	1237	0.66
About once/month	1513	0.81
About once/year	1705	0.91
< once/year	1632	0.87
Never used	181E3	96.39

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	149	0.08
Several times/wk	467	0.25
Several times/mo	664	0.35
About once/month	1212	0.64
About once/year	1125	0.60
< once/year	1476	0.78
Never used	183E3	97.30

Frequency Missing = 16568.70598

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	37	0.02
Several times/wk	307	0.16
Several times/mo	424	0.23
About once/month	881	0.47
About once/year	1351	0.72
< once/year	1569	0.83
Never used	184E3	97.57

Frequency Missing = 16732.808738

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	143	0.08
Several times/wk	521	0.28
Several times/mo	1145	0.61
About once/month	1549	0.83
About once/year	1403	0.75
< once/year	1532	0.82
Never used	18E4	96.63

Frequency Missing = 18330.638792

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	133	0.07
Several times/wk	559	0.30
Several times/mo	1237	0.66
About once/month	1513	0.81
About once/year	1705	0.91
< once/year	1632	0.87
Never used	181E3	96.39

Frequency Missing = 17193.6882

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	171	0.09
Several times/wk	768	0.41
Several times/mo	1740	0.94
About once/month	2387	1.29
About once/year	2601	1.40
< once/year	2911	1.57
Never used	175E3	94.30

Frequency Missing = 19484.277862

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	241	0.13
Several times/wk	177	0.10
Several times/mo	214	0.12
About once/month	281	0.15
About once/year	323	0.17
< once/year	655	0.35
Never used	183E3	98.98

Frequency Missing = 20165.094155

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	97	0.05
Several times/wk	425	0.23
Several times/mo	1022	0.55
About once/month	1296	0.70
About once/year	1792	0.97
< once/year	2212	1.20
Never used	178E3	96.30

Frequency Missing = 19826.067876

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

**HOW OFTEN NORMALLY USE
HEROIN**

q23r Frequency Percent

Every day	125	0.07
Several times/wk	219	0.12
Several times/mo	229	0.12
About once/month	390	0.21
About once/year	462	0.25
< once/year	835	0.45
Never used	184E3	98.79

Frequency Missing = 18391.566639

**HOW MANY CIGARETTES IN
PAST 30 DAYS**

q24 Frequency Percent

None	164E3	83.14
Less than 1	20867	10.59
> 1 and < 10	8785	4.46
> 10 and < 1pk	2046	1.04
> 1pk and < 2pks	871	0.44
More than 2pks	650	0.33

Frequency Missing = 7866.2186528

**AMOUNT OF BEER AT ONE
TIME**

q25a Frequency Percent

Never drink this	96665	49.68
12+ drinks	9459	4.86
9-11 drinks	5703	2.93
5-8 drinks	12323	6.33
3-4 drinks	16091	8.27
2 drinks	14170	7.28
1 drink	16033	8.24
< 1 drink	24133	12.40

Frequency Missing = 10330.659041

**AMOUNT OF WINE COOLERS AT
ONE TIME**

q25b Frequency Percent

Never drink this	103E3	53.15
12+ drinks	5866	3.03
9-11 drinks	4364	2.26
5-8 drinks	11646	6.02
3-4 drinks	17670	9.13
2 drinks	16640	8.60
1 drink	17405	9.00
< 1 drink	17057	8.82

Frequency Missing = 11421.297398

**AMOUNT OF WINE AT ONE
TIME**

q25c Frequency Percent

Never drink this	113E3	58.11
12+ drinks	3366	1.74
9-11 drinks	2099	1.08
5-8 drinks	5154	2.66
3-4 drinks	9676	5.00
2 drinks	12877	6.65
1 drink	21088	10.89
< 1 drink	26867	13.87

Frequency Missing = 11251.459086

**AMOUNT OF LIQUOR AT ONE
TIME**

q25d Frequency Percent

Never drink this	114E3	58.82
12+ drinks	5976	3.08
9-11 drinks	4465	2.30
5-8 drinks	9840	5.07
3-4 drinks	15161	7.81
2 drinks	12458	6.42
1 drink	14315	7.38
< 1 drink	17708	9.12

Frequency Missing = 10837.581351

ALCOHOL

q26a Frequency Percent

Never 5+ at time	76248	39.04
None	74401	38.10
1 day	15069	7.72
2 days	10208	5.23
3 to 5 days	10677	5.47
6 to 9 days	4069	2.08
10 or more days	4615	2.36

Frequency Missing = 9621.8767826

**GET ALCOHOLIC BEVERAGES
FROM HOME**

q27a Frequency Percent

Do not Drink	84459	43.82
Never	64413	33.42
Seldom	30875	16.02
Most of the Time	9722	5.04
Always	3258	1.69

Frequency Missing = 12182.091036

**GET ALCOHOLIC BEVERAGES
FROM FRIENDS**

q27b Frequency Percent

Do not Drink	69930	36.65
Never	40471	21.21
Seldom	29338	15.38
Most of the Time	35309	18.51
Always	15732	8.25

Frequency Missing = 14127.634854

**GET ALCOHOLIC BEVERAGES
FROM A STORE**

q27c Frequency Percent

Do not Drink	73469	38.75
Never	80126	42.27
Seldom	15908	8.39
Most of the Time	12266	6.47
Always	7810	4.12

Frequency Missing = 15329.776302

**GET ALCOHOLIC BEVERAGES
AT PARTIES**

q27d Frequency Percent

Do not Drink	65158	34.27
Never	31077	16.34
Seldom	25422	13.37
Most of the Time	33677	17.71
Always	34819	18.31

Frequency Missing = 14755.097665

region11
Spring 2006

GET ALCOHOLIC BEVERAGES FROM OTHER		
q27e	Frequency	Percent
Do not Drink	73975	39.11
Never	53010	28.03
Seldom	25032	13.23
Most of the Time	18407	9.73
Always	18715	9.89

Frequency Missing = 15769.240543

USE MARIJUANA AS JOINTS		
q28a	Frequency	Percent
Never	152E3	79.27
Seldom	11176	5.83
Half the time	6821	3.56
Most of the time	10488	5.47
Always	8531	4.45
Don't know	2733	1.43

Frequency Missing = 13177.323445

USE MARIJUANA AS BLUNTS		
q28b	Frequency	Percent
Never	16E4	83.83
Seldom	10677	5.60
Half the time	7093	3.72
Most of the time	5742	3.01
Always	4781	2.51
Don't know	2510	1.32

Frequency Missing = 14383.223373

USE MARIJUANA IN BONGS OR WATER PIPES		
q28c	Frequency	Percent
Never	166E3	87.68
Seldom	8602	4.54
Half the time	5057	2.67
Most of the time	3636	1.92
Always	3690	1.95
Don't know	2352	1.24

Frequency Missing = 15502.338843

USE MARIJUANA IN PIPES		
q28d	Frequency	Percent
Never	164E3	86.57
Seldom	9175	4.83
Half the time	5437	2.86
Most of the time	4520	2.38
Always	4170	2.19
Don't know	2205	1.16

Frequency Missing = 14926.802235

USE MARIJUANA OTHER WAYS		
q28e	Frequency	Percent
Never	17E4	89.32
Seldom	7964	4.19
Half the time	2872	1.51
Most of the time	2338	1.23
Always	3348	1.76
Don't know	3765	1.98

Frequency Missing = 15032.678347

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
q29a	Frequency	Percent
Never heard/used	182E3	97.01
At least once/month	2030	1.08
At least once/year	974	0.52
At least once/life	2608	1.39

Frequency Missing = 17016.011051

TAKE CODEINE COUGH SYRUP TO GET HIGH		
q29b	Frequency	Percent
Never heard/used	181E3	95.87
At least once/month	2916	1.54
At least once/year	1614	0.85
At least once/life	3277	1.73

Frequency Missing = 15671.119479

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a	Frequency	Percent
Very	101E3	55.19
Somewhat	45367	24.85
Not very	19506	10.68
Not at all	5724	3.13
Don't know	11221	6.15

Frequency Missing = 22334.000383

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b	Frequency	Percent
Very	89756	49.19
Somewhat	52293	28.66
Not very	24986	13.69
Not at all	6976	3.82
Don't know	8471	4.64

Frequency Missing = 22426.63782

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c	Frequency	Percent
Very	133E3	74.31
Somewhat	25070	14.05
Not very	6659	3.73
Not at all	2654	1.49
Don't know	11450	6.42

Frequency Missing = 26489.552565

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d	Frequency	Percent
Very	121E3	67.01
Somewhat	27954	15.45
Not very	14508	8.02
Not at all	8727	4.82
Don't know	8485	4.69

Frequency Missing = 24019.68545

**region11
Spring 2006**

DANGEROUS FOR KIDS TO USE COCAINE		
q30e	Frequency	Percent
Very	146E3	81.22
Somewhat	17660	9.85
Not very	4253	2.37
Not at all	2683	1.50
Don't know	9091	5.07

Frequency Missing = 25551.33894

DANGEROUS FOR KIDS TO USE CRACK		
q30f	Frequency	Percent
Very	152E3	83.41
Somewhat	14693	8.06
Not very	2971	1.63
Not at all	2242	1.23
Don't know	10351	5.68

Frequency Missing = 22569.587762

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g	Frequency	Percent
Very	148E3	80.91
Somewhat	14969	8.20
Not very	3621	1.98
Not at all	2464	1.35
Don't know	13810	7.56

Frequency Missing = 22302.788822

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h	Frequency	Percent
Very	143E3	76.89
Somewhat	21372	11.49
Not very	5916	3.18
Not at all	2762	1.48
Don't know	12939	6.95

Frequency Missing = 18861.820784

DANGEROUS FOR KIDS TO USE HEROIN		
q30i	Frequency	Percent
Very	16E4	85.20
Somewhat	10892	5.79
Not very	2142	1.14
Not at all	2031	1.08
Don't know	12759	6.79

Frequency Missing = 16942.52805

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	135E3	70.91
1-3 days	36530	19.23
4-9 days	10755	5.66
10+ days	7956	4.19

Frequency Missing = 14984.287309

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	64141	33.87
1-3 days	92907	49.07
4-9 days	25209	13.31
10+ days	7092	3.75

Frequency Missing = 15558.323999

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	76718	40.87
1-3 days	91214	48.60
4-9 days	14573	7.76
10+ days	5194	2.77

Frequency Missing = 17209.362815

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	158E3	83.19
1-3 days	23133	12.21
4-9 days	4833	2.55
10+ days	3867	2.04

Frequency Missing = 15511.101427

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	159E3	84.65
1-3 days	22544	12.01
4-9 days	3506	1.87
10+ days	2756	1.47

Frequency Missing = 17273.612437

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	185E3	98.48
1-3 days	1729	0.92
4-9 days	398	0.21
10+ days	738	0.39

Frequency Missing = 16881.225076

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	185E3	98.12
1-3 days	2326	1.23
4-9 days	450	0.24
10+ days	771	0.41

Frequency Missing = 16055.974603

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	174E3	93.18
1-3 times	11200	5.98
4-9 times	963	0.51
10+ times	601	0.32

Frequency Missing = 17700.490609

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region11
Spring 2006

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

q32b	Frequency	Percent
None	17E4	90.93
1-3 times	12850	6.88
4-9 times	2208	1.18
10+ times	1864	1.00

Frequency Missing = 18264.372375

CRITICIZED BY DATE BECAUSE OF DRINKING

q32c	Frequency	Percent
None	173E3	93.38
1-3 times	10124	5.46
4-9 times	1157	0.62
10+ times	998	0.54

Frequency Missing = 19394.104524

TROUBLE WITH POLICE BECAUSE OF DRINKING

q32d	Frequency	Percent
None	18E4	96.73
1-3 times	4986	2.67
4-9 times	643	0.34
10+ times	472	0.25

Frequency Missing = 18489.200758

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

q32e	Frequency	Percent
None	173E3	94.13
1-3 times	8663	4.71
4-9 times	1306	0.71
10+ times	820	0.45

Frequency Missing = 20990.648029

DRIVEN A CAR WHILE HIGH FROM DRUGS

q32f	Frequency	Percent
None	173E3	94.13
1-3 times	7064	3.84
4-9 times	1748	0.95
10+ times	1988	1.08

Frequency Missing = 20905.32005

CRITICIZED BY DATE BECAUSE OF DRUG USE

q32g	Frequency	Percent
None	174E3	94.43
1-3 times	7937	4.31
4-9 times	1322	0.72
10+ times	1006	0.55

Frequency Missing = 20563.035199

TROUBLE WITH POLICE BECAUSE OF DRUG USE

q32h	Frequency	Percent
None	181E3	97.34
1-3 times	3682	1.98
4-9 times	621	0.33
10+ times	646	0.35

Frequency Missing = 18596.517475

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

q33a	Frequency	Percent
None	171E3	91.11
1-3 days	12837	6.85
4-9 days	2010	1.07
10+ days	1834	0.98

Frequency Missing = 17365.624067

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

q33b	Frequency	Percent
None	171E3	91.38
1-3 days	9741	5.21
4-9 days	2808	1.50
10+ days	3589	1.92

Frequency Missing = 17792.779022

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

q33c	Frequency	Percent
None	182E3	97.53
1-3 days	3043	1.63
4-9 days	760	0.41
10+ days	815	0.44

Frequency Missing = 17875.459198

CLASS DAYS HIGH ON OTHER DRUG(S)

q33d	Frequency	Percent
None	177E3	94.13
1-3 days	6949	3.69
4-9 days	1859	0.99
10+ days	2249	1.19

Frequency Missing = 16434.931106

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

q34a	Frequency	Percent
Never	75475	39.77
Seldom	20267	10.68
Half the time	15503	8.17
Most of the time	26292	13.86
Always	33159	17.47
Don't know	4155	2.19
Didn't attend	14909	7.86

Frequency Missing = 15148.531873

DRUG USE AT PARTIES THIS SCHOOL YEAR

q34b	Frequency	Percent
Never	104E3	54.72
Seldom	19783	10.41
Half the time	13260	6.98
Most of the time	14145	7.45
Always	16527	8.70
Don't know	7218	3.80
Didn't attend	15072	7.93

Frequency Missing = 14955.098795

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

q35	Frequency	Percent
No	153E3	89.75
Yes	17423	10.25

Frequency Missing = 34979.848322

**region11
Spring 2006**

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a	Frequency	Percent
No	11E4	59.06
Yes	76252	40.94

Frequency Missing = 18666.488371

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b	Frequency	Percent
No	112E3	60.40
Yes	73328	39.60

Frequency Missing = 19746.456334

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c	Frequency	Percent
No	11E4	60.19
Yes	72752	39.81

Frequency Missing = 22151.361162

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	71164	38.56
Yes	113E3	61.44

Frequency Missing = 20356.494655

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	101E3	55.04
Yes	82525	44.96

Frequency Missing = 21366.775533

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	57422	31.15
Yes	127E3	68.85

Frequency Missing = 20578.431839

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	73033	39.46
Yes	112E3	60.54

Frequency Missing = 19805.42283

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	151E3	82.20
Yes	32669	17.80

Frequency Missing = 21351.527463

DRUG/ALCOHOL INFO- -SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	73682	46.81
Yes	83737	53.19

Frequency Missing = 47488.493889

DRUG/ALCOHOL INFO- -SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	77493	49.66
Yes	78557	50.34

Frequency Missing = 48857.418653

DRUG/ALCOHOL INFO- -SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	96377	62.51
Yes	57805	37.49

Frequency Missing = 50726.349108

DRUG/ALCOHOL INFO- -SCIENCE CLASS		
q37d	Frequency	Percent
No	102E3	65.91
Yes	52835	34.09

Frequency Missing = 49936.245983

DRUG/ALCOHOL INFO- -SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	127E3	82.17
Yes	27615	17.83

Frequency Missing = 50064.751473

DRUG/ALCOHOL INFO- -SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	125E3	80.29
Yes	30790	19.71

Frequency Missing = 48683.576636

DRUG/ALCOHOL INFO- -INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	89336	57.10
Yes	67131	42.90

Frequency Missing = 48441.346022

DRUG/ALCOHOL INFO- -ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	97839	62.15
Yes	59592	37.85

Frequency Missing = 47477.124788

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**region11
Spring 2006**

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	131E3	72.24
Yes	50532	27.76

Frequency Missing = 22889.305051

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	134E3	72.13
Mild disapprove	15772	8.51
Neither	10305	5.56
Mildly approve	2484	1.34
Strongly approve	2143	1.16
Don't know	20985	11.32

Frequency Missing = 19461.893814

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	151E3	81.45
Yes	34376	18.55

Frequency Missing = 19571.568386

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Frequency
No	86624
Yes	95353

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	119E3	64.22
Mild disapprove	24676	13.35
Neither	13774	7.45
Mildly approve	5285	2.86
Strongly approve	2576	1.39
Don't know	19797	10.71

Frequency Missing = 20133.869178

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	47.60
Yes	52.40

Frequency Missing = 22931.236477

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	15E4	80.93
Mild disapprove	6441	3.48
Neither	5727	3.09
Mildly approve	1251	0.68
Strongly approve	2600	1.40
Don't know	19285	10.42

Frequency Missing = 19809.366279

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	79758	43.81
Yes	102E3	56.19

Frequency Missing = 22866.095775

DRUG/ALCOHOL INFO-- -PARENTS		
q38d	Frequency	Percent
No	78054	42.64
Yes	105E3	57.36

Frequency Missing = 21840.489421

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	173E3	93.11
Yes	12828	6.89

Frequency Missing = 18696.714332

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district