

region6
Spring 2006

Table T-1: How recently, if ever, have you used ..

		Past Month	School Year	Ever Used	Never Used
Any tobacco product					
	All	15.3%	20.8%	35.4%	64.6%
	Grade 7	6.7%	9.3%	19.7%	80.3%
	Grade 8	10.2%	15.0%	29.2%	70.8%
	Grade 9	14.5%	20.0%	35.2%	64.8%
	Grade 10	16.1%	22.3%	38.6%	61.4%
	Grade 11	19.5%	25.4%	41.4%	58.6%
	Grade 12	24.2%	31.5%	46.8%	53.2%
Cigarettes					
	All	14.0%	19.3%	34.0%	66.0%
	Grade 7	5.8%	8.5%	18.6%	81.4%
	Grade 8	9.3%	13.9%	28.0%	72.0%
	Grade 9	13.0%	18.4%	33.6%	66.4%
	Grade 10	14.7%	20.8%	37.0%	63.0%
	Grade 11	17.9%	23.7%	39.8%	60.2%
	Grade 12	22.7%	29.9%	45.5%	54.5%
Smokeless tobacco					
	All	4.0%	5.7%	9.8%	90.2%
	Grade 7	2.3%	3.0%	5.6%	94.4%
	Grade 8	2.4%	3.9%	6.8%	93.2%
	Grade 9	3.7%	5.2%	9.2%	90.8%
	Grade 10	4.2%	6.3%	10.6%	89.4%
	Grade 11	5.2%	7.7%	12.7%	87.3%
	Grade 12	5.9%	8.2%	13.7%	86.3%

region6
Spring 2006

Table T-2: How often do you normally use ..

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any tobacco product?								
	All	68.0%	4.5%	3.2%	4.0%	6.0%	5.0%	9.4%
	Grade 7	81.6%	1.0%	1.6%	2.5%	3.8%	3.4%	6.2%
	Grade 8	74.0%	1.5%	2.1%	3.6%	5.0%	5.0%	8.7%
	Grade 9	68.6%	3.3%	3.1%	3.9%	6.9%	4.9%	9.2%
	Grade 10	65.6%	4.3%	3.6%	4.7%	6.2%	5.6%	10.0%
	Grade 11	62.7%	6.6%	3.8%	4.4%	6.5%	5.4%	10.5%
	Grade 12	56.9%	10.2%	4.6%	4.8%	7.0%	5.3%	11.4%
Cigarettes?								
	All	68.9%	3.9%	2.9%	3.9%	6.0%	4.8%	9.6%
	Grade 7	82.3%	0.7%	1.5%	2.4%	3.8%	3.3%	5.9%
	Grade 8	74.8%	1.3%	1.8%	3.5%	4.9%	4.8%	8.9%
	Grade 9	69.7%	2.8%	2.8%	3.8%	6.9%	4.6%	9.5%
	Grade 10	66.7%	3.7%	3.1%	4.6%	6.1%	5.3%	10.5%
	Grade 11	63.7%	5.6%	3.6%	4.2%	6.8%	5.4%	10.8%
	Grade 12	57.7%	9.0%	4.2%	4.8%	7.3%	5.0%	11.8%
Smokeless tobacco?								
	All	90.8%	1.0%	0.8%	1.0%	1.6%	1.7%	3.1%
	Grade 7	95.2%	0.4%	0.4%	0.5%	1.0%	0.8%	1.8%
	Grade 8	93.7%	0.4%	0.6%	1.0%	1.4%	1.1%	1.8%
	Grade 9	90.9%	0.8%	0.7%	1.0%	1.6%	1.6%	3.3%
	Grade 10	90.2%	0.9%	1.3%	1.1%	1.6%	2.0%	2.8%
	Grade 11	88.2%	1.6%	0.8%	1.2%	1.8%	2.2%	4.3%
	Grade 12	86.9%	2.0%	0.9%	1.0%	2.0%	2.5%	4.7%

region6
Spring 2006

T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	1-9 Per Day	10 but < Pack Per Day	1 Pack but <2 Packs Per Day	>2 Packs Per Day
All	84.9%	8.3%	4.6%	1.3%	0.6%	0.3%
Grade 7	92.4%	5.0%	1.7%	0.4%	0.2%	0.2%
Grade 8	89.2%	6.9%	3.1%	0.2%	0.3%	0.2%
Grade 9	85.7%	8.2%	4.2%	1.0%	0.6%	0.3%
Grade 10	84.9%	8.5%	4.4%	1.5%	0.5%	0.2%
Grade 11	81.8%	9.1%	6.3%	2.0%	0.6%	0.2%
Grade 12	76.0%	11.5%	7.9%	2.8%	1.3%	0.5%

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.8	11.4	12.1	12.7	13.4	14.2

Table T-5: If you wanted some, how difficult would it be to get...

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Cigarettes?						
All	13.2%	14.3%	5.6%	8.7%	17.9%	40.2%
Grade 7	21.4%	29.1%	9.0%	9.5%	13.8%	17.2%
Grade 8	15.2%	22.0%	7.9%	9.2%	18.0%	27.7%
Grade 9	13.7%	13.6%	6.4%	11.1%	20.8%	34.4%
Grade 10	10.8%	10.7%	5.1%	9.4%	21.1%	42.9%
Grade 11	10.0%	7.5%	3.5%	8.0%	20.8%	50.2%
Grade 12	8.8%	4.8%	2.0%	3.7%	11.3%	69.3%
Smokeless Tobacco?						
All	24.2%	19.2%	7.8%	9.8%	12.9%	26.1%
Grade 7	32.8%	35.4%	9.6%	7.6%	6.7%	7.9%
Grade 8	28.3%	28.5%	9.2%	9.6%	10.1%	14.3%
Grade 9	24.6%	18.6%	9.8%	13.2%	14.7%	19.2%
Grade 10	20.9%	15.6%	8.0%	10.9%	16.0%	28.5%
Grade 11	20.9%	11.1%	6.0%	9.8%	17.2%	35.0%
Grade 12	18.3%	7.8%	3.7%	6.5%	11.1%	52.6%

region6
Spring 2006

Table T-6: About how many of your close friends...

		None	A Few	Some	Most	ALL
Use any tobacco product?						
	All	39.4%	30.8%	16.6%	9.5%	3.8%
	Grade 7	62.8%	23.0%	7.7%	3.3%	3.2%
	Grade 8	49.4%	28.9%	11.4%	6.1%	4.3%
	Grade 9	38.7%	32.1%	16.9%	9.2%	3.1%
	Grade 10	32.6%	33.3%	20.0%	10.9%	3.2%
	Grade 11	30.6%	32.9%	19.8%	12.6%	4.1%
	Grade 12	25.7%	32.9%	22.4%	14.0%	5.0%
Smoke cigarettes?						
	All	41.6%	31.5%	15.1%	8.5%	3.3%
	Grade 7	64.6%	22.7%	6.7%	3.1%	2.9%
	Grade 8	51.7%	28.9%	10.3%	5.3%	3.8%
	Grade 9	41.9%	32.5%	15.2%	7.8%	2.7%
	Grade 10	35.3%	34.6%	17.8%	9.6%	2.7%
	Grade 11	32.8%	34.3%	18.4%	10.9%	3.6%
	Grade 12	26.8%	34.6%	20.9%	13.4%	4.2%
Use a smokeless tobacco product?						
	All	69.8%	17.0%	7.8%	2.8%	2.6%
	Grade 7	84.4%	8.8%	3.1%	1.1%	2.6%
	Grade 8	76.6%	13.5%	4.4%	2.1%	3.4%
	Grade 9	68.9%	17.8%	8.4%	2.8%	2.1%
	Grade 10	64.9%	19.6%	10.1%	3.4%	2.1%
	Grade 11	63.8%	20.3%	9.5%	3.9%	2.5%
	Grade 12	62.8%	20.4%	10.5%	3.0%	3.3%

region6
Spring 2006

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	72.1%	10.0%	7.0%	1.2%	1.0%	8.6%
Grade 7	77.0%	4.5%	2.8%	0.5%	1.3%	13.9%
Grade 8	77.4%	5.4%	4.5%	1.2%	1.0%	10.6%
Grade 9	75.7%	8.2%	5.1%	1.0%	1.1%	8.9%
Grade 10	71.9%	11.6%	7.1%	1.4%	1.1%	7.0%
Grade 11	69.3%	13.7%	9.3%	1.2%	0.7%	6.0%
Grade 12	61.1%	16.5%	13.5%	2.0%	0.9%	6.0%

region6
Spring 2006

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	49.9%	27.9%	13.0%	3.8%	5.4%
Grade 7	65.7%	19.1%	6.7%	1.8%	6.8%
Grade 8	54.2%	25.8%	9.4%	2.7%	7.8%
Grade 9	50.5%	27.4%	13.2%	3.5%	5.4%
Grade 10	45.2%	31.1%	14.2%	4.2%	5.3%
Grade 11	44.0%	31.0%	16.3%	5.1%	3.7%
Grade 12	41.6%	31.8%	17.5%	5.2%	3.9%

region6
Spring 2006

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product					
	All	33.8%	45.5%	67.0%	33.0%
	Grade 7	18.4%	24.5%	48.8%	51.2%
	Grade 8	27.0%	37.5%	62.2%	37.8%
	Grade 9	34.0%	46.3%	67.5%	32.5%
	Grade 10	36.9%	50.6%	70.9%	29.1%
	Grade 11	39.9%	53.7%	74.4%	25.6%
	Grade 12	44.6%	57.9%	75.9%	24.1%
Beer					
	All	22.2%	32.0%	50.0%	50.0%
	Grade 7	10.8%	15.3%	33.8%	66.2%
	Grade 8	16.0%	24.3%	43.5%	56.5%
	Grade 9	20.9%	31.7%	49.8%	50.2%
	Grade 10	24.7%	35.8%	53.3%	46.7%
	Grade 11	27.9%	40.0%	57.6%	42.4%
	Grade 12	32.3%	43.4%	60.1%	39.9%
Wine coolers					
	All	17.2%	27.3%	45.6%	54.4%
	Grade 7	9.9%	14.0%	27.6%	72.4%
	Grade 8	15.4%	23.9%	41.7%	58.3%
	Grade 9	17.3%	26.9%	44.2%	55.8%
	Grade 10	19.9%	31.1%	50.4%	49.6%
	Grade 11	18.9%	31.9%	53.5%	46.5%
	Grade 12	20.7%	34.5%	55.1%	44.9%
Wine					
	All	14.2%	24.6%	44.9%	55.1%
	Grade 7	8.3%	12.6%	28.1%	71.9%
	Grade 8	12.2%	20.3%	40.1%	59.9%
	Grade 9	14.8%	25.1%	45.6%	54.4%
	Grade 10	15.3%	27.0%	48.8%	51.2%
	Grade 11	15.8%	29.0%	51.6%	48.4%
	Grade 12	18.3%	31.8%	52.9%	47.1%
Liquor					
	All	22.8%	32.8%	47.1%	52.9%
	Grade 7	7.5%	10.6%	20.5%	79.5%
	Grade 8	15.2%	22.7%	37.5%	62.5%
	Grade 9	21.6%	31.3%	45.7%	54.3%
	Grade 10	26.1%	38.3%	53.5%	46.5%
	Grade 11	30.1%	43.3%	58.8%	41.2%
	Grade 12	34.9%	48.6%	63.9%	36.1%

region6
Spring 2006

Table A-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Any alcohol product?								
	All	38.1%	0.8%	4.9%	14.9%	17.1%	13.9%	10.3%
	Grade 7	58.1%	0.6%	3.1%	6.0%	9.8%	10.7%	11.8%
	Grade 8	43.7%	0.6%	3.5%	10.6%	14.3%	14.7%	12.6%
	Grade 9	37.5%	0.9%	4.6%	14.3%	17.7%	14.9%	10.0%
	Grade 10	33.8%	0.7%	5.6%	16.4%	20.3%	14.1%	9.1%
	Grade 11	29.8%	0.7%	5.0%	19.0%	19.6%	15.4%	10.4%
	Grade 12	28.0%	1.1%	7.3%	22.0%	19.9%	13.3%	8.4%
Beer?								
	All	50.5%	0.5%	3.7%	11.2%	13.5%	10.6%	10.1%
	Grade 7	69.4%	0.3%	1.9%	4.1%	7.3%	7.7%	9.2%
	Grade 8	57.6%	0.4%	2.4%	7.1%	11.0%	10.1%	11.4%
	Grade 9	50.0%	0.5%	3.2%	10.3%	14.3%	11.7%	10.1%
	Grade 10	46.4%	0.2%	4.0%	12.8%	15.7%	11.2%	9.6%
	Grade 11	42.4%	0.5%	3.8%	15.0%	15.4%	12.2%	10.7%
	Grade 12	39.6%	0.9%	6.4%	17.5%	15.9%	10.1%	9.7%
Wine coolers?								
	All	55.2%	0.2%	2.0%	7.7%	12.2%	12.9%	9.7%
	Grade 7	73.7%	0.3%	1.8%	3.7%	6.7%	7.0%	6.8%
	Grade 8	60.0%	0.2%	1.7%	6.1%	10.5%	12.2%	9.3%
	Grade 9	56.5%	0.4%	2.2%	7.4%	11.3%	13.0%	9.2%
	Grade 10	50.6%	0.1%	2.4%	9.7%	14.4%	13.5%	9.3%
	Grade 11	47.3%	0.1%	1.9%	8.4%	13.5%	16.4%	12.4%
	Grade 12	45.2%	0.3%	1.8%	10.2%	16.3%	14.9%	11.4%
Wine?								
	All	55.0%	0.2%	1.7%	6.2%	10.5%	14.9%	11.5%
	Grade 7	73.8%	0.1%	1.4%	3.2%	5.3%	7.9%	8.3%
	Grade 8	61.1%	0.3%	1.7%	5.0%	8.8%	12.5%	10.7%
	Grade 9	54.5%	0.2%	1.8%	6.0%	10.7%	15.8%	10.9%
	Grade 10	51.0%	0.2%	2.0%	7.0%	11.3%	16.5%	12.0%
	Grade 11	48.0%	0.1%	1.5%	7.2%	11.8%	17.8%	13.6%
	Grade 12	44.3%	0.2%	1.9%	8.4%	14.1%	17.5%	13.6%
Liquor?								
	All	54.1%	0.3%	3.1%	11.2%	13.5%	10.3%	7.5%
	Grade 7	79.9%	0.2%	1.4%	3.0%	4.8%	5.7%	4.9%
	Grade 8	64.2%	0.2%	2.2%	6.2%	10.3%	8.8%	8.1%
	Grade 9	55.5%	0.4%	2.9%	10.2%	12.8%	11.1%	7.1%
	Grade 10	47.9%	0.3%	3.8%	13.0%	16.6%	11.1%	7.3%
	Grade 11	42.3%	0.3%	3.5%	15.7%	16.4%	12.4%	9.5%
	Grade 12	37.4%	0.3%	4.6%	18.4%	19.1%	11.9%	8.2%

region6
Spring 2006

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never	Ever	5 or More	1 to 4	Less than 1
Beer	All	49.8%	50.2%	12.7%	23.6%	13.9%
	Grade 7	65.9%	34.1%	3.7%	15.3%	15.0%
	Grade 8	55.7%	44.3%	6.4%	21.0%	16.9%
	Grade 9	49.6%	50.4%	11.6%	24.6%	14.2%
	Grade 10	46.1%	53.9%	14.3%	26.2%	13.4%
	Grade 11	43.3%	56.7%	18.0%	26.5%	12.2%
	Grade 12	40.1%	59.9%	21.6%	26.7%	11.6%
Wine Coolers	All	53.8%	46.2%	8.7%	27.9%	9.6%
	Grade 7	70.8%	29.2%	4.0%	16.3%	8.9%
	Grade 8	57.0%	43.0%	5.9%	26.1%	11.0%
	Grade 9	54.2%	45.8%	8.7%	27.3%	9.8%
	Grade 10	49.1%	50.9%	10.4%	31.8%	8.8%
	Grade 11	47.6%	52.4%	10.5%	31.8%	10.2%
	Grade 12	45.9%	54.1%	11.8%	33.2%	9.1%
Wine	All	54.9%	45.1%	3.9%	24.6%	16.7%
	Grade 7	71.1%	28.9%	2.2%	12.6%	14.1%
	Grade 8	59.2%	40.8%	3.3%	21.4%	16.1%
	Grade 9	53.2%	46.8%	4.2%	24.9%	17.7%
	Grade 10	51.4%	48.6%	3.7%	26.8%	18.1%
	Grade 11	49.5%	50.5%	4.5%	28.8%	17.3%
	Grade 12	47.4%	52.6%	5.0%	31.7%	16.0%
Liquor	All	52.0%	48.0%	12.9%	25.5%	9.6%
	Grade 7	78.0%	22.0%	3.3%	10.0%	8.6%
	Grade 8	62.6%	37.4%	7.4%	18.8%	11.2%
	Grade 9	53.1%	46.9%	12.3%	24.0%	10.6%
	Grade 10	45.6%	54.4%	15.4%	29.8%	9.1%
	Grade 11	40.4%	59.6%	17.7%	32.6%	9.3%
	Grade 12	35.5%	64.5%	20.0%	36.1%	8.4%

region6
Spring 2006

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol							
	All	78.0%	7.1%	4.8%	5.3%	2.5%	2.4%
	Grade 7	91.1%	4.0%	1.9%	1.6%	0.6%	0.8%
	Grade 8	85.1%	6.1%	4.0%	2.8%	0.9%	1.2%
	Grade 9	79.0%	7.3%	4.5%	4.8%	2.0%	2.4%
	Grade 10	75.7%	7.6%	5.2%	6.6%	2.3%	2.7%
	Grade 11	72.0%	8.3%	5.8%	7.5%	3.7%	2.7%
	Grade 12	66.3%	8.8%	7.1%	8.3%	5.3%	4.2%

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol						
	10.6	11.1	11.7	12.4	13.1	13.8
Beer						
	10.6	11.0	11.8	12.5	13.3	14.0
Wine Coolers						
	11.0	11.6	12.1	12.8	13.5	14.1
Wine						
	11.0	11.6	12.1	12.8	13.5	14.2
Liquor						
	11.2	11.8	12.7	13.4	14.2	14.8

region6
Spring 2006

Table A-6: If you wanted some, how difficult would it be to get...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Beer?							
	All	12.1%	11.6%	5.4%	10.6%	21.0%	39.3%
	Grade 7	19.6%	24.3%	9.7%	11.0%	14.9%	20.6%
	Grade 8	13.5%	17.6%	6.5%	10.8%	19.6%	32.0%
	Grade 9	12.5%	9.7%	4.7%	12.3%	20.5%	40.3%
	Grade 10	9.9%	8.3%	4.6%	10.0%	22.2%	45.1%
	Grade 11	9.3%	6.3%	3.7%	9.1%	23.0%	48.5%
	Grade 12	8.3%	5.7%	3.8%	9.8%	25.8%	46.7%
Wine coolers?							
	All	16.7%	12.5%	6.0%	11.3%	19.7%	33.8%
	Grade 7	27.4%	26.7%	8.9%	9.7%	11.7%	15.7%
	Grade 8	20.3%	17.3%	7.1%	11.1%	17.1%	27.0%
	Grade 9	17.2%	12.0%	6.6%	13.9%	19.2%	31.2%
	Grade 10	13.3%	9.0%	5.6%	11.3%	21.5%	39.3%
	Grade 11	12.6%	6.0%	4.4%	10.7%	22.5%	43.7%
	Grade 12	10.1%	5.5%	3.7%	10.1%	25.5%	45.0%
Wine?							
	All	14.1%	13.5%	6.9%	11.8%	19.5%	34.2%
	Grade 7	21.8%	28.7%	10.7%	10.4%	12.8%	15.6%
	Grade 8	16.5%	19.6%	8.7%	11.4%	16.8%	27.0%
	Grade 9	15.0%	12.1%	6.5%	13.6%	19.9%	32.9%
	Grade 10	11.2%	10.3%	6.6%	12.0%	20.1%	39.8%
	Grade 11	11.1%	6.5%	4.9%	11.8%	22.2%	43.5%
	Grade 12	9.5%	5.9%	4.3%	11.0%	24.6%	44.7%
Liquor?							
	All	13.8%	15.0%	7.0%	10.6%	18.3%	35.4%
	Grade 7	23.3%	32.2%	10.1%	8.5%	10.9%	15.1%
	Grade 8	16.3%	22.8%	8.8%	10.0%	15.1%	27.0%
	Grade 9	14.4%	13.6%	7.0%	11.9%	17.9%	35.1%
	Grade 10	10.5%	11.1%	6.5%	10.8%	18.7%	42.4%
	Grade 11	9.9%	6.7%	5.1%	10.9%	22.0%	45.3%
	Grade 12	9.0%	6.0%	4.9%	10.6%	24.3%	45.3%

region6
Spring 2006

Table A-7: Since school began in the fall, on how many days (if any) have you...

	None	1-3 Times	4-9 Times	10+ Times
Attended class while drunk on alcohol?				
All	91.1%	6.7%	1.2%	1.0%
Grade 7	93.3%	5.3%	0.8%	0.6%
Grade 8	91.7%	6.6%	0.9%	0.8%
Grade 9	90.1%	7.3%	1.3%	1.3%
Grade 10	91.2%	6.5%	1.3%	1.0%
Grade 11	90.7%	6.9%	1.1%	1.3%
Grade 12	89.9%	7.2%	1.8%	1.1%
Gotten into trouble with teachers because of your drinking?				
All	98.5%	0.9%	0.2%	0.3%
Grade 7	99.0%	0.6%	0.1%	0.3%
Grade 8	98.2%	1.3%	0.2%	0.2%
Grade 9	98.3%	0.9%	0.3%	0.5%
Grade 10	98.4%	1.1%	0.2%	0.2%
Grade 11	98.6%	0.8%	0.2%	0.3%
Grade 12	98.6%	0.7%	0.3%	0.4%

region6
Spring 2006

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users:	4.3
Alcohol Non-users:	3.2

Average days conduct problems reported	
Alcohol Users:	3.2
Alcohol Non-users:	1.3

Table A-9: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've had a good bit to drink?				
All	88.8%	8.1%	1.7%	1.4%
Grade 9	94.6%	4.3%	0.6%	0.6%
Grade 10	91.4%	6.6%	1.2%	0.8%
Grade 11	86.8%	9.7%	1.8%	1.7%
Grade 12	80.3%	13.3%	3.8%	2.6%
Gotten into trouble with the police because of drinking?				
All	96.6%	2.8%	0.3%	0.3%
Grade 7	98.2%	1.4%	0.2%	0.2%
Grade 8	97.8%	1.7%	0.2%	0.3%
Grade 9	97.4%	1.9%	0.4%	0.4%
Grade 10	96.3%	3.2%	0.3%	0.2%
Grade 11	95.6%	3.9%	0.4%	0.1%
Grade 12	94.7%	4.6%	0.4%	0.3%

region6
Spring 2006

Table A-10: About how many of your close friends use...

		None	A Few	Some	Most	ALL
Any alcohol product?						
	All	25.5%	23.6%	18.6%	21.1%	11.2%
	Grade 7	51.0%	25.1%	11.4%	6.8%	5.7%
	Grade 8	33.0%	26.3%	17.1%	14.3%	9.3%
	Grade 9	22.5%	26.0%	20.4%	21.2%	9.8%
	Grade 10	18.9%	21.7%	21.8%	25.3%	12.3%
	Grade 11	16.8%	22.1%	19.7%	27.7%	13.7%
	Grade 12	14.6%	19.8%	19.7%	29.6%	16.3%
Beer?						
	All	33.4%	22.8%	17.9%	18.0%	8.0%
	Grade 7	59.6%	22.1%	9.2%	5.2%	3.9%
	Grade 8	43.6%	24.9%	15.5%	10.3%	5.8%
	Grade 9	31.4%	25.1%	19.7%	17.3%	6.5%
	Grade 10	25.6%	22.3%	22.0%	21.3%	8.8%
	Grade 11	23.6%	21.7%	19.6%	24.9%	10.2%
	Grade 12	20.6%	19.7%	19.7%	27.3%	12.8%
Wine coolers?						
	All	45.9%	21.6%	15.6%	10.8%	6.1%
	Grade 7	68.0%	15.9%	7.9%	4.1%	4.1%
	Grade 8	52.4%	20.6%	11.6%	8.6%	6.8%
	Grade 9	46.3%	21.6%	15.6%	10.9%	5.6%
	Grade 10	40.0%	23.0%	18.0%	12.8%	6.1%
	Grade 11	38.6%	22.5%	18.9%	13.3%	6.7%
	Grade 12	32.5%	25.2%	20.7%	14.1%	7.5%
Wine?						
	All	53.2%	22.7%	12.4%	7.1%	4.6%
	Grade 7	72.1%	15.1%	6.5%	2.9%	3.3%
	Grade 8	59.6%	20.1%	9.4%	5.7%	5.2%
	Grade 9	52.4%	23.8%	12.7%	7.2%	3.9%
	Grade 10	48.7%	25.0%	13.9%	7.7%	4.7%
	Grade 11	46.8%	24.8%	14.6%	8.8%	5.0%
	Grade 12	41.8%	26.4%	16.5%	9.6%	5.8%
Liquor?						
	All	40.5%	19.4%	15.5%	16.4%	8.2%
	Grade 7	71.6%	14.7%	6.8%	3.5%	3.5%
	Grade 8	52.7%	19.8%	12.0%	9.4%	6.1%
	Grade 9	38.9%	22.0%	16.6%	15.5%	7.0%
	Grade 10	32.1%	19.5%	19.1%	20.3%	9.1%
	Grade 11	27.7%	20.0%	18.3%	23.2%	10.8%
	Grade 12	24.1%	19.4%	18.9%	25.0%	12.5%

region6
Spring 2006

Table A-11: During the past twelve months, how many times have you...

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drinking?				
All	91.7%	7.1%	0.8%	0.4%
Grade 7	96.3%	2.9%	0.4%	0.3%
Grade 8	94.8%	4.4%	0.4%	0.4%
Grade 9	91.7%	7.0%	0.8%	0.4%
Grade 10	90.4%	8.3%	0.9%	0.4%
Grade 11	89.9%	8.8%	0.8%	0.4%
Grade 12	88.0%	10.1%	1.4%	0.5%
Been criticized by someone you were dating because of drinking?				
All	93.1%	5.6%	0.8%	0.5%
Grade 7	97.4%	1.9%	0.4%	0.3%
Grade 8	95.7%	3.2%	0.6%	0.4%
Grade 9	93.5%	5.2%	0.7%	0.7%
Grade 10	92.1%	6.6%	0.9%	0.4%
Grade 11	91.1%	7.5%	1.0%	0.4%
Grade 12	89.4%	8.7%	1.1%	0.8%

Table A-12: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	38.2%	10.8%	7.8%	13.2%	17.7%	2.1%	10.2%
Grade 7	63.9%	9.9%	6.6%	5.0%	3.3%	2.9%	8.5%
Grade 8	50.3%	14.1%	8.5%	8.7%	7.1%	2.5%	8.7%
Grade 9	37.8%	12.1%	9.1%	13.5%	13.9%	2.7%	10.9%
Grade 10	29.5%	10.9%	8.0%	16.7%	22.2%	1.9%	10.8%
Grade 11	26.8%	9.3%	7.3%	16.3%	27.1%	1.4%	11.8%
Grade 12	24.4%	8.4%	7.1%	17.3%	31.6%	1.2%	9.9%

region6
Spring 2006

Table A-13: How often, if ever, do you get alcoholic beverages from..

		Do Not Drink	Never	Seldom	Most of the Time	Always
At home						
	All	40.4%	25.6%	23.4%	7.5%	3.0%
	Grade 7	54.4%	25.3%	14.4%	4.5%	1.4%
	Grade 8	43.7%	25.7%	21.2%	7.1%	2.3%
	Grade 9	40.3%	22.2%	25.4%	8.4%	3.6%
	Grade 10	37.0%	25.9%	25.2%	8.2%	3.8%
	Grade 11	36.1%	27.6%	24.9%	8.4%	3.1%
	Grade 12	32.9%	28.1%	27.4%	8.0%	3.7%
From friends						
	All	37.3%	19.8%	16.2%	18.8%	7.9%
	Grade 7	54.5%	29.5%	8.1%	5.9%	2.1%
	Grade 8	42.2%	26.8%	14.8%	12.3%	4.0%
	Grade 9	38.1%	20.2%	17.6%	17.7%	6.4%
	Grade 10	32.6%	16.7%	18.5%	23.2%	9.1%
	Grade 11	30.9%	14.7%	18.4%	24.1%	11.8%
	Grade 12	27.7%	12.7%	18.2%	27.7%	13.7%
From a store						
	All	39.2%	41.5%	10.2%	5.8%	3.3%
	Grade 7	54.8%	40.0%	2.7%	1.6%	1.0%
	Grade 8	43.5%	45.7%	6.8%	2.6%	1.5%
	Grade 9	40.1%	43.5%	9.7%	4.2%	2.6%
	Grade 10	34.7%	42.6%	12.4%	7.1%	3.3%
	Grade 11	33.7%	38.5%	14.2%	8.3%	5.3%
	Grade 12	30.3%	38.1%	14.7%	10.6%	6.3%
At parties						
	All	36.0%	17.2%	13.6%	17.1%	16.1%
	Grade 7	49.8%	24.5%	10.0%	10.2%	5.4%
	Grade 8	39.6%	22.3%	14.6%	13.8%	9.7%
	Grade 9	36.8%	17.6%	14.4%	15.6%	15.7%
	Grade 10	32.1%	15.2%	14.7%	18.9%	19.1%
	Grade 11	30.7%	13.2%	13.9%	21.0%	21.2%
	Grade 12	28.4%	11.3%	13.7%	22.6%	24.0%
Other source						
	All	39.7%	27.3%	15.3%	8.9%	8.7%
	Grade 7	53.4%	28.6%	9.4%	4.6%	3.9%
	Grade 8	43.2%	27.8%	13.9%	8.3%	6.8%
	Grade 9	39.9%	26.8%	15.1%	9.3%	8.9%
	Grade 10	35.7%	26.8%	17.6%	10.1%	9.7%
	Grade 11	35.1%	27.0%	18.3%	9.2%	10.4%
	Grade 12	32.5%	27.3%	17.0%	11.4%	11.8%

region6
Spring 2006

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	59.0%	16.1%	11.2%	3.9%	1.5%	8.3%
Grade 7	68.1%	9.8%	5.4%	1.6%	1.4%	13.8%
Grade 8	65.7%	11.7%	7.7%	2.7%	1.4%	10.8%
Grade 9	59.7%	16.3%	10.1%	3.9%	1.5%	8.6%
Grade 10	57.2%	17.4%	12.3%	4.8%	1.5%	6.8%
Grade 11	54.8%	19.3%	14.6%	4.5%	1.3%	5.6%
Grade 12	49.8%	21.1%	16.7%	5.5%	1.7%	5.3%

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	44.1%	31.3%	16.3%	4.0%	4.3%
Grade 7	55.5%	22.7%	12.8%	3.1%	5.9%
Grade 8	44.0%	28.1%	16.4%	5.0%	6.5%
Grade 9	43.3%	29.7%	18.2%	4.5%	4.3%
Grade 10	40.8%	34.2%	17.3%	4.0%	3.7%
Grade 11	42.0%	35.1%	15.9%	4.3%	2.7%
Grade 12	40.6%	37.1%	16.2%	3.0%	3.1%

region6
Spring 2006

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Marijuana?					
	All	12.1%	17.9%	28.9%	71.1%
	Grade 7	4.8%	6.8%	11.6%	88.4%
	Grade 8	8.7%	12.7%	20.3%	79.7%
	Grade 9	11.3%	16.8%	26.7%	73.3%
	Grade 10	13.9%	21.1%	32.9%	67.1%
	Grade 11	15.8%	23.4%	38.4%	61.6%
	Grade 12	17.5%	25.6%	41.8%	58.2%
Cocaine?					
	All	2.6%	4.3%	7.2%	92.8%
	Grade 7	1.1%	1.5%	3.1%	96.9%
	Grade 8	1.2%	2.2%	4.3%	95.7%
	Grade 9	2.4%	3.7%	6.1%	93.9%
	Grade 10	2.9%	4.7%	7.9%	92.1%
	Grade 11	3.7%	6.4%	10.3%	89.7%
	Grade 12	4.1%	6.9%	11.7%	88.3%
Crack?					
	All	0.6%	1.0%	2.0%	98.0%
	Grade 7	0.8%	1.1%	2.4%	97.6%
	Grade 8	0.7%	1.0%	2.1%	97.9%
	Grade 9	0.6%	1.2%	2.0%	98.0%
	Grade 10	0.5%	0.9%	1.9%	98.1%
	Grade 11	0.4%	0.8%	1.8%	98.2%
	Grade 12	0.6%	1.0%	2.0%	98.0%
Hallucinogens?					
	All	1.6%	2.6%	5.0%	95.0%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.6%	97.4%
	Grade 9	1.6%	2.7%	4.6%	95.4%
	Grade 10	1.7%	2.9%	5.7%	94.3%
	Grade 11	2.4%	3.4%	6.9%	93.1%
	Grade 12	2.5%	4.1%	8.5%	91.5%
Uppers?					
	All	3.0%	4.5%	7.0%	93.0%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.4%	2.2%	3.6%	96.4%
	Grade 9	2.7%	4.0%	5.9%	94.1%
	Grade 10	3.9%	5.8%	8.5%	91.5%
	Grade 11	4.8%	7.1%	10.8%	89.2%
	Grade 12	4.5%	7.1%	12.0%	88.0%
Downers?					
	All	3.3%	5.1%	7.9%	92.1%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	1.4%	2.1%	3.4%	96.6%
	Grade 9	2.9%	4.5%	6.4%	93.6%
	Grade 10	4.6%	6.7%	9.7%	90.3%
	Grade 11	5.1%	8.0%	12.3%	87.7%
	Grade 12	5.1%	7.8%	13.7%	86.3%

region6
Spring 2006

Table D-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol?					
	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.8%	1.4%	2.3%	97.7%
	Grade 9	1.0%	1.4%	2.3%	97.7%
	Grade 10	0.8%	1.4%	2.5%	97.5%
	Grade 11	0.9%	1.3%	2.2%	97.8%
	Grade 12	0.9%	1.3%	2.2%	97.8%
Steroids?					
	All	0.6%	0.8%	1.6%	98.4%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.5%	0.6%	1.4%	98.6%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.5%	0.8%	1.6%	98.4%
	Grade 11	0.6%	0.9%	1.6%	98.4%
	Grade 12	0.8%	1.2%	2.1%	97.9%
Ecstasy?					
	All	2.8%	4.4%	7.1%	92.9%
	Grade 7	0.9%	1.2%	2.1%	97.9%
	Grade 8	1.6%	2.4%	4.1%	95.9%
	Grade 9	2.6%	4.0%	6.4%	93.6%
	Grade 10	3.4%	5.4%	8.2%	91.8%
	Grade 11	4.0%	6.3%	10.3%	89.7%
	Grade 12	4.0%	6.9%	11.3%	88.7%
Heroin?					
	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.9%	1.7%	98.3%
	Grade 10	0.6%	0.7%	1.1%	98.9%
	Grade 11	0.3%	0.6%	1.1%	98.9%
	Grade 12	0.4%	0.7%	1.2%	98.8%

region6
Spring 2006

Table D-2: How often do you normally use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	74.0%	3.1%	2.9%	4.1%	5.0%	4.8%	6.2%
	Grade 7	88.9%	1.0%	1.8%	1.9%	2.4%	2.0%	2.1%
	Grade 8	80.6%	2.0%	2.6%	3.6%	3.8%	3.5%	3.8%
	Grade 9	75.3%	3.2%	2.7%	4.5%	5.0%	3.7%	5.6%
	Grade 10	69.6%	3.1%	3.6%	5.3%	6.1%	5.5%	6.7%
	Grade 11	66.1%	4.4%	3.3%	4.3%	5.9%	7.1%	8.8%
	Grade 12	64.8%	4.7%	3.4%	4.8%	6.3%	6.5%	9.6%
Cocaine?								
	All	93.4%	0.1%	0.5%	0.9%	1.5%	1.5%	2.1%
	Grade 7	97.1%	0.1%	0.4%	0.4%	0.7%	0.6%	0.7%
	Grade 8	96.0%	0.0%	0.3%	0.7%	0.8%	1.3%	0.8%
	Grade 9	94.4%	0.2%	0.6%	0.9%	1.2%	1.2%	1.6%
	Grade 10	92.7%	0.0%	0.4%	1.1%	1.5%	1.8%	2.4%
	Grade 11	90.8%	0.2%	0.6%	0.9%	2.3%	2.0%	3.1%
	Grade 12	89.6%	0.3%	0.7%	1.3%	2.2%	2.0%	3.9%
Crack?								
	All	98.2%	0.1%	0.1%	0.2%	0.4%	0.4%	0.6%
	Grade 7	97.7%	0.2%	0.4%	0.2%	0.7%	0.4%	0.5%
	Grade 8	98.1%	0.0%	0.1%	0.5%	0.3%	0.4%	0.5%
	Grade 9	98.2%	0.1%	0.1%	0.1%	0.4%	0.6%	0.5%
	Grade 10	98.2%	0.1%	0.1%	0.2%	0.4%	0.4%	0.7%
	Grade 11	98.5%	0.1%	0.0%	0.1%	0.3%	0.3%	0.6%
	Grade 12	98.3%	0.0%	0.1%	0.2%	0.3%	0.3%	0.8%
Hallucinogens?								
	All	95.6%	0.0%	0.1%	0.4%	1.0%	1.3%	1.6%
	Grade 7	99.0%	0.0%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	97.8%	0.0%	0.1%	0.3%	0.4%	0.8%	0.7%
	Grade 9	96.0%	0.1%	0.1%	0.5%	1.1%	1.1%	1.1%
	Grade 10	95.0%	0.0%	0.1%	0.5%	1.0%	1.3%	1.9%
	Grade 11	93.9%	0.0%	0.2%	0.5%	1.5%	1.6%	2.3%
	Grade 12	92.3%	0.0%	0.1%	0.5%	1.4%	2.6%	3.1%
Uppers?								
	All	92.9%	0.2%	0.6%	1.2%	1.9%	1.6%	1.6%
	Grade 7	99.0%	0.2%	0.1%	0.2%	0.2%	0.2%	0.2%
	Grade 8	96.0%	0.1%	0.3%	0.6%	1.1%	1.1%	0.7%
	Grade 9	93.8%	0.2%	0.7%	1.2%	1.7%	1.4%	1.0%
	Grade 10	91.4%	0.1%	0.8%	1.7%	2.7%	1.6%	1.7%
	Grade 11	89.2%	0.3%	0.7%	1.9%	2.8%	2.5%	2.6%
	Grade 12	88.6%	0.5%	0.7%	1.5%	2.8%	2.5%	3.5%
Downers?								
	All	92.4%	0.2%	0.7%	1.4%	2.0%	1.6%	1.7%
	Grade 7	98.9%	0.1%	0.1%	0.3%	0.1%	0.2%	0.2%
	Grade 8	96.2%	0.1%	0.4%	0.8%	1.3%	0.8%	0.4%
	Grade 9	93.4%	0.4%	0.8%	1.3%	1.7%	1.5%	1.0%
	Grade 10	90.6%	0.2%	0.9%	2.0%	2.7%	1.8%	1.8%
	Grade 11	88.5%	0.2%	0.9%	2.0%	3.3%	2.5%	2.7%
	Grade 12	87.5%	0.1%	0.8%	2.0%	2.7%	2.8%	4.0%

region6
Spring 2006

Table D-2: How often do you normally use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Rohypnol?								
	All	98.3%	0.0%	0.1%	0.3%	0.4%	0.4%	0.5%
	Grade 7	99.3%	0.1%	0.0%	0.1%	0.2%	0.2%	0.2%
	Grade 8	98.5%	0.0%	0.1%	0.4%	0.4%	0.2%	0.5%
	Grade 9	97.8%	0.1%	0.3%	0.4%	0.5%	0.4%	0.6%
	Grade 10	97.8%	0.0%	0.1%	0.3%	0.5%	0.6%	0.6%
	Grade 11	98.2%	0.0%	0.1%	0.4%	0.3%	0.4%	0.6%
	Grade 12	98.1%	0.0%	0.2%	0.2%	0.3%	0.5%	0.6%
Steroids?								
	All	98.7%	0.1%	0.1%	0.1%	0.2%	0.3%	0.5%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 8	99.0%	0.0%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 9	98.8%	0.1%	0.1%	0.2%	0.1%	0.2%	0.5%
	Grade 10	98.7%	0.0%	0.1%	0.1%	0.1%	0.3%	0.5%
	Grade 11	98.7%	0.1%	0.1%	0.1%	0.2%	0.4%	0.4%
	Grade 12	98.2%	0.1%	0.2%	0.3%	0.3%	0.3%	0.6%
Ecstasy?								
	All	93.2%	0.1%	0.2%	0.8%	1.9%	1.9%	1.9%
	Grade 7	98.1%	0.1%	0.0%	0.2%	0.4%	0.6%	0.6%
	Grade 8	95.5%	0.1%	0.3%	0.4%	1.2%	1.1%	1.3%
	Grade 9	93.9%	0.1%	0.2%	0.9%	1.8%	1.5%	1.4%
	Grade 10	92.0%	0.1%	0.3%	1.0%	2.5%	2.2%	2.0%
	Grade 11	90.3%	0.1%	0.2%	1.0%	2.8%	2.8%	2.9%
	Grade 12	89.5%	0.1%	0.1%	1.2%	2.7%	3.2%	3.2%
Heroin?								
	All	98.9%	0.0%	0.0%	0.1%	0.2%	0.3%	0.4%
	Grade 7	98.9%	0.1%	0.1%	0.0%	0.3%	0.3%	0.4%
	Grade 8	98.9%	0.0%	0.0%	0.1%	0.1%	0.3%	0.5%
	Grade 9	98.8%	0.0%	0.1%	0.2%	0.2%	0.2%	0.5%
	Grade 10	98.9%	0.0%	0.0%	0.2%	0.2%	0.2%	0.4%
	Grade 11	99.2%	0.0%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 12	98.8%	0.1%	0.0%	0.1%	0.2%	0.4%	0.5%

region6
Spring 2006

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.7	12.2	12.8	13.5	14.2	14.7
Cocaine	12.2	12.8	13.7	14.5	15.2	15.8
Crack	11.6	12.1	13.4	14.0	14.8	15.4
Hallucinogens	11.5	12.5	13.6	14.2	15.1	15.8
Uppers	11.6	12.7	13.4	14.0	14.7	15.2
Downers	11.9	12.7	13.3	14.0	14.7	15.2
Rohypnol	11.4	12.5	13.3	13.6	14.6	15.4
Steroids	11.3	11.7	12.9	14.1	14.4	15.7
Ecstasy	12.1	13.0	13.8	14.7	15.4	16.0
Heroin	11.4	12.4	13.2	14.0	14.7	15.4

Table D-4: Age of first use of marijuana by family situation:

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
Two parent family								
	All	76.2%	0.8%	2.1%	6.9%	9.4%	4.2%	0.3%
	Grade 7	90.8%	0.7%	2.5%	5.4%	0.6%	0.0%	0.0%
	Grade 8	84.0%	1.4%	3.3%	7.6%	3.5%	0.0%	0.1%
	Grade 9	78.9%	1.0%	2.5%	8.3%	8.9%	0.4%	0.0%
	Grade 10	74.1%	1.0%	1.7%	6.7%	14.0%	2.5%	0.0%
	Grade 11	67.7%	0.5%	1.8%	6.4%	13.6%	9.9%	0.1%
	Grade 12	62.8%	0.4%	1.2%	6.4%	14.4%	13.3%	1.5%
Other family situation								
	All	62.1%	2.2%	4.6%	12.6%	12.9%	5.1%	0.5%
	Grade 7	83.0%	1.7%	5.2%	8.9%	1.1%	0.0%	0.0%
	Grade 8	72.3%	2.5%	6.5%	13.1%	5.5%	0.0%	0.1%
	Grade 9	63.4%	3.3%	4.6%	14.1%	14.1%	0.4%	0.0%
	Grade 10	54.8%	2.4%	4.2%	16.0%	18.5%	4.0%	0.1%
	Grade 11	51.0%	2.1%	4.1%	11.6%	18.3%	12.5%	0.3%
	Grade 12	49.8%	1.1%	3.1%	10.3%	18.1%	15.2%	2.4%

region6
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	14.8%	22.3%	8.3%	10.5%	14.5%	29.7%
	Grade 7	23.6%	43.6%	8.8%	6.3%	6.5%	11.1%
	Grade 8	17.6%	32.5%	9.2%	8.6%	10.8%	21.3%
	Grade 9	14.5%	22.3%	9.4%	12.2%	14.8%	26.9%
	Grade 10	11.9%	16.8%	8.4%	11.9%	15.3%	35.7%
	Grade 11	11.5%	11.3%	7.5%	11.1%	19.6%	38.9%
	Grade 12	10.7%	9.6%	6.3%	11.5%	19.3%	42.5%
Cocaine?							
	All	20.1%	29.8%	13.8%	13.2%	9.4%	13.7%
	Grade 7	27.8%	47.5%	10.0%	4.9%	3.8%	6.0%
	Grade 8	21.8%	41.3%	11.7%	9.7%	5.9%	9.7%
	Grade 9	20.4%	30.7%	14.2%	12.9%	8.8%	13.1%
	Grade 10	16.9%	25.0%	15.2%	16.0%	11.2%	15.6%
	Grade 11	17.6%	20.0%	14.7%	17.5%	13.6%	16.7%
	Grade 12	17.0%	16.5%	16.3%	17.3%	12.7%	20.2%
Crack?							
	All	21.8%	31.0%	15.3%	12.9%	7.9%	11.0%
	Grade 7	29.1%	46.4%	10.2%	5.0%	3.5%	5.8%
	Grade 8	23.0%	42.1%	12.3%	8.3%	5.5%	8.9%
	Grade 9	21.7%	31.6%	15.8%	12.1%	8.2%	10.6%
	Grade 10	18.6%	26.9%	16.8%	15.4%	9.4%	12.9%
	Grade 11	20.2%	22.1%	16.9%	17.4%	10.9%	12.5%
	Grade 12	19.3%	19.0%	19.1%	18.4%	9.3%	14.9%
Hallucinogens?							
	All	37.1%	23.6%	12.1%	10.5%	7.0%	9.8%
	Grade 7	54.8%	30.0%	6.0%	3.2%	2.1%	3.8%
	Grade 8	46.8%	28.9%	7.9%	5.5%	3.6%	7.2%
	Grade 9	35.5%	26.0%	12.9%	10.4%	6.5%	8.6%
	Grade 10	30.9%	22.4%	13.7%	12.5%	8.5%	12.1%
	Grade 11	29.3%	18.5%	14.5%	15.0%	9.5%	13.2%
	Grade 12	28.2%	16.1%	16.2%	15.1%	10.8%	13.6%
Uppers?							
	All	44.8%	18.6%	8.1%	8.1%	7.8%	12.7%
	Grade 7	60.5%	25.9%	5.2%	2.7%	1.7%	3.9%
	Grade 8	52.3%	24.0%	6.2%	4.6%	4.2%	8.7%
	Grade 9	44.7%	20.3%	8.7%	8.6%	6.8%	10.9%
	Grade 10	40.1%	16.7%	8.9%	9.4%	9.6%	15.2%
	Grade 11	37.7%	13.4%	8.7%	11.0%	11.6%	17.6%
	Grade 12	35.4%	11.7%	10.5%	11.2%	12.1%	19.1%
Downers?							
	All	44.5%	18.5%	8.2%	7.9%	7.9%	13.1%
	Grade 7	60.3%	26.0%	5.3%	2.6%	1.9%	3.9%
	Grade 8	52.3%	23.9%	6.2%	4.4%	4.5%	8.7%
	Grade 9	44.3%	20.1%	8.7%	8.3%	7.1%	11.5%
	Grade 10	40.1%	16.4%	9.0%	9.1%	9.1%	16.3%
	Grade 11	37.3%	13.4%	8.9%	10.7%	11.5%	18.2%
	Grade 12	34.8%	11.8%	10.3%	11.1%	12.5%	19.5%

region6
Spring 2006

Table D-5: If you wanted some, how difficult would it be to get..
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Rohypnol?							
	All	51.6%	19.0%	8.7%	7.4%	4.6%	8.7%
	Grade 7	62.0%	25.1%	5.0%	2.5%	1.6%	3.8%
	Grade 8	55.5%	23.9%	6.1%	3.7%	3.3%	7.5%
	Grade 9	49.7%	20.3%	9.4%	7.8%	4.6%	8.1%
	Grade 10	49.2%	17.7%	9.2%	8.6%	5.6%	9.8%
	Grade 11	48.6%	14.4%	9.8%	10.6%	6.1%	10.6%
	Grade 12	46.6%	12.9%	12.0%	10.6%	6.1%	11.8%
Steroids?							
	All	25.8%	31.0%	13.5%	11.2%	7.6%	10.9%
	Grade 7	35.1%	44.4%	8.5%	4.6%	2.7%	4.7%
	Grade 8	28.5%	40.9%	10.9%	7.1%	4.5%	8.0%
	Grade 9	25.6%	32.5%	15.0%	11.1%	6.3%	9.5%
	Grade 10	22.0%	27.9%	15.2%	13.3%	9.1%	12.5%
	Grade 11	22.3%	22.4%	14.8%	15.6%	10.6%	14.3%
	Grade 12	22.4%	19.4%	15.5%	14.9%	11.9%	15.9%
Ecstasy?							
	All	28.4%	26.0%	11.5%	10.0%	9.4%	14.7%
	Grade 7	49.9%	33.1%	6.3%	3.6%	2.4%	4.7%
	Grade 8	35.7%	34.1%	9.2%	6.2%	5.5%	9.4%
	Grade 9	26.2%	29.2%	12.5%	9.9%	8.8%	13.3%
	Grade 10	21.1%	24.1%	13.1%	12.3%	12.0%	17.5%
	Grade 11	20.6%	19.3%	13.4%	13.4%	13.4%	20.0%
	Grade 12	20.2%	16.3%	13.8%	13.5%	13.8%	22.5%
Heroin?							
	All	28.1%	32.8%	14.8%	9.6%	5.2%	9.4%
	Grade 7	42.4%	40.4%	7.0%	3.6%	2.0%	4.6%
	Grade 8	32.8%	40.4%	9.9%	5.6%	3.4%	7.9%
	Grade 9	26.3%	34.4%	14.9%	9.4%	5.7%	9.3%
	Grade 10	22.8%	31.4%	17.3%	11.7%	6.1%	10.7%
	Grade 11	24.0%	26.9%	18.4%	13.1%	6.9%	10.7%
	Grade 12	23.0%	24.1%	20.3%	13.5%	6.5%	12.7%

region6
Spring 2006

Table D-6: Since school began in the fall, on how many days (if any) have you..

	None	1-3 Times	4-9 Times	10+ Times
Attended class while high from marijuana use?				
All	89.4%	5.8%	1.9%	2.9%
Grade 7	94.0%	4.0%	0.9%	1.1%
Grade 8	91.3%	5.4%	1.5%	1.8%
Grade 9	89.4%	5.5%	1.7%	3.3%
Grade 10	88.5%	6.7%	1.9%	2.9%
Grade 11	87.4%	6.2%	2.2%	4.2%
Grade 12	86.5%	6.5%	3.1%	4.0%
Attended class while high from use of some other drug?				
All	92.5%	4.6%	1.5%	1.4%
Grade 7	95.5%	3.2%	0.6%	0.6%
Grade 8	93.5%	4.6%	0.9%	0.9%
Grade 9	90.8%	5.3%	1.8%	2.0%
Grade 10	91.1%	5.2%	2.2%	1.5%
Grade 11	91.8%	4.6%	1.7%	1.9%
Grade 12	92.9%	3.9%	1.7%	1.5%
Gotten into trouble with teachers because of your drug use?				
All	98.1%	1.3%	0.2%	0.4%
Grade 7	98.9%	1.0%	0.0%	0.1%
Grade 8	97.7%	1.4%	0.4%	0.5%
Grade 9	97.5%	1.7%	0.3%	0.5%
Grade 10	97.9%	1.7%	0.1%	0.3%
Grade 11	98.5%	1.2%	0.2%	0.2%
Grade 12	98.3%	0.9%	0.4%	0.4%

region6
Spring 2006

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users:	4.5
Marijuana Non-users:	3.5

Average days conduct problems reported	
Marijuana Users:	5.0
Marijuana Non-users:	1.6

Table D-8: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Driven a car when you've felt high from drugs?				
All	90.7%	5.5%	1.5%	2.3%
Grade 9	95.3%	3.1%	0.7%	1.0%
Grade 10	92.5%	5.1%	1.2%	1.2%
Grade 11	89.0%	6.4%	1.7%	2.9%
Grade 12	84.6%	8.0%	2.6%	4.8%
Gotten into trouble with the police because of drug use?				
All	97.0%	2.4%	0.3%	0.3%
Grade 7	98.1%	1.2%	0.4%	0.3%
Grade 8	97.0%	2.6%	0.1%	0.3%
Grade 9	96.2%	2.9%	0.3%	0.6%
Grade 10	97.0%	2.4%	0.2%	0.3%
Grade 11	97.3%	2.2%	0.3%	0.2%
Grade 12	96.9%	2.8%	0.2%	0.1%

region6
Spring 2006

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	ALL
All	48.0%	20.0%	13.9%	11.8%	6.4%
Grade 7	73.7%	12.1%	5.4%	4.7%	4.2%
Grade 8	56.2%	17.6%	9.7%	9.2%	7.3%
Grade 9	45.5%	22.0%	14.4%	11.7%	6.4%
Grade 10	41.2%	20.7%	16.9%	14.7%	6.4%
Grade 11	38.3%	22.2%	17.8%	14.8%	7.0%
Grade 12	36.8%	24.0%	17.7%	14.6%	6.9%

Table D-10: During the past twelve months, how many times have you..

	None	1-3 Times	4-9 Times	10+ Times
Had difficulties of any kind with your friends because of your drug use?				
All	93.1%	5.6%	0.8%	0.5%
Grade 7	96.0%	2.9%	0.7%	0.3%
Grade 8	93.5%	5.3%	0.7%	0.5%
Grade 9	92.0%	6.4%	1.1%	0.5%
Grade 10	91.8%	6.6%	0.9%	0.7%
Grade 11	93.1%	5.8%	0.7%	0.4%
Grade 12	92.8%	6.0%	0.8%	0.5%
Been criticized by someone you were dating because of drug use?				
All	93.7%	4.8%	0.9%	0.6%
Grade 7	97.3%	2.2%	0.4%	0.2%
Grade 8	94.6%	4.0%	0.6%	0.7%
Grade 9	93.5%	4.7%	1.0%	0.8%
Grade 10	92.9%	5.5%	1.0%	0.5%
Grade 11	92.9%	5.5%	1.0%	0.7%
Grade 12	91.6%	6.3%	1.4%	0.7%

Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	49.6%	11.4%	8.4%	8.5%	8.8%	3.0%	10.2%
Grade 7	75.1%	6.0%	3.3%	2.5%	2.3%	2.3%	8.5%
Grade 8	62.5%	9.3%	5.7%	5.5%	5.5%	2.8%	8.6%
Grade 9	50.3%	11.8%	8.5%	7.1%	7.7%	3.6%	11.0%
Grade 10	40.6%	13.4%	9.8%	10.9%	10.8%	3.6%	10.9%
Grade 11	37.3%	12.5%	11.1%	11.7%	12.5%	3.0%	11.9%
Grade 12	35.5%	14.6%	11.3%	12.7%	13.4%	2.4%	10.0%

region6
Spring 2006

Table D-12: How often, if ever, do you smoke marijuana in..

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	78.8%	8.4%	4.5%	4.0%	3.1%	1.2%
	Grade 7	89.3%	3.9%	2.4%	1.8%	1.6%	1.0%
	Grade 8	83.0%	5.6%	4.1%	3.4%	2.5%	1.4%
	Grade 9	79.5%	7.0%	4.1%	4.2%	4.1%	1.1%
	Grade 10	75.5%	8.9%	5.6%	5.1%	3.6%	1.3%
	Grade 11	73.7%	11.9%	5.6%	4.5%	3.2%	1.1%
	Grade 12	73.2%	12.9%	5.2%	4.5%	2.9%	1.3%
Blunts?	All	78.7%	6.9%	3.9%	4.3%	5.0%	1.2%
	Grade 7	89.6%	2.9%	2.1%	2.0%	2.1%	1.2%
	Grade 8	83.5%	4.8%	3.5%	3.0%	3.9%	1.2%
	Grade 9	79.5%	6.2%	3.3%	3.8%	5.8%	1.3%
	Grade 10	75.7%	7.0%	4.7%	5.7%	5.7%	1.2%
	Grade 11	73.1%	10.3%	4.6%	5.3%	5.7%	1.0%
	Grade 12	71.7%	10.2%	5.3%	5.7%	6.0%	1.2%
Bongs or water pipes?	All	85.6%	5.9%	2.9%	2.5%	2.0%	1.0%
	Grade 7	95.1%	2.0%	0.9%	0.5%	0.6%	0.9%
	Grade 8	90.9%	3.8%	1.8%	1.3%	1.2%	1.0%
	Grade 9	87.1%	4.9%	2.3%	2.3%	2.3%	1.1%
	Grade 10	83.0%	6.9%	3.4%	3.1%	2.5%	1.2%
	Grade 11	80.5%	8.2%	4.1%	3.6%	2.6%	0.9%
	Grade 12	78.2%	9.2%	4.9%	4.1%	2.6%	1.1%
Pipes?	All	84.5%	5.3%	2.8%	3.6%	2.8%	1.0%
	Grade 7	95.1%	2.0%	0.8%	0.5%	0.7%	0.9%
	Grade 8	90.5%	4.0%	1.7%	1.4%	1.2%	1.2%
	Grade 9	85.5%	4.7%	2.7%	2.8%	3.2%	1.0%
	Grade 10	81.8%	6.4%	3.2%	4.2%	3.3%	1.2%
	Grade 11	79.4%	6.8%	3.5%	5.8%	3.7%	0.8%
	Grade 12	75.9%	7.5%	4.7%	6.8%	4.0%	1.0%
Some other way?	All	88.3%	5.5%	1.4%	1.3%	1.7%	1.9%
	Grade 7	94.4%	1.8%	0.9%	0.8%	0.9%	1.2%
	Grade 8	90.9%	3.5%	1.2%	1.2%	1.4%	1.8%
	Grade 9	88.4%	4.7%	1.3%	1.6%	2.1%	1.9%
	Grade 10	85.8%	7.2%	1.6%	1.3%	1.8%	2.2%
	Grade 11	85.9%	7.5%	1.3%	1.4%	1.9%	1.9%
	Grade 12	84.9%	8.1%	1.8%	1.3%	1.7%	2.2%

region6
Spring 2006

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	79.5%	5.7%	4.4%	1.0%	1.5%	7.9%
Grade 7	79.9%	2.7%	2.4%	0.4%	1.6%	13.0%
Grade 8	80.5%	3.5%	3.4%	0.9%	1.2%	10.6%
Grade 9	79.7%	5.7%	3.8%	1.1%	1.8%	7.9%
Grade 10	79.4%	6.6%	4.9%	1.2%	1.6%	6.2%
Grade 11	79.3%	7.6%	5.4%	1.0%	1.3%	5.3%
Grade 12	78.2%	7.5%	6.2%	1.5%	1.3%	5.3%

region6
Spring 2006

Table D-14: How dangerous do you think it is for kids your age to use...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	57.6%	17.8%	12.3%	8.0%	4.4%
	Grade 7	76.6%	9.7%	5.1%	3.0%	5.6%
	Grade 8	64.2%	14.9%	8.5%	6.4%	6.1%
	Grade 9	57.9%	18.4%	11.4%	7.9%	4.4%
	Grade 10	52.7%	19.7%	14.9%	8.5%	4.2%
	Grade 11	49.2%	21.4%	15.7%	10.8%	3.0%
	Grade 12	47.5%	21.3%	17.1%	11.0%	3.1%
Cocaine?						
	All	81.6%	10.1%	2.0%	1.2%	5.1%
	Grade 7	83.2%	7.2%	2.0%	1.2%	6.4%
	Grade 8	80.4%	9.6%	1.8%	1.1%	7.1%
	Grade 9	79.9%	10.9%	2.3%	1.3%	5.6%
	Grade 10	80.8%	11.6%	2.0%	1.1%	4.4%
	Grade 11	81.8%	11.2%	2.1%	1.4%	3.5%
	Grade 12	84.0%	9.5%	1.8%	0.9%	3.8%
Crack?						
	All	83.9%	8.2%	1.5%	1.0%	5.3%
	Grade 7	83.6%	7.4%	1.5%	1.1%	6.4%
	Grade 8	81.0%	8.8%	1.9%	1.1%	7.2%
	Grade 9	82.1%	9.1%	1.8%	1.2%	5.8%
	Grade 10	83.6%	9.5%	1.4%	0.8%	4.7%
	Grade 11	85.4%	8.1%	1.5%	1.1%	4.0%
	Grade 12	88.2%	6.1%	1.0%	0.9%	3.7%
Ecstasy?						
	All	79.1%	10.0%	2.8%	1.4%	6.6%
	Grade 7	80.3%	6.3%	1.9%	1.1%	10.5%
	Grade 8	77.3%	8.7%	2.4%	1.7%	10.0%
	Grade 9	78.1%	10.9%	2.7%	1.6%	6.7%
	Grade 10	79.6%	10.7%	3.4%	1.2%	5.2%
	Grade 11	79.4%	11.6%	3.3%	1.7%	4.0%
	Grade 12	80.4%	11.3%	2.9%	1.4%	3.9%
Steroids?						
	All	73.8%	14.2%	4.1%	1.6%	6.4%
	Grade 7	77.9%	9.8%	2.7%	1.3%	8.3%
	Grade 8	72.8%	12.8%	3.5%	1.9%	9.0%
	Grade 9	71.8%	15.1%	4.3%	1.7%	7.1%
	Grade 10	72.6%	16.4%	4.4%	1.4%	5.3%
	Grade 11	73.2%	15.2%	5.4%	1.8%	4.4%
	Grade 12	75.4%	14.6%	3.8%	1.5%	4.7%
Heroin?						
	All	85.3%	6.2%	1.1%	0.9%	6.5%
	Grade 7	82.7%	5.6%	1.3%	0.8%	9.5%
	Grade 8	81.4%	6.8%	1.5%	1.0%	9.4%
	Grade 9	83.9%	7.3%	1.0%	1.2%	6.6%
	Grade 10	86.5%	6.4%	1.1%	0.7%	5.3%
	Grade 11	87.5%	6.1%	0.9%	1.1%	4.4%
	Grade 12	89.8%	4.7%	0.7%	0.8%	4.1%

region6
Spring 2006

Table D-15: How recently, if ever, have you taken...

		Past Month	School Year	Ever Used	Never Used
DXM, Triple C?					
	All	1.3%	3.0%	5.4%	94.6%
	Grade 7	0.6%	1.6%	2.7%	97.3%
	Grade 8	0.7%	2.2%	3.7%	96.3%
	Grade 9	1.3%	3.4%	5.2%	94.8%
	Grade 10	1.5%	3.5%	6.0%	94.0%
	Grade 11	1.7%	3.7%	6.7%	93.3%
	Grade 12	1.7%	3.2%	7.4%	92.6%
Codeine?					
	All	2.5%	6.0%	9.9%	90.1%
	Grade 7	0.5%	1.9%	3.7%	96.3%
	Grade 8	1.8%	4.3%	8.0%	92.0%
	Grade 9	2.3%	6.2%	9.1%	90.9%
	Grade 10	3.4%	8.2%	12.3%	87.7%
	Grade 11	3.1%	7.0%	11.6%	88.4%
	Grade 12	3.4%	7.4%	13.8%	86.2%

region6
Spring 2006

Table I-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any inhalant?					
	All	5.7%	7.7%	15.2%	84.8%
	Grade 7	7.8%	10.2%	18.7%	81.3%
	Grade 8	8.1%	10.2%	20.2%	79.8%
	Grade 9	6.6%	8.6%	16.0%	84.0%
	Grade 10	4.8%	7.3%	14.6%	85.4%
	Grade 11	4.0%	5.5%	11.4%	88.6%
	Grade 12	3.1%	4.5%	10.4%	89.6%
Liquid or spray paint?					
	All	1.3%	2.2%	5.7%	94.3%
	Grade 7	1.9%	3.0%	7.0%	93.0%
	Grade 8	2.4%	3.7%	8.2%	91.8%
	Grade 9	1.2%	2.3%	6.2%	93.8%
	Grade 10	1.3%	2.1%	5.8%	94.2%
	Grade 11	0.7%	1.4%	4.0%	96.0%
	Grade 12	0.8%	1.0%	3.1%	96.9%
Whiteout, correction fld?					
	All	1.4%	2.4%	5.9%	94.1%
	Grade 7	2.7%	4.5%	8.6%	91.4%
	Grade 8	2.0%	3.5%	8.9%	91.1%
	Grade 9	1.4%	2.4%	6.5%	93.5%
	Grade 10	1.0%	1.8%	5.4%	94.6%
	Grade 11	1.0%	1.3%	3.2%	96.8%
	Grade 12	0.5%	0.9%	2.8%	97.2%
Gasoline?					
	All	1.0%	1.4%	3.2%	96.8%
	Grade 7	1.6%	2.2%	4.0%	96.0%
	Grade 8	1.5%	2.1%	4.5%	95.5%
	Grade 9	0.8%	1.3%	3.4%	96.6%
	Grade 10	0.9%	1.3%	3.5%	96.5%
	Grade 11	0.6%	0.8%	1.8%	98.2%
	Grade 12	0.5%	0.6%	1.9%	98.1%
Freon?					
	All	0.5%	0.8%	1.5%	98.5%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.5%	0.9%	1.6%	98.4%
	Grade 10	0.6%	0.8%	1.7%	98.3%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.4%	0.7%	1.8%	98.2%
Poppers, Locker Room?					
	All	0.6%	1.0%	1.8%	98.2%
	Grade 7	1.0%	1.3%	2.3%	97.7%
	Grade 8	0.5%	1.2%	2.2%	97.8%
	Grade 9	0.6%	1.0%	1.9%	98.1%
	Grade 10	0.7%	1.1%	2.0%	98.0%
	Grade 11	0.4%	0.6%	1.1%	98.9%
	Grade 12	0.4%	0.7%	1.2%	98.8%

region6
Spring 2006

Table I-1: How recently, if ever, have you used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Glue?					
	All	0.8%	1.2%	3.2%	96.8%
	Grade 7	1.1%	1.7%	4.2%	95.8%
	Grade 8	1.2%	1.8%	4.6%	95.4%
	Grade 9	0.7%	1.2%	3.5%	96.5%
	Grade 10	0.7%	1.1%	3.0%	97.0%
	Grade 11	0.6%	0.8%	2.0%	98.0%
	Grade 12	0.4%	0.6%	2.0%	98.0%
Paint,lacquer thinner?					
	All	0.9%	1.5%	3.6%	96.4%
	Grade 7	1.3%	2.0%	4.4%	95.6%
	Grade 8	1.2%	2.4%	5.0%	95.0%
	Grade 9	1.1%	2.0%	4.6%	95.4%
	Grade 10	0.6%	1.0%	3.3%	96.7%
	Grade 11	0.6%	1.0%	2.2%	97.8%
	Grade 12	0.4%	0.6%	2.1%	97.9%
Nitrous oxide?					
	All	1.2%	2.1%	4.5%	95.5%
	Grade 7	0.9%	1.5%	3.1%	96.9%
	Grade 8	1.1%	1.7%	4.1%	95.9%
	Grade 9	1.0%	1.9%	4.0%	96.0%
	Grade 10	1.3%	2.4%	4.9%	95.1%
	Grade 11	1.3%	2.4%	5.2%	94.8%
	Grade 12	1.5%	2.8%	5.6%	94.4%
Octane booster?					
	All	0.4%	0.5%	0.9%	99.1%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.4%	0.6%	0.9%	99.1%
	Grade 9	0.4%	0.7%	1.0%	99.0%
	Grade 10	0.4%	0.7%	1.2%	98.8%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.6%	99.4%
Other sprays?					
	All	1.0%	1.6%	3.4%	96.6%
	Grade 7	1.8%	2.6%	5.1%	94.9%
	Grade 8	1.5%	2.6%	5.0%	95.0%
	Grade 9	0.9%	1.7%	3.4%	96.6%
	Grade 10	0.9%	1.4%	3.0%	97.0%
	Grade 11	0.5%	0.9%	2.2%	97.8%
	Grade 12	0.4%	0.6%	1.7%	98.3%
Other inhalants?					
	All	2.5%	3.8%	7.4%	92.6%
	Grade 7	3.5%	5.3%	9.8%	90.2%
	Grade 8	3.8%	5.8%	10.4%	89.6%
	Grade 9	3.2%	4.7%	8.6%	91.4%
	Grade 10	2.0%	3.1%	7.0%	93.0%
	Grade 11	1.7%	2.5%	4.8%	95.2%
	Grade 12	1.0%	1.6%	3.7%	96.3%

region6
Spring 2006

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	93.6%	0.2%	0.4%	0.6%	1.1%	1.2%	2.9%
Grade 7	92.4%	0.4%	0.8%	1.0%	1.8%	1.5%	2.1%
Grade 8	90.6%	0.2%	0.9%	1.0%	1.9%	2.0%	3.5%
Grade 9	93.1%	0.2%	0.4%	0.7%	1.3%	1.3%	3.0%
Grade 10	93.3%	0.2%	0.2%	0.7%	1.0%	1.3%	3.4%
Grade 11	95.6%	0.1%	0.1%	0.3%	0.5%	0.7%	2.7%
Grade 12	96.4%	0.0%	0.0%	0.2%	0.4%	0.6%	2.5%

I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	87.1%	5.6%	4.3%	2.9%
Grade 7	84.3%	6.6%	5.2%	3.8%
Grade 8	83.1%	6.5%	6.4%	4.0%
Grade 9	86.6%	5.5%	4.6%	3.3%
Grade 10	87.5%	5.6%	4.2%	2.8%
Grade 11	90.2%	5.0%	2.9%	1.9%
Grade 12	90.8%	4.8%	2.8%	1.7%

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.9	11.3	11.8	12.5	13.0	13.5

region6
Spring 2006

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Times	4-9 Times	10+ Times
All	98.0%	1.3%	0.3%	0.4%
Grade 7	97.1%	2.2%	0.4%	0.3%
Grade 8	96.8%	2.4%	0.4%	0.4%
Grade 9	97.6%	1.3%	0.5%	0.6%
Grade 10	98.4%	0.9%	0.2%	0.4%
Grade 11	99.0%	0.4%	0.2%	0.4%
Grade 12	98.9%	0.8%	0.2%	0.2%

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons	
Inhalants Users:	4.7
Inhalants Non-users:	3.6

Average days conduct problems reported	
Inhalants Users:	4.9
Inhalants Non-users:	2.0

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	ALL
All	84.8%	9.3%	2.8%	0.9%	2.1%
Grade 7	84.2%	9.0%	3.1%	1.4%	2.3%
Grade 8	80.5%	10.8%	3.8%	1.3%	3.7%
Grade 9	83.0%	11.4%	3.5%	0.8%	1.3%
Grade 10	84.3%	10.0%	3.1%	1.0%	1.5%
Grade 11	88.4%	7.6%	1.6%	0.5%	1.9%
Grade 12	89.1%	6.4%	1.6%	0.6%	2.4%

region6
Spring 2006

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	73.7%	15.2%	3.6%	1.4%	6.1%
Grade 7	75.0%	12.0%	3.7%	1.3%	8.0%
Grade 8	69.6%	15.9%	4.4%	2.0%	8.0%
Grade 9	71.5%	16.3%	4.2%	1.9%	6.1%
Grade 10	73.4%	16.8%	3.5%	1.0%	5.3%
Grade 11	75.2%	15.5%	3.1%	1.3%	4.8%
Grade 12	78.2%	13.7%	2.5%	0.9%	4.8%

region6
Spring 2006

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A school health class	All	48.7%
	Grade 7	47.4%
	Grade 8	41.5%
	Grade 9	61.2%
	Grade 10	52.3%
	Grade 11	44.0%
	Grade 12	41.5%
An assembly program	All	43.8%
	Grade 7	48.4%
	Grade 8	49.6%
	Grade 9	46.0%
	Grade 10	41.2%
	Grade 11	36.6%
	Grade 12	42.3%
Guidance counselor	All	18.6%
	Grade 7	25.7%
	Grade 8	23.1%
	Grade 9	18.2%
	Grade 10	15.9%
	Grade 11	14.4%
	Grade 12	16.2%
Science class	All	28.9%
	Grade 7	41.8%
	Grade 8	28.3%
	Grade 9	28.7%
	Grade 10	31.7%
	Grade 11	23.6%
	Grade 12	21.0%
Social studies class	All	13.0%
	Grade 7	13.7%
	Grade 8	12.8%
	Grade 9	12.1%
	Grade 10	12.4%
	Grade 11	13.9%
	Grade 12	13.3%
Student group session	All	14.1%
	Grade 7	14.4%
	Grade 8	12.9%
	Grade 9	13.9%
	Grade 10	13.1%
	Grade 11	14.5%
	Grade 12	15.9%

region6
Spring 2006

**Table X-1: Since school began in the fall, have you gotten any information
on drugs or alcohol from the following sources?**
(Continued)

CATEGORY		Yes
An invited school guest	All	28.2%
	Grade 7	33.3%
	Grade 8	34.0%
	Grade 9	30.3%
	Grade 10	24.5%
	Grade 11	22.7%
	Grade 12	25.7%
Another source at school	All	30.4%
	Grade 7	30.6%
	Grade 8	31.8%
	Grade 9	32.4%
	Grade 10	29.8%
	Grade 11	28.6%
Any school source	Grade 12	28.8%
	All	56.7%
	Grade 7	56.6%
	Grade 8	54.7%
	Grade 9	59.3%
	Grade 10	58.1%
	Grade 11	56.2%
	Grade 12	54.1%

region6
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

CATEGORY		Yes
A counselor or program in	All	30.0%
	Grade 7	41.1%
	Grade 8	31.1%
	Grade 9	31.0%
	Grade 10	27.8%
	Grade 11	24.2%
	Grade 12	25.5%
Another adult in school (All	28.9%
	Grade 7	36.7%
	Grade 8	29.8%
	Grade 9	29.2%
	Grade 10	25.9%
	Grade 11	26.3%
	Grade 12	26.8%
A counselor or program ou	All	36.6%
	Grade 7	38.4%
	Grade 8	34.8%
	Grade 9	34.4%
	Grade 10	37.3%
	Grade 11	37.2%
	Grade 12	38.1%
Your parents	All	58.2%
	Grade 7	66.3%
	Grade 8	58.2%
	Grade 9	55.7%
	Grade 10	57.6%
	Grade 11	55.7%
	Grade 12	57.0%
A medical doctor	All	41.0%
	Grade 7	48.9%
	Grade 8	39.6%
	Grade 9	39.1%
	Grade 10	40.7%
	Grade 11	38.8%
	Grade 12	39.9%
Your friends	All	70.0%
	Grade 7	57.2%
	Grade 8	65.7%
	Grade 9	71.0%
	Grade 10	73.2%
	Grade 11	74.8%
	Grade 12	76.4%

region6
Spring 2006

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

CATEGORY		Yes
Another adult (a relative	All	58.2%
	Grade 7	59.1%
	Grade 8	58.5%
	Grade 9	56.5%
	Grade 10	58.8%
	Grade 11	58.1%
	Grade 12	58.5%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

CATEGORY		Yes
Seek Help	All	7.6%
	Grade 7	9.2%
	Grade 8	8.8%
	Grade 9	8.3%
	Grade 10	7.3%
	Grade 11	6.0%
	Grade 12	6.2%

region6
Spring 2006

Table X-4: About how many of your friends:

	None	A Few	Some	Most	ALL
Feel close to their parents?					
All	6.2%	28.4%	26.5%	30.4%	8.6%
Grade 7	8.9%	26.8%	22.1%	27.3%	14.9%
Grade 8	8.3%	29.5%	24.5%	27.5%	10.2%
Grade 9	6.5%	29.5%	28.1%	28.0%	8.0%
Grade 10	5.2%	28.8%	28.3%	31.1%	6.6%
Grade 11	4.2%	27.7%	27.2%	34.4%	6.4%
Grade 12	4.3%	27.5%	27.5%	34.4%	6.3%
Sometimes carry weapons?					
All	62.8%	21.7%	9.8%	3.8%	1.9%
Grade 7	73.4%	15.4%	6.6%	2.8%	1.8%
Grade 8	62.8%	23.0%	9.3%	3.2%	1.7%
Grade 9	60.4%	22.8%	10.5%	4.4%	1.9%
Grade 10	59.8%	22.8%	10.8%	4.5%	2.1%
Grade 11	61.6%	22.8%	10.2%	3.8%	1.7%
Grade 12	60.5%	22.6%	10.8%	3.9%	2.2%
Care about making good grades?					
All	3.4%	14.8%	23.4%	40.5%	17.9%
Grade 7	5.2%	17.7%	21.4%	32.2%	23.5%
Grade 8	3.7%	18.3%	25.2%	34.2%	18.7%
Grade 9	3.9%	16.6%	25.2%	38.9%	15.3%
Grade 10	3.0%	13.1%	24.3%	43.7%	15.9%
Grade 11	1.9%	11.8%	20.8%	47.4%	18.1%
Grade 12	2.5%	11.6%	22.6%	45.9%	17.4%
Belong/want to belong to a gang?					
All	66.1%	16.9%	9.5%	5.1%	2.4%
Grade 7	65.7%	16.5%	9.2%	5.5%	3.1%
Grade 8	58.0%	19.0%	13.0%	7.2%	2.8%
Grade 9	60.8%	19.2%	10.7%	6.4%	2.9%
Grade 10	65.8%	17.0%	9.7%	5.1%	2.4%
Grade 11	71.8%	15.5%	7.7%	3.6%	1.5%
Grade 12	75.9%	13.4%	6.6%	2.7%	1.3%
Wish they could drop out of school?					
All	58.1%	26.8%	9.2%	3.4%	2.5%
Grade 7	64.1%	22.4%	7.2%	3.3%	3.1%
Grade 8	58.7%	24.7%	10.4%	3.7%	2.5%
Grade 9	54.1%	28.2%	10.9%	4.3%	2.6%
Grade 10	54.3%	29.8%	10.0%	3.6%	2.4%
Grade 11	58.5%	27.4%	9.0%	2.6%	2.4%
Grade 12	61.0%	27.0%	7.2%	2.6%	2.2%

region6
Spring 2006

Table X-5: How safe do you feel when you are:

		Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
In your home?						
	All	77.3%	19.3%	1.4%	0.6%	1.4%
	Grade 7	75.0%	20.8%	1.9%	0.5%	1.8%
	Grade 8	73.4%	21.8%	2.0%	0.8%	2.1%
	Grade 9	76.4%	20.4%	1.4%	0.3%	1.4%
	Grade 10	76.2%	20.3%	1.5%	0.7%	1.3%
	Grade 11	81.1%	16.5%	0.9%	0.6%	0.9%
	Grade 12	82.0%	16.0%	0.7%	0.5%	0.7%
Out in your neighbourhood						
	All	34.7%	48.0%	11.3%	3.6%	2.4%
	Grade 7	27.0%	48.5%	15.8%	5.5%	3.3%
	Grade 8	27.8%	51.0%	13.5%	4.6%	3.1%
	Grade 9	33.5%	49.3%	11.1%	3.3%	2.9%
	Grade 10	35.9%	48.0%	10.5%	3.4%	2.3%
	Grade 11	40.7%	46.3%	8.8%	2.6%	1.7%
	Grade 12	42.6%	44.8%	8.6%	2.7%	1.3%
At school						
	All	32.4%	48.0%	10.8%	5.2%	3.5%
	Grade 7	38.7%	41.9%	10.0%	5.5%	3.9%
	Grade 8	35.6%	44.8%	9.6%	5.2%	4.7%
	Grade 9	29.3%	49.4%	12.1%	5.0%	4.1%
	Grade 10	28.9%	51.6%	10.5%	5.3%	3.6%
	Grade 11	29.4%	51.2%	11.7%	5.3%	2.4%
	Grade 12	34.7%	47.6%	10.5%	5.0%	2.3%

region6
Spring 2006

Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

CATEGORY		Yes
A website or online chat	All	25.7%
	Grade 7	17.0%
	Grade 8	23.3%
	Grade 9	27.2%
	Grade 10	28.6%
	Grade 11	28.0%
	Grade 12	28.7%
Books, magazines, poster	All	47.9%
	Grade 7	40.2%
	Grade 8	47.0%
	Grade 9	48.8%
	Grade 10	51.9%
	Grade 11	50.7%
	Grade 12	47.7%
TV, radio, or other audi	All	55.6%
	Grade 7	49.5%
	Grade 8	54.3%
	Grade 9	55.7%
	Grade 10	58.9%
	Grade 11	57.4%
	Grade 12	56.7%
Your parents	All	50.1%
	Grade 7	52.4%
	Grade 8	50.3%
	Grade 9	51.3%
	Grade 10	52.3%
	Grade 11	47.9%
	Grade 12	45.8%

region6
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	15.3%	20.8%	35.4%	64.6%
	Grade 7	6.7%	9.3%	19.7%	80.3%
	Grade 8	10.2%	15.0%	29.2%	70.8%
	Grade 9	14.5%	20.0%	35.2%	64.8%
	Grade 10	16.1%	22.3%	38.6%	61.4%
	Grade 11	19.5%	25.4%	41.4%	58.6%
	Grade 12	24.2%	31.5%	46.8%	53.2%
Alcohol					
	All	33.8%	45.5%	67.0%	33.0%
	Grade 7	18.4%	24.5%	48.8%	51.2%
	Grade 8	27.0%	37.5%	62.2%	37.8%
	Grade 9	34.0%	46.3%	67.5%	32.5%
	Grade 10	36.9%	50.6%	70.9%	29.1%
	Grade 11	39.9%	53.7%	74.4%	25.6%
	Grade 12	44.6%	57.9%	75.9%	24.1%
Inhalants					
	All	5.7%	7.7%	15.2%	84.8%
	Grade 7	7.8%	10.2%	18.7%	81.3%
	Grade 8	8.1%	10.2%	20.2%	79.8%
	Grade 9	6.6%	8.6%	16.0%	84.0%
	Grade 10	4.8%	7.3%	14.6%	85.4%
	Grade 11	4.0%	5.5%	11.4%	88.6%
	Grade 12	3.1%	4.5%	10.4%	89.6%
Any Illicit Drug					
	All	13.9%	19.5%	30.4%	69.6%
	Grade 7	6.2%	8.2%	13.5%	86.5%
	Grade 8	9.6%	13.9%	22.3%	77.7%
	Grade 9	12.9%	18.2%	28.2%	71.8%
	Grade 10	16.2%	22.9%	34.4%	65.6%
	Grade 11	18.1%	25.2%	39.6%	60.4%
	Grade 12	19.8%	27.5%	43.0%	57.0%
Marijuana					
	All	12.1%	17.9%	28.9%	71.1%
	Grade 7	4.8%	6.8%	11.6%	88.4%
	Grade 8	8.7%	12.7%	20.3%	79.7%
	Grade 9	11.3%	16.8%	26.7%	73.3%
	Grade 10	13.9%	21.1%	32.9%	67.1%
	Grade 11	15.8%	23.4%	38.4%	61.6%
	Grade 12	17.5%	25.6%	41.8%	58.2%
Marijuana Only					
	All	4.9%	7.8%	15.1%	84.9%
	Grade 7	2.5%	3.7%	6.9%	93.1%
	Grade 8	4.2%	6.2%	11.7%	88.3%
	Grade 9	5.0%	7.6%	14.3%	85.7%
	Grade 10	5.4%	9.2%	16.8%	83.2%
	Grade 11	5.6%	9.3%	19.4%	80.6%
	Grade 12	6.4%	10.3%	20.6%	79.4%

region6
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.8%	4.5%	7.7%	92.3%
	Grade 7	1.5%	2.1%	4.1%	95.9%
	Grade 8	1.5%	2.8%	5.3%	94.7%
	Grade 9	2.5%	4.0%	6.4%	93.6%
	Grade 10	3.0%	4.8%	8.2%	91.8%
	Grade 11	3.8%	6.5%	10.4%	89.6%
	Grade 12	4.2%	7.1%	11.9%	88.1%
Cocaine					
	All	2.6%	4.3%	7.2%	92.8%
	Grade 7	1.1%	1.5%	3.1%	96.9%
	Grade 8	1.2%	2.2%	4.3%	95.7%
	Grade 9	2.4%	3.7%	6.1%	93.9%
	Grade 10	2.9%	4.7%	7.9%	92.1%
	Grade 11	3.7%	6.4%	10.3%	89.7%
	Grade 12	4.1%	6.9%	11.7%	88.3%
Crack					
	All	0.6%	1.0%	2.0%	98.0%
	Grade 7	0.8%	1.1%	2.4%	97.6%
	Grade 8	0.7%	1.0%	2.1%	97.9%
	Grade 9	0.6%	1.2%	2.0%	98.0%
	Grade 10	0.5%	0.9%	1.9%	98.1%
	Grade 11	0.4%	0.8%	1.8%	98.2%
	Grade 12	0.6%	1.0%	2.0%	98.0%
Hallucinogens					
	All	1.6%	2.6%	5.0%	95.0%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	0.7%	1.2%	2.6%	97.4%
	Grade 9	1.6%	2.7%	4.6%	95.4%
	Grade 10	1.7%	2.9%	5.7%	94.3%
	Grade 11	2.4%	3.4%	6.9%	93.1%
	Grade 12	2.5%	4.1%	8.5%	91.5%
Uppers					
	All	3.0%	4.5%	7.0%	93.0%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.4%	2.2%	3.6%	96.4%
	Grade 9	2.7%	4.0%	5.9%	94.1%
	Grade 10	3.9%	5.8%	8.5%	91.5%
	Grade 11	4.8%	7.1%	10.8%	89.2%
	Grade 12	4.5%	7.1%	12.0%	88.0%
Downers					
	All	3.3%	5.1%	7.9%	92.1%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	1.4%	2.1%	3.4%	96.6%
	Grade 9	2.9%	4.5%	6.4%	93.6%
	Grade 10	4.6%	6.7%	9.7%	90.3%
	Grade 11	5.1%	8.0%	12.3%	87.7%
	Grade 12	5.1%	7.8%	13.7%	86.3%

region6
Spring 2006

Table B1: Prevalence and recency of use of selected substances by grade
All students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	1.2%	2.1%	97.9%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.8%	1.4%	2.3%	97.7%
	Grade 9	1.0%	1.4%	2.3%	97.7%
	Grade 10	0.8%	1.4%	2.5%	97.5%
	Grade 11	0.9%	1.3%	2.2%	97.8%
	Grade 12	0.9%	1.3%	2.2%	97.8%
Steroids	All	0.6%	0.8%	1.6%	98.4%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.5%	0.6%	1.4%	98.6%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.5%	0.8%	1.6%	98.4%
	Grade 11	0.6%	0.9%	1.6%	98.4%
	Grade 12	0.8%	1.2%	2.1%	97.9%
Ecstasy	All	2.8%	4.4%	7.1%	92.9%
	Grade 7	0.9%	1.2%	2.1%	97.9%
	Grade 8	1.6%	2.4%	4.1%	95.9%
	Grade 9	2.6%	4.0%	6.4%	93.6%
	Grade 10	3.4%	5.4%	8.2%	91.8%
	Grade 11	4.0%	6.3%	10.3%	89.7%
	Grade 12	4.0%	6.9%	11.3%	88.7%
Heroin	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.4%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.9%	1.7%	98.3%
	Grade 10	0.6%	0.7%	1.1%	98.9%
	Grade 11	0.3%	0.6%	1.1%	98.9%
	Grade 12	0.4%	0.7%	1.2%	98.8%

region6
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	17.6%	23.1%	37.5%	62.5%
	Grade 7	7.5%	10.0%	21.2%	78.8%
	Grade 8	10.8%	15.8%	29.8%	70.2%
	Grade 9	17.1%	22.5%	38.2%	61.8%
	Grade 10	18.4%	25.0%	40.9%	59.1%
	Grade 11	21.9%	27.9%	43.8%	56.2%
	Grade 12	30.3%	37.6%	50.8%	49.2%
Alcohol					
	All	33.9%	45.0%	65.2%	34.8%
	Grade 7	19.1%	24.8%	48.5%	51.5%
	Grade 8	25.4%	35.4%	58.9%	41.1%
	Grade 9	34.5%	46.3%	66.2%	33.8%
	Grade 10	36.5%	49.3%	68.8%	31.2%
	Grade 11	40.3%	53.5%	72.6%	27.4%
	Grade 12	47.2%	60.2%	76.0%	24.0%
Inhalants					
	All	6.0%	8.0%	15.5%	84.5%
	Grade 7	7.4%	9.3%	18.0%	82.0%
	Grade 8	7.4%	9.4%	17.6%	82.4%
	Grade 9	6.0%	7.9%	15.7%	84.3%
	Grade 10	5.8%	7.8%	14.7%	85.3%
	Grade 11	5.0%	6.7%	13.6%	86.4%
	Grade 12	4.3%	6.6%	13.5%	86.5%
Any Illicit Drug					
	All	15.8%	21.5%	33.4%	66.6%
	Grade 7	7.3%	10.0%	16.8%	83.2%
	Grade 8	10.1%	14.4%	23.7%	76.3%
	Grade 9	14.9%	20.4%	32.2%	67.8%
	Grade 10	17.4%	24.8%	37.4%	62.6%
	Grade 11	20.9%	27.8%	42.7%	57.3%
	Grade 12	24.7%	31.9%	47.8%	52.2%
Marijuana					
	All	14.2%	20.2%	32.3%	67.7%
	Grade 7	6.0%	8.8%	15.2%	84.8%
	Grade 8	9.3%	13.6%	22.8%	77.2%
	Grade 9	13.7%	19.3%	31.3%	68.7%
	Grade 10	15.3%	23.3%	36.5%	63.5%
	Grade 11	18.8%	26.0%	41.7%	58.3%
	Grade 12	22.3%	30.3%	46.8%	53.2%
Marijuana Only					
	All	6.1%	9.4%	17.7%	82.3%
	Grade 7	3.6%	5.2%	9.8%	90.2%
	Grade 8	4.9%	7.4%	14.2%	85.8%
	Grade 9	6.6%	9.6%	18.2%	81.8%
	Grade 10	6.1%	11.0%	20.0%	80.0%
	Grade 11	7.5%	11.2%	22.0%	78.0%
	Grade 12	7.9%	11.6%	22.0%	78.0%

region6
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	3.0%	4.8%	7.9%	92.1%
	Grade 7	1.5%	1.9%	4.2%	95.8%
	Grade 8	1.5%	2.4%	4.4%	95.6%
	Grade 9	2.7%	4.1%	6.5%	93.5%
	Grade 10	3.3%	4.8%	8.2%	91.8%
	Grade 11	4.2%	7.4%	11.4%	88.6%
	Grade 12	5.0%	8.3%	13.3%	86.7%
Cocaine					
	All	2.8%	4.5%	7.5%	92.5%
	Grade 7	1.4%	1.6%	3.4%	96.6%
	Grade 8	1.3%	1.9%	3.7%	96.3%
	Grade 9	2.6%	4.0%	6.2%	93.8%
	Grade 10	3.0%	4.6%	7.8%	92.2%
	Grade 11	4.0%	7.2%	11.2%	88.8%
	Grade 12	5.0%	8.2%	13.3%	86.7%
Crack					
	All	0.6%	1.1%	2.1%	97.9%
	Grade 7	0.7%	1.0%	2.2%	97.8%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	0.6%	1.2%	1.9%	98.1%
	Grade 10	0.7%	1.0%	2.1%	97.9%
	Grade 11	0.7%	1.1%	2.1%	97.9%
	Grade 12	0.5%	1.1%	2.5%	97.5%
Hallucinogens					
	All	2.1%	3.3%	6.2%	93.8%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	0.7%	1.4%	3.0%	97.0%
	Grade 9	1.8%	3.3%	5.6%	94.4%
	Grade 10	2.1%	3.4%	6.4%	93.6%
	Grade 11	3.4%	4.4%	9.1%	90.9%
	Grade 12	4.0%	6.3%	12.4%	87.6%
Uppers					
	All	2.9%	4.2%	6.3%	93.7%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	2.4%	3.5%	4.9%	95.1%
	Grade 10	3.2%	4.9%	7.0%	93.0%
	Grade 11	4.9%	7.0%	10.2%	89.8%
	Grade 12	6.0%	8.4%	13.0%	87.0%
Downers					
	All	3.5%	4.9%	7.4%	92.6%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	1.0%	1.6%	2.8%	97.2%
	Grade 9	2.9%	4.2%	6.1%	93.9%
	Grade 10	4.3%	6.0%	8.5%	91.5%
	Grade 11	5.4%	7.8%	11.3%	88.7%
	Grade 12	7.1%	9.6%	15.1%	84.9%

region6
Spring 2006

Table B2: Prevalence and recency of use of selected substances by grade
Male students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol					
	All	0.8%	1.2%	1.9%	98.1%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.5%	1.1%	1.9%	98.1%
	Grade 9	0.9%	1.3%	2.1%	97.9%
	Grade 10	0.8%	1.2%	2.1%	97.9%
	Grade 11	1.2%	1.7%	2.2%	97.8%
	Grade 12	0.9%	1.4%	2.3%	97.7%
Steroids					
	All	0.9%	1.4%	2.6%	97.4%
	Grade 7	0.7%	0.9%	1.7%	98.3%
	Grade 8	0.5%	0.7%	1.7%	98.3%
	Grade 9	0.7%	1.2%	2.4%	97.6%
	Grade 10	1.0%	1.6%	3.0%	97.0%
	Grade 11	1.3%	1.7%	2.9%	97.1%
	Grade 12	1.5%	2.2%	3.8%	96.2%
Ecstasy					
	All	2.9%	4.6%	6.8%	93.2%
	Grade 7	1.1%	1.5%	1.9%	98.1%
	Grade 8	1.1%	1.9%	2.8%	97.2%
	Grade 9	2.7%	4.0%	6.2%	93.8%
	Grade 10	3.6%	5.6%	8.2%	91.8%
	Grade 11	4.1%	6.0%	9.6%	90.4%
	Grade 12	5.2%	8.5%	12.5%	87.5%
Heroin					
	All	0.6%	0.9%	1.5%	98.5%
	Grade 7	0.3%	0.6%	1.2%	98.8%
	Grade 8	0.4%	0.8%	1.2%	98.8%
	Grade 9	0.6%	1.2%	2.0%	98.0%
	Grade 10	0.9%	1.1%	1.4%	98.6%
	Grade 11	0.3%	0.7%	1.5%	98.5%
	Grade 12	0.7%	1.2%	1.8%	98.2%

region6
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	13.2%	18.6%	33.5%	66.5%
	Grade 7	5.7%	8.5%	18.2%	81.8%
	Grade 8	9.5%	14.2%	28.5%	71.5%
	Grade 9	12.1%	17.7%	32.4%	67.6%
	Grade 10	14.3%	20.2%	36.8%	63.2%
	Grade 11	17.4%	23.1%	39.3%	60.7%
	Grade 12	19.1%	26.3%	43.4%	56.6%
Alcohol					
	All	33.6%	45.9%	68.5%	31.5%
	Grade 7	17.8%	24.2%	49.1%	50.9%
	Grade 8	28.3%	39.3%	65.2%	34.8%
	Grade 9	33.6%	46.1%	68.7%	31.3%
	Grade 10	37.2%	51.6%	72.6%	27.4%
	Grade 11	39.4%	53.8%	76.0%	24.0%
	Grade 12	42.4%	55.9%	75.9%	24.1%
Inhalants					
	All	5.5%	7.5%	14.8%	85.2%
	Grade 7	8.2%	11.0%	19.3%	80.7%
	Grade 8	8.7%	10.9%	22.4%	77.6%
	Grade 9	7.1%	9.3%	16.2%	83.8%
	Grade 10	4.0%	7.0%	14.6%	85.4%
	Grade 11	3.1%	4.4%	9.4%	90.6%
	Grade 12	2.1%	2.9%	8.0%	92.0%
Any Illicit Drug					
	All	12.1%	17.7%	27.7%	72.3%
	Grade 7	5.0%	6.4%	10.1%	89.9%
	Grade 8	9.0%	13.4%	20.9%	79.1%
	Grade 9	10.9%	16.0%	24.3%	75.7%
	Grade 10	15.2%	21.4%	32.0%	68.0%
	Grade 11	15.6%	22.9%	37.0%	63.0%
	Grade 12	15.8%	23.9%	39.0%	61.0%
Marijuana					
	All	10.2%	15.8%	25.7%	74.3%
	Grade 7	3.6%	4.7%	8.1%	91.9%
	Grade 8	8.0%	11.7%	18.0%	82.0%
	Grade 9	9.0%	14.2%	22.5%	77.5%
	Grade 10	12.8%	19.3%	30.0%	70.0%
	Grade 11	13.2%	21.1%	35.6%	64.4%
	Grade 12	13.5%	21.7%	37.5%	62.5%
Marijuana Only					
	All	3.8%	6.3%	12.7%	87.3%
	Grade 7	1.4%	2.1%	3.9%	96.1%
	Grade 8	3.5%	5.1%	9.5%	90.5%
	Grade 9	3.5%	5.7%	10.7%	89.3%
	Grade 10	4.8%	7.6%	14.2%	85.8%
	Grade 11	4.0%	7.6%	17.2%	82.8%
	Grade 12	5.0%	9.1%	19.5%	80.5%

region6
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Cocaine or Crack					
	All	2.6%	4.3%	7.5%	92.5%
	Grade 7	1.6%	2.2%	4.0%	96.0%
	Grade 8	1.6%	3.2%	6.0%	94.0%
	Grade 9	2.4%	3.8%	6.3%	93.7%
	Grade 10	2.8%	4.8%	8.3%	91.7%
	Grade 11	3.3%	5.7%	9.5%	90.5%
	Grade 12	3.5%	6.1%	10.5%	89.5%
Cocaine					
	All	2.3%	4.0%	7.0%	93.0%
	Grade 7	0.9%	1.4%	2.8%	97.2%
	Grade 8	1.2%	2.6%	4.9%	95.1%
	Grade 9	2.3%	3.5%	5.8%	94.2%
	Grade 10	2.7%	4.8%	8.0%	92.0%
	Grade 11	3.3%	5.6%	9.5%	90.5%
	Grade 12	3.4%	5.9%	10.4%	89.6%
Crack					
	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.9%	1.2%	2.5%	97.5%
	Grade 8	0.7%	1.1%	2.4%	97.6%
	Grade 9	0.6%	1.2%	2.0%	98.0%
	Grade 10	0.3%	0.7%	1.7%	98.3%
	Grade 11	0.2%	0.6%	1.5%	98.5%
	Grade 12	0.7%	0.9%	1.5%	98.5%
Hallucinogens					
	All	1.1%	1.9%	3.8%	96.2%
	Grade 7	0.4%	0.8%	1.1%	98.9%
	Grade 8	0.7%	1.1%	2.2%	97.8%
	Grade 9	1.3%	2.2%	3.6%	96.4%
	Grade 10	1.4%	2.4%	5.1%	94.9%
	Grade 11	1.5%	2.5%	5.1%	94.9%
	Grade 12	1.2%	2.2%	5.3%	94.7%
Uppers					
	All	3.1%	4.8%	7.7%	92.3%
	Grade 7	0.7%	1.0%	1.3%	98.7%
	Grade 8	1.9%	3.0%	4.7%	95.3%
	Grade 9	2.9%	4.3%	6.6%	93.4%
	Grade 10	4.5%	6.6%	9.8%	90.2%
	Grade 11	4.7%	7.2%	11.3%	88.7%
	Grade 12	3.3%	6.1%	11.2%	88.8%
Downers					
	All	3.2%	5.1%	8.2%	91.8%
	Grade 7	0.7%	0.8%	1.2%	98.8%
	Grade 8	1.8%	2.5%	4.0%	96.0%
	Grade 9	2.9%	4.7%	6.4%	93.6%
	Grade 10	4.9%	7.3%	10.6%	89.4%
	Grade 11	4.9%	8.2%	13.2%	86.8%
	Grade 12	3.4%	6.3%	12.4%	87.6%

region6
Spring 2006

Table B3: Prevalence and recency of use of selected substances by grade
Female students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	1.3%	2.2%	97.8%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	1.1%	1.6%	2.4%	97.6%
	Grade 10	0.7%	1.5%	2.8%	97.2%
	Grade 11	0.6%	1.1%	2.2%	97.8%
	Grade 12	0.8%	1.2%	2.1%	97.9%
Steroids	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.4%	0.5%	1.1%	98.9%
	Grade 9	0.2%	0.4%	0.8%	99.2%
	Grade 10	0.1%	0.1%	0.5%	99.5%
	Grade 11	0.1%	0.2%	0.5%	99.5%
	Grade 12	0.3%	0.4%	0.7%	99.3%
Ecstasy	All	2.6%	4.3%	7.3%	92.7%
	Grade 7	0.7%	1.0%	2.2%	97.8%
	Grade 8	2.0%	2.8%	5.1%	94.9%
	Grade 9	2.6%	4.0%	6.7%	93.3%
	Grade 10	3.3%	5.2%	8.2%	91.8%
	Grade 11	3.9%	6.4%	10.8%	89.2%
	Grade 12	3.0%	5.6%	10.2%	89.8%
Heroin	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.4%	0.4%	1.0%	99.0%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.4%	0.5%	1.4%	98.6%
	Grade 10	0.3%	0.4%	0.8%	99.2%
	Grade 11	0.2%	0.5%	0.9%	99.1%
	Grade 12	0.1%	0.3%	0.7%	99.3%

region6
Spring 2006

Table B4: Prevalence and recency of use of selected substances by grade
White students

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	20.4%	26.9%	40.0%	60.0%
Alcohol					
	All	39.2%	52.6%	71.1%	28.9%
Inhalants					
	All	6.2%	8.8%	16.2%	83.8%
Any Illicit Drug					
	All	15.7%	22.2%	32.5%	67.5%
Marijuana					
	All	13.6%	20.4%	31.1%	68.9%
Marijuana Only					
	All	4.1%	7.0%	13.8%	86.2%
Cocaine or Crack					
	All	3.1%	5.7%	9.0%	91.0%
Cocaine					
	All	2.9%	5.4%	8.6%	91.4%
Crack					
	All	0.5%	1.0%	2.0%	98.0%
Hallucinogens					
	All	2.6%	4.5%	8.5%	91.5%
Uppers					
	All	4.9%	7.5%	11.4%	88.6%
Downers					
	All	4.8%	7.5%	11.6%	88.4%
Rohypnol					
	All	1.0%	1.5%	2.6%	97.4%
Steroids					
	All	0.6%	1.0%	2.1%	97.9%
Ecstasy					
	All	3.6%	5.9%	9.3%	90.7%
Heroin					
	All	0.5%	0.8%	1.4%	98.6%

region6
Spring 2006

**Table B5: Prevalence and recency of use of selected substances by grade
Black students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	7.8%	10.8%	23.5%	76.5%
Alcohol					
	All	28.3%	37.9%	62.4%	37.6%
Inhalants					
	All	3.6%	4.6%	10.0%	90.0%
Any Illicit Drug					
	All	11.4%	16.1%	26.9%	73.1%
Marijuana					
	All	10.7%	15.4%	26.4%	73.6%
Marijuana Only					
	All	7.3%	10.8%	20.3%	79.7%
Cocaine or Crack					
	All	0.6%	0.9%	1.4%	98.6%
Cocaine					
	All	0.5%	0.8%	1.1%	98.9%
Crack					
	All	0.3%	0.4%	0.8%	99.2%
Hallucinogens					
	All	0.4%	0.5%	1.1%	98.9%
Uppers					
	All	0.8%	1.3%	2.0%	98.0%
Downers					
	All	1.2%	2.0%	3.2%	96.8%
Rohypnol					
	All	0.3%	0.5%	0.6%	99.4%
Steroids					
	All	0.3%	0.5%	0.9%	99.1%
Ecstasy					
	All	1.3%	2.0%	3.1%	96.9%
Heroin					
	All	0.2%	0.4%	0.5%	99.5%

region6
Spring 2006

**Table B6: Prevalence and recency of use of selected substances by grade
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	16.1%	22.3%	40.7%	59.3%
Alcohol					
	All	34.8%	45.6%	68.7%	31.3%
Inhalants					
	All	6.8%	8.9%	17.8%	82.2%
Any Illicit Drug					
	All	15.3%	21.5%	33.4%	66.6%
Marijuana					
	All	13.0%	19.3%	31.2%	68.8%
Marijuana Only					
	All	5.2%	8.0%	15.0%	85.0%
Cocaine or Crack					
	All	4.2%	6.2%	11.3%	88.7%
Cocaine					
	All	3.9%	5.7%	10.5%	89.5%
Crack					
	All	0.9%	1.6%	3.0%	97.0%
Hallucinogens					
	All	1.1%	1.7%	3.6%	96.4%
Uppers					
	All	2.6%	3.7%	5.8%	94.2%
Downers					
	All	3.4%	4.8%	7.3%	92.7%
Rohypnol					
	All	1.0%	1.6%	2.7%	97.3%
Steroids					
	All	0.6%	0.8%	1.4%	98.6%
Ecstasy					
	All	3.1%	4.5%	7.5%	92.5%
Heroin					
	All	0.4%	0.7%	1.6%	98.4%

region6
Spring 2006

The FREQ Procedure

Frequency Missing = 6986.7643206

GENDER		
q1	Frequency	Percent
Female	212E3	53.01
Male	188E3	46.99

Frequency Missing = 1061.9665759

GRADE		
q2	Frequency	Percent
Grade 7	58974	14.74
Grade 8	59769	14.94
Grade 9	84080	21.01
Grade 10	71745	17.93
Grade 11	62074	15.51
Grade 12	63478	15.86

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	163E3	41.02
Yes	235E3	58.98

Frequency Missing = 2159.3621502

AGE		
q4	Frequency	Percent
11 or younger	382	0.10
12	15745	3.95
13	50064	12.56
14	63080	15.82
15	79889	20.04
16	72389	18.16
17	67093	16.83
18	44711	11.21
19 or older	5356	1.34

Frequency Missing = 1412.5009088

ETHNICITY		
q5	Frequency	Percent
African/American	79679	20.27
Asian/American	15395	3.92
Mexican/American	109E3	27.84
Native/American	3578	0.91
Other	34618	8.81
White	15E4	38.26

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	112E3	28.41
Mostly B's	19E4	48.25
Mostly C's	73102	18.53
Mostly D's	13533	3.43
Mostly F's	5435	1.38

Frequency Missing = 5709.4436709

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	44068	11.17
2-3 years	66684	16.90
>4 years	284E3	71.92

Frequency Missing = 5641.2425486

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	297E3	75.07
Yes	98472	24.93

Frequency Missing = 5058.809216

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	232E3	59.10
Yes	161E3	40.90

Frequency Missing = 7554.1179437

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	65755	16.68
No	148E3	37.61
Yes	18E4	45.71

Frequency Missing = 5821.8316883

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	58935	14.92
No	194E3	49.10
Yes	142E3	35.98

Frequency Missing = 5107.6381096

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	208E3	58.17
Yes	15E4	41.83

Frequency Missing = 41839.351542

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	275E3	83.85
Yes	52911	16.15

Frequency Missing = 72529.796916

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	274E3	89.52
Yes	32126	10.48

Frequency Missing = 93701.820275

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	26E4	83.72
Yes	50514	16.28

Frequency Missing = 89875.687684

**region6
Spring 2006**

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	276E3	89.85
Yes	31193	10.15

Frequency Missing = 92773.240668

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	303E3	89.95
Yes	33799	10.05

Frequency Missing = 63724.822575

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	136E3	34.66
Somewhat Safe	189E3	48.00
Not Very Safe	44389	11.28
Not Safe At All	14235	3.62
Don't Know	9620	2.45

Frequency Missing = 6666.634109

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	296E3	95.13
Yes	15127	4.87

Frequency Missing = 89315.915274

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	264E3	76.97
Yes	79002	23.03

Frequency Missing = 57104.031743

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	128E3	32.43
Somewhat Safe	189E3	48.00
Not Very Safe	42632	10.83
Not Safe At All	20546	5.22
Don't Know	13831	3.52

Frequency Missing = 6647.3098371

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	296E3	94.04
Yes	18787	5.96

Frequency Missing = 84942.420438

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	235E3	66.23
Yes	12E4	33.77

Frequency Missing = 44915.351283

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	27E4	82.47
Yes	57385	17.53

Frequency Missing = 72720.10431

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	241E3	67.97
Yes	114E3	32.03

Frequency Missing = 45364.094663

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	287E3	87.75
Yes	40133	12.25

Frequency Missing = 72591.426099

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	306E3	77.33
Somewhat Safe	76406	19.33
Not Very Safe	5570	1.41
Not Safe At All	2252	0.57
Don't Know	5377	1.36

Frequency Missing = 4901.0687112

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	24315	6.19
A Few	111E3	28.37
Some	104E3	26.48
Most	119E3	30.42
All	33600	8.55

Frequency Missing = 7283.456705

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	243E3	62.75
A Few	84234	21.71
Some	38034	9.80
Most	14815	3.82
All	7427	1.91

Frequency Missing = 12134.915507

**region6
Spring 2006**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	12856	3.37
A Few	56567	14.83
Some	89200	23.39
Most	155E3	40.53
All	68210	17.88

Frequency Missing = 18718.128673

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	259E3	66.11
A Few	66133	16.88
Some	37223	9.50
Most	20117	5.13
All	9307	2.38

Frequency Missing = 8342.6535249

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	228E3	58.08
A Few	105E3	26.79
Some	36185	9.23
Most	13328	3.40
All	9796	2.50

Frequency Missing = 8207.5160665

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	226E3	61.96
Yes	139E3	38.04

Frequency Missing = 35688.479899

EVER INHALED SPRAY PAINT FOR KICKS		
q16a	Frequency	Percent
Never Heard/Used	366E3	94.28
In Your Lifetime	13553	3.49
Since School Began	3456	0.89
In the Past Month	5214	1.34

Frequency Missing = 11497.583966

EVER INHALED WHITEOUT FOR KICKS		
q16b	Frequency	Percent
Never Heard/Used	363E3	94.12
In Your Lifetime	13553	3.52
Since School Began	3701	0.96
In the Past Month	5403	1.40

Frequency Missing = 14725.483596

EVER INHALED GASOLINE FOR KICKS		
q16c	Frequency	Percent
Never Heard/Used	369E3	96.80
In Your Lifetime	7033	1.85
Since School Began	1543	0.40
In the Past Month	3632	0.95

Frequency Missing = 19028.257106

EVER INHALED FREON FOR KICKS		
q16d	Frequency	Percent
Never Heard/Used	375E3	98.46
In Your Lifetime	2949	0.77
Since School Began	962	0.25
In the Past Month	1952	0.51

Frequency Missing = 19164.761304

EVER INHALED POPPERS, ETC. FOR KICKS		
q16e	Frequency	Percent
Never Heard/Used	373E3	98.21
In Your Lifetime	3121	0.82
Since School Began	1417	0.37
In the Past Month	2253	0.59

Frequency Missing = 20372.478913

EVER INHALED GLUE FOR KICKS		
q16f	Frequency	Percent
Never Heard/Used	368E3	96.79
In Your Lifetime	7656	2.02
Since School Began	1701	0.45
In the Past Month	2856	0.75

Frequency Missing = 20187.448379

EVER INHALED PAINT THINNERS FOR KICKS		
q16g	Frequency	Percent
Never Heard/Used	366E3	96.37
In Your Lifetime	8077	2.13
Since School Began	2313	0.61
In the Past Month	3373	0.89

Frequency Missing = 20816.094117

EVER INHALED NITROUS OXIDE FOR KICKS		
q16h	Frequency	Percent
Never Heard/Used	364E3	95.51
In Your Lifetime	9058	2.37
Since School Began	3616	0.95
In the Past Month	4439	1.16

Frequency Missing = 18626.459193

EVER INHALED OCTANE BOOSTER FOR KICKS		
q16i	Frequency	Percent
Never Heard/Used	376E3	99.08
In Your Lifetime	1400	0.37
Since School Began	719	0.19
In the Past Month	1360	0.36

Frequency Missing = 20393.108743

EVER INHALED OTHER SPRAYS FOR KICKS		
q16j	Frequency	Percent
Never Heard/Used	371E3	96.61
In Your Lifetime	6835	1.78
Since School Began	2373	0.62
In the Past Month	3813	0.99

Frequency Missing = 16264.104592

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region6
Spring 2006

EVER INHALED OTHER INHALANTS FOR KICKS		
q16k	Frequency	Percent
Never Heard/Used	354E3	92.61
In Your Lifetime	13651	3.57
Since School Began	4920	1.29
In the Past Month	9659	2.53

Frequency Missing = 17911.930805

RECENT CIGARETTE USE		
q17a	Frequency	Percent
Never Heard/Used	256E3	66.01
In Your Lifetime	56800	14.65
Since School Began	20772	5.36
In the Past Month	54255	13.99

Frequency Missing = 12286.870326

RECENT SMOKELESS TOBACCO USE		
q17b	Frequency	Percent
Never Heard/Used	347E3	90.17
In Your Lifetime	15738	4.09
Since School Began	6769	1.76
In the Past Month	15313	3.98

Frequency Missing = 15361.802457

RECENT BEER USE		
q17c	Frequency	Percent
Never Heard/Used	192E3	50.04
In Your Lifetime	68612	17.93
Since School Began	37455	9.79
In the Past Month	85141	22.24

Frequency Missing = 17373.713649

RECENT WINE COOLER USE		
q17d	Frequency	Percent
Never Heard/Used	208E3	54.38
In Your Lifetime	70336	18.36
Since School Began	38651	10.09
In the Past Month	65754	17.17

Frequency Missing = 17110.413182

RECENT WINE USE		
q17e	Frequency	Percent
Never Heard/Used	212E3	55.13
In Your Lifetime	78118	20.31
Since School Began	39667	10.31
In the Past Month	54790	14.25

Frequency Missing = 15504.572177

RECENT LIQUOR USE		
q17f	Frequency	Percent
Never Heard/Used	205E3	52.90
In Your Lifetime	55406	14.27
Since School Began	38876	10.01
In the Past Month	88589	22.82

Frequency Missing = 11895.480354

RECENT MARIJUANA USE		
q18a	Frequency	Percent
Never Heard/Used	275E3	71.13
In Your Lifetime	42506	10.98
Since School Began	22360	5.78
In the Past Month	46897	12.11

Frequency Missing = 12968.795077

RECENT COCAINE USE		
q18b	Frequency	Percent
Never Heard/Used	356E3	92.75
In Your Lifetime	11478	2.99
Since School Began	6441	1.68
In the Past Month	9929	2.58

Frequency Missing = 15946.163394

RECENT CRACK USE		
q18c	Frequency	Percent
Never Heard/Used	373E3	97.99
In Your Lifetime	3768	0.99
Since School Began	1597	0.42
In the Past Month	2276	0.60

Frequency Missing = 19489.193357

RECENT HALLUCINOGEN USE		
q18e	Frequency	Percent
Never Heard/Used	361E3	95.04
In Your Lifetime	9121	2.40
Since School Began	3731	0.98
In the Past Month	5999	1.58

Frequency Missing = 20257.796921

RECENT UPPER USE		
q18f	Frequency	Percent
Never Heard/Used	353E3	92.95
In Your Lifetime	9506	2.51
Since School Began	5810	1.53
In the Past Month	11426	3.01

Frequency Missing = 20798.131881

RECENT DOWNER USE		
q18g	Frequency	Percent
Never Heard/Used	349E3	92.15
In Your Lifetime	10578	2.79
Since School Began	6548	1.73
In the Past Month	12629	3.33

Frequency Missing = 21271.866525

RECENT ROHYPNOL USE		
q18h	Frequency	Percent
Never Heard/Used	371E3	97.93
In Your Lifetime	3123	0.82
Since School Began	1661	0.44
In the Past Month	3059	0.81

Frequency Missing = 21190.114654

RECENT STEROID USE		
q18i	Frequency	Percent
Never Heard/Used	372E3	98.42
In Your Lifetime	2890	0.77
Since School Began	1008	0.27
In the Past Month	2084	0.55

Frequency Missing = 22327.309735

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region6
Spring 2006

RECENT ECSTASY USE
q18j Frequency Percent

Never Heard/Used	354E3	92.86
In Your Lifetime	10361	2.72
Since School Began	6236	1.63
In the Past Month	10632	2.79

Frequency Missing = 18563.866031

RECENT HEROIN USE
q18k Frequency Percent

Never Heard/Used	379E3	98.72
In Your Lifetime	2285	0.60
Since School Began	1010	0.26
In the Past Month	1613	0.42

Frequency Missing = 16475.188274

TOBACCO USE IN PAST MONTH
q19a Frequency Percent

Never Heard/Used	336E3	87.61
1-2 times	16500	4.31
3-10 times	11551	3.01
11+ times	19431	5.07

Frequency Missing = 16976.918684

ALCOHOL USE IN PAST MONTH
q19b Frequency Percent

Never Heard/Used	276E3	72.34
1-2 times	52598	13.79
3-10 times	37810	9.91
11+ times	15099	3.96

Frequency Missing = 18631.761582

INHALANT USE IN PAST MONTH
q19c Frequency Percent

Never Heard/Used	367E3	96.55
1-2 times	9891	2.60
3-10 times	2113	0.56
11+ times	1113	0.29

Frequency Missing = 19777.715491

MARIJUANA USE IN PAST MONTH
q19d Frequency Percent

Never Heard/Used	335E3	88.42
1-2 times	17217	4.54
3-10 times	11146	2.94
11+ times	15579	4.11

Frequency Missing = 20723.617041

COCAINE USE IN PAST MONTH
q19e Frequency Percent

Never Heard/Used	371E3	97.53
1-2 times	5412	1.42
3-10 times	2285	0.60
11+ times	1704	0.45

Frequency Missing = 19378.06941

CRACK USE IN PAST MONTH
q19f Frequency Percent

Never Heard/Used	38E4	99.39
1-2 times	1471	0.39
3-10 times	493	0.13
11+ times	366	0.10

Frequency Missing = 18092.016677

CLOSE FRIENDS USE
CIGARETTES

q20a Frequency Percent

Never heard/None	157E3	41.65
A few	118E3	31.50
Some	56829	15.12
Most	31780	8.45
All	12320	3.28

Frequency Missing = 24236.686194

CLOSE FRIENDS USE SMOKELESS
TOBACCO

q20b Frequency Percent

Never heard/None	26E4	69.79
A few	63331	16.99
Some	29239	7.84
Most	10282	2.76
All	9782	2.62

Frequency Missing = 27302.414752

CLOSE FRIENDS USE BEER
q20c Frequency Percent

Never heard/None	124E3	33.37
A few	84594	22.75
Some	66673	17.93
Most	66770	17.96
All	29673	7.98

Frequency Missing = 28349.632847

CLOSE FRIENDS USE WINE
COOLERS

q20d Frequency Percent

Never heard/None	171E3	45.86
A few	80543	21.58
Some	58358	15.64
Most	40268	10.79
All	22899	6.14

Frequency Missing = 26892.33365

CLOSE FRIENDS USE WINE
q20e Frequency Percent

Never heard/None	199E3	53.16
A few	85014	22.73
Some	46420	12.41
Most	26445	7.07
All	17332	4.63

Frequency Missing = 26093.266418

CLOSE FRIENDS USE LIQUOR
q20f Frequency Percent

Never heard/None	151E3	40.47
A few	72646	19.41
Some	58132	15.54
Most	61306	16.38
All	30673	8.20

Frequency Missing = 25936.577299

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region6
Spring 2006

CLOSE FRIENDS USE INHALANTS		
q20g	Frequency	Percent
Never heard/None	32E4	84.84
A few	35136	9.31
Some	10619	2.81
Most	3492	0.93
All	7964	2.11

Frequency Missing = 22635.825863

CLOSE FRIENDS USE MARIJUANA		
q20h	Frequency	Percent
Never heard/None	183E3	47.96
A few	76223	20.00
Some	52868	13.87
Most	44967	11.80
All	24267	6.37

Frequency Missing = 19022.221391

DIFFICULT TO GET CIGARETTES		
q21a	Frequency	Percent
Never heard of	48003	13.23
Impossible	52040	14.34
Very difficult	20489	5.65
Somewhat diff	31393	8.65
Somewhat easy	65121	17.95
Very easy	146E3	40.18

Frequency Missing = 37292.229318

DIFFICULT TO GET SMOKELESS TOBACCO		
q21b	Frequency	Percent
Never heard of	87438	24.18
Impossible	69547	19.23
Very difficult	28325	7.83
Somewhat diff	35594	9.84
Somewhat easy	46521	12.86
Very easy	94247	26.06

Frequency Missing = 38447.898046

DIFFICULT TO GET BEER		
q21c	Frequency	Percent
Never heard of	42981	12.09
Impossible	41308	11.62
Very difficult	19188	5.40
Somewhat diff	37698	10.60
Somewhat easy	74839	21.04
Very easy	14E4	39.26

Frequency Missing = 44483.892766

DIFFICULT TO GET WINE COOLERS		
q21d	Frequency	Percent
Never heard of	59738	16.67
Impossible	44799	12.50
Very difficult	21663	6.04
Somewhat diff	40477	11.29
Somewhat easy	70532	19.68
Very easy	121E3	33.82

Frequency Missing = 41670.130321

DIFFICULT TO GET WINE		
q21e	Frequency	Percent
Never heard of	50446	14.08
Impossible	48451	13.52
Very difficult	24639	6.87
Somewhat diff	42335	11.81
Somewhat easy	69980	19.53
Very easy	123E3	34.19

Frequency Missing = 41713.784786

DIFFICULT TO GET LIQUOR		
q21f	Frequency	Percent
Never heard of	49435	13.76
Impossible	53847	14.98
Very difficult	25149	7.00
Somewhat diff	37979	10.57
Somewhat easy	65603	18.25
Very easy	127E3	35.44

Frequency Missing = 40733.491041

DIFFICULT TO GET INHALANTS		
q21g	Frequency	Percent
Never heard of	85249	23.99
Impossible	57083	16.07
Very difficult	16585	4.67
Somewhat diff	21573	6.07
Somewhat easy	34687	9.76
Very easy	14E4	39.44

Frequency Missing = 44802.164356

DIFFICULT TO GET MARIJUANA		
q21h	Frequency	Percent
Never heard of	53008	14.76
Impossible	79941	22.26
Very difficult	29876	8.32
Somewhat diff	37565	10.46
Somewhat easy	52254	14.55
Very easy	107E3	29.66

Frequency Missing = 40946.546722

DIFFICULT TO GET COCAINE		
q21i	Frequency	Percent
Never heard of	72670	20.07
Impossible	108E3	29.81
Very difficult	49918	13.79
Somewhat diff	47843	13.21
Somewhat easy	34157	9.43
Very easy	49514	13.68

Frequency Missing = 38076.933583

DIFFICULT TO GET CRACK		
q21j	Frequency	Percent
Never heard of	79326	21.78
Impossible	113E3	31.00
Very difficult	55896	15.35
Somewhat diff	47115	12.94
Somewhat easy	28774	7.90
Very easy	40210	11.04

Frequency Missing = 35909.149189

region6
Spring 2006

DIFFICULT TO GET HALLUCINOGENS		
q21l	Frequency	Percent
Never heard of	135E3	37.06
Impossible	86158	23.64
Very difficult	43965	12.07
Somewhat diff	38090	10.45
Somewhat easy	25341	6.95
Very easy	35803	9.83

Frequency Missing = 35719.745223

DIFFICULT TO GET UPPERS		
q21m	Frequency	Percent
Never heard of	163E3	44.76
Impossible	67584	18.61
Very difficult	29569	8.14
Somewhat diff	29262	8.06
Somewhat easy	28187	7.76
Very easy	45944	12.65

Frequency Missing = 37047.045272

DIFFICULT TO GET DOWNERS		
q21n	Frequency	Percent
Never heard of	163E3	44.49
Impossible	67731	18.50
Very difficult	29864	8.16
Somewhat diff	28746	7.85
Somewhat easy	28765	7.86
Very easy	48081	13.13

Frequency Missing = 34057.335437

DIFFICULT TO GET ROHYPNOL		
q21o	Frequency	Percent
Never heard of	188E3	51.62
Impossible	69271	18.99
Very difficult	31697	8.69
Somewhat diff	27137	7.44
Somewhat easy	16832	4.61
Very easy	31563	8.65

Frequency Missing = 35309.940435

DIFFICULT TO GET STEROIDS		
q21p	Frequency	Percent
Never heard of	94402	25.76
Impossible	114E3	31.03
Very difficult	49519	13.51
Somewhat diff	41231	11.25
Somewhat easy	27768	7.58
Very easy	39884	10.88

Frequency Missing = 33596.750687

DIFFICULT TO GET ECSTASY		
q21q	Frequency	Percent
Never heard of	104E3	28.36
Impossible	95187	25.98
Very difficult	42303	11.55
Somewhat diff	36514	9.97
Somewhat easy	34554	9.43
Very easy	53862	14.70

Frequency Missing = 33792.043104

DIFFICULT TO GET HEROIN		
q21r	Frequency	Percent
Never heard of	106E3	28.12
Impossible	124E3	32.83
Very difficult	55943	14.82
Somewhat diff	36382	9.64
Somewhat easy	19593	5.19
Very easy	35517	9.41

Frequency Missing = 22547.436352

AGE WHEN FIRST USED CIGARETTES		
q22a	Frequency	Percent
9 or younger	20942	15.31
10 years old	10968	8.02
11 years old	11498	8.41
12 years old	17772	12.99
13 years old	21080	15.41
14 years old	18846	13.78
15 years old	16755	12.25
16 years old	11511	8.42
17 years old	5642	4.13
18 or older	1751	1.28

Frequency Missing = 263357.11503

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b	Frequency	Percent
9 or younger	4068	10.71
10 years old	1936	5.10
11 years old	2347	6.18
12 years old	3371	8.88
13 years old	5021	13.22
14 years old	6591	17.36
15 years old	6394	16.84
16 years old	4814	12.68
17 years old	2587	6.81
18 or older	837	2.20

Frequency Missing = 362153.55875

AGE WHEN FIRST USED BEER		
q22c	Frequency	Percent
9 or younger	43917	21.35
10 years old	16359	7.95
11 years old	16532	8.04
12 years old	22511	10.94
13 years old	29431	14.31
14 years old	27699	13.46
15 years old	25644	12.47
16 years old	15611	7.59
17 years old	6108	2.97
18 or older	1914	0.93

Frequency Missing = 194393.70999

AGE WHEN FIRST USED WINE COOLERS		
q22d	Frequency	Percent
9 or younger	23396	12.94
10 years old	13970	7.73
11 years old	16577	9.17
12 years old	24555	13.58
13 years old	29998	16.59
14 years old	26903	14.88
15 years old	24321	13.45
16 years old	14258	7.89
17 years old	5144	2.84
18 or older	1688	0.93

Frequency Missing = 219310.79588

region6
Spring 2006

AGE WHEN FIRST USED WINE		
q22e	Frequency	Percent
9 or younger	25855	14.18
10 years old	14269	7.83
11 years old	16479	9.04
12 years old	24630	13.51
13 years old	28178	15.46
14 years old	26313	14.43
15 years old	24652	13.52
16 years old	14216	7.80
17 years old	5726	3.14
18 or older	2005	1.10

Frequency Missing = 217798.25356

AGE WHEN FIRST USED MARIJUANA		
q22h	Frequency	Percent
9 or younger	5099	4.76
10 years old	4464	4.17
11 years old	6905	6.45
12 years old	13113	12.25
13 years old	20313	18.97
14 years old	20791	19.42
15 years old	18459	17.24
16 years old	12199	11.39
17 years old	4453	4.16
18 or older	1274	1.19

Frequency Missing = 293050.30052

AGE WHEN FIRST USED HALLUCINOGENS		
q22i	Frequency	Percent
9 or younger	340	1.97
10 years old	427	2.48
11 years old	634	3.67
12 years old	921	5.34
13 years old	2127	12.33
14 years old	2985	17.31
15 years old	4006	23.23
16 years old	3480	20.18
17 years old	1783	10.34
18 or older	541	3.14

Frequency Missing = 382877.29243

AGE WHEN FIRST USED LIQUOR		
q22f	Frequency	Percent
9 or younger	15955	8.96
10 years old	8658	4.86
11 years old	10995	6.17
12 years old	20697	11.62
13 years old	27906	15.67
14 years old	32269	18.12
15 years old	30982	17.40
16 years old	19897	11.17
17 years old	8321	4.67
18 or older	2417	1.36

Frequency Missing = 222022.44797

AGE WHEN FIRST USED COCAINE		
q22i	Frequency	Percent
9 or younger	557	2.06
10 years old	478	1.76
11 years old	781	2.88
12 years old	1738	6.42
13 years old	3326	12.28
14 years old	4682	17.29
15 years old	6493	23.97
16 years old	5700	21.04
17 years old	2677	9.88
18 or older	654	2.41

Frequency Missing = 373034.22272

AGE WHEN FIRST USED UPPERS		
q22m	Frequency	Percent
9 or younger	574	2.09
10 years old	408	1.48
11 years old	837	3.05
12 years old	2088	7.60
13 years old	4343	15.81
14 years old	6243	22.73
15 years old	6232	22.69
16 years old	4818	17.54
17 years old	1553	5.65
18 or older	374	1.36

Frequency Missing = 372651.73086

AGE WHEN FIRST USED INHALANTS		
q22g	Frequency	Percent
9 or younger	5627	19.02
10 years old	2761	9.33
11 years old	3220	10.88
12 years old	5157	17.43
13 years old	5497	18.58
14 years old	3791	12.82
15 years old	2211	7.47
16 years old	865	2.92
17 years old	313	1.06
18 or older	141	0.48

Frequency Missing = 370537.5113

AGE WHEN FIRST USED CRACK		
q22j	Frequency	Percent
9 or younger	421	6.12
10 years old	348	5.07
11 years old	622	9.06
12 years old	674	9.81
13 years old	1126	16.40
14 years old	1224	17.82
15 years old	1256	18.28
16 years old	638	9.29
17 years old	396	5.76
18 or older	164	2.38

Frequency Missing = 393253.80809

AGE WHEN FIRST USED DOWNERS		
q22n	Frequency	Percent
9 or younger	615	2.06
10 years old	531	1.78
11 years old	929	3.11
12 years old	1989	6.66
13 years old	4529	15.16
14 years old	6866	22.98
15 years old	7498	25.10
16 years old	4905	16.42
17 years old	1606	5.38
18 or older	402	1.35

Frequency Missing = 370248.78982

region6
Spring 2006

AGE WHEN FIRST USED ROHYPNOL		
q22o	Frequency	Percent
9 or younger	313	4.58
10 years old	205	2.99
11 years old	312	4.56
12 years old	977	14.30
13 years old	1193	17.45
14 years old	1300	19.02
15 years old	1328	19.42
16 years old	576	8.43
17 years old	463	6.78
18 or older	169	2.47

Frequency Missing = 393284.35851

AGE WHEN FIRST USED STERIODS		
q22p	Frequency	Percent
9 or younger	652	12.03
10 years old	409	7.54
11 years old	329	6.06
12 years old	344	6.34
13 years old	613	11.30
14 years old	771	14.21
15 years old	670	12.36
16 years old	831	15.33
17 years old	509	9.39
18 or older	296	5.45

Frequency Missing = 394697.85252

AGE WHEN FIRST USED ECSTASY		
q22q	Frequency	Percent
9 or younger	285	1.07
10 years old	327	1.23
11 years old	867	3.25
12 years old	1514	5.68
13 years old	3050	11.43
14 years old	4521	16.95
15 years old	6065	22.74
16 years old	5747	21.55
17 years old	3350	12.56
18 or older	947	3.55

Frequency Missing = 373446.93336

AGE WHEN FIRST USED HEROIN		
q22r	Frequency	Percent
9 or younger	431	9.64
10 years old	215	4.82
11 years old	232	5.20
12 years old	464	10.38
13 years old	681	15.26
14 years old	809	18.11
15 years old	771	17.27
16 years old	433	9.70
17 years old	188	4.22
18 or older	241	5.40

Frequency Missing = 395654.25813

HOW OFTEN NORMALLY USE CIGARETTES		
q23a	Frequency	Percent
Every day	14169	3.86
Several times/wk	10556	2.87
Several times/mo	14342	3.90
About once/month	22178	6.04
About once/year	17469	4.75
< once/year	35434	9.64
Never used	253E3	68.93

Frequency Missing = 32680.462369

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	3721	1.03
Several times/wk	2875	0.79
Several times/mo	3513	0.97
About once/month	5747	1.59
About once/year	6219	1.72
< once/year	11376	3.14
Never used	329E3	90.77

Frequency Missing = 37603.439433

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	1652	0.46
Several times/wk	13230	3.65
Several times/mo	40702	11.24
About once/month	48827	13.48
About once/year	38395	10.60
< once/year	36626	10.11
Never used	183E3	50.46

Frequency Missing = 37913.269023

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	876	0.24
Several times/wk	7188	1.99
Several times/mo	27766	7.67
About once/month	44143	12.20
About once/year	46756	12.92
< once/year	35235	9.74
Never used	2E5	55.24

Frequency Missing = 38264.312695

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	690	0.19
Several times/wk	6251	1.73
Several times/mo	22401	6.20
About once/month	37775	10.46
About once/year	53736	14.87
< once/year	41647	11.53
Never used	199E3	55.02

Frequency Missing = 38814.773693

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	1099	0.30
Several times/wk	11258	3.10
Several times/mo	40701	11.21
About once/month	49005	13.50
About once/year	37333	10.28
< once/year	27270	7.51
Never used	196E3	54.10

region6
Spring 2006

Frequency Missing = 37036.028381

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	639	0.18
Several times/wk	1368	0.38
Several times/mo	2257	0.63
About once/month	4029	1.13
About once/year	4396	1.24
< once/year	10227	2.88
Never used	333E3	93.56

Frequency Missing = 44447.071192

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	10993	3.09
Several times/wk	10399	2.92
Several times/mo	14699	4.13
About once/month	17774	4.99
About once/year	16919	4.75
< once/year	21936	6.16
Never used	263E3	73.95

Frequency Missing = 44142.664132

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	499	0.14
Several times/wk	1839	0.52
Several times/mo	3120	0.89
About once/month	5109	1.45
About once/year	5232	1.49
< once/year	7348	2.09
Never used	328E3	93.41

Frequency Missing = 48960.201592

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	738	0.21
Several times/wk	2353	0.66
Several times/mo	5038	1.42
About once/month	7068	2.00
About once/year	5753	1.62
< once/year	5928	1.67
Never used	327E3	92.41

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	204	0.06
Several times/wk	424	0.12
Several times/mo	758	0.21
About once/month	1478	0.42
About once/year	1402	0.40
< once/year	2192	0.62
Never used	347E3	98.18

Frequency Missing = 46181.611151

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	115	0.03
Several times/wk	372	0.11
Several times/mo	1372	0.39
About once/month	3379	0.95
About once/year	4565	1.29
< once/year	5610	1.58
Never used	339E3	95.65

Frequency Missing = 45968.146

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	769	0.22
Several times/wk	1978	0.56
Several times/mo	4266	1.21
About once/month	6757	1.92
About once/year	5461	1.55
< once/year	5688	1.62
Never used	326E3	92.91

Frequency Missing = 48835.414782

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	738	0.21
Several times/wk	2353	0.66
Several times/mo	5038	1.42
About once/month	7068	2.00
About once/year	5753	1.62
< once/year	5928	1.67
Never used	327E3	92.41

Frequency Missing = 45875.876517

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	132	0.04
Several times/wk	437	0.13
Several times/mo	923	0.27
About once/month	1288	0.37
About once/year	1367	0.39
< once/year	1850	0.53
Never used	341E3	98.27

Frequency Missing = 53453.731702

HOW OFTEN NORMALLY USE STERIODS		
q23p	Frequency	Percent
Every day	261	0.08
Several times/wk	402	0.12
Several times/mo	495	0.14
About once/month	527	0.15
About once/year	961	0.28
< once/year	1777	0.51
Never used	343E3	98.72

Frequency Missing = 53188.277499

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	351	0.10
Several times/wk	681	0.20
Several times/mo	2840	0.82
About once/month	6759	1.94
About once/year	6588	1.89
< once/year	6586	1.89
Never used	324E3	93.16

Frequency Missing = 52109.096385

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

region6
Spring 2006

HOW OFTEN NORMALLY USE HEROIN		
q23r	Frequency	Percent
Every day	171	0.05
Several times/wk	162	0.05
Several times/mo	437	0.12
About once/month	648	0.18
About once/year	934	0.26
< once/year	1558	0.44
Never used	35E4	98.90

Frequency Missing = 46255.927759

HOW MANY CIGARETTES IN PAST 30 DAYS		
q24	Frequency	Percent
None	323E3	84.94
Less than 1	31445	8.26
> 1 and < 10	17584	4.62
> 10 and < 1pk	5059	1.33
> 1pk and < 2pks	2223	0.58
More than 2pks	1000	0.26

Frequency Missing = 19617.98879

AMOUNT OF BEER AT ONE TIME		
q25a	Frequency	Percent
Never drink this	186E3	49.76
12+ drinks	13645	3.65
9-11 drinks	10176	2.72
5-8 drinks	23886	6.38
3-4 drinks	29144	7.79
2 drinks	27010	7.22
1 drink	32308	8.63
< 1 drink	51865	13.86

Frequency Missing = 25888.160881

AMOUNT OF WINE COOLERS AT ONE TIME		
q25b	Frequency	Percent
Never drink this	2E5	53.77
12+ drinks	8557	2.30
9-11 drinks	6095	1.64
5-8 drinks	17546	4.72
3-4 drinks	32686	8.79
2 drinks	32954	8.86
1 drink	38266	10.29
< 1 drink	35781	9.62

Frequency Missing = 28333.326559

AMOUNT OF WINE AT ONE TIME		
q25c	Frequency	Percent
Never drink this	203E3	54.86
12+ drinks	4588	1.24
9-11 drinks	2467	0.67
5-8 drinks	7233	1.95
3-4 drinks	17265	4.66
2 drinks	25151	6.78
1 drink	48781	13.15
< 1 drink	61891	16.69

Frequency Missing = 29300.852685

AMOUNT OF LIQUOR AT ONE TIME		
q25d	Frequency	Percent
Never drink this	194E3	52.04
12+ drinks	11130	2.98
9-11 drinks	10011	2.68
5-8 drinks	26963	7.22
3-4 drinks	36866	9.87
2 drinks	27863	7.46
1 drink	30438	8.15
< 1 drink	35801	9.59

Frequency Missing = 26730.072249

ALCOHOL		
q26a	Frequency	Percent
Never 5+ at time	168E3	44.53
None	126E3	33.46
1 day	26666	7.09
2 days	17957	4.77
3 to 5 days	19995	5.31
6 to 9 days	9292	2.47
10 or more days	8916	2.37

Frequency Missing = 23788.264755

GET ALCOHOLIC BEVERAGES FROM HOME		
q27a	Frequency	Percent
Do not Drink	149E3	40.44
Never	94530	25.62
Seldom	86233	23.37
Most of the Time	27774	7.53
Always	11231	3.04

Frequency Missing = 31136.298236

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q27b	Frequency	Percent
Do not Drink	136E3	37.29
Never	72369	19.84
Seldom	59012	16.18
Most of the Time	68494	18.77
Always	28926	7.93

Frequency Missing = 35290.661425

GET ALCOHOLIC BEVERAGES FROM A STORE		
q27c	Frequency	Percent
Do not Drink	142E3	39.20
Never	15E4	41.48
Seldom	36920	10.21
Most of the Time	20843	5.76
Always	12071	3.34

Frequency Missing = 38552.017652

GET ALCOHOLIC BEVERAGES AT PARTIES		
q27d	Frequency	Percent
Do not Drink	131E3	35.97
Never	62579	17.18
Seldom	49707	13.65
Most of the Time	62335	17.11
Always	58596	16.09

Frequency Missing = 35906.378938

**region6
Spring 2006**

GET ALCOHOLIC BEVERAGES FROM OTHER		
q27e	Frequency	Percent
Do not Drink	144E3	39.70
Never	98912	27.33
Seldom	55518	15.34
Most of the Time	32337	8.94
Always	31463	8.69

Frequency Missing = 38243.120643

USE MARIJUANA AS JOINTS		
q28a	Frequency	Percent
Never	291E3	78.83
Seldom	30912	8.38
Half the time	16718	4.53
Most of the time	14744	4.00
Always	11350	3.08
Don't know	4375	1.19

Frequency Missing = 31143.511104

USE MARIJUANA AS BLUNTS		
q28b	Frequency	Percent
Never	288E3	78.66
Seldom	25399	6.93
Half the time	14472	3.95
Most of the time	15763	4.30
Always	18220	4.97
Don't know	4400	1.20

Frequency Missing = 33463.067723

USE MARIJUANA IN BONGS OR WATER PIPES		
q28c	Frequency	Percent
Never	311E3	85.64
Seldom	21299	5.87
Half the time	10583	2.92
Most of the time	9153	2.52
Always	7315	2.02
Don't know	3716	1.02

Frequency Missing = 37435.626054

USE MARIJUANA IN PIPES		
q28d	Frequency	Percent
Never	308E3	84.50
Seldom	19230	5.27
Half the time	10276	2.82
Most of the time	13214	3.62
Always	10088	2.77
Don't know	3722	1.02

Frequency Missing = 35441.792401

USE MARIJUANA OTHER WAYS		
q28e	Frequency	Percent
Never	322E3	88.26
Seldom	20099	5.52
Half the time	4953	1.36
Most of the time	4671	1.28
Always	6112	1.68
Don't know	6935	1.90

Frequency Missing = 35832.824487

TAKE DXM, TRIPLE C'S, ETC. TO GET HIGH		
q29a	Frequency	Percent
Never heard/used	342E3	94.63
At least once/month	6205	1.71
At least once/year	4595	1.27
At least once/life	8625	2.38

Frequency Missing = 38222.569816

TAKE CODEINE COUGH SYRUP TO GET HIGH		
q29b	Frequency	Percent
Never heard/used	329E3	90.14
At least once/month	12776	3.50
At least once/year	8998	2.47
At least once/life	14221	3.90

Frequency Missing = 35141.848603

DANGEROUS FOR KIDS TO USE TOBACCO		
q30a	Frequency	Percent
Very	176E3	49.86
Somewhat	98696	27.91
Not very	46067	13.03
Not at all	13364	3.78
Don't know	19194	5.43

Frequency Missing = 46502.627935

DANGEROUS FOR KIDS TO USE ALCOHOL		
q30b	Frequency	Percent
Very	155E3	44.09
Somewhat	11E4	31.29
Not very	57477	16.31
Not at all	14069	3.99
Don't know	15173	4.31

Frequency Missing = 47813.104808

DANGEROUS FOR KIDS TO USE INHALANTS		
q30c	Frequency	Percent
Very	254E3	73.73
Somewhat	52235	15.17
Not very	12354	3.59
Not at all	4807	1.40
Don't know	21050	6.11

Frequency Missing = 55821.492063

DANGEROUS FOR KIDS TO USE MARIJUANA		
q30d	Frequency	Percent
Very	201E3	57.56
Somewhat	62101	17.77
Not very	42872	12.27
Not at all	28034	8.02
Don't know	15274	4.37

Frequency Missing = 50694.953057

region6
Spring 2006

DANGEROUS FOR KIDS TO USE COCAINE		
q30e	Frequency	Percent
Very	281E3	81.59
Somewhat	34919	10.13
Not very	6962	2.02
Not at all	4017	1.17
Don't know	17583	5.10

Frequency Missing = 55383.618735

DANGEROUS FOR KIDS TO USE CRACK		
q30f	Frequency	Percent
Very	294E3	83.92
Somewhat	28862	8.25
Not very	5326	1.52
Not at all	3587	1.02
Don't know	18500	5.29

Frequency Missing = 50127.948327

DANGEROUS FOR KIDS TO USE ECSTASY		
q30g	Frequency	Percent
Very	278E3	79.13
Somewhat	35196	10.02
Not very	9780	2.79
Not at all	5080	1.45
Don't know	23217	6.61

Frequency Missing = 48992.357589

DANGEROUS FOR KIDS TO USE STEROIDS		
q30h	Frequency	Percent
Very	263E3	73.76
Somewhat	50520	14.16
Not very	14467	4.06
Not at all	5669	1.59
Don't know	22961	6.44

Frequency Missing = 43410.319745

DANGEROUS FOR KIDS TO USE HEROIN		
q30i	Frequency	Percent
Very	308E3	85.32
Somewhat	22349	6.20
Not very	3849	1.07
Not at all	3419	0.95
Don't know	23319	6.47

Frequency Missing = 39448.33362

DAYS SKIPPED SINCE SEPTEMBER		
q31a	Frequency	Percent
None	274E3	74.69
1-3 days	67692	18.45
4-9 days	14454	3.94
10+ days	10717	2.92

Frequency Missing = 33211.19694

DAYS ILL SINCE SEPTEMBER		
q31b	Frequency	Percent
None	109E3	29.90
1-3 days	187E3	51.11
4-9 days	56313	15.39
10+ days	13178	3.60

Frequency Missing = 34124.986852

OTHER DAYS MISSED SINCE SEPTEMBER		
q31c	Frequency	Percent
None	15E4	41.28
1-3 days	179E3	49.40
4-9 days	25236	6.96
10+ days	8564	2.36

Frequency Missing = 37463.980327

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q31d	Frequency	Percent
None	291E3	79.47
1-3 days	53578	14.63
4-9 days	12178	3.33
10+ days	9408	2.57

Frequency Missing = 34023.31777

SOMEONE CALLED HOME SINCE SEPTEMBER		
q31e	Frequency	Percent
None	303E3	83.54
1-3 days	45173	12.46
4-9 days	8381	2.31
10+ days	6118	1.69

Frequency Missing = 37539.812809

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q31f	Frequency	Percent
None	357E3	98.52
1-3 days	3344	0.92
4-9 days	873	0.24
10+ days	1158	0.32

Frequency Missing = 37636.378804

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q31g	Frequency	Percent
None	357E3	98.08
1-3 days	4855	1.34
4-9 days	846	0.23
10+ days	1291	0.36

Frequency Missing = 36467.634159

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q32a	Frequency	Percent
None	331E3	91.74
1-3 times	25464	7.05
4-9 times	2889	0.80
10+ times	1465	0.41

Frequency Missing = 38937.012636

**region6
Spring 2006**

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q32b	Frequency	Percent
None	327E3	91.23
1-3 times	23067	6.43
4-9 times	4707	1.31
10+ times	3681	1.03

Frequency Missing = 41391.903479

CRITICIZED BY DATE BECAUSE OF DRINKING		
q32c	Frequency	Percent
None	332E3	93.12
1-3 times	19944	5.59
4-9 times	2819	0.79
10+ times	1807	0.51

Frequency Missing = 43119.611278

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q32d	Frequency	Percent
None	344E3	96.64
1-3 times	9899	2.78
4-9 times	1160	0.33
10+ times	915	0.26

Frequency Missing = 43809.670738

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q32e	Frequency	Percent
None	328E3	93.10
1-3 times	19661	5.58
4-9 times	2876	0.82
10+ times	1770	0.50

Frequency Missing = 48078.339108

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q32f	Frequency	Percent
None	326E3	92.69
1-3 times	15236	4.33
4-9 times	4223	1.20
10+ times	6244	1.77

Frequency Missing = 48315.546618

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q32g	Frequency	Percent
None	33E4	93.71
1-3 times	16778	4.76
4-9 times	3256	0.92
10+ times	2139	0.61

Frequency Missing = 47461.420222

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q32h	Frequency	Percent
None	346E3	97.03
1-3 times	8515	2.39
4-9 times	931	0.26
10+ times	1153	0.32

Frequency Missing = 43538.614772

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q33a	Frequency	Percent
None	328E3	91.06
1-3 days	24070	6.68
4-9 days	4427	1.23
10+ days	3725	1.03

Frequency Missing = 39551.623378

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q33b	Frequency	Percent
None	322E3	89.44
1-3 days	20734	5.76
4-9 days	6784	1.88
10+ days	10517	2.92

Frequency Missing = 39970.490993

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q33c	Frequency	Percent
None	352E3	97.97
1-3 days	4730	1.32
4-9 days	1196	0.33
10+ days	1393	0.39

Frequency Missing = 40455.895135

CLASS DAYS HIGH ON OTHER DRUG(S)		
q33d	Frequency	Percent
None	335E3	92.47
1-3 days	16496	4.56
4-9 days	5522	1.53
10+ days	5244	1.45

Frequency Missing = 38297.444697

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q34a	Frequency	Percent
Never	14E4	38.18
Seldom	39624	10.84
Half the time	28622	7.83
Most of the time	48090	13.16
Always	64709	17.70
Don't know	7757	2.12
Didn't attend	37183	10.17

Frequency Missing = 34573.541803

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q34b	Frequency	Percent
Never	181E3	49.62
Seldom	41738	11.41
Half the time	30784	8.42
Most of the time	31003	8.48
Always	32195	8.80
Don't know	11015	3.01
Didn't attend	37479	10.25

Frequency Missing = 34440.853461

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q35	Frequency	Percent
No	305E3	92.38
Yes	25148	7.62

Frequency Missing = 69945.155925

region6
Spring 2006

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q36a	Frequency	Percent
No	25E4	70.04
Yes	107E3	29.96

Frequency Missing = 43848.855121

WOULD SEEK HELP OUTSIDE OF SCHOOL		
q36b	Frequency	Percent
No	251E3	71.05
Yes	102E3	28.95

Frequency Missing = 47050.907068

WOULD SEEK HELP FROM OTHER COUNSELOR		
q36c	Frequency	Percent
No	221E3	63.40
Yes	128E3	36.60

Frequency Missing = 51579.684918

WOULD SEEK HELP FROM PARENTS		
q36d	Frequency	Percent
No	147E3	41.81
Yes	205E3	58.19

Frequency Missing = 48049.112496

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q36e	Frequency	Percent
No	206E3	59.02
Yes	143E3	40.98

Frequency Missing = 50854.915949

WOULD SEEK HELP FROM FRIENDS		
q36f	Frequency	Percent
No	105E3	29.97
Yes	246E3	70.03

Frequency Missing = 48464.710795

WOULD SEEK HELP FROM ANOTHER ADULT		
q36g	Frequency	Percent
No	148E3	41.85
Yes	205E3	58.15

Frequency Missing = 46735.510175

WOULD NOT SEEK HELP		
q36h	Frequency	Percent
No	294E3	83.99
Yes	56097	16.01

Frequency Missing = 49750.225362

DRUG/ALCOHOL INFO- -SCHOOL HEALTH CLASS		
q37a	Frequency	Percent
No	157E3	51.31
Yes	149E3	48.69

Frequency Missing = 94234.293342

DRUG/ALCOHOL INFO- -SCHOOL ASSEMBLY PROGRAM		
q37b	Frequency	Percent
No	17E4	56.15
Yes	133E3	43.85

Frequency Missing = 97835.308923

DRUG/ALCOHOL INFO- -SCHOOL GUIDANCE COUNSELOR		
q37c	Frequency	Percent
No	242E3	81.39
Yes	55316	18.61

Frequency Missing = 102930.53286

DRUG/ALCOHOL INFO- -SCIENCE CLASS		
q37d	Frequency	Percent
No	212E3	71.07
Yes	86291	28.93

Frequency Missing = 101856.41703

DRUG/ALCOHOL INFO- -SOCIAL STUDIES CLASS		
q37e	Frequency	Percent
No	259E3	87.02
Yes	38650	12.98

Frequency Missing = 102305.50422

DRUG/ALCOHOL INFO- -SCHOOL STUDENT GROUP OR CLUB		
q37f	Frequency	Percent
No	259E3	85.88
Yes	42561	14.12

Frequency Missing = 98609.799712

DRUG/ALCOHOL INFO- -INVITED SCHOOL GUEST		
q37g	Frequency	Percent
No	218E3	71.80
Yes	85528	28.20

Frequency Missing = 96831.34278

DRUG/ALCOHOL INFO- -ANOTHER SCHOOL SOURCE		
q37h	Frequency	Percent
No	212E3	69.64
Yes	92639	30.36

Frequency Missing = 95003.140017

region6
Spring 2006

DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP		
q38a	Frequency	Percent
No	256E3	74.28
Yes	88513	25.72

Frequency Missing = 56013.805766

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Frequency
No	179E3
Yes	165E3

DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS	
q38b	Percent
No	52.06
Yes	47.94

Frequency Missing = 56255.83974

DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO		
q38c	Frequency	Percent
No	153E3	44.43
Yes	191E3	55.57

Frequency Missing = 56144.970563

DRUG/ALCOHOL INFO-- -PARENTS		
q38d	Frequency	Percent
No	173E3	49.94
Yes	174E3	50.06

Frequency Missing = 52730.183428

PARENTS FEEL ABOUT KIDS SMOKING CIGARET		
q39a	Frequency	Percent
Strong disapprove	256E3	72.09
Mild disapprove	35679	10.04
Neither	25034	7.04
Mildly approve	4312	1.21
Strongly approve	3573	1.00
Don't know	30649	8.62

Frequency Missing = 44575.545515

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	209E3	59.01
Mild disapprove	57001	16.09
Neither	39717	11.21
Mildly approve	13753	3.88
Strongly approve	5189	1.46
Don't know	29574	8.35

Frequency Missing = 45815.152708

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	282E3	79.50
Mild disapprove	20141	5.69
Neither	15536	4.39
Mildly approve	3607	1.02
Strongly approve	5314	1.50
Don't know	28028	7.91

Frequency Missing = 45904.431038

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	335E3	94.16
Yes	20794	5.84

Frequency Missing = 44016.712407

PURCHASED LOTTERY TICKET IN PAST YEAR		
q41	Frequency	Percent
No	301E3	84.87
Yes	53551	15.13

Frequency Missing = 46065.570354