

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	15.9%	21.9%	37.5%	62.5%
	<b>Grade 7</b>	4.0%	6.2%	17.1%	82.9%
	<b>Grade 8</b>	6.4%	11.5%	28.3%	71.7%
	<b>Grade 9</b>	17.9%	24.5%	41.2%	58.8%
	<b>Grade 10</b>	20.5%	28.6%	43.1%	56.9%
	<b>Grade 11</b>	28.9%	34.4%	50.9%	49.1%
	<b>Grade 12</b>	23.4%	32.2%	50.6%	49.4%
<b>Cigarettes</b>					
	<b>All</b>	13.3%	19.1%	33.7%	66.3%
	<b>Grade 7</b>	3.6%	5.4%	14.2%	85.8%
	<b>Grade 8</b>	6.1%	10.6%	26.3%	73.7%
	<b>Grade 9</b>	15.0%	20.7%	35.8%	64.2%
	<b>Grade 10</b>	15.4%	22.7%	37.1%	62.9%
	<b>Grade 11</b>	24.1%	30.3%	46.2%	53.8%
	<b>Grade 12</b>	20.1%	31.2%	48.5%	51.5%
<b>Smokeless tobacco</b>					
	<b>All</b>	7.4%	10.1%	16.2%	83.8%
	<b>Grade 7</b>	1.1%	2.1%	6.8%	93.2%
	<b>Grade 8</b>	2.0%	4.5%	9.3%	90.7%
	<b>Grade 9</b>	6.6%	9.9%	19.1%	80.9%
	<b>Grade 10</b>	11.1%	15.5%	20.8%	79.2%
	<b>Grade 11</b>	15.6%	17.6%	23.2%	76.8%
	<b>Grade 12</b>	11.0%	13.4%	21.3%	78.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
<b>All</b>	67.7%	6.1%	3.2%	3.7%	5.9%	4.4%	9.0%
<b>Grade 7</b>	84.8%	0.7%	1.0%	0.8%	2.4%	2.5%	7.7%
<b>Grade 8</b>	76.4%	0.8%	1.6%	3.4%	5.1%	3.5%	9.2%
<b>Grade 9</b>	64.6%	4.0%	4.3%	4.1%	9.2%	5.1%	8.6%
<b>Grade 10</b>	63.3%	8.4%	3.6%	4.6%	6.3%	5.5%	8.4%
<b>Grade 11</b>	55.2%	14.0%	6.5%	5.2%	6.3%	4.1%	8.8%
<b>Grade 12</b>	55.9%	12.6%	2.8%	4.2%	6.3%	6.1%	12.1%
<b>Cigarettes?</b>							
<b>All</b>	70.8%	4.0%	2.6%	3.4%	5.8%	4.4%	8.9%
<b>Grade 7</b>	86.0%	0.6%	0.9%	0.4%	2.4%	2.6%	7.1%
<b>Grade 8</b>	77.9%	0.7%	1.4%	3.0%	4.4%	3.5%	9.0%
<b>Grade 9</b>	67.9%	1.9%	3.5%	3.8%	8.5%	6.5%	7.9%
<b>Grade 10</b>	69.1%	4.7%	3.5%	3.4%	7.0%	4.3%	8.0%
<b>Grade 11</b>	59.7%	9.4%	4.4%	6.4%	6.2%	3.7%	10.3%
<b>Grade 12</b>	58.1%	10.0%	2.5%	4.3%	6.4%	6.1%	12.6%
<b>Smokeless tobacco?</b>							
<b>All</b>	85.4%	3.1%	1.6%	1.7%	2.6%	1.7%	4.1%
<b>Grade 7</b>	95.1%	0.2%	0.5%	0.5%	0.5%	1.3%	2.0%
<b>Grade 8</b>	92.5%	0.3%	0.5%	0.8%	2.2%	1.3%	2.4%
<b>Grade 9</b>	84.0%	2.4%	1.9%	1.8%	3.1%	1.5%	5.2%
<b>Grade 10</b>	80.9%	4.4%	1.6%	3.1%	3.3%	2.9%	3.8%
<b>Grade 11</b>	76.6%	7.6%	3.0%	3.1%	3.2%	1.9%	4.8%
<b>Grade 12</b>	79.5%	5.2%	2.5%	0.7%	3.1%	1.1%	7.9%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>	10.8	11.4	12.4	12.8	13.8	14.9
<b>Smokeless tobacco</b>	10.8	12.1	12.3	13.3	13.6	15.5
<b>Any Tobacco</b>	10.8	11.4	12.1	12.8	13.4	14.8

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Any tobacco product??</b>							
	<b>All</b>	8.7%	15.8%	6.0%	8.6%	17.3%	43.7%
	<b>Grade 7</b>	11.1%	35.6%	9.6%	10.7%	15.8%	17.2%
	<b>Grade 8</b>	10.8%	22.9%	10.9%	13.3%	18.6%	23.6%
	<b>Grade 9</b>	7.0%	14.2%	5.7%	9.2%	22.5%	41.3%
	<b>Grade 10</b>	8.0%	9.6%	4.1%	7.0%	21.6%	49.7%
	<b>Grade 11</b>	5.5%	4.4%	1.9%	5.0%	16.3%	67.0%
	<b>Grade 12</b>	8.9%	2.5%	0.5%	3.0%	4.6%	80.4%
<b>Cigarettes?</b>							
	<b>All</b>	8.9%	17.4%	6.1%	9.3%	19.0%	39.3%
	<b>Grade 7</b>	11.4%	37.9%	9.7%	10.5%	15.9%	14.6%
	<b>Grade 8</b>	10.9%	25.8%	11.2%	14.0%	19.1%	19.0%
	<b>Grade 9</b>	7.8%	15.4%	6.4%	10.9%	23.7%	35.7%
	<b>Grade 10</b>	8.0%	11.2%	3.5%	8.5%	23.3%	45.6%
	<b>Grade 11</b>	5.8%	4.6%	2.2%	5.6%	20.4%	61.4%
	<b>Grade 12</b>	8.9%	3.0%	0.2%	2.9%	8.3%	76.8%
<b>Smokeless Tobacco?</b>							
	<b>All</b>	17.5%	19.7%	7.3%	8.3%	12.6%	34.6%
	<b>Grade 7</b>	22.6%	38.8%	12.6%	9.1%	6.0%	11.0%
	<b>Grade 8</b>	22.9%	31.3%	11.7%	10.4%	9.8%	13.9%
	<b>Grade 9</b>	14.4%	18.8%	6.7%	9.1%	18.9%	32.1%
	<b>Grade 10</b>	14.8%	11.3%	5.7%	8.6%	18.2%	41.4%
	<b>Grade 11</b>	13.7%	6.7%	3.1%	7.4%	15.2%	54.0%
	<b>Grade 12</b>	14.0%	3.6%	1.1%	3.1%	5.8%	72.3%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table T-5: About how many of your close friends...**

	None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>					
<b>All</b>	37.2%	31.1%	16.3%	13.4%	2.0%
<b>Grade 7</b>	71.2%	21.6%	3.9%	2.7%	0.5%
<b>Grade 8</b>	52.5%	29.9%	12.7%	4.3%	0.7%
<b>Grade 9</b>	26.4%	36.9%	21.0%	14.2%	1.6%
<b>Grade 10</b>	28.5%	33.8%	18.2%	16.1%	3.5%
<b>Grade 11</b>	18.2%	27.6%	22.2%	29.3%	2.8%
<b>Grade 12</b>	17.0%	36.4%	22.3%	20.2%	4.0%
<b>Smoke cigarettes?</b>					
<b>All</b>	42.5%	32.6%	14.8%	8.8%	1.3%
<b>Grade 7</b>	73.4%	19.9%	4.0%	2.3%	0.5%
<b>Grade 8</b>	56.2%	30.5%	8.9%	3.6%	0.7%
<b>Grade 9</b>	32.7%	37.9%	19.9%	8.3%	1.2%
<b>Grade 10</b>	39.1%	33.5%	16.4%	9.3%	1.7%
<b>Grade 11</b>	21.4%	34.9%	22.5%	19.6%	1.6%
<b>Grade 12</b>	22.4%	40.8%	20.0%	14.1%	2.7%
<b>Use a smokeless tobacco product?</b>					
<b>All</b>	55.4%	22.7%	12.2%	8.4%	1.3%
<b>Grade 7</b>	85.9%	11.4%	1.5%	1.1%	0.1%
<b>Grade 8</b>	74.1%	16.1%	8.1%	1.4%	0.3%
<b>Grade 9</b>	46.9%	28.4%	14.2%	9.8%	0.7%
<b>Grade 10</b>	42.1%	29.0%	15.4%	10.9%	2.6%
<b>Grade 11</b>	34.9%	27.7%	19.3%	16.0%	2.0%
<b>Grade 12</b>	38.9%	25.4%	17.2%	15.9%	2.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	72.9%	10.3%	8.7%	2.0%	0.8%	5.3%
<b>Grade 7</b>	88.6%	2.3%	2.0%	0.1%	1.1%	5.9%
<b>Grade 8</b>	83.6%	5.7%	4.4%	0.5%	0.3%	5.5%
<b>Grade 9</b>	72.9%	9.6%	7.7%	3.6%	0.4%	5.8%
<b>Grade 10</b>	70.6%	11.0%	7.5%	3.6%	1.5%	5.7%
<b>Grade 11</b>	56.9%	18.3%	16.9%	2.3%	0.5%	5.0%
<b>Grade 12</b>	55.0%	19.4%	19.3%	2.3%	0.7%	3.4%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	45.9%	29.7%	16.3%	3.5%	4.6%
<b>Grade 7</b>	65.2%	23.2%	6.3%	1.3%	3.9%
<b>Grade 8</b>	57.8%	27.2%	9.0%	2.1%	3.8%
<b>Grade 9</b>	46.2%	30.9%	15.6%	3.1%	4.2%
<b>Grade 10</b>	38.4%	29.0%	21.2%	5.0%	6.3%
<b>Grade 11</b>	30.0%	34.5%	23.6%	5.7%	6.2%
<b>Grade 12</b>	29.8%	36.0%	26.8%	4.5%	2.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	27.7%	40.1%	62.8%	37.2%
	<b>Grade 7</b>	11.3%	16.8%	37.6%	62.4%
	<b>Grade 8</b>	23.0%	34.6%	60.1%	39.9%
	<b>Grade 9</b>	27.1%	39.9%	66.4%	33.6%
	<b>Grade 10</b>	32.4%	47.3%	67.5%	32.5%
	<b>Grade 11</b>	38.7%	53.3%	74.0%	26.0%
	<b>Grade 12</b>	38.5%	53.7%	75.2%	24.8%
<b>Beer</b>					
	<b>All</b>	20.8%	31.1%	51.4%	48.6%
	<b>Grade 7</b>	7.3%	10.5%	24.6%	75.4%
	<b>Grade 8</b>	16.5%	27.1%	49.6%	50.4%
	<b>Grade 9</b>	21.3%	31.5%	53.6%	46.4%
	<b>Grade 10</b>	24.2%	37.0%	57.5%	42.5%
	<b>Grade 11</b>	29.3%	43.0%	63.3%	36.7%
	<b>Grade 12</b>	29.6%	41.1%	62.8%	37.2%
<b>Wine coolers</b>					
	<b>All</b>	16.3%	26.7%	46.2%	53.8%
	<b>Grade 7</b>	4.3%	7.7%	22.8%	77.2%
	<b>Grade 8</b>	13.7%	22.6%	41.4%	58.6%
	<b>Grade 9</b>	16.2%	26.5%	51.2%	48.8%
	<b>Grade 10</b>	19.9%	34.7%	52.4%	47.6%
	<b>Grade 11</b>	22.5%	35.5%	56.4%	43.6%
	<b>Grade 12</b>	23.7%	35.7%	56.1%	43.9%
<b>Wine</b>					
	<b>All</b>	9.9%	18.5%	40.8%	59.2%
	<b>Grade 7</b>	4.2%	8.2%	23.4%	76.6%
	<b>Grade 8</b>	9.1%	16.2%	38.6%	61.4%
	<b>Grade 9</b>	9.1%	17.0%	46.7%	53.3%
	<b>Grade 10</b>	11.3%	22.0%	43.0%	57.0%
	<b>Grade 11</b>	14.9%	25.5%	49.6%	50.4%
	<b>Grade 12</b>	11.7%	23.7%	44.9%	55.1%
<b>Liquor</b>					
	<b>All</b>	18.3%	29.3%	45.5%	54.5%
	<b>Grade 7</b>	3.7%	7.6%	16.8%	83.2%
	<b>Grade 8</b>	10.8%	20.1%	37.9%	62.1%
	<b>Grade 9</b>	18.1%	31.5%	49.9%	50.1%
	<b>Grade 10</b>	23.3%	35.4%	53.3%	46.7%
	<b>Grade 11</b>	31.4%	44.6%	60.2%	39.8%
	<b>Grade 12</b>	27.8%	42.7%	60.4%	39.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	43.2%	0.6%	4.5%	13.6%	13.9%	12.6%	11.6%
	<b>Grade 7</b>	69.0%	0.4%	1.3%	3.2%	5.1%	10.4%	10.6%
	<b>Grade 8</b>	43.9%	0.5%	4.6%	11.1%	12.8%	12.8%	14.2%
	<b>Grade 9</b>	37.5%	1.0%	3.1%	13.8%	15.7%	14.3%	14.6%
	<b>Grade 10</b>	40.0%	0.3%	6.8%	16.4%	16.3%	11.0%	9.1%
	<b>Grade 11</b>	33.3%	1.4%	7.4%	19.0%	15.4%	14.4%	9.0%
	<b>Grade 12</b>	33.4%	0.3%	3.5%	19.9%	19.0%	13.3%	10.6%
<b>Beer?</b>								
	<b>All</b>	51.8%	0.5%	3.7%	11.5%	11.8%	9.9%	10.7%
	<b>Grade 7</b>	78.2%	0.2%	1.0%	2.1%	4.1%	6.4%	8.0%
	<b>Grade 8</b>	51.8%	0.4%	3.9%	9.3%	11.5%	9.9%	13.1%
	<b>Grade 9</b>	49.1%	1.0%	2.6%	10.7%	14.3%	9.3%	13.0%
	<b>Grade 10</b>	46.8%	0.2%	5.9%	15.3%	13.1%	10.4%	8.3%
	<b>Grade 11</b>	39.3%	1.5%	5.3%	16.7%	13.3%	14.2%	9.8%
	<b>Grade 12</b>	44.3%	0.0%	2.8%	16.7%	14.9%	9.8%	11.5%
<b>Wine coolers?</b>								
	<b>All</b>	57.5%	0.0%	2.4%	8.3%	10.5%	10.6%	10.6%
	<b>Grade 7</b>	81.1%	0.1%	0.4%	2.1%	2.8%	7.0%	6.4%
	<b>Grade 8</b>	61.3%	0.1%	2.1%	7.7%	7.7%	11.5%	9.5%
	<b>Grade 9</b>	53.3%	0.0%	2.0%	10.1%	13.1%	9.1%	12.5%
	<b>Grade 10</b>	53.5%	0.0%	3.7%	9.9%	12.4%	11.1%	9.4%
	<b>Grade 11</b>	44.9%	0.0%	5.2%	11.0%	13.4%	13.4%	12.1%
	<b>Grade 12</b>	48.0%	0.1%	0.9%	9.0%	15.0%	11.9%	15.2%
<b>Wine?</b>								
	<b>All</b>	62.8%	0.2%	1.6%	5.1%	6.5%	11.1%	12.7%
	<b>Grade 7</b>	83.7%	0.0%	0.4%	1.2%	1.8%	6.8%	5.9%
	<b>Grade 8</b>	64.3%	0.2%	1.6%	4.8%	7.5%	10.9%	10.6%
	<b>Grade 9</b>	56.7%	0.0%	1.3%	4.2%	7.8%	12.6%	17.4%
	<b>Grade 10</b>	60.5%	0.1%	2.1%	4.8%	6.6%	13.9%	11.9%
	<b>Grade 11</b>	50.0%	0.6%	3.2%	8.7%	7.9%	12.4%	17.2%
	<b>Grade 12</b>	59.8%	0.2%	0.8%	8.0%	7.4%	9.1%	14.7%
<b>Liquor?</b>								
	<b>All</b>	56.5%	0.0%	2.9%	10.1%	11.2%	11.0%	8.3%
	<b>Grade 7</b>	85.6%	0.1%	1.0%	1.2%	2.7%	5.8%	3.6%
	<b>Grade 8</b>	62.4%	0.0%	2.1%	7.2%	7.8%	10.3%	10.2%
	<b>Grade 9</b>	53.0%	0.0%	2.3%	10.2%	13.0%	12.9%	8.6%
	<b>Grade 10</b>	50.9%	0.1%	4.8%	11.2%	14.2%	10.6%	8.2%
	<b>Grade 11</b>	41.9%	0.0%	5.8%	17.2%	15.8%	13.1%	6.3%
	<b>Grade 12</b>	40.2%	0.0%	1.2%	16.6%	15.5%	13.9%	12.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	53.5%	46.5%	13.4%	23.3%	9.7%
	<b>Grade 7</b>	81.5%	18.5%	2.1%	8.7%	7.7%
	<b>Grade 8</b>	59.9%	40.1%	7.3%	20.9%	11.9%
	<b>Grade 9</b>	51.1%	48.9%	16.3%	23.1%	9.5%
	<b>Grade 10</b>	46.5%	53.5%	19.1%	24.8%	9.7%
	<b>Grade 11</b>	37.8%	62.2%	23.7%	31.2%	7.3%
	<b>Grade 12</b>	38.6%	61.4%	14.6%	35.4%	11.4%
<b>Wine Coolers</b>						
	<b>All</b>	60.4%	39.6%	4.8%	18.8%	16.1%
	<b>Grade 7</b>	76.7%	23.3%	0.7%	12.2%	10.4%
	<b>Grade 8</b>	61.1%	38.9%	3.8%	19.0%	16.1%
	<b>Grade 9</b>	56.0%	44.0%	5.3%	20.2%	18.5%
	<b>Grade 10</b>	59.1%	40.9%	6.8%	20.0%	14.1%
	<b>Grade 11</b>	50.8%	49.2%	6.2%	24.2%	18.8%
	<b>Grade 12</b>	57.3%	42.7%	6.0%	17.1%	19.6%
<b>Wine</b>						
	<b>All</b>	54.9%	45.1%	11.5%	24.5%	9.0%
	<b>Grade 7</b>	76.9%	23.1%	3.2%	11.2%	8.8%
	<b>Grade 8</b>	59.1%	40.9%	7.2%	23.8%	9.8%
	<b>Grade 9</b>	51.3%	48.7%	15.1%	25.7%	7.9%
	<b>Grade 10</b>	49.3%	50.7%	18.2%	25.2%	7.3%
	<b>Grade 11</b>	44.2%	55.8%	16.3%	29.5%	10.1%
	<b>Grade 12</b>	45.4%	54.6%	9.4%	34.3%	10.9%
<b>Liquor</b>						
	<b>All</b>	48.1%	51.9%	17.9%	21.6%	12.4%
	<b>Grade 7</b>	70.1%	29.9%	3.9%	14.4%	11.5%
	<b>Grade 8</b>	48.0%	52.0%	13.1%	22.6%	16.3%
	<b>Grade 9</b>	46.2%	53.8%	18.3%	20.4%	15.1%
	<b>Grade 10</b>	44.5%	55.5%	24.5%	23.9%	7.1%
	<b>Grade 11</b>	36.5%	63.5%	26.1%	29.0%	8.3%
	<b>Grade 12</b>	41.1%	58.9%	24.5%	19.3%	15.1%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
<b>Alcohol</b>	<b>All</b>	77.6%	6.4%	4.5%	5.8%	2.8%	2.9%
	<b>Grade 7</b>	93.7%	2.0%	1.3%	1.0%	0.7%	1.4%
	<b>Grade 8</b>	82.8%	5.1%	3.5%	4.3%	2.1%	2.2%
	<b>Grade 9</b>	75.8%	8.8%	5.1%	5.8%	2.0%	2.6%
	<b>Grade 10</b>	74.5%	5.2%	4.9%	6.8%	4.2%	4.4%
	<b>Grade 11</b>	68.0%	6.3%	7.6%	11.0%	2.7%	4.4%
	<b>Grade 12</b>	66.1%	12.6%	5.5%	7.7%	5.5%	2.5%

**Table A-5: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Beer</b>	10.5	11.4	12.2	12.9	13.6	14.4
<b>Wine Coolers</b>	10.7	11.7	12.7	13.2	13.5	14.8
<b>Wine</b>	10.9	11.6	12.4	12.9	13.6	14.6
<b>Liquor</b>	11.2	12.2	13.1	13.7	14.4	15.4
<b>Any Alcohol</b>	10.5	11.2	12.0	12.6	13.3	14.2

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Beer?</b>							
	<b>All</b>	7.7%	13.3%	6.4%	11.4%	21.9%	39.3%
	<b>Grade 7</b>	11.1%	28.6%	9.8%	12.9%	15.2%	22.5%
	<b>Grade 8</b>	8.4%	18.3%	9.9%	12.6%	18.6%	32.2%
	<b>Grade 9</b>	6.9%	13.0%	6.5%	11.1%	22.8%	39.7%
	<b>Grade 10</b>	5.4%	8.4%	3.1%	9.7%	23.6%	49.8%
	<b>Grade 11</b>	5.5%	3.3%	3.4%	10.2%	25.5%	52.2%
	<b>Grade 12</b>	9.2%	4.9%	4.2%	11.9%	28.4%	41.5%
<b>Wine coolers?</b>							
	<b>All</b>	12.9%	15.3%	8.7%	13.2%	19.3%	30.6%
	<b>Grade 7</b>	19.5%	31.4%	15.2%	11.9%	9.8%	12.2%
	<b>Grade 8</b>	16.3%	21.6%	11.7%	13.1%	14.5%	22.8%
	<b>Grade 9</b>	10.3%	14.5%	8.8%	14.3%	20.7%	31.4%
	<b>Grade 10</b>	9.0%	8.9%	5.2%	14.1%	21.4%	41.5%
	<b>Grade 11</b>	7.8%	4.4%	5.9%	12.1%	24.8%	45.0%
	<b>Grade 12</b>	13.5%	7.2%	3.7%	13.5%	28.3%	33.8%
<b>Wine?</b>							
	<b>All</b>	10.2%	17.8%	9.0%	13.9%	18.6%	30.4%
	<b>Grade 7</b>	12.8%	36.0%	16.9%	13.0%	9.8%	11.5%
	<b>Grade 8</b>	10.3%	27.3%	10.1%	14.2%	16.0%	22.0%
	<b>Grade 9</b>	8.9%	15.8%	9.6%	13.5%	19.3%	33.0%
	<b>Grade 10</b>	9.0%	9.7%	5.9%	14.6%	20.3%	40.6%
	<b>Grade 11</b>	9.1%	5.5%	6.4%	11.5%	23.1%	44.4%
	<b>Grade 12</b>	11.9%	8.2%	4.0%	16.6%	25.3%	34.0%
<b>Liquor?</b>							
	<b>All</b>	9.1%	17.6%	10.2%	11.8%	18.9%	32.4%
	<b>Grade 7</b>	14.1%	37.4%	17.1%	8.1%	12.0%	11.3%
	<b>Grade 8</b>	10.3%	27.4%	12.4%	13.4%	14.1%	22.4%
	<b>Grade 9</b>	6.4%	16.4%	12.0%	11.2%	17.8%	36.1%
	<b>Grade 10</b>	7.4%	9.3%	6.2%	11.2%	21.5%	44.3%
	<b>Grade 11</b>	6.4%	4.3%	6.3%	12.8%	22.7%	47.5%
	<b>Grade 12</b>	10.5%	5.0%	5.4%	14.2%	28.8%	36.1%
<b>Any alcohol product?</b>							
	<b>All</b>	7.1%	11.2%	6.3%	10.6%	20.8%	44.0%
	<b>Grade 7</b>	10.3%	24.2%	10.7%	12.7%	16.1%	26.0%
	<b>Grade 8</b>	7.7%	15.0%	9.2%	11.2%	19.4%	37.4%
	<b>Grade 9</b>	5.6%	11.2%	6.5%	10.8%	19.8%	46.2%
	<b>Grade 10</b>	5.5%	6.9%	2.6%	8.8%	20.8%	55.4%
	<b>Grade 11</b>	5.3%	2.4%	3.0%	8.5%	23.3%	57.4%
	<b>Grade 12</b>	8.7%	4.4%	4.2%	11.5%	27.9%	43.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	91.0%	6.3%	1.1%	1.6%
<b>Grade 7</b>	96.3%	3.2%	0.2%	0.2%
<b>Grade 8</b>	93.3%	4.5%	1.1%	1.2%
<b>Grade 9</b>	87.7%	9.3%	1.7%	1.4%
<b>Grade 10</b>	90.0%	6.6%	1.1%	2.4%
<b>Grade 11</b>	88.7%	7.8%	1.7%	1.8%
<b>Grade 12</b>	88.7%	7.1%	1.1%	3.1%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.1%	1.4%	0.3%	0.2%
<b>Grade 7</b>	99.5%	0.5%	0.0%	0.0%
<b>Grade 8</b>	99.1%	0.7%	0.0%	0.2%
<b>Grade 9</b>	98.1%	1.3%	0.5%	0.0%
<b>Grade 10</b>	96.3%	2.7%	0.4%	0.6%
<b>Grade 11</b>	96.7%	2.4%	0.9%	0.1%
<b>Grade 12</b>	98.9%	0.6%	0.3%	0.2%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	5.7
Alcohol Non-use	4.4
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.9
Alcohol Non-use	1.2

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
All	86.5%	10.0%	2.1%	1.4%
Grade 9	94.9%	3.6%	1.1%	0.5%
Grade 10	85.2%	10.7%	2.7%	1.3%
Grade 11	82.7%	12.3%	3.0%	1.9%
Grade 12	81.4%	14.9%	1.3%	2.4%
<b>Gotten into trouble with the police because of drinking?</b>				
All	96.2%	3.0%	0.3%	0.5%
Grade 7	98.5%	1.3%	0.0%	0.2%
Grade 8	96.5%	2.5%	0.1%	0.9%
Grade 9	97.9%	1.9%	0.1%	0.2%
Grade 10	94.1%	4.1%	1.0%	0.8%
Grade 11	93.4%	5.4%	0.6%	0.6%
Grade 12	96.8%	3.0%	0.2%	0.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	25.6%	25.2%	17.8%	22.3%	9.0%
	<b>Grade 7</b>	56.4%	27.0%	9.1%	5.3%	2.2%
	<b>Grade 8</b>	34.1%	25.8%	19.5%	13.5%	7.1%
	<b>Grade 9</b>	17.4%	27.9%	17.9%	27.2%	9.5%
	<b>Grade 10</b>	17.5%	25.5%	21.0%	24.4%	11.7%
	<b>Grade 11</b>	11.5%	18.5%	18.6%	36.9%	14.5%
	<b>Grade 12</b>	11.5%	25.2%	20.0%	33.4%	9.9%
<b>Beer?</b>						
	<b>All</b>	28.1%	25.2%	18.4%	20.7%	7.6%
	<b>Grade 7</b>	60.6%	24.8%	8.8%	4.3%	1.5%
	<b>Grade 8</b>	38.3%	24.3%	19.1%	12.8%	5.4%
	<b>Grade 9</b>	19.7%	29.1%	19.2%	25.2%	6.9%
	<b>Grade 10</b>	19.5%	26.3%	21.1%	22.5%	10.6%
	<b>Grade 11</b>	13.1%	19.9%	20.5%	33.1%	13.5%
	<b>Grade 12</b>	11.3%	25.9%	21.9%	32.4%	8.6%
<b>Wine coolers?</b>						
	<b>All</b>	43.7%	23.6%	15.9%	12.4%	4.3%
	<b>Grade 7</b>	74.0%	18.1%	5.1%	1.9%	0.9%
	<b>Grade 8</b>	55.9%	18.8%	13.0%	7.6%	4.8%
	<b>Grade 9</b>	36.5%	26.5%	16.0%	16.3%	4.7%
	<b>Grade 10</b>	36.3%	24.6%	22.2%	13.0%	3.9%
	<b>Grade 11</b>	27.6%	21.8%	19.8%	22.2%	8.6%
	<b>Grade 12</b>	23.8%	35.6%	20.8%	16.7%	3.1%
<b>Wine?</b>						
	<b>All</b>	55.5%	23.3%	12.3%	6.3%	2.6%
	<b>Grade 7</b>	78.0%	14.8%	5.0%	1.8%	0.4%
	<b>Grade 8</b>	64.7%	18.4%	10.3%	3.7%	2.7%
	<b>Grade 9</b>	49.9%	26.6%	14.2%	6.6%	2.6%
	<b>Grade 10</b>	53.3%	22.8%	14.4%	7.1%	2.3%
	<b>Grade 11</b>	40.2%	26.8%	15.8%	12.1%	5.1%
	<b>Grade 12</b>	38.7%	34.9%	15.4%	8.4%	2.7%
<b>Liquor?</b>						
	<b>All</b>	38.1%	22.4%	16.4%	17.1%	6.0%
	<b>Grade 7</b>	77.5%	13.0%	5.3%	3.0%	1.1%
	<b>Grade 8</b>	51.8%	21.0%	14.4%	9.1%	3.7%
	<b>Grade 9</b>	28.0%	25.8%	17.2%	21.5%	7.6%
	<b>Grade 10</b>	26.9%	23.9%	21.5%	20.5%	7.2%
	<b>Grade 11</b>	18.0%	21.6%	19.1%	29.8%	11.5%
	<b>Grade 12</b>	18.5%	30.7%	21.6%	23.5%	5.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
<b>All</b>	91.1%	7.3%	1.0%	0.6%
<b>Grade 7</b>	97.1%	2.0%	0.7%	0.1%
<b>Grade 8</b>	94.2%	4.5%	0.7%	0.5%
<b>Grade 9</b>	88.2%	9.4%	1.8%	0.5%
<b>Grade 10</b>	87.6%	10.8%	0.6%	1.1%
<b>Grade 11</b>	87.4%	9.5%	1.7%	1.4%
<b>Grade 12</b>	91.2%	8.1%	0.7%	0.0%
<b>Been criticized by someone you were dating because of drinking?</b>				
<b>All</b>	91.3%	7.3%	0.9%	0.6%
<b>Grade 7</b>	98.0%	1.2%	0.4%	0.3%
<b>Grade 8</b>	92.3%	7.0%	0.3%	0.4%
<b>Grade 9</b>	92.0%	7.2%	0.6%	0.2%
<b>Grade 10</b>	86.2%	11.4%	1.2%	1.1%
<b>Grade 11</b>	86.5%	10.3%	1.9%	1.2%
<b>Grade 12</b>	92.8%	5.9%	0.9%	0.5%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	38.3%	8.5%	7.0%	12.7%	17.0%	1.7%	14.8%
<b>Grade 7</b>	70.1%	7.9%	5.7%	2.5%	1.8%	2.0%	9.9%
<b>Grade 8</b>	46.0%	13.1%	5.7%	11.1%	9.2%	2.4%	12.4%
<b>Grade 9</b>	33.6%	9.9%	7.8%	11.8%	17.1%	1.8%	18.1%
<b>Grade 10</b>	30.0%	5.4%	6.8%	16.6%	21.9%	2.1%	17.1%
<b>Grade 11</b>	20.5%	4.6%	9.0%	17.2%	31.2%	0.3%	17.1%
<b>Grade 12</b>	22.5%	7.7%	8.2%	18.9%	27.2%	0.5%	14.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>At home</b>						
	<b>All</b>	46.7%	27.6%	19.4%	4.7%	1.6%
	<b>Grade 7</b>	65.8%	20.7%	11.0%	1.5%	1.0%
	<b>Grade 8</b>	46.3%	27.3%	19.9%	5.4%	1.0%
	<b>Grade 9</b>	41.2%	28.9%	23.4%	5.0%	1.5%
	<b>Grade 10</b>	46.4%	27.9%	19.7%	4.8%	1.3%
	<b>Grade 11</b>	39.8%	29.3%	23.5%	4.9%	2.4%
	<b>Grade 12</b>	38.6%	33.0%	18.6%	6.5%	3.2%
<b>From friends</b>						
	<b>All</b>	42.2%	16.3%	16.7%	16.7%	8.1%
	<b>Grade 7</b>	66.5%	21.0%	7.4%	3.4%	1.6%
	<b>Grade 8</b>	43.7%	23.1%	16.1%	11.7%	5.3%
	<b>Grade 9</b>	36.9%	18.3%	18.7%	18.7%	7.4%
	<b>Grade 10</b>	39.4%	10.9%	19.8%	20.1%	9.8%
	<b>Grade 11</b>	31.1%	10.8%	18.8%	25.6%	13.7%
	<b>Grade 12</b>	32.2%	10.7%	19.4%	24.6%	13.1%
<b>From a store</b>						
	<b>All</b>	44.4%	41.5%	7.5%	4.2%	2.5%
	<b>Grade 7</b>	66.6%	29.7%	2.6%	0.7%	0.4%
	<b>Grade 8</b>	45.9%	43.6%	5.7%	3.3%	1.5%
	<b>Grade 9</b>	38.3%	49.0%	8.3%	3.6%	0.8%
	<b>Grade 10</b>	43.7%	37.6%	10.2%	5.8%	2.8%
	<b>Grade 11</b>	33.6%	41.1%	11.0%	7.5%	6.8%
	<b>Grade 12</b>	34.5%	49.1%	7.6%	5.0%	3.8%
<b>At parties</b>						
	<b>All</b>	41.8%	16.4%	13.2%	13.2%	15.3%
	<b>Grade 7</b>	64.1%	19.8%	7.9%	4.9%	3.2%
	<b>Grade 8</b>	43.0%	18.8%	16.9%	9.9%	11.4%
	<b>Grade 9</b>	36.3%	19.6%	13.1%	14.9%	16.1%
	<b>Grade 10</b>	40.8%	10.2%	14.0%	16.0%	19.0%
	<b>Grade 11</b>	31.9%	12.8%	12.8%	17.9%	24.7%
	<b>Grade 12</b>	31.8%	16.8%	13.0%	17.8%	20.5%
<b>Other source</b>						
	<b>All</b>	44.3%	25.0%	12.6%	8.9%	9.2%
	<b>Grade 7</b>	64.3%	21.9%	7.3%	4.4%	2.1%
	<b>Grade 8</b>	45.3%	25.9%	15.2%	7.0%	6.7%
	<b>Grade 9</b>	38.9%	30.2%	12.4%	10.6%	7.9%
	<b>Grade 10</b>	43.3%	19.3%	13.3%	11.3%	12.8%
	<b>Grade 11</b>	35.3%	22.8%	14.5%	12.2%	15.2%
	<b>Grade 12</b>	36.2%	31.0%	11.9%	8.5%	12.4%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	66.5%	14.1%	10.4%	3.2%	1.2%	4.7%
<b>Grade 7</b>	82.8%	6.2%	3.7%	0.9%	1.2%	5.1%
<b>Grade 8</b>	71.9%	13.4%	7.2%	2.1%	0.9%	4.4%
<b>Grade 9</b>	62.0%	16.6%	10.8%	4.9%	0.6%	5.2%
<b>Grade 10</b>	62.7%	14.1%	12.8%	3.9%	1.9%	4.6%
<b>Grade 11</b>	55.7%	18.8%	14.9%	4.0%	0.5%	6.0%
<b>Grade 12</b>	60.1%	16.7%	14.9%	3.4%	2.0%	2.9%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	45.7%	34.0%	13.7%	3.3%	3.2%
<b>Grade 7</b>	59.2%	25.3%	10.8%	2.3%	2.4%
<b>Grade 8</b>	50.3%	28.5%	14.2%	4.0%	3.1%
<b>Grade 9</b>	42.7%	33.9%	17.5%	3.5%	2.5%
<b>Grade 10</b>	44.3%	31.0%	15.2%	3.8%	5.7%
<b>Grade 11</b>	39.3%	42.6%	12.1%	2.3%	3.7%
<b>Grade 12</b>	34.8%	49.8%	11.1%	3.4%	0.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Marijuana?</b>					
	<b>All</b>	7.5%	11.6%	21.7%	78.3%
	<b>Grade 7</b>	2.5%	3.9%	6.6%	93.4%
	<b>Grade 8</b>	4.6%	6.8%	12.8%	87.2%
	<b>Grade 9</b>	7.2%	12.5%	22.7%	77.3%
	<b>Grade 10</b>	9.2%	16.0%	29.6%	70.4%
	<b>Grade 11</b>	14.0%	18.8%	33.5%	66.5%
	<b>Grade 12</b>	9.3%	13.8%	29.2%	70.8%
<b>Cocaine?</b>					
	<b>All</b>	1.2%	2.2%	4.6%	95.4%
	<b>Grade 7</b>	0.1%	0.2%	0.8%	99.2%
	<b>Grade 8</b>	1.0%	1.5%	2.4%	97.6%
	<b>Grade 9</b>	0.3%	1.0%	2.8%	97.2%
	<b>Grade 10</b>	2.1%	4.3%	7.7%	92.3%
	<b>Grade 11</b>	2.9%	4.1%	8.3%	91.7%
	<b>Grade 12</b>	1.2%	2.7%	6.8%	93.2%
<b>Crack?</b>					
	<b>All</b>	0.3%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.1%	0.1%	1.0%	99.0%
	<b>Grade 8</b>	0.7%	1.3%	1.8%	98.2%
	<b>Grade 9</b>	0.0%	0.0%	0.6%	99.4%
	<b>Grade 10</b>	0.8%	1.2%	2.9%	97.1%
	<b>Grade 11</b>	0.1%	0.7%	1.1%	98.9%
	<b>Grade 12</b>	0.0%	0.1%	0.5%	99.5%
<b>Hallucinogens?</b>					
	<b>All</b>	1.2%	2.1%	3.9%	96.1%
	<b>Grade 7</b>	0.1%	0.3%	0.8%	99.2%
	<b>Grade 8</b>	1.4%	1.6%	3.0%	97.0%
	<b>Grade 9</b>	0.6%	1.5%	3.4%	96.6%
	<b>Grade 10</b>	2.0%	3.4%	6.5%	93.5%
	<b>Grade 11</b>	2.3%	3.9%	6.1%	93.9%
	<b>Grade 12</b>	0.8%	2.4%	3.6%	96.4%
<b>Uppers?</b>					
	<b>All</b>	1.7%	2.9%	4.4%	95.6%
	<b>Grade 7</b>	0.2%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	1.1%	1.2%	2.4%	97.6%
	<b>Grade 9</b>	1.7%	3.1%	4.9%	95.1%
	<b>Grade 10</b>	1.2%	3.9%	4.9%	95.1%
	<b>Grade 11</b>	5.3%	5.8%	9.5%	90.5%
	<b>Grade 12</b>	1.2%	4.1%	5.5%	94.5%
<b>Downers?</b>					
	<b>All</b>	1.8%	3.4%	5.0%	95.0%
	<b>Grade 7</b>	0.1%	0.2%	0.6%	99.4%
	<b>Grade 8</b>	0.6%	0.7%	1.7%	98.3%
	<b>Grade 9</b>	2.3%	4.3%	5.7%	94.3%
	<b>Grade 10</b>	1.4%	4.1%	6.1%	93.9%
	<b>Grade 11</b>	5.5%	7.9%	11.7%	88.3%
	<b>Grade 12</b>	1.7%	4.7%	6.6%	93.4%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol?</b>					
	All	0.8%	0.9%	1.8%	98.2%
	Grade 7	0.3%	0.4%	1.2%	98.8%
	Grade 8	0.9%	1.0%	1.5%	98.5%
	Grade 9	0.4%	0.6%	2.2%	97.8%
	Grade 10	1.2%	1.3%	2.6%	97.4%
	Grade 11	1.4%	2.0%	2.5%	97.5%
	Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Steroids?</b>					
	All	0.4%	0.8%	1.7%	98.3%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.3%	0.4%	1.6%	98.4%
	Grade 9	0.5%	0.6%	2.4%	97.6%
	Grade 10	0.8%	1.2%	1.7%	98.3%
	Grade 11	0.3%	1.5%	2.5%	97.5%
	Grade 12	0.2%	0.3%	0.4%	99.6%
<b>Ecstasy?</b>					
	All	1.2%	2.0%	3.7%	96.3%
	Grade 7	0.0%	0.2%	0.6%	99.4%
	Grade 8	0.7%	1.3%	1.9%	98.1%
	Grade 9	0.6%	1.9%	3.5%	96.5%
	Grade 10	2.1%	2.6%	5.2%	94.8%
	Grade 11	3.6%	4.9%	7.6%	92.4%
	Grade 12	0.4%	1.6%	4.5%	95.5%
<b>Heroin?</b>					
	All	0.2%	0.6%	1.1%	98.9%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.4%	0.5%	1.2%	98.8%
	Grade 9	0.0%	0.5%	1.2%	98.8%
	Grade 10	0.6%	0.8%	1.7%	98.3%
	Grade 11	0.1%	1.2%	1.4%	98.6%
	Grade 12	0.0%	0.1%	0.2%	99.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	All	81.3%	2.4%	1.7%	2.3%	3.4%	3.3%	5.6%
	Grade 7	93.6%	0.9%	1.3%	0.6%	1.5%	0.9%	1.3%
	Grade 8	88.2%	1.1%	1.6%	2.1%	2.0%	2.0%	3.0%
	Grade 9	79.2%	1.5%	1.7%	2.2%	4.5%	4.3%	6.6%
	Grade 10	75.1%	2.9%	1.8%	2.1%	4.9%	5.0%	8.2%
	Grade 11	72.6%	4.5%	2.9%	4.4%	3.5%	4.7%	7.4%
	Grade 12	76.2%	4.7%	1.2%	2.6%	4.1%	3.2%	8.1%
<b>Cocaine?</b>								
	All	96.2%	0.1%	0.4%	0.3%	0.6%	1.0%	1.4%
	Grade 7	98.8%	0.0%	0.1%	0.0%	0.0%	0.4%	0.6%
	Grade 8	97.7%	0.0%	0.2%	0.1%	0.8%	0.4%	0.8%
	Grade 9	97.9%	0.0%	0.0%	0.1%	0.2%	0.8%	0.9%
	Grade 10	94.2%	0.6%	0.7%	0.6%	0.9%	1.3%	1.7%
	Grade 11	93.2%	0.0%	1.1%	1.0%	0.2%	2.0%	2.4%
	Grade 12	94.0%	0.0%	0.2%	0.2%	1.4%	1.2%	2.9%
<b>Crack?</b>								
	All	98.8%	0.1%	0.2%	0.0%	0.3%	0.2%	0.4%
	Grade 7	99.3%	0.0%	0.0%	0.0%	0.0%	0.4%	0.3%
	Grade 8	98.7%	0.0%	0.0%	0.1%	0.5%	0.3%	0.4%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.6%
	Grade 10	97.5%	0.4%	0.8%	0.0%	0.2%	0.2%	0.9%
	Grade 11	99.0%	0.0%	0.1%	0.1%	0.6%	0.0%	0.3%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
<b>Hallucinogens?</b>								
	All	96.8%	0.0%	0.2%	0.4%	0.8%	0.9%	1.0%
	Grade 7	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 8	97.8%	0.0%	0.0%	0.5%	0.4%	0.1%	1.2%
	Grade 9	97.0%	0.0%	0.1%	0.3%	0.2%	1.1%	1.3%
	Grade 10	95.0%	0.0%	0.4%	0.6%	0.8%	1.6%	1.5%
	Grade 11	93.8%	0.1%	0.7%	0.3%	1.8%	1.8%	1.7%
	Grade 12	96.9%	0.0%	0.1%	0.2%	1.7%	0.8%	0.4%
<b>Uppers?</b>								
	All	95.9%	0.2%	0.4%	0.4%	1.2%	0.9%	0.9%
	Grade 7	99.5%	0.1%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 8	97.4%	0.0%	0.0%	0.5%	0.4%	0.9%	0.8%
	Grade 9	95.6%	0.1%	0.5%	0.6%	0.8%	1.3%	1.1%
	Grade 10	95.5%	0.5%	0.5%	0.3%	2.0%	0.7%	0.5%
	Grade 11	91.0%	0.9%	1.4%	0.8%	1.4%	2.1%	2.5%
	Grade 12	94.9%	0.0%	0.0%	0.5%	3.4%	0.5%	0.6%
<b>Downers?</b>								
	All	95.4%	0.2%	0.6%	0.6%	1.4%	0.8%	1.0%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%
	Grade 8	98.1%	0.0%	0.2%	0.3%	0.4%	0.6%	0.5%
	Grade 9	94.4%	0.2%	1.1%	0.6%	1.9%	0.5%	1.3%
	Grade 10	93.7%	0.1%	0.9%	1.0%	2.4%	0.9%	1.2%
	Grade 11	90.6%	1.5%	1.3%	0.8%	1.3%	2.2%	2.3%
	Grade 12	94.6%	0.0%	0.0%	0.9%	3.0%	0.6%	0.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**  
(Continued)

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Rohypnol?</b>								
	<b>All</b>	98.8%	0.0%	0.3%	0.1%	0.2%	0.2%	0.3%
	<b>Grade 7</b>	99.1%	0.0%	0.1%	0.3%	0.0%	0.4%	0.1%
	<b>Grade 8</b>	99.0%	0.0%	0.2%	0.1%	0.2%	0.1%	0.4%
	<b>Grade 9</b>	98.3%	0.0%	0.6%	0.0%	0.2%	0.4%	0.4%
	<b>Grade 10</b>	98.5%	0.1%	0.0%	0.3%	0.5%	0.3%	0.3%
	<b>Grade 11</b>	98.5%	0.0%	0.6%	0.0%	0.4%	0.0%	0.4%
	<b>Grade 12</b>	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
<b>Steroids?</b>								
	<b>All</b>	99.1%	0.3%	0.1%	0.1%	0.1%	0.1%	0.2%
	<b>Grade 7</b>	99.0%	0.0%	0.5%	0.0%	0.1%	0.1%	0.3%
	<b>Grade 8</b>	99.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.4%
	<b>Grade 9</b>	99.2%	0.6%	0.0%	0.0%	0.0%	0.0%	0.1%
	<b>Grade 10</b>	98.0%	0.6%	0.0%	0.6%	0.0%	0.5%	0.3%
	<b>Grade 11</b>	99.3%	0.1%	0.3%	0.1%	0.1%	0.0%	0.1%
	<b>Grade 12</b>	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
<b>Ecstasy?</b>								
	<b>All</b>	96.7%	0.1%	0.2%	0.4%	0.3%	1.0%	1.3%
	<b>Grade 7</b>	99.3%	0.0%	0.0%	0.1%	0.2%	0.3%	0.2%
	<b>Grade 8</b>	98.0%	0.0%	0.0%	0.4%	0.3%	0.3%	0.8%
	<b>Grade 9</b>	97.2%	0.0%	0.0%	0.2%	0.1%	1.5%	0.9%
	<b>Grade 10</b>	94.7%	0.4%	0.0%	0.9%	0.5%	1.6%	1.8%
	<b>Grade 11</b>	93.3%	0.1%	1.1%	0.2%	0.8%	2.0%	2.5%
	<b>Grade 12</b>	97.4%	0.0%	0.0%	0.2%	0.1%	0.4%	1.9%
<b>Heroin?</b>								
	<b>All</b>	99.0%	0.0%	0.2%	0.0%	0.2%	0.3%	0.3%
	<b>Grade 7</b>	99.5%	0.2%	0.0%	0.0%	0.1%	0.1%	0.1%
	<b>Grade 8</b>	98.8%	0.0%	0.2%	0.2%	0.2%	0.2%	0.4%
	<b>Grade 9</b>	98.9%	0.0%	0.0%	0.0%	0.0%	0.5%	0.5%
	<b>Grade 10</b>	98.2%	0.0%	0.6%	0.0%	0.2%	0.8%	0.2%
	<b>Grade 11</b>	99.1%	0.0%	0.0%	0.0%	0.6%	0.0%	0.2%
	<b>Grade 12</b>	99.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.3%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Marijuana</b>	11.1	12.2	12.9	13.7	14.2	15.0
<b>Cocaine</b>	10.4	12.5	13.4	14.0	15.3	15.9
<b>Crack</b>	11.8	12.3	11.7	13.9	14.0	15.4
<b>Hallucinogens</b>	10.3	12.3	13.3	13.6	14.8	15.5
<b>Uppers</b>	10.7	12.5	13.8	13.7	14.7	15.3
<b>Downers</b>	11.0	11.8	13.5	13.9	14.6	15.1
<b>Rohypnol</b>	10.1	12.4	13.2	13.9	14.4	*
<b>Steroids</b>	11.3	11.0	14.7	12.6	14.2	*
<b>Ecstasy</b>	12.5	12.8	14.0	13.8	15.2	15.2
<b>Heroin</b>	10.7	12.7	13.2	12.8	13.9	*

**Table D-4: Age of first use of marijuana by family situation:**

		<b>Never</b>	<b>9/Under</b>	<b>10 to 11</b>	<b>12 to 13</b>	<b>14 to 15</b>	<b>16 to 17</b>	<b>Over 17</b>
<b>Two parent family</b>								
	<b>All</b>	85.4%	0.6%	0.9%	3.7%	5.7%	3.5%	0.3%
	<b>Grade 7</b>	96.5%	0.2%	1.6%	1.7%	0.1%	0.0%	0.0%
	<b>Grade 8</b>	92.8%	0.9%	1.6%	3.1%	1.6%	0.0%	0.0%
	<b>Grade 9</b>	87.0%	0.4%	0.3%	4.5%	7.7%	0.1%	0.0%
	<b>Grade 10</b>	79.5%	0.7%	0.7%	6.4%	8.6%	4.2%	0.0%
	<b>Grade 11</b>	74.5%	1.5%	0.3%	3.4%	8.9%	11.4%	0.0%
	<b>Grade 12</b>	79.5%	0.0%	0.5%	2.2%	8.2%	7.5%	2.1%
<b>Other family situation</b>								
	<b>All</b>	65.6%	2.8%	4.7%	10.8%	11.0%	4.9%	0.2%
	<b>Grade 7</b>	83.1%	4.5%	4.9%	7.0%	0.4%	0.0%	0.1%
	<b>Grade 8</b>	79.8%	1.9%	4.5%	8.1%	5.7%	0.0%	0.0%
	<b>Grade 9</b>	61.5%	4.0%	5.5%	14.2%	14.6%	0.2%	0.0%
	<b>Grade 10</b>	59.3%	2.8%	4.2%	12.9%	15.9%	5.0%	0.0%
	<b>Grade 11</b>	51.3%	2.4%	4.5%	12.9%	17.0%	11.8%	0.0%
	<b>Grade 12</b>	47.6%	1.0%	4.1%	9.5%	14.2%	22.1%	1.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	<b>All</b>	13.8%	30.9%	11.8%	11.2%	12.3%	20.0%
	<b>Grade 7</b>	17.4%	56.8%	12.1%	4.4%	4.6%	4.7%
	<b>Grade 8</b>	15.7%	45.5%	14.6%	7.9%	5.7%	10.6%
	<b>Grade 9</b>	12.2%	28.0%	13.4%	10.3%	14.2%	21.9%
	<b>Grade 10</b>	12.7%	20.6%	9.0%	14.5%	15.8%	27.3%
	<b>Grade 11</b>	8.7%	13.4%	8.8%	16.5%	21.6%	31.0%
	<b>Grade 12</b>	15.2%	12.6%	11.7%	16.0%	15.0%	29.4%
<b>Cocaine?</b>							
	<b>All</b>	17.9%	37.1%	17.1%	10.4%	8.4%	9.1%
	<b>Grade 7</b>	19.1%	60.6%	12.4%	4.6%	1.4%	2.0%
	<b>Grade 8</b>	18.6%	51.9%	14.8%	6.7%	3.5%	4.5%
	<b>Grade 9</b>	17.4%	34.3%	17.7%	12.4%	8.0%	10.2%
	<b>Grade 10</b>	16.8%	27.1%	16.2%	11.7%	14.4%	13.8%
	<b>Grade 11</b>	15.3%	21.6%	20.5%	18.1%	13.6%	11.0%
	<b>Grade 12</b>	20.8%	18.7%	23.5%	11.0%	11.4%	14.8%
<b>Crack?</b>							
	<b>All</b>	19.1%	37.7%	18.2%	10.6%	6.7%	7.6%
	<b>Grade 7</b>	18.8%	60.7%	11.9%	4.5%	2.3%	1.7%
	<b>Grade 8</b>	19.0%	51.8%	15.5%	5.9%	2.9%	4.9%
	<b>Grade 9</b>	18.3%	35.6%	17.9%	11.5%	7.6%	9.0%
	<b>Grade 10</b>	18.9%	27.0%	17.4%	13.9%	11.5%	11.3%
	<b>Grade 11</b>	17.9%	22.7%	24.9%	18.3%	8.8%	7.4%
	<b>Grade 12</b>	22.5%	20.1%	25.1%	11.7%	8.1%	12.5%
<b>Hallucinogens?</b>							
	<b>All</b>	35.0%	27.6%	14.6%	9.6%	6.1%	7.1%
	<b>Grade 7</b>	48.5%	36.1%	10.4%	2.5%	1.0%	1.4%
	<b>Grade 8</b>	46.8%	32.3%	9.7%	4.7%	2.3%	4.3%
	<b>Grade 9</b>	29.5%	29.2%	13.8%	9.9%	7.9%	9.7%
	<b>Grade 10</b>	31.0%	24.6%	12.1%	13.0%	9.8%	9.4%
	<b>Grade 11</b>	20.3%	20.8%	18.5%	20.1%	10.7%	9.5%
	<b>Grade 12</b>	27.2%	18.8%	28.8%	10.0%	5.8%	9.5%
<b>Uppers?</b>							
	<b>All</b>	44.8%	21.8%	11.5%	7.6%	5.7%	8.5%
	<b>Grade 7</b>	56.5%	32.0%	7.3%	2.5%	0.2%	1.4%
	<b>Grade 8</b>	58.3%	24.3%	7.6%	4.5%	2.0%	3.2%
	<b>Grade 9</b>	37.8%	23.7%	9.9%	9.2%	8.1%	11.4%
	<b>Grade 10</b>	40.6%	21.4%	10.6%	7.8%	8.3%	11.3%
	<b>Grade 11</b>	32.4%	11.6%	16.6%	15.0%	11.6%	12.9%
	<b>Grade 12</b>	36.9%	14.4%	21.1%	9.0%	5.6%	13.1%
<b>Downers?</b>							
	<b>All</b>	44.6%	22.1%	11.4%	7.5%	6.0%	8.4%
	<b>Grade 7</b>	57.1%	31.3%	7.7%	2.4%	0.3%	1.1%
	<b>Grade 8</b>	58.4%	24.4%	7.2%	4.4%	2.0%	3.6%
	<b>Grade 9</b>	37.1%	24.3%	11.0%	8.3%	8.6%	10.6%
	<b>Grade 10</b>	39.5%	21.3%	9.4%	8.6%	9.5%	11.7%
	<b>Grade 11</b>	32.0%	12.8%	16.1%	14.4%	10.9%	13.7%
	<b>Grade 12</b>	37.0%	14.8%	21.3%	8.8%	5.8%	12.3%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>							
	<b>All</b>	47.4%	23.9%	12.2%	6.7%	4.4%	5.5%
	<b>Grade 7</b>	56.7%	32.3%	6.1%	2.0%	1.0%	1.8%
	<b>Grade 8</b>	55.8%	27.7%	8.1%	4.0%	1.5%	2.8%
	<b>Grade 9</b>	41.1%	26.0%	12.8%	6.4%	7.9%	5.8%
	<b>Grade 10</b>	47.0%	21.7%	10.2%	7.2%	6.5%	7.3%
	<b>Grade 11</b>	41.0%	15.5%	17.3%	13.7%	5.9%	6.6%
	<b>Grade 12</b>	37.9%	16.2%	23.0%	8.9%	4.0%	10.0%
<b>Steroids?</b>							
	<b>All</b>	21.4%	37.5%	16.6%	9.5%	7.5%	7.5%
	<b>Grade 7</b>	19.3%	56.8%	11.9%	5.1%	3.1%	3.7%
	<b>Grade 8</b>	23.9%	48.5%	15.6%	5.3%	2.7%	4.2%
	<b>Grade 9</b>	19.3%	36.7%	15.0%	9.5%	10.1%	9.4%
	<b>Grade 10</b>	21.9%	29.7%	15.5%	12.0%	8.6%	12.2%
	<b>Grade 11</b>	17.7%	25.2%	17.0%	18.0%	13.9%	8.2%
	<b>Grade 12</b>	25.8%	20.9%	27.3%	8.9%	9.0%	8.1%
<b>Ecstasy?</b>							
	<b>All</b>	31.5%	30.0%	15.6%	8.5%	6.1%	8.3%
	<b>Grade 7</b>	50.4%	36.5%	9.2%	2.0%	1.1%	0.9%
	<b>Grade 8</b>	42.7%	36.5%	11.4%	3.6%	1.9%	3.9%
	<b>Grade 9</b>	21.9%	33.0%	16.3%	8.2%	8.5%	12.1%
	<b>Grade 10</b>	27.2%	27.7%	12.6%	13.0%	8.4%	11.2%
	<b>Grade 11</b>	17.8%	21.4%	22.2%	15.1%	12.8%	10.7%
	<b>Grade 12</b>	23.4%	19.8%	27.3%	11.2%	5.6%	12.7%
<b>Heroin?</b>							
	<b>All</b>	27.4%	37.2%	17.0%	7.4%	4.6%	6.4%
	<b>Grade 7</b>	31.8%	50.7%	9.6%	3.1%	1.8%	2.9%
	<b>Grade 8</b>	34.4%	43.7%	11.1%	4.8%	2.0%	4.0%
	<b>Grade 9</b>	20.5%	39.2%	17.2%	7.4%	6.8%	8.9%
	<b>Grade 10</b>	27.0%	31.2%	15.3%	10.9%	7.5%	8.1%
	<b>Grade 11</b>	21.3%	29.6%	23.8%	13.5%	5.7%	5.9%
	<b>Grade 12</b>	26.0%	24.1%	30.6%	5.7%	4.0%	9.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	92.2%	4.2%	1.3%	2.3%
Grade 7	96.0%	3.0%	0.4%	0.7%
Grade 8	95.5%	2.4%	0.9%	1.2%
Grade 9	89.6%	6.6%	1.1%	2.7%
Grade 10	90.1%	4.4%	2.2%	3.3%
Grade 11	88.4%	6.2%	1.3%	4.1%
Grade 12	92.7%	2.8%	1.8%	2.7%
<b>Attended class while high from use of some other drug?</b>				
All	95.4%	2.7%	0.8%	1.0%
Grade 7	97.5%	2.1%	0.1%	0.3%
Grade 8	96.5%	2.4%	0.2%	0.9%
Grade 9	93.3%	4.3%	1.4%	0.9%
Grade 10	92.7%	3.4%	2.2%	1.6%
Grade 11	94.3%	3.1%	0.7%	1.8%
Grade 12	98.7%	0.6%	0.2%	0.6%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	98.5%	0.9%	0.3%	0.2%
Grade 7	99.4%	0.6%	0.0%	0.0%
Grade 8	99.3%	0.5%	0.0%	0.2%
Grade 9	98.7%	1.1%	0.2%	0.0%
Grade 10	97.1%	1.5%	0.5%	0.9%
Grade 11	97.6%	1.4%	1.0%	0.1%
Grade 12	99.0%	0.6%	0.3%	0.2%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	6.2
Marijuana Non-use	4.8

  

<b>Average days conduct problems reported</b>	
Marijuana Users:	7.0
Marijuana Non-use	1.7

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
All	91.9%	4.9%	1.2%	2.0%
Grade 9	95.3%	3.1%	1.4%	0.3%
Grade 10	92.7%	4.2%	0.8%	2.3%
Grade 11	88.1%	7.0%	1.6%	3.3%
Grade 12	90.5%	6.1%	1.1%	2.4%
<b>Gotten into trouble with the police because of drug use?</b>				
All	98.0%	1.3%	0.3%	0.3%
Grade 7	99.1%	0.5%	0.3%	0.1%
Grade 8	98.7%	0.6%	0.3%	0.4%
Grade 9	98.2%	1.3%	0.1%	0.4%
Grade 10	96.0%	2.9%	0.6%	0.4%
Grade 11	97.2%	1.9%	0.4%	0.6%
Grade 12	99.2%	0.7%	0.2%	0.0%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
All	58.7%	19.6%	11.1%	7.4%	3.2%
Grade 7	85.0%	7.5%	2.9%	3.1%	1.6%
Grade 8	72.6%	13.6%	6.5%	4.3%	3.0%
Grade 9	51.4%	23.6%	13.1%	8.1%	3.7%
Grade 10	49.4%	23.4%	15.1%	7.4%	4.7%
Grade 11	37.9%	26.1%	17.8%	14.7%	3.5%
Grade 12	49.7%	26.5%	12.6%	9.2%	1.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	95.3%	3.5%	0.8%	0.5%
<b>Grade 7</b>	97.5%	1.9%	0.3%	0.3%
<b>Grade 8</b>	96.9%	2.2%	0.5%	0.4%
<b>Grade 9</b>	92.7%	4.8%	1.9%	0.6%
<b>Grade 10</b>	94.5%	4.3%	0.4%	0.8%
<b>Grade 11</b>	94.6%	3.9%	1.0%	0.6%
<b>Grade 12</b>	95.2%	4.3%	0.6%	0.0%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	95.5%	3.5%	0.5%	0.5%
<b>Grade 7</b>	97.8%	1.9%	0.1%	0.1%
<b>Grade 8</b>	95.7%	3.3%	0.5%	0.5%
<b>Grade 9</b>	94.5%	4.2%	0.9%	0.4%
<b>Grade 10</b>	93.9%	4.4%	0.6%	1.0%
<b>Grade 11</b>	94.6%	4.2%	0.1%	1.1%
<b>Grade 12</b>	96.6%	2.9%	0.5%	0.0%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	54.4%	11.3%	6.3%	5.3%	5.0%	2.9%	14.9%
<b>Grade 7</b>	78.7%	3.3%	2.1%	1.4%	1.2%	3.6%	9.8%
<b>Grade 8</b>	65.7%	8.7%	3.9%	3.9%	3.0%	2.6%	12.2%
<b>Grade 9</b>	48.7%	10.5%	9.1%	4.6%	5.9%	2.3%	19.0%
<b>Grade 10</b>	46.7%	12.7%	8.1%	4.8%	7.3%	3.3%	17.1%
<b>Grade 11</b>	35.4%	18.6%	8.2%	10.5%	7.3%	3.3%	16.7%
<b>Grade 12</b>	44.3%	17.0%	6.8%	8.2%	6.0%	2.7%	15.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	85.1%	5.6%	3.5%	2.9%	2.0%	0.8%
	<b>Grade 7</b>	94.3%	1.9%	1.2%	1.1%	1.1%	0.5%
	<b>Grade 8</b>	89.5%	4.4%	2.3%	2.0%	1.4%	0.4%
	<b>Grade 9</b>	83.1%	6.6%	3.7%	3.5%	2.2%	0.9%
	<b>Grade 10</b>	80.5%	6.4%	3.7%	4.8%	2.9%	1.6%
	<b>Grade 11</b>	78.5%	7.3%	8.1%	2.8%	2.3%	0.9%
	<b>Grade 12</b>	82.9%	8.0%	2.8%	3.4%	2.5%	0.4%
<b>Blunts?</b>	<b>All</b>	85.9%	4.9%	2.7%	2.9%	3.0%	0.7%
	<b>Grade 7</b>	94.6%	1.1%	0.9%	1.4%	1.5%	0.5%
	<b>Grade 8</b>	89.8%	2.9%	2.1%	2.5%	2.2%	0.4%
	<b>Grade 9</b>	84.8%	5.9%	2.6%	2.7%	3.2%	0.9%
	<b>Grade 10</b>	82.4%	7.2%	2.5%	3.1%	3.4%	1.4%
	<b>Grade 11</b>	78.4%	7.2%	4.6%	5.1%	4.4%	0.3%
	<b>Grade 12</b>	83.2%	5.4%	4.3%	3.2%	3.6%	0.4%
<b>Bongs or water pipes?</b>	<b>All</b>	89.0%	4.3%	2.2%	2.5%	1.6%	0.5%
	<b>Grade 7</b>	96.5%	1.3%	0.4%	0.5%	0.7%	0.6%
	<b>Grade 8</b>	93.2%	2.5%	1.6%	1.1%	1.2%	0.4%
	<b>Grade 9</b>	90.0%	4.2%	2.3%	1.9%	1.2%	0.4%
	<b>Grade 10</b>	85.0%	5.2%	3.1%	3.9%	1.9%	1.0%
	<b>Grade 11</b>	80.5%	6.6%	4.4%	5.6%	2.8%	0.2%
	<b>Grade 12</b>	86.0%	7.2%	1.7%	2.4%	2.4%	0.3%
<b>Pipes?</b>	<b>All</b>	87.5%	4.5%	1.9%	3.1%	2.4%	0.5%
	<b>Grade 7</b>	96.3%	1.0%	0.9%	0.5%	0.9%	0.4%
	<b>Grade 8</b>	92.6%	2.8%	1.6%	1.4%	1.2%	0.5%
	<b>Grade 9</b>	86.8%	7.0%	1.8%	2.5%	1.6%	0.2%
	<b>Grade 10</b>	82.3%	5.8%	2.2%	6.2%	2.5%	1.0%
	<b>Grade 11</b>	80.0%	6.0%	2.9%	5.7%	5.3%	0.2%
	<b>Grade 12</b>	85.2%	5.1%	2.5%	3.0%	3.9%	0.3%
<b>Some other way?</b>	<b>All</b>	91.2%	4.0%	0.8%	1.1%	1.5%	1.5%
	<b>Grade 7</b>	96.4%	0.9%	0.6%	0.6%	0.9%	0.6%
	<b>Grade 8</b>	94.0%	2.3%	0.4%	0.9%	1.6%	0.8%
	<b>Grade 9</b>	92.8%	3.3%	0.4%	1.2%	1.1%	1.2%
	<b>Grade 10</b>	87.2%	5.9%	1.1%	1.5%	2.4%	1.9%
	<b>Grade 11</b>	84.3%	7.8%	2.0%	1.8%	1.6%	2.5%
	<b>Grade 12</b>	91.0%	4.5%	0.4%	0.4%	0.9%	2.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	87.1%	3.2%	3.1%	0.8%	1.1%	4.7%
<b>Grade 7</b>	89.5%	0.9%	1.4%	0.3%	1.3%	6.5%
<b>Grade 8</b>	89.8%	2.4%	2.5%	0.3%	0.5%	4.5%
<b>Grade 9</b>	86.7%	2.3%	3.7%	1.7%	0.4%	5.2%
<b>Grade 10</b>	85.8%	3.2%	3.5%	0.8%	2.3%	4.4%
<b>Grade 11</b>	81.7%	6.4%	4.4%	1.0%	1.4%	5.2%
<b>Grade 12</b>	87.8%	4.8%	3.6%	0.5%	0.8%	2.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
<b>Marijuana?</b>						
	All	67.9%	13.9%	9.4%	5.4%	3.4%
	Grade 7	84.5%	7.1%	3.1%	2.9%	2.4%
	Grade 8	78.3%	10.0%	5.0%	4.0%	2.8%
	Grade 9	66.1%	16.7%	11.4%	4.1%	1.7%
	Grade 10	63.2%	14.4%	10.0%	6.4%	6.0%
	Grade 11	51.9%	17.5%	17.0%	8.3%	5.2%
	Grade 12	58.5%	20.2%	12.4%	7.4%	1.5%
<b>Cocaine?</b>						
	All	86.8%	7.4%	1.1%	0.8%	3.8%
	Grade 7	92.5%	4.1%	0.3%	0.9%	2.3%
	Grade 8	88.6%	6.0%	0.9%	1.0%	3.4%
	Grade 9	88.6%	7.5%	0.5%	0.7%	2.7%
	Grade 10	82.2%	7.5%	2.5%	1.0%	6.8%
	Grade 11	82.1%	11.5%	0.4%	0.2%	5.8%
	Grade 12	86.8%	9.0%	2.3%	0.7%	1.2%
<b>Crack?</b>						
	All	88.1%	6.0%	0.9%	0.8%	4.2%
	Grade 7	92.4%	4.0%	0.2%	0.9%	2.5%
	Grade 8	88.8%	5.7%	0.9%	1.1%	3.5%
	Grade 9	88.4%	6.8%	0.4%	0.9%	3.5%
	Grade 10	83.8%	7.2%	1.8%	1.0%	6.2%
	Grade 11	87.3%	5.9%	0.2%	0.2%	6.4%
	Grade 12	88.8%	6.2%	2.0%	0.2%	2.8%
<b>Ecstasy?</b>						
	All	85.3%	6.7%	1.8%	0.8%	5.4%
	Grade 7	89.3%	3.3%	0.1%	1.3%	6.0%
	Grade 8	85.8%	5.4%	2.2%	1.1%	5.6%
	Grade 9	85.4%	7.5%	2.1%	1.0%	4.1%
	Grade 10	81.9%	7.3%	3.0%	0.7%	7.2%
	Grade 11	83.7%	7.8%	2.7%	0.3%	5.5%
	Grade 12	86.7%	9.9%	0.3%	0.0%	3.1%
<b>Steroids?</b>						
	All	80.0%	10.7%	3.3%	1.0%	5.0%
	Grade 7	84.3%	8.3%	2.3%	1.6%	3.6%
	Grade 8	81.9%	9.4%	2.8%	1.0%	4.9%
	Grade 9	78.9%	12.7%	3.8%	1.2%	3.4%
	Grade 10	76.3%	10.1%	4.5%	1.1%	8.1%
	Grade 11	75.3%	14.6%	3.4%	1.1%	5.5%
	Grade 12	83.4%	10.3%	2.6%	0.2%	3.6%
<b>Heroin?</b>						
	All	90.2%	3.8%	0.5%	0.7%	4.7%
	Grade 7	91.9%	3.0%	0.6%	0.8%	3.8%
	Grade 8	89.2%	4.2%	0.6%	1.2%	4.8%
	Grade 9	91.8%	3.5%	0.5%	0.7%	3.5%
	Grade 10	87.2%	4.2%	0.9%	1.0%	6.7%
	Grade 11	90.4%	3.1%	0.4%	0.2%	6.0%
	Grade 12	92.2%	4.9%	0.1%	0.2%	2.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Methamphetamine?</b>				
<b>All</b>	0.7%	1.2%	2.6%	97.4%
<b>Grade 7</b>	0.2%	0.3%	1.8%	98.2%
<b>Grade 8</b>	1.0%	1.7%	3.1%	96.9%
<b>Grade 9</b>	0.2%	0.8%	2.2%	97.8%
<b>Grade 10</b>	1.2%	1.8%	2.7%	97.3%
<b>Grade 11</b>	1.3%	1.7%	3.5%	96.5%
<b>Grade 12</b>	0.3%	0.9%	1.8%	98.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-16: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Codeine?</b>					
	<b>All</b>	4.8%	8.7%	13.1%	86.9%
	<b>Grade 7</b>	2.6%	5.0%	7.6%	92.4%
	<b>Grade 8</b>	3.8%	6.0%	10.4%	89.6%
	<b>Grade 9</b>	5.1%	8.3%	11.7%	88.3%
	<b>Grade 10</b>	5.0%	10.4%	14.9%	85.1%
	<b>Grade 11</b>	8.4%	14.0%	20.9%	79.1%
	<b>Grade 12</b>	4.3%	10.4%	15.6%	84.4%
<b>Oxycontin, Percodan or Percocet?</b>					
	<b>All</b>	0.7%	1.7%	3.2%	96.8%
	<b>Grade 7</b>	0.1%	0.3%	0.5%	99.5%
	<b>Grade 8</b>	0.5%	0.6%	1.5%	98.5%
	<b>Grade 9</b>	0.4%	1.8%	4.3%	95.7%
	<b>Grade 10</b>	1.7%	3.0%	4.3%	95.7%
	<b>Grade 11</b>	1.6%	4.8%	7.2%	92.8%
	<b>Grade 12</b>	0.0%	0.3%	2.3%	97.7%
<b>Vicodin, Lortab or Lorcet?</b>					
	<b>All</b>	2.4%	4.5%	5.9%	94.1%
	<b>Grade 7</b>	0.1%	0.2%	0.9%	99.1%
	<b>Grade 8</b>	1.3%	1.5%	2.2%	97.8%
	<b>Grade 9</b>	2.5%	3.5%	5.4%	94.6%
	<b>Grade 10</b>	2.1%	5.4%	6.8%	93.2%
	<b>Grade 11</b>	7.5%	12.8%	15.6%	84.4%
	<b>Grade 12</b>	2.0%	6.2%	7.0%	93.0%
<b>Valium or Diazepam?</b>					
	<b>All</b>	0.8%	1.9%	3.0%	97.0%
	<b>Grade 7</b>	0.1%	0.1%	0.4%	99.6%
	<b>Grade 8</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 9</b>	1.4%	2.0%	3.6%	96.4%
	<b>Grade 10</b>	1.2%	2.8%	3.4%	96.6%
	<b>Grade 11</b>	1.4%	4.4%	7.7%	92.3%
	<b>Grade 12</b>	0.7%	2.6%	3.0%	97.0%
<b>Xanax or Alprazolam?</b>					
	<b>All</b>	1.3%	2.6%	4.0%	96.0%
	<b>Grade 7</b>	0.2%	0.3%	0.5%	99.5%
	<b>Grade 8</b>	0.9%	1.1%	1.9%	98.1%
	<b>Grade 9</b>	0.8%	1.3%	3.3%	96.7%
	<b>Grade 10</b>	1.5%	4.4%	5.8%	94.2%
	<b>Grade 11</b>	3.1%	7.0%	9.9%	90.1%
	<b>Grade 12</b>	2.1%	2.7%	3.6%	96.4%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table D-17: How recently, if ever, have you taken...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>				
<b>All</b>	1.9%	3.4%	6.0%	94.0%
<b>Grade 7</b>	0.8%	1.3%	2.8%	97.2%
<b>Grade 8</b>	2.2%	2.9%	6.7%	93.3%
<b>Grade 9</b>	1.9%	3.1%	5.8%	94.2%
<b>Grade 10</b>	2.4%	5.7%	9.0%	91.0%
<b>Grade 11</b>	2.9%	4.9%	7.1%	92.9%
<b>Grade 12</b>	0.7%	2.3%	3.6%	96.4%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>					
	<b>All</b>	2.3%	4.1%	8.8%	91.2%
	<b>Grade 7</b>	1.5%	2.6%	7.0%	93.0%
	<b>Grade 8</b>	4.3%	6.5%	11.9%	88.1%
	<b>Grade 9</b>	2.0%	4.0%	10.6%	89.4%
	<b>Grade 10</b>	2.7%	5.1%	10.6%	89.4%
	<b>Grade 11</b>	1.7%	2.7%	5.9%	94.1%
	<b>Grade 12</b>	0.9%	2.2%	3.6%	96.4%

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	94.2%	0.3%	0.4%	0.6%	0.9%	1.1%	2.4%
<b>Grade 7</b>	95.6%	0.1%	0.4%	0.6%	0.9%	1.0%	1.3%
<b>Grade 8</b>	91.2%	0.7%	0.5%	1.6%	1.3%	1.3%	3.4%
<b>Grade 9</b>	93.7%	0.6%	0.1%	0.1%	0.5%	2.4%	2.7%
<b>Grade 10</b>	94.2%	0.0%	0.6%	0.4%	1.6%	0.6%	2.6%
<b>Grade 11</b>	95.4%	0.0%	0.6%	0.3%	0.6%	1.0%	2.1%
<b>Grade 12</b>	97.3%	0.0%	0.0%	0.4%	0.4%	0.2%	1.7%

**Table I-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Inhalants</b>	11.1	11.8	12.3	13.2	13.1	13.5

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	98.0%	1.1%	0.4%	0.5%
<b>Grade 7</b>	98.9%	0.8%	0.1%	0.3%
<b>Grade 8</b>	96.7%	1.3%	0.9%	1.0%
<b>Grade 9</b>	98.5%	1.0%	0.3%	0.3%
<b>Grade 10</b>	97.5%	1.0%	0.8%	0.8%
<b>Grade 11</b>	98.5%	1.3%	0.1%	0.1%
<b>Grade 12</b>	99.1%	0.8%	0.1%	0.0%

**Table I-5: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	6.1
Inhalants Non-use	4.9

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	7.1
Inhalants Non-use	2.1

**Table I-6: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	80.8%	13.2%	4.0%	1.6%	0.4%
<b>Grade 7</b>	86.4%	9.2%	2.4%	1.8%	0.3%
<b>Grade 8</b>	79.0%	13.1%	4.8%	2.2%	0.8%
<b>Grade 9</b>	76.7%	17.1%	4.5%	1.0%	0.7%
<b>Grade 10</b>	79.8%	12.5%	5.3%	1.8%	0.5%
<b>Grade 11</b>	80.9%	13.9%	3.4%	1.8%	0.0%
<b>Grade 12</b>	83.7%	13.1%	2.8%	0.4%	0.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	77.2%	13.7%	3.2%	1.3%	4.5%
<b>Grade 7</b>	82.1%	11.0%	2.7%	1.0%	3.2%
<b>Grade 8</b>	77.1%	12.5%	4.5%	1.9%	4.1%
<b>Grade 9</b>	77.1%	14.8%	3.8%	1.5%	2.7%
<b>Grade 10</b>	76.0%	12.5%	3.0%	1.6%	7.0%
<b>Grade 11</b>	75.7%	13.8%	2.9%	0.1%	7.5%
<b>Grade 12</b>	75.4%	19.7%	1.3%	1.4%	2.2%

**Table I-8: If you wanted some, how difficult would it be to get..**

	<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Inhalants?</b>						
<b>All</b>	18.6%	18.3%	7.2%	7.4%	11.0%	37.5%
<b>Grade 7</b>	18.1%	32.5%	7.7%	5.3%	8.9%	27.5%
<b>Grade 8</b>	18.9%	24.5%	8.9%	5.7%	8.8%	33.1%
<b>Grade 9</b>	19.6%	18.9%	6.5%	9.5%	11.3%	34.2%
<b>Grade 10</b>	17.4%	12.7%	5.7%	8.1%	12.4%	43.8%
<b>Grade 11</b>	16.7%	9.4%	6.7%	8.6%	14.0%	44.7%
<b>Grade 12</b>	21.3%	7.3%	7.1%	8.1%	11.5%	44.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 49.3%
	Grade 7 38.8%
	Grade 8 49.5%
	Grade 9 51.6%
	Grade 10 44.8%
	Grade 11 50.8%
	Grade 12 63.0%
<b>An assembly program</b>	All 48.3%
	Grade 7 51.7%
	Grade 8 51.6%
	Grade 9 50.2%
	Grade 10 40.0%
	Grade 11 45.8%
	Grade 12 51.6%
<b>Guidance counselor</b>	All 19.9%
	Grade 7 18.9%
	Grade 8 20.7%
	Grade 9 21.4%
	Grade 10 19.2%
	Grade 11 15.9%
	Grade 12 23.4%
<b>Science class</b>	All 34.6%
	Grade 7 47.4%
	Grade 8 42.1%
	Grade 9 34.0%
	Grade 10 32.7%
	Grade 11 22.6%
	Grade 12 24.4%
<b>Social studies class</b>	All 12.5%
	Grade 7 15.7%
	Grade 8 12.3%
	Grade 9 12.5%
	Grade 10 12.9%
	Grade 11 11.9%
	Grade 12 9.4%
<b>Student group session</b>	All 14.4%
	Grade 7 13.2%
	Grade 8 12.7%
	Grade 9 15.4%
	Grade 10 16.5%
	Grade 11 12.4%
	Grade 12 16.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

CATEGORY	Yes
<b>An invited school guest</b>	All 38.7%
	Grade 7 42.3%
	Grade 8 43.2%
	Grade 9 38.4%
	Grade 10 29.8%
	Grade 11 36.4%
	Grade 12 42.1%
<b>Another source at school</b>	All 34.1%
	Grade 7 36.3%
	Grade 8 34.9%
	Grade 9 36.4%
	Grade 10 33.0%
	Grade 11 35.0%
	Grade 12 28.6%
<b>Any school source</b>	All 60.8%
	Grade 7 57.8%
	Grade 8 61.0%
	Grade 9 59.3%
	Grade 10 56.3%
	Grade 11 67.1%
	Grade 12 66.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
<b>A counselor or program in</b>	All 29.0%
	Grade 7 38.0%
	Grade 8 33.2%
	Grade 9 27.4%
	Grade 10 28.9%
	Grade 11 19.2%
	Grade 12 22.8%
<b>Another adult in school (</b>	All 31.7%
	Grade 7 40.9%
	Grade 8 31.3%
	Grade 9 30.6%
	Grade 10 34.0%
	Grade 11 25.9%
	Grade 12 24.7%
<b>A counselor or program ou</b>	All 38.6%
	Grade 7 45.5%
	Grade 8 37.8%
	Grade 9 37.4%
	Grade 10 37.4%
	Grade 11 35.8%
	Grade 12 38.2%
<b>Your parents</b>	All 63.3%
	Grade 7 74.8%
	Grade 8 61.6%
	Grade 9 62.6%
	Grade 10 63.1%
	Grade 11 56.4%
	Grade 12 60.1%
<b>A medical doctor</b>	All 40.4%
	Grade 7 53.3%
	Grade 8 38.7%
	Grade 9 39.9%
	Grade 10 36.5%
	Grade 11 34.6%
	Grade 12 39.4%
<b>Your friends</b>	All 73.8%
	Grade 7 68.2%
	Grade 8 68.8%
	Grade 9 79.6%
	Grade 10 78.3%
	Grade 11 77.0%
	Grade 12 71.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)**

CATEGORY		Yes
Another adult (a relative)	All	64.2%
	Grade 7	71.2%
	Grade 8	64.9%
	Grade 9	66.5%
	Grade 10	65.2%
	Grade 11	60.5%
	Grade 12	53.1%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	6.6%
	Grade 7	6.6%
	Grade 8	6.6%
	Grade 9	7.4%
	Grade 10	7.3%
	Grade 11	8.1%
	Grade 12	2.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	3.2%	22.2%	25.3%	39.1%	10.3%
<b>Grade 7</b>	4.3%	18.2%	20.2%	39.7%	17.6%
<b>Grade 8</b>	5.4%	20.8%	23.3%	40.4%	10.2%
<b>Grade 9</b>	3.1%	24.8%	27.3%	34.0%	10.8%
<b>Grade 10</b>	2.7%	22.8%	26.6%	38.3%	9.7%
<b>Grade 11</b>	1.2%	23.6%	29.2%	42.3%	3.7%
<b>Grade 12</b>	1.2%	23.5%	26.0%	40.7%	8.5%
<b>Sometimes carry weapons?</b>					
<b>All</b>	51.2%	26.2%	12.1%	8.3%	2.3%
<b>Grade 7</b>	67.6%	21.0%	5.3%	4.9%	1.3%
<b>Grade 8</b>	57.0%	26.3%	11.3%	3.9%	1.4%
<b>Grade 9</b>	45.3%	27.6%	13.9%	10.9%	2.3%
<b>Grade 10</b>	44.1%	24.7%	15.4%	11.3%	4.4%
<b>Grade 11</b>	46.9%	23.6%	15.9%	10.6%	3.0%
<b>Grade 12</b>	44.3%	35.7%	10.2%	9.1%	0.8%
<b>Care about making good grades?</b>					
<b>All</b>	2.3%	12.9%	23.7%	44.3%	16.9%
<b>Grade 7</b>	1.7%	14.0%	18.5%	38.6%	27.1%
<b>Grade 8</b>	3.7%	15.3%	21.6%	39.4%	20.0%
<b>Grade 9</b>	3.9%	11.7%	24.6%	44.1%	15.7%
<b>Grade 10</b>	2.0%	13.1%	29.7%	42.0%	13.2%
<b>Grade 11</b>	0.5%	13.2%	25.4%	48.4%	12.5%
<b>Grade 12</b>	0.6%	8.3%	21.6%	59.0%	10.5%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	73.8%	14.5%	6.1%	3.6%	2.0%
<b>Grade 7</b>	77.1%	13.7%	5.4%	2.7%	1.1%
<b>Grade 8</b>	64.7%	18.2%	9.7%	4.6%	2.8%
<b>Grade 9</b>	71.6%	16.3%	4.4%	6.0%	1.7%
<b>Grade 10</b>	73.3%	13.7%	7.5%	2.3%	3.2%
<b>Grade 11</b>	78.8%	12.3%	3.5%	3.6%	1.8%
<b>Grade 12</b>	83.4%	10.6%	3.9%	1.7%	0.5%
<b>Wish they could drop out of school?</b>					
<b>All</b>	57.8%	27.7%	9.5%	2.9%	1.9%
<b>Grade 7</b>	69.3%	21.6%	5.7%	2.5%	0.9%
<b>Grade 8</b>	57.0%	26.2%	11.3%	3.9%	1.7%
<b>Grade 9</b>	50.5%	32.6%	12.8%	3.3%	0.9%
<b>Grade 10</b>	50.0%	33.1%	10.9%	2.1%	3.9%
<b>Grade 11</b>	55.4%	28.6%	9.0%	3.5%	3.4%
<b>Grade 12</b>	69.7%	22.3%	5.4%	2.1%	0.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-5: How safe do you feel when you are:**

		Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
	Very Safe				
<b>In your home?</b>					
<b>All</b>	83.9%	14.3%	0.8%	0.2%	0.7%
<b>Grade 7</b>	83.9%	14.2%	1.2%	0.4%	0.3%
<b>Grade 8</b>	80.3%	16.9%	1.4%	0.1%	1.3%
<b>Grade 9</b>	80.6%	17.2%	0.4%	0.4%	1.4%
<b>Grade 10</b>	84.2%	14.5%	0.9%	0.0%	0.4%
<b>Grade 11</b>	86.3%	12.7%	0.4%	0.1%	0.5%
<b>Grade 12</b>	91.6%	7.7%	0.2%	0.4%	0.2%
<b>Out in your neighbourhood</b>					
<b>All</b>	52.6%	38.6%	6.0%	1.4%	1.4%
<b>Grade 7</b>	47.8%	42.0%	7.9%	1.2%	1.1%
<b>Grade 8</b>	46.9%	43.5%	6.3%	1.4%	1.9%
<b>Grade 9</b>	50.2%	41.1%	3.7%	2.2%	2.9%
<b>Grade 10</b>	51.4%	40.7%	5.3%	1.6%	1.0%
<b>Grade 11</b>	62.6%	28.9%	7.0%	1.2%	0.3%
<b>Grade 12</b>	62.9%	29.9%	6.1%	0.7%	0.4%
<b>At school</b>					
<b>All</b>	47.2%	40.8%	6.4%	3.5%	2.1%
<b>Grade 7</b>	51.8%	37.2%	5.9%	3.3%	1.8%
<b>Grade 8</b>	50.0%	37.9%	6.9%	2.6%	2.6%
<b>Grade 9</b>	43.1%	42.2%	6.2%	5.6%	2.9%
<b>Grade 10</b>	42.4%	45.9%	6.4%	3.1%	2.1%
<b>Grade 11</b>	47.3%	40.6%	5.9%	4.3%	1.7%
<b>Grade 12</b>	49.1%	40.9%	7.0%	2.2%	0.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A website or online chat</b>	All 24.2%
	Grade 7 14.6%
	Grade 8 20.7%
	Grade 9 23.1%
	Grade 10 28.6%
	Grade 11 27.5%
	Grade 12 34.0%
<b>Books, magazines, poster</b>	All 45.8%
	Grade 7 38.2%
	Grade 8 42.8%
	Grade 9 49.7%
	Grade 10 43.6%
	Grade 11 50.9%
	Grade 12 53.2%
<b>TV, radio, or other audi</b>	All 48.8%
	Grade 7 44.1%
	Grade 8 45.9%
	Grade 9 52.1%
	Grade 10 49.9%
	Grade 11 47.3%
	Grade 12 55.8%
<b>Your parents</b>	All 46.8%
	Grade 7 46.4%
	Grade 8 46.6%
	Grade 9 52.8%
	Grade 10 43.9%
	Grade 11 44.3%
	Grade 12 46.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	15.9%	21.9%	37.5%	62.5%
	Grade 7	4.0%	6.2%	17.1%	82.9%
	Grade 8	6.4%	11.5%	28.3%	71.7%
	Grade 9	17.9%	24.5%	41.2%	58.8%
	Grade 10	20.5%	28.6%	43.1%	56.9%
	Grade 11	28.9%	34.4%	50.9%	49.1%
	Grade 12	23.4%	32.2%	50.6%	49.4%
<b>Alcohol</b>					
	All	27.7%	40.1%	62.8%	37.2%
	Grade 7	11.3%	16.8%	37.6%	62.4%
	Grade 8	23.0%	34.6%	60.1%	39.9%
	Grade 9	27.1%	39.9%	66.4%	33.6%
	Grade 10	32.4%	47.3%	67.5%	32.5%
	Grade 11	38.7%	53.3%	74.0%	26.0%
	Grade 12	38.5%	53.7%	75.2%	24.8%
<b>Inhalants</b>					
	All	2.3%	4.1%	8.8%	91.2%
	Grade 7	1.5%	2.6%	7.0%	93.0%
	Grade 8	4.3%	6.5%	11.9%	88.1%
	Grade 9	2.0%	4.0%	10.6%	89.4%
	Grade 10	2.7%	5.1%	10.6%	89.4%
	Grade 11	1.7%	2.7%	5.9%	94.1%
	Grade 12	0.9%	2.2%	3.6%	96.4%
<b>Any Illicit Drug</b>					
	All	9.3%	13.3%	23.4%	76.6%
	Grade 7	2.8%	4.2%	7.6%	92.4%
	Grade 8	6.4%	8.4%	15.4%	84.6%
	Grade 9	9.7%	15.9%	25.6%	74.4%
	Grade 10	11.3%	17.0%	29.8%	70.2%
	Grade 11	16.7%	21.6%	35.7%	64.3%
	Grade 12	10.7%	14.4%	31.0%	69.0%
<b>Marijuana</b>					
	All	7.5%	11.6%	21.7%	78.3%
	Grade 7	2.5%	3.9%	6.6%	93.4%
	Grade 8	4.6%	6.8%	12.8%	87.2%
	Grade 9	7.2%	12.5%	22.7%	77.3%
	Grade 10	9.2%	16.0%	29.6%	70.4%
	Grade 11	14.0%	18.8%	33.5%	66.5%
	Grade 12	9.3%	13.8%	29.2%	70.8%
<b>Marijuana Only</b>					
	All	3.4%	5.3%	12.7%	87.3%
	Grade 7	1.6%	2.2%	4.6%	95.4%
	Grade 8	2.6%	3.7%	8.7%	91.3%
	Grade 9	5.0%	7.4%	13.8%	86.2%
	Grade 10	2.8%	5.7%	15.3%	84.7%
	Grade 11	4.7%	7.5%	18.0%	82.0%
	Grade 12	4.6%	6.4%	18.5%	81.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.3%	2.4%	4.8%	95.2%
	Grade 7	0.1%	0.2%	1.3%	98.7%
	Grade 8	1.2%	2.1%	3.0%	97.0%
	Grade 9	0.3%	1.0%	2.8%	97.2%
	Grade 10	2.1%	4.3%	7.7%	92.3%
	Grade 11	2.9%	4.1%	8.4%	91.6%
	Grade 12	1.2%	2.7%	6.9%	93.1%
<b>Cocaine</b>					
	All	1.2%	2.2%	4.6%	95.4%
	Grade 7	0.1%	0.2%	0.8%	99.2%
	Grade 8	1.0%	1.5%	2.4%	97.6%
	Grade 9	0.3%	1.0%	2.8%	97.2%
	Grade 10	2.1%	4.3%	7.7%	92.3%
	Grade 11	2.9%	4.1%	8.3%	91.7%
	Grade 12	1.2%	2.7%	6.8%	93.2%
<b>Crack</b>					
	All	0.3%	0.6%	1.4%	98.6%
	Grade 7	0.1%	0.1%	1.0%	99.0%
	Grade 8	0.7%	1.3%	1.8%	98.2%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.8%	1.2%	2.9%	97.1%
	Grade 11	0.1%	0.7%	1.1%	98.9%
	Grade 12	0.0%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>					
	All	1.2%	2.1%	3.9%	96.1%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	1.4%	1.6%	3.0%	97.0%
	Grade 9	0.6%	1.5%	3.4%	96.6%
	Grade 10	2.0%	3.4%	6.5%	93.5%
	Grade 11	2.3%	3.9%	6.1%	93.9%
	Grade 12	0.8%	2.4%	3.6%	96.4%
<b>Uppers</b>					
	All	1.7%	2.9%	4.4%	95.6%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	1.1%	1.2%	2.4%	97.6%
	Grade 9	1.7%	3.1%	4.9%	95.1%
	Grade 10	1.2%	3.9%	4.9%	95.1%
	Grade 11	5.3%	5.8%	9.5%	90.5%
	Grade 12	1.2%	4.1%	5.5%	94.5%
<b>Downers</b>					
	All	1.8%	3.4%	5.0%	95.0%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.6%	0.7%	1.7%	98.3%
	Grade 9	2.3%	4.3%	5.7%	94.3%
	Grade 10	1.4%	4.1%	6.1%	93.9%
	Grade 11	5.5%	7.9%	11.7%	88.3%
	Grade 12	1.7%	4.7%	6.6%	93.4%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.8%	0.9%	1.8%	98.2%
	<b>Grade 7</b>	0.3%	0.4%	1.2%	98.8%
	<b>Grade 8</b>	0.9%	1.0%	1.5%	98.5%
	<b>Grade 9</b>	0.4%	0.6%	2.2%	97.8%
	<b>Grade 10</b>	1.2%	1.3%	2.6%	97.4%
	<b>Grade 11</b>	1.4%	2.0%	2.5%	97.5%
	<b>Grade 12</b>	0.2%	0.2%	0.9%	99.1%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.8%	1.7%	98.3%
	<b>Grade 7</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	0.3%	0.4%	1.6%	98.4%
	<b>Grade 9</b>	0.5%	0.6%	2.4%	97.6%
	<b>Grade 10</b>	0.8%	1.2%	1.7%	98.3%
	<b>Grade 11</b>	0.3%	1.5%	2.5%	97.5%
	<b>Grade 12</b>	0.2%	0.3%	0.4%	99.6%
<b>Ecstasy</b>					
	<b>All</b>	1.2%	2.0%	3.7%	96.3%
	<b>Grade 7</b>	0.0%	0.2%	0.6%	99.4%
	<b>Grade 8</b>	0.7%	1.3%	1.9%	98.1%
	<b>Grade 9</b>	0.6%	1.9%	3.5%	96.5%
	<b>Grade 10</b>	2.1%	2.6%	5.2%	94.8%
	<b>Grade 11</b>	3.6%	4.9%	7.6%	92.4%
	<b>Grade 12</b>	0.4%	1.6%	4.5%	95.5%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.6%	1.1%	98.9%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	0.4%	0.5%	1.2%	98.8%
	<b>Grade 9</b>	0.0%	0.5%	1.2%	98.8%
	<b>Grade 10</b>	0.6%	0.8%	1.7%	98.3%
	<b>Grade 11</b>	0.1%	1.2%	1.4%	98.6%
	<b>Grade 12</b>	0.0%	0.1%	0.2%	99.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	19.7%	26.6%	42.9%	57.1%
	Grade 7	5.4%	8.5%	23.6%	76.4%
	Grade 8	6.8%	13.6%	30.9%	69.1%
	Grade 9	20.3%	29.1%	49.5%	50.5%
	Grade 10	26.7%	36.5%	50.1%	49.9%
	Grade 11	38.3%	42.5%	55.9%	44.1%
	Grade 12	31.0%	39.2%	57.5%	42.5%
<b>Alcohol</b>					
	All	30.2%	42.6%	65.1%	34.9%
	Grade 7	16.0%	24.0%	45.9%	54.1%
	Grade 8	22.1%	33.4%	59.6%	40.4%
	Grade 9	25.6%	39.0%	65.8%	34.2%
	Grade 10	38.6%	51.3%	71.9%	28.1%
	Grade 11	43.3%	56.8%	75.5%	24.5%
	Grade 12	42.8%	60.4%	78.7%	21.3%
<b>Inhalants</b>					
	All	1.9%	3.7%	8.0%	92.0%
	Grade 7	0.8%	2.1%	9.4%	90.6%
	Grade 8	3.3%	5.6%	10.8%	89.2%
	Grade 9	1.2%	3.0%	7.1%	92.9%
	Grade 10	3.0%	4.5%	9.3%	90.7%
	Grade 11	1.1%	2.8%	4.4%	95.6%
	Grade 12	0.8%	2.9%	4.0%	96.0%
<b>Any Illicit Drug</b>					
	All	10.6%	14.7%	25.6%	74.4%
	Grade 7	3.7%	5.9%	10.9%	89.1%
	Grade 8	6.7%	9.0%	15.1%	84.9%
	Grade 9	10.3%	14.2%	25.0%	75.0%
	Grade 10	12.4%	19.3%	33.5%	66.5%
	Grade 11	18.4%	23.4%	35.6%	64.4%
	Grade 12	16.4%	21.4%	42.6%	57.4%
<b>Marijuana</b>					
	All	9.0%	13.3%	24.2%	75.8%
	Grade 7	3.3%	5.4%	9.6%	90.4%
	Grade 8	5.1%	7.5%	13.7%	86.3%
	Grade 9	8.9%	13.0%	23.7%	76.3%
	Grade 10	10.5%	18.1%	33.4%	66.6%
	Grade 11	15.1%	20.3%	34.4%	65.6%
	Grade 12	14.7%	20.0%	38.6%	61.4%
<b>Marijuana Only</b>					
	All	4.3%	6.3%	14.6%	85.4%
	Grade 7	2.2%	2.8%	6.5%	93.5%
	Grade 8	3.2%	4.5%	9.4%	90.6%
	Grade 9	6.6%	9.0%	16.7%	83.3%
	Grade 10	3.2%	6.5%	17.7%	82.3%
	Grade 11	4.7%	7.2%	17.0%	83.0%
	Grade 12	7.2%	9.3%	25.2%	74.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.6%	2.5%	5.3%	94.7%
	Grade 7	0.1%	0.2%	2.0%	98.0%
	Grade 8	1.1%	1.8%	3.0%	97.0%
	Grade 9	0.6%	0.6%	2.3%	97.7%
	Grade 10	2.5%	4.3%	8.2%	91.8%
	Grade 11	3.5%	4.4%	9.3%	90.7%
	Grade 12	2.0%	4.4%	8.9%	91.1%
<b>Cocaine</b>					
	All	1.5%	2.4%	5.1%	94.9%
	Grade 7	0.1%	0.2%	1.2%	98.8%
	Grade 8	0.8%	1.2%	2.5%	97.5%
	Grade 9	0.5%	0.6%	2.3%	97.7%
	Grade 10	2.5%	4.3%	8.1%	91.9%
	Grade 11	3.6%	4.5%	9.2%	90.8%
	Grade 12	2.0%	4.4%	8.9%	91.1%
<b>Crack</b>					
	All	0.4%	0.8%	1.6%	98.4%
	Grade 7	0.0%	0.1%	1.7%	98.3%
	Grade 8	0.7%	1.2%	2.0%	98.0%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	1.2%	1.2%	3.3%	96.7%
	Grade 11	0.2%	1.4%	1.5%	98.5%
	Grade 12	0.0%	0.2%	0.2%	99.8%
<b>Hallucinogens</b>					
	All	1.7%	2.7%	4.4%	95.6%
	Grade 7	0.3%	0.4%	1.2%	98.8%
	Grade 8	1.5%	1.7%	2.5%	97.5%
	Grade 9	0.5%	0.6%	1.6%	98.4%
	Grade 10	2.5%	3.3%	7.2%	92.8%
	Grade 11	3.9%	7.2%	9.2%	90.8%
	Grade 12	1.4%	4.3%	5.8%	94.2%
<b>Uppers</b>					
	All	1.8%	3.1%	4.3%	95.7%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	1.1%	1.1%	1.6%	98.4%
	Grade 9	1.3%	1.4%	2.4%	97.6%
	Grade 10	2.2%	4.9%	5.9%	94.1%
	Grade 11	4.8%	5.4%	9.5%	90.5%
	Grade 12	1.6%	7.2%	8.0%	92.0%
<b>Downers</b>					
	All	1.7%	3.6%	5.0%	95.0%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	0.4%	0.4%	0.5%	99.5%
	Grade 9	0.6%	1.6%	2.4%	97.6%
	Grade 10	1.1%	4.8%	7.0%	93.0%
	Grade 11	6.8%	9.7%	13.9%	86.1%
	Grade 12	2.4%	7.9%	9.2%	90.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.1%	1.3%	2.2%	97.8%
	<b>Grade 7</b>	0.5%	0.6%	1.9%	98.1%
	<b>Grade 8</b>	1.1%	1.1%	1.4%	98.6%
	<b>Grade 9</b>	0.2%	0.2%	1.6%	98.4%
	<b>Grade 10</b>	1.7%	1.8%	3.6%	96.4%
	<b>Grade 11</b>	2.3%	3.4%	3.6%	96.4%
	<b>Grade 12</b>	0.4%	0.4%	1.5%	98.5%
<b>Steroids</b>					
	<b>All</b>	0.8%	1.4%	2.4%	97.6%
	<b>Grade 7</b>	1.1%	1.3%	2.3%	97.7%
	<b>Grade 8</b>	0.1%	0.4%	1.6%	98.4%
	<b>Grade 9</b>	0.9%	1.1%	3.4%	96.6%
	<b>Grade 10</b>	1.6%	2.4%	3.0%	97.0%
	<b>Grade 11</b>	0.6%	3.0%	3.6%	96.4%
	<b>Grade 12</b>	0.4%	0.6%	0.7%	99.3%
<b>Ecstasy</b>					
	<b>All</b>	1.8%	2.8%	4.7%	95.3%
	<b>Grade 7</b>	0.0%	0.1%	0.7%	99.3%
	<b>Grade 8</b>	0.9%	1.5%	2.0%	98.0%
	<b>Grade 9</b>	1.2%	1.3%	2.5%	97.5%
	<b>Grade 10</b>	2.7%	3.5%	6.5%	93.5%
	<b>Grade 11</b>	6.1%	8.4%	11.3%	88.7%
	<b>Grade 12</b>	0.5%	2.9%	7.5%	92.5%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.8%	1.2%	98.8%
	<b>Grade 7</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.4%	0.5%	1.6%	98.4%
	<b>Grade 9</b>	0.0%	0.1%	0.3%	99.7%
	<b>Grade 10</b>	0.8%	1.2%	1.8%	98.2%
	<b>Grade 11</b>	0.1%	2.4%	2.7%	97.3%
	<b>Grade 12</b>	0.0%	0.1%	0.4%	99.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	12.2%	17.3%	32.2%	67.8%
	<b>Grade 7</b>	2.5%	3.7%	10.2%	89.8%
	<b>Grade 8</b>	5.9%	9.2%	25.4%	74.6%
	<b>Grade 9</b>	15.9%	20.5%	34.2%	65.8%
	<b>Grade 10</b>	14.5%	20.8%	36.2%	63.8%
	<b>Grade 11</b>	19.9%	26.6%	46.2%	53.8%
	<b>Grade 12</b>	16.2%	25.6%	44.1%	55.9%
<b>Alcohol</b>					
	<b>All</b>	25.3%	37.5%	60.6%	39.4%
	<b>Grade 7</b>	6.1%	9.1%	28.9%	71.1%
	<b>Grade 8</b>	23.8%	35.8%	60.5%	39.5%
	<b>Grade 9</b>	28.5%	40.4%	66.7%	33.3%
	<b>Grade 10</b>	26.3%	43.3%	63.2%	36.8%
	<b>Grade 11</b>	34.4%	49.6%	72.5%	27.5%
	<b>Grade 12</b>	34.3%	47.2%	71.9%	28.1%
<b>Inhalants</b>					
	<b>All</b>	2.8%	4.6%	9.5%	90.5%
	<b>Grade 7</b>	2.2%	3.1%	4.4%	95.6%
	<b>Grade 8</b>	5.4%	7.6%	13.1%	86.9%
	<b>Grade 9</b>	2.6%	4.8%	13.4%	86.6%
	<b>Grade 10</b>	2.4%	5.8%	11.9%	88.1%
	<b>Grade 11</b>	2.4%	2.7%	7.4%	92.6%
	<b>Grade 12</b>	1.0%	1.6%	3.3%	96.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	8.0%	11.8%	21.3%	78.7%
	<b>Grade 7</b>	1.7%	2.4%	4.1%	95.9%
	<b>Grade 8</b>	6.0%	7.7%	15.6%	84.4%
	<b>Grade 9</b>	9.1%	17.1%	25.9%	74.1%
	<b>Grade 10</b>	10.3%	14.8%	26.1%	73.9%
	<b>Grade 11</b>	15.2%	20.0%	35.9%	64.1%
	<b>Grade 12</b>	5.3%	7.8%	20.1%	79.9%
<b>Marijuana</b>					
	<b>All</b>	6.0%	9.9%	19.2%	80.8%
	<b>Grade 7</b>	1.6%	2.3%	3.5%	96.5%
	<b>Grade 8</b>	4.0%	6.0%	12.0%	88.0%
	<b>Grade 9</b>	5.7%	11.7%	21.6%	78.4%
	<b>Grade 10</b>	8.0%	14.1%	25.9%	74.1%
	<b>Grade 11</b>	13.0%	17.5%	32.7%	67.3%
	<b>Grade 12</b>	4.0%	7.6%	20.0%	80.0%
<b>Marijuana Only</b>					
	<b>All</b>	2.6%	4.4%	10.8%	89.2%
	<b>Grade 7</b>	1.1%	1.5%	2.4%	97.6%
	<b>Grade 8</b>	1.8%	2.8%	8.0%	92.0%
	<b>Grade 9</b>	3.7%	5.9%	11.2%	88.8%
	<b>Grade 10</b>	2.4%	4.9%	13.0%	87.0%
	<b>Grade 11</b>	4.7%	7.9%	19.0%	81.0%
	<b>Grade 12</b>	2.0%	3.5%	12.0%	88.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.0%	2.2%	4.4%	95.6%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	1.3%	2.4%	3.0%	97.0%
	Grade 9	0.1%	1.2%	3.2%	96.8%
	Grade 10	1.7%	4.3%	7.2%	92.8%
	Grade 11	2.3%	3.7%	7.5%	92.5%
	Grade 12	0.4%	1.1%	5.0%	95.0%
<b>Cocaine</b>					
	All	1.0%	2.1%	4.2%	95.8%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	1.2%	1.7%	2.2%	97.8%
	Grade 9	0.1%	1.2%	3.1%	96.9%
	Grade 10	1.7%	4.3%	7.3%	92.7%
	Grade 11	2.3%	3.7%	7.4%	92.6%
	Grade 12	0.4%	1.1%	4.9%	95.1%
<b>Crack</b>					
	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.8%	1.4%	1.6%	98.4%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	0.4%	1.1%	2.4%	97.6%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.1%	0.7%	99.3%
<b>Hallucinogens</b>					
	All	0.8%	1.6%	3.4%	96.6%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	1.2%	1.3%	3.7%	96.3%
	Grade 9	0.7%	2.3%	4.9%	95.1%
	Grade 10	1.5%	3.6%	5.8%	94.2%
	Grade 11	0.7%	0.8%	3.2%	96.8%
	Grade 12	0.1%	0.5%	1.5%	98.5%
<b>Uppers</b>					
	All	1.6%	2.7%	4.5%	95.5%
	Grade 7	0.1%	0.1%	0.5%	99.5%
	Grade 8	1.2%	1.3%	3.3%	96.7%
	Grade 9	2.0%	4.4%	6.8%	93.2%
	Grade 10	0.3%	2.9%	3.8%	96.2%
	Grade 11	5.8%	6.2%	9.6%	90.4%
	Grade 12	0.8%	1.3%	3.2%	96.8%
<b>Downers</b>					
	All	1.9%	3.1%	5.1%	94.9%
	Grade 7	0.0%	0.1%	0.4%	99.6%
	Grade 8	0.9%	0.9%	3.2%	96.8%
	Grade 9	3.6%	6.4%	8.3%	91.7%
	Grade 10	1.7%	3.5%	5.2%	94.8%
	Grade 11	4.2%	6.0%	9.4%	90.6%
	Grade 12	1.1%	1.8%	4.3%	95.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.5%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.1%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	0.6%	0.8%	1.5%	98.5%
	<b>Grade 9</b>	0.5%	0.9%	2.6%	97.4%
	<b>Grade 10</b>	0.8%	0.9%	1.6%	98.4%
	<b>Grade 11</b>	0.6%	0.6%	1.4%	98.6%
	<b>Grade 12</b>	0.0%	0.0%	0.4%	99.6%
<b>Steroids</b>					
	<b>All</b>	0.1%	0.2%	1.0%	99.0%
	<b>Grade 7</b>	0.1%	0.3%	0.5%	99.5%
	<b>Grade 8</b>	0.4%	0.4%	1.6%	98.4%
	<b>Grade 9</b>	0.2%	0.2%	1.7%	98.3%
	<b>Grade 10</b>	0.0%	0.0%	0.4%	99.6%
	<b>Grade 11</b>	0.0%	0.2%	1.4%	98.6%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>					
	<b>All</b>	0.7%	1.3%	2.8%	97.2%
	<b>Grade 7</b>	0.0%	0.2%	0.6%	99.4%
	<b>Grade 8</b>	0.5%	1.0%	1.7%	98.3%
	<b>Grade 9</b>	0.1%	2.5%	4.3%	95.7%
	<b>Grade 10</b>	1.6%	1.7%	3.9%	96.1%
	<b>Grade 11</b>	1.2%	1.6%	4.0%	96.0%
	<b>Grade 12</b>	0.3%	0.3%	1.7%	98.3%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.4%	0.9%	99.1%
	<b>Grade 7</b>	0.1%	0.1%	0.4%	99.6%
	<b>Grade 8</b>	0.5%	0.5%	0.8%	99.2%
	<b>Grade 9</b>	0.0%	0.8%	1.8%	98.2%
	<b>Grade 10</b>	0.4%	0.4%	1.6%	98.4%
	<b>Grade 11</b>	0.0%	0.0%	0.1%	99.9%
	<b>Grade 12</b>	0.0%	0.1%	0.1%	99.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	18.0%	23.9%	35.0%	65.0%
	<b>Grade 7</b>	1.6%	3.6%	12.5%	87.5%
	<b>Grade 8</b>	4.7%	9.9%	21.3%	78.7%
	<b>Grade 9</b>	21.7%	27.3%	41.8%	58.2%
	<b>Grade 10</b>	26.2%	34.6%	43.4%	56.6%
	<b>Grade 11</b>	32.3%	38.4%	50.3%	49.7%
	<b>Grade 12</b>	26.7%	35.7%	46.5%	53.5%
<b>Alcohol</b>					
	<b>All</b>	25.2%	36.9%	58.8%	41.2%
	<b>Grade 7</b>	7.1%	12.1%	33.1%	66.9%
	<b>Grade 8</b>	14.2%	27.0%	51.0%	49.0%
	<b>Grade 9</b>	27.7%	41.1%	66.7%	33.3%
	<b>Grade 10</b>	31.1%	45.1%	62.1%	37.9%
	<b>Grade 11</b>	37.7%	53.7%	73.9%	26.1%
	<b>Grade 12</b>	38.8%	47.7%	70.2%	29.8%
<b>Inhalants</b>					
	<b>All</b>	1.5%	2.9%	7.3%	92.7%
	<b>Grade 7</b>	1.2%	2.3%	6.6%	93.4%
	<b>Grade 8</b>	1.4%	2.7%	7.2%	92.8%
	<b>Grade 9</b>	1.1%	2.5%	11.1%	88.9%
	<b>Grade 10</b>	2.0%	4.7%	8.6%	91.4%
	<b>Grade 11</b>	2.7%	3.6%	7.4%	92.6%
	<b>Grade 12</b>	0.8%	1.6%	2.2%	97.8%
<b>Any Illicit Drug</b>					
	<b>All</b>	7.3%	11.0%	18.5%	81.5%
	<b>Grade 7</b>	0.3%	1.1%	2.7%	97.3%
	<b>Grade 8</b>	3.5%	4.7%	8.9%	91.1%
	<b>Grade 9</b>	6.0%	13.1%	21.0%	79.0%
	<b>Grade 10</b>	10.5%	17.1%	25.8%	74.2%
	<b>Grade 11</b>	17.4%	22.3%	35.0%	65.0%
	<b>Grade 12</b>	8.5%	10.1%	21.6%	78.4%
<b>Marijuana</b>					
	<b>All</b>	5.8%	9.5%	16.6%	83.4%
	<b>Grade 7</b>	0.2%	0.9%	1.9%	98.1%
	<b>Grade 8</b>	1.7%	3.6%	6.8%	93.2%
	<b>Grade 9</b>	4.2%	9.4%	17.2%	82.8%
	<b>Grade 10</b>	8.4%	16.2%	24.9%	75.1%
	<b>Grade 11</b>	14.5%	19.4%	31.5%	68.5%
	<b>Grade 12</b>	7.8%	10.0%	21.3%	78.7%
<b>Marijuana Only</b>					
	<b>All</b>	2.2%	3.6%	8.8%	91.2%
	<b>Grade 7</b>	0.1%	0.2%	1.0%	99.0%
	<b>Grade 8</b>	1.2%	1.7%	4.6%	95.4%
	<b>Grade 9</b>	3.2%	5.4%	9.4%	90.6%
	<b>Grade 10</b>	1.8%	5.0%	12.3%	87.7%
	<b>Grade 11</b>	3.3%	5.6%	14.0%	86.0%
	<b>Grade 12</b>	3.9%	4.1%	13.5%	86.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.1%	2.1%	4.3%	95.7%
	Grade 7	0.0%	0.0%	1.3%	98.7%
	Grade 8	0.6%	1.1%	1.8%	98.2%
	Grade 9	0.1%	0.8%	2.3%	97.7%
	Grade 10	1.5%	3.8%	5.6%	94.4%
	Grade 11	4.0%	5.4%	10.0%	90.0%
	Grade 12	0.5%	1.9%	6.0%	94.0%
<b>Cocaine</b>					
	All	1.1%	2.0%	4.1%	95.9%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.5%	0.5%	1.5%	98.5%
	Grade 9	0.1%	0.8%	2.3%	97.7%
	Grade 10	1.5%	3.8%	5.7%	94.3%
	Grade 11	4.1%	5.5%	10.1%	89.9%
	Grade 12	0.5%	1.9%	6.0%	94.0%
<b>Crack</b>					
	All	0.2%	0.5%	1.3%	98.7%
	Grade 7	0.0%	0.0%	1.2%	98.8%
	Grade 8	0.3%	0.8%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.7%	1.4%	2.7%	97.3%
	Grade 11	0.0%	0.9%	1.3%	98.7%
	Grade 12	0.0%	0.1%	0.3%	99.7%
<b>Hallucinogens</b>					
	All	1.1%	2.2%	3.9%	96.1%
	Grade 7	0.0%	0.1%	0.7%	99.3%
	Grade 8	0.9%	1.0%	1.6%	98.4%
	Grade 9	0.5%	1.3%	3.2%	96.8%
	Grade 10	1.9%	3.9%	7.4%	92.6%
	Grade 11	3.1%	5.2%	7.7%	92.3%
	Grade 12	0.3%	2.7%	3.4%	96.6%
<b>Uppers</b>					
	All	1.8%	3.5%	5.2%	94.8%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	1.0%	1.1%	1.8%	98.2%
	Grade 9	1.4%	3.2%	5.8%	94.2%
	Grade 10	1.7%	6.4%	7.7%	92.3%
	Grade 11	6.6%	7.1%	12.1%	87.9%
	Grade 12	0.7%	4.2%	4.9%	95.1%
<b>Downers</b>					
	All	1.9%	4.0%	5.8%	94.2%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.3%	0.4%	1.1%	98.9%
	Grade 9	1.1%	4.1%	5.8%	94.2%
	Grade 10	2.2%	6.9%	9.3%	90.7%
	Grade 11	7.3%	9.5%	14.8%	85.2%
	Grade 12	0.8%	4.2%	5.4%	94.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.6%	0.7%	1.4%	98.6%
	<b>Grade 7</b>	0.0%	0.0%	0.5%	99.5%
	<b>Grade 8</b>	0.1%	0.1%	0.8%	99.2%
	<b>Grade 9</b>	0.1%	0.1%	0.8%	99.2%
	<b>Grade 10</b>	1.2%	1.3%	2.1%	97.9%
	<b>Grade 11</b>	2.2%	3.1%	3.7%	96.3%
	<b>Grade 12</b>	0.0%	0.0%	0.7%	99.3%
<b>Steroids</b>					
	<b>All</b>	0.2%	0.7%	1.7%	98.3%
	<b>Grade 7</b>	0.1%	0.3%	0.5%	99.5%
	<b>Grade 8</b>	0.1%	0.1%	1.4%	98.6%
	<b>Grade 9</b>	0.0%	0.0%	2.0%	98.0%
	<b>Grade 10</b>	1.1%	1.8%	2.4%	97.6%
	<b>Grade 11</b>	0.1%	1.9%	3.5%	96.5%
	<b>Grade 12</b>	0.0%	0.2%	0.3%	99.7%
<b>Ecstasy</b>					
	<b>All</b>	1.1%	2.2%	3.6%	96.4%
	<b>Grade 7</b>	0.0%	0.0%	0.1%	99.9%
	<b>Grade 8</b>	0.8%	1.5%	1.5%	98.5%
	<b>Grade 9</b>	0.1%	1.9%	3.0%	97.0%
	<b>Grade 10</b>	1.7%	2.1%	5.3%	94.7%
	<b>Grade 11</b>	4.3%	6.4%	9.6%	90.4%
	<b>Grade 12</b>	0.1%	1.9%	3.0%	97.0%
<b>Heroin</b>					
	<b>All</b>	0.1%	0.5%	0.8%	99.2%
	<b>Grade 7</b>	0.0%	0.0%	0.1%	99.9%
	<b>Grade 8</b>	0.1%	0.1%	0.7%	99.3%
	<b>Grade 9</b>	0.0%	0.6%	0.9%	99.1%
	<b>Grade 10</b>	0.7%	0.7%	1.4%	98.6%
	<b>Grade 11</b>	0.0%	1.7%	1.8%	98.2%
	<b>Grade 12</b>	0.0%	0.1%	0.1%	99.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	8.1%	11.8%	36.8%	63.2%
	Grade 7	3.8%	4.8%	27.7%	72.3%
	Grade 8	2.5%	8.5%	31.1%	68.9%
	Grade 9	3.6%	8.0%	38.7%	61.3%
	Grade 10	5.9%	11.9%	46.2%	53.8%
	Grade 11	18.5%	20.7%	36.5%	63.5%
	Grade 12	11.1%	12.8%	35.4%	64.6%
<b>Alcohol</b>					
	All	30.7%	42.6%	72.7%	27.3%
	Grade 7	15.3%	30.5%	60.1%	39.9%
	Grade 8	28.2%	38.3%	65.7%	34.3%
	Grade 9	33.3%	49.1%	83.4%	16.6%
	Grade 10	28.9%	40.9%	79.1%	20.9%
	Grade 11	30.8%	37.6%	68.0%	32.0%
	Grade 12	46.0%	59.9%	75.6%	24.4%
<b>Inhalants</b>					
	All	1.2%	1.6%	7.6%	92.4%
	Grade 7	1.9%	1.9%	3.8%	96.2%
	Grade 8	0.0%	1.7%	8.5%	91.5%
	Grade 9	5.1%	5.1%	16.6%	83.4%
	Grade 10	0.0%	0.8%	13.8%	86.2%
	Grade 11	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Any Illicit Drug</b>					
	All	14.8%	17.8%	34.2%	65.8%
	Grade 7	6.7%	9.5%	19.1%	80.9%
	Grade 8	14.4%	16.9%	33.2%	66.8%
	Grade 9	25.6%	30.9%	37.1%	62.9%
	Grade 10	9.1%	10.4%	29.0%	71.0%
	Grade 11	9.1%	11.3%	33.4%	66.6%
	Grade 12	25.5%	30.0%	52.5%	47.5%
<b>Marijuana</b>					
	All	12.0%	16.2%	33.0%	67.0%
	Grade 7	5.8%	8.7%	17.3%	82.7%
	Grade 8	13.8%	16.3%	33.0%	67.0%
	Grade 9	15.5%	21.0%	28.3%	71.7%
	Grade 10	5.9%	11.3%	30.6%	69.4%
	Grade 11	8.0%	11.4%	33.8%	66.2%
	Grade 12	25.5%	30.4%	54.4%	45.6%
<b>Marijuana Only</b>					
	All	8.9%	11.0%	27.0%	73.0%
	Grade 7	4.8%	7.6%	16.2%	83.8%
	Grade 8	11.9%	14.3%	30.5%	69.5%
	Grade 9	10.6%	15.0%	21.1%	78.9%
	Grade 10	4.8%	5.5%	23.4%	76.6%
	Grade 11	8.0%	10.2%	32.3%	67.7%
	Grade 12	14.5%	14.5%	37.0%	63.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.2%	2.0%	2.2%	97.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	4.5%	5.3%	5.3%	94.7%
	Grade 11	1.1%	1.1%	1.1%	98.9%
	Grade 12	0.0%	5.0%	5.0%	95.0%
<b>Cocaine</b>					
	All	1.0%	1.9%	2.0%	98.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	3.9%	4.7%	4.7%	95.3%
	Grade 11	1.1%	1.1%	1.1%	98.9%
	Grade 12	0.0%	5.0%	5.0%	95.0%
<b>Crack</b>					
	All	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.8%	0.8%	0.8%	99.2%
	Grade 11	1.1%	1.1%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	1.0%	1.5%	1.5%	98.5%
	Grade 7	1.9%	1.9%	1.9%	98.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.9%	0.9%	99.1%
	Grade 10	0.0%	0.8%	0.8%	99.2%
	Grade 11	0.0%	1.3%	1.3%	98.7%
	Grade 12	5.0%	5.0%	5.0%	95.0%
<b>Uppers</b>					
	All	0.5%	0.7%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.9%	1.9%	1.9%	98.1%
	Grade 10	0.8%	0.8%	1.5%	98.5%
	Grade 11	0.0%	1.1%	1.1%	98.9%
	Grade 12	0.0%	0.0%	1.9%	98.1%
<b>Downers</b>					
	All	3.1%	3.5%	3.6%	96.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	13.5%	13.5%	13.5%	86.5%
	Grade 10	0.0%	0.8%	1.5%	98.5%
	Grade 11	0.0%	1.1%	1.1%	98.9%
	Grade 12	5.4%	5.4%	5.4%	94.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.3%	0.4%	0.8%	99.2%
	<b>Grade 7</b>	0.0%	0.0%	1.0%	99.0%
	<b>Grade 8</b>	0.8%	1.7%	1.7%	98.3%
	<b>Grade 9</b>	0.9%	0.9%	0.9%	99.1%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	1.8%	98.2%
<b>Steroids</b>					
	<b>All</b>	0.6%	1.0%	1.2%	98.8%
	<b>Grade 7</b>	1.9%	1.9%	2.9%	97.1%
	<b>Grade 8</b>	1.0%	1.0%	2.1%	97.9%
	<b>Grade 9</b>	0.0%	1.8%	1.8%	98.2%
	<b>Grade 10</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 11</b>	1.1%	1.1%	1.1%	98.9%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>					
	<b>All</b>	1.1%	1.3%	1.5%	98.5%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.8%	0.8%	0.8%	99.2%
	<b>Grade 9</b>	0.9%	0.9%	1.8%	98.2%
	<b>Grade 10</b>	3.8%	3.8%	3.8%	96.2%
	<b>Grade 11</b>	0.0%	1.1%	1.1%	98.9%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Heroin</b>					
	<b>All</b>	0.0%	0.3%	0.3%	99.7%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 9</b>	0.0%	0.9%	0.9%	99.1%
	<b>Grade 10</b>	0.0%	0.7%	0.7%	99.3%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.4%	19.6%	41.4%	58.6%
	<b>Grade 7</b>	7.8%	10.8%	23.7%	76.3%
	<b>Grade 8</b>	9.1%	14.0%	38.2%	61.8%
	<b>Grade 9</b>	12.0%	21.0%	39.6%	60.4%
	<b>Grade 10</b>	14.9%	22.5%	41.0%	59.0%
	<b>Grade 11</b>	24.0%	29.1%	54.7%	45.3%
	<b>Grade 12</b>	18.4%	27.0%	63.2%	36.8%
<b>Alcohol</b>					
	<b>All</b>	31.5%	44.7%	68.0%	32.0%
	<b>Grade 7</b>	18.3%	24.0%	42.5%	57.5%
	<b>Grade 8</b>	35.1%	44.9%	72.0%	28.0%
	<b>Grade 9</b>	23.7%	34.6%	62.0%	38.0%
	<b>Grade 10</b>	34.0%	50.9%	72.9%	27.1%
	<b>Grade 11</b>	42.8%	55.2%	75.2%	24.8%
	<b>Grade 12</b>	35.8%	64.6%	86.2%	13.8%
<b>Inhalants</b>					
	<b>All</b>	3.9%	6.4%	11.1%	88.9%
	<b>Grade 7</b>	1.4%	2.8%	7.9%	92.1%
	<b>Grade 8</b>	8.9%	12.6%	18.4%	81.6%
	<b>Grade 9</b>	3.4%	6.8%	8.9%	91.1%
	<b>Grade 10</b>	3.6%	5.7%	12.3%	87.7%
	<b>Grade 11</b>	0.3%	1.7%	4.1%	95.9%
	<b>Grade 12</b>	1.0%	3.7%	7.3%	92.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	11.5%	15.8%	30.1%	69.9%
	<b>Grade 7</b>	7.0%	9.7%	15.5%	84.5%
	<b>Grade 8</b>	10.1%	12.9%	23.1%	76.9%
	<b>Grade 9</b>	11.3%	15.6%	30.0%	70.0%
	<b>Grade 10</b>	12.6%	17.3%	35.0%	65.0%
	<b>Grade 11</b>	17.1%	22.4%	38.0%	62.0%
	<b>Grade 12</b>	12.7%	20.8%	49.1%	50.9%
<b>Marijuana</b>					
	<b>All</b>	9.7%	14.1%	28.7%	71.3%
	<b>Grade 7</b>	6.5%	9.2%	14.7%	85.3%
	<b>Grade 8</b>	8.2%	10.6%	19.7%	80.3%
	<b>Grade 9</b>	9.6%	14.2%	30.2%	69.8%
	<b>Grade 10</b>	10.9%	16.2%	35.6%	64.4%
	<b>Grade 11</b>	14.6%	19.3%	37.8%	62.2%
	<b>Grade 12</b>	9.5%	19.0%	42.8%	57.2%
<b>Marijuana Only</b>					
	<b>All</b>	4.5%	7.1%	17.4%	82.6%
	<b>Grade 7</b>	4.3%	5.5%	10.2%	89.8%
	<b>Grade 8</b>	3.8%	5.6%	12.7%	87.3%
	<b>Grade 9</b>	5.5%	7.8%	19.6%	80.4%
	<b>Grade 10</b>	3.7%	6.2%	18.3%	81.7%
	<b>Grade 11</b>	6.7%	10.7%	23.5%	76.5%
	<b>Grade 12</b>	4.2%	9.7%	26.8%	73.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.8%	3.0%	6.2%	93.8%
	Grade 7	0.4%	0.6%	1.5%	98.5%
	Grade 8	2.3%	3.7%	5.1%	94.9%
	Grade 9	0.9%	1.1%	3.9%	96.1%
	Grade 10	2.8%	5.1%	10.8%	89.2%
	Grade 11	0.8%	1.9%	6.5%	93.5%
	Grade 12	3.2%	4.1%	9.6%	90.4%
<b>Cocaine</b>					
	All	1.7%	2.8%	5.8%	94.2%
	Grade 7	0.3%	0.5%	1.2%	98.8%
	Grade 8	1.8%	3.0%	3.9%	96.1%
	Grade 9	0.8%	1.1%	3.8%	96.2%
	Grade 10	2.8%	5.1%	10.7%	89.3%
	Grade 11	0.8%	1.9%	6.2%	93.8%
	Grade 12	3.2%	4.1%	9.3%	90.7%
<b>Crack</b>					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	1.4%	2.1%	2.8%	97.2%
	Grade 9	0.2%	0.2%	0.5%	99.5%
	Grade 10	1.0%	1.0%	3.6%	96.4%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.3%	0.9%	99.1%
<b>Hallucinogens</b>					
	All	1.4%	1.9%	4.0%	96.0%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	2.3%	2.5%	5.2%	94.8%
	Grade 9	1.0%	2.0%	3.3%	96.7%
	Grade 10	2.0%	2.9%	5.8%	94.2%
	Grade 11	0.8%	1.4%	3.0%	97.0%
	Grade 12	0.9%	0.9%	3.6%	96.4%
<b>Uppers</b>					
	All	1.5%	2.1%	3.3%	96.7%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	1.4%	1.4%	3.5%	96.5%
	Grade 9	2.5%	3.0%	3.3%	96.7%
	Grade 10	0.4%	1.0%	1.5%	98.5%
	Grade 11	3.6%	3.9%	5.8%	94.2%
	Grade 12	2.2%	4.6%	7.4%	92.6%
<b>Downers</b>					
	All	1.3%	2.2%	3.8%	96.2%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	1.0%	1.0%	2.8%	97.2%
	Grade 9	2.6%	3.3%	4.0%	96.0%
	Grade 10	0.1%	0.7%	2.3%	97.7%
	Grade 11	3.1%	5.9%	7.5%	92.5%
	Grade 12	2.7%	5.5%	9.5%	90.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	1.2%	1.3%	2.5%	97.5%
	Grade 7	1.1%	1.2%	2.5%	97.5%
	Grade 8	2.1%	2.2%	2.3%	97.7%
	Grade 9	0.8%	1.1%	4.3%	95.7%
	Grade 10	1.4%	1.5%	3.6%	96.4%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.6%	0.6%	1.2%	98.8%
<b>Steroids</b>					
	All	0.6%	0.8%	1.5%	98.5%
	Grade 7	1.4%	1.8%	3.2%	96.8%
	Grade 8	0.4%	0.8%	1.8%	98.2%
	Grade 9	0.3%	0.3%	2.3%	97.7%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.3%	0.6%	0.6%	99.4%
	Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Ecstasy</b>					
	All	1.2%	1.6%	4.0%	96.0%
	Grade 7	0.0%	0.4%	1.6%	98.4%
	Grade 8	0.6%	1.1%	2.4%	97.6%
	Grade 9	0.5%	0.8%	3.2%	96.8%
	Grade 10	2.3%	3.0%	5.1%	94.9%
	Grade 11	2.7%	2.7%	4.6%	95.4%
	Grade 12	1.2%	1.2%	9.2%	90.8%
<b>Heroin</b>					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	1.0%	1.2%	2.1%	97.9%
	Grade 9	0.0%	0.2%	1.1%	98.9%
	Grade 10	0.5%	1.0%	2.3%	97.7%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.3%	99.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	8.5%	12.5%	22.2%	77.8%
	Grade 7	0.7%	2.1%	9.1%	90.9%
	Grade 8	2.8%	4.6%	15.7%	84.3%
	Grade 9	9.7%	13.3%	24.0%	76.0%
	Grade 10	10.6%	15.5%	23.9%	76.1%
	Grade 11	14.6%	20.0%	38.2%	61.8%
	Grade 12	20.3%	29.5%	35.8%	64.2%
<b>Alcohol</b>					
	All	15.7%	26.3%	47.7%	52.3%
	Grade 7	3.6%	10.5%	28.6%	71.4%
	Grade 8	14.4%	25.8%	48.5%	51.5%
	Grade 9	15.4%	26.5%	54.1%	45.9%
	Grade 10	16.4%	24.2%	46.4%	53.6%
	Grade 11	23.4%	43.6%	63.6%	36.4%
	Grade 12	29.1%	39.3%	56.7%	43.3%
<b>Inhalants</b>					
	All	0.8%	1.3%	4.1%	95.9%
	Grade 7	0.9%	0.9%	5.3%	94.7%
	Grade 8	1.3%	2.9%	6.3%	93.7%
	Grade 9	0.2%	0.4%	5.6%	94.4%
	Grade 10	1.0%	1.0%	2.4%	97.6%
	Grade 11	1.0%	1.3%	2.2%	97.8%
	Grade 12	0.5%	0.5%	1.3%	98.7%
<b>Any Illicit Drug</b>					
	All	2.8%	4.9%	10.1%	89.9%
	Grade 7	0.6%	0.7%	3.4%	96.6%
	Grade 8	1.9%	3.2%	7.0%	93.0%
	Grade 9	3.2%	6.6%	12.5%	87.5%
	Grade 10	1.8%	5.8%	11.5%	88.5%
	Grade 11	6.5%	10.3%	18.4%	81.6%
	Grade 12	5.7%	7.1%	14.1%	85.9%
<b>Marijuana</b>					
	All	2.3%	4.2%	8.9%	91.1%
	Grade 7	0.5%	0.5%	2.1%	97.9%
	Grade 8	1.8%	3.1%	5.7%	94.3%
	Grade 9	1.1%	2.6%	9.0%	91.0%
	Grade 10	1.7%	5.2%	10.6%	89.4%
	Grade 11	6.4%	10.5%	18.8%	81.2%
	Grade 12	5.1%	7.3%	14.5%	85.5%
<b>Marijuana Only</b>					
	All	1.3%	2.7%	5.9%	94.1%
	Grade 7	0.3%	0.3%	1.8%	98.2%
	Grade 8	1.2%	2.5%	4.3%	95.7%
	Grade 9	1.0%	2.5%	6.4%	93.6%
	Grade 10	0.2%	3.1%	6.4%	93.6%
	Grade 11	2.1%	5.7%	11.3%	88.7%
	Grade 12	3.5%	4.2%	9.3%	90.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.4%	0.7%	2.0%	98.0%
	Grade 7	0.1%	0.1%	0.9%	99.1%
	Grade 8	0.1%	0.5%	1.0%	99.0%
	Grade 9	0.0%	0.0%	1.2%	98.8%
	Grade 10	1.2%	1.3%	3.2%	96.8%
	Grade 11	1.4%	1.6%	4.2%	95.8%
	Grade 12	0.0%	0.9%	3.2%	96.8%
<b>Cocaine</b>					
	All	0.4%	0.7%	1.8%	98.2%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.1%	0.5%	0.6%	99.4%
	Grade 9	0.0%	0.0%	1.1%	98.9%
	Grade 10	1.2%	1.3%	3.2%	96.8%
	Grade 11	1.4%	1.6%	4.2%	95.8%
	Grade 12	0.0%	0.9%	3.2%	96.8%
<b>Crack</b>					
	All	0.2%	0.2%	0.7%	99.3%
	Grade 7	0.1%	0.1%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	1.0%	1.0%	2.1%	97.9%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	0.3%	0.7%	1.4%	98.6%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	1.2%	98.8%
	Grade 9	0.0%	0.0%	1.2%	98.8%
	Grade 10	1.1%	1.3%	2.5%	97.5%
	Grade 11	1.0%	3.0%	3.2%	96.8%
	Grade 12	0.3%	1.0%	1.3%	98.7%
<b>Uppers</b>					
	All	0.3%	0.8%	1.2%	98.8%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	1.0%	1.1%	98.9%
	Grade 10	0.2%	1.4%	1.9%	98.1%
	Grade 11	1.3%	1.5%	3.9%	96.1%
	Grade 12	0.5%	1.3%	1.5%	98.5%
<b>Downers</b>					
	All	0.7%	1.4%	2.1%	97.9%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.1%	0.1%	0.1%	99.9%
	Grade 9	2.5%	4.6%	5.4%	94.6%
	Grade 10	0.2%	1.8%	2.0%	98.0%
	Grade 11	0.7%	0.9%	5.4%	94.6%
	Grade 12	1.1%	2.0%	2.2%	97.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.3%	0.3%	0.5%	99.5%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.0%	0.0%	0.1%	99.9%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	1.1%	1.1%	2.0%	98.0%
	<b>Grade 11</b>	0.9%	0.9%	1.1%	98.9%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	<b>All</b>	0.2%	0.3%	0.8%	99.2%
	<b>Grade 7</b>	0.1%	0.2%	0.2%	99.8%
	<b>Grade 8</b>	0.1%	0.1%	1.2%	98.8%
	<b>Grade 9</b>	0.1%	0.1%	1.4%	98.6%
	<b>Grade 10</b>	1.1%	1.1%	1.1%	98.9%
	<b>Grade 11</b>	0.0%	0.3%	0.3%	99.7%
	<b>Grade 12</b>	0.0%	0.0%	0.1%	99.9%
<b>Ecstasy</b>					
	<b>All</b>	0.2%	0.6%	1.2%	98.8%
	<b>Grade 7</b>	0.0%	0.1%	0.1%	99.9%
	<b>Grade 8</b>	0.1%	0.1%	0.7%	99.3%
	<b>Grade 9</b>	0.0%	2.0%	2.1%	97.9%
	<b>Grade 10</b>	1.2%	1.2%	1.4%	98.6%
	<b>Grade 11</b>	0.0%	0.8%	3.0%	97.0%
	<b>Grade 12</b>	0.0%	0.0%	1.1%	98.9%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.3%	0.6%	99.4%
	<b>Grade 7</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 8</b>	0.0%	0.0%	0.5%	99.5%
	<b>Grade 9</b>	0.0%	1.0%	1.0%	99.0%
	<b>Grade 10</b>	1.1%	1.1%	1.6%	98.4%
	<b>Grade 11</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	20.3%	27.6%	46.9%	53.1%
	Grade 7	7.1%	10.1%	24.9%	75.1%
	Grade 8	8.5%	15.6%	36.1%	63.9%
	Grade 9	21.7%	30.1%	50.2%	49.8%
	Grade 10	25.5%	35.4%	53.4%	46.6%
	Grade 11	34.7%	40.2%	56.3%	43.7%
	Grade 12	25.6%	34.3%	61.8%	38.2%
<b>Alcohol</b>					
	All	35.0%	48.5%	72.3%	27.7%
	Grade 7	17.5%	21.8%	45.4%	54.6%
	Grade 8	28.6%	40.5%	67.5%	32.5%
	Grade 9	33.7%	47.0%	73.3%	26.7%
	Grade 10	40.8%	59.8%	79.3%	20.7%
	Grade 11	44.5%	57.0%	78.4%	21.6%
	Grade 12	45.6%	64.5%	89.4%	10.6%
<b>Inhalants</b>					
	All	3.3%	6.0%	11.5%	88.5%
	Grade 7	2.0%	4.2%	8.7%	91.3%
	Grade 8	6.3%	9.0%	15.3%	84.7%
	Grade 9	3.0%	6.0%	13.4%	86.6%
	Grade 10	3.7%	7.5%	14.7%	85.3%
	Grade 11	2.1%	3.4%	7.5%	92.5%
	Grade 12	1.3%	3.4%	5.3%	94.7%
<b>Any Illicit Drug</b>					
	All	13.1%	18.2%	31.5%	68.5%
	Grade 7	4.8%	7.6%	11.8%	88.2%
	Grade 8	9.2%	11.2%	20.4%	79.6%
	Grade 9	13.1%	21.0%	32.8%	67.2%
	Grade 10	16.0%	22.8%	39.5%	60.5%
	Grade 11	20.7%	26.0%	41.7%	58.3%
	Grade 12	14.3%	19.8%	43.9%	56.1%
<b>Marijuana</b>					
	All	10.6%	16.1%	29.4%	70.6%
	Grade 7	4.5%	7.3%	11.2%	88.8%
	Grade 8	6.3%	8.7%	17.1%	82.9%
	Grade 9	10.4%	17.7%	30.0%	70.0%
	Grade 10	12.9%	21.6%	39.9%	60.1%
	Grade 11	17.1%	22.1%	38.4%	61.6%
	Grade 12	12.3%	18.5%	40.0%	60.0%
<b>Marijuana Only</b>					
	All	4.7%	6.9%	16.9%	83.1%
	Grade 7	2.9%	4.0%	7.2%	92.8%
	Grade 8	3.2%	4.3%	11.5%	88.5%
	Grade 9	7.1%	10.1%	17.8%	82.2%
	Grade 10	4.2%	7.1%	20.4%	79.6%
	Grade 11	5.7%	8.2%	20.6%	79.4%
	Grade 12	5.3%	7.9%	25.4%	74.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.8%	3.4%	6.5%	93.5%
	Grade 7	0.2%	0.3%	1.7%	98.3%
	Grade 8	1.9%	3.1%	4.3%	95.7%
	Grade 9	0.5%	1.5%	3.7%	96.3%
	Grade 10	2.6%	5.9%	10.2%	89.8%
	Grade 11	3.4%	5.0%	9.2%	90.8%
	Grade 12	2.1%	4.0%	9.7%	90.3%
<b>Cocaine</b>					
	All	1.8%	3.2%	6.2%	93.8%
	Grade 7	0.2%	0.2%	1.4%	98.6%
	Grade 8	1.6%	2.2%	3.6%	96.4%
	Grade 9	0.5%	1.5%	3.7%	96.3%
	Grade 10	2.6%	5.9%	10.2%	89.8%
	Grade 11	3.4%	5.0%	9.0%	91.0%
	Grade 12	2.1%	4.0%	9.6%	90.4%
<b>Crack</b>					
	All	0.4%	0.9%	1.9%	98.1%
	Grade 7	0.1%	0.2%	1.3%	98.7%
	Grade 8	1.2%	2.2%	2.7%	97.3%
	Grade 9	0.1%	0.1%	0.9%	99.1%
	Grade 10	0.6%	1.2%	3.3%	96.7%
	Grade 11	0.0%	0.8%	1.4%	98.6%
	Grade 12	0.0%	0.3%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	1.8%	3.0%	5.4%	94.6%
	Grade 7	0.3%	0.5%	1.5%	98.5%
	Grade 8	2.4%	2.6%	3.9%	96.1%
	Grade 9	0.9%	2.3%	4.6%	95.4%
	Grade 10	2.5%	4.6%	8.6%	91.4%
	Grade 11	2.8%	4.3%	7.3%	92.7%
	Grade 12	1.1%	3.4%	5.3%	94.7%
<b>Uppers</b>					
	All	2.6%	4.1%	6.2%	93.8%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	1.9%	1.9%	3.5%	96.5%
	Grade 9	2.6%	4.2%	6.9%	93.1%
	Grade 10	1.7%	4.7%	5.9%	94.1%
	Grade 11	6.9%	7.5%	11.6%	88.4%
	Grade 12	1.7%	6.2%	8.4%	91.6%
<b>Downers</b>					
	All	2.5%	4.5%	6.7%	93.3%
	Grade 7	0.2%	0.3%	1.0%	99.0%
	Grade 8	1.0%	1.1%	2.4%	97.6%
	Grade 9	2.1%	4.1%	5.8%	94.2%
	Grade 10	2.0%	4.8%	7.9%	92.1%
	Grade 11	7.5%	10.7%	14.2%	85.8%
	Grade 12	2.0%	6.5%	9.7%	90.3%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.1%	1.3%	2.6%	97.4%
	<b>Grade 7</b>	0.7%	0.8%	2.4%	97.6%
	<b>Grade 8</b>	1.5%	1.7%	2.0%	98.0%
	<b>Grade 9</b>	0.6%	0.9%	3.4%	96.6%
	<b>Grade 10</b>	1.3%	1.5%	2.9%	97.1%
	<b>Grade 11</b>	1.6%	2.4%	3.0%	97.0%
	<b>Grade 12</b>	0.3%	0.3%	1.6%	98.4%
<b>Steroids</b>					
	<b>All</b>	0.6%	1.1%	2.3%	97.7%
	<b>Grade 7</b>	1.0%	1.4%	2.7%	97.3%
	<b>Grade 8</b>	0.4%	0.7%	1.8%	98.2%
	<b>Grade 9</b>	0.7%	0.8%	3.0%	97.0%
	<b>Grade 10</b>	0.6%	1.2%	2.0%	98.0%
	<b>Grade 11</b>	0.3%	1.9%	3.3%	96.7%
	<b>Grade 12</b>	0.3%	0.5%	0.6%	99.4%
<b>Ecstasy</b>					
	<b>All</b>	1.9%	2.9%	5.3%	94.7%
	<b>Grade 7</b>	0.0%	0.2%	1.2%	98.8%
	<b>Grade 8</b>	1.2%	2.1%	2.7%	97.3%
	<b>Grade 9</b>	0.9%	1.9%	4.2%	95.8%
	<b>Grade 10</b>	2.7%	3.3%	7.3%	92.7%
	<b>Grade 11</b>	5.0%	6.5%	9.4%	90.6%
	<b>Grade 12</b>	0.7%	2.8%	7.2%	92.8%
<b>Heroin</b>					
	<b>All</b>	0.3%	0.7%	1.4%	98.6%
	<b>Grade 7</b>	0.2%	0.3%	0.6%	99.4%
	<b>Grade 8</b>	0.7%	0.9%	1.8%	98.2%
	<b>Grade 9</b>	0.1%	0.2%	1.3%	98.7%
	<b>Grade 10</b>	0.3%	0.6%	1.7%	98.3%
	<b>Grade 11</b>	0.1%	1.7%	2.0%	98.0%
	<b>Grade 12</b>	0.0%	0.2%	0.4%	99.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	14.0%	19.0%	31.8%	68.2%
	Grade 7	2.4%	4.2%	11.2%	88.8%
	Grade 8	5.0%	10.7%	22.7%	77.3%
	Grade 9	14.8%	18.6%	32.0%	68.0%
	Grade 10	19.7%	26.3%	38.3%	61.7%
	Grade 11	26.5%	30.9%	47.0%	53.0%
	Grade 12	19.0%	27.3%	45.0%	55.0%
<b>Alcohol</b>					
	All	24.0%	35.6%	57.1%	42.9%
	Grade 7	8.8%	14.4%	32.2%	67.8%
	Grade 8	19.1%	31.1%	53.0%	47.0%
	Grade 9	22.8%	32.7%	57.8%	42.2%
	Grade 10	29.6%	43.2%	62.9%	37.1%
	Grade 11	35.4%	49.6%	68.1%	31.9%
	Grade 12	31.0%	46.1%	72.8%	27.2%
<b>Inhalants</b>					
	All	2.1%	3.4%	7.3%	92.7%
	Grade 7	1.2%	2.0%	5.3%	94.7%
	Grade 8	4.4%	6.7%	11.3%	88.7%
	Grade 9	2.4%	3.4%	8.2%	91.8%
	Grade 10	2.4%	4.1%	10.0%	90.0%
	Grade 11	0.7%	1.1%	3.7%	96.3%
	Grade 12	0.9%	1.6%	3.1%	96.9%
<b>Any Illicit Drug</b>					
	All	6.6%	9.2%	16.8%	83.2%
	Grade 7	1.6%	2.3%	3.8%	96.2%
	Grade 8	5.2%	6.6%	11.0%	89.0%
	Grade 9	5.5%	9.1%	15.4%	84.6%
	Grade 10	9.6%	13.5%	23.1%	76.9%
	Grade 11	11.1%	15.1%	27.8%	72.2%
	Grade 12	7.4%	9.6%	22.6%	77.4%
<b>Marijuana</b>					
	All	4.9%	7.5%	14.8%	85.2%
	Grade 7	1.3%	2.0%	2.9%	97.1%
	Grade 8	3.7%	4.8%	7.9%	92.1%
	Grade 9	3.0%	6.3%	12.8%	87.2%
	Grade 10	7.6%	12.1%	22.2%	77.8%
	Grade 11	7.5%	11.5%	24.8%	75.2%
	Grade 12	6.6%	9.2%	20.3%	79.7%
<b>Marijuana Only</b>					
	All	2.1%	3.4%	8.7%	91.3%
	Grade 7	1.0%	1.5%	2.2%	97.8%
	Grade 8	1.8%	2.6%	4.7%	95.3%
	Grade 9	2.3%	3.4%	7.9%	92.1%
	Grade 10	1.8%	3.9%	11.2%	88.8%
	Grade 11	3.4%	6.2%	15.8%	84.2%
	Grade 12	2.7%	3.7%	12.6%	87.4%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.8%	1.6%	3.2%	96.8%
	Grade 7	0.0%	0.1%	0.9%	99.1%
	Grade 8	1.4%	2.0%	3.0%	97.0%
	Grade 9	0.2%	0.8%	1.1%	98.9%
	Grade 10	1.4%	2.9%	5.8%	94.2%
	Grade 11	1.3%	2.3%	3.8%	96.2%
	Grade 12	0.6%	1.0%	4.5%	95.5%
<b>Cocaine</b>					
	All	0.8%	1.5%	3.0%	97.0%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	1.1%	1.5%	2.2%	97.8%
	Grade 9	0.2%	0.8%	1.1%	98.9%
	Grade 10	1.3%	2.9%	5.7%	94.3%
	Grade 11	1.3%	2.3%	3.9%	96.1%
	Grade 12	0.6%	1.0%	4.5%	95.5%
<b>Crack</b>					
	All	0.3%	0.6%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	1.1%	1.6%	1.9%	98.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.7%	1.2%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>					
	All	0.8%	1.6%	2.6%	97.4%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	1.4%	1.5%	2.3%	97.7%
	Grade 9	0.1%	1.2%	1.9%	98.1%
	Grade 10	2.1%	2.5%	4.5%	95.5%
	Grade 11	0.3%	1.4%	3.2%	96.8%
	Grade 12	0.4%	2.4%	3.5%	96.5%
<b>Uppers</b>					
	All	1.2%	2.3%	3.4%	96.6%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	1.3%	1.3%	2.4%	97.6%
	Grade 9	1.7%	3.0%	4.3%	95.7%
	Grade 10	0.9%	3.1%	3.8%	96.2%
	Grade 11	2.1%	2.6%	4.9%	95.1%
	Grade 12	1.2%	4.0%	4.9%	95.1%
<b>Downers</b>					
	All	1.2%	2.3%	3.4%	96.6%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.8%	0.9%	1.7%	98.3%
	Grade 9	1.7%	3.0%	3.6%	96.4%
	Grade 10	0.9%	2.9%	4.2%	95.8%
	Grade 11	3.2%	3.6%	6.0%	94.0%
	Grade 12	1.0%	3.9%	5.3%	94.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.4%	0.5%	0.8%	99.2%
	<b>Grade 7</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	1.2%	1.2%	1.5%	98.5%
	<b>Grade 9</b>	0.1%	0.1%	0.3%	99.7%
	<b>Grade 10</b>	0.7%	0.8%	1.4%	98.6%
	<b>Grade 11</b>	0.0%	0.0%	0.6%	99.4%
	<b>Grade 12</b>	0.1%	0.1%	0.5%	99.5%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.7%	0.8%	1.6%	98.4%
	<b>Grade 8</b>	0.4%	0.6%	1.7%	98.3%
	<b>Grade 9</b>	0.8%	0.8%	2.2%	97.8%
	<b>Grade 10</b>	0.3%	0.9%	1.2%	98.8%
	<b>Grade 11</b>	0.1%	0.2%	1.1%	98.9%
	<b>Grade 12</b>	0.1%	0.3%	0.3%	99.7%
<b>Ecstasy</b>					
	<b>All</b>	1.0%	1.4%	2.5%	97.5%
	<b>Grade 7</b>	0.0%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.6%	0.9%	1.2%	98.8%
	<b>Grade 9</b>	0.7%	0.8%	1.2%	98.8%
	<b>Grade 10</b>	2.6%	2.6%	4.1%	95.9%
	<b>Grade 11</b>	1.1%	2.0%	4.1%	95.9%
	<b>Grade 12</b>	0.4%	2.0%	4.3%	95.7%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.3%	0.7%	99.3%
	<b>Grade 7</b>	0.1%	0.1%	0.2%	99.8%
	<b>Grade 8</b>	0.6%	0.7%	1.2%	98.8%
	<b>Grade 9</b>	0.0%	0.0%	0.1%	99.9%
	<b>Grade 10</b>	0.3%	0.7%	1.6%	98.4%
	<b>Grade 11</b>	0.0%	0.0%	0.2%	99.8%
	<b>Grade 12</b>	0.0%	0.0%	0.2%	99.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	19.4%	27.1%	47.5%	52.5%
	Grade 7	7.5%	10.6%	30.2%	69.8%
	Grade 8	8.3%	12.9%	36.4%	63.6%
	Grade 9	22.3%	32.9%	54.4%	45.6%
	Grade 10	22.0%	32.7%	51.7%	48.3%
	Grade 11	33.4%	40.7%	57.8%	42.2%
	Grade 12	34.5%	44.8%	64.4%	35.6%
<b>Alcohol</b>					
	All	34.5%	47.9%	73.0%	27.0%
	Grade 7	15.8%	21.5%	48.7%	51.3%
	Grade 8	28.6%	39.7%	70.5%	29.5%
	Grade 9	33.5%	50.2%	78.7%	21.3%
	Grade 10	37.6%	54.7%	75.9%	24.1%
	Grade 11	44.7%	60.0%	84.6%	15.4%
	Grade 12	58.2%	73.0%	81.5%	18.5%
<b>Inhalants</b>					
	All	2.7%	5.4%	11.3%	88.7%
	Grade 7	2.0%	3.8%	10.8%	89.2%
	Grade 8	4.0%	6.2%	12.8%	87.2%
	Grade 9	1.3%	4.8%	13.9%	86.1%
	Grade 10	3.2%	7.0%	11.7%	88.3%
	Grade 11	3.7%	5.7%	9.7%	90.3%
	Grade 12	1.0%	3.5%	5.0%	95.0%
<b>Any Illicit Drug</b>					
	All	13.9%	20.3%	35.1%	64.9%
	Grade 7	5.3%	8.3%	15.9%	84.1%
	Grade 8	8.2%	11.1%	21.8%	78.2%
	Grade 9	15.6%	25.7%	40.5%	59.5%
	Grade 10	14.4%	23.5%	41.7%	58.3%
	Grade 11	26.6%	33.0%	49.6%	50.4%
	Grade 12	18.6%	26.3%	52.4%	47.6%
<b>Marijuana</b>					
	All	12.0%	18.8%	33.8%	66.2%
	Grade 7	5.1%	8.1%	14.7%	85.3%
	Grade 8	5.9%	9.8%	20.0%	80.0%
	Grade 9	12.9%	21.2%	36.7%	63.3%
	Grade 10	12.2%	23.3%	43.2%	56.8%
	Grade 11	25.5%	31.8%	48.5%	51.5%
	Grade 12	15.8%	25.3%	51.6%	48.4%
<b>Marijuana Only</b>					
	All	5.8%	8.7%	19.7%	80.3%
	Grade 7	3.0%	3.7%	9.6%	90.4%
	Grade 8	3.7%	5.3%	14.5%	85.5%
	Grade 9	8.9%	13.4%	22.5%	77.5%
	Grade 10	4.7%	8.7%	22.8%	77.2%
	Grade 11	7.1%	9.8%	21.9%	78.1%
	Grade 12	9.1%	13.0%	33.5%	66.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.1%	3.8%	7.8%	92.2%
	Grade 7	0.3%	0.5%	2.3%	97.7%
	Grade 8	0.9%	2.1%	3.1%	96.9%
	Grade 9	0.6%	1.1%	5.2%	94.8%
	Grade 10	3.4%	6.8%	11.3%	88.7%
	Grade 11	5.8%	7.2%	16.4%	83.6%
	Grade 12	2.8%	7.2%	13.1%	86.9%
<b>Cocaine</b>					
	All	2.1%	3.6%	7.5%	92.5%
	Grade 7	0.2%	0.4%	1.7%	98.3%
	Grade 8	0.8%	1.4%	2.6%	97.4%
	Grade 9	0.5%	1.2%	5.1%	94.9%
	Grade 10	3.5%	6.9%	11.4%	88.6%
	Grade 11	5.8%	7.2%	16.1%	83.9%
	Grade 12	2.8%	7.3%	12.9%	87.1%
<b>Crack</b>					
	All	0.3%	0.8%	2.2%	97.8%
	Grade 7	0.3%	0.3%	1.7%	98.3%
	Grade 8	0.2%	0.9%	1.7%	98.3%
	Grade 9	0.1%	0.1%	1.5%	98.5%
	Grade 10	1.1%	1.1%	4.7%	95.3%
	Grade 11	0.2%	1.9%	2.3%	97.7%
	Grade 12	0.0%	0.5%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	1.9%	3.1%	6.1%	93.9%
	Grade 7	0.2%	0.5%	2.0%	98.0%
	Grade 8	1.4%	1.7%	4.1%	95.9%
	Grade 9	1.4%	1.9%	5.6%	94.4%
	Grade 10	1.8%	5.0%	10.0%	90.0%
	Grade 11	5.7%	8.5%	11.3%	88.7%
	Grade 12	1.6%	2.3%	3.8%	96.2%
<b>Uppers</b>					
	All	2.6%	4.0%	6.2%	93.8%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.9%	1.0%	2.4%	97.6%
	Grade 9	1.7%	3.1%	5.5%	94.5%
	Grade 10	1.8%	5.5%	6.7%	93.3%
	Grade 11	10.9%	11.5%	17.7%	82.3%
	Grade 12	1.2%	4.5%	7.0%	93.0%
<b>Downers</b>					
	All	2.7%	5.2%	7.9%	92.1%
	Grade 7	0.0%	0.2%	0.9%	99.1%
	Grade 8	0.3%	0.4%	1.8%	98.2%
	Grade 9	3.0%	6.0%	8.5%	91.5%
	Grade 10	2.2%	6.3%	9.4%	90.6%
	Grade 11	9.5%	15.6%	21.8%	78.2%
	Grade 12	3.4%	6.9%	10.1%	89.9%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	1.3%	1.7%	3.6%	96.4%
	Grade 7	1.0%	1.0%	3.2%	96.8%
	Grade 8	0.4%	0.6%	1.4%	98.6%
	Grade 9	0.7%	1.1%	4.8%	95.2%
	Grade 10	2.2%	2.4%	4.7%	95.3%
	Grade 11	3.8%	5.3%	5.7%	94.3%
	Grade 12	0.3%	0.3%	2.0%	98.0%
<b>Steroids</b>					
	All	0.5%	1.0%	2.2%	97.8%
	Grade 7	0.3%	0.8%	1.2%	98.8%
	Grade 8	0.1%	0.1%	1.3%	98.7%
	Grade 9	0.1%	0.3%	2.8%	97.2%
	Grade 10	1.6%	1.6%	2.5%	97.5%
	Grade 11	0.5%	3.7%	4.9%	95.1%
	Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Ecstasy</b>					
	All	1.7%	3.1%	6.0%	94.0%
	Grade 7	0.0%	0.3%	1.6%	98.4%
	Grade 8	0.8%	1.7%	2.8%	97.2%
	Grade 9	0.5%	3.6%	6.7%	93.3%
	Grade 10	1.3%	2.5%	7.2%	92.8%
	Grade 11	7.8%	10.1%	13.6%	86.4%
	Grade 12	0.3%	0.3%	5.1%	94.9%
<b>Heroin</b>					
	All	0.3%	1.0%	1.7%	98.3%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	1.3%	98.7%
	Grade 9	0.0%	1.0%	2.5%	97.5%
	Grade 10	1.1%	1.1%	1.8%	98.2%
	Grade 11	0.0%	3.1%	3.3%	96.7%
	Grade 12	0.0%	0.4%	0.4%	99.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.7%	19.5%	34.5%	65.5%
	Grade 7	3.2%	4.8%	14.7%	85.3%
	Grade 8	5.7%	10.4%	25.9%	74.1%
	Grade 9	14.5%	20.5%	36.5%	63.5%
	Grade 10	16.7%	23.1%	37.6%	62.4%
	Grade 11	29.4%	36.1%	51.0%	49.0%
	Grade 12	20.2%	31.6%	53.0%	47.0%
<b>Alcohol</b>					
	All	24.0%	36.5%	59.8%	40.2%
	Grade 7	8.1%	13.6%	34.8%	65.2%
	Grade 8	19.1%	30.7%	57.7%	42.3%
	Grade 9	21.9%	34.6%	62.0%	38.0%
	Grade 10	27.1%	42.2%	63.1%	36.9%
	Grade 11	38.1%	53.0%	75.9%	24.1%
	Grade 12	38.4%	56.5%	73.2%	26.8%
<b>Inhalants</b>					
	All	1.7%	3.1%	7.0%	93.0%
	Grade 7	1.2%	2.2%	5.4%	94.6%
	Grade 8	2.7%	4.0%	8.7%	91.3%
	Grade 9	1.6%	4.2%	8.7%	91.3%
	Grade 10	1.5%	2.4%	7.1%	92.9%
	Grade 11	1.9%	3.1%	6.8%	93.2%
	Grade 12	0.8%	2.1%	3.8%	96.2%
<b>Any Illicit Drug</b>					
	All	7.8%	11.4%	20.7%	79.3%
	Grade 7	2.1%	3.2%	6.4%	93.6%
	Grade 8	5.5%	7.4%	14.0%	86.0%
	Grade 9	8.4%	14.8%	23.5%	76.5%
	Grade 10	7.3%	12.4%	23.4%	76.6%
	Grade 11	18.1%	21.7%	36.0%	64.0%
	Grade 12	8.4%	12.3%	29.0%	71.0%
<b>Marijuana</b>					
	All	6.7%	10.2%	19.2%	80.8%
	Grade 7	1.8%	2.8%	5.4%	94.6%
	Grade 8	4.0%	6.1%	11.6%	88.4%
	Grade 9	7.2%	12.1%	21.6%	78.4%
	Grade 10	6.2%	11.8%	23.3%	76.7%
	Grade 11	16.4%	19.9%	34.2%	65.8%
	Grade 12	7.5%	11.7%	26.1%	73.9%
<b>Marijuana Only</b>					
	All	3.4%	5.2%	12.2%	87.8%
	Grade 7	1.3%	1.7%	4.0%	96.0%
	Grade 8	2.6%	3.7%	8.7%	91.3%
	Grade 9	5.1%	7.2%	13.7%	86.3%
	Grade 10	2.3%	5.3%	13.9%	86.1%
	Grade 11	6.0%	8.7%	19.5%	80.5%
	Grade 12	4.2%	6.2%	17.8%	82.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.0%	1.9%	3.8%	96.2%
	Grade 7	0.1%	0.2%	1.0%	99.0%
	Grade 8	0.9%	1.4%	2.1%	97.9%
	Grade 9	0.3%	1.0%	2.9%	97.1%
	Grade 10	1.2%	3.0%	5.1%	94.9%
	Grade 11	3.2%	4.4%	8.3%	91.7%
	Grade 12	0.6%	1.8%	5.0%	95.0%
<b>Cocaine</b>					
	All	0.9%	1.8%	3.6%	96.4%
	Grade 7	0.0%	0.1%	0.5%	99.5%
	Grade 8	0.6%	1.0%	1.6%	98.4%
	Grade 9	0.2%	1.0%	2.8%	97.2%
	Grade 10	1.2%	3.0%	5.2%	94.8%
	Grade 11	3.2%	4.4%	8.2%	91.8%
	Grade 12	0.6%	1.8%	5.0%	95.0%
<b>Crack</b>					
	All	0.2%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.1%	0.7%	99.3%
	Grade 8	0.6%	0.9%	1.2%	98.8%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.5%	1.0%	1.7%	98.3%
	Grade 11	0.1%	0.9%	1.4%	98.6%
	Grade 12	0.0%	0.2%	0.4%	99.6%
<b>Hallucinogens</b>					
	All	0.8%	1.4%	2.8%	97.2%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.8%	0.9%	1.7%	98.3%
	Grade 9	0.6%	1.2%	2.8%	97.2%
	Grade 10	1.2%	1.8%	4.6%	95.4%
	Grade 11	1.9%	3.6%	5.8%	94.2%
	Grade 12	0.4%	0.8%	1.9%	98.1%
<b>Uppers</b>					
	All	1.4%	2.4%	3.5%	96.5%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	0.9%	1.0%	2.1%	97.9%
	Grade 9	1.2%	2.9%	3.1%	96.9%
	Grade 10	0.9%	3.0%	4.0%	96.0%
	Grade 11	5.2%	5.8%	9.6%	90.4%
	Grade 12	0.6%	2.4%	3.6%	96.4%
<b>Downers</b>					
	All	1.5%	2.8%	4.3%	95.7%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.5%	0.5%	1.6%	98.4%
	Grade 9	1.4%	4.0%	4.6%	95.4%
	Grade 10	1.2%	3.1%	4.9%	95.1%
	Grade 11	5.6%	7.3%	11.0%	89.0%
	Grade 12	1.6%	3.6%	5.5%	94.5%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.5%	0.6%	1.5%	98.5%
	<b>Grade 7</b>	0.1%	0.2%	0.6%	99.4%
	<b>Grade 8</b>	0.8%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.2%	0.3%	2.4%	97.6%
	<b>Grade 10</b>	1.0%	1.0%	2.0%	98.0%
	<b>Grade 11</b>	0.9%	0.9%	1.6%	98.4%
	<b>Grade 12</b>	0.0%	0.0%	0.5%	99.5%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.6%	1.4%	98.6%
	<b>Grade 7</b>	0.6%	0.7%	0.9%	99.1%
	<b>Grade 8</b>	0.1%	0.3%	1.7%	98.3%
	<b>Grade 9</b>	0.6%	0.7%	2.1%	97.9%
	<b>Grade 10</b>	0.8%	1.3%	1.7%	98.3%
	<b>Grade 11</b>	0.4%	0.4%	1.3%	98.7%
	<b>Grade 12</b>	0.1%	0.1%	0.2%	99.8%
<b>Ecstasy</b>					
	<b>All</b>	1.0%	1.4%	2.9%	97.1%
	<b>Grade 7</b>	0.0%	0.1%	0.3%	99.7%
	<b>Grade 8</b>	0.5%	0.6%	0.9%	99.1%
	<b>Grade 9</b>	0.7%	1.9%	3.3%	96.7%
	<b>Grade 10</b>	1.0%	1.4%	3.5%	96.5%
	<b>Grade 11</b>	4.0%	4.5%	6.9%	93.1%
	<b>Grade 12</b>	0.1%	0.1%	3.8%	96.2%
<b>Heroin</b>					
	<b>All</b>	0.2%	0.4%	0.7%	99.3%
	<b>Grade 7</b>	0.1%	0.2%	0.3%	99.7%
	<b>Grade 8</b>	0.3%	0.4%	0.8%	99.2%
	<b>Grade 9</b>	0.0%	0.6%	1.2%	98.8%
	<b>Grade 10</b>	0.5%	0.5%	0.8%	99.2%
	<b>Grade 11</b>	0.1%	0.8%	1.0%	99.0%
	<b>Grade 12</b>	0.0%	0.1%	0.2%	99.8%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	25.9%	31.7%	49.2%	50.8%
	Grade 7	10.5%	15.2%	33.4%	66.6%
	Grade 8	11.3%	18.2%	40.2%	59.8%
	Grade 9	30.5%	37.2%	56.4%	43.6%
	Grade 10	30.1%	39.1%	56.3%	43.7%
	Grade 11	33.8%	36.2%	55.4%	44.6%
	Grade 12	37.2%	40.0%	47.2%	52.8%
<b>Alcohol</b>					
	All	41.1%	52.1%	74.5%	25.5%
	Grade 7	18.6%	25.2%	45.3%	54.7%
	Grade 8	40.0%	51.8%	72.8%	27.2%
	Grade 9	43.7%	53.0%	78.6%	21.4%
	Grade 10	45.4%	60.8%	80.2%	19.8%
	Grade 11	45.0%	56.9%	75.7%	24.3%
	Grade 12	44.4%	51.5%	82.1%	17.9%
<b>Inhalants</b>					
	All	4.9%	8.6%	15.9%	84.1%
	Grade 7	3.5%	6.1%	13.7%	86.3%
	Grade 8	10.3%	17.3%	25.1%	74.9%
	Grade 9	2.6%	3.4%	17.9%	82.1%
	Grade 10	6.8%	13.9%	22.7%	77.3%
	Grade 11	1.6%	2.1%	4.2%	95.8%
	Grade 12	1.4%	2.5%	3.7%	96.3%
<b>Any Illicit Drug</b>					
	All	15.8%	21.5%	33.6%	66.4%
	Grade 7	6.2%	11.2%	17.9%	82.1%
	Grade 8	10.7%	13.3%	21.6%	78.4%
	Grade 9	14.3%	21.1%	34.1%	65.9%
	Grade 10	22.4%	27.6%	48.5%	51.5%
	Grade 11	17.9%	30.4%	37.3%	62.7%
	Grade 12	19.7%	23.1%	35.9%	64.1%
<b>Marijuana</b>					
	All	11.5%	18.2%	30.9%	69.1%
	Grade 7	6.7%	11.7%	17.2%	82.8%
	Grade 8	7.2%	10.6%	17.2%	82.8%
	Grade 9	7.7%	15.1%	29.5%	70.5%
	Grade 10	19.5%	25.6%	47.9%	52.1%
	Grade 11	9.4%	21.8%	31.6%	68.4%
	Grade 12	16.9%	23.1%	37.3%	62.7%
<b>Marijuana Only</b>					
	All	4.3%	6.6%	14.3%	85.7%
	Grade 7	2.9%	4.1%	8.8%	91.2%
	Grade 8	3.1%	4.5%	8.8%	91.2%
	Grade 9	4.7%	7.9%	15.1%	84.9%
	Grade 10	5.8%	7.5%	21.4%	78.6%
	Grade 11	1.3%	5.7%	10.1%	89.9%
	Grade 12	7.4%	9.0%	19.4%	80.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.7%	4.3%	9.1%	90.9%
	Grade 7	0.4%	0.4%	3.9%	96.1%
	Grade 8	3.0%	5.7%	7.4%	92.6%
	Grade 9	0.8%	1.3%	4.0%	96.0%
	Grade 10	5.1%	7.0%	15.1%	84.9%
	Grade 11	2.8%	4.4%	8.9%	91.1%
	Grade 12	2.5%	4.6%	12.9%	87.1%
<b>Cocaine</b>					
	All	2.7%	4.0%	8.8%	91.2%
	Grade 7	0.4%	0.4%	3.6%	96.4%
	Grade 8	3.0%	4.1%	6.4%	93.6%
	Grade 9	0.9%	1.3%	4.1%	95.9%
	Grade 10	4.9%	6.8%	14.7%	85.3%
	Grade 11	2.8%	4.4%	8.9%	91.1%
	Grade 12	2.5%	4.6%	12.6%	87.4%
<b>Crack</b>					
	All	1.0%	1.4%	3.4%	96.6%
	Grade 7	0.5%	0.5%	4.2%	95.8%
	Grade 8	1.9%	3.6%	4.6%	95.4%
	Grade 9	0.0%	0.0%	2.1%	97.9%
	Grade 10	2.4%	2.4%	7.0%	93.0%
	Grade 11	0.0%	0.3%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Hallucinogens</b>					
	All	3.2%	5.7%	9.1%	90.9%
	Grade 7	0.0%	0.1%	3.9%	96.1%
	Grade 8	4.4%	5.0%	9.1%	90.9%
	Grade 9	0.9%	3.9%	7.6%	92.4%
	Grade 10	5.8%	8.3%	11.5%	88.5%
	Grade 11	4.7%	6.8%	9.9%	90.1%
	Grade 12	0.8%	7.5%	9.7%	90.3%
<b>Uppers</b>					
	All	3.7%	5.4%	7.9%	92.1%
	Grade 7	0.4%	0.4%	2.1%	97.9%
	Grade 8	2.4%	2.6%	3.5%	96.5%
	Grade 9	5.2%	5.8%	11.2%	88.8%
	Grade 10	2.4%	3.6%	4.8%	95.2%
	Grade 11	7.5%	8.2%	12.9%	87.1%
	Grade 12	3.6%	12.4%	14.2%	85.8%
<b>Downers</b>					
	All	2.5%	5.2%	7.4%	92.6%
	Grade 7	0.0%	0.0%	1.4%	98.6%
	Grade 8	1.5%	1.7%	1.7%	98.3%
	Grade 9	4.2%	4.8%	7.8%	92.2%
	Grade 10	0.7%	2.3%	3.8%	96.2%
	Grade 11	6.9%	13.0%	18.3%	81.7%
	Grade 12	1.0%	10.0%	13.0%	87.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students wouldn't seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	1.7%	2.4%	3.8%	96.2%
	<b>Grade 7</b>	2.6%	2.7%	7.0%	93.0%
	<b>Grade 8</b>	0.4%	0.9%	1.0%	99.0%
	<b>Grade 9</b>	1.1%	1.6%	1.6%	98.4%
	<b>Grade 10</b>	1.8%	2.1%	5.0%	95.0%
	<b>Grade 11</b>	4.2%	7.1%	7.1%	92.9%
	<b>Grade 12</b>	0.9%	0.9%	3.1%	96.9%
<b>Steroids</b>					
	<b>All</b>	0.7%	1.8%	2.7%	97.3%
	<b>Grade 7</b>	0.7%	1.7%	2.2%	97.8%
	<b>Grade 8</b>	1.1%	1.1%	1.1%	98.9%
	<b>Grade 9</b>	0.3%	0.3%	2.6%	97.4%
	<b>Grade 10</b>	1.1%	1.1%	2.0%	98.0%
	<b>Grade 11</b>	0.1%	6.9%	8.7%	91.3%
	<b>Grade 12</b>	0.4%	0.4%	0.4%	99.6%
<b>Ecstasy</b>					
	<b>All</b>	2.7%	5.5%	8.4%	91.6%
	<b>Grade 7</b>	0.0%	0.4%	3.8%	96.2%
	<b>Grade 8</b>	1.2%	3.1%	5.3%	94.7%
	<b>Grade 9</b>	0.6%	3.0%	5.6%	94.4%
	<b>Grade 10</b>	7.9%	8.3%	11.9%	88.1%
	<b>Grade 11</b>	3.3%	8.8%	13.4%	86.6%
	<b>Grade 12</b>	1.3%	7.5%	9.1%	90.9%
<b>Heroin</b>					
	<b>All</b>	0.5%	1.4%	3.0%	97.0%
	<b>Grade 7</b>	0.0%	0.0%	0.4%	99.6%
	<b>Grade 8</b>	1.1%	1.1%	3.5%	96.5%
	<b>Grade 9</b>	0.0%	0.3%	1.6%	98.4%
	<b>Grade 10</b>	1.1%	2.4%	6.2%	93.8%
	<b>Grade 11</b>	0.0%	3.4%	3.8%	96.2%
	<b>Grade 12</b>	0.0%	0.3%	0.3%	99.7%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	18.0%	24.5%	42.9%	57.1%
	Grade 7	5.4%	9.7%	22.2%	77.8%
	Grade 8	8.2%	9.8%	29.0%	71.0%
	Grade 9	21.0%	30.7%	51.5%	48.5%
	Grade 10	23.6%	33.6%	51.9%	48.1%
	Grade 11	27.1%	32.5%	49.2%	50.8%
	Grade 12	33.7%	43.9%	72.0%	28.0%
<b>Alcohol</b>					
	All	27.3%	41.1%	65.0%	35.0%
	Grade 7	12.6%	18.4%	40.7%	59.3%
	Grade 8	22.0%	30.9%	60.8%	39.2%
	Grade 9	28.9%	42.1%	69.3%	30.7%
	Grade 10	31.4%	52.2%	73.7%	26.3%
	Grade 11	42.0%	52.3%	74.0%	26.0%
	Grade 12	34.4%	66.4%	83.1%	16.9%
<b>Inhalants</b>					
	All	3.0%	4.9%	10.0%	90.0%
	Grade 7	0.9%	2.0%	6.1%	93.9%
	Grade 8	5.8%	5.9%	12.3%	87.7%
	Grade 9	3.2%	5.5%	10.3%	89.7%
	Grade 10	3.5%	7.0%	13.8%	86.2%
	Grade 11	1.0%	3.5%	7.7%	92.3%
	Grade 12	3.2%	4.7%	7.3%	92.7%
<b>Any Illicit Drug</b>					
	All	11.7%	17.5%	29.5%	70.5%
	Grade 7	3.2%	5.2%	10.1%	89.9%
	Grade 8	8.2%	8.9%	17.0%	83.0%
	Grade 9	12.0%	21.2%	30.8%	69.2%
	Grade 10	15.7%	25.8%	42.6%	57.4%
	Grade 11	19.9%	26.5%	43.0%	57.0%
	Grade 12	13.7%	20.7%	41.8%	58.2%
<b>Marijuana</b>					
	All	9.8%	16.6%	27.3%	72.7%
	Grade 7	2.7%	4.8%	7.9%	92.1%
	Grade 8	6.7%	8.0%	15.7%	84.3%
	Grade 9	9.7%	19.8%	29.5%	70.5%
	Grade 10	12.5%	25.1%	40.9%	59.1%
	Grade 11	18.5%	25.0%	41.6%	58.4%
	Grade 12	10.9%	20.0%	33.5%	66.5%
<b>Marijuana Only</b>					
	All	4.0%	6.6%	15.1%	84.9%
	Grade 7	1.8%	2.4%	5.2%	94.8%
	Grade 8	3.4%	4.1%	10.4%	89.6%
	Grade 9	6.9%	10.9%	19.4%	80.6%
	Grade 10	3.0%	8.3%	20.7%	79.3%
	Grade 11	6.7%	9.4%	23.0%	77.0%
	Grade 12	3.1%	4.5%	11.8%	88.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.0%	3.7%	6.5%	93.5%
	Grade 7	0.2%	0.3%	3.0%	97.0%
	Grade 8	2.1%	2.3%	3.4%	96.6%
	Grade 9	0.7%	1.4%	2.2%	97.8%
	Grade 10	3.5%	6.5%	10.4%	89.6%
	Grade 11	4.0%	6.2%	9.5%	90.5%
	Grade 12	1.2%	6.3%	13.4%	86.6%
<b>Cocaine</b>					
	All	2.0%	3.6%	6.1%	93.9%
	Grade 7	0.1%	0.2%	1.6%	98.4%
	Grade 8	1.9%	2.1%	3.2%	96.8%
	Grade 9	0.7%	1.4%	2.2%	97.8%
	Grade 10	3.4%	6.5%	10.3%	89.7%
	Grade 11	4.0%	6.3%	9.3%	90.7%
	Grade 12	1.2%	6.3%	13.0%	87.0%
<b>Crack</b>					
	All	0.5%	1.1%	2.2%	97.8%
	Grade 7	0.2%	0.3%	2.7%	97.3%
	Grade 8	1.1%	1.1%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	1.3%	2.4%	4.7%	95.3%
	Grade 11	0.0%	1.8%	2.1%	97.9%
	Grade 12	0.0%	0.4%	0.9%	99.1%
<b>Hallucinogens</b>					
	All	1.6%	2.8%	5.7%	94.3%
	Grade 7	0.1%	0.3%	1.6%	98.4%
	Grade 8	2.0%	2.3%	3.1%	96.9%
	Grade 9	0.6%	2.0%	4.9%	95.1%
	Grade 10	2.4%	5.5%	12.1%	87.9%
	Grade 11	2.6%	3.7%	5.9%	94.1%
	Grade 12	2.1%	3.3%	5.4%	94.6%
<b>Uppers</b>					
	All	1.7%	2.9%	4.4%	95.6%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.9%	1.0%	2.1%	97.9%
	Grade 9	1.0%	1.7%	2.5%	97.5%
	Grade 10	2.2%	5.5%	6.8%	93.2%
	Grade 11	4.3%	4.6%	8.1%	91.9%
	Grade 12	1.9%	5.7%	9.2%	90.8%
<b>Downers</b>					
	All	2.4%	4.0%	6.3%	93.7%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.3%	0.4%	1.1%	98.9%
	Grade 9	2.0%	3.6%	4.9%	95.1%
	Grade 10	3.5%	6.6%	10.4%	89.6%
	Grade 11	5.8%	8.0%	11.6%	88.4%
	Grade 12	4.9%	8.5%	15.0%	85.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.8%	1.2%	3.0%	97.0%
	<b>Grade 7</b>	0.4%	0.6%	1.9%	98.1%
	<b>Grade 8</b>	0.7%	1.1%	1.7%	98.3%
	<b>Grade 9</b>	0.9%	0.9%	4.3%	95.7%
	<b>Grade 10</b>	2.1%	2.1%	4.5%	95.5%
	<b>Grade 11</b>	0.2%	2.0%	2.7%	97.3%
	<b>Grade 12</b>	0.0%	0.0%	2.6%	97.4%
<b>Steroids</b>					
	<b>All</b>	0.8%	1.2%	2.2%	97.8%
	<b>Grade 7</b>	0.2%	0.6%	2.0%	98.0%
	<b>Grade 8</b>	0.7%	0.7%	1.0%	99.0%
	<b>Grade 9</b>	1.7%	1.9%	2.2%	97.8%
	<b>Grade 10</b>	1.2%	1.2%	2.3%	97.7%
	<b>Grade 11</b>	0.5%	2.3%	4.9%	95.1%
	<b>Grade 12</b>	0.5%	0.5%	0.5%	99.5%
<b>Ecstasy</b>					
	<b>All</b>	1.9%	2.4%	5.8%	94.2%
	<b>Grade 7</b>	0.0%	0.1%	0.6%	99.4%
	<b>Grade 8</b>	0.7%	0.8%	2.0%	98.0%
	<b>Grade 9</b>	1.9%	2.7%	4.2%	95.8%
	<b>Grade 10</b>	2.0%	2.2%	7.6%	92.4%
	<b>Grade 11</b>	6.6%	8.6%	11.7%	88.3%
	<b>Grade 12</b>	0.3%	0.3%	14.3%	85.7%
<b>Heroin</b>					
	<b>All</b>	0.5%	1.2%	2.0%	98.0%
	<b>Grade 7</b>	0.2%	0.2%	0.6%	99.4%
	<b>Grade 8</b>	0.9%	1.1%	1.2%	98.8%
	<b>Grade 9</b>	0.0%	0.2%	1.9%	98.1%
	<b>Grade 10</b>	1.2%	1.3%	3.4%	96.6%
	<b>Grade 11</b>	0.2%	3.8%	4.0%	96.0%
	<b>Grade 12</b>	0.0%	0.4%	0.4%	99.6%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	15.0%	20.9%	35.5%	64.5%
	Grade 7	3.0%	4.3%	14.4%	85.6%
	Grade 8	5.5%	12.1%	28.2%	71.8%
	Grade 9	16.4%	22.1%	37.0%	63.0%
	Grade 10	18.7%	26.1%	39.4%	60.6%
	Grade 11	29.7%	35.0%	51.6%	48.4%
	Grade 12	21.1%	29.6%	45.8%	54.2%
<b>Alcohol</b>					
	All	27.8%	39.7%	61.9%	38.1%
	Grade 7	10.5%	16.1%	36.5%	63.5%
	Grade 8	23.4%	36.1%	59.8%	40.2%
	Grade 9	25.8%	38.7%	64.6%	35.4%
	Grade 10	32.9%	45.0%	63.8%	36.2%
	Grade 11	37.1%	53.4%	73.9%	26.1%
	Grade 12	39.5%	50.7%	73.5%	26.5%
<b>Inhalants</b>					
	All	2.1%	3.8%	8.3%	91.7%
	Grade 7	1.8%	2.9%	7.7%	92.3%
	Grade 8	3.8%	6.8%	11.9%	88.1%
	Grade 9	1.5%	3.6%	10.5%	89.5%
	Grade 10	2.4%	4.4%	9.4%	90.6%
	Grade 11	1.8%	2.1%	4.9%	95.1%
	Grade 12	0.4%	1.6%	2.7%	97.3%
<b>Any Illicit Drug</b>					
	All	8.1%	11.3%	20.8%	79.2%
	Grade 7	2.3%	3.4%	6.3%	93.7%
	Grade 8	5.7%	8.1%	14.7%	85.3%
	Grade 9	8.7%	13.6%	23.3%	76.7%
	Grade 10	8.4%	12.2%	23.2%	76.8%
	Grade 11	14.9%	19.1%	32.2%	67.8%
	Grade 12	10.0%	12.9%	28.4%	71.6%
<b>Marijuana</b>					
	All	6.3%	9.3%	19.2%	80.8%
	Grade 7	2.0%	3.1%	5.8%	94.2%
	Grade 8	3.7%	6.2%	11.7%	88.3%
	Grade 9	6.0%	9.3%	19.6%	80.4%
	Grade 10	6.7%	10.9%	23.6%	76.4%
	Grade 11	11.7%	15.7%	29.6%	70.4%
	Grade 12	9.0%	12.4%	28.1%	71.9%
<b>Marijuana Only</b>					
	All	3.0%	4.6%	11.7%	88.3%
	Grade 7	1.2%	1.8%	4.0%	96.0%
	Grade 8	2.1%	3.4%	7.9%	92.1%
	Grade 9	4.0%	5.9%	11.8%	88.2%
	Grade 10	2.2%	3.9%	12.4%	87.6%
	Grade 11	3.8%	6.7%	15.9%	84.1%
	Grade 12	5.0%	6.9%	20.0%	80.0%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.0%	1.8%	4.1%	95.9%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.9%	2.0%	2.9%	97.1%
	Grade 9	0.2%	0.3%	2.2%	97.8%
	Grade 10	1.5%	3.3%	6.7%	93.3%
	Grade 11	2.0%	2.8%	7.5%	92.5%
	Grade 12	1.2%	1.9%	5.5%	94.5%
<b>Cocaine</b>					
	All	0.9%	1.6%	3.9%	96.1%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.7%	1.3%	2.1%	97.9%
	Grade 9	0.2%	0.3%	2.1%	97.9%
	Grade 10	1.5%	3.4%	6.8%	93.2%
	Grade 11	2.0%	2.8%	7.5%	92.5%
	Grade 12	1.2%	1.9%	5.5%	94.5%
<b>Crack</b>					
	All	0.3%	0.4%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.6%	1.4%	2.1%	97.9%
	Grade 9	0.1%	0.1%	0.8%	99.2%
	Grade 10	0.6%	0.6%	2.1%	97.9%
	Grade 11	0.0%	0.1%	0.6%	99.4%
	Grade 12	0.0%	0.1%	0.4%	99.6%
<b>Hallucinogens</b>					
	All	0.9%	1.7%	3.1%	96.9%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	1.2%	1.3%	3.1%	96.9%
	Grade 9	0.6%	1.4%	3.0%	97.0%
	Grade 10	1.3%	1.9%	3.4%	96.6%
	Grade 11	1.7%	3.5%	5.7%	94.3%
	Grade 12	0.5%	2.2%	3.2%	96.8%
<b>Uppers</b>					
	All	1.7%	2.8%	4.3%	95.7%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	1.2%	1.3%	2.5%	97.5%
	Grade 9	2.0%	3.1%	5.3%	94.7%
	Grade 10	0.8%	3.3%	4.1%	95.9%
	Grade 11	5.4%	5.9%	9.8%	90.2%
	Grade 12	1.0%	3.8%	4.7%	95.3%
<b>Downers</b>					
	All	1.6%	3.1%	4.6%	95.4%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.7%	0.8%	2.0%	98.0%
	Grade 9	2.4%	4.1%	5.5%	94.5%
	Grade 10	0.4%	3.1%	4.3%	95.7%
	Grade 11	5.4%	7.7%	11.7%	88.3%
	Grade 12	1.0%	3.9%	4.8%	95.2%

**Region 1/2: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	<b>All</b>	0.7%	0.8%	1.3%	98.7%
	<b>Grade 7</b>	0.3%	0.3%	0.9%	99.1%
	<b>Grade 8</b>	1.0%	1.0%	1.4%	98.6%
	<b>Grade 9</b>	0.2%	0.5%	1.5%	98.5%
	<b>Grade 10</b>	0.8%	0.9%	1.7%	98.3%
	<b>Grade 11</b>	1.6%	1.6%	2.1%	97.9%
	<b>Grade 12</b>	0.2%	0.2%	0.6%	99.4%
<b>Steroids</b>					
	<b>All</b>	0.3%	0.6%	1.5%	98.5%
	<b>Grade 7</b>	0.8%	1.0%	1.2%	98.8%
	<b>Grade 8</b>	0.1%	0.3%	1.8%	98.2%
	<b>Grade 9</b>	0.1%	0.1%	2.6%	97.4%
	<b>Grade 10</b>	0.6%	1.2%	1.4%	98.6%
	<b>Grade 11</b>	0.1%	1.1%	1.3%	98.7%
	<b>Grade 12</b>	0.1%	0.3%	0.4%	99.6%
<b>Ecstasy</b>					
	<b>All</b>	0.9%	1.8%	2.8%	97.2%
	<b>Grade 7</b>	0.0%	0.2%	0.7%	99.3%
	<b>Grade 8</b>	0.7%	1.4%	1.9%	98.1%
	<b>Grade 9</b>	0.2%	1.7%	3.3%	96.7%
	<b>Grade 10</b>	1.7%	2.3%	3.6%	96.4%
	<b>Grade 11</b>	2.3%	3.0%	5.5%	94.5%
	<b>Grade 12</b>	0.4%	1.8%	2.3%	97.7%
<b>Heroin</b>					
	<b>All</b>	0.1%	0.3%	0.7%	99.3%
	<b>Grade 7</b>	0.1%	0.1%	0.1%	99.9%
	<b>Grade 8</b>	0.3%	0.3%	1.3%	98.7%
	<b>Grade 9</b>	0.0%	0.6%	0.9%	99.1%
	<b>Grade 10</b>	0.3%	0.6%	1.0%	99.0%
	<b>Grade 11</b>	0.0%	0.1%	0.3%	99.7%
	<b>Grade 12</b>	0.0%	0.0%	0.1%	99.9%

**Region 1/2: Grades 7-12  
Spring 2008**

The FREQ Procedure

<b>GENDER</b>		
<b>q1</b>	<b>Frequency</b>	<b>Percent</b>
Female	35606	49.87
Male	35791	50.13

Frequency Missing = 167.00778047

<b>GRADE</b>		
<b>q2</b>	<b>Frequency</b>	<b>Percent</b>
Grade 7	11323	15.82
Grade 8	15387	21.50
Grade 9	12480	17.44
Grade 10	13520	18.89
Grade 11	9791	13.68
Grade 12	9064	12.67

<b>LIVE WITH BOTH PARENTS</b>		
<b>q3</b>	<b>Frequency</b>	<b>Percent</b>
No	26011	36.49
Yes	45280	63.51

Frequency Missing = 273.18545149

<b>AGE</b>		
<b>q4</b>	<b>Frequency</b>	<b>Percent</b>
11 or younger	76	0.11
12	2911	4.08
13	10548	14.79
14	13201	18.51
15	13072	18.33
16	13043	18.29
17	10624	14.90
18	6903	9.68
19 or older	931	1.31

Frequency Missing = 254.91735787

<b>ETHNICITY</b>		
<b>q5</b>	<b>Frequency</b>	<b>Percent</b>
African/American	3225	4.56
Asian/American	264	0.37
Mexican/American	24021	33.99
Native/American	212	0.30
Other	750	1.06
White	42202	59.71

Frequency Missing = 889.18468548

<b>ON AVERAGE WHAT GRADES DO YOU GET</b>		
<b>q6</b>	<b>Frequency</b>	<b>Percent</b>
Mostly A's	26846	37.94
Mostly B's	33756	47.71
Mostly C's	9178	12.97
Mostly D's	652	0.92
Mostly F's	321	0.45

Frequency Missing = 809.83954234

<b>LENGTH OF TIME IN THIS DISTRICT</b>		
<b>q7</b>	<b>Frequency</b>	<b>Percent</b>
<1 year	6626	9.42
2-3 years	13079	18.60
>4 years	50609	71.98

Frequency Missing = 1249.1276956

<b>DO YOU HAVE A JOB</b>		
<b>q8</b>	<b>Frequency</b>	<b>Percent</b>
No	45062	63.83
Yes	25531	36.17

Frequency Missing = 970.57785668

<b>DO YOU GET AN ALLOWANCE</b>		
<b>q9</b>	<b>Frequency</b>	<b>Percent</b>
No	45716	64.91
Yes	24717	35.09

Frequency Missing = 1131.1704552

<b>EITHER PARENT COLLEGE GRADUATE</b>		
<b>q10</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	10217	14.50
No	28769	40.84
Yes	31457	44.66

Frequency Missing = 1120.8106689

<b>QUALIFY FOR FREE/REDUCED PRICE LUNCH</b>		
<b>q11</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	15169	21.50
No	33455	47.42
Yes	21919	31.07

Frequency Missing = 1021.4588466

<b>PARTICIPATE IN SCHOOL ATHLETICS</b>		
<b>q12a</b>	<b>Frequency</b>	<b>Percent</b>
No	24537	36.55
Yes	42595	63.45

Frequency Missing = 4431.6664951

<b>PARTICIPATE IN SCHOOL BAND/ORCHESTRA</b>		
<b>q12b</b>	<b>Frequency</b>	<b>Percent</b>
No	44874	73.60
Yes	16098	26.40

Frequency Missing = 10591.815303

<b>PARTICIPATE IN SCHOOL CHOIR</b>		
<b>q12c</b>	<b>Frequency</b>	<b>Percent</b>
No	51549	88.84
Yes	6477	11.16

Frequency Missing = 13538.450815

<b>PARTICIPATE IN DRAMA/SPEECH/ART CLUBS</b>		
<b>q12d</b>	<b>Frequency</b>	<b>Percent</b>
No	40255	68.71
Yes	18333	31.29

Frequency Missing = 12976.318983

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	52307	92.73
<b>Yes</b>	4101	7.27

Frequency Missing = 15156.367246

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	53056	93.87
<b>Yes</b>	3466	6.13

Frequency Missing = 15042.719132

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	51859	90.71
<b>Yes</b>	5311	9.29

Frequency Missing = 14393.730056

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	46126	78.58
<b>Yes</b>	12573	21.42

Frequency Missing = 12865.752025

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	44955	75.94
<b>Yes</b>	14242	24.06

Frequency Missing = 12367.596519

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	53278	90.16
<b>Yes</b>	5813	9.84

Frequency Missing = 12473.489667

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	46917	78.33
<b>Yes</b>	12983	21.67

Frequency Missing = 11664.212438

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	37262	59.01
<b>Yes</b>	25886	40.99

Frequency Missing = 8415.9632347

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	40021	63.92
<b>Yes</b>	22587	36.08

Frequency Missing = 8956.4282407

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	59583	83.91
<b>Somewhat Safe</b>	10185	14.34
<b>Not Very Safe</b>	572	0.80
<b>Not Safe At All</b>	153	0.22
<b>Don't Know</b>	513	0.72

Frequency Missing = 558.71720449

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	37269	52.65
<b>Somewhat Safe</b>	27327	38.60
<b>Not Very Safe</b>	4230	5.98
<b>Not Safe At All</b>	995	1.41
<b>Don't Know</b>	966	1.37

Frequency Missing = 776.90197768

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	33425	47.16
<b>Somewhat Safe</b>	28931	40.82
<b>Not Very Safe</b>	4537	6.40
<b>Not Safe At All</b>	2508	3.54
<b>Don't Know</b>	1469	2.07

Frequency Missing = 693.37280542

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	2270	3.21
<b>A Few</b>	15701	22.19
<b>Some</b>	17879	25.27
<b>Most</b>	27654	39.08
<b>All</b>	7254	10.25

Frequency Missing = 806.0729213

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	35601	51.21
<b>A Few</b>	18220	26.21
<b>Some</b>	8391	12.07
<b>Most</b>	5743	8.26
<b>All</b>	1567	2.25

Frequency Missing = 2041.4123136

**Region 1/2: Grades 7-12  
Spring 2008**

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c Frequency Percent</b>		
None	1548	2.27
A Few	8769	12.87
Some	16153	23.71
Most	30177	44.29
All	11484	16.86

Frequency Missing = 3431.8682309

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d Frequency Percent</b>		
None	51700	73.76
A Few	10188	14.53
Some	4264	6.08
Most	2538	3.62
All	1405	2.00

Frequency Missing = 1469.4304417

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e Frequency Percent</b>		
None	40719	57.84
A Few	19531	27.74
Some	6709	9.53
Most	2072	2.94
All	1367	1.94

Frequency Missing = 1166.4544614

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15 Frequency Percent</b>		
No	32295	53.18
Yes	28430	46.82

Frequency Missing = 10838.560012

<b>RECENT CIGARETTE USE</b>		
<b>Q16A Frequency Percent</b>		
Never Heard/Used	46751	66.33
In Your Lifetime	10233	14.52
Since School Began	4146	5.88
In the Past Month	9350	13.27

Frequency Missing = 1085.6409569

<b>RECENT SMOKELESS TOBACCO USE</b>		
<b>Q16B Frequency Percent</b>		
Never Heard/Used	58511	83.76
In Your Lifetime	4300	6.16
Since School Began	1850	2.65
In the Past Month	5196	7.44

Frequency Missing = 1707.4602872

<b>RECENT BEER USE</b>		
<b>Q16C Frequency Percent</b>		
Never Heard/Used	33822	48.60
In Your Lifetime	14128	20.30
Since School Began	7186	10.33
In the Past Month	14452	20.77

Frequency Missing = 1975.8952783

<b>RECENT WINE COOLER USE</b>		
<b>Q16D Frequency Percent</b>		
Never Heard/Used	37413	53.80
In Your Lifetime	13583	19.53
Since School Began	7190	10.34
In the Past Month	11351	16.32

Frequency Missing = 2027.9985799

<b>RECENT WINE USE</b>		
<b>Q16E Frequency Percent</b>		
Never Heard/Used	40658	59.15
In Your Lifetime	15369	22.36
Since School Began	5909	8.60
In the Past Month	6797	9.89

Frequency Missing = 2830.6792753

<b>RECENT LIQUOR USE</b>		
<b>Q16F Frequency Percent</b>		
Never Heard/Used	37982	54.49
In Your Lifetime	11335	16.26
Since School Began	7621	10.93
In the Past Month	12770	18.32

Frequency Missing = 1855.6574424

<b>RECENT INHALANT USE</b>		
<b>Q16G Frequency Percent</b>		
Never Heard/Used	63643	91.25
In Your Lifetime	3229	4.63
Since School Began	1239	1.78
In the Past Month	1638	2.35

Frequency Missing = 1814.9405967

<b>RECENT MARIJUANA USE</b>		
<b>Q17A Frequency Percent</b>		
Never Heard/Used	54351	78.33
In Your Lifetime	6957	10.03
Since School Began	2879	4.15
In the Past Month	5201	7.49

Frequency Missing = 2176.5173524

<b>RECENT COCAINE USE</b>		
<b>Q17B Frequency Percent</b>		
Never Heard/Used	65679	95.39
In Your Lifetime	1627	2.36
Since School Began	698	1.01
In the Past Month	851	1.24

Frequency Missing = 2709.033902

<b>RECENT CRACK USE</b>		
<b>Q17C Frequency Percent</b>		
Never Heard/Used	66685	98.59
In Your Lifetime	519	0.77
Since School Began	200	0.30
In the Past Month	234	0.35

Frequency Missing = 3927.4359772

**Region 1/2: Grades 7-12  
Spring 2008**

<b>RECENT HALLUCINOGEN USE</b>		
	<b>Q17E</b>	<b>Frequency Percent</b>
Never Heard/Used	64276	96.11
<b>In Your Lifetime</b>	1173	1.75
Since School Began	616	0.92
<b>In the Past Month</b>	815	1.22

Frequency Missing = 4684.0185336

<b>RECENT UPPER USE</b>		
	<b>Q17F</b>	<b>Frequency Percent</b>
Never Heard/Used	63823	95.61
<b>In Your Lifetime</b>	984	1.47
Since School Began	807	1.21
<b>In the Past Month</b>	1137	1.70

Frequency Missing = 4813.6472836

<b>RECENT DOWNER USE</b>		
	<b>Q17G</b>	<b>Frequency Percent</b>
Never Heard/Used	63619	94.95
<b>In Your Lifetime</b>	1121	1.67
Since School Began	1070	1.60
<b>In the Past Month</b>	1190	1.78

Frequency Missing = 4564.3126265

<b>RECENT ROHYPNOL USE</b>		
	<b>Q17H</b>	<b>Frequency Percent</b>
Never Heard/Used	66142	98.18
<b>In Your Lifetime</b>	604	0.90
Since School Began	105	0.16
<b>In the Past Month</b>	516	0.77

Frequency Missing = 4197.8908961

<b>RECENT STEROID USE</b>		
	<b>Q17I</b>	<b>Frequency Percent</b>
Never Heard/Used	66093	98.31
<b>In Your Lifetime</b>	605	0.90
Since School Began	229	0.34
<b>In the Past Month</b>	299	0.44

Frequency Missing = 4337.6571

<b>RECENT ECSTASY USE</b>		
	<b>Q17J</b>	<b>Frequency Percent</b>
Never Heard/Used	65339	96.27
<b>In Your Lifetime</b>	1162	1.71
Since School Began	540	0.80
<b>In the Past Month</b>	828	1.22

Frequency Missing = 3695.0110871

<b>RECENT HEROIN USE</b>		
	<b>Q17K</b>	<b>Frequency Percent</b>
Never Heard/Used	67191	98.94
<b>In Your Lifetime</b>	346	0.51
Since School Began	220	0.32
<b>In the Past Month</b>	157	0.23

Frequency Missing = 3650.6036575

<b>TOBACCO USE IN PAST MONTH</b>		
	<b>q18a</b>	<b>Frequency Percent</b>
Never Heard/Used	56302	80.40
<b>1-2 times</b>	5755	8.22
<b>3-10 times</b>	2768	3.95
<b>11+ times</b>	5204	7.43

Frequency Missing = 1535.5250775

<b>ALCOHOL USE IN PAST MONTH</b>		
	<b>q18b</b>	<b>Frequency Percent</b>
Never Heard/Used	46070	66.11
<b>1-2 times</b>	13260	19.03
<b>3-10 times</b>	7455	10.70
<b>11+ times</b>	2904	4.17

Frequency Missing = 1875.1297985

<b>INHALANT USE IN PAST MONTH</b>		
	<b>q18c</b>	<b>Frequency Percent</b>
Never Heard/Used	66749	96.60
<b>1-2 times</b>	1529	2.21
<b>3-10 times</b>	526	0.76
<b>11+ times</b>	293	0.42

Frequency Missing = 2467.0631161

<b>MARIJUANA USE IN PAST MONTH</b>		
	<b>q18d</b>	<b>Frequency Percent</b>
Never Heard/Used	61533	89.09
<b>1-2 times</b>	3911	5.66
<b>3-10 times</b>	1626	2.35
<b>11+ times</b>	1995	2.89

Frequency Missing = 2499.0051066

<b>COCAINE USE IN PAST MONTH</b>		
	<b>q18e</b>	<b>Frequency Percent</b>
Never Heard/Used	68208	98.24
<b>1-2 times</b>	775	1.12
<b>3-10 times</b>	240	0.35
<b>11+ times</b>	206	0.30

Frequency Missing = 2134.8935646

<b>CRACK USE IN PAST MONTH</b>		
	<b>q18f</b>	<b>Frequency Percent</b>
Never Heard/Used	69146	99.39
<b>1-2 times</b>	271	0.39
<b>3-10 times</b>	99	0.14
<b>11+ times</b>	56	0.08

Frequency Missing = 1992.3509328

<b>CLOSE FRIENDS USE CIGARETTES</b>		
	<b>q19a</b>	<b>Frequency Percent</b>
Never heard/None	29066	42.52
<b>A few</b>	22279	32.59
<b>Some</b>	10082	14.75
<b>Most</b>	6030	8.82
<b>All</b>	897	1.31

Frequency Missing = 3209.1820448

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
	<b>q19b</b>	<b>Frequency Percent</b>
Never heard/None	37349	55.38
<b>A few</b>	15306	22.70
<b>Some</b>	8220	12.19
<b>Most</b>	5681	8.42
<b>All</b>	884	1.31

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

Frequency Missing = 4125.0157314

<b>CLOSE FRIENDS USE BEER</b>		
<b>q19c Frequency Percent</b>		
Never heard/None	19018	28.10
A few	17058	25.20
Some	12471	18.42
Most	14011	20.70
All	5127	7.57

Frequency Missing = 3878.6038762

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>q19d Frequency Percent</b>		
Never heard/None	29427	43.74
A few	15906	23.64
Some	10724	15.94
Most	8315	12.36
All	2900	4.31

Frequency Missing = 4292.2612171

<b>CLOSE FRIENDS USE WINE</b>		
<b>q19e Frequency Percent</b>		
Never heard/None	37329	55.50
A few	15675	23.30
Some	8293	12.33
Most	4233	6.29
All	1732	2.58

Frequency Missing = 4301.9785209

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>q19f Frequency Percent</b>		
Never heard/None	25823	38.09
A few	15215	22.45
Some	11103	16.38
Most	11605	17.12
All	4043	5.96

Frequency Missing = 3774.6635731

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>q19g Frequency Percent</b>		
Never heard/None	54233	80.79
A few	8828	13.15
Some	2709	4.04
Most	1058	1.58
All	301	0.45

Frequency Missing = 4434.8241947

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>q19h Frequency Percent</b>		
Never heard/None	40023	58.70
A few	13387	19.63
Some	7535	11.05
Most	5066	7.43
All	2170	3.18

Frequency Missing = 3382.3989567

<b>DIFFICULT TO GET CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
Never heard of	6099	8.95
Impossible	11839	17.37
Very difficult	4125	6.05
Somewhat diff	6351	9.32
Somewhat easy	12972	19.03
Very easy	26789	39.29

Frequency Missing = 3389.4779458

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
Never heard of	11810	17.47
Impossible	13301	19.67
Very difficult	4966	7.35
Somewhat diff	5617	8.31
Somewhat easy	8529	12.62
Very easy	23381	34.59

Frequency Missing = 3960.0137244

<b>DIFFICULT TO GET BEER</b>		
<b>q20c Frequency Percent</b>		
Never heard of	5195	7.71
Impossible	8968	13.31
Very difficult	4291	6.37
Somewhat diff	7693	11.42
Somewhat easy	14778	21.93
Very easy	26462	39.27

Frequency Missing = 4177.4577886

<b>DIFFICULT TO GET WINE COOLERS</b>		
<b>q20d Frequency Percent</b>		
Never heard of	8679	12.86
Impossible	10345	15.33
Very difficult	5882	8.72
Somewhat diff	8912	13.20
Somewhat easy	13022	19.29
Very easy	20653	30.60

Frequency Missing = 4071.702013

<b>DIFFICULT TO GET WINE</b>		
<b>q20e Frequency Percent</b>		
Never heard of	6807	10.25
Impossible	11857	17.85
Very difficult	5973	8.99
Somewhat diff	9227	13.89
Somewhat easy	12339	18.58
Very easy	20222	30.44

Frequency Missing = 5140.8234046

<b>DIFFICULT TO GET LIQUOR</b>		
<b>q20f Frequency Percent</b>		
Never heard of	6181	9.14
Impossible	11922	17.63
Very difficult	6880	10.18
Somewhat diff	7982	11.81
Somewhat easy	12748	18.86
Very easy	21897	32.39

Frequency Missing = 3954.7326451

**Region 1/2: Grades 7-12  
Spring 2008**

<b>DIFFICULT TO GET INHALANTS</b>		
<b>q20g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	12446	18.61
Impossible	12220	18.27
Very difficult	4801	7.18
Somewhat diff	4975	7.44
Somewhat easy	7333	10.97
Very easy	25101	37.53

Frequency Missing = 4688.7205348

<b>DIFFICULT TO GET MARIJUANA</b>		
<b>q20h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	9168	13.77
Impossible	20604	30.94
Very difficult	7835	11.76
Somewhat diff	7481	11.23
Somewhat easy	8202	12.32
Very easy	13311	19.99

Frequency Missing = 4963.300785

<b>DIFFICULT TO GET COCAINE</b>		
<b>q20i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	11871	17.93
Impossible	24550	37.08
Very difficult	11311	17.08
Somewhat diff	6906	10.43
Somewhat easy	5567	8.41
Very easy	6007	9.07

Frequency Missing = 5351.5486998

<b>DIFFICULT TO GET CRACK</b>		
<b>q20j</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	12668	19.11
Impossible	24997	37.71
Very difficult	12081	18.23
Somewhat diff	7033	10.61
Somewhat easy	4442	6.70
Very easy	5064	7.64

Frequency Missing = 5280.0310068

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
<b>q20l</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	23188	34.99
Impossible	18297	27.61
Very difficult	9687	14.62
Somewhat diff	6377	9.62
Somewhat easy	4015	6.06
Very easy	4713	7.11

Frequency Missing = 5287.2677504

<b>DIFFICULT TO GET UPPERS</b>		
<b>q20m</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	29548	44.81
Impossible	14398	21.84
Very difficult	7567	11.48
Somewhat diff	5044	7.65
Somewhat easy	3791	5.75
Very easy	5587	8.47

Frequency Missing = 5629.5167816

<b>DIFFICULT TO GET DOWNERS</b>		
<b>q20n</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	29258	44.59
Impossible	14485	22.08
Very difficult	7452	11.36
Somewhat diff	4935	7.52
Somewhat easy	3949	6.02
Very easy	5537	8.44

Frequency Missing = 5947.2197158

<b>DIFFICULT TO GET ROHYPNOL</b>		
<b>q20o</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	31175	47.42
Impossible	15689	23.86
Very difficult	8000	12.17
Somewhat diff	4383	6.67
Somewhat easy	2904	4.42
Very easy	3594	5.47

Frequency Missing = 5820.1411261

<b>DIFFICULT TO GET STEROIDS</b>		
<b>q20p</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	14005	21.41
Impossible	24544	37.52
Very difficult	10841	16.57
Somewhat diff	6193	9.47
Somewhat easy	4898	7.49
Very easy	4938	7.55

Frequency Missing = 6145.9337145

<b>DIFFICULT TO GET ECSTASY</b>		
<b>q20q</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	20665	31.53
Impossible	19675	30.02
Very difficult	10223	15.60
Somewhat diff	5559	8.48
Somewhat easy	4004	6.11
Very easy	5423	8.27

Frequency Missing = 6016.3179084

<b>DIFFICULT TO GET HEROIN</b>		
<b>q20r</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	18006	27.35
Impossible	24515	37.24
Very difficult	11159	16.95
Somewhat diff	4895	7.44
Somewhat easy	3040	4.62
Very easy	4217	6.41

Frequency Missing = 5731.9015832

<b>AGE WHEN FIRST USED CIGARETTES</b>		
<b>q21a</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	3568	14.84
10 years old	1912	7.95
11 years old	1606	6.68
12 years old	2829	11.76
13 years old	3602	14.98
14 years old	3490	14.51
15 years old	3297	13.71
16 years old	2369	9.85
17 years old	911	3.79
18 or older	465	1.93

Frequency Missing = 47516.524736

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q21b Frequency	Percent
9 or younger	1514	13.62
10 years old	740	6.66
11 years old	637	5.73
12 years old	1108	9.97
13 years old	1617	14.54
14 years old	1308	11.77
15 years old	2033	18.29
16 years old	1101	9.90
17 years old	762	6.86
18 or older	295	2.66

Frequency Missing = 60449.124488

AGE WHEN FIRST USED WINE		
	q21e Frequency	Percent
9 or younger	3907	13.68
10 years old	2041	7.15
11 years old	2054	7.19
12 years old	4365	15.29
13 years old	4631	16.22
14 years old	4693	16.44
15 years old	3674	12.87
16 years old	1982	6.94
17 years old	750	2.63
18 or older	456	1.60

Frequency Missing = 43011.376445

AGE WHEN FIRST USED MARIJUANA		
	q21h Frequency	Percent
9 or younger	920	6.52
10 years old	622	4.41
11 years old	836	5.93
12 years old	1720	12.19
13 years old	2334	16.54
14 years old	2450	17.36
15 years old	2473	17.52
16 years old	1775	12.58
17 years old	821	5.82
18 or older	163	1.15

Frequency Missing = 57448.103023

AGE WHEN FIRST USED BEER		
	q21c Frequency	Percent
9 or younger	7293	19.62
10 years old	2410	6.48
11 years old	2157	5.80
12 years old	4682	12.60
13 years old	5350	14.39
14 years old	5982	16.09
15 years old	4948	13.31
16 years old	2972	7.99
17 years old	1116	3.00
18 or older	261	0.70

Frequency Missing = 34394.537313

AGE WHEN FIRST USED LIQUOR		
	q21f Frequency	Percent
9 or younger	2231	6.94
10 years old	1220	3.79
11 years old	1729	5.38
12 years old	3426	10.65
13 years old	5458	16.97
14 years old	6068	18.86
15 years old	6335	19.69
16 years old	3004	9.34
17 years old	2076	6.45
18 or older	623	1.94

Frequency Missing = 39394.011419

AGE WHEN FIRST USED COCAINE		
	q21i Frequency	Percent
9 or younger	114	3.73
10 years old	82	2.68
11 years old	173	5.66
12 years old	264	8.61
13 years old	378	12.34
14 years old	333	10.87
15 years old	565	18.44
16 years old	726	23.71
17 years old	403	13.14
18 or older	25	0.83

Frequency Missing = 68500.401333

AGE WHEN FIRST USED WINE COOLERS		
	q21d Frequency	Percent
9 or younger	3497	11.14
10 years old	2051	6.53
11 years old	2409	7.67
12 years old	4198	13.37
13 years old	5382	17.14
14 years old	5701	18.15
15 years old	4417	14.06
16 years old	2313	7.36
17 years old	987	3.14
18 or older	451	1.44

Frequency Missing = 40157.687826

AGE WHEN FIRST USED INHALANTS		
	q21g Frequency	Percent
9 or younger	577	11.99
10 years old	598	12.43
11 years old	479	9.95
12 years old	647	13.45
13 years old	987	20.52
14 years old	769	15.98
15 years old	504	10.49
16 years old	203	4.22
17 years old	33	0.69
18 or older	13	0.27

Frequency Missing = 66753.866978

AGE WHEN FIRST USED CRACK		
	q21j Frequency	Percent
9 or younger	104	11.55
10 years old	30	3.37
11 years old	53	5.91
12 years old	131	14.43
13 years old	188	20.76
14 years old	100	11.10
15 years old	117	12.89
16 years old	122	13.53
17 years old	58	6.46

Frequency Missing = 70659.75097

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED HALLUCINOGENS		
	q21l Frequency	Percent
9 or younger	123	5.61
10 years old	120	5.48
11 years old	81	3.70
12 years old	162	7.39
13 years old	443	20.17
14 years old	248	11.30
15 years old	396	18.03
16 years old	442	20.12
17 years old	148	6.72
18 or older	32	1.48

Frequency Missing = 69366.693846

AGE WHEN FIRST USED UPPERS		
	q21m Frequency	Percent
9 or younger	190	6.27
10 years old	42	1.40
11 years old	101	3.34
12 years old	231	7.63
13 years old	444	14.69
14 years old	619	20.48
15 years old	485	16.02
16 years old	696	23.02
17 years old	198	6.55
18 or older	18	0.60

Frequency Missing = 68539.606504

AGE WHEN FIRST USED DOWNERS		
	q21n Frequency	Percent
9 or younger	223	6.65
10 years old	92	2.74
11 years old	153	4.57
12 years old	175	5.22
13 years old	426	12.68
14 years old	780	23.22
15 years old	631	18.81
16 years old	530	15.79
17 years old	325	9.68
18 or older	22	0.64

Frequency Missing = 68206.982242

AGE WHEN FIRST USED ROHYPNOL		
	q21o Frequency	Percent
9 or younger	109	13.67
10 years old	26	3.23
11 years old	52	6.59
12 years old	67	8.48
13 years old	146	18.39
14 years old	263	33.11
15 years old	74	9.25
16 years old	30	3.72
17 years old	28	3.55

Frequency Missing = 70768.458897

AGE WHEN FIRST USED STEROIDS		
	q21p Frequency	Percent
9 or younger	163	22.48
10 years old	39	5.42
11 years old	46	6.41
12 years old	117	16.14
13 years old	45	6.21
14 years old	128	17.63
15 years old	83	11.46
16 years old	78	10.71
17 years old	8	1.06
18 or older	18	2.49

Frequency Missing = 70839.003797

AGE WHEN FIRST USED ECSTASY		
	q21q Frequency	Percent
9 or younger	81	3.25
10 years old	31	1.25
11 years old	70	2.78
12 years old	116	4.62
13 years old	478	19.14
14 years old	365	14.61
15 years old	680	27.21
16 years old	440	17.62
17 years old	238	9.52

Frequency Missing = 69064.411672

AGE WHEN FIRST USED HEROIN		
	q21r Frequency	Percent
9 or younger	71	11.89
10 years old	26	4.37
11 years old	26	4.31
12 years old	80	13.48
13 years old	118	19.81
14 years old	78	13.15
15 years old	105	17.71
16 years old	74	12.44
17 years old	12	1.93
18 or older	5	0.90

Frequency Missing = 70968.9516

HOW OFTEN NORMALLY USE CIGARETTES		
	q22a Frequency	Percent
Every day	2738	4.02
Several times/wk	1801	2.65
Several times/mo	2345	3.45
About once/month	3943	5.80
About once/year	2981	4.38
< once/year	6075	8.93
Never used	48159	70.78

Frequency Missing = 3521.8185334

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
	q22b Frequency	Percent
Every day	2062	3.05
Several times/wk	1048	1.55
Several times/mo	1127	1.67
About once/month	1723	2.55
About once/year	1154	1.71
< once/year	2771	4.10
Never used	57640	85.36

Frequency Missing = 4039.7594522

**Region 1/2: Grades 7-12  
Spring 2008**

<b>HOW OFTEN NORMALLY USE BEER</b>		
	<b>q22c Frequency</b>	<b>Percent</b>
Every day	368	0.54
Several times/wk	2485	3.66
Several times/mo	7827	11.52
About once/month	8040	11.84
About once/year	6732	9.91
< once/year	7264	10.69
Never used	35218	51.84

Frequency Missing = 4011.6789412

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
	<b>q22g Frequency</b>	<b>Percent</b>
Every day	178	0.27
Several times/wk	247	0.38
Several times/mo	403	0.62
About once/month	611	0.93
About once/year	741	1.13
< once/year	1587	2.43
Never used	61576	94.24

Frequency Missing = 6221.2522733

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
	<b>q22h Frequency</b>	<b>Percent</b>
Every day	1558	2.41
Several times/wk	1106	1.71
Several times/mo	1461	2.26
About once/month	2187	3.38
About once/year	2143	3.32
< once/year	3601	5.57
Never used	52551	81.34

Frequency Missing = 6955.5054442

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
	<b>q22i Frequency</b>	<b>Percent</b>
Every day	76	0.12
Several times/wk	231	0.35
Several times/mo	217	0.33
About once/month	383	0.59
About once/year	642	0.99
< once/year	941	1.45
Never used	62609	96.18

Frequency Missing = 6465.8028553

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
	<b>q22f Frequency</b>	<b>Percent</b>
Every day	22	0.03
Several times/wk	1942	2.88
Several times/mo	6842	10.13
About once/month	7594	11.24
About once/year	7400	10.95
< once/year	5592	8.28
Never used	38160	56.49

Frequency Missing = 3629.0753026

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
	<b>q22d Frequency</b>	<b>Percent</b>
Every day	32	0.05
Several times/wk	1640	2.42
Several times/mo	5625	8.31
About once/month	7112	10.50
About once/year	7193	10.62
< once/year	7188	10.61
Never used	38939	57.49

Frequency Missing = 3835.4030679

<b>HOW OFTEN NORMALLY USE WINE</b>		
	<b>q22e Frequency</b>	<b>Percent</b>
Every day	109	0.16
Several times/wk	1051	1.57
Several times/mo	3395	5.08
About once/month	4376	6.54
About once/year	7441	11.12
< once/year	8520	12.74
Never used	41997	62.79

Frequency Missing = 4676.9030711

<b>HOW OFTEN NORMALLY USE CRACK</b>		
	<b>q22j Frequency</b>	<b>Percent</b>
Every day	52	0.08
Several times/wk	108	0.17
Several times/mo	25	0.04
About once/month	166	0.25
About once/year	124	0.19
< once/year	287	0.44
Never used	64511	98.83

Frequency Missing = 6290.9153171

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
	<b>q22l Frequency</b>	<b>Percent</b>
Every day	7	0.01
Several times/wk	134	0.21
Several times/mo	229	0.35
About once/month	499	0.77
About once/year	568	0.87
< once/year	673	1.04
Never used	62879	96.75

Frequency Missing = 6574.8473815

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
	<b>q22m Frequency</b>	<b>Percent</b>
Every day	157	0.24
Several times/wk	252	0.39
Several times/mo	282	0.43
About once/month	799	1.23
About once/year	597	0.92
< once/year	588	0.91
Never used	62279	95.88

Frequency Missing = 6609.9909965

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
	<b>q22n Frequency</b>	<b>Percent</b>
Every day	155	0.24
Several times/wk	378	0.58
Several times/mo	380	0.58
About once/month	946	1.45
About once/year	511	0.78
< once/year	652	1.00
Never used	62272	95.37

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

Frequency Missing = 6269.3698063

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
	<b>q22o</b>	<b>Frequency Percent</b>
Every day	27	0.04
Several times/wk	170	0.26
Several times/mo	80	0.12
About once/month	149	0.23
About once/year	131	0.20
< once/year	193	0.30
Never used	64237	98.85

Frequency Missing = 6577.2749135

<b>HOW OFTEN NORMALLY USE STEROIDS</b>		
	<b>q22p</b>	<b>Frequency Percent</b>
Every day	188	0.29
Several times/wk	76	0.12
Several times/mo	85	0.13
About once/month	34	0.05
About once/year	84	0.13
< once/year	154	0.24
Never used	64769	99.05

Frequency Missing = 6175.1590658

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
	<b>q22q</b>	<b>Frequency Percent</b>
Every day	66	0.10
Several times/wk	117	0.18
Several times/mo	256	0.39
About once/month	211	0.32
About once/year	674	1.02
< once/year	840	1.27
Never used	63973	96.73

Frequency Missing = 5426.9953498

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
	<b>q22r</b>	<b>Frequency Percent</b>
Every day	25	0.04
Several times/wk	103	0.15
Several times/mo	32	0.05
About once/month	124	0.19
About once/year	188	0.28
< once/year	211	0.32
Never used	66092	98.98

Frequency Missing = 4788.1015767

<b>AMOUNT OF BEER AT ONE TIME</b>		
	<b>q23a</b>	<b>Frequency Percent</b>
Never drink this	36495	53.52
12+ drinks	2938	4.31
9-11 drinks	2063	3.02
5-8 drinks	4164	6.11
3-4 drinks	6384	9.36
2 drinks	4654	6.82
1 drink	4871	7.14
< 1 drink	6622	9.71

Frequency Missing = 3371.5450593

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
	<b>q23b</b>	<b>Frequency Percent</b>
Never drink this	40762	60.37
12+ drinks	1085	1.61
9-11 drinks	672	1.00
5-8 drinks	1452	2.15
3-4 drinks	2694	3.99
2 drinks	3070	4.55
1 drink	6937	10.27
< 1 drink	10848	16.07

Frequency Missing = 4044.3893146

<b>AMOUNT OF WINE AT ONE TIME</b>		
	<b>q23c</b>	<b>Frequency Percent</b>
Never drink this	37259	54.94
12+ drinks	2321	3.42
9-11 drinks	1787	2.63
5-8 drinks	3723	5.49
3-4 drinks	5715	8.43
2 drinks	5175	7.63
1 drink	5730	8.45
< 1 drink	6113	9.01

Frequency Missing = 3740.3942336

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
	<b>q23d</b>	<b>Frequency Percent</b>
Never drink this	32774	48.07
12+ drinks	4506	6.61
9-11 drinks	2832	4.15
5-8 drinks	4866	7.14
3-4 drinks	5646	8.28
2 drinks	4389	6.44
1 drink	4726	6.93
< 1 drink	8446	12.39

Frequency Missing = 3378.7113566

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
	<b>q24</b>	<b>Frequency Percent</b>
Never 5+ at time	28155	40.64
None	25594	36.94
1 day	4416	6.37
2 days	3121	4.50
3 to 5 days	4053	5.85
6 to 9 days	1923	2.78
10 or more days	2020	2.92

Frequency Missing = 2282.7461782

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
	<b>q25a</b>	<b>Frequency Percent</b>
Do not Drink	31890	46.70
Never	18863	27.62
Seldom	13242	19.39
Most of the Time	3183	4.66
Always	1107	1.62

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

Frequency Missing = 3279.8268726

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
	<b>q25b</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	28578	42.20
<b>Never</b>	11073	16.35
<b>Seldom</b>	11284	16.66
<b>Most of the Time</b>	11322	16.72
<b>Always</b>	5468	8.07

Frequency Missing = 3838.5597197

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
	<b>q25c</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	29817	44.36
<b>Never</b>	27922	41.54
<b>Seldom</b>	5017	7.46
<b>Most of the Time</b>	2803	4.17
<b>Always</b>	1655	2.46

Frequency Missing = 4350.5525787

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
	<b>q25d</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	28356	41.85
<b>Never</b>	11118	16.41
<b>Seldom</b>	8953	13.21
<b>Most of the Time</b>	8957	13.22
<b>Always</b>	10373	15.31

Frequency Missing = 3806.6659921

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
	<b>q25e</b>	<b>Frequency Percent</b>
<b>Do not Drink</b>	29787	44.34
<b>Never</b>	16770	24.97
<b>Seldom</b>	8451	12.58
<b>Most of the Time</b>	5979	8.90
<b>Always</b>	6187	9.21

Frequency Missing = 4391.4509678

<b>USE MARIJUANA AS JOINTS</b>		
	<b>q26a</b>	<b>Frequency Percent</b>
<b>Never</b>	57682	85.08
<b>Seldom</b>	3821	5.64
<b>Half the time</b>	2364	3.49
<b>Most of the time</b>	1998	2.95
<b>Always</b>	1389	2.05
<b>Don't know</b>	540	0.80

Frequency Missing = 3769.6258669

<b>USE MARIJUANA AS BLUNTS</b>		
	<b>q26b</b>	<b>Frequency Percent</b>
<b>Never</b>	57986	85.88
<b>Seldom</b>	3282	4.86
<b>Half the time</b>	1835	2.72
<b>Most of the time</b>	1959	2.90
<b>Always</b>	2003	2.97
<b>Don't know</b>	453	0.67

Frequency Missing = 4046.0740903

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
	<b>q26c</b>	<b>Frequency Percent</b>
<b>Never</b>	59770	88.96
<b>Seldom</b>	2873	4.28
<b>Half the time</b>	1487	2.21
<b>Most of the time</b>	1647	2.45
<b>Always</b>	1084	1.61
<b>Don't know</b>	329	0.49

Frequency Missing = 4374.6499291

<b>USE MARIJUANA IN PIPES</b>		
	<b>q26d</b>	<b>Frequency Percent</b>
<b>Never</b>	58992	87.54
<b>Seldom</b>	3065	4.55
<b>Half the time</b>	1296	1.92
<b>Most of the time</b>	2116	3.14
<b>Always</b>	1600	2.37
<b>Don't know</b>	315	0.47

Frequency Missing = 4179.488409

<b>USE MARIJUANA OTHER WAYS</b>		
	<b>q26e</b>	<b>Frequency Percent</b>
<b>Never</b>	60717	91.17
<b>Seldom</b>	2662	4.00
<b>Half the time</b>	514	0.77
<b>Most of the time</b>	720	1.08
<b>Always</b>	975	1.46
<b>Don't know</b>	1012	1.52

Frequency Missing = 4964.8464114

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
	<b>q27</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	66981	97.44
<b>At least once/month</b>	515	0.75
<b>At least once/year</b>	343	0.50
<b>At least once/life</b>	903	1.31

Frequency Missing = 2822.2480413

<b>RECENT PRESCRIPTION DRUG USE - CODEINE</b>		
	<b>Q28A</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	57446	86.89
<b>At least once/month</b>	3151	4.77
<b>At least once/year</b>	2617	3.96
<b>At least once/life</b>	2898	4.38

Frequency Missing = 5453.1888603

<b>RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC</b>		
	<b>Q28B</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	62925	96.77
<b>At least once/month</b>	485	0.75
<b>At least once/year</b>	649	1.00
<b>At least once/life</b>	967	1.49

Frequency Missing = 6538.1311138

<b>RECENT PRESCRIPTION DRUG USE - VICODIN ETC</b>		
	<b>Q28C</b>	<b>Frequency Percent</b>
<b>Never heard/used</b>	61135	94.12
<b>At least once/month</b>	1563	2.41
<b>At least once/year</b>	1374	2.11
<b>At least once/life</b>	884	1.36

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

Frequency Missing = 6609.2580141

<b>RECENT PRESCRIPTION DRUG USE - VALIUM ETC</b>		
<b>Q28D Frequency Percent</b>		
Never heard/used	63325	97.03
At least once/month	551	0.84
At least once/year	715	1.09
At least once/life	673	1.03

Frequency Missing = 6300.6351115

<b>RECENT PRESCRIPTION DRUG USE - XANAX ETC</b>		
<b>Q28E Frequency Percent</b>		
Never heard/used	63376	96.04
At least once/month	884	1.34
At least once/year	861	1.30
At least once/life	868	1.32

Frequency Missing = 5575.539753

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q29 Frequency Percent</b>		
Never heard/used	63089	94.00
At least once/month	1261	1.88
At least once/year	1033	1.54
At least once/life	1733	2.58

Frequency Missing = 4447.6589748

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a Frequency Percent</b>		
Very	28909	45.95
Somewhat	18673	29.68
Not very	10244	16.28
Not at all	2211	3.51
Don't know	2882	4.58

Frequency Missing = 8645.9319206

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b Frequency Percent</b>		
Very	28409	45.72
Somewhat	21153	34.04
Not very	8544	13.75
Not at all	2046	3.29
Don't know	1989	3.20

Frequency Missing = 9423.1383003

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c Frequency Percent</b>		
Very	46642	77.23
Somewhat	8294	13.73
Not very	1923	3.18
Not at all	797	1.32
Don't know	2737	4.53

Frequency Missing = 11171.171887

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d Frequency Percent</b>		
Very	40971	67.94
Somewhat	8399	13.93
Not very	5677	9.41
Not at all	3237	5.37
Don't know	2024	3.36

Frequency Missing = 11256.571662

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e Frequency Percent</b>		
Very	51267	86.84
Somewhat	4360	7.39
Not very	679	1.15
Not at all	460	0.78
Don't know	2271	3.85

Frequency Missing = 12526.339331

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f Frequency Percent</b>		
Very	52532	88.13
Somewhat	3590	6.02
Not very	549	0.92
Not at all	453	0.76
Don't know	2486	4.17

Frequency Missing = 11954.809172

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g Frequency Percent</b>		
Very	51641	85.33
Somewhat	4053	6.70
Not very	1114	1.84
Not at all	459	0.76
Don't know	3255	5.38

Frequency Missing = 11041.923028

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h Frequency Percent</b>		
Very	49744	79.96
Somewhat	6684	10.74
Not very	2041	3.28
Not at all	649	1.04
Don't know	3095	4.98

Frequency Missing = 9351.3411139

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i Frequency Percent</b>		
Very	57057	90.23
Somewhat	2415	3.82
Not very	341	0.54
Not at all	461	0.73
Don't know	2959	4.68

Frequency Missing = 8331.1693212

**Region 1/2: Grades 7-12  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q30j Frequency Percent</b>		
<b>Very</b>	58241	89.71
<b>Somewhat</b>	2368	3.65
<b>Not very</b>	345	0.53
<b>Not at all</b>	516	0.79
<b>Don't know</b>	3449	5.31

Frequency Missing = 6645.2742735

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d Frequency Percent</b>		
<b>None</b>	52300	78.15
<b>1-3 days</b>	10558	15.78
<b>4-9 days</b>	2441	3.65
<b>10+ days</b>	1624	2.43

Frequency Missing = 4641.2123033

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a Frequency Percent</b>		
<b>None</b>	59980	91.09
<b>1-3 times</b>	4791	7.28
<b>4-9 times</b>	667	1.01
<b>10+ times</b>	406	0.62

Frequency Missing = 5719.6005073

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a Frequency Percent</b>		
<b>None</b>	47009	69.75
<b>1-3 days</b>	14260	21.16
<b>4-9 days</b>	3727	5.53
<b>10+ days</b>	2405	3.57

Frequency Missing = 4162.9514818

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e Frequency Percent</b>		
<b>None</b>	58664	88.27
<b>1-3 days</b>	6191	9.32
<b>4-9 days</b>	1088	1.64
<b>10+ days</b>	518	0.78

Frequency Missing = 5103.2149532

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q32b Frequency Percent</b>		
<b>None</b>	59197	90.22
<b>1-3 times</b>	4710	7.18
<b>4-9 times</b>	1020	1.55
<b>10+ times</b>	691	1.05

Frequency Missing = 5946.4462361

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b Frequency Percent</b>		
<b>None</b>	14032	21.03
<b>1-3 days</b>	34402	51.55
<b>4-9 days</b>	13755	20.61
<b>10+ days</b>	4541	6.81

Frequency Missing = 4834.3685807

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f Frequency Percent</b>		
<b>None</b>	65365	98.11
<b>1-3 days</b>	910	1.37
<b>4-9 days</b>	221	0.33
<b>10+ days</b>	130	0.20

Frequency Missing = 4937.702507

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q32c Frequency Percent</b>		
<b>None</b>	59333	91.29
<b>1-3 times</b>	4713	7.25
<b>4-9 times</b>	553	0.85
<b>10+ times</b>	396	0.61

Frequency Missing = 6568.5595325

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c Frequency Percent</b>		
<b>None</b>	20163	30.36
<b>1-3 days</b>	35876	54.02
<b>4-9 days</b>	7266	10.94
<b>10+ days</b>	3105	4.68

Frequency Missing = 5153.4626842

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g Frequency Percent</b>		
<b>None</b>	65561	98.51
<b>1-3 days</b>	625	0.94
<b>4-9 days</b>	204	0.31
<b>10+ days</b>	166	0.25

Frequency Missing = 5008.8289936

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q32d Frequency Percent</b>		
<b>None</b>	61900	96.21
<b>1-3 times</b>	1916	2.98
<b>4-9 times</b>	208	0.32
<b>10+ times</b>	316	0.49

Frequency Missing = 7224.0893221

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q32e Frequency Percent</b>		
<b>None</b>	61251	95.27
<b>1-3 times</b>	2246	3.49
<b>4-9 times</b>	498	0.77
<b>10+ times</b>	296	0.46

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 1/2: Grades 7-12  
Spring 2008**

Frequency Missing = 7274.1686263

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q32f Frequency Percent</b>		
None	59924	94.26
1-3 times	2208	3.47
4-9 times	539	0.85
10+ times	904	1.42

Frequency Missing = 7989.2929364

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q32g Frequency Percent</b>		
None	60788	95.48
1-3 times	2247	3.53
4-9 times	290	0.46
10+ times	340	0.53

Frequency Missing = 7899.0018134

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q32h Frequency Percent</b>		
None	63077	98.02
1-3 times	853	1.33
4-9 times	209	0.32
10+ times	212	0.33

Frequency Missing = 7213.2538059

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q33a Frequency Percent</b>		
None	60206	90.98
1-3 days	4141	6.26
4-9 days	747	1.13
10+ days	1077	1.63

Frequency Missing = 5392.1458773

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q33b Frequency Percent</b>		
None	60846	92.24
1-3 days	2742	4.16
4-9 days	829	1.26
10+ days	1545	2.34

Frequency Missing = 5601.9727483

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q33c Frequency Percent</b>		
None	64763	98.04
1-3 days	697	1.06
4-9 days	287	0.43
10+ days	308	0.47

Frequency Missing = 5509.1301189

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q33d Frequency Percent</b>		
None	63243	95.38
1-3 days	1814	2.74
4-9 days	561	0.85
10+ days	689	1.04

Frequency Missing = 5258.3318379

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34a Frequency Percent</b>		
Never	25444	38.25
Seldom	5628	8.46
Half the time	4667	7.02
Most of the time	8466	12.73
Always	11339	17.05
Don't know	1116	1.68
Didn't attend	9852	14.81

Frequency Missing = 5052.6379102

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34b Frequency Percent</b>		
Never	36195	54.40
Seldom	7511	11.29
Half the time	4162	6.26
Most of the time	3496	5.25
Always	3314	4.98
Don't know	1953	2.94
Didn't attend	9902	14.88

Frequency Missing = 5031.4422111

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q35 Frequency Percent</b>		
No	57443	93.41
Yes	4054	6.59

Frequency Missing = 10067.339928

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q36a Frequency Percent</b>		
No	45463	71.01
Yes	18560	28.99

Frequency Missing = 7541.3212787

<b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b>		
<b>q36b Frequency Percent</b>		
No	43990	68.34
Yes	20383	31.66

Frequency Missing = 7191.3039299

<b>WOULD SEEK HELP FROM OTHER COUNSELOR</b>		
<b>q36c Frequency Percent</b>		
No	38960	61.37
Yes	24529	38.63

Frequency Missing = 8074.5688043

**Region 1/2: Grades 7-12  
Spring 2008**

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q36d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	23578	36.74
<b>Yes</b>	40602	63.26

Frequency Missing = 7384.1853717

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q37a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	28529	50.70
<b>Yes</b>	27738	49.30

Frequency Missing = 15297.655995

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q37f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	47500	85.59
<b>Yes</b>	7998	14.41

Frequency Missing = 16065.504277

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q36e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	38000	59.64
<b>Yes</b>	25712	40.36

Frequency Missing = 7851.9680433

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q37b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	28824	51.66
<b>Yes</b>	26969	48.34

Frequency Missing = 15771.027186

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q37g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	34089	61.35
<b>Yes</b>	21477	38.65

Frequency Missing = 15998.032397

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q36f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	16723	26.17
<b>Yes</b>	47185	73.83

Frequency Missing = 7655.5296651

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q37c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	43852	80.10
<b>Yes</b>	10893	19.90

Frequency Missing = 16819.418908

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q37h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	36986	65.85
<b>Yes</b>	19181	34.15

Frequency Missing = 15397.920465

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q36g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	22942	35.82
<b>Yes</b>	41102	64.18

Frequency Missing = 7520.1795414

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q37d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	35733	65.36
<b>Yes</b>	18936	34.64

Frequency Missing = 16895.711379

<b>DRUG/ALCOHOL INFO--WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	47969	75.84
<b>Yes</b>	15285	24.16

Frequency Missing = 8309.7131834

<b>WOULD NOT SEEK HELP</b>		
<b>q36h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	54651	86.19
<b>Yes</b>	8759	13.81

Frequency Missing = 8153.9196669

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q37e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	47944	87.49
<b>Yes</b>	6856	12.51

Frequency Missing = 16763.929724

<b>DRUG/ALCOHOL INFO--BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>		
<b>q38b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>		34188
<b>Yes</b>		28878

**Region 1/2: Grades 7-12  
Spring 2008**

Frequency Missing = 6580.4464968

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
No	54.21
Yes	45.79

Frequency Missing = 8498.2619002

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	56571	87.10
Mild disapprove	2050	3.16
Neither	2028	3.12
Mildly approve	505	0.78
Strongly approve	718	1.11
Don't know	3078	4.74

Frequency Missing = 6614.7926184

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
No	32252	51.21
Yes	30730	48.79

Frequency Missing = 8582.4914798

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
No	46075	70.50
Yes	19284	29.50

Frequency Missing = 6204.7541223

<b>DRUG/ALCOHOL INFO--PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
No	33792	53.24
Yes	29673	46.76

Frequency Missing = 8099.0546526

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41</b>	<b>Frequency</b>	<b>Percent</b>
No	56157	86.27
Yes	8941	13.73

Frequency Missing = 6465.9975688

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	47292	72.85
Mild disapprove	6680	10.29
Neither	5667	8.73
Mildly approve	1315	2.03
Strongly approve	497	0.77
Don't know	3463	5.33

Frequency Missing = 6649.3196089

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b</b>	<b>Frequency</b>	<b>Percent</b>
Strong disapprove	43193	66.47
Mild disapprove	9173	14.12
Neither	6735	10.36
Mildly approve	2066	3.18
Strongly approve	752	1.16
Don't know	3065	4.72

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district