

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	13.4%	18.4%	33.0%	67.0%
	<b>Grade 7</b>	5.3%	7.4%	17.5%	82.5%
	<b>Grade 8</b>	7.8%	11.2%	24.3%	75.7%
	<b>Grade 9</b>	12.3%	17.7%	32.1%	67.9%
	<b>Grade 10</b>	16.2%	22.1%	39.6%	60.4%
	<b>Grade 11</b>	21.2%	27.9%	44.3%	55.7%
	<b>Grade 12</b>	23.6%	31.8%	49.5%	50.5%
<b>Cigarettes</b>					
	<b>All</b>	12.7%	17.7%	32.4%	67.6%
	<b>Grade 7</b>	4.9%	6.9%	16.9%	83.1%
	<b>Grade 8</b>	7.3%	10.7%	23.8%	76.2%
	<b>Grade 9</b>	11.6%	16.8%	31.5%	68.5%
	<b>Grade 10</b>	15.4%	21.3%	39.1%	60.9%
	<b>Grade 11</b>	20.3%	27.2%	43.8%	56.2%
	<b>Grade 12</b>	22.7%	31.1%	48.6%	51.4%
<b>Smokeless tobacco</b>					
	<b>All</b>	2.8%	4.1%	7.2%	92.8%
	<b>Grade 7</b>	1.6%	2.1%	3.7%	96.3%
	<b>Grade 8</b>	1.7%	2.6%	5.1%	94.9%
	<b>Grade 9</b>	3.0%	4.3%	7.4%	92.6%
	<b>Grade 10</b>	2.9%	4.9%	8.5%	91.5%
	<b>Grade 11</b>	4.0%	5.5%	9.0%	91.0%
	<b>Grade 12</b>	4.4%	6.3%	11.5%	88.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table T-2: How often do you normally use ..**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>								
	<b>All</b>	70.1%	1.7%	3.5%	4.9%	6.6%	5.5%	7.7%
	<b>Grade 7</b>	84.9%	0.3%	1.1%	2.2%	3.3%	3.4%	4.7%
	<b>Grade 8</b>	78.3%	0.8%	2.1%	3.0%	4.7%	4.4%	6.8%
	<b>Grade 9</b>	70.6%	1.3%	3.5%	4.7%	6.4%	6.0%	7.5%
	<b>Grade 10</b>	63.4%	1.8%	4.7%	6.1%	8.4%	6.7%	9.0%
	<b>Grade 11</b>	60.3%	2.8%	5.4%	7.2%	8.7%	6.4%	9.1%
	<b>Grade 12</b>	54.9%	4.6%	5.9%	7.8%	10.0%	6.5%	10.3%
<b>Cigarettes?</b>								
	<b>All</b>	70.3%	1.6%	3.5%	4.8%	6.6%	5.5%	7.8%
	<b>Grade 7</b>	85.0%	0.3%	1.1%	2.1%	3.4%	3.4%	4.7%
	<b>Grade 8</b>	78.5%	0.6%	2.0%	3.0%	4.8%	4.3%	6.8%
	<b>Grade 9</b>	70.9%	1.2%	3.5%	4.5%	6.3%	6.1%	7.6%
	<b>Grade 10</b>	63.8%	1.7%	4.4%	6.0%	8.3%	6.6%	9.2%
	<b>Grade 11</b>	60.1%	2.6%	5.3%	7.4%	8.6%	6.6%	9.3%
	<b>Grade 12</b>	55.1%	4.4%	5.8%	7.8%	10.0%	6.5%	10.4%
<b>Smokeless tobacco?</b>								
	<b>All</b>	94.4%	0.2%	0.7%	0.8%	1.1%	1.1%	1.7%
	<b>Grade 7</b>	97.3%	0.1%	0.4%	0.5%	0.6%	0.5%	0.6%
	<b>Grade 8</b>	95.8%	0.2%	0.4%	0.5%	0.8%	0.8%	1.6%
	<b>Grade 9</b>	94.6%	0.1%	0.6%	1.0%	1.1%	0.8%	1.7%
	<b>Grade 10</b>	93.7%	0.3%	0.7%	1.0%	1.3%	1.3%	1.7%
	<b>Grade 11</b>	92.5%	0.4%	0.7%	0.8%	1.7%	1.7%	2.2%
	<b>Grade 12</b>	90.3%	0.5%	1.3%	1.2%	1.3%	2.4%	3.1%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>						
	11.0	11.7	12.6	13.3	14.0	14.7
<b>Smokeless tobacco</b>						
	11.3	12.2	12.9	13.5	14.6	15.4
<b>Any Tobacco</b>						
	11.0	11.7	12.6	13.3	14.0	14.7

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table T-4: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Any tobacco product??</b>							
	<b>All</b>	20.0%	16.9%	5.2%	9.0%	17.1%	31.8%
	<b>Grade 7</b>	31.4%	28.7%	6.8%	8.3%	12.2%	12.6%
	<b>Grade 8</b>	24.0%	23.8%	7.0%	10.0%	15.2%	20.0%
	<b>Grade 9</b>	18.9%	16.4%	5.6%	10.8%	19.8%	28.5%
	<b>Grade 10</b>	15.0%	12.3%	4.5%	9.8%	22.1%	36.4%
	<b>Grade 11</b>	12.8%	8.2%	3.2%	8.2%	19.8%	47.8%
	<b>Grade 12</b>	13.5%	5.5%	2.3%	4.7%	12.1%	62.0%
<b>Cigarettes?</b>							
	<b>All</b>	20.2%	17.0%	5.2%	9.1%	17.3%	31.3%
	<b>Grade 7</b>	31.6%	28.8%	6.9%	8.4%	12.4%	11.9%
	<b>Grade 8</b>	24.5%	23.8%	6.8%	10.2%	15.3%	19.4%
	<b>Grade 9</b>	19.1%	16.6%	5.7%	10.8%	19.8%	28.0%
	<b>Grade 10</b>	15.2%	12.2%	4.5%	9.8%	22.5%	35.8%
	<b>Grade 11</b>	13.0%	8.3%	3.1%	8.2%	20.3%	47.0%
	<b>Grade 12</b>	13.3%	5.3%	2.2%	4.7%	12.4%	62.1%
<b>Smokeless Tobacco?</b>							
	<b>All</b>	35.9%	21.9%	7.3%	9.7%	10.2%	14.9%
	<b>Grade 7</b>	45.2%	32.6%	7.4%	6.1%	4.4%	4.4%
	<b>Grade 8</b>	38.3%	29.5%	8.9%	9.5%	6.6%	7.1%
	<b>Grade 9</b>	34.7%	22.5%	8.3%	11.3%	10.9%	12.2%
	<b>Grade 10</b>	33.6%	16.9%	7.8%	12.1%	13.4%	16.2%
	<b>Grade 11</b>	31.1%	13.4%	5.6%	10.8%	15.3%	23.8%
	<b>Grade 12</b>	29.2%	8.8%	4.1%	8.1%	13.1%	36.8%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table T-5: About how many of your close friends...**

		None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>						
	<b>All</b>	41.5%	31.8%	15.8%	8.6%	2.3%
	<b>Grade 7</b>	66.5%	22.5%	7.2%	2.7%	1.1%
	<b>Grade 8</b>	55.1%	27.8%	11.3%	4.3%	1.5%
	<b>Grade 9</b>	39.8%	34.7%	15.6%	7.6%	2.4%
	<b>Grade 10</b>	29.7%	37.4%	19.4%	10.5%	3.0%
	<b>Grade 11</b>	25.0%	35.7%	21.2%	15.2%	3.0%
	<b>Grade 12</b>	21.7%	34.3%	25.0%	16.0%	3.1%
<b>Smoke cigarettes?</b>						
	<b>All</b>	42.2%	32.4%	15.0%	8.3%	2.1%
	<b>Grade 7</b>	67.0%	22.8%	6.8%	2.4%	1.0%
	<b>Grade 8</b>	56.1%	28.2%	10.1%	4.2%	1.4%
	<b>Grade 9</b>	40.9%	35.0%	14.7%	7.2%	2.3%
	<b>Grade 10</b>	30.6%	37.8%	18.5%	10.2%	2.9%
	<b>Grade 11</b>	25.4%	36.7%	20.4%	14.8%	2.7%
	<b>Grade 12</b>	21.9%	35.2%	24.5%	15.4%	3.0%
<b>Use a smokeless tobacco product?</b>						
	<b>All</b>	76.5%	14.5%	6.1%	2.1%	0.8%
	<b>Grade 7</b>	87.3%	8.3%	2.8%	1.1%	0.6%
	<b>Grade 8</b>	81.8%	11.9%	4.6%	1.2%	0.6%
	<b>Grade 9</b>	76.1%	14.8%	6.2%	2.2%	0.8%
	<b>Grade 10</b>	71.6%	17.8%	7.3%	2.2%	1.1%
	<b>Grade 11</b>	69.5%	18.3%	8.2%	3.2%	0.8%
	<b>Grade 12</b>	67.8%	18.4%	9.1%	3.9%	0.8%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table T-6: How do your parents feel about kids your age smoking cigarettes?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	76.7%	5.9%	4.4%	1.1%	1.1%	10.8%
<b>Grade 7</b>	78.0%	2.7%	2.4%	0.3%	0.9%	15.7%
<b>Grade 8</b>	79.6%	3.4%	3.0%	0.7%	1.0%	12.3%
<b>Grade 9</b>	77.6%	5.5%	3.7%	1.0%	1.5%	10.7%
<b>Grade 10</b>	77.2%	7.4%	4.7%	1.4%	1.1%	8.2%
<b>Grade 11</b>	75.0%	8.1%	5.9%	1.4%	0.9%	8.8%
<b>Grade 12</b>	69.7%	10.5%	8.9%	1.8%	1.3%	7.9%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	55.9%	24.3%	10.1%	3.3%	6.3%
<b>Grade 7</b>	69.2%	17.7%	4.7%	1.5%	6.9%
<b>Grade 8</b>	63.2%	20.7%	6.8%	2.0%	7.3%
<b>Grade 9</b>	55.6%	24.7%	9.7%	2.9%	7.1%
<b>Grade 10</b>	48.9%	27.5%	12.8%	4.8%	5.9%
<b>Grade 11</b>	47.8%	28.3%	14.1%	4.5%	5.2%
<b>Grade 12</b>	45.8%	29.3%	15.3%	5.3%	4.3%

**Region 11: Grades 7-12  
SPRING 2008**

**Table A-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	29.8%	39.4%	60.2%	39.8%
	<b>Grade 7</b>	16.6%	21.3%	43.7%	56.3%
	<b>Grade 8</b>	22.4%	30.3%	54.0%	46.0%
	<b>Grade 9</b>	30.0%	40.4%	60.2%	39.8%
	<b>Grade 10</b>	36.7%	48.1%	68.7%	31.3%
	<b>Grade 11</b>	37.9%	50.2%	69.5%	30.5%
	<b>Grade 12</b>	42.7%	55.0%	72.5%	27.5%
<b>Beer</b>					
	<b>All</b>	19.5%	27.5%	45.8%	54.2%
	<b>Grade 7</b>	9.2%	12.4%	29.5%	70.5%
	<b>Grade 8</b>	12.9%	18.9%	38.8%	61.2%
	<b>Grade 9</b>	18.4%	26.6%	44.7%	55.3%
	<b>Grade 10</b>	24.7%	35.2%	54.7%	45.3%
	<b>Grade 11</b>	27.3%	38.2%	55.8%	44.2%
	<b>Grade 12</b>	31.8%	42.3%	60.2%	39.8%
<b>Wine coolers</b>					
	<b>All</b>	19.9%	28.6%	45.5%	54.5%
	<b>Grade 7</b>	10.5%	14.6%	28.6%	71.4%
	<b>Grade 8</b>	14.8%	21.9%	39.2%	60.8%
	<b>Grade 9</b>	19.7%	28.7%	45.6%	54.4%
	<b>Grade 10</b>	25.6%	35.7%	53.8%	46.2%
	<b>Grade 11</b>	25.9%	37.1%	54.9%	45.1%
	<b>Grade 12</b>	28.1%	40.8%	58.6%	41.4%
<b>Wine</b>					
	<b>All</b>	12.4%	19.8%	38.0%	62.0%
	<b>Grade 7</b>	6.6%	9.6%	23.5%	76.5%
	<b>Grade 8</b>	9.5%	15.3%	33.0%	67.0%
	<b>Grade 9</b>	13.0%	21.4%	39.4%	60.6%
	<b>Grade 10</b>	14.5%	23.5%	44.4%	55.6%
	<b>Grade 11</b>	15.8%	25.5%	45.9%	54.1%
	<b>Grade 12</b>	17.8%	27.7%	47.0%	53.0%
<b>Liquor</b>					
	<b>All</b>	16.8%	24.6%	38.0%	62.0%
	<b>Grade 7</b>	5.4%	8.1%	16.4%	83.6%
	<b>Grade 8</b>	9.8%	14.9%	27.7%	72.3%
	<b>Grade 9</b>	15.6%	23.7%	37.6%	62.4%
	<b>Grade 10</b>	22.2%	32.8%	48.6%	51.4%
	<b>Grade 11</b>	24.9%	36.2%	52.3%	47.7%
	<b>Grade 12</b>	30.4%	41.8%	56.7%	43.3%

**Region 11: Grades 7-12  
SPRING 2008**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	46.6%	0.8%	5.8%	12.3%	13.3%	11.4%	9.8%
	<b>Grade 7</b>	65.6%	0.9%	2.8%	5.1%	7.3%	9.4%	9.0%
	<b>Grade 8</b>	54.5%	0.7%	4.7%	7.7%	10.7%	10.5%	11.2%
	<b>Grade 9</b>	46.0%	0.7%	6.0%	11.9%	13.9%	11.9%	9.5%
	<b>Grade 10</b>	36.4%	0.9%	7.0%	16.7%	16.1%	13.0%	9.9%
	<b>Grade 11</b>	36.0%	0.8%	7.4%	16.4%	16.9%	12.9%	9.6%
	<b>Grade 12</b>	33.2%	1.1%	8.0%	19.9%	17.3%	10.7%	9.8%
<b>Beer?</b>								
	<b>All</b>	56.3%	0.4%	4.7%	9.7%	11.1%	8.8%	9.1%
	<b>Grade 7</b>	73.5%	0.3%	1.9%	3.7%	6.3%	6.5%	7.9%
	<b>Grade 8</b>	63.9%	0.3%	3.2%	6.3%	8.6%	8.1%	9.6%
	<b>Grade 9</b>	56.3%	0.3%	4.6%	9.4%	10.9%	8.9%	9.7%
	<b>Grade 10</b>	47.3%	0.3%	5.9%	12.9%	14.1%	10.5%	9.0%
	<b>Grade 11</b>	47.1%	0.5%	6.6%	13.0%	13.7%	10.1%	9.0%
	<b>Grade 12</b>	42.2%	0.7%	7.5%	16.2%	15.2%	8.8%	9.3%
<b>Wine coolers?</b>								
	<b>All</b>	59.3%	0.3%	3.4%	8.9%	10.5%	9.8%	7.8%
	<b>Grade 7</b>	77.9%	0.6%	2.0%	3.7%	4.6%	5.8%	5.6%
	<b>Grade 8</b>	67.1%	0.3%	2.8%	6.1%	7.5%	8.0%	8.3%
	<b>Grade 9</b>	59.1%	0.4%	3.9%	8.6%	10.8%	10.1%	7.2%
	<b>Grade 10</b>	49.9%	0.2%	4.0%	11.9%	13.4%	12.1%	8.5%
	<b>Grade 11</b>	48.0%	0.2%	3.7%	11.9%	14.8%	12.4%	8.9%
	<b>Grade 12</b>	45.7%	0.2%	4.3%	13.8%	14.7%	11.8%	9.6%
<b>Wine?</b>								
	<b>All</b>	64.9%	0.1%	2.1%	5.5%	7.5%	11.0%	8.9%
	<b>Grade 7</b>	80.9%	0.1%	1.1%	2.5%	3.4%	6.3%	5.8%
	<b>Grade 8</b>	71.0%	0.1%	1.6%	4.0%	5.7%	8.9%	8.8%
	<b>Grade 9</b>	64.1%	0.0%	2.4%	5.2%	8.1%	11.4%	8.7%
	<b>Grade 10</b>	57.8%	0.1%	2.4%	7.3%	8.8%	13.9%	9.7%
	<b>Grade 11</b>	56.3%	0.2%	2.6%	7.2%	9.2%	13.8%	10.7%
	<b>Grade 12</b>	52.6%	0.3%	3.2%	8.7%	11.1%	13.6%	10.6%
<b>Liquor?</b>								
	<b>All</b>	64.0%	0.2%	3.2%	8.5%	9.1%	8.5%	6.4%
	<b>Grade 7</b>	85.4%	0.1%	1.0%	2.0%	3.4%	3.9%	4.1%
	<b>Grade 8</b>	74.8%	0.1%	2.2%	4.8%	5.9%	6.4%	5.9%
	<b>Grade 9</b>	64.3%	0.1%	3.4%	7.8%	9.4%	8.4%	6.6%
	<b>Grade 10</b>	53.4%	0.4%	4.4%	11.7%	11.5%	10.8%	7.7%
	<b>Grade 11</b>	49.8%	0.1%	4.2%	13.6%	13.0%	11.7%	7.7%
	<b>Grade 12</b>	45.6%	0.3%	5.1%	15.5%	14.3%	11.8%	7.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	60.7%	39.3%	11.0%	20.5%	7.8%
	<b>Grade 7</b>	83.1%	16.9%	2.0%	9.1%	5.8%
	<b>Grade 8</b>	71.4%	28.6%	5.7%	14.2%	8.6%
	<b>Grade 9</b>	60.5%	39.5%	10.6%	20.7%	8.2%
	<b>Grade 10</b>	50.1%	49.9%	15.5%	25.9%	8.5%
	<b>Grade 11</b>	46.1%	53.9%	17.5%	28.8%	7.6%
	<b>Grade 12</b>	42.3%	57.7%	19.8%	30.0%	7.9%
<b>Wine Coolers</b>						
	<b>All</b>	61.7%	38.3%	4.9%	20.6%	12.9%
	<b>Grade 7</b>	76.4%	23.6%	1.7%	11.0%	10.9%
	<b>Grade 8</b>	66.8%	33.2%	3.7%	17.1%	12.5%
	<b>Grade 9</b>	60.6%	39.4%	4.9%	21.4%	13.1%
	<b>Grade 10</b>	55.4%	44.6%	5.6%	25.2%	13.9%
	<b>Grade 11</b>	54.2%	45.8%	7.2%	24.4%	14.3%
	<b>Grade 12</b>	50.9%	49.1%	7.9%	28.0%	13.1%
<b>Wine</b>						
	<b>All</b>	55.0%	45.0%	11.2%	25.8%	7.9%
	<b>Grade 7</b>	73.2%	26.8%	4.1%	15.0%	7.8%
	<b>Grade 8</b>	62.5%	37.5%	7.2%	20.8%	9.5%
	<b>Grade 9</b>	54.0%	46.0%	11.8%	26.8%	7.4%
	<b>Grade 10</b>	46.1%	53.9%	15.2%	31.0%	7.7%
	<b>Grade 11</b>	45.0%	55.0%	15.3%	32.7%	7.0%
	<b>Grade 12</b>	42.1%	57.9%	17.2%	32.9%	7.7%
<b>Liquor</b>						
	<b>All</b>	52.7%	47.3%	13.6%	22.2%	11.5%
	<b>Grade 7</b>	68.1%	31.9%	4.1%	15.6%	12.2%
	<b>Grade 8</b>	59.2%	40.8%	7.5%	19.7%	13.6%
	<b>Grade 9</b>	52.1%	47.9%	13.2%	22.9%	11.7%
	<b>Grade 10</b>	44.7%	55.3%	17.5%	26.8%	11.0%
	<b>Grade 11</b>	44.3%	55.7%	20.8%	25.1%	9.8%
	<b>Grade 12</b>	41.0%	59.0%	24.9%	24.7%	9.3%



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		<b>Never/None</b>	<b>1 day</b>	<b>2 days</b>	<b>3 to 5 days</b>	<b>6 to 9 days</b>	<b>10 or more days</b>
<b>Alcohol</b>							
	<b>All</b>	79.1%	6.8%	4.3%	5.1%	2.2%	2.5%
	<b>Grade 7</b>	90.8%	3.7%	1.8%	1.8%	0.7%	1.2%
	<b>Grade 8</b>	86.0%	4.6%	3.0%	3.2%	1.2%	1.9%
	<b>Grade 9</b>	79.6%	7.2%	4.3%	5.3%	1.6%	2.0%
	<b>Grade 10</b>	73.8%	8.1%	5.4%	6.6%	3.1%	3.0%
	<b>Grade 11</b>	71.4%	8.8%	6.2%	6.5%	3.5%	3.5%
	<b>Grade 12</b>	65.8%	10.0%	6.4%	8.6%	4.3%	4.9%

**Table A-5: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Beer</b>						
	10.8	11.5	12.4	13.2	13.8	14.5
<b>Wine Coolers</b>						
	11.3	12.0	12.9	13.4	14.1	14.7
<b>Wine</b>						
	11.2	11.9	12.9	13.4	14.0	14.7
<b>Liquor</b>						
	11.6	12.3	13.3	14.0	14.6	15.2
<b>Any Alcohol</b>						
	10.8	11.4	12.4	13.0	13.6	14.2

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-6: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Beer?</b>							
	<b>All</b>	18.1%	13.6%	5.2%	10.5%	19.6%	33.0%
	<b>Grade 7</b>	29.4%	23.6%	6.9%	9.5%	12.7%	18.0%
	<b>Grade 8</b>	21.9%	17.9%	6.9%	9.7%	17.7%	25.9%
	<b>Grade 9</b>	17.1%	13.1%	5.3%	11.7%	20.3%	32.5%
	<b>Grade 10</b>	13.0%	9.3%	4.5%	10.8%	22.6%	39.8%
	<b>Grade 11</b>	11.4%	7.2%	3.3%	9.4%	22.8%	45.8%
	<b>Grade 12</b>	11.9%	5.9%	2.8%	11.9%	23.5%	44.0%
<b>Wine coolers?</b>							
	<b>All</b>	22.5%	14.4%	5.5%	10.6%	18.0%	28.9%
	<b>Grade 7</b>	37.2%	24.3%	6.6%	8.9%	10.2%	12.9%
	<b>Grade 8</b>	27.6%	19.5%	7.0%	10.6%	14.8%	20.4%
	<b>Grade 9</b>	21.7%	13.8%	6.0%	11.3%	18.8%	28.3%
	<b>Grade 10</b>	15.2%	9.7%	5.4%	11.4%	21.8%	36.5%
	<b>Grade 11</b>	13.6%	8.0%	3.6%	10.1%	22.3%	42.4%
	<b>Grade 12</b>	14.3%	6.2%	3.1%	10.9%	23.4%	42.0%
<b>Wine?</b>							
	<b>All</b>	22.3%	16.8%	7.0%	12.4%	16.6%	24.9%
	<b>Grade 7</b>	34.2%	27.6%	8.2%	9.4%	9.9%	10.7%
	<b>Grade 8</b>	26.0%	22.1%	8.6%	12.2%	13.0%	18.1%
	<b>Grade 9</b>	21.5%	16.5%	7.5%	13.8%	16.7%	24.0%
	<b>Grade 10</b>	17.2%	11.9%	6.6%	13.6%	21.0%	29.7%
	<b>Grade 11</b>	14.6%	9.7%	5.0%	12.3%	20.6%	37.8%
	<b>Grade 12</b>	15.5%	7.3%	4.8%	13.2%	21.8%	37.4%
<b>Liquor?</b>							
	<b>All</b>	21.8%	18.1%	7.7%	11.1%	15.4%	25.9%
	<b>Grade 7</b>	36.0%	30.5%	8.9%	7.7%	7.2%	9.7%
	<b>Grade 8</b>	26.2%	24.5%	10.3%	9.9%	11.2%	18.0%
	<b>Grade 9</b>	20.5%	18.2%	8.5%	12.7%	15.9%	24.3%
	<b>Grade 10</b>	15.6%	12.4%	6.9%	12.8%	19.6%	32.7%
	<b>Grade 11</b>	13.6%	9.3%	5.3%	11.1%	20.2%	40.5%
	<b>Grade 12</b>	14.0%	7.2%	4.4%	12.4%	22.1%	39.9%
<b>Any alcohol product?</b>							
	<b>All</b>	16.8%	11.6%	4.4%	9.3%	19.0%	38.9%
	<b>Grade 7</b>	27.5%	20.8%	6.0%	9.4%	14.3%	22.0%
	<b>Grade 8</b>	20.4%	15.1%	5.8%	9.2%	17.5%	32.0%
	<b>Grade 9</b>	15.6%	11.0%	4.6%	10.1%	19.7%	39.0%
	<b>Grade 10</b>	11.7%	7.5%	3.8%	9.1%	21.5%	46.5%
	<b>Grade 11</b>	10.7%	5.9%	2.6%	7.6%	20.4%	52.8%
	<b>Grade 12</b>	11.2%	5.6%	2.3%	9.7%	22.1%	49.1%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	92.1%	6.0%	1.0%	1.0%
<b>Grade 7</b>	94.2%	4.7%	0.5%	0.6%
<b>Grade 8</b>	91.6%	6.7%	0.9%	0.8%
<b>Grade 9</b>	92.1%	5.7%	1.1%	1.1%
<b>Grade 10</b>	91.5%	6.2%	1.2%	1.1%
<b>Grade 11</b>	91.6%	6.5%	1.0%	0.9%
<b>Grade 12</b>	91.0%	6.3%	1.2%	1.4%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.3%	1.0%	0.3%	0.4%
<b>Grade 7</b>	98.7%	0.7%	0.2%	0.4%
<b>Grade 8</b>	98.2%	1.1%	0.2%	0.4%
<b>Grade 9</b>	98.1%	1.2%	0.3%	0.5%
<b>Grade 10</b>	98.4%	0.9%	0.4%	0.3%
<b>Grade 11</b>	98.6%	0.9%	0.2%	0.3%
<b>Grade 12</b>	98.0%	1.2%	0.3%	0.5%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	4.5
Alcohol Non-use	3.2
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.8
Alcohol Non-use	1.5

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
<b>All</b>	89.5%	7.8%	1.6%	1.1%
<b>Grade 9</b>	94.0%	4.7%	0.7%	0.7%
<b>Grade 10</b>	91.3%	6.6%	1.2%	0.9%
<b>Grade 11</b>	87.2%	9.5%	2.1%	1.2%
<b>Grade 12</b>	81.2%	13.3%	3.4%	2.1%
<b>Gotten into trouble with the police because of drinking?</b>				
<b>All</b>	97.0%	2.3%	0.4%	0.4%
<b>Grade 7</b>	98.4%	1.1%	0.4%	0.2%
<b>Grade 8</b>	97.5%	1.7%	0.3%	0.4%
<b>Grade 9</b>	96.7%	2.4%	0.5%	0.4%
<b>Grade 10</b>	96.5%	2.7%	0.4%	0.4%
<b>Grade 11</b>	97.0%	2.6%	0.2%	0.2%
<b>Grade 12</b>	95.4%	3.7%	0.3%	0.6%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	28.4%	24.2%	18.2%	19.5%	9.7%
	<b>Grade 7</b>	52.9%	25.0%	11.7%	7.1%	3.4%
	<b>Grade 8</b>	39.1%	26.6%	16.8%	12.2%	5.4%
	<b>Grade 9</b>	24.7%	27.4%	19.9%	18.8%	9.3%
	<b>Grade 10</b>	16.5%	22.7%	21.5%	26.3%	13.0%
	<b>Grade 11</b>	15.2%	21.0%	20.5%	28.2%	15.0%
	<b>Grade 12</b>	13.4%	18.8%	20.0%	31.9%	15.8%
<b>Beer?</b>						
	<b>All</b>	32.4%	24.7%	17.8%	17.6%	7.5%
	<b>Grade 7</b>	59.0%	23.5%	10.0%	5.3%	2.2%
	<b>Grade 8</b>	44.2%	26.4%	15.6%	9.9%	3.8%
	<b>Grade 9</b>	29.4%	27.3%	19.6%	16.6%	7.1%
	<b>Grade 10</b>	19.1%	25.1%	21.2%	24.5%	10.1%
	<b>Grade 11</b>	18.1%	22.6%	20.2%	27.1%	12.0%
	<b>Grade 12</b>	14.7%	20.5%	21.4%	30.1%	13.3%
<b>Wine coolers?</b>						
	<b>All</b>	42.7%	21.8%	16.0%	13.5%	6.1%
	<b>Grade 7</b>	68.5%	16.8%	8.0%	4.5%	2.1%
	<b>Grade 8</b>	55.2%	21.4%	12.3%	7.7%	3.4%
	<b>Grade 9</b>	41.0%	24.1%	15.9%	12.9%	6.1%
	<b>Grade 10</b>	29.9%	23.2%	20.2%	18.1%	8.5%
	<b>Grade 11</b>	26.8%	22.5%	20.7%	20.4%	9.6%
	<b>Grade 12</b>	23.7%	22.1%	22.2%	23.1%	8.9%
<b>Wine?</b>						
	<b>All</b>	52.7%	23.0%	12.9%	7.9%	3.6%
	<b>Grade 7</b>	73.9%	15.9%	6.3%	2.6%	1.2%
	<b>Grade 8</b>	62.5%	20.7%	10.1%	5.0%	1.8%
	<b>Grade 9</b>	51.8%	23.3%	13.0%	8.4%	3.6%
	<b>Grade 10</b>	42.9%	26.8%	15.6%	9.8%	4.8%
	<b>Grade 11</b>	39.1%	27.5%	16.4%	11.3%	5.6%
	<b>Grade 12</b>	37.0%	25.7%	19.0%	12.5%	5.8%
<b>Liquor?</b>						
	<b>All</b>	45.7%	20.2%	14.4%	13.5%	6.2%
	<b>Grade 7</b>	76.3%	14.1%	5.1%	2.9%	1.5%
	<b>Grade 8</b>	60.3%	19.5%	10.8%	6.8%	2.6%
	<b>Grade 9</b>	43.9%	23.2%	15.0%	12.4%	5.5%
	<b>Grade 10</b>	30.4%	22.4%	19.8%	18.5%	8.9%
	<b>Grade 11</b>	27.0%	21.5%	18.5%	22.0%	11.0%
	<b>Grade 12</b>	23.5%	19.9%	20.4%	25.0%	11.2%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
<b>All</b>	93.8%	5.2%	0.6%	0.4%
<b>Grade 7</b>	96.7%	2.8%	0.3%	0.2%
<b>Grade 8</b>	94.9%	4.2%	0.3%	0.6%
<b>Grade 9</b>	93.8%	5.1%	0.7%	0.4%
<b>Grade 10</b>	92.3%	6.6%	0.7%	0.3%
<b>Grade 11</b>	92.4%	6.6%	0.8%	0.2%
<b>Grade 12</b>	91.7%	7.1%	0.7%	0.4%
<b>Been criticized by someone you were dating because of drinking?</b>				
<b>All</b>	93.2%	5.5%	0.7%	0.6%
<b>Grade 7</b>	97.1%	2.3%	0.3%	0.3%
<b>Grade 8</b>	94.5%	4.2%	0.4%	0.9%
<b>Grade 9</b>	93.4%	5.7%	0.5%	0.4%
<b>Grade 10</b>	91.2%	6.9%	1.1%	0.8%
<b>Grade 11</b>	91.5%	7.2%	0.7%	0.6%
<b>Grade 12</b>	90.1%	7.9%	1.1%	0.9%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	43.6%	10.8%	7.8%	11.9%	15.4%	2.4%	8.0%
<b>Grade 7</b>	68.3%	10.2%	5.5%	4.3%	3.0%	2.8%	5.9%
<b>Grade 8</b>	56.7%	12.7%	8.5%	7.4%	5.4%	2.9%	6.5%
<b>Grade 9</b>	41.2%	12.7%	9.4%	12.8%	12.6%	3.1%	8.3%
<b>Grade 10</b>	30.1%	10.4%	8.9%	17.1%	22.2%	1.8%	9.4%
<b>Grade 11</b>	27.5%	8.2%	7.8%	16.7%	27.0%	1.8%	10.9%
<b>Grade 12</b>	28.1%	8.8%	5.9%	15.8%	32.4%	1.3%	7.8%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		<b>Do Not Drink</b>	<b>Never</b>	<b>Seldom</b>	<b>Most of the Time</b>	<b>Always</b>
<b>At home</b>						
	<b>All</b>	48.0%	30.6%	14.9%	4.8%	1.7%
	<b>Grade 7</b>	58.6%	27.1%	9.8%	3.6%	0.9%
	<b>Grade 8</b>	52.3%	28.0%	13.8%	4.6%	1.4%
	<b>Grade 9</b>	48.3%	29.5%	15.4%	4.9%	1.9%
	<b>Grade 10</b>	41.9%	34.2%	17.0%	4.8%	2.2%
	<b>Grade 11</b>	42.5%	33.1%	16.9%	5.8%	1.7%
	<b>Grade 12</b>	39.8%	34.4%	18.2%	5.4%	2.2%
<b>From friends</b>						
	<b>All</b>	41.6%	20.5%	15.2%	15.8%	6.9%
	<b>Grade 7</b>	57.1%	28.3%	7.8%	5.4%	1.4%
	<b>Grade 8</b>	49.6%	25.9%	12.4%	8.8%	3.4%
	<b>Grade 9</b>	41.8%	20.6%	15.8%	16.1%	5.7%
	<b>Grade 10</b>	33.1%	16.6%	19.4%	21.5%	9.4%
	<b>Grade 11</b>	31.6%	14.5%	19.4%	23.2%	11.2%
	<b>Grade 12</b>	28.7%	12.7%	19.2%	25.3%	14.2%
<b>From a store</b>						
	<b>All</b>	43.6%	40.4%	7.8%	5.1%	3.0%
	<b>Grade 7</b>	57.5%	37.4%	3.1%	1.4%	0.7%
	<b>Grade 8</b>	50.2%	41.2%	4.3%	2.6%	1.6%
	<b>Grade 9</b>	44.1%	41.6%	7.6%	4.5%	2.3%
	<b>Grade 10</b>	36.2%	43.4%	9.5%	7.0%	3.8%
	<b>Grade 11</b>	34.6%	39.1%	12.6%	8.5%	5.1%
	<b>Grade 12</b>	32.4%	39.0%	13.0%	9.3%	6.3%
<b>At parties</b>						
	<b>All</b>	39.0%	15.9%	12.9%	15.7%	16.5%
	<b>Grade 7</b>	52.6%	22.2%	11.1%	9.2%	4.8%
	<b>Grade 8</b>	45.7%	20.2%	13.0%	12.6%	8.6%
	<b>Grade 9</b>	38.8%	14.7%	14.6%	16.0%	15.9%
	<b>Grade 10</b>	31.7%	12.2%	13.5%	20.4%	22.2%
	<b>Grade 11</b>	31.2%	11.9%	12.1%	19.1%	25.6%
	<b>Grade 12</b>	28.0%	11.5%	12.4%	19.3%	28.9%
<b>Other source</b>						
	<b>All</b>	43.9%	26.2%	12.4%	8.9%	8.6%
	<b>Grade 7</b>	56.6%	27.9%	7.7%	4.8%	3.0%
	<b>Grade 8</b>	49.5%	26.8%	11.5%	6.7%	5.5%
	<b>Grade 9</b>	44.4%	25.7%	12.5%	8.9%	8.5%
	<b>Grade 10</b>	36.8%	26.5%	14.6%	11.4%	10.8%
	<b>Grade 11</b>	36.3%	24.4%	14.4%	12.3%	12.6%
	<b>Grade 12</b>	33.1%	26.0%	15.1%	10.9%	14.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table A-14: How do your parents feel about kids your age drinking beer?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	66.9%	11.8%	7.1%	2.5%	1.4%	10.3%
<b>Grade 7</b>	71.1%	7.5%	4.2%	0.8%	1.2%	15.2%
<b>Grade 8</b>	69.8%	9.2%	5.7%	1.8%	1.3%	12.2%
<b>Grade 9</b>	67.3%	11.4%	6.6%	2.8%	1.6%	10.2%
<b>Grade 10</b>	63.9%	15.4%	8.6%	3.0%	1.7%	7.3%
<b>Grade 11</b>	64.7%	14.1%	9.0%	3.2%	1.2%	7.7%
<b>Grade 12</b>	61.8%	15.7%	10.3%	3.6%	1.7%	6.8%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	48.3%	28.9%	14.1%	4.0%	4.7%
<b>Grade 7</b>	56.0%	23.4%	12.1%	2.6%	5.8%
<b>Grade 8</b>	50.3%	26.5%	13.2%	4.2%	5.8%
<b>Grade 9</b>	46.8%	29.3%	15.1%	3.8%	5.1%
<b>Grade 10</b>	43.0%	31.4%	15.7%	5.7%	4.3%
<b>Grade 11</b>	46.1%	31.4%	15.4%	3.9%	3.2%
<b>Grade 12</b>	46.8%	33.5%	12.7%	3.7%	3.2%



**Region 11: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Marijuana?</b>					
	<b>All</b>	9.2%	13.3%	21.2%	78.8%
	<b>Grade 7</b>	3.5%	4.8%	8.6%	91.4%
	<b>Grade 8</b>	6.4%	9.0%	14.2%	85.8%
	<b>Grade 9</b>	9.5%	14.0%	21.2%	78.8%
	<b>Grade 10</b>	12.1%	17.0%	27.3%	72.7%
	<b>Grade 11</b>	12.6%	18.7%	29.8%	70.2%
	<b>Grade 12</b>	14.2%	19.8%	32.9%	67.1%
<b>Cocaine?</b>					
	<b>All</b>	3.4%	5.3%	9.3%	90.7%
	<b>Grade 7</b>	1.3%	2.1%	3.6%	96.4%
	<b>Grade 8</b>	2.1%	3.2%	5.5%	94.5%
	<b>Grade 9</b>	3.9%	6.0%	9.9%	90.1%
	<b>Grade 10</b>	3.9%	6.4%	11.6%	88.4%
	<b>Grade 11</b>	5.4%	7.7%	13.9%	86.1%
	<b>Grade 12</b>	4.9%	7.5%	14.4%	85.6%
<b>Crack?</b>					
	<b>All</b>	0.8%	1.3%	2.4%	97.6%
	<b>Grade 7</b>	0.7%	1.3%	2.2%	97.8%
	<b>Grade 8</b>	1.2%	1.6%	2.6%	97.4%
	<b>Grade 9</b>	0.8%	1.4%	2.9%	97.1%
	<b>Grade 10</b>	0.7%	1.2%	2.6%	97.4%
	<b>Grade 11</b>	0.3%	0.8%	1.8%	98.2%
	<b>Grade 12</b>	0.7%	1.2%	2.1%	97.9%
<b>Hallucinogens?</b>					
	<b>All</b>	1.2%	1.8%	3.2%	96.8%
	<b>Grade 7</b>	0.8%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	1.1%	1.5%	2.5%	97.5%
	<b>Grade 9</b>	1.1%	1.8%	3.4%	96.6%
	<b>Grade 10</b>	1.5%	2.3%	4.1%	95.9%
	<b>Grade 11</b>	1.6%	2.3%	3.9%	96.1%
	<b>Grade 12</b>	1.7%	2.6%	4.5%	95.5%
<b>Uppers?</b>					
	<b>All</b>	1.7%	2.5%	3.8%	96.2%
	<b>Grade 7</b>	0.6%	0.8%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.6%	2.5%	97.5%
	<b>Grade 9</b>	1.7%	2.5%	3.9%	96.1%
	<b>Grade 10</b>	2.2%	3.2%	4.8%	95.2%
	<b>Grade 11</b>	2.9%	3.9%	5.7%	94.3%
	<b>Grade 12</b>	2.7%	3.6%	5.9%	94.1%
<b>Downers?</b>					
	<b>All</b>	2.2%	3.1%	4.7%	95.3%
	<b>Grade 7</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.7%	2.4%	97.6%
	<b>Grade 9</b>	2.4%	3.6%	5.5%	94.5%
	<b>Grade 10</b>	3.2%	4.5%	6.5%	93.5%
	<b>Grade 11</b>	3.3%	4.6%	6.6%	93.4%
	<b>Grade 12</b>	3.1%	4.2%	7.1%	92.9%

**Region 11: Grades 7-12  
SPRING 2008**

**Table D-1: How recently, if ever, have you used...**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol?</b>					
	<b>All</b>	2.5%	3.6%	6.1%	93.9%
	<b>Grade 7</b>	1.1%	1.6%	2.7%	97.3%
	<b>Grade 8</b>	1.9%	2.7%	4.2%	95.8%
	<b>Grade 9</b>	3.3%	5.0%	7.6%	92.4%
	<b>Grade 10</b>	3.2%	4.6%	7.9%	92.1%
	<b>Grade 11</b>	2.6%	4.2%	7.4%	92.6%
	<b>Grade 12</b>	2.7%	3.7%	7.6%	92.4%
<b>Steroids?</b>					
	<b>All</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 7</b>	0.5%	0.6%	1.3%	98.7%
	<b>Grade 8</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.3%	0.4%	0.6%	99.4%
	<b>Grade 10</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 11</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 12</b>	0.3%	0.5%	0.8%	99.2%
<b>Ecstasy?</b>					
	<b>All</b>	1.7%	2.5%	4.2%	95.8%
	<b>Grade 7</b>	0.6%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	1.1%	1.5%	2.3%	97.7%
	<b>Grade 9</b>	1.4%	2.4%	4.4%	95.6%
	<b>Grade 10</b>	2.6%	3.9%	6.1%	93.9%
	<b>Grade 11</b>	2.7%	3.5%	5.8%	94.2%
	<b>Grade 12</b>	2.9%	3.9%	6.9%	93.1%
<b>Heroin?</b>					
	<b>All</b>	0.6%	0.8%	1.3%	98.7%
	<b>Grade 7</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 8</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 10</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 11</b>	0.6%	0.6%	1.1%	98.9%
	<b>Grade 12</b>	0.5%	0.7%	1.1%	98.9%

**Region 11: Grades 7-12  
SPRING 2008**

**Table D-2: How often do you normally use...**

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Marijuana?</b>								
	<b>All</b>	81.2%	2.0%	2.6%	3.3%	3.7%	3.3%	3.8%
	<b>Grade 7</b>	92.2%	0.7%	1.3%	1.4%	1.3%	1.3%	1.8%
	<b>Grade 8</b>	87.4%	1.6%	2.2%	2.4%	2.4%	1.7%	2.3%
	<b>Grade 9</b>	80.6%	2.2%	3.1%	3.6%	4.0%	3.4%	3.2%
	<b>Grade 10</b>	76.4%	2.5%	2.9%	4.3%	5.0%	4.4%	4.6%
	<b>Grade 11</b>	73.7%	2.2%	3.4%	4.8%	4.9%	5.2%	5.9%
	<b>Grade 12</b>	72.2%	3.5%	3.2%	3.8%	5.8%	4.5%	6.9%
<b>Cocaine?</b>								
	<b>All</b>	92.1%	0.3%	1.1%	1.4%	1.6%	1.5%	2.1%
	<b>Grade 7</b>	96.8%	0.1%	0.6%	0.7%	0.7%	0.7%	0.4%
	<b>Grade 8</b>	95.9%	0.2%	0.6%	0.7%	0.8%	0.9%	1.0%
	<b>Grade 9</b>	90.8%	0.5%	1.4%	1.6%	1.7%	1.9%	2.1%
	<b>Grade 10</b>	90.2%	0.2%	1.3%	2.0%	1.9%	1.9%	2.4%
	<b>Grade 11</b>	88.2%	0.2%	1.3%	2.1%	2.7%	2.0%	3.6%
	<b>Grade 12</b>	89.0%	0.3%	1.5%	1.5%	1.8%	1.8%	4.0%
<b>Crack?</b>								
	<b>All</b>	98.1%	0.1%	0.2%	0.2%	0.4%	0.5%	0.5%
	<b>Grade 7</b>	98.3%	0.1%	0.2%	0.2%	0.4%	0.3%	0.4%
	<b>Grade 8</b>	98.0%	0.0%	0.4%	0.3%	0.3%	0.5%	0.5%
	<b>Grade 9</b>	98.0%	0.1%	0.1%	0.2%	0.4%	0.7%	0.5%
	<b>Grade 10</b>	97.7%	0.1%	0.2%	0.4%	0.3%	0.7%	0.5%
	<b>Grade 11</b>	98.4%	0.0%	0.2%	0.1%	0.3%	0.4%	0.6%
	<b>Grade 12</b>	98.4%	0.1%	0.3%	0.2%	0.3%	0.4%	0.4%
<b>Hallucinogens?</b>								
	<b>All</b>	97.4%	0.0%	0.2%	0.4%	0.6%	0.7%	0.6%
	<b>Grade 7</b>	99.0%	0.0%	0.1%	0.1%	0.3%	0.2%	0.2%
	<b>Grade 8</b>	98.1%	0.0%	0.2%	0.3%	0.4%	0.5%	0.4%
	<b>Grade 9</b>	97.3%	0.1%	0.2%	0.4%	0.6%	0.8%	0.5%
	<b>Grade 10</b>	96.8%	0.0%	0.3%	0.6%	0.9%	0.7%	0.8%
	<b>Grade 11</b>	96.3%	0.0%	0.1%	0.4%	0.7%	1.4%	1.1%
	<b>Grade 12</b>	96.2%	0.0%	0.2%	0.5%	1.0%	1.0%	1.1%
<b>Uppers?</b>								
	<b>All</b>	96.3%	0.1%	0.4%	0.7%	0.9%	0.8%	0.8%
	<b>Grade 7</b>	98.4%	0.0%	0.4%	0.1%	0.3%	0.3%	0.4%
	<b>Grade 8</b>	97.6%	0.2%	0.3%	0.5%	0.6%	0.5%	0.5%
	<b>Grade 9</b>	96.3%	0.1%	0.4%	0.8%	0.9%	0.8%	0.8%
	<b>Grade 10</b>	95.3%	0.2%	0.6%	0.9%	1.3%	0.8%	0.8%
	<b>Grade 11</b>	94.4%	0.1%	0.4%	0.9%	1.3%	1.8%	1.2%
	<b>Grade 12</b>	94.8%	0.1%	0.4%	0.8%	0.9%	1.2%	1.7%
<b>Downers?</b>								
	<b>All</b>	95.8%	0.1%	0.5%	0.9%	1.1%	0.8%	0.9%
	<b>Grade 7</b>	98.7%	0.0%	0.2%	0.2%	0.3%	0.3%	0.3%
	<b>Grade 8</b>	97.6%	0.1%	0.4%	0.4%	0.7%	0.3%	0.5%
	<b>Grade 9</b>	95.4%	0.1%	0.5%	1.2%	1.1%	0.9%	0.9%
	<b>Grade 10</b>	94.2%	0.1%	0.8%	1.2%	1.6%	1.2%	0.9%
	<b>Grade 11</b>	94.1%	0.1%	0.5%	1.3%	1.3%	1.4%	1.3%
	<b>Grade 12</b>	93.4%	0.1%	0.6%	1.1%	1.6%	1.2%	2.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-2: How often do you normally use...**  
**(Continued)**

		<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>Rohypnol?</b>								
	<b>All</b>	94.8%	0.1%	0.6%	0.8%	1.2%	1.3%	1.2%
	<b>Grade 7</b>	97.8%	0.0%	0.5%	0.3%	0.3%	0.5%	0.5%
	<b>Grade 8</b>	96.6%	0.0%	0.5%	0.6%	0.9%	0.8%	0.6%
	<b>Grade 9</b>	93.5%	0.1%	0.8%	1.4%	1.6%	1.3%	1.2%
	<b>Grade 10</b>	93.2%	0.2%	0.9%	0.9%	1.6%	1.7%	1.5%
	<b>Grade 11</b>	93.6%	0.2%	0.2%	0.9%	1.5%	1.9%	1.6%
	<b>Grade 12</b>	94.0%	0.0%	0.4%	0.7%	1.4%	1.6%	1.9%
<b>Steroids?</b>								
	<b>All</b>	99.2%	0.1%	0.1%	0.1%	0.1%	0.2%	0.3%
	<b>Grade 7</b>	99.0%	0.1%	0.1%	0.1%	0.2%	0.3%	0.3%
	<b>Grade 8</b>	99.1%	0.2%	0.0%	0.1%	0.2%	0.2%	0.3%
	<b>Grade 9</b>	99.5%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	<b>Grade 10</b>	99.3%	0.1%	0.0%	0.1%	0.1%	0.1%	0.3%
	<b>Grade 11</b>	98.8%	0.0%	0.1%	0.2%	0.2%	0.2%	0.4%
	<b>Grade 12</b>	99.3%	0.0%	0.2%	0.0%	0.0%	0.2%	0.3%
<b>Ecstasy?</b>								
	<b>All</b>	96.3%	0.1%	0.2%	0.6%	1.0%	0.9%	0.9%
	<b>Grade 7</b>	99.0%	0.0%	0.0%	0.2%	0.1%	0.3%	0.3%
	<b>Grade 8</b>	97.8%	0.1%	0.2%	0.2%	0.8%	0.4%	0.4%
	<b>Grade 9</b>	96.3%	0.1%	0.3%	0.6%	1.0%	0.8%	0.9%
	<b>Grade 10</b>	94.6%	0.1%	0.3%	1.1%	1.2%	1.5%	1.3%
	<b>Grade 11</b>	94.5%	0.1%	0.2%	1.2%	1.6%	1.3%	1.0%
	<b>Grade 12</b>	93.9%	0.0%	0.4%	0.8%	1.2%	1.5%	2.1%
<b>Heroin?</b>								
	<b>All</b>	99.0%	0.0%	0.1%	0.1%	0.2%	0.2%	0.3%
	<b>Grade 7</b>	98.8%	0.1%	0.2%	0.1%	0.1%	0.3%	0.4%
	<b>Grade 8</b>	98.6%	0.0%	0.1%	0.2%	0.1%	0.6%	0.4%
	<b>Grade 9</b>	99.3%	0.0%	0.1%	0.2%	0.1%	0.1%	0.2%
	<b>Grade 10</b>	99.0%	0.0%	0.2%	0.1%	0.3%	0.2%	0.3%
	<b>Grade 11</b>	99.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.5%
	<b>Grade 12</b>	99.2%	0.0%	0.2%	0.1%	0.3%	0.0%	0.2%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Marijuana</b>	11.8	12.2	13.0	13.6	14.5	14.7
<b>Cocaine</b>	12.0	13.0	13.6	14.4	14.9	15.5
<b>Crack</b>	11.5	12.6	13.2	14.6	14.5	15.1
<b>Hallucinogens</b>	11.5	12.4	13.5	14.2	14.9	15.6
<b>Uppers</b>	11.5	12.5	13.4	14.1	14.8	15.3
<b>Downers</b>	11.4	12.5	13.6	14.2	14.7	15.4
<b>Rohypnol</b>	11.8	12.8	13.7	14.3	14.8	15.1
<b>Steroids</b>	11.7	11.7	13.6	13.6	14.2	15.6
<b>Ecstasy</b>	12.1	12.9	13.7	14.9	15.4	16.3
<b>Heroin</b>	11.6	12.6	12.7	14.3	13.3	14.9

**Table D-4: Age of first use of marijuana by family situation:**

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
<b>Two parent family</b>								
	<b>All</b>	81.8%	0.8%	1.7%	5.5%	6.6%	3.3%	0.3%
	<b>Grade 7</b>	93.1%	0.7%	1.9%	3.5%	0.6%	0.0%	0.1%
	<b>Grade 8</b>	88.4%	0.8%	1.8%	6.7%	2.1%	0.0%	0.0%
	<b>Grade 9</b>	82.7%	1.0%	1.7%	6.9%	7.2%	0.6%	0.0%
	<b>Grade 10</b>	77.6%	0.9%	2.2%	5.3%	10.7%	3.2%	0.1%
	<b>Grade 11</b>	72.3%	0.4%	1.7%	4.7%	10.9%	9.8%	0.2%
	<b>Grade 12</b>	68.3%	0.7%	0.9%	5.3%	11.4%	11.7%	1.7%
<b>Other family situation</b>								
	<b>All</b>	70.2%	1.8%	3.8%	9.6%	9.7%	4.3%	0.6%
	<b>Grade 7</b>	86.4%	1.8%	3.2%	7.3%	1.2%	0.0%	0.1%
	<b>Grade 8</b>	79.1%	2.8%	3.7%	9.7%	4.5%	0.0%	0.2%
	<b>Grade 9</b>	68.6%	1.9%	3.8%	12.7%	12.3%	0.6%	0.1%
	<b>Grade 10</b>	63.2%	1.7%	3.7%	10.6%	15.3%	5.2%	0.3%
	<b>Grade 11</b>	61.9%	0.9%	3.3%	7.6%	13.4%	12.5%	0.3%
	<b>Grade 12</b>	59.2%	1.5%	5.4%	7.0%	10.6%	13.1%	3.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	<b>All</b>	24.5%	25.0%	6.8%	8.3%	11.6%	23.7%
	<b>Grade 7</b>	35.8%	38.2%	7.3%	5.0%	5.5%	8.2%
	<b>Grade 8</b>	28.0%	33.6%	8.2%	7.5%	8.2%	14.5%
	<b>Grade 9</b>	22.9%	25.1%	7.0%	9.2%	11.9%	23.8%
	<b>Grade 10</b>	20.1%	18.1%	6.6%	9.4%	14.4%	31.4%
	<b>Grade 11</b>	18.0%	15.3%	5.0%	9.5%	16.4%	35.9%
	<b>Grade 12</b>	19.0%	12.3%	5.9%	9.9%	16.0%	37.0%
<b>Cocaine?</b>							
	<b>All</b>	28.1%	28.8%	8.8%	9.6%	9.6%	15.2%
	<b>Grade 7</b>	39.4%	40.4%	7.8%	4.7%	3.4%	4.3%
	<b>Grade 8</b>	32.1%	37.9%	8.5%	7.4%	5.7%	8.5%
	<b>Grade 9</b>	26.2%	29.0%	9.6%	9.9%	10.1%	15.2%
	<b>Grade 10</b>	23.4%	23.4%	9.4%	11.7%	12.8%	19.3%
	<b>Grade 11</b>	21.7%	18.4%	8.5%	12.4%	14.7%	24.2%
	<b>Grade 12</b>	22.5%	15.6%	8.8%	13.4%	13.7%	26.0%
<b>Crack?</b>							
	<b>All</b>	32.1%	29.5%	9.9%	10.4%	7.6%	10.5%
	<b>Grade 7</b>	43.3%	39.3%	7.0%	4.4%	2.6%	3.3%
	<b>Grade 8</b>	34.5%	37.7%	8.6%	7.1%	5.1%	7.0%
	<b>Grade 9</b>	29.9%	30.1%	10.6%	10.1%	8.3%	11.0%
	<b>Grade 10</b>	27.6%	25.4%	11.0%	13.0%	9.4%	13.5%
	<b>Grade 11</b>	26.9%	20.3%	11.5%	14.8%	11.1%	15.4%
	<b>Grade 12</b>	28.2%	17.1%	11.4%	16.1%	11.3%	16.0%
<b>Hallucinogens?</b>							
	<b>All</b>	47.8%	23.1%	8.2%	7.9%	5.4%	7.5%
	<b>Grade 7</b>	61.4%	26.9%	5.1%	2.7%	1.7%	2.1%
	<b>Grade 8</b>	52.8%	28.7%	6.8%	4.8%	3.2%	3.7%
	<b>Grade 9</b>	47.1%	24.0%	8.7%	7.4%	5.2%	7.6%
	<b>Grade 10</b>	43.7%	20.2%	9.5%	10.2%	6.8%	9.6%
	<b>Grade 11</b>	39.0%	17.9%	9.4%	12.3%	9.4%	12.0%
	<b>Grade 12</b>	36.9%	16.5%	11.4%	13.5%	8.8%	12.9%
<b>Uppers?</b>							
	<b>All</b>	52.7%	19.6%	6.5%	6.6%	5.6%	9.0%
	<b>Grade 7</b>	65.1%	24.6%	4.2%	2.6%	1.2%	2.2%
	<b>Grade 8</b>	58.6%	24.7%	5.3%	4.5%	2.7%	4.2%
	<b>Grade 9</b>	51.7%	20.2%	7.0%	6.1%	5.8%	9.1%
	<b>Grade 10</b>	48.8%	17.0%	7.4%	8.2%	6.7%	11.9%
	<b>Grade 11</b>	44.5%	14.3%	6.9%	9.6%	10.2%	14.4%
	<b>Grade 12</b>	41.9%	12.0%	8.9%	11.2%	9.5%	16.5%
<b>Downers?</b>							
	<b>All</b>	52.6%	19.3%	6.3%	6.5%	5.8%	9.6%
	<b>Grade 7</b>	65.9%	24.1%	3.8%	2.5%	1.5%	2.2%
	<b>Grade 8</b>	58.1%	24.7%	5.5%	4.3%	3.0%	4.5%
	<b>Grade 9</b>	51.0%	19.9%	7.0%	6.2%	5.9%	9.9%
	<b>Grade 10</b>	48.4%	16.6%	7.2%	8.1%	6.8%	12.9%
	<b>Grade 11</b>	44.5%	14.2%	6.8%	9.1%	10.1%	15.3%
	<b>Grade 12</b>	41.8%	12.0%	8.3%	11.0%	10.1%	16.7%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-5: If you wanted some, how difficult would it be to get..**  
**Continued**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>							
	<b>All</b>	45.9%	21.0%	6.8%	7.2%	7.2%	12.0%
	<b>Grade 7</b>	62.3%	25.5%	4.5%	2.8%	1.9%	3.1%
	<b>Grade 8</b>	52.8%	26.4%	5.6%	5.0%	4.1%	6.0%
	<b>Grade 9</b>	42.9%	21.5%	7.3%	7.5%	8.1%	12.7%
	<b>Grade 10</b>	39.6%	18.3%	7.6%	8.7%	9.4%	16.4%
	<b>Grade 11</b>	35.9%	16.2%	7.4%	10.0%	11.8%	18.7%
	<b>Grade 12</b>	36.4%	13.5%	9.3%	11.5%	9.8%	19.4%
<b>Steroids?</b>							
	<b>All</b>	35.5%	31.2%	10.2%	9.0%	6.2%	7.8%
	<b>Grade 7</b>	44.6%	39.4%	6.6%	4.1%	2.5%	2.9%
	<b>Grade 8</b>	37.8%	39.4%	8.7%	6.1%	3.6%	4.3%
	<b>Grade 9</b>	34.3%	32.3%	10.8%	9.2%	6.1%	7.4%
	<b>Grade 10</b>	32.2%	28.3%	11.6%	11.5%	7.0%	9.4%
	<b>Grade 11</b>	30.5%	22.1%	12.1%	12.8%	10.3%	12.3%
	<b>Grade 12</b>	30.7%	18.7%	13.0%	12.8%	10.2%	14.6%
<b>Ecstasy?</b>							
	<b>All</b>	42.4%	24.5%	8.3%	7.5%	6.6%	10.6%
	<b>Grade 7</b>	61.9%	27.3%	4.4%	2.7%	1.3%	2.2%
	<b>Grade 8</b>	50.0%	30.2%	6.7%	4.8%	3.3%	4.9%
	<b>Grade 9</b>	40.4%	25.9%	8.8%	7.7%	7.0%	10.1%
	<b>Grade 10</b>	33.6%	23.5%	10.0%	9.6%	8.7%	14.5%
	<b>Grade 11</b>	30.8%	18.8%	9.7%	11.6%	11.1%	18.0%
	<b>Grade 12</b>	30.6%	16.1%	11.8%	11.1%	10.8%	19.6%
<b>Heroin?</b>							
	<b>All</b>	41.9%	29.0%	9.9%	7.6%	4.6%	6.9%
	<b>Grade 7</b>	54.9%	32.2%	5.8%	2.5%	1.7%	2.9%
	<b>Grade 8</b>	45.0%	35.3%	7.6%	4.9%	2.7%	4.6%
	<b>Grade 9</b>	39.7%	30.9%	9.9%	7.6%	5.0%	7.0%
	<b>Grade 10</b>	37.8%	27.1%	11.6%	9.6%	5.2%	8.7%
	<b>Grade 11</b>	35.3%	22.8%	12.4%	11.9%	7.6%	10.0%
	<b>Grade 12</b>	35.5%	20.7%	14.2%	12.1%	7.1%	10.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	91.8%	4.9%	1.4%	2.0%
Grade 7	95.5%	3.0%	0.6%	0.9%
Grade 8	93.3%	4.0%	1.1%	1.7%
Grade 9	90.2%	6.1%	1.5%	2.2%
Grade 10	90.6%	5.7%	1.5%	2.2%
Grade 11	90.8%	5.1%	1.8%	2.2%
Grade 12	89.7%	5.7%	2.0%	2.7%
<b>Attended class while high from use of some other drug?</b>				
All	94.2%	3.5%	1.1%	1.2%
Grade 7	96.2%	2.4%	0.6%	0.8%
Grade 8	95.8%	2.9%	0.6%	0.6%
Grade 9	93.0%	4.3%	1.2%	1.5%
Grade 10	93.0%	4.3%	1.4%	1.3%
Grade 11	93.5%	3.8%	1.4%	1.3%
Grade 12	93.8%	3.5%	1.3%	1.5%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	97.9%	1.4%	0.3%	0.4%
Grade 7	98.3%	1.0%	0.3%	0.3%
Grade 8	98.3%	1.0%	0.3%	0.4%
Grade 9	97.0%	2.1%	0.4%	0.6%
Grade 10	98.0%	1.1%	0.4%	0.4%
Grade 11	98.2%	1.1%	0.3%	0.3%
Grade 12	97.8%	1.5%	0.2%	0.5%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	5.0
Marijuana Non-use	3.5
<b>Average days conduct problems reported</b>	
Marijuana Users:	6.3
Marijuana Non-use	1.8



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
<b>All</b>	93.0%	4.4%	1.3%	1.4%
<b>Grade 9</b>	95.3%	3.0%	0.8%	0.9%
<b>Grade 10</b>	93.3%	4.4%	1.1%	1.2%
<b>Grade 11</b>	91.9%	5.2%	1.6%	1.4%
<b>Grade 12</b>	89.2%	6.1%	2.2%	2.5%
<b>Gotten into trouble with the police because of drug use?</b>				
<b>All</b>	97.4%	1.8%	0.4%	0.4%
<b>Grade 7</b>	98.5%	0.9%	0.4%	0.3%
<b>Grade 8</b>	97.7%	1.6%	0.3%	0.4%
<b>Grade 9</b>	96.5%	2.4%	0.4%	0.6%
<b>Grade 10</b>	97.1%	2.0%	0.5%	0.3%
<b>Grade 11</b>	97.9%	1.5%	0.4%	0.2%
<b>Grade 12</b>	96.6%	2.4%	0.4%	0.6%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
<b>All</b>	54.3%	18.8%	12.0%	10.1%	4.8%
<b>Grade 7</b>	76.4%	12.3%	4.9%	4.2%	2.2%
<b>Grade 8</b>	63.5%	16.3%	9.7%	7.1%	3.4%
<b>Grade 9</b>	52.2%	18.8%	12.4%	11.1%	5.4%
<b>Grade 10</b>	42.5%	23.1%	15.4%	12.5%	6.5%
<b>Grade 11</b>	41.4%	21.9%	16.6%	14.6%	5.5%
<b>Grade 12</b>	41.7%	23.1%	15.7%	13.5%	6.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	94.3%	4.4%	0.8%	0.5%
<b>Grade 7</b>	96.5%	2.8%	0.6%	0.2%
<b>Grade 8</b>	95.1%	3.7%	0.7%	0.6%
<b>Grade 9</b>	92.8%	5.6%	0.9%	0.7%
<b>Grade 10</b>	93.1%	5.7%	0.7%	0.5%
<b>Grade 11</b>	94.5%	3.9%	0.9%	0.6%
<b>Grade 12</b>	94.5%	4.0%	1.0%	0.6%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	94.4%	4.2%	0.8%	0.7%
<b>Grade 7</b>	97.5%	1.9%	0.3%	0.3%
<b>Grade 8</b>	95.6%	2.8%	0.7%	0.9%
<b>Grade 9</b>	93.3%	5.1%	0.9%	0.6%
<b>Grade 10</b>	93.1%	5.1%	1.0%	0.8%
<b>Grade 11</b>	93.5%	5.1%	0.8%	0.6%
<b>Grade 12</b>	92.8%	5.0%	1.4%	0.7%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	58.1%	9.2%	6.3%	6.9%	8.0%	3.5%	8.0%
<b>Grade 7</b>	79.3%	4.9%	3.1%	2.3%	2.2%	2.3%	5.9%
<b>Grade 8</b>	71.5%	7.8%	3.9%	3.8%	4.0%	2.5%	6.5%
<b>Grade 9</b>	58.1%	9.4%	6.4%	7.0%	6.7%	4.0%	8.4%
<b>Grade 10</b>	46.0%	12.4%	8.6%	9.3%	10.6%	4.2%	9.0%
<b>Grade 11</b>	40.4%	11.1%	9.2%	11.2%	12.8%	4.2%	11.1%
<b>Grade 12</b>	43.0%	10.8%	8.4%	9.9%	16.3%	3.9%	7.6%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	81.5%	5.2%	3.7%	5.0%	3.6%	1.0%
	<b>Grade 7</b>	90.8%	2.7%	2.0%	1.8%	1.7%	0.9%
	<b>Grade 8</b>	86.5%	3.6%	3.1%	3.7%	2.4%	0.8%
	<b>Grade 9</b>	80.3%	4.9%	4.2%	5.4%	4.3%	1.0%
	<b>Grade 10</b>	77.4%	6.9%	3.9%	6.4%	4.4%	1.0%
	<b>Grade 11</b>	75.8%	7.1%	4.7%	6.8%	4.7%	1.0%
	<b>Grade 12</b>	74.6%	7.5%	4.6%	7.5%	4.6%	1.2%
<b>Blunts?</b>	<b>All</b>	84.4%	4.7%	3.6%	3.6%	2.9%	0.8%
	<b>Grade 7</b>	93.1%	2.4%	1.5%	1.1%	1.0%	0.7%
	<b>Grade 8</b>	88.9%	3.2%	2.8%	2.5%	1.9%	0.8%
	<b>Grade 9</b>	82.8%	4.9%	4.3%	3.9%	3.2%	0.9%
	<b>Grade 10</b>	80.4%	5.8%	4.3%	4.7%	4.0%	0.7%
	<b>Grade 11</b>	79.9%	6.4%	4.2%	5.0%	4.0%	0.6%
	<b>Grade 12</b>	78.0%	7.0%	5.4%	5.0%	3.8%	0.9%
<b>Bongs or water pipes?</b>	<b>All</b>	87.8%	4.6%	2.6%	2.3%	2.0%	0.8%
	<b>Grade 7</b>	95.2%	1.5%	1.1%	0.7%	0.8%	0.7%
	<b>Grade 8</b>	91.2%	2.9%	1.9%	1.7%	1.4%	0.9%
	<b>Grade 9</b>	87.1%	4.6%	2.8%	2.3%	2.2%	1.0%
	<b>Grade 10</b>	84.9%	5.7%	3.3%	3.1%	2.2%	0.9%
	<b>Grade 11</b>	83.2%	7.0%	3.2%	3.4%	2.8%	0.5%
	<b>Grade 12</b>	81.7%	7.6%	4.4%	2.9%	2.9%	0.5%
<b>Pipes?</b>	<b>All</b>	87.1%	4.7%	2.7%	2.5%	2.1%	0.7%
	<b>Grade 7</b>	94.8%	1.8%	1.1%	0.9%	0.8%	0.5%
	<b>Grade 8</b>	90.9%	3.3%	1.9%	1.9%	1.4%	0.7%
	<b>Grade 9</b>	86.7%	4.5%	3.0%	2.4%	2.4%	1.0%
	<b>Grade 10</b>	84.4%	6.0%	3.2%	3.0%	2.5%	0.9%
	<b>Grade 11</b>	82.2%	6.5%	3.6%	4.0%	3.1%	0.6%
	<b>Grade 12</b>	80.1%	7.8%	4.4%	4.0%	3.2%	0.5%
<b>Some other way?</b>	<b>All</b>	89.2%	4.1%	1.6%	1.5%	1.9%	1.8%
	<b>Grade 7</b>	94.3%	1.7%	0.8%	0.8%	1.2%	1.1%
	<b>Grade 8</b>	91.8%	2.5%	1.2%	1.3%	1.5%	1.6%
	<b>Grade 9</b>	88.4%	4.4%	1.6%	1.6%	2.1%	1.9%
	<b>Grade 10</b>	87.1%	5.0%	2.1%	1.7%	2.2%	1.9%
	<b>Grade 11</b>	85.9%	6.1%	2.0%	1.9%	2.0%	2.0%
	<b>Grade 12</b>	85.4%	6.5%	1.7%	1.9%	2.3%	2.2%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	81.3%	3.2%	3.1%	0.8%	1.5%	10.0%
<b>Grade 7</b>	79.3%	2.1%	2.0%	0.5%	1.1%	15.0%
<b>Grade 8</b>	80.6%	2.3%	2.9%	1.0%	1.3%	11.9%
<b>Grade 9</b>	81.0%	3.3%	3.0%	0.8%	2.0%	9.8%
<b>Grade 10</b>	83.4%	3.5%	3.4%	1.0%	1.5%	7.1%
<b>Grade 11</b>	82.5%	4.1%	3.8%	0.8%	1.2%	7.5%
<b>Grade 12</b>	81.2%	4.8%	4.4%	0.9%	1.8%	6.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Marijuana?</b>						
	<b>All</b>	66.6%	15.1%	7.9%	5.5%	5.0%
	<b>Grade 7</b>	78.9%	9.6%	3.7%	2.1%	5.6%
	<b>Grade 8</b>	73.0%	12.1%	5.3%	3.7%	5.9%
	<b>Grade 9</b>	65.7%	15.3%	7.6%	5.6%	5.8%
	<b>Grade 10</b>	60.5%	17.7%	10.5%	6.8%	4.5%
	<b>Grade 11</b>	59.0%	18.3%	11.8%	7.8%	3.2%
	<b>Grade 12</b>	58.3%	19.7%	10.0%	8.4%	3.6%
<b>Cocaine?</b>						
	<b>All</b>	80.7%	9.9%	2.4%	1.5%	5.5%
	<b>Grade 7</b>	83.9%	7.1%	1.8%	1.1%	6.1%
	<b>Grade 8</b>	82.1%	8.1%	1.7%	1.6%	6.4%
	<b>Grade 9</b>	78.4%	11.0%	2.6%	1.5%	6.5%
	<b>Grade 10</b>	78.4%	11.6%	3.4%	1.7%	4.9%
	<b>Grade 11</b>	79.9%	11.9%	2.8%	1.5%	3.9%
	<b>Grade 12</b>	82.6%	10.0%	2.3%	1.3%	3.9%
<b>Crack?</b>						
	<b>All</b>	82.8%	8.1%	1.5%	1.3%	6.3%
	<b>Grade 7</b>	83.8%	6.7%	1.4%	1.0%	7.0%
	<b>Grade 8</b>	81.9%	8.0%	1.4%	1.6%	7.2%
	<b>Grade 9</b>	81.1%	9.1%	1.6%	1.2%	7.0%
	<b>Grade 10</b>	81.7%	8.9%	1.9%	1.7%	5.8%
	<b>Grade 11</b>	83.8%	8.8%	1.1%	1.4%	4.9%
	<b>Grade 12</b>	86.5%	6.6%	1.4%	0.9%	4.7%
<b>Ecstasy?</b>						
	<b>All</b>	78.9%	9.0%	2.4%	1.5%	8.3%
	<b>Grade 7</b>	80.9%	5.7%	1.3%	1.1%	11.0%
	<b>Grade 8</b>	79.4%	7.2%	1.8%	1.3%	10.3%
	<b>Grade 9</b>	76.3%	10.2%	2.8%	1.5%	9.2%
	<b>Grade 10</b>	77.4%	11.0%	2.6%	2.1%	6.8%
	<b>Grade 11</b>	79.4%	10.3%	3.2%	1.7%	5.4%
	<b>Grade 12</b>	81.7%	9.6%	2.7%	1.1%	5.0%
<b>Steroids?</b>						
	<b>All</b>	75.7%	12.2%	3.3%	1.7%	7.2%
	<b>Grade 7</b>	77.4%	10.0%	2.8%	1.4%	8.3%
	<b>Grade 8</b>	75.5%	11.3%	3.2%	1.9%	8.2%
	<b>Grade 9</b>	74.0%	13.3%	3.3%	1.4%	7.9%
	<b>Grade 10</b>	75.1%	12.5%	3.8%	2.2%	6.5%
	<b>Grade 11</b>	75.1%	14.0%	3.7%	1.9%	5.4%
	<b>Grade 12</b>	78.4%	11.7%	3.4%	1.0%	5.5%
<b>Heroin?</b>						
	<b>All</b>	83.8%	6.3%	1.3%	1.0%	7.6%
	<b>Grade 7</b>	82.8%	5.8%	1.2%	0.9%	9.4%
	<b>Grade 8</b>	82.9%	5.9%	1.1%	1.4%	8.7%
	<b>Grade 9</b>	81.9%	7.3%	1.4%	0.9%	8.5%
	<b>Grade 10</b>	84.1%	6.4%	1.5%	1.2%	6.7%
	<b>Grade 11</b>	85.6%	6.7%	1.2%	1.1%	5.4%
	<b>Grade 12</b>	88.4%	4.9%	1.2%	0.6%	5.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table D-15: How recently, if ever, have you taken...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Methamphetamine?</b>					
	<b>All</b>	1.0%	1.6%	3.0%	97.0%
	<b>Grade 7</b>	1.2%	1.6%	3.0%	97.0%
	<b>Grade 8</b>	1.1%	1.6%	2.9%	97.1%
	<b>Grade 9</b>	0.9%	1.5%	2.8%	97.2%
	<b>Grade 10</b>	1.2%	1.8%	3.6%	96.4%
	<b>Grade 11</b>	0.8%	1.6%	3.0%	97.0%
	<b>Grade 12</b>	0.9%	1.3%	2.5%	97.5%

**Region 11: Grades 7-12  
SPRING 2008**

**Table D-16: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Codeine?</b>					
	<b>All</b>	3.9%	6.2%	8.6%	91.4%
	<b>Grade 7</b>	3.4%	4.6%	6.5%	93.5%
	<b>Grade 8</b>	3.9%	6.0%	8.0%	92.0%
	<b>Grade 9</b>	3.7%	6.0%	8.3%	91.7%
	<b>Grade 10</b>	4.6%	7.3%	10.0%	90.0%
	<b>Grade 11</b>	4.3%	7.4%	9.8%	90.2%
	<b>Grade 12</b>	3.8%	6.4%	10.2%	89.8%
<b>Oxycontin, Percodan or Percocet?</b>					
	<b>All</b>	0.7%	1.0%	1.6%	98.4%
	<b>Grade 7</b>	0.4%	0.6%	0.9%	99.1%
	<b>Grade 8</b>	0.5%	0.8%	1.1%	98.9%
	<b>Grade 9</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 10</b>	1.1%	1.7%	2.3%	97.7%
	<b>Grade 11</b>	0.9%	1.4%	2.1%	97.9%
	<b>Grade 12</b>	0.8%	1.2%	2.0%	98.0%
<b>Vicodin, Lortab or Lorcet?</b>					
	<b>All</b>	0.9%	1.5%	2.2%	97.8%
	<b>Grade 7</b>	0.6%	0.8%	1.1%	98.9%
	<b>Grade 8</b>	0.5%	0.9%	1.5%	98.5%
	<b>Grade 9</b>	0.8%	1.2%	1.8%	98.2%
	<b>Grade 10</b>	1.3%	2.1%	3.1%	96.9%
	<b>Grade 11</b>	1.4%	2.0%	3.0%	97.0%
	<b>Grade 12</b>	1.1%	2.3%	3.5%	96.5%
<b>Valium or Diazepam?</b>					
	<b>All</b>	0.7%	1.1%	1.7%	98.3%
	<b>Grade 7</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 8</b>	0.6%	0.9%	1.3%	98.7%
	<b>Grade 9</b>	0.4%	0.9%	1.5%	98.5%
	<b>Grade 10</b>	0.9%	1.4%	2.0%	98.0%
	<b>Grade 11</b>	1.1%	1.7%	2.4%	97.6%
	<b>Grade 12</b>	0.7%	1.5%	2.5%	97.5%
<b>Xanax or Alprazolam?</b>					
	<b>All</b>	1.3%	2.0%	2.9%	97.1%
	<b>Grade 7</b>	0.6%	0.9%	1.2%	98.8%
	<b>Grade 8</b>	0.7%	1.1%	1.7%	98.3%
	<b>Grade 9</b>	1.1%	1.5%	2.5%	97.5%
	<b>Grade 10</b>	1.9%	3.0%	3.9%	96.1%
	<b>Grade 11</b>	2.0%	3.4%	4.7%	95.3%
	<b>Grade 12</b>	1.8%	3.2%	4.7%	95.3%

**Region 11: Grades 7-12  
SPRING 2008**

**Table D-17: How recently, if ever, have you taken...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>					
	<b>All</b>	2.2%	3.2%	5.0%	95.0%
	<b>Grade 7</b>	2.2%	2.8%	4.6%	95.4%
	<b>Grade 8</b>	2.3%	3.4%	4.7%	95.3%
	<b>Grade 9</b>	2.4%	3.4%	4.9%	95.1%
	<b>Grade 10</b>	2.4%	3.9%	6.1%	93.9%
	<b>Grade 11</b>	2.1%	3.3%	5.2%	94.8%
	<b>Grade 12</b>	1.3%	2.3%	4.6%	95.4%



**Region 11: Grades 7-12  
SPRING 2008**

**Table I-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any inhalant?</b>					
	<b>All</b>	3.8%	5.7%	10.6%	89.4%
	<b>Grade 7</b>	4.3%	6.2%	11.5%	88.5%
	<b>Grade 8</b>	3.6%	5.6%	10.3%	89.7%
	<b>Grade 9</b>	3.6%	5.8%	10.8%	89.2%
	<b>Grade 10</b>	4.0%	5.8%	11.6%	88.4%
	<b>Grade 11</b>	3.9%	5.4%	10.0%	90.0%
	<b>Grade 12</b>	3.3%	4.8%	8.6%	91.4%

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	92.2%	0.3%	0.9%	1.2%	1.6%	1.5%	2.3%
<b>Grade 7</b>	90.9%	0.6%	1.5%	1.3%	1.8%	2.1%	1.9%
<b>Grade 8</b>	92.3%	0.4%	1.1%	1.3%	1.5%	1.3%	2.2%
<b>Grade 9</b>	92.2%	0.2%	1.0%	1.3%	1.5%	1.8%	2.0%
<b>Grade 10</b>	92.1%	0.3%	0.7%	1.0%	2.2%	1.3%	2.5%
<b>Grade 11</b>	92.9%	0.1%	0.6%	1.2%	1.3%	1.2%	2.6%
<b>Grade 12</b>	93.2%	0.1%	0.5%	1.1%	1.5%	0.9%	2.7%

**Table I-3: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Inhalants</b>	11.1	11.7	12.8	13.4	13.9	14.6

**Region 11: Grades 7-12  
SPRING 2008**

**Table I-4: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	96.8%	2.2%	0.5%	0.5%
<b>Grade 7</b>	96.7%	2.1%	0.6%	0.6%
<b>Grade 8</b>	96.5%	2.4%	0.6%	0.4%
<b>Grade 9</b>	96.4%	2.5%	0.5%	0.5%
<b>Grade 10</b>	97.1%	2.0%	0.4%	0.5%
<b>Grade 11</b>	97.3%	1.9%	0.4%	0.4%
<b>Grade 12</b>	97.2%	1.6%	0.7%	0.5%

**Table I-5: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	4.9
Inhalants Non-use	3.6

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	6.9
Inhalants Non-use	2.1

**Table I-6: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	76.1%	14.1%	5.9%	2.6%	1.3%
<b>Grade 7</b>	80.3%	11.1%	4.7%	2.5%	1.4%
<b>Grade 8</b>	77.0%	14.4%	5.1%	2.6%	0.9%
<b>Grade 9</b>	75.1%	14.4%	6.3%	2.7%	1.6%
<b>Grade 10</b>	73.7%	15.6%	6.7%	2.6%	1.3%
<b>Grade 11</b>	74.6%	14.4%	7.2%	2.8%	1.0%
<b>Grade 12</b>	75.2%	15.1%	5.7%	2.7%	1.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table I-7: How dangerous do you think it is for kids your age to use inhalants?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	72.2%	15.2%	4.6%	1.9%	6.2%
<b>Grade 7</b>	71.2%	14.1%	5.7%	2.5%	6.6%
<b>Grade 8</b>	71.1%	14.2%	5.1%	2.4%	7.3%
<b>Grade 9</b>	70.8%	16.6%	4.2%	1.7%	6.7%
<b>Grade 10</b>	71.7%	15.9%	4.4%	2.0%	6.0%
<b>Grade 11</b>	74.2%	15.1%	4.2%	1.7%	4.8%
<b>Grade 12</b>	76.4%	14.4%	3.5%	1.1%	4.6%

**Table I-8: If you wanted some, how difficult would it be to get..**

	<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Inhalants?</b>						
<b>All</b>	31.0%	18.3%	4.9%	6.1%	9.6%	30.1%
<b>Grade 7</b>	39.1%	24.3%	4.5%	4.4%	7.1%	20.7%
<b>Grade 8</b>	33.4%	22.9%	4.9%	4.9%	7.8%	26.2%
<b>Grade 9</b>	30.1%	18.2%	5.2%	6.6%	9.8%	30.1%
<b>Grade 10</b>	27.1%	16.1%	5.0%	7.3%	11.3%	33.3%
<b>Grade 11</b>	26.8%	13.1%	4.6%	7.1%	11.8%	36.6%
<b>Grade 12</b>	27.1%	11.4%	4.8%	6.7%	10.8%	39.1%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY		Yes
A school health class	All	55.4%
	Grade 7	48.9%
	Grade 8	51.1%
	Grade 9	54.3%
	Grade 10	60.1%
	Grade 11	62.4%
	Grade 12	59.1%
An assembly program	All	48.8%
	Grade 7	50.1%
	Grade 8	51.1%
	Grade 9	48.9%
	Grade 10	47.0%
	Grade 11	46.6%
	Grade 12	48.3%
Guidance counselor	All	39.4%
	Grade 7	47.3%
	Grade 8	45.1%
	Grade 9	40.9%
	Grade 10	32.1%
	Grade 11	33.7%
	Grade 12	33.2%
Science class	All	36.4%
	Grade 7	39.0%
	Grade 8	34.1%
	Grade 9	39.8%
	Grade 10	34.5%
	Grade 11	36.4%
	Grade 12	32.1%
Social studies class	All	20.6%
	Grade 7	18.6%
	Grade 8	19.0%
	Grade 9	22.9%
	Grade 10	18.1%
	Grade 11	22.2%
	Grade 12	22.7%
Student group session	All	21.7%
	Grade 7	18.8%
	Grade 8	19.8%
	Grade 9	23.3%
	Grade 10	20.0%
	Grade 11	23.4%
	Grade 12	26.2%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?**  
(Continued)

CATEGORY		Yes
An invited school guest	All	40.0%
	Grade 7	38.5%
	Grade 8	42.0%
	Grade 9	39.2%
	Grade 10	37.9%
	Grade 11	39.9%
	Grade 12	43.3%
Another source at school	All	38.4%
	Grade 7	35.2%
	Grade 8	37.9%
	Grade 9	39.7%
	Grade 10	36.3%
	Grade 11	40.8%
	Grade 12	40.6%
Any school source	All	58.7%
	Grade 7	56.1%
	Grade 8	59.7%
	Grade 9	57.0%
	Grade 10	59.3%
	Grade 11	61.4%
	Grade 12	60.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY		Yes
A counselor or program in	All	41.5%
	Grade 7	54.0%
	Grade 8	44.5%
	Grade 9	40.4%
	Grade 10	34.3%
	Grade 11	36.9%
	Grade 12	35.3%
Another adult in school (	All	40.4%
	Grade 7	45.4%
	Grade 8	39.5%
	Grade 9	40.2%
	Grade 10	36.9%
	Grade 11	39.6%
	Grade 12	40.1%
A counselor or program ou	All	40.2%
	Grade 7	42.2%
	Grade 8	39.3%
	Grade 9	39.7%
	Grade 10	38.3%
	Grade 11	41.0%
	Grade 12	41.1%
Your parents	All	63.1%
	Grade 7	69.1%
	Grade 8	62.3%
	Grade 9	62.6%
	Grade 10	61.5%
	Grade 11	60.3%
	Grade 12	61.9%
A medical doctor	All	46.1%
	Grade 7	52.7%
	Grade 8	45.8%
	Grade 9	45.9%
	Grade 10	42.3%
	Grade 11	44.2%
	Grade 12	45.0%
Your friends	All	68.0%
	Grade 7	59.5%
	Grade 8	66.2%
	Grade 9	67.7%
	Grade 10	72.4%
	Grade 11	73.5%
	Grade 12	71.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**  
(Continued)

CATEGORY		Yes
Another adult (a relative	All	61.8%
	Grade 7	62.1%
	Grade 8	60.3%
	Grade 9	60.8%
	Grade 10	63.4%
	Grade 11	63.2%
	Grade 12	61.5%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	11.0%
	Grade 7	9.8%
	Grade 8	11.2%
	Grade 9	12.6%
	Grade 10	10.9%
	Grade 11	9.5%
	Grade 12	11.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	7.1%	28.9%	26.1%	28.5%	9.5%
<b>Grade 7</b>	9.8%	27.6%	21.7%	26.0%	14.8%
<b>Grade 8</b>	7.9%	27.9%	24.9%	27.8%	11.6%
<b>Grade 9</b>	7.8%	28.8%	27.1%	27.5%	8.8%
<b>Grade 10</b>	6.0%	31.1%	27.3%	28.8%	7.0%
<b>Grade 11</b>	5.1%	29.1%	28.2%	31.4%	6.2%
<b>Grade 12</b>	4.4%	29.3%	28.0%	31.3%	7.0%
<b>Sometimes carry weapons?</b>					
<b>All</b>	73.0%	16.2%	7.1%	2.3%	1.3%
<b>Grade 7</b>	81.1%	11.8%	4.8%	1.4%	0.9%
<b>Grade 8</b>	72.8%	16.9%	6.9%	2.1%	1.2%
<b>Grade 9</b>	72.2%	16.4%	7.4%	2.5%	1.4%
<b>Grade 10</b>	71.4%	17.0%	7.4%	2.6%	1.6%
<b>Grade 11</b>	69.3%	18.8%	8.0%	2.6%	1.4%
<b>Grade 12</b>	68.9%	17.4%	9.1%	3.1%	1.6%
<b>Care about making good grades?</b>					
<b>All</b>	4.0%	16.7%	24.6%	37.0%	17.7%
<b>Grade 7</b>	4.7%	19.2%	23.5%	31.0%	21.7%
<b>Grade 8</b>	3.7%	17.1%	24.4%	34.4%	20.3%
<b>Grade 9</b>	5.0%	18.0%	25.9%	36.3%	14.9%
<b>Grade 10</b>	3.4%	16.4%	25.0%	39.1%	16.1%
<b>Grade 11</b>	3.0%	14.3%	24.7%	41.3%	16.7%
<b>Grade 12</b>	3.4%	13.2%	23.3%	43.9%	16.2%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	61.4%	20.2%	10.6%	5.4%	2.3%
<b>Grade 7</b>	60.6%	20.8%	9.8%	6.0%	2.8%
<b>Grade 8</b>	59.2%	21.4%	10.8%	6.1%	2.5%
<b>Grade 9</b>	56.3%	21.2%	12.8%	7.0%	2.7%
<b>Grade 10</b>	60.8%	21.8%	10.9%	4.3%	2.2%
<b>Grade 11</b>	66.8%	18.6%	9.1%	3.8%	1.7%
<b>Grade 12</b>	71.0%	15.4%	8.4%	3.8%	1.4%
<b>Wish they could drop out of school?</b>					
<b>All</b>	54.8%	28.0%	11.0%	4.0%	2.2%
<b>Grade 7</b>	65.2%	21.0%	7.7%	3.6%	2.5%
<b>Grade 8</b>	58.9%	26.3%	9.3%	3.6%	2.0%
<b>Grade 9</b>	50.3%	29.6%	12.8%	4.8%	2.4%
<b>Grade 10</b>	49.0%	31.0%	13.3%	4.5%	2.1%
<b>Grade 11</b>	50.0%	32.0%	12.3%	3.8%	2.0%
<b>Grade 12</b>	55.4%	29.0%	10.5%	3.1%	2.0%



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-5: How safe do you feel when you are:**

		Very Safe	Somewha t Safe	Not Very Safe	Not Safe at All	Don't Know
<b>In your home?</b>						
	<b>All</b>	79.7%	17.2%	1.4%	0.4%	1.3%
	<b>Grade 7</b>	79.9%	16.2%	1.7%	0.2%	2.0%
	<b>Grade 8</b>	77.6%	18.6%	1.7%	0.3%	1.8%
	<b>Grade 9</b>	78.7%	17.9%	1.7%	0.4%	1.3%
	<b>Grade 10</b>	79.6%	18.0%	1.1%	0.4%	0.9%
	<b>Grade 11</b>	81.5%	15.8%	1.3%	0.5%	0.9%
	<b>Grade 12</b>	82.9%	15.5%	0.8%	0.2%	0.6%
<b>Out in your neighbourhood</b>						
	<b>All</b>	31.9%	50.1%	12.5%	3.0%	2.5%
	<b>Grade 7</b>	30.2%	47.7%	14.5%	3.2%	4.3%
	<b>Grade 8</b>	30.2%	49.7%	13.0%	4.0%	3.1%
	<b>Grade 9</b>	30.7%	51.2%	12.4%	3.0%	2.6%
	<b>Grade 10</b>	32.0%	52.0%	11.6%	2.7%	1.7%
	<b>Grade 11</b>	34.1%	49.6%	12.3%	2.4%	1.7%
	<b>Grade 12</b>	36.6%	49.9%	10.3%	2.2%	0.9%
<b>At school</b>						
	<b>All</b>	33.2%	48.3%	10.8%	4.5%	3.1%
	<b>Grade 7</b>	44.4%	39.7%	8.3%	3.7%	3.9%
	<b>Grade 8</b>	41.7%	42.6%	8.5%	3.6%	3.5%
	<b>Grade 9</b>	29.6%	51.5%	11.7%	4.1%	3.1%
	<b>Grade 10</b>	25.9%	53.9%	11.9%	5.1%	3.1%
	<b>Grade 11</b>	25.0%	53.3%	13.5%	5.7%	2.6%
	<b>Grade 12</b>	29.9%	50.3%	12.2%	5.8%	1.8%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table X-6: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY		Yes
A website or online chat	All	30.5%
	Grade 7	22.2%
	Grade 8	26.4%
	Grade 9	30.5%
	Grade 10	32.2%
	Grade 11	37.2%
	Grade 12	39.2%
Books, magazines, poster	All	50.3%
	Grade 7	42.9%
	Grade 8	46.5%
	Grade 9	51.2%
	Grade 10	52.9%
	Grade 11	55.7%
	Grade 12	55.8%
TV, radio, or other audi	All	53.7%
	Grade 7	47.5%
	Grade 8	50.5%
	Grade 9	54.7%
	Grade 10	56.1%
	Grade 11	57.8%
	Grade 12	58.4%
Your parents	All	55.2%
	Grade 7	51.6%
	Grade 8	52.7%
	Grade 9	58.6%
	Grade 10	56.5%
	Grade 11	54.4%
	Grade 12	57.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade**  
**All students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.4%	18.4%	33.0%	67.0%
	<b>Grade 7</b>	5.3%	7.4%	17.5%	82.5%
	<b>Grade 8</b>	7.8%	11.2%	24.3%	75.7%
	<b>Grade 9</b>	12.3%	17.7%	32.1%	67.9%
	<b>Grade 10</b>	16.2%	22.1%	39.6%	60.4%
	<b>Grade 11</b>	21.2%	27.9%	44.3%	55.7%
	<b>Grade 12</b>	23.6%	31.8%	49.5%	50.5%
<b>Alcohol</b>					
	<b>All</b>	29.8%	39.4%	60.2%	39.8%
	<b>Grade 7</b>	16.6%	21.3%	43.7%	56.3%
	<b>Grade 8</b>	22.4%	30.3%	54.0%	46.0%
	<b>Grade 9</b>	30.0%	40.4%	60.2%	39.8%
	<b>Grade 10</b>	36.7%	48.1%	68.7%	31.3%
	<b>Grade 11</b>	37.9%	50.2%	69.5%	30.5%
	<b>Grade 12</b>	42.7%	55.0%	72.5%	27.5%
<b>Inhalants</b>					
	<b>All</b>	3.8%	5.7%	10.6%	89.4%
	<b>Grade 7</b>	4.3%	6.2%	11.5%	88.5%
	<b>Grade 8</b>	3.6%	5.6%	10.3%	89.7%
	<b>Grade 9</b>	3.6%	5.8%	10.8%	89.2%
	<b>Grade 10</b>	4.0%	5.8%	11.6%	88.4%
	<b>Grade 11</b>	3.9%	5.4%	10.0%	90.0%
	<b>Grade 12</b>	3.3%	4.8%	8.6%	91.4%
<b>Any Illicit Drug</b>					
	<b>All</b>	11.5%	15.7%	24.0%	76.0%
	<b>Grade 7</b>	5.4%	7.0%	11.6%	88.4%
	<b>Grade 8</b>	8.4%	11.3%	17.2%	82.8%
	<b>Grade 9</b>	12.1%	16.8%	24.1%	75.9%
	<b>Grade 10</b>	14.4%	19.4%	30.1%	69.9%
	<b>Grade 11</b>	15.1%	21.1%	32.7%	67.3%
	<b>Grade 12</b>	16.4%	22.0%	35.1%	64.9%
<b>Marijuana</b>					
	<b>All</b>	9.2%	13.3%	21.2%	78.8%
	<b>Grade 7</b>	3.5%	4.8%	8.6%	91.4%
	<b>Grade 8</b>	6.4%	9.0%	14.2%	85.8%
	<b>Grade 9</b>	9.5%	14.0%	21.2%	78.8%
	<b>Grade 10</b>	12.1%	17.0%	27.3%	72.7%
	<b>Grade 11</b>	12.6%	18.7%	29.8%	70.2%
	<b>Grade 12</b>	14.2%	19.8%	32.9%	67.1%
<b>Marijuana Only</b>					
	<b>All</b>	2.9%	4.6%	8.9%	91.1%
	<b>Grade 7</b>	1.0%	1.5%	3.6%	96.4%
	<b>Grade 8</b>	2.4%	3.3%	6.6%	93.4%
	<b>Grade 9</b>	2.9%	4.4%	8.1%	91.9%
	<b>Grade 10</b>	3.3%	5.5%	11.2%	88.8%
	<b>Grade 11</b>	3.7%	6.8%	13.0%	87.0%
	<b>Grade 12</b>	5.0%	7.9%	14.6%	85.4%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade**  
**All students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	<b>All</b>	3.7%	5.6%	9.7%	90.3%
	<b>Grade 7</b>	1.6%	2.6%	4.3%	95.7%
	<b>Grade 8</b>	2.4%	3.5%	6.1%	93.9%
	<b>Grade 9</b>	4.2%	6.5%	10.4%	89.6%
	<b>Grade 10</b>	4.1%	6.7%	11.8%	88.2%
	<b>Grade 11</b>	5.4%	7.7%	14.0%	86.0%
	<b>Grade 12</b>	4.9%	7.6%	14.5%	85.5%
<b>Cocaine</b>					
	<b>All</b>	3.4%	5.3%	9.3%	90.7%
	<b>Grade 7</b>	1.3%	2.1%	3.6%	96.4%
	<b>Grade 8</b>	2.1%	3.2%	5.5%	94.5%
	<b>Grade 9</b>	3.9%	6.0%	9.9%	90.1%
	<b>Grade 10</b>	3.9%	6.4%	11.6%	88.4%
	<b>Grade 11</b>	5.4%	7.7%	13.9%	86.1%
	<b>Grade 12</b>	4.9%	7.5%	14.4%	85.6%
<b>Crack</b>					
	<b>All</b>	0.8%	1.3%	2.4%	97.6%
	<b>Grade 7</b>	0.7%	1.3%	2.2%	97.8%
	<b>Grade 8</b>	1.2%	1.6%	2.6%	97.4%
	<b>Grade 9</b>	0.8%	1.4%	2.9%	97.1%
	<b>Grade 10</b>	0.7%	1.2%	2.6%	97.4%
	<b>Grade 11</b>	0.3%	0.8%	1.8%	98.2%
	<b>Grade 12</b>	0.7%	1.2%	2.1%	97.9%
<b>Hallucinogens</b>					
	<b>All</b>	1.2%	1.8%	3.2%	96.8%
	<b>Grade 7</b>	0.8%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	1.1%	1.5%	2.5%	97.5%
	<b>Grade 9</b>	1.1%	1.8%	3.4%	96.6%
	<b>Grade 10</b>	1.5%	2.3%	4.1%	95.9%
	<b>Grade 11</b>	1.6%	2.3%	3.9%	96.1%
	<b>Grade 12</b>	1.7%	2.6%	4.5%	95.5%
<b>Uppers</b>					
	<b>All</b>	1.7%	2.5%	3.8%	96.2%
	<b>Grade 7</b>	0.6%	0.8%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.6%	2.5%	97.5%
	<b>Grade 9</b>	1.7%	2.5%	3.9%	96.1%
	<b>Grade 10</b>	2.2%	3.2%	4.8%	95.2%
	<b>Grade 11</b>	2.9%	3.9%	5.7%	94.3%
	<b>Grade 12</b>	2.7%	3.6%	5.9%	94.1%
<b>Downers</b>					
	<b>All</b>	2.2%	3.1%	4.7%	95.3%
	<b>Grade 7</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.7%	2.4%	97.6%
	<b>Grade 9</b>	2.4%	3.6%	5.5%	94.5%
	<b>Grade 10</b>	3.2%	4.5%	6.5%	93.5%
	<b>Grade 11</b>	3.3%	4.6%	6.6%	93.4%
	<b>Grade 12</b>	3.1%	4.2%	7.1%	92.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B1: Prevalence and recency of use of selected substances by grade**  
**All students**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	2.5%	3.6%	6.1%	93.9%
	<b>Grade 7</b>	1.1%	1.6%	2.7%	97.3%
	<b>Grade 8</b>	1.9%	2.7%	4.2%	95.8%
	<b>Grade 9</b>	3.3%	5.0%	7.6%	92.4%
	<b>Grade 10</b>	3.2%	4.6%	7.9%	92.1%
	<b>Grade 11</b>	2.6%	4.2%	7.4%	92.6%
	<b>Grade 12</b>	2.7%	3.7%	7.6%	92.4%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 7</b>	0.5%	0.6%	1.3%	98.7%
	<b>Grade 8</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.3%	0.4%	0.6%	99.4%
	<b>Grade 10</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 11</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 12</b>	0.3%	0.5%	0.8%	99.2%
<b>Ecstasy</b>					
	<b>All</b>	1.7%	2.5%	4.2%	95.8%
	<b>Grade 7</b>	0.6%	0.7%	1.2%	98.8%
	<b>Grade 8</b>	1.1%	1.5%	2.3%	97.7%
	<b>Grade 9</b>	1.4%	2.4%	4.4%	95.6%
	<b>Grade 10</b>	2.6%	3.9%	6.1%	93.9%
	<b>Grade 11</b>	2.7%	3.5%	5.8%	94.2%
	<b>Grade 12</b>	2.9%	3.9%	6.9%	93.1%
<b>Heroin</b>					
	<b>All</b>	0.6%	0.8%	1.3%	98.7%
	<b>Grade 7</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 8</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 10</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 11</b>	0.6%	0.6%	1.1%	98.9%
	<b>Grade 12</b>	0.5%	0.7%	1.1%	98.9%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.3%	20.7%	35.6%	64.4%
	<b>Grade 7</b>	6.1%	8.6%	19.5%	80.5%
	<b>Grade 8</b>	9.3%	13.3%	27.7%	72.3%
	<b>Grade 9</b>	11.9%	16.9%	32.6%	67.4%
	<b>Grade 10</b>	19.3%	25.8%	43.2%	56.8%
	<b>Grade 11</b>	24.7%	32.2%	48.2%	51.8%
	<b>Grade 12</b>	29.5%	38.3%	53.6%	46.4%
<b>Alcohol</b>					
	<b>All</b>	29.9%	38.6%	58.6%	41.4%
	<b>Grade 7</b>	16.4%	21.3%	43.5%	56.5%
	<b>Grade 8</b>	23.1%	30.6%	54.2%	45.8%
	<b>Grade 9</b>	27.0%	36.0%	56.0%	44.0%
	<b>Grade 10</b>	38.6%	49.1%	67.4%	32.6%
	<b>Grade 11</b>	39.5%	50.7%	67.8%	32.2%
	<b>Grade 12</b>	44.3%	55.0%	72.0%	28.0%
<b>Inhalants</b>					
	<b>All</b>	3.5%	5.1%	9.7%	90.3%
	<b>Grade 7</b>	3.4%	4.9%	9.8%	90.2%
	<b>Grade 8</b>	3.1%	4.3%	8.2%	91.8%
	<b>Grade 9</b>	2.9%	4.6%	9.3%	90.7%
	<b>Grade 10</b>	3.4%	5.4%	11.0%	89.0%
	<b>Grade 11</b>	4.8%	6.5%	10.6%	89.4%
	<b>Grade 12</b>	4.3%	5.9%	10.0%	90.0%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.2%	17.8%	26.9%	73.1%
	<b>Grade 7</b>	6.1%	7.8%	13.2%	86.8%
	<b>Grade 8</b>	9.9%	13.3%	20.6%	79.4%
	<b>Grade 9</b>	12.3%	17.4%	25.4%	74.6%
	<b>Grade 10</b>	17.8%	23.5%	34.6%	65.4%
	<b>Grade 11</b>	17.1%	24.1%	36.8%	63.2%
	<b>Grade 12</b>	20.7%	26.3%	38.9%	61.1%
<b>Marijuana</b>					
	<b>All</b>	11.2%	15.6%	24.7%	75.3%
	<b>Grade 7</b>	4.0%	5.5%	10.5%	89.5%
	<b>Grade 8</b>	8.1%	11.1%	17.9%	82.1%
	<b>Grade 9</b>	10.2%	15.0%	23.5%	76.5%
	<b>Grade 10</b>	15.7%	21.4%	33.2%	66.8%
	<b>Grade 11</b>	15.1%	22.3%	34.7%	65.3%
	<b>Grade 12</b>	18.3%	23.6%	36.8%	63.2%
<b>Marijuana Only</b>					
	<b>All</b>	3.7%	5.8%	11.0%	89.0%
	<b>Grade 7</b>	1.4%	2.2%	5.0%	95.0%
	<b>Grade 8</b>	3.6%	4.8%	9.2%	90.8%
	<b>Grade 9</b>	3.6%	5.5%	9.8%	90.2%
	<b>Grade 10</b>	4.3%	7.4%	14.4%	85.6%
	<b>Grade 11</b>	4.2%	8.3%	15.9%	84.1%
	<b>Grade 12</b>	6.1%	8.9%	15.5%	84.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade**  
**Male students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	4.0%	5.9%	10.3%	89.7%
	Grade 7	1.3%	2.2%	4.1%	95.9%
	Grade 8	2.3%	3.5%	6.7%	93.3%
	Grade 9	3.9%	5.8%	10.6%	89.4%
	Grade 10	5.1%	7.8%	13.1%	86.9%
	Grade 11	6.3%	8.7%	14.7%	85.3%
	Grade 12	6.4%	9.2%	16.3%	83.7%
<b>Cocaine</b>					
	All	3.8%	5.6%	10.0%	90.0%
	Grade 7	1.0%	1.8%	3.3%	96.7%
	Grade 8	2.2%	3.3%	6.3%	93.7%
	Grade 9	3.8%	5.6%	10.2%	89.8%
	Grade 10	4.8%	7.4%	13.1%	86.9%
	Grade 11	6.2%	8.7%	14.6%	85.4%
	Grade 12	6.4%	9.1%	16.1%	83.9%
<b>Crack</b>					
	All	0.7%	1.2%	2.4%	97.6%
	Grade 7	0.6%	1.1%	2.1%	97.9%
	Grade 8	1.0%	1.4%	2.2%	97.8%
	Grade 9	0.6%	1.0%	2.6%	97.4%
	Grade 10	0.8%	1.3%	2.6%	97.4%
	Grade 11	0.5%	1.0%	2.2%	97.8%
	Grade 12	1.0%	2.0%	2.9%	97.1%
<b>Hallucinogens</b>					
	All	1.6%	2.4%	4.3%	95.7%
	Grade 7	0.9%	1.2%	1.8%	98.2%
	Grade 8	1.1%	1.5%	3.0%	97.0%
	Grade 9	1.4%	2.2%	4.4%	95.6%
	Grade 10	2.3%	3.5%	5.7%	94.3%
	Grade 11	2.4%	3.4%	5.5%	94.5%
	Grade 12	2.2%	3.4%	6.1%	93.9%
<b>Uppers</b>					
	All	1.7%	2.4%	3.7%	96.3%
	Grade 7	0.6%	0.7%	1.5%	98.5%
	Grade 8	1.0%	1.8%	2.4%	97.6%
	Grade 9	1.1%	1.7%	3.1%	96.9%
	Grade 10	2.1%	3.2%	4.9%	95.1%
	Grade 11	3.0%	3.9%	5.4%	94.6%
	Grade 12	3.3%	4.2%	6.8%	93.2%
<b>Downers</b>					
	All	2.3%	3.3%	4.9%	95.1%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.4%	2.0%	2.6%	97.4%
	Grade 9	2.0%	3.0%	5.0%	95.0%
	Grade 10	3.2%	4.7%	6.7%	93.3%
	Grade 11	3.8%	4.9%	6.9%	93.1%
	Grade 12	4.0%	5.4%	8.7%	91.3%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	2.5%	3.6%	5.9%	94.1%
	<b>Grade 7</b>	0.8%	1.2%	2.6%	97.4%
	<b>Grade 8</b>	2.1%	2.8%	4.3%	95.7%
	<b>Grade 9</b>	2.5%	3.9%	6.5%	93.5%
	<b>Grade 10</b>	3.1%	4.7%	7.6%	92.4%
	<b>Grade 11</b>	3.5%	4.9%	7.2%	92.8%
	<b>Grade 12</b>	3.8%	5.1%	8.5%	91.5%
<b>Steroids</b>					
	<b>All</b>	0.6%	0.8%	1.4%	98.6%
	<b>Grade 7</b>	0.7%	0.9%	1.8%	98.2%
	<b>Grade 8</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 9</b>	0.5%	0.7%	0.9%	99.1%
	<b>Grade 10</b>	0.8%	1.0%	1.8%	98.2%
	<b>Grade 11</b>	0.4%	0.7%	1.5%	98.5%
	<b>Grade 12</b>	0.6%	1.1%	1.5%	98.5%
<b>Ecstasy</b>					
	<b>All</b>	2.1%	2.9%	4.9%	95.1%
	<b>Grade 7</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 8</b>	1.1%	1.6%	2.6%	97.4%
	<b>Grade 9</b>	1.2%	2.3%	4.9%	95.1%
	<b>Grade 10</b>	3.0%	4.5%	6.6%	93.4%
	<b>Grade 11</b>	3.6%	4.7%	7.5%	92.5%
	<b>Grade 12</b>	4.6%	5.6%	9.0%	91.0%
<b>Heroin</b>					
	<b>All</b>	0.7%	0.9%	1.5%	98.5%
	<b>Grade 7</b>	0.9%	1.1%	1.8%	98.2%
	<b>Grade 8</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 9</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 10</b>	1.0%	1.1%	1.8%	98.2%
	<b>Grade 11</b>	0.7%	0.7%	1.6%	98.4%
	<b>Grade 12</b>	0.8%	1.0%	1.4%	98.6%



**Region 11: Grades 7-12  
SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	11.5%	16.2%	30.5%	69.5%
	<b>Grade 7</b>	4.5%	6.2%	15.4%	84.6%
	<b>Grade 8</b>	6.5%	9.4%	21.3%	78.7%
	<b>Grade 9</b>	12.8%	18.4%	31.7%	68.3%
	<b>Grade 10</b>	13.5%	18.9%	36.5%	63.5%
	<b>Grade 11</b>	17.8%	23.7%	40.5%	59.5%
	<b>Grade 12</b>	17.6%	25.4%	45.3%	54.7%
<b>Alcohol</b>					
	<b>All</b>	29.7%	40.1%	61.6%	38.4%
	<b>Grade 7</b>	16.7%	21.3%	43.9%	56.1%
	<b>Grade 8</b>	21.6%	30.0%	53.8%	46.2%
	<b>Grade 9</b>	32.8%	44.5%	64.2%	35.8%
	<b>Grade 10</b>	35.1%	47.2%	69.9%	30.1%
	<b>Grade 11</b>	36.1%	49.6%	70.9%	29.1%
	<b>Grade 12</b>	40.9%	55.0%	72.9%	27.1%
<b>Inhalants</b>					
	<b>All</b>	4.0%	6.2%	11.4%	88.6%
	<b>Grade 7</b>	5.3%	7.5%	13.3%	86.7%
	<b>Grade 8</b>	4.1%	6.7%	12.2%	87.8%
	<b>Grade 9</b>	4.2%	6.9%	12.2%	87.8%
	<b>Grade 10</b>	4.4%	6.2%	12.1%	87.9%
	<b>Grade 11</b>	3.0%	4.4%	9.4%	90.6%
	<b>Grade 12</b>	2.2%	3.8%	7.3%	92.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	9.9%	13.6%	21.3%	78.7%
	<b>Grade 7</b>	4.8%	6.2%	9.9%	90.1%
	<b>Grade 8</b>	7.1%	9.4%	14.0%	86.0%
	<b>Grade 9</b>	11.8%	16.3%	22.9%	77.1%
	<b>Grade 10</b>	11.4%	15.8%	26.0%	74.0%
	<b>Grade 11</b>	13.1%	18.2%	28.7%	71.3%
	<b>Grade 12</b>	12.1%	17.8%	31.3%	68.7%
<b>Marijuana</b>					
	<b>All</b>	7.4%	11.1%	17.9%	82.1%
	<b>Grade 7</b>	2.8%	4.1%	6.7%	93.3%
	<b>Grade 8</b>	4.9%	7.1%	10.9%	89.1%
	<b>Grade 9</b>	8.7%	12.9%	19.1%	80.9%
	<b>Grade 10</b>	8.9%	13.2%	22.2%	77.8%
	<b>Grade 11</b>	10.2%	15.3%	25.2%	74.8%
	<b>Grade 12</b>	10.2%	16.0%	29.1%	70.9%
<b>Marijuana Only</b>					
	<b>All</b>	2.2%	3.4%	7.0%	93.0%
	<b>Grade 7</b>	0.7%	0.8%	2.2%	97.8%
	<b>Grade 8</b>	1.3%	2.0%	4.2%	95.8%
	<b>Grade 9</b>	2.2%	3.3%	6.5%	93.5%
	<b>Grade 10</b>	2.4%	3.8%	8.4%	91.6%
	<b>Grade 11</b>	3.3%	5.4%	10.4%	89.6%
	<b>Grade 12</b>	4.0%	6.8%	13.7%	86.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade**  
**Female students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.3%	5.3%	9.1%	90.9%
	Grade 7	1.8%	2.9%	4.6%	95.4%
	Grade 8	2.5%	3.6%	5.4%	94.6%
	Grade 9	4.4%	7.1%	10.3%	89.7%
	Grade 10	3.3%	5.7%	10.7%	89.3%
	Grade 11	4.4%	6.6%	13.1%	86.9%
	Grade 12	3.4%	5.9%	12.6%	87.4%
<b>Cocaine</b>					
	All	3.0%	4.9%	8.6%	91.4%
	Grade 7	1.5%	2.4%	3.8%	96.2%
	Grade 8	2.0%	3.0%	4.8%	95.2%
	Grade 9	3.9%	6.5%	9.6%	90.4%
	Grade 10	3.2%	5.5%	10.3%	89.7%
	Grade 11	4.4%	6.5%	13.0%	87.0%
	Grade 12	3.3%	5.8%	12.6%	87.4%
<b>Crack</b>					
	All	0.8%	1.3%	2.4%	97.6%
	Grade 7	0.8%	1.5%	2.3%	97.7%
	Grade 8	1.4%	1.8%	2.9%	97.1%
	Grade 9	1.0%	1.7%	3.1%	96.9%
	Grade 10	0.6%	1.1%	2.6%	97.4%
	Grade 11	0.2%	0.5%	1.5%	98.5%
	Grade 12	0.3%	0.5%	1.2%	98.8%
<b>Hallucinogens</b>					
	All	0.9%	1.3%	2.2%	97.8%
	Grade 7	0.6%	0.9%	1.2%	98.8%
	Grade 8	1.0%	1.4%	2.0%	98.0%
	Grade 9	0.9%	1.5%	2.4%	97.6%
	Grade 10	0.8%	1.2%	2.7%	97.3%
	Grade 11	0.9%	1.3%	2.4%	97.6%
	Grade 12	1.2%	1.8%	3.0%	97.0%
<b>Uppers</b>					
	All	1.8%	2.5%	3.9%	96.1%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	1.0%	1.4%	2.5%	97.5%
	Grade 9	2.2%	3.2%	4.7%	95.3%
	Grade 10	2.3%	3.2%	4.7%	95.3%
	Grade 11	2.7%	3.9%	5.8%	94.2%
	Grade 12	2.2%	3.0%	5.0%	95.0%
<b>Downers</b>					
	All	2.1%	3.0%	4.6%	95.4%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	0.9%	1.5%	2.3%	97.7%
	Grade 9	2.8%	4.1%	5.9%	94.1%
	Grade 10	3.2%	4.4%	6.4%	93.6%
	Grade 11	2.9%	4.2%	6.4%	93.6%
	Grade 12	2.3%	3.0%	5.5%	94.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B3: Prevalence and recency of use of selected substances by grade**  
**Female students**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	2.4%	3.7%	6.3%	93.7%
	<b>Grade 7</b>	1.3%	1.9%	2.8%	97.2%
	<b>Grade 8</b>	1.7%	2.5%	4.0%	96.0%
	<b>Grade 9</b>	4.0%	6.0%	8.5%	91.5%
	<b>Grade 10</b>	3.2%	4.5%	8.1%	91.9%
	<b>Grade 11</b>	1.8%	3.5%	7.3%	92.7%
	<b>Grade 12</b>	1.6%	2.4%	6.5%	93.5%
<b>Steroids</b>					
	<b>All</b>	0.2%	0.3%	0.6%	99.4%
	<b>Grade 7</b>	0.2%	0.3%	0.8%	99.2%
	<b>Grade 8</b>	0.3%	0.6%	1.0%	99.0%
	<b>Grade 9</b>	0.1%	0.2%	0.4%	99.6%
	<b>Grade 10</b>	0.1%	0.1%	0.4%	99.6%
	<b>Grade 11</b>	0.2%	0.4%	0.6%	99.4%
	<b>Grade 12</b>	0.0%	0.0%	0.1%	99.9%
<b>Ecstasy</b>					
	<b>All</b>	1.4%	2.1%	3.6%	96.4%
	<b>Grade 7</b>	0.7%	0.8%	1.3%	98.7%
	<b>Grade 8</b>	1.0%	1.4%	2.0%	98.0%
	<b>Grade 9</b>	1.6%	2.5%	4.0%	96.0%
	<b>Grade 10</b>	2.3%	3.3%	5.7%	94.3%
	<b>Grade 11</b>	1.8%	2.5%	4.3%	95.7%
	<b>Grade 12</b>	1.2%	2.3%	4.9%	95.1%
<b>Heroin</b>					
	<b>All</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 7</b>	0.5%	0.9%	2.0%	98.0%
	<b>Grade 8</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 9</b>	0.5%	0.6%	1.0%	99.0%
	<b>Grade 10</b>	0.3%	0.5%	1.0%	99.0%
	<b>Grade 11</b>	0.4%	0.5%	0.6%	99.4%
	<b>Grade 12</b>	0.2%	0.4%	0.7%	99.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade**  
**White students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	17.4%	23.2%	34.5%	65.5%
	<b>Grade 7</b>	3.7%	5.8%	15.8%	84.2%
	<b>Grade 8</b>	9.3%	13.5%	20.8%	79.2%
	<b>Grade 9</b>	14.2%	20.7%	32.4%	67.6%
	<b>Grade 10</b>	20.9%	29.2%	40.1%	59.9%
	<b>Grade 11</b>	27.7%	35.1%	51.9%	48.1%
	<b>Grade 12</b>	36.3%	42.3%	56.3%	43.7%
<b>Alcohol</b>					
	<b>All</b>	30.9%	42.0%	61.1%	38.9%
	<b>Grade 7</b>	17.8%	20.6%	46.1%	53.9%
	<b>Grade 8</b>	18.8%	26.6%	50.4%	49.6%
	<b>Grade 9</b>	30.5%	40.3%	57.4%	42.6%
	<b>Grade 10</b>	34.4%	50.4%	67.5%	32.5%
	<b>Grade 11</b>	45.7%	60.1%	77.8%	22.2%
	<b>Grade 12</b>	46.8%	64.3%	74.9%	25.1%
<b>Inhalants</b>					
	<b>All</b>	3.6%	5.8%	9.8%	90.2%
	<b>Grade 7</b>	5.4%	6.9%	9.2%	90.8%
	<b>Grade 8</b>	2.7%	5.1%	8.6%	91.4%
	<b>Grade 9</b>	1.8%	3.1%	6.7%	93.3%
	<b>Grade 10</b>	3.6%	7.9%	12.8%	87.2%
	<b>Grade 11</b>	5.6%	6.8%	11.5%	88.5%
	<b>Grade 12</b>	3.6%	5.7%	10.4%	89.6%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.3%	18.2%	26.6%	73.4%
	<b>Grade 7</b>	4.3%	8.9%	13.6%	86.4%
	<b>Grade 8</b>	10.5%	11.3%	15.2%	84.8%
	<b>Grade 9</b>	10.2%	15.1%	20.4%	79.6%
	<b>Grade 10</b>	16.6%	25.0%	32.3%	67.7%
	<b>Grade 11</b>	22.5%	26.1%	41.4%	58.6%
	<b>Grade 12</b>	17.4%	26.9%	46.6%	53.4%
<b>Marijuana</b>					
	<b>All</b>	11.2%	16.5%	23.4%	76.6%
	<b>Grade 7</b>	1.9%	5.5%	7.9%	92.1%
	<b>Grade 8</b>	9.5%	10.2%	11.1%	88.9%
	<b>Grade 9</b>	8.8%	12.6%	16.7%	83.3%
	<b>Grade 10</b>	14.6%	24.4%	31.5%	68.5%
	<b>Grade 11</b>	18.5%	25.1%	38.7%	61.3%
	<b>Grade 12</b>	15.3%	25.4%	45.1%	54.9%
<b>Marijuana Only</b>					
	<b>All</b>	4.5%	7.4%	11.4%	88.6%
	<b>Grade 7</b>	0.3%	3.5%	4.5%	95.5%
	<b>Grade 8</b>	4.7%	4.7%	5.7%	94.3%
	<b>Grade 9</b>	4.0%	7.0%	9.6%	90.4%
	<b>Grade 10</b>	4.6%	9.0%	14.1%	85.9%
	<b>Grade 11</b>	7.0%	9.2%	16.9%	83.1%
	<b>Grade 12</b>	6.6%	12.7%	22.5%	77.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade**  
**White students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	2.7%	3.8%	7.2%	92.8%
	Grade 7	1.1%	1.1%	1.9%	98.1%
	Grade 8	2.5%	2.5%	5.5%	94.5%
	Grade 9	2.8%	2.8%	5.0%	95.0%
	Grade 10	2.0%	3.6%	9.4%	90.6%
	Grade 11	6.9%	8.9%	12.5%	87.5%
	Grade 12	1.0%	5.1%	10.6%	89.4%
<b>Cocaine</b>					
	All	2.5%	3.6%	6.5%	93.5%
	Grade 7	0.0%	0.4%	1.0%	99.0%
	Grade 8	2.3%	2.3%	3.6%	96.4%
	Grade 9	2.5%	2.5%	4.5%	95.5%
	Grade 10	2.0%	3.6%	9.0%	91.0%
	Grade 11	7.1%	9.2%	12.7%	87.3%
	Grade 12	1.0%	5.2%	10.8%	89.2%
<b>Crack</b>					
	All	0.6%	0.7%	2.0%	98.0%
	Grade 7	1.1%	1.1%	1.6%	98.4%
	Grade 8	0.6%	0.6%	3.1%	96.9%
	Grade 9	0.6%	0.6%	2.0%	98.0%
	Grade 10	0.0%	0.5%	2.1%	97.9%
	Grade 11	0.7%	0.7%	1.2%	98.8%
	Grade 12	0.5%	0.5%	1.3%	98.7%
<b>Hallucinogens</b>					
	All	1.4%	3.0%	5.9%	94.1%
	Grade 7	1.1%	2.8%	3.4%	96.6%
	Grade 8	1.1%	1.3%	3.8%	96.2%
	Grade 9	0.6%	1.2%	3.5%	96.5%
	Grade 10	2.0%	6.7%	10.9%	89.1%
	Grade 11	2.1%	2.9%	7.3%	92.7%
	Grade 12	1.7%	3.7%	7.5%	92.5%
<b>Uppers</b>					
	All	2.1%	3.4%	5.6%	94.4%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.6%	1.9%	2.8%	97.2%
	Grade 9	1.5%	2.1%	2.5%	97.5%
	Grade 10	3.2%	4.4%	6.3%	93.7%
	Grade 11	5.7%	8.3%	11.9%	88.1%
	Grade 12	2.5%	4.5%	14.0%	86.0%
<b>Downers</b>					
	All	2.1%	3.3%	5.3%	94.7%
	Grade 7	1.4%	1.4%	1.7%	98.3%
	Grade 8	0.5%	1.8%	1.8%	98.2%
	Grade 9	0.9%	1.8%	2.7%	97.3%
	Grade 10	3.7%	5.2%	6.3%	93.7%
	Grade 11	3.8%	6.6%	11.1%	88.9%
	Grade 12	3.5%	4.2%	12.4%	87.6%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	1.7%	2.5%	4.8%	95.2%
	<b>Grade 7</b>	0.4%	0.7%	1.0%	99.0%
	<b>Grade 8</b>	1.2%	1.4%	2.6%	97.4%
	<b>Grade 9</b>	1.9%	1.9%	3.9%	96.1%
	<b>Grade 10</b>	0.9%	3.5%	7.4%	92.6%
	<b>Grade 11</b>	4.0%	5.5%	9.9%	90.1%
	<b>Grade 12</b>	2.8%	2.8%	4.5%	95.5%
<b>Steroids</b>					
	<b>All</b>	0.8%	0.9%	2.4%	97.6%
	<b>Grade 7</b>	2.7%	2.7%	5.4%	94.6%
	<b>Grade 8</b>	0.0%	0.0%	3.0%	97.0%
	<b>Grade 9</b>	0.3%	0.3%	0.3%	99.7%
	<b>Grade 10</b>	0.3%	0.7%	1.6%	98.4%
	<b>Grade 11</b>	2.2%	2.9%	4.5%	95.5%
	<b>Grade 12</b>	0.0%	0.0%	0.4%	99.6%
<b>Ecstasy</b>					
	<b>All</b>	1.6%	2.8%	5.2%	94.8%
	<b>Grade 7</b>	0.0%	0.4%	1.6%	98.4%
	<b>Grade 8</b>	0.2%	0.4%	2.7%	97.3%
	<b>Grade 9</b>	2.2%	3.1%	3.3%	96.7%
	<b>Grade 10</b>	3.4%	5.0%	9.4%	90.6%
	<b>Grade 11</b>	3.1%	6.4%	8.9%	91.1%
	<b>Grade 12</b>	1.1%	2.6%	6.1%	93.9%
<b>Heroin</b>					
	<b>All</b>	0.6%	0.7%	1.4%	98.6%
	<b>Grade 7</b>	0.5%	0.5%	2.3%	97.7%
	<b>Grade 8</b>	0.8%	0.8%	1.8%	98.2%
	<b>Grade 9</b>	0.8%	0.8%	1.4%	98.6%
	<b>Grade 10</b>	0.5%	0.8%	1.1%	98.9%
	<b>Grade 11</b>	0.4%	0.9%	1.1%	98.9%
	<b>Grade 12</b>	0.0%	0.0%	0.6%	99.4%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	10.5%	12.9%	25.8%	74.2%
	<b>Grade 7</b>	7.3%	9.5%	18.9%	81.1%
	<b>Grade 8</b>	8.3%	9.4%	23.1%	76.9%
	<b>Grade 9</b>	9.1%	11.6%	25.3%	74.7%
	<b>Grade 10</b>	8.9%	15.6%	29.6%	70.4%
	<b>Grade 11</b>	12.9%	12.9%	33.7%	66.3%
	<b>Grade 12</b>	32.0%	32.0%	39.9%	60.1%
<b>Alcohol</b>					
	<b>All</b>	26.4%	33.9%	54.9%	45.1%
	<b>Grade 7</b>	18.4%	19.9%	36.4%	63.6%
	<b>Grade 8</b>	22.3%	30.5%	55.5%	44.5%
	<b>Grade 9</b>	32.6%	37.9%	56.8%	43.2%
	<b>Grade 10</b>	34.5%	43.1%	68.1%	31.9%
	<b>Grade 11</b>	32.9%	43.9%	67.2%	32.8%
	<b>Grade 12</b>	21.3%	40.4%	51.0%	49.0%
<b>Inhalants</b>					
	<b>All</b>	5.3%	8.8%	15.5%	84.5%
	<b>Grade 7</b>	1.9%	7.6%	16.0%	84.0%
	<b>Grade 8</b>	1.1%	4.2%	11.0%	89.0%
	<b>Grade 9</b>	10.9%	11.7%	14.5%	85.5%
	<b>Grade 10</b>	7.7%	15.9%	20.8%	79.2%
	<b>Grade 11</b>	17.1%	17.1%	31.9%	68.1%
	<b>Grade 12</b>	0.0%	0.0%	11.7%	88.3%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.9%	17.0%	26.6%	73.4%
	<b>Grade 7</b>	8.1%	8.1%	17.8%	82.2%
	<b>Grade 8</b>	10.5%	12.9%	24.5%	75.5%
	<b>Grade 9</b>	20.4%	21.3%	30.9%	69.1%
	<b>Grade 10</b>	18.2%	19.3%	25.2%	74.8%
	<b>Grade 11</b>	11.4%	22.7%	38.8%	61.2%
	<b>Grade 12</b>	15.5%	34.5%	38.3%	61.7%
<b>Marijuana</b>					
	<b>All</b>	9.6%	13.2%	23.3%	76.7%
	<b>Grade 7</b>	7.1%	7.1%	15.6%	84.4%
	<b>Grade 8</b>	7.2%	10.9%	22.5%	77.5%
	<b>Grade 9</b>	10.2%	11.2%	25.6%	74.4%
	<b>Grade 10</b>	12.2%	14.4%	18.9%	81.1%
	<b>Grade 11</b>	11.4%	22.7%	38.8%	61.2%
	<b>Grade 12</b>	16.9%	34.6%	38.7%	61.3%
<b>Marijuana Only</b>					
	<b>All</b>	3.0%	3.6%	10.6%	89.4%
	<b>Grade 7</b>	0.0%	0.0%	7.4%	92.6%
	<b>Grade 8</b>	2.9%	2.9%	12.3%	87.7%
	<b>Grade 9</b>	6.4%	7.3%	12.8%	87.2%
	<b>Grade 10</b>	4.1%	5.2%	8.4%	91.6%
	<b>Grade 11</b>	2.0%	5.9%	21.4%	78.6%
	<b>Grade 12</b>	0.0%	0.0%	3.1%	96.9%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	4.2%	7.6%	9.0%	91.0%
	<b>Grade 7</b>	0.8%	4.8%	6.4%	93.6%
	<b>Grade 8</b>	4.4%	6.8%	8.5%	91.5%
	<b>Grade 9</b>	1.0%	1.8%	2.8%	97.2%
	<b>Grade 10</b>	8.8%	10.6%	10.6%	89.4%
	<b>Grade 11</b>	7.2%	7.2%	10.9%	89.1%
	<b>Grade 12</b>	7.7%	27.0%	29.9%	70.1%
<b>Cocaine</b>					
	<b>All</b>	3.9%	7.5%	8.6%	91.4%
	<b>Grade 7</b>	0.8%	4.9%	5.7%	94.3%
	<b>Grade 8</b>	3.7%	6.8%	8.5%	91.5%
	<b>Grade 9</b>	1.0%	1.8%	2.8%	97.2%
	<b>Grade 10</b>	8.1%	10.0%	10.0%	90.0%
	<b>Grade 11</b>	7.2%	7.2%	7.2%	92.8%
	<b>Grade 12</b>	7.7%	27.0%	29.9%	70.1%
<b>Crack</b>					
	<b>All</b>	1.5%	2.7%	4.2%	95.8%
	<b>Grade 7</b>	0.8%	0.8%	5.7%	94.3%
	<b>Grade 8</b>	2.2%	2.2%	2.2%	97.8%
	<b>Grade 9</b>	0.0%	0.0%	0.8%	99.2%
	<b>Grade 10</b>	3.0%	3.0%	3.0%	97.0%
	<b>Grade 11</b>	3.6%	3.6%	7.2%	92.8%
	<b>Grade 12</b>	0.0%	16.1%	19.2%	80.8%
<b>Hallucinogens</b>					
	<b>All</b>	1.3%	1.9%	4.8%	95.2%
	<b>Grade 7</b>	0.8%	0.8%	1.7%	98.3%
	<b>Grade 8</b>	0.5%	1.6%	7.1%	92.9%
	<b>Grade 9</b>	0.0%	0.0%	1.6%	98.4%
	<b>Grade 10</b>	2.2%	3.3%	6.2%	93.8%
	<b>Grade 11</b>	3.7%	3.7%	7.4%	92.6%
	<b>Grade 12</b>	6.2%	6.2%	6.2%	93.8%
<b>Uppers</b>					
	<b>All</b>	1.5%	1.8%	2.9%	97.1%
	<b>Grade 7</b>	2.2%	2.2%	2.2%	97.8%
	<b>Grade 8</b>	0.7%	1.2%	1.9%	98.1%
	<b>Grade 9</b>	1.0%	1.0%	3.7%	96.3%
	<b>Grade 10</b>	1.2%	2.2%	3.9%	96.1%
	<b>Grade 11</b>	3.8%	3.8%	3.8%	96.2%
	<b>Grade 12</b>	3.3%	3.3%	3.3%	96.7%
<b>Downers</b>					
	<b>All</b>	1.9%	2.5%	3.7%	96.3%
	<b>Grade 7</b>	0.0%	0.0%	0.8%	99.2%
	<b>Grade 8</b>	1.6%	1.6%	1.6%	98.4%
	<b>Grade 9</b>	2.9%	2.9%	4.7%	95.3%
	<b>Grade 10</b>	3.3%	4.4%	6.0%	94.0%
	<b>Grade 11</b>	4.0%	8.0%	8.0%	92.0%
	<b>Grade 12</b>	0.0%	3.1%	7.7%	92.3%



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B5: Prevalence and recency of use of selected substances by grade**  
**Black students**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	2.7%	3.5%	4.4%	95.6%
	<b>Grade 7</b>	2.2%	2.2%	2.2%	97.8%
	<b>Grade 8</b>	3.1%	3.8%	3.8%	96.2%
	<b>Grade 9</b>	0.7%	0.7%	2.5%	97.5%
	<b>Grade 10</b>	4.3%	6.3%	7.4%	92.6%
	<b>Grade 11</b>	4.1%	4.1%	4.1%	95.9%
	<b>Grade 12</b>	3.1%	6.0%	10.7%	89.3%
<b>Steroids</b>					
	<b>All</b>	1.4%	1.9%	4.2%	95.8%
	<b>Grade 7</b>	0.8%	1.6%	1.6%	98.4%
	<b>Grade 8</b>	0.5%	1.2%	4.0%	96.0%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	3.8%	5.0%	13.0%	87.0%
	<b>Grade 11</b>	7.7%	7.7%	7.7%	92.3%
	<b>Grade 12</b>	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>					
	<b>All</b>	4.7%	4.7%	6.1%	93.9%
	<b>Grade 7</b>	2.0%	2.0%	2.0%	98.0%
	<b>Grade 8</b>	3.6%	3.6%	3.6%	96.4%
	<b>Grade 9</b>	6.8%	6.8%	9.2%	90.8%
	<b>Grade 10</b>	4.2%	4.2%	7.1%	92.9%
	<b>Grade 11</b>	5.8%	5.8%	5.8%	94.2%
	<b>Grade 12</b>	10.8%	10.8%	15.5%	84.5%
<b>Heroin</b>					
	<b>All</b>	1.1%	1.4%	1.8%	98.2%
	<b>Grade 7</b>	1.7%	1.7%	2.5%	97.5%
	<b>Grade 8</b>	1.0%	1.0%	1.6%	98.4%
	<b>Grade 9</b>	0.0%	0.0%	0.0%	100.0%
	<b>Grade 10</b>	0.0%	2.2%	2.2%	97.8%
	<b>Grade 11</b>	3.6%	3.6%	3.6%	96.4%
	<b>Grade 12</b>	3.1%	3.1%	3.1%	96.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade**  
**Mexican/American students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.4%	18.4%	33.2%	66.8%
	<b>Grade 7</b>	5.3%	7.4%	17.5%	82.5%
	<b>Grade 8</b>	7.7%	11.2%	24.6%	75.4%
	<b>Grade 9</b>	12.4%	17.8%	32.5%	67.5%
	<b>Grade 10</b>	16.2%	22.0%	40.0%	60.0%
	<b>Grade 11</b>	21.2%	28.0%	44.4%	55.6%
	<b>Grade 12</b>	23.1%	31.4%	49.4%	50.6%
<b>Alcohol</b>					
	<b>All</b>	30.0%	39.6%	60.5%	39.5%
	<b>Grade 7</b>	16.5%	21.4%	44.0%	56.0%
	<b>Grade 8</b>	22.6%	30.5%	54.4%	45.6%
	<b>Grade 9</b>	30.0%	40.5%	60.6%	39.4%
	<b>Grade 10</b>	37.0%	48.3%	69.0%	31.0%
	<b>Grade 11</b>	37.8%	50.2%	69.5%	30.5%
	<b>Grade 12</b>	42.8%	55.0%	72.7%	27.3%
<b>Inhalants</b>					
	<b>All</b>	3.8%	5.6%	10.6%	89.4%
	<b>Grade 7</b>	4.3%	6.0%	11.4%	88.6%
	<b>Grade 8</b>	3.7%	5.6%	10.3%	89.7%
	<b>Grade 9</b>	3.5%	5.8%	10.9%	89.1%
	<b>Grade 10</b>	3.9%	5.6%	11.5%	88.5%
	<b>Grade 11</b>	3.9%	5.4%	10.0%	90.0%
	<b>Grade 12</b>	3.3%	4.8%	8.6%	91.4%
<b>Any Illicit Drug</b>					
	<b>All</b>	11.5%	15.7%	24.0%	76.0%
	<b>Grade 7</b>	5.4%	6.9%	11.4%	88.6%
	<b>Grade 8</b>	8.4%	11.3%	17.2%	82.8%
	<b>Grade 9</b>	12.0%	16.8%	24.2%	75.8%
	<b>Grade 10</b>	14.6%	19.5%	30.3%	69.7%
	<b>Grade 11</b>	15.0%	21.1%	32.6%	67.4%
	<b>Grade 12</b>	16.3%	21.7%	34.7%	65.3%
<b>Marijuana</b>					
	<b>All</b>	9.2%	13.2%	21.2%	78.8%
	<b>Grade 7</b>	3.4%	4.7%	8.5%	91.5%
	<b>Grade 8</b>	6.3%	9.0%	14.2%	85.8%
	<b>Grade 9</b>	9.4%	14.0%	21.3%	78.7%
	<b>Grade 10</b>	12.1%	17.0%	27.6%	72.4%
	<b>Grade 11</b>	12.4%	18.6%	29.8%	70.2%
	<b>Grade 12</b>	14.2%	19.6%	32.5%	67.5%
<b>Marijuana Only</b>					
	<b>All</b>	2.8%	4.5%	8.9%	91.1%
	<b>Grade 7</b>	1.0%	1.4%	3.5%	96.5%
	<b>Grade 8</b>	2.4%	3.3%	6.5%	93.5%
	<b>Grade 9</b>	2.7%	4.2%	8.0%	92.0%
	<b>Grade 10</b>	3.2%	5.4%	11.3%	88.7%
	<b>Grade 11</b>	3.7%	6.7%	12.9%	87.1%
	<b>Grade 12</b>	5.0%	7.8%	14.5%	85.5%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	3.7%	5.7%	9.9%	90.1%
	<b>Grade 7</b>	1.6%	2.6%	4.4%	95.6%
	<b>Grade 8</b>	2.4%	3.6%	6.1%	93.9%
	<b>Grade 9</b>	4.3%	6.7%	10.7%	89.3%
	<b>Grade 10</b>	4.2%	6.9%	12.0%	88.0%
	<b>Grade 11</b>	5.4%	7.7%	14.2%	85.8%
	<b>Grade 12</b>	4.9%	7.4%	14.5%	85.5%
<b>Cocaine</b>					
	<b>All</b>	3.5%	5.3%	9.5%	90.5%
	<b>Grade 7</b>	1.3%	2.1%	3.6%	96.4%
	<b>Grade 8</b>	2.1%	3.2%	5.6%	94.4%
	<b>Grade 9</b>	3.9%	6.2%	10.2%	89.8%
	<b>Grade 10</b>	4.0%	6.6%	11.9%	88.1%
	<b>Grade 11</b>	5.4%	7.7%	14.1%	85.9%
	<b>Grade 12</b>	4.8%	7.3%	14.3%	85.7%
<b>Crack</b>					
	<b>All</b>	0.8%	1.3%	2.4%	97.6%
	<b>Grade 7</b>	0.7%	1.3%	2.1%	97.9%
	<b>Grade 8</b>	1.2%	1.6%	2.6%	97.4%
	<b>Grade 9</b>	0.8%	1.4%	2.9%	97.1%
	<b>Grade 10</b>	0.7%	1.2%	2.6%	97.4%
	<b>Grade 11</b>	0.3%	0.8%	1.9%	98.1%
	<b>Grade 12</b>	0.7%	1.1%	1.9%	98.1%
<b>Hallucinogens</b>					
	<b>All</b>	1.2%	1.8%	3.1%	96.9%
	<b>Grade 7</b>	0.8%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	1.1%	1.5%	2.4%	97.6%
	<b>Grade 9</b>	1.1%	1.9%	3.4%	96.6%
	<b>Grade 10</b>	1.5%	2.1%	3.9%	96.1%
	<b>Grade 11</b>	1.6%	2.2%	3.8%	96.2%
	<b>Grade 12</b>	1.7%	2.5%	4.5%	95.5%
<b>Uppers</b>					
	<b>All</b>	1.7%	2.5%	3.8%	96.2%
	<b>Grade 7</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.6%	2.5%	97.5%
	<b>Grade 9</b>	1.7%	2.5%	4.0%	96.0%
	<b>Grade 10</b>	2.2%	3.2%	4.8%	95.2%
	<b>Grade 11</b>	2.8%	3.8%	5.6%	94.4%
	<b>Grade 12</b>	2.7%	3.7%	5.6%	94.4%
<b>Downers</b>					
	<b>All</b>	2.2%	3.2%	4.7%	95.3%
	<b>Grade 7</b>	0.6%	0.9%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.8%	2.5%	97.5%
	<b>Grade 9</b>	2.4%	3.6%	5.6%	94.4%
	<b>Grade 10</b>	3.2%	4.5%	6.5%	93.5%
	<b>Grade 11</b>	3.3%	4.5%	6.5%	93.5%
	<b>Grade 12</b>	3.2%	4.2%	6.9%	93.1%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B6: Prevalence and recency of use of selected substances by grade**  
**Mexican/American students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	2.5%	3.7%	6.2%	93.8%
	Grade 7	1.0%	1.5%	2.7%	97.3%
	Grade 8	1.9%	2.7%	4.3%	95.7%
	Grade 9	3.4%	5.2%	7.8%	92.2%
	Grade 10	3.3%	4.7%	8.0%	92.0%
	Grade 11	2.6%	4.2%	7.4%	92.6%
	Grade 12	2.8%	3.7%	7.6%	92.4%
<b>Steroids</b>					
	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.6%	1.0%	99.0%
	Grade 9	0.3%	0.4%	0.6%	99.4%
	Grade 10	0.4%	0.5%	0.8%	99.2%
	Grade 11	0.2%	0.4%	0.9%	99.1%
	Grade 12	0.3%	0.6%	0.8%	99.2%
<b>Ecstasy</b>					
	All	1.7%	2.5%	4.2%	95.8%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.1%	1.5%	2.2%	97.8%
	Grade 9	1.3%	2.3%	4.4%	95.6%
	Grade 10	2.6%	3.9%	6.1%	93.9%
	Grade 11	2.7%	3.4%	5.8%	94.2%
	Grade 12	2.8%	3.9%	6.9%	93.1%
<b>Heroin</b>					
	All	0.6%	0.7%	1.3%	98.7%
	Grade 7	0.7%	1.0%	1.9%	98.1%
	Grade 8	0.5%	0.7%	1.4%	98.6%
	Grade 9	0.5%	0.7%	1.1%	98.9%
	Grade 10	0.7%	0.8%	1.4%	98.6%
	Grade 11	0.6%	0.6%	1.1%	98.9%
	Grade 12	0.5%	0.6%	1.0%	99.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade**  
**Students reporting A grades**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.3%	9.1%	20.6%	79.4%
	<b>Grade 7</b>	1.6%	2.0%	7.7%	92.3%
	<b>Grade 8</b>	3.6%	5.4%	15.6%	84.4%
	<b>Grade 9</b>	4.6%	6.8%	17.8%	82.2%
	<b>Grade 10</b>	6.8%	11.6%	25.1%	74.9%
	<b>Grade 11</b>	11.7%	16.9%	32.7%	67.3%
	<b>Grade 12</b>	15.9%	21.3%	39.9%	60.1%
<b>Alcohol</b>					
	<b>All</b>	19.0%	28.3%	50.7%	49.3%
	<b>Grade 7</b>	10.1%	14.4%	37.3%	62.7%
	<b>Grade 8</b>	14.2%	21.6%	46.9%	53.1%
	<b>Grade 9</b>	16.6%	27.9%	47.7%	52.3%
	<b>Grade 10</b>	22.7%	34.7%	57.1%	42.9%
	<b>Grade 11</b>	28.8%	41.5%	63.1%	36.9%
	<b>Grade 12</b>	33.2%	45.4%	66.1%	33.9%
<b>Inhalants</b>					
	<b>All</b>	2.2%	3.2%	6.6%	93.4%
	<b>Grade 7</b>	2.2%	3.0%	7.1%	92.9%
	<b>Grade 8</b>	2.5%	3.9%	7.2%	92.8%
	<b>Grade 9</b>	1.8%	2.5%	5.0%	95.0%
	<b>Grade 10</b>	2.2%	3.5%	8.0%	92.0%
	<b>Grade 11</b>	2.1%	3.2%	6.0%	94.0%
	<b>Grade 12</b>	2.3%	3.0%	6.6%	93.4%
<b>Any Illicit Drug</b>					
	<b>All</b>	5.1%	7.2%	11.8%	88.2%
	<b>Grade 7</b>	1.6%	2.1%	4.4%	95.6%
	<b>Grade 8</b>	3.3%	4.5%	7.1%	92.9%
	<b>Grade 9</b>	4.1%	5.7%	9.4%	90.6%
	<b>Grade 10</b>	7.4%	9.9%	16.3%	83.7%
	<b>Grade 11</b>	8.2%	11.1%	18.1%	81.9%
	<b>Grade 12</b>	10.4%	16.4%	25.4%	74.6%
<b>Marijuana</b>					
	<b>All</b>	4.0%	5.8%	9.8%	90.2%
	<b>Grade 7</b>	0.8%	0.8%	2.5%	97.5%
	<b>Grade 8</b>	2.2%	3.1%	5.4%	94.6%
	<b>Grade 9</b>	3.1%	4.3%	6.9%	93.1%
	<b>Grade 10</b>	5.7%	8.0%	13.4%	86.6%
	<b>Grade 11</b>	7.4%	10.4%	17.2%	82.8%
	<b>Grade 12</b>	9.3%	14.6%	23.5%	76.5%
<b>Marijuana Only</b>					
	<b>All</b>	1.2%	2.2%	4.7%	95.3%
	<b>Grade 7</b>	0.1%	0.1%	0.7%	99.3%
	<b>Grade 8</b>	0.4%	0.6%	2.0%	98.0%
	<b>Grade 9</b>	0.7%	1.4%	3.1%	96.9%
	<b>Grade 10</b>	1.5%	2.8%	6.8%	93.2%
	<b>Grade 11</b>	2.3%	4.4%	8.3%	91.7%
	<b>Grade 12</b>	3.8%	7.2%	13.0%	87.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade**  
**Students reporting A grades**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.4%	2.0%	3.8%	96.2%
	Grade 7	0.5%	0.8%	1.9%	98.1%
	Grade 8	1.4%	1.6%	2.4%	97.6%
	Grade 9	1.6%	2.2%	3.8%	96.2%
	Grade 10	2.1%	2.9%	5.4%	94.6%
	Grade 11	2.2%	3.1%	5.9%	94.1%
	Grade 12	1.2%	2.6%	5.8%	94.2%
<b>Cocaine</b>					
	All	1.3%	1.9%	3.5%	96.5%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	1.1%	1.3%	1.8%	98.2%
	Grade 9	1.5%	2.1%	3.6%	96.4%
	Grade 10	2.1%	2.9%	5.2%	94.8%
	Grade 11	2.2%	3.1%	5.8%	94.2%
	Grade 12	1.2%	2.6%	5.8%	94.2%
<b>Crack</b>					
	All	0.5%	0.6%	1.2%	98.8%
	Grade 7	0.2%	0.3%	1.2%	98.8%
	Grade 8	1.2%	1.2%	1.5%	98.5%
	Grade 9	0.4%	0.6%	1.3%	98.7%
	Grade 10	0.3%	0.7%	1.3%	98.7%
	Grade 11	0.3%	0.3%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Hallucinogens</b>					
	All	0.7%	1.2%	1.9%	98.1%
	Grade 7	0.4%	0.6%	0.8%	99.2%
	Grade 8	0.8%	1.1%	2.0%	98.0%
	Grade 9	0.3%	0.4%	1.2%	98.8%
	Grade 10	0.7%	1.4%	2.2%	97.8%
	Grade 11	1.1%	1.8%	2.9%	97.1%
	Grade 12	1.6%	2.4%	3.2%	96.8%
<b>Uppers</b>					
	All	0.9%	1.2%	2.0%	98.0%
	Grade 7	0.1%	0.2%	0.8%	99.2%
	Grade 8	0.7%	0.9%	1.3%	98.7%
	Grade 9	1.2%	1.3%	2.5%	97.5%
	Grade 10	0.8%	1.1%	2.1%	97.9%
	Grade 11	1.9%	2.2%	3.3%	96.7%
	Grade 12	1.3%	2.3%	3.5%	96.5%
<b>Downers</b>					
	All	1.0%	1.4%	2.3%	97.7%
	Grade 7	0.3%	0.3%	1.0%	99.0%
	Grade 8	0.9%	0.9%	1.1%	98.9%
	Grade 9	1.0%	1.5%	2.9%	97.1%
	Grade 10	1.5%	1.7%	3.1%	96.9%
	Grade 11	2.3%	3.0%	4.6%	95.4%
	Grade 12	1.0%	1.8%	3.0%	97.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B7: Prevalence and recency of use of selected substances by grade**  
**Students reporting A grades**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	0.8%	1.2%	2.2%	97.8%
	Grade 7	0.1%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.7%	1.6%	98.4%
	Grade 9	1.7%	2.3%	3.3%	96.7%
	Grade 10	0.8%	1.4%	2.2%	97.8%
	Grade 11	0.4%	1.0%	2.7%	97.3%
	Grade 12	1.0%	1.6%	3.4%	96.6%
<b>Steroids</b>					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.1%	0.2%	0.7%	99.3%
	Grade 8	0.3%	0.7%	1.4%	98.6%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.6%	0.6%	1.4%	98.6%
	Grade 11	0.5%	0.7%	1.1%	98.9%
	Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Ecstasy</b>					
	All	1.0%	1.4%	2.3%	97.7%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.9%	1.1%	1.8%	98.2%
	Grade 9	0.8%	1.0%	1.8%	98.2%
	Grade 10	1.5%	2.4%	3.2%	96.8%
	Grade 11	1.9%	2.3%	4.0%	96.0%
	Grade 12	1.7%	2.3%	4.4%	95.6%
<b>Heroin</b>					
	All	0.4%	0.4%	0.9%	99.1%
	Grade 7	0.2%	0.3%	1.0%	99.0%
	Grade 8	0.6%	0.6%	1.3%	98.7%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.3%	0.5%	0.9%	99.1%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.9%	0.9%	1.1%	98.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade**  
**Students reporting grades lower than A**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.1%	20.6%	36.0%	64.0%
	<b>Grade 7</b>	6.4%	8.9%	20.4%	79.6%
	<b>Grade 8</b>	9.1%	13.1%	27.1%	72.9%
	<b>Grade 9</b>	13.8%	19.7%	35.0%	65.0%
	<b>Grade 10</b>	17.9%	24.1%	42.4%	57.6%
	<b>Grade 11</b>	22.9%	30.0%	46.6%	53.4%
	<b>Grade 12</b>	25.6%	34.6%	52.1%	47.9%
<b>Alcohol</b>					
	<b>All</b>	32.4%	42.1%	62.6%	37.4%
	<b>Grade 7</b>	18.4%	23.3%	45.6%	54.4%
	<b>Grade 8</b>	25.0%	33.1%	56.4%	43.6%
	<b>Grade 9</b>	32.5%	42.9%	62.9%	37.1%
	<b>Grade 10</b>	39.5%	50.8%	71.0%	29.0%
	<b>Grade 11</b>	39.5%	51.8%	70.7%	29.3%
	<b>Grade 12</b>	45.1%	57.4%	74.2%	25.8%
<b>Inhalants</b>					
	<b>All</b>	4.2%	6.2%	11.5%	88.5%
	<b>Grade 7</b>	5.0%	7.2%	12.9%	87.1%
	<b>Grade 8</b>	4.0%	6.1%	11.3%	88.7%
	<b>Grade 9</b>	3.8%	6.3%	11.7%	88.3%
	<b>Grade 10</b>	4.3%	6.3%	12.4%	87.6%
	<b>Grade 11</b>	4.3%	5.9%	10.8%	89.2%
	<b>Grade 12</b>	3.5%	5.4%	9.2%	90.8%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.0%	17.7%	27.0%	73.0%
	<b>Grade 7</b>	6.6%	8.5%	13.7%	86.3%
	<b>Grade 8</b>	10.0%	13.3%	20.4%	79.6%
	<b>Grade 9</b>	13.5%	18.9%	26.9%	73.1%
	<b>Grade 10</b>	15.8%	21.3%	32.8%	67.2%
	<b>Grade 11</b>	16.3%	23.0%	35.4%	64.6%
	<b>Grade 12</b>	18.0%	23.6%	37.8%	62.2%
<b>Marijuana</b>					
	<b>All</b>	10.5%	15.1%	24.0%	76.0%
	<b>Grade 7</b>	4.3%	6.0%	10.4%	89.6%
	<b>Grade 8</b>	7.8%	10.8%	16.9%	83.1%
	<b>Grade 9</b>	10.6%	15.8%	23.9%	76.1%
	<b>Grade 10</b>	13.3%	18.8%	30.0%	70.0%
	<b>Grade 11</b>	13.5%	20.4%	32.3%	67.7%
	<b>Grade 12</b>	15.6%	21.2%	35.5%	64.5%
<b>Marijuana Only</b>					
	<b>All</b>	3.3%	5.1%	10.0%	90.0%
	<b>Grade 7</b>	1.3%	1.9%	4.4%	95.6%
	<b>Grade 8</b>	3.0%	4.1%	8.0%	92.0%
	<b>Grade 9</b>	3.3%	5.0%	9.1%	90.9%
	<b>Grade 10</b>	3.6%	6.0%	12.0%	88.0%
	<b>Grade 11</b>	3.9%	7.2%	14.0%	86.0%
	<b>Grade 12</b>	5.4%	8.0%	15.1%	84.9%



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade**  
**Students reporting grades lower than A**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	4.2%	6.4%	11.1%	88.9%
	Grade 7	1.9%	3.0%	5.0%	95.0%
	Grade 8	2.7%	4.1%	7.2%	92.8%
	Grade 9	4.7%	7.3%	11.6%	88.4%
	Grade 10	4.5%	7.4%	13.1%	86.9%
	Grade 11	6.0%	8.5%	15.4%	84.6%
	Grade 12	6.0%	8.9%	16.9%	83.1%
<b>Cocaine</b>					
	All	3.9%	6.0%	10.7%	89.3%
	Grade 7	1.5%	2.4%	4.2%	95.8%
	Grade 8	2.4%	3.7%	6.6%	93.4%
	Grade 9	4.3%	6.8%	11.0%	89.0%
	Grade 10	4.3%	7.1%	12.9%	87.1%
	Grade 11	5.9%	8.4%	15.3%	84.7%
	Grade 12	5.9%	8.8%	16.7%	83.3%
<b>Crack</b>					
	All	0.8%	1.4%	2.7%	97.3%
	Grade 7	0.9%	1.5%	2.5%	97.5%
	Grade 8	1.2%	1.7%	2.8%	97.2%
	Grade 9	0.9%	1.5%	3.2%	96.8%
	Grade 10	0.7%	1.3%	2.8%	97.2%
	Grade 11	0.4%	0.9%	2.0%	98.0%
	Grade 12	0.9%	1.5%	2.5%	97.5%
<b>Hallucinogens</b>					
	All	1.4%	2.0%	3.5%	96.5%
	Grade 7	0.9%	1.1%	1.7%	98.3%
	Grade 8	1.2%	1.6%	2.7%	97.3%
	Grade 9	1.3%	2.1%	3.8%	96.2%
	Grade 10	1.7%	2.4%	4.5%	95.5%
	Grade 11	1.7%	2.4%	4.1%	95.9%
	Grade 12	1.8%	2.7%	4.9%	95.1%
<b>Uppers</b>					
	All	1.9%	2.7%	4.3%	95.7%
	Grade 7	0.7%	0.9%	1.7%	98.3%
	Grade 8	1.1%	1.8%	2.8%	97.2%
	Grade 9	1.8%	2.6%	4.1%	95.9%
	Grade 10	2.5%	3.6%	5.3%	94.7%
	Grade 11	3.1%	4.2%	6.3%	93.7%
	Grade 12	3.1%	4.0%	6.5%	93.5%
<b>Downers</b>					
	All	2.5%	3.6%	5.3%	94.7%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.3%	2.0%	2.9%	97.1%
	Grade 9	2.7%	3.9%	6.0%	94.0%
	Grade 10	3.6%	5.1%	7.3%	92.7%
	Grade 11	3.6%	4.9%	7.1%	92.9%
	Grade 12	3.7%	4.8%	8.2%	91.8%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B8: Prevalence and recency of use of selected substances by grade**  
**Students reporting grades lower than A**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	2.9%	4.2%	7.1%	92.9%
	Grade 7	1.4%	2.0%	3.3%	96.7%
	Grade 8	2.3%	3.2%	5.0%	95.0%
	Grade 9	3.5%	5.4%	8.3%	91.7%
	Grade 10	3.6%	5.2%	9.0%	91.0%
	Grade 11	3.1%	4.8%	8.3%	91.7%
	Grade 12	3.2%	4.3%	8.6%	91.4%
<b>Steroids</b>					
	All	0.4%	0.6%	1.0%	99.0%
	Grade 7	0.6%	0.7%	1.5%	98.5%
	Grade 8	0.4%	0.6%	1.0%	99.0%
	Grade 9	0.3%	0.5%	0.7%	99.3%
	Grade 10	0.4%	0.5%	1.0%	99.0%
	Grade 11	0.3%	0.5%	1.1%	98.9%
	Grade 12	0.3%	0.7%	1.0%	99.0%
<b>Ecstasy</b>					
	All	1.9%	2.8%	4.7%	95.3%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	1.1%	1.6%	2.4%	97.6%
	Grade 9	1.5%	2.6%	4.9%	95.1%
	Grade 10	2.8%	4.1%	6.7%	93.3%
	Grade 11	2.8%	3.8%	6.3%	93.7%
	Grade 12	3.2%	4.4%	7.6%	92.4%
<b>Heroin</b>					
	All	0.6%	0.8%	1.4%	98.6%
	Grade 7	0.9%	1.2%	2.2%	97.8%
	Grade 8	0.5%	0.8%	1.5%	98.5%
	Grade 9	0.6%	0.8%	1.2%	98.8%
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.6%	0.6%	1.1%	98.9%
	Grade 12	0.4%	0.6%	1.1%	98.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade**  
**Students living with two parents**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	11.8%	16.1%	28.9%	71.1%
	<b>Grade 7</b>	4.7%	6.4%	15.0%	85.0%
	<b>Grade 8</b>	6.7%	9.1%	20.6%	79.4%
	<b>Grade 9</b>	10.4%	14.7%	27.2%	72.8%
	<b>Grade 10</b>	14.0%	19.1%	34.7%	65.3%
	<b>Grade 11</b>	19.6%	25.6%	40.6%	59.4%
	<b>Grade 12</b>	22.6%	30.6%	46.7%	53.3%
<b>Alcohol</b>					
	<b>All</b>	28.1%	37.1%	57.0%	43.0%
	<b>Grade 7</b>	15.8%	20.2%	41.2%	58.8%
	<b>Grade 8</b>	21.3%	28.4%	51.1%	48.9%
	<b>Grade 9</b>	28.0%	37.6%	56.7%	43.3%
	<b>Grade 10</b>	34.4%	45.6%	64.8%	35.2%
	<b>Grade 11</b>	36.0%	47.3%	66.4%	33.6%
	<b>Grade 12</b>	42.1%	54.1%	71.2%	28.8%
<b>Inhalants</b>					
	<b>All</b>	3.6%	5.1%	9.4%	90.6%
	<b>Grade 7</b>	4.2%	5.7%	10.6%	89.4%
	<b>Grade 8</b>	3.6%	5.3%	9.2%	90.8%
	<b>Grade 9</b>	3.0%	4.7%	8.8%	91.2%
	<b>Grade 10</b>	3.9%	5.3%	10.4%	89.6%
	<b>Grade 11</b>	3.7%	5.2%	9.3%	90.7%
	<b>Grade 12</b>	2.8%	4.3%	7.9%	92.1%
<b>Any Illicit Drug</b>					
	<b>All</b>	9.6%	13.0%	20.0%	80.0%
	<b>Grade 7</b>	4.7%	5.9%	9.2%	90.8%
	<b>Grade 8</b>	6.4%	8.7%	13.3%	86.7%
	<b>Grade 9</b>	9.2%	13.1%	19.6%	80.4%
	<b>Grade 10</b>	11.9%	16.0%	25.1%	74.9%
	<b>Grade 11</b>	13.9%	19.1%	29.3%	70.7%
	<b>Grade 12</b>	15.2%	20.3%	32.0%	68.0%
<b>Marijuana</b>					
	<b>All</b>	7.5%	10.8%	17.6%	82.4%
	<b>Grade 7</b>	3.0%	4.0%	6.8%	93.2%
	<b>Grade 8</b>	4.9%	6.7%	11.0%	89.0%
	<b>Grade 9</b>	7.1%	10.9%	16.9%	83.1%
	<b>Grade 10</b>	9.1%	13.2%	22.4%	77.6%
	<b>Grade 11</b>	11.1%	16.8%	26.5%	73.5%
	<b>Grade 12</b>	13.1%	18.3%	29.9%	70.1%
<b>Marijuana Only</b>					
	<b>All</b>	2.5%	4.0%	7.8%	92.2%
	<b>Grade 7</b>	0.9%	1.2%	2.8%	97.2%
	<b>Grade 8</b>	1.9%	2.6%	5.2%	94.8%
	<b>Grade 9</b>	2.3%	3.9%	6.9%	93.1%
	<b>Grade 10</b>	2.9%	4.6%	10.1%	89.9%
	<b>Grade 11</b>	3.7%	6.4%	11.8%	88.2%
	<b>Grade 12</b>	4.6%	7.8%	14.1%	85.9%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	3.1%	4.5%	7.8%	92.2%
	<b>Grade 7</b>	1.3%	2.0%	3.4%	96.6%
	<b>Grade 8</b>	2.1%	3.0%	4.7%	95.3%
	<b>Grade 9</b>	3.3%	4.7%	7.8%	92.2%
	<b>Grade 10</b>	3.4%	5.9%	9.4%	90.6%
	<b>Grade 11</b>	4.7%	6.6%	12.1%	87.9%
	<b>Grade 12</b>	4.6%	6.7%	12.8%	87.2%
<b>Cocaine</b>					
	<b>All</b>	2.9%	4.2%	7.5%	92.5%
	<b>Grade 7</b>	1.0%	1.6%	2.7%	97.3%
	<b>Grade 8</b>	1.8%	2.7%	4.4%	95.6%
	<b>Grade 9</b>	3.0%	4.3%	7.4%	92.6%
	<b>Grade 10</b>	3.2%	5.5%	9.2%	90.8%
	<b>Grade 11</b>	4.7%	6.6%	12.0%	88.0%
	<b>Grade 12</b>	4.6%	6.6%	12.7%	87.3%
<b>Crack</b>					
	<b>All</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 7</b>	0.5%	1.0%	1.7%	98.3%
	<b>Grade 8</b>	1.1%	1.3%	1.9%	98.1%
	<b>Grade 9</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 10</b>	0.6%	1.1%	2.2%	97.8%
	<b>Grade 11</b>	0.3%	0.5%	1.4%	98.6%
	<b>Grade 12</b>	0.7%	1.1%	2.0%	98.0%
<b>Hallucinogens</b>					
	<b>All</b>	1.1%	1.5%	2.6%	97.4%
	<b>Grade 7</b>	0.6%	0.8%	1.1%	98.9%
	<b>Grade 8</b>	1.1%	1.3%	2.1%	97.9%
	<b>Grade 9</b>	0.8%	1.2%	2.3%	97.7%
	<b>Grade 10</b>	1.2%	1.8%	3.4%	96.6%
	<b>Grade 11</b>	1.4%	1.9%	3.5%	96.5%
	<b>Grade 12</b>	1.6%	2.3%	4.1%	95.9%
<b>Uppers</b>					
	<b>All</b>	1.4%	2.0%	3.1%	96.9%
	<b>Grade 7</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 8</b>	0.7%	1.2%	1.8%	98.2%
	<b>Grade 9</b>	1.4%	2.0%	3.0%	97.0%
	<b>Grade 10</b>	1.9%	2.6%	4.0%	96.0%
	<b>Grade 11</b>	2.5%	3.4%	5.2%	94.8%
	<b>Grade 12</b>	2.5%	3.4%	5.4%	94.6%
<b>Downers</b>					
	<b>All</b>	1.8%	2.4%	3.7%	96.3%
	<b>Grade 7</b>	0.5%	0.6%	1.1%	98.9%
	<b>Grade 8</b>	0.9%	1.3%	1.8%	98.2%
	<b>Grade 9</b>	1.9%	2.6%	3.9%	96.1%
	<b>Grade 10</b>	2.6%	3.5%	5.2%	94.8%
	<b>Grade 11</b>	2.7%	3.8%	5.4%	94.6%
	<b>Grade 12</b>	2.8%	3.8%	6.2%	93.8%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B9: Prevalence and recency of use of selected substances by grade**  
**Students living with two parents**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	1.9%	2.8%	4.8%	95.2%
	<b>Grade 7</b>	0.9%	1.3%	2.0%	98.0%
	<b>Grade 8</b>	1.5%	1.9%	3.0%	97.0%
	<b>Grade 9</b>	2.5%	3.6%	5.8%	94.2%
	<b>Grade 10</b>	2.5%	3.8%	6.1%	93.9%
	<b>Grade 11</b>	2.0%	3.4%	6.5%	93.5%
	<b>Grade 12</b>	2.2%	3.1%	6.5%	93.5%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.5%	0.9%	99.1%
	<b>Grade 7</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 8</b>	0.3%	0.6%	0.9%	99.1%
	<b>Grade 9</b>	0.3%	0.4%	0.6%	99.4%
	<b>Grade 10</b>	0.4%	0.6%	1.1%	98.9%
	<b>Grade 11</b>	0.3%	0.5%	0.9%	99.1%
	<b>Grade 12</b>	0.3%	0.4%	0.6%	99.4%
<b>Ecstasy</b>					
	<b>All</b>	1.3%	1.9%	3.2%	96.8%
	<b>Grade 7</b>	0.4%	0.6%	1.0%	99.0%
	<b>Grade 8</b>	0.9%	1.1%	1.7%	98.3%
	<b>Grade 9</b>	0.9%	1.6%	3.2%	96.8%
	<b>Grade 10</b>	2.2%	3.2%	4.8%	95.2%
	<b>Grade 11</b>	2.1%	2.7%	4.3%	95.7%
	<b>Grade 12</b>	2.4%	3.4%	5.8%	94.2%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 8</b>	0.6%	0.8%	1.3%	98.7%
	<b>Grade 9</b>	0.4%	0.5%	0.7%	99.3%
	<b>Grade 10</b>	0.8%	0.9%	1.4%	98.6%
	<b>Grade 11</b>	0.6%	0.6%	1.2%	98.8%
	<b>Grade 12</b>	0.2%	0.4%	0.6%	99.4%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade**  
**Students not living with two parents**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	16.4%	23.0%	41.2%	58.8%
	<b>Grade 7</b>	6.4%	9.5%	23.1%	76.9%
	<b>Grade 8</b>	10.1%	15.5%	31.9%	68.1%
	<b>Grade 9</b>	16.3%	23.8%	42.1%	57.9%
	<b>Grade 10</b>	19.6%	26.8%	47.9%	52.1%
	<b>Grade 11</b>	24.5%	32.7%	52.3%	47.7%
	<b>Grade 12</b>	25.5%	33.9%	54.6%	45.4%
<b>Alcohol</b>					
	<b>All</b>	33.4%	44.3%	66.8%	33.2%
	<b>Grade 7</b>	18.3%	23.8%	49.4%	50.6%
	<b>Grade 8</b>	24.5%	34.2%	60.0%	40.0%
	<b>Grade 9</b>	34.3%	46.0%	67.4%	32.6%
	<b>Grade 10</b>	40.7%	52.6%	75.2%	24.8%
	<b>Grade 11</b>	42.1%	56.6%	76.7%	23.3%
	<b>Grade 12</b>	44.2%	57.0%	75.2%	24.8%
<b>Inhalants</b>					
	<b>All</b>	4.2%	6.7%	13.0%	87.0%
	<b>Grade 7</b>	4.5%	7.2%	13.8%	86.2%
	<b>Grade 8</b>	3.7%	6.1%	12.6%	87.4%
	<b>Grade 9</b>	4.7%	8.0%	14.7%	85.3%
	<b>Grade 10</b>	4.0%	6.6%	13.8%	86.2%
	<b>Grade 11</b>	4.4%	5.9%	11.6%	88.4%
	<b>Grade 12</b>	4.0%	5.7%	10.0%	90.0%
<b>Any Illicit Drug</b>					
	<b>All</b>	15.5%	21.0%	32.0%	68.0%
	<b>Grade 7</b>	7.0%	9.4%	16.8%	83.2%
	<b>Grade 8</b>	12.4%	16.4%	25.0%	75.0%
	<b>Grade 9</b>	17.7%	24.3%	33.4%	66.6%
	<b>Grade 10</b>	19.0%	25.5%	38.9%	61.1%
	<b>Grade 11</b>	17.9%	25.7%	40.0%	60.0%
	<b>Grade 12</b>	18.7%	25.1%	40.9%	59.1%
<b>Marijuana</b>					
	<b>All</b>	12.9%	18.1%	28.6%	71.4%
	<b>Grade 7</b>	4.5%	6.6%	12.8%	87.2%
	<b>Grade 8</b>	9.4%	13.6%	20.5%	79.5%
	<b>Grade 9</b>	14.4%	20.1%	30.1%	69.9%
	<b>Grade 10</b>	17.2%	23.7%	36.0%	64.0%
	<b>Grade 11</b>	15.8%	22.9%	36.8%	63.2%
	<b>Grade 12</b>	16.3%	22.6%	38.4%	61.6%
<b>Marijuana Only</b>					
	<b>All</b>	3.7%	5.7%	11.3%	88.7%
	<b>Grade 7</b>	1.3%	2.0%	5.5%	94.5%
	<b>Grade 8</b>	3.4%	4.9%	9.3%	90.7%
	<b>Grade 9</b>	4.2%	5.5%	10.6%	89.4%
	<b>Grade 10</b>	4.0%	7.2%	13.3%	86.7%
	<b>Grade 11</b>	4.0%	7.5%	15.6%	84.4%
	<b>Grade 12</b>	5.9%	8.0%	15.5%	84.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade**  
**Students not living with two parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	4.8%	7.6%	13.6%	86.4%
	Grade 7	2.3%	3.6%	6.2%	93.8%
	Grade 8	3.1%	4.6%	8.7%	91.3%
	Grade 9	5.8%	10.0%	15.7%	84.3%
	Grade 10	5.4%	8.1%	16.1%	83.9%
	Grade 11	7.1%	10.2%	17.8%	82.2%
	Grade 12	5.5%	9.1%	17.7%	82.3%
<b>Cocaine</b>					
	All	4.6%	7.3%	13.0%	87.0%
	Grade 7	1.8%	3.2%	5.4%	94.6%
	Grade 8	2.8%	4.1%	7.7%	92.3%
	Grade 9	5.5%	9.4%	15.0%	85.0%
	Grade 10	5.3%	8.1%	16.0%	84.0%
	Grade 11	7.0%	10.0%	17.7%	82.3%
	Grade 12	5.3%	9.1%	17.4%	82.6%
<b>Crack</b>					
	All	1.0%	1.8%	3.5%	96.5%
	Grade 7	1.1%	1.9%	3.2%	96.8%
	Grade 8	1.4%	2.1%	3.9%	96.1%
	Grade 9	1.0%	2.2%	4.8%	95.2%
	Grade 10	0.9%	1.4%	3.2%	96.8%
	Grade 11	0.5%	1.3%	2.7%	97.3%
	Grade 12	0.7%	1.3%	2.2%	97.8%
<b>Hallucinogens</b>					
	All	1.6%	2.6%	4.5%	95.5%
	Grade 7	1.0%	1.4%	2.4%	97.6%
	Grade 8	1.0%	1.8%	3.3%	96.7%
	Grade 9	1.8%	3.1%	5.6%	94.4%
	Grade 10	2.0%	3.0%	5.3%	94.7%
	Grade 11	2.0%	3.0%	4.7%	95.3%
	Grade 12	1.9%	3.1%	5.4%	94.6%
<b>Uppers</b>					
	All	2.3%	3.3%	5.2%	94.8%
	Grade 7	1.1%	1.4%	2.3%	97.7%
	Grade 8	1.5%	2.3%	3.8%	96.2%
	Grade 9	2.2%	3.6%	5.9%	94.1%
	Grade 10	2.8%	4.1%	6.2%	93.8%
	Grade 11	3.6%	4.9%	6.9%	93.1%
	Grade 12	3.1%	4.1%	6.6%	93.4%
<b>Downers</b>					
	All	3.1%	4.5%	6.8%	93.2%
	Grade 7	0.8%	1.4%	2.0%	98.0%
	Grade 8	1.6%	2.7%	3.7%	96.3%
	Grade 9	3.5%	5.6%	8.7%	91.3%
	Grade 10	4.2%	6.2%	8.8%	91.2%
	Grade 11	4.7%	6.1%	9.0%	91.0%
	Grade 12	3.8%	5.0%	8.7%	91.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B10: Prevalence and recency of use of selected substances by grade**  
**Students not living with two parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	3.6%	5.4%	8.7%	91.3%
	Grade 7	1.5%	2.4%	4.4%	95.6%
	Grade 8	2.8%	4.1%	6.4%	93.6%
	Grade 9	4.9%	7.7%	11.1%	88.9%
	Grade 10	4.2%	6.1%	10.8%	89.2%
	Grade 11	4.0%	5.8%	9.2%	90.8%
	Grade 12	3.6%	4.9%	9.4%	90.6%
<b>Steroids</b>					
	All	0.4%	0.5%	1.2%	98.8%
	Grade 7	0.2%	0.4%	1.1%	98.9%
	Grade 8	0.7%	0.8%	1.7%	98.3%
	Grade 9	0.3%	0.3%	0.7%	99.3%
	Grade 10	0.4%	0.5%	1.0%	99.0%
	Grade 11	0.4%	0.6%	1.5%	98.5%
	Grade 12	0.4%	0.9%	1.1%	98.9%
<b>Ecstasy</b>					
	All	2.5%	3.7%	6.3%	93.7%
	Grade 7	0.9%	1.1%	1.8%	98.2%
	Grade 8	1.4%	2.3%	3.4%	96.6%
	Grade 9	2.5%	4.0%	6.9%	93.1%
	Grade 10	3.4%	5.0%	8.5%	91.5%
	Grade 11	3.9%	5.3%	9.1%	90.9%
	Grade 12	3.7%	5.0%	9.0%	91.0%
<b>Heroin</b>					
	All	0.7%	0.9%	1.7%	98.3%
	Grade 7	0.9%	1.2%	2.6%	97.4%
	Grade 8	0.5%	0.6%	1.7%	98.3%
	Grade 9	0.6%	1.0%	1.7%	98.3%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.5%	0.5%	0.9%	99.1%
	Grade 12	1.2%	1.3%	1.9%	98.1%



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade**  
**Students would seek help from adults for substance abuse problems**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	11.5%	16.0%	30.1%	69.9%
	<b>Grade 7</b>	4.1%	5.8%	15.0%	85.0%
	<b>Grade 8</b>	6.0%	9.0%	21.7%	78.3%
	<b>Grade 9</b>	10.7%	15.2%	28.8%	71.2%
	<b>Grade 10</b>	13.4%	19.0%	35.5%	64.5%
	<b>Grade 11</b>	18.5%	25.3%	42.1%	57.9%
	<b>Grade 12</b>	21.3%	28.9%	46.4%	53.6%
<b>Alcohol</b>					
	<b>All</b>	28.1%	37.5%	58.8%	41.2%
	<b>Grade 7</b>	15.1%	19.4%	41.3%	58.7%
	<b>Grade 8</b>	20.2%	27.5%	52.4%	47.6%
	<b>Grade 9</b>	28.4%	38.5%	59.2%	40.8%
	<b>Grade 10</b>	34.2%	45.7%	67.1%	32.9%
	<b>Grade 11</b>	35.7%	48.0%	68.5%	31.5%
	<b>Grade 12</b>	41.7%	54.4%	71.9%	28.1%
<b>Inhalants</b>					
	<b>All</b>	2.9%	4.5%	8.8%	91.2%
	<b>Grade 7</b>	3.1%	4.8%	9.5%	90.5%
	<b>Grade 8</b>	3.0%	4.7%	9.1%	90.9%
	<b>Grade 9</b>	2.8%	4.5%	8.5%	91.5%
	<b>Grade 10</b>	3.1%	4.4%	9.6%	90.4%
	<b>Grade 11</b>	3.1%	4.6%	8.8%	91.2%
	<b>Grade 12</b>	2.1%	3.5%	7.1%	92.9%
<b>Any Illicit Drug</b>					
	<b>All</b>	9.4%	13.0%	20.7%	79.3%
	<b>Grade 7</b>	4.4%	5.6%	9.5%	90.5%
	<b>Grade 8</b>	6.0%	8.8%	14.3%	85.7%
	<b>Grade 9</b>	9.9%	13.5%	20.4%	79.6%
	<b>Grade 10</b>	11.1%	15.5%	25.2%	74.8%
	<b>Grade 11</b>	12.7%	18.0%	28.8%	71.2%
	<b>Grade 12</b>	15.1%	20.3%	32.8%	67.2%
<b>Marijuana</b>					
	<b>All</b>	7.5%	10.9%	18.1%	81.9%
	<b>Grade 7</b>	2.6%	3.6%	6.9%	93.1%
	<b>Grade 8</b>	4.4%	6.8%	11.4%	88.6%
	<b>Grade 9</b>	7.4%	11.1%	17.6%	82.4%
	<b>Grade 10</b>	9.2%	13.3%	22.8%	77.2%
	<b>Grade 11</b>	10.9%	16.2%	26.2%	73.8%
	<b>Grade 12</b>	13.1%	18.4%	30.5%	69.5%
<b>Marijuana Only</b>					
	<b>All</b>	2.6%	4.1%	8.2%	91.8%
	<b>Grade 7</b>	0.8%	1.2%	3.1%	96.9%
	<b>Grade 8</b>	1.6%	2.5%	5.5%	94.5%
	<b>Grade 9</b>	2.6%	4.0%	7.5%	92.5%
	<b>Grade 10</b>	2.5%	4.4%	9.9%	90.1%
	<b>Grade 11</b>	3.8%	6.4%	12.0%	88.0%
	<b>Grade 12</b>	5.2%	7.9%	14.7%	85.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade**  
**Students would seek help from adults for substance abuse problems**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	2.8%	4.4%	8.0%	92.0%
	<b>Grade 7</b>	1.3%	2.1%	3.6%	96.4%
	<b>Grade 8</b>	1.6%	2.7%	4.9%	95.1%
	<b>Grade 9</b>	3.3%	5.1%	8.0%	92.0%
	<b>Grade 10</b>	3.1%	5.1%	9.5%	90.5%
	<b>Grade 11</b>	3.8%	5.8%	12.0%	88.0%
	<b>Grade 12</b>	4.0%	6.3%	12.7%	87.3%
<b>Cocaine</b>					
	<b>All</b>	2.6%	4.2%	7.7%	92.3%
	<b>Grade 7</b>	1.1%	1.8%	3.1%	96.9%
	<b>Grade 8</b>	1.3%	2.4%	4.3%	95.7%
	<b>Grade 9</b>	3.1%	4.7%	7.6%	92.4%
	<b>Grade 10</b>	3.0%	5.0%	9.3%	90.7%
	<b>Grade 11</b>	3.8%	5.8%	11.9%	88.1%
	<b>Grade 12</b>	3.9%	6.2%	12.5%	87.5%
<b>Crack</b>					
	<b>All</b>	0.5%	1.0%	1.7%	98.3%
	<b>Grade 7</b>	0.5%	0.9%	1.5%	98.5%
	<b>Grade 8</b>	0.9%	1.2%	1.9%	98.1%
	<b>Grade 9</b>	0.5%	1.0%	1.8%	98.2%
	<b>Grade 10</b>	0.5%	1.0%	1.9%	98.1%
	<b>Grade 11</b>	0.3%	0.6%	1.4%	98.6%
	<b>Grade 12</b>	0.6%	1.1%	1.7%	98.3%
<b>Hallucinogens</b>					
	<b>All</b>	0.9%	1.4%	2.5%	97.5%
	<b>Grade 7</b>	0.5%	0.6%	0.9%	99.1%
	<b>Grade 8</b>	0.5%	0.8%	1.8%	98.2%
	<b>Grade 9</b>	1.1%	1.5%	2.8%	97.2%
	<b>Grade 10</b>	1.0%	1.6%	3.0%	97.0%
	<b>Grade 11</b>	1.2%	1.9%	3.2%	96.8%
	<b>Grade 12</b>	1.3%	2.1%	3.5%	96.5%
<b>Uppers</b>					
	<b>All</b>	1.3%	1.9%	3.1%	96.9%
	<b>Grade 7</b>	0.6%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.8%	1.3%	2.2%	97.8%
	<b>Grade 9</b>	1.3%	2.1%	3.2%	96.8%
	<b>Grade 10</b>	1.8%	2.3%	3.6%	96.4%
	<b>Grade 11</b>	2.0%	2.9%	4.4%	95.6%
	<b>Grade 12</b>	2.0%	2.9%	5.0%	95.0%
<b>Downers</b>					
	<b>All</b>	1.6%	2.4%	3.8%	96.2%
	<b>Grade 7</b>	0.5%	0.6%	0.9%	99.1%
	<b>Grade 8</b>	0.9%	1.3%	2.1%	97.9%
	<b>Grade 9</b>	1.9%	2.9%	4.6%	95.4%
	<b>Grade 10</b>	2.2%	3.2%	4.8%	95.2%
	<b>Grade 11</b>	2.3%	3.4%	5.1%	94.9%
	<b>Grade 12</b>	2.3%	3.3%	6.1%	93.9%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B11: Prevalence and recency of use of selected substances by grade**  
**Students would seek help from adults for substance abuse problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol</b>					
	All	1.8%	2.7%	4.8%	95.2%
	Grade 7	0.7%	1.0%	2.1%	97.9%
	Grade 8	1.2%	1.8%	3.1%	96.9%
	Grade 9	2.4%	3.6%	5.4%	94.6%
	Grade 10	2.4%	3.6%	6.3%	93.7%
	Grade 11	2.0%	3.2%	6.2%	93.8%
	Grade 12	2.1%	2.8%	6.5%	93.5%
<b>Steroids</b>					
	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.3%	0.3%	0.9%	99.1%
	Grade 8	0.2%	0.4%	0.9%	99.1%
	Grade 9	0.2%	0.3%	0.5%	99.5%
	Grade 10	0.2%	0.3%	0.9%	99.1%
	Grade 11	0.1%	0.3%	0.7%	99.3%
	Grade 12	0.1%	0.3%	0.6%	99.4%
<b>Ecstasy</b>					
	All	1.3%	1.9%	3.4%	96.6%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.5%	0.8%	1.6%	98.4%
	Grade 9	1.2%	2.1%	3.8%	96.2%
	Grade 10	2.1%	2.8%	4.8%	95.2%
	Grade 11	1.8%	2.6%	4.4%	95.6%
	Grade 12	2.2%	3.1%	5.9%	94.1%
<b>Heroin</b>					
	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.3%	0.4%	0.7%	99.3%
	Grade 10	0.3%	0.5%	0.8%	99.2%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.4%	0.5%	0.9%	99.1%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade**  
**Students wouldn't seek help from adults for substance abuse problems**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	19.0%	25.9%	41.4%	58.6%
	<b>Grade 7</b>	9.6%	13.0%	26.5%	73.5%
	<b>Grade 8</b>	12.1%	17.2%	32.3%	67.7%
	<b>Grade 9</b>	15.9%	24.0%	40.0%	60.0%
	<b>Grade 10</b>	24.7%	33.2%	50.5%	49.5%
	<b>Grade 11</b>	29.0%	36.4%	51.4%	48.6%
	<b>Grade 12</b>	31.0%	40.3%	56.8%	43.2%
<b>Alcohol</b>					
	<b>All</b>	34.7%	45.2%	64.1%	35.9%
	<b>Grade 7</b>	21.7%	27.8%	51.0%	49.0%
	<b>Grade 8</b>	29.2%	38.8%	60.1%	39.9%
	<b>Grade 9</b>	34.1%	44.9%	63.1%	36.9%
	<b>Grade 10</b>	43.5%	55.8%	72.9%	27.1%
	<b>Grade 11</b>	43.3%	55.4%	71.1%	28.9%
	<b>Grade 12</b>	42.3%	55.2%	71.4%	28.6%
<b>Inhalants</b>					
	<b>All</b>	6.8%	9.9%	16.6%	83.4%
	<b>Grade 7</b>	8.2%	11.3%	20.0%	80.0%
	<b>Grade 8</b>	6.2%	9.5%	15.4%	84.6%
	<b>Grade 9</b>	5.8%	9.6%	17.1%	82.9%
	<b>Grade 10</b>	7.9%	11.6%	18.9%	81.1%
	<b>Grade 11</b>	6.2%	7.9%	14.9%	85.1%
	<b>Grade 12</b>	7.2%	9.2%	12.3%	87.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	18.0%	23.5%	33.8%	66.2%
	<b>Grade 7</b>	9.7%	12.2%	20.0%	80.0%
	<b>Grade 8</b>	14.4%	18.0%	25.3%	74.7%
	<b>Grade 9</b>	18.4%	24.5%	33.7%	66.3%
	<b>Grade 10</b>	24.6%	31.2%	44.3%	55.7%
	<b>Grade 11</b>	21.6%	29.8%	44.9%	55.1%
	<b>Grade 12</b>	22.1%	28.8%	40.9%	59.1%
<b>Marijuana</b>					
	<b>All</b>	14.5%	19.7%	29.9%	70.1%
	<b>Grade 7</b>	6.7%	8.8%	15.1%	84.9%
	<b>Grade 8</b>	11.7%	14.8%	21.7%	78.3%
	<b>Grade 9</b>	15.1%	20.2%	29.8%	70.2%
	<b>Grade 10</b>	20.2%	27.4%	39.9%	60.1%
	<b>Grade 11</b>	17.0%	25.9%	41.3%	58.7%
	<b>Grade 12</b>	18.6%	24.9%	38.4%	61.6%
<b>Marijuana Only</b>					
	<b>All</b>	4.2%	6.4%	12.0%	88.0%
	<b>Grade 7</b>	2.0%	2.7%	5.6%	94.4%
	<b>Grade 8</b>	5.0%	6.4%	10.4%	89.6%
	<b>Grade 9</b>	3.9%	6.0%	10.8%	89.2%
	<b>Grade 10</b>	6.0%	9.0%	17.3%	82.7%
	<b>Grade 11</b>	3.4%	7.1%	16.3%	83.7%
	<b>Grade 12</b>	4.8%	8.1%	14.4%	85.6%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade**  
**Students wouldn't seek help from adults for substance abuse problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	<b>All</b>	6.6%	9.1%	14.1%	85.9%
	<b>Grade 7</b>	2.9%	4.4%	7.0%	93.0%
	<b>Grade 8</b>	4.0%	4.9%	8.2%	91.8%
	<b>Grade 9</b>	7.1%	9.5%	14.9%	85.1%
	<b>Grade 10</b>	8.1%	12.4%	18.7%	81.3%
	<b>Grade 11</b>	9.7%	13.4%	20.6%	79.4%
	<b>Grade 12</b>	9.1%	12.2%	18.5%	81.5%
<b>Cocaine</b>					
	<b>All</b>	6.1%	8.5%	13.4%	86.6%
	<b>Grade 7</b>	2.2%	3.0%	4.9%	95.1%
	<b>Grade 8</b>	3.9%	4.7%	7.8%	92.2%
	<b>Grade 9</b>	6.1%	8.9%	14.0%	86.0%
	<b>Grade 10</b>	7.4%	11.5%	18.4%	81.6%
	<b>Grade 11</b>	9.8%	13.2%	20.5%	79.5%
	<b>Grade 12</b>	9.1%	12.2%	18.4%	81.6%
<b>Crack</b>					
	<b>All</b>	1.5%	2.1%	4.1%	95.9%
	<b>Grade 7</b>	1.3%	2.2%	4.3%	95.7%
	<b>Grade 8</b>	2.1%	2.4%	4.1%	95.9%
	<b>Grade 9</b>	2.2%	2.7%	4.9%	95.1%
	<b>Grade 10</b>	1.8%	2.5%	4.9%	95.1%
	<b>Grade 11</b>	0.4%	1.1%	2.9%	97.1%
	<b>Grade 12</b>	0.7%	1.1%	2.5%	97.5%
<b>Hallucinogens</b>					
	<b>All</b>	2.3%	3.1%	5.1%	94.9%
	<b>Grade 7</b>	1.6%	1.8%	2.8%	97.2%
	<b>Grade 8</b>	2.0%	2.4%	3.3%	96.7%
	<b>Grade 9</b>	1.5%	2.8%	4.9%	95.1%
	<b>Grade 10</b>	3.5%	4.5%	7.5%	92.5%
	<b>Grade 11</b>	3.1%	4.0%	6.1%	93.9%
	<b>Grade 12</b>	2.8%	4.2%	7.4%	92.6%
<b>Uppers</b>					
	<b>All</b>	3.2%	4.0%	5.8%	94.2%
	<b>Grade 7</b>	0.7%	1.1%	2.2%	97.8%
	<b>Grade 8</b>	1.6%	2.2%	3.0%	97.0%
	<b>Grade 9</b>	2.8%	3.3%	4.9%	95.1%
	<b>Grade 10</b>	4.4%	6.3%	8.4%	91.6%
	<b>Grade 11</b>	5.6%	7.0%	10.2%	89.8%
	<b>Grade 12</b>	5.5%	6.3%	9.0%	91.0%
<b>Downers</b>					
	<b>All</b>	4.1%	5.4%	7.4%	92.6%
	<b>Grade 7</b>	1.2%	1.6%	2.9%	97.1%
	<b>Grade 8</b>	2.0%	2.8%	3.5%	96.5%
	<b>Grade 9</b>	3.8%	5.2%	7.2%	92.8%
	<b>Grade 10</b>	6.9%	9.9%	12.3%	87.7%
	<b>Grade 11</b>	5.5%	7.4%	10.9%	89.1%
	<b>Grade 12</b>	6.6%	7.4%	10.7%	89.3%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B12: Prevalence and recency of use of selected substances by grade**  
**Students wouldn't seek help from adults for substance abuse problems**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	4.6%	6.4%	9.5%	90.5%
	<b>Grade 7</b>	2.5%	2.6%	4.8%	95.2%
	<b>Grade 8</b>	4.3%	5.2%	6.9%	93.1%
	<b>Grade 9</b>	5.2%	7.9%	11.2%	88.8%
	<b>Grade 10</b>	6.0%	8.5%	11.9%	88.1%
	<b>Grade 11</b>	4.2%	6.9%	11.9%	88.1%
	<b>Grade 12</b>	5.3%	6.9%	11.2%	88.8%
<b>Steroids</b>					
	<b>All</b>	1.0%	1.3%	1.8%	98.2%
	<b>Grade 7</b>	1.1%	1.3%	2.5%	97.5%
	<b>Grade 8</b>	1.2%	1.6%	2.4%	97.6%
	<b>Grade 9</b>	0.5%	0.6%	0.8%	99.2%
	<b>Grade 10</b>	1.4%	1.7%	2.4%	97.6%
	<b>Grade 11</b>	1.3%	1.9%	2.4%	97.6%
	<b>Grade 12</b>	0.8%	0.8%	0.8%	99.2%
<b>Ecstasy</b>					
	<b>All</b>	3.1%	4.2%	6.4%	93.6%
	<b>Grade 7</b>	1.1%	1.5%	2.7%	97.3%
	<b>Grade 8</b>	2.5%	3.4%	4.4%	95.6%
	<b>Grade 9</b>	2.3%	3.0%	5.3%	94.7%
	<b>Grade 10</b>	4.4%	7.0%	9.6%	90.4%
	<b>Grade 11</b>	4.8%	6.3%	10.3%	89.7%
	<b>Grade 12</b>	4.7%	5.9%	8.8%	91.2%
<b>Heroin</b>					
	<b>All</b>	1.3%	1.6%	2.7%	97.3%
	<b>Grade 7</b>	0.9%	1.2%	3.2%	96.8%
	<b>Grade 8</b>	1.3%	1.8%	3.0%	97.0%
	<b>Grade 9</b>	1.3%	1.8%	2.6%	97.4%
	<b>Grade 10</b>	1.6%	1.8%	3.0%	97.0%
	<b>Grade 11</b>	1.3%	1.4%	2.4%	97.6%
	<b>Grade 12</b>	1.1%	1.2%	1.5%	98.5%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade**  
**Students living in town three years or less**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	14.0%	18.7%	34.5%	65.5%
	<b>Grade 7</b>	5.8%	7.7%	18.6%	81.4%
	<b>Grade 8</b>	9.8%	13.4%	26.9%	73.1%
	<b>Grade 9</b>	15.4%	20.8%	36.6%	63.4%
	<b>Grade 10</b>	16.4%	22.3%	42.3%	57.7%
	<b>Grade 11</b>	23.1%	29.3%	47.4%	52.6%
	<b>Grade 12</b>	24.4%	33.7%	56.5%	43.5%
<b>Alcohol</b>					
	<b>All</b>	29.8%	38.4%	58.5%	41.5%
	<b>Grade 7</b>	17.0%	20.8%	42.1%	57.9%
	<b>Grade 8</b>	24.7%	31.7%	54.6%	45.4%
	<b>Grade 9</b>	30.4%	40.7%	59.0%	41.0%
	<b>Grade 10</b>	36.6%	47.6%	68.2%	31.8%
	<b>Grade 11</b>	40.5%	51.5%	69.6%	30.4%
	<b>Grade 12</b>	47.4%	58.5%	75.9%	24.1%
<b>Inhalants</b>					
	<b>All</b>	4.3%	6.1%	11.4%	88.6%
	<b>Grade 7</b>	4.7%	6.2%	11.4%	88.6%
	<b>Grade 8</b>	3.9%	5.8%	11.7%	88.3%
	<b>Grade 9</b>	4.2%	6.1%	11.3%	88.7%
	<b>Grade 10</b>	3.7%	6.1%	12.3%	87.7%
	<b>Grade 11</b>	6.3%	7.4%	10.9%	89.1%
	<b>Grade 12</b>	1.6%	2.8%	9.2%	90.8%
<b>Any Illicit Drug</b>					
	<b>All</b>	12.8%	16.7%	25.1%	74.9%
	<b>Grade 7</b>	6.5%	8.2%	13.0%	87.0%
	<b>Grade 8</b>	11.7%	14.6%	21.0%	79.0%
	<b>Grade 9</b>	13.6%	19.1%	26.5%	73.5%
	<b>Grade 10</b>	14.8%	19.0%	32.1%	67.9%
	<b>Grade 11</b>	19.5%	24.4%	34.6%	65.4%
	<b>Grade 12</b>	14.5%	18.3%	34.1%	65.9%
<b>Marijuana</b>					
	<b>All</b>	10.1%	14.0%	22.0%	78.0%
	<b>Grade 7</b>	4.3%	5.7%	9.8%	90.2%
	<b>Grade 8</b>	8.7%	11.4%	17.3%	82.7%
	<b>Grade 9</b>	10.4%	15.6%	23.4%	76.6%
	<b>Grade 10</b>	13.0%	17.5%	28.9%	71.1%
	<b>Grade 11</b>	15.9%	21.6%	31.9%	68.1%
	<b>Grade 12</b>	12.9%	17.6%	32.8%	67.2%
<b>Marijuana Only</b>					
	<b>All</b>	3.0%	4.4%	8.4%	91.6%
	<b>Grade 7</b>	1.6%	1.9%	4.6%	95.4%
	<b>Grade 8</b>	3.3%	4.3%	7.9%	92.1%
	<b>Grade 9</b>	3.0%	4.3%	8.0%	92.0%
	<b>Grade 10</b>	2.9%	5.1%	10.7%	89.3%
	<b>Grade 11</b>	4.4%	6.9%	11.2%	88.8%
	<b>Grade 12</b>	5.5%	6.9%	12.8%	87.2%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade**  
**Students living in town three years or less**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.9%	6.1%	10.8%	89.2%
	Grade 7	1.3%	2.5%	4.5%	95.5%
	Grade 8	3.3%	4.6%	7.2%	92.8%
	Grade 9	4.5%	7.5%	12.7%	87.3%
	Grade 10	4.4%	7.5%	14.2%	85.8%
	Grade 11	6.9%	9.3%	15.8%	84.2%
	Grade 12	4.1%	6.6%	16.3%	83.7%
<b>Cocaine</b>					
	All	3.7%	5.9%	10.4%	89.6%
	Grade 7	1.1%	2.3%	4.0%	96.0%
	Grade 8	2.7%	4.0%	6.6%	93.4%
	Grade 9	4.4%	7.3%	12.4%	87.6%
	Grade 10	4.3%	7.2%	13.9%	86.1%
	Grade 11	6.8%	9.3%	15.7%	84.3%
	Grade 12	4.1%	6.4%	16.2%	83.8%
<b>Crack</b>					
	All	0.9%	1.5%	3.2%	96.8%
	Grade 7	0.6%	1.1%	2.0%	98.0%
	Grade 8	1.8%	2.4%	4.0%	96.0%
	Grade 9	0.7%	1.6%	4.0%	96.0%
	Grade 10	1.1%	1.7%	3.4%	96.6%
	Grade 11	0.2%	0.8%	2.4%	97.6%
	Grade 12	0.5%	1.3%	2.4%	97.6%
<b>Hallucinogens</b>					
	All	1.6%	2.3%	3.8%	96.2%
	Grade 7	1.0%	1.4%	2.0%	98.0%
	Grade 8	1.8%	2.0%	2.8%	97.2%
	Grade 9	1.5%	2.5%	3.9%	96.1%
	Grade 10	1.4%	2.6%	5.5%	94.5%
	Grade 11	2.5%	3.2%	4.9%	95.1%
	Grade 12	1.9%	2.9%	5.4%	94.6%
<b>Uppers</b>					
	All	2.2%	3.0%	4.7%	95.3%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	1.8%	2.5%	3.8%	96.2%
	Grade 9	2.4%	3.5%	5.4%	94.6%
	Grade 10	2.7%	3.7%	6.2%	93.8%
	Grade 11	4.5%	5.9%	7.5%	92.5%
	Grade 12	0.9%	1.3%	6.4%	93.6%
<b>Downers</b>					
	All	2.3%	3.5%	5.2%	94.8%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	1.4%	2.2%	3.1%	96.9%
	Grade 9	2.8%	4.5%	6.7%	93.3%
	Grade 10	2.6%	4.7%	7.3%	92.7%
	Grade 11	4.9%	6.3%	8.0%	92.0%
	Grade 12	1.9%	2.3%	7.7%	92.3%



**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B13: Prevalence and recency of use of selected substances by grade**  
**Students living in town three years or less**  
(Continued)

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	2.9%	4.3%	7.3%	92.7%
	<b>Grade 7</b>	1.0%	1.5%	2.6%	97.4%
	<b>Grade 8</b>	3.2%	4.7%	6.0%	94.0%
	<b>Grade 9</b>	3.4%	5.4%	9.1%	90.9%
	<b>Grade 10</b>	3.7%	5.3%	10.3%	89.7%
	<b>Grade 11</b>	3.7%	5.9%	9.2%	90.8%
	<b>Grade 12</b>	1.9%	2.1%	7.2%	92.8%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.3%	0.3%	1.0%	99.0%
	<b>Grade 8</b>	0.8%	1.3%	1.7%	98.3%
	<b>Grade 9</b>	0.4%	0.7%	1.0%	99.0%
	<b>Grade 10</b>	0.2%	0.3%	1.2%	98.8%
	<b>Grade 11</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 12</b>	0.2%	0.5%	0.7%	99.3%
<b>Ecstasy</b>					
	<b>All</b>	2.1%	3.0%	5.3%	94.7%
	<b>Grade 7</b>	0.5%	0.6%	1.3%	98.7%
	<b>Grade 8</b>	2.0%	2.8%	3.5%	96.5%
	<b>Grade 9</b>	1.8%	3.4%	6.7%	93.3%
	<b>Grade 10</b>	3.1%	4.5%	7.8%	92.2%
	<b>Grade 11</b>	4.2%	4.9%	7.8%	92.2%
	<b>Grade 12</b>	0.5%	1.0%	6.0%	94.0%
<b>Heroin</b>					
	<b>All</b>	0.8%	1.1%	1.8%	98.2%
	<b>Grade 7</b>	0.9%	1.4%	2.1%	97.9%
	<b>Grade 8</b>	1.0%	1.3%	2.2%	97.8%
	<b>Grade 9</b>	0.7%	0.9%	1.6%	98.4%
	<b>Grade 10</b>	0.4%	0.6%	1.7%	98.3%
	<b>Grade 11</b>	1.2%	1.3%	2.0%	98.0%
	<b>Grade 12</b>	0.2%	0.3%	0.9%	99.1%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade**  
**Students living in town more than three years**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.3%	18.5%	32.7%	67.3%
	<b>Grade 7</b>	5.1%	7.3%	17.2%	82.8%
	<b>Grade 8</b>	7.2%	10.6%	23.5%	76.5%
	<b>Grade 9</b>	11.2%	16.8%	30.8%	69.2%
	<b>Grade 10</b>	16.1%	22.1%	38.6%	61.4%
	<b>Grade 11</b>	20.8%	27.8%	43.5%	56.5%
	<b>Grade 12</b>	23.4%	31.5%	48.7%	51.3%
<b>Alcohol</b>					
	<b>All</b>	29.9%	39.9%	61.0%	39.0%
	<b>Grade 7</b>	16.4%	21.5%	44.5%	55.5%
	<b>Grade 8</b>	21.6%	29.8%	54.1%	45.9%
	<b>Grade 9</b>	30.1%	40.7%	61.2%	38.8%
	<b>Grade 10</b>	36.8%	48.3%	68.8%	31.2%
	<b>Grade 11</b>	37.1%	50.1%	69.7%	30.3%
	<b>Grade 12</b>	41.9%	54.5%	71.9%	28.1%
<b>Inhalants</b>					
	<b>All</b>	3.6%	5.5%	10.3%	89.7%
	<b>Grade 7</b>	4.2%	6.3%	11.8%	88.2%
	<b>Grade 8</b>	3.5%	5.4%	9.7%	90.3%
	<b>Grade 9</b>	3.4%	5.7%	10.7%	89.3%
	<b>Grade 10</b>	4.0%	5.7%	11.3%	88.7%
	<b>Grade 11</b>	3.2%	4.9%	9.8%	90.2%
	<b>Grade 12</b>	3.4%	4.9%	8.5%	91.5%
<b>Any Illicit Drug</b>					
	<b>All</b>	11.1%	15.4%	23.7%	76.3%
	<b>Grade 7</b>	5.0%	6.5%	11.0%	89.0%
	<b>Grade 8</b>	7.3%	10.2%	15.9%	84.1%
	<b>Grade 9</b>	11.5%	16.0%	23.3%	76.7%
	<b>Grade 10</b>	14.4%	19.6%	29.4%	70.6%
	<b>Grade 11</b>	13.8%	20.2%	32.2%	67.8%
	<b>Grade 12</b>	16.4%	22.3%	35.2%	64.8%
<b>Marijuana</b>					
	<b>All</b>	9.0%	13.1%	21.0%	79.0%
	<b>Grade 7</b>	3.1%	4.5%	8.1%	91.9%
	<b>Grade 8</b>	5.7%	8.2%	13.1%	86.9%
	<b>Grade 9</b>	9.1%	13.4%	20.4%	79.6%
	<b>Grade 10</b>	11.8%	16.8%	26.7%	73.3%
	<b>Grade 11</b>	11.6%	17.9%	29.3%	70.7%
	<b>Grade 12</b>	14.3%	20.0%	32.9%	67.1%
<b>Marijuana Only</b>					
	<b>All</b>	2.9%	4.7%	9.2%	90.8%
	<b>Grade 7</b>	0.9%	1.4%	3.2%	96.8%
	<b>Grade 8</b>	2.1%	3.0%	6.0%	94.0%
	<b>Grade 9</b>	2.9%	4.5%	8.1%	91.9%
	<b>Grade 10</b>	3.4%	5.6%	11.4%	88.6%
	<b>Grade 11</b>	3.6%	6.8%	13.8%	86.2%
	<b>Grade 12</b>	5.0%	8.1%	15.0%	85.0%

**Region 11: Grades 7-12**  
**SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade**  
**Students living in town more than three years**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	3.6%	5.4%	9.4%	90.6%
	Grade 7	1.6%	2.5%	4.2%	95.8%
	Grade 8	2.2%	3.2%	5.8%	94.2%
	Grade 9	4.0%	6.1%	9.7%	90.3%
	Grade 10	4.0%	6.4%	10.9%	89.1%
	Grade 11	5.1%	7.3%	13.3%	86.7%
	Grade 12	4.9%	7.5%	14.2%	85.8%
<b>Cocaine</b>					
	All	3.3%	5.1%	9.0%	91.0%
	Grade 7	1.3%	2.0%	3.3%	96.7%
	Grade 8	1.9%	2.9%	5.3%	94.7%
	Grade 9	3.6%	5.6%	9.1%	90.9%
	Grade 10	3.8%	6.1%	10.8%	89.2%
	Grade 11	5.1%	7.3%	13.2%	86.8%
	Grade 12	4.8%	7.5%	14.1%	85.9%
<b>Crack</b>					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	0.8%	1.3%	2.2%	97.8%
	Grade 8	1.0%	1.4%	2.1%	97.9%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	0.5%	1.0%	2.3%	97.7%
	Grade 11	0.4%	0.8%	1.7%	98.3%
	Grade 12	0.7%	1.2%	2.0%	98.0%
<b>Hallucinogens</b>					
	All	1.1%	1.7%	3.0%	97.0%
	Grade 7	0.7%	0.9%	1.3%	98.7%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.0%	1.6%	3.2%	96.8%
	Grade 10	1.5%	2.1%	3.6%	96.4%
	Grade 11	1.4%	2.1%	3.6%	96.4%
	Grade 12	1.7%	2.6%	4.4%	95.6%
<b>Uppers</b>					
	All	1.6%	2.3%	3.6%	96.4%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.8%	1.3%	2.0%	98.0%
	Grade 9	1.4%	2.2%	3.4%	96.6%
	Grade 10	2.1%	3.0%	4.3%	95.7%
	Grade 11	2.4%	3.2%	5.2%	94.8%
	Grade 12	2.9%	3.8%	5.7%	94.3%
<b>Downers</b>					
	All	2.2%	3.0%	4.6%	95.4%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	1.1%	1.6%	2.3%	97.7%
	Grade 9	2.3%	3.3%	5.1%	94.9%
	Grade 10	3.4%	4.5%	6.3%	93.7%
	Grade 11	2.8%	4.0%	6.2%	93.8%
	Grade 12	3.3%	4.4%	6.9%	93.1%

**Region 11: Grades 7-12  
SPRING 2008**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>					
	<b>All</b>	2.4%	3.4%	5.7%	94.3%
	<b>Grade 7</b>	1.1%	1.6%	2.7%	97.3%
	<b>Grade 8</b>	1.5%	2.0%	3.5%	96.5%
	<b>Grade 9</b>	3.3%	4.9%	7.1%	92.9%
	<b>Grade 10</b>	3.0%	4.4%	7.0%	93.0%
	<b>Grade 11</b>	2.3%	3.7%	6.8%	93.2%
	<b>Grade 12</b>	2.8%	3.8%	7.4%	92.6%
<b>Steroids</b>					
	<b>All</b>	0.4%	0.5%	0.9%	99.1%
	<b>Grade 7</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 8</b>	0.3%	0.4%	1.0%	99.0%
	<b>Grade 9</b>	0.3%	0.3%	0.5%	99.5%
	<b>Grade 10</b>	0.5%	0.6%	1.0%	99.0%
	<b>Grade 11</b>	0.2%	0.5%	1.0%	99.0%
	<b>Grade 12</b>	0.3%	0.6%	0.8%	99.2%
<b>Ecstasy</b>					
	<b>All</b>	1.6%	2.4%	3.9%	96.1%
	<b>Grade 7</b>	0.6%	0.8%	1.2%	98.8%
	<b>Grade 8</b>	0.7%	1.1%	1.9%	98.1%
	<b>Grade 9</b>	1.3%	2.0%	3.7%	96.3%
	<b>Grade 10</b>	2.5%	3.6%	5.6%	94.4%
	<b>Grade 11</b>	2.2%	3.1%	5.3%	94.7%
	<b>Grade 12</b>	3.1%	4.3%	7.0%	93.0%
<b>Heroin</b>					
	<b>All</b>	0.5%	0.7%	1.2%	98.8%
	<b>Grade 7</b>	0.6%	0.8%	1.8%	98.2%
	<b>Grade 8</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.4%	0.6%	0.9%	99.1%
	<b>Grade 10</b>	0.7%	0.9%	1.3%	98.7%
	<b>Grade 11</b>	0.3%	0.4%	0.8%	99.2%
	<b>Grade 12</b>	0.6%	0.7%	1.1%	98.9%

# **Region 11: Grades 7-12** **Spring 2008**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
Female	149E3	51.46
Male	141E3	48.54

Frequency Missing = 825.36224004

GRADE		
q2	Frequency	Percent
Grade 7	51602	17.71
Grade 8	52631	18.07
Grade 9	67691	23.24
Grade 10	46234	15.87
Grade 11	39660	13.61
Grade 12	33507	11.50

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	95941	33.16
Yes	193E3	66.84

Frequency Missing = 1977.6691091

AGE		
q4	Frequency	Percent
11 or younger	275	0.10
12	14328	4.95
13	43082	14.87
14	54029	18.65
15	59254	20.45
16	47991	16.57
17	41201	14.22
18	24432	8.43
19 or older	5094	1.76

Frequency Missing = 1639.2392421

ETHNICITY		
q5	Frequency	Percent
African/American	3239	1.13
Asian/American	538	0.19
Mexican/American	27E4	94.16
Native/American	687	0.24
Other	3903	1.36
White	8370	2.92

Frequency Missing = 4745.0911235

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	55410	19.33
Mostly B's	16E4	55.70
Mostly C's	61620	21.50
Mostly D's	7354	2.57
Mostly F's	2609	0.91

Frequency Missing = 4659.4387971

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	24377	8.55
2-3 years	46593	16.34
>4 years	214E3	75.11

Frequency Missing = 6156.0180989

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	245E3	85.45
Yes	41750	14.55

Frequency Missing = 4377.0624241

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	163E3	57.52
Yes	12E4	42.48

Frequency Missing = 8449.2158052

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	62635	21.83
No	134E3	46.85
Yes	89851	31.32

Frequency Missing = 4406.1985229

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	69345	24.34
No	33065	11.61
Yes	182E3	64.05

Frequency Missing = 6481.3155334

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	14E4	51.49
Yes	132E3	48.51

Frequency Missing = 19901.396829

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	208E3	82.26
Yes	44801	17.74

Frequency Missing = 38816.343531

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	217E3	89.50
Yes	25513	10.50

Frequency Missing = 48456.259743

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	2E5	82.92
Yes	41293	17.08

Frequency Missing = 49592.402386

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**Region 11: Grades 7-12  
Spring 2008**

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	221E3	92.55
<b>Yes</b>	17787	7.45

Frequency Missing = 52627.396525

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	231E4	96.14
<b>Yes</b>	9237	3.86

Frequency Missing = 52126.082536

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	231E3	95.02
<b>Yes</b>	12112	4.98

Frequency Missing = 48194.283672

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	217E3	87.70
<b>Yes</b>	30430	12.30

Frequency Missing = 43859.742132

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	217E3	86.30
<b>Yes</b>	34402	13.70

Frequency Missing = 40266.930725

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	24E4	94.98
<b>Yes</b>	12667	5.02

Frequency Missing = 38904.746663

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	205E3	79.97
<b>Yes</b>	51374	20.03

Frequency Missing = 34796.719361

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	179E3	68.24
<b>Yes</b>	83523	31.76

Frequency Missing = 28351.834636

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	197E3	75.05
<b>Yes</b>	65335	24.95

Frequency Missing = 29483.447056

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	23E4	79.72
<b>Somewhat Safe</b>	49467	17.17
<b>Not Very Safe</b>	4140	1.44
<b>Not Safe At All</b>	1025	0.36
<b>Don't Know</b>	3824	1.33

Frequency Missing = 3138.0080963

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	91524	31.89
<b>Somewhat Safe</b>	144E3	50.05
<b>Not Very Safe</b>	35915	12.51
<b>Not Safe At All</b>	8624	3.00
<b>Don't Know</b>	7311	2.55

Frequency Missing = 4287.7465798

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	95457	33.22
<b>Somewhat Safe</b>	139E3	48.33
<b>Not Very Safe</b>	31159	10.84
<b>Not Safe At All</b>	13000	4.52
<b>Don't Know</b>	8891	3.09

Frequency Missing = 3935.2258869

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	20308	7.10
<b>A Few</b>	82620	28.89
<b>Some</b>	74511	26.05
<b>Most</b>	81432	28.47
<b>All</b>	27158	9.49

Frequency Missing = 5296.2592097

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	206E3	72.98
<b>A Few</b>	45780	16.23
<b>Some</b>	20061	7.11
<b>Most</b>	6597	2.34
<b>All</b>	3777	1.34

Frequency Missing = 9239.1063773

**Region 11: Grades 7-12  
Spring 2008**

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	11112	3.99
A Few	46567	16.73
Some	68448	24.59
Most	103E3	37.04
All	49147	17.65

Frequency Missing = 12935.83056

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	175E3	61.42
A Few	57696	20.24
Some	30209	10.60
Most	15403	5.40
All	6636	2.33

Frequency Missing = 6320.1671947

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	157E3	54.83
A Few	80018	27.97
Some	31482	11.01
Most	11456	4.00
All	6256	2.19

Frequency Missing = 5257.9116081

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	122E3	50.44
Yes	12E4	49.56

Frequency Missing = 49271.904647

RECENT CIGARETTE USE		
Q16A	Frequency	Percent
Never Heard/Used	193E3	67.62
In Your Lifetime	41888	14.68
Since School Began	14307	5.01
In the Past Month	36233	12.69

Frequency Missing = 5893.3120849

RECENT SMOKELESS TOBACCO USE		
Q16B	Frequency	Percent
Never Heard/Used	263E3	92.80
In Your Lifetime	8783	3.10
Since School Began	3695	1.31
In the Past Month	7900	2.79

Frequency Missing = 8302.0529076

RECENT BEER USE		
Q16C	Frequency	Percent
Never Heard/Used	151E3	54.18
In Your Lifetime	51333	18.36
Since School Began	22166	7.93
In the Past Month	54608	19.53

Frequency Missing = 11761.752897

RECENT WINE COOLER USE		
Q16D	Frequency	Percent
Never Heard/Used	154E3	54.50
In Your Lifetime	47591	16.86
Since School Began	24572	8.71
In the Past Month	56248	19.93

Frequency Missing = 9081.5704395

RECENT WINE USE		
Q16E	Frequency	Percent
Never Heard/Used	172E3	62.00
In Your Lifetime	50393	18.17
Since School Began	20567	7.42
In the Past Month	34426	12.41

Frequency Missing = 13987.870671

RECENT LIQUOR USE		
Q16F	Frequency	Percent
Never Heard/Used	175E3	62.00
In Your Lifetime	37883	13.41
Since School Began	22085	7.82
In the Past Month	47352	16.77

Frequency Missing = 8927.0018765

RECENT INHALANT USE		
Q16G	Frequency	Percent
Never Heard/Used	254E3	89.41
In Your Lifetime	13974	4.93
Since School Began	5325	1.88
In the Past Month	10745	3.79

Frequency Missing = 7637.05753

RECENT MARIJUANA USE		
Q17A	Frequency	Percent
Never Heard/Used	223E3	78.78
In Your Lifetime	22515	7.96
Since School Began	11379	4.02
In the Past Month	26154	9.24

Frequency Missing = 8400.6400833

RECENT COCAINE USE		
Q17B	Frequency	Percent
Never Heard/Used	255E3	90.67
In Your Lifetime	11383	4.05
Since School Began	5194	1.85
In the Past Month	9652	3.43

Frequency Missing = 10139.278103

RECENT CRACK USE		
Q17C	Frequency	Percent
Never Heard/Used	272E3	97.59
In Your Lifetime	3165	1.14
Since School Began	1421	0.51
In the Past Month	2119	0.76

Frequency Missing = 13103.015909

**Region 11: Grades 7-12  
Spring 2008**

<b>RECENT HALLUCINOGEN USE</b>		
	<b>Q17E Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	268E3	96.81
<b>In Your Lifetime</b>	3753	1.36
<b>Since School Began</b>	1655	0.60
<b>In the Past Month</b>	3436	1.24

Frequency Missing = 14473.253579

<b>RECENT UPPER USE</b>		
	<b>Q17F Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	266E3	96.17
<b>In Your Lifetime</b>	3831	1.38
<b>Since School Began</b>	2006	0.72
<b>In the Past Month</b>	4789	1.73

Frequency Missing = 14249.688732

<b>RECENT DOWNER USE</b>		
	<b>Q17G Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	264E3	95.29
<b>In Your Lifetime</b>	4379	1.58
<b>Since School Began</b>	2564	0.93
<b>In the Past Month</b>	6090	2.20

Frequency Missing = 14619.534223

<b>RECENT ROHYPNOL USE</b>		
	<b>Q17H Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	26E4	93.89
<b>In Your Lifetime</b>	6846	2.47
<b>Since School Began</b>	3248	1.17
<b>In the Past Month</b>	6843	2.47

Frequency Missing = 14193.676063

<b>RECENT STEROID USE</b>		
	<b>Q17I Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	274E3	99.02
<b>In Your Lifetime</b>	1241	0.45
<b>Since School Began</b>	469	0.17
<b>In the Past Month</b>	1002	0.36

Frequency Missing = 14546.593633

<b>RECENT ECSTASY USE</b>		
	<b>Q17J Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	267E3	95.77
<b>In Your Lifetime</b>	4817	1.73
<b>Since School Began</b>	2170	0.78
<b>In the Past Month</b>	4817	1.73

Frequency Missing = 12406.228303

<b>RECENT HEROIN USE</b>		
	<b>Q17K Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	275E3	98.67
<b>In Your Lifetime</b>	1627	0.58
<b>Since School Began</b>	501	0.18
<b>In the Past Month</b>	1595	0.57

Frequency Missing = 12278.179902

<b>TOBACCO USE IN PAST MONTH</b>		
	<b>q18a Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	245E3	86.79
<b>1-2 times</b>	19448	6.90
<b>3-10 times</b>	9277	3.29
<b>11+ times</b>	8544	3.03

Frequency Missing = 9287.66474

<b>ALCOHOL USE IN PAST MONTH</b>		
	<b>q18b Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	193E3	68.59
<b>1-2 times</b>	51718	18.38
<b>3-10 times</b>	25296	8.99
<b>11+ times</b>	11369	4.04

Frequency Missing = 9915.7309691

<b>INHALANT USE IN PAST MONTH</b>		
	<b>q18c Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	264E3	94.72
<b>1-2 times</b>	10258	3.67
<b>3-10 times</b>	3096	1.11
<b>11+ times</b>	1378	0.49

Frequency Missing = 12105.044606

<b>MARIJUANA USE IN PAST MONTH</b>		
	<b>q18d Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	243E3	86.98
<b>1-2 times</b>	18626	6.67
<b>3-10 times</b>	9077	3.25
<b>11+ times</b>	8653	3.10

Frequency Missing = 12168.846549

<b>COCAINE USE IN PAST MONTH</b>		
	<b>q18e Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	266E3	94.76
<b>1-2 times</b>	8774	3.12
<b>3-10 times</b>	3686	1.31
<b>11+ times</b>	2286	0.81

Frequency Missing = 10085.576291

<b>CRACK USE IN PAST MONTH</b>		
	<b>q18f Frequency</b>	<b>Percent</b>
<b>Never Heard/Used</b>	279E3	98.74
<b>1-2 times</b>	2288	0.81
<b>3-10 times</b>	682	0.24
<b>11+ times</b>	598	0.21

Frequency Missing = 9079.9044763

<b>CLOSE FRIENDS USE CIGARETTES</b>		
	<b>q19a Frequency</b>	<b>Percent</b>
<b>Never heard/None</b>	115E3	42.22
<b>A few</b>	88255	32.36
<b>Some</b>	40894	15.00
<b>Most</b>	22599	8.29
<b>All</b>	5810	2.13

Frequency Missing = 18624.67859

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
	<b>q19b Frequency</b>	<b>Percent</b>
<b>Never heard/None</b>	206E3	76.51
<b>A few</b>	39035	14.51
<b>Some</b>	16352	6.08
<b>Most</b>	5781	2.15
<b>All</b>	2055	0.76

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**Region 11: Grades 7-12  
Spring 2008**

Frequency Missing = 22229.861128

<b>CLOSE FRIENDS USE BEER</b>		
<b>q19c Frequency Percent</b>		
<b>Never heard/None</b>	87358	32.38
<b>A few</b>	66647	24.71
<b>Some</b>	47892	17.75
<b>Most</b>	47604	17.65
<b>All</b>	20268	7.51

Frequency Missing = 21555.863597

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>q19d Frequency Percent</b>		
<b>Never heard/None</b>	114E3	42.65
<b>A few</b>	58171	21.75
<b>Some</b>	42687	15.96
<b>Most</b>	36191	13.53
<b>All</b>	16315	6.10

Frequency Missing = 23899.863331

<b>CLOSE FRIENDS USE WINE</b>		
<b>q19e Frequency Percent</b>		
<b>Never heard/None</b>	141E3	52.72
<b>A few</b>	61412	22.95
<b>Some</b>	34472	12.88
<b>Most</b>	21073	7.88
<b>All</b>	9534	3.56

Frequency Missing = 23770.078059

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>q19f Frequency Percent</b>		
<b>Never heard/None</b>	123E3	45.68
<b>A few</b>	54557	20.22
<b>Some</b>	38808	14.38
<b>Most</b>	36355	13.47
<b>All</b>	16839	6.24

Frequency Missing = 21507.779473

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>q19g Frequency Percent</b>		
<b>Never heard/None</b>	205E3	76.07
<b>A few</b>	37982	14.11
<b>Some</b>	15940	5.92
<b>Most</b>	7122	2.65
<b>All</b>	3379	1.25

Frequency Missing = 22082.850059

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>q19h Frequency Percent</b>		
<b>Never heard/None</b>	148E3	54.26
<b>A few</b>	51476	18.82
<b>Some</b>	32873	12.02
<b>Most</b>	27730	10.14
<b>All</b>	13004	4.76

Frequency Missing = 17856.334168

<b>DIFFICULT TO GET CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
<b>Never heard of</b>	55151	20.17
<b>Impossible</b>	46397	16.97
<b>Very difficult</b>	14130	5.17
<b>Somewhat diff</b>	24823	9.08
<b>Somewhat easy</b>	47427	17.34
<b>Very easy</b>	85559	31.28

Frequency Missing = 17838.888168

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
<b>Never heard of</b>	97242	35.92
<b>Impossible</b>	59249	21.89
<b>Very difficult</b>	19849	7.33
<b>Somewhat diff</b>	26365	9.74
<b>Somewhat easy</b>	27655	10.22
<b>Very easy</b>	40349	14.90

Frequency Missing = 20615.037111

<b>DIFFICULT TO GET BEER</b>		
<b>q20c Frequency Percent</b>		
<b>Never heard of</b>	48951	18.11
<b>Impossible</b>	36776	13.61
<b>Very difficult</b>	13977	5.17
<b>Somewhat diff</b>	28468	10.53
<b>Somewhat easy</b>	52937	19.59
<b>Very easy</b>	89175	32.99

Frequency Missing = 21040.645257

<b>DIFFICULT TO GET WINE COOLERS</b>		
<b>q20d Frequency Percent</b>		
<b>Never heard of</b>	60834	22.54
<b>Impossible</b>	38874	14.41
<b>Very difficult</b>	14933	5.53
<b>Somewhat diff</b>	28501	10.56
<b>Somewhat easy</b>	48626	18.02
<b>Very easy</b>	78074	28.93

Frequency Missing = 21482.443744

<b>DIFFICULT TO GET WINE</b>		
<b>q20e Frequency Percent</b>		
<b>Never heard of</b>	59725	22.27
<b>Impossible</b>	44919	16.75
<b>Very difficult</b>	18808	7.01
<b>Somewhat diff</b>	33331	12.43
<b>Somewhat easy</b>	44596	16.63
<b>Very easy</b>	66765	24.90

Frequency Missing = 23180.856238

<b>DIFFICULT TO GET LIQUOR</b>		
<b>q20f Frequency Percent</b>		
<b>Never heard of</b>	59092	21.80
<b>Impossible</b>	49180	18.14
<b>Very difficult</b>	20959	7.73
<b>Somewhat diff</b>	29982	11.06
<b>Somewhat easy</b>	41695	15.38
<b>Very easy</b>	70164	25.88

Frequency Missing = 20254.452226

**Region 11: Grades 7-12  
Spring 2008**

<b>DIFFICULT TO GET INHALANTS</b>		
<b>q20g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	82769	30.98
Impossible	48945	18.32
Very difficult	12974	4.86
Somewhat diff	16260	6.09
Somewhat easy	25642	9.60
Very easy	80536	30.15

Frequency Missing = 24198.424716

<b>DIFFICULT TO GET MARIJUANA</b>		
<b>q20h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	65486	24.52
Impossible	66790	25.01
Very difficult	18207	6.82
Somewhat diff	22197	8.31
Somewhat easy	31002	11.61
Very easy	63390	23.74

Frequency Missing = 24252.955342

<b>DIFFICULT TO GET COCAINE</b>		
<b>q20i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	74791	28.10
Impossible	76524	28.75
Very difficult	23463	8.82
Somewhat diff	25427	9.55
Somewhat easy	25591	9.62
Very easy	40349	15.16

Frequency Missing = 25180.4327

<b>DIFFICULT TO GET CRACK</b>		
<b>q20j</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	85250	32.11
Impossible	78381	29.52
Very difficult	26327	9.92
Somewhat diff	27501	10.36
Somewhat easy	20228	7.62
Very easy	27819	10.48

Frequency Missing = 25819.825154

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
<b>q20l</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	127E3	47.84
Impossible	61404	23.09
Very difficult	21909	8.24
Somewhat diff	21068	7.92
Somewhat easy	14481	5.45
Very easy	19849	7.46

Frequency Missing = 25401.996689

<b>DIFFICULT TO GET UPPERS</b>		
<b>q20m</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	139E3	52.72
Impossible	51541	19.56
Very difficult	17084	6.48
Somewhat diff	17356	6.59
Somewhat easy	14786	5.61
Very easy	23793	9.03

Frequency Missing = 27848.549982

<b>DIFFICULT TO GET DOWNERS</b>		
<b>q20n</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	139E3	52.57
Impossible	51070	19.35
Very difficult	16614	6.29
Somewhat diff	17036	6.45
Somewhat easy	15258	5.78
Very easy	25215	9.55

Frequency Missing = 27345.001487

<b>DIFFICULT TO GET ROHYPNOL</b>		
<b>q20o</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	122E3	45.85
Impossible	55563	20.96
Very difficult	18012	6.79
Somewhat diff	19132	7.22
Somewhat easy	19036	7.18
Very easy	31798	11.99

Frequency Missing = 26221.895005

<b>DIFFICULT TO GET STEROIDS</b>		
<b>q20p</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	93828	35.47
Impossible	82645	31.24
Very difficult	27071	10.23
Somewhat diff	23872	9.02
Somewhat easy	16405	6.20
Very easy	20712	7.83

Frequency Missing = 26791.458864

<b>DIFFICULT TO GET ECSTASY</b>		
<b>q20q</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	112E3	42.43
Impossible	64714	24.48
Very difficult	21999	8.32
Somewhat diff	19925	7.54
Somewhat easy	17459	6.60
Very easy	28100	10.63

Frequency Missing = 26954.594417

<b>DIFFICULT TO GET HEROIN</b>		
<b>q20r</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	111E3	41.91
Impossible	76602	29.03
Very difficult	26021	9.86
Somewhat diff	20178	7.65
Somewhat easy	12233	4.64
Very easy	18245	6.91

Frequency Missing = 27438.490029

<b>AGE WHEN FIRST USED CIGARETTES</b>		
<b>q21a</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	10970	11.65
10 years old	6705	7.12
11 years old	7846	8.33
12 years old	10986	11.66
13 years old	14245	15.12
14 years old	14569	15.47
15 years old	13317	14.14
16 years old	8290	8.80
17 years old	4891	5.19
18 or older	2372	2.52

Frequency Missing = 197134.15081

**Region 11: Grades 7-12  
Spring 2008**

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q21b Frequency Percent		
9 or younger	1226	7.50
10 years old	908	5.55
11 years old	1186	7.25
12 years old	1936	11.84
13 years old	2312	14.14
14 years old	2419	14.79
15 years old	2462	15.05
16 years old	1973	12.06
17 years old	1190	7.28
18 or older	742	4.54

Frequency Missing = 274969.86774

AGE WHEN FIRST USED BEER		
q21c Frequency Percent		
9 or younger	22837	16.91
10 years old	9263	6.86
11 years old	8916	6.60
12 years old	16273	12.05
13 years old	20402	15.10
14 years old	20663	15.30
15 years old	19810	14.67
16 years old	10342	7.66
17 years old	4389	3.25
18 or older	2172	1.61

Frequency Missing = 156257.2251

AGE WHEN FIRST USED WINE COOLERS		
q21d Frequency Percent		
9 or younger	9470	7.86
10 years old	7287	6.05
11 years old	8881	7.37
12 years old	15720	13.05
13 years old	21704	18.02
14 years old	21141	17.55
15 years old	19865	16.49
16 years old	10394	8.63
17 years old	4235	3.52
18 or older	1744	1.45

Frequency Missing = 170885.47555

AGE WHEN FIRST USED WINE		
q21e Frequency Percent		
9 or younger	9607	9.15
10 years old	7213	6.87
11 years old	7845	7.47
12 years old	13383	12.74
13 years old	17130	16.31
14 years old	18119	17.25
15 years old	17899	17.04
16 years old	8274	7.88
17 years old	3625	3.45
18 or older	1958	1.86

Frequency Missing = 186271.48517

AGE WHEN FIRST USED LIQUOR		
q21f Frequency Percent		
9 or younger	5068	4.82
10 years old	4396	4.18
11 years old	5669	5.39
12 years old	10121	9.62
13 years old	17020	16.19
14 years old	19679	18.72
15 years old	22321	21.23
16 years old	13219	12.57
17 years old	5406	5.14
18 or older	2251	2.14

Frequency Missing = 186175.26585

AGE WHEN FIRST USED INHALANTS		
q21g Frequency Percent		
9 or younger	2959	12.11
10 years old	1851	7.58
11 years old	2556	10.46
12 years old	3822	15.65
13 years old	3979	16.29
14 years old	3594	14.71
15 years old	2863	11.72
16 years old	1702	6.97
17 years old	859	3.52
18 or older	239	0.98

Frequency Missing = 266900.65528

AGE WHEN FIRST USED MARIJUANA		
q21h Frequency Percent		
9 or younger	2953	5.15
10 years old	2591	4.52
11 years old	3724	6.49
12 years old	7242	12.63
13 years old	10631	18.54
14 years old	10316	17.99
15 years old	9509	16.58
16 years old	6275	10.94
17 years old	3162	5.51
18 or older	948	1.65

Frequency Missing = 233973.41621

AGE WHEN FIRST USED COCAINE		
q21i Frequency Percent		
9 or younger	507	2.07
10 years old	460	1.88
11 years old	1048	4.28
12 years old	1974	8.06
13 years old	3628	14.81
14 years old	5051	20.61
15 years old	5605	22.87
16 years old	4095	16.71
17 years old	1655	6.76
18 or older	481	1.96

Frequency Missing = 266819.66812

AGE WHEN FIRST USED CRACK		
q21j Frequency Percent		
9 or younger	453	8.12
10 years old	196	3.50
11 years old	414	7.41
12 years old	572	10.25
13 years old	925	16.58
14 years old	974	17.46
15 years old	1121	20.08
16 years old	606	10.85
17 years old	257	4.61
18 or older	63	1.14

Frequency Missing = 285742.65092

**Region 11: Grades 7-12  
Spring 2008**

<b>AGE WHEN FIRST USED HALLUCINOGENS</b>		
<b>q21l Frequency Percent</b>		
<b>9 or younger</b>	420	5.41
<b>10 years old</b>	144	1.85
<b>11 years old</b>	299	3.84
<b>12 years old</b>	804	10.34
<b>13 years old</b>	1140	14.66
<b>14 years old</b>	1392	17.90
<b>15 years old</b>	1693	21.77
<b>16 years old</b>	1127	14.50
<b>17 years old</b>	549	7.06
<b>18 or older</b>	207	2.66

Frequency Missing = 283551.39936

<b>AGE WHEN FIRST USED ROHYPNOL</b>		
<b>q21o Frequency Percent</b>		
<b>9 or younger</b>	474	3.09
<b>10 years old</b>	306	1.99
<b>11 years old</b>	694	4.52
<b>12 years old</b>	1268	8.26
<b>13 years old</b>	2604	16.96
<b>14 years old</b>	3644	23.74
<b>15 years old</b>	3227	21.02
<b>16 years old</b>	2233	14.55
<b>17 years old</b>	814	5.30
<b>18 or older</b>	88	0.57

Frequency Missing = 275973.76613

<b>AGE WHEN FIRST USED HEROIN</b>		
<b>q21r Frequency Percent</b>		
<b>9 or younger</b>	301	10.96
<b>10 years old</b>	140	5.12
<b>11 years old</b>	293	10.71
<b>12 years old</b>	340	12.40
<b>13 years old</b>	429	15.66
<b>14 years old</b>	487	17.78
<b>15 years old</b>	385	14.03
<b>16 years old</b>	281	10.24
<b>17 years old</b>	57	2.06
<b>18 or older</b>	28	1.03

Frequency Missing = 288584.16548

<b>AGE WHEN FIRST USED UPPERS</b>		
<b>q21m Frequency Percent</b>		
<b>9 or younger</b>	335	3.12
<b>10 years old</b>	292	2.71
<b>11 years old</b>	621	5.78
<b>12 years old</b>	884	8.22
<b>13 years old</b>	1756	16.34
<b>14 years old</b>	2249	20.93
<b>15 years old</b>	2233	20.77
<b>16 years old</b>	1548	14.40
<b>17 years old</b>	669	6.22
<b>18 or older</b>	162	1.51

Frequency Missing = 280576.65227

<b>AGE WHEN FIRST USED STEROIDS</b>		
<b>q21p Frequency Percent</b>		
<b>9 or younger</b>	419	16.28
<b>10 years old</b>	105	4.07
<b>11 years old</b>	120	4.66
<b>12 years old</b>	340	13.22
<b>13 years old</b>	381	14.82
<b>14 years old</b>	441	17.17
<b>15 years old</b>	295	11.48
<b>16 years old</b>	325	12.64
<b>17 years old</b>	103	4.00
<b>18 or older</b>	43	1.67

Frequency Missing = 288753.86556

<b>HOW OFTEN NORMALLY USE CIGARETTES</b>		
<b>q22a Frequency Percent</b>		
<b>Every day</b>	4342	1.59
<b>Several times/wk</b>	9458	3.46
<b>Several times/mo</b>	13194	4.83
<b>About once/month</b>	17971	6.57
<b>About once/year</b>	15038	5.50
<b>&lt; once/year</b>	21253	7.77
<b>Never used</b>	192E3	70.28

Frequency Missing = 17936.947974

<b>AGE WHEN FIRST USED DOWNERS</b>		
<b>q21n Frequency Percent</b>		
<b>9 or younger</b>	403	3.25
<b>10 years old</b>	307	2.48
<b>11 years old</b>	572	4.62
<b>12 years old</b>	1122	9.06
<b>13 years old</b>	1893	15.29
<b>14 years old</b>	2615	21.11
<b>15 years old</b>	2552	20.60
<b>16 years old</b>	1809	14.61
<b>17 years old</b>	833	6.73
<b>18 or older</b>	279	2.25

Frequency Missing = 278940.23066

<b>AGE WHEN FIRST USED ECSTASY</b>		
<b>q21q Frequency Percent</b>		
<b>9 or younger</b>	226	2.09
<b>10 years old</b>	360	3.33
<b>11 years old</b>	206	1.91
<b>12 years old</b>	657	6.09
<b>13 years old</b>	1131	10.48
<b>14 years old</b>	1784	16.53
<b>15 years old</b>	2346	21.74
<b>16 years old</b>	2229	20.66
<b>17 years old</b>	1482	13.73
<b>18 or older</b>	371	3.44

Frequency Missing = 280533.21302

<b>HOW OFTEN NORMALLY USE SMOKELESS TOBACCO</b>		
<b>q22b Frequency Percent</b>		
<b>Every day</b>	633	0.23
<b>Several times/wk</b>	1761	0.65
<b>Several times/mo</b>	2263	0.84
<b>About once/month</b>	2941	1.09
<b>About once/year</b>	3046	1.13
<b>&lt; once/year</b>	4644	1.72
<b>Never used</b>	255E3	94.35

Frequency Missing = 20729.969151

The frequencies have been weighted so that the  
analysis reflects the distribution of students by grade  
level in the district

**Region 11: Grades 7-12  
Spring 2008**

<b>HOW OFTEN NORMALLY USE BEER</b>		
<b>q22c Frequency Percent</b>		
Every day	998	0.37
Several times/wk	12714	4.68
Several times/mo	26288	9.67
About once/month	30112	11.08
About once/year	23827	8.77
< once/year	24739	9.10
Never used	153E3	56.34

Frequency Missing = 19512.603281

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
<b>q22d Frequency Percent</b>		
Every day	858	0.32
Several times/wk	9226	3.39
Several times/mo	24092	8.86
About once/month	28591	10.52
About once/year	26660	9.81
< once/year	21241	7.81
Never used	161E3	59.29

Frequency Missing = 19514.715789

<b>HOW OFTEN NORMALLY USE WINE</b>		
<b>q22e Frequency Percent</b>		
Every day	306	0.11
Several times/wk	5786	2.15
Several times/mo	14840	5.51
About once/month	20100	7.46
About once/year	29662	11.02
< once/year	23847	8.86
Never used	175E3	64.89

Frequency Missing = 22057.964472

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
<b>q22f Frequency Percent</b>		
Every day	472	0.17
Several times/wk	8829	3.24
Several times/mo	23235	8.54
About once/month	24757	9.10
About once/year	23083	8.48
< once/year	17527	6.44
Never used	174E3	64.02

Frequency Missing = 19222.650551

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
<b>q22g Frequency Percent</b>		
Every day	742	0.28
Several times/wk	2470	0.94
Several times/mo	3233	1.22
About once/month	4312	1.63
About once/year	3914	1.48
< once/year	6001	2.27
Never used	243E3	92.17

Frequency Missing = 27233.90252

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
<b>q22h Frequency Percent</b>		
Every day	5325	2.01
Several times/wk	7012	2.65
Several times/mo	8747	3.30
About once/month	9844	3.72
About once/year	8642	3.26
< once/year	10094	3.81
Never used	215E3	81.25

Frequency Missing = 26503.076872

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
<b>q22i Frequency Percent</b>		
Every day	670	0.25
Several times/wk	2898	1.10
Several times/mo	3667	1.39
About once/month	4102	1.55
About once/year	4035	1.53
< once/year	5457	2.07
Never used	243E3	92.11

Frequency Missing = 27289.167877

<b>HOW OFTEN NORMALLY USE CRACK</b>		
<b>q22j Frequency Percent</b>		
Every day	227	0.09
Several times/wk	601	0.23
Several times/mo	661	0.25
About once/month	956	0.36
About once/year	1327	0.50
< once/year	1297	0.49
Never used	261E3	98.09

Frequency Missing = 25458.740471

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
<b>q22l Frequency Percent</b>		
Every day	64	0.02
Several times/wk	474	0.18
Several times/mo	980	0.37
About once/month	1675	0.64
About once/year	1942	0.74
< once/year	1686	0.64
Never used	256E3	97.40

Frequency Missing = 28815.60815

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
<b>q22m Frequency Percent</b>		
Every day	287	0.11
Several times/wk	1051	0.40
Several times/mo	1710	0.65
About once/month	2273	0.87
About once/year	2223	0.85
< once/year	2191	0.84
Never used	252E3	96.28

Frequency Missing = 29320.189966

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
<b>q22n Frequency Percent</b>		
Every day	197	0.07
Several times/wk	1259	0.48
Several times/mo	2347	0.89
About once/month	2805	1.06
About once/year	2203	0.83
< once/year	2375	0.90
Never used	254E3	95.78

**Region 11: Grades 7-12  
Spring 2008**

Frequency Missing = 26555.648154

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
<b>q22o Frequency Percent</b>		
Every day	293	0.11
Several times/wk	1532	0.58
Several times/mo	2223	0.84
About once/month	3193	1.21
About once/year	3333	1.26
< once/year	3066	1.16
Never used	251E3	94.85

Frequency Missing = 26619.772724

<b>HOW OFTEN NORMALLY USE STERIODS</b>		
<b>q22p Frequency Percent</b>		
Every day	209	0.08
Several times/wk	178	0.07
Several times/mo	219	0.08
About once/month	361	0.14
About once/year	495	0.19
< once/year	739	0.28
Never used	263E3	99.17

Frequency Missing = 25972.059696

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
<b>q22q Frequency Percent</b>		
Every day	158	0.06
Several times/wk	664	0.25
Several times/mo	1693	0.63
About once/month	2555	0.96
About once/year	2416	0.90
< once/year	2481	0.93
Never used	257E3	96.27

Frequency Missing = 24168.926657

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
<b>q22r Frequency Percent</b>		
Every day	114	0.04
Several times/wk	278	0.10
Several times/mo	299	0.11
About once/month	469	0.17
About once/year	664	0.25
< once/year	881	0.33
Never used	266E3	98.99

Frequency Missing = 23033.102329

<b>AMOUNT OF BEER AT ONE TIME</b>		
<b>q23a Frequency Percent</b>		
Never drink this	163E3	60.70
12+ drinks	9034	3.35
9-11 drinks	6062	2.25
5-8 drinks	14501	5.38
3-4 drinks	20028	7.44
2 drinks	17092	6.35
1 drink	18075	6.71
< 1 drink	21038	7.81

Frequency Missing = 22032.362119

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
<b>q23b Frequency Percent</b>		
Never drink this	165E3	61.67
12+ drinks	4795	1.79
9-11 drinks	2097	0.78
5-8 drinks	6203	2.31
3-4 drinks	11545	4.30
2 drinks	16393	6.11
1 drink	27218	10.14
< 1 drink	34597	12.89

Frequency Missing = 23019.336218

<b>AMOUNT OF WINE AT ONE TIME</b>		
<b>q23c Frequency Percent</b>		
Never drink this	149E3	55.04
12+ drinks	8587	3.18
9-11 drinks	6364	2.36
5-8 drinks	15400	5.71
3-4 drinks	23913	8.86
2 drinks	22922	8.49
1 drink	22879	8.48
< 1 drink	21259	7.88

Frequency Missing = 21458.734172

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
<b>q23d Frequency Percent</b>		
Never drink this	143E3	52.69
12+ drinks	13309	4.91
9-11 drinks	7900	2.91
5-8 drinks	15771	5.82
3-4 drinks	20934	7.72
2 drinks	18351	6.77
1 drink	20803	7.67
< 1 drink	31200	11.51

Frequency Missing = 20206.650878

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
<b>q24 Frequency Percent</b>		
Never 5+ at time	111E3	40.27
None	107E3	38.84
1 day	18660	6.78
2 days	11884	4.32
3 to 5 days	13925	5.06
6 to 9 days	5992	2.18
10 or more days	7010	2.55

Frequency Missing = 16240.789395

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
<b>q25a Frequency Percent</b>		
Do not Drink	13E4	48.03
Never	82922	30.61
Seldom	40401	14.91
Most of the Time	12876	4.75
Always	4578	1.69

**Region 11: Grades 7-12  
Spring 2008**

Frequency Missing = 20446.225551

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
	<b>q25b Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	112E3	41.58
<b>Never</b>	55380	20.53
<b>Seldom</b>	41109	15.24
<b>Most of the Time</b>	42625	15.80
<b>Always</b>	18480	6.85

Frequency Missing = 21555.060936

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
	<b>q25c Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	117E3	43.63
<b>Never</b>	108E3	40.42
<b>Seldom</b>	20986	7.82
<b>Most of the Time</b>	13715	5.11
<b>Always</b>	8069	3.01

Frequency Missing = 23060.827548

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
	<b>q25d Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	105E3	39.04
<b>Never</b>	42783	15.87
<b>Seldom</b>	34867	12.93
<b>Most of the Time</b>	42281	15.68
<b>Always</b>	44423	16.48

Frequency Missing = 21697.17022

<b>GET ALCOHOLIC BEVERAGES FROM OTHER</b>		
	<b>q25e Frequency</b>	<b>Percent</b>
<b>Do not Drink</b>	118E3	43.86
<b>Never</b>	70431	26.25
<b>Seldom</b>	33205	12.37
<b>Most of the Time</b>	23801	8.87
<b>Always</b>	23197	8.65

Frequency Missing = 23000.601572

<b>USE MARIJUANA AS JOINTS</b>		
	<b>q26a Frequency</b>	<b>Percent</b>
<b>Never</b>	221E3	81.55
<b>Seldom</b>	14028	5.18
<b>Half the time</b>	9908	3.66
<b>Most of the time</b>	13593	5.02
<b>Always</b>	9768	3.61
<b>Don't know</b>	2628	0.97

Frequency Missing = 20780.633751

<b>USE MARIJUANA AS BLUNTS</b>		
	<b>q26b Frequency</b>	<b>Percent</b>
<b>Never</b>	227E3	84.38
<b>Seldom</b>	12772	4.74
<b>Half the time</b>	9829	3.65
<b>Most of the time</b>	9586	3.56
<b>Always</b>	7779	2.89
<b>Don't know</b>	2106	0.78

Frequency Missing = 21981.021939

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
	<b>q26c Frequency</b>	<b>Percent</b>
<b>Never</b>	235E3	87.76
<b>Seldom</b>	12311	4.60
<b>Half the time</b>	7074	2.64
<b>Most of the time</b>	6048	2.26
<b>Always</b>	5243	1.96
<b>Don't know</b>	2084	0.78

Frequency Missing = 23777.589866

<b>USE MARIJUANA IN PIPES</b>		
	<b>q26d Frequency</b>	<b>Percent</b>
<b>Never</b>	233E3	87.15
<b>Seldom</b>	12616	4.72
<b>Half the time</b>	7348	2.75
<b>Most of the time</b>	6791	2.54
<b>Always</b>	5705	2.13
<b>Don't know</b>	1921	0.72

Frequency Missing = 23785.017434

<b>USE MARIJUANA OTHER WAYS</b>		
	<b>q26e Frequency</b>	<b>Percent</b>
<b>Never</b>	239E3	89.17
<b>Seldom</b>	11077	4.14
<b>Half the time</b>	4151	1.55
<b>Most of the time</b>	4024	1.50
<b>Always</b>	4990	1.86
<b>Don't know</b>	4751	1.77

Frequency Missing = 23621.626606

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
	<b>q27 Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	261E3	97.03
<b>At least once/month</b>	2773	1.03
<b>At least once/year</b>	1437	0.53
<b>At least once/life</b>	3788	1.41

Frequency Missing = 22204.543773

<b>RECENT PRESCRIPTION DRUG USE - CODEINE</b>		
	<b>Q28A Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	234E3	91.37
<b>At least once/month</b>	10073	3.93
<b>At least once/year</b>	5827	2.27
<b>At least once/life</b>	6250	2.44

Frequency Missing = 34717.521999

<b>RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC</b>		
	<b>Q28B Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	25E4	98.43
<b>At least once/month</b>	1727	0.68
<b>At least once/year</b>	934	0.37
<b>At least once/life</b>	1336	0.53

Frequency Missing = 37108.598018

<b>RECENT PRESCRIPTION DRUG USE - VICODIN ETC</b>		
	<b>Q28C Frequency</b>	<b>Percent</b>
<b>Never heard/used</b>	248E3	97.78
<b>At least once/month</b>	2264	0.89
<b>At least once/year</b>	1427	0.56
<b>At least once/life</b>	1925	0.76

**Region 11: Grades 7-12  
Spring 2008**

Frequency Missing = 37871.446965

<b>RECENT PRESCRIPTION DRUG USE - VALIUM ETC</b>		
<b>Q28D Frequency Percent</b>		
<b>Never heard/used</b>	252E3	98.30
<b>At least once/month</b>	1762	0.69
<b>At least once/year</b>	1130	0.44
<b>At least once/life</b>	1474	0.57

Frequency Missing = 34920.029774

<b>RECENT PRESCRIPTION DRUG USE - XANAX ETC</b>		
<b>Q28E Frequency Percent</b>		
<b>Never heard/used</b>	251E3	97.09
<b>At least once/month</b>	3346	1.29
<b>At least once/year</b>	1859	0.72
<b>At least once/life</b>	2326	0.90

Frequency Missing = 32412.858344

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q29 Frequency Percent</b>		
<b>Never heard/used</b>	248E3	94.97
<b>At least once/month</b>	5685	2.18
<b>At least once/year</b>	2745	1.05
<b>At least once/life</b>	4676	1.79

Frequency Missing = 30531.256047

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q30a Frequency Percent</b>		
<b>Very</b>	135E3	55.94
<b>Somewhat</b>	58536	24.30
<b>Not very</b>	24337	10.10
<b>Not at all</b>	8033	3.33
<b>Don't know</b>	15220	6.32

Frequency Missing = 50444.907628

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q30b Frequency Percent</b>		
<b>Very</b>	115E3	48.27
<b>Somewhat</b>	68995	28.92
<b>Not very</b>	33706	14.13
<b>Not at all</b>	9487	3.98
<b>Don't know</b>	11233	4.71

Frequency Missing = 52751.303431

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q30c Frequency Percent</b>		
<b>Very</b>	166E3	72.19
<b>Somewhat</b>	34802	15.17
<b>Not very</b>	10463	4.56
<b>Not at all</b>	4420	1.93
<b>Don't know</b>	14134	6.16

Frequency Missing = 61853.463617

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q30d Frequency Percent</b>		
<b>Very</b>	153E3	66.64
<b>Somewhat</b>	34656	15.06
<b>Not very</b>	18071	7.86
<b>Not at all</b>	12609	5.48
<b>Don't know</b>	11413	4.96

Frequency Missing = 61270.518742

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q30e Frequency Percent</b>		
<b>Very</b>	183E3	80.70
<b>Somewhat</b>	22515	9.92
<b>Not very</b>	5459	2.41
<b>Not at all</b>	3321	1.46
<b>Don't know</b>	12495	5.51

Frequency Missing = 64421.963084

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q30f Frequency Percent</b>		
<b>Very</b>	19E4	82.78
<b>Somewhat</b>	18744	8.15
<b>Not very</b>	3435	1.49
<b>Not at all</b>	2999	1.30
<b>Don't know</b>	14448	6.28

Frequency Missing = 61236.953574

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q30g Frequency Percent</b>		
<b>Very</b>	184E3	78.87
<b>Somewhat</b>	20949	8.98
<b>Not very</b>	5519	2.37
<b>Not at all</b>	3451	1.48
<b>Don't know</b>	19365	8.30

Frequency Missing = 58110.585481

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q30h Frequency Percent</b>		
<b>Very</b>	181E3	75.68
<b>Somewhat</b>	29108	12.16
<b>Not very</b>	7984	3.33
<b>Not at all</b>	3960	1.65
<b>Don't know</b>	17189	7.18

Frequency Missing = 51886.182156

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q30i Frequency Percent</b>		
<b>Very</b>	204E3	83.83
<b>Somewhat</b>	15306	6.29
<b>Not very</b>	3115	1.28
<b>Not at all</b>	2534	1.04
<b>Don't know</b>	18405	7.56

Frequency Missing = 47971.230189



**Region 11: Grades 7-12  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q30j</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very</b>	205E3	81.67
<b>Somewhat</b>	14979	5.96
<b>Not very</b>	2576	1.03
<b>Not at all</b>	2669	1.06
<b>Don't know</b>	25806	10.28

Frequency Missing = 40194.542136

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q31a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	18E4	69.47
<b>1-3 days</b>	50786	19.57
<b>4-9 days</b>	15159	5.84
<b>10+ days</b>	13264	5.11

Frequency Missing = 31842.48845

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q31b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	83766	32.52
<b>1-3 days</b>	125E3	48.59
<b>4-9 days</b>	37345	14.50
<b>10+ days</b>	11294	4.38

Frequency Missing = 33761.694257

<b>OTHER DAYS MISSED SINCE SEPTEMBER</b>		
<b>q31c</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	101E3	39.51
<b>1-3 days</b>	125E3	48.61
<b>4-9 days</b>	22421	8.75
<b>10+ days</b>	8026	3.13

Frequency Missing = 35066.907723

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q31d</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	21E4	81.52
<b>1-3 days</b>	34460	13.36
<b>4-9 days</b>	7801	3.02
<b>10+ days</b>	5407	2.10

Frequency Missing = 33430.338751

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q31e</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	212E3	83.31
<b>1-3 days</b>	32726	12.89
<b>4-9 days</b>	5882	2.32
<b>10+ days</b>	3773	1.49

Frequency Missing = 37402.047271

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q31f</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	251E3	98.32
<b>1-3 days</b>	2548	1.00
<b>4-9 days</b>	688	0.27
<b>10+ days</b>	1046	0.41

Frequency Missing = 36045.640594

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q31g</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	251E3	97.86
<b>1-3 days</b>	3494	1.36
<b>4-9 days</b>	857	0.33
<b>10+ days</b>	1131	0.44

Frequency Missing = 34786.517306

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q32a</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	236E3	93.84
<b>1-3 times</b>	13166	5.24
<b>4-9 times</b>	1414	0.56
<b>10+ times</b>	890	0.35

Frequency Missing = 40087.857153

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q32b</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	23E4	92.06
<b>1-3 times</b>	14713	5.90
<b>4-9 times</b>	2983	1.20
<b>10+ times</b>	2124	0.85

Frequency Missing = 41832.328942

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q32c</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	231E3	93.23
<b>1-3 times</b>	13618	5.50
<b>4-9 times</b>	1614	0.65
<b>10+ times</b>	1533	0.62

Frequency Missing = 43625.639591

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q32d</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	24E4	97.00
<b>1-3 times</b>	5602	2.27
<b>4-9 times</b>	914	0.37
<b>10+ times</b>	899	0.36

Frequency Missing = 44170.266818

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q32e</b>	<b>Frequency</b>	<b>Percent</b>
<b>None</b>	228E3	94.33
<b>1-3 times</b>	10518	4.36
<b>4-9 times</b>	1866	0.77
<b>10+ times</b>	1289	0.53

**Region 11: Grades 7-12  
Spring 2008**

Frequency Missing = 50127.679182

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q32f Frequency Percent</b>		
<b>None</b>	229E3	94.55
<b>1-3 times</b>	8310	3.44
<b>4-9 times</b>	2326	0.96
<b>10+ times</b>	2530	1.05

Frequency Missing = 49541.268496

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q32g Frequency Percent</b>		
<b>None</b>	228E3	94.37
<b>1-3 times</b>	10048	4.15
<b>4-9 times</b>	1971	0.81
<b>10+ times</b>	1601	0.66

Frequency Missing = 49226.528673

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q32h Frequency Percent</b>		
<b>None</b>	24E4	97.37
<b>1-3 times</b>	4474	1.81
<b>4-9 times</b>	1013	0.41
<b>10+ times</b>	1013	0.41

Frequency Missing = 44409.679372

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q33a Frequency Percent</b>		
<b>None</b>	237E3	92.08
<b>1-3 days</b>	15439	6.00
<b>4-9 days</b>	2496	0.97
<b>10+ days</b>	2461	0.96

Frequency Missing = 33904.417765

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q33b Frequency Percent</b>		
<b>None</b>	236E3	91.77
<b>1-3 days</b>	12634	4.91
<b>4-9 days</b>	3492	1.36
<b>10+ days</b>	5030	1.96

Frequency Missing = 34234.201796

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q33c Frequency Percent</b>		
<b>None</b>	249E3	96.81
<b>1-3 days</b>	5576	2.17
<b>4-9 days</b>	1340	0.52
<b>10+ days</b>	1279	0.50

Frequency Missing = 34559.284237

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q33d Frequency Percent</b>		
<b>None</b>	243E3	94.24
<b>1-3 days</b>	9101	3.53
<b>4-9 days</b>	2771	1.08
<b>10+ days</b>	2972	1.15

Frequency Missing = 33799.201754

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34a Frequency Percent</b>		
<b>Never</b>	113E3	43.61
<b>Seldom</b>	28045	10.82
<b>Half the time</b>	20342	7.85
<b>Most of the time</b>	30843	11.90
<b>Always</b>	39930	15.41
<b>Don't know</b>	6239	2.41
<b>Didn't attend</b>	20744	8.00

Frequency Missing = 32143.457514

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q34b Frequency Percent</b>		
<b>Never</b>	151E3	58.14
<b>Seldom</b>	23853	9.20
<b>Half the time</b>	16409	6.33
<b>Most of the time</b>	17787	6.86
<b>Always</b>	20758	8.01
<b>Don't know</b>	8999	3.47
<b>Didn't attend</b>	20698	7.98

Frequency Missing = 32110.377153

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q35 Frequency Percent</b>		
<b>No</b>	208E3	88.96
<b>Yes</b>	25786	11.04

Frequency Missing = 57720.558076

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q36a Frequency Percent</b>		
<b>No</b>	148E3	58.52
<b>Yes</b>	105E3	41.48

Frequency Missing = 39154.852279

<b>WOULD SEEK HELP OUTSIDE OF SCHOOL</b>		
<b>q36b Frequency Percent</b>		
<b>No</b>	149E3	59.64
<b>Yes</b>	101E3	40.36

Frequency Missing = 41198.838946

<b>WOULD SEEK HELP FROM OTHER COUNSELOR</b>		
<b>q36c Frequency Percent</b>		
<b>No</b>	148E3	59.82
<b>Yes</b>	99405	40.18

Frequency Missing = 43933.804686

**Region 11: Grades 7-12  
Spring 2008**

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q36d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	91891	36.91
<b>Yes</b>	157E3	63.09

Frequency Missing = 42381.287582

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q36e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	133E3	53.86
<b>Yes</b>	114E3	46.14

Frequency Missing = 43535.740626

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q36f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	79818	31.96
<b>Yes</b>	17E4	68.04

Frequency Missing = 41583.018281

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q36g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	95757	38.24
<b>Yes</b>	155E3	61.76

Frequency Missing = 40929.230158

<b>WOULD NOT SEEK HELP</b>		
<b>q36h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	204E3	82.02
<b>Yes</b>	44628	17.98

Frequency Missing = 43166.758139

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q37a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	97488	44.57
<b>Yes</b>	121E3	55.43

Frequency Missing = 72590.209311

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q37b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	11E4	51.17
<b>Yes</b>	105E3	48.83

Frequency Missing = 75901.486727

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q37c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	129E3	60.55
<b>Yes</b>	84126	39.45

Frequency Missing = 78054.665831

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q37d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	136E3	63.64
<b>Yes</b>	77658	36.36

Frequency Missing = 77753.287696

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q37e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	169E3	79.42
<b>Yes</b>	43844	20.58

Frequency Missing = 78267.745605

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q37f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	169E3	78.26
<b>Yes</b>	46853	21.74

Frequency Missing = 75810.55938

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q37g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	129E3	60.04
<b>Yes</b>	86047	39.96

Frequency Missing = 75989.773634

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q37h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	135E3	61.64
<b>Yes</b>	83973	38.36

Frequency Missing = 72440.675068

<b>DRUG/ALCOHOL INFO-- WEBSITE/ONLINE CHAT GROUP</b>		
<b>q38a</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	17E4	69.49
<b>Yes</b>	74868	30.51

Frequency Missing = 45967.399125

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>		
<b>q38b</b>	<b>Frequency</b>	
<b>No</b>		121E3
<b>Yes</b>		123E3

**Region 11: Grades 7-12  
Spring 2008**

Frequency Missing = 41833.72578

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c Frequency Percent</b>		
<b>Strong disapprove</b>	203E3	81.26
<b>Mild disapprove</b>	8097	3.24
<b>Neither</b>	7846	3.14
<b>Mildly approve</b>	2078	0.83
<b>Strongly approve</b>	3750	1.50
<b>Don't know</b>	24999	10.02

Frequency Missing = 41760.94767

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40 Frequency Percent</b>		
<b>No</b>	225E3	89.39
<b>Yes</b>	26744	10.61

Frequency Missing = 39310.909335

<b>PURCHASED LOTTERY TICKET IN PAST YEAR</b>		
<b>q41 Frequency Percent</b>		
<b>No</b>	208E3	83.09
<b>Yes</b>	42391	16.91

Frequency Missing = 40581.108437

<b>DRUG/ALCOHOL INFO-- BOOKS/MAGAZINES/POSTERS/PA MPHLETS</b>	
<b>q38b</b>	<b>Percent</b>
<b>No</b>	49.65
<b>Yes</b>	50.35

Frequency Missing = 46814.946899

<b>DRUG/ALCOHOL INFO-- TV/RADIO/OTHER AUDIO/VIDEO</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	113E3	46.25
<b>Yes</b>	132E3	53.75

Frequency Missing = 46049.688158

<b>DRUG/ALCOHOL INFO--PARENTS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	11E4	44.77
<b>Yes</b>	136E3	55.23

Frequency Missing = 45110.644396

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARET</b>		
<b>q39a Frequency Percent</b>		
<b>Strong disapprove</b>	192E3	76.66
<b>Mild disapprove</b>	14709	5.88
<b>Neither</b>	11072	4.43
<b>Mildly approve</b>	2629	1.05
<b>Strongly approve</b>	2845	1.14
<b>Don't know</b>	27138	10.85

Frequency Missing = 41167.513619

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b Frequency Percent</b>		
<b>Strong disapprove</b>	167E3	66.88
<b>Mild disapprove</b>	29534	11.84
<b>Neither</b>	17760	7.12
<b>Mildly approve</b>	6144	2.46
<b>Strongly approve</b>	3607	1.45
<b>Don't know</b>	25576	10.25

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district