

Texas School Survey of Drug and Alcohol Use: 2014

HHSC Region 9 and 10 Report Grades 6-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	9.4%	13.1%	24.5%	75.5%
Grade 6	1.3%	1.4%	6.4%	93.6%
Grade 7	3.9%	4.9%	13.6%	86.4%
Grade 8	7.0%	12.0%	21.8%	78.2%
Grade 9	7.8%	10.5%	23.0%	77.0%
Grade 10	12.8%	17.6%	31.0%	69.0%
Grade 11	15.5%	21.9%	33.6%	66.5%
Grade 12	20.3%	27.3%	47.5%	52.5%
Cigarettes?				
All	7.6%	11.2%	22.5%	77.5%
Grade 6	0.8%	0.9%	4.7%	95.3%
Grade 7	2.7%	4.1%	12.0%	88.0%
Grade 8	6.2%	10.9%	20.8%	79.2%
Grade 9	5.8%	8.8%	20.6%	79.4%
Grade 10	10.0%	14.6%	30.0%	69.9%
Grade 11	12.1%	18.7%	32.2%	67.8%
Grade 12	18.1%	24.0%	42.2%	57.8%
Smokeless Tobacco?				
All	4.0%	6.0%	9.4%	90.6%
Grade 6	0.5%	0.6%	2.3%	97.7%
Grade 7	1.2%	1.5%	3.9%	96.0%
Grade 8	2.3%	4.6%	7.8%	92.3%
Grade 9	3.7%	5.0%	9.5%	90.5%
Grade 10	5.0%	8.3%	11.4%	88.6%
Grade 11	7.2%	10.3%	13.2%	86.8%
Grade 12	9.8%	13.8%	20.4%	79.5%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	82.6%	1.8%	1.8%	1.8%	3.6%	3.2%	5.3%
Grade 6	97.6%	0.0%	0.1%	0.1%	0.5%	0.6%	1.1%
Grade 7	93.7%	0.5%	0.5%	0.3%	0.6%	1.6%	2.8%
Grade 8	85.2%	1.0%	2.4%	1.9%	2.1%	3.5%	3.9%
Grade 9	82.6%	1.1%	0.7%	2.6%	2.4%	3.6%	7.2%
Grade 10	77.4%	0.4%	2.6%	2.8%	5.8%	5.9%	5.3%
Grade 11	77.0%	3.8%	2.0%	2.7%	6.3%	3.2%	5.0%
Grade 12	60.7%	6.8%	4.8%	2.5%	8.9%	3.9%	12.5%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.1	11.1	11.5	11.9	13.1	14.1	14.8

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	34.7%	19.3%	5.9%	8.7%	11.8%	19.6%
Grade 6	53.2%	31.0%	7.7%	3.0%	2.2%	2.9%
Grade 7	48.6%	26.5%	8.1%	5.5%	3.6%	7.7%
Grade 8	34.6%	24.1%	6.5%	10.7%	12.0%	12.2%
Grade 9	27.9%	17.8%	6.5%	13.7%	16.7%	17.4%
Grade 10	26.1%	14.7%	4.1%	14.9%	17.4%	22.8%
Grade 11	31.5%	12.9%	4.0%	5.8%	13.4%	32.3%
Grade 12	20.6%	6.7%	3.9%	5.5%	16.9%	46.3%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	63.4%	21.6%	9.2%	4.8%	1.0%
Grade 6	90.0%	8.1%	1.4%	0.4%	0.1%
Grade 7	80.2%	13.5%	4.5%	1.7%	0.2%
Grade 8	63.7%	21.9%	9.1%	4.6%	0.7%
Grade 9	60.5%	25.7%	8.4%	4.3%	1.2%
Grade 10	52.4%	30.2%	12.2%	4.9%	0.4%
Grade 11	50.1%	28.6%	10.2%	10.0%	1.1%
Grade 12	43.8%	23.1%	20.8%	8.6%	3.8%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	75.1%	6.3%	6.1%	1.6%	0.7%	10.1%
Grade 6	75.2%	1.2%	1.5%	0.0%	1.4%	20.7%
Grade 7	77.6%	3.6%	2.0%	0.0%	0.4%	16.3%
Grade 8	79.4%	4.1%	4.4%	2.1%	0.7%	9.3%
Grade 9	80.9%	5.1%	5.9%	0.9%	0.7%	6.6%
Grade 10	73.3%	9.2%	8.0%	0.4%	0.0%	9.2%
Grade 11	72.1%	10.8%	8.2%	2.6%	0.4%	5.8%
Grade 12	64.2%	10.2%	13.2%	5.7%	1.9%	4.8%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	65.6%	19.5%	7.2%	1.6%	6.1%
Grade 6	82.8%	8.3%	2.7%	0.4%	5.8%
Grade 7	79.5%	12.4%	2.9%	1.1%	4.2%
Grade 8	63.6%	19.6%	9.0%	0.1%	7.8%
Grade 9	63.0%	23.2%	6.3%	2.1%	5.4%
Grade 10	57.8%	24.6%	8.5%	3.3%	5.8%
Grade 11	60.3%	24.3%	6.6%	1.8%	7.0%
Grade 12	51.3%	23.6%	15.4%	2.4%	7.3%

Alcohol

Table A-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	23.2%	30.1%	51.9%	48.1%
Grade 6	8.7%	9.0%	23.5%	76.4%
Grade 7	8.5%	12.0%	30.1%	69.8%
Grade 8	17.2%	22.2%	50.4%	49.6%
Grade 9	22.3%	30.9%	55.7%	44.3%
Grade 10	30.8%	39.4%	61.5%	38.5%
Grade 11	39.7%	48.9%	73.1%	26.8%
Grade 12	39.8%	54.2%	74.1%	25.9%
Beer?				
All	16.8%	23.4%	42.8%	57.2%
Grade 6	2.6%	2.9%	13.6%	86.4%
Grade 7	6.8%	8.7%	23.4%	76.5%
Grade 8	13.0%	16.6%	40.7%	59.2%
Grade 9	17.3%	22.9%	46.5%	53.5%
Grade 10	22.8%	32.2%	54.3%	45.6%
Grade 11	30.1%	39.4%	62.4%	37.6%
Grade 12	28.4%	47.4%	64.1%	36.0%
Wine Coolers?				
All	13.8%	18.8%	32.3%	67.7%
Grade 6	3.7%	3.8%	7.6%	92.4%
Grade 7	3.2%	4.7%	11.2%	88.7%
Grade 8	9.0%	11.7%	24.9%	75.1%
Grade 9	12.9%	18.2%	33.8%	66.2%
Grade 10	18.2%	26.7%	44.0%	56.0%
Grade 11	25.1%	31.8%	52.0%	48.0%
Grade 12	28.1%	39.7%	58.9%	41.1%
Wine?				
All	9.3%	13.9%	29.8%	70.2%
Grade 6	4.4%	4.5%	11.5%	88.5%
Grade 7	3.5%	6.1%	13.9%	86.1%
Grade 8	7.2%	10.9%	28.4%	71.7%
Grade 9	10.9%	16.3%	34.5%	65.5%
Grade 10	12.8%	17.4%	35.3%	64.7%
Grade 11	13.2%	20.1%	40.2%	59.8%
Grade 12	13.6%	23.7%	47.8%	52.1%
Liquor?				
All	13.1%	19.2%	33.0%	67.0%
Grade 6	1.2%	1.3%	5.8%	94.2%
Grade 7	3.5%	5.6%	13.7%	86.3%
Grade 8	9.4%	12.7%	25.8%	74.2%
Grade 9	12.5%	18.5%	35.7%	64.3%
Grade 10	19.2%	29.6%	46.9%	53.1%
Grade 11	23.9%	33.0%	53.6%	46.5%
Grade 12	25.2%	38.5%	55.3%	44.7%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	58.8%	0.6%	2.7%	6.7%	11.5%	10.5%	9.2%
Grade 6	89.7%	0.1%	0.7%	0.1%	2.4%	2.9%	4.1%
Grade 7	79.6%	0.9%	1.5%	1.4%	4.0%	4.8%	7.9%
Grade 8	66.2%	0.5%	2.1%	3.6%	8.3%	9.6%	9.7%
Grade 9	55.3%	0.4%	1.0%	6.7%	12.5%	14.0%	10.0%
Grade 10	46.9%	0.2%	1.9%	11.1%	17.0%	12.6%	10.1%
Grade 11	36.7%	0.6%	7.9%	11.8%	18.6%	11.4%	13.0%
Grade 12	30.9%	1.5%	4.9%	13.5%	19.8%	19.4%	10.0%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	55.4%	44.6%	11.2%	22.6%	10.8%
	Grade 6	78.9%	21.2%	1.3%	11.2%	8.7%
	Grade 7	75.7%	24.2%	3.4%	11.9%	8.9%
	Grade 8	57.0%	43.0%	5.3%	23.2%	14.5%
	Grade 9	52.0%	48.0%	9.7%	24.6%	13.7%
	Grade 10	44.5%	55.6%	16.0%	28.3%	11.3%
	Grade 11	38.3%	61.8%	19.1%	34.3%	8.4%
	Grade 12	37.9%	62.2%	26.9%	26.0%	9.3%
Wine Coolers	All	66.1%	33.9%	7.6%	19.0%	7.3%
	Grade 6	90.7%	9.3%	0.7%	5.6%	3.0%
	Grade 7	86.3%	13.7%	1.9%	4.8%	7.0%
	Grade 8	69.5%	30.6%	3.3%	16.7%	10.6%
	Grade 9	64.3%	35.7%	6.6%	18.3%	10.8%
	Grade 10	56.7%	43.4%	12.0%	24.5%	6.9%
	Grade 11	49.3%	50.7%	13.8%	31.0%	5.9%
	Grade 12	40.9%	59.1%	17.3%	36.0%	5.8%
Wine	All	69.6%	30.5%	2.9%	16.2%	11.4%
	Grade 6	90.5%	9.5%	0.1%	3.6%	5.8%
	Grade 7	84.9%	15.1%	1.5%	7.6%	6.0%
	Grade 8	69.9%	30.1%	2.1%	14.4%	13.6%
	Grade 9	63.5%	36.5%	3.0%	18.6%	14.9%
	Grade 10	59.9%	40.1%	5.2%	21.7%	13.2%
	Grade 11	63.0%	37.0%	3.4%	21.4%	12.2%
	Grade 12	53.6%	46.4%	4.6%	28.0%	13.8%
Liquor	All	64.2%	35.7%	8.5%	18.9%	8.3%
	Grade 6	92.5%	7.5%	0.2%	3.7%	3.6%
	Grade 7	85.7%	14.2%	1.1%	6.3%	6.8%
	Grade 8	70.5%	29.5%	6.2%	14.1%	9.2%
	Grade 9	60.7%	39.4%	9.0%	21.1%	9.3%
	Grade 10	52.6%	47.4%	13.9%	25.3%	8.2%
	Grade 11	42.9%	57.1%	14.3%	31.4%	11.4%
	Grade 12	39.2%	60.7%	17.4%	33.6%	9.7%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	84.8%	6.6%	3.1%	2.5%	1.2%	1.8%
Grade 6	95.3%	4.0%	0.1%	0.6%	0.0%	0.0%
Grade 7	94.4%	2.1%	1.7%	0.5%	0.4%	0.9%
Grade 8	90.3%	5.0%	2.3%	0.3%	1.1%	1.1%
Grade 9	87.1%	5.4%	2.4%	1.9%	1.4%	1.6%
Grade 10	78.3%	11.7%	3.6%	2.9%	2.4%	1.2%
Grade 11	75.7%	9.0%	5.1%	6.1%	1.0%	3.1%
Grade 12	69.1%	9.7%	7.6%	6.5%	2.0%	5.0%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	10.1	10.5	11.3	12.4	13.3	14.2	14.5

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.5%	14.3%	5.8%	10.9%	16.8%	24.6%
Grade 6	52.4%	26.1%	8.1%	4.2%	4.5%	4.7%
Grade 7	40.0%	22.0%	6.7%	9.5%	8.9%	12.9%
Grade 8	25.7%	19.3%	5.0%	14.9%	17.5%	17.6%
Grade 9	20.5%	12.8%	4.9%	15.3%	20.8%	25.7%
Grade 10	20.9%	8.1%	4.8%	10.8%	20.4%	35.0%
Grade 11	15.8%	8.5%	5.9%	8.3%	21.6%	39.8%
Grade 12	16.7%	2.4%	5.0%	12.9%	24.6%	38.3%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	96.0%	3.1%	0.4%	0.5%
Grade 6	98.4%	1.6%	0.0%	0.0%
Grade 7	96.8%	2.7%	0.1%	0.4%
Grade 8	96.1%	2.4%	0.5%	0.9%
Grade 9	95.5%	3.6%	0.7%	0.2%
Grade 10	96.4%	3.1%	0.2%	0.3%
Grade 11	97.3%	2.5%	0.0%	0.2%
Grade 12	91.5%	5.8%	1.5%	1.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.1
Alcohol Non-Users	2.6
Average days conduct problems reported	
Alcohol Users	2.0
Alcohol Non-Users	0.7

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	93.1%	5.5%	0.8%	0.6%
Grade 9	96.4%	3.4%	0.2%	0.0%
Grade 10	97.0%	2.3%	0.7%	0.0%
Grade 11	92.0%	7.4%	0.4%	0.2%
Grade 12	84.6%	10.1%	2.4%	2.8%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	95.0%	4.4%	0.4%	0.1%
Grade 6	99.4%	0.6%	0.0%	0.0%
Grade 7	96.9%	2.7%	0.0%	0.4%
Grade 8	97.2%	2.7%	0.0%	0.1%
Grade 9	94.3%	4.6%	1.1%	0.0%
Grade 10	95.6%	4.0%	0.2%	0.2%
Grade 11	92.9%	6.3%	0.6%	0.2%
Grade 12	88.1%	10.9%	1.0%	0.0%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.0%	4.1%	0.5%	0.5%
Grade 6	100.0%	0.0%	0.0%	0.0%
Grade 7	97.8%	1.5%	0.0%	0.8%
Grade 8	96.9%	3.0%	0.0%	0.1%
Grade 9	92.3%	6.9%	0.4%	0.5%
Grade 10	95.4%	4.1%	0.2%	0.2%
Grade 11	91.2%	7.1%	1.5%	0.2%
Grade 12	91.8%	5.1%	1.6%	1.5%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	43.6%	24.5%	15.5%	12.6%	3.8%
Grade 6	84.0%	11.4%	4.3%	0.2%	0.1%
Grade 7	69.0%	19.6%	5.8%	4.5%	1.1%
Grade 8	44.8%	29.9%	14.6%	7.9%	2.8%
Grade 9	33.5%	32.2%	18.0%	12.1%	4.3%
Grade 10	25.2%	28.7%	25.9%	16.3%	3.8%
Grade 11	20.7%	31.4%	17.9%	25.5%	4.4%
Grade 12	26.0%	16.1%	22.2%	24.7%	11.0%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	47.5%	6.8%	7.0%	9.0%	13.0%	1.9%	14.8%
Grade 6	83.1%	3.5%	4.3%	2.2%	0.1%	2.7%	4.1%
Grade 7	67.1%	6.4%	4.3%	3.9%	1.9%	3.7%	12.6%
Grade 8	53.6%	9.5%	5.3%	6.2%	6.0%	3.3%	16.1%
Grade 9	43.0%	8.7%	9.6%	10.1%	9.7%	1.3%	17.5%
Grade 10	33.5%	8.1%	9.0%	15.4%	17.8%	0.7%	15.5%
Grade 11	32.8%	9.4%	8.6%	10.8%	25.1%	0.9%	12.5%
Grade 12	19.8%	0.2%	7.5%	14.5%	33.4%	0.6%	24.0%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	54.6%	25.2%	14.7%	4.4%	1.2%
	Grade 6	70.6%	24.0%	3.2%	2.2%	0.0%
	Grade 7	68.0%	23.2%	5.9%	2.3%	0.5%
	Grade 8	53.8%	27.6%	14.8%	3.5%	0.3%
	Grade 9	52.5%	23.2%	17.8%	5.4%	1.2%
	Grade 10	51.7%	21.8%	23.0%	2.5%	1.0%
	Grade 11	41.3%	30.5%	18.7%	7.5%	2.0%
	Grade 12	41.2%	27.2%	20.0%	7.9%	3.7%
Friends?	All	49.7%	21.1%	14.1%	11.6%	3.7%
	Grade 6	72.7%	24.9%	1.5%	0.9%	0.1%
	Grade 7	64.9%	25.2%	4.6%	5.3%	0.0%
	Grade 8	49.4%	29.5%	11.5%	8.2%	1.4%
	Grade 9	48.9%	19.4%	17.0%	10.9%	3.9%
	Grade 10	43.8%	15.7%	21.5%	14.5%	4.5%
	Grade 11	29.8%	19.8%	21.7%	21.4%	7.3%
	Grade 12	34.1%	11.7%	22.0%	22.4%	9.8%
Store?	All	53.9%	37.7%	4.6%	2.5%	1.2%
	Grade 6	73.9%	25.9%	0.0%	0.1%	0.0%
	Grade 7	68.8%	28.8%	1.2%	1.0%	0.1%
	Grade 8	54.2%	40.1%	2.8%	1.1%	1.8%
	Grade 9	52.3%	40.7%	3.0%	2.6%	1.4%
	Grade 10	47.7%	39.9%	8.0%	3.8%	0.6%
	Grade 11	39.9%	47.5%	6.8%	3.4%	2.4%
	Grade 12	37.8%	41.7%	12.0%	6.1%	2.4%
Parties?	All	46.3%	16.4%	10.9%	13.9%	12.5%
	Grade 6	66.7%	24.5%	3.7%	4.5%	0.6%
	Grade 7	63.8%	20.3%	6.8%	6.4%	2.8%
	Grade 8	47.2%	21.7%	11.9%	12.4%	6.7%
	Grade 9	44.9%	14.9%	11.5%	16.6%	12.1%
	Grade 10	38.3%	11.5%	14.0%	15.9%	20.2%
	Grade 11	30.0%	14.3%	16.2%	19.7%	19.9%
	Grade 12	29.5%	6.6%	12.4%	22.9%	28.6%
Other Source?	All	54.6%	24.8%	8.8%	6.3%	5.5%
	Grade 6	72.4%	23.2%	2.7%	1.3%	0.4%
	Grade 7	70.1%	22.0%	5.1%	2.6%	0.3%
	Grade 8	55.6%	29.8%	6.7%	4.5%	3.5%
	Grade 9	54.4%	24.4%	10.3%	5.3%	5.6%
	Grade 10	49.1%	22.8%	10.1%	10.3%	7.7%
	Grade 11	40.5%	29.4%	12.6%	9.1%	8.5%
	Grade 12	36.1%	22.0%	15.0%	12.7%	14.2%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	66.0%	11.5%	8.6%	2.9%	1.1%	10.0%
Grade 6	74.0%	2.9%	1.4%	0.1%	1.4%	20.3%
Grade 7	72.3%	6.3%	3.5%	0.6%	0.4%	16.9%
Grade 8	69.2%	10.3%	6.9%	2.0%	0.9%	10.8%
Grade 9	70.4%	10.4%	9.8%	1.3%	1.6%	6.5%
Grade 10	61.3%	16.7%	9.2%	5.1%	0.0%	7.7%
Grade 11	61.7%	14.0%	10.7%	6.5%	1.2%	5.8%
Grade 12	50.8%	19.5%	18.9%	5.2%	2.1%	3.5%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	56.0%	24.3%	12.5%	2.2%	4.9%
Grade 6	72.8%	14.4%	5.2%	0.1%	7.6%
Grade 7	63.5%	21.0%	8.2%	3.0%	4.4%
Grade 8	54.7%	24.5%	13.1%	1.6%	6.1%
Grade 9	53.3%	25.8%	14.6%	2.9%	3.4%
Grade 10	50.9%	27.1%	13.3%	3.5%	5.2%
Grade 11	50.5%	28.7%	14.1%	2.0%	4.7%
Grade 12	46.0%	28.8%	19.5%	2.2%	3.5%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	9.5%	13.6%	23.6%	76.5%
Grade 6	0.6%	0.7%	3.0%	97.0%
Grade 7	3.0%	3.5%	5.9%	94.1%
Grade 8	7.0%	11.2%	19.9%	80.2%
Grade 9	8.1%	12.1%	26.5%	73.5%
Grade 10	16.0%	21.6%	32.1%	67.8%
Grade 11	15.1%	21.3%	35.8%	64.2%
Grade 12	18.2%	26.9%	44.9%	55.1%
Cocaine?				
All	0.7%	1.2%	2.8%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.8%	1.9%	98.1%
Grade 9	0.6%	0.9%	2.1%	97.9%
Grade 10	0.6%	1.2%	4.4%	95.5%
Grade 11	1.7%	2.3%	4.4%	95.6%
Grade 12	2.0%	3.1%	6.4%	93.6%
Crack?				
All	0.3%	0.5%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.4%	0.6%	99.5%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.0%	1.4%	98.5%
Grade 11	0.6%	1.0%	1.4%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens?				
All	0.6%	0.9%	1.7%	98.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	1.1%	1.4%	2.3%	97.7%
Grade 10	1.2%	1.8%	3.5%	96.5%
Grade 11	1.0%	1.0%	3.0%	97.1%
Grade 12	0.1%	1.5%	1.9%	98.1%
Rohypnol?				
All	0.2%	0.2%	0.6%	99.4%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.8%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.6%	0.6%	1.4%	98.7%
Grade 12	0.0%	0.0%	0.1%	99.8%

Table D-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.4%	0.4%	0.9%	99.0%
Grade 6	0.0%	0.0%	0.6%	99.4%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	1.1%	1.1%	1.8%	98.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy?				
All	1.7%	2.4%	5.1%	94.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.8%	0.9%	99.1%
Grade 8	2.2%	2.3%	4.1%	96.0%
Grade 9	0.1%	0.9%	3.3%	96.6%
Grade 10	3.0%	4.7%	8.3%	91.7%
Grade 11	3.6%	4.0%	8.9%	91.2%
Grade 12	3.5%	4.8%	11.5%	88.4%
Heroin?				
All	0.0%	0.2%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.4%	1.0%	99.0%
Grade 11	0.0%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.2%	0.3%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.3%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.8%	1.2%	2.2%	97.7%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana?				
All	2.3%	3.6%	7.9%	92.1%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	1.8%	2.8%	3.4%	96.6%
Grade 8	2.7%	4.7%	7.8%	92.1%
Grade 9	2.1%	2.9%	7.7%	92.3%
Grade 10	3.3%	5.2%	11.6%	88.4%
Grade 11	3.1%	4.0%	10.4%	89.6%
Grade 12	3.5%	5.9%	15.4%	84.6%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	79.2%	1.8%	2.1%	3.7%	3.9%	3.8%	5.6%
	Grade 6	97.3%	0.2%	0.0%	0.5%	1.2%	0.6%	0.2%
	Grade 7	92.6%	0.8%	1.2%	1.3%	1.6%	0.4%	2.0%
	Grade 8	82.6%	2.5%	1.6%	2.3%	3.1%	3.0%	4.9%
	Grade 9	77.1%	1.4%	1.1%	5.1%	4.0%	5.4%	5.9%
	Grade 10	72.7%	2.6%	4.8%	4.2%	4.8%	5.3%	5.5%
	Grade 11	68.8%	2.2%	2.3%	4.4%	6.9%	5.9%	9.5%
	Grade 12	59.8%	3.0%	4.2%	8.3%	6.6%	6.0%	12.2%
Cocaine?								
	All	98.3%	0.2%	0.2%	0.1%	0.1%	0.5%	0.5%
	Grade 6	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.9%	0.0%	0.0%	0.0%	0.2%	0.5%	0.4%
	Grade 9	97.9%	0.0%	0.2%	0.1%	0.3%	0.8%	0.7%
	Grade 10	97.9%	0.0%	0.4%	0.2%	0.0%	1.3%	0.2%
	Grade 11	97.3%	0.0%	0.2%	0.2%	0.2%	0.8%	1.4%
	Grade 12	96.5%	1.0%	0.3%	0.3%	0.0%	0.5%	1.4%
Crack?								
	All	99.8%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 6	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.3%	0.4%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.0%	0.0%	0.1%	0.0%	0.4%
	Grade 6	99.3%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%
	Grade 7	99.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%
	Grade 9	99.5%	0.0%	0.2%	0.0%	0.0%	0.0%	0.3%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 11	99.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	95.9%	0.0%	0.3%	0.3%	0.9%	1.2%	1.4%
	Grade 6	99.4%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%
	Grade 7	98.8%	0.0%	0.0%	0.0%	0.1%	0.8%	0.4%
	Grade 8	97.5%	0.1%	0.8%	0.9%	0.0%	0.7%	0.1%
	Grade 9	97.6%	0.1%	0.3%	0.0%	0.4%	0.4%	1.1%
	Grade 10	92.7%	0.1%	0.4%	0.9%	1.7%	2.3%	1.9%
	Grade 11	93.0%	0.0%	0.6%	0.0%	1.5%	2.7%	2.1%
	Grade 12	91.1%	0.0%	0.0%	0.0%	2.5%	1.6%	4.9%
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.5%	0.0%	0.1%	0.1%	0.0%	0.0%	0.2%
	Grade 6	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.7%
	Grade 10	98.9%	0.0%	0.4%	0.4%	0.0%	0.2%	0.0%
	Grade 11	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Synthetic Marijuana?								
	All	93.2%	0.3%	0.3%	0.3%	1.5%	1.6%	2.9%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	96.9%	0.2%	0.0%	0.4%	0.9%	1.1%	0.6%
	Grade 8	93.7%	1.3%	0.5%	0.1%	2.0%	1.1%	1.1%
	Grade 9	91.8%	0.4%	0.3%	0.3%	2.2%	2.1%	2.8%
	Grade 10	89.2%	0.1%	0.4%	0.7%	1.4%	1.9%	6.3%
	Grade 11	92.1%	0.0%	0.0%	0.2%	2.8%	1.2%	3.8%
	Grade 12	88.2%	0.0%	1.0%	0.0%	1.1%	3.7%	5.9%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	12.0	11.5	12.5	12.9	13.6	14.2	14.9
Cocaine	*	9.4	12.2	13.4	14.3	15.1	16.8
Crack	*	11.5	11.1	11.5	15.0	*	*
Steroids	10.6	10.0	10.6	10.6	14.7	15.2	8.0
Ecstasy	11.0	13.0	12.8	13.3	14.0	14.7	16.3
Heroin	*	8.7	*	8.0	13.8	*	*
Methamphetamine	12.0	8.5	13.0	12.3	13.8	8.0	14.5
Synthetic Marijuana	12.7	12.6	12.8	13.3	13.9	14.5	15.3

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	82.4%	0.4%	0.1%	0.9%	5.4%	7.7%	3.0%	0.1%	
Grade 6	97.8%	0.2%	0.0%	0.9%	1.1%	0.0%	0.0%	0.0%	
Grade 7	94.7%	0.8%	0.1%	0.6%	3.8%	0.0%	0.0%	0.0%	
Grade 8	85.6%	0.4%	0.0%	0.2%	12.0%	1.8%	0.0%	0.0%	
Grade 9	82.3%	0.5%	0.4%	1.4%	4.9%	10.5%	0.0%	0.0%	
Grade 10	75.4%	0.0%	0.0%	1.7%	5.1%	15.2%	2.6%	0.0%	
Grade 11	66.3%	1.0%	0.0%	1.0%	5.3%	16.8%	9.5%	0.0%	
Grade 12	70.7%	0.0%	0.0%	0.0%	6.4%	10.8%	11.3%	0.8%	
Other Family Situation									
All	70.0%	0.6%	0.2%	2.7%	12.5%	9.1%	4.6%	0.1%	
Grade 6	95.9%	0.0%	0.0%	0.3%	3.8%	0.0%	0.0%	0.0%	
Grade 7	89.1%	1.0%	0.1%	2.7%	6.3%	0.8%	0.0%	0.0%	
Grade 8	74.0%	1.1%	0.1%	3.1%	18.5%	3.2%	0.0%	0.0%	
Grade 9	64.6%	0.9%	0.9%	4.5%	18.6%	10.4%	0.0%	0.0%	
Grade 10	63.6%	0.5%	0.0%	5.7%	12.5%	15.0%	2.6%	0.0%	
Grade 11	60.3%	0.0%	0.0%	2.6%	11.9%	17.7%	7.6%	0.0%	
Grade 12	39.3%	0.4%	0.0%	0.0%	14.9%	18.9%	25.4%	1.0%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	31.7%	19.5%	5.8%	9.3%	12.6%	21.1%
	Grade 6	56.3%	33.0%	4.7%	2.0%	1.5%	2.5%
	Grade 7	44.7%	28.4%	5.8%	6.2%	6.9%	8.1%
	Grade 8	30.5%	22.0%	8.9%	9.5%	13.4%	15.6%
	Grade 9	24.4%	17.4%	5.3%	13.9%	15.6%	23.4%
	Grade 10	22.7%	13.4%	4.7%	10.5%	15.6%	33.2%
	Grade 11	22.0%	12.0%	5.3%	13.0%	16.8%	30.8%
	Grade 12	20.7%	8.8%	6.4%	9.1%	19.3%	35.7%
Cocaine	All	42.1%	26.3%	10.9%	9.3%	5.8%	5.7%
	Grade 6	59.4%	30.9%	5.7%	0.9%	1.1%	2.0%
	Grade 7	52.7%	31.6%	7.3%	4.0%	2.2%	2.1%
	Grade 8	41.2%	30.8%	11.5%	9.4%	4.4%	2.7%
	Grade 9	35.4%	28.8%	11.7%	12.0%	5.7%	6.4%
	Grade 10	35.1%	21.7%	11.4%	14.4%	10.1%	7.3%
	Grade 11	38.9%	21.3%	11.9%	10.8%	11.0%	6.1%
	Grade 12	31.9%	16.7%	17.3%	13.9%	6.4%	14.0%
Crack	All	45.9%	26.6%	11.4%	8.2%	3.8%	4.1%
	Grade 6	63.9%	27.6%	4.2%	1.8%	0.0%	2.5%
	Grade 7	55.7%	31.3%	7.0%	1.6%	1.5%	2.8%
	Grade 8	42.8%	31.6%	12.2%	8.4%	3.2%	1.7%
	Grade 9	39.0%	29.3%	12.2%	10.1%	4.3%	5.2%
	Grade 10	38.8%	23.8%	12.3%	14.1%	6.5%	4.5%
	Grade 11	44.5%	21.5%	12.5%	9.8%	7.2%	4.4%
	Grade 12	36.5%	19.6%	20.4%	11.8%	3.6%	8.1%
Steroids	All	47.2%	26.8%	9.9%	7.2%	5.0%	3.7%
	Grade 6	65.1%	25.7%	5.7%	0.7%	1.9%	0.9%
	Grade 7	55.2%	31.9%	7.7%	2.0%	1.4%	1.8%
	Grade 8	47.7%	31.2%	7.9%	7.4%	4.3%	1.6%
	Grade 9	39.2%	32.0%	10.0%	8.4%	5.6%	4.7%
	Grade 10	40.7%	23.4%	11.9%	13.0%	5.8%	5.3%
	Grade 11	45.0%	22.4%	11.6%	6.3%	11.4%	3.3%
	Grade 12	37.8%	19.2%	15.6%	13.1%	5.3%	9.0%

Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?	All	50.1%	21.4%	8.8%	5.9%	6.6%	7.0%
	Grade 6	73.1%	21.9%	3.8%	0.2%	0.1%	0.9%
	Grade 7	63.8%	26.2%	5.6%	1.8%	0.4%	2.3%
	Grade 8	56.7%	23.6%	7.1%	6.0%	3.5%	3.1%
	Grade 9	42.2%	25.1%	8.8%	9.6%	8.1%	6.3%
	Grade 10	38.3%	18.4%	14.2%	8.4%	8.9%	11.9%
	Grade 11	41.3%	21.0%	8.0%	6.8%	11.6%	11.4%
	Grade 12	35.2%	12.0%	14.8%	8.5%	14.9%	14.6%
Heroin?	All	51.8%	27.0%	10.4%	5.0%	3.0%	2.8%
	Grade 6	71.1%	22.7%	3.5%	0.2%	1.1%	1.4%
	Grade 7	61.8%	28.8%	5.0%	2.1%	1.0%	1.4%
	Grade 8	55.9%	28.3%	7.9%	4.7%	1.5%	1.7%
	Grade 9	43.4%	31.8%	11.9%	5.0%	3.9%	4.0%
	Grade 10	41.7%	27.1%	13.2%	9.9%	5.2%	2.9%
	Grade 11	48.6%	24.4%	13.0%	7.9%	5.0%	1.1%
	Grade 12	40.3%	24.2%	19.8%	5.2%	2.9%	7.5%
Methamphetamine?	All	54.4%	25.0%	9.7%	4.8%	2.7%	3.4%
	Grade 6	72.2%	23.0%	3.6%	0.2%	0.0%	0.9%
	Grade 7	64.9%	27.3%	4.1%	1.6%	1.3%	0.9%
	Grade 8	60.5%	24.9%	7.8%	3.9%	1.4%	1.5%
	Grade 9	45.6%	28.6%	11.3%	6.8%	4.2%	3.4%
	Grade 10	46.0%	24.4%	12.0%	8.0%	4.2%	5.4%
	Grade 11	50.0%	21.7%	13.5%	5.6%	5.5%	3.8%
	Grade 12	41.1%	24.1%	16.5%	7.4%	2.3%	8.6%
Synthetic Marijuana?	All	50.0%	19.7%	6.4%	6.8%	6.5%	10.7%
	Grade 6	70.1%	23.4%	2.7%	1.7%	0.2%	1.9%
	Grade 7	60.2%	25.8%	5.4%	2.1%	1.8%	4.7%
	Grade 8	53.5%	19.8%	4.9%	7.6%	7.0%	7.2%
	Grade 9	43.4%	18.8%	7.8%	8.6%	9.2%	12.2%
	Grade 10	40.5%	17.1%	7.2%	8.2%	11.8%	15.2%
	Grade 11	42.2%	19.0%	5.1%	11.8%	8.6%	13.3%
	Grade 12	39.7%	12.8%	11.7%	8.0%	6.3%	21.5%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	91.6%	5.3%	1.3%	1.8%
Grade 6	98.6%	1.3%	0.1%	0.0%
Grade 7	94.6%	3.8%	0.7%	0.9%
Grade 8	90.0%	6.6%	1.3%	2.2%
Grade 9	91.1%	6.6%	1.3%	1.0%
Grade 10	89.8%	7.3%	0.7%	2.2%
Grade 11	92.1%	4.0%	1.0%	2.9%
Grade 12	85.2%	6.9%	4.1%	3.8%
Attended Class While High From Use Of Some Other Drug?				
All	96.3%	2.6%	0.7%	0.4%
Grade 6	98.7%	1.3%	0.0%	0.0%
Grade 7	96.6%	2.5%	0.5%	0.4%
Grade 8	96.2%	2.4%	0.5%	0.9%
Grade 9	96.8%	2.7%	0.5%	0.0%
Grade 10	93.7%	4.0%	1.9%	0.4%
Grade 11	97.8%	1.8%	0.2%	0.2%
Grade 12	94.1%	3.3%	1.3%	1.2%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.4
Marijuana Non-Users	2.9
Average days conduct problems reported	
Marijuana Users	2.7
Marijuana Non-Users	0.9

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	91.7%	5.6%	1.3%	1.4%
Grade 9	96.2%	3.0%	0.5%	0.3%
Grade 10	95.0%	3.8%	0.7%	0.6%
Grade 11	91.1%	6.4%	1.6%	0.8%
Grade 12	81.9%	10.5%	2.9%	4.7%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.2%	3.8%	0.5%	0.4%
Grade 6	100.0%	0.0%	0.0%	0.0%
Grade 7	97.1%	2.1%	0.4%	0.4%
Grade 8	94.9%	3.8%	0.9%	0.5%
Grade 9	93.7%	6.0%	0.3%	0.0%
Grade 10	94.2%	5.0%	0.9%	0.0%
Grade 11	94.9%	4.7%	0.4%	0.0%
Grade 12	92.2%	4.5%	1.1%	2.2%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.0%	3.4%	1.0%	0.6%
Grade 6	99.4%	0.6%	0.0%	0.0%
Grade 7	97.1%	1.9%	0.2%	0.8%
Grade 8	96.8%	2.6%	0.5%	0.1%
Grade 9	94.3%	4.2%	1.0%	0.6%
Grade 10	93.9%	4.4%	1.3%	0.4%
Grade 11	92.7%	3.9%	2.9%	0.6%
Grade 12	90.3%	6.3%	1.0%	2.3%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	51.2%	20.1%	13.6%	11.7%	3.3%
Grade 6	89.4%	6.8%	1.7%	1.9%	0.2%
Grade 7	71.7%	13.5%	6.9%	6.8%	1.1%
Grade 8	50.2%	18.5%	16.4%	12.2%	2.6%
Grade 9	37.4%	29.6%	15.5%	12.6%	4.9%
Grade 10	34.8%	27.4%	16.5%	17.4%	4.0%
Grade 11	39.7%	26.2%	14.2%	16.1%	3.8%
Grade 12	34.8%	16.9%	25.5%	15.8%	7.0%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	56.0%	6.6%	5.2%	6.8%	8.4%	2.5%	14.5%
Grade 6	88.1%	2.8%	1.3%	0.4%	0.2%	3.3%	3.9%
Grade 7	73.2%	4.4%	3.3%	2.4%	2.3%	2.2%	12.2%
Grade 8	58.3%	7.6%	3.2%	4.2%	7.2%	4.0%	15.6%
Grade 9	53.4%	7.2%	5.2%	7.8%	6.8%	2.4%	17.3%
Grade 10	45.0%	7.2%	8.4%	10.4%	12.2%	1.3%	15.4%
Grade 11	47.7%	11.2%	5.5%	10.7%	10.1%	1.8%	12.9%
Grade 12	25.8%	5.7%	9.9%	11.6%	21.2%	2.7%	23.0%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	77.8%	4.2%	5.1%	1.5%	1.6%	9.9%
Grade 6	77.5%	0.7%	0.2%	0.0%	1.4%	20.2%
Grade 7	75.4%	3.1%	2.1%	0.4%	0.8%	18.2%
Grade 8	77.5%	4.0%	4.1%	1.7%	2.7%	10.1%
Grade 9	82.2%	3.4%	5.5%	1.4%	2.0%	5.5%
Grade 10	74.6%	7.4%	7.0%	2.1%	1.1%	7.6%
Grade 11	79.6%	7.2%	5.4%	1.9%	1.1%	4.7%
Grade 12	76.7%	3.1%	11.4%	2.8%	1.6%	4.4%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	63.3%	12.3%	9.4%	10.4%	4.5%
	Grade 6	88.9%	5.7%	1.1%	0.3%	3.9%
	Grade 7	79.3%	7.4%	4.5%	4.8%	4.0%
	Grade 8	66.4%	12.4%	10.4%	5.7%	5.1%
	Grade 9	59.2%	14.8%	10.0%	13.6%	2.4%
	Grade 10	50.0%	16.3%	14.9%	14.0%	4.7%
	Grade 11	54.6%	14.8%	8.4%	14.9%	7.4%
	Grade 12	42.6%	14.7%	17.6%	20.2%	4.8%
Cocaine?	All	86.8%	6.0%	1.3%	0.5%	5.4%
	Grade 6	92.0%	2.5%	0.1%	0.1%	5.3%
	Grade 7	88.5%	3.6%	1.7%	1.1%	5.1%
	Grade 8	86.9%	6.2%	2.4%	0.0%	4.5%
	Grade 9	86.2%	7.0%	1.7%	0.4%	4.7%
	Grade 10	80.8%	11.5%	0.2%	1.7%	5.8%
	Grade 11	87.4%	5.4%	0.8%	0.0%	6.3%
	Grade 12	86.5%	5.4%	1.7%	0.0%	6.3%
Crack?	All	87.3%	5.5%	1.0%	0.6%	5.7%
	Grade 6	91.1%	2.8%	0.1%	0.1%	5.9%
	Grade 7	88.2%	3.6%	1.5%	1.1%	5.7%
	Grade 8	87.4%	6.2%	1.6%	0.4%	4.3%
	Grade 9	86.3%	5.8%	1.7%	0.4%	5.9%
	Grade 10	82.2%	10.3%	0.6%	1.1%	5.8%
	Grade 11	89.7%	4.4%	0.2%	0.0%	5.7%
	Grade 12	86.8%	5.2%	0.6%	0.9%	6.6%
Ecstasy?	All	81.8%	7.8%	2.2%	1.2%	6.9%
	Grade 6	90.3%	2.0%	0.7%	0.7%	6.3%
	Grade 7	86.1%	5.2%	0.9%	0.7%	7.1%
	Grade 8	82.5%	6.5%	2.9%	1.3%	6.8%
	Grade 9	79.3%	8.2%	3.5%	1.4%	7.6%
	Grade 10	76.3%	12.5%	2.8%	1.9%	6.6%
	Grade 11	81.8%	10.0%	0.6%	1.4%	6.2%
	Grade 12	77.0%	10.5%	3.8%	1.3%	7.4%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	80.3%	6.4%	2.9%	1.3%	9.2%
	Grade 6	89.6%	2.5%	0.1%	0.2%	7.6%
	Grade 7	85.1%	5.0%	0.5%	0.7%	8.7%
	Grade 8	78.9%	6.2%	3.5%	0.5%	10.9%
	Grade 9	78.7%	6.5%	3.5%	1.1%	10.2%
	Grade 10	74.9%	9.0%	4.5%	2.5%	9.1%
	Grade 11	79.7%	6.6%	3.0%	2.0%	8.8%
	Grade 12	75.1%	8.8%	5.2%	2.4%	8.5%
Steroids?	All	79.3%	9.8%	2.7%	1.2%	7.0%
	Grade 6	87.0%	3.6%	1.4%	0.6%	7.4%
	Grade 7	85.3%	5.7%	1.8%	0.9%	6.3%
	Grade 8	78.7%	10.8%	3.7%	0.5%	6.4%
	Grade 9	75.7%	13.9%	2.5%	0.7%	7.1%
	Grade 10	73.1%	12.3%	4.1%	2.7%	7.8%
	Grade 11	80.7%	10.3%	1.8%	0.6%	6.6%
	Grade 12	74.9%	10.9%	4.1%	3.0%	7.2%
Heroin?	All	87.3%	5.2%	0.7%	0.4%	6.4%
	Grade 6	88.8%	3.6%	0.1%	0.1%	7.4%
	Grade 7	88.3%	4.0%	0.9%	0.7%	6.1%
	Grade 8	86.0%	5.8%	1.8%	0.0%	6.5%
	Grade 9	85.2%	6.8%	1.1%	0.4%	6.6%
	Grade 10	85.5%	7.4%	0.2%	1.1%	5.9%
	Grade 11	90.1%	5.0%	0.2%	0.0%	4.7%
	Grade 12	88.1%	2.9%	0.6%	0.9%	7.5%
Methamphetamine?	All	87.2%	4.4%	1.0%	0.5%	6.9%
	Grade 6	89.5%	1.4%	1.2%	0.1%	7.8%
	Grade 7	87.5%	4.0%	1.3%	1.2%	6.0%
	Grade 8	85.3%	4.6%	1.8%	0.0%	8.3%
	Grade 9	86.2%	5.2%	1.2%	0.4%	7.1%
	Grade 10	84.3%	7.2%	0.6%	1.1%	6.8%
	Grade 11	89.1%	5.7%	0.4%	0.0%	4.9%
	Grade 12	89.3%	1.8%	0.6%	0.9%	7.4%
Synthetic Marijuana?	All	80.8%	7.3%	2.9%	1.3%	7.8%
	Grade 6	89.5%	2.1%	0.3%	0.2%	8.0%
	Grade 7	85.0%	5.0%	2.1%	2.0%	6.0%
	Grade 8	80.6%	6.6%	3.3%	1.8%	7.7%
	Grade 9	76.5%	9.4%	4.7%	1.0%	8.3%
	Grade 10	75.6%	10.6%	3.9%	1.3%	8.6%
	Grade 11	80.0%	11.0%	1.8%	0.5%	6.6%
	Grade 12	79.5%	5.7%	3.6%	2.0%	9.2%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.6%	7.3%	11.5%	88.6%
Grade 6	1.5%	2.5%	4.5%	95.6%
Grade 7	1.9%	2.2%	3.6%	96.3%
Grade 8	2.7%	3.0%	7.2%	92.8%
Grade 9	5.8%	7.6%	11.4%	88.6%
Grade 10	5.4%	10.3%	16.6%	83.4%
Grade 11	7.3%	10.7%	17.1%	82.9%
Grade 12	8.2%	16.3%	22.0%	78.0%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.4%	2.1%	2.7%	97.2%
Grade 6	0.5%	0.6%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.8%	0.8%	2.1%	97.9%
Grade 9	1.7%	1.7%	1.8%	98.1%
Grade 10	1.9%	3.0%	3.6%	96.3%
Grade 11	2.6%	2.6%	4.5%	95.5%
Grade 12	2.1%	6.7%	6.9%	93.1%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.7%	3.8%	6.0%	94.0%
Grade 6	0.0%	0.1%	1.9%	98.2%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	1.3%	1.6%	2.1%	97.8%
Grade 9	2.2%	3.6%	4.8%	95.2%
Grade 10	4.9%	6.9%	9.1%	90.8%
Grade 11	5.5%	6.2%	9.7%	90.3%
Grade 12	5.3%	8.5%	15.1%	84.9%
Valium Or Diazepam?				
All	0.7%	0.8%	1.3%	98.7%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.4%	99.7%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	1.8%	1.8%	3.0%	97.0%
Grade 12	1.5%	2.1%	3.4%	96.6%
Xanax Or Alprazolam?				
All	1.8%	2.4%	3.2%	96.7%
Grade 6	0.0%	0.1%	0.6%	99.5%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	1.1%	1.3%	1.9%	98.0%
Grade 9	1.4%	1.5%	2.2%	97.7%
Grade 10	1.3%	3.2%	4.4%	95.6%
Grade 11	5.5%	6.5%	8.6%	91.4%
Grade 12	2.9%	4.4%	4.8%	95.2%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	2.6%	3.3%	5.2%	94.9%
Grade 6	0.6%	0.6%	1.6%	98.3%
Grade 7	1.2%	1.4%	3.8%	96.2%
Grade 8	0.8%	1.1%	3.3%	96.8%
Grade 9	4.2%	4.2%	6.2%	93.8%
Grade 10	3.8%	6.5%	9.5%	90.5%
Grade 11	4.4%	5.0%	6.9%	93.1%
Grade 12	3.0%	3.8%	4.1%	95.9%

Inhalants

Table I-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	1.0%	1.3%	4.2%	95.8%
Grade 6	1.4%	1.4%	2.4%	97.6%
Grade 7	1.2%	2.3%	4.4%	95.7%
Grade 8	1.2%	1.4%	4.3%	95.7%
Grade 9	0.5%	0.8%	3.4%	96.6%
Grade 10	0.6%	1.0%	5.7%	94.3%
Grade 11	0.0%	0.0%	6.9%	93.1%
Grade 12	2.1%	2.3%	2.5%	97.5%
Whiteout, Correction Fluid, Magic Markers?				
All	2.1%	3.0%	8.3%	91.7%
Grade 6	2.7%	3.7%	8.1%	91.9%
Grade 7	2.5%	5.2%	12.9%	87.2%
Grade 8	2.9%	3.2%	8.5%	91.4%
Grade 9	1.8%	2.7%	8.8%	91.2%
Grade 10	1.7%	2.3%	7.5%	92.6%
Grade 11	1.8%	2.0%	8.6%	91.4%
Grade 12	0.8%	1.3%	2.4%	97.6%
Computer Dusting Sprays?				
All	0.9%	1.2%	2.6%	97.4%
Grade 6	1.1%	1.1%	1.1%	98.9%
Grade 7	1.2%	2.0%	2.5%	97.5%
Grade 8	1.5%	1.5%	2.8%	97.2%
Grade 9	0.8%	1.3%	2.1%	98.0%
Grade 10	1.0%	1.0%	3.3%	96.6%
Grade 11	0.0%	0.0%	3.6%	96.4%
Grade 12	0.3%	1.5%	3.1%	96.8%
Helium, Butane, Propane, Whip-pets, Freon?				
All	2.3%	3.4%	7.8%	92.3%
Grade 6	1.7%	1.7%	3.0%	97.1%
Grade 7	1.4%	2.5%	4.5%	95.5%
Grade 8	2.4%	3.4%	11.4%	88.5%
Grade 9	3.3%	4.2%	8.9%	91.1%
Grade 10	2.7%	3.9%	9.9%	90.1%
Grade 11	1.4%	2.6%	8.0%	92.1%
Grade 12	3.1%	5.3%	8.3%	91.7%
Glue?				
All	0.4%	0.7%	1.6%	98.4%
Grade 6	0.4%	0.5%	0.7%	99.3%
Grade 7	0.4%	1.5%	2.1%	98.0%
Grade 8	0.8%	1.0%	2.0%	98.0%
Grade 9	0.3%	0.8%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.7%	0.7%	2.9%	97.0%
Grade 12	0.5%	0.7%	0.7%	99.4%

Table I-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.8%	1.1%	2.1%	97.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	2.1%	2.7%	97.4%
Grade 8	2.3%	2.3%	2.8%	97.2%
Grade 9	0.4%	0.5%	2.1%	97.9%
Grade 10	1.2%	1.4%	2.0%	98.0%
Grade 11	0.0%	0.0%	3.2%	96.8%
Grade 12	0.3%	1.1%	1.8%	98.2%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	1.4%	1.8%	3.3%	96.8%
Grade 6	1.1%	1.1%	1.7%	98.3%
Grade 7	0.7%	1.8%	3.6%	96.5%
Grade 8	2.0%	2.1%	3.7%	96.4%
Grade 9	0.5%	0.6%	2.7%	97.3%
Grade 10	2.2%	2.2%	3.8%	96.1%
Grade 11	1.7%	2.8%	4.6%	95.4%
Grade 12	1.5%	2.0%	2.6%	97.4%
Other Aerosols/Sprays?				
All	1.2%	1.6%	3.1%	96.9%
Grade 6	1.8%	1.9%	3.1%	97.0%
Grade 7	1.4%	2.3%	3.6%	96.4%
Grade 8	2.6%	2.7%	4.0%	96.0%
Grade 9	0.6%	0.7%	2.0%	97.9%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	0.7%	1.5%	4.9%	95.1%
Grade 12	1.1%	1.9%	2.5%	97.5%
Any Inhalant?				
All	6.0%	7.9%	16.1%	83.9%
Grade 6	6.4%	7.4%	12.3%	87.6%
Grade 7	6.3%	9.1%	18.4%	81.6%
Grade 8	7.1%	7.7%	19.2%	80.7%
Grade 9	5.8%	8.1%	16.9%	83.1%
Grade 10	5.8%	6.9%	16.5%	83.6%
Grade 11	5.6%	7.1%	15.8%	84.3%
Grade 12	4.6%	9.0%	12.8%	87.3%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.1%	0.2%	0.3%	0.6%	0.5%	1.0%	1.3%
Grade 6	95.3%	0.2%	0.5%	1.7%	0.1%	1.1%	1.1%
Grade 7	95.2%	0.0%	0.1%	0.4%	0.9%	1.1%	2.3%
Grade 8	92.7%	1.3%	0.5%	0.0%	1.0%	2.6%	2.0%
Grade 9	95.8%	0.0%	0.0%	0.6%	1.3%	0.8%	1.5%
Grade 10	98.6%	0.0%	0.0%	0.6%	0.2%	0.0%	0.6%
Grade 11	97.4%	0.0%	0.0%	0.6%	0.0%	1.0%	1.0%
Grade 12	98.2%	0.0%	0.8%	0.5%	0.0%	0.4%	0.0%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	84.1%	8.6%	5.1%	2.2%
Grade 6	88.0%	7.3%	4.0%	0.6%
Grade 7	81.8%	11.2%	4.3%	2.7%
Grade 8	81.2%	9.0%	8.3%	1.6%
Grade 9	83.3%	10.3%	3.7%	2.8%
Grade 10	83.6%	5.9%	8.6%	1.9%
Grade 11	84.3%	8.1%	3.7%	4.0%
Grade 12	87.3%	7.8%	3.2%	1.7%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.6	10.7	10.5	11.6	12.4	11.9	12.8

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	98.6%	1.1%	0.2%	0.1%
Grade 6	99.0%	0.3%	0.7%	0.0%
Grade 7	98.2%	1.7%	0.0%	0.0%
Grade 8	97.7%	2.3%	0.0%	0.1%
Grade 9	98.5%	1.1%	0.4%	0.0%
Grade 10	99.6%	0.2%	0.0%	0.2%
Grade 11	99.8%	0.2%	0.0%	0.0%
Grade 12	97.5%	1.6%	0.0%	0.9%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	4.4
Inhalants Non-Users	3.0
	Average days conduct problems reported
Inhalants Users	4.5
Inhalants Non-Users	1.0

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	85.9%	9.6%	3.3%	1.0%	0.3%
Grade 6	87.3%	9.1%	1.6%	1.8%	0.2%
Grade 7	85.4%	8.8%	4.1%	1.4%	0.3%
Grade 8	83.4%	9.8%	5.1%	0.8%	0.8%
Grade 9	83.7%	11.5%	3.0%	1.1%	0.6%
Grade 10	85.3%	11.8%	2.8%	0.0%	0.0%
Grade 11	86.2%	9.1%	3.9%	0.6%	0.2%
Grade 12	90.9%	5.7%	2.2%	1.1%	0.0%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	77.5%	9.9%	3.9%	1.0%	7.6%
Grade 6	81.3%	7.9%	3.8%	0.2%	6.9%
Grade 7	81.2%	6.1%	4.8%	1.3%	6.7%
Grade 8	75.3%	11.0%	4.9%	0.8%	8.0%
Grade 9	74.0%	12.3%	2.8%	2.4%	8.5%
Grade 10	72.0%	14.9%	3.3%	1.2%	8.6%
Grade 11	80.1%	9.4%	3.4%	0.6%	6.5%
Grade 12	80.5%	7.0%	4.2%	0.3%	8.0%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.5%	15.2%	4.3%	4.9%	9.9%	21.3%
Grade 6	57.5%	24.0%	2.1%	1.2%	4.7%	10.5%
Grade 7	53.3%	19.9%	5.1%	3.9%	5.3%	12.5%
Grade 8	42.5%	17.5%	4.5%	3.7%	9.2%	22.6%
Grade 9	37.0%	14.6%	4.8%	7.1%	11.1%	25.4%
Grade 10	40.4%	11.6%	4.1%	5.8%	10.7%	27.5%
Grade 11	44.2%	9.8%	3.0%	3.7%	12.6%	26.7%
Grade 12	37.2%	7.6%	6.6%	8.7%	16.4%	23.5%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	46.4%
	Grade 6	47.3%
	Grade 7	63.3%
	Grade 8	55.1%
	Grade 9	30.4%
	Grade 10	51.4%
	Grade 11	47.9%
	Grade 12	33.9%
An Assembly Program		
	All	53.2%
	Grade 6	59.9%
	Grade 7	64.7%
	Grade 8	70.1%
	Grade 9	42.0%
	Grade 10	46.9%
	Grade 11	45.1%
	Grade 12	49.5%
Guidance Counselor		
	All	30.2%
	Grade 6	41.0%
	Grade 7	37.9%
	Grade 8	44.4%
	Grade 9	22.0%
	Grade 10	24.8%
	Grade 11	24.8%
	Grade 12	21.4%
Science Or Social Studies Class		
	All	26.3%
	Grade 6	26.7%
	Grade 7	27.4%
	Grade 8	25.1%
	Grade 9	29.0%
	Grade 10	31.8%
	Grade 11	22.1%
	Grade 12	21.0%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

	Yes
Student Group Or Club Meeting At School	
All	19.7%
Grade 6	28.6%
Grade 7	21.2%
Grade 8	21.8%
Grade 9	17.4%
Grade 10	18.8%
Grade 11	16.2%
Grade 12	16.6%
An Invited School Guest	
All	39.5%
Grade 6	42.0%
Grade 7	49.9%
Grade 8	61.1%
Grade 9	29.0%
Grade 10	32.5%
Grade 11	31.5%
Grade 12	34.7%
Another Source At School	
All	32.8%
Grade 6	38.8%
Grade 7	42.5%
Grade 8	40.4%
Grade 9	28.6%
Grade 10	28.6%
Grade 11	28.7%
Grade 12	25.0%
Any School Source	
All	70.8%
Grade 6	72.2%
Grade 7	79.7%
Grade 8	82.2%
Grade 9	60.2%
Grade 10	72.3%
Grade 11	69.5%
Grade 12	62.5%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	43.0%
	Grade 6	56.5%
	Grade 7	54.9%
	Grade 8	50.3%
	Grade 9	34.9%
	Grade 10	35.1%
	Grade 11	35.9%
	Grade 12	35.9%
Another Adult In School		
	All	45.9%
	Grade 6	53.0%
	Grade 7	54.6%
	Grade 8	53.4%
	Grade 9	39.3%
	Grade 10	33.1%
	Grade 11	40.3%
	Grade 12	50.7%
Counselor/Program Outside-School		
	All	43.9%
	Grade 6	49.5%
	Grade 7	48.2%
	Grade 8	47.1%
	Grade 9	40.9%
	Grade 10	39.8%
	Grade 11	39.8%
	Grade 12	43.6%
Your Parents		
	All	67.5%
	Grade 6	72.7%
	Grade 7	68.9%
	Grade 8	67.7%
	Grade 9	64.4%
	Grade 10	62.5%
	Grade 11	68.3%
	Grade 12	69.8%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	54.2%
	Grade 6	67.9%
	Grade 7	58.8%
	Grade 8	55.5%
	Grade 9	49.3%
	Grade 10	47.9%
	Grade 11	49.6%
	Grade 12	53.3%
Your Friends		
	All	55.9%
	Grade 6	30.0%
	Grade 7	43.0%
	Grade 8	55.4%
	Grade 9	60.5%
	Grade 10	60.7%
	Grade 11	66.2%
	Grade 12	72.7%
Another Adult		
	All	59.9%
	Grade 6	54.1%
	Grade 7	54.6%
	Grade 8	61.8%
	Grade 9	61.9%
	Grade 10	55.9%
	Grade 11	65.7%
	Grade 12	64.8%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	10.0%
	Grade 6	10.4%
	Grade 7	12.4%
	Grade 8	12.0%
	Grade 9	9.6%
	Grade 10	6.6%
	Grade 11	8.6%
	Grade 12	10.6%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	8.2%	27.9%	26.1%	28.0%	9.7%
Grade 6	18.3%	23.3%	14.7%	25.8%	17.8%
Grade 7	13.1%	27.9%	21.8%	24.1%	13.0%
Grade 8	6.9%	27.5%	33.8%	23.6%	8.2%
Grade 9	5.8%	29.1%	26.8%	32.4%	5.9%
Grade 10	4.6%	25.6%	27.7%	34.5%	7.5%
Grade 11	6.1%	29.7%	27.9%	27.3%	8.9%
Grade 12	2.5%	32.6%	30.2%	27.2%	7.5%
Sometimes Carry Weapons?					
All	73.6%	15.8%	6.1%	3.3%	1.2%
Grade 6	87.2%	9.7%	1.7%	0.9%	0.5%
Grade 7	82.6%	11.6%	4.1%	0.9%	0.8%
Grade 8	74.0%	20.1%	4.7%	0.8%	0.3%
Grade 9	70.8%	15.3%	8.6%	3.5%	1.8%
Grade 10	68.6%	17.7%	7.4%	5.4%	0.9%
Grade 11	67.7%	18.5%	7.0%	6.6%	0.2%
Grade 12	63.4%	17.8%	8.9%	5.2%	4.7%
Care About Making Good Grades?					
All	3.3%	17.0%	22.7%	39.5%	17.6%
Grade 6	3.7%	17.3%	21.2%	34.5%	23.3%
Grade 7	7.4%	20.3%	18.2%	33.3%	20.7%
Grade 8	1.5%	21.1%	30.1%	29.7%	17.6%
Grade 9	1.8%	18.2%	24.0%	41.0%	14.9%
Grade 10	1.2%	18.9%	23.8%	45.1%	11.0%
Grade 11	4.1%	7.9%	23.2%	45.6%	19.2%
Grade 12	3.6%	13.1%	17.3%	48.9%	17.1%
Belong/Want To Belong To A Gang?					
All	78.1%	15.0%	4.8%	1.6%	0.5%
Grade 6	87.4%	9.1%	3.2%	0.2%	0.1%
Grade 7	80.1%	12.0%	3.8%	3.9%	0.1%
Grade 8	72.9%	17.4%	6.7%	2.0%	1.0%
Grade 9	69.9%	20.7%	5.1%	2.9%	1.4%
Grade 10	76.9%	18.7%	3.1%	0.9%	0.4%
Grade 11	81.7%	13.0%	4.5%	0.8%	0.0%
Grade 12	80.7%	11.6%	7.5%	0.2%	0.0%
Wish They Could Drop Out Of School?					
All	61.1%	25.7%	8.1%	3.2%	1.8%
Grade 6	76.3%	15.7%	4.9%	2.3%	0.9%
Grade 7	65.1%	18.4%	10.6%	3.7%	2.1%
Grade 8	56.0%	28.9%	9.5%	4.9%	0.8%
Grade 9	52.3%	30.7%	10.6%	4.3%	2.1%
Grade 10	53.7%	34.3%	6.5%	2.8%	2.6%
Grade 11	63.1%	25.0%	7.2%	2.2%	2.5%
Grade 12	64.5%	25.4%	6.5%	1.7%	1.9%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	87.0%	10.7%	0.9%	0.2%	1.2%
	Grade 6	93.1%	5.6%	0.6%	0.1%	0.6%
	Grade 7	84.5%	10.7%	2.7%	0.5%	1.6%
	Grade 8	82.4%	14.1%	1.0%	0.0%	2.5%
	Grade 9	85.1%	13.8%	0.5%	0.0%	0.7%
	Grade 10	88.2%	10.7%	0.1%	0.0%	1.0%
	Grade 11	89.1%	9.6%	0.0%	0.6%	0.8%
	Grade 12	87.1%	9.7%	1.2%	0.3%	1.7%
Out In Your Neighborhood?						
	All	38.1%	47.1%	9.0%	2.1%	3.7%
	Grade 6	36.1%	45.1%	10.2%	3.1%	5.4%
	Grade 7	36.2%	40.4%	14.3%	4.2%	4.9%
	Grade 8	29.5%	50.7%	11.7%	1.0%	7.1%
	Grade 9	40.4%	45.8%	9.9%	1.0%	3.0%
	Grade 10	40.8%	53.3%	3.9%	0.8%	1.2%
	Grade 11	39.0%	48.1%	8.1%	2.7%	2.1%
	Grade 12	45.8%	46.3%	3.8%	2.3%	1.7%
At School?						
	All	49.9%	39.6%	5.1%	2.3%	3.1%
	Grade 6	66.7%	23.9%	5.9%	2.2%	1.2%
	Grade 7	54.6%	33.8%	5.2%	2.7%	3.8%
	Grade 8	46.5%	39.7%	6.5%	2.4%	4.9%
	Grade 9	39.5%	46.4%	8.5%	2.0%	3.7%
	Grade 10	42.9%	49.2%	2.9%	0.7%	4.3%
	Grade 11	46.4%	44.8%	3.2%	4.0%	1.6%
	Grade 12	55.7%	38.1%	2.0%	2.4%	1.7%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.4%	13.1%	24.5%	75.5%
	Grade 6	1.3%	1.4%	6.4%	93.6%
	Grade 7	3.9%	4.9%	13.6%	86.4%
	Grade 8	7.0%	12.0%	21.8%	78.2%
	Grade 9	7.8%	10.5%	23.0%	77.0%
	Grade 10	12.8%	17.6%	31.0%	69.0%
	Grade 11	15.5%	21.9%	33.6%	66.5%
	Grade 12	20.3%	27.3%	47.5%	52.5%
Alcohol	All	23.2%	30.1%	51.9%	48.1%
	Grade 6	8.7%	9.0%	23.5%	76.4%
	Grade 7	8.5%	12.0%	30.1%	69.8%
	Grade 8	17.2%	22.2%	50.4%	49.6%
	Grade 9	22.3%	30.9%	55.7%	44.3%
	Grade 10	30.8%	39.4%	61.5%	38.5%
	Grade 11	39.7%	48.9%	73.1%	26.8%
	Grade 12	39.8%	54.2%	74.1%	25.9%
Inhalants	All	6.0%	7.9%	16.1%	83.9%
	Grade 6	6.4%	7.4%	12.3%	87.6%
	Grade 7	6.3%	9.1%	18.4%	81.6%
	Grade 8	7.1%	7.7%	19.2%	80.7%
	Grade 9	5.8%	8.1%	16.9%	83.1%
	Grade 10	5.8%	6.9%	16.5%	83.6%
	Grade 11	5.6%	7.1%	15.8%	84.3%
	Grade 12	4.6%	9.0%	12.8%	87.3%
Any Illicit Drug	All	10.6%	14.8%	24.9%	75.2%
	Grade 6	0.6%	0.7%	3.5%	96.6%
	Grade 7	3.4%	4.7%	7.5%	92.5%
	Grade 8	8.6%	12.4%	21.9%	78.2%
	Grade 9	8.6%	12.8%	27.5%	72.6%
	Grade 10	17.3%	23.1%	33.0%	67.1%
	Grade 11	18.4%	24.0%	37.9%	62.1%
	Grade 12	19.2%	28.7%	46.7%	53.3%
Marijuana	All	9.5%	13.6%	23.6%	76.5%
	Grade 6	0.6%	0.7%	3.0%	97.0%
	Grade 7	3.0%	3.5%	5.9%	94.1%
	Grade 8	7.0%	11.2%	19.9%	80.2%
	Grade 9	8.1%	12.1%	26.5%	73.5%
	Grade 10	16.0%	21.6%	32.1%	67.8%
	Grade 11	15.1%	21.3%	35.8%	64.2%
	Grade 12	18.2%	26.9%	44.9%	55.1%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	5.9%	12.9%	87.2%
Grade 6	0.5%	0.5%	2.1%	97.9%
Grade 7	1.0%	1.0%	2.9%	97.1%
Grade 8	3.7%	5.6%	10.8%	89.2%
Grade 9	3.0%	5.2%	16.1%	83.9%
Grade 10	5.6%	9.2%	15.9%	84.0%
Grade 11	6.6%	10.0%	20.4%	79.6%
Grade 12	6.1%	10.6%	23.4%	76.5%
Cocaine Or Crack				
All	0.9%	1.5%	3.1%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.4%	0.7%	99.3%
Grade 8	0.8%	1.4%	2.5%	97.5%
Grade 9	0.6%	0.9%	2.1%	97.9%
Grade 10	1.1%	2.1%	5.3%	94.7%
Grade 11	1.7%	2.5%	4.8%	95.2%
Grade 12	2.0%	3.1%	6.4%	93.6%
Cocaine				
All	0.7%	1.2%	2.8%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.8%	1.9%	98.1%
Grade 9	0.6%	0.9%	2.1%	97.9%
Grade 10	0.6%	1.2%	4.4%	95.5%
Grade 11	1.7%	2.3%	4.4%	95.6%
Grade 12	2.0%	3.1%	6.4%	93.6%
Crack				
All	0.3%	0.5%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.4%	0.6%	99.5%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.0%	1.4%	98.5%
Grade 11	0.6%	1.0%	1.4%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.9%	1.7%	98.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	1.1%	1.4%	2.3%	97.7%
Grade 10	1.2%	1.8%	3.5%	96.5%
Grade 11	1.0%	1.0%	3.0%	97.1%
Grade 12	0.1%	1.5%	1.9%	98.1%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.6%	99.4%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.1%	99.8%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.3%	0.3%	1.1%	98.9%
	Grade 10	0.4%	0.4%	0.4%	99.6%
	Grade 11	0.6%	0.6%	1.4%	98.7%
	Grade 12	0.0%	0.0%	0.1%	99.8%
Steroids	All	0.4%	0.4%	0.9%	99.0%
	Grade 6	0.0%	0.0%	0.6%	99.4%
	Grade 7	0.7%	0.7%	1.0%	99.0%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 9	0.3%	0.5%	1.1%	98.9%
	Grade 10	0.4%	0.5%	0.9%	99.1%
	Grade 11	1.1%	1.1%	1.8%	98.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	1.7%	2.4%	5.1%	94.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.4%	0.8%	0.9%	99.1%
	Grade 8	2.2%	2.3%	4.1%	96.0%
	Grade 9	0.1%	0.9%	3.3%	96.6%
	Grade 10	3.0%	4.7%	8.3%	91.7%
	Grade 11	3.6%	4.0%	8.9%	91.2%
	Grade 12	3.5%	4.8%	11.5%	88.4%
Heroin	All	0.0%	0.2%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.4%	1.0%	99.0%
	Grade 11	0.0%	1.1%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.3%	3.6%	7.9%	92.1%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	1.8%	2.8%	3.4%	96.6%
Grade 8	2.7%	4.7%	7.8%	92.1%
Grade 9	2.1%	2.9%	7.7%	92.3%
Grade 10	3.3%	5.2%	11.6%	88.4%
Grade 11	3.1%	4.0%	10.4%	89.6%
Grade 12	3.5%	5.9%	15.4%	84.6%
Methamphetamine				
All	0.2%	0.3%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.3%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.8%	1.2%	2.2%	97.7%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.9%	15.6%	26.7%	73.3%
	Grade 6	0.2%	0.3%	7.8%	92.2%
	Grade 7	4.3%	5.2%	13.6%	86.5%
	Grade 8	8.4%	14.6%	26.4%	73.7%
	Grade 9	11.6%	15.1%	26.2%	73.7%
	Grade 10	10.7%	17.3%	28.5%	71.5%
	Grade 11	19.6%	24.5%	36.8%	63.1%
	Grade 12	27.1%	40.8%	58.4%	41.6%
Alcohol	All	22.3%	30.1%	49.0%	51.1%
	Grade 6	8.2%	8.6%	22.3%	77.7%
	Grade 7	9.0%	12.4%	25.6%	74.4%
	Grade 8	14.6%	20.6%	44.8%	55.3%
	Grade 9	21.5%	29.7%	53.2%	46.7%
	Grade 10	24.9%	36.7%	60.1%	39.9%
	Grade 11	39.5%	48.2%	68.2%	31.9%
	Grade 12	47.1%	65.9%	76.8%	23.2%
Inhalants	All	5.7%	7.8%	15.1%	84.9%
	Grade 6	6.1%	6.1%	12.9%	87.1%
	Grade 7	5.9%	7.5%	17.1%	82.9%
	Grade 8	5.3%	6.0%	12.0%	88.0%
	Grade 9	5.5%	8.6%	14.5%	85.5%
	Grade 10	2.8%	4.7%	15.1%	84.9%
	Grade 11	8.8%	9.6%	18.2%	81.8%
	Grade 12	5.5%	12.8%	16.4%	83.6%
Any Illicit Drug	All	12.3%	16.3%	26.1%	73.8%
	Grade 6	1.1%	1.3%	5.5%	94.6%
	Grade 7	3.7%	4.6%	7.5%	92.5%
	Grade 8	12.3%	16.2%	25.1%	74.9%
	Grade 9	9.5%	12.4%	28.5%	71.5%
	Grade 10	13.7%	21.0%	31.5%	68.5%
	Grade 11	22.0%	27.8%	39.8%	60.1%
	Grade 12	30.5%	39.6%	52.8%	47.2%
Marijuana	All	11.4%	15.3%	24.9%	75.0%
	Grade 6	1.1%	1.3%	4.6%	95.4%
	Grade 7	3.7%	3.9%	6.6%	93.4%
	Grade 8	9.7%	15.3%	23.3%	76.6%
	Grade 9	9.1%	11.6%	27.5%	72.5%
	Grade 10	12.9%	19.8%	30.1%	69.9%
	Grade 11	19.1%	23.7%	37.0%	63.0%
	Grade 12	30.5%	39.6%	52.8%	47.2%

Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.6%	6.2%	12.6%	87.4%
Grade 6	1.0%	1.0%	3.0%	97.0%
Grade 7	0.4%	0.4%	3.1%	96.9%
Grade 8	5.6%	7.5%	13.2%	86.8%
Grade 9	2.7%	3.4%	15.0%	85.0%
Grade 10	4.3%	8.1%	14.6%	85.5%
Grade 11	8.6%	11.3%	20.4%	79.5%
Grade 12	12.8%	15.9%	21.9%	78.1%
Cocaine Or Crack				
All	0.9%	1.3%	3.0%	96.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	1.0%	3.1%	97.0%
Grade 10	1.3%	2.5%	5.4%	94.6%
Grade 11	1.9%	3.1%	5.9%	94.1%
Grade 12	3.8%	3.8%	8.4%	91.6%
Cocaine				
All	0.9%	1.3%	2.9%	97.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	1.0%	3.1%	97.0%
Grade 10	1.3%	2.5%	4.5%	95.5%
Grade 11	1.9%	3.1%	5.9%	94.1%
Grade 12	3.8%	3.8%	8.4%	91.6%
Crack				
All	0.1%	0.1%	0.2%	99.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	1.3%	98.8%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	1.2%	2.2%	97.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	1.1%	1.7%	3.1%	96.9%
Grade 10	0.7%	1.5%	3.2%	96.7%
Grade 11	1.6%	1.6%	4.5%	95.5%
Grade 12	0.2%	2.7%	3.5%	96.5%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.5%	99.4%
	Grade 6	0.0%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 11	0.8%	0.8%	1.2%	98.8%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids	All	0.6%	0.7%	1.3%	98.7%
	Grade 6	0.0%	0.0%	1.1%	98.9%
	Grade 7	0.6%	0.6%	0.6%	99.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.6%	1.0%	1.9%	98.1%
	Grade 10	0.9%	0.9%	1.6%	98.4%
	Grade 11	2.2%	2.2%	3.6%	96.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	2.1%	3.1%	5.6%	94.4%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.9%	1.1%	99.0%
	Grade 8	4.5%	4.5%	6.9%	93.1%
	Grade 9	0.3%	1.1%	2.9%	97.1%
	Grade 10	3.5%	6.1%	8.5%	91.6%
	Grade 11	4.2%	4.6%	9.6%	90.4%
	Grade 12	3.2%	5.6%	13.5%	86.6%
Heroin	All	0.0%	0.4%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.9%	1.3%	98.7%
	Grade 11	0.0%	2.2%	2.2%	97.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.8%	4.4%	9.2%	90.9%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	2.2%	3.1%	3.9%	96.0%
Grade 8	4.7%	7.6%	9.8%	90.1%
Grade 9	2.6%	3.6%	9.6%	90.4%
Grade 10	2.1%	3.8%	9.2%	90.7%
Grade 11	4.8%	5.2%	13.6%	86.4%
Grade 12	3.4%	8.1%	20.3%	79.7%
Methamphetamine				
All	0.1%	0.2%	0.9%	99.0%
Grade 6	0.0%	0.0%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.0%	0.0%	1.0%	99.0%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	10.5%	22.2%	77.7%
	Grade 6	2.6%	2.6%	4.9%	95.1%
	Grade 7	3.5%	4.7%	13.7%	86.3%
	Grade 8	5.1%	9.1%	17.2%	82.7%
	Grade 9	2.9%	4.5%	18.7%	81.3%
	Grade 10	15.0%	18.1%	33.9%	66.0%
	Grade 11	11.8%	19.5%	30.2%	69.8%
	Grade 12	14.9%	16.6%	38.8%	61.2%
Alcohol	All	24.0%	30.1%	54.8%	45.1%
	Grade 6	9.3%	9.6%	25.1%	74.8%
	Grade 7	8.2%	11.9%	34.5%	65.6%
	Grade 8	19.1%	23.2%	55.2%	44.8%
	Grade 9	23.3%	32.4%	58.7%	41.3%
	Grade 10	37.2%	42.8%	63.9%	36.1%
	Grade 11	39.7%	49.5%	77.7%	22.2%
	Grade 12	33.9%	44.7%	71.9%	28.1%
Inhalants	All	6.3%	8.1%	17.1%	82.9%
	Grade 6	6.8%	9.0%	11.9%	88.1%
	Grade 7	6.7%	10.6%	19.6%	80.4%
	Grade 8	8.7%	9.3%	25.1%	74.9%
	Grade 9	6.1%	7.5%	20.0%	80.0%
	Grade 10	8.7%	9.0%	17.9%	82.1%
	Grade 11	2.6%	4.8%	13.6%	86.5%
	Grade 12	3.9%	5.8%	9.7%	90.3%
Any Illicit Drug	All	8.9%	13.2%	23.5%	76.5%
	Grade 6	0.0%	0.1%	1.3%	98.7%
	Grade 7	3.0%	4.6%	7.4%	92.6%
	Grade 8	5.2%	8.9%	18.9%	81.1%
	Grade 9	7.5%	12.9%	25.8%	74.3%
	Grade 10	21.0%	25.4%	34.8%	65.2%
	Grade 11	15.1%	20.6%	35.8%	64.1%
	Grade 12	10.2%	20.0%	41.8%	58.2%
Marijuana	All	7.6%	11.8%	22.2%	77.9%
	Grade 6	0.0%	0.1%	1.3%	98.7%
	Grade 7	2.4%	3.2%	5.4%	94.7%
	Grade 8	4.5%	7.4%	16.7%	83.3%
	Grade 9	6.9%	12.3%	24.9%	75.1%
	Grade 10	19.4%	23.9%	34.9%	65.2%
	Grade 11	11.4%	19.2%	34.4%	65.6%
	Grade 12	8.3%	16.6%	38.4%	61.5%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.8%	5.4%	12.9%	87.1%
Grade 6	0.0%	0.1%	1.2%	98.8%
Grade 7	1.5%	1.5%	2.8%	97.2%
Grade 8	2.0%	4.0%	8.8%	91.2%
Grade 9	3.5%	7.1%	17.1%	82.9%
Grade 10	7.1%	10.6%	17.7%	82.4%
Grade 11	4.7%	8.7%	20.0%	80.0%
Grade 12	0.7%	6.4%	24.8%	75.2%
Cocaine Or Crack				
All	0.8%	1.5%	3.0%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.6%	1.2%	98.8%
Grade 8	1.5%	2.7%	4.7%	95.3%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.8%	1.6%	5.3%	94.7%
Grade 11	1.5%	1.9%	3.8%	96.3%
Grade 12	0.5%	2.4%	4.7%	95.2%
Cocaine				
All	0.5%	1.0%	2.6%	97.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.8%	99.1%
Grade 8	0.4%	1.6%	3.5%	96.5%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	4.5%	95.5%
Grade 11	1.5%	1.5%	3.0%	97.0%
Grade 12	0.5%	2.4%	4.7%	95.2%
Crack				
All	0.5%	0.8%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.6%	0.9%	99.1%
Grade 8	1.2%	1.2%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	1.6%	1.6%	98.3%
Grade 11	1.1%	1.5%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.6%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	1.1%	1.1%	1.4%	98.6%
Grade 10	1.7%	2.1%	3.8%	96.2%
Grade 11	0.4%	0.4%	1.5%	98.5%
Grade 12	0.0%	0.5%	0.5%	99.5%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.7%	0.7%	1.8%	98.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.4%	0.4%	1.5%	98.5%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Steroids	All	0.1%	0.1%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.7%	0.7%	1.3%	98.7%
	Grade 8	0.0%	0.0%	2.3%	97.6%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.0%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Ecstasy	All	1.4%	1.8%	4.6%	95.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.7%	0.7%	0.8%	99.3%
	Grade 8	0.0%	0.1%	1.3%	98.7%
	Grade 9	0.0%	0.7%	4.0%	96.0%
	Grade 10	2.5%	3.4%	8.3%	91.7%
	Grade 11	3.0%	3.3%	8.1%	91.8%
	Grade 12	3.7%	4.2%	10.0%	89.9%
Heroin	All	0.0%	0.0%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.9%	2.9%	6.7%	93.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.5%	2.5%	2.9%	97.1%
Grade 8	0.9%	2.1%	6.0%	94.0%
Grade 9	1.5%	2.0%	5.4%	94.6%
Grade 10	4.6%	6.7%	14.1%	85.8%
Grade 11	1.5%	3.0%	7.6%	92.5%
Grade 12	3.6%	4.2%	11.4%	88.6%
Methamphetamine				
All	0.3%	0.3%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.2%	98.7%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	1.7%	1.7%	3.7%	96.3%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.1%	0.1%	0.1%	99.9%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.1%	18.0%	35.8%	64.2%
	Grade 6	0.2%	0.8%	8.4%	91.6%
	Grade 7	5.3%	5.3%	17.7%	82.3%
	Grade 8	13.6%	17.4%	28.8%	71.1%
	Grade 9	13.7%	15.7%	33.9%	66.2%
	Grade 10	9.8%	14.5%	36.0%	64.1%
	Grade 11	20.0%	24.4%	42.2%	57.8%
	Grade 12	27.2%	35.6%	62.0%	38.0%
Alcohol	All	24.2%	33.6%	57.9%	42.1%
	Grade 6	1.2%	3.1%	16.5%	83.6%
	Grade 7	3.0%	4.8%	19.8%	80.3%
	Grade 8	26.2%	31.6%	59.3%	40.7%
	Grade 9	21.8%	39.2%	59.6%	40.3%
	Grade 10	26.3%	32.7%	61.1%	38.9%
	Grade 11	30.7%	44.0%	83.2%	16.8%
	Grade 12	43.4%	55.8%	77.1%	22.9%
Inhalants	All	3.4%	7.1%	16.4%	83.5%
	Grade 6	3.9%	7.7%	14.2%	85.8%
	Grade 7	3.3%	5.9%	14.5%	85.5%
	Grade 8	3.8%	8.0%	25.6%	74.4%
	Grade 9	8.5%	15.5%	28.1%	71.9%
	Grade 10	2.8%	5.3%	16.3%	83.6%
	Grade 11	0.9%	1.8%	7.4%	92.5%
	Grade 12	1.1%	5.8%	11.5%	88.6%
Any Illicit Drug	All	9.1%	14.3%	22.8%	77.2%
	Grade 6	0.0%	0.6%	5.2%	94.8%
	Grade 7	1.7%	3.4%	5.9%	94.2%
	Grade 8	0.9%	4.2%	16.8%	83.2%
	Grade 9	9.8%	14.9%	20.4%	79.5%
	Grade 10	8.6%	15.1%	23.2%	76.8%
	Grade 11	9.9%	14.3%	25.0%	75.0%
	Grade 12	22.2%	32.7%	45.8%	54.2%
Marijuana	All	8.7%	13.5%	21.7%	78.4%
	Grade 6	0.0%	0.6%	1.4%	98.5%
	Grade 7	1.7%	1.9%	3.6%	96.5%
	Grade 8	0.9%	3.7%	14.5%	85.5%
	Grade 9	8.1%	13.8%	19.3%	80.6%
	Grade 10	8.6%	13.2%	23.2%	76.8%
	Grade 11	9.0%	13.4%	24.1%	75.9%
	Grade 12	22.2%	32.7%	45.8%	54.2%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.9%	6.4%	12.0%	88.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	1.1%	2.8%	97.3%
Grade 8	0.2%	2.9%	12.3%	87.8%
Grade 9	3.1%	4.4%	6.7%	93.4%
Grade 10	6.4%	9.9%	16.1%	84.0%
Grade 11	5.3%	7.1%	14.6%	85.4%
Grade 12	6.8%	13.1%	23.3%	76.8%
Cocaine Or Crack				
All	0.1%	0.4%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	1.8%	98.2%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.1%	98.9%
Cocaine				
All	0.1%	0.4%	0.7%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	1.8%	98.2%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.1%	98.9%
Crack				
All	0.0%	0.3%	0.3%	99.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.6%	2.1%	97.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	1.1%	1.1%	3.1%	96.9%
Grade 10	1.0%	2.0%	2.0%	98.1%
Grade 11	0.0%	0.0%	5.4%	94.6%
Grade 12	0.0%	0.0%	1.5%	98.5%

Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.1%	0.1%	99.9%
	Grade 6	0.0%	0.6%	0.6%	99.4%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.3%	1.7%	98.3%
	Grade 6	0.0%	0.2%	0.4%	99.6%
	Grade 7	2.7%	2.7%	2.7%	97.3%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	3.7%	96.3%
	Grade 10	0.0%	0.0%	1.0%	99.0%
	Grade 11	0.0%	0.0%	3.5%	96.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.1%	0.9%	2.0%	98.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.6%	0.8%	1.3%	98.8%
	Grade 9	0.0%	0.6%	0.6%	99.4%
	Grade 10	0.0%	2.9%	3.9%	96.1%
	Grade 11	0.0%	0.9%	2.7%	97.2%
	Grade 12	0.0%	0.0%	3.4%	96.6%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.6%	2.3%	8.6%	91.4%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.2%	0.8%	1.2%	98.8%
Grade 8	0.8%	1.3%	4.2%	95.8%
Grade 9	2.0%	4.9%	11.3%	88.7%
Grade 10	1.0%	1.0%	4.6%	95.4%
Grade 11	0.9%	1.8%	6.8%	93.1%
Grade 12	4.4%	4.4%	22.5%	77.4%
Methamphetamine				
All	0.0%	0.0%	1.3%	98.7%
Grade 6	0.0%	0.0%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.4%	99.7%
Grade 9	0.0%	0.0%	2.6%	97.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.5%	98.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.9%	11.8%	15.4%	84.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	11.9%	32.2%	33.1%	66.9%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Alcohol	All	24.3%	28.8%	44.8%	55.2%
	Grade 6	15.6%	15.6%	16.4%	83.6%
	Grade 7	0.7%	1.4%	29.4%	70.6%
	Grade 8	33.1%	55.2%	76.4%	23.5%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Inhalants	All	4.5%	4.5%	7.0%	93.0%
	Grade 6	0.0%	0.0%	0.8%	99.2%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	23.1%	23.1%	24.9%	75.1%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Any Illicit Drug	All	14.7%	14.7%	20.4%	79.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.4%	1.4%	2.1%	98.0%
	Grade 8	2.8%	2.8%	24.0%	76.0%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Marijuana	All	9.7%	9.7%	15.2%	84.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.4%	1.4%	2.1%	98.0%
	Grade 8	2.8%	2.8%	23.1%	76.9%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.6%	5.6%	6.9%	93.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	2.8%	2.8%	2.8%	97.2%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Cocaine Or Crack				
All	1.8%	1.8%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Cocaine				
All	1.8%	1.8%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Hallucinogens				
All	3.4%	3.4%	3.4%	96.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.8%	1.8%	1.8%	98.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Steroids	All	5.1%	5.1%	9.2%	90.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	20.3%	79.7%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Ecstasy	All	6.9%	6.9%	7.1%	92.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
Heroin	All	0.0%	5.1%	5.1%	94.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.8%	3.8%	13.2%	86.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.4%	1.4%	1.4%	98.6%
Grade 8	0.0%	0.0%	21.2%	78.8%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Methamphetamine				
All	0.0%	0.0%	5.1%	94.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.4%	12.1%	22.8%	77.2%
	Grade 6	1.6%	1.6%	6.3%	93.7%
	Grade 7	4.4%	5.8%	14.7%	85.3%
	Grade 8	4.9%	9.2%	20.0%	80.0%
	Grade 9	6.5%	9.5%	20.7%	79.2%
	Grade 10	12.8%	17.8%	28.8%	71.3%
	Grade 11	14.3%	20.9%	31.8%	68.3%
	Grade 12	17.4%	24.5%	44.2%	55.8%
Alcohol	All	22.7%	29.3%	51.1%	48.9%
	Grade 6	9.7%	9.8%	25.8%	74.1%
	Grade 7	8.6%	12.9%	31.8%	68.2%
	Grade 8	14.2%	18.6%	47.9%	52.1%
	Grade 9	22.3%	29.1%	55.4%	44.7%
	Grade 10	30.7%	40.2%	60.4%	39.5%
	Grade 11	39.8%	48.8%	70.2%	29.9%
	Grade 12	39.9%	54.2%	72.5%	27.5%
Inhalants	All	6.2%	7.8%	16.3%	83.6%
	Grade 6	7.8%	8.6%	13.9%	86.1%
	Grade 7	6.1%	8.9%	19.8%	80.2%
	Grade 8	5.9%	6.0%	17.6%	82.4%
	Grade 9	5.5%	7.0%	15.1%	84.9%
	Grade 10	6.9%	7.7%	16.9%	83.1%
	Grade 11	5.8%	7.6%	17.3%	82.8%
	Grade 12	5.8%	10.2%	13.6%	86.4%
Any Illicit Drug	All	10.3%	14.6%	25.5%	74.5%
	Grade 6	0.7%	0.8%	2.9%	97.1%
	Grade 7	3.6%	5.1%	7.9%	92.1%
	Grade 8	8.7%	13.0%	21.8%	78.2%
	Grade 9	8.0%	12.2%	28.7%	71.4%
	Grade 10	18.4%	24.2%	34.9%	65.1%
	Grade 11	18.0%	24.4%	40.1%	59.9%
	Grade 12	17.5%	26.5%	47.4%	52.6%
Marijuana	All	9.3%	13.4%	24.3%	75.8%
	Grade 6	0.7%	0.8%	2.9%	97.1%
	Grade 7	3.2%	3.8%	6.2%	93.7%
	Grade 8	7.2%	11.6%	19.7%	80.4%
	Grade 9	7.7%	11.5%	27.7%	72.3%
	Grade 10	16.9%	22.9%	34.2%	65.8%
	Grade 11	15.2%	22.4%	38.9%	61.1%
	Grade 12	16.1%	23.9%	44.8%	55.2%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.4%	5.6%	13.3%	86.7%
Grade 6	0.7%	0.7%	2.0%	98.0%
Grade 7	1.1%	1.2%	3.0%	97.1%
Grade 8	4.2%	6.3%	11.3%	88.7%
Grade 9	3.0%	5.4%	18.2%	81.8%
Grade 10	4.6%	8.4%	15.8%	84.2%
Grade 11	6.0%	10.0%	21.9%	78.0%
Grade 12	5.1%	8.8%	23.6%	76.3%
Cocaine Or Crack				
All	1.0%	1.7%	3.6%	96.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	1.0%	1.8%	3.1%	96.8%
Grade 9	0.7%	1.1%	2.5%	97.5%
Grade 10	1.4%	2.5%	6.0%	94.0%
Grade 11	1.5%	2.5%	5.6%	94.3%
Grade 12	2.3%	3.9%	7.9%	92.1%
Cocaine				
All	0.7%	1.2%	3.1%	96.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	1.0%	2.3%	97.7%
Grade 9	0.7%	1.1%	2.5%	97.4%
Grade 10	0.8%	1.4%	4.9%	95.1%
Grade 11	1.5%	2.3%	5.1%	94.8%
Grade 12	2.3%	3.9%	7.9%	92.1%
Crack				
All	0.3%	0.4%	0.7%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	1.4%	2.0%	98.1%
Grade 11	0.8%	1.1%	1.6%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.9%	1.5%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.6%	99.3%
Grade 9	0.6%	1.0%	1.8%	98.2%
Grade 10	1.4%	2.0%	3.6%	96.5%
Grade 11	0.8%	0.8%	1.3%	98.7%
Grade 12	0.0%	2.1%	2.1%	97.9%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.4%	0.4%	1.4%	98.6%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.3%	0.3%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.5%	0.5%	0.9%	99.2%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.4%	0.7%	0.7%	99.3%
	Grade 10	0.6%	0.6%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	1.9%	2.6%	5.6%	94.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	1.1%	1.2%	98.9%
	Grade 8	1.7%	1.7%	3.9%	96.1%
	Grade 9	0.2%	1.0%	3.8%	96.2%
	Grade 10	3.9%	5.3%	8.7%	91.3%
	Grade 11	2.9%	3.2%	8.6%	91.5%
	Grade 12	4.9%	6.8%	15.1%	84.8%
Heroin	All	0.0%	0.1%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.6%	0.9%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.4%	3.9%	7.5%	92.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	2.4%	3.6%	3.9%	96.2%
Grade 8	1.8%	4.3%	6.8%	93.2%
Grade 9	1.8%	2.2%	6.7%	93.3%
Grade 10	4.2%	6.7%	13.1%	86.9%
Grade 11	3.4%	4.4%	10.1%	89.9%
Grade 12	3.4%	6.5%	12.8%	87.2%
Methamphetamine				
All	0.2%	0.3%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	1.1%	1.7%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.8%	7.4%	20.6%	79.4%
	Grade 6	0.0%	0.0%	2.2%	97.8%
	Grade 7	0.1%	0.1%	6.9%	93.1%
	Grade 8	8.3%	10.7%	24.4%	75.5%
	Grade 9	2.5%	3.5%	17.5%	82.6%
	Grade 10	6.3%	8.4%	21.1%	78.9%
	Grade 11	9.2%	14.9%	31.7%	68.4%
	Grade 12	10.2%	10.8%	29.8%	70.3%
Alcohol	All	20.5%	27.8%	49.8%	50.3%
	Grade 6	7.8%	7.8%	16.8%	83.3%
	Grade 7	4.8%	7.6%	26.1%	73.9%
	Grade 8	16.2%	18.3%	61.0%	39.1%
	Grade 9	12.5%	21.4%	38.7%	61.3%
	Grade 10	27.6%	38.1%	56.7%	43.2%
	Grade 11	31.0%	43.6%	66.7%	33.3%
	Grade 12	31.3%	40.1%	63.5%	36.4%
Inhalants	All	3.6%	6.0%	12.6%	87.4%
	Grade 6	8.1%	8.7%	13.2%	86.7%
	Grade 7	2.8%	6.0%	17.1%	82.9%
	Grade 8	10.9%	11.6%	26.9%	73.1%
	Grade 9	1.6%	2.6%	10.4%	89.5%
	Grade 10	2.4%	3.7%	11.9%	88.2%
	Grade 11	0.0%	3.7%	6.4%	93.5%
	Grade 12	2.7%	7.5%	7.5%	92.5%
Any Illicit Drug	All	8.9%	11.0%	21.3%	78.7%
	Grade 6	0.0%	0.2%	3.9%	96.1%
	Grade 7	2.0%	2.0%	4.1%	96.0%
	Grade 8	4.5%	8.0%	16.8%	83.1%
	Grade 9	3.7%	3.7%	12.1%	87.9%
	Grade 10	14.3%	18.2%	25.5%	74.5%
	Grade 11	14.4%	15.3%	31.2%	68.9%
	Grade 12	15.1%	19.2%	38.9%	61.1%
Marijuana	All	7.4%	9.4%	18.8%	81.1%
	Grade 6	0.0%	0.2%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	4.5%	8.0%	14.5%	85.4%
	Grade 9	3.7%	3.7%	11.1%	88.9%
	Grade 10	13.7%	17.6%	24.9%	75.0%
	Grade 11	5.3%	9.0%	25.8%	74.1%
	Grade 12	15.1%	17.0%	36.7%	63.2%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.0%	4.1%	11.7%	88.2%
Grade 6	0.0%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	6.4%	93.6%
Grade 9	1.4%	1.4%	6.2%	93.9%
Grade 10	4.5%	8.4%	14.2%	85.8%
Grade 11	4.4%	5.3%	18.3%	81.7%
Grade 12	6.7%	8.0%	24.5%	75.5%
Cocaine Or Crack				
All	0.3%	1.0%	2.0%	97.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	1.1%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.0%	5.8%	94.3%
Cocaine				
All	0.3%	1.0%	2.0%	98.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.1%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.0%	5.8%	94.3%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.1%	0.3%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.8%	1.8%	98.1%

Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.1%	99.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	1.0%	1.0%	1.0%	99.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.7%	0.9%	1.6%	98.5%
	Grade 6	0.0%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.9%	99.1%
	Grade 8	0.0%	0.0%	2.5%	97.5%
	Grade 9	0.0%	1.0%	1.9%	98.1%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	5.4%	5.4%	6.3%	93.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	1.8%	2.4%	4.1%	95.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	4.6%	4.6%	4.6%	95.4%
	Grade 9	0.0%	0.0%	2.6%	97.4%
	Grade 10	3.2%	5.6%	6.9%	93.2%
	Grade 11	5.2%	5.2%	11.8%	88.2%
	Grade 12	0.0%	0.8%	1.8%	98.1%
Heroin	All	0.0%	1.0%	1.0%	99.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	1.6%	1.6%	98.4%
	Grade 11	0.0%	5.2%	5.2%	94.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.9%	2.5%	5.9%	94.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	4.5%	6.9%	8.0%	91.9%
Grade 9	0.7%	0.7%	4.4%	95.6%
Grade 10	0.8%	2.4%	6.8%	93.2%
Grade 11	2.8%	2.8%	8.9%	91.0%
Grade 12	2.5%	2.5%	8.3%	91.6%
Methamphetamine				
All	0.0%	0.3%	2.0%	98.0%
Grade 6	0.0%	0.0%	3.3%	96.7%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	8.1%	91.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.7%	14.7%	25.7%	74.3%
	Grade 6	1.1%	1.2%	6.3%	93.7%
	Grade 7	5.0%	6.5%	15.7%	84.3%
	Grade 8	7.5%	13.2%	23.1%	76.9%
	Grade 9	10.3%	13.7%	26.0%	74.1%
	Grade 10	16.5%	21.5%	34.3%	65.7%
	Grade 11	15.3%	22.2%	33.1%	67.0%
	Grade 12	29.3%	37.4%	60.0%	40.0%
Alcohol	All	24.6%	31.4%	53.2%	46.8%
	Grade 6	10.1%	10.6%	25.2%	74.8%
	Grade 7	9.5%	13.5%	32.1%	67.8%
	Grade 8	19.3%	25.6%	51.5%	48.5%
	Grade 9	27.1%	35.8%	62.3%	37.7%
	Grade 10	32.1%	41.7%	62.0%	38.0%
	Grade 11	40.5%	47.1%	74.2%	25.8%
	Grade 12	46.1%	62.6%	80.1%	19.8%
Inhalants	All	6.9%	8.7%	17.8%	82.3%
	Grade 6	6.4%	7.8%	13.5%	86.5%
	Grade 7	6.7%	9.9%	19.2%	80.8%
	Grade 8	6.0%	6.3%	16.4%	83.6%
	Grade 9	7.5%	9.8%	17.4%	82.5%
	Grade 10	8.4%	9.8%	21.0%	79.1%
	Grade 11	5.8%	6.1%	17.1%	82.9%
	Grade 12	7.5%	12.6%	21.7%	78.2%
Any Illicit Drug	All	11.0%	15.8%	25.8%	74.2%
	Grade 6	0.0%	0.1%	1.8%	98.1%
	Grade 7	4.2%	6.0%	9.3%	90.8%
	Grade 8	10.3%	14.8%	23.3%	76.8%
	Grade 9	10.9%	16.8%	33.2%	66.8%
	Grade 10	17.7%	22.6%	32.9%	67.0%
	Grade 11	18.1%	24.3%	39.0%	61.0%
	Grade 12	22.2%	37.2%	56.5%	43.5%
Marijuana	All	10.2%	14.8%	25.1%	75.0%
	Grade 6	0.0%	0.1%	1.8%	98.1%
	Grade 7	4.2%	4.8%	8.1%	91.9%
	Grade 8	7.8%	12.9%	22.2%	77.8%
	Grade 9	10.2%	15.6%	32.2%	67.8%
	Grade 10	17.4%	22.0%	32.1%	68.0%
	Grade 11	15.9%	22.1%	37.4%	62.6%
	Grade 12	22.1%	37.1%	56.4%	43.6%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.5%	5.6%	12.2%	87.8%
Grade 6	0.0%	0.0%	1.5%	98.5%
Grade 7	1.2%	1.2%	4.0%	96.0%
Grade 8	4.1%	6.8%	11.1%	88.9%
Grade 9	3.4%	6.3%	18.7%	81.2%
Grade 10	4.8%	6.7%	12.3%	87.7%
Grade 11	6.5%	9.3%	19.8%	80.1%
Grade 12	5.9%	12.1%	22.4%	77.5%
Cocaine Or Crack				
All	1.0%	1.6%	3.4%	96.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.6%	0.8%	99.2%
Grade 8	1.3%	2.0%	3.4%	96.7%
Grade 9	0.8%	1.3%	3.1%	96.9%
Grade 10	1.1%	2.6%	6.9%	93.1%
Grade 11	2.5%	3.6%	6.2%	93.8%
Grade 12	1.7%	1.7%	5.5%	94.6%
Cocaine				
All	0.7%	1.1%	2.9%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.3%	1.0%	2.3%	97.7%
Grade 9	0.8%	1.3%	3.1%	96.9%
Grade 10	0.4%	1.1%	5.4%	94.6%
Grade 11	2.5%	3.4%	5.7%	94.3%
Grade 12	1.7%	1.7%	5.5%	94.6%
Crack				
All	0.4%	0.7%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.6%	0.6%	99.4%
Grade 8	1.0%	1.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.9%	2.7%	97.4%
Grade 11	0.9%	1.4%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.3%	2.4%	97.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.3%
Grade 9	1.7%	2.2%	3.3%	96.6%
Grade 10	1.5%	2.6%	5.5%	94.5%
Grade 11	1.4%	1.4%	4.0%	95.9%
Grade 12	0.2%	2.9%	2.9%	97.1%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.8%	99.2%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.5%	0.5%	1.5%	98.5%
	Grade 10	0.7%	0.7%	0.7%	99.3%
	Grade 11	0.6%	0.6%	1.7%	98.3%
	Grade 12	0.1%	0.1%	0.4%	99.6%
Steroids	All	0.4%	0.4%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.0%	1.0%	1.2%	98.8%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 9	0.5%	0.5%	1.0%	99.0%
	Grade 10	0.7%	0.7%	1.3%	98.6%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Ecstasy	All	1.7%	2.4%	5.8%	94.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	1.1%	1.2%	98.7%
	Grade 8	2.1%	2.2%	3.9%	96.1%
	Grade 9	0.2%	1.5%	4.6%	95.4%
	Grade 10	3.0%	3.8%	8.8%	91.2%
	Grade 11	2.6%	3.1%	8.4%	91.5%
	Grade 12	5.9%	8.4%	22.0%	78.1%
Heroin	All	0.0%	0.0%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.8%	4.6%	9.4%	90.6%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	2.2%	3.5%	4.4%	95.6%
Grade 8	2.9%	5.3%	8.7%	91.4%
Grade 9	2.9%	4.1%	9.6%	90.3%
Grade 10	5.2%	7.8%	15.2%	84.7%
Grade 11	2.0%	3.4%	10.1%	89.9%
Grade 12	6.2%	11.3%	25.9%	74.2%
Methamphetamine				
All	0.2%	0.2%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.5%	0.5%	1.8%	98.2%
Grade 10	0.7%	0.7%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	1.2%	98.8%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	10.5%	19.4%	80.5%
	Grade 6	1.1%	1.2%	6.6%	93.3%
	Grade 7	4.4%	5.4%	12.2%	87.8%
	Grade 8	4.7%	7.8%	16.9%	83.1%
	Grade 9	6.6%	8.5%	16.3%	83.7%
	Grade 10	9.7%	13.0%	25.2%	74.7%
	Grade 11	13.1%	19.4%	27.1%	73.0%
	Grade 12	18.0%	22.3%	36.6%	63.5%
Alcohol	All	19.9%	26.4%	47.5%	52.6%
	Grade 6	5.8%	6.1%	17.1%	82.9%
	Grade 7	10.4%	13.9%	28.5%	71.5%
	Grade 8	12.3%	15.5%	45.4%	54.7%
	Grade 9	18.4%	26.7%	48.0%	52.0%
	Grade 10	27.4%	34.2%	60.2%	39.8%
	Grade 11	36.1%	45.3%	70.4%	29.6%
	Grade 12	32.3%	48.2%	67.9%	32.1%
Inhalants	All	6.1%	7.4%	16.0%	84.0%
	Grade 6	6.7%	6.9%	11.8%	88.3%
	Grade 7	6.4%	8.7%	17.6%	82.4%
	Grade 8	6.1%	6.9%	21.0%	79.0%
	Grade 9	6.3%	8.2%	16.5%	83.6%
	Grade 10	6.1%	7.1%	17.7%	82.2%
	Grade 11	5.8%	7.1%	16.1%	83.8%
	Grade 12	4.7%	6.2%	9.2%	90.9%
Any Illicit Drug	All	9.2%	11.9%	19.3%	80.7%
	Grade 6	0.9%	1.1%	3.1%	96.9%
	Grade 7	2.5%	3.2%	5.3%	94.7%
	Grade 8	5.4%	8.2%	15.0%	85.0%
	Grade 9	6.8%	10.1%	20.1%	80.0%
	Grade 10	15.3%	18.2%	27.4%	72.6%
	Grade 11	18.6%	23.6%	35.5%	64.6%
	Grade 12	17.2%	21.9%	32.4%	67.6%
Marijuana	All	7.7%	10.3%	17.9%	82.2%
	Grade 6	0.9%	1.1%	3.1%	96.9%
	Grade 7	2.5%	2.6%	4.0%	96.1%
	Grade 8	2.8%	6.4%	12.9%	87.1%
	Grade 9	6.2%	8.9%	18.7%	81.3%
	Grade 10	14.0%	16.5%	26.4%	73.6%
	Grade 11	14.0%	19.0%	32.5%	67.5%
	Grade 12	15.2%	19.9%	30.4%	69.5%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.3%	4.8%	9.8%	90.2%
Grade 6	0.9%	0.9%	1.8%	98.1%
Grade 7	1.1%	1.1%	2.2%	97.8%
Grade 8	1.1%	2.3%	7.0%	93.0%
Grade 9	2.9%	4.9%	11.5%	88.5%
Grade 10	6.4%	7.4%	13.2%	86.8%
Grade 11	8.8%	11.4%	20.3%	79.7%
Grade 12	2.2%	6.8%	14.0%	86.0%
Cocaine Or Crack				
All	0.9%	1.5%	2.6%	97.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.6%	0.9%	99.1%
Grade 8	0.4%	1.5%	2.7%	97.3%
Grade 9	0.8%	0.8%	2.0%	98.1%
Grade 10	1.1%	1.8%	4.6%	95.4%
Grade 11	2.0%	3.4%	3.7%	96.3%
Grade 12	2.5%	3.1%	4.7%	95.3%
Cocaine				
All	0.8%	1.3%	2.5%	97.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.4%	1.5%	2.6%	97.4%
Grade 9	0.8%	0.8%	2.0%	98.1%
Grade 10	0.3%	1.0%	4.6%	95.4%
Grade 11	2.0%	3.0%	3.3%	96.6%
Grade 12	2.5%	3.1%	4.7%	95.3%
Crack				
All	0.3%	0.5%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	1.0%	1.7%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.5%	1.3%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.3%	99.6%
Grade 8	0.0%	0.0%	0.7%	99.2%
Grade 9	0.3%	0.3%	1.4%	98.5%
Grade 10	1.1%	1.8%	2.9%	97.2%
Grade 11	0.3%	0.3%	2.2%	97.8%
Grade 12	0.0%	0.8%	0.8%	99.2%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.7%	99.3%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	0.7%	0.7%	0.7%	99.3%
	Grade 11	0.3%	0.3%	1.7%	98.3%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids	All	0.5%	0.6%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.2%	1.2%	1.5%	98.5%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.6%	1.0%	2.1%	98.0%
	Grade 10	0.0%	0.1%	0.7%	99.2%
	Grade 11	1.9%	1.9%	2.8%	97.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	1.7%	2.0%	3.5%	96.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.6%	0.6%	0.6%	99.4%
	Grade 8	1.7%	1.7%	3.2%	96.7%
	Grade 9	0.0%	1.2%	1.8%	98.2%
	Grade 10	2.2%	2.3%	5.4%	94.5%
	Grade 11	3.9%	4.2%	7.3%	92.7%
	Grade 12	4.0%	4.6%	7.5%	92.6%
Heroin	All	0.0%	0.3%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	1.9%	1.9%	98.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.6%	2.1%	5.9%	94.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.7%	0.9%	1.6%	98.5%
Grade 8	1.7%	3.7%	5.2%	94.8%
Grade 9	1.5%	1.7%	6.5%	93.5%
Grade 10	2.2%	2.6%	9.7%	90.4%
Grade 11	1.3%	1.3%	7.4%	92.5%
Grade 12	4.2%	4.8%	11.4%	88.7%
Methamphetamine				
All	0.2%	0.2%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.5%	1.5%	2.6%	97.4%
Grade 11	0.0%	0.0%	3.2%	96.8%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.3%	16.3%	31.1%	68.9%
	Grade 6	1.5%	1.5%	6.3%	93.7%
	Grade 7	3.4%	4.6%	16.2%	83.8%
	Grade 8	9.8%	17.1%	27.7%	72.3%
	Grade 9	9.4%	13.2%	30.9%	69.1%
	Grade 10	16.3%	23.3%	38.8%	61.2%
	Grade 11	19.0%	25.6%	42.7%	57.3%
	Grade 12	22.3%	32.4%	59.2%	40.7%
Alcohol	All	27.5%	34.8%	57.6%	42.3%
	Grade 6	12.9%	13.3%	32.9%	67.1%
	Grade 7	6.5%	8.6%	31.9%	68.1%
	Grade 8	23.2%	30.3%	56.7%	43.3%
	Grade 9	26.9%	35.4%	64.5%	35.5%
	Grade 10	35.4%	46.7%	63.8%	36.2%
	Grade 11	44.8%	54.2%	76.2%	23.7%
	Grade 12	47.1%	60.0%	80.4%	19.5%
Inhalants	All	5.7%	8.5%	16.2%	83.9%
	Grade 6	6.3%	8.4%	13.6%	86.4%
	Grade 7	6.5%	10.2%	18.8%	81.3%
	Grade 8	8.4%	8.8%	17.2%	82.8%
	Grade 9	4.8%	7.7%	17.2%	82.8%
	Grade 10	4.4%	5.6%	13.9%	86.1%
	Grade 11	5.3%	7.0%	15.3%	84.6%
	Grade 12	3.9%	11.5%	16.2%	83.7%
Any Illicit Drug	All	12.3%	18.5%	32.1%	67.9%
	Grade 6	0.1%	0.2%	4.2%	95.9%
	Grade 7	4.6%	6.7%	10.6%	89.3%
	Grade 8	12.3%	17.3%	29.9%	70.0%
	Grade 9	11.0%	16.4%	36.5%	63.5%
	Grade 10	19.3%	29.1%	40.2%	59.7%
	Grade 11	18.5%	25.1%	41.8%	58.1%
	Grade 12	20.9%	35.6%	62.0%	38.0%
Marijuana	All	11.7%	17.7%	30.9%	69.1%
	Grade 6	0.1%	0.2%	3.1%	97.0%
	Grade 7	3.9%	4.9%	8.9%	91.2%
	Grade 8	11.9%	16.8%	28.0%	72.0%
	Grade 9	10.5%	16.2%	36.1%	63.9%
	Grade 10	18.2%	28.3%	40.0%	60.1%
	Grade 11	16.8%	24.8%	40.8%	59.2%
	Grade 12	20.9%	34.0%	60.4%	39.7%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.2%	7.2%	16.8%	83.2%
Grade 6	0.1%	0.1%	2.6%	97.5%
Grade 7	0.9%	0.9%	4.0%	95.9%
Grade 8	6.7%	9.6%	15.4%	84.6%
Grade 9	3.3%	5.7%	21.6%	78.3%
Grade 10	4.7%	12.1%	20.2%	79.8%
Grade 11	3.8%	8.2%	20.9%	79.1%
Grade 12	10.6%	15.2%	34.5%	65.6%
Cocaine Or Crack				
All	0.7%	1.2%	3.5%	96.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	1.4%	1.4%	2.4%	97.6%
Grade 9	0.4%	1.1%	2.3%	97.7%
Grade 10	1.1%	2.6%	6.5%	93.6%
Grade 11	1.3%	1.3%	6.2%	93.8%
Grade 12	0.9%	2.5%	7.8%	92.2%
Cocaine				
All	0.5%	0.9%	3.0%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.4%	1.1%	2.3%	97.7%
Grade 10	1.1%	1.5%	4.4%	95.6%
Grade 11	1.3%	1.3%	5.7%	94.2%
Grade 12	0.9%	2.5%	7.8%	92.2%
Crack				
All	0.2%	0.3%	0.7%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.8%
Grade 8	1.4%	1.4%	2.4%	97.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.9%	1.4%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.8%	0.8%	0.8%	99.1%
Grade 8	0.1%	0.1%	0.2%	99.7%
Grade 9	2.0%	2.7%	3.4%	96.5%
Grade 10	1.5%	2.0%	4.6%	95.4%
Grade 11	1.8%	1.8%	3.9%	96.1%
Grade 12	0.0%	2.2%	3.0%	97.1%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.5%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.7%	0.7%	1.4%	98.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.9%	0.9%	0.9%	99.1%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Steroids	All	0.2%	0.2%	0.7%	99.3%
	Grade 6	0.0%	0.1%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.3%	99.7%
	Grade 8	0.0%	0.0%	1.8%	98.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.0%	1.0%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Ecstasy	All	1.8%	2.9%	7.1%	92.9%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	1.0%	1.3%	98.8%
	Grade 8	2.8%	2.9%	4.9%	95.1%
	Grade 9	0.3%	0.6%	5.4%	94.6%
	Grade 10	4.1%	8.0%	12.3%	87.8%
	Grade 11	3.1%	3.5%	10.9%	89.0%
	Grade 12	2.8%	5.0%	16.1%	83.8%
Heroin	All	0.0%	0.1%	0.3%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.1%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	1.0%	2.5%	97.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.2%	5.4%	10.5%	89.5%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	3.4%	5.4%	5.9%	94.0%
Grade 8	3.9%	5.9%	10.9%	89.0%
Grade 9	2.8%	4.3%	9.2%	90.8%
Grade 10	4.0%	8.1%	13.8%	86.3%
Grade 11	5.3%	7.5%	14.4%	85.7%
Grade 12	2.9%	6.8%	19.5%	80.6%
Methamphetamine				
All	0.1%	0.2%	0.9%	99.0%
Grade 6	0.0%	0.0%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	99.9%
Grade 9	0.7%	0.7%	2.8%	97.2%
Grade 10	0.0%	1.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.9%	99.1%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.2%	11.5%	23.3%	76.7%
	Grade 6	1.0%	1.0%	5.6%	94.4%
	Grade 7	2.7%	3.4%	11.6%	88.4%
	Grade 8	6.8%	11.0%	20.9%	79.1%
	Grade 9	8.0%	10.4%	22.0%	78.0%
	Grade 10	8.4%	13.3%	27.1%	72.8%
	Grade 11	13.8%	18.7%	30.6%	69.4%
	Grade 12	16.4%	22.7%	45.6%	54.4%
Alcohol	All	22.6%	28.8%	51.3%	48.7%
	Grade 6	9.7%	10.0%	21.6%	78.5%
	Grade 7	7.0%	10.4%	28.1%	71.9%
	Grade 8	16.2%	20.1%	48.4%	51.6%
	Grade 9	22.3%	29.1%	54.5%	45.5%
	Grade 10	29.7%	37.5%	59.5%	40.4%
	Grade 11	37.1%	44.5%	71.8%	28.2%
	Grade 12	37.3%	51.2%	73.8%	26.2%
Inhalants	All	5.1%	6.5%	14.8%	85.2%
	Grade 6	5.3%	5.4%	8.4%	91.5%
	Grade 7	6.4%	8.4%	17.8%	82.3%
	Grade 8	6.5%	7.2%	19.6%	80.4%
	Grade 9	5.0%	6.9%	15.3%	84.7%
	Grade 10	6.0%	6.3%	16.1%	83.8%
	Grade 11	1.2%	3.2%	12.7%	87.3%
	Grade 12	5.0%	7.6%	11.4%	88.6%
Any Illicit Drug	All	9.4%	13.3%	23.4%	76.6%
	Grade 6	0.9%	0.9%	2.0%	98.0%
	Grade 7	3.5%	4.5%	7.5%	92.5%
	Grade 8	8.4%	11.1%	20.9%	79.0%
	Grade 9	8.2%	12.4%	24.8%	75.2%
	Grade 10	16.3%	20.7%	30.3%	69.7%
	Grade 11	13.9%	19.6%	33.2%	66.8%
	Grade 12	14.5%	23.4%	43.2%	56.9%
Marijuana	All	8.6%	12.4%	22.3%	77.7%
	Grade 6	0.9%	0.9%	2.0%	98.0%
	Grade 7	3.0%	3.1%	5.8%	94.2%
	Grade 8	7.4%	10.1%	18.9%	81.1%
	Grade 9	7.7%	11.5%	23.8%	76.3%
	Grade 10	15.5%	20.2%	29.8%	70.2%
	Grade 11	10.7%	17.2%	31.3%	68.7%
	Grade 12	14.5%	23.4%	43.2%	56.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	5.3%	12.8%	87.2%
Grade 6	0.9%	0.9%	1.9%	98.1%
Grade 7	1.0%	1.1%	3.3%	96.7%
Grade 8	3.8%	4.9%	11.4%	88.7%
Grade 9	3.0%	4.9%	15.1%	84.9%
Grade 10	7.1%	10.5%	17.7%	82.3%
Grade 11	3.7%	7.4%	17.3%	82.7%
Grade 12	2.5%	7.6%	22.2%	77.8%
Cocaine Or Crack				
All	0.9%	1.5%	3.0%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	1.0%	1.8%	3.1%	96.9%
Grade 9	0.7%	0.8%	1.6%	98.3%
Grade 10	1.5%	3.0%	4.8%	95.3%
Grade 11	0.8%	1.8%	4.6%	95.5%
Grade 12	2.1%	2.5%	6.3%	93.7%
Cocaine				
All	0.7%	1.1%	2.6%	97.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	1.0%	2.3%	97.7%
Grade 9	0.7%	0.8%	1.6%	98.3%
Grade 10	0.9%	1.8%	3.6%	96.5%
Grade 11	0.8%	1.6%	4.1%	96.0%
Grade 12	2.1%	2.5%	6.3%	93.7%
Crack				
All	0.2%	0.4%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.3%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	1.5%	2.1%	97.9%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	0.8%	99.3%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.9%	1.3%	2.1%	97.9%
Grade 10	0.3%	0.6%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	0.1%	1.7%	1.7%	98.3%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.3%	0.3%	0.6%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.4%	0.5%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.9%	99.0%
	Grade 7	0.4%	0.4%	0.6%	99.3%
	Grade 8	0.0%	0.0%	0.5%	99.4%
	Grade 9	0.4%	0.7%	1.2%	98.9%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	1.4%	1.4%	1.6%	98.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	1.2%	1.8%	4.4%	95.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.5%	0.6%	99.5%
	Grade 8	2.1%	2.1%	3.3%	96.7%
	Grade 9	0.2%	0.7%	3.2%	96.8%
	Grade 10	1.8%	2.7%	5.6%	94.3%
	Grade 11	2.4%	2.9%	7.6%	92.4%
	Grade 12	1.7%	3.3%	10.5%	89.4%
Heroin	All	0.0%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	1.4%	1.4%	98.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.1%	7.3%	92.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	2.0%	2.7%	3.2%	96.8%
Grade 8	2.8%	4.7%	7.0%	93.0%
Grade 9	1.2%	2.2%	6.1%	93.9%
Grade 10	3.0%	4.2%	9.7%	90.3%
Grade 11	2.0%	3.0%	10.8%	89.2%
Grade 12	3.0%	4.6%	13.9%	86.1%
Methamphetamine				
All	0.2%	0.2%	0.9%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.6%	99.4%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.6%	19.2%	31.6%	68.4%
	Grade 6	0.8%	1.3%	3.0%	97.0%
	Grade 7	11.4%	12.5%	27.3%	72.7%
	Grade 8	13.1%	17.3%	27.0%	73.0%
	Grade 9	4.1%	8.3%	27.0%	73.0%
	Grade 10	25.0%	31.0%	47.6%	52.3%
	Grade 11	21.7%	31.6%	40.3%	59.8%
	Grade 12	36.5%	44.1%	57.3%	42.7%
Alcohol	All	30.2%	42.2%	60.4%	39.6%
	Grade 6	15.2%	16.3%	26.2%	73.8%
	Grade 7	14.0%	21.0%	42.8%	57.2%
	Grade 8	28.0%	33.6%	59.7%	40.3%
	Grade 9	19.5%	36.2%	56.9%	43.1%
	Grade 10	37.3%	53.5%	77.5%	22.5%
	Grade 11	53.6%	70.1%	80.1%	19.9%
	Grade 12	56.0%	74.0%	86.7%	13.2%
Inhalants	All	8.6%	13.4%	22.2%	77.8%
	Grade 6	7.8%	7.8%	11.8%	88.2%
	Grade 7	3.9%	14.5%	30.3%	69.7%
	Grade 8	6.3%	6.9%	17.6%	82.4%
	Grade 9	7.3%	11.2%	19.9%	80.1%
	Grade 10	4.3%	8.6%	18.8%	81.2%
	Grade 11	27.4%	27.4%	33.5%	66.6%
	Grade 12	2.9%	21.8%	28.1%	71.9%
Any Illicit Drug	All	16.0%	23.2%	33.9%	66.0%
	Grade 6	0.0%	0.6%	1.2%	98.7%
	Grade 7	5.7%	9.3%	13.2%	86.8%
	Grade 8	9.8%	20.5%	22.0%	77.9%
	Grade 9	8.9%	14.3%	34.5%	65.5%
	Grade 10	21.6%	32.5%	45.3%	54.8%
	Grade 11	41.5%	46.7%	62.2%	37.7%
	Grade 12	32.6%	51.6%	68.1%	32.0%
Marijuana	All	15.3%	21.6%	32.9%	67.1%
	Grade 6	0.0%	0.7%	1.3%	98.7%
	Grade 7	5.6%	8.3%	11.0%	89.1%
	Grade 8	10.7%	22.4%	23.7%	76.3%
	Grade 9	9.1%	14.6%	33.9%	66.1%
	Grade 10	17.9%	26.8%	43.4%	56.6%
	Grade 11	39.5%	44.8%	61.8%	38.2%
	Grade 12	32.2%	44.6%	61.1%	38.9%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	8.1%	11.4%	18.0%	82.1%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	1.6%	1.6%	3.2%	96.9%
Grade 8	6.5%	13.1%	14.0%	86.1%
Grade 9	4.0%	8.1%	17.8%	82.2%
Grade 10	3.1%	7.9%	15.6%	84.5%
Grade 11	25.0%	28.8%	43.8%	56.2%
Grade 12	24.3%	28.3%	37.7%	62.3%
Cocaine Or Crack				
All	0.6%	1.6%	3.3%	96.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	1.3%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.3%	1.5%	2.7%	97.4%
Grade 10	0.2%	0.2%	6.1%	94.0%
Grade 11	3.8%	3.8%	5.1%	94.9%
Grade 12	0.0%	6.6%	8.8%	91.3%
Cocaine				
All	0.6%	1.6%	3.3%	96.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	1.5%	2.7%	97.3%
Grade 10	0.2%	0.2%	6.1%	94.0%
Grade 11	3.8%	3.8%	5.1%	94.9%
Grade 12	0.0%	6.6%	8.8%	91.3%
Crack				
All	0.1%	0.4%	0.5%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	1.3%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.2%	1.7%	3.6%	96.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.4%	99.7%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	2.2%	2.2%	3.6%	96.4%
Grade 10	1.1%	3.4%	6.0%	94.0%
Grade 11	3.9%	3.9%	8.8%	91.2%
Grade 12	0.0%	1.0%	4.3%	95.8%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.2%	1.3%	1.4%	98.6%
	Grade 6	0.0%	0.5%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.8%	1.8%	1.8%	98.2%
	Grade 10	2.5%	2.5%	2.5%	97.5%
	Grade 11	2.6%	2.6%	2.6%	97.4%
	Grade 12	0.4%	0.4%	1.4%	98.6%
Steroids	All	0.4%	0.5%	1.0%	99.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	2.7%	2.7%	3.8%	96.2%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.0%	0.4%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Ecstasy	All	1.4%	3.1%	6.1%	93.9%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	2.7%	3.1%	3.7%	96.3%
	Grade 8	0.5%	1.2%	3.2%	96.8%
	Grade 9	0.0%	2.1%	4.8%	95.2%
	Grade 10	2.5%	8.8%	13.1%	87.0%
	Grade 11	4.0%	4.0%	9.1%	90.9%
	Grade 12	0.0%	0.0%	7.6%	92.4%
Heroin	All	0.0%	0.0%	0.1%	99.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.8%	5.1%	11.1%	88.9%
Grade 6	0.0%	0.0%	0.7%	99.3%
Grade 7	3.1%	5.8%	7.3%	92.7%
Grade 8	0.7%	5.1%	7.8%	92.2%
Grade 9	4.5%	4.5%	12.3%	87.7%
Grade 10	2.5%	6.2%	16.6%	83.4%
Grade 11	6.5%	7.8%	10.3%	89.7%
Grade 12	0.4%	7.6%	24.5%	75.6%
Methamphetamine				
All	0.5%	0.5%	2.1%	98.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	2.5%	2.5%	6.2%	93.8%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.4%	0.4%	0.4%	99.6%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	72,031	49.8%
Female	72,713	50.2%

Frequency Missing = 429

GRADE		
q2	Frequency	Percent
Grade 6	20,978	14.5%
Grade 7	21,640	14.9%
Grade 8	21,034	14.5%
Grade 9	24,202	16.7%
Grade 10	21,057	14.5%
Grade 11	18,930	13.0%
Grade 12	17,332	11.9%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	63,294	44.1%
Yes	80,135	55.9%

Frequency Missing = 1744

AGE		
q4	Frequency	Percent
11	11,309	7.8%
12	17,932	12.4%
13	22,055	15.3%
14	20,831	14.4%
15	22,104	15.3%
16	22,488	15.6%
17	16,473	11.4%
18	9,915	6.9%
19 or older	1,144	0.8%

Frequency Missing = 922

ETHNICITY		
q5	Frequency	Percent
African Am.	4,103	2.9%
Asian Am.	975	0.7%
Mexican Am.	109,787	78.9%
Native Am.	364	0.3%
Other	1,019	0.7%
White	22,904	16.5%

Frequency Missing = 6021

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	30,457	25.6%
Mostly B's	67,705	56.9%
Mostly C's	19,136	16.1%
Mostly D's	1,478	1.2%
Mostly F's	143	0.1%

Frequency Missing = 26252

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	108,576	88.8%
Yes	13,665	11.2%

Frequency Missing = 22931

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	30,408	25.7%
No	25,988	22.0%
Yes	61,776	52.3%

Frequency Missing = 27000

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	61,432	53.6%
Yes	53,116	46.4%

Frequency Missing = 30624

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	78,854	72.1%
Yes	30,447	27.9%

Frequency Missing = 35871

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	92,934	85.6%
Yes	15,579	14.4%
Frequency Missing = 36659		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	73,005	67.0%
Yes	36,019	33.0%
Frequency Missing = 36148		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	99,873	93.0%
Yes	7,496	7.0%
Frequency Missing = 37803		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	88,302	82.6%
Yes	18,655	17.4%
Frequency Missing = 38215		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	97,758	90.9%
Yes	9,788	9.1%
Frequency Missing = 37627		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	124,034	87.0%
Somewhat Safe	15,275	10.7%
Not Very Safe	1,243	0.9%
Not Safe At All	281	0.2%
Don't Know	1,767	1.2%
Frequency Missing = 2572		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	74,798	69.4%
Yes	32,950	30.6%
Frequency Missing = 37424		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	53,640	38.1%
Somewhat Safe	66,267	47.1%
Not Very Safe	12,666	9.0%
Not Safe At All	2,966	2.1%
Don't Know	5,158	3.7%
Frequency Missing = 4474		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	79,900	74.2%
Yes	27,846	25.8%
Frequency Missing = 37426		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	70,302	49.9%
Somewhat Safe	55,837	39.6%
Not Very Safe	7,149	5.1%
Not Safe At All	3,232	2.3%
Don't Know	4,394	3.1%
Frequency Missing = 4257		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	11,369	8.2%
A Few	38,689	27.9%
Some	36,233	26.1%
Most	38,874	28.0%
All	13,475	9.7%
Frequency Missing = 6533		

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	85,155	61.1%
A Few	35,852	25.7%
Some	11,290	8.1%
Most	4,494	3.2%
All	2,568	1.8%
Frequency Missing = 5813		

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	100,788	73.6%
A Few	21,570	15.8%
Some	8,344	6.1%
Most	4,501	3.3%
All	1,693	1.2%
Frequency Missing = 8277		

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	49,306	59.6%
Yes	33,404	40.4%
Frequency Missing = 62462		

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	4,484	3.3%
A Few	23,130	17.0%
Some	30,942	22.7%
Most	53,918	39.5%
All	23,945	17.6%
Frequency Missing = 8753		

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	136,680	95.8%
Heard/Used		
In Your Life-time	4,188	2.9%
Since School Began	472	0.3%
In the Past Month	1,372	1.0%
Frequency Missing = 2460		

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	108,271	78.1%
A Few	20,745	15.0%
Some	6,610	4.8%
Most	2,274	1.6%
All	668	0.5%
Frequency Missing = 6604		

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	130,444	91.7%
Heard/Used		
In Your Life-time	7,528	5.3%
Since School Began	1,279	0.9%
In the Past Month	2,937	2.1%
Frequency Missing = 2985		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q13c	RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
	Frequency	Percent
Never	137,298	97.4%
Heard/Used		
In Your Life-time	1,994	1.4%
Since School Began	477	0.3%
In the Past Month	1,222	0.9%

Frequency Missing = 4181

q13f	RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
	Frequency	Percent
Never	138,996	97.9%
Heard/Used		
In Your Life-time	1,453	1.0%
Since School Began	412	0.3%
In the Past Month	1,113	0.8%

Frequency Missing = 3199

q13d	RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
	Frequency	Percent
Never	130,844	92.3%
Heard/Used		
In Your Life-time	6,191	4.4%
Since School Began	1,494	1.1%
In the Past Month	3,272	2.3%

Frequency Missing = 3372

q13g	RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
	Frequency	Percent
Never	137,250	96.8%
Heard/Used		
In Your Life-time	2,084	1.5%
Since School Began	583	0.4%
In the Past Month	1,933	1.4%

Frequency Missing = 3323

q13e	RECENT INHALANT USE - GLUE	
	Frequency	Percent
Never	139,771	98.4%
Heard/Used		
In Your Life-time	1,259	0.9%
Since School Began	421	0.3%
In the Past Month	614	0.4%

Frequency Missing = 3107

q13h	RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
	Frequency	Percent
Never	137,827	96.9%
Heard/Used		
In Your Life-time	2,173	1.5%
Since School Began	522	0.4%
In the Past Month	1,690	1.2%

Frequency Missing = 2960

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	110,887	77.5%
Heard/Used		
In Your Life-time	16,182	11.3%
Since School Began	5,207	3.6%
In the Past Month	10,866	7.6%

Frequency Missing = 2029

RECENT WINE USE		
q14e	Frequency	Percent
Never	97,384	70.2%
Heard/Used		
In Your Life-time	22,002	15.9%
Since School Began	6,409	4.6%
In the Past Month	12,834	9.3%

Frequency Missing = 6543

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	128,202	90.6%
Heard/Used		
In Your Life-time	4,823	3.4%
Since School Began	2,787	2.0%
In the Past Month	5,727	4.0%

Frequency Missing = 3633

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	95,111	67.0%
Heard/Used		
In Your Life-time	19,653	13.8%
Since School Began	8,648	6.1%
In the Past Month	18,529	13.1%

Frequency Missing = 3231

RECENT BEER USE		
q14c	Frequency	Percent
Never	79,407	57.2%
Heard/Used		
In Your Life-time	26,860	19.4%
Since School Began	9,211	6.6%
In the Past Month	23,309	16.8%

Frequency Missing = 6384

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	135,132	94.1%
Heard/Used		
In Your Life-time	4,639	3.2%
Since School Began	1,481	1.0%
In the Past Month	2,302	1.6%

Frequency Missing = 1619

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	95,774	67.7%
Heard/Used		
In Your Life-time	19,134	13.5%
Since School Began	7,122	5.0%
In the Past Month	19,517	13.8%

Frequency Missing = 3625

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	107,669	76.5%
Heard/Used		
In Your Life-time	14,082	10.0%
Since School Began	5,717	4.1%
In the Past Month	13,318	9.5%

Frequency Missing = 4387

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	137,015	97.3%
Heard/Used		
In Your Life- time	2,189	1.6%
Since School Began	643	0.5%
In the Past Month	984	0.7%
Frequency Missing = 4341		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	138,750	99.0%
Heard/Used		
In Your Life- time	770	0.5%
Since School Began	67	0.0%
In the Past Month	513	0.4%
Frequency Missing = 5072		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	139,515	99.3%
Heard/Used		
In Your Life- time	335	0.2%
Since School Began	222	0.2%
In the Past Month	371	0.3%
Frequency Missing = 4728		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	132,471	94.9%
Heard/Used		
In Your Life- time	3,740	2.7%
Since School Began	927	0.7%
In the Past Month	2,408	1.7%
Frequency Missing = 5627		

	RECENT CINOGEN USE	HALLU- USE
q15e	Frequency	Percent
Never	137,494	98.3%
Heard/Used		
In Your Life- time	1,127	0.8%
Since School Began	447	0.3%
In the Past Month	790	0.6%
Frequency Missing = 5315		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	139,684	99.6%
Heard/Used		
In Your Life- time	225	0.2%
Since School Began	286	0.2%
In the Past Month	4	0.0%
Frequency Missing = 4974		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	139,630	99.4%
Heard/Used		
In Your Life- time	503	0.4%
Since School Began	15	0.0%
In the Past Month	288	0.2%
Frequency Missing = 4736		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	138,402	98.9%
Heard/Used		
In Your Life- time	1,164	0.8%
Since School Began	91	0.1%
In the Past Month	263	0.2%
Frequency Missing = 5252		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	128,924	92.1%
Heard/Used		
In Your Life- time	6,020	4.3%
Since School Began	1,769	1.3%
In the Past Month	3,281	2.3%
Frequency Missing = 5178		

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG
q16d	Frequency	Percent
Never	138,889	98.7%
Heard/Used		
In Your Life- time	647	0.5%
Since School Began	127	0.1%
In the Past Month	997	0.7%
Frequency Missing = 4513		

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG
q16a	Frequency	Percent
Never	124,767	88.6%
Heard/Used		
In Your Life- time	5,888	4.2%
Since School Began	3,752	2.7%
In the Past Month	6,471	4.6%
Frequency Missing = 4294		

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG
q16e	Frequency	Percent
Never	136,049	96.7%
Heard/Used		
In Your Life- time	1,137	0.8%
Since School Began	910	0.6%
In the Past Month	2,560	1.8%
Frequency Missing = 4516		

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG
q16b	Frequency	Percent
Never	136,820	97.2%
Heard/Used		
In Your Life- time	895	0.6%
Since School Began	1,031	0.7%
In the Past Month	2,002	1.4%
Frequency Missing = 4425		

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	130,628	94.9%
Heard/Used		
In Your Life- time	2,575	1.9%
Since School Began	898	0.7%
In the Past Month	3,555	2.6%
Frequency Missing = 7516		

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG
q16c	Frequency	Percent
Never	132,392	94.0%
Heard/Used		
In Your Life- time	3,109	2.2%
Since School Began	1,509	1.1%
In the Past Month	3,840	2.7%
Frequency Missing = 4322		

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	126,007	89.4%
Heard/Used		
1-2 times	7,828	5.6%
3-10 times	3,347	2.4%
11+ times	3,826	2.7%
Frequency Missing = 4164		

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	102,172	72.6%
Heard/Used		
1-2 times	23,374	16.6%
3-10 times	10,969	7.8%
11+ times	4,278	3.0%
Frequency Missing = 4380		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	137,097	97.3%
Heard/Used		
1-2 times	3,186	2.3%
3-10 times	413	0.3%
11+ times	210	0.1%
Frequency Missing = 4266		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	121,913	86.1%
Heard/Used		
1-2 times	9,911	7.0%
3-10 times	4,938	3.5%
11+ times	4,779	3.4%
Frequency Missing = 3630		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	139,743	98.7%
Heard/Used		
1-2 times	1,219	0.9%
3-10 times	366	0.3%
11+ times	257	0.2%
Frequency Missing = 3588		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	141,192	99.8%
Heard/Used		
1-2 times	219	0.2%
11+ times	74	0.1%
Frequency Missing = 3687		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	88,899	63.4%
heard/None		
A few	30,246	21.6%
Some	12,955	9.2%
Most	6,675	4.8%
All	1,394	1.0%
Frequency Missing = 5004		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	60,889	43.6%
heard/None		
A few	34,263	24.5%
Some	21,626	15.5%
Most	17,652	12.6%
All	5,276	3.8%
Frequency Missing = 5466		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	119,382	85.9%
heard/None		
A few	13,284	9.6%
Some	4,552	3.3%
Most	1,358	1.0%
All	429	0.3%
Frequency Missing = 6167		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	71,521	51.2%
A few	28,038	20.1%
Some	18,998	13.6%
Most	16,396	11.7%
All	4,645	3.3%

Frequency Missing = 5574

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	43,076	31.7%
Impossible	26,505	19.5%
Very difficult	7,942	5.8%
Somewhat diff	12,618	9.3%
Somewhat easy	17,196	12.6%
Very easy	28,711	21.1%

Frequency Missing = 9125

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	47,440	34.7%
Impossible	26,390	19.3%
Very difficult	8,042	5.9%
Somewhat diff	11,873	8.7%
Somewhat easy	16,106	11.8%
Very easy	26,804	19.6%

Frequency Missing = 8518

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	57,494	42.1%
Impossible	35,854	26.3%
Very difficult	14,823	10.9%
Somewhat diff	12,755	9.3%
Somewhat easy	7,913	5.8%
Very easy	7,740	5.7%

Frequency Missing = 8595

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	37,286	27.5%
Impossible	19,441	14.3%
Very difficult	7,804	5.8%
Somewhat diff	14,817	10.9%
Somewhat easy	22,810	16.8%
Very easy	33,327	24.6%

Frequency Missing = 9688

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	62,862	45.9%
Impossible	36,472	26.6%
Very difficult	15,584	11.4%
Somewhat diff	11,249	8.2%
Somewhat easy	5,139	3.8%
Very easy	5,665	4.1%

Frequency Missing = 8201

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	60,387	44.5%
Impossible	20,579	15.2%
Very difficult	5,817	4.3%
Somewhat diff	6,596	4.9%
Somewhat easy	13,362	9.9%
Very easy	28,833	21.3%

Frequency Missing = 9598

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	64,229	47.2%
Impossible	36,525	26.8%
Very difficult	13,523	9.9%
Somewhat diff	9,824	7.2%
Somewhat easy	6,871	5.0%
Very easy	5,086	3.7%

Frequency Missing = 9114

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	68,139	50.1%
Impossible	29,145	21.4%
Very difficult	12,032	8.8%
Somewhat diff	8,082	5.9%
Somewhat easy	9,027	6.6%
Very easy	9,577	7.0%
Frequency Missing = 9170		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	2,028	7.2%
9 years old	704	2.5%
10 years old	1,956	7.0%
11 years old	2,290	8.1%
12 years old	3,657	13.0%
13 years old	4,308	15.3%
14 years old	3,800	13.5%
15 years old	3,768	13.4%
16 years old	3,788	13.5%
17 years old	1,085	3.9%
18 or older	727	2.6%
Frequency Missing = 117061		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	71,042	51.8%
Impossible	36,960	27.0%
Very difficult	14,324	10.4%
Somewhat diff	6,856	5.0%
Somewhat easy	4,053	3.0%
Very easy	3,852	2.8%
Frequency Missing = 8085		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	6,331	9.8%
9 years old	2,221	3.4%
10 years old	3,860	6.0%
11 years old	4,492	6.9%
12 years old	7,915	12.2%
13 years old	10,766	16.6%
14 years old	9,902	15.3%
15 years old	10,020	15.5%
16 years old	5,606	8.7%
17 years old	2,534	3.9%
18 or older	1,047	1.6%
Frequency Missing = 80480		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	74,352	54.4%
Impossible	34,209	25.0%
Very difficult	13,286	9.7%
Somewhat diff	6,568	4.8%
Somewhat easy	3,733	2.7%
Very easy	4,650	3.4%
Frequency Missing = 8374		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	1,002	14.0%
9 years old	315	4.4%
10 years old	1,472	20.5%
11 years old	1,154	16.1%
12 years old	1,689	23.6%
13 years old	725	10.1%
14 years old	275	3.8%
15 years old	278	3.9%
16 years old	221	3.1%
17 years old	35	0.5%
Frequency Missing = 138009		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	68,410	50.0%
Impossible	26,900	19.7%
Very difficult	8,715	6.4%
Somewhat diff	9,337	6.8%
Somewhat easy	8,904	6.5%
Very easy	14,616	10.7%
Frequency Missing = 8289		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	714	2.1%
9 years old	190	0.6%
10 years old	1,170	3.5%
11 years old	1,291	3.9%
12 years old	5,036	15.2%
13 years old	7,373	22.2%
14 years old	6,400	19.3%
15 years old	5,564	16.8%
16 years old	3,715	11.2%
17 years old	1,592	4.8%
18 or older	159	0.5%

Frequency Missing = 111970

AGE WHEN FIRST USED COCAINE		
q21e	Frequency	Percent
8 or younger	74	2.4%
10 years old	110	3.6%
11 years old	87	2.8%
12 years old	329	10.6%
13 years old	333	10.7%
14 years old	288	9.3%
15 years old	506	16.3%
16 years old	736	23.7%
17 years old	384	12.4%
18 or older	257	8.3%

Frequency Missing = 142068

AGE WHEN FIRST USED CRACK		
q21f	Frequency	Percent
8 or younger	4	1.1%
10 years old	76	19.5%
11 years old	192	49.0%
12 years old	3	0.9%
13 years old	44	11.2%
15 years old	72	18.4%

Frequency Missing = 144781

AGE WHEN FIRST USED STEROIDS		
q21h	Frequency	Percent
8 or younger	264	26.9%
9 years old	3	0.3%
11 years old	201	20.5%
12 years old	212	21.6%
13 years old	33	3.4%
14 years old	86	8.8%
15 years old	88	9.0%
16 years old	93	9.5%

Frequency Missing = 144192

AGE WHEN FIRST USED ECSTASY		
q21i	Frequency	Percent
8 or younger	10	0.2%
9 years old	8	0.1%
10 years old	271	4.5%
11 years old	102	1.7%
12 years old	280	4.7%
13 years old	1,306	21.7%
14 years old	1,253	20.9%
15 years old	758	12.6%
16 years old	1,093	18.2%
17 years old	664	11.0%
18 or older	264	4.4%

Frequency Missing = 139161

AGE WHEN FIRST USED HEROIN		
q21j	Frequency	Percent
8 or younger	35	10.9%
9 years old	74	23.0%
13 years old	126	38.9%
15 years old	88	27.2%

Frequency Missing = 144849

AGE WHEN FIRST USED METHAMPHETAMINE		
q21k	Frequency	Percent
8 or younger	147	18.3%
9 years old	30	3.7%
10 years old	1	0.1%
12 years old	145	18.0%
13 years old	143	17.8%
14 years old	47	5.8%
15 years old	278	34.6%
16 years old	13	1.7%

Frequency Missing = 144370

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	160	1.4%
9 years old	4	0.0%
10 years old	208	1.9%
11 years old	448	4.0%
12 years old	1,024	9.2%
13 years old	2,626	23.7%
14 years old	2,166	19.5%
15 years old	2,128	19.2%
16 years old	1,724	15.5%
17 years old	528	4.8%
18 or older	79	0.7%

Frequency Missing = 134078

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	288	0.2%
Several times/wk	360	0.3%
Several times/mo	864	0.6%
About once/- month	723	0.5%
About on- ce/year	1,369	1.0%
< once/year	1,753	1.3%
Never used	131,607	96.1%

Frequency Missing = 8207

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	2,441	1.8%
Several times/wk	2,418	1.8%
Several times/mo	2,516	1.8%
About once/- month	5,024	3.6%
About on- ce/year	4,377	3.2%
< once/year	7,288	5.3%
Never used	113,852	82.6%

Frequency Missing = 7257

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	2,448	1.8%
Several times/wk	2,892	2.1%
Several times/mo	5,060	3.7%
About once/- month	5,426	3.9%
About on- ce/year	5,183	3.8%
< once/year	7,665	5.6%
Never used	109,207	79.2%

Frequency Missing = 7292

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	782	0.6%
Several times/wk	3,726	2.7%
Several times/mo	9,118	6.7%
About once/- month	15,801	11.5%
About on- ce/year	14,419	10.5%
< once/year	12,652	9.2%
Never used	80,471	58.8%

Frequency Missing = 8205

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	264	0.2%
Several times/wk	218	0.2%
Several times/mo	159	0.1%
About once/- month	156	0.1%
About on- ce/year	749	0.5%
< once/year	749	0.5%
Never used	135,092	98.3%

Frequency Missing = 7786

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	91	0.1%
About once/- month	136	0.1%
About on- ce/year	7	0.0%
< once/year	10	0.0%
Never used	137,830	99.8%
Frequency Missing = 7099		

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	82	0.1%
Several times/wk	48	0.0%
About once/- month	119	0.1%
< once/year	609	0.4%
Never used	137,112	99.4%
Frequency Missing = 7202		

q22i	HOW OFTEN NORMALLY USE EC-STASY	
	Frequency	Percent
Every day	59	0.0%
Several times/wk	431	0.3%
Several times/mo	351	0.3%
About once/- month	1,248	0.9%
About on- ce/year	1,636	1.2%
< once/year	1,926	1.4%
Never used	132,397	95.9%
Frequency Missing = 7124		

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Several times/wk	30	0.0%
Several times/mo	43	0.0%
About on- ce/year	4	0.0%
Never used	137,380	99.9%
Frequency Missing = 7715		

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	41	0.0%
Several times/wk	152	0.1%
Several times/mo	88	0.1%
About once/- month	30	0.0%
About on- ce/year	48	0.0%
< once/year	311	0.2%
Never used	136,784	99.5%
Frequency Missing = 7719		

q22l	HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA	
	Frequency	Percent
Every day	425	0.3%
Several times/wk	444	0.3%
Several times/mo	345	0.3%
About once/- month	2,086	1.5%
About on- ce/year	2,156	1.6%
< once/year	3,922	2.9%
Never used	127,873	93.2%
Frequency Missing = 7921		

q23a	AMOUNT OF BEER AT ONE TIME	
	Frequency	Percent
Never drink this	75,766	55.4%
12+ drinks	4,993	3.7%
9-11 drinks	3,139	2.3%
5-8 drinks	7,145	5.2%
3-4 drinks	9,610	7.0%
2 drinks	10,051	7.4%
1 drink	11,236	8.2%
< 1 drink	14,791	10.8%
Frequency Missing = 8443		

	AMOUNT OF WINE COOLERS AT ONE TIME	
q23b	Frequency	Percent
Never drink this	89,817	66.1%
12+ drinks	3,404	2.5%
9-11 drinks	2,338	1.7%
5-8 drinks	4,643	3.4%
3-4 drinks	9,462	7.0%
2 drinks	7,575	5.6%
1 drink	8,719	6.4%
< 1 drink	9,948	7.3%

Frequency Missing = 9266

	GET ALCOHOLIC BEVERAGES FROM HOME	
q25a	Frequency	Percent
Do not Drink	74,546	54.6%
Never	34,358	25.2%
Seldom	20,024	14.7%
Most of the Time	5,955	4.4%
Always	1,610	1.2%

Frequency Missing = 8680

	AMOUNT OF WINE AT ONE TIME	
q23c	Frequency	Percent
Never drink this	94,591	69.6%
12+ drinks	1,604	1.2%
9-11 drinks	938	0.7%
5-8 drinks	1,299	1.0%
3-4 drinks	3,133	2.3%
2 drinks	5,736	4.2%
1 drink	13,184	9.7%
< 1 drink	15,465	11.4%

Frequency Missing = 9223

	GET ALCOHOLIC BEVERAGES FROM FRIENDS	
q25b	Frequency	Percent
Do not Drink	67,305	49.7%
Never	28,573	21.1%
Seldom	19,055	14.1%
Most of the Time	15,662	11.6%
Always	4,951	3.7%

Frequency Missing = 9627

	AMOUNT OF LIQUOR AT ONE TIME	
q23d	Frequency	Percent
Never drink this	87,459	64.2%
12+ drinks	4,519	3.3%
9-11 drinks	2,504	1.8%
5-8 drinks	4,699	3.4%
3-4 drinks	7,596	5.6%
2 drinks	7,813	5.7%
1 drink	10,408	7.6%
< 1 drink	11,319	8.3%

Frequency Missing = 8856

	GET ALCOHOLIC BEVERAGES FROM A STORE	
q25c	Frequency	Percent
Do not Drink	72,762	53.9%
Never	50,894	37.7%
Seldom	6,213	4.6%
Most of the Time	3,393	2.5%
Always	1,641	1.2%

Frequency Missing = 10269

	HOW MANY 5+ DRINKS IN PAST 30 DAYS	
q24	Frequency	Percent
Never 5+ at time	61,007	44.7%
None	54,753	40.1%
1 day	8,968	6.6%
2 days	4,282	3.1%
3 to 5 days	3,471	2.5%
6 to 9 days	1,617	1.2%
10 or more days	2,389	1.8%

Frequency Missing = 8685

	GET ALCOHOLIC BEVERAGES AT PARTIES	
q25d	Frequency	Percent
Do not Drink	62,724	46.3%
Never	22,251	16.4%
Seldom	14,719	10.9%
Most of the Time	18,785	13.9%
Always	16,985	12.5%

Frequency Missing = 9708

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	73,212	54.6%
Never	33,225	24.8%
Seldom	11,786	8.8%
Most of the Time	8,466	6.3%
Always	7,365	5.5%

Frequency Missing = 11119

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	117,744	86.8%
Somewhat	8,178	6.0%
Not very	1,720	1.3%
Not at all	658	0.5%
Don't know	7,293	5.4%

Frequency Missing = 9579

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	88,784	65.6%
Somewhat	26,383	19.5%
Not very	9,723	7.2%
Not at all	2,179	1.6%
Don't know	8,268	6.1%

Frequency Missing = 9837

DANGEROUS FOR KIDS TO USE CRACK		
q26f	Frequency	Percent
Very	118,046	87.3%
Somewhat	7,468	5.5%
Not very	1,287	1.0%
Not at all	762	0.6%
Don't know	7,647	5.7%

Frequency Missing = 9963

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	75,573	56.0%
Somewhat	32,835	24.3%
Not very	16,899	12.5%
Not at all	3,013	2.2%
Don't know	6,675	4.9%

Frequency Missing = 10178

DANGEROUS FOR KIDS TO USE ECSTASY		
q26g	Frequency	Percent
Very	110,863	81.8%
Somewhat	10,628	7.8%
Not very	2,995	2.2%
Not at all	1,674	1.2%
Don't know	9,311	6.9%

Frequency Missing = 9701

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	105,023	77.5%
Somewhat	13,478	9.9%
Not very	5,252	3.9%
Not at all	1,402	1.0%
Don't know	10,334	7.6%

Frequency Missing = 9684

DANGEROUS FOR KIDS TO USE STEROIDS		
q26h	Frequency	Percent
Very	107,007	79.3%
Somewhat	13,218	9.8%
Not very	3,707	2.7%
Not at all	1,660	1.2%
Don't know	9,428	7.0%

Frequency Missing = 10152

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	85,709	63.3%
Somewhat	16,705	12.3%
Not very	12,784	9.4%
Not at all	14,011	10.4%
Don't know	6,111	4.5%

Frequency Missing = 9853

DANGEROUS FOR KIDS TO USE HEROIN		
q26i	Frequency	Percent
Very	118,259	87.3%
Somewhat	7,044	5.2%
Not very	965	0.7%
Not at all	608	0.4%
Don't know	8,629	6.4%

Frequency Missing = 9667

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	
q26j	Frequency	Percent
Very	118,364	87.2%
Somewhat	5,944	4.4%
Not very	1,392	1.0%
Not at all	712	0.5%
Don't know	9,362	6.9%

Frequency Missing = 9399

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	
q26k	Frequency	Percent
Very	109,447	80.8%
Somewhat	9,904	7.3%
Not very	3,927	2.9%
Not at all	1,709	1.3%
Don't know	10,515	7.8%

Frequency Missing = 9670

	DANGEROUS FOR KIDS TO USE HYDROCODONE	
q26l	Frequency	Percent
Very	108,847	80.3%
Somewhat	8,644	6.4%
Not very	3,910	2.9%
Not at all	1,753	1.3%
Don't know	12,453	9.2%

Frequency Missing = 9565

	DAYS SKIPPED SINCE SEPTEMBER	
q27a	Frequency	Percent
None	113,190	85.3%
1-3 days	14,446	10.9%
4-9 days	2,677	2.0%
10+ days	2,412	1.8%

Frequency Missing = 12447

	DAYS ILL SINCE SEPTEMBER	
q27b	Frequency	Percent
None	54,378	41.2%
1-3 days	61,282	46.5%
4-9 days	12,981	9.8%
10+ days	3,288	2.5%

Frequency Missing = 13244

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	
q27c	Frequency	Percent
None	62,195	47.4%
1-3 days	57,686	43.9%
4-9 days	8,028	6.1%
10+ days	3,395	2.6%

Frequency Missing = 13868

	SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER	
q27d	Frequency	Percent
None	117,066	88.5%
1-3 days	11,853	9.0%
4-9 days	1,640	1.2%
10+ days	1,714	1.3%

Frequency Missing = 12900

	SOMEONE CALLED HOME SINCE SEPTEMBER	
q27e	Frequency	Percent
None	119,777	90.6%
1-3 days	10,154	7.7%
4-9 days	1,432	1.1%
10+ days	818	0.6%

Frequency Missing = 12991

	TROUBLE WITH FRIENDS BECAUSE OF DRINKING	
q28a	Frequency	Percent
None	125,095	95.0%
1-3 times	5,853	4.4%
4-9 times	562	0.4%
10+ times	163	0.1%

Frequency Missing = 13498

	DRIVEN A CAR AFTER A GOOD BIT TO DRINK	
q28b	Frequency	Percent
None	125,453	95.6%
1-3 times	4,598	3.5%
4-9 times	618	0.5%
10+ times	575	0.4%

Frequency Missing = 13929

	CRITICIZED BY DATE BECAUSE OF DRINKING	
q28c	Frequency	Percent
None	123,086	95.0%
1-3 times	5,261	4.1%
4-9 times	652	0.5%
10+ times	586	0.5%
Frequency Missing = 15587		

	CLASS DAYS HIGH ON MARIJUANA SINCE SEPT	
q29b	Frequency	Percent
None	119,213	91.6%
1-3 days	6,869	5.3%
4-9 days	1,663	1.3%
10+ days	2,351	1.8%
Frequency Missing = 15076		

	TROUBLE WITH FRIENDS BECAUSE OF DRUG USE	
q28d	Frequency	Percent
None	124,226	95.2%
1-3 times	5,000	3.8%
4-9 times	707	0.5%
10+ times	527	0.4%
Frequency Missing = 14713		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	128,263	98.6%
1-3 days	1,375	1.1%
4-9 days	207	0.2%
10+ days	194	0.1%
Frequency Missing = 15134		

	DRIVEN A CAR WHILE HIGH FROM DRUGS	
q28e	Frequency	Percent
None	123,771	94.8%
1-3 times	4,537	3.5%
4-9 times	1,011	0.8%
10+ times	1,204	0.9%
Frequency Missing = 14649		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	124,975	96.3%
1-3 days	3,373	2.6%
4-9 days	920	0.7%
10+ days	544	0.4%
Frequency Missing = 15361		

	CRITICIZED BY DATE BECAUSE OF DRUG USE	
q28f	Frequency	Percent
None	123,900	95.0%
1-3 times	4,459	3.4%
4-9 times	1,291	1.0%
10+ times	838	0.6%
Frequency Missing = 14684		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	61,523	47.5%
Seldom	8,760	6.8%
Half the time	9,100	7.0%
Most of the time	11,704	9.0%
Always	16,834	13.0%
Don't know	2,452	1.9%
Didn't attend	19,106	14.8%
Frequency Missing = 15693		

	CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT	
q29a	Frequency	Percent
None	124,897	96.0%
1-3 days	4,029	3.1%
4-9 days	545	0.4%
10+ days	592	0.5%
Frequency Missing = 15110		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	72,539	56.0%
Seldom	8,591	6.6%
Half the time	6,779	5.2%
Most of the time	8,773	6.8%
Always	10,844	8.4%
Don't know	3,259	2.5%
Didn't attend	18,726	14.5%
Frequency Missing = 15661		

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q31	Frequency	Percent
No	101,288	90.0%
Yes	11,226	10.0%
Frequency Missing = 32659		

WOULD SEEK HELP FROM FRIENDS		
q32f	Frequency	Percent
No	54,992	44.1%
Yes	69,836	55.9%
Frequency Missing = 20345		

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q32a	Frequency	Percent
No	71,818	57.0%
Yes	54,184	43.0%
Frequency Missing = 19171		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	50,199	40.1%
Yes	75,011	59.9%
Frequency Missing = 19963		

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q32b	Frequency	Percent
No	67,732	54.1%
Yes	57,498	45.9%
Frequency Missing = 19942		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	99,477	81.4%
Yes	22,668	18.6%
Frequency Missing = 23027		

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q32c	Frequency	Percent
No	69,890	56.1%
Yes	54,737	43.9%
Frequency Missing = 20545		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	62,055	53.6%
Yes	53,685	46.4%
Frequency Missing = 29432		

WOULD SEEK HELP FROM PARENTS		
q32d	Frequency	Percent
No	40,797	32.5%
Yes	84,589	67.5%
Frequency Missing = 19786		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	53,516	46.8%
Yes	60,952	53.2%
Frequency Missing = 30704		

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q32e	Frequency	Percent
No	57,274	45.8%
Yes	67,666	54.2%
Frequency Missing = 20233		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	79,689	69.8%
Yes	34,455	30.2%
Frequency Missing = 31029		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	83,727	73.7%
Yes	29,916	26.3%
Frequency Missing = 31529		

DRUG/ALCOHOL INFO-SCHOOL STU- DENT GROUP OR CLUB		
q33e	Frequency	Percent
No	91,264	80.3%
Yes	22,434	19.7%
Frequency Missing = 31474		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	69,266	60.5%
Yes	45,242	39.5%
Frequency Missing = 30664		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	76,572	67.2%
Yes	37,377	32.8%
Frequency Missing = 31223		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong dis- approve	95,261	75.1%
Mild disapprove	7,945	6.3%
Neither	7,723	6.1%
Mildly approve	2,069	1.6%
Strongly ap- prove	938	0.7%
Don't know	12,846	10.1%
Frequency Missing = 18391		

PARENTS FEEL ABOUT KIDS DRINKING AL- COHOL		
q34b	Frequency	Percent
Strong disap- prove	83,535	66.0%
Mild disapprove	14,503	11.5%
Neither	10,924	8.6%
Mildly approve	3,682	2.9%
Strongly ap- prove	1,359	1.1%
Don't know	12,651	10.0%
Frequency Missing = 18519		

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q34c	Frequency	Percent
Strong disap- prove	98,745	77.8%
Mild disapprove	5,301	4.2%
Neither	6,491	5.1%
Mildly approve	1,874	1.5%
Strongly ap- prove	1,992	1.6%
Don't know	12,508	9.9%
Frequency Missing = 18261		

TESTED FOR DRUG USE AT SCHOOL		
q35	Frequency	Percent
No	114,470	90.2%
Yes	12,454	9.8%
Frequency Missing = 18248		

q36	DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	Frequency	Percent
Do not know		32,065	25.1%
No		30,371	23.8%
Yes		65,140	51.1%
Frequency Missing = 17596			