
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



HHSC REGION 3 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 3. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	14.3%	17.3%	26.7%	73.3%
Grade 7	4.6%	5.8%	11.0%	89.0%
Grade 8	8.1%	10.2%	18.8%	81.2%
Grade 9	13.6%	16.6%	26.2%	73.8%
Grade 10	17.2%	21.5%	30.9%	69.1%
Grade 11	19.6%	23.1%	35.1%	64.9%
Grade 12	24.9%	29.8%	41.7%	58.3%
Cigarettes?				
All	3.6%	5.3%	11.2%	88.8%
Grade 7	0.8%	1.3%	3.6%	96.4%
Grade 8	1.5%	2.6%	7.5%	92.5%
Grade 9	3.3%	5.2%	10.8%	89.2%
Grade 10	4.3%	6.3%	12.9%	87.1%
Grade 11	4.1%	5.9%	14.3%	85.7%
Grade 12	8.3%	12.0%	20.2%	79.8%
Smokeless Tobacco?				
All	2.2%	3.3%	6.1%	93.9%
Grade 7	0.3%	0.6%	2.6%	97.4%
Grade 8	1.0%	1.4%	3.0%	97.0%
Grade 9	2.2%	3.4%	7.1%	92.9%
Grade 10	3.3%	5.2%	7.3%	92.7%
Grade 11	2.8%	4.0%	6.9%	93.1%
Grade 12	4.0%	6.0%	10.7%	89.3%
Electronic Vapor Products?				
All	10.8%	14.6%	23.2%	76.8%
Grade 7	2.8%	4.3%	8.2%	91.8%
Grade 8	5.6%	8.1%	15.3%	84.7%
Grade 9	10.5%	14.0%	22.2%	77.8%
Grade 10	12.4%	17.4%	27.8%	72.2%
Grade 11	15.6%	20.2%	31.7%	68.3%
Grade 12	20.4%	26.3%	37.9%	62.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 126

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	89.1%	1.0%	1.0%	1.8%	2.1%	1.8%	3.2%
Grade 7	96.9%	0.2%	0.2%	0.2%	0.5%	0.9%	1.2%
Grade 8	94.5%	0.5%	0.4%	0.6%	0.9%	1.2%	1.9%
Grade 9	90.3%	0.5%	0.8%	1.8%	2.7%	1.2%	2.7%
Grade 10	86.5%	1.6%	1.1%	1.9%	3.1%	2.2%	3.5%
Grade 11	85.3%	1.0%	2.7%	2.5%	2.0%	2.3%	4.2%
Grade 12	78.4%	2.3%	1.5%	4.5%	3.8%	3.3%	6.2%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.6	10.6	11.7	12.6	13.5	14.3	14.9

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.0%	21.1%	8.7%	10.5%	14.8%	17.8%
Grade 7	34.5%	35.3%	10.3%	7.6%	7.0%	5.2%
Grade 8	30.2%	26.3%	11.2%	9.9%	12.5%	10.0%
Grade 9	27.4%	22.0%	9.0%	12.3%	13.2%	16.0%
Grade 10	23.0%	18.8%	7.4%	12.5%	18.4%	19.8%
Grade 11	24.2%	13.1%	8.5%	10.8%	22.5%	20.9%
Grade 12	21.2%	7.9%	5.1%	10.4%	16.7%	38.8%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	72.0%	17.3%	6.7%	3.5%	0.6%
Grade 7	87.8%	9.1%	2.6%	0.4%	0.1%
Grade 8	83.7%	11.2%	3.2%	1.7%	0.2%
Grade 9	69.9%	17.5%	7.9%	4.0%	0.7%
Grade 10	65.1%	20.5%	9.1%	4.4%	0.9%
Grade 11	62.7%	23.0%	8.3%	5.5%	0.5%
Grade 12	59.7%	24.1%	9.8%	5.3%	1.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.3%	7.6%	4.9%	0.8%	0.5%	6.0%
Grade 7	88.7%	2.4%	1.7%	0.1%	0.3%	6.9%
Grade 8	85.3%	3.4%	2.7%	1.3%	0.9%	6.3%
Grade 9	78.9%	8.6%	4.1%	0.7%	0.5%	7.3%
Grade 10	78.7%	9.0%	6.6%	0.9%	0.4%	4.5%
Grade 11	77.2%	9.2%	6.7%	0.5%	0.6%	5.7%
Grade 12	70.8%	14.3%	8.8%	1.2%	0.1%	4.8%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	62.2%	23.8%	8.0%	1.4%	4.6%
	Grade 7	79.6%	13.1%	3.2%	0.3%	3.8%
	Grade 8	68.0%	19.6%	5.0%	0.8%	6.5%
	Grade 9	58.4%	24.9%	9.6%	1.9%	5.2%
	Grade 10	59.7%	26.4%	9.5%	1.2%	3.2%
	Grade 11	53.8%	30.4%	10.0%	1.5%	4.3%
	Grade 12	51.1%	30.3%	11.3%	2.7%	4.6%
Electronic Vapor Products?						
	All	54.4%	13.5%	13.9%	12.0%	6.2%
	Grade 7	71.0%	13.7%	6.1%	3.8%	5.4%
	Grade 8	62.8%	11.8%	9.7%	8.0%	7.7%
	Grade 9	48.6%	12.7%	15.6%	16.5%	6.6%
	Grade 10	51.1%	14.8%	17.8%	11.2%	5.1%
	Grade 11	46.5%	14.5%	19.3%	14.0%	5.6%
	Grade 12	43.9%	13.8%	15.9%	19.9%	6.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	23.6%	28.5%	46.9%	53.1%
Grade 7	11.0%	12.7%	29.5%	70.5%
Grade 8	17.7%	20.9%	40.8%	59.2%
Grade 9	24.7%	29.2%	47.5%	52.5%
Grade 10	24.1%	30.3%	47.5%	52.5%
Grade 11	28.4%	36.0%	56.5%	43.5%
Grade 12	38.6%	45.6%	62.9%	37.1%
Beer?				
All	9.2%	14.8%	35.6%	64.4%
Grade 7	3.3%	4.9%	20.7%	79.3%
Grade 8	6.2%	9.4%	32.1%	67.9%
Grade 9	9.6%	14.0%	34.1%	65.9%
Grade 10	9.2%	15.2%	37.5%	62.5%
Grade 11	10.7%	19.5%	42.4%	57.6%
Grade 12	17.8%	28.7%	50.2%	49.8%
Wine Coolers?				
All	6.9%	10.8%	26.7%	73.3%
Grade 7	2.1%	2.8%	12.0%	88.0%
Grade 8	4.5%	6.3%	19.5%	80.5%
Grade 9	6.5%	9.7%	27.5%	72.5%
Grade 10	6.5%	10.6%	28.3%	71.7%
Grade 11	9.3%	16.4%	34.1%	65.9%
Grade 12	13.5%	21.3%	42.0%	58.0%
Wine?				
All	6.3%	10.3%	29.9%	70.1%
Grade 7	2.8%	3.7%	16.2%	83.8%
Grade 8	3.6%	6.3%	24.3%	75.7%
Grade 9	6.7%	10.6%	30.3%	69.7%
Grade 10	5.1%	9.9%	30.4%	69.6%
Grade 11	8.3%	14.0%	38.1%	61.9%
Grade 12	12.5%	19.0%	43.1%	56.9%
Liquor?				
All	9.5%	14.8%	29.8%	70.2%
Grade 7	3.1%	3.9%	11.3%	88.7%
Grade 8	5.9%	9.2%	21.2%	78.8%
Grade 9	9.1%	13.7%	28.9%	71.1%
Grade 10	9.2%	16.5%	33.5%	66.5%
Grade 11	11.4%	19.6%	39.0%	61.0%
Grade 12	20.5%	28.9%	49.3%	50.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	67.3%	0.1%	1.2%	5.2%	9.9%	8.5%	7.7%
Grade 7	85.3%	0.1%	0.3%	1.0%	3.6%	4.0%	5.7%
Grade 8	76.3%	0.0%	0.3%	2.8%	6.1%	6.4%	8.0%
Grade 9	70.0%	0.4%	1.1%	4.8%	8.9%	7.5%	7.4%
Grade 10	63.3%	0.0%	1.1%	6.9%	10.4%	11.0%	7.2%
Grade 11	58.5%	0.2%	2.2%	6.2%	15.7%	9.2%	8.1%
Grade 12	45.3%	0.0%	2.8%	10.5%	16.7%	14.5%	10.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	67.8%	32.2%	5.8%	15.2%	11.2%
	Grade 7	82.2%	17.8%	0.8%	6.4%	10.5%
	Grade 8	71.5%	28.5%	2.6%	11.8%	14.1%
	Grade 9	69.2%	30.8%	5.2%	14.0%	11.6%
	Grade 10	65.2%	34.8%	8.4%	15.1%	11.3%
	Grade 11	62.1%	37.9%	7.7%	19.6%	10.6%
	Grade 12	53.5%	46.5%	11.5%	26.8%	8.2%
Wine Coolers						
	All	76.1%	23.9%	3.5%	13.5%	6.9%
	Grade 7	91.0%	9.0%	0.7%	3.9%	4.5%
	Grade 8	81.9%	18.1%	1.6%	8.3%	8.3%
	Grade 9	75.5%	24.5%	2.1%	13.3%	9.1%
	Grade 10	74.2%	25.8%	3.3%	15.2%	7.2%
	Grade 11	69.1%	30.9%	4.6%	19.8%	6.5%
	Grade 12	61.8%	38.2%	9.7%	22.9%	5.6%
Wine						
	All	74.0%	26.0%	1.9%	12.5%	11.5%
	Grade 7	87.2%	12.8%	0.7%	4.0%	8.2%
	Grade 8	79.4%	20.6%	0.8%	7.6%	12.2%
	Grade 9	72.6%	27.4%	1.5%	12.7%	13.2%
	Grade 10	73.2%	26.8%	1.6%	13.4%	11.8%
	Grade 11	67.6%	32.4%	2.1%	18.8%	11.6%
	Grade 12	61.5%	38.5%	5.5%	20.8%	12.2%
Liquor						
	All	71.7%	28.3%	6.4%	14.0%	7.8%
	Grade 7	89.7%	10.3%	0.7%	3.2%	6.3%
	Grade 8	80.9%	19.1%	2.5%	7.6%	9.0%
	Grade 9	73.0%	27.0%	4.8%	13.5%	8.7%
	Grade 10	68.2%	31.8%	7.6%	17.2%	7.0%
	Grade 11	62.4%	37.6%	11.4%	18.8%	7.5%
	Grade 12	51.8%	48.2%	13.5%	26.5%	8.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	91.9%	3.5%	1.5%	1.5%	0.7%	1.0%
Grade 7	98.5%	0.8%	0.3%	0.1%	0.2%	0.2%
Grade 8	96.1%	1.6%	0.6%	0.6%	0.3%	0.9%
Grade 9	92.3%	3.1%	1.7%	0.7%	1.0%	1.2%
Grade 10	90.9%	4.1%	1.2%	2.2%	0.7%	0.9%
Grade 11	88.3%	5.8%	2.7%	2.3%	0.3%	0.6%
Grade 12	83.5%	6.1%	3.1%	3.5%	1.7%	2.1%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.2	10.7	11.4	12.3	13.2	14.2	14.8

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.9%	14.2%	6.2%	10.7%	19.9%	27.0%
Grade 7	31.2%	25.4%	9.4%	9.5%	12.9%	11.6%
Grade 8	24.8%	16.6%	7.7%	10.7%	17.3%	22.9%
Grade 9	21.4%	14.8%	6.5%	10.1%	18.4%	28.8%
Grade 10	19.4%	11.5%	5.7%	10.6%	22.4%	30.4%
Grade 11	18.3%	9.2%	3.5%	12.1%	23.9%	33.0%
Grade 12	14.6%	5.3%	3.8%	11.7%	26.5%	38.1%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.2%	2.1%	0.4%	0.3%
Grade 7	98.3%	1.2%	0.4%	0.1%
Grade 8	97.8%	1.9%	0.2%	0.2%
Grade 9	96.2%	2.5%	0.6%	0.7%
Grade 10	97.0%	2.2%	0.4%	0.5%
Grade 11	97.9%	1.3%	0.5%	0.3%
Grade 12	96.1%	3.4%	0.2%	0.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.0
Alcohol Non-Users	3.3
Average Days Conduct Problems Reported	
Alcohol Users	2.1
Alcohol Non-Users	0.6

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.8%	2.5%	0.2%	0.5%
Grade 9	97.7%	1.7%	0.2%	0.3%
Grade 10	97.0%	2.2%	0.3%	0.5%
Grade 11	97.2%	2.4%	0.1%	0.2%
Grade 12	94.9%	4.1%	0.0%	1.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.2%	2.2%	0.4%	0.2%
Grade 7	98.8%	0.9%	0.2%	0.1%
Grade 8	98.0%	1.6%	0.2%	0.1%
Grade 9	96.5%	2.4%	0.8%	0.3%
Grade 10	95.7%	3.6%	0.2%	0.4%
Grade 11	96.8%	2.7%	0.3%	0.2%
Grade 12	96.8%	2.3%	0.9%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	52.5%	22.8%	14.0%	8.7%	2.0%
Grade 7	81.5%	12.3%	4.4%	1.6%	0.3%
Grade 8	66.9%	19.3%	9.1%	4.0%	0.7%
Grade 9	50.0%	22.8%	16.7%	7.7%	2.8%
Grade 10	43.8%	27.3%	17.3%	8.9%	2.7%
Grade 11	34.3%	28.2%	20.8%	14.6%	2.1%
Grade 12	33.3%	28.7%	17.2%	17.3%	3.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 126

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	55.0%	6.6%	5.3%	7.5%	7.4%	1.6%	16.5%
Grade 7	74.8%	4.5%	3.3%	2.7%	1.8%	2.2%	10.8%
Grade 8	67.5%	7.7%	5.0%	3.5%	2.4%	2.0%	11.9%
Grade 9	53.1%	7.4%	6.5%	8.0%	5.2%	1.7%	18.0%
Grade 10	51.7%	7.9%	6.7%	9.1%	9.2%	0.7%	14.7%
Grade 11	39.5%	7.1%	5.9%	12.1%	10.9%	1.3%	23.2%
Grade 12	38.9%	5.2%	4.4%	10.8%	16.9%	1.7%	22.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	64.9%	14.5%	13.6%	4.9%	2.2%
	Grade 7	76.7%	13.0%	7.9%	2.0%	0.4%
	Grade 8	68.4%	13.9%	12.5%	3.2%	1.9%
	Grade 9	67.5%	11.3%	12.2%	5.9%	3.0%
	Grade 10	64.1%	15.8%	13.3%	4.7%	2.2%
	Grade 11	59.4%	15.8%	16.1%	5.7%	3.0%
	Grade 12	50.2%	17.8%	21.2%	8.1%	2.6%
Friends?						
	All	66.0%	14.2%	9.2%	8.2%	2.4%
	Grade 7	82.2%	14.5%	2.1%	1.1%	0.1%
	Grade 8	72.6%	17.0%	5.9%	3.8%	0.7%
	Grade 9	69.1%	12.8%	9.4%	6.5%	2.2%
	Grade 10	62.3%	14.3%	10.2%	9.8%	3.4%
	Grade 11	58.7%	11.7%	13.1%	13.0%	3.5%
	Grade 12	47.2%	14.4%	16.1%	16.8%	5.4%
A Store?						
	All	68.4%	25.9%	2.8%	2.1%	0.8%
	Grade 7	81.3%	17.7%	0.6%	0.3%	0.2%
	Grade 8	73.8%	23.7%	1.9%	0.3%	0.3%
	Grade 9	72.0%	23.2%	2.8%	1.8%	0.2%
	Grade 10	65.6%	28.7%	2.9%	2.3%	0.5%
	Grade 11	62.3%	30.1%	3.9%	2.5%	1.2%
	Grade 12	52.2%	33.7%	5.3%	6.3%	2.6%
Parties?						
	All	64.1%	13.4%	8.2%	9.3%	5.1%
	Grade 7	78.2%	14.5%	3.5%	2.8%	1.0%
	Grade 8	70.2%	14.3%	7.9%	4.9%	2.8%
	Grade 9	67.5%	11.2%	7.0%	9.7%	4.5%
	Grade 10	61.4%	14.3%	7.6%	11.1%	5.7%
	Grade 11	58.0%	10.4%	10.9%	12.3%	8.5%
	Grade 12	45.4%	15.8%	13.3%	16.5%	9.0%
Other Sources?						
	All	68.7%	18.9%	6.7%	3.4%	2.3%
	Grade 7	79.7%	14.7%	4.2%	1.0%	0.4%
	Grade 8	74.0%	17.8%	4.5%	2.1%	1.5%
	Grade 9	72.1%	15.3%	5.4%	3.2%	4.1%
	Grade 10	67.9%	18.9%	6.5%	4.4%	2.3%
	Grade 11	61.7%	22.6%	9.2%	3.7%	2.9%
	Grade 12	53.7%	25.4%	11.4%	6.9%	2.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	66.1%	13.6%	10.4%	3.0%	0.9%	5.9%
Grade 7	79.7%	8.4%	3.6%	1.1%	0.3%	6.9%
Grade 8	74.2%	10.2%	6.5%	1.9%	1.1%	6.2%
Grade 9	64.6%	12.0%	12.0%	3.2%	1.1%	7.1%
Grade 10	64.4%	15.8%	12.1%	3.0%	0.4%	4.3%
Grade 11	58.0%	18.4%	12.7%	3.6%	1.2%	6.1%
Grade 12	52.4%	18.7%	17.5%	5.7%	1.3%	4.4%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.6%	28.2%	14.4%	1.8%	4.0%
Grade 7	65.3%	22.1%	8.0%	1.0%	3.6%
Grade 8	53.4%	25.7%	14.1%	2.1%	4.7%
Grade 9	48.4%	28.0%	16.3%	2.7%	4.6%
Grade 10	52.8%	26.0%	15.9%	2.2%	3.1%
Grade 11	43.8%	35.3%	15.5%	1.7%	3.7%
Grade 12	44.0%	33.4%	17.4%	1.3%	3.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	11.8%	15.7%	20.8%	79.2%
Grade 7	2.6%	4.1%	5.9%	94.1%
Grade 8	7.8%	11.0%	13.6%	86.4%
Grade 9	12.8%	17.1%	22.6%	77.4%
Grade 10	11.0%	15.3%	21.3%	78.7%
Grade 11	16.0%	21.1%	28.4%	71.6%
Grade 12	22.4%	27.9%	36.1%	63.9%
Marijuana?				
All	11.6%	14.3%	19.8%	80.2%
Grade 7	2.4%	2.9%	4.6%	95.4%
Grade 8	7.5%	9.4%	12.5%	87.5%
Grade 9	12.8%	15.4%	21.5%	78.5%
Grade 10	11.0%	14.2%	20.5%	79.5%
Grade 11	15.5%	19.2%	27.2%	72.8%
Grade 12	22.2%	26.8%	35.8%	64.2%
Cocaine?				
All	0.9%	1.2%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	1.2%	1.7%	2.7%	97.3%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.9%	1.1%	2.7%	97.3%
Grade 12	2.4%	3.2%	4.6%	95.4%
Crack?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.9%	99.1%
Hallucinogens?				
All	0.6%	1.3%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.4%	2.8%	97.2%
Grade 10	0.8%	1.0%	3.1%	96.9%
Grade 11	0.6%	2.1%	3.9%	96.1%
Grade 12	1.2%	2.7%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.6%	1.1%	1.9%	98.1%
Grade 9	0.5%	0.6%	1.5%	98.5%
Grade 10	0.1%	0.2%	1.4%	98.6%
Grade 11	0.3%	0.7%	1.1%	98.9%
Grade 12	0.2%	0.4%	1.4%	98.6%
Ecstasy?				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	1.2%	1.7%	2.2%	97.8%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.4%	0.7%	1.9%	98.1%
Grade 12	0.2%	1.4%	3.1%	96.9%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.6%	99.4%
Methamphetamine?				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	0.7%	1.0%	1.7%	98.3%
Grade 10	0.0%	0.3%	0.4%	99.6%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.3%	0.4%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.8%	1.1%	2.7%	97.3%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.9%	1.4%	3.1%	96.9%
Grade 9	1.7%	2.0%	3.6%	96.4%
Grade 10	0.6%	0.8%	2.0%	98.0%
Grade 11	0.7%	0.9%	3.3%	96.7%
Grade 12	0.5%	0.7%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	83.4%	1.5%	1.9%	2.7%	3.5%	3.0%	4.0%
Grade 7	96.5%	0.5%	0.0%	0.3%	0.7%	0.8%	1.1%
Grade 8	89.4%	0.5%	0.5%	1.5%	3.2%	2.3%	2.7%
Grade 9	83.7%	1.9%	2.3%	2.3%	2.5%	3.4%	4.0%
Grade 10	82.5%	1.6%	2.1%	2.5%	3.6%	3.7%	4.0%
Grade 11	77.9%	1.6%	2.0%	3.6%	5.3%	3.8%	5.8%
Grade 12	67.0%	3.6%	5.1%	6.7%	6.1%	4.5%	7.0%
Cocaine?							
All	98.7%	0.0%	0.1%	0.0%	0.3%	0.4%	0.5%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.2%	0.0%	0.1%	0.0%	0.0%	0.2%	0.5%
Grade 9	98.8%	0.0%	0.0%	0.0%	0.4%	0.4%	0.4%
Grade 10	99.3%	0.0%	0.0%	0.1%	0.2%	0.4%	0.0%
Grade 11	98.9%	0.1%	0.3%	0.1%	0.1%	0.1%	0.4%
Grade 12	95.9%	0.0%	0.0%	0.0%	1.2%	1.3%	1.6%
Crack?							
All	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
Grade 11	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
Grade 12	99.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.7%
Steroids?							
All	99.3%	0.1%	0.0%	0.1%	0.0%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
Grade 8	99.0%	0.1%	0.0%	0.3%	0.0%	0.1%	0.5%
Grade 9	99.7%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
Grade 10	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%
Grade 11	99.3%	0.3%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 12	99.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.7%
Ecstasy?							
All	98.9%	0.0%	0.0%	0.1%	0.3%	0.2%	0.4%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Grade 8	99.3%	0.1%	0.0%	0.0%	0.1%	0.3%	0.3%
Grade 9	98.2%	0.1%	0.0%	0.3%	0.6%	0.1%	0.6%
Grade 10	99.3%	0.0%	0.0%	0.1%	0.0%	0.2%	0.3%
Grade 11	98.8%	0.0%	0.2%	0.1%	0.1%	0.3%	0.5%
Grade 12	97.6%	0.0%	0.0%	0.0%	1.0%	0.4%	1.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 9	99.0%	0.2%	0.0%	0.0%	0.2%	0.5%	0.0%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
	Grade 11	99.8%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.5%
Methamphetamine?								
	All	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 9	99.1%	0.0%	0.1%	0.0%	0.3%	0.2%	0.3%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%
	Grade 11	99.6%	0.2%	0.0%	0.1%	0.1%	0.1%	0.0%
	Grade 12	98.9%	0.2%	0.0%	0.0%	0.1%	0.1%	0.7%
Synthetic Marijuana?								
	All	98.4%	0.1%	0.1%	0.3%	0.2%	0.4%	0.6%
	Grade 7	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 8	98.1%	0.0%	0.1%	0.3%	0.4%	0.4%	0.7%
	Grade 9	97.8%	0.1%	0.4%	0.6%	0.3%	0.1%	0.6%
	Grade 10	99.0%	0.1%	0.0%	0.1%	0.1%	0.5%	0.3%
	Grade 11	98.1%	0.1%	0.0%	0.3%	0.2%	0.8%	0.6%
	Grade 12	98.1%	0.0%	0.2%	0.0%	0.1%	0.4%	1.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.1	11.5	12.7	12.8	14.0	14.8	15.2
Cocaine	14.9	12.0	13.2	13.6	14.1	15.4	16.2
Crack	12.3	11.4	9.3	10.9	10.4	16.0	16.0
Steroids	12.1	10.3	11.9	12.1	12.5	11.0	15.4
Ecstasy	14.4	11.3	12.9	13.4	14.1	15.4	16.2
Heroin	12.6	9.9	11.0	12.2	12.0	14.0	14.3
Methamphetamine	13.7	12.2	11.6	13.1	14.5	16.2	14.4
Synthetic Marijuana	13.6	11.5	12.6	12.7	14.2	15.0	14.8

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 19 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	25.9%	22.9%	8.9%	9.9%	13.2%	19.2%
	Grade 7	35.9%	40.2%	10.4%	4.4%	4.7%	4.4%
	Grade 8	29.6%	31.6%	9.6%	9.4%	9.4%	10.4%
	Grade 9	23.8%	20.9%	9.4%	11.1%	14.5%	20.3%
	Grade 10	22.3%	16.7%	9.5%	12.1%	16.3%	23.1%
	Grade 11	22.3%	13.3%	8.2%	11.5%	18.7%	26.0%
	Grade 12	19.6%	11.0%	6.0%	11.6%	17.1%	34.8%
Cocaine?							
	All	35.3%	35.8%	13.7%	6.9%	4.2%	4.0%
	Grade 7	39.0%	47.8%	8.0%	2.6%	1.1%	1.6%
	Grade 8	36.1%	41.2%	11.4%	5.2%	3.5%	2.6%
	Grade 9	34.4%	35.7%	12.7%	6.2%	5.7%	5.3%
	Grade 10	32.4%	33.5%	15.2%	9.6%	4.6%	4.6%
	Grade 11	35.0%	27.3%	20.1%	9.4%	4.6%	3.7%
	Grade 12	34.8%	26.3%	16.2%	9.7%	6.2%	6.8%
Crack?							
	All	37.5%	36.2%	14.1%	6.2%	3.2%	2.7%
	Grade 7	41.5%	45.0%	8.1%	2.8%	1.1%	1.5%
	Grade 8	37.9%	41.6%	10.9%	4.8%	2.9%	1.9%
	Grade 9	35.4%	36.5%	12.5%	6.8%	4.4%	4.4%
	Grade 10	34.0%	34.2%	16.4%	8.2%	4.0%	3.2%
	Grade 11	38.5%	28.2%	19.9%	6.9%	4.0%	2.4%
	Grade 12	37.6%	29.4%	18.1%	8.6%	3.2%	3.1%
Steroids?							
	All	38.4%	34.1%	13.3%	7.3%	3.9%	3.0%
	Grade 7	41.7%	43.5%	7.6%	3.3%	2.2%	1.8%
	Grade 8	38.3%	37.8%	11.0%	5.9%	3.8%	3.2%
	Grade 9	36.9%	32.7%	14.0%	7.5%	5.2%	3.7%
	Grade 10	35.9%	32.0%	14.3%	9.8%	4.3%	3.7%
	Grade 11	39.4%	27.3%	18.1%	9.0%	3.5%	2.7%
	Grade 12	37.9%	29.4%	16.1%	8.9%	4.5%	3.1%
Ecstasy?							
	All	46.2%	30.4%	11.2%	5.8%	3.1%	3.3%
	Grade 7	56.8%	33.2%	5.7%	1.9%	1.3%	1.2%
	Grade 8	50.9%	33.0%	8.1%	3.7%	2.2%	2.2%
	Grade 9	44.5%	30.6%	10.9%	5.6%	3.3%	5.1%
	Grade 10	41.5%	32.5%	11.4%	6.6%	4.3%	3.7%
	Grade 11	42.0%	25.3%	17.2%	8.4%	3.6%	3.6%
	Grade 12	39.5%	26.7%	14.9%	9.5%	4.8%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	41.3%	37.4%	12.8%	4.1%	2.1%	2.2%
	Grade 7	45.6%	42.6%	7.2%	2.3%	1.1%	1.2%
	Grade 8	43.1%	40.7%	9.0%	3.8%	2.0%	1.5%
	Grade 9	39.7%	36.5%	13.2%	4.9%	2.5%	3.2%
	Grade 10	37.8%	37.1%	14.0%	5.0%	2.9%	3.2%
	Grade 11	40.1%	32.4%	18.4%	4.4%	2.6%	2.1%
	Grade 12	41.1%	33.8%	16.6%	4.5%	1.8%	2.2%
Methamphetamine?							
	All	44.7%	34.1%	12.1%	4.1%	2.4%	2.6%
	Grade 7	52.5%	37.1%	6.0%	1.9%	1.2%	1.4%
	Grade 8	47.9%	36.3%	8.3%	3.7%	2.4%	1.4%
	Grade 9	42.3%	35.3%	11.0%	5.4%	2.8%	3.2%
	Grade 10	40.0%	33.7%	13.8%	5.5%	2.9%	4.1%
	Grade 11	42.1%	30.4%	17.8%	4.3%	2.6%	2.8%
	Grade 12	42.6%	30.9%	17.2%	3.8%	2.4%	3.0%
Synthetic Marijuana?							
	All	46.3%	28.9%	10.0%	5.8%	3.9%	5.0%
	Grade 7	55.3%	33.4%	6.2%	2.2%	1.3%	1.6%
	Grade 8	48.4%	32.9%	7.6%	4.4%	2.8%	3.9%
	Grade 9	42.8%	29.8%	8.6%	6.9%	5.9%	6.0%
	Grade 10	43.4%	27.5%	9.6%	6.9%	5.9%	6.9%
	Grade 11	42.2%	24.7%	14.6%	7.6%	4.5%	6.4%
	Grade 12	44.9%	23.8%	14.5%	7.7%	3.5%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.2%	3.5%	1.0%	1.3%
Grade 7	98.4%	1.0%	0.5%	0.2%
Grade 8	95.6%	3.0%	0.5%	0.8%
Grade 9	92.7%	4.5%	1.4%	1.4%
Grade 10	93.8%	3.7%	1.0%	1.5%
Grade 11	93.8%	3.2%	1.4%	1.6%
Grade 12	89.8%	6.0%	1.6%	2.6%
Attended Class While High from Use of Some Other Drug?				
All	97.6%	1.6%	0.5%	0.4%
Grade 7	99.4%	0.3%	0.0%	0.2%
Grade 8	97.7%	1.6%	0.3%	0.4%
Grade 9	96.3%	1.8%	1.5%	0.3%
Grade 10	96.8%	2.3%	0.2%	0.7%
Grade 11	97.4%	1.7%	0.3%	0.6%
Grade 12	97.9%	1.7%	0.2%	0.1%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.1
Marijuana Non-Users	3.4
Average Days Conduct Problems Reported	
Marijuana Users	3.0
Marijuana Non-Users	0.8

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.3%	3.4%	0.6%	1.6%
Grade 9	97.8%	1.4%	0.3%	0.4%
Grade 10	95.7%	3.7%	0.2%	0.4%
Grade 11	94.4%	3.4%	0.8%	1.3%
Grade 12	88.8%	5.6%	1.2%	4.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.7%	0.4%	0.2%
Grade 7	98.0%	1.5%	0.3%	0.1%
Grade 8	97.3%	2.3%	0.3%	0.1%
Grade 9	95.5%	3.6%	0.4%	0.4%
Grade 10	96.0%	3.5%	0.3%	0.1%
Grade 11	96.5%	2.9%	0.2%	0.4%
Grade 12	96.7%	2.1%	1.1%	0.1%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	58.4%	19.5%	10.6%	9.2%	2.3%
Grade 7	84.5%	10.1%	2.6%	2.2%	0.7%
Grade 8	74.8%	14.3%	5.5%	4.3%	1.1%
Grade 9	50.8%	23.5%	10.9%	11.6%	3.3%
Grade 10	51.4%	22.3%	13.3%	9.9%	3.1%
Grade 11	42.5%	25.2%	17.4%	12.5%	2.4%
Grade 12	42.2%	22.6%	15.6%	16.1%	3.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	63.6%	5.3%	3.6%	4.9%	4.6%	1.6%	16.5%
Grade 7	82.6%	2.8%	1.2%	0.5%	0.7%	1.3%	10.9%
Grade 8	76.2%	4.1%	2.6%	2.5%	1.0%	2.5%	11.1%
Grade 9	62.0%	5.0%	3.7%	5.5%	3.9%	1.7%	18.2%
Grade 10	61.2%	7.2%	6.3%	4.5%	5.4%	0.7%	14.8%
Grade 11	48.3%	7.7%	4.8%	8.7%	6.1%	1.3%	23.2%
Grade 12	46.8%	5.3%	3.5%	8.7%	11.7%	2.0%	22.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.7%	6.2%	7.0%	1.9%	1.4%	5.8%
Grade 7	88.0%	1.9%	1.7%	0.7%	0.4%	7.3%
Grade 8	83.6%	4.1%	3.6%	1.5%	1.4%	5.8%
Grade 9	75.0%	7.5%	7.5%	2.0%	0.9%	7.1%
Grade 10	76.5%	6.2%	8.4%	3.2%	1.7%	3.9%
Grade 11	72.6%	8.6%	8.5%	2.4%	2.3%	5.5%
Grade 12	68.0%	10.0%	13.5%	2.0%	2.0%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.0%	14.1%	12.9%	12.6%	4.5%
	Grade 7	81.5%	7.5%	4.7%	2.5%	3.7%
	Grade 8	66.7%	12.8%	8.5%	6.9%	5.0%
	Grade 9	49.3%	16.1%	14.7%	14.5%	5.4%
	Grade 10	51.9%	17.2%	13.4%	14.5%	3.0%
	Grade 11	45.3%	15.8%	19.9%	14.4%	4.6%
	Grade 12	37.0%	15.7%	17.4%	24.8%	5.1%
Cocaine?						
	All	87.7%	5.6%	0.8%	0.5%	5.3%
	Grade 7	91.2%	4.1%	0.6%	0.2%	4.0%
	Grade 8	88.1%	4.7%	1.0%	0.4%	5.8%
	Grade 9	84.3%	6.7%	1.5%	1.1%	6.3%
	Grade 10	88.5%	6.9%	0.1%	0.6%	3.8%
	Grade 11	88.8%	4.5%	1.0%	0.4%	5.4%
	Grade 12	85.6%	7.0%	0.7%	0.2%	6.6%
Crack?						
	All	88.8%	4.4%	0.7%	0.5%	5.7%
	Grade 7	91.1%	3.4%	0.7%	0.1%	4.7%
	Grade 8	87.8%	4.2%	0.7%	0.6%	6.6%
	Grade 9	85.8%	5.5%	1.0%	1.3%	6.5%
	Grade 10	90.3%	5.4%	0.3%	0.5%	3.6%
	Grade 11	89.7%	3.1%	1.2%	0.3%	5.8%
	Grade 12	88.4%	4.8%	0.1%	0.0%	6.7%
Ecstasy?						
	All	82.6%	6.9%	1.5%	0.6%	8.4%
	Grade 7	86.7%	3.6%	0.8%	0.1%	8.7%
	Grade 8	81.9%	5.8%	1.3%	0.7%	10.3%
	Grade 9	80.1%	7.9%	1.2%	1.4%	9.4%
	Grade 10	83.7%	8.8%	1.4%	0.6%	5.6%
	Grade 11	82.6%	6.8%	2.1%	0.3%	8.1%
	Grade 12	80.7%	8.8%	2.4%	0.5%	7.6%
Steroids?						
	All	76.5%	12.2%	3.5%	0.9%	6.8%
	Grade 7	82.0%	9.6%	2.5%	0.4%	5.4%
	Grade 8	78.9%	10.1%	2.1%	1.0%	7.8%
	Grade 9	68.9%	17.0%	4.8%	2.0%	7.3%
	Grade 10	75.4%	12.9%	5.1%	0.7%	5.8%
	Grade 11	77.7%	11.1%	3.4%	0.5%	7.4%
	Grade 12	76.5%	12.6%	3.3%	0.4%	7.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.1%	3.5%	0.6%	0.5%	6.2%
	Grade 7	90.1%	3.3%	0.5%	0.2%	5.8%
	Grade 8	87.1%	3.9%	0.7%	0.7%	7.6%
	Grade 9	86.7%	4.9%	0.8%	1.0%	6.6%
	Grade 10	90.5%	4.5%	0.0%	0.5%	4.6%
	Grade 11	90.5%	2.0%	1.0%	0.3%	6.2%
	Grade 12	90.4%	2.5%	0.6%	0.0%	6.6%
Methamphetamine?						
	All	88.2%	3.6%	0.7%	0.5%	6.9%
	Grade 7	88.4%	3.5%	0.6%	0.2%	7.4%
	Grade 8	86.3%	3.3%	0.7%	0.6%	9.2%
	Grade 9	85.1%	4.9%	1.2%	1.1%	7.7%
	Grade 10	90.4%	4.5%	0.2%	0.3%	4.6%
	Grade 11	90.0%	2.4%	1.0%	0.5%	6.1%
	Grade 12	90.0%	3.0%	0.6%	0.2%	6.2%
Synthetic Marijuana?						
	All	81.1%	7.0%	2.2%	1.3%	8.3%
	Grade 7	85.5%	4.4%	1.3%	0.5%	8.2%
	Grade 8	82.0%	6.5%	1.3%	1.1%	9.0%
	Grade 9	76.9%	8.3%	3.2%	2.6%	9.0%
	Grade 10	81.1%	9.4%	2.1%	0.9%	6.6%
	Grade 11	80.5%	6.7%	3.2%	1.6%	8.1%
	Grade 12	80.5%	7.2%	2.2%	1.0%	9.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.6%	9.6%	17.1%	82.9%
Grade 7	5.8%	7.8%	15.1%	84.9%
Grade 8	7.1%	9.3%	15.2%	84.8%
Grade 9	8.8%	11.7%	20.0%	80.0%
Grade 10	6.3%	9.8%	16.7%	83.3%
Grade 11	5.1%	8.1%	16.5%	83.5%
Grade 12	6.4%	10.9%	19.0%	81.0%
Codeine Cough Syrup?				
All	3.6%	5.8%	11.3%	88.7%
Grade 7	3.3%	5.0%	10.3%	89.7%
Grade 8	4.5%	6.6%	11.3%	88.7%
Grade 9	5.0%	7.5%	14.0%	86.0%
Grade 10	2.9%	4.6%	10.3%	89.7%
Grade 11	2.6%	4.7%	9.7%	90.3%
Grade 12	2.8%	6.1%	11.8%	88.2%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.0%	2.0%	3.7%	96.3%
Grade 7	0.6%	1.0%	1.7%	98.3%
Grade 8	0.9%	1.5%	1.9%	98.1%
Grade 9	1.7%	2.2%	3.5%	96.5%
Grade 10	0.9%	2.3%	4.2%	95.8%
Grade 11	0.8%	2.4%	4.8%	95.2%
Grade 12	1.4%	3.0%	7.0%	93.0%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.6%	2.7%	5.2%	94.8%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	1.9%	2.8%	4.5%	95.5%
Grade 9	2.5%	3.4%	5.3%	94.7%
Grade 10	1.3%	3.0%	6.5%	93.5%
Grade 11	1.7%	2.7%	5.7%	94.3%
Grade 12	1.7%	3.5%	7.7%	92.3%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.6%	2.4%	4.4%	95.6%
Grade 7	1.1%	1.2%	1.9%	98.1%
Grade 8	0.8%	1.0%	2.0%	98.0%
Grade 9	2.4%	2.9%	4.3%	95.7%
Grade 10	1.9%	3.3%	5.3%	94.7%
Grade 11	1.3%	1.9%	4.8%	95.2%
Grade 12	2.6%	4.5%	8.7%	91.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.8%	3.8%	7.5%	92.5%
Grade 7	3.3%	4.3%	9.5%	90.5%
Grade 8	3.1%	4.3%	7.8%	92.2%
Grade 9	3.8%	5.0%	9.3%	90.7%
Grade 10	2.3%	3.8%	5.9%	94.1%
Grade 11	2.0%	2.4%	5.6%	94.4%
Grade 12	1.8%	2.9%	6.3%	93.7%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.5%	2.9%	97.1%
Grade 7	1.3%	1.6%	2.8%	97.2%
Grade 8	1.3%	2.2%	3.1%	96.9%
Grade 9	2.0%	2.8%	4.0%	96.0%
Grade 10	0.6%	1.2%	3.4%	96.6%
Grade 11	0.5%	0.5%	2.0%	98.0%
Grade 12	0.4%	0.6%	1.9%	98.1%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.5%	11.9%	3.5%	1.4%	6.7%
Grade 7	82.6%	8.1%	1.9%	0.9%	6.6%
Grade 8	78.7%	9.5%	2.9%	1.1%	7.8%
Grade 9	70.6%	12.9%	5.5%	3.3%	7.7%
Grade 10	76.1%	14.0%	4.1%	0.9%	4.8%
Grade 11	76.8%	12.5%	3.1%	1.3%	6.2%
Grade 12	73.6%	15.4%	3.4%	0.8%	6.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 126

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.5%	5.0%	10.5%	89.5%
Grade 7	3.9%	5.2%	10.2%	89.8%
Grade 8	5.0%	7.1%	12.9%	87.1%
Grade 9	5.1%	6.8%	14.0%	86.0%
Grade 10	2.0%	3.3%	8.4%	91.6%
Grade 11	2.1%	3.8%	8.3%	91.7%
Grade 12	2.4%	3.4%	8.6%	91.4%
Spray Paint?				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.5%	1.5%	98.5%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.9%	1.2%	3.3%	96.7%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.3%	0.4%	1.2%	98.8%
Grade 12	0.4%	0.7%	1.3%	98.7%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.2%	3.9%	96.1%
Grade 7	0.7%	1.3%	4.2%	95.8%
Grade 8	1.3%	1.7%	4.9%	95.1%
Grade 9	1.0%	1.7%	6.2%	93.8%
Grade 10	0.7%	1.0%	2.5%	97.5%
Grade 11	0.3%	0.5%	2.2%	97.8%
Grade 12	0.6%	0.6%	2.7%	97.3%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.8%	1.3%	2.6%	97.4%
Grade 10	0.0%	0.1%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.2%	5.2%	94.8%
Grade 7	1.2%	1.8%	5.7%	94.3%
Grade 8	2.3%	2.9%	5.8%	94.2%
Grade 9	1.9%	2.9%	6.6%	93.4%
Grade 10	1.1%	1.9%	4.6%	95.4%
Grade 11	0.4%	1.2%	3.8%	96.2%
Grade 12	1.2%	2.0%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.7%	0.8%	1.3%	98.7%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.3%	98.7%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.5%	0.6%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.0%	99.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.7%	0.9%	1.9%	98.1%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.6%	1.3%	2.7%	97.3%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.7%	0.9%	1.1%	98.9%
Other Aerosols/Sprays?				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.5%	0.9%	2.1%	97.9%
Grade 8	0.6%	0.8%	1.3%	98.7%
Grade 9	1.1%	1.5%	2.1%	97.9%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.6%	0.6%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.5%	0.1%	0.1%	0.3%	0.5%	0.4%	1.1%
Grade 7	97.3%	0.1%	0.1%	0.2%	0.5%	0.7%	1.1%
Grade 8	97.0%	0.1%	0.1%	0.5%	0.8%	0.4%	1.1%
Grade 9	96.2%	0.2%	0.3%	0.5%	0.7%	0.3%	1.8%
Grade 10	98.7%	0.0%	0.0%	0.3%	0.3%	0.2%	0.5%
Grade 11	98.2%	0.0%	0.1%	0.2%	0.5%	0.4%	0.6%
Grade 12	98.1%	0.0%	0.0%	0.2%	0.2%	0.1%	1.3%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.8%	4.8%	2.4%	1.0%
Grade 7	90.6%	5.6%	2.4%	1.4%
Grade 8	89.7%	6.3%	3.2%	0.8%
Grade 9	88.8%	5.8%	3.6%	1.8%
Grade 10	93.6%	4.1%	1.7%	0.6%
Grade 11	94.8%	3.2%	1.3%	0.7%
Grade 12	94.1%	3.5%	1.7%	0.6%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.6	10.4	11.8	10.6	12.0	12.6	13.9

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.3%	0.3%	0.1%	0.2%
Grade 7	99.4%	0.4%	0.1%	0.2%
Grade 8	99.3%	0.2%	0.2%	0.2%
Grade 9	98.9%	0.7%	0.2%	0.2%
Grade 10	98.9%	0.6%	0.2%	0.3%
Grade 11	99.8%	0.0%	0.0%	0.2%
Grade 12	99.8%	0.2%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.3
Inhalant Non-Users	3.5
Average Days Conduct Problems Reported	
Inhalant Users	3.5
Inhalant Non-Users	1.0

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.2%	5.1%	1.0%	0.5%	0.2%
Grade 7	92.9%	5.8%	1.0%	0.2%	0.1%
Grade 8	93.0%	5.2%	1.0%	0.7%	0.1%
Grade 9	90.4%	6.9%	1.5%	0.7%	0.6%
Grade 10	93.1%	5.7%	0.3%	0.7%	0.1%
Grade 11	93.7%	4.5%	1.3%	0.5%	0.0%
Grade 12	96.9%	2.1%	1.0%	0.0%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.5%	14.0%	4.8%	1.3%	7.5%
Grade 7	78.1%	11.7%	3.5%	0.7%	5.9%
Grade 8	73.0%	12.8%	4.6%	1.4%	8.1%
Grade 9	65.6%	15.7%	7.8%	2.4%	8.5%
Grade 10	72.0%	18.0%	4.1%	0.9%	5.1%
Grade 11	73.6%	11.6%	5.2%	1.2%	8.4%
Grade 12	72.5%	14.7%	3.1%	0.9%	8.7%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.1%	17.2%	4.7%	6.5%	10.1%	22.4%
Grade 7	43.9%	25.7%	4.9%	4.9%	7.8%	12.9%
Grade 8	39.9%	19.5%	5.2%	5.0%	9.5%	20.9%
Grade 9	36.4%	17.6%	4.5%	6.5%	10.5%	24.5%
Grade 10	33.2%	16.6%	3.9%	8.4%	11.2%	26.8%
Grade 11	40.5%	12.2%	4.9%	7.1%	12.0%	23.3%
Grade 12	40.4%	10.2%	4.8%	7.6%	10.0%	27.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	43.3%
	Grade 7	31.8%
	Grade 8	48.7%
	Grade 9	50.8%
	Grade 10	51.8%
	Grade 11	42.7%
	Grade 12	33.6%
An Assembly Program		
	All	45.1%
	Grade 7	50.9%
	Grade 8	53.0%
	Grade 9	51.0%
	Grade 10	44.0%
	Grade 11	37.7%
	Grade 12	31.1%
Guidance Counselor		
	All	32.9%
	Grade 7	45.2%
	Grade 8	47.0%
	Grade 9	32.4%
	Grade 10	27.2%
	Grade 11	23.5%
	Grade 12	18.5%
School Nurse		
	All	17.4%
	Grade 7	21.1%
	Grade 8	20.5%
	Grade 9	16.4%
	Grade 10	18.5%
	Grade 11	14.3%
	Grade 12	13.0%
Science or Social Studies Class		
	All	28.5%
	Grade 7	33.2%
	Grade 8	27.9%
	Grade 9	30.0%
	Grade 10	28.3%
	Grade 11	26.2%
	Grade 12	24.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 33 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	15.7%
	Grade 7	13.2%
	Grade 8	14.6%
	Grade 9	16.0%
	Grade 10	18.0%
	Grade 11	16.2%
	Grade 12	16.4%
An Invited School Guest		
	All	30.0%
	Grade 7	33.0%
	Grade 8	39.4%
	Grade 9	34.8%
	Grade 10	28.0%
	Grade 11	25.6%
	Grade 12	16.9%
Another Source at School		
	All	30.5%
	Grade 7	34.0%
	Grade 8	34.4%
	Grade 9	32.2%
	Grade 10	29.0%
	Grade 11	28.0%
	Grade 12	24.1%
Any School Source		
	All	69.8%
	Grade 7	76.0%
	Grade 8	78.0%
	Grade 9	73.6%
	Grade 10	71.1%
	Grade 11	63.0%
	Grade 12	54.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 126

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	43.4%
	Grade 7	56.9%
	Grade 8	47.4%
	Grade 9	47.1%
	Grade 10	38.1%
	Grade 11	34.7%
	Grade 12	33.1%
School Nurse		
	All	26.5%
	Grade 7	36.5%
	Grade 8	26.8%
	Grade 9	28.4%
	Grade 10	26.2%
	Grade 11	19.4%
	Grade 12	20.3%
Another Adult In School		
	All	45.3%
	Grade 7	52.8%
	Grade 8	47.0%
	Grade 9	50.7%
	Grade 10	41.6%
	Grade 11	38.9%
	Grade 12	38.8%
Counselor/Program Outside-School		
	All	42.3%
	Grade 7	50.3%
	Grade 8	43.3%
	Grade 9	45.9%
	Grade 10	39.1%
	Grade 11	36.5%
	Grade 12	37.3%
Your Parents		
	All	71.9%
	Grade 7	84.1%
	Grade 8	75.0%
	Grade 9	70.9%
	Grade 10	68.8%
	Grade 11	68.1%
	Grade 12	62.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	59.0%
	Grade 7	71.0%
	Grade 8	63.7%
	Grade 9	60.2%
	Grade 10	53.0%
	Grade 11	53.8%
	Grade 12	49.8%
Your Friends		
	All	65.9%
	Grade 7	55.8%
	Grade 8	61.4%
	Grade 9	68.5%
	Grade 10	66.4%
	Grade 11	72.6%
	Grade 12	72.3%
Another Adult		
	All	59.9%
	Grade 7	63.0%
	Grade 8	62.8%
	Grade 9	62.8%
	Grade 10	57.6%
	Grade 11	57.2%
	Grade 12	54.9%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.7%
	Grade 7	6.2%
	Grade 8	7.2%
	Grade 9	7.4%
	Grade 10	4.6%
	Grade 11	4.0%
	Grade 12	4.5%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 36 of 126

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.0%	19.0%	22.9%	39.3%	13.8%
Grade 7	4.6%	17.8%	18.0%	39.4%	20.1%
Grade 8	4.9%	18.7%	20.8%	39.0%	16.6%
Grade 9	6.3%	20.2%	25.4%	34.0%	14.1%
Grade 10	4.9%	17.3%	24.4%	41.5%	11.9%
Grade 11	3.2%	18.3%	25.9%	42.6%	10.0%
Grade 12	6.2%	21.7%	23.4%	40.4%	8.4%
Sometimes Carry Weapons?					
All	80.8%	12.9%	4.0%	1.5%	0.8%
Grade 7	89.6%	7.6%	1.5%	1.0%	0.3%
Grade 8	84.8%	9.3%	4.0%	1.3%	0.7%
Grade 9	75.8%	15.2%	5.6%	1.9%	1.5%
Grade 10	78.8%	13.7%	4.9%	2.1%	0.5%
Grade 11	78.5%	15.7%	4.0%	1.4%	0.3%
Grade 12	76.5%	17.0%	3.9%	1.3%	1.4%
Care About Making Good Grades?					
All	1.9%	10.3%	22.8%	45.1%	20.0%
Grade 7	1.6%	11.8%	23.0%	39.3%	24.3%
Grade 8	1.9%	9.1%	25.6%	40.9%	22.6%
Grade 9	2.6%	10.2%	24.3%	47.2%	15.8%
Grade 10	2.1%	10.4%	23.1%	44.8%	19.7%
Grade 11	1.3%	9.0%	19.1%	52.2%	18.4%
Grade 12	1.6%	11.5%	20.8%	47.5%	18.6%
Belong/Want to Belong to a Gang?					
All	86.0%	9.2%	2.9%	1.0%	0.9%
Grade 7	87.8%	9.2%	1.9%	0.6%	0.5%
Grade 8	84.2%	10.3%	3.9%	1.0%	0.6%
Grade 9	77.9%	12.8%	5.0%	2.6%	1.7%
Grade 10	86.3%	8.9%	2.8%	0.9%	1.1%
Grade 11	89.2%	8.4%	1.6%	0.5%	0.2%
Grade 12	92.1%	4.6%	1.8%	0.3%	1.2%
Wish They Could Drop Out of School?					
All	49.0%	30.1%	12.9%	5.0%	2.9%
Grade 7	58.2%	25.5%	10.5%	3.8%	2.0%
Grade 8	52.0%	28.3%	11.7%	5.3%	2.6%
Grade 9	41.4%	34.6%	16.1%	5.1%	2.9%
Grade 10	41.5%	32.0%	16.4%	5.5%	4.6%
Grade 11	48.8%	31.7%	13.5%	3.7%	2.3%
Grade 12	51.8%	28.9%	9.4%	6.7%	3.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 126

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.2%	11.1%	0.8%	0.3%	0.6%
Grade 7	88.3%	10.4%	0.6%	0.4%	0.1%
Grade 8	86.1%	12.6%	0.7%	0.0%	0.6%
Grade 9	85.1%	12.8%	1.0%	0.4%	0.8%
Grade 10	88.1%	10.6%	0.8%	0.0%	0.5%
Grade 11	88.0%	10.3%	1.0%	0.1%	0.5%
Grade 12	88.0%	9.4%	1.0%	0.7%	0.9%
Out In Your Neighborhood?					
All	49.1%	42.8%	5.2%	1.0%	1.9%
Grade 7	46.0%	45.9%	4.8%	1.6%	1.7%
Grade 8	45.0%	45.6%	7.0%	0.8%	1.6%
Grade 9	42.7%	47.9%	5.2%	1.3%	3.0%
Grade 10	50.5%	41.1%	6.0%	0.5%	2.0%
Grade 11	55.0%	38.1%	4.4%	1.1%	1.5%
Grade 12	57.5%	36.5%	3.5%	0.8%	1.7%
At School?					
All	39.5%	46.4%	7.4%	3.6%	3.1%
Grade 7	46.6%	39.9%	7.6%	3.5%	2.4%
Grade 8	37.2%	47.6%	7.5%	4.6%	3.1%
Grade 9	32.8%	50.8%	8.7%	3.6%	4.2%
Grade 10	34.5%	49.5%	9.0%	4.1%	2.9%
Grade 11	44.7%	44.7%	6.1%	2.3%	2.2%
Grade 12	41.5%	45.6%	5.5%	3.8%	3.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 38 of 126

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	17.3%	26.7%	73.3%
Grade 7	4.6%	5.8%	11.0%	89.0%
Grade 8	8.1%	10.2%	18.8%	81.2%
Grade 9	13.6%	16.6%	26.2%	73.8%
Grade 10	17.2%	21.5%	30.9%	69.1%
Grade 11	19.6%	23.1%	35.1%	64.9%
Grade 12	24.9%	29.8%	41.7%	58.3%
Any Alcohol Product				
All	23.6%	28.5%	46.9%	53.1%
Grade 7	11.0%	12.7%	29.5%	70.5%
Grade 8	17.7%	20.9%	40.8%	59.2%
Grade 9	24.7%	29.2%	47.5%	52.5%
Grade 10	24.1%	30.3%	47.5%	52.5%
Grade 11	28.4%	36.0%	56.5%	43.5%
Grade 12	38.6%	45.6%	62.9%	37.1%
Any Illicit Drug				
All	11.8%	15.7%	20.8%	79.2%
Grade 7	2.6%	4.1%	5.9%	94.1%
Grade 8	7.8%	11.0%	13.6%	86.4%
Grade 9	12.8%	17.1%	22.6%	77.4%
Grade 10	11.0%	15.3%	21.3%	78.7%
Grade 11	16.0%	21.1%	28.4%	71.6%
Grade 12	22.4%	27.9%	36.1%	63.9%
Any Prescription Drug				
All	6.6%	9.6%	17.1%	82.9%
Grade 7	5.8%	7.8%	15.1%	84.9%
Grade 8	7.1%	9.3%	15.2%	84.8%
Grade 9	8.8%	11.7%	20.0%	80.0%
Grade 10	6.3%	9.8%	16.7%	83.3%
Grade 11	5.1%	8.1%	16.5%	83.5%
Grade 12	6.4%	10.9%	19.0%	81.0%
Any Inhalant				
All	3.5%	5.0%	10.5%	89.5%
Grade 7	3.9%	5.2%	10.2%	89.8%
Grade 8	5.0%	7.1%	12.9%	87.1%
Grade 9	5.1%	6.8%	14.0%	86.0%
Grade 10	2.0%	3.3%	8.4%	91.6%
Grade 11	2.1%	3.8%	8.3%	91.7%
Grade 12	2.4%	3.4%	8.6%	91.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 40 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.8%	14.6%	23.2%	76.8%
Grade 7	2.8%	4.3%	8.2%	91.8%
Grade 8	5.6%	8.1%	15.3%	84.7%
Grade 9	10.5%	14.0%	22.2%	77.8%
Grade 10	12.4%	17.4%	27.8%	72.2%
Grade 11	15.6%	20.2%	31.7%	68.3%
Grade 12	20.4%	26.3%	37.9%	62.1%
Marijuana				
All	11.6%	14.3%	19.8%	80.2%
Grade 7	2.4%	2.9%	4.6%	95.4%
Grade 8	7.5%	9.4%	12.5%	87.5%
Grade 9	12.8%	15.4%	21.5%	78.5%
Grade 10	11.0%	14.2%	20.5%	79.5%
Grade 11	15.5%	19.2%	27.2%	72.8%
Grade 12	22.2%	26.8%	35.8%	64.2%
Marijuana Only				
All	7.0%	9.2%	14.0%	86.0%
Grade 7	1.4%	1.8%	2.9%	97.1%
Grade 8	4.1%	5.6%	8.1%	91.9%
Grade 9	7.6%	9.7%	15.3%	84.7%
Grade 10	6.6%	9.7%	15.1%	84.9%
Grade 11	10.0%	12.9%	19.8%	80.2%
Grade 12	13.8%	17.3%	25.1%	74.9%
Cocaine or Crack				
All	1.0%	1.3%	2.2%	97.8%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	1.4%	1.9%	2.8%	97.2%
Grade 10	0.5%	0.6%	1.5%	98.5%
Grade 11	1.1%	1.2%	2.8%	97.2%
Grade 12	2.4%	3.2%	4.6%	95.4%
Cocaine				
All	0.9%	1.2%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	1.2%	1.7%	2.7%	97.3%
Grade 10	0.5%	0.6%	1.2%	98.8%
Grade 11	0.9%	1.1%	2.7%	97.3%
Grade 12	2.4%	3.2%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.9%	99.1%
Hallucinogens				
All	0.6%	1.3%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.4%	2.8%	97.2%
Grade 10	0.8%	1.0%	3.1%	96.9%
Grade 11	0.6%	2.1%	3.9%	96.1%
Grade 12	1.2%	2.7%	6.2%	93.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.7%	1.2%	98.8%
Grade 8	0.6%	1.1%	1.9%	98.1%
Grade 9	0.5%	0.6%	1.5%	98.5%
Grade 10	0.1%	0.2%	1.4%	98.6%
Grade 11	0.3%	0.7%	1.1%	98.9%
Grade 12	0.2%	0.4%	1.4%	98.6%
Ecstasy				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	1.2%	1.7%	2.2%	97.8%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.4%	0.7%	1.9%	98.1%
Grade 12	0.2%	1.4%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	0.8%	1.1%	2.7%	97.3%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.9%	1.4%	3.1%	96.9%
Grade 9	1.7%	2.0%	3.6%	96.4%
Grade 10	0.6%	0.8%	2.0%	98.0%
Grade 11	0.7%	0.9%	3.3%	96.7%
Grade 12	0.5%	0.7%	3.1%	96.9%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	0.7%	1.0%	1.7%	98.3%
Grade 10	0.0%	0.3%	0.4%	99.6%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.3%	0.4%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.1%	19.0%	28.3%	71.7%
Grade 7	4.4%	5.4%	11.2%	88.8%
Grade 8	7.9%	10.7%	20.4%	79.6%
Grade 9	14.5%	17.4%	26.6%	73.4%
Grade 10	20.7%	24.1%	31.7%	68.3%
Grade 11	22.1%	24.9%	37.4%	62.6%
Grade 12	30.1%	34.9%	46.8%	53.2%
Any Alcohol Product				
All	23.4%	27.9%	46.7%	53.3%
Grade 7	9.5%	11.2%	29.5%	70.5%
Grade 8	16.7%	19.2%	41.8%	58.2%
Grade 9	24.7%	29.9%	46.4%	53.6%
Grade 10	26.1%	31.8%	51.7%	48.3%
Grade 11	28.0%	34.2%	53.2%	46.8%
Grade 12	38.6%	45.0%	60.4%	39.6%
Any Illicit Drug				
All	12.6%	16.2%	21.8%	78.2%
Grade 7	1.6%	2.5%	4.0%	96.0%
Grade 8	8.1%	10.8%	14.5%	85.5%
Grade 9	13.2%	17.3%	24.1%	75.9%
Grade 10	14.0%	18.4%	24.6%	75.4%
Grade 11	17.1%	22.1%	29.8%	70.2%
Grade 12	23.6%	28.9%	36.9%	63.1%
Any Prescription Drug				
All	7.1%	10.1%	18.6%	81.4%
Grade 7	5.7%	6.9%	14.0%	86.0%
Grade 8	6.6%	9.3%	15.7%	84.3%
Grade 9	9.7%	12.7%	20.9%	79.1%
Grade 10	7.6%	11.3%	21.1%	78.9%
Grade 11	6.1%	9.0%	20.0%	80.0%
Grade 12	6.7%	11.6%	20.5%	79.5%
Any Inhalant				
All	3.4%	5.0%	11.5%	88.5%
Grade 7	3.3%	4.1%	8.6%	91.4%
Grade 8	3.9%	6.0%	12.1%	87.9%
Grade 9	6.2%	8.3%	17.1%	82.9%
Grade 10	2.2%	4.2%	10.5%	89.5%
Grade 11	2.7%	4.1%	10.4%	89.6%
Grade 12	1.9%	2.8%	9.5%	90.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.9%	16.1%	24.8%	75.2%
Grade 7	3.2%	4.8%	8.6%	91.4%
Grade 8	5.1%	8.6%	16.0%	84.0%
Grade 9	11.5%	15.8%	23.2%	76.8%
Grade 10	13.7%	18.8%	29.0%	71.0%
Grade 11	16.5%	20.8%	34.2%	65.8%
Grade 12	23.9%	31.2%	41.8%	58.2%
Marijuana				
All	12.4%	14.9%	20.8%	79.2%
Grade 7	1.4%	1.6%	2.7%	97.3%
Grade 8	7.7%	9.3%	13.4%	86.6%
Grade 9	13.2%	16.1%	23.0%	77.0%
Grade 10	13.9%	17.6%	23.9%	76.1%
Grade 11	16.7%	19.8%	28.7%	71.3%
Grade 12	23.6%	27.6%	36.6%	63.4%
Marijuana Only				
All	7.5%	9.4%	14.4%	85.6%
Grade 7	0.7%	0.8%	1.5%	98.5%
Grade 8	3.5%	4.8%	7.7%	92.3%
Grade 9	8.0%	10.5%	16.6%	83.4%
Grade 10	9.2%	12.5%	17.7%	82.3%
Grade 11	9.3%	11.5%	19.2%	80.8%
Grade 12	15.6%	18.2%	26.2%	73.8%
Cocaine or Crack				
All	1.0%	1.3%	2.5%	97.5%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	1.1%	1.1%	2.7%	97.3%
Grade 10	0.7%	1.0%	2.0%	98.0%
Grade 11	0.8%	1.1%	3.8%	96.2%
Grade 12	3.0%	4.1%	5.3%	94.7%
Cocaine				
All	0.9%	1.1%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.7%	0.7%	2.5%	97.5%
Grade 10	0.7%	1.0%	2.0%	98.0%
Grade 11	0.8%	1.1%	3.8%	96.2%
Grade 12	3.0%	4.1%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	0.7%	1.6%	3.4%	96.6%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.1%	1.1%	1.7%	98.3%
Grade 9	0.5%	0.9%	2.7%	97.3%
Grade 10	1.1%	1.3%	3.5%	96.5%
Grade 11	0.7%	3.2%	5.5%	94.5%
Grade 12	1.7%	3.5%	7.3%	92.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	0.5%	1.3%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.1%	0.3%	1.4%	98.6%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.4%	0.7%	1.3%	98.7%
Ecstasy				
All	0.4%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.4%	1.7%	98.3%
Grade 9	1.1%	1.6%	2.6%	97.4%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.3%	0.8%	2.5%	97.5%
Grade 12	0.2%	1.6%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	1.3%	2.3%	4.1%	95.9%
Grade 9	1.2%	1.7%	3.6%	96.4%
Grade 10	0.6%	0.8%	2.0%	98.0%
Grade 11	1.1%	1.3%	3.2%	96.8%
Grade 12	0.5%	0.6%	2.6%	97.4%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.8%	1.0%	99.0%
Grade 9	0.5%	0.7%	1.9%	98.1%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.6%	0.6%	0.9%	99.1%
Grade 12	0.4%	0.4%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.5%	15.8%	25.3%	74.7%
Grade 7	4.9%	6.2%	10.8%	89.2%
Grade 8	8.4%	9.7%	17.2%	82.8%
Grade 9	13.0%	16.0%	26.3%	73.7%
Grade 10	13.8%	18.9%	30.7%	69.3%
Grade 11	17.2%	21.7%	33.7%	66.3%
Grade 12	19.5%	24.7%	36.6%	63.4%
Any Alcohol Product				
All	24.1%	29.5%	47.4%	52.6%
Grade 7	12.7%	14.3%	29.7%	70.3%
Grade 8	19.0%	23.0%	39.7%	60.3%
Grade 9	25.3%	29.1%	49.4%	50.6%
Grade 10	22.0%	28.9%	43.7%	56.3%
Grade 11	30.0%	39.3%	61.0%	39.0%
Grade 12	38.9%	46.6%	65.2%	34.8%
Any Illicit Drug				
All	11.1%	15.3%	19.8%	80.2%
Grade 7	3.6%	5.8%	7.9%	92.1%
Grade 8	7.5%	11.2%	12.8%	87.2%
Grade 9	12.7%	17.3%	21.4%	78.6%
Grade 10	8.3%	12.2%	17.2%	82.8%
Grade 11	15.1%	20.5%	27.8%	72.2%
Grade 12	21.7%	27.1%	35.2%	64.8%
Any Prescription Drug				
All	6.3%	9.2%	15.6%	84.4%
Grade 7	6.0%	8.7%	16.2%	83.8%
Grade 8	7.8%	9.5%	14.6%	85.4%
Grade 9	7.8%	10.8%	19.2%	80.8%
Grade 10	5.2%	8.3%	12.5%	87.5%
Grade 11	4.3%	7.5%	13.1%	86.9%
Grade 12	6.2%	10.2%	17.6%	82.4%
Any Inhalant				
All	3.6%	5.1%	9.6%	90.4%
Grade 7	4.5%	6.2%	11.8%	88.2%
Grade 8	6.3%	8.4%	13.7%	86.3%
Grade 9	4.0%	5.3%	10.8%	89.2%
Grade 10	1.8%	2.5%	6.1%	93.9%
Grade 11	1.7%	3.8%	6.3%	93.7%
Grade 12	3.0%	4.0%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.8%	13.0%	21.7%	78.3%
Grade 7	2.5%	3.8%	7.9%	92.1%
Grade 8	6.1%	7.6%	14.7%	85.3%
Grade 9	9.7%	12.4%	21.5%	78.5%
Grade 10	11.0%	16.0%	26.7%	73.3%
Grade 11	15.1%	19.9%	29.9%	70.1%
Grade 12	16.5%	21.1%	33.8%	66.2%
Marijuana				
All	11.0%	13.8%	18.8%	81.2%
Grade 7	3.4%	4.2%	6.6%	93.4%
Grade 8	7.4%	9.7%	11.8%	88.2%
Grade 9	12.7%	14.9%	20.3%	79.7%
Grade 10	8.3%	10.9%	16.3%	83.7%
Grade 11	14.6%	19.0%	26.4%	73.6%
Grade 12	21.3%	26.7%	34.9%	65.1%
Marijuana Only				
All	6.7%	9.1%	13.5%	86.5%
Grade 7	2.0%	2.8%	4.5%	95.5%
Grade 8	4.8%	6.6%	8.6%	91.4%
Grade 9	7.2%	9.1%	14.1%	85.9%
Grade 10	4.2%	6.6%	11.6%	88.4%
Grade 11	10.7%	14.4%	20.9%	79.1%
Grade 12	12.4%	17.0%	23.7%	76.3%
Cocaine or Crack				
All	1.1%	1.4%	1.9%	98.1%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.1%	1.1%	1.3%	98.7%
Grade 9	1.7%	2.8%	3.0%	97.0%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	1.4%	1.4%	1.9%	98.1%
Grade 12	1.8%	2.4%	3.9%	96.1%
Cocaine				
All	1.0%	1.3%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.0%	99.0%
Grade 9	1.7%	2.8%	3.0%	97.0%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	1.1%	1.1%	1.7%	98.3%
Grade 12	1.8%	2.4%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 49 of 126

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	1.2%	98.8%
Hallucinogens				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	1.5%	2.0%	2.9%	97.1%
Grade 10	0.5%	0.8%	2.8%	97.2%
Grade 11	0.5%	1.0%	2.4%	97.6%
Grade 12	0.6%	2.0%	5.1%	94.9%
Synthetic Cathinones				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.2%	0.8%	1.1%	98.9%
Grade 8	0.8%	1.0%	1.9%	98.1%
Grade 9	1.0%	1.3%	2.7%	97.3%
Grade 10	0.1%	0.1%	1.3%	98.7%
Grade 11	0.1%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.2%	1.5%	98.5%
Ecstasy				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.4%	1.8%	1.9%	98.1%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.3%	1.3%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.4%	0.9%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.2%	0.6%	99.4%
Synthetic Marijuana				
All	0.8%	0.9%	2.7%	97.3%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	0.5%	0.5%	2.1%	97.9%
Grade 9	2.2%	2.3%	3.8%	96.2%
Grade 10	0.7%	0.8%	2.0%	98.0%
Grade 11	0.4%	0.6%	3.5%	96.5%
Grade 12	0.5%	0.8%	3.8%	96.2%
Methamphetamine				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.9%	1.3%	1.4%	98.6%
Grade 10	0.0%	0.4%	0.6%	99.4%
Grade 11	0.4%	0.6%	0.7%	99.3%
Grade 12	0.3%	0.4%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.3%	20.5%	28.2%	71.8%
Grade 7	4.4%	5.1%	9.6%	90.4%
Grade 8	9.9%	12.3%	19.5%	80.5%
Grade 9	12.8%	18.4%	27.4%	72.6%
Grade 10	23.2%	25.9%	30.7%	69.3%
Grade 11	24.5%	27.5%	36.9%	63.1%
Grade 12	29.4%	34.6%	45.7%	54.3%
Any Alcohol Product				
All	23.1%	29.1%	47.0%	53.0%
Grade 7	7.5%	8.8%	25.1%	74.9%
Grade 8	17.2%	20.1%	41.6%	58.4%
Grade 9	20.5%	27.9%	43.6%	56.4%
Grade 10	24.3%	31.1%	47.9%	52.1%
Grade 11	26.2%	36.6%	58.3%	41.7%
Grade 12	43.6%	50.7%	66.5%	33.5%
Any Illicit Drug				
All	11.1%	15.6%	20.4%	79.6%
Grade 7	1.5%	2.5%	3.8%	96.2%
Grade 8	5.7%	7.9%	9.0%	91.0%
Grade 9	8.8%	13.7%	20.1%	79.9%
Grade 10	10.0%	14.3%	20.9%	79.1%
Grade 11	17.4%	25.4%	30.3%	69.7%
Grade 12	24.0%	30.4%	39.1%	60.9%
Any Prescription Drug				
All	5.8%	9.7%	16.5%	83.5%
Grade 7	6.4%	9.0%	13.1%	86.9%
Grade 8	5.3%	8.2%	13.8%	86.2%
Grade 9	7.2%	10.9%	17.7%	82.3%
Grade 10	5.7%	10.5%	16.5%	83.5%
Grade 11	4.0%	7.3%	17.2%	82.8%
Grade 12	5.8%	12.2%	20.9%	79.1%
Any Inhalant				
All	2.8%	4.3%	10.3%	89.7%
Grade 7	2.4%	4.2%	9.0%	91.0%
Grade 8	4.8%	6.8%	12.6%	87.4%
Grade 9	3.0%	4.2%	12.7%	87.3%
Grade 10	2.6%	3.8%	9.9%	90.1%
Grade 11	1.2%	3.1%	8.4%	91.6%
Grade 12	2.7%	3.9%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.5%	17.9%	25.2%	74.8%
Grade 7	2.3%	4.0%	8.1%	91.9%
Grade 8	7.9%	10.6%	16.7%	83.3%
Grade 9	10.2%	15.8%	24.4%	75.6%
Grade 10	17.6%	23.4%	26.9%	73.1%
Grade 11	19.5%	23.4%	33.6%	66.4%
Grade 12	24.7%	31.8%	43.1%	56.9%
Marijuana				
All	10.8%	14.2%	19.6%	80.4%
Grade 7	1.0%	1.4%	2.7%	97.3%
Grade 8	5.4%	6.6%	7.8%	92.2%
Grade 9	8.8%	11.9%	19.2%	80.8%
Grade 10	10.0%	13.7%	20.3%	79.7%
Grade 11	16.4%	22.9%	28.8%	71.2%
Grade 12	24.0%	29.2%	39.1%	60.9%
Marijuana Only				
All	6.2%	8.9%	13.5%	86.5%
Grade 7	0.7%	1.0%	1.6%	98.4%
Grade 8	2.4%	3.2%	4.4%	95.6%
Grade 9	5.1%	7.7%	13.5%	86.5%
Grade 10	5.1%	8.8%	15.1%	84.9%
Grade 11	9.6%	14.9%	19.9%	80.1%
Grade 12	15.1%	18.5%	26.8%	73.2%
Cocaine or Crack				
All	1.1%	1.2%	2.3%	97.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.2%	1.9%	98.1%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	2.3%	2.3%	4.1%	95.9%
Grade 12	3.3%	4.1%	5.6%	94.4%
Cocaine				
All	1.0%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.2%	0.2%	1.9%	98.1%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	2.3%	2.3%	4.1%	95.9%
Grade 12	3.3%	4.1%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	1.5%	98.5%
Hallucinogens				
All	0.4%	1.4%	3.3%	96.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.7%	2.9%	97.1%
Grade 10	0.3%	0.8%	3.4%	96.6%
Grade 11	0.4%	3.0%	5.7%	94.3%
Grade 12	1.3%	3.4%	7.0%	93.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Steroids				
All	0.1%	0.5%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.9%	2.0%	98.0%
Grade 9	0.0%	0.5%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.1%	1.1%	1.6%	98.4%
Grade 12	0.0%	0.3%	1.8%	98.2%
Ecstasy				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.6%	1.2%	2.4%	97.6%
Grade 12	0.2%	0.7%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	0.4%	0.7%	2.6%	97.4%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.8%	1.3%	2.2%	97.8%
Grade 9	0.2%	0.7%	2.8%	97.2%
Grade 10	0.6%	0.8%	2.3%	97.7%
Grade 11	0.6%	0.7%	3.8%	96.2%
Grade 12	0.0%	0.0%	3.7%	96.3%
Methamphetamine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.5%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.0%	1.0%	1.2%	98.8%
Grade 12	0.6%	0.6%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.3%	10.5%	17.4%	82.6%
Grade 7	3.0%	3.8%	6.5%	93.5%
Grade 8	4.6%	6.6%	15.1%	84.9%
Grade 9	6.6%	6.6%	14.2%	85.8%
Grade 10	3.1%	9.4%	25.0%	75.0%
Grade 11	15.8%	19.6%	21.6%	78.4%
Grade 12	19.9%	22.2%	30.9%	69.1%
Any Alcohol Product				
All	18.0%	19.6%	36.6%	63.4%
Grade 7	14.4%	14.6%	28.0%	72.0%
Grade 8	16.2%	18.9%	30.5%	69.5%
Grade 9	20.8%	20.8%	34.0%	66.0%
Grade 10	12.9%	16.1%	35.5%	64.5%
Grade 11	13.7%	15.8%	45.4%	54.6%
Grade 12	31.1%	33.4%	53.6%	46.4%
Any Illicit Drug				
All	9.4%	12.5%	17.6%	82.4%
Grade 7	2.5%	3.5%	5.3%	94.7%
Grade 8	5.4%	7.4%	12.3%	87.7%
Grade 9	8.8%	11.0%	19.8%	80.2%
Grade 10	3.2%	9.7%	16.1%	83.9%
Grade 11	13.9%	15.4%	21.8%	78.2%
Grade 12	26.5%	34.7%	39.3%	60.7%
Any Prescription Drug				
All	6.4%	7.6%	15.2%	84.8%
Grade 7	5.2%	6.2%	13.5%	86.5%
Grade 8	6.0%	6.4%	12.5%	87.5%
Grade 9	11.2%	11.2%	20.2%	79.8%
Grade 10	3.4%	3.4%	10.3%	89.7%
Grade 11	1.5%	5.2%	11.1%	88.9%
Grade 12	11.0%	13.3%	23.8%	76.2%
Any Inhalant				
All	2.8%	4.4%	8.7%	91.3%
Grade 7	2.5%	4.1%	10.8%	89.2%
Grade 8	4.2%	6.0%	8.7%	91.3%
Grade 9	4.4%	5.5%	12.0%	88.0%
Grade 10	0.0%	3.1%	3.1%	96.9%
Grade 11	3.0%	5.1%	8.7%	91.3%
Grade 12	1.4%	1.4%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.7%	8.2%	15.8%	84.2%
Grade 7	1.0%	1.8%	4.3%	95.7%
Grade 8	2.7%	4.7%	12.6%	87.4%
Grade 9	6.6%	6.6%	14.2%	85.8%
Grade 10	3.3%	6.7%	23.3%	76.7%
Grade 11	9.1%	15.1%	21.1%	78.9%
Grade 12	14.7%	19.2%	29.5%	70.5%
Marijuana				
All	9.4%	12.3%	16.9%	83.1%
Grade 7	2.5%	2.7%	3.7%	96.3%
Grade 8	5.4%	7.4%	12.3%	87.7%
Grade 9	8.8%	11.0%	17.6%	82.4%
Grade 10	3.2%	9.7%	16.1%	83.9%
Grade 11	13.9%	15.4%	21.8%	78.2%
Grade 12	26.5%	34.7%	39.3%	60.7%
Marijuana Only				
All	6.8%	9.5%	13.8%	86.2%
Grade 7	0.8%	1.0%	1.9%	98.1%
Grade 8	5.3%	7.3%	11.3%	88.7%
Grade 9	6.6%	8.8%	15.4%	84.6%
Grade 10	3.1%	9.4%	15.6%	84.4%
Grade 11	10.1%	11.6%	17.8%	82.2%
Grade 12	17.5%	24.1%	28.4%	71.6%
Cocaine or Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.3%	2.3%	2.3%	97.7%
Cocaine				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.3%	2.3%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.9%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	2.2%	2.2%	97.8%
Grade 12	2.3%	3.7%	5.9%	94.1%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	1.2%	98.8%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	4.4%	95.6%
Grade 10	0.0%	0.0%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.0%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.7%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	0.0%	0.0%	2.3%	97.7%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	17.0%	29.0%	71.0%
Grade 7	5.6%	7.1%	14.2%	85.8%
Grade 8	8.4%	10.1%	19.6%	80.4%
Grade 9	16.4%	18.5%	29.8%	70.2%
Grade 10	15.0%	20.4%	33.6%	66.4%
Grade 11	17.2%	20.6%	38.2%	61.8%
Grade 12	21.6%	27.5%	42.3%	57.7%
Any Alcohol Product				
All	26.9%	32.0%	51.1%	48.9%
Grade 7	13.5%	16.0%	35.1%	64.9%
Grade 8	19.3%	22.8%	43.3%	56.7%
Grade 9	31.7%	35.3%	57.5%	42.5%
Grade 10	28.0%	35.1%	50.1%	49.9%
Grade 11	34.3%	40.8%	59.1%	40.9%
Grade 12	36.2%	44.4%	63.7%	36.3%
Any Illicit Drug				
All	13.4%	17.3%	22.9%	77.1%
Grade 7	3.5%	5.7%	8.2%	91.8%
Grade 8	10.7%	15.3%	18.4%	81.6%
Grade 9	18.0%	23.1%	27.7%	72.3%
Grade 10	12.9%	16.9%	22.1%	77.9%
Grade 11	16.5%	20.5%	30.0%	70.0%
Grade 12	19.5%	22.9%	33.0%	67.0%
Any Prescription Drug				
All	7.3%	10.0%	18.2%	81.8%
Grade 7	4.8%	6.6%	16.3%	83.7%
Grade 8	9.2%	11.7%	17.5%	82.5%
Grade 9	9.5%	13.0%	23.0%	77.0%
Grade 10	7.6%	10.3%	17.6%	82.4%
Grade 11	7.2%	9.3%	18.1%	81.9%
Grade 12	4.6%	8.4%	15.0%	85.0%
Any Inhalant				
All	4.3%	5.8%	11.1%	88.9%
Grade 7	5.1%	6.0%	10.4%	89.6%
Grade 8	5.2%	7.4%	14.2%	85.8%
Grade 9	7.2%	9.3%	15.6%	84.4%
Grade 10	2.1%	3.1%	6.9%	93.1%
Grade 11	2.5%	3.9%	7.5%	92.5%
Grade 12	2.7%	3.7%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.1%	13.7%	24.0%	76.0%
Grade 7	3.9%	5.4%	9.9%	90.1%
Grade 8	4.9%	7.4%	15.2%	84.8%
Grade 9	11.8%	15.2%	23.8%	76.2%
Grade 10	9.7%	14.1%	30.3%	69.7%
Grade 11	14.4%	18.7%	32.6%	67.4%
Grade 12	17.5%	23.3%	35.6%	64.4%
Marijuana				
All	13.3%	15.5%	22.0%	78.0%
Grade 7	3.3%	4.1%	6.7%	93.3%
Grade 8	10.6%	13.0%	17.2%	82.8%
Grade 9	18.0%	20.7%	26.6%	73.4%
Grade 10	12.9%	15.5%	21.3%	78.7%
Grade 11	16.5%	18.7%	29.3%	70.7%
Grade 12	18.9%	21.6%	32.7%	67.3%
Marijuana Only				
All	8.1%	9.9%	15.3%	84.7%
Grade 7	2.2%	2.9%	4.9%	95.1%
Grade 8	5.0%	6.8%	10.0%	90.0%
Grade 9	10.0%	12.3%	18.0%	82.0%
Grade 10	8.9%	11.2%	15.4%	84.6%
Grade 11	10.8%	12.3%	21.0%	79.0%
Grade 12	12.5%	14.8%	24.2%	75.8%
Cocaine or Crack				
All	1.3%	1.7%	2.6%	97.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.5%	1.5%	1.8%	98.2%
Grade 9	3.0%	4.2%	4.9%	95.1%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.2%	0.6%	2.3%	97.7%
Grade 12	1.5%	2.8%	4.5%	95.5%
Cocaine				
All	1.1%	1.6%	2.4%	97.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.2%	1.2%	1.8%	98.2%
Grade 9	2.6%	3.7%	4.7%	95.3%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.6%	2.3%	97.7%
Grade 12	1.5%	2.8%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	1.2%	1.9%	98.1%
Grade 9	1.9%	2.6%	4.0%	96.0%
Grade 10	1.3%	1.3%	3.1%	96.9%
Grade 11	0.8%	1.3%	3.1%	96.9%
Grade 12	1.0%	1.2%	3.8%	96.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.1%	1.1%	1.6%	98.4%
Grade 8	1.4%	2.1%	2.7%	97.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.0%	99.0%
Grade 12	0.6%	0.8%	1.9%	98.1%
Ecstasy				
All	0.7%	1.1%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.5%	0.6%	1.9%	98.1%
Grade 9	2.5%	3.4%	3.4%	96.6%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.7%	98.3%
Grade 12	0.4%	1.7%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	1.2%	1.7%	2.3%	97.7%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	1.3%	1.6%	3.5%	96.5%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	1.4%	2.3%	5.7%	94.3%
Grade 9	3.0%	3.2%	5.3%	94.7%
Grade 10	1.0%	1.0%	1.9%	98.1%
Grade 11	0.6%	1.0%	3.9%	96.1%
Grade 12	1.0%	1.4%	2.7%	97.3%
Methamphetamine				
All	0.5%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.8%	1.1%	1.3%	98.7%
Grade 9	1.4%	1.9%	2.6%	97.4%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.5%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 126

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.3%	13.3%	20.6%	79.4%
Grade 7	2.2%	2.9%	5.4%	94.6%
Grade 8	5.5%	8.6%	12.6%	87.4%
Grade 9	7.2%	8.3%	19.7%	80.3%
Grade 10	15.9%	20.1%	25.8%	74.2%
Grade 11	15.3%	18.9%	30.7%	69.3%
Grade 12	20.0%	26.0%	36.4%	63.6%
Any Alcohol Product				
All	16.8%	21.5%	40.7%	59.3%
Grade 7	6.4%	7.9%	22.6%	77.4%
Grade 8	11.6%	14.9%	36.2%	63.8%
Grade 9	13.0%	17.9%	39.2%	60.8%
Grade 10	18.1%	24.8%	39.9%	60.1%
Grade 11	20.8%	28.3%	50.6%	49.4%
Grade 12	36.9%	42.6%	64.0%	36.0%
Any Illicit Drug				
All	6.7%	9.5%	12.8%	87.2%
Grade 7	1.1%	1.3%	2.2%	97.8%
Grade 8	3.5%	6.1%	6.6%	93.4%
Grade 9	4.5%	9.1%	13.6%	86.4%
Grade 10	5.5%	7.8%	11.6%	88.4%
Grade 11	11.5%	14.4%	18.0%	82.0%
Grade 12	17.4%	22.8%	30.8%	69.2%
Any Prescription Drug				
All	4.2%	6.8%	12.1%	87.9%
Grade 7	4.4%	6.0%	12.4%	87.6%
Grade 8	4.2%	7.4%	12.7%	87.3%
Grade 9	3.8%	6.5%	10.8%	89.2%
Grade 10	5.0%	7.5%	11.6%	88.4%
Grade 11	3.6%	5.8%	8.3%	91.7%
Grade 12	4.0%	7.8%	17.6%	82.4%
Any Inhalant				
All	2.0%	3.6%	8.1%	91.9%
Grade 7	1.9%	3.4%	7.9%	92.1%
Grade 8	4.2%	7.0%	12.3%	87.7%
Grade 9	1.9%	3.0%	10.1%	89.9%
Grade 10	0.3%	1.7%	5.9%	94.1%
Grade 11	1.5%	3.9%	5.9%	94.1%
Grade 12	2.2%	2.2%	6.0%	94.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.1%	11.1%	17.7%	82.3%
Grade 7	0.7%	1.7%	3.8%	96.2%
Grade 8	4.3%	7.4%	10.9%	89.1%
Grade 9	5.7%	6.9%	16.0%	84.0%
Grade 10	13.3%	18.2%	22.7%	77.3%
Grade 11	12.0%	14.9%	27.0%	73.0%
Grade 12	17.1%	23.2%	33.3%	66.7%
Marijuana				
All	6.4%	8.1%	11.8%	88.2%
Grade 7	0.9%	1.1%	1.6%	98.4%
Grade 8	3.3%	4.7%	5.4%	94.6%
Grade 9	4.5%	7.2%	12.4%	87.6%
Grade 10	5.5%	6.6%	10.4%	89.6%
Grade 11	10.7%	12.2%	16.6%	83.4%
Grade 12	16.7%	21.0%	30.0%	70.0%
Marijuana Only				
All	4.0%	5.5%	8.6%	91.4%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	1.5%	2.9%	3.6%	96.4%
Grade 9	2.7%	4.6%	8.7%	91.3%
Grade 10	3.4%	4.5%	7.6%	92.4%
Grade 11	8.1%	9.2%	12.9%	87.1%
Grade 12	10.4%	14.2%	22.6%	77.4%
Cocaine or Crack				
All	0.4%	0.8%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.9%	3.3%	96.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	1.9%	3.4%	4.3%	95.7%
Cocaine				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.9%	3.3%	96.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	1.9%	3.4%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.4%	0.7%	1.7%	98.3%
Hallucinogens				
All	0.1%	0.5%	1.7%	98.3%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	1.5%	98.5%
Grade 10	0.0%	0.6%	2.7%	97.3%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	0.2%	1.4%	4.8%	95.2%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.1%	0.2%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.8%	1.9%	98.1%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.5%	98.5%
Ecstasy				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.4%	1.3%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.5%	0.7%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.6%	99.4%
Synthetic Marijuana				
All	0.1%	0.2%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.6%	1.5%	98.5%
Grade 9	0.0%	0.0%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.2%	2.2%	97.8%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	1.1%	1.4%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	20.2%	30.3%	69.7%
Grade 7	7.1%	8.8%	16.4%	83.6%
Grade 8	10.3%	12.2%	22.7%	77.3%
Grade 9	16.0%	19.6%	27.9%	72.1%
Grade 10	18.8%	23.1%	33.9%	66.1%
Grade 11	21.8%	25.2%	37.5%	62.5%
Grade 12	28.0%	32.5%	44.1%	55.9%
Any Alcohol Product				
All	27.4%	32.5%	50.6%	49.4%
Grade 7	14.3%	16.0%	34.9%	65.1%
Grade 8	22.4%	25.8%	45.3%	54.7%
Grade 9	28.8%	33.6%	51.0%	49.0%
Grade 10	27.8%	33.2%	50.9%	49.1%
Grade 11	32.3%	40.3%	59.4%	40.6%
Grade 12	38.7%	46.2%	62.0%	38.0%
Any Illicit Drug				
All	14.3%	19.0%	25.3%	74.7%
Grade 7	4.0%	6.7%	9.2%	90.8%
Grade 8	11.1%	14.7%	18.6%	81.4%
Grade 9	14.7%	19.2%	25.4%	74.6%
Grade 10	13.1%	18.8%	26.2%	73.8%
Grade 11	17.7%	23.9%	33.6%	66.4%
Grade 12	24.8%	30.6%	38.9%	61.1%
Any Prescription Drug				
All	7.9%	10.9%	19.5%	80.5%
Grade 7	7.0%	8.8%	17.0%	83.0%
Grade 8	9.4%	11.4%	17.2%	82.8%
Grade 9	9.5%	12.3%	22.5%	77.5%
Grade 10	7.1%	11.2%	19.0%	81.0%
Grade 11	6.1%	9.3%	21.3%	78.7%
Grade 12	7.5%	12.3%	19.7%	80.3%
Any Inhalant				
All	4.5%	6.0%	12.2%	87.8%
Grade 7	5.8%	6.8%	12.1%	87.9%
Grade 8	6.3%	8.4%	14.9%	85.1%
Grade 9	6.4%	8.4%	15.8%	84.2%
Grade 10	2.9%	4.1%	10.0%	90.0%
Grade 11	2.4%	3.9%	9.7%	90.3%
Grade 12	2.5%	3.9%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.6%	16.9%	26.3%	73.7%
Grade 7	4.9%	6.9%	12.5%	87.5%
Grade 8	6.9%	9.5%	18.0%	82.0%
Grade 9	11.9%	16.2%	23.7%	76.3%
Grade 10	12.5%	17.9%	30.8%	69.2%
Grade 11	17.3%	22.9%	34.1%	65.9%
Grade 12	22.3%	28.4%	39.8%	60.2%
Marijuana				
All	14.1%	17.5%	24.4%	75.6%
Grade 7	3.7%	4.5%	7.1%	92.9%
Grade 8	10.8%	13.0%	17.5%	82.5%
Grade 9	14.7%	17.3%	24.2%	75.8%
Grade 10	13.2%	18.1%	25.9%	74.1%
Grade 11	17.4%	22.2%	32.5%	67.5%
Grade 12	24.8%	29.8%	38.9%	61.1%
Marijuana Only				
All	8.5%	11.3%	17.2%	82.8%
Grade 7	2.3%	3.1%	4.6%	95.4%
Grade 8	5.9%	7.4%	10.9%	89.1%
Grade 9	9.1%	11.4%	17.9%	82.1%
Grade 10	7.7%	12.4%	19.3%	80.7%
Grade 11	10.5%	14.5%	23.5%	76.5%
Grade 12	15.4%	19.0%	26.6%	73.4%
Cocaine or Crack				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.3%	1.3%	2.2%	97.8%
Grade 9	1.8%	2.4%	2.6%	97.4%
Grade 10	0.5%	0.6%	1.9%	98.1%
Grade 11	1.4%	1.7%	3.9%	96.1%
Grade 12	2.6%	3.1%	4.5%	95.5%
Cocaine				
All	1.2%	1.5%	2.4%	97.6%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.7%	2.2%	2.5%	97.5%
Grade 10	0.5%	0.6%	1.4%	98.6%
Grade 11	1.3%	1.5%	3.8%	96.2%
Grade 12	2.6%	3.1%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
Hallucinogens				
All	0.9%	1.8%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	1.3%	1.9%	98.1%
Grade 9	1.3%	1.8%	2.6%	97.4%
Grade 10	1.4%	1.4%	3.8%	96.2%
Grade 11	0.5%	2.8%	5.2%	94.8%
Grade 12	1.6%	3.3%	6.9%	93.1%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.5%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	0.5%	1.2%	1.7%	98.3%
Grade 8	0.9%	1.5%	2.2%	97.8%
Grade 9	0.5%	0.8%	2.0%	98.0%
Grade 10	0.0%	0.1%	1.7%	98.3%
Grade 11	0.6%	1.0%	1.6%	98.4%
Grade 12	0.3%	0.5%	1.3%	98.7%
Ecstasy				
All	0.4%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.5%	98.5%
Grade 9	1.3%	1.6%	2.3%	97.7%
Grade 10	0.4%	0.4%	1.4%	98.6%
Grade 11	0.4%	0.9%	2.1%	97.9%
Grade 12	0.0%	1.8%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.1%	1.4%	3.3%	96.7%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	1.5%	2.1%	4.5%	95.5%
Grade 9	2.0%	2.3%	3.6%	96.4%
Grade 10	0.7%	0.9%	2.8%	97.2%
Grade 11	1.0%	1.4%	4.0%	96.0%
Grade 12	0.6%	0.8%	3.4%	96.6%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.8%	1.0%	99.0%
Grade 9	0.9%	1.3%	1.7%	98.3%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.4%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.4%	14.1%	22.0%	78.0%
Grade 7	4.0%	5.2%	8.1%	91.9%
Grade 8	6.2%	7.6%	12.7%	87.3%
Grade 9	8.7%	10.9%	19.3%	80.7%
Grade 10	16.3%	20.6%	30.0%	70.0%
Grade 11	18.7%	22.1%	33.2%	66.8%
Grade 12	18.7%	23.5%	36.3%	63.7%
Any Alcohol Product				
All	20.1%	25.0%	42.4%	57.6%
Grade 7	9.4%	11.0%	26.6%	73.4%
Grade 8	13.1%	16.1%	35.0%	65.0%
Grade 9	19.3%	23.7%	41.1%	58.9%
Grade 10	23.2%	29.1%	44.8%	55.2%
Grade 11	28.0%	37.0%	57.3%	42.7%
Grade 12	33.8%	40.6%	57.3%	42.7%
Any Illicit Drug				
All	8.1%	11.4%	15.5%	84.5%
Grade 7	2.5%	3.4%	5.1%	94.9%
Grade 8	4.1%	6.3%	8.2%	91.8%
Grade 9	7.3%	11.0%	14.9%	85.1%
Grade 10	9.0%	12.5%	17.4%	82.6%
Grade 11	12.7%	17.4%	24.0%	76.0%
Grade 12	16.9%	22.5%	29.9%	70.1%
Any Prescription Drug				
All	5.6%	8.1%	14.6%	85.4%
Grade 7	6.5%	8.7%	15.9%	84.1%
Grade 8	5.6%	7.7%	13.4%	86.6%
Grade 9	6.6%	9.7%	16.6%	83.4%
Grade 10	5.8%	8.0%	13.2%	86.8%
Grade 11	4.3%	6.8%	14.6%	85.4%
Grade 12	4.5%	7.3%	13.4%	86.6%
Any Inhalant				
All	3.3%	4.9%	9.7%	90.3%
Grade 7	4.0%	5.5%	10.5%	89.5%
Grade 8	3.8%	5.7%	11.3%	88.7%
Grade 9	4.5%	6.0%	12.1%	87.9%
Grade 10	2.3%	3.7%	7.3%	92.7%
Grade 11	2.8%	5.1%	8.4%	91.6%
Grade 12	1.6%	2.6%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	11.9%	19.0%	81.0%
Grade 7	2.5%	4.1%	6.6%	93.4%
Grade 8	4.5%	6.1%	10.1%	89.9%
Grade 9	6.1%	9.7%	15.8%	84.2%
Grade 10	11.9%	16.7%	26.2%	73.8%
Grade 11	14.3%	18.5%	29.4%	70.6%
Grade 12	15.9%	21.5%	33.9%	66.1%
Marijuana				
All	8.0%	9.9%	14.6%	85.4%
Grade 7	2.3%	2.6%	4.1%	95.9%
Grade 8	4.0%	5.3%	7.4%	92.6%
Grade 9	7.3%	8.9%	13.6%	86.4%
Grade 10	8.9%	11.2%	16.4%	83.6%
Grade 11	12.1%	15.3%	22.8%	77.2%
Grade 12	16.8%	21.0%	29.7%	70.3%
Marijuana Only				
All	5.1%	6.7%	10.7%	89.3%
Grade 7	1.2%	1.4%	2.5%	97.5%
Grade 8	1.9%	2.8%	4.6%	95.4%
Grade 9	5.1%	6.3%	10.5%	89.5%
Grade 10	5.5%	7.7%	12.2%	87.8%
Grade 11	8.0%	10.2%	17.0%	83.0%
Grade 12	11.8%	15.1%	22.8%	77.2%
Cocaine or Crack				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	1.1%	1.4%	2.1%	97.9%
Grade 10	0.3%	0.4%	1.5%	98.5%
Grade 11	1.2%	1.3%	2.1%	97.9%
Grade 12	1.1%	1.5%	2.3%	97.7%
Cocaine				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.9%	1.3%	2.0%	98.0%
Grade 10	0.3%	0.4%	1.1%	98.9%
Grade 11	0.9%	1.1%	2.0%	98.0%
Grade 12	1.1%	1.5%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.6%	1.0%	99.0%
Grade 9	0.3%	0.8%	1.1%	98.9%
Grade 10	0.7%	0.8%	1.8%	98.2%
Grade 11	0.7%	1.4%	3.1%	96.9%
Grade 12	0.4%	0.9%	3.6%	96.4%
Synthetic Cathinones				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.6%	1.2%	98.8%
Grade 8	0.3%	1.0%	1.8%	98.2%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	1.7%	98.3%
Grade 11	0.5%	1.1%	1.6%	98.4%
Grade 12	0.0%	0.1%	0.7%	99.3%
Ecstasy				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.7%	1.1%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.5%	0.6%	2.1%	97.9%
Grade 12	0.3%	0.9%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.5%	1.2%	1.9%	98.1%
Grade 9	0.3%	0.5%	1.3%	98.7%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	1.0%	1.0%	3.1%	96.9%
Grade 12	0.5%	0.5%	2.2%	97.8%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.8%	0.8%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 75 of 126

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.5%	23.2%	35.1%	64.9%
Grade 7	6.2%	7.2%	17.9%	82.1%
Grade 8	12.3%	15.4%	30.8%	69.2%
Grade 9	22.0%	26.1%	37.7%	62.3%
Grade 10	18.6%	22.8%	32.7%	67.3%
Grade 11	21.5%	25.4%	38.8%	61.2%
Grade 12	32.9%	37.9%	48.9%	51.1%
Any Alcohol Product				
All	29.9%	34.8%	55.0%	45.0%
Grade 7	15.1%	16.8%	36.2%	63.8%
Grade 8	26.8%	30.4%	52.8%	47.2%
Grade 9	33.9%	38.6%	58.3%	41.7%
Grade 10	25.7%	32.4%	52.5%	47.5%
Grade 11	29.2%	34.4%	55.5%	44.5%
Grade 12	44.5%	51.6%	70.0%	30.0%
Any Illicit Drug				
All	18.4%	23.4%	30.4%	69.6%
Grade 7	3.0%	5.9%	8.1%	91.9%
Grade 8	15.9%	21.1%	25.4%	74.6%
Grade 9	21.9%	26.8%	35.0%	65.0%
Grade 10	14.5%	20.4%	28.5%	71.5%
Grade 11	21.9%	27.6%	36.2%	63.8%
Grade 12	29.4%	34.8%	44.1%	55.9%
Any Prescription Drug				
All	8.5%	12.3%	21.4%	78.6%
Grade 7	4.3%	5.7%	13.2%	86.8%
Grade 8	10.3%	12.9%	19.1%	80.9%
Grade 9	12.4%	15.2%	25.6%	74.4%
Grade 10	7.4%	13.1%	22.9%	77.1%
Grade 11	6.3%	10.2%	19.7%	80.3%
Grade 12	8.9%	15.1%	25.7%	74.3%
Any Inhalant				
All	3.8%	5.2%	11.9%	88.1%
Grade 7	3.7%	4.3%	9.5%	90.5%
Grade 8	6.8%	9.3%	15.4%	84.6%
Grade 9	6.2%	8.3%	16.8%	83.2%
Grade 10	1.4%	2.8%	10.6%	89.4%
Grade 11	1.0%	1.8%	8.2%	91.8%
Grade 12	3.4%	4.4%	10.1%	89.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.0%	19.3%	30.7%	69.3%
Grade 7	3.8%	4.8%	12.2%	87.8%
Grade 8	8.0%	11.9%	25.5%	74.5%
Grade 9	18.1%	21.1%	33.0%	67.0%
Grade 10	13.3%	18.7%	30.8%	69.2%
Grade 11	18.1%	23.6%	35.9%	64.1%
Grade 12	25.9%	32.4%	43.0%	57.0%
Marijuana				
All	18.2%	22.0%	29.3%	70.7%
Grade 7	2.7%	3.8%	5.9%	94.1%
Grade 8	15.2%	18.5%	23.8%	76.2%
Grade 9	21.9%	25.7%	34.2%	65.8%
Grade 10	14.5%	19.7%	27.9%	72.1%
Grade 11	21.7%	26.1%	35.0%	65.0%
Grade 12	29.1%	34.2%	43.8%	56.2%
Marijuana Only				
All	10.4%	13.7%	19.9%	80.1%
Grade 7	1.7%	2.7%	4.1%	95.9%
Grade 8	9.0%	11.6%	15.7%	84.3%
Grade 9	11.8%	15.0%	22.9%	77.1%
Grade 10	8.5%	13.3%	20.5%	79.5%
Grade 11	13.5%	17.4%	24.7%	75.3%
Grade 12	16.2%	19.9%	27.9%	72.1%
Cocaine or Crack				
All	1.7%	2.1%	3.5%	96.5%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	1.3%	1.3%	2.3%	97.7%
Grade 9	1.9%	2.7%	4.0%	96.0%
Grade 10	0.8%	1.0%	1.5%	98.5%
Grade 11	0.9%	1.2%	4.1%	95.9%
Grade 12	4.1%	5.4%	7.6%	92.4%
Cocaine				
All	1.5%	2.0%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.6%	2.4%	4.0%	96.0%
Grade 10	0.8%	1.0%	1.5%	98.5%
Grade 11	0.9%	1.2%	4.1%	95.9%
Grade 12	4.1%	5.4%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	1.1%	1.1%	1.3%	98.7%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.5%	2.1%	97.9%
Hallucinogens				
All	1.1%	2.3%	4.7%	95.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	1.2%	1.2%	98.8%
Grade 9	2.2%	2.4%	5.4%	94.6%
Grade 10	1.1%	1.3%	5.4%	94.6%
Grade 11	0.4%	3.2%	5.4%	94.6%
Grade 12	2.2%	5.2%	9.6%	90.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Steroids				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.7%	0.9%	1.1%	98.9%
Grade 8	1.4%	1.4%	2.3%	97.7%
Grade 9	0.5%	1.0%	3.2%	96.8%
Grade 10	0.0%	0.2%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.5%	0.8%	2.3%	97.7%
Ecstasy				
All	0.6%	1.2%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.8%	98.2%
Grade 9	2.1%	2.6%	4.1%	95.9%
Grade 10	0.7%	0.7%	1.7%	98.3%
Grade 11	0.4%	0.9%	1.5%	98.5%
Grade 12	0.2%	2.2%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.4%	1.4%	2.1%	97.9%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	1.0%	99.0%
Synthetic Marijuana				
All	1.3%	1.7%	4.4%	95.6%
Grade 7	0.3%	0.9%	1.3%	98.7%
Grade 8	1.7%	2.0%	5.8%	94.2%
Grade 9	3.9%	4.4%	7.4%	92.6%
Grade 10	0.6%	1.0%	2.8%	97.2%
Grade 11	0.2%	0.8%	3.7%	96.3%
Grade 12	0.5%	0.8%	4.4%	95.6%
Methamphetamine				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	0.8%	0.9%	99.1%
Grade 9	1.9%	2.1%	3.2%	96.8%
Grade 10	0.0%	0.7%	0.9%	99.1%
Grade 11	0.2%	0.4%	0.6%	99.4%
Grade 12	0.8%	1.0%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.3%	15.3%	24.1%	75.9%
Grade 7	3.8%	5.0%	9.4%	90.6%
Grade 8	6.7%	8.6%	17.4%	82.6%
Grade 9	10.0%	13.2%	21.9%	78.1%
Grade 10	15.5%	19.8%	28.8%	71.2%
Grade 11	18.2%	21.5%	33.4%	66.6%
Grade 12	23.5%	28.4%	39.1%	60.9%
Any Alcohol Product				
All	21.4%	26.2%	45.0%	55.0%
Grade 7	9.0%	10.4%	27.5%	72.5%
Grade 8	15.5%	18.0%	39.4%	60.6%
Grade 9	21.4%	25.9%	43.9%	56.1%
Grade 10	23.6%	30.2%	46.4%	53.6%
Grade 11	27.1%	34.3%	56.7%	43.3%
Grade 12	36.3%	44.1%	61.5%	38.5%
Any Illicit Drug				
All	10.0%	13.6%	18.1%	81.9%
Grade 7	2.0%	2.9%	4.5%	95.5%
Grade 8	6.7%	9.4%	12.0%	88.0%
Grade 9	9.5%	13.4%	18.1%	81.9%
Grade 10	9.1%	13.8%	18.6%	81.4%
Grade 11	12.9%	18.3%	25.7%	74.3%
Grade 12	22.7%	27.7%	34.7%	65.3%
Any Prescription Drug				
All	5.6%	8.4%	15.0%	85.0%
Grade 7	4.8%	6.8%	13.8%	86.2%
Grade 8	6.8%	8.8%	14.1%	85.9%
Grade 9	7.3%	10.4%	17.8%	82.2%
Grade 10	4.4%	7.6%	12.9%	87.1%
Grade 11	4.5%	7.3%	14.7%	85.3%
Grade 12	5.7%	9.7%	16.9%	83.1%
Any Inhalant				
All	3.0%	4.4%	9.4%	90.6%
Grade 7	3.4%	4.5%	9.0%	91.0%
Grade 8	4.8%	6.6%	11.6%	88.4%
Grade 9	3.3%	4.8%	11.0%	89.0%
Grade 10	1.6%	2.8%	7.8%	92.2%
Grade 11	2.2%	3.6%	8.1%	91.9%
Grade 12	2.3%	3.3%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.3%	12.9%	21.0%	79.0%
Grade 7	2.1%	3.7%	7.5%	92.5%
Grade 8	4.4%	6.6%	13.8%	86.2%
Grade 9	7.6%	11.3%	18.7%	81.3%
Grade 10	10.8%	16.0%	25.6%	74.4%
Grade 11	14.8%	19.1%	30.4%	69.6%
Grade 12	19.1%	24.9%	35.4%	64.6%
Marijuana				
All	9.9%	12.2%	17.3%	82.7%
Grade 7	1.9%	2.2%	3.9%	96.1%
Grade 8	6.5%	7.9%	11.0%	89.0%
Grade 9	9.5%	11.5%	17.0%	83.0%
Grade 10	9.1%	12.7%	17.8%	82.2%
Grade 11	12.8%	16.4%	24.7%	75.3%
Grade 12	22.6%	26.6%	34.6%	65.4%
Marijuana Only				
All	6.4%	8.4%	12.8%	87.2%
Grade 7	1.2%	1.5%	2.4%	97.6%
Grade 8	3.6%	4.6%	7.0%	93.0%
Grade 9	6.4%	8.2%	13.2%	86.8%
Grade 10	6.0%	9.5%	14.2%	85.8%
Grade 11	7.8%	10.7%	17.8%	82.2%
Grade 12	15.7%	19.1%	25.9%	74.1%
Cocaine or Crack				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.7%	1.3%	2.0%	98.0%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.6%	0.6%	2.4%	97.6%
Grade 12	2.1%	2.6%	4.2%	95.8%
Cocaine				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.7%	1.3%	2.0%	98.0%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.5%	0.5%	2.4%	97.6%
Grade 12	2.1%	2.6%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.1%	1.0%	99.0%
Hallucinogens				
All	0.3%	1.0%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.8%	1.0%	99.0%
Grade 9	0.5%	0.8%	1.9%	98.1%
Grade 10	0.4%	0.6%	2.5%	97.5%
Grade 11	0.5%	1.9%	3.4%	96.6%
Grade 12	0.7%	2.2%	5.0%	95.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.6%	0.8%	1.7%	98.3%
Grade 10	0.1%	0.2%	1.1%	98.9%
Grade 11	0.4%	0.8%	1.3%	98.7%
Grade 12	0.0%	0.3%	0.7%	99.3%
Ecstasy				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.6%	1.2%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.2%	1.0%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.7%	99.3%
Synthetic Marijuana				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.8%	1.1%	2.6%	97.4%
Grade 9	1.0%	1.3%	2.3%	97.7%
Grade 10	0.1%	0.3%	1.4%	98.6%
Grade 11	0.7%	0.9%	3.3%	96.7%
Grade 12	0.4%	0.6%	2.2%	97.8%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.4%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	24.1%	27.5%	39.0%	61.0%
Grade 7	14.4%	15.2%	24.0%	76.0%
Grade 8	19.1%	22.4%	30.0%	70.0%
Grade 9	22.8%	25.1%	38.1%	61.9%
Grade 10	25.9%	29.3%	38.9%	61.1%
Grade 11	29.0%	33.9%	47.4%	52.6%
Grade 12	29.1%	33.5%	48.5%	51.5%
Any Alcohol Product				
All	35.3%	41.2%	57.8%	42.2%
Grade 7	28.5%	29.8%	48.8%	51.2%
Grade 8	34.2%	41.3%	54.6%	45.4%
Grade 9	33.4%	37.9%	56.2%	43.8%
Grade 10	32.3%	36.5%	57.2%	42.8%
Grade 11	32.6%	44.7%	57.1%	42.9%
Grade 12	47.0%	51.6%	68.1%	31.9%
Any Illicit Drug				
All	20.5%	26.2%	34.9%	65.1%
Grade 7	7.4%	14.4%	18.7%	81.3%
Grade 8	15.0%	22.7%	25.4%	74.6%
Grade 9	24.4%	29.7%	42.6%	57.4%
Grade 10	20.0%	23.0%	30.8%	69.2%
Grade 11	28.8%	33.7%	42.6%	57.4%
Grade 12	22.1%	28.7%	41.7%	58.3%
Any Prescription Drug				
All	12.0%	16.2%	25.7%	74.3%
Grade 7	12.7%	15.8%	25.8%	74.2%
Grade 8	13.0%	15.6%	23.8%	76.2%
Grade 9	16.9%	17.8%	26.9%	73.1%
Grade 10	15.2%	20.8%	31.4%	68.6%
Grade 11	5.3%	9.4%	22.2%	77.8%
Grade 12	9.3%	17.3%	24.0%	76.0%
Any Inhalant				
All	5.4%	8.1%	15.8%	84.2%
Grade 7	6.5%	8.6%	16.7%	83.3%
Grade 8	7.4%	10.8%	21.9%	78.1%
Grade 9	11.7%	14.7%	27.4%	72.6%
Grade 10	2.9%	5.2%	11.7%	88.3%
Grade 11	2.1%	6.3%	11.3%	88.7%
Grade 12	2.6%	3.5%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	18.3%	23.3%	34.2%	65.8%
Grade 7	11.4%	12.0%	15.9%	84.1%
Grade 8	15.0%	19.4%	25.9%	74.1%
Grade 9	17.7%	21.4%	33.3%	66.7%
Grade 10	19.3%	24.6%	35.1%	64.9%
Grade 11	19.8%	26.1%	42.3%	57.7%
Grade 12	23.5%	31.0%	44.6%	55.4%
Marijuana				
All	19.9%	24.1%	32.8%	67.2%
Grade 7	6.0%	8.3%	12.2%	87.8%
Grade 8	14.6%	20.8%	23.2%	76.8%
Grade 9	24.5%	27.7%	40.4%	59.6%
Grade 10	20.0%	23.0%	29.9%	70.1%
Grade 11	26.0%	30.5%	39.8%	60.2%
Grade 12	22.1%	27.9%	41.7%	58.3%
Marijuana Only				
All	10.8%	14.5%	22.7%	77.3%
Grade 7	4.7%	7.0%	11.0%	89.0%
Grade 8	8.0%	13.4%	15.8%	84.2%
Grade 9	13.0%	16.1%	28.8%	71.2%
Grade 10	8.6%	11.6%	18.5%	81.5%
Grade 11	18.6%	21.7%	30.2%	69.8%
Grade 12	9.7%	14.2%	26.3%	73.7%
Cocaine or Crack				
All	2.5%	3.0%	4.4%	95.6%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	1.8%	1.8%	2.6%	97.4%
Grade 9	3.1%	3.1%	4.5%	95.5%
Grade 10	2.3%	2.3%	6.5%	93.5%
Grade 11	3.6%	4.7%	5.5%	94.5%
Grade 12	2.2%	4.0%	4.6%	95.4%
Cocaine				
All	2.1%	2.6%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.8%	1.8%	2.3%	97.7%
Grade 9	2.3%	2.3%	3.7%	96.3%
Grade 10	2.3%	2.3%	4.6%	95.4%
Grade 11	3.0%	4.1%	4.9%	95.1%
Grade 12	2.2%	4.0%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	1.4%	2.2%	5.0%	95.0%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	1.2%	1.4%	2.2%	97.8%
Grade 9	1.6%	2.4%	4.7%	95.3%
Grade 10	1.8%	1.8%	4.2%	95.8%
Grade 11	0.4%	2.9%	5.9%	94.1%
Grade 12	2.8%	3.7%	9.7%	90.3%
Synthetic Cathinones				
All	0.0%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	2.5%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	0.0%	1.2%	2.8%	97.2%
Grade 8	2.1%	4.7%	6.8%	93.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.3%	1.3%	1.8%	98.2%
Ecstasy				
All	0.9%	1.7%	3.7%	96.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	3.1%	3.1%	6.5%	93.5%
Grade 10	0.8%	0.8%	2.1%	97.9%
Grade 11	0.4%	2.0%	4.9%	95.1%
Grade 12	0.5%	3.1%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.5%	0.5%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	1.6%	2.1%	5.6%	94.4%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	1.8%	4.0%	7.0%	93.0%
Grade 9	2.3%	3.1%	7.0%	93.0%
Grade 10	3.1%	3.1%	6.0%	94.0%
Grade 11	0.4%	0.4%	3.9%	96.1%
Grade 12	0.9%	1.0%	6.6%	93.4%
Methamphetamine				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.3%	1.3%	1.7%	98.3%
Grade 9	0.8%	1.4%	2.2%	97.8%
Grade 10	0.0%	0.7%	0.7%	99.3%
Grade 11	2.6%	2.6%	3.1%	96.9%
Grade 12	0.0%	0.0%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	310,206	51.5%
Female	292,607	48.5%
Frequency Missing	7,346	

Hispanic or Latino

Q5a	Frequency	Percent
No	354,114	58.9%
Yes	246,804	41.1%
Frequency Missing	9,240	

Grade

Q2	Frequency	Percent
Grade 7	107,205	17.6%
Grade 8	107,357	17.6%
Grade 9	109,818	18.0%
Grade 10	96,888	15.9%
Grade 11	96,521	15.9%
Grade 12	90,683	14.9%
Frequency Missing	1,686	

Ethnicity

Q5b	Frequency	Percent
American Indian	11,207	2.0%
Asian American	26,260	4.6%
African American	84,064	14.8%
Pacific Islander	2,946	0.5%
White	258,252	45.3%
Other	106,630	18.7%
More Than One Race	80,132	14.1%
Frequency Missing	40,668	

Live with Both Parents

Q3	Frequency	Percent
No	217,001	35.8%
Yes	388,530	64.2%
Frequency Missing	4,628	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,171	0.2%
Mostly D's	6,953	1.2%
Mostly C's	80,673	14.4%
Mostly B's	265,748	47.4%
Mostly A's	205,805	36.7%
Frequency Missing	49,809	

Age

Q4	Frequency	Percent
11 or younger	1,080	0.2%
12	38,354	6.3%
13	101,984	16.8%
14	107,792	17.7%
15	112,258	18.4%
16	99,204	16.3%
17	88,771	14.6%
18	54,147	8.9%
19 or older	5,180	0.9%
Frequency Missing	1,388	

Do You Have a Job

Q7	Frequency	Percent
No	432,620	76.7%
Yes	131,661	23.3%
Frequency Missing	45,877	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	241,568	42.9%
Yes	202,159	35.9%
Don't Know	118,738	21.1%
Frequency Missing	47,693	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	438,479	93.6%
Yes	29,890	6.4%
Frequency Missing	141,789	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	261,756	49.7%
Yes	265,258	50.3%
Frequency Missing	83,144	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	376,955	78.2%
Yes	105,384	21.8%
Frequency Missing	127,819	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	394,442	81.7%
Yes	88,267	18.3%
Frequency Missing	127,450	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	329,708	67.9%
Yes	155,661	32.1%
Frequency Missing	124,790	

Participate in School Choir

Q9c	Frequency	Percent
No	418,063	87.9%
Yes	57,412	12.1%
Frequency Missing	134,683	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	313,635	63.7%
Yes	178,575	36.3%
Frequency Missing	117,948	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	434,675	92.1%
Yes	37,247	7.9%
Frequency Missing	138,237	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	364,132	76.2%
Yes	113,978	23.8%
Frequency Missing	132,049	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	529,672	87.2%
Somewhat Safe	67,412	11.1%
Not Very Safe	5,141	0.8%
Not Safe At All	1,704	0.3%
Don't Know	3,424	0.6%
Frequency Missing	2,804	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	44,990	7.7%
Some High School	63,416	10.8%
Finished High School	101,051	17.2%
Some College	90,134	15.4%
Finished College	141,498	24.1%
Post-Secondary	93,025	15.9%
Don't Know or N/A	52,596	9.0%
Frequency Missing	23,449	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	296,627	49.1%
Somewhat Safe	258,510	42.8%
Not Very Safe	31,383	5.2%
Not Safe At All	6,172	1.0%
Don't Know	11,636	1.9%
Frequency Missing	5,831	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	364,963	65.2%
Yes	194,938	34.8%
Frequency Missing	50,257	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	238,455	39.5%
Somewhat Safe	280,258	46.4%
Not Very Safe	44,988	7.4%
Not Safe At All	22,057	3.6%
Don't Know	18,583	3.1%
Frequency Missing	5,817	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	29,285	5.0%
A Few	110,574	19.0%
Some	133,458	22.9%
Most	229,033	39.3%
All	80,221	13.8%
Frequency Missing	27,588	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	48,878	8.4%
Some High School	72,842	12.5%
Finished High School	109,736	18.8%
Some College	67,389	11.5%
Finished College	116,205	19.9%
Post-Secondary	86,077	14.7%
Don't Know or N/A	82,623	14.2%
Frequency Missing	26,407	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	10,859	1.9%
A Few	60,030	10.3%
Some	132,682	22.8%
Most	263,131	45.1%
All	116,425	20.0%
Frequency Missing	27,032	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	281,314	49.0%
A Few	172,956	30.1%
Some	74,223	12.9%
Most	28,583	5.0%
All	16,751	2.9%
Frequency Missing	36,331	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	562,908	96.1%
In Your Lifetime	15,897	2.7%
Since School Began	2,402	0.4%
In the Past Month	4,521	0.8%
Frequency Missing	24,429	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	469,367	80.8%
A Few	75,001	12.9%
Some	23,051	4.0%
Most	8,655	1.5%
All	4,559	0.8%
Frequency Missing	29,524	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	579,925	99.1%
In Your Lifetime	2,560	0.4%
Since School Began	875	0.1%
In the Past Month	1,554	0.3%
Frequency Missing	25,245	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	499,759	86.0%
A Few	53,532	9.2%
Some	16,880	2.9%
Most	6,047	1.0%
All	5,103	0.9%
Frequency Missing	28,838	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	555,865	94.8%
In Your Lifetime	17,735	3.0%
Since School Began	4,538	0.8%
In the Past Month	8,101	1.4%
Frequency Missing	23,919	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	578,067	98.3%
In Your Lifetime	5,975	1.0%
Since School Began	1,332	0.2%
In the Past Month	2,452	0.4%
Frequency Missing	22,332	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	579,078	98.9%
In Your Lifetime	3,554	0.6%
Since School Began	545	0.1%
In the Past Month	2,357	0.4%
Frequency Missing	24,624	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	578,024	99.1%
In Your Lifetime	2,789	0.5%
Since School Began	788	0.1%
In the Past Month	1,817	0.3%
Frequency Missing	26,740	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	548,370	93.9%
In Your Lifetime	16,334	2.8%
Since School Began	6,526	1.1%
In the Past Month	12,655	2.2%
Frequency Missing	26,273	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	575,946	98.4%
In Your Lifetime	4,044	0.7%
Since School Began	1,614	0.3%
In the Past Month	3,673	0.6%
Frequency Missing	24,881	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	399,411	69.0%
In Your Lifetime	90,575	15.6%
Since School Began	33,822	5.8%
In the Past Month	55,347	9.6%
Frequency Missing	31,004	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	451,281	77.9%
In Your Lifetime	63,519	11.0%
Since School Began	23,752	4.1%
In the Past Month	41,072	7.1%
Frequency Missing	30,535	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	578,771	98.7%
In Your Lifetime	3,235	0.6%
Since School Began	1,143	0.2%
In the Past Month	3,380	0.6%
Frequency Missing	23,629	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	426,802	74.2%
In Your Lifetime	86,601	15.1%
Since School Began	23,909	4.2%
In the Past Month	37,932	6.6%
Frequency Missing	34,915	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	521,656	88.8%
In Your Lifetime	34,549	5.9%
Since School Began	10,392	1.8%
In the Past Month	20,950	3.6%
Frequency Missing	22,610	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	425,612	73.4%
In Your Lifetime	65,133	11.2%
Since School Began	31,814	5.5%
In the Past Month	57,165	9.9%
Frequency Missing	30,435	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	585,288	98.3%
In Your Lifetime	5,057	0.8%
Since School Began	1,951	0.3%
In the Past Month	3,261	0.5%
Frequency Missing	14,601	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	565,736	97.0%
In Your Lifetime	10,691	1.8%
Since School Began	3,198	0.5%
In the Past Month	3,676	0.6%
Frequency Missing	26,856	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	594,001	99.7%
In Your Lifetime	883	0.1%
Since School Began	42	0.0%
In the Past Month	662	0.1%
Frequency Missing	14,571	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	450,277	76.8%
In Your Lifetime	50,548	8.6%
Since School Began	21,788	3.7%
In the Past Month	63,495	10.8%
Frequency Missing	24,050	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	577,933	97.2%
In Your Lifetime	8,929	1.5%
Since School Began	3,996	0.7%
In the Past Month	3,709	0.6%
Frequency Missing	15,592	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	487,353	81.8%
In Your Lifetime	44,133	7.4%
Since School Began	19,202	3.2%
In the Past Month	44,893	7.5%
Frequency Missing	14,579	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	593,456	99.7%
In Your Lifetime	714	0.1%
Since School Began	360	0.1%
In the Past Month	429	0.1%
Frequency Missing	15,200	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	588,123	98.9%
In Your Lifetime	2,882	0.5%
Since School Began	1,941	0.3%
In the Past Month	1,476	0.2%
Frequency Missing	15,736	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	580,200	97.6%
In Your Lifetime	9,504	1.6%
Since School Began	963	0.2%
In the Past Month	3,559	0.6%
Frequency Missing	15,932	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	585,209	98.7%
In Your Lifetime	4,631	0.8%
Since School Began	1,091	0.2%
In the Past Month	2,088	0.4%
Frequency Missing	17,140	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	512,961	88.7%
In Your Lifetime	31,842	5.5%
Since School Began	12,798	2.2%
In the Past Month	20,757	3.6%
Frequency Missing	31,800	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	592,267	99.8%
In Your Lifetime	706	0.1%
Since School Began	54	0.0%
In the Past Month	680	0.1%
Frequency Missing	16,451	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	554,439	96.3%
In Your Lifetime	9,773	1.7%
Since School Began	5,742	1.0%
In the Past Month	5,968	1.0%
Frequency Missing	34,237	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	590,066	99.3%
In Your Lifetime	2,133	0.4%
Since School Began	452	0.1%
In the Past Month	1,706	0.3%
Frequency Missing	15,801	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	546,233	94.8%
In Your Lifetime	14,159	2.5%
Since School Began	6,227	1.1%
In the Past Month	9,336	1.6%
Frequency Missing	34,203	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	550,807	95.6%
In Your Lifetime	11,279	2.0%
Since School Began	4,419	0.8%
In the Past Month	9,469	1.6%
Frequency Missing	34,184	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	458,138	79.5%
1-2 times	79,884	13.9%
3-10 times	28,057	4.9%
11+ times	10,444	1.8%
Frequency Missing	33,634	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	531,506	92.5%
In Your Lifetime	21,101	3.7%
Since School Began	6,172	1.1%
In the Past Month	15,952	2.8%
Frequency Missing	35,427	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	569,855	98.7%
1-2 times	5,436	0.9%
3-10 times	1,304	0.2%
11+ times	723	0.1%
Frequency Missing	32,840	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	559,386	97.1%
In Your Lifetime	7,848	1.4%
Since School Began	2,734	0.5%
In the Past Month	6,086	1.1%
Frequency Missing	34,104	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	516,802	89.3%
1-2 times	27,973	4.8%
3-10 times	16,329	2.8%
11+ times	17,334	3.0%
Frequency Missing	31,720	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	537,210	93.0%
1-2 times	20,239	3.5%
3-10 times	10,142	1.8%
11+ times	10,141	1.8%
Frequency Missing	32,426	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	573,296	99.3%
1-2 times	3,246	0.6%
3-10 times	518	0.1%
11+ times	438	0.1%
Frequency Missing	32,661	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	576,257	99.8%
1-2 times	270	0.0%
3-10 times	331	0.1%
11+ times	318	0.1%
Frequency Missing	32,982	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	337,269	58.4%
A few	112,571	19.5%
Some	61,376	10.6%
Most	53,172	9.2%
All	13,507	2.3%
Frequency Missing	32,263	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	416,578	72.0%
A few	99,790	17.3%
Some	38,673	6.7%
Most	20,088	3.5%
All	3,195	0.6%
Frequency Missing	31,834	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	510,612	87.6%
8 or younger	4,214	0.7%
9 years old	2,532	0.4%
10 years old	3,282	0.6%
11 years old	2,986	0.5%
12 years old	7,361	1.3%
13 years old	11,997	2.1%
14 years old	11,177	1.9%
15 years old	11,337	1.9%
16 years old	10,389	1.8%
17 years old	5,529	0.9%
18 or older	1,694	0.3%
Frequency Missing	27,047	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	303,277	52.5%
A few	131,645	22.8%
Some	80,910	14.0%
Most	50,157	8.7%
All	11,472	2.0%
Frequency Missing	32,697	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	367,070	63.4%
8 or younger	18,442	3.2%
9 years old	7,141	1.2%
10 years old	11,478	2.0%
11 years old	14,323	2.5%
12 years old	24,964	4.3%
13 years old	27,710	4.8%
14 years old	32,637	5.6%
15 years old	31,120	5.4%
16 years old	26,334	4.6%
17 years old	12,120	2.1%
18 or older	5,377	0.9%
Frequency Missing	31,441	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	536,564	93.2%
A few	29,366	5.1%
Some	5,920	1.0%
Most	2,814	0.5%
All	870	0.2%
Frequency Missing	34,624	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	562,917	96.9%
8 or younger	4,095	0.7%
9 years old	1,143	0.2%
10 years old	773	0.1%
11 years old	1,458	0.3%
12 years old	3,287	0.6%
13 years old	3,352	0.6%
14 years old	1,448	0.2%
15 years old	1,065	0.2%
16 years old	1,035	0.2%
17 years old	443	0.1%
18 or older	0	0.0%
Frequency Missing	29,143	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	573,258	98.5%
8 or younger	200	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	111	0.0%
12 years old	443	0.1%
13 years old	1,285	0.2%
14 years old	1,060	0.2%
15 years old	1,459	0.3%
16 years old	2,417	0.4%
17 years old	1,335	0.2%
18 or older	381	0.1%
Frequency Missing	28,210	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	476,370	81.9%
8 or younger	2,197	0.4%
9 years old	1,517	0.3%
10 years old	2,347	0.4%
11 years old	4,203	0.7%
12 years old	9,003	1.5%
13 years old	17,869	3.1%
14 years old	22,620	3.9%
15 years old	18,727	3.2%
16 years old	16,564	2.8%
17 years old	8,174	1.4%
18 or older	2,135	0.4%
Frequency Missing	28,434	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	580,260	99.7%
8 or younger	404	0.1%
9 years old	49	0.0%
10 years old	307	0.1%
11 years old	37	0.0%
12 years old	59	0.0%
13 years old	182	0.0%
14 years old	202	0.0%
15 years old	164	0.0%
16 years old	0	0.0%
17 years old	367	0.1%
18 or older	0	0.0%
Frequency Missing	28,126	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	576,523	99.0%
8 or younger	970	0.2%
9 years old	569	0.1%
10 years old	696	0.1%
11 years old	108	0.0%
12 years old	493	0.1%
13 years old	570	0.1%
14 years old	823	0.1%
15 years old	948	0.2%
16 years old	306	0.1%
17 years old	235	0.0%
18 or older	0	0.0%
Frequency Missing	27,918	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	581,672	99.8%
8 or younger	123	0.0%
9 years old	49	0.0%
10 years old	118	0.0%
11 years old	146	0.0%
12 years old	195	0.0%
13 years old	232	0.0%
14 years old	376	0.1%
15 years old	110	0.0%
16 years old	0	0.0%
17 years old	108	0.0%
18 or older	0	0.0%
Frequency Missing	27,030	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	573,484	98.7%
8 or younger	0	0.0%
9 years old	56	0.0%
10 years old	37	0.0%
11 years old	395	0.1%
12 years old	1,126	0.2%
13 years old	554	0.1%
14 years old	1,537	0.3%
15 years old	1,385	0.2%
16 years old	847	0.1%
17 years old	1,163	0.2%
18 or older	232	0.0%
Frequency Missing	29,342	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	578,932	99.4%
8 or younger	394	0.1%
9 years old	13	0.0%
10 years old	113	0.0%
11 years old	55	0.0%
12 years old	281	0.0%
13 years old	411	0.1%
14 years old	660	0.1%
15 years old	783	0.1%
16 years old	273	0.0%
17 years old	427	0.1%
18 or older	68	0.0%
Frequency Missing	27,749	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	569,915	98.0%
8 or younger	148	0.0%
9 years old	127	0.0%
10 years old	360	0.1%
11 years old	852	0.1%
12 years old	1,625	0.3%
13 years old	2,453	0.4%
14 years old	2,364	0.4%
15 years old	1,277	0.2%
16 years old	1,743	0.3%
17 years old	487	0.1%
18 or older	110	0.0%
Frequency Missing	28,699	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	155,273	27.0%
Impossible	121,143	21.1%
Very Difficult	50,116	8.7%
Somewhat diff	60,513	10.5%
Somewhat easy	85,030	14.8%
Very easy	102,200	17.8%
Frequency Missing	35,886	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	125,701	21.9%
Impossible	81,235	14.2%
Very Difficult	35,622	6.2%
Somewhat diff	61,644	10.7%
Somewhat easy	114,341	19.9%
Very easy	154,917	27.0%
Frequency Missing	36,698	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	223,552	39.1%
Impossible	98,631	17.2%
Very Difficult	26,944	4.7%
Somewhat diff	37,170	6.5%
Somewhat easy	57,741	10.1%
Very easy	127,905	22.4%
Frequency Missing	38,215	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	148,547	25.9%
Impossible	131,437	22.9%
Very Difficult	51,207	8.9%
Somewhat diff	56,909	9.9%
Somewhat easy	75,766	13.2%
Very easy	110,392	19.2%
Frequency Missing	35,899	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	202,433	35.3%
Impossible	204,759	35.8%
Very Difficult	78,623	13.7%
Somewhat diff	39,794	6.9%
Somewhat easy	24,121	4.2%
Very easy	22,988	4.0%
Frequency Missing	37,441	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	214,495	37.5%
Impossible	206,993	36.2%
Very Difficult	80,354	14.1%
Somewhat diff	35,648	6.2%
Somewhat easy	18,544	3.2%
Very easy	15,608	2.7%
Frequency Missing	38,517	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	218,924	38.4%
Impossible	194,384	34.1%
Very Difficult	76,037	13.3%
Somewhat diff	41,588	7.3%
Somewhat easy	22,154	3.9%
Very easy	17,273	3.0%
Frequency Missing	39,799	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	264,385	46.3%
Impossible	164,998	28.9%
Very Difficult	56,990	10.0%
Somewhat diff	33,376	5.8%
Somewhat easy	22,542	3.9%
Very easy	28,486	5.0%
Frequency Missing	39,381	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	263,130	46.2%
Impossible	172,864	30.4%
Very Difficult	63,503	11.2%
Somewhat diff	32,947	5.8%
Somewhat easy	17,933	3.1%
Very easy	19,013	3.3%
Frequency Missing	40,767	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	5,522	1.0%
Several times/wk	5,928	1.0%
Several times/mo	10,555	1.8%
About once/month	12,090	2.1%
About once/year	10,225	1.8%
Less than once/year	18,186	3.2%
Never used	509,815	89.1%
Frequency Missing	37,836	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	236,042	41.3%
Impossible	213,558	37.4%
Very Difficult	73,275	12.8%
Somewhat diff	23,486	4.1%
Somewhat easy	12,232	2.1%
Very easy	12,735	2.2%
Frequency Missing	38,830	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	643	0.1%
Several times/wk	6,996	1.2%
Several times/mo	29,331	5.2%
About once/month	56,354	9.9%
About once/year	48,445	8.5%
Less than once/year	43,753	7.7%
Never used	382,352	67.3%
Frequency Missing	42,284	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	255,935	44.7%
Impossible	195,299	34.1%
Very Difficult	68,990	12.1%
Somewhat diff	23,480	4.1%
Somewhat easy	13,543	2.4%
Very easy	14,915	2.6%
Frequency Missing	37,995	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	346	0.1%
Several times/wk	625	0.1%
Several times/mo	1,902	0.3%
About once/month	2,910	0.5%
About once/year	2,071	0.4%
Less than once/year	6,216	1.1%
Never used	555,734	97.5%
Frequency Missing	40,354	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	129	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	286	0.1%
About once/year	437	0.1%
Less than once/year	1,005	0.2%
Never used	567,944	99.7%
Frequency Missing	40,357	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	8,802	1.5%
Several times/wk	10,854	1.9%
Several times/mo	15,361	2.7%
About once/month	19,844	3.5%
About once/year	17,193	3.0%
Less than once/year	22,730	4.0%
Never used	476,744	83.4%
Frequency Missing	38,632	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	360	0.1%
Several times/wk	0	0.0%
Several times/mo	579	0.1%
About once/month	182	0.0%
About once/year	667	0.1%
Less than once/year	1,980	0.3%
Never used	565,690	99.3%
Frequency Missing	40,701	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	75	0.0%
Several times/wk	327	0.1%
Several times/mo	171	0.0%
About once/month	1,659	0.3%
About once/year	2,326	0.4%
Less than once/year	2,710	0.5%
Never used	561,964	98.7%
Frequency Missing	40,927	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	174	0.0%
Several times/wk	138	0.0%
Several times/mo	572	0.1%
About once/month	1,633	0.3%
About once/year	1,289	0.2%
Less than once/year	2,530	0.4%
Never used	563,425	98.9%
Frequency Missing	40,397	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	232	0.0%
Several times/wk	58	0.0%
Several times/mo	110	0.0%
About once/month	445	0.1%
About once/year	739	0.1%
Less than once/year	658	0.1%
Never used	568,893	99.6%
Frequency Missing	39,023	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	390,472	67.8%
12+ drinks	8,499	1.5%
9-11 drinks	7,387	1.3%
5-8 drinks	17,481	3.0%
3-4 drinks	24,134	4.2%
2 drinks	29,468	5.1%
1 drink	34,171	5.9%
Less than 1 drink	64,210	11.2%
Frequency Missing	34,336	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	422	0.1%
Several times/wk	88	0.0%
Several times/mo	189	0.0%
About once/month	772	0.1%
About once/year	389	0.1%
Less than once/year	1,074	0.2%
Never used	567,195	99.5%
Frequency Missing	40,028	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	435,903	76.1%
12+ drinks	4,340	0.8%
9-11 drinks	4,136	0.7%
5-8 drinks	11,343	2.0%
3-4 drinks	22,300	3.9%
2 drinks	24,316	4.2%
1 drink	30,681	5.4%
Less than 1 drink	39,581	6.9%
Frequency Missing	37,559	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	303	0.1%
Several times/wk	664	0.1%
Several times/mo	1,456	0.3%
About once/month	1,094	0.2%
About once/year	2,060	0.4%
Less than once/year	3,449	0.6%
Never used	558,774	98.4%
Frequency Missing	42,357	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	423,469	74.0%
12+ drinks	2,585	0.5%
9-11 drinks	2,750	0.5%
5-8 drinks	5,785	1.0%
3-4 drinks	12,146	2.1%
2 drinks	22,069	3.9%
1 drink	37,473	6.6%
Less than 1 drink	65,768	11.5%
Frequency Missing	38,114	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	411,418	71.7%
12+ drinks	8,689	1.5%
9-11 drinks	8,496	1.5%
5-8 drinks	19,738	3.4%
3-4 drinks	25,874	4.5%
2 drinks	26,690	4.7%
1 drink	27,745	4.8%
Less than 1 drink	44,802	7.8%
Frequency Missing	36,706	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	379,540	66.0%
Never	81,465	14.2%
Seldom	52,898	9.2%
Most of the Time	46,935	8.2%
Always	13,934	2.4%
Frequency Missing	35,385	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	353,610	62.3%
0 days	167,856	29.6%
1 day	19,616	3.5%
2 days	8,689	1.5%
3 to 5 days	8,543	1.5%
6 to 9 days	3,729	0.7%
10 or more days	5,499	1.0%
Frequency Missing	42,617	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	392,617	68.4%
Never	148,422	25.9%
Seldom	16,050	2.8%
Most of the Time	12,135	2.1%
Always	4,434	0.8%
Frequency Missing	36,500	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	373,696	64.9%
Never	83,300	14.5%
Seldom	78,440	13.6%
Most of the Time	27,952	4.9%
Always	12,417	2.2%
Frequency Missing	34,353	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	368,066	64.1%
Never	76,859	13.4%
Seldom	47,084	8.2%
Most of the Time	53,199	9.3%
Always	29,254	5.1%
Frequency Missing	35,696	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	390,729	68.7%
Never	107,352	18.9%
Seldom	38,134	6.7%
Most of the Time	19,447	3.4%
Always	12,840	2.3%
Frequency Missing	41,656	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	356,534	62.2%
Somewhat	136,556	23.8%
Not very	45,609	8.0%
Not at all	7,993	1.4%
Don't know	26,544	4.6%
Frequency Missing	36,922	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	500,165	87.7%
Somewhat	32,015	5.6%
Not very	4,845	0.8%
Not at all	2,711	0.5%
Don't know	30,288	5.3%
Frequency Missing	40,136	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	294,310	51.6%
Somewhat	160,988	28.2%
Not very	82,367	14.4%
Not at all	10,504	1.8%
Don't know	22,715	4.0%
Frequency Missing	39,274	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	507,559	88.8%
Somewhat	25,084	4.4%
Not very	3,746	0.7%
Not at all	2,653	0.5%
Don't know	32,453	5.7%
Frequency Missing	38,663	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	413,486	72.5%
Somewhat	80,102	14.0%
Not very	27,148	4.8%
Not at all	7,288	1.3%
Don't know	42,560	7.5%
Frequency Missing	39,574	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	471,402	82.6%
Somewhat	39,146	6.9%
Not very	8,580	1.5%
Not at all	3,557	0.6%
Don't know	47,727	8.4%
Frequency Missing	39,746	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	320,298	56.0%
Somewhat	80,406	14.1%
Not very	73,642	12.9%
Not at all	71,778	12.6%
Don't know	25,578	4.5%
Frequency Missing	38,456	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	435,964	76.5%
Somewhat	69,636	12.2%
Not very	20,111	3.5%
Not at all	4,995	0.9%
Don't know	38,841	6.8%
Frequency Missing	40,612	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	508,280	89.1%
Somewhat	20,228	3.5%
Not very	3,436	0.6%
Not at all	2,713	0.5%
Don't know	35,620	6.2%
Frequency Missing	39,881	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	310,317	54.4%
Somewhat	77,005	13.5%
Not very	79,022	13.9%
Not at all	68,477	12.0%
Don't know	35,222	6.2%
Frequency Missing	40,116	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	503,112	88.2%
Somewhat	20,581	3.6%
Not very	4,143	0.7%
Not at all	2,801	0.5%
Don't know	39,559	6.9%
Frequency Missing	39,962	

Days Skipped Since September

Q28a	Frequency	Percent
None	476,638	84.8%
1-3 days	65,310	11.6%
4-9 days	13,495	2.4%
10+ days	6,476	1.2%
Frequency Missing	48,239	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	461,697	81.1%
Somewhat	40,079	7.0%
Not very	12,629	2.2%
Not at all	7,434	1.3%
Don't know	47,446	8.3%
Frequency Missing	40,873	

Days Ill Since September

Q28b	Frequency	Percent
None	200,209	35.7%
1-3 days	262,713	46.8%
4-9 days	78,903	14.1%
10+ days	19,579	3.5%
Frequency Missing	48,755	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	435,025	76.5%
Somewhat	67,841	11.9%
Not very	19,918	3.5%
Not at all	8,046	1.4%
Don't know	38,188	6.7%
Frequency Missing	41,140	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	251,926	45.2%
1-3 days	257,147	46.2%
4-9 days	37,956	6.8%
10+ days	9,892	1.8%
Frequency Missing	53,238	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	502,996	89.7%
1-3 days	44,692	8.0%
4-9 days	6,776	1.2%
10+ days	6,123	1.1%
Frequency Missing	49,571	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	538,170	96.7%
1-3 times	14,800	2.7%
4-9 times	2,363	0.4%
10+ times	1,232	0.2%
Frequency Missing	53,594	

Someone Called Home Since September

Q28e	Frequency	Percent
None	516,645	92.4%
1-3 days	32,642	5.8%
4-9 days	4,891	0.9%
10+ days	5,044	0.9%
Frequency Missing	50,936	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	533,822	95.9%
1-3 times	14,241	2.6%
4-9 times	2,572	0.5%
10+ times	6,025	1.1%
Frequency Missing	53,498	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	542,440	97.2%
1-3 times	12,383	2.2%
4-9 times	2,402	0.4%
10+ times	1,087	0.2%
Frequency Missing	51,846	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	542,504	97.2%
1-3 days	11,441	2.1%
4-9 days	2,062	0.4%
10+ days	1,928	0.3%
Frequency Missing	52,223	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	544,483	97.6%
1-3 times	10,131	1.8%
4-9 times	849	0.2%
10+ times	2,188	0.4%
Frequency Missing	52,506	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	524,379	94.2%
1-3 days	19,433	3.5%
4-9 days	5,757	1.0%
10+ days	7,296	1.3%
Frequency Missing	53,294	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	552,069	99.3%
1-3 days	1,934	0.3%
4-9 days	646	0.1%
10+ days	1,049	0.2%
Frequency Missing	54,461	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	493,496	94.3%
Yes	29,879	5.7%
Frequency Missing	86,783	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	542,834	97.6%
1-3 days	8,659	1.6%
4-9 days	2,548	0.5%
10+ days	2,133	0.4%
Frequency Missing	53,984	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	307,876	56.6%
Yes	235,791	43.4%
Frequency Missing	66,492	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	305,965	55.0%
Seldom	36,923	6.6%
Half the time	29,400	5.3%
Most of the Time	41,612	7.5%
Always	41,076	7.4%
Don't Know	9,133	1.6%
Didn't attend	91,969	16.5%
Frequency Missing	54,080	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	395,996	73.5%
Yes	143,009	26.5%
Frequency Missing	71,154	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	295,703	54.7%
Yes	244,631	45.3%
Frequency Missing	69,824	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	353,415	63.6%
Seldom	29,260	5.3%
Half the time	19,988	3.6%
Most of the Time	27,296	4.9%
Always	25,342	4.6%
Don't Know	8,776	1.6%
Didn't attend	91,512	16.5%
Frequency Missing	54,569	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	153,455	28.1%
Yes	393,507	71.9%
Frequency Missing	63,196	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	220,425	41.0%
Yes	317,058	59.0%
Frequency Missing	72,676	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	304,829	56.7%
Yes	232,728	43.3%
Frequency Missing	72,602	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	183,839	34.1%
Yes	355,891	65.9%
Frequency Missing	70,429	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	294,086	54.9%
Yes	241,393	45.1%
Frequency Missing	74,679	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	216,352	40.1%
Yes	323,752	59.9%
Frequency Missing	70,055	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	357,871	67.1%
Yes	175,583	32.9%
Frequency Missing	76,705	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	311,152	57.7%
Yes	228,218	42.3%
Frequency Missing	70,789	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	438,189	82.6%
Yes	92,530	17.4%
Frequency Missing	79,440	

Would Not Seek Help

Q33i	Frequency	Percent
No	431,393	82.3%
Yes	93,033	17.7%
Frequency Missing	85,732	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	379,571	71.5%
Yes	151,281	28.5%
Frequency Missing	79,307	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	447,948	84.3%
Yes	83,124	15.7%
Frequency Missing	79,086	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	372,096	70.0%
Yes	159,605	30.0%
Frequency Missing	78,458	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	368,170	69.5%
Yes	161,495	30.5%
Frequency Missing	80,494	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	448,573	80.3%
Mild disapprove	42,213	7.6%
Neither	27,414	4.9%
Mildly approve	4,289	0.8%
Strongly approve	2,645	0.5%
Don't know	33,391	6.0%
Frequency Missing	51,632	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	368,279	66.1%
Mild disapprove	75,976	13.6%
Neither	58,182	10.4%
Mildly approve	16,633	3.0%
Strongly approve	5,032	0.9%
Don't know	32,859	5.9%
Frequency Missing	53,198	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	432,938	77.7%
Mild disapprove	34,688	6.2%
Neither	38,743	7.0%
Mildly approve	10,857	1.9%
Strongly approve	7,913	1.4%
Don't know	32,086	5.8%
Frequency Missing	52,933	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
<p>Alcohol Use in Past Month (Q19b : alc_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>Age When First Used Alcohol (Q21b : alc_1)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.</p>
	<p>If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.</p>
<p>How Often Normally Use Alcohol (Q23b : alc_u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>
<p>How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.</p>
<p>Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)</p>	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.</p>
<p>Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)</p>	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.</p>
<p>Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)</p>	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.</p>

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

