

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



**HHSC REGION 5 AND 6 REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	12
Inhalants . . . . .	24
Miscellaneous . . . . .	28
<b>2 Prevalence Tables</b>	<b>34</b>
Table B-1: All Students . . . . .	35
Table B-2: Male Students . . . . .	39
Table B-3: Female Students . . . . .	43
Table B-4: White Non-Hispanic Students . . . . .	47
Table B-5: African American Non-Hispanic Students . . . . .	51
Table B-6: Hispanic or Latino Students . . . . .	55
Table B-7: Students Reporting A Grades on Average . . . . .	59
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	63
Table B-9: Students Living with 2 Parents . . . . .	67
Table B-10: Students Not Living with 2 Parents . . . . .	71
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	75
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	79
<b>3 Margin Tables</b>	<b>83</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>106</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 5 and 6. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	21.6%	26.7%	38.4%	61.6%
Grade 9	15.3%	20.4%	32.1%	67.9%
Grade 10	20.2%	25.5%	35.9%	64.1%
Grade 11	21.2%	26.3%	40.0%	60.0%
Grade 12	32.8%	37.9%	48.7%	51.3%
Cigarettes?				
All	3.7%	6.2%	14.9%	85.1%
Grade 9	2.6%	4.1%	11.8%	88.2%
Grade 10	3.5%	5.5%	14.8%	85.2%
Grade 11	3.5%	6.3%	16.9%	83.1%
Grade 12	5.9%	10.1%	17.4%	82.6%
Smokeless Tobacco?				
All	3.2%	4.4%	8.6%	91.4%
Grade 9	2.3%	2.7%	6.4%	93.6%
Grade 10	2.8%	4.8%	9.2%	90.8%
Grade 11	2.9%	4.3%	9.2%	90.8%
Grade 12	5.4%	6.6%	10.5%	89.5%
Electronic Vapor Products?				
All	17.3%	22.9%	34.4%	65.6%
Grade 9	13.1%	18.0%	28.5%	71.5%
Grade 10	15.3%	21.2%	32.3%	67.7%
Grade 11	16.2%	22.1%	36.3%	63.7%
Grade 12	27.4%	33.4%	43.5%	56.5%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	84.9%	1.3%	1.4%	1.8%	2.8%	2.9%	5.0%
Grade 9	88.4%	0.3%	0.7%	0.9%	2.0%	2.4%	5.2%
Grade 10	86.0%	1.4%	0.8%	1.4%	3.3%	2.1%	5.0%
Grade 11	84.0%	1.4%	1.9%	2.5%	2.3%	3.7%	4.2%
Grade 12	79.4%	2.5%	2.5%	2.6%	4.0%	3.4%	5.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.6	12.3	13.1	13.7	15.1

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.0%	14.1%	5.6%	8.8%	15.7%	27.7%
Grade 9	31.4%	20.3%	6.1%	8.1%	15.4%	18.7%
Grade 10	31.7%	16.4%	6.2%	11.5%	13.2%	20.9%
Grade 11	26.6%	10.0%	5.4%	9.7%	19.9%	28.5%
Grade 12	20.3%	7.4%	4.6%	5.6%	14.3%	47.9%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	65.2%	20.6%	9.3%	3.9%	1.0%
Grade 9	73.7%	15.4%	7.7%	3.0%	0.2%
Grade 10	67.9%	19.9%	8.3%	3.4%	0.6%
Grade 11	61.1%	23.5%	9.6%	3.8%	2.0%
Grade 12	54.2%	25.7%	12.5%	6.1%	1.4%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.7%	8.4%	7.8%	0.8%	0.5%	5.8%
Grade 9	80.7%	6.8%	6.2%	0.5%	0.6%	5.2%
Grade 10	76.9%	6.2%	7.3%	0.3%	0.5%	8.8%
Grade 11	77.6%	8.0%	7.4%	1.2%	0.6%	5.2%
Grade 12	69.7%	13.6%	11.1%	1.3%	0.3%	4.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	55.5%	25.7%	10.2%	2.6%	6.0%
	Grade 9	57.4%	23.8%	10.4%	2.6%	5.9%
	Grade 10	54.4%	25.0%	9.8%	2.2%	8.6%
	Grade 11	57.0%	26.5%	8.0%	2.9%	5.5%
	Grade 12	52.2%	28.0%	13.4%	2.6%	3.8%
Electronic Vapor Products?						
	All	46.2%	11.4%	19.0%	15.7%	7.6%
	Grade 9	49.4%	10.6%	16.4%	16.9%	6.7%
	Grade 10	42.5%	11.9%	19.7%	15.2%	10.8%
	Grade 11	47.8%	12.7%	20.6%	14.1%	4.8%
	Grade 12	44.4%	10.4%	19.9%	16.7%	8.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	36.8%	44.0%	58.8%	41.2%
Grade 9	29.9%	34.2%	50.2%	49.8%
Grade 10	35.7%	42.5%	56.1%	43.9%
Grade 11	33.8%	43.8%	60.5%	39.5%
Grade 12	52.2%	60.7%	73.1%	26.9%
<b>Beer?</b>				
All	15.7%	23.2%	44.6%	55.4%
Grade 9	9.9%	17.6%	37.2%	62.8%
Grade 10	15.8%	22.1%	42.2%	57.8%
Grade 11	12.6%	21.1%	45.1%	54.9%
Grade 12	28.1%	35.6%	58.1%	41.9%
<b>Wine Coolers?</b>				
All	14.2%	22.2%	41.4%	58.6%
Grade 9	8.6%	14.9%	32.0%	68.0%
Grade 10	13.6%	19.8%	39.7%	60.3%
Grade 11	11.9%	21.0%	41.6%	58.4%
Grade 12	26.2%	37.8%	56.9%	43.1%
<b>Wine?</b>				
All	10.1%	17.7%	41.5%	58.5%
Grade 9	6.3%	12.2%	35.4%	64.6%
Grade 10	8.5%	15.3%	38.3%	61.7%
Grade 11	9.3%	16.9%	40.7%	59.3%
Grade 12	18.9%	29.9%	55.8%	44.2%
<b>Liquor?</b>				
All	18.5%	26.6%	46.6%	53.4%
Grade 9	10.9%	18.4%	38.0%	62.0%
Grade 10	15.9%	23.9%	42.0%	58.0%
Grade 11	17.2%	25.2%	47.5%	52.5%
Grade 12	34.5%	43.8%	64.0%	36.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 121

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	51.0%	0.4%	2.6%	8.4%	16.8%	12.4%	8.4%
Grade 9	62.1%	0.2%	2.3%	5.8%	12.9%	9.8%	7.0%
Grade 10	55.6%	0.8%	2.5%	5.2%	17.3%	10.6%	8.0%
Grade 11	47.2%	0.4%	2.2%	10.0%	15.9%	15.4%	8.9%
Grade 12	34.2%	0.2%	3.7%	14.0%	22.9%	14.5%	10.4%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

	Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>					
All	59.1%	40.9%	8.4%	20.5%	12.1%
Grade 9	66.2%	33.8%	4.9%	16.4%	12.5%
Grade 10	61.3%	38.7%	7.2%	19.4%	12.1%
Grade 11	58.9%	41.1%	9.6%	21.0%	10.6%
Grade 12	46.2%	53.8%	13.4%	27.3%	13.1%
<b>Wine Coolers</b>					
All	61.5%	38.5%	8.5%	22.2%	7.8%
Grade 9	69.4%	30.6%	6.0%	17.7%	6.9%
Grade 10	64.8%	35.2%	9.0%	18.0%	8.1%
Grade 11	60.5%	39.5%	7.4%	25.0%	7.2%
Grade 12	47.4%	52.6%	12.7%	30.5%	9.5%
<b>Wine</b>					
All	62.5%	37.5%	3.1%	20.4%	14.0%
Grade 9	69.5%	30.5%	1.9%	14.2%	14.3%
Grade 10	64.6%	35.4%	2.6%	18.8%	14.0%
Grade 11	63.0%	37.0%	2.7%	22.0%	12.3%
Grade 12	49.5%	50.5%	5.7%	29.4%	15.5%
<b>Liquor</b>					
All	55.3%	44.7%	12.3%	23.5%	9.0%
Grade 9	64.8%	35.2%	8.6%	17.5%	9.0%
Grade 10	59.3%	40.7%	10.7%	20.3%	9.7%
Grade 11	54.1%	45.9%	10.0%	27.1%	8.8%
Grade 12	37.9%	62.1%	22.5%	31.3%	8.2%

*Percentages have been weighted to reflect proportions within the population.*

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	83.4%	5.3%	3.6%	4.3%	1.0%	2.4%
Grade 9	88.9%	3.9%	2.8%	2.5%	0.7%	1.3%
Grade 10	86.0%	4.5%	2.9%	3.2%	1.4%	1.9%
Grade 11	85.4%	4.8%	2.9%	3.1%	0.4%	3.3%
Grade 12	69.8%	8.7%	6.6%	9.8%	1.8%	3.3%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.5	12.2	13.1	13.7	14.9

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.7%	8.7%	3.6%	11.2%	19.7%	37.0%
Grade 9	21.9%	13.3%	3.8%	9.0%	19.7%	32.3%
Grade 10	23.6%	10.2%	4.0%	12.8%	16.5%	32.9%
Grade 11	19.1%	6.0%	2.5%	9.6%	23.1%	39.7%
Grade 12	12.6%	3.8%	4.4%	14.4%	19.3%	45.6%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	94.8%	3.8%	0.8%	0.6%
Grade 9	93.4%	5.5%	0.3%	0.8%
Grade 10	94.3%	4.4%	0.6%	0.7%
Grade 11	96.3%	2.5%	0.8%	0.4%
Grade 12	95.5%	2.2%	2.0%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 8 of 121

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.1
Average Days Conduct Problems Reported	
Alcohol Users	2.5
Alcohol Non-Users	0.8

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
All	96.2%	3.1%	0.3%	0.4%
Grade 9	96.9%	2.4%	0.4%	0.3%
Grade 10	96.9%	2.6%	0.1%	0.4%
Grade 11	96.7%	2.7%	0.3%	0.3%
Grade 12	93.6%	5.1%	0.4%	0.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.3%	4.2%	0.4%	0.2%
Grade 9	95.7%	3.6%	0.3%	0.4%
Grade 10	96.4%	3.3%	0.2%	0.0%
Grade 11	95.4%	4.1%	0.5%	0.0%
Grade 12	93.1%	5.9%	0.7%	0.3%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	38.0%	26.5%	16.7%	14.1%	4.7%
Grade 9	48.5%	24.9%	13.4%	11.5%	1.7%
Grade 10	42.3%	24.8%	17.8%	13.4%	1.7%
Grade 11	33.2%	30.8%	17.0%	12.5%	6.5%
Grade 12	23.2%	25.5%	19.7%	20.9%	10.8%

*Percentages have been weighted to reflect proportions within the population.*

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	40.2%	8.9%	7.4%	11.2%	14.0%	1.4%	17.0%
Grade 9	49.1%	9.7%	8.4%	9.2%	5.8%	2.3%	15.5%
Grade 10	43.9%	7.3%	7.2%	10.8%	11.0%	1.1%	18.8%
Grade 11	35.9%	8.3%	7.5%	9.8%	18.9%	1.4%	18.2%
Grade 12	28.3%	10.6%	5.9%	16.2%	23.2%	0.4%	15.4%

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	50.4%	15.9%	20.5%	8.1%	5.1%
	Grade 9	57.5%	18.2%	14.4%	6.2%	3.6%
	Grade 10	54.6%	14.3%	20.4%	7.0%	3.7%
	Grade 11	48.4%	13.8%	22.8%	8.9%	6.1%
	Grade 12	37.7%	17.2%	26.5%	10.9%	7.6%
Friends?	All	49.8%	17.3%	14.6%	13.5%	4.7%
	Grade 9	59.6%	17.8%	10.6%	9.2%	2.9%
	Grade 10	54.1%	18.7%	11.0%	12.5%	3.8%
	Grade 11	45.1%	17.2%	19.3%	14.5%	3.9%
	Grade 12	36.2%	15.3%	19.2%	19.8%	9.5%
A Store?	All	52.7%	36.6%	4.8%	3.5%	2.3%
	Grade 9	60.4%	33.2%	3.5%	2.0%	0.8%
	Grade 10	56.2%	35.3%	3.5%	2.9%	2.2%
	Grade 11	50.9%	37.9%	5.3%	3.7%	2.2%
	Grade 12	39.8%	41.3%	7.8%	6.3%	4.9%
Parties?	All	49.0%	15.0%	11.4%	12.9%	11.7%
	Grade 9	57.3%	15.4%	9.4%	11.3%	6.6%
	Grade 10	52.6%	15.0%	11.4%	10.9%	10.1%
	Grade 11	47.4%	13.0%	12.1%	14.4%	13.0%
	Grade 12	34.4%	16.9%	13.5%	15.9%	19.2%
Other Sources?	All	55.6%	26.1%	7.3%	5.1%	5.9%
	Grade 9	62.9%	23.0%	5.9%	4.0%	4.2%
	Grade 10	57.7%	24.4%	8.0%	3.9%	6.0%
	Grade 11	53.6%	25.8%	8.8%	5.1%	6.7%
	Grade 12	44.7%	33.4%	6.7%	8.1%	7.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 10 of 121

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	54.0%	17.7%	17.5%	4.9%	1.0%	5.0%
Grade 9	62.2%	15.1%	15.0%	2.5%	0.8%	4.4%
Grade 10	54.4%	17.0%	14.8%	4.9%	1.0%	7.9%
Grade 11	54.5%	18.4%	17.1%	5.0%	1.2%	3.8%
Grade 12	41.4%	21.4%	24.5%	8.2%	0.9%	3.6%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	44.1%	31.2%	16.4%	3.7%	4.6%
Grade 9	46.3%	28.9%	16.2%	4.5%	4.1%
Grade 10	40.4%	32.4%	16.5%	2.9%	7.7%
Grade 11	49.0%	27.4%	15.5%	4.6%	3.5%
Grade 12	39.2%	37.8%	17.6%	2.4%	3.0%

*Percentages have been weighted to reflect proportions within the population.*

# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	19.1%	24.1%	31.2%	68.8%
Grade 9	16.1%	20.6%	24.2%	75.8%
Grade 10	16.5%	20.4%	27.5%	72.5%
Grade 11	19.4%	24.4%	33.1%	66.9%
Grade 12	26.5%	33.9%	43.7%	56.3%
<b>Marijuana?</b>				
All	18.7%	22.2%	29.7%	70.3%
Grade 9	15.7%	18.7%	22.6%	77.4%
Grade 10	16.2%	19.0%	26.1%	73.9%
Grade 11	18.4%	21.8%	31.5%	68.5%
Grade 12	26.4%	32.1%	42.6%	57.4%
<b>Cocaine?</b>				
All	1.3%	1.4%	2.6%	97.4%
Grade 9	1.1%	1.1%	1.5%	98.5%
Grade 10	1.3%	1.3%	2.5%	97.5%
Grade 11	1.1%	1.3%	2.4%	97.6%
Grade 12	1.9%	2.2%	4.8%	95.2%
<b>Crack?</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens?</b>				
All	1.0%	2.1%	4.4%	95.6%
Grade 9	0.9%	1.5%	2.9%	97.1%
Grade 10	0.9%	1.9%	4.2%	95.8%
Grade 11	1.1%	2.1%	4.3%	95.7%
Grade 12	1.3%	3.0%	6.7%	93.3%
<b>Synthetic Cathinones?</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.4%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids?</b>				
All	0.5%	0.6%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.1%	0.3%	1.9%	98.1%
Grade 11	0.9%	0.9%	2.4%	97.6%
Grade 12	0.5%	0.6%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy?				
All	1.1%	1.7%	3.4%	96.6%
Grade 9	1.0%	1.6%	2.4%	97.6%
Grade 10	1.4%	2.0%	3.8%	96.2%
Grade 11	0.9%	1.4%	3.7%	96.3%
Grade 12	1.3%	1.9%	4.1%	95.9%
Heroin?				
All	0.2%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
Methamphetamine?				
All	0.2%	0.4%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.2%	0.7%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.5%	1.1%	98.9%
Synthetic Marijuana?				
All	1.2%	2.0%	4.6%	95.4%
Grade 9	1.2%	1.8%	4.7%	95.3%
Grade 10	1.6%	2.4%	4.6%	95.4%
Grade 11	1.4%	2.0%	4.2%	95.8%
Grade 12	0.7%	1.8%	5.0%	95.0%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	1.8%	3.8%	96.2%
Grade 7	0.7%	1.3%	1.8%	98.2%
Grade 8	1.0%	1.6%	2.9%	97.1%
Grade 9	1.2%	1.8%	4.7%	95.3%
Grade 10	1.6%	2.4%	4.6%	95.4%
Grade 11	1.4%	2.0%	4.2%	95.8%
Grade 12	0.7%	1.8%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	73.9%	2.2%	3.0%	4.9%	5.0%	5.7%	5.3%
	Grade 9	78.8%	1.9%	3.4%	4.6%	4.2%	3.2%	3.9%
	Grade 10	78.1%	3.1%	2.4%	3.8%	4.0%	4.2%	4.3%
	Grade 11	73.3%	1.4%	2.1%	4.9%	5.5%	7.5%	5.4%
	Grade 12	62.4%	2.5%	4.4%	6.7%	6.9%	8.7%	8.4%
Cocaine?								
	All	98.2%	0.0%	0.2%	0.1%	0.3%	0.5%	0.7%
	Grade 9	98.9%	0.0%	0.0%	0.1%	0.5%	0.2%	0.3%
	Grade 10	98.4%	0.2%	0.2%	0.2%	0.2%	0.3%	0.6%
	Grade 11	98.4%	0.0%	0.2%	0.0%	0.2%	0.6%	0.7%
	Grade 12	96.6%	0.0%	0.4%	0.1%	0.4%	1.3%	1.2%
Crack?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%
	Grade 11	99.7%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Steroids?								
	All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 11	99.2%	0.0%	0.0%	0.0%	0.3%	0.0%	0.4%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
Ecstasy?								
	All	97.3%	0.0%	0.1%	0.5%	0.3%	1.0%	0.7%
	Grade 9	97.7%	0.1%	0.0%	0.8%	0.0%	1.1%	0.3%
	Grade 10	97.4%	0.0%	0.2%	0.5%	0.7%	0.6%	0.6%
	Grade 11	96.8%	0.0%	0.0%	0.1%	0.4%	1.5%	1.2%
	Grade 12	97.2%	0.0%	0.5%	0.6%	0.0%	0.7%	1.0%
Heroin?								
	All	99.6%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.6%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%
	Grade 10	99.2%	0.0%	0.2%	0.0%	0.1%	0.0%	0.5%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.3%	0.1%	0.0%	0.0%	0.2%	0.0%	0.4%
	Grade 9	99.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
	Grade 10	99.1%	0.2%	0.0%	0.0%	0.4%	0.0%	0.3%
	Grade 11	99.2%	0.0%	0.0%	0.2%	0.0%	0.0%	0.6%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.3%	0.2%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 121

**Table D-2: How Often Do You Normally Use...**  
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Synthetic Marijuana?							
All	96.7%	0.1%	0.2%	0.3%	0.7%	0.8%	1.2%
Grade 9	95.8%	0.1%	0.6%	0.1%	0.3%	1.7%	1.3%
Grade 10	96.4%	0.0%	0.0%	0.7%	0.8%	0.8%	1.3%
Grade 11	97.9%	0.2%	0.0%	0.3%	1.1%	0.2%	0.3%
Grade 12	96.8%	0.0%	0.0%	0.0%	0.6%	0.4%	2.2%

**Table D-3: Average Age of First Use of...**

	All	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.3	13.2	13.8	14.3	15.3
Cocaine	14.9	13.4	14.5	15.2	15.5
Crack	14.2	13.6	14.4	14.5	18.0
Steroids	13.9	12.7	11.6	15.1	14.2
Ecstasy	14.8	13.6	14.5	14.9	16.1
Heroin	13.0	14.0	13.1	12.2	N/A
Methamphetamine	15.1	14.7	14.7	14.9	16.4
Synthetic Marijuana	13.6	13.3	13.5	13.7	14.2

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?	All	23.8%	13.7%	5.8%	9.9%	14.7%	32.1%
	Grade 9	26.6%	19.7%	6.4%	9.6%	12.9%	24.8%
	Grade 10	27.2%	15.8%	4.2%	10.2%	14.0%	28.6%
	Grade 11	22.6%	9.3%	6.4%	10.1%	17.1%	34.5%
	Grade 12	17.0%	7.8%	6.2%	10.1%	15.0%	44.0%
Cocaine?	All	37.9%	27.6%	12.9%	9.8%	5.4%	6.4%
	Grade 9	39.0%	31.2%	11.3%	8.0%	4.4%	6.1%
	Grade 10	39.7%	28.2%	13.3%	8.8%	4.3%	5.7%
	Grade 11	38.1%	27.2%	14.4%	8.4%	6.0%	5.9%
	Grade 12	34.1%	22.2%	12.8%	15.2%	7.6%	8.0%
Crack?	All	39.9%	29.8%	13.2%	8.2%	4.1%	4.8%
	Grade 9	39.2%	33.2%	11.2%	7.3%	4.3%	4.8%
	Grade 10	42.1%	30.4%	12.2%	7.1%	3.3%	4.9%
	Grade 11	40.7%	29.1%	14.5%	7.1%	3.9%	4.8%
	Grade 12	37.2%	24.9%	15.8%	12.3%	5.2%	4.7%
Steroids?	All	41.6%	28.3%	12.5%	8.4%	3.9%	5.3%
	Grade 9	42.1%	31.8%	10.0%	7.5%	3.7%	4.8%
	Grade 10	44.4%	29.5%	10.4%	8.1%	3.0%	4.6%
	Grade 11	41.3%	28.3%	13.1%	7.5%	4.3%	5.5%
	Grade 12	37.7%	22.0%	17.8%	11.1%	4.9%	6.5%
Ecstasy?	All	44.9%	26.0%	10.1%	6.9%	5.8%	6.3%
	Grade 9	47.0%	27.7%	8.8%	6.0%	5.3%	5.0%
	Grade 10	48.6%	26.2%	9.6%	5.0%	3.3%	7.3%
	Grade 11	44.6%	27.5%	9.2%	6.2%	6.6%	6.1%
	Grade 12	37.6%	21.5%	13.9%	11.2%	8.7%	7.2%
Heroin?	All	44.5%	31.9%	12.1%	5.2%	2.2%	4.0%
	Grade 9	46.6%	33.2%	8.9%	5.4%	2.1%	3.8%
	Grade 10	45.4%	32.6%	11.4%	4.1%	1.8%	4.7%
	Grade 11	44.3%	33.0%	12.3%	4.2%	2.4%	3.9%
	Grade 12	40.8%	28.0%	17.1%	7.7%	2.7%	3.6%
Methamphetamine?	All	45.8%	31.1%	11.4%	5.1%	2.2%	4.3%
	Grade 9	46.5%	33.0%	9.6%	5.1%	1.9%	3.8%
	Grade 10	48.0%	30.2%	10.8%	4.7%	1.7%	4.5%
	Grade 11	45.8%	32.9%	10.8%	4.3%	1.9%	4.3%
	Grade 12	42.0%	27.4%	15.6%	6.7%	3.7%	4.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Synthetic Marijuana?						
All	44.9%	23.5%	7.0%	7.9%	7.3%	9.4%
Grade 9	45.9%	25.5%	6.0%	8.4%	6.0%	8.2%
Grade 10	46.5%	24.3%	6.8%	8.3%	5.4%	8.6%
Grade 11	47.0%	23.5%	6.3%	5.9%	8.5%	8.9%
Grade 12	38.9%	19.7%	9.5%	9.2%	10.1%	12.6%

**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	90.0%	5.4%	2.0%	2.6%
Grade 9	90.4%	5.2%	2.0%	2.4%
Grade 10	89.6%	5.4%	1.3%	3.7%
Grade 11	92.1%	5.2%	1.2%	1.5%
Grade 12	87.2%	6.0%	4.1%	2.8%
Attended Class While High from Use of Some Other Drug?				
All	95.8%	2.6%	0.9%	0.7%
Grade 9	95.4%	3.0%	0.6%	1.1%
Grade 10	94.9%	3.3%	1.5%	0.3%
Grade 11	97.8%	1.6%	0.4%	0.2%
Grade 12	95.0%	2.6%	1.2%	1.2%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.6
Average Days Conduct Problems Reported	
Marijuana Users	3.7
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
All	94.0%	4.1%	0.9%	1.1%
Grade 9	95.6%	3.5%	0.3%	0.6%
Grade 10	95.9%	2.1%	1.1%	0.8%
Grade 11	94.7%	4.1%	0.6%	0.6%
Grade 12	88.4%	7.3%	1.7%	2.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	95.6%	3.7%	0.5%	0.2%
Grade 9	95.3%	3.4%	0.8%	0.5%
Grade 10	94.5%	5.0%	0.1%	0.4%
Grade 11	97.0%	2.5%	0.5%	0.0%
Grade 12	95.4%	3.9%	0.7%	0.0%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	45.5%	21.9%	14.7%	13.2%	4.6%
Grade 9	54.2%	18.8%	12.2%	11.5%	3.4%
Grade 10	48.9%	20.3%	14.3%	12.5%	4.0%
Grade 11	42.2%	24.9%	15.0%	13.3%	4.6%
Grade 12	32.8%	25.0%	18.2%	16.6%	7.3%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	49.7%	7.3%	6.2%	9.0%	8.9%	1.9%	17.0%
Grade 9	57.3%	6.2%	5.8%	7.6%	4.5%	2.9%	15.8%
Grade 10	51.6%	7.6%	5.3%	7.7%	7.3%	1.5%	18.9%
Grade 11	47.5%	7.9%	5.0%	9.0%	10.6%	2.2%	17.8%
Grade 12	39.2%	7.7%	9.5%	12.5%	14.9%	0.7%	15.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	72.5%	9.5%	9.3%	2.3%	1.2%	5.3%
Grade 9	77.0%	7.1%	8.3%	2.1%	1.1%	4.5%
Grade 10	72.0%	6.9%	8.7%	2.7%	1.2%	8.6%
Grade 11	70.8%	11.8%	9.8%	2.1%	1.1%	4.4%
Grade 12	68.9%	13.1%	10.6%	2.3%	1.3%	3.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Marijuana?</b>						
	All	46.2%	13.9%	15.6%	18.6%	5.8%
	Grade 9	51.1%	16.6%	11.3%	15.2%	5.7%
	Grade 10	42.3%	14.4%	17.6%	17.5%	8.2%
	Grade 11	47.1%	10.8%	17.5%	20.4%	4.1%
	Grade 12	42.5%	12.9%	16.8%	22.6%	5.2%
<b>Cocaine?</b>						
	All	84.9%	6.2%	0.9%	0.9%	7.0%
	Grade 9	85.3%	5.9%	1.1%	1.1%	6.6%
	Grade 10	79.8%	7.7%	1.6%	0.5%	10.4%
	Grade 11	87.4%	5.9%	0.6%	1.4%	4.7%
	Grade 12	87.7%	5.2%	0.4%	0.3%	6.4%
<b>Crack?</b>						
	All	85.7%	5.2%	0.9%	0.6%	7.6%
	Grade 9	85.5%	4.6%	1.1%	0.8%	8.0%
	Grade 10	80.3%	7.2%	1.0%	0.4%	11.1%
	Grade 11	89.5%	4.8%	0.3%	1.0%	4.4%
	Grade 12	88.1%	4.0%	1.1%	0.0%	6.8%
<b>Ecstasy?</b>						
	All	77.6%	8.5%	2.6%	1.2%	10.1%
	Grade 9	78.3%	7.5%	2.8%	1.5%	9.8%
	Grade 10	73.8%	10.1%	2.2%	0.8%	13.2%
	Grade 11	80.2%	8.4%	2.6%	1.8%	7.0%
	Grade 12	77.9%	8.2%	2.8%	0.4%	10.7%
<b>Steroids?</b>						
	All	73.2%	12.6%	4.2%	1.6%	8.5%
	Grade 9	74.2%	11.2%	5.4%	1.3%	7.9%
	Grade 10	68.7%	15.2%	2.0%	1.6%	12.5%
	Grade 11	74.9%	12.6%	4.7%	2.2%	5.6%
	Grade 12	75.0%	11.4%	4.4%	1.1%	8.1%
<b>Heroin?</b>						
	All	87.0%	4.2%	0.7%	0.6%	7.5%
	Grade 9	86.6%	4.0%	0.9%	0.9%	7.6%
	Grade 10	82.7%	4.8%	1.4%	0.7%	10.4%
	Grade 11	89.9%	4.2%	0.0%	0.8%	5.0%
	Grade 12	88.9%	3.7%	0.4%	0.0%	7.0%
<b>Methamphetamine?</b>						
	All	86.9%	3.9%	0.8%	0.6%	7.8%
	Grade 9	85.7%	4.2%	1.2%	1.0%	8.1%
	Grade 10	82.9%	4.7%	0.9%	0.4%	11.1%
	Grade 11	90.6%	3.5%	0.3%	1.0%	4.6%
	Grade 12	88.8%	3.4%	0.5%	0.0%	7.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Synthetic Marijuana?					
All	76.2%	9.3%	3.0%	1.7%	9.8%
Grade 9	73.2%	11.3%	3.5%	2.1%	10.0%
Grade 10	72.7%	9.2%	4.4%	1.6%	12.1%
Grade 11	81.0%	7.8%	1.7%	2.1%	7.4%
Grade 12	78.7%	8.4%	2.5%	0.5%	9.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	7.5%	11.2%	19.7%	80.3%
Grade 7	6.4%	7.9%	14.2%	85.8%
Grade 8	7.9%	10.4%	17.5%	82.5%
Grade 9	8.2%	12.9%	20.4%	79.6%
Grade 10	7.8%	13.0%	23.6%	76.4%
Grade 11	6.4%	10.5%	20.7%	79.3%
Grade 12	8.7%	13.3%	23.7%	76.3%
<b>Codeine Cough Syrup?</b>				
All	4.4%	7.6%	14.0%	86.0%
Grade 7	3.6%	5.3%	10.2%	89.8%
Grade 8	5.4%	7.4%	12.8%	87.2%
Grade 9	5.9%	9.9%	16.1%	83.9%
Grade 10	4.3%	8.8%	16.4%	83.6%
Grade 11	3.6%	7.2%	14.4%	85.6%
Grade 12	3.4%	6.6%	14.3%	85.7%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	1.1%	2.1%	3.8%	96.2%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.8%	1.2%	1.6%	98.4%
Grade 9	1.3%	2.8%	4.3%	95.7%
Grade 10	1.2%	2.5%	5.8%	94.2%
Grade 11	1.3%	2.8%	4.9%	95.1%
Grade 12	1.4%	3.0%	6.3%	93.7%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.7%	2.7%	5.3%	94.7%
Grade 7	0.8%	1.0%	1.6%	98.4%
Grade 8	1.5%	1.8%	3.2%	96.8%
Grade 9	3.1%	4.6%	7.0%	93.0%
Grade 10	2.1%	4.0%	8.0%	92.0%
Grade 11	1.2%	2.1%	5.7%	94.3%
Grade 12	1.4%	2.7%	7.2%	92.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.5%	2.5%	4.5%	95.5%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.9%	1.3%	2.4%	97.6%
Grade 9	2.1%	3.0%	4.7%	95.3%
Grade 10	1.2%	2.8%	5.5%	94.5%
Grade 11	1.6%	3.3%	6.5%	93.5%
Grade 12	3.0%	4.6%	8.3%	91.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.4%	4.6%	8.4%	91.6%
Grade 7	3.1%	4.0%	7.1%	92.9%
Grade 8	3.6%	4.5%	8.8%	91.2%
Grade 9	3.5%	4.8%	8.3%	91.7%
Grade 10	3.1%	4.7%	9.4%	90.6%
Grade 11	3.3%	4.7%	8.4%	91.6%
Grade 12	4.1%	4.8%	8.7%	91.3%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.6%	2.2%	3.7%	96.3%
Grade 9	1.6%	2.6%	4.6%	95.4%
Grade 10	1.4%	2.1%	3.8%	96.2%
Grade 11	1.8%	2.2%	3.0%	97.0%
Grade 12	1.6%	1.8%	3.1%	96.9%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.1%	15.7%	3.6%	1.7%	8.0%
Grade 9	72.2%	14.7%	3.7%	1.9%	7.5%
Grade 10	67.1%	17.4%	3.0%	0.8%	11.8%
Grade 11	73.5%	14.8%	3.7%	2.7%	5.3%
Grade 12	71.3%	16.1%	4.0%	1.0%	7.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

# Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.5%	4.9%	10.4%	89.6%
Grade 9	4.2%	6.0%	12.6%	87.4%
Grade 10	2.8%	4.0%	8.6%	91.4%
Grade 11	3.1%	4.3%	10.0%	90.0%
Grade 12	3.7%	5.0%	9.8%	90.2%
Spray Paint?				
All	0.3%	0.7%	1.9%	98.1%
Grade 9	0.0%	0.5%	2.4%	97.6%
Grade 10	0.6%	0.8%	1.5%	98.5%
Grade 11	0.0%	1.0%	2.1%	97.9%
Grade 12	0.5%	0.5%	1.3%	98.7%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.2%	3.7%	96.3%
Grade 9	1.8%	2.2%	5.7%	94.3%
Grade 10	0.6%	0.8%	2.5%	97.5%
Grade 11	0.9%	0.9%	4.2%	95.8%
Grade 12	0.7%	0.7%	1.9%	98.1%
Computer Dusting Sprays?				
All	0.4%	0.6%	1.2%	98.8%
Grade 9	0.5%	0.9%	1.8%	98.2%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.7%	1.3%	1.5%	98.5%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.0%	5.4%	94.6%
Grade 9	0.8%	1.7%	6.6%	93.4%
Grade 10	1.6%	2.2%	3.9%	96.1%
Grade 11	1.0%	1.7%	5.2%	94.8%
Grade 12	2.3%	2.9%	6.0%	94.0%
Glue?				
All	0.3%	0.4%	1.1%	98.9%
Grade 9	0.3%	0.3%	1.4%	98.6%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.6%	0.9%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.1%	98.9%
Grade 9	0.0%	0.3%	1.2%	98.8%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.7%	0.7%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 24 of 121

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.5%	0.7%	2.0%	98.0%
Grade 9	0.3%	0.7%	2.8%	97.2%
Grade 10	0.7%	0.8%	1.7%	98.3%
Grade 11	0.6%	0.9%	2.5%	97.5%
Grade 12	0.5%	0.5%	0.8%	99.2%
Other Aerosols/Sprays?				
All	0.3%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.6%	1.8%	98.2%
Grade 10	0.7%	0.8%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.4%	98.6%
Grade 12	0.4%	0.8%	1.1%	98.9%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.7%	0.1%	0.1%	0.2%	0.4%	0.4%	1.1%
Grade 9	96.8%	0.0%	0.1%	0.3%	0.7%	0.3%	1.7%
Grade 10	98.2%	0.3%	0.0%	0.1%	0.1%	0.5%	0.8%
Grade 11	97.4%	0.1%	0.0%	0.3%	0.8%	0.7%	0.7%
Grade 12	98.8%	0.0%	0.3%	0.1%	0.0%	0.0%	0.9%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.0%	5.6%	2.2%	1.2%
Grade 9	88.3%	7.1%	3.2%	1.5%
Grade 10	92.9%	4.7%	1.5%	0.9%
Grade 11	91.4%	4.4%	3.2%	1.0%
Grade 12	92.2%	6.0%	0.6%	1.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.8	11.6	11.6	11.7	13.2

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.3%	0.3%	0.1%	0.3%
Grade 9	98.9%	0.5%	0.0%	0.6%
Grade 10	99.2%	0.4%	0.0%	0.4%
Grade 11	99.5%	0.4%	0.0%	0.0%
Grade 12	99.5%	0.0%	0.3%	0.2%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.2
Inhalant Non-Users	3.7
Average Days Conduct Problems Reported	
Inhalant Users	2.1
Inhalant Non-Users	1.5

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	94.0%	4.1%	1.5%	0.2%	0.2%
Grade 9	93.4%	4.2%	1.8%	0.3%	0.3%
Grade 10	93.8%	4.5%	1.3%	0.4%	0.0%
Grade 11	94.2%	4.0%	1.3%	0.1%	0.4%
Grade 12	95.0%	3.5%	1.4%	0.0%	0.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 26 of 121

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	67.5%	15.3%	5.6%	2.5%	9.1%
Grade 9	67.1%	15.7%	5.4%	3.2%	8.6%
Grade 10	64.7%	15.5%	6.5%	2.1%	11.3%
Grade 11	68.8%	14.8%	5.8%	2.1%	8.5%
Grade 12	69.9%	15.1%	4.7%	2.3%	8.0%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.2%	11.6%	2.8%	4.3%	8.1%	32.1%
Grade 9	41.4%	16.1%	2.9%	3.5%	8.1%	28.0%
Grade 10	45.3%	12.8%	2.6%	4.1%	7.9%	27.3%
Grade 11	40.1%	10.5%	2.6%	4.1%	8.7%	34.0%
Grade 12	37.1%	5.0%	3.2%	5.7%	7.6%	41.5%

*Percentages have been weighted to reflect proportions within the population.*

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	28.2%
	Grade 9	30.3%
	Grade 10	26.8%
	Grade 11	28.2%
	Grade 12	26.8%
An Assembly Program		
	All	30.8%
	Grade 9	31.3%
	Grade 10	32.4%
	Grade 11	28.7%
	Grade 12	30.8%
Guidance Counselor		
	All	15.4%
	Grade 9	18.5%
	Grade 10	15.5%
	Grade 11	12.5%
	Grade 12	14.5%
School Nurse		
	All	9.6%
	Grade 9	11.7%
	Grade 10	9.4%
	Grade 11	7.3%
	Grade 12	10.0%
Science or Social Studies Class		
	All	20.8%
	Grade 9	21.3%
	Grade 10	17.6%
	Grade 11	23.2%
	Grade 12	20.8%
Student Group or Club Meeting at School		
	All	11.4%
	Grade 9	13.5%
	Grade 10	9.8%
	Grade 11	10.0%
	Grade 12	12.1%
An Invited School Guest		
	All	16.8%
	Grade 9	16.0%
	Grade 10	16.2%
	Grade 11	16.0%
	Grade 12	19.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Another Source at School</b>		
	All	24.3%
	Grade 9	25.7%
	Grade 10	23.8%
	Grade 11	24.0%
	Grade 12	23.5%
<b>Any School Source</b>		
	All	53.2%
	Grade 9	53.7%
	Grade 10	54.3%
	Grade 11	52.9%
	Grade 12	51.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	30.0%
	Grade 9	32.0%
	Grade 10	27.9%
	Grade 11	31.0%
	Grade 12	28.5%
<b>School Nurse</b>		
	All	16.4%
	Grade 9	18.3%
	Grade 10	15.4%
	Grade 11	16.1%
	Grade 12	15.4%
<b>Another Adult In School</b>		
	All	35.6%
	Grade 9	34.6%
	Grade 10	33.3%
	Grade 11	36.4%
	Grade 12	38.8%
<b>Counselor/Program Outside-School</b>		
	All	33.7%
	Grade 9	34.8%
	Grade 10	31.5%
	Grade 11	37.2%
	Grade 12	30.3%
<b>Your Parents</b>		
	All	62.8%
	Grade 9	66.7%
	Grade 10	62.0%
	Grade 11	62.9%
	Grade 12	58.1%
<b>A Medical Doctor</b>		
	All	51.2%
	Grade 9	51.4%
	Grade 10	47.6%
	Grade 11	54.5%
	Grade 12	51.3%
<b>Your Friends</b>		
	All	66.4%
	Grade 9	61.4%
	Grade 10	66.4%
	Grade 11	68.8%
	Grade 12	70.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 30 of 121

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
Another Adult		
	All	57.2%
	Grade 9	59.7%
	Grade 10	59.3%
	Grade 11	54.3%
	Grade 12	54.8%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.9%
	Grade 9	7.8%
	Grade 10	6.6%
	Grade 11	6.7%
	Grade 12	6.4%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.6%	22.9%	23.4%	38.2%	11.0%
Grade 9	4.8%	22.9%	22.6%	39.7%	9.9%
Grade 10	5.4%	25.8%	23.6%	32.2%	13.0%
Grade 11	4.6%	24.1%	21.8%	37.6%	11.9%
Grade 12	3.0%	17.8%	26.1%	44.3%	8.8%
<b>Sometimes Carry Weapons?</b>					
All	74.5%	16.0%	5.6%	2.4%	1.5%
Grade 9	77.8%	13.1%	6.2%	1.7%	1.1%
Grade 10	77.0%	14.7%	4.8%	2.0%	1.5%
Grade 11	74.3%	16.2%	4.5%	3.6%	1.4%
Grade 12	66.5%	21.8%	7.2%	2.4%	2.1%
<b>Care About Making Good Grades?</b>					
All	1.9%	10.7%	24.0%	44.1%	19.2%
Grade 9	2.6%	12.1%	26.1%	41.1%	18.0%
Grade 10	1.5%	11.2%	25.1%	42.9%	19.3%
Grade 11	1.8%	9.7%	22.2%	45.4%	20.8%
Grade 12	1.7%	9.1%	21.8%	48.5%	18.8%
<b>Belong/Want to Belong to a Gang?</b>					
All	83.8%	10.7%	3.1%	1.2%	1.2%
Grade 9	80.9%	12.4%	3.3%	2.2%	1.3%
Grade 10	80.8%	13.3%	4.3%	0.8%	0.8%
Grade 11	87.5%	7.6%	2.9%	1.1%	0.8%
Grade 12	87.4%	8.9%	1.5%	0.3%	1.9%
<b>Wish They Could Drop Out of School?</b>					
All	47.0%	30.4%	12.0%	5.5%	5.1%
Grade 9	44.9%	30.8%	13.1%	6.0%	5.2%
Grade 10	45.5%	34.3%	10.7%	6.1%	3.3%
Grade 11	48.3%	29.1%	11.6%	4.8%	6.2%
Grade 12	50.5%	26.0%	12.6%	5.0%	6.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	85.4%	12.7%	0.7%	0.5%	0.7%
Grade 9	83.5%	14.7%	0.6%	0.4%	0.8%
Grade 10	84.6%	13.6%	0.9%	0.5%	0.4%
Grade 11	87.8%	10.5%	0.4%	0.7%	0.6%
Grade 12	86.2%	11.4%	1.2%	0.4%	0.9%
<b>Out In Your Neighborhood?</b>					
All	47.8%	44.4%	4.8%	1.2%	1.8%
Grade 9	45.7%	46.0%	4.7%	1.3%	2.3%
Grade 10	48.6%	43.3%	5.4%	1.0%	1.6%
Grade 11	50.6%	42.8%	4.3%	0.8%	1.5%
Grade 12	46.6%	45.1%	4.9%	1.7%	1.7%
<b>At School?</b>					
All	28.1%	49.6%	12.0%	6.4%	4.0%
Grade 9	28.5%	50.9%	9.8%	5.4%	5.4%
Grade 10	26.8%	47.6%	13.9%	6.9%	4.7%
Grade 11	25.3%	49.9%	13.1%	8.4%	3.3%
Grade 12	32.5%	49.8%	11.2%	4.6%	1.9%

*Percentages have been weighted to reflect proportions within the population.*

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.6%	26.7%	38.4%	61.6%
Grade 9	15.3%	20.4%	32.1%	67.9%
Grade 10	20.2%	25.5%	35.9%	64.1%
Grade 11	21.2%	26.3%	40.0%	60.0%
Grade 12	32.8%	37.9%	48.7%	51.3%
<b>Any Alcohol Product</b>				
All	36.8%	44.0%	58.8%	41.2%
Grade 9	29.9%	34.2%	50.2%	49.8%
Grade 10	35.7%	42.5%	56.1%	43.9%
Grade 11	33.8%	43.8%	60.5%	39.5%
Grade 12	52.2%	60.7%	73.1%	26.9%
<b>Any Illicit Drug</b>				
All	19.1%	24.1%	31.2%	68.8%
Grade 9	16.1%	20.6%	24.2%	75.8%
Grade 10	16.5%	20.4%	27.5%	72.5%
Grade 11	19.4%	24.4%	33.1%	66.9%
Grade 12	26.5%	33.9%	43.7%	56.3%
<b>Any Prescription Drug</b>				
All	7.8%	12.4%	22.0%	78.0%
Grade 9	8.2%	12.9%	20.4%	79.6%
Grade 10	7.8%	13.0%	23.6%	76.4%
Grade 11	6.4%	10.5%	20.7%	79.3%
Grade 12	8.7%	13.3%	23.7%	76.3%
<b>Any Inhalant</b>				
All	3.5%	4.9%	10.4%	89.6%
Grade 9	4.2%	6.0%	12.6%	87.4%
Grade 10	2.8%	4.0%	8.6%	91.4%
Grade 11	3.1%	4.3%	10.0%	90.0%
Grade 12	3.7%	5.0%	9.8%	90.2%
<b>Electronic Vapor Products</b>				
All	17.3%	22.9%	34.4%	65.6%
Grade 9	13.1%	18.0%	28.5%	71.5%
Grade 10	15.3%	21.2%	32.3%	67.7%
Grade 11	16.2%	22.1%	36.3%	63.7%
Grade 12	27.4%	33.4%	43.5%	56.5%
<b>Marijuana</b>				
All	18.7%	22.2%	29.7%	70.3%
Grade 9	15.7%	18.7%	22.6%	77.4%
Grade 10	16.2%	19.0%	26.1%	73.9%
Grade 11	18.4%	21.8%	31.5%	68.5%
Grade 12	26.4%	32.1%	42.6%	57.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	11.7%	14.5%	20.8%	79.2%
	Grade 9	10.1%	12.0%	15.4%	84.6%
	Grade 10	9.1%	11.4%	17.8%	82.2%
	Grade 11	12.1%	15.0%	22.9%	77.1%
	Grade 12	17.0%	21.6%	29.9%	70.1%
<b>Cocaine or Crack</b>					
	All	1.4%	1.5%	2.8%	97.2%
	Grade 9	1.2%	1.2%	1.7%	98.3%
	Grade 10	1.3%	1.4%	2.5%	97.5%
	Grade 11	1.3%	1.5%	2.6%	97.4%
	Grade 12	1.9%	2.2%	5.1%	94.9%
<b>Cocaine</b>					
	All	1.3%	1.4%	2.6%	97.4%
	Grade 9	1.1%	1.1%	1.5%	98.5%
	Grade 10	1.3%	1.3%	2.5%	97.5%
	Grade 11	1.1%	1.3%	2.4%	97.6%
	Grade 12	1.9%	2.2%	4.8%	95.2%
<b>Crack</b>					
	All	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.5%	0.5%	0.7%	99.3%
	Grade 10	0.4%	0.4%	0.7%	99.3%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>					
	All	1.0%	2.1%	4.4%	95.6%
	Grade 9	0.9%	1.5%	2.9%	97.1%
	Grade 10	0.9%	1.9%	4.2%	95.8%
	Grade 11	1.1%	2.1%	4.3%	95.7%
	Grade 12	1.3%	3.0%	6.7%	93.3%
<b>Synthetic Cathinones</b>					
	All	0.2%	0.3%	0.6%	99.4%
	Grade 9	0.0%	0.1%	0.4%	99.6%
	Grade 10	0.2%	0.4%	1.0%	99.0%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>					
	All	0.5%	0.6%	1.7%	98.3%
	Grade 9	0.5%	0.5%	1.2%	98.8%
	Grade 10	0.1%	0.3%	1.9%	98.1%
	Grade 11	0.9%	0.9%	2.4%	97.6%
	Grade 12	0.5%	0.6%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 36 of 121

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	1.1%	1.7%	3.4%	96.6%
	Grade 9	1.0%	1.6%	2.4%	97.6%
	Grade 10	1.4%	2.0%	3.8%	96.2%
	Grade 11	0.9%	1.4%	3.7%	96.3%
	Grade 12	1.3%	1.9%	4.1%	95.9%
Heroin	All	0.2%	0.2%	0.6%	99.4%
	Grade 9	0.2%	0.2%	0.3%	99.7%
	Grade 10	0.2%	0.3%	1.0%	99.0%
	Grade 11	0.3%	0.3%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana	All	1.2%	2.0%	4.6%	95.4%
	Grade 9	1.2%	1.8%	4.7%	95.3%
	Grade 10	1.6%	2.4%	4.6%	95.4%
	Grade 11	1.4%	2.0%	4.2%	95.8%
	Grade 12	0.7%	1.8%	5.0%	95.0%
Methamphetamine	All	0.2%	0.4%	1.1%	98.9%
	Grade 9	0.2%	0.2%	1.0%	99.0%
	Grade 10	0.2%	0.7%	1.3%	98.7%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.0%	0.5%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 37 of 121



**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	1.1%	1.8%	3.8%	96.2%
Grade 7	0.7%	1.3%	1.8%	98.2%
Grade 8	1.0%	1.6%	2.9%	97.1%
Grade 9	1.2%	1.8%	4.7%	95.3%
Grade 10	1.6%	2.4%	4.6%	95.4%
Grade 11	1.4%	2.0%	4.2%	95.8%
Grade 12	0.7%	1.8%	5.0%	95.0%
<b>Methamphetamine</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.2%	0.7%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.5%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.3%	26.8%	37.6%	62.4%
Grade 9	15.0%	20.6%	29.9%	70.1%
Grade 10	18.8%	23.7%	33.0%	67.0%
Grade 11	21.1%	26.4%	40.7%	59.3%
Grade 12	35.5%	41.4%	52.2%	47.8%
<b>Any Alcohol Product</b>				
All	31.5%	37.3%	52.7%	47.3%
Grade 9	21.3%	26.3%	41.5%	58.5%
Grade 10	31.1%	35.1%	50.2%	49.8%
Grade 11	30.2%	38.6%	56.1%	43.9%
Grade 12	49.9%	56.4%	69.8%	30.2%
<b>Any Illicit Drug</b>				
All	16.8%	21.1%	27.5%	72.5%
Grade 9	12.9%	17.0%	19.7%	80.3%
Grade 10	13.2%	17.1%	23.4%	76.6%
Grade 11	16.9%	22.1%	30.0%	70.0%
Grade 12	28.2%	32.3%	42.6%	57.4%
<b>Any Prescription Drug</b>				
All	7.1%	11.5%	22.0%	78.0%
Grade 9	8.3%	12.2%	20.5%	79.5%
Grade 10	6.6%	11.1%	22.0%	78.0%
Grade 11	6.6%	11.5%	21.8%	78.2%
Grade 12	6.7%	10.9%	24.7%	75.3%
<b>Any Inhalant</b>				
All	3.2%	4.4%	9.4%	90.6%
Grade 9	3.6%	5.2%	9.9%	90.1%
Grade 10	1.9%	3.2%	7.7%	92.3%
Grade 11	3.3%	4.2%	9.6%	90.4%
Grade 12	4.6%	5.2%	10.5%	89.5%
<b>Electronic Vapor Products</b>				
All	16.3%	22.2%	32.9%	67.1%
Grade 9	13.4%	18.0%	25.8%	74.2%
Grade 10	13.1%	18.9%	29.2%	70.8%
Grade 11	15.2%	21.2%	36.5%	63.5%
Grade 12	27.3%	35.0%	45.1%	54.9%
<b>Marijuana</b>				
All	16.2%	19.2%	26.1%	73.9%
Grade 9	12.3%	14.7%	17.9%	82.1%
Grade 10	12.6%	15.5%	22.0%	78.0%
Grade 11	15.9%	18.9%	28.7%	71.3%
Grade 12	27.9%	32.1%	41.6%	58.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	9.7%	12.0%	17.6%	82.4%
	Grade 9	8.0%	9.2%	11.8%	88.2%
	Grade 10	8.4%	10.8%	17.2%	82.8%
	Grade 11	8.7%	11.4%	19.2%	80.8%
	Grade 12	15.5%	18.6%	25.7%	74.3%
<b>Cocaine or Crack</b>					
	All	1.2%	1.4%	2.9%	97.1%
	Grade 9	0.9%	0.9%	1.3%	98.7%
	Grade 10	0.3%	0.3%	0.9%	99.1%
	Grade 11	2.2%	2.6%	3.7%	96.3%
	Grade 12	1.5%	2.2%	7.2%	92.8%
<b>Cocaine</b>					
	All	1.1%	1.3%	2.8%	97.2%
	Grade 9	0.7%	0.7%	1.1%	98.9%
	Grade 10	0.1%	0.2%	0.7%	99.3%
	Grade 11	2.2%	2.6%	3.7%	96.3%
	Grade 12	1.5%	2.2%	7.2%	92.8%
<b>Crack</b>					
	All	0.3%	0.3%	0.4%	99.6%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.3%	0.3%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	1.4%	2.4%	4.7%	95.3%
	Grade 9	0.9%	1.4%	3.1%	96.9%
	Grade 10	1.2%	1.4%	2.9%	97.1%
	Grade 11	2.2%	3.1%	4.8%	95.2%
	Grade 12	1.6%	4.4%	9.8%	90.2%
<b>Synthetic Cathinones</b>					
	All	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	All	0.8%	0.9%	1.7%	98.3%
	Grade 9	0.9%	1.0%	1.3%	98.7%
	Grade 10	0.0%	0.0%	1.6%	98.4%
	Grade 11	1.3%	1.3%	2.1%	97.9%
	Grade 12	1.0%	1.4%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 121

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	1.3%	1.8%	3.5%	96.5%
	Grade 9	1.0%	1.5%	2.4%	97.6%
	Grade 10	1.1%	1.2%	2.0%	98.0%
	Grade 11	2.0%	2.6%	5.3%	94.7%
	Grade 12	1.0%	2.2%	5.0%	95.0%
Heroin	All	0.3%	0.3%	0.5%	99.5%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	1.5%	98.5%
	Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana	All	1.3%	2.1%	4.4%	95.6%
	Grade 9	1.2%	2.1%	4.5%	95.5%
	Grade 10	1.3%	1.3%	2.3%	97.7%
	Grade 11	1.4%	2.1%	4.8%	95.2%
	Grade 12	1.5%	3.2%	6.7%	93.3%
Methamphetamine	All	0.4%	0.5%	1.1%	98.9%
	Grade 9	0.3%	0.3%	0.9%	99.1%
	Grade 10	0.4%	0.4%	0.9%	99.1%
	Grade 11	0.8%	0.8%	1.4%	98.6%
	Grade 12	0.0%	0.3%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 41 of 121

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	1.5%	98.5%
Grade 12	0.3%	0.3%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.1%	1.8%	3.7%	96.3%
Grade 7	0.3%	0.8%	1.7%	98.3%
Grade 8	1.2%	1.8%	3.4%	96.6%
Grade 9	1.2%	2.1%	4.5%	95.5%
Grade 10	1.3%	1.3%	2.3%	97.7%
Grade 11	1.4%	2.1%	4.8%	95.2%
Grade 12	1.5%	3.2%	6.7%	93.3%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	0.0%	0.3%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.7%	26.6%	39.1%	60.9%
Grade 9	15.8%	20.5%	34.4%	65.6%
Grade 10	21.5%	27.2%	38.4%	61.6%
Grade 11	21.5%	26.4%	39.8%	60.2%
Grade 12	30.5%	34.9%	45.8%	54.2%
<b>Any Alcohol Product</b>				
All	41.8%	50.1%	64.3%	35.7%
Grade 9	37.7%	41.6%	58.4%	41.6%
Grade 10	40.7%	49.8%	61.7%	38.3%
Grade 11	37.2%	48.6%	64.6%	35.4%
Grade 12	54.2%	64.2%	75.3%	24.7%
<b>Any Illicit Drug</b>				
All	21.3%	26.7%	34.4%	65.6%
Grade 9	19.3%	24.1%	28.6%	71.4%
Grade 10	20.0%	23.3%	31.4%	68.6%
Grade 11	21.6%	26.4%	35.8%	64.2%
Grade 12	25.4%	34.7%	44.4%	55.6%
<b>Any Prescription Drug</b>				
All	8.3%	13.3%	21.7%	78.3%
Grade 9	8.3%	13.7%	20.6%	79.4%
Grade 10	9.2%	15.1%	24.9%	75.1%
Grade 11	6.3%	9.8%	19.8%	80.2%
Grade 12	9.9%	14.9%	22.1%	77.9%
<b>Any Inhalant</b>				
All	3.8%	5.4%	11.2%	88.8%
Grade 9	4.9%	6.9%	15.2%	84.8%
Grade 10	3.8%	4.9%	9.2%	90.8%
Grade 11	3.1%	4.5%	10.4%	89.6%
Grade 12	3.0%	5.0%	8.9%	91.1%
<b>Electronic Vapor Products</b>				
All	18.1%	23.7%	35.9%	64.1%
Grade 9	12.9%	18.2%	31.3%	68.7%
Grade 10	17.1%	23.3%	34.9%	65.1%
Grade 11	17.0%	23.1%	36.4%	63.6%
Grade 12	27.8%	32.5%	42.6%	57.4%
<b>Marijuana</b>				
All	21.0%	24.8%	32.9%	67.1%
Grade 9	19.1%	22.5%	27.0%	73.0%
Grade 10	20.1%	22.2%	30.1%	69.9%
Grade 11	20.4%	24.3%	33.9%	66.1%
Grade 12	25.4%	31.6%	43.2%	56.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	13.6%	16.8%	23.8%	76.2%
Grade 9	12.2%	14.7%	18.9%	81.1%
Grade 10	10.0%	12.1%	18.8%	81.2%
Grade 11	14.9%	17.9%	26.2%	73.8%
Grade 12	18.3%	23.8%	33.2%	66.8%
<b>Cocaine or Crack</b>				
All	1.7%	1.7%	2.7%	97.3%
Grade 9	1.5%	1.5%	2.0%	98.0%
Grade 10	2.4%	2.4%	4.2%	95.8%
Grade 11	0.6%	0.6%	1.7%	98.3%
Grade 12	2.2%	2.2%	3.0%	97.0%
<b>Cocaine</b>				
All	1.6%	1.6%	2.4%	97.6%
Grade 9	1.5%	1.5%	1.8%	98.2%
Grade 10	2.4%	2.4%	4.2%	95.8%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	2.2%	2.2%	2.5%	97.5%
<b>Crack</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.7%	1.7%	3.9%	96.1%
Grade 9	0.8%	1.6%	2.8%	97.2%
Grade 10	0.5%	1.9%	5.1%	94.9%
Grade 11	0.3%	1.2%	3.9%	96.1%
Grade 12	1.0%	1.9%	3.9%	96.1%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 9	0.0%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.3%	1.3%	98.7%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Steroids</b>				
All	0.2%	0.3%	1.7%	98.3%
Grade 9	0.1%	0.1%	1.1%	98.9%
Grade 10	0.2%	0.6%	2.2%	97.8%
Grade 11	0.5%	0.5%	2.7%	97.3%
Grade 12	0.0%	0.0%	0.7%	99.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 121

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	1.0%	1.6%	3.3%	96.7%
	Grade 9	1.0%	1.8%	2.4%	97.6%
	Grade 10	1.7%	2.9%	5.7%	94.3%
	Grade 11	0.0%	0.3%	2.3%	97.7%
	Grade 12	1.6%	1.7%	2.8%	97.2%
Heroin	All	0.1%	0.2%	0.6%	99.4%
	Grade 9	0.2%	0.2%	0.5%	99.5%
	Grade 10	0.3%	0.6%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana	All	1.2%	2.0%	4.8%	95.2%
	Grade 9	1.1%	1.5%	4.9%	95.1%
	Grade 10	2.0%	3.6%	6.9%	93.1%
	Grade 11	1.4%	1.9%	3.6%	96.4%
	Grade 12	0.1%	0.7%	3.8%	96.2%
Methamphetamine	All	0.0%	0.4%	1.1%	98.9%
	Grade 9	0.1%	0.1%	1.0%	99.0%
	Grade 10	0.1%	1.0%	1.8%	98.2%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.6%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 45 of 121



**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.7%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.6%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	1.1%	1.8%	3.8%	96.2%
Grade 7	1.1%	1.7%	1.8%	98.2%
Grade 8	0.7%	1.4%	2.3%	97.7%
Grade 9	1.1%	1.5%	4.9%	95.1%
Grade 10	2.0%	3.6%	6.9%	93.1%
Grade 11	1.4%	1.9%	3.6%	96.4%
Grade 12	0.1%	0.7%	3.8%	96.2%
<b>Methamphetamine</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.1%	0.1%	1.0%	99.0%
Grade 10	0.1%	1.0%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.6%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	25.6%	30.3%	41.6%	58.4%
Grade 9	14.6%	20.0%	32.2%	67.8%
Grade 10	26.1%	30.5%	41.3%	58.7%
Grade 11	23.4%	29.6%	43.0%	57.0%
Grade 12	40.8%	43.3%	51.8%	48.2%
<b>Any Alcohol Product</b>				
All	36.4%	44.7%	60.3%	39.7%
Grade 9	24.8%	31.6%	46.3%	53.7%
Grade 10	36.9%	45.1%	62.1%	37.9%
Grade 11	33.8%	46.2%	61.7%	38.3%
Grade 12	52.8%	58.6%	73.9%	26.1%
<b>Any Illicit Drug</b>				
All	15.8%	21.2%	29.5%	70.5%
Grade 9	11.4%	17.1%	21.6%	78.4%
Grade 10	14.6%	19.4%	27.3%	72.7%
Grade 11	15.2%	20.3%	30.9%	69.1%
Grade 12	23.2%	29.5%	40.4%	59.6%
<b>Any Prescription Drug</b>				
All	8.3%	12.3%	22.4%	77.6%
Grade 9	6.7%	11.7%	19.3%	80.7%
Grade 10	10.0%	14.6%	25.7%	74.3%
Grade 11	4.8%	6.7%	17.3%	82.7%
Grade 12	12.2%	16.6%	28.1%	71.9%
<b>Any Inhalant</b>				
All	2.7%	4.5%	10.3%	89.7%
Grade 9	2.2%	4.9%	11.0%	89.0%
Grade 10	2.0%	2.9%	7.9%	92.1%
Grade 11	3.4%	3.8%	9.5%	90.5%
Grade 12	3.5%	6.7%	13.1%	86.9%
<b>Electronic Vapor Products</b>				
All	19.3%	24.4%	36.1%	63.9%
Grade 9	11.1%	15.7%	26.8%	73.2%
Grade 10	17.9%	23.8%	35.4%	64.6%
Grade 11	17.1%	23.1%	40.7%	59.3%
Grade 12	33.4%	37.0%	43.6%	56.4%
<b>Marijuana</b>				
All	15.4%	19.3%	28.5%	71.5%
Grade 9	10.9%	14.1%	19.8%	80.2%
Grade 10	14.6%	18.3%	25.6%	74.4%
Grade 11	14.2%	17.4%	30.4%	69.6%
Grade 12	23.2%	28.7%	40.3%	59.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 121

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	9.2%	12.3%	20.5%	79.5%
Grade 9	6.2%	8.5%	13.3%	86.7%
Grade 10	8.5%	11.1%	18.3%	81.7%
Grade 11	8.7%	10.9%	22.2%	77.8%
Grade 12	14.2%	19.7%	30.1%	69.9%
<b>Cocaine or Crack</b>				
All	1.7%	1.7%	3.0%	97.0%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	2.2%	2.3%	3.4%	96.6%
Grade 11	2.3%	2.3%	4.0%	96.0%
Grade 12	1.8%	1.9%	4.2%	95.8%
<b>Cocaine</b>				
All	1.7%	1.7%	3.0%	97.0%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	2.2%	2.3%	3.4%	96.6%
Grade 11	2.3%	2.3%	4.0%	96.0%
Grade 12	1.8%	1.9%	4.2%	95.8%
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.1%	99.9%
<b>Hallucinogens</b>				
All	0.9%	2.3%	5.1%	94.9%
Grade 9	0.4%	0.9%	2.1%	97.9%
Grade 10	0.0%	2.7%	5.9%	94.1%
Grade 11	0.9%	1.6%	5.2%	94.8%
Grade 12	2.6%	4.4%	7.9%	92.1%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.7%	0.9%	2.2%	97.8%
Grade 9	0.8%	0.9%	2.0%	98.0%
Grade 10	0.3%	0.3%	2.7%	97.3%
Grade 11	0.9%	1.1%	2.4%	97.6%
Grade 12	0.9%	1.4%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.8%	1.4%	3.0%	97.0%
	Grade 9	0.1%	0.8%	1.4%	98.6%
	Grade 10	0.7%	0.8%	3.5%	96.5%
	Grade 11	1.3%	1.6%	2.8%	97.2%
	Grade 12	1.1%	2.8%	4.7%	95.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.5%	0.5%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana	All	1.0%	1.1%	3.3%	96.7%
	Grade 9	0.8%	0.9%	3.7%	96.3%
	Grade 10	0.7%	1.2%	2.8%	97.2%
	Grade 11	1.4%	1.5%	4.6%	95.4%
	Grade 12	1.0%	1.0%	1.8%	98.2%
Methamphetamine	All	0.2%	0.3%	1.3%	98.7%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.1%	0.4%	1.6%	98.4%
	Grade 11	0.6%	0.6%	1.3%	98.7%
	Grade 12	0.0%	0.1%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 49 of 121

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.8%	1.1%	2.8%	97.2%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.6%	2.0%	3.1%	96.9%
Grade 9	0.8%	0.9%	3.7%	96.3%
Grade 10	0.7%	1.2%	2.8%	97.2%
Grade 11	1.4%	1.5%	4.6%	95.4%
Grade 12	1.0%	1.0%	1.8%	98.2%
<b>Methamphetamine</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.6%	0.8%	1.7%	98.3%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.4%	1.6%	98.4%
Grade 11	0.6%	0.6%	1.3%	98.7%
Grade 12	0.0%	0.1%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.2%	13.8%	23.9%	76.1%
Grade 9	4.2%	6.6%	18.2%	81.8%
Grade 10	1.5%	6.1%	13.8%	86.2%
Grade 11	16.7%	19.1%	28.9%	71.1%
Grade 12	19.6%	30.9%	42.7%	57.3%
<b>Any Alcohol Product</b>				
All	28.5%	38.3%	53.0%	47.0%
Grade 9	23.4%	25.9%	46.7%	53.3%
Grade 10	26.2%	27.4%	39.9%	60.1%
Grade 11	29.3%	47.4%	63.0%	37.0%
Grade 12	40.2%	64.0%	70.3%	29.7%
<b>Any Illicit Drug</b>				
All	21.3%	25.6%	31.9%	68.1%
Grade 9	16.4%	20.5%	24.7%	75.3%
Grade 10	8.1%	13.4%	21.2%	78.8%
Grade 11	34.2%	40.4%	45.6%	54.4%
Grade 12	31.8%	32.2%	41.6%	58.4%
<b>Any Prescription Drug</b>				
All	6.4%	8.8%	19.7%	80.3%
Grade 9	5.1%	5.3%	12.8%	87.2%
Grade 10	7.9%	10.1%	18.8%	81.2%
Grade 11	7.7%	10.2%	28.1%	71.9%
Grade 12	4.1%	10.2%	20.3%	79.7%
<b>Any Inhalant</b>				
All	2.9%	4.5%	8.2%	91.8%
Grade 9	1.7%	1.7%	5.6%	94.4%
Grade 10	2.3%	2.3%	4.7%	95.3%
Grade 11	4.6%	11.3%	18.3%	81.7%
Grade 12	3.2%	3.2%	3.4%	96.6%
<b>Electronic Vapor Products</b>				
All	7.0%	11.7%	21.9%	78.1%
Grade 9	2.8%	5.3%	14.5%	85.5%
Grade 10	1.5%	4.1%	11.7%	88.3%
Grade 11	9.3%	14.1%	28.1%	71.9%
Grade 12	19.4%	30.8%	41.7%	58.3%
<b>Marijuana</b>				
All	20.7%	24.7%	31.7%	68.3%
Grade 9	16.4%	20.5%	24.7%	75.3%
Grade 10	8.0%	12.1%	20.2%	79.8%
Grade 11	32.0%	38.2%	45.6%	54.4%
Grade 12	31.8%	32.2%	41.6%	58.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	16.4%	20.3%	24.9%	75.1%
	Grade 9	16.0%	20.0%	24.2%	75.8%
	Grade 10	6.5%	10.4%	17.8%	82.2%
	Grade 11	22.5%	28.6%	29.3%	70.7%
	Grade 12	24.5%	24.9%	30.7%	69.3%
<b>Cocaine or Crack</b>					
	All	1.1%	1.1%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	2.2%	2.2%	2.2%	97.8%
	Grade 12	3.3%	3.3%	3.3%	96.7%
<b>Cocaine</b>					
	All	1.1%	1.1%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	2.2%	2.2%	2.2%	97.8%
	Grade 12	3.3%	3.3%	3.3%	96.7%
<b>Crack</b>					
	All	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	1.2%	1.8%	2.4%	97.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	2.5%	4.7%	7.0%	93.0%
	Grade 12	3.4%	3.4%	3.6%	96.4%
<b>Synthetic Cathinones</b>					
	All	0.6%	0.6%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	3.3%	3.3%	3.3%	96.7%
<b>Steroids</b>					
	All	0.1%	0.1%	1.3%	98.7%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	4.8%	95.2%
	Grade 12	0.2%	0.2%	0.2%	99.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Ecstasy</b>				
All	1.2%	1.2%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.4%	2.4%	6.9%	93.1%
Grade 12	3.3%	3.3%	3.3%	96.7%
<b>Heroin</b>				
All	0.6%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.2%	2.2%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.1%	0.7%	3.2%	96.8%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.0%	2.2%	6.7%	93.3%
Grade 12	0.0%	0.0%	5.7%	94.3%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.6%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	1.2%	1.2%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.2%	2.2%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.5%	0.9%	2.4%	97.6%
Grade 7	1.3%	1.4%	1.5%	98.5%
Grade 8	0.8%	0.9%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.0%	2.2%	6.7%	93.3%
Grade 12	0.0%	0.0%	5.7%	94.3%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	22.5%	28.3%	40.9%	59.1%
Grade 9	19.2%	25.0%	37.8%	62.2%
Grade 10	23.1%	29.0%	39.1%	60.9%
Grade 11	20.3%	26.3%	41.0%	59.0%
Grade 12	29.4%	34.8%	47.8%	52.2%
<b>Any Alcohol Product</b>				
All	39.6%	45.6%	60.0%	40.0%
Grade 9	34.8%	38.4%	53.1%	46.9%
Grade 10	39.8%	46.1%	57.7%	42.3%
Grade 11	34.3%	41.6%	59.5%	40.5%
Grade 12	53.2%	60.7%	74.0%	26.0%
<b>Any Illicit Drug</b>				
All	20.1%	25.3%	31.9%	68.1%
Grade 9	18.8%	22.2%	25.4%	74.6%
Grade 10	20.4%	23.9%	30.1%	69.9%
Grade 11	16.5%	21.9%	30.5%	69.5%
Grade 12	25.7%	35.5%	45.3%	54.7%
<b>Any Prescription Drug</b>				
All	7.7%	13.1%	21.4%	78.6%
Grade 9	9.5%	14.7%	21.5%	78.5%
Grade 10	7.0%	13.8%	24.7%	75.3%
Grade 11	6.4%	12.0%	19.2%	80.8%
Grade 12	7.7%	11.0%	19.8%	80.2%
<b>Any Inhalant</b>				
All	3.7%	5.0%	10.2%	89.8%
Grade 9	5.5%	7.6%	14.5%	85.5%
Grade 10	3.5%	5.4%	10.4%	89.6%
Grade 11	2.3%	2.7%	7.8%	92.2%
Grade 12	2.9%	3.5%	6.4%	93.6%
<b>Electronic Vapor Products</b>				
All	18.7%	25.2%	37.2%	62.8%
Grade 9	17.5%	23.7%	34.9%	65.1%
Grade 10	18.3%	25.0%	36.9%	63.1%
Grade 11	15.8%	23.0%	35.7%	64.3%
Grade 12	24.5%	30.4%	43.2%	56.8%
<b>Marijuana</b>				
All	19.8%	23.3%	30.0%	70.0%
Grade 9	18.7%	20.7%	23.6%	76.4%
Grade 10	20.0%	22.1%	28.6%	71.4%
Grade 11	16.2%	19.6%	28.0%	72.0%
Grade 12	25.5%	33.1%	43.8%	56.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 121

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	11.8%	14.4%	20.2%	79.8%
	Grade 9	10.7%	11.7%	14.2%	85.8%
	Grade 10	11.0%	12.8%	18.2%	81.8%
	Grade 11	10.0%	12.9%	21.3%	78.7%
	Grade 12	16.5%	22.0%	30.5%	69.5%
<b>Cocaine or Crack</b>					
	All	1.4%	1.6%	2.8%	97.2%
	Grade 9	1.9%	1.9%	2.3%	97.7%
	Grade 10	1.2%	1.2%	2.7%	97.3%
	Grade 11	0.6%	1.0%	2.2%	97.8%
	Grade 12	1.7%	2.3%	4.5%	95.5%
<b>Cocaine</b>					
	All	1.2%	1.4%	2.5%	97.5%
	Grade 9	1.6%	1.6%	1.9%	98.1%
	Grade 10	1.2%	1.2%	2.7%	97.3%
	Grade 11	0.3%	0.6%	1.8%	98.2%
	Grade 12	1.7%	2.3%	3.9%	96.1%
<b>Crack</b>					
	All	0.5%	0.5%	0.9%	99.1%
	Grade 9	0.8%	0.8%	1.2%	98.8%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.4%	0.4%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Hallucinogens</b>					
	All	1.0%	1.9%	4.4%	95.6%
	Grade 9	1.5%	2.2%	4.3%	95.7%
	Grade 10	1.5%	1.8%	4.5%	95.5%
	Grade 11	0.8%	1.6%	3.3%	96.7%
	Grade 12	0.0%	2.1%	5.8%	94.2%
<b>Synthetic Cathinones</b>					
	All	0.1%	0.3%	0.6%	99.4%
	Grade 9	0.0%	0.2%	0.8%	99.2%
	Grade 10	0.5%	0.8%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	All	0.3%	0.5%	1.5%	98.5%
	Grade 9	0.4%	0.4%	1.1%	98.9%
	Grade 10	0.0%	0.5%	2.1%	97.9%
	Grade 11	0.6%	0.6%	1.7%	98.3%
	Grade 12	0.3%	0.3%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 56 of 121

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	1.4%	2.2%	4.0%	96.0%
	Grade 9	1.9%	2.8%	3.9%	96.1%
	Grade 10	2.1%	3.3%	5.3%	94.7%
	Grade 11	0.4%	1.1%	3.5%	96.5%
	Grade 12	1.0%	1.0%	3.4%	96.6%
Heroin	All	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.4%	0.6%	99.4%
	Grade 10	0.0%	0.3%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana	All	1.7%	3.0%	5.6%	94.4%
	Grade 9	1.8%	3.0%	6.2%	93.8%
	Grade 10	2.3%	3.6%	6.1%	93.9%
	Grade 11	1.7%	2.3%	3.6%	96.4%
	Grade 12	0.8%	3.0%	6.3%	93.7%
Methamphetamine	All	0.3%	0.6%	1.3%	98.7%
	Grade 9	0.2%	0.2%	1.6%	98.4%
	Grade 10	0.5%	1.2%	1.5%	98.5%
	Grade 11	0.4%	0.4%	1.0%	99.0%
	Grade 12	0.0%	0.9%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 57 of 121

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.3%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.4%	2.6%	4.6%	95.4%
Grade 7	0.8%	1.9%	2.6%	97.4%
Grade 8	1.4%	1.9%	3.3%	96.7%
Grade 9	1.8%	3.0%	6.2%	93.8%
Grade 10	2.3%	3.6%	6.1%	93.9%
Grade 11	1.7%	2.3%	3.6%	96.4%
Grade 12	0.8%	3.0%	6.3%	93.7%
<b>Methamphetamine</b>				
All	0.2%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	1.6%	98.4%
Grade 10	0.5%	1.2%	1.5%	98.5%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.9%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.2%	21.3%	30.9%	69.1%
Grade 9	10.3%	14.1%	22.5%	77.5%
Grade 10	13.6%	17.9%	26.0%	74.0%
Grade 11	12.3%	15.9%	27.2%	72.8%
Grade 12	33.0%	37.5%	48.3%	51.7%
<b>Any Alcohol Product</b>				
All	32.7%	40.2%	55.2%	44.8%
Grade 9	20.7%	25.4%	35.1%	64.9%
Grade 10	30.3%	41.1%	56.9%	43.1%
Grade 11	31.8%	38.2%	58.2%	41.8%
Grade 12	49.4%	58.3%	73.9%	26.1%
<b>Any Illicit Drug</b>				
All	12.9%	17.7%	23.9%	76.1%
Grade 9	9.7%	12.7%	16.0%	84.0%
Grade 10	11.0%	12.4%	16.3%	83.7%
Grade 11	12.0%	15.9%	24.7%	75.3%
Grade 12	19.0%	29.6%	38.9%	61.1%
<b>Any Prescription Drug</b>				
All	5.8%	9.6%	16.5%	83.5%
Grade 9	3.8%	7.6%	11.1%	88.9%
Grade 10	6.9%	13.2%	20.8%	79.2%
Grade 11	7.5%	10.5%	20.3%	79.7%
Grade 12	5.5%	7.9%	15.1%	84.9%
<b>Any Inhalant</b>				
All	2.6%	3.3%	7.4%	92.6%
Grade 9	2.9%	4.1%	7.9%	92.1%
Grade 10	1.4%	1.5%	5.6%	94.4%
Grade 11	3.6%	3.9%	8.8%	91.2%
Grade 12	2.5%	3.3%	7.1%	92.9%
<b>Electronic Vapor Products</b>				
All	14.2%	18.5%	28.1%	71.9%
Grade 9	9.7%	13.5%	21.0%	79.0%
Grade 10	9.9%	14.0%	24.0%	76.0%
Grade 11	10.0%	13.3%	25.8%	74.2%
Grade 12	27.0%	33.1%	42.1%	57.9%
<b>Marijuana</b>				
All	12.7%	16.1%	22.8%	77.2%
Grade 9	9.4%	10.6%	14.2%	85.8%
Grade 10	10.6%	12.0%	16.1%	83.9%
Grade 11	12.0%	13.5%	23.6%	76.4%
Grade 12	19.0%	28.2%	37.9%	62.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	8.9%	11.4%	17.5%	82.5%
Grade 9	6.0%	6.2%	9.3%	90.7%
Grade 10	8.1%	9.1%	13.0%	87.0%
Grade 11	9.0%	10.3%	19.1%	80.9%
Grade 12	13.0%	20.2%	29.4%	70.6%
<b>Cocaine or Crack</b>				
All	1.3%	1.6%	2.3%	97.7%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.9%	1.0%	1.4%	98.6%
Grade 11	0.1%	0.7%	1.5%	98.5%
Grade 12	2.4%	3.2%	4.9%	95.1%
<b>Cocaine</b>				
All	1.2%	1.6%	2.3%	97.7%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.6%	0.6%	1.0%	99.0%
Grade 11	0.1%	0.7%	1.5%	98.5%
Grade 12	2.4%	3.2%	4.9%	95.1%
<b>Crack</b>				
All	0.5%	0.5%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.4%	1.4%	2.6%	97.4%
Grade 9	0.4%	1.0%	1.5%	98.5%
Grade 10	0.0%	0.9%	1.4%	98.6%
Grade 11	0.7%	1.5%	3.0%	97.0%
Grade 12	0.6%	2.1%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.2%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	3.3%	96.7%
Grade 12	0.8%	0.8%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.6%	1.3%	1.9%	98.1%
	Grade 9	0.5%	1.5%	2.5%	97.5%
	Grade 10	0.1%	0.6%	1.1%	98.9%
	Grade 11	0.8%	1.7%	1.7%	98.3%
	Grade 12	1.1%	1.3%	2.2%	97.8%
Heroin	All	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.5%	0.9%	2.3%	97.7%
	Grade 9	0.7%	0.7%	1.7%	98.3%
	Grade 10	1.1%	1.8%	2.0%	98.0%
	Grade 11	0.0%	0.0%	2.5%	97.5%
	Grade 12	0.2%	1.0%	2.9%	97.1%
Methamphetamine	All	0.2%	0.2%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.1%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.7%	1.7%	98.3%
Grade 10	1.1%	1.8%	2.0%	98.0%
Grade 11	0.0%	0.0%	2.5%	97.5%
Grade 12	0.2%	1.0%	2.9%	97.1%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	24.7%	30.7%	43.3%	56.7%
Grade 9	18.8%	25.3%	37.7%	62.3%
Grade 10	22.0%	28.3%	39.4%	60.6%
Grade 11	28.0%	33.8%	49.1%	50.9%
Grade 12	33.9%	38.7%	49.7%	50.3%
<b>Any Alcohol Product</b>				
All	40.1%	47.7%	62.4%	37.6%
Grade 9	34.6%	39.3%	57.9%	42.1%
Grade 10	39.5%	45.1%	57.1%	42.9%
Grade 11	37.4%	49.3%	63.7%	36.3%
Grade 12	55.0%	63.5%	75.9%	24.1%
<b>Any Illicit Drug</b>				
All	23.2%	28.1%	36.2%	63.8%
Grade 9	19.8%	24.7%	28.8%	71.2%
Grade 10	18.9%	22.7%	32.0%	68.0%
Grade 11	25.0%	30.6%	39.4%	60.6%
Grade 12	32.1%	37.6%	50.3%	49.7%
<b>Any Prescription Drug</b>				
All	8.5%	13.7%	25.2%	74.8%
Grade 9	10.0%	15.6%	25.8%	74.2%
Grade 10	8.6%	13.6%	24.4%	75.6%
Grade 11	6.3%	11.7%	23.3%	76.7%
Grade 12	9.2%	13.5%	28.5%	71.5%
<b>Any Inhalant</b>				
All	4.0%	5.7%	12.4%	87.6%
Grade 9	4.7%	6.9%	14.9%	85.1%
Grade 10	2.8%	3.9%	8.9%	91.1%
Grade 11	3.8%	5.7%	12.1%	87.9%
Grade 12	4.8%	5.8%	13.1%	86.9%
<b>Electronic Vapor Products</b>				
All	19.6%	26.2%	39.2%	60.8%
Grade 9	15.9%	22.0%	34.4%	65.6%
Grade 10	15.7%	22.6%	34.9%	65.1%
Grade 11	21.4%	28.7%	44.2%	55.8%
Grade 12	28.9%	34.5%	45.7%	54.3%
<b>Marijuana</b>				
All	22.6%	26.1%	34.7%	65.3%
Grade 9	19.6%	23.5%	27.8%	72.2%
Grade 10	19.0%	21.0%	30.3%	69.7%
Grade 11	23.4%	27.7%	37.2%	62.8%
Grade 12	31.9%	35.4%	48.6%	51.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	14.0%	16.8%	23.7%	76.3%
Grade 9	12.9%	15.9%	19.9%	80.1%
Grade 10	9.7%	11.3%	19.7%	80.3%
Grade 11	15.1%	18.6%	25.8%	74.2%
Grade 12	19.9%	23.0%	32.6%	67.4%
<b>Cocaine or Crack</b>				
All	1.4%	1.4%	3.0%	97.0%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	1.8%	1.8%	3.2%	96.8%
Grade 11	1.8%	1.8%	3.0%	97.0%
Grade 12	1.4%	1.4%	5.5%	94.5%
<b>Cocaine</b>				
All	1.4%	1.4%	2.8%	97.2%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	1.8%	1.8%	3.2%	96.8%
Grade 11	1.8%	1.8%	3.0%	97.0%
Grade 12	1.4%	1.4%	4.8%	95.2%
<b>Crack</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.7%	99.3%
<b>Hallucinogens</b>				
All	1.2%	2.3%	5.4%	94.6%
Grade 9	0.8%	1.7%	3.4%	96.6%
Grade 10	1.4%	2.6%	5.6%	94.4%
Grade 11	1.7%	2.6%	5.3%	94.7%
Grade 12	0.8%	2.7%	8.5%	91.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.6%	1.7%	98.3%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	1.0%	1.1%	2.2%	97.8%
Grade 12	0.4%	0.4%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Ecstasy</b>				
All	1.6%	2.3%	4.2%	95.8%
Grade 9	1.2%	1.6%	2.2%	97.8%
Grade 10	2.9%	3.8%	5.3%	94.7%
Grade 11	1.2%	1.6%	5.4%	94.6%
Grade 12	1.3%	2.4%	4.4%	95.6%
<b>Heroin</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.6%	2.0%	98.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.6%	2.7%	5.9%	94.1%
Grade 9	1.1%	1.8%	5.9%	94.1%
Grade 10	2.3%	3.1%	4.9%	95.1%
Grade 11	2.2%	3.2%	5.9%	94.1%
Grade 12	0.7%	2.6%	7.2%	92.8%
<b>Methamphetamine</b>				
All	0.2%	0.5%	1.4%	98.6%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.5%	1.2%	2.1%	97.9%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.0%	0.4%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.7%	0.9%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.6%	2.0%	98.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.4%	2.3%	4.5%	95.5%
Grade 7	0.8%	1.6%	2.2%	97.8%
Grade 8	1.4%	2.0%	3.3%	96.7%
Grade 9	1.1%	1.8%	5.9%	94.1%
Grade 10	2.3%	3.1%	4.9%	95.1%
Grade 11	2.2%	3.2%	5.9%	94.1%
Grade 12	0.7%	2.6%	7.2%	92.8%
<b>Methamphetamine</b>				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	0.5%	1.2%	2.1%	97.9%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.0%	0.4%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.1%	23.8%	34.2%	65.8%
Grade 9	12.9%	17.0%	26.6%	73.4%
Grade 10	19.6%	25.0%	32.6%	67.4%
Grade 11	16.5%	21.2%	34.2%	65.8%
Grade 12	30.3%	35.1%	47.0%	53.0%
<b>Any Alcohol Product</b>				
All	33.1%	39.5%	53.8%	46.2%
Grade 9	24.4%	28.2%	42.3%	57.7%
Grade 10	34.0%	39.5%	53.4%	46.6%
Grade 11	28.9%	37.6%	54.7%	45.3%
Grade 12	49.4%	57.8%	69.9%	30.1%
<b>Any Illicit Drug</b>				
All	14.9%	18.8%	25.3%	74.7%
Grade 9	11.7%	15.2%	19.0%	81.0%
Grade 10	13.7%	15.4%	19.9%	80.1%
Grade 11	13.5%	17.0%	25.9%	74.1%
Grade 12	22.3%	29.9%	39.8%	60.2%
<b>Any Prescription Drug</b>				
All	6.4%	10.0%	18.6%	81.4%
Grade 9	6.4%	10.3%	16.9%	83.1%
Grade 10	5.9%	10.6%	19.5%	80.5%
Grade 11	4.8%	7.1%	16.7%	83.3%
Grade 12	8.8%	12.1%	22.4%	77.6%
<b>Any Inhalant</b>				
All	3.2%	4.0%	9.1%	90.9%
Grade 9	4.0%	4.7%	10.9%	89.1%
Grade 10	3.2%	4.5%	9.2%	90.8%
Grade 11	3.0%	3.1%	7.2%	92.8%
Grade 12	2.4%	3.6%	8.6%	91.4%
<b>Electronic Vapor Products</b>				
All	15.4%	21.0%	30.9%	69.1%
Grade 9	11.0%	15.5%	24.5%	75.5%
Grade 10	15.3%	21.5%	29.9%	70.1%
Grade 11	12.6%	18.2%	30.3%	69.7%
Grade 12	24.8%	31.6%	41.6%	58.4%
<b>Marijuana</b>				
All	14.6%	16.9%	23.8%	76.2%
Grade 9	11.4%	13.1%	17.2%	82.8%
Grade 10	13.7%	15.1%	19.6%	80.4%
Grade 11	12.7%	14.1%	23.2%	76.8%
Grade 12	22.3%	27.5%	38.7%	61.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 67 of 121

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	9.5%	11.4%	17.4%	82.6%
Grade 9	7.1%	8.7%	12.4%	87.6%
Grade 10	7.4%	8.7%	12.4%	87.6%
Grade 11	10.5%	11.2%	19.4%	80.6%
Grade 12	14.1%	18.6%	27.9%	72.1%
<b>Cocaine or Crack</b>				
All	1.0%	1.0%	2.1%	97.9%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	1.1%	1.1%	4.2%	95.8%
<b>Cocaine</b>				
All	0.9%	0.9%	1.9%	98.1%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	1.1%	1.1%	3.8%	96.2%
<b>Crack</b>				
All	0.5%	0.5%	0.7%	99.3%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.8%	1.6%	3.5%	96.5%
Grade 9	1.0%	1.1%	2.1%	97.9%
Grade 10	0.9%	1.9%	4.4%	95.6%
Grade 11	0.4%	0.9%	2.2%	97.8%
Grade 12	1.0%	2.7%	5.7%	94.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.3%	0.9%	99.1%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.3%	0.4%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.5%	0.5%	2.1%	97.9%
Grade 12	0.5%	0.7%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.8%	1.3%	2.7%	97.3%
	Grade 9	0.8%	1.1%	1.5%	98.5%
	Grade 10	1.5%	2.3%	3.8%	96.2%
	Grade 11	0.1%	0.4%	2.1%	97.9%
	Grade 12	0.8%	1.5%	3.7%	96.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.0%	0.3%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana	All	1.0%	1.5%	2.8%	97.2%
	Grade 9	1.4%	2.1%	3.3%	96.7%
	Grade 10	1.6%	2.1%	4.0%	96.0%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	1.0%	1.5%	3.2%	96.8%
Methamphetamine	All	0.1%	0.3%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.6%	99.4%
	Grade 10	0.0%	0.4%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	2.3%	97.7%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.7%	1.2%	1.8%	98.2%
Grade 9	1.4%	2.1%	3.3%	96.7%
Grade 10	1.6%	2.1%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	1.0%	1.5%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	25.0%	31.0%	44.3%	55.7%
Grade 9	18.7%	25.6%	40.6%	59.4%
Grade 10	21.4%	26.7%	40.8%	59.2%
Grade 11	27.4%	33.1%	46.9%	53.1%
Grade 12	37.1%	42.7%	51.8%	48.2%
<b>Any Alcohol Product</b>				
All	42.1%	50.7%	66.1%	33.9%
Grade 9	38.3%	43.6%	62.6%	37.4%
Grade 10	37.7%	46.1%	59.7%	40.3%
Grade 11	41.0%	53.0%	68.0%	32.0%
Grade 12	56.5%	65.1%	78.4%	21.6%
<b>Any Illicit Drug</b>				
All	25.9%	32.5%	40.1%	59.9%
Grade 9	23.4%	29.6%	33.1%	66.9%
Grade 10	20.5%	27.1%	37.4%	62.6%
Grade 11	28.4%	35.1%	43.2%	56.8%
Grade 12	34.5%	41.3%	50.5%	49.5%
<b>Any Prescription Drug</b>				
All	9.9%	16.2%	27.0%	73.0%
Grade 9	11.5%	17.4%	26.2%	73.8%
Grade 10	10.1%	16.1%	29.0%	71.0%
Grade 11	8.7%	15.6%	26.4%	73.6%
Grade 12	8.7%	15.7%	25.8%	74.2%
<b>Any Inhalant</b>				
All	3.8%	5.7%	11.7%	88.3%
Grade 9	4.1%	6.9%	14.4%	85.6%
Grade 10	2.4%	3.5%	8.1%	91.9%
Grade 11	3.5%	6.3%	13.4%	86.6%
Grade 12	6.0%	6.8%	10.6%	89.4%
<b>Electronic Vapor Products</b>				
All	20.1%	25.9%	39.4%	60.6%
Grade 9	16.6%	22.6%	34.5%	65.5%
Grade 10	15.4%	21.2%	36.0%	64.0%
Grade 11	20.7%	27.2%	43.3%	56.7%
Grade 12	31.9%	36.5%	46.8%	53.2%
<b>Marijuana</b>				
All	25.2%	30.7%	38.8%	61.2%
Grade 9	23.2%	28.4%	32.2%	67.8%
Grade 10	19.7%	24.4%	34.8%	65.2%
Grade 11	27.0%	33.0%	42.8%	57.2%
Grade 12	34.2%	40.5%	49.3%	50.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	15.5%	19.4%	26.2%	73.8%
	Grade 9	15.5%	18.1%	21.2%	78.8%
	Grade 10	11.5%	15.0%	24.8%	75.2%
	Grade 11	14.7%	20.4%	27.5%	72.5%
	Grade 12	22.4%	26.9%	33.8%	66.2%
Cocaine or Crack					
	All	1.9%	2.2%	3.8%	96.2%
	Grade 9	0.7%	0.7%	1.8%	98.2%
	Grade 10	1.7%	1.7%	3.1%	96.9%
	Grade 11	2.6%	3.1%	4.5%	95.5%
	Grade 12	3.2%	4.1%	6.8%	93.2%
Cocaine					
	All	1.9%	2.2%	3.7%	96.3%
	Grade 9	0.7%	0.7%	1.6%	98.4%
	Grade 10	1.5%	1.5%	3.0%	97.0%
	Grade 11	2.6%	3.1%	4.5%	95.5%
	Grade 12	3.2%	4.1%	6.8%	93.2%
Crack					
	All	0.1%	0.1%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.4%	0.4%	1.0%	99.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	1.3%	2.8%	5.8%	94.2%
	Grade 9	0.7%	2.3%	4.1%	95.9%
	Grade 10	0.9%	2.0%	4.1%	95.9%
	Grade 11	2.3%	3.8%	7.4%	92.6%
	Grade 12	1.8%	3.5%	8.6%	91.4%
Synthetic Cathinones					
	All	0.3%	0.3%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	1.0%	1.0%	1.0%	99.0%
Steroids					
	All	0.6%	0.8%	2.2%	97.8%
	Grade 9	0.7%	0.8%	1.5%	98.5%
	Grade 10	0.0%	0.5%	2.5%	97.5%
	Grade 11	1.4%	1.5%	2.9%	97.1%
	Grade 12	0.5%	0.6%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 72 of 121

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Ecstasy</b>				
All	1.7%	2.4%	4.5%	95.5%
Grade 9	1.2%	2.6%	3.6%	96.4%
Grade 10	1.4%	1.7%	3.9%	96.1%
Grade 11	2.1%	2.7%	6.0%	94.0%
Grade 12	2.3%	2.6%	4.8%	95.2%
<b>Heroin</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.6%	98.4%
Grade 12	0.4%	0.4%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.6%	2.8%	7.1%	92.9%
Grade 9	0.8%	1.3%	6.9%	93.1%
Grade 10	1.7%	2.9%	5.3%	94.7%
Grade 11	3.4%	4.8%	9.2%	90.8%
Grade 12	0.2%	2.4%	7.4%	92.6%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 9	0.1%	0.1%	1.6%	98.4%
Grade 10	0.6%	1.0%	2.0%	98.0%
Grade 11	0.9%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.4%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.6%	98.4%
Grade 12	0.4%	0.4%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.5%	2.7%	6.0%	94.0%
Grade 7	1.4%	2.5%	3.5%	96.5%
Grade 8	1.3%	2.1%	4.4%	95.6%
Grade 9	0.8%	1.3%	6.9%	93.1%
Grade 10	1.7%	2.9%	5.3%	94.7%
Grade 11	3.4%	4.8%	9.2%	90.8%
Grade 12	0.2%	2.4%	7.4%	92.6%
<b>Methamphetamine</b>				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.1%	0.1%	1.6%	98.4%
Grade 10	0.6%	1.0%	2.0%	98.0%
Grade 11	0.9%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.4%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.0%	25.7%	37.0%	63.0%
Grade 9	13.3%	17.6%	27.9%	72.1%
Grade 10	20.0%	24.2%	34.5%	65.5%
Grade 11	21.1%	26.5%	40.2%	59.8%
Grade 12	33.3%	38.6%	49.1%	50.9%
<b>Any Alcohol Product</b>				
All	35.9%	43.4%	58.8%	41.2%
Grade 9	27.2%	31.2%	47.4%	52.6%
Grade 10	38.3%	44.9%	58.5%	41.5%
Grade 11	32.1%	43.3%	61.2%	38.8%
Grade 12	50.8%	59.8%	72.6%	27.4%
<b>Any Illicit Drug</b>				
All	17.3%	22.2%	28.6%	71.4%
Grade 9	13.9%	18.0%	21.3%	78.7%
Grade 10	14.8%	18.7%	25.2%	74.8%
Grade 11	16.9%	22.0%	30.1%	69.9%
Grade 12	26.0%	32.7%	41.2%	58.8%
<b>Any Prescription Drug</b>				
All	6.9%	11.1%	19.8%	80.2%
Grade 9	6.8%	11.1%	19.0%	81.0%
Grade 10	7.2%	11.9%	22.9%	77.1%
Grade 11	5.3%	9.7%	17.0%	83.0%
Grade 12	8.5%	12.1%	21.2%	78.8%
<b>Any Inhalant</b>				
All	2.8%	3.8%	9.1%	90.9%
Grade 9	3.5%	4.6%	10.2%	89.8%
Grade 10	2.3%	3.5%	8.3%	91.7%
Grade 11	2.3%	3.5%	9.7%	90.3%
Grade 12	3.0%	3.3%	7.9%	92.1%
<b>Electronic Vapor Products</b>				
All	16.8%	22.3%	33.2%	66.8%
Grade 9	11.3%	15.3%	24.3%	75.7%
Grade 10	14.7%	20.4%	31.6%	68.4%
Grade 11	16.1%	22.7%	36.1%	63.9%
Grade 12	28.4%	34.7%	44.3%	55.7%
<b>Marijuana</b>				
All	17.0%	20.5%	27.4%	72.6%
Grade 9	13.7%	16.4%	20.1%	79.9%
Grade 10	14.6%	17.4%	24.1%	75.9%
Grade 11	15.9%	19.9%	28.7%	71.3%
Grade 12	26.0%	31.1%	40.3%	59.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	11.0%	13.9%	19.9%	80.1%
	Grade 9	9.5%	11.4%	14.7%	85.3%
	Grade 10	9.0%	11.1%	17.3%	82.7%
	Grade 11	10.4%	13.8%	21.0%	79.0%
	Grade 12	16.6%	20.9%	28.9%	71.1%
<b>Cocaine or Crack</b>					
	All	1.1%	1.2%	2.5%	97.5%
	Grade 9	0.7%	0.7%	1.1%	98.9%
	Grade 10	1.4%	1.5%	2.5%	97.5%
	Grade 11	0.8%	1.1%	2.5%	97.5%
	Grade 12	1.5%	1.9%	4.8%	95.2%
<b>Cocaine</b>					
	All	1.1%	1.2%	2.5%	97.5%
	Grade 9	0.7%	0.7%	1.1%	98.9%
	Grade 10	1.4%	1.5%	2.5%	97.5%
	Grade 11	0.8%	1.1%	2.5%	97.5%
	Grade 12	1.5%	1.9%	4.8%	95.2%
<b>Crack</b>					
	All	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.3%	0.3%	0.4%	99.6%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>					
	All	0.8%	1.7%	3.7%	96.3%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.5%	1.8%	3.7%	96.3%
	Grade 11	0.9%	1.6%	4.3%	95.7%
	Grade 12	1.1%	2.9%	5.7%	94.3%
<b>Synthetic Cathinones</b>					
	All	0.2%	0.3%	0.6%	99.4%
	Grade 9	0.0%	0.1%	0.6%	99.4%
	Grade 10	0.3%	0.5%	1.0%	99.0%
	Grade 11	0.4%	0.4%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>					
	All	0.2%	0.3%	1.1%	98.9%
	Grade 9	0.4%	0.4%	1.0%	99.0%
	Grade 10	0.0%	0.0%	1.1%	98.9%
	Grade 11	0.4%	0.4%	1.4%	98.6%
	Grade 12	0.0%	0.3%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 121

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.7%	1.3%	2.7%	97.3%
	Grade 9	0.7%	1.4%	1.6%	98.4%
	Grade 10	0.8%	1.3%	2.8%	97.2%
	Grade 11	0.8%	1.1%	3.1%	96.9%
	Grade 12	0.6%	1.3%	3.5%	96.5%
Heroin	All	0.1%	0.1%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.2%	0.2%	0.7%	99.3%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana	All	1.0%	1.8%	4.1%	95.9%
	Grade 9	0.8%	1.6%	3.7%	96.3%
	Grade 10	1.2%	1.9%	4.0%	96.0%
	Grade 11	1.1%	1.8%	3.9%	96.1%
	Grade 12	0.9%	2.0%	5.1%	94.9%
Methamphetamine	All	0.1%	0.2%	0.8%	99.2%
	Grade 9	0.1%	0.1%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 11	0.3%	0.3%	1.0%	99.0%
	Grade 12	0.0%	0.4%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 121



**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	0.9%	1.6%	3.3%	96.7%
Grade 7	0.4%	1.0%	1.5%	98.5%
Grade 8	0.9%	1.4%	2.3%	97.7%
Grade 9	0.8%	1.6%	3.7%	96.3%
Grade 10	1.2%	1.9%	4.0%	96.0%
Grade 11	1.1%	1.8%	3.9%	96.1%
Grade 12	0.9%	2.0%	5.1%	94.9%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.0%	0.4%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	26.9%	34.0%	45.6%	54.4%
Grade 9	28.6%	38.5%	52.0%	48.0%
Grade 10	24.0%	31.6%	41.8%	58.2%
Grade 11	25.0%	29.9%	44.9%	55.1%
Grade 12	30.4%	36.1%	43.6%	56.4%
<b>Any Alcohol Product</b>				
All	43.3%	50.5%	63.5%	36.5%
Grade 9	43.4%	48.9%	67.2%	32.8%
Grade 10	31.5%	41.6%	53.8%	46.2%
Grade 11	48.0%	52.0%	63.6%	36.4%
Grade 12	52.6%	61.5%	71.2%	28.8%
<b>Any Illicit Drug</b>				
All	26.3%	32.8%	42.3%	57.7%
Grade 9	25.0%	30.3%	34.6%	65.4%
Grade 10	20.6%	25.7%	33.8%	66.2%
Grade 11	31.4%	36.3%	46.8%	53.2%
Grade 12	29.4%	40.4%	56.6%	43.4%
<b>Any Prescription Drug</b>				
All	12.1%	18.9%	32.2%	67.8%
Grade 9	16.0%	23.7%	30.8%	69.2%
Grade 10	10.9%	19.2%	28.5%	71.5%
Grade 11	11.2%	15.2%	39.2%	60.8%
Grade 12	10.1%	16.9%	30.7%	69.3%
<b>Any Inhalant</b>				
All	6.9%	8.9%	15.1%	84.9%
Grade 9	8.8%	11.7%	21.2%	78.8%
Grade 10	4.5%	5.4%	10.5%	89.5%
Grade 11	8.2%	9.9%	14.5%	85.5%
Grade 12	6.3%	8.8%	14.4%	85.6%
<b>Electronic Vapor Products</b>				
All	22.0%	29.6%	41.5%	58.5%
Grade 9	25.2%	36.1%	49.1%	50.9%
Grade 10	20.8%	28.7%	38.2%	61.8%
Grade 11	18.4%	22.9%	40.9%	59.1%
Grade 12	23.4%	30.3%	37.2%	62.8%
<b>Marijuana</b>				
All	25.2%	29.4%	39.1%	60.9%
Grade 9	23.2%	26.5%	30.9%	69.1%
Grade 10	20.1%	23.3%	30.8%	69.2%
Grade 11	29.3%	31.1%	43.0%	57.0%
Grade 12	29.4%	38.5%	54.7%	45.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 79 of 121

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	15.7%	18.7%	26.4%	73.6%
Grade 9	9.8%	11.0%	13.9%	86.1%
Grade 10	10.7%	13.4%	20.0%	80.0%
Grade 11	19.9%	21.7%	33.2%	66.8%
Grade 12	23.9%	30.6%	41.4%	58.6%
<b>Cocaine or Crack</b>				
All	3.1%	3.1%	4.7%	95.3%
Grade 9	4.7%	4.7%	5.6%	94.4%
Grade 10	1.2%	1.2%	3.2%	96.8%
Grade 11	4.1%	4.1%	4.3%	95.7%
Grade 12	2.6%	2.6%	5.9%	94.1%
<b>Cocaine</b>				
All	2.5%	2.5%	3.5%	96.5%
Grade 9	4.0%	4.0%	4.1%	95.9%
Grade 10	0.7%	0.7%	2.7%	97.3%
Grade 11	3.0%	3.0%	3.2%	96.8%
Grade 12	2.6%	2.6%	4.3%	95.7%
<b>Crack</b>				
All	1.2%	1.2%	2.1%	97.9%
Grade 9	2.2%	2.2%	3.0%	97.0%
Grade 10	0.5%	0.5%	1.6%	98.4%
Grade 11	2.1%	2.1%	2.3%	97.7%
Grade 12	0.0%	0.0%	1.6%	98.4%
<b>Hallucinogens</b>				
All	2.0%	3.5%	6.8%	93.2%
Grade 9	1.7%	4.1%	8.6%	91.4%
Grade 10	2.1%	3.2%	4.6%	95.4%
Grade 11	1.8%	3.9%	4.3%	95.7%
Grade 12	2.4%	2.9%	10.1%	89.9%
<b>Synthetic Cathinones</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.0%	2.0%	2.0%	98.0%
<b>Steroids</b>				
All	1.3%	1.6%	4.4%	95.6%
Grade 9	1.1%	1.1%	2.4%	97.6%
Grade 10	0.6%	1.8%	6.3%	93.7%
Grade 11	3.5%	3.5%	7.7%	92.3%
Grade 12	0.0%	0.0%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 80 of 121

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	3.1%	3.4%	6.4%	93.6%
	Grade 9	3.0%	3.0%	6.7%	93.3%
	Grade 10	4.1%	4.1%	6.4%	93.6%
	Grade 11	1.9%	3.0%	6.1%	93.9%
	Grade 12	3.2%	3.6%	6.1%	93.9%
Heroin	All	0.4%	0.4%	0.9%	99.1%
	Grade 9	1.6%	1.6%	1.6%	98.4%
	Grade 10	0.0%	0.0%	1.8%	98.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	2.5%	2.5%	6.2%	93.8%
	Grade 9	3.2%	3.2%	11.1%	88.9%
	Grade 10	3.1%	3.1%	4.9%	95.1%
	Grade 11	3.5%	3.6%	6.0%	94.0%
	Grade 12	0.0%	0.0%	2.5%	97.5%
Methamphetamine	All	0.4%	0.9%	2.1%	97.9%
	Grade 9	0.8%	0.8%	3.7%	96.3%
	Grade 10	0.0%	1.8%	2.3%	97.7%
	Grade 11	0.9%	0.9%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	2.4%	2.6%	5.7%	94.3%
Grade 7	1.7%	2.9%	4.3%	95.7%
Grade 8	2.2%	2.6%	4.5%	95.5%
Grade 9	3.2%	3.2%	11.1%	88.9%
Grade 10	3.1%	3.1%	4.9%	95.1%
Grade 11	3.5%	3.6%	6.0%	94.0%
Grade 12	0.0%	0.0%	2.5%	97.5%
<b>Methamphetamine</b>				
All	0.3%	0.7%	1.9%	98.1%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.8%	0.8%	3.7%	96.3%
Grade 10	0.0%	1.8%	2.3%	97.7%
Grade 11	0.9%	0.9%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	178,564	47.4%
Female	198,409	52.6%
Frequency Missing	2,780	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	187,188	50.4%
Yes	184,089	49.6%
Frequency Missing	8,475	

**Grade**

Q2	Frequency	Percent
Grade 7	0	0.0%
Grade 8	0	0.0%
Grade 9	111,495	29.5%
Grade 10	97,453	25.8%
Grade 11	93,454	24.7%
Grade 12	75,756	20.0%
Frequency Missing	1,594	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	9,140	2.8%
Asian American	7,043	2.2%
African American	51,396	15.8%
Pacific Islander	2,323	0.7%
White	159,131	49.0%
Other	43,341	13.3%
More Than One Race	52,473	16.2%
Frequency Missing	54,905	

**Live with Both Parents**

Q3	Frequency	Percent
No	151,244	40.4%
Yes	223,117	59.6%
Frequency Missing	5,391	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	982	0.3%
Mostly D's	1,905	0.6%
Mostly C's	34,708	11.6%
Mostly B's	152,725	50.9%
Mostly A's	109,468	36.5%
Frequency Missing	79,964	

**Age**

Q4	Frequency	Percent
11 or younger	0	0.0%
12	144	0.0%
13	386	0.1%
14	31,944	8.5%
15	102,427	27.2%
16	90,184	24.0%
17	96,071	25.5%
18	51,387	13.7%
19 or older	3,860	1.0%
Frequency Missing	3,350	

**Do You Have a Job**

Q7	Frequency	Percent
No	222,087	73.4%
Yes	80,322	26.6%
Frequency Missing	77,343	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	137,309	46.0%
Yes	106,447	35.7%
Don't Know	54,463	18.3%
Frequency Missing	81,533	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	239,163	92.6%
Yes	19,010	7.4%
Frequency Missing	121,578	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	157,741	56.3%
Yes	122,617	43.7%
Frequency Missing	99,394	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	201,122	76.5%
Yes	61,742	23.5%
Frequency Missing	116,888	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	219,274	82.6%
Yes	46,060	17.4%
Frequency Missing	114,418	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	185,555	70.6%
Yes	77,346	29.4%
Frequency Missing	116,852	

**Participate in School Choir**

Q9c	Frequency	Percent
No	231,212	88.4%
Yes	30,373	11.6%
Frequency Missing	118,168	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	193,794	73.1%
Yes	71,427	26.9%
Frequency Missing	114,531	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	242,427	93.4%
Yes	17,019	6.6%
Frequency Missing	120,307	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	205,881	78.4%
Yes	56,748	21.6%
Frequency Missing	117,123	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	321,514	85.4%
Somewhat Safe	47,889	12.7%
Not Very Safe	2,802	0.7%
Not Safe At All	1,870	0.5%
Don't Know	2,534	0.7%
Frequency Missing	3,144	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	17,073	4.8%
Some High School	34,630	9.7%
Finished High School	77,569	21.7%
Some College	73,013	20.4%
Finished College	86,185	24.1%
Post-Secondary	42,390	11.8%
Don't Know or N/A	27,067	7.6%
Frequency Missing	21,826	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	179,663	47.8%
Somewhat Safe	166,587	44.4%
Not Very Safe	18,138	4.8%
Not Safe At All	4,425	1.2%
Don't Know	6,751	1.8%
Frequency Missing	4,189	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	200,887	68.8%
Yes	91,235	31.2%
Frequency Missing	87,630	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	105,062	28.1%
Somewhat Safe	185,563	49.6%
Not Very Safe	44,777	12.0%
Not Safe At All	23,788	6.4%
Don't Know	14,954	4.0%
Frequency Missing	5,609	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	17,032	4.6%
A Few	85,736	22.9%
Some	87,416	23.4%
Most	142,716	38.2%
All	41,058	11.0%
Frequency Missing	5,794	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	20,202	5.7%
Some High School	43,858	12.3%
Finished High School	88,077	24.7%
Some College	64,731	18.1%
Finished College	64,306	18.0%
Post-Secondary	36,759	10.3%
Don't Know or N/A	38,977	10.9%
Frequency Missing	22,841	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	7,249	1.9%
A Few	40,255	10.7%
Some	90,288	24.0%
Most	165,726	44.1%
All	72,174	19.2%
Frequency Missing	4,061	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	171,845	47.0%
A Few	110,957	30.4%
Some	43,861	12.0%
Most	20,267	5.5%
All	18,600	5.1%
Frequency Missing	14,221	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	361,173	96.3%
In Your Lifetime	9,391	2.5%
Since School Began	699	0.2%
In the Past Month	3,945	1.1%
Frequency Missing	4,545	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	275,251	74.5%
A Few	59,283	16.0%
Some	20,805	5.6%
Most	8,847	2.4%
All	5,378	1.5%
Frequency Missing	10,189	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	366,875	98.8%
In Your Lifetime	2,079	0.6%
Since School Began	936	0.3%
In the Past Month	1,397	0.4%
Frequency Missing	8,465	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	313,320	83.8%
A Few	40,157	10.7%
Some	11,584	3.1%
Most	4,405	1.2%
All	4,387	1.2%
Frequency Missing	5,899	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	354,043	94.6%
In Your Lifetime	12,590	3.4%
Since School Began	2,545	0.7%
In the Past Month	5,099	1.4%
Frequency Missing	5,475	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	369,022	98.1%
In Your Lifetime	4,398	1.2%
Since School Began	1,659	0.4%
In the Past Month	959	0.3%
Frequency Missing	3,713	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	369,056	98.9%
In Your Lifetime	2,798	0.7%
Since School Began	332	0.1%
In the Past Month	1,019	0.3%
Frequency Missing	6,548	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	369,400	98.9%
In Your Lifetime	2,616	0.7%
Since School Began	556	0.1%
In the Past Month	927	0.2%
Frequency Missing	6,253	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	338,219	91.4%
In Your Lifetime	15,591	4.2%
Since School Began	4,607	1.2%
In the Past Month	11,729	3.2%
Frequency Missing	9,607	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	364,722	98.0%
In Your Lifetime	4,868	1.3%
Since School Began	784	0.2%
In the Past Month	1,942	0.5%
Frequency Missing	7,436	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	214,538	59.0%
In Your Lifetime	62,420	17.2%
Since School Began	27,924	7.7%
In the Past Month	58,913	16.2%
Frequency Missing	15,957	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	228,363	62.5%
In Your Lifetime	54,014	14.8%
Since School Began	29,951	8.2%
In the Past Month	53,212	14.6%
Frequency Missing	14,212	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	369,108	98.6%
In Your Lifetime	2,710	0.7%
Since School Began	1,168	0.3%
In the Past Month	1,252	0.3%
Frequency Missing	5,515	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	226,700	62.8%
In Your Lifetime	68,344	18.9%
Since School Began	28,422	7.9%
In the Past Month	37,775	10.5%
Frequency Missing	18,512	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	317,225	85.1%
In Your Lifetime	32,617	8.7%
Since School Began	9,285	2.5%
In the Past Month	13,854	3.7%
Frequency Missing	6,772	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	206,404	56.2%
In Your Lifetime	61,827	16.8%
Since School Began	30,346	8.3%
In the Past Month	68,917	18.8%
Frequency Missing	12,258	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	361,492	97.6%
In Your Lifetime	5,197	1.4%
Since School Began	870	0.2%
In the Past Month	2,651	0.7%
Frequency Missing	9,543	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	360,685	97.0%
In Your Lifetime	7,497	2.0%
Since School Began	1,361	0.4%
In the Past Month	2,139	0.6%
Frequency Missing	8,071	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	365,721	99.6%
In Your Lifetime	1,083	0.3%
Since School Began	131	0.0%
In the Past Month	338	0.1%
Frequency Missing	12,479	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	243,932	65.6%
In Your Lifetime	42,723	11.5%
Since School Began	20,986	5.6%
In the Past Month	64,234	17.3%
Frequency Missing	7,878	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	351,768	95.6%
In Your Lifetime	8,478	2.3%
Since School Began	3,826	1.0%
In the Past Month	3,749	1.0%
Frequency Missing	11,930	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	265,761	71.8%
In Your Lifetime	42,034	11.3%
Since School Began	18,770	5.1%
In the Past Month	43,789	11.8%
Frequency Missing	9,398	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	365,679	99.4%
In Your Lifetime	1,100	0.3%
Since School Began	251	0.1%
In the Past Month	731	0.2%
Frequency Missing	11,990	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	362,811	98.5%
In Your Lifetime	3,305	0.9%
Since School Began	391	0.1%
In the Past Month	1,796	0.5%
Frequency Missing	11,450	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	352,643	95.8%
In Your Lifetime	9,653	2.6%
Since School Began	2,213	0.6%
In the Past Month	3,655	1.0%
Frequency Missing	11,588	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	355,442	96.8%
In Your Lifetime	5,838	1.6%
Since School Began	1,928	0.5%
In the Past Month	3,857	1.1%
Frequency Missing	12,688	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	311,209	84.6%
In Your Lifetime	26,150	7.1%
Since School Began	14,242	3.9%
In the Past Month	16,154	4.4%
Frequency Missing	11,997	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	366,562	99.6%
In Your Lifetime	920	0.3%
Since School Began	0	0.0%
In the Past Month	520	0.1%
Frequency Missing	11,750	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	348,567	94.8%
In Your Lifetime	9,076	2.5%
Since School Began	5,287	1.4%
In the Past Month	4,865	1.3%
Frequency Missing	11,957	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	366,041	99.2%
In Your Lifetime	2,252	0.6%
Since School Began	208	0.1%
In the Past Month	650	0.2%
Frequency Missing	10,601	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	340,273	93.0%
In Your Lifetime	12,842	3.5%
Since School Began	5,242	1.4%
In the Past Month	7,374	2.0%
Frequency Missing	14,021	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	344,766	93.9%
In Your Lifetime	10,097	2.8%
Since School Began	5,125	1.4%
In the Past Month	7,061	1.9%
Frequency Missing	12,702	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	245,054	67.1%
1-2 times	72,781	19.9%
3-10 times	33,504	9.2%
11+ times	13,746	3.8%
Frequency Missing	14,668	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	331,978	91.3%
In Your Lifetime	14,392	4.0%
Since School Began	4,652	1.3%
In the Past Month	12,620	3.5%
Frequency Missing	16,110	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	360,769	98.8%
1-2 times	3,212	0.9%
3-10 times	738	0.2%
11+ times	478	0.1%
Frequency Missing	14,555	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	353,930	96.3%
In Your Lifetime	5,431	1.5%
Since School Began	2,159	0.6%
In the Past Month	5,944	1.6%
Frequency Missing	12,288	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	302,618	82.6%
1-2 times	30,495	8.3%
3-10 times	16,696	4.6%
11+ times	16,632	4.5%
Frequency Missing	13,311	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	332,323	91.0%
1-2 times	17,375	4.8%
3-10 times	7,161	2.0%
11+ times	8,406	2.3%
Frequency Missing	14,487	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	363,472	99.0%
1-2 times	2,454	0.7%
3-10 times	550	0.1%
11+ times	793	0.2%
Frequency Missing	12,483	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	365,879	99.7%
1-2 times	752	0.2%
3-10 times	120	0.0%
11+ times	172	0.0%
Frequency Missing	12,830	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	165,993	45.5%
A few	79,920	21.9%
Some	53,419	14.7%
Most	48,245	13.2%
All	16,870	4.6%
Frequency Missing	15,305	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	237,567	65.2%
A few	75,259	20.6%
Some	33,830	9.3%
Most	14,240	3.9%
All	3,647	1.0%
Frequency Missing	15,209	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	293,253	83.5%
8 or younger	4,137	1.2%
9 years old	1,362	0.4%
10 years old	3,037	0.9%
11 years old	2,184	0.6%
12 years old	5,655	1.6%
13 years old	8,204	2.3%
14 years old	8,440	2.4%
15 years old	9,146	2.6%
16 years old	8,794	2.5%
17 years old	5,225	1.5%
18 or older	1,768	0.5%
Frequency Missing	28,547	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	138,336	38.0%
A few	96,428	26.5%
Some	60,762	16.7%
Most	51,472	14.1%
All	17,223	4.7%
Frequency Missing	15,530	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	170,677	48.7%
8 or younger	17,365	5.0%
9 years old	3,388	1.0%
10 years old	6,997	2.0%
11 years old	6,809	1.9%
12 years old	16,414	4.7%
13 years old	21,111	6.0%
14 years old	28,602	8.2%
15 years old	37,592	10.7%
16 years old	25,201	7.2%
17 years old	12,854	3.7%
18 or older	3,350	1.0%
Frequency Missing	29,391	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	341,878	94.0%
A few	14,778	4.1%
Some	5,335	1.5%
Most	775	0.2%
All	872	0.2%
Frequency Missing	16,114	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	341,244	97.2%
8 or younger	1,444	0.4%
9 years old	950	0.3%
10 years old	1,106	0.3%
11 years old	172	0.0%
12 years old	2,309	0.7%
13 years old	1,113	0.3%
14 years old	1,443	0.4%
15 years old	695	0.2%
16 years old	516	0.1%
17 years old	0	0.0%
18 or older	124	0.0%
Frequency Missing	28,638	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	345,479	97.9%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	120	0.0%
11 years old	0	0.0%
12 years old	213	0.1%
13 years old	899	0.3%
14 years old	1,730	0.5%
15 years old	1,720	0.5%
16 years old	1,386	0.4%
17 years old	1,100	0.3%
18 or older	89	0.0%
Frequency Missing	27,016	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	254,263	72.2%
8 or younger	2,254	0.6%
9 years old	1,230	0.3%
10 years old	1,406	0.4%
11 years old	3,108	0.9%
12 years old	8,748	2.5%
13 years old	11,404	3.2%
14 years old	20,066	5.7%
15 years old	23,093	6.6%
16 years old	17,042	4.8%
17 years old	6,126	1.7%
18 or older	3,184	0.9%
Frequency Missing	27,828	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	352,078	99.6%
8 or younger	0	0.0%
9 years old	120	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	131	0.0%
14 years old	379	0.1%
15 years old	301	0.1%
16 years old	308	0.1%
17 years old	0	0.0%
18 or older	26	0.0%
Frequency Missing	26,410	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	347,505	98.9%
8 or younger	457	0.1%
9 years old	28	0.0%
10 years old	0	0.0%
11 years old	95	0.0%
12 years old	159	0.0%
13 years old	479	0.1%
14 years old	871	0.2%
15 years old	386	0.1%
16 years old	773	0.2%
17 years old	510	0.1%
18 or older	0	0.0%
Frequency Missing	28,491	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	350,531	99.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	375	0.1%
11 years old	0	0.0%
12 years old	95	0.0%
13 years old	278	0.1%
14 years old	412	0.1%
15 years old	203	0.1%
16 years old	131	0.0%
17 years old	17	0.0%
18 or older	0	0.0%
Frequency Missing	27,711	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	340,107	97.1%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	120	0.0%
12 years old	140	0.0%
13 years old	1,334	0.4%
14 years old	3,429	1.0%
15 years old	2,225	0.6%
16 years old	1,648	0.5%
17 years old	501	0.1%
18 or older	740	0.2%
Frequency Missing	29,508	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	350,643	99.4%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	0	0.0%
13 years old	325	0.1%
14 years old	289	0.1%
15 years old	892	0.3%
16 years old	345	0.1%
17 years old	39	0.0%
18 or older	219	0.1%
Frequency Missing	27,001	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	338,501	96.1%
8 or younger	250	0.1%
9 years old	0	0.0%
10 years old	427	0.1%
11 years old	1,059	0.3%
12 years old	1,650	0.5%
13 years old	2,422	0.7%
14 years old	2,894	0.8%
15 years old	4,027	1.1%
16 years old	281	0.1%
17 years old	482	0.1%
18 or older	172	0.0%
Frequency Missing	27,587	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	100,155	28.0%
Impossible	50,338	14.1%
Very Difficult	20,111	5.6%
Somewhat diff	31,635	8.8%
Somewhat easy	56,320	15.7%
Very easy	99,254	27.7%
Frequency Missing	21,939	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	70,558	19.7%
Impossible	31,245	8.7%
Very Difficult	13,010	3.6%
Somewhat diff	40,167	11.2%
Somewhat easy	70,471	19.7%
Very easy	132,671	37.0%
Frequency Missing	21,631	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	146,240	41.2%
Impossible	41,142	11.6%
Very Difficult	10,012	2.8%
Somewhat diff	15,139	4.3%
Somewhat easy	28,716	8.1%
Very easy	113,909	32.1%
Frequency Missing	24,594	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	85,056	23.8%
Impossible	48,878	13.7%
Very Difficult	20,751	5.8%
Somewhat diff	35,542	9.9%
Somewhat easy	52,410	14.7%
Very easy	114,819	32.1%
Frequency Missing	22,296	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	135,356	37.9%
Impossible	98,533	27.6%
Very Difficult	45,909	12.9%
Somewhat diff	34,953	9.8%
Somewhat easy	19,428	5.4%
Very easy	22,681	6.4%
Frequency Missing	22,893	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	141,239	39.9%
Impossible	105,434	29.8%
Very Difficult	46,867	13.2%
Somewhat diff	29,035	8.2%
Somewhat easy	14,540	4.1%
Very easy	16,990	4.8%
Frequency Missing	25,648	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	147,828	41.6%
Impossible	100,765	28.3%
Very Difficult	44,393	12.5%
Somewhat diff	29,754	8.4%
Somewhat easy	14,000	3.9%
Very easy	18,862	5.3%
Frequency Missing	24,150	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	160,307	44.9%
Impossible	83,957	23.5%
Very Difficult	24,999	7.0%
Somewhat diff	28,267	7.9%
Somewhat easy	26,212	7.3%
Very easy	33,429	9.4%
Frequency Missing	22,581	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	159,079	44.9%
Impossible	92,189	26.0%
Very Difficult	35,961	10.1%
Somewhat diff	24,301	6.9%
Somewhat easy	20,721	5.8%
Very easy	22,349	6.3%
Frequency Missing	25,151	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	4,580	1.3%
Several times/wk	4,849	1.4%
Several times/mo	6,286	1.8%
About once/month	9,938	2.8%
About once/year	10,116	2.9%
Less than once/year	17,489	5.0%
Never used	298,638	84.9%
Frequency Missing	27,856	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	158,762	44.5%
Impossible	113,864	31.9%
Very Difficult	43,043	12.1%
Somewhat diff	18,671	5.2%
Somewhat easy	7,827	2.2%
Very easy	14,309	4.0%
Frequency Missing	23,276	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	1,396	0.4%
Several times/wk	9,225	2.6%
Several times/mo	29,400	8.4%
About once/month	59,073	16.8%
About once/year	43,542	12.4%
Less than once/year	29,640	8.4%
Never used	179,510	51.0%
Frequency Missing	27,966	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	163,653	45.8%
Impossible	111,277	31.1%
Very Difficult	40,878	11.4%
Somewhat diff	18,319	5.1%
Somewhat easy	7,916	2.2%
Very easy	15,419	4.3%
Frequency Missing	22,289	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	416	0.1%
Several times/wk	332	0.1%
Several times/mo	759	0.2%
About once/month	1,505	0.4%
About once/year	1,372	0.4%
Less than once/year	3,734	1.1%
Never used	345,616	97.7%
Frequency Missing	26,020	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	138	0.0%
Several times/mo	120	0.0%
About once/month	262	0.1%
About once/year	131	0.0%
Less than once/year	718	0.2%
Never used	350,422	99.6%
Frequency Missing	27,961	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	7,840	2.2%
Several times/wk	10,586	3.0%
Several times/mo	17,350	4.9%
About once/month	17,748	5.0%
About once/year	19,996	5.7%
Less than once/year	18,815	5.3%
Never used	261,272	73.9%
Frequency Missing	26,146	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	417	0.1%
About once/year	185	0.1%
Less than once/year	1,218	0.3%
Never used	349,194	99.5%
Frequency Missing	28,738	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	146	0.0%
Several times/wk	601	0.2%
Several times/mo	357	0.1%
About once/month	1,205	0.3%
About once/year	1,895	0.5%
Less than once/year	2,313	0.7%
Never used	346,074	98.2%
Frequency Missing	27,160	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	120	0.0%
Several times/wk	491	0.1%
Several times/mo	1,788	0.5%
About once/month	1,024	0.3%
About once/year	3,475	1.0%
Less than once/year	2,555	0.7%
Never used	341,732	97.3%
Frequency Missing	28,567	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	266	0.1%
Several times/mo	120	0.0%
About once/month	131	0.0%
About once/year	0	0.0%
Less than once/year	763	0.2%
Never used	350,418	99.6%
Frequency Missing	28,053	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	210,278	59.1%
12+ drinks	10,803	3.0%
9-11 drinks	6,409	1.8%
5-8 drinks	12,635	3.5%
3-4 drinks	22,801	6.4%
2 drinks	22,736	6.4%
1 drink	27,524	7.7%
Less than 1 drink	42,912	12.1%
Frequency Missing	23,655	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	203	0.1%
Several times/wk	120	0.0%
Several times/mo	156	0.0%
About once/month	579	0.2%
About once/year	147	0.0%
Less than once/year	1,308	0.4%
Never used	348,462	99.3%
Frequency Missing	28,778	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	219,367	61.5%
12+ drinks	8,309	2.3%
9-11 drinks	6,095	1.7%
5-8 drinks	15,738	4.4%
3-4 drinks	28,409	8.0%
2 drinks	21,903	6.1%
1 drink	28,896	8.1%
Less than 1 drink	27,808	7.8%
Frequency Missing	23,227	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	331	0.1%
Several times/wk	650	0.2%
Several times/mo	1,034	0.3%
About once/month	2,449	0.7%
About once/year	2,894	0.8%
Less than once/year	4,311	1.2%
Never used	339,650	96.7%
Frequency Missing	28,433	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	222,285	62.5%
12+ drinks	3,967	1.1%
9-11 drinks	2,869	0.8%
5-8 drinks	4,047	1.1%
3-4 drinks	12,369	3.5%
2 drinks	20,165	5.7%
1 drink	40,113	11.3%
Less than 1 drink	49,648	14.0%
Frequency Missing	24,290	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	195,394	55.3%
12+ drinks	11,340	3.2%
9-11 drinks	10,800	3.1%
5-8 drinks	21,406	6.1%
3-4 drinks	30,016	8.5%
2 drinks	25,588	7.2%
1 drink	27,327	7.7%
Less than 1 drink	31,738	9.0%
Frequency Missing	26,143	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	175,720	49.8%
Never	61,210	17.3%
Seldom	51,583	14.6%
Most of the Time	47,679	13.5%
Always	16,624	4.7%
Frequency Missing	26,936	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	211,931	60.3%
0 days	81,280	23.1%
1 day	18,542	5.3%
2 days	12,794	3.6%
3 to 5 days	15,226	4.3%
6 to 9 days	3,536	1.0%
10 or more days	8,334	2.4%
Frequency Missing	28,110	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	185,287	52.7%
Never	128,441	36.6%
Seldom	16,924	4.8%
Most of the Time	12,440	3.5%
Always	8,229	2.3%
Frequency Missing	28,431	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	177,796	50.4%
Never	56,085	15.9%
Seldom	72,317	20.5%
Most of the Time	28,405	8.1%
Always	17,864	5.1%
Frequency Missing	27,285	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	172,854	49.0%
Never	53,085	15.0%
Seldom	40,314	11.4%
Most of the Time	45,620	12.9%
Always	41,150	11.7%
Frequency Missing	26,730	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	193,571	55.6%
Never	91,103	26.1%
Seldom	25,577	7.3%
Most of the Time	17,683	5.1%
Always	20,460	5.9%
Frequency Missing	31,358	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	192,071	55.5%
Somewhat	88,836	25.7%
Not very	35,486	10.2%
Not at all	8,932	2.6%
Don't know	20,915	6.0%
Frequency Missing	33,513	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	293,667	84.9%
Somewhat	21,526	6.2%
Not very	3,280	0.9%
Not at all	3,020	0.9%
Don't know	24,211	7.0%
Frequency Missing	34,048	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	152,872	44.1%
Somewhat	108,233	31.2%
Not very	56,829	16.4%
Not at all	12,783	3.7%
Don't know	16,013	4.6%
Frequency Missing	33,022	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	297,255	85.7%
Somewhat	17,964	5.2%
Not very	3,026	0.9%
Not at all	2,075	0.6%
Don't know	26,337	7.6%
Frequency Missing	33,096	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	231,966	67.5%
Somewhat	52,562	15.3%
Not very	19,344	5.6%
Not at all	8,467	2.5%
Don't know	31,185	9.1%
Frequency Missing	36,229	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	268,356	77.6%
Somewhat	29,456	8.5%
Not very	9,019	2.6%
Not at all	4,084	1.2%
Don't know	34,933	10.1%
Frequency Missing	33,905	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	159,710	46.2%
Somewhat	47,916	13.9%
Not very	53,859	15.6%
Not at all	64,375	18.6%
Don't know	20,098	5.8%
Frequency Missing	33,795	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	253,174	73.2%
Somewhat	43,526	12.6%
Not very	14,529	4.2%
Not at all	5,361	1.6%
Don't know	29,273	8.5%
Frequency Missing	33,889	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	300,588	87.0%
Somewhat	14,537	4.2%
Not very	2,387	0.7%
Not at all	2,230	0.6%
Don't know	25,848	7.5%
Frequency Missing	34,162	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	158,949	46.2%
Somewhat	39,194	11.4%
Not very	65,317	19.0%
Not at all	54,052	15.7%
Don't know	26,175	7.6%
Frequency Missing	36,065	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	300,858	86.9%
Somewhat	13,676	3.9%
Not very	2,630	0.8%
Not at all	2,195	0.6%
Don't know	26,933	7.8%
Frequency Missing	33,460	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	258,833	74.2%
1-3 days	65,276	18.7%
4-9 days	15,486	4.4%
10+ days	9,215	2.6%
Frequency Missing	30,943	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	263,278	76.2%
Somewhat	32,129	9.3%
Not very	10,525	3.0%
Not at all	5,731	1.7%
Don't know	33,853	9.8%
Frequency Missing	34,236	

**Days Ill Since September**

Q28b	Frequency	Percent
None	107,978	30.9%
1-3 days	182,541	52.3%
4-9 days	47,839	13.7%
10+ days	10,975	3.1%
Frequency Missing	30,420	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	244,148	71.1%
Somewhat	53,754	15.7%
Not very	12,241	3.6%
Not at all	5,692	1.7%
Don't know	27,557	8.0%
Frequency Missing	36,360	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	132,496	38.6%
1-3 days	172,970	50.4%
4-9 days	29,280	8.5%
10+ days	8,276	2.4%
Frequency Missing	36,730	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	308,755	88.6%
1-3 days	30,607	8.8%
4-9 days	4,638	1.3%
10+ days	4,503	1.3%
Frequency Missing	31,250	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	330,280	95.6%
1-3 times	12,710	3.7%
4-9 times	1,830	0.5%
10+ times	833	0.2%
Frequency Missing	34,099	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	314,751	90.7%
1-3 days	23,130	6.7%
4-9 days	4,553	1.3%
10+ days	4,457	1.3%
Frequency Missing	32,862	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	323,097	94.0%
1-3 times	14,071	4.1%
4-9 times	3,001	0.9%
10+ times	3,672	1.1%
Frequency Missing	35,911	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	330,123	95.3%
1-3 times	14,391	4.2%
4-9 times	1,396	0.4%
10+ times	654	0.2%
Frequency Missing	33,188	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	327,121	94.8%
1-3 days	13,096	3.8%
4-9 days	2,923	0.8%
10+ days	1,954	0.6%
Frequency Missing	34,658	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	332,257	96.2%
1-3 times	10,608	3.1%
4-9 times	1,022	0.3%
10+ times	1,506	0.4%
Frequency Missing	34,359	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	310,697	90.0%
1-3 days	18,574	5.4%
4-9 days	7,008	2.0%
10+ days	8,927	2.6%
Frequency Missing	34,546	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 102 of 121

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	341,970	99.3%
1-3 days	1,166	0.3%
4-9 days	251	0.1%
10+ days	1,128	0.3%
Frequency Missing	35,238	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	278,784	93.1%
Yes	20,776	6.9%
Frequency Missing	80,193	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	328,602	95.8%
1-3 days	9,060	2.6%
4-9 days	3,049	0.9%
10+ days	2,335	0.7%
Frequency Missing	36,706	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	234,468	70.0%
Yes	100,543	30.0%
Frequency Missing	44,741	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	138,115	40.2%
Seldom	30,624	8.9%
Half the time	25,273	7.4%
Most of the Time	38,373	11.2%
Always	47,960	14.0%
Don't Know	4,779	1.4%
Didn't attend	58,420	17.0%
Frequency Missing	36,209	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	279,290	83.6%
Yes	54,942	16.4%
Frequency Missing	45,520	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	214,635	64.4%
Yes	118,811	35.6%
Frequency Missing	46,305	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	170,494	49.7%
Seldom	25,052	7.3%
Half the time	21,317	6.2%
Most of the Time	30,768	9.0%
Always	30,496	8.9%
Don't Know	6,536	1.9%
Didn't attend	58,384	17.0%
Frequency Missing	36,705	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	124,683	37.2%
Yes	210,616	62.8%
Frequency Missing	44,453	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	161,578	48.8%
Yes	169,831	51.2%
Frequency Missing	48,343	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	233,691	71.8%
Yes	91,656	28.2%
Frequency Missing	54,405	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	112,123	33.6%
Yes	221,505	66.4%
Frequency Missing	46,125	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	224,914	69.2%
Yes	100,064	30.8%
Frequency Missing	54,774	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	142,237	42.8%
Yes	190,164	57.2%
Frequency Missing	47,351	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	274,639	84.6%
Yes	50,014	15.4%
Frequency Missing	55,099	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	220,891	66.3%
Yes	112,313	33.7%
Frequency Missing	46,548	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	292,726	90.4%
Yes	31,177	9.6%
Frequency Missing	55,848	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	265,496	81.7%
Yes	59,454	18.3%
Frequency Missing	54,803	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	256,855	79.2%
Yes	67,387	20.8%
Frequency Missing	55,510	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	286,155	88.6%
Yes	36,823	11.4%
Frequency Missing	56,774	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	269,616	83.2%
Yes	54,533	16.8%
Frequency Missing	55,603	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	243,946	75.7%
Yes	78,436	24.3%
Frequency Missing	57,370	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	264,057	76.7%
Mild disapprove	28,826	8.4%
Neither	26,832	7.8%
Mildly approve	2,642	0.8%
Strongly approve	1,798	0.5%
Don't know	20,051	5.8%
Frequency Missing	35,546	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	184,750	54.0%
Mild disapprove	60,608	17.7%
Neither	59,704	17.5%
Mildly approve	16,758	4.9%
Strongly approve	3,255	1.0%
Don't know	16,940	5.0%
Frequency Missing	37,738	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	248,706	72.5%
Mild disapprove	32,542	9.5%
Neither	31,786	9.3%
Mildly approve	7,843	2.3%
Strongly approve	3,979	1.2%
Don't know	18,292	5.3%
Frequency Missing	36,604	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.



<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

