
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2020



HHSC REGION 2 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Pearson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	3
Tobacco	4
Alcohol	7
Drugs	15
Inhalants	30
Miscellaneous	34
2 Prevalence Tables	40
Table B-1: All Students	41
Table B-2: Male Students	45
Table B-3: Female Students	49
Table B-4: White Non-Hispanic Students	53
Table B-5: African American Non-Hispanic Students	57
Table B-6: Hispanic or Latino Students	61
Table B-7: Students Reporting A Grades on Average	65
Table B-8: Students Reporting Grades Lower Than an A on Average	69
Table B-9: Students Living with 2 Parents	73
Table B-10: Students Not Living with 2 Parents	77
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	81
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	85
3 Margin Tables	89
Appendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 2. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	17.0%	22.2%	36.6%	63.4%
Grade 7	7.1%	9.7%	22.0%	78.0%
Grade 8	12.9%	16.9%	29.1%	70.9%
Grade 9	16.4%	23.2%	38.4%	61.6%
Grade 10	17.7%	22.7%	38.0%	62.0%
Grade 11	25.0%	31.2%	47.2%	52.8%
Grade 12	25.8%	32.7%	49.0%	51.0%
Cigarettes?				
All	3.9%	5.7%	15.0%	85.0%
Grade 7	1.7%	2.1%	8.9%	91.1%
Grade 8	1.4%	3.6%	13.5%	86.5%
Grade 9	3.8%	5.1%	13.9%	86.1%
Grade 10	3.0%	4.7%	14.2%	85.8%
Grade 11	9.0%	11.4%	19.4%	80.6%
Grade 12	5.5%	9.0%	22.1%	77.9%
Smokeless Tobacco?				
All	2.7%	3.8%	8.4%	91.6%
Grade 7	0.6%	1.0%	4.1%	95.9%
Grade 8	0.9%	1.1%	5.9%	94.1%
Grade 9	3.1%	4.8%	7.9%	92.1%
Grade 10	1.6%	3.2%	8.6%	91.4%
Grade 11	4.9%	6.3%	11.9%	88.1%
Grade 12	5.8%	7.1%	13.4%	86.6%
Electronic Vapor Products?				
All	12.9%	19.0%	32.6%	67.4%
Grade 7	5.2%	7.6%	18.8%	81.2%
Grade 8	8.0%	12.5%	25.1%	74.9%
Grade 9	12.4%	21.0%	34.2%	65.8%
Grade 10	13.5%	19.9%	33.7%	66.3%
Grade 11	20.8%	28.2%	45.0%	55.0%
Grade 12	20.0%	27.7%	42.3%	57.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 4 of 127

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	83.4%	2.3%	1.5%	1.8%	3.0%	2.2%	5.8%
Grade 7	93.0%	0.2%	0.0%	0.4%	2.2%	1.0%	3.2%
Grade 8	88.2%	0.4%	0.4%	1.2%	2.5%	2.9%	4.3%
Grade 9	85.4%	1.2%	2.2%	1.0%	2.6%	2.5%	5.1%
Grade 10	80.5%	1.8%	1.3%	1.6%	3.8%	2.7%	8.4%
Grade 11	76.2%	4.6%	3.0%	3.7%	3.8%	1.0%	7.6%
Grade 12	74.2%	6.4%	2.8%	3.7%	3.0%	3.2%	6.6%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.9	10.5	11.1	12.2	13.0	13.4	14.6

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.1%	20.6%	8.5%	11.5%	14.6%	18.7%
Grade 7	35.0%	30.6%	9.5%	8.3%	8.3%	8.2%
Grade 8	30.4%	27.2%	8.8%	8.4%	11.8%	13.4%
Grade 9	27.1%	21.2%	8.8%	10.2%	14.4%	18.4%
Grade 10	20.9%	18.6%	10.9%	15.0%	15.4%	19.2%
Grade 11	19.3%	15.1%	6.2%	14.6%	19.7%	25.1%
Grade 12	22.3%	7.8%	6.1%	13.4%	19.3%	31.1%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	67.8%	19.6%	8.3%	3.4%	0.9%
Grade 7	82.8%	12.4%	3.9%	0.7%	0.2%
Grade 8	80.6%	12.6%	5.3%	1.1%	0.4%
Grade 9	68.7%	19.8%	6.9%	3.2%	1.4%
Grade 10	64.8%	21.8%	9.8%	2.7%	0.9%
Grade 11	55.9%	25.8%	10.9%	6.2%	1.3%
Grade 12	48.7%	27.5%	14.9%	7.5%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 5 of 127

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.4%	8.4%	8.0%	0.8%	0.5%	6.7%
Grade 7	82.7%	5.0%	3.9%	0.4%	0.4%	7.6%
Grade 8	80.5%	4.9%	5.2%	0.6%	0.3%	8.5%
Grade 9	74.5%	10.2%	7.8%	0.9%	0.5%	6.2%
Grade 10	76.4%	8.2%	7.3%	0.7%	0.8%	6.6%
Grade 11	70.6%	13.5%	9.7%	1.2%	0.7%	4.2%
Grade 12	66.1%	9.6%	15.5%	1.4%	0.4%	7.0%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	59.8%	26.0%	8.1%	1.4%	4.7%
Grade 7	70.7%	20.1%	3.9%	1.1%	4.1%
Grade 8	67.1%	19.3%	6.7%	0.6%	6.3%
Grade 9	62.9%	23.7%	8.1%	0.5%	4.8%
Grade 10	58.2%	27.3%	9.1%	1.7%	3.7%
Grade 11	53.4%	30.9%	8.0%	2.5%	5.2%
Grade 12	42.5%	37.7%	13.9%	2.1%	3.9%
Electronic Vapor Products?					
All	61.1%	19.9%	11.0%	3.6%	4.4%
Grade 7	69.1%	15.8%	7.4%	2.7%	5.0%
Grade 8	68.3%	14.1%	9.6%	3.3%	4.7%
Grade 9	61.4%	18.7%	12.5%	3.1%	4.3%
Grade 10	57.7%	22.8%	11.4%	3.5%	4.6%
Grade 11	53.6%	25.5%	13.0%	4.1%	3.7%
Grade 12	54.3%	24.0%	12.6%	5.2%	3.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	29.2%	34.4%	54.8%	45.2%
Grade 7	16.4%	19.4%	40.2%	59.8%
Grade 8	23.2%	27.0%	50.0%	50.0%
Grade 9	32.4%	36.9%	58.5%	41.5%
Grade 10	28.0%	33.3%	51.9%	48.1%
Grade 11	37.5%	44.7%	65.7%	34.3%
Grade 12	41.3%	49.3%	66.1%	33.9%
Beer?				
All	11.7%	18.3%	42.3%	57.7%
Grade 7	5.0%	7.9%	32.3%	67.7%
Grade 8	7.6%	13.4%	38.7%	61.3%
Grade 9	11.0%	18.7%	42.1%	57.9%
Grade 10	11.3%	18.6%	41.1%	58.9%
Grade 11	17.5%	25.7%	51.1%	48.9%
Grade 12	20.3%	28.6%	51.3%	48.7%
Wine Coolers?				
All	9.2%	14.6%	32.4%	67.6%
Grade 7	4.1%	5.9%	17.4%	82.6%
Grade 8	5.1%	8.3%	25.2%	74.8%
Grade 9	7.9%	13.9%	32.3%	67.7%
Grade 10	9.0%	15.6%	33.1%	66.9%
Grade 11	14.9%	21.6%	44.4%	55.6%
Grade 12	16.8%	25.2%	46.6%	53.4%
Wine?				
All	7.8%	12.1%	33.9%	66.1%
Grade 7	4.0%	6.4%	23.1%	76.9%
Grade 8	3.7%	7.9%	27.5%	72.5%
Grade 9	8.1%	12.4%	35.9%	64.1%
Grade 10	7.3%	11.5%	31.0%	69.0%
Grade 11	11.8%	17.8%	42.6%	57.4%
Grade 12	13.2%	18.3%	46.4%	53.6%
Liquor?				
All	11.8%	18.4%	38.3%	61.7%
Grade 7	4.3%	7.1%	19.6%	80.4%
Grade 8	6.5%	10.5%	30.3%	69.7%
Grade 9	11.1%	18.1%	39.9%	60.1%
Grade 10	11.6%	19.4%	38.6%	61.4%
Grade 11	18.2%	26.6%	51.1%	48.9%
Grade 12	22.0%	32.6%	55.1%	44.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 127

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.7%	0.3%	1.5%	6.8%	10.5%	11.6%	10.6%
Grade 7	75.5%	0.2%	0.8%	2.6%	5.1%	4.7%	11.0%
Grade 8	67.2%	0.0%	0.7%	5.5%	5.6%	11.5%	9.5%
Grade 9	56.3%	0.3%	1.8%	5.0%	12.3%	13.5%	11.0%
Grade 10	57.9%	0.4%	1.6%	5.1%	11.7%	10.8%	12.6%
Grade 11	47.4%	0.8%	2.7%	11.3%	13.6%	14.4%	9.9%
Grade 12	44.9%	0.3%	1.3%	12.6%	16.0%	15.6%	9.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	62.4%	37.6%	7.8%	17.3%	12.5%
	Grade 7	71.2%	28.8%	2.2%	12.4%	14.2%
	Grade 8	65.6%	34.4%	4.2%	14.5%	15.7%
	Grade 9	63.1%	36.9%	6.4%	17.7%	12.8%
	Grade 10	63.8%	36.2%	6.3%	19.4%	10.5%
	Grade 11	55.6%	44.4%	13.2%	18.7%	12.4%
	Grade 12	52.6%	47.4%	16.7%	22.4%	8.3%
Wine Coolers						
	All	70.8%	29.2%	7.0%	14.9%	7.3%
	Grade 7	85.4%	14.6%	1.5%	6.0%	7.1%
	Grade 8	78.4%	21.6%	3.0%	10.6%	8.0%
	Grade 9	71.2%	28.8%	6.1%	15.0%	7.6%
	Grade 10	70.0%	30.0%	6.0%	17.5%	6.5%
	Grade 11	58.2%	41.8%	15.0%	19.4%	7.4%
	Grade 12	57.8%	42.2%	12.1%	23.2%	6.9%
Wine						
	All	70.2%	29.8%	3.9%	14.6%	11.3%
	Grade 7	80.5%	19.5%	1.4%	6.0%	12.0%
	Grade 8	75.3%	24.7%	2.8%	11.4%	10.6%
	Grade 9	68.3%	31.7%	4.1%	13.5%	14.0%
	Grade 10	73.4%	26.6%	3.1%	14.0%	9.6%
	Grade 11	62.0%	38.0%	6.2%	20.9%	10.9%
	Grade 12	59.4%	40.6%	6.5%	24.0%	10.0%
Liquor						
	All	64.3%	35.7%	9.5%	16.4%	9.8%
	Grade 7	82.2%	17.8%	2.6%	5.9%	9.3%
	Grade 8	72.7%	27.3%	5.4%	12.5%	9.4%
	Grade 9	62.8%	37.2%	9.2%	16.0%	11.9%
	Grade 10	63.4%	36.6%	8.6%	18.6%	9.3%
	Grade 11	52.3%	47.7%	17.2%	20.0%	10.5%
	Grade 12	48.4%	51.6%	15.6%	27.7%	8.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	87.5%	4.9%	2.4%	2.5%	1.0%	1.6%
Grade 7	94.1%	2.8%	0.5%	1.6%	0.4%	0.6%
Grade 8	92.7%	3.4%	1.0%	0.8%	0.4%	1.7%
Grade 9	87.2%	5.9%	2.6%	2.3%	0.5%	1.5%
Grade 10	89.0%	3.4%	2.9%	2.4%	0.9%	1.5%
Grade 11	80.8%	6.5%	3.5%	4.8%	3.0%	1.4%
Grade 12	79.4%	7.9%	4.4%	3.8%	1.4%	3.1%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.4	11.1	12.4	12.9	13.6	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.2%	14.2%	6.3%	12.4%	18.7%	28.1%
Grade 7	28.9%	24.8%	7.1%	9.4%	13.0%	16.8%
Grade 8	25.1%	18.3%	7.4%	14.2%	12.8%	22.2%
Grade 9	19.3%	13.1%	7.6%	13.1%	19.0%	27.8%
Grade 10	16.9%	12.5%	7.3%	12.2%	22.8%	28.4%
Grade 11	12.8%	10.0%	5.9%	12.0%	19.7%	39.6%
Grade 12	16.2%	4.5%	2.1%	13.7%	26.6%	36.9%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.8%	3.2%	0.7%	0.3%
Grade 7	97.8%	1.5%	0.5%	0.2%
Grade 8	95.5%	3.8%	0.4%	0.4%
Grade 9	94.9%	3.8%	0.7%	0.6%
Grade 10	96.0%	2.9%	0.8%	0.2%
Grade 11	94.0%	4.6%	1.1%	0.3%
Grade 12	96.8%	2.4%	0.6%	0.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 127

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.4
Average Days Conduct Problems Reported	
Alcohol Users	2.2
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.6%	4.3%	0.6%	0.4%
Grade 9	98.0%	1.7%	0.3%	0.0%
Grade 10	96.2%	2.8%	0.2%	0.8%
Grade 11	92.5%	5.7%	1.2%	0.6%
Grade 12	90.8%	7.8%	1.0%	0.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.5%	3.8%	0.6%	0.1%
Grade 7	96.6%	3.1%	0.2%	0.2%
Grade 8	96.4%	3.0%	0.4%	0.2%
Grade 9	94.7%	4.5%	0.8%	0.0%
Grade 10	95.2%	4.1%	0.6%	0.1%
Grade 11	94.8%	4.3%	0.9%	0.0%
Grade 12	95.4%	3.7%	0.7%	0.2%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	46.5%	25.4%	15.8%	10.0%	2.3%
Grade 7	67.7%	18.6%	9.5%	3.8%	0.4%
Grade 8	58.5%	24.7%	10.0%	5.5%	1.3%
Grade 9	44.4%	27.9%	16.0%	9.5%	2.2%
Grade 10	43.1%	26.8%	18.3%	9.4%	2.3%
Grade 11	30.3%	29.0%	21.3%	15.2%	4.2%
Grade 12	29.8%	25.8%	21.7%	18.9%	3.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.9%	6.3%	5.0%	7.8%	7.8%	2.2%	22.0%
Grade 7	65.6%	4.9%	3.5%	3.6%	2.7%	2.1%	17.7%
Grade 8	60.7%	5.6%	4.6%	5.2%	3.5%	3.0%	17.4%
Grade 9	45.9%	8.5%	4.8%	10.6%	4.3%	2.4%	23.4%
Grade 10	44.7%	7.5%	4.9%	8.7%	8.1%	1.0%	25.0%
Grade 11	34.1%	5.1%	6.0%	10.5%	13.8%	2.7%	27.8%
Grade 12	38.9%	6.1%	6.8%	8.3%	16.5%	1.5%	21.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	57.6%	17.1%	16.6%	6.0%	2.7%
	Grade 7	67.9%	15.1%	12.2%	3.4%	1.4%
	Grade 8	63.9%	14.5%	15.3%	5.3%	1.0%
	Grade 9	55.3%	18.4%	17.4%	5.3%	3.5%
	Grade 10	58.1%	17.6%	16.1%	5.4%	2.7%
	Grade 11	49.9%	19.3%	18.9%	8.3%	3.6%
	Grade 12	47.7%	17.9%	20.8%	9.3%	4.4%
Friends?						
	All	58.1%	17.5%	14.0%	8.2%	2.3%
	Grade 7	71.2%	16.3%	8.0%	3.0%	1.4%
	Grade 8	66.8%	17.7%	9.0%	5.0%	1.5%
	Grade 9	58.2%	19.1%	14.3%	7.1%	1.4%
	Grade 10	57.1%	18.4%	15.4%	7.5%	1.7%
	Grade 11	45.6%	18.7%	18.9%	12.7%	4.0%
	Grade 12	45.8%	14.2%	19.9%	15.7%	4.4%
A Store?						
	All	60.5%	32.9%	3.2%	1.9%	1.5%
	Grade 7	73.7%	22.6%	2.2%	0.6%	0.8%
	Grade 8	66.7%	30.6%	1.5%	0.7%	0.4%
	Grade 9	59.7%	34.0%	4.1%	1.6%	0.7%
	Grade 10	58.9%	35.7%	2.8%	1.5%	1.0%
	Grade 11	50.9%	38.2%	3.1%	3.6%	4.2%
	Grade 12	50.0%	38.0%	5.7%	3.8%	2.5%
Parties?						
	All	57.0%	18.8%	9.3%	8.8%	6.1%
	Grade 7	69.5%	18.5%	6.4%	3.8%	1.8%
	Grade 8	62.7%	19.8%	8.7%	5.8%	3.0%
	Grade 9	57.0%	18.3%	9.0%	9.5%	6.1%
	Grade 10	56.4%	17.6%	11.8%	8.0%	6.2%
	Grade 11	46.4%	21.1%	9.7%	11.0%	11.8%
	Grade 12	46.9%	17.4%	10.5%	16.3%	8.9%
Other Sources?						
	All	60.6%	22.5%	8.0%	5.1%	3.8%
	Grade 7	71.6%	18.1%	6.6%	2.4%	1.3%
	Grade 8	66.7%	22.4%	4.8%	3.6%	2.5%
	Grade 9	59.2%	22.2%	9.0%	4.7%	4.9%
	Grade 10	59.3%	23.3%	8.4%	6.2%	2.8%
	Grade 11	53.7%	24.2%	8.2%	7.3%	6.6%
	Grade 12	50.3%	25.8%	11.4%	7.0%	5.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.7%	15.5%	15.1%	3.9%	0.7%	6.0%
Grade 7	74.4%	8.9%	7.4%	1.7%	0.7%	6.9%
Grade 8	65.1%	12.8%	10.5%	3.4%	0.3%	7.9%
Grade 9	56.2%	16.4%	17.3%	3.5%	1.3%	5.3%
Grade 10	58.0%	17.1%	14.7%	3.7%	0.8%	5.6%
Grade 11	50.6%	19.2%	18.9%	6.2%	0.5%	4.6%
Grade 12	45.0%	20.0%	23.3%	5.4%	0.8%	5.6%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.8%	31.5%	15.2%	1.9%	3.5%
Grade 7	59.8%	24.7%	10.6%	1.0%	3.9%
Grade 8	50.6%	26.3%	16.6%	1.9%	4.6%
Grade 9	47.6%	32.8%	15.6%	1.0%	3.0%
Grade 10	47.8%	31.3%	15.7%	1.6%	3.6%
Grade 11	42.2%	33.9%	16.3%	3.8%	3.7%
Grade 12	36.2%	42.3%	17.1%	2.5%	2.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.0%	18.9%	25.7%	74.3%
Grade 7	6.0%	8.9%	11.2%	88.8%
Grade 8	10.6%	13.8%	18.3%	81.7%
Grade 9	16.1%	19.7%	25.4%	74.6%
Grade 10	15.5%	19.6%	28.5%	71.5%
Grade 11	21.2%	25.7%	35.7%	64.3%
Grade 12	22.9%	28.2%	39.5%	60.5%
Marijuana?				
All	14.2%	16.5%	23.8%	76.2%
Grade 7	5.2%	5.7%	7.8%	92.2%
Grade 8	9.1%	11.2%	16.2%	83.8%
Grade 9	15.4%	18.0%	24.1%	75.9%
Grade 10	15.0%	17.1%	26.9%	73.1%
Grade 11	20.6%	23.4%	33.6%	66.4%
Grade 12	22.1%	26.8%	38.8%	61.2%
Cocaine?				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	1.2%	1.3%	1.9%	98.1%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	1.7%	2.5%	5.4%	94.6%
Grade 12	0.5%	0.5%	1.9%	98.1%
Crack?				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.2%	0.8%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	0.4%	0.4%	1.4%	98.6%
Grade 12	0.5%	0.5%	1.1%	98.9%
Hallucinogens?				
All	0.9%	1.4%	3.7%	96.3%
Grade 7	0.6%	0.6%	1.5%	98.5%
Grade 8	0.7%	0.8%	2.4%	97.6%
Grade 9	0.4%	0.8%	2.4%	97.6%
Grade 10	1.4%	1.8%	4.3%	95.7%
Grade 11	1.4%	2.7%	6.5%	93.5%
Grade 12	1.0%	1.7%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.5%	0.6%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids?				
All	0.3%	0.5%	2.1%	97.9%
Grade 7	0.3%	0.7%	2.3%	97.7%
Grade 8	0.0%	0.1%	1.2%	98.8%
Grade 9	0.0%	0.4%	2.0%	98.0%
Grade 10	0.4%	0.4%	3.4%	96.6%
Grade 11	0.8%	1.1%	2.2%	97.8%
Grade 12	0.2%	0.2%	1.6%	98.4%
Ecstasy?				
All	0.5%	0.7%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.2%	98.8%
Grade 9	0.4%	0.6%	2.6%	97.4%
Grade 10	1.4%	1.6%	1.9%	98.1%
Grade 11	0.7%	0.7%	4.6%	95.4%
Grade 12	0.3%	0.8%	2.2%	97.8%
Heroin?				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.9%	1.4%	1.4%	98.6%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	1.0%	1.0%	1.2%	98.8%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Methamphetamine?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.9%	2.2%	97.8%
Grade 9	0.3%	0.6%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.2%	2.3%	97.7%
Grade 12	0.2%	0.2%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.9%	2.4%	4.5%	95.5%
Grade 7	1.3%	1.3%	2.3%	97.7%
Grade 8	1.5%	2.4%	4.6%	95.4%
Grade 9	2.0%	2.7%	4.7%	95.3%
Grade 10	3.4%	4.3%	6.1%	93.9%
Grade 11	2.4%	2.8%	6.3%	93.7%
Grade 12	0.6%	1.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	79.0%	2.2%	2.7%	3.1%	4.0%	3.4%	5.6%
Grade 7	92.8%	1.0%	0.8%	1.3%	1.2%	1.0%	2.0%
Grade 8	84.6%	0.7%	1.3%	2.1%	3.8%	2.5%	5.0%
Grade 9	79.9%	1.8%	3.7%	3.6%	3.8%	3.2%	4.0%
Grade 10	76.1%	1.6%	2.5%	4.0%	4.3%	3.4%	8.2%
Grade 11	71.3%	5.1%	4.9%	3.8%	4.7%	3.8%	6.3%
Grade 12	66.5%	3.7%	3.2%	4.2%	6.4%	7.2%	8.8%
Cocaine?							
All	98.9%	0.0%	0.0%	0.1%	0.2%	0.4%	0.5%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Grade 8	98.7%	0.0%	0.0%	0.1%	0.5%	0.1%	0.6%
Grade 9	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%
Grade 10	99.0%	0.0%	0.1%	0.2%	0.3%	0.1%	0.2%
Grade 11	97.1%	0.0%	0.0%	0.0%	0.0%	1.3%	1.5%
Grade 12	98.9%	0.0%	0.0%	0.0%	0.1%	0.6%	0.4%
Crack?							
All	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
Grade 8	99.4%	0.1%	0.0%	0.1%	0.3%	0.1%	0.0%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Grade 10	99.1%	0.1%	0.0%	0.0%	0.5%	0.1%	0.1%
Grade 11	99.4%	0.2%	0.0%	0.0%	0.0%	0.3%	0.0%
Grade 12	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Steroids?							
All	98.8%	0.1%	0.0%	0.0%	0.1%	0.4%	0.7%
Grade 7	98.5%	0.2%	0.0%	0.0%	0.4%	0.1%	0.9%
Grade 8	99.2%	0.0%	0.0%	0.0%	0.0%	0.3%	0.5%
Grade 9	98.7%	0.0%	0.0%	0.0%	0.0%	0.4%	0.9%
Grade 10	98.1%	0.1%	0.0%	0.0%	0.1%	1.0%	0.7%
Grade 11	99.1%	0.3%	0.0%	0.0%	0.0%	0.1%	0.5%
Grade 12	99.4%	0.0%	0.1%	0.0%	0.0%	0.1%	0.4%
Ecstasy?							
All	98.4%	0.0%	0.0%	0.1%	0.2%	0.4%	0.8%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Grade 8	99.2%	0.0%	0.0%	0.1%	0.2%	0.3%	0.1%
Grade 9	97.5%	0.0%	0.0%	0.3%	0.4%	0.6%	1.2%
Grade 10	98.7%	0.1%	0.0%	0.3%	0.3%	0.3%	0.4%
Grade 11	96.7%	0.0%	0.2%	0.0%	0.1%	1.2%	1.8%
Grade 12	98.4%	0.0%	0.0%	0.0%	0.2%	0.4%	0.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.4%	0.0%	0.2%	0.1%	0.2%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 10	98.8%	0.3%	0.4%	0.1%	0.2%	0.0%	0.2%
	Grade 11	99.0%	0.2%	0.0%	0.0%	0.0%	0.3%	0.4%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?								
	All	99.1%	0.0%	0.1%	0.1%	0.1%	0.1%	0.5%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 8	98.3%	0.0%	0.4%	0.0%	0.5%	0.1%	0.7%
	Grade 9	99.4%	0.0%	0.0%	0.1%	0.0%	0.0%	0.5%
	Grade 10	99.3%	0.1%	0.2%	0.1%	0.2%	0.0%	0.0%
	Grade 11	98.1%	0.0%	0.1%	0.0%	0.0%	0.6%	1.2%
	Grade 12	99.5%	0.0%	0.0%	0.1%	0.0%	0.0%	0.3%
Synthetic Marijuana?								
	All	96.8%	0.1%	0.3%	0.5%	0.6%	0.6%	1.1%
	Grade 7	98.3%	0.2%	0.3%	0.0%	0.2%	0.0%	1.0%
	Grade 8	97.1%	0.1%	0.0%	1.0%	0.9%	0.1%	0.8%
	Grade 9	96.2%	0.0%	0.8%	0.5%	0.4%	1.3%	0.9%
	Grade 10	95.4%	0.1%	0.6%	1.2%	1.0%	0.8%	0.9%
	Grade 11	95.5%	0.0%	0.4%	0.3%	0.6%	1.2%	2.0%
	Grade 12	98.5%	0.0%	0.0%	0.0%	0.3%	0.2%	1.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.6	10.9	11.6	12.9	13.6	14.3	15.1
Cocaine	13.6	11.0	11.2	14.3	14.3	13.8	15.1
Crack	12.9	10.5	9.9	13.9	13.0	13.5	15.8
Steroids	12.8	12.2	10.0	14.1	12.2	14.8	12.6
Ecstasy	14.1	11.8	11.5	14.1	14.7	14.4	15.6
Heroin	12.3	9.7	11.5	15.0	11.4	13.9	14.0
Methamphetamine	12.6	10.2	11.1	13.5	12.3	14.1	14.7
Synthetic Marijuana	13.4	11.5	10.6	13.6	13.5	14.5	15.5

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 127

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	26.3%	23.9%	8.9%	10.1%	11.5%	19.2%
	Grade 7	36.3%	39.3%	8.6%	5.6%	4.6%	5.6%
	Grade 8	31.2%	30.9%	8.2%	8.3%	8.9%	12.5%
	Grade 9	24.1%	25.4%	9.4%	12.1%	10.2%	18.8%
	Grade 10	21.9%	21.6%	11.9%	10.7%	13.1%	20.8%
	Grade 11	19.9%	14.1%	7.2%	12.6%	17.5%	28.8%
	Grade 12	22.9%	8.5%	8.0%	11.9%	16.5%	32.1%
Cocaine?							
	All	37.2%	36.2%	12.8%	6.4%	3.6%	3.8%
	Grade 7	41.3%	43.8%	8.7%	2.0%	3.1%	1.1%
	Grade 8	40.3%	40.3%	8.1%	4.8%	2.2%	4.4%
	Grade 9	37.1%	36.4%	13.4%	6.2%	2.8%	4.1%
	Grade 10	32.4%	39.1%	16.2%	5.0%	4.2%	3.2%
	Grade 11	33.3%	29.7%	16.3%	11.5%	4.6%	4.7%
	Grade 12	38.1%	25.5%	15.4%	9.9%	5.3%	5.7%
Crack?							
	All	38.3%	36.7%	13.1%	5.5%	3.0%	3.4%
	Grade 7	41.9%	42.8%	9.0%	2.1%	2.8%	1.4%
	Grade 8	42.4%	40.1%	7.5%	3.3%	2.4%	4.3%
	Grade 9	37.6%	37.1%	13.3%	6.0%	1.7%	4.3%
	Grade 10	32.9%	39.7%	16.2%	5.1%	3.3%	2.9%
	Grade 11	34.8%	31.1%	18.3%	8.5%	3.7%	3.7%
	Grade 12	39.5%	27.6%	15.4%	9.1%	4.4%	3.9%
Steroids?							
	All	39.1%	35.3%	12.5%	6.6%	3.3%	3.2%
	Grade 7	42.8%	41.1%	9.5%	3.7%	1.8%	1.1%
	Grade 8	43.0%	37.2%	9.2%	4.0%	2.3%	4.2%
	Grade 9	37.6%	37.8%	11.8%	6.8%	2.8%	3.2%
	Grade 10	33.3%	37.4%	15.4%	8.0%	2.8%	3.1%
	Grade 11	35.7%	29.9%	16.5%	9.6%	5.1%	3.2%
	Grade 12	41.8%	26.1%	13.2%	8.4%	5.8%	4.7%
Ecstasy?							
	All	48.2%	30.6%	10.0%	4.9%	3.0%	3.3%
	Grade 7	57.1%	33.2%	5.9%	2.1%	1.4%	0.2%
	Grade 8	54.5%	32.5%	4.6%	3.2%	1.2%	4.0%
	Grade 9	49.6%	30.5%	10.1%	4.2%	1.8%	3.8%
	Grade 10	43.5%	33.5%	13.1%	4.6%	2.5%	2.8%
	Grade 11	39.3%	27.2%	15.0%	8.3%	5.2%	4.9%
	Grade 12	43.1%	25.3%	12.7%	7.9%	6.4%	4.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	42.7%	36.7%	12.3%	3.4%	1.9%	3.0%
	Grade 7	46.5%	39.5%	9.0%	1.9%	1.7%	1.4%
	Grade 8	48.0%	36.7%	6.6%	2.3%	1.8%	4.6%
	Grade 9	41.4%	38.1%	11.7%	4.0%	1.9%	3.0%
	Grade 10	37.0%	39.4%	15.5%	3.2%	1.7%	3.1%
	Grade 11	38.1%	35.3%	16.0%	5.6%	2.1%	2.9%
	Grade 12	44.6%	29.9%	16.4%	3.5%	2.4%	3.2%
Methamphetamine?							
	All	43.5%	35.1%	11.3%	4.3%	2.3%	3.4%
	Grade 7	50.0%	37.7%	6.3%	3.8%	1.3%	0.9%
	Grade 8	49.2%	35.2%	7.6%	2.2%	1.6%	4.3%
	Grade 9	41.5%	36.4%	11.2%	4.9%	1.6%	4.3%
	Grade 10	36.6%	39.5%	14.5%	3.8%	2.4%	3.2%
	Grade 11	38.6%	32.8%	14.6%	6.1%	4.4%	3.6%
	Grade 12	44.4%	27.9%	14.9%	5.5%	3.2%	4.2%
Synthetic Marijuana?							
	All	46.1%	29.3%	8.6%	6.0%	4.4%	5.5%
	Grade 7	52.4%	34.9%	6.0%	1.5%	2.9%	2.4%
	Grade 8	52.5%	31.5%	5.1%	2.8%	3.0%	5.2%
	Grade 9	45.4%	30.3%	8.1%	6.0%	2.9%	7.2%
	Grade 10	39.2%	30.1%	12.1%	7.7%	5.7%	5.2%
	Grade 11	39.9%	25.1%	12.8%	9.6%	6.1%	6.5%
	Grade 12	46.3%	22.3%	8.3%	9.6%	6.8%	6.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	91.0%	4.7%	1.7%	2.5%
Grade 7	97.6%	1.4%	0.4%	0.5%
Grade 8	93.6%	3.8%	1.5%	1.1%
Grade 9	89.6%	6.9%	1.2%	2.3%
Grade 10	91.4%	4.8%	1.7%	2.0%
Grade 11	85.1%	5.6%	3.9%	5.3%
Grade 12	87.0%	6.1%	2.2%	4.7%
Attended Class While High from Use of Some Other Drug?				
All	96.7%	1.9%	0.7%	0.7%
Grade 7	98.6%	1.0%	0.4%	0.0%
Grade 8	96.8%	2.3%	0.5%	0.4%
Grade 9	96.7%	2.3%	0.8%	0.3%
Grade 10	97.3%	1.2%	1.0%	0.5%
Grade 11	93.5%	3.3%	1.1%	2.2%
Grade 12	96.8%	1.3%	0.8%	1.1%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.8
Marijuana Non-Users	3.6
Average Days Conduct Problems Reported	
Marijuana Users	3.0
Marijuana Non-Users	1.0

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.9%	4.1%	0.9%	2.0%
Grade 9	96.9%	1.7%	0.7%	0.6%
Grade 10	95.5%	2.5%	1.1%	0.9%
Grade 11	89.3%	6.9%	0.7%	3.0%
Grade 12	88.8%	6.0%	1.1%	4.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.2%	3.1%	0.6%	0.1%
Grade 7	97.6%	2.4%	0.0%	0.0%
Grade 8	96.5%	2.5%	0.7%	0.3%
Grade 9	95.5%	4.0%	0.5%	0.0%
Grade 10	95.2%	3.5%	1.1%	0.1%
Grade 11	95.3%	3.8%	0.9%	0.0%
Grade 12	97.3%	2.2%	0.3%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	57.5%	18.6%	11.7%	9.1%	3.1%
Grade 7	78.6%	12.8%	4.1%	3.3%	1.3%
Grade 8	71.8%	13.4%	8.0%	4.7%	2.1%
Grade 9	54.3%	18.4%	12.4%	10.9%	4.0%
Grade 10	54.3%	20.1%	11.5%	11.4%	2.7%
Grade 11	41.3%	25.3%	16.9%	11.1%	5.5%
Grade 12	39.7%	23.5%	18.9%	14.6%	3.3%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.7%	5.1%	3.6%	5.0%	5.0%	1.9%	21.6%
Grade 7	74.4%	2.6%	1.0%	2.1%	1.4%	1.6%	16.9%
Grade 8	70.0%	2.7%	3.0%	2.8%	2.5%	2.3%	16.6%
Grade 9	54.6%	5.1%	5.2%	5.0%	4.5%	1.9%	23.7%
Grade 10	52.3%	4.8%	4.0%	7.8%	5.0%	1.1%	24.9%
Grade 11	44.6%	8.3%	3.5%	6.1%	8.1%	2.7%	26.8%
Grade 12	47.0%	7.7%	5.2%	7.0%	9.7%	1.8%	21.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	72.7%	6.8%	9.9%	2.3%	1.8%	6.4%
Grade 7	83.4%	2.7%	4.2%	1.4%	1.6%	6.8%
Grade 8	81.4%	2.9%	5.9%	1.0%	0.7%	8.1%
Grade 9	69.2%	8.6%	12.0%	1.3%	2.9%	6.0%
Grade 10	71.7%	8.2%	8.6%	3.5%	1.7%	6.2%
Grade 11	67.1%	10.0%	12.1%	3.6%	2.2%	4.9%
Grade 12	61.0%	9.4%	18.1%	3.5%	1.7%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	54.3%	14.9%	13.9%	12.2%	4.6%
	Grade 7	73.7%	11.8%	5.8%	4.5%	4.2%
	Grade 8	65.7%	13.4%	6.9%	9.7%	4.3%
	Grade 9	55.3%	14.7%	14.7%	10.7%	4.6%
	Grade 10	48.3%	19.0%	14.9%	12.5%	5.2%
	Grade 11	42.8%	17.6%	16.7%	17.7%	5.2%
	Grade 12	35.0%	13.6%	26.9%	20.2%	4.3%
Cocaine?						
	All	88.0%	6.2%	0.6%	0.5%	4.7%
	Grade 7	85.8%	7.9%	0.8%	0.6%	4.9%
	Grade 8	90.1%	4.1%	0.2%	0.3%	5.3%
	Grade 9	88.2%	6.7%	0.2%	0.3%	4.7%
	Grade 10	87.9%	6.6%	0.3%	0.6%	4.6%
	Grade 11	87.5%	5.8%	0.8%	0.7%	5.1%
	Grade 12	88.5%	6.1%	1.5%	0.6%	3.4%
Crack?						
	All	88.5%	5.5%	0.5%	0.6%	4.9%
	Grade 7	86.2%	7.6%	0.4%	0.6%	5.3%
	Grade 8	89.5%	4.4%	0.4%	0.4%	5.3%
	Grade 9	89.5%	5.7%	0.2%	0.5%	4.2%
	Grade 10	87.8%	6.2%	0.5%	0.6%	4.8%
	Grade 11	87.8%	4.3%	1.3%	0.8%	5.8%
	Grade 12	90.4%	4.7%	0.5%	0.5%	3.9%
Ecstasy?						
	All	82.0%	8.1%	1.4%	0.7%	7.8%
	Grade 7	83.4%	7.1%	0.5%	0.6%	8.5%
	Grade 8	83.7%	5.6%	1.8%	0.3%	8.5%
	Grade 9	81.7%	8.6%	1.1%	0.9%	7.7%
	Grade 10	82.1%	7.1%	1.4%	0.7%	8.6%
	Grade 11	78.7%	10.3%	2.2%	0.9%	7.9%
	Grade 12	82.0%	10.4%	1.7%	0.8%	5.1%
Steroids?						
	All	77.5%	11.9%	3.5%	0.7%	6.4%
	Grade 7	80.5%	11.0%	1.1%	0.8%	6.6%
	Grade 8	82.0%	8.0%	2.9%	0.4%	6.6%
	Grade 9	79.0%	11.1%	3.1%	0.5%	6.4%
	Grade 10	74.2%	13.8%	4.8%	0.7%	6.6%
	Grade 11	74.0%	12.9%	4.5%	1.2%	7.4%
	Grade 12	74.0%	15.3%	5.0%	0.9%	4.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.5%	3.9%	0.4%	0.6%	5.6%
	Grade 7	86.3%	5.5%	0.4%	0.8%	7.0%
	Grade 8	89.3%	2.6%	0.8%	0.2%	7.0%
	Grade 9	89.4%	5.2%	0.2%	0.4%	4.7%
	Grade 10	90.4%	3.6%	0.1%	0.9%	5.0%
	Grade 11	89.9%	3.8%	0.4%	0.8%	5.1%
	Grade 12	92.0%	2.7%	0.3%	0.7%	4.3%
Methamphetamine?						
	All	88.7%	4.2%	0.5%	0.6%	5.9%
	Grade 7	85.8%	6.6%	0.4%	0.8%	6.3%
	Grade 8	87.5%	4.1%	0.8%	0.3%	7.2%
	Grade 9	89.1%	4.5%	0.5%	0.4%	5.4%
	Grade 10	89.6%	3.9%	0.3%	0.7%	5.5%
	Grade 11	89.9%	2.9%	0.7%	0.8%	5.7%
	Grade 12	91.1%	3.0%	0.2%	0.8%	4.9%
Synthetic Marijuana?						
	All	79.7%	9.1%	2.6%	1.4%	7.3%
	Grade 7	81.3%	9.3%	1.3%	0.8%	7.2%
	Grade 8	83.3%	6.0%	1.2%	1.6%	8.0%
	Grade 9	79.0%	9.2%	2.9%	1.3%	7.5%
	Grade 10	75.8%	11.7%	4.1%	1.5%	6.9%
	Grade 11	78.3%	10.0%	2.9%	1.5%	7.3%
	Grade 12	80.0%	8.5%	3.0%	2.0%	6.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.2%	10.2%	20.7%	79.3%
Grade 7	8.8%	11.3%	18.4%	81.6%
Grade 8	7.0%	9.9%	20.8%	79.2%
Grade 9	6.9%	9.9%	20.2%	79.8%
Grade 10	5.5%	8.0%	17.0%	83.0%
Grade 11	9.0%	12.1%	26.0%	74.0%
Grade 12	5.8%	10.1%	22.8%	77.2%
Codeine Cough Syrup?				
All	3.9%	6.3%	13.7%	86.3%
Grade 7	5.2%	8.0%	13.6%	86.4%
Grade 8	3.7%	6.7%	14.9%	85.1%
Grade 9	3.4%	5.7%	13.9%	86.1%
Grade 10	3.2%	5.7%	11.7%	88.3%
Grade 11	5.6%	7.3%	15.8%	84.2%
Grade 12	2.0%	4.4%	12.6%	87.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	1.7%	4.3%	95.7%
Grade 7	0.0%	0.1%	1.2%	98.8%
Grade 8	0.3%	0.5%	2.1%	97.9%
Grade 9	0.8%	1.6%	2.3%	97.7%
Grade 10	1.8%	2.3%	4.0%	96.0%
Grade 11	2.9%	3.3%	9.2%	90.8%
Grade 12	0.9%	2.5%	8.7%	91.3%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.4%	2.3%	5.6%	94.4%
Grade 7	0.2%	0.4%	1.2%	98.8%
Grade 8	0.9%	1.2%	4.5%	95.5%
Grade 9	1.6%	2.8%	5.0%	95.0%
Grade 10	2.0%	3.2%	5.5%	94.5%
Grade 11	2.8%	3.9%	9.6%	90.4%
Grade 12	0.9%	2.6%	8.6%	91.4%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.7%	2.5%	5.8%	94.2%
Grade 7	1.5%	2.0%	3.8%	96.2%
Grade 8	1.1%	1.5%	4.2%	95.8%
Grade 9	1.0%	1.9%	5.4%	94.6%
Grade 10	1.8%	2.7%	4.6%	95.4%
Grade 11	2.9%	4.3%	10.0%	90.0%
Grade 12	2.2%	3.2%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.3%	4.5%	10.0%	90.0%
Grade 7	5.2%	6.4%	12.2%	87.8%
Grade 8	2.4%	3.3%	9.5%	90.5%
Grade 9	3.1%	4.8%	10.0%	90.0%
Grade 10	3.9%	4.8%	8.0%	92.0%
Grade 11	3.9%	4.8%	12.5%	87.5%
Grade 12	1.2%	2.9%	7.7%	92.3%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.1%	1.5%	3.7%	96.3%
Grade 7	1.7%	2.1%	3.7%	96.3%
Grade 8	0.6%	0.8%	3.2%	96.8%
Grade 9	1.0%	1.6%	4.9%	95.1%
Grade 10	1.3%	1.9%	3.8%	96.2%
Grade 11	2.2%	2.2%	3.9%	96.1%
Grade 12	0.1%	0.3%	2.5%	97.5%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.2%	13.2%	3.8%	1.1%	5.7%
Grade 7	79.3%	10.6%	2.9%	1.7%	5.5%
Grade 8	80.0%	9.0%	3.3%	0.7%	7.0%
Grade 9	78.0%	11.8%	3.7%	1.3%	5.3%
Grade 10	72.8%	17.5%	3.5%	0.7%	5.5%
Grade 11	71.3%	17.2%	5.2%	1.3%	5.0%
Grade 12	74.8%	14.4%	4.1%	0.9%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.7%	6.7%	13.9%	86.1%
Grade 7	6.3%	8.8%	15.7%	84.3%
Grade 8	5.5%	8.4%	18.3%	81.7%
Grade 9	5.3%	7.3%	14.3%	85.7%
Grade 10	4.0%	5.5%	12.1%	87.9%
Grade 11	3.8%	5.4%	12.0%	88.0%
Grade 12	2.4%	3.8%	10.1%	89.9%
Spray Paint?				
All	0.3%	0.8%	3.3%	96.7%
Grade 7	0.4%	0.9%	3.2%	96.8%
Grade 8	0.5%	0.9%	4.6%	95.4%
Grade 9	0.0%	1.0%	2.7%	97.3%
Grade 10	0.3%	0.4%	3.5%	96.5%
Grade 11	0.6%	1.0%	3.5%	96.5%
Grade 12	0.3%	0.5%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.4%	2.3%	6.8%	93.2%
Grade 7	2.8%	4.0%	9.2%	90.8%
Grade 8	1.5%	3.0%	9.8%	90.2%
Grade 9	1.2%	2.5%	7.7%	92.3%
Grade 10	1.4%	1.9%	6.0%	94.0%
Grade 11	0.7%	1.0%	3.0%	97.0%
Grade 12	0.4%	0.8%	3.6%	96.4%
Computer Dusting Sprays?				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.5%	0.9%	1.4%	98.6%
Grade 8	0.3%	0.3%	1.5%	98.5%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.1%	0.2%	1.8%	98.2%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.4%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.5%	7.2%	92.8%
Grade 7	1.3%	3.1%	8.2%	91.8%
Grade 8	1.9%	3.0%	7.4%	92.6%
Grade 9	2.0%	2.8%	6.8%	93.2%
Grade 10	1.1%	2.4%	7.0%	93.0%
Grade 11	1.3%	2.1%	7.8%	92.2%
Grade 12	0.6%	1.5%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 127

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.8%	1.8%	98.2%
Grade 7	0.9%	1.7%	2.3%	97.7%
Grade 8	0.0%	1.1%	2.4%	97.6%
Grade 9	0.0%	0.6%	1.4%	98.6%
Grade 10	0.3%	0.5%	2.2%	97.8%
Grade 11	0.3%	0.5%	1.3%	98.7%
Grade 12	0.2%	0.3%	1.0%	99.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	1.2%	1.2%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.2%	0.7%	0.7%	99.3%
Grade 10	0.3%	0.5%	1.6%	98.4%
Grade 11	0.3%	0.8%	1.7%	98.3%
Grade 12	0.3%	0.7%	1.2%	98.8%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.5%	1.0%	3.0%	97.0%
Grade 7	1.1%	1.9%	3.8%	96.2%
Grade 8	0.3%	0.3%	4.6%	95.4%
Grade 9	0.4%	1.6%	2.5%	97.5%
Grade 10	0.4%	0.6%	1.9%	98.1%
Grade 11	0.3%	0.5%	2.7%	97.3%
Grade 12	0.6%	1.0%	2.4%	97.6%
Other Aerosols/Sprays?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.9%	1.6%	2.7%	97.3%
Grade 8	0.3%	0.9%	2.1%	97.9%
Grade 9	0.7%	1.1%	2.1%	97.9%
Grade 10	0.5%	0.7%	2.4%	97.6%
Grade 11	0.8%	0.8%	1.5%	98.5%
Grade 12	0.2%	0.4%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.0%	0.0%	0.2%	0.3%	0.8%	1.0%	1.6%
Grade 7	95.4%	0.1%	0.7%	0.2%	0.5%	1.3%	1.8%
Grade 8	93.3%	0.0%	0.5%	0.6%	1.1%	1.8%	2.7%
Grade 9	95.5%	0.1%	0.2%	0.2%	1.1%	1.1%	1.9%
Grade 10	96.2%	0.0%	0.0%	0.7%	0.7%	0.6%	1.8%
Grade 11	97.2%	0.1%	0.0%	0.2%	0.8%	0.9%	0.8%
Grade 12	99.2%	0.0%	0.0%	0.0%	0.4%	0.3%	0.1%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	87.9%	6.1%	3.9%	2.1%
Grade 7	86.4%	5.9%	5.0%	2.7%
Grade 8	84.5%	7.7%	5.2%	2.5%
Grade 9	87.7%	6.5%	4.0%	1.8%
Grade 10	89.1%	4.9%	3.5%	2.4%
Grade 11	89.1%	6.6%	3.1%	1.2%
Grade 12	91.7%	4.7%	2.1%	1.5%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.5	10.6	10.2	11.4	11.9	13.9	13.7

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.5%	1.1%	0.2%	0.2%
Grade 7	98.2%	1.6%	0.2%	0.0%
Grade 8	98.4%	0.9%	0.2%	0.5%
Grade 9	98.2%	1.7%	0.0%	0.0%
Grade 10	98.2%	1.2%	0.4%	0.1%
Grade 11	99.0%	0.7%	0.4%	0.0%
Grade 12	99.3%	0.3%	0.1%	0.3%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.1
Inhalant Non-Users	3.7
Average Days Conduct Problems Reported	
Inhalant Users	4.2
Inhalant Non-Users	1.2

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	91.8%	5.5%	1.9%	0.5%	0.3%
Grade 7	89.3%	6.1%	2.7%	1.1%	0.9%
Grade 8	90.0%	7.1%	2.3%	0.5%	0.1%
Grade 9	91.3%	5.3%	2.6%	0.6%	0.2%
Grade 10	91.4%	7.1%	0.9%	0.1%	0.4%
Grade 11	93.9%	3.6%	1.5%	0.8%	0.1%
Grade 12	95.7%	3.1%	1.1%	0.1%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.6%	15.5%	3.9%	1.3%	6.7%
Grade 7	73.7%	14.2%	3.8%	2.1%	6.1%
Grade 8	73.9%	14.6%	4.5%	1.3%	5.7%
Grade 9	72.2%	15.7%	3.3%	1.6%	7.2%
Grade 10	70.0%	18.2%	4.2%	1.0%	6.5%
Grade 11	71.9%	14.6%	4.5%	1.0%	8.0%
Grade 12	73.9%	15.6%	2.9%	1.0%	6.7%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.2%	17.6%	4.5%	5.9%	9.9%	22.9%
Grade 7	39.6%	26.2%	5.2%	5.8%	9.0%	14.2%
Grade 8	43.1%	21.7%	3.4%	5.7%	7.4%	18.6%
Grade 9	38.6%	19.3%	3.9%	7.3%	10.1%	20.8%
Grade 10	36.7%	15.0%	6.5%	4.5%	11.6%	25.6%
Grade 11	35.2%	13.0%	4.2%	6.9%	10.4%	30.2%
Grade 12	41.6%	7.9%	3.4%	5.4%	11.5%	30.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 33 of 127

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	29.2%
	Grade 7	29.5%
	Grade 8	37.0%
	Grade 9	29.1%
	Grade 10	33.2%
	Grade 11	23.4%
	Grade 12	21.4%
An Assembly Program		
	All	45.1%
	Grade 7	46.0%
	Grade 8	52.1%
	Grade 9	45.4%
	Grade 10	46.7%
	Grade 11	40.0%
	Grade 12	39.0%
Guidance Counselor		
	All	21.2%
	Grade 7	19.0%
	Grade 8	27.6%
	Grade 9	21.8%
	Grade 10	20.1%
	Grade 11	17.2%
	Grade 12	20.5%
School Nurse		
	All	11.9%
	Grade 7	12.6%
	Grade 8	14.5%
	Grade 9	10.7%
	Grade 10	12.6%
	Grade 11	8.4%
	Grade 12	12.5%
Science or Social Studies Class		
	All	25.8%
	Grade 7	36.8%
	Grade 8	24.3%
	Grade 9	22.3%
	Grade 10	24.1%
	Grade 11	22.2%
	Grade 12	24.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 127

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	12.0%
Grade 7	10.1%
Grade 8	11.6%
Grade 9	13.4%
Grade 10	13.0%
Grade 11	9.4%
Grade 12	14.2%
An Invited School Guest	
All	31.8%
Grade 7	30.8%
Grade 8	31.3%
Grade 9	29.8%
Grade 10	35.6%
Grade 11	32.9%
Grade 12	30.6%
Another Source at School	
All	25.9%
Grade 7	28.0%
Grade 8	28.4%
Grade 9	28.2%
Grade 10	29.0%
Grade 11	20.9%
Grade 12	19.3%
Any School Source	
All	65.2%
Grade 7	68.1%
Grade 8	70.6%
Grade 9	65.8%
Grade 10	68.3%
Grade 11	60.8%
Grade 12	55.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	37.5%
	Grade 7	50.4%
	Grade 8	39.9%
	Grade 9	37.4%
	Grade 10	32.5%
	Grade 11	31.3%
	Grade 12	31.5%
School Nurse		
	All	21.1%
	Grade 7	29.6%
	Grade 8	24.9%
	Grade 9	19.7%
	Grade 10	18.5%
	Grade 11	17.0%
	Grade 12	15.6%
Another Adult In School		
	All	41.7%
	Grade 7	47.4%
	Grade 8	39.8%
	Grade 9	41.7%
	Grade 10	40.9%
	Grade 11	42.5%
	Grade 12	37.3%
Counselor/Program Outside-School		
	All	41.8%
	Grade 7	47.2%
	Grade 8	40.2%
	Grade 9	42.2%
	Grade 10	40.5%
	Grade 11	40.3%
	Grade 12	39.6%
Your Parents		
	All	69.6%
	Grade 7	73.9%
	Grade 8	66.9%
	Grade 9	70.6%
	Grade 10	73.1%
	Grade 11	66.3%
	Grade 12	66.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	54.5%
	Grade 7	65.3%
	Grade 8	53.3%
	Grade 9	54.2%
	Grade 10	54.2%
	Grade 11	48.8%
	Grade 12	49.6%
Your Friends		
	All	64.6%
	Grade 7	56.5%
	Grade 8	56.5%
	Grade 9	63.1%
	Grade 10	68.1%
	Grade 11	71.8%
	Grade 12	74.4%
Another Adult		
	All	60.9%
	Grade 7	64.7%
	Grade 8	61.2%
	Grade 9	61.6%
	Grade 10	60.9%
	Grade 11	60.4%
	Grade 12	55.8%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.1%
	Grade 7	7.6%
	Grade 8	7.1%
	Grade 9	5.6%
	Grade 10	4.5%
	Grade 11	6.8%
	Grade 12	5.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.0%	23.0%	23.5%	39.2%	9.3%
Grade 7	8.5%	21.8%	21.6%	36.5%	11.6%
Grade 8	5.0%	22.7%	19.6%	42.3%	10.3%
Grade 9	6.3%	25.5%	24.9%	35.7%	7.7%
Grade 10	3.1%	18.6%	24.9%	45.3%	8.1%
Grade 11	3.3%	23.5%	26.3%	36.9%	10.0%
Grade 12	3.2%	26.3%	24.1%	38.1%	8.3%
Sometimes Carry Weapons?					
All	68.8%	19.2%	8.1%	3.2%	0.7%
Grade 7	78.3%	14.9%	4.4%	2.1%	0.3%
Grade 8	79.6%	14.1%	4.7%	0.5%	1.1%
Grade 9	68.2%	20.6%	7.0%	3.5%	0.8%
Grade 10	65.2%	22.3%	7.7%	4.2%	0.5%
Grade 11	58.4%	22.4%	12.8%	5.4%	1.0%
Grade 12	59.8%	22.1%	13.4%	3.9%	0.8%
Care About Making Good Grades?					
All	2.7%	12.8%	24.8%	45.0%	14.6%
Grade 7	5.9%	13.4%	22.2%	41.4%	17.1%
Grade 8	2.8%	13.1%	26.3%	39.7%	18.1%
Grade 9	2.1%	13.4%	25.2%	48.0%	11.4%
Grade 10	1.4%	11.5%	24.1%	48.8%	14.2%
Grade 11	2.0%	13.6%	26.0%	43.9%	14.5%
Grade 12	1.7%	11.9%	25.5%	48.9%	12.1%
Belong/Want to Belong to a Gang?					
All	80.9%	12.3%	4.3%	1.5%	1.0%
Grade 7	81.8%	12.4%	4.0%	1.6%	0.2%
Grade 8	79.9%	13.1%	3.8%	1.8%	1.4%
Grade 9	79.7%	13.6%	4.2%	1.4%	1.1%
Grade 10	84.6%	10.0%	3.1%	1.2%	1.1%
Grade 11	76.1%	15.1%	6.0%	1.1%	1.6%
Grade 12	83.2%	9.5%	5.1%	2.1%	0.2%
Wish They Could Drop Out of School?					
All	38.1%	33.9%	14.8%	8.2%	5.0%
Grade 7	44.5%	30.4%	15.2%	5.5%	4.4%
Grade 8	41.5%	31.0%	13.9%	9.4%	4.3%
Grade 9	36.3%	36.1%	14.9%	8.7%	4.1%
Grade 10	37.3%	37.8%	14.1%	7.0%	3.8%
Grade 11	31.6%	36.7%	14.0%	10.3%	7.3%
Grade 12	35.8%	31.4%	17.0%	8.8%	6.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	84.1%	13.9%	1.0%	0.4%	0.6%
Grade 7	84.4%	13.7%	0.8%	0.0%	1.1%
Grade 8	80.3%	17.0%	1.6%	0.5%	0.6%
Grade 9	83.2%	14.0%	1.1%	0.8%	1.0%
Grade 10	88.7%	10.0%	0.6%	0.3%	0.4%
Grade 11	83.8%	14.1%	1.1%	0.8%	0.2%
Grade 12	84.4%	14.4%	0.8%	0.3%	0.1%
Out In Your Neighborhood?					
All	41.7%	46.8%	7.8%	1.7%	2.0%
Grade 7	35.9%	48.9%	9.7%	2.4%	3.1%
Grade 8	39.1%	48.4%	8.0%	1.9%	2.6%
Grade 9	38.7%	51.1%	6.2%	0.9%	3.0%
Grade 10	46.9%	43.9%	6.6%	1.3%	1.4%
Grade 11	43.8%	44.9%	8.8%	2.2%	0.3%
Grade 12	47.8%	41.9%	7.4%	1.7%	1.1%
At School?					
All	33.7%	47.7%	11.2%	4.0%	3.4%
Grade 7	30.3%	46.2%	15.3%	4.4%	3.9%
Grade 8	38.3%	43.3%	10.0%	3.9%	4.5%
Grade 9	35.0%	47.3%	11.3%	3.1%	3.3%
Grade 10	34.3%	49.4%	9.4%	4.8%	2.1%
Grade 11	28.8%	51.4%	11.6%	4.0%	4.1%
Grade 12	34.8%	49.6%	9.4%	4.2%	2.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.0%	22.2%	36.6%	63.4%
Grade 7	7.1%	9.7%	22.0%	78.0%
Grade 8	12.9%	16.9%	29.1%	70.9%
Grade 9	16.4%	23.2%	38.4%	61.6%
Grade 10	17.7%	22.7%	38.0%	62.0%
Grade 11	25.0%	31.2%	47.2%	52.8%
Grade 12	25.8%	32.7%	49.0%	51.0%
Any Alcohol Product				
All	29.2%	34.4%	54.8%	45.2%
Grade 7	16.4%	19.4%	40.2%	59.8%
Grade 8	23.2%	27.0%	50.0%	50.0%
Grade 9	32.4%	36.9%	58.5%	41.5%
Grade 10	28.0%	33.3%	51.9%	48.1%
Grade 11	37.5%	44.7%	65.7%	34.3%
Grade 12	41.3%	49.3%	66.1%	33.9%
Any Illicit Drug				
All	15.0%	18.9%	25.7%	74.3%
Grade 7	6.0%	8.9%	11.2%	88.8%
Grade 8	10.6%	13.8%	18.3%	81.7%
Grade 9	16.1%	19.7%	25.4%	74.6%
Grade 10	15.5%	19.6%	28.5%	71.5%
Grade 11	21.2%	25.7%	35.7%	64.3%
Grade 12	22.9%	28.2%	39.5%	60.5%
Any Prescription Drug				
All	7.2%	10.2%	20.7%	79.3%
Grade 7	8.8%	11.3%	18.4%	81.6%
Grade 8	7.0%	9.9%	20.8%	79.2%
Grade 9	6.9%	9.9%	20.2%	79.8%
Grade 10	5.5%	8.0%	17.0%	83.0%
Grade 11	9.0%	12.1%	26.0%	74.0%
Grade 12	5.8%	10.1%	22.8%	77.2%
Any Inhalant				
All	4.7%	6.7%	13.9%	86.1%
Grade 7	6.3%	8.8%	15.7%	84.3%
Grade 8	5.5%	8.4%	18.3%	81.7%
Grade 9	5.3%	7.3%	14.3%	85.7%
Grade 10	4.0%	5.5%	12.1%	87.9%
Grade 11	3.8%	5.4%	12.0%	88.0%
Grade 12	2.4%	3.8%	10.1%	89.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 41 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.9%	19.0%	32.6%	67.4%
Grade 7	5.2%	7.6%	18.8%	81.2%
Grade 8	8.0%	12.5%	25.1%	74.9%
Grade 9	12.4%	21.0%	34.2%	65.8%
Grade 10	13.5%	19.9%	33.7%	66.3%
Grade 11	20.8%	28.2%	45.0%	55.0%
Grade 12	20.0%	27.7%	42.3%	57.7%
Marijuana				
All	14.2%	16.5%	23.8%	76.2%
Grade 7	5.2%	5.7%	7.8%	92.2%
Grade 8	9.1%	11.2%	16.2%	83.8%
Grade 9	15.4%	18.0%	24.1%	75.9%
Grade 10	15.0%	17.1%	26.9%	73.1%
Grade 11	20.6%	23.4%	33.6%	66.4%
Grade 12	22.1%	26.8%	38.8%	61.2%
Marijuana Only				
All	8.3%	10.1%	16.1%	83.9%
Grade 7	2.8%	3.1%	4.6%	95.4%
Grade 8	5.0%	6.3%	9.1%	90.9%
Grade 9	10.1%	12.1%	16.7%	83.3%
Grade 10	7.3%	9.2%	17.8%	82.2%
Grade 11	10.7%	12.4%	21.2%	78.8%
Grade 12	15.6%	19.5%	30.8%	69.2%
Cocaine or Crack				
All	1.1%	1.2%	2.3%	97.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	1.2%	1.4%	2.0%	98.0%
Grade 9	1.1%	1.1%	1.8%	98.2%
Grade 10	0.9%	1.2%	1.9%	98.1%
Grade 11	2.1%	2.9%	5.7%	94.3%
Grade 12	0.8%	0.8%	2.4%	97.6%
Cocaine				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	1.2%	1.3%	1.9%	98.1%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	1.7%	2.5%	5.4%	94.6%
Grade 12	0.5%	0.5%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.2%	0.8%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	0.4%	0.4%	1.4%	98.6%
Grade 12	0.5%	0.5%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.4%	3.7%	96.3%
Grade 7	0.6%	0.6%	1.5%	98.5%
Grade 8	0.7%	0.8%	2.4%	97.6%
Grade 9	0.4%	0.8%	2.4%	97.6%
Grade 10	1.4%	1.8%	4.3%	95.7%
Grade 11	1.4%	2.7%	6.5%	93.5%
Grade 12	1.0%	1.7%	5.7%	94.3%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.5%	0.9%	99.1%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.5%	0.6%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	2.1%	97.9%
Grade 7	0.3%	0.7%	2.3%	97.7%
Grade 8	0.0%	0.1%	1.2%	98.8%
Grade 9	0.0%	0.4%	2.0%	98.0%
Grade 10	0.4%	0.4%	3.4%	96.6%
Grade 11	0.8%	1.1%	2.2%	97.8%
Grade 12	0.2%	0.2%	1.6%	98.4%
Ecstasy				
All	0.5%	0.7%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.2%	98.8%
Grade 9	0.4%	0.6%	2.6%	97.4%
Grade 10	1.4%	1.6%	1.9%	98.1%
Grade 11	0.7%	0.7%	4.6%	95.4%
Grade 12	0.3%	0.8%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.9%	1.4%	1.4%	98.6%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.0%	0.3%	0.4%	99.6%
Grade 10	1.0%	1.0%	1.2%	98.8%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	1.9%	2.4%	4.5%	95.5%
Grade 7	1.3%	1.3%	2.3%	97.7%
Grade 8	1.5%	2.4%	4.6%	95.4%
Grade 9	2.0%	2.7%	4.7%	95.3%
Grade 10	3.4%	4.3%	6.1%	93.9%
Grade 11	2.4%	2.8%	6.3%	93.7%
Grade 12	0.6%	1.0%	2.8%	97.2%
Methamphetamine				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.5%	0.9%	2.2%	97.8%
Grade 9	0.3%	0.6%	1.0%	99.0%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.2%	2.3%	97.7%
Grade 12	0.2%	0.2%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 127

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.7%	21.2%	36.2%	63.8%
Grade 7	3.0%	4.7%	17.9%	82.1%
Grade 8	12.1%	14.6%	26.6%	73.4%
Grade 9	18.0%	24.8%	39.5%	60.5%
Grade 10	16.1%	21.3%	38.4%	61.6%
Grade 11	25.4%	29.4%	46.4%	53.6%
Grade 12	28.7%	35.9%	52.2%	47.8%
Any Alcohol Product				
All	27.2%	31.7%	52.4%	47.6%
Grade 7	13.8%	15.8%	37.5%	62.5%
Grade 8	16.9%	19.6%	46.3%	53.7%
Grade 9	30.0%	33.2%	56.4%	43.6%
Grade 10	25.7%	30.7%	47.7%	52.3%
Grade 11	36.3%	43.1%	65.0%	35.0%
Grade 12	44.1%	52.0%	65.6%	34.4%
Any Illicit Drug				
All	14.3%	17.6%	25.0%	75.0%
Grade 7	3.5%	6.0%	7.1%	92.9%
Grade 8	9.6%	10.6%	15.4%	84.6%
Grade 9	15.3%	20.4%	27.1%	72.9%
Grade 10	14.6%	18.2%	29.0%	71.0%
Grade 11	20.3%	24.4%	35.6%	64.4%
Grade 12	24.8%	28.3%	39.3%	60.7%
Any Prescription Drug				
All	6.4%	9.2%	20.2%	79.8%
Grade 7	7.4%	10.2%	16.5%	83.5%
Grade 8	6.3%	9.0%	20.4%	79.6%
Grade 9	4.9%	7.1%	19.5%	80.5%
Grade 10	5.7%	7.1%	17.8%	82.2%
Grade 11	8.2%	11.1%	24.7%	75.3%
Grade 12	6.2%	11.3%	23.8%	76.2%
Any Inhalant				
All	3.8%	5.4%	12.1%	87.9%
Grade 7	4.6%	5.7%	12.2%	87.8%
Grade 8	3.3%	5.8%	14.5%	85.5%
Grade 9	3.3%	5.4%	13.8%	86.2%
Grade 10	4.5%	6.2%	11.8%	88.2%
Grade 11	3.9%	4.8%	8.9%	91.1%
Grade 12	2.7%	4.3%	10.9%	89.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 45 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.6%	17.5%	31.0%	69.0%
Grade 7	1.7%	3.4%	14.0%	86.0%
Grade 8	5.8%	9.5%	21.0%	79.0%
Grade 9	12.1%	21.2%	34.3%	65.7%
Grade 10	11.5%	18.0%	32.7%	67.3%
Grade 11	21.7%	27.2%	44.8%	55.2%
Grade 12	19.5%	28.6%	42.6%	57.4%
Marijuana				
All	13.2%	15.2%	22.9%	77.1%
Grade 7	2.1%	2.4%	3.5%	96.5%
Grade 8	8.5%	9.1%	13.9%	86.1%
Grade 9	14.3%	18.0%	24.6%	75.4%
Grade 10	13.6%	15.4%	27.1%	72.9%
Grade 11	19.9%	22.4%	33.9%	66.1%
Grade 12	23.2%	26.7%	38.5%	61.5%
Marijuana Only				
All	7.7%	9.2%	15.6%	84.4%
Grade 7	1.8%	2.1%	2.6%	97.4%
Grade 8	5.0%	5.2%	7.9%	92.1%
Grade 9	7.5%	10.8%	16.4%	83.6%
Grade 10	6.5%	8.3%	18.9%	81.1%
Grade 11	12.1%	12.9%	22.5%	77.5%
Grade 12	15.3%	17.7%	28.4%	71.6%
Cocaine or Crack				
All	1.0%	1.2%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	2.0%	98.0%
Grade 9	1.7%	1.7%	2.8%	97.2%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	1.7%	3.1%	6.5%	93.5%
Grade 12	0.9%	0.9%	2.4%	97.6%
Cocaine				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.1%	1.1%	2.0%	98.0%
Grade 9	1.2%	1.2%	2.3%	97.7%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	1.0%	2.4%	5.7%	94.3%
Grade 12	0.2%	0.2%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.5%	1.0%	1.0%	99.0%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	0.7%	0.7%	2.1%	97.9%
Grade 12	0.9%	0.9%	1.2%	98.8%
Hallucinogens				
All	0.9%	1.3%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.4%	0.4%	2.4%	97.6%
Grade 9	0.7%	1.2%	2.4%	97.6%
Grade 10	1.8%	2.4%	4.6%	95.4%
Grade 11	0.6%	1.6%	5.7%	94.3%
Grade 12	1.8%	2.4%	7.7%	92.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.1%	0.5%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.2%	0.5%	1.7%	98.3%
Grade 7	0.2%	0.9%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.1%	1.1%	98.9%
Grade 10	0.6%	0.6%	3.6%	96.4%
Grade 11	0.4%	0.9%	1.3%	98.7%
Grade 12	0.2%	0.2%	2.1%	97.9%
Ecstasy				
All	0.5%	0.8%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.6%	3.2%	96.8%
Grade 10	1.5%	1.8%	2.2%	97.8%
Grade 11	0.8%	0.8%	4.3%	95.7%
Grade 12	0.4%	1.3%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	1.4%	2.0%	2.0%	98.0%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	1.2%	1.2%	1.6%	98.4%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	1.3%	1.8%	3.3%	96.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	1.1%	2.1%	3.9%	96.1%
Grade 9	2.2%	2.6%	4.2%	95.8%
Grade 10	2.8%	3.7%	4.8%	95.2%
Grade 11	0.9%	1.6%	3.4%	96.6%
Grade 12	0.6%	0.6%	3.5%	96.5%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.6%	1.2%	98.8%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.2%	0.5%	1.4%	98.6%
Grade 12	0.5%	0.5%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.2%	23.1%	37.0%	63.0%
Grade 7	11.2%	14.7%	26.3%	73.7%
Grade 8	13.5%	18.8%	31.0%	69.0%
Grade 9	15.0%	21.9%	37.4%	62.6%
Grade 10	19.2%	24.0%	37.4%	62.6%
Grade 11	24.5%	33.0%	48.0%	52.0%
Grade 12	22.4%	29.1%	45.5%	54.5%
Any Alcohol Product				
All	31.2%	37.1%	57.1%	42.9%
Grade 7	19.0%	23.2%	43.0%	57.0%
Grade 8	28.5%	33.2%	53.2%	46.8%
Grade 9	34.5%	40.1%	60.3%	39.7%
Grade 10	30.6%	36.3%	55.9%	44.1%
Grade 11	38.7%	46.3%	66.5%	33.5%
Grade 12	38.1%	46.2%	66.5%	33.5%
Any Illicit Drug				
All	15.6%	20.0%	26.3%	73.7%
Grade 7	8.7%	11.9%	15.4%	84.6%
Grade 8	11.4%	16.4%	20.6%	79.4%
Grade 9	16.8%	19.1%	23.8%	76.2%
Grade 10	16.2%	20.8%	27.8%	72.2%
Grade 11	22.0%	27.0%	35.7%	64.3%
Grade 12	20.6%	27.9%	39.4%	60.6%
Any Prescription Drug				
All	7.9%	11.1%	21.0%	79.0%
Grade 7	10.3%	12.4%	20.3%	79.7%
Grade 8	7.5%	10.6%	21.2%	78.8%
Grade 9	8.6%	12.1%	20.7%	79.3%
Grade 10	5.3%	8.9%	15.7%	84.3%
Grade 11	9.8%	13.1%	27.2%	72.8%
Grade 12	5.5%	8.9%	21.4%	78.6%
Any Inhalant				
All	5.5%	7.9%	15.8%	84.2%
Grade 7	7.9%	11.9%	19.5%	80.5%
Grade 8	7.3%	10.7%	21.4%	78.6%
Grade 9	7.1%	8.9%	14.8%	85.2%
Grade 10	3.4%	4.8%	12.4%	87.6%
Grade 11	3.7%	6.1%	15.0%	85.0%
Grade 12	2.1%	3.2%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	20.4%	34.0%	66.0%
Grade 7	8.9%	12.0%	23.9%	76.1%
Grade 8	9.8%	15.0%	28.5%	71.5%
Grade 9	12.7%	20.9%	34.1%	65.9%
Grade 10	15.3%	21.6%	34.5%	65.5%
Grade 11	19.8%	29.1%	45.2%	54.8%
Grade 12	20.2%	26.4%	41.7%	58.3%
Marijuana				
All	15.0%	17.8%	24.6%	75.4%
Grade 7	8.4%	9.1%	12.4%	87.6%
Grade 8	9.6%	12.9%	18.1%	81.9%
Grade 9	16.5%	18.0%	23.5%	76.5%
Grade 10	16.2%	18.6%	26.4%	73.6%
Grade 11	21.2%	24.4%	33.3%	66.7%
Grade 12	20.6%	26.7%	38.8%	61.2%
Marijuana Only				
All	8.8%	11.0%	16.5%	83.5%
Grade 7	3.8%	4.2%	6.8%	93.2%
Grade 8	5.1%	7.3%	10.1%	89.9%
Grade 9	12.4%	13.2%	16.9%	83.1%
Grade 10	7.7%	9.9%	16.2%	83.8%
Grade 11	9.3%	11.9%	19.9%	80.1%
Grade 12	16.0%	21.4%	33.5%	66.5%
Cocaine or Crack				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	1.3%	1.5%	1.9%	98.1%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	1.2%	1.6%	2.8%	97.2%
Grade 11	2.5%	2.7%	5.0%	95.0%
Grade 12	0.8%	0.8%	2.4%	97.6%
Cocaine				
All	1.0%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.6%	0.6%	99.4%
Grade 8	1.2%	1.4%	1.7%	98.3%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.0%	1.0%	2.3%	97.7%
Grade 11	2.5%	2.7%	5.0%	95.0%
Grade 12	0.8%	0.8%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 50 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	0.0%	0.6%	0.9%	99.1%
Grade 10	0.6%	1.1%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.4%	3.5%	96.5%
Grade 7	1.3%	1.3%	2.2%	97.8%
Grade 8	0.9%	1.1%	2.4%	97.6%
Grade 9	0.2%	0.5%	2.4%	97.6%
Grade 10	0.8%	1.1%	4.1%	95.9%
Grade 11	2.3%	3.8%	7.4%	92.6%
Grade 12	0.2%	1.0%	3.2%	96.8%
Synthetic Cathinones				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.9%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.8%	0.9%	1.0%	99.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.3%	0.5%	2.5%	97.5%
Grade 7	0.5%	0.5%	2.8%	97.2%
Grade 8	0.0%	0.2%	1.9%	98.1%
Grade 9	0.0%	0.7%	2.8%	97.2%
Grade 10	0.2%	0.2%	3.2%	96.8%
Grade 11	1.2%	1.3%	3.2%	96.8%
Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy				
All	0.4%	0.5%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.5%	98.5%
Grade 9	0.4%	0.6%	2.0%	98.0%
Grade 10	1.2%	1.5%	1.6%	98.4%
Grade 11	0.6%	0.6%	4.8%	95.2%
Grade 12	0.2%	0.2%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.3%	0.7%	0.9%	99.1%
Grade 8	1.1%	1.2%	2.2%	97.8%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	2.5%	3.1%	5.6%	94.4%
Grade 7	2.7%	2.7%	4.4%	95.6%
Grade 8	1.9%	2.7%	5.2%	94.8%
Grade 9	1.8%	2.8%	5.1%	94.9%
Grade 10	4.2%	4.9%	7.6%	92.4%
Grade 11	4.0%	4.0%	9.1%	90.9%
Grade 12	0.7%	1.4%	2.1%	97.9%
Methamphetamine				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	0.4%	0.4%	1.5%	98.5%
Grade 8	0.7%	1.2%	3.1%	96.9%
Grade 9	0.2%	0.8%	1.1%	98.9%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.0%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.5%	21.9%	35.5%	64.5%
Grade 7	5.6%	9.0%	22.8%	77.2%
Grade 8	11.8%	16.2%	25.9%	74.1%
Grade 9	14.0%	21.4%	34.3%	65.7%
Grade 10	16.0%	20.6%	32.7%	67.3%
Grade 11	27.8%	32.7%	50.2%	49.8%
Grade 12	26.3%	33.7%	50.3%	49.7%
Any Alcohol Product				
All	28.5%	33.4%	54.9%	45.1%
Grade 7	18.0%	20.2%	44.5%	55.5%
Grade 8	21.2%	24.2%	49.7%	50.3%
Grade 9	30.4%	34.4%	58.4%	41.6%
Grade 10	25.2%	29.4%	45.8%	54.2%
Grade 11	38.7%	46.8%	67.9%	32.1%
Grade 12	39.5%	48.3%	65.4%	34.6%
Any Illicit Drug				
All	10.9%	15.1%	21.9%	78.1%
Grade 7	4.7%	7.3%	10.9%	89.1%
Grade 8	5.8%	9.6%	13.0%	87.0%
Grade 9	9.9%	12.6%	18.8%	81.2%
Grade 10	9.9%	15.2%	22.6%	77.4%
Grade 11	19.1%	24.9%	34.8%	65.2%
Grade 12	17.5%	22.8%	34.1%	65.9%
Any Prescription Drug				
All	6.8%	9.8%	19.9%	80.1%
Grade 7	9.6%	12.6%	18.5%	81.5%
Grade 8	5.4%	7.2%	18.3%	81.7%
Grade 9	7.4%	10.0%	19.5%	80.5%
Grade 10	4.6%	6.0%	12.8%	87.2%
Grade 11	9.6%	12.9%	28.3%	71.7%
Grade 12	4.3%	10.5%	23.2%	76.8%
Any Inhalant				
All	4.0%	6.1%	13.4%	86.6%
Grade 7	4.5%	7.2%	16.3%	83.7%
Grade 8	6.2%	8.7%	17.9%	82.1%
Grade 9	3.8%	5.8%	12.3%	87.7%
Grade 10	3.4%	5.1%	11.3%	88.7%
Grade 11	4.7%	6.8%	13.2%	86.8%
Grade 12	1.0%	2.5%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 53 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.4%	18.4%	31.0%	69.0%
Grade 7	3.3%	6.3%	18.3%	81.7%
Grade 8	6.7%	10.4%	21.3%	78.7%
Grade 9	9.4%	19.7%	30.9%	69.1%
Grade 10	12.8%	17.9%	26.9%	73.1%
Grade 11	22.1%	28.6%	47.5%	52.5%
Grade 12	21.9%	29.4%	43.8%	56.2%
Marijuana				
All	10.0%	12.4%	19.5%	80.5%
Grade 7	3.8%	3.8%	6.5%	93.5%
Grade 8	3.7%	6.1%	10.3%	89.7%
Grade 9	9.9%	11.1%	17.4%	82.6%
Grade 10	9.1%	11.8%	20.2%	79.8%
Grade 11	18.7%	21.8%	32.4%	67.6%
Grade 12	16.6%	21.8%	33.2%	66.8%
Marijuana Only				
All	5.8%	7.7%	13.5%	86.5%
Grade 7	1.9%	1.9%	3.8%	96.2%
Grade 8	2.4%	4.1%	6.2%	93.8%
Grade 9	6.7%	7.8%	12.2%	87.8%
Grade 10	5.0%	7.6%	15.6%	84.4%
Grade 11	9.6%	11.3%	19.7%	80.3%
Grade 12	10.2%	14.8%	25.4%	74.6%
Cocaine or Crack				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.4%	0.7%	1.4%	98.6%
Grade 11	2.3%	3.8%	7.2%	92.8%
Grade 12	0.9%	0.9%	2.3%	97.7%
Cocaine				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	1.9%	3.4%	6.8%	93.2%
Grade 12	0.3%	0.3%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.4%	0.7%	1.1%	98.9%
Grade 11	0.4%	0.4%	2.3%	97.7%
Grade 12	0.6%	0.6%	1.6%	98.4%
Hallucinogens				
All	0.5%	0.9%	3.1%	96.9%
Grade 7	0.3%	0.3%	1.8%	98.2%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	1.2%	1.4%	2.6%	97.4%
Grade 11	1.0%	2.6%	7.1%	92.9%
Grade 12	0.3%	1.3%	5.6%	94.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.2%	0.5%	2.4%	97.6%
Grade 7	0.3%	1.1%	2.5%	97.5%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.8%	2.7%	97.3%
Grade 10	0.4%	0.4%	4.2%	95.8%
Grade 11	0.5%	0.7%	1.9%	98.1%
Grade 12	0.0%	0.0%	2.2%	97.8%
Ecstasy				
All	0.2%	0.2%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	2.5%	97.5%
Grade 10	0.7%	0.8%	0.8%	99.2%
Grade 11	0.2%	0.2%	4.3%	95.7%
Grade 12	0.0%	0.4%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.8%	1.1%	98.9%
Grade 7	0.9%	1.9%	1.9%	98.1%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	1.1%	1.1%	1.5%	98.5%
Grade 11	0.4%	0.4%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.2%	1.6%	3.4%	96.6%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	1.0%	1.0%	3.4%	96.6%
Grade 9	0.6%	1.5%	2.8%	97.2%
Grade 10	1.9%	2.4%	3.3%	96.7%
Grade 11	1.9%	2.5%	6.4%	93.6%
Grade 12	0.7%	1.3%	3.1%	96.9%
Methamphetamine				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.7%	0.7%	2.2%	97.8%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	2.8%	97.2%
Grade 12	0.3%	0.3%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.0%	14.7%	26.0%	74.0%
Grade 7	5.3%	5.3%	9.0%	91.0%
Grade 8	15.0%	15.0%	27.4%	72.6%
Grade 9	8.1%	14.9%	29.1%	70.9%
Grade 10	12.6%	15.8%	21.9%	78.1%
Grade 11	12.2%	19.4%	37.7%	62.3%
Grade 12	14.5%	20.6%	35.0%	65.0%
Any Alcohol Product				
All	23.3%	26.7%	43.7%	56.3%
Grade 7	0.0%	0.0%	19.5%	80.5%
Grade 8	29.7%	29.7%	49.0%	51.0%
Grade 9	27.0%	27.0%	40.9%	59.1%
Grade 10	24.9%	31.1%	41.8%	58.2%
Grade 11	21.4%	32.8%	54.3%	45.7%
Grade 12	40.2%	45.7%	63.1%	36.9%
Any Illicit Drug				
All	20.7%	22.4%	30.2%	69.8%
Grade 7	5.3%	5.3%	5.3%	94.7%
Grade 8	20.5%	24.2%	34.1%	65.9%
Grade 9	25.0%	25.8%	35.2%	64.8%
Grade 10	12.4%	15.6%	24.9%	75.1%
Grade 11	28.1%	29.2%	42.7%	57.3%
Grade 12	36.9%	38.5%	44.2%	55.8%
Any Prescription Drug				
All	5.6%	7.3%	17.7%	82.3%
Grade 7	5.8%	5.8%	17.4%	82.6%
Grade 8	8.9%	12.5%	22.5%	77.5%
Grade 9	4.8%	7.9%	8.7%	91.3%
Grade 10	0.0%	0.0%	16.1%	83.9%
Grade 11	7.6%	7.6%	20.5%	79.5%
Grade 12	6.3%	9.2%	23.1%	76.9%
Any Inhalant				
All	6.4%	7.0%	14.8%	85.2%
Grade 7	10.6%	10.6%	10.6%	89.4%
Grade 8	4.4%	6.1%	25.2%	74.8%
Grade 9	5.2%	6.0%	6.8%	93.2%
Grade 10	6.1%	6.1%	21.2%	78.8%
Grade 11	3.1%	4.1%	8.8%	91.2%
Grade 12	8.7%	8.7%	17.1%	82.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.3%	13.3%	22.7%	77.3%
Grade 7	5.3%	5.3%	9.0%	91.0%
Grade 8	10.6%	10.6%	22.2%	77.8%
Grade 9	4.5%	14.9%	20.9%	79.1%
Grade 10	9.6%	15.8%	21.9%	78.1%
Grade 11	12.1%	19.9%	38.4%	61.6%
Grade 12	9.9%	16.2%	30.1%	69.9%
Marijuana				
All	19.9%	21.3%	29.4%	70.6%
Grade 7	5.3%	5.3%	5.3%	94.7%
Grade 8	16.9%	20.5%	30.5%	69.5%
Grade 9	25.0%	25.0%	34.4%	65.6%
Grade 10	12.4%	15.6%	24.9%	75.1%
Grade 11	28.1%	28.1%	41.7%	58.3%
Grade 12	36.3%	38.0%	45.5%	54.5%
Marijuana Only				
All	14.9%	16.0%	23.9%	76.1%
Grade 7	5.3%	5.3%	5.3%	94.7%
Grade 8	8.6%	12.1%	21.7%	78.3%
Grade 9	24.2%	24.2%	33.6%	66.4%
Grade 10	9.4%	12.6%	21.9%	78.1%
Grade 11	18.1%	18.1%	31.4%	68.6%
Grade 12	25.4%	25.4%	32.7%	67.3%
Cocaine or Crack				
All	0.8%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.4%	4.4%	4.4%	95.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.8%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.4%	4.4%	4.4%	95.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.4%	4.4%	4.4%	95.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.5%	1.8%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.3%	5.3%	5.3%	94.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.0%	97.0%
Grade 11	2.4%	2.4%	4.9%	95.1%
Grade 12	1.7%	3.4%	12.2%	87.8%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.2%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.4%	95.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	5.5%	94.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%
Ecstasy				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.4%	2.4%	4.8%	95.2%
Grade 12	0.0%	0.0%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.6%	3.6%	5.6%	94.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	2.1%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	8.0%	8.0%	92.0%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	3.0%	97.0%
Grade 11	4.8%	4.8%	9.6%	90.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	4.4%	4.4%	95.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.1%	24.5%	41.0%	59.0%
Grade 7	9.3%	11.4%	25.0%	75.0%
Grade 8	14.0%	18.4%	33.1%	66.9%
Grade 9	21.5%	27.3%	45.3%	54.7%
Grade 10	21.4%	27.0%	49.0%	51.0%
Grade 11	23.1%	31.9%	45.0%	55.0%
Grade 12	28.2%	35.3%	53.2%	46.8%
Any Alcohol Product				
All	32.2%	38.3%	57.5%	42.5%
Grade 7	17.3%	22.1%	39.0%	61.0%
Grade 8	26.1%	31.0%	51.6%	48.4%
Grade 9	38.1%	44.7%	62.3%	37.7%
Grade 10	32.3%	39.8%	62.9%	37.1%
Grade 11	38.6%	43.3%	62.6%	37.4%
Grade 12	45.5%	53.7%	71.6%	28.4%
Any Illicit Drug				
All	20.2%	24.2%	31.3%	68.7%
Grade 7	8.9%	12.9%	14.2%	85.8%
Grade 8	15.6%	17.7%	22.5%	77.5%
Grade 9	22.6%	28.3%	33.0%	67.0%
Grade 10	24.4%	26.1%	37.9%	62.1%
Grade 11	24.2%	27.8%	37.2%	62.8%
Grade 12	29.1%	36.3%	49.6%	50.4%
Any Prescription Drug				
All	8.2%	11.3%	22.4%	77.6%
Grade 7	8.0%	10.0%	18.4%	81.6%
Grade 8	8.0%	12.0%	23.2%	76.8%
Grade 9	7.5%	10.4%	21.8%	78.2%
Grade 10	8.0%	12.0%	23.2%	76.8%
Grade 11	9.6%	13.3%	26.2%	73.8%
Grade 12	8.4%	10.5%	22.5%	77.5%
Any Inhalant				
All	5.3%	7.3%	14.8%	85.2%
Grade 7	8.0%	10.3%	16.7%	83.3%
Grade 8	4.4%	7.9%	17.1%	82.9%
Grade 9	7.2%	9.2%	18.1%	81.9%
Grade 10	4.8%	5.9%	11.5%	88.5%
Grade 11	2.6%	4.0%	11.8%	88.2%
Grade 12	3.3%	5.0%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.7%	21.3%	37.9%	62.1%
Grade 7	7.7%	9.8%	23.1%	76.9%
Grade 8	9.4%	16.1%	31.2%	68.8%
Grade 9	17.8%	23.8%	40.7%	59.3%
Grade 10	15.2%	23.0%	46.3%	53.7%
Grade 11	20.2%	29.9%	43.3%	56.7%
Grade 12	20.2%	29.2%	46.5%	53.5%
Marijuana				
All	19.4%	22.1%	29.9%	70.1%
Grade 7	7.7%	9.1%	11.2%	88.8%
Grade 8	15.3%	15.9%	21.2%	78.8%
Grade 9	21.4%	26.9%	32.3%	67.7%
Grade 10	24.1%	24.6%	36.9%	63.1%
Grade 11	23.0%	26.2%	35.2%	64.8%
Grade 12	28.3%	33.9%	48.8%	51.2%
Marijuana Only				
All	11.0%	12.9%	19.1%	80.9%
Grade 7	3.9%	4.8%	6.4%	93.6%
Grade 8	8.1%	8.2%	10.4%	89.6%
Grade 9	12.9%	16.6%	20.7%	79.3%
Grade 10	10.3%	10.7%	20.2%	79.8%
Grade 11	11.7%	14.1%	22.6%	77.4%
Grade 12	21.8%	26.1%	40.7%	59.3%
Cocaine or Crack				
All	1.5%	1.5%	3.0%	97.0%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	1.6%	2.0%	3.6%	96.4%
Grade 9	2.2%	2.2%	3.2%	96.8%
Grade 10	1.8%	1.8%	2.7%	97.3%
Grade 11	2.0%	2.0%	4.5%	95.5%
Grade 12	1.0%	1.0%	3.5%	96.5%
Cocaine				
All	1.1%	1.2%	2.5%	97.5%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	1.4%	1.8%	3.4%	96.6%
Grade 9	1.5%	1.5%	2.1%	97.9%
Grade 10	1.4%	1.4%	2.3%	97.7%
Grade 11	1.6%	1.6%	4.1%	95.9%
Grade 12	1.0%	1.0%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.6%	0.8%	1.1%	98.9%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	1.2%	1.2%	1.6%	98.4%
	Grade 9	0.7%	1.3%	1.8%	98.2%
	Grade 10	0.8%	0.8%	1.2%	98.8%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.8%	99.2%
	Hallucinogens	All	1.4%	1.9%	4.3%
Grade 7		1.3%	1.3%	1.3%	98.7%
Grade 8		0.5%	0.7%	4.7%	95.3%
Grade 9		1.2%	1.9%	3.3%	96.7%
Grade 10		1.8%	2.6%	6.6%	93.4%
Grade 11		2.1%	3.3%	5.7%	94.3%
Grade 12		1.7%	1.7%	5.0%	95.0%
Synthetic Cathinones		All	0.4%	0.4%	0.8%
	Grade 7	0.5%	0.5%	1.1%	98.9%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.1%	0.1%	0.6%	99.4%
	Grade 11	1.6%	1.6%	1.6%	98.4%
	Grade 12	0.0%	0.0%	0.4%	99.6%
	Steroids	All	0.4%	0.5%	1.8%
Grade 7		0.5%	0.5%	3.1%	96.9%
Grade 8		0.0%	0.0%	1.1%	98.9%
Grade 9		0.0%	0.1%	1.5%	98.5%
Grade 10		0.4%	0.4%	1.9%	98.1%
Grade 11		1.7%	1.7%	3.0%	97.0%
Grade 12		0.3%	0.3%	0.3%	99.7%
Ecstasy		All	1.0%	1.3%	2.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.8%	1.7%	98.3%
	Grade 9	1.1%	1.4%	3.1%	96.9%
	Grade 10	2.5%	3.1%	3.7%	96.3%
	Grade 11	1.2%	1.2%	5.4%	94.6%
	Grade 12	0.9%	1.8%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.4%	1.0%	2.7%	97.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	3.4%	4.0%	6.5%	93.5%
Grade 7	2.2%	2.2%	3.8%	96.2%
Grade 8	2.6%	4.0%	6.0%	94.0%
Grade 9	4.1%	4.4%	7.7%	92.3%
Grade 10	6.9%	8.6%	11.6%	88.4%
Grade 11	3.4%	3.4%	6.4%	93.6%
Grade 12	0.9%	0.9%	3.1%	96.9%
Methamphetamine				
All	0.2%	0.4%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.4%	0.8%	2.4%	97.6%
Grade 9	0.3%	0.3%	1.3%	98.7%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.0%	0.4%	1.7%	98.3%
Grade 12	0.3%	0.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 64 of 127

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.4%	17.2%	29.6%	70.4%
Grade 7	5.2%	7.0%	16.3%	83.7%
Grade 8	8.3%	11.0%	20.1%	79.9%
Grade 9	9.5%	14.5%	26.7%	73.3%
Grade 10	13.3%	20.2%	33.3%	66.7%
Grade 11	10.6%	19.3%	34.7%	65.3%
Grade 12	20.2%	29.5%	44.8%	55.2%
Any Alcohol Product				
All	24.5%	29.9%	51.8%	48.2%
Grade 7	13.4%	14.8%	37.4%	62.6%
Grade 8	17.3%	23.7%	47.9%	52.1%
Grade 9	23.6%	26.6%	50.6%	49.4%
Grade 10	24.3%	29.0%	47.9%	52.1%
Grade 11	30.2%	34.9%	60.9%	39.1%
Grade 12	37.6%	48.8%	65.8%	34.2%
Any Illicit Drug				
All	8.4%	11.7%	18.0%	82.0%
Grade 7	3.7%	4.7%	7.1%	92.9%
Grade 8	2.6%	6.3%	11.4%	88.6%
Grade 9	7.5%	8.7%	14.1%	85.9%
Grade 10	10.1%	13.1%	20.7%	79.3%
Grade 11	9.8%	13.5%	18.5%	81.5%
Grade 12	15.9%	23.0%	33.9%	66.1%
Any Prescription Drug				
All	4.8%	6.7%	15.8%	84.2%
Grade 7	8.3%	11.3%	20.1%	79.9%
Grade 8	2.0%	2.8%	14.0%	86.0%
Grade 9	6.9%	7.8%	14.9%	85.1%
Grade 10	3.2%	5.6%	13.4%	86.6%
Grade 11	4.4%	6.6%	18.4%	81.6%
Grade 12	4.4%	6.7%	15.2%	84.8%
Any Inhalant				
All	2.5%	4.0%	10.7%	89.3%
Grade 7	3.2%	4.9%	12.6%	87.4%
Grade 8	2.2%	4.8%	13.7%	86.3%
Grade 9	3.8%	5.6%	11.9%	88.1%
Grade 10	3.0%	3.8%	8.4%	91.6%
Grade 11	2.6%	4.6%	11.9%	88.1%
Grade 12	0.4%	0.8%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.5%	15.9%	27.3%	72.7%
Grade 7	2.2%	4.1%	13.4%	86.6%
Grade 8	4.6%	9.8%	16.8%	83.2%
Grade 9	8.0%	14.1%	24.3%	75.7%
Grade 10	11.8%	18.7%	30.9%	69.1%
Grade 11	9.0%	19.1%	34.3%	65.7%
Grade 12	19.5%	27.7%	42.6%	57.4%
Marijuana				
All	7.7%	10.1%	16.6%	83.4%
Grade 7	2.1%	2.1%	3.7%	96.3%
Grade 8	2.6%	4.3%	9.9%	90.1%
Grade 9	7.0%	8.7%	13.9%	86.1%
Grade 10	9.6%	11.5%	19.9%	80.1%
Grade 11	9.1%	11.5%	16.8%	83.2%
Grade 12	15.1%	21.2%	32.8%	67.2%
Marijuana Only				
All	5.0%	7.1%	12.4%	87.6%
Grade 7	0.3%	0.3%	1.8%	98.2%
Grade 8	1.9%	3.6%	6.2%	93.8%
Grade 9	5.7%	7.0%	10.5%	89.5%
Grade 10	5.1%	6.9%	14.3%	85.7%
Grade 11	4.6%	6.8%	11.7%	88.3%
Grade 12	11.9%	17.1%	28.0%	72.0%
Cocaine or Crack				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	1.8%	1.8%	2.4%	97.6%
Grade 12	0.8%	0.8%	1.6%	98.4%
Cocaine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.4%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	1.1%	1.1%	1.7%	98.3%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.8%	0.8%	1.2%	98.8%
Hallucinogens				
All	0.3%	0.6%	2.1%	97.9%
Grade 7	0.6%	0.6%	1.7%	98.3%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	1.0%	1.2%	2.9%	97.1%
Grade 11	0.3%	0.7%	2.7%	97.3%
Grade 12	0.0%	0.3%	2.7%	97.3%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.5%	0.7%	99.3%
Grade 11	0.4%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	2.1%	97.9%
Grade 10	0.5%	0.5%	2.3%	97.7%
Grade 11	1.4%	1.5%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.5%	0.7%	99.3%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	1.0%	1.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.7%	0.7%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.0%	0.8%	2.3%	97.7%
Grade 10	1.9%	2.7%	3.5%	96.5%
Grade 11	1.9%	1.9%	3.5%	96.5%
Grade 12	0.0%	0.0%	1.8%	98.2%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.7%	24.6%	38.9%	61.1%
Grade 7	8.3%	11.8%	23.8%	76.2%
Grade 8	16.1%	21.0%	33.2%	66.8%
Grade 9	19.0%	27.1%	42.0%	58.0%
Grade 10	19.2%	22.1%	37.1%	62.9%
Grade 11	28.4%	33.0%	48.9%	51.1%
Grade 12	31.8%	37.0%	54.0%	46.0%
Any Alcohol Product				
All	31.7%	36.7%	56.0%	44.0%
Grade 7	18.7%	22.4%	39.7%	60.3%
Grade 8	26.5%	28.5%	51.8%	48.2%
Grade 9	35.9%	41.2%	60.9%	39.1%
Grade 10	28.1%	33.7%	52.5%	47.5%
Grade 11	38.0%	47.3%	65.7%	34.3%
Grade 12	47.4%	52.3%	69.8%	30.2%
Any Illicit Drug				
All	18.0%	22.4%	29.5%	70.5%
Grade 7	6.9%	11.0%	13.9%	86.1%
Grade 8	15.1%	18.3%	22.5%	77.5%
Grade 9	19.2%	24.3%	29.6%	70.4%
Grade 10	17.3%	22.6%	31.9%	68.1%
Grade 11	24.5%	29.3%	40.5%	59.5%
Grade 12	28.5%	32.6%	44.9%	55.1%
Any Prescription Drug				
All	8.3%	11.7%	23.2%	76.8%
Grade 7	9.1%	11.1%	18.1%	81.9%
Grade 8	8.4%	12.7%	23.5%	76.5%
Grade 9	6.6%	10.1%	21.4%	78.6%
Grade 10	6.2%	8.9%	16.5%	83.5%
Grade 11	11.9%	15.1%	31.4%	68.6%
Grade 12	8.2%	12.9%	30.6%	69.4%
Any Inhalant				
All	6.0%	8.3%	16.5%	83.5%
Grade 7	9.1%	11.3%	18.9%	81.1%
Grade 8	6.9%	10.2%	20.8%	79.2%
Grade 9	5.7%	8.0%	15.3%	84.7%
Grade 10	4.6%	7.1%	15.8%	84.2%
Grade 11	4.4%	6.2%	13.2%	86.8%
Grade 12	4.2%	5.9%	13.4%	86.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.3%	20.0%	33.8%	66.2%
Grade 7	6.5%	9.6%	20.8%	79.2%
Grade 8	10.4%	14.7%	28.9%	71.1%
Grade 9	13.4%	23.5%	36.9%	63.1%
Grade 10	13.4%	17.6%	31.2%	68.8%
Grade 11	24.1%	28.9%	45.8%	54.2%
Grade 12	21.4%	29.1%	43.2%	56.8%
Marijuana				
All	16.8%	19.5%	27.0%	73.0%
Grade 7	6.2%	7.1%	10.1%	89.9%
Grade 8	12.4%	14.6%	19.5%	80.5%
Grade 9	18.3%	21.9%	27.5%	72.5%
Grade 10	16.7%	19.1%	29.4%	70.6%
Grade 11	23.8%	27.0%	38.3%	61.7%
Grade 12	27.7%	31.9%	44.4%	55.6%
Marijuana Only				
All	9.7%	11.5%	17.9%	82.1%
Grade 7	3.2%	3.8%	5.7%	94.3%
Grade 8	6.1%	7.0%	10.1%	89.9%
Grade 9	12.2%	15.0%	19.6%	80.4%
Grade 10	7.7%	9.9%	19.4%	80.6%
Grade 11	12.5%	13.7%	23.5%	76.5%
Grade 12	18.7%	22.0%	34.4%	65.6%
Cocaine or Crack				
All	1.4%	1.7%	2.8%	97.2%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	1.8%	1.8%	1.9%	98.1%
Grade 9	1.9%	1.9%	2.7%	97.3%
Grade 10	1.0%	1.4%	2.4%	97.6%
Grade 11	2.1%	3.6%	6.6%	93.4%
Grade 12	1.0%	1.0%	2.9%	97.1%
Cocaine				
All	1.2%	1.5%	2.5%	97.5%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	1.7%	1.7%	1.8%	98.2%
Grade 9	1.5%	1.5%	2.3%	97.7%
Grade 10	0.8%	0.8%	2.0%	98.0%
Grade 11	1.9%	3.4%	6.4%	93.6%
Grade 12	1.0%	1.0%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 70 of 127

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.8%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.4%	1.4%	1.4%	98.6%
Grade 10	0.6%	1.1%	1.5%	98.5%
Grade 11	0.3%	0.3%	1.5%	98.5%
Grade 12	0.2%	0.2%	1.3%	98.7%
Hallucinogens				
All	1.2%	1.7%	4.4%	95.6%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	1.3%	1.4%	3.1%	96.9%
Grade 9	0.8%	1.1%	3.0%	97.0%
Grade 10	1.6%	2.3%	5.1%	94.9%
Grade 11	1.6%	3.1%	7.7%	92.3%
Grade 12	1.2%	2.0%	7.3%	92.7%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.5%	1.2%	98.8%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.7%	0.7%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.7%	99.3%
Steroids				
All	0.3%	0.6%	3.0%	97.0%
Grade 7	0.5%	1.1%	3.5%	96.5%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.0%	0.6%	2.4%	97.6%
Grade 10	0.4%	0.4%	4.8%	95.2%
Grade 11	0.6%	0.8%	2.5%	97.5%
Grade 12	0.5%	0.5%	3.0%	97.0%
Ecstasy				
All	0.5%	0.8%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.5%	2.0%	98.0%
Grade 9	0.7%	0.9%	3.2%	96.8%
Grade 10	1.4%	2.0%	2.6%	97.4%
Grade 11	0.7%	0.7%	6.0%	94.0%
Grade 12	0.2%	0.8%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.7%	1.0%	1.2%	98.8%
Grade 8	1.4%	1.8%	2.9%	97.1%
Grade 9	0.0%	0.5%	0.7%	99.3%
Grade 10	1.2%	1.2%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	2.5%	3.1%	5.4%	94.6%
Grade 7	2.2%	2.2%	3.7%	96.3%
Grade 8	2.1%	3.8%	6.7%	93.3%
Grade 9	2.1%	2.9%	5.1%	94.9%
Grade 10	5.1%	5.8%	6.9%	93.1%
Grade 11	2.2%	2.2%	6.5%	93.5%
Grade 12	1.3%	2.0%	3.5%	96.5%
Methamphetamine				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.9%	1.8%	3.7%	96.3%
Grade 9	0.6%	1.1%	1.5%	98.5%
Grade 10	1.1%	1.1%	1.9%	98.1%
Grade 11	0.2%	0.5%	2.9%	97.1%
Grade 12	0.5%	0.5%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.3%	16.8%	30.4%	69.6%
Grade 7	2.7%	3.8%	15.2%	84.8%
Grade 8	9.8%	11.7%	19.8%	80.2%
Grade 9	9.0%	13.2%	27.7%	72.3%
Grade 10	16.3%	21.0%	35.5%	64.5%
Grade 11	21.9%	26.3%	41.7%	58.3%
Grade 12	22.7%	28.1%	47.0%	53.0%
Any Alcohol Product				
All	25.1%	29.3%	49.1%	50.9%
Grade 7	13.9%	15.8%	35.5%	64.5%
Grade 8	19.8%	21.9%	42.1%	57.9%
Grade 9	22.7%	26.1%	50.4%	49.6%
Grade 10	26.8%	31.0%	47.2%	52.8%
Grade 11	31.3%	38.7%	60.6%	39.4%
Grade 12	39.3%	46.8%	64.4%	35.6%
Any Illicit Drug				
All	10.4%	13.4%	18.8%	81.2%
Grade 7	2.8%	5.6%	6.7%	93.3%
Grade 8	4.7%	5.9%	10.2%	89.8%
Grade 9	9.4%	10.6%	14.8%	85.2%
Grade 10	12.4%	16.6%	23.5%	76.5%
Grade 11	13.4%	17.0%	25.7%	74.3%
Grade 12	22.5%	27.2%	35.8%	64.2%
Any Prescription Drug				
All	5.4%	7.8%	17.4%	82.6%
Grade 7	6.1%	8.1%	15.1%	84.9%
Grade 8	4.5%	5.9%	17.9%	82.1%
Grade 9	4.1%	6.3%	14.0%	86.0%
Grade 10	4.6%	7.1%	15.7%	84.3%
Grade 11	7.0%	9.7%	21.1%	78.9%
Grade 12	6.4%	10.5%	22.0%	78.0%
Any Inhalant				
All	3.8%	5.6%	11.7%	88.3%
Grade 7	5.9%	7.8%	14.0%	86.0%
Grade 8	2.9%	5.2%	12.1%	87.9%
Grade 9	4.0%	6.4%	11.0%	89.0%
Grade 10	2.8%	3.2%	9.2%	90.8%
Grade 11	4.6%	7.6%	13.5%	86.5%
Grade 12	2.7%	3.3%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 73 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.8%	14.1%	27.1%	72.9%
Grade 7	2.0%	3.0%	13.8%	86.2%
Grade 8	5.1%	7.9%	16.3%	83.7%
Grade 9	6.4%	12.1%	24.8%	75.2%
Grade 10	12.0%	17.1%	30.9%	69.1%
Grade 11	17.8%	23.6%	40.5%	59.5%
Grade 12	17.8%	24.0%	40.9%	59.1%
Marijuana				
All	9.6%	11.2%	17.1%	82.9%
Grade 7	2.7%	2.7%	4.6%	95.4%
Grade 8	3.4%	3.6%	8.0%	92.0%
Grade 9	7.9%	8.7%	13.5%	86.5%
Grade 10	11.8%	14.7%	21.9%	78.1%
Grade 11	13.0%	14.5%	23.9%	76.1%
Grade 12	21.4%	25.7%	34.6%	65.4%
Marijuana Only				
All	5.9%	7.2%	11.9%	88.1%
Grade 7	2.0%	2.0%	2.8%	97.2%
Grade 8	2.3%	2.5%	4.0%	96.0%
Grade 9	6.1%	6.5%	10.2%	89.8%
Grade 10	5.4%	8.2%	15.1%	84.9%
Grade 11	6.3%	7.0%	15.1%	84.9%
Grade 12	15.1%	18.6%	27.4%	72.6%
Cocaine or Crack				
All	0.7%	0.8%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	1.1%	1.1%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.7%	1.2%	4.8%	95.2%
Grade 12	0.9%	0.9%	2.8%	97.2%
Cocaine				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	1.1%	1.1%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.2%	0.7%	4.4%	95.6%
Grade 12	0.2%	0.2%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.4%	0.4%	1.6%	98.4%
Grade 12	0.9%	0.9%	1.6%	98.4%
Hallucinogens				
All	0.7%	1.0%	2.8%	97.2%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.9%	0.9%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.3%	1.7%	3.2%	96.8%
Grade 11	1.4%	2.0%	5.2%	94.8%
Grade 12	0.5%	1.5%	5.1%	94.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.4%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.3%	0.4%	1.6%	98.4%
Grade 7	0.0%	0.7%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.2%	1.1%	98.9%
Grade 10	0.5%	0.5%	3.3%	96.7%
Grade 11	1.0%	1.0%	1.6%	98.4%
Grade 12	0.2%	0.2%	1.8%	98.2%
Ecstasy				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.5%	1.5%	1.9%	98.1%
Grade 11	0.8%	0.8%	4.0%	96.0%
Grade 12	0.3%	0.9%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.7%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	1.2%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.4%	0.8%	2.2%	97.8%
Grade 9	0.8%	0.8%	2.0%	98.0%
Grade 10	2.5%	3.0%	4.3%	95.7%
Grade 11	2.1%	2.1%	4.4%	95.6%
Grade 12	1.3%	1.3%	2.7%	97.3%
Methamphetamine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	0.5%	0.5%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.2%	28.3%	43.6%	56.4%
Grade 7	12.3%	16.8%	30.1%	69.9%
Grade 8	16.5%	22.8%	39.5%	60.5%
Grade 9	22.9%	32.0%	47.0%	53.0%
Grade 10	19.8%	25.3%	42.0%	58.0%
Grade 11	28.0%	36.2%	53.0%	47.0%
Grade 12	29.2%	37.8%	51.3%	48.7%
Any Alcohol Product				
All	33.9%	40.2%	61.0%	39.0%
Grade 7	19.6%	24.1%	45.3%	54.7%
Grade 8	27.2%	32.7%	59.0%	41.0%
Grade 9	40.4%	45.8%	65.0%	35.0%
Grade 10	29.8%	36.9%	58.4%	41.6%
Grade 11	43.9%	51.0%	71.0%	29.0%
Grade 12	43.4%	52.1%	68.3%	31.7%
Any Illicit Drug				
All	20.0%	24.9%	33.4%	66.6%
Grade 7	9.9%	13.0%	16.8%	83.2%
Grade 8	16.8%	22.2%	26.8%	73.2%
Grade 9	21.6%	27.3%	34.3%	65.7%
Grade 10	20.0%	23.9%	35.8%	64.2%
Grade 11	29.0%	34.5%	46.0%	54.0%
Grade 12	23.7%	29.7%	44.0%	56.0%
Any Prescription Drug				
All	9.1%	12.8%	24.5%	75.5%
Grade 7	11.7%	14.8%	22.4%	77.6%
Grade 8	9.6%	14.2%	24.1%	75.9%
Grade 9	9.3%	12.9%	25.6%	74.4%
Grade 10	6.7%	9.3%	18.9%	81.1%
Grade 11	11.3%	14.8%	31.5%	68.5%
Grade 12	5.3%	9.8%	24.0%	76.0%
Any Inhalant				
All	5.6%	7.9%	16.5%	83.5%
Grade 7	6.5%	9.7%	17.8%	82.2%
Grade 8	8.2%	11.9%	25.0%	75.0%
Grade 9	6.5%	8.1%	17.3%	82.7%
Grade 10	5.7%	8.7%	15.8%	84.2%
Grade 11	3.0%	3.3%	10.6%	89.4%
Grade 12	2.2%	4.4%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.4%	24.5%	38.7%	61.3%
Grade 7	9.0%	13.1%	24.7%	75.3%
Grade 8	11.2%	17.7%	34.9%	65.1%
Grade 9	17.6%	28.7%	42.0%	58.0%
Grade 10	15.7%	24.0%	37.8%	62.2%
Grade 11	24.1%	32.7%	49.9%	50.1%
Grade 12	22.4%	31.9%	44.1%	55.9%
Marijuana				
All	19.1%	22.4%	31.3%	68.7%
Grade 7	8.2%	9.3%	11.8%	88.2%
Grade 8	15.1%	19.1%	24.8%	75.2%
Grade 9	21.6%	25.7%	33.0%	67.0%
Grade 10	19.5%	20.6%	34.0%	66.0%
Grade 11	28.2%	32.4%	43.5%	56.5%
Grade 12	23.2%	28.5%	43.9%	56.1%
Marijuana Only				
All	10.9%	13.3%	20.8%	79.2%
Grade 7	3.7%	4.4%	6.7%	93.3%
Grade 8	7.8%	10.3%	14.4%	85.6%
Grade 9	13.3%	16.6%	22.1%	77.9%
Grade 10	9.9%	10.7%	21.7%	78.3%
Grade 11	15.4%	18.1%	27.8%	72.2%
Grade 12	16.3%	20.7%	35.1%	64.9%
Cocaine or Crack				
All	1.4%	1.7%	2.5%	97.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.5%	1.8%	2.3%	97.7%
Grade 9	1.6%	1.6%	2.4%	97.6%
Grade 10	0.7%	1.1%	2.2%	97.8%
Grade 11	3.6%	4.8%	6.2%	93.8%
Grade 12	0.8%	0.8%	2.1%	97.9%
Cocaine				
All	1.3%	1.6%	2.3%	97.7%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	1.3%	1.6%	2.1%	97.9%
Grade 9	1.6%	1.6%	2.1%	97.9%
Grade 10	0.7%	0.7%	1.7%	98.3%
Grade 11	3.3%	4.5%	5.9%	94.1%
Grade 12	0.8%	0.8%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	0.0%	1.0%	1.3%	98.7%
Grade 10	0.0%	0.5%	1.5%	98.5%
Grade 11	0.3%	0.3%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.7%	99.3%
Hallucinogens				
All	1.1%	1.7%	4.7%	95.3%
Grade 7	1.0%	1.0%	1.9%	98.1%
Grade 8	0.5%	0.7%	2.7%	97.3%
Grade 9	0.8%	1.5%	4.1%	95.9%
Grade 10	1.5%	2.0%	6.0%	94.0%
Grade 11	1.5%	3.4%	8.0%	92.0%
Grade 12	1.6%	2.0%	6.4%	93.6%
Synthetic Cathinones				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.8%	0.9%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.6%	2.7%	97.3%
Grade 7	0.8%	0.8%	3.3%	96.7%
Grade 8	0.0%	0.3%	2.5%	97.5%
Grade 9	0.0%	0.6%	2.8%	97.2%
Grade 10	0.3%	0.3%	3.6%	96.4%
Grade 11	0.6%	1.2%	2.9%	97.1%
Grade 12	0.2%	0.2%	1.3%	98.7%
Ecstasy				
All	0.5%	0.8%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.4%	0.7%	2.4%	97.6%
Grade 9	0.7%	1.2%	4.4%	95.6%
Grade 10	1.2%	1.8%	1.9%	98.1%
Grade 11	0.6%	0.6%	5.3%	94.7%
Grade 12	0.2%	0.7%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	0.9%	1.4%	98.6%
Grade 7	1.8%	2.1%	2.1%	97.9%
Grade 8	1.0%	1.5%	3.0%	97.0%
Grade 9	0.0%	0.6%	0.7%	99.3%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	2.7%	3.6%	6.4%	93.6%
Grade 7	2.6%	2.6%	3.9%	96.1%
Grade 8	2.8%	4.3%	7.3%	92.7%
Grade 9	3.0%	4.3%	7.1%	92.9%
Grade 10	4.8%	6.0%	8.7%	91.3%
Grade 11	2.8%	3.5%	8.4%	91.6%
Grade 12	0.0%	0.7%	3.0%	97.0%
Methamphetamine				
All	0.4%	0.8%	1.8%	98.2%
Grade 7	0.4%	0.4%	1.4%	98.6%
Grade 8	1.0%	2.0%	4.2%	95.8%
Grade 9	0.2%	0.8%	1.4%	98.6%
Grade 10	0.7%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.5%	2.4%	97.6%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	19.6%	33.8%	66.2%
Grade 7	5.4%	8.1%	20.5%	79.5%
Grade 8	7.3%	11.7%	23.8%	76.2%
Grade 9	13.4%	20.2%	34.7%	65.3%
Grade 10	16.2%	21.4%	36.1%	63.9%
Grade 11	22.2%	28.1%	44.7%	55.3%
Grade 12	24.6%	31.3%	46.6%	53.4%
Any Alcohol Product				
All	26.7%	32.0%	53.1%	46.9%
Grade 7	14.1%	17.6%	38.2%	61.8%
Grade 8	17.7%	20.9%	45.7%	54.3%
Grade 9	29.0%	34.1%	56.0%	44.0%
Grade 10	26.7%	32.7%	51.5%	48.5%
Grade 11	36.8%	42.9%	64.9%	35.1%
Grade 12	39.1%	47.8%	65.8%	34.2%
Any Illicit Drug				
All	13.5%	16.9%	23.8%	76.2%
Grade 7	4.8%	6.8%	9.7%	90.3%
Grade 8	9.3%	11.7%	16.0%	84.0%
Grade 9	13.5%	17.3%	22.6%	77.4%
Grade 10	14.3%	18.2%	27.3%	72.7%
Grade 11	19.1%	22.9%	33.0%	67.0%
Grade 12	22.1%	27.2%	37.9%	62.1%
Any Prescription Drug				
All	6.1%	8.9%	18.5%	81.5%
Grade 7	7.8%	10.5%	18.2%	81.8%
Grade 8	5.7%	8.0%	17.5%	82.5%
Grade 9	5.5%	8.1%	17.0%	83.0%
Grade 10	4.2%	6.8%	15.5%	84.5%
Grade 11	7.7%	10.9%	22.6%	77.4%
Grade 12	5.4%	9.0%	20.9%	79.1%
Any Inhalant				
All	3.6%	5.4%	12.1%	87.9%
Grade 7	4.3%	7.0%	13.6%	86.4%
Grade 8	4.7%	7.2%	15.0%	85.0%
Grade 9	4.5%	6.4%	12.9%	87.1%
Grade 10	2.7%	4.1%	10.8%	89.2%
Grade 11	3.3%	4.7%	10.8%	89.2%
Grade 12	2.0%	2.4%	8.6%	91.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.1%	17.1%	30.1%	69.9%
Grade 7	3.6%	5.9%	16.8%	83.2%
Grade 8	4.9%	9.2%	20.8%	79.2%
Grade 9	10.3%	19.1%	30.6%	69.4%
Grade 10	12.3%	18.6%	32.1%	67.9%
Grade 11	18.2%	26.1%	43.1%	56.9%
Grade 12	19.2%	26.4%	40.5%	59.5%
Marijuana				
All	12.8%	14.8%	21.8%	78.2%
Grade 7	4.0%	4.2%	6.4%	93.6%
Grade 8	7.3%	8.4%	13.5%	86.5%
Grade 9	13.5%	16.1%	21.3%	78.7%
Grade 10	13.7%	15.8%	25.2%	74.8%
Grade 11	18.7%	20.9%	30.9%	69.1%
Grade 12	21.7%	26.1%	37.5%	62.5%
Marijuana Only				
All	8.0%	9.7%	15.6%	84.4%
Grade 7	2.8%	3.0%	4.6%	95.4%
Grade 8	4.5%	4.9%	7.8%	92.2%
Grade 9	9.5%	11.6%	15.8%	84.2%
Grade 10	6.2%	8.3%	16.5%	83.5%
Grade 11	11.3%	13.2%	22.5%	77.5%
Grade 12	15.1%	18.7%	29.5%	70.5%
Cocaine or Crack				
All	0.7%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	1.1%	1.1%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.8%	1.0%	1.8%	98.2%
Grade 11	1.2%	1.2%	2.8%	97.2%
Grade 12	0.6%	0.6%	2.6%	97.4%
Cocaine				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	1.2%	1.2%	2.8%	97.2%
Grade 12	0.6%	0.6%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	0.1%	1.0%	99.0%
Hallucinogens				
All	0.8%	1.1%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.7%	98.3%
Grade 9	0.4%	0.8%	1.5%	98.5%
Grade 10	1.3%	1.8%	4.1%	95.9%
Grade 11	1.2%	1.9%	4.3%	95.7%
Grade 12	1.0%	1.4%	5.8%	94.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.6%	0.7%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.3%	0.3%	2.1%	97.9%
Grade 7	0.1%	0.1%	1.7%	98.3%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.1%	1.8%	98.2%
Grade 10	0.3%	0.3%	3.4%	96.6%
Grade 11	1.0%	1.2%	2.4%	97.6%
Grade 12	0.3%	0.3%	1.8%	98.2%
Ecstasy				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.1%	1.2%	98.8%
Grade 10	1.2%	1.5%	1.9%	98.1%
Grade 11	0.7%	0.7%	2.6%	97.4%
Grade 12	0.4%	1.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.9%	1.3%	1.3%	98.7%
Grade 8	1.0%	1.1%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.6%	1.9%	3.8%	96.2%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	1.0%	1.6%	4.2%	95.8%
Grade 9	2.0%	2.1%	3.5%	96.5%
Grade 10	3.4%	4.1%	6.0%	94.0%
Grade 11	1.8%	1.8%	5.0%	95.0%
Grade 12	0.8%	1.2%	3.1%	96.9%
Methamphetamine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.1%	0.1%	1.6%	98.4%
Grade 12	0.2%	0.2%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	32.3%	36.4%	51.1%	48.9%
Grade 7	15.7%	18.1%	31.1%	68.9%
Grade 8	37.7%	39.5%	50.6%	49.4%
Grade 9	32.1%	37.2%	55.2%	44.8%
Grade 10	29.0%	32.7%	49.6%	50.4%
Grade 11	45.6%	50.6%	59.6%	40.4%
Grade 12	33.9%	40.7%	60.6%	39.4%
Any Alcohol Product				
All	42.8%	48.2%	64.3%	35.7%
Grade 7	26.6%	27.6%	52.9%	47.1%
Grade 8	48.6%	54.9%	69.0%	31.0%
Grade 9	49.0%	51.1%	68.5%	31.5%
Grade 10	38.7%	43.7%	56.6%	43.4%
Grade 11	43.9%	57.2%	70.9%	29.1%
Grade 12	46.7%	53.0%	65.8%	34.2%
Any Illicit Drug				
All	23.5%	30.2%	36.7%	63.3%
Grade 7	11.6%	20.2%	20.2%	79.8%
Grade 8	18.5%	24.3%	30.8%	69.2%
Grade 9	30.6%	34.7%	39.6%	60.4%
Grade 10	23.9%	31.3%	39.3%	60.7%
Grade 11	33.6%	41.0%	47.6%	52.4%
Grade 12	24.6%	32.6%	45.8%	54.2%
Any Prescription Drug				
All	13.6%	18.0%	32.5%	67.5%
Grade 7	15.5%	17.8%	22.4%	77.6%
Grade 8	13.2%	18.7%	32.7%	67.3%
Grade 9	15.7%	20.9%	37.7%	62.3%
Grade 10	13.9%	15.6%	25.0%	75.0%
Grade 11	18.9%	20.8%	47.2%	52.8%
Grade 12	5.5%	14.1%	30.5%	69.5%
Any Inhalant				
All	9.3%	12.6%	22.6%	77.4%
Grade 7	13.0%	13.0%	23.0%	77.0%
Grade 8	9.7%	15.4%	31.1%	68.9%
Grade 9	11.2%	14.4%	24.3%	75.7%
Grade 10	11.5%	13.8%	16.7%	83.3%
Grade 11	5.8%	5.8%	17.3%	82.7%
Grade 12	4.2%	10.9%	18.6%	81.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	23.6%	29.6%	45.7%	54.3%
Grade 7	12.0%	15.6%	31.0%	69.0%
Grade 8	19.2%	25.6%	42.9%	57.1%
Grade 9	26.2%	31.9%	51.0%	49.0%
Grade 10	23.2%	29.6%	45.8%	54.2%
Grade 11	38.5%	43.6%	56.3%	43.7%
Grade 12	25.9%	34.3%	48.7%	51.3%
Marijuana				
All	21.9%	26.0%	34.6%	65.4%
Grade 7	11.0%	12.1%	15.0%	85.0%
Grade 8	18.4%	23.4%	30.0%	70.0%
Grade 9	26.2%	29.8%	37.4%	62.6%
Grade 10	23.6%	26.7%	39.3%	60.7%
Grade 11	31.9%	36.1%	45.1%	54.9%
Grade 12	22.5%	29.5%	43.8%	56.2%
Marijuana Only				
All	11.6%	14.6%	20.9%	79.1%
Grade 7	4.3%	5.3%	7.7%	92.3%
Grade 8	9.1%	13.5%	16.9%	83.1%
Grade 9	14.5%	16.8%	21.7%	78.3%
Grade 10	12.6%	15.2%	25.8%	74.2%
Grade 11	9.3%	10.1%	13.4%	86.6%
Grade 12	20.0%	26.1%	40.4%	59.6%
Cocaine or Crack				
All	2.8%	3.8%	5.8%	94.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	3.1%	5.1%	94.9%
Grade 9	3.7%	3.7%	6.5%	93.5%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	7.3%	13.3%	21.2%	78.8%
Grade 12	2.1%	2.1%	2.1%	97.9%
Cocaine				
All	1.8%	2.8%	4.6%	95.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	3.1%	5.1%	94.9%
Grade 9	2.1%	2.1%	3.8%	96.2%
Grade 10	1.9%	1.9%	1.9%	98.1%
Grade 11	4.6%	10.7%	18.6%	81.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.7%	2.0%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	2.8%	97.2%
Grade 9	1.6%	3.7%	4.8%	95.2%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	2.6%	2.6%	6.0%	94.0%
Grade 12	2.1%	2.1%	2.1%	97.9%
Hallucinogens				
All	1.5%	2.1%	7.1%	92.9%
Grade 7	2.1%	2.1%	3.3%	96.7%
Grade 8	0.9%	0.9%	6.6%	93.4%
Grade 9	0.7%	1.6%	7.9%	92.1%
Grade 10	1.6%	1.6%	7.6%	92.4%
Grade 11	3.5%	6.4%	17.1%	82.9%
Grade 12	0.9%	0.9%	1.6%	98.4%
Synthetic Cathinones				
All	0.2%	0.8%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	3.2%	3.8%	96.2%
Grade 10	0.0%	1.6%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids				
All	0.4%	1.2%	2.5%	97.5%
Grade 7	1.2%	1.2%	1.9%	98.1%
Grade 8	0.0%	0.7%	1.1%	98.9%
Grade 9	0.0%	2.6%	3.8%	96.2%
Grade 10	1.6%	1.6%	5.4%	94.6%
Grade 11	0.0%	1.1%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.9%	99.1%
Ecstasy				
All	0.9%	1.1%	4.8%	95.2%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	1.3%	2.2%	9.8%	90.2%
Grade 10	3.2%	3.2%	3.2%	96.8%
Grade 11	1.0%	1.0%	14.9%	85.1%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	1.1%	2.2%	97.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.8%	2.9%	97.1%
Grade 9	0.0%	2.1%	2.1%	97.9%
Grade 10	1.6%	1.6%	3.2%	96.8%
Grade 11	1.6%	1.6%	3.5%	96.5%
Grade 12	0.0%	0.0%	0.9%	99.1%
Synthetic Marijuana				
All	3.1%	4.9%	7.0%	93.0%
Grade 7	4.5%	4.5%	5.5%	94.5%
Grade 8	4.1%	5.8%	6.5%	93.5%
Grade 9	0.7%	4.9%	8.8%	91.2%
Grade 10	4.3%	6.5%	8.5%	91.5%
Grade 11	5.7%	8.2%	12.3%	87.7%
Grade 12	0.0%	0.0%	1.6%	98.4%
Methamphetamine				
All	0.7%	1.4%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.8%	5.4%	94.6%
Grade 9	2.3%	4.3%	5.5%	94.5%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	1.0%	7.4%	92.6%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	20,939	49.3%
Female	21,512	50.7%
Frequency Missing	74	

Hispanic or Latino

Q5a	Frequency	Percent
No	26,793	64.6%
Yes	14,659	35.4%
Frequency Missing	1,074	

Grade

Q2	Frequency	Percent
Grade 7	7,496	17.7%
Grade 8	7,567	17.9%
Grade 9	7,789	18.4%
Grade 10	7,040	16.6%
Grade 11	6,303	14.9%
Grade 12	6,178	14.6%
Frequency Missing	152	

Ethnicity

Q5b	Frequency	Percent
American Indian	821	2.1%
Asian American	345	0.9%
African American	3,207	8.2%
Pacific Islander	63	0.2%
White	24,431	62.3%
Other	3,918	10.0%
More Than One Race	6,423	16.4%
Frequency Missing	3,316	

Live with Both Parents

Q3	Frequency	Percent
No	20,306	48.2%
Yes	21,848	51.8%
Frequency Missing	371	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	144	0.4%
Mostly D's	460	1.2%
Mostly C's	4,340	11.6%
Mostly B's	17,511	46.9%
Mostly A's	14,890	39.9%
Frequency Missing	5,180	

Age

Q4	Frequency	Percent
11 or younger	46	0.1%
12	3,202	7.6%
13	7,237	17.1%
14	7,316	17.3%
15	7,565	17.9%
16	7,039	16.6%
17	6,424	15.2%
18	3,227	7.6%
19 or older	249	0.6%
Frequency Missing	221	

Do You Have a Job

Q7	Frequency	Percent
No	29,524	78.3%
Yes	8,201	21.7%
Frequency Missing	4,800	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	12,005	32.1%
Yes	15,530	41.5%
Don't Know	9,896	26.4%
Frequency Missing	5,094	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	28,663	88.3%
Yes	3,790	11.7%
Frequency Missing	10,073	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	14,470	40.2%
Yes	21,534	59.8%
Frequency Missing	6,521	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	22,275	67.1%
Yes	10,913	32.9%
Frequency Missing	9,337	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	23,300	69.2%
Yes	10,391	30.8%
Frequency Missing	8,834	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	24,419	74.4%
Yes	8,384	25.6%
Frequency Missing	9,722	

Participate in School Choir

Q9c	Frequency	Percent
No	29,341	90.0%
Yes	3,254	10.0%
Frequency Missing	9,931	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	24,185	72.8%
Yes	9,025	27.2%
Frequency Missing	9,315	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	29,761	91.9%
Yes	2,607	8.1%
Frequency Missing	10,157	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	25,921	79.3%
Yes	6,763	20.7%
Frequency Missing	9,841	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	35,529	84.1%
Somewhat Safe	5,865	13.9%
Not Very Safe	425	1.0%
Not Safe At All	179	0.4%
Don't Know	254	0.6%
Frequency Missing	274	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	2,210	5.5%
Some High School	4,117	10.2%
Finished High School	8,424	20.9%
Some College	7,195	17.9%
Finished College	9,392	23.3%
Post-Secondary	4,783	11.9%
Don't Know or N/A	4,144	10.3%
Frequency Missing	2,260	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	17,501	41.7%
Somewhat Safe	19,607	46.8%
Not Very Safe	3,261	7.8%
Not Safe At All	733	1.7%
Don't Know	833	2.0%
Frequency Missing	591	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	23,308	61.7%
Yes	14,443	38.3%
Frequency Missing	4,774	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	14,161	33.7%
Somewhat Safe	20,052	47.7%
Not Very Safe	4,714	11.2%
Not Safe At All	1,698	4.0%
Don't Know	1,411	3.4%
Frequency Missing	489	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	2,099	5.0%
A Few	9,637	23.0%
Some	9,835	23.5%
Most	16,395	39.2%
All	3,906	9.3%
Frequency Missing	653	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	2,161	5.4%
Some High School	4,770	11.9%
Finished High School	10,771	26.9%
Some College	5,244	13.1%
Finished College	6,241	15.6%
Post-Secondary	3,327	8.3%
Don't Know or N/A	7,491	18.7%
Frequency Missing	2,519	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,138	2.7%
A Few	5,372	12.8%
Some	10,415	24.8%
Most	18,865	45.0%
All	6,126	14.6%
Frequency Missing	609	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	15,725	38.1%
A Few	13,995	33.9%
Some	6,123	14.8%
Most	3,396	8.2%
All	2,079	5.0%
Frequency Missing	1,207	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	39,131	93.2%
In Your Lifetime	1,883	4.5%
Since School Began	370	0.9%
In the Past Month	583	1.4%
Frequency Missing	558	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	28,527	68.8%
A Few	7,978	19.2%
Some	3,347	8.1%
Most	1,330	3.2%
All	300	0.7%
Frequency Missing	1,043	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	41,078	98.8%
In Your Lifetime	335	0.8%
Since School Began	85	0.2%
In the Past Month	73	0.2%
Frequency Missing	954	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	33,773	80.9%
A Few	5,150	12.3%
Some	1,795	4.3%
Most	629	1.5%
All	399	1.0%
Frequency Missing	779	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	38,874	92.8%
In Your Lifetime	1,957	4.7%
Since School Began	470	1.1%
In the Past Month	589	1.4%
Frequency Missing	636	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	40,630	96.7%
In Your Lifetime	1,057	2.5%
Since School Began	192	0.5%
In the Past Month	141	0.3%
Frequency Missing	504	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	41,128	98.2%
In Your Lifetime	406	1.0%
Since School Began	226	0.5%
In the Past Month	118	0.3%
Frequency Missing	647	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	41,305	98.6%
In Your Lifetime	314	0.7%
Since School Began	100	0.2%
In the Past Month	166	0.4%
Frequency Missing	640	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	38,190	91.6%
In Your Lifetime	1,921	4.6%
Since School Began	464	1.1%
In the Past Month	1,113	2.7%
Frequency Missing	836	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	40,631	97.0%
In Your Lifetime	853	2.0%
Since School Began	195	0.5%
In the Past Month	220	0.5%
Frequency Missing	626	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	25,523	62.0%
In Your Lifetime	7,938	19.3%
Since School Began	2,786	6.8%
In the Past Month	4,937	12.0%
Frequency Missing	1,341	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	40,976	97.9%
In Your Lifetime	483	1.2%
Since School Began	148	0.4%
In the Past Month	240	0.6%
Frequency Missing	679	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	29,877	72.1%
In Your Lifetime	5,424	13.1%
Since School Began	2,244	5.4%
In the Past Month	3,892	9.4%
Frequency Missing	1,088	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	35,625	85.0%
In Your Lifetime	3,883	9.3%
Since School Began	785	1.9%
In the Past Month	1,623	3.9%
Frequency Missing	609	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	28,910	70.5%
In Your Lifetime	6,997	17.1%
Since School Began	1,812	4.4%
In the Past Month	3,266	8.0%
Frequency Missing	1,540	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	26,996	65.3%
In Your Lifetime	6,616	16.0%
Since School Began	2,772	6.7%
In the Past Month	4,975	12.0%
Frequency Missing	1,165	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	40,956	98.2%
In Your Lifetime	496	1.2%
Since School Began	103	0.2%
In the Past Month	151	0.4%
Frequency Missing	820	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	39,595	95.2%
In Your Lifetime	1,265	3.0%
Since School Began	339	0.8%
In the Past Month	405	1.0%
Frequency Missing	922	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	41,291	99.4%
In Your Lifetime	135	0.3%
Since School Began	62	0.1%
In the Past Month	52	0.1%
Frequency Missing	985	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	28,172	67.4%
In Your Lifetime	5,676	13.6%
Since School Began	2,554	6.1%
In the Past Month	5,383	12.9%
Frequency Missing	740	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	40,074	96.3%
In Your Lifetime	959	2.3%
Since School Began	184	0.4%
In the Past Month	379	0.9%
Frequency Missing	929	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	32,509	77.8%
In Your Lifetime	3,920	9.4%
Since School Began	1,465	3.5%
In the Past Month	3,880	9.3%
Frequency Missing	751	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	41,336	99.4%
In Your Lifetime	130	0.3%
Since School Began	40	0.1%
In the Past Month	76	0.2%
Frequency Missing	942	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	40,869	98.3%
In Your Lifetime	545	1.3%
Since School Began	61	0.1%
In the Past Month	100	0.2%
Frequency Missing	949	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	39,831	95.9%
In Your Lifetime	909	2.2%
Since School Began	139	0.3%
In the Past Month	663	1.6%
Frequency Missing	983	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	40,753	98.2%
In Your Lifetime	508	1.2%
Since School Began	45	0.1%
In the Past Month	188	0.5%
Frequency Missing	1,032	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	35,774	86.3%
In Your Lifetime	3,077	7.4%
Since School Began	1,019	2.5%
In the Past Month	1,602	3.9%
Frequency Missing	1,053	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	41,273	99.1%
In Your Lifetime	138	0.3%
Since School Began	65	0.2%
In the Past Month	151	0.4%
Frequency Missing	898	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	39,589	95.7%
In Your Lifetime	1,109	2.7%
Since School Began	239	0.6%
In the Past Month	445	1.1%
Frequency Missing	1,142	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	41,186	99.1%
In Your Lifetime	271	0.7%
Since School Began	32	0.1%
In the Past Month	89	0.2%
Frequency Missing	947	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	39,043	94.4%
In Your Lifetime	1,339	3.2%
Since School Began	389	0.9%
In the Past Month	567	1.4%
Frequency Missing	1,188	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	38,831	94.2%
In Your Lifetime	1,333	3.2%
Since School Began	352	0.9%
In the Past Month	691	1.7%
Frequency Missing	1,318	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	30,728	74.2%
1-2 times	6,716	16.2%
3-10 times	2,804	6.8%
11+ times	1,165	2.8%
Frequency Missing	1,112	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	36,980	90.0%
In Your Lifetime	2,248	5.5%
Since School Began	504	1.2%
In the Past Month	1,357	3.3%
Frequency Missing	1,435	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	40,570	97.9%
1-2 times	604	1.5%
3-10 times	118	0.3%
11+ times	131	0.3%
Frequency Missing	1,103	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	39,851	96.3%
In Your Lifetime	918	2.2%
Since School Began	145	0.4%
In the Past Month	469	1.1%
Frequency Missing	1,142	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	35,754	86.5%
1-2 times	2,224	5.4%
3-10 times	1,296	3.1%
11+ times	2,057	5.0%
Frequency Missing	1,195	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	37,240	89.8%
1-2 times	2,046	4.9%
3-10 times	723	1.7%
11+ times	1,474	3.6%
Frequency Missing	1,042	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	41,106	99.2%
1-2 times	232	0.6%
3-10 times	28	0.1%
11+ times	76	0.2%
Frequency Missing	1,083	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	41,288	99.6%
1-2 times	101	0.2%
3-10 times	0	0.0%
11+ times	72	0.2%
Frequency Missing	1,063	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	23,675	57.5%
A few	7,653	18.6%
Some	4,806	11.7%
Most	3,757	9.1%
All	1,265	3.1%
Frequency Missing	1,369	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	27,995	67.8%
A few	8,093	19.6%
Some	3,447	8.3%
Most	1,398	3.4%
All	371	0.9%
Frequency Missing	1,221	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	33,347	82.2%
8 or younger	614	1.5%
9 years old	441	1.1%
10 years old	507	1.2%
11 years old	506	1.2%
12 years old	929	2.3%
13 years old	1,012	2.5%
14 years old	904	2.2%
15 years old	974	2.4%
16 years old	800	2.0%
17 years old	351	0.9%
18 or older	174	0.4%
Frequency Missing	1,967	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	19,162	46.5%
A few	10,467	25.4%
Some	6,525	15.8%
Most	4,131	10.0%
All	945	2.3%
Frequency Missing	1,295	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	22,148	54.9%
8 or younger	2,203	5.5%
9 years old	790	2.0%
10 years old	1,038	2.6%
11 years old	1,446	3.6%
12 years old	2,343	5.8%
13 years old	2,195	5.4%
14 years old	2,611	6.5%
15 years old	2,744	6.8%
16 years old	1,649	4.1%
17 years old	936	2.3%
18 or older	243	0.6%
Frequency Missing	2,180	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	37,735	91.8%
A few	2,253	5.5%
Some	783	1.9%
Most	221	0.5%
All	119	0.3%
Frequency Missing	1,414	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	38,774	95.7%
8 or younger	269	0.7%
9 years old	162	0.4%
10 years old	268	0.7%
11 years old	209	0.5%
12 years old	257	0.6%
13 years old	168	0.4%
14 years old	132	0.3%
15 years old	155	0.4%
16 years old	107	0.3%
17 years old	31	0.1%
18 or older	0	0.0%
Frequency Missing	1,992	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	39,885	98.4%
8 or younger	45	0.1%
9 years old	22	0.1%
10 years old	9	0.0%
11 years old	12	0.0%
12 years old	14	0.0%
13 years old	110	0.3%
14 years old	188	0.5%
15 years old	153	0.4%
16 years old	61	0.1%
17 years old	9	0.0%
18 or older	14	0.0%
Frequency Missing	2,004	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	31,435	77.5%
8 or younger	339	0.8%
9 years old	305	0.8%
10 years old	344	0.8%
11 years old	342	0.8%
12 years old	986	2.4%
13 years old	1,615	4.0%
14 years old	1,576	3.9%
15 years old	1,793	4.4%
16 years old	1,191	2.9%
17 years old	558	1.4%
18 or older	73	0.2%
Frequency Missing	1,967	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	40,384	99.4%
8 or younger	36	0.1%
9 years old	22	0.1%
10 years old	30	0.1%
11 years old	0	0.0%
12 years old	13	0.0%
13 years old	2	0.0%
14 years old	31	0.1%
15 years old	65	0.2%
16 years old	10	0.0%
17 years old	38	0.1%
Frequency Missing	1,895	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	39,903	98.4%
8 or younger	87	0.2%
9 years old	23	0.1%
10 years old	8	0.0%
11 years old	29	0.1%
12 years old	93	0.2%
13 years old	143	0.4%
14 years old	68	0.2%
15 years old	120	0.3%
16 years old	9	0.0%
17 years old	48	0.1%
18 or older	9	0.0%
Frequency Missing	1,988	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	39,724	98.1%
8 or younger	34	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	47	0.1%
12 years old	21	0.1%
13 years old	146	0.4%
14 years old	120	0.3%
15 years old	192	0.5%
16 years old	147	0.4%
17 years old	42	0.1%
18 or older	0	0.0%
Frequency Missing	2,052	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	40,249	99.0%
8 or younger	65	0.2%
9 years old	8	0.0%
10 years old	27	0.1%
11 years old	33	0.1%
12 years old	35	0.1%
13 years old	49	0.1%
14 years old	85	0.2%
15 years old	47	0.1%
16 years old	53	0.1%
17 years old	7	0.0%
18 or older	0	0.0%
Frequency Missing	1,866	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	40,293	99.3%
8 or younger	102	0.3%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	11	0.0%
12 years old	11	0.0%
13 years old	56	0.1%
14 years old	10	0.0%
15 years old	56	0.1%
16 years old	38	0.1%
17 years old	20	0.0%
Frequency Missing	1,929	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	39,192	96.5%
8 or younger	72	0.2%
9 years old	28	0.1%
10 years old	74	0.2%
11 years old	84	0.2%
12 years old	107	0.3%
13 years old	299	0.7%
14 years old	279	0.7%
15 years old	209	0.5%
16 years old	230	0.6%
17 years old	33	0.1%
18 or older	0	0.0%
Frequency Missing	1,918	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	10,739	26.1%
Impossible	8,455	20.6%
Very Difficult	3,481	8.5%
Somewhat diff	4,720	11.5%
Somewhat easy	5,983	14.6%
Very easy	7,700	18.7%
Frequency Missing	1,448	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	8,257	20.2%
Impossible	5,824	14.2%
Very Difficult	2,596	6.3%
Somewhat diff	5,078	12.4%
Somewhat easy	7,663	18.7%
Very easy	11,496	28.1%
Frequency Missing	1,611	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	15,644	38.3%
Impossible	15,020	36.7%
Very Difficult	5,344	13.1%
Somewhat diff	2,262	5.5%
Somewhat easy	1,217	3.0%
Very easy	1,391	3.4%
Frequency Missing	1,649	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	15,975	39.2%
Impossible	7,166	17.6%
Very Difficult	1,820	4.5%
Somewhat diff	2,419	5.9%
Somewhat easy	4,050	9.9%
Very easy	9,315	22.9%
Frequency Missing	1,779	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	15,893	39.1%
Impossible	14,359	35.3%
Very Difficult	5,072	12.5%
Somewhat diff	2,700	6.6%
Somewhat easy	1,361	3.3%
Very easy	1,309	3.2%
Frequency Missing	1,830	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	10,745	26.3%
Impossible	9,776	23.9%
Very Difficult	3,646	8.9%
Somewhat diff	4,128	10.1%
Somewhat easy	4,709	11.5%
Very easy	7,846	19.2%
Frequency Missing	1,675	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	19,620	48.2%
Impossible	12,437	30.6%
Very Difficult	4,087	10.0%
Somewhat diff	1,999	4.9%
Somewhat easy	1,202	3.0%
Very easy	1,350	3.3%
Frequency Missing	1,830	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	15,173	37.2%
Impossible	14,794	36.2%
Very Difficult	5,234	12.8%
Somewhat diff	2,594	6.4%
Somewhat easy	1,468	3.6%
Very easy	1,556	3.8%
Frequency Missing	1,706	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	17,395	42.7%
Impossible	14,942	36.7%
Very Difficult	5,015	12.3%
Somewhat diff	1,379	3.4%
Somewhat easy	777	1.9%
Very easy	1,233	3.0%
Frequency Missing	1,783	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	17,712	43.5%
Impossible	14,309	35.1%
Very Difficult	4,607	11.3%
Somewhat diff	1,760	4.3%
Somewhat easy	952	2.3%
Very easy	1,392	3.4%
Frequency Missing	1,793	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	122	0.3%
Several times/wk	591	1.5%
Several times/mo	2,725	6.8%
About once/month	4,233	10.5%
About once/year	4,682	11.6%
Less than once/year	4,272	10.6%
Never used	23,667	58.7%
Frequency Missing	2,233	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	18,755	46.1%
Impossible	11,906	29.3%
Very Difficult	3,502	8.6%
Somewhat diff	2,447	6.0%
Somewhat easy	1,806	4.4%
Very easy	2,237	5.5%
Frequency Missing	1,872	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	17	0.0%
Several times/wk	99	0.2%
Several times/mo	131	0.3%
About once/month	316	0.8%
About once/year	412	1.0%
Less than once/year	638	1.6%
Never used	38,793	96.0%
Frequency Missing	2,118	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	915	2.3%
Several times/wk	628	1.5%
Several times/mo	748	1.8%
About once/month	1,200	3.0%
About once/year	906	2.2%
Less than once/year	2,354	5.8%
Never used	33,799	83.4%
Frequency Missing	1,976	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	897	2.2%
Several times/wk	1,084	2.7%
Several times/mo	1,264	3.1%
About once/month	1,602	4.0%
About once/year	1,379	3.4%
Less than once/year	2,255	5.6%
Never used	31,939	79.0%
Frequency Missing	2,104	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	9	0.0%
Several times/mo	21	0.1%
About once/month	83	0.2%
About once/year	151	0.4%
Less than once/year	198	0.5%
Never used	39,987	98.9%
Frequency Missing	2,074	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	4	0.0%
Several times/wk	10	0.0%
Several times/mo	50	0.1%
About once/month	86	0.2%
About once/year	179	0.4%
Less than once/year	311	0.8%
Never used	39,744	98.4%
Frequency Missing	2,142	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	24	0.1%
Several times/wk	0	0.0%
Several times/mo	5	0.0%
About once/month	60	0.1%
About once/year	53	0.1%
Less than once/year	69	0.2%
Never used	40,272	99.5%
Frequency Missing	2,042	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	35	0.1%
Several times/wk	52	0.1%
Several times/mo	38	0.1%
About once/month	29	0.1%
About once/year	32	0.1%
Less than once/year	87	0.2%
Never used	40,154	99.3%
Frequency Missing	2,099	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	33	0.1%
Several times/wk	7	0.0%
Several times/mo	0	0.0%
About once/month	37	0.1%
About once/year	144	0.4%
Less than once/year	264	0.7%
Never used	40,016	98.8%
Frequency Missing	2,024	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	6	0.0%
Several times/wk	49	0.1%
Several times/mo	29	0.1%
About once/month	47	0.1%
About once/year	46	0.1%
Less than once/year	194	0.5%
Never used	40,015	99.1%
Frequency Missing	2,139	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	33	0.1%
Several times/wk	137	0.3%
Several times/mo	214	0.5%
About once/month	233	0.6%
About once/year	241	0.6%
Less than once/year	427	1.1%
Never used	38,951	96.8%
Frequency Missing	2,289	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	28,498	70.2%
12+ drinks	424	1.0%
9-11 drinks	379	0.9%
5-8 drinks	781	1.9%
3-4 drinks	1,114	2.7%
2 drinks	1,820	4.5%
1 drink	2,988	7.4%
Less than 1 drink	4,566	11.3%
Frequency Missing	1,956	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	25,457	62.4%
12+ drinks	969	2.4%
9-11 drinks	728	1.8%
5-8 drinks	1,487	3.6%
3-4 drinks	2,223	5.4%
2 drinks	2,121	5.2%
1 drink	2,733	6.7%
Less than 1 drink	5,083	12.5%
Frequency Missing	1,724	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	26,073	64.3%
12+ drinks	1,308	3.2%
9-11 drinks	696	1.7%
5-8 drinks	1,829	4.5%
3-4 drinks	2,170	5.4%
2 drinks	2,245	5.5%
1 drink	2,242	5.5%
Less than 1 drink	3,981	9.8%
Frequency Missing	1,982	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	28,807	70.8%
12+ drinks	848	2.1%
9-11 drinks	517	1.3%
5-8 drinks	1,462	3.6%
3-4 drinks	1,907	4.7%
2 drinks	2,106	5.2%
1 drink	2,059	5.1%
Less than 1 drink	2,961	7.3%
Frequency Missing	1,859	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	23,231	57.8%
0 days	11,949	29.7%
1 day	1,974	4.9%
2 days	962	2.4%
3 to 5 days	1,008	2.5%
6 to 9 days	421	1.0%
10 or more days	649	1.6%
Frequency Missing	2,333	

Percentages and frequencies have been weighted to reflect proportions within the population.

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	23,343	57.6%
Never	6,916	17.1%
Seldom	6,741	16.6%
Most of the Time	2,444	6.0%
Always	1,099	2.7%
Frequency Missing	1,984	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	24,328	60.6%
Never	9,057	22.5%
Seldom	3,205	8.0%
Most of the Time	2,041	5.1%
Always	1,536	3.8%
Frequency Missing	2,358	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	23,492	58.1%
Never	7,069	17.5%
Seldom	5,643	14.0%
Most of the Time	3,303	8.2%
Always	931	2.3%
Frequency Missing	2,087	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	24,200	59.8%
Somewhat	10,538	26.0%
Not very	3,285	8.1%
Not at all	558	1.4%
Don't know	1,903	4.7%
Frequency Missing	2,041	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	24,440	60.5%
Never	13,310	32.9%
Seldom	1,277	3.2%
Most of the Time	761	1.9%
Always	613	1.5%
Frequency Missing	2,124	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	19,362	47.8%
Somewhat	12,781	31.5%
Not very	6,178	15.2%
Not at all	777	1.9%
Don't know	1,413	3.5%
Frequency Missing	2,014	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	23,013	57.0%
Never	7,589	18.8%
Seldom	3,763	9.3%
Most of the Time	3,570	8.8%
Always	2,459	6.1%
Frequency Missing	2,131	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	29,242	72.6%
Somewhat	6,231	15.5%
Not very	1,564	3.9%
Not at all	537	1.3%
Don't know	2,699	6.7%
Frequency Missing	2,253	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	21,864	54.3%
Somewhat	6,013	14.9%
Not very	5,598	13.9%
Not at all	4,913	12.2%
Don't know	1,857	4.6%
Frequency Missing	2,280	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	31,123	77.5%
Somewhat	4,763	11.9%
Not very	1,398	3.5%
Not at all	289	0.7%
Don't know	2,575	6.4%
Frequency Missing	2,377	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	35,465	88.0%
Somewhat	2,498	6.2%
Not very	242	0.6%
Not at all	197	0.5%
Don't know	1,888	4.7%
Frequency Missing	2,235	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	35,982	89.5%
Somewhat	1,585	3.9%
Not very	153	0.4%
Not at all	253	0.6%
Don't know	2,238	5.6%
Frequency Missing	2,313	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	35,668	88.5%
Somewhat	2,212	5.5%
Not very	212	0.5%
Not at all	228	0.6%
Don't know	1,968	4.9%
Frequency Missing	2,237	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	35,701	88.7%
Somewhat	1,703	4.2%
Not very	199	0.5%
Not at all	252	0.6%
Don't know	2,372	5.9%
Frequency Missing	2,298	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	32,893	82.0%
Somewhat	3,245	8.1%
Not very	574	1.4%
Not at all	270	0.7%
Don't know	3,124	7.8%
Frequency Missing	2,419	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	31,982	79.7%
Somewhat	3,639	9.1%
Not very	1,024	2.6%
Not at all	576	1.4%
Don't know	2,915	7.3%
Frequency Missing	2,390	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	30,671	76.2%
Somewhat	5,316	13.2%
Not very	1,511	3.8%
Not at all	452	1.1%
Don't know	2,288	5.7%
Frequency Missing	2,288	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	16,199	41.0%
1-3 days	18,818	47.6%
4-9 days	3,133	7.9%
10+ days	1,346	3.4%
Frequency Missing	3,030	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	24,440	61.1%
Somewhat	7,960	19.9%
Not very	4,406	11.0%
Not at all	1,444	3.6%
Don't know	1,758	4.4%
Frequency Missing	2,517	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	35,180	87.4%
1-3 days	4,048	10.1%
4-9 days	589	1.5%
10+ days	454	1.1%
Frequency Missing	2,253	

Days Skipped Since September

Q28a	Frequency	Percent
None	33,240	82.5%
1-3 days	5,416	13.4%
4-9 days	1,046	2.6%
10+ days	590	1.5%
Frequency Missing	2,232	

Someone Called Home Since September

Q28e	Frequency	Percent
None	36,595	91.2%
1-3 days	2,647	6.6%
4-9 days	472	1.2%
10+ days	407	1.0%
Frequency Missing	2,404	

Days Ill Since September

Q28b	Frequency	Percent
None	14,732	36.7%
1-3 days	18,761	46.7%
4-9 days	5,284	13.2%
10+ days	1,392	3.5%
Frequency Missing	2,356	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	38,217	95.5%
1-3 times	1,506	3.8%
4-9 times	239	0.6%
10+ times	46	0.1%
Frequency Missing	2,518	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	38,257	96.0%
1-3 times	1,305	3.3%
4-9 times	180	0.5%
10+ times	119	0.3%
Frequency Missing	2,664	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	36,305	91.0%
1-3 days	1,895	4.7%
4-9 days	697	1.7%
10+ days	1,016	2.5%
Frequency Missing	2,612	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	38,453	96.2%
1-3 times	1,228	3.1%
4-9 times	229	0.6%
10+ times	46	0.1%
Frequency Missing	2,568	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	39,224	98.5%
1-3 days	437	1.1%
4-9 days	81	0.2%
10+ days	68	0.2%
Frequency Missing	2,715	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	37,801	94.9%
1-3 times	1,240	3.1%
4-9 times	256	0.6%
10+ times	537	1.3%
Frequency Missing	2,690	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	38,481	96.7%
1-3 days	750	1.9%
4-9 days	293	0.7%
10+ days	279	0.7%
Frequency Missing	2,723	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	38,442	95.8%
1-3 days	1,275	3.2%
4-9 days	262	0.7%
10+ days	128	0.3%
Frequency Missing	2,418	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	19,558	48.9%
Seldom	2,532	6.3%
Half the time	2,015	5.0%
Most of the Time	3,107	7.8%
Always	3,103	7.8%
Don't Know	860	2.2%
Didn't attend	8,798	22.0%
Frequency Missing	2,553	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	23,026	57.7%
Seldom	2,017	5.1%
Half the time	1,455	3.6%
Most of the Time	2,008	5.0%
Always	1,990	5.0%
Don't Know	756	1.9%
Didn't attend	8,625	21.6%
Frequency Missing	2,648	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	33,963	93.9%
Yes	2,212	6.1%
Frequency Missing	6,350	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	24,354	62.5%
Yes	14,608	37.5%
Frequency Missing	3,564	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	30,591	78.9%
Yes	8,184	21.1%
Frequency Missing	3,750	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	22,545	58.3%
Yes	16,139	41.7%
Frequency Missing	3,841	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	11,903	30.4%
Yes	27,255	69.6%
Frequency Missing	3,368	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	17,635	45.5%
Yes	21,091	54.5%
Frequency Missing	3,799	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	13,725	35.4%
Yes	25,080	64.6%
Frequency Missing	3,719	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	15,204	39.1%
Yes	23,682	60.9%
Frequency Missing	3,639	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	22,562	58.2%
Yes	16,175	41.8%
Frequency Missing	3,788	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Not Seek Help

Q33i	Frequency	Percent
No	31,073	81.9%
Yes	6,879	18.1%
Frequency Missing	4,574	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	28,112	74.2%
Yes	9,761	25.8%
Frequency Missing	4,652	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	27,079	70.8%
Yes	11,184	29.2%
Frequency Missing	4,262	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	33,371	88.0%
Yes	4,529	12.0%
Frequency Missing	4,625	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	21,005	54.9%
Yes	17,278	45.1%
Frequency Missing	4,242	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	26,017	68.2%
Yes	12,120	31.8%
Frequency Missing	4,388	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	29,932	78.8%
Yes	8,030	21.2%
Frequency Missing	4,563	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	28,094	74.1%
Yes	9,799	25.9%
Frequency Missing	4,632	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	33,436	88.1%
Yes	4,534	11.9%
Frequency Missing	4,555	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	29,846	75.4%
Mild disapprove	3,333	8.4%
Neither	3,183	8.0%
Mildly approve	335	0.8%
Strongly approve	201	0.5%
Don't know	2,661	6.7%
Frequency Missing	2,967	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 110 of 127

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	23,229	58.7%
Mild disapprove	6,140	15.5%
Neither	5,971	15.1%
Mildly approve	1,540	3.9%
Strongly approve	294	0.7%
Don't know	2,384	6.0%
Frequency Missing	2,965	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	28,759	72.7%
Mild disapprove	2,705	6.8%
Neither	3,934	9.9%
Mildly approve	916	2.3%
Strongly approve	711	1.8%
Don't know	2,545	6.4%
Frequency Missing	2,955	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

