
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2020



HHSC REGION 6 AND 7 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Pearson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	3
Tobacco	4
Alcohol	7
Drugs	15
Inhalants	30
Miscellaneous	34
2 Prevalence Tables	40
Table B-1: All Students	41
Table B-2: Male Students	45
Table B-3: Female Students	49
Table B-4: White Non-Hispanic Students	53
Table B-5: African American Non-Hispanic Students	57
Table B-6: Hispanic or Latino Students	61
Table B-7: Students Reporting A Grades on Average	65
Table B-8: Students Reporting Grades Lower Than an A on Average	69
Table B-9: Students Living with 2 Parents	73
Table B-10: Students Not Living with 2 Parents	77
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	81
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	85
3 Margin Tables	89
Appendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	15.7%	19.7%	32.6%	67.4%
Grade 7	3.9%	5.3%	11.7%	88.3%
Grade 8	8.2%	10.4%	21.3%	78.7%
Grade 9	17.0%	19.9%	32.1%	67.9%
Grade 10	20.1%	26.9%	42.0%	58.0%
Grade 11	18.9%	23.6%	41.4%	58.6%
Grade 12	31.4%	38.7%	55.6%	44.4%
Cigarettes?				
All	2.3%	4.0%	11.1%	88.9%
Grade 7	0.8%	1.3%	4.2%	95.8%
Grade 8	1.3%	1.8%	8.1%	91.9%
Grade 9	2.1%	2.8%	8.6%	91.4%
Grade 10	4.0%	5.8%	14.3%	85.7%
Grade 11	2.2%	5.2%	13.1%	86.9%
Grade 12	4.4%	8.7%	21.8%	78.2%
Smokeless Tobacco?				
All	2.4%	3.5%	6.8%	93.2%
Grade 7	0.7%	1.0%	2.3%	97.7%
Grade 8	1.4%	2.0%	5.0%	95.0%
Grade 9	2.6%	3.9%	7.1%	92.9%
Grade 10	2.5%	4.8%	10.0%	90.0%
Grade 11	2.4%	3.2%	7.2%	92.8%
Grade 12	5.3%	7.1%	10.9%	89.1%
Electronic Vapor Products?				
All	12.7%	17.2%	29.7%	70.3%
Grade 7	2.5%	4.1%	9.5%	90.5%
Grade 8	5.7%	8.1%	17.9%	82.1%
Grade 9	12.6%	16.8%	29.8%	70.2%
Grade 10	16.4%	24.1%	38.5%	61.5%
Grade 11	15.8%	21.1%	39.1%	60.9%
Grade 12	27.6%	35.1%	51.6%	48.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 4 of 127

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.0%	2.1%	1.3%	1.6%	2.0%	1.9%	4.0%
Grade 7	96.6%	0.0%	0.1%	0.4%	0.5%	1.0%	1.3%
Grade 8	93.0%	0.5%	0.1%	0.7%	1.3%	2.1%	2.4%
Grade 9	87.9%	1.8%	1.6%	1.8%	2.5%	0.9%	3.6%
Grade 10	84.8%	1.8%	1.2%	2.2%	3.2%	2.6%	4.2%
Grade 11	83.5%	4.6%	1.0%	1.8%	1.2%	1.4%	6.5%
Grade 12	71.9%	5.1%	4.7%	3.6%	3.6%	4.1%	7.0%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.3	10.5	11.2	12.4	13.2	13.6	14.8

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.7%	22.1%	7.7%	11.3%	14.1%	17.1%
Grade 7	42.3%	33.8%	8.5%	6.0%	4.9%	4.4%
Grade 8	33.6%	33.3%	8.2%	8.9%	10.0%	6.0%
Grade 9	24.4%	22.8%	9.9%	11.1%	15.6%	16.2%
Grade 10	22.4%	14.3%	8.1%	16.1%	19.2%	20.0%
Grade 11	20.9%	15.1%	6.1%	14.3%	17.7%	25.9%
Grade 12	18.0%	7.6%	4.7%	12.8%	20.2%	36.7%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	72.1%	16.1%	6.4%	4.2%	1.3%
Grade 7	90.5%	7.1%	1.9%	0.5%	0.0%
Grade 8	86.5%	9.4%	2.8%	1.1%	0.3%
Grade 9	71.0%	18.0%	4.8%	4.2%	1.9%
Grade 10	65.9%	21.0%	8.7%	2.2%	2.2%
Grade 11	60.9%	22.9%	9.1%	5.8%	1.3%
Grade 12	50.0%	21.1%	13.2%	13.3%	2.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.5%	7.7%	4.7%	1.1%	0.5%	7.5%
Grade 7	82.8%	3.7%	1.9%	0.7%	0.4%	10.5%
Grade 8	82.7%	5.2%	2.7%	0.7%	1.0%	7.6%
Grade 9	78.0%	9.4%	4.1%	1.5%	0.2%	6.8%
Grade 10	77.4%	7.0%	5.4%	0.8%	0.2%	9.3%
Grade 11	78.3%	10.0%	4.5%	0.9%	0.7%	5.6%
Grade 12	69.7%	12.1%	10.9%	1.9%	0.8%	4.6%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	59.2%	26.5%	7.2%	1.6%	5.5%
	Grade 7	74.5%	16.0%	3.2%	0.8%	5.5%
	Grade 8	69.7%	20.5%	4.2%	0.9%	4.6%
	Grade 9	59.2%	25.7%	9.5%	1.0%	4.6%
	Grade 10	53.3%	30.3%	8.2%	2.1%	6.1%
	Grade 11	50.5%	35.9%	6.2%	1.7%	5.7%
	Grade 12	43.0%	33.5%	13.5%	3.5%	6.5%
Electronic Vapor Products?						
	All	57.2%	21.7%	11.8%	3.7%	5.7%
	Grade 7	75.0%	13.2%	4.1%	1.4%	6.3%
	Grade 8	65.3%	15.8%	9.7%	3.9%	5.3%
	Grade 9	56.0%	21.6%	12.9%	3.1%	6.4%
	Grade 10	50.7%	26.5%	13.7%	4.8%	4.3%
	Grade 11	50.6%	25.6%	14.9%	4.3%	4.7%
	Grade 12	40.7%	29.7%	17.2%	5.0%	7.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.4%	34.8%	55.3%	44.7%
Grade 7	16.4%	18.7%	36.9%	63.1%
Grade 8	20.9%	23.9%	44.0%	56.0%
Grade 9	26.5%	33.7%	57.6%	42.4%
Grade 10	31.9%	40.8%	63.0%	37.0%
Grade 11	32.3%	41.5%	65.2%	34.8%
Grade 12	48.6%	57.6%	72.2%	27.8%
Beer?				
All	9.6%	16.6%	40.5%	59.5%
Grade 7	3.6%	5.8%	27.3%	72.7%
Grade 8	6.1%	8.9%	32.5%	67.5%
Grade 9	8.1%	15.4%	40.3%	59.7%
Grade 10	11.5%	21.0%	46.8%	53.2%
Grade 11	11.3%	19.9%	46.4%	53.6%
Grade 12	20.0%	33.5%	55.3%	44.7%
Wine Coolers?				
All	9.2%	15.8%	33.3%	66.7%
Grade 7	3.6%	4.4%	15.2%	84.8%
Grade 8	4.6%	7.0%	21.7%	78.3%
Grade 9	8.6%	15.4%	33.4%	66.6%
Grade 10	10.9%	20.1%	40.1%	59.9%
Grade 11	9.4%	19.2%	41.0%	59.0%
Grade 12	21.1%	33.9%	56.2%	43.8%
Wine?				
All	7.2%	13.9%	37.4%	62.6%
Grade 7	2.8%	4.5%	21.4%	78.6%
Grade 8	4.9%	7.7%	26.6%	73.4%
Grade 9	8.1%	15.1%	39.4%	60.6%
Grade 10	7.8%	17.3%	44.8%	55.2%
Grade 11	6.6%	15.1%	44.4%	55.6%
Grade 12	14.7%	28.1%	54.2%	45.8%
Liquor?				
All	11.5%	19.4%	38.5%	61.5%
Grade 7	3.0%	5.0%	16.4%	83.6%
Grade 8	6.0%	9.1%	24.8%	75.2%
Grade 9	9.9%	16.7%	38.4%	61.6%
Grade 10	14.6%	24.1%	47.9%	52.1%
Grade 11	14.4%	26.4%	48.1%	51.9%
Grade 12	24.8%	41.8%	64.5%	35.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 127

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.5%	0.3%	1.5%	5.9%	12.4%	11.5%	9.9%
Grade 7	79.4%	0.2%	0.6%	1.3%	5.1%	6.2%	7.2%
Grade 8	72.9%	0.1%	0.5%	3.1%	6.8%	7.8%	8.7%
Grade 9	60.1%	0.3%	1.7%	3.1%	13.6%	11.3%	9.9%
Grade 10	49.8%	0.4%	1.1%	6.9%	16.4%	14.2%	11.2%
Grade 11	45.3%	0.1%	2.7%	8.4%	14.1%	15.8%	13.6%
Grade 12	34.2%	1.0%	3.1%	15.0%	21.3%	15.5%	9.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	63.4%	36.6%	4.8%	18.1%	13.7%
	Grade 7	76.2%	23.8%	0.7%	10.2%	12.9%
	Grade 8	70.6%	29.4%	1.5%	12.0%	15.9%
	Grade 9	64.6%	35.4%	4.4%	18.3%	12.8%
	Grade 10	57.9%	42.1%	5.2%	21.0%	16.0%
	Grade 11	57.2%	42.8%	8.0%	21.6%	13.3%
	Grade 12	48.2%	51.8%	11.0%	29.6%	11.3%
Wine Coolers	All	70.0%	30.0%	5.1%	17.8%	7.1%
	Grade 7	87.9%	12.1%	1.1%	5.5%	5.5%
	Grade 8	81.7%	18.3%	1.7%	8.7%	7.9%
	Grade 9	69.8%	30.2%	3.9%	19.7%	6.6%
	Grade 10	65.1%	34.9%	5.1%	22.0%	7.8%
	Grade 11	60.8%	39.2%	7.1%	22.9%	9.1%
	Grade 12	46.9%	53.1%	14.3%	33.1%	5.7%
Wine	All	67.1%	32.9%	1.9%	15.6%	15.4%
	Grade 7	82.9%	17.1%	0.5%	7.2%	9.3%
	Grade 8	77.3%	22.7%	1.0%	8.1%	13.6%
	Grade 9	65.3%	34.7%	1.1%	18.1%	15.6%
	Grade 10	60.5%	39.5%	1.7%	18.2%	19.6%
	Grade 11	59.3%	40.7%	3.1%	17.3%	20.3%
	Grade 12	50.7%	49.3%	4.8%	28.8%	15.8%
Liquor	All	63.8%	36.2%	7.5%	17.9%	10.8%
	Grade 7	85.5%	14.5%	1.1%	6.9%	6.5%
	Grade 8	78.1%	21.9%	2.2%	9.4%	10.4%
	Grade 9	64.1%	35.9%	5.2%	19.1%	11.6%
	Grade 10	56.3%	43.7%	9.3%	22.4%	12.0%
	Grade 11	53.9%	46.1%	11.5%	20.8%	13.8%
	Grade 12	35.8%	64.2%	19.4%	33.7%	11.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.9%	4.4%	2.5%	2.3%	0.6%	1.2%
Grade 7	95.8%	2.3%	0.7%	0.4%	0.2%	0.7%
Grade 8	94.7%	2.1%	0.8%	1.3%	0.2%	0.8%
Grade 9	91.0%	4.6%	1.4%	1.6%	0.6%	0.8%
Grade 10	87.6%	6.1%	2.3%	2.1%	0.9%	1.0%
Grade 11	85.7%	5.2%	5.2%	2.8%	0.2%	0.9%
Grade 12	75.1%	7.4%	5.6%	6.8%	1.9%	3.3%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.5	11.2	11.8	12.9	13.9	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.0%	13.0%	5.9%	10.8%	19.3%	30.0%
Grade 7	36.0%	22.9%	7.9%	9.3%	12.5%	11.4%
Grade 8	27.4%	20.5%	8.4%	13.2%	14.7%	15.8%
Grade 9	18.8%	12.3%	7.7%	10.1%	20.3%	30.9%
Grade 10	14.0%	6.3%	4.2%	11.6%	24.0%	40.0%
Grade 11	13.2%	7.6%	3.4%	11.2%	23.0%	41.6%
Grade 12	12.2%	4.6%	2.6%	9.1%	23.5%	47.9%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.8%	3.3%	0.6%	0.3%
Grade 7	98.1%	1.7%	0.1%	0.1%
Grade 8	96.5%	2.9%	0.5%	0.2%
Grade 9	95.1%	3.8%	0.7%	0.3%
Grade 10	93.9%	5.2%	0.6%	0.3%
Grade 11	94.4%	3.3%	1.7%	0.7%
Grade 12	96.3%	3.1%	0.0%	0.6%

Percentages have been weighted to reflect proportions within the population.

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	3.8
Alcohol Non-Users	2.9
Average Days Conduct Problems Reported	
Alcohol Users	1.8
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.4%	2.9%	0.5%	0.2%
Grade 9	99.4%	0.6%	0.0%	0.0%
Grade 10	97.5%	1.8%	0.5%	0.2%
Grade 11	97.3%	2.3%	0.2%	0.1%
Grade 12	90.5%	7.5%	1.4%	0.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.0%	3.5%	0.4%	0.1%
Grade 7	98.3%	1.4%	0.3%	0.0%
Grade 8	97.6%	1.7%	0.7%	0.0%
Grade 9	94.1%	5.3%	0.3%	0.3%
Grade 10	94.8%	4.7%	0.5%	0.0%
Grade 11	95.7%	4.0%	0.4%	0.0%
Grade 12	95.3%	4.4%	0.2%	0.2%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	47.7%	23.0%	14.9%	11.0%	3.4%
Grade 7	76.4%	16.1%	5.1%	1.7%	0.8%
Grade 8	66.2%	21.9%	7.8%	3.5%	0.6%
Grade 9	45.5%	24.8%	18.0%	9.8%	1.9%
Grade 10	35.3%	28.0%	20.8%	12.7%	3.3%
Grade 11	30.8%	26.9%	21.4%	16.3%	4.6%
Grade 12	21.8%	21.6%	19.1%	26.4%	11.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	46.3%	6.6%	5.9%	9.8%	10.2%	2.6%	18.6%
Grade 7	74.0%	5.6%	3.2%	4.5%	1.9%	2.3%	8.4%
Grade 8	63.3%	6.4%	4.8%	5.0%	3.5%	2.6%	14.6%
Grade 9	41.6%	6.1%	8.6%	8.6%	6.0%	3.8%	25.3%
Grade 10	33.4%	8.0%	6.6%	13.1%	11.7%	3.2%	23.9%
Grade 11	34.2%	6.8%	5.8%	12.2%	16.4%	2.2%	22.4%
Grade 12	23.6%	7.3%	6.4%	17.7%	25.3%	1.3%	18.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	55.8%	16.7%	17.4%	6.3%	3.8%
	Grade 7	69.6%	14.4%	11.6%	3.1%	1.3%
	Grade 8	66.8%	14.6%	12.6%	4.3%	1.7%
	Grade 9	55.9%	16.8%	18.5%	5.3%	3.5%
	Grade 10	50.0%	14.8%	20.7%	8.6%	5.8%
	Grade 11	45.9%	21.6%	20.1%	7.0%	5.4%
	Grade 12	40.0%	19.3%	23.4%	10.9%	6.4%
Friends?						
	All	57.9%	18.3%	11.3%	9.6%	3.0%
	Grade 7	76.0%	19.1%	3.2%	1.3%	0.3%
	Grade 8	72.3%	17.3%	6.6%	3.2%	0.5%
	Grade 9	58.1%	18.0%	12.9%	9.0%	1.9%
	Grade 10	49.2%	20.4%	15.5%	11.3%	3.7%
	Grade 11	47.0%	22.3%	13.0%	12.8%	4.9%
	Grade 12	36.4%	12.1%	19.2%	23.8%	8.5%
A Store?						
	All	60.8%	32.4%	3.3%	2.3%	1.2%
	Grade 7	75.9%	22.3%	0.9%	0.6%	0.4%
	Grade 8	72.5%	24.8%	1.4%	0.8%	0.5%
	Grade 9	62.4%	33.4%	1.4%	1.8%	0.9%
	Grade 10	53.0%	39.5%	4.5%	1.6%	1.3%
	Grade 11	52.4%	37.9%	4.7%	2.8%	2.2%
	Grade 12	41.0%	40.9%	8.4%	7.2%	2.5%
Parties?						
	All	56.4%	17.1%	10.2%	9.6%	6.7%
	Grade 7	71.6%	15.4%	8.1%	3.6%	1.4%
	Grade 8	68.2%	15.4%	9.2%	5.6%	1.5%
	Grade 9	57.1%	17.9%	9.6%	9.0%	6.5%
	Grade 10	49.4%	20.4%	8.9%	12.2%	9.1%
	Grade 11	47.9%	21.2%	12.0%	10.7%	8.3%
	Grade 12	36.7%	12.6%	14.5%	19.8%	16.4%
Other Sources?						
	All	61.1%	23.9%	7.5%	4.2%	3.2%
	Grade 7	76.2%	16.9%	4.4%	1.5%	0.9%
	Grade 8	71.8%	18.9%	5.7%	2.2%	1.4%
	Grade 9	60.6%	26.7%	6.9%	2.5%	3.3%
	Grade 10	54.1%	26.9%	8.7%	6.0%	4.4%
	Grade 11	53.6%	28.0%	7.8%	6.0%	4.5%
	Grade 12	43.6%	28.8%	12.8%	8.7%	6.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.2%	15.7%	12.7%	5.3%	0.8%	7.3%
Grade 7	70.5%	11.7%	5.9%	1.3%	0.3%	10.2%
Grade 8	69.3%	10.1%	7.4%	3.8%	0.9%	8.5%
Grade 9	57.5%	19.4%	10.3%	4.3%	0.6%	7.9%
Grade 10	54.1%	18.0%	14.7%	4.2%	0.5%	8.5%
Grade 11	52.1%	18.3%	18.6%	6.1%	1.0%	3.9%
Grade 12	40.2%	18.1%	22.7%	13.9%	1.6%	3.4%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	42.4%	33.0%	17.5%	2.9%	4.2%
Grade 7	56.4%	23.6%	12.7%	2.5%	4.8%
Grade 8	48.6%	30.3%	14.6%	2.2%	4.3%
Grade 9	40.2%	35.5%	16.6%	3.4%	4.2%
Grade 10	38.0%	35.9%	19.0%	3.4%	3.8%
Grade 11	36.4%	37.2%	19.2%	2.7%	4.4%
Grade 12	31.4%	37.5%	24.4%	3.3%	3.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 127

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.0%	19.7%	25.8%	74.2%
Grade 7	4.8%	6.5%	7.7%	92.3%
Grade 8	7.8%	10.5%	15.4%	84.6%
Grade 9	14.1%	18.7%	21.8%	78.2%
Grade 10	17.1%	23.1%	32.9%	67.1%
Grade 11	18.9%	25.5%	32.7%	67.3%
Grade 12	32.4%	40.1%	53.1%	46.9%
Marijuana?				
All	14.6%	17.7%	24.0%	76.0%
Grade 7	4.1%	5.0%	6.0%	94.0%
Grade 8	7.2%	8.4%	13.0%	87.0%
Grade 9	13.9%	16.3%	20.0%	80.0%
Grade 10	17.1%	21.3%	30.8%	69.2%
Grade 11	18.6%	23.4%	31.8%	68.2%
Grade 12	31.9%	37.9%	51.1%	48.9%
Cocaine?				
All	1.0%	1.3%	1.9%	98.1%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.4%	1.4%	1.8%	98.2%
Grade 10	0.4%	1.0%	2.6%	97.4%
Grade 11	0.9%	1.2%	1.7%	98.3%
Grade 12	2.2%	2.7%	4.4%	95.6%
Crack?				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.9%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.8%	99.2%
Hallucinogens?				
All	1.6%	2.3%	4.2%	95.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	1.4%	2.0%	3.4%	96.6%
Grade 10	2.1%	2.7%	5.6%	94.4%
Grade 11	2.2%	2.7%	5.5%	94.5%
Grade 12	4.0%	7.0%	11.4%	88.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 15 of 127

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.3%	0.7%	99.3%
Steroids?				
All	0.2%	0.5%	1.5%	98.5%
Grade 7	0.3%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.3%	1.0%	1.9%	98.1%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.2%	0.6%	2.0%	98.0%
Ecstasy?				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.8%	1.1%	1.3%	98.7%
Grade 10	1.1%	1.5%	4.1%	95.9%
Grade 11	0.9%	2.0%	4.2%	95.8%
Grade 12	2.8%	3.6%	6.6%	93.4%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.3%	0.3%	99.7%
Methamphetamine?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	1.2%	1.2%	1.9%	98.1%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.4%	0.6%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.2%	1.9%	3.6%	96.4%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	1.1%	1.6%	3.0%	97.0%
Grade 9	1.3%	2.3%	3.8%	96.2%
Grade 10	1.5%	3.1%	5.9%	94.1%
Grade 11	1.2%	1.7%	3.7%	96.3%
Grade 12	1.2%	2.3%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	78.9%	2.0%	2.5%	3.6%	4.1%	4.3%	4.7%
Grade 7	95.5%	0.1%	0.6%	0.4%	1.0%	1.6%	0.9%
Grade 8	89.8%	0.6%	0.9%	2.1%	2.0%	2.1%	2.5%
Grade 9	82.4%	1.4%	2.6%	2.8%	3.5%	4.0%	3.4%
Grade 10	70.9%	2.1%	1.8%	6.7%	4.5%	6.3%	7.7%
Grade 11	73.3%	4.1%	3.7%	3.2%	6.7%	3.8%	5.2%
Grade 12	53.4%	4.6%	6.5%	7.7%	8.7%	9.2%	10.0%
Cocaine?							
All	98.6%	0.0%	0.1%	0.2%	0.2%	0.4%	0.5%
Grade 7	99.4%	0.0%	0.2%	0.2%	0.0%	0.1%	0.2%
Grade 8	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
Grade 9	98.2%	0.0%	0.3%	0.4%	0.1%	0.7%	0.3%
Grade 10	98.1%	0.0%	0.0%	0.3%	0.3%	0.7%	0.6%
Grade 11	98.6%	0.0%	0.0%	0.1%	0.4%	0.4%	0.5%
Grade 12	97.0%	0.0%	0.2%	0.1%	0.2%	0.8%	1.6%
Crack?							
All	99.3%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
Grade 7	99.4%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%
Grade 8	99.6%	0.0%	0.1%	0.1%	0.0%	0.1%	0.1%
Grade 9	99.0%	0.0%	0.3%	0.3%	0.0%	0.1%	0.3%
Grade 10	99.0%	0.0%	0.3%	0.0%	0.0%	0.7%	0.0%
Grade 11	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Grade 12	99.2%	0.0%	0.2%	0.1%	0.0%	0.2%	0.4%
Steroids?							
All	99.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.6%
Grade 7	99.3%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 8	98.9%	0.1%	0.0%	0.0%	0.1%	0.3%	0.5%
Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 10	98.7%	0.3%	0.0%	0.0%	0.0%	0.0%	1.0%
Grade 11	99.3%	0.0%	0.0%	0.0%	0.0%	0.3%	0.4%
Grade 12	98.3%	0.0%	0.0%	0.2%	0.4%	0.1%	1.0%
Ecstasy?							
All	97.7%	0.1%	0.1%	0.2%	0.3%	0.8%	0.9%
Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
Grade 8	99.4%	0.0%	0.1%	0.0%	0.1%	0.2%	0.2%
Grade 9	99.0%	0.0%	0.0%	0.2%	0.5%	0.2%	0.2%
Grade 10	96.6%	0.3%	0.2%	0.4%	0.3%	0.6%	1.6%
Grade 11	96.1%	0.0%	0.0%	0.1%	0.3%	1.5%	1.9%
Grade 12	94.1%	0.2%	0.0%	0.3%	0.8%	2.5%	2.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.4%	0.2%	0.1%	0.0%	0.0%	0.3%	0.1%
	Grade 8	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.0%	0.3%	0.0%	0.0%	0.3%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
Methamphetamine?								
	All	99.4%	0.1%	0.1%	0.1%	0.1%	0.2%	0.1%
	Grade 7	99.7%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 9	99.3%	0.1%	0.2%	0.0%	0.0%	0.3%	0.1%
	Grade 10	98.5%	0.4%	0.2%	0.2%	0.3%	0.6%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 12	98.9%	0.0%	0.3%	0.2%	0.0%	0.4%	0.2%
Synthetic Marijuana?								
	All	97.2%	0.1%	0.2%	0.4%	0.7%	0.6%	0.9%
	Grade 7	99.1%	0.1%	0.2%	0.2%	0.1%	0.1%	0.2%
	Grade 8	97.8%	0.2%	0.1%	0.4%	0.8%	0.1%	0.6%
	Grade 9	96.8%	0.0%	0.1%	1.0%	1.1%	0.5%	0.4%
	Grade 10	95.4%	0.0%	0.3%	0.7%	1.0%	1.6%	1.0%
	Grade 11	96.5%	0.0%	0.5%	0.0%	0.5%	0.8%	1.6%
	Grade 12	97.1%	0.0%	0.1%	0.0%	0.9%	0.4%	1.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.1	11.2	12.1	13.3	13.8	14.6	15.3
Cocaine	14.4	11.2	12.4	13.2	14.8	15.0	15.8
Crack	13.7	10.2	13.0	14.0	15.6	13.4	14.3
Steroids	12.4	10.1	10.7	12.2	13.5	11.5	14.1
Ecstasy	14.8	10.4	12.7	13.9	13.5	15.6	15.8
Heroin	12.7	9.4	10.9	14.5	14.2	N/A	14.6
Methamphetamine	13.3	9.6	12.2	12.4	13.5	16.0	16.2
Synthetic Marijuana	14.1	11.0	12.0	13.8	14.0	15.1	16.0

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 127

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	26.4%	22.8%	7.9%	9.3%	13.1%	20.5%
	Grade 7	43.7%	37.7%	6.6%	4.2%	4.0%	3.7%
	Grade 8	33.1%	36.4%	8.7%	7.0%	6.5%	8.2%
	Grade 9	24.5%	23.1%	11.1%	11.9%	14.2%	15.3%
	Grade 10	18.5%	15.1%	7.6%	12.2%	17.8%	28.8%
	Grade 11	17.9%	11.0%	10.0%	11.4%	18.4%	31.3%
	Grade 12	15.1%	6.1%	2.7%	10.5%	21.4%	44.1%
Cocaine?							
	All	36.2%	35.9%	12.8%	8.4%	3.2%	3.6%
	Grade 7	47.7%	41.8%	6.7%	1.7%	1.2%	1.0%
	Grade 8	39.9%	45.2%	7.7%	4.5%	1.6%	1.1%
	Grade 9	32.4%	41.0%	12.3%	9.7%	2.0%	2.5%
	Grade 10	30.3%	31.6%	16.6%	11.9%	4.5%	5.1%
	Grade 11	30.4%	29.6%	18.8%	11.5%	5.3%	4.5%
	Grade 12	33.5%	21.8%	17.3%	13.1%	5.6%	8.7%
Crack?							
	All	38.0%	37.3%	13.1%	6.5%	2.2%	2.8%
	Grade 7	48.8%	41.2%	6.9%	1.0%	1.1%	1.1%
	Grade 8	41.0%	45.2%	8.0%	3.5%	1.3%	1.1%
	Grade 9	34.2%	41.6%	12.7%	6.8%	2.5%	2.1%
	Grade 10	31.8%	34.2%	16.5%	10.0%	2.8%	4.7%
	Grade 11	32.6%	31.2%	20.1%	9.6%	2.8%	3.6%
	Grade 12	37.1%	27.1%	17.1%	9.9%	3.5%	5.4%
Steroids?							
	All	40.4%	34.1%	12.6%	6.6%	3.2%	3.0%
	Grade 7	51.7%	37.8%	6.2%	2.2%	0.9%	1.2%
	Grade 8	44.1%	41.2%	7.8%	4.0%	1.6%	1.3%
	Grade 9	37.5%	38.4%	12.4%	7.3%	2.2%	2.1%
	Grade 10	32.2%	31.9%	16.5%	8.6%	4.7%	6.1%
	Grade 11	35.4%	28.3%	18.7%	8.3%	6.0%	3.4%
	Grade 12	38.8%	23.6%	16.2%	11.0%	5.2%	5.2%
Ecstasy?							
	All	46.4%	29.1%	9.5%	6.3%	4.1%	4.7%
	Grade 7	61.5%	31.6%	5.0%	0.8%	0.4%	0.7%
	Grade 8	55.2%	34.3%	5.5%	2.8%	1.2%	1.0%
	Grade 9	45.4%	31.4%	9.3%	5.7%	4.4%	3.8%
	Grade 10	36.3%	26.7%	13.3%	8.3%	6.9%	8.4%
	Grade 11	37.9%	27.0%	12.7%	11.8%	5.4%	5.1%
	Grade 12	36.6%	21.1%	12.8%	10.3%	7.8%	11.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	41.9%	39.0%	11.5%	4.0%	1.5%	2.2%
	Grade 7	53.9%	37.8%	5.8%	0.8%	0.7%	1.0%
	Grade 8	48.0%	40.8%	7.2%	2.6%	0.8%	0.6%
	Grade 9	38.8%	42.5%	11.3%	4.0%	1.8%	1.5%
	Grade 10	32.5%	39.4%	15.2%	7.5%	1.9%	3.5%
	Grade 11	36.0%	38.1%	16.7%	4.1%	1.8%	3.3%
	Grade 12	38.7%	34.2%	15.0%	5.8%	2.4%	4.0%
Methamphetamine?							
	All	44.1%	36.2%	11.0%	4.1%	1.9%	2.7%
	Grade 7	56.9%	35.2%	5.1%	1.2%	0.5%	1.1%
	Grade 8	51.6%	37.8%	6.4%	2.5%	0.9%	0.7%
	Grade 9	41.7%	38.4%	11.8%	4.8%	1.7%	1.6%
	Grade 10	33.8%	36.7%	14.6%	7.8%	3.0%	4.1%
	Grade 11	38.8%	35.7%	16.4%	3.0%	2.3%	3.8%
	Grade 12	37.5%	32.4%	13.8%	6.5%	4.0%	5.7%
Synthetic Marijuana?							
	All	45.5%	28.0%	8.1%	6.5%	5.7%	6.1%
	Grade 7	57.3%	33.0%	5.1%	2.0%	0.8%	1.8%
	Grade 8	52.7%	34.0%	5.8%	3.9%	1.8%	1.8%
	Grade 9	43.5%	30.0%	7.8%	6.2%	6.9%	5.6%
	Grade 10	36.3%	24.1%	8.8%	10.1%	10.3%	10.3%
	Grade 11	38.4%	23.9%	11.7%	8.9%	8.1%	8.9%
	Grade 12	40.9%	20.1%	10.9%	9.6%	8.2%	10.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	90.0%	5.2%	1.7%	3.1%
Grade 7	97.8%	1.7%	0.3%	0.2%
Grade 8	95.3%	2.8%	1.0%	1.0%
Grade 9	89.8%	3.5%	1.7%	5.0%
Grade 10	88.0%	7.7%	2.6%	1.7%
Grade 11	86.3%	6.5%	2.6%	4.6%
Grade 12	80.6%	10.2%	2.1%	7.1%
Attended Class While High from Use of Some Other Drug?				
All	96.4%	2.2%	0.6%	0.7%
Grade 7	98.3%	1.5%	0.1%	0.2%
Grade 8	97.2%	2.1%	0.4%	0.2%
Grade 9	95.4%	2.5%	1.0%	1.1%
Grade 10	95.3%	3.4%	0.3%	1.0%
Grade 11	96.0%	2.4%	1.1%	0.5%
Grade 12	95.8%	1.7%	0.9%	1.7%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	3.9
Marijuana Non-Users	3.1
Average Days Conduct Problems Reported	
Marijuana Users	2.2
Marijuana Non-Users	0.9

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.9%	4.1%	1.2%	1.8%
Grade 9	98.7%	0.8%	0.3%	0.2%
Grade 10	95.1%	3.2%	0.5%	1.2%
Grade 11	92.6%	4.2%	1.4%	1.9%
Grade 12	83.7%	9.1%	3.1%	4.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.1%	3.3%	0.3%	0.3%
Grade 7	98.8%	1.0%	0.2%	0.0%
Grade 8	97.6%	1.7%	0.5%	0.2%
Grade 9	95.4%	3.3%	0.3%	0.9%
Grade 10	94.2%	5.5%	0.3%	0.0%
Grade 11	95.0%	4.3%	0.5%	0.1%
Grade 12	95.0%	4.4%	0.2%	0.3%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	55.4%	18.0%	11.4%	11.8%	3.4%
Grade 7	86.9%	8.4%	2.4%	1.6%	0.8%
Grade 8	75.6%	12.8%	6.4%	3.6%	1.5%
Grade 9	54.3%	20.3%	10.5%	10.1%	4.9%
Grade 10	40.6%	21.3%	17.1%	16.1%	4.9%
Grade 11	36.5%	25.9%	17.4%	16.5%	3.7%
Grade 12	27.1%	22.0%	17.7%	27.5%	5.7%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.4%	6.2%	4.2%	6.8%	7.1%	2.9%	18.3%
Grade 7	84.4%	3.0%	1.0%	1.0%	0.6%	1.6%	8.5%
Grade 8	72.5%	4.7%	1.8%	2.8%	1.6%	2.3%	14.4%
Grade 9	50.5%	4.8%	5.4%	5.9%	4.1%	4.5%	24.8%
Grade 10	39.7%	9.2%	6.3%	9.7%	7.4%	4.1%	23.6%
Grade 11	42.1%	6.6%	4.0%	10.2%	12.5%	3.3%	21.3%
Grade 12	28.9%	10.1%	8.0%	13.2%	19.1%	1.9%	18.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.1%	7.4%	7.9%	2.1%	1.3%	7.1%
Grade 7	82.9%	3.4%	2.3%	0.6%	0.4%	10.5%
Grade 8	80.7%	4.6%	3.4%	2.3%	1.3%	7.7%
Grade 9	75.5%	7.6%	5.8%	2.7%	1.2%	7.2%
Grade 10	70.1%	9.7%	9.0%	1.2%	1.8%	8.2%
Grade 11	71.0%	8.6%	12.7%	1.6%	2.4%	3.7%
Grade 12	60.6%	12.3%	17.1%	4.4%	1.3%	4.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	51.3%	14.9%	16.6%	11.8%	5.3%
	Grade 7	77.1%	10.9%	4.8%	1.8%	5.5%
	Grade 8	65.2%	14.0%	9.6%	6.4%	4.8%
	Grade 9	53.6%	18.1%	14.4%	7.8%	6.2%
	Grade 10	43.0%	18.3%	17.3%	16.2%	5.2%
	Grade 11	36.7%	13.8%	27.7%	16.2%	5.6%
	Grade 12	24.6%	14.9%	30.0%	25.9%	4.7%
Cocaine?						
	All	86.1%	6.9%	1.1%	0.3%	5.6%
	Grade 7	87.9%	5.9%	0.7%	0.4%	5.1%
	Grade 8	85.9%	7.3%	1.0%	0.4%	5.5%
	Grade 9	83.8%	8.4%	1.5%	0.0%	6.3%
	Grade 10	85.9%	7.7%	1.5%	0.3%	4.6%
	Grade 11	87.4%	6.8%	0.8%	0.1%	4.9%
	Grade 12	85.7%	5.4%	0.9%	0.4%	7.6%
Crack?						
	All	86.8%	6.1%	1.0%	0.3%	5.8%
	Grade 7	87.2%	6.0%	0.8%	0.4%	5.6%
	Grade 8	86.1%	6.8%	1.2%	0.5%	5.3%
	Grade 9	85.2%	7.7%	1.3%	0.2%	5.6%
	Grade 10	87.2%	6.3%	1.5%	0.3%	4.6%
	Grade 11	87.5%	5.8%	0.5%	0.1%	6.1%
	Grade 12	87.9%	3.3%	0.6%	0.4%	7.8%
Ecstasy?						
	All	78.5%	8.7%	2.7%	0.8%	9.3%
	Grade 7	84.2%	5.1%	1.0%	0.4%	9.4%
	Grade 8	80.9%	6.5%	1.8%	0.7%	10.1%
	Grade 9	75.8%	11.4%	2.3%	0.3%	10.2%
	Grade 10	75.6%	11.8%	2.3%	1.7%	8.6%
	Grade 11	77.0%	9.2%	4.3%	0.2%	9.3%
	Grade 12	76.5%	8.6%	5.3%	1.6%	7.9%
Steroids?						
	All	74.2%	12.6%	4.2%	0.9%	8.1%
	Grade 7	81.3%	9.3%	2.0%	0.6%	6.9%
	Grade 8	77.5%	10.9%	3.2%	1.0%	7.4%
	Grade 9	71.7%	15.0%	4.1%	1.1%	8.1%
	Grade 10	73.7%	13.7%	4.1%	0.9%	7.6%
	Grade 11	70.5%	14.5%	5.6%	0.4%	8.9%
	Grade 12	69.4%	12.7%	6.8%	1.5%	9.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.5%	4.6%	0.7%	0.4%	6.8%
	Grade 7	85.5%	5.6%	0.8%	0.5%	7.5%
	Grade 8	86.7%	5.2%	1.3%	0.5%	6.3%
	Grade 9	85.9%	6.0%	0.8%	0.1%	7.2%
	Grade 10	89.8%	4.2%	1.0%	0.3%	4.7%
	Grade 11	88.7%	3.7%	0.2%	0.1%	7.3%
	Grade 12	89.0%	2.3%	0.2%	0.7%	7.8%
Methamphetamine?						
	All	86.9%	4.7%	0.9%	0.5%	7.0%
	Grade 7	86.8%	4.6%	1.0%	0.5%	7.1%
	Grade 8	86.2%	5.1%	1.3%	0.4%	6.9%
	Grade 9	84.5%	6.1%	0.7%	0.3%	8.4%
	Grade 10	87.2%	5.2%	2.1%	0.3%	5.2%
	Grade 11	89.3%	3.7%	0.0%	0.5%	6.5%
	Grade 12	88.1%	3.2%	0.2%	0.7%	7.8%
Synthetic Marijuana?						
	All	78.3%	8.3%	3.5%	1.2%	8.7%
	Grade 7	84.3%	5.3%	1.5%	0.7%	8.2%
	Grade 8	81.1%	6.0%	2.9%	1.5%	8.6%
	Grade 9	75.1%	10.0%	3.5%	1.4%	10.0%
	Grade 10	76.1%	10.3%	4.3%	1.7%	7.6%
	Grade 11	77.4%	8.9%	4.9%	0.7%	8.2%
	Grade 12	74.6%	9.8%	4.3%	1.2%	10.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.2%	9.3%	18.2%	81.8%
Grade 7	3.9%	6.7%	12.3%	87.7%
Grade 8	5.7%	8.6%	16.4%	83.6%
Grade 9	7.4%	10.1%	18.5%	81.5%
Grade 10	6.1%	10.8%	19.1%	80.9%
Grade 11	6.5%	9.0%	19.4%	80.6%
Grade 12	7.9%	11.8%	25.7%	74.3%
Codeine Cough Syrup?				
All	2.5%	4.8%	11.0%	89.0%
Grade 7	2.0%	4.1%	8.1%	91.9%
Grade 8	2.7%	5.2%	10.8%	89.2%
Grade 9	3.8%	6.5%	13.9%	86.1%
Grade 10	2.1%	5.3%	10.6%	89.4%
Grade 11	1.7%	3.2%	10.4%	89.6%
Grade 12	2.5%	4.4%	12.6%	87.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.8%	1.3%	3.2%	96.8%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.6%	0.8%	1.7%	98.3%
Grade 9	1.2%	1.7%	3.3%	96.7%
Grade 10	1.0%	1.5%	3.5%	96.5%
Grade 11	0.8%	1.3%	4.6%	95.4%
Grade 12	1.3%	2.4%	6.9%	93.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.0%	1.9%	4.3%	95.7%
Grade 7	0.1%	0.5%	1.2%	98.8%
Grade 8	0.9%	1.6%	3.2%	96.8%
Grade 9	2.0%	3.3%	4.6%	95.4%
Grade 10	1.0%	2.0%	4.5%	95.5%
Grade 11	1.4%	2.0%	6.1%	93.9%
Grade 12	0.7%	1.8%	6.9%	93.1%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	2.3%	3.5%	6.7%	93.3%
Grade 7	0.5%	0.6%	2.0%	98.0%
Grade 8	1.3%	2.2%	3.7%	96.3%
Grade 9	2.1%	3.3%	5.6%	94.4%
Grade 10	3.4%	5.0%	8.7%	91.3%
Grade 11	3.0%	4.1%	7.6%	92.4%
Grade 12	3.8%	6.8%	14.6%	85.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.5%	4.9%	9.3%	90.7%
Grade 7	2.5%	4.2%	7.8%	92.2%
Grade 8	2.9%	3.9%	7.7%	92.3%
Grade 9	4.2%	5.9%	10.2%	89.8%
Grade 10	3.9%	5.2%	10.6%	89.4%
Grade 11	4.9%	6.0%	10.4%	89.6%
Grade 12	3.1%	4.5%	9.4%	90.6%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.4%	1.9%	3.4%	96.6%
Grade 7	1.5%	2.2%	3.3%	96.7%
Grade 8	1.0%	1.2%	2.8%	97.2%
Grade 9	2.3%	3.0%	5.0%	95.0%
Grade 10	1.2%	1.5%	3.9%	96.1%
Grade 11	1.0%	1.6%	2.3%	97.7%
Grade 12	1.5%	1.7%	3.2%	96.8%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	70.4%	16.3%	4.8%	1.4%	7.1%
Grade 7	80.5%	8.5%	2.5%	1.0%	7.6%
Grade 8	73.8%	13.9%	4.9%	1.6%	5.8%
Grade 9	68.4%	17.8%	4.7%	1.3%	7.8%
Grade 10	67.2%	19.1%	6.7%	2.0%	5.0%
Grade 11	67.8%	17.1%	6.0%	1.3%	7.8%
Grade 12	62.3%	22.7%	4.6%	1.4%	9.0%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.6%	6.7%	13.8%	86.2%
Grade 7	5.9%	7.8%	15.3%	84.7%
Grade 8	7.3%	9.5%	18.5%	81.5%
Grade 9	3.4%	6.3%	12.6%	87.4%
Grade 10	4.7%	8.4%	15.1%	84.9%
Grade 11	2.0%	2.6%	10.2%	89.8%
Grade 12	3.4%	4.7%	9.6%	90.4%
Spray Paint?				
All	0.4%	0.6%	2.2%	97.8%
Grade 7	0.8%	1.0%	2.1%	97.9%
Grade 8	0.9%	1.1%	3.4%	96.6%
Grade 9	0.0%	0.1%	1.4%	98.6%
Grade 10	0.2%	0.2%	3.1%	96.9%
Grade 11	0.1%	0.4%	1.3%	98.7%
Grade 12	0.4%	0.5%	1.8%	98.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.9%	5.9%	94.1%
Grade 7	1.6%	2.5%	6.7%	93.3%
Grade 8	2.2%	3.2%	8.4%	91.6%
Grade 9	0.7%	1.8%	5.2%	94.8%
Grade 10	1.1%	2.1%	7.7%	92.3%
Grade 11	0.1%	0.1%	3.0%	97.0%
Grade 12	0.6%	1.1%	3.4%	96.6%
Computer Dusting Sprays?				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.4%	0.5%	99.5%
Grade 10	0.8%	0.8%	1.9%	98.1%
Grade 11	0.0%	0.3%	0.6%	99.4%
Grade 12	0.2%	0.3%	0.9%	99.1%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.1%	2.0%	6.7%	93.3%
Grade 7	1.6%	2.4%	6.4%	93.6%
Grade 8	2.0%	3.0%	9.6%	90.4%
Grade 9	0.4%	1.1%	5.6%	94.4%
Grade 10	0.8%	2.3%	8.3%	91.7%
Grade 11	0.5%	0.9%	4.6%	95.4%
Grade 12	1.0%	1.9%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 127

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.5%	1.2%	98.8%
Grade 8	0.5%	0.9%	1.9%	98.1%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.6%	98.4%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.2%	0.4%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.1%	0.4%	0.5%	99.5%
Grade 10	0.0%	0.4%	2.9%	97.1%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.4%	0.5%	0.8%	99.2%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.9%	2.3%	97.7%
Grade 7	0.5%	0.8%	2.1%	97.9%
Grade 8	1.1%	1.7%	3.5%	96.5%
Grade 9	0.2%	0.3%	1.6%	98.4%
Grade 10	0.5%	1.2%	3.1%	96.9%
Grade 11	0.6%	0.6%	1.4%	98.6%
Grade 12	0.7%	0.7%	1.7%	98.3%
Other Aerosols/Sprays?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.8%	1.2%	2.7%	97.3%
Grade 8	0.7%	1.0%	2.8%	97.2%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	0.5%	1.3%	2.8%	97.2%
Grade 11	0.1%	0.5%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.0%	0.0%	0.3%	0.3%	0.6%	0.5%	2.1%
Grade 7	95.8%	0.0%	0.5%	0.2%	0.8%	1.0%	1.6%
Grade 8	95.4%	0.0%	0.1%	0.4%	1.2%	0.6%	2.2%
Grade 9	96.9%	0.2%	0.6%	0.2%	0.4%	0.1%	1.6%
Grade 10	94.0%	0.0%	0.3%	0.4%	0.4%	1.0%	3.9%
Grade 11	97.3%	0.0%	0.0%	0.3%	0.6%	0.1%	1.7%
Grade 12	97.0%	0.1%	0.5%	0.1%	0.2%	0.5%	1.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.1%	7.1%	3.4%	1.4%
Grade 7	87.0%	8.4%	3.1%	1.4%
Grade 8	83.9%	9.5%	4.4%	2.2%
Grade 9	89.2%	7.2%	2.9%	0.6%
Grade 10	85.8%	7.3%	4.0%	2.8%
Grade 11	91.6%	5.1%	2.8%	0.5%
Grade 12	92.0%	4.0%	3.1%	0.8%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.0	10.8	11.2	12.0	13.1	11.9	13.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.5%	1.1%	0.2%	0.2%
Grade 7	99.1%	0.9%	0.0%	0.1%
Grade 8	98.7%	1.2%	0.1%	0.0%
Grade 9	98.0%	1.4%	0.4%	0.2%
Grade 10	97.3%	2.0%	0.0%	0.6%
Grade 11	99.3%	0.5%	0.2%	0.0%
Grade 12	98.8%	0.3%	0.6%	0.3%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.4
Inhalant Non-Users	3.2
Average Days Conduct Problems Reported	
Inhalant Users	3.3
Inhalant Non-Users	1.0

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.1%	5.1%	1.7%	0.6%	0.4%
Grade 7	92.6%	5.0%	1.2%	0.8%	0.4%
Grade 8	92.9%	4.5%	1.9%	0.5%	0.2%
Grade 9	89.8%	6.5%	2.7%	0.4%	0.6%
Grade 10	90.8%	5.3%	2.2%	1.1%	0.6%
Grade 11	93.2%	5.1%	1.2%	0.1%	0.3%
Grade 12	93.8%	4.4%	0.8%	0.7%	0.3%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	67.3%	17.0%	5.9%	1.6%	8.2%
Grade 7	72.5%	14.5%	4.7%	1.2%	7.2%
Grade 8	68.6%	15.3%	6.4%	2.0%	7.7%
Grade 9	65.8%	21.3%	6.2%	0.7%	6.0%
Grade 10	64.0%	16.2%	8.2%	2.6%	9.0%
Grade 11	66.9%	17.5%	5.6%	0.7%	9.3%
Grade 12	65.0%	17.4%	4.5%	2.3%	10.8%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.0%	15.4%	4.3%	5.6%	9.5%	26.1%
Grade 7	50.0%	23.9%	4.9%	4.3%	6.6%	10.4%
Grade 8	43.3%	23.3%	4.7%	6.9%	7.5%	14.2%
Grade 9	34.5%	15.7%	6.9%	5.5%	10.8%	26.5%
Grade 10	29.9%	10.1%	2.2%	7.3%	12.4%	38.2%
Grade 11	35.5%	8.8%	3.5%	5.5%	10.9%	35.8%
Grade 12	38.4%	6.8%	3.0%	3.9%	9.8%	38.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	35.5%
	Grade 7	31.2%
	Grade 8	36.2%
	Grade 9	38.7%
	Grade 10	41.3%
	Grade 11	35.0%
	Grade 12	30.3%
An Assembly Program		
	All	30.1%
	Grade 7	34.2%
	Grade 8	42.3%
	Grade 9	33.1%
	Grade 10	27.3%
	Grade 11	18.5%
	Grade 12	21.1%
Guidance Counselor		
	All	19.0%
	Grade 7	24.3%
	Grade 8	24.1%
	Grade 9	18.8%
	Grade 10	19.2%
	Grade 11	15.0%
	Grade 12	9.9%
School Nurse		
	All	11.1%
	Grade 7	16.8%
	Grade 8	16.2%
	Grade 9	8.2%
	Grade 10	9.6%
	Grade 11	7.5%
	Grade 12	6.0%
Science or Social Studies Class		
	All	27.3%
	Grade 7	27.1%
	Grade 8	29.7%
	Grade 9	30.3%
	Grade 10	27.8%
	Grade 11	18.8%
	Grade 12	29.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 127

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	10.3%
Grade 7	11.4%
Grade 8	12.6%
Grade 9	8.9%
Grade 10	8.7%
Grade 11	10.7%
Grade 12	9.1%
An Invited School Guest	
All	22.1%
Grade 7	23.5%
Grade 8	25.0%
Grade 9	24.5%
Grade 10	23.0%
Grade 11	17.7%
Grade 12	17.9%
Another Source at School	
All	25.2%
Grade 7	23.3%
Grade 8	29.1%
Grade 9	26.7%
Grade 10	25.0%
Grade 11	23.6%
Grade 12	22.9%
Any School Source	
All	62.2%
Grade 7	57.5%
Grade 8	63.2%
Grade 9	67.5%
Grade 10	67.6%
Grade 11	57.7%
Grade 12	59.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	35.9%
	Grade 7	49.7%
	Grade 8	40.4%
	Grade 9	40.2%
	Grade 10	28.6%
	Grade 11	31.0%
	Grade 12	20.2%
School Nurse		
	All	18.9%
	Grade 7	31.1%
	Grade 8	24.6%
	Grade 9	18.8%
	Grade 10	13.0%
	Grade 11	13.6%
	Grade 12	7.9%
Another Adult In School		
	All	40.0%
	Grade 7	49.5%
	Grade 8	44.9%
	Grade 9	36.1%
	Grade 10	34.4%
	Grade 11	38.9%
	Grade 12	33.3%
Counselor/Program Outside-School		
	All	38.3%
	Grade 7	46.0%
	Grade 8	42.1%
	Grade 9	35.4%
	Grade 10	33.3%
	Grade 11	37.2%
	Grade 12	33.5%
Your Parents		
	All	68.8%
	Grade 7	79.3%
	Grade 8	72.6%
	Grade 9	66.1%
	Grade 10	58.1%
	Grade 11	69.6%
	Grade 12	64.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

(Continued)

		Yes
A Medical Doctor		
	All	56.9%
	Grade 7	68.9%
	Grade 8	63.8%
	Grade 9	52.9%
	Grade 10	48.1%
	Grade 11	52.6%
	Grade 12	51.2%
Your Friends		
	All	64.1%
	Grade 7	51.0%
	Grade 8	58.7%
	Grade 9	65.3%
	Grade 10	69.2%
	Grade 11	71.4%
	Grade 12	72.8%
Another Adult		
	All	59.7%
	Grade 7	65.5%
	Grade 8	62.3%
	Grade 9	56.3%
	Grade 10	55.3%
	Grade 11	61.4%
	Grade 12	55.9%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.4%
	Grade 7	5.5%
	Grade 8	5.1%
	Grade 9	9.2%
	Grade 10	6.7%
	Grade 11	5.8%
	Grade 12	5.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.2%	21.2%	24.1%	36.5%	13.0%
Grade 7	7.4%	18.1%	21.1%	32.5%	21.1%
Grade 8	6.0%	19.7%	22.2%	36.0%	16.0%
Grade 9	4.0%	21.2%	25.9%	37.4%	11.5%
Grade 10	4.5%	24.2%	26.6%	37.1%	7.6%
Grade 11	5.1%	22.3%	23.6%	38.3%	10.7%
Grade 12	3.6%	23.0%	26.3%	38.4%	8.6%
Sometimes Carry Weapons?					
All	77.5%	14.8%	4.6%	2.1%	1.0%
Grade 7	89.9%	7.0%	0.9%	1.6%	0.5%
Grade 8	81.9%	12.9%	3.2%	1.1%	0.9%
Grade 9	79.0%	16.0%	2.9%	0.6%	1.5%
Grade 10	73.0%	18.5%	4.7%	2.3%	1.5%
Grade 11	72.0%	16.4%	7.4%	3.4%	0.7%
Grade 12	64.4%	20.5%	9.8%	4.3%	1.0%
Care About Making Good Grades?					
All	1.9%	11.4%	25.4%	43.3%	18.0%
Grade 7	1.9%	13.0%	26.5%	36.6%	22.1%
Grade 8	2.1%	11.5%	25.2%	39.3%	21.9%
Grade 9	1.7%	11.5%	24.5%	47.5%	14.9%
Grade 10	2.1%	11.3%	26.5%	46.0%	14.1%
Grade 11	1.3%	9.5%	25.3%	45.9%	17.9%
Grade 12	2.3%	11.4%	24.6%	45.9%	15.8%
Belong/Want to Belong to a Gang?					
All	84.3%	10.7%	3.0%	1.3%	0.7%
Grade 7	85.9%	10.0%	1.9%	1.2%	1.0%
Grade 8	82.5%	11.2%	3.8%	1.4%	1.1%
Grade 9	80.9%	13.4%	4.3%	1.0%	0.4%
Grade 10	82.7%	11.9%	3.3%	1.7%	0.3%
Grade 11	85.7%	11.1%	1.5%	1.4%	0.3%
Grade 12	88.9%	6.1%	3.2%	1.1%	0.7%
Wish They Could Drop Out of School?					
All	44.7%	31.6%	13.7%	6.4%	3.6%
Grade 7	52.4%	28.0%	10.3%	6.2%	3.1%
Grade 8	48.0%	31.4%	12.6%	5.1%	2.8%
Grade 9	42.4%	32.5%	15.0%	7.9%	2.3%
Grade 10	39.2%	35.1%	15.0%	7.0%	3.7%
Grade 11	42.4%	31.9%	15.3%	5.6%	4.8%
Grade 12	41.6%	31.3%	15.1%	6.9%	5.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	85.5%	12.2%	1.0%	0.2%	1.1%
Grade 7	86.5%	11.7%	0.7%	0.1%	1.1%
Grade 8	85.3%	12.8%	0.6%	0.1%	1.2%
Grade 9	84.0%	13.7%	0.9%	0.4%	1.0%
Grade 10	83.1%	14.4%	1.5%	0.0%	1.0%
Grade 11	86.4%	10.9%	1.2%	0.1%	1.4%
Grade 12	87.8%	9.4%	1.5%	0.3%	0.9%
Out In Your Neighborhood?					
All	44.1%	46.3%	5.3%	1.2%	3.1%
Grade 7	40.6%	47.1%	6.7%	1.6%	3.9%
Grade 8	42.4%	47.8%	5.1%	1.5%	3.3%
Grade 9	41.0%	48.7%	6.4%	0.6%	3.3%
Grade 10	42.4%	48.2%	5.3%	1.6%	2.5%
Grade 11	45.9%	46.2%	4.6%	0.0%	3.2%
Grade 12	54.5%	38.1%	3.3%	1.7%	2.4%
At School?					
All	30.4%	51.2%	10.6%	3.5%	4.3%
Grade 7	36.0%	49.6%	8.2%	3.1%	3.0%
Grade 8	36.5%	47.2%	9.6%	3.5%	3.2%
Grade 9	28.1%	54.1%	9.3%	3.3%	5.3%
Grade 10	25.1%	55.1%	12.3%	3.4%	4.1%
Grade 11	24.9%	51.4%	14.4%	4.1%	5.2%
Grade 12	30.0%	50.0%	10.7%	3.8%	5.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	19.7%	32.6%	67.4%
Grade 7	3.9%	5.3%	11.7%	88.3%
Grade 8	8.2%	10.4%	21.3%	78.7%
Grade 9	17.0%	19.9%	32.1%	67.9%
Grade 10	20.1%	26.9%	42.0%	58.0%
Grade 11	18.9%	23.6%	41.4%	58.6%
Grade 12	31.4%	38.7%	55.6%	44.4%
Any Alcohol Product				
All	28.4%	34.8%	55.3%	44.7%
Grade 7	16.4%	18.7%	36.9%	63.1%
Grade 8	20.9%	23.9%	44.0%	56.0%
Grade 9	26.5%	33.7%	57.6%	42.4%
Grade 10	31.9%	40.8%	63.0%	37.0%
Grade 11	32.3%	41.5%	65.2%	34.8%
Grade 12	48.6%	57.6%	72.2%	27.8%
Any Illicit Drug				
All	15.0%	19.7%	25.8%	74.2%
Grade 7	4.8%	6.5%	7.7%	92.3%
Grade 8	7.8%	10.5%	15.4%	84.6%
Grade 9	14.1%	18.7%	21.8%	78.2%
Grade 10	17.1%	23.1%	32.9%	67.1%
Grade 11	18.9%	25.5%	32.7%	67.3%
Grade 12	32.4%	40.1%	53.1%	46.9%
Any Prescription Drug				
All	6.2%	9.3%	18.2%	81.8%
Grade 7	3.9%	6.7%	12.3%	87.7%
Grade 8	5.7%	8.6%	16.4%	83.6%
Grade 9	7.4%	10.1%	18.5%	81.5%
Grade 10	6.1%	10.8%	19.1%	80.9%
Grade 11	6.5%	9.0%	19.4%	80.6%
Grade 12	7.9%	11.8%	25.7%	74.3%
Any Inhalant				
All	4.6%	6.7%	13.8%	86.2%
Grade 7	5.9%	7.8%	15.3%	84.7%
Grade 8	7.3%	9.5%	18.5%	81.5%
Grade 9	3.4%	6.3%	12.6%	87.4%
Grade 10	4.7%	8.4%	15.1%	84.9%
Grade 11	2.0%	2.6%	10.2%	89.8%
Grade 12	3.4%	4.7%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 41 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.7%	17.2%	29.7%	70.3%
Grade 7	2.5%	4.1%	9.5%	90.5%
Grade 8	5.7%	8.1%	17.9%	82.1%
Grade 9	12.6%	16.8%	29.8%	70.2%
Grade 10	16.4%	24.1%	38.5%	61.5%
Grade 11	15.8%	21.1%	39.1%	60.9%
Grade 12	27.6%	35.1%	51.6%	48.4%
Marijuana				
All	14.6%	17.7%	24.0%	76.0%
Grade 7	4.1%	5.0%	6.0%	94.0%
Grade 8	7.2%	8.4%	13.0%	87.0%
Grade 9	13.9%	16.3%	20.0%	80.0%
Grade 10	17.1%	21.3%	30.8%	69.2%
Grade 11	18.6%	23.4%	31.8%	68.2%
Grade 12	31.9%	37.9%	51.1%	48.9%
Marijuana Only				
All	8.2%	10.5%	16.0%	84.0%
Grade 7	2.3%	2.8%	3.6%	96.4%
Grade 8	3.9%	4.9%	8.8%	91.2%
Grade 9	7.4%	9.3%	12.4%	87.6%
Grade 10	10.0%	13.5%	21.2%	78.8%
Grade 11	10.0%	13.5%	21.1%	78.9%
Grade 12	18.5%	23.3%	34.9%	65.1%
Cocaine or Crack				
All	1.2%	1.5%	2.3%	97.7%
Grade 7	1.0%	1.1%	1.6%	98.4%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	1.4%	1.4%	1.8%	98.2%
Grade 10	0.8%	1.6%	3.2%	96.8%
Grade 11	0.9%	1.2%	2.0%	98.0%
Grade 12	2.5%	3.0%	4.6%	95.4%
Cocaine				
All	1.0%	1.3%	1.9%	98.1%
Grade 7	0.6%	0.9%	1.1%	98.9%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.4%	1.4%	1.8%	98.2%
Grade 10	0.4%	1.0%	2.6%	97.4%
Grade 11	0.9%	1.2%	1.7%	98.3%
Grade 12	2.2%	2.7%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.6%	0.9%	99.1%
	Grade 7	0.7%	0.7%	1.1%	98.9%
	Grade 8	0.4%	0.4%	0.8%	99.2%
	Grade 9	0.6%	0.6%	1.0%	99.0%
	Grade 10	0.3%	0.9%	1.0%	99.0%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.6%	0.6%	0.8%	99.2%
	Hallucinogens	All	1.6%	2.3%	4.2%
Grade 7		0.2%	0.2%	0.5%	99.5%
Grade 8		0.4%	0.4%	1.0%	99.0%
Grade 9		1.4%	2.0%	3.4%	96.6%
Grade 10		2.1%	2.7%	5.6%	94.4%
Grade 11		2.2%	2.7%	5.5%	94.5%
Grade 12		4.0%	7.0%	11.4%	88.6%
Synthetic Cathinones		All	0.2%	0.2%	0.6%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.2%	0.9%	99.1%
	Grade 9	0.2%	0.4%	0.9%	99.1%
	Grade 10	0.2%	0.2%	0.6%	99.4%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.0%	0.3%	0.7%	99.3%
	Steroids	All	0.2%	0.5%	1.5%
Grade 7		0.3%	0.6%	1.4%	98.6%
Grade 8		0.4%	0.7%	1.4%	98.6%
Grade 9		0.0%	0.0%	0.8%	99.2%
Grade 10		0.3%	1.0%	1.9%	98.1%
Grade 11		0.0%	0.0%	1.4%	98.6%
Grade 12		0.2%	0.6%	2.0%	98.0%
Ecstasy		All	0.9%	1.3%	2.7%
	Grade 7	0.1%	0.1%	0.2%	99.8%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.8%	1.1%	1.3%	98.7%
	Grade 10	1.1%	1.5%	4.1%	95.9%
	Grade 11	0.9%	2.0%	4.2%	95.8%
	Grade 12	2.8%	3.6%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	1.2%	1.9%	3.6%	96.4%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	1.1%	1.6%	3.0%	97.0%
Grade 9	1.3%	2.3%	3.8%	96.2%
Grade 10	1.5%	3.1%	5.9%	94.1%
Grade 11	1.2%	1.7%	3.7%	96.3%
Grade 12	1.2%	2.3%	4.2%	95.8%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	1.2%	1.2%	1.9%	98.1%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.4%	0.6%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.9%	17.7%	30.1%	69.9%
Grade 7	3.7%	5.5%	12.6%	87.4%
Grade 8	7.9%	9.0%	20.0%	80.0%
Grade 9	14.9%	16.4%	27.6%	72.4%
Grade 10	18.9%	24.7%	37.4%	62.6%
Grade 11	18.3%	20.8%	38.8%	61.2%
Grade 12	31.9%	36.8%	54.2%	45.8%
Any Alcohol Product				
All	25.0%	30.6%	52.4%	47.6%
Grade 7	15.6%	18.2%	37.5%	62.5%
Grade 8	18.6%	20.9%	42.2%	57.8%
Grade 9	20.6%	28.0%	55.1%	44.9%
Grade 10	27.9%	34.6%	57.4%	42.6%
Grade 11	28.8%	37.1%	62.8%	37.2%
Grade 12	44.9%	52.6%	66.6%	33.4%
Any Illicit Drug				
All	14.4%	18.9%	24.8%	75.2%
Grade 7	5.3%	6.6%	8.0%	92.0%
Grade 8	6.7%	9.2%	13.6%	86.4%
Grade 9	13.6%	18.3%	21.0%	79.0%
Grade 10	14.5%	19.6%	29.6%	70.4%
Grade 11	18.3%	26.0%	33.8%	66.2%
Grade 12	33.5%	41.0%	53.1%	46.9%
Any Prescription Drug				
All	6.1%	9.1%	18.7%	81.3%
Grade 7	4.3%	7.2%	14.6%	85.4%
Grade 8	5.0%	6.3%	14.1%	85.9%
Grade 9	5.9%	9.4%	20.5%	79.5%
Grade 10	6.3%	10.9%	16.5%	83.5%
Grade 11	6.6%	8.4%	20.2%	79.8%
Grade 12	9.9%	13.6%	28.2%	71.8%
Any Inhalant				
All	4.7%	6.6%	13.5%	86.5%
Grade 7	5.1%	7.0%	14.5%	85.5%
Grade 8	6.2%	7.9%	14.8%	85.2%
Grade 9	4.0%	6.3%	12.4%	87.6%
Grade 10	4.9%	7.6%	14.6%	85.4%
Grade 11	2.9%	3.8%	13.7%	86.3%
Grade 12	4.5%	6.5%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 45 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.9%	15.3%	26.7%	73.3%
Grade 7	2.4%	4.4%	9.7%	90.3%
Grade 8	5.3%	6.5%	16.3%	83.7%
Grade 9	11.7%	14.1%	24.1%	75.9%
Grade 10	15.0%	21.6%	33.7%	66.3%
Grade 11	14.7%	18.6%	36.1%	63.9%
Grade 12	27.2%	33.0%	49.8%	50.2%
Marijuana				
All	14.0%	17.1%	23.2%	76.8%
Grade 7	4.6%	5.6%	6.7%	93.3%
Grade 8	6.5%	7.9%	12.1%	87.9%
Grade 9	13.4%	16.4%	19.7%	80.3%
Grade 10	14.5%	18.4%	27.6%	72.4%
Grade 11	18.1%	23.2%	32.4%	67.6%
Grade 12	32.7%	38.2%	50.2%	49.8%
Marijuana Only				
All	7.6%	9.8%	14.9%	85.1%
Grade 7	2.8%	3.3%	4.0%	96.0%
Grade 8	3.6%	4.8%	8.4%	91.6%
Grade 9	7.2%	9.4%	12.0%	88.0%
Grade 10	7.1%	9.5%	17.4%	82.6%
Grade 11	10.3%	14.7%	23.3%	76.7%
Grade 12	17.5%	21.2%	30.9%	69.1%
Cocaine or Crack				
All	1.5%	1.9%	2.7%	97.3%
Grade 7	0.9%	1.3%	2.0%	98.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.4%	1.4%	2.2%	97.8%
Grade 10	1.7%	3.0%	3.7%	96.3%
Grade 11	1.1%	1.8%	2.4%	97.6%
Grade 12	3.3%	3.8%	6.3%	93.7%
Cocaine				
All	1.1%	1.5%	2.3%	97.7%
Grade 7	0.3%	0.9%	1.3%	98.7%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	1.4%	1.4%	2.2%	97.8%
Grade 10	0.9%	1.7%	2.3%	97.7%
Grade 11	1.1%	1.8%	2.4%	97.6%
Grade 12	2.7%	3.3%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.7%	1.9%	1.9%	98.1%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.9%	0.9%	1.3%	98.7%
Hallucinogens				
All	1.7%	2.6%	4.9%	95.1%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.3%	2.1%	4.2%	95.8%
Grade 10	3.0%	3.3%	7.2%	92.8%
Grade 11	1.9%	2.5%	4.4%	95.6%
Grade 12	4.4%	8.4%	15.4%	84.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.3%	0.9%	99.1%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids				
All	0.3%	0.4%	1.8%	98.2%
Grade 7	0.3%	0.6%	1.7%	98.3%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.7%	1.3%	3.2%	96.8%
Grade 11	0.0%	0.0%	1.7%	98.3%
Grade 12	0.4%	0.4%	2.1%	97.9%
Ecstasy				
All	0.9%	1.2%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.7%	0.7%	99.3%
Grade 10	1.3%	1.3%	5.7%	94.3%
Grade 11	1.1%	1.4%	3.3%	96.7%
Grade 12	3.2%	4.2%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.7%	0.7%	1.9%	98.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.8%	1.4%	3.1%	96.9%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	0.7%	1.3%	2.8%	97.2%
Grade 9	0.6%	1.2%	2.5%	97.5%
Grade 10	1.4%	3.3%	5.9%	94.1%
Grade 11	0.7%	0.7%	2.4%	97.6%
Grade 12	0.9%	2.0%	4.4%	95.6%
Methamphetamine				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	1.3%	1.3%	1.7%	98.3%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 48 of 127

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.6%	21.8%	35.2%	64.8%
Grade 7	4.1%	5.1%	10.8%	89.2%
Grade 8	8.0%	11.4%	22.3%	77.7%
Grade 9	18.8%	23.1%	36.6%	63.4%
Grade 10	21.5%	29.3%	46.5%	53.5%
Grade 11	20.0%	27.1%	45.2%	54.8%
Grade 12	30.9%	40.4%	57.0%	43.0%
Any Alcohol Product				
All	32.0%	39.1%	58.6%	41.4%
Grade 7	17.4%	19.5%	36.7%	63.3%
Grade 8	23.2%	27.0%	46.3%	53.7%
Grade 9	32.4%	38.9%	59.3%	40.7%
Grade 10	35.7%	46.8%	68.7%	31.3%
Grade 11	36.0%	46.6%	69.1%	30.9%
Grade 12	52.2%	62.3%	77.6%	22.4%
Any Illicit Drug				
All	15.6%	20.5%	26.8%	73.2%
Grade 7	4.2%	6.3%	7.3%	92.7%
Grade 8	8.7%	11.5%	16.7%	83.3%
Grade 9	14.3%	18.8%	22.4%	77.6%
Grade 10	19.6%	26.4%	36.1%	63.9%
Grade 11	20.1%	26.0%	32.1%	67.9%
Grade 12	30.9%	38.7%	52.9%	47.1%
Any Prescription Drug				
All	6.1%	9.5%	17.8%	82.2%
Grade 7	3.4%	6.1%	9.9%	90.1%
Grade 8	6.3%	10.8%	18.8%	81.2%
Grade 9	8.3%	10.2%	15.9%	84.1%
Grade 10	6.1%	10.8%	21.6%	78.4%
Grade 11	6.7%	9.8%	19.3%	80.7%
Grade 12	5.7%	9.8%	23.2%	76.8%
Any Inhalant				
All	4.5%	6.9%	14.0%	86.0%
Grade 7	6.8%	8.8%	16.2%	83.8%
Grade 8	8.3%	11.3%	22.3%	77.7%
Grade 9	3.0%	6.6%	13.2%	86.8%
Grade 10	4.6%	9.2%	15.1%	84.9%
Grade 11	1.2%	1.5%	6.7%	93.3%
Grade 12	2.0%	2.8%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.5%	19.2%	32.9%	67.1%
Grade 7	2.6%	3.8%	9.3%	90.7%
Grade 8	5.8%	9.4%	19.1%	80.9%
Grade 9	13.1%	19.2%	35.5%	64.5%
Grade 10	17.9%	26.6%	43.2%	56.8%
Grade 11	17.4%	24.2%	43.4%	56.6%
Grade 12	27.7%	36.9%	53.2%	46.8%
Marijuana				
All	15.2%	18.2%	24.9%	75.1%
Grade 7	3.6%	4.2%	5.1%	94.9%
Grade 8	7.8%	8.7%	13.7%	86.3%
Grade 9	14.1%	15.9%	20.0%	80.0%
Grade 10	19.6%	24.1%	34.0%	66.0%
Grade 11	19.8%	24.4%	31.7%	68.3%
Grade 12	30.6%	37.2%	51.7%	48.3%
Marijuana Only				
All	8.8%	11.4%	17.2%	82.8%
Grade 7	1.8%	2.3%	3.2%	96.8%
Grade 8	4.2%	4.9%	9.2%	90.8%
Grade 9	7.8%	9.5%	13.1%	86.9%
Grade 10	12.6%	17.1%	24.8%	75.2%
Grade 11	10.0%	12.9%	19.2%	80.8%
Grade 12	19.4%	25.4%	38.9%	61.1%
Cocaine or Crack				
All	0.9%	1.0%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	1.3%	1.3%	1.5%	98.5%
Grade 10	0.0%	0.5%	2.8%	97.2%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	1.4%	2.0%	2.7%	97.3%
Cocaine				
All	0.8%	0.9%	1.5%	98.5%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	1.3%	1.3%	1.5%	98.5%
Grade 10	0.0%	0.5%	2.8%	97.2%
Grade 11	0.7%	0.7%	1.0%	99.0%
Grade 12	1.4%	2.0%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.4%	2.0%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.4%	2.0%	2.6%	97.4%
Grade 10	1.4%	2.2%	4.4%	95.6%
Grade 11	2.7%	3.0%	6.9%	93.1%
Grade 12	3.3%	5.4%	6.9%	93.1%
Synthetic Cathinones				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.2%	0.2%	99.8%
Steroids				
All	0.1%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.4%	1.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.5%	1.7%	98.3%
Ecstasy				
All	0.9%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	1.3%	1.3%	1.6%	98.4%
Grade 10	1.1%	1.6%	2.9%	97.1%
Grade 11	0.7%	2.6%	5.2%	94.8%
Grade 12	2.3%	2.7%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.6%	2.4%	4.0%	96.0%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	1.6%	1.9%	3.3%	96.7%
Grade 9	2.1%	3.5%	4.6%	95.4%
Grade 10	1.7%	3.0%	6.0%	94.0%
Grade 11	1.8%	2.7%	5.0%	95.0%
Grade 12	1.6%	2.2%	3.7%	96.3%
Methamphetamine				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 52 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.0%	23.2%	35.3%	64.7%
Grade 7	2.8%	4.2%	11.7%	88.3%
Grade 8	5.1%	8.1%	16.6%	83.4%
Grade 9	18.0%	22.4%	35.0%	65.0%
Grade 10	24.8%	30.1%	42.0%	58.0%
Grade 11	25.6%	31.0%	50.6%	49.4%
Grade 12	40.8%	46.9%	60.8%	39.2%
Any Alcohol Product				
All	30.7%	37.6%	58.4%	41.6%
Grade 7	11.9%	14.9%	37.1%	62.9%
Grade 8	18.4%	21.3%	44.3%	55.7%
Grade 9	28.7%	37.6%	58.2%	41.8%
Grade 10	35.1%	43.5%	66.1%	33.9%
Grade 11	40.9%	51.1%	73.0%	27.0%
Grade 12	52.7%	61.7%	75.6%	24.4%
Any Illicit Drug				
All	14.6%	18.3%	24.1%	75.9%
Grade 7	2.0%	2.5%	3.2%	96.8%
Grade 8	4.2%	6.3%	8.8%	91.2%
Grade 9	11.7%	15.4%	20.2%	79.8%
Grade 10	18.3%	21.7%	29.8%	70.2%
Grade 11	20.9%	28.7%	34.9%	65.1%
Grade 12	32.9%	38.3%	51.9%	48.1%
Any Prescription Drug				
All	6.6%	10.5%	19.3%	80.7%
Grade 7	4.4%	7.0%	15.6%	84.4%
Grade 8	3.9%	6.7%	14.0%	86.0%
Grade 9	7.7%	10.4%	17.6%	82.4%
Grade 10	7.6%	13.1%	21.1%	78.9%
Grade 11	7.6%	10.9%	17.0%	83.0%
Grade 12	9.0%	15.6%	31.1%	68.9%
Any Inhalant				
All	4.4%	6.2%	12.5%	87.5%
Grade 7	5.4%	6.4%	10.8%	89.2%
Grade 8	7.1%	8.4%	17.1%	82.9%
Grade 9	4.5%	6.2%	13.6%	86.4%
Grade 10	1.5%	4.9%	11.4%	88.6%
Grade 11	3.1%	5.0%	10.1%	89.9%
Grade 12	4.5%	6.0%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.0%	20.7%	32.3%	67.7%
Grade 7	2.3%	3.6%	8.9%	91.1%
Grade 8	3.9%	7.0%	13.6%	86.4%
Grade 9	15.2%	19.6%	31.4%	68.6%
Grade 10	19.5%	25.9%	39.8%	60.2%
Grade 11	23.6%	28.5%	47.5%	52.5%
Grade 12	34.4%	43.2%	57.5%	42.5%
Marijuana				
All	14.0%	16.5%	22.2%	77.8%
Grade 7	1.0%	1.3%	1.8%	98.2%
Grade 8	3.5%	4.2%	6.6%	93.4%
Grade 9	11.0%	14.0%	18.7%	81.3%
Grade 10	18.3%	20.3%	26.8%	73.2%
Grade 11	20.4%	25.5%	32.8%	67.2%
Grade 12	32.6%	37.1%	50.8%	49.2%
Marijuana Only				
All	7.2%	9.4%	14.5%	85.5%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	2.2%	2.9%	5.2%	94.8%
Grade 9	5.0%	7.2%	11.5%	88.5%
Grade 10	9.3%	11.3%	17.3%	82.7%
Grade 11	11.7%	16.2%	21.8%	78.2%
Grade 12	15.9%	19.9%	32.9%	67.1%
Cocaine or Crack				
All	1.1%	1.2%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.5%	98.5%
Grade 10	0.5%	0.5%	2.5%	97.5%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	4.0%	4.7%	6.0%	94.0%
Cocaine				
All	1.1%	1.2%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.5%	98.5%
Grade 10	0.5%	0.5%	2.5%	97.5%
Grade 11	0.7%	0.7%	1.7%	98.3%
Grade 12	3.7%	4.3%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	1.9%	2.9%	5.2%	94.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	2.3%	3.0%	4.3%	95.7%
Grade 10	3.0%	4.0%	8.5%	91.5%
Grade 11	2.0%	2.4%	7.0%	93.0%
Grade 12	4.5%	8.1%	10.6%	89.4%
Synthetic Cathinones				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.5%	0.5%	1.0%	99.0%
Grade 12	0.0%	0.8%	1.5%	98.5%
Steroids				
All	0.0%	0.4%	1.9%	98.1%
Grade 7	0.0%	0.9%	2.6%	97.4%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	2.7%	97.3%
Grade 12	0.0%	0.5%	3.6%	96.4%
Ecstasy				
All	1.2%	1.7%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	1.3%	2.4%	2.4%	97.6%
Grade 10	2.0%	2.5%	4.4%	95.6%
Grade 11	0.7%	1.7%	3.8%	96.2%
Grade 12	2.9%	3.7%	7.7%	92.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.8%	0.8%	99.2%
Synthetic Marijuana				
All	1.3%	2.1%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.3%	1.5%	98.5%
Grade 9	2.7%	3.1%	4.2%	95.8%
Grade 10	2.0%	3.5%	4.4%	95.6%
Grade 11	1.2%	1.7%	3.2%	96.8%
Grade 12	1.3%	3.1%	4.8%	95.2%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.9%	0.9%	1.3%	98.7%
Grade 10	1.0%	1.0%	2.4%	97.6%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.5%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 56 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.4%	14.4%	27.7%	72.3%
Grade 7	2.1%	2.9%	6.2%	93.8%
Grade 8	11.6%	13.0%	24.3%	75.7%
Grade 9	8.7%	10.3%	23.4%	76.6%
Grade 10	19.2%	28.8%	44.2%	55.8%
Grade 11	2.2%	7.7%	26.3%	73.7%
Grade 12	20.0%	26.4%	47.0%	53.0%
Any Alcohol Product				
All	19.4%	26.4%	44.3%	55.7%
Grade 7	11.8%	13.5%	29.6%	70.4%
Grade 8	20.3%	22.9%	41.8%	58.2%
Grade 9	10.3%	15.3%	30.0%	70.0%
Grade 10	25.0%	38.5%	55.8%	44.2%
Grade 11	10.8%	25.1%	54.4%	45.6%
Grade 12	42.2%	48.7%	59.9%	40.1%
Any Illicit Drug				
All	14.6%	19.1%	25.1%	74.9%
Grade 7	4.7%	6.9%	6.9%	93.1%
Grade 8	7.4%	10.3%	17.4%	82.6%
Grade 9	12.0%	15.3%	15.3%	84.7%
Grade 10	17.6%	21.6%	35.3%	64.7%
Grade 11	14.2%	18.6%	27.2%	72.8%
Grade 12	36.7%	48.7%	56.7%	43.3%
Any Prescription Drug				
All	5.0%	7.9%	14.2%	85.8%
Grade 7	3.3%	6.6%	10.1%	89.9%
Grade 8	7.5%	9.6%	20.0%	80.0%
Grade 9	3.3%	3.3%	5.0%	95.0%
Grade 10	6.0%	14.0%	20.0%	80.0%
Grade 11	2.3%	4.5%	13.6%	86.4%
Grade 12	8.2%	9.8%	17.9%	82.1%
Any Inhalant				
All	3.7%	5.3%	12.8%	87.2%
Grade 7	3.6%	4.8%	15.2%	84.8%
Grade 8	7.8%	11.7%	24.8%	75.2%
Grade 9	1.9%	1.9%	5.2%	94.8%
Grade 10	5.9%	9.8%	9.8%	90.2%
Grade 11	0.0%	0.0%	13.0%	87.0%
Grade 12	2.3%	2.3%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.4%	11.8%	24.9%	75.1%
Grade 7	0.3%	1.0%	4.2%	95.8%
Grade 8	4.4%	6.4%	19.0%	81.0%
Grade 9	7.3%	7.3%	24.2%	75.8%
Grade 10	19.6%	27.5%	39.2%	60.8%
Grade 11	2.2%	7.7%	26.3%	73.7%
Grade 12	18.4%	23.2%	41.5%	58.5%
Marijuana				
All	13.8%	17.3%	23.1%	76.9%
Grade 7	3.1%	4.4%	5.2%	94.8%
Grade 8	7.0%	8.5%	13.6%	86.4%
Grade 9	12.0%	13.6%	13.6%	86.4%
Grade 10	17.6%	19.6%	33.3%	66.7%
Grade 11	13.0%	18.6%	27.2%	72.8%
Grade 12	35.1%	45.4%	53.5%	46.5%
Marijuana Only				
All	9.1%	11.7%	16.8%	83.2%
Grade 7	1.5%	2.8%	3.7%	96.3%
Grade 8	1.6%	2.1%	7.0%	93.0%
Grade 9	8.3%	9.9%	9.9%	90.1%
Grade 10	11.5%	13.5%	25.0%	75.0%
Grade 11	8.7%	13.0%	21.6%	78.4%
Grade 12	27.1%	34.2%	40.6%	59.4%
Cocaine or Crack				
All	1.6%	1.6%	1.8%	98.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	1.5%	1.5%	2.6%	97.4%
Grade 9	3.5%	3.5%	3.5%	96.5%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%
Cocaine				
All	1.1%	1.1%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.5%	1.5%	1.5%	98.5%
Grade 9	3.5%	3.5%	3.5%	96.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.4%	98.6%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	1.9%	1.9%	3.6%	96.4%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.0%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.3%	3.3%	8.2%	91.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.6%	0.6%	3.6%	96.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.6%	3.3%	96.7%
Ecstasy				
All	0.0%	0.1%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	3.9%	96.1%
Grade 11	0.0%	0.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.9%	2.2%	3.5%	96.5%
Grade 7	1.5%	1.5%	2.3%	97.7%
Grade 8	1.2%	1.8%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.9%	3.9%	5.9%	94.1%
Grade 11	3.4%	3.4%	3.4%	96.6%
Grade 12	1.6%	3.3%	6.5%	93.5%
Methamphetamine				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.9%	19.9%	33.0%	67.0%
Grade 7	4.7%	6.3%	12.7%	87.3%
Grade 8	8.8%	10.6%	21.9%	78.1%
Grade 9	19.7%	22.7%	34.4%	65.6%
Grade 10	18.3%	24.5%	42.3%	57.7%
Grade 11	20.8%	24.9%	40.6%	59.4%
Grade 12	29.4%	39.3%	58.7%	41.3%
Any Alcohol Product				
All	30.3%	35.9%	57.5%	42.5%
Grade 7	20.7%	22.3%	38.6%	61.4%
Grade 8	22.2%	25.1%	43.5%	56.5%
Grade 9	30.6%	37.3%	66.2%	33.8%
Grade 10	32.0%	40.4%	66.6%	33.4%
Grade 11	35.1%	41.7%	64.4%	35.6%
Grade 12	49.2%	59.0%	76.7%	23.3%
Any Illicit Drug				
All	15.4%	20.9%	27.4%	72.6%
Grade 7	5.8%	8.0%	9.7%	90.3%
Grade 8	9.2%	11.9%	17.2%	82.8%
Grade 9	16.6%	22.8%	25.8%	74.2%
Grade 10	17.0%	24.6%	34.4%	65.6%
Grade 11	20.1%	27.8%	34.7%	65.3%
Grade 12	30.6%	38.7%	54.8%	45.2%
Any Prescription Drug				
All	6.0%	8.7%	18.4%	81.6%
Grade 7	3.2%	5.8%	10.3%	89.7%
Grade 8	5.6%	8.9%	15.5%	84.5%
Grade 9	8.1%	11.3%	23.2%	76.8%
Grade 10	5.5%	8.0%	18.0%	82.0%
Grade 11	7.4%	8.9%	22.3%	77.7%
Grade 12	6.6%	9.9%	24.4%	75.6%
Any Inhalant				
All	5.2%	7.8%	15.2%	84.8%
Grade 7	6.7%	9.1%	17.6%	82.4%
Grade 8	7.5%	9.7%	17.5%	82.5%
Grade 9	3.7%	8.6%	14.1%	85.9%
Grade 10	7.0%	11.2%	21.2%	78.8%
Grade 11	2.2%	2.2%	9.9%	90.1%
Grade 12	2.8%	5.0%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.3%	17.3%	30.0%	70.0%
Grade 7	3.3%	5.3%	11.1%	88.9%
Grade 8	7.0%	8.7%	18.5%	81.5%
Grade 9	13.2%	19.4%	32.0%	68.0%
Grade 10	13.8%	22.0%	38.4%	61.6%
Grade 11	16.8%	21.6%	37.7%	62.3%
Grade 12	25.6%	34.7%	54.4%	45.6%
Marijuana				
All	15.3%	18.6%	25.7%	74.3%
Grade 7	5.7%	6.8%	8.2%	91.8%
Grade 8	8.7%	10.0%	15.1%	84.9%
Grade 9	16.6%	19.1%	23.4%	76.6%
Grade 10	17.0%	23.4%	33.8%	66.2%
Grade 11	20.2%	25.0%	34.2%	65.8%
Grade 12	30.1%	35.8%	52.0%	48.0%
Marijuana Only				
All	8.4%	10.8%	16.6%	83.4%
Grade 7	2.8%	3.2%	4.3%	95.7%
Grade 8	5.2%	6.3%	10.4%	89.6%
Grade 9	9.1%	11.0%	14.6%	85.4%
Grade 10	10.2%	15.4%	23.2%	76.8%
Grade 11	9.2%	12.1%	20.6%	79.4%
Grade 12	17.6%	21.9%	35.5%	64.5%
Cocaine or Crack				
All	1.1%	1.7%	2.7%	97.3%
Grade 7	1.4%	1.8%	2.4%	97.6%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.6%	2.6%	4.4%	95.6%
Grade 11	1.5%	2.2%	3.3%	96.7%
Grade 12	2.2%	3.0%	5.2%	94.8%
Cocaine				
All	0.9%	1.4%	2.2%	97.8%
Grade 7	1.0%	1.6%	1.9%	98.1%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.6%	2.0%	3.8%	96.2%
Grade 11	1.5%	2.2%	2.6%	97.4%
Grade 12	1.7%	2.6%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.7%	1.0%	99.0%
	Grade 7	1.0%	1.0%	1.4%	98.6%
	Grade 8	0.6%	0.6%	0.6%	99.4%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	0.0%	1.2%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.9%	0.9%	1.3%	98.7%
Hallucinogens	All	1.6%	2.4%	4.6%	95.4%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.5%	0.5%	0.9%	99.1%
	Grade 9	1.2%	1.9%	3.8%	96.2%
	Grade 10	1.9%	2.5%	4.5%	95.5%
	Grade 11	3.7%	4.4%	7.7%	92.3%
	Grade 12	3.1%	7.0%	13.7%	86.3%
Synthetic Cathinones	All	0.1%	0.1%	0.5%	99.5%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.2%	0.2%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids	All	0.2%	0.5%	1.4%	98.6%
	Grade 7	0.5%	0.5%	0.9%	99.1%
	Grade 8	0.4%	0.6%	1.8%	98.2%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	1.2%	3.2%	96.8%
	Grade 11	0.0%	0.0%	1.5%	98.5%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Ecstasy	All	1.1%	1.6%	2.9%	97.1%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.4%	0.4%	0.9%	99.1%
	Grade 9	0.6%	0.6%	0.6%	99.4%
	Grade 10	1.2%	1.2%	4.4%	95.6%
	Grade 11	1.5%	3.3%	5.5%	94.5%
	Grade 12	3.9%	5.2%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.8%	4.2%	95.8%
Grade 7	0.9%	1.2%	2.0%	98.0%
Grade 8	1.3%	1.6%	3.7%	96.3%
Grade 9	1.2%	3.1%	4.9%	95.1%
Grade 10	0.6%	2.4%	7.0%	93.0%
Grade 11	0.7%	1.5%	4.4%	95.6%
Grade 12	0.9%	1.3%	3.5%	96.5%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.8%	14.3%	24.8%	75.2%
Grade 7	1.5%	2.4%	7.9%	92.1%
Grade 8	3.3%	5.0%	12.4%	87.6%
Grade 9	8.9%	12.0%	24.3%	75.7%
Grade 10	16.1%	23.4%	38.1%	61.9%
Grade 11	13.5%	15.8%	35.3%	64.7%
Grade 12	32.0%	39.0%	48.0%	52.0%
Any Alcohol Product				
All	24.1%	31.1%	51.2%	48.8%
Grade 7	13.8%	16.0%	34.9%	65.1%
Grade 8	17.7%	20.2%	40.4%	59.6%
Grade 9	20.8%	31.4%	57.0%	43.0%
Grade 10	26.7%	38.5%	59.5%	40.5%
Grade 11	31.9%	43.6%	66.3%	33.7%
Grade 12	45.5%	53.3%	65.3%	34.7%
Any Illicit Drug				
All	8.3%	11.3%	16.4%	83.6%
Grade 7	1.7%	3.5%	4.4%	95.6%
Grade 8	3.7%	6.5%	9.2%	90.8%
Grade 9	5.4%	5.8%	8.9%	91.1%
Grade 10	12.2%	18.9%	27.7%	72.3%
Grade 11	9.9%	11.7%	16.4%	83.6%
Grade 12	23.8%	28.8%	43.1%	56.9%
Any Prescription Drug				
All	5.7%	7.6%	15.0%	85.0%
Grade 7	3.9%	6.2%	11.9%	88.1%
Grade 8	5.4%	8.1%	13.8%	86.2%
Grade 9	6.5%	8.0%	14.7%	85.3%
Grade 10	2.8%	3.9%	14.2%	85.8%
Grade 11	9.0%	9.7%	16.8%	83.2%
Grade 12	8.6%	10.9%	21.3%	78.7%
Any Inhalant				
All	3.3%	5.1%	12.1%	87.9%
Grade 7	5.7%	7.5%	13.1%	86.9%
Grade 8	5.6%	7.8%	15.2%	84.8%
Grade 9	2.2%	4.4%	15.6%	84.4%
Grade 10	1.5%	4.4%	9.3%	90.7%
Grade 11	0.7%	0.7%	6.9%	93.1%
Grade 12	1.4%	2.7%	8.7%	91.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 65 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.4%	13.2%	22.9%	77.1%
Grade 7	1.5%	2.4%	6.6%	93.4%
Grade 8	2.5%	4.1%	10.9%	89.1%
Grade 9	6.6%	10.8%	22.0%	78.0%
Grade 10	13.1%	21.1%	35.7%	64.3%
Grade 11	13.5%	15.1%	33.9%	66.1%
Grade 12	28.6%	37.0%	45.1%	54.9%
Marijuana				
All	8.2%	10.2%	15.1%	84.9%
Grade 7	1.5%	2.3%	2.5%	97.5%
Grade 8	3.4%	4.2%	6.9%	93.1%
Grade 9	5.4%	5.4%	8.5%	91.5%
Grade 10	12.2%	17.6%	26.5%	73.5%
Grade 11	9.9%	10.6%	15.3%	84.7%
Grade 12	23.9%	28.9%	43.3%	56.7%
Marijuana Only				
All	4.4%	6.1%	10.2%	89.8%
Grade 7	0.3%	0.9%	0.9%	99.1%
Grade 8	1.7%	2.5%	4.9%	95.1%
Grade 9	3.4%	3.4%	6.1%	93.9%
Grade 10	7.4%	11.9%	18.8%	81.2%
Grade 11	4.8%	5.5%	10.2%	89.8%
Grade 12	12.7%	17.1%	28.7%	71.3%
Cocaine or Crack				
All	0.6%	0.9%	1.1%	98.9%
Grade 7	0.4%	1.0%	1.7%	98.3%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.7%	1.7%	98.3%
Grade 12	1.4%	1.4%	1.8%	98.2%
Cocaine				
All	0.5%	0.9%	1.0%	99.0%
Grade 7	0.1%	1.0%	1.2%	98.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	1.7%	1.7%	98.3%
Grade 12	1.4%	1.4%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.3%	1.8%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	1.0%	1.4%	1.4%	98.6%
Grade 10	1.5%	1.5%	2.1%	97.9%
Grade 11	0.7%	3.1%	4.8%	95.2%
Grade 12	5.8%	7.3%	8.7%	91.3%
Synthetic Cathinones				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.0%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.8%	1.1%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	1.0%	2.4%	97.6%
Ecstasy				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	1.0%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	1.1%	1.1%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.8%	1.1%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.7%	1.0%	1.6%	98.4%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	2.2%	3.3%	6.1%	93.9%
Grade 11	0.4%	1.1%	1.1%	98.9%
Grade 12	0.4%	0.8%	2.9%	97.1%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.4%	19.2%	33.0%	67.0%
Grade 7	5.9%	7.7%	14.3%	85.7%
Grade 8	10.4%	12.4%	24.9%	75.1%
Grade 9	19.4%	22.5%	35.9%	64.1%
Grade 10	17.1%	23.7%	39.1%	60.9%
Grade 11	17.6%	22.6%	41.8%	58.2%
Grade 12	28.9%	35.2%	54.5%	45.5%
Any Alcohol Product				
All	28.8%	34.4%	55.0%	45.0%
Grade 7	18.1%	20.7%	38.9%	61.1%
Grade 8	23.1%	26.1%	46.5%	53.5%
Grade 9	30.2%	36.3%	60.6%	39.4%
Grade 10	31.6%	38.2%	60.8%	39.2%
Grade 11	30.6%	38.3%	62.1%	37.9%
Grade 12	48.4%	58.2%	72.4%	27.6%
Any Illicit Drug				
All	16.1%	21.7%	27.8%	72.2%
Grade 7	6.7%	8.6%	10.0%	90.0%
Grade 8	9.6%	12.4%	18.5%	81.5%
Grade 9	18.8%	27.2%	30.1%	69.9%
Grade 10	14.5%	20.6%	29.7%	70.3%
Grade 11	20.2%	28.2%	36.2%	63.8%
Grade 12	34.7%	43.4%	55.8%	44.2%
Any Prescription Drug				
All	5.9%	9.1%	18.5%	81.5%
Grade 7	4.0%	7.1%	12.7%	87.3%
Grade 8	6.1%	8.6%	17.0%	83.0%
Grade 9	8.1%	11.0%	20.7%	79.3%
Grade 10	7.4%	11.6%	19.2%	80.8%
Grade 11	5.4%	7.8%	19.9%	80.1%
Grade 12	5.3%	10.2%	24.6%	75.4%
Any Inhalant				
All	5.0%	7.6%	15.0%	85.0%
Grade 7	6.8%	9.1%	18.0%	82.0%
Grade 8	8.4%	10.6%	20.0%	80.0%
Grade 9	4.8%	9.3%	14.8%	85.2%
Grade 10	3.2%	8.8%	14.7%	85.3%
Grade 11	1.6%	2.6%	11.3%	88.7%
Grade 12	2.9%	3.9%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 69 of 127

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.9%	16.1%	29.7%	70.3%
Grade 7	3.5%	5.7%	11.9%	88.1%
Grade 8	7.3%	9.7%	21.0%	79.0%
Grade 9	13.2%	18.5%	32.8%	67.2%
Grade 10	13.6%	20.4%	36.0%	64.0%
Grade 11	14.8%	19.9%	38.7%	61.3%
Grade 12	25.1%	30.7%	50.2%	49.8%
Marijuana				
All	15.7%	19.1%	25.7%	74.3%
Grade 7	5.9%	6.9%	8.5%	91.5%
Grade 8	8.9%	10.5%	16.2%	83.8%
Grade 9	18.6%	22.4%	26.6%	73.4%
Grade 10	14.5%	17.9%	26.6%	73.4%
Grade 11	20.3%	26.5%	35.9%	64.1%
Grade 12	34.2%	40.3%	53.0%	47.0%
Marijuana Only				
All	9.0%	11.5%	17.1%	82.9%
Grade 7	3.4%	4.0%	5.3%	94.7%
Grade 8	5.0%	6.1%	11.0%	89.0%
Grade 9	9.6%	12.6%	15.7%	84.3%
Grade 10	8.5%	11.3%	18.1%	81.9%
Grade 11	11.7%	16.1%	24.3%	75.7%
Grade 12	20.9%	25.4%	37.1%	62.9%
Cocaine or Crack				
All	1.5%	1.7%	2.3%	97.7%
Grade 7	1.3%	1.3%	1.6%	98.4%
Grade 8	1.2%	1.2%	1.3%	98.7%
Grade 9	2.2%	2.2%	2.8%	97.2%
Grade 10	0.6%	1.8%	2.5%	97.5%
Grade 11	1.5%	1.5%	2.9%	97.1%
Grade 12	2.2%	3.0%	3.8%	96.2%
Cocaine				
All	1.2%	1.4%	1.9%	98.1%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.8%	0.9%	0.9%	99.1%
Grade 9	2.2%	2.2%	2.8%	97.2%
Grade 10	0.6%	1.2%	1.9%	98.1%
Grade 11	1.5%	1.5%	2.3%	97.7%
Grade 12	1.6%	2.4%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 70 of 127

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.2%	98.8%
Grade 7	1.0%	1.0%	1.3%	98.7%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	1.3%	1.3%	1.9%	98.1%
Grade 10	0.0%	1.2%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	1.0%	1.0%	1.3%	98.7%
Hallucinogens				
All	1.6%	2.3%	4.5%	95.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	1.7%	2.4%	5.4%	94.6%
Grade 10	1.3%	2.6%	5.7%	94.3%
Grade 11	3.1%	3.1%	6.4%	93.6%
Grade 12	3.2%	6.6%	11.1%	88.9%
Synthetic Cathinones				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	1.4%	98.6%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.8%	99.2%
Steroids				
All	0.1%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.2%	1.2%	98.8%
Grade 8	0.2%	0.6%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	1.2%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.1%	98.9%
Ecstasy				
All	1.0%	1.7%	2.8%	97.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.6%	1.1%	1.4%	98.6%
Grade 10	1.3%	2.0%	4.0%	96.0%
Grade 11	1.3%	3.0%	5.7%	94.3%
Grade 12	3.3%	4.3%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.1%	1.8%	3.5%	96.5%
Grade 7	1.2%	1.4%	2.0%	98.0%
Grade 8	1.0%	1.7%	3.6%	96.4%
Grade 9	1.2%	2.4%	4.6%	95.4%
Grade 10	0.7%	2.0%	4.8%	95.2%
Grade 11	0.8%	1.4%	2.8%	97.2%
Grade 12	1.6%	2.4%	4.2%	95.8%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	1.2%	1.2%	2.5%	97.5%
Grade 10	0.9%	0.9%	1.6%	98.4%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.4%	16.8%	28.4%	71.6%
Grade 7	2.6%	4.3%	9.6%	90.4%
Grade 8	6.5%	8.0%	17.8%	82.2%
Grade 9	12.0%	14.6%	25.6%	74.4%
Grade 10	18.9%	23.5%	38.9%	61.1%
Grade 11	16.1%	20.1%	35.3%	64.7%
Grade 12	30.8%	38.2%	54.1%	45.9%
Any Alcohol Product				
All	26.1%	32.8%	52.8%	47.2%
Grade 7	17.9%	19.9%	36.1%	63.9%
Grade 8	20.0%	22.8%	40.8%	59.2%
Grade 9	21.5%	29.3%	53.4%	46.6%
Grade 10	28.2%	38.6%	60.7%	39.3%
Grade 11	29.8%	39.6%	65.5%	34.5%
Grade 12	46.0%	55.6%	69.7%	30.3%
Any Illicit Drug				
All	12.2%	16.7%	21.7%	78.3%
Grade 7	4.3%	5.5%	6.6%	93.4%
Grade 8	5.4%	7.3%	11.0%	89.0%
Grade 9	10.9%	15.5%	18.2%	81.8%
Grade 10	15.6%	20.8%	28.8%	71.2%
Grade 11	11.4%	19.5%	25.4%	74.6%
Grade 12	31.8%	39.4%	50.4%	49.6%
Any Prescription Drug				
All	6.0%	9.1%	16.8%	83.2%
Grade 7	3.0%	6.3%	11.4%	88.6%
Grade 8	5.6%	8.4%	15.0%	85.0%
Grade 9	6.8%	9.6%	18.7%	81.3%
Grade 10	6.0%	9.9%	17.1%	82.9%
Grade 11	5.8%	8.6%	16.0%	84.0%
Grade 12	9.8%	12.6%	25.0%	75.0%
Any Inhalant				
All	5.0%	6.7%	13.5%	86.5%
Grade 7	6.1%	7.8%	15.2%	84.8%
Grade 8	6.6%	8.4%	16.6%	83.4%
Grade 9	3.7%	6.3%	12.5%	87.5%
Grade 10	6.2%	8.0%	14.9%	85.1%
Grade 11	1.9%	2.9%	10.5%	89.5%
Grade 12	4.7%	5.8%	10.2%	89.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 73 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.0%	15.0%	26.0%	74.0%
Grade 7	1.8%	3.7%	7.8%	92.2%
Grade 8	4.3%	6.2%	14.1%	85.9%
Grade 9	8.7%	12.8%	24.0%	76.0%
Grade 10	16.0%	21.7%	35.8%	64.2%
Grade 11	13.7%	18.4%	33.9%	66.1%
Grade 12	27.6%	35.0%	51.2%	48.8%
Marijuana				
All	11.9%	14.6%	19.6%	80.4%
Grade 7	3.7%	4.1%	4.7%	95.3%
Grade 8	5.0%	5.7%	8.9%	91.1%
Grade 9	10.7%	12.2%	15.6%	84.4%
Grade 10	15.6%	19.9%	27.4%	72.6%
Grade 11	11.4%	16.8%	24.0%	76.0%
Grade 12	31.4%	36.6%	47.5%	52.5%
Marijuana Only				
All	6.6%	8.6%	13.1%	86.9%
Grade 7	1.9%	2.0%	2.4%	97.6%
Grade 8	2.2%	2.7%	5.5%	94.5%
Grade 9	5.2%	6.0%	9.1%	90.9%
Grade 10	9.1%	13.2%	20.0%	80.0%
Grade 11	7.0%	10.6%	17.3%	82.7%
Grade 12	18.4%	22.5%	32.3%	67.7%
Cocaine or Crack				
All	1.0%	1.3%	1.9%	98.1%
Grade 7	0.7%	1.0%	1.4%	98.6%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	1.3%	1.3%	1.9%	98.1%
Grade 10	0.4%	1.4%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	2.7%	3.2%	5.0%	95.0%
Cocaine				
All	0.9%	1.2%	1.8%	98.2%
Grade 7	0.5%	0.9%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	1.3%	1.3%	1.9%	98.1%
Grade 10	0.4%	1.4%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.4%	98.6%
Grade 12	2.2%	2.7%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.6%	0.8%	99.2%
	Grade 7	0.7%	0.7%	0.9%	99.1%
	Grade 8	0.6%	0.6%	0.6%	99.4%
	Grade 9	0.5%	0.5%	1.0%	99.0%
	Grade 10	0.0%	0.4%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	1.1%	1.1%	1.4%	98.6%
	Hallucinogens	All	1.2%	1.7%	3.4%
Grade 7		0.3%	0.3%	0.3%	99.7%
Grade 8		0.4%	0.4%	0.7%	99.3%
Grade 9		0.8%	1.3%	2.6%	97.4%
Grade 10		1.4%	2.1%	5.2%	94.8%
Grade 11		0.8%	0.8%	3.4%	96.6%
Grade 12		4.0%	6.7%	10.2%	89.8%
Synthetic Cathinones		All	0.1%	0.2%	0.5%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.3%	0.8%	99.2%
	Steroids	All	0.2%	0.4%	1.5%
Grade 7		0.3%	0.4%	1.1%	98.9%
Grade 8		0.3%	0.4%	1.3%	98.7%
Grade 9		0.0%	0.0%	1.2%	98.8%
Grade 10		0.0%	1.1%	1.7%	98.3%
Grade 11		0.0%	0.0%	1.9%	98.1%
Grade 12		0.3%	0.6%	1.7%	98.3%
Ecstasy		All	0.7%	1.0%	1.9%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.3%	0.5%	0.5%	99.5%
	Grade 9	0.2%	0.5%	0.7%	99.3%
	Grade 10	0.4%	0.4%	2.7%	97.3%
	Grade 11	0.6%	1.2%	2.2%	97.8%
	Grade 12	3.6%	4.2%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	1.0%	1.7%	3.2%	96.8%
Grade 7	0.6%	0.8%	1.5%	98.5%
Grade 8	1.0%	1.3%	2.8%	97.2%
Grade 9	0.8%	1.8%	3.5%	96.5%
Grade 10	1.0%	2.6%	4.6%	95.4%
Grade 11	1.8%	1.8%	3.2%	96.8%
Grade 12	1.0%	2.2%	4.1%	95.9%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.8%	1.0%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.7%	24.6%	39.7%	60.3%
Grade 7	5.9%	6.9%	14.9%	85.1%
Grade 8	11.1%	14.0%	27.1%	72.9%
Grade 9	27.0%	30.9%	46.7%	53.3%
Grade 10	22.5%	32.9%	47.5%	52.5%
Grade 11	22.3%	27.7%	49.4%	50.6%
Grade 12	33.2%	39.8%	58.1%	41.9%
Any Alcohol Product				
All	32.7%	38.6%	60.1%	39.9%
Grade 7	13.7%	16.7%	37.9%	62.1%
Grade 8	23.1%	26.4%	49.3%	50.7%
Grade 9	38.9%	44.5%	69.7%	30.3%
Grade 10	37.2%	44.4%	67.4%	32.6%
Grade 11	35.1%	43.9%	65.3%	34.7%
Grade 12	52.8%	61.2%	76.1%	23.9%
Any Illicit Drug				
All	19.6%	24.7%	33.0%	67.0%
Grade 7	5.4%	8.0%	9.5%	90.5%
Grade 8	12.0%	16.0%	22.8%	77.2%
Grade 9	20.6%	25.4%	29.4%	70.6%
Grade 10	20.0%	27.4%	40.1%	59.9%
Grade 11	28.8%	33.3%	42.4%	57.6%
Grade 12	33.6%	41.7%	58.1%	41.9%
Any Prescription Drug				
All	6.6%	10.0%	20.7%	79.3%
Grade 7	5.2%	7.2%	13.6%	86.4%
Grade 8	6.1%	9.0%	18.1%	81.9%
Grade 9	9.4%	12.0%	20.0%	80.0%
Grade 10	6.5%	12.4%	22.3%	77.7%
Grade 11	7.1%	9.0%	23.8%	76.2%
Grade 12	5.5%	11.1%	27.5%	72.5%
Any Inhalant				
All	4.1%	6.8%	14.1%	85.9%
Grade 7	5.6%	7.9%	15.5%	84.5%
Grade 8	8.8%	11.8%	21.4%	78.6%
Grade 9	3.2%	6.1%	12.5%	87.5%
Grade 10	2.6%	9.2%	15.7%	84.3%
Grade 11	1.9%	1.9%	9.5%	90.5%
Grade 12	1.7%	3.5%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.6%	21.0%	36.2%	63.8%
Grade 7	3.7%	4.6%	12.5%	87.5%
Grade 8	8.0%	10.7%	24.2%	75.8%
Grade 9	20.8%	25.4%	43.0%	57.0%
Grade 10	17.5%	28.6%	43.6%	56.4%
Grade 11	18.4%	24.6%	46.4%	53.6%
Grade 12	28.1%	35.5%	52.2%	47.8%
Marijuana				
All	19.1%	22.9%	31.5%	68.5%
Grade 7	4.8%	6.3%	8.0%	92.0%
Grade 8	11.1%	13.1%	20.0%	80.0%
Grade 9	20.3%	24.8%	29.1%	70.9%
Grade 10	20.0%	24.0%	37.0%	63.0%
Grade 11	28.2%	32.0%	42.2%	57.8%
Grade 12	32.9%	40.4%	57.2%	42.8%
Marijuana Only				
All	10.6%	13.6%	20.9%	79.1%
Grade 7	3.0%	4.1%	5.7%	94.3%
Grade 8	6.7%	8.3%	14.5%	85.5%
Grade 9	11.1%	15.2%	18.7%	81.3%
Grade 10	11.6%	14.3%	23.7%	76.3%
Grade 11	13.9%	17.2%	26.3%	73.7%
Grade 12	19.0%	25.0%	39.6%	60.4%
Cocaine or Crack				
All	1.4%	1.8%	2.8%	97.2%
Grade 7	1.1%	1.1%	1.7%	98.3%
Grade 8	1.4%	1.4%	1.5%	98.5%
Grade 9	1.7%	1.7%	2.0%	98.0%
Grade 10	1.3%	1.9%	4.9%	95.1%
Grade 11	1.0%	1.7%	2.9%	97.1%
Grade 12	2.2%	2.9%	4.3%	95.7%
Cocaine				
All	1.2%	1.4%	2.3%	97.7%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	1.7%	1.7%	2.0%	98.0%
Grade 10	0.4%	0.4%	3.3%	96.7%
Grade 11	1.0%	1.7%	2.1%	97.9%
Grade 12	2.2%	2.9%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 78 of 127

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.5%	0.9%	99.1%
	Grade 7	0.5%	0.5%	1.1%	98.9%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.9%	0.9%	0.9%	99.1%
	Grade 10	0.9%	1.5%	1.9%	98.1%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
	Hallucinogens	All	2.3%	3.2%	5.6%
Grade 7		0.0%	0.0%	0.8%	99.2%
Grade 8		0.4%	0.4%	1.5%	98.5%
Grade 9		2.7%	3.6%	5.4%	94.6%
Grade 10		3.2%	3.5%	6.4%	93.6%
Grade 11		4.1%	4.9%	8.3%	91.7%
Grade 12		4.2%	7.8%	12.7%	87.3%
Synthetic Cathinones		All	0.2%	0.3%	0.8%
	Grade 7	0.1%	0.1%	0.4%	99.6%
	Grade 8	0.2%	0.2%	1.8%	98.2%
	Grade 9	0.3%	0.8%	1.3%	98.7%
	Grade 10	0.4%	0.4%	0.8%	99.2%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.0%	0.3%	0.5%	99.5%
	Steroids	All	0.3%	0.5%	1.4%
Grade 7		0.5%	0.5%	1.5%	98.5%
Grade 8		0.6%	1.1%	1.8%	98.2%
Grade 9		0.0%	0.0%	0.0%	100.0%
Grade 10		0.9%	0.9%	2.2%	97.8%
Grade 11		0.0%	0.0%	0.5%	99.5%
Grade 12		0.0%	0.6%	2.6%	97.4%
Ecstasy		All	1.3%	1.9%	3.9%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.3%	0.3%	1.8%	98.2%
	Grade 9	2.1%	2.4%	2.4%	97.6%
	Grade 10	2.3%	3.0%	6.5%	93.5%
	Grade 11	1.3%	3.2%	6.6%	93.4%
	Grade 12	1.7%	2.8%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.9%	0.9%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	1.5%	2.3%	4.2%	95.8%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.3%	2.2%	3.6%	96.4%
Grade 9	2.6%	3.5%	4.7%	95.3%
Grade 10	2.5%	4.0%	8.1%	91.9%
Grade 11	0.5%	1.2%	4.0%	96.0%
Grade 12	1.6%	2.5%	4.6%	95.4%
Methamphetamine				
All	0.6%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.2%	1.0%	99.0%
Grade 9	1.3%	1.3%	2.1%	97.9%
Grade 10	2.3%	2.3%	3.4%	96.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.5%	18.3%	31.1%	68.9%
Grade 7	3.0%	3.9%	9.8%	90.2%
Grade 8	7.1%	8.7%	18.5%	81.5%
Grade 9	15.1%	18.0%	30.2%	69.8%
Grade 10	17.1%	24.3%	39.0%	61.0%
Grade 11	18.3%	22.7%	41.9%	58.1%
Grade 12	32.1%	40.2%	57.1%	42.9%
Any Alcohol Product				
All	26.8%	32.9%	54.5%	45.5%
Grade 7	15.0%	17.4%	36.1%	63.9%
Grade 8	18.7%	21.6%	42.0%	58.0%
Grade 9	24.1%	31.6%	57.0%	43.0%
Grade 10	28.2%	36.7%	60.7%	39.3%
Grade 11	30.9%	39.0%	64.1%	35.9%
Grade 12	50.6%	59.7%	75.6%	24.4%
Any Illicit Drug				
All	13.6%	17.9%	24.3%	75.7%
Grade 7	3.0%	4.2%	5.5%	94.5%
Grade 8	6.5%	9.0%	13.2%	86.8%
Grade 9	12.1%	15.8%	19.0%	81.0%
Grade 10	13.9%	20.6%	31.2%	68.8%
Grade 11	18.9%	24.9%	32.4%	67.6%
Grade 12	33.1%	40.2%	54.9%	45.1%
Any Prescription Drug				
All	6.1%	9.1%	17.6%	82.4%
Grade 7	3.9%	6.5%	12.3%	87.7%
Grade 8	5.8%	8.5%	15.1%	84.9%
Grade 9	6.8%	9.8%	17.7%	82.3%
Grade 10	6.4%	10.1%	18.0%	82.0%
Grade 11	5.8%	7.8%	18.6%	81.4%
Grade 12	8.4%	13.1%	26.5%	73.5%
Any Inhalant				
All	3.9%	5.8%	12.7%	87.3%
Grade 7	4.7%	6.4%	13.7%	86.3%
Grade 8	6.4%	8.3%	17.4%	82.6%
Grade 9	2.1%	5.5%	12.2%	87.8%
Grade 10	4.5%	7.3%	12.1%	87.9%
Grade 11	2.4%	2.4%	10.3%	89.7%
Grade 12	2.5%	4.1%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.8%	16.3%	28.3%	71.7%
Grade 7	2.1%	3.3%	7.8%	92.2%
Grade 8	4.8%	6.8%	15.3%	84.7%
Grade 9	11.9%	16.1%	28.2%	71.8%
Grade 10	13.9%	21.7%	35.7%	64.3%
Grade 11	15.0%	20.0%	39.4%	60.6%
Grade 12	28.0%	36.8%	52.9%	47.1%
Marijuana				
All	13.2%	16.1%	22.7%	77.3%
Grade 7	2.3%	3.0%	4.2%	95.8%
Grade 8	5.9%	7.0%	10.9%	89.1%
Grade 9	12.0%	13.6%	17.5%	82.5%
Grade 10	13.9%	19.0%	29.4%	70.6%
Grade 11	18.5%	22.7%	31.4%	68.6%
Grade 12	32.8%	38.4%	53.2%	46.8%
Marijuana Only				
All	7.6%	9.9%	15.8%	84.2%
Grade 7	1.4%	2.0%	3.0%	97.0%
Grade 8	3.3%	4.3%	7.8%	92.2%
Grade 9	6.4%	7.9%	11.1%	88.9%
Grade 10	8.9%	13.1%	22.1%	77.9%
Grade 11	9.4%	12.6%	20.7%	79.3%
Grade 12	19.8%	24.1%	37.6%	62.4%
Cocaine or Crack				
All	0.9%	1.2%	1.7%	98.3%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.7%	0.7%	0.8%	99.2%
Grade 9	1.2%	1.2%	1.7%	98.3%
Grade 10	0.2%	0.6%	1.9%	98.1%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	2.4%	3.1%	4.1%	95.9%
Cocaine				
All	0.8%	1.1%	1.6%	98.4%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	1.2%	1.2%	1.7%	98.3%
Grade 10	0.2%	0.6%	1.9%	98.1%
Grade 11	0.8%	1.2%	1.6%	98.4%
Grade 12	2.2%	2.9%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.4%	0.4%	0.5%	99.5%
	Grade 8	0.5%	0.5%	0.7%	99.3%
	Grade 9	0.8%	0.8%	0.9%	99.1%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.4%	99.6%
	Grade 12	0.2%	0.2%	0.5%	99.5%
	Hallucinogens	All	1.5%	2.1%	3.6%
Grade 7		0.1%	0.1%	0.4%	99.6%
Grade 8		0.4%	0.4%	0.8%	99.2%
Grade 9		1.5%	2.1%	3.0%	97.0%
Grade 10		1.1%	1.9%	3.7%	96.3%
Grade 11		2.5%	3.1%	5.1%	94.9%
Grade 12		3.9%	6.5%	10.7%	89.3%
Synthetic Cathinones		All	0.1%	0.2%	0.5%
	Grade 7	0.2%	0.2%	0.3%	99.7%
	Grade 8	0.1%	0.1%	0.8%	99.2%
	Grade 9	0.1%	0.3%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.2%	0.2%	0.3%	99.7%
	Grade 12	0.0%	0.1%	0.7%	99.3%
	Steroids	All	0.1%	0.3%	1.3%
Grade 7		0.1%	0.2%	1.0%	99.0%
Grade 8		0.5%	0.8%	1.5%	98.5%
Grade 9		0.0%	0.0%	0.5%	99.5%
Grade 10		0.0%	0.5%	1.2%	98.8%
Grade 11		0.0%	0.0%	1.6%	98.4%
Grade 12		0.2%	0.2%	2.1%	97.9%
Ecstasy		All	0.9%	1.3%	2.4%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	1.0%	1.3%	1.3%	98.7%
	Grade 10	0.8%	1.0%	2.4%	97.6%
	Grade 11	1.0%	2.3%	4.6%	95.4%
	Grade 12	2.7%	3.6%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.0%	1.6%	3.0%	97.0%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	1.1%	1.4%	2.7%	97.3%
Grade 9	1.5%	2.0%	3.3%	96.7%
Grade 10	1.2%	2.4%	4.5%	95.5%
Grade 11	0.8%	1.4%	3.6%	96.4%
Grade 12	1.2%	2.1%	4.0%	96.0%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.5%	0.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	25.4%	30.7%	43.2%	56.8%
Grade 7	8.5%	13.2%	19.6%	80.4%
Grade 8	12.8%	18.9%	30.6%	69.4%
Grade 9	28.8%	32.8%	43.5%	56.5%
Grade 10	35.1%	41.2%	58.3%	41.7%
Grade 11	33.0%	38.4%	49.4%	50.6%
Grade 12	33.0%	39.0%	55.7%	44.3%
Any Alcohol Product				
All	40.0%	47.9%	61.9%	38.1%
Grade 7	21.0%	22.8%	37.4%	62.6%
Grade 8	36.4%	39.6%	54.2%	45.8%
Grade 9	40.6%	47.4%	65.4%	34.6%
Grade 10	47.7%	62.0%	75.6%	24.4%
Grade 11	44.6%	57.7%	69.7%	30.3%
Grade 12	49.2%	57.7%	67.0%	33.0%
Any Illicit Drug				
All	23.5%	32.3%	36.3%	63.7%
Grade 7	11.8%	17.4%	17.4%	82.6%
Grade 8	15.4%	19.5%	22.7%	77.3%
Grade 9	25.6%	36.0%	37.8%	62.2%
Grade 10	30.8%	35.7%	41.8%	58.2%
Grade 11	24.7%	42.1%	45.0%	55.0%
Grade 12	30.9%	43.9%	53.9%	46.1%
Any Prescription Drug				
All	7.4%	11.7%	23.9%	76.1%
Grade 7	4.2%	7.9%	13.7%	86.3%
Grade 8	5.6%	9.9%	23.5%	76.5%
Grade 9	10.5%	12.1%	26.1%	73.9%
Grade 10	6.8%	17.0%	27.5%	72.5%
Grade 11	13.2%	17.4%	28.2%	71.8%
Grade 12	5.1%	5.8%	24.0%	76.0%
Any Inhalant				
All	7.1%	11.1%	18.1%	81.9%
Grade 7	10.8%	14.1%	18.6%	81.4%
Grade 8	12.9%	18.9%	26.4%	73.6%
Grade 9	6.9%	8.7%	12.6%	87.4%
Grade 10	5.1%	12.5%	25.7%	74.3%
Grade 11	0.0%	4.1%	12.7%	87.3%
Grade 12	5.3%	6.5%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	20.9%	26.4%	40.3%	59.7%
Grade 7	5.9%	10.1%	16.6%	83.4%
Grade 8	10.5%	16.0%	28.2%	71.8%
Grade 9	18.9%	24.3%	39.7%	60.3%
Grade 10	30.0%	37.9%	55.6%	44.4%
Grade 11	31.8%	37.2%	49.0%	51.0%
Grade 12	29.7%	34.0%	51.8%	48.2%
Marijuana				
All	22.8%	28.3%	32.5%	67.5%
Grade 7	10.6%	13.2%	13.2%	86.8%
Grade 8	14.4%	16.4%	19.7%	80.3%
Grade 9	25.0%	31.9%	33.6%	66.4%
Grade 10	30.8%	32.6%	37.8%	62.2%
Grade 11	24.7%	37.4%	43.6%	56.4%
Grade 12	29.1%	39.1%	49.1%	50.9%
Marijuana Only				
All	12.0%	16.0%	19.6%	80.4%
Grade 7	6.2%	6.7%	6.7%	93.3%
Grade 8	8.9%	9.8%	13.0%	87.0%
Grade 9	13.4%	17.9%	19.7%	80.3%
Grade 10	14.4%	16.1%	21.3%	78.7%
Grade 11	17.7%	27.1%	33.3%	66.7%
Grade 12	12.3%	21.1%	27.4%	72.6%
Cocaine or Crack				
All	2.7%	3.1%	5.0%	95.0%
Grade 7	3.8%	3.8%	4.5%	95.5%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	2.5%	2.5%	3.1%	96.9%
Grade 10	3.4%	4.9%	8.1%	91.9%
Grade 11	2.1%	2.1%	3.5%	96.5%
Grade 12	3.8%	3.8%	9.2%	90.8%
Cocaine				
All	2.0%	2.1%	4.0%	96.0%
Grade 7	2.6%	2.6%	3.2%	96.8%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	2.5%	2.5%	3.1%	96.9%
Grade 10	1.5%	1.5%	4.7%	95.3%
Grade 11	2.1%	2.1%	3.5%	96.5%
Grade 12	3.1%	3.1%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 86 of 127

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.4%	2.0%	2.4%	97.6%
Grade 7	2.4%	2.4%	3.0%	97.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.9%	4.9%	4.9%	95.1%
Grade 11	1.4%	1.4%	1.4%	98.6%
Grade 12	2.8%	2.8%	2.8%	97.2%
Hallucinogens				
All	2.7%	3.9%	8.4%	91.6%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.4%	0.4%	2.2%	97.8%
Grade 9	1.3%	2.2%	6.5%	93.5%
Grade 10	6.9%	6.9%	13.9%	86.1%
Grade 11	1.4%	1.4%	9.0%	91.0%
Grade 12	4.2%	10.7%	17.3%	82.7%
Synthetic Cathinones				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.9%	1.0%	1.0%	99.0%
Grade 8	0.7%	0.7%	1.8%	98.2%
Grade 9	0.6%	0.6%	2.4%	97.6%
Grade 10	0.9%	0.9%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.0%	1.0%	99.0%
Steroids				
All	0.5%	1.5%	2.5%	97.5%
Grade 7	0.8%	2.0%	3.5%	96.5%
Grade 8	0.0%	0.3%	1.4%	98.6%
Grade 9	0.0%	0.0%	2.4%	97.6%
Grade 10	1.9%	3.4%	3.4%	96.6%
Grade 11	0.0%	0.0%	1.4%	98.6%
Grade 12	0.0%	2.6%	2.6%	97.4%
Ecstasy				
All	1.6%	2.0%	4.8%	95.2%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.4%	3.3%	96.7%
Grade 9	0.0%	0.6%	1.5%	98.5%
Grade 10	3.2%	4.1%	11.1%	88.9%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	4.1%	5.1%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 87 of 127

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.7%	0.7%	1.7%	98.3%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	1.8%	98.2%
Grade 10	1.9%	1.9%	4.9%	95.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.0%	99.0%
Synthetic Marijuana				
All	2.1%	4.2%	6.0%	94.0%
Grade 7	3.3%	3.3%	4.8%	95.2%
Grade 8	1.3%	3.2%	4.2%	95.8%
Grade 9	0.9%	4.4%	7.7%	92.3%
Grade 10	3.6%	7.5%	8.3%	91.7%
Grade 11	2.1%	2.1%	3.5%	96.5%
Grade 12	1.1%	3.3%	5.6%	94.4%
Methamphetamine				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.0%	0.0%	1.9%	98.1%
Grade 8	0.4%	1.1%	2.1%	97.9%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	4.2%	4.2%	4.2%	95.8%
Grade 11	0.0%	1.4%	1.4%	98.6%
Grade 12	0.0%	1.0%	3.3%	96.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	402,671	49.9%
Female	404,736	50.1%
Frequency Missing	8,390	

Hispanic or Latino

Q5a	Frequency	Percent
No	423,290	53.1%
Yes	373,550	46.9%
Frequency Missing	18,957	

Grade

Q2	Frequency	Percent
Grade 7	153,688	19.0%
Grade 8	148,564	18.4%
Grade 9	141,658	17.5%
Grade 10	125,253	15.5%
Grade 11	124,732	15.4%
Grade 12	113,729	14.1%
Frequency Missing	8,172	

Ethnicity

Q5b	Frequency	Percent
American Indian	22,677	3.1%
Asian American	19,224	2.6%
African American	137,505	18.8%
Pacific Islander	5,951	0.8%
White	289,750	39.6%
Other	125,198	17.1%
More Than One Race	130,774	17.9%
Frequency Missing	84,717	

Live with Both Parents

Q3	Frequency	Percent
No	311,403	38.9%
Yes	488,408	61.1%
Frequency Missing	15,987	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	2,762	0.4%
Mostly D's	7,729	1.2%
Mostly C's	87,193	13.3%
Mostly B's	333,291	50.9%
Mostly A's	223,387	34.1%
Frequency Missing	161,435	

Age

Q4	Frequency	Percent
11 or younger	1,652	0.2%
12	78,446	9.7%
13	144,226	17.9%
14	142,477	17.7%
15	128,609	15.9%
16	125,510	15.6%
17	119,999	14.9%
18	62,299	7.7%
19 or older	3,898	0.5%
Frequency Missing	8,681	

Do You Have a Job

Q7	Frequency	Percent
No	538,368	80.8%
Yes	127,985	19.2%
Frequency Missing	149,444	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	243,319	36.7%
Yes	222,109	33.5%
Don't Know	197,505	29.8%
Frequency Missing	152,864	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	513,252	93.3%
Yes	36,853	6.7%
Frequency Missing	265,692	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	305,197	49.0%
Yes	317,356	51.0%
Frequency Missing	193,244	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	421,932	74.3%
Yes	146,189	25.7%
Frequency Missing	247,677	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	452,217	78.3%
Yes	125,246	21.7%
Frequency Missing	238,334	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	425,966	76.0%
Yes	134,806	24.0%
Frequency Missing	255,025	

Participate in School Choir

Q9c	Frequency	Percent
No	505,511	90.8%
Yes	51,045	9.2%
Frequency Missing	259,241	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	395,063	68.8%
Yes	179,117	31.2%
Frequency Missing	241,617	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	517,665	93.8%
Yes	34,376	6.2%
Frequency Missing	263,755	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	450,623	79.7%
Yes	114,495	20.3%
Frequency Missing	250,680	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	679,454	85.5%
Somewhat Safe	97,120	12.2%
Not Very Safe	8,211	1.0%
Not Safe At All	1,391	0.2%
Don't Know	8,824	1.1%
Frequency Missing	20,797	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	51,817	7.0%
Some High School	55,701	7.5%
Finished High School	126,767	17.0%
Some College	117,735	15.8%
Finished College	186,666	25.1%
Post-Secondary	115,576	15.5%
Don't Know or N/A	90,616	12.2%
Frequency Missing	70,919	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	347,185	44.1%
Somewhat Safe	364,165	46.3%
Not Very Safe	41,923	5.3%
Not Safe At All	9,245	1.2%
Don't Know	24,563	3.1%
Frequency Missing	28,716	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	439,848	64.0%
Yes	247,604	36.0%
Frequency Missing	128,345	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	238,364	30.4%
Somewhat Safe	400,733	51.2%
Not Very Safe	83,034	10.6%
Not Safe At All	27,555	3.5%
Don't Know	33,743	4.3%
Frequency Missing	32,367	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	41,712	5.2%
A Few	170,710	21.2%
Some	194,083	24.1%
Most	293,183	36.5%
All	104,353	13.0%
Frequency Missing	11,755	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	53,046	7.1%
Some High School	72,334	9.7%
Finished High School	149,512	20.1%
Some College	91,726	12.3%
Finished College	144,920	19.4%
Post-Secondary	93,653	12.6%
Don't Know or N/A	140,078	18.8%
Frequency Missing	70,528	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	15,209	1.9%
A Few	91,966	11.4%
Some	204,903	25.4%
Most	348,314	43.3%
All	144,919	18.0%
Frequency Missing	10,485	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	352,135	44.7%
A Few	248,540	31.6%
Some	107,971	13.7%
Most	50,723	6.4%
All	27,971	3.6%
Frequency Missing	28,457	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	753,935	94.1%
In Your Lifetime	31,838	4.0%
Since School Began	6,305	0.8%
In the Past Month	8,706	1.1%
Frequency Missing	15,013	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	616,766	77.5%
A Few	117,925	14.8%
Some	36,334	4.6%
Most	16,882	2.1%
All	8,083	1.0%
Frequency Missing	19,806	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	785,683	99.1%
In Your Lifetime	4,069	0.5%
Since School Began	1,727	0.2%
In the Past Month	1,720	0.2%
Frequency Missing	22,597	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	673,040	84.3%
A Few	85,559	10.7%
Some	24,064	3.0%
Most	10,464	1.3%
All	5,231	0.7%
Frequency Missing	17,440	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	747,697	93.3%
In Your Lifetime	37,671	4.7%
Since School Began	7,221	0.9%
In the Past Month	8,549	1.1%
Frequency Missing	14,659	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	786,696	97.8%
In Your Lifetime	13,022	1.6%
Since School Began	1,462	0.2%
In the Past Month	3,207	0.4%
Frequency Missing	11,412	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	788,938	98.8%
In Your Lifetime	5,850	0.7%
Since School Began	1,523	0.2%
In the Past Month	2,397	0.3%
Frequency Missing	17,089	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	790,761	98.8%
In Your Lifetime	6,135	0.8%
Since School Began	1,543	0.2%
In the Past Month	1,887	0.2%
Frequency Missing	15,470	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	742,277	93.2%
In Your Lifetime	26,348	3.3%
Since School Began	8,961	1.1%
In the Past Month	18,896	2.4%
Frequency Missing	19,315	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	777,838	97.7%
In Your Lifetime	10,807	1.4%
Since School Began	2,353	0.3%
In the Past Month	4,832	0.6%
Frequency Missing	19,968	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	498,911	63.6%
In Your Lifetime	151,264	19.3%
Since School Began	56,202	7.2%
In the Past Month	77,639	9.9%
Frequency Missing	31,781	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	567,307	71.6%
In Your Lifetime	98,019	12.4%
Since School Began	53,011	6.7%
In the Past Month	74,161	9.4%
Frequency Missing	23,298	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	783,472	98.0%
In Your Lifetime	9,019	1.1%
Since School Began	2,443	0.3%
In the Past Month	4,654	0.6%
Frequency Missing	16,209	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	523,960	66.9%
In Your Lifetime	147,510	18.8%
Since School Began	54,269	6.9%
In the Past Month	57,952	7.4%
Frequency Missing	32,106	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	713,919	88.9%
In Your Lifetime	57,095	7.1%
Since School Began	13,554	1.7%
In the Past Month	18,760	2.3%
Frequency Missing	12,469	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	516,981	64.9%
In Your Lifetime	123,255	15.5%
Since School Began	63,906	8.0%
In the Past Month	92,540	11.6%
Frequency Missing	19,115	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	786,461	98.2%
In Your Lifetime	7,901	1.0%
Since School Began	2,947	0.4%
In the Past Month	3,790	0.5%
Frequency Missing	14,698	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	763,784	95.5%
In Your Lifetime	22,380	2.8%
Since School Began	5,605	0.7%
In the Past Month	7,958	1.0%
Frequency Missing	16,070	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	792,847	99.3%
In Your Lifetime	2,479	0.3%
Since School Began	1,306	0.2%
In the Past Month	1,889	0.2%
Frequency Missing	17,276	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	562,750	70.3%
In Your Lifetime	99,994	12.5%
Since School Began	36,486	4.6%
In the Past Month	101,624	12.7%
Frequency Missing	14,943	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	763,714	95.8%
In Your Lifetime	15,403	1.9%
Since School Began	5,635	0.7%
In the Past Month	12,661	1.6%
Frequency Missing	18,384	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	620,760	77.3%
In Your Lifetime	71,738	8.9%
Since School Began	34,200	4.3%
In the Past Month	76,310	9.5%
Frequency Missing	12,790	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	794,289	99.4%
In Your Lifetime	3,286	0.4%
Since School Began	530	0.1%
In the Past Month	1,265	0.2%
Frequency Missing	16,427	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	788,177	98.7%
In Your Lifetime	7,768	1.0%
Since School Began	1,600	0.2%
In the Past Month	1,183	0.1%
Frequency Missing	17,069	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	771,963	96.7%
In Your Lifetime	14,846	1.9%
Since School Began	3,936	0.5%
In the Past Month	7,394	0.9%
Frequency Missing	17,658	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	778,851	97.6%
In Your Lifetime	9,619	1.2%
Since School Began	3,273	0.4%
In the Past Month	6,382	0.8%
Frequency Missing	17,672	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	692,120	89.0%
In Your Lifetime	48,038	6.2%
Since School Began	17,981	2.3%
In the Past Month	19,330	2.5%
Frequency Missing	38,329	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	796,156	99.6%
In Your Lifetime	1,892	0.2%
Since School Began	208	0.0%
In the Past Month	1,163	0.1%
Frequency Missing	16,378	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	747,188	96.8%
In Your Lifetime	15,269	2.0%
Since School Began	3,393	0.4%
In the Past Month	6,320	0.8%
Frequency Missing	43,628	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	793,977	99.3%
In Your Lifetime	2,743	0.3%
Since School Began	737	0.1%
In the Past Month	2,060	0.3%
Frequency Missing	16,281	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	732,470	95.7%
In Your Lifetime	18,430	2.4%
Since School Began	6,564	0.9%
In the Past Month	7,674	1.0%
Frequency Missing	50,658	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	712,358	93.3%
In Your Lifetime	24,737	3.2%
Since School Began	9,332	1.2%
In the Past Month	17,332	2.3%
Frequency Missing	52,037	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	583,935	74.6%
1-2 times	127,947	16.4%
3-10 times	55,800	7.1%
11+ times	14,584	1.9%
Frequency Missing	33,531	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	687,992	90.7%
In Your Lifetime	32,957	4.3%
Since School Began	10,516	1.4%
In the Past Month	26,853	3.5%
Frequency Missing	57,479	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	770,323	97.8%
1-2 times	12,447	1.6%
3-10 times	3,231	0.4%
11+ times	1,795	0.2%
Frequency Missing	28,002	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	747,315	96.6%
In Your Lifetime	11,833	1.5%
Since School Began	3,663	0.5%
In the Past Month	10,917	1.4%
Frequency Missing	42,069	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	676,812	86.0%
1-2 times	49,808	6.3%
3-10 times	27,364	3.5%
11+ times	33,343	4.2%
Frequency Missing	28,470	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	725,863	92.1%
1-2 times	26,974	3.4%
3-10 times	13,292	1.7%
11+ times	21,914	2.8%
Frequency Missing	27,754	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	780,949	99.2%
1-2 times	4,842	0.6%
3-10 times	870	0.1%
11+ times	620	0.1%
Frequency Missing	28,517	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	781,063	99.6%
1-2 times	1,273	0.2%
3-10 times	816	0.1%
11+ times	696	0.1%
Frequency Missing	31,950	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	431,003	55.4%
A few	140,202	18.0%
Some	88,723	11.4%
Most	91,620	11.8%
All	26,775	3.4%
Frequency Missing	37,474	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	566,725	72.1%
A few	126,580	16.1%
Some	50,037	6.4%
Most	32,679	4.2%
All	10,229	1.3%
Frequency Missing	29,547	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	632,184	86.2%
8 or younger	6,177	0.8%
9 years old	3,556	0.5%
10 years old	5,807	0.8%
11 years old	6,063	0.8%
12 years old	11,383	1.6%
13 years old	15,496	2.1%
14 years old	15,264	2.1%
15 years old	18,569	2.5%
16 years old	14,094	1.9%
17 years old	4,329	0.6%
18 or older	451	0.1%
Frequency Missing	82,423	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	370,647	47.7%
A few	178,992	23.0%
Some	115,668	14.9%
Most	85,587	11.0%
All	26,505	3.4%
Frequency Missing	38,398	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	387,957	53.3%
8 or younger	37,576	5.2%
9 years old	14,252	2.0%
10 years old	23,284	3.2%
11 years old	19,796	2.7%
12 years old	42,896	5.9%
13 years old	45,711	6.3%
14 years old	48,667	6.7%
15 years old	54,259	7.5%
16 years old	35,490	4.9%
17 years old	13,295	1.8%
18 or older	4,578	0.6%
Frequency Missing	88,036	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	716,320	92.1%
A few	39,979	5.1%
Some	13,123	1.7%
Most	4,836	0.6%
All	3,138	0.4%
Frequency Missing	38,401	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	691,321	95.3%
8 or younger	3,551	0.5%
9 years old	1,880	0.3%
10 years old	2,907	0.4%
11 years old	5,184	0.7%
12 years old	6,337	0.9%
13 years old	5,020	0.7%
14 years old	4,077	0.6%
15 years old	2,442	0.3%
16 years old	982	0.1%
17 years old	1,298	0.2%
18 or older	206	0.0%
Frequency Missing	90,593	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	713,813	98.4%
8 or younger	0	0.0%
9 years old	580	0.1%
10 years old	391	0.1%
11 years old	84	0.0%
12 years old	710	0.1%
13 years old	1,158	0.2%
14 years old	2,022	0.3%
15 years old	2,764	0.4%
16 years old	1,735	0.2%
17 years old	1,531	0.2%
18 or older	299	0.0%
Frequency Missing	90,708	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	552,952	76.7%
8 or younger	4,158	0.6%
9 years old	406	0.1%
10 years old	4,280	0.6%
11 years old	5,230	0.7%
12 years old	15,969	2.2%
13 years old	28,182	3.9%
14 years old	37,294	5.2%
15 years old	30,146	4.2%
16 years old	28,161	3.9%
17 years old	11,508	1.6%
18 or older	2,182	0.3%
Frequency Missing	95,328	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	718,942	99.4%
8 or younger	134	0.0%
9 years old	160	0.0%
10 years old	176	0.0%
11 years old	52	0.0%
12 years old	249	0.0%
13 years old	561	0.1%
14 years old	1,397	0.2%
15 years old	863	0.1%
16 years old	726	0.1%
17 years old	0	0.0%
Frequency Missing	92,537	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	710,422	98.7%
8 or younger	1,382	0.2%
9 years old	612	0.1%
10 years old	323	0.0%
11 years old	494	0.1%
12 years old	1,737	0.2%
13 years old	928	0.1%
14 years old	1,786	0.2%
15 years old	1,101	0.2%
16 years old	299	0.0%
17 years old	507	0.1%
18 or older	123	0.0%
Frequency Missing	96,083	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	700,495	97.5%
8 or younger	331	0.0%
9 years old	176	0.0%
10 years old	121	0.0%
11 years old	582	0.1%
12 years old	1,183	0.2%
13 years old	1,370	0.2%
14 years old	3,038	0.4%
15 years old	3,106	0.4%
16 years old	5,246	0.7%
17 years old	1,955	0.3%
18 or older	791	0.1%
Frequency Missing	97,403	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	720,203	99.2%
8 or younger	317	0.0%
9 years old	844	0.1%
10 years old	130	0.0%
11 years old	0	0.0%
12 years old	20	0.0%
13 years old	1,369	0.2%
14 years old	988	0.1%
15 years old	726	0.1%
16 years old	1,081	0.1%
17 years old	123	0.0%
18 or older	176	0.0%
Frequency Missing	89,819	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	723,929	99.5%
8 or younger	542	0.1%
9 years old	251	0.0%
10 years old	86	0.0%
11 years old	0	0.0%
12 years old	189	0.0%
13 years old	600	0.1%
14 years old	616	0.1%
15 years old	565	0.1%
16 years old	328	0.0%
17 years old	123	0.0%
Frequency Missing	88,569	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	701,388	96.9%
8 or younger	665	0.1%
9 years old	251	0.0%
10 years old	326	0.0%
11 years old	458	0.1%
12 years old	1,838	0.3%
13 years old	2,671	0.4%
14 years old	7,589	1.0%
15 years old	4,322	0.6%
16 years old	1,789	0.2%
17 years old	2,272	0.3%
18 or older	176	0.0%
Frequency Missing	92,051	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	217,225	27.7%
Impossible	173,481	22.1%
Very Difficult	60,410	7.7%
Somewhat diff	88,221	11.3%
Somewhat easy	110,444	14.1%
Very easy	134,320	17.1%
Frequency Missing	31,696	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	164,945	21.0%
Impossible	102,028	13.0%
Very Difficult	46,440	5.9%
Somewhat diff	84,481	10.8%
Somewhat easy	150,977	19.3%
Very easy	234,917	30.0%
Frequency Missing	32,009	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	295,927	38.0%
Impossible	290,756	37.3%
Very Difficult	102,165	13.1%
Somewhat diff	50,484	6.5%
Somewhat easy	17,406	2.2%
Very easy	22,100	2.8%
Frequency Missing	36,960	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	304,246	39.0%
Impossible	120,105	15.4%
Very Difficult	33,504	4.3%
Somewhat diff	43,580	5.6%
Somewhat easy	74,286	9.5%
Very easy	203,844	26.1%
Frequency Missing	36,232	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	314,427	40.4%
Impossible	264,943	34.1%
Very Difficult	97,666	12.6%
Somewhat diff	51,476	6.6%
Somewhat easy	25,217	3.2%
Very easy	23,669	3.0%
Frequency Missing	38,399	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	206,087	26.4%
Impossible	177,480	22.8%
Very Difficult	61,721	7.9%
Somewhat diff	72,632	9.3%
Somewhat easy	102,258	13.1%
Very easy	159,945	20.5%
Frequency Missing	35,674	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	359,995	46.4%
Impossible	225,587	29.1%
Very Difficult	73,358	9.5%
Somewhat diff	48,543	6.3%
Somewhat easy	31,709	4.1%
Very easy	36,515	4.7%
Frequency Missing	40,089	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	282,063	36.2%
Impossible	280,249	35.9%
Very Difficult	99,626	12.8%
Somewhat diff	65,167	8.4%
Somewhat easy	24,898	3.2%
Very easy	27,729	3.6%
Frequency Missing	36,065	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	326,757	41.9%
Impossible	304,028	39.0%
Very Difficult	89,811	11.5%
Somewhat diff	31,024	4.0%
Somewhat easy	11,856	1.5%
Very easy	17,049	2.2%
Frequency Missing	35,273	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	343,951	44.1%
Impossible	282,049	36.2%
Very Difficult	85,840	11.0%
Somewhat diff	32,349	4.1%
Somewhat easy	15,177	1.9%
Very easy	20,701	2.7%
Frequency Missing	35,729	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	2,663	0.3%
Several times/wk	11,961	1.5%
Several times/mo	45,255	5.9%
About once/month	95,702	12.4%
About once/year	88,576	11.5%
Less than once/year	76,907	9.9%
Never used	452,248	58.5%
Frequency Missing	42,484	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	354,173	45.5%
Impossible	217,981	28.0%
Very Difficult	63,183	8.1%
Somewhat diff	50,858	6.5%
Somewhat easy	44,695	5.7%
Very easy	47,548	6.1%
Frequency Missing	37,360	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	380	0.0%
Several times/wk	2,625	0.3%
Several times/mo	2,166	0.3%
About once/month	5,014	0.6%
About once/year	4,247	0.5%
Less than once/year	16,430	2.1%
Never used	746,199	96.0%
Frequency Missing	38,737	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	16,588	2.1%
Several times/wk	10,266	1.3%
Several times/mo	12,762	1.6%
About once/month	15,258	2.0%
About once/year	15,001	1.9%
Less than once/year	31,111	4.0%
Never used	677,337	87.0%
Frequency Missing	37,473	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	15,622	2.0%
Several times/wk	19,328	2.5%
Several times/mo	27,708	3.6%
About once/month	31,945	4.1%
About once/year	33,074	4.3%
Less than once/year	36,164	4.7%
Never used	612,926	78.9%
Frequency Missing	39,032	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	843	0.1%
Several times/mo	1,564	0.2%
About once/month	1,420	0.2%
About once/year	3,460	0.4%
Less than once/year	3,847	0.5%
Never used	764,852	98.6%
Frequency Missing	39,810	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	534	0.1%
Several times/wk	442	0.1%
Several times/mo	1,369	0.2%
About once/month	2,441	0.3%
About once/year	6,034	0.8%
Less than once/year	7,034	0.9%
Never used	753,880	97.7%
Frequency Missing	44,061	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	1,157	0.1%
Several times/mo	988	0.1%
About once/month	0	0.0%
About once/year	1,607	0.2%
Less than once/year	1,328	0.2%
Never used	772,387	99.3%
Frequency Missing	38,330	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	267	0.0%
Several times/wk	669	0.1%
Several times/mo	0	0.0%
About once/month	123	0.0%
About once/year	875	0.1%
Less than once/year	91	0.0%
Never used	773,606	99.7%
Frequency Missing	40,166	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	616	0.1%
Several times/wk	121	0.0%
Several times/mo	345	0.0%
About once/month	895	0.1%
About once/year	1,111	0.1%
Less than once/year	4,327	0.6%
Never used	769,431	99.0%
Frequency Missing	38,951	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	569	0.1%
Several times/wk	776	0.1%
Several times/mo	541	0.1%
About once/month	634	0.1%
About once/year	1,731	0.2%
Less than once/year	697	0.1%
Never used	769,923	99.4%
Frequency Missing	40,925	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	443	0.1%
Several times/wk	1,824	0.2%
Several times/mo	3,013	0.4%
About once/month	5,440	0.7%
About once/year	4,298	0.6%
Less than once/year	6,563	0.9%
Never used	749,452	97.2%
Frequency Missing	44,764	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	518,705	67.1%
12+ drinks	4,199	0.5%
9-11 drinks	3,126	0.4%
5-8 drinks	7,216	0.9%
3-4 drinks	23,294	3.0%
2 drinks	33,309	4.3%
1 drink	64,319	8.3%
Less than 1 drink	119,388	15.4%
Frequency Missing	42,242	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	494,167	63.4%
12+ drinks	12,337	1.6%
9-11 drinks	6,891	0.9%
5-8 drinks	18,054	2.3%
3-4 drinks	40,431	5.2%
2 drinks	42,407	5.4%
1 drink	58,602	7.5%
Less than 1 drink	107,070	13.7%
Frequency Missing	35,836	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	495,740	63.8%
12+ drinks	12,892	1.7%
9-11 drinks	14,115	1.8%
5-8 drinks	31,477	4.1%
3-4 drinks	49,473	6.4%
2 drinks	38,041	4.9%
1 drink	51,529	6.6%
Less than 1 drink	83,634	10.8%
Frequency Missing	38,897	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	545,882	70.0%
12+ drinks	9,214	1.2%
9-11 drinks	8,935	1.1%
5-8 drinks	21,965	2.8%
3-4 drinks	49,333	6.3%
2 drinks	44,029	5.6%
1 drink	45,533	5.8%
Less than 1 drink	55,244	7.1%
Frequency Missing	35,662	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	467,672	60.8%
0 days	216,802	28.2%
1 day	34,237	4.4%
2 days	19,248	2.5%
3 to 5 days	17,963	2.3%
6 to 9 days	4,781	0.6%
10 or more days	9,052	1.2%
Frequency Missing	46,042	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	432,995	55.8%
Never	129,893	16.7%
Seldom	135,085	17.4%
Most of the Time	48,760	6.3%
Always	29,510	3.8%
Frequency Missing	39,554	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	469,268	61.1%
Never	183,723	23.9%
Seldom	57,340	7.5%
Most of the Time	32,323	4.2%
Always	24,935	3.2%
Frequency Missing	48,208	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	447,866	57.9%
Never	141,408	18.3%
Seldom	87,078	11.3%
Most of the Time	73,987	9.6%
Always	23,445	3.0%
Frequency Missing	42,013	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	436,773	59.2%
Somewhat	195,224	26.5%
Not very	53,314	7.2%
Not at all	11,776	1.6%
Don't know	40,279	5.5%
Frequency Missing	78,431	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	469,207	60.8%
Never	250,490	32.4%
Seldom	25,480	3.3%
Most of the Time	17,573	2.3%
Always	9,445	1.2%
Frequency Missing	43,603	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	311,909	42.4%
Somewhat	242,937	33.0%
Not very	128,449	17.5%
Not at all	21,240	2.9%
Don't know	30,788	4.2%
Frequency Missing	80,474	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	435,811	56.4%
Never	132,282	17.1%
Seldom	78,716	10.2%
Most of the Time	74,532	9.6%
Always	51,824	6.7%
Frequency Missing	42,634	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	483,589	67.3%
Somewhat	122,280	17.0%
Not very	42,504	5.9%
Not at all	11,229	1.6%
Don't know	59,083	8.2%
Frequency Missing	97,112	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	369,377	51.3%
Somewhat	107,412	14.9%
Not very	119,815	16.6%
Not at all	84,687	11.8%
Don't know	38,495	5.3%
Frequency Missing	96,012	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	531,552	74.2%
Somewhat	90,395	12.6%
Not very	30,003	4.2%
Not at all	6,460	0.9%
Don't know	57,681	8.1%
Frequency Missing	99,706	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	615,496	86.1%
Somewhat	49,475	6.9%
Not very	7,625	1.1%
Not at all	1,828	0.3%
Don't know	40,197	5.6%
Frequency Missing	101,176	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	628,542	87.5%
Somewhat	33,054	4.6%
Not very	5,301	0.7%
Not at all	2,616	0.4%
Don't know	48,791	6.8%
Frequency Missing	97,493	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	622,575	86.8%
Somewhat	43,557	6.1%
Not very	7,160	1.0%
Not at all	2,199	0.3%
Don't know	41,537	5.8%
Frequency Missing	98,769	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	623,405	86.9%
Somewhat	33,723	4.7%
Not very	6,467	0.9%
Not at all	3,265	0.5%
Don't know	50,264	7.0%
Frequency Missing	98,673	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	562,850	78.5%
Somewhat	62,435	8.7%
Not very	19,563	2.7%
Not at all	5,667	0.8%
Don't know	66,692	9.3%
Frequency Missing	98,591	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	560,642	78.3%
Somewhat	59,339	8.3%
Not very	25,161	3.5%
Not at all	8,520	1.2%
Don't know	62,600	8.7%
Frequency Missing	99,535	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	502,407	70.4%
Somewhat	116,087	16.3%
Not very	34,504	4.8%
Not at all	10,070	1.4%
Don't know	50,849	7.1%
Frequency Missing	101,880	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	321,285	44.2%
1-3 days	343,283	47.3%
4-9 days	49,681	6.8%
10+ days	12,163	1.7%
Frequency Missing	89,385	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	413,659	57.2%
Somewhat	156,699	21.7%
Not very	85,196	11.8%
Not at all	26,601	3.7%
Don't know	41,285	5.7%
Frequency Missing	92,356	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	655,392	87.9%
1-3 days	73,154	9.8%
4-9 days	9,213	1.2%
10+ days	8,119	1.1%
Frequency Missing	69,919	

Days Skipped Since September

Q28a	Frequency	Percent
None	630,322	84.3%
1-3 days	97,515	13.0%
4-9 days	14,823	2.0%
10+ days	4,847	0.6%
Frequency Missing	68,291	

Someone Called Home Since September

Q28e	Frequency	Percent
None	676,061	90.9%
1-3 days	52,596	7.1%
4-9 days	9,125	1.2%
10+ days	6,313	0.8%
Frequency Missing	71,701	

Days Ill Since September

Q28b	Frequency	Percent
None	270,020	36.7%
1-3 days	358,052	48.7%
4-9 days	90,446	12.3%
10+ days	16,343	2.2%
Frequency Missing	80,936	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	719,388	96.0%
1-3 times	26,160	3.5%
4-9 times	2,890	0.4%
10+ times	693	0.1%
Frequency Missing	66,666	

Percentages and frequencies have been weighted to reflect proportions within the population.

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	724,158	97.4%
1-3 times	15,288	2.1%
4-9 times	2,356	0.3%
10+ times	1,486	0.2%
Frequency Missing	72,509	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	653,830	90.0%
1-3 days	37,731	5.2%
4-9 days	12,110	1.7%
10+ days	22,642	3.1%
Frequency Missing	89,485	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	711,044	96.1%
1-3 times	24,241	3.3%
4-9 times	2,589	0.3%
10+ times	1,948	0.3%
Frequency Missing	75,975	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	710,701	98.5%
1-3 days	7,648	1.1%
4-9 days	1,506	0.2%
10+ days	1,429	0.2%
Frequency Missing	94,514	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	700,867	95.2%
1-3 times	20,504	2.8%
4-9 times	6,296	0.9%
10+ times	8,695	1.2%
Frequency Missing	79,435	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	693,599	96.4%
1-3 days	16,130	2.2%
4-9 days	4,503	0.6%
10+ days	5,332	0.7%
Frequency Missing	96,232	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	704,267	95.8%
1-3 days	24,228	3.3%
4-9 days	4,379	0.6%
10+ days	2,564	0.3%
Frequency Missing	80,359	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	336,568	46.3%
Seldom	48,338	6.6%
Half the time	42,575	5.9%
Most of the Time	71,595	9.8%
Always	74,160	10.2%
Don't Know	18,906	2.6%
Didn't attend	135,150	18.6%
Frequency Missing	88,507	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	394,957	54.4%
Seldom	45,021	6.2%
Half the time	30,755	4.2%
Most of the Time	49,284	6.8%
Always	51,400	7.1%
Don't Know	21,415	2.9%
Didn't attend	133,120	18.3%
Frequency Missing	89,846	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	642,478	93.6%
Yes	43,684	6.4%
Frequency Missing	129,636	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	477,389	64.1%
Yes	267,472	35.9%
Frequency Missing	70,936	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	599,334	81.1%
Yes	139,287	18.9%
Frequency Missing	77,176	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	444,305	60.0%
Yes	295,610	40.0%
Frequency Missing	75,883	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	231,232	31.2%
Yes	510,862	68.8%
Frequency Missing	73,704	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	317,881	43.1%
Yes	418,963	56.9%
Frequency Missing	78,952	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	264,666	35.9%
Yes	471,695	64.1%
Frequency Missing	79,436	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	298,654	40.3%
Yes	442,663	59.7%
Frequency Missing	74,480	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	456,486	61.7%
Yes	282,796	38.3%
Frequency Missing	76,515	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Not Seek Help

Q33i	Frequency	Percent
No	600,925	83.0%
Yes	123,055	17.0%
Frequency Missing	91,817	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	518,244	72.7%
Yes	194,433	27.3%
Frequency Missing	103,120	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	467,475	64.5%
Yes	257,030	35.5%
Frequency Missing	91,292	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	637,194	89.7%
Yes	73,495	10.3%
Frequency Missing	105,109	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	502,957	69.9%
Yes	216,107	30.1%
Frequency Missing	96,734	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	555,489	77.9%
Yes	157,973	22.1%
Frequency Missing	102,334	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	580,803	81.0%
Yes	135,931	19.0%
Frequency Missing	99,063	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	534,400	74.8%
Yes	180,118	25.2%
Frequency Missing	101,280	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	634,369	88.9%
Yes	78,975	11.1%
Frequency Missing	102,453	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	597,862	78.5%
Mild disapprove	58,588	7.7%
Neither	35,577	4.7%
Mildly approve	8,169	1.1%
Strongly approve	3,992	0.5%
Don't know	57,279	7.5%
Frequency Missing	54,331	

Percentages and frequencies have been weighted to reflect proportions within the population.

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	442,527	58.2%
Mild disapprove	119,485	15.7%
Neither	96,773	12.7%
Mildly approve	40,223	5.3%
Strongly approve	6,171	0.8%
Don't know	55,177	7.3%
Frequency Missing	55,441	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	564,004	74.1%
Mild disapprove	56,421	7.4%
Neither	60,263	7.9%
Mildly approve	15,746	2.1%
Strongly approve	10,224	1.3%
Don't know	54,158	7.1%
Frequency Missing	54,982	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

