
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 5 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 5. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	15.3%	18.6%	31.7%	68.3%
Grade 7	6.3%	7.1%	16.7%	83.3%
Grade 8	9.0%	11.8%	22.8%	77.2%
Grade 9	18.1%	21.7%	37.2%	62.8%
Grade 10	18.1%	24.3%	37.2%	62.8%
Grade 11	19.9%	22.7%	37.5%	62.5%
Grade 12	22.4%	26.1%	41.2%	58.8%
Cigarettes?				
All	2.3%	3.8%	11.6%	88.4%
Grade 7	0.7%	1.1%	5.2%	94.8%
Grade 8	1.8%	3.0%	8.5%	91.5%
Grade 9	2.0%	3.9%	13.2%	86.8%
Grade 10	2.4%	3.5%	12.4%	87.6%
Grade 11	3.6%	5.8%	15.8%	84.2%
Grade 12	3.7%	6.0%	15.3%	84.7%
Smokeless Tobacco?				
All	2.4%	3.3%	7.3%	92.7%
Grade 7	0.7%	0.9%	2.8%	97.2%
Grade 8	1.3%	1.8%	4.7%	95.3%
Grade 9	3.3%	4.4%	9.5%	90.5%
Grade 10	2.7%	3.7%	7.8%	92.2%
Grade 11	3.1%	4.3%	8.7%	91.3%
Grade 12	3.8%	4.9%	10.8%	89.2%
Electronic Vapor Products?				
All	11.6%	15.5%	28.2%	71.8%
Grade 7	4.3%	5.6%	13.8%	86.2%
Grade 8	7.3%	10.1%	18.9%	81.1%
Grade 9	13.0%	16.7%	33.8%	66.2%
Grade 10	15.1%	22.3%	34.6%	65.4%
Grade 11	14.9%	18.3%	32.8%	67.2%
Grade 12	16.7%	21.8%	37.6%	62.4%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.7%	3.1%	1.1%	1.1%	1.9%	1.6%	3.4%
Grade 7	95.5%	0.2%	0.2%	0.3%	0.8%	1.2%	1.9%
Grade 8	91.8%	1.0%	1.0%	1.1%	1.3%	1.1%	2.8%
Grade 9	85.0%	3.1%	1.6%	1.4%	2.3%	2.4%	4.2%
Grade 10	86.9%	3.0%	0.6%	1.3%	2.8%	1.2%	4.2%
Grade 11	83.1%	5.7%	2.2%	1.2%	2.4%	1.7%	3.7%
Grade 12	83.0%	6.5%	1.2%	1.5%	2.3%	2.1%	3.5%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.6	10.4	11.2	12.1	12.4	13.5	13.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.3%	20.8%	7.6%	9.9%	13.0%	15.4%
Grade 7	39.7%	33.4%	7.5%	9.1%	6.3%	4.0%
Grade 8	40.7%	23.9%	7.2%	9.1%	9.9%	9.2%
Grade 9	27.6%	18.7%	7.0%	14.0%	13.7%	19.0%
Grade 10	30.6%	22.2%	7.4%	7.6%	15.2%	17.0%
Grade 11	29.8%	14.0%	7.4%	9.1%	17.1%	22.6%
Grade 12	30.6%	10.5%	9.1%	10.2%	17.2%	22.3%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	72.2%	17.2%	5.2%	3.6%	1.8%
Grade 7	88.9%	6.8%	2.9%	0.8%	0.5%
Grade 8	78.8%	15.9%	3.0%	1.7%	0.7%
Grade 9	65.6%	20.2%	8.1%	3.3%	2.8%
Grade 10	70.8%	16.5%	5.8%	4.7%	2.1%
Grade 11	63.6%	23.4%	4.8%	5.8%	2.4%
Grade 12	63.5%	21.3%	6.4%	6.3%	2.6%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.4%	8.2%	7.6%	1.7%	0.5%	8.7%
Grade 7	83.2%	4.1%	2.7%	0.6%	0.3%	9.1%
Grade 8	79.8%	5.6%	5.5%	0.8%	0.2%	8.2%
Grade 9	70.6%	8.7%	9.3%	1.7%	0.3%	9.4%
Grade 10	72.1%	8.7%	8.8%	2.3%	0.3%	7.9%
Grade 11	66.7%	9.5%	10.5%	2.8%	1.0%	9.6%
Grade 12	65.3%	13.9%	9.6%	2.1%	1.3%	7.8%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	60.5%	23.9%	7.8%	2.2%	5.7%
Grade 7	75.0%	16.1%	4.4%	0.8%	3.7%
Grade 8	66.5%	20.0%	7.5%	1.6%	4.4%
Grade 9	52.0%	29.8%	8.8%	2.5%	6.9%
Grade 10	60.5%	23.5%	8.5%	1.6%	5.9%
Grade 11	52.0%	26.8%	9.9%	3.4%	7.9%
Grade 12	55.5%	28.0%	7.7%	3.4%	5.4%
Electronic Vapor Products?					
All	60.8%	18.3%	10.0%	5.2%	5.6%
Grade 7	71.8%	17.3%	4.5%	2.8%	3.6%
Grade 8	68.2%	14.4%	9.4%	3.5%	4.5%
Grade 9	52.9%	22.7%	11.7%	6.4%	6.3%
Grade 10	63.1%	16.9%	10.1%	5.0%	4.9%
Grade 11	54.4%	17.6%	12.0%	8.4%	7.6%
Grade 12	52.8%	21.4%	12.7%	5.8%	7.2%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	30.4%	35.8%	54.7%	45.3%
Grade 7	19.5%	21.9%	39.7%	60.3%
Grade 8	20.2%	23.7%	41.5%	58.5%
Grade 9	35.6%	41.4%	63.4%	36.6%
Grade 10	34.1%	41.2%	62.0%	38.0%
Grade 11	34.2%	40.9%	58.7%	41.3%
Grade 12	41.3%	49.0%	65.3%	34.7%
Beer?				
All	10.4%	15.8%	41.0%	59.0%
Grade 7	4.5%	6.6%	26.9%	73.1%
Grade 8	6.6%	11.2%	31.9%	68.1%
Grade 9	10.7%	17.3%	47.6%	52.4%
Grade 10	13.7%	18.9%	45.5%	54.5%
Grade 11	13.6%	20.1%	43.9%	56.1%
Grade 12	14.8%	22.2%	52.1%	47.9%
Wine Coolers?				
All	9.3%	14.7%	35.5%	64.5%
Grade 7	3.7%	5.7%	17.3%	82.7%
Grade 8	5.4%	8.2%	23.0%	77.0%
Grade 9	9.6%	16.0%	41.7%	58.3%
Grade 10	11.6%	17.9%	42.8%	57.2%
Grade 11	12.7%	21.1%	42.9%	57.1%
Grade 12	13.9%	21.6%	48.9%	51.1%
Wine?				
All	5.8%	10.6%	31.7%	68.3%
Grade 7	2.2%	3.8%	18.5%	81.5%
Grade 8	2.8%	5.5%	22.7%	77.3%
Grade 9	6.6%	13.9%	37.1%	62.9%
Grade 10	7.1%	12.1%	36.8%	63.2%
Grade 11	7.8%	13.0%	33.7%	66.3%
Grade 12	9.5%	16.4%	43.8%	56.2%
Liquor?				
All	10.6%	17.5%	39.4%	60.6%
Grade 7	3.3%	6.2%	18.1%	81.9%
Grade 8	5.1%	9.1%	25.3%	74.7%
Grade 9	11.4%	17.6%	45.1%	54.9%
Grade 10	14.6%	23.7%	47.6%	52.4%
Grade 11	14.0%	23.2%	48.0%	52.0%
Grade 12	16.7%	28.3%	56.0%	44.0%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	60.4%	0.6%	1.2%	5.8%	12.5%	9.9%	9.6%
Grade 7	81.1%	0.4%	0.4%	2.2%	4.1%	5.7%	6.1%
Grade 8	71.8%	0.5%	1.1%	2.9%	6.7%	6.9%	10.3%
Grade 9	52.9%	0.4%	1.3%	7.4%	15.2%	9.7%	13.0%
Grade 10	53.5%	0.6%	1.6%	7.3%	16.5%	9.2%	11.3%
Grade 11	53.2%	0.9%	0.6%	6.7%	16.1%	12.9%	9.6%
Grade 12	46.7%	1.1%	2.2%	9.2%	17.8%	16.3%	6.8%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	65.1%	34.9%	7.8%	15.1%	12.0%
	Grade 7	76.5%	23.5%	2.6%	8.7%	12.1%
	Grade 8	70.2%	29.8%	4.4%	13.2%	12.1%
	Grade 9	60.6%	39.4%	10.6%	15.7%	13.1%
	Grade 10	61.2%	38.8%	6.8%	19.5%	12.5%
	Grade 11	63.0%	37.0%	10.4%	15.6%	11.1%
	Grade 12	57.0%	43.0%	13.2%	19.0%	10.8%
Wine Coolers						
	All	68.1%	31.9%	7.3%	17.4%	7.2%
	Grade 7	84.6%	15.4%	1.9%	8.4%	5.1%
	Grade 8	79.6%	20.4%	2.7%	11.7%	6.0%
	Grade 9	62.9%	37.1%	8.4%	18.7%	10.0%
	Grade 10	62.8%	37.2%	8.2%	22.4%	6.6%
	Grade 11	59.5%	40.5%	10.9%	21.3%	8.3%
	Grade 12	56.0%	44.0%	13.1%	24.1%	6.7%
Wine						
	All	72.7%	27.3%	2.3%	13.6%	11.4%
	Grade 7	85.1%	14.9%	0.4%	5.9%	8.7%
	Grade 8	79.5%	20.5%	0.9%	10.2%	9.4%
	Grade 9	68.3%	31.7%	3.5%	12.5%	15.7%
	Grade 10	68.5%	31.5%	2.0%	17.1%	12.3%
	Grade 11	68.5%	31.5%	2.6%	17.5%	11.4%
	Grade 12	64.1%	35.9%	5.1%	20.3%	10.5%
Liquor						
	All	63.6%	36.4%	8.6%	18.4%	9.4%
	Grade 7	84.5%	15.5%	0.9%	7.6%	7.0%
	Grade 8	76.5%	23.5%	4.0%	11.9%	7.7%
	Grade 9	58.0%	42.0%	8.9%	21.8%	11.3%
	Grade 10	57.4%	42.6%	10.6%	22.3%	9.7%
	Grade 11	54.4%	45.6%	13.2%	20.9%	11.6%
	Grade 12	46.8%	53.2%	15.8%	28.4%	9.1%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	87.7%	4.3%	2.9%	2.5%	0.5%	2.1%
Grade 7	94.2%	2.6%	1.0%	0.2%	0.7%	1.3%
Grade 8	94.0%	1.8%	1.2%	1.1%	0.4%	1.5%
Grade 9	85.7%	4.4%	3.9%	2.9%	0.2%	2.8%
Grade 10	86.0%	4.7%	3.5%	3.1%	0.6%	2.2%
Grade 11	83.1%	7.2%	3.0%	4.3%	0.3%	2.1%
Grade 12	82.2%	5.8%	4.8%	3.9%	0.6%	2.7%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.7	10.3	11.1	12.1	12.9	13.9	14.1

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.8%	13.3%	6.4%	10.6%	18.1%	25.9%
Grade 7	33.5%	23.3%	8.6%	11.9%	10.6%	12.0%
Grade 8	34.7%	16.1%	6.0%	9.9%	14.1%	19.2%
Grade 9	17.7%	11.7%	7.3%	12.3%	21.5%	29.5%
Grade 10	21.9%	13.6%	6.6%	9.4%	17.7%	30.7%
Grade 11	22.7%	8.4%	4.2%	9.6%	22.2%	32.8%
Grade 12	23.3%	4.6%	5.5%	9.9%	23.5%	33.2%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.0%	2.8%	0.7%	0.4%
Grade 7	97.0%	2.7%	0.3%	0.0%
Grade 8	96.3%	2.3%	0.6%	0.8%
Grade 9	94.9%	3.1%	1.4%	0.6%
Grade 10	96.8%	2.6%	0.5%	0.0%
Grade 11	95.4%	3.2%	0.8%	0.6%
Grade 12	95.4%	3.1%	0.8%	0.7%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.6
Alcohol Non-Users	4.2
Average Days Conduct Problems Reported	
Alcohol Users	2.7
Alcohol Non-Users	1.1

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.2%	2.7%	0.6%	0.5%
Grade 9	97.0%	1.7%	0.9%	0.4%
Grade 10	96.6%	2.8%	0.6%	0.1%
Grade 11	96.7%	2.7%	0.1%	0.5%
Grade 12	94.0%	4.1%	0.7%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.2%	3.2%	0.4%	0.3%
Grade 7	96.8%	2.0%	0.5%	0.7%
Grade 8	96.1%	3.4%	0.2%	0.3%
Grade 9	95.3%	4.5%	0.1%	0.0%
Grade 10	95.1%	4.4%	0.4%	0.1%
Grade 11	96.4%	2.8%	0.5%	0.2%
Grade 12	97.6%	1.8%	0.3%	0.2%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	48.9%	25.2%	11.9%	9.7%	4.3%
Grade 7	72.8%	18.5%	5.2%	2.7%	0.9%
Grade 8	63.0%	22.3%	9.0%	5.1%	0.5%
Grade 9	41.5%	28.5%	14.8%	10.0%	5.3%
Grade 10	41.7%	27.9%	11.5%	12.9%	5.9%
Grade 11	35.7%	27.0%	16.5%	13.6%	7.3%
Grade 12	34.7%	27.7%	15.0%	15.6%	7.0%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.7%	7.3%	5.2%	7.2%	9.2%	1.6%	14.7%
Grade 7	71.6%	7.3%	3.1%	3.5%	0.9%	1.2%	12.4%
Grade 8	68.8%	8.3%	3.9%	3.3%	2.4%	1.3%	12.1%
Grade 9	48.9%	7.9%	6.6%	7.9%	9.3%	1.6%	17.8%
Grade 10	49.0%	6.4%	6.8%	7.9%	13.9%	2.4%	13.6%
Grade 11	43.6%	9.2%	4.4%	8.7%	16.3%	1.4%	16.5%
Grade 12	42.3%	4.7%	6.6%	13.4%	15.1%	1.6%	16.3%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	58.0%	16.1%	16.7%	6.2%	3.0%
	Grade 7	70.7%	14.0%	11.3%	3.3%	0.6%
	Grade 8	64.6%	16.0%	14.1%	3.6%	1.6%
	Grade 9	54.5%	17.2%	18.1%	6.9%	3.3%
	Grade 10	53.2%	19.5%	15.8%	8.6%	3.0%
	Grade 11	55.2%	14.0%	19.6%	6.7%	4.6%
	Grade 12	47.0%	16.1%	22.3%	9.1%	5.5%
Friends?						
	All	59.2%	17.6%	11.0%	9.3%	2.9%
	Grade 7	75.9%	16.5%	4.2%	2.3%	1.1%
	Grade 8	67.7%	19.5%	7.2%	4.2%	1.3%
	Grade 9	53.9%	19.1%	13.3%	10.3%	3.3%
	Grade 10	53.6%	19.3%	12.7%	10.0%	4.4%
	Grade 11	54.1%	15.2%	14.7%	13.3%	2.7%
	Grade 12	46.9%	15.4%	15.3%	17.5%	4.8%
A Store?						
	All	62.1%	29.9%	3.9%	2.9%	1.3%
	Grade 7	77.7%	19.7%	1.3%	1.0%	0.2%
	Grade 8	69.5%	27.5%	2.1%	0.7%	0.3%
	Grade 9	58.1%	34.0%	3.7%	2.9%	1.3%
	Grade 10	57.0%	33.5%	5.5%	2.1%	1.7%
	Grade 11	58.0%	30.4%	5.0%	4.9%	1.8%
	Grade 12	49.5%	35.2%	6.3%	6.4%	2.6%
Parties?						
	All	57.8%	16.1%	9.3%	10.0%	6.8%
	Grade 7	75.7%	15.2%	4.9%	3.1%	1.1%
	Grade 8	68.2%	19.5%	4.8%	5.4%	2.1%
	Grade 9	51.4%	15.9%	11.1%	12.1%	9.5%
	Grade 10	50.2%	18.1%	10.5%	11.1%	10.1%
	Grade 11	53.0%	12.0%	13.9%	12.3%	8.7%
	Grade 12	45.5%	15.5%	11.3%	17.6%	10.2%
Other Sources?						
	All	63.0%	21.8%	7.8%	4.2%	3.2%
	Grade 7	77.9%	16.9%	2.3%	1.8%	1.1%
	Grade 8	68.1%	19.8%	6.9%	2.9%	2.3%
	Grade 9	59.7%	22.4%	10.0%	5.2%	2.6%
	Grade 10	57.6%	23.8%	8.2%	4.7%	5.7%
	Grade 11	60.1%	21.8%	9.1%	4.3%	4.7%
	Grade 12	51.7%	27.3%	11.0%	6.6%	3.4%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	53.3%	14.4%	16.0%	6.8%	0.9%	8.5%
Grade 7	70.5%	9.1%	6.7%	3.8%	1.2%	8.7%
Grade 8	63.0%	12.6%	11.1%	4.2%	0.5%	8.7%
Grade 9	48.3%	16.0%	19.4%	6.5%	0.7%	9.2%
Grade 10	48.1%	15.8%	17.2%	10.2%	1.0%	7.8%
Grade 11	43.1%	17.8%	19.8%	9.3%	1.0%	9.0%
Grade 12	43.3%	16.0%	23.8%	8.1%	1.2%	7.6%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	45.6%	30.7%	16.1%	3.2%	4.4%
Grade 7	54.0%	28.5%	12.6%	2.4%	2.5%
Grade 8	53.2%	25.7%	14.2%	2.8%	4.0%
Grade 9	36.9%	32.5%	22.2%	3.0%	5.5%
Grade 10	44.3%	32.1%	16.7%	2.8%	4.0%
Grade 11	42.6%	30.4%	16.4%	4.6%	6.0%
Grade 12	41.8%	35.8%	13.6%	4.1%	4.7%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	12.1%	16.2%	21.8%	78.2%
Grade 7	4.0%	6.1%	8.4%	91.6%
Grade 8	7.2%	10.2%	13.7%	86.3%
Grade 9	14.0%	18.4%	22.1%	77.9%
Grade 10	14.1%	18.9%	24.8%	75.2%
Grade 11	14.8%	20.2%	30.4%	69.6%
Grade 12	20.2%	25.5%	34.7%	65.3%
Marijuana?				
All	11.5%	13.8%	19.5%	80.5%
Grade 7	3.3%	3.8%	4.8%	95.2%
Grade 8	6.5%	7.4%	11.2%	88.8%
Grade 9	13.8%	16.4%	20.1%	79.9%
Grade 10	13.4%	15.6%	22.2%	77.8%
Grade 11	13.8%	17.6%	28.0%	72.0%
Grade 12	19.7%	24.0%	34.5%	65.5%
Cocaine?				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.0%	1.2%	1.3%	98.7%
Grade 10	0.7%	1.0%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.5%	2.4%	97.6%
Crack?				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.3%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.9%	0.9%	99.1%
Hallucinogens?				
All	0.6%	1.1%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.8%	1.0%	2.3%	97.7%
Grade 9	0.9%	1.2%	2.6%	97.4%
Grade 10	0.5%	1.1%	3.1%	96.9%
Grade 11	0.3%	1.2%	3.7%	96.3%
Grade 12	1.1%	2.1%	3.1%	96.9%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.4%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids?				
All	0.5%	0.9%	1.9%	98.1%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.3%	1.0%	2.6%	97.4%
Grade 9	0.9%	1.1%	2.4%	97.6%
Grade 10	0.6%	1.1%	1.7%	98.3%
Grade 11	0.5%	0.9%	1.6%	98.4%
Grade 12	0.2%	0.5%	1.7%	98.3%
Ecstasy?				
All	0.4%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.8%	1.4%	2.1%	97.9%
Grade 10	0.7%	1.6%	3.3%	96.7%
Grade 11	0.4%	0.7%	2.0%	98.0%
Grade 12	0.6%	0.9%	2.8%	97.2%
Heroin?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	1.3%	1.5%	98.5%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

Table D-1: How Recently, If Ever, Have You Used...
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.0%	1.5%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	1.3%	1.6%	3.1%	96.9%
Grade 9	1.9%	2.9%	4.5%	95.5%
Grade 10	0.7%	2.0%	3.7%	96.3%
Grade 11	0.9%	1.1%	2.4%	97.6%
Grade 12	0.8%	1.1%	2.6%	97.4%
Delta 8?				
All	4.4%	6.0%	8.9%	91.1%
Grade 7	0.4%	0.8%	2.7%	97.3%
Grade 8	2.6%	4.1%	6.2%	93.8%
Grade 9	4.4%	6.7%	8.5%	91.5%
Grade 10	6.2%	7.8%	11.8%	88.2%
Grade 11	6.4%	7.7%	11.8%	88.2%
Grade 12	6.9%	9.5%	14.0%	86.0%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	84.0%	1.6%	1.9%	2.5%	2.6%	3.7%	3.7%
	Grade 7	97.1%	0.0%	0.2%	0.3%	0.9%	0.5%	1.0%
	Grade 8	91.6%	0.3%	1.0%	1.5%	2.0%	1.9%	1.7%
	Grade 9	83.1%	1.3%	2.0%	3.6%	3.3%	3.7%	3.0%
	Grade 10	80.9%	2.0%	3.1%	3.0%	2.9%	3.0%	5.1%
	Grade 11	78.1%	3.4%	2.3%	2.0%	3.8%	5.3%	5.0%
	Grade 12	69.9%	3.3%	3.0%	4.9%	2.9%	8.5%	7.6%
Cocaine?								
	All	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.3%	0.0%	0.0%	0.0%	0.0%	0.3%	0.4%
	Grade 10	98.9%	0.0%	0.0%	0.3%	0.1%	0.2%	0.4%
	Grade 11	99.5%	0.0%	0.0%	0.1%	0.0%	0.0%	0.4%
	Grade 12	98.9%	0.0%	0.0%	0.0%	0.4%	0.2%	0.5%
Crack?								
	All	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.7%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.1%	0.1%	0.0%	0.1%	0.1%	0.3%	0.3%
	Grade 7	99.4%	0.5%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	98.6%	0.0%	0.0%	0.0%	0.2%	0.3%	0.9%
	Grade 9	98.7%	0.1%	0.0%	0.3%	0.0%	0.5%	0.4%
	Grade 10	99.3%	0.0%	0.0%	0.2%	0.1%	0.4%	0.0%
	Grade 11	99.2%	0.0%	0.1%	0.0%	0.0%	0.2%	0.5%
	Grade 12	99.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.3%
Ecstasy?								
	All	98.9%	0.0%	0.0%	0.1%	0.2%	0.5%	0.4%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%
	Grade 9	98.7%	0.0%	0.0%	0.0%	0.1%	0.5%	0.7%
	Grade 10	98.0%	0.0%	0.1%	0.0%	0.2%	1.5%	0.2%
	Grade 11	98.5%	0.0%	0.0%	0.0%	0.5%	0.3%	0.7%
	Grade 12	98.0%	0.0%	0.0%	0.4%	0.3%	0.4%	0.9%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 8	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.1%	0.0%	0.2%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.3%	0.0%	0.0%	0.0%	0.1%	0.6%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.3%	0.0%	0.1%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	97.9%	0.1%	0.3%	0.1%	0.4%	0.5%	0.6%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	97.6%	0.0%	0.3%	0.3%	0.7%	0.6%	0.5%
	Grade 9	96.9%	0.4%	1.2%	0.0%	0.6%	0.6%	0.5%
	Grade 10	96.9%	0.1%	0.0%	0.4%	1.2%	0.3%	0.9%
	Grade 11	97.7%	0.2%	0.3%	0.1%	0.0%	0.6%	1.0%
	Grade 12	98.3%	0.0%	0.0%	0.0%	0.0%	0.8%	0.8%
Delta 8?								
	All	92.4%	0.9%	0.7%	1.2%	1.6%	1.9%	1.3%
	Grade 7	97.9%	0.0%	0.0%	0.0%	0.6%	0.9%	0.6%
	Grade 8	95.3%	0.2%	0.7%	0.6%	0.9%	1.6%	0.7%
	Grade 9	92.5%	0.7%	1.1%	0.7%	2.1%	2.1%	0.8%
	Grade 10	89.8%	1.7%	0.9%	0.9%	2.2%	1.4%	3.1%
	Grade 11	89.4%	1.4%	0.9%	3.2%	1.5%	2.0%	1.6%
	Grade 12	88.0%	1.7%	0.9%	2.1%	2.6%	3.4%	1.3%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.8	11.3	12.4	12.9	13.5	14.6	15.0
Cocaine	13.5	11.0	12.0	11.9	12.7	16.0	15.4
Crack	10.5	12.0	10.0	8.0	11.2	N/A	N/A
Steroids	12.4	9.2	11.8	12.4	13.7	16.1	11.2
Ecstasy	14.6	N/A	10.0	13.4	14.2	14.9	15.8
Heroin	12.7	11.0	9.0	N/A	13.9	N/A	N/A
Methamphetamine	13.4	11.9	11.0	14.1	13.4	16.0	N/A
Synthetic Marijuana	13.7	11.2	12.6	13.1	14.2	15.5	16.3
Delta 8?	14.5	10.9	12.8	13.2	14.4	15.6	16.1

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	34.1%	23.9%	8.6%	8.9%	10.6%	13.8%
	Grade 7	44.8%	35.7%	9.8%	4.4%	2.7%	2.5%
	Grade 8	42.3%	29.4%	8.7%	7.9%	7.1%	4.6%
	Grade 9	25.9%	24.5%	10.0%	11.6%	13.7%	14.2%
	Grade 10	32.7%	23.2%	6.6%	11.4%	9.0%	17.0%
	Grade 11	29.1%	17.0%	7.7%	8.2%	16.5%	21.5%
	Grade 12	29.0%	10.1%	8.6%	10.1%	15.8%	26.5%
Cocaine?							
	All	44.2%	35.3%	10.5%	4.6%	2.3%	3.1%
	Grade 7	45.2%	43.1%	6.7%	2.0%	1.2%	1.8%
	Grade 8	48.6%	37.9%	8.5%	1.6%	1.7%	1.6%
	Grade 9	39.2%	35.3%	14.2%	6.4%	2.2%	2.8%
	Grade 10	43.8%	34.6%	10.0%	5.4%	2.5%	3.7%
	Grade 11	43.0%	31.2%	11.1%	6.9%	4.5%	3.4%
	Grade 12	45.6%	27.7%	13.0%	6.0%	2.2%	5.5%
Crack?							
	All	44.6%	36.2%	10.2%	4.2%	2.2%	2.6%
	Grade 7	45.4%	44.3%	6.1%	1.8%	1.0%	1.4%
	Grade 8	49.1%	38.5%	8.2%	1.9%	1.7%	0.6%
	Grade 9	40.2%	37.0%	12.9%	5.0%	2.4%	2.5%
	Grade 10	43.9%	36.1%	9.7%	5.7%	1.7%	3.0%
	Grade 11	42.6%	31.1%	12.1%	6.0%	5.0%	3.2%
	Grade 12	46.5%	28.7%	12.7%	5.1%	1.7%	5.4%
Steroids?							
	All	45.9%	32.5%	10.3%	4.9%	3.3%	3.1%
	Grade 7	48.4%	38.2%	9.0%	1.6%	1.7%	1.1%
	Grade 8	49.9%	32.1%	10.1%	4.1%	2.4%	1.5%
	Grade 9	41.7%	34.6%	11.6%	5.4%	3.9%	2.7%
	Grade 10	45.4%	33.0%	9.0%	5.1%	3.3%	4.1%
	Grade 11	43.0%	30.8%	10.3%	6.3%	4.6%	4.9%
	Grade 12	47.3%	25.0%	11.7%	7.2%	3.9%	4.9%
Ecstasy?							
	All	53.4%	30.2%	7.9%	3.1%	2.4%	2.9%
	Grade 7	59.3%	32.6%	5.5%	0.7%	0.8%	1.2%
	Grade 8	59.5%	30.1%	6.3%	1.5%	1.3%	1.3%
	Grade 9	49.3%	33.5%	9.2%	3.4%	2.6%	2.0%
	Grade 10	51.4%	31.1%	6.8%	4.3%	2.3%	4.1%
	Grade 11	48.3%	27.6%	10.4%	4.4%	4.5%	4.8%
	Grade 12	51.7%	25.4%	9.9%	5.1%	3.1%	4.8%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	50.3%	34.8%	8.4%	3.0%	1.5%	2.0%
	Grade 7	55.5%	35.1%	6.3%	1.7%	0.5%	1.0%
	Grade 8	54.6%	36.3%	5.2%	1.4%	1.6%	1.0%
	Grade 9	46.5%	38.3%	8.7%	2.9%	1.8%	1.9%
	Grade 10	49.0%	33.8%	8.7%	4.7%	1.2%	2.6%
	Grade 11	45.9%	33.4%	11.6%	3.4%	2.6%	3.1%
	Grade 12	50.4%	30.7%	10.4%	4.1%	1.4%	2.9%
Methamphetamine?							
	All	51.4%	33.4%	7.9%	2.9%	1.7%	2.5%
	Grade 7	55.7%	35.3%	6.0%	1.5%	0.5%	1.1%
	Grade 8	56.0%	34.5%	6.1%	1.3%	0.9%	1.2%
	Grade 9	47.3%	37.6%	8.5%	2.5%	1.9%	2.0%
	Grade 10	51.6%	31.2%	8.3%	4.4%	1.8%	2.8%
	Grade 11	46.7%	32.0%	9.3%	4.1%	3.5%	4.5%
	Grade 12	51.1%	28.5%	10.0%	4.3%	2.1%	4.0%
Synthetic Marijuana?							
	All	53.0%	28.4%	7.1%	3.4%	3.6%	4.5%
	Grade 7	60.5%	29.9%	5.2%	1.8%	1.0%	1.7%
	Grade 8	57.9%	30.1%	6.2%	2.2%	2.1%	1.6%
	Grade 9	48.8%	31.1%	8.5%	3.2%	3.8%	4.6%
	Grade 10	51.3%	28.9%	8.0%	3.4%	2.6%	5.8%
	Grade 11	47.5%	26.6%	7.7%	4.0%	6.8%	7.4%
	Grade 12	51.0%	22.7%	7.0%	6.4%	5.9%	7.1%
Delta 8?							
	All	52.5%	25.3%	5.6%	4.3%	4.4%	7.9%
	Grade 7	58.9%	29.3%	4.8%	3.2%	1.4%	2.4%
	Grade 8	57.7%	26.9%	5.9%	4.0%	3.3%	2.3%
	Grade 9	49.4%	28.7%	6.2%	3.4%	5.4%	6.8%
	Grade 10	50.0%	25.8%	5.9%	4.8%	3.8%	9.7%
	Grade 11	46.6%	22.4%	5.7%	5.3%	7.4%	12.7%
	Grade 12	51.5%	16.8%	5.0%	5.6%	5.7%	15.3%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	94.0%	2.6%	1.1%	2.3%
Grade 7	99.1%	0.2%	0.2%	0.5%
Grade 8	95.8%	2.1%	1.1%	1.1%
Grade 9	93.6%	2.3%	1.7%	2.4%
Grade 10	93.2%	4.0%	0.4%	2.4%
Grade 11	91.2%	3.0%	1.6%	4.1%
Grade 12	90.1%	4.6%	1.7%	3.6%
Attended Class While High from Use of Some Other Drug?				
All	97.6%	1.7%	0.3%	0.5%
Grade 7	98.5%	1.5%	0.0%	0.0%
Grade 8	97.0%	1.6%	0.4%	1.0%
Grade 9	97.3%	1.8%	0.3%	0.6%
Grade 10	96.4%	2.6%	0.4%	0.5%
Grade 11	98.3%	1.1%	0.1%	0.6%
Grade 12	98.0%	1.2%	0.3%	0.4%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.4
Marijuana Non-Users	4.5
Average Days Conduct Problems Reported	
Marijuana Users	3.9
Marijuana Non-Users	1.5

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.3%	2.7%	0.4%	1.5%
Grade 9	97.1%	1.9%	0.4%	0.5%
Grade 10	95.7%	3.1%	0.5%	0.7%
Grade 11	95.0%	3.3%	0.2%	1.5%
Grade 12	93.0%	2.8%	0.3%	3.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.1%	2.5%	0.2%	0.2%
Grade 7	99.0%	1.0%	0.0%	0.0%
Grade 8	97.1%	2.4%	0.2%	0.3%
Grade 9	96.7%	2.8%	0.2%	0.3%
Grade 10	96.4%	3.6%	0.0%	0.1%
Grade 11	96.5%	3.3%	0.0%	0.2%
Grade 12	97.1%	2.1%	0.6%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	65.7%	16.5%	8.7%	6.0%	3.1%
Grade 7	88.3%	7.4%	2.4%	1.5%	0.4%
Grade 8	76.8%	13.1%	6.2%	2.8%	1.1%
Grade 9	61.0%	18.5%	10.1%	7.0%	3.4%
Grade 10	61.7%	16.1%	10.2%	7.3%	4.7%
Grade 11	54.1%	20.6%	12.7%	7.8%	4.9%
Grade 12	48.6%	24.8%	11.5%	10.5%	4.7%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	65.4%	5.5%	3.9%	4.1%	3.9%	2.6%	14.7%
Grade 7	80.7%	3.0%	0.8%	0.9%	0.5%	2.3%	11.9%
Grade 8	79.2%	3.1%	2.5%	1.8%	0.8%	0.8%	11.8%
Grade 9	59.1%	5.9%	4.1%	4.4%	4.7%	4.0%	17.9%
Grade 10	62.6%	6.2%	4.6%	5.0%	5.1%	3.0%	13.6%
Grade 11	52.6%	8.8%	6.0%	5.3%	7.5%	3.6%	16.2%
Grade 12	55.1%	6.4%	6.0%	7.7%	5.7%	2.2%	16.9%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.3%	6.3%	7.0%	2.6%	1.4%	8.4%
Grade 7	85.4%	1.7%	2.5%	1.5%	0.3%	8.6%
Grade 8	80.7%	3.8%	5.1%	1.1%	1.0%	8.4%
Grade 9	71.4%	6.7%	7.8%	2.7%	1.9%	9.5%
Grade 10	73.3%	7.5%	7.4%	3.0%	1.9%	6.9%
Grade 11	67.4%	9.0%	9.3%	4.0%	1.8%	8.5%
Grade 12	64.7%	10.6%	11.1%	3.6%	1.7%	8.2%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	59.9%	14.2%	10.5%	9.3%	6.1%
	Grade 7	81.5%	9.0%	3.2%	1.3%	4.9%
	Grade 8	72.0%	11.6%	6.0%	5.1%	5.2%
	Grade 9	52.8%	17.0%	13.5%	9.3%	7.4%
	Grade 10	57.8%	13.2%	12.3%	11.2%	5.5%
	Grade 11	50.2%	16.0%	13.1%	14.0%	6.7%
	Grade 12	40.5%	19.1%	16.7%	16.8%	6.9%
Cocaine?	All	87.4%	5.4%	0.7%	0.5%	6.1%
	Grade 7	91.2%	5.1%	0.4%	0.3%	3.0%
	Grade 8	88.5%	4.3%	0.9%	0.7%	5.7%
	Grade 9	86.3%	6.1%	1.0%	0.5%	6.2%
	Grade 10	88.3%	4.3%	1.1%	0.2%	6.1%
	Grade 11	84.6%	5.5%	0.8%	1.0%	8.2%
	Grade 12	84.6%	7.3%	0.2%	0.2%	7.7%
Crack?	All	88.0%	4.7%	0.6%	0.5%	6.3%
	Grade 7	92.0%	4.2%	0.6%	0.2%	3.0%
	Grade 8	88.3%	4.1%	0.9%	0.7%	6.1%
	Grade 9	85.5%	6.2%	0.8%	0.4%	7.2%
	Grade 10	89.8%	3.0%	0.8%	0.4%	5.9%
	Grade 11	85.1%	5.2%	0.5%	1.0%	8.2%
	Grade 12	87.0%	5.3%	0.0%	0.2%	7.5%
Ecstasy?	All	80.1%	6.6%	1.3%	0.7%	11.3%
	Grade 7	85.5%	4.4%	0.7%	0.2%	9.2%
	Grade 8	82.1%	6.1%	0.9%	0.8%	10.1%
	Grade 9	75.2%	7.4%	2.4%	0.7%	14.3%
	Grade 10	82.4%	5.5%	1.3%	0.6%	10.2%
	Grade 11	77.3%	8.4%	1.6%	1.0%	11.7%
	Grade 12	77.7%	8.2%	1.1%	1.0%	11.9%
Steroids?	All	76.1%	11.2%	3.7%	1.0%	8.0%
	Grade 7	82.5%	10.5%	2.0%	0.4%	4.5%
	Grade 8	77.1%	10.7%	5.2%	1.2%	5.8%
	Grade 9	70.7%	13.6%	3.9%	1.8%	10.0%
	Grade 10	79.5%	9.4%	2.2%	1.1%	7.9%
	Grade 11	75.2%	10.0%	3.8%	1.1%	9.8%
	Grade 12	71.1%	12.8%	4.8%	0.7%	10.6%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.2%	4.0%	0.6%	0.5%	7.7%
	Grade 7	88.2%	4.3%	0.7%	0.2%	6.6%
	Grade 8	87.0%	4.6%	0.7%	0.7%	7.0%
	Grade 9	85.9%	4.1%	0.8%	0.6%	8.6%
	Grade 10	89.2%	3.1%	0.6%	0.4%	6.7%
	Grade 11	85.6%	3.4%	0.5%	1.0%	9.5%
	Grade 12	87.6%	4.1%	0.3%	0.2%	7.8%
Methamphetamine?						
	All	86.9%	3.8%	0.6%	0.6%	8.1%
	Grade 7	89.5%	3.5%	0.7%	0.6%	5.7%
	Grade 8	87.5%	3.3%	0.5%	0.8%	7.9%
	Grade 9	84.4%	5.4%	0.5%	0.6%	9.1%
	Grade 10	87.6%	3.4%	0.7%	0.4%	7.8%
	Grade 11	85.5%	3.0%	0.8%	1.0%	9.8%
	Grade 12	86.7%	4.0%	0.4%	0.2%	8.7%
Synthetic Marijuana?						
	All	78.7%	6.2%	2.8%	1.6%	10.8%
	Grade 7	85.8%	4.6%	1.2%	0.4%	8.0%
	Grade 8	82.9%	4.2%	1.8%	1.7%	9.3%
	Grade 9	73.9%	6.4%	4.6%	2.3%	12.8%
	Grade 10	79.4%	6.6%	2.7%	1.4%	9.8%
	Grade 11	74.4%	7.0%	3.5%	3.0%	12.1%
	Grade 12	74.8%	8.9%	2.7%	0.5%	13.1%
Delta 8?						
	All	70.8%	8.8%	5.4%	3.8%	11.1%
	Grade 7	84.0%	6.4%	1.2%	0.8%	7.7%
	Grade 8	77.3%	7.1%	3.2%	2.5%	9.9%
	Grade 9	66.4%	8.7%	6.8%	3.8%	14.2%
	Grade 10	71.0%	9.0%	6.2%	4.2%	9.6%
	Grade 11	63.8%	7.4%	8.3%	8.1%	12.4%
	Grade 12	59.7%	15.4%	7.8%	4.1%	13.0%
Fictional Drug?						
	All	81.0%	3.7%	0.7%	0.5%	14.1%
	Grade 7	85.7%	3.8%	0.7%	0.2%	9.6%
	Grade 8	82.4%	3.6%	0.6%	0.7%	12.8%
	Grade 9	76.9%	4.2%	0.9%	0.5%	17.4%
	Grade 10	82.8%	3.3%	0.6%	0.2%	13.1%
	Grade 11	78.1%	3.0%	1.1%	1.0%	16.8%
	Grade 12	80.3%	4.1%	0.0%	0.2%	15.4%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.3%	8.3%	16.8%	83.2%
Grade 7	4.0%	6.8%	13.6%	86.4%
Grade 8	6.3%	8.4%	16.3%	83.7%
Grade 9	6.0%	9.2%	18.3%	81.7%
Grade 10	6.8%	9.9%	17.7%	82.3%
Grade 11	4.3%	7.8%	16.3%	83.7%
Grade 12	4.0%	7.6%	18.9%	81.1%
Codeine Cough Syrup?				
All	2.7%	4.5%	10.6%	89.4%
Grade 7	2.8%	4.9%	9.7%	90.3%
Grade 8	3.0%	3.9%	8.9%	91.1%
Grade 9	3.1%	5.2%	11.2%	88.8%
Grade 10	3.9%	5.5%	12.4%	87.6%
Grade 11	1.2%	3.4%	9.0%	91.0%
Grade 12	2.1%	4.0%	12.7%	87.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.4%	0.7%	2.0%	98.0%
Grade 7	0.1%	0.3%	1.3%	98.7%
Grade 8	1.1%	1.4%	2.1%	97.9%
Grade 9	0.2%	0.6%	1.6%	98.4%
Grade 10	0.3%	1.0%	3.2%	96.8%
Grade 11	0.5%	0.7%	2.3%	97.7%
Grade 12	0.0%	0.0%	1.9%	98.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.7%	1.3%	3.2%	96.8%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.9%	1.8%	98.2%
Grade 9	1.2%	2.2%	4.1%	95.9%
Grade 10	1.1%	2.3%	4.4%	95.6%
Grade 11	0.7%	1.0%	4.0%	96.0%
Grade 12	0.3%	1.1%	4.1%	95.9%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.9%	1.9%	4.2%	95.8%
Grade 7	0.2%	1.1%	2.2%	97.8%
Grade 8	1.2%	2.3%	4.4%	95.6%
Grade 9	0.8%	1.5%	3.7%	96.3%
Grade 10	1.5%	2.7%	4.7%	95.3%
Grade 11	1.0%	1.9%	4.7%	95.3%
Grade 12	0.9%	1.8%	5.8%	94.2%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.5%	3.9%	8.2%	91.8%
Grade 7	1.3%	2.6%	6.4%	93.6%
Grade 8	3.0%	4.4%	9.8%	90.2%
Grade 9	3.6%	5.1%	10.3%	89.7%
Grade 10	2.2%	4.0%	8.0%	92.0%
Grade 11	3.0%	4.1%	8.1%	91.9%
Grade 12	1.4%	3.0%	6.1%	93.9%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.9%	1.2%	2.6%	97.4%
Grade 7	1.3%	1.3%	2.8%	97.2%
Grade 8	1.5%	2.0%	3.6%	96.4%
Grade 9	1.4%	1.5%	4.3%	95.7%
Grade 10	0.5%	1.4%	3.2%	96.8%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.2%	0.7%	0.9%	99.1%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.6%	12.9%	3.3%	1.4%	7.8%
Grade 7	80.8%	11.6%	2.5%	0.4%	4.8%
Grade 8	76.8%	11.5%	3.7%	1.7%	6.3%
Grade 9	68.9%	15.7%	4.9%	2.2%	8.2%
Grade 10	76.7%	10.9%	3.1%	0.6%	8.7%
Grade 11	72.5%	13.1%	2.4%	2.5%	9.5%
Grade 12	71.4%	14.8%	3.2%	0.7%	9.9%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.9%	6.8%	13.0%	87.0%
Grade 7	6.9%	7.5%	14.2%	85.8%
Grade 8	6.5%	9.6%	16.1%	83.9%
Grade 9	5.8%	7.8%	15.3%	84.7%
Grade 10	4.8%	7.3%	13.3%	86.7%
Grade 11	2.1%	4.2%	9.4%	90.6%
Grade 12	2.4%	3.2%	8.3%	91.7%
Spray Paint?				
All	0.3%	0.5%	2.1%	97.9%
Grade 7	0.3%	0.7%	3.0%	97.0%
Grade 8	0.5%	1.1%	2.3%	97.7%
Grade 9	0.1%	0.3%	2.2%	97.8%
Grade 10	0.7%	0.8%	1.8%	98.2%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	0.0%	0.4%	1.4%	98.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.7%	5.1%	94.9%
Grade 7	1.2%	1.8%	5.1%	94.9%
Grade 8	0.8%	2.1%	7.3%	92.7%
Grade 9	2.2%	2.9%	7.0%	93.0%
Grade 10	1.0%	2.3%	5.0%	95.0%
Grade 11	0.5%	0.5%	2.8%	97.2%
Grade 12	0.3%	0.3%	2.4%	97.6%
Computer Dusting Sprays?				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	2.2%	6.3%	93.7%
Grade 7	0.8%	0.8%	5.8%	94.2%
Grade 8	1.8%	3.2%	8.7%	91.3%
Grade 9	1.4%	2.7%	6.5%	93.5%
Grade 10	1.5%	2.7%	6.7%	93.3%
Grade 11	0.9%	2.1%	4.7%	95.3%
Grade 12	1.0%	1.5%	4.7%	95.3%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.4%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.7%	1.0%	1.7%	98.3%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	1.0%	1.3%	1.7%	98.3%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.3%	99.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.1%	2.9%	97.1%
Grade 7	0.7%	1.0%	4.0%	96.0%
Grade 8	1.1%	1.5%	4.2%	95.8%
Grade 9	0.9%	1.6%	3.6%	96.4%
Grade 10	1.2%	1.8%	2.7%	97.3%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.2%	98.8%
Other Aerosols/Sprays?				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	1.6%	1.8%	3.1%	96.9%
Grade 8	0.7%	0.9%	1.7%	98.3%
Grade 9	0.5%	0.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.7%	99.3%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.2%	0.2%	0.3%	0.4%	0.6%	1.3%
Grade 7	97.0%	0.4%	0.4%	0.5%	0.7%	0.4%	0.6%
Grade 8	95.2%	0.0%	0.7%	0.5%	0.3%	1.0%	2.3%
Grade 9	96.0%	0.3%	0.0%	0.3%	0.2%	1.4%	1.9%
Grade 10	97.3%	0.4%	0.1%	0.1%	0.5%	0.6%	0.9%
Grade 11	98.1%	0.0%	0.1%	0.1%	0.6%	0.0%	1.1%
Grade 12	99.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.3%	6.0%	3.5%	1.1%
Grade 7	87.7%	7.1%	3.7%	1.5%
Grade 8	86.1%	7.0%	5.5%	1.4%
Grade 9	88.0%	6.2%	4.2%	1.6%
Grade 10	89.1%	6.5%	3.2%	1.1%
Grade 11	92.6%	4.7%	1.9%	0.7%
Grade 12	93.6%	4.2%	1.9%	0.3%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.9	10.6	11.0	11.8	11.5	14.6	14.5

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.5%	0.4%	0.2%
Grade 7	98.4%	0.9%	0.7%	0.1%
Grade 8	97.8%	1.4%	0.5%	0.3%
Grade 9	98.2%	0.5%	0.6%	0.8%
Grade 10	99.9%	0.1%	0.0%	0.0%
Grade 11	99.8%	0.0%	0.2%	0.0%
Grade 12	99.8%	0.0%	0.0%	0.2%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.2
Inhalant Non-Users	4.7
Average Days Conduct Problems Reported	
Inhalant Users	3.7
Inhalant Non-Users	1.6

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.5%	5.3%	1.6%	0.4%	0.3%
Grade 7	90.2%	6.9%	2.0%	0.8%	0.0%
Grade 8	89.7%	7.7%	2.1%	0.3%	0.2%
Grade 9	92.4%	4.6%	2.2%	0.4%	0.5%
Grade 10	92.9%	4.8%	1.7%	0.0%	0.6%
Grade 11	94.0%	4.4%	0.9%	0.4%	0.2%
Grade 12	96.6%	2.8%	0.3%	0.0%	0.3%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	72.7%	13.1%	4.8%	1.4%	8.1%
Grade 7	77.1%	11.6%	5.5%	0.8%	5.0%
Grade 8	73.1%	13.5%	4.6%	2.5%	6.3%
Grade 9	64.7%	17.8%	6.1%	2.1%	9.2%
Grade 10	74.9%	12.3%	4.6%	0.9%	7.2%
Grade 11	75.2%	9.0%	3.3%	1.2%	11.3%
Grade 12	71.9%	13.3%	4.1%	0.6%	10.0%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	45.1%	18.0%	3.3%	5.5%	8.2%	19.9%
Grade 7	47.9%	25.8%	3.4%	4.8%	5.8%	12.3%
Grade 8	47.9%	22.1%	2.6%	3.9%	6.2%	17.2%
Grade 9	40.6%	13.6%	3.0%	8.3%	10.2%	24.3%
Grade 10	46.3%	18.4%	3.0%	4.4%	9.6%	18.3%
Grade 11	42.7%	17.4%	3.8%	4.6%	9.8%	21.8%
Grade 12	45.7%	9.4%	4.1%	6.7%	7.7%	26.4%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	28.9%
	Grade 7	21.1%
	Grade 8	27.1%
	Grade 9	36.9%
	Grade 10	32.4%
	Grade 11	26.3%
	Grade 12	29.0%
An Assembly Program		
	All	37.4%
	Grade 7	33.4%
	Grade 8	46.0%
	Grade 9	42.4%
	Grade 10	36.7%
	Grade 11	31.2%
	Grade 12	32.5%
Guidance Counselor		
	All	21.4%
	Grade 7	19.7%
	Grade 8	26.0%
	Grade 9	24.6%
	Grade 10	22.0%
	Grade 11	16.7%
	Grade 12	18.0%
School Nurse		
	All	15.4%
	Grade 7	16.3%
	Grade 8	22.1%
	Grade 9	14.7%
	Grade 10	14.0%
	Grade 11	11.1%
	Grade 12	13.6%
Science or Social Studies Class		
	All	22.9%
	Grade 7	28.0%
	Grade 8	27.4%
	Grade 9	21.5%
	Grade 10	22.2%
	Grade 11	19.0%
	Grade 12	17.7%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	12.2%
	Grade 7	8.8%
	Grade 8	13.2%
	Grade 9	13.5%
	Grade 10	14.6%
	Grade 11	12.2%
	Grade 12	10.9%
An Invited School Guest		
	All	25.7%
	Grade 7	22.1%
	Grade 8	28.1%
	Grade 9	31.0%
	Grade 10	27.1%
	Grade 11	20.1%
	Grade 12	24.6%
Another Source at School		
	All	25.3%
	Grade 7	22.4%
	Grade 8	29.2%
	Grade 9	29.1%
	Grade 10	27.2%
	Grade 11	20.0%
	Grade 12	22.8%
Any School Source		
	All	56.9%
	Grade 7	52.9%
	Grade 8	59.5%
	Grade 9	65.7%
	Grade 10	61.6%
	Grade 11	48.9%
	Grade 12	50.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	33.8%
	Grade 7	47.2%
	Grade 8	39.0%
	Grade 9	32.6%
	Grade 10	31.6%
	Grade 11	21.3%
	Grade 12	28.7%
School Nurse		
	All	20.6%
	Grade 7	32.7%
	Grade 8	26.4%
	Grade 9	16.8%
	Grade 10	18.2%
	Grade 11	11.2%
	Grade 12	16.2%
Another Adult In School		
	All	37.9%
	Grade 7	47.9%
	Grade 8	41.1%
	Grade 9	34.4%
	Grade 10	38.6%
	Grade 11	29.9%
	Grade 12	33.9%
Counselor/Program Outside-School		
	All	38.2%
	Grade 7	43.1%
	Grade 8	39.9%
	Grade 9	39.0%
	Grade 10	35.4%
	Grade 11	34.8%
	Grade 12	35.6%
Your Parents		
	All	64.8%
	Grade 7	74.2%
	Grade 8	69.3%
	Grade 9	61.6%
	Grade 10	64.4%
	Grade 11	58.1%
	Grade 12	59.4%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
 (Continued)

		Yes
A Medical Doctor		
	All	54.3%
	Grade 7	66.6%
	Grade 8	57.3%
	Grade 9	54.7%
	Grade 10	48.0%
	Grade 11	48.6%
	Grade 12	48.1%
Your Friends		
	All	61.2%
	Grade 7	51.1%
	Grade 8	58.8%
	Grade 9	63.6%
	Grade 10	63.9%
	Grade 11	64.9%
	Grade 12	66.4%
Another Adult		
	All	55.7%
	Grade 7	60.8%
	Grade 8	57.5%
	Grade 9	54.4%
	Grade 10	55.3%
	Grade 11	53.0%
	Grade 12	52.0%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.8%
	Grade 7	6.6%
	Grade 8	5.6%
	Grade 9	6.5%
	Grade 10	7.3%
	Grade 11	4.5%
	Grade 12	4.2%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.4%	24.8%	23.9%	30.0%	14.9%
Grade 7	5.3%	19.4%	20.9%	31.4%	23.0%
Grade 8	6.8%	20.9%	22.5%	31.7%	18.1%
Grade 9	5.8%	29.4%	25.8%	27.5%	11.5%
Grade 10	5.1%	26.3%	24.8%	30.6%	13.3%
Grade 11	7.5%	30.0%	22.6%	27.5%	12.4%
Grade 12	8.3%	22.9%	27.4%	31.5%	10.0%
Sometimes Carry Weapons?					
All	70.7%	16.3%	6.5%	4.1%	2.4%
Grade 7	78.8%	11.5%	5.3%	2.7%	1.6%
Grade 8	75.8%	15.5%	4.7%	1.8%	2.2%
Grade 9	69.6%	16.8%	6.6%	4.1%	2.8%
Grade 10	69.8%	14.9%	7.7%	5.3%	2.3%
Grade 11	67.6%	17.5%	8.3%	3.6%	3.0%
Grade 12	60.4%	22.5%	7.1%	7.8%	2.2%
Care About Making Good Grades?					
All	2.5%	14.2%	25.5%	38.2%	19.6%
Grade 7	3.2%	15.0%	23.5%	36.2%	22.1%
Grade 8	1.5%	14.0%	25.4%	35.8%	23.3%
Grade 9	1.9%	15.8%	23.8%	39.5%	19.0%
Grade 10	2.0%	12.5%	28.3%	38.5%	18.7%
Grade 11	3.9%	14.4%	27.1%	37.7%	16.8%
Grade 12	2.6%	12.7%	25.4%	42.3%	17.0%
Belong/Want to Belong to a Gang?					
All	85.0%	9.7%	2.9%	1.5%	0.9%
Grade 7	85.2%	11.7%	1.6%	0.5%	1.0%
Grade 8	83.8%	11.1%	2.8%	1.9%	0.4%
Grade 9	80.2%	12.4%	4.6%	1.9%	0.9%
Grade 10	85.7%	8.1%	3.0%	2.8%	0.4%
Grade 11	87.4%	7.0%	3.1%	1.2%	1.3%
Grade 12	89.0%	6.9%	1.9%	0.8%	1.4%
Wish They Could Drop Out of School?					
All	37.8%	30.5%	16.0%	9.8%	6.0%
Grade 7	44.8%	29.9%	12.4%	7.8%	5.1%
Grade 8	41.2%	29.7%	14.1%	10.6%	4.4%
Grade 9	34.6%	30.8%	17.3%	11.0%	6.3%
Grade 10	36.1%	31.8%	16.1%	10.5%	5.5%
Grade 11	36.3%	28.3%	17.8%	10.1%	7.5%
Grade 12	32.9%	32.5%	18.6%	8.5%	7.5%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	84.6%	13.3%	1.1%	0.1%	1.0%
Grade 7	86.8%	11.3%	0.7%	0.1%	1.1%
Grade 8	86.4%	11.7%	1.0%	0.0%	0.8%
Grade 9	80.6%	17.2%	0.7%	0.3%	1.1%
Grade 10	85.0%	12.4%	1.3%	0.2%	1.1%
Grade 11	83.3%	13.8%	1.9%	0.3%	0.7%
Grade 12	85.6%	12.8%	0.8%	0.0%	0.9%
Out In Your Neighborhood?					
All	46.0%	42.1%	5.7%	2.1%	4.1%
Grade 7	42.7%	44.0%	3.8%	3.5%	6.0%
Grade 8	44.9%	44.6%	5.4%	0.8%	4.2%
Grade 9	41.1%	45.5%	7.4%	2.0%	4.0%
Grade 10	50.0%	39.6%	5.1%	2.5%	2.8%
Grade 11	47.8%	39.3%	5.9%	2.8%	4.2%
Grade 12	51.1%	38.4%	6.4%	0.7%	3.4%
At School?					
All	34.5%	46.3%	9.3%	5.0%	5.0%
Grade 7	34.5%	45.7%	9.1%	6.5%	4.2%
Grade 8	33.7%	47.7%	8.4%	4.4%	5.8%
Grade 9	31.2%	47.5%	9.9%	4.7%	6.7%
Grade 10	33.0%	48.9%	8.5%	5.4%	4.2%
Grade 11	37.9%	42.6%	9.8%	3.8%	5.9%
Grade 12	37.7%	44.8%	10.0%	4.9%	2.6%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.3%	18.6%	31.7%	68.3%
Grade 7	6.3%	7.1%	16.7%	83.3%
Grade 8	9.0%	11.8%	22.8%	77.2%
Grade 9	18.1%	21.7%	37.2%	62.8%
Grade 10	18.1%	24.3%	37.2%	62.8%
Grade 11	19.9%	22.7%	37.5%	62.5%
Grade 12	22.4%	26.1%	41.2%	58.8%
Any Alcohol Product				
All	30.4%	35.8%	54.7%	45.3%
Grade 7	19.5%	21.9%	39.7%	60.3%
Grade 8	20.2%	23.7%	41.5%	58.5%
Grade 9	35.6%	41.4%	63.4%	36.6%
Grade 10	34.1%	41.2%	62.0%	38.0%
Grade 11	34.2%	40.9%	58.7%	41.3%
Grade 12	41.3%	49.0%	65.3%	34.7%
Any Illicit Drug				
All	12.1%	16.2%	21.8%	78.2%
Grade 7	4.0%	6.1%	8.4%	91.6%
Grade 8	7.2%	10.2%	13.7%	86.3%
Grade 9	14.0%	18.4%	22.1%	77.9%
Grade 10	14.1%	18.9%	24.8%	75.2%
Grade 11	14.8%	20.2%	30.4%	69.6%
Grade 12	20.2%	25.5%	34.7%	65.3%
Any Prescription Drug				
All	5.3%	8.3%	16.8%	83.2%
Grade 7	4.0%	6.8%	13.6%	86.4%
Grade 8	6.3%	8.4%	16.3%	83.7%
Grade 9	6.0%	9.2%	18.3%	81.7%
Grade 10	6.8%	9.9%	17.7%	82.3%
Grade 11	4.3%	7.8%	16.3%	83.7%
Grade 12	4.0%	7.6%	18.9%	81.1%
Any Inhalant				
All	4.9%	6.8%	13.0%	87.0%
Grade 7	6.9%	7.5%	14.2%	85.8%
Grade 8	6.5%	9.6%	16.1%	83.9%
Grade 9	5.8%	7.8%	15.3%	84.7%
Grade 10	4.8%	7.3%	13.3%	86.7%
Grade 11	2.1%	4.2%	9.4%	90.6%
Grade 12	2.4%	3.2%	8.3%	91.7%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.6%	15.5%	28.2%	71.8%
Grade 7	4.3%	5.6%	13.8%	86.2%
Grade 8	7.3%	10.1%	18.9%	81.1%
Grade 9	13.0%	16.7%	33.8%	66.2%
Grade 10	15.1%	22.3%	34.6%	65.4%
Grade 11	14.9%	18.3%	32.8%	67.2%
Grade 12	16.7%	21.8%	37.6%	62.4%
Marijuana				
All	11.5%	13.8%	19.5%	80.5%
Grade 7	3.3%	3.8%	4.8%	95.2%
Grade 8	6.5%	7.4%	11.2%	88.8%
Grade 9	13.8%	16.4%	20.1%	79.9%
Grade 10	13.4%	15.6%	22.2%	77.8%
Grade 11	13.8%	17.6%	28.0%	72.0%
Grade 12	19.7%	24.0%	34.5%	65.5%
Marijuana Only				
All	4.1%	5.5%	9.8%	90.2%
Grade 7	1.9%	2.4%	3.3%	96.7%
Grade 8	2.0%	2.4%	5.2%	94.8%
Grade 9	5.5%	7.7%	10.0%	90.0%
Grade 10	4.1%	5.0%	8.9%	91.1%
Grade 11	4.4%	6.5%	15.5%	84.5%
Grade 12	7.2%	9.8%	17.4%	82.6%
Cocaine or Crack				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	1.0%	1.2%	1.5%	98.5%
Grade 10	0.7%	1.3%	2.5%	97.5%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.5%	2.4%	97.6%
Cocaine				
All	0.7%	0.9%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.0%	1.2%	1.3%	98.7%
Grade 10	0.7%	1.0%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.5%	2.4%	97.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.3%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.6%	1.1%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.8%	1.0%	2.3%	97.7%
Grade 9	0.9%	1.2%	2.6%	97.4%
Grade 10	0.5%	1.1%	3.1%	96.9%
Grade 11	0.3%	1.2%	3.7%	96.3%
Grade 12	1.1%	2.1%	3.1%	96.9%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.4%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.5%	0.9%	1.9%	98.1%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.3%	1.0%	2.6%	97.4%
Grade 9	0.9%	1.1%	2.4%	97.6%
Grade 10	0.6%	1.1%	1.7%	98.3%
Grade 11	0.5%	0.9%	1.6%	98.4%
Grade 12	0.2%	0.5%	1.7%	98.3%
Ecstasy				
All	0.4%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.8%	1.4%	2.1%	97.9%
Grade 10	0.7%	1.6%	3.3%	96.7%
Grade 11	0.4%	0.7%	2.0%	98.0%
Grade 12	0.6%	0.9%	2.8%	97.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.5%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	1.3%	1.6%	3.1%	96.9%
Grade 9	1.9%	2.9%	4.5%	95.5%
Grade 10	0.7%	2.0%	3.7%	96.3%
Grade 11	0.9%	1.1%	2.4%	97.6%
Grade 12	0.8%	1.1%	2.6%	97.4%
Methamphetamine				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	1.3%	1.5%	98.5%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	4.4%	6.0%	8.9%	91.1%
Grade 7	0.4%	0.8%	2.7%	97.3%
Grade 8	2.6%	4.1%	6.2%	93.8%
Grade 9	4.4%	6.7%	8.5%	91.5%
Grade 10	6.2%	7.8%	11.8%	88.2%
Grade 11	6.4%	7.7%	11.8%	88.2%
Grade 12	6.9%	9.5%	14.0%	86.0%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	18.3%	31.3%	68.7%
Grade 7	7.0%	7.9%	17.1%	82.9%
Grade 8	10.3%	12.7%	26.1%	73.9%
Grade 9	15.7%	17.3%	32.1%	67.9%
Grade 10	18.3%	24.8%	37.9%	62.1%
Grade 11	19.6%	21.4%	34.5%	65.5%
Grade 12	26.2%	28.5%	43.5%	56.5%
Any Alcohol Product				
All	29.7%	34.4%	52.8%	47.2%
Grade 7	24.0%	25.2%	40.1%	59.9%
Grade 8	21.6%	25.1%	43.2%	56.8%
Grade 9	34.4%	39.1%	57.6%	42.4%
Grade 10	32.5%	38.8%	60.8%	39.2%
Grade 11	30.8%	36.0%	52.5%	47.5%
Grade 12	35.9%	43.8%	65.2%	34.8%
Any Illicit Drug				
All	11.1%	14.4%	20.3%	79.7%
Grade 7	5.0%	7.5%	10.2%	89.8%
Grade 8	8.3%	10.9%	15.2%	84.8%
Grade 9	11.2%	14.0%	17.8%	82.2%
Grade 10	12.3%	17.2%	25.6%	74.4%
Grade 11	11.6%	15.7%	24.4%	75.6%
Grade 12	20.4%	23.5%	32.1%	67.9%
Any Prescription Drug				
All	4.7%	7.3%	16.3%	83.7%
Grade 7	4.0%	7.3%	13.9%	86.1%
Grade 8	5.3%	6.5%	13.5%	86.5%
Grade 9	4.9%	7.4%	18.2%	81.8%
Grade 10	7.0%	10.5%	19.5%	80.5%
Grade 11	4.3%	6.3%	12.9%	87.1%
Grade 12	2.2%	5.5%	20.5%	79.5%
Any Inhalant				
All	4.4%	6.3%	13.0%	87.0%
Grade 7	8.0%	8.0%	14.8%	85.2%
Grade 8	5.1%	9.7%	16.9%	83.1%
Grade 9	5.0%	5.6%	13.4%	86.6%
Grade 10	4.8%	8.2%	15.9%	84.1%
Grade 11	0.3%	1.9%	7.5%	92.5%
Grade 12	2.1%	3.7%	8.4%	91.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	14.1%	26.6%	73.4%
Grade 7	5.2%	6.0%	14.4%	85.6%
Grade 8	7.3%	9.4%	20.2%	79.8%
Grade 9	9.3%	11.3%	27.5%	72.5%
Grade 10	15.4%	22.5%	33.8%	66.2%
Grade 11	13.6%	16.1%	28.1%	71.9%
Grade 12	18.5%	21.9%	38.9%	61.1%
Marijuana				
All	10.7%	12.4%	18.2%	81.8%
Grade 7	4.0%	4.7%	5.5%	94.5%
Grade 8	7.9%	8.2%	12.5%	87.5%
Grade 9	11.2%	13.7%	17.2%	82.8%
Grade 10	12.1%	13.4%	22.4%	77.6%
Grade 11	11.1%	13.9%	23.6%	76.4%
Grade 12	19.8%	22.4%	32.1%	67.9%
Marijuana Only				
All	3.6%	4.8%	8.8%	91.2%
Grade 7	2.3%	3.1%	3.8%	96.2%
Grade 8	3.6%	3.6%	6.4%	93.6%
Grade 9	4.3%	6.6%	8.6%	91.4%
Grade 10	3.6%	4.6%	10.9%	89.1%
Grade 11	2.3%	3.6%	11.0%	89.0%
Grade 12	5.4%	7.3%	13.2%	86.8%
Cocaine or Crack				
All	0.9%	1.3%	1.9%	98.1%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.1%	2.2%	3.8%	96.2%
Grade 11	0.9%	1.1%	1.8%	98.2%
Grade 12	1.9%	2.8%	4.1%	95.9%
Cocaine				
All	0.8%	1.1%	1.7%	98.3%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	1.1%	1.5%	3.1%	96.9%
Grade 11	0.9%	1.1%	1.8%	98.2%
Grade 12	1.9%	2.8%	4.1%	95.9%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.7%	1.4%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	1.9%	1.9%	98.1%
Hallucinogens				
All	0.4%	0.8%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.4%	1.7%	98.3%
Grade 10	0.4%	1.5%	3.2%	96.8%
Grade 11	0.6%	1.2%	3.5%	96.5%
Grade 12	1.5%	2.0%	3.0%	97.0%
Synthetic Cathinones				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.6%	0.6%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	1.1%	1.3%	3.0%	97.0%
Grade 10	1.2%	1.5%	2.6%	97.4%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.5%	1.1%	3.1%	96.9%
Ecstasy				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.2%	1.2%	1.6%	98.4%
Grade 10	0.8%	1.7%	4.3%	95.7%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.7%	0.7%	2.8%	97.2%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.7%	0.7%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.7%	0.9%	2.3%	97.7%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.3%	0.7%	2.3%	97.7%
Grade 9	1.3%	2.1%	3.2%	96.8%
Grade 10	0.7%	1.2%	2.7%	97.3%
Grade 11	0.6%	0.6%	1.8%	98.2%
Grade 12	1.0%	1.0%	2.3%	97.7%
Methamphetamine				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.7%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	4.3%	5.7%	9.2%	90.8%
Grade 7	0.8%	1.3%	4.1%	95.9%
Grade 8	3.1%	4.6%	6.9%	93.1%
Grade 9	2.9%	5.0%	6.8%	93.2%
Grade 10	5.3%	6.9%	11.3%	88.7%
Grade 11	5.2%	6.7%	11.8%	88.2%
Grade 12	10.4%	10.9%	16.7%	83.3%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.9%	19.0%	32.2%	67.8%
Grade 7	5.4%	6.3%	16.2%	83.8%
Grade 8	7.8%	11.0%	19.9%	80.1%
Grade 9	20.7%	26.6%	42.7%	57.3%
Grade 10	17.9%	23.9%	36.7%	63.3%
Grade 11	20.4%	24.2%	40.6%	59.4%
Grade 12	18.7%	23.7%	39.3%	60.7%
Any Alcohol Product				
All	31.4%	37.5%	56.8%	43.2%
Grade 7	15.0%	18.6%	39.2%	60.8%
Grade 8	19.0%	22.6%	40.2%	59.8%
Grade 9	36.9%	43.8%	69.8%	30.2%
Grade 10	36.1%	43.9%	63.4%	36.6%
Grade 11	38.0%	46.2%	65.1%	34.9%
Grade 12	47.2%	54.2%	66.1%	33.9%
Any Illicit Drug				
All	13.1%	18.0%	23.4%	76.6%
Grade 7	3.0%	4.6%	6.7%	93.3%
Grade 8	6.2%	9.7%	12.4%	87.6%
Grade 9	17.2%	23.4%	27.2%	72.8%
Grade 10	16.0%	20.6%	24.2%	75.8%
Grade 11	18.1%	24.8%	36.3%	63.7%
Grade 12	19.9%	27.3%	37.3%	62.7%
Any Prescription Drug				
All	5.9%	9.2%	17.1%	82.9%
Grade 7	4.1%	6.3%	13.4%	86.6%
Grade 8	6.9%	9.8%	18.6%	81.4%
Grade 9	7.2%	11.2%	18.6%	81.4%
Grade 10	6.7%	9.3%	15.9%	84.1%
Grade 11	4.5%	9.2%	19.2%	80.8%
Grade 12	5.8%	9.1%	16.8%	83.2%
Any Inhalant				
All	5.5%	7.3%	13.1%	86.9%
Grade 7	5.8%	7.1%	13.8%	86.2%
Grade 8	7.9%	9.6%	15.5%	84.5%
Grade 9	6.8%	10.4%	17.5%	82.5%
Grade 10	4.8%	6.5%	10.8%	89.2%
Grade 11	3.9%	6.4%	11.5%	88.5%
Grade 12	2.8%	2.8%	8.3%	91.7%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.1%	17.0%	29.9%	70.1%
Grade 7	3.5%	5.1%	13.3%	86.7%
Grade 8	7.3%	10.7%	17.8%	82.2%
Grade 9	17.0%	22.8%	40.6%	59.4%
Grade 10	14.9%	22.2%	35.6%	64.4%
Grade 11	16.3%	20.7%	37.6%	62.4%
Grade 12	14.7%	21.5%	36.7%	63.3%
Marijuana				
All	12.3%	15.2%	20.9%	79.1%
Grade 7	2.6%	2.9%	4.1%	95.9%
Grade 8	5.3%	6.8%	10.1%	89.9%
Grade 9	16.9%	19.5%	23.5%	76.5%
Grade 10	14.9%	18.0%	22.1%	77.9%
Grade 11	16.7%	21.5%	32.5%	67.5%
Grade 12	19.3%	25.3%	37.0%	63.0%
Marijuana Only				
All	4.7%	6.4%	10.8%	89.2%
Grade 7	1.4%	1.7%	2.9%	97.1%
Grade 8	0.5%	1.4%	4.1%	95.9%
Grade 9	6.9%	9.1%	11.7%	88.3%
Grade 10	4.6%	5.4%	7.0%	93.0%
Grade 11	6.5%	9.4%	20.0%	80.0%
Grade 12	9.1%	12.5%	21.8%	78.2%
Cocaine or Crack				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	1.2%	1.2%	1.7%	98.3%
Grade 9	1.3%	1.7%	2.3%	97.7%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.9%	99.1%
Cocaine				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	1.3%	1.7%	2.0%	98.0%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.9%	99.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	1.3%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.6%	1.6%	3.7%	96.3%
Grade 9	1.4%	2.1%	3.6%	96.4%
Grade 10	0.7%	0.7%	3.0%	97.0%
Grade 11	0.0%	1.2%	3.9%	96.1%
Grade 12	0.8%	2.3%	3.2%	96.8%
Synthetic Cathinones				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	1.1%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.7%	0.7%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.9%	1.7%	98.3%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.6%	1.9%	4.1%	95.9%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.0%	0.6%	0.8%	99.2%
Grade 11	1.0%	1.4%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.5%	99.5%
Ecstasy				
All	0.4%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.4%	1.6%	2.7%	97.3%
Grade 10	0.5%	1.5%	2.4%	97.6%
Grade 11	0.6%	1.2%	3.2%	96.8%
Grade 12	0.5%	1.1%	3.0%	97.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.3%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.3%	2.1%	3.5%	96.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	2.2%	2.5%	3.8%	96.2%
Grade 9	2.6%	3.9%	6.0%	94.0%
Grade 10	0.7%	2.9%	4.6%	95.4%
Grade 11	1.3%	1.6%	3.0%	97.0%
Grade 12	0.6%	1.2%	3.0%	97.0%
Methamphetamine				
All	0.2%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.4%	2.2%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	4.4%	6.2%	8.6%	91.4%
Grade 7	0.0%	0.4%	1.2%	98.8%
Grade 8	2.2%	3.7%	5.5%	94.5%
Grade 9	6.1%	8.7%	10.5%	89.5%
Grade 10	7.2%	8.7%	12.4%	87.6%
Grade 11	7.7%	8.8%	11.9%	88.1%
Grade 12	3.9%	7.6%	11.1%	88.9%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.4%	23.0%	36.4%	63.6%
Grade 7	6.9%	7.9%	15.2%	84.8%
Grade 8	12.1%	15.7%	28.5%	71.5%
Grade 9	20.5%	23.6%	40.2%	59.8%
Grade 10	22.1%	29.2%	44.0%	56.0%
Grade 11	27.6%	30.9%	43.4%	56.6%
Grade 12	29.6%	33.5%	50.6%	49.4%
Any Alcohol Product				
All	34.5%	40.6%	59.3%	40.7%
Grade 7	20.2%	22.5%	40.5%	59.5%
Grade 8	27.2%	32.2%	49.6%	50.4%
Grade 9	37.6%	45.1%	67.2%	32.8%
Grade 10	37.8%	44.6%	63.9%	36.1%
Grade 11	41.0%	47.0%	66.2%	33.8%
Grade 12	45.6%	54.9%	70.4%	29.6%
Any Illicit Drug				
All	12.2%	16.7%	22.4%	77.6%
Grade 7	4.4%	6.8%	9.0%	91.0%
Grade 8	9.2%	13.5%	16.6%	83.4%
Grade 9	11.0%	14.7%	19.2%	80.8%
Grade 10	13.5%	17.9%	24.7%	75.3%
Grade 11	15.3%	22.1%	32.3%	67.7%
Grade 12	21.5%	27.9%	36.3%	63.7%
Any Prescription Drug				
All	5.4%	9.0%	18.5%	81.5%
Grade 7	3.9%	8.1%	15.6%	84.4%
Grade 8	6.2%	9.2%	19.4%	80.6%
Grade 9	6.9%	10.6%	20.6%	79.4%
Grade 10	7.3%	11.1%	19.6%	80.4%
Grade 11	5.0%	8.8%	18.2%	81.8%
Grade 12	2.5%	6.1%	17.5%	82.5%
Any Inhalant				
All	5.4%	7.4%	15.4%	84.6%
Grade 7	7.8%	8.4%	16.4%	83.6%
Grade 8	7.3%	11.5%	19.3%	80.7%
Grade 9	6.3%	7.3%	17.0%	83.0%
Grade 10	5.0%	8.8%	17.2%	82.8%
Grade 11	3.5%	5.8%	13.7%	86.3%
Grade 12	1.7%	2.1%	7.9%	92.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.4%	18.8%	32.2%	67.8%
Grade 7	4.2%	6.0%	13.4%	86.6%
Grade 8	10.1%	13.6%	24.5%	75.5%
Grade 9	14.9%	17.8%	34.8%	65.2%
Grade 10	17.2%	26.6%	40.4%	59.6%
Grade 11	20.7%	24.4%	37.0%	63.0%
Grade 12	21.2%	27.4%	46.6%	53.4%
Marijuana				
All	11.3%	14.0%	20.3%	79.7%
Grade 7	4.0%	4.8%	6.0%	94.0%
Grade 8	7.8%	9.9%	13.5%	86.5%
Grade 9	10.8%	12.9%	17.7%	82.3%
Grade 10	12.4%	14.7%	22.8%	77.2%
Grade 11	14.5%	18.5%	29.5%	70.5%
Grade 12	20.3%	25.7%	36.3%	63.7%
Marijuana Only				
All	2.1%	3.6%	7.9%	92.1%
Grade 7	1.7%	2.4%	3.6%	96.4%
Grade 8	1.2%	2.3%	4.4%	95.6%
Grade 9	1.5%	3.2%	5.6%	94.4%
Grade 10	1.1%	1.7%	5.5%	94.5%
Grade 11	2.2%	3.8%	12.5%	87.5%
Grade 12	5.5%	8.7%	17.2%	82.8%
Cocaine or Crack				
All	1.1%	1.1%	1.8%	98.2%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	1.5%	1.5%	1.9%	98.1%
Grade 9	0.0%	0.4%	0.9%	99.1%
Grade 10	0.9%	0.9%	2.5%	97.5%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	1.8%	1.8%	3.2%	96.8%
Cocaine				
All	0.9%	0.9%	1.6%	98.4%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.4%	0.7%	99.3%
Grade 10	0.9%	0.9%	2.5%	97.5%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	1.8%	1.8%	3.2%	96.8%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.4%	0.6%	99.4%
	Grade 7	0.4%	0.4%	0.4%	99.6%
	Grade 8	1.1%	1.1%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.0%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens	All	0.6%	1.3%	2.9%	97.1%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	1.0%	1.4%	2.4%	97.6%
	Grade 9	0.8%	1.5%	3.9%	96.1%
	Grade 10	0.7%	0.7%	2.5%	97.5%
	Grade 11	0.3%	2.1%	5.4%	94.6%
	Grade 12	0.7%	2.1%	3.1%	96.9%
Synthetic Cathinones	All	0.1%	0.1%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.0%	0.2%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.4%	0.4%	0.9%	99.1%
	Grade 8	0.6%	1.4%	3.1%	96.9%
	Grade 9	1.0%	1.6%	2.8%	97.2%
	Grade 10	1.1%	1.4%	2.1%	97.9%
	Grade 11	0.0%	0.4%	1.0%	99.0%
	Grade 12	0.4%	0.4%	1.4%	98.6%
Ecstasy	All	0.7%	1.2%	2.3%	97.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.3%	0.3%	0.7%	99.3%
	Grade 9	0.8%	1.8%	2.7%	97.3%
	Grade 10	1.0%	2.3%	3.6%	96.4%
	Grade 11	0.9%	1.5%	3.4%	96.6%
	Grade 12	1.2%	1.4%	4.0%	96.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.0%	1.7%	3.6%	96.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	1.4%	2.1%	4.2%	95.8%
Grade 9	1.3%	2.9%	4.6%	95.4%
Grade 10	0.7%	2.1%	4.7%	95.3%
Grade 11	1.8%	2.0%	4.6%	95.4%
Grade 12	0.6%	1.2%	2.7%	97.3%
Methamphetamine				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.4%	1.3%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	6.1%	8.1%	12.0%	88.0%
Grade 7	0.0%	0.4%	2.9%	97.1%
Grade 8	4.2%	5.7%	9.1%	90.9%
Grade 9	5.7%	8.9%	12.0%	88.0%
Grade 10	8.3%	11.0%	16.8%	83.2%
Grade 11	9.7%	11.7%	16.2%	83.8%
Grade 12	10.0%	12.3%	16.7%	83.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	11.7%	26.8%	73.2%
Grade 7	2.2%	4.2%	19.8%	80.2%
Grade 8	2.4%	4.5%	14.3%	85.7%
Grade 9	13.1%	17.0%	35.4%	64.6%
Grade 10	7.8%	11.8%	27.0%	73.0%
Grade 11	16.2%	16.2%	34.4%	65.6%
Grade 12	16.7%	18.2%	31.5%	68.5%
Any Alcohol Product				
All	27.5%	32.6%	49.3%	50.7%
Grade 7	26.4%	30.0%	42.6%	57.4%
Grade 8	11.3%	12.2%	30.9%	69.1%
Grade 9	34.8%	37.4%	53.8%	46.2%
Grade 10	32.0%	42.3%	65.1%	34.9%
Grade 11	29.1%	35.8%	53.7%	46.3%
Grade 12	33.1%	40.8%	51.5%	48.5%
Any Illicit Drug				
All	12.3%	14.8%	21.0%	79.0%
Grade 7	3.0%	4.8%	5.9%	94.1%
Grade 8	0.0%	0.9%	3.3%	96.7%
Grade 9	15.3%	21.1%	26.0%	74.0%
Grade 10	14.4%	17.7%	23.4%	76.6%
Grade 11	18.6%	20.4%	34.6%	65.4%
Grade 12	26.1%	27.3%	37.7%	62.3%
Any Prescription Drug				
All	5.0%	8.0%	15.1%	84.9%
Grade 7	2.4%	3.9%	10.7%	89.3%
Grade 8	4.0%	7.0%	9.6%	90.4%
Grade 9	6.8%	9.9%	15.9%	84.1%
Grade 10	4.9%	7.9%	14.1%	85.9%
Grade 11	5.1%	7.0%	17.1%	82.9%
Grade 12	6.8%	13.3%	25.7%	74.3%
Any Inhalant				
All	4.1%	6.5%	10.3%	89.7%
Grade 7	1.8%	1.8%	8.7%	91.3%
Grade 8	5.1%	8.7%	12.5%	87.5%
Grade 9	4.9%	8.7%	11.4%	88.6%
Grade 10	6.9%	8.5%	11.4%	88.6%
Grade 11	0.0%	3.0%	7.8%	92.2%
Grade 12	5.7%	7.6%	9.6%	90.4%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	9.7%	24.2%	75.8%
Grade 7	1.6%	3.5%	15.8%	84.2%
Grade 8	1.4%	3.5%	9.2%	90.8%
Grade 9	9.7%	12.4%	36.0%	64.0%
Grade 10	7.9%	10.8%	25.5%	74.5%
Grade 11	14.6%	14.6%	31.2%	68.8%
Grade 12	12.0%	15.1%	29.4%	70.6%
Marijuana				
All	12.1%	13.4%	19.0%	81.0%
Grade 7	1.8%	2.5%	2.5%	97.5%
Grade 8	0.0%	0.0%	2.4%	97.6%
Grade 9	15.3%	19.1%	23.9%	76.1%
Grade 10	14.4%	14.4%	19.0%	81.0%
Grade 11	18.6%	20.4%	34.6%	65.4%
Grade 12	26.4%	27.6%	36.9%	63.1%
Marijuana Only				
All	7.7%	8.9%	14.2%	85.8%
Grade 7	1.0%	1.7%	1.7%	98.3%
Grade 8	0.0%	0.0%	2.4%	97.6%
Grade 9	12.4%	16.0%	20.8%	79.2%
Grade 10	7.8%	7.8%	12.3%	87.7%
Grade 11	13.6%	15.3%	29.2%	70.8%
Grade 12	12.9%	14.1%	21.6%	78.4%
Cocaine or Crack				
All	0.5%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	1.6%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.8%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	1.6%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.6%	3.1%	96.9%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	1.2%	1.2%	1.2%	98.8%
Synthetic Cathinones				
All	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	1.4%	1.4%	2.7%	97.3%
Grade 10	0.0%	1.4%	3.0%	97.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	1.6%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
 African American Non-Hispanic Students**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.5%	1.0%	1.4%	98.6%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	2.5%	2.5%	97.5%
Grade 10	1.6%	3.2%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.2%	98.8%
Methamphetamine				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.1%	2.6%	4.1%	95.9%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	2.5%	2.5%	97.5%
Grade 10	3.3%	3.3%	4.5%	95.5%
Grade 11	1.7%	1.7%	4.8%	95.2%
Grade 12	5.3%	7.2%	13.0%	87.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.3%	14.8%	26.1%	73.9%
Grade 7	7.2%	7.2%	16.8%	83.2%
Grade 8	8.6%	10.8%	18.6%	81.4%
Grade 9	16.3%	21.1%	32.7%	67.3%
Grade 10	15.9%	21.8%	31.6%	68.4%
Grade 11	6.5%	10.4%	25.9%	74.1%
Grade 12	12.6%	17.5%	31.7%	68.3%
Any Alcohol Product				
All	24.9%	29.6%	50.0%	50.0%
Grade 7	13.7%	15.8%	35.6%	64.4%
Grade 8	15.2%	18.0%	33.5%	66.5%
Grade 9	32.8%	37.7%	63.3%	36.7%
Grade 10	27.7%	34.2%	54.6%	45.4%
Grade 11	23.1%	29.1%	46.8%	53.2%
Grade 12	40.0%	46.1%	69.6%	30.4%
Any Illicit Drug				
All	10.5%	15.3%	19.8%	80.2%
Grade 7	3.8%	5.7%	7.0%	93.0%
Grade 8	9.5%	12.7%	16.7%	83.3%
Grade 9	17.9%	23.1%	24.2%	75.8%
Grade 10	11.5%	18.1%	22.5%	77.5%
Grade 11	7.4%	13.8%	21.3%	78.7%
Grade 12	12.6%	18.6%	29.2%	70.8%
Any Prescription Drug				
All	5.1%	6.7%	13.1%	86.9%
Grade 7	4.6%	5.5%	10.2%	89.8%
Grade 8	8.5%	8.5%	14.0%	86.0%
Grade 9	3.4%	6.4%	14.5%	85.5%
Grade 10	4.9%	6.9%	13.8%	86.2%
Grade 11	3.1%	6.1%	10.3%	89.7%
Grade 12	5.8%	6.6%	16.1%	83.9%
Any Inhalant				
All	4.7%	5.7%	10.1%	89.9%
Grade 7	8.2%	8.9%	13.5%	86.5%
Grade 8	7.2%	8.3%	13.5%	86.5%
Grade 9	6.0%	8.9%	14.8%	85.2%
Grade 10	2.9%	3.6%	8.4%	91.6%
Grade 11	1.5%	1.5%	1.5%	98.5%
Grade 12	1.2%	1.2%	7.3%	92.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	12.8%	23.0%	77.0%
Grade 7	6.5%	6.5%	12.4%	87.6%
Grade 8	7.6%	9.7%	16.1%	83.9%
Grade 9	11.0%	17.6%	30.6%	69.4%
Grade 10	14.4%	19.9%	29.4%	70.6%
Grade 11	3.6%	7.5%	22.9%	77.1%
Grade 12	10.2%	15.1%	26.9%	73.1%
Marijuana				
All	10.1%	12.4%	17.2%	82.8%
Grade 7	2.7%	2.7%	4.0%	96.0%
Grade 8	9.5%	9.5%	13.9%	86.1%
Grade 9	17.9%	20.3%	20.9%	79.1%
Grade 10	11.2%	14.7%	20.1%	79.9%
Grade 11	6.0%	10.8%	17.7%	82.3%
Grade 12	12.6%	16.7%	29.2%	70.8%
Marijuana Only				
All	4.5%	6.2%	9.7%	90.3%
Grade 7	2.6%	2.6%	4.0%	96.0%
Grade 8	4.9%	4.9%	8.0%	92.0%
Grade 9	7.3%	9.2%	9.8%	90.2%
Grade 10	4.7%	6.8%	10.9%	89.1%
Grade 11	1.8%	5.3%	11.6%	88.4%
Grade 12	5.5%	8.2%	15.0%	85.0%
Cocaine or Crack				
All	0.8%	1.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	2.8%	2.8%	2.8%	97.2%
Grade 10	0.0%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	2.6%	3.3%	96.7%
Cocaine				
All	0.8%	1.2%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	2.8%	2.8%	2.8%	97.2%
Grade 10	0.0%	0.8%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	2.6%	3.3%	96.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.7%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	1.9%	98.1%
Hallucinogens				
All	0.9%	1.1%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	1.2%	3.9%	96.1%
Grade 9	1.5%	1.5%	1.9%	98.1%
Grade 10	0.7%	0.7%	3.5%	96.5%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	2.1%	3.4%	4.4%	95.6%
Synthetic Cathinones				
All	0.5%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	1.3%	2.4%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	1.1%	2.4%	97.6%
Grade 7	1.2%	1.2%	2.5%	97.5%
Grade 8	0.0%	1.2%	3.0%	97.0%
Grade 9	0.4%	0.4%	1.8%	98.2%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	1.6%	2.5%	3.8%	96.2%
Grade 12	0.0%	1.3%	3.5%	96.5%
Ecstasy				
All	0.2%	0.3%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.7%	98.3%
Grade 10	0.7%	0.7%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.7%	2.7%	97.3%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.3%	1.4%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.1%	2.1%	3.6%	96.4%
Grade 9	3.6%	3.6%	4.9%	95.1%
Grade 10	0.0%	0.7%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.9%	1.9%	3.8%	96.2%
Methamphetamine				
All	0.4%	0.8%	0.8%	99.2%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	2.3%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	2.2%	4.0%	5.9%	94.1%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 8	2.1%	5.1%	6.7%	93.3%
Grade 9	4.1%	6.1%	6.7%	93.3%
Grade 10	4.5%	5.1%	7.7%	92.3%
Grade 11	1.2%	2.5%	5.1%	94.9%
Grade 12	0.7%	4.2%	8.6%	91.4%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.5%	14.2%	27.3%	72.7%
Grade 7	1.4%	2.7%	7.8%	92.2%
Grade 8	3.0%	6.5%	19.5%	80.5%
Grade 9	10.1%	14.2%	29.2%	70.8%
Grade 10	12.1%	16.7%	28.5%	71.5%
Grade 11	17.2%	20.5%	35.1%	64.9%
Grade 12	17.3%	22.2%	39.3%	60.7%
Any Alcohol Product				
All	25.5%	32.0%	51.3%	48.7%
Grade 7	9.2%	11.2%	27.8%	72.2%
Grade 8	16.8%	18.9%	36.1%	63.9%
Grade 9	24.7%	34.1%	60.5%	39.5%
Grade 10	29.1%	36.0%	55.7%	44.3%
Grade 11	29.9%	39.5%	58.8%	41.2%
Grade 12	39.5%	47.7%	63.4%	36.6%
Any Illicit Drug				
All	8.6%	12.5%	17.6%	82.4%
Grade 7	0.0%	0.8%	3.2%	96.8%
Grade 8	3.4%	4.7%	6.7%	93.3%
Grade 9	9.6%	12.0%	14.9%	85.1%
Grade 10	8.2%	14.5%	19.7%	80.3%
Grade 11	12.5%	17.6%	26.2%	73.8%
Grade 12	15.9%	23.2%	32.2%	67.8%
Any Prescription Drug				
All	3.7%	6.0%	13.1%	86.9%
Grade 7	1.7%	4.1%	7.0%	93.0%
Grade 8	3.6%	5.2%	13.6%	86.4%
Grade 9	4.3%	5.5%	13.0%	87.0%
Grade 10	5.9%	9.2%	13.3%	86.7%
Grade 11	3.5%	7.1%	15.8%	84.2%
Grade 12	2.7%	4.6%	14.5%	85.5%
Any Inhalant				
All	3.0%	4.5%	10.0%	90.0%
Grade 7	4.9%	4.9%	9.3%	90.7%
Grade 8	4.1%	5.1%	11.2%	88.8%
Grade 9	1.4%	4.5%	13.6%	86.4%
Grade 10	6.2%	8.4%	11.7%	88.3%
Grade 11	1.4%	3.1%	7.1%	92.9%
Grade 12	0.4%	1.3%	6.7%	93.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.0%	12.2%	24.9%	75.1%
Grade 7	1.0%	2.4%	6.2%	93.8%
Grade 8	2.3%	6.5%	15.4%	84.6%
Grade 9	8.2%	11.1%	27.9%	72.1%
Grade 10	9.0%	15.0%	26.1%	73.9%
Grade 11	13.3%	17.3%	32.5%	67.5%
Grade 12	12.7%	18.6%	36.7%	63.3%
Marijuana				
All	7.8%	10.6%	16.0%	84.0%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	3.0%	4.0%	5.9%	94.1%
Grade 9	9.6%	10.9%	14.5%	85.5%
Grade 10	7.1%	10.7%	16.4%	83.6%
Grade 11	11.0%	14.6%	23.2%	76.8%
Grade 12	14.5%	21.1%	32.2%	67.8%
Marijuana Only				
All	2.6%	4.3%	8.1%	91.9%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	1.3%	1.9%	3.8%	96.2%
Grade 9	3.7%	5.0%	5.8%	94.2%
Grade 10	0.3%	1.7%	5.0%	95.0%
Grade 11	3.2%	4.7%	12.2%	87.8%
Grade 12	6.5%	11.8%	19.6%	80.4%
Cocaine or Crack				
All	0.4%	0.6%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.8%	1.4%	1.8%	98.2%
Grade 10	0.2%	1.1%	1.4%	98.6%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.5%	99.5%
Cocaine				
All	0.4%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.8%	1.4%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.5%	99.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	0.0%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	1.6%	98.4%
Grade 9	1.1%	1.5%	2.1%	97.9%
Grade 10	0.2%	0.2%	1.8%	98.2%
Grade 11	0.0%	1.7%	4.7%	95.3%
Grade 12	0.5%	1.5%	1.8%	98.2%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.3%	0.5%	1.7%	98.3%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	2.8%	97.2%
Grade 9	0.0%	0.4%	2.0%	98.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	1.3%	1.8%	2.7%	97.3%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	0.1%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	1.5%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	2.6%	97.4%
Grade 12	0.3%	0.6%	2.5%	97.5%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
 Students Reporting A Grades on Average**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.4%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.3%	1.1%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	1.1%	1.7%	98.3%
Grade 9	0.0%	1.6%	3.2%	96.8%
Grade 10	0.0%	2.6%	4.1%	95.9%
Grade 11	0.8%	0.8%	2.2%	97.8%
Grade 12	0.0%	0.0%	1.5%	98.5%
Methamphetamine				
All	0.0%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	3.0%	4.1%	6.8%	93.2%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.7%	1.2%	2.1%	97.9%
Grade 9	2.5%	4.5%	7.0%	93.0%
Grade 10	4.2%	6.2%	9.0%	91.0%
Grade 11	5.5%	5.9%	9.1%	90.9%
Grade 12	4.6%	6.0%	10.8%	89.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.8%	20.8%	33.7%	66.3%
Grade 7	7.6%	8.3%	19.3%	80.7%
Grade 8	10.9%	13.3%	23.2%	76.8%
Grade 9	22.3%	25.6%	40.7%	59.3%
Grade 10	21.8%	28.9%	42.8%	57.2%
Grade 11	21.4%	24.1%	38.6%	61.4%
Grade 12	28.0%	31.0%	45.0%	55.0%
Any Alcohol Product				
All	32.8%	37.5%	55.9%	44.1%
Grade 7	22.7%	25.4%	43.8%	56.2%
Grade 8	20.9%	24.6%	43.1%	56.9%
Grade 9	41.9%	45.8%	64.9%	35.1%
Grade 10	37.3%	44.7%	65.9%	34.1%
Grade 11	35.7%	40.7%	57.4%	42.6%
Grade 12	43.2%	50.1%	66.5%	33.5%
Any Illicit Drug				
All	13.9%	17.9%	23.7%	76.3%
Grade 7	5.2%	7.6%	10.0%	90.0%
Grade 8	8.7%	12.5%	16.4%	83.6%
Grade 9	16.0%	21.2%	25.5%	74.5%
Grade 10	18.3%	21.8%	28.0%	72.0%
Grade 11	15.5%	21.5%	33.3%	66.7%
Grade 12	25.5%	28.7%	37.6%	62.4%
Any Prescription Drug				
All	6.2%	9.7%	18.9%	81.1%
Grade 7	4.7%	7.7%	15.6%	84.4%
Grade 8	7.9%	10.2%	17.1%	82.9%
Grade 9	6.7%	10.9%	21.2%	78.8%
Grade 10	7.6%	10.6%	21.0%	79.0%
Grade 11	5.3%	8.8%	16.8%	83.2%
Grade 12	5.2%	10.8%	23.4%	76.6%
Any Inhalant				
All	5.8%	7.9%	14.6%	85.4%
Grade 7	7.2%	8.1%	15.5%	84.5%
Grade 8	7.3%	11.4%	18.0%	82.0%
Grade 9	8.5%	9.7%	16.6%	83.4%
Grade 10	3.7%	6.5%	14.1%	85.9%
Grade 11	2.5%	5.0%	11.2%	88.8%
Grade 12	4.1%	4.9%	10.2%	89.8%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.4%	17.0%	29.6%	70.4%
Grade 7	5.3%	6.5%	15.9%	84.1%
Grade 8	8.8%	10.7%	19.2%	80.8%
Grade 9	15.3%	19.4%	36.3%	63.7%
Grade 10	18.8%	26.6%	39.7%	60.3%
Grade 11	15.3%	18.6%	32.2%	67.8%
Grade 12	21.6%	26.2%	40.7%	59.3%
Marijuana				
All	13.5%	15.4%	21.3%	78.7%
Grade 7	4.6%	5.3%	6.4%	93.6%
Grade 8	8.0%	8.7%	13.3%	86.7%
Grade 9	15.8%	18.8%	22.7%	77.3%
Grade 10	18.0%	19.4%	26.3%	73.7%
Grade 11	14.8%	19.0%	31.2%	68.8%
Grade 12	25.6%	27.9%	37.3%	62.7%
Marijuana Only				
All	4.8%	6.0%	10.6%	89.4%
Grade 7	2.6%	3.3%	4.4%	95.6%
Grade 8	2.5%	2.7%	5.8%	94.2%
Grade 9	5.7%	8.2%	11.3%	88.7%
Grade 10	6.7%	7.3%	11.4%	88.6%
Grade 11	4.9%	7.5%	18.3%	81.7%
Grade 12	7.5%	8.3%	15.7%	84.3%
Cocaine or Crack				
All	1.2%	1.3%	2.0%	98.0%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	1.6%	1.6%	1.9%	98.1%
Grade 9	1.2%	1.2%	1.4%	98.6%
Grade 10	1.1%	1.1%	2.9%	97.1%
Grade 11	1.0%	1.1%	1.8%	98.2%
Grade 12	1.7%	2.6%	4.4%	95.6%
Cocaine				
All	1.0%	1.1%	1.9%	98.1%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	1.2%	1.2%	1.4%	98.6%
Grade 10	1.1%	1.1%	2.9%	97.1%
Grade 11	1.0%	1.1%	1.8%	98.2%
Grade 12	1.7%	2.6%	4.4%	95.6%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.3%	1.3%	1.3%	98.7%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	1.8%	1.8%	98.2%
Hallucinogens				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	1.1%	1.3%	2.8%	97.2%
Grade 9	0.8%	1.1%	2.9%	97.1%
Grade 10	0.8%	1.7%	4.0%	96.0%
Grade 11	0.5%	1.0%	3.3%	96.7%
Grade 12	1.8%	2.9%	4.5%	95.5%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	1.1%	2.0%	98.0%
Grade 7	0.0%	0.1%	0.9%	99.1%
Grade 8	0.5%	1.6%	2.4%	97.6%
Grade 9	1.4%	1.6%	2.5%	97.5%
Grade 10	1.0%	1.8%	2.7%	97.3%
Grade 11	0.0%	0.4%	1.0%	99.0%
Grade 12	0.4%	1.1%	2.5%	97.5%
Ecstasy				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	1.3%	1.4%	2.0%	98.0%
Grade 10	1.1%	2.7%	5.5%	94.5%
Grade 11	0.8%	1.3%	1.8%	98.2%
Grade 12	1.0%	1.3%	3.5%	96.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.4%	1.7%	3.2%	96.8%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	1.5%	1.8%	3.6%	96.4%
Grade 9	3.2%	3.9%	5.4%	94.6%
Grade 10	1.1%	1.7%	3.5%	96.5%
Grade 11	1.1%	1.1%	2.4%	97.6%
Grade 12	1.6%	2.1%	3.6%	96.4%
Methamphetamine				
All	0.2%	0.5%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.3%	1.6%	1.9%	98.1%
Grade 10	0.6%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	5.2%	7.0%	10.0%	90.0%
Grade 7	0.5%	1.2%	2.8%	97.2%
Grade 8	2.7%	4.9%	7.4%	92.6%
Grade 9	5.8%	8.3%	9.8%	90.2%
Grade 10	7.8%	9.0%	14.0%	86.0%
Grade 11	7.2%	9.0%	12.9%	87.1%
Grade 12	9.9%	13.3%	17.5%	82.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.2%	14.9%	26.9%	73.1%
Grade 7	5.3%	5.8%	13.3%	86.7%
Grade 8	5.3%	7.5%	17.9%	82.1%
Grade 9	16.7%	19.2%	33.5%	66.5%
Grade 10	14.5%	20.4%	33.2%	66.8%
Grade 11	14.2%	17.0%	31.4%	68.6%
Grade 12	20.7%	24.0%	37.9%	62.1%
Any Alcohol Product				
All	27.1%	31.5%	50.5%	49.5%
Grade 7	14.8%	17.0%	34.3%	65.7%
Grade 8	16.1%	17.9%	35.3%	64.7%
Grade 9	34.9%	39.0%	63.4%	36.6%
Grade 10	30.1%	36.3%	55.3%	44.7%
Grade 11	31.1%	36.5%	54.3%	45.7%
Grade 12	42.2%	50.0%	68.3%	31.7%
Any Illicit Drug				
All	8.2%	11.9%	16.3%	83.7%
Grade 7	2.7%	4.8%	6.4%	93.6%
Grade 8	5.8%	8.5%	10.3%	89.7%
Grade 9	8.4%	11.7%	15.9%	84.1%
Grade 10	9.1%	13.5%	19.1%	80.9%
Grade 11	11.4%	16.1%	24.1%	75.9%
Grade 12	14.8%	20.3%	27.6%	72.4%
Any Prescription Drug				
All	5.0%	6.6%	13.4%	86.6%
Grade 7	4.5%	6.6%	11.2%	88.8%
Grade 8	5.8%	6.8%	14.5%	85.5%
Grade 9	5.3%	7.1%	14.9%	85.1%
Grade 10	7.9%	8.5%	14.0%	86.0%
Grade 11	2.3%	4.4%	11.8%	88.2%
Grade 12	3.9%	5.6%	14.6%	85.4%
Any Inhalant				
All	4.3%	5.7%	10.6%	89.4%
Grade 7	5.2%	5.4%	9.7%	90.3%
Grade 8	5.3%	7.9%	13.0%	87.0%
Grade 9	7.0%	7.9%	15.2%	84.8%
Grade 10	4.0%	6.7%	9.9%	90.1%
Grade 11	1.2%	2.8%	7.8%	92.2%
Grade 12	1.7%	2.9%	6.9%	93.1%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.2%	11.6%	23.0%	77.0%
Grade 7	3.0%	4.0%	10.6%	89.4%
Grade 8	4.0%	6.2%	13.2%	86.8%
Grade 9	11.0%	14.8%	30.2%	69.8%
Grade 10	10.9%	17.3%	29.5%	70.5%
Grade 11	9.2%	11.6%	27.0%	73.0%
Grade 12	13.8%	19.1%	33.2%	66.8%
Marijuana				
All	7.8%	9.5%	14.2%	85.8%
Grade 7	2.4%	3.0%	3.9%	96.1%
Grade 8	5.2%	5.5%	7.9%	92.1%
Grade 9	8.4%	9.5%	13.3%	86.7%
Grade 10	8.9%	10.8%	16.7%	83.3%
Grade 11	10.7%	13.6%	22.3%	77.7%
Grade 12	14.3%	18.1%	27.3%	72.7%
Marijuana Only				
All	2.8%	4.0%	7.5%	92.5%
Grade 7	1.5%	2.2%	3.1%	96.9%
Grade 8	2.8%	2.8%	4.1%	95.9%
Grade 9	2.6%	3.7%	6.7%	93.3%
Grade 10	2.8%	4.0%	7.7%	92.3%
Grade 11	4.5%	6.2%	14.3%	85.7%
Grade 12	3.1%	6.1%	12.0%	88.0%
Cocaine or Crack				
All	0.8%	1.0%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	1.4%	1.4%	1.7%	98.3%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.8%	0.8%	1.4%	98.6%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.4%	1.4%	2.5%	97.5%
Cocaine				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.8%	0.8%	1.4%	98.6%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.4%	1.4%	2.5%	97.5%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.6%	0.6%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.8%	0.8%	1.9%	98.1%
Grade 10	0.8%	1.4%	2.2%	97.8%
Grade 11	0.3%	0.6%	1.6%	98.4%
Grade 12	0.3%	1.2%	1.2%	98.8%
Synthetic Cathinones				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.7%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.3%	1.3%	98.7%
Grade 9	0.5%	0.8%	0.8%	99.2%
Grade 10	0.4%	0.7%	1.3%	98.7%
Grade 11	1.0%	1.5%	1.5%	98.5%
Grade 12	0.4%	1.1%	3.5%	96.5%
Ecstasy				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.6%	1.4%	2.7%	97.3%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.7%	1.0%	3.0%	97.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.6%	0.6%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.7%	1.0%	2.2%	97.8%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.4%	0.4%	1.3%	98.7%
	Grade 9	1.0%	1.4%	2.9%	97.1%
	Grade 10	0.8%	2.4%	4.0%	96.0%
	Grade 11	0.6%	0.6%	1.3%	98.7%
	Grade 12	1.6%	1.6%	3.7%	96.3%
Methamphetamine					
	All	0.1%	0.3%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.0%	1.3%	1.3%	98.7%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8					
	All	2.0%	3.1%	5.7%	94.3%
	Grade 7	0.0%	0.1%	1.1%	98.9%
	Grade 8	1.0%	2.0%	3.5%	96.5%
	Grade 9	1.0%	2.6%	4.1%	95.9%
	Grade 10	2.6%	4.0%	7.9%	92.1%
	Grade 11	2.8%	3.9%	7.4%	92.6%
	Grade 12	6.1%	7.1%	12.4%	87.6%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.5%	22.2%	36.6%	63.4%
Grade 7	6.8%	8.3%	20.6%	79.4%
Grade 8	13.1%	16.4%	28.5%	71.5%
Grade 9	19.0%	23.8%	40.4%	59.6%
Grade 10	22.4%	27.7%	41.0%	59.0%
Grade 11	24.7%	27.6%	42.6%	57.4%
Grade 12	24.1%	28.1%	44.7%	55.3%
Any Alcohol Product				
All	33.6%	40.2%	59.2%	40.8%
Grade 7	26.0%	28.7%	47.0%	53.0%
Grade 8	24.3%	29.8%	48.6%	51.4%
Grade 9	36.2%	43.0%	63.2%	36.8%
Grade 10	38.0%	46.1%	69.4%	30.6%
Grade 11	36.4%	44.4%	62.9%	37.1%
Grade 12	40.5%	48.3%	62.9%	37.1%
Any Illicit Drug				
All	16.3%	20.9%	27.7%	72.3%
Grade 7	6.0%	8.1%	11.6%	88.4%
Grade 8	8.3%	11.9%	17.4%	82.6%
Grade 9	19.3%	24.9%	28.3%	71.7%
Grade 10	19.9%	24.8%	31.1%	68.9%
Grade 11	17.9%	23.4%	36.0%	64.0%
Grade 12	26.1%	31.1%	41.9%	58.1%
Any Prescription Drug				
All	5.7%	10.3%	20.6%	79.4%
Grade 7	3.3%	7.1%	17.4%	82.6%
Grade 8	6.8%	10.2%	18.6%	81.4%
Grade 9	6.7%	11.3%	21.3%	78.7%
Grade 10	5.7%	11.6%	21.3%	78.7%
Grade 11	6.5%	11.3%	21.2%	78.8%
Grade 12	4.2%	9.8%	23.6%	76.4%
Any Inhalant				
All	5.5%	7.7%	15.5%	84.5%
Grade 7	8.8%	10.1%	20.4%	79.6%
Grade 8	7.8%	11.5%	19.9%	80.1%
Grade 9	4.7%	7.7%	15.5%	84.5%
Grade 10	5.7%	8.2%	16.5%	83.5%
Grade 11	3.0%	5.0%	10.6%	89.4%
Grade 12	3.2%	3.6%	9.8%	90.2%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.3%	19.5%	33.9%	66.1%
Grade 7	5.6%	7.2%	17.7%	82.3%
Grade 8	11.0%	14.7%	25.8%	74.2%
Grade 9	15.0%	18.8%	37.5%	62.5%
Grade 10	20.2%	26.9%	39.6%	60.4%
Grade 11	20.1%	24.6%	38.6%	61.4%
Grade 12	19.5%	24.5%	42.3%	57.7%
Marijuana				
All	15.5%	18.6%	25.3%	74.7%
Grade 7	4.6%	5.0%	6.1%	93.9%
Grade 8	7.8%	9.2%	14.7%	85.3%
Grade 9	19.0%	22.9%	26.7%	73.3%
Grade 10	18.8%	21.4%	28.7%	71.3%
Grade 11	16.6%	21.4%	33.0%	67.0%
Grade 12	25.4%	30.2%	41.9%	58.1%
Marijuana Only				
All	5.5%	7.3%	12.2%	87.8%
Grade 7	2.3%	2.7%	3.8%	96.2%
Grade 8	1.1%	2.1%	6.6%	93.4%
Grade 9	8.2%	11.5%	13.3%	86.7%
Grade 10	5.6%	6.2%	10.5%	89.5%
Grade 11	3.8%	6.4%	15.9%	84.1%
Grade 12	11.2%	13.7%	22.5%	77.5%
Cocaine or Crack				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.9%	1.4%	98.6%
Grade 10	0.6%	1.4%	3.3%	96.7%
Grade 11	1.5%	1.5%	2.3%	97.7%
Grade 12	1.7%	1.7%	2.3%	97.7%
Cocaine				
All	0.9%	1.0%	1.7%	98.3%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.9%	1.1%	98.9%
Grade 10	0.6%	0.6%	2.5%	97.5%
Grade 11	1.5%	1.5%	2.3%	97.7%
Grade 12	1.7%	1.7%	2.3%	97.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.0%	0.7%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.8%	1.5%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.4%	1.8%	3.0%	97.0%
Grade 9	0.9%	1.5%	3.3%	96.7%
Grade 10	0.3%	0.8%	4.1%	95.9%
Grade 11	0.3%	1.8%	5.8%	94.2%
Grade 12	1.9%	3.0%	4.9%	95.1%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.7%	0.7%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.7%	1.1%	2.5%	97.5%
Grade 7	1.2%	1.4%	2.6%	97.4%
Grade 8	0.6%	1.8%	4.3%	95.7%
Grade 9	1.2%	1.5%	3.8%	96.2%
Grade 10	0.9%	1.5%	2.2%	97.8%
Grade 11	0.0%	0.4%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.7%	1.2%	2.2%	97.8%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.5%	2.7%	2.9%	97.1%
Grade 10	0.7%	1.8%	4.1%	95.9%
Grade 11	0.9%	1.5%	3.3%	96.7%
Grade 12	0.5%	0.9%	2.7%	97.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	2.0%	3.7%	96.3%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	2.1%	2.8%	4.9%	95.1%
Grade 9	2.8%	4.3%	6.1%	93.9%
Grade 10	0.5%	1.6%	3.4%	96.6%
Grade 11	1.3%	1.6%	3.6%	96.4%
Grade 12	0.0%	0.6%	1.6%	98.4%
Methamphetamine				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.8%	0.8%	1.7%	98.3%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.3%	1.4%	1.7%	98.3%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	7.0%	9.2%	12.6%	87.4%
Grade 7	1.0%	1.9%	5.0%	95.0%
Grade 8	4.3%	6.3%	9.1%	90.9%
Grade 9	7.6%	10.5%	12.7%	87.3%
Grade 10	10.5%	12.1%	16.3%	83.7%
Grade 11	10.1%	11.6%	16.4%	83.6%
Grade 12	7.9%	12.1%	15.8%	84.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.4%	16.5%	29.2%	70.8%
Grade 7	4.2%	4.9%	13.9%	86.1%
Grade 8	7.7%	10.1%	21.5%	78.5%
Grade 9	16.3%	19.9%	35.2%	64.8%
Grade 10	14.6%	21.1%	33.9%	66.1%
Grade 11	19.4%	22.1%	36.9%	63.1%
Grade 12	21.1%	24.3%	37.9%	62.1%
Any Alcohol Product				
All	28.4%	33.6%	53.8%	46.2%
Grade 7	15.9%	18.4%	36.7%	63.3%
Grade 8	19.2%	22.2%	42.1%	57.9%
Grade 9	33.8%	40.0%	63.8%	36.2%
Grade 10	29.1%	36.3%	58.8%	41.2%
Grade 11	34.1%	40.9%	59.8%	40.2%
Grade 12	42.7%	49.3%	66.6%	33.4%
Any Illicit Drug				
All	9.9%	13.5%	19.1%	80.9%
Grade 7	2.5%	4.1%	6.2%	93.8%
Grade 8	6.1%	8.3%	12.2%	87.8%
Grade 9	11.4%	16.2%	20.3%	79.7%
Grade 10	9.9%	13.9%	19.7%	80.3%
Grade 11	13.7%	18.0%	29.4%	70.6%
Grade 12	18.3%	23.9%	32.0%	68.0%
Any Prescription Drug				
All	5.0%	7.5%	15.8%	84.2%
Grade 7	4.6%	6.6%	13.2%	86.8%
Grade 8	5.5%	7.2%	15.2%	84.8%
Grade 9	5.9%	8.5%	18.8%	81.2%
Grade 10	5.6%	8.0%	15.5%	84.5%
Grade 11	4.8%	7.8%	16.0%	84.0%
Grade 12	3.2%	6.7%	16.5%	83.5%
Any Inhalant				
All	4.0%	5.4%	11.4%	88.6%
Grade 7	5.0%	5.8%	11.7%	88.3%
Grade 8	5.9%	8.4%	15.3%	84.7%
Grade 9	4.6%	6.1%	13.7%	86.3%
Grade 10	3.5%	5.2%	10.4%	89.6%
Grade 11	2.4%	4.2%	8.5%	91.5%
Grade 12	1.6%	1.9%	7.3%	92.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.3%	13.7%	25.7%	74.3%
Grade 7	2.7%	3.3%	11.0%	89.0%
Grade 8	6.4%	8.7%	17.7%	82.3%
Grade 9	11.7%	15.3%	31.7%	68.3%
Grade 10	12.2%	19.3%	31.0%	69.0%
Grade 11	15.3%	17.7%	32.5%	67.5%
Grade 12	16.0%	20.8%	34.6%	65.4%
Marijuana				
All	9.4%	11.5%	17.4%	82.6%
Grade 7	2.0%	2.0%	3.0%	97.0%
Grade 8	5.8%	6.5%	10.9%	89.1%
Grade 9	11.4%	14.3%	18.6%	81.4%
Grade 10	9.6%	11.3%	17.9%	82.1%
Grade 11	12.7%	16.1%	27.4%	72.6%
Grade 12	17.4%	22.0%	32.0%	68.0%
Marijuana Only				
All	3.4%	4.7%	9.1%	90.9%
Grade 7	1.0%	1.0%	2.0%	98.0%
Grade 8	1.6%	1.9%	5.0%	95.0%
Grade 9	4.4%	7.3%	9.9%	90.1%
Grade 10	2.5%	3.2%	7.2%	92.8%
Grade 11	4.3%	6.1%	16.0%	84.0%
Grade 12	7.5%	10.0%	17.8%	82.2%
Cocaine or Crack				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.5%	1.0%	1.7%	98.3%
Grade 11	0.8%	0.9%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.4%	98.6%
Cocaine				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	0.8%	0.9%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.4%	98.6%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.5%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.9%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	2.1%	97.9%
Grade 9	1.2%	1.2%	2.3%	97.7%
Grade 10	0.7%	0.8%	3.0%	97.0%
Grade 11	0.4%	0.9%	4.2%	95.8%
Grade 12	1.2%	2.3%	3.0%	97.0%
Synthetic Cathinones				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.7%	1.1%	1.1%	98.9%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	1.0%	2.6%	97.4%
Grade 9	0.7%	0.7%	1.9%	98.1%
Grade 10	0.4%	1.0%	1.4%	98.6%
Grade 11	0.6%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.4%	1.1%	98.9%
Ecstasy				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.7%	1.0%	2.0%	98.0%
Grade 10	0.9%	1.0%	2.4%	97.6%
Grade 11	0.6%	1.0%	2.6%	97.4%
Grade 12	0.5%	0.7%	2.8%	97.2%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	1.0%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	1.1%	1.3%	2.3%	97.7%
Grade 9	1.2%	1.8%	3.5%	96.5%
Grade 10	0.5%	1.4%	3.1%	96.9%
Grade 11	0.6%	0.8%	2.2%	97.8%
Grade 12	0.4%	0.8%	2.4%	97.6%
Methamphetamine				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	1.3%	1.5%	98.5%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	3.7%	5.2%	7.7%	92.3%
Grade 7	0.5%	1.0%	2.2%	97.8%
Grade 8	2.1%	3.8%	5.8%	94.2%
Grade 9	3.7%	5.5%	7.6%	92.4%
Grade 10	5.2%	6.0%	9.7%	90.3%
Grade 11	6.1%	7.6%	10.6%	89.4%
Grade 12	6.0%	8.9%	12.2%	87.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	22.6%	26.2%	42.0%	58.0%
Grade 7	16.4%	17.4%	32.1%	67.9%
Grade 8	16.4%	20.7%	32.3%	67.7%
Grade 9	24.7%	30.2%	45.2%	54.8%
Grade 10	30.7%	33.5%	49.3%	50.7%
Grade 11	21.0%	25.5%	42.4%	57.6%
Grade 12	25.6%	28.7%	49.8%	50.2%
Any Alcohol Product				
All	36.5%	42.8%	57.5%	42.5%
Grade 7	38.6%	40.1%	54.4%	45.6%
Grade 8	27.3%	33.8%	47.0%	53.0%
Grade 9	37.9%	42.1%	58.2%	41.8%
Grade 10	49.4%	57.7%	73.4%	26.6%
Grade 11	32.3%	40.6%	56.6%	43.4%
Grade 12	34.7%	43.3%	55.9%	44.1%
Any Illicit Drug				
All	18.3%	25.1%	30.8%	69.2%
Grade 7	10.0%	13.2%	16.6%	83.4%
Grade 8	12.9%	20.6%	23.1%	76.9%
Grade 9	18.6%	23.9%	26.9%	73.1%
Grade 10	25.6%	34.3%	42.7%	57.3%
Grade 11	17.6%	27.6%	35.2%	64.8%
Grade 12	24.2%	29.5%	39.4%	60.6%
Any Prescription Drug				
All	5.6%	10.8%	18.8%	81.2%
Grade 7	2.1%	5.6%	14.7%	85.3%
Grade 8	8.2%	12.7%	18.7%	81.3%
Grade 9	6.6%	12.3%	17.7%	82.3%
Grade 10	7.1%	12.3%	20.0%	80.0%
Grade 11	4.2%	10.8%	18.0%	82.0%
Grade 12	4.5%	9.6%	23.3%	76.7%
Any Inhalant				
All	8.6%	12.1%	20.3%	79.7%
Grade 7	15.6%	15.6%	29.1%	70.9%
Grade 8	10.9%	17.5%	24.0%	76.0%
Grade 9	9.8%	13.4%	21.7%	78.3%
Grade 10	11.0%	13.8%	23.4%	76.6%
Grade 11	1.8%	6.0%	13.6%	86.4%
Grade 12	3.3%	6.0%	11.2%	88.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.9%	22.3%	38.1%	61.9%
Grade 7	11.3%	14.9%	28.1%	71.9%
Grade 8	12.8%	18.4%	27.8%	72.2%
Grade 9	19.1%	24.6%	41.6%	58.4%
Grade 10	25.1%	30.4%	47.2%	52.8%
Grade 11	12.7%	20.8%	36.8%	63.2%
Grade 12	19.6%	23.6%	45.7%	54.3%
Marijuana				
All	17.3%	20.5%	26.1%	73.9%
Grade 7	10.0%	11.0%	12.5%	87.5%
Grade 8	11.0%	12.7%	14.8%	85.2%
Grade 9	17.9%	20.0%	22.3%	77.7%
Grade 10	23.3%	28.1%	36.3%	63.7%
Grade 11	16.6%	21.6%	30.4%	69.6%
Grade 12	24.2%	28.6%	39.4%	60.6%
Marijuana Only				
All	5.2%	7.2%	11.6%	88.4%
Grade 7	7.0%	8.0%	9.5%	90.5%
Grade 8	3.9%	5.6%	7.7%	92.3%
Grade 9	3.7%	4.1%	6.4%	93.6%
Grade 10	7.4%	10.0%	14.7%	85.3%
Grade 11	2.9%	5.5%	12.8%	87.2%
Grade 12	6.6%	10.9%	19.3%	80.7%
Cocaine or Crack				
All	0.9%	1.1%	2.4%	97.6%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.7%	1.7%	3.3%	96.7%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	1.0%	1.0%	3.0%	97.0%
Grade 12	1.1%	1.1%	2.5%	97.5%
Cocaine				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	1.7%	2.5%	97.5%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	1.0%	1.0%	3.0%	97.0%
Grade 12	1.1%	1.1%	2.5%	97.5%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.5%	98.5%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.6%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.8%	3.7%	3.7%	96.3%
Grade 9	0.0%	1.9%	5.3%	94.7%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.0%	2.7%	3.4%	96.6%
Grade 12	0.0%	0.6%	1.4%	98.6%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.6%	1.1%	3.0%	97.0%
Grade 7	0.7%	0.7%	3.2%	96.8%
Grade 8	0.0%	1.2%	3.5%	96.5%
Grade 9	0.7%	1.5%	3.3%	96.7%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.3%	1.3%	3.2%	96.8%
Grade 12	1.1%	1.1%	4.4%	95.6%
Ecstasy				
All	0.2%	1.1%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	2.3%	2.3%	97.7%
Grade 10	0.0%	2.9%	4.3%	95.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	1.1%	1.1%	3.2%	96.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.1%	3.4%	5.2%	94.8%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	2.8%	3.7%	7.4%	92.6%
Grade 9	5.9%	9.2%	11.2%	88.8%
Grade 10	0.0%	3.5%	4.7%	95.3%
Grade 11	2.7%	2.7%	4.2%	95.8%
Grade 12	0.0%	0.0%	0.9%	99.1%
Methamphetamine				
All	0.0%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	2.1%	2.1%	97.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	7.3%	9.8%	14.4%	85.6%
Grade 7	0.0%	0.0%	3.6%	96.4%
Grade 8	5.8%	6.7%	9.3%	90.7%
Grade 9	8.4%	13.1%	13.8%	86.2%
Grade 10	8.0%	13.2%	20.8%	79.2%
Grade 11	10.4%	11.9%	17.6%	82.4%
Grade 12	10.1%	12.0%	20.0%	80.0%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	25,949	50.0%
Female	25,913	50.0%
Frequency Missing	325	

Hispanic or Latino

Q5a	Frequency	Percent
No	37,493	73.2%
Yes	13,742	26.8%
Frequency Missing	952	

Grade

Q2	Frequency	Percent
Grade 7	9,091	17.5%
Grade 8	9,162	17.6%
Grade 9	9,797	18.8%
Grade 10	8,326	16.0%
Grade 11	8,127	15.6%
Grade 12	7,578	14.5%
Frequency Missing	107	

Ethnicity

Q5b	Frequency	Percent
American Indian	945	1.9%
Asian American	352	0.7%
African American	10,993	21.9%
Pacific Islander	155	0.3%
White	26,973	53.7%
Other	5,937	11.8%
More Than One Race	4,832	9.6%
Frequency Missing	2,002	

Live with Both Parents

Q3	Frequency	Percent
No	24,765	48.0%
Yes	26,849	52.0%
Frequency Missing	573	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	261	0.5%
Mostly D's	584	1.2%
Mostly C's	6,588	13.2%
Mostly B's	24,044	48.0%
Mostly A's	18,593	37.1%
Frequency Missing	2,118	

Age

Q4	Frequency	Percent
11 or younger	29	0.1%
12	4,173	8.0%
13	8,397	16.1%
14	9,090	17.5%
15	8,981	17.3%
16	8,980	17.2%
17	7,675	14.7%
18	4,375	8.4%
19 or older	362	0.7%
Frequency Missing	126	

Do You Have a Job

Q7	Frequency	Percent
No	39,324	78.6%
Yes	10,683	21.4%
Frequency Missing	2,181	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	7,302	14.6%
Yes	26,861	53.7%
Don't Know	15,814	31.6%
Frequency Missing	2,211	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	20,399	42.9%
Yes	27,133	57.1%
Frequency Missing	4,655	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	31,527	72.3%
Yes	12,065	27.7%
Frequency Missing	8,596	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	34,051	77.4%
Yes	9,949	22.6%
Frequency Missing	8,187	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	31,369	72.7%
Yes	11,756	27.3%
Frequency Missing	9,062	

Participate in School Choir

Q9c	Frequency	Percent
No	40,701	95.8%
Yes	1,789	4.2%
Frequency Missing	9,698	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	30,844	70.0%
Yes	13,203	30.0%
Frequency Missing	8,140	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	38,445	89.1%
Yes	4,693	10.9%
Frequency Missing	9,050	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	35,136	81.8%
Yes	7,820	18.2%
Frequency Missing	9,231	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	37,942	88.6%
Yes	4,892	11.4%
Frequency Missing	9,353	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	43,868	84.6%
Somewhat Safe	6,883	13.3%
Not Very Safe	546	1.1%
Not Safe At All	76	0.1%
Don't Know	507	1.0%
Frequency Missing	308	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	23,672	46.0%
Somewhat Safe	21,669	42.1%
Not Very Safe	2,931	5.7%
Not Safe At All	1,058	2.1%
Don't Know	2,127	4.1%
Frequency Missing	731	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	17,792	34.5%
Somewhat Safe	23,889	46.3%
Not Very Safe	4,785	9.3%
Not Safe At All	2,561	5.0%
Don't Know	2,570	5.0%
Frequency Missing	591	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	4,227	8.5%
Some High School	5,872	11.8%
Finished High School	14,284	28.8%
Some College	5,171	10.4%
Finished College	6,864	13.8%
Post-Secondary	2,802	5.6%
Don't Know or N/A	10,425	21.0%
Frequency Missing	2,542	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	4,062	8.2%
Some High School	4,435	8.9%
Finished High School	12,153	24.4%
Some College	6,831	13.7%
Finished College	10,891	21.9%
Post-Secondary	4,863	9.8%
Don't Know or N/A	6,527	13.1%
Frequency Missing	2,427	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	31,504	63.8%
Yes	17,869	36.2%
Frequency Missing	2,814	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	3,280	6.4%
A Few	12,656	24.8%
Some	12,197	23.9%
Most	15,291	30.0%
All	7,598	14.9%
Frequency Missing	1,165	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	1,274	2.5%
A Few	7,219	14.2%
Some	13,009	25.5%
Most	19,475	38.2%
All	9,999	19.6%
Frequency Missing	1,212	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	19,085	37.8%
A Few	15,371	30.5%
Some	8,059	16.0%
Most	4,948	9.8%
All	3,010	6.0%
Frequency Missing	1,714	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	35,740	70.7%
A Few	8,221	16.3%
Some	3,306	6.5%
Most	2,085	4.1%
All	1,195	2.4%
Frequency Missing	1,640	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	50,596	99.3%
In Your Lifetime	259	0.5%
Since School Began	0	0.0%
In the Past Month	84	0.2%
Frequency Missing	1,249	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	43,154	85.0%
A Few	4,930	9.7%
Some	1,466	2.9%
Most	781	1.5%
All	453	0.9%
Frequency Missing	1,403	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	47,925	93.7%
In Your Lifetime	2,063	4.0%
Since School Began	497	1.0%
In the Past Month	635	1.2%
Frequency Missing	1,067	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	50,289	97.9%
In Your Lifetime	786	1.5%
Since School Began	140	0.3%
In the Past Month	137	0.3%
Frequency Missing	835	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	50,739	99.1%
In Your Lifetime	316	0.6%
Since School Began	46	0.1%
In the Past Month	108	0.2%
Frequency Missing	979	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	48,700	94.9%
In Your Lifetime	1,729	3.4%
Since School Began	337	0.7%
In the Past Month	538	1.0%
Frequency Missing	884	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	50,572	99.2%
In Your Lifetime	277	0.5%
Since School Began	30	0.1%
In the Past Month	110	0.2%
Frequency Missing	1,198	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	49,583	97.1%
In Your Lifetime	943	1.8%
Since School Began	183	0.4%
In the Past Month	375	0.7%
Frequency Missing	1,104	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	32,659	64.6%
In Your Lifetime	9,750	19.3%
Since School Began	2,763	5.5%
In the Past Month	5,349	10.6%
Frequency Missing	1,665	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	50,326	98.6%
In Your Lifetime	412	0.8%
Since School Began	39	0.1%
In the Past Month	266	0.5%
Frequency Missing	1,144	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	35,559	69.8%
In Your Lifetime	7,833	15.4%
Since School Began	2,827	5.5%
In the Past Month	4,758	9.3%
Frequency Missing	1,210	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	45,383	88.4%
In Your Lifetime	3,985	7.8%
Since School Began	774	1.5%
In the Past Month	1,173	2.3%
Frequency Missing	873	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	36,826	72.9%
In Your Lifetime	8,243	16.3%
Since School Began	2,440	4.8%
In the Past Month	3,005	5.9%
Frequency Missing	1,673	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	47,328	92.7%
In Your Lifetime	2,028	4.0%
Since School Began	436	0.9%
In the Past Month	1,248	2.4%
Frequency Missing	1,147	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	33,225	65.2%
In Your Lifetime	8,736	17.1%
Since School Began	3,560	7.0%
In the Past Month	5,443	10.7%
Frequency Missing	1,224	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	49,059	96.3%
In Your Lifetime	1,203	2.4%
Since School Began	304	0.6%
In the Past Month	404	0.8%
Frequency Missing	1,217	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	36,762	71.8%
In Your Lifetime	6,514	12.7%
Since School Began	1,972	3.9%
In the Past Month	5,960	11.6%
Frequency Missing	979	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	50,113	97.5%
In Your Lifetime	716	1.4%
Since School Began	238	0.5%
In the Past Month	305	0.6%
Frequency Missing	815	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	42,155	82.0%
In Your Lifetime	4,645	9.0%
Since School Began	1,565	3.0%
In the Past Month	3,046	5.9%
Frequency Missing	777	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	51,108	99.4%
In Your Lifetime	145	0.3%
Since School Began	63	0.1%
In the Past Month	80	0.2%
Frequency Missing	791	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	50,850	98.9%
In Your Lifetime	310	0.6%
Since School Began	111	0.2%
In the Past Month	139	0.3%
Frequency Missing	778	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	50,636	98.6%
In Your Lifetime	333	0.6%
Since School Began	187	0.4%
In the Past Month	198	0.4%
Frequency Missing	834	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	51,182	99.6%
In Your Lifetime	37	0.1%
Since School Began	63	0.1%
In the Past Month	89	0.2%
Frequency Missing	816	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	50,468	98.5%
In Your Lifetime	414	0.8%
Since School Began	169	0.3%
In the Past Month	203	0.4%
Frequency Missing	933	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	51,030	99.5%
In Your Lifetime	166	0.3%
Since School Began	13	0.0%
In the Past Month	92	0.2%
Frequency Missing	886	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	45,559	89.4%
In Your Lifetime	3,096	6.1%
Since School Began	919	1.8%
In the Past Month	1,388	2.7%
Frequency Missing	1,226	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	51,102	99.4%
In Your Lifetime	79	0.2%
Since School Began	116	0.2%
In the Past Month	94	0.2%
Frequency Missing	797	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	49,828	98.0%
In Your Lifetime	686	1.3%
Since School Began	164	0.3%
In the Past Month	190	0.4%
Frequency Missing	1,319	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	50,021	97.6%
In Your Lifetime	675	1.3%
Since School Began	224	0.4%
In the Past Month	315	0.6%
Frequency Missing	953	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	49,144	96.8%
In Your Lifetime	934	1.8%
Since School Began	344	0.7%
In the Past Month	337	0.7%
Frequency Missing	1,429	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	46,911	91.7%
In Your Lifetime	1,621	3.2%
Since School Began	797	1.6%
In the Past Month	1,808	3.5%
Frequency Missing	1,050	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	48,674	95.8%
In Your Lifetime	1,171	2.3%
Since School Began	487	1.0%
In the Past Month	466	0.9%
Frequency Missing	1,390	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	46,369	91.8%
In Your Lifetime	2,169	4.3%
Since School Began	739	1.5%
In the Past Month	1,247	2.5%
Frequency Missing	1,665	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	50,012	98.1%
1-2 times	701	1.4%
3-10 times	240	0.5%
11+ times	50	0.1%
Frequency Missing	1,186	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	49,337	97.4%
In Your Lifetime	711	1.4%
Since School Began	183	0.4%
In the Past Month	439	0.9%
Frequency Missing	1,517	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	45,629	89.3%
1-2 times	2,239	4.4%
3-10 times	1,525	3.0%
11+ times	1,675	3.3%
Frequency Missing	1,120	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	46,860	91.8%
1-2 times	1,843	3.6%
3-10 times	531	1.0%
11+ times	1,814	3.6%
Frequency Missing	1,139	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	50,735	99.4%
1-2 times	211	0.4%
3-10 times	40	0.1%
11+ times	63	0.1%
Frequency Missing	1,138	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	37,418	73.5%
1-2 times	8,077	15.9%
3-10 times	3,659	7.2%
11+ times	1,784	3.5%
Frequency Missing	1,249	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	50,649	99.7%
1-2 times	89	0.2%
3-10 times	28	0.1%
11+ times	59	0.1%
Frequency Missing	1,363	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	36,568	72.2%
A few	8,711	17.2%
Some	2,620	5.2%
Most	1,840	3.6%
All	919	1.8%
Frequency Missing	1,530	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	24,797	48.9%
A few	12,788	25.2%
Some	6,033	11.9%
Most	4,916	9.7%
All	2,197	4.3%
Frequency Missing	1,457	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	46,561	92.5%
A few	2,659	5.3%
Some	806	1.6%
Most	177	0.4%
All	149	0.3%
Frequency Missing	1,836	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	33,240	65.7%
A few	8,339	16.5%
Some	4,399	8.7%
Most	3,029	6.0%
All	1,561	3.1%
Frequency Missing	1,620	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	43,323	85.7%
8 or younger	867	1.7%
9 years old	324	0.6%
10 years old	578	1.1%
11 years old	515	1.0%
12 years old	806	1.6%
13 years old	1,087	2.2%
14 years old	1,199	2.4%
15 years old	1,071	2.1%
16 years old	553	1.1%
17 years old	125	0.2%
18 or older	109	0.2%
Frequency Missing	1,631	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	27,737	54.9%
8 or younger	3,031	6.0%
9 years old	818	1.6%
10 years old	1,725	3.4%
11 years old	1,485	2.9%
12 years old	2,433	4.8%
13 years old	3,354	6.6%
14 years old	3,080	6.1%
15 years old	3,447	6.8%
16 years old	2,075	4.1%
17 years old	748	1.5%
18 or older	562	1.1%
Frequency Missing	1,692	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	48,542	96.6%
8 or younger	213	0.4%
9 years old	173	0.3%
10 years old	186	0.4%
11 years old	189	0.4%
12 years old	277	0.6%
13 years old	215	0.4%
14 years old	196	0.4%
15 years old	93	0.2%
16 years old	125	0.2%
17 years old	67	0.1%
18 or older	0	0.0%
Frequency Missing	1,912	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	41,244	81.6%
8 or younger	223	0.4%
9 years old	98	0.2%
10 years old	274	0.5%
11 years old	518	1.0%
12 years old	1,135	2.2%
13 years old	1,621	3.2%
14 years old	1,611	3.2%
15 years old	1,933	3.8%
16 years old	1,135	2.2%
17 years old	581	1.1%
18 or older	184	0.4%
Frequency Missing	1,633	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	50,077	99.2%
8 or younger	38	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	53	0.1%
12 years old	33	0.1%
13 years old	34	0.1%
14 years old	139	0.3%
15 years old	28	0.1%
16 years old	41	0.1%
17 years old	53	0.1%
18 or older	0	0.0%
Frequency Missing	1,693	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	49,744	98.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	25	0.0%
11 years old	0	0.0%
12 years old	18	0.0%
13 years old	88	0.2%
14 years old	238	0.5%
15 years old	140	0.3%
16 years old	108	0.2%
17 years old	86	0.2%
18 or older	0	0.0%
Frequency Missing	1,740	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	50,414	99.8%
8 or younger	38	0.1%
9 years old	0	0.0%
10 years old	32	0.1%
11 years old	0	0.0%
12 years old	24	0.0%
13 years old	28	0.1%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	1,652	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	50,442	99.9%
8 or younger	0	0.0%
9 years old	12	0.0%
10 years old	0	0.0%
11 years old	8	0.0%
12 years old	0	0.0%
13 years old	8	0.0%
14 years old	45	0.1%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
Frequency Missing	1,673	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	49,816	98.6%
8 or younger	157	0.3%
9 years old	0	0.0%
10 years old	21	0.0%
11 years old	72	0.1%
12 years old	75	0.1%
13 years old	95	0.2%
14 years old	48	0.1%
15 years old	79	0.2%
16 years old	89	0.2%
17 years old	52	0.1%
18 or older	0	0.0%
Frequency Missing	1,684	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	50,310	99.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	44	0.1%
12 years old	0	0.0%
13 years old	47	0.1%
14 years old	58	0.1%
15 years old	38	0.1%
16 years old	11	0.0%
17 years old	0	0.0%
Frequency Missing	1,679	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	49,305	97.7%
8 or younger	19	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	48	0.1%
12 years old	144	0.3%
13 years old	394	0.8%
14 years old	199	0.4%
15 years old	142	0.3%
16 years old	144	0.3%
17 years old	64	0.1%
18 or older	0	0.0%
Frequency Missing	1,730	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	46,435	92.0%
8 or younger	51	0.1%
9 years old	32	0.1%
10 years old	26	0.1%
11 years old	129	0.3%
12 years old	346	0.7%
13 years old	600	1.2%
14 years old	683	1.4%
15 years old	755	1.5%
16 years old	888	1.8%
17 years old	423	0.8%
18 or older	118	0.2%
Frequency Missing	1,700	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	16,789	33.3%
Impossible	10,495	20.8%
Very Difficult	3,819	7.6%
Somewhat diff	5,010	9.9%
Somewhat easy	6,570	13.0%
Very easy	7,764	15.4%
Frequency Missing	1,741	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	12,984	25.8%
Impossible	6,693	13.3%
Very Difficult	3,247	6.4%
Somewhat diff	5,325	10.6%
Somewhat easy	9,113	18.1%
Very easy	13,058	25.9%
Frequency Missing	1,767	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	22,567	45.1%
Impossible	9,009	18.0%
Very Difficult	1,635	3.3%
Somewhat diff	2,734	5.5%
Somewhat easy	4,110	8.2%
Very easy	9,950	19.9%
Frequency Missing	2,183	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	17,154	34.1%
Impossible	11,990	23.9%
Very Difficult	4,343	8.6%
Somewhat diff	4,478	8.9%
Somewhat easy	5,343	10.6%
Very easy	6,951	13.8%
Frequency Missing	1,928	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	22,217	44.2%
Impossible	17,732	35.3%
Very Difficult	5,304	10.5%
Somewhat diff	2,330	4.6%
Somewhat easy	1,182	2.3%
Very easy	1,535	3.1%
Frequency Missing	1,887	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	22,368	44.6%
Impossible	18,189	36.2%
Very Difficult	5,133	10.2%
Somewhat diff	2,086	4.2%
Somewhat easy	1,121	2.2%
Very easy	1,294	2.6%
Frequency Missing	1,996	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	25,810	51.4%
Impossible	16,774	33.4%
Very Difficult	3,980	7.9%
Somewhat diff	1,474	2.9%
Somewhat easy	876	1.7%
Very easy	1,256	2.5%
Frequency Missing	2,018	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	23,036	45.9%
Impossible	16,316	32.5%
Very Difficult	5,155	10.3%
Somewhat diff	2,435	4.9%
Somewhat easy	1,642	3.3%
Very easy	1,564	3.1%
Frequency Missing	2,039	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	26,610	53.0%
Impossible	14,288	28.4%
Very Difficult	3,564	7.1%
Somewhat diff	1,695	3.4%
Somewhat easy	1,799	3.6%
Very easy	2,283	4.5%
Frequency Missing	1,949	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	26,754	53.4%
Impossible	15,149	30.2%
Very Difficult	3,982	7.9%
Somewhat diff	1,574	3.1%
Somewhat easy	1,189	2.4%
Very easy	1,458	2.9%
Frequency Missing	2,082	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	26,360	52.5%
Impossible	12,708	25.3%
Very Difficult	2,817	5.6%
Somewhat diff	2,164	4.3%
Somewhat easy	2,225	4.4%
Very easy	3,946	7.9%
Frequency Missing	1,968	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	25,318	50.3%
Impossible	17,497	34.8%
Very Difficult	4,203	8.4%
Somewhat diff	1,491	3.0%
Somewhat easy	754	1.5%
Very easy	1,021	2.0%
Frequency Missing	1,904	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	1,564	3.1%
Several times/wk	559	1.1%
Several times/mo	573	1.1%
About once/month	982	1.9%
About once/year	815	1.6%
Less than once/year	1,695	3.4%
Never used	44,249	87.7%
Frequency Missing	1,751	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	316	0.6%
Several times/wk	584	1.2%
Several times/mo	2,914	5.8%
About once/month	6,259	12.5%
About once/year	4,959	9.9%
Less than once/year	4,822	9.6%
Never used	30,285	60.4%
Frequency Missing	2,050	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	39	0.1%
About once/month	37	0.1%
About once/year	91	0.2%
Less than once/year	150	0.3%
Never used	49,967	99.4%
Frequency Missing	1,904	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	118	0.2%
Several times/wk	111	0.2%
Several times/mo	142	0.3%
About once/month	187	0.4%
About once/year	305	0.6%
Less than once/year	631	1.3%
Never used	48,817	97.0%
Frequency Missing	1,876	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	15	0.0%
Several times/wk	0	0.0%
Several times/mo	28	0.1%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	13	0.0%
Never used	50,272	99.9%
Frequency Missing	1,860	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	822	1.6%
Several times/wk	945	1.9%
Several times/mo	1,245	2.5%
About once/month	1,315	2.6%
About once/year	1,848	3.7%
Less than once/year	1,885	3.7%
Never used	42,338	84.0%
Frequency Missing	1,789	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	71	0.1%
Several times/wk	5	0.0%
Several times/mo	48	0.1%
About once/month	29	0.1%
About once/year	127	0.3%
Less than once/year	174	0.3%
Never used	49,919	99.1%
Frequency Missing	1,815	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	8	0.0%
Several times/mo	40	0.1%
About once/month	83	0.2%
About once/year	242	0.5%
Less than once/year	202	0.4%
Never used	49,645	98.9%
Frequency Missing	1,967	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	61	0.1%
Several times/wk	162	0.3%
Several times/mo	70	0.1%
About once/month	209	0.4%
About once/year	246	0.5%
Less than once/year	311	0.6%
Never used	49,069	97.9%
Frequency Missing	2,060	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	6	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	28	0.1%
About once/year	8	0.0%
Less than once/year	27	0.1%
Never used	50,277	99.9%
Frequency Missing	1,841	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	450	0.9%
Several times/wk	366	0.7%
Several times/mo	595	1.2%
About once/month	814	1.6%
About once/year	931	1.9%
Less than once/year	662	1.3%
Never used	46,238	92.4%
Frequency Missing	2,131	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	28	0.1%
About once/month	8	0.0%
About once/year	76	0.2%
Less than once/year	40	0.1%
Never used	50,132	99.7%
Frequency Missing	1,904	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	32,734	65.1%
12+ drinks	1,705	3.4%
9-11 drinks	548	1.1%
5-8 drinks	1,690	3.4%
3-4 drinks	2,453	4.9%
2 drinks	2,323	4.6%
1 drink	2,818	5.6%
Less than 1 drink	6,041	12.0%
Frequency Missing	1,876	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	34,065	68.1%
12+ drinks	1,262	2.5%
9-11 drinks	585	1.2%
5-8 drinks	1,791	3.6%
3-4 drinks	3,116	6.2%
2 drinks	2,818	5.6%
1 drink	2,786	5.6%
Less than 1 drink	3,579	7.2%
Frequency Missing	2,185	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	26,135	53.1%
0 days	17,079	34.7%
1 day	2,133	4.3%
2 days	1,406	2.9%
3 to 5 days	1,242	2.5%
6 to 9 days	224	0.5%
10 or more days	1,034	2.1%
Frequency Missing	2,935	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	36,351	72.7%
12+ drinks	549	1.1%
9-11 drinks	130	0.3%
5-8 drinks	495	1.0%
3-4 drinks	1,385	2.8%
2 drinks	1,980	4.0%
1 drink	3,426	6.9%
Less than 1 drink	5,696	11.4%
Frequency Missing	2,176	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	28,822	58.0%
Never	8,028	16.1%
Seldom	8,304	16.7%
Most of the Time	3,096	6.2%
Always	1,485	3.0%
Frequency Missing	2,452	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	31,864	63.6%
12+ drinks	1,453	2.9%
9-11 drinks	901	1.8%
5-8 drinks	1,930	3.9%
3-4 drinks	3,459	6.9%
2 drinks	2,538	5.1%
1 drink	3,238	6.5%
Less than 1 drink	4,698	9.4%
Frequency Missing	2,107	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	29,434	59.2%
Never	8,761	17.6%
Seldom	5,489	11.0%
Most of the Time	4,620	9.3%
Always	1,428	2.9%
Frequency Missing	2,457	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	30,810	62.1%
Never	14,820	29.9%
Seldom	1,911	3.9%
Most of the Time	1,419	2.9%
Always	630	1.3%
Frequency Missing	2,597	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	28,755	57.8%
Never	8,015	16.1%
Seldom	4,605	9.3%
Most of the Time	4,969	10.0%
Always	3,374	6.8%
Frequency Missing	2,469	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	36,168	72.7%
Somewhat	6,495	13.1%
Not very	2,378	4.8%
Not at all	696	1.4%
Don't know	4,022	8.1%
Frequency Missing	2,428	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	31,242	63.0%
Never	10,819	21.8%
Seldom	3,875	7.8%
Most of the Time	2,075	4.2%
Always	1,595	3.2%
Frequency Missing	2,583	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	29,925	59.9%
Somewhat	7,079	14.2%
Not very	5,268	10.5%
Not at all	4,638	9.3%
Don't know	3,034	6.1%
Frequency Missing	2,245	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	30,201	60.5%
Somewhat	11,939	23.9%
Not very	3,881	7.8%
Not at all	1,091	2.2%
Don't know	2,827	5.7%
Frequency Missing	2,249	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	43,473	87.4%
Somewhat	2,673	5.4%
Not very	364	0.7%
Not at all	236	0.5%
Don't know	3,017	6.1%
Frequency Missing	2,424	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	22,761	45.6%
Somewhat	15,295	30.7%
Not very	8,009	16.1%
Not at all	1,618	3.2%
Don't know	2,210	4.4%
Frequency Missing	2,296	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	43,853	88.0%
Somewhat	2,323	4.7%
Not very	313	0.6%
Not at all	235	0.5%
Don't know	3,121	6.3%
Frequency Missing	2,342	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	39,902	80.1%
Somewhat	3,292	6.6%
Not very	666	1.3%
Not at all	349	0.7%
Don't know	5,615	11.3%
Frequency Missing	2,363	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	39,085	78.7%
Somewhat	3,073	6.2%
Not very	1,375	2.8%
Not at all	776	1.6%
Don't know	5,359	10.8%
Frequency Missing	2,520	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	37,860	76.1%
Somewhat	5,565	11.2%
Not very	1,823	3.7%
Not at all	521	1.0%
Don't know	3,990	8.0%
Frequency Missing	2,428	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	35,153	70.8%
Somewhat	4,382	8.8%
Not very	2,705	5.4%
Not at all	1,900	3.8%
Don't know	5,502	11.1%
Frequency Missing	2,545	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	43,363	87.2%
Somewhat	1,968	4.0%
Not very	318	0.6%
Not at all	261	0.5%
Don't know	3,811	7.7%
Frequency Missing	2,467	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	37,041	74.6%
Somewhat	6,431	12.9%
Not very	1,664	3.3%
Not at all	680	1.4%
Don't know	3,865	7.8%
Frequency Missing	2,507	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	43,196	86.9%
Somewhat	1,887	3.8%
Not very	295	0.6%
Not at all	307	0.6%
Don't know	4,045	8.1%
Frequency Missing	2,458	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	30,273	60.8%
Somewhat	9,133	18.3%
Not very	4,961	10.0%
Not at all	2,607	5.2%
Don't know	2,809	5.6%
Frequency Missing	2,404	

Days Skipped Since September

Q28a	Frequency	Percent
None	36,485	74.4%
1-3 days	9,174	18.7%
4-9 days	1,910	3.9%
10+ days	1,481	3.0%
Frequency Missing	3,137	

Someone Called Home Since September

Q28e	Frequency	Percent
None	43,642	89.0%
1-3 days	4,334	8.8%
4-9 days	625	1.3%
10+ days	441	0.9%
Frequency Missing	3,144	

Days Ill Since September

Q28b	Frequency	Percent
None	14,909	30.4%
1-3 days	21,116	43.1%
4-9 days	8,238	16.8%
10+ days	4,708	9.6%
Frequency Missing	3,216	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	47,115	96.2%
1-3 times	1,566	3.2%
4-9 times	176	0.4%
10+ times	123	0.3%
Frequency Missing	3,208	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	17,749	36.5%
1-3 days	23,862	49.1%
4-9 days	4,875	10.0%
10+ days	2,094	4.3%
Frequency Missing	3,608	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	47,380	96.9%
1-3 times	1,064	2.2%
4-9 times	202	0.4%
10+ times	241	0.5%
Frequency Missing	3,300	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	41,430	84.5%
1-3 days	6,082	12.4%
4-9 days	848	1.7%
10+ days	695	1.4%
Frequency Missing	3,131	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	47,479	97.1%
1-3 times	1,232	2.5%
4-9 times	75	0.2%
10+ times	96	0.2%
Frequency Missing	3,306	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	47,253	96.6%
1-3 times	1,024	2.1%
4-9 times	119	0.2%
10+ times	514	1.1%
Frequency Missing	3,278	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	47,071	96.0%
1-3 days	1,389	2.8%
4-9 days	363	0.7%
10+ days	219	0.4%
Frequency Missing	3,146	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	26,757	54.7%
Seldom	3,587	7.3%
Half the time	2,541	5.2%
Most of the Time	3,532	7.2%
Always	4,515	9.2%
Don't Know	765	1.6%
Didn't attend	7,202	14.7%
Frequency Missing	3,288	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	46,019	94.0%
1-3 days	1,280	2.6%
4-9 days	546	1.1%
10+ days	1,111	2.3%
Frequency Missing	3,231	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	31,888	65.4%
Seldom	2,661	5.5%
Half the time	1,891	3.9%
Most of the Time	1,974	4.1%
Always	1,898	3.9%
Don't Know	1,278	2.6%
Didn't attend	7,139	14.7%
Frequency Missing	3,460	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	48,303	98.9%
1-3 days	248	0.5%
4-9 days	173	0.4%
10+ days	122	0.2%
Frequency Missing	3,341	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	43,326	94.2%
Yes	2,682	5.8%
Frequency Missing	6,180	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	47,578	97.6%
1-3 days	809	1.7%
4-9 days	123	0.3%
10+ days	260	0.5%
Frequency Missing	3,419	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	31,346	66.2%
Yes	16,022	33.8%
Frequency Missing	4,819	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	37,441	79.4%
Yes	9,689	20.6%
Frequency Missing	5,057	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	20,979	44.3%
Yes	26,329	55.7%
Frequency Missing	4,880	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	29,246	62.1%
Yes	17,817	37.9%
Frequency Missing	5,124	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	29,067	61.8%
Yes	17,950	38.2%
Frequency Missing	5,170	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	16,772	35.2%
Yes	30,906	64.8%
Frequency Missing	4,509	

Would Not Seek Help

Q33i	Frequency	Percent
No	35,996	77.7%
Yes	10,311	22.3%
Frequency Missing	5,881	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	21,563	45.7%
Yes	25,611	54.3%
Frequency Missing	5,013	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	33,249	71.1%
Yes	13,486	28.9%
Frequency Missing	5,453	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	18,266	38.8%
Yes	28,850	61.2%
Frequency Missing	5,072	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	29,335	62.6%
Yes	17,492	37.4%
Frequency Missing	5,360	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	36,606	78.6%
Yes	9,956	21.4%
Frequency Missing	5,626	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	34,674	74.7%
Yes	11,736	25.3%
Frequency Missing	5,777	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	39,282	84.6%
Yes	7,162	15.4%
Frequency Missing	5,743	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	35,577	73.4%
Mild disapprove	3,968	8.2%
Neither	3,685	7.6%
Mildly approve	804	1.7%
Strongly approve	253	0.5%
Don't know	4,210	8.7%
Frequency Missing	3,690	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	35,892	77.1%
Yes	10,634	22.9%
Frequency Missing	5,662	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	25,839	53.3%
Mild disapprove	6,994	14.4%
Neither	7,753	16.0%
Mildly approve	3,316	6.8%
Strongly approve	438	0.9%
Don't know	4,138	8.5%
Frequency Missing	3,709	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	40,833	87.8%
Yes	5,682	12.2%
Frequency Missing	5,673	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	35,950	74.3%
Mild disapprove	3,061	6.3%
Neither	3,399	7.0%
Mildly approve	1,247	2.6%
Strongly approve	688	1.4%
Don't know	4,057	8.4%
Frequency Missing	3,786	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	34,742	74.3%
Yes	11,999	25.7%
Frequency Missing	5,446	

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

