
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2022



HHSC REGION 6 AND 7 REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 7. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	11.8%	14.7%	23.9%	76.1%
Grade 7	4.9%	6.2%	13.5%	86.5%
Grade 8	8.1%	9.4%	15.7%	84.3%
Grade 9	9.3%	13.7%	26.2%	73.8%
Grade 10	12.8%	15.7%	25.4%	74.6%
Grade 11	16.4%	21.8%	32.1%	67.9%
Grade 12	20.8%	23.6%	33.7%	66.3%
Cigarettes?				
All	1.5%	2.9%	8.5%	91.5%
Grade 7	0.7%	1.4%	4.4%	95.6%
Grade 8	0.7%	1.4%	4.0%	96.0%
Grade 9	1.7%	2.3%	8.1%	91.9%
Grade 10	1.7%	2.9%	9.4%	90.6%
Grade 11	1.7%	3.8%	11.7%	88.3%
Grade 12	2.9%	6.2%	15.0%	85.0%
Smokeless Tobacco?				
All	1.6%	2.3%	4.8%	95.2%
Grade 7	0.6%	1.4%	1.9%	98.1%
Grade 8	1.0%	1.2%	2.7%	97.3%
Grade 9	0.8%	0.9%	4.7%	95.3%
Grade 10	1.9%	3.1%	5.5%	94.5%
Grade 11	2.4%	3.2%	6.3%	93.7%
Grade 12	2.9%	4.3%	8.5%	91.5%
Electronic Vapor Products?				
All	9.1%	12.5%	21.1%	78.9%
Grade 7	3.5%	4.9%	9.7%	90.3%
Grade 8	5.8%	7.7%	14.2%	85.8%
Grade 9	6.9%	12.1%	22.4%	77.6%
Grade 10	9.6%	12.5%	22.4%	77.6%
Grade 11	12.9%	19.1%	29.4%	70.6%
Grade 12	17.5%	20.8%	31.5%	68.5%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	91.8%	1.3%	0.8%	1.1%	1.1%	1.4%	2.5%
Grade 7	96.5%	0.2%	0.3%	0.8%	0.5%	0.4%	1.4%
Grade 8	95.7%	0.2%	0.2%	0.7%	1.1%	0.8%	1.3%
Grade 9	92.4%	1.0%	0.4%	1.2%	0.7%	1.3%	3.1%
Grade 10	91.8%	0.8%	0.7%	1.6%	0.6%	2.4%	2.1%
Grade 11	88.0%	2.2%	1.4%	1.1%	2.1%	1.8%	3.4%
Grade 12	84.4%	4.1%	2.1%	1.3%	1.7%	1.9%	4.4%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.1	10.4	11.3	11.9	13.4	13.8	14.1

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.1%	20.1%	7.5%	8.8%	11.7%	11.7%
Grade 7	45.2%	31.3%	8.4%	6.2%	6.8%	2.1%
Grade 8	43.3%	25.1%	9.5%	9.2%	7.6%	5.3%
Grade 9	37.4%	23.0%	6.6%	10.1%	12.0%	10.9%
Grade 10	43.3%	14.3%	5.5%	10.2%	14.9%	11.8%
Grade 11	35.7%	14.4%	7.3%	9.2%	13.8%	19.5%
Grade 12	33.9%	9.7%	7.4%	8.2%	17.0%	23.9%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	82.5%	10.9%	3.6%	2.3%	0.7%
Grade 7	90.8%	6.5%	1.9%	0.7%	0.1%
Grade 8	86.8%	9.2%	2.8%	1.1%	0.0%
Grade 9	82.6%	11.3%	3.5%	1.8%	0.9%
Grade 10	82.0%	12.3%	3.4%	1.5%	0.9%
Grade 11	76.3%	13.0%	5.3%	4.4%	1.1%
Grade 12	74.2%	14.3%	5.3%	4.7%	1.6%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.7%	7.4%	5.6%	0.7%	0.8%	10.8%
Grade 7	76.2%	5.0%	3.1%	0.7%	0.7%	14.4%
Grade 8	80.2%	6.0%	3.8%	0.3%	0.4%	9.4%
Grade 9	75.4%	5.7%	7.1%	0.6%	1.8%	9.3%
Grade 10	73.2%	6.5%	6.8%	1.2%	1.1%	11.3%
Grade 11	72.7%	10.0%	7.6%	0.6%	0.3%	8.8%
Grade 12	68.9%	12.0%	6.1%	1.3%	0.3%	11.4%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	63.4%	21.7%	6.5%	1.5%	6.9%
Grade 7	73.6%	14.3%	4.6%	0.8%	6.6%
Grade 8	68.6%	17.5%	4.8%	1.6%	7.4%
Grade 9	61.4%	26.0%	7.1%	1.0%	4.5%
Grade 10	60.7%	23.9%	5.5%	1.9%	8.1%
Grade 11	56.9%	26.2%	8.3%	2.6%	6.1%
Grade 12	56.0%	24.8%	9.4%	1.3%	8.4%
Electronic Vapor Products?					
All	59.8%	19.2%	9.7%	3.7%	7.5%
Grade 7	70.3%	11.0%	6.6%	3.1%	9.0%
Grade 8	63.9%	16.2%	9.4%	3.6%	7.0%
Grade 9	55.3%	26.1%	9.4%	4.0%	5.2%
Grade 10	57.9%	19.9%	10.7%	4.1%	7.4%
Grade 11	53.4%	24.2%	11.6%	3.6%	7.2%
Grade 12	55.5%	20.2%	10.9%	4.1%	9.4%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	25.2%	29.2%	44.6%	55.4%
Grade 7	15.3%	17.4%	38.3%	61.7%
Grade 8	17.2%	20.1%	36.8%	63.2%
Grade 9	23.0%	27.0%	41.4%	58.6%
Grade 10	26.4%	29.9%	42.7%	57.3%
Grade 11	35.3%	40.9%	54.9%	45.1%
Grade 12	37.1%	43.3%	55.9%	44.1%
Beer?				
All	8.8%	13.2%	32.6%	67.4%
Grade 7	3.1%	5.6%	26.4%	73.6%
Grade 8	5.4%	8.4%	27.8%	72.2%
Grade 9	7.0%	9.5%	30.6%	69.4%
Grade 10	9.9%	12.4%	29.9%	70.1%
Grade 11	12.4%	21.5%	41.5%	58.5%
Grade 12	16.7%	24.1%	41.4%	58.6%
Wine Coolers?				
All	8.1%	12.6%	26.6%	73.4%
Grade 7	2.4%	4.2%	13.8%	86.2%
Grade 8	3.9%	6.8%	19.1%	80.9%
Grade 9	4.9%	7.1%	26.3%	73.7%
Grade 10	9.6%	13.3%	26.9%	73.1%
Grade 11	12.7%	20.4%	37.6%	62.4%
Grade 12	16.9%	26.3%	39.1%	60.9%
Wine?				
All	5.4%	9.2%	27.2%	72.8%
Grade 7	1.7%	2.7%	20.4%	79.6%
Grade 8	3.4%	6.8%	21.3%	78.7%
Grade 9	3.5%	5.5%	24.3%	75.7%
Grade 10	6.5%	8.7%	26.8%	73.2%
Grade 11	9.2%	16.4%	37.1%	62.9%
Grade 12	9.0%	16.3%	35.2%	64.8%
Liquor?				
All	10.2%	15.1%	30.4%	69.6%
Grade 7	2.6%	4.4%	16.3%	83.7%
Grade 8	4.8%	8.4%	21.4%	78.6%
Grade 9	6.9%	10.4%	27.9%	72.1%
Grade 10	11.4%	15.5%	31.4%	68.6%
Grade 11	16.1%	24.1%	42.3%	57.7%
Grade 12	21.7%	31.0%	46.7%	53.3%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	68.3%	0.1%	1.5%	4.9%	9.2%	8.0%	8.1%
Grade 7	79.9%	0.0%	1.0%	1.8%	3.4%	5.8%	8.0%
Grade 8	76.6%	0.1%	0.4%	3.0%	6.3%	5.8%	7.8%
Grade 9	70.5%	0.4%	1.4%	3.3%	7.2%	8.0%	9.2%
Grade 10	69.5%	0.1%	1.7%	4.9%	9.2%	8.0%	6.6%
Grade 11	56.5%	0.1%	2.5%	7.0%	15.2%	9.1%	9.7%
Grade 12	53.0%	0.3%	2.3%	10.1%	15.0%	12.1%	7.2%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	72.3%	27.7%	5.2%	13.4%	9.1%
	Grade 7	78.0%	22.0%	1.5%	7.7%	12.8%
	Grade 8	77.0%	23.0%	2.3%	10.7%	10.0%
	Grade 9	75.3%	24.7%	3.6%	12.0%	9.1%
	Grade 10	74.5%	25.5%	5.6%	14.1%	5.8%
	Grade 11	62.6%	37.4%	8.2%	20.9%	8.3%
	Grade 12	64.5%	35.5%	11.2%	16.3%	8.0%
Wine Coolers						
	All	76.8%	23.2%	4.5%	13.8%	4.9%
	Grade 7	89.2%	10.8%	1.5%	4.7%	4.6%
	Grade 8	82.9%	17.1%	1.9%	10.0%	5.3%
	Grade 9	78.7%	21.3%	1.8%	12.5%	7.0%
	Grade 10	76.1%	23.9%	4.3%	14.5%	5.1%
	Grade 11	66.5%	33.5%	6.9%	22.5%	4.1%
	Grade 12	63.8%	36.2%	11.6%	20.9%	3.7%
Wine						
	All	77.4%	22.6%	1.5%	11.9%	9.2%
	Grade 7	83.0%	17.0%	0.9%	6.1%	9.9%
	Grade 8	81.7%	18.3%	0.7%	9.1%	8.5%
	Grade 9	79.5%	20.5%	0.4%	10.8%	9.2%
	Grade 10	78.0%	22.0%	1.6%	11.7%	8.8%
	Grade 11	69.1%	30.9%	2.5%	18.9%	9.6%
	Grade 12	71.2%	28.8%	3.0%	16.5%	9.3%
Liquor						
	All	72.3%	27.7%	6.3%	13.8%	7.5%
	Grade 7	85.9%	14.1%	1.6%	5.7%	6.9%
	Grade 8	81.0%	19.0%	2.0%	8.9%	8.2%
	Grade 9	75.5%	24.5%	4.4%	12.0%	8.1%
	Grade 10	71.4%	28.6%	7.0%	14.3%	7.3%
	Grade 11	60.6%	39.4%	10.5%	21.5%	7.3%
	Grade 12	55.3%	44.7%	14.0%	23.3%	7.4%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	90.9%	2.9%	2.4%	1.8%	1.0%	1.0%
Grade 7	97.1%	0.5%	0.8%	0.4%	0.4%	0.8%
Grade 8	95.4%	2.4%	1.2%	0.9%	0.0%	0.1%
Grade 9	92.1%	2.6%	2.5%	1.6%	0.7%	0.5%
Grade 10	91.6%	2.1%	1.8%	2.0%	1.6%	0.9%
Grade 11	86.2%	4.7%	3.2%	2.5%	1.5%	2.0%
Grade 12	80.8%	5.9%	5.3%	4.2%	2.0%	1.9%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.9	10.1	11.0	12.6	13.1	13.9	14.9

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.0%	12.8%	5.9%	9.5%	16.1%	22.6%
Grade 7	39.1%	21.0%	6.7%	9.8%	14.3%	9.2%
Grade 8	36.7%	15.9%	7.1%	11.0%	12.7%	16.6%
Grade 9	29.4%	14.6%	7.0%	11.9%	14.8%	22.3%
Grade 10	35.8%	9.2%	5.3%	7.7%	16.9%	25.2%
Grade 11	28.8%	8.4%	4.7%	7.5%	19.2%	31.3%
Grade 12	26.1%	6.3%	4.4%	8.9%	19.7%	34.7%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.6%	2.5%	0.5%	0.4%
Grade 7	97.4%	1.8%	0.2%	0.6%
Grade 8	97.4%	1.9%	0.4%	0.3%
Grade 9	95.7%	2.9%	1.0%	0.3%
Grade 10	96.3%	3.1%	0.1%	0.5%
Grade 11	95.8%	3.2%	0.5%	0.5%
Grade 12	96.7%	2.1%	0.6%	0.5%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.6
Alcohol Non-Users	4.2
Average Days Conduct Problems Reported	
Alcohol Users	2.7
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.5%	2.5%	0.7%	0.3%
Grade 9	97.4%	2.2%	0.4%	0.0%
Grade 10	98.4%	1.2%	0.4%	0.1%
Grade 11	96.0%	2.3%	1.0%	0.7%
Grade 12	93.9%	4.6%	0.9%	0.6%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.2%	2.2%	0.4%	0.2%
Grade 7	97.4%	1.5%	0.6%	0.5%
Grade 8	98.3%	1.4%	0.2%	0.1%
Grade 9	97.9%	1.7%	0.4%	0.0%
Grade 10	96.7%	2.8%	0.1%	0.5%
Grade 11	97.3%	1.7%	0.8%	0.2%
Grade 12	95.1%	4.8%	0.2%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	60.8%	18.5%	9.9%	7.9%	2.8%
Grade 7	78.7%	14.4%	4.5%	1.7%	0.6%
Grade 8	70.2%	17.8%	7.5%	4.0%	0.5%
Grade 9	59.3%	23.2%	9.5%	6.4%	1.6%
Grade 10	58.7%	19.3%	10.2%	8.5%	3.3%
Grade 11	46.5%	20.1%	16.0%	11.9%	5.5%
Grade 12	46.9%	17.1%	13.0%	16.7%	6.3%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.0%	5.2%	4.5%	7.7%	8.3%	1.9%	15.4%
Grade 7	66.7%	5.4%	4.3%	4.5%	3.0%	2.0%	14.1%
Grade 8	66.8%	4.6%	3.7%	4.9%	3.7%	2.2%	14.1%
Grade 9	56.6%	5.1%	5.1%	6.5%	7.0%	1.6%	18.1%
Grade 10	55.3%	4.6%	4.3%	9.2%	8.6%	2.1%	15.8%
Grade 11	47.1%	4.7%	5.0%	11.1%	13.2%	1.9%	17.1%
Grade 12	45.2%	7.2%	4.8%	11.1%	16.9%	1.2%	13.6%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	65.8%	14.0%	12.7%	5.2%	2.4%
	Grade 7	71.2%	14.3%	10.0%	2.9%	1.6%
	Grade 8	71.7%	13.5%	9.0%	4.9%	0.9%
	Grade 9	68.7%	15.0%	11.4%	2.9%	2.1%
	Grade 10	67.9%	13.7%	11.1%	5.2%	2.0%
	Grade 11	58.2%	14.1%	17.6%	6.5%	3.7%
	Grade 12	54.7%	13.2%	18.7%	9.0%	4.4%
Friends?						
	All	67.4%	15.4%	8.6%	6.4%	2.2%
	Grade 7	76.5%	17.9%	3.3%	1.6%	0.7%
	Grade 8	75.2%	15.9%	6.4%	2.3%	0.2%
	Grade 9	68.4%	16.1%	8.6%	5.4%	1.5%
	Grade 10	68.8%	12.8%	7.7%	7.7%	3.0%
	Grade 11	58.4%	14.8%	13.0%	9.4%	4.4%
	Grade 12	53.0%	14.5%	14.5%	14.3%	3.8%
A Store?						
	All	69.8%	22.9%	3.1%	3.1%	1.1%
	Grade 7	76.8%	20.8%	0.8%	1.0%	0.6%
	Grade 8	77.6%	20.2%	1.2%	0.9%	0.1%
	Grade 9	72.7%	24.1%	2.1%	1.0%	0.1%
	Grade 10	70.3%	22.2%	3.7%	3.4%	0.4%
	Grade 11	60.9%	26.3%	4.6%	5.6%	2.5%
	Grade 12	57.2%	24.9%	7.5%	7.4%	3.1%
Parties?						
	All	64.9%	13.7%	8.5%	7.6%	5.3%
	Grade 7	72.6%	17.0%	6.4%	3.1%	0.9%
	Grade 8	73.6%	13.1%	6.8%	4.5%	2.0%
	Grade 9	67.6%	14.0%	7.7%	6.6%	4.1%
	Grade 10	64.7%	12.1%	8.2%	8.8%	6.2%
	Grade 11	55.2%	13.3%	11.0%	11.1%	9.4%
	Grade 12	52.5%	12.2%	11.7%	13.0%	10.6%
Other Sources?						
	All	70.7%	19.0%	5.6%	2.7%	2.0%
	Grade 7	76.8%	17.1%	3.5%	1.8%	0.8%
	Grade 8	77.3%	15.9%	4.6%	1.8%	0.4%
	Grade 9	72.2%	18.0%	5.6%	2.5%	1.6%
	Grade 10	71.5%	17.9%	5.0%	2.6%	2.9%
	Grade 11	62.2%	22.9%	8.1%	3.0%	3.9%
	Grade 12	61.5%	23.2%	7.4%	5.1%	2.8%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	54.8%	13.9%	14.8%	5.3%	1.1%	10.1%
Grade 7	62.7%	11.9%	8.2%	2.4%	0.9%	13.9%
Grade 8	65.5%	11.9%	10.4%	2.9%	0.2%	9.2%
Grade 9	54.7%	13.1%	16.6%	4.8%	2.0%	8.9%
Grade 10	53.7%	13.7%	13.6%	6.9%	2.1%	9.9%
Grade 11	46.4%	17.7%	20.4%	6.9%	0.6%	8.0%
Grade 12	41.4%	16.0%	22.8%	9.0%	0.8%	10.0%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.7%	29.6%	14.2%	2.9%	5.6%
Grade 7	54.1%	24.2%	12.1%	3.3%	6.3%
Grade 8	49.8%	27.7%	14.1%	2.5%	5.9%
Grade 9	46.7%	30.3%	16.4%	3.0%	3.7%
Grade 10	47.4%	31.2%	12.0%	3.3%	6.1%
Grade 11	44.0%	30.9%	17.3%	3.0%	4.7%
Grade 12	42.2%	34.5%	14.1%	2.5%	6.6%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.0%	17.3%	21.7%	78.3%
Grade 7	5.5%	8.3%	10.5%	89.5%
Grade 8	5.5%	9.2%	11.6%	88.4%
Grade 9	11.1%	15.3%	20.6%	79.4%
Grade 10	15.3%	20.6%	26.3%	73.7%
Grade 11	20.5%	24.7%	29.9%	70.1%
Grade 12	22.3%	28.1%	34.6%	65.4%
Marijuana?				
All	11.8%	14.6%	18.8%	81.2%
Grade 7	4.3%	5.7%	6.8%	93.2%
Grade 8	5.0%	6.7%	9.0%	91.0%
Grade 9	8.3%	10.3%	15.7%	84.3%
Grade 10	13.9%	17.0%	22.8%	77.2%
Grade 11	19.8%	23.9%	28.7%	71.3%
Grade 12	21.8%	26.3%	33.2%	66.8%
Cocaine?				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.3%	98.7%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	1.3%	1.5%	2.6%	97.4%
Grade 12	1.6%	1.9%	2.7%	97.3%
Crack?				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	1.5%	1.7%	1.7%	98.3%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	1.0%	1.2%	98.8%
Hallucinogens?				
All	1.0%	1.8%	3.5%	96.5%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	1.1%	2.0%	4.2%	95.8%
Grade 11	1.8%	2.9%	6.1%	93.9%
Grade 12	1.8%	4.4%	7.6%	92.4%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.7%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.0%	99.0%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.7%	99.3%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.8%	1.0%	1.6%	98.4%
Grade 9	0.4%	0.8%	1.5%	98.5%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.3%	0.7%	2.1%	97.9%
Grade 12	0.6%	0.6%	1.3%	98.7%
Ecstasy?				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.2%	0.5%	1.9%	98.1%
Grade 11	1.0%	1.1%	3.4%	96.6%
Grade 12	0.8%	1.2%	2.9%	97.1%
Heroin?				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.5%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	0.9%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Methamphetamine?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.6%	0.9%	1.5%	98.5%
Grade 12	0.5%	0.7%	1.1%	98.9%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.2%	1.7%	2.8%	97.2%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	1.0%	1.6%	2.0%	98.0%
Grade 10	1.3%	2.1%	3.2%	96.8%
Grade 11	1.5%	2.0%	4.2%	95.8%
Grade 12	1.3%	2.2%	4.4%	95.6%
Delta 8?				
All	2.9%	4.4%	6.5%	93.5%
Grade 7	0.8%	1.1%	2.0%	98.0%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	1.4%	1.8%	4.1%	95.9%
Grade 10	4.1%	5.4%	7.9%	92.1%
Grade 11	3.7%	6.7%	10.6%	89.4%
Grade 12	7.4%	11.3%	14.1%	85.9%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	85.0%	1.7%	2.2%	2.4%	2.7%	2.9%	3.1%
	Grade 7	95.3%	0.2%	0.9%	0.7%	1.4%	0.8%	0.8%
	Grade 8	93.5%	0.5%	0.9%	1.6%	0.7%	0.8%	2.0%
	Grade 9	87.9%	0.6%	0.8%	2.3%	1.7%	2.3%	4.4%
	Grade 10	82.3%	1.2%	4.7%	2.4%	2.9%	2.5%	4.0%
	Grade 11	77.0%	3.5%	3.4%	3.7%	4.7%	4.5%	3.3%
	Grade 12	70.4%	4.9%	2.5%	4.1%	5.6%	7.5%	5.0%
Cocaine?								
	All	99.2%	0.0%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 7	99.2%	0.0%	0.4%	0.0%	0.0%	0.0%	0.4%
	Grade 8	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.2%	0.0%	0.0%	0.1%	0.0%	0.3%	0.4%
	Grade 11	98.7%	0.0%	0.0%	0.0%	0.4%	0.2%	0.7%
	Grade 12	98.0%	0.2%	0.0%	0.5%	0.1%	0.3%	0.8%
Crack?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 11	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.1%	0.2%	0.0%	0.2%	0.0%	0.1%
Steroids?								
	All	99.3%	0.1%	0.0%	0.1%	0.0%	0.2%	0.4%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.2%	0.2%	0.6%
	Grade 9	99.2%	0.0%	0.0%	0.4%	0.0%	0.4%	0.0%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 11	99.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.8%
	Grade 12	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Ecstasy?								
	All	98.8%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%
	Grade 7	99.7%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%
	Grade 8	99.6%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%
	Grade 9	98.7%	0.3%	0.4%	0.4%	0.0%	0.3%	0.0%
	Grade 10	98.7%	0.0%	0.0%	0.0%	0.1%	0.3%	0.9%
	Grade 11	97.5%	0.2%	0.0%	0.0%	0.4%	0.6%	1.4%
	Grade 12	98.3%	0.0%	0.2%	0.0%	0.3%	0.4%	0.8%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.5%	0.2%	0.0%	0.0%	0.3%	0.0%	0.0%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%
	Grade 9	99.4%	0.0%	0.0%	0.4%	0.0%	0.0%	0.2%
	Grade 10	99.4%	0.0%	0.0%	0.1%	0.0%	0.3%	0.3%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.4%	0.0%	0.1%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.0%	0.3%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 9	99.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.2%	0.0%	0.4%
	Grade 11	98.8%	0.2%	0.1%	0.1%	0.2%	0.1%	0.6%
	Grade 12	99.3%	0.0%	0.2%	0.0%	0.2%	0.4%	0.0%
Synthetic Marijuana?								
	All	98.0%	0.2%	0.1%	0.1%	0.6%	0.4%	0.6%
	Grade 7	98.6%	0.2%	0.0%	0.2%	0.3%	0.5%	0.3%
	Grade 8	99.3%	0.0%	0.2%	0.1%	0.4%	0.0%	0.0%
	Grade 9	98.9%	0.6%	0.0%	0.0%	0.3%	0.0%	0.3%
	Grade 10	97.5%	0.0%	0.4%	0.0%	0.5%	0.7%	0.8%
	Grade 11	97.0%	0.3%	0.1%	0.4%	0.7%	0.6%	0.9%
	Grade 12	96.6%	0.0%	0.0%	0.2%	1.4%	0.7%	1.1%
Delta 8?								
	All	94.7%	0.4%	0.4%	0.8%	1.5%	1.1%	1.0%
	Grade 7	98.5%	0.0%	0.0%	0.4%	0.6%	0.3%	0.2%
	Grade 8	98.2%	0.1%	0.2%	0.4%	0.3%	0.1%	0.7%
	Grade 9	97.3%	0.4%	0.0%	0.5%	0.3%	0.4%	1.1%
	Grade 10	94.0%	0.1%	0.7%	1.3%	2.0%	0.7%	1.2%
	Grade 11	91.7%	1.0%	0.4%	0.9%	2.1%	2.7%	1.2%
	Grade 12	87.2%	0.7%	1.4%	1.8%	4.0%	2.9%	1.9%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.6	12.3	13.0	13.8	14.7	15.1
Cocaine	14.3	10.5	11.8	12.6	13.9	15.4	16.4
Crack	12.1	11.5	8.6	N/A	12.3	N/A	13.6
Steroids	12.4	11.9	10.5	13.7	13.3	12.1	13.8
Ecstasy	14.4	11.5	10.7	12.6	14.1	15.4	15.3
Heroin	13.0	9.4	12.7	11.7	14.8	15.0	N/A
Methamphetamine	13.0	8.9	9.9	11.7	12.2	15.4	15.0
Synthetic Marijuana	14.2	12.2	12.2	12.6	14.3	15.1	15.5
Delta 8?	15.3	12.2	12.7	13.4	14.9	15.9	16.5

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	39.0%	21.7%	7.7%	7.6%	10.1%	13.9%
	Grade 7	47.8%	32.8%	8.5%	4.5%	3.4%	2.9%
	Grade 8	44.5%	30.6%	7.3%	5.8%	5.6%	6.2%
	Grade 9	34.9%	27.0%	8.4%	9.1%	7.9%	12.7%
	Grade 10	39.7%	14.4%	7.0%	7.7%	13.5%	17.7%
	Grade 11	33.1%	13.1%	7.9%	10.8%	14.5%	20.7%
	Grade 12	30.6%	9.6%	7.2%	8.7%	17.4%	26.6%
Cocaine?							
	All	48.2%	30.5%	9.9%	6.3%	2.5%	2.6%
	Grade 7	52.4%	36.6%	6.6%	3.1%	1.1%	0.3%
	Grade 8	49.9%	36.5%	7.3%	3.6%	0.9%	1.9%
	Grade 9	42.4%	37.2%	9.9%	5.2%	2.6%	2.6%
	Grade 10	50.9%	24.7%	11.5%	6.8%	3.5%	2.6%
	Grade 11	46.0%	24.7%	11.5%	9.7%	3.4%	4.6%
	Grade 12	45.6%	21.8%	13.4%	10.4%	4.3%	4.5%
Crack?							
	All	49.4%	31.5%	10.0%	5.3%	1.6%	2.2%
	Grade 7	52.5%	37.6%	6.0%	2.6%	1.0%	0.3%
	Grade 8	51.3%	36.5%	6.7%	3.4%	0.8%	1.3%
	Grade 9	43.0%	38.5%	9.7%	4.8%	1.7%	2.3%
	Grade 10	53.3%	26.1%	10.0%	6.1%	2.3%	2.2%
	Grade 11	47.6%	25.9%	13.5%	7.2%	1.7%	4.1%
	Grade 12	47.0%	23.3%	15.6%	8.3%	2.2%	3.5%
Steroids?							
	All	51.4%	28.2%	9.2%	5.6%	3.2%	2.4%
	Grade 7	55.4%	32.8%	7.2%	2.4%	1.6%	0.6%
	Grade 8	53.8%	32.7%	8.0%	2.0%	2.3%	1.2%
	Grade 9	45.9%	34.1%	8.8%	6.1%	2.5%	2.6%
	Grade 10	53.4%	22.8%	9.6%	7.9%	4.8%	1.6%
	Grade 11	48.0%	25.4%	11.5%	8.1%	2.9%	4.2%
	Grade 12	50.0%	20.2%	10.5%	8.6%	5.5%	5.3%
Ecstasy?							
	All	58.0%	26.0%	7.4%	4.3%	2.0%	2.3%
	Grade 7	65.6%	28.5%	3.7%	1.4%	0.4%	0.3%
	Grade 8	62.6%	29.1%	4.9%	1.5%	1.1%	0.8%
	Grade 9	52.3%	32.9%	7.1%	3.5%	1.8%	2.3%
	Grade 10	59.5%	21.2%	8.1%	6.0%	2.9%	2.2%
	Grade 11	52.4%	23.2%	10.8%	6.8%	2.3%	4.5%
	Grade 12	52.7%	20.4%	10.9%	7.8%	3.6%	4.7%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	54.5%	30.7%	8.5%	3.2%	1.5%	1.7%
	Grade 7	63.0%	30.2%	4.2%	1.3%	1.1%	0.3%
	Grade 8	56.6%	33.8%	5.0%	1.7%	1.4%	1.5%
	Grade 9	48.1%	35.8%	9.6%	2.5%	1.8%	2.2%
	Grade 10	55.5%	28.5%	9.9%	2.8%	2.3%	1.0%
	Grade 11	49.1%	30.5%	11.4%	5.1%	0.9%	3.1%
	Grade 12	52.4%	24.8%	12.5%	6.5%	1.5%	2.3%
Methamphetamine?							
	All	55.8%	29.8%	7.9%	3.0%	1.5%	2.0%
	Grade 7	63.3%	30.1%	4.3%	1.3%	0.6%	0.3%
	Grade 8	58.8%	32.7%	5.1%	1.4%	0.7%	1.3%
	Grade 9	50.6%	34.6%	7.4%	3.1%	1.8%	2.5%
	Grade 10	56.6%	26.8%	10.0%	2.6%	2.2%	1.8%
	Grade 11	50.2%	29.7%	10.3%	4.8%	1.8%	3.2%
	Grade 12	53.2%	24.3%	11.6%	5.2%	2.0%	3.6%
Synthetic Marijuana?							
	All	57.9%	24.5%	6.6%	4.4%	2.5%	4.0%
	Grade 7	64.8%	26.9%	4.5%	1.9%	1.3%	0.6%
	Grade 8	62.0%	29.1%	4.7%	1.5%	1.0%	1.6%
	Grade 9	52.4%	30.4%	6.7%	4.5%	2.0%	4.0%
	Grade 10	56.8%	22.9%	7.8%	4.4%	3.6%	4.6%
	Grade 11	53.5%	21.4%	7.5%	6.9%	3.3%	7.3%
	Grade 12	55.5%	15.5%	9.2%	8.1%	4.5%	7.2%
Delta 8?							
	All	58.4%	22.2%	5.4%	4.1%	3.8%	6.2%
	Grade 7	64.6%	27.3%	3.6%	1.9%	1.6%	1.0%
	Grade 8	61.8%	27.9%	4.5%	2.1%	1.6%	2.1%
	Grade 9	55.0%	25.8%	6.8%	3.0%	3.3%	6.1%
	Grade 10	57.6%	19.6%	6.0%	5.6%	4.9%	6.4%
	Grade 11	55.0%	17.4%	5.8%	6.5%	5.7%	9.7%
	Grade 12	54.2%	13.3%	6.0%	6.3%	6.3%	13.8%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	92.2%	4.0%	1.4%	2.5%
Grade 7	96.6%	2.4%	0.2%	0.8%
Grade 8	95.7%	2.8%	0.8%	0.6%
Grade 9	94.0%	3.5%	1.1%	1.4%
Grade 10	89.0%	5.5%	1.9%	3.6%
Grade 11	88.6%	3.6%	3.1%	4.8%
Grade 12	87.9%	6.8%	1.2%	4.0%
Attended Class While High from Use of Some Other Drug?				
All	97.5%	1.2%	0.7%	0.5%
Grade 7	98.1%	1.1%	0.7%	0.1%
Grade 8	97.5%	1.7%	0.8%	0.1%
Grade 9	97.2%	1.4%	1.0%	0.4%
Grade 10	98.0%	0.9%	0.5%	0.6%
Grade 11	97.2%	1.0%	1.0%	0.9%
Grade 12	97.3%	1.3%	0.4%	1.0%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.5
Marijuana Non-Users	4.4
Average Days Conduct Problems Reported	
Marijuana Users	3.8
Marijuana Non-Users	1.2

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.3%	3.0%	0.6%	1.1%
Grade 9	98.9%	1.1%	0.0%	0.0%
Grade 10	96.7%	2.7%	0.1%	0.4%
Grade 11	94.9%	2.9%	1.1%	1.1%
Grade 12	90.6%	5.3%	1.1%	3.0%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.2%	2.4%	0.3%	0.2%
Grade 7	97.3%	1.8%	0.6%	0.3%
Grade 8	97.6%	2.3%	0.0%	0.1%
Grade 9	98.5%	1.5%	0.0%	0.0%
Grade 10	96.6%	3.1%	0.2%	0.2%
Grade 11	96.6%	2.4%	0.7%	0.3%
Grade 12	96.4%	3.2%	0.2%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	71.0%	12.6%	7.1%	6.8%	2.4%
Grade 7	89.3%	5.4%	2.1%	2.2%	1.1%
Grade 8	83.0%	8.7%	4.7%	3.3%	0.2%
Grade 9	73.6%	14.5%	5.2%	5.4%	1.3%
Grade 10	64.5%	14.8%	9.2%	8.2%	3.2%
Grade 11	55.6%	18.2%	11.4%	10.1%	4.7%
Grade 12	56.2%	16.1%	10.8%	12.8%	4.2%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	66.2%	5.0%	3.6%	4.0%	4.2%	1.6%	15.4%
Grade 7	79.3%	1.9%	1.9%	1.5%	0.5%	1.1%	13.8%
Grade 8	75.5%	4.0%	1.2%	2.4%	0.7%	1.8%	14.3%
Grade 9	65.4%	7.2%	3.4%	1.0%	3.4%	1.7%	17.9%
Grade 10	62.9%	4.9%	5.0%	4.3%	5.5%	1.4%	15.9%
Grade 11	55.3%	5.6%	5.9%	7.9%	6.1%	1.7%	17.5%
Grade 12	53.6%	7.7%	4.9%	7.5%	10.7%	1.9%	13.7%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	71.9%	7.0%	7.7%	1.7%	1.4%	10.3%
Grade 7	78.0%	2.7%	2.6%	0.7%	1.5%	14.5%
Grade 8	80.9%	4.8%	3.7%	0.7%	0.6%	9.3%
Grade 9	70.6%	6.3%	11.6%	1.1%	1.4%	9.0%
Grade 10	67.0%	8.2%	8.5%	3.3%	2.5%	10.5%
Grade 11	67.5%	10.3%	10.9%	1.8%	1.1%	8.5%
Grade 12	64.1%	11.2%	11.4%	3.0%	1.2%	9.1%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	57.6%	14.6%	12.9%	8.5%	6.4%
	Grade 7	75.7%	7.7%	4.7%	3.5%	8.4%
	Grade 8	68.0%	14.3%	7.0%	3.1%	7.5%
	Grade 9	56.9%	16.7%	13.7%	8.6%	4.2%
	Grade 10	51.2%	17.0%	15.7%	10.5%	5.6%
	Grade 11	46.4%	16.2%	18.3%	14.0%	5.1%
	Grade 12	41.8%	17.4%	20.8%	13.0%	7.1%
Cocaine?						
	All	84.9%	6.6%	0.9%	0.6%	7.0%
	Grade 7	83.9%	5.0%	2.0%	1.1%	7.9%
	Grade 8	83.7%	7.4%	0.6%	0.4%	7.9%
	Grade 9	86.3%	9.2%	0.4%	0.0%	4.0%
	Grade 10	84.0%	6.0%	1.0%	1.1%	7.9%
	Grade 11	86.5%	6.1%	1.0%	0.5%	6.0%
	Grade 12	85.7%	6.1%	0.2%	0.3%	7.7%
Crack?						
	All	86.6%	4.9%	0.7%	0.5%	7.3%
	Grade 7	84.9%	5.5%	1.3%	0.3%	8.0%
	Grade 8	84.6%	6.1%	0.5%	0.3%	8.5%
	Grade 9	88.5%	6.2%	0.7%	0.0%	4.6%
	Grade 10	86.0%	4.1%	1.0%	1.1%	7.7%
	Grade 11	88.4%	3.8%	0.4%	1.0%	6.4%
	Grade 12	88.1%	3.3%	0.3%	0.3%	8.0%
Ecstasy?						
	All	77.1%	7.7%	1.6%	0.8%	12.8%
	Grade 7	77.4%	5.1%	1.6%	0.9%	15.0%
	Grade 8	78.3%	7.2%	1.1%	0.2%	13.2%
	Grade 9	76.5%	9.7%	0.9%	0.3%	12.5%
	Grade 10	76.1%	9.3%	1.5%	1.3%	11.8%
	Grade 11	78.1%	7.5%	2.2%	1.6%	10.6%
	Grade 12	76.0%	7.8%	2.0%	0.7%	13.5%
Steroids?						
	All	73.0%	11.8%	3.7%	1.3%	10.1%
	Grade 7	77.0%	8.3%	3.1%	1.6%	9.9%
	Grade 8	75.5%	11.0%	3.0%	0.3%	10.1%
	Grade 9	69.5%	14.7%	5.0%	1.7%	9.1%
	Grade 10	73.0%	11.3%	3.7%	1.7%	10.3%
	Grade 11	71.4%	13.5%	4.1%	1.4%	9.6%
	Grade 12	69.7%	13.3%	3.8%	1.2%	11.9%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	84.6%	4.0%	0.9%	0.5%	9.9%
	Grade 7	81.1%	4.2%	1.9%	0.6%	12.1%
	Grade 8	83.2%	5.4%	0.6%	0.2%	10.6%
	Grade 9	83.9%	5.1%	1.2%	0.0%	9.8%
	Grade 10	85.1%	3.6%	0.8%	1.1%	9.4%
	Grade 11	87.8%	3.7%	0.8%	0.8%	6.9%
	Grade 12	87.4%	1.9%	0.2%	0.3%	10.3%
Methamphetamine?						
	All	84.3%	4.1%	0.9%	0.7%	10.0%
	Grade 7	81.5%	4.2%	1.5%	1.1%	11.7%
	Grade 8	83.7%	4.5%	0.8%	0.3%	10.7%
	Grade 9	84.9%	4.5%	1.2%	0.8%	8.6%
	Grade 10	83.1%	4.3%	0.9%	1.0%	10.8%
	Grade 11	86.5%	4.6%	0.7%	0.7%	7.5%
	Grade 12	87.0%	2.0%	0.4%	0.3%	10.4%
Synthetic Marijuana?						
	All	74.3%	8.2%	2.8%	1.6%	13.0%
	Grade 7	79.7%	4.3%	2.2%	1.5%	12.2%
	Grade 8	77.9%	7.4%	1.6%	0.4%	12.7%
	Grade 9	74.4%	10.1%	1.6%	1.3%	12.5%
	Grade 10	72.5%	9.6%	3.0%	2.5%	12.5%
	Grade 11	71.4%	9.2%	4.3%	2.6%	12.5%
	Grade 12	68.1%	9.4%	4.6%	1.6%	16.3%
Delta 8?						
	All	68.3%	8.9%	5.5%	3.5%	13.8%
	Grade 7	77.2%	6.1%	2.3%	2.3%	12.1%
	Grade 8	74.4%	8.4%	2.5%	1.1%	13.5%
	Grade 9	67.7%	11.1%	4.6%	2.4%	14.3%
	Grade 10	64.7%	10.9%	6.5%	4.1%	13.8%
	Grade 11	62.8%	9.4%	8.0%	6.3%	13.4%
	Grade 12	59.8%	8.3%	10.3%	5.2%	16.4%
Fictional Drug?						
	All	76.8%	5.0%	0.6%	0.5%	17.1%
	Grade 7	78.9%	5.0%	1.1%	0.9%	14.1%
	Grade 8	77.4%	6.3%	0.5%	0.2%	15.7%
	Grade 9	74.5%	6.5%	0.5%	0.0%	18.5%
	Grade 10	77.5%	4.7%	0.8%	0.9%	16.1%
	Grade 11	76.0%	4.0%	0.4%	0.7%	18.8%
	Grade 12	75.9%	3.4%	0.2%	0.2%	20.3%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	5.7%	7.6%	13.9%	86.1%
Grade 7	5.9%	8.0%	12.3%	87.7%
Grade 8	7.2%	9.0%	14.5%	85.5%
Grade 9	5.1%	7.2%	12.1%	87.9%
Grade 10	4.1%	4.2%	11.1%	88.9%
Grade 11	5.6%	8.6%	16.8%	83.2%
Grade 12	6.0%	8.6%	16.8%	83.2%
Codeine Cough Syrup?				
All	2.8%	4.2%	9.0%	91.0%
Grade 7	3.7%	5.8%	9.0%	91.0%
Grade 8	4.0%	5.9%	10.5%	89.5%
Grade 9	1.8%	2.8%	6.6%	93.4%
Grade 10	1.3%	1.8%	6.3%	93.7%
Grade 11	3.7%	5.3%	12.0%	88.0%
Grade 12	2.1%	3.1%	8.9%	91.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.7%	0.9%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.3%	98.7%
Grade 9	0.8%	1.1%	2.2%	97.8%
Grade 10	0.1%	0.2%	1.4%	98.6%
Grade 11	1.2%	1.7%	5.1%	94.9%
Grade 12	1.3%	2.0%	4.5%	95.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.8%	1.4%	3.1%	96.9%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	0.2%	0.8%	1.9%	98.1%
Grade 9	1.1%	1.7%	2.5%	97.5%
Grade 10	0.5%	1.0%	2.4%	97.6%
Grade 11	0.7%	1.7%	5.6%	94.4%
Grade 12	1.9%	2.6%	5.3%	94.7%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.5%	2.4%	4.2%	95.8%
Grade 7	1.6%	1.8%	2.4%	97.6%
Grade 8	1.0%	1.4%	3.3%	96.7%
Grade 9	1.1%	3.0%	4.9%	95.1%
Grade 10	1.1%	1.3%	2.9%	97.1%
Grade 11	1.5%	3.2%	5.8%	94.2%
Grade 12	2.8%	3.9%	6.8%	93.2%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.4%	3.0%	6.2%	93.8%
Grade 7	2.0%	2.5%	5.4%	94.6%
Grade 8	3.7%	4.3%	7.7%	92.3%
Grade 9	1.4%	2.5%	5.9%	94.1%
Grade 10	2.2%	2.3%	5.5%	94.5%
Grade 11	2.5%	3.6%	7.1%	92.9%
Grade 12	2.0%	2.7%	5.4%	94.6%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.4%	2.8%	97.2%
Grade 7	1.8%	2.5%	5.3%	94.7%
Grade 8	0.9%	1.2%	2.5%	97.5%
Grade 9	0.9%	1.4%	2.4%	97.6%
Grade 10	0.5%	1.0%	1.9%	98.1%
Grade 11	0.8%	1.0%	2.5%	97.5%
Grade 12	0.9%	1.4%	2.1%	97.9%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.5%	13.5%	3.1%	1.6%	10.3%
Grade 7	74.2%	9.6%	3.0%	2.0%	11.2%
Grade 8	71.7%	12.6%	3.3%	2.2%	10.3%
Grade 9	69.6%	14.5%	4.2%	1.0%	10.6%
Grade 10	71.0%	14.3%	3.8%	1.4%	9.4%
Grade 11	69.9%	17.4%	2.2%	1.3%	9.2%
Grade 12	72.1%	13.3%	1.9%	1.3%	11.4%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.6%	5.9%	11.3%	88.7%
Grade 7	7.2%	7.8%	14.1%	85.9%
Grade 8	4.8%	6.5%	11.3%	88.7%
Grade 9	2.9%	3.4%	8.8%	91.2%
Grade 10	3.9%	5.4%	10.5%	89.5%
Grade 11	5.1%	6.3%	11.7%	88.3%
Grade 12	3.5%	5.5%	10.5%	89.5%
Spray Paint?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.5%	1.2%	2.4%	97.6%
Grade 8	0.9%	1.0%	2.6%	97.4%
Grade 9	0.7%	0.7%	1.6%	98.4%
Grade 10	0.3%	0.8%	2.0%	98.0%
Grade 11	0.6%	0.8%	1.9%	98.1%
Grade 12	0.5%	0.7%	1.6%	98.4%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.2%	4.0%	96.0%
Grade 7	1.4%	1.9%	6.1%	93.9%
Grade 8	2.0%	2.2%	5.0%	95.0%
Grade 9	0.0%	0.1%	2.1%	97.9%
Grade 10	0.5%	0.9%	4.1%	95.9%
Grade 11	0.7%	1.0%	2.9%	97.1%
Grade 12	0.5%	0.9%	3.4%	96.6%
Computer Dusting Sprays?				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.7%	1.3%	98.7%
Grade 8	0.6%	0.8%	1.3%	98.7%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.7%	0.8%	1.3%	98.7%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.5%	0.8%	1.2%	98.8%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	1.6%	4.9%	95.1%
Grade 7	1.4%	1.9%	5.3%	94.7%
Grade 8	1.7%	1.8%	4.9%	95.1%
Grade 9	0.6%	0.7%	4.5%	95.5%
Grade 10	0.8%	0.9%	3.6%	96.4%
Grade 11	1.1%	1.8%	5.2%	94.8%
Grade 12	1.5%	2.5%	6.2%	93.8%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	0.0%	0.1%	1.1%	98.9%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.5%	0.5%	1.4%	98.6%
Grade 12	0.5%	0.7%	2.0%	98.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.6%	0.9%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.4%	0.8%	1.6%	98.4%
Grade 12	0.7%	0.8%	1.8%	98.2%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.9%	1.2%	2.7%	97.3%
Grade 7	1.2%	1.9%	3.9%	96.1%
Grade 8	1.6%	1.9%	3.4%	96.6%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.8%	1.2%	2.5%	97.5%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.9%	1.0%	3.5%	96.5%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.6%	98.4%
Grade 7	1.1%	1.2%	2.4%	97.6%
Grade 8	0.9%	1.1%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.4%	1.5%	98.5%
Grade 11	0.3%	0.5%	1.7%	98.3%
Grade 12	0.4%	0.4%	1.5%	98.5%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.8%	0.1%	0.4%	0.3%	0.7%	0.5%	1.2%
Grade 7	94.6%	0.2%	0.4%	0.9%	1.0%	1.4%	1.5%
Grade 8	96.0%	0.1%	0.4%	0.5%	1.0%	0.7%	1.3%
Grade 9	98.8%	0.0%	0.8%	0.0%	0.1%	0.0%	0.3%
Grade 10	97.6%	0.0%	0.2%	0.0%	1.3%	0.1%	0.8%
Grade 11	97.2%	0.2%	0.2%	0.0%	0.6%	0.2%	1.5%
Grade 12	97.5%	0.0%	0.0%	0.1%	0.3%	0.7%	1.3%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	91.6%	4.3%	2.8%	1.3%
Grade 7	88.2%	6.3%	4.2%	1.3%
Grade 8	91.2%	4.4%	2.6%	1.8%
Grade 9	93.3%	4.3%	2.1%	0.3%
Grade 10	92.5%	3.6%	2.7%	1.1%
Grade 11	92.4%	4.5%	1.4%	1.6%
Grade 12	92.4%	2.6%	3.5%	1.5%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.7	10.0	10.7	12.4	11.6	13.1	14.5

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.9%	0.2%	0.2%
Grade 7	98.2%	1.3%	0.2%	0.2%
Grade 8	98.6%	1.2%	0.1%	0.1%
Grade 9	99.8%	0.2%	0.0%	0.0%
Grade 10	98.5%	0.9%	0.5%	0.1%
Grade 11	98.4%	1.1%	0.1%	0.4%
Grade 12	99.3%	0.4%	0.1%	0.1%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.1
Inhalant Non-Users	4.6
Average Days Conduct Problems Reported	
Inhalant Users	3.6
Inhalant Non-Users	1.4

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	94.1%	4.2%	1.0%	0.5%	0.2%
Grade 7	91.9%	6.4%	0.9%	0.6%	0.2%
Grade 8	93.8%	4.9%	0.7%	0.5%	0.0%
Grade 9	95.1%	3.1%	0.9%	0.5%	0.4%
Grade 10	95.7%	2.9%	1.1%	0.0%	0.3%
Grade 11	93.2%	4.8%	1.0%	0.5%	0.5%
Grade 12	95.3%	2.6%	1.2%	0.9%	0.0%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.7%	14.2%	4.7%	1.4%	10.0%
Grade 7	70.3%	13.9%	5.2%	2.0%	8.6%
Grade 8	67.5%	15.8%	5.0%	1.5%	10.1%
Grade 9	69.8%	15.2%	6.1%	1.3%	7.5%
Grade 10	71.7%	13.3%	3.3%	1.1%	10.6%
Grade 11	69.5%	13.1%	4.6%	1.2%	11.6%
Grade 12	69.7%	13.9%	4.2%	1.1%	11.2%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	51.1%	15.6%	3.8%	5.4%	6.7%	17.5%
Grade 7	53.1%	22.9%	4.1%	4.0%	6.7%	9.3%
Grade 8	52.3%	19.0%	4.0%	6.2%	5.2%	13.2%
Grade 9	45.6%	17.0%	4.1%	7.0%	7.5%	18.9%
Grade 10	54.2%	13.0%	3.0%	6.0%	5.3%	18.5%
Grade 11	50.5%	10.9%	3.9%	5.3%	6.7%	22.6%
Grade 12	49.4%	8.8%	3.7%	4.3%	9.2%	24.6%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	40.5%
	Grade 7	29.1%
	Grade 8	32.9%
	Grade 9	42.0%
	Grade 10	52.9%
	Grade 11	46.7%
	Grade 12	41.0%
An Assembly Program		
	All	33.1%
	Grade 7	36.5%
	Grade 8	38.4%
	Grade 9	32.3%
	Grade 10	29.7%
	Grade 11	30.9%
	Grade 12	29.0%
Guidance Counselor		
	All	22.1%
	Grade 7	26.5%
	Grade 8	28.8%
	Grade 9	18.9%
	Grade 10	20.9%
	Grade 11	19.2%
	Grade 12	15.5%
School Nurse		
	All	13.2%
	Grade 7	13.6%
	Grade 8	15.6%
	Grade 9	13.4%
	Grade 10	14.2%
	Grade 11	11.5%
	Grade 12	10.2%
Science or Social Studies Class		
	All	24.2%
	Grade 7	24.0%
	Grade 8	19.5%
	Grade 9	25.1%
	Grade 10	25.7%
	Grade 11	25.0%
	Grade 12	26.9%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
<hr/>		
Student Group or Club Meeting at School		
	All	11.3%
	Grade 7	10.2%
	Grade 8	10.6%
	Grade 9	11.6%
	Grade 10	14.6%
	Grade 11	11.3%
	Grade 12	9.6%
An Invited School Guest		
	All	18.8%
	Grade 7	24.6%
	Grade 8	21.4%
	Grade 9	22.0%
	Grade 10	15.6%
	Grade 11	13.0%
	Grade 12	15.4%
Another Source at School		
	All	25.1%
	Grade 7	28.3%
	Grade 8	28.8%
	Grade 9	27.4%
	Grade 10	23.2%
	Grade 11	21.7%
	Grade 12	20.3%
Any School Source		
	All	61.0%
	Grade 7	58.5%
	Grade 8	61.2%
	Grade 9	62.8%
	Grade 10	64.3%
	Grade 11	62.4%
	Grade 12	56.3%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	29.0%
	Grade 7	42.8%
	Grade 8	29.3%
	Grade 9	24.0%
	Grade 10	28.0%
	Grade 11	20.3%
	Grade 12	26.9%
School Nurse		
	All	19.9%
	Grade 7	29.3%
	Grade 8	20.0%
	Grade 9	16.6%
	Grade 10	20.5%
	Grade 11	14.9%
	Grade 12	16.0%
Another Adult In School		
	All	36.2%
	Grade 7	45.2%
	Grade 8	37.2%
	Grade 9	27.8%
	Grade 10	34.3%
	Grade 11	33.4%
	Grade 12	37.6%
Counselor/Program Outside-School		
	All	34.9%
	Grade 7	35.6%
	Grade 8	35.6%
	Grade 9	35.1%
	Grade 10	33.3%
	Grade 11	30.7%
	Grade 12	39.5%
Your Parents		
	All	65.2%
	Grade 7	71.5%
	Grade 8	65.5%
	Grade 9	65.2%
	Grade 10	64.2%
	Grade 11	62.0%
	Grade 12	61.3%
<hr/>		

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	56.7%
	Grade 7	63.7%
	Grade 8	55.0%
	Grade 9	58.2%
	Grade 10	54.2%
	Grade 11	55.0%
	Grade 12	53.6%
Your Friends		
	All	60.7%
	Grade 7	55.2%
	Grade 8	59.5%
	Grade 9	56.8%
	Grade 10	64.1%
	Grade 11	66.0%
	Grade 12	63.1%
Another Adult		
	All	54.2%
	Grade 7	58.9%
	Grade 8	55.3%
	Grade 9	49.3%
	Grade 10	57.0%
	Grade 11	52.1%
	Grade 12	51.0%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.4%
	Grade 7	6.5%
	Grade 8	7.7%
	Grade 9	6.1%
	Grade 10	6.4%
	Grade 11	7.1%
	Grade 12	4.1%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.3%	23.2%	25.4%	30.9%	13.3%
Grade 7	8.4%	23.4%	19.6%	32.1%	16.6%
Grade 8	8.0%	23.4%	23.4%	31.0%	14.2%
Grade 9	7.1%	21.2%	26.9%	32.1%	12.8%
Grade 10	7.6%	24.4%	24.0%	31.1%	12.8%
Grade 11	7.1%	23.0%	31.5%	28.0%	10.4%
Grade 12	5.0%	23.6%	28.2%	31.1%	12.1%
Sometimes Carry Weapons?					
All	82.0%	11.4%	4.2%	1.6%	0.8%
Grade 7	84.7%	9.3%	3.2%	2.6%	0.2%
Grade 8	83.9%	11.1%	3.1%	1.5%	0.4%
Grade 9	83.9%	10.8%	3.2%	0.3%	1.8%
Grade 10	81.5%	12.0%	4.2%	1.6%	0.7%
Grade 11	80.5%	11.7%	5.3%	1.4%	1.0%
Grade 12	76.6%	13.9%	6.3%	2.0%	1.1%
Care About Making Good Grades?					
All	2.6%	13.6%	25.0%	38.5%	20.3%
Grade 7	3.2%	14.5%	21.1%	39.6%	21.5%
Grade 8	3.0%	14.5%	26.7%	36.6%	19.2%
Grade 9	2.8%	12.0%	25.0%	37.7%	22.5%
Grade 10	1.8%	12.5%	27.0%	39.0%	19.6%
Grade 11	2.5%	13.7%	24.3%	37.8%	21.6%
Grade 12	1.9%	14.1%	26.1%	40.2%	17.6%
Belong/Want to Belong to a Gang?					
All	88.6%	7.5%	2.4%	0.8%	0.7%
Grade 7	86.5%	9.0%	2.8%	1.1%	0.7%
Grade 8	87.9%	8.3%	2.0%	0.8%	1.0%
Grade 9	90.7%	5.0%	2.7%	1.3%	0.4%
Grade 10	87.7%	9.4%	2.0%	0.4%	0.5%
Grade 11	88.3%	6.5%	3.0%	0.9%	1.3%
Grade 12	91.7%	6.0%	1.7%	0.2%	0.4%
Wish They Could Drop Out of School?					
All	43.8%	29.3%	15.3%	7.7%	3.9%
Grade 7	50.0%	26.7%	12.0%	7.4%	4.0%
Grade 8	41.3%	32.3%	15.4%	7.3%	3.7%
Grade 9	41.3%	28.8%	18.0%	7.8%	4.1%
Grade 10	41.5%	29.5%	15.9%	9.3%	3.7%
Grade 11	42.4%	31.7%	13.6%	7.9%	4.3%
Grade 12	45.5%	26.3%	18.0%	6.6%	3.6%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	84.2%	13.2%	1.2%	0.4%	1.0%
Grade 7	83.0%	13.4%	1.3%	0.6%	1.7%
Grade 8	84.0%	14.2%	1.1%	0.2%	0.5%
Grade 9	84.4%	13.8%	0.9%	0.4%	0.5%
Grade 10	86.5%	11.0%	0.8%	0.3%	1.4%
Grade 11	85.0%	12.6%	1.6%	0.2%	0.7%
Grade 12	82.5%	14.6%	1.3%	0.4%	1.2%
Out In Your Neighborhood?					
All	40.7%	48.2%	6.5%	1.7%	2.9%
Grade 7	32.0%	53.2%	7.9%	2.1%	4.9%
Grade 8	32.1%	55.9%	7.2%	2.1%	2.6%
Grade 9	44.6%	45.1%	5.2%	2.5%	2.7%
Grade 10	45.2%	45.4%	5.3%	1.0%	3.0%
Grade 11	44.5%	45.6%	5.7%	1.5%	2.7%
Grade 12	48.0%	41.9%	7.7%	1.0%	1.4%
At School?					
All	28.5%	51.6%	11.3%	3.7%	5.0%
Grade 7	28.8%	48.7%	11.8%	3.9%	6.7%
Grade 8	25.4%	51.9%	12.8%	4.1%	5.8%
Grade 9	31.4%	50.7%	9.5%	3.2%	5.1%
Grade 10	29.3%	53.0%	11.0%	2.0%	4.7%
Grade 11	29.2%	51.0%	10.7%	4.8%	4.3%
Grade 12	27.6%	54.2%	11.3%	4.2%	2.6%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.8%	14.7%	23.9%	76.1%
Grade 7	4.9%	6.2%	13.5%	86.5%
Grade 8	8.1%	9.4%	15.7%	84.3%
Grade 9	9.3%	13.7%	26.2%	73.8%
Grade 10	12.8%	15.7%	25.4%	74.6%
Grade 11	16.4%	21.8%	32.1%	67.9%
Grade 12	20.8%	23.6%	33.7%	66.3%
Any Alcohol Product				
All	25.2%	29.2%	44.6%	55.4%
Grade 7	15.3%	17.4%	38.3%	61.7%
Grade 8	17.2%	20.1%	36.8%	63.2%
Grade 9	23.0%	27.0%	41.4%	58.6%
Grade 10	26.4%	29.9%	42.7%	57.3%
Grade 11	35.3%	40.9%	54.9%	45.1%
Grade 12	37.1%	43.3%	55.9%	44.1%
Any Illicit Drug				
All	13.0%	17.3%	21.7%	78.3%
Grade 7	5.5%	8.3%	10.5%	89.5%
Grade 8	5.5%	9.2%	11.6%	88.4%
Grade 9	11.1%	15.3%	20.6%	79.4%
Grade 10	15.3%	20.6%	26.3%	73.7%
Grade 11	20.5%	24.7%	29.9%	70.1%
Grade 12	22.3%	28.1%	34.6%	65.4%
Any Prescription Drug				
All	5.7%	7.6%	13.9%	86.1%
Grade 7	5.9%	8.0%	12.3%	87.7%
Grade 8	7.2%	9.0%	14.5%	85.5%
Grade 9	5.1%	7.2%	12.1%	87.9%
Grade 10	4.1%	4.2%	11.1%	88.9%
Grade 11	5.6%	8.6%	16.8%	83.2%
Grade 12	6.0%	8.6%	16.8%	83.2%
Any Inhalant				
All	4.6%	5.9%	11.3%	88.7%
Grade 7	7.2%	7.8%	14.1%	85.9%
Grade 8	4.8%	6.5%	11.3%	88.7%
Grade 9	2.9%	3.4%	8.8%	91.2%
Grade 10	3.9%	5.4%	10.5%	89.5%
Grade 11	5.1%	6.3%	11.7%	88.3%
Grade 12	3.5%	5.5%	10.5%	89.5%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.1%	12.5%	21.1%	78.9%
Grade 7	3.5%	4.9%	9.7%	90.3%
Grade 8	5.8%	7.7%	14.2%	85.8%
Grade 9	6.9%	12.1%	22.4%	77.6%
Grade 10	9.6%	12.5%	22.4%	77.6%
Grade 11	12.9%	19.1%	29.4%	70.6%
Grade 12	17.5%	20.8%	31.5%	68.5%
Marijuana				
All	11.8%	14.6%	18.8%	81.2%
Grade 7	4.3%	5.7%	6.8%	93.2%
Grade 8	5.0%	6.7%	9.0%	91.0%
Grade 9	8.3%	10.3%	15.7%	84.3%
Grade 10	13.9%	17.0%	22.8%	77.2%
Grade 11	19.8%	23.9%	28.7%	71.3%
Grade 12	21.8%	26.3%	33.2%	66.8%
Marijuana Only				
All	5.2%	6.7%	9.8%	90.2%
Grade 7	2.0%	2.9%	3.6%	96.4%
Grade 8	2.7%	3.9%	5.7%	94.3%
Grade 9	5.4%	6.2%	10.8%	89.2%
Grade 10	5.9%	7.7%	11.2%	88.8%
Grade 11	8.4%	10.6%	14.2%	85.8%
Grade 12	7.4%	9.9%	14.7%	85.3%
Cocaine or Crack				
All	1.2%	1.3%	2.1%	97.9%
Grade 7	1.1%	1.1%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	1.8%	2.0%	2.8%	97.2%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	1.6%	1.8%	2.9%	97.1%
Grade 12	1.9%	2.3%	3.3%	96.7%
Cocaine				
All	0.9%	1.0%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.5%	1.3%	98.7%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	1.3%	1.5%	2.6%	97.4%
Grade 12	1.6%	1.9%	2.7%	97.3%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	1.5%	1.7%	1.7%	98.3%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	1.0%	1.2%	98.8%
Hallucinogens				
All	1.0%	1.8%	3.5%	96.5%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	1.1%	2.0%	4.2%	95.8%
Grade 11	1.8%	2.9%	6.1%	93.9%
Grade 12	1.8%	4.4%	7.6%	92.4%
Synthetic Cathinones				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.7%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.0%	99.0%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.7%	99.3%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.8%	1.0%	1.6%	98.4%
Grade 9	0.4%	0.8%	1.5%	98.5%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.3%	0.7%	2.1%	97.9%
Grade 12	0.6%	0.6%	1.3%	98.7%
Ecstasy				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.2%	0.5%	1.9%	98.1%
Grade 11	1.0%	1.1%	3.4%	96.6%
Grade 12	0.8%	1.2%	2.9%	97.1%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.5%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	0.9%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.2%	1.7%	2.8%	97.2%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	0.6%	0.9%	1.2%	98.8%
Grade 9	1.0%	1.6%	2.0%	98.0%
Grade 10	1.3%	2.1%	3.2%	96.8%
Grade 11	1.5%	2.0%	4.2%	95.8%
Grade 12	1.3%	2.2%	4.4%	95.6%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.6%	0.9%	1.5%	98.5%
Grade 12	0.5%	0.7%	1.1%	98.9%
Delta 8				
All	2.9%	4.4%	6.5%	93.5%
Grade 7	0.8%	1.1%	2.0%	98.0%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	1.4%	1.8%	4.1%	95.9%
Grade 10	4.1%	5.4%	7.9%	92.1%
Grade 11	3.7%	6.7%	10.6%	89.4%
Grade 12	7.4%	11.3%	14.1%	85.9%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.2%	12.4%	21.9%	78.1%
Grade 7	4.6%	5.4%	14.0%	86.0%
Grade 8	7.1%	8.1%	13.8%	86.2%
Grade 9	7.8%	10.3%	24.2%	75.8%
Grade 10	9.2%	11.7%	20.3%	79.7%
Grade 11	13.8%	18.5%	28.8%	71.2%
Grade 12	21.1%	22.8%	34.0%	66.0%
Any Alcohol Product				
All	23.1%	26.5%	42.7%	57.3%
Grade 7	14.7%	16.5%	39.0%	61.0%
Grade 8	17.3%	19.6%	34.4%	65.6%
Grade 9	18.0%	22.2%	40.0%	60.0%
Grade 10	23.5%	25.3%	37.6%	62.4%
Grade 11	31.8%	39.0%	54.1%	45.9%
Grade 12	35.7%	40.0%	53.8%	46.2%
Any Illicit Drug				
All	11.8%	15.5%	19.9%	80.1%
Grade 7	5.0%	6.7%	8.6%	91.4%
Grade 8	5.1%	8.4%	9.6%	90.4%
Grade 9	9.6%	12.3%	19.6%	80.4%
Grade 10	11.4%	16.1%	21.0%	79.0%
Grade 11	20.2%	24.4%	29.1%	70.9%
Grade 12	21.8%	28.4%	35.8%	64.2%
Any Prescription Drug				
All	4.6%	6.7%	13.2%	86.8%
Grade 7	4.9%	6.8%	10.7%	89.3%
Grade 8	3.7%	5.2%	10.9%	89.1%
Grade 9	3.6%	7.2%	13.8%	86.2%
Grade 10	4.7%	4.8%	11.0%	89.0%
Grade 11	5.2%	7.9%	17.1%	82.9%
Grade 12	5.4%	8.8%	17.2%	82.8%
Any Inhalant				
All	5.1%	6.3%	10.8%	89.2%
Grade 7	7.2%	7.8%	13.4%	86.6%
Grade 8	5.2%	6.7%	10.2%	89.8%
Grade 9	2.0%	2.7%	7.7%	92.3%
Grade 10	4.0%	4.9%	9.6%	90.4%
Grade 11	6.8%	8.3%	11.4%	88.6%
Grade 12	4.6%	7.0%	12.2%	87.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	10.1%	18.3%	81.7%
Grade 7	3.3%	4.4%	9.4%	90.6%
Grade 8	4.5%	6.2%	12.1%	87.9%
Grade 9	4.4%	7.8%	19.0%	81.0%
Grade 10	5.9%	8.6%	17.5%	82.5%
Grade 11	10.9%	16.4%	25.0%	75.0%
Grade 12	16.7%	19.3%	30.2%	69.8%
Marijuana				
All	10.7%	13.3%	17.4%	82.6%
Grade 7	4.6%	5.8%	6.9%	93.1%
Grade 8	4.4%	7.0%	8.4%	91.6%
Grade 9	6.3%	7.7%	14.0%	86.0%
Grade 10	9.9%	12.6%	17.7%	82.3%
Grade 11	19.9%	23.0%	27.1%	72.9%
Grade 12	21.6%	26.1%	34.0%	66.0%
Marijuana Only				
All	4.5%	5.9%	8.7%	91.3%
Grade 7	1.8%	2.4%	2.9%	97.1%
Grade 8	3.0%	4.6%	5.8%	94.2%
Grade 9	4.3%	4.8%	9.9%	90.1%
Grade 10	4.5%	5.7%	8.5%	91.5%
Grade 11	7.8%	10.0%	13.1%	86.9%
Grade 12	6.2%	8.4%	13.6%	86.4%
Cocaine or Crack				
All	1.5%	1.6%	2.1%	97.9%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	2.4%	2.4%	2.6%	97.4%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	1.7%	2.0%	3.8%	96.2%
Grade 12	2.4%	2.7%	3.6%	96.4%
Cocaine				
All	1.1%	1.2%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	1.3%	1.6%	3.4%	96.6%
Grade 12	2.2%	2.6%	3.5%	96.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	1.3%	1.3%	1.5%	98.5%
Hallucinogens				
All	1.0%	2.2%	3.8%	96.2%
Grade 7	0.9%	1.4%	1.6%	98.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	1.2%	2.5%	4.5%	95.5%
Grade 11	1.8%	2.9%	6.7%	93.3%
Grade 12	2.3%	6.6%	9.5%	90.5%
Synthetic Cathinones				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.8%	0.8%	1.1%	98.9%
Steroids				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.9%	1.7%	2.4%	97.6%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.6%	0.8%	3.2%	96.8%
Grade 12	1.4%	1.4%	2.3%	97.7%
Ecstasy				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.7%	98.3%
Grade 11	1.3%	1.5%	3.3%	96.7%
Grade 12	0.8%	1.6%	3.0%	97.0%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	0.5%	99.5%
Synthetic Marijuana				
All	0.8%	1.3%	2.4%	97.6%
Grade 7	1.7%	1.7%	2.5%	97.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.4%	1.2%	2.1%	97.9%
Grade 10	0.9%	1.8%	2.2%	97.8%
Grade 11	0.2%	0.6%	2.3%	97.7%
Grade 12	1.4%	2.2%	5.4%	94.6%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.1%	1.4%	98.6%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.8%	1.1%	2.0%	98.0%
Delta 8				
All	2.6%	4.1%	6.6%	93.4%
Grade 7	1.1%	1.4%	2.4%	97.6%
Grade 8	0.2%	0.8%	1.1%	98.9%
Grade 9	0.0%	0.2%	3.9%	96.1%
Grade 10	3.6%	4.3%	6.7%	93.3%
Grade 11	3.3%	7.1%	11.3%	88.7%
Grade 12	8.2%	12.0%	15.9%	84.1%

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.0%	16.7%	25.3%	74.7%
Grade 7	5.3%	7.2%	12.9%	87.1%
Grade 8	9.1%	10.6%	16.8%	83.2%
Grade 9	10.5%	16.7%	27.0%	73.0%
Grade 10	16.2%	19.4%	30.0%	70.0%
Grade 11	18.1%	24.2%	34.6%	65.4%
Grade 12	20.5%	24.2%	33.6%	66.4%
Any Alcohol Product				
All	27.2%	31.7%	46.1%	53.9%
Grade 7	16.0%	18.5%	37.5%	62.5%
Grade 8	17.0%	20.4%	38.5%	61.5%
Grade 9	27.9%	32.1%	42.1%	57.9%
Grade 10	28.5%	33.9%	47.3%	52.7%
Grade 11	38.5%	42.9%	55.4%	44.6%
Grade 12	38.2%	46.2%	57.9%	42.1%
Any Illicit Drug				
All	14.0%	18.8%	23.2%	76.8%
Grade 7	6.1%	10.0%	12.6%	87.4%
Grade 8	5.9%	10.0%	13.4%	86.6%
Grade 9	12.2%	18.0%	21.6%	78.4%
Grade 10	19.1%	25.1%	31.2%	68.8%
Grade 11	20.6%	24.9%	30.3%	69.7%
Grade 12	22.4%	27.5%	33.3%	66.7%
Any Prescription Drug				
All	6.7%	8.5%	14.5%	85.5%
Grade 7	6.9%	9.3%	14.0%	86.0%
Grade 8	10.2%	12.3%	17.7%	82.3%
Grade 9	6.0%	6.9%	10.5%	89.5%
Grade 10	3.5%	3.6%	11.0%	89.0%
Grade 11	6.0%	9.1%	16.1%	83.9%
Grade 12	6.6%	8.6%	16.7%	83.3%
Any Inhalant				
All	4.3%	5.6%	11.8%	88.2%
Grade 7	7.1%	7.8%	15.0%	85.0%
Grade 8	4.4%	6.5%	12.4%	87.6%
Grade 9	3.9%	4.3%	10.3%	89.7%
Grade 10	3.8%	6.0%	11.7%	88.3%
Grade 11	3.6%	4.8%	12.0%	88.0%
Grade 12	2.2%	3.8%	8.7%	91.3%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.7%	14.7%	23.3%	76.7%
Grade 7	3.7%	5.4%	9.9%	90.1%
Grade 8	7.0%	9.1%	15.4%	84.6%
Grade 9	8.7%	15.9%	25.1%	74.9%
Grade 10	12.9%	16.1%	26.9%	73.1%
Grade 11	14.7%	21.5%	32.6%	67.4%
Grade 12	18.5%	22.5%	32.7%	67.3%
Marijuana				
All	12.8%	15.7%	19.9%	80.1%
Grade 7	4.1%	5.7%	6.8%	93.2%
Grade 8	5.5%	6.5%	9.7%	90.3%
Grade 9	9.8%	12.5%	17.3%	82.7%
Grade 10	17.8%	21.3%	27.3%	72.7%
Grade 11	19.9%	24.6%	29.6%	70.4%
Grade 12	21.5%	26.2%	32.2%	67.8%
Marijuana Only				
All	5.9%	7.6%	11.0%	89.0%
Grade 7	2.2%	3.4%	4.4%	95.6%
Grade 8	2.5%	3.3%	5.7%	94.3%
Grade 9	6.7%	7.9%	12.1%	87.9%
Grade 10	7.4%	9.8%	14.2%	85.8%
Grade 11	9.0%	11.2%	15.2%	84.8%
Grade 12	8.6%	11.4%	15.9%	84.1%
Cocaine or Crack				
All	1.0%	1.1%	2.1%	97.9%
Grade 7	1.3%	1.3%	1.8%	98.2%
Grade 8	0.3%	0.3%	1.5%	98.5%
Grade 9	1.3%	1.8%	3.0%	97.0%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	1.2%	1.3%	1.9%	98.1%
Grade 12	1.6%	2.0%	3.0%	97.0%
Cocaine				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.6%	98.4%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	1.2%	1.3%	1.9%	98.1%
Grade 12	1.2%	1.4%	2.1%	97.9%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	1.3%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.8%	1.0%	99.0%
Hallucinogens				
All	0.9%	1.4%	3.1%	96.9%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	1.2%	1.2%	2.3%	97.7%
Grade 10	1.1%	1.6%	3.6%	96.4%
Grade 11	1.8%	2.9%	5.6%	94.4%
Grade 12	1.3%	2.5%	5.5%	94.5%
Synthetic Cathinones				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.0%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.9%	0.9%	99.1%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	1.3%	1.6%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.6%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.3%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.5%	1.5%	98.5%
Grade 11	0.8%	0.8%	3.6%	96.4%
Grade 12	0.7%	0.9%	2.9%	97.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.9%	1.4%	98.6%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.7%	1.4%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.5%	2.1%	3.0%	97.0%
Grade 7	1.1%	1.2%	1.7%	98.3%
Grade 8	0.9%	1.6%	1.7%	98.3%
Grade 9	1.6%	2.0%	2.0%	98.0%
Grade 10	1.8%	2.4%	3.8%	96.2%
Grade 11	2.6%	3.2%	5.4%	94.6%
Grade 12	1.2%	2.2%	3.6%	96.4%
Methamphetamine				
All	0.5%	0.6%	1.0%	99.0%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.6%	1.2%	1.4%	98.6%
Grade 12	0.3%	0.3%	0.3%	99.7%
Delta 8				
All	3.3%	4.7%	6.2%	93.8%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	1.2%	1.7%	2.5%	97.5%
Grade 9	2.8%	3.4%	4.5%	95.5%
Grade 10	4.7%	6.6%	8.1%	91.9%
Grade 11	4.2%	6.4%	9.9%	90.1%
Grade 12	6.8%	10.2%	11.9%	88.1%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	21.3%	31.5%	68.5%
Grade 7	3.0%	4.1%	11.1%	88.9%
Grade 8	9.5%	11.4%	20.0%	80.0%
Grade 9	11.0%	17.6%	27.2%	72.8%
Grade 10	19.7%	22.0%	34.3%	65.7%
Grade 11	25.6%	36.5%	50.6%	49.4%
Grade 12	34.4%	37.7%	47.7%	52.3%
Any Alcohol Product				
All	31.2%	34.9%	53.3%	46.7%
Grade 7	14.6%	15.1%	44.9%	55.1%
Grade 8	20.4%	23.7%	43.0%	57.0%
Grade 9	18.9%	21.0%	39.2%	60.8%
Grade 10	33.8%	36.5%	51.5%	48.5%
Grade 11	52.4%	59.4%	72.2%	27.8%
Grade 12	49.3%	56.0%	70.2%	29.8%
Any Illicit Drug				
All	14.2%	20.9%	26.0%	74.0%
Grade 7	3.3%	5.3%	6.5%	93.5%
Grade 8	4.2%	10.3%	12.0%	88.0%
Grade 9	12.0%	17.7%	25.2%	74.8%
Grade 10	15.5%	24.5%	33.4%	66.6%
Grade 11	22.1%	31.6%	35.8%	64.2%
Grade 12	29.3%	38.1%	45.6%	54.4%
Any Prescription Drug				
All	7.8%	10.4%	17.6%	82.4%
Grade 7	4.8%	5.4%	9.8%	90.2%
Grade 8	13.5%	16.3%	20.0%	80.0%
Grade 9	6.5%	9.2%	16.3%	83.7%
Grade 10	5.0%	5.4%	13.4%	86.6%
Grade 11	6.3%	9.3%	18.5%	81.5%
Grade 12	10.5%	16.5%	27.8%	72.2%
Any Inhalant				
All	4.8%	6.0%	13.3%	86.7%
Grade 7	8.0%	9.5%	18.0%	82.0%
Grade 8	5.5%	6.9%	13.7%	86.3%
Grade 9	1.5%	2.2%	10.2%	89.8%
Grade 10	4.4%	4.6%	10.8%	89.2%
Grade 11	5.0%	5.9%	11.6%	88.4%
Grade 12	4.1%	6.5%	15.3%	84.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.1%	18.3%	28.1%	71.9%
Grade 7	1.6%	3.0%	6.3%	93.7%
Grade 8	6.6%	8.9%	16.3%	83.7%
Grade 9	7.2%	16.0%	25.8%	74.2%
Grade 10	15.4%	17.7%	29.1%	70.9%
Grade 11	19.0%	30.9%	47.8%	52.2%
Grade 12	30.1%	34.6%	45.3%	54.7%
Marijuana				
All	13.0%	17.3%	22.0%	78.0%
Grade 7	3.3%	3.5%	3.9%	96.1%
Grade 8	3.6%	5.9%	7.6%	92.4%
Grade 9	8.1%	11.6%	19.1%	80.9%
Grade 10	14.2%	17.8%	26.6%	73.4%
Grade 11	21.4%	30.4%	34.1%	65.9%
Grade 12	28.8%	36.2%	43.1%	56.9%
Marijuana Only				
All	3.3%	5.1%	7.6%	92.4%
Grade 7	1.5%	1.5%	1.5%	98.5%
Grade 8	2.4%	3.2%	3.4%	96.6%
Grade 9	5.2%	6.5%	12.5%	87.5%
Grade 10	1.8%	4.0%	6.6%	93.4%
Grade 11	4.2%	8.1%	10.0%	90.0%
Grade 12	4.3%	7.4%	11.9%	88.1%
Cocaine or Crack				
All	1.6%	1.8%	2.8%	97.2%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	1.5%	2.2%	3.1%	96.9%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	3.0%	3.0%	4.6%	95.4%
Grade 12	3.6%	4.2%	5.8%	94.2%
Cocaine				
All	1.2%	1.2%	2.1%	97.9%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.4%	2.4%	4.1%	95.9%
Grade 12	3.4%	4.0%	5.5%	94.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.8%	0.9%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	1.5%	2.2%	2.2%	97.8%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 11	1.3%	1.3%	1.3%	98.7%
	Grade 12	2.0%	2.0%	2.2%	97.8%
Hallucinogens	All	1.2%	2.7%	5.1%	94.9%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.2%	0.2%	1.2%	98.8%
	Grade 10	1.3%	2.6%	5.0%	95.0%
	Grade 11	1.8%	2.9%	7.4%	92.6%
	Grade 12	4.0%	10.8%	16.1%	83.9%
Synthetic Cathinones	All	0.7%	0.7%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	1.3%	1.3%	1.3%	98.7%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	1.7%	1.7%	2.3%	97.7%
Steroids	All	0.8%	1.1%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.4%	2.1%	2.4%	97.6%
	Grade 9	1.1%	2.1%	2.1%	97.9%
	Grade 10	0.0%	0.0%	1.1%	98.9%
	Grade 11	0.9%	0.9%	3.5%	96.5%
	Grade 12	1.2%	1.2%	1.8%	98.2%
Ecstasy	All	0.9%	1.2%	2.5%	97.5%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	1.0%	99.0%
	Grade 9	1.9%	2.6%	2.6%	97.4%
	Grade 10	0.0%	0.0%	2.6%	97.4%
	Grade 11	1.3%	1.3%	4.2%	95.8%
	Grade 12	2.3%	3.4%	3.4%	96.6%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.4%	0.7%	99.3%
Grade 7	0.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.7%	98.3%
Grade 9	0.0%	0.7%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.8%	99.2%
Synthetic Marijuana				
All	1.6%	2.5%	4.5%	95.5%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.7%	1.9%	2.6%	97.4%
Grade 10	3.9%	4.1%	6.2%	93.8%
Grade 11	1.6%	2.2%	6.9%	93.1%
Grade 12	2.6%	5.4%	9.3%	90.7%
Methamphetamine				
All	0.6%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	1.0%	99.0%
Grade 11	0.6%	0.6%	1.8%	98.2%
Grade 12	1.7%	2.3%	3.6%	96.4%
Delta 8				
All	5.6%	8.5%	12.2%	87.8%
Grade 7	1.4%	1.8%	2.7%	97.3%
Grade 8	1.2%	2.3%	3.3%	96.7%
Grade 9	2.1%	2.6%	6.0%	94.0%
Grade 10	8.1%	9.5%	15.5%	84.5%
Grade 11	6.3%	11.7%	19.3%	80.7%
Grade 12	15.8%	24.2%	28.0%	72.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.3%	10.1%	16.3%	83.7%
Grade 7	3.2%	4.7%	11.0%	89.0%
Grade 8	6.0%	7.0%	11.1%	88.9%
Grade 9	7.3%	13.1%	21.3%	78.7%
Grade 10	7.1%	8.7%	16.5%	83.5%
Grade 11	12.1%	16.2%	20.1%	79.9%
Grade 12	9.6%	14.2%	22.6%	77.4%
Any Alcohol Product				
All	19.3%	22.2%	39.3%	60.7%
Grade 7	12.6%	13.9%	38.1%	61.9%
Grade 8	13.5%	15.3%	32.8%	67.2%
Grade 9	22.2%	29.0%	37.2%	62.8%
Grade 10	18.4%	20.9%	36.8%	63.2%
Grade 11	26.9%	28.6%	47.0%	53.0%
Grade 12	27.2%	32.7%	45.8%	54.2%
Any Illicit Drug				
All	14.2%	16.7%	20.9%	79.1%
Grade 7	7.5%	8.8%	12.9%	87.1%
Grade 8	5.7%	8.8%	12.1%	87.9%
Grade 9	14.9%	18.1%	19.5%	80.5%
Grade 10	14.1%	17.2%	22.8%	77.2%
Grade 11	24.7%	25.7%	30.0%	70.0%
Grade 12	23.1%	27.1%	32.5%	67.5%
Any Prescription Drug				
All	5.5%	6.4%	11.7%	88.3%
Grade 7	7.8%	11.7%	18.5%	81.5%
Grade 8	2.3%	3.1%	7.8%	92.2%
Grade 9	3.2%	3.2%	5.9%	94.1%
Grade 10	4.6%	4.6%	7.4%	92.6%
Grade 11	6.9%	7.0%	14.9%	85.1%
Grade 12	8.3%	8.3%	14.1%	85.9%
Any Inhalant				
All	2.6%	4.0%	7.5%	92.5%
Grade 7	1.3%	1.3%	7.2%	92.8%
Grade 8	1.9%	2.9%	5.3%	94.7%
Grade 9	1.4%	2.7%	4.1%	95.9%
Grade 10	1.5%	2.5%	4.5%	95.5%
Grade 11	4.7%	6.9%	13.6%	86.4%
Grade 12	5.3%	8.9%	10.2%	89.8%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.1%	8.9%	15.0%	85.0%
Grade 7	2.8%	3.1%	7.5%	92.5%
Grade 8	3.8%	6.2%	11.1%	88.9%
Grade 9	5.9%	11.8%	20.0%	80.0%
Grade 10	6.1%	7.8%	16.3%	83.7%
Grade 11	10.1%	14.3%	18.0%	82.0%
Grade 12	9.2%	13.8%	22.3%	77.7%
Marijuana				
All	13.5%	15.0%	18.7%	81.3%
Grade 7	7.5%	8.8%	11.4%	88.6%
Grade 8	5.7%	7.8%	11.2%	88.8%
Grade 9	11.9%	11.9%	13.3%	86.7%
Grade 10	13.3%	15.2%	20.8%	79.2%
Grade 11	24.2%	24.4%	28.2%	71.8%
Grade 12	22.2%	25.3%	30.7%	69.3%
Marijuana Only				
All	9.3%	10.3%	13.7%	86.3%
Grade 7	4.7%	4.7%	7.2%	92.8%
Grade 8	2.3%	4.5%	7.8%	92.2%
Grade 9	11.2%	11.2%	12.5%	87.5%
Grade 10	9.7%	11.6%	16.9%	83.1%
Grade 11	15.3%	15.6%	19.1%	80.9%
Grade 12	14.7%	16.2%	19.8%	80.2%
Cocaine or Crack				
All	0.9%	1.0%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	1.6%	2.5%	3.5%	96.5%
Cocaine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.9%	1.8%	98.2%
Hallucinogens				
All	0.2%	0.7%	1.3%	98.7%
Grade 7	0.0%	1.3%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	1.5%	98.5%
Grade 11	0.7%	2.0%	4.2%	95.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	3.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.0%	0.1%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	3.2%	96.8%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.7%	3.2%	96.8%
Grade 12	0.0%	0.0%	1.7%	98.3%
Ecstasy				
All	0.7%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.9%	0.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	2.3%	2.3%	4.7%	95.3%
Grade 12	0.0%	0.0%	1.7%	98.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.4%	0.8%	0.9%	99.1%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	1.2%	1.8%	98.2%
Grade 11	0.7%	1.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.4%	2.1%	2.8%	97.2%
Grade 7	1.3%	1.3%	2.8%	97.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	2.6%	3.8%	5.9%	94.1%
Grade 12	2.5%	5.6%	6.0%	94.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.3%	12.7%	22.4%	77.6%
Grade 7	6.4%	7.9%	15.5%	84.5%
Grade 8	8.1%	9.1%	14.9%	85.1%
Grade 9	9.8%	12.9%	29.1%	70.9%
Grade 10	11.4%	14.4%	23.8%	76.2%
Grade 11	12.8%	16.4%	26.8%	73.2%
Grade 12	14.5%	17.1%	28.0%	72.0%
Any Alcohol Product				
All	24.3%	28.6%	42.2%	57.8%
Grade 7	16.5%	19.4%	34.3%	65.7%
Grade 8	17.6%	21.3%	35.6%	64.4%
Grade 9	26.9%	31.7%	45.0%	55.0%
Grade 10	25.9%	29.9%	42.2%	57.8%
Grade 11	29.2%	34.7%	49.0%	51.0%
Grade 12	32.9%	37.9%	50.5%	49.5%
Any Illicit Drug				
All	11.9%	15.4%	19.9%	80.1%
Grade 7	5.7%	9.2%	11.1%	88.9%
Grade 8	6.5%	9.6%	12.1%	87.9%
Grade 9	11.4%	14.9%	19.7%	80.3%
Grade 10	14.9%	19.7%	24.6%	75.4%
Grade 11	18.1%	20.4%	26.5%	73.5%
Grade 12	16.7%	20.7%	28.3%	71.7%
Any Prescription Drug				
All	4.5%	6.3%	12.3%	87.7%
Grade 7	6.7%	9.4%	13.6%	86.4%
Grade 8	4.4%	6.4%	12.4%	87.6%
Grade 9	4.8%	5.6%	10.3%	89.7%
Grade 10	3.3%	3.3%	10.8%	89.2%
Grade 11	4.8%	8.3%	15.6%	84.4%
Grade 12	2.4%	4.2%	10.8%	89.2%
Any Inhalant				
All	5.2%	6.5%	11.4%	88.6%
Grade 7	7.8%	8.3%	13.7%	86.3%
Grade 8	5.9%	8.0%	12.2%	87.8%
Grade 9	4.0%	4.2%	9.0%	91.0%
Grade 10	4.9%	6.8%	12.4%	87.6%
Grade 11	5.1%	6.6%	12.3%	87.7%
Grade 12	2.6%	4.1%	7.6%	92.4%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.9%	10.7%	19.6%	80.4%
Grade 7	4.5%	6.2%	12.5%	87.5%
Grade 8	6.9%	8.2%	14.5%	85.5%
Grade 9	7.5%	11.0%	23.0%	77.0%
Grade 10	7.8%	10.9%	20.9%	79.1%
Grade 11	10.0%	14.5%	23.7%	76.3%
Grade 12	11.9%	14.8%	25.7%	74.3%
Marijuana				
All	10.6%	13.0%	17.4%	82.6%
Grade 7	4.3%	6.7%	7.4%	92.6%
Grade 8	5.8%	7.3%	9.8%	90.2%
Grade 9	8.9%	10.7%	16.0%	84.0%
Grade 10	13.0%	16.4%	21.5%	78.5%
Grade 11	17.2%	19.7%	25.5%	74.5%
Grade 12	16.2%	18.7%	27.4%	72.6%
Marijuana Only				
All	5.2%	6.7%	10.1%	89.9%
Grade 7	1.7%	3.6%	4.0%	96.0%
Grade 8	2.9%	4.2%	6.3%	93.7%
Grade 9	5.1%	5.9%	10.6%	89.4%
Grade 10	6.2%	7.9%	11.6%	88.4%
Grade 11	8.5%	10.0%	14.4%	85.6%
Grade 12	7.7%	9.2%	15.7%	84.3%
Cocaine or Crack				
All	1.2%	1.3%	1.9%	98.1%
Grade 7	1.0%	1.0%	1.7%	98.3%
Grade 8	1.1%	1.1%	1.6%	98.4%
Grade 9	2.0%	2.0%	2.8%	97.2%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	1.2%	1.4%	2.7%	97.3%
Grade 12	1.3%	1.6%	1.7%	98.3%
Cocaine				
All	1.0%	1.1%	1.6%	98.4%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	1.2%	1.2%	2.0%	98.0%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	1.2%	1.4%	2.7%	97.3%
Grade 12	0.8%	1.0%	1.2%	98.8%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.6%	0.7%	99.3%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.7%	0.7%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.7%	0.7%	99.3%
Hallucinogens				
All	1.2%	1.7%	3.3%	96.7%
Grade 7	0.9%	1.0%	1.7%	98.3%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	1.4%	2.7%	5.3%	94.7%
Grade 11	2.4%	3.1%	5.8%	94.2%
Grade 12	0.7%	1.6%	3.7%	96.3%
Synthetic Cathinones				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.5%	0.6%	1.5%	98.5%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.2%	1.1%	98.9%
Grade 11	0.0%	0.7%	1.0%	99.0%
Grade 12	0.2%	0.2%	0.3%	99.7%
Ecstasy				
All	0.4%	0.5%	1.7%	98.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.8%	2.2%	97.8%
Grade 11	0.5%	0.6%	3.0%	97.0%
Grade 12	0.2%	0.4%	3.1%	96.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.7%	2.5%	97.5%
Grade 7	1.3%	1.4%	2.0%	98.0%
Grade 8	1.1%	1.6%	2.1%	97.9%
Grade 9	1.6%	2.0%	2.5%	97.5%
Grade 10	0.5%	1.5%	2.3%	97.7%
Grade 11	1.9%	2.5%	3.8%	96.2%
Grade 12	1.0%	1.1%	2.6%	97.4%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	0.0%	0.5%	1.3%	98.7%
Grade 11	0.5%	1.2%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8				
All	1.9%	2.6%	4.3%	95.7%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	0.9%	1.4%	2.1%	97.9%
Grade 9	1.5%	2.1%	4.4%	95.6%
Grade 10	2.6%	3.6%	5.6%	94.4%
Grade 11	2.7%	4.5%	7.1%	92.9%
Grade 12	3.2%	3.6%	5.8%	94.2%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.5%	13.0%	21.0%	79.0%
Grade 7	2.1%	3.3%	9.5%	90.5%
Grade 8	3.2%	4.0%	7.4%	92.6%
Grade 9	9.1%	13.6%	20.7%	79.3%
Grade 10	7.5%	10.7%	21.9%	78.1%
Grade 11	14.6%	21.7%	30.7%	69.3%
Grade 12	18.4%	22.0%	32.6%	67.4%
Any Alcohol Product				
All	23.4%	27.7%	44.5%	55.5%
Grade 7	11.4%	13.9%	42.0%	58.0%
Grade 8	14.0%	15.2%	34.9%	65.1%
Grade 9	17.6%	22.4%	32.8%	67.2%
Grade 10	19.9%	25.3%	41.3%	58.7%
Grade 11	35.1%	40.0%	54.0%	46.0%
Grade 12	37.4%	44.0%	57.9%	42.1%
Any Illicit Drug				
All	9.1%	14.0%	18.3%	81.7%
Grade 7	3.6%	6.0%	7.5%	92.5%
Grade 8	1.6%	3.6%	6.2%	93.8%
Grade 9	8.4%	12.4%	16.3%	83.7%
Grade 10	8.1%	14.6%	21.8%	78.2%
Grade 11	13.3%	19.5%	24.6%	75.4%
Grade 12	18.0%	25.5%	30.5%	69.5%
Any Prescription Drug				
All	4.3%	5.7%	11.1%	88.9%
Grade 7	3.5%	5.1%	9.3%	90.7%
Grade 8	8.5%	9.3%	14.9%	85.1%
Grade 9	5.6%	6.5%	9.1%	90.9%
Grade 10	2.0%	2.1%	7.6%	92.4%
Grade 11	2.7%	4.4%	10.7%	89.3%
Grade 12	3.6%	6.4%	13.9%	86.1%
Any Inhalant				
All	3.2%	4.4%	9.7%	90.3%
Grade 7	6.5%	7.8%	11.4%	88.6%
Grade 8	3.7%	5.5%	10.4%	89.6%
Grade 9	2.8%	2.8%	11.2%	88.8%
Grade 10	1.8%	3.8%	9.5%	90.5%
Grade 11	2.7%	3.5%	6.8%	93.2%
Grade 12	2.3%	3.6%	9.8%	90.2%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.2%	11.6%	19.1%	80.9%
Grade 7	1.8%	3.0%	6.9%	93.1%
Grade 8	2.9%	3.3%	7.3%	92.7%
Grade 9	6.8%	11.3%	16.8%	83.2%
Grade 10	6.9%	10.0%	20.0%	80.0%
Grade 11	11.9%	19.2%	29.0%	71.0%
Grade 12	16.8%	20.1%	30.7%	69.3%
Marijuana				
All	8.7%	11.7%	15.9%	84.1%
Grade 7	2.4%	2.8%	3.6%	96.4%
Grade 8	1.6%	2.0%	4.4%	95.6%
Grade 9	8.4%	9.3%	13.2%	86.8%
Grade 10	7.7%	11.0%	18.5%	81.5%
Grade 11	12.9%	18.1%	22.2%	77.8%
Grade 12	17.5%	24.0%	29.8%	70.2%
Marijuana Only				
All	3.3%	5.0%	7.9%	92.1%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.6%	1.0%	2.4%	97.6%
Grade 9	5.2%	6.1%	8.5%	91.5%
Grade 10	2.8%	5.3%	10.6%	89.4%
Grade 11	6.0%	8.9%	11.1%	88.9%
Grade 12	4.5%	7.6%	12.7%	87.3%
Cocaine or Crack				
All	0.3%	0.6%	1.8%	98.2%
Grade 7	1.2%	1.2%	2.0%	98.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.0%	0.9%	2.2%	97.8%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	0.0%	0.2%	0.9%	99.1%
Grade 12	0.7%	1.6%	2.2%	97.8%
Cocaine				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.0%	0.2%	0.9%	99.1%
Grade 12	0.7%	1.2%	1.9%	98.1%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	1.1%	1.1%	98.9%
Hallucinogens				
All	0.5%	1.0%	2.4%	97.6%
Grade 7	0.8%	0.8%	2.6%	97.4%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.2%	1.3%	2.4%	97.6%
Grade 11	0.3%	0.5%	2.4%	97.6%
Grade 12	0.5%	2.1%	5.1%	94.9%
Synthetic Cathinones				
All	0.2%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	1.3%	1.3%	98.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.0%	99.0%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.3%	0.9%	0.9%	99.1%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	0.6%	0.9%	2.6%	97.4%
Grade 12	1.1%	1.1%	1.7%	98.3%
Ecstasy				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.8%	0.8%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.5%	0.5%	1.6%	98.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.6%	0.9%	99.1%
Grade 7	0.0%	1.2%	1.2%	98.8%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	1.3%	2.2%	2.2%	97.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.5%	99.5%
Synthetic Marijuana				
All	1.1%	1.7%	2.7%	97.3%
Grade 7	0.8%	0.8%	1.5%	98.5%
Grade 8	0.0%	1.0%	1.0%	99.0%
Grade 9	1.3%	1.3%	3.1%	96.9%
Grade 10	1.6%	1.8%	1.9%	98.1%
Grade 11	1.7%	2.2%	4.7%	95.3%
Grade 12	1.3%	2.7%	3.8%	96.2%
Methamphetamine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	0.7%	0.7%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.5%	0.5%	1.0%	99.0%
Delta 8				
All	2.9%	4.5%	6.3%	93.7%
Grade 7	1.7%	1.7%	2.3%	97.7%
Grade 8	0.6%	1.0%	1.2%	98.8%
Grade 9	1.3%	1.3%	2.7%	97.3%
Grade 10	2.3%	3.6%	5.0%	95.0%
Grade 11	3.2%	6.4%	10.7%	89.3%
Grade 12	7.4%	11.6%	13.8%	86.2%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.4%	15.0%	24.4%	75.6%
Grade 7	5.6%	7.0%	14.4%	85.6%
Grade 8	9.8%	11.3%	18.6%	81.4%
Grade 9	10.8%	15.2%	29.8%	70.2%
Grade 10	14.1%	16.4%	25.4%	74.6%
Grade 11	16.4%	20.9%	30.9%	69.1%
Grade 12	21.0%	23.3%	32.8%	67.2%
Any Alcohol Product				
All	25.3%	29.1%	43.8%	56.2%
Grade 7	15.8%	17.8%	37.0%	63.0%
Grade 8	17.9%	21.2%	36.8%	63.2%
Grade 9	27.0%	30.8%	45.5%	54.5%
Grade 10	27.2%	29.9%	41.3%	58.7%
Grade 11	33.6%	39.5%	53.8%	46.2%
Grade 12	35.8%	41.7%	53.6%	46.4%
Any Illicit Drug				
All	14.6%	18.5%	22.8%	77.2%
Grade 7	6.1%	8.9%	11.3%	88.7%
Grade 8	6.9%	11.1%	13.0%	87.0%
Grade 9	14.0%	18.3%	24.2%	75.8%
Grade 10	17.7%	22.2%	27.5%	72.5%
Grade 11	24.0%	26.8%	32.2%	67.8%
Grade 12	23.8%	28.6%	35.3%	64.7%
Any Prescription Drug				
All	6.3%	8.4%	14.8%	85.2%
Grade 7	6.5%	8.9%	13.3%	86.7%
Grade 8	6.5%	8.7%	14.2%	85.8%
Grade 9	5.6%	8.0%	13.3%	86.7%
Grade 10	4.7%	4.7%	12.1%	87.9%
Grade 11	7.2%	11.0%	19.5%	80.5%
Grade 12	7.0%	9.4%	17.7%	82.3%
Any Inhalant				
All	5.4%	6.6%	12.0%	88.0%
Grade 7	7.5%	7.9%	15.1%	84.9%
Grade 8	5.5%	7.1%	12.0%	88.0%
Grade 9	2.8%	3.4%	7.8%	92.2%
Grade 10	4.8%	6.0%	11.1%	88.9%
Grade 11	6.3%	7.9%	14.1%	85.9%
Grade 12	4.3%	6.8%	10.4%	89.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.2%	12.4%	21.2%	78.8%
Grade 7	3.8%	5.2%	10.1%	89.9%
Grade 8	7.0%	9.3%	16.4%	83.6%
Grade 9	7.8%	13.6%	25.9%	74.1%
Grade 10	9.6%	12.1%	22.2%	77.8%
Grade 11	12.6%	18.1%	28.0%	72.0%
Grade 12	17.0%	20.2%	30.3%	69.7%
Marijuana				
All	13.1%	15.5%	19.6%	80.4%
Grade 7	5.0%	6.4%	7.5%	92.5%
Grade 8	6.1%	8.1%	10.0%	90.0%
Grade 9	9.5%	11.7%	18.1%	81.9%
Grade 10	15.8%	18.5%	23.6%	76.4%
Grade 11	23.2%	26.3%	31.5%	68.5%
Grade 12	23.3%	26.7%	33.4%	66.6%
Marijuana Only				
All	6.1%	7.5%	10.6%	89.4%
Grade 7	2.6%	3.7%	4.7%	95.3%
Grade 8	3.3%	4.7%	6.3%	93.7%
Grade 9	6.3%	6.6%	12.1%	87.9%
Grade 10	7.0%	8.2%	11.0%	89.0%
Grade 11	10.2%	12.1%	16.3%	83.7%
Grade 12	8.9%	11.2%	15.7%	84.3%
Cocaine or Crack				
All	1.6%	1.7%	2.2%	97.8%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	2.8%	2.8%	3.3%	96.7%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	2.5%	2.7%	3.8%	96.2%
Grade 12	2.4%	2.6%	3.8%	96.2%
Cocaine				
All	1.2%	1.2%	1.7%	98.3%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.3%	98.7%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	2.0%	2.2%	3.3%	96.7%
Grade 12	1.9%	2.1%	3.1%	96.9%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.0%	99.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	2.3%	2.3%	2.3%	97.7%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	1.1%	1.1%	1.4%	98.6%
Hallucinogens				
All	1.2%	2.1%	3.8%	96.2%
Grade 7	0.2%	0.5%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.8%	98.2%
Grade 10	1.6%	2.5%	5.2%	94.8%
Grade 11	2.6%	4.1%	7.4%	92.6%
Grade 12	2.3%	5.3%	8.5%	91.5%
Synthetic Cathinones				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.2%	1.2%	1.4%	98.6%
Grade 11	0.6%	0.8%	0.8%	99.2%
Grade 12	0.3%	0.3%	0.6%	99.4%
Steroids				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	1.0%	1.0%	2.0%	98.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.0%	0.6%	1.9%	98.1%
Grade 12	0.4%	0.4%	1.0%	99.0%
Ecstasy				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	1.0%	1.4%	1.4%	98.6%
Grade 10	0.3%	0.8%	2.8%	97.2%
Grade 11	1.7%	1.8%	4.9%	95.1%
Grade 12	0.9%	1.7%	3.6%	96.4%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.6%	0.9%	99.1%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	1.2%	1.7%	2.8%	97.2%
Grade 7	1.7%	1.7%	2.2%	97.8%
Grade 8	0.8%	1.0%	1.3%	98.7%
Grade 9	1.0%	1.9%	1.9%	98.1%
Grade 10	1.3%	2.3%	3.8%	96.2%
Grade 11	1.2%	1.7%	3.2%	96.8%
Grade 12	1.3%	1.9%	4.9%	95.1%
Methamphetamine				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	1.0%	1.4%	2.2%	97.8%
Grade 12	0.5%	0.5%	0.9%	99.1%
Delta 8				
All	2.7%	4.0%	6.2%	93.8%
Grade 7	0.5%	0.8%	1.7%	98.3%
Grade 8	0.9%	1.5%	2.1%	97.9%
Grade 9	1.7%	2.3%	5.2%	94.8%
Grade 10	4.3%	5.4%	8.6%	91.4%
Grade 11	3.3%	5.8%	9.2%	90.8%
Grade 12	6.5%	10.0%	12.9%	87.1%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.1%	12.6%	20.5%	79.5%
Grade 7	3.8%	5.5%	11.3%	88.7%
Grade 8	5.5%	7.3%	12.6%	87.4%
Grade 9	6.9%	9.3%	20.6%	79.4%
Grade 10	12.8%	15.7%	24.2%	75.8%
Grade 11	14.4%	19.3%	28.0%	72.0%
Grade 12	20.2%	21.2%	29.7%	70.3%
Any Alcohol Product				
All	23.6%	27.1%	42.0%	58.0%
Grade 7	13.9%	15.4%	36.8%	63.2%
Grade 8	16.9%	18.9%	36.1%	63.9%
Grade 9	18.6%	22.3%	35.5%	64.5%
Grade 10	27.0%	30.8%	41.7%	58.3%
Grade 11	32.5%	38.5%	50.8%	49.2%
Grade 12	36.1%	40.8%	53.5%	46.5%
Any Illicit Drug				
All	10.3%	14.2%	17.6%	82.4%
Grade 7	3.3%	6.4%	7.9%	92.1%
Grade 8	3.9%	7.0%	8.9%	91.1%
Grade 9	10.1%	12.0%	14.6%	85.4%
Grade 10	11.3%	16.7%	22.3%	77.7%
Grade 11	16.2%	21.5%	26.1%	73.9%
Grade 12	19.9%	25.0%	30.0%	70.0%
Any Prescription Drug				
All	5.3%	6.9%	12.5%	87.5%
Grade 7	5.1%	7.5%	11.5%	88.5%
Grade 8	7.7%	9.6%	15.0%	85.0%
Grade 9	4.5%	6.1%	10.4%	89.6%
Grade 10	4.8%	4.9%	11.2%	88.8%
Grade 11	5.3%	6.9%	13.3%	86.7%
Grade 12	4.3%	6.2%	13.9%	86.1%
Any Inhalant				
All	4.1%	5.1%	10.5%	89.5%
Grade 7	5.8%	6.4%	13.1%	86.9%
Grade 8	5.0%	6.7%	11.7%	88.3%
Grade 9	1.7%	2.0%	7.7%	92.3%
Grade 10	3.0%	4.3%	9.7%	90.3%
Grade 11	4.7%	6.1%	11.1%	88.9%
Grade 12	3.7%	4.3%	8.8%	91.2%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	10.6%	18.3%	81.7%
Grade 7	2.1%	3.9%	8.9%	91.1%
Grade 8	3.9%	6.2%	11.9%	88.1%
Grade 9	4.7%	7.8%	17.5%	82.5%
Grade 10	9.8%	12.4%	20.5%	79.5%
Grade 11	11.4%	17.2%	26.1%	73.9%
Grade 12	16.4%	18.1%	28.4%	71.6%
Marijuana				
All	9.2%	11.6%	14.9%	85.1%
Grade 7	2.3%	3.4%	4.2%	95.8%
Grade 8	3.5%	4.5%	6.2%	93.8%
Grade 9	7.3%	8.4%	11.2%	88.8%
Grade 10	10.1%	13.3%	18.9%	81.1%
Grade 11	15.8%	20.5%	24.9%	75.1%
Grade 12	19.0%	23.0%	28.2%	71.8%
Marijuana Only				
All	4.1%	5.6%	7.9%	92.1%
Grade 7	1.3%	2.0%	2.5%	97.5%
Grade 8	1.9%	2.5%	3.8%	96.2%
Grade 9	5.7%	6.4%	8.7%	91.3%
Grade 10	3.9%	5.5%	8.5%	91.5%
Grade 11	6.1%	9.1%	12.1%	87.9%
Grade 12	6.6%	9.2%	13.3%	86.7%
Cocaine or Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	1.9%	2.2%	2.2%	97.8%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.4%	0.4%	1.9%	98.1%
Grade 12	1.7%	2.0%	2.8%	97.2%
Cocaine				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	1.2%	1.4%	2.2%	97.8%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	1.3%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	1.0%	1.3%	1.3%	98.7%
Hallucinogens				
All	0.9%	1.6%	2.8%	97.2%
Grade 7	0.2%	0.5%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	1.4%	2.7%	4.6%	95.4%
Grade 11	1.9%	2.5%	4.4%	95.6%
Grade 12	1.7%	3.5%	6.0%	94.0%
Synthetic Cathinones				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.4%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.9%	99.1%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.0%	0.6%	1.1%	98.9%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.2%	1.2%	98.8%
Grade 12	1.1%	1.1%	1.4%	98.6%
Ecstasy				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.1%	1.9%	98.1%
Grade 11	0.5%	0.5%	1.7%	98.3%
Grade 12	0.3%	0.8%	2.0%	98.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.4%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Synthetic Marijuana				
All	0.9%	1.2%	2.2%	97.8%
Grade 7	0.3%	0.4%	1.1%	98.9%
Grade 8	0.5%	0.7%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	1.9%	2.2%	3.5%	96.5%
Grade 11	1.7%	2.1%	4.3%	95.7%
Grade 12	0.8%	1.4%	2.9%	97.1%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.5%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.9%	99.1%
Delta 8				
All	2.0%	3.5%	5.0%	95.0%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.2%	0.8%	1.3%	98.7%
Grade 9	0.1%	0.5%	1.5%	98.5%
Grade 10	3.6%	4.4%	6.7%	93.3%
Grade 11	3.1%	6.1%	9.0%	91.0%
Grade 12	6.0%	10.2%	12.4%	87.6%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	18.0%	29.4%	70.6%
Grade 7	7.0%	7.8%	17.3%	82.7%
Grade 8	11.7%	12.3%	20.2%	79.8%
Grade 9	13.8%	21.6%	36.5%	63.5%
Grade 10	12.8%	15.6%	27.2%	72.8%
Grade 11	19.8%	26.1%	39.7%	60.3%
Grade 12	21.5%	26.9%	39.1%	60.9%
Any Alcohol Product				
All	27.9%	32.6%	48.9%	51.1%
Grade 7	18.0%	21.4%	41.5%	58.5%
Grade 8	18.0%	22.2%	38.3%	61.7%
Grade 9	31.1%	35.8%	52.5%	47.5%
Grade 10	25.9%	28.5%	44.3%	55.7%
Grade 11	39.9%	45.0%	61.7%	38.3%
Grade 12	38.2%	46.6%	59.2%	40.8%
Any Illicit Drug				
All	17.5%	22.3%	28.3%	71.7%
Grade 7	10.0%	12.2%	16.0%	84.0%
Grade 8	7.9%	12.2%	15.4%	84.6%
Grade 9	12.9%	21.4%	31.6%	68.4%
Grade 10	21.2%	26.3%	32.0%	68.0%
Grade 11	28.8%	31.3%	37.3%	62.7%
Grade 12	25.1%	32.1%	40.6%	59.4%
Any Prescription Drug				
All	6.2%	8.8%	16.2%	83.8%
Grade 7	7.5%	9.1%	14.3%	85.7%
Grade 8	6.2%	8.0%	13.6%	86.4%
Grade 9	6.1%	9.3%	15.1%	84.9%
Grade 10	3.1%	3.2%	10.6%	89.4%
Grade 11	6.5%	12.3%	23.6%	76.4%
Grade 12	8.5%	12.3%	21.3%	78.7%
Any Inhalant				
All	5.4%	7.1%	12.3%	87.7%
Grade 7	9.0%	9.7%	15.4%	84.6%
Grade 8	4.5%	6.0%	10.6%	89.4%
Grade 9	5.2%	6.0%	10.8%	89.2%
Grade 10	4.9%	6.8%	11.6%	88.4%
Grade 11	5.7%	6.8%	13.0%	87.0%
Grade 12	3.3%	7.3%	13.0%	87.0%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
 Students Not Living with 2 Parents**
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	15.6%	25.7%	74.3%
Grade 7	6.4%	6.9%	11.5%	88.5%
Grade 8	8.3%	9.6%	17.3%	82.7%
Grade 9	10.9%	20.1%	31.6%	68.4%
Grade 10	9.2%	12.7%	25.5%	74.5%
Grade 11	15.8%	22.7%	35.6%	64.4%
Grade 12	18.9%	24.6%	35.7%	64.3%
Marijuana				
All	16.2%	19.5%	25.3%	74.7%
Grade 7	8.5%	10.6%	12.2%	87.8%
Grade 8	7.3%	10.0%	13.4%	86.6%
Grade 9	10.2%	13.7%	24.2%	75.8%
Grade 10	19.4%	22.4%	28.6%	71.4%
Grade 11	27.4%	30.8%	36.0%	64.0%
Grade 12	25.1%	30.6%	39.7%	60.3%
Marijuana Only				
All	7.0%	8.6%	13.0%	87.0%
Grade 7	3.4%	4.8%	6.0%	94.0%
Grade 8	3.9%	6.1%	8.5%	91.5%
Grade 9	5.0%	6.1%	14.7%	85.3%
Grade 10	8.8%	10.8%	15.3%	84.7%
Grade 11	12.8%	13.6%	18.4%	81.6%
Grade 12	8.2%	10.5%	16.2%	83.8%
Cocaine or Crack				
All	1.9%	2.1%	3.2%	96.8%
Grade 7	2.1%	2.1%	3.0%	97.0%
Grade 8	0.7%	0.7%	1.9%	98.1%
Grade 9	1.7%	1.7%	3.8%	96.2%
Grade 10	1.1%	1.1%	1.9%	98.1%
Grade 11	3.9%	4.5%	5.0%	95.0%
Grade 12	2.4%	2.8%	4.1%	95.9%
Cocaine				
All	1.5%	1.7%	2.6%	97.4%
Grade 7	2.0%	2.0%	2.3%	97.7%
Grade 8	0.6%	0.6%	1.8%	98.2%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	1.1%	1.1%	1.9%	98.1%
Grade 11	3.1%	3.7%	4.2%	95.8%
Grade 12	2.2%	2.6%	3.6%	96.4%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	0.9%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.6%	0.6%	1.1%	98.9%
Hallucinogens				
All	1.1%	2.1%	4.7%	95.3%
Grade 7	1.1%	1.1%	2.7%	97.3%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	1.0%	1.0%	2.6%	97.4%
Grade 10	0.7%	1.0%	3.5%	96.5%
Grade 11	1.6%	3.8%	9.4%	90.6%
Grade 12	1.9%	5.7%	9.9%	90.1%
Synthetic Cathinones				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	1.2%	1.4%	98.6%
Grade 10	1.4%	1.4%	1.8%	98.2%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.5%	0.8%	2.0%	98.0%
Grade 7	0.4%	0.5%	1.5%	98.5%
Grade 8	0.9%	1.3%	2.0%	98.0%
Grade 9	1.2%	1.2%	2.3%	97.7%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.7%	1.7%	3.8%	96.2%
Grade 12	0.0%	0.0%	1.1%	98.9%
Ecstasy				
All	1.1%	1.4%	2.9%	97.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	2.1%	2.7%	2.7%	97.3%
Grade 10	0.6%	1.2%	1.9%	98.1%
Grade 11	2.1%	2.3%	6.7%	93.3%
Grade 12	1.4%	1.9%	4.3%	95.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	1.0%	2.0%	2.8%	97.2%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	1.6%	2.5%	3.7%	96.3%
Grade 7	3.7%	3.7%	4.0%	96.0%
Grade 8	0.6%	1.3%	1.8%	98.2%
Grade 9	1.7%	3.5%	4.1%	95.9%
Grade 10	0.6%	1.9%	2.7%	97.3%
Grade 11	1.2%	2.0%	3.6%	96.4%
Grade 12	1.9%	3.3%	6.6%	93.4%
Methamphetamine				
All	0.6%	1.0%	1.8%	98.2%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.2%	0.3%	1.5%	98.5%
Grade 9	1.0%	1.0%	2.0%	98.0%
Grade 10	0.3%	0.9%	1.8%	98.2%
Grade 11	0.8%	1.7%	3.0%	97.0%
Grade 12	0.8%	1.3%	1.4%	98.6%
Delta 8				
All	4.5%	5.9%	8.9%	91.1%
Grade 7	2.4%	2.7%	4.3%	95.7%
Grade 8	1.5%	1.8%	2.6%	97.4%
Grade 9	4.0%	4.3%	8.7%	91.3%
Grade 10	4.9%	6.9%	9.7%	90.3%
Grade 11	5.2%	7.8%	13.5%	86.5%
Grade 12	9.5%	12.7%	16.2%	83.8%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.8%	12.5%	21.4%	78.6%
Grade 7	3.4%	4.5%	11.2%	88.8%
Grade 8	5.9%	6.7%	12.2%	87.8%
Grade 9	7.2%	11.0%	23.6%	76.4%
Grade 10	10.9%	13.3%	23.3%	76.7%
Grade 11	13.8%	19.6%	29.7%	70.3%
Grade 12	20.4%	23.1%	33.3%	66.7%
Any Alcohol Product				
All	23.5%	27.2%	43.5%	56.5%
Grade 7	12.3%	14.2%	37.0%	63.0%
Grade 8	15.0%	17.4%	34.3%	65.7%
Grade 9	20.8%	24.3%	38.8%	61.2%
Grade 10	24.3%	27.7%	41.6%	58.4%
Grade 11	35.0%	40.3%	55.1%	44.9%
Grade 12	38.1%	45.0%	58.1%	41.9%
Any Illicit Drug				
All	10.8%	14.7%	19.0%	81.0%
Grade 7	3.7%	5.9%	8.1%	91.9%
Grade 8	3.9%	7.1%	8.8%	91.2%
Grade 9	9.5%	12.8%	17.8%	82.2%
Grade 10	12.9%	17.6%	23.9%	76.1%
Grade 11	16.7%	21.0%	26.6%	73.4%
Grade 12	21.3%	27.8%	33.7%	66.3%
Any Prescription Drug				
All	5.2%	7.1%	13.1%	86.9%
Grade 7	5.6%	7.6%	11.6%	88.4%
Grade 8	6.2%	7.6%	13.2%	86.8%
Grade 9	4.4%	7.3%	12.2%	87.8%
Grade 10	3.8%	4.0%	10.9%	89.1%
Grade 11	5.5%	8.0%	14.8%	85.2%
Grade 12	5.3%	8.2%	16.4%	83.6%
Any Inhalant				
All	3.6%	4.7%	9.4%	90.6%
Grade 7	5.5%	5.7%	11.8%	88.2%
Grade 8	4.2%	5.5%	8.4%	91.6%
Grade 9	2.0%	2.7%	7.6%	92.4%
Grade 10	3.0%	4.5%	9.4%	90.6%
Grade 11	3.6%	4.6%	9.8%	90.2%
Grade 12	2.6%	4.3%	8.6%	91.4%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	10.5%	18.5%	81.5%
Grade 7	2.1%	3.0%	7.3%	92.7%
Grade 8	3.9%	5.1%	10.6%	89.4%
Grade 9	5.0%	9.8%	19.8%	80.2%
Grade 10	7.9%	10.3%	20.5%	79.5%
Grade 11	11.9%	17.9%	27.1%	72.9%
Grade 12	17.4%	20.3%	30.6%	69.4%
Marijuana				
All	9.8%	12.3%	16.2%	83.8%
Grade 7	3.2%	3.8%	4.9%	95.1%
Grade 8	3.4%	4.9%	6.6%	93.4%
Grade 9	6.5%	8.3%	12.7%	87.3%
Grade 10	11.5%	14.7%	20.3%	79.7%
Grade 11	16.4%	20.1%	25.1%	74.9%
Grade 12	20.8%	25.7%	32.2%	67.8%
Marijuana Only				
All	4.4%	6.0%	9.0%	91.0%
Grade 7	1.0%	1.4%	2.1%	97.9%
Grade 8	2.1%	3.5%	5.0%	95.0%
Grade 9	4.3%	5.1%	8.9%	91.1%
Grade 10	4.9%	7.1%	10.9%	89.1%
Grade 11	7.8%	9.8%	14.2%	85.8%
Grade 12	7.8%	10.4%	15.4%	84.6%
Cocaine or Crack				
All	0.8%	0.9%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.5%	1.5%	2.0%	98.0%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.9%	1.2%	2.2%	97.8%
Grade 12	1.1%	1.3%	2.3%	97.7%
Cocaine				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	0.9%	1.2%	2.2%	97.8%
Grade 12	0.9%	1.1%	2.1%	97.9%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	1.5%	1.5%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.6%	0.6%	99.4%
Hallucinogens				
All	0.8%	1.4%	2.9%	97.1%
Grade 7	0.6%	0.9%	1.2%	98.8%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	1.1%	1.3%	4.2%	95.8%
Grade 11	1.2%	1.9%	4.3%	95.7%
Grade 12	1.5%	4.3%	7.1%	92.9%
Synthetic Cathinones				
All	0.3%	0.5%	0.6%	99.4%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.9%	1.0%	99.0%
Grade 10	1.1%	1.1%	1.3%	98.7%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.5%	99.5%
Steroids				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.1%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.0%	99.0%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.3%	0.4%	2.0%	98.0%
Grade 12	0.3%	0.3%	0.9%	99.1%
Ecstasy				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.8%	0.8%	99.2%
Grade 10	0.2%	0.5%	1.7%	98.3%
Grade 11	0.7%	0.8%	1.9%	98.1%
Grade 12	0.3%	0.9%	2.3%	97.7%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.3%	2.3%	97.7%
Grade 7	1.2%	1.2%	1.8%	98.2%
Grade 8	0.2%	0.6%	0.9%	99.1%
Grade 9	0.9%	1.5%	2.1%	97.9%
Grade 10	0.9%	1.7%	2.8%	97.2%
Grade 11	1.1%	1.4%	3.0%	97.0%
Grade 12	1.1%	1.6%	3.7%	96.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.3%	0.6%	1.1%	98.9%
Grade 11	0.5%	0.6%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Delta 8				
All	2.4%	3.5%	5.6%	94.4%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	1.5%	1.6%	4.0%	96.0%
Grade 10	3.3%	3.9%	6.6%	93.4%
Grade 11	2.4%	5.1%	8.2%	91.8%
Grade 12	7.3%	10.7%	14.0%	86.0%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.6%	21.6%	30.7%	69.3%
Grade 7	10.6%	14.2%	23.3%	76.7%
Grade 8	15.5%	17.2%	24.9%	75.1%
Grade 9	20.9%	25.3%	38.3%	61.7%
Grade 10	18.8%	20.8%	29.1%	70.9%
Grade 11	23.6%	27.1%	35.8%	64.2%
Grade 12	23.1%	26.6%	35.1%	64.9%
Any Alcohol Product				
All	31.1%	36.2%	48.4%	51.6%
Grade 7	26.3%	30.2%	42.5%	57.5%
Grade 8	24.5%	29.7%	44.5%	55.5%
Grade 9	37.3%	43.4%	56.1%	43.9%
Grade 10	29.0%	34.9%	44.9%	55.1%
Grade 11	38.8%	43.4%	54.3%	45.7%
Grade 12	32.7%	37.4%	49.8%	50.2%
Any Illicit Drug				
All	20.8%	26.9%	29.6%	70.4%
Grade 7	13.3%	19.0%	22.2%	77.8%
Grade 8	10.8%	16.4%	18.9%	81.1%
Grade 9	19.4%	27.8%	32.3%	67.7%
Grade 10	22.8%	30.9%	33.5%	66.5%
Grade 11	32.9%	37.3%	37.7%	62.3%
Grade 12	27.4%	32.2%	35.0%	65.0%
Any Prescription Drug				
All	8.0%	10.0%	16.6%	83.4%
Grade 7	9.3%	12.0%	16.9%	83.1%
Grade 8	10.9%	13.6%	18.6%	81.4%
Grade 9	7.5%	7.5%	9.9%	90.1%
Grade 10	4.4%	4.4%	10.3%	89.7%
Grade 11	6.6%	9.8%	22.4%	77.6%
Grade 12	9.0%	12.4%	21.5%	78.5%
Any Inhalant				
All	7.4%	9.7%	16.9%	83.1%
Grade 7	13.1%	15.9%	23.6%	76.4%
Grade 8	6.9%	9.6%	19.5%	80.5%
Grade 9	5.2%	5.2%	11.4%	88.6%
Grade 10	4.8%	6.3%	13.0%	87.0%
Grade 11	6.7%	9.1%	16.0%	84.0%
Grade 12	8.2%	12.7%	17.2%	82.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.4%	18.7%	28.5%	71.5%
Grade 7	8.4%	12.8%	19.8%	80.2%
Grade 8	12.9%	16.0%	23.6%	76.4%
Grade 9	16.9%	22.4%	36.6%	63.4%
Grade 10	15.3%	17.2%	25.2%	74.8%
Grade 11	14.9%	20.9%	33.0%	67.0%
Grade 12	18.7%	24.3%	34.6%	65.4%
Marijuana				
All	18.7%	22.3%	25.4%	74.6%
Grade 7	9.0%	12.4%	14.1%	85.9%
Grade 8	10.1%	11.4%	13.8%	86.2%
Grade 9	16.8%	19.8%	25.5%	74.5%
Grade 10	20.9%	24.4%	30.0%	70.0%
Grade 11	29.7%	36.4%	36.9%	63.1%
Grade 12	27.4%	31.2%	34.0%	66.0%
Marijuana Only				
All	8.3%	10.4%	11.9%	88.1%
Grade 7	7.0%	10.1%	11.2%	88.8%
Grade 8	4.1%	5.0%	5.1%	94.9%
Grade 9	10.9%	12.2%	16.7%	83.3%
Grade 10	9.0%	10.1%	11.4%	88.6%
Grade 11	9.6%	12.9%	13.3%	86.7%
Grade 12	10.3%	13.7%	16.0%	84.0%
Cocaine or Crack				
All	2.4%	2.7%	4.2%	95.8%
Grade 7	3.2%	3.2%	4.4%	95.6%
Grade 8	1.0%	1.0%	3.6%	96.4%
Grade 9	3.0%	4.3%	6.3%	93.7%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	4.3%	4.3%	5.8%	94.2%
Grade 12	3.1%	3.6%	4.4%	95.6%
Cocaine				
All	1.9%	2.0%	3.3%	96.7%
Grade 7	3.0%	3.0%	3.0%	97.0%
Grade 8	1.0%	1.0%	3.6%	96.4%
Grade 9	2.0%	2.0%	3.9%	96.1%
Grade 10	0.5%	0.5%	1.3%	98.7%
Grade 11	2.3%	2.3%	3.8%	96.2%
Grade 12	3.1%	3.6%	4.4%	95.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.0%	1.2%	1.6%	98.4%
Grade 7	1.6%	1.6%	2.7%	97.3%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	1.0%	2.3%	2.3%	97.7%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	2.0%	2.0%	2.0%	98.0%
Grade 12	1.0%	1.0%	1.4%	98.6%
Hallucinogens				
All	1.3%	2.6%	5.5%	94.5%
Grade 7	0.0%	0.0%	3.5%	96.5%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	2.0%	2.0%	4.0%	96.0%
Grade 10	1.4%	4.9%	5.2%	94.8%
Grade 11	2.2%	3.8%	11.9%	88.1%
Grade 12	2.0%	4.9%	9.0%	91.0%
Synthetic Cathinones				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	1.4%	1.4%	98.6%
Grade 12	1.0%	1.0%	1.0%	99.0%
Steroids				
All	0.7%	1.4%	3.0%	97.0%
Grade 7	1.3%	1.3%	3.0%	97.0%
Grade 8	2.0%	2.0%	4.0%	96.0%
Grade 9	0.0%	2.0%	3.9%	96.1%
Grade 10	0.0%	0.5%	1.9%	98.1%
Grade 11	0.0%	2.0%	3.6%	96.4%
Grade 12	0.5%	0.5%	1.6%	98.4%
Ecstasy				
All	1.4%	1.6%	4.3%	95.7%
Grade 7	0.0%	0.3%	2.1%	97.9%
Grade 8	1.1%	1.1%	2.4%	97.6%
Grade 9	3.5%	3.5%	3.5%	96.5%
Grade 10	0.6%	0.9%	3.6%	96.4%
Grade 11	1.3%	1.3%	9.3%	90.7%
Grade 12	2.0%	2.5%	5.1%	94.9%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.0%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	2.0%	2.0%	2.0%	98.0%
Grade 10	0.9%	0.9%	2.2%	97.8%
Grade 11	0.0%	0.0%	2.0%	98.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	2.2%	3.2%	4.6%	95.4%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	2.1%	2.7%	2.7%	97.3%
Grade 9	2.0%	3.0%	3.0%	97.0%
Grade 10	3.9%	4.6%	6.0%	94.0%
Grade 11	2.9%	4.6%	8.3%	91.7%
Grade 12	1.0%	3.0%	6.3%	93.7%
Methamphetamine				
All	1.1%	1.5%	2.8%	97.2%
Grade 7	2.8%	2.8%	2.8%	97.2%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	2.0%	2.0%	3.9%	96.1%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.8%	2.2%	4.7%	95.3%
Grade 12	1.0%	2.0%	3.3%	96.7%
Delta 8				
All	4.6%	6.5%	8.6%	91.4%
Grade 7	0.5%	1.1%	2.3%	97.7%
Grade 8	1.4%	2.0%	2.7%	97.3%
Grade 9	2.0%	2.8%	5.8%	94.2%
Grade 10	9.3%	10.8%	12.8%	87.2%
Grade 11	7.6%	11.4%	14.8%	85.2%
Grade 12	7.0%	11.2%	14.1%	85.9%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	409,821	48.4%
Female	437,612	51.6%
Frequency Missing	9,069	

Hispanic or Latino

Q5a	Frequency	Percent
No	431,182	51.2%
Yes	410,807	48.8%
Frequency Missing	14,512	

Grade

Q2	Frequency	Percent
Grade 7	153,082	17.9%
Grade 8	155,943	18.2%
Grade 9	127,526	14.9%
Grade 10	144,356	16.9%
Grade 11	141,628	16.6%
Grade 12	132,282	15.5%
Frequency Missing	1,685	

Ethnicity

Q5b	Frequency	Percent
American Indian	16,490	2.1%
Asian American	23,903	3.0%
African American	133,583	16.7%
Pacific Islander	5,680	0.7%
White	317,568	39.8%
Other	198,024	24.8%
More Than One Race	102,656	12.9%
Frequency Missing	58,597	

Live with Both Parents

Q3	Frequency	Percent
No	320,129	37.7%
Yes	528,490	62.3%
Frequency Missing	7,882	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	5,309	0.7%
Mostly D's	12,780	1.6%
Mostly C's	122,478	15.1%
Mostly B's	429,573	52.8%
Mostly A's	243,467	29.9%
Frequency Missing	42,893	

Age

Q4	Frequency	Percent
11 or younger	1,308	0.2%
12	56,149	6.6%
13	146,477	17.2%
14	130,742	15.3%
15	130,217	15.2%
16	145,409	17.0%
17	140,558	16.5%
18	92,704	10.9%
19 or older	10,338	1.2%
Frequency Missing	2,599	

Do You Have a Job

Q7	Frequency	Percent
No	643,148	78.5%
Yes	175,940	21.5%
Frequency Missing	37,413	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	142,914	17.6%
Yes	366,947	45.1%
Don't Know	303,229	37.3%
Frequency Missing	43,411	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	467,643	60.0%
Yes	311,115	40.0%
Frequency Missing	77,743	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	630,186	84.8%
Yes	113,059	15.2%
Frequency Missing	113,255	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	656,473	87.7%
Yes	92,029	12.3%
Frequency Missing	107,999	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	596,489	80.2%
Yes	147,584	19.8%
Frequency Missing	112,429	

Participate in School Choir

Q9c	Frequency	Percent
No	689,447	93.0%
Yes	51,668	7.0%
Frequency Missing	115,386	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	549,961	73.0%
Yes	202,961	27.0%
Frequency Missing	103,578	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	697,377	94.2%
Yes	42,980	5.8%
Frequency Missing	116,144	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	608,755	82.3%
Yes	131,149	17.7%
Frequency Missing	116,597	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	700,603	95.5%
Yes	32,827	4.5%
Frequency Missing	123,071	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	715,065	84.2%
Somewhat Safe	112,221	13.2%
Not Very Safe	9,839	1.2%
Not Safe At All	3,109	0.4%
Don't Know	8,529	1.0%
Frequency Missing	7,737	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	343,017	40.7%
Somewhat Safe	406,304	48.2%
Not Very Safe	55,022	6.5%
Not Safe At All	14,535	1.7%
Don't Know	24,701	2.9%
Frequency Missing	12,923	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	538,479	66.7%
Yes	268,241	33.3%
Frequency Missing	49,780	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	240,391	28.5%
Somewhat Safe	434,515	51.6%
Not Very Safe	94,931	11.3%
Not Safe At All	31,285	3.7%
Don't Know	41,742	5.0%
Frequency Missing	13,637	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	60,035	7.3%
A Few	191,589	23.2%
Some	209,829	25.4%
Most	255,063	30.9%
All	109,469	13.3%
Frequency Missing	30,515	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	76,471	9.4%
Some High School	99,114	12.2%
Finished High School	165,671	20.3%
Some College	69,945	8.6%
Finished College	132,268	16.2%
Post-Secondary	80,724	9.9%
Don't Know or N/A	190,393	23.4%
Frequency Missing	41,915	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	21,262	2.6%
A Few	112,313	13.6%
Some	206,236	25.0%
Most	317,245	38.5%
All	167,785	20.3%
Frequency Missing	31,660	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	78,257	9.6%
Some High School	80,912	9.9%
Finished High School	153,360	18.8%
Some College	96,024	11.7%
Finished College	170,523	20.9%
Post-Secondary	102,021	12.5%
Don't Know or N/A	136,328	16.7%
Frequency Missing	39,076	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	357,013	43.8%
A Few	239,046	29.3%
Some	125,079	15.3%
Most	63,056	7.7%
All	31,777	3.9%
Frequency Missing	40,530	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	671,814	82.0%
A Few	93,501	11.4%
Some	34,274	4.2%
Most	13,125	1.6%
All	6,733	0.8%
Frequency Missing	37,054	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	811,959	98.9%
In Your Lifetime	3,741	0.5%
Since School Began	1,172	0.1%
In the Past Month	3,766	0.5%
Frequency Missing	35,863	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	729,564	88.6%
A Few	61,584	7.5%
Some	19,389	2.4%
Most	6,429	0.8%
All	6,011	0.7%
Frequency Missing	33,523	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	782,062	95.1%
In Your Lifetime	27,217	3.3%
Since School Began	3,381	0.4%
In the Past Month	9,830	1.2%
Frequency Missing	34,011	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	807,877	98.0%
In Your Lifetime	9,460	1.1%
Since School Began	2,469	0.3%
In the Past Month	4,961	0.6%
Frequency Missing	31,733	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	811,746	98.7%
In Your Lifetime	6,384	0.8%
Since School Began	612	0.1%
In the Past Month	3,603	0.4%
Frequency Missing	34,155	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	790,440	96.0%
In Your Lifetime	23,018	2.8%
Since School Began	2,656	0.3%
In the Past Month	7,459	0.9%
Frequency Missing	32,928	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	812,092	98.8%
In Your Lifetime	4,687	0.6%
Since School Began	1,959	0.2%
In the Past Month	3,546	0.4%
Frequency Missing	34,216	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	799,856	97.3%
In Your Lifetime	12,250	1.5%
Since School Began	2,333	0.3%
In the Past Month	7,374	0.9%
Frequency Missing	34,689	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	586,261	71.6%
In Your Lifetime	122,451	15.0%
Since School Began	36,716	4.5%
In the Past Month	73,196	8.9%
Frequency Missing	37,876	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	809,178	98.4%
In Your Lifetime	8,063	1.0%
Since School Began	904	0.1%
In the Past Month	4,462	0.5%
Frequency Missing	33,894	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	633,510	77.3%
In Your Lifetime	81,749	10.0%
Since School Began	37,249	4.5%
In the Past Month	67,539	8.2%
Frequency Missing	36,454	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	756,072	91.5%
In Your Lifetime	46,685	5.6%
Since School Began	11,327	1.4%
In the Past Month	12,511	1.5%
Frequency Missing	29,905	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	620,749	76.2%
In Your Lifetime	117,951	14.5%
Since School Began	31,369	3.8%
In the Past Month	44,992	5.5%
Frequency Missing	41,440	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	784,263	95.2%
In Your Lifetime	20,249	2.5%
Since School Began	6,097	0.7%
In the Past Month	12,823	1.6%
Frequency Missing	33,068	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	603,134	73.4%
In Your Lifetime	93,055	11.3%
Since School Began	40,748	5.0%
In the Past Month	84,508	10.3%
Frequency Missing	35,055	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	793,615	96.4%
In Your Lifetime	18,313	2.2%
Since School Began	3,623	0.4%
In the Past Month	8,051	1.0%
Frequency Missing	32,898	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	650,540	78.9%
In Your Lifetime	70,831	8.6%
Since School Began	27,887	3.4%
In the Past Month	75,108	9.1%
Frequency Missing	32,134	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	794,794	96.5%
In Your Lifetime	14,251	1.7%
Since School Began	6,445	0.8%
In the Past Month	7,990	1.0%
Frequency Missing	33,020	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	684,493	83.0%
In Your Lifetime	60,134	7.3%
Since School Began	26,080	3.2%
In the Past Month	54,041	6.6%
Frequency Missing	31,752	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	818,708	99.3%
In Your Lifetime	1,634	0.2%
Since School Began	776	0.1%
In the Past Month	2,999	0.4%
Frequency Missing	32,384	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	814,776	98.8%
In Your Lifetime	5,409	0.7%
Since School Began	1,565	0.2%
In the Past Month	2,574	0.3%
Frequency Missing	32,176	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	813,281	98.9%
In Your Lifetime	4,841	0.6%
Since School Began	2,208	0.3%
In the Past Month	2,012	0.2%
Frequency Missing	34,158	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	817,942	99.5%
In Your Lifetime	2,050	0.2%
Since School Began	529	0.1%
In the Past Month	1,384	0.2%
Frequency Missing	34,596	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	810,305	98.4%
In Your Lifetime	7,502	0.9%
Since School Began	1,886	0.2%
In the Past Month	3,381	0.4%
Frequency Missing	33,426	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	819,226	99.4%
In Your Lifetime	3,411	0.4%
Since School Began	1,174	0.1%
In the Past Month	393	0.0%
Frequency Missing	32,297	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	740,704	91.0%
In Your Lifetime	38,811	4.8%
Since School Began	11,147	1.4%
In the Past Month	23,062	2.8%
Frequency Missing	42,777	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	815,712	99.2%
In Your Lifetime	2,593	0.3%
Since School Began	1,459	0.2%
In the Past Month	2,415	0.3%
Frequency Missing	34,322	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	793,417	97.6%
In Your Lifetime	12,332	1.5%
Since School Began	2,028	0.2%
In the Past Month	5,538	0.7%
Frequency Missing	43,186	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	804,168	97.7%
In Your Lifetime	8,046	1.0%
Since School Began	3,750	0.5%
In the Past Month	7,276	0.9%
Frequency Missing	33,261	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	786,665	96.9%
In Your Lifetime	13,819	1.7%
Since School Began	4,536	0.6%
In the Past Month	6,781	0.8%
Frequency Missing	44,700	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	774,285	94.0%
In Your Lifetime	17,264	2.1%
Since School Began	11,614	1.4%
In the Past Month	20,273	2.5%
Frequency Missing	33,065	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	775,932	95.8%
In Your Lifetime	15,072	1.9%
Since School Began	7,039	0.9%
In the Past Month	12,248	1.5%
Frequency Missing	46,210	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	758,283	93.8%
In Your Lifetime	25,712	3.2%
Since School Began	5,344	0.7%
In the Past Month	19,068	2.4%
Frequency Missing	48,094	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	793,562	98.1%
1-2 times	10,138	1.3%
3-10 times	3,455	0.4%
11+ times	1,579	0.2%
Frequency Missing	47,766	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	788,626	97.2%
In Your Lifetime	11,510	1.4%
Since School Began	3,695	0.5%
In the Past Month	7,853	1.0%
Frequency Missing	44,817	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	719,120	88.7%
1-2 times	38,021	4.7%
3-10 times	23,544	2.9%
11+ times	30,003	3.7%
Frequency Missing	45,813	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	766,137	94.5%
1-2 times	20,925	2.6%
3-10 times	8,915	1.1%
11+ times	15,048	1.9%
Frequency Missing	45,476	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	803,530	99.2%
1-2 times	4,160	0.5%
3-10 times	1,363	0.2%
11+ times	679	0.1%
Frequency Missing	46,768	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	632,592	78.3%
1-2 times	107,648	13.3%
3-10 times	49,110	6.1%
11+ times	18,178	2.3%
Frequency Missing	48,973	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	804,057	99.6%
1-2 times	2,487	0.3%
3-10 times	145	0.0%
11+ times	589	0.1%
Frequency Missing	49,223	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	667,529	82.5%
A few	88,510	10.9%
Some	29,261	3.6%
Most	18,368	2.3%
All	5,868	0.7%
Frequency Missing	46,966	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	490,762	60.8%
A few	149,277	18.5%
Some	80,182	9.9%
Most	63,848	7.9%
All	22,980	2.8%
Frequency Missing	49,452	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	758,804	94.1%
A few	34,221	4.2%
Some	7,748	1.0%
Most	3,929	0.5%
All	1,833	0.2%
Frequency Missing	49,966	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	572,564	71.0%
A few	101,941	12.6%
Some	57,197	7.1%
Most	54,863	6.8%
All	19,398	2.4%
Frequency Missing	50,538	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	727,179	90.5%
8 or younger	5,320	0.7%
9 years old	3,640	0.5%
10 years old	4,429	0.6%
11 years old	6,892	0.9%
12 years old	8,689	1.1%
13 years old	10,826	1.3%
14 years old	11,750	1.5%
15 years old	12,099	1.5%
16 years old	7,708	1.0%
17 years old	4,098	0.5%
18 or older	1,270	0.2%
Frequency Missing	52,601	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	522,778	65.3%
8 or younger	33,865	4.2%
9 years old	12,753	1.6%
10 years old	13,425	1.7%
11 years old	20,099	2.5%
12 years old	29,364	3.7%
13 years old	38,313	4.8%
14 years old	36,262	4.5%
15 years old	43,391	5.4%
16 years old	26,720	3.3%
17 years old	17,384	2.2%
18 or older	5,849	0.7%
Frequency Missing	56,299	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	774,796	96.7%
8 or younger	6,101	0.8%
9 years old	1,414	0.2%
10 years old	2,862	0.4%
11 years old	1,876	0.2%
12 years old	4,014	0.5%
13 years old	3,408	0.4%
14 years old	1,525	0.2%
15 years old	3,131	0.4%
16 years old	1,253	0.2%
17 years old	994	0.1%
18 or older	217	0.0%
Frequency Missing	54,908	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	670,861	83.7%
8 or younger	1,896	0.2%
9 years old	2,014	0.3%
10 years old	4,087	0.5%
11 years old	6,327	0.8%
12 years old	12,352	1.5%
13 years old	19,273	2.4%
14 years old	28,368	3.5%
15 years old	25,773	3.2%
16 years old	19,125	2.4%
17 years old	9,228	1.2%
18 or older	2,671	0.3%
Frequency Missing	54,526	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	794,455	99.0%
8 or younger	544	0.1%
9 years old	270	0.0%
10 years old	234	0.0%
11 years old	589	0.1%
12 years old	46	0.0%
13 years old	1,287	0.2%
14 years old	745	0.1%
15 years old	1,249	0.2%
16 years old	981	0.1%
17 years old	1,803	0.2%
18 or older	580	0.1%
Frequency Missing	53,717	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	788,808	98.6%
8 or younger	0	0.0%
9 years old	242	0.0%
10 years old	49	0.0%
11 years old	844	0.1%
12 years old	1,269	0.2%
13 years old	777	0.1%
14 years old	1,535	0.2%
15 years old	3,395	0.4%
16 years old	1,895	0.2%
17 years old	1,360	0.2%
18 or older	123	0.0%
Frequency Missing	56,202	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	800,423	99.7%
8 or younger	701	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	154	0.0%
12 years old	51	0.0%
13 years old	46	0.0%
14 years old	580	0.1%
15 years old	226	0.0%
16 years old	301	0.0%
17 years old	0	0.0%
Frequency Missing	54,019	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	800,251	99.7%
8 or younger	116	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	435	0.1%
12 years old	242	0.0%
13 years old	713	0.1%
14 years old	413	0.1%
15 years old	335	0.0%
16 years old	226	0.0%
17 years old	0	0.0%
Frequency Missing	53,769	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	793,347	98.9%
8 or younger	1,312	0.2%
9 years old	853	0.1%
10 years old	682	0.1%
11 years old	307	0.0%
12 years old	779	0.1%
13 years old	1,589	0.2%
14 years old	979	0.1%
15 years old	781	0.1%
16 years old	769	0.1%
17 years old	508	0.1%
18 or older	217	0.0%
Frequency Missing	54,377	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	797,037	99.2%
8 or younger	1,053	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	1,140	0.1%
12 years old	103	0.0%
13 years old	1,014	0.1%
14 years old	600	0.1%
15 years old	934	0.1%
16 years old	957	0.1%
17 years old	538	0.1%
Frequency Missing	53,126	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	787,062	98.2%
8 or younger	49	0.0%
9 years old	0	0.0%
10 years old	608	0.1%
11 years old	584	0.1%
12 years old	1,585	0.2%
13 years old	2,175	0.3%
14 years old	1,649	0.2%
15 years old	3,316	0.4%
16 years old	2,689	0.3%
17 years old	1,282	0.2%
18 or older	104	0.0%
Frequency Missing	55,399	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	757,911	94.6%
8 or younger	178	0.0%
9 years old	0	0.0%
10 years old	1,214	0.2%
11 years old	747	0.1%
12 years old	1,314	0.2%
13 years old	2,589	0.3%
14 years old	4,022	0.5%
15 years old	9,400	1.2%
16 years old	13,269	1.7%
17 years old	8,825	1.1%
18 or older	1,946	0.2%
Frequency Missing	55,085	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	318,184	40.1%
Impossible	159,048	20.1%
Very Difficult	59,567	7.5%
Somewhat diff	69,805	8.8%
Somewhat easy	93,020	11.7%
Very easy	92,970	11.7%
Frequency Missing	63,907	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	261,900	33.0%
Impossible	101,734	12.8%
Very Difficult	46,813	5.9%
Somewhat diff	74,900	9.5%
Somewhat easy	127,852	16.1%
Very easy	179,345	22.6%
Frequency Missing	63,956	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	401,355	51.1%
Impossible	122,226	15.6%
Very Difficult	29,802	3.8%
Somewhat diff	42,724	5.4%
Somewhat easy	52,469	6.7%
Very easy	137,187	17.5%
Frequency Missing	70,738	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	307,021	39.0%
Impossible	171,056	21.7%
Very Difficult	60,759	7.7%
Somewhat diff	59,877	7.6%
Somewhat easy	79,334	10.1%
Very easy	109,406	13.9%
Frequency Missing	69,048	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	379,310	48.2%
Impossible	240,178	30.5%
Very Difficult	77,616	9.9%
Somewhat diff	49,525	6.3%
Somewhat easy	19,918	2.5%
Very easy	20,774	2.6%
Frequency Missing	69,181	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	389,189	49.4%
Impossible	248,161	31.5%
Very Difficult	78,985	10.0%
Somewhat diff	41,558	5.3%
Somewhat easy	12,266	1.6%
Very easy	17,392	2.2%
Frequency Missing	68,949	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	439,387	55.8%
Impossible	234,312	29.8%
Very Difficult	62,520	7.9%
Somewhat diff	23,538	3.0%
Somewhat easy	11,589	1.5%
Very easy	15,943	2.0%
Frequency Missing	69,211	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	403,534	51.4%
Impossible	221,458	28.2%
Very Difficult	72,030	9.2%
Somewhat diff	44,226	5.6%
Somewhat easy	25,202	3.2%
Very easy	19,239	2.4%
Frequency Missing	70,813	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	454,224	57.9%
Impossible	192,595	24.5%
Very Difficult	51,948	6.6%
Somewhat diff	34,310	4.4%
Somewhat easy	19,844	2.5%
Very easy	31,681	4.0%
Frequency Missing	71,899	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	453,960	58.0%
Impossible	203,185	26.0%
Very Difficult	57,991	7.4%
Somewhat diff	33,860	4.3%
Somewhat easy	15,334	2.0%
Very easy	18,371	2.3%
Frequency Missing	73,800	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	457,397	58.4%
Impossible	173,880	22.2%
Very Difficult	41,988	5.4%
Somewhat diff	32,487	4.1%
Somewhat easy	29,545	3.8%
Very easy	48,507	6.2%
Frequency Missing	72,696	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	428,985	54.5%
Impossible	241,362	30.7%
Very Difficult	66,982	8.5%
Somewhat diff	25,086	3.2%
Somewhat easy	11,769	1.5%
Very easy	13,209	1.7%
Frequency Missing	69,108	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	10,497	1.3%
Several times/wk	6,280	0.8%
Several times/mo	8,602	1.1%
About once/month	8,651	1.1%
About once/year	11,059	1.4%
Less than once/year	19,919	2.5%
Never used	723,532	91.8%
Frequency Missing	67,961	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	1,048	0.1%
Several times/wk	11,706	1.5%
Several times/mo	38,237	4.9%
About once/month	72,099	9.2%
About once/year	62,849	8.0%
Less than once/year	63,639	8.1%
Never used	538,216	68.3%
Frequency Missing	68,708	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	261	0.0%
Several times/wk	636	0.1%
Several times/mo	768	0.1%
About once/month	683	0.1%
About once/year	1,212	0.2%
Less than once/year	2,917	0.4%
Never used	778,362	99.2%
Frequency Missing	71,662	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	741	0.1%
Several times/wk	2,786	0.4%
Several times/mo	2,097	0.3%
About once/month	5,817	0.7%
About once/year	4,280	0.5%
Less than once/year	9,112	1.2%
Never used	762,431	96.8%
Frequency Missing	69,237	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	336	0.0%
Several times/wk	484	0.1%
Several times/mo	0	0.0%
About once/month	263	0.0%
About once/year	567	0.1%
Less than once/year	462	0.1%
Never used	783,691	99.7%
Frequency Missing	70,698	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	13,509	1.7%
Several times/wk	16,981	2.2%
Several times/mo	18,859	2.4%
About once/month	21,363	2.7%
About once/year	22,856	2.9%
Less than once/year	24,523	3.1%
Never used	669,335	85.0%
Frequency Missing	69,073	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,015	0.1%
Several times/wk	0	0.0%
Several times/mo	435	0.1%
About once/month	242	0.0%
About once/year	1,225	0.2%
Less than once/year	2,740	0.4%
Never used	776,334	99.3%
Frequency Missing	74,509	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	561	0.1%
Several times/wk	623	0.1%
Several times/mo	1,010	0.1%
About once/month	960	0.1%
About once/year	2,045	0.3%
Less than once/year	4,162	0.5%
Never used	774,071	98.8%
Frequency Missing	73,068	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	1,455	0.2%
Several times/wk	899	0.1%
Several times/mo	1,099	0.1%
About once/month	4,388	0.6%
About once/year	3,202	0.4%
Less than once/year	4,424	0.6%
Never used	768,186	98.0%
Frequency Missing	72,847	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	263	0.0%
Several times/wk	0	0.0%
Several times/mo	526	0.1%
About once/month	409	0.1%
About once/year	834	0.1%
Less than once/year	1,446	0.2%
Never used	782,024	99.6%
Frequency Missing	70,999	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	2,944	0.4%
Several times/wk	3,258	0.4%
Several times/mo	6,551	0.8%
About once/month	11,642	1.5%
About once/year	8,846	1.1%
Less than once/year	7,822	1.0%
Never used	739,419	94.7%
Frequency Missing	76,019	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	365	0.0%
Several times/wk	718	0.1%
Several times/mo	538	0.1%
About once/month	865	0.1%
About once/year	603	0.1%
Less than once/year	1,952	0.2%
Never used	780,020	99.4%
Frequency Missing	71,442	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	569,997	72.3%
12+ drinks	11,353	1.4%
9-11 drinks	8,508	1.1%
5-8 drinks	20,823	2.6%
3-4 drinks	29,054	3.7%
2 drinks	33,945	4.3%
1 drink	42,884	5.4%
Less than 1 drink	71,917	9.1%
Frequency Missing	68,020	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	603,950	76.8%
12+ drinks	6,788	0.9%
9-11 drinks	6,432	0.8%
5-8 drinks	21,799	2.8%
3-4 drinks	36,022	4.6%
2 drinks	34,163	4.3%
1 drink	38,411	4.9%
Less than 1 drink	38,915	4.9%
Frequency Missing	70,020	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	463,578	59.5%
0 days	245,272	31.5%
1 day	22,753	2.9%
2 days	18,381	2.4%
3 to 5 days	14,351	1.8%
6 to 9 days	7,673	1.0%
10 or more days	7,662	1.0%
Frequency Missing	76,830	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	606,478	77.4%
12+ drinks	2,084	0.3%
9-11 drinks	1,315	0.2%
5-8 drinks	8,160	1.0%
3-4 drinks	17,222	2.2%
2 drinks	25,868	3.3%
1 drink	50,423	6.4%
Less than 1 drink	72,317	9.2%
Frequency Missing	72,634	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	515,885	65.8%
Never	109,462	14.0%
Seldom	99,536	12.7%
Most of the Time	40,575	5.2%
Always	18,436	2.4%
Frequency Missing	72,608	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	570,093	72.3%
12+ drinks	9,716	1.2%
9-11 drinks	11,805	1.5%
5-8 drinks	27,883	3.5%
3-4 drinks	42,364	5.4%
2 drinks	32,917	4.2%
1 drink	33,854	4.3%
Less than 1 drink	59,398	7.5%
Frequency Missing	68,471	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	527,176	67.4%
Never	120,477	15.4%
Seldom	67,602	8.6%
Most of the Time	50,317	6.4%
Always	17,020	2.2%
Frequency Missing	73,909	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	546,123	69.8%
Never	179,319	22.9%
Seldom	24,573	3.1%
Most of the Time	24,119	3.1%
Always	8,454	1.1%
Frequency Missing	73,912	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	507,186	64.9%
Never	106,849	13.7%
Seldom	66,483	8.5%
Most of the Time	59,516	7.6%
Always	41,245	5.3%
Frequency Missing	75,223	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	539,986	69.7%
Somewhat	110,087	14.2%
Not very	36,726	4.7%
Not at all	10,823	1.4%
Don't know	77,181	10.0%
Frequency Missing	81,697	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	549,048	70.7%
Never	147,422	19.0%
Seldom	43,479	5.6%
Most of the Time	21,125	2.7%
Always	15,554	2.0%
Frequency Missing	79,873	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	446,933	57.6%
Somewhat	113,586	14.6%
Not very	100,126	12.9%
Not at all	65,733	8.5%
Don't know	49,621	6.4%
Frequency Missing	80,503	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	494,752	63.4%
Somewhat	169,655	21.7%
Not very	50,502	6.5%
Not at all	11,947	1.5%
Don't know	53,718	6.9%
Frequency Missing	75,927	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	659,548	84.9%
Somewhat	51,112	6.6%
Not very	7,113	0.9%
Not at all	4,590	0.6%
Don't know	54,277	7.0%
Frequency Missing	79,862	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	371,471	47.7%
Somewhat	230,186	29.6%
Not very	110,915	14.2%
Not at all	22,865	2.9%
Don't know	43,526	5.6%
Frequency Missing	77,539	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	672,143	86.6%
Somewhat	37,945	4.9%
Not very	5,634	0.7%
Not at all	4,027	0.5%
Don't know	56,420	7.3%
Frequency Missing	80,332	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	598,218	77.1%
Somewhat	59,407	7.7%
Not very	12,057	1.6%
Not at all	6,419	0.8%
Don't know	99,351	12.8%
Frequency Missing	81,048	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	574,452	74.3%
Somewhat	63,124	8.2%
Not very	21,989	2.8%
Not at all	12,727	1.6%
Don't know	100,699	13.0%
Frequency Missing	83,509	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	566,007	73.0%
Somewhat	91,719	11.8%
Not very	28,974	3.7%
Not at all	10,136	1.3%
Don't know	78,658	10.1%
Frequency Missing	81,007	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	527,812	68.3%
Somewhat	69,175	8.9%
Not very	42,319	5.5%
Not at all	27,011	3.5%
Don't know	106,838	13.8%
Frequency Missing	83,346	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	655,250	84.6%
Somewhat	31,332	4.0%
Not very	7,302	0.9%
Not at all	3,879	0.5%
Don't know	76,695	9.9%
Frequency Missing	82,043	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	553,728	71.5%
Somewhat	104,661	13.5%
Not very	23,841	3.1%
Not at all	12,119	1.6%
Don't know	80,119	10.3%
Frequency Missing	82,032	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	654,486	84.3%
Somewhat	31,507	4.1%
Not very	7,223	0.9%
Not at all	5,385	0.7%
Don't know	77,731	10.0%
Frequency Missing	80,169	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	462,611	59.8%
Somewhat	148,630	19.2%
Not very	74,875	9.7%
Not at all	28,762	3.7%
Don't know	58,244	7.5%
Frequency Missing	83,379	

Days Skipped Since September

Q28a	Frequency	Percent
None	594,427	78.1%
1-3 days	113,331	14.9%
4-9 days	26,059	3.4%
10+ days	27,058	3.6%
Frequency Missing	95,626	

Someone Called Home Since September

Q28e	Frequency	Percent
None	675,426	88.9%
1-3 days	69,643	9.2%
4-9 days	8,199	1.1%
10+ days	6,387	0.8%
Frequency Missing	96,846	

Days Ill Since September

Q28b	Frequency	Percent
None	224,409	29.5%
1-3 days	336,490	44.2%
4-9 days	132,303	17.4%
10+ days	67,766	8.9%
Frequency Missing	95,534	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	735,699	97.2%
1-3 times	16,722	2.2%
4-9 times	2,862	0.4%
10+ times	1,713	0.2%
Frequency Missing	99,505	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	268,433	35.7%
1-3 days	365,027	48.5%
4-9 days	76,827	10.2%
10+ days	42,197	5.6%
Frequency Missing	104,017	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	736,941	97.6%
1-3 times	13,131	1.7%
4-9 times	3,397	0.4%
10+ times	1,653	0.2%
Frequency Missing	101,379	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	676,317	88.7%
1-3 days	67,161	8.8%
4-9 days	11,648	1.5%
10+ days	6,934	0.9%
Frequency Missing	94,441	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	734,368	97.2%
1-3 times	17,901	2.4%
4-9 times	2,165	0.3%
10+ times	1,306	0.2%
Frequency Missing	100,761	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	729,623	96.9%
1-3 times	15,040	2.0%
4-9 times	3,040	0.4%
10+ times	5,574	0.7%
Frequency Missing	103,224	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	729,667	96.6%
1-3 days	18,781	2.5%
4-9 days	3,485	0.5%
10+ days	3,299	0.4%
Frequency Missing	101,270	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	432,117	57.0%
Seldom	39,509	5.2%
Half the time	34,123	4.5%
Most of the Time	58,464	7.7%
Always	63,064	8.3%
Don't Know	14,175	1.9%
Didn't attend	116,621	15.4%
Frequency Missing	98,428	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	695,687	92.2%
1-3 days	30,107	4.0%
4-9 days	10,215	1.4%
10+ days	18,531	2.5%
Frequency Missing	101,961	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	498,977	66.2%
Seldom	37,830	5.0%
Half the time	27,194	3.6%
Most of the Time	30,077	4.0%
Always	31,632	4.2%
Don't Know	12,009	1.6%
Didn't attend	116,495	15.4%
Frequency Missing	102,287	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	744,881	98.8%
1-3 days	6,835	0.9%
4-9 days	1,285	0.2%
10+ days	1,198	0.2%
Frequency Missing	102,302	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	665,399	93.6%
Yes	45,643	6.4%
Frequency Missing	145,460	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	733,053	97.5%
1-3 days	9,271	1.2%
4-9 days	5,489	0.7%
10+ days	3,653	0.5%
Frequency Missing	105,035	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	524,860	71.0%
Yes	214,231	29.0%
Frequency Missing	117,410	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	587,076	80.1%
Yes	145,922	19.9%
Frequency Missing	123,503	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	335,828	45.8%
Yes	398,103	54.2%
Frequency Missing	122,570	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	469,176	63.8%
Yes	266,548	36.2%
Frequency Missing	120,776	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	477,460	65.1%
Yes	255,802	34.9%
Frequency Missing	123,239	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	257,696	34.8%
Yes	482,173	65.2%
Frequency Missing	116,632	

Would Not Seek Help

Q33i	Frequency	Percent
No	552,694	77.1%
Yes	164,331	22.9%
Frequency Missing	139,476	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	318,317	43.3%
Yes	417,111	56.7%
Frequency Missing	121,074	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	435,194	59.5%
Yes	295,737	40.5%
Frequency Missing	125,571	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	288,818	39.3%
Yes	446,464	60.7%
Frequency Missing	121,219	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	487,318	66.9%
Yes	240,673	33.1%
Frequency Missing	128,511	

**Drug/Alcohol Info–School Guidance
Counselor**

Q34c	Frequency	Percent
No	564,958	77.9%
Yes	160,037	22.1%
Frequency Missing	131,505	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	541,943	74.9%
Yes	181,825	25.1%
Frequency Missing	132,733	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	626,812	86.8%
Yes	95,411	13.2%
Frequency Missing	134,279	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	557,440	74.7%
Mild disapprove	54,892	7.4%
Neither	41,782	5.6%
Mildly approve	5,593	0.7%
Strongly approve	5,608	0.8%
Don't know	80,767	10.8%
Frequency Missing	110,419	

**Drug/Alcohol Info–Science or Social Studies
Class**

Q34e	Frequency	Percent
No	547,656	75.8%
Yes	174,597	24.2%
Frequency Missing	134,248	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	408,670	54.8%
Mild disapprove	103,746	13.9%
Neither	110,563	14.8%
Mildly approve	39,498	5.3%
Strongly approve	7,826	1.1%
Don't know	75,007	10.1%
Frequency Missing	111,190	

**Drug/Alcohol Info–School Student Group or
Club**

Q34f	Frequency	Percent
No	640,456	88.7%
Yes	81,751	11.3%
Frequency Missing	134,294	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	536,173	71.9%
Mild disapprove	52,299	7.0%
Neither	57,564	7.7%
Mildly approve	12,772	1.7%
Strongly approve	10,088	1.4%
Don't know	76,587	10.3%
Frequency Missing	111,018	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	587,794	81.2%
Yes	135,771	18.8%
Frequency Missing	132,936	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

