

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2022



HHSC REGION 8 REPORT

---

---

Prepared by

The Department of Public Service and Administration  
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 8. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	12.6%	15.6%	25.7%	74.3%
Grade 7	6.8%	8.8%	16.3%	83.7%
Grade 8	10.2%	12.4%	21.7%	78.3%
Grade 9	10.5%	12.5%	21.1%	78.9%
Grade 10	15.3%	20.6%	31.8%	68.2%
Grade 11	20.0%	23.4%	38.6%	61.4%
Grade 12	15.9%	20.4%	30.5%	69.5%
<b>Cigarettes?</b>				
All	1.4%	2.9%	9.0%	91.0%
Grade 7	1.0%	1.6%	5.7%	94.3%
Grade 8	1.2%	2.1%	6.8%	93.2%
Grade 9	0.7%	2.7%	6.7%	93.3%
Grade 10	0.9%	2.4%	9.2%	90.8%
Grade 11	1.6%	4.7%	15.0%	85.0%
Grade 12	3.9%	4.5%	13.0%	87.0%
<b>Smokeless Tobacco?</b>				
All	1.0%	1.3%	5.0%	95.0%
Grade 7	1.0%	1.3%	3.0%	97.0%
Grade 8	1.2%	1.6%	3.2%	96.8%
Grade 9	0.2%	0.2%	2.1%	97.9%
Grade 10	1.3%	1.8%	7.2%	92.8%
Grade 11	1.5%	1.9%	7.5%	92.5%
Grade 12	1.0%	1.0%	10.0%	90.0%
<b>Electronic Vapor Products?</b>				
All	9.4%	12.2%	23.4%	76.6%
Grade 7	5.1%	7.0%	13.7%	86.3%
Grade 8	7.6%	10.1%	19.4%	80.6%
Grade 9	8.8%	10.7%	18.9%	81.1%
Grade 10	11.7%	17.1%	29.0%	71.0%
Grade 11	13.3%	15.6%	36.5%	63.5%
Grade 12	11.8%	16.3%	28.2%	71.8%

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	90.4%	0.9%	1.2%	1.1%	1.6%	1.4%	3.4%
Grade 7	96.4%	0.1%	0.1%	0.6%	0.7%	1.0%	1.3%
Grade 8	93.3%	0.5%	0.5%	0.8%	1.0%	1.1%	2.8%
Grade 9	93.6%	0.5%	1.3%	0.7%	1.2%	1.0%	1.8%
Grade 10	87.9%	0.9%	0.3%	1.5%	1.8%	3.6%	3.9%
Grade 11	84.2%	1.1%	3.1%	2.6%	3.2%	1.3%	4.6%
Grade 12	82.2%	3.0%	2.5%	1.0%	2.7%	0.3%	8.4%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.7	11.1	11.9	11.9	12.2	13.3	13.9

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.1%	20.4%	8.5%	10.7%	11.8%	12.6%
Grade 7	41.4%	27.5%	8.8%	9.7%	7.7%	5.0%
Grade 8	34.2%	24.2%	11.7%	11.4%	10.7%	7.8%
Grade 9	41.5%	15.9%	7.2%	12.7%	9.7%	13.0%
Grade 10	30.0%	22.4%	7.0%	7.8%	15.2%	17.7%
Grade 11	33.6%	15.8%	9.9%	8.4%	14.2%	18.1%
Grade 12	33.3%	13.5%	4.5%	14.4%	15.6%	18.7%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	78.6%	13.2%	4.6%	2.7%	0.9%
Grade 7	88.2%	8.5%	2.3%	0.8%	0.1%
Grade 8	83.3%	11.0%	3.4%	1.5%	0.7%
Grade 9	79.1%	14.1%	4.1%	2.0%	0.7%
Grade 10	74.7%	16.1%	4.7%	3.1%	1.5%
Grade 11	72.5%	14.8%	6.9%	4.5%	1.2%
Grade 12	67.4%	17.3%	7.3%	6.1%	1.9%

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.3%	7.1%	5.4%	1.2%	0.6%	9.4%
Grade 7	80.6%	4.7%	3.3%	0.3%	0.7%	10.4%
Grade 8	79.1%	5.2%	5.2%	0.8%	0.2%	9.5%
Grade 9	74.5%	8.2%	4.1%	1.7%	0.7%	10.8%
Grade 10	76.8%	6.6%	6.1%	0.5%	0.5%	9.4%
Grade 11	72.2%	7.4%	8.1%	2.6%	0.5%	9.1%
Grade 12	72.6%	12.2%	6.4%	1.5%	1.0%	6.3%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	62.9%	22.5%	5.6%	1.5%	7.5%
Grade 7	69.8%	20.0%	3.3%	0.7%	6.2%
Grade 8	64.9%	22.3%	4.9%	1.1%	6.7%
Grade 9	64.5%	19.5%	6.2%	0.5%	9.3%
Grade 10	64.4%	20.8%	4.7%	2.9%	7.3%
Grade 11	55.7%	30.6%	4.9%	2.0%	6.8%
Grade 12	54.3%	22.8%	11.0%	2.8%	9.1%
<b>Electronic Vapor Products?</b>					
All	58.6%	20.6%	9.1%	4.8%	6.9%
Grade 7	63.7%	19.4%	7.1%	3.3%	6.5%
Grade 8	58.7%	20.8%	9.5%	4.0%	7.0%
Grade 9	62.4%	15.9%	9.6%	3.8%	8.3%
Grade 10	57.6%	22.4%	9.6%	4.5%	5.8%
Grade 11	53.2%	23.8%	11.9%	5.6%	5.6%
Grade 12	52.9%	23.1%	6.4%	9.1%	8.4%



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	24.7%	29.2%	46.6%	53.4%
Grade 7	16.9%	20.1%	37.6%	62.4%
Grade 8	23.0%	27.0%	45.7%	54.3%
Grade 9	19.6%	21.9%	41.0%	59.0%
Grade 10	29.4%	33.4%	50.0%	50.0%
Grade 11	33.5%	41.6%	57.7%	42.3%
Grade 12	31.0%	37.8%	52.5%	47.5%
<b>Beer?</b>				
All	8.6%	13.9%	36.6%	63.4%
Grade 7	4.5%	7.3%	26.9%	73.1%
Grade 8	6.8%	11.6%	33.9%	66.1%
Grade 9	7.3%	9.8%	31.3%	68.7%
Grade 10	10.3%	16.5%	40.9%	59.1%
Grade 11	13.5%	21.6%	49.5%	50.5%
Grade 12	11.6%	21.7%	42.7%	57.3%
<b>Wine Coolers?</b>				
All	7.9%	12.3%	29.5%	70.5%
Grade 7	3.6%	5.7%	18.4%	81.6%
Grade 8	5.8%	9.2%	23.6%	76.4%
Grade 9	6.2%	9.3%	23.3%	76.7%
Grade 10	10.0%	17.0%	37.8%	62.2%
Grade 11	13.2%	17.6%	41.4%	58.6%
Grade 12	11.1%	20.5%	40.9%	59.1%
<b>Wine?</b>				
All	6.0%	9.2%	28.9%	71.1%
Grade 7	2.9%	5.0%	21.4%	78.6%
Grade 8	4.8%	8.0%	26.4%	73.6%
Grade 9	6.8%	8.2%	24.7%	75.3%
Grade 10	8.0%	12.9%	33.8%	66.2%
Grade 11	8.3%	12.6%	39.5%	60.5%
Grade 12	6.4%	10.7%	31.9%	68.1%
<b>Liquor?</b>				
All	8.8%	14.3%	31.2%	68.8%
Grade 7	3.6%	5.3%	17.6%	82.4%
Grade 8	7.2%	11.6%	27.2%	72.8%
Grade 9	7.9%	11.1%	26.2%	73.8%
Grade 10	12.0%	20.6%	36.4%	63.6%
Grade 11	13.3%	21.4%	45.2%	54.8%
Grade 12	11.5%	21.1%	42.8%	57.2%

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	67.5%	0.3%	1.3%	5.3%	8.5%	8.9%	8.2%
Grade 7	79.4%	0.1%	0.7%	1.3%	4.1%	6.5%	8.0%
Grade 8	69.9%	0.2%	0.7%	3.7%	8.6%	7.6%	9.4%
Grade 9	75.8%	0.6%	0.5%	3.7%	5.8%	7.0%	6.6%
Grade 10	59.9%	0.3%	0.8%	8.7%	9.9%	10.0%	10.5%
Grade 11	56.3%	0.0%	3.1%	8.1%	12.7%	12.4%	7.5%
Grade 12	55.5%	0.7%	2.7%	9.4%	12.3%	12.0%	7.4%

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	69.1%	30.9%	5.1%	13.9%	11.8%
	Grade 7	76.7%	23.3%	1.6%	8.8%	12.9%
	Grade 8	70.8%	29.2%	2.3%	11.2%	15.7%
	Grade 9	74.8%	25.2%	1.9%	13.1%	10.3%
	Grade 10	66.5%	33.5%	4.5%	17.2%	11.7%
	Grade 11	56.0%	44.0%	12.9%	21.1%	10.0%
	Grade 12	66.3%	33.7%	10.8%	14.0%	8.9%
Wine Coolers	All	73.8%	26.2%	4.4%	14.4%	7.4%
	Grade 7	84.5%	15.5%	1.3%	7.0%	7.2%
	Grade 8	80.1%	19.9%	2.1%	9.0%	8.8%
	Grade 9	78.6%	21.4%	3.3%	11.0%	7.1%
	Grade 10	65.5%	34.5%	5.9%	21.3%	7.3%
	Grade 11	64.6%	35.4%	7.0%	22.7%	5.8%
	Grade 12	61.5%	38.5%	9.7%	20.7%	8.1%
Wine	All	75.4%	24.6%	2.0%	10.8%	11.8%
	Grade 7	81.6%	18.4%	0.9%	6.6%	10.8%
	Grade 8	78.5%	21.5%	0.6%	8.3%	12.6%
	Grade 9	77.4%	22.6%	2.3%	8.7%	11.6%
	Grade 10	68.3%	31.7%	3.9%	13.6%	14.1%
	Grade 11	69.2%	30.8%	2.2%	17.2%	11.4%
	Grade 12	74.1%	25.9%	2.9%	12.7%	10.3%
Liquor	All	71.7%	28.3%	5.7%	15.4%	7.1%
	Grade 7	83.9%	16.1%	1.8%	6.6%	7.7%
	Grade 8	77.1%	22.9%	2.9%	10.2%	9.8%
	Grade 9	76.9%	23.1%	3.7%	14.2%	5.1%
	Grade 10	65.1%	34.9%	8.5%	16.2%	10.3%
	Grade 11	60.0%	40.0%	9.4%	25.2%	5.4%
	Grade 12	59.4%	40.6%	11.5%	25.9%	3.2%

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	91.7%	2.9%	2.1%	1.5%	0.4%	1.4%
Grade 7	95.1%	2.3%	0.9%	0.5%	0.0%	1.1%
Grade 8	94.4%	2.0%	1.7%	1.3%	0.2%	0.4%
Grade 9	92.5%	3.0%	2.3%	1.4%	0.0%	0.9%
Grade 10	91.6%	2.9%	2.5%	1.5%	0.3%	1.1%
Grade 11	88.2%	4.3%	0.5%	2.0%	1.7%	3.3%
Grade 12	85.3%	3.5%	5.7%	2.9%	0.7%	1.8%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.5	10.4	11.1	12.2	12.5	13.6	14.5

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.1%	13.0%	5.5%	10.9%	15.8%	25.7%
Grade 7	33.7%	19.4%	7.6%	11.4%	13.7%	14.2%
Grade 8	26.5%	15.8%	5.7%	13.2%	17.3%	21.6%
Grade 9	36.7%	10.6%	3.9%	8.4%	15.4%	25.0%
Grade 10	22.1%	11.6%	6.3%	10.0%	17.0%	32.9%
Grade 11	26.6%	11.5%	3.9%	11.5%	15.3%	31.1%
Grade 12	26.6%	5.6%	5.2%	10.4%	16.4%	35.9%

**Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.3%	3.1%	0.2%	0.4%
Grade 7	96.6%	2.8%	0.1%	0.4%
Grade 8	96.7%	2.6%	0.4%	0.3%
Grade 9	97.1%	2.9%	0.0%	0.0%
Grade 10	96.0%	3.7%	0.0%	0.3%
Grade 11	95.8%	3.1%	0.5%	0.5%
Grade 12	94.9%	4.2%	0.0%	0.9%

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	6.0
Alcohol Non-Users	4.7
Average Days Conduct Problems Reported	
Alcohol Users	2.9
Alcohol Non-Users	1.0

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	95.7%	2.7%	1.0%	0.5%
Grade 9	99.0%	0.5%	0.2%	0.2%
Grade 10	96.3%	2.7%	1.0%	0.0%
Grade 11	93.9%	3.7%	1.6%	0.7%
Grade 12	92.2%	4.9%	1.4%	1.4%
<b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	97.3%	2.3%	0.3%	0.1%
Grade 7	97.4%	2.0%	0.3%	0.3%
Grade 8	97.8%	2.0%	0.2%	0.0%
Grade 9	97.9%	1.6%	0.5%	0.0%
Grade 10	97.6%	1.9%	0.5%	0.0%
Grade 11	96.4%	2.9%	0.5%	0.2%
Grade 12	95.9%	4.1%	0.0%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	57.5%	21.5%	10.1%	8.4%	2.4%
Grade 7	75.2%	17.5%	4.9%	1.9%	0.4%
Grade 8	63.6%	21.1%	10.1%	3.9%	1.3%
Grade 9	61.8%	21.8%	9.0%	6.1%	1.4%
Grade 10	47.4%	21.0%	12.5%	15.5%	3.6%
Grade 11	42.4%	25.9%	13.0%	14.7%	4.1%
Grade 12	45.2%	23.2%	13.4%	12.9%	5.3%

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	54.8%	4.8%	3.9%	7.7%	8.3%	1.5%	19.1%
Grade 7	69.0%	4.7%	3.2%	3.5%	2.9%	1.8%	14.8%
Grade 8	61.5%	6.7%	4.4%	5.4%	2.6%	2.9%	16.5%
Grade 9	60.1%	4.9%	2.3%	6.0%	5.1%	1.2%	20.4%
Grade 10	48.7%	5.2%	5.4%	7.3%	10.7%	1.6%	21.1%
Grade 11	43.6%	3.9%	5.3%	11.8%	14.7%	0.4%	20.3%
Grade 12	35.6%	2.4%	3.2%	15.3%	19.5%	0.3%	23.8%

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	64.4%	13.4%	13.2%	6.0%	3.0%
	Grade 7	71.0%	14.6%	10.2%	3.2%	1.0%
	Grade 8	66.8%	13.1%	13.2%	4.8%	2.1%
	Grade 9	70.2%	12.5%	12.4%	4.0%	0.9%
	Grade 10	60.8%	12.1%	14.5%	8.1%	4.4%
	Grade 11	56.7%	15.0%	16.4%	7.8%	4.2%
	Grade 12	55.8%	12.5%	13.6%	10.5%	7.6%
<b>Friends?</b>						
	All	65.7%	16.5%	9.2%	6.6%	1.9%
	Grade 7	75.0%	18.1%	4.6%	1.7%	0.6%
	Grade 8	72.7%	16.9%	6.7%	3.3%	0.5%
	Grade 9	67.5%	15.9%	10.0%	5.5%	1.1%
	Grade 10	61.1%	16.4%	7.7%	11.1%	3.6%
	Grade 11	56.2%	14.1%	17.3%	10.1%	2.4%
	Grade 12	54.8%	17.7%	11.0%	11.6%	4.9%
<b>A Store?</b>						
	All	69.2%	24.6%	2.6%	2.5%	1.0%
	Grade 7	75.8%	21.7%	1.4%	0.8%	0.3%
	Grade 8	73.6%	23.3%	1.8%	0.9%	0.3%
	Grade 9	73.6%	21.3%	1.9%	2.3%	0.9%
	Grade 10	64.3%	29.0%	3.4%	2.5%	0.9%
	Grade 11	63.1%	25.7%	3.3%	6.0%	2.0%
	Grade 12	59.1%	29.8%	4.9%	3.7%	2.4%
<b>Parties?</b>						
	All	64.3%	13.9%	8.9%	7.6%	5.4%
	Grade 7	72.0%	16.7%	6.5%	3.4%	1.4%
	Grade 8	70.0%	15.4%	7.2%	5.3%	2.1%
	Grade 9	67.1%	13.4%	8.8%	6.5%	4.2%
	Grade 10	60.3%	12.3%	8.4%	11.2%	7.8%
	Grade 11	55.1%	10.8%	14.6%	10.2%	9.4%
	Grade 12	55.2%	13.7%	8.6%	11.6%	10.8%
<b>Other Sources?</b>						
	All	69.9%	19.4%	4.9%	3.1%	2.8%
	Grade 7	75.1%	17.3%	4.4%	2.1%	1.1%
	Grade 8	73.4%	17.9%	4.9%	2.2%	1.5%
	Grade 9	71.7%	17.7%	5.1%	2.8%	2.8%
	Grade 10	66.8%	21.8%	3.0%	5.5%	2.9%
	Grade 11	66.6%	19.9%	6.9%	3.6%	3.1%
	Grade 12	61.4%	24.1%	4.7%	2.9%	7.0%

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	55.0%	15.0%	14.6%	5.8%	1.0%	8.5%
Grade 7	66.8%	12.9%	7.3%	2.7%	0.8%	9.5%
Grade 8	61.8%	13.7%	11.9%	3.5%	0.3%	8.6%
Grade 9	57.8%	15.0%	11.5%	3.7%	1.2%	10.8%
Grade 10	48.3%	16.8%	17.7%	7.7%	1.3%	8.2%
Grade 11	44.5%	14.6%	22.1%	11.1%	0.7%	7.1%
Grade 12	44.2%	18.8%	21.3%	7.6%	2.3%	5.7%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	46.7%	31.3%	13.4%	2.9%	5.6%
Grade 7	50.5%	30.3%	12.1%	1.9%	5.2%
Grade 8	45.7%	31.2%	14.7%	3.2%	5.2%
Grade 9	51.9%	25.1%	13.9%	2.0%	7.0%
Grade 10	40.1%	35.7%	14.2%	4.5%	5.6%
Grade 11	47.2%	33.1%	12.3%	3.5%	4.0%
Grade 12	42.1%	35.0%	13.3%	2.7%	7.0%



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	14.8%	18.0%	22.8%	77.2%
Grade 7	7.1%	10.3%	12.2%	87.8%
Grade 8	9.9%	13.6%	16.5%	83.5%
Grade 9	11.2%	13.3%	18.4%	81.6%
Grade 10	20.6%	23.9%	28.1%	71.9%
Grade 11	24.4%	27.5%	36.1%	63.9%
Grade 12	21.0%	25.7%	32.9%	67.1%
<b>Marijuana?</b>				
All	13.7%	15.5%	20.5%	79.5%
Grade 7	5.9%	7.1%	8.7%	91.3%
Grade 8	9.1%	11.0%	13.9%	86.1%
Grade 9	9.3%	11.2%	16.9%	83.1%
Grade 10	19.6%	21.6%	25.8%	74.2%
Grade 11	23.7%	25.2%	34.9%	65.1%
Grade 12	19.9%	23.2%	30.4%	69.6%
<b>Cocaine?</b>				
All	1.0%	1.0%	1.6%	98.4%
Grade 7	0.7%	0.9%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	1.8%	1.8%	4.1%	95.9%
Grade 11	2.0%	2.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Crack?</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.9%	0.9%	2.3%	97.7%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Hallucinogens?</b>				
All	0.7%	1.2%	4.2%	95.8%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.8%	1.1%	2.1%	97.9%
Grade 9	0.7%	1.3%	3.5%	96.5%
Grade 10	0.0%	1.6%	6.1%	93.9%
Grade 11	2.3%	2.8%	7.4%	92.6%
Grade 12	0.0%	0.3%	7.8%	92.2%

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids?				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.2%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.2%	98.8%
Ecstasy?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	1.8%	98.2%
Grade 11	1.0%	1.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
Heroin?				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.5%
Methamphetamine?				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table D-1: How Recently, If Ever, Have You Used...**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.6%	2.0%	3.5%	96.5%
Grade 7	0.5%	0.7%	2.0%	98.0%
Grade 8	1.3%	1.8%	3.1%	96.9%
Grade 9	2.2%	2.6%	4.7%	95.3%
Grade 10	2.4%	2.9%	4.5%	95.5%
Grade 11	2.0%	2.2%	4.3%	95.7%
Grade 12	1.3%	2.1%	2.7%	97.3%
Delta 8?				
All	4.1%	5.4%	7.9%	92.1%
Grade 7	1.0%	1.4%	3.2%	96.8%
Grade 8	2.1%	3.0%	4.7%	95.3%
Grade 9	4.0%	4.9%	5.8%	94.2%
Grade 10	7.7%	8.7%	12.9%	87.1%
Grade 11	6.3%	7.6%	12.5%	87.5%
Grade 12	5.3%	9.3%	12.2%	87.8%

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	83.2%	1.8%	2.5%	3.3%	3.2%	2.5%	3.3%
Grade 7	93.8%	0.5%	1.0%	1.2%	1.2%	0.7%	1.6%
Grade 8	89.4%	1.2%	1.8%	2.1%	1.7%	1.7%	2.1%
Grade 9	88.3%	0.9%	1.8%	2.1%	2.3%	2.1%	2.6%
Grade 10	76.4%	3.0%	4.2%	4.8%	5.3%	2.9%	3.4%
Grade 11	69.4%	3.5%	5.0%	6.7%	4.0%	5.8%	5.6%
Grade 12	75.3%	2.7%	2.0%	4.5%	6.9%	3.0%	5.6%
Cocaine?							
All	98.9%	0.0%	0.2%	0.2%	0.2%	0.4%	0.2%
Grade 7	99.4%	0.0%	0.0%	0.0%	0.2%	0.3%	0.1%
Grade 8	99.3%	0.0%	0.0%	0.0%	0.2%	0.1%	0.4%
Grade 9	99.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.5%
Grade 10	96.7%	0.0%	0.0%	0.5%	0.5%	1.9%	0.5%
Grade 11	98.4%	0.0%	0.5%	0.5%	0.5%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Crack?							
All	99.5%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
Grade 7	99.6%	0.1%	0.0%	0.0%	0.2%	0.1%	0.1%
Grade 8	99.5%	0.0%	0.0%	0.0%	0.3%	0.0%	0.2%
Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 10	98.1%	0.0%	0.0%	0.0%	0.0%	0.9%	0.9%
Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?							
All	99.4%	0.2%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 7	99.3%	0.1%	0.0%	0.0%	0.0%	0.3%	0.4%
Grade 8	99.1%	0.0%	0.0%	0.1%	0.0%	0.2%	0.5%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 10	99.5%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.3%	0.5%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Ecstasy?							
All	99.4%	0.1%	0.0%	0.1%	0.0%	0.2%	0.2%
Grade 7	99.7%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
Grade 8	99.5%	0.0%	0.0%	0.1%	0.0%	0.2%	0.3%
Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 10	98.6%	0.0%	0.0%	0.5%	0.0%	0.9%	0.0%
Grade 11	98.6%	0.5%	0.0%	0.0%	0.0%	0.2%	0.7%
Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.5%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 8	99.5%	0.0%	0.1%	0.2%	0.1%	0.1%	0.0%
	Grade 9	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	98.6%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.4%	0.1%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.5%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 9	99.6%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	98.1%	0.0%	0.0%	1.0%	0.0%	0.0%	0.9%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana?								
	All	97.6%	0.0%	0.3%	0.6%	0.4%	0.5%	0.7%
	Grade 7	98.6%	0.1%	0.1%	0.1%	0.2%	0.3%	0.7%
	Grade 8	98.1%	0.1%	0.3%	0.3%	0.3%	0.5%	0.4%
	Grade 9	98.4%	0.0%	0.0%	1.1%	0.5%	0.0%	0.0%
	Grade 10	95.4%	0.0%	0.5%	1.0%	1.0%	0.8%	1.4%
	Grade 11	96.2%	0.0%	1.1%	0.5%	0.2%	1.0%	1.0%
	Grade 12	98.2%	0.0%	0.0%	0.6%	0.0%	0.6%	0.6%
Delta 8?								
	All	94.0%	0.4%	0.9%	1.4%	1.4%	1.2%	0.8%
	Grade 7	97.5%	0.0%	0.4%	0.3%	0.3%	0.8%	0.7%
	Grade 8	96.3%	0.3%	0.6%	0.9%	0.7%	0.4%	0.7%
	Grade 9	94.9%	0.5%	0.5%	2.1%	1.4%	0.7%	0.0%
	Grade 10	88.7%	0.5%	1.2%	2.2%	2.1%	3.4%	1.9%
	Grade 11	93.0%	0.5%	2.3%	1.2%	1.4%	1.1%	0.6%
	Grade 12	90.8%	1.3%	0.7%	1.9%	3.1%	0.9%	1.3%

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.6	11.5	12.5	12.9	13.4	14.5	14.7
Cocaine	14.2	11.8	12.0	11.5	15.1	16.4	N/A
Crack	13.4	10.8	11.4	N/A	15.3	N/A	N/A
Steroids	11.9	11.1	11.0	15.0	10.1	13.8	15.0
Ecstasy	14.1	11.8	12.9	N/A	13.7	14.8	17.0
Heroin	12.3	9.9	12.9	8.0	13.7	16.0	8.0
Methamphetamine	13.5	11.3	12.6	N/A	14.5	14.4	N/A
Synthetic Marijuana	14.1	12.1	12.5	12.6	14.6	15.4	15.8
Delta 8?	14.6	12.0	12.9	13.7	14.3	15.4	16.6

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	33.8%	21.8%	7.2%	10.0%	12.0%	15.3%
	Grade 7	42.4%	31.7%	7.7%	7.2%	5.0%	6.0%
	Grade 8	32.5%	30.6%	8.0%	10.4%	9.4%	9.2%
	Grade 9	39.5%	17.4%	5.5%	11.3%	11.4%	14.9%
	Grade 10	26.4%	17.7%	10.4%	9.5%	15.9%	20.1%
	Grade 11	29.2%	15.5%	4.7%	11.3%	18.3%	20.9%
	Grade 12	28.9%	11.5%	7.0%	10.5%	15.0%	27.1%
<b>Cocaine?</b>							
	All	43.0%	32.8%	10.5%	7.2%	3.3%	3.3%
	Grade 7	46.0%	37.3%	7.8%	4.2%	2.8%	1.8%
	Grade 8	38.4%	41.0%	10.5%	6.2%	2.1%	1.8%
	Grade 9	45.1%	25.1%	11.2%	8.8%	4.7%	4.9%
	Grade 10	35.5%	35.2%	11.5%	7.5%	4.6%	5.8%
	Grade 11	47.5%	27.7%	12.5%	7.8%	2.3%	2.2%
	Grade 12	45.6%	28.2%	9.7%	9.5%	3.3%	3.8%
<b>Crack?</b>							
	All	44.6%	33.4%	10.4%	6.5%	2.5%	2.6%
	Grade 7	47.0%	36.8%	7.8%	4.0%	2.3%	2.1%
	Grade 8	39.9%	40.6%	10.5%	5.7%	1.8%	1.6%
	Grade 9	46.9%	26.1%	11.5%	7.3%	3.8%	4.3%
	Grade 10	38.9%	36.9%	11.5%	6.6%	1.9%	4.2%
	Grade 11	49.0%	28.7%	11.8%	6.8%	2.1%	1.5%
	Grade 12	46.0%	29.2%	9.5%	10.2%	3.4%	1.8%
<b>Steroids?</b>							
	All	46.7%	30.0%	10.0%	7.1%	3.3%	2.9%
	Grade 7	49.6%	33.9%	7.7%	4.7%	2.5%	1.6%
	Grade 8	42.3%	36.1%	10.1%	6.6%	3.0%	1.9%
	Grade 9	47.7%	24.4%	10.5%	7.8%	6.3%	3.4%
	Grade 10	41.3%	33.5%	9.6%	8.2%	2.4%	4.9%
	Grade 11	51.5%	24.5%	11.0%	8.5%	1.6%	2.9%
	Grade 12	47.9%	25.6%	12.3%	7.4%	3.5%	3.2%
<b>Ecstasy?</b>							
	All	55.1%	27.0%	8.2%	4.8%	2.3%	2.6%
	Grade 7	63.7%	26.5%	5.1%	1.9%	1.4%	1.4%
	Grade 8	53.0%	31.0%	8.3%	3.9%	1.8%	2.0%
	Grade 9	55.9%	21.6%	9.5%	5.3%	4.5%	3.2%
	Grade 10	47.5%	33.1%	7.4%	4.8%	2.5%	4.8%
	Grade 11	55.4%	23.0%	11.8%	6.3%	0.8%	2.7%
	Grade 12	52.9%	27.1%	6.9%	8.2%	3.0%	1.8%

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	50.2%	32.1%	9.1%	4.5%	1.8%	2.3%
	Grade 7	55.1%	32.3%	5.9%	3.4%	2.0%	1.3%
	Grade 8	45.6%	37.9%	9.4%	4.2%	1.3%	1.6%
	Grade 9	51.9%	25.2%	10.9%	4.3%	4.0%	3.6%
	Grade 10	42.9%	39.0%	8.0%	4.8%	0.8%	4.6%
	Grade 11	54.6%	27.0%	11.9%	4.3%	0.2%	2.0%
	Grade 12	50.0%	31.3%	8.9%	6.9%	2.0%	0.8%
<b>Methamphetamine?</b>							
	All	52.2%	30.4%	8.7%	4.3%	1.8%	2.6%
	Grade 7	59.0%	30.2%	5.2%	2.4%	1.8%	1.5%
	Grade 8	48.2%	36.6%	8.9%	3.7%	1.3%	1.4%
	Grade 9	54.1%	23.1%	9.0%	6.1%	2.9%	4.8%
	Grade 10	43.3%	36.6%	9.6%	4.2%	1.9%	4.3%
	Grade 11	54.1%	26.6%	12.5%	3.6%	1.2%	2.0%
	Grade 12	53.5%	29.0%	7.5%	6.7%	1.9%	1.5%
<b>Synthetic Marijuana?</b>							
	All	54.4%	25.2%	7.8%	4.8%	3.6%	4.3%
	Grade 7	61.0%	27.8%	4.8%	2.4%	1.9%	2.2%
	Grade 8	51.7%	30.4%	7.4%	5.1%	2.6%	2.9%
	Grade 9	54.0%	22.0%	7.3%	6.5%	4.7%	5.5%
	Grade 10	45.7%	29.1%	8.3%	4.9%	5.3%	6.7%
	Grade 11	57.1%	20.2%	10.7%	3.2%	4.0%	4.8%
	Grade 12	55.8%	19.2%	9.5%	7.3%	3.9%	4.4%
<b>Delta 8?</b>							
	All	53.7%	23.2%	6.1%	5.0%	4.5%	7.5%
	Grade 7	60.1%	25.4%	4.8%	3.3%	2.6%	3.7%
	Grade 8	52.0%	28.0%	6.7%	5.3%	3.1%	4.8%
	Grade 9	55.6%	20.0%	4.4%	5.9%	5.9%	8.2%
	Grade 10	41.9%	27.6%	7.6%	5.1%	6.6%	11.2%
	Grade 11	54.7%	17.6%	8.7%	2.9%	6.3%	9.9%
	Grade 12	56.1%	18.8%	4.4%	8.4%	2.8%	9.4%



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	91.9%	3.8%	1.7%	2.6%
Grade 7	96.3%	2.3%	0.4%	1.0%
Grade 8	93.4%	3.9%	1.4%	1.4%
Grade 9	93.9%	3.5%	1.2%	1.4%
Grade 10	86.4%	6.0%	2.5%	5.1%
Grade 11	87.8%	4.9%	3.0%	4.2%
Grade 12	91.5%	2.6%	2.2%	3.7%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.8%	1.6%	0.6%	0.9%
Grade 7	96.9%	2.1%	0.7%	0.3%
Grade 8	97.2%	1.7%	0.6%	0.5%
Grade 9	97.6%	1.4%	0.5%	0.5%
Grade 10	95.4%	0.9%	1.0%	2.6%
Grade 11	96.1%	2.5%	0.2%	1.2%
Grade 12	97.6%	0.7%	1.0%	0.7%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.5
Marijuana Non-Users	4.9
Average Days Conduct Problems Reported	
Marijuana Users	3.5
Marijuana Non-Users	1.4

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.4%	3.4%	0.9%	1.2%
Grade 9	98.8%	0.7%	0.0%	0.5%
Grade 10	94.5%	4.1%	0.5%	0.9%
Grade 11	92.1%	5.2%	1.8%	0.9%
Grade 12	90.7%	4.3%	1.7%	3.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.7%	0.6%	0.1%
Grade 7	96.6%	2.8%	0.4%	0.2%
Grade 8	96.7%	2.8%	0.4%	0.1%
Grade 9	98.8%	0.5%	0.7%	0.0%
Grade 10	93.5%	6.1%	0.5%	0.0%
Grade 11	95.4%	3.2%	1.4%	0.0%
Grade 12	99.3%	0.7%	0.0%	0.0%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	63.9%	17.2%	8.4%	8.1%	2.3%
Grade 7	82.8%	10.4%	3.1%	2.6%	1.1%
Grade 8	73.4%	14.4%	5.9%	5.0%	1.4%
Grade 9	68.9%	16.9%	4.9%	8.3%	0.9%
Grade 10	51.4%	19.3%	11.7%	13.6%	4.0%
Grade 11	46.9%	22.4%	14.1%	11.4%	5.2%
Grade 12	48.9%	23.8%	15.0%	10.6%	1.7%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	61.4%	4.3%	3.6%	5.1%	4.8%	1.5%	19.2%
Grade 7	76.7%	2.8%	1.4%	1.5%	1.4%	1.5%	14.7%
Grade 8	69.8%	4.0%	3.5%	2.2%	1.5%	2.6%	16.5%
Grade 9	65.9%	2.1%	3.7%	3.0%	3.9%	0.7%	20.5%
Grade 10	53.7%	5.2%	5.0%	5.0%	7.8%	1.6%	21.6%
Grade 11	49.2%	6.4%	4.4%	11.3%	7.7%	0.2%	20.9%
Grade 12	42.6%	6.4%	4.4%	10.5%	9.4%	2.9%	23.8%

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	70.8%	8.3%	7.4%	2.7%	1.6%	9.2%
Grade 7	79.5%	4.2%	3.5%	1.6%	1.0%	10.2%
Grade 8	76.6%	5.8%	6.3%	1.6%	0.9%	8.9%
Grade 9	70.6%	9.3%	4.6%	1.8%	1.2%	12.5%
Grade 10	66.6%	9.0%	9.4%	2.6%	3.5%	8.9%
Grade 11	60.9%	10.5%	12.9%	6.0%	2.3%	7.3%
Grade 12	67.2%	13.1%	9.2%	2.8%	1.3%	6.4%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?	All	54.5%	16.5%	13.3%	9.0%	6.6%
	Grade 7	70.5%	13.4%	6.1%	3.1%	6.8%
	Grade 8	61.2%	17.7%	9.8%	5.1%	6.2%
	Grade 9	58.0%	16.6%	9.6%	6.5%	9.3%
	Grade 10	46.6%	17.3%	18.7%	11.3%	6.1%
	Grade 11	42.4%	17.7%	20.2%	15.6%	4.0%
	Grade 12	39.3%	16.8%	19.9%	16.9%	7.1%
Cocaine?	All	84.4%	6.8%	1.3%	0.7%	6.8%
	Grade 7	83.2%	9.1%	1.0%	0.7%	6.0%
	Grade 8	82.9%	8.2%	1.3%	0.6%	7.0%
	Grade 9	80.6%	8.2%	2.9%	0.0%	8.3%
	Grade 10	85.8%	5.4%	0.9%	1.7%	6.2%
	Grade 11	87.5%	4.4%	1.2%	0.9%	6.0%
	Grade 12	88.5%	3.4%	0.3%	0.7%	7.1%
Crack?	All	84.9%	6.0%	1.1%	0.7%	7.3%
	Grade 7	83.8%	7.6%	1.0%	0.7%	6.8%
	Grade 8	83.3%	7.4%	1.0%	0.5%	7.7%
	Grade 9	80.6%	7.5%	2.2%	0.0%	9.7%
	Grade 10	86.4%	5.3%	0.5%	1.7%	6.2%
	Grade 11	88.5%	3.8%	1.2%	0.9%	5.6%
	Grade 12	89.5%	2.7%	0.0%	0.7%	7.1%
Ecstasy?	All	77.2%	7.1%	1.4%	0.7%	13.7%
	Grade 7	76.5%	7.8%	0.9%	0.6%	14.1%
	Grade 8	74.5%	7.9%	1.6%	0.6%	15.4%
	Grade 9	74.9%	8.4%	1.1%	0.0%	15.6%
	Grade 10	77.8%	5.6%	2.4%	1.4%	12.8%
	Grade 11	80.0%	7.3%	1.6%	0.9%	10.2%
	Grade 12	81.8%	4.2%	0.6%	0.7%	12.7%
Steroids?	All	73.2%	12.9%	3.6%	1.2%	9.1%
	Grade 7	72.3%	13.3%	4.0%	0.9%	9.5%
	Grade 8	70.6%	14.2%	4.0%	1.2%	10.1%
	Grade 9	73.6%	11.4%	4.7%	0.4%	9.9%
	Grade 10	75.5%	10.4%	2.4%	2.2%	9.5%
	Grade 11	74.3%	15.2%	2.1%	1.2%	7.2%
	Grade 12	73.9%	12.6%	4.3%	1.3%	8.0%

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	84.0%	5.2%	0.9%	0.8%	9.2%
	Grade 7	79.8%	8.1%	1.4%	0.4%	10.2%
	Grade 8	81.0%	7.1%	1.2%	0.6%	10.1%
	Grade 9	80.4%	6.8%	0.9%	0.5%	11.4%
	Grade 10	86.9%	3.2%	0.5%	1.1%	8.3%
	Grade 11	89.4%	2.2%	0.7%	1.4%	6.3%
	Grade 12	90.3%	1.4%	0.0%	0.7%	7.5%
Methamphetamine?						
	All	83.9%	5.1%	0.9%	0.7%	9.5%
	Grade 7	80.3%	7.4%	1.0%	0.5%	10.8%
	Grade 8	80.5%	6.8%	1.1%	0.5%	11.1%
	Grade 9	82.0%	5.7%	1.3%	0.0%	11.0%
	Grade 10	86.2%	5.2%	0.5%	1.7%	6.5%
	Grade 11	87.4%	2.3%	1.2%	0.9%	8.2%
	Grade 12	90.1%	1.4%	0.0%	0.7%	7.8%
Synthetic Marijuana?						
	All	74.0%	7.9%	3.8%	1.8%	12.5%
	Grade 7	76.5%	7.8%	2.0%	1.0%	12.6%
	Grade 8	72.5%	8.7%	3.9%	1.1%	13.8%
	Grade 9	73.8%	7.8%	3.6%	1.8%	13.0%
	Grade 10	72.2%	7.4%	5.3%	3.6%	11.5%
	Grade 11	71.1%	9.8%	5.1%	2.6%	11.4%
	Grade 12	78.7%	4.8%	3.4%	0.7%	12.3%
Delta 8?						
	All	67.1%	10.0%	5.5%	4.4%	13.0%
	Grade 7	72.1%	10.6%	3.6%	1.8%	11.9%
	Grade 8	68.2%	10.5%	4.8%	2.2%	14.2%
	Grade 9	68.1%	8.4%	5.7%	3.1%	14.7%
	Grade 10	63.2%	10.0%	6.9%	8.7%	11.2%
	Grade 11	63.5%	11.2%	5.9%	7.5%	11.9%
	Grade 12	65.4%	9.4%	7.4%	4.5%	13.3%
Fictional Drug?						
	All	77.2%	5.0%	0.8%	0.6%	16.4%
	Grade 7	76.3%	7.5%	0.7%	0.4%	15.0%
	Grade 8	74.6%	6.0%	1.0%	0.6%	17.9%
	Grade 9	73.2%	6.6%	1.3%	0.0%	18.8%
	Grade 10	79.2%	3.5%	0.5%	1.1%	15.6%
	Grade 11	79.5%	3.2%	0.7%	0.9%	15.6%
	Grade 12	83.6%	1.6%	0.0%	0.7%	14.1%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	6.4%	8.6%	15.7%	84.3%
Grade 7	5.1%	6.6%	13.1%	86.9%
Grade 8	6.3%	9.2%	15.7%	84.3%
Grade 9	6.2%	7.5%	12.8%	87.2%
Grade 10	7.3%	9.0%	16.5%	83.5%
Grade 11	9.0%	10.9%	22.0%	78.0%
Grade 12	4.5%	9.0%	14.8%	85.2%
<b>Codeine Cough Syrup?</b>				
All	2.7%	3.9%	8.8%	91.2%
Grade 7	2.5%	3.8%	7.5%	92.5%
Grade 8	3.0%	4.9%	10.1%	89.9%
Grade 9	2.4%	3.3%	7.5%	92.5%
Grade 10	3.0%	4.1%	12.3%	87.7%
Grade 11	3.8%	5.0%	11.5%	88.5%
Grade 12	1.0%	1.5%	2.8%	97.2%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.8%	1.1%	1.9%	98.1%
Grade 9	0.7%	1.1%	1.8%	98.2%
Grade 10	0.9%	0.9%	4.9%	95.1%
Grade 11	1.8%	2.0%	4.5%	95.5%
Grade 12	0.3%	0.8%	1.4%	98.6%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.3%	1.7%	4.1%	95.9%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	0.8%	1.5%	2.4%	97.6%
Grade 9	0.9%	1.3%	2.9%	97.1%
Grade 10	1.4%	1.9%	4.9%	95.1%
Grade 11	2.8%	3.0%	9.1%	90.9%
Grade 12	1.7%	2.3%	4.7%	95.3%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	2.0%	2.6%	5.0%	95.0%
Grade 7	0.9%	1.4%	2.9%	97.1%
Grade 8	1.6%	2.1%	4.0%	96.0%
Grade 9	3.1%	3.1%	4.7%	95.3%
Grade 10	2.5%	2.8%	5.8%	94.2%
Grade 11	3.2%	3.7%	8.6%	91.4%
Grade 12	0.7%	3.2%	5.1%	94.9%

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.9%	3.7%	7.3%	92.7%
Grade 7	2.6%	3.5%	8.1%	91.9%
Grade 8	2.8%	4.1%	8.5%	91.5%
Grade 9	2.5%	2.5%	5.7%	94.3%
Grade 10	2.3%	3.0%	6.4%	93.6%
Grade 11	4.7%	4.9%	6.7%	93.3%
Grade 12	2.8%	4.4%	8.5%	91.5%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	1.6%	1.7%	3.4%	96.6%
Grade 8	1.3%	2.0%	3.1%	96.9%
Grade 9	1.4%	2.0%	3.8%	96.2%
Grade 10	0.9%	1.2%	3.0%	97.0%
Grade 11	0.2%	0.7%	1.3%	98.7%
Grade 12	0.3%	0.3%	0.5%	99.5%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.4%	13.9%	3.8%	1.3%	9.6%
Grade 7	70.3%	14.9%	4.0%	1.6%	9.1%
Grade 8	69.6%	14.7%	4.6%	1.4%	9.8%
Grade 9	75.3%	10.2%	3.5%	0.9%	10.1%
Grade 10	68.4%	16.6%	2.8%	2.0%	10.2%
Grade 11	73.2%	13.8%	4.0%	1.1%	7.9%
Grade 12	70.8%	14.0%	3.6%	0.7%	10.9%

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.5%	7.2%	13.1%	86.9%
Grade 7	7.6%	9.7%	16.2%	83.8%
Grade 8	6.0%	8.0%	14.6%	85.4%
Grade 9	6.1%	7.7%	13.3%	86.7%
Grade 10	6.1%	9.1%	16.7%	83.3%
Grade 11	3.7%	4.6%	8.7%	91.3%
Grade 12	1.4%	2.0%	6.8%	93.2%
Spray Paint?				
All	0.3%	0.5%	2.3%	97.7%
Grade 7	0.5%	0.6%	2.0%	98.0%
Grade 8	0.4%	0.7%	1.8%	98.2%
Grade 9	0.4%	0.8%	3.0%	97.0%
Grade 10	0.0%	0.5%	4.2%	95.8%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.3%	0.3%	0.6%	99.4%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.6%	4.8%	95.2%
Grade 7	1.3%	1.9%	6.1%	93.9%
Grade 8	1.2%	1.9%	6.0%	94.0%
Grade 9	2.1%	3.1%	5.5%	94.5%
Grade 10	1.2%	1.7%	4.6%	95.4%
Grade 11	0.2%	0.2%	2.5%	97.5%
Grade 12	0.3%	0.3%	2.6%	97.4%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.8%	1.5%	98.5%
Grade 8	0.3%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.3%	0.3%	0.3%	99.7%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.4%	2.3%	6.0%	94.0%
Grade 7	2.3%	3.2%	7.7%	92.3%
Grade 8	1.4%	2.3%	6.9%	93.1%
Grade 9	1.3%	3.3%	6.4%	93.6%
Grade 10	0.9%	1.4%	7.5%	92.5%
Grade 11	1.8%	2.0%	4.8%	95.2%
Grade 12	0.3%	0.9%	1.4%	98.6%



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.3%	1.3%	98.7%
Grade 7	0.5%	0.7%	1.9%	98.1%
Grade 8	0.3%	0.4%	1.8%	98.2%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.0%	99.0%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.3%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.0%	0.6%	1.4%	98.6%
Grade 10	0.0%	0.5%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.3%	0.3%	0.3%	99.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	1.1%	1.6%	3.1%	96.9%
Grade 7	1.7%	2.2%	3.9%	96.1%
Grade 8	1.1%	1.6%	3.3%	96.7%
Grade 9	1.3%	2.1%	4.3%	95.7%
Grade 10	1.5%	2.5%	4.2%	95.8%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	0.3%	0.3%	0.8%	99.2%
Other Aerosols/Sprays?				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	1.1%	1.2%	2.6%	97.4%
Grade 8	0.7%	0.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	1.7%	1.7%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.3%	0.3%	0.3%	99.7%

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.8%	0.0%	0.3%	0.8%	0.6%	0.5%	1.0%
Grade 7	95.8%	0.1%	0.4%	0.7%	0.8%	0.7%	1.4%
Grade 8	95.9%	0.0%	0.4%	0.7%	0.6%	0.9%	1.5%
Grade 9	97.7%	0.0%	0.0%	0.7%	0.7%	0.0%	0.9%
Grade 10	94.4%	0.0%	0.9%	1.3%	1.2%	1.3%	0.8%
Grade 11	98.8%	0.0%	0.0%	0.5%	0.0%	0.0%	0.7%
Grade 12	98.8%	0.0%	0.0%	0.6%	0.0%	0.0%	0.6%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.4%	6.0%	3.2%	1.4%
Grade 7	86.7%	6.9%	4.7%	1.8%
Grade 8	87.6%	6.5%	4.7%	1.1%
Grade 9	88.3%	5.9%	4.7%	1.2%
Grade 10	88.2%	7.5%	1.5%	2.9%
Grade 11	93.0%	4.7%	1.1%	1.2%
Grade 12	95.6%	3.6%	0.5%	0.3%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	10.5	10.7	11.0	11.3	12.8	8.9

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.5%	1.1%	0.3%	0.2%
Grade 7	97.5%	2.1%	0.3%	0.0%
Grade 8	98.7%	0.7%	0.2%	0.4%
Grade 9	99.3%	0.5%	0.0%	0.2%
Grade 10	96.4%	2.9%	0.5%	0.3%
Grade 11	99.3%	0.2%	0.5%	0.0%
Grade 12	100.0%	0.0%	0.0%	0.0%

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.8
Inhalant Non-Users	5.1
Average Days Conduct Problems Reported	
Inhalant Users	5.2
Inhalant Non-Users	1.5

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	92.3%	4.8%	2.0%	0.6%	0.3%
Grade 7	90.8%	6.4%	1.9%	0.6%	0.2%
Grade 8	90.7%	6.3%	2.0%	0.7%	0.3%
Grade 9	93.0%	3.9%	2.0%	1.1%	0.0%
Grade 10	91.1%	4.5%	2.8%	0.5%	1.2%
Grade 11	94.6%	3.0%	1.8%	0.5%	0.0%
Grade 12	94.6%	3.8%	1.7%	0.0%	0.0%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.2%	15.3%	4.3%	1.2%	10.0%
Grade 7	67.4%	16.9%	5.5%	1.7%	8.5%
Grade 8	67.1%	16.2%	6.6%	1.5%	8.6%
Grade 9	69.9%	14.5%	3.9%	0.7%	11.1%
Grade 10	67.7%	15.7%	3.0%	1.3%	12.2%
Grade 11	72.7%	13.4%	3.2%	0.9%	9.8%
Grade 12	71.4%	14.7%	2.6%	1.0%	10.4%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	45.8%	15.8%	4.2%	5.5%	8.9%	19.9%
Grade 7	49.6%	19.7%	4.1%	6.1%	8.0%	12.4%
Grade 8	40.1%	19.5%	5.4%	6.2%	10.7%	18.1%
Grade 9	46.4%	10.8%	4.5%	5.4%	7.5%	25.5%
Grade 10	39.6%	17.0%	3.5%	6.2%	9.9%	23.7%
Grade 11	50.4%	15.5%	4.2%	3.6%	9.7%	16.6%
Grade 12	49.3%	10.0%	2.8%	4.9%	7.3%	25.7%

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	37.2%
	Grade 7	36.9%
	Grade 8	51.4%
	Grade 9	31.8%
	Grade 10	35.9%
	Grade 11	34.3%
	Grade 12	28.7%
An Assembly Program		
	All	40.4%
	Grade 7	35.2%
	Grade 8	39.1%
	Grade 9	40.9%
	Grade 10	49.5%
	Grade 11	35.4%
	Grade 12	44.8%
Guidance Counselor		
	All	31.3%
	Grade 7	34.0%
	Grade 8	30.6%
	Grade 9	25.1%
	Grade 10	50.3%
	Grade 11	23.0%
	Grade 12	24.5%
School Nurse		
	All	17.9%
	Grade 7	18.4%
	Grade 8	15.5%
	Grade 9	19.8%
	Grade 10	17.9%
	Grade 11	19.2%
	Grade 12	16.7%
Science or Social Studies Class		
	All	28.4%
	Grade 7	33.6%
	Grade 8	28.5%
	Grade 9	24.6%
	Grade 10	34.7%
	Grade 11	24.9%
	Grade 12	23.2%

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
 (Continued)

	Yes
<b>Student Group or Club Meeting at School</b>	
All	13.8%
Grade 7	12.1%
Grade 8	12.1%
Grade 9	15.5%
Grade 10	15.3%
Grade 11	16.2%
Grade 12	10.9%
<b>An Invited School Guest</b>	
All	29.7%
Grade 7	18.7%
Grade 8	19.7%
Grade 9	37.5%
Grade 10	41.7%
Grade 11	32.3%
Grade 12	31.8%
<b>Another Source at School</b>	
All	27.6%
Grade 7	27.7%
Grade 8	27.6%
Grade 9	24.6%
Grade 10	31.6%
Grade 11	29.6%
Grade 12	24.4%
<b>Any School Source</b>	
All	64.2%
Grade 7	64.0%
Grade 8	69.2%
Grade 9	58.1%
Grade 10	73.9%
Grade 11	58.8%
Grade 12	60.4%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	30.4%
	Grade 7	39.5%
	Grade 8	30.0%
	Grade 9	31.1%
	Grade 10	24.1%
	Grade 11	25.9%
	Grade 12	29.4%
<b>School Nurse</b>		
	All	19.0%
	Grade 7	26.9%
	Grade 8	18.8%
	Grade 9	20.3%
	Grade 10	14.8%
	Grade 11	13.4%
	Grade 12	17.4%
<b>Another Adult In School</b>		
	All	37.4%
	Grade 7	40.2%
	Grade 8	38.3%
	Grade 9	40.9%
	Grade 10	36.4%
	Grade 11	33.3%
	Grade 12	32.8%
<b>Counselor/Program Outside-School</b>		
	All	39.3%
	Grade 7	43.6%
	Grade 8	37.5%
	Grade 9	41.9%
	Grade 10	40.8%
	Grade 11	32.9%
	Grade 12	37.8%
<b>Your Parents</b>		
	All	64.9%
	Grade 7	70.0%
	Grade 8	67.6%
	Grade 9	61.9%
	Grade 10	62.6%
	Grade 11	63.2%
	Grade 12	62.9%

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	55.1%
	Grade 7	64.2%
	Grade 8	56.2%
	Grade 9	53.4%
	Grade 10	48.5%
	Grade 11	50.0%
	Grade 12	56.8%
<b>Your Friends</b>		
	All	63.7%
	Grade 7	56.8%
	Grade 8	63.9%
	Grade 9	65.0%
	Grade 10	66.8%
	Grade 11	65.7%
	Grade 12	65.9%
<b>Another Adult</b>		
	All	55.1%
	Grade 7	59.7%
	Grade 8	57.4%
	Grade 9	54.5%
	Grade 10	53.6%
	Grade 11	50.1%
	Grade 12	53.9%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.1%
	Grade 7	7.1%
	Grade 8	7.7%
	Grade 9	7.1%
	Grade 10	4.2%
	Grade 11	7.4%
	Grade 12	0.9%

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	7.9%	25.3%	25.7%	29.7%	11.5%
Grade 7	8.0%	21.4%	24.1%	32.1%	14.3%
Grade 8	8.3%	24.4%	24.5%	32.5%	10.3%
Grade 9	10.4%	27.0%	28.0%	26.4%	8.3%
Grade 10	6.0%	20.3%	32.1%	31.1%	10.5%
Grade 11	7.0%	30.1%	22.4%	26.6%	13.8%
Grade 12	6.1%	30.2%	23.0%	28.9%	11.8%
<b>Sometimes Carry Weapons?</b>					
All	81.0%	11.8%	4.0%	2.0%	1.3%
Grade 7	86.0%	9.6%	2.7%	1.0%	0.7%
Grade 8	83.8%	11.0%	2.8%	1.2%	1.2%
Grade 9	80.8%	13.1%	2.6%	2.2%	1.3%
Grade 10	76.2%	14.7%	6.2%	2.4%	0.5%
Grade 11	76.1%	12.1%	6.2%	2.9%	2.7%
Grade 12	81.0%	10.3%	4.2%	3.0%	1.5%
<b>Care About Making Good Grades?</b>					
All	2.6%	14.7%	26.5%	39.3%	16.9%
Grade 7	3.7%	16.1%	26.7%	36.7%	16.9%
Grade 8	3.4%	15.2%	26.5%	40.7%	14.3%
Grade 9	2.8%	14.0%	28.7%	36.1%	18.4%
Grade 10	1.7%	12.4%	23.8%	45.4%	16.6%
Grade 11	1.6%	13.7%	28.4%	39.1%	17.2%
Grade 12	1.5%	17.1%	23.4%	39.3%	18.6%
<b>Belong/Want to Belong to a Gang?</b>					
All	87.9%	8.4%	1.9%	0.8%	1.0%
Grade 7	87.6%	8.9%	2.0%	0.8%	0.7%
Grade 8	85.0%	10.3%	2.8%	1.1%	0.8%
Grade 9	84.3%	10.9%	1.6%	1.5%	1.7%
Grade 10	89.6%	7.3%	2.3%	0.7%	0.0%
Grade 11	89.8%	6.8%	1.1%	0.2%	2.0%
Grade 12	94.3%	3.6%	1.6%	0.3%	0.3%
<b>Wish They Could Drop Out of School?</b>					
All	40.3%	30.4%	17.3%	8.1%	3.8%
Grade 7	46.8%	29.6%	12.5%	7.4%	3.6%
Grade 8	40.6%	30.8%	17.3%	8.3%	3.0%
Grade 9	36.2%	32.1%	20.7%	5.9%	5.2%
Grade 10	36.4%	33.2%	18.6%	8.7%	3.1%
Grade 11	40.2%	30.5%	16.0%	8.0%	5.3%
Grade 12	40.7%	25.1%	19.8%	12.3%	2.2%



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	83.1%	14.2%	1.1%	0.4%	1.1%
Grade 7	80.7%	16.7%	1.2%	0.3%	1.0%
Grade 8	83.0%	14.3%	1.3%	0.4%	0.9%
Grade 9	81.6%	14.8%	1.3%	0.4%	1.9%
Grade 10	85.9%	12.1%	0.5%	0.5%	1.0%
Grade 11	84.7%	12.1%	1.5%	0.9%	0.8%
Grade 12	83.6%	14.6%	0.6%	0.0%	1.2%
<b>Out In Your Neighborhood?</b>					
All	41.7%	48.9%	5.4%	0.8%	3.2%
Grade 7	37.2%	49.2%	8.3%	0.9%	4.4%
Grade 8	39.4%	50.5%	6.1%	1.2%	2.8%
Grade 9	37.1%	52.4%	5.2%	1.0%	4.2%
Grade 10	47.2%	45.6%	5.4%	0.3%	1.6%
Grade 11	44.7%	48.0%	3.6%	0.2%	3.6%
Grade 12	49.0%	45.7%	2.5%	0.8%	1.9%
<b>At School?</b>					
All	29.4%	52.3%	9.8%	4.3%	4.1%
Grade 7	30.3%	50.7%	10.4%	3.9%	4.8%
Grade 8	26.7%	52.9%	11.4%	4.9%	4.2%
Grade 9	29.5%	50.3%	10.0%	5.3%	4.9%
Grade 10	29.8%	50.9%	10.0%	4.9%	4.5%
Grade 11	31.3%	54.2%	7.2%	3.1%	4.2%
Grade 12	29.5%	56.5%	9.4%	3.8%	0.8%

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.6%	15.6%	25.7%	74.3%
Grade 7	6.8%	8.8%	16.3%	83.7%
Grade 8	10.2%	12.4%	21.7%	78.3%
Grade 9	10.5%	12.5%	21.1%	78.9%
Grade 10	15.3%	20.6%	31.8%	68.2%
Grade 11	20.0%	23.4%	38.6%	61.4%
Grade 12	15.9%	20.4%	30.5%	69.5%
<b>Any Alcohol Product</b>				
All	24.7%	29.2%	46.6%	53.4%
Grade 7	16.9%	20.1%	37.6%	62.4%
Grade 8	23.0%	27.0%	45.7%	54.3%
Grade 9	19.6%	21.9%	41.0%	59.0%
Grade 10	29.4%	33.4%	50.0%	50.0%
Grade 11	33.5%	41.6%	57.7%	42.3%
Grade 12	31.0%	37.8%	52.5%	47.5%
<b>Any Illicit Drug</b>				
All	14.8%	18.0%	22.8%	77.2%
Grade 7	7.1%	10.3%	12.2%	87.8%
Grade 8	9.9%	13.6%	16.5%	83.5%
Grade 9	11.2%	13.3%	18.4%	81.6%
Grade 10	20.6%	23.9%	28.1%	71.9%
Grade 11	24.4%	27.5%	36.1%	63.9%
Grade 12	21.0%	25.7%	32.9%	67.1%
<b>Any Prescription Drug</b>				
All	6.4%	8.6%	15.7%	84.3%
Grade 7	5.1%	6.6%	13.1%	86.9%
Grade 8	6.3%	9.2%	15.7%	84.3%
Grade 9	6.2%	7.5%	12.8%	87.2%
Grade 10	7.3%	9.0%	16.5%	83.5%
Grade 11	9.0%	10.9%	22.0%	78.0%
Grade 12	4.5%	9.0%	14.8%	85.2%
<b>Any Inhalant</b>				
All	5.5%	7.2%	13.1%	86.9%
Grade 7	7.6%	9.7%	16.2%	83.8%
Grade 8	6.0%	8.0%	14.6%	85.4%
Grade 9	6.1%	7.7%	13.3%	86.7%
Grade 10	6.1%	9.1%	16.7%	83.3%
Grade 11	3.7%	4.6%	8.7%	91.3%
Grade 12	1.4%	2.0%	6.8%	93.2%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.4%	12.2%	23.4%	76.6%
Grade 7	5.1%	7.0%	13.7%	86.3%
Grade 8	7.6%	10.1%	19.4%	80.6%
Grade 9	8.8%	10.7%	18.9%	81.1%
Grade 10	11.7%	17.1%	29.0%	71.0%
Grade 11	13.3%	15.6%	36.5%	63.5%
Grade 12	11.8%	16.3%	28.2%	71.8%
<b>Marijuana</b>				
All	13.7%	15.5%	20.5%	79.5%
Grade 7	5.9%	7.1%	8.7%	91.3%
Grade 8	9.1%	11.0%	13.9%	86.1%
Grade 9	9.3%	11.2%	16.9%	83.1%
Grade 10	19.6%	21.6%	25.8%	74.2%
Grade 11	23.7%	25.2%	34.9%	65.1%
Grade 12	19.9%	23.2%	30.4%	69.6%
<b>Marijuana Only</b>				
All	5.3%	6.6%	10.1%	89.9%
Grade 7	2.5%	3.5%	4.5%	95.5%
Grade 8	4.1%	5.4%	7.5%	92.5%
Grade 9	2.2%	3.8%	8.1%	91.9%
Grade 10	5.7%	6.5%	9.6%	90.4%
Grade 11	11.5%	12.9%	17.9%	82.1%
Grade 12	8.3%	9.8%	16.9%	83.1%
<b>Cocaine or Crack</b>				
All	1.1%	1.2%	1.9%	98.1%
Grade 7	1.1%	1.3%	1.8%	98.2%
Grade 8	0.7%	0.9%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	1.8%	1.8%	4.5%	95.5%
Grade 11	2.0%	2.0%	2.2%	97.8%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Cocaine</b>				
All	1.0%	1.0%	1.6%	98.4%
Grade 7	0.7%	0.9%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	1.8%	1.8%	4.1%	95.9%
Grade 11	2.0%	2.0%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.9%	0.9%	2.3%	97.7%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.7%	1.2%	4.2%	95.8%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.8%	1.1%	2.1%	97.9%
Grade 9	0.7%	1.3%	3.5%	96.5%
Grade 10	0.0%	1.6%	6.1%	93.9%
Grade 11	2.3%	2.8%	7.4%	92.6%
Grade 12	0.0%	0.3%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Steroids</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.2%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	0.3%	0.3%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	1.8%	98.2%
Grade 11	1.0%	1.0%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.6%	2.0%	3.5%	96.5%
Grade 7	0.5%	0.7%	2.0%	98.0%
Grade 8	1.3%	1.8%	3.1%	96.9%
Grade 9	2.2%	2.6%	4.7%	95.3%
Grade 10	2.4%	2.9%	4.5%	95.5%
Grade 11	2.0%	2.2%	4.3%	95.7%
Grade 12	1.3%	2.1%	2.7%	97.3%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.4%	1.4%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	4.1%	5.4%	7.9%	92.1%
Grade 7	1.0%	1.4%	3.2%	96.8%
Grade 8	2.1%	3.0%	4.7%	95.3%
Grade 9	4.0%	4.9%	5.8%	94.2%
Grade 10	7.7%	8.7%	12.9%	87.1%
Grade 11	6.3%	7.6%	12.5%	87.5%
Grade 12	5.3%	9.3%	12.2%	87.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.1%	14.5%	23.5%	76.5%
Grade 7	5.3%	6.6%	13.4%	86.6%
Grade 8	8.1%	10.2%	18.7%	81.3%
Grade 9	9.4%	12.5%	18.2%	81.8%
Grade 10	16.7%	20.2%	30.6%	69.4%
Grade 11	20.0%	22.3%	37.1%	62.9%
Grade 12	17.7%	19.6%	28.2%	71.8%
<b>Any Alcohol Product</b>				
All	22.9%	26.4%	43.5%	56.5%
Grade 7	13.9%	16.3%	34.2%	65.8%
Grade 8	20.4%	23.6%	41.3%	58.7%
Grade 9	15.9%	18.4%	35.3%	64.7%
Grade 10	26.2%	29.0%	47.1%	52.9%
Grade 11	35.2%	42.0%	56.6%	43.4%
Grade 12	31.6%	35.3%	52.6%	47.4%
<b>Any Illicit Drug</b>				
All	14.9%	17.5%	21.7%	78.3%
Grade 7	5.7%	8.2%	10.0%	90.0%
Grade 8	8.6%	12.2%	15.3%	84.7%
Grade 9	9.0%	10.6%	17.6%	82.4%
Grade 10	20.3%	22.3%	25.7%	74.3%
Grade 11	28.8%	31.5%	37.4%	62.6%
Grade 12	23.2%	27.0%	30.6%	69.4%
<b>Any Prescription Drug</b>				
All	6.9%	9.0%	16.4%	83.6%
Grade 7	4.1%	5.2%	10.6%	89.4%
Grade 8	7.0%	9.4%	16.0%	84.0%
Grade 9	6.3%	7.2%	13.0%	87.0%
Grade 10	5.7%	7.2%	18.3%	81.7%
Grade 11	11.1%	14.0%	24.6%	75.4%
Grade 12	7.8%	12.3%	17.5%	82.5%
<b>Any Inhalant</b>				
All	5.7%	6.9%	12.0%	88.0%
Grade 7	7.8%	9.8%	14.4%	85.6%
Grade 8	5.6%	7.9%	14.3%	85.7%
Grade 9	6.8%	7.7%	11.7%	88.3%
Grade 10	8.4%	9.9%	15.9%	84.1%
Grade 11	2.8%	2.8%	7.0%	93.0%
Grade 12	1.2%	1.2%	6.2%	93.8%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.0%	10.5%	20.6%	79.4%
Grade 7	3.9%	5.1%	10.6%	89.4%
Grade 8	5.1%	7.3%	16.3%	83.7%
Grade 9	6.3%	9.2%	15.1%	84.9%
Grade 10	10.7%	14.1%	27.7%	72.3%
Grade 11	12.9%	15.2%	35.1%	64.9%
Grade 12	11.9%	15.2%	23.4%	76.6%
<b>Marijuana</b>				
All	13.7%	15.5%	19.7%	80.3%
Grade 7	4.7%	5.9%	6.8%	93.2%
Grade 8	7.8%	10.2%	13.1%	86.9%
Grade 9	6.8%	8.8%	15.3%	84.7%
Grade 10	19.3%	20.7%	24.2%	75.8%
Grade 11	27.9%	29.6%	36.6%	63.4%
Grade 12	21.4%	23.8%	28.8%	71.2%
<b>Marijuana Only</b>				
All	5.0%	6.3%	9.6%	90.4%
Grade 7	2.5%	3.5%	4.2%	95.8%
Grade 8	3.6%	5.2%	7.6%	92.4%
Grade 9	0.9%	2.3%	7.7%	92.3%
Grade 10	4.1%	4.7%	7.3%	92.7%
Grade 11	12.3%	14.0%	18.6%	81.4%
Grade 12	8.8%	10.0%	14.9%	85.1%
<b>Cocaine or Crack</b>				
All	1.3%	1.4%	2.1%	97.9%
Grade 7	0.8%	0.9%	1.2%	98.8%
Grade 8	0.7%	1.1%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	2.6%	2.6%	5.9%	94.1%
Grade 11	2.8%	2.8%	2.8%	97.2%
Grade 12	1.2%	1.2%	1.2%	98.8%
<b>Cocaine</b>				
All	1.1%	1.1%	1.6%	98.4%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.6%	2.6%	5.0%	95.0%
Grade 11	2.8%	2.8%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.7%	1.2%	98.8%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.5%	1.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.9%	0.9%	2.6%	97.4%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	1.2%	1.2%	1.2%	98.8%
<b>Hallucinogens</b>				
All	0.7%	1.4%	4.4%	95.6%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.7%	1.0%	2.1%	97.9%
Grade 9	0.0%	0.5%	2.3%	97.7%
Grade 10	0.0%	2.3%	7.3%	92.7%
Grade 11	2.7%	3.6%	7.9%	92.1%
Grade 12	0.0%	0.5%	8.8%	91.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.5%	98.5%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.9%	0.9%	2.7%	97.3%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.7%	98.3%
Grade 11	1.0%	1.0%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.5%	99.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.1%	1.4%	2.8%	97.2%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.8%	1.2%	2.2%	97.8%
Grade 9	0.9%	1.8%	2.7%	97.3%
Grade 10	1.9%	1.9%	4.5%	95.5%
Grade 11	1.8%	2.2%	4.3%	95.7%
Grade 12	1.2%	1.2%	2.4%	97.6%
<b>Methamphetamine</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.9%	1.9%	3.3%	96.7%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	4.4%	5.8%	8.0%	92.0%
Grade 7	0.5%	0.9%	2.1%	97.9%
Grade 8	1.9%	2.4%	3.8%	96.2%
Grade 9	4.1%	5.0%	6.8%	93.2%
Grade 10	7.1%	9.0%	13.5%	86.5%
Grade 11	9.4%	9.8%	13.8%	86.2%
Grade 12	5.3%	10.9%	10.9%	89.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.0%	16.7%	28.1%	71.9%
Grade 7	8.2%	10.5%	18.8%	81.2%
Grade 8	12.6%	15.0%	25.1%	74.9%
Grade 9	11.8%	12.7%	24.2%	75.8%
Grade 10	13.4%	21.1%	33.3%	66.7%
Grade 11	19.7%	24.0%	40.4%	59.6%
Grade 12	14.4%	21.4%	33.1%	66.9%
<b>Any Alcohol Product</b>				
All	26.8%	32.2%	49.8%	50.2%
Grade 7	20.0%	23.7%	40.8%	59.2%
Grade 8	25.9%	30.9%	50.7%	49.3%
Grade 9	23.5%	25.7%	47.1%	52.9%
Grade 10	33.6%	38.4%	54.0%	46.0%
Grade 11	32.0%	41.3%	58.8%	41.2%
Grade 12	29.8%	39.7%	51.7%	48.3%
<b>Any Illicit Drug</b>				
All	14.6%	18.5%	24.0%	76.0%
Grade 7	8.5%	12.4%	14.5%	85.5%
Grade 8	11.5%	15.3%	18.0%	82.0%
Grade 9	13.4%	16.1%	19.4%	80.6%
Grade 10	21.3%	25.7%	30.8%	69.2%
Grade 11	19.1%	22.9%	34.8%	65.2%
Grade 12	18.2%	23.7%	34.5%	65.5%
<b>Any Prescription Drug</b>				
All	5.9%	8.3%	15.1%	84.9%
Grade 7	6.2%	8.2%	15.6%	84.4%
Grade 8	5.7%	9.3%	15.8%	84.2%
Grade 9	6.2%	8.0%	12.8%	87.2%
Grade 10	9.4%	11.1%	14.8%	85.2%
Grade 11	5.8%	6.7%	18.8%	81.2%
Grade 12	1.4%	6.1%	12.4%	87.6%
<b>Any Inhalant</b>				
All	5.2%	7.3%	14.0%	86.0%
Grade 7	7.4%	9.6%	17.6%	82.4%
Grade 8	6.6%	8.3%	15.3%	84.7%
Grade 9	5.5%	7.7%	15.0%	85.0%
Grade 10	3.1%	7.7%	16.8%	83.2%
Grade 11	4.9%	6.8%	10.5%	89.5%
Grade 12	1.7%	1.7%	5.8%	94.2%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.7%	14.0%	26.3%	73.7%
Grade 7	6.2%	8.9%	16.8%	83.2%
Grade 8	10.5%	13.2%	23.0%	77.0%
Grade 9	11.4%	12.3%	22.9%	77.1%
Grade 10	12.5%	20.2%	30.6%	69.4%
Grade 11	13.2%	15.2%	38.0%	62.0%
Grade 12	11.9%	17.5%	33.1%	66.9%
<b>Marijuana</b>				
All	13.6%	15.5%	21.3%	78.7%
Grade 7	7.1%	8.3%	10.5%	89.5%
Grade 8	10.7%	12.2%	15.0%	85.0%
Grade 9	11.8%	13.6%	18.5%	81.5%
Grade 10	20.3%	22.4%	27.5%	72.5%
Grade 11	18.8%	20.0%	33.2%	66.8%
Grade 12	17.6%	21.8%	31.2%	68.8%
<b>Marijuana Only</b>				
All	5.8%	7.0%	10.8%	89.2%
Grade 7	2.5%	3.3%	4.7%	95.3%
Grade 8	4.7%	5.7%	7.3%	92.7%
Grade 9	3.5%	5.2%	8.7%	91.3%
Grade 10	7.5%	8.6%	12.5%	87.5%
Grade 11	11.0%	12.2%	17.8%	82.2%
Grade 12	7.9%	9.8%	19.2%	80.8%
<b>Cocaine or Crack</b>				
All	1.0%	1.0%	1.8%	98.2%
Grade 7	1.5%	1.7%	2.4%	97.6%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	1.3%	1.3%	2.2%	97.8%
Grade 10	1.0%	1.0%	3.1%	96.9%
Grade 11	1.1%	1.1%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	1.0%	1.2%	1.7%	98.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.3%	1.3%	2.2%	97.8%
Grade 10	1.0%	1.0%	3.1%	96.9%
Grade 11	1.1%	1.1%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.8%	0.8%	1.5%	98.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.5%	1.0%	3.9%	96.1%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.8%	1.3%	2.0%	98.0%
Grade 9	1.3%	2.2%	4.7%	95.3%
Grade 10	0.0%	1.0%	4.9%	95.1%
Grade 11	0.8%	0.8%	5.9%	94.1%
Grade 12	0.0%	0.0%	6.9%	93.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Steroids</b>				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.9%	99.1%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	0.5%	0.5%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	1.1%	1.1%	4.0%	96.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	2.0%	2.5%	4.1%	95.9%
Grade 7	0.8%	1.0%	2.9%	97.1%
Grade 8	1.9%	2.4%	4.3%	95.7%
Grade 9	3.5%	3.5%	6.7%	93.3%
Grade 10	3.1%	4.0%	4.0%	96.0%
Grade 11	1.1%	1.1%	3.3%	96.7%
Grade 12	1.4%	3.0%	3.0%	97.0%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.8%	0.8%	0.8%	99.2%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	3.5%	4.8%	7.7%	92.3%
Grade 7	1.5%	2.0%	4.3%	95.7%
Grade 8	2.4%	3.8%	5.8%	94.2%
Grade 9	3.9%	4.8%	4.8%	95.2%
Grade 10	8.7%	8.7%	11.8%	88.2%
Grade 11	1.8%	4.3%	10.2%	89.8%
Grade 12	4.2%	6.7%	12.5%	87.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.2%	14.9%	23.1%	76.9%
Grade 7	2.8%	3.7%	9.6%	90.4%
Grade 8	6.7%	8.5%	15.9%	84.1%
Grade 9	16.3%	18.3%	23.7%	76.3%
Grade 10	15.6%	19.6%	23.7%	76.3%
Grade 11	18.2%	24.3%	37.2%	62.8%
Grade 12	17.7%	19.1%	33.8%	66.2%
<b>Any Alcohol Product</b>				
All	28.0%	32.2%	46.7%	53.3%
Grade 7	14.7%	17.0%	34.6%	65.4%
Grade 8	21.3%	26.0%	44.9%	55.1%
Grade 9	21.8%	26.4%	42.8%	57.2%
Grade 10	37.2%	37.2%	49.7%	50.3%
Grade 11	34.1%	43.8%	51.3%	48.7%
Grade 12	44.2%	48.6%	61.8%	38.2%
<b>Any Illicit Drug</b>				
All	12.9%	16.3%	19.5%	80.5%
Grade 7	4.7%	6.4%	7.3%	92.7%
Grade 8	6.1%	8.5%	10.1%	89.9%
Grade 9	10.9%	15.5%	15.5%	84.5%
Grade 10	17.6%	21.7%	25.8%	74.2%
Grade 11	23.5%	28.3%	35.8%	64.2%
Grade 12	17.7%	20.6%	26.5%	73.5%
<b>Any Prescription Drug</b>				
All	7.0%	9.3%	16.5%	83.5%
Grade 7	5.3%	7.0%	13.7%	86.3%
Grade 8	5.6%	9.5%	15.6%	84.4%
Grade 9	8.2%	8.2%	24.5%	75.5%
Grade 10	7.4%	9.4%	14.8%	85.2%
Grade 11	9.8%	15.0%	19.5%	80.5%
Grade 12	5.9%	5.9%	11.8%	88.2%
<b>Any Inhalant</b>				
All	3.3%	5.0%	9.1%	90.9%
Grade 7	3.3%	5.5%	10.7%	89.3%
Grade 8	5.8%	7.3%	13.9%	86.1%
Grade 9	2.7%	2.7%	5.4%	94.6%
Grade 10	3.3%	7.4%	13.5%	86.5%
Grade 11	3.1%	5.3%	7.5%	92.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.6%	11.1%	21.1%	78.9%
Grade 7	2.0%	3.2%	7.5%	92.5%
Grade 8	3.6%	5.9%	14.3%	85.7%
Grade 9	13.6%	13.6%	21.8%	78.2%
Grade 10	15.6%	17.6%	21.7%	78.3%
Grade 11	11.6%	13.3%	35.8%	64.2%
Grade 12	14.7%	16.2%	30.9%	69.1%
Marijuana				
All	12.1%	13.6%	17.0%	83.0%
Grade 7	3.0%	3.2%	4.1%	95.9%
Grade 8	5.3%	6.2%	8.4%	91.6%
Grade 9	10.9%	12.8%	15.5%	84.5%
Grade 10	15.6%	17.6%	21.7%	78.3%
Grade 11	23.5%	27.4%	34.9%	65.1%
Grade 12	17.7%	17.7%	20.6%	79.4%
Marijuana Only				
All	4.5%	5.9%	8.2%	91.8%
Grade 7	0.6%	0.8%	1.4%	98.6%
Grade 8	1.8%	2.5%	3.5%	96.5%
Grade 9	0.0%	1.9%	4.6%	95.4%
Grade 10	3.3%	5.3%	9.4%	90.6%
Grade 11	15.9%	19.8%	22.9%	77.1%
Grade 12	5.9%	5.9%	8.8%	91.2%
Cocaine or Crack				
All	0.3%	0.3%	1.5%	98.5%
Grade 7	1.4%	1.4%	1.6%	98.4%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	0.0%	0.0%	4.1%	95.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.2%	0.2%	1.3%	98.7%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	2.7%	97.3%
Grade 10	0.0%	0.0%	4.1%	95.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.8%	0.8%	1.3%	98.7%
	Grade 8	0.0%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.4%	0.4%	3.2%	96.8%
	Grade 7	0.3%	0.3%	0.6%	99.4%
	Grade 8	0.0%	0.0%	1.6%	98.4%
	Grade 9	0.0%	0.0%	5.4%	94.6%
	Grade 10	0.0%	0.0%	2.0%	98.0%
	Grade 11	2.3%	2.3%	3.1%	96.9%
	Grade 12	0.0%	0.0%	8.8%	91.2%
Synthetic Cathinones	All	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.1%	0.1%	1.5%	98.5%
	Grade 7	0.0%	0.1%	2.1%	97.9%
	Grade 8	0.3%	0.5%	1.7%	98.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	2.0%	98.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.9%	97.1%
Ecstasy	All	0.4%	0.5%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.4%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	2.2%	2.2%	2.2%	97.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.6%	1.6%	2.4%	97.6%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	2.2%	97.8%
Grade 9	2.7%	2.7%	2.7%	97.3%
Grade 10	4.1%	4.1%	4.1%	95.9%
Grade 11	2.2%	2.2%	4.5%	95.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	3.8%	5.7%	7.9%	92.1%
Grade 7	1.4%	1.4%	2.3%	97.7%
Grade 8	1.1%	2.3%	3.1%	96.9%
Grade 9	5.4%	8.2%	10.9%	89.1%
Grade 10	8.2%	10.2%	10.2%	89.8%
Grade 11	2.2%	5.3%	9.8%	90.2%
Grade 12	5.9%	8.8%	14.7%	85.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.0%	9.6%	22.0%	78.0%
Grade 7	8.8%	10.8%	17.5%	82.5%
Grade 8	1.7%	3.4%	14.5%	85.5%
Grade 9	9.4%	9.4%	17.5%	82.5%
Grades 10–11	6.2%	6.2%	31.8%	68.2%
Grade 12	11.1%	22.2%	33.3%	66.7%
<b>Any Alcohol Product</b>				
All	18.9%	22.4%	42.7%	57.3%
Grade 7	13.9%	18.5%	33.0%	67.0%
Grade 8	11.3%	14.2%	31.4%	68.6%
Grade 9	0.0%	0.0%	34.4%	65.6%
Grades 10–11	40.3%	40.3%	74.4%	25.6%
Grade 12	33.3%	44.4%	44.4%	55.6%
<b>Any Illicit Drug</b>				
All	10.4%	12.0%	15.6%	84.4%
Grade 7	8.9%	12.8%	16.2%	83.8%
Grade 8	5.9%	8.7%	13.2%	86.8%
Grade 9	9.0%	9.0%	9.0%	91.0%
Grades 10–11	6.2%	6.2%	14.8%	85.2%
Grade 12	26.7%	26.7%	26.7%	73.3%
<b>Any Prescription Drug</b>				
All	3.4%	4.4%	9.3%	90.7%
Grade 7	5.3%	6.6%	14.8%	85.2%
Grade 8	1.7%	4.2%	9.4%	90.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	11.1%	11.1%	22.2%	77.8%
<b>Any Inhalant</b>				
All	5.6%	6.5%	11.3%	88.7%
Grade 7	12.6%	16.5%	17.8%	82.2%
Grade 8	2.3%	2.3%	8.8%	91.2%
Grade 9	8.2%	8.2%	8.2%	91.8%
Grades 10–11	0.0%	0.0%	14.8%	85.2%
Grade 12	4.5%	4.5%	4.5%	95.5%
<b>Electronic Vapor Products</b>				
All	4.6%	5.1%	19.7%	80.3%
Grade 7	5.7%	7.0%	15.1%	84.9%
Grade 8	1.7%	2.3%	14.1%	85.9%
Grade 9	9.4%	9.4%	17.5%	82.5%
Grades 10–11	6.2%	6.2%	31.8%	68.2%
Grade 12	0.0%	0.0%	22.2%	77.8%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana</b>				
All	7.9%	9.2%	14.1%	85.9%
Grade 7	7.6%	10.3%	13.7%	86.3%
Grade 8	5.9%	8.7%	12.4%	87.6%
Grade 9	0.0%	0.0%	9.0%	91.0%
Grades 10–11	6.2%	6.2%	14.8%	85.2%
Grade 12	22.2%	22.2%	22.2%	77.8%
<b>Marijuana Only</b>				
All	1.4%	2.3%	5.4%	94.6%
Grade 7	2.0%	4.0%	7.3%	92.7%
Grade 8	4.2%	5.9%	8.9%	91.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	7.9%	92.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine or Crack</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	1.3%	1.3%	2.6%	97.4%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Crack</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	1.3%	1.3%	2.6%	97.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.2%	0.5%	5.7%	94.3%
Grade 7	0.7%	2.0%	2.7%	97.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	9.0%	91.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	22.2%	77.8%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Synthetic Cathinones</b>				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	4.5%	4.5%	4.5%	95.5%
<b>Steroids</b>				
All	0.0%	0.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	9.0%	91.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Heroin</b>				
All	1.5%	1.5%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	9.0%	9.0%	9.0%	91.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.0%	0.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	2.7%	97.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	9.0%	91.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	1.5%	1.5%	1.8%	98.2%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	9.0%	9.0%	9.0%	91.0%
Grades 10–11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
 African American Non-Hispanic Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Delta 8				
All	1.9%	2.1%	4.3%	95.7%
Grade 7	2.3%	2.3%	2.3%	97.7%
Grade 8	0.6%	1.1%	3.4%	96.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grades 10–11	6.2%	6.2%	6.2%	93.8%
Grade 12	0.0%	0.0%	11.1%	88.9%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.0%	16.3%	27.0%	73.0%
Grade 7	8.1%	10.3%	18.5%	81.5%
Grade 8	12.3%	14.8%	24.4%	75.6%
Grade 9	10.1%	12.3%	21.2%	78.8%
Grade 10	15.1%	21.5%	35.7%	64.3%
Grade 11	19.4%	22.2%	37.2%	62.8%
Grade 12	15.9%	21.2%	30.3%	69.7%
<b>Any Alcohol Product</b>				
All	24.5%	29.1%	46.8%	53.2%
Grade 7	18.1%	21.5%	38.9%	61.1%
Grade 8	25.0%	29.0%	47.0%	53.0%
Grade 9	21.0%	23.1%	41.4%	58.6%
Grade 10	26.2%	31.3%	48.3%	51.7%
Grade 11	32.3%	40.6%	58.7%	41.3%
Grade 12	27.4%	34.1%	50.9%	49.1%
<b>Any Illicit Drug</b>				
All	16.2%	19.5%	24.6%	75.4%
Grade 7	8.1%	11.6%	13.7%	86.3%
Grade 8	12.0%	16.1%	19.3%	80.7%
Grade 9	12.1%	13.9%	19.8%	80.2%
Grade 10	23.0%	26.4%	29.4%	70.6%
Grade 11	24.9%	27.9%	36.5%	63.5%
Grade 12	23.4%	28.5%	37.4%	62.6%
<b>Any Prescription Drug</b>				
All	6.5%	8.8%	15.8%	84.2%
Grade 7	4.8%	6.1%	12.3%	87.7%
Grade 8	7.2%	10.0%	16.6%	83.4%
Grade 9	6.5%	8.3%	11.2%	88.8%
Grade 10	6.4%	8.1%	16.4%	83.6%
Grade 11	9.7%	10.7%	23.9%	76.1%
Grade 12	3.7%	10.7%	16.3%	83.7%
<b>Any Inhalant</b>				
All	5.8%	7.5%	14.1%	85.9%
Grade 7	8.5%	10.4%	17.8%	82.2%
Grade 8	6.5%	8.8%	15.3%	84.7%
Grade 9	5.6%	7.7%	14.7%	85.3%
Grade 10	7.0%	9.8%	16.7%	83.3%
Grade 11	3.4%	3.7%	7.7%	92.3%
Grade 12	1.8%	2.7%	10.0%	90.0%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.5%	13.2%	24.7%	75.3%
Grade 7	6.1%	8.4%	15.9%	84.1%
Grade 8	9.7%	12.5%	22.0%	78.0%
Grade 9	8.3%	10.9%	19.2%	80.8%
Grade 10	10.7%	17.8%	33.2%	66.8%
Grade 11	12.2%	15.0%	34.6%	65.4%
Grade 12	11.8%	18.1%	29.0%	71.0%
<b>Marijuana</b>				
All	15.0%	17.1%	22.3%	77.7%
Grade 7	7.0%	8.4%	9.9%	90.1%
Grade 8	11.1%	13.3%	16.5%	83.5%
Grade 9	10.1%	12.2%	17.7%	82.3%
Grade 10	22.3%	24.5%	27.5%	72.5%
Grade 11	23.9%	24.7%	35.7%	64.3%
Grade 12	22.1%	27.2%	36.1%	63.9%
<b>Marijuana Only</b>				
All	6.1%	7.4%	11.2%	88.8%
Grade 7	3.4%	4.5%	5.3%	94.7%
Grade 8	5.0%	6.4%	8.9%	91.1%
Grade 9	2.9%	4.6%	9.4%	90.6%
Grade 10	7.1%	7.6%	9.9%	90.1%
Grade 11	10.7%	11.5%	17.2%	82.8%
Grade 12	10.6%	12.9%	21.8%	78.2%
<b>Cocaine or Crack</b>				
All	1.5%	1.6%	2.2%	97.8%
Grade 7	1.0%	1.3%	1.8%	98.2%
Grade 8	0.9%	1.2%	1.7%	98.3%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	2.7%	2.7%	5.1%	94.9%
Grade 11	2.9%	2.9%	2.9%	97.1%
Grade 12	0.9%	0.9%	0.9%	99.1%
<b>Cocaine</b>				
All	1.3%	1.4%	1.8%	98.2%
Grade 7	0.8%	1.0%	1.3%	98.7%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	2.7%	2.7%	4.5%	95.5%
Grade 11	2.9%	2.9%	2.9%	97.1%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	0.7%	1.2%	98.8%
	Grade 7	0.7%	0.7%	1.1%	98.9%
	Grade 8	0.6%	0.9%	1.2%	98.8%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	1.4%	1.4%	3.4%	96.6%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.9%	0.9%	0.9%	99.1%
	Hallucinogens	All	0.8%	1.6%	4.7%
Grade 7		0.2%	0.2%	0.7%	99.3%
Grade 8		1.1%	1.6%	2.5%	97.5%
Grade 9		0.9%	1.8%	3.0%	97.0%
Grade 10		0.0%	2.4%	8.3%	91.7%
Grade 11		2.6%	3.3%	9.5%	90.5%
Grade 12		0.0%	0.4%	6.6%	93.4%
Synthetic Cathinones		All	0.2%	0.2%	0.3%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.2%	0.2%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.7%	0.7%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
	Steroids	All	0.4%	0.5%	1.1%
Grade 7		0.2%	0.3%	1.0%	99.0%
Grade 8		0.5%	0.7%	1.5%	98.5%
Grade 9		0.0%	0.0%	0.6%	99.4%
Grade 10		0.7%	0.7%	1.4%	98.6%
Grade 11		1.0%	1.0%	1.6%	98.4%
Grade 12		0.4%	0.4%	0.8%	99.2%
Ecstasy		All	0.4%	0.4%	1.2%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.2%	0.4%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.7%	0.7%	2.7%	97.3%
	Grade 11	0.8%	0.8%	3.1%	96.9%
	Grade 12	0.0%	0.0%	0.4%	99.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
 Hispanic or Latino Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	1.8%	2.4%	4.0%	96.0%
Grade 7	0.6%	0.9%	2.4%	97.6%
Grade 8	1.9%	2.5%	3.9%	96.1%
Grade 9	2.4%	3.0%	4.7%	95.3%
Grade 10	2.0%	2.7%	5.1%	94.9%
Grade 11	2.1%	2.4%	4.1%	95.9%
Grade 12	2.0%	3.3%	4.2%	95.8%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.4%	1.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	4.3%	5.5%	8.2%	91.8%
Grade 7	0.8%	1.4%	3.8%	96.2%
Grade 8	2.8%	3.7%	5.7%	94.3%
Grade 9	4.2%	4.8%	5.4%	94.6%
Grade 10	7.6%	8.3%	13.6%	86.4%
Grade 11	6.5%	7.2%	12.1%	87.9%
Grade 12	6.0%	11.1%	12.4%	87.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.9%	11.7%	20.2%	79.8%
Grade 7	2.6%	3.4%	7.9%	92.1%
Grade 8	5.5%	6.6%	12.6%	87.4%
Grade 9	8.0%	8.0%	13.4%	86.6%
Grade 10	11.5%	17.0%	26.3%	73.7%
Grade 11	19.9%	21.0%	34.0%	66.0%
Grade 12	11.3%	14.2%	28.3%	71.7%
<b>Any Alcohol Product</b>				
All	20.3%	24.7%	43.5%	56.5%
Grade 7	8.8%	11.6%	31.0%	69.0%
Grade 8	17.7%	21.4%	40.1%	59.9%
Grade 9	14.5%	14.5%	34.5%	65.5%
Grade 10	28.8%	31.3%	50.5%	49.5%
Grade 11	26.4%	36.2%	56.3%	43.7%
Grade 12	27.0%	36.3%	49.5%	50.5%
<b>Any Illicit Drug</b>				
All	10.4%	13.3%	17.1%	82.9%
Grade 7	2.8%	5.2%	6.6%	93.4%
Grade 8	5.3%	7.8%	9.4%	90.6%
Grade 9	7.0%	8.1%	10.3%	89.7%
Grade 10	16.0%	20.6%	24.2%	75.8%
Grade 11	20.2%	22.2%	30.0%	70.0%
Grade 12	10.2%	16.1%	23.2%	76.8%
<b>Any Prescription Drug</b>				
All	5.7%	7.4%	13.6%	86.4%
Grade 7	4.2%	5.1%	10.3%	89.7%
Grade 8	6.7%	9.4%	16.1%	83.9%
Grade 9	3.2%	5.4%	8.6%	91.4%
Grade 10	9.2%	9.2%	15.0%	85.0%
Grade 11	6.8%	9.0%	18.7%	81.3%
Grade 12	3.5%	5.3%	12.2%	87.8%
<b>Any Inhalant</b>				
All	3.1%	4.4%	9.3%	90.7%
Grade 7	4.4%	6.2%	12.2%	87.8%
Grade 8	4.9%	6.5%	11.4%	88.6%
Grade 9	4.3%	4.3%	11.6%	88.4%
Grade 10	2.5%	5.5%	10.9%	89.1%
Grade 11	1.4%	2.6%	5.8%	94.2%
Grade 12	0.0%	0.0%	1.3%	98.7%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.1%	10.1%	18.5%	81.5%
Grade 7	2.0%	3.0%	6.4%	93.6%
Grade 8	4.1%	5.2%	11.0%	89.0%
Grade 9	7.0%	8.0%	13.4%	86.6%
Grade 10	9.6%	16.0%	22.4%	77.6%
Grade 11	15.1%	15.1%	33.1%	66.9%
Grade 12	10.6%	13.6%	25.9%	74.1%
<b>Marijuana</b>				
All	9.6%	11.0%	15.0%	85.0%
Grade 7	1.8%	2.5%	3.9%	96.1%
Grade 8	4.6%	5.2%	7.0%	93.0%
Grade 9	5.9%	7.0%	9.2%	90.8%
Grade 10	13.9%	16.9%	20.5%	79.5%
Grade 11	20.2%	21.1%	30.0%	70.0%
Grade 12	10.2%	12.6%	19.7%	80.3%
<b>Marijuana Only</b>				
All	3.6%	4.6%	7.1%	92.9%
Grade 7	0.8%	1.2%	2.1%	97.9%
Grade 8	1.6%	2.0%	3.1%	96.9%
Grade 9	0.5%	1.6%	3.7%	96.3%
Grade 10	4.3%	5.3%	8.0%	92.0%
Grade 11	9.5%	10.3%	12.9%	87.1%
Grade 12	5.2%	7.6%	14.7%	85.3%
<b>Cocaine or Crack</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.0%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.0%	1.0%	2.9%	97.1%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.0%	1.0%	1.9%	98.1%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.0%	0.5%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	2.9%	97.1%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.5%	0.7%	3.3%	96.7%
Grade 7	0.3%	0.6%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	0.0%	1.0%	4.8%	95.2%
Grade 11	2.2%	2.2%	6.7%	93.3%
Grade 12	0.0%	0.0%	5.0%	95.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	1.6%	98.4%
Grade 8	0.2%	0.3%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.9%	98.1%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	2.3%	2.3%	4.5%	95.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.3%	1.5%	2.8%	97.2%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.9%	1.1%	2.3%	97.7%
Grade 9	2.2%	2.2%	4.3%	95.7%
Grade 10	1.9%	2.9%	4.8%	95.2%
Grade 11	2.2%	2.2%	3.3%	96.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.0%	2.0%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	2.4%	3.5%	6.0%	94.0%
Grade 7	0.2%	0.4%	1.7%	98.3%
Grade 8	1.1%	1.9%	2.6%	97.4%
Grade 9	2.2%	3.3%	3.3%	96.7%
Grade 10	5.9%	5.9%	9.7%	90.3%
Grade 11	4.1%	6.8%	12.9%	87.1%
Grade 12	0.0%	1.8%	5.3%	94.7%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.6%	18.4%	29.6%	70.4%
Grade 7	9.1%	11.7%	20.7%	79.3%
Grade 8	12.7%	15.4%	26.5%	73.5%
Grade 9	12.3%	15.6%	26.5%	73.5%
Grade 10	18.9%	24.3%	37.3%	62.7%
Grade 11	20.5%	25.7%	42.1%	57.9%
Grade 12	19.1%	24.7%	32.2%	67.8%
<b>Any Alcohol Product</b>				
All	27.9%	32.6%	49.2%	50.8%
Grade 7	21.1%	24.7%	41.6%	58.4%
Grade 8	26.4%	30.5%	49.4%	50.6%
Grade 9	23.2%	27.1%	45.4%	54.6%
Grade 10	30.2%	35.7%	50.1%	49.9%
Grade 11	39.1%	45.8%	59.0%	41.0%
Grade 12	34.0%	39.2%	55.1%	44.9%
<b>Any Illicit Drug</b>				
All	17.9%	21.5%	26.7%	73.3%
Grade 7	9.4%	13.2%	15.6%	84.4%
Grade 8	12.2%	16.4%	19.8%	80.2%
Grade 9	14.0%	16.8%	23.9%	76.1%
Grade 10	25.0%	27.2%	32.0%	68.0%
Grade 11	28.2%	32.5%	40.8%	59.2%
Grade 12	28.5%	32.3%	39.7%	60.3%
<b>Any Prescription Drug</b>				
All	6.9%	9.5%	17.3%	82.7%
Grade 7	5.4%	7.3%	14.4%	85.6%
Grade 8	6.1%	9.3%	15.9%	84.1%
Grade 9	8.3%	9.0%	15.8%	84.2%
Grade 10	5.7%	8.9%	18.0%	82.0%
Grade 11	11.0%	12.6%	25.1%	74.9%
Grade 12	5.2%	11.6%	16.6%	83.4%
<b>Any Inhalant</b>				
All	7.1%	9.1%	15.8%	84.2%
Grade 7	9.3%	11.7%	18.5%	81.5%
Grade 8	6.7%	8.8%	16.6%	83.4%
Grade 9	7.4%	10.1%	14.5%	85.5%
Grade 10	9.5%	12.4%	22.3%	77.7%
Grade 11	5.6%	6.3%	11.1%	88.9%
Grade 12	2.4%	3.4%	10.5%	89.5%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.3%	13.8%	26.8%	73.2%
Grade 7	6.6%	9.1%	17.7%	82.3%
Grade 8	9.5%	12.5%	23.9%	76.1%
Grade 9	10.1%	12.5%	22.7%	77.3%
Grade 10	13.9%	18.2%	35.4%	64.6%
Grade 11	12.1%	16.3%	38.9%	61.1%
Grade 12	12.7%	18.2%	30.0%	70.0%
Marijuana				
All	16.6%	18.8%	24.3%	75.7%
Grade 7	8.1%	9.6%	11.4%	88.6%
Grade 8	11.3%	13.7%	17.0%	83.0%
Grade 9	11.6%	14.0%	22.1%	77.9%
Grade 10	25.0%	26.1%	30.9%	69.1%
Grade 11	27.0%	29.0%	38.7%	61.3%
Grade 12	26.6%	30.5%	37.8%	62.2%
Marijuana Only				
All	6.5%	7.9%	12.1%	87.9%
Grade 7	3.4%	4.7%	5.9%	94.1%
Grade 8	5.0%	6.8%	9.3%	90.7%
Grade 9	3.3%	5.2%	11.2%	88.8%
Grade 10	7.0%	7.6%	11.2%	88.8%
Grade 11	13.3%	15.2%	21.5%	78.5%
Grade 12	10.4%	11.3%	18.6%	81.4%
Cocaine or Crack				
All	1.6%	1.6%	2.4%	97.6%
Grade 7	1.4%	1.7%	2.2%	97.8%
Grade 8	0.9%	0.9%	1.5%	98.5%
Grade 9	1.1%	1.1%	1.5%	98.5%
Grade 10	2.6%	2.6%	6.1%	93.9%
Grade 11	2.8%	2.8%	3.1%	96.9%
Grade 12	1.0%	1.0%	1.0%	99.0%
Cocaine				
All	1.3%	1.3%	2.0%	98.0%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	0.8%	0.8%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	2.6%	2.6%	6.1%	93.9%
Grade 11	2.8%	2.8%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.9%	0.9%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.8%	1.7%	4.9%	95.1%
Grade 7	0.2%	0.2%	0.9%	99.1%
Grade 8	1.1%	1.7%	2.9%	97.1%
Grade 9	1.1%	2.3%	4.5%	95.5%
Grade 10	0.0%	2.3%	7.4%	92.6%
Grade 11	2.4%	3.3%	8.1%	91.9%
Grade 12	0.0%	0.4%	9.7%	90.3%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Steroids</b>				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.1%	0.3%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.4%	0.4%	2.0%	98.0%
<b>Ecstasy</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	1.8%	98.2%
Grade 11	0.0%	0.0%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.4%	99.6%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.4%	0.4%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.8%	2.3%	4.1%	95.9%
Grade 7	0.6%	0.9%	2.4%	97.6%
Grade 8	1.7%	2.2%	3.6%	96.4%
Grade 9	2.2%	3.0%	5.0%	95.0%
Grade 10	2.9%	2.9%	4.3%	95.7%
Grade 11	1.8%	2.2%	5.2%	94.8%
Grade 12	2.2%	3.6%	4.6%	95.4%
<b>Methamphetamine</b>				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.9%	0.9%	2.3%	97.7%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	5.3%	6.8%	9.4%	90.6%
Grade 7	1.4%	2.0%	4.2%	95.8%
Grade 8	2.8%	3.8%	5.9%	94.1%
Grade 9	5.2%	5.9%	7.4%	92.6%
Grade 10	9.6%	11.5%	15.9%	84.1%
Grade 11	8.1%	8.4%	12.3%	87.7%
Grade 12	8.9%	14.4%	17.0%	83.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.1%	13.7%	21.8%	78.2%
Grade 7	5.2%	6.4%	13.0%	87.0%
Grade 8	8.4%	10.1%	17.3%	82.7%
Grade 9	9.8%	12.1%	18.3%	81.7%
Grade 10	12.2%	16.8%	25.2%	74.8%
Grade 11	21.1%	24.0%	35.9%	64.1%
Grade 12	12.1%	15.6%	25.5%	74.5%
<b>Any Alcohol Product</b>				
All	24.5%	28.5%	43.7%	56.3%
Grade 7	15.9%	17.9%	33.0%	67.0%
Grade 8	22.5%	26.2%	43.2%	56.8%
Grade 9	17.3%	19.2%	38.4%	61.6%
Grade 10	32.8%	35.0%	47.4%	52.6%
Grade 11	33.4%	42.9%	57.0%	43.0%
Grade 12	30.0%	35.6%	47.5%	52.5%
<b>Any Illicit Drug</b>				
All	12.1%	15.1%	19.4%	80.6%
Grade 7	5.4%	8.4%	9.9%	90.1%
Grade 8	7.4%	10.8%	13.0%	87.0%
Grade 9	9.1%	11.4%	17.6%	82.4%
Grade 10	15.5%	19.4%	22.9%	77.1%
Grade 11	22.0%	23.5%	30.5%	69.5%
Grade 12	17.2%	21.6%	28.7%	71.3%
<b>Any Prescription Drug</b>				
All	5.8%	8.1%	15.5%	84.5%
Grade 7	4.0%	5.7%	12.2%	87.8%
Grade 8	6.4%	9.5%	14.8%	85.2%
Grade 9	4.9%	7.2%	13.6%	86.4%
Grade 10	6.9%	8.2%	14.6%	85.4%
Grade 11	7.0%	8.9%	21.8%	78.2%
Grade 12	5.8%	10.1%	17.7%	82.3%
<b>Any Inhalant</b>				
All	4.8%	6.5%	11.5%	88.5%
Grade 7	7.0%	8.4%	14.5%	85.5%
Grade 8	6.0%	7.7%	13.8%	86.2%
Grade 9	5.1%	6.6%	11.9%	88.1%
Grade 10	5.1%	8.4%	13.7%	86.3%
Grade 11	3.0%	3.8%	7.3%	92.7%
Grade 12	1.0%	1.9%	5.2%	94.8%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.9%	10.2%	19.7%	80.3%
Grade 7	3.7%	4.7%	10.5%	89.5%
Grade 8	6.0%	7.6%	15.0%	85.0%
Grade 9	9.1%	11.3%	16.6%	83.4%
Grade 10	9.3%	13.1%	22.2%	77.8%
Grade 11	12.1%	14.1%	34.4%	65.6%
Grade 12	8.8%	12.1%	24.0%	76.0%
<b>Marijuana</b>				
All	11.2%	12.8%	17.2%	82.8%
Grade 7	4.5%	5.4%	6.4%	93.6%
Grade 8	6.8%	8.2%	10.5%	89.5%
Grade 9	9.1%	10.7%	17.2%	82.8%
Grade 10	14.0%	16.2%	19.8%	80.2%
Grade 11	20.9%	21.6%	29.6%	70.4%
Grade 12	15.8%	19.1%	25.0%	75.0%
<b>Marijuana Only</b>				
All	4.3%	5.3%	8.7%	91.3%
Grade 7	1.6%	2.3%	3.2%	96.8%
Grade 8	3.2%	4.4%	6.0%	94.0%
Grade 9	2.2%	3.7%	10.2%	89.8%
Grade 10	4.3%	5.1%	8.6%	91.4%
Grade 11	9.4%	10.1%	13.1%	86.9%
Grade 12	6.5%	7.8%	13.8%	86.2%
<b>Cocaine or Crack</b>				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	1.0%	1.1%	1.8%	98.2%
Grade 8	0.7%	1.0%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	2.1%	2.1%	3.6%	96.4%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	1.0%	1.0%	1.0%	99.0%
<b>Cocaine</b>				
All	0.8%	0.8%	1.4%	98.6%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	2.1%	2.1%	3.6%	96.4%
Grade 11	1.6%	1.6%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.6%	0.9%	99.1%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.0%	1.0%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.2%	0.7%	3.2%	96.8%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.4%	1.0%	99.0%
Grade 9	0.0%	1.2%	2.7%	97.3%
Grade 10	0.0%	0.4%	3.9%	96.1%
Grade 11	1.1%	1.9%	6.9%	93.1%
Grade 12	0.0%	0.0%	5.6%	94.4%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.1%	0.1%	1.4%	98.6%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Ecstasy</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	2.1%	97.9%
Grade 11	0.8%	0.8%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.6%	1.9%	2.6%	97.4%
Grade 7	0.6%	0.9%	1.8%	98.2%
Grade 8	1.0%	1.3%	2.3%	97.7%
Grade 9	1.9%	2.7%	3.4%	96.6%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	2.4%	2.7%	3.8%	96.2%
Grade 12	2.1%	2.1%	2.1%	97.9%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.2%	2.2%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	3.6%	4.5%	6.4%	93.6%
Grade 7	0.5%	0.8%	2.6%	97.4%
Grade 8	1.4%	1.9%	3.1%	96.9%
Grade 9	3.8%	4.6%	4.9%	95.1%
Grade 10	7.1%	7.8%	8.5%	91.5%
Grade 11	5.1%	6.3%	10.0%	90.0%
Grade 12	5.0%	8.1%	12.5%	87.5%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.0%	18.8%	31.9%	68.1%
Grade 7	9.3%	12.5%	21.7%	78.3%
Grade 8	12.9%	15.7%	28.1%	71.9%
Grade 9	11.7%	13.3%	25.1%	74.9%
Grade 10	21.0%	27.9%	44.4%	55.6%
Grade 11	18.6%	22.7%	42.3%	57.7%
Grade 12	22.1%	28.3%	38.9%	61.1%
<b>Any Alcohol Product</b>				
All	24.8%	30.2%	50.9%	49.1%
Grade 7	18.3%	23.3%	44.1%	55.9%
Grade 8	23.5%	28.2%	49.6%	50.4%
Grade 9	23.1%	25.9%	44.9%	55.1%
Grade 10	23.0%	30.3%	55.0%	45.0%
Grade 11	33.0%	38.9%	58.6%	41.4%
Grade 12	31.4%	40.2%	59.7%	40.3%
<b>Any Illicit Drug</b>				
All	19.1%	22.8%	28.2%	71.8%
Grade 7	9.7%	13.1%	15.8%	84.2%
Grade 8	13.7%	17.8%	21.7%	78.3%
Grade 9	14.1%	15.9%	19.5%	80.5%
Grade 10	30.0%	32.4%	37.8%	62.2%
Grade 11	28.7%	34.6%	45.8%	54.2%
Grade 12	27.4%	32.5%	40.1%	59.9%
<b>Any Prescription Drug</b>				
All	7.4%	9.4%	16.1%	83.9%
Grade 7	6.7%	7.9%	14.4%	85.6%
Grade 8	6.0%	8.9%	17.3%	82.7%
Grade 9	8.0%	8.0%	11.8%	88.2%
Grade 10	8.1%	10.4%	20.1%	79.9%
Grade 11	12.4%	14.3%	22.8%	77.2%
Grade 12	2.5%	7.5%	10.4%	89.6%
<b>Any Inhalant</b>				
All	6.5%	8.3%	15.6%	84.4%
Grade 7	8.9%	11.9%	19.0%	81.0%
Grade 8	5.8%	8.2%	15.6%	84.4%
Grade 9	7.6%	9.2%	15.5%	84.5%
Grade 10	8.0%	10.3%	22.3%	77.7%
Grade 11	4.9%	5.9%	11.0%	89.0%
Grade 12	2.2%	2.2%	9.4%	90.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.7%	15.6%	29.2%	70.8%
Grade 7	7.2%	10.5%	19.1%	80.9%
Grade 8	10.2%	13.7%	26.2%	73.8%
Grade 9	8.5%	9.8%	22.3%	77.7%
Grade 10	16.3%	24.5%	41.7%	58.3%
Grade 11	15.5%	18.3%	39.1%	60.9%
Grade 12	16.7%	22.9%	35.2%	64.8%
Marijuana				
All	17.7%	20.0%	25.9%	74.1%
Grade 7	8.2%	9.8%	12.3%	87.7%
Grade 8	12.7%	15.4%	19.1%	80.9%
Grade 9	9.5%	11.9%	16.4%	83.6%
Grade 10	30.0%	31.6%	37.0%	63.0%
Grade 11	28.7%	31.5%	44.1%	55.9%
Grade 12	26.7%	30.0%	39.3%	60.7%
Marijuana Only				
All	7.1%	8.7%	12.5%	87.5%
Grade 7	3.9%	5.1%	6.5%	93.5%
Grade 8	5.7%	7.2%	9.9%	90.1%
Grade 9	2.1%	3.9%	5.4%	94.6%
Grade 10	8.3%	9.1%	11.5%	88.5%
Grade 11	15.0%	17.7%	26.0%	74.0%
Grade 12	11.2%	13.0%	22.1%	77.9%
Cocaine or Crack				
All	1.3%	1.3%	2.3%	97.7%
Grade 7	1.3%	1.5%	1.9%	98.1%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	1.6%	1.6%	2.1%	97.9%
Grade 10	1.3%	1.3%	6.2%	93.8%
Grade 11	2.6%	2.6%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.2%	1.2%	1.9%	98.1%
Grade 7	1.0%	1.2%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	1.3%	1.3%	4.9%	95.1%
Grade 11	2.6%	2.6%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	1.2%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.4%	2.2%	5.8%	94.2%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	1.8%	2.3%	3.7%	96.3%
Grade 9	1.6%	1.6%	4.6%	95.4%
Grade 10	0.0%	3.9%	10.2%	89.8%
Grade 11	4.3%	4.3%	8.3%	91.7%
Grade 12	0.0%	0.7%	11.3%	88.7%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
<b>Steroids</b>				
All	0.5%	0.6%	1.7%	98.3%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.0%	0.0%	2.0%	98.0%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	1.8%	1.8%	2.3%	97.7%
Grade 12	0.7%	0.7%	2.5%	97.5%
<b>Ecstasy</b>				
All	0.3%	0.3%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	1.4%	1.4%	4.3%	95.7%
Grade 12	0.0%	0.0%	0.7%	99.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	1.5%	2.1%	5.0%	95.0%
Grade 7	0.3%	0.3%	2.3%	97.7%
Grade 8	1.8%	2.4%	4.4%	95.6%
Grade 9	2.6%	2.6%	6.6%	93.4%
Grade 10	2.8%	4.1%	8.9%	91.1%
Grade 11	1.4%	1.4%	5.1%	94.9%
Grade 12	0.0%	2.2%	3.7%	96.3%
<b>Methamphetamine</b>				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	2.1%	97.9%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	5.0%	6.8%	10.5%	89.5%
Grade 7	1.7%	2.4%	4.2%	95.8%
Grade 8	3.4%	5.0%	7.2%	92.8%
Grade 9	4.2%	5.3%	6.9%	93.1%
Grade 10	9.0%	10.5%	21.1%	78.9%
Grade 11	8.2%	9.9%	16.7%	83.3%
Grade 12	5.8%	11.3%	12.0%	88.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.8%	13.8%	23.1%	76.9%
Grade 7	5.3%	7.0%	13.4%	86.6%
Grade 8	7.7%	9.9%	18.6%	81.4%
Grade 9	6.8%	8.0%	15.6%	84.4%
Grade 10	13.4%	18.2%	29.0%	71.0%
Grade 11	20.1%	23.7%	38.4%	61.6%
Grade 12	15.6%	21.3%	30.0%	70.0%
<b>Any Alcohol Product</b>				
All	23.5%	28.3%	45.1%	54.9%
Grade 7	14.7%	18.2%	36.1%	63.9%
Grade 8	20.8%	25.0%	43.8%	56.2%
Grade 9	17.3%	19.5%	37.7%	62.3%
Grade 10	26.9%	31.8%	47.5%	52.5%
Grade 11	37.2%	45.5%	59.7%	40.3%
Grade 12	29.3%	36.7%	51.1%	48.9%
<b>Any Illicit Drug</b>				
All	13.5%	16.6%	20.7%	79.3%
Grade 7	5.4%	8.0%	9.3%	90.7%
Grade 8	7.4%	10.9%	13.4%	86.6%
Grade 9	7.4%	9.6%	13.9%	86.1%
Grade 10	19.6%	22.2%	27.0%	73.0%
Grade 11	26.5%	29.2%	36.3%	63.7%
Grade 12	21.3%	27.6%	33.2%	66.8%
<b>Any Prescription Drug</b>				
All	5.1%	6.7%	13.8%	86.2%
Grade 7	3.9%	5.4%	11.0%	89.0%
Grade 8	5.1%	7.6%	14.0%	86.0%
Grade 9	4.4%	5.0%	9.8%	90.2%
Grade 10	5.2%	6.6%	14.4%	85.6%
Grade 11	9.0%	10.5%	23.3%	76.7%
Grade 12	2.2%	5.4%	10.6%	89.4%
<b>Any Inhalant</b>				
All	4.1%	5.8%	11.8%	88.2%
Grade 7	6.3%	8.2%	14.4%	85.6%
Grade 8	4.9%	6.9%	13.3%	86.7%
Grade 9	3.2%	4.1%	9.3%	90.7%
Grade 10	4.1%	7.3%	15.9%	84.1%
Grade 11	3.8%	4.9%	8.9%	91.1%
Grade 12	1.2%	1.9%	7.4%	92.6%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.6%	10.3%	21.0%	79.0%
Grade 7	3.9%	5.6%	11.5%	88.5%
Grade 8	6.0%	8.1%	16.9%	83.1%
Grade 9	5.3%	6.1%	14.3%	85.7%
Grade 10	10.1%	15.4%	26.6%	73.4%
Grade 11	11.9%	14.1%	36.0%	64.0%
Grade 12	11.0%	16.6%	26.8%	73.2%
<b>Marijuana</b>				
All	12.6%	14.2%	18.5%	81.5%
Grade 7	4.2%	5.1%	6.1%	93.9%
Grade 8	6.6%	8.6%	10.8%	89.2%
Grade 9	6.8%	8.4%	13.4%	86.6%
Grade 10	18.9%	19.5%	24.3%	75.7%
Grade 11	25.9%	26.6%	35.0%	65.0%
Grade 12	19.8%	24.2%	29.8%	70.2%
<b>Marijuana Only</b>				
All	5.3%	6.4%	9.5%	90.5%
Grade 7	2.0%	2.8%	3.4%	96.6%
Grade 8	2.8%	4.3%	6.0%	94.0%
Grade 9	2.1%	3.7%	8.0%	92.0%
Grade 10	5.5%	5.5%	9.0%	91.0%
Grade 11	12.4%	13.1%	17.8%	82.2%
Grade 12	9.8%	11.9%	17.5%	82.5%
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	1.5%	98.5%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	2.4%	2.4%	4.7%	95.3%
Grade 11	1.4%	1.4%	1.6%	98.4%
Grade 12	0.8%	0.8%	0.8%	99.2%
<b>Cocaine</b>				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	2.4%	2.4%	4.1%	95.9%
Grade 11	1.4%	1.4%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.7%	99.3%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	1.2%	1.2%	1.8%	98.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.4%	0.8%	3.7%	96.3%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.7%	1.6%	98.4%
Grade 9	0.6%	0.9%	2.7%	97.3%
Grade 10	0.0%	1.2%	5.2%	94.8%
Grade 11	0.9%	1.5%	7.3%	92.7%
Grade 12	0.0%	0.3%	6.6%	93.4%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.6%	0.6%	1.9%	98.1%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Ecstasy</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	1.4%	1.4%	3.7%	96.3%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	1.2%	1.4%	2.6%	97.4%
Grade 7	0.3%	0.4%	1.4%	98.6%
Grade 8	1.2%	1.5%	2.7%	97.3%
Grade 9	1.5%	1.5%	2.1%	97.9%
Grade 10	1.9%	1.9%	3.1%	96.9%
Grade 11	1.3%	1.6%	4.3%	95.7%
Grade 12	0.9%	1.7%	2.5%	97.5%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	1.3%	1.3%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Delta 8</b>				
All	3.6%	4.9%	7.1%	92.9%
Grade 7	0.7%	1.1%	2.4%	97.6%
Grade 8	1.8%	2.3%	3.8%	96.2%
Grade 9	2.9%	3.5%	4.4%	95.6%
Grade 10	8.2%	9.4%	12.1%	87.9%
Grade 11	6.1%	7.6%	11.8%	88.2%
Grade 12	3.8%	8.1%	11.7%	88.3%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.6%	23.3%	35.2%	64.8%
Grade 7	15.5%	18.6%	30.9%	69.1%
Grade 8	21.5%	24.4%	35.9%	64.1%
Grade 9	18.7%	22.2%	27.6%	72.4%
Grade 10	23.2%	31.5%	44.7%	55.3%
Grade 11	17.6%	19.8%	39.0%	61.0%
Grade 12	21.4%	22.7%	34.1%	65.9%
<b>Any Alcohol Product</b>				
All	31.9%	36.0%	54.5%	45.5%
Grade 7	28.8%	32.6%	48.5%	51.5%
Grade 8	37.1%	41.3%	60.0%	40.0%
Grade 9	24.4%	25.6%	41.6%	58.4%
Grade 10	41.7%	43.1%	64.6%	35.4%
Grade 11	21.8%	30.7%	53.0%	47.0%
Grade 12	39.6%	46.1%	62.7%	37.3%
<b>Any Illicit Drug</b>				
All	20.4%	24.8%	30.3%	69.7%
Grade 7	14.2%	21.1%	25.0%	75.0%
Grade 8	22.6%	27.9%	32.5%	67.5%
Grade 9	19.8%	22.1%	27.5%	72.5%
Grade 10	25.9%	31.2%	33.7%	66.3%
Grade 11	17.6%	23.7%	29.4%	70.6%
Grade 12	22.1%	22.1%	34.5%	65.5%
<b>Any Prescription Drug</b>				
All	11.8%	16.0%	22.8%	77.2%
Grade 7	10.1%	12.4%	24.3%	75.7%
Grade 8	12.1%	17.9%	24.5%	75.5%
Grade 9	12.7%	15.0%	19.4%	80.6%
Grade 10	15.1%	16.5%	23.7%	76.3%
Grade 11	9.7%	13.7%	21.5%	78.5%
Grade 12	10.7%	21.4%	24.3%	75.7%
<b>Any Inhalant</b>				
All	9.2%	11.6%	18.1%	81.9%
Grade 7	12.1%	16.4%	24.8%	75.2%
Grade 8	11.7%	13.5%	21.4%	78.6%
Grade 9	9.0%	13.7%	20.7%	79.3%
Grade 10	13.2%	15.4%	21.0%	79.0%
Grade 11	4.8%	4.8%	10.7%	89.3%
Grade 12	2.9%	2.9%	6.5%	93.5%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	15.3%	19.0%	30.8%	69.2%
Grade 7	11.0%	13.9%	23.6%	76.4%
Grade 8	15.4%	19.2%	30.9%	69.1%
Grade 9	15.2%	19.9%	21.0%	79.0%
Grade 10	18.3%	24.3%	39.8%	60.2%
Grade 11	14.7%	16.9%	37.9%	62.1%
Grade 12	17.8%	19.2%	34.1%	65.9%
<b>Marijuana</b>				
All	18.5%	21.8%	27.2%	72.8%
Grade 7	12.9%	15.9%	19.8%	80.2%
Grade 8	21.6%	23.3%	28.8%	71.2%
Grade 9	14.0%	17.5%	21.7%	78.3%
Grade 10	23.7%	29.8%	32.3%	67.7%
Grade 11	17.6%	22.6%	28.3%	71.7%
Grade 12	22.1%	22.1%	34.5%	65.5%
<b>Marijuana Only</b>				
All	6.1%	8.3%	12.6%	87.4%
Grade 7	4.0%	6.5%	9.1%	90.9%
Grade 8	10.7%	11.3%	15.4%	84.6%
Grade 9	0.0%	2.3%	6.6%	93.4%
Grade 10	7.4%	10.0%	12.5%	87.5%
Grade 11	10.0%	14.9%	17.0%	83.0%
Grade 12	4.9%	4.9%	17.3%	82.7%
<b>Cocaine or Crack</b>				
All	1.8%	2.1%	3.3%	96.7%
Grade 7	2.7%	3.0%	4.5%	95.5%
Grade 8	1.7%	2.9%	4.1%	95.9%
Grade 9	3.4%	3.4%	3.4%	96.6%
Grade 10	0.0%	0.0%	4.4%	95.6%
Grade 11	2.6%	2.6%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	1.7%	1.8%	3.0%	97.0%
Grade 7	2.5%	2.8%	4.3%	95.7%
Grade 8	1.3%	1.3%	2.5%	97.5%
Grade 9	3.4%	3.4%	3.4%	96.6%
Grade 10	0.0%	0.0%	4.4%	95.6%
Grade 11	2.6%	2.6%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.4%	0.4%	1.5%	98.5%
Grade 8	1.2%	2.3%	3.0%	97.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	4.4%	95.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.7%	2.7%	6.4%	93.6%
Grade 7	0.3%	0.5%	1.7%	98.3%
Grade 8	2.0%	2.9%	4.4%	95.6%
Grade 9	1.2%	3.6%	5.9%	94.1%
Grade 10	0.0%	2.2%	8.9%	91.1%
Grade 11	6.6%	6.6%	7.7%	92.3%
Grade 12	0.0%	0.0%	10.7%	89.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	0.4%	1.1%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.0%	1.0%	1.0%	99.0%
Grade 12	1.3%	1.3%	4.9%	95.1%
<b>Ecstasy</b>				
All	0.1%	0.1%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	4.4%	95.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.3%	1.2%	98.8%
	Grade 7	0.2%	0.2%	0.9%	99.1%
	Grade 8	1.6%	1.6%	1.6%	98.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	4.4%	95.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	3.9%	4.8%	7.2%	92.8%
	Grade 7	1.3%	2.2%	5.2%	94.8%
	Grade 8	2.6%	3.4%	5.9%	94.1%
	Grade 9	5.9%	5.9%	10.5%	89.5%
	Grade 10	4.7%	6.9%	10.5%	89.5%
	Grade 11	5.5%	5.5%	5.5%	94.5%
	Grade 12	2.9%	4.3%	4.3%	95.7%
Methamphetamine					
	All	0.4%	0.4%	1.2%	98.8%
	Grade 7	0.2%	0.2%	1.1%	98.9%
	Grade 8	0.1%	0.1%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.2%	2.2%	4.4%	95.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Delta 8					
	All	6.2%	7.4%	11.3%	88.7%
	Grade 7	1.9%	2.8%	7.2%	92.8%
	Grade 8	3.8%	6.0%	9.1%	90.9%
	Grade 9	7.1%	7.1%	8.2%	91.8%
	Grade 10	7.4%	7.4%	17.6%	82.4%
	Grade 11	5.5%	6.6%	10.3%	89.7%
	Grade 12	12.3%	15.9%	17.2%	82.8%

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	107,915	51.3%
Female	102,448	48.7%
Frequency Missing	2,362	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	64,637	30.7%
Yes	146,183	69.3%
Frequency Missing	1,906	

**Grade**

Q2	Frequency	Percent
Grade 7	41,011	19.3%
Grade 8	41,832	19.7%
Grade 9	39,860	18.8%
Grade 10	30,959	14.6%
Grade 11	33,769	15.9%
Grade 12	24,691	11.6%
Frequency Missing	603	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	6,350	3.1%
Asian American	1,536	0.8%
African American	14,735	7.3%
Pacific Islander	1,014	0.5%
White	82,869	41.0%
Other	58,393	28.9%
More Than One Race	37,314	18.5%
Frequency Missing	10,515	

**Live with Both Parents**

Q3	Frequency	Percent
No	81,977	38.8%
Yes	129,119	61.2%
Frequency Missing	1,629	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	930	0.4%
Mostly D's	2,565	1.2%
Mostly C's	24,953	11.9%
Mostly B's	97,020	46.4%
Mostly A's	83,454	39.9%
Frequency Missing	3,804	

**Age**

Q4	Frequency	Percent
11 or younger	74	0.0%
12	13,401	6.3%
13	38,539	18.2%
14	48,195	22.7%
15	36,909	17.4%
16	33,751	15.9%
17	27,781	13.1%
18	11,705	5.5%
19 or older	1,893	0.9%
Frequency Missing	476	

**Do You Have a Job**

Q7	Frequency	Percent
No	173,559	83.0%
Yes	35,670	17.0%
Frequency Missing	3,497	

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	30,477	14.6%
Yes	100,559	48.2%
Don't Know	77,544	37.2%
Frequency Missing	4,145	

**Participate in School Athletics (UIL, Varsity,  
Jr Varsity)**

Q9a	Frequency	Percent
No	99,255	49.7%
Yes	100,400	50.3%
Frequency Missing	13,071	

**Participate in Academic  
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	149,281	80.4%
Yes	36,338	19.6%
Frequency Missing	27,106	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	156,584	83.3%
Yes	31,333	16.7%
Frequency Missing	24,808	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	140,976	75.6%
Yes	45,616	24.4%
Frequency Missing	26,133	

**Participate in School Choir**

Q9c	Frequency	Percent
No	173,143	94.3%
Yes	10,529	5.7%
Frequency Missing	29,053	

**Participate in Athletic Teams Outside of  
School**

Q9h	Frequency	Percent
No	131,933	70.1%
Yes	56,397	29.9%
Frequency Missing	24,395	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	171,146	92.7%
Yes	13,406	7.3%
Frequency Missing	28,173	

**Participate in Other Clubs or Groups  
Outside of School**

Q9i	Frequency	Percent
No	149,125	80.5%
Yes	36,205	19.5%
Frequency Missing	27,396	

**Participate in Student Government/School  
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	168,509	91.7%
Yes	15,257	8.3%
Frequency Missing	28,960	

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	175,839	83.1%
Somewhat Safe	30,150	14.2%
Not Very Safe	2,337	1.1%
Not Safe At All	932	0.4%
Don't Know	2,432	1.1%
Frequency Missing	1,035	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	87,553	41.7%
Somewhat Safe	102,851	48.9%
Not Very Safe	11,434	5.4%
Not Safe At All	1,616	0.8%
Don't Know	6,735	3.2%
Frequency Missing	2,537	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	61,850	29.4%
Somewhat Safe	110,026	52.3%
Not Very Safe	20,692	9.8%
Not Safe At All	9,111	4.3%
Don't Know	8,620	4.1%
Frequency Missing	2,427	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	14,344	7.0%
Some High School	23,316	11.4%
Finished High School	50,287	24.6%
Some College	25,035	12.2%
Finished College	32,801	16.0%
Post-Secondary	20,549	10.0%
Don't Know or N/A	38,145	18.7%
Frequency Missing	8,249	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	13,977	6.8%
Some High School	18,222	8.9%
Finished High School	45,000	21.9%
Some College	28,400	13.8%
Finished College	44,417	21.6%
Post-Secondary	29,503	14.4%
Don't Know or N/A	25,777	12.6%
Frequency Missing	7,430	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	134,818	65.2%
Yes	71,809	34.8%
Frequency Missing	6,099	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	16,387	7.9%
A Few	52,844	25.3%
Some	53,578	25.7%
Most	61,977	29.7%
All	23,922	11.5%
Frequency Missing	4,017	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	5,399	2.6%
A Few	30,798	14.7%
Some	55,410	26.5%
Most	82,144	39.3%
All	35,252	16.9%
Frequency Missing	3,723	

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	83,136	40.3%
A Few	62,770	30.4%
Some	35,721	17.3%
Most	16,811	8.1%
All	7,872	3.8%
Frequency Missing	6,415	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	168,415	81.0%
A Few	24,453	11.8%
Some	8,228	4.0%
Most	4,163	2.0%
All	2,691	1.3%
Frequency Missing	4,776	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	206,188	99.1%
In Your Lifetime	1,125	0.5%
Since School Began	211	0.1%
In the Past Month	523	0.3%
Frequency Missing	4,677	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	182,568	87.9%
A Few	17,346	8.4%
Some	3,983	1.9%
Most	1,733	0.8%
All	2,033	1.0%
Frequency Missing	5,063	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	195,689	94.0%
In Your Lifetime	7,701	3.7%
Since School Began	1,928	0.9%
In the Past Month	2,951	1.4%
Frequency Missing	4,457	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	203,796	97.7%
In Your Lifetime	3,656	1.8%
Since School Began	507	0.2%
In the Past Month	589	0.3%
Frequency Missing	4,178	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	205,545	98.7%
In Your Lifetime	2,078	1.0%
Since School Began	112	0.1%
In the Past Month	537	0.3%
Frequency Missing	4,453	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	198,314	95.2%
In Your Lifetime	6,543	3.1%
Since School Began	1,084	0.5%
In the Past Month	2,348	1.1%
Frequency Missing	4,437	

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	205,229	98.7%
In Your Lifetime	1,748	0.8%
Since School Began	529	0.3%
In the Past Month	363	0.2%
Frequency Missing	4,857	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	201,597	96.9%
In Your Lifetime	3,206	1.5%
Since School Began	1,038	0.5%
In the Past Month	2,296	1.1%
Frequency Missing	4,588	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	140,686	67.9%
In Your Lifetime	37,263	18.0%
Since School Began	11,235	5.4%
In the Past Month	17,924	8.7%
Frequency Missing	5,617	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	205,161	98.5%
In Your Lifetime	1,623	0.8%
Since School Began	143	0.1%
In the Past Month	1,296	0.6%
Frequency Missing	4,502	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	156,589	75.4%
In Your Lifetime	25,223	12.2%
Since School Began	9,368	4.5%
In the Past Month	16,415	7.9%
Frequency Missing	5,130	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	189,748	91.0%
In Your Lifetime	12,765	6.1%
Since School Began	3,073	1.5%
In the Past Month	2,915	1.4%
Frequency Missing	4,224	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	156,667	75.7%
In Your Lifetime	31,019	15.0%
Since School Began	6,680	3.2%
In the Past Month	12,592	6.1%
Frequency Missing	5,768	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	196,939	95.0%
In Your Lifetime	7,798	3.8%
Since School Began	551	0.3%
In the Past Month	2,076	1.0%
Frequency Missing	5,361	

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	148,651	72.3%
In Your Lifetime	27,026	13.1%
Since School Began	11,436	5.6%
In the Past Month	18,446	9.0%
Frequency Missing	7,166	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	200,429	96.6%
In Your Lifetime	4,659	2.2%
Since School Began	488	0.2%
In the Past Month	1,877	0.9%
Frequency Missing	5,273	



**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	159,466	76.6%
In Your Lifetime	23,243	11.2%
Since School Began	5,970	2.9%
In the Past Month	19,471	9.4%
Frequency Missing	4,576	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	199,062	95.8%
In Your Lifetime	6,139	3.0%
Since School Began	1,180	0.6%
In the Past Month	1,417	0.7%
Frequency Missing	4,927	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	169,308	81.3%
In Your Lifetime	17,742	8.5%
Since School Began	5,142	2.5%
In the Past Month	16,163	7.8%
Frequency Missing	4,371	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	207,014	99.7%
In Your Lifetime	245	0.1%
Since School Began	0	0.0%
In the Past Month	345	0.2%
Frequency Missing	5,121	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	205,584	98.9%
In Your Lifetime	1,429	0.7%
Since School Began	506	0.2%
In the Past Month	404	0.2%
Frequency Missing	4,802	

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	206,119	99.1%
In Your Lifetime	1,150	0.6%
Since School Began	100	0.0%
In the Past Month	606	0.3%
Frequency Missing	4,751	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	206,797	99.4%
In Your Lifetime	604	0.3%
Since School Began	113	0.1%
In the Past Month	485	0.2%
Frequency Missing	4,726	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	205,614	99.1%
In Your Lifetime	1,246	0.6%
Since School Began	51	0.0%
In the Past Month	538	0.3%
Frequency Missing	5,276	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	206,550	99.5%
In Your Lifetime	621	0.3%
Since School Began	23	0.0%
In the Past Month	446	0.2%
Frequency Missing	5,086	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	188,941	91.2%
In Your Lifetime	10,207	4.9%
Since School Began	2,491	1.2%
In the Past Month	5,565	2.7%
Frequency Missing	5,521	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	206,651	99.4%
In Your Lifetime	851	0.4%
Since School Began	0	0.0%
In the Past Month	342	0.2%
Frequency Missing	4,882	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	201,451	97.4%
In Your Lifetime	3,094	1.5%
Since School Began	545	0.3%
In the Past Month	1,746	0.8%
Frequency Missing	5,889	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	201,983	97.2%
In Your Lifetime	2,894	1.4%
Since School Began	691	0.3%
In the Past Month	2,146	1.0%
Frequency Missing	5,012	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	198,159	95.9%
In Your Lifetime	4,973	2.4%
Since School Began	854	0.4%
In the Past Month	2,649	1.3%
Frequency Missing	6,090	

**Recent Delta 8 Use**

Q16l	Frequency	Percent
Never Heard/Used	192,273	92.9%
In Your Lifetime	6,553	3.2%
Since School Began	1,988	1.0%
In the Past Month	6,150	3.0%
Frequency Missing	5,762	

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	196,359	95.0%
In Your Lifetime	5,005	2.4%
Since School Began	1,249	0.6%
In the Past Month	4,183	2.0%
Frequency Missing	5,929	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	191,610	92.7%
In Your Lifetime	7,436	3.6%
Since School Began	1,542	0.7%
In the Past Month	6,077	2.9%
Frequency Missing	6,060	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	202,494	98.0%
1-2 times	2,454	1.2%
3-10 times	1,069	0.5%
11+ times	703	0.3%
Frequency Missing	6,006	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	200,141	97.3%
In Your Lifetime	2,577	1.3%
Since School Began	841	0.4%
In the Past Month	2,083	1.0%
Frequency Missing	7,084	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	179,606	86.9%
1-2 times	12,591	6.1%
3-10 times	5,887	2.8%
11+ times	8,612	4.2%
Frequency Missing	6,030	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	195,532	94.6%
1-2 times	5,055	2.4%
3-10 times	2,347	1.1%
11+ times	3,777	1.8%
Frequency Missing	6,014	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	204,615	99.2%
1-2 times	794	0.4%
3-10 times	617	0.3%
11+ times	186	0.1%
Frequency Missing	6,513	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	162,472	78.6%
1-2 times	26,667	12.9%
3-10 times	11,385	5.5%
11+ times	6,064	2.9%
Frequency Missing	6,138	

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	205,134	99.6%
1-2 times	586	0.3%
3-10 times	135	0.1%
11+ times	79	0.0%
Frequency Missing	6,791	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	162,164	78.6%
A few	27,255	13.2%
Some	9,390	4.6%
Most	5,650	2.7%
All	1,914	0.9%
Frequency Missing	6,351	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	118,666	57.5%
A few	44,491	21.5%
Some	20,931	10.1%
Most	17,412	8.4%
All	4,970	2.4%
Frequency Missing	6,256	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	189,612	92.3%
A few	9,825	4.8%
Some	4,177	2.0%
Most	1,280	0.6%
All	569	0.3%
Frequency Missing	7,262	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	131,705	63.9%
A few	35,522	17.2%
Some	17,399	8.4%
Most	16,758	8.1%
All	4,669	2.3%
Frequency Missing	6,672	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	184,306	89.3%
8 or younger	2,158	1.0%
9 years old	1,179	0.6%
10 years old	1,555	0.8%
11 years old	1,497	0.7%
12 years old	2,825	1.4%
13 years old	3,966	1.9%
14 years old	1,930	0.9%
15 years old	4,708	2.3%
16 years old	1,635	0.8%
17 years old	640	0.3%
18 or older	4	0.0%
Frequency Missing	6,322	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	128,616	62.5%
8 or younger	10,647	5.2%
9 years old	3,906	1.9%
10 years old	5,702	2.8%
11 years old	4,868	2.4%
12 years old	8,701	4.2%
13 years old	11,795	5.7%
14 years old	12,017	5.8%
15 years old	9,801	4.8%
16 years old	5,940	2.9%
17 years old	2,739	1.3%
18 or older	1,128	0.5%
Frequency Missing	6,865	

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	198,786	97.2%
8 or younger	1,221	0.6%
9 years old	455	0.2%
10 years old	971	0.5%
11 years old	530	0.3%
12 years old	860	0.4%
13 years old	802	0.4%
14 years old	839	0.4%
15 years old	86	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	8,176	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	168,279	81.9%
8 or younger	461	0.2%
9 years old	1,205	0.6%
10 years old	1,453	0.7%
11 years old	2,447	1.2%
12 years old	3,607	1.8%
13 years old	7,398	3.6%
14 years old	7,388	3.6%
15 years old	5,619	2.7%
16 years old	5,981	2.9%
17 years old	1,485	0.7%
18 or older	272	0.1%
Frequency Missing	7,132	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	203,416	98.9%
8 or younger	40	0.0%
9 years old	46	0.0%
10 years old	0	0.0%
11 years old	208	0.1%
12 years old	272	0.1%
13 years old	385	0.2%
14 years old	255	0.1%
15 years old	279	0.1%
16 years old	383	0.2%
17 years old	470	0.2%
18 or older	0	0.0%
Frequency Missing	6,969	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	203,863	99.2%
8 or younger	20	0.0%
9 years old	0	0.0%
10 years old	32	0.0%
11 years old	0	0.0%
12 years old	229	0.1%
13 years old	353	0.2%
14 years old	233	0.1%
15 years old	470	0.2%
16 years old	158	0.1%
17 years old	124	0.1%
18 or older	0	0.0%
Frequency Missing	7,244	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	205,154	99.6%
8 or younger	88	0.0%
9 years old	0	0.0%
10 years old	31	0.0%
11 years old	39	0.0%
12 years old	88	0.0%
13 years old	97	0.0%
14 years old	152	0.1%
15 years old	140	0.1%
16 years old	0	0.0%
17 years old	140	0.1%
Frequency Missing	6,798	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	204,572	99.5%
8 or younger	287	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	24	0.0%
12 years old	246	0.1%
13 years old	196	0.1%
14 years old	44	0.0%
15 years old	0	0.0%
16 years old	298	0.1%
17 years old	0	0.0%
Frequency Missing	7,059	

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	204,110	99.2%
8 or younger	123	0.1%
9 years old	323	0.2%
10 years old	84	0.0%
11 years old	57	0.0%
12 years old	408	0.2%
13 years old	250	0.1%
14 years old	121	0.1%
15 years old	260	0.1%
16 years old	61	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	6,929	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	204,961	99.6%
8 or younger	53	0.0%
9 years old	14	0.0%
10 years old	11	0.0%
11 years old	0	0.0%
12 years old	56	0.0%
13 years old	317	0.2%
14 years old	61	0.0%
15 years old	170	0.1%
16 years old	140	0.1%
17 years old	0	0.0%
Frequency Missing	6,941	

**Age When First Used Synthetic Marijuana**

Q21l	Frequency	Percent
Never used it	201,319	97.9%
8 or younger	14	0.0%
9 years old	64	0.0%
10 years old	20	0.0%
11 years old	169	0.1%
12 years old	509	0.2%
13 years old	818	0.4%
14 years old	869	0.4%
15 years old	824	0.4%
16 years old	867	0.4%
17 years old	61	0.0%
18 or older	143	0.1%
Frequency Missing	7,049	

**Age When First Used Delta 8**

Q21m	Frequency	Percent
Never used it	191,262	93.0%
8 or younger	230	0.1%
9 years old	45	0.0%
10 years old	51	0.0%
11 years old	434	0.2%
12 years old	1,145	0.6%
13 years old	1,919	0.9%
14 years old	2,564	1.2%
15 years old	2,908	1.4%
16 years old	3,296	1.6%
17 years old	1,560	0.8%
18 or older	350	0.2%
Frequency Missing	6,960	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	73,245	36.1%
Impossible	41,416	20.4%
Very Difficult	17,159	8.5%
Somewhat diff	21,609	10.7%
Somewhat easy	23,842	11.8%
Very easy	25,593	12.6%
Frequency Missing	9,860	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	59,032	29.1%
Impossible	26,377	13.0%
Very Difficult	11,092	5.5%
Somewhat diff	22,057	10.9%
Somewhat easy	32,012	15.8%
Very easy	52,134	25.7%
Frequency Missing	10,022	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	92,430	45.8%
Impossible	31,889	15.8%
Very Difficult	8,502	4.2%
Somewhat diff	11,020	5.5%
Somewhat easy	17,985	8.9%
Very easy	40,100	19.9%
Frequency Missing	10,799	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	68,454	33.8%
Impossible	44,024	21.8%
Very Difficult	14,529	7.2%
Somewhat diff	20,188	10.0%
Somewhat easy	24,271	12.0%
Very easy	30,905	15.3%
Frequency Missing	10,354	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	86,889	43.0%
Impossible	66,363	32.8%
Very Difficult	21,154	10.5%
Somewhat diff	14,448	7.2%
Somewhat easy	6,607	3.3%
Very easy	6,604	3.3%
Frequency Missing	10,661	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	90,062	44.6%
Impossible	67,422	33.4%
Very Difficult	20,997	10.4%
Somewhat diff	13,157	6.5%
Somewhat easy	5,120	2.5%
Very easy	5,222	2.6%
Frequency Missing	10,747	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	105,367	52.2%
Impossible	61,302	30.4%
Very Difficult	17,648	8.7%
Somewhat diff	8,651	4.3%
Somewhat easy	3,669	1.8%
Very easy	5,186	2.6%
Frequency Missing	10,903	

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	94,330	46.7%
Impossible	60,618	30.0%
Very Difficult	20,297	10.0%
Somewhat diff	14,337	7.1%
Somewhat easy	6,589	3.3%
Very easy	5,831	2.9%
Frequency Missing	10,724	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	109,822	54.4%
Impossible	50,836	25.2%
Very Difficult	15,713	7.8%
Somewhat diff	9,697	4.8%
Somewhat easy	7,298	3.6%
Very easy	8,650	4.3%
Frequency Missing	10,710	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	111,059	55.1%
Impossible	54,329	27.0%
Very Difficult	16,419	8.2%
Somewhat diff	9,676	4.8%
Somewhat easy	4,630	2.3%
Very easy	5,271	2.6%
Frequency Missing	11,340	

**Difficult to Get Delta 8**

Q22m	Frequency	Percent
Never heard of	108,370	53.7%
Impossible	46,853	23.2%
Very Difficult	12,348	6.1%
Somewhat diff	10,051	5.0%
Somewhat easy	9,124	4.5%
Very easy	15,245	7.5%
Frequency Missing	10,734	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	101,379	50.2%
Impossible	64,846	32.1%
Very Difficult	18,484	9.1%
Somewhat diff	9,107	4.5%
Somewhat easy	3,561	1.8%
Very easy	4,711	2.3%
Frequency Missing	10,638	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,752	0.9%
Several times/wk	2,425	1.2%
Several times/mo	2,313	1.1%
About once/month	3,294	1.6%
About once/year	2,735	1.4%
Less than once/year	6,960	3.4%
Never used	182,813	90.4%
Frequency Missing	10,433	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	579	0.3%
Several times/wk	2,593	1.3%
Several times/mo	10,756	5.3%
About once/month	17,015	8.5%
About once/year	17,922	8.9%
Less than once/year	16,520	8.2%
Never used	135,758	67.5%
Frequency Missing	11,582	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	0	0.0%
Several times/wk	338	0.2%
Several times/mo	312	0.2%
About once/month	446	0.2%
About once/year	739	0.4%
Less than once/year	485	0.2%
Never used	199,623	98.9%
Frequency Missing	10,782	

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	70	0.0%
Several times/wk	611	0.3%
Several times/mo	1,517	0.8%
About once/month	1,169	0.6%
About once/year	996	0.5%
Less than once/year	2,063	1.0%
Never used	194,893	96.8%
Frequency Missing	11,407	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	54	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	187	0.1%
About once/year	315	0.2%
Less than once/year	466	0.2%
Never used	201,051	99.5%
Frequency Missing	10,653	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	3,659	1.8%
Several times/wk	5,107	2.5%
Several times/mo	6,768	3.3%
About once/month	6,564	3.2%
About once/year	5,150	2.5%
Less than once/year	6,617	3.3%
Never used	168,273	83.2%
Frequency Missing	10,587	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	332	0.2%
Several times/wk	0	0.0%
Several times/mo	58	0.0%
About once/month	14	0.0%
About once/year	273	0.1%
Less than once/year	514	0.3%
Never used	200,612	99.4%
Frequency Missing	10,923	



**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	173	0.1%
Several times/wk	0	0.0%
Several times/mo	200	0.1%
About once/month	29	0.0%
About once/year	431	0.2%
Less than once/year	362	0.2%
Never used	200,325	99.4%
Frequency Missing	11,206	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	69	0.0%
Several times/wk	649	0.3%
Several times/mo	1,177	0.6%
About once/month	728	0.4%
About once/year	967	0.5%
Less than once/year	1,334	0.7%
Never used	196,371	97.6%
Frequency Missing	11,432	

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	183	0.1%
Several times/wk	24	0.0%
Several times/mo	74	0.0%
About once/month	44	0.0%
About once/year	139	0.1%
Less than once/year	513	0.3%
Never used	200,875	99.5%
Frequency Missing	10,874	

**How Often Normally Use Delta 8**

Q23m	Frequency	Percent
Every day	899	0.4%
Several times/wk	1,813	0.9%
Several times/mo	2,760	1.4%
About once/month	2,706	1.4%
About once/year	2,301	1.2%
Less than once/year	1,584	0.8%
Never used	187,879	94.0%
Frequency Missing	12,785	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	213	0.1%
Several times/wk	20	0.0%
Several times/mo	298	0.1%
About once/month	38	0.0%
About once/year	136	0.1%
Less than once/year	466	0.2%
Never used	200,515	99.4%
Frequency Missing	11,039	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	140,014	69.1%
12+ drinks	3,635	1.8%
9-11 drinks	2,117	1.0%
5-8 drinks	4,647	2.3%
3-4 drinks	8,335	4.1%
2 drinks	8,851	4.4%
1 drink	10,928	5.4%
Less than 1 drink	23,979	11.8%
Frequency Missing	10,218	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	149,146	73.8%
12+ drinks	2,196	1.1%
9-11 drinks	1,935	1.0%
5-8 drinks	4,794	2.4%
3-4 drinks	10,224	5.1%
2 drinks	7,850	3.9%
1 drink	11,000	5.4%
Less than 1 drink	14,947	7.4%
Frequency Missing	10,634	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	117,071	58.0%
0 days	67,868	33.6%
1 day	5,907	2.9%
2 days	4,177	2.1%
3 to 5 days	2,982	1.5%
6 to 9 days	888	0.4%
10 or more days	2,804	1.4%
Frequency Missing	11,029	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	152,275	75.4%
12+ drinks	1,221	0.6%
9-11 drinks	591	0.3%
5-8 drinks	2,239	1.1%
3-4 drinks	3,993	2.0%
2 drinks	5,199	2.6%
1 drink	12,613	6.2%
Less than 1 drink	23,925	11.8%
Frequency Missing	10,670	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	130,086	64.4%
Never	26,967	13.4%
Seldom	26,711	13.2%
Most of the Time	12,072	6.0%
Always	6,049	3.0%
Frequency Missing	10,841	

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	144,669	71.7%
12+ drinks	2,780	1.4%
9-11 drinks	2,085	1.0%
5-8 drinks	6,680	3.3%
3-4 drinks	10,887	5.4%
2 drinks	8,465	4.2%
1 drink	11,771	5.8%
Less than 1 drink	14,349	7.1%
Frequency Missing	11,039	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	132,527	65.7%
Never	33,338	16.5%
Seldom	18,624	9.2%
Most of the Time	13,355	6.6%
Always	3,886	1.9%
Frequency Missing	10,996	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	139,013	69.2%
Never	49,478	24.6%
Seldom	5,172	2.6%
Most of the Time	5,105	2.5%
Always	2,082	1.0%
Frequency Missing	11,876	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	129,515	64.3%
Never	27,999	13.9%
Seldom	17,905	8.9%
Most of the Time	15,232	7.6%
Always	10,892	5.4%
Frequency Missing	11,183	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	139,708	69.2%
Somewhat	30,951	15.3%
Not very	8,694	4.3%
Not at all	2,438	1.2%
Don't know	20,161	10.0%
Frequency Missing	10,774	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	140,245	69.9%
Never	38,873	19.4%
Seldom	9,730	4.9%
Most of the Time	6,181	3.1%
Always	5,584	2.8%
Frequency Missing	12,113	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	110,154	54.5%
Somewhat	33,378	16.5%
Not very	26,800	13.3%
Not at all	18,222	9.0%
Don't know	13,404	6.6%
Frequency Missing	10,768	

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	127,445	62.9%
Somewhat	45,574	22.5%
Not very	11,245	5.6%
Not at all	3,042	1.5%
Don't know	15,164	7.5%
Frequency Missing	10,256	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	170,473	84.4%
Somewhat	13,680	6.8%
Not very	2,687	1.3%
Not at all	1,480	0.7%
Don't know	13,746	6.8%
Frequency Missing	10,660	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	94,463	46.7%
Somewhat	63,302	31.3%
Not very	27,163	13.4%
Not at all	5,847	2.9%
Don't know	11,363	5.6%
Frequency Missing	10,587	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	171,763	84.9%
Somewhat	12,132	6.0%
Not very	2,143	1.1%
Not at all	1,472	0.7%
Don't know	14,723	7.3%
Frequency Missing	10,494	

**Dangerous for Kids to Use Ecstasy**

Q27h	Frequency	Percent
Very	155,999	77.2%
Somewhat	14,313	7.1%
Not very	2,779	1.4%
Not at all	1,333	0.7%
Don't know	27,576	13.7%
Frequency Missing	10,726	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27l	Frequency	Percent
Very	149,633	74.0%
Somewhat	15,944	7.9%
Not very	7,764	3.8%
Not at all	3,565	1.8%
Don't know	25,353	12.5%
Frequency Missing	10,467	

**Dangerous for Kids to Use Steroids**

Q27i	Frequency	Percent
Very	148,081	73.2%
Somewhat	26,090	12.9%
Not very	7,288	3.6%
Not at all	2,343	1.2%
Don't know	18,468	9.1%
Frequency Missing	10,456	

**Dangerous for Kids to Use Delta 8**

Q27m	Frequency	Percent
Very	135,526	67.1%
Somewhat	20,275	10.0%
Not very	11,160	5.5%
Not at all	8,900	4.4%
Don't know	26,180	13.0%
Frequency Missing	10,686	

**Dangerous for Kids to Use Heroin**

Q27j	Frequency	Percent
Very	169,605	84.0%
Somewhat	10,445	5.2%
Not very	1,741	0.9%
Not at all	1,539	0.8%
Don't know	18,534	9.2%
Frequency Missing	10,861	

**Dangerous for Kids to Use Any Prescription**

Q27n	Frequency	Percent
Very	143,782	71.4%
Somewhat	28,091	13.9%
Not very	7,667	3.8%
Not at all	2,630	1.3%
Don't know	19,339	9.6%
Frequency Missing	11,216	

**Dangerous for Kids to Use Methamphetamine**

Q27k	Frequency	Percent
Very	169,727	83.9%
Somewhat	10,341	5.1%
Not very	1,826	0.9%
Not at all	1,375	0.7%
Don't know	19,135	9.5%
Frequency Missing	10,321	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27o	Frequency	Percent
Very	118,391	58.6%
Somewhat	41,677	20.6%
Not very	18,368	9.1%
Not at all	9,637	4.8%
Don't know	13,965	6.9%
Frequency Missing	10,687	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	156,196	78.6%
1-3 days	27,694	13.9%
4-9 days	8,119	4.1%
10+ days	6,810	3.4%
Frequency Missing	13,907	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	177,739	89.2%
1-3 days	16,839	8.5%
4-9 days	2,443	1.2%
10+ days	2,134	1.1%
Frequency Missing	13,571	

**Days Ill Since September**

Q28b	Frequency	Percent
None	57,187	28.8%
1-3 days	85,796	43.2%
4-9 days	33,808	17.0%
10+ days	21,881	11.0%
Frequency Missing	14,054	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	193,064	97.3%
1-3 times	4,588	2.3%
4-9 times	665	0.3%
10+ times	189	0.1%
Frequency Missing	14,219	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	61,882	31.6%
1-3 days	100,863	51.5%
4-9 days	23,401	11.9%
10+ days	9,796	5.0%
Frequency Missing	16,784	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	192,388	97.0%
1-3 times	3,781	1.9%
4-9 times	1,344	0.7%
10+ times	779	0.4%
Frequency Missing	14,432	

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	174,130	87.4%
1-3 days	19,490	9.8%
4-9 days	3,356	1.7%
10+ days	2,353	1.2%
Frequency Missing	13,396	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	191,770	96.7%
1-3 times	5,306	2.7%
4-9 times	1,153	0.6%
10+ times	121	0.1%
Frequency Missing	14,376	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	190,171	96.1%
1-3 times	4,751	2.4%
4-9 times	1,322	0.7%
10+ times	1,656	0.8%
Frequency Missing	14,826	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	190,912	96.3%
1-3 days	6,223	3.1%
4-9 days	372	0.2%
10+ days	736	0.4%
Frequency Missing	14,483	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	182,112	91.9%
1-3 days	7,633	3.8%
4-9 days	3,328	1.7%
10+ days	5,190	2.6%
Frequency Missing	14,463	

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	194,791	98.5%
1-3 days	2,135	1.1%
4-9 days	516	0.3%
10+ days	358	0.2%
Frequency Missing	14,926	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	191,525	96.8%
1-3 days	3,182	1.6%
4-9 days	1,252	0.6%
10+ days	1,849	0.9%
Frequency Missing	14,917	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	108,355	54.8%
Seldom	9,475	4.8%
Half the time	7,786	3.9%
Most of the Time	15,158	7.7%
Always	16,483	8.3%
Don't Know	2,872	1.5%
Didn't attend	37,775	19.1%
Frequency Missing	14,821	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	121,164	61.4%
Seldom	8,456	4.3%
Half the time	7,182	3.6%
Most of the Time	10,078	5.1%
Always	9,509	4.8%
Don't Know	3,022	1.5%
Didn't attend	37,994	19.2%
Frequency Missing	15,321	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	177,507	93.9%
Yes	11,490	6.1%
Frequency Missing	23,728	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	134,280	69.6%
Yes	58,553	30.4%
Frequency Missing	19,893	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	155,513	81.0%
Yes	36,440	19.0%
Frequency Missing	20,772	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	86,528	44.9%
Yes	106,225	55.1%
Frequency Missing	19,972	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	120,098	62.6%
Yes	71,719	37.4%
Frequency Missing	20,908	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	116,740	60.7%
Yes	75,525	39.3%
Frequency Missing	20,460	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	67,941	35.1%
Yes	125,865	64.9%
Frequency Missing	18,919	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	138,294	73.0%
Yes	51,257	27.0%
Frequency Missing	23,174	

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	86,135	44.9%
Yes	105,782	55.1%
Frequency Missing	20,809	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	121,149	62.8%
Yes	71,627	37.2%
Frequency Missing	19,950	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	69,676	36.3%
Yes	122,505	63.7%
Frequency Missing	20,544	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	114,550	59.6%
Yes	77,676	40.4%
Frequency Missing	20,500	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	131,593	68.7%
Yes	59,935	31.3%
Frequency Missing	21,198	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	138,502	72.4%
Yes	52,757	27.6%
Frequency Missing	21,466	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	156,540	82.1%
Yes	34,209	17.9%
Frequency Missing	21,977	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	150,016	76.3%
Mild disapprove	13,924	7.1%
Neither	10,592	5.4%
Mildly approve	2,385	1.2%
Strongly approve	1,157	0.6%
Don't know	18,574	9.4%
Frequency Missing	16,076	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	136,246	71.6%
Yes	54,138	28.4%
Frequency Missing	22,341	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	108,081	55.0%
Mild disapprove	29,485	15.0%
Neither	28,738	14.6%
Mildly approve	11,320	5.8%
Strongly approve	2,002	1.0%
Don't know	16,748	8.5%
Frequency Missing	16,352	

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	164,558	86.2%
Yes	26,236	13.8%
Frequency Missing	21,931	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	139,038	70.8%
Mild disapprove	16,232	8.3%
Neither	14,460	7.4%
Mildly approve	5,220	2.7%
Strongly approve	3,220	1.6%
Don't know	18,108	9.2%
Frequency Missing	16,447	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	134,179	70.3%
Yes	56,780	29.7%
Frequency Missing	21,767	



## Appendix: Reporting Methods for Prevalence & Recency of Use

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Delta 8</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
<b>Question</b>	<b>Updating Rule</b>
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

