

♀

State - Grades 7-12  
Spring 2000

AA

Table T-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
AA					
Any tobacco product	All	22.4%	30.8%	51.1%	48.9%
	Grade 7	10.9%	16.1%	33.0%	67.0%
	Grade 8	17.2%	25.2%	45.0%	55.0%
	Grade 9	22.6%	30.9%	51.8%	48.2%
	Grade 10	25.2%	34.4%	57.5%	42.5%
	Grade 11	30.5%	41.2%	62.4%	37.6%
	Grade 12	32.7%	42.2%	62.4%	37.6%
AA					
Cigarettes	All	20.8%	29.2%	49.6%	50.4%
	Grade 7	10.1%	15.3%	31.9%	68.1%
	Grade 8	16.2%	24.2%	43.9%	56.1%
	Grade 9	20.4%	29.3%	50.1%	49.9%
	Grade 10	23.5%	32.6%	55.5%	44.5%
	Grade 11	28.3%	38.7%	60.7%	39.3%
	Grade 12	30.7%	40.1%	60.9%	39.1%
AA					
Smokeless tobacco	All	5.0%	7.4%	13.1%	86.9%
	Grade 7	2.2%	3.1%	6.5%	93.5%
	Grade 8	3.3%	5.2%	10.0%	90.0%
	Grade 9	5.5%	7.8%	13.2%	86.8%
	Grade 10	5.9%	8.8%	15.3%	84.7%
	Grade 11	7.2%	11.0%	18.7%	81.3%
	Grade 12	6.9%	10.0%	17.6%	82.4%

AA

Table T-2: How often do you normally use...

Any tobacco product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	54.7%	7.1%	4.6%	5.7%	8.2%	7.5%	12.2%
Grade 7	72.1%	1.9%	2.1%	3.6%	5.8%	5.9%	8.6%
Grade 8	60.1%	3.3%	4.5%	5.2%	7.7%	8.0%	11.2%
Grade 9	54.0%	6.0%	5.0%	6.6%	8.6%	7.5%	12.4%
Grade 10	48.9%	8.6%	5.0%	6.5%	9.0%	7.3%	14.7%
Grade 11	44.2%	12.4%	5.7%	6.1%	9.5%	8.7%	13.4%
Grade 12	44.0%	14.2%	5.6%	6.3%	8.6%	7.6%	13.7%

Cigarettes?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	55.5%	6.5%	4.3%	5.5%	8.1%	7.5%	12.6%

OOS712a I . OUT

Grade 7	72.4%	1.8%	2.0%	3.5%	5.7%	5.8%	8.8%
Grade 8	60.6%	3.2%	4.0%	5.1%	7.9%	7.8%	11.4%
Grade 9	54.8%	5.2%	4.6%	6.4%	8.4%	8.0%	12.7%
Grade 10	50.4%	8.0%	4.6%	5.8%	8.9%	7.4%	15.0%
Grade 11	45.4%	11.3%	5.7%	5.9%	9.1%	8.5%	14.1%
Grade 12	44.6%	12.5%	5.6%	6.3%	8.9%	7.8%	14.3%

♀

State - Grades 7-12  
Spring 2000

AA

Smokeless tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.9%	1.1%	1.1%	1.4%	2.0%	2.1%	4.3%
Grade 7	94.3%	0.4%	0.4%	0.7%	1.0%	1.2%	1.9%
Grade 8	90.4%	0.3%	1.2%	1.3%	1.4%	1.9%	3.6%
Grade 9	88.3%	1.2%	1.4%	1.4%	2.1%	2.1%	3.5%
Grade 10	86.0%	1.1%	1.2%	2.0%	2.3%	2.4%	5.0%
Grade 11	82.8%	2.1%	1.3%	1.9%	2.9%	2.7%	6.4%
Grade 12	83.2%	2.3%	1.2%	1.4%	2.4%	2.6%	6.9%

AA

Table T-3: In the past 30 days, how many cigarettes have you smoked?

	None	<1 Per Day	>1 But <10 Per Day	>10 But <1 Pack Per Day	>1 Pack But <2 Packs/Day	>2 Packs Per Day
All	77.3%	12.0%	6.9%	2.1%	1.2%	0.4%
Grade 7	87.9%	7.7%	3.1%	0.6%	0.5%	0.3%
Grade 8	81.5%	10.9%	5.6%	1.2%	0.6%	0.2%
Grade 9	77.1%	13.4%	6.2%	1.6%	1.1%	0.6%
Grade 10	75.3%	12.5%	8.2%	2.5%	1.2%	0.3%
Grade 11	70.0%	14.0%	9.6%	3.6%	2.4%	0.3%
Grade 12	68.1%	14.4%	10.5%	4.4%	2.2%	0.4%

AA

Table T-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Tobacco	10.7	11.2	11.9	12.5	13.1	13.7

AA

Table T-5: If you wanted some, how difficult would it be to get...

Cigarettes?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	6.8%	11.2%	5.3%	8.3%	18.9%	49.5%

	OOS712a I . OUT					
Grade 7	12.2%	25.4%	10.2%	11.3%	17.8%	23.3%
Grade 8	7.3%	15.9%	8.2%	12.0%	23.1%	33.4%
Grade 9	7.2%	9.3%	5.3%	9.2%	22.5%	46.6%
Grade 10	5.3%	6.4%	3.1%	6.9%	20.7%	57.6%
Grade 11	4.1%	4.2%	2.3%	5.6%	16.0%	67.8%
Grade 12	3.4%	2.5%	1.0%	2.4%	8.5%	82.1%

Smokeless Tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	18.1%	17.2%	7.7%	10.2%	14.5%	32.3%
Grade 7	24.6%	35.4%	11.9%	9.8%	8.5%	9.8%
Grade 8	21.1%	25.4%	12.1%	12.0%	13.3%	16.0%
Grade 9	19.4%	15.3%	7.8%	13.1%	17.2%	27.2%
Grade 10	14.7%	10.0%	5.8%	11.1%	19.6%	38.8%
Grade 11	14.6%	7.6%	3.5%	8.2%	16.2%	49.9%
Grade 12	11.0%	4.3%	2.6%	4.1%	10.6%	67.4%

♀

State - Grades 7-12  
Spring 2000

AA

Table T-6: About how many of your close friends...

Use any tobacco product?

	Never heard None	A Few	Some	Most	All
All	30.2%	31.8%	20.0%	14.2%	3.8%
Grade 7	54.8%	27.2%	10.7%	4.9%	2.5%
Grade 8	38.6%	32.6%	16.2%	9.8%	2.8%
Grade 9	27.4%	33.3%	21.0%	13.8%	4.5%
Grade 10	21.7%	33.1%	24.3%	16.7%	4.1%
Grade 11	17.7%	33.0%	24.1%	20.3%	4.9%
Grade 12	15.4%	30.8%	26.1%	23.8%	3.8%

Smoke cigarettes?

	Never heard None	A Few	Some	Most	All
All	32.2%	32.7%	18.5%	13.2%	3.4%
Grade 7	55.8%	27.5%	9.7%	4.6%	2.4%
Grade 8	40.0%	33.0%	15.1%	9.2%	2.6%
Grade 9	30.4%	33.6%	19.6%	12.5%	3.9%
Grade 10	25.2%	34.3%	21.3%	15.4%	3.7%
Grade 11	19.1%	35.0%	22.3%	19.1%	4.4%
Grade 12	16.3%	33.0%	25.3%	22.0%	3.4%

Use a smokeless tobacco product?

	Never heard None	A Few	Some	Most	All
All	67.9%	18.5%	9.0%	3.3%	1.2%

	OOS712a I . OUT				
Grade 7	84.6%	9.1%	3.7%	1.3%	1.3%
Grade 8	76.9%	14.1%	5.8%	2.2%	1.0%
Grade 9	66.4%	20.1%	8.5%	3.5%	1.4%
Grade 10	60.3%	22.3%	12.5%	3.9%	1.1%
Grade 11	58.7%	23.3%	11.9%	4.5%	1.5%
Grade 12	55.7%	24.5%	13.6%	5.2%	1.0%

AA

Table T-7: How do your parents feel about kids your age smoking cigarettes?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't Know
All	69.3%	12.2%	8.6%	1.5%	0.9%	7.4%
Grade 7	78.3%	5.3%	2.8%	0.9%	1.2%	11.5%
Grade 8	76.8%	8.2%	4.9%	1.1%	1.0%	8.0%
Grade 9	71.6%	11.1%	8.2%	1.6%	0.9%	6.7%
Grade 10	66.6%	15.2%	9.3%	1.7%	0.8%	6.5%
Grade 11	61.5%	16.8%	13.0%	2.1%	0.9%	5.7%
Grade 12	54.9%	20.1%	16.7%	1.9%	1.0%	5.3%

♀

State - Grades 7-12  
Spring 2000

AA

Table T-8: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	46.5%	32.6%	13.0%	2.9%	5.0%
Grade 7	61.2%	24.8%	6.4%	1.5%	6.0%
Grade 8	50.8%	29.9%	11.5%	2.0%	5.7%
Grade 9	45.5%	33.7%	12.7%	2.8%	5.5%
Grade 10	41.4%	35.2%	15.2%	3.9%	4.3%
Grade 11	39.6%	36.6%	16.5%	3.4%	3.9%
Grade 12	37.2%	37.5%	17.3%	4.5%	3.6%

♀

State - Grades 7-12  
Spring 2000

AA

Table A-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used
Any alcohol product	All	36.1%	50.4%	70.7%	29.3%
	Grade 7	19.4%	28.3%	51.0%	49.0%
	Grade 8	29.7%	42.1%	64.7%	35.3%
	Grade 9	36.2%	50.8%	72.0%	28.0%
	Grade 10	41.1%	57.7%	77.7%	22.3%
	Grade 11	46.0%	63.4%	81.2%	18.8%
	Grade 12	50.6%	67.7%	83.2%	16.8%

OQS712a11. OUT

Product	Grade	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	All	25.6%	37.1%	55.2%	44.8%			
	Grade 7	11.7%	17.6%	34.8%	65.2%			
	Grade 8	19.5%	29.3%	47.7%	52.3%			
	Grade 9	25.2%	36.8%	55.9%	44.1%			
	Grade 10	30.7%	45.1%	63.3%	36.7%			
	Grade 11	34.0%	49.0%	67.4%	32.6%			
Wine coolers	All	23.3%	38.0%	58.0%	42.0%			
	Grade 7	13.1%	20.5%	38.5%	61.5%			
	Grade 8	20.0%	31.4%	50.8%	49.2%			
	Grade 9	23.5%	37.9%	58.5%	41.5%			
	Grade 10	27.2%	44.1%	65.4%	34.6%			
	Grade 11	27.9%	48.6%	69.2%	30.8%			
Wine	All	16.6%	29.6%	50.0%	50.0%			
	Grade 7	9.8%	16.0%	31.9%	68.1%			
	Grade 8	14.7%	25.4%	44.2%	55.8%			
	Grade 9	17.8%	30.7%	52.1%	47.9%			
	Grade 10	18.5%	34.2%	55.7%	44.3%			
	Grade 11	19.4%	36.4%	59.7%	40.3%			
Liquor	All	24.1%	36.3%	50.7%	49.3%			
	Grade 7	8.9%	13.6%	24.0%	76.0%			
	Grade 8	17.8%	26.3%	40.2%	59.8%			
	Grade 9	24.1%	37.3%	52.3%	47.7%			
	Grade 10	29.0%	44.1%	60.1%	39.9%			
	Grade 11	32.9%	49.8%	66.3%	33.7%			
Grade 12	37.7%	54.3%	69.9%	30.1%				

AAAAAA

Table A-2: How often do you normally use...

Any alcohol product?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	35.5%	0.9%	6.6%	16.7%	16.8%	13.7%	9.8%
Grade 7	56.5%	0.9%	4.4%	6.4%	9.7%	12.0%	10.1%
Grade 8	42.4%	0.8%	5.6%	12.6%	14.4%	13.4%	10.8%
Grade 9	34.0%	0.8%	6.4%	17.1%	17.7%	14.3%	9.6%
Grade 10	28.0%	0.8%	6.7%	20.0%	19.9%	13.4%	11.0%
Grade 11	24.2%	0.8%	8.3%	22.5%	20.7%	15.0%	8.5%
Grade 12	21.8%	1.1%	9.1%	25.5%	20.3%	14.2%	8.1%

State - Grades 7-12  
Spring 2000

AAAAAA

Beer?

	Never	Every	Several Times	Several Times	About Once a	About Once a	Less Than Once a
--	-------	-------	---------------	---------------	--------------	--------------	------------------

	Used	Day	00S712al I . OUT a Week	a Month	Month	Year	Year
All	47.0%	0.5%	5.3%	13.3%	13.8%	10.3%	9.8%
Grade 7	68.1%	0.5%	3.0%	4.4%	7.7%	7.9%	8.4%
Grade 8	54.4%	0.4%	3.9%	9.6%	12.0%	9.6%	10.1%
Grade 9	45.8%	0.5%	4.8%	13.8%	14.3%	10.9%	9.8%
Grade 10	39.3%	0.5%	5.7%	15.9%	16.6%	11.0%	11.0%
Grade 11	34.8%	0.6%	7.3%	18.5%	17.0%	11.8%	10.0%
Grade 12	33.4%	0.7%	8.1%	20.5%	16.6%	11.2%	9.5%

Wi ne coolers?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	45.2%	0.3%	3.6%	11.6%	15.4%	14.0%	9.8%
Grade 7	65.6%	0.4%	2.9%	4.9%	8.3%	9.4%	8.4%
Grade 8	52.7%	0.3%	3.6%	9.4%	12.1%	12.4%	9.5%
Grade 9	44.9%	0.3%	4.0%	12.3%	15.1%	14.1%	9.4%
Grade 10	38.3%	0.2%	3.8%	13.9%	18.3%	14.4%	11.1%
Grade 11	33.1%	0.1%	3.7%	14.7%	20.5%	17.3%	10.7%
Grade 12	29.7%	0.3%	3.6%	16.4%	21.2%	18.2%	10.6%

Wi ne?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	52.0%	0.2%	2.5%	7.5%	11.3%	15.5%	11.0%
Grade 7	71.0%	0.3%	2.0%	3.4%	6.0%	9.6%	7.7%
Grade 8	58.9%	0.2%	2.5%	6.5%	9.4%	12.7%	9.9%
Grade 9	49.6%	0.3%	2.8%	8.5%	11.5%	16.4%	10.8%
Grade 10	45.3%	0.2%	2.7%	8.4%	13.0%	17.6%	12.9%
Grade 11	42.6%	0.1%	2.7%	9.2%	14.8%	18.4%	12.2%
Grade 12	39.8%	0.2%	2.5%	9.9%	14.3%	20.0%	13.3%

Li quor?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	52.6%	0.3%	3.7%	11.5%	13.7%	10.5%	7.7%
Grade 7	78.7%	0.3%	2.3%	3.3%	4.8%	5.5%	5.0%
Grade 8	63.4%	0.2%	3.0%	7.9%	9.5%	8.8%	7.1%
Grade 9	51.4%	0.2%	4.0%	11.7%	13.9%	10.6%	8.3%
Grade 10	43.3%	0.3%	4.1%	14.4%	16.4%	12.5%	8.9%
Grade 11	37.0%	0.2%	4.7%	16.3%	19.8%	13.6%	8.5%
Grade 12	33.0%	0.4%	4.8%	18.6%	20.9%	13.6%	8.6%

♀

State - Grades 7-12  
Spring 2000

AA

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

OOS712a I . OUT

Beer

	Never	Ever	5 or More	1 to 4	Less Than 1
All	44.9%	55.1%	17.4%	25.4%	12.3%
Grade 7	63.6%	36.4%	6.1%	17.8%	12.5%
Grade 8	51.1%	48.9%	10.7%	24.6%	13.6%
Grade 9	44.1%	55.9%	17.0%	26.2%	12.7%
Grade 10	37.7%	62.3%	22.1%	28.6%	11.6%
Grade 11	34.2%	65.8%	26.5%	27.6%	11.6%
Grade 12	33.6%	66.4%	27.0%	28.2%	11.2%

Wi ne Coolers

	Never	Ever	5 or More	1 to 4	Less Than 1
All	41.9%	58.1%	14.8%	34.4%	8.9%
Grade 7	60.8%	39.2%	8.1%	22.1%	9.1%
Grade 8	48.3%	51.7%	11.6%	30.2%	9.9%
Grade 9	40.3%	59.7%	15.4%	34.5%	9.8%
Grade 10	35.6%	64.4%	18.1%	38.4%	7.9%
Grade 11	32.2%	67.8%	19.1%	40.8%	7.8%
Grade 12	29.5%	70.5%	18.1%	44.5%	8.0%

Wi ne

	Never	Ever	5 or More	1 to 4	Less Than 1
All	50.2%	49.8%	6.4%	28.3%	15.1%
Grade 7	67.2%	32.8%	4.1%	17.2%	11.5%
Grade 8	54.9%	45.1%	5.7%	25.3%	14.1%
Grade 9	47.1%	52.9%	7.1%	29.6%	16.2%
Grade 10	45.4%	54.6%	6.8%	32.2%	15.6%
Grade 11	42.9%	57.1%	7.6%	33.6%	15.9%
Grade 12	40.3%	59.7%	7.1%	34.5%	18.1%

Li quor

	Never	Ever	5 or More	1 to 4	Less Than 1
All	49.6%	50.4%	14.3%	26.6%	9.5%
Grade 7	75.7%	24.3%	4.6%	12.3%	7.5%
Grade 8	59.7%	40.3%	9.1%	20.5%	10.7%
Grade 9	47.6%	52.4%	14.6%	27.5%	10.3%
Grade 10	41.4%	58.6%	18.5%	31.2%	8.9%
Grade 11	34.7%	65.3%	20.9%	34.9%	9.6%
Grade 12	30.7%	69.3%	21.7%	37.7%	10.0%

AA

Table A-4: During the past twelve months, how often have you had five or more drinks at one time?

Beer

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	63.9%	36.1%	3.8%	17.7%	14.6%
Grade 7	80.2%	19.8%	2.0%	7.5%	10.3%
Grade 8	71.8%	28.2%	2.5%	12.2%	13.4%

	OOS712a I . OUT					
Grade 9	63.7%	36.3%	3.7%	17.6%	15.0%	
Grade 10	57.5%	42.5%	4.0%	21.9%	16.7%	
Grade 11	53.4%	46.6%	5.2%	24.8%	16.6%	
Grade 12	51.1%	48.9%	6.0%	26.2%	16.7%	

♀

State - Grades 7-12  
Spring 2000

AA

Wi ne Cool ers

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	61.8%	38.2%	2.7%	17.4%	18.1%
Grade 7	76.8%	23.2%	2.5%	9.1%	11.5%
Grade 8	68.6%	31.4%	2.6%	13.6%	15.2%
Grade 9	61.2%	38.8%	3.1%	17.8%	17.9%
Grade 10	55.8%	44.2%	3.2%	20.4%	20.5%
Grade 11	52.7%	47.3%	2.5%	23.1%	21.7%
Grade 12	50.7%	49.3%	2.2%	23.0%	24.0%

Wi ne

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	68.6%	31.4%	1.6%	10.4%	19.3%
Grade 7	81.8%	18.2%	1.5%	5.9%	10.9%
Grade 8	73.3%	26.7%	1.6%	9.0%	16.2%
Grade 9	67.3%	32.7%	1.7%	11.5%	19.6%
Grade 10	64.1%	35.9%	1.7%	12.0%	22.2%
Grade 11	61.9%	38.1%	1.6%	12.8%	23.7%
Grade 12	60.0%	40.0%	1.3%	12.4%	26.3%

Li quor

	Never	Ever	Several Times/Week	Several Times/Month	Less Than Once/Month
All	64.0%	36.0%	3.0%	17.6%	15.5%
Grade 7	84.6%	15.4%	1.8%	5.8%	7.9%
Grade 8	74.0%	26.0%	2.4%	11.7%	12.0%
Grade 9	62.5%	37.5%	3.2%	18.0%	16.3%
Grade 10	56.5%	43.5%	3.5%	21.7%	18.2%
Grade 11	50.9%	49.1%	3.7%	25.8%	19.6%
Grade 12	48.6%	51.4%	3.6%	26.8%	21.0%

AA

Table A-5: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	10.6	11.1	11.8	12.5	13.2	13.8

AA

Table A-6: If you wanted some, how difficult would it be to get...

Beer?



	Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	5.9%	9.9%	5.5%	10.7%	23.0%	45.0%
Grade 7	11.0%	22.6%	10.0%	11.9%	17.8%	26.6%
Grade 8	6.4%	13.8%	7.4%	12.8%	22.5%	37.2%
Grade 9	6.0%	8.0%	5.3%	11.5%	23.1%	46.2%
Grade 10	4.4%	5.0%	3.7%	9.9%	23.4%	53.6%
Grade 11	3.6%	4.2%	3.1%	8.2%	23.2%	57.6%
Grade 12	3.2%	3.2%	2.1%	8.9%	29.6%	52.9%

♀

State - Grades 7-12  
Spring 2000

AA

Wi ne cool ers?

	Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	7.3%	10.5%	5.9%	11.4%	22.7%	42.2%
Grade 7	14.0%	24.2%	10.5%	12.1%	16.2%	23.0%
Grade 8	8.1%	15.3%	8.5%	14.2%	21.0%	32.9%
Grade 9	7.3%	8.4%	5.6%	12.5%	23.4%	42.8%
Grade 10	5.5%	5.2%	3.8%	10.3%	24.2%	50.9%
Grade 11	4.0%	3.8%	3.0%	8.5%	24.1%	56.6%
Grade 12	3.1%	3.3%	2.0%	9.0%	29.2%	53.4%

Wi ne?

	Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	7.7%	12.4%	7.5%	12.6%	20.9%	38.9%
Grade 7	13.1%	27.4%	12.1%	12.1%	14.4%	21.0%
Grade 8	8.5%	17.8%	10.3%	14.3%	19.0%	30.1%
Grade 9	8.2%	9.7%	7.4%	13.9%	21.0%	39.7%
Grade 10	5.7%	6.7%	5.5%	13.0%	22.7%	46.3%
Grade 11	5.2%	5.7%	4.4%	10.5%	22.3%	52.0%
Grade 12	4.3%	3.9%	3.2%	10.5%	28.2%	49.8%

Li quor?

	Never Heard Of	Impossi ble	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	7.6%	14.1%	7.7%	11.4%	19.7%	39.4%
Grade 7	14.5%	32.2%	12.3%	10.3%	11.9%	18.9%
Grade 8	8.8%	20.7%	11.0%	12.4%	17.3%	29.9%
Grade 9	7.1%	11.4%	7.6%	12.9%	20.5%	40.4%
Grade 10	5.8%	7.5%	5.8%	11.0%	21.4%	48.4%
Grade 11	4.4%	5.0%	4.5%	10.1%	22.2%	53.8%
Grade 12	3.8%	4.2%	3.3%	10.8%	27.1%	50.9%

AA

Table A-7: Since school began in the fall, on how many days (if any) have you...

Attended class while drunk on alcohol?

OOS712a I . OUT

	None	1-3 Days	4-9 Days	10+ Days
All	90.7%	7.1%	1.2%	1.0%
Grade 7	93.3%	5.4%	0.6%	0.6%
Grade 8	91.3%	6.8%	1.0%	0.9%
Grade 9	90.4%	7.1%	1.3%	1.2%
Grade 10	89.0%	8.2%	1.5%	1.3%
Grade 11	89.8%	7.8%	1.4%	0.9%
Grade 12	90.6%	7.1%	1.4%	0.9%

Gotten into trouble with teachers because of your drinking?

	None	1-3 Days	4-9 Days	10+ Days
All	98.8%	0.8%	0.2%	0.2%
Grade 7	98.8%	0.8%	0.2%	0.2%
Grade 8	98.9%	0.7%	0.1%	0.2%
Grade 9	98.6%	0.9%	0.2%	0.3%
Grade 10	98.9%	0.9%	0.1%	0.1%
Grade 11	98.8%	0.8%	0.2%	0.2%
Grade 12	98.8%	0.8%	0.2%	0.1%

♀

State - Grades 7-12  
Spring 2000

AA

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons:

Alcohol Users:	4.9 days per student
Alcohol Non-users:	3.8 days per student

Average days conduct problems reported:

Alcohol Users:	3.4 days per student
Alcohol Non-users:	1.2 days per student

AA

Table A-9: During the past twelve months, how many times have you...

Driven a car when you've had a good bit to drink?

	None	1-3 Times	4-9 Times	10+ Times
All	85.3%	10.8%	2.1%	1.9%
Grade 9	93.4%	5.2%	0.8%	0.6%
Grade 10	88.5%	8.8%	1.6%	1.1%
Grade 11	79.2%	15.1%	3.2%	2.5%
Grade 12	74.1%	17.8%	3.8%	4.3%

Gotten into trouble with the police because of drinking?

	None	1-3 Times	4-9 Times	10+ Times
All	95.5%	3.9%	0.4%	0.2%

		OOS712a I . OUT		
Grade 7	98.1%	1.4%	0.4%	0.2%
Grade 8	97.4%	2.0%	0.4%	0.1%
Grade 9	96.4%	2.9%	0.3%	0.3%
Grade 10	94.1%	5.1%	0.5%	0.2%
Grade 11	93.5%	5.9%	0.4%	0.2%
Grade 12	91.8%	7.5%	0.4%	0.2%

AA

Table A-10: About how many of your close friends use...

Any alcohol product?

	Never heard None	A Few	Some	Most	All
All	20.9%	23.5%	19.6%	23.7%	12.3%
Grade 7	45.0%	27.3%	12.6%	9.2%	5.9%
Grade 8	28.5%	28.4%	18.4%	16.6%	8.1%
Grade 9	16.6%	24.8%	21.9%	24.2%	12.6%
Grade 10	12.4%	20.9%	23.0%	29.1%	14.7%
Grade 11	10.1%	19.5%	20.7%	33.1%	16.6%
Grade 12	8.2%	16.6%	21.1%	35.1%	19.0%

Beer?

	Never heard None	A Few	Some	Most	All
All	27.2%	23.0%	19.3%	21.1%	9.5%
Grade 7	54.2%	24.4%	10.8%	6.8%	3.8%
Grade 8	37.0%	27.0%	17.3%	13.4%	5.2%
Grade 9	23.0%	24.4%	21.7%	21.6%	9.3%
Grade 10	17.2%	21.6%	22.9%	26.5%	11.8%
Grade 11	14.4%	20.2%	21.8%	29.9%	13.7%
Grade 12	11.8%	17.3%	21.5%	33.7%	15.7%

State - Grades 7-12  
Spring 2000

AA

Wine coolers?

	Never heard None	A Few	Some	Most	All
All	31.6%	24.9%	19.8%	16.4%	7.3%
Grade 7	57.0%	21.7%	10.1%	6.7%	4.6%
Grade 8	41.3%	25.8%	15.4%	11.8%	5.8%
Grade 9	28.3%	26.9%	20.8%	16.3%	7.7%
Grade 10	22.8%	25.0%	23.5%	20.2%	8.6%
Grade 11	18.1%	25.8%	24.5%	22.8%	8.7%
Grade 12	16.0%	23.2%	27.2%	24.4%	9.2%

Wine?

	Never heard None	A Few	Some	Most	All
--	---------------------	-------	------	------	-----

		OOS712a	ALL	OUT		
ALL	46.2%	24.3%	14.6%	10.0%	4.9%	
Grade 7	67.5%	18.0%	7.7%	3.8%	3.0%	
Grade 8	54.1%	22.5%	12.3%	7.2%	3.9%	
Grade 9	42.9%	25.7%	15.2%	11.1%	5.1%	
Grade 10	38.0%	26.0%	18.1%	11.9%	5.9%	
Grade 11	36.2%	27.5%	16.7%	13.6%	6.0%	
Grade 12	33.5%	27.3%	19.5%	14.0%	5.7%	

Li quor?

	Never heard None	A Few	Some	Most	ALL
ALL	37.5%	19.9%	16.7%	17.7%	8.3%
Grade 7	68.3%	16.4%	7.5%	4.7%	3.1%
Grade 8	50.0%	21.4%	12.9%	10.7%	5.0%
Grade 9	34.4%	21.4%	18.3%	17.2%	8.7%
Grade 10	25.3%	21.2%	20.1%	22.7%	10.8%
Grade 11	20.7%	19.7%	21.0%	27.1%	11.5%
Grade 12	18.0%	18.0%	22.4%	29.2%	12.5%

AA

Table A-11: During the past twelve months, how many times have you...

Had di ffi cul ties of any ki nd wi th your fri ends be cause of your dri nking?

	None	1-3 Times	4-9 Times	10+ Times
ALL	91.0%	7.7%	0.9%	0.4%
Grade 7	95.9%	3.5%	0.3%	0.3%
Grade 8	93.6%	5.3%	0.7%	0.4%
Grade 9	91.1%	7.7%	0.9%	0.4%
Grade 10	89.0%	9.6%	1.1%	0.3%
Grade 11	87.0%	10.8%	1.4%	0.8%
Grade 12	88.0%	10.5%	1.2%	0.3%

Been cri ti cized by some one you were da ting be cause of dri nking?

	None	1-3 Times	4-9 Times	10+ Times
ALL	92.4%	6.2%	0.9%	0.6%
Grade 7	97.4%	2.0%	0.5%	0.1%
Grade 8	95.4%	3.9%	0.4%	0.3%
Grade 9	92.2%	6.4%	0.9%	0.6%
Grade 10	90.2%	8.1%	1.1%	0.6%
Grade 11	88.9%	8.9%	1.3%	0.9%
Grade 12	88.7%	8.9%	1.4%	1.0%

♀

State - Grades 7-12  
Spring 2000

AA

Table A-12: Thinking of parties you attended this school year, how often was al co hol used?

	Never	Sel dom	Half the Time	Most Of the Time	Al ways	Don' t Know	Di dn' t Attend
--	-------	---------	------------------	---------------------	---------	----------------	--------------------

	OOS712a I . OUT						
All	32.3%	11.1%	8.2%	14.6%	22.5%	2.2%	9.2%
Grade 7	61.4%	11.4%	6.7%	5.7%	4.7%	2.7%	7.5%
Grade 8	44.5%	15.8%	9.4%	11.3%	8.7%	2.5%	7.7%
Grade 9	28.6%	11.7%	9.6%	16.4%	20.2%	2.7%	10.7%
Grade 10	21.3%	10.8%	8.4%	18.7%	29.1%	1.9%	9.7%
Grade 11	16.1%	7.8%	7.6%	18.0%	39.1%	1.6%	9.7%
Grade 12	14.3%	6.5%	6.2%	18.9%	42.7%	1.3%	10.1%

AA

Table A-13: How often, if ever, do you get alcoholic beverages from...

At home

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	39.7%	27.3%	22.7%	7.5%	2.8%
Grade 7	55.1%	20.3%	17.0%	5.7%	2.0%
Grade 8	44.3%	22.9%	22.4%	7.8%	2.6%
Grade 9	39.4%	25.4%	23.4%	8.7%	3.1%
Grade 10	34.2%	31.2%	24.2%	7.5%	2.8%
Grade 11	31.7%	33.8%	24.4%	7.5%	2.6%
Grade 12	29.5%	34.0%	25.2%	7.6%	3.6%

From friends

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	33.9%	14.3%	16.4%	24.2%	11.3%
Grade 7	53.4%	22.4%	11.1%	9.9%	3.0%
Grade 8	41.3%	18.8%	16.9%	16.5%	6.4%
Grade 9	32.2%	14.4%	17.9%	24.6%	10.8%
Grade 10	27.2%	10.4%	17.1%	31.1%	14.2%
Grade 11	23.7%	8.7%	17.8%	32.5%	17.4%
Grade 12	20.2%	7.9%	17.4%	35.1%	19.3%

From a store

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	36.2%	40.9%	11.5%	7.3%	4.2%
Grade 7	54.8%	38.0%	4.1%	2.1%	0.9%
Grade 8	43.0%	44.6%	6.9%	3.5%	2.0%
Grade 9	34.6%	43.2%	11.4%	7.1%	3.7%
Grade 10	30.9%	40.0%	15.1%	9.2%	4.8%
Grade 11	26.2%	38.3%	16.5%	11.4%	7.6%
Grade 12	22.3%	39.0%	17.8%	13.0%	8.0%

At parties

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	33.3%	13.6%	13.4%	19.7%	20.0%
Grade 7	51.8%	20.2%	11.2%	10.1%	6.7%
Grade 8	39.9%	16.9%	15.4%	15.5%	12.2%
Grade 9	31.9%	13.1%	14.0%	20.3%	20.7%
Grade 10	27.3%	11.5%	12.5%	23.5%	25.1%

			OOS712a I . OUT			
Grade 11	23.5%	9.1%	13.4%	25.1%	28.9%	
Grade 12	20.3%	8.6%	13.6%	26.3%	31.3%	

State - Grades 7-12  
Spring 2000

AA

Other source

	Do Not Drink	Never	Sel dom	Most of the time	Al ways
All	37.6%	23.4%	16.8%	11.5%	10.7%
Grade 7	55.3%	22.2%	11.1%	6.5%	4.9%
Grade 8	43.0%	23.4%	15.9%	10.3%	7.5%
Grade 9	36.3%	23.6%	16.9%	12.5%	10.7%
Grade 10	31.7%	23.0%	19.0%	13.0%	13.2%
Grade 11	28.8%	23.6%	18.4%	13.8%	15.4%
Grade 12	25.3%	25.4%	20.8%	14.0%	14.5%

AA

Table A-14: How do your parents feel about kids your age drinking beer?

	Strongly Disapprove	Mi l d l y Disapprove	Nei ther	Mi l d l y Approve	Strongly Approve	Don' t Know
All	64.9%	15.5%	9.1%	2.6%	1.1%	6.8%
Grade 7	74.1%	8.7%	3.7%	1.6%	1.1%	10.8%
Grade 8	71.3%	11.3%	6.2%	2.1%	1.3%	7.8%
Grade 9	64.7%	16.0%	9.8%	2.4%	1.0%	6.0%
Grade 10	62.2%	18.3%	9.5%	3.0%	1.0%	5.9%
Grade 11	59.2%	19.0%	12.6%	3.3%	1.1%	4.9%
Grade 12	54.3%	21.9%	14.7%	3.8%	1.0%	4.4%

AA

Table A-15: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.0%	33.9%	13.2%	2.6%	3.3%
Grade 7	55.1%	26.9%	10.7%	2.6%	4.6%
Grade 8	46.6%	31.5%	15.2%	2.7%	4.0%
Grade 9	45.8%	32.4%	15.0%	3.3%	3.4%
Grade 10	43.4%	38.5%	13.1%	2.5%	2.6%
Grade 11	46.2%	37.2%	12.2%	2.1%	2.3%
Grade 12	44.8%	39.1%	11.8%	2.1%	2.2%

State - Grades 7-12  
Spring 2000

AA

Table D-1: How recently, if ever, have you used...

		Past Month	School Year	Ever Used	Never Used	
AAAAA	Marijuana?	All	13. 7%	20. 4%	32. 2%	67. 8%
		Grade 7	5. 6%	7. 9%	13. 2%	86. 8%
		Grade 8	10. 4%	14. 9%	23. 2%	76. 8%
		Grade 9	14. 2%	20. 9%	31. 8%	68. 2%
		Grade 10	16. 1%	24. 7%	39. 1%	60. 9%
		Grade 11	18. 9%	28. 9%	46. 5%	53. 5%
		Grade 12	19. 6%	29. 7%	47. 0%	53. 0%
AAAAA	Cocaine?	All	2. 9%	4. 9%	8. 6%	91. 4%
		Grade 7	0. 9%	1. 5%	3. 1%	96. 9%
		Grade 8	2. 2%	3. 4%	5. 9%	94. 1%
		Grade 9	2. 8%	4. 8%	8. 0%	92. 0%
		Grade 10	3. 6%	5. 7%	9. 7%	90. 3%
		Grade 11	4. 6%	7. 8%	14. 1%	85. 9%
		Grade 12	4. 0%	7. 3%	13. 3%	86. 7%
AAAAA	Crack?	All	0. 7%	1. 3%	2. 6%	97. 4%
		Grade 7	0. 7%	1. 3%	2. 2%	97. 8%
		Grade 8	0. 9%	1. 8%	3. 0%	97. 0%
		Grade 9	0. 6%	1. 2%	2. 5%	97. 5%
		Grade 10	0. 7%	1. 1%	2. 4%	97. 6%
		Grade 11	0. 7%	1. 3%	3. 2%	96. 8%
		Grade 12	0. 4%	0. 6%	2. 0%	98. 0%
AAAAA	Hallucinogens?	All	1. 8%	3. 2%	5. 4%	94. 6%
		Grade 7	0. 3%	1. 0%	1. 5%	98. 5%
		Grade 8	0. 9%	1. 5%	2. 5%	97. 5%
		Grade 9	1. 8%	3. 2%	5. 4%	94. 6%
		Grade 10	2. 5%	4. 2%	6. 4%	93. 6%
		Grade 11	2. 9%	5. 5%	9. 2%	90. 8%
		Grade 12	2. 9%	5. 3%	9. 5%	90. 5%
AAAAA	Uppers?	All	2. 7%	4. 2%	6. 7%	93. 3%
		Grade 7	0. 6%	1. 1%	1. 7%	98. 3%
		Grade 8	1. 6%	2. 5%	3. 6%	96. 4%
		Grade 9	3. 2%	4. 7%	7. 2%	92. 8%
		Grade 10	3. 4%	5. 5%	8. 7%	91. 3%
		Grade 11	4. 4%	6. 5%	10. 8%	89. 2%
		Grade 12	3. 4%	5. 6%	9. 5%	90. 5%
AAAAA	Downers?	All	2. 6%	3. 8%	5. 8%	94. 2%
		Grade 7	0. 6%	1. 1%	1. 5%	98. 5%
		Grade 8	1. 2%	1. 9%	2. 9%	97. 1%
		Grade 9	3. 5%	4. 7%	6. 6%	93. 4%
		Grade 10	3. 1%	4. 8%	7. 4%	92. 6%
		Grade 11	3. 9%	6. 1%	9. 9%	90. 1%
		Grade 12	3. 5%	5. 0%	8. 0%	92. 0%
AAAAA	Rohypnol?	All	1. 7%	2. 6%	4. 5%	95. 5%
		Grade 7	1. 1%	1. 7%	2. 4%	97. 6%
		Grade 8	1. 9%	2. 8%	4. 3%	95. 7%
		Grade 9	2. 0%	3. 1%	4. 9%	95. 1%
		Grade 10	1. 8%	2. 7%	5. 0%	95. 0%
		Grade 11	1. 8%	2. 8%	5. 8%	94. 2%
		Grade 12	1. 3%	2. 1%	4. 8%	95. 2%
AAAAA	Steroids?	All	0. 8%	1. 2%	2. 3%	97. 7%

OOS712a I . OUT				
Grade 7	1.0%	1.3%	2.3%	97.7%
Grade 8	0.8%	1.3%	2.5%	97.5%
Grade 9	0.7%	1.2%	2.0%	98.0%
Grade 10	0.7%	1.0%	2.1%	97.9%
Grade 11	0.8%	1.4%	2.7%	97.3%
Grade 12	0.7%	1.1%	2.2%	97.8%

State - Grades 7-12  
Spring 2000

AA

		Past Month	School Year	Ever Used	Never Used
Ecstasy?					
All		1.9%	2.9%	4.5%	95.5%
Grade 7		0.6%	0.9%	1.5%	98.5%
Grade 8		1.1%	1.7%	2.5%	97.5%
Grade 9		2.0%	3.0%	4.7%	95.3%
Grade 10		2.3%	3.6%	5.5%	94.5%
Grade 11		3.2%	4.5%	7.5%	92.5%
Grade 12		3.0%	4.5%	6.7%	93.3%
Heroin?					
All		0.5%	0.8%	1.6%	98.4%
Grade 7		0.7%	1.1%	1.8%	98.2%
Grade 8		0.7%	1.1%	1.9%	98.1%
Grade 9		0.6%	0.8%	1.6%	98.4%
Grade 10		0.4%	0.5%	1.4%	98.6%
Grade 11		0.2%	0.4%	1.5%	98.5%
Grade 12		0.4%	0.6%	1.5%	98.5%

AA

Table D-2: How often do you normally use...

Marijuana?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	72.6%	2.8%	3.5%	4.8%	5.0%	4.8%	6.5%
Grade 7	88.9%	0.8%	2.1%	1.9%	1.9%	1.9%	2.4%
Grade 8	79.8%	1.5%	3.1%	4.6%	3.4%	3.6%	4.0%
Grade 9	72.1%	2.9%	4.3%	5.5%	5.2%	4.5%	5.6%
Grade 10	67.2%	3.4%	3.8%	5.3%	6.4%	5.7%	8.3%
Grade 11	60.8%	4.6%	4.1%	6.0%	7.1%	6.8%	10.6%
Grade 12	60.6%	4.2%	3.5%	5.8%	7.2%	8.1%	10.6%

Cocaine?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.0%	0.2%	0.5%	1.1%	1.5%	1.6%	2.1%
Grade 7	97.8%	0.1%	0.2%	0.4%	0.4%	0.4%	0.7%
Grade 8	95.1%	0.1%	0.5%	0.7%	1.0%	1.1%	1.5%
Grade 9	93.2%	0.2%	0.6%	1.3%	1.5%	1.7%	1.5%
Grade 10	91.7%	0.3%	0.5%	1.2%	1.9%	1.9%	2.5%



		OOS712a I . OUT						
Grade 11	88.5%	0.2%	0.6%	1.7%	2.7%	2.7%	3.6%	
Grade 12	89.8%	0.2%	0.6%	1.3%	2.2%	2.4%	3.5%	

Crack?

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.9%	0.0%	0.1%	0.3%	0.4%	0.4%	0.8%	
Grade 7	98.4%	0.0%	0.1%	0.3%	0.3%	0.3%	0.5%	
Grade 8	97.3%	0.0%	0.3%	0.5%	0.5%	0.6%	0.8%	
Grade 9	97.9%	0.0%	0.1%	0.2%	0.5%	0.5%	0.7%	
Grade 10	98.1%	0.0%	0.0%	0.3%	0.4%	0.4%	0.7%	
Grade 11	97.6%	0.1%	0.1%	0.3%	0.5%	0.4%	1.0%	
Grade 12	98.3%	0.0%	0.0%	0.2%	0.1%	0.3%	1.0%	

♀

State - Grades 7-12  
Spring 2000

AA

Hal I uci nogens?

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.3%	0.0%	0.1%	0.5%	1.1%	1.4%	1.5%	
Grade 7	99.1%	0.0%	0.1%	0.1%	0.2%	0.2%	0.3%	
Grade 8	97.8%	0.0%	0.2%	0.3%	0.5%	0.6%	0.6%	
Grade 9	95.0%	0.0%	0.2%	0.4%	1.5%	1.4%	1.6%	
Grade 10	94.3%	0.1%	0.1%	0.7%	1.3%	1.9%	1.6%	
Grade 11	91.8%	0.1%	0.2%	0.7%	1.8%	2.6%	2.8%	
Grade 12	91.8%	0.0%	0.1%	0.7%	1.8%	2.5%	3.1%	

Uppers?

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	93.9%	0.2%	0.4%	0.9%	1.5%	1.4%	1.7%	
Grade 7	98.5%	0.1%	0.1%	0.3%	0.3%	0.4%	0.3%	
Grade 8	96.7%	0.1%	0.5%	0.5%	0.7%	0.6%	0.8%	
Grade 9	92.9%	0.2%	0.4%	1.4%	2.0%	1.3%	1.7%	
Grade 10	92.0%	0.2%	0.5%	1.0%	2.2%	2.0%	2.2%	
Grade 11	90.5%	0.2%	0.6%	1.2%	2.1%	2.4%	3.1%	
Grade 12	91.8%	0.2%	0.4%	1.2%	1.8%	2.0%	2.6%	

Downers?

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.8%	0.1%	0.4%	0.8%	1.5%	1.2%	1.3%	
Grade 7	98.8%	0.1%	0.1%	0.2%	0.2%	0.3%	0.3%	
Grade 8	97.3%	0.1%	0.4%	0.4%	0.6%	0.5%	0.7%	
Grade 9	94.0%	0.1%	0.4%	1.2%	2.2%	1.2%	1.0%	

			OOS712a I . OUT				
Grade 10	93.0%	0.1%	0.4%	1.0%	2.0%	1.7%	1.8%
Grade 11	91.2%	0.2%	0.5%	1.0%	2.2%	2.4%	2.7%
Grade 12	93.3%	0.0%	0.3%	1.0%	1.8%	1.7%	1.8%

Rohypnol ?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.5%	0.1%	0.3%	0.5%	0.7%	0.9%	1.0%
Grade 7	98.2%	0.1%	0.4%	0.4%	0.4%	0.3%	0.3%
Grade 8	96.6%	0.1%	0.5%	0.5%	0.7%	0.8%	0.8%
Grade 9	96.3%	0.1%	0.4%	0.6%	0.8%	1.0%	0.9%
Grade 10	96.3%	0.1%	0.3%	0.6%	0.8%	1.0%	1.0%
Grade 11	95.3%	0.1%	0.2%	0.5%	0.8%	1.2%	1.9%
Grade 12	96.2%	0.0%	0.2%	0.4%	0.6%	1.0%	1.6%

Steroi ds?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.2%	0.1%	0.1%	0.2%	0.3%	0.3%	0.7%
Grade 7	98.2%	0.3%	0.1%	0.2%	0.3%	0.3%	0.7%
Grade 8	97.9%	0.2%	0.1%	0.2%	0.4%	0.4%	0.9%
Grade 9	98.7%	0.1%	0.1%	0.2%	0.2%	0.3%	0.5%
Grade 10	98.1%	0.1%	0.1%	0.3%	0.3%	0.4%	0.7%
Grade 11	97.9%	0.1%	0.1%	0.3%	0.3%	0.3%	1.0%
Grade 12	98.2%	0.1%	0.2%	0.3%	0.2%	0.4%	0.7%

♀

State - Grades 7-12  
Spring 2000

AA

Ecstasy?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.8%	0.1%	0.2%	0.7%	1.1%	1.1%	1.1%
Grade 7	98.6%	0.0%	0.1%	0.3%	0.3%	0.5%	0.3%
Grade 8	97.8%	0.1%	0.2%	0.5%	0.6%	0.4%	0.5%
Grade 9	95.5%	0.0%	0.2%	0.5%	1.4%	1.1%	1.2%
Grade 10	94.9%	0.1%	0.1%	0.8%	1.2%	1.4%	1.4%
Grade 11	93.2%	0.1%	0.4%	0.9%	1.6%	1.9%	1.9%
Grade 12	93.7%	0.1%	0.2%	1.0%	1.5%	1.7%	1.8%

Heroin?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.7%	0.1%	0.1%	0.1%	0.2%	0.3%	0.5%
Grade 7	98.6%	0.0%	0.1%	0.2%	0.4%	0.3%	0.4%
Grade 8	98.6%	0.0%	0.2%	0.2%	0.3%	0.3%	0.4%
Grade 9	98.8%	0.0%	0.1%	0.1%	0.2%	0.4%	0.4%
Grade 10	98.6%	0.1%	0.1%	0.2%	0.2%	0.3%	0.6%

	Grade 11	98.9%	0.0%	OOS712all . OUT 0.0%	0.1%	0.2%	0.3%	0.5%
Grade 12	98.8%	0.1%	0.1%	0.1%	0.1%	0.2%	0.6%	

AA

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.6	12.1	12.8	13.5	14.1	14.8
Cocaine	12.1	12.9	13.7	14.5	15.1	15.9
Crack	12.0	12.7	13.5	14.3	14.9	15.5
Hallucinogens	12.4	12.7	13.6	14.4	15.0	15.6
Uppers	11.9	12.6	13.2	14.1	14.7	15.3
Downers	12.0	12.4	13.3	14.1	14.5	15.2
Rohypnol	11.8	12.4	13.2	14.1	14.7	15.2
Steroids	11.7	12.4	13.3	14.2	15.4	15.7
Ecstasy	12.2	13.0	14.0	14.9	15.6	16.4
Heroin	11.9	12.3	13.2	14.1	14.9	15.6

AA

Table D-4: Age of first use of marijuana by family situation:

Two parent family

	Never	9 or Under	10-11	12-13	14-15	16-17	18 or Over
All	71.6%	0.9%	2.8%	9.5%	10.3%	4.4%	0.4%
Grade 7	90.2%	0.9%	2.9%	5.7%	0.2%	0.0%	0.1%
Grade 8	81.6%	1.6%	3.6%	10.0%	3.2%	0.0%	0.0%
Grade 9	72.2%	0.9%	3.8%	11.4%	11.3%	0.4%	0.0%
Grade 10	65.1%	0.8%	2.6%	10.8%	17.2%	3.6%	0.1%
Grade 11	58.2%	0.9%	1.9%	11.1%	17.3%	10.3%	0.3%
Grade 12	56.1%	0.4%	1.4%	7.0%	15.2%	17.3%	2.5%

Other family situation

	Never	9 or Under	10-11	12-13	14-15	16-17	18 or Over
All	58.0%	2.4%	6.1%	14.8%	14.0%	4.3%	0.4%
Grade 7	79.6%	2.3%	7.9%	9.3%	0.8%	* %	0.1%
Grade 8	67.0%	2.6%	7.0%	18.1%	5.2%	0.0%	0.0%
Grade 9	57.0%	2.7%	8.7%	16.2%	14.8%	0.6%	0.0%
Grade 10	50.4%	3.0%	4.5%	16.2%	22.8%	3.0%	0.0%
Grade 11	43.4%	1.6%	4.0%	15.2%	22.5%	12.8%	0.5%
Grade 12	45.1%	1.4%	2.1%	12.2%	21.3%	15.1%	2.8%

State - Grades 7-12  
Spring 2000

AA

Table D-5: If you wanted some, how difficult would it be to get...

Marijuana?

Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
-------------------	------------	-------------------	-----------------------	------------------	--------------

OOS712a1 I . OUT

All	9.3%	22.5%	9.5%	11.4%	16.5%	30.7%
Grade 7	15.9%	45.9%	11.2%	7.3%	7.5%	12.2%
Grade 8	10.0%	33.4%	12.5%	11.6%	12.6%	20.0%
Grade 9	9.2%	18.6%	11.2%	12.2%	17.0%	31.8%
Grade 10	7.2%	13.9%	7.5%	12.4%	21.2%	37.8%
Grade 11	6.3%	9.7%	6.6%	12.0%	19.7%	45.7%
Grade 12	6.0%	8.5%	6.1%	12.8%	23.5%	43.1%

Cocaine?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	14.3%	30.9%	16.1%	14.6%	10.6%	13.6%
Grade 7	19.4%	52.1%	12.5%	6.4%	4.3%	5.3%
Grade 8	14.6%	43.1%	16.6%	10.6%	6.9%	8.2%
Grade 9	15.3%	28.1%	17.7%	15.4%	10.6%	12.7%
Grade 10	11.9%	22.2%	16.6%	18.7%	13.7%	16.9%
Grade 11	12.0%	17.7%	15.3%	18.2%	14.8%	22.0%
Grade 12	11.0%	15.9%	17.1%	20.2%	15.9%	19.9%

Crack?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	16.0%	32.2%	17.7%	15.2%	8.7%	10.1%
Grade 7	20.1%	51.9%	12.8%	6.6%	3.8%	4.9%
Grade 8	15.8%	43.7%	17.2%	10.3%	5.8%	7.2%
Grade 9	17.1%	29.7%	18.9%	15.5%	8.9%	9.8%
Grade 10	13.9%	24.0%	18.7%	19.7%	11.4%	12.2%
Grade 11	14.6%	19.9%	18.1%	20.0%	12.1%	15.3%
Grade 12	13.5%	18.3%	21.1%	21.6%	12.2%	13.3%

Hallucinogens?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.6%	27.5%	14.9%	11.2%	6.9%	8.8%
Grade 7	44.1%	37.9%	8.3%	4.0%	2.0%	3.7%
Grade 8	35.4%	36.0%	12.7%	7.2%	3.7%	4.9%
Grade 9	30.9%	26.2%	17.0%	10.8%	6.2%	8.8%
Grade 10	24.6%	23.4%	17.2%	14.6%	9.1%	11.1%
Grade 11	24.0%	19.6%	16.4%	14.9%	10.8%	14.1%
Grade 12	20.7%	17.4%	18.9%	18.8%	12.0%	12.2%

Uppers?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.8%	21.1%	11.6%	10.4%	8.4%	10.6%
Grade 7	52.3%	30.3%	6.9%	3.8%	2.5%	4.2%
Grade 8	44.4%	27.5%	10.4%	7.1%	4.7%	6.0%
Grade 9	38.3%	19.9%	12.9%	10.0%	8.5%	10.5%
Grade 10	31.8%	17.4%	12.8%	13.6%	10.8%	13.7%
Grade 11	28.8%	14.4%	13.4%	13.7%	13.0%	16.9%
Grade 12	26.0%	13.8%	14.3%	16.6%	13.8%	15.4%

OOS712a I . OUT  
 State - Grades 7-12  
 Spring 2000

AA

Downers?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	37.9%	21.1%	11.6%	10.4%	8.4%	10.6%
Grade 7	52.6%	30.2%	6.5%	4.1%	2.5%	4.2%
Grade 8	44.5%	27.5%	10.5%	7.1%	4.6%	5.8%
Grade 9	38.3%	20.2%	12.5%	9.9%	8.2%	10.8%
Grade 10	31.7%	17.3%	13.3%	13.9%	10.5%	13.3%
Grade 11	29.1%	14.4%	13.2%	13.5%	13.1%	16.8%
Grade 12	25.9%	13.8%	14.3%	16.6%	14.1%	15.3%

Rohypnol ?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	43.1%	20.9%	10.9%	9.4%	6.4%	9.3%
Grade 7	52.0%	30.2%	6.2%	4.1%	2.6%	5.0%
Grade 8	45.8%	27.2%	9.7%	6.5%	4.6%	6.3%
Grade 9	42.7%	19.9%	11.1%	9.5%	6.8%	10.0%
Grade 10	39.6%	17.4%	12.8%	11.4%	7.8%	11.0%
Grade 11	39.0%	14.5%	12.3%	12.6%	8.3%	13.3%
Grade 12	37.1%	13.2%	14.3%	14.6%	9.3%	11.4%

Steroi ds?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	20.2%	30.8%	14.5%	14.0%	9.8%	10.8%
Grade 7	26.4%	47.5%	10.6%	6.2%	3.7%	5.5%
Grade 8	21.4%	42.0%	13.5%	10.1%	6.1%	6.8%
Grade 9	21.5%	28.5%	15.8%	14.2%	9.8%	10.2%
Grade 10	17.2%	23.6%	15.2%	17.5%	12.9%	13.6%
Grade 11	16.4%	20.6%	15.0%	18.3%	14.2%	15.6%
Grade 12	16.4%	17.1%	17.4%	19.8%	14.1%	15.2%

Ecstasy?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
All	34.1%	24.0%	12.2%	10.5%	8.2%	11.0%
Grade 7	50.6%	32.0%	7.0%	4.0%	2.1%	4.3%
Grade 8	41.0%	31.7%	10.7%	6.9%	3.8%	5.8%
Grade 9	34.0%	23.3%	13.6%	10.4%	8.0%	10.8%
Grade 10	27.1%	20.3%	13.8%	13.4%	11.1%	14.3%
Grade 11	25.1%	17.6%	13.8%	13.6%	12.4%	17.6%
Grade 12	21.9%	15.6%	14.8%	17.0%	14.2%	16.5%

Heroin?

	Never Heard Of	Impossi bl e	Very Di ffi cul t	Somewhat Di ffi cul t	Somewhat Easy	Very Easy
--	-------------------	--------------	----------------------	--------------------------	------------------	--------------

OOS712a I . OUT

All	20.6%	36.5%	17.5%	11.3%	6.2%	7.9%
Grade 7	26.5%	50.7%	10.0%	4.7%	3.1%	5.1%
Grade 8	20.6%	47.5%	14.7%	7.6%	3.8%	5.8%
Grade 9	21.4%	35.6%	18.3%	10.8%	6.4%	7.5%
Grade 10	18.0%	29.1%	20.3%	15.6%	7.8%	9.3%
Grade 11	18.6%	26.4%	21.1%	14.8%	8.0%	11.2%
Grade 12	17.1%	24.2%	22.9%	17.0%	9.1%	9.7%

♀

State - Grades 7-12  
Spring 2000

AA

Table D-6: Since school began in the fall, on how many days (if any) have you...

Attended class while high from marijuana use?

	None	1-3 Days	4-9 Days	10+ Days
All	89.0%	6.2%	1.9%	2.9%
Grade 7	94.4%	3.5%	1.1%	1.0%
Grade 8	91.4%	5.5%	1.6%	1.4%
Grade 9	87.7%	7.1%	2.3%	2.8%
Grade 10	87.0%	6.7%	2.3%	4.0%
Grade 11	85.4%	7.7%	2.1%	4.8%
Grade 12	87.2%	6.6%	2.2%	4.0%

Attended class while high from use of some other drug?

	None	1-3 Days	4-9 Days	10+ Days
All	94.6%	3.5%	1.0%	0.9%
Grade 7	96.8%	2.1%	0.7%	0.5%
Grade 8	95.4%	3.0%	0.8%	0.7%
Grade 9	93.6%	4.1%	1.2%	1.1%
Grade 10	93.6%	4.1%	1.2%	1.1%
Grade 11	93.4%	4.3%	1.3%	1.1%
Grade 12	94.7%	3.4%	0.8%	1.0%

Gotten into trouble with teachers because of your drug use?

	None	1-3 Days	4-9 Days	10+ Days
All	98.4%	1.1%	0.2%	0.3%
Grade 7	98.6%	1.0%	0.2%	0.2%
Grade 8	98.3%	1.2%	0.1%	0.3%
Grade 9	98.3%	1.1%	0.3%	0.3%
Grade 10	98.4%	1.2%	0.2%	0.2%
Grade 11	98.3%	1.2%	0.2%	0.4%
Grade 12	98.8%	0.9%	0.1%	0.2%

AA

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons:

Marijuana Users: 5.2 days per student

OOS712a11.0UT  
 Marijuana Non-users: 4.1 days per student

Average days conduct problems reported:

Marijuana Users: 5.2 days per student  
 Marijuana Non-users: 1.6 days per student

AA

Table D-8: During the past twelve months, how many times have you...

Driven a car when you've felt high from drugs?

	None	1-3 Times	4-9 Times	10+ Times
All	88.3%	7.4%	1.8%	2.6%
Grade 9	94.1%	4.1%	0.9%	0.8%
Grade 10	89.7%	6.9%	1.5%	1.9%
Grade 11	83.5%	9.9%	2.6%	4.0%
Grade 12	81.8%	10.6%	2.8%	4.7%

State - Grades 7-12  
 Spring 2000

AA

Gotten into trouble with the police because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	97.5%	1.9%	0.4%	0.3%
Grade 7	98.0%	1.2%	0.5%	0.2%
Grade 8	97.6%	1.8%	0.4%	0.2%
Grade 9	97.3%	1.9%	0.4%	0.3%
Grade 10	96.7%	2.6%	0.4%	0.4%
Grade 11	97.8%	1.9%	0.1%	0.2%
Grade 12	97.7%	1.9%	0.2%	0.2%

AA

Table D-9: About how many of your close friends use marijuana?

	Never heard				
	None	A Few	Some	Most	All
All	48.6%	20.2%	13.4%	11.7%	6.2%
Grade 7	74.0%	12.6%	5.5%	4.5%	3.3%
Grade 8	58.6%	17.2%	10.1%	9.4%	4.7%
Grade 9	45.9%	20.6%	13.5%	12.5%	7.6%
Grade 10	39.2%	22.7%	16.6%	14.4%	7.2%
Grade 11	34.2%	25.2%	17.1%	15.6%	7.9%
Grade 12	32.8%	25.0%	20.1%	15.5%	6.5%

AA

Table D-10: During the past twelve months, how many times have you...

Had difficulties of any kind with your friends because of your drug use?

	None	1-3 Times	4-9 Times	10+ Times

OOS712a I . OUT

All	94.1%	4.9%	0.7%	0.3%
Grade 7	96.3%	2.7%	0.7%	0.2%
Grade 8	94.5%	4.7%	0.6%	0.2%
Grade 9	93.4%	5.5%	0.8%	0.4%
Grade 10	93.7%	5.1%	0.8%	0.4%
Grade 11	92.8%	6.3%	0.6%	0.3%
Grade 12	93.9%	5.3%	0.6%	0.2%

Been criticized by someone you were dating because of drug use?

	None	1-3 Times	4-9 Times	10+ Times
All	94.4%	4.3%	0.7%	0.5%
Grade 7	97.7%	1.8%	0.3%	0.1%
Grade 8	96.1%	3.1%	0.5%	0.3%
Grade 9	94.5%	4.3%	0.6%	0.7%
Grade 10	92.7%	5.4%	1.2%	0.7%
Grade 11	91.9%	6.3%	1.0%	0.7%
Grade 12	92.5%	6.0%	0.9%	0.6%

♀

State - Grades 7-12  
Spring 2000

AA

Table D-11: Thinking of parties you attended this school year, how often was marijuana used?

	Never	Seldom	Half the Time	Most Of the Time	Always	Don't Know	Di dn' t Attend
All	45.9%	12.4%	8.6%	9.9%	10.6%	3.3%	9.2%
Grade 7	74.5%	6.3%	3.0%	3.1%	3.1%	2.4%	7.6%
Grade 8	59.6%	11.7%	6.2%	6.1%	5.8%	2.8%	7.8%
Grade 9	43.5%	13.0%	8.8%	9.5%	10.4%	4.3%	10.5%
Grade 10	34.7%	14.9%	11.6%	12.8%	13.0%	3.4%	9.7%
Grade 11	28.5%	14.5%	11.4%	14.9%	17.4%	3.4%	9.8%
Grade 12	26.1%	15.0%	12.3%	15.5%	17.3%	3.5%	10.2%

AA

Table D-12: How often, if ever, do you smoke marijuana in...

Joints?

	Never	Seldom	Half the Time	Most of the Time	Always	Don't Know
All	71.0%	9.8%	6.5%	7.2%	4.1%	1.5%
Grade 7	85.4%	4.7%	2.9%	2.9%	2.2%	1.9%
Grade 8	77.6%	7.4%	4.8%	5.7%	3.1%	1.4%
Grade 9	70.2%	9.5%	6.5%	7.3%	5.0%	1.5%
Grade 10	66.6%	11.6%	8.4%	8.0%	3.9%	1.5%
Grade 11	62.4%	12.9%	7.9%	10.0%	5.1%	1.7%
Grade 12	62.2%	13.4%	8.5%	9.8%	5.0%	1.7%

Blunts?



	Never	Sel dom	Half the Time	Most of the Time	Al ways	Don' t Know
All	75.5%	9.5%	5.1%	4.5%	3.8%	1.6%
Grade 7	88.6%	3.7%	2.1%	2.0%	1.6%	2.1%
Grade 8	81.8%	6.8%	4.0%	3.5%	2.5%	1.5%
Grade 9	74.8%	9.7%	5.2%	4.6%	4.4%	1.4%
Grade 10	72.2%	10.9%	6.0%	5.5%	3.9%	1.5%
Grade 11	66.8%	12.4%	7.2%	6.2%	5.7%	1.7%
Grade 12	67.4%	14.5%	6.4%	5.7%	4.7%	1.3%

Bongs or water pipes?

	Never	Sel dom	Half the Time	Most of the Time	Al ways	Don' t Know
All	79.4%	8.3%	4.5%	3.9%	2.5%	1.4%
Grade 7	91.2%	2.7%	1.7%	1.5%	0.8%	2.1%
Grade 8	85.8%	5.2%	2.9%	3.0%	1.8%	1.3%
Grade 9	79.3%	7.5%	4.6%	4.4%	2.9%	1.2%
Grade 10	75.7%	10.7%	5.4%	4.1%	2.6%	1.4%
Grade 11	71.7%	11.3%	6.3%	5.5%	3.8%	1.4%
Grade 12	71.1%	13.5%	6.1%	5.2%	3.0%	1.1%

Pi pes?

	Never	Sel dom	Half the Time	Most of the Time	Al ways	Don' t Know
All	79.1%	7.9%	4.7%	4.3%	2.4%	1.6%
Grade 7	90.7%	2.5%	2.1%	1.5%	1.0%	2.3%
Grade 8	85.1%	5.7%	2.8%	3.2%	1.8%	1.5%
Grade 9	78.8%	7.7%	5.1%	4.3%	2.9%	1.3%
Grade 10	75.8%	9.3%	5.8%	4.8%	2.6%	1.7%
Grade 11	72.0%	10.8%	6.0%	6.0%	3.7%	1.7%
Grade 12	70.9%	12.3%	6.9%	6.1%	2.6%	1.1%

State - Grades 7-12  
Spring 2000

AA

Some other way?

	Never	Sel dom	Half the Time	Most of the Time	Al ways	Don' t Know
All	84.8%	7.1%	1.8%	1.4%	2.0%	2.9%
Grade 7	91.7%	2.5%	1.4%	0.9%	0.9%	2.6%
Grade 8	87.8%	4.6%	2.1%	1.5%	1.7%	2.4%
Grade 9	84.5%	6.9%	2.1%	1.3%	2.5%	2.7%
Grade 10	82.5%	8.3%	1.9%	1.5%	1.9%	3.9%
Grade 11	80.9%	10.1%	1.7%	1.3%	2.9%	3.0%
Grade 12	81.1%	11.0%	1.6%	1.6%	1.9%	2.8%

AA

Table D-13: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don' t Know
--	---------------------	-------------------	---------	----------------	------------------	-------------

OOS712a I . OUT

All	82.8%	5.0%	3.8%	0.9%	1.2%	6.4%
Grade 7	83.5%	2.5%	1.8%	0.6%	1.1%	10.5%
Grade 8	84.7%	3.7%	2.4%	0.8%	1.3%	7.1%
Grade 9	82.5%	5.4%	4.5%	0.8%	1.1%	5.7%
Grade 10	82.0%	5.5%	4.7%	1.0%	1.2%	5.6%
Grade 11	81.9%	6.7%	4.3%	1.2%	1.3%	4.7%
Grade 12	81.4%	7.0%	5.2%	1.0%	1.1%	4.3%

AA

Table D-14: How dangerous do you think it is for kids your age to use...

Marijuana?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	61.9%	18.8%	10.4%	5.6%	3.3%
Grade 7	79.0%	10.4%	4.1%	2.3%	4.2%
Grade 8	69.0%	15.6%	7.6%	4.1%	3.6%
Grade 9	60.6%	19.6%	10.5%	5.7%	3.6%
Grade 10	56.7%	21.6%	12.2%	6.7%	2.8%
Grade 11	51.8%	22.8%	15.0%	8.1%	2.3%
Grade 12	50.0%	24.8%	14.7%	7.7%	2.8%

Cocaine?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	86.4%	7.6%	1.2%	0.7%	4.1%
Grade 7	87.3%	5.8%	1.1%	0.8%	5.0%
Grade 8	86.1%	7.5%	1.1%	0.6%	4.6%
Grade 9	85.8%	7.9%	1.3%	0.7%	4.3%
Grade 10	86.4%	8.1%	1.2%	0.7%	3.6%
Grade 11	86.9%	8.2%	1.5%	0.4%	3.0%
Grade 12	86.4%	8.3%	1.1%	0.6%	3.6%

Crack?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	88.4%	5.8%	0.7%	0.5%	4.5%
Grade 7	87.6%	5.6%	1.0%	0.7%	5.1%
Grade 8	87.1%	6.5%	0.9%	0.7%	4.8%
Grade 9	87.1%	6.4%	0.8%	0.6%	5.2%
Grade 10	88.7%	6.2%	0.7%	0.5%	4.0%
Grade 11	90.6%	5.1%	0.5%	0.3%	3.5%
Grade 12	90.6%	4.7%	0.3%	0.4%	4.1%

State - Grades 7-12  
Spring 2000

AA

Ecstasy?

Very	Somewhat	Not Very	Not at All	Do Not
------	----------	----------	------------	--------



OOS712a I . OUT

	Grade 10	0.8%	1.7%	6.9%	93.1%
	Grade 11	1.0%	1.9%	7.2%	92.8%
	Grade 12	0.7%	1.2%	5.2%	94.8%
AA					
Whiteout, correction fluid?	All	1.6%	3.0%	7.9%	92.1%
	Grade 7	3.1%	4.8%	9.6%	90.4%
	Grade 8	2.7%	5.3%	11.2%	88.8%
	Grade 9	1.3%	2.8%	7.8%	92.2%
	Grade 10	0.9%	1.9%	6.8%	93.2%
	Grade 11	0.7%	1.4%	5.7%	94.3%
	Grade 12	0.5%	1.0%	4.6%	95.4%
AA					
Gasoline?	All	1.3%	2.2%	5.5%	94.5%
	Grade 7	1.8%	2.6%	5.6%	94.4%
	Grade 8	2.0%	3.7%	7.1%	92.9%
	Grade 9	1.6%	2.4%	5.9%	94.1%
	Grade 10	0.9%	1.6%	5.2%	94.8%
	Grade 11	0.6%	1.3%	5.1%	94.9%
	Grade 12	0.5%	1.0%	3.5%	96.5%
AA					
Freon?	All	0.5%	0.8%	1.9%	98.1%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	0.6%	1.0%	2.1%	97.9%
	Grade 10	0.3%	0.7%	1.8%	98.2%
	Grade 11	0.3%	0.6%	2.0%	98.0%
	Grade 12	0.3%	0.5%	1.5%	98.5%
AA					
Poppers, Locker Room, etc.?	All	0.6%	1.1%	2.1%	97.9%
	Grade 7	0.9%	1.2%	2.5%	97.5%
	Grade 8	0.7%	1.3%	2.4%	97.6%
	Grade 9	0.6%	1.2%	2.3%	97.7%
	Grade 10	0.6%	0.9%	1.9%	98.1%
	Grade 11	0.5%	1.0%	1.8%	98.2%
	Grade 12	0.4%	0.7%	1.4%	98.6%
AA					
Glue?	All	1.0%	1.7%	4.5%	95.5%
	Grade 7	1.9%	2.9%	6.2%	93.8%
	Grade 8	1.7%	2.7%	6.8%	93.2%
	Grade 9	0.8%	1.3%	4.2%	95.8%
	Grade 10	0.5%	0.9%	2.9%	97.1%
	Grade 11	0.4%	1.0%	3.3%	96.7%
	Grade 12	0.5%	1.0%	2.9%	97.1%
AA					
Paint, lacquer thinner, etc.?	All	1.1%	1.8%	4.4%	95.6%
	Grade 7	1.7%	2.6%	5.0%	95.0%
	Grade 8	1.6%	2.9%	6.1%	93.9%
	Grade 9	1.0%	1.7%	4.5%	95.5%
	Grade 10	0.7%	1.2%	3.6%	96.4%
	Grade 11	0.6%	1.4%	3.8%	96.2%
	Grade 12	0.3%	0.6%	3.0%	97.0%

State - Grades 7-12  
Spring 2000

AA

	Past Month	School Year	Ever Used	Never Used
AA				

OOS712a I . OUT

Ni trous oxide, laughing gas?	All	1.5%	2.8%	5.6%	94.4%
	Grade 7	1.4%	2.2%	4.3%	95.7%
	Grade 8	1.6%	2.6%	5.0%	95.0%
	Grade 9	1.2%	2.5%	4.9%	95.1%
	Grade 10	1.4%	2.7%	6.2%	93.8%
	Grade 11	2.1%	3.7%	7.7%	92.3%
	Grade 12	1.8%	3.3%	6.3%	93.7%
AA					
Octane booster?	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.5%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.6%	1.4%	98.6%
	Grade 11	0.2%	0.3%	1.5%	98.5%
	Grade 12	0.2%	0.3%	1.1%	98.9%
AA					
Other sprays?	All	1.2%	1.8%	3.7%	96.3%
	Grade 7	2.1%	3.1%	5.5%	94.5%
	Grade 8	2.0%	3.2%	5.8%	94.2%
	Grade 9	1.3%	2.0%	4.0%	96.0%
	Grade 10	0.5%	0.9%	2.6%	97.4%
	Grade 11	0.3%	0.6%	1.7%	98.3%
	Grade 12	0.3%	0.6%	1.7%	98.3%
AA					
Other inhalants?	All	2.5%	3.9%	8.1%	91.9%
	Grade 7	3.2%	4.8%	8.8%	91.2%
	Grade 8	4.1%	6.0%	11.3%	88.7%
	Grade 9	2.7%	4.2%	8.6%	91.4%
	Grade 10	1.9%	3.3%	7.5%	92.5%
	Grade 11	1.6%	2.6%	6.1%	93.9%
	Grade 12	1.0%	1.6%	4.2%	95.8%

AA

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	92.0%	0.2%	0.4%	0.8%	1.3%	1.7%	3.6%
Grade 7	91.4%	0.6%	0.8%	1.2%	1.5%	1.8%	2.7%
Grade 8	89.3%	0.4%	0.7%	1.4%	2.2%	2.2%	3.8%
Grade 9	92.3%	0.1%	0.3%	0.9%	1.2%	2.0%	3.3%
Grade 10	92.5%	0.1%	0.2%	0.4%	1.0%	1.5%	4.3%
Grade 11	93.1%	0.0%	0.0%	0.3%	1.0%	1.4%	4.2%
Grade 12	94.7%	0.0%	0.1%	0.2%	0.4%	1.0%	3.6%

AA

Table I-3: Number of different kinds of inhalants used:

	0	1	2-3	4+
All	83.1%	7.2%	5.7%	3.9%
Grade 7	82.5%	6.6%	6.4%	4.5%
Grade 8	79.9%	7.4%	7.3%	5.4%
Grade 9	83.6%	6.4%	6.0%	4.0%
Grade 10	83.6%	8.1%	5.2%	3.1%
Grade 11	83.6%	8.0%	5.1%	3.3%
Grade 12	86.7%	7.2%	3.6%	2.5%

♀

State - Grades 7-12  
Spring 2000

AA

Table I-4: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	11.6	12.1	12.9	13.4	13.6

AA

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1-3 Days	4-9 Days	10+ Days
All	97.8%	1.5%	0.3%	0.3%
Grade 7	96.8%	2.2%	0.6%	0.5%
Grade 8	96.6%	2.5%	0.5%	0.5%
Grade 9	98.0%	1.4%	0.3%	0.3%
Grade 10	98.4%	1.1%	0.2%	0.4%
Grade 11	98.7%	0.8%	0.3%	0.2%
Grade 12	99.2%	0.6%	0.1%	0.1%

AA

Table I-6: School year use of inhalants by absences and conduct problems:

Average days absent due to illness or other reasons:

Inhalants Users: 5.2 days per student  
Inhalants Non-users: 4.2 days per student

Average days conduct problems reported:

Inhalants Users: 5.5 days per student  
Inhalants Non-users: 2.0 days per student

AA

Table I-7: About how many of your close friends use inhalants?

	Never heard None	A Few	Some	Most	All
All	83.5%	11.0%	3.5%	1.1%	0.9%
Grade 7	82.0%	11.0%	3.7%	1.8%	1.6%
Grade 8	79.5%	12.9%	4.7%	2.0%	0.9%
Grade 9	82.1%	12.1%	4.0%	1.0%	0.7%
Grade 10	84.6%	10.8%	2.9%	0.9%	0.8%
Grade 11	87.3%	9.1%	2.4%	0.4%	0.8%
Grade 12	87.9%	8.7%	2.5%	0.4%	0.6%

AA

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

OOS712a I . OUT

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.1%	13.6%	2.7%	0.8%	4.8%
Grade 7	77.4%	12.2%	3.5%	1.3%	5.7%
Grade 8	76.4%	14.3%	3.4%	0.9%	5.0%
Grade 9	77.0%	14.7%	2.6%	0.8%	4.9%
Grade 10	77.9%	14.4%	2.7%	0.6%	4.5%
Grade 11	80.9%	12.5%	1.9%	0.6%	4.1%
Grade 12	80.9%	12.6%	1.5%	0.6%	4.3%

♀  
♀  
♀

State - Grades 7-12  
Spring 2000

AA

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

Health class

	No	Yes
All	47.6%	52.4%
Grade 7	49.1%	50.9%
Grade 8	48.4%	51.6%
Grade 9	36.6%	63.4%
Grade 10	43.9%	56.1%
Grade 11	53.7%	46.3%
Grade 12	60.7%	39.3%

An assembly program

	No	Yes
All	44.1%	55.9%
Grade 7	40.6%	59.4%
Grade 8	42.0%	58.0%
Grade 9	44.8%	55.2%
Grade 10	47.9%	52.1%
Grade 11	44.7%	55.3%
Grade 12	44.3%	55.7%

Guidance counselor

	No	Yes
All	74.8%	25.2%
Grade 7	64.2%	35.8%
Grade 8	66.4%	33.6%
Grade 9	76.8%	23.2%
Grade 10	80.6%	19.4%
Grade 11	79.5%	20.5%
Grade 12	82.2%	17.8%

Science class

OOS712a I . OUT

	No	Yes
All	69.8%	30.2%
Grade 7	48.8%	51.2%
Grade 8	64.2%	35.8%
Grade 9	73.2%	26.8%
Grade 10	74.0%	26.0%
Grade 11	76.6%	23.4%
Grade 12	83.3%	16.7%

Social studies class

	No	Yes
All	88.1%	11.9%
Grade 7	85.7%	14.3%
Grade 8	85.7%	14.3%
Grade 9	89.7%	10.3%
Grade 10	89.9%	10.1%
Grade 11	87.9%	12.1%
Grade 12	89.7%	10.3%

State - Grades 7-12  
Spring 2000

AA

Student group session

	No	Yes
All	82.3%	17.7%
Grade 7	81.7%	18.3%
Grade 8	81.6%	18.4%
Grade 9	82.4%	17.6%
Grade 10	82.5%	17.5%
Grade 11	81.7%	18.3%
Grade 12	83.7%	16.3%

An invited school guest

	No	Yes
All	54.6%	45.4%
Grade 7	50.3%	49.7%
Grade 8	50.3%	49.7%
Grade 9	57.2%	42.8%
Grade 10	58.6%	41.4%
Grade 11	55.4%	44.6%
Grade 12	55.3%	44.7%

Some other school source

	No	Yes
All	62.9%	37.1%
Grade 7	58.6%	41.4%
Grade 8	58.6%	41.4%
Grade 9	63.8%	36.2%
Grade 10	66.2%	33.8%



	OOS712a I . OUT	
Grade 11	64. 8%	35. 2%
Grade 12	66. 1%	33. 9%

Any school source

	No	Yes
All	33. 5%	66. 5%
Grade 7	36. 7%	63. 3%
Grade 8	33. 9%	66. 1%
Grade 9	30. 4%	69. 6%
Grade 10	33. 2%	66. 8%
Grade 11	33. 5%	66. 5%
Grade 12	34. 3%	65. 7%

AA

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

A counselor or program in school

	No	Yes
All	66. 2%	33. 8%
Grade 7	54. 3%	45. 7%
Grade 8	63. 2%	36. 8%
Grade 9	65. 0%	35. 0%
Grade 10	71. 7%	28. 3%
Grade 11	72. 7%	27. 3%
Grade 12	73. 5%	26. 5%

♀

State - Grades 7-12  
Spring 2000

AA

Another adult in school (such as a nurse or teacher)

	No	Yes
All	69. 3%	30. 7%
Grade 7	61. 9%	38. 1%
Grade 8	68. 3%	31. 7%
Grade 9	69. 8%	30. 2%
Grade 10	73. 8%	26. 2%
Grade 11	71. 2%	28. 8%
Grade 12	71. 2%	28. 8%

A counselor or program outside of school

	No	Yes
All	59. 7%	40. 3%
Grade 7	55. 6%	44. 4%
Grade 8	58. 4%	41. 6%
Grade 9	59. 6%	40. 4%
Grade 10	62. 0%	38. 0%
Grade 11	63. 1%	36. 9%
Grade 12	60. 6%	39. 4%

Your parents

	No	Yes
All	42.9%	57.1%
Grade 7	35.3%	64.7%
Grade 8	41.8%	58.2%
Grade 9	44.3%	55.7%
Grade 10	45.4%	54.6%
Grade 11	46.8%	53.2%
Grade 12	44.5%	55.5%

A medical doctor

	No	Yes
All	61.2%	38.8%
Grade 7	55.2%	44.8%
Grade 8	59.2%	40.8%
Grade 9	61.6%	38.4%
Grade 10	64.1%	35.9%
Grade 11	65.9%	34.1%
Grade 12	62.1%	37.9%

Your friends

	No	Yes
All	25.8%	74.2%
Grade 7	36.7%	63.3%
Grade 8	28.0%	72.0%
Grade 9	25.0%	75.0%
Grade 10	22.7%	77.3%
Grade 11	19.8%	80.2%
Grade 12	20.3%	79.7%

Another adult (a relative, clergyman, or other family friend)

	No	Yes
All	39.0%	61.0%
Grade 7	39.2%	60.8%
Grade 8	39.6%	60.4%
Grade 9	37.4%	62.6%
Grade 10	39.9%	60.1%
Grade 11	37.4%	62.6%
Grade 12	40.9%	59.1%

♀

State - Grades 7-12  
Spring 2000

AA

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

No Yes

	OOS712a I . OUT	
All	93.5%	6.5%
Grade 7	92.9%	7.1%
Grade 8	93.1%	6.9%
Grade 9	92.7%	7.3%
Grade 10	93.6%	6.4%
Grade 11	93.7%	6.3%
Grade 12	95.6%	4.4%

AA

Table X-4: About how many of your friends:

Feel close to their parents?

	None	A Few	Some	Most	All
All	4.5%	26.6%	25.8%	34.5%	8.6%
Grade 7	6.0%	26.0%	21.0%	33.3%	13.8%
Grade 8	5.0%	26.3%	24.8%	34.2%	9.8%
Grade 9	5.0%	26.7%	27.1%	33.1%	8.1%
Grade 10	4.0%	27.2%	27.5%	34.7%	6.6%
Grade 11	3.4%	27.1%	27.6%	35.6%	6.3%
Grade 12	2.7%	26.2%	27.6%	37.1%	6.3%

Sometimes carry weapons?

	None	A Few	Some	Most	All
All	63.7%	21.6%	9.6%	3.7%	1.4%
Grade 7	74.3%	15.5%	6.7%	2.3%	1.2%
Grade 8	65.9%	20.8%	8.6%	3.3%	1.4%
Grade 9	61.7%	22.8%	9.6%	4.2%	1.7%
Grade 10	60.1%	23.1%	10.8%	4.5%	1.4%
Grade 11	58.7%	24.4%	10.9%	4.7%	1.2%
Grade 12	60.1%	23.6%	11.7%	3.4%	1.2%

Care about making good grades?

	None	A Few	Some	Most	All
All	2.7%	13.8%	22.2%	42.2%	19.2%
Grade 7	3.6%	15.9%	18.6%	35.6%	26.3%
Grade 8	3.1%	14.9%	21.7%	39.5%	20.9%
Grade 9	3.2%	14.7%	23.0%	41.8%	17.3%
Grade 10	2.1%	13.4%	24.2%	43.4%	17.0%
Grade 11	1.8%	11.9%	23.0%	46.2%	17.0%
Grade 12	1.6%	10.6%	22.6%	49.3%	15.9%

Belong/want to belong to a gang?

	None	A Few	Some	Most	All
All	78.0%	12.7%	5.6%	2.5%	1.1%
Grade 7	76.1%	13.5%	6.2%	2.7%	1.6%
Grade 8	73.8%	14.9%	6.7%	3.2%	1.3%
Grade 9	77.1%	12.8%	5.8%	3.0%	1.3%
Grade 10	79.4%	12.4%	5.0%	2.2%	1.0%
Grade 11	80.3%	11.8%	5.2%	1.9%	0.7%
Grade 12	84.2%	9.7%	4.3%	1.2%	0.7%

OOS712a I . OUT  
 State - Grades 7-12  
 Spring 2000

AA

Wish they could drop out of school ?

	None	A Few	Some	Most	All
All	58.1%	27.0%	8.7%	3.7%	2.4%
Grade 7	64.9%	20.7%	7.7%	3.8%	2.9%
Grade 8	60.3%	24.4%	8.3%	4.3%	2.8%
Grade 9	54.6%	28.5%	10.2%	4.3%	2.4%
Grade 10	54.7%	30.6%	9.3%	3.5%	2.0%
Grade 11	53.9%	30.9%	9.1%	3.9%	2.2%
Grade 12	61.2%	28.0%	7.1%	2.0%	1.7%

State - Grades 7-12  
 Spring 2000

Table B1: Prevalence and recency of use of selected substances by grade  
 --> All students

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	22.4%	30.8%	51.1%	48.9%
	Grade 7	10.9%	16.1%	33.0%	67.0%
	Grade 8	17.2%	25.2%	45.0%	55.0%
	Grade 9	22.6%	30.9%	51.8%	48.2%
	Grade 10	25.2%	34.4%	57.5%	42.5%
	Grade 11	30.5%	41.2%	62.4%	37.6%
	Grade 12	32.7%	42.2%	62.4%	37.6%
AA					
Alcohol	All	36.1%	50.4%	70.7%	29.3%
	Grade 7	19.4%	28.3%	51.0%	49.0%
	Grade 8	29.7%	42.1%	64.7%	35.3%
	Grade 9	36.2%	50.8%	72.0%	28.0%
	Grade 10	41.1%	57.7%	77.7%	22.3%
	Grade 11	46.0%	63.4%	81.2%	18.8%
	Grade 12	50.6%	67.7%	83.2%	16.8%
AA					
Inhalants	All	6.8%	9.9%	18.9%	81.1%
	Grade 7	9.2%	12.0%	19.5%	80.5%
	Grade 8	9.9%	13.6%	22.9%	77.1%
	Grade 9	6.6%	9.8%	18.7%	81.3%
	Grade 10	4.8%	8.3%	18.4%	81.6%
	Grade 11	5.1%	7.9%	18.0%	82.0%
	Grade 12	3.5%	5.7%	14.5%	85.5%
AA					
Any Illicit Drug	All	15.4%	22.2%	33.7%	66.3%
	Grade 7	6.6%	9.1%	14.5%	85.5%
	Grade 8	11.9%	16.6%	24.7%	75.3%
	Grade 9	16.0%	22.6%	33.5%	66.5%
	Grade 10	18.1%	26.6%	40.7%	59.3%
	Grade 11	21.1%	31.0%	48.1%	51.9%
	Grade 12	21.6%	31.6%	48.4%	51.6%
AA					
Marijuana	All	13.7%	20.4%	32.2%	67.8%
	Grade 7	5.6%	7.9%	13.2%	86.8%
	Grade 8	10.4%	14.9%	23.2%	76.8%

♀  
♂

OOS712a I . OUT

	Grade 9	14.2%	20.9%	31.8%	68.2%
	Grade 10	16.1%	24.7%	39.1%	60.9%
	Grade 11	18.9%	28.9%	46.5%	53.5%
	Grade 12	19.6%	29.7%	47.0%	53.0%
AAAAA	All	5.5%	9.4%	17.5%	82.5%
Marijuana Only	Grade 7	2.6%	4.0%	7.6%	92.4%
	Grade 8	4.4%	7.1%	12.8%	87.2%
	Grade 9	5.3%	8.8%	16.3%	83.7%
	Grade 10	6.4%	11.7%	22.1%	77.9%
	Grade 11	7.2%	13.1%	24.9%	75.1%
	Grade 12	7.8%	13.9%	26.0%	74.0%
AAAAA	All	3.1%	5.2%	9.0%	91.0%
Cocaine or Crack	Grade 7	1.4%	2.2%	3.9%	96.1%
	Grade 8	2.5%	3.9%	6.7%	93.3%
	Grade 9	2.9%	5.0%	8.5%	91.5%
	Grade 10	3.7%	5.8%	10.0%	90.0%
	Grade 11	4.8%	7.9%	14.2%	85.8%
	Grade 12	4.0%	7.3%	13.4%	86.6%
AAAAA	All	2.9%	4.9%	8.6%	91.4%
Cocaine	Grade 7	0.9%	1.5%	3.1%	96.9%
	Grade 8	2.2%	3.4%	5.9%	94.1%
	Grade 9	2.8%	4.8%	8.0%	92.0%
	Grade 10	3.6%	5.7%	9.7%	90.3%
	Grade 11	4.6%	7.8%	14.1%	85.9%
	Grade 12	4.0%	7.3%	13.3%	86.7%

State - Grades 7-12  
Spring 2000

Table B1 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA	All	0.7%	1.3%	2.6%	97.4%
Crack	Grade 7	0.7%	1.3%	2.2%	97.8%
	Grade 8	0.9%	1.8%	3.0%	97.0%
	Grade 9	0.6%	1.2%	2.5%	97.5%
	Grade 10	0.7%	1.1%	2.4%	97.6%
	Grade 11	0.7%	1.3%	3.2%	96.8%
	Grade 12	0.4%	0.6%	2.0%	98.0%
AAAAA	All	1.8%	3.2%	5.4%	94.6%
Hallogens	Grade 7	0.3%	1.0%	1.5%	98.5%
	Grade 8	0.9%	1.5%	2.5%	97.5%
	Grade 9	1.8%	3.2%	5.4%	94.6%
	Grade 10	2.5%	4.2%	6.4%	93.6%
	Grade 11	2.9%	5.5%	9.2%	90.8%
	Grade 12	2.9%	5.3%	9.5%	90.5%
AAAAA	All	2.7%	4.2%	6.7%	93.3%
Uppers	Grade 7	0.6%	1.1%	1.7%	98.3%
	Grade 8	1.6%	2.5%	3.6%	96.4%
	Grade 9	3.2%	4.7%	7.2%	92.8%
	Grade 10	3.4%	5.5%	8.7%	91.3%
	Grade 11	4.4%	6.5%	10.8%	89.2%
	Grade 12	3.4%	5.6%	9.5%	90.5%
AAAAA	All	2.6%	3.8%	5.8%	94.2%
Downers					

OOS712a I . OUT

Grade 7	0.6%	1.1%	1.5%	98.5%	
Grade 8	1.2%	1.9%	2.9%	97.1%	
Grade 9	3.5%	4.7%	6.6%	93.4%	
Grade 10	3.1%	4.8%	7.4%	92.6%	
Grade 11	3.9%	6.1%	9.9%	90.1%	
Grade 12	3.5%	5.0%	8.0%	92.0%	
AA					
Rohypnol	All	1.7%	2.6%	4.5%	95.5%
	Grade 7	1.1%	1.7%	2.4%	97.6%
	Grade 8	1.9%	2.8%	4.3%	95.7%
	Grade 9	2.0%	3.1%	4.9%	95.1%
	Grade 10	1.8%	2.7%	5.0%	95.0%
	Grade 11	1.8%	2.8%	5.8%	94.2%
	Grade 12	1.3%	2.1%	4.8%	95.2%
AA					
Steroids	All	0.8%	1.2%	2.3%	97.7%
	Grade 7	1.0%	1.3%	2.3%	97.7%
	Grade 8	0.8%	1.3%	2.5%	97.5%
	Grade 9	0.7%	1.2%	2.0%	98.0%
	Grade 10	0.7%	1.0%	2.1%	97.9%
	Grade 11	0.8%	1.4%	2.7%	97.3%
	Grade 12	0.7%	1.1%	2.2%	97.8%
AA					
Ecstasy	All	1.9%	2.9%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.1%	1.7%	2.5%	97.5%
	Grade 9	2.0%	3.0%	4.7%	95.3%
	Grade 10	2.3%	3.6%	5.5%	94.5%
	Grade 11	3.2%	4.5%	7.5%	92.5%
	Grade 12	3.0%	4.5%	6.7%	93.3%
AA					
Heroin	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.7%	1.1%	1.8%	98.2%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	0.6%	0.8%	1.6%	98.4%
	Grade 10	0.4%	0.5%	1.4%	98.6%
	Grade 11	0.2%	0.4%	1.5%	98.5%
	Grade 12	0.4%	0.6%	1.5%	98.5%

State - Grades 7-12  
Spring 2000

Table B2: Prevalence and recency of use of selected substances by grade  
--> Male students

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	25.1%	33.7%	54.1%	45.9%
	Grade 7	11.5%	16.8%	35.6%	64.4%
	Grade 8	18.9%	27.4%	47.7%	52.3%
	Grade 9	25.8%	34.7%	56.2%	43.8%
	Grade 10	28.4%	38.2%	61.0%	39.0%
	Grade 11	34.5%	44.3%	64.6%	35.4%
	Grade 12	37.4%	47.3%	65.0%	35.0%
AA					
Alcohol	All	37.3%	51.1%	70.9%	29.1%
	Grade 7	19.3%	28.5%	51.8%	48.2%
	Grade 8	30.2%	42.9%	65.7%	34.3%
	Grade 9	38.0%	52.6%	73.0%	27.0%
	Grade 10	42.0%	58.4%	77.6%	22.4%
	Grade 11	48.1%	63.8%	80.3%	19.7%

OOS712a I . OUT					
	Grade 12	53.5%	68.9%	82.5%	17.5%
AAAAA	All	7.0%	10.3%	20.2%	79.8%
Inhalants	Grade 7	8.6%	11.4%	19.2%	80.8%
	Grade 8	10.1%	13.9%	22.9%	77.1%
	Grade 9	6.5%	10.0%	19.8%	80.2%
	Grade 10	4.9%	8.5%	19.1%	80.9%
	Grade 11	5.8%	9.0%	21.2%	78.8%
	Grade 12	5.3%	7.5%	18.0%	82.0%
AAAAA	All	18.1%	25.1%	37.3%	62.7%
Any Illicit Drug	Grade 7	6.7%	9.9%	16.6%	83.4%
	Grade 8	13.2%	18.4%	27.8%	72.2%
	Grade 9	19.4%	25.8%	38.0%	62.0%
	Grade 10	21.3%	30.0%	43.7%	56.3%
	Grade 11	25.5%	35.5%	52.8%	47.2%
	Grade 12	26.5%	37.6%	53.2%	46.8%
AAAAA	All	16.4%	23.5%	36.3%	63.7%
Marijuana	Grade 7	6.0%	8.8%	15.5%	84.5%
	Grade 8	12.0%	16.8%	26.7%	73.3%
	Grade 9	17.5%	24.4%	37.0%	63.0%
	Grade 10	19.3%	28.3%	42.8%	57.2%
	Grade 11	23.3%	33.3%	51.9%	48.1%
	Grade 12	24.2%	35.4%	52.3%	47.7%
AAAAA	All	6.8%	11.2%	20.2%	79.8%
Marijuana Only	Grade 7	3.2%	4.9%	9.9%	90.1%
	Grade 8	5.2%	8.3%	15.4%	84.6%
	Grade 9	7.3%	11.4%	20.5%	79.5%
	Grade 10	8.4%	14.5%	24.8%	75.2%
	Grade 11	8.4%	14.4%	26.8%	73.2%
	Grade 12	9.2%	16.3%	27.7%	72.3%
AAAAA	All	3.6%	5.8%	9.9%	90.1%
Cocaine or Crack	Grade 7	0.9%	1.8%	3.2%	96.8%
	Grade 8	2.7%	4.3%	7.1%	92.9%
	Grade 9	2.9%	4.8%	8.4%	91.6%
	Grade 10	4.5%	6.7%	11.0%	89.0%
	Grade 11	5.9%	10.0%	17.0%	83.0%
	Grade 12	5.7%	9.4%	16.4%	83.6%
AAAAA	All	3.4%	5.5%	9.5%	90.5%
Cocaine	Grade 7	0.7%	1.3%	2.7%	97.3%
	Grade 8	2.5%	3.8%	6.4%	93.6%
	Grade 9	2.8%	4.6%	8.1%	91.9%
	Grade 10	4.3%	6.5%	10.8%	89.2%
	Grade 11	5.8%	9.9%	16.8%	83.2%
	Grade 12	5.7%	9.4%	16.2%	83.8%

State - Grades 7-12  
Spring 2000

Table B2 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA	All	0.7%	1.4%	2.7%	97.3%
Crack	Grade 7	0.5%	1.0%	1.7%	98.3%
	Grade 8	0.8%	2.0%	3.1%	96.9%
	Grade 9	0.7%	1.2%	2.2%	97.8%

OOS712a I . OUT

	Grade 10	1.0%	1.4%	2.7%	97.3%
	Grade 11	0.8%	1.8%	4.4%	95.6%
	Grade 12	0.6%	0.9%	2.5%	97.5%
AA					
Hal I uci nogens	All	2.3%	4.1%	6.5%	93.5%
	Grade 7	0.4%	1.1%	1.8%	98.2%
	Grade 8	1.0%	1.7%	2.9%	97.1%
	Grade 9	2.2%	3.8%	6.1%	93.9%
	Grade 10	3.1%	4.9%	7.3%	92.7%
	Grade 11	4.1%	7.7%	12.0%	88.0%
	Grade 12	4.2%	7.4%	12.2%	87.8%
AA					
Uppers	All	2.9%	4.1%	6.6%	93.4%
	Grade 7	0.5%	0.8%	1.4%	98.6%
	Grade 8	1.4%	2.2%	3.4%	96.6%
	Grade 9	3.4%	4.6%	7.1%	92.9%
	Grade 10	3.6%	5.1%	8.0%	92.0%
	Grade 11	4.7%	6.6%	11.4%	88.6%
	Grade 12	4.5%	6.9%	10.8%	89.2%
AA					
Downers	All	3.0%	4.1%	6.4%	93.6%
	Grade 7	0.6%	1.1%	1.5%	98.5%
	Grade 8	1.3%	1.9%	2.8%	97.2%
	Grade 9	3.8%	4.8%	7.0%	93.0%
	Grade 10	3.4%	4.8%	7.7%	92.3%
	Grade 11	4.8%	6.9%	11.4%	88.6%
	Grade 12	4.9%	6.6%	10.1%	89.9%
AA					
Rohypnol	All	1.9%	2.8%	4.5%	95.5%
	Grade 7	1.2%	1.8%	2.7%	97.3%
	Grade 8	1.9%	2.7%	4.1%	95.9%
	Grade 9	2.2%	3.2%	4.7%	95.3%
	Grade 10	2.0%	2.8%	4.6%	95.4%
	Grade 11	2.5%	3.5%	6.3%	93.7%
	Grade 12	1.9%	2.9%	5.5%	94.5%
AA					
Steroi ds	All	1.1%	1.8%	3.3%	96.7%
	Grade 7	1.0%	1.4%	2.8%	97.2%
	Grade 8	1.2%	2.0%	3.4%	96.6%
	Grade 9	0.9%	1.9%	3.0%	97.0%
	Grade 10	1.1%	1.5%	3.1%	96.9%
	Grade 11	1.3%	2.3%	4.2%	95.8%
	Grade 12	1.3%	2.1%	3.9%	96.1%
AA					
Ecstasy	All	2.4%	3.3%	4.9%	95.1%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.3%	2.0%	2.6%	97.4%
	Grade 9	2.3%	3.1%	4.8%	95.2%
	Grade 10	2.8%	4.0%	5.9%	94.1%
	Grade 11	4.3%	5.5%	8.6%	91.4%
	Grade 12	3.9%	5.6%	7.8%	92.2%
AA					
Heroi n	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.7%	1.0%	1.7%	98.3%
	Grade 8	0.7%	1.1%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.4%	0.6%	1.3%	98.7%
	Grade 11	0.3%	0.4%	1.8%	98.2%
	Grade 12	0.6%	0.9%	1.9%	98.1%

State - Grades 7-12

Spring 2000

Page 40







OOS712a I . OUT

	Grade 10	0.3%	0.5%	1.3%	98.7%
	Grade 11	0.4%	0.5%	1.3%	98.7%
	Grade 12	0.2%	0.3%	0.8%	99.2%
AA					
Ecstasy	All	1.5%	2.5%	4.1%	95.9%
	Grade 7	0.7%	0.9%	1.6%	98.4%
	Grade 8	0.8%	1.4%	2.3%	97.7%
	Grade 9	1.8%	2.8%	4.6%	95.4%
	Grade 10	1.8%	3.3%	5.0%	95.0%
	Grade 11	2.1%	3.6%	6.4%	93.6%
	Grade 12	2.2%	3.5%	5.8%	94.2%
AA					
Heroin	All	0.5%	0.8%	1.7%	98.3%
	Grade 7	0.7%	1.1%	2.0%	98.0%
	Grade 8	0.6%	0.9%	2.0%	98.0%
	Grade 9	0.7%	1.0%	1.8%	98.2%
	Grade 10	0.3%	0.5%	1.6%	98.4%
	Grade 11	0.1%	0.4%	1.2%	98.8%
	Grade 12	0.2%	0.4%	1.1%	98.9%
State - Grades 7-12 Spring 2000					

Table B4: Prevalence and recency of use of selected substances by grade  
--> White students

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	24.2%	32.5%	50.7%	49.3%
	Grade 7	8.8%	13.8%	29.5%	70.5%
	Grade 8	16.5%	24.7%	41.1%	58.9%
	Grade 9	23.6%	31.1%	49.7%	50.3%
	Grade 10	27.9%	37.3%	59.5%	40.5%
	Grade 11	36.9%	47.5%	66.7%	33.3%
	Grade 12	38.5%	48.5%	65.8%	34.2%
AA					
Alcohol	All	34.8%	50.0%	68.6%	31.4%
	Grade 7	13.4%	22.6%	44.0%	56.0%
	Grade 8	26.4%	39.9%	60.3%	39.7%
	Grade 9	34.1%	50.4%	69.6%	30.4%
	Grade 10	40.9%	58.4%	77.8%	22.2%
	Grade 11	47.7%	65.9%	82.3%	17.7%
	Grade 12	55.0%	72.0%	84.7%	15.3%
AA					
Inhalants	All	5.9%	8.9%	17.6%	82.4%
	Grade 7	6.1%	8.5%	15.0%	85.0%
	Grade 8	8.0%	11.4%	20.0%	80.0%
	Grade 9	6.0%	9.1%	16.8%	83.2%
	Grade 10	4.6%	7.7%	17.7%	82.3%
	Grade 11	6.0%	9.4%	20.5%	79.5%
	Grade 12	3.7%	6.7%	15.5%	84.5%
AA					
Any Illicit Drug	All	13.6%	20.0%	30.0%	70.0%
	Grade 7	3.0%	4.8%	7.9%	92.1%
	Grade 8	8.8%	13.4%	19.4%	80.6%
	Grade 9	13.5%	19.5%	28.5%	71.5%
	Grade 10	16.1%	24.3%	37.5%	62.5%
	Grade 11	21.4%	31.0%	47.1%	52.9%
	Grade 12	23.3%	33.8%	49.8%	50.2%
AA					
Marijuana	All	12.2%	18.5%	28.7%	71.3%

OOS712a I . OUT

	Grade 7	2.4%	3.9%	6.9%	93.1%
	Grade 8	7.8%	11.8%	18.0%	82.0%
	Grade 9	12.0%	17.9%	27.0%	73.0%
	Grade 10	14.6%	22.4%	36.1%	63.9%
	Grade 11	19.8%	29.5%	45.6%	54.4%
	Grade 12	21.0%	32.0%	48.2%	51.8%
AA					
Marijuana Only	All	4.4%	8.3%	15.5%	84.5%
	Grade 7	1.1%	1.9%	3.9%	96.1%
	Grade 8	3.3%	5.8%	10.0%	90.0%
	Grade 9	3.9%	7.2%	13.3%	86.7%
	Grade 10	5.9%	11.2%	21.2%	78.8%
	Grade 11	6.5%	12.6%	23.6%	76.4%
	Grade 12	7.4%	14.1%	25.9%	74.1%
AA					
Cocaine or Crack	All	1.8%	3.5%	6.8%	93.2%
	Grade 7	0.3%	1.0%	2.0%	98.0%
	Grade 8	1.4%	2.5%	4.3%	95.7%
	Grade 9	1.2%	3.0%	5.7%	94.3%
	Grade 10	1.9%	3.5%	6.7%	93.3%
	Grade 11	4.0%	6.9%	13.2%	86.8%
	Grade 12	3.1%	5.9%	11.9%	88.1%
AA					
Cocaine	All	1.7%	3.3%	6.4%	93.6%
	Grade 7	0.1%	0.5%	1.4%	98.6%
	Grade 8	1.2%	2.1%	3.7%	96.3%
	Grade 9	1.2%	2.9%	5.3%	94.7%
	Grade 10	1.8%	3.4%	6.4%	93.6%
	Grade 11	3.9%	6.9%	13.0%	87.0%
	Grade 12	3.1%	5.9%	11.7%	88.3%

State - Grades 7-12  
Spring 2000

Table B4 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	0.4%	0.9%	2.1%	97.9%
	Grade 7	0.2%	0.8%	1.5%	98.5%
	Grade 8	0.6%	1.4%	2.4%	97.6%
	Grade 9	0.4%	0.8%	1.9%	98.1%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	0.6%	1.2%	3.4%	96.6%
	Grade 12	0.2%	0.5%	2.4%	97.6%
AA					
Hallogens	All	2.3%	4.0%	6.8%	93.2%
	Grade 7	0.3%	0.9%	1.5%	98.5%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	2.4%	3.9%	6.5%	93.5%
	Grade 10	2.7%	4.9%	7.6%	92.4%
	Grade 11	4.3%	7.6%	12.4%	87.6%
	Grade 12	3.9%	7.3%	13.1%	86.9%
AA					
Uppers	All	3.1%	4.8%	7.6%	92.4%
	Grade 7	0.4%	0.9%	1.2%	98.8%
	Grade 8	1.6%	2.5%	3.5%	96.5%
	Grade 9	3.0%	4.6%	7.1%	92.9%
	Grade 10	3.9%	6.2%	9.6%	90.4%
	Grade 11	6.0%	8.6%	14.2%	85.8%
	Grade 12	4.6%	7.8%	13.3%	86.7%











OOS712a I . OUT

	Grade 10	Grade 11	Grade 12	All
	7.4%	6.7%	6.3%	5.3%
	10.8%	11.4%	11.3%	8.3%
	17.6%	20.1%	19.9%	14.3%
	82.4%	79.9%	80.1%	85.7%
Cocaine				
	Grade 7	Grade 8	Grade 9	Grade 10
	2.0%	4.1%	5.9%	7.3%
	3.1%	6.2%	8.8%	10.7%
	5.9%	10.9%	14.2%	17.5%
	94.1%	89.1%	85.8%	82.5%
	Grade 11	Grade 12	All	
	6.6%	6.3%	5.3%	
	11.4%	11.3%	8.3%	
	20.1%	19.9%	14.3%	
	79.9%	80.1%	85.7%	
State - Grades 7-12 Spring 2000				

Table B6 continued from previous page

	All	Past Month	School Year	Ever Used	Never Used
Crack					
	All	Grade 7	Grade 8	Grade 9	Grade 10
	1.2%	1.4%	1.6%	1.1%	1.3%
	1.9%	2.1%	2.9%	1.8%	1.9%
	3.7%	3.4%	4.7%	3.8%	4.0%
	96.3%	96.6%	95.3%	96.2%	96.0%
	Grade 11	Grade 12	All		
	0.8%	0.6%	1.6%	0.8%	0.6%
	1.7%	0.9%	3.0%	1.7%	0.9%
	3.8%	2.0%	5.0%	3.8%	2.0%
	96.2%	98.0%	95.0%	96.2%	98.0%
Hallucinogens					
	All	Grade 7	Grade 8	Grade 9	Grade 10
	1.6%	0.3%	0.9%	1.5%	2.6%
	3.0%	1.1%	1.7%	3.1%	4.0%
	5.0%	1.7%	2.6%	5.4%	6.2%
	95.0%	98.3%	97.4%	94.6%	93.8%
	Grade 11	Grade 12	All		
	2.2%	2.5%	1.6%	2.2%	2.5%
	4.4%	4.3%	3.0%	4.4%	4.3%
	8.0%	7.7%	5.0%	8.0%	7.7%
	92.0%	92.3%	95.0%	92.0%	92.3%
Uppers					
	All	Grade 7	Grade 8	Grade 9	Grade 10
	2.9%	1.0%	2.0%	4.3%	3.5%
	4.6%	1.6%	3.1%	6.3%	5.9%
	7.3%	2.4%	4.8%	9.4%	9.9%
	92.7%	97.6%	95.2%	90.6%	90.1%
	Grade 11	Grade 12	All		
	4.0%	2.8%	2.9%	4.0%	2.8%
	6.4%	4.3%	4.6%	6.4%	4.3%
	10.0%	7.7%	7.3%	10.0%	7.7%
	90.0%	92.3%	92.7%	90.0%	92.3%
Downers					
	All	Grade 7	Grade 8	Grade 9	Grade 10
	2.9%	1.2%	1.8%	4.2%	3.8%
	4.3%	1.7%	2.5%	5.8%	6.0%
	6.7%	2.3%	3.7%	8.4%	9.9%
	93.3%	97.7%	96.3%	91.6%	90.1%
	Grade 11	Grade 12	All		
	3.5%	3.0%	2.9%	3.5%	3.0%
	5.9%	4.0%	4.4%	5.9%	4.0%
	9.5%	7.1%	7.8%	9.5%	7.1%
	90.5%	92.9%	92.2%	90.5%	92.9%
Rohypnol					
	All	Grade 7	Grade 8	Grade 9	Grade 10
	2.9%	1.8%	3.5%	3.9%	3.3%
	4.4%	2.8%	5.0%	6.0%	5.2%
	7.8%	4.1%	7.7%	9.4%	9.1%
	92.2%	95.9%	92.3%	90.6%	90.9%
	Grade 11	Grade 12	All		
	2.8%	1.8%	2.9%	2.8%	1.8%
	4.2%	2.8%	4.4%	4.2%	2.8%
	9.2%	6.7%	7.8%	9.2%	6.7%
	90.8%	93.3%	92.2%	90.8%	93.3%
Steroids					
	All	Grade 7			
	0.8%	0.8%			
	1.2%	1.3%			
	2.1%	2.1%			
	97.9%	97.9%			

OOS712a I . OUT

	Grade 8	0.8%	1.3%	2.6%	97.4%
	Grade 9	0.8%	1.1%	1.9%	98.1%
	Grade 10	0.9%	1.3%	2.3%	97.7%
	Grade 11	0.7%	0.9%	1.9%	98.1%
	Grade 12	0.7%	1.0%	1.8%	98.2%
Ecstasy	All	2.1%	2.9%	4.8%	95.2%
	Grade 7	1.2%	1.4%	2.5%	97.5%
	Grade 8	1.6%	2.3%	3.5%	96.5%
	Grade 9	2.0%	3.3%	5.5%	94.5%
	Grade 10	2.9%	3.9%	5.8%	94.2%
	Grade 11	2.9%	3.7%	6.6%	93.4%
	Grade 12	2.5%	3.3%	5.3%	94.7%
Heroin	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	1.2%	1.7%	2.7%	97.3%
	Grade 8	0.8%	1.4%	2.7%	97.3%
	Grade 9	0.9%	1.3%	2.5%	97.5%
	Grade 10	0.3%	0.5%	1.2%	98.8%
	Grade 11	0.2%	0.5%	0.9%	99.1%
	Grade 12	0.6%	0.7%	1.4%	98.6%

State - Grades 7-12  
Spring 2000

Table B7: Prevalence and recency of use of selected substances by grade  
--> Students reporting A and B grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	19.3%	27.1%	47.2%	52.8%
	Grade 7	8.6%	12.8%	28.5%	71.5%
	Grade 8	14.0%	21.0%	40.6%	59.4%
	Grade 9	18.0%	25.8%	45.9%	54.1%
	Grade 10	20.9%	29.8%	53.7%	46.3%
	Grade 11	27.4%	37.9%	59.4%	40.6%
	Grade 12	31.2%	40.7%	60.7%	39.3%
Alcohol	All	33.4%	47.8%	68.5%	31.5%
	Grade 7	16.4%	25.1%	47.7%	52.3%
	Grade 8	26.6%	38.8%	61.5%	38.5%
	Grade 9	32.3%	47.2%	68.8%	31.2%
	Grade 10	38.2%	54.4%	75.5%	24.5%
	Grade 11	43.4%	61.1%	79.9%	20.1%
	Grade 12	49.2%	66.9%	82.7%	17.3%
Inhalants	All	5.5%	8.2%	16.2%	83.8%
	Grade 7	7.5%	9.8%	16.8%	83.2%
	Grade 8	8.0%	11.4%	19.6%	80.4%
	Grade 9	5.5%	7.9%	15.5%	84.5%
	Grade 10	4.1%	7.2%	15.7%	84.3%
	Grade 11	4.2%	6.6%	15.6%	84.4%
	Grade 12	2.9%	4.9%	13.1%	86.9%
Any Illicit Drug	All	12.4%	18.6%	29.5%	70.5%
	Grade 7	4.5%	6.3%	10.7%	89.3%
	Grade 8	8.8%	12.9%	19.9%	80.1%
	Grade 9	11.4%	17.4%	27.0%	73.0%
	Grade 10	14.7%	22.4%	35.7%	64.3%
	Grade 11	18.0%	27.1%	44.4%	55.6%
	Grade 12	19.8%	29.6%	46.3%	53.7%

00S712a I . OUT

Marijuana	All	11.0%	17.1%	28.0%	72.0%
	Grade 7	3.8%	5.4%	9.6%	90.4%
	Grade 8	7.8%	11.6%	18.5%	81.5%
	Grade 9	10.0%	15.7%	25.2%	74.8%
	Grade 10	13.2%	20.6%	34.2%	65.8%
	Grade 11	15.9%	25.4%	42.8%	57.2%
	Grade 12	18.1%	27.9%	44.9%	55.1%
Marijuana Only	All	4.6%	8.2%	16.0%	84.0%
	Grade 7	1.8%	2.7%	5.9%	94.1%
	Grade 8	3.5%	5.8%	10.6%	89.4%
	Grade 9	4.0%	7.2%	14.0%	86.0%
	Grade 10	5.4%	10.2%	20.1%	79.9%
	Grade 11	6.5%	12.1%	24.4%	75.6%
	Grade 12	7.5%	13.4%	25.5%	74.5%
Cocaine or Crack	All	2.2%	3.9%	7.1%	92.9%
	Grade 7	1.0%	1.6%	2.8%	97.2%
	Grade 8	1.4%	2.4%	4.8%	95.2%
	Grade 9	1.6%	3.2%	5.5%	94.5%
	Grade 10	2.5%	4.2%	7.7%	92.3%
	Grade 11	3.7%	6.5%	11.7%	88.3%
	Grade 12	3.4%	6.6%	12.3%	87.7%
Cocaine	All	2.0%	3.7%	6.7%	93.3%
	Grade 7	0.6%	1.0%	2.2%	97.8%
	Grade 8	1.2%	2.0%	4.1%	95.9%
	Grade 9	1.6%	3.0%	5.0%	95.0%
	Grade 10	2.5%	4.1%	7.5%	92.5%
	Grade 11	3.6%	6.4%	11.5%	88.5%
	Grade 12	3.4%	6.6%	12.2%	87.8%

State - Grades 7-12  
Spring 2000

Table B7 continued from previous page

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.4%	0.8%	1.9%	98.1%
	Grade 7	0.6%	1.0%	1.6%	98.4%
	Grade 8	0.5%	1.0%	1.9%	98.1%
	Grade 9	0.5%	0.8%	1.8%	98.2%
	Grade 10	0.3%	0.6%	1.6%	98.4%
	Grade 11	0.4%	1.0%	2.5%	97.5%
	Grade 12	0.3%	0.6%	1.9%	98.1%
Hallucinations	All	1.4%	2.6%	4.5%	95.5%
	Grade 7	0.2%	0.6%	1.0%	99.0%
	Grade 8	0.6%	1.0%	1.8%	98.2%
	Grade 9	1.2%	2.5%	4.2%	95.8%
	Grade 10	1.9%	3.3%	5.2%	94.8%
	Grade 11	2.2%	4.4%	7.7%	92.3%
	Grade 12	2.5%	4.7%	8.9%	91.1%
Uppers	All	2.1%	3.4%	5.6%	94.4%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.1%	2.0%	3.0%	97.0%
	Grade 9	2.2%	3.4%	5.2%	94.8%
	Grade 10	2.5%	4.5%	7.5%	92.5%

OOS712a I . OUT					
	Grade 11	3.9%	5.7%	9.5%	90.5%
	Grade 12	2.8%	4.9%	8.7%	91.3%
Downers	All	2.0%	3.1%	4.8%	95.2%
	Grade 7	0.5%	0.8%	1.1%	98.9%
	Grade 8	0.8%	1.4%	2.1%	97.9%
	Grade 9	2.5%	3.3%	4.6%	95.4%
	Grade 10	2.4%	3.9%	6.4%	93.6%
	Grade 11	3.6%	5.4%	8.9%	91.1%
	Grade 12	3.0%	4.4%	7.2%	92.8%
Rohypnol	All	1.1%	1.8%	3.5%	96.5%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.2%	2.1%	3.4%	96.6%
	Grade 9	1.1%	1.9%	3.4%	96.6%
	Grade 10	1.2%	1.9%	3.7%	96.3%
	Grade 11	1.5%	2.3%	5.0%	95.0%
	Grade 12	1.1%	1.7%	4.1%	95.9%
Steroids	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.9%	1.2%	2.0%	98.0%
	Grade 8	0.6%	1.0%	2.0%	98.0%
	Grade 9	0.5%	0.9%	1.6%	98.4%
	Grade 10	0.6%	0.8%	1.8%	98.2%
	Grade 11	0.6%	1.0%	2.0%	98.0%
	Grade 12	0.7%	1.1%	2.2%	97.8%
Ecstasy	All	1.5%	2.4%	3.7%	96.3%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.8%	1.3%	2.0%	98.0%
	Grade 9	1.3%	2.0%	3.4%	96.6%
	Grade 10	1.8%	3.0%	4.6%	95.4%
	Grade 11	2.6%	3.9%	6.4%	93.6%
	Grade 12	2.7%	4.0%	6.1%	93.9%
Heroin	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.4%	0.7%	1.2%	98.8%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	0.3%	0.5%	1.0%	99.0%
	Grade 10	0.2%	0.3%	1.0%	99.0%
	Grade 11	0.2%	0.4%	1.3%	98.7%
	Grade 12	0.4%	0.6%	1.4%	98.6%

State - Grades 7-12  
Spring 2000

Table B8: Prevalence and recency of use of selected substances by grade  
--> Students reporting C, D, and F grades

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	33.9%	44.1%	65.4%	34.6%
	Grade 7	19.1%	27.7%	48.3%	51.7%
	Grade 8	28.9%	40.6%	61.4%	38.6%
	Grade 9	36.3%	46.1%	69.5%	30.5%
	Grade 10	40.8%	51.0%	71.2%	28.8%
	Grade 11	41.8%	53.3%	73.5%	26.5%
	Grade 12	42.3%	51.7%	72.9%	27.1%
Alcohol	All	46.0%	60.1%	79.1%	20.9%
	Grade 7	29.5%	39.2%	62.3%	37.7%

OOS712a I . OUT

	Grade 8	41.6%	54.7%	76.6%	23.4%
	Grade 9	47.7%	61.2%	81.7%	18.3%
	Grade 10	51.4%	69.9%	85.9%	14.1%
	Grade 11	55.4%	72.1%	86.1%	13.9%
	Grade 12	59.4%	73.0%	86.7%	13.3%
AAAAA					
Inhalants	All	11.3%	16.0%	29.0%	71.0%
	Grade 7	15.1%	19.1%	29.0%	71.0%
	Grade 8	16.6%	21.9%	35.0%	65.0%
	Grade 9	10.2%	15.6%	28.5%	71.5%
	Grade 10	7.4%	12.5%	27.8%	72.2%
	Grade 11	8.5%	12.4%	26.5%	73.5%
	Grade 12	7.8%	10.7%	23.0%	77.0%
AAAAA					
Any Illicit Drug	All	26.3%	35.2%	49.2%	50.8%
	Grade 7	13.8%	18.8%	27.2%	72.8%
	Grade 8	23.2%	30.1%	42.6%	57.4%
	Grade 9	29.5%	38.1%	52.9%	47.1%
	Grade 10	29.9%	41.7%	58.1%	41.9%
	Grade 11	32.0%	44.4%	61.6%	38.4%
	Grade 12	32.8%	44.0%	61.4%	38.6%
AAAAA					
Marijuana	All	23.5%	32.6%	47.6%	52.4%
	Grade 7	12.0%	16.8%	25.4%	74.6%
	Grade 8	20.3%	27.2%	40.3%	59.7%
	Grade 9	26.7%	36.1%	51.5%	48.5%
	Grade 10	26.7%	38.9%	56.7%	43.3%
	Grade 11	29.7%	41.4%	59.7%	40.3%
	Grade 12	28.7%	40.4%	59.8%	40.2%
AAAAA					
Marijuana Only	All	8.6%	13.6%	23.1%	76.9%
	Grade 7	5.6%	8.2%	13.5%	86.5%
	Grade 8	7.9%	11.7%	20.7%	79.3%
	Grade 9	9.2%	13.3%	23.1%	76.9%
	Grade 10	9.9%	17.2%	29.2%	70.8%
	Grade 11	9.8%	16.8%	27.2%	72.8%
	Grade 12	9.8%	17.1%	29.2%	70.8%
AAAAA					
Cocaine or Crack	All	6.5%	9.8%	16.2%	83.8%
	Grade 7	2.5%	4.4%	7.4%	92.6%
	Grade 8	6.5%	9.4%	13.7%	86.3%
	Grade 9	6.7%	10.5%	17.5%	82.5%
	Grade 10	8.0%	11.8%	18.2%	81.8%
	Grade 11	8.5%	12.8%	23.4%	76.6%
	Grade 12	7.8%	11.2%	20.4%	79.6%
AAAAA					
Cocaine	All	6.2%	9.3%	15.6%	84.4%
	Grade 7	2.0%	3.4%	6.3%	93.7%
	Grade 8	5.8%	8.3%	12.6%	87.4%
	Grade 9	6.6%	10.1%	16.8%	83.2%
	Grade 10	7.8%	11.5%	17.7%	82.3%
	Grade 11	8.2%	12.9%	23.5%	76.5%
	Grade 12	7.8%	11.2%	20.4%	79.6%

State - Grades 7-12  
Spring 2000

Table B8 continued from previous page

	Past Month	School Year	Ever Used	Never Used
AAAAA				

OOS712a I . OUT

Crack	All	1.5%	2.8%	5.1%	94.9%
	Grade 7	1.0%	2.6%	4.3%	95.7%
	Grade 8	2.4%	4.8%	7.1%	92.9%
	Grade 9	1.2%	2.1%	4.6%	95.4%
	Grade 10	2.2%	3.3%	5.5%	94.5%
	Grade 11	1.5%	2.4%	5.5%	94.5%
	Grade 12	0.6%	1.0%	2.6%	97.4%
AA					
Hallucinogens	All	3.4%	5.6%	8.7%	91.3%
	Grade 7	0.7%	2.3%	3.5%	96.5%
	Grade 8	2.0%	3.1%	5.1%	94.9%
	Grade 9	3.5%	5.5%	8.8%	91.2%
	Grade 10	4.7%	7.4%	10.9%	89.1%
	Grade 11	5.5%	8.8%	14.5%	85.5%
	Grade 12	5.4%	9.4%	13.3%	86.7%
AA					
Uppers	All	4.9%	7.1%	10.6%	89.4%
	Grade 7	1.2%	2.3%	3.1%	96.9%
	Grade 8	3.5%	4.5%	6.1%	93.9%
	Grade 9	6.1%	9.0%	13.6%	86.4%
	Grade 10	6.6%	9.0%	12.8%	87.2%
	Grade 11	6.0%	9.6%	15.4%	84.6%
	Grade 12	7.3%	10.0%	14.8%	85.2%
AA					
Downers	All	4.4%	6.4%	9.4%	90.6%
	Grade 7	0.8%	2.1%	3.0%	97.0%
	Grade 8	2.9%	3.8%	5.5%	94.5%
	Grade 9	6.4%	8.6%	12.7%	87.3%
	Grade 10	5.6%	7.6%	10.7%	89.3%
	Grade 11	5.0%	8.3%	13.6%	86.4%
	Grade 12	6.2%	8.4%	12.6%	87.4%
AA					
Rohypnol	All	3.6%	5.3%	8.3%	91.7%
	Grade 7	2.1%	3.6%	5.3%	94.7%
	Grade 8	4.3%	5.4%	7.5%	92.5%
	Grade 9	4.7%	6.8%	9.6%	90.4%
	Grade 10	3.7%	5.7%	9.5%	90.5%
	Grade 11	3.1%	4.4%	8.9%	91.1%
	Grade 12	2.8%	4.8%	8.7%	91.3%
AA					
Steroids	All	1.2%	2.1%	3.6%	96.4%
	Grade 7	1.1%	1.8%	3.3%	96.7%
	Grade 8	1.5%	2.4%	4.2%	95.8%
	Grade 9	1.1%	2.3%	3.2%	96.8%
	Grade 10	1.1%	1.7%	3.1%	96.9%
	Grade 11	1.7%	2.7%	5.1%	94.9%
	Grade 12	0.8%	1.1%	2.1%	97.9%
AA					
Ecstasy	All	3.5%	4.8%	7.3%	92.7%
	Grade 7	1.4%	1.7%	3.0%	97.0%
	Grade 8	2.2%	2.9%	4.1%	95.9%
	Grade 9	4.4%	5.9%	8.7%	91.3%
	Grade 10	3.8%	6.0%	8.4%	91.6%
	Grade 11	5.1%	6.8%	11.5%	88.5%
	Grade 12	4.6%	7.0%	10.5%	89.5%
AA					
Heroin	All	1.1%	1.6%	3.3%	96.7%
	Grade 7	1.6%	2.4%	4.1%	95.9%
	Grade 8	1.5%	2.2%	4.0%	96.0%
	Grade 9	1.4%	1.7%	3.6%	96.4%
	Grade 10	1.0%	1.2%	3.1%	96.9%

OOS712a I . OUT				
Grade 11	0.3%	0.6%	2.1%	97.9%
Grade 12	0.6%	0.9%	2.1%	97.9%
State - Grades 7-12				
Spring 2000				

Table B9: Prevalence and recency of use of selected substances by grade  
--> Students living with two parents

		Past Month	School Year	Ever Used	Never Used
AA					
Tobacco	All	20.1%	27.9%	46.6%	53.4%
	Grade 7	8.5%	12.3%	26.5%	73.5%
	Grade 8	14.4%	22.0%	39.9%	60.1%
	Grade 9	19.7%	27.6%	46.5%	53.5%
	Grade 10	23.0%	31.7%	53.7%	46.3%
	Grade 11	28.8%	39.2%	59.4%	40.6%
	Grade 12	31.2%	40.1%	59.7%	40.3%
AA					
Alcohol	All	34.0%	47.2%	66.4%	33.6%
	Grade 7	16.4%	23.7%	44.1%	55.9%
	Grade 8	27.1%	38.3%	59.4%	40.6%
	Grade 9	34.5%	48.2%	67.6%	32.4%
	Grade 10	38.8%	54.1%	74.2%	25.8%
	Grade 11	44.4%	61.1%	78.4%	21.6%
	Grade 12	49.0%	65.2%	80.9%	19.1%
AA					
Inhalants	All	6.2%	9.0%	17.0%	83.0%
	Grade 7	8.2%	10.5%	17.2%	82.8%
	Grade 8	8.7%	12.0%	20.4%	79.6%
	Grade 9	6.3%	9.5%	17.3%	82.7%
	Grade 10	4.7%	7.8%	16.6%	83.4%
	Grade 11	4.7%	7.5%	16.2%	83.8%
	Grade 12	3.3%	5.0%	12.8%	87.2%
AA					
Any Illicit Drug	All	12.9%	18.7%	28.8%	71.2%
	Grade 7	4.6%	6.5%	10.9%	89.1%
	Grade 8	9.1%	12.9%	19.6%	80.4%
	Grade 9	13.2%	18.5%	27.7%	72.3%
	Grade 10	15.7%	22.9%	35.4%	64.6%
	Grade 11	18.5%	27.5%	42.6%	57.4%
	Grade 12	19.1%	28.6%	43.9%	56.1%
AA					
Marijuana	All	11.2%	17.1%	27.1%	72.9%
	Grade 7	3.7%	5.3%	9.6%	90.4%
	Grade 8	7.7%	11.3%	17.7%	82.3%
	Grade 9	11.5%	16.8%	25.8%	74.2%
	Grade 10	13.9%	21.1%	33.6%	66.4%
	Grade 11	16.1%	25.5%	40.7%	59.3%
	Grade 12	17.2%	26.8%	42.6%	57.4%
AA					
Marijuana Only	All	4.5%	7.9%	14.9%	85.1%
	Grade 7	1.6%	2.6%	5.5%	94.5%
	Grade 8	3.2%	5.4%	9.8%	90.2%
	Grade 9	4.1%	6.8%	12.8%	87.2%
	Grade 10	5.6%	9.9%	19.1%	80.9%
	Grade 11	6.6%	12.5%	22.8%	77.2%
	Grade 12	7.3%	12.8%	23.9%	76.1%
AA					
Cocaine or Crack	All	2.7%	4.3%	7.5%	92.5%
	Grade 7	1.2%	1.9%	3.2%	96.8%

OOS712a I . OUT

	Grade 8	1.9%	2.7%	5.0%	95.0%
	Grade 9	2.8%	4.1%	7.2%	92.8%
	Grade 10	3.4%	5.3%	8.6%	91.4%
	Grade 11	4.0%	6.4%	11.5%	88.5%
	Grade 12	3.6%	6.6%	11.7%	88.3%
AAAAA	Grade 8	1.9%	2.7%	5.0%	95.0%
AAAAA	Grade 9	2.8%	4.1%	7.2%	92.8%
AAAAA	Grade 10	3.4%	5.3%	8.6%	91.4%
AAAAA	Grade 11	4.0%	6.4%	11.5%	88.5%
AAAAA	Grade 12	3.6%	6.6%	11.7%	88.3%
Cocaine	All	2.6%	4.0%	7.1%	92.9%
	Grade 7	0.7%	1.1%	2.4%	97.6%
	Grade 8	1.7%	2.4%	4.3%	95.7%
	Grade 9	2.7%	3.9%	6.5%	93.5%
	Grade 10	3.3%	5.2%	8.4%	91.6%
	Grade 11	3.9%	6.3%	11.5%	88.5%
	Grade 12	3.6%	6.6%	11.6%	88.4%
	State - Grades 7-12				
	Spring 2000				

♀

Table B9 continued from previous page

		Past Month	School Year	Ever Used	Never Used	
AAAAA	Crack	All	0.6%	1.0%	2.2%	97.8%
		Grade 7	0.7%	1.1%	1.9%	98.1%
		Grade 8	0.6%	1.1%	2.4%	97.6%
		Grade 9	0.6%	1.1%	2.4%	97.6%
		Grade 10	0.6%	1.0%	2.1%	97.9%
		Grade 11	0.6%	1.1%	2.6%	97.4%
		Grade 12	0.3%	0.5%	1.5%	98.5%
AAAAA	Halitogens	All	1.5%	2.6%	4.4%	95.6%
		Grade 7	0.2%	0.6%	0.9%	99.1%
		Grade 8	0.9%	1.4%	2.1%	97.9%
		Grade 9	1.5%	2.6%	4.4%	95.6%
		Grade 10	2.1%	3.4%	5.3%	94.7%
		Grade 11	2.4%	4.2%	7.1%	92.9%
		Grade 12	2.3%	4.4%	8.0%	92.0%
AAAAA	Uppers	All	2.2%	3.3%	5.5%	94.5%
		Grade 7	0.5%	0.7%	1.2%	98.8%
		Grade 8	1.1%	1.7%	2.8%	97.2%
		Grade 9	2.8%	4.1%	6.2%	93.8%
		Grade 10	2.7%	4.2%	7.1%	92.9%
		Grade 11	3.5%	4.9%	8.7%	91.3%
		Grade 12	2.9%	4.5%	8.3%	91.7%
AAAAA	Downers	All	1.9%	2.9%	4.5%	95.5%
		Grade 7	0.4%	0.8%	1.2%	98.8%
		Grade 8	0.9%	1.6%	2.4%	97.6%
		Grade 9	2.6%	3.5%	4.8%	95.2%
		Grade 10	2.1%	3.5%	5.4%	94.6%
		Grade 11	3.2%	4.7%	8.1%	91.9%
		Grade 12	2.7%	3.8%	6.5%	93.5%
AAAAA	Rohypnol	All	1.4%	2.2%	3.8%	96.2%
		Grade 7	0.8%	1.3%	1.8%	98.2%
		Grade 8	1.6%	2.4%	3.6%	96.4%
		Grade 9	1.9%	2.8%	4.4%	95.6%
		Grade 10	1.4%	2.3%	4.3%	95.7%
		Grade 11	1.5%	2.1%	4.8%	95.2%
		Grade 12	1.2%	2.2%	4.3%	95.7%



OOS712a I . OUT

Steroids	All	0.7%	1.2%	2.1%	97.9%
	Grade 7	0.7%	1.1%	1.9%	98.1%
	Grade 8	0.8%	1.4%	2.4%	97.6%
	Grade 9	0.6%	1.4%	2.2%	97.8%
	Grade 10	0.6%	1.0%	2.0%	98.0%
	Grade 11	0.9%	1.5%	2.7%	97.3%
	Grade 12	0.6%	0.9%	1.8%	98.2%
Ecstasy	All	1.6%	2.3%	3.7%	96.3%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.9%	1.3%	1.9%	98.1%
	Grade 9	1.5%	2.2%	3.7%	96.3%
	Grade 10	1.7%	2.9%	4.6%	95.4%
	Grade 11	2.7%	3.9%	6.3%	93.7%
	Grade 12	2.7%	3.9%	5.7%	94.3%
Heroin	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.7%	1.0%	1.7%	98.3%
	Grade 9	0.5%	0.8%	1.6%	98.4%
	Grade 10	0.2%	0.4%	1.0%	99.0%
	Grade 11	0.1%	0.3%	1.2%	98.8%
	Grade 12	0.4%	0.6%	1.5%	98.5%

State - Grades 7-12  
Spring 2000

Table B10: Prevalence and recency of use of selected substances by grade  
--> Students not living with two parents

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	26.0%	35.4%	58.4%	41.6%
	Grade 7	14.7%	22.2%	43.5%	56.5%
	Grade 8	21.5%	30.0%	52.8%	47.2%
	Grade 9	26.9%	36.1%	60.0%	40.0%
	Grade 10	28.9%	39.0%	64.0%	36.0%
	Grade 11	33.1%	44.2%	67.2%	32.8%
	Grade 12	35.4%	46.0%	67.2%	32.8%
Alcohol	All	39.5%	55.6%	77.8%	22.2%
	Grade 7	24.4%	35.9%	62.2%	37.8%
	Grade 8	33.9%	48.1%	73.0%	27.0%
	Grade 9	38.7%	54.7%	78.9%	21.1%
	Grade 10	45.0%	63.9%	83.7%	16.3%
	Grade 11	48.4%	67.0%	85.7%	14.3%
	Grade 12	53.4%	72.1%	87.5%	12.5%
Inhalants	All	7.7%	11.3%	22.1%	77.9%
	Grade 7	10.9%	14.4%	23.2%	76.8%
	Grade 8	11.6%	16.2%	26.8%	73.2%
	Grade 9	7.1%	10.3%	21.0%	79.0%
	Grade 10	5.0%	9.3%	21.3%	78.7%
	Grade 11	5.9%	8.6%	20.6%	79.4%
	Grade 12	3.9%	6.8%	17.5%	82.5%
Any Illicit Drug	All	19.5%	27.8%	41.8%	58.2%
	Grade 7	9.9%	13.5%	20.5%	79.5%
	Grade 8	16.5%	22.3%	32.9%	67.1%
	Grade 9	20.4%	29.2%	42.5%	57.5%
	Grade 10	22.0%	32.9%	49.5%	50.5%

OOS712a I . OUT					
	Grade 11	25.3%	36.4%	56.9%	43.1%
	Grade 12	25.9%	36.7%	56.5%	43.5%
AAAAA					
Marijuana	All	17.7%	25.9%	40.6%	59.4%
	Grade 7	8.8%	12.2%	19.1%	80.9%
	Grade 8	15.0%	20.7%	31.7%	68.3%
	Grade 9	18.4%	27.3%	41.3%	58.7%
	Grade 10	19.8%	30.7%	48.4%	51.6%
	Grade 11	23.4%	34.2%	55.7%	44.3%
	Grade 12	23.7%	34.5%	54.7%	45.3%
AAAAA					
Marijuana Only	All	6.9%	11.8%	21.9%	78.1%
	Grade 7	4.3%	6.2%	11.1%	88.9%
	Grade 8	6.4%	9.8%	17.6%	82.4%
	Grade 9	7.2%	12.0%	21.7%	78.3%
	Grade 10	7.8%	14.7%	27.1%	72.9%
	Grade 11	8.1%	14.1%	28.2%	71.8%
	Grade 12	8.7%	15.7%	29.8%	70.2%
AAAAA					
Cocaine or Crack	All	3.7%	6.6%	11.5%	88.5%
	Grade 7	1.7%	2.9%	4.9%	95.1%
	Grade 8	3.4%	5.9%	9.6%	90.4%
	Grade 9	3.2%	6.4%	10.6%	89.4%
	Grade 10	4.3%	6.8%	12.3%	87.7%
	Grade 11	5.9%	10.3%	18.6%	81.4%
	Grade 12	4.7%	8.4%	16.4%	83.6%
AAAAA					
Cocaine	All	3.5%	6.2%	11.1%	88.9%
	Grade 7	1.3%	2.3%	4.2%	95.8%
	Grade 8	2.9%	5.0%	8.5%	91.5%
	Grade 9	3.1%	6.2%	10.3%	89.7%
	Grade 10	4.1%	6.5%	11.9%	88.1%
	Grade 11	5.8%	10.2%	18.2%	81.8%
	Grade 12	4.7%	8.4%	16.3%	83.7%

State - Grades 7-12  
Spring 2000

Table B10 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA					
Crack	All	0.9%	1.7%	3.2%	96.8%
	Grade 7	0.8%	1.7%	2.8%	97.2%
	Grade 8	1.4%	3.0%	4.1%	95.9%
	Grade 9	0.7%	1.3%	2.6%	97.4%
	Grade 10	0.9%	1.4%	3.0%	97.0%
	Grade 11	0.7%	1.6%	4.0%	96.0%
	Grade 12	0.5%	0.8%	2.7%	97.3%
AAAAA					
Hallogens	All	2.3%	4.2%	7.1%	92.9%
	Grade 7	0.5%	1.6%	2.5%	97.5%
	Grade 8	0.9%	1.5%	3.1%	96.9%
	Grade 9	2.3%	4.2%	6.9%	93.1%
	Grade 10	3.1%	5.5%	8.4%	91.6%
	Grade 11	3.8%	7.5%	12.6%	87.4%
	Grade 12	3.9%	6.9%	12.0%	88.0%
AAAAA					
Uppers	All	3.6%	5.7%	8.6%	91.4%
	Grade 7	0.9%	1.8%	2.6%	97.4%
	Grade 8	2.5%	3.7%	5.0%	95.0%

OOS712a I . OUT

	Grade 9	3.9%	5.7%	8.8%	91.2%
	Grade 10	4.7%	7.6%	11.5%	88.5%
	Grade 11	5.7%	9.1%	14.0%	86.0%
	Grade 12	4.3%	7.4%	11.7%	88.3%
Downers	All	3.6%	5.3%	7.9%	92.1%
	Grade 7	0.8%	1.6%	2.2%	97.8%
	Grade 8	1.7%	2.5%	3.5%	96.5%
	Grade 9	4.8%	6.5%	9.3%	90.7%
	Grade 10	4.7%	6.9%	10.6%	89.4%
	Grade 11	5.0%	8.2%	12.8%	87.2%
	Grade 12	4.9%	7.0%	10.6%	89.4%
Rohypnol	All	2.1%	3.2%	5.5%	94.5%
	Grade 7	1.6%	2.3%	3.3%	96.7%
	Grade 8	2.3%	3.3%	5.1%	94.9%
	Grade 9	2.2%	3.7%	5.7%	94.3%
	Grade 10	2.4%	3.4%	6.2%	93.8%
	Grade 11	2.4%	3.9%	7.5%	92.5%
	Grade 12	1.5%	2.0%	5.5%	94.5%
Steroids	All	0.8%	1.2%	2.4%	97.6%
	Grade 7	1.3%	1.7%	2.8%	97.2%
	Grade 8	0.8%	1.0%	2.6%	97.4%
	Grade 9	0.7%	1.0%	1.7%	98.3%
	Grade 10	0.7%	1.0%	2.4%	97.6%
	Grade 11	0.7%	1.1%	2.6%	97.4%
	Grade 12	0.9%	1.5%	3.1%	96.9%
Ecstasy	All	2.6%	3.7%	5.8%	94.2%
	Grade 7	1.0%	1.4%	2.2%	97.8%
	Grade 8	1.4%	2.1%	3.2%	96.8%
	Grade 9	2.9%	4.2%	6.2%	93.8%
	Grade 10	3.2%	4.8%	6.8%	93.2%
	Grade 11	3.9%	5.4%	9.4%	90.6%
	Grade 12	3.5%	5.5%	8.5%	91.5%
Heroin	All	0.6%	0.9%	2.0%	98.0%
	Grade 7	1.0%	1.4%	2.7%	97.3%
	Grade 8	0.6%	1.0%	2.1%	97.9%
	Grade 9	0.7%	0.9%	1.6%	98.4%
	Grade 10	0.6%	0.8%	2.2%	97.8%
	Grade 11	0.4%	0.6%	2.0%	98.0%
	Grade 12	0.3%	0.6%	1.5%	98.5%

State - Grades 7-12

Spring 2000

Table B11: Prevalence and recency of use of selected substances by grade  
 --> Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	20.6%	28.4%	48.6%	51.4%
	Grade 7	8.9%	13.2%	29.3%	70.7%
	Grade 8	15.0%	22.5%	41.6%	58.4%
	Grade 9	20.6%	28.3%	48.7%	51.3%
	Grade 10	23.6%	32.3%	55.9%	44.1%
	Grade 11	28.8%	39.5%	61.4%	38.6%
	Grade 12	31.5%	40.8%	61.0%	39.0%

OOS712a I . OUT

Alcohol	All	34.1%	48.2%	68.9%	31.1%
	Grade 7	17.3%	25.6%	47.8%	52.2%
	Grade 8	27.1%	38.9%	61.4%	38.6%
	Grade 9	34.0%	48.4%	70.3%	29.7%
	Grade 10	39.4%	55.9%	77.0%	23.0%
	Grade 11	44.5%	61.7%	80.6%	19.4%
	Grade 12	48.9%	66.8%	82.7%	17.3%
Inhalants	All	5.8%	8.5%	16.9%	83.1%
	Grade 7	7.6%	10.1%	16.6%	83.4%
	Grade 8	8.4%	11.6%	20.3%	79.7%
	Grade 9	6.0%	8.7%	16.9%	83.1%
	Grade 10	4.0%	7.2%	16.2%	83.8%
	Grade 11	4.2%	6.8%	16.1%	83.9%
	Grade 12	3.1%	5.1%	13.7%	86.3%
Any Illicit Drug	All	13.5%	19.9%	31.2%	68.8%
	Grade 7	5.2%	7.4%	12.1%	87.9%
	Grade 8	9.8%	14.0%	21.2%	78.8%
	Grade 9	13.9%	19.9%	30.4%	69.6%
	Grade 10	16.6%	24.9%	38.4%	61.6%
	Grade 11	18.6%	28.2%	46.4%	53.6%
	Grade 12	19.8%	29.7%	46.6%	53.4%
Marijuana	All	12.1%	18.4%	29.8%	70.2%
	Grade 7	4.4%	6.4%	11.0%	89.0%
	Grade 8	8.8%	12.7%	19.9%	80.1%
	Grade 9	12.4%	18.4%	29.0%	71.0%
	Grade 10	14.7%	22.9%	36.8%	63.2%
	Grade 11	16.7%	26.5%	44.7%	55.3%
	Grade 12	17.9%	27.9%	45.1%	54.9%
Marijuana Only	All	5.0%	8.8%	16.9%	83.1%
	Grade 7	2.3%	3.5%	6.8%	93.2%
	Grade 8	3.5%	5.9%	11.2%	88.8%
	Grade 9	4.9%	8.2%	15.5%	84.5%
	Grade 10	6.0%	11.2%	21.3%	78.7%
	Grade 11	6.9%	12.9%	25.6%	74.4%
	Grade 12	7.7%	13.9%	26.2%	73.8%
Cocaine or Crack	All	2.5%	4.4%	7.9%	92.1%
	Grade 7	0.9%	1.7%	2.9%	97.1%
	Grade 8	2.2%	3.5%	5.9%	94.1%
	Grade 9	2.3%	4.1%	7.4%	92.6%
	Grade 10	3.1%	5.1%	8.9%	91.1%
	Grade 11	3.7%	6.5%	12.8%	87.2%
	Grade 12	3.5%	6.5%	12.1%	87.9%
Cocaine	All	2.4%	4.1%	7.5%	92.5%
	Grade 7	0.5%	1.1%	2.3%	97.7%
	Grade 8	1.9%	3.1%	5.2%	94.8%
	Grade 9	2.3%	3.9%	6.8%	93.2%
	Grade 10	3.0%	4.9%	8.6%	91.4%
	Grade 11	3.6%	6.4%	12.6%	87.4%
	Grade 12	3.5%	6.5%	12.0%	88.0%

State - Grades 7-12  
Spring 2000

Table B11 continued from previous page

Past School Ever Never

OOS712a I . OUT

		Month	Year	Used	Used
Crack	All	0.5%	1.0%	2.2%	97.8%
	Grade 7	0.5%	1.0%	1.6%	98.4%
	Grade 8	0.7%	1.5%	2.5%	97.5%
	Grade 9	0.5%	0.9%	2.2%	97.8%
	Grade 10	0.5%	0.9%	2.1%	97.9%
	Grade 11	0.4%	1.1%	2.9%	97.1%
	Grade 12	0.3%	0.5%	1.7%	98.3%
Hal I uci nogens	All	1.4%	2.6%	4.6%	95.4%
	Grade 7	0.2%	0.6%	1.0%	99.0%
	Grade 8	0.7%	1.2%	2.1%	97.9%
	Grade 9	1.3%	2.6%	4.5%	95.5%
	Grade 10	2.1%	3.5%	5.6%	94.4%
	Grade 11	2.2%	4.0%	7.5%	92.5%
	Grade 12	2.4%	4.7%	8.8%	91.2%
Uppers	All	2.1%	3.5%	5.8%	94.2%
	Grade 7	0.4%	0.8%	1.4%	98.6%
	Grade 8	1.3%	2.0%	3.1%	96.9%
	Grade 9	2.5%	3.7%	6.0%	94.0%
	Grade 10	2.9%	4.9%	8.1%	91.9%
	Grade 11	3.5%	5.4%	9.4%	90.6%
	Grade 12	2.6%	4.7%	8.3%	91.7%
Downers	All	2.1%	3.2%	5.1%	94.9%
	Grade 7	0.4%	0.8%	1.2%	98.8%
	Grade 8	1.0%	1.6%	2.4%	97.6%
	Grade 9	3.0%	4.1%	5.7%	94.3%
	Grade 10	2.7%	4.2%	6.7%	93.3%
	Grade 11	3.1%	5.0%	8.6%	91.4%
	Grade 12	3.0%	4.3%	7.0%	93.0%
Rohypnol	All	1.3%	2.1%	3.9%	96.1%
	Grade 7	0.7%	1.3%	1.8%	98.2%
	Grade 8	1.5%	2.3%	3.5%	96.5%
	Grade 9	1.6%	2.6%	4.2%	95.8%
	Grade 10	1.5%	2.4%	4.5%	95.5%
	Grade 11	1.4%	2.2%	5.0%	95.0%
	Grade 12	1.2%	1.7%	4.4%	95.6%
Steroid s	All	0.6%	1.0%	1.9%	98.1%
	Grade 7	0.9%	1.2%	2.0%	98.0%
	Grade 8	0.5%	1.0%	2.1%	97.9%
	Grade 9	0.5%	0.9%	1.5%	98.5%
	Grade 10	0.6%	0.9%	1.9%	98.1%
	Grade 11	0.6%	1.0%	2.0%	98.0%
	Grade 12	0.6%	1.0%	2.1%	97.9%
Ecstasy	All	1.6%	2.4%	3.9%	96.1%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.7%	1.3%	1.9%	98.1%
	Grade 9	1.6%	2.6%	4.2%	95.8%
	Grade 10	2.0%	3.2%	4.8%	95.2%
	Grade 11	2.5%	3.7%	6.6%	93.4%
	Grade 12	2.7%	4.0%	6.1%	93.9%
Heroin	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.5%	0.8%	1.5%	98.5%

OOS712a I . OUT				
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.2%	0.4%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.2%	0.4%	1.3%	98.7%
State - Grades 7-12				
Spring 2000				

Table B12: Prevalence and recency of use of selected substances by grade  
 --> Students who wouldn't seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	30.6%	41.3%	62.1%	37.9%
	Grade 7	19.6%	29.1%	49.2%	50.8%
	Grade 8	27.1%	37.2%	59.8%	40.2%
	Grade 9	30.3%	41.0%	62.6%	37.4%
	Grade 10	31.6%	43.6%	64.1%	35.9%
	Grade 11	38.1%	49.2%	67.8%	32.2%
	Grade 12	38.9%	49.4%	70.0%	30.0%
Alcohol					
	All	45.7%	61.1%	79.0%	21.0%
	Grade 7	28.5%	39.3%	63.0%	37.0%
	Grade 8	41.1%	55.7%	77.6%	22.4%
	Grade 9	45.2%	61.4%	80.3%	19.7%
	Grade 10	48.8%	66.9%	81.4%	18.6%
	Grade 11	54.6%	72.2%	85.0%	15.0%
	Grade 12	58.0%	72.4%	86.8%	13.2%
Inhalants					
	All	10.5%	15.3%	27.7%	72.3%
	Grade 7	15.4%	20.0%	32.8%	67.2%
	Grade 8	15.9%	22.0%	34.4%	65.6%
	Grade 9	8.8%	13.8%	25.6%	74.4%
	Grade 10	7.3%	12.7%	27.2%	72.8%
	Grade 11	9.6%	13.3%	26.3%	73.7%
	Grade 12	5.7%	8.7%	17.8%	82.2%
Any Illicit Drug					
	All	23.5%	32.1%	44.6%	55.4%
	Grade 7	12.9%	16.6%	24.6%	75.4%
	Grade 8	19.8%	27.0%	39.0%	61.0%
	Grade 9	24.6%	33.4%	44.6%	55.4%
	Grade 10	24.3%	34.3%	50.1%	49.9%
	Grade 11	31.6%	43.5%	55.6%	44.4%
	Grade 12	28.8%	39.0%	56.1%	43.9%
Marijuana					
	All	20.6%	29.5%	42.6%	57.4%
	Grade 7	10.9%	14.5%	23.0%	77.0%
	Grade 8	16.6%	23.9%	36.2%	63.8%
	Grade 9	21.2%	30.6%	41.7%	58.3%
	Grade 10	21.9%	32.1%	48.4%	51.6%
	Grade 11	28.3%	40.4%	53.9%	46.1%
	Grade 12	26.2%	36.4%	55.0%	45.0%
Marijuana Only					
	All	7.4%	12.0%	20.5%	79.5%
	Grade 7	4.9%	7.0%	12.3%	87.7%
	Grade 8	7.9%	11.8%	19.7%	80.3%
	Grade 9	6.7%	10.7%	18.0%	82.0%
	Grade 10	7.8%	13.8%	25.6%	74.4%
	Grade 11	8.7%	15.0%	22.8%	77.2%
	Grade 12	8.3%	14.0%	25.6%	74.4%

OOS712a I . OUT					
Cocaine or Crack	All	5.6%	8.4%	13.6%	86.4%
	Grade 7	3.2%	4.2%	7.1%	92.9%
	Grade 8	3.7%	5.6%	9.8%	90.2%
	Grade 9	5.4%	8.3%	12.6%	87.4%
	Grade 10	6.7%	9.2%	14.4%	85.6%
	Grade 11	9.0%	14.2%	20.9%	79.1%
	Grade 12	5.6%	9.7%	18.9%	81.1%
AA					
Cocaine	All	5.3%	7.9%	13.1%	86.9%
	Grade 7	2.4%	3.2%	5.9%	94.1%
	Grade 8	3.2%	4.3%	8.6%	91.4%
	Grade 9	5.2%	7.8%	12.2%	87.8%
	Grade 10	6.5%	9.0%	14.0%	86.0%
	Grade 11	9.0%	14.3%	21.0%	79.0%
	Grade 12	5.7%	9.9%	18.9%	81.1%
State - Grades 7-12 Spring 2000					

Table B12 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AA					
Crack	All	1.4%	2.2%	4.0%	96.0%
	Grade 7	2.0%	2.7%	4.4%	95.6%
	Grade 8	1.6%	3.0%	5.0%	95.0%
	Grade 9	1.1%	2.2%	3.6%	96.4%
	Grade 10	1.3%	2.0%	3.7%	96.3%
	Grade 11	1.8%	2.2%	4.7%	95.3%
	Grade 12	0.5%	0.9%	2.8%	97.2%
AA					
Hallucinogens	All	3.5%	5.9%	9.1%	90.9%
	Grade 7	0.6%	2.0%	3.3%	96.7%
	Grade 8	1.9%	2.6%	4.4%	95.6%
	Grade 9	3.6%	5.7%	9.0%	91.0%
	Grade 10	4.4%	6.7%	9.8%	90.2%
	Grade 11	5.9%	11.6%	17.0%	83.0%
	Grade 12	5.2%	8.0%	12.5%	87.5%
AA					
Uppers	All	5.4%	7.7%	10.8%	89.2%
	Grade 7	2.2%	2.5%	3.1%	96.9%
	Grade 8	3.0%	4.6%	6.1%	93.9%
	Grade 9	6.0%	9.1%	12.3%	87.7%
	Grade 10	6.0%	8.3%	12.1%	87.9%
	Grade 11	8.8%	12.5%	17.5%	82.5%
	Grade 12	6.6%	9.0%	13.8%	86.2%
AA					
Downers	All	4.6%	6.6%	9.4%	90.6%
	Grade 7	1.8%	2.7%	3.2%	96.8%
	Grade 8	2.2%	3.7%	5.1%	94.9%
	Grade 9	5.8%	7.7%	10.9%	89.1%
	Grade 10	4.9%	7.4%	10.5%	89.5%
	Grade 11	7.5%	10.6%	15.4%	84.6%
	Grade 12	5.3%	7.9%	11.5%	88.5%
AA					
Rohypnol	All	3.2%	4.7%	7.4%	92.6%
	Grade 7	2.4%	3.2%	4.9%	95.1%
	Grade 8	3.7%	5.7%	7.8%	92.2%
	Grade 9	3.8%	5.5%	7.6%	92.4%
	Grade 10	2.6%	4.1%	6.8%	93.2%
	Grade 11	4.1%	5.6%	10.2%	89.8%

OOS712a I . OUT					
	Grade 12	2.0%	3.8%	6.7%	93.3%
AAAAA	All	1.4%	2.3%	3.9%	96.1%
Steroids	Grade 7	1.4%	2.1%	3.5%	96.5%
	Grade 8	1.7%	2.4%	4.0%	96.0%
	Grade 9	1.4%	2.7%	3.9%	96.1%
	Grade 10	1.0%	1.7%	3.2%	96.8%
	Grade 11	1.9%	3.2%	5.8%	94.2%
	Grade 12	1.2%	1.8%	2.8%	97.2%
AAAAA	All	3.6%	4.9%	7.3%	92.7%
Ecstasy	Grade 7	1.8%	2.3%	3.5%	96.5%
	Grade 8	2.0%	2.7%	4.6%	95.4%
	Grade 9	3.8%	4.9%	6.8%	93.2%
	Grade 10	3.7%	5.7%	8.3%	91.7%
	Grade 11	5.8%	7.9%	11.9%	88.1%
	Grade 12	4.6%	6.8%	9.5%	90.5%
AAAAA	All	1.1%	1.7%	3.2%	96.8%
Heroin	Grade 7	2.1%	3.2%	4.5%	95.5%
	Grade 8	1.1%	1.9%	3.6%	96.4%
	Grade 9	1.2%	1.9%	3.4%	96.6%
	Grade 10	0.8%	1.1%	3.2%	96.8%
	Grade 11	0.4%	0.8%	1.9%	98.1%
	Grade 12	1.2%	1.6%	2.3%	97.7%
State - Grades 7-12					
Spring 2000					

Table B13: Prevalence and recency of use of selected substances by grade  
 --> Students living in town three years or less

		Past Month	School Year	Ever Used	Never Used
AAAAA	All	24.1%	31.8%	52.3%	47.7%
Tobacco	Grade 7	12.2%	17.8%	36.6%	63.4%
	Grade 8	19.6%	26.3%	48.4%	51.6%
	Grade 9	27.2%	35.6%	54.9%	45.1%
	Grade 10	28.4%	38.0%	58.5%	41.5%
	Grade 11	33.7%	43.0%	64.7%	35.3%
	Grade 12	36.2%	44.0%	65.8%	34.2%
AAAAA	All	35.6%	48.6%	69.5%	30.5%
Alcohol	Grade 7	21.1%	28.9%	52.1%	47.9%
	Grade 8	30.1%	42.6%	66.5%	33.5%
	Grade 9	38.2%	51.1%	71.1%	28.9%
	Grade 10	43.5%	58.8%	78.2%	21.8%
	Grade 11	46.1%	63.3%	82.0%	18.0%
	Grade 12	49.6%	67.6%	83.5%	16.5%
AAAAA	All	8.4%	11.7%	21.8%	78.2%
Inhalants	Grade 7	10.6%	13.2%	21.5%	78.5%
	Grade 8	10.8%	14.9%	24.5%	75.5%
	Grade 9	7.8%	10.8%	21.2%	78.8%
	Grade 10	6.1%	10.3%	21.1%	78.9%
	Grade 11	7.2%	9.7%	20.9%	79.1%
	Grade 12	3.7%	7.5%	19.2%	80.8%
AAAAA	All	16.9%	23.6%	36.0%	64.0%
Any Illicit Drug	Grade 7	7.0%	10.2%	16.0%	84.0%
	Grade 8	14.8%	19.2%	27.8%	72.2%



OOS712a I . OUT

	Grade 9	17.6%	25.5%	39.2%	60.8%
	Grade 10	21.7%	31.3%	46.6%	53.4%
	Grade 11	24.7%	33.7%	53.8%	46.2%
	Grade 12	25.9%	35.3%	54.7%	45.3%
AAAAA	All	15.1%	21.9%	34.7%	65.3%
Marijuana	Grade 7	5.9%	8.6%	14.4%	85.6%
	Grade 8	13.0%	17.5%	26.0%	74.0%
	Grade 9	16.1%	24.2%	37.9%	62.1%
	Grade 10	19.5%	29.3%	45.2%	54.8%
	Grade 11	22.0%	31.8%	53.1%	46.9%
	Grade 12	22.4%	32.7%	53.1%	46.9%
AAAAA	All	5.9%	9.5%	18.3%	81.7%
Marijuana Only	Grade 7	2.7%	4.1%	8.0%	92.0%
	Grade 8	5.5%	7.6%	14.0%	86.0%
	Grade 9	5.7%	9.8%	20.0%	80.0%
	Grade 10	8.3%	14.3%	25.3%	74.7%
	Grade 11	7.6%	12.2%	25.9%	74.1%
	Grade 12	9.6%	14.1%	27.7%	72.3%
AAAAA	All	3.5%	5.8%	10.2%	89.8%
Cocaine or Crack	Grade 7	1.4%	2.5%	4.4%	95.6%
	Grade 8	3.4%	5.0%	7.8%	92.2%
	Grade 9	3.0%	5.7%	9.8%	90.2%
	Grade 10	4.5%	7.3%	11.6%	88.4%
	Grade 11	6.3%	10.3%	19.4%	80.6%
	Grade 12	4.5%	7.4%	16.2%	83.8%
AAAAA	All	3.3%	5.5%	9.6%	90.4%
Cocaine	Grade 7	1.0%	1.9%	3.8%	96.2%
	Grade 8	2.9%	4.2%	6.8%	93.2%
	Grade 9	2.9%	5.5%	9.4%	90.6%
	Grade 10	4.3%	7.1%	11.3%	88.7%
	Grade 11	6.2%	10.2%	19.2%	80.8%
	Grade 12	4.5%	7.4%	15.6%	84.4%

State - Grades 7-12  
Spring 2000

Table B13 continued from previous page

		Past Month	School Year	Ever Used	Never Used
AAAAA	All	0.9%	1.7%	3.2%	96.8%
Crack	Grade 7	0.7%	1.5%	2.5%	97.5%
	Grade 8	1.3%	2.4%	3.5%	96.5%
	Grade 9	0.7%	1.2%	2.5%	97.5%
	Grade 10	1.2%	1.8%	3.1%	96.9%
	Grade 11	1.1%	2.1%	5.3%	94.7%
	Grade 12	0.3%	0.8%	3.0%	97.0%
AAAAA	All	2.0%	3.5%	6.0%	94.0%
Hallogens	Grade 7	0.5%	1.6%	2.4%	97.6%
	Grade 8	1.0%	1.5%	2.8%	97.2%
	Grade 9	1.8%	2.7%	5.6%	94.4%
	Grade 10	3.4%	5.2%	8.2%	91.8%
	Grade 11	3.9%	7.1%	11.7%	88.3%
	Grade 12	3.4%	7.7%	12.8%	87.2%
AAAAA	All	3.0%	4.7%	7.4%	92.6%
Uppers					

OOS712a I . OUT

Grade 7	0.9%	1.6%	2.5%	97.5%
Grade 8	1.7%	2.9%	4.1%	95.9%
Grade 9	3.1%	4.6%	7.4%	92.6%
Grade 10	4.5%	6.9%	10.3%	89.7%
Grade 11	5.8%	8.5%	14.1%	85.9%
Grade 12	5.0%	7.8%	14.2%	85.8%
Downers				
All	2.9%	4.4%	6.8%	93.2%
Grade 7	0.6%	1.2%	1.8%	98.2%
Grade 8	1.0%	1.6%	2.6%	97.4%
Grade 9	4.9%	6.3%	8.8%	91.2%
Grade 10	3.7%	6.2%	9.6%	90.4%
Grade 11	4.7%	7.2%	12.3%	87.7%
Grade 12	4.4%	6.2%	11.9%	88.1%
Rohypnol				
All	2.0%	3.1%	5.1%	94.9%
Grade 7	1.2%	1.9%	2.7%	97.3%
Grade 8	2.4%	3.4%	4.9%	95.1%
Grade 9	2.3%	3.5%	5.2%	94.8%
Grade 10	2.3%	3.7%	6.2%	93.8%
Grade 11	2.1%	3.3%	7.3%	92.7%
Grade 12	0.9%	2.3%	5.6%	94.4%
Steroids				
All	0.9%	1.3%	2.4%	97.6%
Grade 7	0.8%	1.2%	2.1%	97.9%
Grade 8	0.8%	1.1%	2.3%	97.7%
Grade 9	0.8%	1.3%	1.8%	98.2%
Grade 10	0.8%	1.1%	2.7%	97.3%
Grade 11	1.6%	2.2%	3.7%	96.3%
Grade 12	0.7%	1.2%	2.2%	97.8%
Ecstasy				
All	2.2%	3.2%	5.1%	94.9%
Grade 7	0.6%	0.8%	1.7%	98.3%
Grade 8	1.2%	2.0%	2.9%	97.1%
Grade 9	2.8%	3.6%	5.3%	94.7%
Grade 10	2.7%	4.4%	7.1%	92.9%
Grade 11	4.4%	5.9%	10.0%	90.0%
Grade 12	3.2%	4.7%	8.4%	91.6%
Heroin				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.6%	1.0%	2.2%	97.8%
Grade 8	0.6%	1.0%	1.9%	98.1%
Grade 9	0.7%	0.9%	1.6%	98.4%
Grade 10	0.5%	0.8%	2.1%	97.9%
Grade 11	0.4%	0.7%	1.8%	98.2%
Grade 12	0.1%	0.4%	2.1%	97.9%

State - Grades 7-12  
Spring 2000

Table B14: Prevalence and recency of use of selected substances by grade  
--> Students living in town more than three years

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	21.9%	30.5%	50.8%	49.2%
Grade 7	10.4%	15.4%	31.4%	68.6%
Grade 8	16.2%	24.7%	43.3%	56.7%
Grade 9	20.7%	29.1%	50.7%	49.3%
Grade 10	24.3%	33.4%	57.5%	42.5%
Grade 11	29.5%	40.7%	61.8%	38.2%

OOS712a I . OUT					
	Grade 12	32.2%	42.0%	61.9%	38.1%
AAAAA	All	36.5%	51.3%	71.3%	28.7%
Alcohol	Grade 7	18.6%	28.1%	50.8%	49.2%
	Grade 8	29.6%	42.0%	63.9%	36.1%
	Grade 9	35.5%	50.9%	72.4%	27.6%
	Grade 10	40.6%	57.6%	77.5%	22.5%
	Grade 11	45.8%	63.5%	81.1%	18.9%
	Grade 12	50.8%	67.9%	83.3%	16.7%
AAAAA	All	6.1%	9.2%	17.9%	82.1%
Inhalants	Grade 7	8.4%	11.3%	18.4%	81.6%
	Grade 8	9.5%	13.1%	22.2%	77.8%
	Grade 9	6.1%	9.4%	17.6%	82.4%
	Grade 10	4.4%	7.7%	17.6%	82.4%
	Grade 11	4.4%	7.3%	17.0%	83.0%
	Grade 12	3.5%	5.4%	13.7%	86.3%
AAAAA	All	14.9%	21.7%	33.0%	67.0%
Any Illicit Drug	Grade 7	6.4%	8.7%	13.9%	86.1%
	Grade 8	10.7%	15.5%	23.4%	76.6%
	Grade 9	15.3%	21.5%	31.1%	68.9%
	Grade 10	16.9%	25.1%	38.8%	61.2%
	Grade 11	19.8%	30.0%	46.1%	53.9%
	Grade 12	20.9%	31.0%	47.4%	52.6%
AAAAA	All	13.2%	19.9%	31.4%	68.6%
Marijuana	Grade 7	5.5%	7.6%	12.7%	87.3%
	Grade 8	9.4%	13.8%	21.8%	78.2%
	Grade 9	13.4%	19.6%	29.2%	70.8%
	Grade 10	15.0%	23.1%	37.2%	62.8%
	Grade 11	17.9%	27.9%	44.2%	55.8%
	Grade 12	19.1%	29.2%	45.9%	54.1%
AAAAA	All	5.3%	9.4%	17.4%	82.6%
Marijuana Only	Grade 7	2.6%	3.9%	7.4%	92.6%
	Grade 8	4.0%	6.9%	12.2%	87.8%
	Grade 9	5.2%	8.5%	15.0%	85.0%
	Grade 10	5.8%	11.0%	21.2%	78.8%
	Grade 11	7.0%	13.4%	24.5%	75.5%
	Grade 12	7.5%	13.9%	25.8%	74.2%
AAAAA	All	3.0%	4.9%	8.6%	91.4%
Cocaine or Crack	Grade 7	1.4%	2.2%	3.6%	96.4%
	Grade 8	2.1%	3.5%	6.2%	93.8%
	Grade 9	2.9%	4.7%	7.8%	92.2%
	Grade 10	3.4%	5.3%	9.4%	90.6%
	Grade 11	4.2%	7.1%	12.4%	87.6%
	Grade 12	3.9%	7.2%	12.9%	87.1%
AAAAA	All	2.8%	4.7%	8.1%	91.9%
Cocaine	Grade 7	0.9%	1.4%	2.8%	97.2%
	Grade 8	1.8%	3.1%	5.5%	94.5%
	Grade 9	2.8%	4.5%	7.2%	92.8%
	Grade 10	3.4%	5.2%	9.1%	90.9%
	Grade 11	4.1%	7.1%	12.3%	87.7%
	Grade 12	3.9%	7.2%	12.9%	87.1%

State - Grades 7-12  
Spring 2000

Table B14 continued from previous page

OOS712a I . OUT

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.6%	1.1%	2.4%	97.6%
	Grade 7	0.8%	1.3%	2.1%	97.9%
	Grade 8	0.7%	1.6%	2.8%	97.2%
	Grade 9	0.6%	1.1%	2.5%	97.5%
	Grade 10	0.6%	0.9%	2.2%	97.8%
	Grade 11	0.5%	1.1%	2.5%	97.5%
	Grade 12	0.4%	0.6%	1.8%	98.2%
Hal l uci nogens	All	1.7%	3.2%	5.2%	94.8%
	Grade 7	0.3%	0.7%	1.1%	98.9%
	Grade 8	0.9%	1.5%	2.4%	97.6%
	Grade 9	1.8%	3.4%	5.3%	94.7%
	Grade 10	2.2%	3.9%	5.9%	94.1%
	Grade 11	2.7%	5.0%	8.4%	91.6%
	Grade 12	2.8%	4.9%	8.9%	91.1%
Uppers	All	2.6%	4.0%	6.3%	93.7%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	1.5%	2.4%	3.5%	96.5%
	Grade 9	3.1%	4.7%	7.0%	93.0%
	Grade 10	3.1%	5.0%	8.2%	91.8%
	Grade 11	4.0%	5.9%	9.6%	90.4%
	Grade 12	3.2%	5.2%	8.7%	91.3%
Downers	All	2.4%	3.6%	5.4%	94.6%
	Grade 7	0.6%	1.0%	1.4%	98.6%
	Grade 8	1.3%	2.1%	3.0%	97.0%
	Grade 9	2.8%	3.9%	5.6%	94.4%
	Grade 10	2.8%	4.2%	6.6%	93.4%
	Grade 11	3.7%	5.8%	9.0%	91.0%
	Grade 12	3.3%	4.7%	7.4%	92.6%
Rohypnol	All	1.6%	2.4%	4.2%	95.8%
	Grade 7	1.0%	1.5%	2.2%	97.8%
	Grade 8	1.6%	2.5%	4.0%	96.0%
	Grade 9	1.9%	3.0%	4.7%	95.3%
	Grade 10	1.6%	2.5%	4.6%	95.4%
	Grade 11	1.7%	2.6%	5.3%	94.7%
	Grade 12	1.4%	2.1%	4.6%	95.4%
Steroi ds	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	1.0%	1.4%	2.3%	97.7%
	Grade 8	0.8%	1.3%	2.6%	97.4%
	Grade 9	0.6%	1.2%	2.1%	97.9%
	Grade 10	0.5%	0.9%	1.9%	98.1%
	Grade 11	0.6%	1.1%	2.4%	97.6%
	Grade 12	0.7%	1.1%	2.3%	97.7%
Ecstasy	All	1.9%	2.8%	4.3%	95.7%
	Grade 7	0.7%	0.9%	1.4%	98.6%
	Grade 8	1.0%	1.5%	2.3%	97.7%
	Grade 9	1.7%	2.7%	4.3%	95.7%
	Grade 10	2.2%	3.4%	5.0%	95.0%
	Grade 11	2.8%	4.1%	6.5%	93.5%
	Grade 12	3.0%	4.4%	6.4%	93.6%
Heroi n	All	0.5%	0.8%	1.6%	98.4%

♀

OOS712a I . OUT

Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	0.7%	1.1%	1.9%	98.1%
Grade 9	0.5%	0.8%	1.6%	98.4%
Grade 10	0.3%	0.5%	1.3%	98.7%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.4%	0.6%	1.4%	98.6%
State - Grades 7-12				
Spring 2000				

The FREQ Procedure

GENDER

q1	Frequency	Percent
Female	1040678	51.50
Male	979973.5	48.50

Frequency Missing = 3954.2381696

GRADE

q2	Frequency	Percent
Grade 7	343982.9	16.99
Grade 8	379498.7	18.74
Grade 9	426010.8	21.04
Grade 10	344738.9	17.03
Grade 11	280304.7	13.84
Grade 12	250069.8	12.35

LIVE WITH BOTH PARENTS

q3	Frequency	Percent
No	768793.9	38.13
Yes	1247433	61.87

Frequency Missing = 8378.6364999

AGE

q4	Frequency	Percent
11 or younger	1342.878	0.07
12	91132.9	4.51
13	317001.1	15.69
14	375275.7	18.58
15	386045.3	19.11
16	344645.8	17.06
17	292931.5	14.50
18	184681.9	9.14
19 or older	27010.86	1.34

Frequency Missing = 4537.8293965

OOS712a I . OUT

q5	Frequency	Percent
AAAAA		
Afri can/Ameri can	282722. 2	13. 96
Asi an/Ameri can	21794. 02	1. 08
Mexi can/Ameri can	729624. 7	36. 04
Nati ve/Ameri can	6134. 755	0. 30
Other	32949. 42	1. 63
Whi te	951380. 7	46. 99

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

ON AVERAGE WHAT GRADES DO YOU GET

q6	Frequency	Percent
AAAAA		
Mostly A' s	579297. 3	28. 90
Mostly B' s	988485. 4	49. 32
Mostly C' s	367284. 1	18. 33
Mostly D' s	46801. 5	2. 34
Mostly F' s	22302. 36	1. 11

Frequency Mi ssi ng = 20435. 213653

LENGTH OF TIME IN THIS DISTRICT

q7	Frequency	Percent
AAAAA		
<1 year	217160. 1	10. 88
2-3 years	326913. 1	16. 38
>4 years	1451884	72. 74

Frequency Mi ssi ng = 28648. 415282

DO YOU HAVE A JOB

q8	Frequency	Percent
AAAAA		
No	1415354	70. 90
Yes	580787. 2	29. 10

Frequency Mi ssi ng = 28464. 463208

OOS712a I . OUT

DO YOU GET AN ALLOWANCE

q9	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1100784	55.24
Yes	892119.5	44.76

Frequency Missing = 31702.615345

EITHER PARENT COLLEGE GRADUATE

q10	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don't Know	310657	15.54
No	713296.1	35.68
Yes	975048.3	48.78

Frequency Missing = 25604.387672

QUALIFY FOR FREE/REDUCED PRICE LUNCH

q11	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Don't Know	281906.7	14.12
No	1066151	53.40
Yes	648477.8	32.48

Frequency Missing = 28069.780357

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

PARTICIPATE IN ATHLETICS

q12a	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	836592.8	44.34
Yes	1050098	55.66

Frequency Missing = 137914.7676

PARTICIPATE IN BAND/ORCHESTRA

q12b	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1285148	76.62
Yes	392197.7	23.38

OOS712a1 I . OUT

Frequency Mi ssi ng = 347260. 53168

PARTICI PATE IN CHOI R

q12c	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1386494	85. 54
Yes	234419. 9	14. 46

Frequency Mi ssi ng = 403692. 11476

PARTICI PATE IN DRAMA/SPEECH

q12d	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1318829	81. 12
Yes	306952. 8	18. 88

Frequency Mi ssi ng = 398823. 73888

PARTICI PATE IN DRI LL TEAM/CHEERLEADI NG

q12e	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1441181	88. 44
Yes	188361. 9	11. 56

Frequency Mi ssi ng = 395062. 63959

PARTICI PATE IN STUDENT GOVERNMENT

q12f	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1511642	93. 33
Yes	108038. 2	6. 67

Frequency Mi ssi ng = 404925. 6776

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000



OOS712a I . OUT

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK

q12g	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1548317	93.86
Yes	101327.6	6.14

Frequency Missing = 374961.30765

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES

q12h	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1322138	77.88
Yes	375426.9	22.12

Frequency Missing = 327040.56496

PARTICIPATE IN SERVICE CLUBS

q12i	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1467445	86.64
Yes	226327.7	13.36

Frequency Missing = 330833.36726

PARTICIPATE IN VOE/DE/WORK-STUDY

q12j	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1620928	96.04
Yes	66835.94	3.96

Frequency Missing = 336841.74827

PARTICIPATE IN OTHER CLUBS

q12k	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1168601	65.86
Yes	605888.7	34.14

Frequency Missing = 250116.32818

DO YOU FEEL SAFE IN YOUR HOME

q13a	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Very Safe	1563066	77.85
Somewhat Safe	395007.5	19.67
Not Very Safe	23250.8	1.16
Not Safe At All	8607.133	0.43
Don't Know	17813.05	0.89

OOS712a11.0UT  
Frequency Missing = 16860.84689

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

♀

The FREQ Procedure

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD

q13b	Frequency	Percent
Very Safe	830404	41.60
Somewhat Safe	932573.2	46.72
Not Very Safe	158811.8	7.96
Not Safe At All	39290.01	1.97
Don't Know	34944.27	1.75

Frequency Missing = 28582.497839

DO YOU FEEL SAFE AT SCHOOL

q13c	Frequency	Percent
Very Safe	623105	31.16
Somewhat Safe	1017535	50.88
Not Very Safe	218410.8	10.92
Not Safe At All	84333.43	4.22
Don't Know	56334.18	2.82

Frequency Missing = 24886.906014

FRIENDS FEELING CLOSE TO THEIR PARENTS

q14a	Frequency	Percent
None	89893.44	4.49
A Few	532022.2	26.58
Some	516766.2	25.82
Most	689811.4	34.47
All	172938.1	8.64

Frequency Missing = 23174.407164

HOW MANY FRIENDS CARRY WEAPONS

q14b	Frequency	Percent
------	-----------	---------

	OOS712a I . OUT	
None	1256373	63.73
A Few	425417.9	21.58
Some	188923.9	9.58
Most	73672.36	3.74
All	27148.03	1.38

Frequency Missing = 53070.388115

HOW MANY FRIENDS CARE ABOUT GOOD GRADES

q14c	Frequency	Percent
None	51916.88	2.67
A Few	268577.7	13.80
Some	431017.1	22.15
Most	820219.8	42.16
All	373810.2	19.21

Frequency Missing = 79064.152393

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

HOW MANY FRIENDS BELONG TO A GANG

q14d	Frequency	Percent
None	1554533	78.04
A Few	253693.7	12.74
Some	112108.1	5.63
Most	49121.59	2.47
All	22620.71	1.14

Frequency Missing = 32529.074799

FRIENDS WISHING TO DROP OUT OF SCHOOL

q14e	Frequency	Percent
None	1158122	58.15
A Few	538357.7	27.03
Some	173981	8.74
Most	74063.2	3.72
All	47112.52	2.37

Frequency Missing = 32969.478931

OOS712a1 I .OUT  
 PARENTS ATTEND PTA/SCHOOL OPEN HOUSES

q15	Frequency	Percent
AA		
No	1015785	53.90
Yes	868957.6	46.10

Frequency Missing = 139862.92842

EVER INHALED SPRAY PAINT FOR KICKS

q16a	Frequency	Percent
AA		
Never Heard/Used	1805283	92.24
In Your Lifetime	100060.2	5.11
Since School Began	22576.22	1.15
In the Past Month	29155.48	1.49

Frequency Missing = 67531.287516

EVER INHALED WHITEOUT FOR KICKS

q16b	Frequency	Percent
AA		
Never Heard/Used	1769325	92.11
In Your Lifetime	93146.35	4.85
Since School Began	26888.12	1.40
In the Past Month	31467.73	1.64

Frequency Missing = 103778.95188

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

EVER INHALED GASOLINE FOR KICKS

q16c	Frequency	Percent
AA		
Never Heard/Used	1800374	94.45
In Your Lifetime	64058.76	3.36
Since School Began	16443.06	0.86
In the Past Month	25208.09	1.32

OOS712a I .OUT  
Frequency Mi ssi ng = 118522. 35664

EVER INHALED FREON FOR KICKS

q16d	Frequency	Percent
AA		
Never Heard/Used	1857219	98.06
In Your Li fetime	20811.32	1.10
Since School Began	7056.032	0.37
In the Past Month	8871.348	0.47

Frequency Mi ssi ng = 130648. 33282

EVER INHALED POPPERS, ETC. FOR KICKS

q16e	Frequency	Percent
AA		
Never Heard/Used	1871717	97.91
In Your Li fetime	18920.21	0.99
Since School Began	8889.732	0.47
In the Past Month	12215.47	0.64

Frequency Mi ssi ng = 112863. 49431

EVER INHALED GLUE FOR KICKS

q16f	Frequency	Percent
AA		
Never Heard/Used	1821450	95.49
In Your Li fetime	54101.24	2.84
Since School Began	12922	0.68
In the Past Month	18945.44	0.99

Frequency Mi ssi ng = 117187. 30828

EVER INHALED PAINT THINNERS FOR KICKS

q16g	Frequency	Percent
AA		
Never Heard/Used	1835200	95.55
In Your Li fetime	50535.55	2.63
Since School Began	14571.12	0.76
In the Past Month	20310.36	1.06

Frequency Mi ssi ng = 103989. 20174

♀

OOS712a11.0UT  
The frequencies have been weighted so that the  
analysis reflects the distribution of students by grade  
level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

EVER INHALED NITROUS OXIDE FOR KICKS

q16h	Frequency	Percent
Never Heard/Used	1816825	94.40
In Your Lifetime	54225.25	2.82
Since School Began	23815.65	1.24
In the Past Month	29738.27	1.55

Frequency Missing = 100001.39757

EVER INHALED OCTANE BOOSTER FOR KICKS

q16i	Frequency	Percent
Never Heard/Used	1907506	98.53
In Your Lifetime	16049.54	0.83
Since School Began	5189.984	0.27
In the Past Month	7285.762	0.38

Frequency Missing = 88574.208065

EVER INHALED OTHER SPRAYS FOR KICKS

q16j	Frequency	Percent
Never Heard/Used	1879278	96.25
In Your Lifetime	37150.9	1.90
Since School Began	13044.75	0.67
In the Past Month	22927.97	1.17

Frequency Missing = 72203.989113

EVER INHALED OTHER INHALANTS FOR KICKS

q16k	Frequency	Percent
Never Heard/Used	1809489	91.94
In Your Lifetime	80881.82	4.11
Since School Began	27655.37	1.41
In the Past Month	50062.18	2.54

Frequency Missing = 56516.965243

RECENT CIGARETTE USE

q17a	Frequency	Percent
Never Heard/Used	1003210	50.40

OOS712a11.0UT  
 In Your Lifetime 406290.4 20.41  
 Since School Began 167437.7 8.41  
 In the Past Month 413647 20.78

Frequency Missing = 34020.35009

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

RECENT SMOKELESS TOBACCO USE

q17b	Frequency	Percent
Never Heard/Used	1708287	86.85
In Your Lifetime	113194.6	5.75
Since School Began	47084.64	2.39
In the Past Month	98369.75	5.00

Frequency Missing = 57669.662149

RECENT BEER USE

q17c	Frequency	Percent
Never Heard/Used	881126	44.79
In Your Lifetime	355922.8	18.09
Since School Began	225560.4	11.47
In the Past Month	504515.4	25.65

Frequency Missing = 57481.194413

RECENT WINE COOLER USE

q17d	Frequency	Percent
Never Heard/Used	823714.8	42.00
In Your Lifetime	392523.9	20.01
Since School Began	287324.3	14.65
In the Past Month	457834.8	23.34

Frequency Missing = 63207.965639

OOS712a11.0UT  
RECENT WINE USE

q17e	Frequency	Percent
Never Heard/Used	983028.7	50.00
In Your Lifetime	400983.7	20.39
Since School Began	256164.2	13.03
In the Past Month	325931.3	16.58

Frequency Missing = 58497.878072

RECENT LIQUOR USE

q17f	Frequency	Percent
Never Heard/Used	976125.4	49.26
In Your Lifetime	286708	14.47
Since School Began	241013.4	12.16
In the Past Month	477561.6	24.10

Frequency Missing = 43197.459414

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

RECENT MARIJUANA USE

q18a	Frequency	Percent
Never Heard/Used	1344790	67.78
In Your Lifetime	233870.6	11.79
Since School Began	133505.7	6.73
In the Past Month	271901	13.70

Frequency Missing = 40538.852798

RECENT COCAINE USE

q18b	Frequency	Percent
Never Heard/Used	1793496	91.42
In Your Lifetime	72814.18	3.71
Since School Began	38160.57	1.95



OOS712a11.0UT  
 In the Past Month 57311.13 2.92

Frequency Missing = 62823.972471

RECENT CRACK USE

q18c	Frequency	Percent
Never Heard/Used	1898805	97.43
In Your Lifetime	25513.31	1.31
Since School Began	11193.04	0.57
In the Past Month	13473.45	0.69

Frequency Missing = 75621.066229

RECENT HALLUCINOGEN USE

q18e	Frequency	Percent
Never Heard/Used	1844474	94.58
In Your Lifetime	42381.7	2.17
Since School Began	28228.37	1.45
In the Past Month	35040.73	1.80

Frequency Missing = 74481.183008

RECENT UPPER USE

q18f	Frequency	Percent
Never Heard/Used	1803340	93.34
In Your Lifetime	47683.81	2.47
Since School Began	28919.41	1.50
In the Past Month	52036.22	2.69

Frequency Missing = 92626.33125

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

RECENT DOWNER USE

OOS712a I . OUT  
q18g      Frequency      Percent  
AA  
Never Heard/Used      1828235      94.19  
In Your Lifetime      38944.35      2.01  
Since School Began      24131.93      1.24  
In the Past Month      49632.03      2.56

Frequency Missing = 83662.811923

RECENT ROHYPNOL USE

q18h      Frequency      Percent  
AA  
Never Heard/Used      1847233      95.51  
In Your Lifetime      36792.46      1.90  
Since School Began      17584.91      0.91  
In the Past Month      32401.15      1.68

Frequency Missing = 90594.747739

RECENT STEROID USE

q18i      Frequency      Percent  
AA  
Never Heard/Used      1890733      97.72  
In Your Lifetime      20510.17      1.06  
Since School Began      8795.146      0.45  
In the Past Month      14847.39      0.77

Frequency Missing = 89720.000042

RECENT ECSTASY USE

q18j      Frequency      Percent  
AA  
Never Heard/Used      1859875      95.51  
In Your Lifetime      31413.5      1.61  
Since School Began      18372.52      0.94  
In the Past Month      37740.07      1.94

Frequency Missing = 77204.413429

RECENT HEROIN USE

q18k      Frequency      Percent  
AA  
Never Heard/Used      1934063      98.35  
In Your Lifetime      17012.91      0.87  
Since School Began      5490.551      0.28  
In the Past Month      9918.031      0.50

Frequency Missing = 58121.350019

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

TOBACCO USE IN PAST MONTH

q19a	Frequency	Percent
Never Heard/Used	1605954	81.77
1-2 times	106788.4	5.44
3-10 times	87929.86	4.48
11+ times	163267.8	8.31

Frequency Missing = 60665.759725

ALCOHOL USE IN PAST MONTH

q19b	Frequency	Percent
Never Heard/Used	1342440	68.49
1-2 times	282265.3	14.40
3-10 times	237305.4	12.11
11+ times	97932.91	5.00

Frequency Missing = 64662.228987

INHALANT USE IN PAST MONTH

q19c	Frequency	Percent
Never Heard/Used	1861172	95.44
1-2 times	67469.35	3.46
3-10 times	15052.61	0.77
11+ times	6345.111	0.33

Frequency Missing = 74566.500306

MARIJUANA USE IN PAST MONTH

q19d	Frequency	Percent
Never Heard/Used	1685838	86.66
1-2 times	96597.28	4.97
3-10 times	77081.38	3.96
11+ times	85746.86	4.41

Frequency Missing = 79342.501215

COCAINE USE IN PAST MONTH

q19e	Frequency	Percent
Never Heard/Used	1894526	97.25
1-2 times	30107.85	1.55
3-10 times	14800.06	0.76
11+ times	8685.005	0.45

Frequency Missing = 76486.868598

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

CRACK USE IN PAST MONTH

q19f	Frequency	Percent
Never Heard/Used	1948299	99.35
1-2 times	7966.919	0.41
3-10 times	2766.046	0.14
11+ times	1959.714	0.10

Frequency Missing = 63613.955091

CLOSE FRIENDS USE CIGARETTES

q20a	Frequency	Percent
Never heard/None	625745.9	32.20
A few	635843.8	32.72
Some	359587.6	18.50
Most	256070.3	13.18
All	66047.33	3.40

Frequency Missing = 81310.850306

CLOSE FRIENDS USE SMOKELESS TOBACCO

q20b	Frequency	Percent
------	-----------	---------

♀

OOS712a I . OUT		
Never heard/None	1299734	67.92
A few	354256	18.51
Some	172204.9	9.00
Most	63862.9	3.34
All	23600.48	1.23

Frequency Missing = 110947.8978

CLOSE FRIENDS USE BEER

q20c	Frequency	Percent
AA		
Never heard/None	523890.9	27.18
A few	442664.6	22.97
Some	371320.4	19.27
Most	406927.4	21.12
All	182387.3	9.46

Frequency Missing = 97415.15554

CLOSE FRIENDS USE WINE COOLERS

q20d	Frequency	Percent
AA		
Never heard/None	607523.8	31.59
A few	478564.8	24.88
Some	380414.2	19.78
Most	316239.9	16.44
All	140620.8	7.31

Frequency Missing = 101242.24169

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

CLOSE FRIENDS USE WINE

q20e	Frequency	Percent
AA		
Never heard/None	889409.3	46.18
A few	468393.8	24.32
Some	281976.4	14.64
Most	192798.7	10.01
All	93514.79	4.86

Frequency Missing = 98512.728537

OOS712a I I . OUT

CLOSE FRIENDS USE LIQUOR

q20f	Frequency	Percent
Never heard/None	722476.3	37.50
A few	383045.1	19.88
Some	321004.7	16.66
Most	340412	17.67
All	159548.9	8.28

Frequency Missing = 98118.745729

CLOSE FRIENDS USE INHALANTS

q20g	Frequency	Percent
Never heard/None	1615498	83.47
A few	212853.8	11.00
Some	67602.02	3.49
Most	22101.98	1.14
All	17420.54	0.90

Frequency Missing = 89129.668065

CLOSE FRIENDS USE MARIJUANA

q20h	Frequency	Percent
Never heard/None	950790.8	48.59
A few	394726.7	20.17
Some	261424	13.36
Most	229054	11.71
All	120742	6.17

Frequency Missing = 67868.243251

DIFFICULT TO GET CIGARETTES

q21a	Frequency	Percent
Never heard of	131025.6	6.81
Impossible	214591.9	11.15
Very difficult	102453.6	5.33
Somewhat diff	160475.2	8.34
Somewhat easy	363073.4	18.87
Very easy	952144.9	49.49

Frequency Missing = 100841.31216

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

OOS712a11. OUT  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

DIFFICULT TO GET SMOKELESS TOBACCO

q21b	Frequency	Percent
Never heard of	341263.4	18.09
Impossible	324928.3	17.22
Very difficult	145364.9	7.70
Somewhat diff	192320.9	10.19
Somewhat easy	272786.8	14.46
Very easy	610269.6	32.34

Frequency Missing = 137671.87039

DIFFICULT TO GET BEER

q21c	Frequency	Percent
Never heard of	112415.2	5.94
Impossible	187008.8	9.89
Very difficult	103883.2	5.49
Somewhat diff	203251.4	10.75
Somewhat easy	434489.7	22.97
Very easy	850344.2	44.96

Frequency Missing = 133213.34283

DIFFICULT TO GET WINE COOLERS

q21d	Frequency	Percent
Never heard of	137524.8	7.30
Impossible	198057	10.51
Very difficult	110262.4	5.85
Somewhat diff	214559.1	11.39
Somewhat easy	427911.7	22.71
Very easy	795900.1	42.24

Frequency Missing = 140390.74377

DIFFICULT TO GET WINE

q21e	Frequency	Percent
Never heard of	146336.5	7.74
Impossible	233936.1	12.37
Very difficult	141148	7.47
Somewhat diff	239117.1	12.65
Somewhat easy	395113.7	20.90
Very easy	735098	38.88

Frequency Missing = 133856.5052

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

DIFFICULT TO GET LIQUOR

q21f	Frequency	Percent
Never heard of	144027.7	7.63
Impossible	266823.6	14.13
Very difficult	146141.8	7.74
Somewhat diff	215200.3	11.40
Somewhat easy	371969.2	19.70
Very easy	744191.8	39.41

Frequency Missing = 136251.23873

DIFFICULT TO GET INHALANTS

q21g	Frequency	Percent
Never heard of	294019.1	15.63
Impossible	271225	14.41
Very difficult	85916.28	4.57
Somewhat diff	103599	5.51
Somewhat easy	190861	10.14
Very easy	936056.2	49.75

Frequency Missing = 142929.15905

DIFFICULT TO GET MARIJUANA

q21h	Frequency	Percent
Never heard of	174364.7	9.32
Impossible	421626.2	22.54
Very difficult	177726	9.50
Somewhat diff	212541.5	11.36
Somewhat easy	309322.1	16.54
Very easy	574908.6	30.74



OOS712a11. OUT  
 Frequency Missing = 154116.72436

DIFFICULT TO GET COCAINE

q21i	Frequency	Percent
Never heard of	266623.1	14.26
Impossible	577602.7	30.90
Very difficult	300076.5	16.05
Somewhat difficult	272618.6	14.58
Somewhat easy	198741.9	10.63
Very easy	253516.1	13.56

Frequency Missing = 155426.81483

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

DIFFICULT TO GET CRACK

q21j	Frequency	Percent
Never heard of	298459.4	16.00
Impossible	601303.8	32.24
Very difficult	330372.3	17.71
Somewhat difficult	283157.8	15.18
Somewhat easy	163163.4	8.75
Very easy	188562.2	10.11

Frequency Missing = 159587.03429

DIFFICULT TO GET HALLUCINOGENS

q21l	Frequency	Percent
Never heard of	566361.8	30.62
Impossible	508271.1	27.48
Very difficult	276412.8	14.94
Somewhat difficult	207753.7	11.23

OOS712a11. OUT  
 Somewhat easy 128367.1 6.94  
 Very easy 162658.6 8.79

Frequency Missing = 174780.76386

DIFFICULT TO GET UPPERS

q21m	Frequency	Percent
AA		
Never heard of	703560.9	37.77
Impossible	392930	21.09
Very difficult	217016.2	11.65
Somewhat diff	193625.1	10.39
Somewhat easy	157292.2	8.44
Very easy	198386.1	10.65

Frequency Missing = 161795.24118

DIFFICULT TO GET DOWNERS

q21n	Frequency	Percent
AA		
Never heard of	706934	37.86
Impossible	394513.4	21.13
Very difficult	216489.6	11.59
Somewhat diff	194962.1	10.44
Somewhat easy	156924.9	8.40
Very easy	197495.8	10.58

Frequency Missing = 157286.09418

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

DIFFICULT TO GET ROHYPNOL

q21o	Frequency	Percent
AA		
Never heard of	806295.8	43.09

Page 90

OOS712a I . OUT		
Impossible	391875	20.94
Very difficult	203457.7	10.87
Somewhat diff	176671.3	9.44
Somewhat easy	119500.2	6.39
Very easy	173414.5	9.27

Frequency Missing = 153391.20822

#### DIFFICULT TO GET STEROIDS

q21p	Frequency	Percent
AA		
Never heard of	377073.2	20.20
Impossible	575179.6	30.81
Very difficult	270672.1	14.50
Somewhat diff	260597.1	13.96
Somewhat easy	182564.3	9.78
Very easy	200772.4	10.75

Frequency Missing = 157747.10174

#### DIFFICULT TO GET ECSTASY

q21g	Frequency	Percent
AA		
Never heard of	648302.1	34.12
Impossible	456857.6	24.04
Very difficult	231364	12.18
Somewhat diff	198821.1	10.46
Somewhat easy	154936.5	8.15
Very easy	209783.3	11.04

Frequency Missing = 124541.02629

#### DIFFICULT TO GET HEROIN

q21r	Frequency	Percent
AA		
Never heard of	393098.6	20.57
Impossible	697911	36.52
Very difficult	335272.3	17.54
Somewhat diff	216541.3	11.33
Somewhat easy	117716	6.16
Very easy	150521.5	7.88

Frequency Missing = 113545.2096

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED CIGARETTES

q22a	Frequency	Percent
9 or younger	147500.7	14.50
10 years old	109142.3	10.73
11 years old	117845.7	11.58
12 years old	170198.6	16.73
13 years old	173416.4	17.04
14 years old	124628.2	12.25
15 years old	91049.4	8.95
16 years old	52424.55	5.15
17 years old	23392.22	2.30
18 or older	7986.282	0.78

Frequency Missing = 1007021.5607

AGE WHEN FIRST USED SMOKELESS TOBACCO

q22b	Frequency	Percent
9 or younger	33345.35	12.19
10 years old	19912.79	7.28
11 years old	24360.72	8.91
12 years old	37205.76	13.60
13 years old	41706.95	15.25
14 years old	40177.19	14.69
15 years old	38630.94	14.12
16 years old	24477.52	8.95
17 years old	10053.04	3.68
18 or older	3652.853	1.34

Frequency Missing = 1751082.7085

AGE WHEN FIRST USED BEER

q22c	Frequency	Percent
9 or younger	222989.9	19.23
10 years old	94264.84	8.13
11 years old	99941.86	8.62
12 years old	150752.5	13.00
13 years old	175359.8	15.12
14 years old	159593.3	13.76
15 years old	144274.6	12.44
16 years old	77523.93	6.69
17 years old	26201.46	2.26

OOS712a I . OUT  
 18 or ol der 8668. 787 0. 75  
 Frequency Mi ssi ng = 865034. 76439

The frequencies have been weighted so that the  
 analysis reflects the distribution of students by grade  
 level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED WINE COOLERS

q22d	Frequency	Percent
9 or younger	132288. 8	11. 35
10 years ol d	90663. 97	7. 78
11 years ol d	115686. 9	9. 92
12 years ol d	168759. 5	14. 47
13 years ol d	209517	17. 97
14 years ol d	178053. 5	15. 27
15 years ol d	148063. 6	12. 70
16 years ol d	82293. 66	7. 06
17 years ol d	30418. 85	2. 61
18 or ol der	10152. 52	0. 87

Frequency Mi ssi ng = 858707. 37608

AGE WHEN FIRST USED WINE

q22e	Frequency	Percent
9 or younger	123638. 6	12. 12
10 years ol d	76326. 49	7. 49
11 years ol d	99249. 75	9. 73
12 years ol d	143135. 2	14. 04
13 years ol d	178327. 4	17. 49
14 years ol d	157848. 6	15. 48
15 years ol d	131499. 7	12. 90
16 years ol d	71487. 08	7. 01
17 years ol d	28881. 5	2. 83
18 or ol der	9330. 756	0. 92

♀

OOS712a I . OUT

Frequency Missing = 1004880.6524

AGE WHEN FIRST USED LIQUOR

q22f	Frequency	Percent
9 or younger	70954.16	7.29
10 years old	47189.4	4.85
11 years old	70247.63	7.21
12 years old	120539.8	12.38
13 years old	176863.1	18.16
14 years old	176739.3	18.15
15 years old	162813.3	16.72
16 years old	99413.33	10.21
17 years old	38175.83	3.92
18 or older	10922.44	1.12

Frequency Missing = 1050747.5146

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED INHALANTS

q22g	Frequency	Percent
9 or younger	25938.03	12.66
10 years old	19143.73	9.34
11 years old	27352.83	13.35
12 years old	38529.9	18.80
13 years old	39546.79	19.30
14 years old	27957.09	13.64
15 years old	16498.91	8.05
16 years old	6597.516	3.22
17 years old	2152.803	1.05
18 or older	1180.739	0.58

OOS712a11. OUT  
 Frequency Missing = 1819707.4634

AGE WHEN FIRST USED MARIJUANA

q22h	Frequency	Percent
9 or younger	27367.42	4.42
10 years old	26202.68	4.23
11 years old	48469.46	7.83
12 years old	84980.02	13.72
13 years old	127474.7	20.58
14 years old	118147.4	19.08
15 years old	98262.28	15.87
16 years old	58910.52	9.51
17 years old	21695.68	3.50
18 or older	7800.381	1.26

Frequency Missing = 1405295.2865

AGE WHEN FIRST USED COCAINE

q22i	Frequency	Percent
9 or younger	2459.153	1.53
10 years old	2524.117	1.57
11 years old	4928.158	3.06
12 years old	12165.34	7.55
13 years old	22986.41	14.27
14 years old	33658.82	20.90
15 years old	34887.5	21.66
16 years old	28149.33	17.48
17 years old	14434.49	8.96
18 or older	4840.685	3.01

Frequency Missing = 1863571.8139

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

OOS712a I . OUT  
The FREQ Procedure

AGE WHEN FIRST USED CRACK

q22j	Frequency	Percent
9 or younger	1693.563	3.68
10 years old	1920.628	4.18
11 years old	3234.284	7.03
12 years old	4486.667	9.76
13 years old	7681.646	16.71
14 years old	10037.16	21.83
15 years old	8191.239	17.81
16 years old	4513.018	9.81
17 years old	3144.031	6.84
18 or older	1079.015	2.35

Frequency Missing = 1978624.5603

AGE WHEN FIRST USED HALLUCINOGENS

q22l	Frequency	Percent
9 or younger	1607.954	1.57
10 years old	1800.39	1.75
11 years old	3015.804	2.94
12 years old	5769.08	5.62
13 years old	16020.45	15.59
14 years old	20169.92	19.63
15 years old	25744.89	25.06
16 years old	18207.95	17.72
17 years old	8274.065	8.05
18 or older	2121.498	2.07

Frequency Missing = 1921873.8108

AGE WHEN FIRST USED UPPERS

q22m	Frequency	Percent
9 or younger	1865.839	1.41
10 years old	4211.317	3.19
11 years old	6937.044	5.25
12 years old	11322.99	8.58
13 years old	23733.07	17.98
14 years old	28749.83	21.77
15 years old	27984.31	21.19
16 years old	18018.55	13.65
17 years old	7683.217	5.82
18 or older	1526.929	1.16

Frequency Missing = 1892572.7111



The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

♀

The FREQ Procedure

AGE WHEN FIRST USED DOWNERS

q22n	Frequency	Percent
9 or younger	2094.441	1.85
10 years old	3157.367	2.78
11 years old	5516.625	4.86
12 years old	10780.7	9.51
13 years old	21369.43	18.84
14 years old	25276.51	22.29
15 years old	22411.59	19.76
16 years old	16342.95	14.41
17 years old	5164.399	4.55
18 or older	1302.784	1.15

Frequency Missing = 1911189.0169

AGE WHEN FIRST USED ROHYPNOL

q22o	Frequency	Percent
9 or younger	1595.238	2.04
10 years old	3335.02	4.26
11 years old	5234.271	6.68
12 years old	9316.881	11.89
13 years old	15357.77	19.61
14 years old	16136.37	20.60
15 years old	14010.77	17.89
16 years old	10409.05	13.29
17 years old	2473.678	3.16
18 or older	464.3892	0.59

Frequency Missing = 1946272.381

AGE WHEN FIRST USED STEROIDS

q22p	Frequency	Percent
9 or younger	3185.139	7.69
10 years old	2040.153	4.92

	OOS712a I . OUT	
11 years old	2500.996	6.04
12 years old	5248.896	12.67
13 years old	5911.548	14.27
14 years old	6216.514	15.01
15 years old	5946.018	14.35
16 years old	6077.29	14.67
17 years old	2551.281	6.16
18 or older	1749.89	4.22

Frequency Missing = 1983178.0903

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

AGE WHEN FIRST USED ECSTASY

q22g	Frequency	Percent
9 or younger	1615.933	1.83
10 years old	1510.787	1.71
11 years old	2875.608	3.25
12 years old	4522.257	5.12
13 years old	9588.353	10.85
14 years old	14033.03	15.88
15 years old	19411.7	21.97
16 years old	18134.77	20.53
17 years old	12158.66	13.76
18 or older	4493.513	5.09

Frequency Missing = 1936261.2011

AGE WHEN FIRST USED HEROIN

q22r	Frequency	Percent
9 or younger	2215.673	7.43
10 years old	1695.907	5.69
11 years old	2958.135	9.92

OOS712a I . OUT		
12 years old	2980.395	10.00
13 years old	4528.706	15.19
14 years old	5173.559	17.35
15 years old	4544.435	15.24
16 years old	3178.388	10.66
17 years old	1348.884	4.52
18 or older	1193.651	4.00

Frequency Missing = 1994788.0818

HOW OFTEN NORMALLY USE CIGARETTES

q23a	Frequency	Percent
AA		
Every day	127535.1	6.46
Several times/wk	85098.76	4.31
Several times/mo	107738.4	5.46
About once/month	159419.7	8.08
About once/year	148839.2	7.54
< once/year	248696.7	12.60
Never used	1096279	55.55

Frequency Missing = 50998.408714

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO

q23b	Frequency	Percent
AA		
Every day	22536.1	1.14
Several times/wk	21804.34	1.10
Several times/mo	28428.76	1.43
About once/month	39300.53	1.98
About once/year	41961.37	2.11
< once/year	85939.1	4.33
Never used	1744877	87.91

Frequency Missing = 39758.52853

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

HOW OFTEN NORMALLY USE BEER

q23c	Frequency	Percent
AA		
Every day	9864.035	0.51
Several times/wk	102512.4	5.25
Several times/mo	259656.3	13.30
About once/month	269747.3	13.82

	OOS712a11. OUT	
About once/year	201368.5	10.32
< once/year	191727.4	9.82
Never used	917179.8	46.99

Frequency Missing = 72549.971066

HOW OFTEN NORMALLY USE WINE COOLERS

q23d	Frequency	Percent
AA		
Every day	5506.444	0.28
Several times/wk	70059.6	3.60
Several times/mo	226012.3	11.63
About once/month	300212.8	15.45
About once/year	271692.4	13.98
< once/year	191391	9.85
Never used	878543.1	45.21

Frequency Missing = 81188.08822

HOW OFTEN NORMALLY USE WINE

q23e	Frequency	Percent
AA		
Every day	4068.074	0.21
Several times/wk	49380.29	2.53
Several times/mo	146893.3	7.51
About once/month	219938	11.25
About once/year	303007.1	15.50
< once/year	214510.3	10.97
Never used	1017050	52.03

Frequency Missing = 69758.640131

HOW OFTEN NORMALLY USE LIQUOR

q23f	Frequency	Percent
AA		
Every day	5295.225	0.27
Several times/wk	72817.88	3.73
Several times/mo	224843	11.52
About once/month	266546.3	13.66
About once/year	205381.4	10.52
< once/year	149843.8	7.68
Never used	1026717	52.61

Frequency Missing = 73160.937989

OOS712a I .OUT

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

HOW OFTEN NORMALLY USE INHALANTS

q23g	Frequency	Percent
Every day	4054.35	0.20
Several times/wk	7487.147	0.38
Several times/mo	15446.29	0.78
About once/month	25688.49	1.30
About once/year	33732.34	1.70
< once/year	71759.15	3.62
Never used	1824404	92.02

Frequency Missing = 42034.385447

HOW OFTEN NORMALLY USE MARIJUANA

q23h	Frequency	Percent
Every day	54483.82	2.77
Several times/wk	68610.27	3.49
Several times/mo	94079.71	4.79
About once/month	98573.88	5.02
About once/year	95175.12	4.84
< once/year	128052.9	6.52
Never used	1425866	72.57

Frequency Missing = 59764.24753

HOW OFTEN NORMALLY USE COCAINE

q23i	Frequency	Percent
Every day	3562.846	0.18
Several times/wk	9560.551	0.48
Several times/mo	21532.78	1.09
About once/month	30601.12	1.55
About once/year	32592.14	1.65
< once/year	40754.7	2.06
Never used	1839537	92.99

Frequency Missing = 46464.571117

HOW OFTEN NORMALLY USE CRACK

q23j	Frequency	Percent
Every day	706.1687	0.04
Several times/wk	2437.641	0.12
Several times/mo	6041.411	0.31

OOS712a11.0UT		
About once/month	7876.534	0.40
About once/year	8654.213	0.44
< once/year	15230.93	0.77
Never used	1937142	97.93

Frequency Missing = 46517.318575

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

HOW OFTEN NORMALLY USE HALLUCINOGENS

q23l	Frequency	Percent
Every day	664.3543	0.03
Several times/wk	2752.173	0.14
Several times/mo	9302.716	0.47
About once/month	22490.47	1.14
About once/year	27950.58	1.42
< once/year	30294.86	1.53
Never used	1881492	95.27

Frequency Missing = 49658.945404

HOW OFTEN NORMALLY USE UPPERS

q23m	Frequency	Percent
Every day	3010.228	0.15
Several times/wk	8442.222	0.43
Several times/mo	18441.96	0.94
About once/month	29544.71	1.50
About once/year	26782.99	1.36
< once/year	33178.66	1.68
Never used	1852590	93.95

Frequency Missing = 52615.488729

HOW OFTEN NORMALLY USE DOWNERS

q23n	Frequency	Percent
Every day	1908.935	0.10

OOS712a11. OUT		
Several times/wk	7317.85	0.37
Several times/mo	15512.82	0.79
About once/month	29145.13	1.48
About once/year	24032.33	1.22
< once/year	25305.91	1.28
Never used	1870581	94.77

Frequency Missing = 50801.659407

HOW OFTEN NORMALLY USE ROHYPNOL

q23o	Frequency	Percent
AA		
Every day	1559.24	0.08
Several times/wk	6385.955	0.32
Several times/mo	9603.309	0.49
About once/month	13789.09	0.70
About once/year	17281.69	0.88
< once/year	20019.14	1.02
Never used	1900083	96.51

Frequency Missing = 55884.724072

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

HOW OFTEN NORMALLY USE STEROIDS

q23p	Frequency	Percent
AA		
Every day	2850.594	0.14
Several times/wk	2450.053	0.12
Several times/mo	4672.036	0.24
About once/month	5287.589	0.27
About once/year	6569.297	0.33
< once/year	14303.36	0.73
Never used	1933863	98.17

Frequency Missing = 54609.760962

HOW OFTEN NORMALLY USE ECSTASY

q23q	Frequency	Percent
------	-----------	---------

QOS712a1 I . OUT

AA		
Every day	1161.358	0.06
Several times/wk	3773.913	0.19
Several times/mo	12867.35	0.65
About once/month	21003.83	1.06
About once/year	21814.98	1.10
< once/year	22015.14	1.11
Never used	1892869	95.82

Frequency Missing = 49100.719197

HOW OFTEN NORMALLY USE HEROIN

q23r	Frequency	Percent
AA		
Every day	1004.939	0.05
Several times/wk	1824.303	0.09
Several times/mo	2845.428	0.14
About once/month	4467.221	0.23
About once/year	5962.975	0.30
< once/year	9372.464	0.47
Never used	1959092	98.72

Frequency Missing = 40036.157447

HOW MANY CIGARETTES IN PAST 30 DAYS

q24	Frequency	Percent
AA		
None	1525809	77.34
Less than 1	237381	12.03
> 1 and < 10	136019.8	6.89
> 10 and < 1pk	42396.21	2.15
> 1pk and < 2pks	24207.77	1.23
More than 2pks	6936.186	0.35

Frequency Missing = 51855.705401

The frequencies have been weighted so that the  
analysis reflects the distribution of students by grade  
level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

AMOUNT OF BEER AT ONE TIME  
Page 104



OOS712a I . OUT

q25a	Frequency	Percent
Never drink this	874702.2	44.89
12+ drinks	108037.9	5.54
9-11 drinks	74515.51	3.82
5-8 drinks	156994.1	8.06
3-4 drinks	175254.6	8.99
2 drinks	142836	7.33
1 drink	175935.8	9.03
< 1 drink	240144.5	12.33

Frequency Missing = 76185.125404

AMOUNT OF WINE COOLERS AT ONE TIME

q25b	Frequency	Percent
Never drink this	809630	41.92
12+ drinks	80276.46	4.16
9-11 drinks	57467.25	2.98
5-8 drinks	147335.1	7.63
3-4 drinks	241010.6	12.48
2 drinks	204033.5	10.56
1 drink	219836.3	11.38
< 1 drink	171645.2	8.89

Frequency Missing = 93371.378217

AMOUNT OF WINE AT ONE TIME

q25c	Frequency	Percent
Never drink this	970664.3	50.19
12+ drinks	37598.99	1.94
9-11 drinks	25309.26	1.31
5-8 drinks	60043.83	3.10
3-4 drinks	110563.8	5.72
2 drinks	160647.8	8.31
1 drink	276743.8	14.31
< 1 drink	292288.8	15.11

Frequency Missing = 90745.254737

AMOUNT OF LIQUOR AT ONE TIME

q25d	Frequency	Percent
Never drink this	961707.6	49.59
12+ drinks	73301.48	3.78
9-11 drinks	60104.14	3.10
5-8 drinks	144440	7.45
3-4 drinks	192362.5	9.92
2 drinks	156625	8.08
1 drink	166169	8.57
< 1 drink	184742	9.53

Frequency Missing = 85154.070157

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

BEERS, FIVE OR MORE AT ONE TIME

q26a	Frequency	Percent
Never drink this	939036.6	48.40
Never 5+ at time	300702.9	15.50
Every day	5881.9	0.30
Several times/wk	66893.98	3.45
Several times/mo	189205.4	9.75
About once/month	154689.1	7.97
< once/month	143908.7	7.42
< once/year	139828.8	7.21

Frequency Missing = 84458.354086

WINE COOLERS, FIVE OR MORE AT ONE TIME

q26b	Frequency	Percent
Never drink this	873328.8	45.65
Never 5+ at time	308371.6	16.12
Every day	5202.699	0.27
Several times/wk	47334.47	2.47
Several times/mo	158131	8.27
About once/month	174858.5	9.14
< once/month	185171.6	9.68
< once/year	160646.9	8.40

Frequency Missing = 111560.1558

WINE, FIVE OR MORE AT ONE TIME

q26c	Frequency	Percent
Never drink this	1015219	52.97
Never 5+ at time	300026.2	15.66
Every day	2602.676	0.14
Several times/wk	27796.15	1.45
Several times/mo	85205.47	4.45
About once/month	114982.8	6.00
< once/month	166410.1	8.68
< once/year	204216.3	10.66

OOS712a I .OUT  
 Frequency Missing = 108147.27595

LIQUOR, FIVE OR MORE AT ONE TIME

q26d	Frequency	Percent
Never drink this	984575.1	51.24
Never 5+ at time	244406.9	12.72
Every day	5490.804	0.29
Several times/wk	51527.21	2.68
Several times/mo	171868.2	8.94
About once/month	166405.7	8.66
< once/month	164677.5	8.57
< once/year	132594.4	6.90

Frequency Missing = 103059.9484

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

GET ALCOHOLIC BEVERAGES FROM HOME

q27a	Frequency	Percent
Do not Drink	764909.9	39.73
Never	526287	27.33
Seldom	436136.5	22.65
Most of the Time	144778.4	7.52
Always	53301.25	2.77

Frequency Missing = 99192.749631

GET ALCOHOLIC BEVERAGES FROM FRIENDS

q27b	Frequency	Percent
Do not Drink	646808	33.90
Never	272071.1	14.26
Seldom	312655.1	16.39
Most of the Time	461546.2	24.19
Always	214840.1	11.26

Frequency Missing = 116685.23684

GET ALCOHOLIC BEVERAGES FROM A STORE

OOS712a1 I .OUT

q27c	Frequency	Percent
Do not Drink	687179.3	36.15
Never	776704.1	40.86
Seldom	219028.3	11.52
Most of the Time	138698.6	7.30
Always	79230.78	4.17

Frequency Missing = 123764.79973

GET ALCOHOLIC BEVERAGES AT PARTIES

q27d	Frequency	Percent
Do not Drink	632818.5	33.27
Never	258179.5	13.57
Seldom	255197	13.42
Most of the Time	374467.2	19.69
Always	381247.1	20.05

Frequency Missing = 122696.40126

GET ALCOHOLIC BEVERAGES FROM OTHER

q27e	Frequency	Percent
Do not Drink	707261.3	37.56
Never	441530.8	23.45
Seldom	316347.1	16.80
Most of the Time	217376.2	11.54
Always	200734	10.66

Frequency Missing = 141356.48688

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

DANGEROUS FOR KIDS TO USE TOBACCO

q28a	Frequency	Percent
Very	891220.1	46.53
Somewhat	625052.8	32.63
Not very	248137.9	12.96
Not at all	55736.8	2.91
Don't know	95211.12	4.97

Frequency Missing = 109247.08986

OOS712a I . OUT

DANGEROUS FOR KIDS TO USE ALCOHOL

q28b	Frequency	Percent
Very	884507.6	47.01
Somewhat	637659.7	33.89
Not very	248298.8	13.20
Not at all	49311.74	2.62
Don't know	61661.36	3.28

Frequency Missing = 143166.65188

DANGEROUS FOR KIDS TO USE INHALANTS

q28c	Frequency	Percent
Very	1440190	78.15
Somewhat	250645.3	13.60
Not very	49169.36	2.67
Not at all	14764.14	0.80
Don't know	88155.09	4.78

Frequency Missing = 181682.22068

DANGEROUS FOR KIDS TO USE MARIJUANA

q28d	Frequency	Percent
Very	1124678	61.92
Somewhat	341879.8	18.82
Not very	188478.3	10.38
Not at all	101850.6	5.61
Don't know	59482.15	3.27

Frequency Missing = 208237.27886

DANGEROUS FOR KIDS TO USE COCAINE

q28e	Frequency	Percent
Very	1562092	86.44
Somewhat	137740	7.62
Not very	21929.83	1.21
Not at all	11955.97	0.66
Don't know	73522.3	4.07

Frequency Missing = 217365.6615

♀

OOS712a11.OUT  
level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

DANGEROUS FOR KIDS TO USE CRACK

q28f	Frequency	Percent
Very	1603346	88.38
Somewhat	106031.1	5.84
Not very	13167.56	0.73
Not at all	9631.578	0.53
Don't know	82054.55	4.52

Frequency Missing = 210374.97619

DANGEROUS FOR KIDS TO USE ECSTASY

q28g	Frequency	Percent
Very	1427455	77.34
Somewhat	153896.6	8.34
Not very	51448.14	2.79
Not at all	22075.59	1.20
Don't know	190772.6	10.34

Frequency Missing = 178957.66673

DANGEROUS FOR KIDS TO USE STEROIDS

q28h	Frequency	Percent
Very	1401715	75.31
Somewhat	249647.7	13.41
Not very	63778.57	3.43
Not at all	17186.51	0.92
Don't know	128832.6	6.92

Frequency Missing = 163445.32332

DANGEROUS FOR KIDS TO USE HEROIN

q28i	Frequency	Percent
Very	1703090	89.60
Somewhat	74811.55	3.94
Not very	10314.92	0.54
Not at all	8817.541	0.46
Don't know	103633.9	5.45

Frequency Missing = 123937.8013

USE MARIJUANA AS JOINTS

q29a	Frequency	Percent
------	-----------	---------

OOS712a11. OUT

AA		
Never	1004754	70.96
Seldom	138686	9.79
Half the time	91476.4	6.46
Most of the time	102194.4	7.22
Always	57546	4.06
Don't know	21363.63	1.51

Frequency Missing = 608584.99073

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

USE MARIJUANA AS BLUNTS

q29b	Frequency	Percent
AA		
Never	1058493	75.48
Seldom	133683	9.53
Half the time	71890.77	5.13
Most of the time	63618.33	4.54
Always	52820.46	3.77
Don't know	21863.01	1.56

Frequency Missing = 622237.04388

USE MARIJUANA IN BONGS OR WATER PIPES

q29c	Frequency	Percent
AA		
Never	1111965	79.39
Seldom	116318.7	8.30
Half the time	62552.65	4.47
Most of the time	55155.61	3.94
Always	34764.5	2.48
Don't know	19922.77	1.42

Frequency Missing = 623926.48562

USE MARIJUANA IN PIPES

q29d	Frequency	Percent
AA		
Never	1104026	79.11
Seldom	110235.4	7.90
Half the time	65973.03	4.73
Most of the time	59312.76	4.25
Always	33898.89	2.43
Don't know	22146.89	1.59

♀

OOS712a I . OUT

Frequency Missing = 629013.03608

USE MARIJUANA OTHER WAYS

q29e	Frequency	Percent
Never	1196198	84.85
Seldom	100010.2	7.09
Half the time	25738.1	1.83
Most of the time	19086.92	1.35
Always	27853.8	1.98
Don't know	40929.42	2.90

Frequency Missing = 614789.32962

DAYS SKIPPED SINCE SEPTEMBER

q30a	Frequency	Percent
None	1400357	73.10
1-3 days	353724.6	18.46
4-9 days	101282.2	5.29
10+ days	60340.94	3.15

Frequency Missing = 108900.69308

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

DAYS ILL SINCE SEPTEMBER

q30b	Frequency	Percent
None	477701.6	25.09
1-3 days	949009.6	49.84
4-9 days	383107	20.12
10+ days	94305.02	4.95

Frequency Missing = 120482.51834

OTHER DAYS MISSED SINCE SEPTEMBER

q30c	Frequency	Percent
None	717147.9	37.82
1-3 days	969408.2	51.12
4-9 days	167367.2	8.83
10+ days	42460	2.24



OOS712a I . OUT  
Frequency Mi ssi ng = 128222. 46138

SENT TO PRINCI PAL/DEAN SINCE SEPTEMBER

q30d	Frequency	Percent
None	1484174	78. 12
1-3 days	298775. 2	15. 73
4-9 days	67093. 5	3. 53
10+ days	49793. 08	2. 62

Frequency Mi ssi ng = 124770. 11659

SOMEONE CALLED HOME SINCE SEPTEMBER

q30e	Frequency	Percent
None	1598797	84. 73
1-3 days	224353. 8	11. 89
4-9 days	42062. 57	2. 23
10+ days	21723. 45	1. 15

Frequency Mi ssi ng = 137669. 19218

IN TROUBLE FOR DRINKING SINCE SEPTEMBER

q30f	Frequency	Percent
None	1862494	98. 81
1-3 days	15772. 19	0. 84
4-9 days	2937. 895	0. 16
10+ days	3639. 758	0. 19

Frequency Mi ssi ng = 139761. 74932

The frequencies have been weighted so that the  
analysis reflects the distribution of students by grade  
level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER

q30g	Frequency	Percent
------	-----------	---------

	OOS712a I . OUT	
None	1874980	98.43
1-3 days	21001.62	1.10
4-9 days	3692.041	0.19
10+ days	5126.305	0.27

Frequency Missing = 119805.91709

DAYS SKIPPED IN PAST MONTH

q31a	Frequency	Percent
None	1580986	84.45
1-3 days	245345.9	13.11
4-9 days	32290.76	1.72
10+ days	13387.29	0.72

Frequency Missing = 152595.3768

DAYS ILL IN PAST MONTH

q31b	Frequency	Percent
None	1149274	61.69
1-3 days	622126.5	33.40
4-9 days	74758.98	4.01
10+ days	16699.9	0.90

Frequency Missing = 161746.54433

OTHER DAYS MISSED IN PAST MONTH

q31c	Frequency	Percent
None	1244841	66.63
1-3 days	567363.8	30.37
4-9 days	44394.72	2.38
10+ days	11735.03	0.63

Frequency Missing = 156271.32688

SENT TO PRINCIPAL/DEAN IN PAST MONTH

q31d	Frequency	Percent
None	1672778	89.31
1-3 days	159017.6	8.49
4-9 days	26863.06	1.43
10+ days	14310.96	0.76

Frequency Missing = 151636.28862

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

SOMEONE CALLED HOME IN PAST MONTH

q31e	Frequency	Percent
None	1757553	93.27
1-3 days	104019.6	5.52
4-9 days	13526.07	0.72
10+ days	9286.174	0.49

Frequency Missing = 140220.64901

TROUBLE WITH FRIENDS BECAUSE OF DRINKING

q32a	Frequency	Percent
None	1659996	91.03
1-3 times	139815.7	7.67
4-9 times	16141.9	0.89
10+ times	7578.907	0.42

Frequency Missing = 201073.3249

DRIVEN A CAR AFTER A GOOD BIT TO DRINK

q32b	Frequency	Percent
None	1614956	89.08
1-3 times	145797.6	8.04
4-9 times	28302.74	1.56
10+ times	23801.98	1.31

Frequency Missing = 211747.17724

CRITICIZED BY DATE BECAUSE OF DRINKING

q32c	Frequency	Percent
None	1686044	92.40
1-3 times	112434.5	6.16
4-9 times	16089.2	0.88
10+ times	10121.73	0.55

Frequency Missing = 199916.16885

OOS712a11. OUT  
TROUBLE WITH POLICE BECAUSE OF DRINKING

q32d	Frequency	Percent
None	1746710	95.50
1-3 times	70886.69	3.88
4-9 times	7386.151	0.40
10+ times	3946.196	0.22

Frequency Missing = 195676.73388

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE

q32e	Frequency	Percent
None	1688817	94.13
1-3 times	87829.01	4.90
4-9 times	12224.5	0.68
10+ times	5226.553	0.29

Frequency Missing = 230508.44429

DRIVEN A CAR WHILE HIGH FROM DRUGS

q32f	Frequency	Percent
None	1636703	91.26
1-3 times	100146.6	5.58
4-9 times	25129.29	1.40
10+ times	31484.98	1.76

Frequency Missing = 231141.5988

CRITICIZED BY DATE BECAUSE OF DRUG USE

q32g	Frequency	Percent
None	1723062	94.40
1-3 times	79376.39	4.35
4-9 times	13424.34	0.74

OOS712a11. OUT  
 10+ times 9396.705 0.51  
 Frequency Missing = 199345.93233

TROUBLE WITH POLICE BECAUSE OF DRUG USE

q32h	Frequency	Percent
None	1800687	97.48
1-3 times	35298.73	1.91
4-9 times	6471.508	0.35
10+ times	4690.134	0.25

Frequency Missing = 177458.35878

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT

q33a	Frequency	Percent
None	1718557	90.74
1-3 days	133823.7	7.07
4-9 days	22876.28	1.21
10+ days	18704.94	0.99

Frequency Missing = 130644.01125

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT

q33b	Frequency	Percent
None	1676171	89.01
1-3 days	116217.2	6.17
4-9 days	36397.01	1.93
10+ days	54366.54	2.89

Frequency Missing = 141453.63515

CLASS DAYS HIGH ON INHALANTS SINCE SEPT

OOS712a I . OUT

q33c	Frequency	Percent
None	1849850	97.84
1-3 days	28339.43	1.50
4-9 days	6271.495	0.33
10+ days	6323.673	0.33

Frequency Missing = 133821.54198

CLASS DAYS HIGH ON OTHER DRUG(S)

q33d	Frequency	Percent
None	1794018	94.58
1-3 days	66203.73	3.49
4-9 days	19213.47	1.01
10+ days	17318.15	0.91

Frequency Missing = 127852.79234

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR

q34a	Frequency	Percent
Never	617751.6	32.26
Seldom	211753.8	11.06
Half the time	156478	8.17
Most of the time	279678.7	14.61
Always	430285.4	22.47
Don't know	41955.14	2.19
Didn't attend	176937.2	9.24

Frequency Missing = 109765.99612

DRUG USE AT PARTIES THIS SCHOOL YEAR

q34b	Frequency	Percent
Never	877113.1	45.86
Seldom	238016.9	12.45
Half the time	165091.4	8.63
Most of the time	188673.1	9.87
Always	203506.3	10.64
Don't know	63272.4	3.31
Didn't attend	176728.6	9.24

Frequency Missing = 112203.98751

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

OOS712a I . OUT

The FREQ Procedure

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM

q35	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1657864	93.50
Yes	115237.7	6.50

Frequency Missing = 251504.3441

WOULD SEEK HELP FROM SCHOOL COUNSELOR

q36a	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1240458	66.17
Yes	634273.5	33.83

Frequency Missing = 149874.46792

WOULD SEEK HELP OUTSIDE OF SCHOOL

q36b	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1281885	69.28
Yes	568347.9	30.72

Frequency Missing = 174372.45647

WOULD SEEK HELP FROM OTHER COUNSELOR

q36c	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1098293	59.74
Yes	740188.4	40.26

Frequency Missing = 186124.1186

WOULD SEEK HELP FROM PARENTS

q36d	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	793305.6	42.94
Yes	1054099	57.06

Frequency Missing = 177201.10669

WOULD SEEK HELP FROM A MEDICAL DOCTOR

q36e	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1129427	61.18
Yes	716543.7	38.82

Frequency Missing = 178634.78307

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
 State - Grades 7-12  
 Spring 2000

The FREQ Procedure

WOULD SEEK HELP FROM FRIENDS

q36f	Frequency	Percent
AAAAA		
No	476911.2	25.77
Yes	1373990	74.23

Frequency Missing = 173704.37032

WOULD SEEK HELP FROM ANOTHER ADULT

q36g	Frequency	Percent
AAAAA		
No	726196.3	38.99
Yes	1136484	61.01

Frequency Missing = 161925.56264

WOULD NOT SEEK HELP

q36h	Frequency	Percent
AAAAA		
No	1540283	84.15
Yes	290077.6	15.85

Frequency Missing = 194244.89689

DRUG/ALCOHOL INFO--HEALTH CLASS

q37a	Frequency	Percent
AAAAA		
No	767603.6	47.64
Yes	843789	52.36

Frequency Missing = 413213.26376

DRUG/ALCOHOL INFO--ASSEMBLY PROGRAM

♀



OOS712a I . OUT

q37b	Frequency	Percent
AAAAA		
No	701054	44.10
Yes	888474.5	55.90

Frequency Mi ssi ng = 435077.30228

DRUG/ALCOHOL INFO--GUIDANCE COUNSELOR

q37c	Frequency	Percent
AAAAA		
No	1181060	74.76
Yes	398840.4	25.24

Frequency Mi ssi ng = 444704.94723

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

DRUG/ALCOHOL INFO--SCIENCE CLASS

q37d	Frequency	Percent
AAAAA		
No	1099839	69.78
Yes	476293.9	30.22

Frequency Mi ssi ng = 448472.85725

DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS

q37e	Frequency	Percent
AAAAA		
No	1394609	88.14
Yes	187646.2	11.86

Frequency Mi ssi ng = 442350.71383

DRUG/ALCOHOL INFO--DRUG RAP SESSION

q37f	Frequency	Percent
AAAAA		

	OOS712a I . OUT	
No	1300845	82.26
Yes	280556.7	17.74

Frequency Missing = 443203.97685

DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST

q37g	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	873643.5	54.63
Yes	725659.3	45.37

Frequency Missing = 425303.00063

DRUG/ALCOHOL INFO--OTHER SCHOOL SOURCE

q37h	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
No	1011473	62.92
Yes	596186.6	37.08

Frequency Missing = 416945.97222

PARENTS FEEL ABOUT KIDS SMOKING CIGARET

q38a	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Strong disapprove	1299376	69.28
Mild disapprove	229752.8	12.25
Neither	161931.8	8.63
Mildly approve	28264.55	1.51
Strongly approve	17769.97	0.95
Don't know	138560.7	7.39

Frequency Missing = 148949.97131

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state  
State - Grades 7-12  
Spring 2000

The FREQ Procedure

PARENTS FEEL ABOUT KIDS DRINKING BEER

q38b	Frequency	Percent
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
Strong disapprove	1214286	64.95
Mild disapprove	289646.4	15.49
Neither	169807.4	9.08

	OOS712a11. OUT	
Mildly approve	49361.24	2.64
Strongly approve	20294.91	1.09
Don't know	126297.6	6.75

Frequency Missing = 154912.52345

PARENTS FEEL ABOUT KIDS USING MARIJUANA

q38c	Frequency	Percent
Strongly disapprove	1552031	82.75
Mildly disapprove	93855.54	5.00
Neither	70399.26	3.75
Mildly approve	16592.69	0.88
Strongly approve	22151.02	1.18
Don't know	120535.1	6.43

Frequency Missing = 149040.74285

PURCHASED LOTTERY TICKET IN PAST YEAR

q39	Frequency	Percent
No	1432762	75.53
Yes	464103	24.47

Frequency Missing = 127740.49606

NON-LOTTERY GAMBLING IN PAST YEAR

q40	Frequency	Percent
No	1242779	65.52
Yes	653871.8	34.48

Frequency Missing = 127954.97159

MONEY SPENT ON GAMBLING IN PAST YEAR

q41	Frequency	Percent
\$0	1138207	60.02
\$1 - \$10	415001.6	21.88
\$11 - \$50	209270.1	11.04
\$51 - \$100	64310.28	3.39
\$100+	69584.29	3.67

Frequency Missing = 128232.77843

00S712a11.0UT

The frequencies have been weighted so that the  
analysis reflects the distribution of students by grade  
level in the state