

**State : Grades 4-6  
Spring 2006**

**Texas School Survey of Drug and Alcohol Use: 2006  
State: Grades 4-6**

**State : Grades 4-6  
Spring 2006**

**Table T-1: How recently, if ever, have you used...**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	6.0%	3.2%	2.8%	94.0%
	<b>Grade 4</b>	3.6%	1.8%	1.8%	96.4%
	<b>Grade 5</b>	4.9%	2.6%	2.3%	95.1%
	<b>Grade 6</b>	9.4%	5.1%	4.3%	90.6%
<b>Cigarettes</b>					
	<b>All</b>	5.1%	2.6%	2.5%	94.9%
	<b>Grade 4</b>	2.7%	1.3%	1.4%	97.3%
	<b>Grade 5</b>	4.2%	2.1%	2.1%	95.8%
	<b>Grade 6</b>	8.5%	4.5%	4.0%	91.5%
<b>Smokeless tobacco</b>					
	<b>All</b>	1.5%	0.8%	0.7%	98.5%
	<b>Grade 4</b>	1.3%	0.6%	0.7%	98.7%
	<b>Grade 5</b>	1.2%	0.7%	0.5%	98.8%
	<b>Grade 6</b>	1.9%	1.1%	0.9%	98.1%

**Table T-2: Average number of times selected tobacco products were used by those who reported use of ...**

		<b>School Year</b>	<b>Lifetime</b>
<b>Any tobacco product</b>			
	<b>All</b>	3.2	3.2
	<b>Grade 4</b>	2.7	2.7
	<b>Grade 5</b>	2.8	2.8
	<b>Grade 6</b>	3.5	3.5
<b>Cigarettes</b>			
	<b>All</b>	3.0	2.9
	<b>Grade 4</b>	2.3	2.5
	<b>Grade 5</b>	2.6	2.6
	<b>Grade 6</b>	3.3	3.2
<b>Smokeless tobacco</b>			
	<b>All</b>	2.9	2.8
	<b>Grade 4</b>	3.1	2.7
	<b>Grade 5</b>	2.8	2.5
	<b>Grade 6</b>	2.9	3.0

**State : Grades 4-6  
Spring 2006**

**Table T-3: Average age of first use of tobacco:**

Grade 4	Grade 5	Grade 6
8.3	9.0	9.8

**Table T-4: Average age of first use of tobacco by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	95.6%	1.1%	0.6%	0.6%	0.9%	0.8%	0.5%
	<b>Grade 4</b>	97.3%	1.0%	0.5%	0.6%	0.4%	0.1%	0.0%
	<b>Grade 5</b>	96.2%	1.1%	0.6%	0.5%	0.9%	0.6%	0.1%
	<b>Grade 6</b>	93.1%	1.2%	0.6%	0.6%	1.4%	1.8%	1.3%
<b>Other Family Situation</b>								
	<b>All</b>	90.3%	2.2%	1.1%	1.6%	2.2%	1.7%	1.0%
	<b>Grade 4</b>	93.9%	2.2%	1.0%	1.7%	1.0%	0.2%	0.0%
	<b>Grade 5</b>	91.9%	2.0%	1.0%	1.0%	2.6%	1.1%	0.2%
	<b>Grade 6</b>	85.5%	2.5%	1.2%	2.1%	2.7%	3.5%	2.5%

**Table T-5: About how many of your close friends use ...**

		Never Heard Of	None	Some	Most
<b>Any tobacco product?</b>					
	<b>All</b>	2.2%	83.7%	12.8%	1.3%
	<b>Grade 4</b>	3.1%	87.7%	8.3%	0.9%
	<b>Grade 5</b>	2.1%	85.2%	11.7%	1.0%
	<b>Grade 6</b>	1.4%	78.1%	18.5%	1.9%
<b>Cigarettes?</b>					
	<b>All</b>	3.5%	83.6%	11.8%	1.0%
	<b>Grade 4</b>	5.1%	86.9%	7.3%	0.7%
	<b>Grade 5</b>	3.3%	85.1%	10.7%	0.8%
	<b>Grade 6</b>	2.1%	78.8%	17.5%	1.6%
<b>Smokeless tobacco?</b>					
	<b>All</b>	6.6%	89.1%	3.8%	0.5%
	<b>Grade 4</b>	10.4%	86.7%	2.5%	0.3%
	<b>Grade 5</b>	5.8%	90.4%	3.3%	0.4%
	<b>Grade 6</b>	3.5%	90.1%	5.6%	0.8%

**State : Grades 4-6  
Spring 2006**

**Table T-6: Have you ever been offered ...**

		Never Heard Of	Yes	No
<b>Any tobacco product?</b>				
	All	2.5%	14.1%	83.5%
	Grade 4	3.3%	10.3%	86.4%
	Grade 5	2.4%	13.0%	84.6%
	Grade 6	1.7%	19.0%	79.3%
<b>Cigarettes?</b>				
	All	3.7%	12.6%	83.8%
	Grade 4	5.1%	8.8%	86.1%
	Grade 5	3.6%	11.7%	84.7%
	Grade 6	2.2%	17.4%	80.4%
<b>Smokeless tobacco?</b>				
	All	7.1%	4.5%	88.4%
	Grade 4	11.2%	3.2%	85.6%
	Grade 5	6.4%	3.9%	89.7%
	Grade 6	3.8%	6.2%	90.0%

**Table T-7: How dangerous do you think it is for kids your age to use ...**

		Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>Any tobacco product?</b>						
	All	1.3%	76.9%	17.0%	0.8%	4.0%
	Grade 4	2.0%	80.3%	13.0%	0.5%	4.2%
	Grade 5	1.2%	78.4%	16.2%	0.6%	3.5%
	Grade 6	0.8%	71.8%	21.9%	1.2%	4.2%
<b>Cigarettes?</b>						
	All	2.4%	66.5%	25.0%	1.1%	5.0%
	Grade 4	3.7%	71.8%	19.0%	0.7%	5.0%
	Grade 5	2.3%	67.6%	24.6%	0.8%	4.7%
	Grade 6	1.3%	59.8%	31.6%	1.8%	5.5%
<b>Smokeless tobacco?</b>						
	All	4.9%	67.9%	19.5%	1.3%	6.4%
	Grade 4	8.2%	69.0%	15.2%	1.0%	6.6%
	Grade 5	4.3%	69.9%	19.0%	1.0%	5.8%
	Grade 6	2.4%	64.7%	24.2%	1.9%	6.8%

**State : Grades 4-6  
Spring 2006**

**Table A-1: How recently, if ever, have you used...**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	22.3%	13.7%	8.6%	77.7%
	<b>Grade 4</b>	15.8%	9.4%	6.4%	84.2%
	<b>Grade 5</b>	20.6%	12.6%	8.0%	79.4%
	<b>Grade 6</b>	30.6%	19.3%	11.3%	69.4%
<b>Beer</b>					
	<b>All</b>	14.2%	7.7%	6.6%	85.8%
	<b>Grade 4</b>	10.4%	5.5%	4.9%	89.6%
	<b>Grade 5</b>	12.7%	6.7%	5.9%	87.3%
	<b>Grade 6</b>	19.7%	10.8%	8.9%	80.3%
<b>Wine coolers</b>					
	<b>All</b>	8.1%	4.9%	3.2%	91.9%
	<b>Grade 4</b>	3.7%	2.1%	1.5%	96.3%
	<b>Grade 5</b>	6.8%	4.2%	2.6%	93.2%
	<b>Grade 6</b>	13.9%	8.4%	5.5%	86.1%
<b>Wine</b>					
	<b>All</b>	11.8%	7.0%	4.8%	88.2%
	<b>Grade 4</b>	7.4%	4.4%	3.0%	92.6%
	<b>Grade 5</b>	10.8%	6.5%	4.3%	89.2%
	<b>Grade 6</b>	17.4%	10.3%	7.1%	82.6%
<b>Liquor</b>					
	<b>All</b>	5.6%	3.4%	2.3%	94.4%
	<b>Grade 4</b>	2.4%	1.4%	1.0%	97.6%
	<b>Grade 5</b>	4.4%	2.5%	1.9%	95.6%
	<b>Grade 6</b>	10.2%	6.4%	3.8%	89.8%

**State : Grades 4-6  
Spring 2006**

**Table A-2: Average number of times selected alcohol products were used by those who reported use of ...**

		<b>School Year</b>	<b>Lifetime</b>
<b>Any alcohol product</b>	All	4.4	4.7
	Grade 4	3.3	3.4
	Grade 5	3.8	4.1
	Grade 6	5.3	5.8
<b>Beer</b>	All	2.6	2.7
	Grade 4	2.3	2.3
	Grade 5	2.4	2.4
	Grade 6	2.9	3.0
<b>Liquor</b>	All	2.7	2.8
	Grade 4	2.4	2.5
	Grade 5	2.3	2.4
	Grade 6	3.0	3.1
<b>Wine</b>	All	2.5	2.5
	Grade 4	2.4	2.3
	Grade 5	2.5	2.5
	Grade 6	2.6	2.7
<b>Wine coolers</b>	All	2.9	3.0
	Grade 4	2.4	2.6
	Grade 5	2.6	2.7
	Grade 6	3.1	3.3

**State : Grades 4-6  
Spring 2006**

**Table A-3: In the past year, how many times have you had two or more drinks at one time of ..**

		Never	1 Time	2 Times	3+ Times	Ever
<b>Beer?</b>						
	<b>All</b>	88.6%	7.1%	2.2%	2.1%	11.4%
	<b>Grade 4</b>	90.2%	6.6%	1.6%	1.6%	9.8%
	<b>Grade 5</b>	89.8%	6.5%	2.2%	1.6%	10.2%
	<b>Grade 6</b>	85.8%	8.2%	3.0%	3.0%	14.2%
<b>Wine Coolers?</b>						
	<b>All</b>	92.9%	3.8%	1.6%	1.7%	7.1%
	<b>Grade 4</b>	96.1%	2.2%	0.7%	1.0%	3.9%
	<b>Grade 5</b>	93.6%	3.6%	1.5%	1.2%	6.4%
	<b>Grade 6</b>	89.0%	5.6%	2.7%	2.8%	11.0%
<b>Wine?</b>						
	<b>All</b>	90.4%	6.1%	1.9%	1.6%	9.6%
	<b>Grade 4</b>	92.9%	4.6%	1.4%	1.2%	7.1%
	<b>Grade 5</b>	91.2%	5.6%	1.8%	1.4%	8.8%
	<b>Grade 6</b>	87.0%	8.1%	2.6%	2.3%	13.0%
<b>Liquor?</b>						
	<b>All</b>	95.3%	2.6%	0.9%	1.2%	4.7%
	<b>Grade 4</b>	97.6%	1.4%	0.3%	0.7%	2.4%
	<b>Grade 5</b>	96.2%	2.2%	0.7%	0.8%	3.8%
	<b>Grade 6</b>	92.1%	4.3%	1.6%	2.0%	7.9%

**State : Grades 4-6  
Spring 2006**

**Table A-4: Average age of first use of alcohol:**

	<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
<b>Alcohol</b>	8.2	8.9	9.5
<b>Beer</b>	8.1	8.7	9.4
<b>Wine Coolers</b>	8.5	9.4	10.1
<b>Wine</b>	8.6	9.3	10.0
<b>Liquor</b>	8.8	9.6	10.4

**Table A-5: Average age of first use of alcohol by family situation:**

		<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>								
	<b>All</b>	80.9%	5.4%	2.8%	3.2%	3.7%	2.7%	1.5%
	<b>Grade 4</b>	85.9%	5.4%	2.9%	3.4%	2.0%	0.2%	0.1%
	<b>Grade 5</b>	82.2%	4.7%	2.7%	3.2%	4.4%	2.3%	0.5%
	<b>Grade 6</b>	73.9%	6.1%	2.6%	3.0%	4.6%	5.6%	4.1%
<b>Other Family Situation</b>								
	<b>All</b>	71.6%	8.3%	3.6%	4.6%	5.4%	4.0%	2.5%
	<b>Grade 4</b>	79.6%	8.2%	4.3%	4.8%	2.7%	0.3%	0.2%
	<b>Grade 5</b>	73.9%	7.7%	3.2%	4.2%	6.4%	3.6%	0.9%
	<b>Grade 6</b>	62.4%	8.8%	3.5%	4.8%	6.8%	7.7%	6.0%

**Table A-6 a: Lifetime prevalence of use of alcohol by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
15.9%	56.8%	37.1%	64.1%

**State : Grades 4-6  
Spring 2006**

**Table A-6 b: Past School Year prevalence of use of alcohol by reported  
conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
9.7%	46.0%	26.1%	51.9%

**State : Grades 4-6  
Spring 2006**

**Table A-7: When you drink alcohol, do you get it from ...**

		<b>Don't Drink</b>	<b>Yes</b>	<b>No</b>
<b>Home?</b>				
	<b>All</b>	77.8%	10.2%	12.0%
	<b>Grade 4</b>	80.9%	7.3%	11.9%
	<b>Grade 5</b>	78.9%	9.6%	11.5%
	<b>Grade 6</b>	73.5%	13.9%	12.7%
<b>Friends?</b>				
	<b>All</b>	78.9%	3.1%	18.0%
	<b>Grade 4</b>	81.4%	1.4%	17.2%
	<b>Grade 5</b>	80.4%	2.3%	17.4%
	<b>Grade 6</b>	74.8%	5.6%	19.6%
<b>Somewhere else?</b>				
	<b>All</b>	77.5%	7.8%	14.7%
	<b>Grade 4</b>	80.2%	5.4%	14.4%
	<b>Grade 5</b>	78.8%	7.1%	14.2%
	<b>Grade 6</b>	73.4%	10.9%	15.7%

**State : Grades 4-6  
Spring 2006**

**Table A-8: About how many of your close friends use ...**

		Never Heard Of	None	Some	Most
<b>Any alcohol product?</b>					
	<b>All</b>	1.7%	74.6%	20.0%	3.7%
	<b>Grade 4</b>	2.2%	80.2%	15.5%	2.1%
	<b>Grade 5</b>	1.6%	76.9%	18.5%	3.0%
	<b>Grade 6</b>	1.3%	66.8%	25.8%	6.1%
<b>Beer?</b>					
	<b>All</b>	2.0%	79.6%	16.1%	2.3%
	<b>Grade 4</b>	2.6%	83.7%	12.3%	1.4%
	<b>Grade 5</b>	2.0%	81.6%	14.5%	2.0%
	<b>Grade 6</b>	1.4%	73.5%	21.5%	3.6%
<b>Wine coolers?</b>					
	<b>All</b>	15.9%	74.4%	8.0%	1.7%
	<b>Grade 4</b>	21.2%	73.9%	4.2%	0.7%
	<b>Grade 5</b>	15.7%	76.0%	7.1%	1.2%
	<b>Grade 6</b>	10.9%	73.1%	12.8%	3.1%
<b>Wine?</b>					
	<b>All</b>	3.4%	84.7%	10.4%	1.4%
	<b>Grade 4</b>	4.7%	87.4%	7.1%	0.8%
	<b>Grade 5</b>	3.5%	85.8%	9.6%	1.1%
	<b>Grade 6</b>	2.1%	81.1%	14.5%	2.3%
<b>Liquor?</b>					
	<b>All</b>	9.1%	83.3%	6.4%	1.2%
	<b>Grade 4</b>	15.8%	80.7%	3.0%	0.6%
	<b>Grade 5</b>	7.6%	86.3%	5.2%	0.9%
	<b>Grade 6</b>	3.9%	82.9%	11.0%	2.2%

**State : Grades 4-6  
Spring 2006**

**Table A-9: Have you ever been offered ...**

		Never Heard Of	Yes	No
<b>Any alcohol product?</b>				
	All	1.9%	23.7%	74.5%
	Grade 4	2.3%	18.7%	79.0%
	Grade 5	1.8%	22.3%	75.8%
	Grade 6	1.5%	30.0%	68.5%
<b>Beer?</b>				
	All	2.1%	18.6%	79.3%
	Grade 4	2.6%	14.9%	82.5%
	Grade 5	2.0%	17.4%	80.5%
	Grade 6	1.7%	23.6%	74.7%
<b>Wine coolers?</b>				
	All	16.2%	7.9%	75.8%
	Grade 4	21.6%	4.1%	74.3%
	Grade 5	16.2%	6.7%	77.1%
	Grade 6	11.0%	13.0%	76.0%
<b>Wine?</b>				
	All	3.4%	11.3%	85.3%
	Grade 4	4.4%	8.1%	87.5%
	Grade 5	3.4%	10.2%	86.4%
	Grade 6	2.3%	15.7%	82.1%
<b>Liquor?</b>				
	All	9.0%	6.8%	84.2%
	Grade 4	15.5%	3.6%	80.9%
	Grade 5	7.7%	5.5%	86.8%
	Grade 6	4.0%	11.2%	84.8%

**State : Grades 4-6  
Spring 2006**

**Table A-10: How do your parents feel about kids your age drinking beer?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	82.0%	2.0%	1.0%	14.9%
<b>Grade 4</b>	82.3%	1.5%	0.9%	15.3%
<b>Grade 5</b>	82.5%	2.0%	0.8%	14.7%
<b>Grade 6</b>	81.3%	2.5%	1.3%	14.9%

**Table A-11: How dangerous do you think it is for kids your age to use ...**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Any alcohol product?</b>					
<b>All</b>	1.0%	71.5%	20.6%	2.3%	4.7%
<b>Grade 4</b>	1.3%	76.4%	16.0%	1.5%	4.9%
<b>Grade 5</b>	1.0%	72.8%	20.0%	1.8%	4.3%
<b>Grade 6</b>	0.7%	65.2%	25.7%	3.5%	4.9%
<b>Beer?</b>					
<b>All</b>	1.1%	52.0%	33.8%	5.3%	7.8%
<b>Grade 4</b>	1.5%	57.5%	28.9%	3.8%	8.4%
<b>Grade 5</b>	1.1%	53.2%	33.9%	4.5%	7.3%
<b>Grade 6</b>	0.8%	45.3%	38.5%	7.6%	7.7%
<b>Wine coolers?</b>					
<b>All</b>	14.8%	45.5%	23.5%	5.4%	10.8%
<b>Grade 4</b>	19.2%	51.2%	17.1%	2.5%	9.9%
<b>Grade 5</b>	14.9%	46.5%	23.6%	4.6%	10.3%
<b>Grade 6</b>	10.2%	38.6%	29.9%	9.2%	12.1%
<b>Wine?</b>					
<b>All</b>	2.1%	50.5%	30.5%	6.9%	10.0%
<b>Grade 4</b>	3.0%	57.7%	25.4%	4.3%	9.5%
<b>Grade 5</b>	2.1%	51.3%	30.9%	6.1%	9.6%
<b>Grade 6</b>	1.2%	42.3%	35.2%	10.3%	10.9%
<b>Liquor?</b>					
<b>All</b>	6.8%	64.8%	19.5%	2.1%	6.8%
<b>Grade 4</b>	12.1%	66.4%	13.7%	1.1%	6.7%
<b>Grade 5</b>	5.6%	67.0%	19.2%	1.7%	6.4%
<b>Grade 6</b>	2.6%	60.9%	25.6%	3.5%	7.3%

**State : Grades 4-6  
Spring 2006**

**Table D-1: How recently, if ever, have you used...**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	1.8%	1.2%	0.6%	98.2%
<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
<b>Grade 5</b>	1.2%	0.8%	0.4%	98.8%
<b>Grade 6</b>	3.5%	2.5%	1.1%	96.5%

**Table D-2: Average number of times marijuana was used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	4.4	4.2
<b>Grade 4</b>	3.4	3.2
<b>Grade 5</b>	3.8	3.5
<b>Grade 6</b>	4.7	4.6

**State : Grades 4-6  
Spring 2006**

**Table D-3: Average age of first use of marijuana:**

Grade 4	Grade 5	Grade 6
8.7	9.8	10.5

**Table D-4: Average age of first use of marijuana by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	98.9%	0.2%	0.1%	0.1%	0.2%	0.3%	0.3%
	<b>Grade 4</b>	99.5%	0.2%	0.1%	0.1%	0.1%	0.0%	0.0%
	<b>Grade 5</b>	99.3%	0.1%	0.1%	0.0%	0.2%	0.2%	0.1%
	<b>Grade 6</b>	97.9%	0.3%	0.1%	0.1%	0.3%	0.6%	0.8%
<b>Other Family Situation</b>								
	<b>All</b>	97.1%	0.4%	0.2%	0.3%	0.6%	0.6%	0.9%
	<b>Grade 4</b>	99.2%	0.2%	0.1%	0.3%	0.2%	0.1%	0.0%
	<b>Grade 5</b>	98.3%	0.3%	0.1%	0.2%	0.4%	0.4%	0.3%
	<b>Grade 6</b>	94.1%	0.6%	0.3%	0.5%	1.1%	1.1%	2.2%

**State : Grades 4-6  
Spring 2006**

**Table D-5 a: Lifetime prevalence of use of marijuana by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
0.6%	16.6%	4.9%	20.5%

**State : Grades 4-6  
Spring 2006**

**Table D-5 b: Past School Year prevalence of use of marijuana by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
0.4%	14.4%	3.7%	17.8%

**Table D-6: About how many of your close friends use marijuana?**

	Never Heard Of	None	Some	Most
All	11.5%	81.9%	5.3%	1.3%
Grade 4	20.0%	77.0%	2.5%	0.5%
Grade 5	10.1%	84.9%	4.1%	0.9%
Grade 6	4.6%	83.6%	9.2%	2.6%

**Table D-7: Have you ever been offered marijuana?**

	Never Heard Of	Yes	No
All	11.2%	5.7%	83.2%
Grade 4	19.3%	3.1%	77.6%
Grade 5	10.0%	4.6%	85.4%
Grade 6	4.4%	9.3%	86.3%

**Table D-8: How do your parents feel about kids your age smoking marijuana?**

	Don't Like	Don't Care	Think It's OK	Don't know
All	83.8%	1.3%	0.4%	14.5%
Grade 4	79.7%	1.0%	0.4%	18.9%
Grade 5	84.9%	1.2%	0.3%	13.6%
Grade 6	86.8%	1.6%	0.5%	11.1%

**Table D-9: How dangerous do you think it is for kids your age to use marijuana?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	9.2%	76.9%	7.9%	1.1%	4.9%
Grade 4	16.3%	70.8%	6.7%	0.6%	5.7%
Grade 5	8.0%	79.2%	7.5%	0.8%	4.5%
Grade 6	3.2%	80.7%	9.6%	1.8%	4.6%

**State : Grades 4-6  
Spring 2006**

**Table I-1: How recently, if ever, have you used...**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	9.7%	6.9%	2.8%	90.3%
<b>Grade 4</b>	9.4%	6.4%	3.0%	90.6%
<b>Grade 5</b>	8.4%	6.2%	2.2%	91.6%
<b>Grade 6</b>	11.3%	8.1%	3.2%	88.7%

**Table I-2: Have you ever sniffed any of the following inhalants to get high?**

	<b>Not Used</b>	<b>Used</b>
<b>Correction Fluid/Whiteout</b>		
<b>All</b>	96.9%	3.1%
<b>Grade 4</b>	97.7%	2.3%
<b>Grade 5</b>	97.6%	2.4%
<b>Grade 6</b>	95.5%	4.5%
<b>Gasoline</b>		
<b>All</b>	96.9%	3.1%
<b>Grade 4</b>	96.3%	3.7%
<b>Grade 5</b>	97.2%	2.8%
<b>Grade 6</b>	97.1%	2.9%
<b>Glue</b>		
<b>All</b>	96.8%	3.2%
<b>Grade 4</b>	96.0%	4.0%
<b>Grade 5</b>	97.2%	2.8%
<b>Grade 6</b>	97.1%	2.9%
<b>Paint Thinner</b>		
<b>All</b>	97.9%	2.1%
<b>Grade 4</b>	97.7%	2.3%
<b>Grade 5</b>	98.1%	1.9%
<b>Grade 6</b>	98.0%	2.0%
<b>Spray Paint</b>		
<b>All</b>	97.2%	2.8%
<b>Grade 4</b>	96.9%	3.1%
<b>Grade 5</b>	97.6%	2.4%
<b>Grade 6</b>	97.1%	2.9%
<b>Other Inhalants</b>		
<b>All</b>	95.7%	4.3%
<b>Grade 4</b>	96.6%	3.4%
<b>Grade 5</b>	96.7%	3.3%
<b>Grade 6</b>	93.8%	6.2%

**State : Grades 4-6  
Spring 2006**

**Table I-3: Average number of times inhalants were used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.4	3.3
<b>Grade 4</b>	3.2	3.1
<b>Grade 5</b>	3.4	3.4
<b>Grade 6</b>	3.5	3.3

**Table I-4: Number of different kinds of inhalants used:**

	<b>None</b>	<b>One</b>	<b>Two to Three</b>	<b>Four Plus</b>
<b>All</b>	91.1%	4.6%	3.3%	1.0%
<b>Grade 4</b>	91.4%	4.4%	3.2%	1.1%
<b>Grade 5</b>	92.4%	3.9%	3.0%	0.8%
<b>Grade 6</b>	89.6%	5.4%	3.8%	1.1%

**State : Grades 4-6  
Spring 2006**

**Table I-5: Average age of first use of inhalants:**

Grade 4	Grade 5	Grade 6
8.2	9.0	10.1

**Table I-6: Average age of first use of inhalants by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	95.5%	1.1%	0.6%	0.6%	0.9%	0.8%	0.5%
	<b>Grade 4</b>	96.9%	1.3%	0.6%	0.7%	0.5%	0.0%	0.1%
	<b>Grade 5</b>	96.1%	1.1%	0.7%	0.5%	1.0%	0.6%	0.1%
	<b>Grade 6</b>	93.2%	0.9%	0.5%	0.8%	1.2%	1.8%	1.6%
<b>Other Family Situation</b>								
	<b>All</b>	93.9%	1.4%	0.7%	0.7%	1.2%	1.3%	0.8%
	<b>Grade 4</b>	96.2%	1.6%	0.9%	0.7%	0.6%	0.0%	0.0%
	<b>Grade 5</b>	95.0%	1.3%	0.6%	0.7%	1.2%	1.0%	0.2%
	<b>Grade 6</b>	90.9%	1.3%	0.7%	0.9%	1.8%	2.6%	1.9%

**State : Grades 4-6  
Spring 2006**

**Table I-7 a: Lifetime prevalence of use of inhalants by reported conduct problems  
this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
3.3%	21.8%	10.1%	24.6%

**State : Grades 4-6  
Spring 2006**

**Table I-7 b: Past School Year prevalence of use of inhalants by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
2.5%	19.5%	8.1%	22.8%

**Table I-8: About how many of your close friends use inhalants?**

	Never Heard Of	None	Some	Most
<b>All</b>	7.8%	82.6%	7.7%	1.9%
<b>Grade 4</b>	13.2%	81.8%	4.0%	1.0%
<b>Grade 5</b>	6.7%	85.4%	6.4%	1.5%
<b>Grade 6</b>	3.6%	80.4%	12.7%	3.3%

**State : Grades 4-6  
Spring 2006**

**Table I-9: Have you ever been offered inhalants?**

	Never Heard Of	Yes	No
All	7.7%	6.6%	85.7%
Grade 4	13.1%	3.7%	83.2%
Grade 5	6.6%	5.2%	88.2%
Grade 6	3.5%	10.9%	85.6%

**Table I-10: How dangerous do you think it is for kids your age to use inhalants?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.1%	63.5%	19.2%	2.8%	8.4%
Grade 4	10.6%	63.0%	15.6%	1.8%	9.0%
Grade 5	5.0%	64.3%	19.4%	2.8%	8.4%
Grade 6	2.6%	63.1%	22.7%	3.9%	7.7%

**State : Grades 4-6  
Spring 2006**

**Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ...**

CATEGORY	Yes
<b>An Assembly Program?</b>	All 58.5%
	Grade 4 56.2%
	Grade 5 62.0%
	Grade 6 57.1%
<b>Guidance Counselor?</b>	All 51.9%
	Grade 4 55.6%
	Grade 5 56.5%
	Grade 6 43.6%
<b>Visitor to Class?</b>	All 52.0%
	Grade 4 44.1%
	Grade 5 59.8%
	Grade 6 51.8%
<b>Someone Else at School?</b>	All 41.0%
	Grade 4 37.6%
	Grade 5 41.8%
	Grade 6 43.5%
<b>Your Teacher?</b>	All 59.7%
	Grade 4 57.2%
	Grade 5 57.5%
	Grade 6 64.4%
<b>Any School Source?</b>	All 86.8%
	Grade 4 84.7%
	Grade 5 89.0%
	Grade 6 86.6%

**State : Grades 4-6  
Spring 2006**

**Table B1: Prevalence and recency of use of selected substances by grade  
All Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.0%	3.2%	2.8%	94.0%
	<b>Grade 4</b>	3.6%	1.8%	1.8%	96.4%
	<b>Grade 5</b>	4.9%	2.6%	2.3%	95.1%
	<b>Grade 6</b>	9.4%	5.1%	4.3%	90.6%
<b>Alcohol</b>					
	<b>All</b>	22.3%	13.7%	8.6%	77.7%
	<b>Grade 4</b>	15.8%	9.4%	6.4%	84.2%
	<b>Grade 5</b>	20.6%	12.6%	8.0%	79.4%
	<b>Grade 6</b>	30.6%	19.3%	11.3%	69.4%
<b>Inhalants</b>					
	<b>All</b>	9.7%	6.9%	2.8%	90.3%
	<b>Grade 4</b>	9.4%	6.4%	3.0%	90.6%
	<b>Grade 5</b>	8.4%	6.2%	2.2%	91.6%
	<b>Grade 6</b>	11.3%	8.1%	3.2%	88.7%
<b>Marijuana</b>					
	<b>All</b>	1.8%	1.2%	0.6%	98.2%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	1.2%	0.8%	0.4%	98.8%
	<b>Grade 6</b>	3.5%	2.5%	1.1%	96.5%

**State : Grades 4-6  
Spring 2006**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.3%	3.9%	3.4%	92.7%
	<b>Grade 4</b>	4.8%	2.5%	2.3%	95.2%
	<b>Grade 5</b>	6.1%	3.4%	2.7%	93.9%
	<b>Grade 6</b>	11.2%	5.9%	5.3%	88.8%
<b>Alcohol</b>					
	<b>All</b>	25.0%	15.2%	9.8%	75.0%
	<b>Grade 4</b>	18.9%	11.1%	7.8%	81.1%
	<b>Grade 5</b>	23.2%	14.3%	8.9%	76.8%
	<b>Grade 6</b>	33.2%	20.3%	12.9%	66.8%
<b>Inhalants</b>					
	<b>All</b>	11.0%	7.8%	3.3%	89.0%
	<b>Grade 4</b>	11.0%	7.7%	3.3%	89.0%
	<b>Grade 5</b>	9.9%	7.2%	2.7%	90.1%
	<b>Grade 6</b>	12.3%	8.4%	3.8%	87.7%
<b>Marijuana</b>					
	<b>All</b>	2.4%	1.6%	0.8%	97.6%
	<b>Grade 4</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 5</b>	1.6%	1.0%	0.6%	98.4%
	<b>Grade 6</b>	4.6%	3.2%	1.5%	95.4%

**State : Grades 4-6  
Spring 2006**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.7%	2.5%	2.2%	95.3%
	<b>Grade 4</b>	2.5%	1.2%	1.3%	97.5%
	<b>Grade 5</b>	3.8%	1.9%	1.8%	96.2%
	<b>Grade 6</b>	7.8%	4.3%	3.4%	92.2%
<b>Alcohol</b>					
	<b>All</b>	19.7%	12.3%	7.4%	80.3%
	<b>Grade 4</b>	12.9%	7.8%	5.0%	87.1%
	<b>Grade 5</b>	18.1%	10.9%	7.2%	81.9%
	<b>Grade 6</b>	28.2%	18.3%	9.8%	71.8%
<b>Inhalants</b>					
	<b>All</b>	8.4%	6.1%	2.4%	91.6%
	<b>Grade 4</b>	7.9%	5.2%	2.7%	92.1%
	<b>Grade 5</b>	7.0%	5.2%	1.8%	93.0%
	<b>Grade 6</b>	10.4%	7.8%	2.6%	89.6%
<b>Marijuana</b>					
	<b>All</b>	1.2%	0.9%	0.4%	98.8%
	<b>Grade 4</b>	0.4%	0.2%	0.2%	99.6%
	<b>Grade 5</b>	0.8%	0.5%	0.3%	99.2%
	<b>Grade 6</b>	2.5%	1.8%	0.7%	97.5%

**State : Grades 4-6  
Spring 2006**

**Table B4: Prevalence and recency of use of selected substances by grade  
White Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.0%	2.6%	2.4%	95.0%
	<b>Grade 4</b>	3.4%	1.5%	1.9%	96.6%
	<b>Grade 5</b>	4.1%	2.3%	1.8%	95.9%
	<b>Grade 6</b>	7.5%	4.0%	3.5%	92.5%
<b>Alcohol</b>					
	<b>All</b>	19.5%	12.2%	7.3%	80.5%
	<b>Grade 4</b>	14.7%	8.7%	6.0%	85.3%
	<b>Grade 5</b>	17.9%	10.9%	7.0%	82.1%
	<b>Grade 6</b>	25.5%	16.6%	8.8%	74.5%
<b>Inhalants</b>					
	<b>All</b>	8.1%	5.7%	2.4%	91.9%
	<b>Grade 4</b>	9.3%	6.4%	2.9%	90.7%
	<b>Grade 5</b>	6.5%	4.8%	1.7%	93.5%
	<b>Grade 6</b>	8.7%	6.1%	2.6%	91.3%
<b>Marijuana</b>					
	<b>All</b>	1.0%	0.7%	0.4%	99.0%
	<b>Grade 4</b>	0.4%	0.3%	0.2%	99.6%
	<b>Grade 5</b>	0.6%	0.4%	0.2%	99.4%
	<b>Grade 6</b>	2.0%	1.3%	0.7%	98.0%

**State : Grades 4-6  
Spring 2006**

**Table B5: Prevalence and recency of use of selected substances by grade  
African American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.0%	3.4%	3.6%	93.0%
	<b>Grade 4</b>	4.9%	2.7%	2.3%	95.1%
	<b>Grade 5</b>	5.8%	3.1%	2.7%	94.2%
	<b>Grade 6</b>	10.6%	4.6%	6.1%	89.4%
<b>Alcohol</b>					
	<b>All</b>	26.7%	15.2%	11.5%	73.3%
	<b>Grade 4</b>	19.4%	11.5%	7.9%	80.6%
	<b>Grade 5</b>	24.6%	14.3%	10.3%	75.4%
	<b>Grade 6</b>	36.9%	20.3%	16.6%	63.1%
<b>Inhalants</b>					
	<b>All</b>	9.0%	6.1%	3.0%	91.0%
	<b>Grade 4</b>	8.4%	5.5%	2.9%	91.6%
	<b>Grade 5</b>	7.7%	5.6%	2.2%	92.3%
	<b>Grade 6</b>	11.2%	7.3%	3.9%	88.8%
<b>Marijuana</b>					
	<b>All</b>	2.0%	1.2%	0.8%	98.0%
	<b>Grade 4</b>	0.7%	0.3%	0.5%	99.3%
	<b>Grade 5</b>	1.5%	1.0%	0.4%	98.5%
	<b>Grade 6</b>	4.1%	2.5%	1.5%	95.9%

**State : Grades 4-6  
Spring 2006**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.6%	3.8%	2.8%	93.4%
	<b>Grade 4</b>	3.4%	1.8%	1.6%	96.6%
	<b>Grade 5</b>	5.4%	2.9%	2.4%	94.6%
	<b>Grade 6</b>	11.0%	6.6%	4.5%	89.0%
<b>Alcohol</b>					
	<b>All</b>	24.3%	15.4%	8.9%	75.7%
	<b>Grade 4</b>	16.3%	9.9%	6.4%	83.7%
	<b>Grade 5</b>	22.3%	14.0%	8.3%	77.7%
	<b>Grade 6</b>	34.2%	22.4%	11.8%	65.8%
<b>Inhalants</b>					
	<b>All</b>	11.1%	8.1%	2.9%	88.9%
	<b>Grade 4</b>	9.8%	6.9%	2.9%	90.2%
	<b>Grade 5</b>	9.8%	7.3%	2.6%	90.2%
	<b>Grade 6</b>	13.7%	10.3%	3.4%	86.3%
<b>Marijuana</b>					
	<b>All</b>	2.5%	1.8%	0.7%	97.5%
	<b>Grade 4</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 5</b>	1.6%	1.0%	0.6%	98.4%
	<b>Grade 6</b>	5.1%	3.8%	1.3%	94.9%

**State : Grades 4-6  
Spring 2006**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students Reporting A and B Grades**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	3.1%	1.5%	1.6%	96.9%
	<b>Grade 4</b>	2.1%	1.0%	1.1%	97.9%
	<b>Grade 5</b>	2.3%	1.2%	1.1%	97.7%
	<b>Grade 6</b>	4.8%	2.3%	2.6%	95.2%
<b>Alcohol</b>					
	<b>All</b>	17.0%	10.1%	6.9%	83.0%
	<b>Grade 4</b>	12.8%	7.1%	5.6%	87.2%
	<b>Grade 5</b>	16.3%	9.8%	6.5%	83.7%
	<b>Grade 6</b>	22.1%	13.4%	8.6%	77.9%
<b>Inhalants</b>					
	<b>All</b>	6.7%	4.8%	1.9%	93.3%
	<b>Grade 4</b>	7.2%	5.1%	2.0%	92.8%
	<b>Grade 5</b>	5.6%	4.2%	1.4%	94.4%
	<b>Grade 6</b>	7.3%	5.2%	2.2%	92.7%
<b>Marijuana</b>					
	<b>All</b>	0.7%	0.5%	0.2%	99.3%
	<b>Grade 4</b>	0.3%	0.2%	0.1%	99.7%
	<b>Grade 5</b>	0.4%	0.3%	0.1%	99.6%
	<b>Grade 6</b>	1.3%	0.9%	0.4%	98.7%

**State : Grades 4-6  
Spring 2006**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.2%	2.3%	2.0%	95.8%
	<b>Grade 4</b>	2.5%	1.2%	1.2%	97.5%
	<b>Grade 5</b>	3.7%	2.1%	1.6%	96.3%
	<b>Grade 6</b>	6.8%	3.7%	3.1%	93.2%
<b>Alcohol</b>					
	<b>All</b>	19.3%	11.8%	7.5%	80.7%
	<b>Grade 4</b>	14.0%	8.2%	5.8%	86.0%
	<b>Grade 5</b>	17.9%	11.0%	6.9%	82.1%
	<b>Grade 6</b>	26.4%	16.5%	9.9%	73.6%
<b>Inhalants</b>					
	<b>All</b>	9.2%	6.5%	2.7%	90.8%
	<b>Grade 4</b>	9.6%	6.5%	3.1%	90.4%
	<b>Grade 5</b>	7.9%	5.7%	2.2%	92.1%
	<b>Grade 6</b>	10.2%	7.4%	2.8%	89.8%
<b>Marijuana</b>					
	<b>All</b>	1.2%	0.8%	0.4%	98.8%
	<b>Grade 4</b>	0.5%	0.3%	0.2%	99.5%
	<b>Grade 5</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 6</b>	2.3%	1.5%	0.7%	97.7%

**State : Grades 4-6  
Spring 2006**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	9.5%	5.0%	4.5%	90.5%
	<b>Grade 4</b>	6.2%	3.2%	3.0%	93.8%
	<b>Grade 5</b>	7.5%	3.9%	3.6%	92.5%
	<b>Grade 6</b>	14.4%	7.7%	6.7%	85.6%
<b>Alcohol</b>					
	<b>All</b>	28.7%	17.8%	10.8%	71.3%
	<b>Grade 4</b>	20.1%	12.3%	7.8%	79.9%
	<b>Grade 5</b>	26.3%	15.9%	10.5%	73.7%
	<b>Grade 6</b>	38.4%	24.6%	13.8%	61.6%
<b>Inhalants</b>					
	<b>All</b>	10.7%	7.7%	3.0%	89.3%
	<b>Grade 4</b>	9.2%	6.4%	2.8%	90.8%
	<b>Grade 5</b>	9.4%	7.0%	2.4%	90.6%
	<b>Grade 6</b>	13.4%	9.5%	3.9%	86.6%
<b>Marijuana</b>					
	<b>All</b>	3.1%	2.1%	1.0%	96.9%
	<b>Grade 4</b>	1.2%	0.7%	0.5%	98.8%
	<b>Grade 5</b>	1.8%	1.0%	0.8%	98.2%
	<b>Grade 6</b>	6.0%	4.2%	1.7%	94.0%

**State : Grades 4-6  
Spring 2006**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students Living in Town More Than 3 Years**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.9%	3.2%	2.7%	94.1%
	<b>Grade 4</b>	3.7%	1.8%	1.8%	96.3%
	<b>Grade 5</b>	4.8%	2.6%	2.2%	95.2%
	<b>Grade 6</b>	9.2%	5.2%	4.0%	90.8%
<b>Alcohol</b>					
	<b>All</b>	22.7%	14.1%	8.6%	77.3%
	<b>Grade 4</b>	16.0%	9.5%	6.5%	84.0%
	<b>Grade 5</b>	20.9%	12.8%	8.1%	79.1%
	<b>Grade 6</b>	30.7%	19.7%	11.0%	69.3%
<b>Inhalants</b>					
	<b>All</b>	9.8%	7.0%	2.8%	90.2%
	<b>Grade 4</b>	9.6%	6.7%	2.9%	90.4%
	<b>Grade 5</b>	8.6%	6.3%	2.2%	91.4%
	<b>Grade 6</b>	11.3%	8.2%	3.1%	88.7%
<b>Marijuana</b>					
	<b>All</b>	1.8%	1.3%	0.5%	98.2%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	1.2%	0.8%	0.4%	98.8%
	<b>Grade 6</b>	3.5%	2.5%	0.9%	96.5%

**State : Grades 4-6  
Spring 2006**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students Living in Town 3 Years or Less**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.9%	3.2%	3.7%	93.1%
	<b>Grade 4</b>	4.0%	1.8%	2.2%	96.0%
	<b>Grade 5</b>	5.5%	2.6%	2.9%	94.5%
	<b>Grade 6</b>	11.3%	5.2%	6.1%	88.7%
<b>Alcohol</b>					
	<b>All</b>	22.9%	13.3%	9.5%	77.1%
	<b>Grade 4</b>	16.4%	9.5%	6.9%	83.6%
	<b>Grade 5</b>	20.1%	11.8%	8.2%	79.9%
	<b>Grade 6</b>	32.2%	18.7%	13.5%	67.8%
<b>Inhalants</b>					
	<b>All</b>	9.7%	6.5%	3.1%	90.3%
	<b>Grade 4</b>	9.3%	6.0%	3.3%	90.7%
	<b>Grade 5</b>	7.8%	5.8%	2.1%	92.2%
	<b>Grade 6</b>	11.9%	7.9%	4.1%	88.1%
<b>Marijuana</b>					
	<b>All</b>	2.0%	1.1%	0.9%	98.0%
	<b>Grade 4</b>	0.7%	0.2%	0.5%	99.3%
	<b>Grade 5</b>	1.2%	0.8%	0.5%	98.8%
	<b>Grade 6</b>	4.1%	2.4%	1.7%	95.9%

**State : Grades 4-6  
Spring 2006**

The FREQ Procedure

GENDER		
Q1	Frequency	Percent
Female	497E3	50.86
Male	481E3	49.14

Frequency Missing = 1394.3584404

GRADE LEVEL		
Q2	Frequency	Percent
Grade 4	326E3	33.33
Grade 5	333E3	34.03
Grade 6	32E4	32.64

DO YOU LIVE WITH BOTH PARENTS?		
Q3	Frequency	Percent
No	314E3	32.42
Yes	655E3	67.58

Frequency Missing = 10763.768054

AGE		
Q4	Frequency	Percent
8 or younger	631	0.06
9	93136	9.55
10	299E3	30.64
11	322E3	32.98
12	231E3	23.68
13 or older	30075	3.08

Frequency Missing = 3788.7910355

ETHNICITY		
Q5	Frequency	Percent
African/American	126E3	13.18
Asian/American	27984	2.93
Mexican/American	389E3	40.67
Native/American	16729	1.75
Other	63014	6.59
White	334E3	34.89

Frequency Missing = 22767.963181

**WHAT GRADES DO YOU USUALLY GET**

Q6	Frequency	Percent
Mostly A's	346E3	36.15
Mostly B's	444E3	46.32
Mostly C's	134E3	14.03
Mostly D's	22314	2.33
Mostly F's	11166	1.17

Frequency Missing = 21572.421159

LIVED IN THIS TOWN FOR MORE THAN 3 YEARS		
Q7	Frequency	Percent
Don't Know	70715	7.27
No	146E3	15.04
Yes	756E3	77.69

Frequency Missing = 6549.1032113

EITHER PARENT GRADUATE FROM COLLEGE		
Q8	Frequency	Percent
Don't Know	334E3	34.48
No	18E4	18.56
Yes	455E3	46.96

Frequency Missing = 10486.644342

QUALIFY FOR A FREE/REDUCED PRICE LUNCH?		
Q9	Frequency	Percent
Don't Know	308E3	32.23
No	283E3	29.58
Yes	365E3	38.19

Frequency Missing = 23863.871134

PARENTS ATTEND PTA MEETINGS?		
Q10	Frequency	Percent
Don't Know	5876	0.61
No	465E3	48.60
Yes	486E3	50.79

Frequency Missing = 23105.72061

EVER INHALED GASOLINE TO GET HIGH?		
Q11a	Frequency	Percent
Not Used	87E4	96.85
Used	28287	3.15

Frequency Missing = 80792.10129

EVER INHALED PAINT THINNER TO GET HIGH?		
Q11b	Frequency	Percent
Not Used	87E4	97.94
Used	18290	2.06

Frequency Missing = 91067.440184

EVER INHALED GLUE TO GET HIGH?		
Q11c	Frequency	Percent
Not Used	859E3	96.75
Used	28851	3.25

Frequency Missing = 91058.83325

EVER INHALED WHITEOUT TO GET HIGH?		
Q11d	Frequency	Percent
Not Used	863E3	96.94
Used	27252	3.06

Frequency Missing = 88693.352576

EVER INHALED SPRAY PAINT TO GET HIGH?		
Q11e	Frequency	Percent
Not Used	87E4	97.18
Used	25295	2.82

Frequency Missing = 83586.188118

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 4-6  
Spring 2006**

<b>EVER USED OTHER INHALANTS TO GET HIGH?</b>		
<b>Q11f</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	861E3	95.70
Used	38655	4.30

Frequency Missing = 80171.657864

<b>WINE COOLER USE DURING LIFETIME</b>		
	<b>Q12d Frequency</b>	<b>Percent</b>
Never heard of	201E3	22.08
Never used	638E3	70.09
1-2 times	54467	5.98
3-10 times	11534	1.27
11+ times	5255	0.58

Frequency Missing = 68674.867469

<b>MARIJUANA USE DURING LIFETIME</b>		
	<b>Q12i Frequency</b>	<b>Percent</b>
Never heard of	151E3	16.11
Never used	771E3	82.24
1-2 times	9504	1.01
3-10 times	3327	0.35
11+ times	2671	0.28

Frequency Missing = 41889.308177

<b>CIGARETTE USE DURING LIFETIME</b>		
	<b>Q12a Frequency</b>	<b>Percent</b>
Never heard of	45655	4.96
Never used	83E4	90.08
1-2 times	35461	3.85
3-10 times	7062	0.77
11+ times	3186	0.35

Frequency Missing = 58023.829294

<b>WINE USE DURING LIFETIME</b>		
	<b>Q12e Frequency</b>	<b>Percent</b>
Never heard of	37494	4.15
Never used	763E3	84.46
1-2 times	86018	9.52
3-10 times	12117	1.34
11+ times	4780	0.53

Frequency Missing = 75597.954909

<b>CIGARETTE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13a Frequency</b>	<b>Percent</b>
Never heard of	41599	4.38
Never used	882E3	92.93
1-2 times	19493	2.05
3-10 times	4444	0.47
11+ times	1573	0.17

Frequency Missing = 30318.631505

<b>SNUFF/CHEWING TOBACCO USE IN LIFETIME</b>		
	<b>Q12b Frequency</b>	<b>Percent</b>
Never heard of	104E3	11.52
Never used	789E3	87.17
1-2 times	9499	1.05
3-10 times	1507	0.17
11+ times	810	0.09

Frequency Missing = 74421.568901

<b>LIQUOR USE DURING LIFETIME</b>		
	<b>Q12f Frequency</b>	<b>Percent</b>
Never heard of	123E3	13.40
Never used	746E3	81.22
1-2 times	39086	4.25
3-10 times	7356	0.80
11+ times	3001	0.33

Frequency Missing = 60308.63132

<b>SNUFF/CHEWING TOBACCO USE IN PAST YEAR</b>		
	<b>Q13b Frequency</b>	<b>Percent</b>
Never heard of	92204	9.87
Never used	834E3	89.32
1-2 times	5952	0.64
3-10 times	916	0.10
11+ times	631	0.07

Frequency Missing = 45431.454354

<b>BEER USE DURING LIFETIME</b>		
	<b>Q12c Frequency</b>	<b>Percent</b>
Never heard of	18970	2.10
Never used	758E3	84.04
1-2 times	102E3	11.28
3-10 times	16839	1.87
11+ times	6401	0.71

Frequency Missing = 77267.982951

<b>INHALANT USE DURING LIFETIME</b>		
	<b>Q12h Frequency</b>	<b>Percent</b>
Never heard of	1E5	10.86
Never used	778E3	84.05
1-2 times	34319	3.71
3-10 times	7976	0.86
11+ times	4830	0.52

Frequency Missing = 54120.085851

<b>BEER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13c Frequency</b>	<b>Percent</b>
Never heard of	18420	1.99
Never used	836E3	90.14
1-2 times	59642	6.43
3-10 times	10095	1.09
11+ times	3333	0.36

Frequency Missing = 51629.444771

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 4-6  
Spring 2006**

WINE COOLER USE IN PAST SCHOOL YEAR		
Q13d Frequency Percent		
Never heard of	194E3	20.86
Never used	69E4	74.15
1-2 times	36542	3.93
3-10 times	6927	0.74
11+ times	2982	0.32

Frequency Missing = 48486.31782

WINE USE IN PAST SCHOOL YEAR		
Q13e Frequency Percent		
Never heard of	36048	3.89
Never used	823E3	88.85
1-2 times	56705	6.12
3-10 times	7064	0.76
11+ times	3463	0.37

Frequency Missing = 53410.307989

LIQUOR USE IN PAST SCHOOL YEAR		
Q13f Frequency Percent		
Never heard of	116E3	12.41
Never used	785E3	84.12
1-2 times	26097	2.80
3-10 times	4410	0.47
11+ times	1859	0.20

Frequency Missing = 46555.293497

INHALANT USE IN PAST SCHOOL YEAR		
Q13h Frequency Percent		
Never heard of	93512	10.04
Never used	8E5	85.98
1-2 times	26166	2.81
3-10 times	6996	0.75
11+ times	3884	0.42

Frequency Missing = 48348.808479

MARIJUANA USE IN PAST SCHOOL YEAR		
Q13i Frequency Percent		
Never heard of	14E4	15.03
Never used	781E3	83.73
1-2 times	6864	0.74
3-10 times	2462	0.26
11+ times	2170	0.23

Frequency Missing = 46233.544975

AGE WHEN FIRST USED CIGARETTES		
Q14a Frequency Percent		
7 or younger	10743	1.15
8 years old	5809	0.62
9 years old	7553	0.81
10 years old	11099	1.19
11 years old	9619	1.03
12 or older	5342	0.57
Never heard/used	883E3	94.63

Frequency Missing = 45908.912376

AGE WHEN FIRST USED SNUFF/CHEW TOBACCO		
Q14b Frequency Percent		
7 or younger	4062	0.44
8 years old	1652	0.18
9 years old	2217	0.24
10 years old	2334	0.25
11 years old	1928	0.21
12 or older	1479	0.16
Never heard/used	912E3	98.52

Frequency Missing = 53502.110471

AGE WHEN FIRST USED BEER		
Q14c Frequency Percent		
7 or younger	43867	4.76
8 years old	19162	2.08
9 years old	20894	2.27
10 years old	22724	2.46
11 years old	16857	1.83
12 or older	10134	1.10
Never heard/used	788E3	85.51

Frequency Missing = 57376.504016

AGE WHEN FIRST USED WINE COOLERS		
Q14d Frequency Percent		
7 or younger	10747	1.16
8 years old	8041	0.87
9 years old	11795	1.28
10 years old	16592	1.80
11 years old	14535	1.57
12 or older	10075	1.09
Never heard/used	851E3	92.22

Frequency Missing = 56442.30463

AGE WHEN FIRST USED WINE		
Q14e Frequency Percent		
7 or younger	15883	1.73
8 years old	13856	1.51
9 years old	19213	2.09
10 years old	25216	2.74
11 years old	20276	2.20
12 or older	11088	1.21
Never heard/used	814E3	88.53

Frequency Missing = 59372.044311

AGE WHEN FIRST USED LIQUOR		
Q14f Frequency Percent		
7 or younger	5759	0.62
8 years old	3937	0.42
9 years old	5945	0.64
10 years old	10143	1.09
11 years old	10764	1.16
12 or older	9076	0.98
Never heard/used	883E3	95.09

Frequency Missing = 50728.120866

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 4-6  
Spring 2006**

AGE WHEN FIRST USED INHALANTS		
Q14h Frequency Percent		
7 or younger	10962	1.18
8 years old	5742	0.62
9 years old	6375	0.69
10 years old	9273	1.00
11 years old	8804	0.95
12 or older	5670	0.61
Never heard/used	884E3	94.97

Frequency Missing = 48781.283967

AGE WHEN FIRST USED MARIJUANA		
Q14i Frequency Percent		
7 or younger	2247	0.24
8 years old	984	0.11
9 years old	1481	0.16
10 years old	3069	0.33
11 years old	3325	0.36
12 or older	4403	0.47
Never heard/used	918E3	98.34

Frequency Missing = 46128.881501

CLOSE FRIENDS USE CIGARETTES		
Q15a Frequency Percent		
Never heard of	32972	3.52
None	784E3	83.63
Some	111E3	11.82
Most	9681	1.03

Frequency Missing = 41709.806692

CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO		
Q15b Frequency Percent		
Never heard of	59932	6.55
None	815E3	89.08
Some	35120	3.84
Most	4770	0.52

Frequency Missing = 64860.573738

CLOSE FRIENDS USE BEER		
Q15c Frequency Percent		
Never heard of	18298	2.01
None	724E3	79.57
Some	146E3	16.09
Most	21146	2.33

Frequency Missing = 70031.931071

CLOSE FRIENDS USE WINE COOLERS		
Q15d Frequency Percent		
Never heard of	145E3	15.93
None	678E3	74.35
Some	73222	8.03
Most	15317	1.68

Frequency Missing = 67950.316385

CLOSE FRIENDS USE WINE		
Q15e Frequency Percent		
Never heard of	30928	3.40
None	771E3	84.75
Some	94828	10.43
Most	12937	1.42

Frequency Missing = 69896.416884

CLOSE FRIENDS USE LIQUOR		
Q15f Frequency Percent		
Never heard of	82996	9.07
None	762E3	83.34
Some	58293	6.37
Most	11074	1.21

Frequency Missing = 64788.685788

CLOSE FRIENDS USE INHALANTS		
Q15h Frequency Percent		
Never heard of	71483	7.80
None	757E3	82.58
Some	70700	7.71
Most	17541	1.91

Frequency Missing = 62617.90865

CLOSE FRIENDS USE MARIJUANA		
Q15i Frequency Percent		
Never heard of	106E3	11.53
None	756E3	81.86
Some	48563	5.26
Most	12367	1.34

Frequency Missing = 56265.435458

EVER BEEN OFFERED CIGARETTES		
Q16a	Frequency Percent	
Never heard of	34188	3.66
No	782E3	83.76
Yes	118E3	12.58

Frequency Missing = 45244.377499

EVER BEEN OFFERED SNUFF/CHEWING TOBACCO		
Q16b	Frequency Percent	
Never heard of	64813	7.12
No	805E3	88.43
Yes	40522	4.45

Frequency Missing = 68754.290029

EVER BEEN OFFERED BEER		
Q16c	Frequency Percent	
Never heard of	19062	2.10
No	72E4	79.25
Yes	169E3	18.65

Frequency Missing = 70936.632168

EVER BEEN OFFERED WINE COOLERS		
Q16d	Frequency Percent	
Never heard of	148E3	16.23
No	69E4	75.83
Yes	72225	7.94

Frequency Missing = 69716.332321

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 4-6  
Spring 2006**

<b>EVER BEEN OFFERED WINE</b>		
<b>Q16e</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	30679	3.37
No	777E3	85.30
Yes	103E3	11.33

Frequency Missing = 68286.768638

<b>EVER BEEN OFFERED LIQUOR</b>		
<b>Q16f</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	82597	9.03
No	77E4	84.20
Yes	61951	6.77

Frequency Missing = 64390.590638

<b>EVER BEEN OFFERED INHALANTS</b>		
<b>Q16h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	70883	7.73
No	786E3	85.72
Yes	60081	6.55

Frequency Missing = 62401.859313

<b>EVER BEEN OFFERED MARIJUANA</b>		
<b>Q16i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	103E3	11.17
No	77E4	83.15
Yes	52497	5.67

Frequency Missing = 53693.456975

<b>IS ALCOHOL OBTAINED FROM HOME</b>		
<b>Q17a</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	721E3	77.77
No	111E3	12.02
Yes	94638	10.21

Frequency Missing = 52417.089039

<b>IS ALCOHOL OBTAINED FROM FRIENDS</b>		
<b>Q17b</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	716E3	78.89
No	163E3	18.02
Yes	28050	3.09

Frequency Missing = 72243.213024

<b>IS ALCOHOL OBTAINED SOMEWHERE ELSE</b>		
<b>Q17c</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	711E3	77.48
No	135E3	14.75
Yes	71352	7.77

Frequency Missing = 61423.988031

<b>DANGEROUS FOR KIDS TO USE CIGARETTES</b>		
<b>Q18a Frequency Percent</b>		
Very dangerous	625E3	66.46
Dangerous	235E3	25.02
Not at all	10079	1.07
Don't know	47382	5.04
Never heard of	22735	2.42

Frequency Missing = 38884.366752

<b>DANGEROUS TO USE SNUFF/CHEWING TOBACCO</b>		
<b>Q18b Frequency Percent</b>		
Very dangerous	628E3	67.92
Dangerous	18E4	19.47
Not at all	11834	1.28
Don't know	58961	6.38
Never heard of	45706	4.95

Frequency Missing = 55286.90047

<b>DANGEROUS FOR KIDS TO USE BEER</b>		
<b>Q18c Frequency Percent</b>		
Very dangerous	478E3	52.02
Dangerous	31E4	33.78
Not at all	48676	5.30
Don't know	71475	7.78
Never heard of	10300	1.12

Frequency Missing = 60884.107165

<b>DANGEROUS FOR KIDS TO USE WINE COOLERS</b>		
<b>Q18d Frequency Percent</b>		
Very dangerous	418E3	45.47
Dangerous	216E3	23.54
Not at all	50074	5.45
Don't know	98867	10.75
Never heard of	136E3	14.79

Frequency Missing = 60039.546026

<b>DANGEROUS FOR KIDS TO USE WINE</b>		
<b>Q18e Frequency Percent</b>		
Very dangerous	463E3	50.47
Dangerous	28E4	30.49
Not at all	63366	6.90
Don't know	91949	10.02
Never heard of	19382	2.11

Frequency Missing = 61521.910281

<b>DANGEROUS FOR KIDS TO USE LIQUOR</b>		
<b>Q18f Frequency Percent</b>		
Very dangerous	597E3	64.81
Dangerous	18E4	19.51
Not at all	19392	2.10
Don't know	62782	6.81
Never heard of	62428	6.77

Frequency Missing = 57393.431907

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 4-6  
Spring 2006**

**DANGEROUS FOR KIDS TO USE  
INHALANTS**

Q18h Frequency Percent		
Very dangerous	584E3	63.50
Dangerous	177E3	19.22
Not at all	26057	2.83
Don't know	77142	8.38
Never heard of	55784	6.06

Frequency Missing = 59276.560267

**DANGEROUS FOR KIDS TO USE  
MARIJUANA**

Q18i Frequency Percent		
Very dangerous	714E3	76.91
Dangerous	73701	7.94
Not at all	9776	1.05
Don't know	45736	4.93
Never heard of	84974	9.16

Frequency Missing = 51613.414105

**DRUG/ALCOHOL INFO  
FROM TEACHER**

Q19a Frequency Percent		
No	36E4	40.33
Yes	533E3	59.67

Frequency Missing = 85518.473347

**DRUG/ALC INFO  
FROM VISITOR TO  
CLASS**

Q19b Frequency Percent		
No	425E3	47.95
Yes	461E3	52.05

Frequency Missing = 93225.815095

**DRUG/ALC INFO  
FROM ASSEMBLY  
PROGRAM**

Q19c Frequency Percent		
No	367E3	41.53
Yes	517E3	58.47

Frequency Missing = 95641.939729

**DRUG/ALC INFO  
FROM GUIDE  
COUNSELOR**

Q19d Frequency Percent		
No	427E3	48.06
Yes	462E3	51.94

Frequency Missing = 89999.371586

**DRUG/ALC INF FROM  
SOMEONE ELSE AT  
SCHOOL**

Q19e Frequency Percent		
No	524E3	58.98
Yes	365E3	41.02

Frequency Missing = 90261.812695

**BEER, TWO OR MORE  
AT ONE TIME**

Q20a Frequency Percent		
Never	82E4	88.63
1 time	65484	7.07
2 times	20742	2.24
3+ times	19053	2.06

Frequency Missing = 53575.557296

**WINE COOLERS, TWO  
OR MORE AT ONE TIME**

Q20b Frequency Percent		
Never	848E3	92.89
1 time	34802	3.81
2 times	15014	1.64
3+ times	15113	1.65

Frequency Missing = 66185.053597

**WINE, TWO OR MORE  
AT ONE TIME**

Q20c Frequency Percent		
Never	825E3	90.36
1 time	55574	6.09
2 times	17590	1.93
3+ times	14874	1.63

Frequency Missing = 66097.746814

**LIQUOR, TWO OR MORE  
AT ONE TIME**

Q20d Frequency Percent		
Never	874E3	95.31
1 time	24193	2.64
2 times	8051	0.88
3+ times	10798	1.18

Frequency Missing = 62365.614266

**MISSED SCHOOL  
WITHOUT PARENT'S  
CONSENT**

Q21 Frequency Percent		
No	914E3	97.17
Yes	26597	2.83

Frequency Missing = 38744.36251

**SENT TO  
PRINCIPAL/DEAN  
SINCE SEPTEMBER**

Q22 Frequency Percent		
No	71E4	75.56
Yes	23E4	24.44

Frequency Missing = 39575.537547

**PARENTS FEEL ABOUT KIDS  
DRINKING BEER**

Q23 Frequency Percent		
Don't like it	753E3	82.03
Don't care	18407	2.01
Think it's O.K.	9407	1.03
Don't know	137E3	14.94

Frequency Missing = 61805.31498

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the state

**State : Grades 4-6  
Spring 2006**

---

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>Q24 Frequency Percent</b>		
<b>Don't like it</b>	764E3	83.79
<b>Don't care</b>	11435	1.25
<b>Think it's O.K.</b>	3888	0.43
<b>Don't know</b>	133E3	14.53

---

Frequency Missing = 67050.3918

The frequencies have been weighted so that the  
analysis reflects the distribution of students by grade  
level in the state