

**State : Grades 4-6  
Spring 2008**

**Table T-1: How recently, if ever, have you used...**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any tobacco product</b>					
	<b>All</b>	5.4%	3.0%	2.4%	94.6%
	<b>Grade 4</b>	3.0%	1.6%	1.4%	97.0%
	<b>Grade 5</b>	4.8%	2.7%	2.1%	95.2%
	<b>Grade 6</b>	8.7%	4.9%	3.8%	91.3%
<b>Cigarettes</b>					
	<b>All</b>	4.7%	2.6%	2.1%	95.3%
	<b>Grade 4</b>	2.3%	1.2%	1.1%	97.7%
	<b>Grade 5</b>	3.9%	2.2%	1.7%	96.1%
	<b>Grade 6</b>	7.9%	4.3%	3.6%	92.1%
<b>Smokeless tobacco</b>					
	<b>All</b>	1.4%	0.8%	0.7%	98.6%
	<b>Grade 4</b>	1.0%	0.5%	0.5%	99.0%
	<b>Grade 5</b>	1.4%	0.6%	0.7%	98.6%
	<b>Grade 6</b>	1.9%	1.2%	0.8%	98.1%

**Table T-2: Average number of times selected tobacco products were used by those who reported use of ..**

		<b>School Year</b>	<b>Lifetime</b>
	<b>All</b>	3.1	3.0
	<b>Grade 4</b>	2.8	2.8
	<b>Grade 5</b>	2.5	2.6
	<b>Grade 6</b>	3.5	3.2

**State : Grades 4-6  
Spring 2008**

**Table T-3: Average age of first use of tobacco:**

	Grade 4	Grade 5	Grade 6
<b>Cigarettes</b>			
	8.4	9.2	9.9
<b>Smokeless Tobacco</b>			
	8.5	9.1	10.2
<b>Any Tobacco</b>			
	8.4	9.1	9.9

**Table T-4: Age of first use of tobacco by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	96.3%	0.8%	0.5%	0.5%	0.7%	0.7%	0.5%
	<b>Grade 4</b>	97.8%	0.8%	0.6%	0.5%	0.3%	0.0%	0.0%
	<b>Grade 5</b>	96.9%	0.6%	0.4%	0.5%	0.8%	0.5%	0.2%
	<b>Grade 6</b>	94.1%	1.0%	0.5%	0.5%	1.0%	1.5%	1.4%
<b>Other Family Situation</b>								
	<b>All</b>	90.1%	2.2%	1.1%	1.6%	2.0%	1.8%	1.2%
	<b>Grade 4</b>	94.7%	1.9%	0.6%	1.5%	0.9%	0.4%	0.0%
	<b>Grade 5</b>	91.0%	2.5%	0.9%	1.4%	2.6%	1.3%	0.3%
	<b>Grade 6</b>	84.9%	2.2%	1.7%	2.1%	2.3%	3.6%	3.2%

**Table T-5: About how many of your close friends use ...**

		Never Heard Of	None	Some	Most
<b>Any tobacco product?</b>					
	<b>All</b>	2.2%	83.9%	12.8%	1.1%
	<b>Grade 4</b>	3.3%	88.4%	7.6%	0.7%
	<b>Grade 5</b>	1.8%	86.0%	11.3%	0.8%
	<b>Grade 6</b>	1.6%	77.0%	19.5%	1.9%
<b>Cigarettes?</b>					
	<b>All</b>	3.7%	83.9%	11.5%	0.9%
	<b>Grade 4</b>	5.3%	87.5%	6.6%	0.5%
	<b>Grade 5</b>	3.3%	86.1%	9.9%	0.7%
	<b>Grade 6</b>	2.4%	78.0%	18.0%	1.6%
<b>Smokeless tobacco?</b>					
	<b>All</b>	6.3%	89.0%	4.3%	0.4%
	<b>Grade 4</b>	10.1%	87.2%	2.5%	0.3%
	<b>Grade 5</b>	5.3%	90.4%	4.0%	0.3%
	<b>Grade 6</b>	3.5%	89.4%	6.4%	0.7%

**State : Grades 4-6  
Spring 2008**

**Table T-6: Have you ever been offered ...**

		Never Heard Of	Yes	No
<b>Any tobacco product?</b>				
	All	2.7%	13.2%	84.1%
	Grade 4	3.8%	9.1%	87.1%
	Grade 5	2.4%	12.1%	85.5%
	Grade 6	1.8%	18.5%	79.7%
<b>Cigarettes?</b>				
	All	4.0%	11.6%	84.5%
	Grade 4	5.8%	7.7%	86.5%
	Grade 5	3.5%	10.4%	86.1%
	Grade 6	2.6%	16.7%	80.7%
<b>Smokeless tobacco?</b>				
	All	6.7%	4.6%	88.7%
	Grade 4	10.7%	3.2%	86.1%
	Grade 5	5.6%	4.2%	90.2%
	Grade 6	3.8%	6.4%	89.8%

**Table T-7: How dangerous do you think it is for kids your age to use ...**

		Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>Any tobacco product?</b>						
	All	1.5%	78.0%	15.6%	0.8%	4.2%
	Grade 4	2.4%	81.8%	11.5%	0.4%	3.9%
	Grade 5	1.1%	80.3%	14.2%	0.7%	3.7%
	Grade 6	0.8%	71.7%	21.2%	1.2%	5.0%
<b>Cigarettes?</b>						
	All	2.7%	67.8%	23.2%	0.9%	5.3%
	Grade 4	4.4%	73.0%	17.3%	0.5%	4.8%
	Grade 5	2.3%	70.1%	22.3%	0.7%	4.7%
	Grade 6	1.6%	60.3%	30.3%	1.5%	6.4%
<b>Smokeless tobacco?</b>						
	All	4.7%	69.3%	18.5%	1.2%	6.3%
	Grade 4	8.0%	71.5%	13.8%	0.7%	6.0%
	Grade 5	3.9%	72.1%	17.8%	0.9%	5.3%
	Grade 6	2.3%	64.3%	23.9%	2.0%	7.5%

**State : Grades 4-6  
Spring 2008**

**Table T-8: How do your parents feel about kids your age smoking cigarettes?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	87.6%	1.4%	0.3%	10.7%
<b>Grade 4</b>	88.2%	1.1%	0.3%	10.4%
<b>Grade 5</b>	87.9%	1.3%	0.3%	10.5%
<b>Grade 6</b>	86.5%	1.9%	0.4%	11.2%

**State : Grades 4-6  
Spring 2008**

**Table A-1: How recently, if ever, have you used..**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any alcohol product</b>					
	<b>All</b>	23.1%	15.3%	7.8%	76.9%
	<b>Grade 4</b>	16.8%	11.0%	5.8%	83.2%
	<b>Grade 5</b>	21.6%	13.7%	8.0%	78.4%
	<b>Grade 6</b>	31.1%	21.4%	9.7%	68.9%
<b>Beer</b>					
	<b>All</b>	14.7%	8.1%	6.5%	85.3%
	<b>Grade 4</b>	9.9%	5.8%	4.0%	90.1%
	<b>Grade 5</b>	14.2%	7.2%	6.9%	85.8%
	<b>Grade 6</b>	20.1%	11.4%	8.7%	79.9%
<b>Wine coolers</b>					
	<b>All</b>	10.8%	7.1%	3.7%	89.2%
	<b>Grade 4</b>	6.1%	3.7%	2.4%	93.9%
	<b>Grade 5</b>	9.6%	6.2%	3.4%	90.4%
	<b>Grade 6</b>	17.0%	11.5%	5.4%	83.0%
<b>Wine</b>					
	<b>All</b>	11.8%	7.1%	4.7%	88.2%
	<b>Grade 4</b>	7.4%	4.5%	2.9%	92.6%
	<b>Grade 5</b>	10.7%	6.5%	4.2%	89.3%
	<b>Grade 6</b>	17.4%	10.4%	6.9%	82.6%
<b>Liquor</b>					
	<b>All</b>	6.0%	3.9%	2.1%	94.0%
	<b>Grade 4</b>	2.6%	1.5%	1.1%	97.4%
	<b>Grade 5</b>	5.2%	3.5%	1.7%	94.8%
	<b>Grade 6</b>	10.3%	6.7%	3.6%	89.7%

**State : Grades 4-6  
Spring 2008**

**Table A-2: Average number of times selected alcohol products were used by those who reported use of ..**

		<b>School Year</b>	<b>Lifetime</b>
<b>Beer</b>	All	2.7	2.7
	Grade 4	2.2	2.4
	Grade 5	2.7	2.6
	Grade 6	3.0	3.0
<b>Liquor</b>	All	2.7	2.8
	Grade 4	2.5	2.3
	Grade 5	2.4	2.5
	Grade 6	2.9	3.0
<b>Wine</b>	All	2.7	2.7
	Grade 4	2.7	2.6
	Grade 5	2.5	2.6
	Grade 6	2.9	2.8

**State : Grades 4-6  
Spring 2008**

**Table A-3: In the past year, how many times have you had two or more drinks at one time of ..**

		Never	1 Time	2 Times	3+ Times	Ever
<b>Beer?</b>						
	<b>All</b>	88.5%	6.5%	2.6%	2.3%	11.5%
	<b>Grade 4</b>	91.1%	5.7%	1.7%	1.5%	8.9%
	<b>Grade 5</b>	89.6%	5.8%	2.8%	1.8%	10.4%
	<b>Grade 6</b>	84.7%	8.2%	3.4%	3.7%	15.3%
<b>Wine Coolers?</b>						
	<b>All</b>	92.2%	4.3%	1.8%	1.7%	7.8%
	<b>Grade 4</b>	96.0%	2.5%	0.9%	0.6%	4.0%
	<b>Grade 5</b>	93.3%	3.8%	1.4%	1.5%	6.7%
	<b>Grade 6</b>	87.2%	6.6%	3.3%	2.8%	12.8%
<b>Wine?</b>						
	<b>All</b>	90.5%	5.9%	2.0%	1.6%	9.5%
	<b>Grade 4</b>	93.5%	4.5%	1.0%	1.0%	6.5%
	<b>Grade 5</b>	91.4%	5.2%	2.2%	1.2%	8.6%
	<b>Grade 6</b>	86.8%	7.9%	2.7%	2.6%	13.2%
<b>Liquor?</b>						
	<b>All</b>	94.9%	2.8%	1.2%	1.1%	5.1%
	<b>Grade 4</b>	97.3%	1.7%	0.6%	0.4%	2.7%
	<b>Grade 5</b>	96.0%	2.3%	1.0%	0.7%	4.0%
	<b>Grade 6</b>	91.4%	4.3%	2.0%	2.3%	8.6%

**State : Grades 4-6  
Spring 2008**

**Table A-4: Average age of first use of alcohol:**

	<b>Grade 4</b>	<b>Grade 5</b>	<b>Grade 6</b>
<b>Beer</b>	8.1	8.8	9.6
<b>Wine Coolers</b>	8.6	9.3	10.1
<b>Wine</b>	8.6	9.4	10.2
<b>Liquor</b>	9.0	9.7	10.6
<b>Any Alcohol</b>	8.3	8.9	9.7

**Table A-5: Age of first use of alcohol by family situation:**

		<b>Never</b>	<b>Under 8</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>Over 11</b>
<b>Two Parent Family</b>								
	<b>All</b>	80.8%	5.3%	2.3%	3.2%	4.0%	2.8%	1.7%
	<b>Grade 4</b>	85.9%	5.2%	2.6%	3.9%	2.0%	0.3%	0.1%
	<b>Grade 5</b>	82.2%	5.5%	2.1%	2.6%	4.8%	2.3%	0.4%
	<b>Grade 6</b>	73.7%	5.2%	2.3%	3.1%	5.2%	5.8%	4.7%
<b>Other Family Situation</b>								
	<b>All</b>	71.6%	7.8%	3.9%	4.0%	5.4%	4.5%	2.8%
	<b>Grade 4</b>	80.5%	7.5%	4.4%	4.4%	2.5%	0.6%	0.1%
	<b>Grade 5</b>	73.7%	7.6%	3.5%	3.9%	7.0%	3.7%	0.6%
	<b>Grade 6</b>	61.2%	8.3%	3.7%	3.9%	6.6%	8.9%	7.4%

**Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:**

<b>No Absences or Conduct Problems</b>	<b>Cut School</b>	<b>Sent to Principal</b>	<b>Both</b>
16.6%	60.0%	38.2%	65.3%



**State : Grades 4-6  
Spring 2008**

**Table A-7: When you drink alcohol, do you get it from ..**

		<b>Don't Drink</b>	<b>Yes</b>	<b>No</b>
<b>Home?</b>				
	<b>All</b>	79.3%	9.5%	11.2%
	<b>Grade 4</b>	82.8%	6.7%	10.5%
	<b>Grade 5</b>	80.5%	8.8%	10.7%
	<b>Grade 6</b>	74.5%	13.0%	12.6%
<b>Friends?</b>				
	<b>All</b>	80.0%	3.2%	16.7%
	<b>Grade 4</b>	83.1%	1.3%	15.6%
	<b>Grade 5</b>	81.7%	2.3%	16.1%
	<b>Grade 6</b>	75.2%	6.2%	18.6%
<b>Somewhere else?</b>				
	<b>All</b>	78.5%	7.6%	13.9%
	<b>Grade 4</b>	81.7%	5.0%	13.3%
	<b>Grade 5</b>	79.9%	6.9%	13.2%
	<b>Grade 6</b>	73.8%	10.9%	15.3%

**State : Grades 4-6  
Spring 2008**

**Table A-8: About how many of your close friends use ..**

		Never Heard Of	None	Some	Most
<b>Any alcohol product?</b>					
	<b>All</b>	1.7%	74.4%	19.3%	4.6%
	<b>Grade 4</b>	2.2%	80.4%	14.6%	2.8%
	<b>Grade 5</b>	1.6%	77.4%	17.4%	3.5%
	<b>Grade 6</b>	1.2%	65.3%	25.9%	7.6%
<b>Beer?</b>					
	<b>All</b>	1.9%	79.8%	15.6%	2.7%
	<b>Grade 4</b>	2.5%	84.3%	11.5%	1.6%
	<b>Grade 5</b>	1.7%	82.3%	13.9%	2.1%
	<b>Grade 6</b>	1.4%	72.7%	21.4%	4.5%
<b>Wine coolers?</b>					
	<b>All</b>	13.0%	75.9%	8.9%	2.2%
	<b>Grade 4</b>	16.2%	77.7%	4.9%	1.1%
	<b>Grade 5</b>	13.5%	77.7%	7.4%	1.5%
	<b>Grade 6</b>	9.4%	72.1%	14.4%	4.1%
<b>Wine?</b>					
	<b>All</b>	3.2%	84.9%	10.2%	1.6%
	<b>Grade 4</b>	4.7%	87.7%	6.7%	1.0%
	<b>Grade 5</b>	3.1%	87.0%	8.8%	1.2%
	<b>Grade 6</b>	2.0%	80.1%	15.3%	2.7%
<b>Liquor?</b>					
	<b>All</b>	7.8%	83.7%	7.1%	1.4%
	<b>Grade 4</b>	12.8%	83.7%	3.1%	0.4%
	<b>Grade 5</b>	6.9%	86.5%	5.7%	0.9%
	<b>Grade 6</b>	3.8%	80.8%	12.6%	2.8%

**State : Grades 4-6  
Spring 2008**

**Table A-9: Have you ever been offered ..**

		Never Heard Of	Yes	No
<b>Any alcohol product?</b>				
	All	1.9%	23.9%	74.3%
	Grade 4	2.3%	20.1%	77.6%
	Grade 5	1.8%	21.4%	76.8%
	Grade 6	1.4%	30.2%	68.3%
<b>Beer?</b>				
	All	2.0%	18.6%	79.4%
	Grade 4	2.6%	15.4%	82.0%
	Grade 5	1.9%	17.0%	81.2%
	Grade 6	1.6%	23.5%	74.9%
<b>Wine coolers?</b>				
	All	12.9%	9.2%	78.0%
	Grade 4	16.3%	5.3%	78.4%
	Grade 5	13.2%	7.7%	79.1%
	Grade 6	9.2%	14.5%	76.3%
<b>Wine?</b>				
	All	3.3%	11.1%	85.5%
	Grade 4	4.7%	8.0%	87.3%
	Grade 5	3.0%	9.8%	87.2%
	Grade 6	2.2%	15.8%	82.0%
<b>Liquor?</b>				
	All	7.7%	7.2%	85.1%
	Grade 4	12.7%	3.8%	83.5%
	Grade 5	6.7%	6.0%	87.3%
	Grade 6	3.7%	12.0%	84.3%

**State : Grades 4-6  
Spring 2008**

**Table A-10: How do your parents feel about kids your age drinking beer?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	82.4%	3.1%	1.1%	13.5%
<b>Grade 4</b>	84.1%	2.1%	1.0%	12.8%
<b>Grade 5</b>	82.9%	3.0%	1.0%	13.2%
<b>Grade 6</b>	80.2%	4.2%	1.3%	14.4%

**Table A-11: How dangerous do you think it is for kids your age to use ..**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Any alcohol product?</b>					
<b>All</b>	1.1%	72.1%	19.8%	2.3%	4.8%
<b>Grade 4</b>	1.5%	78.5%	14.4%	1.3%	4.2%
<b>Grade 5</b>	0.9%	73.6%	19.2%	1.8%	4.5%
<b>Grade 6</b>	0.7%	63.9%	25.9%	3.8%	5.7%
<b>Beer?</b>					
<b>All</b>	1.1%	53.4%	32.0%	5.4%	8.1%
<b>Grade 4</b>	1.7%	59.6%	27.3%	3.5%	7.9%
<b>Grade 5</b>	1.0%	54.7%	31.9%	4.7%	7.6%
<b>Grade 6</b>	0.7%	45.6%	36.7%	8.1%	8.8%
<b>Wine coolers?</b>					
<b>All</b>	11.1%	50.6%	22.6%	5.3%	10.4%
<b>Grade 4</b>	14.1%	57.7%	16.4%	2.4%	9.5%
<b>Grade 5</b>	11.2%	52.0%	22.4%	4.8%	9.6%
<b>Grade 6</b>	8.1%	41.9%	29.0%	8.8%	12.2%
<b>Wine?</b>					
<b>All</b>	2.1%	51.9%	29.5%	7.0%	9.6%
<b>Grade 4</b>	3.2%	59.1%	25.1%	4.0%	8.6%
<b>Grade 5</b>	1.9%	53.8%	29.1%	6.3%	8.9%
<b>Grade 6</b>	1.1%	42.5%	34.4%	10.7%	11.3%
<b>Liquor?</b>					
<b>All</b>	6.0%	64.9%	19.6%	2.1%	7.5%
<b>Grade 4</b>	10.4%	68.2%	13.9%	0.9%	6.6%
<b>Grade 5</b>	5.2%	66.9%	18.9%	1.7%	7.3%
<b>Grade 6</b>	2.3%	59.5%	25.9%	3.8%	8.4%

**State : Grades 4-6  
Spring 2008**

**Table D-1: How recently, if ever, have you used Marijuana..**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	1.7%	1.2%	0.5%	98.3%
<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
<b>Grade 5</b>	1.1%	0.7%	0.4%	98.9%
<b>Grade 6</b>	3.4%	2.4%	0.9%	96.6%

**Table D-2: Average number of times marijuana was used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	4.2	4.3
<b>Grade 4</b>	3.8	3.9
<b>Grade 5</b>	3.7	3.5
<b>Grade 6</b>	4.4	4.6

**State : Grades 4-6  
Spring 2008**

**Table D-3: Average age of first use of marijuana:**

Grade 4	Grade 5	Grade 6
8.2	9.5	10.7

**Table D-4: Age of first use of marijuana by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	98.9%	0.2%	0.1%	0.1%	0.2%	0.2%	0.4%
	<b>Grade 4</b>	99.5%	0.2%	0.2%	0.1%	0.0%	0.0%	0.0%
	<b>Grade 5</b>	99.2%	0.2%	0.0%	0.1%	0.2%	0.1%	0.1%
	<b>Grade 6</b>	97.9%	0.1%	0.1%	0.1%	0.3%	0.6%	1.0%
<b>Other Family Situation</b>								
	<b>All</b>	97.1%	0.4%	0.2%	0.3%	0.5%	0.6%	0.8%
	<b>Grade 4</b>	98.9%	0.5%	0.1%	0.1%	0.4%	0.1%	0.0%
	<b>Grade 5</b>	98.4%	0.3%	0.1%	0.3%	0.3%	0.4%	0.2%
	<b>Grade 6</b>	94.2%	0.5%	0.4%	0.6%	0.8%	1.2%	2.3%

**State : Grades 4-6  
Spring 2008**

**Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
0.5%	16.2%	4.7%	20.8%

**Table D-6: About how many of your close friends use marijuana?**

	Never Heard Of	None	Some	Most
All	12.6%	80.4%	5.5%	1.5%
Grade 4	20.6%	76.4%	2.5%	0.6%
Grade 5	11.7%	83.1%	4.3%	0.9%
Grade 6	5.7%	81.9%	9.6%	2.9%

**Table D-7: Have you ever been offered marijuana?**

	Never Heard Of	Yes	No
All	12.4%	5.5%	82.1%
Grade 4	20.5%	3.2%	76.3%
Grade 5	11.2%	4.2%	84.6%
Grade 6	5.3%	9.1%	85.5%

**Table D-8: How do your parents feel about kids your age smoking marijuana?**

	Don't Like	Don't Care	Think It's OK	Don't know
All	85.8%	1.0%	0.3%	12.9%
Grade 4	83.4%	0.7%	0.3%	15.5%
Grade 5	86.4%	1.1%	0.3%	12.2%
Grade 6	87.5%	1.3%	0.3%	10.9%

**Table D-9: How dangerous do you think it is for kids your age to use marijuana?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	10.4%	75.3%	7.7%	1.2%	5.4%
Grade 4	17.3%	69.7%	6.7%	0.6%	5.7%
Grade 5	9.8%	77.9%	6.6%	0.9%	4.7%
Grade 6	4.0%	78.4%	9.8%	2.0%	5.8%

**State : Grades 4-6  
Spring 2008**

**Table I-1: How recently, if ever, have you used Inhalants..**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	8.9%	6.5%	2.4%	91.1%
<b>Grade 4</b>	8.3%	5.9%	2.4%	91.7%
<b>Grade 5</b>	7.7%	5.6%	2.1%	92.3%
<b>Grade 6</b>	10.7%	7.9%	2.8%	89.3%

**Table I-2: Have you ever sniffed any of the following inhalants to get high?**

	<b>Not Used</b>	<b>Used</b>
<b>Correction Fluid/Whiteout</b>		
<b>All</b>	97.6%	2.4%
<b>Grade 4</b>	98.2%	1.8%
<b>Grade 5</b>	98.2%	1.8%
<b>Grade 6</b>	96.4%	3.6%
<b>Gasoline</b>		
<b>All</b>	97.2%	2.8%
<b>Grade 4</b>	96.8%	3.2%
<b>Grade 5</b>	97.7%	2.3%
<b>Grade 6</b>	97.0%	3.0%
<b>Glue</b>		
<b>All</b>	97.1%	2.9%
<b>Grade 4</b>	96.5%	3.5%
<b>Grade 5</b>	97.4%	2.6%
<b>Grade 6</b>	97.5%	2.5%
<b>Paint Thinner</b>		
<b>All</b>	98.0%	2.0%
<b>Grade 4</b>	97.9%	2.1%
<b>Grade 5</b>	98.4%	1.6%
<b>Grade 6</b>	97.8%	2.2%
<b>Spray Paint</b>		
<b>All</b>	97.2%	2.8%
<b>Grade 4</b>	97.2%	2.8%
<b>Grade 5</b>	97.6%	2.4%
<b>Grade 6</b>	96.7%	3.3%
<b>Other Inhalants</b>		
<b>All</b>	95.6%	4.4%
<b>Grade 4</b>	96.8%	3.2%
<b>Grade 5</b>	96.2%	3.8%
<b>Grade 6</b>	93.9%	6.1%



**State : Grades 4-6  
Spring 2008**

**Table I-3: Average number of times inhalants were used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.5	3.5
<b>Grade 4</b>	3.4	3.2
<b>Grade 5</b>	3.5	3.4
<b>Grade 6</b>	3.5	3.6

**Table I-4: Number of different kinds of inhalants used:**

	<b>None</b>	<b>One</b>	<b>Two to Three</b>	<b>Four Plus</b>
<b>All</b>	91.8%	4.1%	3.2%	1.0%
<b>Grade 4</b>	92.4%	3.6%	3.0%	1.0%
<b>Grade 5</b>	92.8%	3.9%	2.5%	0.8%
<b>Grade 6</b>	90.0%	4.9%	4.1%	1.0%

**State : Grades 4-6  
Spring 2008**

**Table I-5: Average age of first use of inhalants:**

Grade 4	Grade 5	Grade 6
8.2	9.3	10.3

**Table I-6: Age of first use of inhalants by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	95.6%	0.9%	0.5%	0.6%	0.8%	1.0%	0.6%
	<b>Grade 4</b>	97.1%	1.4%	0.5%	0.6%	0.4%	0.0%	0.0%
	<b>Grade 5</b>	96.1%	0.7%	0.5%	0.7%	0.8%	1.0%	0.1%
	<b>Grade 6</b>	93.5%	0.7%	0.6%	0.6%	1.1%	1.8%	1.7%
<b>Other Family Situation</b>								
	<b>All</b>	93.6%	1.1%	0.7%	0.8%	1.4%	1.4%	0.9%
	<b>Grade 4</b>	95.9%	1.4%	0.8%	0.9%	0.9%	0.1%	0.0%
	<b>Grade 5</b>	94.7%	0.9%	0.9%	0.5%	1.5%	1.2%	0.2%
	<b>Grade 6</b>	90.4%	0.9%	0.5%	1.1%	1.7%	2.9%	2.5%

**State : Grades 4-6  
Spring 2008**

**Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
3.1%	28.2%	10.6%	34.4%

**Table I-8: About how many of your close friends use inhalants?**

	Never Heard Of	None	Some	Most
<b>All</b>	7.2%	82.7%	8.0%	2.1%
<b>Grade 4</b>	11.2%	83.3%	4.5%	1.0%
<b>Grade 5</b>	6.8%	85.1%	6.7%	1.4%
<b>Grade 6</b>	3.8%	79.6%	12.7%	3.9%

**State : Grades 4-6  
Spring 2008**

**Table I-9: Have you ever been offered inhalants?**

	Never Heard Of	Yes	No
<b>All</b>	7.2%	6.9%	85.9%
<b>Grade 4</b>	11.1%	4.1%	84.8%
<b>Grade 5</b>	6.5%	5.7%	87.8%
<b>Grade 6</b>	4.0%	11.1%	84.9%

**Table I-10: How dangerous do you think it is for kids your age to use inhalants?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>All</b>	5.5%	66.3%	17.5%	2.8%	7.9%
<b>Grade 4</b>	8.9%	66.9%	14.1%	1.7%	8.3%
<b>Grade 5</b>	5.3%	68.3%	17.2%	2.3%	7.0%
<b>Grade 6</b>	2.4%	63.6%	21.3%	4.3%	8.4%

**State : Grades 4-6  
Spring 2008**

**Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..**

CATEGORY	Yes
<b>An Assembly Program?</b>	All 57.9%
	Grade 4 56.4%
	Grade 5 60.7%
	Grade 6 56.6%
<b>Guidance Counselor?</b>	All 52.1%
	Grade 4 56.2%
	Grade 5 54.4%
	Grade 6 45.6%
<b>Visitor to Class?</b>	All 46.0%
	Grade 4 40.9%
	Grade 5 48.6%
	Grade 6 48.4%
<b>Someone Else at School?</b>	All 38.8%
	Grade 4 35.2%
	Grade 5 38.4%
	Grade 6 42.7%
<b>Your Teacher?</b>	All 58.3%
	Grade 4 53.4%
	Grade 5 56.7%
	Grade 6 64.7%
<b>Any School Source?</b>	All 85.6%
	Grade 4 83.1%
	Grade 5 86.1%
	Grade 6 87.6%

**State : Grades 4-6  
Spring 2008**

**Table B1: Prevalence and recency of use of selected substances by grade  
All Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.4%	3.0%	2.4%	94.6%
	<b>Grade 4</b>	3.0%	1.6%	1.4%	97.0%
	<b>Grade 5</b>	4.8%	2.7%	2.1%	95.2%
	<b>Grade 6</b>	8.7%	4.9%	3.8%	91.3%
<b>Alcohol</b>					
	<b>All</b>	23.1%	15.3%	7.8%	76.9%
	<b>Grade 4</b>	16.8%	11.0%	5.8%	83.2%
	<b>Grade 5</b>	21.6%	13.7%	8.0%	78.4%
	<b>Grade 6</b>	31.1%	21.4%	9.7%	68.9%
<b>Inhalants</b>					
	<b>All</b>	8.9%	6.5%	2.4%	91.1%
	<b>Grade 4</b>	8.3%	5.9%	2.4%	91.7%
	<b>Grade 5</b>	7.7%	5.6%	2.1%	92.3%
	<b>Grade 6</b>	10.7%	7.9%	2.8%	89.3%
<b>Marijuana</b>					
	<b>All</b>	1.7%	1.2%	0.5%	98.3%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	1.1%	0.7%	0.4%	98.9%
	<b>Grade 6</b>	3.4%	2.4%	0.9%	96.6%

**State : Grades 4-6  
Spring 2008**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.6%	3.6%	3.0%	93.4%
	<b>Grade 4</b>	4.0%	2.1%	1.9%	96.0%
	<b>Grade 5</b>	5.7%	3.0%	2.8%	94.3%
	<b>Grade 6</b>	10.3%	5.9%	4.3%	89.7%
<b>Alcohol</b>					
	<b>All</b>	26.1%	16.6%	9.6%	73.9%
	<b>Grade 4</b>	20.4%	12.8%	7.5%	79.6%
	<b>Grade 5</b>	24.9%	15.1%	9.9%	75.1%
	<b>Grade 6</b>	33.3%	21.9%	11.4%	66.7%
<b>Inhalants</b>					
	<b>All</b>	9.8%	6.9%	2.9%	90.2%
	<b>Grade 4</b>	9.6%	6.8%	2.8%	90.4%
	<b>Grade 5</b>	8.5%	6.0%	2.5%	91.5%
	<b>Grade 6</b>	11.2%	8.0%	3.2%	88.8%
<b>Marijuana</b>					
	<b>All</b>	2.2%	1.5%	0.7%	97.8%
	<b>Grade 4</b>	0.8%	0.5%	0.2%	99.2%
	<b>Grade 5</b>	1.6%	0.9%	0.7%	98.4%
	<b>Grade 6</b>	4.3%	3.1%	1.2%	95.7%

**State : Grades 4-6  
Spring 2008**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.3%	2.4%	1.9%	95.7%
	<b>Grade 4</b>	2.0%	1.1%	0.9%	98.0%
	<b>Grade 5</b>	3.8%	2.3%	1.5%	96.2%
	<b>Grade 6</b>	7.2%	3.8%	3.3%	92.8%
<b>Alcohol</b>					
	<b>All</b>	20.2%	14.1%	6.1%	79.8%
	<b>Grade 4</b>	13.4%	9.3%	4.1%	86.6%
	<b>Grade 5</b>	18.3%	12.2%	6.1%	81.7%
	<b>Grade 6</b>	29.2%	21.1%	8.1%	70.8%
<b>Inhalants</b>					
	<b>All</b>	8.0%	6.0%	2.0%	92.0%
	<b>Grade 4</b>	7.0%	5.0%	1.9%	93.0%
	<b>Grade 5</b>	6.8%	5.0%	1.8%	93.2%
	<b>Grade 6</b>	10.3%	7.9%	2.3%	89.7%
<b>Marijuana</b>					
	<b>All</b>	1.3%	0.9%	0.4%	98.7%
	<b>Grade 4</b>	0.7%	0.3%	0.3%	99.3%
	<b>Grade 5</b>	0.7%	0.5%	0.2%	99.3%
	<b>Grade 6</b>	2.5%	1.9%	0.7%	97.5%



**State : Grades 4-6  
Spring 2008**

**Table B4: Prevalence and recency of use of selected substances by grade  
White Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.3%	2.2%	2.1%	95.7%
	<b>Grade 4</b>	2.3%	1.3%	1.0%	97.7%
	<b>Grade 5</b>	3.9%	2.0%	1.9%	96.1%
	<b>Grade 6</b>	6.6%	3.3%	3.3%	93.4%
<b>Alcohol</b>					
	<b>All</b>	18.9%	11.9%	7.0%	81.1%
	<b>Grade 4</b>	14.0%	9.3%	4.8%	86.0%
	<b>Grade 5</b>	18.2%	10.4%	7.8%	81.8%
	<b>Grade 6</b>	24.4%	16.1%	8.4%	75.6%
<b>Inhalants</b>					
	<b>All</b>	6.9%	5.3%	1.7%	93.1%
	<b>Grade 4</b>	7.4%	5.5%	1.9%	92.6%
	<b>Grade 5</b>	6.3%	4.7%	1.6%	93.7%
	<b>Grade 6</b>	7.2%	5.6%	1.6%	92.8%
<b>Marijuana</b>					
	<b>All</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 4</b>	0.3%	0.2%	0.1%	99.7%
	<b>Grade 5</b>	0.6%	0.4%	0.3%	99.4%
	<b>Grade 6</b>	1.1%	0.7%	0.4%	98.9%

**State : Grades 4-6  
Spring 2008**

**Table B5: Prevalence and recency of use of selected substances by grade  
African/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.6%	3.1%	2.6%	94.4%
	<b>Grade 4</b>	4.1%	1.9%	2.2%	95.9%
	<b>Grade 5</b>	4.7%	2.8%	1.9%	95.3%
	<b>Grade 6</b>	8.1%	4.5%	3.6%	91.9%
<b>Alcohol</b>					
	<b>All</b>	28.2%	18.7%	9.5%	71.8%
	<b>Grade 4</b>	25.0%	15.7%	9.3%	75.0%
	<b>Grade 5</b>	27.6%	18.3%	9.2%	72.4%
	<b>Grade 6</b>	32.0%	22.1%	9.9%	68.0%
<b>Inhalants</b>					
	<b>All</b>	7.8%	5.5%	2.2%	92.2%
	<b>Grade 4</b>	6.2%	3.8%	2.4%	93.8%
	<b>Grade 5</b>	8.9%	6.3%	2.5%	91.1%
	<b>Grade 6</b>	8.2%	6.4%	1.8%	91.8%
<b>Marijuana</b>					
	<b>All</b>	1.3%	0.9%	0.4%	98.7%
	<b>Grade 4</b>	0.6%	0.3%	0.3%	99.4%
	<b>Grade 5</b>	0.9%	0.6%	0.4%	99.1%
	<b>Grade 6</b>	2.3%	1.8%	0.5%	97.7%

**State : Grades 4-6  
Spring 2008**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.2%	3.6%	2.6%	93.8%
	<b>Grade 4</b>	3.0%	1.6%	1.4%	97.0%
	<b>Grade 5</b>	5.4%	3.1%	2.3%	94.6%
	<b>Grade 6</b>	10.3%	6.2%	4.2%	89.7%
<b>Alcohol</b>					
	<b>All</b>	25.1%	17.1%	8.0%	74.9%
	<b>Grade 4</b>	16.9%	11.3%	5.5%	83.1%
	<b>Grade 5</b>	22.7%	14.8%	7.9%	77.3%
	<b>Grade 6</b>	36.2%	25.5%	10.7%	63.8%
<b>Inhalants</b>					
	<b>All</b>	10.5%	7.6%	3.0%	89.5%
	<b>Grade 4</b>	9.1%	6.6%	2.6%	90.9%
	<b>Grade 5</b>	8.3%	5.9%	2.4%	91.7%
	<b>Grade 6</b>	14.3%	10.4%	4.0%	85.7%
<b>Marijuana</b>					
	<b>All</b>	2.7%	1.8%	0.8%	97.3%
	<b>Grade 4</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 5</b>	1.6%	1.0%	0.5%	98.4%
	<b>Grade 6</b>	5.5%	4.0%	1.5%	94.5%

**State : Grades 4-6  
Spring 2008**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	2.4%	1.2%	1.3%	97.6%
	<b>Grade 4</b>	1.4%	0.6%	0.8%	98.6%
	<b>Grade 5</b>	2.5%	1.0%	1.4%	97.5%
	<b>Grade 6</b>	3.5%	1.9%	1.6%	96.5%
<b>Alcohol</b>					
	<b>All</b>	17.7%	11.2%	6.4%	82.3%
	<b>Grade 4</b>	13.2%	8.5%	4.8%	86.8%
	<b>Grade 5</b>	17.2%	10.1%	7.2%	82.8%
	<b>Grade 6</b>	23.0%	15.6%	7.5%	77.0%
<b>Inhalants</b>					
	<b>All</b>	5.6%	4.0%	1.6%	94.4%
	<b>Grade 4</b>	6.1%	4.4%	1.7%	93.9%
	<b>Grade 5</b>	5.1%	3.6%	1.5%	94.9%
	<b>Grade 6</b>	5.8%	4.1%	1.7%	94.2%
<b>Marijuana</b>					
	<b>All</b>	0.6%	0.4%	0.3%	99.4%
	<b>Grade 4</b>	0.3%	0.1%	0.1%	99.7%
	<b>Grade 5</b>	0.5%	0.3%	0.2%	99.5%
	<b>Grade 6</b>	1.1%	0.7%	0.4%	98.9%

**State : Grades 4-6  
Spring 2008**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students Reporting grades lower than A**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.3%	4.1%	3.1%	92.7%
	<b>Grade 4</b>	4.0%	2.2%	1.8%	96.0%
	<b>Grade 5</b>	6.2%	3.6%	2.6%	93.8%
	<b>Grade 6</b>	11.5%	6.5%	5.0%	88.5%
<b>Alcohol</b>					
	<b>All</b>	26.6%	17.9%	8.7%	73.4%
	<b>Grade 4</b>	19.1%	12.6%	6.5%	80.9%
	<b>Grade 5</b>	24.6%	16.0%	8.6%	75.4%
	<b>Grade 6</b>	35.8%	24.8%	10.9%	64.2%
<b>Inhalants</b>					
	<b>All</b>	10.8%	7.9%	2.9%	89.2%
	<b>Grade 4</b>	9.7%	6.9%	2.8%	90.3%
	<b>Grade 5</b>	9.2%	6.8%	2.4%	90.8%
	<b>Grade 6</b>	13.4%	10.0%	3.4%	86.6%
<b>Marijuana</b>					
	<b>All</b>	2.4%	1.7%	0.7%	97.6%
	<b>Grade 4</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 5</b>	1.5%	1.0%	0.5%	98.5%
	<b>Grade 6</b>	4.6%	3.4%	1.2%	95.4%

**State : Grades 4-6  
Spring 2008**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	3.6%	1.9%	1.7%	96.4%
	<b>Grade 4</b>	2.0%	1.1%	1.0%	98.0%
	<b>Grade 5</b>	3.0%	1.6%	1.4%	97.0%
	<b>Grade 6</b>	5.8%	3.1%	2.7%	94.2%
<b>Alcohol</b>					
	<b>All</b>	20.3%	13.3%	7.1%	79.7%
	<b>Grade 4</b>	15.2%	10.2%	5.0%	84.8%
	<b>Grade 5</b>	18.9%	11.6%	7.3%	81.1%
	<b>Grade 6</b>	27.2%	18.2%	8.9%	72.8%
<b>Inhalants</b>					
	<b>All</b>	8.2%	5.9%	2.3%	91.8%
	<b>Grade 4</b>	7.8%	5.6%	2.1%	92.2%
	<b>Grade 5</b>	7.2%	5.1%	2.1%	92.8%
	<b>Grade 6</b>	9.7%	7.0%	2.7%	90.3%
<b>Marijuana</b>					
	<b>All</b>	1.2%	0.8%	0.4%	98.8%
	<b>Grade 4</b>	0.6%	0.3%	0.2%	99.4%
	<b>Grade 5</b>	0.9%	0.4%	0.4%	99.1%
	<b>Grade 6</b>	2.3%	1.7%	0.6%	97.7%

**State : Grades 4-6  
Spring 2008**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	9.5%	5.4%	4.1%	90.5%
	<b>Grade 4</b>	4.9%	2.7%	2.2%	95.1%
	<b>Grade 5</b>	8.6%	4.8%	3.8%	91.4%
	<b>Grade 6</b>	14.7%	8.5%	6.2%	85.3%
<b>Alcohol</b>					
	<b>All</b>	29.6%	20.0%	9.6%	70.4%
	<b>Grade 4</b>	20.7%	13.2%	7.6%	79.3%
	<b>Grade 5</b>	27.7%	18.2%	9.5%	72.3%
	<b>Grade 6</b>	39.6%	28.2%	11.4%	60.4%
<b>Inhalants</b>					
	<b>All</b>	10.5%	7.7%	2.8%	89.5%
	<b>Grade 4</b>	9.6%	6.7%	3.0%	90.4%
	<b>Grade 5</b>	8.8%	6.4%	2.4%	91.2%
	<b>Grade 6</b>	13.0%	10.0%	3.0%	87.0%
<b>Marijuana</b>					
	<b>All</b>	2.9%	2.0%	0.8%	97.1%
	<b>Grade 4</b>	1.1%	0.7%	0.4%	98.9%
	<b>Grade 5</b>	1.7%	1.3%	0.4%	98.3%
	<b>Grade 6</b>	5.7%	4.0%	1.7%	94.3%

**State : Grades 4-6  
Spring 2008**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students Living in Town More Than 3 Years**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.3%	3.1%	2.3%	94.7%
	<b>Grade 4</b>	2.9%	1.6%	1.4%	97.1%
	<b>Grade 5</b>	4.6%	2.8%	1.8%	95.4%
	<b>Grade 6</b>	8.4%	4.7%	3.6%	91.6%
<b>Alcohol</b>					
	<b>All</b>	23.1%	15.4%	7.7%	76.9%
	<b>Grade 4</b>	17.1%	11.1%	6.0%	82.9%
	<b>Grade 5</b>	21.1%	13.3%	7.8%	78.9%
	<b>Grade 6</b>	30.8%	21.5%	9.3%	69.2%
<b>Inhalants</b>					
	<b>All</b>	8.5%	6.2%	2.3%	91.5%
	<b>Grade 4</b>	7.8%	5.6%	2.3%	92.2%
	<b>Grade 5</b>	7.3%	5.2%	2.1%	92.7%
	<b>Grade 6</b>	10.4%	7.7%	2.7%	89.6%
<b>Marijuana</b>					
	<b>All</b>	1.7%	1.2%	0.5%	98.3%
	<b>Grade 4</b>	0.7%	0.5%	0.2%	99.3%
	<b>Grade 5</b>	1.0%	0.7%	0.3%	99.0%
	<b>Grade 6</b>	3.4%	2.5%	0.9%	96.6%



**State : Grades 4-6  
Spring 2008**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students Living in Town 3 Years or Less**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.6%	3.3%	3.3%	93.4%
	<b>Grade 4</b>	3.8%	2.1%	1.7%	96.2%
	<b>Grade 5</b>	5.8%	2.0%	3.8%	94.2%
	<b>Grade 6</b>	10.7%	6.1%	4.6%	89.3%
<b>Alcohol</b>					
	<b>All</b>	25.0%	16.0%	9.0%	75.0%
	<b>Grade 4</b>	16.5%	10.7%	5.8%	83.5%
	<b>Grade 5</b>	25.7%	15.9%	9.8%	74.3%
	<b>Grade 6</b>	33.6%	21.9%	11.7%	66.4%
<b>Inhalants</b>					
	<b>All</b>	10.6%	8.0%	2.6%	89.4%
	<b>Grade 4</b>	9.8%	7.6%	2.2%	90.2%
	<b>Grade 5</b>	10.3%	7.4%	2.8%	89.7%
	<b>Grade 6</b>	11.8%	9.2%	2.6%	88.2%
<b>Marijuana</b>					
	<b>All</b>	1.9%	1.2%	0.7%	98.1%
	<b>Grade 4</b>	0.9%	0.4%	0.5%	99.1%
	<b>Grade 5</b>	1.8%	1.0%	0.8%	98.2%
	<b>Grade 6</b>	3.0%	2.2%	0.8%	97.0%

**State : Grades 4-6  
Spring 2008**

The FREQ Procedure

GENDER			
Q1	Frequency	Percent	
Female	513E3	50.15	
Male	51E4	49.85	

Frequency Missing = 5371.2975689

GRADE LEVEL			
Q2	Frequency	Percent	
Grade 4	346E3	33.67	
Grade 5	346E3	33.64	
Grade 6	336E3	32.69	

**DO YOU LIVE WITH  
BOTH PARENTS?**

Q3	Frequency	Percent	
No	32E4	31.52	
Yes	695E3	68.48	

Frequency Missing = 14553.454933

AGE			
Q4	Frequency	Percent	
8 or younger	536	0.05	
9	77445	7.57	
10	305E3	29.82	
11	339E3	33.12	
12	258E3	25.24	
13 or older	42872	4.19	

Frequency Missing = 6079.762905

ETHNICITY			
Q5	Frequency	Percent	
African/American	14E4	14.08	
Asian/American	11897	1.19	
Mexican/American	471E3	47.17	
Native/American	5079	0.51	
Other	21209	2.13	
White	349E3	34.93	

Frequency Missing = 30804.064166

**WHAT GRADES DO YOU  
USUALLY GET**

Q6	Frequency	Percent	
Mostly A's	37E4	36.81	
Mostly B's	47E4	46.77	
Mostly C's	132E3	13.15	
Mostly D's	21747	2.16	
Mostly F's	11116	1.11	

Frequency Missing = 23455.91014

**LIVED IN THIS TOWN FOR  
MORE THAN 3 YEARS**

Q7	Frequency	Percent	
Don't Know	79324	7.79	
No	145E3	14.27	
Yes	794E3	77.94	

Frequency Missing = 10428.487872

**EITHER PARENT  
GRADUATE FROM  
COLLEGE**

Q8	Frequency	Percent	
Don't Know	343E3	33.87	
No	209E3	20.64	
Yes	461E3	45.49	

Frequency Missing = 15064.622738

**QUALIFY FOR A  
FREE/REDUCED PRICE  
LUNCH?**

Q9	Frequency	Percent	
Don't Know	343E3	34.26	
No	289E3	28.83	
Yes	37E4	36.91	

Frequency Missing = 26364.715759

**PARENTS ATTEND  
PTA MEETINGS?**

Q10	Frequency	Percent	
No	516E3	51.62	
Yes	483E3	48.38	

Frequency Missing = 29513.081543

**EVER INHALED  
GASOLINE TO GET  
HIGH?**

Q11a	Frequency	Percent	
Not Used	936E3	97.16	
Used	27358	2.84	

Frequency Missing = 65264.733467

**EVER INHALED PAINT  
THINNER TO GET HIGH?**

Q11b	Frequency	Percent	
Not Used	933E3	98.02	
Used	18797	1.98	

Frequency Missing = 77261.513502

**EVER INHALED GLUE TO  
GET HIGH?**

Q11c	Frequency	Percent	
Not Used	925E3	97.12	
Used	27476	2.88	

Frequency Missing = 76233.595394

**EVER INHALED  
WHITEOUT TO GET  
HIGH?**

Q11d	Frequency	Percent	
Not Used	936E3	97.63	
Used	22701	2.37	

Frequency Missing = 69562.070102

**EVER INHALED SPRAY  
PAINT TO GET HIGH?**

Q11e	Frequency	Percent	
Not Used	941E3	97.20	
Used	27078	2.80	

Frequency Missing = 61108.583073

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2008**

<b>EVER USED OTHER INHALANTS TO GET HIGH?</b>		
<b>Q11f</b>	<b>Frequency</b>	<b>Percent</b>
<b>Not Used</b>	933E3	95.63
<b>Used</b>	42653	4.37

Frequency Missing = 53213.743774

<b>WINE COOLER USE DURING LIFETIME</b>		
	<b>Q12D Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	21E4	21.56
<b>Never used</b>	662E3	68.01
<b>1-2 times</b>	71442	7.34
<b>3-10 times</b>	18713	1.92
<b>11+ times</b>	11391	1.17

Frequency Missing = 54909.300773

<b>INHALANT USE DURING LIFETIME</b>		
	<b>Q12H Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	96831	9.91
<b>Never used</b>	83E4	84.97
<b>1-2 times</b>	34874	3.57
<b>3-10 times</b>	10295	1.05
<b>11+ times</b>	4851	0.50

Frequency Missing = 51974.805794

<b>CIGARETTE USE DURING LIFETIME</b>		
	<b>Q12A Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	51673	5.15
<b>Never used</b>	906E3	90.36
<b>1-2 times</b>	34548	3.44
<b>3-10 times</b>	7263	0.72
<b>11+ times</b>	3184	0.32

Frequency Missing = 25876.665657

<b>WINE USE DURING LIFETIME</b>		
	<b>Q12E Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	39099	4.13
<b>Never used</b>	797E3	84.25
<b>1-2 times</b>	89630	9.47
<b>3-10 times</b>	13602	1.44
<b>11+ times</b>	6750	0.71

Frequency Missing = 82438.041378

<b>MARIJUANA USE DURING LIFETIME</b>		
	<b>Q12I Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	178E3	18.00
<b>Never used</b>	794E3	80.39
<b>1-2 times</b>	9906	1.00
<b>3-10 times</b>	2861	0.29
<b>11+ times</b>	3095	0.31

Frequency Missing = 41136.463019

<b>SNUFF/CHEWING TOBACCO USE IN LIFETIME</b>		
	<b>Q12B Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	108E3	10.89
<b>Never used</b>	868E3	87.79
<b>1-2 times</b>	10490	1.06
<b>3-10 times</b>	1392	0.14
<b>11+ times</b>	1198	0.12

Frequency Missing = 39581.427889

<b>LIQUOR USE DURING LIFETIME</b>		
	<b>Q12F Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	113E3	11.64
<b>Never used</b>	805E3	82.65
<b>1-2 times</b>	44210	4.54
<b>3-10 times</b>	8401	0.86
<b>11+ times</b>	3067	0.31

Frequency Missing = 54625.115583

<b>CIGARETTE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13A Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	46104	4.59
<b>Never used</b>	933E3	92.81
<b>1-2 times</b>	19664	1.96
<b>3-10 times</b>	4600	0.46
<b>11+ times</b>	1917	0.19

Frequency Missing = 23945.441194

<b>BEER USE DURING LIFETIME</b>		
	<b>Q12C Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	19853	2.05
<b>Never used</b>	809E3	83.61
<b>1-2 times</b>	112E3	11.53
<b>3-10 times</b>	20031	2.07
<b>11+ times</b>	7121	0.74

Frequency Missing = 60827.287273

<b>SHIMERON USE DURING LIFETIME</b>		
	<b>Q12G Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	65E4	67.65
<b>Never used</b>	311E3	32.35

Frequency Missing = 68173.960361

<b>SNUFF/CHEWING TOBACCO USE IN PAST YEAR</b>		
	<b>Q13B Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	93302	9.41
<b>Never used</b>	89E4	89.81
<b>1-2 times</b>	5973	0.60
<b>3-10 times</b>	770	0.08
<b>11+ times</b>	987	0.10

Frequency Missing = 37718.730962

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2008**

<b>BEER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13C Frequency</b>	<b>Percent</b>
Never heard of	18649	1.91
Never used	873E3	89.64
1-2 times	65736	6.75
3-10 times	12570	1.29
11+ times	3957	0.41

Frequency Missing = 54887.127982

<b>WINE COOLER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13D Frequency</b>	<b>Percent</b>
Never heard of	181E3	18.41
Never used	732E3	74.33
1-2 times	52036	5.28
3-10 times	12207	1.24
11+ times	7320	0.74

Frequency Missing = 43849.460014

<b>WINE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13E Frequency</b>	<b>Percent</b>
Never heard of	37422	3.88
Never used	856E3	88.69
1-2 times	58678	6.08
3-10 times	7706	0.80
11+ times	5347	0.55

Frequency Missing = 64078.750757

<b>LIQUOR USE IN PAST SCHOOL YEAR</b>		
	<b>Q13F Frequency</b>	<b>Percent</b>
Never heard of	104E3	10.58
Never used	838E3	85.44
1-2 times	31707	3.23
3-10 times	5249	0.54
11+ times	2112	0.22

Frequency Missing = 47699.030393

<b>SHIMERON USE IN PAST SCHOOL YEAR</b>		
	<b>Q13G Frequency</b>	<b>Percent</b>
Never heard of	599E3	61.14
Never used	38E4	38.86

Frequency Missing = 49740.187766

<b>INHALANT USE IN PAST SCHOOL YEAR</b>		
	<b>Q13H Frequency</b>	<b>Percent</b>
Never heard of	89696	9.13
Never used	853E3	86.82
1-2 times	27829	2.83
3-10 times	7683	0.78
11+ times	4254	0.43

Frequency Missing = 46167.8146

<b>MARIJUANA USE IN PAST SCHOOL YEAR</b>		
	<b>Q13I Frequency</b>	<b>Percent</b>
Never heard of	167E3	16.91
Never used	807E3	81.87
1-2 times	7544	0.77
3-10 times	2200	0.22
11+ times	2261	0.23

Frequency Missing = 43211.366064

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>Q14A Frequency</b>	<b>Percent</b>
7 or younger	10157	1.02
8 years old	6038	0.61
9 years old	7214	0.72
10 years old	9624	0.97
11 years old	9323	0.94
12 or older	6804	0.68
Never heard/used	948E3	95.07

Frequency Missing = 32052.034181

<b>AGE WHEN FIRST USED SNUFF/CHEW TOBACCO</b>		
	<b>Q14B Frequency</b>	<b>Percent</b>
7 or younger	2828	0.29
8 years old	1636	0.17
9 years old	2539	0.26
10 years old	2828	0.29
11 years old	2623	0.27
12 or older	1746	0.18
Never heard/used	969E3	98.56

Frequency Missing = 45864.004617

<b>AGE WHEN FIRST USED BEER</b>		
	<b>Q14C Frequency</b>	<b>Percent</b>
7 or younger	42451	4.38
8 years old	18078	1.86
9 years old	20891	2.15
10 years old	26106	2.69
11 years old	19314	1.99
12 or older	12725	1.31
Never heard/used	831E3	85.62

Frequency Missing = 58461.870432

<b>AGE WHEN FIRST USED WINE COOLERS</b>		
	<b>Q14D Frequency</b>	<b>Percent</b>
7 or younger	14100	1.44
8 years old	10525	1.08
9 years old	14574	1.49
10 years old	21438	2.20
11 years old	20103	2.06
12 or older	12355	1.27
Never heard/used	883E3	90.46

Frequency Missing = 52600.955643

<b>AGE WHEN FIRST USED WINE</b>		
	<b>Q14E Frequency</b>	<b>Percent</b>
7 or younger	14860	1.55
8 years old	12708	1.33
9 years old	18356	1.92
10 years old	25093	2.62
11 years old	20774	2.17
12 or older	14253	1.49
Never heard/used	852E3	88.93

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2008**

Frequency Missing = 70919.025548

<b>AGE WHEN FIRST USED LIQUOR</b>		
<b>Q14F Frequency Percent</b>		
7 or younger	5094	0.52
8 years old	4332	0.45
9 years old	5868	0.60
10 years old	11864	1.22
11 years old	13782	1.42
12 or older	11504	1.18
Never heard/used	921E3	94.61

Frequency Missing = 55429.945378

<b>AGE WHEN FIRST USED SHIMERON</b>		
<b>Q14G Frequency Percent</b>		
Never heard/used	967E3	100.00

Frequency Missing = 62167.428542

<b>AGE WHEN FIRST USED INHALANTS</b>		
<b>Q14H Frequency Percent</b>		
7 or younger	9356	0.96
8 years old	5874	0.61
9 years old	6489	0.67
10 years old	9491	0.98
11 years old	10772	1.11
12 or older	6797	0.70
Never heard/used	921E3	94.97

Frequency Missing = 58574.32236

<b>AGE WHEN FIRST USED MARIJUANA</b>		
<b>Q14I Frequency Percent</b>		
7 or younger	2618	0.27
8 years old	1232	0.13
9 years old	1546	0.16
10 years old	2700	0.28
11 years old	3348	0.34
12 or older	4920	0.50
Never heard/used	961E3	98.32

Frequency Missing = 51768.968081

<b>CLOSE FRIENDS USE CIGARETTES</b>		
<b>Q15A Frequency Percent</b>		
Never heard of	36182	3.66
None	829E3	83.94
Some	113E3	11.46
Most	9224	0.93

Frequency Missing = 40970.292438

<b>CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO</b>		
<b>Q15B Frequency Percent</b>		
Never heard of	60984	6.27
None	866E3	89.01
Some	41871	4.31
Most	4060	0.42

Frequency Missing = 56234.621442

<b>CLOSE FRIENDS USE BEER</b>		
<b>Q15C Frequency Percent</b>		
Never heard of	17986	1.87
None	766E3	79.81
Some	15E4	15.59
Most	26146	2.72

Frequency Missing = 68674.398676

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
<b>Q15D Frequency Percent</b>		
Never heard of	126E3	13.03
None	731E3	75.86
Some	85654	8.89
Most	21475	2.23

Frequency Missing = 64845.767269

<b>CLOSE FRIENDS USE WINE</b>		
<b>Q15E Frequency Percent</b>		
Never heard of	30691	3.24
None	804E3	84.93
Some	96707	10.22
Most	15272	1.61

Frequency Missing = 82150.426147

<b>CLOSE FRIENDS USE LIQUOR</b>		
<b>Q15F Frequency Percent</b>		
Never heard of	75156	7.83
None	804E3	83.71
Some	68099	7.09
Most	13150	1.37

Frequency Missing = 68737.023572

<b>CLOSE FRIENDS USE SHIMERON</b>		
<b>Q15G Frequency Percent</b>		
Never heard of	482E3	50.22
None	468E3	48.82
Some	7174	0.75
Most	2047	0.21

Frequency Missing = 69579.357039

<b>CLOSE FRIENDS USE INHALANTS</b>		
<b>Q15H Frequency Percent</b>		
Never heard of	69636	7.24
None	795E3	82.69
Some	76758	7.98
Most	19983	2.08

Frequency Missing = 67439.083241

<b>CLOSE FRIENDS USE MARIJUANA</b>		
<b>Q15I Frequency Percent</b>		
Never heard of	122E3	12.63
None	777E3	80.45
Some	52642	5.45
Most	14186	1.47

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2008**

Frequency Missing = 63343.139677

<b>EVER BEEN OFFERED CIGARETTES</b>		
<b>Q16a</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	39048	3.95
No	835E3	84.47
Yes	114E3	11.58

Frequency Missing = 40201.594718

<b>EVER BEEN OFFERED SNUFF/CHEWING TOBACCO</b>		
<b>Q16b</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	64863	6.69
No	86E4	88.72
Yes	44479	4.59

Frequency Missing = 59071.691877

<b>EVER BEEN OFFERED BEER</b>		
<b>Q16c</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	19655	2.04
No	766E3	79.38
Yes	179E3	18.58

Frequency Missing = 63439.632757

<b>EVER BEEN OFFERED WINE COOLERS</b>		
<b>Q16d</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	124E3	12.89
No	748E3	77.95
Yes	87917	9.16

Frequency Missing = 68597.329025

<b>EVER BEEN OFFERED WINE</b>		
<b>Q16e</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	31898	3.34
No	816E3	85.51
Yes	106E3	11.15

Frequency Missing = 74936.299109

<b>EVER BEEN OFFERED LIQUOR</b>		
<b>Q16f</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	73630	7.70
No	813E3	85.07
Yes	69166	7.23

Frequency Missing = 72545.71998

<b>EVER BEEN OFFERED SHIMERON</b>		
<b>Q16g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	465E3	48.72
No	481E3	50.36
Yes	8795	0.92

Frequency Missing = 73992.295549

<b>EVER BEEN OFFERED INHALANTS</b>		
<b>Q16h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	68829	7.19
No	822E3	85.87
Yes	66518	6.95

Frequency Missing = 71058.973517

<b>EVER BEEN OFFERED MARIJUANA</b>		
<b>Q16i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	119E3	12.36
No	793E3	82.13
Yes	53246	5.51

Frequency Missing = 63092.554673

<b>IS ALCOHOL OBTAINED FROM HOME</b>		
<b>Q17a</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	77E4	79.32
No	109E3	11.22
Yes	91789	9.46

Frequency Missing = 58202.977159

<b>IS ALCOHOL OBTAINED FROM FRIENDS</b>		
<b>Q17b</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	758E3	80.01
No	159E3	16.75
Yes	30723	3.24

Frequency Missing = 80769.230072

<b>IS ALCOHOL OBTAINED SOMEWHERE ELSE</b>		
<b>Q17c</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	752E3	78.49
No	133E3	13.94
Yes	72486	7.57

Frequency Missing = 71091.538922

<b>DANGEROUS FOR KIDS TO USE CIGARETTES</b>		
	<b>Q18A Frequency</b>	<b>Percent</b>
Very dangerous	666E3	67.84
Dangerous	228E3	23.24
Not at all	8768	0.89
Don't know	51842	5.28
Never heard of	27003	2.75

Frequency Missing = 46537.069419

<b>DANGEROUS TO USE SNUFF/CHEWING TOBACCO</b>		
	<b>Q18B Frequency</b>	<b>Percent</b>
Very dangerous	669E3	69.31
Dangerous	179E3	18.49
Not at all	11556	1.20
Don't know	60537	6.27
Never heard of	45676	4.73

Frequency Missing = 63133.050911

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2008**

<b>DANGEROUS FOR KIDS TO USE BEER</b>		
<b>Q18C Frequency Percent</b>		
Very dangerous	51E4	53.37
Dangerous	305E3	31.97
Not at all	51642	5.41
Don't know	77420	8.11
Never heard of	10954	1.15

Frequency Missing = 74025.261991

<b>DANGEROUS FOR KIDS TO USE WINE COOLERS</b>		
<b>Q18D Frequency Percent</b>		
Very dangerous	484E3	50.57
Dangerous	216E3	22.58
Not at all	50731	5.30
Don't know	99936	10.43
Never heard of	107E3	11.13

Frequency Missing = 70706.947359

<b>DANGEROUS FOR KIDS TO USE WINE</b>		
<b>Q18E Frequency Percent</b>		
Very dangerous	492E3	51.87
Dangerous	28E4	29.52
Not at all	66160	6.97
Don't know	90860	9.57
Never heard of	19638	2.07

Frequency Missing = 79364.367651

<b>DANGEROUS FOR KIDS TO USE LIQUOR</b>		
<b>Q18F Frequency Percent</b>		
Very dangerous	62E4	64.88
Dangerous	187E3	19.57
Not at all	20392	2.13
Don't know	71169	7.45
Never heard of	56976	5.97

Frequency Missing = 73632.497298

<b>DANGEROUS FOR KIDS TO USE SHIMERON</b>		
<b>Q18G Frequency Percent</b>		
Very dangerous	363E3	38.11
Dangerous	52771	5.54
Not at all	4244	0.45
Don't know	74792	7.86
Never heard of	457E3	48.04

Frequency Missing = 76697.635053

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>Q18H Frequency Percent</b>		
Very dangerous	633E3	66.29
Dangerous	167E3	17.51
Not at all	26436	2.77
Don't know	75491	7.91
Never heard of	52780	5.53

Frequency Missing = 73811.871061

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>Q18I Frequency Percent</b>		
Very dangerous	726E3	75.33
Dangerous	73950	7.68
Not at all	11428	1.19
Don't know	52184	5.42
Never heard of	1E5	10.39

Frequency Missing = 65397.185312

<b>DRUG/ALCOHOL INFO FROM TEACHER</b>		
<b>Q19a Frequency Percent</b>		
No	393E3	41.72
Yes	549E3	58.28

Frequency Missing = 85994.409479

<b>DRUG/ALC INFO FROM VISITOR TO CLASS</b>		
<b>Q19b Frequency Percent</b>		
No	502E3	54.04
Yes	427E3	45.96

Frequency Missing = 99942.966945

<b>DRUG/ALC INFO FROM ASSEMBLY PROGRAM</b>		
<b>Q19c Frequency Percent</b>		
No	391E3	42.08
Yes	538E3	57.92

Frequency Missing = 99285.813845

<b>DRUG/ALC INFO FROM GUIDE COUNSELOR</b>		
<b>Q19d Frequency Percent</b>		
No	447E3	47.90
Yes	486E3	52.10

Frequency Missing = 95380.009489

<b>DRUG/ALC INF FROM SOMEONE ELSE AT SCHOOL</b>		
<b>Q19e Frequency Percent</b>		
No	569E3	61.24
Yes	36E4	38.76

Frequency Missing = 99546.816916

<b>BEER, TWO OR MORE AT ONE TIME</b>		
<b>Q20a Frequency Percent</b>		
Never	856E3	88.50
1 time	63247	6.54
2 times	25527	2.64
3+ times	22517	2.33

Frequency Missing = 61307.078576

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2008**

**WINE COOLERS, TWO  
OR MORE AT ONE TIME**

<b>Q20b Frequency Percent</b>		
Never	874E3	92.16
1 time	41054	4.33
2 times	17525	1.85
3+ times	15770	1.66

Frequency Missing = 80611.281893

**PARENTS FEEL ABOUT KIDS  
SMOKING CIGARETTES**

<b>Q23 Frequency Percent</b>		
Don't like it	868E3	87.58
Don't care	14222	1.43
Think it's O.K.	3040	0.31
Don't know	106E3	10.68

Frequency Missing = 37183.620116

**WINE, TWO OR MORE  
AT ONE TIME**

<b>Q20c Frequency Percent</b>		
Never	856E3	90.55
1 time	55492	5.87
2 times	18649	1.97
3+ times	15252	1.61

Frequency Missing = 82950.018118

**PARENTS FEEL ABOUT KIDS  
DRINKING BEER**

<b>Q24 Frequency Percent</b>		
Don't like it	817E3	82.42
Don't care	30306	3.06
Think it's O.K.	10557	1.06
Don't know	133E3	13.46

Frequency Missing = 37509.762046

**LIQUOR, TWO OR MORE  
AT ONE TIME**

<b>Q20d Frequency Percent</b>		
Never	905E3	94.90
1 time	26560	2.79
2 times	11149	1.17
3+ times	10928	1.15

Frequency Missing = 75277.092819

**PARENTS FEEL ABOUT KIDS  
USING MARIJUANA**

<b>q25 Frequency Percent</b>		
Don't like it	85E4	85.77
Don't care	10233	1.03
Think it's O.K.	3176	0.32
Don't know	128E3	12.88

Frequency Missing = 37124.257915

**MISSED SCHOOL  
WITHOUT PARENT'S  
CONSENT**

<b>Q21 Frequency Percent</b>		
No	964E3	97.12
Yes	28556	2.88

Frequency Missing = 35994.581889

**SENT TO  
PRINCIPAL/DEAN  
SINCE SEPTEMBER**

<b>Q22 Frequency Percent</b>		
No	734E3	74.05
Yes	257E3	25.95

Frequency Missing = 37023.822451

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district