

**State : Grades 7-12 Large  
SPRING 2010**

**Texas School Survey  
of Drug and Alcohol Use  
2010  
Part II: State Results**

**State : Grades 7-12 Large  
SPRING 2010**

## 1. General Substance Tables

**State : Grades 7-12 Large  
SPRING 2010**

**State : Grades 7-12 Large  
SPRING 2010**

**Table T-1: How recently, if ever, have you used ..**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any tobacco product?</b>					
	<b>All</b>	12.5%	17.6%	30.5%	69.5%
	<b>Grade 7</b>	4.8%	6.6%	15.1%	84.9%
	<b>Grade 8</b>	7.5%	11.1%	23.2%	76.8%
	<b>Grade 9</b>	11.0%	15.6%	28.9%	71.1%
	<b>Grade 10</b>	13.9%	20.1%	34.9%	65.1%
	<b>Grade 11</b>	17.8%	25.0%	39.7%	60.3%
	<b>Grade 12</b>	22.7%	30.4%	45.1%	54.9%
<b>Cigarettes?</b>					
	<b>All</b>	11.2%	16.0%	28.7%	71.3%
	<b>Grade 7</b>	4.3%	6.1%	14.1%	85.9%
	<b>Grade 8</b>	6.5%	9.9%	21.7%	78.3%
	<b>Grade 9</b>	9.7%	14.1%	27.3%	72.7%
	<b>Grade 10</b>	12.3%	18.2%	32.8%	67.2%
	<b>Grade 11</b>	16.1%	22.9%	37.2%	62.8%
	<b>Grade 12</b>	20.9%	28.0%	42.8%	57.2%
<b>Smokeless tobacco?</b>					
	<b>All</b>	3.7%	5.5%	9.5%	90.5%
	<b>Grade 7</b>	1.3%	1.9%	3.9%	96.1%
	<b>Grade 8</b>	2.2%	3.4%	6.3%	93.7%
	<b>Grade 9</b>	3.2%	4.7%	8.2%	91.8%
	<b>Grade 10</b>	4.5%	6.6%	11.3%	88.7%
	<b>Grade 11</b>	5.3%	8.2%	13.7%	86.3%
	<b>Grade 12</b>	6.2%	9.1%	15.1%	84.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
<b>All</b>	72.5%	2.9%	2.7%	3.7%	5.3%	4.7%	8.1%
<b>Grade 7</b>	86.6%	0.5%	1.0%	1.6%	2.6%	2.8%	4.9%
<b>Grade 8</b>	79.7%	0.8%	1.8%	2.6%	4.5%	3.9%	6.8%
<b>Grade 9</b>	74.6%	1.8%	2.2%	3.5%	5.3%	4.5%	8.3%
<b>Grade 10</b>	68.5%	3.4%	3.3%	4.3%	5.6%	5.4%	9.4%
<b>Grade 11</b>	63.5%	5.0%	3.8%	4.8%	7.0%	6.2%	9.7%
<b>Grade 12</b>	58.2%	7.2%	4.7%	6.0%	7.7%	6.0%	10.2%
<b>Cigarettes?</b>							
<b>All</b>	74.0%	2.3%	2.4%	3.5%	5.2%	4.5%	8.0%
<b>Grade 7</b>	87.3%	0.4%	0.8%	1.6%	2.5%	2.7%	4.7%
<b>Grade 8</b>	81.0%	0.7%	1.5%	2.4%	4.3%	3.7%	6.5%
<b>Grade 9</b>	75.9%	1.4%	2.0%	3.2%	4.9%	4.4%	8.2%
<b>Grade 10</b>	70.0%	2.7%	2.8%	4.2%	5.6%	5.3%	9.3%
<b>Grade 11</b>	65.7%	4.0%	3.4%	4.4%	6.9%	5.8%	9.7%
<b>Grade 12</b>	60.2%	5.8%	4.4%	5.8%	7.8%	5.7%	10.3%
<b>Smokeless tobacco?</b>							
<b>All</b>	91.4%	0.8%	0.7%	0.9%	1.5%	1.6%	3.0%
<b>Grade 7</b>	96.8%	0.2%	0.3%	0.3%	0.5%	0.8%	1.1%
<b>Grade 8</b>	94.6%	0.1%	0.5%	0.7%	1.2%	0.9%	2.0%
<b>Grade 9</b>	92.6%	0.5%	0.5%	0.8%	1.5%	1.3%	2.7%
<b>Grade 10</b>	90.0%	1.0%	1.1%	1.1%	1.3%	1.9%	3.5%
<b>Grade 11</b>	87.0%	1.5%	1.1%	1.4%	2.2%	2.5%	4.4%
<b>Grade 12</b>	85.9%	1.8%	1.0%	1.3%	2.4%	2.6%	5.1%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>	10.9	11.6	12.4	13.0	13.7	14.6
<b>Smokeless tobacco</b>	11.1	11.9	12.7	13.6	14.4	15.1
<b>Any Tobacco</b>	10.8	11.5	12.3	13.0	13.7	14.5

**State : Grades 7-12 Large  
SPRING 2010**

**Table T-4: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Any tobacco product?</b>							
	<b>All</b>	14.7%	17.7%	6.4%	9.4%	16.8%	35.0%
	<b>Grade 7</b>	21.1%	34.0%	9.3%	10.1%	11.4%	14.1%
	<b>Grade 8</b>	17.6%	24.6%	9.3%	11.0%	16.7%	20.9%
	<b>Grade 9</b>	15.3%	16.8%	7.3%	11.5%	19.3%	29.8%
	<b>Grade 10</b>	12.4%	12.2%	5.3%	10.5%	21.2%	38.4%
	<b>Grade 11</b>	10.7%	9.6%	4.2%	7.9%	19.8%	47.8%
	<b>Grade 12</b>	10.0%	5.8%	2.1%	4.1%	11.4%	66.6%
<b>Cigarettes?</b>							
	<b>All</b>	15.0%	18.3%	6.7%	9.8%	17.0%	33.2%
	<b>Grade 7</b>	21.4%	34.9%	9.4%	10.1%	11.1%	13.1%
	<b>Grade 8</b>	18.0%	25.8%	9.4%	11.3%	16.3%	19.3%
	<b>Grade 9</b>	15.7%	17.6%	7.8%	11.9%	19.5%	27.5%
	<b>Grade 10</b>	12.7%	12.6%	5.7%	11.3%	21.9%	35.8%
	<b>Grade 11</b>	10.7%	9.8%	4.5%	8.9%	21.1%	45.0%
	<b>Grade 12</b>	10.1%	5.9%	2.1%	4.3%	11.8%	65.8%
<b>Smokeless Tobacco?</b>							
	<b>All</b>	26.1%	22.4%	8.2%	9.8%	11.9%	21.6%
	<b>Grade 7</b>	32.9%	39.3%	9.8%	7.2%	5.1%	5.6%
	<b>Grade 8</b>	29.7%	31.5%	10.3%	10.1%	9.3%	9.2%
	<b>Grade 9</b>	27.4%	22.1%	10.2%	11.6%	13.0%	15.7%
	<b>Grade 10</b>	23.6%	16.8%	8.0%	12.1%	15.6%	24.0%
	<b>Grade 11</b>	21.3%	12.8%	6.7%	10.9%	16.6%	31.7%
	<b>Grade 12</b>	19.7%	8.2%	3.3%	6.2%	12.3%	50.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table T-5: About how many of your close friends...**

	None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>					
<b>All</b>	43.3%	30.4%	16.1%	8.6%	1.6%
<b>Grade 7</b>	69.1%	21.3%	6.6%	2.5%	0.5%
<b>Grade 8</b>	55.3%	28.5%	10.8%	4.5%	0.9%
<b>Grade 9</b>	42.0%	32.9%	15.9%	7.8%	1.4%
<b>Grade 10</b>	34.6%	33.0%	20.0%	10.8%	1.7%
<b>Grade 11</b>	29.7%	34.2%	21.0%	12.5%	2.7%
<b>Grade 12</b>	24.3%	33.3%	24.4%	15.5%	2.6%
<b>Smoke cigarettes?</b>					
<b>All</b>	46.1%	30.7%	14.6%	7.3%	1.3%
<b>Grade 7</b>	70.7%	20.7%	5.8%	2.3%	0.5%
<b>Grade 8</b>	57.9%	28.0%	9.4%	3.9%	0.8%
<b>Grade 9</b>	45.6%	32.4%	14.0%	6.8%	1.2%
<b>Grade 10</b>	37.9%	34.2%	17.6%	8.9%	1.3%
<b>Grade 11</b>	33.1%	34.9%	19.7%	10.3%	1.9%
<b>Grade 12</b>	26.4%	35.1%	23.2%	13.2%	2.2%
<b>Use a smokeless tobacco product?</b>					
<b>All</b>	69.8%	17.8%	8.4%	3.3%	0.7%
<b>Grade 7</b>	87.4%	9.0%	2.6%	0.8%	0.3%
<b>Grade 8</b>	79.3%	13.8%	4.9%	1.6%	0.4%
<b>Grade 9</b>	70.3%	18.2%	8.1%	2.9%	0.6%
<b>Grade 10</b>	63.2%	20.7%	10.8%	4.4%	0.9%
<b>Grade 11</b>	59.0%	22.9%	11.5%	5.2%	1.4%
<b>Grade 12</b>	55.7%	23.8%	14.1%	5.5%	0.9%



**State : Grades 7-12 Large  
SPRING 2010**

**Table T-6: How do your parents feel about kids your age using tobacco?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	76.7%	8.0%	6.5%	1.1%	0.9%	6.8%
<b>Grade 7</b>	84.7%	3.4%	2.1%	0.4%	0.8%	8.6%
<b>Grade 8</b>	83.1%	4.2%	3.5%	0.8%	0.8%	7.6%
<b>Grade 9</b>	79.1%	7.1%	4.9%	1.1%	0.8%	6.9%
<b>Grade 10</b>	76.4%	8.3%	7.3%	1.2%	0.8%	6.0%
<b>Grade 11</b>	70.8%	11.8%	9.2%	1.4%	1.0%	5.9%
<b>Grade 12</b>	62.3%	14.9%	13.8%	2.3%	1.2%	5.6%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	53.2%	25.6%	12.2%	3.5%	5.5%
<b>Grade 7</b>	71.3%	17.0%	5.0%	1.3%	5.3%
<b>Grade 8</b>	61.5%	21.9%	7.9%	2.4%	6.4%
<b>Grade 9</b>	53.9%	26.2%	10.9%	3.0%	6.1%
<b>Grade 10</b>	47.3%	28.8%	14.8%	3.5%	5.7%
<b>Grade 11</b>	42.9%	30.8%	16.4%	5.2%	4.7%
<b>Grade 12</b>	38.2%	30.6%	20.0%	6.5%	4.7%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-1: How recently, if ever, have you used...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Any alcohol product?</b>					
	<b>All</b>	29.0%	40.2%	61.8%	38.2%
	<b>Grade 7</b>	15.0%	20.6%	42.1%	57.9%
	<b>Grade 8</b>	21.7%	30.2%	55.1%	44.9%
	<b>Grade 9</b>	28.7%	40.2%	62.8%	37.2%
	<b>Grade 10</b>	33.0%	47.0%	69.3%	30.7%
	<b>Grade 11</b>	35.8%	50.3%	70.2%	29.8%
	<b>Grade 12</b>	43.4%	57.5%	75.0%	25.0%
<b>Beer?</b>					
	<b>All</b>	19.9%	29.2%	48.2%	51.8%
	<b>Grade 7</b>	8.6%	12.8%	30.3%	69.7%
	<b>Grade 8</b>	13.6%	20.4%	41.6%	58.4%
	<b>Grade 9</b>	18.8%	28.1%	47.9%	52.1%
	<b>Grade 10</b>	22.7%	34.8%	54.2%	45.8%
	<b>Grade 11</b>	26.1%	38.5%	57.0%	43.0%
	<b>Grade 12</b>	32.7%	44.9%	62.3%	37.7%
<b>Wine coolers?</b>					
	<b>All</b>	17.5%	26.6%	43.7%	56.3%
	<b>Grade 7</b>	8.7%	12.5%	25.3%	74.7%
	<b>Grade 8</b>	13.0%	19.3%	36.0%	64.0%
	<b>Grade 9</b>	17.4%	26.6%	44.4%	55.6%
	<b>Grade 10</b>	20.5%	32.5%	50.8%	49.2%
	<b>Grade 11</b>	21.5%	33.8%	52.3%	47.7%
	<b>Grade 12</b>	26.2%	38.4%	57.1%	42.9%
<b>Wine?</b>					
	<b>All</b>	12.4%	20.6%	40.4%	59.6%
	<b>Grade 7</b>	7.0%	10.5%	24.7%	75.3%
	<b>Grade 8</b>	9.7%	15.7%	34.4%	65.6%
	<b>Grade 9</b>	12.3%	21.1%	41.4%	58.6%
	<b>Grade 10</b>	15.1%	24.7%	46.9%	53.1%
	<b>Grade 11</b>	14.2%	24.3%	46.7%	53.3%
	<b>Grade 12</b>	17.1%	29.3%	50.9%	49.1%
<b>Liquor?</b>					
	<b>All</b>	18.8%	28.6%	43.5%	56.5%
	<b>Grade 7</b>	6.6%	10.2%	19.9%	80.1%
	<b>Grade 8</b>	11.5%	17.9%	32.3%	67.7%
	<b>Grade 9</b>	18.0%	27.2%	42.7%	57.3%
	<b>Grade 10</b>	22.5%	35.0%	52.3%	47.7%
	<b>Grade 11</b>	25.0%	39.2%	56.3%	43.7%
	<b>Grade 12</b>	32.5%	47.0%	63.1%	36.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	<b>All</b>	44.4%	0.6%	4.2%	12.4%	14.4%	13.5%	10.5%
	<b>Grade 7</b>	65.3%	0.5%	2.3%	4.5%	7.6%	9.5%	10.3%
	<b>Grade 8</b>	53.0%	0.6%	3.3%	8.1%	11.5%	12.6%	10.9%
	<b>Grade 9</b>	43.7%	0.8%	4.2%	12.0%	13.9%	13.8%	11.7%
	<b>Grade 10</b>	36.6%	0.5%	4.8%	15.4%	16.6%	15.5%	10.7%
	<b>Grade 11</b>	34.6%	0.5%	4.7%	15.5%	19.4%	15.0%	10.2%
	<b>Grade 12</b>	29.1%	0.8%	6.4%	20.7%	19.1%	15.2%	8.8%
<b>Beer?</b>								
	<b>All</b>	54.3%	0.3%	3.3%	9.6%	11.9%	10.5%	10.2%
	<b>Grade 7</b>	73.1%	0.3%	1.5%	3.2%	5.9%	6.9%	9.1%
	<b>Grade 8</b>	62.3%	0.2%	2.4%	5.8%	9.4%	9.8%	10.1%
	<b>Grade 9</b>	55.2%	0.4%	3.0%	9.0%	11.5%	10.1%	10.8%
	<b>Grade 10</b>	47.3%	0.2%	3.6%	11.8%	13.5%	12.8%	10.7%
	<b>Grade 11</b>	44.7%	0.3%	3.9%	12.6%	16.1%	12.2%	10.2%
	<b>Grade 12</b>	38.9%	0.4%	5.6%	17.1%	16.2%	11.9%	10.0%
<b>Wine coolers?</b>								
	<b>All</b>	59.9%	0.2%	2.1%	7.3%	11.0%	11.0%	8.6%
	<b>Grade 7</b>	80.0%	0.2%	1.0%	2.6%	4.7%	5.6%	5.8%
	<b>Grade 8</b>	69.4%	0.2%	2.0%	4.4%	7.7%	8.9%	7.4%
	<b>Grade 9</b>	59.8%	0.3%	2.1%	7.0%	10.9%	10.6%	9.2%
	<b>Grade 10</b>	51.1%	0.2%	2.3%	9.9%	14.0%	13.2%	9.4%
	<b>Grade 11</b>	50.2%	0.1%	2.5%	8.9%	14.1%	14.1%	10.1%
	<b>Grade 12</b>	44.3%	0.1%	2.8%	12.2%	15.8%	14.9%	9.9%
<b>Wine?</b>								
	<b>All</b>	61.9%	0.1%	1.4%	5.1%	8.2%	12.5%	10.9%
	<b>Grade 7</b>	79.3%	0.1%	0.8%	2.1%	4.0%	6.8%	6.9%
	<b>Grade 8</b>	69.0%	0.1%	1.3%	3.7%	6.5%	9.9%	9.5%
	<b>Grade 9</b>	61.2%	0.1%	1.6%	5.0%	8.4%	12.5%	11.3%
	<b>Grade 10</b>	55.1%	0.0%	1.5%	6.8%	9.8%	14.4%	12.2%
	<b>Grade 11</b>	54.2%	0.0%	1.6%	6.0%	10.1%	14.9%	13.2%
	<b>Grade 12</b>	48.9%	0.1%	1.5%	7.4%	11.3%	17.7%	13.2%
<b>Liquor?</b>								
	<b>All</b>	59.0%	0.2%	2.5%	8.7%	11.4%	10.7%	7.5%
	<b>Grade 7</b>	82.7%	0.1%	1.0%	2.3%	4.0%	4.9%	5.0%
	<b>Grade 8</b>	70.8%	0.2%	1.7%	4.7%	7.6%	8.4%	6.6%
	<b>Grade 9</b>	59.7%	0.3%	2.5%	8.3%	10.4%	10.5%	8.4%
	<b>Grade 10</b>	49.8%	0.2%	3.0%	11.9%	13.5%	12.9%	8.7%
	<b>Grade 11</b>	45.9%	0.2%	3.1%	11.1%	17.4%	13.8%	8.5%
	<b>Grade 12</b>	39.3%	0.3%	4.1%	15.8%	17.7%	14.8%	8.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever Used	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	<b>All</b>	51.0%	49.0%	12.3%	23.9%	12.8%
	<b>Grade 7</b>	67.6%	32.4%	3.7%	15.5%	13.2%
	<b>Grade 8</b>	57.2%	42.8%	6.8%	21.6%	14.4%
	<b>Grade 9</b>	51.3%	48.7%	10.4%	24.3%	13.9%
	<b>Grade 10</b>	45.2%	54.8%	15.2%	27.1%	12.5%
	<b>Grade 11</b>	42.6%	57.4%	18.7%	27.8%	10.9%
	<b>Grade 12</b>	38.4%	61.6%	21.6%	28.5%	11.4%
<b>Wine Coolers</b>						
	<b>All</b>	56.3%	43.7%	8.8%	26.2%	8.7%
	<b>Grade 7</b>	75.5%	24.5%	3.2%	13.2%	8.1%
	<b>Grade 8</b>	64.6%	35.4%	6.1%	20.2%	9.1%
	<b>Grade 9</b>	55.7%	44.3%	8.2%	26.5%	9.6%
	<b>Grade 10</b>	48.1%	51.9%	11.5%	31.7%	8.6%
	<b>Grade 11</b>	47.5%	52.5%	12.0%	32.0%	8.5%
	<b>Grade 12</b>	42.0%	58.0%	12.9%	36.9%	8.2%
<b>Wine</b>						
	<b>All</b>	58.9%	41.1%	3.6%	21.8%	15.6%
	<b>Grade 7</b>	74.9%	25.1%	2.0%	11.5%	11.6%
	<b>Grade 8</b>	64.5%	35.5%	3.0%	17.5%	14.9%
	<b>Grade 9</b>	57.6%	42.4%	3.7%	22.3%	16.4%
	<b>Grade 10</b>	52.7%	47.3%	4.3%	25.7%	17.3%
	<b>Grade 11</b>	52.2%	47.8%	4.6%	26.0%	17.2%
	<b>Grade 12</b>	48.6%	51.4%	4.3%	30.3%	16.8%
<b>Liquor</b>						
	<b>All</b>	55.4%	44.6%	11.6%	24.0%	9.0%
	<b>Grade 7</b>	79.5%	20.5%	2.9%	10.1%	7.6%
	<b>Grade 8</b>	66.5%	33.5%	6.2%	17.9%	9.3%
	<b>Grade 9</b>	56.0%	44.0%	10.7%	23.1%	10.2%
	<b>Grade 10</b>	46.3%	53.7%	15.8%	28.3%	9.7%
	<b>Grade 11</b>	42.1%	57.9%	16.7%	32.2%	9.1%
	<b>Grade 12</b>	36.2%	63.8%	19.5%	36.3%	8.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

		<b>Never/None</b>	<b>1 day</b>	<b>2 days</b>	<b>3 to 5 days</b>	<b>6 to 9 days</b>	<b>10 or more days</b>
<b>Alcohol</b>	<b>All</b>	79.7%	6.9%	4.5%	4.6%	2.0%	2.3%
	<b>Grade 7</b>	91.3%	3.4%	1.8%	1.7%	0.6%	1.2%
	<b>Grade 8</b>	86.0%	5.7%	3.0%	2.7%	1.2%	1.5%
	<b>Grade 9</b>	81.1%	6.3%	4.5%	4.0%	1.7%	2.3%
	<b>Grade 10</b>	76.3%	7.9%	5.1%	5.4%	2.4%	2.8%
	<b>Grade 11</b>	73.2%	9.2%	5.7%	6.4%	2.7%	2.8%
	<b>Grade 12</b>	66.7%	9.7%	7.4%	8.6%	4.1%	3.5%

**Table A-5: Average age of first use of:**

	<b>Grade 7</b>	<b>Grade 8</b>	<b>Grade 9</b>	<b>Grade 10</b>	<b>Grade 11</b>	<b>Grade 12</b>
<b>Beer</b>	10.6	11.2	12.1	12.8	13.6	14.3
<b>Wine Coolers</b>	11.1	11.7	12.5	13.2	13.8	14.5
<b>Wine</b>	11.1	11.7	12.4	13.0	13.7	14.5
<b>Liquor</b>	11.4	12.2	13.0	13.7	14.4	15.1
<b>Any Alcohol</b>	10.6	11.2	12.0	12.6	13.3	14.0

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-6: If you wanted some, how difficult would it be to get...**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Beer?</b>							
	<b>All</b>	12.8%	13.6%	6.1%	11.5%	20.6%	35.4%
	<b>Grade 7</b>	19.2%	27.1%	8.9%	11.1%	13.4%	20.3%
	<b>Grade 8</b>	15.5%	18.0%	8.1%	12.3%	18.3%	27.8%
	<b>Grade 9</b>	12.6%	12.6%	6.0%	12.3%	20.7%	35.8%
	<b>Grade 10</b>	10.3%	8.6%	4.9%	11.6%	23.0%	41.5%
	<b>Grade 11</b>	9.2%	7.4%	4.4%	10.2%	23.0%	45.7%
	<b>Grade 12</b>	8.7%	5.9%	3.9%	11.5%	26.2%	43.8%
<b>Wine coolers?</b>							
	<b>All</b>	17.4%	15.7%	7.2%	12.1%	18.7%	28.9%
	<b>Grade 7</b>	28.6%	29.9%	9.3%	9.8%	9.5%	13.0%
	<b>Grade 8</b>	21.8%	21.9%	9.1%	12.2%	14.9%	20.1%
	<b>Grade 9</b>	16.9%	15.0%	7.9%	13.2%	19.3%	27.7%
	<b>Grade 10</b>	13.1%	10.1%	6.4%	13.4%	21.4%	35.7%
	<b>Grade 11</b>	11.3%	8.4%	5.1%	11.5%	23.4%	40.2%
	<b>Grade 12</b>	10.8%	6.1%	4.6%	12.6%	25.6%	40.2%
<b>Wine?</b>							
	<b>All</b>	15.0%	16.3%	8.0%	12.9%	18.2%	29.5%
	<b>Grade 7</b>	21.7%	31.8%	10.6%	10.9%	10.6%	14.4%
	<b>Grade 8</b>	18.3%	22.4%	9.9%	12.5%	14.9%	21.9%
	<b>Grade 9</b>	15.1%	15.3%	8.5%	14.0%	18.2%	28.9%
	<b>Grade 10</b>	12.8%	10.8%	7.1%	13.3%	20.9%	35.2%
	<b>Grade 11</b>	10.9%	8.7%	5.9%	12.9%	22.6%	39.0%
	<b>Grade 12</b>	10.2%	6.5%	5.3%	13.9%	23.7%	40.3%
<b>Liquor?</b>							
	<b>All</b>	14.6%	18.2%	8.5%	11.7%	17.3%	29.7%
	<b>Grade 7</b>	23.2%	36.3%	10.1%	8.9%	9.1%	12.5%
	<b>Grade 8</b>	18.1%	25.4%	10.8%	11.0%	13.9%	20.7%
	<b>Grade 9</b>	14.4%	17.2%	9.4%	12.6%	17.4%	29.1%
	<b>Grade 10</b>	11.3%	11.4%	8.1%	12.3%	20.0%	36.9%
	<b>Grade 11</b>	9.8%	9.0%	6.1%	12.3%	21.4%	41.3%
	<b>Grade 12</b>	9.3%	6.9%	5.7%	13.4%	23.6%	41.1%
<b>Any alcohol product?</b>							
	<b>All</b>	11.6%	11.2%	5.0%	10.0%	19.9%	42.3%
	<b>Grade 7</b>	17.7%	23.2%	8.1%	11.3%	14.9%	24.7%
	<b>Grade 8</b>	13.8%	14.6%	7.0%	11.1%	18.6%	34.8%
	<b>Grade 9</b>	11.4%	9.9%	4.6%	10.2%	20.4%	43.5%
	<b>Grade 10</b>	9.2%	6.9%	3.5%	9.7%	20.8%	49.9%
	<b>Grade 11</b>	8.1%	6.1%	3.3%	8.3%	21.4%	52.9%
	<b>Grade 12</b>	8.0%	4.6%	2.9%	9.2%	24.3%	51.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
<b>All</b>	92.5%	5.7%	0.9%	0.8%
<b>Grade 7</b>	94.6%	4.2%	0.6%	0.6%
<b>Grade 8</b>	92.7%	5.8%	0.8%	0.8%
<b>Grade 9</b>	91.7%	6.5%	1.0%	0.8%
<b>Grade 10</b>	91.5%	6.9%	0.9%	0.7%
<b>Grade 11</b>	92.2%	5.6%	1.2%	1.0%
<b>Grade 12</b>	92.5%	5.2%	1.1%	1.2%
<b>Gotten into trouble with teachers because of your drinking?</b>				
<b>All</b>	98.9%	0.7%	0.1%	0.3%
<b>Grade 7</b>	99.0%	0.5%	0.2%	0.3%
<b>Grade 8</b>	98.8%	0.9%	0.1%	0.2%
<b>Grade 9</b>	98.8%	0.7%	0.2%	0.2%
<b>Grade 10</b>	98.9%	0.7%	0.1%	0.2%
<b>Grade 11</b>	98.8%	0.8%	0.1%	0.3%
<b>Grade 12</b>	98.7%	0.9%	0.1%	0.3%

**Table A-8: School year use of alcohol by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Alcohol Users:	4.6
Alcohol Non-use	3.6
<b>Average days conduct problems reported</b>	
Alcohol Users:	3.2
Alcohol Non-use	1.1

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-9: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
All	90.8%	6.9%	1.2%	1.0%
Grade 9	95.4%	3.6%	0.6%	0.4%
Grade 10	93.3%	5.2%	1.0%	0.5%
Grade 11	89.4%	8.1%	1.4%	1.1%
Grade 12	83.4%	12.1%	2.1%	2.4%
<b>Gotten into trouble with the police because of drinking?</b>				
All	97.3%	2.2%	0.3%	0.2%
Grade 7	98.9%	0.8%	0.1%	0.2%
Grade 8	98.1%	1.4%	0.3%	0.2%
Grade 9	97.5%	1.9%	0.3%	0.3%
Grade 10	97.0%	2.6%	0.2%	0.2%
Grade 11	96.3%	3.2%	0.3%	0.2%
Grade 12	95.3%	4.0%	0.4%	0.3%



**State : Grades 7-12 Large  
SPRING 2010**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	<b>All</b>	29.0%	23.1%	19.2%	20.3%	8.4%
	<b>Grade 7</b>	55.5%	23.8%	10.9%	6.9%	2.8%
	<b>Grade 8</b>	39.1%	26.2%	17.2%	12.8%	4.7%
	<b>Grade 9</b>	26.1%	25.1%	20.9%	20.1%	7.7%
	<b>Grade 10</b>	19.0%	22.4%	22.7%	25.0%	10.8%
	<b>Grade 11</b>	16.2%	21.1%	22.4%	28.7%	11.4%
	<b>Grade 12</b>	13.9%	18.6%	21.4%	31.4%	14.7%
<b>Beer?</b>						
	<b>All</b>	34.3%	23.1%	18.5%	17.9%	6.3%
	<b>Grade 7</b>	61.5%	21.9%	9.2%	5.6%	1.8%
	<b>Grade 8</b>	45.6%	25.5%	15.3%	10.3%	3.4%
	<b>Grade 9</b>	32.3%	25.4%	20.0%	16.9%	5.4%
	<b>Grade 10</b>	23.8%	23.3%	22.8%	22.1%	8.0%
	<b>Grade 11</b>	20.4%	21.9%	22.6%	26.2%	8.9%
	<b>Grade 12</b>	17.8%	19.5%	22.1%	29.0%	11.5%
<b>Wine coolers?</b>						
	<b>All</b>	46.6%	20.7%	15.8%	12.3%	4.6%
	<b>Grade 7</b>	73.2%	14.9%	6.6%	3.8%	1.5%
	<b>Grade 8</b>	58.6%	19.8%	11.6%	7.3%	2.8%
	<b>Grade 9</b>	45.2%	22.4%	16.3%	12.1%	4.1%
	<b>Grade 10</b>	36.8%	22.0%	19.6%	15.5%	6.2%
	<b>Grade 11</b>	32.5%	23.5%	20.6%	17.0%	6.4%
	<b>Grade 12</b>	28.9%	21.8%	22.0%	19.8%	7.5%
<b>Wine?</b>						
	<b>All</b>	54.7%	23.0%	12.6%	7.0%	2.8%
	<b>Grade 7</b>	75.3%	15.4%	5.4%	2.8%	1.0%
	<b>Grade 8</b>	63.5%	20.7%	9.2%	4.9%	1.8%
	<b>Grade 9</b>	53.4%	23.9%	12.8%	7.2%	2.7%
	<b>Grade 10</b>	47.0%	25.7%	15.5%	8.3%	3.5%
	<b>Grade 11</b>	44.7%	26.1%	15.8%	9.2%	4.1%
	<b>Grade 12</b>	40.6%	26.9%	18.1%	10.2%	4.1%
<b>Liquor?</b>						
	<b>All</b>	42.2%	20.7%	16.0%	15.4%	5.8%
	<b>Grade 7</b>	73.5%	15.1%	6.1%	3.8%	1.5%
	<b>Grade 8</b>	56.0%	21.5%	11.9%	7.9%	2.7%
	<b>Grade 9</b>	40.7%	23.3%	16.7%	14.3%	5.1%
	<b>Grade 10</b>	30.7%	22.0%	20.0%	19.6%	7.7%
	<b>Grade 11</b>	25.2%	22.2%	21.4%	22.9%	8.4%
	<b>Grade 12</b>	21.7%	19.7%	21.2%	26.5%	10.8%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-11: During the past twelve months, how many times have you...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
All	93.8%	5.4%	0.5%	0.3%
Grade 7	97.0%	2.5%	0.2%	0.2%
Grade 8	95.4%	4.0%	0.3%	0.3%
Grade 9	93.4%	5.5%	0.7%	0.4%
Grade 10	92.3%	6.9%	0.6%	0.2%
Grade 11	92.4%	6.5%	0.8%	0.4%
Grade 12	91.7%	7.2%	0.6%	0.4%
<b>Been criticized by someone you were dating because of drinking?</b>				
All	93.1%	5.7%	0.7%	0.6%
Grade 7	97.3%	2.3%	0.2%	0.2%
Grade 8	95.1%	4.0%	0.4%	0.5%
Grade 9	92.9%	5.7%	0.8%	0.6%
Grade 10	91.1%	7.5%	0.9%	0.6%
Grade 11	91.0%	7.4%	0.8%	0.8%
Grade 12	90.2%	8.0%	0.9%	0.8%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	42.8%	9.9%	7.0%	11.4%	15.8%	1.9%	11.1%
Grade 7	67.2%	8.6%	5.2%	4.4%	3.2%	2.5%	9.0%
Grade 8	56.6%	12.0%	6.8%	7.6%	5.9%	2.1%	9.0%
Grade 9	41.3%	11.3%	8.6%	12.3%	12.7%	2.2%	11.7%
Grade 10	32.9%	11.0%	7.7%	14.9%	19.8%	1.7%	12.0%
Grade 11	28.5%	8.2%	7.5%	14.6%	25.7%	1.6%	13.9%
Grade 12	25.3%	8.0%	6.2%	15.9%	31.9%	1.1%	11.7%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>At home?</b>						
	<b>All</b>	45.7%	25.2%	20.2%	6.2%	2.7%
	<b>Grade 7</b>	58.8%	22.8%	13.4%	3.6%	1.3%
	<b>Grade 8</b>	50.2%	23.3%	18.4%	6.0%	2.1%
	<b>Grade 9</b>	46.3%	23.7%	20.5%	6.5%	2.9%
	<b>Grade 10</b>	40.8%	25.5%	23.3%	7.1%	3.3%
	<b>Grade 11</b>	40.1%	27.5%	22.5%	6.7%	3.2%
	<b>Grade 12</b>	34.9%	29.6%	24.1%	8.0%	3.5%
<b>From friends?</b>						
	<b>All</b>	42.9%	19.5%	16.0%	15.6%	6.0%
	<b>Grade 7</b>	60.4%	25.7%	7.5%	5.1%	1.3%
	<b>Grade 8</b>	49.4%	24.3%	13.9%	9.5%	2.8%
	<b>Grade 9</b>	43.1%	20.4%	17.0%	14.5%	5.0%
	<b>Grade 10</b>	36.3%	17.1%	19.3%	19.7%	7.6%
	<b>Grade 11</b>	34.8%	14.9%	19.4%	21.5%	9.3%
	<b>Grade 12</b>	29.7%	12.5%	19.9%	26.1%	11.8%
<b>From a store?</b>						
	<b>All</b>	45.0%	41.4%	7.2%	4.2%	2.2%
	<b>Grade 7</b>	60.6%	35.0%	2.7%	1.1%	0.7%
	<b>Grade 8</b>	51.6%	41.2%	4.5%	1.8%	0.9%
	<b>Grade 9</b>	45.8%	42.4%	6.3%	3.8%	1.7%
	<b>Grade 10</b>	38.7%	44.8%	8.9%	5.2%	2.5%
	<b>Grade 11</b>	37.0%	42.4%	10.3%	6.6%	3.6%
	<b>Grade 12</b>	32.7%	42.9%	11.9%	7.8%	4.7%
<b>At parties?</b>						
	<b>All</b>	41.1%	16.8%	13.0%	14.9%	14.3%
	<b>Grade 7</b>	56.5%	21.0%	10.1%	7.7%	4.6%
	<b>Grade 8</b>	47.1%	19.7%	13.4%	11.8%	8.0%
	<b>Grade 9</b>	41.4%	17.2%	13.2%	15.1%	13.0%
	<b>Grade 10</b>	35.2%	15.6%	13.7%	17.6%	17.9%
	<b>Grade 11</b>	33.7%	13.8%	13.3%	18.2%	20.9%
	<b>Grade 12</b>	29.5%	11.9%	14.3%	20.2%	24.1%
<b>Other source?</b>						
	<b>All</b>	45.3%	26.9%	13.1%	7.9%	6.8%
	<b>Grade 7</b>	59.0%	25.8%	8.3%	4.2%	2.8%
	<b>Grade 8</b>	50.9%	26.5%	10.9%	6.5%	5.2%
	<b>Grade 9</b>	45.6%	25.8%	13.6%	8.1%	6.8%
	<b>Grade 10</b>	40.1%	27.4%	14.6%	9.3%	8.6%
	<b>Grade 11</b>	38.9%	27.6%	15.5%	9.2%	8.8%
	<b>Grade 12</b>	33.8%	29.0%	16.9%	10.6%	9.7%

**State : Grades 7-12 Large  
SPRING 2010**

**Table A-14: How do your parents feel about kids your age drinking alcohol?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	64.0%	14.8%	10.3%	3.4%	1.2%	6.5%
<b>Grade 7</b>	75.8%	8.3%	4.7%	1.6%	1.1%	8.6%
<b>Grade 8</b>	69.9%	11.3%	7.6%	2.6%	1.1%	7.6%
<b>Grade 9</b>	64.3%	15.3%	9.5%	3.3%	1.1%	6.4%
<b>Grade 10</b>	60.5%	16.6%	11.9%	4.2%	1.2%	5.7%
<b>Grade 11</b>	57.6%	18.2%	13.5%	4.1%	1.2%	5.3%
<b>Grade 12</b>	52.7%	20.5%	15.8%	4.9%	1.2%	4.9%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	<b>Very Dangerous</b>	<b>Somewhat Dangerous</b>	<b>Not very Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>All</b>	47.7%	30.2%	14.3%	3.7%	4.1%
<b>Grade 7</b>	59.6%	22.6%	10.7%	2.8%	4.3%
<b>Grade 8</b>	49.8%	26.2%	14.6%	4.4%	4.9%
<b>Grade 9</b>	46.4%	29.7%	15.6%	4.0%	4.3%
<b>Grade 10</b>	44.2%	33.1%	14.9%	3.6%	4.1%
<b>Grade 11</b>	43.2%	34.7%	14.9%	3.9%	3.3%
<b>Grade 12</b>	41.9%	36.5%	15.0%	3.2%	3.5%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana?</b>					
	All	11.4%	16.9%	26.2%	73.8%
	Grade 7	3.9%	5.5%	9.5%	90.5%
	Grade 8	6.8%	9.8%	16.5%	83.5%
	Grade 9	11.1%	16.4%	25.2%	74.8%
	Grade 10	14.2%	20.6%	32.2%	67.8%
	Grade 11	15.9%	24.2%	36.8%	63.2%
	Grade 12	18.4%	27.4%	41.5%	58.5%
<b>Cocaine?</b>					
	All	1.5%	2.5%	5.0%	95.0%
	Grade 7	0.6%	1.1%	1.8%	98.2%
	Grade 8	1.0%	1.5%	2.7%	97.3%
	Grade 9	1.6%	2.4%	4.3%	95.7%
	Grade 10	1.7%	2.9%	5.9%	94.1%
	Grade 11	2.1%	3.6%	7.2%	92.8%
	Grade 12	2.1%	4.0%	8.9%	91.1%
<b>Crack?</b>					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.7%	1.6%	98.4%
	Grade 10	0.4%	0.7%	1.6%	98.4%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.5%	1.6%	98.4%
<b>Hallucinogens?</b>					
	All	1.5%	2.5%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.1%	1.6%	3.1%	96.9%
	Grade 9	1.8%	2.7%	4.6%	95.4%
	Grade 10	1.7%	3.0%	5.6%	94.4%
	Grade 11	2.0%	3.5%	6.5%	93.5%
	Grade 12	2.1%	3.8%	7.3%	92.7%
<b>Uppers?</b>					
	All	2.2%	3.4%	5.3%	94.7%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	2.2%	3.2%	4.7%	95.3%
	Grade 10	2.9%	4.5%	7.0%	93.0%
	Grade 11	3.2%	5.0%	8.1%	91.9%
	Grade 12	3.5%	5.7%	9.0%	91.0%
<b>Downers?</b>					
	All	2.4%	3.6%	5.7%	94.3%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.3%	1.9%	2.8%	97.2%
	Grade 9	2.4%	3.4%	5.1%	94.9%
	Grade 10	3.0%	4.3%	7.1%	92.9%
	Grade 11	3.8%	5.6%	9.1%	90.9%
	Grade 12	3.9%	6.2%	10.1%	89.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-1: How recently, if ever, have you used...  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Rohypnol?</b>					
	All	1.0%	1.5%	2.6%	97.4%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.2%	1.6%	2.6%	97.4%
	Grade 9	1.1%	1.7%	3.0%	97.0%
	Grade 10	1.3%	1.8%	3.1%	96.9%
	Grade 11	1.3%	1.8%	3.0%	97.0%
	Grade 12	1.0%	1.5%	2.9%	97.1%
<b>Steroids?</b>					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.4%	0.7%	1.5%	98.5%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.4%	0.6%	1.3%	98.7%
	Grade 11	0.5%	0.8%	1.5%	98.5%
	Grade 12	0.7%	0.9%	1.7%	98.3%
<b>Ecstasy?</b>					
	All	2.5%	4.0%	6.8%	93.2%
	Grade 7	0.8%	1.3%	2.3%	97.7%
	Grade 8	1.8%	2.6%	4.5%	95.5%
	Grade 9	2.6%	3.9%	6.7%	93.3%
	Grade 10	2.9%	4.6%	8.0%	92.0%
	Grade 11	3.5%	5.8%	9.4%	90.6%
	Grade 12	3.9%	6.4%	11.2%	88.8%
<b>Heroin?</b>					
	All	0.5%	0.8%	1.4%	98.6%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	0.7%	1.0%	1.8%	98.2%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.6%	0.8%	1.4%	98.6%
	Grade 11	0.5%	0.6%	1.2%	98.8%
	Grade 12	0.4%	0.6%	1.1%	98.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	All	76.2%	2.8%	3.2%	4.3%	4.5%	4.1%	5.0%
	Grade 7	91.5%	0.9%	1.2%	1.6%	1.5%	1.5%	1.7%
	Grade 8	84.9%	1.2%	2.4%	3.2%	3.1%	2.5%	2.8%
	Grade 9	76.6%	2.6%	3.5%	4.5%	4.6%	3.9%	4.3%
	Grade 10	70.6%	3.2%	3.7%	5.7%	5.6%	5.3%	5.8%
	Grade 11	66.5%	4.1%	4.1%	5.6%	6.7%	5.4%	7.6%
	Grade 12	63.2%	5.3%	4.3%	5.6%	6.1%	6.7%	8.8%
<b>Cocaine?</b>								
	All	96.1%	0.1%	0.3%	0.5%	0.7%	1.0%	1.4%
	Grade 7	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	97.7%	0.1%	0.3%	0.3%	0.5%	0.6%	0.6%
	Grade 9	96.4%	0.1%	0.3%	0.6%	0.7%	0.8%	1.1%
	Grade 10	95.1%	0.1%	0.2%	0.5%	0.8%	1.4%	1.8%
	Grade 11	94.3%	0.1%	0.3%	0.7%	1.0%	1.3%	2.2%
	Grade 12	93.5%	0.1%	0.3%	0.5%	1.2%	1.6%	2.8%
<b>Crack?</b>								
	All	98.7%	0.0%	0.1%	0.2%	0.2%	0.3%	0.5%
	Grade 7	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	98.6%	0.1%	0.1%	0.3%	0.3%	0.4%	0.3%
	Grade 9	98.5%	0.0%	0.1%	0.2%	0.3%	0.3%	0.5%
	Grade 10	98.9%	0.1%	0.0%	0.1%	0.2%	0.2%	0.5%
	Grade 11	98.7%	0.0%	0.1%	0.1%	0.2%	0.2%	0.6%
	Grade 12	98.9%	0.1%	0.0%	0.1%	0.1%	0.2%	0.6%
<b>Hallucinogens?</b>								
	All	96.2%	0.1%	0.1%	0.3%	0.8%	1.3%	1.2%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.2%	0.2%	0.4%
	Grade 8	97.6%	0.0%	0.2%	0.4%	0.5%	0.8%	0.6%
	Grade 9	96.4%	0.0%	0.1%	0.4%	0.9%	1.1%	1.1%
	Grade 10	95.3%	0.1%	0.1%	0.4%	0.9%	1.8%	1.4%
	Grade 11	94.6%	0.1%	0.1%	0.3%	1.2%	1.8%	1.9%
	Grade 12	94.0%	0.1%	0.2%	0.3%	1.0%	2.1%	2.2%
<b>Uppers?</b>								
	All	95.0%	0.1%	0.4%	0.8%	1.2%	1.2%	1.2%
	Grade 7	98.8%	0.1%	0.1%	0.3%	0.3%	0.2%	0.2%
	Grade 8	97.4%	0.1%	0.3%	0.5%	0.6%	0.6%	0.7%
	Grade 9	95.5%	0.1%	0.4%	0.9%	1.2%	0.9%	1.0%
	Grade 10	93.0%	0.2%	0.4%	1.4%	1.8%	1.5%	1.7%
	Grade 11	92.2%	0.2%	0.6%	1.1%	1.8%	2.2%	1.9%
	Grade 12	91.8%	0.2%	0.6%	1.0%	1.8%	2.3%	2.2%
<b>Downers?</b>								
	All	94.8%	0.2%	0.4%	0.9%	1.3%	1.1%	1.2%
	Grade 7	98.9%	0.0%	0.1%	0.2%	0.3%	0.2%	0.3%
	Grade 8	97.4%	0.3%	0.3%	0.4%	0.7%	0.4%	0.6%
	Grade 9	95.2%	0.2%	0.4%	0.9%	1.3%	1.0%	1.0%
	Grade 10	93.2%	0.2%	0.5%	1.4%	1.7%	1.4%	1.6%
	Grade 11	91.8%	0.4%	0.7%	1.3%	1.9%	1.9%	2.1%
	Grade 12	91.5%	0.1%	0.6%	1.3%	2.2%	2.1%	2.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-2: How often do you normally use...  
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Rohypnol?</b>								
	All	97.9%	0.0%	0.2%	0.3%	0.4%	0.5%	0.5%
	Grade 7	98.8%	0.0%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 8	98.1%	0.0%	0.2%	0.4%	0.5%	0.4%	0.3%
	Grade 9	97.6%	0.1%	0.2%	0.5%	0.5%	0.5%	0.6%
	Grade 10	97.6%	0.0%	0.3%	0.3%	0.5%	0.7%	0.6%
	Grade 11	97.6%	0.0%	0.2%	0.3%	0.4%	0.6%	0.8%
	Grade 12	97.8%	0.0%	0.1%	0.3%	0.4%	0.6%	0.7%
<b>Steroids?</b>								
	All	98.9%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 8	98.9%	0.1%	0.1%	0.1%	0.1%	0.3%	0.4%
	Grade 9	99.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.4%
	Grade 10	98.9%	0.2%	0.1%	0.1%	0.1%	0.1%	0.5%
	Grade 11	98.8%	0.1%	0.1%	0.2%	0.2%	0.3%	0.3%
	Grade 12	98.7%	0.1%	0.1%	0.1%	0.1%	0.2%	0.6%
<b>Ecstasy?</b>								
	All	93.8%	0.1%	0.4%	0.9%	1.4%	1.7%	1.7%
	Grade 7	98.1%	0.1%	0.2%	0.4%	0.4%	0.5%	0.4%
	Grade 8	96.1%	0.1%	0.4%	0.7%	0.9%	1.0%	0.9%
	Grade 9	93.9%	0.1%	0.5%	1.0%	1.3%	1.6%	1.5%
	Grade 10	92.5%	0.1%	0.5%	0.9%	1.8%	2.1%	2.1%
	Grade 11	91.2%	0.1%	0.4%	1.1%	2.0%	2.9%	2.4%
	Grade 12	90.0%	0.1%	0.4%	1.2%	2.1%	2.8%	3.4%
<b>Heroin?</b>								
	All	98.9%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	98.7%	0.0%	0.2%	0.1%	0.2%	0.3%	0.4%
	Grade 9	98.8%	0.0%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 10	99.1%	0.0%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 11	98.8%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%
	Grade 12	99.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.4%



**State : Grades 7-12 Large  
SPRING 2010**

**Table D-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Marijuana</b>	11.5	12.3	13.0	13.6	14.4	14.9
<b>Cocaine</b>	11.6	12.6	13.7	14.1	14.9	15.3
<b>Crack</b>	11.4	12.4	13.6	14.0	14.5	15.0
<b>Hallucinogens</b>	11.9	12.4	13.6	14.4	15.2	15.7
<b>Uppers</b>	11.8	12.5	13.5	14.1	14.8	15.4
<b>Downers</b>	11.8	12.4	13.5	14.1	14.8	15.3
<b>Rohypnol</b>	11.8	12.4	13.5	14.0	14.7	15.0
<b>Steroids</b>	10.8	11.9	12.1	14.0	14.2	14.5
<b>Ecstasy</b>	11.9	12.7	13.8	14.6	15.5	16.1
<b>Heroin</b>	11.5	12.3	13.3	13.6	14.1	15.3

**Table D-4: Age of first use of marijuana by family situation:**

		Never	9/Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
<b>Two parent family</b>								
	<b>All</b>	79.2%	0.8%	1.7%	5.6%	7.9%	4.4%	0.3%
	<b>Grade 7</b>	93.4%	0.7%	1.7%	3.9%	0.2%	0.0%	0.0%
	<b>Grade 8</b>	88.0%	0.7%	2.1%	6.4%	2.7%	0.0%	0.0%
	<b>Grade 9</b>	80.5%	1.0%	2.0%	6.9%	9.1%	0.4%	0.0%
	<b>Grade 10</b>	75.3%	0.8%	1.7%	5.7%	13.2%	3.2%	0.1%
	<b>Grade 11</b>	68.9%	0.8%	1.3%	5.3%	13.3%	10.2%	0.1%
	<b>Grade 12</b>	64.4%	0.9%	1.3%	5.3%	10.4%	15.6%	2.1%
<b>Other family situation</b>								
	<b>All</b>	64.6%	2.3%	3.9%	10.4%	12.5%	5.7%	0.7%
	<b>Grade 7</b>	85.3%	2.5%	4.6%	6.7%	0.9%	0.0%	0.1%
	<b>Grade 8</b>	76.1%	2.4%	5.0%	11.9%	4.6%	0.0%	0.0%
	<b>Grade 9</b>	66.3%	2.6%	3.6%	12.5%	14.2%	0.7%	0.1%
	<b>Grade 10</b>	56.0%	2.5%	4.4%	11.8%	20.7%	4.6%	0.0%
	<b>Grade 11</b>	54.4%	1.6%	2.2%	10.0%	18.3%	13.2%	0.2%
	<b>Grade 12</b>	48.1%	1.9%	3.7%	8.4%	15.6%	18.2%	4.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	<b>All</b>	17.0%	27.3%	8.2%	9.1%	12.6%	25.8%
	<b>Grade 7</b>	25.5%	47.7%	7.8%	5.7%	5.1%	8.2%
	<b>Grade 8</b>	20.1%	38.8%	9.3%	8.1%	8.9%	14.8%
	<b>Grade 9</b>	16.6%	26.6%	8.5%	9.5%	13.4%	25.3%
	<b>Grade 10</b>	13.4%	19.1%	8.8%	10.8%	15.3%	32.6%
	<b>Grade 11</b>	12.3%	15.4%	7.5%	9.8%	16.8%	38.2%
	<b>Grade 12</b>	12.4%	12.2%	7.1%	11.0%	17.3%	39.9%
<b>Cocaine?</b>							
	<b>All</b>	22.6%	36.6%	14.0%	10.9%	7.1%	8.7%
	<b>Grade 7</b>	28.8%	52.4%	9.0%	4.5%	2.3%	3.0%
	<b>Grade 8</b>	24.7%	46.9%	11.9%	7.0%	4.6%	4.9%
	<b>Grade 9</b>	22.8%	36.4%	14.6%	10.2%	7.5%	8.5%
	<b>Grade 10</b>	20.3%	30.5%	15.6%	13.8%	8.8%	10.9%
	<b>Grade 11</b>	19.0%	26.9%	16.3%	14.8%	10.2%	12.8%
	<b>Grade 12</b>	19.0%	23.1%	17.7%	16.7%	10.0%	13.5%
<b>Crack?</b>							
	<b>All</b>	24.4%	37.5%	14.6%	10.6%	6.0%	6.9%
	<b>Grade 7</b>	30.0%	51.8%	8.6%	4.5%	2.2%	2.9%
	<b>Grade 8</b>	25.8%	47.1%	11.9%	6.8%	4.1%	4.3%
	<b>Grade 9</b>	24.4%	37.3%	14.6%	10.1%	6.6%	7.0%
	<b>Grade 10</b>	22.3%	31.6%	17.0%	12.7%	7.6%	8.8%
	<b>Grade 11</b>	21.4%	28.5%	17.5%	14.3%	8.4%	9.9%
	<b>Grade 12</b>	21.3%	25.0%	19.3%	16.9%	7.9%	9.5%
<b>Hallucinogens?</b>							
	<b>All</b>	38.4%	27.7%	11.5%	9.1%	6.3%	7.0%
	<b>Grade 7</b>	54.4%	32.7%	5.9%	2.9%	1.8%	2.3%
	<b>Grade 8</b>	45.7%	32.8%	9.0%	5.7%	3.3%	3.6%
	<b>Grade 9</b>	38.1%	28.7%	11.2%	8.6%	6.3%	7.0%
	<b>Grade 10</b>	31.9%	25.7%	13.9%	11.3%	7.9%	9.3%
	<b>Grade 11</b>	29.4%	23.2%	14.0%	13.2%	10.0%	10.2%
	<b>Grade 12</b>	27.9%	21.3%	15.9%	14.8%	9.7%	10.5%
<b>Uppers?</b>							
	<b>All</b>	49.6%	21.2%	8.1%	7.0%	5.9%	8.2%
	<b>Grade 7</b>	62.6%	27.0%	4.7%	2.3%	1.5%	2.0%
	<b>Grade 8</b>	57.4%	25.2%	6.1%	4.3%	3.0%	3.9%
	<b>Grade 9</b>	49.4%	22.3%	8.1%	6.4%	5.9%	8.0%
	<b>Grade 10</b>	45.3%	18.4%	10.2%	8.1%	7.6%	10.5%
	<b>Grade 11</b>	41.0%	17.0%	9.6%	10.1%	9.3%	12.9%
	<b>Grade 12</b>	38.8%	15.4%	10.9%	12.4%	9.4%	13.1%
<b>Downers?</b>							
	<b>All</b>	49.5%	21.1%	8.1%	6.9%	5.9%	8.4%
	<b>Grade 7</b>	62.7%	26.7%	4.7%	2.3%	1.5%	2.1%
	<b>Grade 8</b>	57.6%	25.1%	6.1%	4.2%	3.0%	4.1%
	<b>Grade 9</b>	49.2%	22.3%	8.2%	6.4%	5.8%	8.2%
	<b>Grade 10</b>	45.0%	18.5%	10.1%	8.0%	7.3%	11.1%
	<b>Grade 11</b>	40.7%	17.0%	9.9%	10.0%	9.2%	13.2%
	<b>Grade 12</b>	38.6%	15.7%	10.5%	12.2%	9.5%	13.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-5: If you wanted some, how difficult would it be to get..**  
Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Rohypnol?</b>							
	<b>All</b>	46.5%	25.3%	10.2%	7.1%	4.6%	6.3%
	<b>Grade 7</b>	59.2%	29.8%	4.9%	2.6%	1.4%	2.1%
	<b>Grade 8</b>	53.0%	29.2%	7.1%	4.4%	2.5%	3.8%
	<b>Grade 9</b>	45.9%	26.0%	10.2%	6.6%	5.0%	6.3%
	<b>Grade 10</b>	41.8%	23.1%	13.0%	8.2%	5.7%	8.3%
	<b>Grade 11</b>	39.4%	22.1%	12.3%	10.0%	7.1%	9.2%
	<b>Grade 12</b>	37.3%	20.4%	15.1%	12.0%	6.3%	8.9%
<b>Steroids?</b>							
	<b>All</b>	27.2%	38.0%	13.3%	9.7%	5.5%	6.3%
	<b>Grade 7</b>	32.6%	49.9%	8.4%	4.0%	2.2%	2.9%
	<b>Grade 8</b>	29.1%	47.1%	10.4%	6.7%	3.2%	3.6%
	<b>Grade 9</b>	27.7%	38.6%	13.5%	9.0%	5.4%	5.9%
	<b>Grade 10</b>	24.8%	33.5%	14.7%	12.3%	7.1%	7.5%
	<b>Grade 11</b>	23.7%	30.0%	16.3%	13.0%	7.9%	9.1%
	<b>Grade 12</b>	24.1%	25.6%	17.3%	14.9%	8.1%	9.9%
<b>Ecstasy?</b>							
	<b>All</b>	33.4%	28.8%	10.5%	8.5%	7.5%	11.2%
	<b>Grade 7</b>	53.1%	33.3%	5.7%	2.7%	2.1%	3.0%
	<b>Grade 8</b>	41.8%	34.5%	8.0%	5.8%	4.1%	5.8%
	<b>Grade 9</b>	31.6%	30.3%	11.1%	8.1%	7.8%	11.1%
	<b>Grade 10</b>	26.3%	26.3%	12.6%	10.5%	9.9%	14.4%
	<b>Grade 11</b>	22.6%	25.2%	12.6%	11.6%	11.0%	17.0%
	<b>Grade 12</b>	21.8%	21.5%	13.9%	13.8%	11.4%	17.6%
<b>Heroin?</b>							
	<b>All</b>	32.0%	37.4%	13.2%	7.6%	4.1%	5.7%
	<b>Grade 7</b>	40.8%	44.5%	7.2%	3.1%	1.7%	2.7%
	<b>Grade 8</b>	35.2%	44.0%	9.5%	4.8%	2.8%	3.6%
	<b>Grade 9</b>	31.4%	37.5%	13.3%	7.4%	4.5%	6.0%
	<b>Grade 10</b>	28.6%	34.0%	15.8%	8.9%	5.5%	7.1%
	<b>Grade 11</b>	27.2%	32.9%	16.2%	10.9%	5.0%	7.7%
	<b>Grade 12</b>	27.2%	29.5%	18.8%	11.4%	5.3%	7.8%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	89.1%	5.8%	2.0%	3.1%
Grade 7	95.2%	3.0%	0.7%	1.1%
Grade 8	92.1%	4.8%	1.4%	1.6%
Grade 9	88.6%	6.3%	2.3%	2.8%
Grade 10	86.1%	7.6%	2.4%	3.9%
Grade 11	85.7%	7.0%	2.9%	4.4%
Grade 12	85.6%	6.5%	2.6%	5.2%
<b>Attended class while high from use of some other drug?</b>				
All	94.2%	3.7%	1.0%	1.1%
Grade 7	97.0%	2.0%	0.4%	0.6%
Grade 8	95.3%	3.3%	0.7%	0.8%
Grade 9	93.5%	4.4%	1.1%	1.0%
Grade 10	92.7%	4.4%	1.3%	1.5%
Grade 11	93.2%	4.2%	1.2%	1.3%
Grade 12	93.5%	3.9%	1.2%	1.4%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	98.4%	1.1%	0.2%	0.3%
Grade 7	98.9%	0.7%	0.1%	0.4%
Grade 8	98.3%	1.2%	0.2%	0.3%
Grade 9	98.1%	1.4%	0.2%	0.3%
Grade 10	98.4%	1.2%	0.2%	0.2%
Grade 11	98.6%	1.0%	0.1%	0.2%
Grade 12	98.4%	1.1%	0.2%	0.3%

**Table D-7: School year use of marijuana by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Marijuana Users:	4.9
Marijuana Non-use	3.8

  

<b>Average days conduct problems reported</b>	
Marijuana Users:	4.8
Marijuana Non-use	1.4

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-8: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
All	90.5%	5.9%	1.4%	2.2%
Grade 9	95.1%	3.5%	0.6%	0.7%
Grade 10	92.8%	4.9%	1.1%	1.3%
Grade 11	88.3%	7.4%	1.8%	2.5%
Grade 12	84.1%	8.7%	2.3%	4.9%
<b>Gotten into trouble with the police because of drug use?</b>				
All	97.5%	1.9%	0.2%	0.3%
Grade 7	98.6%	1.0%	0.2%	0.3%
Grade 8	97.6%	1.7%	0.4%	0.3%
Grade 9	97.4%	2.0%	0.3%	0.3%
Grade 10	97.5%	2.1%	0.2%	0.3%
Grade 11	97.1%	2.4%	0.2%	0.2%
Grade 12	97.0%	2.4%	0.2%	0.3%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
All	48.4%	18.6%	14.3%	13.3%	5.4%
Grade 7	75.6%	12.1%	5.6%	4.7%	1.9%
Grade 8	60.6%	16.6%	10.4%	8.9%	3.5%
Grade 9	46.3%	18.4%	15.1%	14.7%	5.6%
Grade 10	37.8%	20.5%	17.5%	17.1%	7.1%
Grade 11	34.2%	21.8%	19.1%	17.8%	7.1%
Grade 12	31.9%	23.6%	19.1%	18.0%	7.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-10: During the past twelve months, how many times have you..**

	None	1-3 Times	4-9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
<b>All</b>	94.2%	4.7%	0.7%	0.4%
<b>Grade 7</b>	97.1%	2.2%	0.5%	0.2%
<b>Grade 8</b>	94.9%	4.3%	0.4%	0.4%
<b>Grade 9</b>	93.3%	5.3%	0.8%	0.5%
<b>Grade 10</b>	92.8%	5.9%	0.9%	0.4%
<b>Grade 11</b>	93.2%	5.7%	0.7%	0.4%
<b>Grade 12</b>	93.8%	5.0%	0.7%	0.5%
<b>Been criticized by someone you were dating because of drug use?</b>				
<b>All</b>	93.4%	5.1%	0.8%	0.7%
<b>Grade 7</b>	97.6%	1.9%	0.3%	0.2%
<b>Grade 8</b>	95.1%	3.8%	0.6%	0.5%
<b>Grade 9</b>	92.5%	5.7%	1.0%	0.8%
<b>Grade 10</b>	91.4%	6.7%	1.0%	0.9%
<b>Grade 11</b>	91.1%	7.1%	0.9%	0.9%
<b>Grade 12</b>	92.3%	5.8%	0.9%	1.0%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
<b>All</b>	53.8%	9.2%	6.6%	7.6%	8.8%	2.7%	11.2%
<b>Grade 7</b>	77.3%	4.5%	2.7%	2.3%	2.0%	2.1%	9.1%
<b>Grade 8</b>	69.0%	7.7%	4.1%	4.3%	3.7%	2.3%	9.0%
<b>Grade 9</b>	53.3%	9.5%	7.0%	7.3%	8.0%	3.2%	11.7%
<b>Grade 10</b>	44.4%	11.3%	7.8%	9.8%	11.4%	2.9%	12.5%
<b>Grade 11</b>	38.6%	10.6%	8.8%	11.4%	13.7%	3.1%	13.8%
<b>Grade 12</b>	34.8%	12.5%	9.9%	12.0%	16.3%	2.8%	11.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
<b>Joints?</b>	<b>All</b>	79.6%	8.1%	4.6%	4.0%	2.9%	0.8%
	<b>Grade 7</b>	91.2%	3.0%	2.2%	1.5%	1.5%	0.6%
	<b>Grade 8</b>	85.6%	4.7%	3.2%	3.6%	2.1%	0.8%
	<b>Grade 9</b>	79.9%	7.1%	5.0%	4.2%	3.1%	0.7%
	<b>Grade 10</b>	74.3%	10.5%	5.8%	4.9%	3.5%	1.1%
	<b>Grade 11</b>	72.8%	11.3%	5.8%	5.2%	3.9%	0.8%
	<b>Grade 12</b>	71.0%	13.9%	5.8%	5.1%	3.4%	0.9%
<b>Blunts?</b>	<b>All</b>	79.6%	6.6%	4.1%	4.5%	4.4%	0.8%
	<b>Grade 7</b>	91.6%	2.6%	2.0%	1.5%	1.6%	0.7%
	<b>Grade 8</b>	86.3%	3.6%	3.3%	3.4%	2.6%	0.8%
	<b>Grade 9</b>	79.6%	6.6%	4.4%	4.2%	4.5%	0.7%
	<b>Grade 10</b>	74.4%	8.0%	5.3%	5.8%	5.4%	1.1%
	<b>Grade 11</b>	72.3%	9.3%	5.2%	6.0%	6.3%	0.9%
	<b>Grade 12</b>	70.3%	10.4%	5.1%	6.7%	6.7%	0.8%
<b>Bongs or water pipes?</b>	<b>All</b>	84.7%	5.8%	3.2%	3.1%	2.5%	0.6%
	<b>Grade 7</b>	94.9%	1.7%	1.0%	0.8%	0.9%	0.6%
	<b>Grade 8</b>	91.0%	3.1%	2.0%	1.9%	1.3%	0.6%
	<b>Grade 9</b>	85.2%	5.4%	3.1%	3.1%	2.6%	0.6%
	<b>Grade 10</b>	80.7%	6.7%	4.1%	4.3%	3.5%	0.7%
	<b>Grade 11</b>	77.6%	9.2%	4.5%	4.6%	3.4%	0.6%
	<b>Grade 12</b>	76.1%	10.1%	4.9%	4.6%	3.7%	0.6%
<b>Pipes?</b>	<b>All</b>	83.6%	5.2%	3.2%	4.3%	3.2%	0.6%
	<b>Grade 7</b>	94.1%	1.8%	1.3%	1.2%	1.1%	0.6%
	<b>Grade 8</b>	90.4%	3.0%	2.1%	2.2%	1.7%	0.6%
	<b>Grade 9</b>	84.1%	5.1%	3.0%	4.1%	3.1%	0.5%
	<b>Grade 10</b>	79.8%	5.8%	3.7%	5.5%	4.3%	0.9%
	<b>Grade 11</b>	76.5%	7.5%	4.6%	6.5%	4.3%	0.6%
	<b>Grade 12</b>	73.8%	8.7%	5.0%	7.0%	5.0%	0.6%
<b>Some other way?</b>	<b>All</b>	87.6%	5.2%	1.7%	1.6%	2.0%	1.8%
	<b>Grade 7</b>	95.0%	1.4%	0.9%	0.7%	1.0%	1.1%
	<b>Grade 8</b>	91.6%	2.8%	1.4%	1.5%	1.5%	1.3%
	<b>Grade 9</b>	87.0%	5.2%	1.8%	1.7%	2.4%	1.9%
	<b>Grade 10</b>	84.5%	6.7%	2.0%	2.1%	2.7%	2.1%
	<b>Grade 11</b>	83.7%	7.7%	1.9%	2.1%	2.4%	2.1%
	<b>Grade 12</b>	82.6%	8.8%	2.2%	2.0%	2.4%	2.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	<b>Strongly Disapprove</b>	<b>Mildly Disapprove</b>	<b>Neither</b>	<b>Mildly Approve</b>	<b>Strongly Approve</b>	<b>Don't know</b>
<b>All</b>	81.4%	5.2%	4.6%	1.2%	1.3%	6.3%
<b>Grade 7</b>	85.8%	2.2%	2.0%	0.5%	1.2%	8.3%
<b>Grade 8</b>	84.3%	3.2%	3.1%	0.9%	1.2%	7.4%
<b>Grade 9</b>	81.7%	5.2%	4.2%	1.4%	1.3%	6.1%
<b>Grade 10</b>	80.2%	6.1%	5.5%	1.5%	1.3%	5.4%
<b>Grade 11</b>	79.0%	7.1%	5.8%	1.5%	1.5%	5.1%
<b>Grade 12</b>	76.4%	7.9%	7.7%	1.4%	1.6%	5.0%



**State : Grades 7-12 Large  
SPRING 2010**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
<b>Marijuana?</b>						
	<b>All</b>	58.9%	15.1%	11.4%	10.4%	4.3%
	<b>Grade 7</b>	79.7%	8.9%	3.9%	3.2%	4.4%
	<b>Grade 8</b>	69.2%	12.2%	7.5%	6.0%	5.1%
	<b>Grade 9</b>	59.3%	15.8%	10.8%	9.6%	4.5%
	<b>Grade 10</b>	50.9%	17.2%	15.2%	12.6%	4.2%
	<b>Grade 11</b>	46.8%	18.3%	15.5%	15.7%	3.7%
	<b>Grade 12</b>	43.7%	18.8%	16.9%	16.9%	3.8%
<b>Cocaine?</b>						
	<b>All</b>	83.7%	8.9%	1.6%	0.9%	4.9%
	<b>Grade 7</b>	86.8%	6.3%	1.4%	0.7%	4.7%
	<b>Grade 8</b>	83.9%	7.8%	1.6%	1.0%	5.7%
	<b>Grade 9</b>	82.1%	9.9%	1.9%	1.0%	5.1%
	<b>Grade 10</b>	82.4%	10.1%	1.8%	0.9%	4.8%
	<b>Grade 11</b>	82.8%	10.2%	1.6%	1.1%	4.3%
	<b>Grade 12</b>	84.2%	9.0%	1.5%	0.7%	4.6%
<b>Crack?</b>						
	<b>All</b>	85.2%	7.5%	1.3%	0.8%	5.1%
	<b>Grade 7</b>	87.0%	5.9%	1.2%	0.8%	5.1%
	<b>Grade 8</b>	84.5%	7.3%	1.4%	1.0%	5.9%
	<b>Grade 9</b>	83.6%	8.7%	1.7%	0.9%	5.1%
	<b>Grade 10</b>	84.4%	8.3%	1.4%	0.8%	5.2%
	<b>Grade 11</b>	85.4%	8.0%	1.3%	1.0%	4.4%
	<b>Grade 12</b>	86.6%	6.9%	0.9%	0.6%	5.1%
<b>Ecstasy?</b>						
	<b>All</b>	77.0%	10.9%	3.5%	1.5%	7.1%
	<b>Grade 7</b>	81.5%	6.2%	2.0%	1.1%	9.2%
	<b>Grade 8</b>	77.8%	8.6%	2.8%	1.6%	9.2%
	<b>Grade 9</b>	75.9%	11.3%	4.2%	1.8%	6.9%
	<b>Grade 10</b>	74.5%	13.1%	4.3%	1.7%	6.4%
	<b>Grade 11</b>	75.7%	13.6%	4.0%	1.7%	4.9%
	<b>Grade 12</b>	76.0%	13.5%	3.8%	1.3%	5.3%
<b>Steroids?</b>						
	<b>All</b>	75.1%	13.2%	4.1%	1.5%	6.2%
	<b>Grade 7</b>	79.9%	9.6%	3.0%	1.3%	6.3%
	<b>Grade 8</b>	76.7%	11.8%	3.1%	1.2%	7.2%
	<b>Grade 9</b>	75.1%	13.6%	4.0%	1.5%	5.9%
	<b>Grade 10</b>	72.3%	15.0%	4.8%	1.6%	6.3%
	<b>Grade 11</b>	72.5%	14.7%	5.4%	1.8%	5.6%
	<b>Grade 12</b>	73.6%	14.8%	4.6%	1.3%	5.7%
<b>Heroin?</b>						
	<b>All</b>	86.1%	5.9%	1.1%	0.7%	6.2%
	<b>Grade 7</b>	86.3%	4.9%	1.0%	0.8%	7.0%
	<b>Grade 8</b>	84.4%	6.2%	1.2%	0.7%	7.4%
	<b>Grade 9</b>	85.1%	6.8%	1.3%	0.9%	5.9%
	<b>Grade 10</b>	85.8%	6.4%	1.2%	0.6%	6.0%
	<b>Grade 11</b>	87.2%	5.9%	0.9%	0.9%	5.1%
	<b>Grade 12</b>	88.5%	5.1%	0.6%	0.6%	5.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-15: How recently, if ever, have you taken...**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Methamphetamine?</b>					
	<b>All</b>	0.8%	1.3%	3.0%	97.0%
	<b>Grade 7</b>	0.6%	0.9%	2.1%	97.9%
	<b>Grade 8</b>	0.9%	1.4%	2.6%	97.4%
	<b>Grade 9</b>	0.8%	1.3%	2.9%	97.1%
	<b>Grade 10</b>	0.8%	1.3%	3.1%	96.9%
	<b>Grade 11</b>	0.9%	1.6%	3.6%	96.4%
	<b>Grade 12</b>	0.7%	1.5%	3.8%	96.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...**

	Past Month	School Year	Ever Used	Never Used
<b>Codeine?</b>				
All	4.8%	8.2%	12.3%	87.7%
Grade 7	3.2%	5.1%	7.6%	92.4%
Grade 8	4.4%	6.4%	9.5%	90.5%
Grade 9	5.0%	8.6%	12.3%	87.7%
Grade 10	5.8%	9.8%	14.6%	85.4%
Grade 11	5.4%	9.7%	15.1%	84.9%
Grade 12	5.4%	9.8%	15.6%	84.4%
<b>Oxycontin, Percodan or Percocet?</b>				
All	1.0%	1.8%	3.1%	96.9%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.6%	1.0%	1.8%	98.2%
Grade 9	1.1%	1.9%	2.9%	97.1%
Grade 10	1.2%	2.5%	4.0%	96.0%
Grade 11	1.4%	2.6%	4.5%	95.5%
Grade 12	1.4%	2.8%	5.0%	95.0%
<b>Vicodin, Lortab or Lorcet?</b>				
All	1.8%	3.5%	5.3%	94.7%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.7%	1.3%	2.1%	97.9%
Grade 9	1.6%	2.8%	4.2%	95.8%
Grade 10	2.4%	4.8%	6.9%	93.1%
Grade 11	3.0%	5.9%	8.8%	91.2%
Grade 12	3.1%	6.0%	10.0%	90.0%
<b>Valium or Diazepam?</b>				
All	0.7%	1.4%	2.4%	97.6%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	0.7%	1.3%	2.1%	97.9%
Grade 10	0.8%	1.7%	2.9%	97.1%
Grade 11	1.0%	1.8%	3.3%	96.7%
Grade 12	1.2%	2.3%	4.1%	95.9%
<b>Xanax or Alprazolam?</b>				
All	1.7%	3.0%	4.5%	95.5%
Grade 7	0.6%	0.8%	1.3%	98.7%
Grade 8	1.0%	1.4%	2.2%	97.8%
Grade 9	1.6%	2.8%	4.0%	96.0%
Grade 10	2.4%	4.1%	6.0%	94.0%
Grade 11	2.6%	4.7%	7.0%	93.0%
Grade 12	2.4%	4.5%	7.6%	92.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>DXM, Triple C?</b>				
<b>All</b>	1.9%	3.1%	5.4%	94.6%
<b>Grade 7</b>	1.6%	2.3%	3.9%	96.1%
<b>Grade 8</b>	2.1%	3.0%	4.9%	95.1%
<b>Grade 9</b>	2.2%	3.3%	5.7%	94.3%
<b>Grade 10</b>	2.1%	3.9%	6.4%	93.6%
<b>Grade 11</b>	1.8%	3.3%	5.7%	94.3%
<b>Grade 12</b>	1.6%	2.8%	5.7%	94.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table I-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Spray paint?</b>					
	All	1.0%	1.7%	5.0%	95.0%
	Grade 7	1.1%	1.8%	5.2%	94.8%
	Grade 8	1.6%	2.5%	6.4%	93.6%
	Grade 9	1.1%	1.9%	5.4%	94.6%
	Grade 10	0.9%	1.4%	4.6%	95.4%
	Grade 11	0.6%	1.2%	4.4%	95.6%
	Grade 12	0.7%	1.0%	3.1%	96.9%
<b>Whiteout,correction fld?</b>					
	All	2.6%	4.2%	10.0%	90.0%
	Grade 7	4.5%	6.6%	13.2%	86.8%
	Grade 8	4.2%	6.6%	13.8%	86.2%
	Grade 9	2.7%	4.3%	10.6%	89.4%
	Grade 10	1.6%	3.0%	9.1%	90.9%
	Grade 11	1.4%	2.3%	6.8%	93.2%
	Grade 12	0.8%	1.4%	4.9%	95.1%
<b>Computer dusting sprays?</b>					
	All	0.9%	1.6%	3.3%	96.7%
	Grade 7	0.8%	1.2%	1.9%	98.1%
	Grade 8	0.8%	1.4%	2.9%	97.1%
	Grade 9	1.1%	1.8%	3.6%	96.4%
	Grade 10	0.8%	1.6%	3.8%	96.2%
	Grade 11	0.9%	1.6%	3.8%	96.2%
	Grade 12	0.9%	1.8%	4.2%	95.8%
<b>Helium,butane,propane,whippets,freon?</b>					
	All	2.2%	3.8%	7.8%	92.2%
	Grade 7	2.3%	3.6%	7.1%	92.9%
	Grade 8	2.7%	4.3%	8.5%	91.5%
	Grade 9	2.4%	3.9%	8.1%	91.9%
	Grade 10	1.9%	3.6%	8.3%	91.7%
	Grade 11	2.3%	4.0%	8.1%	91.9%
	Grade 12	1.5%	3.0%	6.8%	93.2%
<b>Glue?</b>					
	All	0.6%	1.0%	2.4%	97.6%
	Grade 7	1.1%	1.5%	3.2%	96.8%
	Grade 8	0.8%	1.5%	3.2%	96.8%
	Grade 9	0.5%	0.9%	2.4%	97.6%
	Grade 10	0.3%	0.6%	1.9%	98.1%
	Grade 11	0.3%	0.6%	1.7%	98.3%
	Grade 12	0.4%	0.7%	1.7%	98.3%
<b>Toluene,paint thinner,other solvents?</b>					
	All	0.6%	1.1%	2.4%	97.6%
	Grade 7	0.8%	1.2%	2.4%	97.6%
	Grade 8	0.9%	1.5%	2.7%	97.3%
	Grade 9	0.6%	1.1%	2.4%	97.6%
	Grade 10	0.5%	0.9%	2.4%	97.6%
	Grade 11	0.7%	1.1%	2.4%	97.6%
	Grade 12	0.3%	0.7%	1.7%	98.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table I-1: How recently, if ever, have you used...  
(Continued)**

	<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Gasoline,octane booster,carburetor cleaner?</b>				
<b>All</b>	1.1%	1.6%	3.5%	96.5%
<b>Grade 7</b>	1.4%	2.0%	3.8%	96.2%
<b>Grade 8</b>	1.6%	2.5%	4.8%	95.2%
<b>Grade 9</b>	1.1%	1.6%	3.6%	96.4%
<b>Grade 10</b>	0.9%	1.4%	3.5%	96.5%
<b>Grade 11</b>	0.9%	1.3%	2.9%	97.1%
<b>Grade 12</b>	0.4%	0.6%	1.9%	98.1%
<b>Other aerosols/sprays?</b>				
<b>All</b>	1.1%	1.8%	4.0%	96.0%
<b>Grade 7</b>	1.8%	2.6%	5.0%	95.0%
<b>Grade 8</b>	1.7%	2.8%	5.4%	94.6%
<b>Grade 9</b>	1.1%	1.9%	4.0%	96.0%
<b>Grade 10</b>	0.7%	1.3%	3.7%	96.3%
<b>Grade 11</b>	0.7%	1.3%	3.3%	96.7%
<b>Grade 12</b>	0.5%	0.7%	2.4%	97.6%
<b>Any inhalant?</b>				
<b>All</b>	6.0%	8.9%	17.2%	82.8%
<b>Grade 7</b>	8.4%	11.0%	19.3%	80.7%
<b>Grade 8</b>	8.4%	12.0%	21.1%	78.9%
<b>Grade 9</b>	6.4%	9.5%	17.7%	82.3%
<b>Grade 10</b>	4.8%	7.5%	16.5%	83.5%
<b>Grade 11</b>	4.2%	7.0%	14.8%	85.2%
<b>Grade 12</b>	3.2%	5.6%	12.5%	87.5%

**State : Grades 7-12 Large  
SPRING 2010**

**Table I-2: How often do you normally use inhalants?**

	<b>Never Used</b>	<b>Every Day</b>	<b>Several Times a Week</b>	<b>Several Times a Month</b>	<b>About Once a Month</b>	<b>About Once a Year</b>	<b>Less than Once a Year</b>
<b>All</b>	92.9%	0.2%	0.4%	0.7%	1.2%	1.6%	3.0%
<b>Grade 7</b>	91.7%	0.3%	0.6%	1.1%	1.8%	1.7%	2.8%
<b>Grade 8</b>	90.7%	0.2%	0.7%	1.2%	1.8%	2.3%	3.0%
<b>Grade 9</b>	92.5%	0.1%	0.3%	0.9%	1.5%	1.7%	3.1%
<b>Grade 10</b>	93.6%	0.1%	0.2%	0.5%	0.9%	1.4%	3.3%
<b>Grade 11</b>	94.0%	0.1%	0.2%	0.4%	0.8%	1.5%	3.1%
<b>Grade 12</b>	95.6%	0.1%	0.1%	0.2%	0.5%	0.7%	2.8%

**I-3: Number of different kinds of inhalants used**

	<b>None</b>	<b>One</b>	<b>Two to Three</b>	<b>Four Plus</b>
<b>All</b>	83.1%	8.1%	6.0%	2.8%
<b>Grade 7</b>	80.9%	9.1%	7.1%	2.9%
<b>Grade 8</b>	79.1%	9.5%	7.7%	3.7%
<b>Grade 9</b>	82.6%	8.3%	6.1%	3.1%
<b>Grade 10</b>	83.8%	7.9%	5.4%	2.9%
<b>Grade 11</b>	85.5%	7.1%	5.1%	2.3%
<b>Grade 12</b>	87.8%	6.4%	4.1%	1.7%

**State : Grades 7-12 Large  
SPRING 2010**

**Table I-4: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Inhalants</b>	11.0	11.5	12.3	12.6	13.6	13.7

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1-3 Times	4-9 Times	10+ Times
<b>All</b>	97.7%	1.6%	0.3%	0.4%
<b>Grade 7</b>	96.9%	2.2%	0.4%	0.5%
<b>Grade 8</b>	97.0%	2.0%	0.5%	0.5%
<b>Grade 9</b>	97.3%	2.0%	0.3%	0.4%
<b>Grade 10</b>	98.3%	1.3%	0.3%	0.2%
<b>Grade 11</b>	98.3%	1.2%	0.3%	0.3%
<b>Grade 12</b>	98.7%	0.7%	0.2%	0.4%

**Table I-6: School year use of inhalants by absences and conduct problems:**

<b>Average days absent due to illness or other reasons</b>	
Inhalants Users:	4.8
Inhalants Non-use	3.9

  

<b>Average days conduct problems reported</b>	
Inhalants Users:	4.4
Inhalants Non-use	1.7



**State : Grades 7-12 Large  
SPRING 2010**

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
<b>All</b>	80.8%	12.7%	4.4%	1.6%	0.5%
<b>Grade 7</b>	81.9%	10.9%	4.5%	2.1%	0.6%
<b>Grade 8</b>	78.5%	13.5%	5.5%	1.8%	0.7%
<b>Grade 9</b>	78.8%	13.8%	5.0%	1.9%	0.5%
<b>Grade 10</b>	79.5%	14.3%	4.4%	1.4%	0.5%
<b>Grade 11</b>	81.9%	12.8%	3.6%	1.2%	0.5%
<b>Grade 12</b>	85.0%	10.4%	3.1%	1.0%	0.4%

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
<b>All</b>	72.8%	14.9%	4.7%	1.7%	6.0%
<b>Grade 7</b>	74.4%	12.9%	5.4%	1.9%	5.5%
<b>Grade 8</b>	71.3%	14.3%	5.5%	2.2%	6.8%
<b>Grade 9</b>	71.4%	15.9%	5.0%	1.8%	5.9%
<b>Grade 10</b>	71.6%	15.9%	4.8%	1.3%	6.4%
<b>Grade 11</b>	73.3%	15.6%	4.2%	1.5%	5.3%
<b>Grade 12</b>	75.1%	14.8%	3.0%	1.1%	6.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table I-9: If you wanted some, how difficult would it be to get..**

		<b>Never Heard Of</b>	<b>Impossible</b>	<b>Very Difficult</b>	<b>Somewhat Difficult</b>	<b>Somewhat Easy</b>	<b>Very Easy</b>
<b>Inhalants?</b>							
	<b>All</b>	24.0%	18.3%	5.0%	7.0%	10.9%	34.9%
	<b>Grade 7</b>	28.7%	29.2%	5.1%	5.6%	8.1%	23.3%
	<b>Grade 8</b>	25.7%	23.3%	5.4%	7.1%	9.8%	28.8%
	<b>Grade 9</b>	24.2%	18.1%	5.3%	6.9%	11.6%	33.9%
	<b>Grade 10</b>	22.3%	14.2%	5.1%	8.0%	12.5%	37.9%
	<b>Grade 11</b>	20.9%	12.6%	4.9%	7.5%	11.8%	42.3%
	<b>Grade 12</b>	21.5%	9.9%	4.2%	6.8%	11.8%	45.7%

**State : Grades 7-12 Large  
SPRING 2010**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
<b>A school health class</b>	All 47.9%
	Grade 7 44.3%
	Grade 8 47.0%
	Grade 9 52.8%
	Grade 10 50.5%
	Grade 11 48.6%
	Grade 12 42.6%
<b>An assembly program</b>	All 49.5%
	Grade 7 53.5%
	Grade 8 56.8%
	Grade 9 48.0%
	Grade 10 46.4%
	Grade 11 43.6%
	Grade 12 47.9%
<b>Guidance counselor</b>	All 27.2%
	Grade 7 34.2%
	Grade 8 35.7%
	Grade 9 27.0%
	Grade 10 22.8%
	Grade 11 21.3%
	Grade 12 20.7%
<b>Science class</b>	All 30.7%
	Grade 7 34.8%
	Grade 8 30.9%
	Grade 9 36.1%
	Grade 10 30.6%
	Grade 11 26.0%
	Grade 12 23.6%
<b>Social studies class</b>	All 15.4%
	Grade 7 15.7%
	Grade 8 15.0%
	Grade 9 16.3%
	Grade 10 16.1%
	Grade 11 14.8%
	Grade 12 14.6%
<b>Student group session</b>	All 15.4%
	Grade 7 14.3%
	Grade 8 15.1%
	Grade 9 15.1%
	Grade 10 15.1%
	Grade 11 15.9%
	Grade 12 17.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

CATEGORY	Yes
<b>An invited school guest</b>	<b>All</b> 36.0%
	<b>Grade 7</b> 41.0%
	<b>Grade 8</b> 41.5%
	<b>Grade 9</b> 33.8%
	<b>Grade 10</b> 33.1%
	<b>Grade 11</b> 31.4%
	<b>Grade 12</b> 34.5%
<b>Another source at school</b>	<b>All</b> 32.6%
	<b>Grade 7</b> 32.3%
	<b>Grade 8</b> 33.2%
	<b>Grade 9</b> 34.3%
	<b>Grade 10</b> 33.0%
	<b>Grade 11</b> 31.1%
	<b>Grade 12</b> 31.0%
<b>Any school source</b>	<b>All</b> 61.1%
	<b>Grade 7</b> 61.2%
	<b>Grade 8</b> 63.8%
	<b>Grade 9</b> 62.2%
	<b>Grade 10</b> 61.1%
	<b>Grade 11</b> 59.4%
<b>Grade 12</b> 58.3%	

**State : Grades 7-12 Large  
SPRING 2010**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
<b>Counselor/program in-school</b>	All 35.0%
	Grade 7 47.7%
	Grade 8 39.0%
	Grade 9 34.0%
	Grade 10 29.2%
	Grade 11 28.7%
	Grade 12 29.0%
<b>Another adult in school</b>	All 34.7%
	Grade 7 42.3%
	Grade 8 37.0%
	Grade 9 33.3%
	Grade 10 31.3%
	Grade 11 30.7%
	Grade 12 32.8%
<b>Counselor/program outside-school</b>	All 37.0%
	Grade 7 41.1%
	Grade 8 36.6%
	Grade 9 37.0%
	Grade 10 34.9%
	Grade 11 35.2%
	Grade 12 36.8%
<b>Your parents</b>	All 60.7%
	Grade 7 67.4%
	Grade 8 61.6%
	Grade 9 59.6%
	Grade 10 57.2%
	Grade 11 57.5%
	Grade 12 60.2%
<b>A medical doctor</b>	All 45.4%
	Grade 7 53.2%
	Grade 8 46.5%
	Grade 9 44.5%
	Grade 10 41.1%
	Grade 11 42.2%
	Grade 12 43.9%
<b>Your friends</b>	All 69.3%
	Grade 7 60.1%
	Grade 8 66.4%
	Grade 9 69.7%
	Grade 10 73.4%
	Grade 11 74.0%
	Grade 12 74.1%

**State : Grades 7-12 Large  
SPRING 2010**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**  
(Continued)

CATEGORY	Yes
<b>Another adult</b>	<b>All</b> 61.7%
	<b>Grade 7</b> 61.5%
	<b>Grade 8</b> 60.9%
	<b>Grade 9</b> 63.2%
	<b>Grade 10</b> 61.0%
	<b>Grade 11</b> 62.1%
	<b>Grade 12</b> 61.2%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY	Yes
<b>Seek Help</b>	<b>All</b> 8.0%
	<b>Grade 7</b> 7.7%
	<b>Grade 8</b> 8.9%
	<b>Grade 9</b> 9.3%
	<b>Grade 10</b> 8.2%
	<b>Grade 11</b> 7.1%
	<b>Grade 12</b> 6.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
<b>All</b>	5.3%	25.6%	26.2%	33.8%	9.0%
<b>Grade 7</b>	7.8%	25.0%	21.3%	31.7%	14.1%
<b>Grade 8</b>	6.1%	25.5%	25.8%	32.0%	10.6%
<b>Grade 9</b>	5.5%	26.5%	26.9%	33.0%	8.0%
<b>Grade 10</b>	4.4%	25.7%	29.6%	33.4%	6.8%
<b>Grade 11</b>	3.9%	26.1%	27.3%	35.2%	7.5%
<b>Grade 12</b>	3.7%	24.8%	26.5%	38.5%	6.5%
<b>Sometimes carry weapons?</b>					
<b>All</b>	66.2%	20.4%	8.8%	3.2%	1.3%
<b>Grade 7</b>	77.1%	15.7%	4.9%	1.5%	0.8%
<b>Grade 8</b>	70.3%	18.9%	6.9%	2.7%	1.2%
<b>Grade 9</b>	64.4%	21.6%	9.4%	3.4%	1.2%
<b>Grade 10</b>	63.2%	21.5%	10.2%	3.8%	1.2%
<b>Grade 11</b>	61.3%	22.3%	10.1%	4.5%	1.9%
<b>Grade 12</b>	59.5%	23.1%	12.0%	3.8%	1.6%
<b>Care about making good grades?</b>					
<b>All</b>	3.1%	13.9%	22.6%	42.8%	17.7%
<b>Grade 7</b>	4.2%	16.6%	20.8%	35.4%	23.0%
<b>Grade 8</b>	3.6%	15.7%	22.4%	39.0%	19.2%
<b>Grade 9</b>	3.0%	14.4%	24.0%	42.0%	16.6%
<b>Grade 10</b>	2.6%	13.2%	24.6%	44.8%	14.9%
<b>Grade 11</b>	2.5%	11.4%	21.7%	47.6%	16.8%
<b>Grade 12</b>	2.2%	11.1%	21.5%	49.9%	15.2%
<b>Belong/want to belong to a gang?</b>					
<b>All</b>	69.6%	17.0%	8.1%	3.9%	1.4%
<b>Grade 7</b>	73.9%	14.8%	6.4%	3.4%	1.5%
<b>Grade 8</b>	66.7%	18.5%	8.8%	4.5%	1.5%
<b>Grade 9</b>	64.7%	19.3%	9.6%	4.8%	1.5%
<b>Grade 10</b>	68.5%	17.3%	8.9%	4.0%	1.4%
<b>Grade 11</b>	71.1%	16.4%	7.9%	3.5%	1.2%
<b>Grade 12</b>	74.0%	15.2%	6.4%	3.1%	1.4%
<b>Wish they could drop out of school?</b>					
<b>All</b>	58.5%	27.2%	9.2%	3.4%	1.7%
<b>Grade 7</b>	67.7%	20.8%	6.5%	3.2%	1.9%
<b>Grade 8</b>	60.1%	25.5%	9.1%	3.4%	1.9%
<b>Grade 9</b>	54.6%	29.1%	10.6%	4.2%	1.5%
<b>Grade 10</b>	52.4%	31.5%	10.5%	3.9%	1.7%
<b>Grade 11</b>	55.7%	29.6%	10.0%	3.1%	1.7%
<b>Grade 12</b>	60.5%	27.0%	8.4%	2.4%	1.6%

**State : Grades 7-12 Large  
SPRING 2010**

**Table X-5: How safe do you feel when you are:**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Don't Know
<b>In your home?</b>					
<b>All</b>	81.4%	16.1%	1.2%	0.4%	1.0%
<b>Grade 7</b>	80.2%	17.0%	1.2%	0.4%	1.2%
<b>Grade 8</b>	79.3%	17.7%	1.4%	0.4%	1.1%
<b>Grade 9</b>	80.1%	17.0%	1.4%	0.4%	1.0%
<b>Grade 10</b>	81.3%	16.0%	1.1%	0.3%	1.2%
<b>Grade 11</b>	83.1%	14.7%	1.0%	0.5%	0.8%
<b>Grade 12</b>	85.1%	13.3%	0.7%	0.4%	0.5%
<b>Out in your neighborhood?</b>					
<b>All</b>	41.2%	46.8%	7.8%	2.1%	2.1%
<b>Grade 7</b>	36.8%	48.3%	9.5%	2.5%	2.8%
<b>Grade 8</b>	37.6%	48.9%	8.4%	2.2%	2.9%
<b>Grade 9</b>	39.1%	48.9%	7.8%	2.0%	2.2%
<b>Grade 10</b>	41.6%	47.2%	7.3%	1.9%	2.0%
<b>Grade 11</b>	45.4%	44.2%	6.9%	2.1%	1.3%
<b>Grade 12</b>	49.0%	42.0%	6.1%	1.9%	0.9%
<b>At school?</b>					
<b>All</b>	42.3%	44.3%	7.1%	3.4%	2.9%
<b>Grade 7</b>	47.3%	39.9%	6.7%	3.1%	3.0%
<b>Grade 8</b>	45.8%	40.9%	6.5%	3.3%	3.5%
<b>Grade 9</b>	37.8%	47.7%	8.0%	3.3%	3.2%
<b>Grade 10</b>	37.4%	47.8%	7.8%	4.0%	3.0%
<b>Grade 11</b>	41.1%	45.5%	7.3%	3.5%	2.6%
<b>Grade 12</b>	45.1%	43.7%	6.3%	3.2%	1.7%



## 2. Prevalence Tables

**State : Grades 7-12 Large  
SPRING 2010**

**State : Grades 7-12 Large  
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	12.5%	17.6%	30.5%	69.5%
	<b>Grade 7</b>	4.8%	6.6%	15.1%	84.9%
	<b>Grade 8</b>	7.5%	11.1%	23.2%	76.8%
	<b>Grade 9</b>	11.0%	15.6%	28.9%	71.1%
	<b>Grade 10</b>	13.9%	20.1%	34.9%	65.1%
	<b>Grade 11</b>	17.8%	25.0%	39.7%	60.3%
	<b>Grade 12</b>	22.7%	30.4%	45.1%	54.9%
<b>Alcohol</b>					
	<b>All</b>	29.0%	40.2%	61.8%	38.2%
	<b>Grade 7</b>	15.0%	20.6%	42.1%	57.9%
	<b>Grade 8</b>	21.7%	30.2%	55.1%	44.9%
	<b>Grade 9</b>	28.7%	40.2%	62.8%	37.2%
	<b>Grade 10</b>	33.0%	47.0%	69.3%	30.7%
	<b>Grade 11</b>	35.8%	50.3%	70.2%	29.8%
	<b>Grade 12</b>	43.4%	57.5%	75.0%	25.0%
<b>Inhalants</b>					
	<b>All</b>	6.0%	8.9%	17.2%	82.8%
	<b>Grade 7</b>	8.4%	11.0%	19.3%	80.7%
	<b>Grade 8</b>	8.4%	12.0%	21.1%	78.9%
	<b>Grade 9</b>	6.4%	9.5%	17.7%	82.3%
	<b>Grade 10</b>	4.8%	7.5%	16.5%	83.5%
	<b>Grade 11</b>	4.2%	7.0%	14.8%	85.2%
	<b>Grade 12</b>	3.2%	5.6%	12.5%	87.5%
<b>Any Illicit Drug</b>					
	<b>All</b>	13.1%	18.5%	27.9%	72.1%
	<b>Grade 7</b>	5.2%	6.9%	11.5%	88.5%
	<b>Grade 8</b>	8.9%	12.1%	18.9%	81.1%
	<b>Grade 9</b>	12.6%	17.7%	26.7%	73.3%
	<b>Grade 10</b>	16.1%	22.2%	33.6%	66.4%
	<b>Grade 11</b>	17.7%	25.8%	38.2%	61.8%
	<b>Grade 12</b>	20.3%	28.8%	42.4%	57.6%
<b>Marijuana</b>					
	<b>All</b>	11.4%	16.9%	26.2%	73.8%
	<b>Grade 7</b>	3.9%	5.5%	9.5%	90.5%
	<b>Grade 8</b>	6.8%	9.8%	16.5%	83.5%
	<b>Grade 9</b>	11.1%	16.4%	25.2%	74.8%
	<b>Grade 10</b>	14.2%	20.6%	32.2%	67.8%
	<b>Grade 11</b>	15.9%	24.2%	36.8%	63.2%
	<b>Grade 12</b>	18.4%	27.4%	41.5%	58.5%
<b>Marijuana Only</b>					
	<b>All</b>	4.7%	7.7%	13.9%	86.1%
	<b>Grade 7</b>	1.7%	2.5%	5.1%	94.9%
	<b>Grade 8</b>	2.9%	4.5%	9.0%	91.0%
	<b>Grade 9</b>	4.6%	7.4%	13.3%	86.7%
	<b>Grade 10</b>	6.2%	9.7%	17.2%	82.8%
	<b>Grade 11</b>	6.2%	10.9%	19.3%	80.7%
	<b>Grade 12</b>	7.4%	12.7%	21.8%	78.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	1.7%	2.7%	5.4%	94.6%
	<b>Grade 7</b>	0.9%	1.4%	2.5%	97.5%
	<b>Grade 8</b>	1.3%	1.9%	3.3%	96.7%
	<b>Grade 9</b>	1.7%	2.6%	4.7%	95.3%
	<b>Grade 10</b>	1.8%	3.1%	6.3%	93.7%
	<b>Grade 11</b>	2.2%	3.7%	7.3%	92.7%
	<b>Grade 12</b>	2.2%	4.1%	9.1%	90.9%
<b>Cocaine</b>					
	<b>All</b>	1.5%	2.5%	5.0%	95.0%
	<b>Grade 7</b>	0.6%	1.1%	1.8%	98.2%
	<b>Grade 8</b>	1.0%	1.5%	2.7%	97.3%
	<b>Grade 9</b>	1.6%	2.4%	4.3%	95.7%
	<b>Grade 10</b>	1.7%	2.9%	5.9%	94.1%
	<b>Grade 11</b>	2.1%	3.6%	7.2%	92.8%
	<b>Grade 12</b>	2.1%	4.0%	8.9%	91.1%
<b>Crack</b>					
	<b>All</b>	0.5%	0.7%	1.6%	98.4%
	<b>Grade 7</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grade 8</b>	0.6%	0.9%	1.8%	98.2%
	<b>Grade 9</b>	0.4%	0.7%	1.6%	98.4%
	<b>Grade 10</b>	0.4%	0.7%	1.6%	98.4%
	<b>Grade 11</b>	0.5%	0.7%	1.6%	98.4%
	<b>Grade 12</b>	0.4%	0.5%	1.6%	98.4%
<b>Hallucinogens</b>					
	<b>All</b>	1.5%	2.5%	4.6%	95.4%
	<b>Grade 7</b>	0.6%	0.9%	1.5%	98.5%
	<b>Grade 8</b>	1.1%	1.6%	3.1%	96.9%
	<b>Grade 9</b>	1.8%	2.7%	4.6%	95.4%
	<b>Grade 10</b>	1.7%	3.0%	5.6%	94.4%
	<b>Grade 11</b>	2.0%	3.5%	6.5%	93.5%
	<b>Grade 12</b>	2.1%	3.8%	7.3%	92.7%
<b>Uppers</b>					
	<b>All</b>	2.2%	3.4%	5.3%	94.7%
	<b>Grade 7</b>	0.5%	0.8%	1.2%	98.8%
	<b>Grade 8</b>	1.2%	1.6%	2.6%	97.4%
	<b>Grade 9</b>	2.2%	3.2%	4.7%	95.3%
	<b>Grade 10</b>	2.9%	4.5%	7.0%	93.0%
	<b>Grade 11</b>	3.2%	5.0%	8.1%	91.9%
	<b>Grade 12</b>	3.5%	5.7%	9.0%	91.0%
<b>Downers</b>					
	<b>All</b>	2.4%	3.6%	5.7%	94.3%
	<b>Grade 7</b>	0.5%	0.8%	1.2%	98.8%
	<b>Grade 8</b>	1.3%	1.9%	2.8%	97.2%
	<b>Grade 9</b>	2.4%	3.4%	5.1%	94.9%
	<b>Grade 10</b>	3.0%	4.3%	7.1%	92.9%
	<b>Grade 11</b>	3.8%	5.6%	9.1%	90.9%
	<b>Grade 12</b>	3.9%	6.2%	10.1%	89.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.0%	1.5%	2.6%	97.4%
	<b>Grade 7</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.6%	2.6%	97.4%
	<b>Grade 9</b>	1.1%	1.7%	3.0%	97.0%
	<b>Grade 10</b>	1.3%	1.8%	3.1%	96.9%
	<b>Grade 11</b>	1.3%	1.8%	3.0%	97.0%
	<b>Grade 12</b>	1.0%	1.5%	2.9%	97.1%
	<b>Steroids</b>	<b>All</b>	0.5%	0.7%	1.4%
<b>Grade 7</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 8</b>		0.4%	0.7%	1.5%	98.5%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 11</b>		0.5%	0.8%	1.5%	98.5%
<b>Grade 12</b>		0.7%	0.9%	1.7%	98.3%
<b>Ecstasy</b>		<b>All</b>	2.5%	4.0%	6.8%
	<b>Grade 7</b>	0.8%	1.3%	2.3%	97.7%
	<b>Grade 8</b>	1.8%	2.6%	4.5%	95.5%
	<b>Grade 9</b>	2.6%	3.9%	6.7%	93.3%
	<b>Grade 10</b>	2.9%	4.6%	8.0%	92.0%
	<b>Grade 11</b>	3.5%	5.8%	9.4%	90.6%
	<b>Grade 12</b>	3.9%	6.4%	11.2%	88.8%
	<b>Heroin</b>	<b>All</b>	0.5%	0.8%	1.4%
<b>Grade 7</b>		0.5%	0.7%	1.4%	98.6%
<b>Grade 8</b>		0.7%	1.0%	1.8%	98.2%
<b>Grade 9</b>		0.5%	0.8%	1.5%	98.5%
<b>Grade 10</b>		0.6%	0.8%	1.4%	98.6%
<b>Grade 11</b>		0.5%	0.6%	1.2%	98.8%
<b>Grade 12</b>		0.4%	0.6%	1.1%	98.9%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.2%	20.6%	33.7%	66.3%
	<b>Grade 7</b>	5.4%	7.4%	16.7%	83.3%
	<b>Grade 8</b>	8.5%	12.6%	25.3%	74.7%
	<b>Grade 9</b>	13.3%	17.8%	31.4%	68.6%
	<b>Grade 10</b>	16.9%	23.4%	38.6%	61.4%
	<b>Grade 11</b>	22.0%	29.9%	45.1%	54.9%
	<b>Grade 12</b>	27.8%	36.2%	49.8%	50.2%
<b>Alcohol</b>					
	<b>All</b>	29.1%	39.8%	60.9%	39.1%
	<b>Grade 7</b>	14.3%	20.2%	41.7%	58.3%
	<b>Grade 8</b>	21.5%	30.1%	55.0%	45.0%
	<b>Grade 9</b>	28.2%	38.7%	61.0%	39.0%
	<b>Grade 10</b>	32.4%	46.3%	67.8%	32.2%
	<b>Grade 11</b>	37.5%	50.6%	69.5%	30.5%
	<b>Grade 12</b>	44.6%	57.3%	74.1%	25.9%
<b>Inhalants</b>					
	<b>All</b>	5.9%	8.7%	16.7%	83.3%
	<b>Grade 7</b>	7.7%	10.3%	18.1%	81.9%
	<b>Grade 8</b>	7.3%	10.5%	19.1%	80.9%
	<b>Grade 9</b>	6.4%	9.1%	16.4%	83.6%
	<b>Grade 10</b>	4.6%	7.3%	16.7%	83.3%
	<b>Grade 11</b>	5.1%	8.1%	15.7%	84.3%
	<b>Grade 12</b>	3.8%	6.4%	13.8%	86.2%
<b>Any Illicit Drug</b>					
	<b>All</b>	14.9%	20.6%	30.8%	69.2%
	<b>Grade 7</b>	5.3%	7.3%	12.4%	87.6%
	<b>Grade 8</b>	9.3%	12.9%	20.9%	79.1%
	<b>Grade 9</b>	14.1%	19.4%	29.3%	70.7%
	<b>Grade 10</b>	18.4%	24.9%	37.7%	62.3%
	<b>Grade 11</b>	20.4%	29.5%	42.8%	57.2%
	<b>Grade 12</b>	24.0%	32.9%	46.1%	53.9%
<b>Marijuana</b>					
	<b>All</b>	13.2%	19.1%	29.6%	70.4%
	<b>Grade 7</b>	4.0%	6.1%	10.8%	89.2%
	<b>Grade 8</b>	7.7%	10.9%	19.1%	80.9%
	<b>Grade 9</b>	12.8%	18.2%	28.1%	71.9%
	<b>Grade 10</b>	16.7%	23.6%	36.9%	63.1%
	<b>Grade 11</b>	18.1%	27.6%	41.6%	58.4%
	<b>Grade 12</b>	21.8%	31.1%	45.4%	54.6%
<b>Marijuana Only</b>					
	<b>All</b>	5.4%	8.7%	15.8%	84.2%
	<b>Grade 7</b>	1.9%	3.0%	6.3%	93.7%
	<b>Grade 8</b>	3.6%	5.2%	10.9%	89.1%
	<b>Grade 9</b>	5.4%	8.6%	15.2%	84.8%
	<b>Grade 10</b>	6.9%	11.2%	20.1%	79.9%
	<b>Grade 11</b>	7.0%	12.2%	21.4%	78.6%
	<b>Grade 12</b>	8.0%	13.6%	22.9%	77.1%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	1.9%	3.1%	6.0%	94.0%
	Grade 7	0.8%	1.2%	2.2%	97.8%
	Grade 8	1.2%	1.8%	3.3%	96.7%
	Grade 9	2.0%	3.0%	5.3%	94.7%
	Grade 10	2.2%	3.4%	7.0%	93.0%
	Grade 11	2.4%	4.3%	8.6%	91.4%
	Grade 12	3.0%	5.5%	10.9%	89.1%
<b>Cocaine</b>					
	All	1.7%	2.9%	5.7%	94.3%
	Grade 7	0.5%	0.9%	1.6%	98.4%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	1.9%	2.7%	4.9%	95.1%
	Grade 10	2.1%	3.1%	6.7%	93.3%
	Grade 11	2.3%	4.3%	8.6%	91.4%
	Grade 12	2.9%	5.4%	10.7%	89.3%
<b>Crack</b>					
	All	0.4%	0.7%	1.6%	98.4%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.5%	0.6%	1.5%	98.5%
	Grade 9	0.3%	0.7%	1.6%	98.4%
	Grade 10	0.3%	0.7%	1.5%	98.5%
	Grade 11	0.6%	0.9%	1.8%	98.2%
	Grade 12	0.5%	0.7%	2.2%	97.8%
<b>Hallucinogens</b>					
	All	2.0%	3.4%	6.0%	94.0%
	Grade 7	0.7%	1.0%	1.5%	98.5%
	Grade 8	1.1%	1.8%	3.9%	96.1%
	Grade 9	2.4%	3.4%	5.7%	94.3%
	Grade 10	2.1%	4.1%	7.5%	92.5%
	Grade 11	2.9%	4.8%	8.5%	91.5%
	Grade 12	3.1%	5.6%	9.8%	90.2%
<b>Uppers</b>					
	All	2.5%	3.6%	5.6%	94.4%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	1.4%	1.8%	2.8%	97.2%
	Grade 9	2.3%	3.3%	5.0%	95.0%
	Grade 10	3.4%	4.9%	7.6%	92.4%
	Grade 11	3.8%	5.8%	8.9%	91.1%
	Grade 12	4.1%	6.1%	9.5%	90.5%
<b>Downers</b>					
	All	2.7%	4.0%	6.3%	93.7%
	Grade 7	0.5%	0.7%	1.0%	99.0%
	Grade 8	1.3%	1.9%	2.7%	97.3%
	Grade 9	2.5%	3.6%	5.5%	94.5%
	Grade 10	3.6%	4.9%	7.9%	92.1%
	Grade 11	4.3%	6.5%	10.2%	89.8%
	Grade 12	5.0%	7.6%	11.7%	88.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.1%	1.6%	2.7%	97.3%
	<b>Grade 7</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.7%	2.8%	97.2%
	<b>Grade 9</b>	1.3%	1.8%	3.1%	96.9%
	<b>Grade 10</b>	1.3%	1.8%	2.7%	97.3%
	<b>Grade 11</b>	1.2%	1.7%	3.0%	97.0%
	<b>Grade 12</b>	1.3%	2.0%	3.3%	96.7%
	<b>Steroids</b>	<b>All</b>	0.7%	1.0%	1.8%
<b>Grade 7</b>		0.3%	0.5%	1.3%	98.7%
<b>Grade 8</b>		0.5%	0.9%	1.9%	98.1%
<b>Grade 9</b>		0.6%	0.8%	1.7%	98.3%
<b>Grade 10</b>		0.7%	1.0%	1.7%	98.3%
<b>Grade 11</b>		0.8%	1.3%	2.1%	97.9%
<b>Grade 12</b>		1.1%	1.4%	2.6%	97.4%
<b>Ecstasy</b>		<b>All</b>	2.8%	4.3%	7.2%
	<b>Grade 7</b>	0.7%	1.1%	2.3%	97.7%
	<b>Grade 8</b>	1.7%	2.6%	4.6%	95.4%
	<b>Grade 9</b>	2.9%	4.0%	6.6%	93.4%
	<b>Grade 10</b>	3.2%	4.7%	8.1%	91.9%
	<b>Grade 11</b>	3.9%	6.5%	10.4%	89.6%
	<b>Grade 12</b>	5.0%	7.5%	12.1%	87.9%
	<b>Heroin</b>	<b>All</b>	0.5%	0.7%	1.4%
<b>Grade 7</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 8</b>		0.5%	0.7%	1.4%	98.6%
<b>Grade 9</b>		0.5%	0.8%	1.5%	98.5%
<b>Grade 10</b>		0.6%	0.7%	1.5%	98.5%
<b>Grade 11</b>		0.5%	0.7%	1.4%	98.6%
<b>Grade 12</b>		0.7%	1.0%	1.6%	98.4%



**State : Grades 7-12 Large  
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.0%	14.8%	27.4%	72.6%
	Grade 7	4.2%	5.9%	13.6%	86.4%
	Grade 8	6.5%	9.7%	21.3%	78.7%
	Grade 9	8.9%	13.5%	26.7%	73.3%
	Grade 10	11.3%	17.3%	31.8%	68.2%
	Grade 11	13.8%	20.6%	34.6%	65.4%
	Grade 12	17.5%	24.4%	40.2%	59.8%
<b>Alcohol</b>					
	All	28.9%	40.6%	62.7%	37.3%
	Grade 7	15.7%	21.0%	42.5%	57.5%
	Grade 8	21.9%	30.4%	55.1%	44.9%
	Grade 9	29.2%	41.6%	64.6%	35.4%
	Grade 10	33.7%	47.6%	70.7%	29.3%
	Grade 11	34.3%	50.0%	70.8%	29.2%
	Grade 12	42.0%	57.6%	75.9%	24.1%
<b>Inhalants</b>					
	All	6.1%	9.1%	17.6%	82.4%
	Grade 7	9.1%	11.6%	20.5%	79.5%
	Grade 8	9.5%	13.5%	23.0%	77.0%
	Grade 9	6.4%	9.8%	18.9%	81.1%
	Grade 10	4.9%	7.7%	16.4%	83.6%
	Grade 11	3.3%	5.9%	14.0%	86.0%
	Grade 12	2.6%	4.6%	11.1%	88.9%
<b>Any Illicit Drug</b>					
	All	11.5%	16.5%	25.2%	74.8%
	Grade 7	5.0%	6.5%	10.7%	89.3%
	Grade 8	8.5%	11.4%	17.1%	82.9%
	Grade 9	11.2%	16.1%	24.3%	75.7%
	Grade 10	14.2%	19.9%	30.2%	69.8%
	Grade 11	15.0%	22.4%	34.0%	66.0%
	Grade 12	16.5%	24.7%	38.8%	61.2%
<b>Marijuana</b>					
	All	9.8%	14.8%	23.2%	76.8%
	Grade 7	3.7%	5.0%	8.3%	91.7%
	Grade 8	6.0%	8.8%	14.0%	86.0%
	Grade 9	9.7%	14.7%	22.6%	77.4%
	Grade 10	12.1%	18.0%	28.2%	71.8%
	Grade 11	13.8%	21.0%	32.3%	67.7%
	Grade 12	15.0%	23.7%	37.6%	62.4%
<b>Marijuana Only</b>					
	All	4.1%	6.8%	12.2%	87.8%
	Grade 7	1.4%	2.1%	4.1%	95.9%
	Grade 8	2.3%	3.7%	7.2%	92.8%
	Grade 9	3.8%	6.3%	11.5%	88.5%
	Grade 10	5.7%	8.5%	14.8%	85.2%
	Grade 11	5.5%	9.6%	17.3%	82.7%
	Grade 12	6.9%	11.8%	20.8%	79.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	1.4%	2.4%	4.8%	95.2%
	<b>Grade 7</b>	1.0%	1.6%	2.7%	97.3%
	<b>Grade 8</b>	1.4%	2.0%	3.4%	96.6%
	<b>Grade 9</b>	1.4%	2.3%	4.2%	95.8%
	<b>Grade 10</b>	1.5%	2.8%	5.7%	94.3%
	<b>Grade 11</b>	1.9%	3.2%	6.2%	93.8%
	<b>Grade 12</b>	1.4%	2.8%	7.2%	92.8%
<b>Cocaine</b>					
	<b>All</b>	1.3%	2.1%	4.3%	95.7%
	<b>Grade 7</b>	0.7%	1.2%	2.0%	98.0%
	<b>Grade 8</b>	1.1%	1.5%	2.6%	97.4%
	<b>Grade 9</b>	1.3%	2.0%	3.7%	96.3%
	<b>Grade 10</b>	1.4%	2.6%	5.2%	94.8%
	<b>Grade 11</b>	1.8%	3.1%	5.9%	94.1%
	<b>Grade 12</b>	1.3%	2.7%	7.1%	92.9%
<b>Crack</b>					
	<b>All</b>	0.5%	0.7%	1.6%	98.4%
	<b>Grade 7</b>	0.7%	0.9%	1.9%	98.1%
	<b>Grade 8</b>	0.7%	1.1%	2.0%	98.0%
	<b>Grade 9</b>	0.5%	0.8%	1.6%	98.4%
	<b>Grade 10</b>	0.4%	0.6%	1.7%	98.3%
	<b>Grade 11</b>	0.4%	0.6%	1.4%	98.6%
	<b>Grade 12</b>	0.3%	0.4%	1.1%	98.9%
<b>Hallucinogens</b>					
	<b>All</b>	1.0%	1.7%	3.4%	96.6%
	<b>Grade 7</b>	0.6%	0.7%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.3%	2.5%	97.5%
	<b>Grade 9</b>	1.2%	2.0%	3.5%	96.5%
	<b>Grade 10</b>	1.3%	2.1%	4.0%	96.0%
	<b>Grade 11</b>	1.2%	2.3%	4.6%	95.4%
	<b>Grade 12</b>	0.9%	2.0%	4.6%	95.4%
<b>Uppers</b>					
	<b>All</b>	1.9%	3.1%	4.9%	95.1%
	<b>Grade 7</b>	0.6%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	1.0%	1.4%	2.5%	97.5%
	<b>Grade 9</b>	2.0%	3.1%	4.4%	95.6%
	<b>Grade 10</b>	2.5%	4.2%	6.6%	93.4%
	<b>Grade 11</b>	2.7%	4.2%	7.2%	92.8%
	<b>Grade 12</b>	2.7%	5.3%	8.5%	91.5%
<b>Downers</b>					
	<b>All</b>	2.1%	3.2%	5.1%	94.9%
	<b>Grade 7</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.9%	2.8%	97.2%
	<b>Grade 9</b>	2.3%	3.3%	4.8%	95.2%
	<b>Grade 10</b>	2.6%	3.8%	6.4%	93.6%
	<b>Grade 11</b>	3.2%	4.8%	8.0%	92.0%
	<b>Grade 12</b>	2.7%	4.8%	8.6%	91.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.0%	1.4%	2.6%	97.4%
	<b>Grade 7</b>	0.5%	0.8%	1.4%	98.6%
	<b>Grade 8</b>	1.1%	1.5%	2.4%	97.6%
	<b>Grade 9</b>	1.0%	1.6%	2.8%	97.2%
	<b>Grade 10</b>	1.2%	1.8%	3.4%	96.6%
	<b>Grade 11</b>	1.3%	2.0%	3.0%	97.0%
	<b>Grade 12</b>	0.7%	1.1%	2.5%	97.5%
	<b>Steroids</b>	<b>All</b>	0.3%	0.5%	1.0%
<b>Grade 7</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 8</b>		0.4%	0.5%	1.3%	98.7%
<b>Grade 9</b>		0.3%	0.6%	1.0%	99.0%
<b>Grade 10</b>		0.1%	0.3%	0.9%	99.1%
<b>Grade 11</b>		0.2%	0.4%	0.9%	99.1%
<b>Grade 12</b>		0.3%	0.4%	0.8%	99.2%
<b>Ecstasy</b>		<b>All</b>	2.3%	3.7%	6.5%
	<b>Grade 7</b>	1.0%	1.4%	2.2%	97.8%
	<b>Grade 8</b>	1.9%	2.6%	4.4%	95.6%
	<b>Grade 9</b>	2.4%	3.8%	6.7%	93.3%
	<b>Grade 10</b>	2.7%	4.5%	7.8%	92.2%
	<b>Grade 11</b>	3.2%	5.1%	8.4%	91.6%
	<b>Grade 12</b>	2.8%	5.3%	10.2%	89.8%
	<b>Heroin</b>	<b>All</b>	0.5%	0.8%	1.4%
<b>Grade 7</b>		0.6%	0.8%	1.6%	98.4%
<b>Grade 8</b>		1.0%	1.3%	2.0%	98.0%
<b>Grade 9</b>		0.5%	0.8%	1.6%	98.4%
<b>Grade 10</b>		0.7%	0.9%	1.4%	98.6%
<b>Grade 11</b>		0.4%	0.5%	1.0%	99.0%
<b>Grade 12</b>		0.1%	0.1%	0.6%	99.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	14.1%	19.1%	30.3%	69.7%
	<b>Grade 7</b>	3.7%	4.9%	12.0%	88.0%
	<b>Grade 8</b>	6.3%	9.5%	19.9%	80.1%
	<b>Grade 9</b>	11.7%	16.2%	26.6%	73.4%
	<b>Grade 10</b>	16.5%	22.9%	35.8%	64.2%
	<b>Grade 11</b>	21.9%	29.4%	41.8%	58.2%
	<b>Grade 12</b>	26.2%	33.8%	47.6%	52.4%
<b>Alcohol</b>					
	<b>All</b>	26.4%	38.1%	58.5%	41.5%
	<b>Grade 7</b>	9.5%	15.5%	34.0%	66.0%
	<b>Grade 8</b>	14.9%	23.3%	48.1%	51.9%
	<b>Grade 9</b>	24.2%	36.1%	57.9%	42.1%
	<b>Grade 10</b>	31.9%	45.7%	67.8%	32.2%
	<b>Grade 11</b>	34.9%	50.8%	68.9%	31.1%
	<b>Grade 12</b>	44.7%	59.3%	76.2%	23.8%
<b>Inhalants</b>					
	<b>All</b>	5.2%	8.1%	16.2%	83.8%
	<b>Grade 7</b>	6.3%	8.6%	15.6%	84.4%
	<b>Grade 8</b>	7.1%	10.1%	18.2%	81.8%
	<b>Grade 9</b>	5.9%	9.2%	16.8%	83.2%
	<b>Grade 10</b>	4.4%	7.7%	17.2%	82.8%
	<b>Grade 11</b>	4.3%	7.0%	16.0%	84.0%
	<b>Grade 12</b>	3.1%	5.7%	13.4%	86.6%
<b>Any Illicit Drug</b>					
	<b>All</b>	11.0%	16.1%	23.6%	76.4%
	<b>Grade 7</b>	2.2%	3.6%	6.6%	93.4%
	<b>Grade 8</b>	5.0%	7.8%	12.2%	87.8%
	<b>Grade 9</b>	9.7%	14.2%	20.3%	79.7%
	<b>Grade 10</b>	14.4%	19.8%	28.9%	71.1%
	<b>Grade 11</b>	16.4%	24.4%	35.1%	64.9%
	<b>Grade 12</b>	19.3%	28.0%	40.2%	59.8%
<b>Marijuana</b>					
	<b>All</b>	9.9%	15.1%	22.4%	77.6%
	<b>Grade 7</b>	1.6%	2.8%	5.2%	94.8%
	<b>Grade 8</b>	3.8%	6.2%	10.0%	90.0%
	<b>Grade 9</b>	9.1%	13.7%	19.4%	80.6%
	<b>Grade 10</b>	13.1%	18.8%	27.7%	72.3%
	<b>Grade 11</b>	14.8%	23.3%	34.2%	65.8%
	<b>Grade 12</b>	17.8%	26.9%	39.8%	60.2%
<b>Marijuana Only</b>					
	<b>All</b>	3.7%	6.5%	11.5%	88.5%
	<b>Grade 7</b>	0.6%	1.1%	2.7%	97.3%
	<b>Grade 8</b>	1.6%	3.0%	5.7%	94.3%
	<b>Grade 9</b>	3.5%	6.2%	10.1%	89.9%
	<b>Grade 10</b>	4.9%	7.8%	13.6%	86.4%
	<b>Grade 11</b>	5.3%	9.6%	17.2%	82.8%
	<b>Grade 12</b>	6.8%	12.0%	20.7%	79.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>					
	All	0.9%	1.7%	3.6%	96.4%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.9%	1.4%	2.3%	97.7%
	Grade 10	1.1%	2.1%	4.6%	95.4%
	Grade 11	1.3%	2.6%	5.3%	94.7%
	Grade 12	1.7%	3.3%	6.9%	93.1%
<b>Cocaine</b>					
	All	0.8%	1.6%	3.2%	96.8%
	Grade 7	0.0%	0.2%	0.5%	99.5%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.8%	1.2%	2.1%	97.9%
	Grade 10	1.0%	1.9%	4.1%	95.9%
	Grade 11	1.1%	2.5%	5.1%	94.9%
	Grade 12	1.6%	3.2%	6.7%	93.3%
<b>Crack</b>					
	All	0.2%	0.4%	1.2%	98.8%
	Grade 7	0.3%	0.3%	0.9%	99.1%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.3%	0.4%	0.9%	99.1%
	Grade 10	0.2%	0.5%	1.6%	98.4%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.2%	0.5%	1.4%	98.6%
<b>Hallucinogens</b>					
	All	1.7%	3.0%	5.5%	94.5%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.7%	1.3%	3.0%	97.0%
	Grade 9	2.0%	3.0%	4.7%	95.3%
	Grade 10	2.4%	4.2%	7.4%	92.6%
	Grade 11	2.2%	4.1%	7.7%	92.3%
	Grade 12	2.5%	5.0%	9.3%	90.7%
<b>Uppers</b>					
	All	2.5%	4.0%	6.2%	93.8%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	0.7%	1.2%	2.2%	97.8%
	Grade 9	2.5%	3.3%	4.8%	95.2%
	Grade 10	3.7%	5.9%	8.6%	91.4%
	Grade 11	3.8%	6.3%	10.2%	89.8%
	Grade 12	4.1%	7.2%	11.4%	88.6%
<b>Downers</b>					
	All	2.5%	3.9%	6.1%	93.9%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.3%	2.0%	98.0%
	Grade 9	2.3%	3.2%	4.6%	95.4%
	Grade 10	3.4%	4.7%	7.6%	92.4%
	Grade 11	4.2%	6.2%	10.3%	89.7%
	Grade 12	4.6%	7.8%	12.4%	87.6%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.5%	0.8%	1.6%	98.4%
	<b>Grade 7</b>	0.2%	0.3%	0.7%	99.3%
	<b>Grade 8</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 9</b>	0.4%	0.8%	1.4%	98.6%
	<b>Grade 10</b>	0.7%	1.1%	2.2%	97.8%
	<b>Grade 11</b>	0.9%	1.2%	2.0%	98.0%
	<b>Grade 12</b>	0.8%	0.9%	2.0%	98.0%
	<b>Steroids</b>	<b>All</b>	0.5%	0.8%	1.7%
<b>Grade 7</b>		0.3%	0.6%	1.4%	98.6%
<b>Grade 8</b>		0.4%	0.8%	1.9%	98.1%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.7%	0.9%	1.7%	98.3%
<b>Grade 11</b>		0.5%	1.0%	2.0%	98.0%
<b>Grade 12</b>		0.7%	1.0%	1.7%	98.3%
<b>Ecstasy</b>		<b>All</b>	1.9%	3.2%	5.8%
	<b>Grade 7</b>	0.4%	0.8%	1.3%	98.7%
	<b>Grade 8</b>	1.0%	1.5%	2.8%	97.2%
	<b>Grade 9</b>	1.6%	2.5%	4.5%	95.5%
	<b>Grade 10</b>	2.4%	3.8%	7.0%	93.0%
	<b>Grade 11</b>	3.0%	5.3%	8.8%	91.2%
	<b>Grade 12</b>	3.2%	5.9%	10.7%	89.3%
	<b>Heroin</b>	<b>All</b>	0.4%	0.6%	1.2%
<b>Grade 7</b>		0.3%	0.5%	1.0%	99.0%
<b>Grade 8</b>		0.2%	0.5%	1.1%	98.9%
<b>Grade 9</b>		0.3%	0.5%	1.2%	98.8%
<b>Grade 10</b>		0.4%	0.5%	1.3%	98.7%
<b>Grade 11</b>		0.5%	0.6%	1.2%	98.8%
<b>Grade 12</b>		0.5%	0.7%	1.6%	98.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	6.9%	11.5%	23.8%	76.2%
	Grade 7	4.8%	6.1%	15.2%	84.8%
	Grade 8	5.1%	8.6%	20.4%	79.6%
	Grade 9	7.4%	10.3%	22.6%	77.4%
	Grade 10	6.9%	12.1%	28.2%	71.8%
	Grade 11	8.3%	16.3%	28.3%	71.7%
	Grade 12	9.2%	16.9%	29.3%	70.7%
<b>Alcohol</b>					
	All	25.3%	36.6%	59.5%	40.5%
	Grade 7	16.5%	21.4%	44.3%	55.7%
	Grade 8	20.8%	28.3%	55.7%	44.3%
	Grade 9	25.3%	36.8%	60.4%	39.6%
	Grade 10	26.9%	41.1%	65.6%	34.4%
	Grade 11	30.4%	45.0%	64.9%	35.1%
	Grade 12	33.3%	49.8%	67.9%	32.1%
<b>Inhalants</b>					
	All	5.5%	7.4%	13.3%	86.7%
	Grade 7	9.3%	10.9%	18.0%	82.0%
	Grade 8	7.0%	9.3%	17.1%	82.9%
	Grade 9	4.7%	6.9%	12.3%	87.7%
	Grade 10	4.9%	6.1%	12.5%	87.5%
	Grade 11	4.1%	6.5%	10.8%	89.2%
	Grade 12	2.4%	4.2%	8.2%	91.8%
<b>Any Illicit Drug</b>					
	All	13.1%	19.1%	30.7%	69.3%
	Grade 7	6.0%	7.9%	12.2%	87.8%
	Grade 8	9.5%	12.5%	23.0%	77.0%
	Grade 9	10.9%	16.3%	28.4%	71.6%
	Grade 10	15.1%	21.3%	36.6%	63.4%
	Grade 11	17.2%	27.3%	41.2%	58.8%
	Grade 12	21.8%	32.5%	46.8%	53.2%
<b>Marijuana</b>					
	All	11.7%	18.0%	29.8%	70.2%
	Grade 7	4.7%	6.7%	10.6%	89.4%
	Grade 8	7.6%	10.0%	21.0%	79.0%
	Grade 9	9.9%	15.4%	27.6%	72.4%
	Grade 10	13.2%	20.6%	36.3%	63.7%
	Grade 11	16.4%	26.7%	40.4%	59.6%
	Grade 12	20.2%	31.5%	46.7%	53.3%
<b>Marijuana Only</b>					
	All	7.3%	12.2%	21.7%	78.3%
	Grade 7	2.5%	4.0%	6.7%	93.3%
	Grade 8	4.9%	6.9%	15.9%	84.1%
	Grade 9	6.2%	10.2%	20.2%	79.8%
	Grade 10	8.7%	13.9%	26.0%	74.0%
	Grade 11	10.0%	18.5%	30.4%	69.6%
	Grade 12	12.7%	22.0%	33.9%	66.1%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	0.6%	1.0%	1.7%	98.3%
	<b>Grade 7</b>	0.6%	1.2%	2.1%	97.9%
	<b>Grade 8</b>	0.7%	0.8%	1.6%	98.4%
	<b>Grade 9</b>	0.4%	0.9%	1.5%	98.5%
	<b>Grade 10</b>	0.7%	0.9%	1.2%	98.8%
	<b>Grade 11</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 12</b>	0.8%	1.0%	2.2%	97.8%
<b>Cocaine</b>					
	<b>All</b>	0.6%	0.9%	1.6%	98.4%
	<b>Grade 7</b>	0.5%	1.2%	2.1%	97.9%
	<b>Grade 8</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 9</b>	0.4%	0.8%	1.4%	98.6%
	<b>Grade 10</b>	0.7%	0.9%	1.1%	98.9%
	<b>Grade 11</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 12</b>	0.6%	0.8%	2.0%	98.0%
<b>Crack</b>					
	<b>All</b>	0.3%	0.4%	0.7%	99.3%
	<b>Grade 7</b>	0.3%	0.3%	0.6%	99.4%
	<b>Grade 8</b>	0.6%	0.6%	1.1%	98.9%
	<b>Grade 9</b>	0.1%	0.3%	0.6%	99.4%
	<b>Grade 10</b>	0.2%	0.3%	0.4%	99.6%
	<b>Grade 11</b>	0.3%	0.6%	0.8%	99.2%
	<b>Grade 12</b>	0.5%	0.5%	0.8%	99.2%
<b>Hallucinogens</b>					
	<b>All</b>	0.8%	1.2%	2.2%	97.8%
	<b>Grade 7</b>	0.9%	1.0%	1.4%	98.6%
	<b>Grade 8</b>	1.2%	1.3%	1.8%	98.2%
	<b>Grade 9</b>	0.7%	1.0%	1.6%	98.4%
	<b>Grade 10</b>	0.7%	1.1%	2.6%	97.4%
	<b>Grade 11</b>	0.8%	1.2%	2.4%	97.6%
	<b>Grade 12</b>	0.5%	1.7%	3.7%	96.3%
<b>Uppers</b>					
	<b>All</b>	1.2%	1.7%	2.6%	97.4%
	<b>Grade 7</b>	0.7%	0.9%	1.6%	98.4%
	<b>Grade 8</b>	1.2%	1.5%	2.0%	98.0%
	<b>Grade 9</b>	0.8%	1.2%	1.8%	98.2%
	<b>Grade 10</b>	1.5%	2.1%	3.3%	96.7%
	<b>Grade 11</b>	1.2%	1.9%	2.6%	97.4%
	<b>Grade 12</b>	1.9%	3.1%	4.4%	95.6%
<b>Downers</b>					
	<b>All</b>	1.5%	2.0%	3.1%	96.9%
	<b>Grade 7</b>	0.7%	0.8%	1.2%	98.8%
	<b>Grade 8</b>	1.3%	1.6%	2.2%	97.8%
	<b>Grade 9</b>	0.9%	1.2%	2.1%	97.9%
	<b>Grade 10</b>	1.6%	2.0%	3.6%	96.4%
	<b>Grade 11</b>	2.2%	3.3%	4.5%	95.5%
	<b>Grade 12</b>	2.4%	3.8%	5.6%	94.4%



**State : Grades 7-12 Large  
SPRING 2010**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.5%	0.8%	1.1%	98.9%
	<b>Grade 7</b>	0.3%	0.5%	0.7%	99.3%
	<b>Grade 8</b>	0.7%	0.8%	1.4%	98.6%
	<b>Grade 9</b>	0.5%	0.8%	1.0%	99.0%
	<b>Grade 10</b>	0.8%	1.1%	1.3%	98.7%
	<b>Grade 11</b>	0.6%	0.9%	1.2%	98.8%
	<b>Grade 12</b>	0.2%	0.6%	0.8%	99.2%
	<b>Steroids</b>	<b>All</b>	0.5%	0.8%	1.5%
<b>Grade 7</b>		0.7%	0.8%	1.4%	98.6%
<b>Grade 8</b>		0.5%	0.5%	1.5%	98.5%
<b>Grade 9</b>		0.4%	0.9%	1.4%	98.6%
<b>Grade 10</b>		0.2%	0.4%	1.3%	98.7%
<b>Grade 11</b>		0.7%	0.9%	1.4%	98.6%
<b>Grade 12</b>		0.7%	0.9%	2.0%	98.0%
<b>Ecstasy</b>		<b>All</b>	1.7%	2.8%	4.6%
	<b>Grade 7</b>	0.8%	1.4%	2.4%	97.6%
	<b>Grade 8</b>	1.3%	2.5%	3.8%	96.2%
	<b>Grade 9</b>	1.3%	2.1%	4.4%	95.6%
	<b>Grade 10</b>	1.7%	3.0%	4.9%	95.1%
	<b>Grade 11</b>	2.0%	3.6%	5.6%	94.4%
	<b>Grade 12</b>	3.6%	4.7%	6.8%	93.2%
	<b>Heroin</b>	<b>All</b>	0.4%	0.6%	0.9%
<b>Grade 7</b>		0.3%	0.6%	0.9%	99.1%
<b>Grade 8</b>		0.6%	0.7%	1.5%	98.5%
<b>Grade 9</b>		0.3%	0.4%	0.8%	99.2%
<b>Grade 10</b>		0.6%	1.0%	1.0%	99.0%
<b>Grade 11</b>		0.5%	0.6%	0.9%	99.1%
<b>Grade 12</b>		0.3%	0.4%	0.5%	99.5%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	13.1%	18.4%	33.0%	67.0%
	<b>Grade 7</b>	5.6%	8.1%	17.6%	82.4%
	<b>Grade 8</b>	9.4%	13.3%	26.8%	73.2%
	<b>Grade 9</b>	11.7%	16.8%	32.8%	67.2%
	<b>Grade 10</b>	14.1%	20.8%	36.4%	63.6%
	<b>Grade 11</b>	17.9%	24.8%	42.3%	57.7%
	<b>Grade 12</b>	23.9%	31.8%	48.0%	52.0%
<b>Alcohol</b>					
	<b>All</b>	32.4%	43.3%	65.6%	34.4%
	<b>Grade 7</b>	18.7%	24.3%	47.6%	52.4%
	<b>Grade 8</b>	27.2%	36.1%	60.4%	39.6%
	<b>Grade 9</b>	33.1%	44.2%	67.5%	32.5%
	<b>Grade 10</b>	36.2%	50.3%	72.2%	27.8%
	<b>Grade 11</b>	38.7%	52.2%	73.6%	26.4%
	<b>Grade 12</b>	45.5%	58.8%	76.8%	23.2%
<b>Inhalants</b>					
	<b>All</b>	6.8%	10.0%	19.1%	80.9%
	<b>Grade 7</b>	9.7%	12.8%	22.6%	77.4%
	<b>Grade 8</b>	9.9%	14.3%	24.4%	75.6%
	<b>Grade 9</b>	7.2%	10.4%	19.7%	80.3%
	<b>Grade 10</b>	5.0%	7.9%	17.4%	82.6%
	<b>Grade 11</b>	4.0%	7.2%	15.1%	84.9%
	<b>Grade 12</b>	3.4%	5.8%	12.7%	87.3%
<b>Any Illicit Drug</b>					
	<b>All</b>	14.8%	20.2%	30.6%	69.4%
	<b>Grade 7</b>	7.0%	9.1%	15.1%	84.9%
	<b>Grade 8</b>	11.8%	15.3%	22.7%	77.3%
	<b>Grade 9</b>	15.0%	20.5%	30.8%	69.2%
	<b>Grade 10</b>	17.9%	24.5%	36.7%	63.3%
	<b>Grade 11</b>	19.0%	26.9%	40.3%	59.7%
	<b>Grade 12</b>	20.4%	28.4%	43.4%	56.6%
<b>Marijuana</b>					
	<b>All</b>	12.4%	17.9%	28.2%	71.8%
	<b>Grade 7</b>	5.1%	7.1%	12.3%	87.7%
	<b>Grade 8</b>	8.9%	12.5%	19.8%	80.2%
	<b>Grade 9</b>	12.9%	18.4%	28.5%	71.5%
	<b>Grade 10</b>	15.4%	22.1%	34.5%	65.5%
	<b>Grade 11</b>	16.6%	24.4%	38.2%	61.8%
	<b>Grade 12</b>	18.2%	26.6%	41.6%	58.4%
<b>Marijuana Only</b>					
	<b>All</b>	4.7%	7.4%	13.6%	86.4%
	<b>Grade 7</b>	2.1%	3.1%	6.5%	93.5%
	<b>Grade 8</b>	3.4%	4.9%	9.3%	90.7%
	<b>Grade 9</b>	4.8%	7.4%	13.5%	86.5%
	<b>Grade 10</b>	6.4%	10.0%	17.5%	82.5%
	<b>Grade 11</b>	5.8%	9.8%	17.9%	82.1%
	<b>Grade 12</b>	6.4%	10.6%	19.4%	80.6%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	2.5%	4.1%	8.0%	92.0%
	<b>Grade 7</b>	1.5%	2.2%	3.6%	96.4%
	<b>Grade 8</b>	2.1%	3.0%	5.2%	94.8%
	<b>Grade 9</b>	2.6%	3.9%	7.4%	92.6%
	<b>Grade 10</b>	2.9%	4.8%	9.6%	90.4%
	<b>Grade 11</b>	3.4%	5.6%	11.0%	89.0%
	<b>Grade 12</b>	2.9%	5.7%	13.1%	86.9%
<b>Cocaine</b>					
	<b>All</b>	2.3%	3.7%	7.4%	92.6%
	<b>Grade 7</b>	1.1%	1.7%	2.7%	97.3%
	<b>Grade 8</b>	1.7%	2.4%	4.3%	95.7%
	<b>Grade 9</b>	2.4%	3.6%	6.7%	93.3%
	<b>Grade 10</b>	2.7%	4.4%	9.1%	90.9%
	<b>Grade 11</b>	3.3%	5.6%	10.9%	89.1%
	<b>Grade 12</b>	2.7%	5.5%	12.9%	87.1%
<b>Crack</b>					
	<b>All</b>	0.7%	1.0%	2.2%	97.8%
	<b>Grade 7</b>	0.8%	1.2%	2.3%	97.7%
	<b>Grade 8</b>	0.9%	1.3%	2.5%	97.5%
	<b>Grade 9</b>	0.6%	1.0%	2.4%	97.6%
	<b>Grade 10</b>	0.6%	1.0%	2.0%	98.0%
	<b>Grade 11</b>	0.6%	1.0%	2.0%	98.0%
	<b>Grade 12</b>	0.4%	0.6%	2.2%	97.8%
<b>Hallucinogens</b>					
	<b>All</b>	1.5%	2.5%	4.6%	95.4%
	<b>Grade 7</b>	0.7%	0.9%	1.7%	98.3%
	<b>Grade 8</b>	1.2%	1.8%	3.6%	96.4%
	<b>Grade 9</b>	2.0%	3.0%	5.2%	94.8%
	<b>Grade 10</b>	1.3%	2.6%	4.9%	95.1%
	<b>Grade 11</b>	2.1%	3.6%	6.4%	93.6%
	<b>Grade 12</b>	2.0%	3.3%	6.4%	93.6%
<b>Uppers</b>					
	<b>All</b>	2.2%	3.4%	5.3%	94.7%
	<b>Grade 7</b>	0.6%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	1.6%	2.0%	3.1%	96.9%
	<b>Grade 9</b>	2.4%	3.7%	5.5%	94.5%
	<b>Grade 10</b>	2.6%	4.2%	6.9%	93.1%
	<b>Grade 11</b>	3.4%	4.8%	7.9%	92.1%
	<b>Grade 12</b>	3.4%	5.2%	8.2%	91.8%
<b>Downers</b>					
	<b>All</b>	2.5%	3.8%	6.1%	93.9%
	<b>Grade 7</b>	0.6%	1.0%	1.7%	98.3%
	<b>Grade 8</b>	1.7%	2.5%	3.6%	96.4%
	<b>Grade 9</b>	3.0%	4.3%	6.5%	93.5%
	<b>Grade 10</b>	3.1%	4.7%	7.8%	92.2%
	<b>Grade 11</b>	3.9%	5.8%	9.4%	90.6%
	<b>Grade 12</b>	3.4%	5.5%	9.4%	90.6%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.6%	2.3%	3.9%	96.1%
	<b>Grade 7</b>	0.8%	1.1%	2.1%	97.9%
	<b>Grade 8</b>	2.0%	2.7%	4.1%	95.9%
	<b>Grade 9</b>	1.8%	2.7%	4.6%	95.4%
	<b>Grade 10</b>	1.9%	2.6%	4.4%	95.6%
	<b>Grade 11</b>	1.7%	2.7%	4.5%	95.5%
	<b>Grade 12</b>	1.3%	2.2%	4.2%	95.8%
	<b>Steroids</b>	<b>All</b>	0.4%	0.5%	1.1%
<b>Grade 7</b>		0.3%	0.4%	1.0%	99.0%
<b>Grade 8</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 9</b>		0.4%	0.6%	1.1%	98.9%
<b>Grade 10</b>		0.2%	0.4%	0.9%	99.1%
<b>Grade 11</b>		0.4%	0.6%	1.0%	99.0%
<b>Grade 12</b>		0.6%	0.8%	1.6%	98.4%
<b>Ecstasy</b>		<b>All</b>	3.3%	4.9%	8.2%
	<b>Grade 7</b>	1.2%	1.5%	2.8%	97.2%
	<b>Grade 8</b>	2.5%	3.5%	5.9%	94.1%
	<b>Grade 9</b>	3.7%	5.4%	8.8%	91.2%
	<b>Grade 10</b>	3.8%	5.8%	9.5%	90.5%
	<b>Grade 11</b>	4.4%	7.0%	10.9%	89.1%
	<b>Grade 12</b>	4.5%	7.3%	12.7%	87.3%
	<b>Heroin</b>	<b>All</b>	0.7%	0.9%	1.7%
<b>Grade 7</b>		0.7%	0.9%	1.9%	98.1%
<b>Grade 8</b>		1.2%	1.5%	2.3%	97.7%
<b>Grade 9</b>		0.6%	1.1%	2.0%	98.0%
<b>Grade 10</b>		0.8%	1.0%	1.6%	98.4%
<b>Grade 11</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 12</b>		0.3%	0.5%	0.9%	99.1%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	6.7%	10.0%	18.7%	81.3%
	Grade 7	1.4%	2.2%	6.8%	93.2%
	Grade 8	3.1%	4.9%	12.0%	88.0%
	Grade 9	4.3%	7.1%	15.4%	84.6%
	Grade 10	7.0%	10.6%	20.9%	79.1%
	Grade 11	10.0%	16.2%	27.5%	72.5%
	Grade 12	16.3%	22.4%	34.3%	65.7%
<b>Alcohol</b>					
	All	20.4%	30.7%	51.8%	48.2%
	Grade 7	8.0%	12.8%	31.8%	68.2%
	Grade 8	13.1%	19.6%	43.7%	56.3%
	Grade 9	17.6%	27.9%	50.1%	49.9%
	Grade 10	23.0%	36.5%	59.6%	40.4%
	Grade 11	27.9%	42.9%	63.1%	36.9%
	Grade 12	37.7%	50.8%	69.4%	30.6%
<b>Inhalants</b>					
	All	3.7%	5.9%	11.8%	88.2%
	Grade 7	5.0%	7.3%	13.3%	86.7%
	Grade 8	5.1%	7.9%	14.0%	86.0%
	Grade 9	3.4%	5.4%	11.0%	89.0%
	Grade 10	3.0%	4.7%	11.2%	88.8%
	Grade 11	3.4%	5.6%	11.5%	88.5%
	Grade 12	2.0%	3.8%	9.0%	91.0%
<b>Any Illicit Drug</b>					
	All	6.8%	10.2%	16.1%	83.9%
	Grade 7	1.5%	2.3%	4.6%	95.4%
	Grade 8	3.8%	5.4%	8.6%	91.4%
	Grade 9	5.0%	8.3%	13.4%	86.6%
	Grade 10	7.8%	11.8%	18.4%	81.6%
	Grade 11	10.6%	16.5%	25.5%	74.5%
	Grade 12	14.0%	20.0%	30.6%	69.4%
<b>Marijuana</b>					
	All	5.7%	9.2%	15.0%	85.0%
	Grade 7	1.0%	1.6%	3.3%	96.7%
	Grade 8	2.4%	4.0%	7.2%	92.8%
	Grade 9	4.3%	7.5%	12.4%	87.6%
	Grade 10	6.5%	10.7%	16.8%	83.2%
	Grade 11	9.1%	15.6%	24.1%	75.9%
	Grade 12	12.8%	19.0%	30.4%	69.6%
<b>Marijuana Only</b>					
	All	2.5%	4.7%	8.7%	91.3%
	Grade 7	0.4%	0.9%	2.0%	98.0%
	Grade 8	1.0%	1.8%	4.0%	96.0%
	Grade 9	2.0%	4.0%	7.7%	92.3%
	Grade 10	2.9%	5.6%	9.8%	90.2%
	Grade 11	4.3%	8.0%	14.2%	85.8%
	Grade 12	5.5%	9.2%	17.0%	83.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	0.6%	1.0%	2.2%	97.8%
	<b>Grade 7</b>	0.3%	0.4%	0.7%	99.3%
	<b>Grade 8</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 9</b>	0.3%	0.7%	1.4%	98.6%
	<b>Grade 10</b>	1.0%	1.3%	2.6%	97.4%
	<b>Grade 11</b>	0.8%	1.6%	3.1%	96.9%
	<b>Grade 12</b>	1.0%	2.0%	4.8%	95.2%
<b>Cocaine</b>					
	<b>All</b>	0.5%	0.9%	1.9%	98.1%
	<b>Grade 7</b>	0.1%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	0.3%	0.6%	1.0%	99.0%
	<b>Grade 9</b>	0.2%	0.6%	1.1%	98.9%
	<b>Grade 10</b>	0.9%	1.1%	2.1%	97.9%
	<b>Grade 11</b>	0.8%	1.6%	3.0%	97.0%
	<b>Grade 12</b>	0.9%	1.9%	4.7%	95.3%
<b>Crack</b>					
	<b>All</b>	0.2%	0.3%	0.8%	99.2%
	<b>Grade 7</b>	0.2%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	0.3%	0.3%	0.6%	99.4%
	<b>Grade 9</b>	0.1%	0.3%	0.6%	99.4%
	<b>Grade 10</b>	0.1%	0.3%	1.1%	98.9%
	<b>Grade 11</b>	0.2%	0.3%	0.8%	99.2%
	<b>Grade 12</b>	0.3%	0.4%	1.1%	98.9%
<b>Hallucinogens</b>					
	<b>All</b>	0.9%	1.4%	2.7%	97.3%
	<b>Grade 7</b>	0.2%	0.3%	0.6%	99.4%
	<b>Grade 8</b>	0.8%	1.0%	1.7%	98.3%
	<b>Grade 9</b>	0.7%	1.1%	2.1%	97.9%
	<b>Grade 10</b>	1.1%	1.6%	3.1%	96.9%
	<b>Grade 11</b>	1.3%	2.3%	4.4%	95.6%
	<b>Grade 12</b>	1.6%	2.8%	5.1%	94.9%
<b>Uppers</b>					
	<b>All</b>	1.2%	1.9%	3.0%	97.0%
	<b>Grade 7</b>	0.2%	0.2%	0.5%	99.5%
	<b>Grade 8</b>	0.8%	0.9%	1.5%	98.5%
	<b>Grade 9</b>	0.9%	1.4%	2.1%	97.9%
	<b>Grade 10</b>	1.7%	2.4%	3.6%	96.4%
	<b>Grade 11</b>	2.1%	3.2%	5.0%	95.0%
	<b>Grade 12</b>	2.1%	4.0%	6.6%	93.4%
<b>Downers</b>					
	<b>All</b>	1.2%	1.9%	3.1%	96.9%
	<b>Grade 7</b>	0.2%	0.2%	0.4%	99.6%
	<b>Grade 8</b>	0.9%	1.1%	1.7%	98.3%
	<b>Grade 9</b>	0.9%	1.3%	1.9%	98.1%
	<b>Grade 10</b>	1.5%	2.1%	3.4%	96.6%
	<b>Grade 11</b>	2.1%	3.2%	5.4%	94.6%
	<b>Grade 12</b>	2.2%	3.9%	6.8%	93.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 7</b>	0.1%	0.2%	0.4%	99.6%
	<b>Grade 8</b>	0.5%	0.7%	1.4%	98.6%
	<b>Grade 9</b>	0.4%	0.6%	1.0%	99.0%
	<b>Grade 10</b>	0.4%	0.6%	0.9%	99.1%
	<b>Grade 11</b>	0.7%	0.8%	1.5%	98.5%
	<b>Grade 12</b>	0.3%	0.6%	1.2%	98.8%
	<b>Steroids</b>	<b>All</b>	0.4%	0.6%	1.3%
<b>Grade 7</b>		0.3%	0.4%	1.1%	98.9%
<b>Grade 8</b>		0.3%	0.5%	1.3%	98.7%
<b>Grade 9</b>		0.5%	0.6%	1.2%	98.8%
<b>Grade 10</b>		0.6%	0.7%	1.3%	98.7%
<b>Grade 11</b>		0.4%	0.6%	1.4%	98.6%
<b>Grade 12</b>		0.5%	0.8%	1.6%	98.4%
<b>Ecstasy</b>		<b>All</b>	1.2%	2.0%	3.4%
	<b>Grade 7</b>	0.2%	0.4%	0.8%	99.2%
	<b>Grade 8</b>	0.9%	1.5%	2.1%	97.9%
	<b>Grade 9</b>	0.9%	1.5%	2.8%	97.2%
	<b>Grade 10</b>	1.6%	2.4%	3.8%	96.2%
	<b>Grade 11</b>	2.0%	3.2%	4.5%	95.5%
	<b>Grade 12</b>	1.9%	3.7%	7.3%	92.7%
	<b>Heroin</b>	<b>All</b>	0.3%	0.4%	0.7%
<b>Grade 7</b>		0.1%	0.2%	0.4%	99.6%
<b>Grade 8</b>		0.3%	0.4%	0.8%	99.2%
<b>Grade 9</b>		0.3%	0.3%	0.6%	99.4%
<b>Grade 10</b>		0.3%	0.5%	0.8%	99.2%
<b>Grade 11</b>		0.4%	0.4%	0.8%	99.2%
<b>Grade 12</b>		0.3%	0.5%	0.8%	99.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.2%	21.0%	35.9%	64.1%
	<b>Grade 7</b>	6.5%	9.0%	19.6%	80.4%
	<b>Grade 8</b>	9.6%	14.1%	28.6%	71.4%
	<b>Grade 9</b>	13.7%	19.0%	34.4%	65.6%
	<b>Grade 10</b>	16.5%	23.7%	40.3%	59.7%
	<b>Grade 11</b>	21.2%	28.9%	45.0%	55.0%
	<b>Grade 12</b>	26.1%	34.6%	50.8%	49.2%
<b>Alcohol</b>					
	<b>All</b>	33.1%	44.7%	66.6%	33.4%
	<b>Grade 7</b>	18.9%	24.9%	47.9%	52.1%
	<b>Grade 8</b>	26.0%	35.5%	60.7%	39.3%
	<b>Grade 9</b>	33.3%	45.3%	68.1%	31.9%
	<b>Grade 10</b>	36.9%	51.1%	73.3%	26.7%
	<b>Grade 11</b>	39.4%	53.6%	73.4%	26.6%
	<b>Grade 12</b>	46.4%	61.0%	78.0%	22.0%
<b>Inhalants</b>					
	<b>All</b>	7.1%	10.3%	19.7%	80.3%
	<b>Grade 7</b>	10.2%	13.0%	22.6%	77.4%
	<b>Grade 8</b>	10.1%	14.0%	24.6%	75.4%
	<b>Grade 9</b>	7.6%	11.1%	20.4%	79.6%
	<b>Grade 10</b>	5.3%	8.5%	18.5%	81.5%
	<b>Grade 11</b>	4.5%	7.5%	16.2%	83.8%
	<b>Grade 12</b>	3.9%	6.5%	14.3%	85.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	16.0%	22.3%	33.4%	66.6%
	<b>Grade 7</b>	7.1%	9.4%	15.3%	84.7%
	<b>Grade 8</b>	11.4%	15.4%	24.0%	76.0%
	<b>Grade 9</b>	15.6%	21.5%	32.1%	67.9%
	<b>Grade 10</b>	19.3%	26.2%	39.6%	60.4%
	<b>Grade 11</b>	20.9%	29.9%	43.8%	56.2%
	<b>Grade 12</b>	23.6%	33.5%	48.7%	51.3%
<b>Marijuana</b>					
	<b>All</b>	14.0%	20.3%	31.4%	68.6%
	<b>Grade 7</b>	5.4%	7.6%	12.8%	87.2%
	<b>Grade 8</b>	8.9%	12.7%	21.0%	79.0%
	<b>Grade 9</b>	13.9%	20.0%	30.4%	69.6%
	<b>Grade 10</b>	17.2%	24.4%	38.1%	61.9%
	<b>Grade 11</b>	18.9%	27.9%	42.4%	57.6%
	<b>Grade 12</b>	21.3%	31.8%	47.3%	52.7%
<b>Marijuana Only</b>					
	<b>All</b>	5.7%	9.1%	16.4%	83.6%
	<b>Grade 7</b>	2.3%	3.4%	6.8%	93.2%
	<b>Grade 8</b>	3.9%	5.8%	11.4%	88.6%
	<b>Grade 9</b>	5.6%	8.8%	15.6%	84.4%
	<b>Grade 10</b>	7.5%	11.4%	20.1%	79.9%
	<b>Grade 11</b>	7.1%	12.1%	21.6%	78.4%
	<b>Grade 12</b>	8.4%	14.4%	24.4%	75.6%



**State : Grades 7-12 Large  
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	2.1%	3.5%	6.9%	93.1%
	<b>Grade 7</b>	1.3%	2.0%	3.5%	96.5%
	<b>Grade 8</b>	1.7%	2.5%	4.5%	95.5%
	<b>Grade 9</b>	2.3%	3.4%	6.1%	93.9%
	<b>Grade 10</b>	2.2%	3.8%	7.8%	92.2%
	<b>Grade 11</b>	2.7%	4.6%	9.2%	90.8%
	<b>Grade 12</b>	2.8%	5.3%	11.4%	88.6%
<b>Cocaine</b>					
	<b>All</b>	1.9%	3.2%	6.4%	93.6%
	<b>Grade 7</b>	0.9%	1.5%	2.6%	97.4%
	<b>Grade 8</b>	1.4%	1.9%	3.6%	96.4%
	<b>Grade 9</b>	2.1%	3.1%	5.6%	94.4%
	<b>Grade 10</b>	2.0%	3.6%	7.4%	92.6%
	<b>Grade 11</b>	2.6%	4.5%	9.1%	90.9%
	<b>Grade 12</b>	2.7%	5.2%	11.2%	88.8%
<b>Crack</b>					
	<b>All</b>	0.6%	0.9%	2.0%	98.0%
	<b>Grade 7</b>	0.7%	1.0%	2.1%	97.9%
	<b>Grade 8</b>	0.8%	1.1%	2.3%	97.7%
	<b>Grade 9</b>	0.5%	0.9%	2.0%	98.0%
	<b>Grade 10</b>	0.4%	0.8%	1.8%	98.2%
	<b>Grade 11</b>	0.6%	0.9%	1.9%	98.1%
	<b>Grade 12</b>	0.4%	0.6%	1.9%	98.1%
<b>Hallucinogens</b>					
	<b>All</b>	1.8%	3.0%	5.5%	94.5%
	<b>Grade 7</b>	0.8%	1.2%	2.0%	98.0%
	<b>Grade 8</b>	1.2%	1.8%	3.8%	96.2%
	<b>Grade 9</b>	2.1%	3.3%	5.5%	94.5%
	<b>Grade 10</b>	1.9%	3.6%	6.6%	93.4%
	<b>Grade 11</b>	2.3%	4.0%	7.4%	92.6%
	<b>Grade 12</b>	2.3%	4.4%	8.4%	91.6%
<b>Uppers</b>					
	<b>All</b>	2.6%	4.0%	6.3%	93.7%
	<b>Grade 7</b>	0.7%	1.1%	1.7%	98.3%
	<b>Grade 8</b>	1.4%	1.9%	3.1%	96.9%
	<b>Grade 9</b>	2.6%	3.8%	5.7%	94.3%
	<b>Grade 10</b>	3.4%	5.4%	8.4%	91.6%
	<b>Grade 11</b>	3.7%	5.7%	9.4%	90.6%
	<b>Grade 12</b>	4.3%	6.7%	10.4%	89.6%
<b>Downers</b>					
	<b>All</b>	2.9%	4.4%	6.9%	93.1%
	<b>Grade 7</b>	0.7%	1.1%	1.7%	98.3%
	<b>Grade 8</b>	1.5%	2.3%	3.4%	96.6%
	<b>Grade 9</b>	3.0%	4.3%	6.4%	93.6%
	<b>Grade 10</b>	3.6%	5.2%	8.5%	91.5%
	<b>Grade 11</b>	4.4%	6.6%	10.6%	89.4%
	<b>Grade 12</b>	4.8%	7.5%	12.0%	88.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.3%	2.0%	3.4%	96.6%
	<b>Grade 7</b>	0.7%	1.0%	1.9%	98.1%
	<b>Grade 8</b>	1.5%	2.0%	3.2%	96.8%
	<b>Grade 9</b>	1.4%	2.1%	3.7%	96.3%
	<b>Grade 10</b>	1.6%	2.3%	3.9%	96.1%
	<b>Grade 11</b>	1.5%	2.3%	3.6%	96.4%
	<b>Grade 12</b>	1.4%	2.1%	3.9%	96.1%
	<b>Steroids</b>	<b>All</b>	0.5%	0.8%	1.5%
<b>Grade 7</b>		0.4%	0.7%	1.4%	98.6%
<b>Grade 8</b>		0.5%	0.7%	1.6%	98.4%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 11</b>		0.5%	0.9%	1.5%	98.5%
<b>Grade 12</b>		0.8%	1.0%	1.8%	98.2%
<b>Ecstasy</b>		<b>All</b>	3.2%	4.9%	8.4%
	<b>Grade 7</b>	1.2%	1.7%	3.1%	96.9%
	<b>Grade 8</b>	2.3%	3.1%	5.7%	94.3%
	<b>Grade 9</b>	3.3%	4.8%	8.2%	91.8%
	<b>Grade 10</b>	3.4%	5.4%	9.5%	90.5%
	<b>Grade 11</b>	4.1%	6.9%	11.5%	88.5%
	<b>Grade 12</b>	5.0%	8.0%	13.3%	86.7%
	<b>Heroin</b>	<b>All</b>	0.6%	0.9%	1.8%
<b>Grade 7</b>		0.7%	1.0%	2.0%	98.0%
<b>Grade 8</b>		0.9%	1.2%	2.2%	97.8%
<b>Grade 9</b>		0.5%	1.0%	1.9%	98.1%
<b>Grade 10</b>		0.7%	0.9%	1.7%	98.3%
<b>Grade 11</b>		0.5%	0.7%	1.4%	98.6%
<b>Grade 12</b>		0.5%	0.6%	1.3%	98.7%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	10.4%	14.7%	25.7%	74.3%
	<b>Grade 7</b>	3.7%	5.1%	11.5%	88.5%
	<b>Grade 8</b>	5.7%	8.3%	18.4%	81.6%
	<b>Grade 9</b>	9.1%	12.8%	23.9%	76.1%
	<b>Grade 10</b>	11.1%	16.4%	28.4%	71.6%
	<b>Grade 11</b>	15.2%	21.7%	35.9%	64.1%
	<b>Grade 12</b>	20.7%	27.9%	41.2%	58.8%
<b>Alcohol</b>					
	<b>All</b>	26.3%	36.2%	57.0%	43.0%
	<b>Grade 7</b>	13.2%	17.8%	37.1%	62.9%
	<b>Grade 8</b>	19.0%	26.3%	49.6%	50.4%
	<b>Grade 9</b>	25.7%	36.1%	57.9%	42.1%
	<b>Grade 10</b>	29.3%	41.5%	63.8%	36.2%
	<b>Grade 11</b>	33.5%	46.8%	67.0%	33.0%
	<b>Grade 12</b>	41.8%	55.2%	72.3%	27.7%
<b>Inhalants</b>					
	<b>All</b>	5.4%	7.9%	15.3%	84.7%
	<b>Grade 7</b>	7.5%	9.6%	17.3%	82.7%
	<b>Grade 8</b>	7.3%	10.7%	18.9%	81.1%
	<b>Grade 9</b>	5.9%	8.6%	16.0%	84.0%
	<b>Grade 10</b>	3.9%	6.4%	14.2%	85.8%
	<b>Grade 11</b>	4.0%	6.3%	13.1%	86.9%
	<b>Grade 12</b>	2.7%	4.6%	10.7%	89.3%
<b>Any Illicit Drug</b>					
	<b>All</b>	10.4%	14.8%	22.4%	77.6%
	<b>Grade 7</b>	3.7%	5.1%	8.6%	91.4%
	<b>Grade 8</b>	6.8%	9.3%	14.4%	85.6%
	<b>Grade 9</b>	10.1%	14.2%	21.2%	78.8%
	<b>Grade 10</b>	12.2%	17.3%	26.2%	73.8%
	<b>Grade 11</b>	15.1%	21.9%	32.4%	67.6%
	<b>Grade 12</b>	16.8%	24.3%	36.2%	63.8%
<b>Marijuana</b>					
	<b>All</b>	8.8%	13.2%	20.6%	79.4%
	<b>Grade 7</b>	2.5%	3.8%	6.6%	93.4%
	<b>Grade 8</b>	4.9%	7.1%	12.0%	88.0%
	<b>Grade 9</b>	8.6%	12.8%	19.6%	80.4%
	<b>Grade 10</b>	10.3%	15.7%	24.6%	75.4%
	<b>Grade 11</b>	13.5%	20.3%	30.9%	69.1%
	<b>Grade 12</b>	15.1%	22.9%	35.0%	65.0%
<b>Marijuana Only</b>					
	<b>All</b>	3.7%	6.1%	10.9%	89.1%
	<b>Grade 7</b>	1.0%	1.5%	3.3%	96.7%
	<b>Grade 8</b>	2.0%	3.1%	6.3%	93.7%
	<b>Grade 9</b>	3.7%	5.9%	10.2%	89.8%
	<b>Grade 10</b>	4.4%	7.6%	13.2%	86.8%
	<b>Grade 11</b>	5.6%	9.3%	16.5%	83.5%
	<b>Grade 12</b>	6.2%	10.7%	18.7%	81.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	1.4%	2.3%	4.6%	95.4%
	<b>Grade 7</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 8</b>	1.0%	1.4%	2.6%	97.4%
	<b>Grade 9</b>	1.5%	2.3%	4.2%	95.8%
	<b>Grade 10</b>	1.5%	2.6%	5.2%	94.8%
	<b>Grade 11</b>	1.7%	3.3%	6.5%	93.5%
	<b>Grade 12</b>	2.0%	3.7%	8.3%	91.7%
<b>Cocaine</b>					
	<b>All</b>	1.2%	2.1%	4.2%	95.8%
	<b>Grade 7</b>	0.5%	0.9%	1.6%	98.4%
	<b>Grade 8</b>	0.7%	1.1%	2.1%	97.9%
	<b>Grade 9</b>	1.3%	2.0%	3.7%	96.3%
	<b>Grade 10</b>	1.4%	2.4%	4.8%	95.2%
	<b>Grade 11</b>	1.7%	3.2%	6.4%	93.6%
	<b>Grade 12</b>	1.9%	3.7%	8.2%	91.8%
<b>Crack</b>					
	<b>All</b>	0.4%	0.7%	1.5%	98.5%
	<b>Grade 7</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 9</b>	0.4%	0.8%	1.6%	98.4%
	<b>Grade 10</b>	0.3%	0.6%	1.5%	98.5%
	<b>Grade 11</b>	0.3%	0.6%	1.3%	98.7%
	<b>Grade 12</b>	0.4%	0.5%	1.5%	98.5%
<b>Hallucinogens</b>					
	<b>All</b>	1.2%	2.0%	3.7%	96.3%
	<b>Grade 7</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 8</b>	0.8%	1.1%	2.4%	97.6%
	<b>Grade 9</b>	1.3%	2.1%	3.7%	96.3%
	<b>Grade 10</b>	1.3%	2.0%	4.1%	95.9%
	<b>Grade 11</b>	1.8%	3.0%	5.3%	94.7%
	<b>Grade 12</b>	1.7%	3.4%	6.4%	93.6%
<b>Uppers</b>					
	<b>All</b>	1.6%	2.4%	3.9%	96.1%
	<b>Grade 7</b>	0.4%	0.5%	0.7%	99.3%
	<b>Grade 8</b>	0.8%	1.0%	1.8%	98.2%
	<b>Grade 9</b>	1.6%	2.3%	3.5%	96.5%
	<b>Grade 10</b>	2.1%	3.3%	5.2%	94.8%
	<b>Grade 11</b>	2.3%	3.8%	6.2%	93.8%
	<b>Grade 12</b>	2.8%	4.4%	7.1%	92.9%
<b>Downers</b>					
	<b>All</b>	1.7%	2.6%	4.3%	95.7%
	<b>Grade 7</b>	0.4%	0.5%	0.9%	99.1%
	<b>Grade 8</b>	1.0%	1.5%	2.1%	97.9%
	<b>Grade 9</b>	1.7%	2.4%	3.7%	96.3%
	<b>Grade 10</b>	2.2%	3.1%	5.0%	95.0%
	<b>Grade 11</b>	2.7%	4.2%	7.1%	92.9%
	<b>Grade 12</b>	2.9%	4.9%	8.2%	91.8%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 7</b>	0.4%	0.6%	1.1%	98.9%
	<b>Grade 8</b>	0.9%	1.3%	2.1%	97.9%
	<b>Grade 9</b>	0.9%	1.4%	2.4%	97.6%
	<b>Grade 10</b>	0.9%	1.3%	2.3%	97.7%
	<b>Grade 11</b>	1.0%	1.4%	2.6%	97.4%
	<b>Grade 12</b>	0.7%	1.2%	2.4%	97.6%
	<b>Steroids</b>	<b>All</b>	0.4%	0.7%	1.3%
<b>Grade 7</b>		0.3%	0.5%	1.2%	98.8%
<b>Grade 8</b>		0.3%	0.5%	1.3%	98.7%
<b>Grade 9</b>		0.5%	0.6%	1.3%	98.7%
<b>Grade 10</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 11</b>		0.6%	0.8%	1.5%	98.5%
<b>Grade 12</b>		0.7%	0.9%	1.7%	98.3%
<b>Ecstasy</b>		<b>All</b>	2.0%	3.2%	5.4%
	<b>Grade 7</b>	0.6%	0.9%	1.5%	98.5%
	<b>Grade 8</b>	1.5%	2.1%	3.6%	96.4%
	<b>Grade 9</b>	2.1%	3.0%	5.1%	94.9%
	<b>Grade 10</b>	2.4%	4.0%	6.8%	93.2%
	<b>Grade 11</b>	2.7%	4.5%	7.3%	92.7%
	<b>Grade 12</b>	3.2%	5.3%	9.2%	90.8%
	<b>Heroin</b>	<b>All</b>	0.4%	0.6%	1.2%
<b>Grade 7</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 8</b>		0.6%	0.7%	1.3%	98.7%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.5%	0.6%	1.2%	98.8%
<b>Grade 11</b>		0.3%	0.4%	1.1%	98.9%
<b>Grade 12</b>		0.3%	0.4%	0.9%	99.1%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	15.7%	22.1%	37.9%	62.1%
	<b>Grade 7</b>	6.6%	9.5%	21.6%	78.4%
	<b>Grade 8</b>	10.4%	15.8%	30.9%	69.1%
	<b>Grade 9</b>	13.8%	19.8%	36.4%	63.6%
	<b>Grade 10</b>	18.0%	25.4%	44.3%	55.7%
	<b>Grade 11</b>	21.5%	30.0%	45.3%	54.7%
	<b>Grade 12</b>	25.6%	34.0%	50.7%	49.3%
<b>Alcohol</b>					
	<b>All</b>	33.4%	46.6%	69.6%	30.4%
	<b>Grade 7</b>	18.2%	25.5%	51.0%	49.0%
	<b>Grade 8</b>	26.3%	37.1%	64.4%	35.6%
	<b>Grade 9</b>	33.4%	46.5%	70.5%	29.5%
	<b>Grade 10</b>	38.6%	55.0%	77.5%	22.5%
	<b>Grade 11</b>	39.3%	55.6%	75.1%	24.9%
	<b>Grade 12</b>	45.9%	61.0%	79.4%	20.6%
<b>Inhalants</b>					
	<b>All</b>	7.1%	10.6%	20.3%	79.7%
	<b>Grade 7</b>	10.1%	13.4%	23.0%	77.0%
	<b>Grade 8</b>	10.3%	14.4%	24.9%	75.1%
	<b>Grade 9</b>	7.0%	10.8%	20.3%	79.7%
	<b>Grade 10</b>	6.1%	9.2%	20.0%	80.0%
	<b>Grade 11</b>	4.5%	8.0%	17.4%	82.6%
	<b>Grade 12</b>	4.1%	7.1%	15.3%	84.7%
<b>Any Illicit Drug</b>					
	<b>All</b>	17.4%	24.3%	36.8%	63.2%
	<b>Grade 7</b>	7.7%	10.2%	16.8%	83.2%
	<b>Grade 8</b>	12.2%	16.7%	26.4%	73.6%
	<b>Grade 9</b>	16.3%	23.1%	35.1%	64.9%
	<b>Grade 10</b>	21.8%	29.3%	44.8%	55.2%
	<b>Grade 11</b>	21.6%	32.0%	47.2%	52.8%
	<b>Grade 12</b>	25.9%	35.8%	52.1%	47.9%
<b>Marijuana</b>					
	<b>All</b>	15.6%	22.7%	35.2%	64.8%
	<b>Grade 7</b>	6.2%	8.7%	14.7%	85.3%
	<b>Grade 8</b>	9.9%	14.3%	23.9%	76.1%
	<b>Grade 9</b>	15.0%	21.8%	33.8%	66.2%
	<b>Grade 10</b>	19.9%	27.8%	43.4%	56.6%
	<b>Grade 11</b>	19.5%	30.2%	45.8%	54.2%
	<b>Grade 12</b>	23.6%	34.3%	51.4%	48.6%
<b>Marijuana Only</b>					
	<b>All</b>	6.4%	10.3%	18.7%	81.3%
	<b>Grade 7</b>	3.0%	4.3%	8.4%	91.6%
	<b>Grade 8</b>	4.3%	6.6%	13.4%	86.6%
	<b>Grade 9</b>	5.9%	9.6%	18.0%	82.0%
	<b>Grade 10</b>	8.9%	12.9%	23.2%	76.8%
	<b>Grade 11</b>	7.3%	13.3%	23.6%	76.4%
	<b>Grade 12</b>	9.5%	15.7%	26.7%	73.3%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	2.1%	3.4%	6.6%	93.4%
	<b>Grade 7</b>	1.2%	1.8%	3.1%	96.9%
	<b>Grade 8</b>	1.8%	2.6%	4.6%	95.4%
	<b>Grade 9</b>	2.1%	3.2%	5.7%	94.3%
	<b>Grade 10</b>	2.4%	3.9%	7.9%	92.1%
	<b>Grade 11</b>	2.8%	4.4%	8.7%	91.3%
	<b>Grade 12</b>	2.6%	4.8%	10.3%	89.7%
<b>Cocaine</b>					
	<b>All</b>	1.9%	3.2%	6.2%	93.8%
	<b>Grade 7</b>	0.8%	1.5%	2.3%	97.7%
	<b>Grade 8</b>	1.5%	2.2%	3.9%	96.1%
	<b>Grade 9</b>	1.9%	3.0%	5.3%	94.7%
	<b>Grade 10</b>	2.3%	3.6%	7.5%	92.5%
	<b>Grade 11</b>	2.7%	4.3%	8.5%	91.5%
	<b>Grade 12</b>	2.5%	4.6%	10.1%	89.9%
<b>Crack</b>					
	<b>All</b>	0.6%	0.8%	1.8%	98.2%
	<b>Grade 7</b>	0.7%	0.9%	1.9%	98.1%
	<b>Grade 8</b>	0.8%	1.0%	2.2%	97.8%
	<b>Grade 9</b>	0.4%	0.7%	1.6%	98.4%
	<b>Grade 10</b>	0.5%	0.8%	1.7%	98.3%
	<b>Grade 11</b>	0.7%	0.9%	1.9%	98.1%
	<b>Grade 12</b>	0.3%	0.5%	1.8%	98.2%
<b>Hallucinogens</b>					
	<b>All</b>	2.0%	3.4%	6.1%	93.9%
	<b>Grade 7</b>	0.9%	1.2%	2.2%	97.8%
	<b>Grade 8</b>	1.5%	2.3%	4.3%	95.7%
	<b>Grade 9</b>	2.4%	3.6%	5.8%	94.2%
	<b>Grade 10</b>	2.2%	4.5%	7.7%	92.3%
	<b>Grade 11</b>	2.3%	4.1%	8.2%	91.8%
	<b>Grade 12</b>	2.6%	4.4%	8.5%	91.5%
<b>Uppers</b>					
	<b>All</b>	3.1%	4.8%	7.5%	92.5%
	<b>Grade 7</b>	0.8%	1.4%	2.1%	97.9%
	<b>Grade 8</b>	1.9%	2.6%	4.0%	96.0%
	<b>Grade 9</b>	3.0%	4.5%	6.6%	93.4%
	<b>Grade 10</b>	4.0%	6.4%	9.8%	90.2%
	<b>Grade 11</b>	4.5%	6.7%	10.9%	89.1%
	<b>Grade 12</b>	4.5%	7.8%	12.1%	87.9%
<b>Downers</b>					
	<b>All</b>	3.5%	5.1%	7.9%	92.1%
	<b>Grade 7</b>	0.8%	1.2%	1.9%	98.1%
	<b>Grade 8</b>	1.7%	2.5%	3.9%	96.1%
	<b>Grade 9</b>	3.4%	5.0%	7.2%	92.8%
	<b>Grade 10</b>	4.4%	6.2%	10.1%	89.9%
	<b>Grade 11</b>	5.3%	7.7%	12.1%	87.9%
	<b>Grade 12</b>	5.3%	8.2%	13.2%	86.8%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.4%	2.1%	3.5%	96.5%
	<b>Grade 7</b>	0.6%	1.1%	1.8%	98.2%
	<b>Grade 8</b>	1.6%	2.0%	3.5%	96.5%
	<b>Grade 9</b>	1.4%	2.3%	3.8%	96.2%
	<b>Grade 10</b>	1.8%	2.5%	4.2%	95.8%
	<b>Grade 11</b>	1.6%	2.4%	3.7%	96.3%
	<b>Grade 12</b>	1.4%	2.0%	3.7%	96.3%
	<b>Steroids</b>	<b>All</b>	0.5%	0.8%	1.5%
<b>Grade 7</b>		0.5%	0.7%	1.4%	98.6%
<b>Grade 8</b>		0.7%	1.0%	2.0%	98.0%
<b>Grade 9</b>		0.5%	0.8%	1.4%	98.6%
<b>Grade 10</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 11</b>		0.4%	0.8%	1.5%	98.5%
<b>Grade 12</b>		0.6%	0.9%	1.6%	98.4%
<b>Ecstasy</b>		<b>All</b>	3.4%	5.3%	9.1%
	<b>Grade 7</b>	1.3%	1.9%	3.5%	96.5%
	<b>Grade 8</b>	2.4%	3.6%	6.1%	93.9%
	<b>Grade 9</b>	3.3%	5.2%	9.0%	91.0%
	<b>Grade 10</b>	3.6%	5.4%	9.7%	90.3%
	<b>Grade 11</b>	4.7%	7.7%	12.6%	87.4%
	<b>Grade 12</b>	5.0%	8.2%	14.4%	85.6%
	<b>Heroin</b>	<b>All</b>	0.7%	1.0%	1.8%
<b>Grade 7</b>		0.6%	0.9%	1.8%	98.2%
<b>Grade 8</b>		1.0%	1.4%	2.4%	97.6%
<b>Grade 9</b>		0.5%	0.9%	1.8%	98.2%
<b>Grade 10</b>		0.8%	1.1%	1.8%	98.2%
<b>Grade 11</b>		0.7%	0.8%	1.4%	98.6%
<b>Grade 12</b>		0.6%	0.9%	1.4%	98.6%



**State : Grades 7-12 Large  
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.8%	15.3%	27.7%	72.3%
	Grade 7	3.3%	4.8%	12.2%	87.8%
	Grade 8	5.8%	8.8%	19.6%	80.4%
	Grade 9	9.3%	13.3%	26.0%	74.0%
	Grade 10	12.0%	17.7%	32.5%	67.5%
	Grade 11	15.8%	22.4%	37.2%	62.8%
	Grade 12	21.3%	28.6%	43.6%	56.4%
<b>Alcohol</b>					
	All	26.8%	37.7%	59.6%	40.4%
	Grade 7	12.5%	17.3%	38.4%	61.6%
	Grade 8	19.0%	27.0%	51.7%	48.3%
	Grade 9	26.4%	37.5%	60.5%	39.5%
	Grade 10	31.0%	44.9%	68.1%	31.9%
	Grade 11	34.0%	48.7%	69.1%	30.9%
	Grade 12	42.3%	56.7%	74.9%	25.1%
<b>Inhalants</b>					
	All	5.0%	7.6%	15.1%	84.9%
	Grade 7	6.8%	8.9%	16.3%	83.7%
	Grade 8	6.8%	9.8%	18.2%	81.8%
	Grade 9	5.3%	8.0%	15.8%	84.2%
	Grade 10	4.2%	6.5%	14.8%	85.2%
	Grade 11	3.6%	6.4%	13.4%	86.6%
	Grade 12	2.7%	4.9%	11.2%	88.8%
<b>Any Illicit Drug</b>					
	All	11.1%	15.9%	24.7%	75.3%
	Grade 7	3.6%	5.0%	8.7%	91.3%
	Grade 8	7.2%	9.8%	15.7%	84.3%
	Grade 9	10.4%	15.0%	23.3%	76.7%
	Grade 10	13.5%	19.2%	30.4%	69.6%
	Grade 11	15.5%	23.0%	35.2%	64.8%
	Grade 12	18.3%	26.7%	40.0%	60.0%
<b>Marijuana</b>					
	All	9.6%	14.6%	23.2%	76.8%
	Grade 7	2.7%	3.9%	7.1%	92.9%
	Grade 8	5.5%	8.0%	13.8%	86.2%
	Grade 9	9.2%	13.8%	21.8%	78.2%
	Grade 10	11.8%	17.8%	28.8%	71.2%
	Grade 11	13.9%	21.6%	33.8%	66.2%
	Grade 12	16.7%	25.5%	39.0%	61.0%
<b>Marijuana Only</b>					
	All	4.1%	6.9%	13.0%	87.0%
	Grade 7	1.3%	2.0%	4.1%	95.9%
	Grade 8	2.6%	3.9%	8.0%	92.0%
	Grade 9	3.9%	6.4%	12.1%	87.9%
	Grade 10	5.3%	8.7%	16.5%	83.5%
	Grade 11	5.8%	10.2%	18.8%	81.2%
	Grade 12	6.7%	12.0%	21.0%	79.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	1.2%	2.1%	4.3%	95.7%
	<b>Grade 7</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 8</b>	0.9%	1.4%	2.5%	97.5%
	<b>Grade 9</b>	1.3%	2.0%	3.7%	96.3%
	<b>Grade 10</b>	1.3%	2.5%	5.1%	94.9%
	<b>Grade 11</b>	1.6%	2.9%	5.9%	94.1%
	<b>Grade 12</b>	1.8%	3.3%	7.9%	92.1%
<b>Cocaine</b>					
	<b>All</b>	1.1%	1.9%	4.0%	96.0%
	<b>Grade 7</b>	0.4%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.7%	1.1%	2.1%	97.9%
	<b>Grade 9</b>	1.1%	1.8%	3.3%	96.7%
	<b>Grade 10</b>	1.3%	2.3%	4.8%	95.2%
	<b>Grade 11</b>	1.6%	2.9%	5.8%	94.2%
	<b>Grade 12</b>	1.7%	3.2%	7.7%	92.3%
<b>Crack</b>					
	<b>All</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 7</b>	0.3%	0.4%	1.0%	99.0%
	<b>Grade 8</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 9</b>	0.3%	0.5%	1.3%	98.7%
	<b>Grade 10</b>	0.3%	0.5%	1.2%	98.8%
	<b>Grade 11</b>	0.3%	0.5%	1.1%	98.9%
	<b>Grade 12</b>	0.2%	0.3%	1.1%	98.9%
<b>Hallucinogens</b>					
	<b>All</b>	1.1%	1.9%	3.7%	96.3%
	<b>Grade 7</b>	0.4%	0.5%	0.9%	99.1%
	<b>Grade 8</b>	0.7%	1.1%	2.3%	97.7%
	<b>Grade 9</b>	1.3%	2.0%	3.5%	96.5%
	<b>Grade 10</b>	1.3%	2.5%	4.8%	95.2%
	<b>Grade 11</b>	1.4%	2.6%	5.1%	94.9%
	<b>Grade 12</b>	1.7%	3.3%	6.6%	93.4%
<b>Uppers</b>					
	<b>All</b>	1.7%	2.7%	4.4%	95.6%
	<b>Grade 7</b>	0.4%	0.5%	0.8%	99.2%
	<b>Grade 8</b>	0.8%	1.0%	1.8%	98.2%
	<b>Grade 9</b>	1.7%	2.6%	4.0%	96.0%
	<b>Grade 10</b>	2.3%	3.9%	6.2%	93.8%
	<b>Grade 11</b>	2.3%	3.9%	6.4%	93.6%
	<b>Grade 12</b>	2.9%	5.2%	8.3%	91.7%
<b>Downers</b>					
	<b>All</b>	1.9%	2.9%	4.7%	95.3%
	<b>Grade 7</b>	0.3%	0.5%	0.8%	99.2%
	<b>Grade 8</b>	1.0%	1.4%	2.0%	98.0%
	<b>Grade 9</b>	2.0%	2.8%	4.3%	95.7%
	<b>Grade 10</b>	2.4%	3.6%	6.0%	94.0%
	<b>Grade 11</b>	2.7%	4.2%	7.0%	93.0%
	<b>Grade 12</b>	3.2%	5.4%	9.2%	90.8%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	0.8%	1.2%	2.1%	97.9%
	<b>Grade 7</b>	0.4%	0.5%	1.0%	99.0%
	<b>Grade 8</b>	0.9%	1.2%	2.1%	97.9%
	<b>Grade 9</b>	0.8%	1.3%	2.4%	97.6%
	<b>Grade 10</b>	1.0%	1.5%	2.4%	97.6%
	<b>Grade 11</b>	0.9%	1.3%	2.3%	97.7%
	<b>Grade 12</b>	0.8%	1.3%	2.5%	97.5%
	<b>Steroids</b>	<b>All</b>	0.3%	0.5%	1.1%
<b>Grade 7</b>		0.2%	0.4%	0.9%	99.1%
<b>Grade 8</b>		0.3%	0.5%	1.1%	98.9%
<b>Grade 9</b>		0.4%	0.6%	1.1%	98.9%
<b>Grade 10</b>		0.2%	0.4%	1.0%	99.0%
<b>Grade 11</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 12</b>		0.5%	0.8%	1.5%	98.5%
<b>Ecstasy</b>		<b>All</b>	2.0%	3.3%	5.7%
	<b>Grade 7</b>	0.5%	0.8%	1.6%	98.4%
	<b>Grade 8</b>	1.2%	1.9%	3.5%	96.5%
	<b>Grade 9</b>	2.1%	3.1%	5.4%	94.6%
	<b>Grade 10</b>	2.5%	3.9%	6.8%	93.2%
	<b>Grade 11</b>	2.6%	4.8%	7.9%	92.1%
	<b>Grade 12</b>	3.4%	5.6%	10.3%	89.7%
	<b>Heroin</b>	<b>All</b>	0.4%	0.6%	1.1%
<b>Grade 7</b>		0.3%	0.4%	0.9%	99.1%
<b>Grade 8</b>		0.6%	0.8%	1.4%	98.6%
<b>Grade 9</b>		0.4%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.5%	0.6%	1.2%	98.8%
<b>Grade 11</b>		0.3%	0.4%	0.8%	99.2%
<b>Grade 12</b>		0.3%	0.4%	0.8%	99.2%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	18.6%	25.7%	40.1%	59.9%
	<b>Grade 7</b>	10.4%	14.0%	25.9%	74.1%
	<b>Grade 8</b>	13.7%	19.9%	36.3%	63.7%
	<b>Grade 9</b>	17.4%	23.8%	38.8%	61.2%
	<b>Grade 10</b>	19.5%	27.6%	42.6%	57.4%
	<b>Grade 11</b>	25.0%	34.7%	48.4%	51.6%
	<b>Grade 12</b>	26.4%	35.8%	49.9%	50.1%
<b>Alcohol</b>					
	<b>All</b>	37.4%	49.8%	69.9%	30.1%
	<b>Grade 7</b>	25.9%	35.2%	57.5%	42.5%
	<b>Grade 8</b>	32.3%	43.7%	68.8%	31.2%
	<b>Grade 9</b>	37.2%	50.1%	70.6%	29.4%
	<b>Grade 10</b>	40.6%	54.2%	73.8%	26.2%
	<b>Grade 11</b>	42.0%	55.9%	72.5%	27.5%
	<b>Grade 12</b>	46.9%	60.1%	75.8%	24.2%
<b>Inhalants</b>					
	<b>All</b>	9.8%	13.7%	24.4%	75.6%
	<b>Grade 7</b>	15.4%	19.7%	31.1%	68.9%
	<b>Grade 8</b>	14.9%	20.9%	32.0%	68.0%
	<b>Grade 9</b>	10.1%	14.5%	24.7%	75.3%
	<b>Grade 10</b>	6.5%	10.3%	22.4%	77.6%
	<b>Grade 11</b>	6.3%	9.1%	19.9%	80.1%
	<b>Grade 12</b>	5.0%	7.0%	15.0%	85.0%
<b>Any Illicit Drug</b>					
	<b>All</b>	20.5%	27.8%	39.2%	60.8%
	<b>Grade 7</b>	11.2%	14.9%	23.0%	77.0%
	<b>Grade 8</b>	15.0%	20.7%	31.0%	69.0%
	<b>Grade 9</b>	20.9%	27.8%	39.1%	60.9%
	<b>Grade 10</b>	23.8%	31.7%	43.7%	56.3%
	<b>Grade 11</b>	26.1%	36.9%	49.1%	50.9%
	<b>Grade 12</b>	26.2%	35.1%	50.1%	49.9%
<b>Marijuana</b>					
	<b>All</b>	17.7%	25.1%	36.9%	63.1%
	<b>Grade 7</b>	8.3%	11.8%	18.8%	81.2%
	<b>Grade 8</b>	11.4%	16.4%	26.5%	73.5%
	<b>Grade 9</b>	18.7%	25.8%	37.4%	62.6%
	<b>Grade 10</b>	21.4%	29.6%	42.5%	57.5%
	<b>Grade 11</b>	23.3%	34.1%	47.7%	52.3%
	<b>Grade 12</b>	23.1%	33.0%	48.7%	51.3%
<b>Marijuana Only</b>					
	<b>All</b>	6.9%	11.0%	17.9%	82.1%
	<b>Grade 7</b>	2.8%	4.6%	8.8%	91.2%
	<b>Grade 8</b>	4.1%	6.7%	13.2%	86.8%
	<b>Grade 9</b>	7.4%	11.4%	18.1%	81.9%
	<b>Grade 10</b>	9.1%	13.2%	19.9%	80.1%
	<b>Grade 11</b>	8.4%	14.4%	22.7%	77.3%
	<b>Grade 12</b>	9.6%	15.5%	25.5%	74.5%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	3.1%	4.9%	8.9%	91.1%
	<b>Grade 7</b>	2.1%	3.4%	5.5%	94.5%
	<b>Grade 8</b>	2.4%	3.3%	5.8%	94.2%
	<b>Grade 9</b>	3.6%	5.0%	8.5%	91.5%
	<b>Grade 10</b>	3.1%	4.9%	10.0%	90.0%
	<b>Grade 11</b>	3.8%	6.5%	11.7%	88.3%
	<b>Grade 12</b>	3.7%	6.8%	12.3%	87.7%
<b>Cocaine</b>					
	<b>All</b>	2.7%	4.4%	8.1%	91.9%
	<b>Grade 7</b>	1.3%	2.4%	4.0%	96.0%
	<b>Grade 8</b>	1.8%	2.2%	4.5%	95.5%
	<b>Grade 9</b>	3.3%	4.6%	7.9%	92.1%
	<b>Grade 10</b>	3.0%	4.6%	9.4%	90.6%
	<b>Grade 11</b>	3.5%	6.3%	11.4%	88.6%
	<b>Grade 12</b>	3.4%	6.6%	12.2%	87.8%
<b>Crack</b>					
	<b>All</b>	1.1%	1.5%	3.3%	96.7%
	<b>Grade 7</b>	1.6%	2.3%	4.1%	95.9%
	<b>Grade 8</b>	1.3%	1.8%	3.5%	96.5%
	<b>Grade 9</b>	1.2%	1.5%	3.0%	97.0%
	<b>Grade 10</b>	0.6%	1.1%	2.6%	97.4%
	<b>Grade 11</b>	0.9%	1.4%	3.3%	96.7%
	<b>Grade 12</b>	0.9%	1.2%	3.2%	96.8%
<b>Hallucinogens</b>					
	<b>All</b>	2.9%	4.7%	7.9%	92.1%
	<b>Grade 7</b>	1.7%	2.5%	4.0%	96.0%
	<b>Grade 8</b>	2.2%	3.0%	5.6%	94.4%
	<b>Grade 9</b>	3.2%	5.2%	8.2%	91.8%
	<b>Grade 10</b>	2.7%	4.9%	8.7%	91.3%
	<b>Grade 11</b>	4.4%	7.1%	11.4%	88.6%
	<b>Grade 12</b>	3.3%	5.3%	9.6%	90.4%
<b>Uppers</b>					
	<b>All</b>	4.0%	5.8%	8.4%	91.6%
	<b>Grade 7</b>	1.2%	1.9%	2.8%	97.2%
	<b>Grade 8</b>	2.4%	3.5%	5.4%	94.6%
	<b>Grade 9</b>	4.2%	5.8%	7.7%	92.3%
	<b>Grade 10</b>	4.9%	7.0%	9.8%	90.2%
	<b>Grade 11</b>	6.5%	9.3%	13.6%	86.4%
	<b>Grade 12</b>	5.3%	7.5%	11.7%	88.3%
<b>Downers</b>					
	<b>All</b>	4.3%	6.0%	9.1%	90.9%
	<b>Grade 7</b>	1.4%	1.9%	2.9%	97.1%
	<b>Grade 8</b>	2.3%	3.1%	5.2%	94.8%
	<b>Grade 9</b>	4.2%	6.1%	8.3%	91.7%
	<b>Grade 10</b>	5.0%	6.6%	10.4%	89.6%
	<b>Grade 11</b>	7.8%	10.5%	15.7%	84.3%
	<b>Grade 12</b>	5.5%	8.4%	13.0%	87.0%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	2.0%	2.6%	4.4%	95.6%
	<b>Grade 7</b>	1.1%	1.5%	2.9%	97.1%
	<b>Grade 8</b>	2.0%	2.5%	3.8%	96.2%
	<b>Grade 9</b>	2.3%	3.2%	5.2%	94.8%
	<b>Grade 10</b>	2.2%	3.0%	5.3%	94.7%
	<b>Grade 11</b>	2.3%	3.2%	4.8%	95.2%
	<b>Grade 12</b>	1.8%	2.2%	4.4%	95.6%
	<b>Steroids</b>	<b>All</b>	1.0%	1.3%	2.5%
<b>Grade 7</b>		1.2%	1.7%	3.2%	96.8%
<b>Grade 8</b>		1.1%	1.5%	3.0%	97.0%
<b>Grade 9</b>		0.8%	0.9%	2.1%	97.9%
<b>Grade 10</b>		1.1%	1.3%	2.1%	97.9%
<b>Grade 11</b>		0.9%	1.6%	2.6%	97.4%
<b>Grade 12</b>		0.8%	1.2%	2.4%	97.6%
<b>Ecstasy</b>		<b>All</b>	4.6%	6.8%	10.6%
	<b>Grade 7</b>	2.3%	3.3%	5.2%	94.8%
	<b>Grade 8</b>	4.0%	4.9%	8.1%	91.9%
	<b>Grade 9</b>	5.3%	7.6%	11.7%	88.3%
	<b>Grade 10</b>	4.4%	6.9%	10.9%	89.1%
	<b>Grade 11</b>	6.5%	9.4%	14.3%	85.7%
	<b>Grade 12</b>	5.0%	8.9%	13.7%	86.3%
	<b>Heroin</b>	<b>All</b>	1.0%	1.4%	2.8%
<b>Grade 7</b>		1.3%	2.1%	3.9%	96.1%
<b>Grade 8</b>		1.4%	1.7%	3.4%	96.6%
<b>Grade 9</b>		0.7%	1.1%	2.4%	97.6%
<b>Grade 10</b>		0.8%	1.2%	2.1%	97.9%
<b>Grade 11</b>		1.3%	1.5%	2.6%	97.4%
<b>Grade 12</b>		0.7%	0.9%	2.2%	97.8%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.8%	17.8%	32.0%	68.0%
	Grade 7	5.8%	7.9%	18.0%	82.0%
	Grade 8	8.7%	12.5%	26.3%	73.7%
	Grade 9	13.3%	18.4%	32.8%	67.2%
	Grade 10	15.9%	22.6%	39.4%	60.6%
	Grade 11	16.9%	23.8%	40.3%	59.7%
	Grade 12	22.8%	30.1%	45.4%	54.6%
<b>Alcohol</b>					
	All	28.9%	39.4%	62.1%	37.9%
	Grade 7	16.6%	22.5%	44.2%	55.8%
	Grade 8	22.8%	31.0%	57.3%	42.7%
	Grade 9	30.7%	41.3%	63.7%	36.3%
	Grade 10	34.1%	48.9%	72.2%	27.8%
	Grade 11	36.5%	49.9%	70.2%	29.8%
	Grade 12	41.7%	54.2%	74.9%	25.1%
<b>Inhalants</b>					
	All	6.7%	9.7%	18.7%	81.3%
	Grade 7	9.3%	11.6%	20.3%	79.7%
	Grade 8	8.4%	12.0%	21.1%	78.9%
	Grade 9	7.3%	10.6%	19.3%	80.7%
	Grade 10	4.8%	7.8%	18.3%	81.7%
	Grade 11	4.4%	7.3%	15.9%	84.1%
	Grade 12	3.4%	6.8%	14.7%	85.3%
<b>Any Illicit Drug</b>					
	All	14.2%	19.6%	30.5%	69.5%
	Grade 7	6.9%	8.9%	14.1%	85.9%
	Grade 8	10.8%	14.2%	22.6%	77.4%
	Grade 9	15.1%	20.5%	31.4%	68.6%
	Grade 10	17.9%	25.4%	40.1%	59.9%
	Grade 11	18.5%	26.2%	40.7%	59.3%
	Grade 12	20.8%	29.7%	45.9%	54.1%
<b>Marijuana</b>					
	All	12.2%	17.8%	28.8%	71.2%
	Grade 7	5.4%	7.4%	11.8%	88.2%
	Grade 8	8.4%	11.8%	19.8%	80.2%
	Grade 9	13.1%	18.7%	29.5%	70.5%
	Grade 10	15.9%	23.9%	39.0%	61.0%
	Grade 11	16.6%	25.0%	39.5%	60.5%
	Grade 12	18.5%	27.5%	45.6%	54.4%
<b>Marijuana Only</b>					
	All	4.9%	7.8%	15.0%	85.0%
	Grade 7	2.3%	3.4%	6.2%	93.8%
	Grade 8	3.9%	5.3%	11.0%	89.0%
	Grade 9	5.0%	7.9%	15.1%	84.9%
	Grade 10	6.8%	11.1%	20.5%	79.5%
	Grade 11	6.2%	10.3%	19.9%	80.1%
	Grade 12	7.1%	12.2%	23.6%	76.4%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	1.8%	2.9%	5.9%	94.1%
	<b>Grade 7</b>	1.1%	1.8%	3.2%	96.8%
	<b>Grade 8</b>	1.4%	2.1%	4.1%	95.9%
	<b>Grade 9</b>	1.9%	3.0%	5.5%	94.5%
	<b>Grade 10</b>	2.2%	3.5%	7.9%	92.1%
	<b>Grade 11</b>	2.0%	3.9%	8.1%	91.9%
	<b>Grade 12</b>	2.5%	4.4%	9.7%	90.3%
<b>Cocaine</b>					
	<b>All</b>	1.5%	2.6%	5.3%	94.7%
	<b>Grade 7</b>	0.8%	1.3%	2.2%	97.8%
	<b>Grade 8</b>	1.0%	1.4%	3.3%	96.7%
	<b>Grade 9</b>	1.7%	2.7%	4.8%	95.2%
	<b>Grade 10</b>	2.0%	3.2%	7.2%	92.8%
	<b>Grade 11</b>	1.9%	3.8%	7.9%	92.1%
	<b>Grade 12</b>	2.5%	4.3%	9.6%	90.4%
<b>Crack</b>					
	<b>All</b>	0.5%	0.8%	2.0%	98.0%
	<b>Grade 7</b>	0.5%	0.9%	1.9%	98.1%
	<b>Grade 8</b>	0.7%	1.1%	2.2%	97.8%
	<b>Grade 9</b>	0.5%	0.8%	1.9%	98.1%
	<b>Grade 10</b>	0.4%	0.8%	2.1%	97.9%
	<b>Grade 11</b>	0.3%	0.4%	1.7%	98.3%
	<b>Grade 12</b>	0.4%	0.5%	2.7%	97.3%
<b>Hallucinogens</b>					
	<b>All</b>	1.7%	2.8%	5.3%	94.7%
	<b>Grade 7</b>	1.1%	1.4%	2.2%	97.8%
	<b>Grade 8</b>	1.5%	1.9%	3.9%	96.1%
	<b>Grade 9</b>	1.9%	3.0%	5.5%	94.5%
	<b>Grade 10</b>	1.7%	3.8%	7.2%	92.8%
	<b>Grade 11</b>	2.1%	3.7%	6.9%	93.1%
	<b>Grade 12</b>	2.5%	4.3%	8.8%	91.2%
<b>Uppers</b>					
	<b>All</b>	2.4%	3.8%	5.9%	94.1%
	<b>Grade 7</b>	0.6%	1.0%	1.5%	98.5%
	<b>Grade 8</b>	1.8%	2.6%	3.8%	96.2%
	<b>Grade 9</b>	3.0%	4.1%	6.1%	93.9%
	<b>Grade 10</b>	3.2%	5.2%	8.4%	91.6%
	<b>Grade 11</b>	3.4%	5.6%	8.7%	91.3%
	<b>Grade 12</b>	3.5%	6.3%	10.6%	89.4%
<b>Downers</b>					
	<b>All</b>	2.6%	4.0%	6.2%	93.8%
	<b>Grade 7</b>	0.5%	0.8%	1.3%	98.7%
	<b>Grade 8</b>	1.6%	2.3%	3.6%	96.4%
	<b>Grade 9</b>	3.4%	4.5%	6.6%	93.4%
	<b>Grade 10</b>	3.6%	5.0%	8.4%	91.6%
	<b>Grade 11</b>	3.9%	6.7%	9.8%	90.2%
	<b>Grade 12</b>	4.0%	7.1%	11.6%	88.4%



**State : Grades 7-12 Large  
SPRING 2010**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.3%	1.8%	3.1%	96.9%
	<b>Grade 7</b>	0.7%	1.0%	1.8%	98.2%
	<b>Grade 8</b>	1.4%	1.8%	3.0%	97.0%
	<b>Grade 9</b>	1.4%	2.1%	3.4%	96.6%
	<b>Grade 10</b>	1.6%	2.3%	3.7%	96.3%
	<b>Grade 11</b>	1.4%	2.0%	3.4%	96.6%
	<b>Grade 12</b>	1.2%	2.1%	3.3%	96.7%
	<b>Steroids</b>	<b>All</b>	0.5%	0.8%	1.5%
<b>Grade 7</b>		0.4%	0.6%	1.4%	98.6%
<b>Grade 8</b>		0.7%	1.0%	1.8%	98.2%
<b>Grade 9</b>		0.5%	0.7%	1.2%	98.8%
<b>Grade 10</b>		0.6%	0.7%	1.4%	98.6%
<b>Grade 11</b>		0.3%	0.6%	1.4%	98.6%
<b>Grade 12</b>		0.8%	1.1%	1.9%	98.1%
<b>Ecstasy</b>		<b>All</b>	2.9%	4.4%	7.6%
	<b>Grade 7</b>	0.9%	1.4%	2.9%	97.1%
	<b>Grade 8</b>	2.0%	3.1%	5.2%	94.8%
	<b>Grade 9</b>	3.1%	4.7%	8.5%	91.5%
	<b>Grade 10</b>	3.2%	5.3%	9.9%	90.1%
	<b>Grade 11</b>	4.7%	7.2%	11.0%	89.0%
	<b>Grade 12</b>	4.5%	6.6%	10.8%	89.2%
	<b>Heroin</b>	<b>All</b>	0.7%	1.0%	1.8%
<b>Grade 7</b>		0.6%	0.9%	1.8%	98.2%
<b>Grade 8</b>		1.0%	1.4%	2.3%	97.7%
<b>Grade 9</b>		0.5%	1.0%	1.6%	98.4%
<b>Grade 10</b>		0.9%	1.2%	2.2%	97.8%
<b>Grade 11</b>		0.6%	0.7%	1.3%	98.7%
<b>Grade 12</b>		0.5%	1.1%	1.4%	98.6%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	12.4%	17.5%	30.0%	70.0%
	Grade 7	4.3%	6.1%	13.9%	86.1%
	Grade 8	7.0%	10.6%	22.0%	78.0%
	Grade 9	10.1%	14.5%	27.5%	72.5%
	Grade 10	13.1%	19.1%	33.1%	66.9%
	Grade 11	18.1%	25.6%	39.5%	60.5%
	Grade 12	22.7%	30.4%	44.9%	55.1%
<b>Alcohol</b>					
	All	29.1%	40.5%	61.8%	38.2%
	Grade 7	14.4%	19.8%	41.2%	58.8%
	Grade 8	21.2%	29.9%	54.3%	45.7%
	Grade 9	27.9%	39.7%	62.5%	37.5%
	Grade 10	32.6%	46.2%	68.2%	31.8%
	Grade 11	35.5%	50.4%	70.2%	29.8%
	Grade 12	43.7%	58.1%	75.1%	24.9%
<b>Inhalants</b>					
	All	5.8%	8.6%	16.7%	83.3%
	Grade 7	8.0%	10.7%	19.0%	81.0%
	Grade 8	8.5%	12.0%	21.1%	78.9%
	Grade 9	6.0%	9.0%	17.1%	82.9%
	Grade 10	4.8%	7.4%	15.9%	84.1%
	Grade 11	4.1%	6.8%	14.4%	85.6%
	Grade 12	3.2%	5.4%	12.1%	87.9%
<b>Any Illicit Drug</b>					
	All	12.8%	18.1%	27.0%	73.0%
	Grade 7	4.4%	6.0%	10.4%	89.6%
	Grade 8	8.3%	11.4%	17.5%	82.5%
	Grade 9	11.6%	16.6%	24.9%	75.1%
	Grade 10	15.3%	20.9%	31.1%	68.9%
	Grade 11	17.3%	25.7%	37.3%	62.7%
	Grade 12	20.3%	28.7%	41.8%	58.2%
<b>Marijuana</b>					
	All	11.1%	16.5%	25.4%	74.6%
	Grade 7	3.2%	4.7%	8.5%	91.5%
	Grade 8	6.3%	9.2%	15.2%	84.8%
	Grade 9	10.4%	15.4%	23.5%	76.5%
	Grade 10	13.4%	19.3%	29.5%	70.5%
	Grade 11	15.6%	23.9%	35.8%	64.2%
	Grade 12	18.4%	27.4%	40.7%	59.3%
<b>Marijuana Only</b>					
	All	4.6%	7.7%	13.6%	86.4%
	Grade 7	1.4%	2.1%	4.7%	95.3%
	Grade 8	2.6%	4.2%	8.2%	91.8%
	Grade 9	4.4%	7.2%	12.6%	87.4%
	Grade 10	5.9%	9.2%	15.9%	84.1%
	Grade 11	6.2%	11.0%	19.0%	81.0%
	Grade 12	7.5%	12.8%	21.5%	78.5%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Cocaine or Crack</b>					
	<b>All</b>	1.6%	2.7%	5.2%	94.8%
	<b>Grade 7</b>	0.8%	1.2%	2.2%	97.8%
	<b>Grade 8</b>	1.2%	1.8%	3.0%	97.0%
	<b>Grade 9</b>	1.6%	2.4%	4.5%	95.5%
	<b>Grade 10</b>	1.7%	2.9%	5.7%	94.3%
	<b>Grade 11</b>	2.2%	3.6%	7.1%	92.9%
	<b>Grade 12</b>	2.1%	4.1%	9.0%	91.0%
<b>Cocaine</b>					
	<b>All</b>	1.5%	2.5%	4.8%	95.2%
	<b>Grade 7</b>	0.6%	0.9%	1.7%	98.3%
	<b>Grade 8</b>	1.0%	1.5%	2.5%	97.5%
	<b>Grade 9</b>	1.5%	2.2%	4.1%	95.9%
	<b>Grade 10</b>	1.6%	2.7%	5.4%	94.6%
	<b>Grade 11</b>	2.1%	3.6%	6.9%	93.1%
	<b>Grade 12</b>	2.1%	4.0%	8.8%	91.2%
<b>Crack</b>					
	<b>All</b>	0.5%	0.7%	1.5%	98.5%
	<b>Grade 7</b>	0.5%	0.7%	1.3%	98.7%
	<b>Grade 8</b>	0.6%	0.8%	1.6%	98.4%
	<b>Grade 9</b>	0.4%	0.7%	1.5%	98.5%
	<b>Grade 10</b>	0.3%	0.6%	1.4%	98.6%
	<b>Grade 11</b>	0.5%	0.8%	1.5%	98.5%
	<b>Grade 12</b>	0.4%	0.6%	1.5%	98.5%
<b>Hallucinogens</b>					
	<b>All</b>	1.4%	2.4%	4.4%	95.6%
	<b>Grade 7</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 8</b>	0.9%	1.5%	2.9%	97.1%
	<b>Grade 9</b>	1.7%	2.6%	4.2%	95.8%
	<b>Grade 10</b>	1.7%	2.7%	5.0%	95.0%
	<b>Grade 11</b>	2.0%	3.4%	6.3%	93.7%
	<b>Grade 12</b>	2.0%	3.7%	7.0%	93.0%
<b>Uppers</b>					
	<b>All</b>	2.1%	3.2%	5.0%	95.0%
	<b>Grade 7</b>	0.5%	0.7%	1.1%	98.9%
	<b>Grade 8</b>	1.0%	1.3%	2.2%	97.8%
	<b>Grade 9</b>	1.9%	2.8%	4.2%	95.8%
	<b>Grade 10</b>	2.8%	4.3%	6.6%	93.4%
	<b>Grade 11</b>	3.1%	4.7%	7.9%	92.1%
	<b>Grade 12</b>	3.5%	5.7%	8.8%	91.2%
<b>Downers</b>					
	<b>All</b>	2.3%	3.5%	5.5%	94.5%
	<b>Grade 7</b>	0.5%	0.8%	1.2%	98.8%
	<b>Grade 8</b>	1.2%	1.7%	2.5%	97.5%
	<b>Grade 9</b>	2.0%	3.0%	4.6%	95.4%
	<b>Grade 10</b>	2.8%	4.1%	6.6%	93.4%
	<b>Grade 11</b>	3.7%	5.2%	8.8%	91.2%
	<b>Grade 12</b>	3.8%	6.1%	9.9%	90.1%

**State : Grades 7-12 Large  
SPRING 2010**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		<b>Past Month</b>	<b>School Year</b>	<b>Ever Used</b>	<b>Never Used</b>
<b>Rohypnol</b>	<b>All</b>	1.0%	1.4%	2.5%	97.5%
	<b>Grade 7</b>	0.4%	0.6%	1.2%	98.8%
	<b>Grade 8</b>	1.1%	1.5%	2.4%	97.6%
	<b>Grade 9</b>	1.0%	1.6%	2.8%	97.2%
	<b>Grade 10</b>	1.1%	1.6%	2.8%	97.2%
	<b>Grade 11</b>	1.2%	1.8%	2.9%	97.1%
	<b>Grade 12</b>	1.0%	1.5%	2.8%	97.2%
	<b>Steroids</b>	<b>All</b>	0.5%	0.7%	1.4%
<b>Grade 7</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 8</b>		0.4%	0.5%	1.5%	98.5%
<b>Grade 9</b>		0.5%	0.7%	1.3%	98.7%
<b>Grade 10</b>		0.4%	0.6%	1.2%	98.8%
<b>Grade 11</b>		0.5%	0.9%	1.5%	98.5%
<b>Grade 12</b>		0.7%	0.9%	1.7%	98.3%
<b>Ecstasy</b>		<b>All</b>	2.4%	3.9%	6.6%
	<b>Grade 7</b>	0.8%	1.2%	2.0%	98.0%
	<b>Grade 8</b>	1.7%	2.5%	4.2%	95.8%
	<b>Grade 9</b>	2.4%	3.6%	6.0%	94.0%
	<b>Grade 10</b>	2.8%	4.3%	7.3%	92.7%
	<b>Grade 11</b>	3.1%	5.3%	8.8%	91.2%
	<b>Grade 12</b>	3.8%	6.4%	11.3%	88.7%
	<b>Heroin</b>	<b>All</b>	0.5%	0.6%	1.3%
<b>Grade 7</b>		0.4%	0.6%	1.3%	98.7%
<b>Grade 8</b>		0.7%	0.8%	1.5%	98.5%
<b>Grade 9</b>		0.4%	0.7%	1.5%	98.5%
<b>Grade 10</b>		0.5%	0.6%	1.2%	98.8%
<b>Grade 11</b>		0.4%	0.5%	1.1%	98.9%
<b>Grade 12</b>		0.4%	0.5%	1.1%	98.9%

### 3. Margin Tables

**State : Grades 7-12 Large  
SPRING 2010**

**State : Grades 7-12 Large  
Spring 2010**

The FREQ Procedure

GENDER		
q1	Frequency	Percent
?	1	0.00
Female	805E3	51.77
Male	75E4	48.23

Frequency Missing = 4385.3456419

GRADE		
q2	Frequency	Percent
Grade 7	27E4	17.34
Grade 8	265E3	17.02
Grade 9	303E3	19.42
Grade 10	259E3	16.58
Grade 11	238E3	15.29
Grade 12	224E3	14.34

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	601E3	38.86
Yes	946E3	61.14

Frequency Missing = 11620.808946

AGE		
q4	Frequency	Percent
11 or younger	1646	0.11
12	83594	5.39
13	235E3	15.16
14	273E3	17.59
15	282E3	18.15
16	266E3	17.12
17	246E3	15.85
18	149E3	9.60
19 or older	16095	1.04

Frequency Missing = 7130.9154181

ETHNICITY		
q5	Frequency	Percent
.	239	0.02
African/American	219E3	14.39
Asian/American	17478	1.15
Mexican/American	694E3	45.50
Native/American	6029	0.40
Other	38905	2.55
White	549E3	36.00

Frequency Missing = 34897.893243

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
?	39	0.00
Mostly A's	485E3	31.56
Mostly B's	789E3	51.31
Mostly C's	226E3	14.72
Mostly D's	26573	1.73
Mostly F's	10634	0.69

Frequency Missing = 20882.864677

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	141E3	9.17
2-3 years	264E3	17.11
>4 years	114E4	73.72

Frequency Missing = 18571.654926

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	126E4	81.35
Yes	288E3	18.65

Frequency Missing = 15756.235048

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	1E6	65.47
Yes	529E3	34.53

Frequency Missing = 27578.689565

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	256E3	16.60
No	618E3	40.14
Yes	666E3	43.26

Frequency Missing = 19132.383858

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	237E3	15.40
No	63E4	40.94
Yes	672E3	43.66

Frequency Missing = 20110.31824

PARTICIPATE IN SCHOOL ATHLETICS		
q12a	Frequency	Percent
No	708E3	48.88
Yes	741E3	51.12

Frequency Missing = 109875.08632

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	108E4	80.82
Yes	257E3	19.18

Frequency Missing = 221978.54269

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>PARTICIPATE IN SCHOOL CHOIR</b>		
<b>q12c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	115E4	88.57
<b>Yes</b>	149E3	11.43

Frequency Missing = 258714.44499

<b>PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES</b>		
<b>q12h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	107E4	81.10
<b>Yes</b>	25E4	18.90

Frequency Missing = 238631.38024

<b>PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL</b>		
<b>q12m</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	967E3	72.20
<b>Yes</b>	372E3	27.80

Frequency Missing = 220313.43841

<b>PARTICIPATE IN DRAMA/SPEECH/ART CLUBS</b>		
<b>q12d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	107E4	81.97
<b>Yes</b>	236E3	18.03

Frequency Missing = 251809.41216

<b>PARTICIPATE IN ACADEMIC COMPETITION GROUPS</b>		
<b>q12i</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	111E4	84.19
<b>Yes</b>	209E3	15.81

Frequency Missing = 237979.18949

<b>DO YOU FEEL SAFE IN YOUR HOME</b>		
<b>q13a</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	125E4	81.35
<b>Somewhat Safe</b>	247E3	16.08
<b>Not Very Safe</b>	18055	1.18
<b>Not Safe At All</b>	6160	0.40
<b>Don't Know</b>	15228	0.99

Frequency Missing = 24649.703988

<b>PARTICIPATE IN DRILL TEAM/CHEERLEADING</b>		
<b>q12e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	119E4	91.25
<b>Yes</b>	114E3	8.75

Frequency Missing = 260075.59495

<b>PARTICIPATE IN SCHOOL SERVICE CLUBS</b>		
<b>q12j</b>	<b>Frequency</b>	<b>Percent</b>
<b>?</b>	6	0.00
<b>No</b>	119E4	91.00
<b>Yes</b>	118E3	9.00

Frequency Missing = 249088.10579

<b>DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD</b>		
<b>q13b</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	628E3	41.22
<b>Somewhat Safe</b>	714E3	46.82
<b>Not Very Safe</b>	118E3	7.77
<b>Not Safe At All</b>	32045	2.10
<b>Don't Know</b>	31914	2.09

Frequency Missing = 34398.854735

<b>PARTICIPATE IN STUDENT GOVERNMENT</b>		
<b>q12f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	123E4	95.55
<b>Yes</b>	57411	4.45

Frequency Missing = 269920.99002

<b>PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS</b>		
<b>q12k</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	103E4	78.09
<b>Yes</b>	288E3	21.91

Frequency Missing = 242916.17171

<b>DO YOU FEEL SAFE AT SCHOOL</b>		
<b>q13c</b>	<b>Frequency</b>	<b>Percent</b>
<b>Very Safe</b>	644E3	42.31
<b>Somewhat Safe</b>	674E3	44.29
<b>Not Very Safe</b>	108E3	7.12
<b>Not Safe At All</b>	51665	3.39
<b>Don't Know</b>	43812	2.88

Frequency Missing = 37240.762912

<b>PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK</b>		
<b>q12g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	123E4	95.05
<b>Yes</b>	63968	4.95

Frequency Missing = 268124.27647

<b>PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL</b>		
<b>q12l</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	875E3	64.29
<b>Yes</b>	486E3	35.71

Frequency Missing = 198447.78536

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**State : Grades 7-12 Large  
Spring 2010**

<b>FRIENDS FEELING CLOSE TO THEIR PARENTS</b>		
<b>q14a Frequency Percent</b>		
None	81041	5.31
A Few	391E3	25.64
Some	4E5	26.21
Most	516E3	33.82
All	138E3	9.03

Frequency Missing = 33934.014363

<b>HOW MANY FRIENDS CARRY WEAPONS</b>		
<b>q14b Frequency Percent</b>		
None	991E3	66.23
A Few	306E3	20.44
Some	132E3	8.81
Most	48469	3.24
All	19335	1.29

Frequency Missing = 62181.111234

<b>HOW MANY FRIENDS CARE ABOUT GOOD GRADES</b>		
<b>q14c Frequency Percent</b>		
None	45244	3.05
A Few	206E3	13.87
Some	335E3	22.56
Most	635E3	42.82
All	262E3	17.70

Frequency Missing = 76116.464011

<b>HOW MANY FRIENDS BELONG TO A GANG</b>		
<b>q14d Frequency Percent</b>		
None	105E4	69.57
A Few	258E3	17.02
Some	122E3	8.08
Most	59296	3.91
All	21521	1.42

Frequency Missing = 43213.01321

<b>FRIENDS WISHING TO DROP OUT OF SCHOOL</b>		
<b>q14e Frequency Percent</b>		
None	884E3	58.46
A Few	411E3	27.21
Some	139E3	9.21
Most	51570	3.41
All	25901	1.71

Frequency Missing = 47680.471497

<b>PARENTS ATTEND PTA/SCHOOL OPEN HOUSES</b>		
<b>q15 Frequency Percent</b>		
No	807E3	59.12
Yes	558E3	40.88

Frequency Missing = 194378.99518

<b>RECENT INHALANT USE - SPRAY PAINT</b>		
<b>Q16A Frequency Percent</b>		
Never Heard/Used	144E4	95.05
In Your Lifetime	49661	3.29
Since School Began	9573	0.63
In the Past Month	15617	1.03

Frequency Missing = 48070.470763

<b>RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS</b>		
<b>Q16B Frequency Percent</b>		
Never Heard/Used	135E4	90.03
In Your Lifetime	86802	5.80
Since School Began	23057	1.54
In the Past Month	39316	2.63

Frequency Missing = 63667.63187

<b>RECENT INHALANT USE - COMPUTER DUSTING SPRAYS</b>		
<b>Q16C Frequency Percent</b>		
Never Heard/Used	143E4	96.68
In Your Lifetime	26158	1.77
Since School Began	10117	0.68
In the Past Month	12866	0.87

Frequency Missing = 80637.526382

<b>RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON</b>		
<b>Q16D Frequency Percent</b>		
Never Heard/Used	137E4	92.16
In Your Lifetime	60941	4.09
Since School Began	23072	1.55
In the Past Month	32989	2.21

Frequency Missing = 67561.43858

<b>RECENT INHALANT USE - GLUE</b>		
<b>Q16E Frequency Percent</b>		
Never Heard/Used	143E4	97.61
In Your Lifetime	20560	1.40
Since School Began	6109	0.42
In the Past Month	8442	0.57

Frequency Missing = 91070.541976

<b>RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS</b>		
<b>Q16F Frequency Percent</b>		
Never Heard/Used	143E4	97.63
In Your Lifetime	18742	1.28
Since School Began	6489	0.44
In the Past Month	9507	0.65

Frequency Missing = 90655.881751

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER</b>		
<b>Q16G Frequency Percent</b>		
<b>Never Heard/Used</b>	142E4	96.50
<b>In Your Lifetime</b>	27728	1.89
<b>Since School Began</b>	7894	0.54
<b>In the Past Month</b>	15836	1.08

Frequency Missing = 90710.044066

<b>RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS</b>		
<b>Q16H Frequency Percent</b>		
<b>Never Heard/Used</b>	143E4	95.95
<b>In Your Lifetime</b>	33486	2.24
<b>Since School Began</b>	10104	0.68
<b>In the Past Month</b>	16826	1.13

Frequency Missing = 65794.100217

<b>RECENT CIGARETTE USE</b>		
<b>Q17A Frequency Percent</b>		
<b>Never Heard/Used</b>	108E4	71.32
<b>In Your Lifetime</b>	192E3	12.69
<b>Since School Began</b>	71811	4.75
<b>In the Past Month</b>	17E4	11.24

Frequency Missing = 48984.937469

<b>RECENT SMOKELESS TOBACCO USE</b>		
<b>Q17B Frequency Percent</b>		
<b>Never Heard/Used</b>	134E4	90.54
<b>In Your Lifetime</b>	59383	4.00
<b>Since School Began</b>	26702	1.80
<b>In the Past Month</b>	54364	3.66

Frequency Missing = 74810.853061

<b>RECENT BEER USE</b>		
<b>Q17C Frequency Percent</b>		
<b>Never Heard/Used</b>	763E3	51.75
<b>In Your Lifetime</b>	281E3	19.03
<b>Since School Began</b>	138E3	9.34
<b>In the Past Month</b>	293E3	19.88

Frequency Missing = 84183.908337

<b>RECENT WINE COOLER USE</b>		
<b>Q17D Frequency Percent</b>		
<b>Never Heard/Used</b>	839E3	56.30
<b>In Your Lifetime</b>	254E3	17.07
<b>Since School Began</b>	136E3	9.13
<b>In the Past Month</b>	261E3	17.50

Frequency Missing = 69490.353576

<b>RECENT WINE USE</b>		
<b>Q17E Frequency Percent</b>		
<b>Never Heard/Used</b>	869E3	59.62
<b>In Your Lifetime</b>	288E3	19.78
<b>Since School Began</b>	12E4	8.20
<b>In the Past Month</b>	181E3	12.40

Frequency Missing = 101207.37826

<b>RECENT LIQUOR USE</b>		
<b>Q17F Frequency Percent</b>		
<b>Never Heard/Used</b>	839E3	56.48
<b>In Your Lifetime</b>	222E3	14.94
<b>Since School Began</b>	146E3	9.80
<b>In the Past Month</b>	279E3	18.79

Frequency Missing = 73874.686784

<b>RECENT INHALANT USE</b>		
<b>Q17G Frequency Percent</b>		
<b>Never Heard/Used</b>	135E4	91.17
<b>In Your Lifetime</b>	75258	5.07
<b>Since School Began</b>	21222	1.43
<b>In the Past Month</b>	34529	2.33

Frequency Missing = 76143.942352

<b>RECENT MARIJUANA USE</b>		
<b>Q18A Frequency Percent</b>		
<b>Never Heard/Used</b>	111E4	73.75
<b>In Your Lifetime</b>	141E3	9.40
<b>Since School Began</b>	81765	5.44
<b>In the Past Month</b>	171E3	11.41

Frequency Missing = 56581.637024

<b>RECENT COCAINE USE</b>		
<b>Q18B Frequency Percent</b>		
<b>Never Heard/Used</b>	141E4	95.03
<b>In Your Lifetime</b>	36581	2.47
<b>Since School Began</b>	14987	1.01
<b>In the Past Month</b>	22083	1.49

Frequency Missing = 77465.77495

<b>RECENT CRACK USE</b>		
<b>Q18C Frequency Percent</b>		
<b>Never Heard/Used</b>	144E4	98.38
<b>In Your Lifetime</b>	13255	0.91
<b>Since School Began</b>	3585	0.25
<b>In the Past Month</b>	6830	0.47

Frequency Missing = 97662.12493

<b>RECENT HALLUCINOGEN USE</b>		
<b>Q18E Frequency Percent</b>		
<b>Never Heard/Used</b>	14E5	95.37
<b>In Your Lifetime</b>	31052	2.12
<b>Since School Began</b>	14661	1.00
<b>In the Past Month</b>	22063	1.51

Frequency Missing = 94770.065236

<b>RECENT UPPER USE</b>		
<b>Q18F Frequency Percent</b>		
<b>Never Heard/Used</b>	137E4	94.74
<b>In Your Lifetime</b>	27537	1.90
<b>Since School Began</b>	17175	1.19
<b>In the Past Month</b>	31497	2.17

Frequency Missing = 110689.44333

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

Frequency Missing = 93949.535187

<b>RECENT DOWNER USE</b>		
<b>Q18G Frequency Percent</b>		
Never Heard/Used	136E4	94.32
<b>In Your Lifetime</b>	30295	2.10
Since School Began	17096	1.19
<b>In the Past Month</b>	34550	2.40

Frequency Missing = 117452.51797

<b>RECENT ROHYPNOL USE</b>		
<b>Q18H Frequency Percent</b>		
Never Heard/Used	142E4	97.35
<b>In Your Lifetime</b>	16338	1.12
Since School Began	7126	0.49
<b>In the Past Month</b>	15242	1.04

Frequency Missing = 97395.228756

<b>RECENT STEROID USE</b>		
<b>Q18I Frequency Percent</b>		
Never Heard/Used	142E4	98.58
<b>In Your Lifetime</b>	10306	0.71
Since School Began	3379	0.23
<b>In the Past Month</b>	6790	0.47

Frequency Missing = 115678.74226

<b>RECENT ECSTASY USE</b>		
<b>Q18J Frequency Percent</b>		
Never Heard/Used	135E4	93.19
<b>In Your Lifetime</b>	40947	2.82
Since School Began	21007	1.45
<b>In the Past Month</b>	36889	2.54

Frequency Missing = 108573.23345

<b>RECENT HEROIN USE</b>		
<b>Q18K Frequency Percent</b>		
Never Heard/Used	144E4	98.57
<b>In Your Lifetime</b>	9920	0.68
Since School Began	3206	0.22
<b>In the Past Month</b>	7844	0.54

<b>TOBACCO USE IN PAST MONTH</b>		
<b>q19a Frequency Percent</b>		
Never Heard/Used	13E5	85.77
<b>1-2 times</b>	98557	6.52
<b>3-10 times</b>	49686	3.29
<b>11+ times</b>	66940	4.43

Frequency Missing = 47426.274543

<b>ALCOHOL USE IN PAST MONTH</b>		
<b>q19b Frequency Percent</b>		
Never Heard/Used	998E3	66.25
<b>1-2 times</b>	299E3	19.86
<b>3-10 times</b>	151E3	10.04
<b>11+ times</b>	58000	3.85

Frequency Missing = 52556.201656

<b>INHALANT USE IN PAST MONTH</b>		
<b>q19c Frequency Percent</b>		
Never Heard/Used	144E4	96.24
<b>1-2 times</b>	43589	2.91
<b>3-10 times</b>	9468	0.63
<b>11+ times</b>	3236	0.22

Frequency Missing = 62142.077503

<b>MARIJUANA USE IN PAST MONTH</b>		
<b>q19d Frequency Percent</b>		
Never Heard/Used	125E4	83.76
<b>1-2 times</b>	107E3	7.20
<b>3-10 times</b>	63025	4.23
<b>11+ times</b>	71548	4.81

Frequency Missing = 70997.546097

<b>COCAINE USE IN PAST MONTH</b>		
<b>q19e Frequency Percent</b>		
Never Heard/Used	146E4	97.73
<b>1-2 times</b>	22723	1.52
<b>3-10 times</b>	6923	0.46
<b>11+ times</b>	4287	0.29

Frequency Missing = 65084.365209

<b>CRACK USE IN PAST MONTH</b>		
<b>q19f Frequency Percent</b>		
Never Heard/Used	149E4	99.11
<b>1-2 times</b>	9571	0.64
<b>3-10 times</b>	2168	0.14
<b>11+ times</b>	1566	0.10

Frequency Missing = 57981.938854

<b>CLOSE FRIENDS USE CIGARETTES</b>		
<b>q20a Frequency Percent</b>		
Never heard/None	682E3	46.09
<b>A few</b>	455E3	30.70
<b>Some</b>	216E3	14.60
<b>Most</b>	109E3	7.33
<b>All</b>	18989	1.28

Frequency Missing = 78382.766193

<b>CLOSE FRIENDS USE SMOKELESS TOBACCO</b>		
<b>q20b Frequency Percent</b>		
Never heard/None	102E4	69.79
<b>A few</b>	26E4	17.79
<b>Some</b>	123E3	8.44
<b>Most</b>	47696	3.26
<b>All</b>	10450	0.71

Frequency Missing = 97283.377089

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>CLOSE FRIENDS USE BEER</b>		
	<b>q20c Frequency</b>	<b>Percent</b>
Never heard/None	501E3	34.28
A few	337E3	23.08
Some	27E4	18.50
Most	261E3	17.86
All	91707	6.28

Frequency Missing = 98231.055076

<b>CLOSE FRIENDS USE WINE COOLERS</b>		
	<b>q20d Frequency</b>	<b>Percent</b>
Never heard/None	68E4	46.59
A few	302E3	20.67
Some	231E3	15.84
Most	179E3	12.28
All	67278	4.61

Frequency Missing = 99711.542736

<b>CLOSE FRIENDS USE WINE</b>		
	<b>q20e Frequency</b>	<b>Percent</b>
Never heard/None	789E3	54.66
A few	331E3	22.97
Some	182E3	12.59
Most	101E3	6.98
All	40418	2.80

Frequency Missing = 116256.28932

<b>CLOSE FRIENDS USE LIQUOR</b>		
	<b>q20f Frequency</b>	<b>Percent</b>
Never heard/None	614E3	42.18
A few	301E3	20.66
Some	233E3	15.97
Most	224E3	15.35
All	84940	5.83

Frequency Missing = 103292.3341

<b>CLOSE FRIENDS USE INHALANTS</b>		
	<b>q20g Frequency</b>	<b>Percent</b>
Never heard/None	117E4	80.77
A few	185E3	12.70
Some	64029	4.40
Most	23289	1.60
All	7706	0.53

Frequency Missing = 105602.57251

<b>CLOSE FRIENDS USE MARIJUANA</b>		
	<b>q20h Frequency</b>	<b>Percent</b>
Never heard/None	707E3	48.42
A few	272E3	18.63
Some	208E3	14.27
Most	195E3	13.33
All	78142	5.35

Frequency Missing = 98759.947738

<b>DIFFICULT TO GET CIGARETTES</b>		
	<b>q21a Frequency</b>	<b>Percent</b>
Never heard of	219E3	14.99
Impossible	267E3	18.31
Very difficult	97336	6.67
Somewhat diff	143E3	9.83
Somewhat easy	248E3	17.03
Very easy	484E3	33.16

Frequency Missing = 100433.61738

<b>DIFFICULT TO GET SMOKELESS TOBACCO</b>		
	<b>q21b Frequency</b>	<b>Percent</b>
Never heard of	376E3	26.11
Impossible	323E3	22.41
Very difficult	119E3	8.24
Somewhat diff	141E3	9.77
Somewhat easy	171E3	11.86
Very easy	311E3	21.61

Frequency Missing = 118370.0082

<b>DIFFICULT TO GET BEER</b>		
	<b>q21c Frequency</b>	<b>Percent</b>
Never heard of	183E3	12.79
Impossible	195E3	13.61
Very difficult	87924	6.13
Somewhat diff	166E3	11.54
Somewhat easy	295E3	20.56
Very easy	508E3	35.37

Frequency Missing = 124254.91778

<b>DIFFICULT TO GET WINE COOLERS</b>		
	<b>q21d Frequency</b>	<b>Percent</b>
Never heard of	251E3	17.41
Impossible	226E3	15.65
Very difficult	104E3	7.18
Somewhat diff	175E3	12.14
Somewhat easy	27E4	18.74
Very easy	417E3	28.88

Frequency Missing = 116564.41097

<b>DIFFICULT TO GET WINE</b>		
	<b>q21e Frequency</b>	<b>Percent</b>
Never heard of	214E3	15.04
Impossible	232E3	16.33
Very difficult	114E3	8.02
Somewhat diff	184E3	12.91
Somewhat easy	26E4	18.24
Very easy	419E3	29.46

Frequency Missing = 136536.07601

<b>DIFFICULT TO GET LIQUOR</b>		
	<b>q21f Frequency</b>	<b>Percent</b>
Never heard of	211E3	14.61
Impossible	263E3	18.21
Very difficult	123E3	8.50
Somewhat diff	169E3	11.71
Somewhat easy	249E3	17.28
Very easy	429E3	29.68

Frequency Missing = 115444.46693

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>DIFFICULT TO GET INHALANTS</b>		
<b>q21g</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	344E3	24.03
Impossible	261E3	18.25
Very difficult	72072	5.03
Somewhat diff	99598	6.95
Somewhat easy	156E3	10.89
Very easy	499E3	34.85

Frequency Missing = 126550.23483

<b>DIFFICULT TO GET MARIJUANA</b>		
<b>q21h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	241E3	16.96
Impossible	389E3	27.35
Very difficult	117E3	8.20
Somewhat diff	129E3	9.07
Somewhat easy	179E3	12.60
Very easy	368E3	25.83

Frequency Missing = 135334.0793

<b>DIFFICULT TO GET COCAINE</b>		
<b>q21i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	321E3	22.63
Impossible	519E3	36.64
Very difficult	199E3	14.05
Somewhat diff	154E3	10.90
Somewhat easy	1E5	7.09
Very easy	123E3	8.69

Frequency Missing = 142292.66472

<b>DIFFICULT TO GET CRACK</b>		
<b>q21j</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	344E3	24.37
Impossible	529E3	37.47
Very difficult	206E3	14.62
Somewhat diff	149E3	10.60
Somewhat easy	84868	6.02
Very easy	97758	6.93

Frequency Missing = 148444.24447

<b>DIFFICULT TO GET HALLUCINOGENS</b>		
<b>q21l</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	545E3	38.42
Impossible	393E3	27.69
Very difficult	163E3	11.47
Somewhat diff	13E4	9.14
Somewhat easy	89776	6.33
Very easy	98641	6.96

Frequency Missing = 141575.06596

<b>DIFFICULT TO GET UPPERS</b>		
<b>q21m</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	695E3	49.57
Impossible	297E3	21.16
Very difficult	114E3	8.14
Somewhat diff	98359	7.02
Somewhat easy	83233	5.94
Very easy	115E3	8.17

Frequency Missing = 157761.01806

<b>DIFFICULT TO GET DOWNERS</b>		
<b>q21n</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	695E3	49.46
Impossible	297E3	21.15
Very difficult	114E3	8.12
Somewhat diff	97575	6.95
Somewhat easy	82755	5.89
Very easy	118E3	8.43

Frequency Missing = 154859.28464

<b>DIFFICULT TO GET ROHYPNOL</b>		
<b>q21o</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	653E3	46.51
Impossible	355E3	25.32
Very difficult	143E3	10.22
Somewhat diff	99492	7.09
Somewhat easy	64393	4.59
Very easy	87963	6.27

Frequency Missing = 156080.73406

<b>DIFFICULT TO GET STEROIDS</b>		
<b>q21p</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	381E3	27.18
Impossible	532E3	37.98
Very difficult	186E3	13.26
Somewhat diff	136E3	9.74
Somewhat easy	77592	5.54
Very easy	88260	6.30

Frequency Missing = 158633.04502

<b>DIFFICULT TO GET ECSTASY</b>		
<b>q21q</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	47E4	33.41
Impossible	406E3	28.83
Very difficult	148E3	10.53
Somewhat diff	12E4	8.53
Somewhat easy	106E3	7.52
Very easy	157E3	11.18

Frequency Missing = 152363.14798

<b>DIFFICULT TO GET HEROIN</b>		
<b>q21r</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	45E4	31.97
Impossible	526E3	37.38
Very difficult	186E3	13.23
Somewhat diff	107E3	7.59
Somewhat easy	57465	4.09
Very easy	80621	5.73

Frequency Missing = 153060.68815

<b>AGE WHEN FIRST USED CIGARETTES</b>		
<b>q22a</b>	<b>Frequency</b>	<b>Percent</b>
9 or younger	56867	12.92
10 years old	32427	7.37
11 years old	32256	7.33
12 years old	53492	12.15
13 years old	70560	16.03
14 years old	61541	13.98
15 years old	58598	13.31
16 years old	43409	9.86
17 years old	22637	5.14
18 or older	8416	1.91

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

Frequency Missing = 1119026.0189

AGE WHEN FIRST USED SMOKELESS TOBACCO		
q22b Frequency Percent		
9 or younger	9817	7.23
10 years old	7426	5.47
11 years old	7661	5.64
12 years old	13699	10.09
13 years old	20570	15.15
14 years old	21976	16.18
15 years old	22277	16.40
16 years old	19169	14.12
17 years old	9746	7.18
18 or older	3462	2.55

Frequency Missing = 1423425.4026

AGE WHEN FIRST USED BEER		
q22c Frequency Percent		
9 or younger	138E3	18.49
10 years old	56403	7.53
11 years old	54346	7.26
12 years old	90055	12.03
13 years old	11E4	14.64
14 years old	107E3	14.25
15 years old	97580	13.03
16 years old	60406	8.07
17 years old	26613	3.55
18 or older	8673	1.16

Frequency Missing = 810353.96309

AGE WHEN FIRST USED WINE COOLERS		
q22d Frequency Percent		
9 or younger	64958	10.15
10 years old	44036	6.88
11 years old	49324	7.71
12 years old	86032	13.44
13 years old	109E3	16.97
14 years old	103E3	16.11
15 years old	94981	14.84
16 years old	56764	8.87
17 years old	24298	3.80
18 or older	7805	1.22

Frequency Missing = 919297.96683

AGE WHEN FIRST USED WINE		
q22e Frequency Percent		
9 or younger	69925	11.43
10 years old	46341	7.58
11 years old	48610	7.95
12 years old	84225	13.77
13 years old	104E3	16.94
14 years old	93242	15.25
15 years old	81848	13.38
16 years old	53704	8.78
17 years old	21911	3.58
18 or older	8170	1.34

Frequency Missing = 947668.52369

AGE WHEN FIRST USED LIQUOR		
q22f Frequency Percent		
9 or younger	39023	6.06
10 years old	27341	4.25
11 years old	36412	5.66
12 years old	70116	10.89
13 years old	109E3	16.86
14 years old	119E3	18.50
15 years old	116E3	18.09
16 years old	79476	12.35
17 years old	36668	5.70
18 or older	10603	1.65

Frequency Missing = 915600.67314

AGE WHEN FIRST USED INHALANTS		
q22g Frequency Percent		
9 or younger	19200	15.28
10 years old	11135	8.86
11 years old	14128	11.24
12 years old	22508	17.91
13 years old	22666	18.03
14 years old	17104	13.61
15 years old	10369	8.25
16 years old	6018	4.79
17 years old	1949	1.55
18 or older	606	0.48

Frequency Missing = 1433544.6289

AGE WHEN FIRST USED MARIJUANA		
q22h Frequency Percent		
9 or younger	19901	5.27
10 years old	15028	3.98
11 years old	21688	5.74
12 years old	40758	10.79
13 years old	65888	17.45
14 years old	71730	19.00
15 years old	66177	17.52
16 years old	47994	12.71
17 years old	21626	5.73
18 or older	6834	1.81

Frequency Missing = 1181604.6649

AGE WHEN FIRST USED COCAINE		
q22i Frequency Percent		
9 or younger	1533	2.28
10 years old	1848	2.75
11 years old	2497	3.72
12 years old	5423	8.08
13 years old	9737	14.51
14 years old	12538	18.68
15 years old	14604	21.76
16 years old	11658	17.37
17 years old	5636	8.40
18 or older	1641	2.45

Frequency Missing = 1492113.1409

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

Frequency Missing = 1482604.4269

AGE WHEN FIRST USED CRACK		
	q22j Frequency	Percent
9 or younger	1176	5.92
10 years old	1053	5.30
11 years old	1145	5.76
12 years old	2269	11.42
13 years old	3954	19.89
14 years old	3732	18.78
15 years old	3078	15.49
16 years old	2173	10.93
17 years old	1116	5.61
18 or older	180	0.91

Frequency Missing = 1539352.2339

AGE WHEN FIRST USED HALLUCINOGENS		
	q22i Frequency	Percent
9 or younger	1965	3.28
10 years old	1247	2.08
11 years old	1773	2.96
12 years old	4229	7.05
13 years old	7962	13.28
14 years old	10917	18.21
15 years old	12967	21.63
16 years old	11334	18.90
17 years old	5730	9.55
18 or older	1840	3.07

Frequency Missing = 1499263.9809

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	2283	2.98
10 years old	1817	2.37
11 years old	2754	3.59
12 years old	5160	6.73
13 years old	11443	14.93
14 years old	14581	19.03
15 years old	17609	22.98
16 years old	13472	17.58
17 years old	6277	8.19
18 or older	1229	1.60

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	2199	2.75
10 years old	1763	2.21
11 years old	2689	3.37
12 years old	5256	6.58
13 years old	11682	14.63
14 years old	16751	20.98
15 years old	18319	22.94
16 years old	13499	16.90
17 years old	6335	7.93
18 or older	1367	1.71

Frequency Missing = 1479367.7625

AGE WHEN FIRST USED ROHYPNOL		
	q22o Frequency	Percent
9 or younger	1308	4.07
10 years old	1373	4.27
11 years old	2126	6.62
12 years old	3190	9.93
13 years old	5093	15.86
14 years old	6554	20.41
15 years old	6530	20.33
16 years old	3839	11.95
17 years old	1619	5.04
18 or older	483	1.50

Frequency Missing = 1527114.4451

AGE WHEN FIRST USED STERIODS		
	q22p Frequency	Percent
9 or younger	3333	18.46
10 years old	1067	5.91
11 years old	1284	7.11
12 years old	1872	10.37
13 years old	2180	12.07
14 years old	2269	12.57
15 years old	2244	12.43
16 years old	2141	11.86
17 years old	1322	7.32
18 or older	344	1.90

Frequency Missing = 1541173.0194

AGE WHEN FIRST USED ECSTASY		
	q22q Frequency	Percent
9 or younger	1454	1.53
10 years old	1906	2.01
11 years old	2787	2.94
12 years old	6478	6.84
13 years old	11690	12.34
14 years old	16085	16.97
15 years old	20000	21.10
16 years old	18817	19.86
17 years old	12189	12.86
18 or older	3361	3.55

Frequency Missing = 1464461.6962

AGE WHEN FIRST USED HEROIN		
	q22r Frequency	Percent
9 or younger	1394	8.47
10 years old	1021	6.21
11 years old	1328	8.07
12 years old	2086	12.68
13 years old	2707	16.45
14 years old	2667	16.21
15 years old	2595	15.78
16 years old	1391	8.46
17 years old	927	5.63
18 or older	336	2.04

Frequency Missing = 1542775.8844

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a Frequency	Percent
Every day	34074	2.35
Several times/wk	35175	2.43
Several times/mo	50660	3.49
About once/month	75492	5.21
About once/year	65710	4.53
< once/year	116E3	8.00
Never used	107E4	73.99

Frequency Missing = 108868.69879

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>HOW OFTEN NORMALLY USE SMOKELESS TOBACCO</b>		
<b>q23b Frequency Percent</b>		
Every day	11483	0.80
Several times/wk	10433	0.73
Several times/mo	12788	0.90
About once/month	21304	1.49
About once/year	23195	1.62
< once/year	42990	3.01
Never used	131E4	91.44

Frequency Missing = 131653.40875

<b>HOW OFTEN NORMALLY USE BEER</b>		
<b>q23c Frequency Percent</b>		
Every day	4033	0.28
Several times/wk	46483	3.26
Several times/mo	137E3	9.61
About once/month	169E3	11.86
About once/year	15E4	10.52
< once/year	145E3	10.17
Never used	775E3	54.30

Frequency Missing = 132089.84345

<b>HOW OFTEN NORMALLY USE WINE COOLERS</b>		
<b>q23d Frequency Percent</b>		
Every day	2728	0.19
Several times/wk	29832	2.08
Several times/mo	105E3	7.30
About once/month	157E3	10.97
About once/year	158E3	11.02
< once/year	123E3	8.57
Never used	858E3	59.86

Frequency Missing = 125543.102

<b>HOW OFTEN NORMALLY USE WINE</b>		
<b>q23e Frequency Percent</b>		
Every day	1047	0.07
Several times/wk	19388	1.37
Several times/mo	71501	5.06
About once/month	116E3	8.22
About once/year	176E3	12.47
< once/year	155E3	10.95
Never used	874E3	61.85

Frequency Missing = 146800.69363

<b>HOW OFTEN NORMALLY USE LIQUOR</b>		
<b>q23f Frequency Percent</b>		
Every day	3076	0.21
Several times/wk	35574	2.48
Several times/mo	125E3	8.73
About once/month	163E3	11.40
About once/year	153E3	10.68
< once/year	108E3	7.50
Never used	846E3	58.98

Frequency Missing = 125685.99292

<b>HOW OFTEN NORMALLY USE INHALANTS</b>		
<b>q23g Frequency Percent</b>		
Every day	2213	0.16
Several times/wk	5323	0.38
Several times/mo	10560	0.75
About once/month	17444	1.23
About once/year	22799	1.61
< once/year	42595	3.01
Never used	131E4	92.86

Frequency Missing = 145460.2696

<b>HOW OFTEN NORMALLY USE MARIJUANA</b>		
<b>q23h Frequency Percent</b>		
Every day	39015	2.78
Several times/wk	44293	3.16
Several times/mo	60358	4.30
About once/month	63156	4.50
About once/year	57238	4.08
< once/year	69938	4.98
Never used	107E4	76.21

Frequency Missing = 155441.45394

<b>HOW OFTEN NORMALLY USE COCAINE</b>		
<b>q23i Frequency Percent</b>		
Every day	1147	0.08
Several times/wk	3639	0.26
Several times/mo	6379	0.46
About once/month	9794	0.70
About once/year	13423	0.97
< once/year	19608	1.41
Never used	134E4	96.12

Frequency Missing = 168950.57565

<b>HOW OFTEN NORMALLY USE CRACK</b>		
<b>q23j Frequency Percent</b>		
Every day	642	0.05
Several times/wk	1227	0.09
Several times/mo	2284	0.16
About once/month	3252	0.23
About once/year	3726	0.27
< once/year	6461	0.46
Never used	137E4	98.73

Frequency Missing = 169431.99926

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district



**State : Grades 7-12 Large  
Spring 2010**

<b>HOW OFTEN NORMALLY USE HALLUCINOGENS</b>		
	<b>q23l Frequency</b>	<b>Percent</b>
Every day	905	0.06
Several times/wk	1710	0.12
Several times/mo	4680	0.33
About once/month	10564	0.75
About once/year	17754	1.27
< once/year	17055	1.22
Never used	135E4	96.24

Frequency Missing = 158753.01927

<b>HOW OFTEN NORMALLY USE UPPERS</b>		
	<b>q23m Frequency</b>	<b>Percent</b>
Every day	2060	0.15
Several times/wk	5345	0.39
Several times/mo	11460	0.83
About once/month	16629	1.21
About once/year	16775	1.22
< once/year	17034	1.24
Never used	131E4	94.97

Frequency Missing = 181001.53858

<b>HOW OFTEN NORMALLY USE DOWNERS</b>		
	<b>q23n Frequency</b>	<b>Percent</b>
Every day	2771	0.20
Several times/wk	5634	0.41
Several times/mo	12320	0.89
About once/month	17848	1.29
About once/year	15713	1.14
< once/year	16972	1.23
Never used	131E4	94.84

Frequency Missing = 177643.83587

<b>HOW OFTEN NORMALLY USE ROHYPNOL</b>		
	<b>q23o Frequency</b>	<b>Percent</b>
Every day	549	0.04
Several times/wk	2699	0.19
Several times/mo	4788	0.34
About once/month	5751	0.41
About once/year	7231	0.52
< once/year	7499	0.54
Never used	136E4	97.95

Frequency Missing = 168926.09173

<b>HOW OFTEN NORMALLY USE STEROIDS</b>		
	<b>q23p Frequency</b>	<b>Percent</b>
Every day	1696	0.12
Several times/wk	1195	0.09
Several times/mo	1391	0.10
About once/month	1599	0.12
About once/year	2776	0.20
< once/year	6094	0.44
Never used	136E4	98.93

Frequency Missing = 182128.46682

<b>HOW OFTEN NORMALLY USE ECSTASY</b>		
	<b>q23q Frequency</b>	<b>Percent</b>
Every day	1365	0.10
Several times/wk	5600	0.40
Several times/mo	11901	0.86
About once/month	19073	1.38
About once/year	24129	1.74
< once/year	23777	1.72
Never used	13E5	93.81

Frequency Missing = 173067.02352

<b>HOW OFTEN NORMALLY USE HEROIN</b>		
	<b>q23r Frequency</b>	<b>Percent</b>
Every day	824	0.06
Several times/wk	1537	0.11
Several times/mo	1500	0.11
About once/month	2252	0.16
About once/year	3586	0.26
< once/year	5627	0.40
Never used	139E4	98.91

Frequency Missing = 156777.2398

<b>AMOUNT OF BEER AT ONE TIME</b>		
	<b>q24a Frequency</b>	<b>Percent</b>
Never drink this	732E3	50.97
12+ drinks	54761	3.81
9-11 drinks	37887	2.64
5-8 drinks	83850	5.84
3-4 drinks	109E3	7.61
2 drinks	107E3	7.46
1 drink	127E3	8.83
< 1 drink	184E3	12.84

Frequency Missing = 123021.24748

<b>AMOUNT OF WINE COOLERS AT ONE TIME</b>		
	<b>q24b Frequency</b>	<b>Percent</b>
Never drink this	802E3	56.28
12+ drinks	33582	2.36
9-11 drinks	25611	1.80
5-8 drinks	65761	4.61
3-4 drinks	115E3	8.09
2 drinks	124E3	8.67
1 drink	135E3	9.48
< 1 drink	124E3	8.71

Frequency Missing = 134155.51309

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>AMOUNT OF WINE AT ONE TIME</b>		
<b>q24c Frequency Percent</b>		
Never drink this	833E3	58.91
12+ drinks	16567	1.17
9-11 drinks	9965	0.70
5-8 drinks	24559	1.74
3-4 drinks	53813	3.80
2 drinks	85266	6.03
1 drink	17E4	12.01
< 1 drink	221E3	15.63

Frequency Missing = 144929.50662

<b>AMOUNT OF LIQUOR AT ONE TIME</b>		
<b>q24d Frequency Percent</b>		
Never drink this	786E3	55.37
12+ drinks	46930	3.30
9-11 drinks	35491	2.50
5-8 drinks	81675	5.75
3-4 drinks	125E3	8.83
2 drinks	104E3	7.31
1 drink	112E3	7.90
< 1 drink	128E3	9.03

Frequency Missing = 139090.07528

<b>HOW MANY 5+ DRINKS IN PAST 30 DAYS</b>		
<b>q25 Frequency Percent</b>		
Never 5+ at time	648E3	44.35
None	515E3	35.30
1 day	1E5	6.88
2 days	65660	4.50
3 to 5 days	67657	4.63
6 to 9 days	29624	2.03
10 or more days	33606	2.30

Frequency Missing = 99060.43003

<b>GET ALCOHOLIC BEVERAGES FROM HOME</b>		
<b>q26a Frequency Percent</b>		
Do not Drink	654E3	45.66
Never	361E3	25.21
Seldom	289E3	20.20
Most of the Time	89533	6.25
Always	38399	2.68

Frequency Missing = 126578.84853

<b>GET ALCOHOLIC BEVERAGES FROM FRIENDS</b>		
<b>q26b Frequency Percent</b>		
Do not Drink	606E3	42.92
Never	275E3	19.50
Seldom	226E3	15.98
Most of the Time	22E4	15.57
Always	85170	6.03

Frequency Missing = 147016.15438

<b>GET ALCOHOLIC BEVERAGES FROM A STORE</b>		
<b>q26c Frequency Percent</b>		
Do not Drink	633E3	45.00
Never	582E3	41.37
Seldom	102E3	7.22
Most of the Time	58992	4.19
Always	31303	2.22

Frequency Missing = 151791.92917

<b>GET ALCOHOLIC BEVERAGES AT PARTIES</b>		
<b>q26d Frequency Percent</b>		
Do not Drink	581E3	41.14
Never	237E3	16.77
Seldom	183E3	12.96
Most of the Time	21E4	14.86
Always	201E3	14.27

Frequency Missing = 147176.29675

<b>GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES</b>		
<b>q26e Frequency Percent</b>		
Do not Drink	637E3	45.29
Never	379E3	26.91
Seldom	184E3	13.11
Most of the Time	111E3	7.86
Always	95997	6.82

Frequency Missing = 152430.76274

<b>USE MARIJUANA AS JOINTS</b>		
<b>q27a Frequency Percent</b>		
Never	113E4	79.62
Seldom	116E3	8.13
Half the time	65092	4.57
Most of the time	57158	4.01
Always	40816	2.87
Don't know	11492	0.81

Frequency Missing = 134614.91414

<b>USE MARIJUANA AS BLUNTS</b>		
<b>q27b Frequency Percent</b>		
Never	113E4	79.59
Seldom	92685	6.55
Half the time	58617	4.14
Most of the time	63293	4.48
Always	62347	4.41
Don't know	11691	0.83

Frequency Missing = 144944.27724

<b>USE MARIJUANA IN BONGS OR WATER PIPES</b>		
<b>q27c Frequency Percent</b>		
Never	119E4	84.71
Seldom	81593	5.83
Half the time	44558	3.18
Most of the time	43928	3.14
Always	35353	2.53
Don't know	8575	0.61

Frequency Missing = 159774.96339

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>USE MARIJUANA IN PIPES</b>		
<b>q27d Frequency Percent</b>		
Never	117E4	83.59
Seldom	72184	5.17
Half the time	44371	3.18
Most of the time	59619	4.27
Always	44186	3.16
Don't know	8920	0.64

Frequency Missing = 162200.37563

<b>USE MARIJUANA OTHER WAYS</b>		
<b>q27e Frequency Percent</b>		
Never	122E4	87.64
Seldom	73209	5.25
Half the time	23632	1.69
Most of the time	22929	1.64
Always	28238	2.02
Don't know	24473	1.75

Frequency Missing = 163552.15335

<b>USED METHAMPHETAMINE EVEN ONE TIME</b>		
<b>q28 Frequency Percent</b>		
Never heard/used	142E4	97.01
At least once/month	11563	0.79
At least once/year	7849	0.54
At least once/life	24270	1.66

Frequency Missing = 97080.691375

<b>RECENT PRECRIPTION DRUG USE - CODEINE</b>		
<b>q29a Frequency Percent</b>		
Never heard/used	126E4	87.68
At least once/month	69233	4.83
At least once/year	47608	3.32
At least once/life	59613	4.16

Frequency Missing = 126797.53373

<b>RECENT PRECRIPTION DRUG USE - OXYCONTIN ETC</b>		
<b>q29b Frequency Percent</b>		
Never heard/used	137E4	96.91
At least once/month	13857	0.98
At least once/year	12219	0.86
At least once/life	17633	1.25

Frequency Missing = 146628.65129

<b>RECENT PRECRIPTION DRUG USE - VICODIN ETC</b>		
<b>q29c Frequency Percent</b>		
Never heard/used	133E4	94.71
At least once/month	25578	1.82
At least once/year	22905	1.63
At least once/life	25634	1.83

Frequency Missing = 157667.06296

<b>RECENT PRECRIPTION DRUG USE - VALIUM ETC</b>		
<b>q29d Frequency Percent</b>		
Never heard/used	137E4	97.64
At least once/month	10487	0.75
At least once/year	8977	0.64
At least once/life	13678	0.97

Frequency Missing = 156083.56155

<b>RECENT PRECRIPTION DRUG USE - XANAX ETC</b>		
<b>q29e Frequency Percent</b>		
Never heard/used	134E4	95.47
At least once/month	24213	1.72
At least once/year	17664	1.26
At least once/life	21899	1.56

Frequency Missing = 152194.59778

<b>TAKE DXM, TRIPLE CS, ETC. TO GET HIGH</b>		
<b>q30 Frequency Percent</b>		
Never heard/used	135E4	94.63
At least once/month	27510	1.93
At least once/year	17221	1.21
At least once/life	31883	2.23

Frequency Missing = 131426.99164

<b>DANGEROUS FOR KIDS TO USE TOBACCO</b>		
<b>q31a Frequency Percent</b>		
Very	757E3	53.17
Somewhat	365E3	25.64
Not very	173E3	12.17
Not at all	50018	3.51
Don't know	78566	5.52

Frequency Missing = 135195.50213

<b>DANGEROUS FOR KIDS TO USE ALCOHOL</b>		
<b>q31b Frequency Percent</b>		
Very	672E3	47.74
Somewhat	425E3	30.20
Not very	201E3	14.27
Not at all	51804	3.68
Don't know	57787	4.10

Frequency Missing = 150733.77819

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>q31c Frequency Percent</b>		
Very	101E4	72.76
Somewhat	206E3	14.89
Not very	65255	4.71
Not at all	22945	1.66
Don't know	82788	5.98

Frequency Missing = 174835.30736

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>q31d Frequency Percent</b>		
<b>Very</b>	813E3	58.88
<b>Somewhat</b>	208E3	15.06
<b>Not very</b>	157E3	11.38
<b>Not at all</b>	143E3	10.38
<b>Don't know</b>	59395	4.30

Frequency Missing = 178182.05137

<b>DANGEROUS FOR KIDS TO USE COCAINE</b>		
<b>q31e Frequency Percent</b>		
<b>Very</b>	114E4	83.69
<b>Somewhat</b>	121E3	8.89
<b>Not very</b>	22444	1.65
<b>Not at all</b>	12146	0.89
<b>Don't know</b>	66548	4.89

Frequency Missing = 196960.5702

<b>DANGEROUS FOR KIDS TO USE CRACK</b>		
<b>q31f Frequency Percent</b>		
<b>Very</b>	116E4	85.16
<b>Somewhat</b>	103E3	7.55
<b>Not very</b>	17861	1.31
<b>Not at all</b>	11575	0.85
<b>Don't know</b>	69969	5.14

Frequency Missing = 196709.66146

<b>DANGEROUS FOR KIDS TO USE ECSTASY</b>		
<b>q31g Frequency Percent</b>		
<b>Very</b>	105E4	76.97
<b>Somewhat</b>	149E3	10.92
<b>Not very</b>	47505	3.49
<b>Not at all</b>	20912	1.54
<b>Don't know</b>	96197	7.08

Frequency Missing = 199714.53601

<b>DANGEROUS FOR KIDS TO USE STEROIDS</b>		
<b>q31h Frequency Percent</b>		
<b>Very</b>	103E4	75.09
<b>Somewhat</b>	18E4	13.18
<b>Not very</b>	55990	4.09
<b>Not at all</b>	19925	1.46
<b>Don't know</b>	84626	6.19

Frequency Missing = 191009.71802

<b>DANGEROUS FOR KIDS TO USE HEROIN</b>		
<b>q31i Frequency Percent</b>		
<b>Very</b>	118E4	86.13
<b>Somewhat</b>	81097	5.92
<b>Not very</b>	14401	1.05
<b>Not at all</b>	10153	0.74
<b>Don't know</b>	84415	6.16

Frequency Missing = 189131.38771

<b>DANGEROUS FOR KIDS TO USE METHAMPHETAMINE</b>		
<b>q31j Frequency Percent</b>		
<b>Very</b>	117E4	83.82
<b>Somewhat</b>	79075	5.69
<b>Not very</b>	13817	0.99
<b>Not at all</b>	10553	0.76
<b>Don't know</b>	121E3	8.74

Frequency Missing = 168812.34282

<b>DAYS SKIPPED SINCE SEPTEMBER</b>		
<b>q32a Frequency Percent</b>		
<b>None</b>	107E4	74.41
<b>1-3 days</b>	266E3	18.52
<b>4-9 days</b>	61633	4.30
<b>10+ days</b>	39789	2.77

Frequency Missing = 125198.07684

<b>DAYS ILL SINCE SEPTEMBER</b>		
<b>q32b Frequency Percent</b>		
<b>None</b>	388E3	27.19
<b>1-3 days</b>	735E3	51.50
<b>4-9 days</b>	245E3	17.16
<b>10+ days</b>	59261	4.15

Frequency Missing = 132518.29122

<b>OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER</b>		
<b>q32c Frequency Percent</b>		
<b>None</b>	552E3	39.05
<b>1-3 days</b>	703E3	49.73
<b>4-9 days</b>	119E3	8.38
<b>10+ days</b>	40113	2.84

Frequency Missing = 145083.8199

<b>SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER</b>		
<b>q32d Frequency Percent</b>		
<b>None</b>	118E4	82.43
<b>1-3 days</b>	185E3	12.97
<b>4-9 days</b>	38150	2.67
<b>10+ days</b>	27479	1.92

Frequency Missing = 130936.64651

<b>SOMEONE CALLED HOME SINCE SEPTEMBER</b>		
<b>q32e Frequency Percent</b>		
<b>None</b>	121E4	85.56
<b>1-3 days</b>	157E3	11.10
<b>4-9 days</b>	28176	1.99
<b>10+ days</b>	19016	1.34

Frequency Missing = 145262.34067

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>IN TROUBLE FOR DRINKING SINCE SEPTEMBER</b>		
<b>q32f Frequency Percent</b>		
None	139E4	98.86
1-3 days	10402	0.74
4-9 days	2069	0.15
10+ days	3591	0.26

Frequency Missing = 155357.62896

<b>IN TROUBLE FOR DRUG USE SINCE SEPTEMBER</b>		
<b>q32g Frequency Percent</b>		
None	138E4	98.43
1-3 days	15642	1.11
4-9 days	2389	0.17
10+ days	4077	0.29

Frequency Missing = 152858.21391

<b>TROUBLE WITH FRIENDS BECAUSE OF DRINKING</b>		
<b>q33a Frequency Percent</b>		
None	133E4	93.78
1-3 times	76225	5.39
4-9 times	7365	0.52
10+ times	4456	0.31

Frequency Missing = 144424.20025

<b>DRIVEN A CAR AFTER A GOOD BIT TO DRINK</b>		
<b>q33b Frequency Percent</b>		
None	13E5	93.22
1-3 times	71655	5.14
4-9 times	12311	0.88
10+ times	10574	0.76

Frequency Missing = 164348.14929

<b>CRITICIZED BY DATE BECAUSE OF DRINKING</b>		
<b>q33c Frequency Percent</b>		
None	129E4	93.07
1-3 times	79224	5.72
4-9 times	9088	0.66
10+ times	7676	0.55

Frequency Missing = 174518.20679

<b>TROUBLE WITH POLICE BECAUSE OF DRINKING</b>		
<b>q33d Frequency Percent</b>		
None	134E4	97.27
1-3 times	30729	2.24
4-9 times	3459	0.25
10+ times	3276	0.24

Frequency Missing = 185981.9222

<b>TROUBLE WITH FRIENDS BECAUSE OF DRUG USE</b>		
<b>q33e Frequency Percent</b>		
None	129E4	94.21
1-3 times	65045	4.73
4-9 times	9081	0.66
10+ times	5445	0.40

Frequency Missing = 184726.40775

<b>DRIVEN A CAR WHILE HIGH FROM DRUGS</b>		
<b>q33f Frequency Percent</b>		
None	126E4	93.13
1-3 times	58704	4.33
4-9 times	13733	1.01
10+ times	20825	1.53

Frequency Missing = 202435.0097

<b>CRITICIZED BY DATE BECAUSE OF DRUG USE</b>		
<b>q33g Frequency Percent</b>		
None	126E4	93.39
1-3 times	69002	5.12
4-9 times	10448	0.78
10+ times	9547	0.71

Frequency Missing = 211946.4426

<b>TROUBLE WITH POLICE BECAUSE OF DRUG USE</b>		
<b>q33h Frequency Percent</b>		
None	132E4	97.55
1-3 times	25845	1.91
4-9 times	3361	0.25
10+ times	4026	0.30

Frequency Missing = 204181.8899

<b>CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT</b>		
<b>q34a Frequency Percent</b>		
None	131E4	92.52
1-3 days	81183	5.72
4-9 days	13106	0.92
10+ days	11853	0.84

Frequency Missing = 140210.28371

<b>CLASS DAYS HIGH ON MARIJUANA SINCE SEPT</b>		
<b>q34b Frequency Percent</b>		
None	126E4	89.08
1-3 days	82344	5.84
4-9 days	28281	2.01
10+ days	43294	3.07

Frequency Missing = 149165.17774

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>CLASS DAYS HIGH ON INHALANTS SINCE SEPT</b>		
<b>q34c Frequency Percent</b>		
None	137E4	97.71
1-3 days	22569	1.61
4-9 days	4530	0.32
10+ days	5092	0.36

Frequency Missing = 155141.26661

<b>CLASS DAYS HIGH ON OTHER DRUG(S)</b>		
<b>q34d Frequency Percent</b>		
None	133E4	94.24
1-3 days	51851	3.69
4-9 days	13694	0.97
10+ days	15471	1.10

Frequency Missing = 152932.34719

<b>ALCOHOL USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q35a Frequency Percent</b>		
Never	607E3	42.84
Seldom	141E3	9.95
Half the time	99481	7.02
Most of the time	161E3	11.40
Always	223E3	15.76
Don't know	26955	1.90
Didn't attend	158E3	11.13

Frequency Missing = 143005.63058

<b>DRUG USE AT PARTIES THIS SCHOOL YEAR</b>		
<b>q35b Frequency Percent</b>		
Never	761E3	53.84
Seldom	13E4	9.21
Half the time	92650	6.55
Most of the time	108E3	7.62
Always	125E3	8.83
Don't know	38301	2.71
Didn't attend	159E3	11.25

Frequency Missing = 145160.77317

<b>SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM</b>		
<b>q36</b>	<b>Frequency Percent</b>	
?	1	0.00
No	121E4	91.98
Yes	105E3	8.02

Frequency Missing = 248742.38533

<b>WOULD SEEK HELP FROM SCHOOL COUNSELOR</b>		
<b>q37a</b>	<b>Frequency Percent</b>	
?	9	0.00
No	901E3	65.04
Yes	484E3	34.96

Frequency Missing = 173776.62243

<b>WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL</b>		
<b>q37b</b>	<b>Frequency Percent</b>	
No	9E5	65.30
Yes	478E3	34.70

Frequency Missing = 181449.2203

<b>WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL</b>		
<b>q37c</b>	<b>Frequency Percent</b>	
?	5	0.00
No	855E3	62.99
Yes	502E3	37.01

Frequency Missing = 202608.51316

<b>WOULD SEEK HELP FROM PARENTS</b>		
<b>q37d</b>	<b>Frequency Percent</b>	
?	5	0.00
No	537E3	39.33
Yes	828E3	60.67

Frequency Missing = 194617.71173

<b>WOULD SEEK HELP FROM A MEDICAL DOCTOR</b>		
<b>q37e</b>	<b>Frequency Percent</b>	
No	738E3	54.61
Yes	613E3	45.39

Frequency Missing = 208140.15874

<b>WOULD SEEK HELP FROM FRIENDS</b>		
<b>q37f</b>	<b>Frequency Percent</b>	
No	417E3	30.66
Yes	944E3	69.34

Frequency Missing = 197963.36714

<b>WOULD SEEK HELP FROM ANOTHER ADULT</b>		
<b>q37g</b>	<b>Frequency Percent</b>	
?	6	0.00
No	524E3	38.31
Yes	843E3	61.69

Frequency Missing = 192297.10492

<b>WOULD NOT SEEK HELP</b>		
<b>q37h</b>	<b>Frequency Percent</b>	
No	114E4	84.37
Yes	211E3	15.63

Frequency Missing = 212465.67165

<b>DRUG/ALCOHOL INFO--SCHOOL HEALTH CLASS</b>		
<b>q38a</b>	<b>Frequency Percent</b>	
No	65E4	52.14
Yes	597E3	47.86

Frequency Missing = 311647.45635

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 7-12 Large  
Spring 2010**

<b>DRUG/ALCOHOL INFO--SCHOOL ASSEMBLY PROGRAM</b>		
<b>q38b</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	62E4	50.53
<b>Yes</b>	607E3	49.47

Frequency Missing = 332537.45826

<b>DRUG/ALCOHOL INFO--INVITED SCHOOL GUEST</b>		
<b>q38g</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	772E3	64.04
<b>Yes</b>	433E3	35.96

Frequency Missing = 353793.07648

<b>DRUG/ALCOHOL INFO--SCHOOL GUIDANCE COUNSELOR</b>		
<b>q38c</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	882E3	72.79
<b>Yes</b>	33E4	27.21

Frequency Missing = 346920.0247

<b>DRUG/ALCOHOL INFO--ANOTHER SCHOOL SOURCE</b>		
<b>q38h</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	82E4	67.43
<b>Yes</b>	396E3	32.57

Frequency Missing = 343042.71032

<b>DRUG/ALCOHOL INFO--SCIENCE CLASS</b>		
<b>q38d</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	838E3	69.34
<b>Yes</b>	371E3	30.66

Frequency Missing = 350357.10922

<b>PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES</b>		
<b>q39a Frequency Percent</b>		
<b>Strong disapprove</b>	107E4	76.68
<b>Mild disapprove</b>	112E3	7.98
<b>Neither</b>	90840	6.50
<b>Mildly approve</b>	16063	1.15
<b>Strongly approve</b>	12278	0.88
<b>Don't know</b>	95276	6.82

Frequency Missing = 161318.25419

<b>DRUG/ALCOHOL INFO--SOCIAL STUDIES CLASS</b>		
<b>q38e</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	102E4	84.57
<b>Yes</b>	186E3	15.43

Frequency Missing = 356794.96761

<b>PARENTS FEEL ABOUT KIDS DRINKING BEER</b>		
<b>q39b Frequency Percent</b>		
<b>Strong disapprove</b>	887E3	63.96
<b>Mild disapprove</b>	205E3	14.78
<b>Neither</b>	142E3	10.25
<b>Mildly approve</b>	46814	3.37
<b>Strongly approve</b>	15968	1.15
<b>Don't know</b>	90016	6.49

Frequency Missing = 171749.93552

<b>DRUG/ALCOHOL INFO--SCHOOL STUDENT GROUP OR CLUB</b>		
<b>q38f</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	102E4	84.61
<b>Yes</b>	186E3	15.39

Frequency Missing = 351660.18194

<b>PARENTS FEEL ABOUT KIDS USING MARIJUANA</b>		
<b>q39c Frequency Percent</b>		
<b>Strong disapprove</b>	113E4	81.44
<b>Mild disapprove</b>	71242	5.16
<b>Neither</b>	63759	4.61
<b>Mildly approve</b>	16396	1.19
<b>Strongly approve</b>	18335	1.33
<b>Don't know</b>	86757	6.28

Frequency Missing = 177413.00006

<b>TESTED FOR DRUG USE AT SCHOOL</b>		
<b>q40</b>	<b>Frequency</b>	<b>Percent</b>
<b>No</b>	117E4	85.12
<b>Yes</b>	205E3	14.88

Frequency Missing = 183513.9813

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district